

Lower Duwamish Waterway Group

Port of Seattle / City of Seattle / King County / The Boeing Company

YEAR 1 DATA PACKAGE

Enhanced Natural Recovery/Activated Carbon Pilot Study

Lower Duwamish Waterway

FINAL

Prepared for:

The U.S. Environmental Protection Agency

Region 10

Seattle, Washington

The Washington State Department of Ecology

Northwest Regional Office

Bellevue, Washington

Prepared by:

Wood Environment & Infrastructure Solutions, Inc.

Dalton, Olmsted & Fuglevand, Inc.

Ramboll

Floyd|Snider

Geosyntec Consultants

September 24, 2018

Project No. LY15160310

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION	1
2.0 METHODS AND CHANGES FROM THE QAPP	1
2.1 SAMPLING LOCATIONS	1
2.2 SAMPLE COLLECTION AND COMPOSITING	2
2.3 SAMPLE ANALYSIS	3
3.0 DATA QUALIFIERS	3
4.0 RESULTS	3
5.0 REFERENCES	3

TABLES

Table 1	Sample Location Coordinates
Table 2	Composite Formation
Table 3	Analytical Schedule
Table 4	Data Qualifier Definitions
Table 5	Pre-Analytical Laboratory Submission Sieving to Remove Gravel Fraction
Table 6	Activated Carbon, Total Organic Carbon, and Grain Size Results for Bulk Sediment
Table 7	Analytical Results for PCB Congeners in Bulk Sediment
Table 8	Analytical Results for PCB Congeners in Porewater

FIGURES

Figure 1	Subtidal Plot Discrete Sample Locations
Figure 2	Scour Plot Discrete Sample Locations
Figure 3	Intertidal Plot Discrete Sample Locations

ATTACHMENT

Electronic Data Deliverable - electronic

LDW ENR/AC PILOT STUDY – YEAR 1 DATA PACKAGE

Enhanced Natural Recovery/Activated Carbon Pilot Study

Lower Duwamish Waterway

1.0 INTRODUCTION

This memorandum transmits the validated Year 1 data for the Lower Duwamish Waterway (LDW) the Enhanced Natural Recovery Activated Carbon (ENR/AC) Pilot Study consistent with the Statement of Work for the Second Amendment to the Administrative Order on Consent. These data characterize the conditions one year after pilot study construction. Surface sediment and solid-phase microextraction (SPME) extract samples were collected from the scour, intertidal, and subtidal plots to determine concentrations of freely dissolved polychlorinated biphenyls (PCBs) in porewater, and PCBs, total organic carbon (TOC) content, activated carbon (AC) content, and grain size in bulk sediment.

Project description and objectives as well as sampling design, collection and handling methods, and analytical methods are detailed in the Quality Assurance Project Plan (QAPP; Amec Foster Wheeler et al., 2016) as amended by QAPP Addendum 1 (Amec Foster Wheeler et al., 2017a) and QAPP Addendum 3 (Amec Foster Wheeler et al., 2018)¹. Supporting information such as chain of custody forms and data validation reports will be included in the Year 1 Monitoring Report, in accordance with the approved QAPP.

2.0 METHODS AND CHANGES FROM THE QAPP

All methods and procedures outlined in the QAPP, QAPP Addendum 1, and QAPP Addendum 3 were followed in the collection and analysis of the samples.

2.1 SAMPLING LOCATIONS

A global positioning system (GPS) was used to position the sampling vessel such that the GPS-receiver, mounted to the winch arm directly over the receiver, was within 1 to 2 meters of the proposed sampling location. As noted in the QAPP, locations were selected by dividing the subplot into six grid cells, which were further divided into 24 location cells, numbered 1 through 24. Three discrete samples were collected from each grid cell at location cells determined by a random

¹ QAPP Addendum 2 (Amec Foster Wheeler et al., 2017b) addresses the bioaccumulation study part of the Pilot Study and is not applicable to this data.

number generator. These samples were identified as “A”, “B”, or “C” composites as discussed in Section 2.2.

All samples were collected within the target sampling area. The plot, subplot, treatment type, sample ID, grid cell, location cell, composite (A, B, or C) and coordinates for all discrete samples are summarized in Table 1. The actual sampling locations for the subtidal, scour, and intertidal plots are shown on Figures 1, 2, and 3, respectively, and are labeled with the location cell number. Samples collected for D and E composites shown on Figures 1 through 3 were archived.

2.2 SAMPLE COLLECTION AND COMPOSITING

Intertidal plot sediment samples were collected at low tide on foot using hand cores and scour plot sediment samples were collected by divers using hand cores. Sediment from the hand cores was placed in 2-gallon buckets and transferred to the materials testing laboratory, Materials Testing & Consulting, Inc. (MTC). At MTC, samples were dried and sieved with a 3/8” sieve and a #4 sieve to remove the gravel fraction prior to compositing. All fractions were weighed and then the fraction that passed the #4 sieve was retained for the composite.

Subtidal samples were collected using 0.2-square meter pneumatically-powered stainless-steel grab sampler deployed from the sampling vessel. After visual confirmation of acceptable recovery, the overlying water was removed and a sediment core was collected for *ex situ* SPME testing using a 2-inch-diameter core tube. An additional core was collected for compositing and analysis using a 3-inch-diameter aluminum core tube.

The subtidal samples and the fraction of the scour and intertidal samples that passed the #4 sieve were composited by the Wood team at MTC and placed in jars. To form the composite sample, the “A”, “B”, and “C” discrete samples from each subplot that had corresponding recovered/usable SPMEs were composited, resulting in three composite samples per subplot. A summary of the individual samples included in each composite is provided in Table 2. The A, B, or C composite designation of each of the discrete samples is also shown on Figures 1 through 3. Further detail is provided in the QAPP.

Samples were identified according to the QAPP with each sediment and SPME sample assigned a unique alphanumeric ID number consisting of seven to nine components identifying various aspects of the sample. For example, the components for sample ID LDW-Y1-SU-ENR-CA-S010 are as follows:

- LDW = Lower Duwamish Waterway

- Y1 = Year 1 Monitoring
- SU = subtidal (intertidal is IN and scour is SC)
- ENR = Enhanced natural recovery only (ENR+AC is enhanced natural recovery with activated carbon)
- CA = composite of “A” locations
- S010 = SPME fibers collected from 0 to 10 centimeters (CORE at the end of the sample ID indicates a composite of the sediment cores)

2.3 SAMPLE ANALYSIS

Composite samples were analyzed for PCBs by the U.S. Environmental Protection Agency (EPA) Method 1668C, TOC by EPA Method 9060, AC by Grossman and Ghosh (2009), and grain size by ASTM D422. SPME fibers were processed by the method based on the work of Conder et al. (2003), You et al. (2007), Yang et al. (2008), Lu et al. (2011), Oen et al. (2011), and Harwood et al. (2012), and analyzed for PCB congeners by EPA Method 1668C. The analytical schedule for each sample is shown in Table 3.

3.0 DATA QUALIFIERS

The laboratory results were validated by Saylor Data Solutions. The data validation qualifiers applied are defined in Table 4.

4.0 RESULTS

A summary of analytical results for the bulk sediment are provided in Tables 6 and 7 and PCB congener porewater concentrations are provided in Table 8. For intertidal and scour plot samples, which were sieved, the TOC, AC, and grain size results were corrected using the masses of the sieved fractions so that the result represents the complete sample, not the sieved sample.

5.0 REFERENCES

AMEC Foster Wheeler, et al. (Amec Foster Wheeler; Dalton, Olmsted & Fuglevand, Inc.; Ramboll Environ; Floyd|Snider; and Geosyntec Consultants). 2016. Quality Assurance Project Plan, Enhanced Natural Recovery/Activated Carbon Pilot Study, Lower Duwamish Waterway. Lower Duwamish Waterway Group, Seattle, WA. February 22.

- _____, 2017a. Quality Assurance Project Plan Addendum 1, Enhanced Natural Recovery/ Activated Carbon Pilot Study, Lower Duwamish Waterway, *Ex Situ* SPME Sampling at the Subtidal Plot. Lower Duwamish Waterway Group, Seattle, WA. February 25.
- _____, 2017b. Quality Assurance Project Plan Addendum 2, Enhanced Natural Recovery/ Activated Carbon Pilot Study, Lower Duwamish Waterway, Laboratory Bioaccumulation Study. Lower Duwamish Waterway Group, Seattle, WA. May 19.
- _____, 2018. Quality Assurance Project Plan Addendum 3, Enhanced Natural Recovery/ Activated Carbon Pilot Study, Lower Duwamish Waterway, Analytical Methods for Carbon Analysis and Sieving of Gravelly Sand ENR Substrate. Lower Duwamish Waterway Group, Seattle, WA. January 31.
- Conder et al. 2003. Nondestructive, minimal-disturbance, direct-burial solid phase microextraction fiber technique for measuring TNT in sediment. *Environ. Sci. Technol.* 37:1625-1632.
- Grossman, A., and Ghosh, U. 2009. Measurement of activated carbon and other black carbons in sediments. *Chemosphere.* 75:469-475.
- Harwood et al. 2012. A comparison of exposure methods for SPME-based bioavailability estimates. *Chemosphere* 86: 506-511.
- Lu et al. 2011. Predicting bioavailability of PAHs and PCBs with porewater concentrations measured by solid-phase microextraction fibers. *Environ. Toxicol. Chem.* 30: 1109-1116
- Oen et al. 2011. In situ measurement of PCB pore water concentration profiles in activated carbon-amended sediment using passive samplers. *Environ. Sci. Technol.* 45: 4053-4059.
- Yang et al. 2008. Experimental verification of a model describing solid phase microextraction (SPME) of freely dissolved organic pollutants in sediment porewater. *Chemosphere* 72: 1435-1440.
- You et al. 2007. Desorption of hydrophobic compounds from laboratory-spiked sediments measured by Tenax absorbent and matrix solid-phase microextraction. *Environ. Sci. Technol.* 41: 5672-5678.

TABLES

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Subtidal	East Lane	ENR	LDW-Y1-SU-ENR-1-A-CORE	1	14	A	1267925.8	205616.5
			LDW-Y1-SU-ENR-1-B-CORE	1	17	B	1267937.5	205580.3
			LDW-Y1-SU-ENR-1-C-CORE	1	15	C	1267929.7	205604.4
			LDW-Y1-SU-ENR-1-D-CORE	1	16	D	1267933.6	205592.4
			LDW-Y1-SU-ENR-1-E-CORE	1	11	E	1267928.2	205577.3
			LDW-Y1-SU-ENR-2-A-CORE	2	19	A	1267954.7	205559.3
			LDW-Y1-SU-ENR-2-B-CORE	2	8	B	1267939.9	205541.2
			LDW-Y1-SU-ENR-2-C-CORE	2	10	C	1267947.7	205517.1
			LDW-Y1-SU-ENR-2-D-CORE	2	15	D	1267953.1	205532.2
			LDW-Y1-SU-ENR-2-E-CORE	2	7	E	1267936.0	205553.2
			LDW-Y1-SU-ENR-3-A-CORE	3	16	A	1267980.5	205447.8
			LDW-Y1-SU-ENR-3-B-CORE	3	20	B	1267982.0	205474.9
			LDW-Y1-SU-ENR-3-C-CORE	3	11	C	1267975.0	205432.7
			LDW-Y1-SU-ENR-3-D-CORE	3	15	D	1267976.6	205459.9
			LDW-Y1-SU-ENR-3-E-CORE	3	14	E	1267972.7	205471.9
			LDW-Y1-SU-ENR-4-A-CORE	4	11	A	1267998.5	205360.5
			LDW-Y1-SU-ENR-4-B-CORE	4	17	B	1268007.8	205363.5
			LDW-Y1-SU-ENR-4-C-CORE	4	13	C	1267992.2	205411.7
			LDW-Y1-SU-ENR-4-D-CORE	4	9	D	1267990.7	205384.6
			LDW-Y1-SU-ENR-4-E-CORE	4	24	E	1268021.0	205354.5
			LDW-Y1-SU-ENR-5-A-CORE	5	13	A	1268015.6	205339.4
			LDW-Y1-SU-ENR-5-B-CORE	5	7	B	1268006.3	205336.4
			LDW-Y1-SU-ENR-5-C-CORE	5	10	C	1268018.0	205300.2
			LDW-Y1-SU-ENR-5-D-CORE	5	22	D	1268036.7	205306.3
			LDW-Y1-SU-ENR-5-E-CORE	5	18	E	1268035.1	205279.2
			LDW-Y1-SU-ENR-6-A-CORE	6	11	A	1268045.3	205215.9
			LDW-Y1-SU-ENR-6-B-CORE	6	8	B	1268033.6	205252.0
			LDW-Y1-SU-ENR-6-C-CORE	6	4	C	1268032.1	205224.9
			LDW-Y1-SU-ENR-6-D-CORE	6	18	D	1268058.6	205206.9
			LDW-Y1-SU-ENR-6-E-CORE	6	20	E	1268052.3	205258.1

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Subtidal	West Lane	ENR+AC	LDW-Y1-SU-ENR+AC-1-A-CORE	1	23	A	1267895.3	205566.6
			LDW-Y1-SU-ENR+AC-1-B-CORE	1	11	B	1267876.6	205560.6
			LDW-Y1-SU-ENR+AC-1-C-CORE	1	9	C	1267868.8	205584.7
			LDW-Y1-SU-ENR+AC-1-D-CORE	1	14	D	1267874.2	205599.8
			LDW-Y1-SU-ENR+AC-1-E-CORE	1	1	E	1267851.6	205605.8
			LDW-Y1-SU-ENR+AC-2-A-CORE	2	10	A	1267896.1	205500.4
			LDW-Y1-SU-ENR+AC-2-B-CORE	2	20	B	1267907.0	205530.5
			LDW-Y1-SU-ENR+AC-2-C-CORE	2	9	C	1267892.2	205512.4
			LDW-Y1-SU-ENR+AC-2-D-CORE	2	17	D	1267909.3	205491.3
			LDW-Y1-SU-ENR+AC-2-E-CORE	2	13	E	1267893.7	205539.5
			LDW-Y1-SU-ENR+AC-3-A-CORE	3	17	A	1267932.8	205419.0
			LDW-Y1-SU-ENR+AC-3-B-CORE	3	19	B	1267926.5	205470.3
			LDW-Y1-SU-ENR+AC-3-C-CORE	3	21	C	1267934.3	205446.2
			LDW-Y1-SU-ENR+AC-3-D-CORE	3	22	D	1267938.2	205434.1
			LDW-Y1-SU-ENR+AC-3-E-CORE	3	12	E	1267927.3	205404.0
			LDW-Y1-SU-ENR+AC-4-A-CORE	4	11	A	1267946.9	205343.7
			LDW-Y1-SU-ENR+AC-4-B-CORE	4	18	B	1267960.1	205334.7
			LDW-Y1-SU-ENR+AC-4-C-CORE	4	16	C	1267952.3	205358.8
			LDW-Y1-SU-ENR+AC-4-D-CORE	4	3	D	1267929.7	205364.8
			LDW-Y1-SU-ENR+AC-4-E-CORE	4	23	E	1267965.5	205349.8
			LDW-Y1-SU-ENR+AC-5-A-CORE	5	17	A	1267979.6	205274.5
			LDW-Y1-SU-ENR+AC-5-B-CORE	5	10	B	1267966.4	205283.5
			LDW-Y1-SU-ENR+AC-5-C-CORE	5	3	C	1267953.2	205292.5
			LDW-Y1-SU-ENR+AC-5-D-CORE	5	13	D	1267964.0	205322.7
			LDW-Y1-SU-ENR+AC-5-E-CORE	5	14	E	1267967.9	205310.6
			LDW-Y1-SU-ENR+AC-6-A-CORE	6	12	A	1267997.6	205187.1
			LDW-Y1-SU-ENR+AC-6-B-CORE	6	15	B	1267995.2	205226.3
			LDW-Y1-SU-ENR+AC-6-C-CORE	6	21	C	1268004.6	205229.3
			LDW-Y1-SU-ENR+AC-6-D-CORE	6	4	D	1267980.5	205208.2
			LDW-Y1-SU-ENR+AC-6-E-CORE	6	22	E	1268008.5	205217.3

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Scour	Upstream	ENR	LDW-Y1-SC-ENR-1-A-CORE	1	19	A	1267005.1	211088.6
			LDW-Y1-SC-ENR-1-B-CORE	1	3	B	1266965.3	211078.0
			LDW-Y1-SC-ENR-1-C-CORE	1	17	C	1266981.3	211050.5
			LDW-Y1-SC-ENR-1-D-CORE	1	6	D	1266955.8	211046.9
			LDW-Y1-SC-ENR-1-E-CORE	1	21	E	1266998.8	211067.8
			LDW-Y1-SC-ENR-2-A-CORE	2	6	A	1266936.2	210982.4
			LDW-Y1-SC-ENR-2-B-CORE	2	16	B	1266965.1	210997.1
			LDW-Y1-SC-ENR-2-C-CORE	2	10	C	1266954.0	211000.5
			LDW-Y1-SC-ENR-2-D-CORE	2	18	D	1266958.6	210975.6
			LDW-Y1-SC-ENR-2-E-CORE	2	13	E	1266974.9	211029.5
			LDW-Y1-SC-ENR-3-A-CORE	3	3	A	1267009.9	211064.4
			LDW-Y1-SC-ENR-3-B-CORE	3	9	B	1267021.1	211061.0
			LDW-Y1-SC-ENR-3-C-CORE	3	17	C	1267026.0	211036.9
			LDW-Y1-SC-ENR-3-D-CORE	3	13	D	1267038.6	211078.4
			LDW-Y1-SC-ENR-3-E-CORE	3	15	E	1267032.3	211057.7
			LDW-Y1-SC-ENR-4-A-CORE	4	8	A	1267005.2	211008.5
			LDW-Y1-SC-ENR-4-B-CORE	4	2	B	1266994.0	211011.9
			LDW-Y1-SC-ENR-4-C-CORE	4	12	C	1266992.1	210965.4
			LDW-Y1-SC-ENR-4-D-CORE	4	18	D	1267003.2	210962.0
			LDW-Y1-SC-ENR-4-E-CORE	4	17	E	1267006.5	210972.8
			LDW-Y1-SC-ENR-5-A-CORE	5	24	A	1267078.6	211009.6
			LDW-Y1-SC-ENR-5-B-CORE	5	19	B	1267094.4	211061.5
			LDW-Y1-SC-ENR-5-C-CORE	5	8	C	1267068.9	211057.9
			LDW-Y1-SC-ENR-5-D-CORE	5	6	D	1267045.1	211019.7
			LDW-Y1-SC-ENR-5-E-CORE	5	15	E	1267076.9	211044.1
			LDW-Y1-SC-ENR-6-A-CORE	6	10	A	1267043.3	210973.4
			LDW-Y1-SC-ENR-6-B-CORE	6	13	B	1267064.2	211002.4
			LDW-Y1-SC-ENR-6-C-CORE	6	23	C	1267062.3	210955.9
			LDW-Y1-SC-ENR-6-D-CORE	6	24	D	1267059.0	210945.1
			LDW-Y1-SC-ENR-6-E-CORE	6	21	E	1267068.9	210977.4

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Scour	Downstream	ENR+AC	LDW-Y1-SC-ENR+AC-1-A-CORE	1	17	A	1267024.6	211193.0
			LDW-Y1-SC-ENR+AC-1-B-CORE	1	15	B	1267031.4	211215.4
			LDW-Y1-SC-ENR+AC-1-C-CORE	1	21	C	1267042.6	211212.0
			LDW-Y1-SC-ENR+AC-1-D-CORE	1	22	D	1267039.2	211200.8
			LDW-Y1-SC-ENR+AC-1-E-CORE	1	12	E	1267010.0	211185.2
			LDW-Y1-SC-ENR+AC-2-A-CORE	2	14	A	1267014.6	211160.0
			LDW-Y1-SC-ENR+AC-2-B-CORE	2	15	B	1267011.3	211149.3
			LDW-Y1-SC-ENR+AC-2-C-CORE	2	11	C	1266993.6	211131.1
			LDW-Y1-SC-ENR+AC-2-D-CORE	2	4	D	1266985.7	211145.3
			LDW-Y1-SC-ENR+AC-2-E-CORE	2	17	E	1267004.8	211127.7
			LDW-Y1-SC-ENR+AC-3-A-CORE	3	23	A	1267080.4	211176.0
			LDW-Y1-SC-ENR+AC-3-B-CORE	3	9	B	1267064.9	211205.2
			LDW-Y1-SC-ENR+AC-3-C-CORE	3	24	C	1267077.0	211164.9
			LDW-Y1-SC-ENR+AC-3-D-CORE	3	10	D	1267061.5	211194.0
			LDW-Y1-SC-ENR+AC-3-E-CORE	3	20	E	1267090.6	211209.6
			LDW-Y1-SC-ENR+AC-4-A-CORE	4	2	A	1267036.9	211153.3
			LDW-Y1-SC-ENR+AC-4-B-CORE	4	8	B	1267048.1	211149.9
			LDW-Y1-SC-ENR+AC-4-C-CORE	4	12	C	1267035.0	211106.7
			LDW-Y1-SC-ENR+AC-4-D-CORE	4	11	D	1267038.3	211117.5
			LDW-Y1-SC-ENR+AC-4-E-CORE	4	24	E	1267057.3	211099.9
			LDW-Y1-SC-ENR+AC-5-A-CORE	5	8	A	1267112.9	211202.8
			LDW-Y1-SC-ENR+AC-5-B-CORE	5	10	B	1267106.1	211180.5
			LDW-Y1-SC-ENR+AC-5-C-CORE	5	4	C	1267095.0	211183.8
			LDW-Y1-SC-ENR+AC-5-D-CORE	5	24	D	1267121.7	211151.3
			LDW-Y1-SC-ENR+AC-5-E-CORE	5	17	E	1267113.9	211165.9
			LDW-Y1-SC-ENR+AC-6-A-CORE	6	2	A	1267081.6	211139.7
			LDW-Y1-SC-ENR+AC-6-B-CORE	6	23	B	1267105.2	211097.2
			LDW-Y1-SC-ENR+AC-6-C-CORE	6	11	C	1267082.9	211103.9
			LDW-Y1-SC-ENR+AC-6-D-CORE	6	3	D	1267078.3	211128.9
			LDW-Y1-SC-ENR+AC-6-E-CORE	6	20	E	1267115.1	211129.5

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Intertidal	Upstream	ENR	LDW-Y1-IN-ENR-1-A-CORE	1	7	A	1276240.7	194161.8
			LDW-Y1-IN-ENR-1-B-CORE	1	24	B	1276276.5	194106.5
			LDW-Y1-IN-ENR-1-C-CORE	1	3	C	1276235.3	194135.1
			LDW-Y1-IN-ENR-1-D-CORE	1	20	D	1276265.4	194154.8
			LDW-Y1-IN-ENR-1-E-CORE	1	14	E	1276254.4	194152.2
			LDW-Y1-IN-ENR-2-A-CORE	2	16	A	1276276.6	194055.7
			LDW-Y1-IN-ENR-2-B-CORE	2	17	B	1276279.4	194043.7
			LDW-Y1-IN-ENR-2-C-CORE	2	6	C	1276260.3	194026.6
			LDW-Y1-IN-ENR-2-D-CORE	2	23	D	1276290.3	194046.2
			LDW-Y1-IN-ENR-2-E-CORE	2	9	E	1276262.9	194065.3
			LDW-Y1-IN-ENR-3-A-CORE	3	22	A	1276304.2	193985.9
			LDW-Y1-IN-ENR-3-B-CORE	3	13	B	1276285.0	194019.5
			LDW-Y1-IN-ENR-3-C-CORE	3	19	C	1276295.9	194022.1
			LDW-Y1-IN-ENR-3-D-CORE	3	24	D	1276309.8	193961.7
			LDW-Y1-IN-ENR-3-E-CORE	3	23	E	1276307.0	193973.8
			LDW-Y1-IN-ENR-4-A-CORE	4	9	A	1276290.0	194147.7
			LDW-Y1-IN-ENR-4-B-CORE	4	4	B	1276281.8	194133.2
			LDW-Y1-IN-ENR-4-C-CORE	4	13	C	1276295.4	194174.4
			LDW-Y1-IN-ENR-4-D-CORE	4	2	D	1276276.3	194157.3
			LDW-Y1-IN-ENR-4-E-CORE	4	3	E	1276279.1	194145.2
			LDW-Y1-IN-ENR-5-A-CORE	5	9	A	1276306.7	194075.3
			LDW-Y1-IN-ENR-5-B-CORE	5	23	B	1276334.1	194056.3
			LDW-Y1-IN-ENR-5-C-CORE	5	11	C	1276312.2	194051.2
			LDW-Y1-IN-ENR-5-D-CORE	5	14	D	1276314.8	194089.9
			LDW-Y1-IN-ENR-5-E-CORE	5	16	E	1276320.4	194065.8
			LDW-Y1-IN-ENR-6-A-CORE	6	17	A	1276339.8	193981.4
			LDW-Y1-IN-ENR-6-B-CORE	6	20	B	1276342.4	194020.1
			LDW-Y1-IN-ENR-6-C-CORE	6	10	C	1276326.1	193990.9
			LDW-Y1-IN-ENR-6-D-CORE	6	15	D	1276334.3	194005.5
			LDW-Y1-IN-ENR-6-E-CORE	6	11	E	1276328.9	193978.8

Table 1
Sample Location Coordinates

Plot	Subplot	Treatment	Discrete Sediment Sample ID	Grid Cell	Location Cell	Composite	Easting	Northing
Intertidal	Downstream	ENR+AC	LDW-Y1-IN-ENR+AC-1-A-CORE	1	9	A	1276174.5	194449.3
			LDW-Y1-IN-ENR+AC-1-B-CORE	1	20	B	1276193.8	194465.8
			LDW-Y1-IN-ENR+AC-1-C-CORE	1	17	C	1276190.7	194429.0
			LDW-Y1-IN-ENR+AC-1-D-CORE	1	5	D	1276168.9	194423.9
			LDW-Y1-IN-ENR+AC-1-E-CORE	1	23	E	1276201.7	194431.5
			LDW-Y1-IN-ENR+AC-2-A-CORE	2	5	A	1276184.7	194355.3
			LDW-Y1-IN-ENR+AC-2-B-CORE	2	18	B	1276209.2	194348.9
			LDW-Y1-IN-ENR+AC-2-C-CORE	2	22	C	1276214.8	194374.3
			LDW-Y1-IN-ENR+AC-2-D-CORE	2	19	D	1276206.9	194408.6
			LDW-Y1-IN-ENR+AC-2-E-CORE	2	21	E	1276212.2	194385.8
			LDW-Y1-IN-ENR+AC-3-A-CORE	3	9	A	1276206.1	194312.1
			LDW-Y1-IN-ENR+AC-3-B-CORE	3	3	B	1276195.2	194309.6
			LDW-Y1-IN-ENR+AC-3-C-CORE	3	10	C	1276208.8	194300.7
			LDW-Y1-IN-ENR+AC-3-D-CORE	3	23	D	1276233.3	194294.3
			LDW-Y1-IN-ENR+AC-3-E-CORE	3	6	E	1276203.1	194275.3
			LDW-Y1-IN-ENR+AC-4-A-CORE	4	20	A	1276237.5	194475.9
			LDW-Y1-IN-ENR+AC-4-B-CORE	4	15	B	1276229.2	194461.9
			LDW-Y1-IN-ENR+AC-4-C-CORE	4	19	C	1276234.9	194487.3
			LDW-Y1-IN-ENR+AC-4-D-CORE	4	14	D	1276226.6	194473.4
			LDW-Y1-IN-ENR+AC-4-E-CORE	4	5	E	1276212.6	194434.0
			LDW-Y1-IN-ENR+AC-5-A-CORE	5	22	A	1276258.6	194384.4
			LDW-Y1-IN-ENR+AC-5-B-CORE	5	15	B	1276245.0	194393.3
			LDW-Y1-IN-ENR+AC-5-C-CORE	5	9	C	1276234.1	194390.8
			LDW-Y1-IN-ENR+AC-5-D-CORE	5	8	D	1276231.4	194402.2
LDW-Y1-IN-ENR+AC-5-E-CORE	5	19	E	1276250.7	194418.7			
LDW-Y1-IN-ENR+AC-6-A-CORE	6	2	A	1276236.3	194331.1			
LDW-Y1-IN-ENR+AC-6-B-CORE	6	9	B	1276249.9	194322.2			
LDW-Y1-IN-ENR+AC-6-C-CORE	6	8	C	1276247.2	194333.6			
LDW-Y1-IN-ENR+AC-6-D-CORE	6	18	D	1276268.7	194290.4			
LDW-Y1-IN-ENR+AC-6-E-CORE	6	5	E	1276244.2	194296.8			

- Notes:**
- Locations were selected by dividing the subplot into a 4-by-6 grid, numbering the grid cells 1 through 24, and then using a random number generator to select the location of each sample. The GPS coordinates of the center of the selected cell are presented in the database expressed as Northings and Eastings in state plane coordinates according to the procedures in Section 3.0 of the QAPP.
 - Coordinates for center of location cell in Washington State Plane North.

Abbreviations:

ENR = Enhanced natural recovery

ENR+AC = Enhanced natural recovery amended with activated carbon

GPS = Global positioning system

QAPP = Quality assurance project plan

**Table 2
Composite Formation**

Plot	Subplot	Grid Cell	Location Cell	Composite	Discrete SPME Sample ID	Composite SPME Sample ID & Vial ID	Discrete Sediment Sample ID	Composite Sediment Sample ID
Subtidal	ENR	1	14	A	LDW-Y1-SU-ENR-1-A-S010-SPME	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-1-A-CORE	LDW-Y1-SU-ENR-CA-CORE
Subtidal	ENR	2	19	A	LDW-Y1-SU-ENR-2-A-S010-SPME		LDW-Y1-SU-ENR-2-A-CORE	
Subtidal	ENR	3	16	A	LDW-Y1-SU-ENR-3-A-S010-SPME		LDW-Y1-SU-ENR-3-A-CORE	
Subtidal	ENR	4	11	A	LDW-Y1-SU-ENR-4-A-S010-SPME		LDW-Y1-SU-ENR-4-A-CORE	
Subtidal	ENR	5	13	A	LDW-Y1-SU-ENR-5-A-S010-SPME		LDW-Y1-SU-ENR-5-A-CORE	
Subtidal	ENR	6	11	A	LDW-Y1-SU-ENR-6-A-S010-SPME		LDW-Y1-SU-ENR-6-A-CORE	
Subtidal	ENR	1	17	B	LDW-Y1-SU-ENR-1-B-S010-SPME	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-1-B-CORE	LDW-Y1-SU-ENR-CB-CORE
Subtidal	ENR	2	8	B	LDW-Y1-SU-ENR-2-B-S010-SPME		LDW-Y1-SU-ENR-2-B-CORE	
Subtidal	ENR	3	20	B	LDW-Y1-SU-ENR-3-B-S010-SPME		LDW-Y1-SU-ENR-3-B-CORE	
Subtidal	ENR	4	17	B	LDW-Y1-SU-ENR-4-B-S010-SPME		LDW-Y1-SU-ENR-4-B-CORE	
Subtidal	ENR	5	7	B	LDW-Y1-SU-ENR-5-B-S010-SPME		LDW-Y1-SU-ENR-5-B-CORE	
Subtidal	ENR	6	8	B	LDW-Y1-SU-ENR-6-B-S010-SPME		LDW-Y1-SU-ENR-6-B-CORE	
Subtidal	ENR	1	15	C	LDW-Y1-SU-ENR-1-C-S010-SPME	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR-1-C-CORE	LDW-Y1-SU-ENR-CC-CORE
Subtidal	ENR	2	10	C	LDW-Y1-SU-ENR-2-C-S010-SPME		LDW-Y1-SU-ENR-2-C-CORE	
Subtidal	ENR	3	11	C	LDW-Y1-SU-ENR-3-C-S010-SPME		LDW-Y1-SU-ENR-3-C-CORE	
Subtidal	ENR	4	13	C	LDW-Y1-SU-ENR-4-C-S010-SPME		LDW-Y1-SU-ENR-4-C-CORE	
Subtidal	ENR	5	10	C	LDW-Y1-SU-ENR-5-C-S010-SPME		LDW-Y1-SU-ENR-5-C-CORE	
Subtidal	ENR	6	4	C	LDW-Y1-SU-ENR-6-C-S010-SPME		LDW-Y1-SU-ENR-6-C-CORE	
Subtidal	ENR+AC	1	23	A	LDW-Y1-SU-ENR+AC-1-A-S010-SPME	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-1-A-CORE	LDW-Y1-SU-ENR+AC-CA-CORE
Subtidal	ENR+AC	2	10	A	LDW-Y1-SU-ENR+AC-2-A-S010-SPME		LDW-Y1-SU-ENR+AC-2-A-CORE	
Subtidal	ENR+AC	3	17	A	LDW-Y1-SU-ENR+AC-3-A-S010-SPME		LDW-Y1-SU-ENR+AC-3-A-CORE	
Subtidal	ENR+AC	4	11	A	LDW-Y1-SU-ENR+AC-4-A-S010-SPME		LDW-Y1-SU-ENR+AC-4-A-CORE	
Subtidal	ENR+AC	5	17	A	LDW-Y1-SU-ENR+AC-5-A-S010-SPME		LDW-Y1-SU-ENR+AC-5-A-CORE	
Subtidal	ENR+AC	6	12	A	LDW-Y1-SU-ENR+AC-6-A-S010-SPME		LDW-Y1-SU-ENR+AC-6-A-CORE	
Subtidal	ENR+AC	1	11	B	LDW-Y1-SU-ENR+AC-1-B-S010-SPME	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-1-B-CORE	LDW-Y1-SU-ENR+AC-CB-CORE
Subtidal	ENR+AC	2	20	B	LDW-Y1-SU-ENR+AC-2-B-S010-SPME		LDW-Y1-SU-ENR+AC-2-B-CORE	
Subtidal	ENR+AC	3	19	B	LDW-Y1-SU-ENR+AC-3-B-S010-SPME		LDW-Y1-SU-ENR+AC-3-B-CORE	
Subtidal	ENR+AC	4	18	B	LDW-Y1-SU-ENR+AC-4-B-S010-SPME		LDW-Y1-SU-ENR+AC-4-B-CORE	
Subtidal	ENR+AC	5	10	B	LDW-Y1-SU-ENR+AC-5-B-S010-SPME		LDW-Y1-SU-ENR+AC-5-B-CORE	
Subtidal	ENR+AC	6	15	B	LDW-Y1-SU-ENR+AC-6-B-S010-SPME		LDW-Y1-SU-ENR+AC-6-B-CORE	
Subtidal	ENR+AC	1	9	C	LDW-Y1-SU-ENR+AC-1-C-S010-SPME	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SU-ENR+AC-1-C-CORE	LDW-Y1-SU-ENR+AC-CC-CORE
Subtidal	ENR+AC	2	9	C	LDW-Y1-SU-ENR+AC-2-C-S010-SPME		LDW-Y1-SU-ENR+AC-2-C-CORE	
Subtidal	ENR+AC	3	21	C	LDW-Y1-SU-ENR+AC-3-C-S010-SPME		LDW-Y1-SU-ENR+AC-3-C-CORE	
Subtidal	ENR+AC	4	16	C	LDW-Y1-SU-ENR+AC-4-C-S010-SPME		LDW-Y1-SU-ENR+AC-4-C-CORE	
Subtidal	ENR+AC	5	3	C	LDW-Y1-SU-ENR+AC-5-C-S010-SPME		LDW-Y1-SU-ENR+AC-5-C-CORE	
Subtidal	ENR+AC	6	21	C	LDW-Y1-SU-ENR+AC-6-C-S010-SPME		LDW-Y1-SU-ENR+AC-6-C-CORE	
Scour	ENR	1	19	A	SPME not recovered/usable	LDW-Y1-SC-ENR-CA-S010	Core not included in composite	LDW-Y1-SC-ENR-CA-CORE
Scour	ENR	2	6	A	LDW-Y1-SC-ENR-2-A-S010-SPME		LDW-Y1-SC-ENR-2-A-CORE	
Scour	ENR	3	3	A	LDW-Y1-SC-ENR-3-A-S010-SPME		LDW-Y1-SC-ENR-3-A-CORE	
Scour	ENR	4	8	A	LDW-Y1-SC-ENR-4-A-S010-SPME		LDW-Y1-SC-ENR-4-A-CORE	
Scour	ENR	5	24	A	LDW-Y1-SC-ENR-5-A-S010-SPME		LDW-Y1-SC-ENR-5-A-CORE	
Scour	ENR	6	10	A	LDW-Y1-SC-ENR-6-A-S010-SPME		LDW-Y1-SC-ENR-6-A-CORE	
Scour	ENR	1	3	B	LDW-Y1-SC-ENR-1-B-S010-SPME	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-1-B-CORE	LDW-Y1-SC-ENR-CB-CORE
Scour	ENR	2	16	B	LDW-Y1-SC-ENR-2-B-S010-SPME		LDW-Y1-SC-ENR-2-B-CORE	
Scour	ENR	3	9	B	LDW-Y1-SC-ENR-3-B-S010-SPME		LDW-Y1-SC-ENR-3-B-CORE	
Scour	ENR	4	2	B	LDW-Y1-SC-ENR-4-B-S010-SPME		LDW-Y1-SC-ENR-4-B-CORE	
Scour	ENR	5	19	B	SPME not recovered/usable		Core not included in composite	
Scour	ENR	6	13	B	LDW-Y1-SC-ENR-6-B-S010-SPME		LDW-Y1-SC-ENR-6-B-CORE	

**Table 2
Composite Formation**

Plot	Subplot	Grid Cell	Location Cell	Composite	Discrete SPME Sample ID	Composite SPME Sample ID & Vial ID	Discrete Sediment Sample ID	Composite Sediment Sample ID
Scour	ENR	1	17	C	LDW-Y1-SC-ENR-1-C-S010-SPME	LDW-Y1-SC-ENR-CC-S010	LDW-Y1-SC-ENR-1-C-CORE	LDW-Y1-SC-ENR-CC-CORE
Scour	ENR	2	10	C	LDW-Y1-SC-ENR-2-C-S010-SPME		LDW-Y1-SC-ENR-2-C-CORE	
Scour	ENR	3	17	C	LDW-Y1-SC-ENR-3-C-S010-SPME		LDW-Y1-SC-ENR-3-C-CORE	
Scour	ENR	4	12	C	LDW-Y1-SC-ENR-4-C-S010-SPME		LDW-Y1-SC-ENR-4-C-CORE	
Scour	ENR	5	8	C	LDW-Y1-SC-ENR-5-C-S010-SPME		LDW-Y1-SC-ENR-5-C-CORE	
Scour	ENR	6	23	C	LDW-Y1-SC-ENR-6-C-S010-SPME		LDW-Y1-SC-ENR-6-C-CORE	
Scour	ENR+AC	1	17	A	LDW-Y1-SC-ENR+AC-1-A-S010-SPME	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-1-A-CORE	LDW-Y1-SC-ENR+AC-CA-CORE
Scour	ENR+AC	2	14	A	SPME not recovered/usable		Core not included in composite	
Scour	ENR+AC	3	23	A	LDW-Y1-SC-ENR+AC-3-A-S010-SPME		LDW-Y1-SC-ENR+AC-3-A-CORE	
Scour	ENR+AC	4	2	A	LDW-Y1-SC-ENR+AC-4-A-S010-SPME		LDW-Y1-SC-ENR+AC-4-A-CORE	
Scour	ENR+AC	5	8	A	LDW-Y1-SC-ENR+AC-5-A-S010-SPME		LDW-Y1-SC-ENR+AC-5-A-CORE	
Scour	ENR+AC	6	2	A	SPME not recovered/usable		Core not included in composite	
Scour	ENR+AC	1	15	B	LDW-Y1-SC-ENR+AC-1-B-S010-SPME	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-1-B-CORE	LDW-Y1-SC-ENR+AC-CB-CORE
Scour	ENR+AC	2	15	B	LDW-Y1-SC-ENR+AC-2-B-S010-SPME		LDW-Y1-SC-ENR+AC-2-B-CORE	
Scour	ENR+AC	3	9	B	LDW-Y1-SC-ENR+AC-3-B-S010-SPME		LDW-Y1-SC-ENR+AC-3-B-CORE	
Scour	ENR+AC	4	8	B	SPME not recovered/usable		Core not included in composite	
Scour	ENR+AC	5	10	B	LDW-Y1-SC-ENR+AC-5-B-S010-SPME		LDW-Y1-SC-ENR+AC-5-B-CORE	
Scour	ENR+AC	6	23	B	LDW-Y1-SC-ENR+AC-6-B-S010-SPME		LDW-Y1-SC-ENR+AC-6-B-CORE	
Scour	ENR+AC	1	21	C	LDW-Y1-SC-ENR+AC-1-C-S010-SPME	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-SC-ENR+AC-1-C-CORE	LDW-Y1-SC-ENR+AC-CC-CORE
Scour	ENR+AC	2	11	C	LDW-Y1-SC-ENR+AC-2-C-S010-SPME		LDW-Y1-SC-ENR+AC-2-C-CORE	
Scour	ENR+AC	3	24	C	SPME not recovered/usable		Core not included in composite	
Scour	ENR+AC	4	12	C	LDW-Y1-SC-ENR+AC-4-C-S010-SPME		LDW-Y1-SC-ENR+AC-4-C-CORE	
Scour	ENR+AC	5	4	C	SPME not recovered/usable		Core not included in composite	
Scour	ENR+AC	6	11	C	LDW-Y1-SC-ENR+AC-6-C-S010-SPME		LDW-Y1-SC-ENR+AC-6-C-CORE	
Intertidal	ENR	1	7	A	SPME not recovered/usable	LDW-Y1-IN-ENR-CA-S010	Core not included in composite	LDW-Y1-IN-ENR-CA-CORE
Intertidal	ENR	2	16	A	SPME not recovered/usable		Core not included in composite	
Intertidal	ENR	3	22	A	LDW-Y1-IN-ENR-3-A-S010-SPME		LDW-Y1-IN-ENR-3-A-CORE	
Intertidal	ENR	4	9	A	LDW-Y1-IN-ENR-4-A-S010-SPME		LDW-Y1-IN-ENR-4-A-CORE	
Intertidal	ENR	5	9	A	LDW-Y1-IN-ENR-5-A-S010-SPME		LDW-Y1-IN-ENR-5-A-CORE	
Intertidal	ENR	6	17	A	LDW-Y1-IN-ENR-6-A-S010-SPME		LDW-Y1-IN-ENR-6-A-CORE	
Intertidal	ENR	1	24	B	LDW-Y1-IN-ENR-1-B-S010-SPME	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-1-B-CORE	LDW-Y1-IN-ENR-CB-CORE
Intertidal	ENR	2	17	B	LDW-Y1-IN-ENR-2-B-S010-SPME		LDW-Y1-IN-ENR-2-B-CORE	
Intertidal	ENR	3	13	B	LDW-Y1-IN-ENR-3-B-S010-SPME		LDW-Y1-IN-ENR-3-B-CORE	
Intertidal	ENR	4	4	B	LDW-Y1-IN-ENR-4-B-S010-SPME		LDW-Y1-IN-ENR-4-B-CORE	
Intertidal	ENR	5	23	B	LDW-Y1-IN-ENR-5-B-S010-SPME		LDW-Y1-IN-ENR-5-B-CORE	
Intertidal	ENR	6	20	B	LDW-Y1-IN-ENR-6-B-S010-SPME		LDW-Y1-IN-ENR-6-B-CORE	
Intertidal	ENR	1	3	C	LDW-Y1-IN-ENR-1-C-S010-SPME	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR-1-C-CORE	LDW-Y1-IN-ENR-CC-CORE
Intertidal	ENR	2	6	C	LDW-Y1-IN-ENR-2-C-S010-SPME		LDW-Y1-IN-ENR-2-C-CORE	
Intertidal	ENR	3	19	C	LDW-Y1-IN-ENR-3-C-S010-SPME		LDW-Y1-IN-ENR-3-C-CORE	
Intertidal	ENR	4	13	C	SPME not recovered/usable		Core not included in composite	
Intertidal	ENR	5	11	C	LDW-Y1-IN-ENR-5-C-S010-SPME		LDW-Y1-IN-ENR-5-C-CORE	
Intertidal	ENR	6	10	C	LDW-Y1-IN-ENR-6-C-S010-SPME		LDW-Y1-IN-ENR-6-C-CORE	
Intertidal	ENR+AC	1	9	A	LDW-Y1-IN-ENR+AC-1-A-S010-SPME	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-1-A-CORE	LDW-Y1-IN-ENR+AC-CA-CORE
Intertidal	ENR+AC	2	5	A	LDW-Y1-IN-ENR+AC-2-A-S010-SPME		LDW-Y1-IN-ENR+AC-2-A-CORE	
Intertidal	ENR+AC	3	9	A	LDW-Y1-IN-ENR+AC-3-A-S010-SPME		LDW-Y1-IN-ENR+AC-3-A-CORE	
Intertidal	ENR+AC	4	20	A	LDW-Y1-IN-ENR+AC-4-A-S010-SPME		LDW-Y1-IN-ENR+AC-4-A-CORE	
Intertidal	ENR+AC	5	22	A	LDW-Y1-IN-ENR+AC-5-A-S010-SPME		LDW-Y1-IN-ENR+AC-5-A-CORE	
Intertidal	ENR+AC	6	2	A	LDW-Y1-IN-ENR+AC-6-A-S010-SPME		LDW-Y1-IN-ENR+AC-6-A-CORE	

**Table 2
Composite Formation**

Plot	Subplot	Grid Cell	Location Cell	Composite	Discrete SPME Sample ID	Composite SPME Sample ID & Vial ID	Discrete Sediment Sample ID	Composite Sediment Sample ID
Intertidal	ENR+AC	1	20	B	LDW-Y1-IN-ENR+AC-1-B-S010-SPME	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-1-B-CORE	LDW-Y1-IN-ENR+AC-CB-CORE
Intertidal	ENR+AC	2	18	B	LDW-Y1-IN-ENR+AC-2-B-S010-SPME		LDW-Y1-IN-ENR+AC-2-B-CORE	
Intertidal	ENR+AC	3	3	B	LDW-Y1-IN-ENR+AC-3-B-S010-SPME		LDW-Y1-IN-ENR+AC-3-B-CORE	
Intertidal	ENR+AC	4	15	B	LDW-Y1-IN-ENR+AC-4-B-S010-SPME		LDW-Y1-IN-ENR+AC-4-B-CORE	
Intertidal	ENR+AC	5	15	B	LDW-Y1-IN-ENR+AC-5-B-S010-SPME		LDW-Y1-IN-ENR+AC-5-B-CORE	
Intertidal	ENR+AC	6	9	B	LDW-Y1-IN-ENR+AC-6-B-S010-SPME		LDW-Y1-IN-ENR+AC-6-B-CORE	
Intertidal	ENR+AC	1	17	C	LDW-Y1-IN-ENR+AC-1-C-S010-SPME	LDW-Y1-IN-ENR+AC-CC-S010	LDW-Y1-IN-ENR+AC-1-C-CORE	LDW-Y1-IN-ENR+AC-CC-CORE
Intertidal	ENR+AC	2	22	C	LDW-Y1-IN-ENR+AC-2-C-S010-SPME		LDW-Y1-IN-ENR+AC-2-C-CORE	
Intertidal	ENR+AC	3	10	C	LDW-Y1-IN-ENR+AC-3-C-S010-SPME		LDW-Y1-IN-ENR+AC-3-C-CORE	
Intertidal	ENR+AC	4	19	C	LDW-Y1-IN-ENR+AC-4-C-S010-SPME		LDW-Y1-IN-ENR+AC-4-C-CORE	
Intertidal	ENR+AC	5	9	C	LDW-Y1-IN-ENR+AC-5-C-S010-SPME		LDW-Y1-IN-ENR+AC-5-C-CORE	
Intertidal	ENR+AC	6	8	C	LDW-Y1-IN-ENR+AC-6-C-S010-SPME		LDW-Y1-IN-ENR+AC-6-C-CORE	

Abbreviations:

ENR = Enhanced natural recovery
 ENR+AC = Enhanced natural recovery amended with activated carbon
 ID = Identification
 SPME = Solid-phase microextraction

**Table 3
Analytical Schedule**

Sample ID	Pre-Analytical Laboratory Submission Sieving (3/8" and #4 Sieve)	PCBs EPA 1668C	TOC EPA 9060	Activated Carbon Grossman and Ghosh (2009)	Grain Size ASTM D422
Surface Sediment Composites					
LDW-Y1-SU-ENR-CA-CORE		X	X	X	X
LDW-Y1-SU-ENR-CB-CORE		X	X	X	X
LDW-Y1-SU-ENR-CC-CORE		X	X	X	X
LDW-Y1-SU-ENR+AC-CA-CORE		X	X	X	X
LDW-Y1-SU-ENR+AC-CB-CORE		X	X	X	X
LDW-Y1-SU-ENR+AC-CC-CORE		X	X	X	X
LDW-Y1-SC-ENR-CA-CORE		X	X	X	X
LDW-Y1-SC-ENR-CB-CORE		X	X	X	X
LDW-Y1-SC-ENR-CC-CORE		X	X	X	X
LDW-Y1-SC-ENR+AC-CA-CORE		X	X	X	X
LDW-Y1-SC-ENR+AC-CB-CORE		X	X	X	X
LDW-Y1-SC-ENR+AC-CC-CORE		X	X	X	X
LDW-Y1-IN-ENR-CA-CORE		X	X	X	X
LDW-Y1-IN-ENR-CB-CORE		X	X	X	X
LDW-Y1-IN-ENR-CC-CORE		X	X	X	X
LDW-Y1-IN-ENR+AC-CA-CORE		X	X	X	X
LDW-Y1-IN-ENR+AC-CB-CORE		X	X	X	X
LDW-Y1-IN-ENR+AC-CC-CORE		X	X	X	X
SPME Fiber Extracts					
LDW-Y1-SU-ENR-CA-S010		X			
LDW-Y1-SU-ENR-CB-S010		X			
LDW-Y1-SU-ENR-CC-S010		X			
LDW-Y1-SU-ENR+AC-CA-S010		X			
LDW-Y1-SU-ENR+AC-CB-S010		X			
LDW-Y1-SU-ENR+AC-CC-S010		X			
LDW-Y1-SC-ENR-CA-S010		X			
LDW-Y1-SC-ENR-CB-S010		X			
LDW-Y1-SC-ENR-CC-S010		X			
LDW-Y1-SC-ENR+AC-CA-S010		X			
LDW-Y1-SC-ENR+AC-CB-S010		X			
LDW-Y1-SC-ENR+AC-CC-S010		X			
LDW-Y1-IN-ENR-CA-S010		X			
LDW-Y1-IN-ENR-CB-S010		X			
LDW-Y1-IN-ENR-CC-S010		X			
LDW-Y1-IN-ENR+AC-CA-S010		X			
LDW-Y1-IN-ENR+AC-CB-S010		X			
LDW-Y1-IN-ENR+AC-CC-S010		X			

**Table 3
Analytical Schedule**

Sample ID	Pre-Analytical Laboratory Submission Sieving (3/8" and #4 Sieve)	PCBs EPA 1668C	TOC EPA 9060	Activated Carbon Grossman and Ghosh (2009)	Grain Size ASTM D422					
Surface Sediment Discrete Samples										
LDW-Y0-SU-ENR-1-A-COR	Not analyzed, only used to make composite samples									
LDW-Y0-SU-ENR-2-A-COR										
LDW-Y0-SU-ENR-3-A-COR										
LDW-Y0-SU-ENR-4-A-COR										
LDW-Y0-SU-ENR-5-A-COR										
LDW-Y0-SU-ENR-6-A-COR										
LDW-Y0-SU-ENR-1-B-COR										
LDW-Y0-SU-ENR-2-B-COR										
LDW-Y0-SU-ENR-3-B-COR										
LDW-Y0-SU-ENR-4-B-COR										
LDW-Y0-SU-ENR-5-B-COR										
LDW-Y0-SU-ENR-6-B-COR										
LDW-Y0-SU-ENR-1-C-COR										
LDW-Y0-SU-ENR-2-C-COR										
LDW-Y0-SU-ENR-3-C-COR										
LDW-Y0-SU-ENR-4-C-COR										
LDW-Y0-SU-ENR-5-C-COR										
LDW-Y0-SU-ENR-6-C-COR										
LDW-Y0-SU-ENR+AC-1-A-COR						Not analyzed, only used to make composite samples				
LDW-Y0-SU-ENR+AC-2-A-COR										
LDW-Y0-SU-ENR+AC-3-A-COR										
LDW-Y0-SU-ENR+AC-4-A-COR										
LDW-Y0-SU-ENR+AC-5-A-COR										
LDW-Y0-SU-ENR+AC-6-A-COR										
LDW-Y0-SU-ENR+AC-1-B-COR										
LDW-Y0-SU-ENR+AC-2-B-COR										
LDW-Y0-SU-ENR+AC-3-B-COR										
LDW-Y0-SU-ENR+AC-4-B-COR										
LDW-Y0-SU-ENR+AC-5-B-COR										
LDW-Y0-SU-ENR+AC-6-B-COR										
LDW-Y0-SU-ENR+AC-1-C-COR										
LDW-Y0-SU-ENR+AC-2-C-COR										
LDW-Y0-SU-ENR+AC-3-C-COR										
LDW-Y0-SU-ENR+AC-4-C-COR										
LDW-Y0-SU-ENR+AC-5-C-COR										
LDW-Y0-SU-ENR+AC-6-C-COR										

**Table 3
Analytical Schedule**

Sample ID	Pre-Analytical Laboratory Submission Sieving (3/8" and #4 Sieve)	PCBs EPA 1668C	TOC EPA 9060	Activated Carbon Grossman and Ghosh (2009)	Grain Size ASTM D422
Surface Sediment Discrete Samples					
LDW-Y0-SC-ENR-1-A-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR-2-A-COR	X				
LDW-Y0-SC-ENR-3-A-COR	X				
LDW-Y0-SC-ENR-4-A-COR	X				
LDW-Y0-SC-ENR-5-A-COR	X				
LDW-Y0-SC-ENR-6-A-COR	X				
LDW-Y0-SC-ENR-1-B-COR	X				
LDW-Y0-SC-ENR-2-B-COR	X				
LDW-Y0-SC-ENR-3-B-COR	X				
LDW-Y0-SC-ENR-4-B-COR	X				
LDW-Y0-SC-ENR-5-B-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR-6-B-COR	X				
LDW-Y0-SC-ENR-1-C-COR	X				
LDW-Y0-SC-ENR-2-C-COR	X				
LDW-Y0-SC-ENR-3-C-COR	X				
LDW-Y0-SC-ENR-4-C-COR	X				
LDW-Y0-SC-ENR-5-C-COR	X				
LDW-Y0-SC-ENR-6-C-COR	X				
LDW-Y0-SC-ENR+AC-1-A-COR	X				
LDW-Y0-SC-ENR+AC-2-A-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR+AC-3-A-COR	X				
LDW-Y0-SC-ENR+AC-4-A-COR	X				
LDW-Y0-SC-ENR+AC-5-A-COR	X				
LDW-Y0-SC-ENR+AC-6-A-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR+AC-1-B-COR	X				
LDW-Y0-SC-ENR+AC-2-B-COR	X				
LDW-Y0-SC-ENR+AC-3-B-COR	X				
LDW-Y0-SC-ENR+AC-4-B-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR+AC-5-B-COR	X				
LDW-Y0-SC-ENR+AC-6-B-COR	X				
LDW-Y0-SC-ENR+AC-1-C-COR	X				
LDW-Y0-SC-ENR+AC-2-C-COR	X				
LDW-Y0-SC-ENR+AC-3-C-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR+AC-4-C-COR	X				
LDW-Y0-SC-ENR+AC-5-C-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-SC-ENR+AC-6-C-COR	X				

**Table 3
Analytical Schedule**

Sample ID	Pre-Analytical Laboratory Submission Sieving (3/8" and #4 Sieve)	PCBs EPA 1668C	TOC EPA 9060	Activated Carbon Grossman and Ghosh (2009)	Grain Size ASTM D422
Surface Sediment Discrete Samples					
LDW-Y0-IN-ENR-1-A-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-IN-ENR-2-A-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-IN-ENR-3-A-COR	X				
LDW-Y0-IN-ENR-4-A-COR	X				
LDW-Y0-IN-ENR-5-A-COR	X				
LDW-Y0-IN-ENR-6-A-COR	X				
LDW-Y0-IN-ENR-1-B-COR	X				
LDW-Y0-IN-ENR-2-B-COR	X				
LDW-Y0-IN-ENR-3-B-COR	X				
LDW-Y0-IN-ENR-4-B-COR	X				
LDW-Y0-IN-ENR-5-B-COR	X				
LDW-Y0-IN-ENR-6-B-COR	X				
LDW-Y0-IN-ENR-1-C-COR	X				
LDW-Y0-IN-ENR-2-C-COR	X				
LDW-Y0-IN-ENR-3-C-COR	X				
LDW-Y0-IN-ENR-4-C-COR	Not sieved or included in composite because SPME was not recovered or usable				
LDW-Y0-IN-ENR-5-C-COR	X				
LDW-Y0-IN-ENR-6-C-COR	X				
LDW-Y0-IN-ENR+AC-1-A-COR	X				
LDW-Y0-IN-ENR+AC-2-A-COR	X				
LDW-Y0-IN-ENR+AC-3-A-COR	X				
LDW-Y0-IN-ENR+AC-4-A-COR	X				
LDW-Y0-IN-ENR+AC-5-A-COR	X				
LDW-Y0-IN-ENR+AC-6-A-COR	X				
LDW-Y0-IN-ENR+AC-1-B-COR	X				
LDW-Y0-IN-ENR+AC-2-B-COR	X				
LDW-Y0-IN-ENR+AC-3-B-COR	X				
LDW-Y0-IN-ENR+AC-4-B-COR	X				
LDW-Y0-IN-ENR+AC-5-B-COR	X				
LDW-Y0-IN-ENR+AC-6-B-COR	X				
LDW-Y0-IN-ENR+AC-1-C-COR	X				
LDW-Y0-IN-ENR+AC-2-C-COR	X				
LDW-Y0-IN-ENR+AC-3-C-COR	X				
LDW-Y0-IN-ENR+AC-4-C-COR	X				
LDW-Y0-IN-ENR+AC-5-C-COR	X				
LDW-Y0-IN-ENR+AC-6-C-COR	X				

**Table 3
Analytical Schedule**

Sample ID	Pre-Analytical Laboratory Submission Sieving (3/8" and #4 Sieve)	PCBs EPA 1668C	TOC EPA 9060	Activated Carbon Grossman and Ghosh (2009)	Grain Size ASTM D422
-----------	--	-------------------	-----------------	---	-------------------------

Abbreviations:

ASTM = American Society for Testing and Materials
 ENR = Enhanced natural recovery
 ENR+AC = Enhanced natural recovery amended with activated carbon
 EPA = U.S. Environmental Protection Agency
 PCB = Polychlorinated biphenyl
 SPME = Solid-phase microextraction
 TOC = Total organic carbon

Reference:

Grossman, A., and Ghosh, U. 2009. Measurement of activated carbon and other black carbons in sediments. Chemosphere. 75:469-475.

**Table 4
Data Qualifier Definitions**

Qualifier	Definition	Description
C	Co-eluting congener	Concentration represents total concentration of all congeners that coelute with qualified congener.
CXXX	Co-elutes with the indicated congener	Analyte coelutes with another congener, see numbered congener for concentration.
J	Estimated	Analyte was detected at a level below the instrument quantitation limit. Concentration is considered estimated.
U	Non-detect	Analyte was not detected, concentration is the estimated detection limit.
L	Percent to steady state less than 20%	Percent to steady state less than 20%. Concentration is considered estimated.
UB	Background concentration exceeds detected concentration	The background concentration exceeded the detected concentration and no PCB free concentration was reported. These results should be considered not detected at the lowest available detection limit, the MDL.

Abbreviations:

MDL = Method detection limit

PCB = Polychlorinated biphenyl

**Table 5
Pre-Analytical Laboratory Submission Sieving to Remove Gravel Fraction**

Plot	Subplot	Sample Type	Composite	Discrete Sample ID	Analyte	Total Mass	Mass on 3/8" Sieve	Mass on #4 Sieve	Mass Passing #4	Avg Total Mass	Avg Mass on 3/8" Sieve	Avg Mass on #4 Sieve	Avg Mass Passing #4	Gravel (> #4 Sieve)	< #4 Sieve
					Sample Date	g	g	g	g	g	g	g	%	%	
Intertidal	ENR	Discrete	A	LDW-Y1-IN-ENR-3-A-CORE	6/29/2018	4,930	790	230	3,890	4,938	1,455	334	3,136	36.5	63.5
				LDW-Y1-IN-ENR-4-A-CORE	6/29/2018	5,175	2,390	485	2,290						
				LDW-Y1-IN-ENR-5-A-CORE	6/29/2018	4,715	1,300	305	3,100						
				LDW-Y1-IN-ENR-6-A-CORE	6/29/2018	4,930	1,340	315	3,265						
			B	LDW-Y1-IN-ENR-1-B-CORE	6/29/2018	5,240	1,860	405	2,980	4,968	1,809	398	2,754	44.6	55.4
				LDW-Y1-IN-ENR-2-B-CORE	6/29/2018	4,955	2,785	410	1,770						
				LDW-Y1-IN-ENR-3-B-CORE	6/29/2018	5,165	1,700	445	3,010						
				LDW-Y1-IN-ENR-4-B-CORE	6/28/2018	5,630	2,365	585	2,665						
				LDW-Y1-IN-ENR-5-B-CORE	6/29/2018	4,765	1,560	365	2,825						
			C	LDW-Y1-IN-ENR-6-B-CORE	6/29/2018	4,055	585	175	3,275	4,174	1,157	309	2,712	35.0	65.0
				LDW-Y1-IN-ENR-1-C-CORE	6/29/2018	3,175	525	100	2,525						
				LDW-Y1-IN-ENR-2-C-CORE	6/29/2018	5,080	1,760	540	2,755						
				LDW-Y1-IN-ENR-3-C-CORE	6/29/2018	4,530	1,015	300	3,250						
			D	LDW-Y1-IN-ENR-5-C-CORE	6/29/2018	4,905	1,890	445	2,610	5,055	1,885	453	2,707	46.5	53.5
				LDW-Y1-IN-ENR-6-C-CORE	6/29/2018	3,180	595	160	2,420						
				LDW-Y1-IN-ENR-1-D-CORE	6/29/2018	4,960	1,600	310	3,040						
				LDW-Y1-IN-ENR-2-D-CORE	6/29/2018	5,195	1,345	365	3,475						
				LDW-Y1-IN-ENR-3-D-CORE	6/28/2018	4,235	1,445	480	2,295						
			E	LDW-Y1-IN-ENR-4-D-CORE	6/29/2018	5,520	2,275	580	2,655	4,992	1,639	357	2,979	40.3	59.7
				LDW-Y1-IN-ENR-5-D-CORE	6/29/2018	5,250	2,350	465	2,425						
	LDW-Y1-IN-ENR-6-D-CORE	6/29/2018		5,170	2,295	520	2,350								
	LDW-Y1-IN-ENR-1-E-CORE	6/29/2018		5,180	830	205	4,130								
	ENR+AC	Discrete	A	LDW-Y1-IN-ENR-2-E-CORE	6/29/2018	4,890	2,235	520	2,120	5,103	1,443	391	3,262	36.1	63.9
				LDW-Y1-IN-ENR-3-E-CORE	6/29/2018	4,990	975	275	3,705						
				LDW-Y1-IN-ENR-4-E-CORE	6/29/2018	4,965	2,260	375	2,320						
				LDW-Y1-IN-ENR-5-E-CORE	6/29/2018	5,225	2,115	375	2,730						
				LDW-Y1-IN-ENR-6-E-CORE	6/29/2018	4,700	1,420	390	2,870						
			B	LDW-Y1-IN-ENR+AC-1-A-CORE	6/28/2018	4,780	755	315	3,705	5,123	1,905	366	2,837	44.6	55.4
				LDW-Y1-IN-ENR+AC-2-A-CORE	6/28/2018	4,950	1,165	465	3,310						
				LDW-Y1-IN-ENR+AC-3-A-CORE	6/28/2018	5,280	1,680	445	3,145						
LDW-Y1-IN-ENR+AC-4-A-CORE				6/29/2018	5,565	2,190	380	2,990							
LDW-Y1-IN-ENR+AC-5-A-CORE				6/29/2018	5,520	1,810	450	3,245							
LDW-Y1-IN-ENR+AC-6-A-CORE				6/28/2018	4,525	1,060	290	3,175							
C			LDW-Y1-IN-ENR+AC-1-B-CORE	6/28/2018	5,185	1,480	435	3,255	4,721	1,393	369	2,947	37.6	62.4	
			LDW-Y1-IN-ENR+AC-2-B-CORE	6/28/2018	5,210	2,410	300	2,470							
			LDW-Y1-IN-ENR+AC-3-B-CORE	6/29/2018	4,905	1,555	280	3,055							
			LDW-Y1-IN-ENR+AC-4-B-CORE	6/29/2018	5,320	2,300	465	2,540							
	LDW-Y1-IN-ENR+AC-5-B-CORE	6/28/2018	5,035	1,645	385	2,990									
	LDW-Y1-IN-ENR+AC-6-B-CORE	6/29/2018	5,080	2,040	330	2,710									
D	LDW-Y1-IN-ENR+AC-1-C-CORE	6/28/2018	4,870	1,270	350	3,230	4,812	1,680	311	2,807	41.7	58.3			
	LDW-Y1-IN-ENR+AC-2-C-CORE	6/28/2018	4,575	1,475	320	2,765									
	LDW-Y1-IN-ENR+AC-3-C-CORE	6/28/2018	4,420	1,580	385	2,450									
	LDW-Y1-IN-ENR+AC-4-C-CORE	6/29/2018	4,625	980	415	3,225									
	LDW-Y1-IN-ENR+AC-5-C-CORE	6/28/2018	4,860	1,450	390	3,010									
E	LDW-Y1-IN-ENR+AC-6-C-CORE	6/28/2018	4,975	1,605	355	3,000	5,033	1,925	335	2,754	45.3	54.7			
	LDW-Y1-IN-ENR+AC-1-D-CORE	6/28/2018	4,735	1,320	310	3,080									
	LDW-Y1-IN-ENR+AC-2-D-CORE	6/29/2018	4,845	1,845	185	2,810									
	LDW-Y1-IN-ENR+AC-3-D-CORE	6/29/2018	5,300	2,200	455	2,635									
	LDW-Y1-IN-ENR+AC-4-D-CORE	6/28/2018	5,330	2,115	405	2,790									
E	LDW-Y1-IN-ENR+AC-5-D-CORE	6/29/2018	4,565	1,550	280	2,725	5,105	1,730	285	3,070	45.3	54.7			
	LDW-Y1-IN-ENR+AC-6-D-CORE	6/29/2018	4,095	1,050	230	2,800									
	LDW-Y1-IN-ENR+AC-1-E-CORE	6/28/2018	5,150	1,880	340	2,915									
	LDW-Y1-IN-ENR+AC-2-E-CORE	6/29/2018	4,800	1,755	355	2,680									
	LDW-Y1-IN-ENR+AC-3-E-CORE	6/29/2018	5,045	2,565	340	2,125									
	LDW-Y1-IN-ENR+AC-4-E-CORE	6/29/2018	4,895	1,965	355	2,565									
LDW-Y1-IN-ENR+AC-5-E-CORE	6/28/2018	5,200	1,655	335	3,170										
LDW-Y1-IN-ENR+AC-6-E-CORE	6/29/2018	5,105	1,730	285	3,070										

**Table 5
Pre-Analytical Laboratory Submission Sieving to Remove Gravel Fraction**

Plot	Subplot	Sample Type	Composite	Discrete Sample ID	Analyte	Total Mass	Mass on 3/8" Sieve	Mass on #4 Sieve	Mass Passing #4	Avg Total Mass	Avg Mass on 3/8" Sieve	Avg Mass on #4 Sieve	Avg Mass Passing #4	Gravel (> #4 Sieve)	< #4 Sieve
					Sample Date	g	g	g	g	g	g	g	%	%	
Scour	ENR	Discrete	A	LDW-Y1-SC-ENR-2-A-CORE	6/25/2018	3,995	1,575	375	2,005	4,195	1,737	364	2,061	50.9	49.1
				LDW-Y1-SC-ENR-3-A-CORE	6/26/2018	3,920	1,800	255	1,835						
				LDW-Y1-SC-ENR-4-A-CORE	6/25/2018	4,455	1,765	425	2,235						
				LDW-Y1-SC-ENR-5-A-CORE	6/25/2018	4,710	1,965	405	2,310						
				LDW-Y1-SC-ENR-6-A-CORE	6/25/2018	3,895	1,580	360	1,920						
			B	LDW-Y1-SC-ENR-1-B-CORE	6/26/2018	4,540	1,655	385	2,455	3,948	1,642	315	1,961	50.3	49.7
				LDW-Y1-SC-ENR-2-B-CORE	6/24/2018	4,020	1,985	290	1,735						
				LDW-Y1-SC-ENR-3-B-CORE	6/26/2018	3,110	1,355	245	1,470						
				LDW-Y1-SC-ENR-4-B-CORE	6/25/2018	4,035	1,910	310	1,785						
				LDW-Y1-SC-ENR-6-B-CORE	6/25/2018	4,035	1,305	345	2,360						
			C	LDW-Y1-SC-ENR-1-C-CORE	6/25/2018	3,770	1,300	435	1,990	4,008	1,572	334	2,079	48.1	51.9
				LDW-Y1-SC-ENR-2-C-CORE	6/24/2018	4,430	2,090	335	1,995						
				LDW-Y1-SC-ENR-3-C-CORE	6/26/2018	4,290	1,040	335	2,890						
				LDW-Y1-SC-ENR-4-C-CORE	6/24/2018	3,260	1,550	270	1,435						
				LDW-Y1-SC-ENR-5-C-CORE	6/26/2018	4,200	1,625	295	2,255						
			D	LDW-Y1-SC-ENR-6-C-CORE	6/25/2018	4,100	1,825	335	1,910	3,513	1,494	302	1,695	51.8	48.2
				LDW-Y1-SC-ENR-1-D-CORE	6/25/2018	4,015	1,195	315	2,475						
				LDW-Y1-SC-ENR-2-D-CORE	6/24/2018	1,680	1,040	180	440						
				LDW-Y1-SC-ENR-3-D-CORE	6/26/2018	3,835	1,245	270	2,300						
				LDW-Y1-SC-ENR-4-D-CORE	6/24/2018	3,840	2,610	280	935						
	E	LDW-Y1-SC-ENR-5-D-CORE	6/25/2018	3,695	1,100	295	2,275	4,157	1,702	391	2,039	50.9	49.1		
		LDW-Y1-SC-ENR-6-D-CORE	6/25/2018	4,015	1,775	470	1,745								
		LDW-Y1-SC-ENR-1-E-CORE	6/26/2018	4,565	1,730	405	2,415								
		LDW-Y1-SC-ENR-2-E-CORE	6/25/2018	3,895	1,665	310	1,890								
		LDW-Y1-SC-ENR-3-E-CORE	6/26/2018	3,270	1,950	255	1,050								
	ENR+AC	Discrete	A	LDW-Y1-SC-ENR-4-E-CORE	6/24/2018	4,240	1,550	585	2,080	4,434	1,319	398	2,698	39.2	60.8
				LDW-Y1-SC-ENR-5-E-CORE	6/26/2018	5,180	1,760	420	2,955						
				LDW-Y1-SC-ENR-6-E-CORE	6/25/2018	3,790	1,555	370	1,845						
				LDW-Y1-SC-ENR+AC-1-A-CORE	6/28/2018	5,095	2,010	635	2,435						
				LDW-Y1-SC-ENR+AC-3-A-CORE	6/27/2018	4,885	1,205	390	3,270						
B	LDW-Y1-SC-ENR+AC-4-A-CORE	6/28/2018	3,410	1,050	255	2,095	4,929	2,007	377	2,515	49.0	51.0			
	LDW-Y1-SC-ENR+AC-5-A-CORE	6/27/2018	4,345	1,010	310	2,990									
	LDW-Y1-SC-ENR+AC-1-B-CORE	6/27/2018	5,360	2,810	550	1,950									
	LDW-Y1-SC-ENR+AC-2-B-CORE	6/28/2018	5,375	1,865	370	3,125									
	LDW-Y1-SC-ENR+AC-3-B-CORE	6/27/2018	4,595	2,140	375	2,065									
C	LDW-Y1-SC-ENR+AC-5-B-CORE	6/27/2018	4,290	1,010	175	3,075	4,979	2,241	388	2,331	53.2	46.8			
	LDW-Y1-SC-ENR+AC-6-B-CORE	6/26/2018	5,025	2,210	415	2,360									
	LDW-Y1-SC-ENR+AC-1-C-CORE	6/28/2018	5,845	2,740	510	2,590									
	LDW-Y1-SC-ENR+AC-2-C-CORE	6/26/2018	4,020	1,700	225	2,085									
	LDW-Y1-SC-ENR+AC-4-C-CORE	6/27/2018	5,210	2,200	500	2,480									
D	LDW-Y1-SC-ENR+AC-6-C-CORE	6/26/2018	4,840	2,325	315	2,170	4,805	1,822	377	2,579	46.3	53.7			
	LDW-Y1-SC-ENR+AC-1-D-CORE	6/27/2018	5,215	1,835	500	2,845									
	LDW-Y1-SC-ENR+AC-2-D-CORE	6/26/2018	3,770	1,400	225	2,125									
	LDW-Y1-SC-ENR+AC-3-D-CORE	6/27/2018	4,810	2,530	325	1,945									
	LDW-Y1-SC-ENR+AC-4-D-CORE	6/27/2018	4,745	1,340	355	2,995									
E	LDW-Y1-SC-ENR+AC-5-D-CORE	6/27/2018	4,925	1,770	395	2,735	4,633	1,658	358	2,588	44.1	55.9			
	LDW-Y1-SC-ENR+AC-6-D-CORE	6/27/2018	5,365	2,055	460	2,830									
	LDW-Y1-SC-ENR+AC-1-E-CORE	6/28/2018	4,590	1,720	400	2,420									
	LDW-Y1-SC-ENR+AC-2-E-CORE	6/26/2018	4,280	1,275	300	2,685									
	LDW-Y1-SC-ENR+AC-3-E-CORE	6/27/2018	4,875	1,780	395	2,685									
				LDW-Y1-SC-ENR+AC-4-E-CORE	6/27/2018	4,110	955	190	2,940	4,355	2,225	280	1,810		
				LDW-Y1-SC-ENR+AC-5-E-CORE	6/27/2018	5,585	1,995	585	2,985						
				LDW-Y1-SC-ENR+AC-6-E-CORE	6/27/2018	4,355	2,225	280	1,810						

Notes:

1. Samples collected from the intertidal and scour plots were sieved with a #4 sieve prior to analysis to remove the gravel fraction as the ENR substrate for those plots is gravelly sand. Samples from the subtidal plots were not sieved with a #4 sieve prior to analysis as the ENR substrate for that plot was sand only. AC, TOC, and grain size results were corrected to account for the mass of material removed by the #4 sieve (the gravel fraction). Reportable results for AC, TOC, and grain size are bolded/shaded.

Abbreviations:

AC = Activated carbon
ENR = Enhanced natural recovery

ENR +AC = Enhanced natural recovery amended with activated carbon
g = gram(s)

ID = Identification
TOC = Total organic carbon

**Table 6
Activated Carbon, Total Organic Carbon, and Grain Size Results for Bulk Sediment**

Plot	Subplot	Sample Type	Sample ID	Analyte Sample Date	Pre-Analytical Laboratory Submission		Activated Carbon (AC)		Total Organic Carbon (TOC)	
					Total Mass g	Mass Passing #4 g	AC without Gravel Fraction %	Corrected AC with Gravel Fraction ¹ %	TOC without Gravel Fraction (Average) %	Corrected TOC with Gravel Fraction (Average) ¹ %
Subtidal	ENR	Composite of "A" Locations	LDW-Y1-SU-ENR-CA-CORE	5/3/2018	N/A	N/A	0.28	N/A	0.42	N/A
Subtidal	ENR	Composite of "B" Locations	LDW-Y1-SU-ENR-CB-CORE	5/3/2018	N/A	N/A	0.34	N/A	0.38	N/A
Subtidal	ENR	Composite of "C" Locations	LDW-Y1-SU-ENR-CC-CORE	5/3/2018	N/A	N/A	0.13	N/A	0.41	N/A
Subtidal	ENR+AC	Composite of "A" Locations	LDW-Y1-SU-ENR+AC-CA-CORE	5/3/2018	N/A	N/A	1.1	N/A	1.8	N/A
Subtidal	ENR+AC	Composite of "B" Locations	LDW-Y1-SU-ENR+AC-CB-CORE	5/3/2018	N/A	N/A	1.2	N/A	1.4	N/A
Subtidal	ENR+AC	Composite of "C" Locations	LDW-Y1-SU-ENR+AC-CC-CORE	5/3/2018	N/A	N/A	0.93	N/A	2.0	N/A
Scour	ENR	Composite of "A" Locations	LDW-Y1-SC-ENR-CA-CORE	7/6/2018	4,195	2,061	0.18	0.088	0.72	0.35
Scour	ENR	Composite of "B" Locations	LDW-Y1-SC-ENR-CB-CORE	7/6/2018	3,948	1,961	0.28	0.14	0.55	0.27
Scour	ENR	Composite of "C" Locations	LDW-Y1-SC-ENR-CC-CORE	7/6/2018	4,008	2,079	0.64	0.33	0.71	0.37
Scour	ENR+AC	Composite of "A" Locations	LDW-Y1-SC-ENR+AC-CA-CORE	7/6/2018	4,434	2,698	5.6	3.4	0.62	0.38
Scour	ENR+AC	Composite of "B" Locations	LDW-Y1-SC-ENR+AC-CB-CORE	7/6/2018	4,929	2,515	4.7	2.4	4.0	2.0
Scour	ENR+AC	Composite of "C" Locations	LDW-Y1-SC-ENR+AC-CC-CORE ²	7/6/2018	4,979	2,331	4.2 4.0	2.0 1.9	3.7	1.7
Intertidal	ENR	Composite of "A" Locations	LDW-Y1-IN-ENR-CA-CORE ²	7/6/2018	4,938	3,136	0.019	0.012	0.23	0.15
Intertidal	ENR	Composite of "B" Locations	LDW-Y1-IN-ENR-CB-CORE	7/6/2018	4,968	2,754	0.028	0.016	0.32	0.17
Intertidal	ENR	Composite of "C" Locations	LDW-Y1-IN-ENR-CC-CORE	7/6/2018	4,174	2,712	0.21	0.14	0.44	0.28
Intertidal	ENR+AC	Composite of "A" Locations	LDW-Y1-IN-ENR+AC-CA-CORE	7/6/2018	5,103	3,262	3.1	2.0	2.7	1.69
Intertidal	ENR+AC	Composite of "B" Locations	LDW-Y1-IN-ENR+AC-CB-CORE	7/6/2018	5,123	2,837	2.8	1.6	2.8	1.6
Intertidal	ENR+AC	Composite of "C" Locations	LDW-Y1-IN-ENR+AC-CC-CORE	7/6/2018	4,721	2,947	4.5	2.8	4.1	2.5

**Table 6
Activated Carbon, Total Organic Carbon, and Grain Size Results for Bulk Sediment**

Plot	Subplot	Sample Type	Sample ID	Analyte Sample Date	Grain Size													
					Gravel ³	Very Coarse Sand	Coarse Sand	Medium Sand	Fine Sand	Very Fine Sand	Coarse Silt	Medium Silt	Fine Silt	Very Fine Silt	Clay	Clay	Clay	Total Fines
					%	%	%	%	%	%	%	%	%	%	%	%	%	%
Subtidal	ENR	Composite of "A" Locations	LDW-Y1-SU-ENR-CA-CORE	5/3/2018	22.0	19.9	20.5	20.3	7.8	1.9	0.8	1.4	1.5	1.2	0.9	0.4	1.5	7.7
					23.2	20.3	19.3	20.2	7.8	2.0	0.3	1.6	1.5	1.1	0.9	0.4	1.4	7.2
					21.9	20.1	20.1	19.9	7.7	1.9	1.5	0.6	2.4	1.1	0.9	0.4	1.4	8.3
Subtidal	ENR	Composite of "B" Locations	LDW-Y1-SU-ENR-CB-CORE	5/3/2018	22.1	20.3	21.2	21.5	8.2	1.8	1.0	0.9	0.8	0.7	0.5	0.1	0.8	5.0
Subtidal	ENR	Composite of "C" Locations	LDW-Y1-SU-ENR-CC-CORE	5/3/2018	19.9	18.6	21.6	23.2	9.5	1.9	1.2	0.9	0.9	0.7	0.5	0.1	0.9	5.3
Subtidal	ENR+AC	Composite of "A" Locations	LDW-Y1-SU-ENR+AC-CA-CORE	5/3/2018	24.2	14.8	18.8	20.2	7.9	2.2	0.6	3.0	3.3	1.7	1.1	0.5	1.7	11.9
Subtidal	ENR+AC	Composite of "B" Locations	LDW-Y1-SU-ENR+AC-CB-CORE	5/3/2018	20.2	17.8	19.9	17.2	6.2	1.9	2.4	3.8	4.2	2.2	1.4	0.7	2.2	16.8
Subtidal	ENR+AC	Composite of "C" Locations	LDW-Y1-SU-ENR+AC-CC-CORE	5/3/2018	15.2	15.4	18.5	20.4	8.1	2.2	2.7	5.7	5.5	1.9	1.3	0.8	2.3	20.2
Scour	ENR	Composite of "A" Locations	LDW-Y1-SC-ENR-CA-CORE	7/6/2018	28.7	20.2	21.0	15.3	4.2	2.0	2.4	1.9	1.8	1.1	0.4	0.3	0.9	8.8
Scour	ENR	Composite of "B" Locations	LDW-Y1-SC-ENR-CB-CORE	7/6/2018	41.7	19.3	18.0	10.3	2.6	1.3	1.8	1.4	1.3	0.8	0.3	0.1	0.8	6.7
Scour	ENR	Composite of "C" Locations	LDW-Y1-SC-ENR-CC-CORE	7/6/2018	33.0	20.2	18.8	12.9	3.7	2.3	1.8	2.6	2.1	1.2	0.4	0.3	0.9	9.3
Scour	ENR+AC	Composite of "A" Locations	LDW-Y1-SC-ENR+AC-CA-CORE	7/6/2018	26.4	18.6	25.7	18.2	4.1	1.1	1.4	1.0	1.2	0.8	0.3	0.2	0.8	5.8
Scour	ENR+AC	Composite of "B" Locations	LDW-Y1-SC-ENR+AC-CB-CORE	7/6/2018	34.6	19.1	20.5	15.4	3.8	1.3	1.7	1.0	0.9	0.6	0.2	0.1	0.8	5.3
Scour	ENR+AC	Composite of "C" Locations	LDW-Y1-SC-ENR+AC-CC-CORE	7/6/2018	35.5	17.9	21.7	15.5	4.1	1.1	1.2	0.7	0.8	0.5	0.2	0.2	0.7	4.2
Intertidal	ENR	Composite of "A" Locations	LDW-Y1-IN-ENR-CA-CORE	7/6/2018	22.1	19.0	24.3	21.6	6.5	2.2	1.9	0.8	0.8	0.4	0.2	0.1	0.2	4.3
					20.6	18.1	25.5	22.3	6.7	2.1	1.7	1.2	0.8	0.4	0.3	0.1	0.2	4.6
					21.4	19.2	25.2	21.8	6.4	2.1	1.9	0.9	0.5	0.2	0.0	0.1	0.2	3.9
Intertidal	ENR	Composite of "B" Locations	LDW-Y1-IN-ENR-CB-CORE	7/6/2018	29.4	17.7	22.2	18.1	4.9	1.8	1.6	1.6	1.3	0.6	0.4	0.2	0.3	5.9
Intertidal	ENR	Composite of "C" Locations	LDW-Y1-IN-ENR-CC-CORE	7/6/2018	28.5	19.6	21.8	16.3	4.9	2.6	0.3	2.6	1.7	0.7	0.4	0.1	0.4	6.3
Intertidal	ENR+AC	Composite of "A" Locations	LDW-Y1-IN-ENR+AC-CA-CORE	7/6/2018	35.5	18.4	22.0	14.4	4.4	2.5	<2.9	<2.9	<2.9	<2.9	<2.9	<2.9	<2.9	2.9
Intertidal	ENR+AC	Composite of "B" Locations	LDW-Y1-IN-ENR+AC-CB-CORE	7/6/2018	34.6	20.9	22.2	14.6	3.1	1.4	1.2	0.8	0.5	0.3	0.2	0.1	0.3	3.3
Intertidal	ENR+AC	Composite of "C" Locations	LDW-Y1-IN-ENR+AC-CC-CORE	7/6/2018	30.7	18.5	25.5	16.1	3.6	2.1	1.6	0.8	0.5	0.3	0.1	0.1	0.2	3.5

**Table 6
Activated Carbon, Total Organic Carbon, and Grain Size Results for Bulk Sediment**

Plot	Subplot	Sample Type	Sample ID	Analyte Sample Date	Corrected Grain Size with Gravel Fraction ¹														
					Gravel	Very Coarse Sand	Coarse Sand	Medium Sand	Fine Sand	Very Fine Sand	Coarse Silt	Medium Silt	Fine Silt	Very Fine Silt	Clay	Clay	Clay	Total Fines	
					%	%	%	%	%	%	%	%	%	%	%	%	%	%	
Subtidal	ENR	Composite of "A" Locations	LDW-Y1-SU-ENR-CA-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Subtidal	ENR	Composite of "B" Locations	LDW-Y1-SU-ENR-CB-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Subtidal	ENR	Composite of "C" Locations	LDW-Y1-SU-ENR-CC-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Subtidal	ENR+AC	Composite of "A" Locations	LDW-Y1-SU-ENR+AC-CA-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Subtidal	ENR+AC	Composite of "B" Locations	LDW-Y1-SU-ENR+AC-CB-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Subtidal	ENR+AC	Composite of "C" Locations	LDW-Y1-SU-ENR+AC-CC-CORE	5/3/2018	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Scour	ENR	Composite of "A" Locations	LDW-Y1-SC-ENR-CA-CORE	7/6/2018	65.0	9.9	10.3	7.5	2.1	1.0	1.2	0.9	0.9	0.5	0.2	0.1	0.4	4.3	
Scour	ENR	Composite of "B" Locations	LDW-Y1-SC-ENR-CB-CORE	7/6/2018	71.0	9.6	8.9	5.1	1.3	0.6	0.9	0.7	0.6	0.4	0.1	0.0	0.4	3.3	
Scour	ENR	Composite of "C" Locations	LDW-Y1-SC-ENR-CC-CORE	7/6/2018	65.2	10.5	9.8	6.7	1.9	1.2	0.9	1.3	1.1	0.6	0.2	0.2	0.5	4.8	
Scour	ENR+AC	Composite of "A" Locations	LDW-Y1-SC-ENR+AC-CA-CORE	7/6/2018	55.2	11.3	15.6	11.1	2.5	0.7	0.9	0.6	0.7	0.5	0.2	0.1	0.5	3.5	
Scour	ENR+AC	Composite of "B" Locations	LDW-Y1-SC-ENR+AC-CB-CORE	7/6/2018	66.6	9.7	10.5	7.9	1.9	0.7	0.9	0.5	0.5	0.3	0.1	0.1	0.4	2.7	
Scour	ENR+AC	Composite of "C" Locations	LDW-Y1-SC-ENR+AC-CC-CORE	7/6/2018	69.8	8.4	10.2	7.3	1.9	0.5	0.6	0.3	0.4	0.2	0.1	0.1	0.3	2.0	
Intertidal	ENR	Composite of "A" Locations	LDW-Y1-IN-ENR-CA-CORE	7/6/2018	50.5	12.1	15.4	13.7	4.1	1.4	1.2	0.5	0.5	0.3	0.1	0.1	0.1	2.7	
					49.6	11.5	16.2	14.2	4.3	1.3	1.1	0.8	0.5	0.2	0.2	0.0	0.1	0.1	2.9
					50.1	12.2	16.0	13.9	4.0	1.3	1.2	0.6	0.3	0.1	0.0	0.1	0.1	0.1	2.5
Intertidal	ENR	Composite of "B" Locations	LDW-Y1-IN-ENR-CB-CORE	7/6/2018	60.9	9.8	12.3	10.0	2.7	1.0	0.9	0.9	0.7	0.3	0.2	0.1	0.2	3.3	
Intertidal	ENR	Composite of "C" Locations	LDW-Y1-IN-ENR-CC-CORE	7/6/2018	53.5	12.7	14.2	10.6	3.2	1.7	0.2	1.7	1.1	0.5	0.3	0.1	0.3	4.1	
Intertidal	ENR+AC	Composite of "A" Locations	LDW-Y1-IN-ENR+AC-CA-CORE	7/6/2018	58.8	11.8	14.1	9.2	2.8	1.6	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	1.9	
Intertidal	ENR+AC	Composite of "B" Locations	LDW-Y1-IN-ENR+AC-CB-CORE	7/6/2018	63.8	11.6	12.3	8.1	1.7	0.8	0.7	0.4	0.3	0.2	0.1	0.1	0.2	1.8	
Intertidal	ENR+AC	Composite of "C" Locations	LDW-Y1-IN-ENR+AC-CC-CORE	7/6/2018	56.7	11.5	15.9	10.0	2.2	1.3	1.0	0.5	0.3	0.2	0.1	0.1	0.1	2.2	

Notes:

1. Samples collected from the intertidal and scour plots were sieved with a #4 sieve prior to analysis to remove the gravel fraction as the ENR substrate for those plots is gravelly sand. Samples from the subtidal plots were not sieved with a #4 sieve prior to analysis as the ENR substrate for that plot was sand only. AC, TOC, and grain size results were corrected to account for the mass of material removed by the #4 sieve (the gravel fraction). Reportable results for AC, TOC, and grain size are bolded/shaded.
2. Samples LDW-Y1-SU-ENR-CA-CORE and LDW-Y1-IN-ENR-CA-CORE were analyzed in triplicate for grain size only. Sample LDW-Y1-SC-ENR+AC-CC-CORE was analyzed in duplicate for AC only.
- BOLD** Bolded/shaded values are the reportable value for AC, TOC and grain size. Subtidal samples were not sieved, and thus did not need the correction that the scour and intertidal samples needed to include the gravel fraction removed prior to analysis.
3. Material retained above #10 sieve identified as gravel, previous sampling events identified material retained above #4 sieve as gravel and material retained on #10 sieve as coarse sand.

Abbreviations:

AC = Activated carbon
 ENR = Enhanced natural recovery
 ENR +AC = Enhanced natural recovery amended with activated carbon.
 g = gram(s)
 N/A = Not applicable
 RPD = Relative percent difference
 TOC = Total organic carbon

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

SampID	UseDate Plot SubPlot	LDW-Y1-SU- ENR-CA-CORE	LDW-Y1-SU- ENR-CB-CORE	LDW-Y1-SU- ENR-CC-CORE	LDW-Y1-SU- ENR+AC-CA-CORE	LDW-Y1-SU- ENR+AC-CB-CORE	LDW-Y1-SU- ENR+AC-CC-CORE	LDW-Y1-SC- ENR-CA-CORE	LDW-Y1-SC- ENR-CB-CORE	LDW-Y1-SC- ENR-CC-CORE
		5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	7/6/2018 Scour ENR	7/6/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	76300	45000	26800	48500	31100	40600	18400	57800	21100
PCB-001	pg/g	47.1	11.4	24.4	31.4	11.3	28	6.4	5.24	5.94
PCB-002	pg/g	4.46	2.11 J	2.86 J	6.73	2.54 J	3.95 J	2.66 J	2.62 J	2.42 J
PCB-003	pg/g	14.9	7.12	24.8	26.4	7.63	21.8	5.9	6.46	5.44
PCB-004	pg/g	164	72.4	69.7	97.1	54.9	67.5	17.1	20.9	19.4
PCB-005	pg/g	15.4	11.6	11.9	5.74	4.67	5.34	2.46 J	4.08	3.06 J
PCB-006	pg/g	124	74.5	77.8	119	75.5	71.7	26.1	29.2	28.9
PCB-007	pg/g	27.4	11.2	17	13.4	15.5	12.9	5.85	6.79	5.41
PCB-008	pg/g	473	261	283	348	266	245	107	125	108
PCB-009	pg/g	23.4	14.9	13.9	19	10.7	22.4	4.55	5.18	5.5
PCB-010	pg/g	9.18	4.29	5.19	6.33	5.15	5.89	1.7 J	1.59 J	1.91 J
PCB-011	pg/g	14.7	9.89	8.67	13.5	14	13.8	29.3	17.4	15.2
PCB-012	pg/g	22.7	13.8	14.5	21.4	8.91	25	7.67	10.5	6.56
PCB-013	pg/g	21	13.8	16	19.3	25.1	10	5.98	10.3	9.81
PCB-014	pg/g	1.05 U	0.969 U	0.893 U	1.01 U	0.81 U	1.11 U	2.85 U	0.744 U	0.83 U
PCB-015	pg/g	232	122	127	185	161	128	73.4	95.1	71
PCB-016	pg/g	270	125	122	193	130	118	32.3	45.5	50.9
PCB-017	pg/g	420	204	194	314	219	206	66.9	82.3	65.3
PCB-018	pg/g	921	450	427	692	457	435	135	182	142
PCB-019	pg/g	72.7	34	31.8	46.5	33	33	10.4	13.5	13.3
PCB-020	pg/g	541 C	308 C	246 C	491 C	420 C	423 C	145 C	202 C	133 C
PCB-021	pg/g	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-022	pg/g	301	183	145	303	252	254	89.9	119	86.6
PCB-023	pg/g	1.35 J	0.784 U	0.667 U	1.25 U	1.01 U	1.26 U	0.756 U	0.591 U	0.769 U
PCB-024	pg/g	33.6	21.8	18.7	32.5	20.6	16.8	8.84	10.6	8.41
PCB-025	pg/g	90.6	56.2	48.1	90.6	76.5	82.9	28.7	40.1	27.7
PCB-026	pg/g	199	118	102	204	157	174	60.2	75.8	56.7
PCB-027	pg/g	47.8	20.2	18.2	28.2	21.4	23.5	8.21	10.4	8.96
PCB-028	pg/g	790	496	385	877	718	750	195	327	256
PCB-029	pg/g	7.46	4.74	3.57 J	7.85	6.88	6.54	0.862 U	2.69 J	2.5 J
PCB-030	pg/g	0.813 U	0.713 U	0.692 U	0.985 U	3.01 U	1 U	0.972 U	0.512 U	1.04 U
PCB-031	pg/g	954	544	447	762	696	686	353	357	233
PCB-032	pg/g	302	163	152	233	155	152	65.7	82.1	50.7
PCB-033	pg/g	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-034	pg/g	8.19	4.85	4.5	9.68	6.9	7.64	0.812 U	2.93 J	2.25 J
PCB-035	pg/g	23	12.1	10.4	17	15.3	18.1	1.01 U	11.6	7.17
PCB-036	pg/g	0.629 U	0.982 U	0.836 U	1.35 U	1.09 U	1.36 U	0.947 U	0.741 U	0.963 U
PCB-037	pg/g	290	176	137	240	198	169	97	117	85.4
PCB-038	pg/g	11.1	7.19	5.86	4.28	1.06 U	1.32 U	0.816 U	0.638 U	3.5 J
PCB-039	pg/g	0.716 U	1.12 U	0.951 U	1.3 U	1.04 U	1.31 U	1.08 U	0.843 U	1.1 U
PCB-040	pg/g	280	173	112	125	101	95.6	35	63.8	56.8
PCB-041	pg/g	1640 C	823 C	578 C	690 C	513 C	486 C	172 C	425 C	329 C
PCB-042	pg/g	635 C	304 C	250 C	321 C	227 C	226 C	93.4 C	175 C	130 C
PCB-043	pg/g	1910 C	963 C	767 C	1040 C	726 C	898 C	358 C	656 C	366 C
PCB-044	pg/g	2190	1260	649	924	684	712	327	859	378
PCB-045	pg/g	209	105	86.9	133	103	98.1	43.8	57.9	40.6
PCB-046	pg/g	84.4	42.4	33.4	55.9	40	40.3	15.2	24.8	16.9

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

SampID	UseDate	LDW-Y1-SU-ENR-CA-CORE	LDW-Y1-SU-ENR-CB-CORE	LDW-Y1-SU-ENR-CC-CORE	LDW-Y1-SU-ENR+AC-CA-CORE	LDW-Y1-SU-ENR+AC-CB-CORE	LDW-Y1-SU-ENR+AC-CC-CORE	LDW-Y1-SC-ENR-CA-CORE	LDW-Y1-SC-ENR-CB-CORE	LDW-Y1-SC-ENR-CC-CORE
		5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	7/6/2018 Scour ENR	7/6/2018 Scour ENR	7/6/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	76300	45000	26800	48500	31100	40600	18400	57800	21100
PCB-047	pg/g	479	258	225	241	190	203	114	150	114
PCB-048	pg/g	368 C	175 C	141 C	246 C	177 C	189 C	26.7 C	105 C	82.2 C
PCB-049	pg/g	C043	C043	C043	C043	C043	C043	C043	C043	C043
PCB-050	pg/g	5.63	3.1 J	2.81 J	3.49 J	3.24 J	3.94 J	1.37 U	0.886 U	1.1 U
PCB-051	pg/g	69	33.5	27.6	43.4	33.8	35.3	18.3	22.7	18.7
PCB-052	pg/g	3450 C	1900 C	834 C	1340 C	942 C	1140 C	460 C	1570 C	529 C
PCB-053	pg/g	219	117	82.9	131	99.4	106	44.4	79.8	47.9
PCB-054	pg/g	3.19 J	2.17 J	1.38 J	2.48 J	1.71 J	1.83 J	0.869 U	0.563 U	0.702 U
PCB-055	pg/g	55.6	33.6	18.2	22.6	19.2	19.2	8.28	25.5	13.1
PCB-056	pg/g	890 C	533 C	344 C	644 C	501 C	528 C	234 C	361 C	240 C
PCB-057	pg/g	14.7	6.58	6.15	7.99	5.93	6.97	1.02 U	3.85 J	3.52 J
PCB-058	pg/g	8.49	3.2 J	6.55	5.54	3.53 J	5.41	8.48	1.87 J	1.68 J
PCB-059	pg/g	C042	C042	C042	C042	C042	C042	C042	C042	C042
PCB-060	pg/g	C056	C056	C056	C056	C056	C056	C056	C056	C056
PCB-061	pg/g	2740 C	1510 C	729 C	1190 C	928 C	1050 C	544 C	1220 C	481 C
PCB-062	pg/g	0.692 U	0.811 U	0.93 U	0.765 U	0.844 U	1.08 U	1.02 U	0.658 U	0.82 U
PCB-063	pg/g	79.5	39.7	30.1	44.7	34.5	39.9	15.2	27.8	16.9
PCB-064	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-065	pg/g	0.662 U	0.776 U	0.889 U	0.84 U	0.927 U	1.19 U	0.971 U	0.629 U	0.785 U
PCB-066	pg/g	1940 C	1080 C	755 C	1090 C	812 C	886 C	412 C	822 C	470 C
PCB-067	pg/g	57.3	29	22.8	42.1	29.4	35.7	6.15	19.8	16.2
PCB-068	pg/g	15.1	10.1	12.6	9.27	6.13	11.2	0.954 U	1.8 J	3.89 J
PCB-069	pg/g	C052	C052	C052	C052	C052	C052	C052	C052	C052
PCB-070	pg/g	C061	C061	C061	C061	C061	C061	C061	C061	C061
PCB-071	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-072	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-073	pg/g	0.768 U	0.902 U	1.03 U	0.753 U	0.831 U	1.07 U	1.13 U	0.731 U	0.911 U
PCB-074	pg/g	889	482	320	523	405	439	193	368	189
PCB-075	pg/g	C048	C048	C048	C048	C048	C048	C048	C048	C048
PCB-076	pg/g	C066	C066	C066	C066	C066	C066	C066	C066	C066
PCB-077	pg/g	166	91.7	62.8	103	78	75	45.5	106	44.9
PCB-078	pg/g	0.801 U	0.62 U	0.695 U	1.05 U	0.894 U	1.4 U	1.38 U	0.614 U	0.773 U
PCB-079	pg/g	49.3	35.8	19.5	17.6	12.4	18.8	11	29.5	12.2
PCB-080	pg/g	0.609 U	0.714 U	0.818 U	0.696 U	0.768 U	5.51	0.894 U	4.21	0.722 U
PCB-081	pg/g	93.7	61.1	22.2	27	19	20.3	10.3	53.3	17.9
PCB-082	pg/g	521	342	126	289	191	225	111	303	90
PCB-083	pg/g	189 C	121 C	60.3 C	122 C	70.9 C	86.8 C	43.5 C	117 C	35.7 C
PCB-084	pg/g	1830 C	1160 C	522 C	1070 C	622 C	816 C	448 C	1120 C	340 C
PCB-085	pg/g	599 C	415 C	164 C	372 C	238 C	278 C	157 C	375 C	123 C
PCB-086	pg/g	1.6 U	1.78 U	0.985 U	1.76 U	0.909 U	1.82 U	1.15 U	0.841 U	0.925 U
PCB-087	pg/g	1690 C	1090 C	385 C	846 C	555 C	602 C	243 C	1100 C	304 C
PCB-088	pg/g	517 C	352 C	150 C	268 C	174 C	231 C	12.8 C	286 C	107 C
PCB-089	pg/g	48.5	33.4	14.6	31.1	20	24.4	7.24	23.6	9.12
PCB-090	pg/g	4370 C	2770 C	1290 C	2510 C	1540 C	1970 C	1100 C	3130 C	926 C
PCB-091	pg/g	C088	C088	C088	C088	C088	C088	C088	C088	C088
PCB-092	pg/g	C084	C084	C084	C084	C084	C084	C084	C084	C084
PCB-093	pg/g	1.22 U	1.45 U	1.09 U	1.16 U	1.01 U	1.18 U	1.7 U	1.24 U	1.49 U

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

SampID UseDate Plot SubPlot		LDW-Y1-SU- ENR-CA-CORE	LDW-Y1-SU- ENR-CB-CORE	LDW-Y1-SU- ENR-CC-CORE	LDW-Y1-SU- ENR+AC-CA-CORE	LDW-Y1-SU- ENR+AC-CB-CORE	LDW-Y1-SU- ENR+AC-CC-CORE	LDW-Y1-SC- ENR-CA-CORE	LDW-Y1-SC- ENR-CB-CORE	LDW-Y1-SC- ENR-CC-CORE
		5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	7/6/2018 Scour ENR	7/6/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	76300	45000	26800	48500	31100	40600	18400	57800	21100
PCB-094	pg/g	15.7	11.8	5.89	9.23	6.16	7.94	4.43	9.18	3.22 J
PCB-095	pg/g	3400	2210	885	1530	917	1280	650	2130	624
PCB-096	pg/g	32.7	22.3	9.38	14.4	9.45	9.45	4.48	12.4	5.06
PCB-097	pg/g	1080	697	302	637	390	457	295	665	203
PCB-098	pg/g	0.977 UC	1.16 UC	0.873 UC	0.933 UC	0.81 UC	0.943 UC	1.36 UC	0.992 UC	1.19 UC
PCB-099	pg/g	1560	1050	556	1090	636	866	427	973	363
PCB-100	pg/g	13.1	8.67	6.59	11.4	6.63	11.2	7.07	9.06	7.18
PCB-101	pg/g	C090	C090	C090	C090	C090	C090	C090	C090	C090
PCB-102	pg/g	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098
PCB-103	pg/g	33.7	19.2	20.6	35.7	16.1	39.9	13.1	20.3	18.7
PCB-104	pg/g	0.781 U	0.929 U	0.698 U	0.744 U	0.646 U	0.752 U	1.09 U	0.794 U	0.949 U
PCB-105	pg/g	1620	1070	368	799	553	609	301	871	319
PCB-106	pg/g	4190 C	2530 C	1170 C	1990 C	1280 C	1580 C	800 C	2420 C	879 C
PCB-107	pg/g	272 C	169 C	95.3 C	165 C	102 C	142 C	49.6 C	154 C	61.4 C
PCB-108	pg/g	C107	C107	C107	C107	C107	C107	C107	C107	C107
PCB-109	pg/g	1.33 U	1.48 U	0.818 U	1.28 U	0.659 U	1.32 U	0.953 U	0.698 U	0.768 U
PCB-110	pg/g	4260	2730	1210	2140	1310	1590	744	2840	819
PCB-111	pg/g	80.7 C	59 C	20.3 C	38.4 C	29.6 C	21.4 C	11.2 C	51.3 C	13.5 C
PCB-112	pg/g	C083	C083	C083	C083	C083	C083	C083	C083	C083
PCB-113	pg/g	1.54 U	1.72 U	0.951 U	1.45 U	0.748 U	1.5 U	1.11 U	0.811 U	0.893 U
PCB-114	pg/g	94.6	81.8	25.6	50.9	33.6	35.7	17.3	57	20.7
PCB-115	pg/g	C111	C111	C111	C111	C111	C111	C111	C111	C111
PCB-116	pg/g	C085	C085	C085	C085	C085	C085	C085	C085	C085
PCB-117	pg/g	C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-118	pg/g	C106	C106	C106	C106	C106	C106	C106	C106	C106
PCB-119	pg/g	77.6	45.1	46.9	75	35.6	67.4	44.1	50.6	25.1
PCB-120	pg/g	7.08	5.5	0.76 U	4.96	2.88 J	1.38 U	0.885 U	9.65	0.713 U
PCB-121	pg/g	0.888 U	1.06 U	0.793 U	0.762 U	0.662 U	0.77 U	64	0.902 U	1.08 U
PCB-122	pg/g	54.8	37.4	13.8	23.4	16.2	22	10	32.8	14
PCB-123	pg/g	43.6	39.4	13.5	28.3	15.3	23.7	15.1	32.2	10.8
PCB-124	pg/g	183	113	40.6	89.1	59.7	66.3	32	115	41.7
PCB-125	pg/g	C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-126	pg/g	18	10.2	4.64	8.86	7.21	7.27	3.78 J	15	5.61
PCB-127	pg/g	0.971 U	0.976 U	0.846 U	1.35 U	1.21 U	1.38 U	1.17 U	0.733 U	0.606 U
PCB-128	pg/g	734 C	440 C	202 C	388 C	254 C	313 C	134 C	505 C	191 C
PCB-129	pg/g	272	169	66.9	119	78.6	91.1	27.2	159	51.3
PCB-130	pg/g	297	152	80.8	170	94.3	154	35.1	191	79.6
PCB-131	pg/g	131 C	69.8 C	40.5 C	80.3 C	47.1 C	75.1 C	23.5 C	87.5 C	36.7 C
PCB-132	pg/g	1270 C	705 C	405 C	724 C	441 C	627 C	270 C	1040 C	334 C
PCB-133	pg/g	C131	C131	C131	C131	C131	C131	C131	C131	C131
PCB-134	pg/g	230 C	138 C	70.5 C	129 C	81.6 C	114 C	39.2 C	176 C	60 C
PCB-135	pg/g	436	244	159	354	198	317	93.6	422	148
PCB-136	pg/g	654	384	229	406	230	350	177	696	206
PCB-137	pg/g	265	177	69.5	113	74.6	90.4	48.2	176	52.7
PCB-138	pg/g	3850 C	2150 C	1180 C	2320 C	1430 C	1970 C	810 C	3330 C	1210 C
PCB-139	pg/g	2790 C	1530 C	1040 C	2070 C	1170 C	1910 C	712 C	3120 C	979 C
PCB-140	pg/g	32.2	0.931 U	13.6	21.4	1.29 U	30.1	3.89 J	0.526 U	13.2

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

SampID	UseDate Plot SubPlot	LDW-Y1-SU-ENR-CA-CORE	LDW-Y1-SU-ENR-CB-CORE	LDW-Y1-SU-ENR-CC-CORE	LDW-Y1-SU-ENR+AC-CA-CORE	LDW-Y1-SU-ENR+AC-CB-CORE	LDW-Y1-SU-ENR+AC-CC-CORE	LDW-Y1-SC-ENR-CA-CORE	LDW-Y1-SC-ENR-CB-CORE	LDW-Y1-SC-ENR-CC-CORE
		5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	7/6/2018 Scour ENR	7/6/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	76300	45000	26800	48500	31100	40600	18400	57800	21100
PCB-141	pg/g	725	405	222	442	276	353	138	824	203
PCB-142	pg/g	1.07 U	1.1 U	1.48 U	1.43 U	1.51 U	1.66 U	1.39 U	0.623 U	1.14 U
PCB-143	pg/g	C134	C134	C134	C134	C134	C134	C134	C134	C134
PCB-144	pg/g	214	91.7	58.8	132	69.5	112	34.9	210	61.7
PCB-145	pg/g	2.3 J	1.48 J	0.608 U	0.675 U	0.619 U	0.942 U	0.941 U	0.984 U	0.572 U
PCB-146	pg/g	481 C	272 C	207 C	398 C	206 C	406 C	113 C	453 C	206 C
PCB-147	pg/g	87.2	48.1	24.4	49.1	28.4	44.9	13.9	45.4	25
PCB-148	pg/g	1.16 U	1.05 U	0.768 U	0.882 U	0.809 U	1.23 U	1.19 U	1.24 U	0.723 U
PCB-149	pg/g	C139	C139	C139	C139	C139	C139	C139	C139	C139
PCB-150	pg/g	7.39	4.6	4.36	6.75	4.08	7.78	6.77	8.07	7.6
PCB-151	pg/g	755	380	305	664	360	634	211	1070	304
PCB-152	pg/g	5.66	4.32	0.636 U	3.15 J	2.5 J	0.953 U	0.985 U	3.98 J	0.599 U
PCB-153	pg/g	3220	1740	1200	2370	1380	2160	766	3360	1310
PCB-154	pg/g	53	30	28.4	54.5	25	68.7	24.7	41.7	38.9
PCB-155	pg/g	0.819 U	0.744 U	0.544 U	0.595 U	0.545 U	0.83 U	0.842 U	0.88 U	0.512 U
PCB-156	pg/g	547	339	141	273	179	205	118	366	132
PCB-157	pg/g	113	74.7	28.5	53.9	35.2	41.4	24.5	63.4	26.1
PCB-158	pg/g	525 C	313 C	154 C	263 C	176 C	220 C	59 C	396 C	137 C
PCB-159	pg/g	21	12.5	11.2	25.4	14.3	27	6.35	43.8	15.2
PCB-160	pg/g	C158	C158	C158	C158	C158	C158	C158	C158	C158
PCB-161	pg/g	C132	C132	C132	C132	C132	C132	C132	C132	C132
PCB-162	pg/g	C128	C128	C128	C128	C128	C128	C128	C128	C128
PCB-163	pg/g	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-164	pg/g	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-165	pg/g	C146	C146	C146	C146	C146	C146	C146	C146	C146
PCB-166	pg/g	24.4	14	6.29	11.1	6.16	7.71	2.97 J	11.6	3.8 J
PCB-167	pg/g	211	117	56.7	109	67.3	77.6	46.9	154	68.5
PCB-168	pg/g	0.751 U	0.775 U	1.04 U	0.94 U	0.992 U	1.09 U	0.979 U	0.438 U	0.802 U
PCB-169	pg/g	0.716 U	0.686 U	0.902 U	1.01 U	1.05 U	1.18 U	0.932 U	0.4 U	0.735 U
PCB-170	pg/g	749	483	381	729	435	652	428	1390	451
PCB-171	pg/g	216	127	104	200	118	185	105	391	122
PCB-172	pg/g	121	71.3	64.7	132	71.6	120	76.2	252	71.7
PCB-173	pg/g	23.3	12.8	10.2	16.4	8.72	13.4	1.47 U	29.3	9.53
PCB-174	pg/g	596	373	344	676	363	603	395	1330	361
PCB-175	pg/g	26.8	20.2	17.8	30.2	16.2	29.4	1.29 U	54.2	17.9
PCB-176	pg/g	88.5	49.3	50.4	105	52.2	103	40.7	185	53.4
PCB-177	pg/g	420	249	235	469	260	441	271	837	281
PCB-178	pg/g	131	74.4	79.9	156	86.9	155	72.8	302	94.8
PCB-179	pg/g	252	152	152	327	176	306	120	587	168
PCB-180	pg/g	1080	725	648	1240	708	1170	774	2540	727
PCB-181	pg/g	1.34 U	1.23 U	0.933 U	1.02 U	0.96 U	0.834 U	1.27 U	0.68 U	1.36 U
PCB-182	pg/g	657 C	402 C	443 C	873 C	477 C	878 C	337 C	1560 C	517 C
PCB-183	pg/g	377	238	223	437	239	407	241	817	273
PCB-184	pg/g	0.906 U	0.837 U	0.633 U	0.721 U	0.677 U	0.588 U	0.86 U	0.461 U	0.924 U
PCB-185	pg/g	63.4	43.2	41.7	77.4	47.6	67.7	39.5	172	42.3
PCB-186	pg/g	0.965 U	0.892 U	0.674 U	0.789 U	0.74 U	0.643 U	0.916 U	0.491 U	0.985 U
PCB-187	pg/g	C182	C182	C182	C182	C182	C182	C182	C182	C182

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

SampleID	UseDate	LDW-Y1-SU-ENR-CA-CORE	LDW-Y1-SU-ENR-CB-CORE	LDW-Y1-SU-ENR-CC-CORE	LDW-Y1-SU-ENR+AC-CA-CORE	LDW-Y1-SU-ENR+AC-CB-CORE	LDW-Y1-SU-ENR+AC-CC-CORE	LDW-Y1-SC-ENR-CA-CORE	LDW-Y1-SC-ENR-CB-CORE	LDW-Y1-SC-ENR-CC-CORE
		5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	5/3/2018 Subtidal ENR+AC	7/6/2018 Scour ENR	7/6/2018 Scour ENR	7/6/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	76300	45000	26800	48500	31100	40600	18400	57800	21100
PCB-188	pg/g	1.11 U	1.04 U	0.787 U	0.738 U	0.763 U	3.26 J	1.14 U	0.581 U	2.34 J
PCB-189	pg/g	29.5	17	13	25.5	15.6	23.9	12.4	45.1	15
PCB-190	pg/g	163	106	82.3	171	99.4	147	83.9	302	102
PCB-191	pg/g	39.5	19.8	17.7	31.1	18.3	32.7	15.5	64.1	22.1
PCB-192	pg/g	1.04 U	0.96 U	0.726 U	0.83 U	0.779 U	0.677 U	0.987 U	0.529 U	1.06 U
PCB-193	pg/g	81.9	52.7	49.2	96.6	48.2	93	46.9	166	63
PCB-194	pg/g	204	153	176	407	202	379	185	546	174
PCB-195	pg/g	95.6	62.3	67.7	173	87.3	158	92.2	313	85
PCB-196	pg/g	364 C	250 C	254 C	524 C	294 C	506 C	223 C,J	1020 C	350 C
PCB-197	pg/g	15.1	8.04	8.8	19.3	9.41	18.6	8.63 J	34.8	11
PCB-198	pg/g	21.8	14.4	11.6	26.5	14	20.1	3.97 J	57.3	12.8
PCB-199	pg/g	350	215	244	449	248	435	208 J	973	322
PCB-200	pg/g	40.3	26.5	29.1	63.3	34.7	57.8	22.1 J	118	35.6
PCB-201	pg/g	42.5	30.8	32	69.1	35	64.4	32 J	127	40
PCB-202	pg/g	51.9	38.5	39.7	88.2	47	85.7	44.8 J	139	49.3
PCB-203	pg/g	C196	C196	C196	C196	C196	C196	C196	C196	C196
PCB-204	pg/g	1.21 U	1.03 U	1.01 U	0.925 U	0.763 U	0.894 U	0.889 U	1.05 U	1.23 U
PCB-205	pg/g	12.7	7.72	9.4	21	10.6	20.3	9.99	38.1	10.2
PCB-206	pg/g	103	69.1	79.8	167	81	173	96.7	206	97.5
PCB-207	pg/g	15.9	9.81	10.3	26.1	12.1	25.6	13.1	29.8	13.9
PCB-208	pg/g	27.5	17	19.1	51	19.8	49.9	28.4	42	25.7
PCB-209	pg/g	40.6	25	36.6	130	27.4	108	35.8	41.5	37.6

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

<i>SampID</i>		LDW-Y1-SC- ENR+AC-CA-CORE	LDW-Y1-SC- ENR+AC-CB-CORE	LDW-Y1-SC- ENR+AC-CC-CORE	LDW-Y1-IN- ENR-CA-CORE	LDW-Y1-IN- ENR-CB-CORE	LDW-Y1-IN- ENR-CC-CORE	LDW-Y1-IN- ENR+AC-CA-CORE	LDW-Y1-IN- ENR+AC-CB-CORE	LDW-Y1-IN- ENR+AC-CC-CORE
<i>UseDate</i>		7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018
<i>Plot</i>		Scour	Scour	Scour	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal
<i>SubPlot</i>		ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	15000	24900	14200	5100	8150	12800	4000	7520	5400
PCB-001	pg/g	82.3	8.66	4.44	11.6	19.4	18.2	13.6	21.6	7.97
PCB-002	pg/g	12	2.66 J	0.891 U	2.39 J	4.21	3.89 J	1.81 J	2.5 J	1.95 J
PCB-003	pg/g	48.4	7.35	4.64	9.63	18	15.7	5.07	7.15	6.09
PCB-004	pg/g	33.9	27.1	18	9.11	15.9	13.4	12.2	13	10
PCB-005	pg/g	6.82	7.1	1.49 U	1.46 J	4.27	4.23	2.8 J	5.96	2.56 J
PCB-006	pg/g	41	48	30.9	13.6	20.1	25.6	12.3	18.2	16.9
PCB-007	pg/g	12.4	8.81	1.41 U	3.13 J	6.03	6.56	2.09 J	5.72	3.37 J
PCB-008	pg/g	144	152	91.8	32.6	57.8	62.6	25.7	43.1	30.6
PCB-009	pg/g	12.1	9	1.52 U	2.7 J	5.04	3.42 J	3.81 J	4.1	2.6 J
PCB-010	pg/g	4.39	4.45	1.62 U	1.07 J	2.66 J	2.39 J	1.27 J	2.87 J	1.95 J
PCB-011	pg/g	16.1	19.7	21.5	5.17	7.8	9.18	7.56	7.17	7.8
PCB-012	pg/g	10.8	7.35	12.7	2.76 J	10.2	4.9	2.26 J	3.18 J	4.61
PCB-013	pg/g	14.1	15.2	7.19	4.85	5.05	10.2	3.4 J	2.16 J	3.83 J
PCB-014	pg/g	0.783 U	0.643 U	1.61 U	0.639 U	0.475 U	0.77 U	0.47 U	0.745 U	0.61 U
PCB-015	pg/g	67.4	81	81.2	24.1	39.5	40.8	14.8	18.7	17.6
PCB-016	pg/g	38.7	61.6	33.1	7.01	11.6	21	6.15	13.8	12.6
PCB-017	pg/g	66.8	92.3	52.9	12.9	14.1	34.2	14	25.2	17.6
PCB-018	pg/g	143	210	111	28.4	31.1	73.6	33.1	56.5	39.7
PCB-019	pg/g	12.4	16.4	10.3	2.88 J	3.64 J	6.07	4.23	6.48	4.72
PCB-020	pg/g	107 C	175 C	106 C	24.3 C	30 C	64.7 C	19.4 C	46 C	23.3 C
PCB-021	pg/g	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-022	pg/g	68.2	109	65.2	14.5	18.4	39.7	12.7	28.6	14.7
PCB-023	pg/g	0.654 U	0.692 U	0.701 U	0.814 U	0.414 U	0.668 U	0.55 U	0.624 U	0.716 U
PCB-024	pg/g	8.58	9.84	6.58	1.61 J	2.58 J	4.23	2.37 J	1.67 J	2.26 J
PCB-025	pg/g	22.5	39.5	22.1	11.7	12.9	30.1	8.04	21.5	15.9
PCB-026	pg/g	44.6	76.5	44.8	28.8	31.5	71.2	21	65.1	52.5
PCB-027	pg/g	8.65	13.8	6.34	2.46 J	2.03 J	6.27	2.47 J	4.47	2.98 J
PCB-028	pg/g	201	294	167	46.2	48.5	119	41.2	82.1	47.7
PCB-029	pg/g	1.79 J	2.73 J	0.799 U	0.781 U	0.397 U	0.64 U	0.528 U	0.599 U	0.687 U
PCB-030	pg/g	0.966 U	0.545 U	1.2 U	1.05 U	0.475 U	0.748 U	0.523 U	0.549 U	0.837 U
PCB-031	pg/g	201	294	204	41.7	53.5	113	37	83.3	47.5
PCB-032	pg/g	53.5	78.8	43	10.6	7.84	22.4	11.3	16.8	10.8
PCB-033	pg/g	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-034	pg/g	2.13 J	2.59 J	0.752 U	0.809 U	0.411 U	0.663 U	0.546 U	0.62 U	0.712 U
PCB-035	pg/g	4.84	6.99	4.04	0.902 U	0.459 U	0.739 U	0.609 U	0.691 U	0.793 U
PCB-036	pg/g	0.819 U	0.867 U	0.878 U	0.858 U	0.437 U	0.704 U	0.58 U	0.658 U	0.755 U
PCB-037	pg/g	59.8	95.9	51.5	18.3	25	40.3	11.1	18.9	13.4
PCB-038	pg/g	0.706 U	0.531 U	0.757 U	0.81 U	0.412 U	0.664 U	0.547 U	0.621 U	0.713 U
PCB-039	pg/g	0.932 U	0.987 U	0.999 U	0.815 U	0.415 U	0.668 U	0.551 U	0.625 U	0.717 U
PCB-040	pg/g	58.3	77.3	45.1	10	11.8	6.38	9.09	16.8	9.02
PCB-041	pg/g	265 C	421 C	225 C	51.2 C	92.2 C	126 C	47 C	90.7 C	61.5 C
PCB-042	pg/g	107 C	167 C	95.8 C	19.7 C	31.4 C	58.2 C	17.5 C	36.1 C	28.9 C
PCB-043	pg/g	275 C	447 C	260 C	82.4 C	136 C	242 C	73.9 C	164 C	115 C
PCB-044	pg/g	261	432	249	73	146	207	68.8	143	94.1
PCB-045	pg/g	37.1	56.4	32.2	6.08	8.73	17.7	5.75	13	6.57
PCB-046	pg/g	14.1	23	14.2	0.973 U	4.42	7.83	2.79 J	5.49	2.6 J

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

<i>SampID</i>	LDW-Y1-SC-ENR+AC-CA-CORE	LDW-Y1-SC-ENR+AC-CB-CORE	LDW-Y1-SC-ENR+AC-CC-CORE	LDW-Y1-IN-ENR-CA-CORE	LDW-Y1-IN-ENR-CB-CORE	LDW-Y1-IN-ENR-CC-CORE	LDW-Y1-IN-ENR+AC-CA-CORE	LDW-Y1-IN-ENR+AC-CB-CORE	LDW-Y1-IN-ENR+AC-CC-CORE	
<i>UseDate</i>	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	
<i>Plot</i>	Scour	Scour	Scour	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	
<i>SubPlot</i>	ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC	
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	15000	24900	14200	5100	8150	12800	4000	7520	5400
PCB-047	pg/g	94.2	151	92.2	19.3	29.3	57.6	19.9	37.5	25.4
PCB-048	pg/g	58.8 C	94.8 C	45.4 C	9.87 C	15.4 C	34.9 C	9.63 C	16.7 C	11.9 C
PCB-049	pg/g	C043	C043	C043	C043	C043	C043	C043	C043	C043
PCB-050	pg/g	1.19 U	1.47 U	1.46 U	0.816 U	1.04 U	0.986 U	0.626 U	0.869 U	0.972 U
PCB-051	pg/g	17	23.6	14.4	3.11 J	5.19	6.4	2.59 J	4.36	3.79 J
PCB-052	pg/g	366 C	563 C	318 C	138 C	273 C	367 C	122 C	261 C	193 C
PCB-053	pg/g	42.2	64.3	36.4	7.92	14.9	24.3	8.49	15.7	9.12
PCB-054	pg/g	0.755 U	0.937 U	0.929 U	0.621 U	0.788 U	0.75 U	0.476 U	0.661 U	0.74 U
PCB-055	pg/g	10.4	16.2	9.74	3.56 J	4.37	7.22	2.73 J	6.91	3.77 J
PCB-056	pg/g	190 C	284 C	153 C	38.7 C	65.1 C	102 C	30.4 C	68 C	39.2 C
PCB-057	pg/g	2.53 J	4.43	2.46 J	0.664 U	1.91 J	0.803 U	1.33 J	3.84 J	2.43 J
PCB-058	pg/g	1.98 J	2.71 J	2.22 J	0.639 U	0.812 U	1.79 J	0.491 U	1.74 J	0.762 U
PCB-059	pg/g	C042	C042	C042	C042	C042	C042	C042	C042	C042
PCB-060	pg/g	C056	C056	C056	C056	C056	C056	C056	C056	C056
PCB-061	pg/g	352 C	562 C	339 C	106 C	186 C	280 C	79.8 C	146 C	111 C
PCB-062	pg/g	0.882 U	1.09 U	1.09 U	0.622 U	0.79 U	0.752 U	0.477 U	0.662 U	0.741 U
PCB-063	pg/g	13.5	18.7	13.8	3.05 J	5.1	9.41	2.39 J	6.03	3.79 J
PCB-064	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-065	pg/g	0.844 U	1.05 U	1.04 U	0.688 U	0.874 U	0.832 U	0.528 U	0.734 U	0.821 U
PCB-066	pg/g	362 C	526 C	345 C	89.2 C	132 C	224 C	65.6 C	130 C	80.3 C
PCB-067	pg/g	12.4	18.7	12.6	3.9 J	5.1	11.2	2.88 J	8.57	5.84
PCB-068	pg/g	4.52	4.25	3.78 J	2.58 J	1.98 J	0.708 U	1.6 J	3.72 J	2.33 J
PCB-069	pg/g	C052	C052	C052	C052	C052	C052	C052	C052	C052
PCB-070	pg/g	C061	C061	C061	C061	C061	C061	C061	C061	C061
PCB-071	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-072	pg/g	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-073	pg/g	0.981 U	1.22 U	1.21 U	0.587 U	0.746 U	0.71 U	0.451 U	0.626 U	0.7 U
PCB-074	pg/g	139	226	137	37.7	64.3	103	28	56.5	33.8
PCB-075	pg/g	C048	C048	C048	C048	C048	C048	C048	C048	C048
PCB-076	pg/g	C066	C066	C066	C066	C066	C066	C066	C066	C066
PCB-077	pg/g	28	47	23.8	13.7	21	38.3	7.65	13.6	9.8
PCB-078	pg/g	0.914 U	0.579 U	1.49 U	0.876 U	0.672 U	0.732 U	0.704 U	1.77 U	0.953 U
PCB-079	pg/g	7.93	12.4	9.28	3.46 J	5.47	6.97	2.9 J	5.31	3.74 J
PCB-080	pg/g	0.777 U	0.964 U	0.956 U	0.577 U	0.733 U	0.698 U	0.443 U	0.615 U	0.688 U
PCB-081	pg/g	12.5	17.6	8.8	5.42	9.17	11.7	4.03	8.28	6.48
PCB-082	pg/g	61.8	92.1	66.3	31.5	56.2	86.8	25.4	53	34.5
PCB-083	pg/g	25.7 C	36.7 C	25.8 C	12.6 C	26 C	31.4 C	10.2 C	22.7 C	13.9 C
PCB-084	pg/g	218 C	327 C	238 C	119 C	237 C	287 C	93 C	200 C	130 C
PCB-085	pg/g	88.4 C	129 C	95.6 C	48.9 C	83.7 C	115 C	36.6 C	73.8 C	54.1 C
PCB-086	pg/g	1.33 U	1.3 U	1.5 U	1.56 U	1.28 U	1.03 U	0.936 U	1.61 U	1.61 U
PCB-087	pg/g	198 C	304 C	173 C	108 C	224 C	269 C	81.9 C	170 C	121 C
PCB-088	pg/g	90.7 C	114 C	82.2 C	32.1 C	59.5 C	68.1 C	28.6 C	58.7 C	31.8 C
PCB-089	pg/g	7.66	10.2	4.9	1.68 U	4.27	6.98	2.21 J	5.88	2.56 J
PCB-090	pg/g	569 C	874 C	620 C	267 C	554 C	649 C	215 C	428 C	295 C
PCB-091	pg/g	C088	C088	C088	C088	C088	C088	C088	C088	C088
PCB-092	pg/g	C084	C084	C084	C084	C084	C084	C084	C084	C084
PCB-093	pg/g	1.21 U	1.01 U	1.97 U	0.929 U	1.56 U	1.18 U	0.927 U	1.15 U	1.1 U

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

<i>SampID</i>	LDW-Y1-SC- ENR+AC-CA-CORE	LDW-Y1-SC- ENR+AC-CB-CORE	LDW-Y1-SC- ENR+AC-CC-CORE	LDW-Y1-IN- ENR-CA-CORE	LDW-Y1-IN- ENR-CB-CORE	LDW-Y1-IN- ENR-CC-CORE	LDW-Y1-IN- ENR+AC-CA-CORE	LDW-Y1-IN- ENR+AC-CB-CORE	LDW-Y1-IN- ENR+AC-CC-CORE	
<i>UseDate</i>	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	
<i>Plot</i>	Scour	Scour	Scour	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	
<i>SubPlot</i>	ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC	
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	15000	24900	14200	5100	8150	12800	4000	7520	5400
PCB-094	pg/g	3.3 J	3.56 J	1.83 U	0.908 U	1.53 U	2.72 J	0.906 U	1.13 U	1.08 U
PCB-095	pg/g	467	616	462	203	367	414	165	348	193
PCB-096	pg/g	4.77	7.33	3.86 J	1.89 J	1.12 U	0.849 U	1.6 J	3.41 J	0.791 U
PCB-097	pg/g	132	204	142	73	146	174	56.2	112	77.8
PCB-098	pg/g	0.969 UC	0.805 UC	1.57 UC	0.735 UC	1.23 UC	0.935 UC	0.734 UC	0.914 UC	0.871 UC
PCB-099	pg/g	248	357	259	124	230	289	105	200	142
PCB-100	pg/g	5.65	7.08	5.48	2.01 J	2.62 J	3.67 J	0.763 U	2.44 J	0.906 U
PCB-101	pg/g	C090	C090	C090	C090	C090	C090	C090	C090	C090
PCB-102	pg/g	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098	U,C098
PCB-103	pg/g	10.9	16.8	9.93	3.07 J	4.12	7.6	1.92 J	5.49	3.26 J
PCB-104	pg/g	0.775 U	0.643 U	1.26 U	0.587 U	0.987 U	0.747 U	0.586 U	0.73 U	0.696 U
PCB-105	pg/g	193	340	170	119	193	324	72.9	138	112
PCB-106	pg/g	519 C	859 C	441 C	271 C	468 C	681 C	184 C	355 C	271 C
PCB-107	pg/g	35.2 C	60.4 C	34 C	21.3 C	32.4 C	52.3 C	14 C	27.8 C	19.4 C
PCB-108	pg/g	C107	C107	C107	C107	C107	C107	C107	C107	C107
PCB-109	pg/g	1.1 U	1.08 U	1.24 U	1.23 U	1 U	0.807 U	0.733 U	1.26 U	1.26 U
PCB-110	pg/g	536	830	540	302	532	727	224	458	324
PCB-111	pg/g	8.78 C	16.6 C	8.64 C	3.75 C,J	9.28 C	8.15 C	4.49 C	6.73 C	4.41 C
PCB-112	pg/g	C083	C083	C083	C083	C083	C083	C083	C083	C083
PCB-113	pg/g	1.28 U	1.26 U	1.44 U	1.3 U	1.07 U	0.858 U	0.779 U	1.34 U	1.34 U
PCB-114	pg/g	15.1	21	9.51	7.17	11.2	16.9	4.54	8.73	5.64
PCB-115	pg/g	C111	C111	C111	C111,J	C111	C111	C111	C111	C111
PCB-116	pg/g	C085	C085	C085	C085	C085	C085	C085	C085	C085
PCB-117	pg/g	C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-118	pg/g	C106	C106	C106	C106	C106	C106	C106	C106	C106
PCB-119	pg/g	18.6	25.3	18.4	8.99	13.2	18.8	7.09	14.9	9.4
PCB-120	pg/g	3.09 J	1.01 U	1.15 U	1.19 U	0.972 U	0.783 U	0.711 U	1.23 U	1.22 U
PCB-121	pg/g	0.88 U	0.731 U	1.43 U	0.661 U	1.11 U	0.841 U	0.66 U	0.822 U	0.783 U
PCB-122	pg/g	7.77	11.9	5.7	3.74 J	6.81	8.6	2.77 J	5.7	3.81 J
PCB-123	pg/g	6.41	10.9	7.19	4.37	7.64	10.1	2.86 J	5.1	4.19
PCB-124	pg/g	21.7	36.7	17.1	14.3	22.4	34.8	9.35	16.8	13.5
PCB-125	pg/g	C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-126	pg/g	3.4 J	5.26	3.25	2.83 J	4.42	9.28	1.8 J	3.32 J	2.6 J
PCB-127	pg/g	1.14 U	0.936 U	1.58 U	1.96 U	0.745 U	0.78 U	0.802 U	0.919 U	0.858 U
PCB-128	pg/g	125 C	215 C	102 C	70.3 C	101 C	198 C	49.1 C	91.4 C	73.2 C
PCB-129	pg/g	39.6	61.4	28.1	22.7	33.6	58.5	14.2	29.5	21.1
PCB-130	pg/g	47.8	75.3	37	29.2	51.2	72.5	23.3	42.9	34.8
PCB-131	pg/g	19.7 C	33 C	19.1 C	10.4 C	16.2 C	26.3 C	7.99 C	14.7 C	11.7 C
PCB-132	pg/g	207 C	318 C	172 C	99.9 C	147 C	265 C	69.8 C	140 C	96.8 C
PCB-133	pg/g	C131	C131	C131	C131	C131	C131	C131	C131	C131
PCB-134	pg/g	32.3 C	56.9 C	32.3 C	18.3 C	33.1 C	46.5 C	14.2 C	26.2 C	19.2 C
PCB-135	pg/g	90.1	140	70.2	40.2	73	104	36.6	65	44.7
PCB-136	pg/g	147	222	120	38.5	64.9	96.7	29.5	57.9	37
PCB-137	pg/g	38.9	67.2	35.5	21	29.9	54.2	14	25	19.2
PCB-138	pg/g	791 C	1260 C	650 C	331 C	488 C	862 C	242 C	437 C	357 C
PCB-139	pg/g	627 C	1000 C	576 C	221 C	370 C	595 C	177 C	328 C	233 C
PCB-140	pg/g	1.24 U	1.08 U	1.17 U	0.963 U	3.2 J	6.2	2.94 J	5.58	2.14 J

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

<i>SampID</i>		LDW-Y1-SC- ENR+AC-CA-CORE	LDW-Y1-SC- ENR+AC-CB-CORE	LDW-Y1-SC- ENR+AC-CC-CORE	LDW-Y1-IN- ENR-CA-CORE	LDW-Y1-IN- ENR-CB-CORE	LDW-Y1-IN- ENR-CC-CORE	LDW-Y1-IN- ENR+AC-CA-CORE	LDW-Y1-IN- ENR+AC-CB-CORE	LDW-Y1-IN- ENR+AC-CC-CORE
<i>UseDate</i>		7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018
<i>Plot</i>		Scour	Scour	Scour	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal
<i>SubPlot</i>		ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	15000	24900	14200	5100	8150	12800	4000	7520	5400
PCB-141	pg/g	159	237	130	56.9	87.5	149	42.7	77.2	56.5
PCB-142	pg/g	1.47 U	1.28 U	1.39 U	1.17 U	1.1 U	1.49 U	1.22 U	1.52 U	1.1 U
PCB-143	pg/g	C134	C134	C134	C134	C134	C134	C134	C134	C134
PCB-144	pg/g	38	60.3	29.3	11.4	20.7	29.5	8.2	17.2	11.7
PCB-145	pg/g	0.734 U	0.452 U	0.841 U	0.532 U	0.783 U	0.614 U	0.483 U	0.597 U	0.561 U
PCB-146	pg/g	123 C	179 C	97.8 C	42.4 C	62.9 C	111 C	36.3 C	58.3 C	44.4 C
PCB-147	pg/g	13.6	22.3	10.6	7.08	13.6	19.2	6.05	11.2	9.1
PCB-148	pg/g	0.928 U	0.571 U	1.06 U	0.714 U	1.05 U	0.824 U	0.648 U	0.801 U	0.753 U
PCB-149	pg/g	C139	C139	C139	C139	C139	C139	C139	C139	C139
PCB-150	pg/g	2.99 J	5.25	3.31 J	0.524 U	0.77 U	0.605 U	0.475 U	0.588 U	0.552 U
PCB-151	pg/g	192	303	195	47.8	88.8	149	41.6	76.6	54.4
PCB-152	pg/g	0.768 U	0.473 U	0.879 U	0.55 U	0.809 U	0.635 U	0.499 U	0.617 U	0.58 U
PCB-153	pg/g	874	1280	701	283	434	715	228	390	293
PCB-154	pg/g	22.2	28.9	14.8	5.17	6.5	14.1	5.16	6.59	5.3
PCB-155	pg/g	0.657 U	0.404 U	0.752 U	0.48 U	0.706 U	0.554 U	0.435 U	0.539 U	0.506 U
PCB-156	pg/g	81.9	167	70.3	44.5	58.1	127	27.3	49.3	40.8
PCB-157	pg/g	16.2	34.6	12.8	11.8	16.1	31.4	7.2	13.3	10.7
PCB-158	pg/g	96.1 C	156 C	68.5 C	45.3 C	67.9 C	117 C	32 C	58.7 C	45.8 C
PCB-159	pg/g	11	15.8	8.3	2.62 J	3.48 J	6.6	2.4 J	3.38 J	2.81 J
PCB-160	pg/g	C158	C158	C158	C158	C158	C158	C158	C158	C158
PCB-161	pg/g	C132	C132	C132	C132	C132	C132	C132	C132	C132
PCB-162	pg/g	C128	C128	C128	C128	C128	C128	C128	C128	C128
PCB-163	pg/g	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-164	pg/g	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-165	pg/g	C146	C146	C146	C146	C146	C146	C146	C146	C146
PCB-166	pg/g	3.99 J	6.65	1.02 U	2.62 J	3.42 J	5.35	1.84 J	3.5 J	1.8 J
PCB-167	pg/g	34.9	66.2	28.2	20.2	28.7	49.4	11.8	21.1	17
PCB-168	pg/g	1.03 U	0.903 U	0.977 U	0.768 U	0.723 U	0.979 U	0.803 U	0.999 U	2.25 J
PCB-169	pg/g	0.993 U	0.81 U	0.988 U	0.767 U	0.775 U	0.973 U	0.863 U	1.05 U	0.819 U
PCB-170	pg/g	316	584	274	71.4	81.8	213	52.1	90.4	72.2
PCB-171	pg/g	87.6	147	78.9	19.2	25.8	53.8	15.5	23.6	18.7
PCB-172	pg/g	53.4	89.1	50.2	12.9	14.6	36	10.7	16	11.4
PCB-173	pg/g	5.63	9.9	5.86	1.1 U	1.04 U	5.08	2.33 J	1.07 U	2.97 J
PCB-174	pg/g	274	476	291	56	71.5	163	47.6	78	62.2
PCB-175	pg/g	13.4	24.5	11.7	2.83 J	5.39	7.43	2.12 J	3.17 J	2.94 J
PCB-176	pg/g	40.4	66.2	41.3	8.4	10.2	21.1	7.38	10.8	7.49
PCB-177	pg/g	186	313	181	42.3	47.4	105	32.8	53.6	40
PCB-178	pg/g	57.9	99.1	68.7	13.1	16.2	33.8	12.3	18.2	13.3
PCB-179	pg/g	123	202	127	25.5	30.7	67.1	22	31.6	24.2
PCB-180	pg/g	558	1040	561	120	129	313	90.2	141	111
PCB-181	pg/g	1.17 U	1.32 U	1.33 U	0.955 U	0.899 U	1.02 U	0.725 U	0.93 U	0.727 U
PCB-182	pg/g	356 C	590 C	371 C	73.9 C	81.3 C	190 C	62.1 C	95.5 C	74 C
PCB-183	pg/g	189	317	197	42.3	43.1	93.6	29.2	47	36.4
PCB-184	pg/g	0.797 U	0.893 U	0.901 U	0.69 U	0.649 U	0.735 U	0.523 U	0.671 U	0.525 U
PCB-185	pg/g	30.7	63.4	37.5	6.61	8.13	18.1	5.33	7.91	6.91
PCB-186	pg/g	0.849 U	0.951 U	0.96 U	0.74 U	0.696 U	0.789 U	0.562 U	0.72 U	0.563 U
PCB-187	pg/g	C182	C182	C182	C182	C182	C182	C182	C182	C182

Table 7
Analytical Results for PCB Congeners in Bulk Sediment¹

<i>SampID</i>		LDW-Y1-SC- ENR+AC-CA-CORE	LDW-Y1-SC- ENR+AC-CB-CORE	LDW-Y1-SC- ENR+AC-CC-CORE	LDW-Y1-IN- ENR-CA-CORE	LDW-Y1-IN- ENR-CB-CORE	LDW-Y1-IN- ENR-CC-CORE	LDW-Y1-IN- ENR+AC-CA-CORE	LDW-Y1-IN- ENR+AC-CB-CORE	LDW-Y1-IN- ENR+AC-CC-CORE
<i>UseDate</i>	<i>Plot</i>	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018	7/6/2018
<i>SubPlot</i>		Scour ENR+AC	Scour ENR+AC	Scour ENR+AC	Intertidal ENR	Intertidal ENR	Intertidal ENR	Intertidal ENR+AC	Intertidal ENR+AC	Intertidal ENR+AC
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/g	15000	24900	14200	5100	8150	12800	4000	7520	5400
PCB-188	pg/g	0.937 U	1.16 U	1.15 U	0.748 U	0.728 U	0.831 U	0.58 U	0.757 U	0.582 U
PCB-189	pg/g	10.5	19.5	9.69	3.3 J	3.62 J	8.61	2.57 J	4.45	3.58 J
PCB-190	pg/g	75	142	62.6	16.7	19.5	43	12	19.6	15.7
PCB-191	pg/g	14.1	25.7	13	3.1 J	4.72	10.1	3.02 J	5.26	3.59 J
PCB-192	pg/g	0.914 U	1.02 U	1.03 U	0.77 U	0.724 U	0.821 U	0.584 U	0.749 U	0.586 U
PCB-193	pg/g	38.1	74.7	34.1	8.06	8.63	19.1	6.4	9.36	7.93
PCB-194	pg/g	159	492	192	36.8	32.6	81.1	28.8	40.8	39.3
PCB-195	pg/g	66.2	188	95.8	12.8	12.2	29.3	11.1	14.5	13.5
PCB-196	pg/g	245 C	772 C	360 C	51.2 C	39.5 C	98.1 C	33.7 C	43.4 C	40.9 C
PCB-197	pg/g	8.53	19.8	11.8	1.42 J	1.13 U	3.65 J	0.604 U	1.88 J	1.73 J
PCB-198	pg/g	12	26.8	18.7	2.29 J	1.67 U	3.55 J	0.889 U	1.09 U	2.39 J
PCB-199	pg/g	224	721	346	49.4	35.2	89.2	33.4	41	40.1
PCB-200	pg/g	23.8	78.2	39.9	6.71	4.21	10	3.7 J	5.66	5.01
PCB-201	pg/g	28	73.3	44.2	5.66	5.66	11.7	5.92	5.08	5.39
PCB-202	pg/g	36.7	88.9	61.4	8.66	8.49	18.3	7.82	8.97	6.35
PCB-203	pg/g	C196	C196	C196	C196	C196	C196	C196	C196	C196
PCB-204	pg/g	0.728 U	0.721 U	1.17 U	0.741 U	1.24 U	0.7 U	0.662 U	0.811 U	0.715 U
PCB-205	pg/g	7.88	28.3	11.5	1.74 J	1.54 J	4.29	1.51 J	2.02 J	1.99 J
PCB-206	pg/g	77.7	364	180	18.3	14.4	34.1	12.6	16.3	16.6
PCB-207	pg/g	10.7	42.6	25.7	3.34 J	2.08 J	5.04	1.73 J	2.21 J	2.76 J
PCB-208	pg/g	18.3	64.3	41.6	7.56	2.95 J	8.92	3.52 J	4.37	4.11
PCB-209	pg/g	25.5	44.4	31.6	5.64	8.57	13	8.02	12	9.17

Abbreviations:

C = Coelution with one or more PCB congeners; the numerical value indicates the lower congener co-eluter
 ENR = Enhanced natural recovery
 ENR+AC = Enhanced natural recovery amended with activated carbon
 J = Analyte concentration is below calibration range
 PCB = Polychlorinated biphenyl
 pg/g = picogram(s) per gram
 U = Not detected at the estimated detection limit

Notes:

1. Results for scour and intertidal samples represent concentrations of material passing through the #4 sieve. Concentrations have not been corrected for the gravel fraction removed.

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SC-ENR-CA-S010	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-CC-S010
		6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Scour ENR	6/30/2018 Scour ENR	6/30/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCBs (Total, Congeners)	pg/L	7700	16000	7200	4200	3500	3700	1000	2400	1200
PCB-001	pg/L	13 J	11 J	20 J	170	U	13 J	U	U	U
PCB-002	pg/L	U	U	U	U	U	U	U	U	U
PCB-003	pg/L	U	3 J	U	5.1 J	U	U	U	U	U
PCB-004	pg/L	140	110	110	140	30	50	U	27	42
PCB-005	pg/L	3.8 J	15	9.8	8.1	7.4 J	4.1 J	U	U	U
PCB-006	pg/L	69	60	49	54	23	31	13	17	21
PCB-007	pg/L	13	6.6 J	11	18	5.5 J	5.2 J	U	U	U
PCB-008	pg/L	200	170	140	150	47	85	32	33	43
PCB-009	pg/L	9.7	11	12	16	4.9 J	7.4 J	U	U	U
PCB-010	pg/L	12 J	10 J	13 J	19	6.6 J	12 J	U	U	U
PCB-011	pg/L	UB	UB	UB	UB	UB	UB	UB	3.4	2.7
PCB-012	pg/L	1.5 J	3.4 J	U	3.4 J	U	2.8 J	U	U	U
PCB-013	pg/L	5.3	8.2	U	U	U	U	U	U	U
PCB-014	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-015	pg/L	30	38	25	11	8.3	14	7.6	9.7	8.1
PCB-016	pg/L	180	160	100	88	50	71	19	18	21
PCB-017	pg/L	280	280	210	150	91	130	27	28	34
PCB-018	pg/L	580	630	460	330	200	290	60	62	73
PCB-019	pg/L	77	74	59	49	28	42	14	12	14
PCB-020	pg/L	200 C	250 C	170 C	88 C	64 C	84 C	21 C	27 C	27 C
PCB-021	pg/L	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-022	pg/L	120	150	100	49	37	50	13	17	16
PCB-023	pg/L	0.75 J	U	1.1 J	U	U	U	U	U	U
PCB-024	pg/L	20	29	20	13	8.3	12	2.3 J	4.4 J	3.8 J
PCB-025	pg/L	44	55	32	20	14	20	6.1	7.2	6.7
PCB-026	pg/L	100	120	74	47	36	48	11	15	14
PCB-027	pg/L	33	29	22	16	11	13	8.5	5.5	7
PCB-028	pg/L	360	440	280	140	110	160	47	53	51
PCB-029	pg/L	3.2 J	3.8 J	2.6 J	1.5 J	1.2 J	1.5 J	U	U	U
PCB-030	pg/L	U	U	U	U	U	U	U	U	U
PCB-031	pg/L	370	500	290	170	120	160	38	53	52
PCB-032	pg/L	180	210	170	100	69	97	27	28	29
PCB-033	pg/L	C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-034	pg/L	4.3	5.1 J	3.5 J	2.2 J	1.5 J	2.3 J	U	U	U
PCB-035	pg/L	2.5 J	5.8 J L	2.9	1.3 J	1.7 J	1.7 J	U	U	U
PCB-036	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-037	pg/L	35	60 L	29	13	12	15	5.6	8.5	6.9
PCB-038	pg/L	2.5 J	4.7 J L	2.3 J	1.1 J	1.2 J	1.4 J	U	U	U
PCB-039	pg/L	U	U L	U	U	U	U	U	U	U
PCB-040	pg/L	63	110 L	56	30	30	31	9.5	16	9.9
PCB-041	pg/L	270 C	490 C L	240 C	130 C	130 C	130 C	36 C	60 C	40 C
PCB-042	pg/L	120 C	210 C L	110 C	60 C	57 C	59 C	17 C	29 C	18 C
PCB-043	pg/L	370 C	650 C L	320 C	190 C	170 C	190 C	55 C	85 C	58 C
PCB-044	pg/L	340	590 L	280	180	160	180	43	68	48
PCB-045	pg/L	92	140	78	48	40	48	16	20	16
PCB-046	pg/L	36	53	30	19	16	17	6.2	8.8	6.1

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	Plot	SubPlot	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SC-ENR-CA-S010	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-CC-S010
				6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Scour ENR	6/30/2018 Scour ENR	6/30/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)												
PCB-047	pg/L			98	150 L	86	51	49	54	18	26	19
PCB-048	pg/L			92 C	170 C L	77 C	46 C	39 C	42 C	11 C	18 C	11 C
PCB-049	pg/L			C043	C043	C043	C043	C043	C043	C043	C043	C043
PCB-050	pg/L			2.7	3.7 J	2.5 J	1.7 J	1.6 J	1.6 J	U	1 J	U
PCB-051	pg/L			32	46	27	16	14	15	6.9	8.9	6.6
PCB-052	pg/L			470 C	830 C L	410 C	250 C	210 C	240 C	67 C	110 C	72 C
PCB-053	pg/L			97	140	80	51	41	48	20	25	19
PCB-054	pg/L			2.1 J	3.3 J L	1.9 J	1.1 J	1.1 J	1.1 J	U	1.2 J	U
PCB-055	pg/L			3.8	13 L	4.9	3.5	3.9	3.2	1.7	2.3	1.7
PCB-056	pg/L			120 C	240 C L	110 C	49 C	51 C	50 C	14 C	29 C	17 C
PCB-057	pg/L			2.3	4.6 J L	1.6 J	1.2 J	1.2 J	1.2 J	U	1.1 J	U
PCB-058	pg/L			0.98 J	2.4 J L	1 J	0.64 J	0.74 J	0.61 J	U	U	U
PCB-059	pg/L			C042	C042	C042	C042	C042	C042	C042	C042	C042
PCB-060	pg/L			C056	C056	C056	C056	C056	C056	C056	C056	C056
PCB-061	pg/L			220 C	470 C L	210 C	110 C	110 C	120 C	28 C	55 C	33 C
PCB-062	pg/L			U	U L	U	U	U	U	U	U	U
PCB-063	pg/L			11	24 L	10	5	5.5	5.3	1.4 J	2.9 J	1.4 J
PCB-064	pg/L			C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-065	pg/L			U	U L	1.1 J	U	U	U	U	U	U
PCB-066	pg/L			190 C	410 C L	180 C	90 C	92 C	95 C	28 C	59 C	32 C
PCB-067	pg/L			8.9	19 L	8	3.9	U	4.2	1.2 J	2.4 J	1.4 J
PCB-068	pg/L			3.4	8.6 L	2.4	1.7	2.1	2	0.63 J	1.4 J	0.77 J
PCB-069	pg/L			C052	C052	C052	C052	C052	C052	C052	C052	C052
PCB-070	pg/L			C061	C061	C061	C061	C061	C061	C061	C061	C061
PCB-071	pg/L			C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-072	pg/L			C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-073	pg/L			U	U L	U	U	U	U	U	U	U
PCB-074	pg/L			110	220 L	99	46	47	48	13	27	14
PCB-075	pg/L			C048	C048	C048	C048	C048	C048	C048	C048	C048
PCB-076	pg/L			C066	C066	C066	C066	C066	C066	C066	C066	C066
PCB-077	pg/L			8.7	25 L	9.7	4	5.1	4.2	1.7	4.1 L	1.7
PCB-078	pg/L			PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-079	pg/L			2.7	6.8 L	2.9	1.5	1.6 J	1.7	0.54 J	1.5 J L	0.55 J
PCB-080	pg/L			U	2.4 J L	U	1.1	U	1.8	U	0.39 J L	0.54 J
PCB-081	pg/L			4.6	14 L	4.7	2.6	4	3.2	1.1 J	4.4 L	1.8
PCB-082	pg/L			25	79 L	28 L	12	16 L	13	3.3	12 L	4
PCB-083	pg/L			11 C	35 C L	12 C L	6.1 C	7.1 C L	5.7 C	1.7 C	6.3 C L	1.7 C
PCB-084	pg/L			110 C	340 C L	120 C L	61 C	69 C	58 C	17 C	52 C L	19 C
PCB-085	pg/L			33 C	100 C L	34 C L	15 C	18 C L	15 C	4.4 C	14 C L	5.1 C
PCB-086	pg/L			U	U L	U L	U	U L	U	U	U L	U
PCB-087	pg/L			81 C	250 C L	88 C L	38 C	47 C L	37 C	10 C	35 C L	13 C
PCB-088	pg/L			32 C	59 C L	37 C	17 C	20 C	10 C	UC	UC L	UC
PCB-089	pg/L			4.5	13 L	5.1	2.5	2.8	2.3	0.8 J	2.1 J L	0.87 J
PCB-090	pg/L			230 C	720 C L	260 C L	120 C	140 C L	110 C	36 C	120 C L	42 C
PCB-091	pg/L			C088	C088	C088	C088	C088	C088	C088	C088	C088
PCB-092	pg/L			C084	C084	C084	C084	C084	C084	C084	C084	C084
PCB-093	pg/L			U	U L	U	U	U	U	U	U L	U

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	Plot	SubPlot	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SC-ENR-CA-S010	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-CC-S010
				6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Scour ENR	6/30/2018 Scour ENR	6/30/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)												
PCB-094	pg/L	2.2	5.9 J L	2.6	1.1	1.3 J	1.1 J	U	U L	U		
PCB-095	pg/L	250	650 L	250	150	170	150	54	140 L	59		
PCB-096	pg/L	4	11 L	3.6 L	2.2	2.8	2.3	0.82 J	1.9 J L	0.79 J		
PCB-097	pg/L	56	180 L	59 L	28	33 L	26	7.2	25 L	8.4		
PCB-098	pg/L	UC	UC L	UC	UC	UC	UC	UC	UC L	UC		
PCB-099	pg/L	95	300 L	100 L	44	53 L	43	13	46 L	16		
PCB-100	pg/L	2.6	7.4 L	2.8	1.4	2.3	1.5	1.1 J	3 J L	1.1 J		
PCB-101	pg/L	C090	C090	C090	C090	C090	C090	C090	C090	C090		
PCB-102	pg/L	C098	C098	C098	C098	C098	C098	C098	C098	C098		
PCB-103	pg/L	5	13 L	5.1	2.8	3	2.9	1.3 J	4.2 L	1.7		
PCB-104	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC		
PCB-105	pg/L	41	150 L	50 L	18	24 L	18	5.5	20 L	6.3		
PCB-106	pg/L	100 C	350 C L	120 C L	51 C	65 C L	49 C	15 C	60 C L	17 C		
PCB-107	pg/L	8.8 C	30 C L	9.9 C L	4.5 C	5.6 C L	3.9 C	1.2 C	5.3 C L	1.4 C		
PCB-108	pg/L	C107	C107	C107	C107	C107	C107	C107	C107	C107		
PCB-109	pg/L	U	U L	U L	U	U L	U	U	U L	U		
PCB-110	pg/L	170	540 L	190 L	96	110 L	91	28	91 L	32		
PCB-111	pg/L	2.8 C	10 C L	2.9 C L	1.8 C	1.8 C L	1.9 C	0.37 CJ	2.7 CJ L	0.46 CJ		
PCB-112	pg/L	C083	C083	C083	C083	C083	C083	C083	C083	C083		
PCB-113	pg/L	U	U L	U L	U	U L	U	U	U L	U		
PCB-114	pg/L	2.7	11 L	4 L	1.6	2.2 L	1.6	0.48 J	1.9 J L	0.56 J		
PCB-115	pg/L	C111	C111	C111	C111	C111	C111	C111	C111	C111		
PCB-116	pg/L	C085	C085	C085	C085	C085	C085	C085	C085	C085		
PCB-117	pg/L	C087	C087	C087	C087	C087	C087	C087	C087	C087		
PCB-118	pg/L	C106	C106	C106	C106	C106	C106	C106	C106	C106		
PCB-119	pg/L	5.5	20 L	6.1 L	2.9	3.7 L	2.9	1.2	3.8 J L	1.1		
PCB-120	pg/L	U	U L	U L	0.26 J	0.57 J L	U	U	U L	U		
PCB-121	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC		
PCB-122	pg/L	1.6	4.5 J L	2.2 L	0.7	1.1 J L	0.94	0.25 J	0.95 J L	0.31 J		
PCB-123	pg/L	2.2	8.5 L	2 L	0.77	1.2 J L	0.77 J	0.26 J	1.2 J L	0.4 J		
PCB-124	pg/L	6	19 L	7.8 L	2.7	3.8 L	2.8	0.73 J	3.5 J L	0.9		
PCB-125	pg/L	C087	C087	C087	C087	C087	C087	C087	C087	C087		
PCB-126	pg/L	0.37 J L	U L	0.61 J L	U	U L	U	U	U L	U		
PCB-127	pg/L	U L	U L	U L	U	U L	U	U	U L	U		
PCB-128	pg/L	12 C L	60 C L	18 C L	5.3 C	8.8 C L	4.6 C L	1.3 C	8.4 C L	1.7 C		
PCB-129	pg/L	5 L	21 L	7 L	2.1	3.3 L	2 L	0.56	5.3 L	0.76		
PCB-130	pg/L	7.1 L	30 L	10 L	2.9	4.8 L	2.5 L	0.88	U L	1		
PCB-131	pg/L	3.1 C L	13 C L	4.6 C L	1.4 C	1.8 C L	1.2 C L	0.37 CJ	2.3 CJ L	0.54 CJ		
PCB-132	pg/L	32 C L	160 C L	47 C L	15 C	26 C L	15 C L	4.6 C	30 C L	6.4 C		
PCB-133	pg/L	C131	C131	C131	C131	C131	C131	C131	C131	C131		
PCB-134	pg/L	7.1 C L	30 C L	9 C L	3.4 C	5.2 C L	3.3 C	0.77 C	6.1 C L	1.2 C		
PCB-135	pg/L	19 L	89 L	26 L	8.8	13 L	7.6	2.8	14 L	3.4		
PCB-136	pg/L	21 L	100 L	31 L	12	17 L	11 L	3.9	25 L	5		
PCB-137	pg/L	3.5 L	19 L	5.1 L	2.3	2.9 L	1.6 L	0.54	2.6 J L	0.62		
PCB-138	pg/L	79 C L	380 C L	120 C L	37 C	61 C L	33 C L	11 C	75 C L	14 C		
PCB-139	pg/L	100 C L	450 C L	150 C L	52 C	78 C L	45 C	17 C	100 C L	23 C		
PCB-140	pg/L	1.4 L	U L	1.5 L	U	U L	0.61 J	0.28 J	U L	U		

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SC-ENR-CA-S010	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-CC-S010
		6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Subtidal ENR+AC	6/30/2018 Scour ENR	6/30/2018 Scour ENR	6/30/2018 Scour ENR
Polychlorinated Biphenyls (PCBs)										
PCB-141	pg/L	18 L	85 L	27 L	8.2	13 L	7.1 L	2.5	16 L	3.4
PCB-142	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-143	pg/L	C134	C134	C134	C134	C134	C134	C134	C134	C134
PCB-144	pg/L	7.9 L	28 L	11 L	3.2	5.7 L	3.3	1.4	6.6 L	1.6
PCB-145	pg/L	U L	U L	U L	U	U L	U L	U	U L	U
PCB-146	pg/L	15 C L	74 C L	23 C L	7.3 C	12 C L	6.8 C L	2.4 C	18 C L	3.3 C
PCB-147	pg/L	2.5 L	13 L	3.4 L	1.3	2.1 L	1.3	0.5 J	2.1 J L	0.43 J
PCB-148	pg/L	U L	U L	U L	U	U L	U	U	U L	U
PCB-149	pg/L	C139	C139	C139	C139	C139	C139	C139	C139	C139
PCB-150	pg/L	U L	U L	U L	0.2 J	U L	U L	U	U L	U
PCB-151	pg/L	32 L	150 L	47 L	15	23 L	14	5.5	35 L	6.9
PCB-152	pg/L	U L	U L	U L	U	U L	U L	U	U L	U
PCB-153	pg/L	91 L	430 L	130 L	42	69 L	36 L	14	95 L	18
PCB-154	pg/L	2.6 L	10 L	3 L	1.1	1.9 L	1.1	0.52	3.1 L	0.57
PCB-155	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-156	pg/L	5.9 L	31 L	9 L	2.6	4.3 L	2 L	0.48	5.7 L	0.77
PCB-157	pg/L	1.1 L	7.3 L	1.6 L	0.55	0.82 J L	0.47 J L	U	1.5 J L	0.14 J
PCB-158	pg/L	9.8 C L	46 C L	15 C L	4.6 C	7.4 C L	3.9 C L	1.3 C	8.6 C L	1.7 C
PCB-159	pg/L	0.83 L	5.7 J L	1.5 L	0.36 J	0.72 J L	0.42 J L	0.18 J	U L	0.16 J
PCB-160	pg/L	C158	C158	C158	C158	C158	C158	C158	C158	C158
PCB-161	pg/L	C132	C132	C132	C132	C132	C132	C132	C132	C132
PCB-162	pg/L	C128	C128	C128	C128	C128	C128	C128	C128	C128
PCB-163	pg/L	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-164	pg/L	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-165	pg/L	C146	C146	C146	C146	C146	C146	C146	C146	C146
PCB-166	pg/L	U L	U L	U L	U	U L	U L	U	U L	U
PCB-167	pg/L	2.3 L	11 L	4.1 L	1.1	2.1 L	0.92 L	0.36 J	2.5 J L	0.36 J
PCB-168	pg/L	U L	U L	U L	0.14 J	U L	U L	U	U L	U
PCB-169	pg/L	U L	U L	U L	U L	U L	U L	U	U L	U L
PCB-170	pg/L	9.4 L	65 L	18 L	3.8 L	7.9 L	2.7 L	1 L	13 L	1.4 L
PCB-171	pg/L	3.6 L	25 L	6.9 L	1.4 L	2.7 L	1.2 L	0.46 L	5.2 L	0.59 L
PCB-172	pg/L	1.6 L	19 L	3.8 L	0.52 L	0.96 L	0.33 L	0.079 L	U B L	0.15 L
PCB-173	pg/L	U L	U L	0.86 J L	U L	U L	U L	U L	U L	U L
PCB-174	pg/L	14 L	91 L	25 L	5.9 L	13 L	4.7 L	1.6 L	20 L	2.3 L
PCB-175	pg/L	0.67 L	U L	1 L	0.23 J L	0.45 J L	0.26 J L	U L	U L	U L
PCB-176	pg/L	2.3 L	16 L	4.2 L	0.95 L	1.8 L	0.74 L	0.29 L	4.4 J L	0.38 L
PCB-177	pg/L	8.6 L	57 L	16 L	3.5 L	6.8 L	2.7 L	0.87 L	10 L	1.3 L
PCB-178	pg/L	3.5 L	23 L	5.7 L	1.6 L	2.8 L	1 L	0.48 L	5.5 L	0.63 L
PCB-179	pg/L	7.5 L	55 L	13 L	3 L	6.3 L	2.4 L	0.83 L	13 L	1.2 L
PCB-180	pg/L	18 L	150 L	36 L	7.5 L	15 L	5.7 L	2 L	30 L	2.8 L
PCB-181	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-182	pg/L	17 C L	120 C L	31 C L	7.2 C L	14 C L	5.7 C L	2 C L	26 C L	2.8 C L
PCB-183	pg/L	8.6 L	59 L	16 L	3.5 L	7 L	3 L	1 L	15 L	1.4 L
PCB-184	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-185	pg/L	1.4 L	11 L	2.8 L	0.67 L	1.4 L	0.57 L	0.21 J L	U L	0.3 J L
PCB-186	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-187	pg/L	C182	C182	C182	C182	C182	C182	C182	C182	C182

Table 8
Analytical Results for PCB Congeners in Porewater

<i>SampID</i>	LDW-Y1-SU-ENR-CA-S010	LDW-Y1-SU-ENR-CB-S010	LDW-Y1-SU-ENR-CC-S010	LDW-Y1-SU-ENR+AC-CA-S010	LDW-Y1-SU-ENR+AC-CB-S010	LDW-Y1-SU-ENR+AC-CC-S010	LDW-Y1-SC-ENR-CA-S010	LDW-Y1-SC-ENR-CB-S010	LDW-Y1-SC-ENR-CC-S010
<i>SampDate</i>	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018
<i>Plot</i>	Subtidal	Subtidal	Subtidal	Subtidal	Subtidal	Subtidal	Scour	Scour	Scour
<i>SubPlot</i>	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR
Polychlorinated Biphenyls (PCBs)									
PCB-188	pg/L	UL	UL	UL	UL	UL	UL	UL	UL
PCB-189	pg/L	0.24 JL	UL	0.56 JL	UL	UL	UL	UL	UL
PCB-190	pg/L	1.9 L	15 L	3.7 L	0.78 L	1.6 L	0.68 L	0.21 JL	3.2 JL
PCB-191	pg/L	0.45 JL	5.1 JL	1.1 L	0.25 JL	UL	UL	UL	UL
PCB-192	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-193	pg/L	1.3 L	15 L	2.9 L	0.58 L	1.3 L	0.58 L	0.19 JL	5.4 L
PCB-194	pg/L	2.1 L	25 L	5.1 L	0.92 L	2.6 L	0.53 L	0.16 L	4.6 JL
PCB-195	pg/L	1.2 L	12 L	2.6 L	0.4 L	1.1 L	0.23 L	0.096 JL	2 JL
PCB-196	pg/L	3.1 CL	37 CL	7 CL	1.4 CL	3.4 CL	0.87 CL	0.26 CL	6.5 CL
PCB-197	pg/L	0.13 L	4.5 L	0.052 L	0.051 L	UBL	UBL	UBL	UBL
PCB-198	pg/L	0.19 JL	UL	UL	UL	UL	UL	UL	UL
PCB-199	pg/L	2.6 L	34 L	5.5 L	1.1 L	3 L	0.63 L	0.18 L	6.6 L
PCB-200	pg/L	0.51 L	6.1 JL	0.85 L	0.17 L	0.5 JL	UL	UL	UL
PCB-201	pg/L	UL	UL	0.98 L	UL	UL	UL	UL	UL
PCB-202	pg/L	0.65 L	8 L	1.3 L	0.23 L	0.75 L	0.19 L	UL	UL
PCB-203	pg/L	C196	C196	C196	C196	C196	C196	C196	C196
PCB-204	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-205	pg/L	0.12 JL	2.1 JL	0.28 JL	0.053 JL	0.16 JL	0.042 JL	UL	UL
PCB-206	pg/L	0.43 L	8.4 L	1.1 L	0.17 L	0.58 L	0.09 JL	0.03 JL	0.052 JL
PCB-207	pg/L	0.049 L	3.3 L	0.19 L	0.02 L	0.081 L	0.0077 L	UBL	UBL
PCB-208	pg/L	0.12 JL	2.7 JL	0.31 JL	0.052 JL	0.2 JL	0.029 JL	0.016 JL	0.02 JL
PCB-209	pg/L	0.051 L	4.9 L	0.21 L	0.01 L	0.12 L	0.011 L	UBL	0.83 L

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	Plot	SubPlot	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-IN-ENR-CA-S010	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-CC-S010
				6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC
Polychlorinated Biphenyls (PCBs)												
PCBs (Total, Congeners)	pg/L			570	940	1300	1300	840	1100	830	530	270
PCB-001	pg/L			U	U	U	U	U	U	U	U	U
PCB-002	pg/L			U	U	U	U	U	U	U	U	U
PCB-003	pg/L			U	U	U	U	1.9 J	U	U	U	U
PCB-004	pg/L			U	U	U	48	33	32	14	U	11 J
PCB-005	pg/L			U	U	U	U	U	U	U	U	U
PCB-006	pg/L			U	U	U	15	12	13	5.9 J	7.4	5.1 J
PCB-007	pg/L			U	U	U	U	U	U	U	U	U
PCB-008	pg/L			14 J	14	31	22	18	26	14	7.7	11
PCB-009	pg/L			U	U	U	U	U	U	U	U	U
PCB-010	pg/L			U	U	U	U	U	U	U	U	U
PCB-011	pg/L			UB J	UB	UB	UB	UB	UB	1.8	UB	UB
PCB-012	pg/L			U	U	U	U	U	U	U	U	U
PCB-013	pg/L			U	U	U	U	U	U	U	U	U
PCB-014	pg/L			PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-015	pg/L			4.3 J	3.4 J	11	8	6.7	9.4	4	U	U
PCB-016	pg/L			7.6 J	17	18	8.7	8.3	12	7.3	4.8	3.4 J
PCB-017	pg/L			13	18	31	21	14	23	11	6.6	6
PCB-018	pg/L			26	35	62	52	34	56	26	17	14
PCB-019	pg/L			5.9 J	7.1 J	12 J	12	9.9	13	4.5 J	4.5 J	3.3 J
PCB-020	pg/L			10 C	16 C	25 C	11 C	6.3 C	11 C	11 C	4.1 C	3.3 C
PCB-021	pg/L			C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-022	pg/L			6.4	10	16	8.3	4.3	7.9	5.2	2.4	1.9 J
PCB-023	pg/L			U	U	U	U	U	U	U	U	U
PCB-024	pg/L			U	3.2 J	3 J	4.3 J	4.2	4.8 J	1.3 J	1.1 J	0.84 J
PCB-025	pg/L			2.6 J	3.6 J	5.7 J	9.4	6	9	3.3	3.3	2.4 J
PCB-026	pg/L			5.6	7.7	14	24	16	22	7.3	6.9	5.2
PCB-027	pg/L			3.1 J	2.1 J	6.9 J	5.4 J	2.9 J	6.4	2.1 J	1.4 J	1.4 J
PCB-028	pg/L			20	30	50	31	18	30	17	8.7	7.5
PCB-029	pg/L			U	U	U	U	U	U	U	U	U
PCB-030	pg/L			U	U	U	U	U	U	U	U	U
PCB-031	pg/L			21	30	44	33	22	34	17	11	8
PCB-032	pg/L			11	11	26	11	7.2	15	4.2	2.5 J	3.2 J
PCB-033	pg/L			C020	C020	C020	C020	C020	C020	C020	C020	C020
PCB-034	pg/L			U	U	U	U	U	U	U	U	U
PCB-035	pg/L			U	U	U	U	U	U	U	U	U
PCB-036	pg/L			PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-037	pg/L			3.4 J	5	7.3	3.6 J	2.1 J	3.5	1.9	1.1 J	0.83 J
PCB-038	pg/L			U	U	U	U	U	U	U	U	U
PCB-039	pg/L			U	U	U	U	U	U	U	U	U
PCB-040	pg/L			4.7	7.4	11	6.3	3.7	7.1	2.8	1.5 J	0.95 J
PCB-041	pg/L			19 C	31 C	44 C	27 C	17 C	27 C	12 C	7.7 C	5.4 C
PCB-042	pg/L			8.8 C	14 C	22 C	13 C	9.5 C	15 C	5.8 C	3.2 C	2.3 C
PCB-043	pg/L			28 C	46 C	65 C	61 C	44 C	59 C	25 C	16 C	11 C
PCB-044	pg/L			23	37	53	44	30	41	20	10	8.3
PCB-045	pg/L			6.8	10	16	8.3	6.6	10	3.8	2.1	1.8 J
PCB-046	pg/L			2.7 J	4.5	6.6	3.5 J	2.4 J	4	1.7 J	1.2 J	0.68 J

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-IN-ENR-CA-S010	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-CC-S010
		6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC
Polychlorinated Biphenyls (PCBs)										
PCB-047	pg/L	9.6	14	21	15	11	16	6	3.9	2.9
PCB-048	pg/L	5.3 C	9 C	12 C	7.7 C	4.4 C	7.3 C	3.8 C	1.9 C	1.7 C
PCB-049	pg/L	C043	C043	C043	C043	C043	C043	C043	C043	C043
PCB-050	pg/L	U	U	U	U	U	1.1 J	0.36 J	0.39 J	0.18 J
PCB-051	pg/L	2.9 J	4.7	6.8	3.7 J	2.6	4.5	1.4 J	1.1 J	0.86 J
PCB-052	pg/L	35 C	56 C	82 C	110 C	76 C	96 C	35 C	22 C	17 C
PCB-053	pg/L	8.5	13	18	16	13	17	5.6	3.7	3.3
PCB-054	pg/L	U	U	U	U	U	U	0.28 J	U	U
PCB-055	pg/L	1.1	1.3	2.1	1.2	0.88	1.7	1.4	1	1
PCB-056	pg/L	8.4 C	15 C	20 C	10 C	5.9 C	9.4 C	5.1 C	3.8 C	2 C
PCB-057	pg/L	U	U	U	U	U	0.67 J	0.27 J	U	U
PCB-058	pg/L	U	U	U	U	U	U	0.21 J	U	U
PCB-059	pg/L	C042	C042	C042	C042	C042	C042	C042	C042	C042
PCB-060	pg/L	C056	C056	C056	C056	C056	C056	C056	C056	C056
PCB-061	pg/L	16 C	29 C	40 C	24 C	14 C	20 C	9.9 C	6.9 C	4.4 C
PCB-062	pg/L	U	U	U	U	U	U	U	U	U
PCB-063	pg/L	0.91 J	1.6 J	2 J	U	0.68 J	1.1 J	0.47 J	0.41 J	U
PCB-064	pg/L	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-065	pg/L	U	U	U	U	U	U	U	U	U
PCB-066	pg/L	17 C	28 C	38 C	22 C	14 C	22 C	10 C	6.6 C	3.8 C
PCB-067	pg/L	0.91 J	1.1 J	2.1 J	1.7 J	0.81 J	1.3 J	0.36 J	0.4 J	0.21 J
PCB-068	pg/L	U	0.45 J	0.94 J	1.1 J	0.52 J	0.8 J	0.37 J	0.29 J	0.12 J
PCB-069	pg/L	C052	C052	C052	C052	C052	C052	C052	C052	C052
PCB-070	pg/L	C061	C061	C061	C061	C061	C061	C061	C061	C061
PCB-071	pg/L	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-072	pg/L	C041	C041	C041	C041	C041	C041	C041	C041	C041
PCB-073	pg/L	U	U	U	U	U	U	U	U	U
PCB-074	pg/L	7.3	12	18	10	5.4	9.2	3.5	2.7	1.6
PCB-075	pg/L	C048	C048	C048	C048	C048	C048	C048	C048	C048
PCB-076	pg/L	C066	C066	C066	C066	C066	C066	C066	C066	C066
PCB-077	pg/L	1.2 J	1.4 J	2.6 J	1.7 J	0.99 J	1.2 J	1 J	0.9 J	0.43 J
PCB-078	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-079	pg/L	U	0.7 J	0.86 J	0.84 J	0.42 J	0.8 J	0.66 J	0.42 J	0.21 J
PCB-080	pg/L	U	U	0.78 J	U	0.087 J	0.39 J	UB J	UB J	UB J
PCB-081	pg/L	1.1 J	2.2 J	2.2 J	2.9 J	1.5	2.1 J	1.1 J	1.3 J	0.23 J
PCB-082	pg/L	2.7	4	5.9 L	6.1 L	3.6	4.2	5.7	3.5	1.3
PCB-083	pg/L	1.1 CJ	1.9 C	2.4 CJ L	4 C L	2.2 C	3.1 C	3.1 C	2 C	0.76 C
PCB-084	pg/L	11 C	18 C	24 C	36 C L	25 C	29 C	33 C	19 C	8.9 C
PCB-085	pg/L	3.3 C	5.6 C	6.9 C L	8.7 C L	5.7 C	6.1 C	7.9 C	5 C	1.8 C
PCB-086	pg/L	U	U	U L	U L	U	U	U	U	U
PCB-087	pg/L	7.5 C	13 C	17 C L	24 C L	14 C	15 C	20 C	12 C	4.8 C
PCB-088	pg/L	UC	UC	UC	UC	6.5 C	4.2 C	UC	UC	UC
PCB-089	pg/L	U	0.99 J	1 J	U	U	U	0.8 J	0.49 J	0.36 J
PCB-090	pg/L	24 C	43 C	57 C L	63 C L	39 C	45 C	58 C	35 C	15 C
PCB-091	pg/L	C088	C088	C088	C088	C088	C088	C088	C088	C088
PCB-092	pg/L	C084	C084	C084	C084	C084	C084	C084	C084	C084
PCB-093	pg/L	U	U	U	U	U	U	U	U	U

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	Plot	SubPlot	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-IN-ENR-CA-S010	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-CC-S010
				6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC
Polychlorinated Biphenyls (PCBs)												
PCB-094	pg/L			U	U	U	U	U	U	0.44 J	0.28 J	U
PCB-095	pg/L			32	57	75	77	62	63	60	34	17
PCB-096	pg/L			U	0.96 J	U	U L	U	U	0.6 J	0.36 J	0.19 J
PCB-097	pg/L			5.6	9.1	11 L	16 L	9.9	11	14	7.6	3.1
PCB-098	pg/L			UC	UC	UC	UC	UC	UC	UC	UC	UC
PCB-099	pg/L			9.5	16	21 L	28 L	18	21	23	15	5.8
PCB-100	pg/L			U	1.5 J	U	U	0.88 J	U	0.8 J	0.77 J	0.34 J
PCB-101	pg/L			C090	C090	C090	C090	C090	C090	C090	C090	C090
PCB-102	pg/L			C098	C098	C098	C098	C098	C098	C098	C098	C098
PCB-103	pg/L			U	1.6 J	2.6 J	2.3 J	1.2 J	1.7 J	0.97 J	0.56 J	0.31 J
PCB-104	pg/L			PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-105	pg/L			3.8	7 L	8.7 L	9.9 L	5.6	6.3 L	7.3 L	5.3 L	1.7
PCB-106	pg/L			10 C	20 C L	25 C L	31 C L	17 C	19 C L	23 C L	16 C L	5.2 C
PCB-107	pg/L			0.91 CJ	1.7 C L	2.1 CJ L	3 C L	1.7 C	1.9 C L	2.4 C L	1.4 C L	0.52 CJ
PCB-108	pg/L			C107	C107	C107	C107	C107	C107	C107	C107	C107
PCB-109	pg/L			U	U	U L	U L	U	U	U	U	U
PCB-110	pg/L			19	32	43 L	55 L	35	38	52	31	13
PCB-111	pg/L			UC	0.56 CJ L	U C L	0.95 CJ L	0.32 CJ	0.63 CJ L	U C L	U C L	U C
PCB-112	pg/L			C083	C083	C083	C083	C083	C083	C083	C083	C083
PCB-113	pg/L			U	U	U L	U L	U	U	U	U	U
PCB-114	pg/L			0.34 J	U L	0.75 J L	0.49 J L	0.47 J	0.46 J L	0.48 J L	0.52 J L	0.19 J
PCB-115	pg/L			C111	C111	C111	C111	C111	C111	C111	C111	C111
PCB-116	pg/L			C085	C085	C085	C085	C085	C085	C085	C085	C085
PCB-117	pg/L			C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-118	pg/L			C106	C106	C106	C106	C106	C106	C106	C106	C106
PCB-119	pg/L			0.77 J	1.5 J	1.7 J L	2.2 J L	1.6	1.8	1.6	1.1 J	0.45 J
PCB-120	pg/L			U	U L	U L	U L	U	U L	U L	U L	U
PCB-121	pg/L			PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-122	pg/L			U	U L	U L	0.7 J L	0.27 J	U L	0.37 J L	0.28 J L	U
PCB-123	pg/L			0.26 J	U L	0.79 J L	0.84 J L	0.49 J	0.43 J L	0.47 J L	0.18 J L	0.15 J
PCB-124	pg/L			0.45 J	0.99 J L	2 J L	2 J L	1.1	1.3 J L	1.3 J L	1.1 J L	0.3 J
PCB-125	pg/L			C087	C087	C087	C087	C087	C087	C087	C087	C087
PCB-126	pg/L			U	U L	U L	U L	U L	U L	U L	U L	U
PCB-127	pg/L			U	U L	U L	U L	U L	U L	U L	U L	U
PCB-128	pg/L			1.2 C	2 C L	3 C L	4.4 C L	2 C L	2.2 C L	4.4 C L	3 C L	0.71 C
PCB-129	pg/L			0.43 J	0.82 J L	1.6 J L	1.6 J L	0.88 L	0.88 J L	1.4 L	1.3 J L	0.26 J
PCB-130	pg/L			0.83	1.6 L	1.9 L	2.5 L	1.4 L	1.7 L	2.5 L	2 L	0.36 J
PCB-131	pg/L			UC	0.54 CJ L	0.78 CJ L	1.3 CJ L	0.58 CJ L	0.62 CJ L	0.91 CJ L	0.62 CJ L	0.18 CJ
PCB-132	pg/L			4 C	7.8 C L	9 C L	11 C L	6.7 C L	7.2 C L	12 C L	8.5 C L	1.8 C
PCB-133	pg/L			C131	C131	C131	C131	C131	C131	C131	C131	C131
PCB-134	pg/L			0.76 CJ	1.8 C L	1.7 CJ L	2.4 C L	1.5 C L	1.7 C L	2.5 C L	1.7 C L	0.45 C
PCB-135	pg/L			2.4	4.3 L	5.3 L	7.3 L	3.9 L	4.4 L	5.8 L	3.7 L	1
PCB-136	pg/L			3	6.5 L	7.4 L	6.5 L	3.8 L	4.5 L	8.5 L	4.9 L	1.3
PCB-137	pg/L			U	0.78 J L	U L	1.4 J L	0.75 L	0.91 J L	1.8 L	1.3 J L	0.27 J
PCB-138	pg/L			9.7 C	19 C L	22 C L	25 C L	14 C L	16 C L	26 C L	20 C L	4.3 C
PCB-139	pg/L			15 C	28 C L	34 C L	31 C L	18 C L	22 C L	31 C L	22 C L	5.4 C
PCB-140	pg/L			U	U L	U L	U L	U L	0.33 J L	U L	U L	U

Table 8
Analytical Results for PCB Congeners in Porewater

SampID	SampDate	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-IN-ENR-CA-S010	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-CC-S010
		6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Scour ENR+AC	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC	6/30/2018 Intertidal ENR+AC
Polychlorinated Biphenyls (PCBs)										
PCB-141	pg/L	2.3	3.6 L	5 L	4.7 L	2.6 L	2.9 L	5 L	3.9 L	0.68
PCB-142	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-143	pg/L	C134	C134	C134	C134	C134	C134	C134	C134	C134
PCB-144	pg/L	1.3	1.9 L	2.8 L	1.4 J L	1.1 L	1.3 L	1.8 L	1.4 L	0.3 J
PCB-145	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-146	pg/L	2.3 C	4 C L	5.3 C L	6.8 C L	3.3 C L	4.5 C L	5.7 C L	4.7 C L	1 C
PCB-147	pg/L	U	0.7 J L	0.78 J L	1.2 J L	0.51 J L	0.79 J L	1.1 J L	0.61 J L	0.17 J
PCB-148	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-149	pg/L	C139	C139	C139	C139	C139	C139	C139	C139	C139
PCB-150	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-151	pg/L	4.4	8.5 L	11 L	9.7 L	5.5 L	7.1 L	8.7 L	6.3 L	1.5
PCB-152	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-153	pg/L	12	23 L	28 L	28 L	15 L	18 L	27 L	20 L	4.4
PCB-154	pg/L	0.64 J	1 L	1.4 J L	1.1 J L	0.69 L	0.67 J L	0.93 L	0.67 J L	0.24 J
PCB-155	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-156	pg/L	0.49 J	1.1 L	1.6 L	1.8 L	0.91 L	1 L	1.6 L	1.5 L	0.32 J
PCB-157	pg/L	U	U L	U L	U L	0.23 J L	U L	0.5 J L	0.45 J L	0.079 J
PCB-158	pg/L	1.1 C	2 C L	2.6 C L	3.3 C L	1.5 C L	2 C L	3.1 C L	2.4 C L	0.46 C
PCB-159	pg/L	U	U L	U L	U L	U L	U L	0.41 J L	0.56 J L	0.083 J
PCB-160	pg/L	C158	C158	C158	C158	C158	C158	C158	C158	C158
PCB-161	pg/L	C132	C132	C132	C132	C132	C132	C132	C132	C132
PCB-162	pg/L	C128	C128	C128	C128	C128	C128	C128	C128	C128
PCB-163	pg/L	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-164	pg/L	C138	C138	C138	C138	C138	C138	C138	C138	C138
PCB-165	pg/L	C146	C146	C146	C146	C146	C146	C146	C146	C146
PCB-166	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-167	pg/L	0.34 J	0.65 J L	0.72 J L	1 J L	0.41 J L	0.52 J L	0.63 J L	0.83 J L	0.17 J
PCB-168	pg/L	U	U L	U L	U L	U L	U L	U L	U L	U
PCB-169	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U
PCB-170	pg/L	1.1 L	2.4 L	2.1 L	2.3 L	0.9 L	1.1 L	3.1 L	2.5 L	0.37 L
PCB-171	pg/L	0.44 J L	0.95 L	1.1 J L	U L	0.34 J L	0.67 J L	1.2 J L	1.1 J L	0.17 J L
PCB-172	pg/L	U B L	0.026 L	U B L	0.48 L	U B L	0.18 L	1.8 L	U B L	U B L
PCB-173	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-174	pg/L	1.5 L	3.3 L	3.6 L	3.2 L	1.5 L	1.6 L	5.1 L	4 L	0.59 L
PCB-175	pg/L	U L	U L	U L	U L	U L	U L	0.36 J L	U L	U L
PCB-176	pg/L	0.31 J L	0.63 J L	1 J L	U L	0.28 J L	0.48 J L	0.98 J L	0.8 J L	0.088 J L
PCB-177	pg/L	0.95 L	2.2 L	2.4 L	1.9 L	0.87 L	1.2 L	2.5 L	2.2 L	0.35 L
PCB-178	pg/L	0.47 J L	1.1 L	1.3 L	U L	0.54 L	0.95 L	1.4 L	1.3 J L	0.15 J L
PCB-179	pg/L	0.88 L	2.1 L	2.4 L	1.5 L	0.92 L	1.3 L	2.7 L	2.4 L	0.32 L
PCB-180	pg/L	2.4 L	5.1 L	5.4 L	5 L	2.3 L	3 L	7.1 L	6.7 L	0.78 L
PCB-181	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-182	pg/L	1.9 C L	5.2 C L	5.3 C L	4.2 C L	2.1 C L	2.7 C L	6.1 C L	5.4 C L	0.73 C L
PCB-183	pg/L	1.2 L	2.6 L	2.6 L	2.4 L	1.2 L	1.6 L	2.9 L	2.7 L	0.41 L
PCB-184	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-185	pg/L	U L	0.53 J L	U L	U L	U L	U L	0.58 J L	0.59 J L	U L
PCB-186	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-187	pg/L	C182	C182	C182	C182	C182	C182	C182	C182	C182

Table 8
Analytical Results for PCB Congeners in Porewater

<i>SampID</i>	LDW-Y1-SC-ENR+AC-CA-S010	LDW-Y1-SC-ENR+AC-CB-S010	LDW-Y1-SC-ENR+AC-CC-S010	LDW-Y1-IN-ENR-CA-S010	LDW-Y1-IN-ENR-CB-S010	LDW-Y1-IN-ENR-CC-S010	LDW-Y1-IN-ENR+AC-CA-S010	LDW-Y1-IN-ENR+AC-CB-S010	LDW-Y1-IN-ENR+AC-CC-S010	
<i>SampDate</i>	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	6/30/2018	
<i>Plot</i>	Scour	Scour	Scour	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	Intertidal	
<i>SubPlot</i>	ENR+AC	ENR+AC	ENR+AC	ENR	ENR	ENR	ENR+AC	ENR+AC	ENR+AC	
Polychlorinated Biphenyls (PCBs)										
PCB-188	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	0.036 J L
PCB-189	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-190	pg/L	0.24 J L	0.69 J L	U L	U L	0.28 J L	0.31 J L	0.7 J L	0.52 J L	0.087 J L
PCB-191	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-192	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-193	pg/L	U L	0.42 J L	0.55 J L	U L	0.36 J L	U L	0.63 J L	0.69 J L	0.097 J L
PCB-194	pg/L	0.21 J L	0.48 J L	0.54 J L	0.57 J L	0.18 J L	0.28 J L	1.1 J L	1.1 J L	0.077 J L
PCB-195	pg/L	0.11 J L	0.29 J L	0.26 J L	U L	U L	U L	0.57 J L	0.52 J L	0.05 J L
PCB-196	pg/L	0.26 C L	0.85 C L	0.86 C L	0.84 C J L	0.24 C J L	0.41 C J L	1.7 C L	1.6 C L	0.14 C J L
PCB-197	pg/L	0.0037 L	0.039 L	U B L	U B L	U B L	0.072 L	U B L	U B L	U B L
PCB-198	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-199	pg/L	0.22 L	0.69 L	0.69 L	U L	0.29 L	0.29 J L	1.7 L	1.5 L	0.11 J L
PCB-200	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-201	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-202	pg/L	U L	U L	U L	U L	U L	U L	0.63 J L	0.51 J L	0.038 J L
PCB-203	pg/L	C196	C196	C196	C196	C196	C196	C196	C196	C196
PCB-204	pg/L	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC	PRC
PCB-205	pg/L	U L	U L	U L	U L	U L	U L	U L	U L	U L
PCB-206	pg/L	U L	U L	U L	U L	U L	U L	0.64 J L	0.48 J L	0.022 J L
PCB-207	pg/L	U B J L	U B L	U B J L	0.043 L	U B L	U B L	0.66 L	0.2 L	U B L
PCB-208	pg/L	U L	U L	U L	U L	U L	U L	0.27 J L	0.27 J L	0.011 J L
PCB-209	pg/L	U B L	U B L	0.024 L	0.06 L	0.0059 L	U B L	0.9 L	0.36 L	U B L

Abbreviations:

B = Background concentration exceeds detected concentration
 C = Coelution with one or more PCB congeners; the numerical value indicates the lower congener co-eluter
 ENR = Enhanced natural recovery
 ENR+AC = Enhanced natural recovery amended with activated carbon
 L = Percent to steady state less than 20%. Concentration is considered estimated.

J = Analyte concentration is below calibration range
 PCB = Polychlorinated biphenyl
 pg/g = picogram(s) per gram
 PRC = Performance reference compound
 U = Not detected at the estimated detection limit

FIGURES

Legend

- Subplot Coordinates
- ◆ Outfall
- ▭ Berthing
- ▭ Uplands Tax Parcel
- ▭ Subplot Area
- ▭ Grid Cells
- ▭ Sampling Area Buffer
- Location Cell**
- ▭ Composite A
- ▭ Composite B
- ▭ Composite C
- ▭ Composite D
- ▭ Composite E
- ▭ SPME Not Recovered or Useable and Sediment Not Recovered or Not Composited
- ▭ Cell Removed From Analysis
- - - 10 ft contour
- - - 5 ft contour
- - - 1 ft contour

Notes:

- Table 2 shows composite formation from these discrete samples.
- To avoid sampling in areas potentially influenced by untreated sediments and to avoid influence from the adjacent subplot, no samples were collected from locations within 5 feet of the edge of a plot, and a 15-foot buffer will be maintained between the ENR and ENR+AC subplots.
- Bathymetry units are in feet MLLW
- Northing and Easting provided in NAD 83 Washington State Plane North Feet - FIPS 4601
- Aerial image provided by nearmap, 2017

Abbreviations:

- E = Coordinate in Easting
- MLLW = Mean Lower Low Water
- N = Coordinate in Northing

Location Cell ID
11



