

PO Box 47600 • Olympia, WA 98504-7600 • 360-407-6000
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

May 18, 2021

Taylor Shellfish Farms ATTN: Erin Ewald 130 SE Lynch Road Shelton, WA 98584

RE: Coastal Zone Consistency for Corps Reference No. 201400066,

Taylor Shellfish Berliner Lease, Mason County, Washington

Dear Erin Ewald:

On April 12, 2021, the Department of Ecology received a Certification of Consistency with the Washington State Coastal Zone Management Program (CZMP) for the above project.

This determination is for the proposed project to commercially cultivate up to 1 acre of geoducks between +3.0 foot (ft.) and -4.5 ft. Extreme Low tidal elevations on parcel number 120077500012. Access to tidelands is by boat. Access for monitoring and maintenance may occur by easement and Taylor owned uplands off of Fudgepoint park roads.

Geoduck cultivation will entail placing nursery tubes, approximately 9" in length, manually into lower intertidal substrate at a density of approximately one tube per square foot. Three to four geoduck seed are placed in tubes. The tubes may be covered with canopy netting secured with rebar or individual net coverings.

After approximately 12-15 months, the tubes are removed and the area is re-netted with canopy netting. The net is removed once it has been determined the geoduck are able to evade predation and the beach is left undisturbed until harvest. Harvest occurs by hand using a low-pressure water pump with an attached wand that loosen the sediment around the geoducks for removal by hand. Harvest activity will occur approximately 5-7 years after planting.

The project site is located on tidelands within Case Inlet, on parcel number 120077500012, adjacent to 111 E Buffington Lane, near Shelton, Mason County, Washington; Section 7, Township 20 North, Range 1 West; WRIA 14, Kennedy-Goldsborough Watershed.

Pursuant to Section 307(c)(3) of the Coastal Zone Management Act of 1972 as amended, Ecology concurs with Taylor Shellfish Farms determination that the proposed work is consistent with Washington's CZMP.

Taylor Shellfish Berliner Lease Corps No. 201400066, Aquatics No. 134965 May 18, 2021 Page 2 of 3

If you have any questions regarding Ecology's consistency decision, please contact Jennifer Riedmayer at Jennifer.Riedmayer@ecy.wa.gov.

## YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do all of the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

## ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW, STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Sincerely,

Brenden McFarland, Section Manager

Environmental Review and Transportation Section

Shorelands and Environmental Assistance Program

Taylor Shellfish Berliner Lease Corps No. 201400066, Aquatics No. 134965 May 18, 2021 Page 3 of 3

e-cc: Aquaculture-Reinforcement-Team@usace.army.mil
Colin Greenan, Corps of Engineers (Corps)
Laura Hendricks, Coalition to Protect Puget Sound Habitat
Amy van Saun, Center for Food Safety
Jennifer Riedmayer, Ecology
Loreé Randall, Ecology
ecyrefedpermits@ecy.wa.gov – Aquatics No. 134965