



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

*Northwest Regional Office • PO Box 330316 • Shoreline, Washington 98133-9716 • (206) 594-0000
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341*

September 3, 2021

Seattle Public Utilities
Attn: Clay Antieau
Seattle Municipal Tower
700 5th Avenue, Suite 4900
PO Box 34018
Seattle, WA 98124

RE: Coastal Zone Consistency for Corps Reference #NWS-2020-1054-WRD,
Murray Canyon Illicit Sewer Discharge Repair Project, Seattle, King County,
Washington

Dear Clay Antieau:

On March 17, 2021, the Department of Ecology received a Certification of Consistency with the Washington State Coastal Zone Management Program (CZMP) for the above project.

This decision is for reconnection of a sanitary sewer underdrain pipe that was incorrectly attached to a storm water pipe. This involves installing 100 feet of new underdrain pipe, removal of a plug in a bypass pipe, and installation of a new maintenance access hole. Temporary construction impacts lasting up to six months will occur in 0.25 acres of a Category III wetland, identified as "Wetland A" in the project materials. Mitigation for these impacts will include dense replanting of temporarily disturbed ground areas within the street right-of-way with approximately 8,000 square feet of native plants to compensate for temporary disturbance and temporal loss of function in wetland and wetland buffer habitats.

The project is located street unopened right-of-way for SW Eddy Street near the intersection with unopened street right-of-way for 46th Avenue SW, Seattle, Washington, in King County.

Pursuant to Section 307(c)(3) of the Coastal Zone Management Act of 1972 as amended, Ecology concurs with Seattle Public Utilities' determination that the proposed work is consistent with Washington's CZMP.

If you have any questions regarding Ecology's consistency decision please contact Rebekah Padgett at (425) 365-6571.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do all of the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Sincerely,



Joe Burcar, Section Manager
Northwest Regional Office
Shorelands and Environmental Assistance Program

Sent by electronic mail: Clayton.Antieau@seattle.gov

e-cc: Dan Krenz, U.S. Army Corps of Engineers
Amy Jankowiak, Ecology
Doug Gresham, Ecology
Grant Yang, Ecology
Loree' Randall, Ecology
ecyrefedpermits@ecy.wa.gov