



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Central Region Office

1250 West Alder St., Union Gap, WA 98903-0009 • 509-575-2490

7/21/2025

Stevens Landing LLC
Attn: Konnar Stevens
177 Stevens Orchard Lane
Manson, WA 98831

Re: Water Quality Certification Order No. **23710** (Corps No. **NWS-2024-00635**), Stevens Boating Facility Redevelopment and Addition, Chelan County, Washington

Dear Konnar Stevens:

On February 26, 2025, Stevens Landing LLC (Konnar Stevens) submitted a request for a Section 401 Water Quality Certification (WQC) under the federal Clean Water Act for the Stevens Boating Facility Redevelopment and Addition, Chelan County, Washington.

On behalf of the state of Washington, the Department of Ecology certifies with conditions that the work described in the Water Quality Certification Request and supplemental documents complies with applicable provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act, as amended, and applicable state laws. **This certification is subject to the enclosed Water Quality Certification Order (WQC Order).**

Please ensure that anyone doing work under this WQC Order has read, is familiar with, and is able to follow all of the provisions within the attached WQC Order.

If you have any questions about this decision, please contact Mike Locatelli at (509) 379-4541 or Michael.Locatelli@ecy.wa.gov. The enclosed WQC Order may be appealed by following the procedures described within.

Sincerely,

A handwritten signature in blue ink, appearing to read "Lori White", written over a horizontal line.

Lori White, Section Manager
Central Regional Office
Shorelands and Environmental Assistance Program

Enclosure (1)

Sent via e-mail: konnarstevens@yahoo.com

WQC Order No. 23710, Corps No. NWS-2024-00635

Aquatics ID No. 144542

July 21, 2025

Page 2 of 2

E-cc: Dalton Decker, U.S. Army Corps of Engineers

Ryan Walker, Pacific Engineering

Erin Hanlon Brown, Ecology

Mike Locatelli, Ecology

John Mefford, Ecology

ecyrefedpermits@ecy.wa.gov

In The Matter of Granting a Water Quality
Certification with Conditions to Stevens Landing LLC (Konnar Stevens)
pursuant to 33 U.S.C. 1341 (FWPCA § 401), RCW 90.48.120,
RCW 90.48.260 and Chapter 173-201A WAC

Stevens Landing LLC
Attn: Konnar Stevens
177 Stevens Orchard Lane
Manson, WA 98831

WQC Order No.	23710
Corps Reference No.	NWS-2024-00635
Site Location	Stevens Boating Facility Redevelopment and Addition, located within Lake Chelan, City of Chelan, Chelan County, Washington.

Stevens Landing LLC (Konnar Stevens) submitted a request for a Section 401 Water Quality Certification (WQC) under the federal Clean Water Act to the Department of Ecology (Ecology) for the Stevens Boating Facility Redevelopment and Addition, Chelan County, Washington. The required processing dates are listed below:

- On October 24, 2024, Stevens Landing LLC (Konnar Stevens) submitted a pre-filing meeting request.
- On February 26, 2025, Ecology received a request for Clean Water Section 401 Water Quality Certification.
- On March 14, 2025, Ecology issued a public notice for the project.
- Ecology’s “Reasonable Period of Time” for this project has been established as February 26, 2025.

The project proposes to redevelop an existing commercial marina in Lake Chelan. The proposed changes to the marina include, remove and relocate seven existing 12-inch steel piles, remove two, five-foot by 24-foot dock fingers, remove a 10-foot by 15-foot dock extension, reduce the six-foot by 200-foot main dock by 150-feet, add new four-foot by 20-foot gangway, relocate a six-foot by 41-foot section of the existing marina’s main float section to align with the new gangway, relocate a six-foot by 109-foot section of the main float section, add a six-foot by 127-foot float section onto the waterward end of the main walkway (total walkway length 236 feet long), relocate the eight-foot by 60-foot “L” float section, add a new six-foot by eight-foot section to the “L” section, relocate the 10-foot by 20-foot fuel float section, relocate the eight, five-foot by 12.5-foot PWC lifts, add a new 10- foot by 20-

foot fuel float, add 16, four-foot by 24-foot finger floats, add 14, 12-inch steel plies, add three new standpipe connections and a water line extension, and relocate and extend the fuel line connection. The piles would be removed with the direct pull method and reinstalled with a barge mounted pneumatic pile driver. The five-foot public access easement will be improved with a gravel surface. The project also includes demolition and removal of the existing 308 square foot office building. The applicant is requesting a buffer reduction for the construction of a new 270 square foot office building and a new ADA bathroom.

The project site is located at 1320 W. Woodin Ave. Chelan, WA 98816, Lake Chelan, Chelan County, Washington, Section 14, Township 27N., Range 22E., within Water Resource Inventory Area (WRIA) 47 - Chelan.

Authorities

In exercising authority under 33 U.S.C. §1341, 40 CFR Part 121, RCW 90.48.120, RCW 90.48.260, and Chapter 173-201A, Ecology has reviewed this WQC request pursuant to the following:

1. Conformance with applicable water quality-based, technology-based, and toxic or pretreatment effluent limitations as provided under 33 U.S.C. §§1311, 1312, 1313, 1316, and 1317 (FWPCA § 301, 302, 303, 306 and 307).
2. Conformance with the state water quality standards contained in Chapter 173-201A WAC and authorized by 33 U.S.C. §1313 and by Chapter 90.48 RCW, and with other applicable state laws; and
3. Conformance with the provision of using all known, available and reasonable methods to prevent and control pollution of state waters as required by RCW 90.48.010.
4. Conformance with Washington's prohibition on discharges that cause or tend to cause pollution of waters of the state of Washington. RCW 90.48.080.
5. The Project Proponent of the project authorized is responsible for obtaining all other permits, licenses, and certifications that may be required by federal, state, local or tribal authorities.

With this Water Quality Certification Order (WQC Order), Ecology is granting with conditions Stevens Landing LLC (Konnar Stevens)'s request for a Section 401 Water Quality Certification for the Stevens Boating Facility Redevelopment and Addition, Lake Chelan located in Chelan County. Ecology has determined that the proposed discharges will comply with all applicable state water quality and other appropriate requirements of State law, provided the project is conducted in accordance with the WQC request that Ecology received on February 26, 2025, the supporting documents referenced in Table 1 below, **and the conditions of this WQC Order.**

Table 1 Supporting Documents

Date Received	Document Type	Title and Date	Author
2/25/2025	Joint Aquatic Resources Permit Application (JARPA) Form	JARPA, 7/25/2024	Pacific Engineering
2/25/2025	Drawings	2/11/2025	Pacific Engineering
2/25/2025	Mitigation Plan	Sheet 6 of the Drawings, 2/11/2025	Pacific Engineering
4/23/2025	State Environmental Policy Act	SEPA DNS, 3/19/2025	City of Chelan Community Development Dept.
4/24/2025	Hydraulic Project Approval (HPA)	Hydraulic Project Approval, 4/23/2025	WA Department of Fish and Wildlife
4/28/2025	Spill Prevention and Control Plan	Spill Prevention, Control and Countermeasures Plan, 4/4/2025	Pacific Engineering
4/28/2025	Water Quality Monitoring Plan	In-Water Work Water Quality Monitoring Plan, 4/24/2025	Pacific Engineering
6/23/2025	Soil Analysis Plan	Soil Analysis Plan Stevens Landing Fuel Line Extension, 6/11/2025	Pacific Engineering

Issuance of this Section 401 Water Quality Certification for this proposal does not authorize Stevens Landing LLC (Konnar Stevens) to exceed applicable state water quality standards (Chapter 173-201A WAC), ground water quality standards (Chapter 173-200 WAC) or sediment quality standards (Chapter 173-204 WAC) or other appropriate requirements of State law. Furthermore, nothing in this Section 401 Water Quality Certification absolves the Stevens Landing LLC (Konnar Stevens) from liability for contamination and any subsequent cleanup of surface waters, ground waters, or sediments resulting from project construction or operations.

Water Quality Certification Conditions

The following conditions will be incorporated into the Corps permit and strictly adhered to by Stevens Landing LLC (Konnar Stevens). Specific condition justifications and citations are provided below.

A. General Conditions

1. In this WQC Order, the term “Project Proponent” shall mean the Stevens Landing LLC (Konnar Stevens) and its agents, assignees, and contractors.
 - Justification - Ecology needs to identify that conditions of this WQC Order apply to anyone conducting work on behalf of the Project Proponent to ensure compliance with the water quality standards and other applicable state laws.
 - Citation - 40 CFR 121.1(j), Chapter 90.48 RCW, RCW 90.48.080, RCW 90.48.120, RCW 90.48.260, Chapter 173-200 WAC, Chapter 173-201A WAC, and WAC 173-225-010.
2. All submittals required by this WQC Order shall be sent to Ecology’s Headquarters Office, Attn: Federal Permit Manager, via e-mail to fednotification@ecy.wa.gov and cc to Michael.Locatelli@ecy.wa.gov. The submittals shall be identified with WQC Order No. 23710 and include the Project Proponent’s name, Corps permit number, project name, project contact, and the contact phone number.
 - Justification - Ecology needs to identify where information and submittals are to be submitted to be in compliance with the requirements of this WQC Order.
 - Citation - Chapter 90.48 RCW, RCW 90.48.120, RCW 90.48.260, Chapter 173-201A WAC, and WAC 173-225-010.
3. Work authorized by this WQC Order is limited to the work described in the WQC request package received by Ecology on February 26, 2025 and the supporting documentation identified in Table 1.
 - Justification - Ecology has the authority to prevent and control pollution of state waters. By authorizing a discharge into a water of the state, through a WQC, Ecology is certifying the project as proposed will not negatively impact water quality. Therefore, it is imperative the project is conducted as it was presented during the review process. Any deviations from information within the WQC Request package and this WQC Order must be disclosed prior to the initiation of the planned work, and may require a new WQC request.
 - Citation - 40 CFR 121.5, 40 CFR 121.10, 40 CFR 121.11, Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.120, RCW 90.48.260, Chapter 173-200 WAC, Chapter 173-201A WAC, Chapter 173-204 WAC, and WAC 173-225-010.

4. The Project Proponent shall keep copies of this WQC Order on the job site and readily available for reference by Ecology personnel, the construction superintendent, construction managers and lead workers, and state and local government inspectors.
 - Justification - All parties (including on-site contractors) must be aware of and comply with the WQC Order for the protection of water quality.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, Chapter 173-201A WAC, and WAC 173-225-010.
5. The Project Proponent shall provide access to the project site and all mitigation sites upon request by Ecology personnel for site inspections, monitoring, and/or necessary data collection, to ensure that conditions of this WQC Order are being met.
 - Justification - Ecology must be able to investigate and inspect construction sites and facilities for compliance with all state rules and laws.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.090, RCW 90.48.120, Chapter 173-201A WAC, and WAC 173-225-010.
6. The Project Proponent shall ensure that all project engineers, contractors, and other workers at the project site with authority to direct work have read and understand relevant conditions of this WQC Order and all permits, approvals, and documents referenced in this WQC Order. The Project Proponent shall provide Ecology a signed statement (see Attachment A for an example) before construction begins.
 - Justification - Ecology needs to ensure that anyone conducting work at the project, on behalf of the Project Proponent, are aware of and understand the required conditions of this WQC Order to ensure compliance with the water quality standards and other applicable state laws.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, Chapter 173-201A WAC, and WAC 173-225-010.
7. This WQC Order does not authorize direct, indirect, permanent, or temporary impacts to waters of the state or related aquatic resources, except as specifically provided for in conditions of this WQC Order.

- Justification - Ecology has the authority to prevent and control pollution of state waters, and to protect designated uses. By authorizing a discharge into a water of the state, through a water quality certification, Ecology is certifying the project as proposed will not negatively impact state water quality and will comply with the state's water quality requirements. Therefore, it is imperative the project is conducted as it was presented during the review process, and as conditioned herein.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.120, Chapter 173-200 WAC, Chapter 173-201A WAC, WAC 173-201A-300(2)(e)(i), WAC 173-201A-310, WAC 173-204-120, and WAC 173-225-010.
8. Failure of any person or entity to comply with the WQC Order may result in the issuance of civil penalties or other actions, whether administrative or judicial, to enforce the state's water quality standards and the conditions of this WQC Order.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses. Ecology has independent state authority to ensure protection of state water quality. Civil penalties and other enforcement actions are the primary means of securing compliance with water quality requirements.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.037, RCW 90.48.080, RCW 90.48.120, RCW 90.48.140, RCW 90.48.142, RCW 90.48.144, and WAC 173-225-010.
9. The Project Proponent shall provide Ecology documentation for review before undertaking any major changes to the proposed project that could significantly and adversely affect water quality, other than those project changes required by this WQC Order.
- Justification - Ecology has independent authority to enforce our 401 certification conditions issued through this WQC Order pursuant to RCW 90.48, and has independent state authority to ensure protection of state water quality. In order to ensure the project will comply with water quality standards in the event of any major changes, Ecology must be able to review the scope of work involved in the construction and operation of the project, otherwise all work must stop and a new 401 certification pre-filing meeting, followed by a new WQC request (after requisite 30-days) is required.
 - Citation - 40 CFR 121.1(k) and (n), 40 CFR 121.3, 40 CFR 121.5, 40 CFR 121.11, Chapter 90.48 RCW, and Chapter 173-201 WAC.
10. The Project Proponent shall send (per A.2.) a copy of the final Federal permit via e-mail to fednotification@ecy.wa.gov and cc to Federal Permit Manager prior to the starting of any work authorized by this WQC Order. If the Federal Agency determines the proposed project does not require a Federal permit, the Project Proponent shall immediately inform Ecology.

- Justification - This condition is needed to ensure that the federal permit has been issued and all the conditions of the WQC Order have been included into the federal permit.

- Citation - 40 CFR 121.10, 40 CFR 121.11, and Chapter 90.48 RCW.

11. To transfer this WQC Order to a new owner or operator the Project Proponent shall:

- a. Complete a Request for Transfer of Order with a specific transfer date of the WQC Order's obligations, coverage, and liability and submit it to Ecology per condition A.2. Link to form: <https://apps.ecology.wa.gov/publications/SummaryPages/ECY070695.html>;
 - b. Provide a copy of this WQC Order to the new owner or operator; and
 - c. The transfer is not considered valid until the Project Proponent receives written notification from Ecology that the transfer has been approved.
- Justification – Ecology has independent state authority to ensure protection of state water quality. Ecology needs to ensure that anyone conducting work at the project, including any new owners or operators, are aware of and understand the required conditions of this WQC Order to ensure compliance with the water quality standards and other applicable state laws.
 - Citation – 40 CFR 121.5, Chapter 90.48 RCW, RCW 90.48.030, Chapter 173-201A WAC, and WAC 173-225-010.

B. Notification Requirements

1. The following notifications shall be made via phone or e-mail (e-mail is preferred) to Ecology's Federal Permit Manager via e-mail to fednotification@ecy.wa.gov and cc to Michael.Locatelli@ecy.wa.gov. Notifications shall be identified with WQC Order No. 23710, Corps Reference No. NWS-2024-00635, and include the Project Proponent name, project name, project location, project contact and the phone number.
 - a. Immediately following a violation of state water quality standards or when the project is out of compliance with any conditions of this WQC Order;
 - b. At least 10 days prior to all pre-construction meetings;
 - c. At least 10 days prior to conducting initial in-water work activities; and
 - d. Within seven days of completion of each in-water work activity.

- Justification - Ecology has independent state authority to ensure protection of state water quality. Ecology must be aware of when a project starts and ends and whether there are any issues. This allows Ecology to evaluate compliance with the state water quality requirements.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.120, Chapter 173-201A WAC, WAC 173-201A-300 - 330, Chapter 173-204 WAC, and WAC 173-225-010.
2. In addition to the phone or e-mail notification required under B.1.a. above, the Project Proponent shall submit a detailed written report to Ecology within five days that describes the nature of the event, corrective action taken and/or planned, steps to be taken to prevent a recurrence, results of any samples taken, and any other pertinent information.
- Justification - Ecology has independent state authority to ensure protection of state water quality. This condition is intended to assure the Project Proponent remains in full compliance with state water quality requirements for the duration of the project.
 - Citation - Chapter 90.48 RCW, RCW 90.48.120, Chapter 173-201A WAC, and WAC 173-225-010.
3. If the project construction is not completed within 13 months of issuance of this WQC Order, the Project Proponent shall submit per Condition A2 a written construction status report and submit status reports every 12 months until construction and mitigation are completed.
- Justification - Ecology has independent state authority to ensure protection of state water quality. Ecology must be aware of when a project starts and ends and whether there are any issues. This allows Ecology to evaluate compliance with the state water quality requirements.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.120, Chapter 173-201A WAC, WAC 173-201A-300 - 330, Chapter 173-204 WAC, and WAC 173-225-010.

C. Timing

1. This WQC Order is effective upon issuance of the U.S. Corps of Engineers (Corps) permit for this project and will remain valid until the Project Proponent meets all its requirements and conditions.
- Justification – Certifications are required for any license or permit that authorizes an activity that may result in a discharge or fill material into waters. This WQC Order is not valid until the Federal agency issues a permit. Additionally, Ecology needs to be able to specify how long the WQC Order will be in effect.

- Citation – Chapter 90.48 RCW, Chapter 173-201A WAC, and WAC 173-225-010.
2. All activities below the ordinary high-water line shall be conducted when the lake is at a low water level from September through May of any calendar year.
 - Justification - This condition is reaffirming the project will take place during a time period that will not harm fish or other aquatic species.
 - Citation - Chapter 77.55 RCW, Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300, WAC 173-201A-330, WAC 173-225-010, and Chapter 220-660 WAC.
 3. Any project change that requires a new or revised Hydraulic Project Approval (HPA) from the Department of Fish and Wildlife should be sent to Ecology for review before the change is implemented.
 - Justification - This condition is reaffirming the project will take place during a time period that will not harm fish or other aquatic species.
 - Citation - Chapter 77.55 RCW, Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300, WAC 173-201A-330, WAC 173-225-010, and Chapter 220-660 WAC.

D. Water Quality Monitoring and Criteria

1. This WQC Order does not authorize the Project Proponent to exceed applicable water quality standards beyond the limits established in Chapter 173-201A WAC, except as authorized by this WQC Order.
 - Justification - This condition ensures compliance with water quality standards to protect surface waters of the state. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
2. For in-water activities within fresh waters (including wetlands) turbidity shall not exceed five NTU over background when the background is 50 NTU or less; or a 10 percent increase in turbidity when the background turbidity is more than 50 NTU.

- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
3. This WQC Order does not authorize the Project Proponent to exceed applicable turbidity standards beyond the limits established in Chapter 173-201A WAC as set forth below, unless otherwise authorized in this WQC Order:
- a. Temporary area of mixing for turbidity established within the state water quality standards for fresh waters (WAC 173-201A-200) is as follows:
- 01. For waters up to 10 cubic feet per second (cfs) flow at the time of construction, the point of compliance shall be 100 feet downstream from the activity causing the turbidity exceedance.
 - 02. For waters above 10 cfs up to 100 cfs flow at the time of construction, the point of compliance shall be 200 feet downstream of the activity causing the turbidity exceedance.
 - 03. For waters above 100 cfs flow at the time of construction, the point of compliance shall be 300 feet downstream of the activity causing the turbidity exceedance.
 - 04. For projects working within or along lakes, ponds, wetlands, or other non-flowing waters, the point of compliance shall be at a radius of 150 feet from the activity causing the turbidity exceedance.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
4. The Project Proponent shall conduct water quality monitoring as described in the approved In-Water Work Water Quality Monitoring Plan, identified in Table 1 (hereafter referred to as the WQMP).

- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - RCW 90.48, RCW 90.48.030, Chapter 173-201A WAC, 173-201A-300-330 and WAC 173-225-010.
5. If water quality exceedances for turbidity are observed outside the point of compliance, work shall cease immediately and the Project Proponent or the contractor shall assess the cause of the water quality problem and take immediate action to stop, contain, and correct the problem and prevent further water quality turbidity exceedances.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
6. Visible turbidity anywhere beyond the temporary area of mixing (point of compliance) from the activity, shall be considered an exceedance of the standard.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
7. Monitoring results shall be submitted monthly to Ecology's Federal Permit Manager, per condition A.2.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and prevent exceedances of the water quality standards that protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
8. Ecology may ask or could use its discretionary authority to require the Project Proponent to provide mitigation and/or additional monitoring if the monitoring results indicate that the water quality standards have not been met.

- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution and ensure that aquatic life and beneficial uses are protected.
- Citation - RCW 90.48, RCW 90.48.010, RCW 90.48.030, RCW 90.48.080, RCW 90.48.120, Chapter 173-201A WAC, 173-201A-300-330 WAC, and Chapter 173-204 WAC.

E. Construction

General Conditions

1. All work in and near waters of the state shall be conducted to minimize turbidity, erosion, and other water quality impacts. Construction stormwater, sediment, and erosion control Best Management Practices (BMPs) suitable to prevent exceedances of state water quality standards shall be in place before starting maintenance and shall be maintained throughout the duration of the activity.
 - Justification - Disturbed areas without appropriate BMPs and construction methods can discharge excess sediment to waters of the state and degrade water quality. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, Chapter 90.48.030 RCW, Chapter 90.48.080 RCW, Chapter 173-201A WAC, Chapter 173-201A-300-330 WAC, Chapter 173-204-120 WAC, and Chapter 173-225-010 WAC.
2. All clearing limits, stockpiles, staging areas, and trees to be preserved shall clearly be marked prior to commencing construction activities and maintained until all work is completed for each project.
 - Justification -Ensures that the project proponent preserves sensitive areas from discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
3. No stockpiling or staging of materials shall occur at or below the OHWM of any waterbody.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
4. No petroleum products, fresh concrete, lime or concrete, chemicals, or other toxic or deleterious materials shall be allowed to enter waters of the state.

- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
5. All construction debris, excess sediment, and other solid waste material shall be properly managed and disposed of in an upland disposal site approved by the appropriate regulatory authority.
- Justification - Ecology must be assured that the Project Proponent is managing and disposing of material to protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
6. All equipment being used below the ordinary high water mark shall utilize biodegradable hydraulic fluid.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
7. Applicant shall ensure that fill (soil, gravel, or other material) placed for the proposed project does not contain toxic materials in toxic amounts.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300-330, WAC 173-204-120, and WAC 173-225-010.
8. Work within waters of the state shall be conducted in the dry or during periods of low flow to the extent practicable.

- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300-330, WAC 173-204-120, and WAC 173-225-010.
9. Temporary cofferdams, bladder dams, super sack dams, floating turbidity curtains, and bypasses used to divert water around the work area shall be in place prior to initiation of work below the OHWM. These shall be properly deployed and maintained in order to minimize turbidity and re-suspension of sediment.
- Justification - This condition ensures containment and limits movement of sediment that could cause water quality exceedances. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300-330, WAC 173-204-120, and WAC 173-225-010.
10. To minimize sediment releases, re-introduction of water into the isolated work area shall be done gradually, and at a rate not higher than the normal flow.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300-330, WAC 173-204-120, and WAC 173-225-010.
11. The Applicant shall implement the *Soil Analysis Plan Stevens Landing Fuel Line Extension*, identified in Table 1, to address handling of any soils containing contaminants above Model Toxics Control Act cleanup levels.
- Justification - Ecology has independent state authority to ensure protection of state water quality. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

Equipment and Maintenance

12. Staging areas will be located a minimum of 50 feet and, where practical, 200 feet, from waters of the state, including wetlands, unless otherwise requested by the project proponent and authorized by Ecology.
 - Justification - Requiring a minimum setback ensures that material will not end up in waters of the state. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
13. Equipment used for this project shall be free of external petroleum-based products while used around the waters of the state, including wetlands. Accumulation of soils or debris shall be removed from the drive mechanisms (wheels, tires, tracks, etc.) and the undercarriage of equipment prior to its use around waters of the state, including wetlands.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
14. No equipment shall enter, operate, be stored or parked within any sensitive area except as specifically provided for in this WQC Order.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
15. Fuel hoses, oil drums, oil or fuel transfer valves and fittings, etc., shall be checked regularly for drips or leaks, and shall be maintained and stored properly to prevent spills into state waters.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.

- Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, Chapter 173-200, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
16. Wash water containing oils, grease, or other hazardous materials resulting from washing of equipment or working areas shall not be discharged into state waters. The Project Proponent shall set up a designated area for washing down equipment.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
17. Turbidity curtains shall be properly deployed and maintained in order to minimize turbidity and re-suspension of sediment.
- Justification - This condition ensures containment and limits movement of sediment that could cause water quality exceedances. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
18. A separate area shall be set aside, which does not have any possibility of draining to surface waters, for the wash-out of concrete delivery trucks, pumping equipment, and tools.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
19. Barges shall not be allowed to ground-out during in-water construction.
- Justification - This condition is necessary to protect shallow water habitat and prevent suspension of sediment. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.

- Citation - Chapter 90.48 RCW, RCW 90.48.030, Chapter 173-201A WAC, 173-201A-300-330 WAC, and Chapter 173-204 WAC.
20. Barges shall be kept free of material that could be blown into water.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
21. No return water is allowed to discharge from the barge(s) into waters of the state.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

Dewatering

22. Turbid dewatering water associated with in-water work shall not be discharged directly to waters of the state, including wetlands. Turbid dewatering water shall be routed to an upland area for on-site or off-site settling.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
23. Clean dewatering water associated with in-water work that has been tested and confirmed to meet water quality standards may be discharged directly to waters of the state including wetlands. The discharge outfall method shall be designed and operated so as not to cause erosion or scour in the stream channel, banks, or vegetation.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.

- Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
24. Dewatering water may not be discharged to Lake Chelan or conveyed to surface waters unless it meets Surface Water Quality Standards (Chapter 173-201A WAC) at the point of discharge, unless otherwise authorized by this WQC Order.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
25. The dewatering outfall or method of discharge shall be designed and operated so as not to cause erosion or scour in state waters, banks, or vegetation.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
26. All equipment associated with dewatering activities shall be properly operated and maintained.
- Justification - Maintained equipment is less likely to fail or leak pollutants. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

Bank Stabilization

27. Placement of rip-rap shall be conducted in compliance with water quality standards for turbidity.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

Ground Improvements

28. Ground improvement activities shall not cause exceedance of water quality standards.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

Removal of Piles

29. Pile removal, handling, and disposal shall follow the EPA Region 10 Best Management Practices for Piling Removal and Placement in Washington State, dated February 18, 2016.
- Justification- Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citations- Chapter 77.55 RCW, Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300, WAC 173-201A-330, WAC 173-225-010, and Chapter 220-660 WAC.
30. Piles removed from the substrate shall be moved immediately from the water onto a barge or onto upland.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
31. The pile shall not be shaken, hosed off, left hanging to drip or any other action intended to clean or remove adhering material from the pile over waters of the state.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

32. If pile removal fails, the pile stub must be cut at least 2 ft. below mudline, and the location (latitude and longitude) of all cut piling shall be reported to Ecology within two months of removal of all piles.
- Justification- This condition is necessary because pile stubs can release associated creosote if exposed, and stubs at the surface can result in localized erosion that leads to further exposure of the stubs. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citations- Chapter 77.55 RCW, Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300, WAC 173-201A-330, WAC 173-225-010, and Chapter 220-660 WAC.
33. During pile removal, containment booms and absorbent sausage booms shall be placed around the perimeter of the in-water work area and upland storage area, if used, to capture wood debris, oil, and other materials from being released into waters of the state.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
34. All excavated piles and debris that is collected shall be disposed upland in an approved disposal site.
- Justification - Ecology must be assured that the Project Proponent is managing and disposing of piles and debris to protect water quality and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
35. If a barge is used to remove piles, the work surface on the barge deck shall include containment for piles and any liquid or sediment removed during pulling of the piling.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.

36. Sediments spilled on work surfaces shall be contained and disposed of with the pile debris at an approved upland disposal site.
 - Justification - Ecology must be assured that the Project Proponent is managing and disposing of sediment to protect water quality and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
37. Water left in the containment on the barge shall not be discharged into waters of the state.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, and WAC 173-225-010.
38. Barges shall not be allowed to ground-out during in-water construction.
 - Justification - This condition is necessary to protect shallow water habitat and prevent suspension of sediment. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 173-201A WAC, WAC 173-201A-300(2)(e)(i), WAC 173-201A-310, WAC 173-204-120, and WAC 173-225-010.
39. Barges shall be kept free of material that could be blown into the water.
 - Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation -Chapter 70A-200 RCW, RCW 79.02-300, Chapter 90.48 RCW, and WAC 173-225-010.
40. Protective measures to isolate and remove contaminated soils/sediment shall be implemented per the *Soil Analysis Plan Stevens Landing Fuel Line Extension* identified in Table 1. Contaminated soils shall be managed and disposed of in accordance with state and local regulations.
 - Justification - Ecology must be assured that the Project Proponent is managing and disposing of sediment to protect water quality and beneficial uses.

- Citation - Chapter 70.105D RCW, Chapter 90.48 RCW, RCW 90.48.030, Chapter 173-200 WAC, Chapter 173-201A WAC, WAC 173-201A-300 - 330, Chapter 173-204 WAC and WAC 173-225-010.
41. If further contamination is discovered on site, it must be reported to Ecology (per Condition A.2.). Protective measures shall be implemented to isolate and remove the contaminated media and avoid escaping dust, soil erosion, and water pollution during construction activities.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 70.105D RCW, RCW 90.48, 90.48, RCW 90.48.030, Chapter 173-200 WAC, Chapter 173-201A WAC, WAC 173-201A-300-330, Chapter 173-204 WAC, and WAC 173-225-010.

Implementation

42. After completing construction and planting of the mitigation sites(s), the Project Proponent shall submit to Ecology (see A.2) an as-built report, including plan sheets, documenting site conditions at Year Zero. The as-built report must:
- a. Be submitted within 90 days of completing construction and planting.
 - b. Include the information listed in Attachment B (Information Required for As-built Reports).
 - Justification - This condition is necessary to ensure the mitigation site was constructed and planted per the approved mitigation plan and serves as a baseline for monitoring performance standards, which must be met to ensure success of the mitigation site.
 - Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.

Monitoring and Maintenance

43. The Project Proponent shall water and maintain all mitigation site plantings so as to meet the Mitigation Plan's performance standards. If an irrigation system is installed, it shall be removed by the end of year three unless otherwise provided for in the Mitigation Plan.
- Justification - Designing and implementing an appropriate maintenance plan is crucial to the success of a mitigation site.

- Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300, and WAC 173-225-010.
44. The Project Proponent shall monitor the mitigation site for a minimum of five years. The Project Proponent shall use the monitoring methods described on page 12 of the JARPA.
- Justification - A monitoring plan describes the methods used to collect and analyze data needed to show that performance standards are being met. Monitoring plans are necessary to track environmental changes at mitigation sites to ensure success of the mitigation site.
 - Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.
45. The Project Proponent shall submit to Ecology (see A.2) monitoring reports documenting mitigation site conditions for years one, two, three, and five. The monitoring reports must:
- a. Be submitted by December 31 of each monitoring year.
 - b. Include the information listed in Attachment C (Information Required for Monitoring Reports).
 - Justification- Monitoring reports track the environmental progress of the mitigation site and are necessary to track environmental changes at mitigation sites to ensure success of the mitigation site.
 - Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.
46. The Project Proponent shall implement the Mitigation Plan's contingency measures if the Mitigation Plan's goals, objectives, or performance standards are not being met.
- Justification - A contingency plan is necessary in case the actions undertaken for the mitigation fail or only partially succeed. A contingency plan contains corrective measures that will be taken if monitoring indicates that performance standards are not being met. The contingency plan outlines the steps that will be taken for each performance standard if it is not met.
 - Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.

47. Prior to implementing contingency measures not specified in the JARPA, the Project Proponent shall consult with Ecology regarding the contingency measures.
 - Justification - A contingency plan is necessary in case the actions undertaken for the mitigation fail or only partially succeed. A contingency plan contains corrective measures that will be taken if monitoring indicates that performance standards are not being met. The contingency plan should outline the steps that will be taken for each performance standard if it is not met.
 - Citation - 40 CFR 131.12, 40 CFR 230, subpart J, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.
48. When necessary to meet the performance standards, the Project Proponent shall replace dead or dying plants with the same species, or an appropriate native plant alternative, during the current or upcoming planting season and note species, numbers, and approximate locations of all replacement plants in the subsequent monitoring report.
 - Justification - Performance standards must be met to ensure success of the mitigation site.
 - Citation - 40 CFR 131.12, Chapter 47.85.040 RCW, Chapter 90.48 RCW, Chapter 90.54 RCW, Chapter 90.74 RCW, Chapter 173-201A WAC, WAC 173-201A-260 (3)(i-ii), WAC 173-201A-300 and WAC 173-225-010.

F. Emergency/Contingency Measures

1. The Project Proponent shall develop and implement a spill prevention and containment plan for all aspects of this project.
 - Justification - Ecology must ensure that the Project Proponent has a plan to prevent pollution from entering waterways. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, Chapter 90.56.280 RCW, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, WAC 173-225-010, and WAC 173-303-145.
2. The Project Proponent shall have adequate and appropriate spill response and cleanup materials available on site to respond to any release of petroleum products or any other material into waters of the state.

- Justification - Ecology must have assurance that the Project Proponent has the material readily available in WQC Order to address any spills that might occur to protect waters of the state. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, RCW 90.56.280, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, WAC 173-225-010, and WAC 173-303-145.
3. Fuel hoses, oil drums, oil or fuel transfer valves and fittings, etc., shall be checked regularly for drips or leaks, and shall be maintained and stored properly to prevent spills into state waters.
- Justification - Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, RCW 90.56.280, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, WAC 173-225-010, and WAC 173-303-145.
4. Work causing distressed or dying fish and discharges of oil, fuel, or chemicals into state waters or onto land with a potential for entry into state waters is prohibited. If such work, conditions, or discharges occur, the Project Proponent shall notify Ecology's Federal Permit Manager, per condition A2, and immediately take the following actions:
- a. Cease operations at the location of the non-compliance.
 - b. Assess the cause of the water quality problem and take appropriate measures to correct the problem and prevent further environmental damage.
 - c. In the event of a discharge of oil, fuel, or chemicals into state waters, or onto land with a potential for entry into state waters, containment and cleanup efforts shall begin immediately and be completed as soon as possible, taking precedence over normal work. Cleanup shall include proper disposal of any spilled material and used cleanup materials.
 - d. Immediately notify Ecology's Regional Spill Response Office and the Washington State Department of Fish and Wildlife with the nature and details of the problem, any actions taken to correct the problem, and any proposed changes in operation to prevent further problems.

- e. Immediately notify the National Response Center at 1-800-424-8802, for actual spills to water only.
 - Justification - This condition is necessary to prevent oil and hazardous materials spills from causing environmental damage and to ensure compliance with water quality requirements. The sooner a spill is reported, the quicker it can be addressed, resulting in less harm. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, RCW 90.56.280, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, WAC 173-225-010, and WAC 173-303-145.
5. Notify Ecology's Regional Spill Response Office immediately if chemical containers (e.g. drums) are discovered on-site or any conditions present indicating disposal or burial of chemicals on-site that may impact surface water or ground water.
 - Justification - Oil and hazardous materials spills cause environmental damage. The sooner a spill is reported, the quicker it can be addressed, resulting in less harm. Ecology must protect waters of the state from all discharges and potential discharges of pollution that can affect water quality to protect aquatic life and beneficial uses.
 - Citation - Chapter 90.48 RCW, RCW 90.48.030, RCW 90.48.080, Chapter 90.56 RCW, RCW 90.56.280, Chapter 173-201A WAC, WAC 173-201A-300 - 330, WAC 173-204-120, WAC 173-225-010, and WAC 173-303-145.

Your right to appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do all of the following within 30 days of the date of receipt of this Order:

- File your notice of appeal and a copy of this Order with the PCHB (see filing information below). "Filing" means actual receipt by the PCHB during regular business hours as defined in WAC 371-08-305 and -335. "Notice of appeal" is defined in WAC 371-08-340.
- Serve a copy of your notice of appeal and this Order on the Department of Ecology by mail, in person, or by email (see addresses below).

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Address and Location Information

Filing with the PCHB

For the most current information regarding filing with the PCHB, visit: <https://elaho.wa.gov/> or call: 360-664-9160.

Service on Ecology

Street Addresses:

Department of Ecology
Attn: Appeals Processing Desk
300 Desmond Drive SE
Lacey, WA 98503

Mailing Addresses:

Department of Ecology
Attn: Appeals Processing Desk
PO Box 47608
Olympia, WA 98504-7608

E-Mail Address:

ecologyappeals@ecy.wa.gov

Americans with Disabilities Act Information

Accommodation Requests

To request ADA accommodation including materials in a format for the visually impaired, call Ecology at 360-407-6831 or visit <https://ecology.wa.gov/accessibility>. People with impaired hearing may call Washington Relay Service at 711. People with speech disability may call TTY at 877-833-6341.

Contact Information

Please direct all questions about this WQC Order to:

Mike Locatelli
Department of Ecology
509 379-4541
Michael.Locatelli@ecy.wa.gov

More Information

- **Pollution Control Hearings Board Website**
<https://elaho.wa.gov>
- **Chapter 43.21B RCW - Environmental and Land Use Hearings Office – Pollution Control Hearings Board**
<http://app.leg.wa.gov/RCW/default.aspx?cite=43.21B>
- **Chapter 371-08 WAC – Practice and Procedure**
<http://app.leg.wa.gov/WAC/default.aspx?cite=371-08>
- **Chapter 34.05 RCW – Administrative Procedure Act**
<http://app.leg.wa.gov/RCW/default.aspx?cite=34.05>
- **Chapter 90.48 RCW – Water Pollution Control**
<http://app.leg.wa.gov/RCW/default.aspx?cite=90.48>
- **Chapter 173.204 WAC – Sediment Management Standards**
<http://apps.leg.wa.gov/WAC/default.aspx?cite=173-204>
- **Chapter 173-200 WAC – Water Quality Standards for Ground Waters of the State of Washington**
<http://apps.leg.wa.gov/WAC/default.aspx?cite=173-200>
- **Chapter 173-201A WAC – Water Quality Standards for Surface Waters of the State of Washington**
<http://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A>

Signature

Dated this 21st day of July, 2025 at the Department of Ecology, Union Gap, Washington.



Lori White, Section Manager

Central Regional Office

Shorelands and Environmental Assistance Program

Attachment A

Statement of Understanding Water Quality Certification Conditions

Stevens Boating Facility Redevelopment and Addition

Water Quality Certification WQC Order No. 23710

As the Project Proponent for Stevens Boating Facility Redevelopment and Addition project, I have read and understand the conditions of Washington State Department of Ecology WQC Order No. 23710, and any permits, plans, documents, and approvals referenced in the WQC Order. I have and will continue to ensure that all project engineers, contractors, and other workers at the project site with authority to direct work have read and understand the conditions of this WQC Order and any permits, plans, documents, and approvals referenced in the WQC Order.

Signature

Date

Title

Phone

Company

Attachment B

Information Required for As-built Reports

Stevens Boating Facility Redevelopment and Addition

Ecology Order No. 23710

And

Corps Reference No. NWS-2024-00635

Ecology requires the following information for as-built reports submitted under this Order. Ecology will accept additional information that may be required by other agencies.

Background Information

1. Project name.
2. Ecology Order number and the Corps reference number.
3. Name and contact information of the person preparing the as-built report. Also, if different from the person preparing the report, include the names of:
 - a. The Project Proponent
 - b. The landowner
 - c. Wetland professional on site during construction of the mitigation site(s).
4. Date the report was produced.

Mitigation Project Information

5. Brief description of the **final** mitigation project with any changes from the approved plan made during construction. Include:
 - a. Actual acreage of Cowardin classes and mitigation type(s) (re-establishment, rehabilitation, creation, enhancement, preservation, upland, buffers).
 - b. Important dates, including:
 01. Start of project construction.
 02. When work on the mitigation site began and ended.

03. When different activities such as grading, removal of invasive plants, installing plants, and installing habitat features began and ended.

6. Description of any problems encountered and solutions implemented (with reasons for changes) during construction of the mitigation site(s).
7. List of any follow-up actions needed, with a schedule.
8. Vicinity map showing the geographic location of the site(s) with landmarks.
9. Mitigation site map(s), 8-1/2" x 11" or larger, showing the following:
 - a. Boundary of the site(s).
 - b. Topography (with a description of how elevations were determined).
 - c. Installed planting scheme (quantities, densities, sizes, and approximate locations of plants, as well as the source(s) of plant material).
 - d. Location of habitat features.
 - e. Location of permanent photo stations and any other photos taken.

Include the month and year when each map was produced or revised. The site map(s) should reflect on-the-ground conditions after the site work is completed.

10. Photographs taken at permanent photo stations and other photographs, as needed. Photos must be dated and clearly indicate the direction from which each photo was taken. Photo pans are recommended.
11. A copy of any deed notifications, conservation easements, or other approved site protection mechanism.

Attachment C

Information Required for Monitoring Reports

Stevens Boating Facility Redevelopment and Addition

Ecology Order No. 23710

And

Corps Reference No. NWS-2024-00635

Ecology requires the following information for monitoring reports submitted under this Order. Ecology will accept additional information that may be required by other agencies.

Background Information

1. Project name.
2. Ecology Order number and the Corps reference number.
3. Name and contact information of the person preparing the monitoring report. Also, if different from the person preparing the report, include the names of:
 - a. The Project Proponent
 - b. The landowner
 - c. The party responsible for the monitoring activities.
4. Dates the monitoring data were collected.
5. Date the report was produced.

Mitigation Project Information

6. Brief description of the mitigation project, including acreage of Cowardin classes and mitigation type(s) (re-establishment, rehabilitation, creation, enhancement, preservation, upland, buffers).
7. Description of the monitoring approach and methods. For each performance standard being measured provide the following information:
 - a. Description of the sampling technique (e.g., monitoring point for soil or hydrology, line or point intercept method, ocular estimates in individually placed plots). If you are using a standardized technique, provide a reference for that method.

- b. Size and shape of plots or transects.
 - c. Number of sampling locations and how you determined the number of sampling locations to use.
 - d. Percent of the mitigation area being sampled.
 - e. Locations of sampling (provide a map showing the locations), how you determined where to place the sampling locations (e.g., simple random sample), and whether they are permanent or temporary.
 - f. Schedule for sampling (how often and when).
 - g. Description of how the data was evaluated and analyzed.
- 8. Summary table(s) comparing performance standards with monitoring results and whether each standard has been met.
 - 9. Discussion of how the monitoring data were used to determine whether the site(s) is meeting performance standards.
 - 10. Goals and objectives and a discussion of whether the project is progressing toward achieving them.
 - 11. Summary, including dates, of management actions implemented at the site(s), for example, maintenance and corrective actions.
 - 12. Summary of any difficulties or significant events that occurred on the site that may affect the success of the project.
 - 13. Specific recommendations for additional maintenance or corrective actions with a timetable.
 - 14. Photographs taken at permanent photo stations and other photographs, as needed. Photos must be dated and clearly indicate the direction the camera is facing. Photo pans are recommended.
 - 15. Vicinity map showing the geographic location of the site(s) with landmarks.
 - 16. Mitigation site map(s), 8-1/2" x 11" or larger, showing the following:
 - a. Boundary of the site(s).
 - b. Location of permanent photo stations and any other photos taken.

- c. Data sampling locations, such as points, plots, or transects.
- d. Approximate locations of any replanted vegetation.
- e. Changes to site conditions since the last report, such as areas of regrading, a shift in the location of Cowardin classes or habitat features, or a change in water regime.

Include the month and year when each map was produced or revised. The site map(s) should reflect on-the-ground conditions during the most recent monitoring year.