A vertical orange bar is located on the left side of the text block, extending from the top of the text area to the bottom.

**2013 ANNUAL GROUNDWATER  
MONITORING REPORT  
UNIVAR USA INC.  
8201 SOUTH 212<sup>TH</sup> STREET, KENT,  
WASHINGTON  
AGREED ORDER NO. DE 5988**

**For**

**Univar USA Inc.  
URS Job No.: 19999919  
February 28, 2014**



February 28, 2014

Greg Caron  
Washington State Department of Ecology  
Central Regional Office  
15 West Yakima Avenue, Suite 200  
Yakima, WA 98902-3452

**2013 Annual Groundwater Monitoring Report  
Univar USA Inc.  
8201 South 212<sup>th</sup> Street, Kent, Washington  
Agreed Order No. DE 5988**

Dear Mr. Caron:

Presented herein is the 2013 Annual Groundwater Monitoring Report for the above-referenced property during the period January 1 through December 31, 2013. This annual report has been prepared by URS Corporation (URS) on behalf of Univar USA Inc. (Univar) pursuant to the requirements of Agreed Order No. DE 5988 (AO) between Univar and the Washington State Department of Ecology (Ecology), effective November 20, 2008. URS assumed the role of Univar's environmental consultant from former consultant PES Environmental, Inc. (PES) on June 1, 2013.

Please do not hesitate to contact Jack Spicuzza of Univar at 614.529.0907 ([jack.spicuzza@univarusa.com](mailto:jack.spicuzza@univarusa.com)), or URS if you have any questions regarding this report.

Sincerely,

**URS Corporation**

Melanie L. Young, PE  
Project Manager

Paul E. Kalina, PE  
Senior Civil Engineer

cc: Jack Spicuzza, Univar  
Greg Walker, Univar  
Ecology NW Region Central File

## CONTENTS

1.0	INTRODUCTION.....	1
2.0	BACKGROUND.....	1
3.0	GROUNDWATER MONITORING ACTIVITIES.....	2
3.1	MONITORING NETWORK.....	2
3.2	GROUNDWATER ELEVATIONS AND FLOW.....	3
3.3	GROUNDWATER SAMPLING.....	3
3.4	LABORATORY ANALYTICAL METHODS.....	3
4.0	GROUNDWATER QUALITY.....	4
4.1	GROUNDWATER ANALYTICAL RESULTS.....	4
4.1.1	Shallow Groundwater Zone.....	5
4.1.2	Deep Groundwater Zone.....	6
4.2	ANALYTICAL DATA VALIDATION AND REVIEW.....	8
5.0	CONCLUSIONS.....	10
5.1	SHALLOW GROUNDWATER ZONE.....	10
5.2	DEEP GROUNDWATER ZONE.....	10
6.0	REFERENCES.....	11

## FIGURES

1	Site Location Map
2	Monitoring Well Locations
3	Injection Point Locations
4	Groundwater Contour Map – Shallow Zone, March 4, 2013
5	Groundwater Contour Map – Shallow Zone, June 6, 2013
6	Groundwater Contour Map – Shallow Zone, September 24, 2013
7	Groundwater Contour Map – Deep Zone, March 4, 2013
8	Groundwater Contour Map – Deep Zone, June 6, 2013
9	Groundwater Contour Map – Deep Zone, September 24, 2013
10	Benzene Concentrations in Shallow Groundwater
11	Chloroethane Concentrations in Shallow Groundwater
12	Tetrachloroethene Concentrations in Shallow Groundwater
13	Trichloroethene Concentrations in Shallow Groundwater
14	Vinyl Chloride Concentrations in Shallow Groundwater
15	Benzene Concentrations in Deep Groundwater
16	Toluene Concentrations in Deep Groundwater
17	1,1-Dichloroethane Concentrations in Deep Groundwater
18	Chloroethane Concentrations in Deep Groundwater
19	cis-1,2-Dichloroethene Concentrations in Deep Groundwater
20	Vinyl chloride Concentrations in Deep Groundwater

## **CONTENTS (Continued)**

### **TABLES**

- 1 Groundwater Elevations
- 2 Field Parameters
- 3 Indicator Hazardous Substances in Groundwater
- 4 General Chemistry Parameters in Groundwater
- 5 Dissolved Organic Gases in Groundwater
- 6 Groundwater Microbiological Test Results

### **APPENDICES**

- A Historical Groundwater Elevation Data
- B Historical Field Parameters and Groundwater Analytical Data
- C Analytical Data Plots of Constituents versus Time and Distance
- D Groundwater Sampling Field Forms, Analytical Lab Reports, and Data Validation Reports

## 1.0 INTRODUCTION

This 2013 annual groundwater monitoring report has been prepared by URS Corporation (URS) on behalf of Univar USA Inc. (Univar) pursuant to the requirements of Agreed Order No. DE 5988 (AO) between Univar and the Washington State Department of Ecology (Ecology), effective November 20, 2008.<sup>1</sup> URS assumed the role of Univar's environmental consultant on June 1, 2013. This report presents data collected and activities performed at the Univar Kent Site (Site) located at 8201 South 212<sup>th</sup> Street, Kent, Washington (Figure 1), during the period January 1 through December 31, 2013. The 2013 groundwater monitoring at the Site was conducted consistent with the *Compliance Monitoring Plan (CMP)*, which was submitted to Ecology as an appendix to the Engineering Design Report (EDR; PES, 2010). Per Task 4 of the AO Scope of Work, this report provides an overview of the status of groundwater monitoring at the Site, including tabulated groundwater data, water level contour maps, isoconcentration contour maps, field forms, laboratory analytical data; and a discussion of data validation, water quality data, and data trends.

## 2.0 BACKGROUND

Groundwater was sampled at the Site from 1995 through 2009 consistent with the sampling procedures outlined in the groundwater investigation work plan (EMCON, 1996) and from 2009 through 2010 consistent with the sampling procedures outlined in the Groundwater Monitoring Plan (PES, 2009). Groundwater monitoring was conducted on a quarterly basis from 1996 until 2003. The monitoring frequency was reduced from quarterly to semiannually in 2004. Prior to 1999, groundwater was sampled at the Site by purging three well pore volumes using a high capacity peristaltic pump, allowing the field parameters (temperature, pH, specific conductance, dissolved oxygen [DO], and turbidity) to stabilize, and collecting a sample using the pump tubing and a disposable bailer. Since June 1999, groundwater samples were collected using low-flow sampling techniques. Groundwater samples were initially analyzed for constituents that were historically stored or handled at the Site, including total petroleum hydrocarbons (TPH) and volatile organic compounds (VOCs). The analyte list was reduced in 2004 based on analytical data demonstrating low concentrations of certain constituents, and from 2004 to 2010, groundwater was monitored semiannually for VOCs only. The monitoring well locations are shown on Figure 2.

Implementation of the final cleanup action (CA) was initiated at the Site with the performance of an injection test in 2010. The full-scale injection program was conducted in late 2010 through early 2011, including injection of emulsified oil as a carbon substrate and injection of a microbial consortium containing *Dehalobacter* (Dhb) and *Dehalococcoide* (Dhc) bacteria into both shallow and deep injection wells and direct push injection points. The intent of the injection program was to stimulate the enhanced reductive dechlorination of the chlorinated VOCs found in the shallow MW-5 source area and the deeper MW-13/MW-21 source area. The locations of the injection wells are shown on Figure 3.

---

<sup>1</sup> Washington State Department of Ecology. 2008. *Agreed Order No. DE5988, Univar USA Inc., 8201 South 212<sup>th</sup> Street, Kent, WA 98032*. November 20.

Groundwater performance monitoring was initiated in March 2011 consistent with the CMP and EDR (PES, 2010). It was conducted to evaluate two aspects of the cleanup action: substrate injection and groundwater quality. Substrate injection performance monitoring was conducted at selected wells within the injection and monitoring well networks to confirm that the injected substrate is producing conditions conducive to reductive dechlorination. Two years of quarterly performance monitoring was completed in March 2013, consistent with the CMP. Groundwater performance monitoring is currently conducted semi-annually.

Groundwater performance monitoring is also being conducted in all wells within the monitoring well network to assess how the cleanup action is affecting the groundwater quality in and downgradient of the source treatment areas. Performance monitoring will be conducted until groundwater cleanup levels have been achieved for Site indicator hazardous substances (IHS) at the point of compliance (defined in the AO as the downgradient property boundary). Performance monitoring includes semiannual monitoring (March and September) for VOCs in all CMP wells; semi-annual monitoring for substrate distribution, and natural attenuation parameters in selected wells; and periodic monitoring for the presence of microbes in selected wells.

During the second quarter of 2013, Univar transitioned consultants from PES to URS. As a result, the June 2013 sampling event was conducted by PES. Project files were delivered to URS in June for completion of data validation and reporting of the June 2013 sampling event. Notifications were made by URS to site contacts and the Ecology Site Manager to communicate this change.

### **3.0 GROUNDWATER MONITORING ACTIVITIES**

#### **3.1 MONITORING NETWORK**

The groundwater monitoring network specified in the CMP includes 22 monitoring wells and 1 piezometer as illustrated in Figure 2. Twelve of the monitoring wells (MW-1 through MW-10, MW-12, and MW-23) are installed in the upper portion of the shallow aquifer (between 4 and 20 feet below ground surface [bgs]) and are designated shallow zone monitoring wells. Ten of the monitoring wells (MW-13 through MW-22) and the piezometer (P-1) are installed at the base of the shallow aquifer (between approximately 32 and 49 feet bgs) and are designated deep zone monitoring wells. All of the monitoring points except MW-20 are located on the Univar property. MW-20 is located on the north side of South 212<sup>th</sup> Street.

All 22 CMP monitoring wells are monitored for VOCs to evaluate the effects of the CA on groundwater quality. Shallow zone wells MW-1 and MW-4 are also used to monitor natural attenuation east of the eastern loading dock. Shallow zone wells MW-5, MW-7, MW-12, and MW-23 and deep zone wells MW-13, MW-17, MW-18, MW-19, MW-21, and MW-22 are also used to monitor substrate injection performance (distribution and reducing conditions). The CMP originally designated nine substrate performance monitoring wells but a tenth well (MW-19) was added in 2012 to aid in the evaluation of the effects of substrate injection further downgradient from the initial network.

### **3.2 GROUNDWATER ELEVATIONS AND FLOW**

Table 1 presents the depth to groundwater measurements and calculated groundwater elevations for the 2013 monitoring events conducted in March, June and September. Historical groundwater elevation data for each monitoring location are provided in Appendix A. Figures 4 through 6 present the shallow zone groundwater elevation contour maps for March, June and September, respectively. Figures 7 through 9 present the deep zone groundwater elevation contour maps for March, June and September, respectively. The shallow groundwater elevations and contours were similar to historical data, with the shallow groundwater gradient oriented to the northeast away from the highest measured groundwater levels (groundwater mound) located near MW-1 and MW-4. The deep groundwater elevations and contours were also similar to historical data, with the deep groundwater gradient oriented toward the northwest. The effects of the shallow groundwater mound were not seen in the deep groundwater zone contours. As in previous years, the deep potentiometric surface was flat (with a hydraulic gradient less than 0.001 feet/foot), and groundwater flow was toward the northwest.

### **3.3 GROUNDWATER SAMPLING**

All groundwater monitoring and sampling was conducted consistent with the procedures described in the CMP unless otherwise noted. In 2013, groundwater levels were measured on March 4, June 6, and September 24 in the CMP monitoring wells.

Consistent with the CMP, all 22 network monitoring wells were sampled for VOC analysis in two semiannual events in 2013: March (March 5 through March 8) and September (September 24 through September 27). During these events, samples were also collected from the ten substrate injection performance monitoring wells and the shallow natural attenuation monitoring wells and analyzed for the performance monitoring/natural attenuation parameters. Only the ten substrate injection performance monitoring wells were sampled in June 2013; these samples were analyzed for the performance monitoring parameters. No monitoring was conducted in December 2013 due to the quarterly monitoring frequency which was reduced from quarterly to semi-annual as of May 2013 consistent with the CMP. Consistent with the CMP, samples collected in the September event from seven wells (MW-5, MW-7, MW-12, MW-13, MW-21, MW-22, and MW-23) were analyzed for the presence of microbes using the polymerase chain reaction (PCR) test.

Field parameters measured during sampling included temperature, pH, specific conductance, dissolved oxygen (DO), and oxidation-reduction potential (ORP) and are summarized in Table 2. During sampling, the wells monitoring substrate injection were also observed for the presence of substrate media (milky white appearance).

### **3.4 LABORATORY ANALYTICAL METHODS**

Samples collected for laboratory analysis were submitted to the following laboratories: Fremont Analytical Laboratory in Seattle, Washington (VOCs, TOC, and general chemistry parameters); Microseeps, Inc. in Pittsburgh, Pennsylvania (dissolved gases), and SiREM Laboratory in Ontario, Canada (microbiological testing). The following laboratory methods were used:

- VOCs including chlorinated and aromatic hydrocarbons by USEPA Method 8260;
- Natural attenuation parameters:
  - Dissolved gases (ethene, ethane, and methane) by Microseeps Method AM20GAX;
  - Chloride, nitrate as nitrogen, and sulfate by USEPA Method 300.0;
  - Sulfide by Standard Methods (SM) 4500-S2-F;
  - Total Alkalinity by SM 2320B; and
  - Dissolved manganese and dissolved iron by USEPA Method 6010 series; and
- TOC by USEPA SM 5310B; and
- Microbiological Parameters by SiREM quantitative PCR method (Gene-Trac<sup>®</sup>):
  - Dehalococcoides (Dhc);
  - Dehalobacter (Dhb); and
  - Vinyl chloride reductase (vcrA).

Samples collected during all monitoring events were submitted to the laboratories under the protocols outlined in the CMP. Microbiological samples were collected with low flow sampling techniques using a protocol and filters provided by SiREM. Field parameters, sampling times, and observations were recorded on groundwater sampling forms. Copies of the groundwater sampling forms, analytical lab reports and data validation reports from each sampling event are provided in Appendix D.

## **4.0 GROUNDWATER QUALITY**

### **4.1 GROUNDWATER ANALYTICAL RESULTS**

The tabulated chemistry results from the 2010 (pre-injection testing) through the September 2013 monitoring event (including field parameters, VOCs, general chemistry parameters, microbiological activity, and dissolved gases) are presented in Tables 2 through 6. Table 3 provides the laboratory VOC results for the 17 groundwater IHSs established in the RI/FFSA/DCAP (PES, 2008), as well as the cleanup level (CUL) established for each IHS. Appendix C provides plots showing concentrations of VOCs over time in each monitoring well and plots illustrating the concentrations of select VOCs (1,1,1-trichloroethane [TCA], tetrachloroethene [PCE], and breakdown products: 1,1-dichloroethane [1,1-DCA], 1,1-dichloroethene [1,1-DCE], chloroethane, trichloroethene [TCE], cis-1,2 dichloroethene [cDCE], and vinyl chloride) along an inferred groundwater flow path through the deep treatment area.



Historical field parameter measurements and chemistry results for all wells are presented in Appendix B.

Figures 10 through 20 present isoconcentration contour maps for selected IHSs present in the shallow and deep groundwater zones in 2013. The isoconcentration contours are based on the highest IHS concentrations detected in each well during the 2013 monitoring period. IHS isoconcentration maps in shallow and deep aquifer zones were selected to:

- (1) represent the most widely distributed compounds detected in groundwater at the Site;
- (2) represent the most prominent compound from each of the three contaminant classes (aromatic, chlorinated ethanes, and chlorinated ethenes) present in groundwater in 2013; and
- (3) illustrate the degradation pathways of source compounds, if possible.

Five compounds (benzene, chloroethane, PCE, TCE, and vinyl chloride) were selected to represent the shallow groundwater zone, and six compounds (benzene, toluene, 1,1-DCA, chloroethane, cDCE, and vinyl chloride) were selected for the deep groundwater zone.

Following are discussions of the water quality data for the shallow and deep groundwater zones.

#### **4.1.1 Shallow Groundwater Zone**

During the 2013 monitoring period, one or more VOCs were detected above the applicable CUL in 8 of 12 shallow monitoring wells sampled (MW-1, MW4, MW-5, MW-7, MW8, MW-9, MW-12, and MW-23). Volatile organic compounds were not detected above the CULs in shallow monitoring wells MW-2, MW-3, MW-6, and MW-10. The established VOC CULs for IHS in groundwater are provided in Table 3.

VOC concentrations in 2013 for the shallow groundwater zone (Table 3) were generally consistent with historical results with the exception of monitoring well MW-8 where the concentrations of vinyl chloride and TCE have both increased since 2010 and were above their respective CUL in the September 2013 sampling event. Several breakdown products increased in concentration from 2012, including chloroethane and vinyl chloride at monitoring well MW-1. The highest concentrations of VOCs within the shallow groundwater zone continue to appear in the two source areas (near wells MW-1 and MW-4, and near wells MW-5 and MW-12). As shown in Figures 10 through 14, the VOC concentrations generally decrease significantly in wells located away from the source areas.

The plots of VOC concentrations over time in individual shallow groundwater zone monitoring wells (Appendix C) indicate that:

- VOC concentration trends are generally decreasing over time in the source area wells (MW-1, MW-4, MW-5, and MW-12), with the exception of recent increases in TCE and PCE in MW-5 and breakdown product concentrations (vinyl chloride and chloroethane in MW-1, cDCE and vinyl chloride in MW-5 and MW-12) consistent with the degradation of parent products in the source area;

- Variable to decreasing VOC concentrations over time near the shallow source area (MW-7, MW-8, MW-9, and MW-23); and
- Relatively steady VOC concentrations at non-detectable to low levels in wells away from the source areas (MW-2, MW-3, MW-6, and MW-10).

The 2013 field parameter results (Table 2) and general chemistry parameter results (Table 4) were generally within historical ranges. Groundwater monitored since CA implementation has generally shown trends indicative of biodegradation in source area wells MW-5 and MW-12 and nearby wells MW-7 and MW-23:

- Initially increased concentrations of TOC after substrate injection with decreasing to steady concentrations of TOC thereafter;
- Steady to somewhat increased concentrations of dissolved iron, dissolved manganese, alkalinity, and dissolved gases (methane, and to a lesser degree ethene and ethane); and
- Decreased concentrations of nitrate and sulfate in MW-5 and MW-12.

Based on the 2013 results, these trends appear to be generally stabilizing and are similar to results in 2012. The 2013 general chemistry results (Table 4) in MW-5 and MW-12 continue to show slightly increased concentrations of TOC, dissolved iron, dissolved manganese, and alkalinity, and decreased concentrations of nitrate and sulfate. Wells adjacent to the MW-5 source area (MW-7 and MW-23) continue to show concentrations of TOC, alkalinity, and dissolved iron or dissolved manganese have increased from 2012 and decreased concentrations of nitrate. All of these trends are indicative of biodegradation in the MW-5 source area. In source area wells MW-5 and MW-12, methane concentrations continue to be orders of magnitude above pre-injection event concentrations, and ethene and ethane concentrations continue to be modestly above pre-injection levels (Table 5). In the MW-1 and MW-4 source area, high concentrations of TOC, dissolved iron, dissolved manganese, alkalinity, and dissolved gases are present, as well as low concentrations of nitrate; these trends indicate biodegradation is also occurring in the MW-1 and MW-4 source area.

Similar to the 2012 results, the concentrations of Dhc, Dhb, and vcrA were low (at or less than  $10^4$  cells/liter) in source area monitoring well MW-5 and nearby monitoring wells MW-7 and MW-23 and moderate ( $10^6$  to  $10^7$  cells/liter) in source area monitoring well MW-12. Samples were not analyzed for Dhc, Dhb, or vcrA at injection well IW-211, which had the highest concentrations of microbes in 2012. In general, the concentration of microbes has increased both from 2011 and 2012.

Samples were not analyzed for VFAs at any of the monitoring well locations in 2013.

#### **4.1.2 Deep Groundwater Zone**

One or more VOCs were detected above the applicable CULs in seven of the ten deep monitoring wells sampled in 2013 (MW-13 through MW-22); VOCs were not detected above the CULs in deep monitoring wells MW-14, MW-15, and MW-16. This was the first year no VOCs

were detected above CULs in monitoring well MW-16. The number of VOCs detected above the CULs in the remaining eight deep monitoring wells ranged from one (MW-18) to eight (MW-21 and MW-22). Seven of the 17 IHS VOCs (1,1-DCE, methylene chloride, 1,1-DCA, chloroform, TCA, 1,2-dichloropropane [DCP], and 1,2,4-trimethylbenzene [TMB]) were not detected above their respective CULs in deep groundwater zone wells in 2013. Vinyl chloride was detected above the CUL most frequently, with detections above CULs in five deep groundwater monitoring wells.

Similar to historical trends, the dominant VOCs detected in the MW-13/MW-21 source area in 2013 were toluene, ethylbenzene, total xylenes, the PCE and TCE breakdown products (cDCE and vinyl chloride), and the TCA breakdown products (1,1-DCA and chloroethane). However, TCE and PCE breakdown product concentrations appear to be declining in the source area, especially cDCE, vinyl chloride, and 1,1-DCA in MW-13. As shown in Figures 15 through 20, the highest concentrations of VOCs in the deep groundwater zone generally are in the deep source area (near wells MW-13 and MW-21), with progressively decreasing concentrations of VOCs in downgradient wells. Benzene, cDCE, and vinyl chloride are exceptions to this. The highest deep groundwater zone benzene concentrations are found in well MW-17 and off property well MW-20. The highest deep groundwater zone cDCE and vinyl chloride concentrations are found in MW-19. Overall, VOC concentrations have decreased at monitoring well MW-13 and MW-22, narrowing the extent of the contaminant plume and isolating high concentrations around the source area wells.

The plots of VOCs over time in individual deep groundwater zone monitoring wells (Appendix C) indicate that:

- VOC concentration trends are generally decreasing over time in the source area wells (MW-13 and MW-21) and the well immediately downgradient of the source area (MW-22), with the exception of chloroethane (which has exhibited variable trends over time in both of the source wells) and cDCE and vinyl chloride in MW-22 (which have both increased in concentration since CA implementation in 2011);
- VOC concentrations are variable to decreasing over time in wells further downgradient of the source area (MW-17 and MW-18), with the exception of an increase in breakdown product concentrations (chloroethane in MW-17) and benzene since CA implementation in 2011;
- Breakdown products (cDCE, vinyl chloride, and chloroethane) in downgradient well MW-19 were variable from 2004 until early 2010, were increasing from early 2010 through late 2011, were decreasing in 2012, increased significantly in the first two quarters of 2013 and decreased by an order of magnitude in the third quarter of 2013. Concentrations, while significantly lower than early 2013, are higher than 2012 concentrations.
- Chlorinated VOCs in off property downgradient well MW-20 have been generally stable at low to non-detect concentrations with the exception of chloroethane, which continues to be detected at concentrations around 100 µg/L (greater than the CUL) and benzene, which continues to be detected at concentrations around 10-15 µg/L (greater than the CUL); and

- VOC concentrations have been steady at non-detectable to low levels in wells away from the source area (MW-14, MW-15, and MW-16).

Plots of chlorinated VOC concentrations along a groundwater flow path through the deep source area in the last five monitored quarters since CA implementation (October and December 2012, and March, June and September 2013, provided in Appendix C) generally show the following:

- Non-detectable to low concentrations of VOC parent products (PCE, TCE, and TCA) in all wells along the groundwater flow path;
- Generally decreasing concentrations of degradation by-products (1,1-DCA, 1,1-DCE, cDCE, and vinyl chloride) in wells along the flow path through and downgradient of the treatment area, with the exception of MW-19 and MW-20;
- Elevated and increasing concentrations of cDCE and vinyl chloride detected in MW-19 beginning in September 2011 and MW-20 beginning in September 2013; and
- The consistent presence of chloroethane in off-property well MW-20.

The 2013 field parameter results (Table 2) were generally within historical ranges, with continued low DO and ORP results in monitoring wells in and downgradient of the MW-13/MW-21 treatment area. These results indicate continued anaerobic aquifer conditions in the deep aquifer zone.

Groundwater field parameter results, general chemistry results (Table 4), and dissolved gases results (Table 5) monitored in the MW-13/MW-21 deep source area indicate initially increased concentrations of TOC after substrate injection with decreasing to steady concentrations of TOC thereafter, and steady to somewhat increased concentrations of dissolved iron and alkalinity since CA implementation. Recently the TOC concentrations have decreased in source area monitoring wells MW-13 and MW-21 and nearby downgradient monitoring well MW-22 throughout 2013.

The concentrations of Dhc and vcrA were high ( $10^7 - 10^8$  cells/liter) in source area monitoring well MW-21 and in nearby downgradient monitoring well MW-22, and moderate in source area monitoring well MW-13 ( $10^5 - 10^6$  cells/liter). The concentrations of Dhb were moderate ( $10^5$  cells/liter) in source area well MW-21 and nearby downgradient monitoring well MW-22 and low ( $10^4$  cells/liter) in source area well MW-13.

## 4.2 ANALYTICAL DATA VALIDATION AND REVIEW

Laboratory data from each event was validated consistent with the USEPA guidelines for organic and inorganic data review (USEPA, 1999 and 2002). In summary, results for some analytes were qualified as estimated and assigned a 'J' flag by the laboratory because the results were reported at concentrations above the method detection limit (MDL) but below the method reporting limit (MRL). The data qualifiers for these detections were accepted during data validation and are included in the data tables. Other qualifiers assigned during data validation review included:

- **Lab Report 1303024, Fremont Analytical.** Data from the VOC analysis of sample MW-22-030613 were qualified and assigned a ‘J’ flag due to a potential high bias indicated by the surrogate recovery results. Vinyl chloride data from all samples with vinyl chloride concentrations of less than 22.85 µg/L but greater than the detection limit were qualified as estimated and assigned a ‘J’ flag due to uncertainty regarding the precision of the laboratory result (based upon an evaluation of the field duplicate). Chloride in sample MW-7-031513 was qualified as estimated and assigned a ‘J’ flag because the reported result was greater than the calibration range of the instrument.
- **Lab Reports 1303036, Fremont Analytical.** Data from the VOC analysis of sample MW-13-030713 were qualified and assigned a ‘J’ flag due to a potential high bias indicated by the surrogate recovery results. Vinyl chloride data from all samples with vinyl chloride concentrations of less than 22.85 µg/L but greater than the detection limit were qualified as estimated due to uncertainty regarding the precision of the laboratory result (based upon an evaluation of the field duplicate) and assigned a ‘J’ flag.
- **Lab Report 1303042, Fremont Analytical.** Data from the VOC analysis of sample MW-13-030713 were qualified and assigned a ‘J’ flag due to a potential high bias indicated by the surrogate recovery results. Vinyl chloride data from all samples with vinyl chloride concentrations of less than 22.85 µg/L but greater than the detection limit were qualified as estimated and assigned a ‘J’ flag due to uncertainty regarding the precision of the laboratory result (based upon an evaluation of the field duplicate). TCE results from two samples were qualified as estimated and assigned a ‘J’ flag due to an MS %R exceedance for TCE.
- **Lab Report 1306049, Fremont Analytical.** Vinyl chloride, trans-1,2-dichloroethene, 1,1-dichloroethane, and cis-1,2-dichloroethene in samples QA-D1-060613 and MW-19-060613 were qualified as estimated due to uncertainty regarding the precision of the laboratory results based upon evaluation of the field duplicate. A summary of data qualifiers assigned to this sample set is included below:

Sample ID	Laboratory ID	Analyte	Laboratory Result	Units	Final Result
QA-D1-060613 (Duplicate of MW-19-060613)	1306049-001	1,1-Dichloroethane	8.65	µg/L	8.65 J
		cis-1,2-Dichloroethene	4,300	µg/L	4,300 J
		trans-1,2-Dichloroethene	18.2	µg/L	18.2 J
		Vinyl Chloride	3,620	µg/L	3,620 J
MW-19-060613	1306049-002	1,1-Dichloroethane	6.35	µg/L	6.35 J
		Cis-1,2-Dichloroethene	2,560	µg/L	2,560 J
		Trans-1,2-Dichloroethene	10.9	µg/L	10.9 J
		Vinyl Chloride	2,240	µg/L	2,240 J

- **Lab Report S-2976, SiREM Laboratory.** The low concentration positive control sample was spiked with Dhc gene copies and the spike recovery (161%) was above the

control limits of 50 to 150%. Dhc results for MW-5, MW-7, and MW-13 were qualified as estimated and flagged 'J' based upon the low concentration positive control sample results.

- **Lab Report 10256, Microseeps.** The result for ethene in sample MW-7 was reported between the method detection limit (MDL) and the MRL and was qualified as estimated with a 'J' flag.
- **Lab Report 1309268, Fremont Analytical.** The chloroethane result for MW-4 was qualified as estimated and flagged 'J' due to exceedences of the laboratory control limit on the MS/MSD results.

No additional qualifications of the data were required. The data validation reviews concluded that all data (including the qualified data) were judged to be acceptable for their intended use. Copies of the laboratory analytical reports and corresponding data validation memoranda for each sampling event are presented in Appendix D.

## 5.0 CONCLUSIONS

### 5.1 SHALLOW GROUNDWATER ZONE

VOC concentrations in the shallow groundwater zone were generally consistent in 2013 with historical results, with the highest concentrations of VOCs in the two source areas and significantly lower VOC concentrations in wells a relatively short distance away. In 2013, the generally decreasing VOC concentration trends continued except for recent increases in breakdown product concentrations reflecting the degradation of parent products in the source areas. The 2013 general chemistry and dissolved gas results in both shallow source areas suggest that biodegradation is occurring.

### 5.2 DEEP GROUNDWATER ZONE


In 2013, the highest deep aquifer zone VOC concentrations continued to be found in the source area, with generally decreasing concentrations of VOCs in downgradient wells. The deep zone VOC plume was stable to slightly smaller than the 2012 plume. Volatile organic compound concentrations in the source area continued to decrease in 2013, and concentrations of the general chemistry parameters and dissolved gases continued to suggest that biodegradation is occurring in the deep aquifer zone. Concentrations of TOC, Dhc, vcrA, and Dhb suggest that sufficient substrate and chlorinated VOC-degrading microbes are present to support biodegradation.

## 6.0 REFERENCES

- PES Environmental, Inc. 2009. *Groundwater Monitoring Plan, Univar USA Inc., Kent, Washington*. Prepared for Univar USA Inc. February 18.
- PES Environmental, Inc. 2010. *Final Engineering Design Report, Final Cleanup Action, Univar USA Inc., Kent, Washington*. Prepared for Univar USA Inc. October 29.
- PES Environmental, Inc. 2012. *Construction Report, Final Cleanup Action, Univar USA Inc., Kent, Washington*. Prepared for Univar USA Inc. March 12.
- PES Environmental, Inc. 2013. *2012 Annual Groundwater Monitoring Report, Univar USA Inc., Kent, Washington*. Prepared for Univar USA Inc. March 7.
- U.S. Environmental Protection Agency (USEPA). 1999. *USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review*. EPA 540-R-99-008. USEPA Office of Emergency and Remedial Response. October.
- U.S. Environmental Protection Agency. 2002. *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, Final*. EPA 540-R-01-008. USEPA Office of Emergency and Remedial Response. July.
- Washington State Department of Ecology (Ecology). 2008. *Agreed Order No. DE 5988, Univar USA Inc., 8201 South 212<sup>th</sup> Street, Kent, Washington*. November 28.


## **FIGURES**






U.S.G.S. Topo Map - Renton, Washington 7.5-minute quadrangle.1994







- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well Location
  - MW-16 Deep Groundwater Monitoring Well Location
  - P-1 Piezometer Location
  - Approximate Property Boundary




**Figure 2**  
**Groundwater Monitoring Network**



**Figure 3  
 Monitoring Well and Injection Well Layout**




- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on March 4, 2013
  - NM Not Measured
  - Generalized Groundwater Elevation Contour
  - Inferred Groundwater Flow Direction




**Figure 4**  
**Groundwater Contour Map**  
**Shallow Zone - March 4, 2013**

J:\GIS\Projects\UNIVAR\Kent\SubTasks\Groundwater Monitoring\2013 Annual\Fig 4 GW Contours March Shallow.dwg  
 Mod: 02/25/2014, 12:26 | Plotted: 02/25/2014, 12:31 | brenda\_mcintosh





- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on June 6, 2013
  - NM Not Measured
  - Generalized Groundwater Elevation Contour
  - Inferred Groundwater Flow Direction




**Figure 5**  
**Groundwater Contour Map**  
**Shallow Zone - June 6, 2013**

J:\GIS\Projects\UNIVAR\Kent\SubTasks\Groundwater Monitoring\2013 Annual\Fig 5 GW Contours June Shallow.dwg  
 Mod: 12/17/2013, 08:44 | Plotted: 02/25/2014, 12:10 | brenda\_mcintosh







- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on September 24, 2013
  - NM Not Measured
  - Generalized Groundwater 28.25 Elevation Contour




**Figure 6**  
**Groundwater Contour Map**  
**Shallow Zone - September 24, 2013**




- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - P-1 Piezometer
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on March 4, 2013
  - NM Not Measured
  - Generalized Groundwater 28.25 Elevation Contour
  - Inferred Groundwater Flow Direction



**Figure 7**  
**Groundwater Contour Map**  
**Deep Zone - March 4, 2013**




- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - P-1 Piezometer
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on June 6, 2013
  - NM Not Measured
  - 27.10 Generalized Groundwater Elevation Contour
  - Inferred Groundwater Flow Direction



**Figure 8**  
**Groundwater Contour Map**  
**Deep Zone - June 6, 2013**






- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - P-1 Piezometer
  - Approximate Property Boundary
  - (29.36) Groundwater Elevation in Feet Above NAVD 88 on September 24, 2013
  - (26.30\*) Groundwater Elevation in Feet Above NAVD 88 on September 25, 2013
  - NM Not Measured
  - 28.25 Generalized Groundwater Elevation Contour




**Figure 9**  
**Groundwater Contour Map**  
**Deep Zone - September 24, 2013**



- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well
  - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - Benzene Groundwater Cleanup Level Contour (0.8 ug/L)
  - (<0.5/<0.5) Concentration of Benzene in Groundwater (March/Sept 2013)
  - (<0.5/<0.5/<0.5) Concentration of Benzene in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 10**  
**Benzene Concentrations in Shallow Groundwater**




- LEGEND:**
- MW-1 Shallow Groundwater Monitoring Well
  - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - Chloroethane Groundwater Cleanup Level Contour (15 ug/L)
  - (<0.5/<0.5) Concentration of Chloroethane in Groundwater (March/Sept 2013)
  - (<0.5/<0.5/<0.5) Concentration of Chloroethane in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 11**  
**Chloroethane Concentrations in Shallow Groundwater**




**LEGEND:**

- MW-1 Shallow Groundwater Monitoring Well
- Approximate Property Boundary
- Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
- Tetrachloroethene (PCE) Groundwater Cleanup Level Contour (0.86 ug/L)
- (<0.5/<0.5) Concentration of Tetrachloroethene in Groundwater (March/Sept 2013)
- (<0.5/<0.5/<0.5) Concentration of Tetrachloroethene in Groundwater (March/June/Sept 2013)
- < Less than the Concentration Shown
- J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 12**  
**Tetrachloroethene Concentrations in Shallow Groundwater**



**LEGEND:**

- MW-1 Shallow Groundwater Monitoring Well
- Approximate Property Boundary
- Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
- Trichloroethene (TCE) Groundwater Cleanup Level Contour (4.0 ug/L)
- (<0.5/<0.5) Concentration of Trichloroethene in Groundwater (March/Sept 2013)
- (<0.5/<0.5/<0.5) Concentration of Trichloroethene in Groundwater (March/June/Sept 2013)
- < Less than the Concentration Shown
- J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 13**  
**Trichloroethene Concentrations in Shallow Groundwater**




**LEGEND:**

- MW-1 Shallow Groundwater Monitoring Well
- Approximate Property Boundary
- Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
- Vinyl Chloride Groundwater Cleanup Level Contour (0.5 ug/L)
- $(<0.2/<0.2)$  Concentration of Vinyl Chloride in Groundwater (March/Sept 2013)
- $(<0.2/<0.2/<0.2)$  Concentration of Vinyl Chloride in Groundwater (March/June/Sept 2013)
- < Less than the Concentration Shown
- J Estimated Concentration

NOTE: All Concentrations in ug/L



**Figure 14**  
**Vinyl Chloride Concentrations in Shallow Groundwater**



- LEGEND:**
- MW-16 ■ Deep Groundwater Monitoring Well
  - - - - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - - - - Benzene Groundwater Cleanup Level Contour (0.8 ug/L)
  - (<0.5/<0.5) Concentration of Benzene in Groundwater (March/Sept 2013)
  - (<0.5/<0.5/<0.5) Concentration of Benzene in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 15**  
**Benzene Concentrations in Deep Groundwater**




**LEGEND:**

- MW-16 Deep Groundwater Monitoring Well
- Approximate Property Boundary
- Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
- Toluene Groundwater Cleanup Level Contour (1000 ug/L)
- (<0.5/<0.5) Concentration of Toluene in Groundwater (March/Sept 2013)
- (<0.5/<0.5/<0.5) Concentration of Toluene in Groundwater (March/June/Sept 2013)
- < Less than the Concentration Shown
- J Estimated Concentration

NOTE: All Concentrations in ug/L








- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - 1;1-Dichloroethane (1,1-DCA) Groundwater Cleanup Level Contour (800 ug/L)
  - (<0.5/<0.5) Concentration of 1,1-Dichloroethane in Groundwater (March/Sept 2013)
  - (<0.5/<0.5/<0.5) Concentration of 1,1-Dichloroethane in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 17**  
**1,1-Dichloroethane Concentrations in Deep Groundwater**




**LEGEND:**

- MW-16 Deep Groundwater Monitoring Well
- Approximate Property Boundary
- Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
- Chloroethane Groundwater Level Cleanup Contour (15 ug/L)
- (<0.5/<0.5) Concentration of Chloroethane in Groundwater (March/Sept 2013)
- (<0.5/<0.5/<0.5) Concentration of Chloroethane in Groundwater (March/June/Sept 2013)
- < Less than the Concentration Shown
- J Estimated Concentration


NOTE: All Concentrations in ug/L






- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - Cis-1,2-Dichloroethene Groundwater Cleanup Level Contour (70 ug/L)
  - (<0.5/<0.5) Concentration of Cis-1,2-Dichloroethene in Groundwater (March/Sept 2013)
  - (<0.5/<0.5/<0.5) Concentration of Cis-1,2-Dichloroethene in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L




**Figure 19**  
**Cis-1,2-Dichloroethene Concentrations in Deep Groundwater**



- LEGEND:**
- MW-16 Deep Groundwater Monitoring Well
  - Approximate Property Boundary
  - Isoconcentration Contour Based on Highest Detected Concentration (ug/L)
  - Vinyl Chloride Groundwater Cleanup Level Contour (0.5 ug/L)
  - (<0.2/<0.2/<0.2) Concentration of Vinyl Chloride in Groundwater (March/Sept 2013)
  - (<0.2/<0.2/<0.2) Concentration of Vinyl Chloride in Groundwater (March/June/Sept 2013)
  - < Less than the Concentration Shown
  - J Estimated Concentration

NOTE: All Concentrations in ug/L



**Figure 20**  
**Vinyl Chloride Concentrations in Deep Groundwater**

## **TABLES**

**Table 1**  
**Groundwater Elevations**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
<b>Shallow On-Site Monitoring Wells</b>					
MW-1	33.15	03/04/13	14:32	4.43	28.72
		03/04/13	14:53	4.28	28.87
		03/04/13	15:10	4.23	28.92
		03/04/13	16:07	4.20	28.95
		06/06/13	7:35	4.45	28.70
		09/24/13	12:43	5.89	27.26
MW-2	33.79	03/04/13	14:35	5.80	27.99
		03/04/13	14:45	5.80	27.99
		06/06/13	7:30	6.20	27.59
		09/24/13	12:32	7.21	26.58
MW-3	32.94	03/04/13	14:05	5.70	27.24
		03/04/13	15:18	5.68	27.26
		06/06/13	8:02	6.03	26.91
		09/24/13	11:50	6.74	26.20
MW-4	32.86	03/04/13	14:28	4.75	28.11
		03/04/13	15:11	4.73	28.13
		06/06/13	7:38	4.82	28.04
		09/24/13	12:51	6.20	26.66
MW-5	32.60	03/04/13	15:02	5.22	27.38
		03/04/13	16:12	5.22	27.38
		06/06/13	7:50	5.56	27.04
		09/24/13	12:18	6.51	26.09
MW-6	33.05	03/04/13	14:30	5.33	27.72
		03/04/13	15:09	5.30	27.75
		06/06/13	7:34	5.79	27.26
		09/24/13	12:26	7.35	25.70
MW-7	32.96	03/04/13	14:20	5.63	27.33
		03/04/13	15:14	5.60	27.36
		06/06/13	7:55	5.96	27.00
		09/24/13	12:03	6.73	26.23
MW-8	33.57	03/04/13	15:05	6.17	27.40
		03/04/13	16:13	6.18	27.39
		06/06/13	7:52	6.51	27.06
		09/24/13	12:14	7.25	26.32
MW-9	33.77	03/04/13	15:07	6.30	27.47
		03/04/13	16:14	6.30	27.47
		06/06/13	7:53	6.61	27.16
		09/24/13	12:15	7.50	26.27
MW-10	32.89	03/04/13	14:16	5.52	27.37
		03/04/13	15:15	5.50	27.39
		06/06/13	7:59	5.85	27.04
		09/24/13	11:59	6.60	26.29

**Table 1**  
**Groundwater Elevations**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-12	32.81	03/04/13	15:03	5.40	27.41
		03/04/13	16:11	5.40	27.41
		06/06/13	7:50	5.75	27.06
		09/24/13	12:19	6.55	26.26
MW-23	32.78	03/04/13	15:13	5.41	27.37
		03/04/13	16:13	5.41	27.37
		06/06/13	7:56	5.77	27.01
		09/24/13	12:01	6.53	26.25
<b>Deep On-Site Monitoring Wells and Deep On-Site Piezometer</b>					
MW-13	32.81	03/04/13	14:25	5.20	27.61
		03/04/13	16:09	5.30	27.51
		03/08/13	12:31	5.30	27.51
		06/06/13	7:37	5.66	27.15
		06/06/13	8:40	5.75	27.06
		09/24/13	12:48	6.42	26.39
MW-14	32.60	03/04/13	14:48	5.08	27.52
		03/04/13	16:05	5.06	27.54
		03/08/13	12:28	5.05	27.55
		06/06/13	7:33	5.42	27.18
		06/06/13	8:47	5.43	27.17
		09/24/13	12:24	6.24	26.36
MW-15	32.57	03/04/13	14:50	4.91	27.66
		03/04/13	16:06	4.90	27.67
		03/08/13	12:28	4.90	27.67
		06/06/13	7:32	5.27	27.30
		06/06/13	8:50	5.27	27.30
		09/24/13	12:29	6.11	26.46
MW-16	36.92	03/04/13	14:23	9.58	27.34
		03/04/13	16:09	9.45	27.47
		03/08/13	11:30	9.45	27.47
		06/06/13	7:45	9.77	27.15
		06/06/13	8:43	9.81	27.11
		09/24/13	12:53	10.63	26.29
MW-17	32.60	03/04/13	14:09	5.30	27.30
		03/04/13	16:20	5.30	27.30
		03/08/13	12:24	5.27	27.33
		06/06/13	8:00	5.43	27.17
		06/06/13	9:03	5.66	26.94
		09/24/13	11:54	6.30	26.30

**Table 1**  
**Groundwater Elevations**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-18	32.73	03/04/13	14:15	5.37	27.36
		03/04/13	15:16	5.35	27.38
		03/08/13	12:26	5.30	27.43
		06/06/13	7:59	5.70	27.03
		06/06/13	9:02	5.70	27.03
		09/24/13	11:58	6.44	26.29
MW-19	33.52	03/04/13	14:00	6.23	27.29
		03/04/13	15:20	6.21	27.31
		03/08/13	12:22	6.16	27.36
		06/06/13	8:05	6.55	26.97
		06/06/13	9:00	6.57	26.95
		09/24/13	11:40	7.26	26.26
MW-21	32.86	03/04/13	14:33	5.41	27.45
		03/04/13	14:52	5.37	27.49
		03/04/13	16:08	5.35	27.51
		03/08/13	12:30	5.35	27.51
		06/06/13	7:35	5.77	27.09
		06/06/13	8:40	5.74	27.12
		09/24/13	12:40	6.53	26.33
MW-22	33.18	03/04/13	NR	NM	NA
		03/08/13	12:32	5.76	27.42
		06/06/13	7:41	6.14	27.04
		06/06/13	8:41	6.17	27.01
		09/24/13	13:06	6.64	26.54
P-1	33.62	03/04/13	15:05	6.18	27.44
		03/04/13	16:13	6.18	27.44
		03/08/13	12:28	6.13	27.49
		06/06/13	7:52	6.53	27.09
		06/06/13	8:52	6.52	27.10
		09/25/13	7:13	7.32	26.30
<b>Deep Off-Site Monitoring Well</b>					
MW-20	33.15	03/04/13	13:45	5.99	27.16
		03/04/13	16:45	5.97	27.18
		03/08/13	9:15	5.92	27.23
		06/06/13	9:20	6.30	26.85
		06/06/13	17:00	6.31	26.84
		09/24/13	11:44	7.00	26.15

NOTE: Depth = depth to water relative to the top of casing  
Elev. = elevation relative to NAVD 88  
\* = anomalous field reading; measurement not used for contouring  
NR = not recorded  
NM = not measured  
NA = not available



**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-1	03/29/10	6.97	842	11.4	NM	0.30	-8
	09/30/10	7.26	937	17.2	NM	0.24	-10
	03/03/11	7.49	510	9.2	7.0	0.23	-13
	09/23/11	6.61	523	18.0	3.0	0.10	-106
	03/08/12	6.99	494	8.2	7.9	0.22	-44
	10/01/12	6.56	507	15.5	5.7	0.22	349 <sup>a</sup>
	03/06/13	6.84	820	9.6	14.5	0.20	-7
	09/24/13	6.78	496	18.5	55.3	0.20	-84
MW-2	03/26/10	6.49	390	12.6	NM	0.82	7
	09/30/10	6.68	556	16.4	NM	0.28	27
	03/08/11	6.87	441	12.7	85	0.17	8
	09/21/11	6.30	443	18.0	10	0.09	-91
	03/06/12	6.56	396	11.2	NM	0.67	-65
	09/28/12	6.45	382	17.2	NM	0.29	342 <sup>a</sup>
	03/07/13	6.48	480	12.4	NM	0.15	20
	09/24/13	6.63	349	16.8	91	0.20	-50
MW-3	03/30/10	6.85	601	11.6	NM	0.99	-5
	09/28/10	6.98	647	15.6	NM	0.28	8
	03/07/11	7.33	426	12.1	2.0	0.20	32
	09/21/11	6.71	556	16.3	1.4	0.03	-127
	03/06/12	6.97	497	10.7	NM	0.11	-1
	10/01/12	6.81	519	16.2	NM	0.20	308 <sup>a</sup>
	03/07/13	6.87	662	11.7	NM	0.19	102
	09/24/13	7.03	404	13.6	57.2	0.40	-97
MW-4	03/29/10	6.71	1,094	9.9	NM	0.58	-8
	10/01/10	6.89	1,054	16.7	NM	0.55	10
	03/04/11	7.48	906	9.4	7.0	0.17	-8
	09/23/11	6.46	1,091	22.1	1.6	0.15	-64
	03/08/12	6.67	1,100	9.6	NM	0.36	-16
	10/01/12	6.56	1,109	16.8	NM	0.18	355 <sup>a</sup>
	03/06/13	6.73	1,436	9.7	4.3	0.22	24
	09/24/13	6.82	823	17.8	63.8	0.00	-63
MW-5	04/01/10	6.39	287	12.5	16	0.49	27
	04/09/10	NM	340	NM	3.0	NM	NM
	04/16/10	6.38	342	13.4	8.0	0.70	26
	05/06/10	6.52	297	12.7	6.0	2.35	23
	06/09/10	6.44	283	14.1	14	1.61	24
	09/28/10	6.55	262	18.4	NM	1.06	26
	03/03/11	6.76	203	11.6	6	0.55	12
	06/22/11	6.36	200	17.0	15	0.11	-7
	09/22/11	6.19	226	17.3	5	0.38	63
	10/21/11	6.11	267	15.8	9	0.41	34
	12/07/11	6.36	207	14.0	NM	0.15	73
	03/07/12	6.39	216	12.3	NM	0.29	53
	06/26/12	6.35	233	17.1	4	0.19	29
	09/27/12	6.14	266	18.5	0.8	0.25	346 <sup>a</sup>
	12/19/12	6.17	362	13.0	23.0	0.34	-29
	03/06/13	6.25	360	11.2	4.4	0.18	76
06/06/13	6.63	379	17.9	17.0	0.63	23	
09/24/13	6.45	302	14.8	54.6	0.03	20	

**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-6	03/30/10	6.53	533	11.5	NM	0.61	14
	09/30/10	6.55	936	15.9	NM	0.35	30
	03/04/11	6.84	331	10.6	4.0	0.21	11
	09/21/11	6.23	723	17.9	3.9	0.13	-68
	03/06/12	6.53	341	10.5	NM	0.25	-12
	09/28/12	6.21	717	15.3	NM	0.27	315 <sup>a</sup>
	03/07/13	6.49	511	11.1	NM	0.21	76
	09/24/13	6.50	634	14.3	106.0	0.00	-52
MW-7	04/01/10	6.81	255	12.4	NM	1.48	6
	09/28/10	6.71	318	17.4	NM	0.27	17
	03/02/11	6.48	235	11.4	10.0	5.72	3
	06/22/11	6.33	193	19.0	38.1	0.33	109
	09/22/11	6.33	248	16.6	1.9	0.19	158
	10/20/11	6.28	389	16.1	13.0	0.30	88
	12/07/11	6.55	273	13.4	NM	0.57	139
	03/07/12	6.54	200	12.3	NM	1.31	95
	06/26/12	6.47	196	16.1	5.7	0.18	43
	07/12/12	6.54	197	15.8	NM	0.23	-22
	09/27/12	6.26	245	18.2	1.8	0.30	383 <sup>a</sup>
	12/19/12	6.42	641	13.0	7.0	0.46	8
	03/05/13	6.32	374	12.6	16.6	0.17	19
	06/06/13	6.74	328	16.7	9.3	0.24	81
09/24/13	5.97	427	17.7	0.0	0.00	45	
MW-8	04/01/10	6.29	949	11.9	NM	0.79	29
	09/28/10	6.44	1,217	18.1	NM	0.28	32
	03/04/11	6.81	1,317	11.0	2.0	0.50	13
	09/26/11	6.15	1,137	14.4	0.3	0.32	270
	03/06/12	6.55	1,106	11.6	NM	0.50	14
	09/28/12	6.27	1,101	17.1	NM	0.32	305 <sup>a</sup>
	03/08/13	6.45	1,271	12.3	NM	0.23	136
	09/24/13	6.43	854	15.9	57.0	0.69	57
MW-9	03/30/10	6.58	559	11.9	NM	0.72	17
	09/28/10	6.52	651	17.3	NM	0.24	27
	03/04/11	6.89	505	12.0	4	0.24	10
	09/26/11	6.41	544	13.4	85	0.12	-90
	03/06/12	6.37	392	11.3	NM	0.30	32
	09/28/12	6.57	641	15.3	NM	0.16	272 <sup>a</sup>
	03/08/13	6.47	557	11.9	NM	0.16	95
	09/24/13	6.87	365	15.1	128	0.00	-67
MW-10	03/30/10	6.96	201	11.1	NM	1.33	-8
	09/28/10	6.98	185	17.7	NM	0.20	3
	03/04/11	7.24	160	10.7	7.0	0.15	-2
	09/26/11	6.61	152	14.9	37.8	0.32	-58
	03/07/12	6.86	141	11.2	NM	0.24	-7
	09/28/12	6.67	136	18.9	NM	0.21	292 <sup>a</sup>
	03/05/13	6.54	164	11.4	NM	0.16	2
	09/24/13	7.11	106	17.4	72.5	0.00	-72

**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-11	04/01/10	6.40	286	12.0	13	0.46	23
	04/09/10	NM	330	NM	3.0	NM	NM
	04/16/10	6.41	326	13.6	21	0.12	26
	05/06/10	6.55	285	13.0	13	0.30	24
	06/09/10	6.43	278	14.3	13	0.65	25
MW-12	04/01/10	6.56	347	13.0	NM	0.87	27
	09/28/10	6.52	322	18.6	NM	0.35	26
	03/03/11	6.75	244	11.1	28	0.22	12
	06/22/11	6.87	348	16.1	41	0.04	-188
	09/22/11	6.51	359	16.4	12	0.05	-122
	10/21/11	6.41	411	15.0	35	0.38	11
	12/07/11	6.58	293	12.2	NM	0.20	-87
	03/07/12	6.38	316	12.9	NM	0.30	59
	06/27/12	6.44	533	15.5	18	0.22	32
	07/12/12	6.44	312	15.5	NM	0.14	16
	10/02/12	6.41	324	16.3	7.9	3.60 <sup>a</sup>	275 <sup>a</sup>
	12/19/12	6.29	444	13.1	11.0	0.37	15
	03/06/13	6.37	436	12.2	18.1	0.15	47
	06/06/13	6.61	431	20.4	33.4	0.25	-40
	09/24/13	6.79	417	14.9	54.4	0.00	-117
MW-13	03/29/10	6.53	639	12.4	15	0.58	18
	04/07/10	NM	720	NM	2.0	NM	NM
	04/16/10	6.67	682	14.2	9.0	0.49	24
	05/06/10	6.56	722	13.9	6.0	0.31	25
	06/09/10	6.52	753	15.7	4.0	0.20	22
	09/30/10	6.58	695	17.2	NM	0.14	17
	03/03/11	6.76	552	12.9	1.0	0.20	9
	06/23/11	6.09	365	14.4	9.2	0.16	-61
	09/22/11	6.26	680	19.7	13.3	0.02	-86
	10/20/11	6.27	882	16.3	17.0	0.35	-28
	12/07/11	6.45	566	12.7	NM	0.21	-89
	03/07/12	6.49	564	12.2	NM	0.27	-13
	06/27/12	6.44	533	15.5	18.4	0.22	32
	07/12/12	6.47	571	18.5	NM	0.16	-7
	10/02/12	6.39	541	16.9	6.4	0.20	221 <sup>a</sup>
	12/19/12	6.33	694	13.1	26.0	0.31	-91
03/07/13	6.43	688	12.9	4.4	0.16	11	
06/06/13	6.70	713	19.9	26.7	0.18	-95	
09/24/13	7.02	489	15.7	82.5	6.22	-92	
MW-14	03/30/10	6.58	360	13.2	NM	0.73	15
	09/30/10	6.72	555	17.4	NM	0.34	18
	03/04/11	6.96	316	12.0	6.00	0.15	9
	09/21/11	6.39	392	16.7	7.60	0.04	-72
	03/06/12	6.58	337	12.0	NM	0.27	0
	09/28/12	6.42	366	16.3	NM	0.28	294 <sup>a</sup>
	03/07/13	6.50	451	12.4	NM	0.18	49
	09/24/13	6.57	313	14.0	65.50	0.00	-23

**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-15	03/30/10	6.61	409	13.3	NM	0.77	14
	09/30/10	6.57	506	17.0	NM	0.38	19
	03/08/11	6.91	449	13.7	4.0	0.17	8
	03/06/12	6.57	403	11.3	NM	0.30	-32
	10/01/12	6.43	414	14.7	NM	0.31	370 <sup>a</sup>
	03/07/13	6.50	530	12.9	NM	0.17	30
	09/24/13	6.61	357	14.4	131.0	0.00	-48
MW-16	04/02/10	6.45	691	11.5	NM	0.59	24
	10/10/10	6.62	801	14.2	NM	0.39	21
	03/08/11	6.76	639	12.3	6.0	0.19	7
	09/26/11	6.29	681	13.5	0.6	0.20	-71
	03/08/12	6.42	666	11.8	NM	0.26	7
	10/01/12	6.28	678	13.7	NM	0.29	358 <sup>a</sup>
	03/08/13	6.54	607	11.2	NM	0.21	110
	09/24/13	6.59	428	12.9	62.1	0.00	-23
09/24/13	6.07	792	12.4	90.1	0.00	-55	
MW-17	03/30/10	6.37	667	10.1	NM	1.28	12
	10/01/10	6.68	1,111	14.2	NM	0.31	23
	03/07/11	6.88	564	11.6	5.0	0.15	8
	06/23/11	6.27	415	14.6	7.1	0.08	-40
	09/23/11	6.37	927	16.2	1.4	0.10	-60
	03/08/12	6.57	911	11.9	NM	0.23	-28
	06/27/12	6.57	936	15.3	14.8	0.12	-24
	07/12/12	6.53	1,033	15.9	NM	0.23	-26
	10/01/12	6.36	918	13.6	77.2	0.23	346 <sup>a</sup>
	12/19/12	6.35	1,349	10.9	16.0	0.39	-100
	03/07/12	6.47	1,128	11.4	4.4	0.18	21
	06/06/13	6.88	1,269	15.0	21.6	0.28	-89
09/24/13	6.07	792	12.4	90.1	0.00	-55	
MW-18	03/30/10	6.62	494	12.0	NM	1.57	13
	09/28/10	6.68	616	16.6	NM	0.24	21
	03/04/11	6.95	464	12.3	3.0	0.18	7
	06/23/11	6.32	312	15.3	9.6	0.14	-7
	09/23/11	6.37	532	16.9	3.8	0.07	-70
	03/07/12	6.54	484	13.0	6.0	0.18	15
	06/27/12	6.55	554	17.4	4.9	0.20	-18
	07/12/12	6.54	567	14.8	NM	0.19	-41
	10/01/12	6.48	321	17.7	2.8	2.42 <sup>a</sup>	353 <sup>a</sup>
	12/19/12	6.44	697	12.3	9.0	0.42	-92
	03/05/13	6.40	657	12.7	6.7	0.17	9
	06/06/13	6.87	741	16.6	16.1	0.26	-84
	09/24/13	6.67	439	15.0	58.9	0.08	-60

**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-19	03/30/10	6.33	528	11.9	NM	0.98	14
	09/28/10	6.53	722	16.4	NM	0.36	29
	03/03/11	6.92	413	13.5	4.0	0.15	10
	09/21/11	6.38	530	16.6	0.0	0.14	-103
	12/07/11	6.53	556	13.3	NM	0.26	-77
	03/08/12	5.65	596	15.0	NM	0.19	-29
	06/27/12	6.57	430	16.6	0.8	0.16	-22
	07/12/12	6.51	466	15.4	NM	0.23	21
	09/28/12	6.35	406	17.6	NM	0.28	322 <sup>a</sup>
	12/19/12	6.42	560	13.7	14.0	0.40	-93
	03/05/13	6.39	727	13.3	1.6	0.14	-31
	09/24/13	6.72	486	14.0	64.0	0.00	-98
MW-20	03/29/10	6.33	922	13.2	NM	0.48	17
	10/01/10	6.69	1,013	15.8	NM	0.40	21
	03/02/11	6.35	1,147	12.6	8.0	0.13	9
	09/26/11	6.36	930	16.6	33.0	0.29	-80
	03/08/12	6.53	946	14.0	NM	0.25	-5
	10/01/12	6.37	903	16.8	NM	0.14	321 <sup>a</sup>
	03/08/13	6.45	180	11.4	NM	0.19	97
	06/06/13	6.67	7	17.0	30.8	0.21	-75
	09/24/13	6.64	761	15.6	96.6	0.00	-68
MW-21	03/26/10	6.31	664	13.2	10	0.68	19
	04/16/10	6.54	702	13.6	19	0.90	22
	05/06/10	6.50	716	13.9	30	0.20	29
	06/09/10	6.21	741	15.0	131	0.16	38
	09/30/10	5.90	965	16.9	NM	0.34	56
	03/02/11	6.13	779	11.4	2	0.31	24
	06/23/11	5.74	407	13.9	7	0.12	-46
	09/22/11	5.75	951	17.5	2	0.07	-21
	09/27/11	5.70	907	15.1	5	0.35	20
	10/20/11	6.67	1,205	15.0	11	0.31	-17
	12/07/11	5.88	845	12.6	NM	0.21	-49
	03/08/12	6.00	880	13.1	NM	0.19	20
	06/26/12	5.99	846	14.4	75	0.22	7
	07/12/12	6.03	887	15.6	NM	0.15	42
	10/02/12	5.94	876	14.5	>1000	1.41 <sup>a</sup>	238 <sup>a</sup>
	12/20/12	5.95	1,128	11.4	96	0.29	-50
	03/06/13	6.16	1,125	11.0	68	0.22	27
	06/06/13	6.61	1,120	18.8	53	0.25	-89
09/24/13	6.28	714	14.6	102	0.00	-56	

**Table 2**  
**Groundwater Field Parameters**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

Sample Location	Date Collected	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-22	03/29/10	6.20	665	12.0	NM	0.85	22
	09/30/10	6.57	821	17.6	NM	0.56	13
	03/04/11	6.77	543	12.2	45.0	0.15	12
	06/23/11	6.20	366	13.2	2.1	0.13	-30
	09/23/11	6.27	684	16.3	206.7	0.00	-85
	10/21/11	6.26	827	14.1	4.0	0.34	31
	12/07/11	6.27	583	12.5	NM	0.24	-50
	03/08/12	6.49	502	10.7	20.5	0.23	-17
	06/26/12	6.44	549	14.4	8.8	0.16	-33
	07/12/12	6.35	570	16.4	NM	0.20	15
	10/02/12	6.32	617	15.1	2.8	0.20	251 <sup>a</sup>
	12/19/12	6.26	800	12.0	17.0	0.31	-96
	03/06/13	6.40	823	10.9	5.7	0.22	165
	06/06/13	6.79	881	15.9	11.6	0.32	-91
	09/25/13	6.53	564	13.7	89.1	0.00	-75
MW-23	04/01/10	6.57	428	13.0	NM	0.66	16
	09/28/10	6.67	495	19.0	NM	0.19	19
	03/02/11	6.25	399	11.8	5.0	0.25	16
	06/22/11	6.27	320	15.3	26.1	0.19	70
	09/23/11	6.35	431	17.8	7.8	0.14	82
	10/20/11	6.51	512	16.7	3.0	0.36	70
	12/07/11	6.57	356	13.7	NM	0.18	102
	03/07/12	6.59	386	13.1	5.2	0.18	58
	06/26/12	6.54	460	16.9	7.3	0.20	46
	07/12/12	6.54	465	15.8	NM	0.17	-18
	09/27/12	6.52	409	17.1	5.2	0.26	340 <sup>a</sup>
	12/19/12	6.51	430	13.5	64.0	0.34	65
	03/05/13	6.50	528	12.6	7.1	0.16	-15
	06/06/13	6.91	690	16.8	9.2	0.26	43
	09/24/13	6.72	364	17.0	52.4	2.17	67

NOTE: NM = not measured

<sup>a</sup> Likely meter malfunction

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	<b>Final Cleanup Levels</b>	<b>0.5</b>	<b>15</b>	<b>7.0</b>	<b>5.0</b>	<b>800</b>	<b>70</b>	<b>7.2</b>	<b>200</b>	<b>0.5</b>	<b>0.8</b>	<b>4.0</b>	<b>0.64</b>	<b>1,000</b>	<b>0.86</b>	<b>700</b>	<b>1,600</b>	<b>400</b>	
MW-1	03/29/10	4.4	9.6 J	0.5 U	0.5 U	0.5 U	15	20 U	63	0.5 U	0.5 U	7.8 J	0.5 U	27	0.5 U	48	170	0.5 U	
	09/30/10	9.51	46.5	0.5 U	1.41 J	339	28.3	1.0 U	173	0.5 U	0.5 U	3.16	0.5 U	144	0.5 U	70.2	301	18.1	
	03/03/11	3.10	18.9	4.52	0.5 U	168	23.6	1.00	211	0.5 U	0.5 U	5.82	0.5 U	140	2.18	43.8	416	20.5	
	09/23/11	5.74	174	1.96	1.20	138	13.5	1.0 U	38.5	0.5 U	0.700	3.44	0.5 U	1,620	0.830	124	949	16.0	
	03/08/12	10.1	54.7	2.41	0.860	132	20.4	1.00 U	80.7	0.500 U	0.500 U	2.29	0.500 U	248	1.35	47.0	668	15.8	
	10/1/12 (DUP)	6.10	82.0	0.720	0.760	88.0	15.0	1.00 U	13.4	0.500 U	0.500 U	2.94	0.500 U	198	0.630 J	19.1	461	23.8	
	10/01/12	5.78	89.5	0.790	0.900	83.0	14.3	1.00 U	13.1	0.500 U	0.500 U	2.80	0.500 U	194	0.640 J	19.2	443	24.7	
	03/06/13	22.3 J	79.8	2.26	2.08	252	25.2	1.00 U	49.4	0.5 U	0.540	1.86	0.5 U	186	1.13	46.6	556	22.5	
09/25/13	18.7	145	0.900	1.58	132	21.5	1.00 U	16.2	0.500 U	0.750	3.34	0.500 U	362	0.780	42.1	629	28.3		
MW-2	03/29/10	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	3/29/10 (LAB DUP)	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/30/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.61	1.07	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.690	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5	0.920	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/06/12	0.290	0.500 U	0.500 U	0.500 U	0.520	0.640	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.2 U	0.500 U	0.500 U	0.500 U	0.500 U	0.50 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
03/07/13	0.2 U	0.500 U	0.500 U	0.500 U	0.500 U	0.50 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
09/26/13	0.200 U	0.500 U	0.500 U	0.500 U	0.590	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
MW-3	03/30/10	0.3	0.5 U	0.5 U	0.5 U	16	1.9	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	8.47	1.49	1.0 U	0.5 U	0.5 U	0.33 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	9.50	1.39	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	7.07	1.41	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	5.06	1.14	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	10/01/12	0.200 U	0.500 U	0.500 U	0.500 U	7.24	1.45	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	
03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	4.75	1.03	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U		
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	3.76	0.900	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
MW-4	03/29/10	0.2	130	0.5 U	0.5 U	5.9	0.5 U	1.0 U	0.5 U	0.5 U	10	0.5 U	0.5 U	0.5 U	0.5 U	0.7	0.5	140	
	10/01/10	0.19 J	78.1	0.5 U	0.63 J	5.74	0.5 U	1.0 U	0.5 U	0.5 U	6.78	0.5 U	0.5 U	0.53	0.5 U	2.17	3.80	43.4	
	03/04/11	69.5	0.5 U	0.5 U	0.5 U	7.81	0.5 U	1.0 U	0.5 U	0.5 U	5.42	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.500	31.4	
	09/23/11	1.46	50.4	0.5 U	0.5 U	4.00	1.30	1.0 U	0.5 U	0.5 U	5.24	0.5 U	0.5 U	2.07	0.5 U	3.33	9.66	34.1	
	03/08/12	2.99	36.4	0.500 U	0.500 U	2.97	0.730	1.00 U	0.500 U	0.500 U	7.02	0.500 U	0.500 U	3.06	0.500 U	9.31	15.4	33.5	
	10/01/12	2.19	31.3	0.500 U	0.500 U	2.71	0.500 U	1.00 U	0.500 U	0.500 U	4.72	0.500 U	0.500 U	2.23	0.500 UJ	4.29	8.54	21.5	
	03/06/13	<0.2 U	0.5 U	0.5 U	1.15	4.42	0.5 U	1.0 U	0.5 U	0.5 U	6.43	0.5 U	0.5 U	0.670	0.5 U	4.33	1.39	7.49	
09/26/13	0.200 U	24.4 J	0.500 U	0.500 U	3.58	0.500 U	1.00 U	0.500 U	0.500 U	7.77	0.500 U	0.500 U	1.78	0.500 U	2.34	8.00	2.89		
MW-5	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1.0 U	0.5 U	0.5 U	0.5 U	42	0.5 U	0.5 U	340	0.5 U	0.5 U	0.5 U	
	4/1/10 (DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1.0 U	0.5 U	0.5 U	0.5 U	44	0.5 U	0.5 U	270	0.5 U	0.5 U	0.5 U	
	04/09/10	4.0 U	10 U	10 U	10 U	10 U	10 U	20 U	10 U	10 U	10 U	35	10 U	10 U	1,100	10 U	10 U	10 U	
	04/16/10	4.0 U	10 U	10 U	10 U	10 U	5.0 J	20 U	10 U	10 U	10 U	42	10 U	10 U	780	10 U	10 U	10 U	
	05/06/10	2.0 U	10 U	5.0 U	10 U	10 U	3.2 J	20 U	10 U	10 U	10 U	36	10 U	10 U	640	10 U	10 U	10 U	
	06/09/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	1.0 U	0.5 U	0.5 U	0.5 U	33	0.5 U	0.5 U	670	0.5 U	0.5 U	0.5 U	
	07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	640	0.5 U	0.5 U	0.5 U	
	07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	640	0.5 U	0.5 U	0.5 U	
	09/28/10	2.0 UJ	10 U	5.0 U	10 U	10 U	5.0 U	20 U	10 U	10 U	10 U	22.6	10 U	10 U	514	10 U	10 U	10 U	
	9/28/10 (DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	2.43	1.0 U	0.5 U	0.5 U	0.5 U	21.7	0.5 U	0.5 U	514	0.5 U	0.5 U	0.5 U	
	03/03/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	2.12	1.0 U	0.5 U	0.5 U	0.5 U	30.2	0.5 U	0.5 U	607	0.5 U	0.550	0.5 U	
	06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	1.31	1.0 U	0.5 U	0.5 U	0.5 U	16.3	0.5 U	0.5 U	386	0.5 U	0.5 U	0.5 U	
	09/22/11	0.590	0.5 U	0.5 U	0.5 U	0.5 U	7.28	1.0 U	0.5 U	0.5 U	0.5 U	30.2	0.5 U	0.5 U	682 J	0.5 U	0.5 U	0.5 U	
	12/07/11	0.470	0.5 U	0.5 U	0.5 U	0.5 U	4.11	1.0 U	0.5 U	0.5 U	0.5 U	30.7	0.5 U	0.5 U	831	0.5 U	0.5 U	0.5 U	
03/07/12	0.810	0.500 U	0.500 U	0.500 U	0.500 U	51.6	1.00 U	0.500 U	0.500 U	0.500 U	27.0	0.500 U	0.500 U	326	0.500 U	0.500 U	0.500 U		
06/26/12	1.40	0.500 U	0.500 U	0.500 U	0.500 U	50.0	1.00 U	0.500 U	0.500 U	0.500 U	37.9	0.500 U	0.500 U	316	0.500 U	0.500 U	0.500 U		
09/27/12	1.55	0.500 U	0.500 U	0.500 U	0.500 U	96.0	1.00 U	0.500 U	0.500 U	0.500 U	62.0	0.500 U	0.500 U	479	0.500 U	0.500 U	0.500 U		

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl	Chloro-		Methylene			Chloro-					1,2-Dichloro-			Ethyl-	Total	1,2,4-
		Chloride	ethane	1,1-DCE	Chloride	1,1-DCA	cDCE	form	TCA	1,2-DCA	Benzene	TCE	propane	Toluene	PCE	benzene	Xylenes	TMB
Final Cleanup Levels		0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-5	12/19/12	3.35	0.500 U	0.500 U	0.500 U	0.500 U	530	1.00 U	0.500 U	0.500 U	0.500 U	5.22	0.500 U	0.500 U	18.4	0.500 U	0.500 U	0.500 U
	03/06/13	4.57 J	0.5 U	0.5 U	0.5 U	0.5 U	286	1.0 U	0.5 U	0.5 U	0.5 U	55.4	0.5 U	0.500 U	106	0.5 U	0.5 U	0.5 U
	3/6/13 (DUP)	3.30 J	0.5 U	0.5 U	0.5 U	0.5 U	293	1.0 U	0.5 U	0.5 U	0.5 U	54.9	0.5 U	0.950	105	0.5 U	0.5 U	0.5 U
	06/06/13	3.69	0.500 U	0.500 U	0.500 U	0.500 U	291	1.00 U	0.500 U	0.500 U	0.500 U	105	0.500 U	0.500 U	205	0.500 U	0.500 U	0.500 U
	09/26/13	2.67	0.500 U	0.500 U	0.500 U	0.500 U	209	1.00 U	0.500 U	0.500 U	0.500 U	273	0.500 U	0.500 U	297	0.500 U	0.500 U	0.500 U
	9/26/13 (DUP)	2.12	0.500 U	0.500 U	0.500 U	0.500 U	203	1.00 U	0.500 U	0.500 U	0.500 U	251	0.500 U	0.500 U	330	0.500 U	1.27	0.500 U
MW-6	03/30/10	0.2 U	0.2 J	0.5 U	0.5 U	0.6	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/30/10	0.2 UJ	0.87	0.5 U	0.5 U	1.51	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/04/11	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/21/11	0.2 UJ	0.5 U	0.5 U	0.5 U	1.15	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	1.74	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
MW-7	03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	1.59	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.38	0.5 U	0.5 U	0.5 U
	03/02/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	1.98	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.920	4.18	0.5 U	1.16	0.5 U
	06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.88	0.5 U	0.5 U	0.5 U
MW-8	09/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.07	0.5 U	0.5 U	0.5 U
	12/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.86	0.5 U	0.5 U	0.5 U
	03/07/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.94	0.500 U	0.500 U	0.500 U
	06/26/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	5.38	0.500 U	0.500 U	0.500 U
	09/27/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	3.02	0.500 U	0.500 U	0.500 U
	12/19/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.52	0.500 U	0.500 U	0.500 U
MW-9	03/05/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.920	0.500 U	0.500 U	1.63	0.500 U	0.500 U	0.500 U
	06/06/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	4.79	0.500 U	0.500 U	0.500 U
	09/24/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.89	0.500 U	0.500 U	0.500 U
	04/01/10	0.3	0.5 U	0.8	0.5 U	0.5 U	1.4	1.0 U	0.5 U	0.5 U	0.5 U	5.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/28/10	0.2 UJ	0.5 U	1.11	0.5 U	0.5 U	2.02	1.0 U	0.5 U	0.5 U	0.5 U	5.09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/04/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.900	1.0 U	0.5 U	0.5 U	0.5 U	3.93	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-10	09/26/11	0.700	0.5 U	1.25	0.5 U	0.5 U	1.98	1.0 U	0.5 U	0.5 U	3.91	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.890	1.00 U	0.500 U	0.500 U	0.500 U	2.96	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.200 U	0.500 U	1.76	0.500 U	0.500 U	2.42 J	1.00 U	0.500 U	0.500 U	0.500 U	5.76	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	03/08/13	0.200 U	0.500 U	0.850	0.500 U	0.500 U	1.54	1.00 U	0.500 U	0.500 U	0.500 U	2.39 J	0.500 U	0.500 U	0.730	0.500 U	0.500 U	
	09/27/13	0.730	0.500 U	2.45	0.500 U	0.500 U	3.45	1.00 U	0.500 U	0.500 U	0.500 U	9.63	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	03/30/10	3.9	0.5 U	0.5 U	0.5 U	0.5 U	15	1.0 U	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-11	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.51	0.5 U	1.0 U	0.5 U	0.5 U	1.70	0.5 U	0.5 U	0.38 J	0.5 U	0.5 U	0.5 U	
	9/28/10 (LAB DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.54	0.5 U	1.0 U	0.5 U	0.5 U	1.87	0.5 U	0.5 U	0.40 J	0.5 U	0.5 U	0.5 U	
	03/04/11	1.88	0.5 U	0.5 U	0.5 U	0.5 U	4.18	1.0 U	0.5 U	0.5 U	0.600	1.42	0.5 U	0.630	0.5 U	0.5 U	1.01	
	09/26/11	0.20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	1.23	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/06/12	0.690	0.500 U	0.500 U	0.500 U	0.500 U	3.95	1.00 U	0.500 U	0.500 U	0.500 U	3.22	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.5 U	1.00 U	0.500 U	0.500 U	0.500 U	0.5 U	0.500 U	0.500 U	0.500 U	0.500 U		



Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl	Chloro-		Methylene			Chloro-					1,2-Dichloro-			Ethyl-	Total	1,2,4-
		Chloride	ethane	1,1-DCE	Chloride	1,1-DCA	cDCE	form	TCA	1,2-DCA	Benzene	TCE	propane	Toluene	PCE	benzene	Xylenes	TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-11	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	16	1.0 U	0.5 U	0.5 U	0.5 U	44	0.5 U	0.5 U	290	0.5 U	0.5 U	0.5 U
	04/09/10	4.0 U	10 U	10 U	10 U	10 U	10 U	20 U	10 U	10 U	10 U	35	10 U	10 U	850	10 U	10 U	10 U
	04/16/10	4.0	10 U	10 U	10 U	10 U	22	20 U	10 U	10 U	10 U	66	10 U	10 U	500	10 U	10 U	10 U
	05/06/10	1.0 J	10 U	5.0 U	10 U	10 U	24	20 U	10 U	10 U	10 U	43	10 U	10 U	530	10 U	10 U	10 U
	06/09/10	0.28	0.5 U	0.5 U	0.5 U	0.5 U	11	1.0 U	0.5 U	0.5 U	0.5 U	33	0.5 U	0.5 U	680	0.5 U	0.5 U	0.5 U
	6/9/10 (LAB DUP)	0.21	0.5 U	0.5 U	0.5 U	0.5 U	9.3	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	580	0.5 U	0.5 U	0.5 U
	07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	19	1.0 U	0.5 U	0.5 U	0.5 U	34	0.5 U	0.5 U	470	0.5 U	0.5 U	0.5 U
MW-12	04/01/10	9.4	0.5 U	1.0	0.5 U	0.5 U	260	1.0 U	0.5 U	0.5 U	0.5 U	170	0.5 U	0.5 U	400	0.5 U	0.5 U	0.5 U
	09/28/10	17.2	0.5 U	0.5 U	0.5 U	0.5 U	334	1.0 U	0.5 U	0.5 U	0.5 U	232	0.5 U	0.5 U	377	0.5 U	0.5 U	0.5 U
	03/03/11	8.93	0.5 U	0.730	0.5 U	0.5 U	239	1.0 U	0.5 U	0.5 U	0.5 U	257	0.5 U	0.5 U	856	0.5 U	0.5 U	0.5 U
	06/22/11	11.7	0.5 U	0.5 U	0.5 U	0.5 U	314	1.0 U	0.5 U	0.5 U	0.5 U	215	0.5 U	0.5 U	429	0.5 U	0.5 U	0.5 U
	09/22/11	94.6	0.5 U	2.33	0.5 U	0.5 U	747	1.0 U	0.5 U	0.5 U	0.5 U	461	0.5 U	0.5 U	128 J	0.5 U	0.5 U	0.5 U
	9/22/11 (DUP)	93.3	0.5 U	2.11	0.5 U	0.5 U	680	1.0 U	0.5 U	0.5 U	0.5 U	529	0.5 U	0.5 U	200 J	0.5 U	0.5 U	0.5 U
	12/07/11	47.5	0.5 U	1.35	0.5 U	0.5 U	478	1.0 U	0.5 U	0.5 U	0.5 U	409	0.5 U	0.5 U	461	0.5 U	0.5 U	0.5 U
	03/07/12	26.3	0.500 U	1.32	0.500 U	0.500 U	579	1.00 U	0.500 U	0.500 U	0.500 U	155	0.500 U	0.500 U	337	0.500 U	0.500 U	0.500 U
	3/7/12 (DUP)	26.2	0.630	1.37	0.500 U	0.500 U	589	1.00 U	0.500 U	0.500 U	0.500 U	164	0.500 U	0.500 U	332	0.500 U	0.500 U	0.500 U
	06/26/12	35.2	1.47	1.31	0.500 U	0.500 U	636	1.00 U	0.500 U	0.500 U	0.500 U	218	0.500 U	0.500 U	407	0.500 U	0.500 U	0.500 U
	10/02/12	100	0.500 U	2.71	0.500 U	0.500 U	961	1.00 U	0.500 U	0.500 U	0.500 U	217	0.500 U	0.500 U	47.6	0.500 U	0.500 U	0.500 U
	12/19/12	41.1	1.35	2.36	0.500 U	0.500 U	676	1.00 U	0.500 U	0.500 U	0.500 U	225	0.500 U	0.500 U	151	0.500 U	0.500 U	0.500 U
	03/06/13	36.1	0.500 U	2.01	0.500 U	0.500 U	901	1.00 U	0.500 U	0.500 U	0.500 U	131	0.500 U	0.500 U	64.2	0.500 U	0.500 U	0.500 U
	06/06/13	34.7	0.500 U	1.34	0.500 U	0.500 U	576	1.00 U	0.500 U	0.500 U	0.500 U	312	0.500 U	0.500 U	293	0.500 U	0.500 U	0.500 U
09/25/13	43.8	0.500 U	0.500 U	0.500 U	0.500 U	78.4	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-13	03/29/10	900	280	10 U	10 U	180	500	20 U	10 U	10 U	10 U	10 U	10 U	2,200	10 U	710	1,700	86
	3/29/10 (LAB DUP)	890	310	10 U	10 U	200	580	20 U	10 U	10 U	10 U	10 U	10 U	2,400	10 U	810	1,900	110
	04/07/10	2,700	480	10 U	10 U	480	1,800	20 U	10 U	10 U	10 U	10 U	10 U	4,600	10 U	2,100	4,200	540
	04/16/10	4,000	840	20	10 U	1,100	3,300	20 U	10 U	10 U	10 U	10 U	10 U	5,400	10 U	2,800	5,800	640
	05/06/10	3,100	640	11	10 U	820	1,900	20 U	10 U	10 U	10 U	5.0 U	10 U	6,200	5.0 U	2,000	4,900	340
	06/09/10	4,700	1,200	11	10 U	720	1,500	20 U	10 U	10 U	10 U	5.0 U	10 U	5,600	20	1,800	3,900	280
	07/06/10	6,500	1,400	9.5	10 U	510	1,300	20 U	10 U	10 U	10 U	5.0 U	10 U	8,300	5.0 U	1,700	3,500	280
	09/30/10	221	820	10 U	10.8	71.0	56.8	20 U	10 U	10 U	10 U	5.0 U	10 U	4,180	5.0 U	1,010	2,560	130
	03/03/11	533	435	1.27	0.5 U	97.4	245	1.0 U	0.5 U	0.5 U	0.720	0.5 U	0.5 U	2,870	1.14	521	3,320	143
	06/23/11	99.3	216	0.5 U	0.84	25.6	18.0	1.0 U	0.5 U	0.5 U	0.500	0.5 U	0.610 J	1,170	0.5 U	619	2,405	105
	09/22/11	302	0.5 U	0.5 U	2.39	47.5	64.7	1.0 U	0.5 U	0.5 U	0.680	0.5 U	0.5 U	4,100	0.5 U	1,110	4,480	143
	12/07/11	285	518	0.5 U	1.72	30.2	44.2	1.0 U	0.5 U	0.5 U	0.630	0.5 U	0.5 U	3,690	0.680	1,270	5,170	218
	12/7/11 (DUP)	270	521	0.5 U	1.83	30.4	42.0	1.0 U	0.5 U	0.5 U	0.630	0.5 U	0.5 U	3,360	0.700	1,090	4,820	212
	03/07/12	93.0	313	0.500 U	0.870	14.2	14.7	1.00 U	0.500 U	0.500 U	0.600	0.500 U	0.500 U	1,230	0.500 U	921	3,862	192
	06/27/12	103	318	0.500 U	0.800	22.7	19.1	1.00 U	0.500 U	0.500 U	0.590	0.500 U	0.500 U	574	0.500 U	606	2,437	102
	10/02/12	2.11	256	0.500 U	0.500 U	3.0	1.91	1.00 U	0.500 U	0.500 U	0.730	0.500 U	0.500 U	26.4	0.500 U	438	1,748	100
	12/19/12	1.08	233	0.500 U	0.500 U	2.4	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	94.0	0.500 U	464	1,827	120
	03/07/13	0.960 J	278	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.860	0.500 U	0.770	19.2	0.500 U	648 J	2,628 J	113 J
06/06/13	1.81	291	0.500 U	0.560	1.12	0.930	1.00 U	0.500 U	0.500 U	0.680	0.500 U	0.500 U	64.0	0.500 U	388	1,409	97.0	
09/25/13	0.200 U	250	0.500 U	0.690	2.50	0.500 U	1.00 U	0.500 U	0.500 U	0.530	0.500 U	0.840	289	0.500 U	611	2,250	205	
MW-14	03/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/30/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	9/30/10 (LAB DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/04/11	0.2 UJ	0.640	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB		
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400		
MW-15	03/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	3/30/10 (DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/30/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	3/7/11 (LAB DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.240	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	10/01/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	0.500 U	
03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-16	04/02/10	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	10/01/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	10/1/10 (DUP)	0.66 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/26/11	0.650	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/08/12	0.520	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	10/01/12	0.510	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	0.500 U	
	03/08/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	0.500 U	
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
MW-17	03/30/10	0.2	110	0.5 U	0.5 U	1.7	0.5 U	1.0 U	0.5 U	1.3	9.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	75	7.7	
	10/01/10	0.2 UJ	54.6	0.5 U	0.5 U	1.79	0.5 U	1.0 U	0.5 U	0.5 U	5.84	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	68.7	8.82	
	03/07/11	0.2 U	61.7	0.5 U	0.5 U	2.00	0.5 U	1.0 U	0.5 U	1.67	8.85	0.5 U	0.5 U	0.950	0.5 U	0.5 U	2.10	60.2	10.5	
	06/23/11	0.420	240	0.5 U	1.13	1.63	0.5 U	1.0 U	0.5 U	2.56	18.5	0.5 U	0.5 UJ	1.20	0.5 U	0.5 U	4.50	34.2	1.0 U	
	09/23/11	0.460	0.5 U	0.5 U	1.84	1.91	0.5 U	1.0 U	0.5 U	3.19	22.2	0.5 U	0.5 U	1.63	0.5 U	0.5 U	9.81	80.7	12.9	
	03/08/12	0.200 U	421	0.500 U	2.69	1.67	0.500 U	1.00 U	0.500 U	3.23	22.9	0.500 U	0.500 U	0.810	0.500 U	0.500 U	0.690	22.8	12.8	
	06/27/12	0.200 U	319	0.500 U	1.39	1.95	0.500 U	1.00 U	0.500 U	3.02	20.0	0.500 U	0.500 U	0.730	0.500 U	0.500 U	0.540	12.0	11.1	
	10/01/12	0.200 U	574	0.500 U	2.26	2.11	0.500 U	1.00 U	0.500 U	0.500 U	27.9	0.500 U	0.500 U	0.910	0.500 UJ	0.500 U	1.02	19.3	17.8	
	12/19/12	0.200 U	331	0.500 U	1.86	1.86	0.500 U	1.00 U	0.500 U	0.500 U	19.6	0.500 U	0.500 U	0.940	0.500 U	0.500 U	0.710	17.2	14.9	
	03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.710	17.2	0.5 U	
06/06/13	0.200 U	552	0.500 U	2.55	1.69	0.500 U	1.00 U	0.500 U	0.500 U	24.5	0.500 U	0.500 U	0.770	0.500 U	0.500 U	0.500 U	17.97	13.2		
09/26/13	0.200 U	484	0.500 U	3.26	1.76	0.500 U	1.00 U	0.500 U	3.91	28.8	0.500 U	0.500 U	0.790	0.500 U	0.500 U	0.500 U	17.28	21.5		
MW-18	03/30/10	0.09 J	4.5	0.5 U	0.5 U	1.1	0.2 J	1.0 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	0.5 U	
	09/28/10	5.33	1.39	0.5 U	0.5 U	0.34 J	4.40	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.62	0.5 U	
	03/04/11	0.2 U	2.77	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.29	0.5 U	
	3/4/11 (LAB DUP)	0.2 U	3.21	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.42	0.5 U	
	06/23/11	0.590	0.99	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	1.37	0.5 U	
	09/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/12	115	1.95	0.500 U	0.500 U	0.56	213	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.770	0.500 U	
	06/27/12	5.34	1.81	0.500 U	0.500 U	0.500 U	4.48	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.550	1.090	0.500 U	
	10/01/12	22.7	0.500 U	0.500 U	0.500 U	0.500 U	14.8	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	1.13	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	
	12/19/12	1.08	1.58	0.500 U	0.500 U	0.500 U	0.91	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.810	0.500 U	
12/19/12 (DUP)	0.95	1.70	0.500 U	0.500 U	0.500 U	1.25	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.840	0.500 U		
03/05/13	0.590 J	0.570	0.500 U	0.500 U	0.500 U	0.690	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.930	0.790	0.500 U	
06/06/13	1.20	1.42	0.500 U	0.500 U	0.500 U	0.900	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.520	0.500 U		
09/26/13	0.200 U	2.85	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500	0.500 U		

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-19	03/30/10	5.0	2.4	0.5 U	0.5 U	0.8	1.1	1.0 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	0.5 U
	3/30/10 (LAB DUP)	4.4	2.4	0.5 U	0.5 U	0.9	1.2	1.0 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	0.5 U
	09/28/10	97.2	10.4	0.5 U	0.5 U	1.06	24.0	1.0 U	0.5 U	0.5 U	0.93	0.5 U	0.5 U	6.43	0.5 U	2.08	8.11	2.00
	03/07/11	64.8	2.33	0.5 U	0.5 U	0.5 U	99.0	1.0 U	0.5 U	0.5 U	0.890	0.5 U	0.5 U	7.30	0.5 U	9.55	31.6	3.37
	09/21/11	633	6.56	3.26	0.5 U	2.71	1,330	1.0 U	0.5 U	0.5 U	1.01	0.5 U	0.5 U	16.8	0.5 U	6.29	13.27	1.96
	12/07/11	1,360	16.0	1.06	0.5 U	4.99	833	1.0 U	0.5 U	0.5 U	1.22	0.5 U	0.5 U	54.2	0.5 U	17.9	53.5	5.02
	03/08/12	572	11.1	0.500 U	0.500 U	4.70	324	1.00 U	0.500 U	0.500 U	1.42	0.500 U	0.500 U	64.3	0.500 U	30.5	85.2	6.48
	06/27/12	118	0.500 U	0.500 U	0.500 U	0.73	116	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.85	0.500 U	1.26	3.11	0.500 U
	09/28/12	81	0.76	0.500 U	0.500 U	1.45	73.0 J	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.14	0.500 U	2.42	4.73	0.500 U
	12/19/12	342	2.97	0.500 U	0.500 U	1.80	128	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	3.02	0.500 U	3.76	4.83	1.11
	03/05/13	1,420	0.500 U	4.33	0.750	10.4	1,890	1.00 U	0.500 U	0.500 U	2.31	0.500 U	0.500 U	54.3	0.500 U	43.0	93.1	8.80
	06/06/13	2,240 J	43.6	3.58	0.500 U	6.35 J	2,560 J	1.00 U	0.500 U	0.500 U	1.95	0.500 U	0.500 U	63.3	0.500 U	45.8	85.3	9.91
	6/6/13 (DUP)	3,620 J	59.0	4.68	0.570	8.65 J	4,300 J	1.00 U	0.500 U	0.500 U	2.46	0.500 U	0.500 U	75.8	0.500 U	52.5	97.2	11.3
	09/25/13	664	20.9	0.500 U	0.500 U	4.88	285	1.00 U	0.500 U	0.500 U	1.41	0.500 U	0.500 U	42.3	0.500 U	36.8	66.8	10.3
MW-20	03/29/10	0.2	140	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	18 J	0.5 U	0.5 U	1.0	0.5 U	0.5 U	7.1	0.5 U
	10/01/10	0.12 J	195	0.5 U	0.73 J	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	15.2	0.5 U	0.5 U	0.94	0.5 U	0.5 U	4.26	1.27
	03/02/11	0.2 U	75.5	0.5 U	0.5 U	0.5 U	1.38	1.0 U	0.5 U	0.5 U	12.8	0.5 U	0.5 U	1.58	0.5 U	0.5 U	17.7	1.05
	09/26/11	0.2 U	161	0.5 U	0.620	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	13.9	0.5 U	0.5 U	0.930	0.5 U	0.5 U	4.33	0.890
	03/08/12	0.200 U	71.6	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	10.9	0.500 U	0.500 U	0.880	0.500 U	0.500 U	4.69	0.600
	10/01/12	0.200 U	161	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	14.8	0.500 U	0.500 U	0.950	0.500 U	0.500 U	5.10	1.26
	03/08/13	0.200 U	4.40	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.890	0.790	0.5 U
	06/06/13	0.200 U	100	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	10.3	0.500 U	0.500 U	0.530	0.500 U	0.500 U	3.28	0.500 U
09/27/13	0.200 U	122	0.500 U	0.670	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	16.0	0.500 U	0.500 U	1.06	0.500 U	0.500 U	5.51	1.10	
MW-21	03/26/10	350	400	10 U	0.5 U	10 U	280	1.0 U	8.8 J	0.5 U	18	0.5 U	0.5 U	2,400	0.5 U	740	1,800	58
	04/16/10	2,100	1,400	19	10 U	810	3,800	20 U	70	10 U	10 U	10 U	10 U	4,700	10 U	1,600	3,800	190
	05/06/10	490	1,200	5.0 U	10 U	220	370	20 U	34	10 U	10 U	5.0 U	10 U	5,400	5.0 U	1,900	4,600	190
	5/6/10 (DUP)	520	1,200	5.0 U	10 U	210	380	20 U	34	10 U	10 U	5.0 U	10 U	5,400	5.0 U	1,800	4,600	180
	06/09/10	150	1,000	5.0 U	10 U	110	67	20 U	16	10 U	10 U	5.0 U	10 U	3,200	5.0 U	540	1,400	49
	07/06/10	210	1,600	5.0 U	10 U	90	42	20 U	13	10 U	10 U	5.0 U	10 U	5,500	5.0 U	640	1,600	98
	7/6/10 (LAB DUP)	170	1,500	5.0 U	10 U	80	34	20 U	11	10 U	10 U	5.0 U	10 U	5,000	5.0 U	670	1,500	76
	09/30/10	243	1,120	5.0 U	11.0	90.6	131	20 U	10 U	10 U	10 U	5.0 U	10 U	4,890	5.0 U	1,120	2,880	142
	03/02/11	1,030	1,130	9.28	4.61	288	3,330	1.0 U	34.7	0.5 U	0.750	2.11	0.5 U	4,630 J	1.92	1,045	4,250	174
	3/2/11 (DUP)	875	921	9.09	4.93	295	2,820	1.0 U	35.5	0.5 U	0.820	1.95	0.5 U	3,830	1.81	899	3,640	175
	3/2/11 (LAB DUP)	912	869	9.12	4.73	286	2,760	1.0 U	34.3	0.5 U	0.780	1.97	0.5 U	3,760	1.85	873	3,560	177
	06/23/11	1,290	921	9.72	3.04	219	2,560	1.0 U	51.2	0.5 U	0.790	1.44	1.15 J	3,630	0.780	983	3,720	171
	6/23/11 (DUP)	1,350	983	9.83	3.06	243	2,630	1.0 U	48.9	0.5 U	0.800	1.38	0.5 U	3,760	0.630	1,050	4,020	200
	09/22/11	1,010	0.5 U	2.72	4.92	112	842	1.0 U	5.26	0.5 U	0.790	0.940	0.5 U	6,060	0.740	926	3,822	134
	12/07/11	1,460	1,190	5.62	3.82	115	1,890	1.0 U	8.73	0.5 U	0.770	1.15	0.5 U	6,720	1.12	1,350	5,520	185
	03/08/12	801	913	2.44	2.91	70.6	979	1.00 U	4.64	0.500 U	0.660	0.710	0.500 U	5,250	1.02	1,050	4,430	128
	06/26/12	1,040 J	962	5.01	2.24	96.0	2,000	1.00 U	7.19	0.500 U	0.810	0.940	0.500 U	5,940	1.86	1,460	5,930	158
	10/02/12	1,610	1,170	4.27	2.76	73.5	1,530	1.00 U	4.37	0.500 U	0.970	1.59	0.500 U	6,710	1.19	1,560	6,540	156
	10/2/12 (DUP)	1,590	1,130	4.26	2.68	76.0	1,500	1.00 U	4.04	0.500 U	0.960	0.810	0.500 U	6,280	1.07	1,540	6,340	154
12/20/12	1,210	825	3.17	1.35	76.0	1,070	1.00 U	0.500 U	0.500 U	0.880	0.500 U	0.500 U	5,600	0.86	1,490	6,200	154	
03/06/13	1,120	615	2.85	2.27	72.5	1,240	1.00 U	1.42	0.500 U	0.530	1.26	0.500 U	4,360	1.55	1,470	6,450	82.0	
06/06/13	663	928	0.500 U	2.27	89.0	988	1.00 U	2.81	0.500 U	0.810	0.500	0.500 U	4,520	1.17	1,290	5,310	121	
09/25/13	666	579	1.80	1.99	82.6	712	1.00 U	3.02	0.500 U	0.770	0.500 U	0.500 U	5,290	0.500 U	2,060	8,710	297	

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloroethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloroform	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloropropane	Toluene	PCE	Ethylbenzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-22	03/29/10	7.4	480	0.5 U	10 U	24	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	840	25 U	650	1,500	44	
	09/30/10	2.0 UJ	611	0.5 U	10.8	10 U	2.6 J	20 U	10 U	10 U	10 U	5.0 U	10 U	24.4	5.0 U	296	751	45.2	
	03/04/11	74.1	531	0.780	0.5 U	26.9	184	1.0 U	0.5 U	0.540	1.20	16.7	0.5 U	596	0.500	531	2,750	161	
	06/23/11	1.13	173	0.660	0.580	3.98	2.27	1.0 U	0.5 U	0.5 U	0.64	0.5 U	0.5 UJ	55.4	0.5 U	148	1,008	45.9	
	09/23/11	9.27	0.5 U	0.5 U	1.19	7.40	2.10	1.0 U	0.5 U	0.5 U	0.920	0.5 U	0.5 U	79.0	0.5 U	422	1,828	74.2	
	12/07/11	32.4	272	0.5 U	0.770	13.1	10.1	1.0 U	0.5 U	0.5 U	0.550	0.5 U	0.5 U	1,390	0.5 U	760	3,081	137	
	03/08/12	6.8	286	0.500 U	0.520	13.1	1.15	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1,630	0.500 U	815	3,388	169
	06/26/12	1,750 J	280	0.560	0.510	38.9	1,300	1.00 U	2.06	0.500 U	0.730	0.500 U	0.500 U	0.500 U	1,910	0.500 U	807	3,336	166
	6/26/12 (DUP)	1,230 J	282	0.500 U	0.500 U	38.3	1,030	1.00 U	1.93	0.500 U	0.720	0.500 U	0.500 U	0.500 U	1,750	0.500 U	743	3,002	178
	10/02/12	1,520	204	0.500 U	0.500 U	30.4	623	1.00 U	0.500 U	0.500 U	0.680	0.500 U	0.500 U	0.500 U	728	0.500 U	552	2,643	136
	12/19/12	208	278	1.63	0.500 U	9.76	244	1.00 U	0.500 U	0.500 U	0.500 U	64.5	0.500 U	260	1.05	732	3,455	172	
	03/06/13	712	0.5 U	6.77	1.06	17.4	1,310	1.00 U	1.26	0.500 U	0.560	185	0.500 U	156	4.41	376 J	2,168 J	51.5 J	
	06/06/13	1,600	88.0	2.60	0.500 U	21.9	1,760	1.00 U	1.86	0.500 U	0.510	0.500 U	0.500 U	550	0.500 U	199	1,004	69.5	
09/25/13	45.6	104	0.500 U	0.500 U	7.88	25.0	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	25.0	0.500 U	256	1,911	168		
MW-23	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.31 J	0.63	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.17	0.5 U	0.5 U	0.5 U	
	03/02/11	0.2 U	0.680	0.5 U	0.5 U	0.5 U	5.73	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.32	1.76	0.730	3.43	0.5 U	
	06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.16	0.5 U	0.5 U	0.5 U	
	09/23/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.16	0.5 U	0.5 U	0.5 U	
	12/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.56	0.5 U	0.5 U	0.5 U	
	03/07/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.04	0.500 U	0.500 U	0.500 U	
	06/26/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	4.86	0.500 U	0.500 U	0.500 U	
	09/27/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.64	0.500 U	0.500 U	0.500 U	
	12/19/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.83	0.500 U	0.500 U	0.500 U	
	03/05/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	1.42	1.00 U	0.500 U	0.500 U	0.500 U	1.03	0.500 U	0.650	1.85	1.08	1.68	0.500 U	
	06/06/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	5.46	0.500 U	0.500 U	0.500 U	
	09/24/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	1.26	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.17	0.500 U	0.920	0.500 U	
MW-24	03/26/10	1,200	160	17	0.5 U	540	4,100	4.5	680	0.5 U	0.9	160	0.5 U	4,800	0.5 U	1,900	3,600	230	
	04/16/10	320	1,100	10 U	10 U	260	80	20 U	10 U	10 U	10 U	5.0 U	10 U	3,800	10 U	1,300	3,300	18	
	05/06/10	1,900	900	5.0 U	10 U	820	930	20 U	10 U	10 U	10 U	5.0 U	10 U	6,200	5.0 U	1,800	4,000	72	
	5/6/10 (LAB DUP)	2,000	970	5.0 U	10 U	850	980	20 U	10 U	10 U	10 U	5.0 U	10 U	6,800	5.0 U	1,800	4,400	71	
	06/09/10	3,400	89	22	10 U	1,300	2,200	20 U	97	10 U	10 U	5.2	10 U	5,900	2.2 J	1,600	3,600	130	
	07/06/10	4,200	1,200	14	10 U	940	2,100	20 U	120	10 U	10 U	5.0 U	10 U	7,300	5.0 U	1,200 J	2,900	180	
	7/6/10 (DUP)	3,400	1,100	14	10 U	1,100	2,400	20 U	130	10 U	10 U	5.0 U	10 U	6,600	5.0 U	830 J	2,300	140	
MW-25	03/29/10	2.7	410	0.5 U	0.5 U	25	2.2	1.1	0.5 U	0.9	1.9	0.4	0.5 U	1,200	0.5 U	940	1,600	160	
	04/07/10	12	730	10 U	10 U	48	10 U	20 U	10 U	10 U	10 U	10 U	10 U	3,100	10 U	1,700	2,900	180	
	04/16/10	10	1,900	10 U	10 U	74	10 U	20 U	10 U	10 U	10 U	10 U	10 U	4,100	10 U	2,200	5,100	310	
	4/16/10 (LAB DUP)	9.2	1,800	10 U	10 U	70	10 U	20 U	10 U	10 U	10 U	10 U	10 U	4,000	10 U	2,100	5,000	290	
	05/06/10	2.0	1,100	5.0 U	10 U	32	5.0 U	20 U	10 U	10 U	10 U	5.0 U	10 U	2,900	5.0 U	1,200	3,200	130	
	06/09/10	2.0 U	820	5.0 U	10 U	29	5.0 U	20 U	10 U	10 U	10 U	5.0 U	10 U	1,200	21	680	1,700	110	
	07/06/10	4.0	640	0.5 U	0.5 U	25	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	800	2.9	480	980	79	
MW-26	04/01/10	0.2 U	0.5 U	1.3	0.5 U	0.5 U	20	1.0 U	0.5 U	0.5 U	0.5 U	37	0.5 U	0.5 U	380	0.5 U	0.5 U	0.5 U	
	04/09/10	6.4	10 U	10 U	10 U	10 U	10	20 U	10 U	10 U	10 U	28	10 U	10 U	570	10 U	10 U	10 U	
	4/9/10 (LAB DUP)	6.2	10 U	10 U	10 U	10 U	10	20 U	10 U	10 U	10 U	27	10 U	10 U	550	10 U	10 U	10 U	
	04/16/10	8.8	10 U	10 U	10 U	10 U	16	20 U	10 U	10 U	10 U	32	10 U	10 U	320	10 U	10 U	10 U	
	05/06/10	5.2	10 U	5.0 U	10 U	10 U	11	20 U	10 U	10 U	10 U	28	10 U	10 U	300	10 U	10 U	10 U	
	06/09/10	12	10 U	5.0 U	10 U	10 U	14	20 U	10 U	10 U	10 U	31	10 U	10 U	350	10 U	10 U	10 U	
	07/06/10	9.0	0.5 U	0.5 U	0.5 U	0.5 U	12	1.0 U	0.5 U	0.5 U	0.5 U	29	0.5 U	0.5 U	300	0.5 U	0.5 U	0.5 U	
INJ-1	07/09/01	2.9	25	0.65 J	0.97 U	9.3	29	0.48 U	0.56 U	0.58 U	0.5 U	97	0.62 U	NA	620	NA	NA	NA	
	11/20/01	0.50 U	2.8	0.5 U	1 U	1.2	8.1	0.5 U	0.5 U	0.5 U	0.21 U	30	0.5 U	0.5 U	17	0.5 U	0.5 U	NA	
	06/11/02	0.44 J	0.46 U	1.9	0.39 U	0.60 J	520	0.2 U	0.23 U	0.23 U	NA	3.7	0.26 U	0.2 U	8.5	0.26 U	0.6 U	0.29 U	

Table 3

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	<b>Final Cleanup Levels</b>	<b>0.5</b>	<b>15</b>	<b>7.0</b>	<b>5.0</b>	<b>800</b>	<b>70</b>	<b>7.2</b>	<b>200</b>	<b>0.5</b>	<b>0.8</b>	<b>4.0</b>	<b>0.64</b>	<b>1,000</b>	<b>0.86</b>	<b>700</b>	<b>1,600</b>	<b>400</b>
INJ-2	07/09/01	5.5 J	4.4 U	3 U	4.9 U	<2.3 U	200	2.4 U	2.8 U	2.9 U	0.5 U	240	3.1 U	NA	6,300	NA	NA	NA
	10/15/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	1.8	0.5 U	0.5 U	33	1.6	6	NA
	10/22/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	2	0.5 U	0.5 U	0.5 U	0.5 U	2.8	0.5 U	0.53	57	2.9	11.3	NA
	10/29/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	4.3	0.5 U	0.65	68	1.4	6.8	NA
	11/19/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	7.3	0.5 U	0.5 U	0.5 U	1.1 U	9.2	0.5 U	0.5 U	230	0.89	4.4	NA
	06/11/02	2.2 U	2.3 U	5.4	2 U	<0.91 U	2,100	0.96 U	1.2 U	1.2 U	1.1 U	600	1.3 U	0.98 U	1,000	1.3 U	2.9 U	1.5 U
	06/10/03	2.2 U	2.3 U	5.3	2 U	<0.91 U	2,100	0.96 U	1.2 U	1.2 U	NA	610	1.3 U	1.1 JB	2,700	1.3 U	2.9 U	1.5 U
INJ-3	07/09/01	7.3	5.9	0.95 J	0.97 U	3.4	39	0.48 U	0.56 U	0.58 U	1 U	250	0.62 U	NA	520	NA	NA	NA
	11/20/01	1.8	1.0 U	1.0 U	2 U	1.0 U	49	1.0 U	1.0 U	1.0 U	0.53 U	130	1.0 U	1.0 U	670	1.0 U	1.0 U	NA
	06/11/02	180	1.2 U	3.4	0.97 U	1.2 J	1,200	0.48 U	0.57 U	0.57 U	1.3	240	0.62 U	0.49 U	530	0.65 U	1.5 U	0.71 U
	12/17/02	90	0.50 U	0.53	2 U	2.0	250	0.5 U	0.5 U	0.5 U	1.2	100	0.5 U	0.5 U	150	0.5 U	0.5 U	2 U
	12/17/02 (DUP)	91	0.50 U	0.6	2 U	1.9	270	0.5 U	0.5 U	0.5 U	0.21 U	120	0.5 U	0.5 U	180	0.5 U	0.5 U	2 U
	06/10/03	78	2.2	0.98 J	0.39 U	0.40 J	350	0.2 U	0.23 U	0.23 U	0.11 U	140	0.25 U	0.8 B	390	0.26 U	0.44 U	0.29 U
P-1	09/24/04	0.22 U	0.23 U	0.12 U	0.2 U	0.28 J	1.2	0.096 U	0.12 U	0.12 U	NA	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U

E = laboratory estimated concentration.

TCE = trichloroethene.

Results from June 2000 and from December 2000 to September 2008 are reported relative to the method detection limits (MDLs).

PCE = tetrachloroethene.

1,2,4-TMB = 1,2,4-trimethylbenzene.

1,1-DCA = 1,1-dichloroethane.

1,2-DCA = 1,2-dichloroethane.

1,1-DCE = 1,1-dichloroethene.

cis-1,2-DCE = cis-1,2-dichloroethene.

TCA = 1,1,1-trichloroethane.

**Table 4**  
**General Chemistry Parameters in Groundwater**  
**Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-1	09/04/96	130	NA	NA	88.0	NA	NA	NA	NA	2.1	29.6	NA	NA	NA	NA	NA	NA	990
	12/15/98	68.5	NA	<0.2	4.3	0.070	500	NA	47.0	NA	NA	23.4	24.6	NA	NA	NA	NA	NA
	03/02/99	64.5	NA	0.2	5.8	0.266	540	NA	37.0	NA	NA	29.4	18.2	NA	NA	NA	NA	NA
	06/17/99	49	NA	0.3	6.7	0.110	460	NA	40.5	NA	NA	24.0	20.8	NA	NA	NA	NA	NA
	09/16/99	59.8	NA	<0.2	7.2	0.249	400	NA	42.1	NA	NA	11.0	18.8	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	37	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/08/12	27.1	NA	<0.100	3.50	<0.500	NA	352	NA	NA	NA	NA	1.0	10.4	1.87	NA	NA	NA
	10/01/12	28.9	NA	<0.100	21.0	<0.500	NA	290	NA	NA	NA	NA	2.0	7.86	1.64	NA	NA	NA
03/13/13	17.8	NA	<0.100	3.2	<0.500	NA	362	NA	NA	NA	NA	1.8	11.4	1.66	NA	NA	NA	
MW-2	09/04/96	18.0	NA	NA	0.3	NA	NA	NA	NA	3.21	112	NA	NA	NA	NA	NA	NA	576
	12/15/98	13.6	NA	0.3	5.3	0.017	260	NA	26.4	NA	NA	23.9	30.4	NA	NA	NA	NA	NA
	03/02/99	14.3	NA	0.9	13.1	0.037	360	NA	22.8	NA	NA	46.4	23.0	NA	NA	NA	NA	NA
	06/16/99	13	NA	1.0	7.5	0.054	420	NA	24.2	NA	NA	86.5	66.7	NA	NA	NA	NA	NA
	6/16/99 (DUP)	12.2	NA	1.3	12.8	NA	NA	NA	25.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/16/99	14.6	NA	<0.2	<0.2	0.037	400	NA	27.2	NA	NA	94.6	61.9	NA	NA	NA	NA	NA
09/18/02	NA	NA	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-3	09/04/96	26.0	NA	NA	0.9	NA	NA	NA	NA	3.17	36.3	NA	NA	NA	NA	NA	NA	952
	9/4/96 (DUP)	26.0	NA	NA	1.1	NA	NA	NA	NA	3.13	38.5	NA	NA	NA	NA	NA	NA	976
	12/14/98	29.8	NA	<0.2	<0.2	<0.001	660	NA	44.5	NA	NA	34.4	34.2	NA	NA	NA	NA	NA
	03/03/99	25.6	NA	<0.2	0.3	0.013	640	NA	52.8	NA	NA	33.0	31.7	NA	NA	NA	NA	NA
	06/17/99	17.1	NA	<0.2	<0.2	0.013	640	NA	57.9	NA	NA	59.7	38.0	NA	NA	NA	NA	NA
	09/17/99	14.5	NA	<0.2	<0.2	0.047	520	NA	62.4	NA	NA	100.1	47.7	NA	NA	NA	NA	NA
MW-4	09/04/96	110	NA	NA	37.0	NA	NA	NA	NA	9.89	83.9	NA	NA	NA	NA	NA	NA	796
	12/14/98	89.7	NA	<0.2	15.6	0.026	840	NA	23.4	NA	NA	59.8	59.1	NA	NA	NA	NA	NA
	03/03/99	45.0	NA	<0.2	183	0.880	900	NA	12.8	NA	NA	12.9	7.5	NA	NA	NA	NA	NA
	06/17/99	60.9	NA	0.3	61.7	0.159	840	NA	18.2	NA	NA	6.99	4.75	NA	NA	NA	NA	NA
	09/17/99	77.3	NA	<0.2	2.0	0.071	870	NA	18.4	NA	NA	24.3	13.4	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	19	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/11	NA	NA	NA	NA	NA	NA	NA	19	NA	NA	NA	3.2	NA	NA	NA	NA	NA
	03/08/12	31.9	NA	1.63	18.2	<0.500	NA	878	13.4	NA	NA	NA	3.0	24.7	3.65	NA	NA	NA
	10/01/12	30.9	NA	<0.100	14.2	<0.500	NA	758	NA	NA	NA	NA	NA	11.5	2.62	NA	NA	NA
03/06/13	27.1	NA	<0.100	37.6	<0.500	NA	844	NA	NA	NA	NA	3.7	18.9	2.80	NA	NA	NA	
MW-5	09/04/96	17.0	NA	NA	32	NA	NA	NA	NA	0.34	0.107	NA	NA	NA	NA	NA	NA	332
	12/15/98	17.5	NA	<0.2	17.3	0	200	NA	7.8	NA	NA	0.090	0.024	NA	NA	NA	NA	NA
	03/02/99	6.9	NA	2.4	22.0	0.002	145	NA	4.8	NA	NA	0.137	0.060	NA	NA	NA	NA	NA
	06/16/99	6.2	NA	2.5	20.5	0.002	180	NA	6.0	NA	NA	0.125	0.042	NA	NA	NA	NA	NA
	09/16/99	6.8	NA	1.5	20.7	0.001	160	NA	5.9	NA	NA	0.052	0.008	NA	NA	NA	NA	NA
	9/16/99 (DUP)	6.2	NA	1.5	20.4	NA	NA	NA	5.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/13/06	NA	NA	0.6	34.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/10	NA	<0.1	NA	NA	NA	NA	NA	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/09/10	NA	<0.1	NA	NA	NA	NA	NA	5.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	<0.1	NA	NA	NA	NA	NA	6.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/16/10 (LAB DUP)	NA	<0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	<2.0	NA	NA	NA	NA	NA	5.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	<0.1	NA	NA	NA	NA	NA	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	<0.1	NA	NA	NA	NA	NA	4.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	NA	NA	NA	NA	NA	NA	5.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/03/11	3.68	NA	0.645	24.8	<0.5	NA	109	4.40	NA	NA	NA	NA	0.0564	0.0128	NA	NA	NA
3/3/11 (LAB DUP)	3.68	NA	0.666	24.7	NA	NA	108	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
06/22/11	2.26	NA	0.743	11.2	<0.500	NA	111	4.32	NA	NA	NA	NA	<0.1	0.105	NA	NA	NA	
09/22/11	2.32	NA	0.161	11.6	<0.500	NA	142	3.87	NA	NA	NA	2.8	0.376	0.252	NA	NA	NA	
12/07/11	2.27	NA	0.146	11.5	<0.500	NA	118	5.65	NA	NA	NA	0.8	0.241	0.316	NA	NA	NA	

Table 4

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity			Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1	
MW-5 (continued)	03/07/12	2.50	NA	< 0.100	15.3	< 0.500	NA	124	5.07	NA	NA	NA	0.8	0.425	0.635	NA	NA	NA	
	06/26/12	2.74	NA	< 0.100	16.1	< 0.500	NA	142	4.94	NA	NA	NA	1.82	0.304	NA	NA	NA		
	09/27/12	2.66	NA	< 0.100	12.1	< 0.500	NA	154	6.38	NA	NA	NA	1.0	1.33	0.215	NA	NA		
	12/19/12	3.30	NA	< 0.100	10.1	< 0.500	NA	158	8.92	NA	NA	NA	9.49	0.555	NA	NA	NA		
	3/6/2013 (DUP)	3.02	NA	< 0.100	11.5	< 0.500	NA	162	5.39	NA	NA	NA	3.4	6.66	0.320	NA	NA		
	03/06/13	3.09	NA	< 0.100	11.4	< 0.500	NA	159	5.08	NA	NA	NA	NA	6.15	0.304	NA	NA		
	06/06/13	NA	NA	NA	NA	NA	NA	NA	6.51	NA	NA	NA	NA	NA	NA	NA	NA		
	09/26/13	NA	NA	NA	NA	NA	NA	NA	7.11	NA	NA	NA	NA	NA	NA	NA	NA		
	9/26/13 (DUP)	NA	NA	NA	NA	NA	NA	NA	7.20	NA	NA	NA	NA	NA	NA	NA	NA		
MW-6	09/04/96	340	NA	NA	0.6	NA	NA	NA	NA	9.28	222	NA	NA	NA	NA	NA	NA		
	12/15/98	199	NA	< 0.2	11.7	0.014	460	NA	22.6	NA	114	125	NA	NA	NA	NA			
	03/02/99	213	NA	0.6	19.8	0.015	500	NA	15.8	NA	170	63	NA	NA	NA	NA			
	3/2/99 (DUP)	208	NA	0.6	46.6	NA	NA	NA	15.9	NA	NA	NA	NA	NA	NA	NA			
	06/16/99	232	NA	0.3	11.6	0.009	520	NA	21	NA	192	120	NA	NA	NA	NA			
	09/16/99	130	NA	< 0.5	27.3	0.047	480	NA	18.5	NA	169	95	NA	NA	NA	NA			
	09/18/02	NA	NA	NA	NA	NA	NA	NA	20	NA	NA	NA	NA	NA	NA	NA			
MW-7	12/14/98	5.4	NA	< 0.2	1.6	0.003	260	NA	9.4	NA	NA	3.36	3.17	NA	NA	NA			
	03/03/99	5.7	NA	1.3	12.7	0.010	180	NA	6.5	NA	NA	1.79	1.72	NA	NA	NA			
	06/17/99	6.8	NA	2.3	25.1	0.005	200	NA	9.2	NA	NA	2.21	1.86	NA	NA	NA			
	09/17/99	8.1	NA	0.3	21.4	0.004	240	NA	10.6	NA	NA	3.58	2.98	NA	NA	NA			
	03/02/11	2.63	NA	2.77	9.10	< 0.5	NA	94.7	3.65	NA	NA	NA	NA	< 0.1	< 0.002	NA			
	3/2/11 (LAB DUP)	2.61	NA	2.79	9.18	NA	NA	93.2	NA	NA	NA	NA	NA	< 0.1	< 0.002	NA			
	06/22/11	3.16	NA	1.37	9.88	NA	NA	110	5.30	NA	NA	NA	NA	< 0.1	0.00406	NA			
	09/22/11	3.55	NA	0.132	10.1	< 0.500	NA	144	7.04	NA	NA	NA	3.00	0.272	0.150	NA			
	12/07/11	4.02	NA	0.344	14.5	< 0.500	NA	186	9.44	NA	NA	NA	1.5	0.161	0.227	NA			
	03/07/12	2.93	NA	1.49	8.72	< 0.500	NA	108	5.13	NA	NA	NA	0.0	0.154	0.005	NA			
	06/26/12	2.63	NA	1.04	8.28	< 0.500	NA	126	5.52	NA	NA	NA	NA	0.119	0.044	NA			
	09/27/12	3.23	NA	< 0.100	11.3	< 0.500	NA	150	11.2	NA	NA	NA	0.1	0.181	0.363	NA			
	12/19/12	5.93	NA	< 0.100	24.6	< 0.500	NA	326	18.3	NA	NA	NA	NA	0.0739	0.964	NA			
	03/05/13	3.12 J	NA	< 0.100	10.1	< 0.500	NA	186	8.58	NA	NA	NA	0.4	0.308	0.792	NA			
	06/06/13	NA	NA	NA	NA	NA	NA	NA	6.37	NA	NA	NA	NA	NA	NA	NA			
09/24/13	NA	NA	NA	NA	NA	NA	NA	11.1	NA	NA	NA	NA	NA	NA	NA				
MW-8	12/14/98	9.2	NA	< 0.2	20.4	NA	260	NA	10.0	NA	NA	1.13	0.98	NA	NA	NA			
	12/14/98 (DUP)	9.3	NA	< 0.2	20.4	NA	NA	NA	10.1	NA	NA	NA	NA	NA	NA	NA			
	03/02/99	12.7	NA	0.3	29.7	0.023	260	NA	8.9	NA	NA	2.03	0.77	NA	NA	NA			
	06/16/99	12.8	NA	< 0.2	29.1	0.009	240	NA	9.6	NA	NA	0.70	0.50	NA	NA	NA			
	09/16/99	10.5	NA	< 0.2	21.1	0.007	260	NA	10.5	NA	NA	1.02	0.45	NA	NA	NA			
	09/18/02	NA	NA	NA	NA	NA	NA	NA	11.4	NA	NA	NA	NA	NA	NA	NA			
MW-11	04/01/10	NA	< 0.1	NA	NA	NA	NA	NA	5.8	NA	NA	NA	NA	NA	NA	NA			
	04/09/10	NA	0.35	NA	NA	NA	NA	NA	4.9	NA	NA	NA	NA	NA	NA	NA			
	04/16/10	NA	0.35	NA	NA	NA	NA	NA	5.7	NA	NA	NA	NA	NA	NA	NA			
	05/06/10	NA	2.6	NA	NA	NA	NA	NA	5.4	NA	NA	NA	NA	NA	NA	NA			
	5/6/10 (LAB DUP)	NA	2.6	NA	NA	NA	NA	NA	6.4	NA	NA	NA	NA	NA	NA	NA			
	06/09/10	NA	3.9	NA	NA	NA	NA	NA	5.2	NA	NA	NA	NA	NA	NA	NA			
	6/9/10 (LAB DUP)	NA	3.9	NA	NA	NA	NA	NA	5.0	NA	NA	NA	NA	NA	NA	NA			
	07/06/10	NA	8.1	NA	NA	NA	NA	NA	5.6	NA	NA	NA	NA	NA	NA	NA			
MW-12	03/03/11	3.81	NA	7.85	20.8	< 0.5	NA	102	9.80	NA	NA	NA	NA	0.244	0.0283	NA			
	06/22/11	2.51	NA	0.176	13.8	< 0.500	NA	176	47.7	NA	NA	NA	NA	56.4	0.734	NA			
	09/22/11	3.42	NA	< 0.100	12.1	< 0.500	NA	157	16.1	NA	NA	NA	3.2	34.7 J	0.187	NA			
	9/22/11 (DUP)	3.52	NA	< 0.100	11.6	< 0.500	NA	127	20.8	NA	NA	NA	NA	24.1 J	0.169	NA			
	12/07/11	3.75	NA	< 0.100	8.75	< 0.500	NA	159	16.0	NA	NA	NA	1.8	21.6	0.144	NA			
	03/07/12	2.82	NA	< 0.100	11.5	< 0.500	NA	190	13.5	NA	NA	NA	3.0	15.7	0.159	NA			
	3/7/12 (DUP)	2.81	NA	< 0.100	11.4	< 0.500	NA	186	14.7	NA	NA	NA	NA	15.8	0.172	NA			
	06/26/12	5.22	NA	< 0.100	9.52	< 0.500	NA	230	17.9	NA	NA	NA	NA	14.1	0.274	NA			
	10/02/12	4.98	NA	< 0.100	6.57	< 0.500	NA	201	20.0	NA	NA	NA	1.8	17.1	0.154	NA			
	12/19/12	5.22	NA	< 0.100	7.93	< 0.500	NA	199	15.1	NA	NA	NA	NA	16.4	0.181	NA			

Table 4

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-12 (continued)	03/06/13	4.79	NA	< 0.100	7.62	< 0.500	NA	167	12.0	NA	NA	NA	3.8	14.6	0.143	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	11.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/25/13	NA	NA	NA	NA	NA	NA	NA	13.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-13	09/24/04	56.1	NA	< 0.2	0.6	0.05	260	NA	40.3	1.40	37.1	NA	1.5	NA	NA	NA	NA	NA
	04/05/05	4.3	NA	< 0.1	6.1	< 0.01	50	NA	5.8	0.145	3.3	NA	2.4	NA	NA	NA	NA	NA
	09/14/06	NA	NA	< 0.1	< 0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/29/10	NA	0.45	NA	NA	NA	NA	NA	29	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/29/10 (LAB DUP)	NA	0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/07/10	NA	0.44	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/7/10 (LAB DUP)	NA	0.46	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.47	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	0.64	NA	NA	NA	NA	NA	34	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	0.66	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/03/11	42.2	NA	< 0.1	0.253	< 0.5	NA	242	47.1	NA	NA	NA	NA	33.7	1.87	NA	NA	NA
	3/3/11 (LAB DUP)	NA	NA	NA	NA	NA	NA	NA	48.3	NA	NA	NA	NA	34.4	1.84	NA	NA	NA
	06/23/11	32.1	NA	< 0.1 J	0.894	< 0.500	NA	274	72.0	NA	NA	NA	NA	54.3	2.67	NA	NA	NA
	09/22/11	39.4	NA	< 0.1	0.563	< 0.500	NA	264	63.5	NA	NA	NA	NA	2.6	63.6	2.36	NA	NA
	12/07/11	38.6	NA	< 0.1	0.801	< 0.500	NA	303	47.7	NA	NA	NA	NA	4.9	49.8	2.09	NA	NA
	03/07/12	35.1	NA	< 0.100	< 0.300	< 0.500	NA	324	31.0	NA	NA	NA	NA	5.0	49.6	1.77	NA	NA
	06/27/12	32.7	NA	0.856	< 0.300	< 0.500	NA	306	31.0	NA	NA	NA	NA	NA	45.0	1.89	NA	NA
	10/02/12	29.6	NA	< 0.100	0.630	< 0.500	NA	292	19.6	NA	NA	NA	NA	1.9	32.3	1.38	NA	NA
	12/19/12	30	NA	< 0.100	0.788	< 0.500	NA	267	20.2	NA	NA	NA	NA	NA	38.4	1.35	NA	NA
03/07/13	28.6	NA	< 0.100	< 0.300	< 0.500	NA	386	15.8	NA	NA	NA	NA	1.8	38.1	1.39	NA	NA	
06/06/13	NA	NA	NA	NA	NA	NA	NA	16.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	
09/25/13	NA	NA	NA	NA	NA	NA	NA	11.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-14	09/24/04	6.2	NA	< 0.2	< 0.2	< 0.01	240	NA	11.8	1.12	32.7	NA	2.0	NA	NA	NA	NA	NA
	04/05/05	6.3	NA	< 0.1	< 0.2	< 0.01	215	NA	12.8	1.24	35.7	NA	1.8	NA	NA	NA	NA	NA
MW-15	09/24/04	6.6	NA	< 0.2	< 0.2	< 0.01	240	NA	7.9	1.33	34.8	NA	1.6		NA	NA	NA	NA
	04/05/05	7.5	NA	< 0.1	< 0.2	< 0.01	190	NA	8.0	1.41	35.9	NA	2.0		NA	NA	NA	NA
	09/13/06	NA	NA	< 0.1	< 0.2	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA
MW-16	09/23/04	33.5	NA	< 0.2	8.1	< 0.01	420	NA	24.1	3.71	108	NA	2.0	NA	NA	NA	NA	NA
	04/05/05	36.2	NA	< 0.1	1.1	< 0.01	295	NA	23.6	3.92	114	NA	2.2	NA	NA	NA	NA	NA
MW-17	09/23/04	49.7	NA	< 0.2	< 0.2	< 0.01	1,320	NA	32.9	1.77	55.7	NA	2.4	NA	NA	NA	NA	NA
	9/23/04 (DUP)	46.9	NA	< 0.2	< 0.2	< 0.01	NA	NA	32.8	1.75	54.9	NA	NA	NA	NA	NA	NA	NA
	04/05/05	50.0	NA	< 0.1	< 0.2	< 0.01	230	NA	32.7	0.92	40.1	NA	2.5	NA	NA	NA	NA	NA
	09/12/06	NA	NA	< 0.1	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/07/11	49.4	NA	< 0.1	0.240	< 0.5	NA	707	34.8	NA	NA	NA	NA	50.3	2.18	34.1	13.5	NA
	3/7/11 (LAB DUP)	49.5	NA	< 0.1	0.239	< 0.5	NA	691	34.7	NA	NA	NA	NA	50.8	2.16	37.0	15.7	NA
	06/23/11	51.8	NA	1.23 J	0.888	< 0.500	NA	574	31.9	NA	NA	NA	NA	38.7	1.47	37.0	15.7	NA
	09/23/11	51.1	NA	< 0.1	0.627	< 0.500	NA	436	25.1	NA	NA	NA	NA	2.8	37.4	1.11	NA	NA
	03/08/12	56.7	NA	0.130	0.312	< 0.500	NA	582	41.8	NA	NA	NA	NA	2.0	51.6	1.44	NA	NA
	06/27/12	64.6	NA	1.34	0.335	< 0.500	NA	597	37.1	NA	NA	NA	NA	54.3	1.87	NA	NA	NA
	10/01/12	49.6	NA	< 0.100	0.622	< 0.500	NA	536	32.5	NA	NA	NA	NA	3.0	24.7	0.843	NA	NA
12/19/12	54.7	NA	0.601	0.743	< 0.500	NA	582	42.6	NA	NA	NA	NA	58.4	1.98	NA	NA	NA	
03/07/13	64.3	NA	0.103	< 0.300	< 0.500	NA	445	30.5	NA	NA	NA	NA	5.6	48.0	1.26	NA	NA	
06/06/13	NA	NA	NA	NA	NA	NA	NA	32.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
09/26/13	NA	NA	NA	NA	NA	NA	NA	29.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-18	09/23/04	8.7	NA	< 0.2	< 0.2	< 0.01	380	NA	17.1	1.64	54.4	NA	2.3	NA	NA	NA	NA	NA
	04/05/05	8.9	NA	< 0.1	< 0.2	< 0.01	295	NA	17.7	1.62	50.2	NA	2.4	NA	NA	NA	NA	NA
	4/5/05 (DUP)	8.8	NA	< 0.1	< 0.2	NA	NA	NA	17.2	1.61	50.0	NA	NA	NA	NA	NA	NA	NA
	03/04/11	16.1	NA	< 0.1	0.227	< 0.5	NA	264	16.1	NA	NA	NA	NA	38.4	1.94	18.5	24.2	NA
	3/4/11 (LAB DUP)	NA	NA	NA	NA	< 0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/23/11	8.58	NA	0.138 J	NA	< 0.500	NA	262	17.9	NA	NA	NA	NA	39.8	1.81	NA	NA	NA
09/22/11	10.6	NA	< 0.100	0.580	< 0.500	NA	243	13.0	NA	NA	NA	NA	3.6	45.7	1.62	NA	NA	



Table 4

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS	
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1	
MW-18 (continued)	03/07/12	28.1	NA	< 0.100	1.65	< 0.500	NA	248	18.8	NA	NA	NA	3.6	51.2	1.58	NA	NA	NA	
	06/27/12	13.4	NA	0.835	< 0.300	< 0.500	NA	329	20.0	NA	NA	NA	NA	49.6	2.16	NA	NA	NA	
	10/01/12	16.6	NA	0.113	1.10	< 0.500	NA	320	21.9	NA	NA	NA	0.6	39.7	1.37	NA	NA	NA	
	12/19/12	13.8	NA	< 0.100	0.750	< 0.500	NA	292	21.2	NA	NA	NA	NA	46.6	1.54	NA	NA	NA	
	12/19/12 (DUP)	13.4	NA	0.123	0.769	< 0.500	NA	295	20.4	NA	NA	NA	NA	45.6	1.50	NA	NA	NA	
	03/05/13	9.75	NA	< 0.100	0.889	< 0.500	NA	318	17.8	NA	NA	NA	NA	2.8	37.0	1.22	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	18.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/26/13	NA	NA	NA	NA	NA	NA	NA	> 20.0 E	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-19	09/23/04	23.0	NA	< 0.2	0.3	< 0.01	340	NA	19.2	1.44	64.0	NA	1.8	NA	NA	NA	NA	NA	
	04/05/05	18.9	NA	< 0.100	3.7	< 0.01	250	NA	19.9	1.31	65.8	NA	2.6	NA	NA	NA	NA	NA	
	06/27/12	15.4	NA	< 0.100	0.82	< 0.500	NA	255	16.1	1.31	65.8	NA	NA	52.5	1.5	NA	NA	NA	
	12/19/12	18.4	NA	< 0.100	1.23	< 0.500	NA	232	15.7	NA	NA	NA	1.8	44.4	1.14	NA	NA	NA	
	06/06/13	NA	NA	NA	NA	NA	NA	NA	16.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	
6/6/13 (DUP)	NA	NA	NA	NA	NA	NA	NA	16.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-20	09/20/05	50.7	NA	< 0.1	1.4	< 0.01	355	NA	29.1	3.60	88	NA	2.2	NA	NA	NA	NA	NA	
	06/06/13	NA	NA	NA	NA	NA	NA	NA	25.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-21	09/14/06	NA	NA	< 0.1	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/14/06 (DUP)	NA	NA	< 0.1	3.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/26/10	NA	< 0.1	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/07/10	NA	20	NA	NA	NA	NA	NA	2,400	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/16/10	NA	0.59	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	05/06/10	NA	2.7	NA	NA	NA	NA	NA	69	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/6/10 (DUP)	NA	2.6	NA	NA	NA	NA	NA	67	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/09/10	NA	8.5	NA	NA	NA	NA	NA	82	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	07/06/10	NA	8.4	NA	NA	NA	NA	NA	150	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/02/11	71.8	NA	< 0.1	0.245	< 0.5	NA	268	124	NA	NA	NA	NA	60.6	3.05	NA	NA	NA	
	3/2/11 (DUP)	72.1	NA	< 0.1	0.210	< 0.5	NA	259	120	NA	NA	NA	NA	58.3	3.01	NA	NA	NA	
	3/2/11 (LAB DUP)	NA	NA	NA	NA	< 0.5	NA	NA	122	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/23/11	70.5	NA	0.830 J	0.912	< 0.500	NA	270	136	NA	NA	NA	NA	81.0	3.36	NA	NA	NA	
	6/23/11 (DUP)	70.3	NA	0.146 J	0.897	< 0.500	NA	281	137	NA	NA	NA	NA	79.6	3.51	NA	NA	NA	
	09/22/11	66.5	NA	< 0.1	0.577	< 0.500	NA	312	366	NA	NA	NA	NA	3.6	96.8	3.35	NA	NA	
	12/07/11	72.5	NA	< 0.1	0.768	< 0.500	NA	334	386	NA	NA	NA	NA	2.0	93.6	3.39	NA	NA	
	03/08/12	67.5	NA	< 0.100	< 0.100 J	< 0.500	NA	318	455	NA	NA	NA	NA	2.0	123	3.55	NA	NA	
	06/26/12	68.2	NA	0.871	< 0.300	< 0.500	NA	346	399	NA	NA	NA	NA	NA	117	4.09	NA	NA	
	10/01/12	70.3	NA	< 0.100	0.524	< 0.500	NA	328	313	NA	NA	NA	NA	2.6	108	2.48	NA	NA	
	10/1/12 (DUP)	71.2	NA	< 0.100	0.535	< 0.500	NA	339	330	NA	NA	NA	NA	NA	115	2.65	NA	NA	
12/20/12	62.0	NA	< 0.100	0.797	< 0.500	NA	405	33.5	NA	NA	NA	NA	NA	104	2.69	NA	NA		
03/06/13	57.6	NA	< 0.100	1.13	< 0.500	NA	353	186	NA	NA	NA	NA	3.7	102	2.69	NA	NA		
06/06/13	NA	NA	NA	NA	NA	NA	NA	111	NA	NA	NA	NA	NA	NA	NA	NA	NA		
09/25/13	NA	NA	NA	NA	NA	NA	NA	67.1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-22	09/14/06	NA	NA	0.4	49.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/04/11	45.0	NA	< 0.1	0.260	< 0.5	NA	252	19.9	NA	NA	NA	NA	52.8	2.50	NA	NA	NA	
	06/23/11	34.6	NA	1.10 J	< 0.1	< 0.500	NA	306	21.5	NA	NA	NA	NA	77.2	3.36	NA	NA	NA	
	09/23/11	34.2	NA	< 0.1	0.591	< 0.500	NA	262	35.1	NA	NA	NA	3.0	75.3	2.64	NA	NA	NA	
	12/07/11	35.8	NA	< 0.1	< 0.1	< 0.500	NA	290	50.9	NA	NA	NA	4.2	59.7	2.21	NA	NA	NA	
	03/08/12	32.4	NA	< 0.1	< 0.1	< 0.500	NA	282	39.6	NA	NA	NA	6.0	66.8	1.99	NA	NA	NA	
	06/26/12	42.3	NA	0.737	< 0.300	< 0.500	NA	295	32.6	NA	NA	NA	NA	59.4	2.29	NA	NA	NA	
	6/26/12 (DUP)	42.1	NA	0.707	< 0.300	< 0.500	NA	303	32.4	NA	NA	NA	NA	61.0	2.25	NA	NA	NA	
	10/02/12	37.2	NA	< 0.100	0.622	< 0.500	NA	367	24.7	NA	NA	NA	2.0	62.4	1.92	NA	NA	NA	
	12/19/12	30.5	NA	< 0.100	0.761	< 0.500	NA	369	18.3	NA	NA	NA	NA	68.8	2.05	NA	NA	NA	
	03/06/13	31.1	NA	< 0.100	0.756	< 0.500	NA	347	15.1	NA	NA	NA	3.8	66.0	2.02	NA	NA	NA	
	06/06/13	NA	NA	NA	NA	NA	NA	NA	17.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	09/25/13	NA	NA	NA	NA	NA	NA	NA	11.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	

**Table 4  
General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS	
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1	
MW-23	09/13/06	NA	NA	< 0.1	29.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/02/11	15.7	NA	2.71	33.3	< 0.5	NA	140	9.86	NA	NA	NA	0.259	0.383	NA	NA	NA	NA	
	06/22/11	27.0	NA	6.38	54.4	< 0.500	NA	144	8.94	NA	NA	NA	0.164	0.304	NA	NA	NA	NA	
	09/23/11	23.0	NA	2.51	49.6 J	< 0.500	NA	173	7.94	NA	NA	NA	0.321	0.476	NA	NA	NA	NA	
	12/07/11	14.3	NA	1.21	30.1	< 0.500	NA	169	11.0	NA	NA	NA	0.425	0.429	NA	NA	NA	NA	
	03/07/12	25.9	NA	4.11	45.1	< 0.500	NA	150	11.4	NA	NA	NA	0.0	0.366	0.344	NA	NA	NA	NA
	06/26/12	38.4	NA	6.34	58.6	< 0.500	NA	173	10.2	NA	NA	NA	0.37	0.417	NA	NA	NA	NA	NA
	09/27/12	27.7	NA	1.96	42.3	< 0.500	NA	192	16.6	NA	NA	NA	2.0	1.27	0.470	NA	NA	NA	NA
	12/19/12	15.3	NA	0.530	19.3	< 0.500	NA	177	20.2	NA	NA	NA	NA	0.681	0.558	NA	NA	NA	NA
	03/05/13	22.4	NA	1.55	25.6	< 0.500	NA	200	16.5	NA	NA	NA	0.6	0.305	0.575	NA	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	9.86	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/24/13	NA	NA	NA	NA	NA	NA	NA	16.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-24	03/26/10	NA	< 0.1	NA	NA	NA	NA	NA	27	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/07/10	NA	50	NA	NA	NA	NA	NA	2,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/16/10	NA	0.46	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	58	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/09/10	NA	6.3	NA	NA	NA	NA	NA	68	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	07/06/10	NA	8.6	NA	NA	NA	NA	NA	74	NA	NA	NA	NA	NA	NA	NA	NA	NA	
7/6/10 (DUP)	NA	8.9	NA	NA	NA	NA	NA	72	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-25	03/29/10	NA	0.45	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/07/10	NA	0.43	NA	NA	NA	NA	NA	24	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/16/10	NA	0.37	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/09/10	NA	1.2	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	07/06/10	NA	2.5	NA	NA	NA	NA	NA	43	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-26	04/01/10	NA	< 0.1	NA	NA	NA	NA	NA	3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/1/10 (LAB DUP)	NA	NA	NA	NA	NA	NA	NA	3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/09/10	NA	< 0.1	NA	NA	NA	NA	NA	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/16/10	NA	0.43	NA	NA	NA	NA	NA	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	4.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/09/10	NA	< 0.1	NA	NA	NA	NA	NA	4.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	07/06/10	NA	< 0.1	NA	NA	NA	NA	NA	7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
7/6/10 (LAB DUP)	NA	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
P-1	09/24/04	8.8	NA	< 0.2	< 0.2	< 0.01	220	NA	20.7	1.10	38.1	NA	2.0					NA	
IW-206-8	10/04/12	NA	NA	NA	NA	NA	NA	NA	401	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-206-17	10/04/12	NA	NA	NA	NA	NA	NA	NA	275	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-209-8	10/04/12	NA	NA	NA	NA	NA	NA	NA	29.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-209-17	10/04/12	NA	NA	NA	NA	NA	NA	NA	28.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-137-28	10/04/12	NA	NA	NA	NA	NA	NA	NA	55.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-137-38	10/04/12	NA	NA	NA	NA	NA	NA	NA	49.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-212-8	10/05/12	NA	NA	NA	NA	NA	NA	NA	53.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-212-17	10/05/12	NA	NA	NA	NA	NA	NA	NA	42.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-217-8	10/05/12	NA	NA	NA	NA	NA	NA	NA	30.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-217-17	10/05/12	NA	NA	NA	NA	NA	NA	NA	30.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-130-27	10/05/12	NA	NA	NA	NA	NA	NA	NA	81.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-130-37	10/05/12	NA	NA	NA	NA	NA	NA	NA	86.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-115-27	10/08/12	NA	NA	NA	NA	NA	NA	NA	61.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-115-37	10/08/12	NA	NA	NA	NA	NA	NA	NA	55.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-106-37	10/08/12	NA	NA	NA	NA	NA	NA	NA	57.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
IW-106-27	10/08/12	NA	NA	NA	NA	NA	NA	NA	60.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	

NOTE: All results in mg/L.  
NA = not analyzed.

< = less than the method reporting limit shown.  
DUP = duplicate sample collected in the field and blind labeled.  
E = The result exceeded calibration curve.

LAB DUP = laboratory duplicate sample.  
J = the associated numerical value is an estimated quantity based on data review or laboratory estimate.  
TDS = Total Dissolved Solids

Table 5

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-1	12/15/98	18,000	110	310
	03/02/99	15,000	75	270
	06/17/99	8,400	44	170
	09/17/99	14,000	83	230
	09/23/11	9,400	12	8.2
	03/08/12	15,000	18	34
	10/01/12	9,900	11	10
	03/06/13	14,000	16	34
	09/25/13	16,000	12	10
MW-2	12/15/98	13,000	1.1	0.5 U
	03/02/99	8,600	0.88	0.5 U
	06/16/99	13,000	1.0	0.5 U
	6/16/99 (DUP)	13,000	0.97	0.5 U
	09/16/99	17,000	1.2	0.5 U
MW-3	12/14/98	10,000	6.9	0.95
	03/03/99	5,700	9.3	1.2
	06/17/99	3,800	3.2	0.93
	09/17/99	4,300	6.8	0.88
MW-4	12/14/98	16,000	130	1,500
	03/03/99	10,000	110	730
	06/17/99	12,000	110	1,300
	09/17/99	14,000	150	1,000
	09/23/11	14,000	360	240
	03/08/12	18,000	360	500
	10/01/12	14,000	270	310
	03/06/13	16,000	240	89
	09/26/13	15,000	400	14
MW-5	12/15/98	0.5 U	0.5 U	0.5 U
	03/02/99	66	0.5 U	0.5 U
	06/16/99	7.8	0.5 U	0.5 U
	09/16/99	28	0.5 U	0.5 U
	9/16/99 (DUP)	26	0.5 U	0.5 U
	03/03/11	43	0.017 J	0.041
	06/22/11	550	0.010 J	0.053
	09/22/11	730	0.10	0.035
	03/07/12	4,100	0.20	0.17
	07/12/12	6,600	0.31	0.38
	09/27/12	6,200	0.33	0.16
	12/19/12	5,500	0.37 J	0.097 J
	03/06/13	6,700	0.40	0.13
	3/6/13 (DUP)	5,700	0.33	0.10
	09/26/13	1,500	0.38	0.24
	9/26/13 (DUP)	1,700	0.38	0.27

Table 5

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-6	12/15/98	14,000	130	31
	03/02/99	9,800	94	15
	3/2/99 (DUP)	12,000	120	16
	06/16/99	11,000	100	10
	09/16/99	13,000	98	8.2
MW-7	12/14/98	1.9	0.5 U	0.5 U
	03/03/99	34	0.5 U	0.5 U
	06/17/99	7.9	0.5 U	0.5 U
	09/17/99	15	0.5 U	0.5 U
	03/02/11	0.18	0.025 U	0.026
	06/22/11	0.59	0.025 U	0.019 J
	09/22/11	8.2	0.025 U	0.046
	03/07/12	0.24	0.0032 J	0.016 J
	07/12/12	0.48	0.025 U	0.014 J
	09/27/12	28	0.0085 J	0.028
	12/19/12	1,200	0.028 J	0.034 J
	03/05/13	200	0.052	0.029
09/24/13	240	0.055	0.024 J	
MW-8	12/14/98	23	0.5 U	0.5 U
	12/14/98 (DUP)	25	0.5 U	0.5 U
	03/02/99	12	0.5 U	0.5 U
	06/16/99	5.2	0.5 U	0.5 U
	09/16/99	18	0.5 U	0.5 U
MW-12	03/03/11	3.1	0.017 J	0.20
	06/22/11	9.3	0.080	0.54
	09/22/11	1,000	0.15	4.3
	9/22/11 (DUP)	1,600	0.20	4.7
	9/22/11 (LAB DUP)	1,500	0.19	4.4
	03/07/12	4,000	0.88	0.67
	3/7/12 (DUP)	4,000	0.85	0.63
	07/12/12	13,000	1.2	3.1
	10/02/12	14,000	1.4	4.9
	12/19/12	7,500	0.78 J	6.8
	03/06/13	11,000	1.1	7.1
09/25/13	13,000	2.7	150	
MW-13	09/24/04	13,000	15	680
	04/05/05	520	1.9	27
	03/03/11	22,000	310	1,000
	06/23/11	17,000	280	510
	09/22/11	16,000	240	1,000
	03/07/12	29,000	540	440
	07/12/12	18,000	450	160
	10/02/12	22,000	450	29
	12/19/12	20,000	420	80
	03/07/13	20,000	570	3.2
09/25/13	19,000	410	230	

Table 5

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-14	09/24/04	5,800	2.2	1.2
	04/05/05	5,900	0.41	0.55 U
MW-15	09/24/04	7,700	1.7	0.8 U
	04/05/05	6,500	1.5	0.55 U
MW-16	09/23/04	16,000	3.2	1.3
	04/05/05	17,000	3.7	2.0
MW-17	09/23/04	13,000	290	61
	9/23/04 (DUP)	13,000	290	60
	04/05/05	13,000	290	70
	03/07/11	21,000	470	21
	06/23/11	18,000	670	8.6
	09/22/11	19,000	530	12
	03/08/12	20,000	550	4.2
	07/12/12	16,000	580	14
	10/01/12	18,000	440	13
	12/19/12	18,000	520	7.6
MW-18	03/07/13	18,000	570	3.6
	09/26/13	20,000	390	3.6
	09/23/04	4,500	25	3.2
	04/05/05	4,800	16	1.5
	4/5/05 (DUP)	5,700	19	1.8
	03/04/11	10,000	260	67
	06/23/11	9,000	24	0.42
	09/22/11	8,000	20	0.19
	03/07/12	9,700	39	36
	07/12/12	10,000	100	35
10/01/12	750	2.0	0.98	
12/19/12	12,000	50	6.2	
MW-19	03/05/13	11,000	22	0.18
	09/26/13	10,000	220	0.18
	09/23/04	5,600	32	870
	04/05/05	5,400	40	97
	07/12/12	1,000	140	270
MW-20	12/19/12	18,000	230	520
	03/05/13	12,000	270	840
MW-20	09/20/05	13,000	240	10

Table 5

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-21	03/02/11	17,000	140	1,600
	3/2/11 (DUP)	16,000	130	1,400
	06/23/11	18,000	100	1,400
	6/23/11 (DUP)	20,000	110	1,600
	09/22/11	21,000	120	1,500
	03/08/12	17,000	150	720
	07/12/12	14,000	94	970
	10/02/12	14,000	84	1,200
	10/02/12	12,000	73	1,100
	12/20/12	14,000	89	830
	03/06/13	18,000	96	1,200
	09/25/13	20,000	60	1,000
	MW-22	03/04/11	16,000	880
06/23/11		15,000	780	140
09/23/11		18,000	1,100	220
03/08/12		27,000	620	900
07/12/12		18,000	470	860
10/02/12		22,000	600	810
12/19/12		24,000	640	120
03/06/13		24,000	520	330
09/25/13		23,000	430	290
MW-23	03/02/11	8.6	0.039	0.11
	06/22/11	4.4	0.016 J	0.042
	09/23/11	5.8	0.091	0.24
	03/07/12	160	0.21	0.05
	07/12/12	2,200	1.1	0.028
	09/27/12	4,800	3.0	0.040
	12/19/12	670	0.35 J	0.044 J
	03/05/13	210	0.15	0.039
	09/24/13	97	0.070	0.026
P-1	09/24/04	5,100	3.0	0.8 U

NOTE: Analyses prior to 2011 performed using Modified RSK Method 175.  
 Analyses from 2011 on performed using Microseeps Method AM20GAX.  
 ug/L = micrograms per liter  
 U = not detected, the associated value is the quantification limit.  
 J = estimated concentration between the method detection and reporting limits.  
 (DUP) = duplicate sample collected in the field and blind labeled.

Table 6

**Groundwater Microbiological Test Results  
Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	Dhc		vcrA		Dhb	
		(cells/L)	Percent Dhc	(gene copies/L)	Percent vcrA	(cells/L)	Percent Dhb
<b>MW-5 Area</b>							
MW-5	10/21/11	3 x 10 <sup>3</sup>	0.0007 - 0.002	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup> U	NA	–	–	4 x 10 <sup>4</sup>	0.007 - 0.02
	09/26/13	1 x 10 <sup>4</sup> J	0.003 - 0.008 J	2 x 10 <sup>4</sup> C	0.003 - 0.01	1 x 10 <sup>3</sup>	0.0002 - 0.0006
MW-7	10/20/11	1 x 10 <sup>3</sup> J	0.0004 - 0.001	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup> U	NA	–	–	2 x 10 <sup>3</sup> U	NA
	09/24/13	1 x 10 <sup>3</sup> J	0.0005 - 0.002 J	1 x 10 <sup>3</sup> U	NA	1 x 10 <sup>3</sup> U	NA
MW-12	10/21/11	7 x 10 <sup>5</sup>	0.04 - 0.1	2 x 10 <sup>5</sup>	0.01 - 0.04	2 x 10 <sup>5</sup>	0.01 - 0.04
	10/02/12	4 x 10 <sup>6</sup>	0.2 - 0.5	5 x 10 <sup>6</sup>	0.2 - 0.6	4 x 10 <sup>5</sup>	0.02 - 0.05
	09/25/13	4 x 10 <sup>7</sup>	4 - 12	2 x 10 <sup>7</sup>	2 - 7	1 X 10 <sup>6</sup>	0.2 - 0.5
MW-23	10/20/11	1 x 10 <sup>3</sup> J	0.0007 - 0.002	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup>	0.0002 - 0.0005	1 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/24/13	1 x 10 <sup>3</sup> U	NA	–	–	1 x 10 <sup>3</sup> U	NA
IW-211	10/21/11	3 x 10 <sup>7</sup>	2 - 7	3 x 10 <sup>7</sup>	2 - 7	4 x 10 <sup>5</sup>	0.04 - 0.1
	10/02/12	2 x 10 <sup>9</sup>	4 - 12	2 x 10 <sup>9</sup>	5 - 15	3 x 10 <sup>5</sup>	0.0007 - 0.002
<b>MW-13/MW-21 Area</b>							
MW-13	10/20/11	5 x 10 <sup>7</sup>	3 - 10	4 x 10 <sup>7</sup>	3 - 9	2 x 10 <sup>5</sup>	0.01 - 0.04
	10/02/12	1 x 10 <sup>7</sup>	0.8 - 2	2 x 10 <sup>7</sup>	1 - 3	9 x 10 <sup>4</sup>	0.005 - 0.02
	09/25/13	4 x 10 <sup>6</sup> J	0.4 - 1 J	3 x 10 <sup>5</sup>	0.3 - 1	4 x 10 <sup>4</sup>	0.004 - 0.01
MW-21	10/20/11	4 x 10 <sup>7</sup>	6 - 16	4 x 10 <sup>7</sup>	5 - 14	2 x 10 <sup>6</sup>	0.3 - 0.8
	10/02/12	5 x 10 <sup>7</sup>	1 - 3	7 x 10 <sup>7</sup>	2 - 5	8 x 10 <sup>6</sup>	0.2 - 0.6
	09/25/13	1 x 10 <sup>8</sup>	5 - 14	9 x 10 <sup>7</sup>	4 - 11	3 x 10 <sup>5</sup>	0.01 - 0.04
MW-22	10/21/11	1 x 10 <sup>7</sup>	4 - 13	8 x 10 <sup>6</sup>	3 - 9	4 x 10 <sup>4</sup>	0.02 - 0.05
	10/02/12	3 x 10 <sup>7</sup>	3 - 8	6 x 10 <sup>7</sup>	5 - 14	3 x 10 <sup>4</sup>	0.003 - 0.008
	09/25/13	3 x 10 <sup>7</sup>	6 - 16	2 x 10 <sup>7</sup>	4 - 12	1 x 10 <sup>5</sup>	0.03 - 0.08
IW-117	10/20/11	5 x 10 <sup>5</sup>	0.02 - 0.06	5 x 10 <sup>5</sup>	0.02 - 0.06	4 x 10 <sup>4</sup>	0.002 - 0.005
	10/02/12	3 x 10 <sup>5</sup>	0.0005 - 0.002	2 x 10 <sup>6</sup> C	0.003 - 0.008	3 x 10 <sup>5</sup>	0.0005 - 0.002
IW-140	10/21/11	5 x 10 <sup>5</sup>	0.007 - 0.02	5 x 10 <sup>5</sup> C	0.008 - 0.02	3 x 10 <sup>5</sup>	0.004 - 0.01
	10/02/12	3 x 10 <sup>4</sup>	0.00009 - 0.0003	6 x 10 <sup>5</sup> C	0.002 - 0.005	7 x 10 <sup>4</sup>	0.0002 - 0.0006

NOTE: Samples analyzed by SiREM using SiREM's Gene-Trac<sup>®</sup> qPCR method.

Dhc = *Dehalococcoides*; based on quantification of Dhc 16S ribosomal ribonucleic acid (rRNA) gene copies. Dhc are generally reported to contain one 16s rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.

vcrA = vinyl chloride reductase gene.

Dhb = *Dehalobacter*; based on quantification of Dhb 16S rRNA gene copies.

Percent Dhc, Dhb, and vcrA = percent Dhc or Dhb in the microbial population and the percent of the microbial population harboring the vcrA gene.

U = not detected, the associated value is the quantification limit.

J = estimated value

C = correction factor applied to correct for non-PCR amplification products.

– = not analyzed.

NA = not applicable as either not detected or quantifiable DNA not extracted from the sample.

Values of Dhc at or below 10<sup>4</sup> gene copies/L are low, indicating that the conditions are suboptimal for high rates of dechlorination.

Values of 10<sup>5</sup> - 10<sup>6</sup> Dhc gene copies/L are moderate and may or may not be associated with observable dechlorination activity.

Values at or above 10<sup>7</sup> Dhc gene copies/L are high and are often associated with high rates of dechlorination.

Values of 10<sup>9</sup> Dhc gene copies/L are generally the highest observed for groundwater samples with rare exceptions.

**APPENDIX A**  
**HISTORICAL GROUNDWATER ELEVATION DATA**



**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
<b>Shallow On-Site Monitoring and Pilot Test Wells</b>					
MW-1	33.45	04/17/95	12:14	4.70	28.75
		09/07/95	NR	6.24	27.21
		11/10/95	NR	5.86	27.59
		12/07/95	NR	5.13	28.32
		01/29/96	NR	4.57	28.88
		09/04/96	13:50	6.04	27.41
		10/11/96	11:00	6.04	27.41
		11/06/96	9:25	5.53	27.92
		12/10/96	10:55	4.46	28.99
		01/10/97	NR	4.20	29.25
		02/21/97	12:45	4.33	29.12
		03/04/97	9:55	4.33	29.12
		06/27/97	10:57	4.81	28.64
		09/04/97	11:08	5.63	27.82
		12/22/97	8:46	4.82	28.63
		03/06/98	10:03	4.50	28.95
		06/18/98	9:19	5.02	28.43
		09/29/98	9:25	6.52	26.93
		12/15/98	9:45	4.78	28.67
		01/07/99	9:02	4.33	29.12
	01/13/99	9:29	4.35	29.10	
	03/02/99	12:43	3.60	29.85	
	06/16/99	10:26	4.87	28.58	
	09/16/99	10:43	5.72	27.73	
	12/08/99	8:43	4.63	28.82	
	03/07/00	8:58	4.28	29.17	
	06/21/00	9:45	4.80	28.65	
	09/12/00	9:30	5.81	27.64	
	12/07/00	8:45	5.36	28.09	
	03/15/01	9:30	4.91	28.54	
	07/12/01	11:00	5.10	28.35	
	09/24/01	11:29	5.95	27.50	
	01/02/02	11:07	4.35	28.80	
	03/27/02	9:55	4.12	29.03	
	06/11/02	10:42	4.75	28.40	
	09/17/02	12:36	6.03	27.12	
	12/16/02	11:40	5.60	27.55	
	03/17/03	11:00	4.91	28.24	
	06/10/03	NR	5.11	28.04	
	09/11/03	10:05	6.66	26.49	
	12/04/03	7:30	4.96	28.19	
	01/12/04	11:12	4.70	28.45	
	03/16/04	12:20	4.80	28.35	
	06/10/04	8:25	5.25	27.90	
	09/22/04	11:15	5.88	27.27	
	04/04/05	13:40	5.03	28.12	
	09/20/05	9:40	6.77	26.38	
	01/25/06	15:15	4.45	28.70	
	03/14/06	10:30	4.60	28.55	
	03/15/06	0:00	4.56	28.59	
05/19/06	12:30	4.91	28.24		
06/09/06	14:12	4.70	28.45		
09/12/06	12:32	6.85	26.30		
04/03/07	10:30	4.51	28.64		
04/03/07	12:04	4.40	28.75		
09/24/07	10:55	6.40	26.75		
09/24/07	12:47	6.38	26.77		
05/01/08	11:08	4.85	28.30		
09/29/08	NR	5.92	27.23		
03/23/09	10:25	4.65	28.50		
09/28/09	13:45	6.21	26.94		
03/25/10	8:39	4.75	28.40		
04/05/10	10:28	4.51	28.64		
05/06/10	NR	NM	-		
07/13/10	14:35	4.81	28.34		
	33.15				

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-1 (continued)		09/27/10	10:10	5.35	27.80
		02/28/11	14:55	4.29	28.86
		03/22/11	14:05	4.00	29.15
		04/25/11	8:22	NM	-
		05/04/11	8:36	3.99	29.16
		06/22/11	8:25	4.21	28.94
		09/20/11	13:20	6.06	27.09
		12/06/11	11:10	5.02	28.13
		03/05/12	12:39	4.06	29.09
		03/05/12	14:16	3.76	29.39
		03/05/12	14:50	3.79	29.36
		06/26/12	12:50	4.06	29.09
		06/26/12	12:55	3.97	29.18
		06/26/12	14:07	3.94	29.21
		10/03/12	15:55	6.54	26.61
		12/18/12	13:42	4.50	28.65
		12/18/12	15:25	4.28	28.87
		03/04/13	14:32	4.43	28.72
		03/04/13	14:53	4.28	28.87
		03/04/13	15:10	4.23	28.92
03/04/13	16:07	4.20	28.95		
06/06/13	7:35	4.45	28.70		
09/24/13	12:43	5.89	27.26		
MW-2	34.07	04/17/95	12:09	6.26	27.81
		09/07/95	NR	7.72	26.35
		11/10/95	NR	7.21	26.86
		12/07/95	NR	6.01	28.06
		01/29/96	NR	5.37	28.70
		09/04/96	9:00	7.93	26.14
		10/11/96	10:30	7.71	26.36
		11/06/96	8:50	7.02	27.05
		12/10/96	10:50	5.55	28.52
		01/10/97	NR	5.02	29.05
		02/21/97	12:10	5.31	28.76
		03/04/97	9:50	5.29	28.78
		06/27/97	10:53	6.11	27.96
		09/04/97	11:04	7.07	27.00
		12/22/97	8:44	5.92	28.15
		03/06/98	2:20	5.67	28.40
		06/18/98	9:22	6.54	27.53
		09/29/98	9:28	7.95	26.12
		12/15/98	9:52	5.71	28.36
		01/07/99	8:50	5.51	28.56
	01/13/99	9:25	5.62	28.45	
	03/02/99	9:29	4.73	29.34	
	06/16/99	10:31	6.40	27.67	
	09/16/99	10:41	7.39	26.68	
	12/08/99	8:40	5.84	28.23	
	03/07/00	8:52	5.36	28.71	
	06/21/00	9:54	6.43	27.64	
	09/12/00	11:25	7.92	26.15	
	12/07/00	8:40	7.11	26.96	
	03/15/01	9:40	6.44	27.63	
	07/12/01	13:00	6.83	27.24	
	09/24/01	11:33	7.64	26.43	
	01/02/02	10:30	5.61	28.18	
	03/27/02	10:00	5.49	28.30	
	06/11/02	10:45	6.28	27.51	
	09/17/02	12:33	7.67	26.12	
	12/16/02	11:37	7.07	26.72	
	03/17/03	10:55	5.75	28.04	
	06/10/03	NR	6.68	27.11	
	09/10/03	9:10	8.16	25.63	
12/04/03	9:30	6.24	27.55		
01/12/04	10:55	5.75	28.04		
03/15/04	11:15	5.90	27.89		
	33.79				

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-2 (continued)		06/10/04	8:10	6.50	27.29
		09/23/04	8:10	7.12	26.67
		04/04/05	13:35	6.00	27.79
		09/20/05	9:35	7.74	26.05
		03/14/06	10:20	5.45	28.34
		03/15/06	7:55	5.45	28.34
		09/12/06	12:26	7.99	25.80
		04/03/07	10:25	5.35	28.44
		04/03/07	11:58	5.38	28.41
		09/24/07	10:44	7.76	26.03
		05/01/08	11:30	6.11	27.68
		09/29/08	NR	7.45	26.34
		03/23/09	10:06	5.77	28.02
		09/28/09	13:20	7.53	26.26
		03/25/10	8:47	6.53	27.26
		04/05/10	10:45	7.66	26.13
		05/06/10	8:15	7.02	26.77
		07/13/10	14:37	6.55	27.24
		09/27/10	10:05	6.75	27.04
		02/28/11	16:09	5.32	28.47
		03/17/11	12:43	5.14	28.65
		04/25/11	8:32	5.21	28.58
		05/04/11	8:39	5.43	28.36
		06/22/11	8:32	5.96	27.83
		09/20/11	13:28	7.50	26.29
		12/06/11	11:20	6.58	27.21
		03/05/12	12:47	5.46	28.33
		03/05/12	14:00	5.45	28.34
		06/25/12	12:15	5.92	27.87
		10/03/12	15:30	7.79	26.00
12/18/12	13:39	5.57	28.22		
12/18/12	15:14	5.58	28.21		
03/04/13	14:35	5.80	27.99		
03/04/13	14:45	5.80	27.99		
06/06/13	7:30	6.20	27.59		
09/24/13	12:32	7.21	26.58		
MW-3	33.21	04/17/95	12:01	6.54	26.67
		09/07/95	NR	7.34	25.87
		11/10/95	NR	6.93	26.28
		12/07/95	NR	6.24	26.97
		01/29/96	NR	5.73	27.48
		09/04/96	14:50	7.17	26.04
		10/11/96	10:20	7.32	25.89
		11/06/96	9:10	6.85	26.36
		12/10/96	10:25	5.75	27.46
		01/10/97	NR	5.30	27.91
		02/21/97	11:55	5.51	27.70
		03/04/97	9:27	5.50	27.71
		06/27/97	10:30	6.24	26.97
		09/04/97	10:47	6.87	26.34
		12/22/97	8:10	6.03	27.18
		03/06/98	9:34	5.90	27.31
		06/18/98	8:57	6.51	26.70
		09/29/98	9:05	5.73	27.48
		12/14/98	9:32	5.92	27.29
		01/07/99	8:44	5.81	27.40
		01/13/99	9:12	5.93	27.28
		03/02/99	9:04	5.21	28.00
		06/16/99	9:55	6.48	26.73
		09/16/99	10:23	7.20	26.01
		12/08/99	8:24	6.08	27.13
		03/07/00	8:23	5.74	27.47
		06/21/00	9:15	6.48	26.73
		09/12/00	10:30	7.40	25.81
		12/07/00	9:25	6.94	26.27
		03/15/01	9:57	6.41	26.80

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-3 (continued)	32.94	07/12/01	15:55	6.77	26.44
		09/24/01	11:37	7.48	25.73
		01/02/02	11:12	5.71	27.23
		03/27/02	10:05	5.65	27.29
		06/11/02	10:27	6.28	26.66
		09/17/02	12:00	7.41	25.53
		12/16/02	11:05	6.81	26.13
		03/17/03	10:05	5.84	27.10
		06/10/03	NR	6.60	26.34
		09/11/03	9:50	7.82	25.12
		12/03/03	12:00	6.26	26.68
		01/12/04	11:59	5.80	27.14
		03/15/04	10:00	5.98	26.96
		06/10/04	7:00	6.22	26.72
		09/22/04	10:05	7.87	25.07
		04/04/05	12:10	5.92	27.02
		09/20/05	8:10	7.45	25.49
		01/25/06	15:30	5.24	27.70
		03/14/06	11:40	5.57	27.37
		03/14/06	11:53	5.57	27.37
		09/12/06	11:10	7.70	25.24
		04/03/07	9:35	5.52	27.42
		04/03/07	11:10	5.51	27.43
		09/24/07	11:35	7.43	25.51
		05/01/08	9:24	5.96	26.98
		09/29/08	NR	7.08	25.86
		03/23/09	8:58	5.74	27.20
		09/28/09	13:00	7.22	25.72
		03/25/10	9:30	5.75	27.19
		04/05/10	11:30	5.96	26.98
05/06/10	8:56	6.25	26.69		
07/13/10	14:50	5.90	27.04		
MW-3		09/27/10	11:20	6.36	26.58
		02/28/11	NM		-
		03/17/11	13:45	5.15	27.79
		04/25/11	9:38	5.11	27.83
		05/04/11	9:24	5.35	27.59
		06/22/11	7:52	5.74	27.20
		09/20/11	12:58	7.10	25.84
		12/06/11	10:56	6.35	26.59
		03/05/12	13:50	5.35	27.59
		03/05/12	15:10	5.35	27.59
		06/25/12	11:55	5.71	27.23
		06/25/12	11:57	5.70	27.24
		10/03/12	16:30	7.47	25.47
		12/18/12	11:52	5.40	27.54
		12/18/12	12:31	5.40	27.54
		03/04/13	14:05	5.70	27.24
		03/04/13	15:18	5.68	27.26
06/06/13	8:02	6.03	26.91		
09/24/13	11:50	6.74	26.20		
MW-4	33.20	09/04/96	13:00	5.89	27.31
		10/11/96	10:40	6.21	26.99
		11/06/96	9:15	5.75	27.45
		12/10/96	10:40	4.68	28.52
		01/10/97	NR	3.95	29.25
		02/21/97	12:40	4.10	29.10
		03/04/97	11:35	4.16	29.04
		06/27/97	10:44	4.59	28.61
		09/04/97	10:55	5.44	27.76
		12/22/97	8:39	4.78	28.42
		03/06/98	9:51	4.28	28.92
		06/18/98	9:16	5.00	28.20
		09/29/98	9:20	6.44	26.76
		12/14/98	9:43	5.16	28.04
		01/07/99	9:06	4.38	28.82

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-4 (continued)	32.86	01/13/99	9:17	4.38	28.82
		03/02/99	9:26	3.73	29.47
		06/16/99	10:23	4.77	28.43
		09/16/99	10:45	5.78	27.42
		12/08/99	8:45	4.81	28.39
		03/07/00	9:03	4.17	29.03
		06/21/00	9:41	4.85	28.35
		09/12/00	9:40	6.22	26.98
		12/07/00	8:50	6.78	26.42
		03/15/01	9:35	5.10	28.10
		07/12/01	10:00	5.14	28.06
		09/24/01	11:41	6.02	27.18
		01/02/02	11:05	4.41	28.45
		03/27/02	9:53	4.17	28.69
		06/11/02	10:37	4.69	28.17
		09/17/02	12:38	6.25	26.61
		12/16/02	11:45	6.22	26.64
		03/17/03	11:02	4.74	28.12
		06/10/03	NR	5.17	27.69
		09/10/03	9:20	7.02	25.84
		12/04/03	7:25	5.49	27.37
		01/12/04	11:20	4.88	27.98
		03/15/04	11:25	4.83	28.03
		06/10/04	8:35	5.33	27.53
		09/22/04	11:30	6.11	26.75
		04/04/05	13:50	5.28	27.58
		09/20/05	9:55	6.65	26.21
		01/25/06	15:25	4.41	28.45
		03/14/06	10:50	4.58	28.28
		03/15/06	12:05	4.64	28.22
		05/19/06	12:25	5.00	27.86
		06/09/06	14:20	4.80	28.06
		09/12/06	12:45	6.96	25.90
		04/03/07	10:45	4.46	28.40
		04/03/07	12:15	4.40	28.46
		09/24/07	11:05	6.67	26.19
		05/01/08	10:30	5.00	27.86
		09/29/08	NR	6.29	26.57
		03/23/09	10:58	4.80	28.06
		09/28/09	14:00	6.53	26.33
		03/25/10	10:28	4.60	28.26
		04/05/10	10:30	4.67	28.19
		05/06/10	8:21	5.32	27.54
07/13/10	14:42	4.98	27.88		
09/27/10	10:27	5.70	27.16		
02/28/11	14:08	4.40	28.46		
03/17/11	14:13	4.10	28.76		
04/25/11	8:10	4.11	28.75		
05/04/11	8:31	3.90	28.96		
06/22/11	8:20	4.58	28.28		
09/20/11	13:52	6.31	26.55		
12/06/11	11:08	5.51	27.35		
03/05/12	13:03	4.26	28.60		
03/05/12	14:25	4.27	28.59		
06/25/12	13:07	4.50	28.36		
10/03/12	13:12	6.70	26.16		
12/18/12	13:47	4.82	28.04		
12/18/12	15:21	4.80	28.06		
03/04/13	14:28	4.75	28.11		
03/04/13	15:11	4.73	28.13		
06/06/13	7:38	4.82	28.04		
09/24/13	12:51	6.20	26.66		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-5	32.77	09/04/96	11:50	6.74	26.03
		10/11/96	10:45	6.82	25.95
		11/06/96	9:05	6.24	26.53
		12/10/96	10:30	5.01	27.76
		01/10/97	NR	4.54	28.23
		02/21/97	12:30	4.79	27.98
		03/04/97	9:40	4.78	27.99
		06/27/97	10:40	5.54	27.23
		09/04/97	10:59	6.29	26.48
		12/22/97	8:32	5.36	27.41
		03/06/98	9:43	5.15	27.62
		06/18/98	9:11	5.89	26.88
		09/29/98	9:39	7.13	25.64
		12/15/98	9:38	5.18	27.59
		01/07/99	9:08	5.04	27.73
		01/13/99	9:00	5.97	26.80
		03/02/99	9:16	4.38	28.39
		06/16/99	10:07	5.81	26.96
		09/16/99	10:36	6.58	26.19
		12/08/99	8:34	5.33	27.44
		03/07/00	8:44	4.92	27.85
		06/21/00	9:24	5.31	27.46
		09/12/00	10:05	6.84	25.93
		12/07/00	8:55	6.42	26.35
		03/15/01	9:55	5.82	26.95
	07/09/01	10:08	6.22	26.55	
	08/27/01	10:11	6.67	26.10	
	09/24/01	11:43	6.98	25.79	
	10/22/01	11:37	6.94	25.83	
	11/19/01	13:10	6.31	26.46	
	01/02/02	10:57	5.14	27.46	
	03/27/02	10:36	5.05	27.55	
	06/11/02	10:13	5.75	26.85	
	09/17/02	12:15	6.98	25.62	
	12/16/02	11:22	6.31	26.29	
	03/17/03	10:30	5.31	27.29	
	06/10/03	NR	6.08	26.52	
	09/11/03	9:55	7.39	25.21	
	12/03/03	11:40	5.70	26.90	
	01/12/04	10:23	5.24	27.36	
	03/15/04	10:45	5.39	27.21	
	09/22/04	11:00	6.44	26.16	
	04/04/05	12:55	5.34	27.26	
	09/20/05	9:00	6.99	25.61	
	03/14/06	9:30	5.04	27.56	
	03/14/06	13:40	5.03	27.57	
	09/12/06	11:52	7.25	25.35	
	04/03/07	11:35	5.01	27.59	
	09/24/07	10:26	7.01	25.59	
	05/01/08	10:05	5.50	27.10	
09/29/08	NR	6.71	25.89		
03/23/09	9:35	5.39	27.21		
09/28/09	14:10	6.80	25.80		
03/25/10	10:12	5.52	27.08		
04/05/10	10:34	5.91	26.69		
05/06/10	8:10	6.02	26.58		
07/13/10	14:42	5.79	26.81		
09/27/10	10:19	5.95	26.65		
02/28/11	13:47	4.69	27.91		
03/22/11	13:05	4.63	27.97		
04/25/11	8:53	4.65	27.95		
05/04/11	8:56	4.85	27.75		
06/22/11	8:57	5.30	27.30		
09/20/11	13:45	6.71	25.89		
12/06/11	11:34	5.91	26.69		
03/05/12	12:16	4.89	27.71		
	32.60				

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-5 (continued)		03/05/12	14:30	4.90	27.70
		06/25/12	12:40	5.27	27.33
		10/03/12	15:00	7.03	25.57
		12/18/12	13:31	4.92	27.68
		12/18/12	15:28	4.93	27.67
		03/04/13	15:02	5.22	27.38
		03/04/13	16:12	5.22	27.38
		06/06/13	7:50	5.56	27.04
		09/24/13	12:18	6.51	26.09
MW-6	33.33	09/04/96	9:50	6.26	27.07
		10/11/96	10:35	6.55	26.78
		11/06/96	8:58	5.98	27.35
		12/10/96	10:45	5.08	28.25
		01/10/97	NR	4.17	29.16
		02/21/97	12:15	4.33	29.00
		03/04/97	9:45	4.42	28.91
		06/27/97	10:49	5.05	28.28
		09/04/97	11:01	5.87	27.46
		12/22/97	8:36	5.11	28.22
		03/06/98	9:49	4.57	28.76
		06/18/98	9:26	5.48	27.85
		09/29/98	9:32	6.87	26.46
		12/15/98	9:50	5.15	28.18
		01/07/99	8:55	4.39	28.94
		01/13/99	9:20	4.44	28.89
		03/02/99	9:24	3.64	29.69
		06/16/99	10:19	5.04	28.29
		09/16/99	10:39	6.03	27.30
		12/08/99	8:37	4.82	28.51
		03/07/00	8:48	4.44	28.89
		06/21/00	9:50	5.08	28.25
		09/12/00	11:15	6.24	27.09
	12/07/00	9:05	5.85	27.48	
	03/15/01	9:45	5.25	28.08	
	07/12/01	15:30	5.61	27.72	
	09/24/01	11:46	6.35	26.98	
	33.05	01/02/02	10:37	4.52	28.53
		03/27/02	9:50	4.00	29.05
		06/11/02	10:51	4.87	28.18
		06/11/02	12:30	6.39	26.66
		12/16/02	11:35	6.27	26.78
		03/17/03	10:46	4.67	28.38
		06/10/03	NR	5.65	27.40
		09/10/03	8:55	7.90	25.15
		12/04/03	8:00	5.91	27.14
		01/12/04	10:45	5.62	27.43
		03/15/04	11:10	5.33	27.72
		06/10/04	8:05	6.40	26.65
		09/22/04	11:10	7.27	25.78
		04/04/05	13:20	5.74	27.31
		09/20/05	9:20	7.72	25.33
		01/25/06	15:15	4.93	28.12
		03/14/06	10:00	5.20	27.85
		03/14/06	14:40	5.20	27.85
		05/19/06	12:40	5.88	27.17
		06/09/06	14:00	5.75	27.30
09/12/06		12:12	8.00	25.05	
04/03/07		10:15	4.89	28.16	
04/03/07		11:50	4.89	28.16	
09/24/07		10:42	7.87	25.18	
05/02/08	10:18	5.75	27.30		
09/29/08	NR	7.64	25.41		
03/23/09	9:54	5.23	27.82		
09/28/09	13:30	7.93	25.12		
03/25/10	10:15	5.32	27.73		
04/05/10	10:42	5.20	27.85		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-6 (continued)		05/06/10	8:19	6.02	27.03
		07/13/10	14:39	6.13	26.92
		09/27/10	9:49	6.84	26.21
		02/28/11	16:13	5.11	27.94
		03/17/11	12:57	4.50	28.55
		04/25/11	8:28	4.70	28.35
		05/04/11	8:44	4.58	28.47
		06/22/11	8:43	5.48	27.57
		09/20/11	13:33	7.41	25.64
		12/06/11	11:25	6.23	26.82
		03/05/12	12:50	5.00	28.05
		03/05/12	14:03	4.95	28.10
		06/25/12	12:22	5.58	27.47
		10/03/12	15:30	7.80	25.25
		12/18/12	13:37	5.31	27.74
		12/18/12	15:10	5.31	27.74
		03/04/13	14:30	5.33	27.72
03/04/13	15:09	5.30	27.75		
06/06/13	7:34	5.79	27.26		
09/24/13	12:26	7.35	25.70		
MW-7	33.24	12/22/97	8:26	5.86	27.38
		03/06/98	9:41	5.66	27.58
		06/18/98	9:04	6.38	26.86
		09/29/98	9:15	7.62	25.62
		12/14/98	9:36	5.66	27.58
		01/07/99	8:34	5.58	27.66
		01/13/99	9:05	5.68	27.56
		03/02/99	9:09	4.89	28.35
		06/16/99	10:03	6.32	26.92
		09/16/99	10:30	7.09	26.15
		12/08/99	8:28	5.89	27.35
		03/07/00	8:38	5.45	27.79
		06/21/00	10:00	6.47	26.77
		09/12/00	10:25	7.31	25.93
		12/07/00	9:20	6.91	26.33
		03/15/01	10:00	6.32	26.92
		07/12/01	13:45	6.75	26.49
	08/27/01	10:30	7.09	26.15	
	09/24/01	11:49	7.33	25.91	
	10/22/01	18:37	7.20	26.04	
	11/19/01	12:50	6.33	26.91	
	01/02/02	10:23	5.55	27.41	
	03/27/02	10:12	5.45	27.51	
	06/11/02	10:23	6.16	26.80	
	09/17/02	12:41	7.34	25.62	
	12/16/02	11:10	6.71	26.25	
	03/17/03	10:15	5.70	27.26	
	06/10/03	NR	6.48	26.48	
	09/10/03	8:23	7.80	25.16	
	12/03/03	11:30	6.17	26.79	
	01/12/04	10:07	5.64	27.32	
	03/15/04	10:23	5.79	27.17	
	06/10/04	7:25	6.22	26.74	
	09/22/04	10:35	6.84	26.12	
	04/04/05	12:30	5.73	27.23	
	09/20/05	8:35	7.38	25.58	
	01/25/06	14:55	5.06	27.90	
	03/14/06	9:00	5.41	27.55	
	03/14/06	12:20	5.44	27.52	
	05/19/06	13:00	5.99	26.97	
06/09/06	13:36	5.81	27.15		
09/12/06	11:35	7.62	25.34		
04/03/07	9:45	5.31	27.65		
04/03/07	11:20	5.32	27.64		
09/24/07	10:13	7.36	25.60		
05/01/08	9:46	5.86	27.10		
	32.96				



**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-7 (Continued)		09/29/08	NR	7.07	25.89
		03/23/09	9:25	5.61	27.35
		09/28/09	12:42	7.18	25.78
		03/25/10	8:12	5.86	27.10
		04/05/10	10:51	6.22	26.74
		05/06/10	8:47	6.35	26.61
		07/13/10	14:15	6.13	26.83
		09/27/10	11:30	6.35	26.61
		02/28/11	15:25	5.07	27.89
		03/17/11	13:30	5.00	27.96
		04/25/11	9:13	5.05	27.91
		05/04/11	9:07	5.25	27.71
		06/22/11	8:06	5.64	27.32
		09/20/11	13:10	7.08	25.88
		12/06/11	11:48	6.30	26.66
		03/05/12	13:42	5.27	27.69
		03/05/12	15:01	5.28	27.68
		06/25/12	12:12	5.65	27.31
		06/25/12	12:14	5.64	27.32
		10/03/12	16:30	7.41	25.55
		12/18/12	12:12	5.30	27.66
		12/18/12	12:50	5.30	27.66
		03/04/13	14:20	5.63	27.33
03/04/13	15:14	5.60	27.36		
06/06/13	7:55	5.96	27.00		
09/24/13	12:03	6.73	26.23		
MW-8	33.83	12/22/97	8:30	6.39	27.44
		03/06/98	9:46	6.20	27.63
		06/18/98	9:13	6.94	26.89
		09/29/98	9:42	8.22	25.61
		12/14/98	9:55	6.21	27.62
		01/07/99	9:12	6.10	27.73
		01/13/99	8:55	6.22	27.61
		03/02/99	9:21	5.38	28.45
		06/16/99	10:12	6.88	26.95
		09/16/99	10:33	7.65	26.18
		12/08/99	8:33	6.42	27.41
		03/07/00	8:42	5.97	27.86
		06/21/00	10:06	6.77	27.06
		09/12/00	10:20	7.90	25.93
		12/07/00	9:10	7.46	26.37
		03/15/01	9:50	6.95	26.88
		07/12/01	12:00	7.31	26.52
	08/27/01	10:27	7.65	26.18	
	09/24/01	11:52	7.98	25.85	
	10/22/01	17:50	7.95	25.88	
	11/19/01	14:15	6.88	26.95	
	01/02/02	10:48	6.07	27.50	
	03/27/02	10:21	5.98	27.59	
	06/11/02	10:08	6.71	26.86	
	09/17/02	12:26	7.94	25.63	
	12/16/02	11:28	7.29	26.28	
	03/17/03	10:37	6.58	26.99	
	06/10/03	NR	7.05	26.52	
	09/10/03	8:44	8.38	25.19	
	12/03/03	11:00	6.70	26.87	
	01/12/04	10:33	6.19	27.38	
	03/15/04	11:00	6.32	27.25	
	06/10/04	7:55	6.78	26.79	
	09/23/04	8:05	7.40	26.17	
	04/04/05	13:10	6.29	27.28	
	09/20/05	9:10	7.94	25.63	
	03/14/06	9:45	6.03	27.54	
03/15/06	10:55	6.03	27.54		
05/19/06	12:50	6.52	27.05		
06/09/06	13:54	6.37	27.20		
	33.57				

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-8 (Continued)		09/12/06	12:04	8.20	25.37
		04/03/07	10:08	5.88	27.69
		04/03/07	11:43	5.89	27.68
		09/24/07	10:34	7.95	25.62
		05/01/08	15:15	6.42	27.15
		09/29/08	NR	7.64	25.93
		03/23/09	9:43	6.15	27.42
		09/28/09	14:15	7.75	25.82
		03/25/10	10:20	6.43	27.14
		04/05/10	10:37	6.85	26.72
		05/06/10	8:10	6.97	26.60
		07/13/10	14:41	6.71	26.86
		09/27/10	9:41	6.93	26.64
		02/28/11	13:01	5.62	27.95
		03/17/11	13:00	5.55	28.02
		04/25/11	8:45	5.60	27.97
		05/04/11	8:50	5.80	27.77
		06/22/11	8:48	6.24	27.33
		09/20/11	13:38	7.65	25.92
		12/06/11	11:30	6.86	26.71
		03/05/12	13:20	5.84	27.73
		03/05/12	14:06	5.84	27.73
		06/25/12	12:27	6.21	27.36
		10/03/12	15:35	7.98	25.59
		12/18/12	13:34	5.86	27.71
		12/18/12	15:07	5.86	27.71
		03/04/13	15:05	6.17	27.40
		03/04/13	16:13	6.18	27.39
06/06/13	7:52	6.51	27.06		
09/24/13	12:14	7.25	26.32		
MW-9	33.77	08/27/01	10:26	7.80	25.97
		10/22/01	16:55	7.95	25.82
		11/19/01	14:23	7.02	26.75
		01/02/02	10:44	6.21	27.56
		03/27/02	10:25	6.06	27.71
		06/11/02	10:05	6.84	26.93
		09/17/02	12:28	8.11	25.66
		12/16/02	11:30	7.51	26.26
		03/17/03	10:41	6.36	27.41
		06/10/03	NR	7.20	26.57
		09/10/03	8:49	8.61	25.16
		12/03/03	11:05	6.90	26.87
		01/12/04	10:40	6.34	27.43
		03/15/04	11:05	6.41	27.36
		06/10/04	8:00	7.00	26.77
		09/22/04	11:05	7.81	25.96
		04/04/05	13:15	6.45	27.32
		09/20/05	9:15	8.15	25.62
		01/25/06	15:10	5.74	28.03
		03/14/06	9:50	6.09	27.68
		03/14/06	14:10	6.09	27.68
		05/19/06	12:45	6.71	27.06
		06/09/06	13:58	6.54	27.23
		09/12/06	12:08	8.42	25.35
		04/03/07	10:10	6.00	27.77
		04/03/07	11:47	6.01	27.76
		09/24/07	10:37	8.15	25.62
		05/01/08	12:12	6.57	27.20
		09/29/08	NR	7.89	25.88
		03/23/09	9:50	6.28	27.49
		09/28/09	14:20	7.98	25.79
		03/25/10	10:24	6.55	27.22
		04/05/10	10:39	6.89	26.88
05/06/10	8:11	7.10	26.67		
07/13/10	14:40	6.88	26.89		
09/27/10	9:45	7.12	26.65		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-9 (Continued)		02/28/11	16:15	5.77	28.00
		03/17/11	12:59	5.61	28.16
		04/25/11	8:34	5.69	28.08
		05/04/11	8:48	5.89	27.88
		06/22/11	8:46	6.37	27.40
		09/20/11	13:36	7.84	25.93
		12/06/11	11:28	7.01	26.76
		03/05/12	13:25	5.96	27.81
		03/05/12	14:05	5.96	27.81
		06/25/12	12:25	6.37	27.40
		10/03/12	15:30	8.15	25.62
		12/18/12	13:35	6.00	27.77
		12/18/12	15:08	6.00	27.77
		03/04/13	15:07	6.30	27.47
		03/04/13	16:14	6.30	27.47
06/06/13	7:53	6.61	27.16		
09/24/13	12:15	7.50	26.27		
MW-10	32.89	01/02/02	10:18	5.48	27.41
		03/27/02	10:08	5.42	27.47
		06/11/02	10:25	6.08	26.81
		09/17/02	12:46	7.25	25.64
		12/16/02	11:07	6.58	26.31
		03/17/03	10:10	5.62	27.27
		06/10/03	NR	6.40	26.49
		09/10/03	8:20	7.72	25.17
		12/03/03	10:30	6.07	26.82
		01/12/04	10:03	5.58	27.31
		03/15/04	10:17	5.73	27.16
		06/10/04	7:15	6.13	26.76
		09/22/04	10:25	6.71	26.18
		04/04/05	12:25	5.66	27.23
		09/20/05	8:30	7.29	25.60
		01/25/06	14:50	5.05	27.84
		03/14/06	11:05	5.35	27.54
		03/15/06	11:25	5.42	27.47
		05/19/06	12:15	5.90	26.99
		06/09/06	13:30	5.74	27.15
		09/12/06	11:28	7.53	25.36
		04/03/07	9:20	5.31	27.58
		04/03/07	11:00	5.27	27.62
		09/24/07	10:08	7.25	25.64
		05/01/08	9:35	5.76	27.13
		09/29/08	NR	6.96	25.93
		03/23/09	8:31	5.54	27.35
		09/28/09	12:51	7.06	25.83
		03/25/10	8:10	5.65	27.24
		04/05/10	10:53	6.00	26.89
		05/06/10	8:46	6.22	26.67
		07/13/10	14:06	6.03	26.86
		09/27/10	11:35	6.21	26.68
		02/28/11	15:31	4.96	27.93
		03/17/11	13:39	4.93	27.96
		04/25/11	9:25	4.94	27.95
		05/04/11	9:09	5.07	27.82
		06/22/11	8:01	5.55	27.34
		09/20/11	13:03	6.96	25.93
		12/06/11	11:50	6.20	26.69
		03/05/12	13:32	5.16	27.73
03/05/12	15:05	5.17	27.72		
06/25/12	12:05	5.57	27.32		
06/25/12	12:15	5.54	27.35		
10/03/12	16:30	7.31	25.58		
12/18/12	12:10	5.30	27.59		
12/18/12	12:45	5.20	27.69		
12/18/12	14:00	5.19	27.70		
03/04/13	14:16	5.52	27.37		

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-10 (Continued)		03/04/13	15:15	5.50	27.39
		06/06/13	7:59	5.85	27.04
		09/24/13	11:59	6.60	26.29
MW-11	32.79	08/27/01	10:16	6.88	25.91
		10/15/02	11:50	8.20	24.59
		10/22/01	12:20	7.14	25.65
		10/29/01	16:04	6.98	25.81
		11/19/01	12:55	6.27	26.52
		01/02/02	11:00	5.34	27.45
		03/27/02	10:34	5.25	27.54
		06/11/02	10:16	5.95	26.84
		09/17/02	12:14	7.16	25.63
		12/16/02	11:21	6.50	26.29
		03/17/03	10:25	5.48	27.31
		06/10/03	NR	6.28	26.51
		09/10/03	8:36	7.61	25.18
		12/03/03	10:44	5.94	26.85
		01/12/04	10:18	5.43	27.36
		03/15/04	10:40	5.57	27.22
		06/10/04	7:45	6.01	26.78
		09/22/04	10:55	6.62	26.17
		04/04/05	12:50	5.57	27.22
		09/20/05	8:55	7.16	25.63
		03/14/06	9:20	5.21	27.58
		03/14/06	13:15	5.21	27.58
		06/09/06	13:45	5.63	27.16
		09/12/06	11:48	7.42	25.37
		04/03/07	9:59	5.13	27.66
		04/03/07	11:33	5.14	27.65
		09/24/07	10:24	7.16	25.63
		05/01/08	10:02	5.65	27.14
		09/29/08	NR	6.86	25.93
		03/23/09	9:32	5.41	27.38
		09/28/09	14:06	6.99	25.80
		03/25/10	9:00	5.67	27.12
		04/05/10	10:33	6.07	26.72
05/06/10	8:09	6.17	26.62		
07/13/10	14:39	5.94	26.85		
09/27/10	10:15	6.10	26.69		
02/28/11	13:40	4.84	27.95		
03/17/11	13:07	4.80	27.99		
04/25/11	8:54	4.81	27.98		
05/04/11	8:57	5.01	27.78		
06/22/11	9:00	5.43	27.36		
09/20/11	13:47	6.84	25.95		
12/06/11	11:36	6.07	26.72		
06/25/12	12:40	5.42	27.37		
10/03/12	15:00	7.18	25.61		
MW-12	32.81	08/27/01	10:15	6.89	25.92
		10/15/01	11:40	8.24	24.57
		10/22/01	14:05	7.13	25.68
		10/29/01	14:17	7.12	25.69
		11/19/01	11:07	6.22	26.59
		01/02/02	11:02	5.36	27.45
		03/27/02	10:31	5.28	27.53
		06/11/02	10:18	5.97	26.84
		09/17/02	12:11	7.16	25.65
		12/16/02	11:19	6.51	26.30
		03/17/03	10:23	5.50	27.31
		06/10/03	NR	6.30	26.51
		09/10/03	8:33	7.64	25.17
		12/03/03	10:42	5.98	26.83
		01/12/04	10:16	5.45	27.36
		03/15/04	10:35	5.60	27.21
		06/10/04	7:40	6.03	26.78
09/22/04	10:50	6.64	26.17		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-12 (Continued)		04/04/05	12:45	5.55	27.26
		09/20/05	8:50	7.19	25.62
		01/25/06	15:00	4.85	27.96
		03/14/06	9:15	5.20	27.61
		03/14/06	12:50	5.23	27.58
		05/19/06	12:20	5.78	27.03
		06/09/06	13:48	5.61	27.20
		09/12/06	11:46	7.45	25.36
		04/03/07	9:57	5.15	27.66
		04/03/07	11:30	5.14	27.67
		09/24/07	10:22	7.18	25.63
		05/01/08	9:57	5.68	27.13
		09/29/08	NR	6.88	25.93
		03/23/09	9:30	5.44	27.37
		09/28/09	14:03	7.00	25.81
		03/25/10	10:07	5.69	27.12
		04/05/10	10:32	6.08	26.73
		05/06/10	8:00	6.20	26.61
		07/13/10	14:40	5.94	26.87
		09/27/10	10:20	6.12	26.69
		02/28/11	13:20	4.86	27.95
		03/17/11	13:09	4.80	28.01
		04/25/11	8:56	4.85	27.96
		05/04/11	8:58	5.05	27.76
		06/22/11	9:03	5.46	27.35
		09/20/11	13:49	6.87	25.94
		12/06/11	11:38	6.10	26.71
		03/05/12	13:17	5.09	27.72
		03/05/12	14:29	5.07	27.74
		06/25/12	12:42	5.44	27.37
		10/03/12	15:17	7.20	25.61
12/18/12	13:30	5.12	27.69		
12/18/12	15:27	5.10	27.71		
03/04/13	15:03	5.40	27.41		
03/04/13	16:11	5.40	27.41		
06/06/13	7:50	5.75	27.06		
09/24/13	12:19	6.55	26.26		
MW-23	32.78	09/12/06	11:30	7.44	25.34
		04/03/07	9:40	5.17	27.61
		04/03/07	11:14	5.16	27.62
		09/24/07	10:11	7.17	25.61
		05/01/08	9:42	5.66	27.12
		09/29/08	NR	6.87	25.91
		03/23/09	9:17	5.43	27.35
		09/28/09	12:47	6.98	25.80
		03/25/10	8:14	5.63	27.15
		04/05/10	10:49	5.98	26.80
		05/06/10	8:48	6.13	26.65
		07/13/10	14:10	5.93	26.85
		09/27/10	11:30	6.13	26.65
		02/28/11	14:19	4.86	27.92
		03/17/11	13:32	4.83	27.95
		04/25/11	9:11	4.85	27.93
		05/04/11	9:06	5.04	27.74
		06/22/11	8:04	5.48	27.30
		09/20/11	13:07	6.88	25.90
		12/06/11	11:45	6.10	26.68
		03/05/12	13:40	5.07	27.71
		03/05/12	15:00	5.08	27.70
		06/25/12	12:10	5.45	27.33
		06/25/12	12:14	5.45	27.33
		10/03/12	16:30	7.21	25.57
		12/18/12	13:55	5.10	27.68
12/18/12	15:30	5.10	27.68		
03/04/13	15:13	5.41	27.37		
03/04/13	16:13	5.41	27.37		
06/06/13	7:56	5.77	27.01		
09/24/13	12:01	6.53	26.25		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-26	32.65	03/25/10	8:56	5.52	27.13
		04/05/10	11:05	5.91	26.74
		05/06/10	8:06	6.00	26.65
		06/09/10	8:57	5.10	27.55
		Well Abandoned July 6, 2010			
<b>Shallow On-Site Injection Wells</b>					
INJ-1	32.77	11/19/01	14:27	6.50	26.27
		03/27/02	10:38	5.23	27.54
		06/11/02	10:11	5.94	26.83
		09/17/02	12:16	7.14	25.63
		12/16/02	11:24	6.48	26.29
		03/17/03	10:32	5.47	27.30
		06/10/03	NR	6.09	26.68
		09/11/03	10:00	7.56	25.21
		01/12/04	10:27	5.44	27.33
		03/15/04	10:50	5.55	27.22
		04/04/05	13:00	5.49	27.28
		09/12/06	11:55	7.41	25.36
		04/03/07	10:03	5.06	27.71
		04/25/11	8:52	4.75	28.02
		05/04/11	8:54	4.83	27.94
09/20/11	13:43	7.15	25.62		
12/06/11	11:35	6.09	26.68		
INJ-2	32.81	10/15/01	11:35	8.22	24.59
		10/22/01	15:43	7.12	25.69
		10/29/01	13:10	7.02	25.79
		11/19/01	11:05	6.30	26.51
		03/27/02	10:28	5.29	27.52
		06/11/02	10:20	5.99	26.82
		09/17/02	12:10	7.18	25.63
		12/16/02	11:17	6.52	26.29
		03/17/03	10:20	5.51	27.30
		06/10/03	NR	6.31	26.50
		09/10/03	8:30	7.65	25.16
		12/03/03	10:40	6.00	26.81
		01/12/04	10:14	5.46	27.35
		03/15/04	10:30	5.62	27.19
		06/10/04	7:35	6.05	26.76
		09/22/04	10:45	6.65	26.16
		04/04/05	12:40	5.58	27.23
		09/20/05	NR	7.20	25.61
		03/14/06	9:10	5.25	27.56
		09/12/06	11:44	7.47	25.34
		04/03/07	9:55	5.12	27.69
		09/24/07	10:20	7.19	25.62
		05/01/08	9:53	5.70	27.11
		03/25/10	10:05	5.69	27.12
		05/06/10	8:05	6.20	26.61
		09/27/10	10:21	6.15	26.66
		02/28/11	13:16	4.87	27.94
03/17/11	13:06	4.83	27.98		
04/25/11	8:58	4.86	27.95		
05/04/11	8:59	5.05	27.76		
09/20/11	13:50	6.89	25.92		
12/06/11	11:39	6.10	26.71		
10/03/12	15:17	7.20	25.61		
INJ-3	33.01	11/19/01	14:40	6.45	26.56
		06/11/02	10:21	6.19	26.82
		09/17/02	12:43	7.38	25.63
		12/16/02	11:15	7.00	26.01
		03/17/03	10:17	5.74	27.27
		06/10/03	NR	6.50	26.51
		09/10/03	8:27	7.73	25.28
		12/03/03	10:50	6.32	26.69
		01/12/03	10:11	5.70	27.31
		03/15/04	10:27	5.81	27.20
		06/10/04	7:30	6.18	26.83
		09/22/04	10:40	6.90	26.11

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
INJ-3 (Continued)		04/04/05	12:35	5.58	27.43
		09/20/05	NR	7.32	25.69
		03/14/06	9:05	5.37	27.64
		06/09/06	13:39	5.72	27.29
		09/12/06	11:40	7.65	25.36
		04/03/07	9:50	5.30	27.71
		09/24/07	10:16	7.25	25.76
		05/01/08	9:51	5.78	27.23
		09/29/08	NR	7.02	25.99
		03/25/10	10:00	5.84	27.17
		05/06/10	8:04	6.28	26.73
		02/28/11	13:55	5.09	27.92
		03/17/11	13:05	5.01	28.00
		04/25/11	8:59	5.15	27.86
		05/04/11	9:01	5.11	27.90
09/20/11	13:55	6.83	26.18		
12/06/11	11:44	6.40	26.61		
10/03/12	15:25	7.42	25.59		
IW-201	32.71	03/25/10	8:58	5.59	27.12
		04/05/10	11:03	5.99	26.72
		05/06/10	8:07	6.08	26.63
		09/27/10	10:22	5.96	26.75
		02/28/11	13:29	4.82	27.89
10/03/12	15:00	7.08	25.63		
IW-202	32.61	10/03/12	15:24	7.10	25.51
IW-202	32.61	12/18/12	14:25	5.00	27.61
IW-202	32.61	12/18/12	16:00	5.00	27.61
IW-203	32.45	10/03/12	15:17	6.94	25.51
IW-204	32.73	10/03/12	15:35	7.20	25.53
IW-205	32.92	10/03/12	15:35	7.39	25.53
IW-205	32.92	12/18/12	14:27	5.30	27.62
IW-205	32.92	12/18/12	16:05	5.30	27.62
IW-206	32.68	10/03/12	15:17	7.15	25.53
IW-207	32.53	10/03/12			
IW-208	32.73	10/03/12	15:40	7.21	25.52
IW-209	32.95	10/03/12	15:35	7.42	25.53
IW-210	32.87	10/03/12	15:24	7.37	25.50
IW-210	32.87	12/18/12	14:26	5.28	27.59
IW-210	32.87	12/18/12	16:02	5.28	27.59
IW-211	32.81	10/03/12	15:24	7.28	25.53
IW-212	32.81	10/03/12	16:50	7.35	25.46
IW-213	33.02	10/03/12	15:40	7.50	25.52
IW-214	33.08	10/03/12	15:40	7.58	25.50
IW-214	33.08	12/18/12	14:26	5.49	27.59
IW-214	33.08	12/18/12	16:04	5.49	27.59
IW-215	32.72	10/03/12			
IW-216	32.9	10/03/12			
IW-217	32.82	10/03/12	16:30	7.37	25.45
IW-218	33.19	10/03/12			
<b>Deep On-Site Monitoring Wells and Piezometer</b>					
MW-13	32.81	03/31/03	13:05	5.43	27.38
		06/10/03	NR	6.09	26.72
		09/10/03	9:26	7.65	25.16
		12/03/03	11:20	5.91	26.90
		01/12/04	11:23	5.37	27.44
		03/15/04	11:20	5.55	27.26
		06/10/04	8:30	6.44	26.37
		09/22/04	11:25	6.60	26.21
		04/04/05	13:45	5.50	27.31
		07/28/05	10:35	6.27	26.54

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-13 (Continued)		09/20/05	9:45	7.10	25.71
		03/14/06	10:40	6.20	26.61
		03/15/06	8:55	6.14	26.67
		06/09/06	14:15	5.54	27.27
		09/12/06	12:40	7.44	25.37
		04/03/07	10:43	6.04	26.77
		04/03/07	12:10	4.40	28.41
		09/24/07	11:02	10.60	22.21
		09/24/07	12:42	7.11	25.70
		05/01/08	11:00	5.61	27.20
		09/29/08	NR	7.70	25.11
		09/29/08	NR	6.78	26.03
		03/23/09	10:30	5.43	27.38
		03/23/09	12:30	5.34	27.47
		09/28/09	13:50	6.87	25.94
		09/28/09	14:40	6.87	25.94
		03/25/10	8:20	5.82	26.99
		03/25/10	10:40	5.73	27.08
		03/25/10	16:00	5.74	27.07
		03/29/10	8:05	5.73	27.08
		03/29/10	9:02	5.62	27.19
		04/05/10	11:16	6.21	26.60
		05/06/10	8:27	6.37	26.44
		05/06/10	9:00	6.17	26.64
		06/18/10	11:30	5.48	27.33
		06/18/10	12:33	5.45	27.36
		07/06/10	11:15	5.60	27.21
		07/06/10	13:23	5.76	27.05
		07/13/10	14:21	5.90	26.91
		09/27/10	10:40	6.40	26.41
		09/27/10	12:05	6.07	26.74
		02/28/11	14:12	5.31	27.50
		02/28/11	16:29	4.81	28.00
		03/17/11	14:00	4.74	28.07
		04/25/11	8:14	4.78	28.03
		04/25/11	10:06	4.73	28.08
		05/04/11	8:29	4.98	27.83
		05/04/11	9:44	4.96	27.85
		06/22/11	8:14	5.24	27.57
		06/22/11	9:36	5.35	27.46
		09/20/11	13:16	6.71	26.10
09/20/11	14:20	6.76	26.05		
12/06/11	11:03	7.71	25.10		
12/06/11	12:05	6.01	26.80		
03/05/12	12:30	6.01	26.80		
03/05/12	14:10	4.99	27.82		
03/05/12	14:50	5.00	27.81		
06/25/12	13:05	5.42	27.39		
06/25/12	14:10	5.38	27.43		
10/03/12	13:12	7.10	25.71		
12/18/12	13:43	7.20	25.61		
12/18/12	13:45	5.60	27.21		
12/18/12	15:20	5.05	27.76		
12/18/12	15:45	5.05	27.76		
03/04/13	14:25	5.20	27.61		
03/04/13	16:09	5.30	27.51		
03/08/13	12:31	5.30	27.51		
06/06/13	7:37	5.66	27.15		
06/06/13	8:40	5.75	27.06		
09/24/13	12:48	6.42	26.39		
MW-14	32.60	12/03/03	10:03	5.65	26.95
		01/12/04	11:30	5.07	27.53
		03/16/04	13:00	5.21	27.39
		06/10/04	8:20	5.68	26.92
		09/23/04	8:20	6.30	26.30
		04/04/05	13:25	5.25	27.35
		07/28/05	10:20	6.01	26.59
		09/20/05	9:25	6.86	25.74
		03/14/06	10:05	4.90	27.70



**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-14 (Continued)		03/14/06	15:30	4.85	27.75
		06/09/06	14:05	5.27	27.33
		09/12/06	12:16	7.13	25.47
		04/03/07	10:17	4.39	28.21
		04/03/07	11:52	4.75	27.85
		09/24/07	10:51	6.85	25.75
		09/24/07	12:51	6.86	25.74
		05/01/08	10:55	5.34	27.26
		09/29/08	NR	6.56	26.04
		09/29/08	NR	6.57	26.03
		03/23/09	13:15	5.08	27.52
		03/23/09	14:25	5.08	27.52
		09/28/09	13:35	6.62	25.98
		09/28/09	14:47	6.61	25.99
		03/25/10	10:30	5.57	27.03
		03/25/10	11:30	5.57	27.03
		03/25/10	16:02	5.59	27.01
		03/29/10	8:15	5.42	27.18
		03/29/10	9:20	5.41	27.19
		04/05/10	11:20	6.15	26.45
		05/06/10	8:17	5.93	26.67
		05/06/10	9:07	5.92	26.68
		06/18/10	11:25	5.25	27.35
		06/18/10	12:30	5.25	27.35
		07/06/10	10:50	5.53	27.07
		07/06/10	12:22	5.53	27.07
		07/13/10	14:41	5.67	26.93
		09/27/10	9:59	5.85	26.75
		09/27/10	12:00	5.84	26.76
		02/28/11	15:00	4.55	28.05
		02/28/11	16:15	NM	-
		03/17/11	13:52	4.48	28.12
		04/25/11	8:29	NM	-
		05/04/11	8:42	4.69	27.91
		05/04/11	9:51	4.71	27.89
		06/22/11	8:39	5.15	27.45
		06/22/11	9:50	5.15	27.45
		09/20/11	13:30	6.55	26.05
		09/20/11	14:36	6.56	26.04
		12/06/11	11:23	5.81	26.79
		12/06/11	12:23	5.78	26.82
03/05/12	12:56	4.72	27.88		
03/05/12	14:20	4.74	27.86		
06/25/12	12:20	5.14	27.46		
06/25/12	14:00	5.14	27.46		
10/03/12	15:30	6.88	25.72		
12/18/12	13:37	4.79	27.81		
12/18/12	15:11	4.80	27.80		
03/04/13	14:48	5.08	27.52		
03/04/13	16:05	5.06	27.54		
03/08/13	12:28	5.05	27.55		
06/06/13	7:33	5.42	27.18		
06/06/13	8:47	5.43	27.17		
09/24/13	12:24	6.24	26.36		
MW-15	32.57	12/03/03	10:00	5.46	27.11
		01/12/04	11:09	4.86	27.71
		03/16/04	13:35	4.98	27.59
		06/10/04	8:15	5.50	27.07
		09/23/04	8:15	6.23	26.34
		04/04/05	13:30	5.07	27.50
		07/28/05	10:25	5.84	26.73
		09/20/05	9:30	6.69	25.88
		03/14/06	10:10	4.96	27.61
		03/14/06	15:55	4.65	27.92
		06/09/06	14:09	5.07	27.50
		09/12/06	12:20	6.97	25.60
		04/03/07	10:22	4.82	27.75
		04/03/07	11:55	4.55	28.02
		09/24/07	10:48	6.87	25.70

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-15 (Continued)		09/24/07	12:55	6.70	25.87
		05/01/08	11:20	5.20	27.37
		09/29/08	NR	6.51	26.06
		09/29/08	NR	6.38	26.19
		03/23/09	13:20	4.95	27.62
		03/23/09	14:40	4.90	27.67
		09/28/09	13:25	6.50	26.07
		09/28/09	14:50	6.45	26.12
		03/25/10	10:33	5.57	27.00
		03/25/10	11:32	5.58	26.99
		03/25/10	16:05	5.62	26.95
		03/29/10	8:17	5.40	27.17
		03/29/10	9:23	5.39	27.18
		04/05/10	11:22	6.35	26.22
		05/06/10	8:16	5.85	26.72
		05/06/10	9:07	5.82	26.75
		06/18/10	11:22	5.18	27.39
		06/18/10	12:32	5.18	27.39
		07/06/10	11:00	5.42	27.15
		07/06/10	12:20	5.42	27.15
		07/13/10	14:40	5.51	27.06
		09/27/10	10:02	5.71	26.86
		09/27/10	12:25	5.70	26.87
		02/28/11	15:07	4.41	28.16
		02/28/11	16:37	4.41	28.16
		03/17/11	13:50	4.30	28.27
		04/25/11	8:25	4.31	28.26
		04/25/11	10:10	4.32	28.25
		05/04/11	8:37	4.54	28.03
		05/04/11	9:50	4.55	28.02
		06/22/11	8:35	4.96	27.61
		06/22/11	9:42	4.99	27.58
		09/20/11	13:29	6.56	26.01
		09/20/11	14:32	6.51	26.06
		12/06/11	11:18	5.73	26.84
		12/06/11	12:20	5.61	26.96
		03/05/12	12:43	4.55	28.02
		03/05/12	14:22	4.56	28.01
		06/25/12	12:18	4.96	27.61
		06/25/12	13:58	4.99	27.58
10/03/12	NR	NR	-		
12/18/12	13:38	4.64	27.93		
12/18/12	15:13	4.65	27.92		
03/04/13	14:50	4.91	27.66		
03/04/13	16:06	4.90	27.67		
03/08/13	12:28	4.90	27.67		
06/06/13	7:32	5.27	27.30		
06/06/13	8:50	5.27	27.30		
09/24/13	12:29	6.11	26.46		
MW-16	36.92	12/03/03	10:10	10.11	26.81
		01/12/04	11:40	9.56	27.36
		03/15/04	11:30	9.68	27.24
		06/10/04	8:40	10.12	26.80
		09/22/04	11:35	10.72	26.20
		04/04/05	13:55	9.70	27.22
		07/28/05	10:30	10.48	26.44
		09/20/05	9:50	11.31	25.61
		03/14/06	11:00	9.30	27.62
		03/15/06	12:45	9.30	27.62
		06/09/06	14:30	9.70	27.22
		09/12/06	12:50	11.56	25.36
		04/03/07	10:55	9.25	27.67
		04/03/07	12:25	9.28	27.64
		09/24/07	11:17	11.29	25.63
		05/01/08	11:40	9.80	27.12
		09/29/08	NR	10.95	25.97
		09/29/08	NR	10.90	26.02
		03/23/09	11:05	9.54	27.38
		03/23/09	12:50	9.51	27.41
09/28/09	13:15	11.03	25.89		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-16 (Continued)		09/28/09	14:35	11.03	25.89
		03/25/10	8:17	9.77	27.15
		03/25/10	10:45	9.74	27.18
		03/25/10	16:09	9.74	27.18
		03/29/10	8:22	9.63	27.29
		03/29/10	9:30	9.59	27.33
		04/05/10	11:40	10.21	26.71
		05/06/10	8:25	10.26	26.66
		05/06/10	9:12	10.27	26.65
		06/18/10	11:45	9.54	27.38
		06/18/10	12:50	9.52	27.40
		07/06/10	11:10	9.91	27.01
		07/06/10	13:20	9.92	27.00
		07/13/10	14:20	10.04	26.88
		09/27/10	10:52	10.25	26.67
		09/27/10	12:15	10.25	26.67
		02/28/11	15:14	8.97	27.95
		02/28/11	16:40	8.99	27.93
		03/17/11	14:30	8.92	28.00
		04/25/11	8:40	8.88	28.04
		04/25/11	10:15	8.90	28.02
		05/04/11	9:04	9.12	27.80
		05/04/11	10:06	9.12	27.80
		06/22/11	8:12	9.51	27.41
		06/22/11	9:33	9.54	27.38
		09/20/11	13:14	10.98	25.94
		09/20/11	14:16	10.99	25.93
		12/06/11	11:01	10.17	26.75
		12/06/11	12:04	10.16	26.76
		03/05/12	13:15	9.11	27.81
		03/05/12	14:50	9.12	27.80
		06/25/12	13:12	9.53	27.39
		06/25/12	14:15	9.53	27.39
		10/03/12	16:50	11.33	25.59
		12/18/12	13:46	9.22	27.70
		12/18/12	15:18	9.22	27.70
		03/04/13	14:23	9.58	27.34
		03/04/13	16:09	9.45	27.47
		03/08/13	11:30	9.45	27.47
		06/06/13	7:45	9.77	27.15
06/06/13	8:43	9.81	27.11		
09/24/13	12:53	10.63	26.29		
MW-17	32.60	12/03/03	10:20	5.91	26.69
		01/12/04	12:05	5.43	27.17
		03/15/04	10:05	5.59	27.01
		06/10/04	7:05	5.95	26.65
		09/22/04	10:15	6.50	26.10
		04/04/05	12:15	5.50	27.10
		07/28/05	10:10	6.28	26.32
		09/20/05	8:15	7.18	25.42
		03/14/06	11:30	5.17	27.43
		03/15/06	9:25	5.24	27.36
		06/09/06	14:45	5.53	27.07
		09/12/06	11:15	7.31	25.29
		04/03/07	9:25	5.15	27.45
		04/03/07	11:05	5.13	27.47
		09/24/07	10:03	7.03	25.57
		09/24/07	12:35	7.03	25.57
		05/01/08	9:30	5.57	27.03
		09/29/08	NR	6.72	25.88
		09/29/08	NR	6.71	25.89
		03/23/09	8:38	5.35	27.25
		03/23/09	12:17	5.33	27.27
		09/28/09	12:58	6.86	25.74
		09/28/09	14:21	6.85	25.75
		03/25/10	9:35	5.37	27.23
		03/25/10	10:55	5.38	27.22
		03/25/10	16:25	5.38	27.22
03/29/10	8:00	5.30	27.30		
03/29/10	8:45	5.30	27.30		
04/05/10	11:27	5.65	26.95		

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-17 (Continued)		05/06/10	8:55	5.98	26.62
		05/06/10	9:12	5.98	26.62
		06/18/10	11:15	5.22	27.38
		06/18/10	12:10	5.22	27.38
		07/06/10	10:38	5.66	26.94
		07/06/10	13:55	5.67	26.93
		07/13/10	14:05	5.80	26.80
		09/27/10	11:15	5.99	26.61
		09/27/10	12:25	6.00	26.60
		02/28/11	15:37	4.76	27.84
		02/28/11	16:47	4.78	27.82
		03/17/11	13:42	4.75	27.85
		04/25/11	9:31	4.73	27.87
		04/25/11	11:12	4.75	27.85
		05/04/11	9:21	4.99	27.61
		05/04/11	10:22	5.00	27.60
		06/22/11	7:50	5.34	27.26
		06/22/11	9:27	5.35	27.25
		09/20/11	13:01	6.72	25.88
		09/20/11	14:06	6.70	25.90
		12/06/11	10:58	5.70	26.90
		12/06/11	12:01	5.99	26.61
		03/05/12	13:47	4.96	27.64
		03/05/12	15:10	4.98	27.62
		06/25/12	12:00	5.32	27.28
		06/25/12	13:45	5.34	27.26
		10/03/12	16:30	7.10	25.50
		12/18/12	11:55	4.90	27.70
		12/18/12	12:01	5.02	27.58
		12/18/12	12:06	5.02	27.58
		03/04/13	14:09	5.30	27.30
		03/04/13	16:20	5.30	27.30
		03/08/13	12:24	5.27	27.33
06/06/13	8:00	5.43	27.17		
06/06/13	9:03	5.66	26.94		
09/24/13	11:54	6.30	26.30		
MW-18	32.73	12/03/03	11:50	5.94	26.79
		01/12/04	10:00	5.43	27.30
		03/15/04	10:15	5.60	27.13
		06/10/04	7:10	6.00	26.73
		09/22/04	10:20	6.57	26.16
		04/04/05	12:20	5.53	27.20
		07/28/05	10:05	6.31	26.42
		09/20/05	8:25	7.13	25.60
		03/14/06	11:10	5.23	27.50
		03/15/06	10:25	5.29	27.44
		06/09/06	13:32	5.60	27.13
		09/12/06	11:25	7.40	25.33
		04/03/07	11:03	5.15	27.58
		09/24/07	10:06	7.11	25.62
		09/24/07	12:37	7.11	25.62
		05/01/08	9:07	5.61	27.12
		09/29/08	NR	6.80	25.93
		09/29/08	NR	6.79	25.94
		03/23/09	8:27	5.38	27.35
		03/23/09	12:15	5.37	27.36
		09/28/09	12:56	6.91	25.82
		09/28/09	14:25	6.90	25.83
		03/25/10	8:00	5.53	27.20
		03/25/10	11:00	5.47	27.26
		03/25/10	16:13	5.47	27.26
		03/29/10	7:56	5.40	27.33
		03/29/10	8:50	5.37	27.36
04/05/10	11:25	5.84	26.89		
05/06/10	8:45	6.02	26.71		
05/06/10	9:25	6.01	26.72		
06/18/10	11:10	5.32	27.41		
06/18/10	12:05	5.34	27.39		
07/06/10	10:43	5.72	27.01		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-18 (Continued)		07/06/10	14:00	5.73	27.00
		07/13/10	14:07	5.88	26.85
		09/27/10	11:35	6.06	26.67
		09/27/10	12:30	6.06	26.67
		02/28/11	15:29	4.82	27.91
		02/28/11	16:45	4.82	27.91
		03/17/11	14:40	4.78	27.95
		04/25/11	9:23	4.85	27.88
		04/25/11	11:07	4.80	27.93
		05/04/11	9:10	5.00	27.73
		05/04/11	10:10	5.00	27.73
		06/22/11	7:59	5.42	27.31
		06/22/11	9:28	5.41	27.32
		09/20/11	13:05	6.81	25.92
		09/20/11	14:09	6.78	25.95
		12/06/11	11:52	6.03	26.70
		12/06/11	12:53	6.05	26.68
		03/05/12	13:30	5.01	27.72
		03/05/12	15:06	5.01	27.72
		06/25/12	NR	NM	#VALUE!
		10/03/12	16:30	7.16	25.57
		12/18/12	12:08	5.05	27.68
		12/18/12	12:52	5.05	27.68
		03/04/13	14:15	5.37	27.36
		03/04/13	15:16	5.35	27.38
		03/08/13	12:26	5.30	27.43
		06/06/13	7:59	5.70	27.03
06/06/13	9:02	5.70	27.03		
09/24/13	11:58	6.44	26.29		
MW-19	33.52	03/16/04	10:10	6.54	26.98
		06/10/04	7:20	6.87	26.65
		09/22/04	10:30	7.44	26.08
		04/04/05	12:05	6.37	27.15
		07/28/05	10:15	7.20	26.32
		09/20/05	8:20	7.98	25.54
		03/14/06	11:20	6.15	27.37
		03/15/06	9:55	6.21	27.31
		06/09/06	14:36	6.49	27.03
		09/12/06	11:20	8.25	25.27
		04/03/07	9:30	6.10	27.42
		04/03/07	11:07	6.07	27.45
		09/24/07	10:00	7.94	25.58
		09/24/07	12:30	7.95	25.57
		05/01/08	9:20	6.50	27.02
		09/29/08	NR	7.66	25.86
		09/29/08	NR	7.64	25.88
		03/23/09	9:15	6.29	27.23
		03/23/09	12:20	6.27	27.25
		09/28/09	12:35	7.79	25.73
		09/28/09	14:20	7.79	25.73
		03/25/10	9:25	6.25	27.27
		03/25/10	10:50	6.27	27.25
		03/25/10	16:28	6.29	27.23
		03/29/10	7:40	6.15	27.37
		03/29/10	8:40	6.18	27.34
		04/05/10	11:28	6.46	27.06
		05/06/10	7:30	6.60	26.92
		05/06/10	9:40	6.61	26.91
		06/18/10	11:05	6.11	27.41
		06/18/10	12:00	6.11	27.41
		07/06/10	10:34	6.58	26.94
		07/06/10	13:53	6.59	26.93
07/13/10	14:00	6.71	26.81		
09/27/10	11:10	6.92	26.60		
09/27/10	12:34	6.90	26.62		
02/28/11	15:45	5.68	27.84		
02/28/11	16:50	5.69	27.83		
03/17/11	14:50	5.70	27.82		
04/25/11	9:28	5.65	27.87		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-19 (Continued)		04/25/11	11:10	5.64	27.88
		05/04/11	9:12	5.89	27.63
		05/04/11	10:13	5.88	27.64
		06/22/11	7:47	6.28	27.24
		06/22/11	9:19	6.28	27.24
		09/20/11	12:55	7.63	25.89
		09/20/11	14:03	7.61	25.91
		12/06/11	10:50	6.89	26.63
		12/06/11	11:59	6.89	26.63
		03/05/12	13:45	5.88	27.64
		03/05/12	15:12	5.90	27.62
		06/25/12	11:50	6.27	27.25
		06/25/12	13:48	6.25	27.27
		10/03/12	16:30	8.02	25.50
		12/18/12	11:50	5.94	27.58
		12/18/12	12:36	5.93	27.59
		12/18/12	13:00	5.93	27.59
		03/04/13	14:00	6.23	27.29
		03/04/13	15:20	6.21	27.31
		03/08/13	12:22	6.16	27.36
06/06/13	8:05	6.55	26.97		
06/06/13	9:00	6.57	26.95		
09/24/13	11:40	7.26	26.26		
MW-21	32.86	09/12/06	12:35	7.45	25.41
		04/03/07	10:40	5.23	27.63
		04/03/07	12:06	5.06	27.80
		09/24/07	10:58	7.11	25.75
		09/24/07	12:44	7.15	25.71
		05/01/08	11:05	5.62	27.24
		09/29/08	NR	6.84	26.02
		09/29/08	NR	6.82	26.04
		03/23/09	10:15	5.40	27.46
		03/23/09	12:35	5.39	27.47
		09/28/09	13:40	6.98*	25.88*
		09/28/09	14:45	6.22*	26.64*
		09/30/09	14:40	7.07*	25.79*
		03/25/10	8:36	5.82	27.04
		03/25/10	10:38	5.82	27.04
		03/25/10	16:20	5.82	27.04
		03/29/10	8:15	5.68	27.18
		03/29/10	9:15	5.67	27.19
		04/05/10	11:10	6.38	26.48
		05/06/10	8:33	6.28	26.58
		05/06/10	9:06	6.28	26.58
		06/18/10	11:20	5.50	27.36
		06/18/10	12:35	5.50	27.36
		07/06/10	11:30	5.70	27.16
		07/06/10	12:00	5.85	27.01
		07/13/10	14:31	5.98	26.88
		09/27/10	10:12	6.05	26.81
		09/27/10	12:10	6.15	26.71
		02/28/11	14:40	4.93	27.93
		02/28/11	16:33	4.85	28.01
		03/17/11	14:50	4.78	28.08
		04/25/11	8:21	4.84	28.02
		04/25/11	10:08	4.77	28.09
		05/04/11	8:35	5.00	27.86
		05/04/11	9:48	4.99	27.87
		06/22/11	8:27	5.48	27.38
		06/22/11	9:38	5.42	27.44
		09/20/11	13:25	6.89	25.97
		09/20/11	13:28	6.85	26.01
		12/06/11	11:12	8.00	24.86
12/06/11	12:14	6.06	26.80		
03/05/12	12:35	5.39	27.47		
03/05/12	14:18	5.03	27.83		
03/05/12	14:50	5.05	27.81		
06/25/12	12:57	5.47	27.39		
06/25/12	14:07	5.45	27.41		

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-21 (Continued)		10/03/12	15:55	7.17	25.69
		12/18/12	13:42	5.22	27.64
		12/18/12	15:24	5.10	27.76
		12/18/12	15:43	5.10	27.76
		03/04/13	14:33	5.41	27.45
		03/04/13	14:52	5.37	27.49
		03/04/13	16:08	5.35	27.51
		03/08/13	12:30	5.35	27.51
		06/06/13	7:35	5.77	27.09
		06/06/13	8:40	5.74	27.12
		09/24/13	12:40	6.53	26.33
MW-22	33.18	09/12/06	12:47	7.85	25.33
		04/03/07	10:50	5.55	27.63
		04/03/07	12:20	5.55	27.63
		09/24/07	11:10	7.58	25.60
		05/01/08	10:24	6.07	27.11
		09/29/08	NR	7.26	25.92
		09/29/08	NR	7.24	25.94
		03/23/09	10:51	5.83	27.35
		03/23/09	12:40	5.81	27.37
		09/28/09	NR	NM	NM
		03/25/10	10:35	6.07	27.11
		03/25/10	11:55	6.08	27.10
		03/25/10	16:11	6.10	27.08
		03/29/10	8:10	5.96	27.22
		03/29/10	9:10	5.96	27.22
		04/05/10	11:35	6.52	26.66
		05/06/10	8:22	6.55	26.63
		05/06/10	9:00	6.55	26.63
		06/18/10	11:31	5.85	27.33
		06/18/10	12:37	5.75	27.43
		07/06/10	12:00	6.24	26.94
		07/06/10	13:35	6.22	26.96
		07/13/10	14:45	6.35	26.83
		09/27/10	10:25	6.54	26.64
		09/27/10	12:07	6.54	26.64
		02/28/11	14:03	5.26	27.92
		02/28/11	16:23	5.28	27.90
		03/17/11	14:10	5.21	27.97
		04/25/11	8:15	NM	-
		05/04/11	8:32	5.42	27.76
		05/04/11	9:46	5.42	27.76
		06/22/11	NM	NM	-
		09/20/11	NM	NM	-
		12/06/11	11:42	6.46	26.72
12/06/11	12:43	6.49	26.69		
03/05/12	13:00	5.44	27.74		
03/05/12	14:26	5.47	27.71		
03/05/12	14:50	5.48	27.70		
06/25/12	13:15	5.83	27.35		
06/25/12	14:12	5.85	27.33		
10/03/12	13:10	7.59	25.59		
12/18/12	13:48	5.50	27.68		
12/18/12	15:22	5.50	27.68		
03/04/13	NR	NM	-		
03/08/13	12:32	5.76	27.42		
06/06/13	7:41	6.14	27.04		
06/06/13	8:41	6.17	27.01		
09/24/13	13:06	6.64	26.54		
MW-24	32.74	03/25/10	8:39	5.69	27.05
		03/25/10	10:50	5.64	27.10
		03/25/10	16:41	5.68	27.06
		03/29/10	8:17	5.53	27.21
		03/29/10	9:17	5.50	27.24
		04/05/10	11:13	6.26	26.48
		05/06/10	8:31	6.01	26.73
		05/06/10	9:05	6.01	26.73
		06/09/10	10:15	5.21	27.53

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-24 (Continued)		06/18/10	11:36	5.39	27.35
		06/18/10	12:38	5.38	27.36
		07/06/10	11:35	5.70	27.04
		07/06/10	12:02	5.70	27.04
		07/13/10	14:32	5.80	26.94
		09/27/10	10:12	5.99	26.75
		09/27/10	12:10	5.99	26.75
		02/28/11	14:50	4.70	28.04
		02/28/11	16:32	4.70	28.04
		03/17/11	NM	NM	-
		04/25/11	8:20	4.75	27.99
		04/25/11	10:07	4.61	28.13
		05/04/11	8:34	4.85	27.89
		05/04/11	9:49	4.85	27.89
		06/22/11	6:29	5.28	27.46
		06/22/11	9:40	5.26	27.48
		09/20/11	13:22	6.71	26.03
		09/20/11	14:29	6.70	26.04
		12/06/11	11:15	5.90	26.84
		12/06/11	12:16	5.89	26.85
06/25/12	13:00	5.27	27.47		
06/25/12	14:06	5.27	27.47		
10/03/12	15:55	7.01	25.73		
MW-25	32.80	03/25/10	8:30	5.69	27.11
		03/25/10	10:55	5.71	27.09
		03/25/10	16:41	5.72	27.08
		03/29/10	8:06	5.56	27.24
		03/29/10	9:05	5.57	27.23
		04/05/10	11:18	6.21	26.59
		05/06/10	8:28	6.12	26.68
		05/06/10	9:01	6.12	26.68
		06/09/10	11:15	5.28	27.52
		06/18/10	11:35	5.45	27.35
		06/18/10	12:40	5.45	27.35
		07/06/10	11:17	5.76	27.04
		07/06/10	13:25	5.78	27.02
		07/13/10	14:22	5.90	26.90
		09/27/10	10:41	6.08	26.72
		09/27/10	12:05	6.08	26.72
		02/28/11	14:25	4.80	28.00
		02/28/11	16:25	4.82	27.98
		03/17/11	14:06	4.75	28.05
		04/25/11	8:11	4.75	28.05
04/25/11	10:05	4.75	28.05		
05/04/11	8:30	4.97	27.83		
05/04/11	9:45	4.95	27.85		
06/22/11	8:16	5.43	27.37		
06/22/11	9:37	5.40	27.40		
09/20/11	13:18	6.73	26.07		
09/20/11	14:22	6.81	25.99		
12/06/11	11:05	6.05	26.75		
12/06/11	12:07	6.02	26.78		
06/25/12	13:03	5.60	27.20		
06/25/12	14:09	5.39	27.41		
10/03/12	13:20	7.11	25.69		
P-1	33.85	01/13/99	8:55	6.25	27.60
		03/02/99	9:19	5.42	28.43
		06/16/99	10:15	6.82	27.03
		09/16/99	10:34	7.57	26.28
		12/08/99	8:32	6.49	27.36
		03/07/00	8:41	6.15	27.70
		06/21/00	9:33	6.96	26.89
		09/12/00	10:15	7.91	25.94
		12/07/00	9:15	7.50	26.35
		03/15/01	9:52	6.10	27.75
		01/02/02	10:55	6.12	27.50
		09/17/02	12:18	7.94	25.68
		12/16/02	11:26	7.28	26.34
			33.62		



**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
P-1 (Continued)		03/17/03	10:35	6.28	27.34
		09/10/03	8:42	8.40	25.22
		12/03/03	10:53	7.03	26.59
		01/12/04	10:35	6.20	27.42
		03/15/04	10:55	6.35	27.27
		06/10/04	7:50	6.81	26.81
		09/23/04	8:00	7.41	26.21
		04/04/05	13:05	6.30	27.32
		09/20/05	9:05	7.95	25.67
		03/14/06	9:40	5.99	27.63
		06/09/06	13:52	6.37	27.25
		09/12/06	12:00	8.21	25.41
		04/03/07	10:06	5.90	27.72
		04/03/07	11:42	5.90	27.72
		09/24/07	10:30	7.95	25.67
		05/01/08	10:10	6.44	27.18
		09/29/08	NR	7.64	25.98
		03/23/09	9:45	6.19	27.43
		09/28/09	14:12	7.75	25.87
		03/25/10	10:18	6.47	27.15
		03/25/10	11:20	6.47	27.15
		03/29/10	8:20	6.35	27.27
		03/29/10	9:28	6.35	27.27
		04/05/10	11:07	6.89	26.73
		05/06/10	8:10	6.97	26.65
		05/06/10	9:10	6.96	26.66
		07/06/10	12:05	6.60	27.02
		07/06/10	12:25	6.60	27.02
		07/13/10	14:42	6.73	26.89
		09/27/10	9:43	6.92	26.70
		09/27/10	12:20	6.93	26.69
		02/28/11	13:09	5.63	27.99
		02/28/11	16:20	5.64	27.98
		03/17/11	14:18	5.57	28.05
		04/25/11	8:36	5.62	28.00
		04/25/11	10:12	5.65	27.97
		05/04/11	8:51	5.81	27.81
		05/04/11	9:54	5.80	27.82
		06/22/11	8:50	6.24	27.38
		09/20/11	13:40	7.65	25.97
		09/20/11	14:45	7.66	25.96
12/06/11	11:32	6.92	26.70		
12/06/11	12:33	6.87	26.75		
03/05/12	13:18	5.84	27.78		
03/05/12	14:31	5.85	27.77		
06/25/12	12:30	6.23	27.39		
06/25/12	14:03	6.23	27.39		
10/03/12	15:35	7.97	25.65		
12/18/12	13:32	5.90	27.72		
12/18/12	15:05	5.88	27.74		
03/04/13	15:05	6.18	27.44		
03/04/13	16:13	6.18	27.44		
03/08/13	12:28	6.13	27.49		
06/06/13	7:52	6.53	27.09		
06/06/13	8:52	6.52	27.10		
09/25/13	7:13	7.32	26.30		
<b>Deep Off-Site Monitoring Well</b>					
MW-20	33.15	07/28/05	10:00	6.92	26.23
		09/20/05	NR	7.74	25.41
		03/14/06	12:00	5.97	27.18
		03/15/06	13:25	6.03	27.12
		06/09/06	15:00	6.28	26.87
		09/12/06	13:05	7.96	25.19
		04/03/07	9:00	5.98	27.17
		04/03/07	12:35	5.94	27.21
		09/24/07	11:30	7.71	25.44
		05/01/08	11:45	6.23	26.92
		09/29/08	NR	7.36	25.79
		09/29/08	NR	7.36	25.79
		03/23/09	9:10	6.07	27.08

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
MW-20 (Continued)		03/24/09	15:00	6.05	27.10
		09/28/09	13:05	7.52	25.63
		09/28/09	14:30	7.52	25.63
		03/25/10	9:20	5.90	27.25
		03/25/10	16:30	5.92	27.23
		03/29/10	7:12	5.75	27.40
		03/29/10	9:00	5.74	27.41
		04/05/10	12:34	6.05	27.10
		05/06/10	7:30	6.60	26.55
		05/06/10	9:40	6.61	26.54
		06/18/10	10:50	5.77	27.38
		06/18/10	13:00	5.77	27.38
		07/06/10	10:30	6.29	26.86
		07/06/10	13:50	6.30	26.85
		07/13/10	15:05	6.45	26.70
		09/27/10	11:40	6.60	26.55
		09/27/10	12:45	6.60	26.55
		02/28/11	15:50	5.44	27.71
		02/28/11	16:55	5.45	27.70
		03/17/11	14:50	5.48	27.67
		04/25/11	9:50	5.45	27.70
		04/25/11	11:20	5.37	27.78
		05/04/11	9:29	5.56	27.59
		05/04/11	10:30	5.56	27.59
		06/22/11	7:56	6.05	27.10
		06/22/11	9:23	6.03	27.12
		09/20/11	12:40	7.30	25.85
		09/20/11	14:42	7.32	25.83
		12/06/11	10:50	6.65	26.50
		12/06/11	12:45	6.61	26.54
		03/05/12	13:26	5.62	27.53
		03/05/12	15:32	5.65	27.50
		06/25/12	13:20	6.06	27.09
		06/25/12	14:50	6.00	27.15
		09/27/12	7:57	7.62	25.53
		10/01/12	NR	7.67	25.48
		10/03/12	17:00	7.49	25.66
		12/18/12	11:00	5.70	27.45
		12/18/12	16:37	5.71	27.44
		03/04/13	13:45	5.99	27.16
		03/04/13	16:45	5.97	27.18
		03/08/13	9:15	5.92	27.23
		06/06/13	9:20	6.30	26.85
06/06/13	17:00	6.31	26.84		
09/24/13	11:44	7.00	26.15		
<b>Deep On-Site Injection Wells</b>					
IW-101	32.77	03/25/10	8:38	5.73	27.04
		03/25/10	10:52	5.70	27.07
		03/25/10	16:40	5.70	27.07
		03/29/10	8:16	5.56	27.21
		03/29/10	9:18	5.55	27.22
		04/05/10	11:12	6.29	26.48
		05/06/10	8:30	6.12	26.65
		05/06/10	9:05	6.10	26.67
		06/18/10	11:37	5.55	27.22
		06/18/10	12:40	5.45	27.32
		07/06/10	11:35	5.62	27.15
		07/06/10	12:01	5.70	27.07
		07/13/10	14:30	5.84	26.93
		09/27/10	10:11	6.01	26.76
		09/27/10	12:10	6.01	26.76
		02/28/11	14:43	4.81	27.96
02/28/11	16:34	4.73	28.04		
10/03/12	15:55	7.05	25.72		

**Table A-1**  
**Groundwater Levels**  
**Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
IW-102	32.68	03/25/10	8:23	5.55	27.13
		03/25/10	10:57	5.59	27.09
		03/25/10	16:04	5.60	27.08
		03/29/10	8:08	5.45	27.23
		03/29/10	9:07	5.43	27.25
		04/05/10	11:15	6.10	26.58
		05/06/10	8:29	6.00	26.68
		05/06/10	9:02	6.02	26.66
		06/18/10	11:37	5.44	27.24
		06/18/10	12:40	5.33	27.35
		07/06/10	11:37	5.62	27.06
		07/06/10	13:27	5.62	27.06
		07/13/10	14:20	5.75	26.93
		09/27/10	10:39	5.90	26.78
		09/27/10	12:06	5.90	26.78
02/28/11	14:30	4.78	27.90		
02/28/11	16:28	4.68	28.00		
10/03/12	13:20	7.00	25.68		
IW-103	32.45	10/03/12	15:40	6.73	25.72
IW-103	32.45	12/18/12	14:30	4.70	27.75
IW-103	32.45	12/18/12	16:20	4.74	27.71
IW-104	36.32	10/03/12	13:32	10.69	25.63
IW-105	35.96	12/18/12	14:32	8.25	27.71
IW-105	35.96	12/18/12	16:20	8.27	27.69
IW-106	32.51	10/03/12	15:40	6.82	25.69
IW-107	32.36				
IW-108	32.34	10/03/12	16:10	6.60	25.74
IW-109	36.30	10/03/12	13:40	10.65	25.65
IW-109	36.30	12/18/12	14:34	8.59	27.71
IW-109	36.30	12/18/12	16:18	8.60	27.70
IW-110	35.98	10/03/12	13:32	10.42	25.56
IW-111	32.47	10/03/12	15:55	6.84	25.63
IW-112	32.64	10/03/12	15:40	7.04	25.60
IW-112	32.64	12/18/12	14:41	4.97	27.67
IW-112	32.64	12/18/12	16:27	4.98	27.66
IW-113	36.72	10/03/12	13:40	11.09	25.63
IW-114	32.83	10/03/12	16:10	7.22	25.61
IW-115	32.65	10/03/12	16:10	7.07	25.58
IW-116	36.93	10/03/12	13:50	11.32	25.61
IW-117	32.91	10/03/12	16:10	7.31	25.60
IW-118	33.03	10/03/12	16:10	7.40	25.63
IW-119	36.77	10/03/12	13:50	11.05	25.72
IW-120	36.69	10/03/12	14:05	11.16	25.53
IW-120	36.69	12/18/12	14:36	9.05	27.64
IW-120	36.69	12/18/12	16:16	9.07	27.62
IW-121	33.43	10/03/12	16:10	7.87	25.56
IW-121	33.43	12/18/12	14:40	5.80	27.63
IW-121	33.43	12/18/12	16:25	5.78	27.65
IW-122	33.03	10/03/12	16:10	7.42	25.61
IW-123	32.77				
IW-124	32.62				
IW-125	32.52				
IW-126	32.72	10/03/12	16:30	7.18	25.54
IW-127	35.46	10/03/12	15:55	9.95	25.51
IW-128	33.93	10/03/12	15:55	8.38	25.55

**Table A-1  
Groundwater Levels  
Univar USA Inc., Kent, Washington**

Location	Measuring Point Elevation	Date	Time	Depth to Water	Water Elevation
IW-129	32.69	10/03/12	16:30	7.07	25.62
IW-129	32.69	12/18/12	14:39	5.01	27.68
IW-129	32.69	12/18/12	16:11	5.01	27.68
IW-130	32.61	10/03/12	16:30	7.27	25.34
IW-131	32.49	10/03/12	16:30	6.94	25.55
IW-132	36.74	10/03/12	14:05	11.20	25.54
IW-133	36.89	10/03/12	14:05	11.35	25.54
IW-134	37.04	10/03/12	13:20	11.50	25.54
IW-135	33.02	10/03/12	15:55	7.46	25.56
IW-135	33.02	12/18/12	14:38	5.40	27.62
IW-135	33.02	12/18/12	16:12	5.38	27.64
IW-136	32.90	10/03/12	15:55	7.15	25.75
IW-137	32.79				
IW-138	32.58	10/03/12	16:30	7.09	25.49
IW-138	32.58	12/18/12	14:40	5.00	27.58
IW-138	32.58	12/18/12	16:10	5.00	27.58
IW-139	36.79	10/03/12	13:29	11.27	25.52
IW-139	36.79	12/18/12	14:38	9.21	27.58
IW-139	36.79	12/18/12	16:15	9.21	27.58
IW-140	33.00	10/03/12	13:12	7.44	25.56
IW-141	33.04	10/03/12	16:30	7.47	25.57
<b>Barrel Wash Sump</b>					
Sump Wash	34.17	09/04/96	NR	6.50	27.67
		10/11/96	10:55	6.11	28.06
		11/06/96	NR	6.57	27.60
		12/10/96	11:00	5.54	28.63
		01/10/97	NR	5.84	28.33
		02/21/97	12:50	4.48	29.69
		03/04/97	NR	6.36	27.81
		06/27/97	11:00	5.42	28.75
		09/04/97	11:07	4.46	29.71
		12/22/97	NR	4.00	30.17
		03/06/98	10:06	5.17	29.00
		06/16/99	10:35	4.98	29.19
		12/08/99	8:40	3.66	30.51
		03/07/00	8:55	5.17	29.00
		06/21/00	10:09	5.03	29.14
		09/12/00	10:00	5.60	28.57
		12/07/00	8:48	dry	dry
		03/15/01	9:20	5.20	28.97

Note:

Depth = depth to water relative to the top of PVC.

Elev. = elevation relative to NAVD 88.

\* = anomalous field reading; measurement not used for contouring.

NR = not recorded.

NM = not measured.

**APPENDIX B**

**HISTORICAL FIELD PARAMETERS AND GROUNDWATER ANALYTICAL**

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-1	04/17/95	6.37	2,310	11.0	NM	NM	NM
	09/04/96	6.49	1,620	18.5	227	1.20	NM
	12/10/96	6.37	1,653	9.8	427	1.18	NM
	03/04/97	6.65	1,359	11.0	37	1.70	NM
	06/27/97	6.62	1,195	15.0	> 1,000	1.00	NM
	09/04/97	6.78	837	18.0	40	1.71	NM
	12/04/97	6.23	1,076	12.0	16	8.9	NM
	03/06/98	6.83	1,284	10.0	16	2.15	NM
	06/18/98	6.85	1,045	15.5	61	2.60	NM
	09/29/98	6.58	851	18.5	46	1.27	NM
	12/14/98	6.50	973	13.1	16	1.14	-147
	03/03/99	6.70	849	10.0	55	3.02	-148
	06/17/99	6.51	790	14.0	6.7	1.30	-176
	09/16/99	6.60	905	17.0	14	0.1	-189
	12/08/99	7.12	408	12.9	10	0.3	-158
	03/07/00	7.51	599	10.0	6	0.2	-126
	06/21/00	7.10	505	16.0	4.6	1.2	7
	09/12/00	6.80	790	14.5	NM	2.6	-69
	12/07/00	7.04	830	12.0	6.9	1.1	-60
	03/15/01	7.06	999	10.0	4.9	2.0	-48
	07/12/01	7.03	925	15.6	7.8	2.65	-141
	09/24/01	6.54	NM	20.2	4.3	1.08	NM
	01/02/02	7.19	1,150	11.8	NM	NM	NM
	03/28/02	7.26	351	10.2	NM	0.20	NM
	06/11/02	7.34	613	15.2	NM	0.22	NM
	09/18/02	6.93	771	18.6	NM	0.04	-200
	12/17/02	7.01	601	12.6	3.5	0.19	NM
	03/20/03	7.19	517	10.9	5.8	0.13	-111
	05/14/03	7.00	493	12.9	NM	0.74	-75
	06/11/03	7.02	405	15.0	8.0	0.23	NM
	09/11/03	7.03	474	18.7	4.0	0.21	NM
	12/04/03	7.00	451	13.7	4.2	0.23	-51
	03/16/04	6.71	391	11.0	4.6	0.32	-63
	09/22/04	6.49	500	16.0	NM	0.21	4
	04/05/05	6.75	465	12.3	NM	1.10	5
	09/21/05	7.26	624	17.8	NM	0.26	5
	03/15/06	6.88	550	11.0	18.8	< 0.01	NM
	09/14/06	6.82	630	16.8	NM	0.22	56
	04/04/07	7.16	737	11.6	5.7	< 0.01	-64

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-1 (continued)	09/25/07	6.80	687	15.7	6.2	0.18	-240
	05/02/08	6.87	883	12.3	NM	0.19	-66
	09/30/08	6.93	843	16.2	NM	7.57 <sup>a</sup>	-101
	03/25/09	7.11	843	9.4	NM	0.30	-45
	09/30/09	6.96	346	18.1	NM	0.08	3
	03/29/10	6.97	842	11.4	NM	0.30	-8
	09/30/10	7.26	937	17.2	NM	0.24	-10
	03/03/11	7.49	510	9.2	7.0	0.23	-13
	09/23/11	6.61	523	18.0	3.0	0.10	-106
	03/08/12	6.99	494	8.2	7.9	0.22	-44
	10/01/12	6.56	507	15.5	5.7	0.22	349 <sup>a</sup>
	03/06/13	6.84	820	9.6	14.5	0.20	-7
	09/24/13	6.78	496	18.5	55.3	0.20	-84
MW-2	04/17/95	6.30	1,000	13.0	NM	NM	NM
	09/04/96	6.11	964	14.8	8.5	1.00	NM
	12/10/96	6.27	704	13.1	1,000	0.92	NM
	03/04/97	6.20	754	13.0	9.39	1.77	NM
	06/27/97	6.54	667	14.0	322	3.00	NM
	09/04/97	6.41	638	15.0	332	1.17	NM
	12/04/97	5.25	612	14.0	74	1.80	NM
	03/06/98	6.48	826	12.0	67	1.12	NM
	06/18/98	6.60	899	14.0	334	3.5	NM
	09/29/98	6.35	705	17.0	17	16.6 <sup>a</sup>	NM
	12/14/98	6.20	632	15.1	NM	1.14	-84
	03/02/99	6.29	560	12.0	59	1.3	-91.9
	06/16/99	6.02	663	13.0	NM	0.90	-76
	09/16/99	6.39	734	13.0	12	< 0.1	-475
	12/08/99	6.74	421	14.8	16	1.30	-121
	03/07/00	6.40	491	12.0	19	0.4	-70
	06/21/00	6.55	320	15.0	6.1	1.51	8
	09/12/00	6.10	667	13.0	11	3.9	-57
	12/07/00	6.21	574	13.0	6	1.9	-18
	03/15/01	6.60	556	12.0	39	0.6	-49
	07/12/01	6.53	652	15.1	77	2.54	-116
	09/24/01	6.69	NM	19.5	5.0	1.10	NM
	01/03/02	5.81	531	13.7	12	0.00	NM
	03/28/02	6.28	229	12.6	6.2	0.63	NM
	06/11/02	6.72	526	14.2	7.1	0.43	NM
	09/18/02	6.63	597	17.9	NM	0.08	-11
	12/16/02	6.04	480	15.2	5.1	0.34	NM
03/20/03	6.63	413	12.5	29	0.12	-57	
06/11/03	6.59	306	13.9	10	0.31	NM	
09/10/03	6.33	416	15.9	4.2	0.34	NM	
12/05/03	6.58	293	14.3	5.3	0.31	-20	
03/16/04	6.54	306	12.8	25.4	0.30	-23	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-2 (continued)	09/24/04	6.46	376	17.0	NM	0.37	30
	04/05/05	6.39	438	12.5	NM	1.04	24
	09/21/05	6.71	512	17.1	NM	0.26	-3
	03/15/06	6.57	403	12.4	53	< 0.01	NM
	09/13/06	6.33	472	15.5	NM	0.15	68
	04/03/07	6.64	421	13.9	65	0.11	116
	09/26/07	6.44	608	15.8	42	0.21	-178
	05/02/08	6.29	567	12.2	NM	0.25	-23
	09/29/08	6.43	607	19.6	NM	0.20	-121
	03/26/09	5.99	543	9.6	NM	0.31	-9
	09/29/09	6.44	55 <sup>a</sup>	15.6	NM	8.1 <sup>a</sup>	32
	03/26/10	6.49	390	12.6	NM	0.82	7
	09/30/10	6.68	556	16.4	NM	0.28	27
	03/08/11	6.87	441	12.7	85	0.17	8
	09/21/11	6.30	443	18.0	10	0.09	-91
	03/06/12	6.56	396	11.2	NM	0.67	-65
	09/28/12	6.45	382	17.2	NM	0.29	342 <sup>a</sup>
03/07/13	6.48	480	12.4	NM	0.15	20	
09/24/13	6.63	349	16.8	91	0.20	-50	
MW-3	04/17/95	6.40	1,580	12.0	NM	NM	NM
	09/04/96	6.33	1,357	14.9	5.1	1.6	NM
	12/11/96	6.48	979	12.4	15	1	NM
	03/04/97	6.44	1,152	13.0	9.4	1.69	NM
	06/27/97	6.64	937	13.0	423	1	NM
	09/04/97	6.47	765	15.0	132	1.81	NM
	12/04/97	6.20	844	13.5	7.5	1.29	NM
	03/06/98	6.53	1,255	12.0	3.4	1.9	NM
	06/18/98	6.55	1,225	13.0	5.3	0.9	NM
	09/29/98	6.41	947	14.0	7.91	1.22	NM
	12/14/98	6.25	1,054	13.5	0.9	1.14	-79
	03/03/99	6.45	765	12.0	4.7	NM	-105
	06/16/99	6.31	837	12.0	NM	1.00	-120
	09/17/99	6.48	964	14.0	4.2	0.1	-129
	12/08/99	6.80	137	13.5	6.7	1.5	-63
	03/07/00	6.62	766	12.0	8.0	0.8	-75
	06/21/00	6.92	452	14.0	7.5	1.25	-81
	09/12/00	6.70	836	10.7	NM	1.4	-36
	12/07/00	6.09	732	12.0	2.7	1.8	-62
	03/15/01	6.80	809	11.0	7.5	0.9	NM
	07/12/01	6.63	746	13.1	8.2	1.36	-42
	09/24/01	6.49	NM	16.9	12	0.16	NM
	01/03/02	6.52	955	13.1	2.0	0.00	NM
	03/28/02	6.74	330	12.3	5.8	0.19	NM
06/11/02	6.89	786	12.8	14.3	0.4	NM	
09/17/02	6.80	773	15.2	NM	0.10	-135	
12/17/02	6.44	821	13.0	7.5	0.40	NM	



**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-3 (continued)	03/20/03	6.85	521	12.1	3.3	0.12	-73
	06/11/03	7.17	411	13.8	3.6	0.24	NM
	09/11/03	6.72	395	16.1	2.5	0.24	NM
	12/04/03	6.69	388	13.2	2.2	0.68	94
	03/15/04	6.61	425	12.3	2.1	0.32	-81
	09/24/04	6.56	448	15.6	NM	NM	2
	04/05/05	6.95	726	13.0	NM	0.33	-4
	09/21/05	7.11	560	15.6	NM	0.42	-6
	03/14/06	7.14	519	11.9	0.98	< 0.01	NM
	09/12/06	6.50	606	15.8	NM	0.19	-21
	04/04/07	6.40	515	12.1	13.3	0.06	-1
	09/25/07	6.43	540	14.2	6.8	0.40	-183
	05/01/08	6.63	688	11.9	NM	0.17	-74
	10/01/08	6.77	662	17.2	NM	0.04	-118
	03/24/09	6.64	727	11.3	NM	0.26	-81
	09/29/09	6.82	220	17.0	NM	0.37	10
	03/30/10	6.85	601	11.6	NM	0.99	-5
	09/28/10	6.98	647	15.6	NM	0.28	8
	03/07/11	7.33	426	12.1	2.0	0.20	32
	09/21/11	6.71	556	16.3	1.4	0.03	-127
03/06/12	6.97	497	10.7	NM	0.11	-1	
10/01/12	6.81	519	16.2	NM	0.20	308 <sup>a</sup>	
03/07/13	6.87	662	11.7	NM	0.19	102	
09/24/13	7.03	404	13.6	57.2	0.40	-97	
MW-4	09/04/96	6.29	1,452	17.9	99	1.5	NM
	12/10/96	6.29	1,690	11.9	427	0.83	NM
	03/04/97	6.75	1,868	10.0	2.6	2.82	NM
	06/27/97	6.78	1,431	11.0	55	1	NM
	09/04/97	6.82	1,120	19.0	51	1.4	NM
	12/04/97	6.33	1,578	13.0	6.5	1.8	NM
	03/06/98	6.88	1,847	10.0	3.6	1.92	NM
	06/18/98	6.79	1,862	15.0	4.5	2.2	NM
	09/29/98	6.63	1,288	18.0	11	1.26	NM
	12/14/98	6.18	1,560	13.9	2.6	1.16	-150
	03/03/99	6.69	1,288	9.0	9.6	NM	155
	06/17/99	6.69	NM	13.0	1.9	0.1	-186
	09/17/99	6.57	1,623	17.0	2.5	1.9	-178
	12/08/99	6.94	394	13.6	4.32	0.5	-109
	03/07/00	6.92	1,344	12.0	5.8	1.1	-68
	06/21/00	6.90	992	15.0	2.4	1.29	-67
	09/12/00	6.58	1,450	14.0	1.6	2.2	-86
	12/07/00	6.60	1,210	13.0	3.6	2.4	15
	03/15/01	6.60	1,361	10.0	5.2	1.5	-24
	07/12/01	6.70	1,594	15.2	6.2	2.73	-108
09/25/01	6.17	NM	17.7	48	1.04	NM	
01/02/02	6.73	1,840	11.9	74	NM	NM	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-4 (continued)	03/28/02	6.95	655	10.5	25	0.39	NM
	06/11/02	6.97	817	13.3	NM	0.17	NM
	09/18/02	6.81	1,452	18.1	NM	0.04	-106
	12/17/02	6.54	1,011	12.4	2.7	0.34	NM
	03/20/03	6.74	877	10.8	3.6	0.07	-78
	05/14/03	6.70	864	12.2	NM	0.74	-45
	06/11/03	6.89	776	13.9	4.0	0.21	NM
	09/11/03	6.60	756	17.1	3.7	0.25	NM
	12/04/03	6.68	437	13.1	4.2	0.22	-52
	03/15/04	6.60	518	10.6	1.9	0.46	-58
	09/24/04	6.45	596	15.4	NM	0.62	36
	04/04/05	6.71	945	11.6	NM	1.20	58
	09/21/05	6.56	881	17.5	NM	0.71	-1
	03/15/06	6.82	907	10.1	8.3	0.01	NM
	09/14/06	6.49	907	15.5	NM	0.33	98
	04/04/07	6.85	891	11.2	5.9	< 0.01	-68
	09/26/07	6.51	992	16.7	4.2	< 0.01	-210
	05/02/08	6.46	1,076	11.1	NM	0.19	-39
	10/01/08	6.48	1,073	15.8	NM	0.26	-68
	03/25/09	6.81	1,256	9.5	NM	0.30	-45
09/30/09	6.59	369	17.9	NM	0.11	24	
03/29/10	6.71	1,094	9.9	NM	0.58	-8	
10/01/10	6.89	1,054	16.7	NM	0.55	10	
03/04/11	7.48	906	9.4	7.0	0.17	-8	
09/23/11	6.46	1,091	22.1	1.6	0.15	-64	
03/08/12	6.67	1,100	9.6	NM	0.36	-16	
10/01/12	6.56	1,109	16.8	NM	0.18	355 <sup>a</sup>	
03/06/13	6.73	1,436	9.7	4.3	0.22	24	
09/24/13	6.82	823	17.8	63.8	0.00	-63	
MW-5	09/04/96	6.23	422	15.9	22	2.1	NM
	12/10/96	6.15	463	12.7	984	1.53	NM
	03/04/97	6.22	506	13.0	8.9	2.48	NM
	06/27/97	6.46	329	15.0	245	2	NM
	09/04/97	6.79	285	16.0	51	1.39	NM
	12/04/97	5.90	367	13.0	3.6	1.35	NM
	03/06/98	6.38	425	12.0	4.9	1.97	NM
	06/18/98	6.36	439	14.0	8.5	2.2	NM
	09/29/98	6.29	326	17.0	8.7	1.54	NM
	12/15/98	5.94	394	14.8	3.6	1.72	111
	03/02/99	5.87	301	12.0	8.9	1.47	237
	06/16/99	5.99	375	12.0	< 10	0.2	161
	09/16/99	6.19	449	14.0	2.9	0.4	-159
	12/08/99	6.59	238	14.9	5.1	0.2	72
	03/07/00	6.34	278	12.0	7.9	1.1	67
	06/21/00	6.45	185	14.0	1.6	1.68	-8
09/12/00	7.24	349	12.4	1.9	1.2	-18	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-5 (continued)	12/07/00	6.15	314	13.0	14	2.3	-45
	03/15/01	6.55	371	11.0	9.1	3.5	-61
	07/09/01	6.32	352	14.2	4.6	1.01	111
	09/24/01	6.16	256	18.1	64	6.17	NM
	01/02/02	6.09	468	15.3	NM	NM	NM
	03/27/02	6.51	5,000	9.7	5.1	3.84	NM
	06/11/02	6.29	439	13.9	2.38	1.05	NM
	09/18/02	6.28	429	15.6	NM	0.25	-4
	12/16/02	6.18	341	14.2	2.7	0.48	NM
	03/17/03	6.29	350	13.4	3.4	0.36	79
	05/14/03	6.42	286	12.3	NM	0.69	34
	06/10/03	6.35	218	13.8	12	0.3	NM
	09/11/03	6.32	267	16.5	1.4	0.37	NM
	12/05/03	6.40	219	13.8	7.1	0.34	281
	03/16/04	6.40	219	12.7	7.1	0.77	73
	09/22/04	6.27	337	13.9	NM	0.66	60
	04/04/05	6.41	290	13.1	NM	1.55	100
	09/20/05	6.59	324	18.5	NM	0.36	11
	03/14/06	6.45	312	12.4	12.1	0.61	NM
	09/13/06	6.34	296	15.7	NM	0.32	124
	04/05/07	6.47	327	12.2	7.7	0.73	128
	09/26/07	6.22	351	15.1	6.2	0.58	92
	05/01/08	6.10	436	12.9	NM	0.84	74
	09/30/08	6.17	397	15.7	NM	0.33	116
	03/25/09	6.29	463	10.6	NM	0.57	106
	09/29/09	6.36	127	16.5	NM	1.73	37
	04/01/10	6.39	287	12.5	16	0.49	27
	04/09/10	NM	340	NM	3.0	NM	NM
	04/16/10	6.38	342	13.4	8.0	0.70	26
	05/06/10	6.52	297	12.7	6.0	2.35	23
	06/09/10	6.44	283	14.1	14	1.61	24
	09/28/10	6.55	262	18.4	NM	1.06	26
	03/03/11	6.76	203	11.6	6	0.55	12
06/22/11	6.36	200	17.0	15	0.11	-7	
09/22/11	6.19	226	17.3	5	0.38	63	
10/21/11	6.11	267	15.8	9	0.41	34	
12/07/11	6.36	207	14.0	NM	0.15	73	
03/07/12	6.39	216	12.3	NM	0.29	53	
06/26/12	6.35	233	17.1	4	0.19	29	
09/27/12	6.14	266	18.5	0.8	0.25	346 <sup>a</sup>	
12/19/12	6.17	362	13.0	23.0	0.34	-29	
03/06/13	6.25	360	11.2	4.4	0.18	76	
06/06/13	6.63	379	17.9	17.0	0.63	23	
09/24/13	6.45	302	14.8	54.6	0.03	20	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-6	09/04/96	6.30	1,930	14.5	23	4.8	NM
	12/10/96	6.17	1,909	12.0	> 1,000	1.02	NM
	03/04/97	6.32	1,683	11.0	6.1	3.44	NM
	06/27/97	6.41	1,469	14.0	73	1	NM
	09/04/97	6.30	1,157	15.0	98	1.15	NM
	12/04/97	5.92	1,286	14.0	5.7	1.05	NM
	03/06/98	6.33	1,620	11.0	5.7	1.1	NM
	06/18/98	6.33	1,804	14.0	7.0	1.8	NM
	09/29/98	6.25	1,440	17.5	7.9	1.91	NM
	12/15/98	5.93	1,390	14.4	NM	1.26	-89
	03/02/99	6.03	1,107	11.0	7.7	1.38	-85
	06/16/99	6.15	1,441	12.0	< 10	< 0.1	-117
	09/16/99	6.27	1,621	13.0	9.1	0.6	-476
	12/08/99	6.63	315	13.7	3.7	0.7	-91
	03/07/00	6.36	1,147	11.0	5.5	0.6	-54
	06/21/00	6.66	810	14.0	1.0	1.75	-37
	09/12/00	6.50	1,378	12.0	NM	2.3	-43
	12/07/00	5.79	1,270	14.0	3.6	1.6	-15
	03/15/01	6.35	1,079	11.0	16	0.4	-31
	07/12/01	6.39	1,210	14.1	7.6	1.07	-44
	09/25/01	6.63	NM	16.4	19	1.02	NM
	01/03/02	6.19	1,120	12.9	1.5	0	NM
	03/27/02	6.32	NM	9.0	NM	0.45	NM
	06/11/02	6.78	891	13.5	NM	0.34	NM
	09/18/02	6.49	1,312	16.7	NM	0.16	-157
	12/16/02	6.25	1,179	14.2	8.8	0.24	NM
	03/20/03	6.53	721	12.1	5.3	0.17	-70
	06/11/03	6.74	387	14.1	21	0.33	NM
	09/10/03	6.44	601	16.9	4.2	0.31	NM
	12/04/03	6.60	393	14.3	6.2	0.26	-12
	03/16/04	6.75	286	12.9	6.9	0.25	-37
	09/23/04	6.36	635	16.3	NM	0.55	13
	04/05/05	6.61	541	13.3	NM	0.61	-17
	09/21/05	6.47	1,045	15.4	NM	0.66	40
	03/14/06	6.70	445	12.7	12.6	< 0.01	NM
	09/13/06	6.39	868	15.4	NM	0.25	64
	04/05/07	6.50	377	12.6	19.0	0.07	23
	09/26/07	6.39	1,010	15.0	12.2	0.06	-190
	05/02/08	6.39	578	11.9	NM	0.19	-26

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-6 (continued)	09/30/08	6.26	1,011	14.9	NM	0.14	-85
	03/26/09	6.84	573	11.9	NM	0.41	6
	09/29/09	6.30	99 <sup>a</sup>	14.3	NM	6.9 <sup>a</sup>	39
	03/30/10	6.53	533	11.5	NM	0.61	14
	09/30/10	6.55	936	15.9	NM	0.35	30
	03/04/11	6.84	331	10.6	4.0	0.21	11
	09/21/11	6.23	723	17.9	3.9	0.13	-68
	03/06/12	6.53	341	10.5	NM	0.25	-12
	09/28/12	6.21	717	15.3	NM	0.27	315 <sup>a</sup>
	03/07/13	6.49	511	11.1	NM	0.21	76
09/24/13	6.50	634	14.3	106	0.00	-52	
MW-7	12/22/97	6.56	550	11.0	139	2.15	NM
	03/06/98	6.63	536	12.0	13.4	1.53	NM
	06/18/98	6.36	543	14.0	13	2.4	NM
	09/29/98	6.38	438	17.0	21	1.41	NM
	12/14/98	5.98	409	15.2	3.2	1.23	68
	03/03/99	7.07	288	12.0	5.5	NM	-8.4
	06/17/99	6.07	462	13.0	NM	0.8	1
	09/17/99	6.13	506	16.0	11	< 0.1	-72
	12/08/99	6.71	342	15.3	7.6	1.3	-2
	03/07/00	6.44	362	12.0	6.7	0.8	-11
	06/21/00	6.57	241	14.0	0.7	2.04	24
	09/12/00	6.00	493	13.0	13	1.4	5
	12/07/00	6.46	505	14.0	31	2.6	-39
	03/15/01	6.58	425	12.0	20	1.5	NM
	07/12/01	6.45	493	14.1	11	1.87	54
	09/25/01	6.48	NM	15.6	2.8	1.12	NM
	01/03/02	6.17	628	13.9	4.1	0	NM
	03/28/02	6.37	184	12.3	4.7	2.61	NM
	06/11/02	6.66	383	13.2	5.7	0.70	NM
	09/17/02	6.56	427	16.0	NM	0.15	4
	12/17/02	6.46	351	13.2	2.4	0.32	NM
	03/17/03	6.49	436	13.3	20	0.13	27
06/10/03	6.88	282	13.8	52	0.18	NM	
09/10/03	6.27	257	16.0	3.0	0.49	NM	
12/04/03	6.68	239	13.4	4.7	0.29	159	
03/16/04	6.62	268	13.9	7.3	0.84	34	
09/22/04	7.00	469	16.0	NM	0.21	103	
04/04/05	6.71	388	13.0	NM	0.86	40	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-7 (continued)	09/20/05	6.75	404	18.3	NM	0.68	-11
	03/14/06	7.11	312	12.5	3.7	2.78	NM
	09/13/06	6.33	345	16.0	NM	0.26	115
	04/03/07	6.56	220	12.6	15.2	5.06	222
	09/25/07	6.43	313	17.1	8.7	0.59	44
	05/01/08	6.30	337	13.4	NM	1.40	41
	10/01/08	6.41	389	17.3	NM	0.13	30
	03/24/09	6.12	450	11.3	NM	0.97	94
	09/29/09	6.51	141	15.9	NM	1.83	28
	04/01/10	6.81	255	12.4	NM	1.48	6
	09/28/10	6.71	318	17.4	NM	0.27	17
	03/02/11	6.48	235	11.4	10.0	5.72	3
	06/22/11	6.33	193	19.0	38.1	0.33	109
	09/22/11	6.33	248	16.6	1.9	0.19	158
	10/20/11	6.28	389	16.1	13.0	0.30	88
	12/07/11	6.55	273	13.4	NM	0.57	139
	03/07/12	6.54	200	12.3	NM	1.31	95
	06/26/12	6.47	196	16.1	5.7	0.18	43
	07/12/12	6.54	197	15.8	NM	0.23	-22
	09/27/12	6.26	245	18.2	1.8	0.30	383 <sup>a</sup>
12/19/12	6.42	641	13.0	7.0	0.46	8	
03/05/13	6.32	374	12.6	16.6	0.17	19	
06/06/13	6.74	328	16.7	9.3	0.24	81	
09/24/13	5.97	427	17.7	0.0	0.00	45	
MW-8	12/22/97	6.37	495	12.0	67	4.06	NM
	03/06/98	6.49	758	12.0	70	2.72	NM
	06/18/98	6.66	662	13.0	243	2.8	NM
	09/29/98	6.33	428	14.5	48	1.7	NM
	12/14/98	6.11	413	13.9	14	1.83	72
	03/02/99	6.10	442	12.0	91	2.11	117
	06/16/99	5.95	534	11.0	< 10	0.1	132
	09/16/99	6.22	588	13.0	11	1.8	-205
	12/08/99	6.50	140	13.9	133	2.4	55
	03/07/00	6.90	455	12.0	25	1.5	38
	06/21/00	6.30	313	14.0	1.2	1.73	37
	09/12/00	6.52	447	11.6	2.6	3.5	52
	12/07/00	6.99	387	14.0	6.5	1.8	-10
	03/15/01	6.45	433	11.0	8.3	2.7	-50
	07/12/01	6.30	427	13.8	5	2.03	53
09/25/01	6.48	NM	14.4	22	1.02	NM	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-8 (continued)	01/03/02	5.64	468	13.4	2.8	0	NM
	03/27/02	6.31	NM	8.9	5.1	1.95	NM
	06/11/02	6.41	576	12.9	6.4	0.40	NM
	09/18/02	6.32	415	15.0	NM	0.15	-88
	12/16/02	6.23	294	13.6	12	0.35	NM
	03/17/03	6.31	279	12.4	2.4	0.28	87
	05/14/03	6.36	338	13.6	NM	0.83	35
	06/11/03	6.54	249	13.4	3.5	0.54	NM
	09/10/03	6.12	249	15.5	1.3	0.70	NM
	12/04/03	6.62	165	13.5	4.7	0.17	153
	03/16/04	6.48	292	12.6	6.1	0.72	47
	09/24/04	6.60	309	16.0	NM	0.18	66
	04/05/05	6.48	385	12.9	NM	1.31	-1
	09/20/05	6.52	349	18.1	NM	0.53	31
	03/15/06	6.60	433	12.0	26.5	0.42	NM
	09/13/06	6.41	411	14.9	NM	0.25	52
	04/05/07	6.32	690	12.4	6.7	0.44	176
	09/26/07	6.30	506	14.7	10.3	0.50	-1
	05/01/08	6.07	812	12.8	NM	1.14	94
	09/30/08	6.25	584	15.2	NM	0.18	60
	03/26/09	6.70	906	12.3	NM	0.96	90
	09/29/09	6.27	135	15.3	NM	7.6 <sup>a</sup>	40
	04/01/10	6.29	949	11.9	NM	0.79	29
09/28/10	6.44	1,217	18.1	NM	0.28	32	
03/04/11	6.81	1,317	11.0	2.0	0.50	13	
09/26/11	6.15	1,137	14.4	0.3	0.32	270	
03/06/12	6.55	1,106	11.6	NM	0.50	14	
09/28/12	6.27	1,101	17.1	NM	0.32	305 <sup>a</sup>	
03/08/13	6.45	1,271	12.3	NM	0.23	136	
09/24/13	6.43	854	15.9	57.0	0.69	57	
MW-9	07/09/01	6.24	812	13.9	8.2	2.28	-63
	09/25/01	6.33	NM	14.7	52	1.06	NM
	01/03/02	6.13	763	13.4	1.4	0	NM
	03/27/02	6.37	NM	8.2	NM	0.59	NM
	06/11/02	6.61	700	12.8	NM	0.61	NM
	09/17/02	6.41	728	14.7	NM	0.13	-131
	12/16/02	6.24	614	13.7	28	0.26	NM
	03/17/03	6.52	460	12.7	19	0.08	-47
	06/11/03	6.28	395	13.3	65	0.41	NM

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-9 (continued)	09/10/03	6.12	494	15.1	22	0.33	NM
	12/04/03	6.49	351	14.5	16	0.18	21
	03/16/04	6.46	269	12.4	5.1	0.44	46
	09/23/04	6.48	488	15.5	NM	0.17	55
	04/05/05	6.53	710	13.2	NM	1.15	-5
	09/20/05	6.25	550	16.7	NM	0.21	24
	03/14/06	6.51	416	12.7	347	< 0.01	NM
	09/13/06	6.43	548	14.7	NM	0.18	59
	04/05/07	6.26	438	12.5	110	0.01	50
	09/26/07	6.18	596	14.2	89	0.35	-166
	05/01/08	6.28	753	13.1	NM	0.24	78
	09/30/08	6.29	707	14.7	NM	0.15	-79
	03/26/09	6.69	649	11.8	NM	0.29	66
	09/29/09	6.38	111	14.9	NM	7.7 <sup>a</sup>	35
	03/30/10	6.58	559	11.9	NM	0.72	17
	09/28/10	6.52	651	17.3	NM	0.24	27
	03/04/11	6.89	505	12.0	4	0.24	10
	09/26/11	6.41	544	13.4	85	0.12	-90
	03/06/12	6.37	392	11.3	NM	0.30	32
	09/28/12	6.57	641	15.3	NM	0.16	272 <sup>a</sup>
03/08/13	6.47	557	11.9	NM	0.16	95	
09/24/13	6.87	365	15.1	128	0.00	-67	
MW-10	07/09/01	6.47	463	14.2	14	2.11	72
	09/25/01	6.53	NM	15.6	184	0.98	NM
	01/03/02	6.33	460	13.6	3.2	0	NM
	03/28/02	6.57	159	12.0	NM	0.32	NM
	06/11/02	6.90	397	13.1	NM	0.22	NM
	09/17/02	6.76	390	15.1	NM	0.10	-97
	12/17/02	6.65	300	13.5	20.2	0.21	NM
	03/20/02	6.82	336	12.9	3.2	0.10	-62
	06/10/03	6.97	222	14.1	15.9	0.18	NM
	09/10/03	6.09	267	16.3	9.0	0.49	NM
	12/04/03	6.61	179	13.4	7.6	0.37	44
	03/16/04	6.51	245	11.7	3.4	0.56	-24
	09/22/04	6.80	282	17.0	NM	0.61	10
	04/05/05	7.68	315	12.1	NM	0.89	-10
	09/20/05	6.62	284	18.1	NM	0.67	1
	03/15/06	6.71	268	11.2	6.7	0.16	NM
	09/12/06	6.59	281	20.3	NM	0.30	-67
	04/03/07	6.95	215	13.7	11.7	< 0.01	46
	09/24/07	6.61	238	16.9	7.7	0.45	-138
	05/01/08	6.56	268	11.8	NM	0.12	-54
	10/01/08	6.72	237	15.3	NM	0.11	-62
	03/24/09	6.53	266	11.2	NM	0.27	-36
	09/30/09	6.73	96 <sup>a</sup>	15.7	NM	0.23	13
03/30/10	6.96	201	11.1	NM	1.33	-8	
09/28/10	6.98	185	17.7	NM	0.20	3	



**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-10 (continued)	03/04/11	7.24	160	10.7	7.0	0.15	-2
	09/26/11	6.61	152	14.9	37.8	0.32	-58
	03/07/12	6.86	141	11.2	NM	0.24	-7
	09/28/12	6.67	136	18.9	NM	0.21	292 <sup>a</sup>
	03/05/13	6.54	164	11.4	NM	0.16	2
	09/24/13	7.11	106	17.4	72.5	0.00	-72
MW-11	07/09/01	6.69	406	12.8	134	0.89	22
	09/24/01	6.28	418	17.5	112	6.13	NM
	01/02/02	6.24	431	14.8	NM	NM	NM
	03/27/02	6.58	5,000	9.1	12	4.42	NM
	06/11/02	6.35	444	14.2	6.4	2.74	NM
	09/17/02	6.22	530	16.3	NM	0.14	83
	12/16/02	6.00	593	14.0	1.8	0.30	NM
	03/17/03	6.15	539	13.4	4.6	0.16	26
	06/10/03	6.20	321	13.7	8.7	0.35	NM
	09/10/03	6.08	411	15.4	5.0	0.31	NM
	12/05/03	6.25	337	13.5	5.1	0.29	260
	03/16/04	6.36	269	12.7	1.7	0.50	73
	09/22/04	6.44	285	16.6	NM	0.38	85
	04/04/05	6.51	320	13.2	NM	1.84	94
	09/20/05	6.33	352	18.6	NM	0.51	-8
	03/14/06	6.80	345	13.0	41.5	< 0.01	NM
	04/04/07	5.85	315	12.1	23.5	0.28	208
	09/26/07	6.27	312	14.9	18.3	0.39	85
	05/01/08	6.11	486	13.5	NM	0.46	69
	09/30/08	6.13	703	16.2	NM	0.19	107
04/01/10	6.40	286	12.0	13	0.46	23	
04/09/10	NM	330	NM	3.0	NM	NM	
04/16/10	6.41	326	13.6	21	0.12	26	
05/06/10	6.55	285	13.0	13	0.30	24	
06/09/10	6.43	278	14.3	13	0.65	25	
MW-12	07/09/01	6.67	590	14.5	95	1.4	37
	09/24/01	6.41	NM	19.2	79	1.17	NM
	01/03/02	5.37	1,480	16.2	7.9	NM	NM
	03/27/02	5.59	NM	12.3	16	0.43	NM
	06/11/02	6.33	865	14.6	5.4	0.31	NM
	09/17/02	6.29	737	16.8	NM	0.18	-147
	12/16/02	6.14	475	14.7	2.1	0.12	NM
	03/17/03	6.13	620	14.1	47	0.21	1
	05/14/03	6.21	383	13.7	NM	0.66	31
	06/10/03	6.30	367	13.8	67	0.45	NM
	09/10/03	6.06	419	15.9	28	0.35	NM
	12/05/03	6.18	410	13.4	9.2	0.33	40
	03/16/04	6.40	317	12.5	3.4	0.30	60
	09/22/04	6.58	408	16.5	NM	2.00	59

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-12 (continued)	04/04/05	6.93	416	13.0	NM	1.39	88
	09/20/05	6.70	460	18.4	NM	0.37	-12
	03/14/06	6.91	410	12.8	36	0.38	NM
	09/13/06	6.31	390	15.6	NM	0.19	132
	04/04/07	5.82	420	12.5	34	0.10	196
	09/26/07	6.42	383	15.3	29	0.20	62
	05/01/08	6.07	592	14.0	NM	0.35	71
	09/30/08	6.25	511	16.6	NM	0.19	97
	03/26/09	6.32	672	13.3	NM	0.34	9
	09/29/09	6.40	196	16.7	NM	1.55	33
	04/01/10	6.56	347	13.0	NM	0.87	27
	09/28/10	6.52	322	18.6	NM	0.35	26
	03/03/11	6.75	244	11.1	28	0.22	12
	06/22/11	6.87	348	16.1	41	0.04	-188
	09/22/11	6.51	359	16.4	12	0.05	-122
	10/21/11	6.41	411	15.0	35	0.38	11
	12/07/11	6.58	293	12.2	NM	0.20	-87
	03/07/12	6.38	316	12.9	NM	0.30	59
	06/27/12	6.44	533	15.5	18	0.22	32
	07/12/12	6.44	312	15.5	NM	0.14	16
10/02/12	6.41	324	16.3	7.9	3.60 <sup>a</sup>	275 <sup>a</sup>	
12/19/12	6.29	444	13.1	11.0	0.37	15	
03/06/13	6.37	436	12.2	18.1	0.15	47	
06/06/13	6.61	431	20.4	33.4	0.25	-40	
09/24/13	6.79	417	14.9	54.4	0.00	-117	
MW-13	03/31/03	6.41	506	14.3	76	0.22	-37
	05/14/03	6.29	491	13.8	NM	0.84	-53
	06/11/03	6.63	425	14.7	16	0.25	NM
	09/11/03	6.60	470	16.8	23	0.58	NM
	12/04/03	6.86	379	13.1	5.7	0.28	-11
	03/15/04	6.58	458	12.8	10	0.31	-44
	06/10/04	6.55	383	14.4	NM	0.62	-21
	09/23/04	6.38	427	15.6	NM	0.17	18
	04/05/05	7.02	242	12.9	NM	1.43	9
	09/21/05	6.92	367	16.9	NM	0.22	-15
	03/15/06	7.07	301	13.2	4.0	< 0.01	NM
	09/14/06	6.58	490	16.0	NM	0.20	59
	04/04/07	6.76	557	13.6	5.0	0.03	-39
	09/25/07	6.50	617	15.6	4.8	-0.11	-210
	05/02/08	6.29	758	14.0	NM	0.24	-20
	09/30/08	6.36	687	17.1	NM	0.07	-84
	03/25/09	6.33	763	11.7	NM	0.31	-7
	09/30/09	6.47	273	17.0	NM	0.13	30
	03/29/10	6.53	639	12.4	15	0.58	18
	04/07/10	NM	720	NM	2.0	NM	NM
04/16/10	6.67	682	14.2	9.0	0.49	24	
05/06/10	6.56	722	13.9	6.0	0.31	25	

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-13 (continued)	06/09/10	6.52	753	15.7	4.0	0.20	22
	09/30/10	6.58	695	17.2	NM	0.14	17
	03/03/11	6.76	552	12.9	1.0	0.20	9
	06/23/11	6.09	365	14.4	9.2	0.16	-61
	09/22/11	6.26	680	19.7	13.3	0.02	-86
	10/20/11	6.27	882	16.3	17.0	0.35	-28
	12/07/11	6.45	566	12.7	NM	0.21	-89
	03/07/12	6.49	564	12.2	NM	0.27	-13
	06/27/12	6.44	533	15.5	18.4	0.22	32
	07/12/12	6.47	571	18.5	NM	0.16	-7
	10/02/12	6.39	541	16.9	6.4	0.20	221 <sup>a</sup>
	12/19/12	6.33	694	13.1	26.0	0.31	-91
	03/07/13	6.43	688	12.9	4.4	0.16	11
06/06/13	6.74	713	19.9	26.7	0.18	-95	
09/24/13	7.02	489	15.7	82.5	6.22	-92	
MW-14	12/04/03	6.80	207	13.5	8.2	0.22	44
	03/16/04	6.52	294	13.6	1.6	0.57	-9
	06/10/04	6.68	274	14.4	NM	0.55	-3
	09/24/04	6.97	343	14.5	NM	0.21	155
	04/05/05	6.84	369	13.8	NM	0.85	21
	09/21/05	6.71	495	15.1	NM	0.56	11
	03/14/06	6.92	341	13.5	4.9	0.05	NM
	09/13/06	6.81	396	15.7	NM	0.23	33
	04/04/07	6.64	393	14.5	0.82	0.21	-32
	09/26/07	6.56	358	14.8	2.16	0.26	-184
	05/02/08	6.28	412	12.7	NM	0.5	-27
	09/30/08	6.41	425	13.9	NM	0.35	-75
	03/23/09	6.23	498	11.4	NM	0.27	-28
	09/29/09	6.58	60 <sup>a</sup>	14.2	NM	6.6 <sup>a</sup>	24
	03/30/10	6.58	360	13.2	NM	0.73	15
	09/30/10	6.72	555	17.4	NM	0.34	18
	03/04/11	6.96	316	12.0	6.00	0.15	9
09/21/11	6.39	392	16.7	7.60	0.04	-72	
03/06/12	6.58	337	12.0	NM	0.27	0	
09/28/12	6.42	366	16.3	NM	0.28	294 <sup>a</sup>	
03/07/13	6.50	451	12.4	NM	0.18	49	
09/24/13	6.57	313	14.0	65.50	0.00	-23	
MW-15	12/04/03	7.00	259	13.2	9.1	0.18	48
	03/16/04	6.92	290	13.4	2.8	0.39	-25
	06/10/04	6.66	297	14.1	NM	0.56	-17
	09/24/04	6.68	311	14.9	NM	0.21	74
	04/05/05	6.79	370	13.8	NM	0.70	15
	09/21/05	6.91	682	16.4	NM	0.56	-9
	03/14/06	6.80	334	13.7	NM	< 0.01	NM
	09/13/06	6.77	367	15.3	NM	0.50	55
	04/04/07	6.71	396	14.2	1.2	0.06	-39
	09/26/07	6.51	390	15.4	NM	0.01	-205

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-15 (continued)	05/02/08	6.30	491	13.7	NM	0.21	-24
	09/29/08	6.47	499	18.5	NM	2.86	-97
	03/26/09	6.66	519	12.0	NM	0.23	-13
	09/29/09	6.52	59 <sup>a</sup>	15.3	NM	7.7 <sup>a</sup>	25
	03/30/10	6.61	409	13.3	NM	0.77	14
	09/30/10	6.57	506	17.0	NM	0.38	19
	03/08/11	6.91	449	13.7	4.0	0.17	8
	09/21/11	6.42	462	17.2	3.0	0.06	-83
	03/06/12	6.57	403	11.3	NM	0.30	-32
	10/01/12	6.43	414	14.7	NM	0.31	370 <sup>a</sup>
	03/07/13	6.50	530	12.9	NM	0.17	30
09/24/13	6.61	357	14.4	131.0	0.00	-48	
MW-16	12/05/03	6.35	385	12.7	6.1	0.59	19
	03/16/04	6.42	370	12.7	7.2	0.39	-14
	06/10/04	6.36	366	14.4	NM	0.54	-5
	09/23/04	6.50	488	14.0	NM	0.24	27
	04/05/05	6.56	645	13.0	NM	1.09	38
	09/21/05	6.48	555	14.6	NM	0.47	21
	03/15/06	6.91	569	12.4	2.1	< 0.01	NM
	09/13/06	6.58	459	14.0	NM	0.19	68
	04/05/07	6.46	659	12.7	1.0	< 0.01	-62
	09/26/07	6.52	621	15.8	1.6	0.43	-202
	05/02/08	6.13	790	12.8	NM	0.18	0
	10/01/08	6.35	820	14.6	NM	0.17	-57
	03/25/09	6.09	892	11.5	NM	0.32	-36
	09/30/09	6.41	254	13.7	NM	0.16	32
	04/02/10	6.45	691	11.5	NM	0.59	24
	10/10/10	6.62	801	14.2	NM	0.39	21
	03/08/11	6.76	639	12.3	6.0	0.19	7
	09/26/11	6.29	681	13.5	0.6	0.20	-71
03/08/12	6.42	666	11.8	NM	0.26	7	
10/01/12	6.28	678	13.7	NM	0.29	358 <sup>a</sup>	
03/08/13	6.54	607	11.2	NM	0.21	110	
09/24/13	6.59	428	12.9	62.1	0.00	-23	
MW-17	12/04/03	6.59	384	12.0	5.7	0.51	93
	03/15/04	6.32	619	12.3	7.1	0.78	-24
	06/10/04	6.41	489	13.1	NM	0.68	-12
	09/23/04	6.42	521	13.4	NM	0.01	10
	04/05/05	6.60	920	12.6	NM	0.97	30
	09/21/05	6.52	882	13.6	NM	0.31	16
	03/15/06	6.92	804	11.4	2.7	0.73	NM
	09/12/06	6.27	908	16.7	NM	0.14	-1
	04/03/07	6.24	766	11.7	1.9	0.65	96
	09/24/07	6.45	922	13.9	2.1	0.40	-175
	05/01/08	6.27	1,286	12.3	NM	0.24	105
	09/29/08	6.46	967	14.9	NM	4.61	-98
	03/24/09	6.12	1,282	11.9	NM	0.42	-22

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-17 (continued)	09/30/09	6.52	152	12.9	NM	0.31	27
	03/30/10	6.37	667	10.1	NM	1.28	12
	10/01/10	6.68	1,111	14.2	NM	0.31	23
	03/07/11	6.88	564	11.6	5.0	0.15	8
	06/23/11	6.27	415	14.6	7.1	0.08	-40
	09/23/11	6.37	927	16.2	1.4	0.10	-60
	03/08/12	6.57	911	11.9	NM	0.23	-28
	06/27/12	6.57	936	15.3	14.8	0.12	-24
	07/12/12	6.53	1,033	15.9	NM	0.23	-26
	10/01/12	6.36	918	13.6	77.2	0.23	346 <sup>a</sup>
	12/19/12	6.35	1,349	10.9	16.0	0.39	-100
	03/07/12	6.47	1,128	11.4	4.4	0.18	21
	06/06/13	6.88	1,269	15.0	21.6	0.28	-89
09/24/13	6.07	792	12.4	90.1	0.00	-55	
MW-18	12/04/03	6.54	308	13.0	8.1	0.33	21
	03/16/04	6.46	363	12.4	19	0.36	-14
	06/10/04	6.41	415	13.8	NM	0.66	-3
	09/23/04	6.31	373	15.3	NM	0.01	7
	04/05/05	6.94	463	12.9	NM	0.83	18
	09/20/05	6.84	183	17.3	NM	0.72	21
	03/15/06	6.68	430	12.3	2.5	0.22	NM
	09/12/06	6.07	519	17.0	NM	0.42	NM
	04/03/07	6.50	464	14.5	2.7	< 0.01	48
	09/24/07	6.57	566	15.5	2.1	0.41	-152
	05/01/08	6.32	637	12.6	NM	0.38	-43
	10/01/08	6.46	599	15.6	NM	0.12	-53
	03/24/09	6.20	626	12.3	NM	0.42	-29
	09/30/09	6.53	190	15.0	NM	0.38	26
	03/30/10	6.62	494	12.0	NM	1.57	13
	09/28/10	6.68	616	16.6	NM	0.24	21
	03/04/11	6.95	464	12.3	3.0	0.18	7
	06/23/11	6.32	312	15.3	9.6	0.14	-7
	09/23/11	6.37	532	16.9	3.8	0.07	-70
	03/07/12	6.54	484	13.0	6.0	0.18	15
06/27/12	6.55	554	17.4	4.9	0.20	-18	
07/12/12	6.54	567	14.8	NM	0.19	-41	
10/01/12	6.48	321	17.7	2.8	2.42 <sup>a</sup>	353 <sup>a</sup>	
12/19/12	6.44	697	12.3	9.0	0.42	-92	
03/05/13	6.40	657	12.7	6.8	0.17	9	
06/06/13	6.87	741	16.6	16.1	0.26	-84	
09/24/13	6.67	439	15.0	58.9	0.08	-60	
MW-19	03/16/04	6.49	403	13.2	12	0.38	-23
	06/10/04	6.31	379	14.5	NM	0.89	-15
	09/23/04	6.66	368	15.4	NM	0.26	5
	04/05/05	6.87	571	14.2	NM	0.39	-21
	09/21/05	6.80	636	15.7	NM	0.44	31
	03/15/06	6.78	510	12.6	3.7	0.14	NM

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-19 (continued)	09/12/06	6.40	563	18.1	NM	0.18	-22
	04/03/07	6.05	505	13.9	3.9	0.21	40
	09/24/07	6.31	317	15.6	3.4	0.41	-218
	05/02/08	6.32	698	13.5	NM	0.23	-32
	10/01/08	6.48	573	18.0	NM	0.1	-83
	03/23/09	6.23	610	12.6	NM	0.34	-71
	09/29/09	6.54	29 <sup>a</sup>	15.3	NM	7.5 <sup>a</sup>	29
	03/30/10	6.33	528	11.9	NM	0.98	14
	09/28/10	6.53	722	16.4	NM	0.36	29
	03/03/11	6.92	413	13.5	4.0	0.15	10
	09/21/11	6.38	530	16.6	0.0	0.14	-103
	12/07/11	6.53	556	13.3	NM	0.26	-77
	03/08/12	5.65	596	15.0	NM	0.19	-29
	06/27/12	6.57	430	16.6	0.8	0.16	-22
	07/12/12	6.51	466	15.4	NM	0.23	21
	09/28/12	6.35	406	17.6	NM	0.28	322 <sup>a</sup>
12/19/12	6.42	560	13.7	14.0	0.40	-93	
03/05/13	6.39	727	13.4	1.6	0.14	-31	
06/06/13	6.84	766	16.3	0.9	0.86	-9.8	
09/24/13	6.72	486	14.0	64.0	0.00	-98	
MW-20	07/28/05	7.01	1,053	14.7	11	NM	NM
	09/20/05	6.71	957	15.1	NM	0.42	45
	03/15/06	6.82	861	12.7	3.2	< 0.01	NM
	09/12/06	6.32	958	17.1	NM	0.39	-64
	04/05/07	6.54	972	14.1	5.0	< 0.01	-70
	09/26/07	6.34	961	15.1	NM	0.20	-169
	05/02/08	6.27	1,037	13.1	NM	0.21	-42
	09/29/08	6.41	1,130	18.9	NM	2.48	-125
	03/23/09	6.18	1,235	12.8	NM	0.37	-39
	09/30/09	6.58	119 <sup>a</sup>	14.4	NM	0.22	27
	03/29/10	6.33	922	13.2	NM	0.48	17
	10/01/10	6.69	1,013	15.8	NM	0.40	21
	03/02/11	6.35	1,147	12.6	8.0	0.13	9
	09/26/11	6.36	930	16.6	33.0	0.29	-80
	03/08/12	6.53	946	14.0	NM	0.25	-5
	10/01/12	6.37	903	16.8	NM	0.14	321 <sup>a</sup>
03/08/13	6.45	180	11.4	NM	0.19	97	
06/06/13	6.67	898	17.0	30.8	0.21	-75	
09/24/13	6.64	761	15.6	96.6	0.00	-68	
MW-21	09/14/06	6.65	624	14.9	NM	0.34	85
	04/04/07	6.68	657	13.3	15	< 0.01	-47
	09/25/07	6.58	636	14.7	12	0.06	-231
	05/02/08	6.28	746	13.8	NM	0.25	-29
	09/30/08	6.35	788	15.6	NM	0.12	-79
	03/25/09	6.46	687	11.6	NM	0.32	6
	09/30/09	6.46	310	14.6	NM	0.08	30
	03/26/10	6.31	664	13.2	10	0.68	19

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu\text{S}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ )	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-21 (continued)	04/16/10	6.54	702	13.6	19	0.90	22
	05/06/10	6.50	716	13.9	30	0.20	29
	06/09/10	6.21	741	15.0	131	0.16	38
	09/30/10	5.90	965	16.9	NM	0.34	56
	03/02/11	6.13	779	11.4	2	0.31	24
	06/23/11	5.74	407	13.9	7	0.12	-46
	09/22/11	5.75	951	17.5	2	0.07	-21
	09/27/11	5.70	907	15.1	5	0.35	20
	10/20/11	6.67	1,205	15.0	11	0.31	-17
	12/07/11	5.88	845	12.6	NM	0.21	-49
	03/08/12	6.00	880	13.1	NM	0.19	20
	06/26/12	5.99	846	14.4	75	0.22	7
	07/12/12	6.03	887	15.6	NM	0.15	42
	10/02/12	5.94	876	14.5	>1000	1.41 <sup>a</sup>	238 <sup>a</sup>
	12/20/12	5.95	1,128	11.4	96	0.29	-50
	03/06/13	6.16	1,125	11.0	68	0.22	27
06/06/13	6.61	1,120	18.8	53	0.25	-89	
09/24/13	6.28	714	14.6	102	0.00	-56	
MW-22	09/14/06	6.40	581	14.0	NM	0.62	121
	04/04/07	5.92	525	12.4	8.2	0.04	-40
	09/26/07	6.40	621	15.0	9.2	0.07	-178
	05/02/08	6.11	774	12.7	NM	0.19	-7.4
	10/01/08	6.32	815	13.9	NM	0.19	-74
	03/25/09	6.25	824	11.3	NM	0.26	-26
	09/30/09	6.39	287	14.9	NM	0.09	34
	03/29/10	6.20	665	12.0	NM	0.85	22
	09/30/10	6.57	821	17.6	NM	0.56	13
	03/04/11	6.77	543	12.2	45.0	0.15	12
	06/23/11	6.20	366	13.2	2.1	0.13	-30
	09/23/11	6.27	684	16.3	206.7	0.00	-85
	10/21/11	6.26	827	14.1	4.0	0.34	31
	12/07/11	6.27	583	12.5	NM	0.24	-50
	03/08/12	6.49	502	10.7	20.5	0.23	-17
	06/26/12	6.44	549	14.4	8.8	0.16	-33
	07/12/12	6.35	570	16.4	NM	0.20	15
10/02/12	6.32	617	15.1	2.8	0.20	251 <sup>a</sup>	
12/19/12	6.26	800	12.0	17.0	0.31	-96	
03/06/13	6.40	823	10.9	5.7	0.22	165	
06/06/13	6.79	881	15.9	11.6	0.32	-91	
09/25/13	6.53	564	13.7	89.1	0.00	-75	
MW-23	09/13/06	6.07	433	16.2	NM	0.52	122
	04/04/07	6.04	414	12.6	63.9	0.65	185
	09/25/07	6.47	432	15.9	31.2	0.49	1.1
	05/01/08	6.24	552	13.8	NM	0.29	38
	10/01/08	6.40	458	17.7	NM	0.13	46
	03/24/09	6.08	487	11.8	NM	0.41	90
	09/29/09	6.48	170	16.8	NM	0.75	29

**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance ( $\mu$ S/cm)	Temperature ( $^{\circ}$ C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-23 (continued)	04/01/10	6.57	428	13.0	NM	0.66	16
	09/28/10	6.67	495	19.0	NM	0.19	19
	03/02/11	6.25	399	11.8	5.0	0.25	16
	06/22/11	6.27	320	15.3	26.1	0.19	70
	09/23/11	6.35	431	17.8	7.8	0.14	82
	10/20/11	6.51	512	16.7	3.0	0.36	70
	12/07/11	6.57	356	13.7	NM	0.18	102
	03/07/12	6.59	386	13.1	5.2	0.18	58
	06/26/12	6.54	460	16.9	7.3	0.20	46
	07/12/12	6.54	465	15.8	NM	0.17	-18
	09/27/12	6.52	409	17.1	5.2	0.26	340 <sup>a</sup>
	12/19/12	6.51	430	13.5	64.0	0.34	65
	03/05/13	6.50	528	12.6	7.1	0.16	-15
06/06/13	6.91	690	16.8	9.2	0.26	43	
09/24/13	6.72	364	17.0	52.4	2.17	67	
MW-24	03/26/10	6.39	651	13.4	153	0.31	17
	04/16/10	6.59	671	14.0	13	0.36	21
	05/06/10	6.47	670	15.1	2.0	0.20	28
	06/09/10	6.52	799	15.9	10	0.19	24
MW-25	03/29/10	6.56	703	12.2	57	0.67	12
	04/07/10	NM	720	NM	2.0	NM	NM
	04/16/10	6.51	687	14.2	2.0	0.22	24
	05/06/10	6.62	744	14.0	2.0	0.31	26
MW-25	06/09/10	6.52	896	15.8	7.0	0.27	25
MW-26	04/01/10	6.44	269	12.7	34	0.74	19
	04/09/10	NM	290	NM	4.0	NM	NM
	04/16/10	6.49	270	13.6	21	0.19	23
	05/06/10	6.67	218	12.6	18	0.31	28
	06/09/10	6.47	207	14.9	42	0.76	28
P-1	09/24/04	6.54	401	15.4	NM	0.24	33
Inj-1	07/09/01	6.39	703	14.2	48	1.55	-18
Inj-2	07/09/01	6.45	384	15.1	62	1.2	17
	06/11/02	6.49	950	15.6	14	0.23	NM
	06/10/03	6.38	381	14.5	10	0.25	NM
Inj-3	07/09/01	6.37	407	14.2	30	1.51	17
	06/11/02	6.59	1,971	15.1	14	0.11	NM
	12/17/02	6.27	417	13.4	12	0.11	NM
	06/10/03	6.50	634	14.2	24	0.21	NM
IW-106	10/08/12	6.19	851	17.6	NM	0.11	370 <sup>a</sup>
IW-115	10/08/12	6.16	948	16.9	NM	0.22	419 <sup>a</sup>



**Table B-1**  
**Groundwater Field Parameters**  
**Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	pH pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
IW-117	10/20/11	5.33	1,484	14.7	200	0.48	19
	10/02/12	6.30	916	15.3	High	0.18	253 <sup>a</sup>
IW-130	10/05/12	6.43	1,551	17.0	NM	0.19	300 <sup>a</sup>
IW-137	10/04/12	6.36	1,179	17.9	Low	0.20	303 <sup>a</sup>
IW-140	10/21/11	5.66	2,241	15.8	520	0.54	13
	10/02/12	6.24	1,189	18.1	High	0.19	267 <sup>a</sup>
IW-206	10/04/12	6.20	1,129	17.5	Low	0.25	353 <sup>a</sup>
IW-209	10/04/12	6.36	820	17.5	Low	0.24	346 <sup>a</sup>
IW-211	10/21/11	6.37	1,215	15.6	38	0.41	-8
	10/02/12	6.81	744	17.0	NM	2.17 <sup>a</sup>	282 <sup>a</sup>
	10/02/12	6.81	744	17.0		2.17	282
IW-212	10/05/12	6.26	514	14.1	NM	0.35	392 <sup>a</sup>
IW-217	10/05/12	6.65	629	15.0	NM	0.23	312 <sup>a</sup>

Notes:

NM = not measured

<sup>a</sup> Likely meter malfunction

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-1	04/17/95	120	560	53	29	710	1400	25 U	540	25 U	25 U	150	25 U	2,900	180	1,300	3,600	NA
	4/17/95 (DUP)	130	610	65	31	770	1600	25 U	640	25 U	25 U	180	25 U	3,100	230	1,500	3,900	NA
	09/04/96	82	220	50 U	100 U	1,300	700	50 U	180	50 U	50 U	50 U	50 U	1,600	50 U	1,300	4,400	200 U
	12/10/96	91 J	120 J	67 J	9 JB	1,400 J	2700 J	5.1 J	1,200 J	1.5 J	7.7 J	62 J	0.5 U	3,500 J	31 J	1,600 J	6,300 J	210 J
	03/04/97	80 J	73 J	24 J	5 JB	640 J	1000 J	2.1 J	420 J	1.2 J	5.3 J	68 J	0.5 UJ	4,700 J	66 J	1,600 J	7,100 J	210 EJ
	06/27/97	120	200	21	10 U	900	860	5 U	290	5 U	8.0	26	5 U	3,000	34	2,000	7,400	200
	09/04/97	52	150	7.6	2.9	790	350	0.9	74	0.5 U	7.5	12	0.5 U	1,500	12	1,500	4,200	2 U
	12/04/97	38 J	31 J	27 J	3 JB	540 J	320 J	2.4 J	250 J	0.8 J	4.5 J	20 J	0.5 UJ	4,700 J	22 J	1,800 J	7,000 J	97 J
	03/06/98	50	320	9	10 U	420	340	5 U	160	5 U	8.0	7	5 U	1,600	10	1,500	4,400	110
	3/6/98 (DUP)	56	380	10	10 U	400	400	5 U	190	5 U	8.0	8	5 U	1,500	8	1,500	4,300	120
	06/18/98	120	120	16	20 U	420	450	10 U	400	10 U	10 U	10	10 U	2,900	14	1,700	6,700	190
	09/29/98	14 J	300 J	2 UJ	5 UJ	330 J	94 J	2 UJ	46 J	2 UJ	7 J	2 J	2 UJ	1,400 J	2 UJ	1,800 J	5,400 J	81 J
	12/15/98	54	190	14	10 U	330	390	5 U	270	5 U	6	6	5 U	2,000	6	1,600	4,600	110
	03/02/99	73	390	11	10 U	320	490	5 U	220	5 U	5	7	5 U	1,600 B	6	1,700	5,970	94
	06/17/99	180	140	50 U	500 U	230	400	50 U	270	50 U	50 U	50 U	50 U	2,500	50 U	1,400	6,000	200 U
	09/17/99	88	200	6.4	0.3 U	250	210	0.2 U	240	0.2 U	4 E	8.9	0.2 U	1,500	7.8 B	1,400	4,100	110
	12/08/99	110	79 J	12 U	25 U	310	330	12 U	240	12 U	12 U	12 UJ	12 U	860 J	12 UJ	1,300 J	5,500 J	130
	03/07/00	450	22	17	5 U	310	1,100	2 U	300	2 U	2 U	17	2 U	1,100	14	970	4,310	220
	06/21/00	290	32	9 J	50 J	290	380	5 U	390	6 U	6 U	10 J	7 U	1,300	10 J	860	3,700	260
	6/21/00 (DUP)	290	58	7 J	20 J	210	340	3 U	310	3 U	3 U	10 J	4 U	1,300	10 J	860	3,420	170
	09/12/00	61	110	5	5 U	190	170	2	180	1 U	3	8	1 U	980	4	1,100	3,730	91
	12/07/00	100	42 J	20 J	10 U	310	390	9 J	270	6 U	6 U	10 J	7 U	630	10 J	830	3,290	130
	12/7/00 (DUP)	79	76 J	10 J	10 U	260	300	8 J	250	6 U	6 U	9 J	7 U	480	10 J	890	3,330	120
	03/15/01	110 J	13	27	12	350 J	500	31	480 J	2 U	2 U	23	2 U	290	14 J	690	2,890	190
	3/15/01 (DUP)	150	13	35	13	450	620	43	610	2 U	2 U	27	2 U	320	20	740	2,830	230
	07/12/01	210	12 J	16	9.5 J	370	290	21	610	2.9 U	2.7 U	31	3.1 U	130	8.8 J	480	1,930	120
	09/25/01	240	17	23	10	790	460	18	480	5 U	5 U	41	5 U	320	16	480	1,970	NA
	01/02/02	300	27	30	2.2 J	660	690	22	510	0.57 U	0.5 U	22	0.62 U	270	9.1	570	2,300	130
	03/28/02	390	18	25	2.8 J	540	800	28	510	0.57 U	0.75 J	25	0.62 U	240	14	690	2,620	160
	06/11/02	270	12	5.5	1.0 J	250	240	10	230	0.57 U	1 U	7.8	0.62 U	170	6.4	500	1,570	160
	09/18/02	35	81	2.3 J	2.5 J	130	100	1.7 J	44	0.57 U	2.0 J	7.2	0.62 U	58	3.8	880	2,840	70
	12/17/02	100	7.8	22	5 U	560	340	4.3 B	600	1.3 U	1.3 U	25	1.30 U	80	10	520	1,030	130
	03/20/03	120	7.5	16	2 U	490	160	3.2	440	0.5 U	0.5 U	15	0.5 U	69	7.3	380	940	110
06/11/03	60	4.4	5.4	1.0 J	270	64	1.3	260	0.12 U	0.35 J	6.7	0.13 U	200	4.2	330	730	120	
09/11/03	71	19	12	2.9 J	610	170	1.3	290	0.23 U	0.82 JB	15	0.25 U	1,200	5	510	1,480	93	
12/04/03	140	38	36	8.6	1,300	390	9	1,200	2.0	0.8 J	29	0.31 U	360	7.6	370	1,170	120	
03/16/04	50	14	11	5.4 J	410	66	5.3	370	2.1	0.56 J	13	0.5 U	520	5.8	390	1,590	110	
09/23/04	60	31	15	3.7 J	790	200	1.7	410	1.1 J	0.90 J	16	0.31 U	850	4.2	320	1,440	60	
04/05/05	26	22	12	11	350	120	50	540	0.85 J	0.85 J	23	0.7 U	1,500	7.4	290	900	45	
09/21/05	24	30	6.3	2.2	590	65	3.4	130	0.25 J	0.86	8	0.14 U	1,100	2.1	260	1,100	33	
03/15/06	24	44	6.5	9.6	580	55	8.5	240	0.35 J	0.73 J	15	0.35 U	710	3.9	300	1,680	60	
09/14/06	21	71	6.4	5.6	830	49	8.0	160	0.33 J	0.78 J	7.6	0.35 U	62	3.1	200	1,590	37	
04/04/07	12	17	4.9	6.6 J	240	44	8.9	210	0.57 U	0.68 U	9.3	0.7 U	69	3.6	400	2,080	47	
09/25/07	8.5	100	4.4	3.5 J	300	49	3.3	150	0.57 U	1.0 J	8.9	0.7 U	1,500	2.7	290	1,360	34	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-1 (continued)	09/25/07	8.5	100	4.4	3.5 J	300	49	3.3	150	0.57 U	1.0 J	8.9	0.7 U	1,500	2.7	290	1,360	34	
	05/02/08	12	25	6.3	3.5	250	48	5.3	220	0.11 J	0.65	8.7	0.042 U	290	3.0	180	1,010	29	
	09/30/08	10	60	4.3	3.4 J	320	37	2.7	130	0.19 U	0.63 J	7.1	0.11 U	300	2.3	170	910	27	
	03/25/09	10	60	4.0	0.5 U	240	22	4.0	109	0.50 U	3.2	7.1	0.50 U	43	3.8	140	740	27	
	09/30/09	14	86	12	5.0 U	500	38	4.5 J	190	5.0 U	5.0 U	5.6 J	5.0 U	610	1.7 J	180	1,400	14	
	03/29/10	4.4	9.6 J	0.5 U	0.5 U	0.5 U	15	20 U	63	0.5 U	0.5 U	7.8 J	0.5 U	27	0.5 U	48	170	0.5 U	
	09/30/10	9.51	46.5	0.5 U	1.41 J	339	28.3	1.0 U	173	0.5 U	0.5 U	3.16	0.5 U	144	0.5 U	70.2	301	18.1	
	03/03/11	3.10	18.9	4.52	0.5 U	168	23.6	1.00	211	0.5 U	0.5 U	5.82	0.5 U	140	2.18	43.8	416	20.5	
	09/23/11	5.74	174	1.96	1.20	138	13.5	1.0 U	38.5	0.5 U	0.700	3.44	0.5 U	1,620	0.830	124	949	16.0	
	03/08/12	10.1	54.7	2.41	0.860	132	20.4	1.00 U	80.7	0.500 U	0.500 U	2.29	0.500 U	248	1.35	47.0	668	15.8	
	10/1/12 (DUP)	6.10	82.0	0.720	0.760	88.0	15.0	1.00 U	13.4	0.500 U	0.500 U	2.94	0.500 U	198	0.630 J	19.1	461	23.8	
	10/01/12	5.78	89.5	0.790	0.900	83.0	14.3	1.00 U	13.1	0.500 U	0.500 U	2.80	0.500 U	194	0.640 J	19.2	443	24.7	
03/06/13	22.3 J	79.8	2.26	2.08	252	25.2	1.00 U	49.4	0.5 U	0.540	1.86	0.5 U	186	1.13	46.6	556	22.5		
09/25/13	18.7	145	0.900	1.58	132	21.5	1.00 U	16.2	0.500 U	0.750	3.34	0.500 U	362	0.780	42.1	629	28.3		
MW-2	04/17/95	10 U	10 U	5 U	5 U	5 U	5 U	9	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NA
	09/04/96	0.5 U	0.5 U	0.5 U	2.0 U	0.8	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/10/96	0.5 U	0.5 U	0.5 U	1.0 U	0.6	4.0	0.5 U	0.5 U	0.5 U	0.5 U	2.5	0.5 U	0.5 U	4.3	0.5 U	0.5 U	0.5 U	2 U
	03/04/97	0.5 U	0.5 U	0.5 U	1.0 U	0.8	5.4	0.5 U	0.5 U	0.5 U	0.5 U	2.6	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	2 U
	06/27/97	0.5 U	0.5 U	0.5 U	1.0 U	1.0	7.2	0.5 U	0.5 U	0.5 U	2.1	2.1	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	2 U
	09/04/97	0.5 U	0.5 U	0.5 U	1.0 U	0.8	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/04/97	0.5 U	0.5 U	0.5 U	1.0 U	0.6	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	2 U
	03/06/98	0.5 U	0.5 U	0.5 U	1.0 U	0.8	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	0.5 U	0.5 U	2.5	0.5 U	0.5 U	2 U
	06/18/98	0.5 U	0.5 U	0.5 U	1.0 U	0.9	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	0.5 U	0.5 U	1.8	0.5 U	0.5 U	2 U
	09/29/98	0.5 U	0.5 U	0.5 U	1.0 U	1.1	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/15/98	0.5 U	0.5 U	0.5 U	1.0 U	1.0	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.7	0.5 U	0.5 U	2 U
	03/02/99	0.5 U	0.5 U	0.5 U	1.0 U	0.9	8.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	0.5 U	0.5 U	2.2	0.5 U	0.5 U	2 U
	06/16/99	0.5 U	0.5 U	0.5 U	5.0 U	0.6	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	0.5 U	0.5 U	3.4	0.5 U	0.5 U	2 U
	6/16/99 (DUP)	0.5 U	0.5 U	0.5 U	5.0 U	0.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	2 U
	09/16/99	0.3 U	0.2 U	0.2 U	0.3 U	0.9	2.5	0.2 U	0.3 U	0.2 U	0.2 U	0.3 U	0.2 U	0.2 U	0.2 U	0.3 EB	0.2 U	0.4 U	0.2 U
	12/08/99	0.5 U	0.2 U	0.2 U	1.0 U	0.9	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/07/00	0.5 U	0.2 U	0.2 U	1.0 U	0.8	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	3.7	0.5 U	0.5 U	2 U
	06/21/00	0.3 U	0.2 U	0.2 U	0.2 U	0.67	3.3	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	2.4	0.2 U	0.1 U	3.2	0.1 U	0.2 U	0.2 U
	09/12/00	1.0 U	1.0 U	1.0 U	5.00 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3.0 U	1.0 U
	12/07/00	0.4 J	0.2 U	0.2 U	0.2 U	1.1	1.5	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.1 J	0.2 U	0.1 U	0.2 U	0.2 U
	03/15/01	0.68	0.2 U	0.2 U	0.20 J	1.2 J	1.3	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.5 J	0.2 U	0.2 J	1.0 J	0.1 U	0.2 U	0.2 U
	07/12/01	0.44 J	0.18 U	0.12 U	0.20 U	1.0	2.0	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.14 J	0.1 U	0.13 J	0.1 U	0.098 U	0.19 U	0.15 U
	09/25/01	0.75	0.5 U	0.5 U	1.0 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.57	0.5 U	0.67	2.1	NA
	01/03/02	1.0	0.23 U	0.12 U	0.20 U	1.1	1.7	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.57	0.13 U	0.4 JB	1.5	0.098 U	0.19 U	0.15 U
	03/28/02	0.79	0.23 U	0.12 U	0.20 U	1.0	1.8	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	1.0	0.13 U	0.1 U	1.7	0.13 U	0.22 U	0.15 U
	06/14/02	0.59	0.23 U	0.12 U	0.20 U	0.71	2.5	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	1.1	0.13 U	0.1 U	1.5	0.13 U	0.22 U	0.15 U
09/18/02	0.79	0.23 U	0.12 U	0.20 U	1.2	1.3	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.1 U	0.1 U	0.13 U	0.22 U	0.15 U	
12/16/02	1.4	0.50 U	0.50 U	2.0 U	1.2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	2.0 U	
03/20/03	1.0	0.50 U	0.50 U	2.0 U	0.86	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.50 U	2.0 U	
06/11/03	1.2	0.23 U	0.12 U	0.2 U	0.88	1.1	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.22 J	0.13 U	0.8 B	0.1 U	0.13 U	0.22 U	0.15 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-2 (continued)	09/10/03	0.69	0.23 U	0.12 U	0.2 U	1.3	0.75	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.3 B	0.1 U	0.13 U	0.22 U	0.15 U	
	12/05/03	0.89	0.23 U	0.12 U	0.2 U	1.0	1.5	0.096 U	0.12 U	0.12 U	0.11 U	0.13 J	0.13 U	0.1 U	0.1 U	0.13 U	0.22 U	0.15 U	
	03/16/04	0.75	0.23 U	0.12 U	0.2 U	0.7	1.3	0.096 U	0.12 U	0.12 U	0.11 U	0.59	0.13 U	0.1 J	2.2	0.13 U	0.22 U	0.15 U	
	09/24/04	0.8	0.23 U	0.12 U	0.2 U	0.79	0.61	0.096 U	0.12 U	0.12 U	0.11 U	0.16 J	0.13 U	0.1 U	0.1 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.71	0.23 U	0.13 U	0.2 U	0.8	0.82	0.14 U	0.12 U	0.12 U	0.14 U	0.32 J	0.14 U	0.2 J	1.0	0.13 U	0.22 U	0.15 U	
	09/21/05	0.77	0.23 U	0.13 U	0.2 U	0.79	0.57	0.14 U	0.12 U	0.12 U	0.14 U	0.24 J	0.14 U	0.2 J	0.1 U	0.13 U	0.22 U	0.15 U	
	03/15/06	0.37 J	0.23 U	0.13 U	0.2 U	0.27 J	0.93	0.14 U	0.12 U	0.12 U	0.14 U	0.97	0.14 U	0.1 U	4.4	0.13 U	0.22 U	0.15 U	
	09/13/06	0.60	0.23 U	0.13 U	0.2 U	0.98	1.2	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.1 U	0.1 U	0.13 U	0.22 U	0.15 U	
	04/04/07	0.22 J	0.23 U	0.13 U	0.2 U	0.2 J	1.1	0.14 U	0.12 U	0.12 U	0.14 U	0.77	0.14 U	0.1 U	3.9	0.13 U	0.22 U	0.15 U	
	09/26/07	0.37 J	0.23 U	0.13 U	0.2 U	0.86	0.8	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.1 U	0.1 U	0.13 U	0.22 U	0.15 U	
	05/02/08	0.51	0.13 U	0.10 U	0.23 U	0.65	0.55	0.042 U	0.05 U	0.073 U	0.06 J	0.18 J	0.042 U	0.2 JB	0.36 J	0.042 U	0.16 J	0.04 U	
	09/29/08	0.44 J	0.13 U	0.10 U	0.23 U	0.61	0.71	0.042 U	0.05 U	0.073 U	0.045 U	0.10 J	0.042 U	0.2 JB	0.1 U	0.042 U	0.13 J	0.04 U	
	03/26/09	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/29/09	0.6 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/29/10	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	3/29/10 (LAB DUP)	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/30/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.61	1.07	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.690	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	0.920	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.290	0.500 U	0.500 U	0.500 U	0.500 U	0.520	0.640	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
09/28/12	0.2 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.50 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
03/07/13	0.2 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.50 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
09/26/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.590	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-3	04/17/95	10 U	30	5 U	5 U	230	42	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	NA U
	09/04/96	5 U	9	5 U	10 U	330	56	5.0 U	5.0 U	5.0 U	5.0 U	5.0	5.0 U	5.0	5.0 U	5.0 U	5.0 U	5.0 U	20 U
	9/4/96 (DUP)	5	13	5 U	10 U	460	7.2	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	20 U
	12/11/96	0.7	4	0.5 U	2 B	120	9.7	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/04/97	0.8	4.5	0.5 U	1 U	73	5.8	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/27/97	2	18	0.5 U	1 U	140 J	17	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	09/04/97	2.5	1.4	0.5 U	1 U	190	25	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.7	0.5 U	2 U
	12/04/97	0.5 U	1.8	0.5 U	1 U	48	2.1	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/06/98	0.9	3.6	0.5 U	1 U	100	8.6	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	2 U
	06/18/98	0.6	3.1	0.5 U	1 U	38	1.8	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	09/29/98	1.1	0.7	0.5 U	1 U	160	14	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	9/29/98 (DUP)	1.5	1.6	0.5 U	1 U	200	18	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/14/98	1.5	5.8	0.5 U	1 U	37	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/03/99	1	11	0.5 U	1 U	47	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/17/99	1 U	1.0 U	1.0 U	10 U	66	3.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4 U
	09/17/99	0.6	0.8	0.2 U	0.3 U	97 J	6.5	0.2 U	0.3 U	0.2 U	0.4 E	0.3 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.4 U	0.2 U
	12/08/99	0.5	7.9	0.5 U	1 U	26	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 U	0.5 U	0.5 U	0.5 U	2 U
03/07/00	0.6	17	0.5 U	1 U	33	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	
06/21/00	0.4 J	0.2 U	0.2 U	0.2 U	24	1.3	0.1 U	0.2 U	0.2 U	0.5 J	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U	0.2 U	0.2 U	0.2 U	
09/12/00	1 U	2	1.0 U	5 U	54	3.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	
9/12/00 (DUP)	1 U	2	1.0 U	5 U	61	3.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3.0 U	1.0 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-3 (continued)	12/07/00	0.3 J	0.2 U	0.2 U	0.2 U	26	1.7	0.1 U	0.2 U	0.2 U	0.4 J	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U	0.2 U	0.2 U	
	03/15/01	0.6	0.2 U	0.2 U	0.2 J	46 J	2.3	0.1 U	0.2 U	0.2 U	0.4 J	0.2 U	0.2 U	0.1 J	0.2 U	0.1 U	0.2 U	0.2 U	
	07/12/01	0.31 J	0.2 U	0.1 U	0.2 U	27	1.9	0.1 U	0.12 U	0.12 U	0.43 J	0.12 U	0.13 U	0.31 J	0.11 U	0.098 U	0.19 U	0.15 U	
	09/24/01	0.5 U	0.5 U	0.5 U	1 U	37	3.0	0.5 U	0.50 U	0.50 U	0.51	0.50 U	0.50 U	0.5 U	0.5 U	0.5 U	0.59 U	NA U	
	01/03/02	0.25 J	0.47 J	0.12 U	0.2 U	16	1.0	0.10 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.46 JB	0.11 U	0.098 U	0.19 U	0.15 U	
	03/28/02	0.26 J	0.23 U	0.12 U	0.2 U	22	1.4	0.10 U	0.12 U	0.12 U	0.41 J	0.12 U	0.13 U	0.16 J	0.11 U	0.13 U	0.22 U	0.15 U	
	06/14/02	0.25 J	0.23 U	0.12 U	0.2 U	19	1.3	0.10 U	0.12 U	0.12 U	0.35 J	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	09/17/02	0.32 J	0.23 U	0.12 U	0.2 U	27	2.1	0.10 U	0.12 U	0.12 U	0.43 J	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	12/17/02	0.58	18	0.5 U	2 U	38	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	
	03/20/03	0.5 U	0.5 U	0.5 U	2 U	12	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/11/03	0.25 J	0.23 U	0.12 U	0.2 U	9.5	0.9	0.096 U	0.12 U	0.12 U	0.41 J	0.12 U	0.13 U	0.47 JB	0.11 U	0.13 U	0.22 U	0.15 U	
	09/11/03	0.27 J	0.23 U	0.12 U	0.2 U	9.9	0.9	0.096 U	0.12 U	0.12 U	0.41 JB	0.12 U	0.13 U	0.32 JB	0.11 U	0.13 U	0.22 U	0.15 U	
	12/04/03	0.46 J	19	0.12 U	0.27 J	19	1.0	0.096 U	0.12 U	0.12 U	0.35 J	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	03/15/04	0.36 J	0.23 U	0.12 U	0.20 U	16	1.5	0.096 U	0.12 U	0.12 U	0.48 J	0.12 U	0.13 U	0.17 J	0.11 U	0.29 J	2.4	0.15 U	
	09/24/04	0.31 J	0.23 U	0.12 U	0.20 U	9.9	1.5	0.096 U	0.12 U	0.12 U	0.43 J	0.12 U	0.13 U	0.15 J	0.11 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.29 J	0.23 U	0.13 U	0.20 U	9.1	0.9	0.14 U	0.12 U	0.12 U	0.33 J	0.14 U	0.14 U	0.82 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/21/05	0.27 J	0.23 U	0.13 U	0.20 U	10	1.6	0.14 U	0.12 U	0.12 U	0.44 J	0.14 U	0.14 U	0.34 J	0.13 U	0.13 U	0.22 U	0.15 U	
	03/14/06	0.31 J	0.23 U	0.13 U	0.20 U	12	1.2	0.14 U	0.12 U	0.12 U	0.36 J	0.14 U	0.14 U	0.15 J	0.13 U	0.13 U	0.22 U	0.15 U	
	09/12/06	0.42 J	0.23 U	0.13 U	0.20 U	27	2.7	0.14 U	0.12 U	0.12 U	0.39 J	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	04/03/07	0.23 J	0.23 U	0.13 U	0.20 U	7.7	1.0	0.14 U	0.12 U	0.12 U	0.31 J	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
09/25/07	0.28 J	0.23 U	0.13 U	0.20 U	18	2.1	0.14 U	0.12 U	0.12 U	0.37 J	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U		
05/01/08	0.25 J	0.13 U	0.10 U	0.23 U	4.6	0.8	0.042 U	0.05 U	0.07 U	0.34 J	0.06 U	0.04 U	0.34 JB	0.077 U	0.042 U	0.12 J	0.037 U		
10/01/08	0.28 J	0.13 U	0.10 U	0.23 U	11	1.8	0.042 U	0.05 U	0.07 U	0.36 J	0.06 U	0.04 U	0.18 JB	0.077 U	0.042 U	0.08 J	0.037 U		
03/24/09	1.1	0.5 U	0.5 U	0.5 U	8.7	0.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/29/09	0.8 J	0.5 U	0.5 U	0.5 U	15	1.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
MW-4	03/30/10	0.3	0.5 U	0.5 U	0.5 U	16	1.9	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	8.47	1.49	1.0 U	0.5 U	0.5 U	0.33 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	9.50	1.39	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	7.07	1.41	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	5.06	1.14	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	10/01/12	0.200 U	0.500 U	0.500 U	0.500 U	7.24	1.45	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	
	03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	4.75	1.03	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U	
	09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	3.76	0.900	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
	09/04/96	50 U	830	50 U	100 U	76	50 U	50 U	50 U	50 U	50 U	50 U	50 U	2,000	50 U	200	1,500	200 U	
	12/10/96	6.1	950	0.5 U	7 B	33	2.1	0.5 U	0.5 U	2.6	38	0.5 U	0.5 U	310	0.5 U	430	340	110 E	
	03/04/97	15.0	1,100	0.5 U	7	140	12	0.5 U	4.8	1.9	29	1	0.5 U	160	0.5 U	580	210	170	
	06/27/97	6.3	2,000	0.5 U	9.6	160	2.8	0.5 U	2.6	1.2	31	2	0.5 U	62	0.5 U	900	53	230	
	09/04/97	6.9	820	0.5 U	7	52	2.5	0.5 U	0.5 U	1.4	23	0.8	0.5 U	120	0.5 U	570	42	2 U	
	9/4/97 (DUP)	6.5	2,100	0.5 U	7.1	47	0.5 U	0.5 U	0.5 U	1.5	22	0.7	0.5 U	300	0.5 U	1,300	110	510	
12/04/97	3.4 J	960 J	0.5 UJ	7 J	22 J	1.2 J	0.5 UJ	0.5 UJ	1.3 J	23 J	1 J	0.5 UJ	320 J	0.5 UJ	860 J	250 J	180 J		
03/06/98	8.0	1,400	1 U	10	84	4	1 U	11	1 U	29	1	1 U	48	1 U	970	140	220		
06/18/98	12 U	1,700	12 U	45	410	12 U	12 U	12 U	12 U	140	12 U	12 U	390	12 U	1,200	1,800	260		
09/29/98	2 U	1,000 J	2 U	8 J	33 J	2 U	2 U	2 U	2 U	23 J	2 U	2 U	1,600 J	2 U	780 J	1,300 J	240 J		
12/14/98	2 U	1,000	2 U	7	26	2 U	2 U	2 U	2 U	37	2 U	2 U	1,100	2 U	840	1,900	250		

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
		Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600
MW-4 (continued)	03/03/99	8	1,300	2 U	9	72	6	4 U	2 U	2 U	18	2 U	2 U	8 B	2 U	790	13 B	110
	06/17/99	25 U	1,200	25 U	250 U	210	25 U	25 U	25 U	25 U	25 U	25 U	25 U	110	25 U	1,200	142	240
	09/17/99	0 U	820 J	0.2 U	9	36	1.4 E	0.2 U	0.3 U	0.2 U	18	0.3 U	0.2 U	540	0.2 U	850 J	1,230	220
	12/08/99	5 U	1,000 J	5 U	10 U	19	5 U	5 U	5 U	5 U	24	5 UJ	5 U	380 J	5 U	980 J	1,570 J	270
	12/8/99 (DUP)	5 U	1,100 J	5 U	10 U	20	5 U	5 U	5 U	5 U	23	5 UJ	5 U	360 J	5 U	970 J	1,560 J	260
	03/07/00	2 U	1,200	2 U	9	29	2 U	2 U	2 U	2 U	17	2 U	2 U	8	2 U	1,200	389	240
	3/7/00 (DUP)	2 U	1,200	2 U	9	28	2 U	2 U	2 U	2 U	17	2 U	2 U	8	2 U	1,200	389	240
	06/21/00	5 U	980	3 U	20	43	3 U	2 U	3 U	3 U	17	3 U	3 U	58	3 U	1,100	1,040	230
	09/12/00	1.0	840	1.0 U	6	14	1.0 U	1.0 U	1.0 U	1.0 U	10	1.0 U	1.0 U	25	1.0 U	610	820	140
	12/07/00	20 U	750 J	6 U	10 J	10 J	6 U	5 U	6 U	6 U	10 J	6 U	7 U	32	6 U	850	2,540	230
	03/15/01	2.0 U	770	0.6 U	11	23 J	0.7 J	0.5 U	0.6 U	0.6 U	2.0 J	19	0.6 U	0.7 U	0.6 U	820	850	210
	07/12/01	5.3 U	710	3 U	16 J	43	3 U	2.4 U	2.8 U	2.8 U	2.9 U	14	3 U	3.1 U	2.8 U	960	370	93
	09/25/01	3.6	340	0.5 U	5.9	27	0.74	0.5 U	0.5 U	0.5 U	0.71	6.5	0.5 U	0.5 U	0.5 U	230	38	27
	01/02/02	1.6 J	570	0.6 U	7.5 J	25	1.4 J	0.48 U	0.56 U	0.56 U	0.57 U	10	1.2 J	0.62 U	0.55 U	450	164	55
	03/28/02	6.2	810	0.6 U	13	87	2.6	0.48 U	0.57 U	0.57 U	0.57 U	12	2.3 J	0.62 U	0.55 U	700	184	65
	06/11/02	1.1 U	760	0.6 U	9.2 J	58	0.58 U	0.48 U	0.57 U	0.57 U	0.57 U	12	1.7 J	0.62 U	1.6 J	630	64	36
	09/18/02	1.9	570	0.3 U	7.6	20	1.1 J	0.24 U	0.29 U	0.29 U	0.29 U	11	0.70 J	0.31 U	0.28 U	690	1,640	160
	12/17/02	3.1	500	1 U	6.2	18	1.0	1 U	1.0 U	1.0 U	1.0 U	14	1.0 U	1.0 U	1.0 U	620	1,290	150
	03/20/03	1.3	530	1 U	5.3	13	1.0 U	1 U	1.0 U	1.0 U	1.0 U	16	1.0 U	1.0 U	1.0 U	740	325	140
	06/11/03	1.5	530	0.3 U	7.2	24	1.0 J	0.24 U	0.29 U	0.29 U	0.58 J	13	0.68 J	0.31 U	0.28 U	750	114	120
	09/11/03	2.3	460	0.24 U	6.8	18	1.1	0.2 U	0.23 U	0.23 U	0.23 U	13	0.34 J	0.25 U	0.22 U	780	1,990	200
	12/04/03	0.7 J	370	0.24 U	4.2	11	0.56 J	0.2 U	0.23 U	0.23 U	0.23 U	27	0.32 J	0.25 U	0.22 U	800	1,787	180
	03/15/04	0.59	420	0.12 U	6.2	15	0.67	0.096 U	0.12 U	0.12 U	0.12 U	24	0.48 J	0.13 U	0.11 U	730	702	160
	09/24/04	0.78	270	0.12 U	2.6	12	0.56	0.096 U	0.12 U	0.12 U	0.75	13	0.31 J	0.13 U	0.11 U	350	11.3	19
	04/04/05	0.66 J	400	0.25 U	3.9	10	0.42 J	0.28 U	0.24 U	0.24 U	0.86 J	21	0.34 J	0.28 U	0.46 J	730	690	170
	09/21/05	0.58	230	0.13 U	3.1	15	0.79	0.14 U	0.12 U	0.12 U	0.63	17	0.29 J	0.14 U	0.13 U	270	328	120
	03/15/06	0.86	300	0.13 U	3.7	12	0.46 J	0.14 U	0.12 U	0.12 U	0.66	20	0.19 J	0.14 U	0.13 U	81	376	140
	09/14/06	1.60	190	0.13 U	2.2	10	0.51	0.14 U	0.12 U	0.12 U	0.59	12	0.17 J	0.14 U	0.13 U	61	343	120
	04/04/07	0.09 J	110	0.13 U	1.3 J	7.2	0.25 J	0.14 U	0.12 U	0.12 U	0.49 J	17	0.15 J	0.14 U	0.13 U	22	151	140
	09/26/07	0.54	85	0.13 U	0.62 J	9.0	0.31 J	0.14 U	0.12 U	0.12 U	0.85 U	14	0.18 J	0.14 U	0.13 U	62	38.5	120
	05/02/08	0.1 J	96	0.1 U	0.61 J	4.5	0.13 J	0.042 U	0.05 U	0.05 U	0.76 U	13	0.16 U	0.042 U	0.077 U	18	6.9	100
	10/01/08	0.29 J	140	0.1 U	0.82 J	7.3	0.24 J	0.042 U	0.05 U	0.05 U	0.36	11	0.20 J	0.042 U	0.077 U	7.8	8.1	79
	03/25/09	1.0	206	0.5 U	0.5 U	4.8	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	11	0.5 U	0.5 U	0.5 U	4.1	2.2	128
	3/25/09 (DUP)	1.0	220	0.5 U	0.5 U	4.5	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	11	0.5 U	0.5 U	0.5 U	3.9	2.7	120
	09/30/09	1.1	450	3.3	0.5 U	6.1	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	10	0.5 U	0.5 U	0.5 U	8.5	8.0	210
	03/29/10	0.2	130	0.5 U	0.5 U	5.9	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	10	0.5 U	0.5 U	0.5 U	0.7	0.5	140
10/01/10	0.19 J	78.1	0.5 U	0.63 J	5.74	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	6.78	0.5 U	0.5 U	0.5 U	2.17	3.80	43.4	
03/04/11	69.5	0.5 U	0.5 U	0.5 U	7.81	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	5.42	0.5 U	0.5 U	0.5 U	0.5 U	0.500	31.4	
09/23/11	1.46	50.4	0.5 U	0.5 U	4.00	1.30	1.0 U	0.5 U	0.5 U	0.5 U	5.24	0.5 U	0.5 U	0.5 U	3.33	9.66	34.1	
03/08/12	2.99	36.4	0.500 U	0.500 U	2.97	0.730	1.00 U	0.500 U	0.500 U	0.500 U	7.02	0.500 U	0.500 U	0.500 U	9.31	15.4	33.5	
10/01/12	2.19	31.3	0.500 U	0.500 U	2.71	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	4.72	0.500 U	0.500 U	0.500 UJ	4.29	8.54	21.5	
03/06/13	<0.2 U	0.5 U	0.5 U	1.15	4.42	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	6.43	0.5 U	0.5 U	0.5 U	4.33	1.39	7.49	
09/26/13	0.200 U	24.4 J	0.500 U	0.500 U	3.58	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	7.77	0.500 U	0.500 U	0.500 U	2.34	8.00	2.89	
MW-5	09/04/96	25 U	25 U	25 U	50 U	25 U	34	25 U	25 U	25 U	25 U	180	25 U	25 U	2,600	25 U	25 U	100 U
	12/10/96	0.5 U	0.5 U	0.5 U	1 U	0.7	28	0.9	3.4	0.5 U	0.5 U	130	0.5 U	1.3 B	3,400	1.0	1.6 B	2 U

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-5 (continued)	12/10/96 (DUP)	0.5 U	0.5 U	0.6	1 U	0.8	34	0.9	3.4	0.5 U	0.5 U	130	0.5 U	0.5 U	3,300	0.5 U	0.5 U	2 U
	03/04/97	0.5 U	0.5 U	0.5 U	1 U	0.5 U	21	0.7	3.1	0.5 U	0.5 U	100	0.5 U	0.5 U	3,100	0.5 U	0.5 U	2 U
	06/27/97	5.0 UJ	5.0 UJ	5 UJ	10 UJ	5 UJ	32	5 UJ	5 UJ	5 UJ	5 UJ	140 J	5 UJ	5 UJ	4,700 J	5 UJ	5 UJ	20 UJ
	09/04/97	0.5 U	0.5 U	0.5 U	1 U	0.5 U	30	0.5 U	3.2	0.5 U	0.5 U	150	0.5 U	0.5 U	4,800	0.9	0.9	2 U
	12/04/97	0.5 U	0.5 U	0.5 U	1 U	0.5 U	18	0.6	3	0.5 U	0.5 U	120	0.5 U	0.5 U	4,400	1 U	0.5 U	2 U
	03/06/98	5.0 U	5.0 U	5 U	10 U	5 U	30	5 U	5 U	5 U	5 U	140	5 U	5 U	4,000	5 U	5 U	20 U
	06/18/98	12 U	12 U	12 U	25 U	12 U	28	12 U	12 U	12 U	12 U	130	12 U	12 U	4,100	12 U	12 U	50 U
	09/29/98	10 U	10 U	10 U	20 U	10 U	25	10 U	10 U	10 U	10 U	130	10 U	10 U	3,800	10 U	10 U	40 U
	12/15/98	7	5.0 U	5 U	10 U	5 U	34	5 U	5 U	5 U	5 U	120	5 U	5 U	3,300	5 U	5 U	20 U
	03/02/99	12 U	12 U	12 U	25 U	12 U	14	12 U	12 U	12 U	12 U	96	12 U	12 U	4,400	12 U	24 U	50 U
	06/16/99	10 U	10 U	10 U	100 U	10 U	12	<10 U	10 U	10 U	10 U	110	10 U	10 U	3,400	10 U	10 U	40 U
	09/16/99	0.3 U	0.2 U	0.2 U	0.3 U	0.2 U	0.3 U	0.3 U	0.2 U	0.3 U	0.2 U	120	0.2 U	0.2 U	3,000	0.2 U	0.4 U	0.2 U
	9/16/99 (DUP)	0.3 U	0.2 U	0.3 E	0.3 U	0.2 U	15	0.4 E	1.6	0.3 E	0.2 U	94	0.2 U	0.2 U	2,500	0.2 U	0.4 U	0.2 U
	12/08/99	0.5 U	0.5 UJ	0.5 U	1 U	0.5 U	23	0.5 U	1.2	0.5 U	0.5 U	120 J	0.5 U	0.5 U	2,600 J	0.5 U	0.5 U	2 U
	03/07/00	0.5 U	0.5 U	0.5 U	1 U	0.5 U	17	0.5 U	1.3	0.5 U	0.5 U	94	0.5 U	0.5 U	2,700	0.5 U	0.5 U	2 U
	06/21/00	20 U	9 U	6 U	30 J	5 U	6 J	5 U	6 U	6 U	6 U	92	7 U	5 U	2,900	5 U	14 U	8 U
	09/12/00	1.0 U	1.0 U	1.0 U	5 U	1.0 U	11	1.0 U	1.0	1.0 U	1.0 U	99	1.0 U	1.0 U	2,500	1.0 U	3 U	1.0 U
	12/07/00	20 U	9 U	6 U	10 U	5 U	10 J	5 U	6 U	6 U	6 U	88	7 U	5 U	2,600	5 U	14 U	8 U
	03/15/01	3 U	2 U	2 U	5 J	1 U	8.2	1 U	2 U	2 U	2 U	87	2 U	1.0 U	2,300 J	3 J	2 J	2 U
	07/12/01	2.2 U	1.8 U	1.2 U	2 U	0.91 U	5.4	0.96 U	1.2 U	1.2 U	1.1 U	84	1.3 U	0.98 U	2,800	0.98 U	1.9 U	1.5 U
	08/27/01	5 U	5 U	5 U	10 U	5 U	7.4	5 U	5 U	5 U	5 U	68	5 U	5 U	1,800	5 U	5 U	NA
	09/24/01	5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	74	5 U	5 U	1,800	5 U	5 U	NA
	10/22/01	5 U	5 U	5 U	10 U	5 U	7.1	5 U	5 U	5 U	5 U	76	5 U	5 U	1,600	5 U	5 U	NA
	11/19/01	5 U	5 U	5 U	10 U	5 U	12	5 U	5 U	5 U	5 U	75	5 U	5 U	2,000	5 U	5 U	NA
	01/02/02	1.1 U	1.2 U	0.6 U	0.97 U	0.8 J	7.4	0.48 U	0.9 J	0.57 U	0.53 U	69	0.62 U	0.49 U	1,600	0.49 U	0.93 U	0.71 U
	03/27/02	2.2 U	2.3 U	1.2 U	2 U	0.91 U	2.9 J	0.96 U	1.2 U	1.2 U	1.1 U	70	1.3 U	0.98 U	2,500	1.3 U	2.2 U	1.5 U
	06/11/02	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	2.2 J	0.48 U	0.75 J	0.57 U	0.53 U	63	0.62 U	0.49 U	2,100	0.65 U	1.5 U	0.71 U
	09/18/02	2.2 U	2.3 U	1.2 U	4 J	0.91 U	3.7 J	0.96 U	1.2 U	1.2 U	1.1 U	76	0.76 U	0.98 U	2,600	1.3 U	2.2 U	1.5 U
	12/16/02	5 U	5.0 U	5 U	20 U	5 U	7.2	5 U	5 U	5 U	5 U	82	5 U	5 U	2,200	5 U	5 U	20 U
	03/17/03	1.1 U	1.2 U	0.6 U	1.1 J	0.46 U	7.6	0.48 U	0.6 J	0.57 U	0.53 U	57	0.62 U	0.49 U	1,500	0.65 U	1.1 U	0.71 U
	06/10/03	2.2 U	2.3 U	1.2 U	2 U	0.91 U	1.4 J	0.96 U	1.2 U	1.2 U	1.1 U	57	1.3 U	0.98 U	2,200	1.3 U	2.2 U	1.5 U
	09/11/03	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	1.5 J	0.48 U	0.57 U	0.57 U	0.53 U	86	0.62 U	0.49 U	2,400	0.65 U	1.1 U	0.71 U
	12/05/03	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	5	0.48 U	0.57 U	0.57 U	0.53 U	76	0.62 U	0.49 U	1,600	0.65 U	1.1 U	0.71 U
	03/16/04	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	0.8 J	0.48 U	0.7 J	0.57 U	0.53 U	47	0.62 U	0.49 U	1,700	0.65 U	1.1 U	0.71 U
	09/22/04	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	1.2 J	0.48 U	0.85 J	0.57 U	0.53 U	57	0.62 U	0.49 U	2,200	0.65 U	1.1 U	0.71 U
	04/04/05	0.53 U	0.57 U	0.31 U	0.49 U	0.26 U	1.5	0.34 U	0.43 J	0.29 U	0.34 U	45	0.35 U	0.28 J	1,300	0.33 U	0.55 U	0.36 U
09/20/05	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	2.0	0.14 U	0.53	0.12 U	0.14 U	48	0.14 U	0.32 J	1,300	0.13 U	0.22 U	0.15 U	
03/14/06	0.21 U	1.2 U	0.61 U	0.97 U	0.51 U	3.1	0.68 U	0.58 U	0.57 U	0.68 U	47	0.7 U	0.54 U	1,300	0.65 U	1.1 U	0.71 U	
09/13/06	0.21 U	1.2 U	0.61 U	0.97 U	0.51 U	3.6	0.68 U	0.58 U	0.57 U	0.68 U	59	0.7 U	0.54 U	1,600	0.65 U	1.1 U	0.71 U	
04/05/07	0.21 U	1.2 U	0.61 U	1.2 J	0.51 U	4.5	0.68 U	0.58 U	0.57 U	0.68 U	43	0.7 U	0.54 U	1,200	0.65 U	1.1 U	0.71 U	
09/26/07	0.21 U	1.2 U	0.61 U	0.97 U	0.51 U	6.7	0.68 U	0.58 U	0.57 U	0.68 U	49	0.7 U	0.54 U	1,300	0.65 U	1.1 U	0.71 U	
05/01/08	0.18 U	0.3 U	0.28 J	0.58 U	0.11 U	6.1	0.11 U	0.28 J	0.19 U	0.12 U	37	0.11 U	0.13 JB	990	0.11 U	0.2 U	0.093 U	
09/30/08	0.36 U	0.65 U	0.5 U	1.2 U	0.21 U	8.1	0.21 U	0.25 J	0.37 U	0.23 U	46	0.21 U	0.25 JB	1,500	0.21 U	0.39 U	0.19 U	
03/25/09	4.0 U	10 U	10 U	10 U	10 U	5.4 J	20 U	10 U	10 U	10 U	27	10 U	10 U	1,200	10 U	10 U	10 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-5 (continued)	09/29/09	2.0 U	5.0 U	5.0 U	5.0 U	5.0 U	4.6 J	10 U	5.0 U	5.0 U	5.0 U	31 J	5.0 U	5.0 U	850	5.0 U	5.0 U	5.0 U
	9/29/09 (DUP)	2.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	6.0 J	10 UJ	5.0 UJ	5.0 UJ	5.0 UJ	48 J	5.0 UJ	5.0 UJ	900	5.0 UJ	5.0 UJ	5.0 U
	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1.0 U	0.5 U	0.5 U	0.5 U	42	0.5 U	0.5 U	340	0.5 U	0.5 U	0.5 U
	4/1/10 (DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1.0 U	0.5 U	0.5 U	0.5 U	44	0.5 U	0.5 U	270	0.5 U	0.5 U	0.5 U
	04/09/10	4.0 U	10 U	10 U	10 U	10 U	10 U	20 U	10 U	10 U	10 U	35	10 U	10 U	1,100	10 U	10 U	10 U
	04/16/10	4.0 U	10 U	10 U	10 U	10 U	5.0 J	20 U	10 U	10 U	10 U	42	10 U	10 U	780	10 U	10 U	10 U
	05/06/10	2.0 U	10 U	5.0 U	10 U	10 U	3.2 J	20 U	10 U	10 U	10 U	36	10 U	10 U	640	10 U	10 U	10 U
	06/09/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	1.0 U	0.5 U	0.5 U	0.5 U	33	0.5 U	0.5 U	670	0.5 U	0.5 U	0.5 U
	07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	640	0.5 U	0.5 U	0.5 U
	07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	640	0.5 U	0.5 U	0.5 U
	09/28/10	2.0 UJ	10 U	5.0 U	10 U	10 U	5.0 U	20 U	10 U	10 U	10 U	22.6	10 U	10 U	514	10 U	10 U	10 U
	9/28/10 (DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	2.43	1.0 U	0.5 U	0.5 U	0.5 U	21.7	0.5 U	0.5 U	514	0.5 U	0.5 U	0.5 U
	03/03/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	2.12	1.0 U	0.5 U	0.5 U	0.5 U	30.2	0.5 U	0.5 U	607	0.5 U	0.550	0.5 U
	06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	1.31	1.0 U	0.5 U	0.5 U	0.5 U	16.3	0.5 U	0.5 U	386	0.5 U	0.5 U	0.5 U
	09/22/11	0.590	0.5 U	0.5 U	0.5 U	0.5 U	7.28	1.0 U	0.5 U	0.5 U	0.5 U	30.2	0.5 U	0.5 U	682 J	0.5 U	0.5 U	0.5 U
	12/07/11	0.470	0.5 U	0.5 U	0.5 U	0.5 U	4.11	1.0 U	0.5 U	0.5 U	0.5 U	30.7	0.5 U	0.5 U	831	0.5 U	0.5 U	0.5 U
	03/07/12	0.810	0.500 U	0.500 U	0.500 U	0.500 U	51.6	1.00 U	0.500 U	0.500 U	0.500 U	27.0	0.500 U	0.500 U	326	0.500 U	0.500 U	0.500 U
	06/26/12	1.40	0.500 U	0.500 U	0.500 U	0.500 U	50.0	1.00 U	0.500 U	0.500 U	0.500 U	37.9	0.500 U	0.500 U	316	0.500 U	0.500 U	0.500 U
	09/27/12	1.55	0.500 U	0.500 U	0.500 U	0.500 U	96.0	1.00 U	0.500 U	0.500 U	0.500 U	62.0	0.500 U	0.500 U	479	0.500 U	0.500 U	0.500 U
	12/19/12	3.35	0.500 U	0.500 U	0.500 U	0.500 U	530	1.00 U	0.500 U	0.500 U	0.500 U	5.22	0.500 U	0.500 U	18.4	0.500 U	0.500 U	0.500 U
03/06/13	4.57 J	0.5 U	0.5 U	0.5 U	0.5 U	286	1.0 U	0.5 U	0.5 U	0.5 U	55.4	0.5 U	0.500 U	106	0.5 U	0.5 U	0.5 U	
3/6/13 (DUP)	3.30 J	0.5 U	0.5 U	0.5 U	0.5 U	293	1.0 U	0.5 U	0.5 U	0.5 U	54.9	0.5 U	0.500 U	105	0.5 U	0.5 U	0.5 U	
06/06/13	3.69	0.500 U	0.500 U	0.500 U	0.500 U	291	1.00 U	0.500 U	0.500 U	0.500 U	105	0.500 U	0.500 U	205	0.500 U	0.500 U	0.500 U	
09/26/13	2.67	0.500 U	0.500 U	0.500 U	0.500 U	209	1.00 U	0.500 U	0.500 U	0.500 U	273	0.500 U	0.500 U	297	0.500 U	0.500 U	0.500 U	
9/26/13 (DUP)	2.12	0.500 U	0.500 U	0.500 U	0.500 U	203	1.00 U	0.500 U	0.500 U	0.500 U	251	0.500 U	0.500 U	330	0.500 U	1.27	0.500 U	
MW-6	09/04/96	0.5 U	460	0.5 U	2 B	12	0.6	0.5 U	0.5 U	3.2	1.7	0.5 U	0.5 U	31	0.5 U	0.5 U	0.5 U	2 U
	12/10/96	0.5 U	240	0.5 U	1 B	13	0.7	0.5 U	0.5 U	2.1	1.2	0.5 U	0.5 U	26	1 U	0.5 U	0.5 U	2 U
	03/04/97	0.5 U	190 J	0.5 U	1 U	12	0.5	0.5 U	0.5 U	1.4	0.7	0.5 U	0.5 U	5.0	1 U	0.5 U	0.5 U	2 U
	06/27/97	0.5 U	370	0.5 U	1 U	13	0.9	0.5 U	0.5 U	2.2	1.2	0.5 U	0.5 U	7.3	1 U	0.5 U	0.5 U	2 U
	09/04/97	0.5 U	320	0.5 U	1 U	9.5	0.5 U	0.5 U	0.5 U	2.4	1.6	0.5 U	0.5 U	13	2.7	0.5 U	0.5	2 U
	12/04/97	0.5 U	180	0.5 U	1 U	9.1	0.6	0.5 U	0.5 U	1.4	0.7	0.5 U	0.5 U	4.9	0.5 U	0.5 U	0.5 U	2 U
	03/06/98	0.5 U	150	0.5 U	2.5 B	11	0.6	0.5 U	0.5 U	1.8	1.1 B	0.5 U	0.5 U	9.4 B	0.5 U	0.5 U	0.5 U	2 U
	06/18/98	0.5 U	190	0.5 U	1 U	12	0.8	0.5 U	0.5 U	2.6	1.7 B	0.5 U	0.5 U	11 B	0.5 U	0.5 U	0.5 U	2 U
	09/29/98	0.5 U	190 E	0.5 U	1 U	10	0.7	0.5 U	0.5 U	2.1	1.5	0.5 U	0.5 U	8.9	0.5 U	0.5 U	0.5 U	2 U
	12/15/98	0.5 U	110	0.5 U	1 U	9.9	0.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	3.7 B	0.5 U	0.5 U	0.5 U	2 U
	03/02/99	0.5 U	180	0.5 U	1 U	10	0.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	3.2 B	0.5 U	0.5 U	0.5 U	2 U
	3/2/99 (DUP)	0.5 U	170	0.5 U	1 U	9.5	0.6	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	3.1 B	0.5 U	0.5 U	0.5 U	2 U
	06/16/99	0.5 U	100	0.5 U	5 U	7.4	0.5	0.5 U	0.5 U	0.5 U	0.5 B	0.5 U	0.9	2.3 B	0.5 U	0.5 U	0.5 U	2 U
	09/16/99	0.3 U	81	0.2 U	0.3 U	7.5	0.5	0.2 U	0.3 U	0.8	0.5 E	0.3 U	0.2 U	2.3 E	0.2 U	0.2 U	0.4 U	0.2 U
	12/08/99	0.5 U	73 J	0.5 U	1 U	7.2	0.6	0.5 U	0.5 U	0.7	0.50 U	0.5 UJ	0.5 U	1.5	0.5 U	0.5 U	0.5 U	2 U
	03/07/00	0.5 U	72	0.5 U	1 U	6.9	0.5	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	2 U
	06/21/00	0.3 U	29	0.2 U	0.2 U	6.6	0.3 J	0.1 U	0.2 U	0.4 J	0.2 U	0.3 J	0.2 U	0.7	2.6	0.78	0.7 J	0.2 U
	09/12/00	1.0 U	53	1.0 U	5 U	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3 U	1.0 U
12/07/00	0.3 U	52 J	0.2 U	0.2 U	5.8	0.51	0.1 U	0.2 U	0.5 J	0.4 J	0.2 U	0.2 U	1.6 B	0.2 U	0.1 U	0.2 U	0.2 U	



Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-6 (continued)	03/15/01	0.3 U	54	0.2 U	0.4 J	6 J	0.4 J	0.1 U	0.2 U	0.64	0.3 J	0.2 U	0.2 U	1.6	0.2 U	0.1 U	0.2 U	0.2 U
	07/12/01	0.22 U	29	0.12 U	0.2 U	4.8	0.3 J	0.096 U	0.12 U	0.40 J	0.25 J	0.12 U	0.13 U	0.83	0.11 U	0.098 U	0.19 U	0.15 U
	09/25/01	0.5 U	47	0.5 U	1 U	5.9	0.5 U	0.5 U	0.5 U	0.53	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	2.0 U
	01/03/02	0.22 U	44	0.12 U	0.2 U	5.3	0.33 J	0.096 U	0.12 U	0.62	0.11 U	0.12 U	0.13 U	1.4 B	0.11 U	0.098 U	0.19 U	0.15 U
	03/27/02	0.22 U	63	0.12 U	0.29 J	5.1	0.38 J	0.096 U	0.12 U	0.78	0.43 J	0.12 U	0.13 U	1.2	0.11 U	0.13 U	0.22 U	0.15 U
	06/14/02	0.22 U	11	0.12 U	0.2 U	3.4	0.22 J	0.096 U	0.12 U	0.15 J	0.11 U	0.12 U	0.13 U	0.37 J	0.11 U	0.13 U	0.22 U	0.15 U
	09/18/02	0.22 U	36	0.12 U	0.2 U	4.9	0.4 J	0.096 U	0.12 U	0.52	0.50	0.12 U	0.13 U	1.2	0.11 U	0.13 U	0.22 U	0.15 U
	12/16/02	0.5 U	51	0.5 U	2 U	4.6	0.5 U	0.5 U	0.5 U	0.76	0.58	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	2.0 U
	03/20/03	0.5 U	31	0.5 U	2 U	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	2.0 U
	06/11/03	0.22 U	0.72	0.12 U	0.2 U	2.7	0.13 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.8 B	0.11 U	0.13 U	0.22 U	0.15 U
	09/10/03	0.22 U	4.9	0.12 U	0.2 U	3.4	0.2 J	0.096 U	0.12 U	0.12 U	0.20 JB	0.12 U	0.13 U	0.59 B	0.11 U	0.13 U	0.22 U	0.15 U
	12/04/03	0.22 U	13	0.12 U	0.2 U	3.2	0.26 J	0.096 U	0.12 U	0.34 J	0.23 J	0.12 U	0.13 U	0.45 J	0.11 U	0.13 U	0.22 U	0.15 U
	03/16/04	0.22 U	2.2	0.12 U	0.2 U	1.5	0.13 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.16 J	0.11 U	0.13 U	0.22 U	0.15 U
	09/23/04	0.22 U	19	0.12 U	0.2 U	3.6	0.34 J	0.096 U	0.12 U	0.57	0.31 J	0.12 U	0.13 U	0.73	0.11 U	0.13 U	0.22 U	0.15 U
	04/05/05	0.22 U	0.72	0.13 U	0.2 U	1.3	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.40 J	0.13 U	0.13 U	0.22 U	0.15 U
	09/21/05	0.042 U	12	0.13 U	0.2 U	3.8	0.31 J	0.14 U	0.12 U	0.44 J	0.31 J	0.14 U	0.14 U	0.54	0.13 U	0.13 U	0.22 U	0.15 U
	03/14/06	0.042 U	0.23 U	0.13 U	0.2 U	0.74	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.13 J	0.13 U	0.13 U	0.22 U	0.15 U
	3/14/06 (DUP)	0.042 U	0.23 U	0.13 U	0.2 U	0.73	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U
	09/13/06	0.042 U	10	0.13 U	0.2 U	3.3	0.31 J	0.14 U	0.12 U	0.46 J	0.27 J	0.14 U	0.14 U	0.17 J	0.13 U	0.13 U	0.22 U	0.15 U
	04/05/07	0.042 U	0.23 U	0.13 U	0.2 U	0.39 J	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.15 J	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U
	09/26/07	0.042 U	1.3	0.13 U	0.2 U	2.4	0.23 J	0.14 U	0.12 U	0.25 J	0.21 J	0.14 U	0.14 U	0.14 J	0.13 U	0.13 U	0.22 U	0.15 U
	05/02/08	0.071 U	0.13 U	0.1 U	0.23 U	0.34 J	0.1 J	0.042 U	0.05 U	0.073 U	0.05 J	0.061 U	0.042 U	0.11 JB	0.077 U	0.042 U	0.078 U	0.037 U
	09/30/08	0.071 U	1.3	0.1 U	0.23 U	1.8	0.19 J	0.042 U	0.05 U	0.21 J	0.2 J	0.07 J	0.042 U	0.32 JB	0.077 U	0.05 J	0.21 J	0.037 U
03/26/09	0.2 U	0.5 U	0.5 U	0.5 U	1.3	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
09/29/09	0.2 U	6.2	0.5 U	0.5 U	3.0	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
03/30/10	0.2 U	0.2 J	0.5 U	0.5 U	0.6	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
09/30/10	0.2 UJ	0.87	0.5 U	0.5 U	1.51	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
03/04/11	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
09/21/11	0.2 UJ	0.5 U	0.5 U	0.5 U	1.15	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	1.74	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	1.59	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
MW-7	12/22/97	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.9 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/06/98	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	0.5 U	2.4	0.5 U	0.5 U	2 U
	06/18/98	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	0.5 U	4.5	0.5 U	0.5 U	2 U
	6/18/98 (DUP)	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	0.5 U	4.4	0.5 U	0.5 U	2 U
	09/29/98	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	0.5 U	1.7	0.5 U	0.5 U	2 U
	12/14/98	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	2 U
	03/03/99	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	0.5 U	3.8	0.5 U	0.5 U	2 U
	06/17/99	0.5 U	0.5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	4.3	0.5 U	0.5 U	2 U
	09/17/99	0.3 U	0.2 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.2 U	0.3 U	0.9	0.2 EB	2	0.2 E	0.4 U	0.2 U
	12/08/99	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	0.5 U	14	0.5 U	0.5 U	2 U
03/07/00	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	0.5 U	1.4	0.5 U	0.5 U	2 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-7 (continued)	06/21/00	0.3 U	0.82	0.2 U	0.2 U	0.1 J	0.2 U	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.3 J	0.1 U	9	0.58	0.4 J	0.2 U	
	09/12/00	1.0 U	1.0 U	1.0 U	5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5	1.0 U	3 U	1.0 U	
	12/07/00	0.3 U	0.2 U	0.2 U	0.2 U	0.1 U	0.09 U	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.7	0.1 U	0.82	0.1 U	0.2 U	0.2 U	
	03/15/01	0.3 U	0.2 U	0.2 U	0.2 U	0.1 U	0.09 U	0.1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.91	0.1 J	2.1	0.1 U	0.2 U	0.2 U	
	07/12/01	0.22 U	0.18 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.28 J	0.11 J	4.9	0.098 U	0.19 U	0.15 U
	08/27/01	0.50 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.72	0.5 U	3	0.5 U	0.5 U	2.0 U
	09/25/01	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	0.5 U	0.5 U	2.0 U
	10/22/01	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.69	0.5 U	1.4	0.5 U	0.5 U	2.0 U
	11/20/01	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	0.5 U	1.8	0.5 U	0.5 U	2.0 U
	01/03/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	1.2	0.2 JB	1.4	0.098 U	0.19 U	0.15 U
	03/28/02	0.22 U	0.23 U	0.12 U	0.28 J	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.58	0.2 J	3.5	0.13 U	0.22 U	0.15 U
	06/14/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.31 J	0.098 U	4.7	0.13 U	0.22 U	0.15 U
	09/17/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.37 J	0.098 U	2.9	0.13 U	0.22 U	0.15 U
	9/17/02 (DUP)	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.36 J	0.098 U	2.7	0.13 U	0.22 U	0.15 U
	12/17/02	0.5 U	0.5 U	0.5 U	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	0.5 U	1	0.5 U	0.5 U	2.0 U
	03/17/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	1.3	0.098 U	1.5	0.13 U	0.22 U	0.15 U
	06/10/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.50 B	8.5	0.13 U	0.22 U	0.15 U
	09/10/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.17 J	0.33 JB	4.1	0.13 U	0.22 U	0.15 U
	12/04/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	1.7	0.098 U	0.86	0.13 U	0.22 U	0.15 U
	03/16/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.2 J	0.098 U	5.9	0.13 U	0.22 U	0.15 U
	09/22/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.12 U	0.11 U	0.12 U	0.51	0.098 U	2.8	0.13 U	0.22 U	0.15 U
	04/04/05	0.22 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.68	0.42 J	2.1	0.13 U	0.22 U	0.15 U
	09/20/05	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.28 J	0.17 J	3.4	0.13 U	0.22 U	0.15 U
	03/14/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 J	6.9	0.13 U	0.22 U	0.15 U
	09/13/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	4.2	0.13 U	0.22 U	0.15 U
	04/03/07	0.042 U	0.23 U	0.13 U	0.27 J	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	4.3 U	1.8	0.13 U	0.22 U	0.15 U
	09/25/07	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	3.2	0.13 U	0.22 U	0.15 U
	05/01/08	0.071 U	0.13 U	0.1 U	0.23 U	0.042 U	0.045 U	0.042 U	0.042 U	0.05 U	0.073 U	0.045 U	0.09 J	0.042 U	0.11 JB	5.4	0.042 U	0.078 U	0.037 U
	10/01/08	0.071 U	0.13 U	0.1 U	0.23 U	0.042 U	0.045 U	0.042 U	0.042 U	0.05 U	0.073 U	0.045 U	0.17 J	0.10 J	0.24 JB	2.5	0.05 J	0.13 J	0.037 U
	03/24/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U
	09/29/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U
	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U
09/28/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.38	0.5 U	0.5 U	0.5 U	
03/02/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.98	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.920	4.18	0.5 U	1.16	0.5 U	
06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.88	0.5 U	0.5 U	0.5 U	
09/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.07	0.5 U	0.5 U	0.5 U	
12/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.86	0.5 U	0.5 U	0.5 U	
03/07/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.94	0.500 U	0.500 U	0.500 U	
06/26/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	5.38	0.500 U	0.500 U	0.500 U	
09/27/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	3.02	0.500 U	0.500 U	0.500 U	
12/19/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.52	0.500 U	0.500 U	0.500 U	
03/05/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.920	0.500 U	0.500 U	1.63	0.500 U	0.500 U	0.500 U	
06/06/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	4.79	0.500 U	0.500 U	0.500 U	
09/24/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.89	0.500 U	0.500 U	0.500 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-8	12/22/97	0.7	0.5 U	3.3	1 U	0.5 U	2.9	1.4	0.5 U	0.5 U	0.5 U	33	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/06/98	0.7	0.5 U	1.2	1 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/18/98	0.8	0.5 U	3	1 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	34	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	09/29/98	0.6	0.5 U	3.2	1 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	35	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/14/98	0.6	0.5 U	2.9	1 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	35	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	12/14/98 (DUP)	0.6	0.5 U	3	1 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	35	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/02/99	0.6	0.5 U	1.9	1 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	29	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/16/99	0.6	0.5 U	1.3	5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	09/16/99	0.3 E	0.2 U	1.1	0.3 U	0.2 U	1.3	0.2 U	0.3 U	0.2 U	0.2 U	15	0.2 U	0.2 U	0.2 EB	0.2 U	0.4 U	0.2 U
	12/08/99	0.5 U	0.5 U	2.0	1 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	25	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	03/07/00	0.5 U	0.5 U	1.2	1 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U
	06/21/00	0.3 U	0.5 J	1.3	0.2 U	0.1 U	1.5	0.1 U	0.2 U	0.2 U	0.2 U	16	0.2 U	0.1 U	1.2	0.4 J	0.3 J	0.2 U
	09/12/00	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	2.0	1.0 U	1.0 U	1.0 U	1.0 U	19	1.0 U	1.0 U	1.0 U	1.0 U	3.0 U	1.0 U
	12/07/00	0.3 J	0.2 U	2.0	0.2 U	0.1 U	2.4	0.1 U	0.2 U	0.2 U	0.2 U	23	0.2 U	0.2 J	0.2 U	0.1 U	0.2 U	0.2 U
	03/15/01	0.3 U	0.2 U	1.4	0.2 U	0.1 U	1.4	0.1 U	0.2 U	0.2 U	0.2 U	18	0.2 U	0.2 J	0.2 U	0.1 U	0.2 U	0.2 U
	07/12/01	0.37 J	0.18 U	2.5	0.2 U	0.091 U	2.3	0.096 U	0.12 U	0.12 U	0.11 U	28	0.13 U	0.14 J	0.11 U	0.098 U	0.19 U	0.15 U
	08/27/01	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.91	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	09/25/01	0.59	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	10/22/01	0.5	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	11/20/01	0.50 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	01/03/02	0.22 U	0.23 U	2.0	0.2 U	0.091 U	2.3	0.096 U	0.12 U	0.12 U	0.11 U	27	0.13 U	0.31 JB	0.11 U	0.098 U	0.19 U	0.15 U
	03/27/02	0.22 U	0.23 U	0.72	0.2 U	0.091 U	1.0	0.096 U	0.12 U	0.12 U	0.11 U	14	0.13 U	0.098 U	0.17 J	0.13 U	0.22 U	0.15 U
	06/14/02	0.22 U	0.23 U	0.77	0.2 U	0.091 U	1.0	0.096 U	0.12 U	0.12 U	0.11 U	11	0.13 U	0.098 U	0.13 J	0.13 U	0.22 U	0.15 U
	09/18/02	0.5	0.23 U	2.5	0.2 U	0.091 U	2.8	0.096 U	0.12 U	0.12 U	0.11 U	29	0.13 U	0.098 U	0.21 J	0.13 U	0.22 U	0.15 U
	12/16/02	0.62	0.5 U	3.1	2.0 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	34	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	03/17/03	0.22 U	0.23 U	2.5	0.2 U	0.091 U	2.6	0.096 U	0.12 U	0.12 U	0.11 U	29	0.13 U	0.098 U	0.12 J	0.13 U	0.22 U	0.15 U
	06/11/03	0.22 U	0.23 U	1.2	0.2 U	0.091 U	1.7	0.096 U	0.12 U	0.12 U	0.11 U	16	0.13 U	0.66 B	0.51	0.13 U	0.22 U	0.15 U
	09/10/03	0.41 J	0.23 U	2.2	0.2 U	0.091 U	2.4	0.096 U	0.12 U	0.12 U	0.11 U	32	0.13 U	0.39 JB	0.26 J	0.13 U	0.22 U	0.15 U
	9/10/03 (DUP)	0.45 J	0.23 U	2.3	0.2 U	0.091 U	2.5	0.096 U	0.12 U	0.12 U	0.11 U	32	0.13 U	0.22 JB	0.21 J	0.13 U	0.22 U	0.15 U
	12/04/03	0.6	0.23 U	2.8	0.2 U	0.091 U	3.2	0.096 U	0.12 U	0.12 U	0.11 U	36	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U
	03/16/04	0.22 U	0.23 U	0.59	0.2 U	0.091 U	0.92	0.096 U	0.12 U	0.12 U	0.11 U	11	0.13 U	0.12 J	0.31 J	0.13 U	0.22 U	0.15 U
	09/24/04	0.38 J	0.23 U	1.7	0.2 U	0.091 U	2.4	0.096 U	0.12 U	0.12 U	0.11 U	20	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U
	04/05/05	0.22 U	0.23 U	0.99	0.2 U	0.11 U	1.6	0.14 U	0.12 U	0.12 U	0.14 U	15	0.14 U	0.34 J	0.26 J	0.13 U	0.22 U	0.15 U
	09/20/05	0.13 J	0.23 U	1.3	0.2 U	0.11 U	2.3	0.14 U	0.12 U	0.12 U	0.14 U	19	0.14 U	0.23 J	0.43 J	0.13 U	0.22 U	0.15 U
03/15/06	0.08 J	0.23 U	0.60	0.2 U	0.11 U	1.1	0.14 U	0.12 U	0.12 U	0.14 U	9.8	0.14 U	0.18 J	0.26 J	0.13 U	0.22 U	0.15 U	
09/13/06	0.36 J	0.23 U	1.1	0.2 U	0.11 U	2.2	0.14 U	0.12 U	0.12 U	0.14 U	14	0.14 U	0.11 U	0.39 J	0.13 U	0.22 U	0.15 U	
04/05/07	0.05 J	0.23 U	0.5 J	0.2 U	0.11 U	0.90	0.14 U	0.12 U	0.12 U	0.14 U	7.4	0.14 U	0.11 U	0.31 J	0.13 U	0.22 U	0.15 U	
09/26/07	0.25 J	0.23 U	1.1	0.2 U	0.11 U	1.9	0.14 U	0.12 U	0.12 U	0.14 U	13	0.14 U	0.11 U	0.23 J	0.13 U	0.22 U	0.15 U	
05/01/08	0.071 U	0.13 U	0.65	0.23 U	0.042 U	0.99	0.042 U	0.05 U	0.073 U	0.045 U	6.5	0.042 U	0.09 JB	0.34 J	0.042 U	0.12 U	0.037 U	
09/30/08	0.47 J	0.13 U	1.4	0.23 U	0.042 U	2.8	0.042 U	0.05 U	0.073 U	0.045 U	14	0.042 U	0.18 JB	0.22 J	0.042 U	0.11 J	0.037 U	
03/26/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	4.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/29/09	0.4 J	0.5 U	1.3	0.5 U	0.5 U	1.7	1.0 U	0.5 U	0.5 U	0.5 U	9.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
04/01/10	0.3	0.5 U	0.8	0.5 U	0.5 U	1.4	1.0 U	0.5 U	0.5 U	0.5 U	5.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/28/10	0.2 UJ	0.5 U	1.11	0.5 U	0.5 U	2.02	1.0 U	0.5 U	0.5 U	0.5 U	5.09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-8 (continued)	03/04/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	<b>0.900</b>	1.0 U	0.5 U	0.5 U	0.5 U	<b>3.93</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/26/11	<b>0.700</b>	0.5 U	<b>1.25</b>	0.5 U	0.5 U	<b>1.98</b>	1.0 U	0.5 U	0.5 U	0.5 U	<b>3.91</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	<b>0.890</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>2.96</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.200 U	0.500 U	<b>1.76</b>	0.500 U	0.500 U	<b>2.42 J</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>5.76</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	03/08/13	0.200 U	0.500 U	<b>0.850</b>	0.500 U	0.500 U	<b>1.54</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>2.39 J</b>	0.500 U	0.500 U	<b>0.730</b>	0.500 U	0.500 U	0.500 U	0.500 U
	09/27/13	<b>0.730</b>	0.500 U	<b>2.45</b>	0.500 U	0.500 U	<b>3.45</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>9.63</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
MW-9	07/12/01	<b>0.26 J</b>	<b>15</b>	0.12 U	0.2 U	<b>2.3</b>	<b>4.1</b>	<b>0.1 J</b>	0.12 U	0.12 U	<b>3.5</b>	<b>0.28 J</b>	0.13 U	<b>1.2</b>	<b>0.15 J</b>	<b>0.12 J</b>	<b>0.18 J</b>	0.15 U	
	7/12/01 (DUP)	<b>0.23 J</b>	<b>14</b>	0.12 U	0.2 U	<b>2.3</b>	<b>3.4</b>	<b>0.15 J</b>	0.12 U	0.12 U	<b>3.4</b>	<b>0.28 J</b>	0.13 U	<b>1.0</b>	<b>0.18 J</b>	0.098 U	<b>0.13 J</b>	0.15 U	
	08/27/01	0.5 U	<b>12</b>	0.5 U	1 U	<b>2.4</b>	<b>5.2</b>	0.5 U	0.5 U	0.5 U	<b>4.0</b>	0.5 U	0.5 U	<b>1.7</b>	0.5 U	0.5 U	0.5 U	2.0 U	
	09/25/01	0.5 U	<b>12</b>	0.5 U	1 U	<b>2.3</b>	<b>4.8</b>	0.5 U	0.5 U	0.5 U	<b>3.6</b>	0.5 U	0.5 U	<b>1.2</b>	0.5 U	0.5 U	0.5 U	2.0 U	
	10/22/01	0.5 U	<b>12</b>	0.5 U	1 U	<b>2.3</b>	<b>5.9</b>	0.5 U	0.5 U	0.5 U	<b>4.1</b>	0.5 U	0.5 U	<b>1.4</b>	0.5 U	0.5 U	0.5 U	2.0 U	
	11/20/01	0.5 U	<b>10</b>	0.5 U	1 U	<b>1.8</b>	<b>8.4</b>	0.5 U	0.5 U	0.5 U	<b>4.5</b>	0.5 U	0.5 U	<b>1.4</b>	0.5 U	0.5 U	0.5 U	2.0 U	
	01/03/02	<b>0.29 J</b>	<b>2.9</b>	<b>0.78</b>	0.2 U	<b>0.65</b>	<b>31</b>	0.096 U	0.12 U	0.12 U	<b>1.8</b>	<b>18</b>	0.13 U	<b>0.59 B</b>	0.11 U	0.098 U	0.19 U	0.15 U	
	03/27/02	<b>0.26 J</b>	<b>0.38 J</b>	<b>0.95</b>	<b>0.21 J</b>	0.091 U	<b>27</b>	0.096 U	0.12 U	0.12 U	0.11 U	<b>45</b>	0.13 U	<b>0.14 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	06/14/02	<b>0.25 J</b>	<b>19</b>	<b>0.25 J</b>	<b>0.28 J</b>	<b>1.8</b>	<b>12</b>	0.096 U	0.12 U	0.12 U	<b>0.21 J</b>	<b>2.6</b>	0.13 U	<b>1.0</b>	0.11 U	<b>0.13 J</b>	<b>0.23 J</b>	0.15 U	
	09/17/02	<b>0.23 J</b>	<b>21</b>	0.12 U	<b>0.27 J</b>	<b>2.2</b>	<b>5.5</b>	0.096 U	0.12 U	0.12 U	<b>2.9</b>	<b>2.0</b>	0.13 U	<b>1.2</b>	0.11 U	<b>0.20 J</b>	<b>0.28 J</b>	0.15 U	
	12/16/02	0.5 U	<b>21</b>	0.5 U	2 U	<b>2.4</b>	<b>4.2</b>	0.5 U	0.5 U	0.5 U	<b>2.7</b>	<b>0.9</b>	0.5 U	<b>0.93</b>	0.5 U	0.5 U	0.5 U	2.0 U	
	03/17/03	0.22 U	<b>2.7</b>	<b>0.74</b>	0.2 U	<b>0.48 J</b>	<b>27</b>	0.096 U	0.12 U	0.12 U	<b>1.4</b>	<b>12</b>	0.13 U	<b>0.33 J</b>	0.11 U	0.13 U	<b>0.12 J</b>	0.15 U	
	06/11/03	<b>0.22 J</b>	<b>34</b>	0.12 U	<b>0.4 J</b>	<b>2.3</b>	<b>4.3</b>	0.096 U	0.12 U	0.12 U	<b>0.41 J</b>	<b>1.9</b>	0.13 U	<b>0.99 B</b>	0.11 U	0.13 U	<b>0.13 J</b>	0.15 U	
	09/10/03	<b>0.32 J</b>	<b>32</b>	0.12 U	<b>0.32 J</b>	<b>2.5</b>	<b>6.3</b>	0.096 U	0.12 U	0.12 U	<b>0.43 J</b>	<b>2.3 B</b>	0.13 U	<b>1.1 B</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	12/04/03	0.22 U	<b>27</b>	0.12 U	<b>0.24 J</b>	<b>2.5</b>	<b>6.4</b>	0.096 U	0.12 U	0.12 U	<b>3.1</b>	<b>0.48 J</b>	0.13 U	<b>0.88</b>	0.11 U	0.13 U	<b>0.21 J</b>	0.15 U	
	03/16/04	<b>0.23 J</b>	<b>2.2</b>	<b>0.39 J</b>	0.2 U	<b>0.79</b>	<b>14</b>	0.096 U	0.12 U	0.12 U	<b>0.98</b>	<b>11</b>	0.13 U	<b>0.24 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	09/23/04	<b>0.49 J</b>	<b>18</b>	0.12 U	<b>0.27 J</b>	<b>1.9</b>	<b>2.5</b>	0.096 U	0.12 U	0.12 U	<b>0.35 J</b>	<b>2.0</b>	0.13 U	<b>0.71</b>	0.11 U	0.13 U	<b>0.15 J</b>	0.15 U	
	04/05/05	<b>1.6</b>	<b>0.42 J</b>	<b>0.18 J</b>	0.2 U	<b>1.2</b>	<b>13</b>	0.14 U	0.12 U	0.12 U	<b>2.1</b>	<b>1.5</b>	0.14 U	<b>0.78</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	09/20/05	<b>0.35 J</b>	<b>15</b>	0.13 U	<b>0.25 J</b>	<b>1.9</b>	<b>1.1</b>	0.14 U	0.12 U	0.12 U	<b>0.34 J</b>	<b>2.2</b>	0.14 U	<b>0.86</b>	0.13 U	0.13 U	<b>0.13 J</b>	0.15 U	
	03/14/06	<b>0.96</b>	0.23 U	0.13 U	0.2 U	<b>0.63</b>	<b>5.7</b>	0.14 U	0.12 U	0.12 U	<b>0.4 J</b>	<b>7.7</b>	0.14 U	<b>0.12 J</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	09/13/06	<b>0.59</b>	<b>12</b>	0.13 U	<b>0.22 J</b>	<b>1.6</b>	<b>1.1</b>	0.14 U	0.12 U	0.12 U	<b>0.35 J</b>	<b>2.0</b>	0.14 U	<b>0.63</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	04/05/07	<b>0.78</b>	0.23 U	<b>0.23 J</b>	0.2 U	<b>0.31 J</b>	<b>9.9</b>	0.14 U	0.12 U	0.12 U	<b>0.3 J</b>	<b>7.6</b>	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/26/07	<b>0.43 J</b>	<b>4.5</b>	0.13 U	0.2 U	<b>1.3</b>	<b>0.62</b>	0.14 U	0.12 U	0.12 U	<b>0.28 J</b>	<b>1.8</b>	0.14 U	<b>0.53</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	05/01/08	<b>2.7</b>	0.13 U	<b>0.22 J</b>	0.23 U	<b>0.43 J</b>	<b>13</b>	0.042 U	0.05 U	0.073 U	<b>1.2</b>	<b>0.57</b>	0.042 U	<b>0.39 JB</b>	0.077 U	0.042 U	<b>0.18 J</b>	0.037 U	
	09/30/08	<b>0.38 J</b>	<b>2.7</b>	0.1 U	0.23 U	<b>1.0</b>	<b>0.46 J</b>	0.042 U	0.05 U	0.18 J	<b>2.0</b>	0.061 U	0.042 U	<b>0.63</b>	0.077 U	<b>0.08 J</b>	<b>0.27 J</b>	0.037 U	
	03/26/09	<b>2.3</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	<b>4.0</b>	1.0 U	0.5 U	0.5 U	<b>1.2</b>	<b>1.3</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/29/09	<b>0.3 J</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	<b>0.8</b>	1.0 U	0.5 U	0.5 U	<b>1.2</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/30/10	<b>3.9</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	<b>15</b>	1.0 U	0.5 U	0.5 U	<b>0.8</b>	<b>1.3</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	<b>0.51</b>	0.5 U	1.0 U	0.5 U	0.5 U	<b>1.70</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	9/28/10 (LAB DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	<b>0.54</b>	0.5 U	1.0 U	0.5 U	0.5 U	<b>1.87</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
03/04/11	<b>1.88</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	<b>4.18</b>	1.0 U	0.5 U	0.5 U	<b>0.600</b>	<b>1.42</b>	0.5 U	0.5 U	0.5 U	0.5 U	<b>1.01</b>	0.5 U	
09/26/11	0.20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	<b>1.23</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		
03/06/12	<b>0.690</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	<b>3.95</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>3.22</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.5 U	1.00 U	0.500 U	0.500 U	0.500 U	0.5 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
03/08/13	<b>1.16 J</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	<b>3.02</b>	1.00 U	0.500 U	0.500 U	0.500 U	<b>1.39 J</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
09/27/13	<b>0.780</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	<b>1.50</b>	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-10	07/12/01	0.22 U	0.18 U	0.12 U	0.2 U	0.091 U	0.65	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.14 J	0.11 U	0.098 U	0.19 U	0.15 U	
	09/25/01	0.5 U	0.5 U	0.5 U	1 U	0.5 U	0.59	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
	01/03/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.48 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.45 JB	0.11 U	0.098 U	0.19 U	0.15 U	
	1/3/02 (DUP)	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.44 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.44 JB	0.11 U	0.098 U	0.19 U	0.15 U	
	03/28/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.48 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	06/14/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.41 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.24 J	0.11 U	0.13 U	0.22 U	0.15 U	
	09/17/02	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.59	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	12/17/02	0.5 U	0.5 U	0.5 U	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	03/20/03	0.5 U	0.5 U	0.5 U	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U
	06/10/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.37 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.43 JB	0.11 U	0.13 U	0.22 U	0.15 U	
	09/10/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.47 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.22 JB	0.11 U	0.13 U	0.22 U	0.15 U	
	12/04/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.46 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	03/16/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.45 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.17 J	0.11 U	0.13 U	0.22 U	0.15 U	
	09/22/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.34 J	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.33 J	0.096 U	0.12 U	0.12 U	0.11 U	0.14 U	0.13 U	0.42 J	0.11 U	0.13 U	0.22 U	0.15 U	
	09/20/05	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.41 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.16	0.13 U	0.13 U	0.22 U	0.15 U	
	03/15/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.26 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.16 J	0.13 U	0.13 U	0.22 U	0.15 U	
	09/12/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.3 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	04/03/07	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.2 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/24/07	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.14 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	05/01/08	0.071 U	0.13 U	0.1 U	0.23 U	0.042 U	0.17 J	0.042 U	0.05 U	0.073 U	0.045 U	0.061 U	0.042 U	0.15 JB	0.077 U	0.042 U	0.078 U	0.037 U	
	10/01/08	0.071 U	0.13 U	0.1 U	0.23 U	0.042 U	0.22 J	0.042 U	0.05 U	0.073 U	0.045 U	0.061 U	0.042 U	0.14 JB	0.077 U	0.042 U	0.078 U	0.037 U	
	03/24/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
09/30/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
03/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
03/04/11	0.2 UJ	0.630	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/26/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
03/07/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	3.02	1.00 U	0.500 U	0.500 U	0.500 U	1.39	0.500 U	0.500 U	0.610	0.500 U	0.500 U	0.500 U	
09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
03/05/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
09/26/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-11	07/12/01	2.5 J	1.8 U	1.2 U	2 U	0.91 U	19	0.96 U	1.2 U	1.2 U	NA	78	1.3 U	NA	2,000	NA	NA	NA	
	08/27/01	5 U	5 U	5 U	10 U	5 U	19	5 U	5 U	5 U	5 U	69	5 U	5 U	1,600	5 U	5 U	NA	
	09/24/01	5 U	5 U	5 U	10 U	5 U	22	5 U	5 U	5 U	5 U	84	5 U	5 U	1,900	5 U	5 U	NA	
	10/15/01	1.2	0.5 U	0.53	1 U	1.4	28	0.5 U	0.5 U	0.5 U	0.5 U	83	0.5 U	0.5 U	1,600	0.5 U	0.5 U	NA	
	10/15/01	1.2	0.5 U	0.54	1 U	1.4	29	0.5 U	0.5 U	0.5 U	0.5 U	86	0.5 U	0.5 U	1,700	0.5 U	0.5 U	NA	
	10/22/01	5 U	5 U	5 U	10 U	5 U	25	5 U	5 U	5 U	5 U	92	5 U	5 U	2,000	5 U	5 U	NA	
	10/22/01	2.5 U	2.5 U	2.5 U	5 U	2.5 U	25	2.5 U	2.5 U	2.5 U	2.5 U	92	2.5 U	2.5 U	2,000	2.5 U	2.5 U	NA	
	10/29/01	5 U	5 U	5 U	10 U	5 U	25	5 U	5 U	5 U	5 U	91	5 U	5 U	1,700	5 U	5 U	NA	
	10/29/01	5 U	5 U	5 U	10 U	5 U	25	5 U	5 U	5 U	5 U	92	5 U	5 U	1,800	5 U	5 U	NA	
	11/19/01	5 U	5 U	5 U	10 U	5 U	20	5 U	5 U	5 U	5 U	78	5 U	5 U	1,900	5 U	5 U	NA	
	01/02/02	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	18	0.48 U	0.56 U	0.57 U	0.53 U	78	0.62 U	0.49 U	1,900	0.49 U	0.93 U	0.71 U	
	03/27/02	2.2 U	2.3 U	1.2 U	4 J	0.91 U	19	0.96 U	1.2 U	1.2 U	1.1 U	67	1.3 U	0.98 U	1,800	1.3 U	2.2 U	1.5 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-11 (continued)	06/11/02	1.1 U	1.2 U	0.6 U	0.97 U	0.46 U	19	0.48 U	0.57 U	0.57 U	0.53 U	64	0.62 U	0.49 U	1,500	0.49 U	1.5 U	0.71 U
	09/17/02	2.2 U	2.3 U	1.2 U	2 U	0.91 U	16	0.96 U	1.2 U	1.2 U	1.1 U	67	1.3 U	0.98 U	2,000	1.3 U	2.2 U	1.5 U
	12/16/02	1.7	1 U	1 U	4 U	2.2	7.9	1.0 U	1.0 U	1.0 U	1.1 U	40	1.0 U	1.0 U	680	1.0 U	1.0 U	4.0 U
	03/17/03	1.10 U	1.2 U	0.6 U	1.3 J	1.0 J	7.5	0.48 U	0.57 U	0.57 U	0.53 U	46	0.62 U	0.49 U	1,100	0.65 U	1.1 U	0.71 U
	03/17/03	1.10 U	1.2 U	0.6 U	1.3 J	1.0 J	7.5	0.48 U	0.57 U	0.57 U	0.53 U	45	0.62 U	0.49 U	1,100	0.65 U	1.1 U	0.71 U
	06/10/03	1.5 J	1.2 U	0.6 U	0.97 U	0.9 J	7.4	0.5 J	0.57 U	0.57 U	0.53 U	53	0.62 U	0.85 JB	1,500	0.65 U	1.1 U	0.71 U
	09/10/03	1.6 J	1.2 U	0.6 U	0.97 U	0.46 U	6.0	0.5 J	0.75 J	0.57 U	0.53 U	62	0.62 U	0.49 U	1,700	0.65 U	1.1 U	0.71 U
	12/05/03	2.1	0.46 U	0.4 J	0.39 U	2.9	8.8	0.2 J	0.3 J	0.23 U	0.86 J	58	0.25 U	0.2 U	1,100	0.26 U	0.44 U	0.29 U
	03/16/04	1.1 U	1.2 U	0.6 U	0.97 U	0.55 J	5.2	0.55 J	0.65 J	0.57 U	0.53 U	47	0.62 U	0.49 U	1,500	0.65 U	1.5 U	0.71 U
	09/22/04	0.78 J	0.57 U	0.3 U	0.49 U	0.7 J	6.3	0.43 J	0.58 J	0.29 U	0.27 U	47	0.31 U	0.25 U	1,300	0.33 U	0.55 U	0.36 U
	04/04/05	0.53 U	0.57 U	0.31 U	0.49 U	0.68 J	13	0.34 U	0.50 J	0.29 U	0.34 U	48	0.35 U	0.58 J	1,300	0.33 U	0.55 U	0.36 U
	09/20/05	0.35 J	0.23 U	0.19 J	0.2 U	0.45 J	29	0.21 J	0.61	0.12 U	0.14 U	52	0.14 U	0.17 J	1,400	0.13 U	0.22 U	0.15 U
	03/14/06	0.8 J	1.2 U	0.61 U	0.97 U	0.65 J	51	0.68 U	0.60 J	0.57 U	0.68 U	50	0.7 U	0.54 U	1,000	0.65 U	1.1 U	0.71 U
	09/13/06	0.7 J	1.2 U	0.61 U	0.97 U	0.51 U	28	0.68 U	0.58 U	0.57 U	0.68 U	50	0.7 U	0.54 U	1,100	0.65 U	1.1 U	0.71 U
	04/04/07	2.1 U	1.2 U	0.61 U	0.97 U	0.51 U	50	0.68 U	0.58 U	0.57 U	0.68 U	38	0.7 U	0.54 U	1,200	0.65 U	1.1 U	0.71 U
	09/26/07	2.1 U	1.2 U	0.61 U	0.97 U	0.51 U	41	0.68 U	0.58 U	0.57 U	0.68 U	42	0.7 U	0.54 U	1,200	0.65 U	1.1 U	0.71 U
	05/01/08	0.18 U	0.33 U	0.25 U	0.58 U	0.11 U	26	0.2 J	0.28 J	0.19 U	0.12 U	35	0.11 U	0.13 JB	910	0.11 U	0.2 U	0.093 U
	09/30/08	0.36 U	0.65 U	0.5 U	1.2 U	0.21 U	27	0.21 U	0.25 J	0.37 U	0.23 U	41	0.21 U	0.25 JB	1,000	0.21 U	0.39 U	0.19 U
	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	16	1.0 U	0.5 U	0.5 U	0.5 U	44	0.5 U	0.5 U	290	0.5 U	0.5 U	0.5 U
	04/09/10	4.0 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	10 U	10 U	35	10 U	10 U	850	10 U	10 U	10 U
04/16/10	4.0	10 U	10 U	10 U	10 U	22	20 U	10 U	10 U	10 U	66	10 U	10 U	500	10 U	10 U	10 U	
05/06/10	1.0 J	10 U	5.0 U	10 U	10 U	24	20 U	10 U	10 U	10 U	43	10 U	10 U	530	10 U	10 U	10 U	
06/09/10	0.28	0.5 U	0.5 U	0.5 U	0.5 U	11	1.0 U	0.5 U	0.5 U	0.5 U	33	0.5 U	0.5 U	680	0.5 U	0.5 U	0.5 U	
6/9/10 (LAB DUP)	0.21	0.5 U	0.5 U	0.5 U	0.5 U	9.3	1.0 U	0.5 U	0.5 U	0.5 U	31	0.5 U	0.5 U	580	0.5 U	0.5 U	0.5 U	
07/06/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	19	1.0 U	0.5 U	0.5 U	0.5 U	34	0.5 U	0.5 U	470	0.5 U	0.5 U	0.5 U	
MW-12	07/12/01	5.3 U	4.4 U	3 U	4.9 U	2.3 U	170	2.4 U	2.8 U	2.9 U	NA	200	3.1 U	NA U	6,100	NA	NA	NA
	08/27/01	25 U	25 U	25 U	25 U	25 U	150	25 U	25 U	25 U	25 U	160	25 U	25 U	6,000	25 U	25 U	NA
	09/24/01	5 U	5 U	5 U	0.5 U	5 U	52	5 U	5 U	5 U	5 U	86	5 U	5 U	2,400	5 U	5 U	NA
	10/15/01	5 U	5 U	5 U	10 U	5 U	23	5 U	5 U	5 U	5 U	43	5 U	5 U	1,500	5 U	5 U	NA
	10/15/01 (DUP)	5 U	5 U	5 U	10 U	5 U	22	5 U	5 U	5 U	5 U	40	5 U	5 U	1,600	5 U	5 U	NA
	10/22/01	5 U	5 U	5 U	10 U	5 U	48	5 U	5 U	5 U	5 U	66	5 U	5 U	2,600	5 U	5 U	NA
	10/22/01	5 U	5 U	5 U	10 U	5 U	39	5 U	5 U	5 U	5 U	62	5 U	5 U	2,400	5 U	5 U	NA
	10/29/01	5 U	5 U	5 U	10 U	5 U	61	5 U	5 U	5 U	5 U	76	5 U	5 U	2,300	5 U	5 U	NA
	10/29/01 (DUP)	5 U	5 U	5 U	10 U	5 U	60	5 U	5 U	5 U	5 U	70	5 U	5 U	2,100	5 U	5 U	NA
	11/19/01	10 U	10 U	10 U	20 U	10 U	190	10 U	10 U	10 U	10 U	210	10 U	10 U	3,300	10 U	10 U	NA
	01/03/02	0.43 U	2.6	1.1	0.39 U	0.52 J	340	0.22 J	0.23 U	0.23 U	0.21 U	72	0.25 U	0.4 JB	440	0.2 U	0.62 J	0.29 U
	03/27/02	2.2 U	2.3 U	7.7	2 U	0.91 U	2,700	0.96 U	1.2 U	1.2 U	1.1 U	640	1.3 U	0.98 U	2,100	1.3 U	2.2 U	1.5 U
	3/27/02 (DUP)	2.2 U	2.3 U	8.5	2 U	0.91 U	2,800	0.96 U	1.2 U	1.2 U	1.1 U	660	1.3 U	0.98 U	2,300	1.3 U	2.2 U	1.5 U
	06/11/02	2.2 U	2.3 U	5.5	2 U	0.91 U	2,000	0.96 U	1.2 U	1.2 U	1.1 U	600	1.3 U	0.98 U	2,400	1.3 U	2.2 U	1.5 U
	6/11/02 (DUP)	2.2 U	2.3 U	5.6	2 U	0.91 U	2,000	0.96 U	1.2 U	1.2 U	1.1 U	580	1.3 U	0.98 U	2,400	1.3 U	2.2 U	1.5 U
	09/17/02	2.2 U	2.3 U	9.4	2 U	0.91 U	3,500	0.96 U	1.2 U	1.2 U	1.1 U	720	1.3 U	0.98 U	1,300	1.3 U	2.2 U	1.5 U
	12/16/02	5 U	5 U	9.3	20 U	5 U	3,600	5 U	5 U	5 U	5 U	1,300	5 U	5 U	430	5 U	5 U	20 U
03/17/03	1.1 U	1.2 U	5.5	1.5 J	0.46 U	2,500	0.48 U	0.57 U	0.57 U	0.53 U	1,200	0.62 U	0.49 U	460	0.65 U	1.1 U	0.71 U	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-12 (continued)	06/10/03	2.2 U	2.3 U	4.8 J	2 U	0.91 U	2,200	0.96 U	1.2 U	1.2 U	1.1 U	1,500	1.3 U	0.98 U	2,100	1.3 U	2.2 U	1.5 U
	09/10/03	12	2.3 U	4.5 J	2 U	0.91 U	2,400	0.96 U	1.2 U	1.2 U	1.1 U	3,500	1.3 U	1.0 JB	900	1.3 U	2.2 U	1.5 U
	12/05/03	37	1.2 U	4.7	1.3 J	0.46 U	2,000	0.48 U	0.57 U	0.57 U	0.53 U	2,100	0.62 U	0.49 U	1,500	0.65 U	1.1 U	0.71 U
	03/16/04	57	0.91 U	4.8	0.78 U	0.37 U	2,500	0.39 U	0.46 U	0.46 U	0.42 U	1,200	0.5 U	0.39 U	2,100	0.52 U	1.2 U	0.57 U
	09/22/04	60	1.2 U	4.1	0.97 U	0.46 U	2,300	0.48 U	0.57 U	0.57 U	0.53 U	1,700	0.62 U	0.49 U	880	0.65 U	1.1 U	0.71 U
	04/04/05	18	1.2 U	3.2	0.97 U	0.51 U	2,200	0.68 U	0.58 U	0.57 U	0.68 U	1,000	0.7 U	0.54 U	760	0.65 U	1.1 U	0.71 U
	09/20/05	38	2.3 U	4.4 J	2 U	1.1 U	2,800	1.4 U	1.2 U	1.2 U	1.4 U	1,500	1.4 U	1.1 U	390	1.3 U	2.2 U	1.5 U
	03/14/06	15	1.2 U	2.4 J	0.97 U	0.51 U	1,700	0.68 U	0.58 U	0.57 U	0.68 U	500	0.7 U	0.54 U	1,100	0.65 U	1.1 U	0.71 U
	09/13/06	54	0.23 U	4.2	0.2 U	0.15 J	2,600	0.14 U	0.12 U	0.12 U	0.14 U	1,400	0.14 U	0.11 U	400	0.13 U	0.22 U	0.15 U
	04/04/07	3.8	1.2 U	1.5 J	0.97 U	0.51 U	1,200	0.68 U	0.58 U	0.57 U	0.68 U	450	0.7 U	0.54 U	1,200	0.65 U	1.1 U	0.71 U
	09/26/07	39	1.2 U	3.0	0.97 U	0.51 U	1,700	0.68 U	0.58 U	0.57 U	0.68 U	1,100	0.7 U	0.54 U	470	0.65 U	1.1 U	0.71 U
	05/01/08	5.9	0.33 U	1.4	0.58 U	0.11 U	1,000	0.15 J	0.13 U	0.19 U	0.15 J	390	0.11 U	0.18 JB	850	0.11 U	0.2 U	0.093 U
	09/30/08	54	1.3 U	2.7 J	2.3 U	0.42 U	1,500	0.42 U	0.5 U	0.73 U	0.45 U	780	0.42 U	0.48 U	580	0.42 U	0.78 U	0.37 U
	03/26/09	93	25 U	25 U	25 U	25 U	843	50 U	25 U	25 U	25 U	600	25 U	25 U	710	25 U	25 U	25 U
	09/29/09	150	5.0 U	4.5 J	5.0 U	5.0 U	2,200	10 U	5.0 U	5.0 U	5.0 U	1,400	5.0 U	5.0 U	320	5.0 U	5.0 U	5.0 U
	04/01/10	9.4	0.5 U	1.0	0.5 U	0.5 U	260	1.0 U	0.5 U	0.5 U	0.5 U	170	0.5 U	0.5 U	400	0.5 U	0.5 U	0.5 U
	09/28/10	17.2	0.5 U	0.5 U	0.5 U	0.5 U	334	1.0 U	0.5 U	0.5 U	0.5 U	232	0.5 U	0.5 U	377	0.5 U	0.5 U	0.5 U
	03/03/11	8.93	0.5 U	0.730	0.5 U	0.5 U	239	1.0 U	0.5 U	0.5 U	0.5 U	257	0.5 U	0.5 U	856	0.5 U	0.5 U	0.5 U
	06/22/11	11.7	0.5 U	0.5 U	0.5 U	0.5 U	314	1.0 U	0.5 U	0.5 U	0.5 U	215	0.5 U	0.5 U	429	0.5 U	0.5 U	0.5 U
	09/22/11	94.6	0.5 U	2.33	0.5 U	0.5 U	747	1.0 U	0.5 U	0.5 U	0.5 U	461	0.5 U	0.5 U	128 J	0.5 U	0.5 U	0.5 U
	9/22/11 (DUP)	93.3	0.5 U	2.11	0.5 U	0.5 U	680	1.0 U	0.5 U	0.5 U	0.5 U	529	0.5 U	0.5 U	200 J	0.5 U	0.5 U	0.5 U
	12/07/11	47.5	0.5 U	1.35	0.5 U	0.5 U	478	1.0 U	0.5 U	0.5 U	0.5 U	409	0.5 U	0.5 U	461	0.5 U	0.5 U	0.5 U
	03/07/12	26.3	0.500 U	1.32	0.500 U	0.500 U	579	1.00 U	0.500 U	0.500 U	0.500 U	155	0.500 U	0.500 U	337	0.500 U	0.500 U	0.500 U
	3/7/12 (DUP)	26.2	0.630	1.37	0.500 U	0.500 U	589	1.00 U	0.500 U	0.500 U	0.500 U	164	0.500 U	0.500 U	332	0.500 U	0.500 U	0.500 U
	06/26/12	35.2	1.47	1.31	0.500 U	0.500 U	636	1.00 U	0.500 U	0.500 U	0.500 U	218	0.500 U	0.500 U	407	0.500 U	0.500 U	0.500 U
	10/02/12	100	0.500 U	2.71	0.500 U	0.500 U	961	1.00 U	0.500 U	0.500 U	0.500 U	217	0.500 U	0.500 U	47.6	0.500 U	0.500 U	0.500 U
12/19/12	41.1	1.35	2.36	0.500 U	0.500 U	676	1.00 U	0.500 U	0.500 U	0.500 U	225	0.500 U	0.500 U	151	0.500 U	0.500 U	0.500 U	
03/06/13	36.1	0.500 U	2.01	0.500 U	0.500 U	901	1.00 U	0.500 U	0.500 U	0.500 U	131	0.500 U	0.500 U	64.2	0.500 U	0.500 U	0.500 U	
06/06/13	34.7	0.500 U	1.34	0.500 U	0.500 U	576	1.00 U	0.500 U	0.500 U	0.500 U	312	0.500 U	0.500 U	293	0.500 U	0.500 U	0.500 U	
09/25/13	43.8	0.500 U	0.500 U	0.500 U	0.500 U	78.4	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-13	03/31/03	1,100	260	320	100 U	2,700	23,000	25 U	2,900	25 U	25 U	25 U	25 U	21,000	25 U	1,600	6,900	260
	05/14/03	1,200	440	440	23 J	3,600	25,000	9.6 U	3,700	12 U	11 U	12 U	13 U	21,000	11 U	1,900	8,100	320
	06/11/03	1,200	490	440	25 J	3,900	26,000	9.6 U	3,600	12 U	11 U	12 U	13 U	20,000	11 U	2,300	9,800	370
	6/11/03 (DUP)	1,300	470	450	30 J	4,000	29,000	9.6 U	3,800	12 U	11 U	12 U	13 U	22,000	11 U	2,500	10,600	410
	09/11/03	1,400	490	460	25 J	4,400	30,000	4.8 U	4,100	5.7 U	5.5 J	5.9 U	6.2 U	25,000	5.5 U	2,400	10,200	400
	12/04/03	1,800	380	490	25 J	5,600	33,000	4.8 U	3,300	5.7 U	6.5 J	5.9 U	6.2 U	29,000	5.5 U	2,900	12,300	510
	03/15/04	1,700	310	490	26 J	6,200	38,000	4.8 U	2,900	5.7 U	7 J	5.9 U	6.2 U	32,000	5.5 U	2,900	14,000	540
	06/10/04	2,200	260	470	58 J	5,300	31,000	9.6 U	2,800	12 U	11 U	12 U	13 U	25,000	11 U	2,300	10,300	310
	09/23/04	2,100	380	370	25 J	4,500	22,000	9.6 U	2,600	12 U	11 U	12 U	13 U	17,000	11 U	2,000	8,900	320
	04/05/05	86	5.3	7.4	0.39 J	100	470	0.14 U	26	0.12 U	0.14 U	0.14 U	0.14 U	210	0.23 J	34	120	5.7
	09/21/05	740	340	44	3.2 J	930	2,900	0.28 U	280	0.5 J	1.4	0.28 J	0.28 U	2,900	0.48 J	620	2,570	70
	03/15/06	1,900	450	13	12 J	1,100	1,100	54 U	220	2.3 U	2.8 U	2.7 U	2.8 U	3,400	2.6 U	580	2,830	79
	09/14/06	1,900	860	65	10 J	1,300	5,400	6.8 U	150	5.7 U	6.8 U	6.7 U	7 U	7,100	6.3 U	990	4,900	130
	04/04/07	1,800	350	130	18 J	2,800	11,000	6.8 U	73	5.7 U	6.8 U	6.7 U	7 U	13,000	6.3 U	1,800	8,000	300

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-13 (continued)	09/25/07	1,500	480	89	8.3 J	1,600	6,700	3.4 U	100	2.9 U	3.4 U	3.4 U	3.5 U	9,800	3.2 U	1,400	6,200	250	
	05/02/08	2,900	680	71	8.2 J	1,300	5,600	0.84 U	50	1.5 U	2.4 J	1.3 U	0.84 U	9,300	1.8 J	1,600	6,800	290	
	09/30/08	1,600	550	72	5.8 U	1,100	6,800	1.1 U	60	1.9 U	1.3 J	1.6 U	1.1 U	7,800	2 U	1,500	6,300	230	
	03/25/09	2,300	800	46	25 U	1,050	3,900	50 U	25 U	25 U	25 U	25 U	25 U	8,600	25 U	1,700	6,650	280	
	09/30/09	300	1,200	25 U	25 U	240	86	50 U	25 U	25 U	25 U	25 U	25 U	5,000	25 U	1,100	5,000	110	
	03/29/10 3/29/10 (LAB DUP)	900	280	10 U	10 U	180	500	20 U	10 U	10 U	10 U	10 U	10 U	2,200	10 U	710	1,700	86	
	04/07/10	890	310	10 U	10 U	200	580	20 U	10 U	10 U	10 U	10 U	10 U	2,400	10 U	810	1,900	110	
	04/16/10	2,700	480	10 U	10 U	480	1,800	20 U	10 U	10 U	10 U	10 U	10 U	4,600	10 U	2,100	4,200	540	
	05/06/10	4,000	840	20	10 U	1,100	3,300	20 U	10 U	10 U	10 U	10 U	10 U	5,400	10 U	2,800	5,800	640	
	06/09/10	3,100	640	11	10 U	820	1,900	20 U	10 U	10 U	10 U	5.0 U	10 U	6,200	5.0 U	2,000	4,900	340	
	07/06/10	4,700	1,200	11	10 U	720	1,500	20 U	10 U	10 U	10 U	5.0 U	10 U	5,600	20	1,800	3,900	280	
	09/30/10	6,500	1,400	9.5	10 U	510	1,300	20 U	10 U	10 U	10 U	5.0 U	10 U	8,300	5.0 U	1,700	3,500	280	
	03/03/11	221	820	10 U	10.8	71.0	56.8	20 U	10 U	10 U	10 U	5.0 U	10 U	4,180	5.0 U	1,010	2,560	130	
	06/23/11	533	435	1.27	0.5 U	97.4	245	1.0 U	0.5 U	0.5 U	0.5 U	0.720	0.5 U	0.5 U	2,870	1.14	521	3,320	143
	09/22/11	99.3	216	0.5 U	0.84	25.6	18.0	1.0 U	0.5 U	0.5 U	0.5 U	0.500	0.5 U	0.610 J	1,170	0.5 U	619	2,405	105
	12/07/11	302	0.5 U	0.5 U	2.39	47.5	64.7	1.0 U	0.5 U	0.5 U	0.5 U	0.680	0.5 U	0.5 U	4,100	0.5 U	1,110	4,480	143
	12/7/11 (DUP)	285	518	0.5 U	1.72	30.2	44.2	1.0 U	0.5 U	0.5 U	0.5 U	0.630	0.5 U	0.5 U	3,690	0.680	1,270	5,170	218
	03/07/12	270	521	0.5 U	1.83	30.4	42.0	1.0 U	0.5 U	0.5 U	0.5 U	0.630	0.5 U	0.5 U	3,360	0.700	1,090	4,820	212
	06/27/12	93.0	313	0.500 U	0.870	14.2	14.7	1.00 U	0.500 U	0.500 U	0.500 U	0.600	0.500 U	0.500 U	1,230	0.500 U	921	3,862	192
	10/02/12	103	318	0.500 U	0.800	22.7	19.1	1.00 U	0.500 U	0.500 U	0.500 U	0.590	0.500 U	0.500 U	574	0.500 U	606	2,437	102
12/19/12	2.11	256	0.500 U	0.500 U	3.0	1.91	1.00 U	0.500 U	0.500 U	0.500 U	0.730	0.500 U	0.500 U	26.4	0.500 U	438	1,748	100	
03/07/13	1.08	233	0.500 U	0.500 U	2.4	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	94.0	0.500 U	464	1,827	120	
06/06/13	0.960 J	278	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.860	0.500 U	0.770	19.2	0.500 U	648 J	2,628 J	113 J	
09/25/13	1.81	291	0.500 U	0.560	1.12	0.930	1.00 U	0.500 U	0.500 U	0.500 U	0.680	0.500 U	0.500 U	64.0	0.500 U	388	1,409	97.0	
	0.200 U	250	0.500 U	0.690	2.50	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.530	0.500 U	0.840	289	0.500 U	611	2,250	205	
MW-14	10/30/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	12/04/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	03/16/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	06/10/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	09/24/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.22 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/21/05	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.13 U	0.22 U	0.15 U	
	03/14/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/13/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.13 U	0.22 U	0.15 U	
	04/04/07	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U
	09/26/07	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U
	05/02/08	0.071 U	0.13 U	0.1 U	0.23 U	0.07 J	0.045 U	0.042 U	0.05 U	0.05 U	0.073 U	0.045 U	0.061 U	0.042 U	0.077 U	0.042 U	0.18 J	0.05 J	
	09/30/08	0.071 U	0.13 U	0.1 U	0.23 U	0.05 J	0.045 U	0.042 U	0.05 U	0.05 U	0.073 U	0.045 U	0.12 J	0.042 U	0.077 U	0.06 J	0.31 J	0.037 U	
	03/23/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	3/23/09 (DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
09/29/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
03/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	



Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-14 (continued)	9/30/10 (LAB DUP)	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/04/11	0.2 UJ	<b>0.640</b>	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/06/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/28/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
MW-15	10/30/03	<b>0.29 J</b>	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>0.14 J</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	12/04/03	<b>0.35 J</b>	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>0.14 J</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	03/16/04	<b>0.24 J</b>	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>0.14 J</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	<b>0.17 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	06/10/04	<b>0.23 J</b>	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	<b>0.22 J</b>	0.15 U	
	09/24/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>3.8</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	<b>0.15 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.22 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	<b>0.27 J</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	09/21/05	<b>0.14 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	<b>0.19 J</b>	0.13 U	0.13 U	0.22 U	0.12 U	
	03/14/06	0.042 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	<b>0.11 J</b>	0.13 U	0.13 U	0.22 U	0.12 U	
	09/13/06	<b>0.20 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	04/04/07	<b>0.12 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	09/26/07	<b>0.1 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U	
	05/02/08	<b>0.11 J</b>	0.13 U	0.1 U	0.23 U	<b>0.06 J</b>	0.045 U	0.042 U	0.05 U	0.073 U	0.045 U	0.061 U	0.042 U	<b>0.07 JB</b>	0.077 U	0.042 U	0.078 U	0.037 U	
	09/29/08	<b>0.13 J</b>	0.13 U	0.1 U	0.23 U	<b>0.06 J</b>	0.045 U	0.042 U	0.05 U	0.073 U	0.045 U	<b>0.09 J</b>	0.042 U	<b>0.18 JB</b>	0.077 U	0.042 U	<b>0.10 J</b>	0.037 U	
	03/26/09	<b>1.0</b>	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/29/09	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/30/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	3/30/10 (DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	09/30/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
	3/7/11 (LAB DUP)	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
09/21/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		
03/06/12	<b>0.240</b>	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
10/01/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U		
MW-16	10/30/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>0.27 J</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	12/05/03	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	03/16/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	<b>0.12 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	06/10/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	<b>0.15 J</b>	0.11 U	0.13 U	0.22 U	0.15 U	
	09/23/04	0.22 U	0.23 U	0.12 U	0.2 U	0.091 U	0.12 U	<b>0.1 J</b>	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U	
	04/05/05	0.22 U	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	<b>0.34 J</b>	0.13 U	0.13 U	0.22 U	0.15 U	
	09/21/05	<b>0.12 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	<b>0.21 J</b>	<b>0.33 J</b>	<b>0.16 J</b>	
	03/15/06	<b>0.28 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	<b>0.18 J</b>	0.13 U	0.13 U	0.22 U	0.15 U	
09/13/06	<b>0.28 J</b>	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	<b>0.45 J</b>	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U		
04/05/07	<b>0.26 J</b>	0.23 U	0.13 U	0.2 U	<b>0.14 J</b>	0.12 U	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U		

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-16 (continued)	09/26/07	0.26 J	0.23 U	0.13 U	0.2 U	0.11 U	0.12 U	0.41 J	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.22 U	0.15 U
	05/02/08	0.55	0.13 U	0.1 U	0.23 U	0.16 J	0.045 U	0.042 U	0.5 U	0.073 U	0.045 U	0.06 U	0.042 U	0.10 JB	0.077 U	0.042 U	0.078 U	0.037 U
	10/01/08	0.61	0.13 U	0.1 U	0.23 U	0.18 J	0.045 U	0.042 U	0.5 U	0.073 U	0.045 U	0.10 J	0.042 U	0.24 JB	0.077 U	0.05 J	0.14 J	0.037 U
	03/25/09	1.2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	1.3	1.1	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U
	09/30/09	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	9/30/09 (DUP)	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	04/02/10	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	10/01/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.42 J	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	10/1/10 (DUP)	0.66 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	09/26/11	0.650	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/08/12	0.520	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U
	10/01/12	0.510	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U
	03/08/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 UJ	0.500 U	0.500 U	0.500 U
09/27/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
MW-17	10/30/03	9.1	190	0.24 U	1.5 J	4.3	2.8	0.34 J	0.23 U	2.1	15	0.24 U	0.25 U	5.8	0.22 U	260	1,616	22
	12/04/03	0.54 J	140	0.24 U	0.68 J	4.1	0.24 U	0.2 U	0.23 U	1.4	11	0.24 U	0.25 U	5.8	0.22 U	180	1,412	17
	03/15/04	57	230	0.12 U	2.7	5.3	13	0.34 J	0.12 U	2.5	21	0.12 U	0.13 U	9.6	0.11 U	170	1,428	29
	06/10/04	0.93	180	0.12 U	1.4 J	4.1	0.32 J	0.096 U	0.12 U	1.9	14	0.12 U	0.13 U	5.4	0.11 U	190	2,114	22
	09/23/04	1.1 U	170	0.6 U	1.8 J	3.6	0.58 U	0.48 U	0.57 U	1.8 J	12	0.59 U	0.62 U	4.1	0.55 U	220	1,616	21
	9/23/04 (DUP)	1.1 U	180	0.6 U	1.8 J	3.7	0.58 U	0.48 U	0.57 U	2.0 J	13	0.59 U	0.62 U	4.2	0.55 U	230	1,617	22
	04/05/05	0.53 U	140	0.31 U	0.95 J	2.9	0.29 U	0.34 U	0.29 U	1.4	11	0.34 U	0.35 U	4.6	0.32 U	120	1,200	16
	09/21/05	0.24 J	180	0.13 U	0.84 J	3.4	0.12 J	0.14 U	0.12 U	1.5	13	0.14 U	0.14 U	4.9	0.13 U	150	1,413	26
	03/15/06	0.55 J	280	0.61 U	1.7 J	4.1	0.58 U	2.5 U	0.58 U	2.6	19	0.67 U	0.70 U	3.1	0.63 U	200 J	1,614 J	22 J
	09/12/06	10	170	0.13 U	0.78 J	3.2	2.1	0.14 U	0.12 U	1.4	12	0.14 U	0.14 U	1.4	0.13 U	63	448	9.6
	04/04/07	2.3	230	0.31 U	1.4 J	2.9	0.7 J	0.34 U	0.29 U	2.6	20	0.34 U	0.35 U	2.1	0.32 U	75	1,013	23
	09/24/07	0.13 J	150	0.31 U	0.99 J	2.7	0.12 U	0.14 U	0.12 U	2.2	14	0.14 U	0.14 U	0.93	0.13 U	8.1	377	19
	05/01/08	0.10 J	77	0.1 U	0.33 J	2.7	0.05 J	0.042 U	0.05 U	1.1 U	7.9	0.08 J	0.042 U	1.4	0.077 U	50	206	12
	09/29/08	0.11 J	170	0.1 U	1 J	2.6	0.07 J	0.042 U	0.05 U	2.0	16	0.08 J	0.042 U	1.0	0.077 U	0.91	337	18
	03/24/09	1.0	140	0.5 U	0.5 U	2.8	0.5 U	1.0 U	0.5 U	0.5 U	14	0.5 U	0.5 U	1.0	0.5 U	270	350	20
	09/30/09	20	990	10 U	10 U	9.6 J	10 U	20 U	10 U	10 U	54	10 U	10 U	2.8 J	10 U	10 U	580	24
	03/30/10	0.2	110	0.5 U	0.5 U	1.7	0.5 U	1.0 U	0.5 U	1.3	9.0	0.5 U	0.5 U	0.5	0.5 U	0.5	75	7.7
	10/01/10	0.2 UJ	54.6	0.5 U	0.57 J	1.79	0.5 U	1.0 U	0.5 U	0.5 U	5.84	0.5 U	0.5 U	0.76	0.5 U	0.55	68.7	8.82
	03/07/11	0.2 U	61.7	0.5 U	0.5 U	2.00	0.5 U	1.0 U	0.5 U	1.67	8.85	0.5 U	0.5 U	0.950	0.5 U	2.10	60.2	10.5
	06/23/11	0.420	240	0.5 U	1.13	1.63	0.5 U	1.0 U	0.5 U	2.56	18.5	0.5 U	0.5 UJ	1.20	0.5 U	4.50	34.2	1.0 U
09/23/11	0.460	0.5 U	0.5 U	1.84	1.91	0.5 U	1.0 U	0.5 U	3.19	22.2	0.5 U	0.5 U	1.63	0.5 U	9.81	80.7	12.9	
03/08/12	0.200 U	421	0.500 U	2.69	1.67	0.500 U	1.00 U	0.500 U	3.23	22.9	0.500 U	0.500 U	0.810	0.500 U	0.690	22.8	12.8	
06/27/12	0.200 U	319	0.500 U	1.39	1.95	0.500 U	1.00 U	0.500 U	3.02	20.0	0.500 U	0.500 U	0.730	0.500 U	0.540	12.0	11.1	
10/01/12	0.200 U	574	0.500 U	2.26	2.11	0.500 U	1.00 U	0.500 U	0.500 U	27.9	0.500 U	0.500 U	0.910	0.500 UJ	1.02	19.3	17.8	
12/19/12	0.200 U	331	0.500 U	0.500 U	1.86	0.500 U	1.00 U	0.500 U	0.500 U	19.6	0.500 U	0.500 U	0.940	0.500 U	0.710	17.2	14.9	
03/07/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.710	17.2	0.5 U	
06/06/13	0.200 U	552	0.500 U	2.55	1.69	0.500 U	1.00 U	0.500 U	0.500 U	24.5	0.500 U	0.500 U	0.770	0.500 U	0.500 U	17.97	13.2	
09/26/13	0.200 U	484	0.500 U	3.26	1.76	0.500 U	1.00 U	0.500 U	3.91	28.8	0.500 U	0.500 U	0.790	0.500 U	0.500 U	17.28	21.5	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-18 (continued)	10/30/03	7,900	14	6.2 J	3.9 U	12	5,400	2 U	2.3 U	2.3 U	2.1 U	2.4 U	2.5 U	120	2.2 U	14	93	2.9 U	
	12/04/03	4,700	23	3.7 J	2 U	15	3,500	0.96 U	1.2 U	1.2 U	1.6 J	1.2 U	1.3 U	71	1.1 U	9	50	1.5 U	
	12/4/03 (DUP)	5,400	20	3.7 J	2 U	14	3,700	0.96 U	1.2 U	1.2 U	1.6 J	1.2 U	1.3 U	68	1.1 U	8.5	48	1.5 U	
	03/16/04	23	1.8	0.12 U	0.2 U	4.9	16	0.096 U	0.12 U	0.12 U	0.17 J	0.12 U	0.13 U	1.4	0.11 U	1.7	6.4	0.28 J	
	06/10/04	6.6	0.91	0.12 U	0.2 U	2.7	5	0.096 U	0.12 U	0.12 U	0.11 U	0.12 U	0.13 U	0.42 J	0.11 U	0.83	3.6	0.15 U	
	09/23/04	4.4	1.2	0.12 U	0.2 U	2.4	4.5	0.096 U	0.12 U	0.12 U	0.11 U	0.13 J	0.13 U	0.24 J	0.16 J	0.86	3.6	0.15 U	
	04/05/05	5.1	1.4	0.13 U	0.2 U	1.8	7.2	0.14 U	0.12 U	0.12 U	0.14 U	0.44 J	0.14 U	0.33 J	0.13 U	0.49 J	1.4	0.15 U	
	4/5/05 (DUP)	4.3	1.3	0.13 U	0.2 U	1.7	6	0.14 U	0.12 U	0.12 U	0.14 U	0.37 J	0.14 U	0.65	0.13 U	0.46 J	1.3	0.15 U	
	09/20/05	5.3	0.23 U	0.13 U	0.2 U	0.37 J	62	0.36 J	0.12 U	0.12 U	0.14 U	2.1	0.14 U	0.35 J	2.2	0.13 U	0.13 U	0.22 U	0.15 U
	03/15/06	0.85	0.66	0.13 U	0.2 U	0.92	0.6	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.18 J	0.13 U	0.13 U	1.12	0.15 U
	09/12/06	1.3	1.0	0.13 U	0.2 U	0.48 J	0.77	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.8 J	0.15 U
	04/03/07	0.36 J	0.23 U	0.13 U	0.2 U	0.31 J	0.36 J	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.15 J	0.13 U	0.13 U	0.71 J	0.15 U
	09/24/07	0.55	0.46 J	0.13 U	0.2 U	0.21 J	0.52	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.14 U	0.11 U	0.13 U	0.13 U	0.93 J	0.15 U
	05/01/08	0.34 J	0.25 J	0.1 U	0.23 U	0.27 J	0.36 J	0.042 U	0.05 U	0.073 U	0.07 J	0.061 U	0.042 U	0.25 J	0.077 U	0.042 U	0.79 J	0.10 J	
	10/01/08	0.42 J	0.85	0.1 U	0.23 U	0.26 J	0.49 J	0.042 U	0.05 U	0.073 U	0.06	0.14 J	0.042 U	0.61 B	0.09 J	0.06 J	1.03 J	0.04 J	
	03/24/09	1.1	3.0	0.5 U	0.5 U	2.5	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.2	0.5 U
	09/30/09	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
	03/30/10	0.09 J	4.5	0.5 U	0.5 U	1.1	0.2 J	1.0 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	0.5 U
	09/28/10	5.33	1.39	0.5 U	0.5 U	0.34 J	4.40	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.26 J	0.5 U	0.5 U	0.62	0.5 U
	03/04/11	0.2 U	2.77	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.29	0.5 U
	3/4/11 (LAB DUP)	0.2 U	3.21	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.42	0.5 U
	06/23/11	0.590	0.99	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.37	0.5 U
	09/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
03/07/12	115	1.95	0.500 U	0.500 U	0.56	213	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.86	0.500 U	0.500 U	0.770	0.500 U	
06/27/12	5.34	1.81	0.500 U	0.500 U	0.500 U	4.48	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.08	0.500 U	0.550	1.090	0.500 U	
10/01/12	22.7	0.500 U	0.500 U	0.500 U	0.500 U	14.8	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	1.13	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	
12/19/12	1.08	1.58	0.500 U	0.500 U	0.500 U	0.91	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.810	0.500 U	
12/19/12 (DUP)	0.95	1.70	0.500 U	0.500 U	0.500 U	1.25	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.840	0.500 U	
03/05/13	0.590 J	0.570	0.500 U	0.500 U	0.500 U	0.690	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.930	0.790	0.500 U	
06/06/13	1.20	1.42	0.500 U	0.500 U	0.500 U	0.900	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.520	0.500 U	
09/26/13	0.200 U	2.85	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500	0.500 U	
MW-19	02/20/04	3	11	0.12 U	0.23 J	11	0.51	0.096 U	0.12 U	0.12 U	3.1 J	0.12 U	0.13 U	180	0.11 U	13	73	1.3 J	
	03/16/04	12	5.8	0.12 U	0.2 U	9.2	0.32 J	0.096 U	0.12 U	0.12 U	3.0	0.12 U	0.13 U	110	0.11 U	9.5	42	0.9 J	
	3/16/04 (DUP)	12	6.1	0.12 U	0.2 U	9.6	0.39 J	0.096 U	0.12 U	0.12 U	3.0	0.12 U	0.13 U	99	0.11 U	10	44	1.0 J	
	06/10/04	42	0.23 U	0.12 U	0.2 U	1.4	2.7	0.096 U	0.12 U	0.12 U	1.6	0.12 U	0.13 U	1.3	0.11 U	0.47 J	2.06	0.15 U	
	09/23/04	38	2.7	0.12 U	0.2 U	3.4	4.1	0.096 U	0.12 U	0.12 U	1.2	0.12 U	0.13 U	17	0.11 U	2.4	10.4	0.19 J	
	04/05/05	44	0.28 J	0.13 U	0.2 U	1.9	11	0.14 U	0.12 U	0.12 U	1.2	0.14 U	0.14 U	1.2	0.13 U	0.27 J	0.49 J	0.15 U	
	09/21/05	47	1.2	0.79	0.2 U	2.2	74	0.14 U	0.12 U	0.12 U	1.4	1.3	0.14 U	1.1	0.13 U	2.4	6.9	0.47 J	
	03/15/06	30	0.34 J	0.13 U	0.2 U	1.6	9.7	0.14 U	0.12 U	0.12 U	1.1	1.1	0.14 U	0.55	0.13 U	0.39 J	1.92	0.15 U	
	09/12/06	20	4.5	0.13 U	0.2 U	2.6	18	0.14 U	0.12 U	0.12 U	1.4	1.4	0.14 U	1.1	0.13 U	7.9	18.2	1.1 J	
	04/03/07	72	0.90	0.13 U	0.2 U	2.0	39	0.14 U	0.12 U	0.12 U	1.1	0.14 U	0.14 U	0.58	0.13 U	1.4	12.6	0.71 J	
	09/24/07	37	0.92	0.13 U	0.2 U	1.1	3.9	0.14 U	0.12 U	0.12 U	0.9	0.14 U	0.14 U	0.62 J	0.13 U	0.97	11.5	0.84 J	
05/02/08	1.6	1.6	0.1 U	0.23 U	1.9	0.18 J	0.042 U	0.05 U	0.073 U	1.0	0.061 U	0.042 U	0.59 B	0.077 U	0.58	21.4	1.8 J		

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-19 (continued)	10/01/08	75	0.96	0.1 U	0.23 U	0.84	30	0.042 U	0.05 U	0.073 U	0.77	0.10 J	0.042 U	0.44 JB	0.077 U	0.1 J	4.17	0.49 J
	03/23/09	2.3	0.50 U	0.5 U	0.5 U	0.8	0.5	1.0 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	0.5 U
	09/29/09	18	3.2	0.5 U	0.5 U	2.4	2.3	1.0 U	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.1	0.5 U
	03/30/10	5.0	2.4	0.5 U	0.5 U	0.8	1.1	1.0 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	0.5 U
	3/30/10 (LAB DUP)	4.4	2.4	0.5 U	0.5 U	0.9	1.2	1.0 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	0.5 U
	09/28/10	97.2	10.4	0.5 U	0.5 U	1.06	24.0	1.0 U	0.5 U	0.5 U	0.93	0.5 U	0.5 U	0.5 U	0.5 U	2.08	8.11	2.00
	03/07/11	64.8	2.33	0.5 U	0.5 U	0.5 U	99.0	1.0 U	0.5 U	0.5 U	0.890	0.5 U	0.5 U	0.5 U	0.5 U	9.55	31.6	3.37
	09/21/11	633	6.56	3.26	0.5 U	2.71	1,330	1.0 U	0.5 U	0.5 U	1.01	0.5 U	0.5 U	0.5 U	0.5 U	6.29	13.27	1.96
	12/07/11	1,360	16.0	1.06	0.5 U	4.99	833	1.0 U	0.5 U	0.5 U	1.22	0.5 U	0.5 U	0.5 U	0.5 U	17.9	53.5	5.02
	03/08/12	572	11.1	0.500 U	0.500 U	4.70	324	1.00 U	0.500 U	0.500 U	1.42	0.500 U	0.500 U	0.500 U	0.500 U	30.5	85.2	6.48
	06/27/12	118	0.500 U	0.500 U	0.500 U	0.73	116	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.26	3.11	0.500 U
	09/28/12	81	0.76	0.500 U	0.500 U	1.45	73.0 J	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.42	4.73	0.500 U
	12/19/12	342	2.97	0.500 U	0.500 U	1.80	128	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	3.76	4.83	1.11
	03/05/13	1,420	0.500 U	4.33	0.750	10.4	1,890	1.00 U	0.500 U	0.500 U	2.31	0.500 U	0.500 U	0.500 U	0.500 U	43.0	93.1	8.80
06/06/13	2,240 J	43.6	3.58	0.500 U	6.35 J	2,560 J	1.00 U	0.500 U	0.500 U	1.95	0.500 U	0.500 U	0.500 U	0.500 U	45.8	85.3	9.91	
6/6/13 (DUP)	3,620 J	59.0	4.68	0.570	8.65 J	4,300 J	1.00 U	0.500 U	0.500 U	2.46	0.500 U	0.500 U	0.500 U	0.500 U	52.5	97.2	11.3	
09/25/13	664	20.9	0.500 U	0.500 U	4.88	285	1.00 U	0.500 U	0.500 U	1.41	0.500 U	0.500 U	0.500 U	0.500 U	36.8	66.8	10.3	
MW-20	07/28/05	0.5 U	140	0.5 U	2 U	1.6	0.5	0.5 U	0.5 U	0.5 U	18	0.5 U	0.5 U	1.7	0.5 U	4.3	124	2 U
	09/20/05	0.14 J	130	0.13 U	0.57 J	0.39 J	0.14 U	0.14 U	0.12 U	0.12 U	16	0.14 U	0.14 U	1.5	0.13 U	1.4	92	1.1 J
	9/20/05 (DUP)	0.16 J	130	0.13 U	0.57 J	0.35 J	0.15 J	0.14 U	0.12 U	0.12 U	16	0.14 U	0.14 U	1.4	0.13 U	1.5	91.9	1.0 J
	03/15/06	0.23 J	140	0.13 U	0.86 J	1.7 J	0.12 J	0.14 U	0.12 U	0.12 U	16	0.14 U	0.14 U	1.5	0.13 U	3.0	144	0.87 J
	09/12/06	0.22 J	140	0.13 U	0.56 J	0.12 J	0.15 J	0.14 U	0.12 U	0.12 U	15	0.14 U	0.14 U	0.86	0.13 U	0.17 J	35	0.44 J
	04/05/07	0.21 J	88	0.13 U	0.74 J	0.93 J	0.15 J	0.14 U	0.12 U	0.12 U	15	0.14 U	0.14 U	1.6	0.13 U	0.57	114	1.2 J
	09/26/07	0.13 J	85	0.13 U	0.46 J	0.11 U	0.12 J	0.14 U	0.12 U	0.12 U	13	0.14 U	0.14 U	1.2	0.13 U	0.22 J	22.7	0.96 J
	05/02/08	0.14 J	76	0.1 U	0.46 J	0.19 J	0.16 J	0.042 U	0.05 U	0.34 U	11	0.07 J	0.042 U	0.93	0.077 U	0.26 J	71	0.81 J
	5/2/08 (DUP)	0.15 J	72	0.1 U	0.46 J	0.18 J	0.11 J	0.042 U	0.05 U	0.34 U	12	0.061 U	0.042 U	1.0	0.077 U	0.29 J	75.2	0.85 J
	09/29/08	0.13 J	110	0.1 U	0.53 J	0.04 U	0.13 J	0.042 U	0.05 U	0.073 U	15	0.061 U	0.042 U	1.2	0.077 U	0.17 J	8.9	0.47
	03/23/09	1.0	89	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	13	0.5 U	0.5 U	1.3	0.5 U	65	86	0.5 U
	09/30/09	0.31 J	190	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	14	0.5 U	0.5 U	0.7	0.5 U	1.3	4.0	0.5 U
	03/29/10	0.2	140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	18 J	0.5 U	0.5 U	1.0	0.5 U	0.5 U	7.1	0.5 U
	10/01/10	0.12 J	195	0.5 U	0.73 J	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	15.2	0.5 U	0.5 U	0.94	0.5 U	0.5 U	4.26	1.27
	03/02/11	0.2 U	75.5	0.5 U	0.5 U	0.5 U	1.38	1.0 U	0.5 U	0.5 U	12.8	0.5 U	0.5 U	1.58	0.5 U	0.5 U	17.7	1.05
	09/26/11	0.2 U	161	0.5 U	0.620	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	13.9	0.5 U	0.5 U	0.930	0.5 U	0.5 U	4.33	0.890
03/08/12	0.200 U	71.6	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	10.9	0.500 U	0.500 U	0.880	0.500 U	0.500 U	4.69	0.600	
10/01/12	0.200 U	161	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	14.8	0.500 U	0.500 U	0.950	0.500 U	0.500 U	5.10	1.26	
03/08/13	0.200 U	4.40	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.890	0.790	0.5 U	
06/06/13	0.200 U	100	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	10.3	0.500 U	0.500 U	0.530	0.500 U	0.500 U	3.28	0.500 U	
09/27/13	0.200 U	122	0.500 U	0.670	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	16.0	0.500 U	0.500 U	1.06	0.500 U	0.500 U	5.51	1.10	
MW-21	09/14/06	1,500	210	71	15 J	1,700	8,400	6.8 U	1,200	5.7 U	6.8 U	190	7 U	9,300	160	1,700	8,100	210
	9/14/06 (DUP)	1,400	210	63	15 J	1,600	8,500	6.8 U	1,000	5.7 U	6.8 U	160	7 U	9,300	140	1,600	7,400	200
	04/04/07	1,500	140	57	12	2,200	8,400	0.8 J	470	0.5 J	1.3 J	16	0.35 U	11,000	2.5	1,900	7,600	260
	09/25/07	3,100	230	42	15 J	2,400	5,900	3.4 U	100	2.9 U	3.4 U	3.4 U	3.5 U	7,400	3 U	1,500	6,300	220

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-21 (continued)	05/02/08	3,800	440	32	9 J	2,200	4,000	0.84 U	59	1.5 U	1.6 J	1.3 U	0.84 U	7,000	2 U	1,400	6,100	190
	09/30/08	2,600	1,000	15	10 J	780	2,500	1.1 U	9 J	1.9 U	1.2 U	1.6 U	1.1 U	6,100	2 U	1,700	7,200	220
	03/25/09	1,900	1,600	9.5	25 U	700	1,200	50 U	8.5 J	25 U	12	7.5	25 U	5,800	25 U	1,800	7,500	240
	09/30/09	8,200	2,600	25	10 U	10 U	4,100	20 U	37	10 U	10 U	10 U	10 U	6,200	10 U	2,100	8,100	280
	03/26/10	350	400	10 U	0.5 U	10 U	280	1.0 U	8.8 J	0.5 U	18	0.5 U	0.5 U	2,400	0.5 U	740	1,800	58
	04/16/10	2,100	1,400	19	10 U	810	3,800	20 U	70	10 U	10 U	10 U	10 U	4,700	10 U	1,600	3,800	190
	05/06/10	490	1,200	5.0 U	10 U	220	370	20 U	34	10 U	10 U	5.0 U	10 U	5,400	5.0 U	1,900	4,600	190
	5/6/10 (DUP)	520	1,200	5.0 U	10 U	210	380	20 U	34	10 U	10 U	5.0 U	10 U	5,400	5.0 U	1,800	4,600	180
	06/09/10	150	1,000	5.0 U	10 U	110	67	20 U	16	10 U	10 U	5.0 U	10 U	3,200	5.0 U	540	1,400	49
	07/06/10	210	1,600	5.0 U	10 U	90	42	20 U	13	10 U	10 U	5.0 U	10 U	5,500	5.0 U	640	1,600	98
	7/6/10 (LAB DUP)	170	1,500	5.0 U	10 U	80	34	20 U	11	10 U	10 U	5.0 U	10 U	5,000	5.0 U	670	1,500	76
	09/30/10	243	1,120	5.0 U	11.0	90.6	131	20 U	10 U	10 U	10 U	5.0 U	10 U	4,890	5.0 U	1,120	2,880	142
	03/02/11	1,030	1,130	9.28	4.61	288	3,330	1.0 U	34.7	0.5 U	0.750	2.11	0.5 U	4,630 J	1.92	1,045	4,250	174
	3/2/11 (DUP)	875	921	9.09	4.93	295	2,820	1.0 U	35.5	0.5 U	0.820	1.95	0.5 U	3,830	1.81	899	3,640	175
	3/2/11 (LAB DUP)	912	869	9.12	4.73	286	2,760	1.0 U	34.3	0.5 U	0.780	1.97	0.5 U	3,760	1.85	873	3,560	177
	06/23/11	1,290	921	9.72	3.04	219	2,560	1.0 U	51.2	0.5 U	0.790	1.44	1.15 J	3,630	0.780	983	3,720	171
	6/23/11 (DUP)	1,350	983	9.83	3.06	243	2,630	1.0 U	48.9	0.5 U	0.800	1.38	0.5 UJ	3,760	0.630	1,050	4,020	200
	09/22/11	1,010	0.5 U	2.72	4.92	112	842	1.0 U	5.26	0.5 U	0.790	0.940	0.5 U	6,060	0.740	926	3,822	134
	12/07/11	1,460	1,190	5.62	3.82	115	1,890	1.0 U	8.73	0.5 U	0.770	1.15	0.5 U	6,720	1.12	1,350	5,520	185
	03/08/12	801	913	2.44	2.91	70.6	979	1.00 U	4.64	0.500 U	0.660	0.710	0.500 U	5,250	1.02	1,050	4,430	128
06/26/12	1,040 J	962	5.01	2.24	96.0	2,000	1.00 U	7.19	0.500 U	0.810	0.940	0.500 U	5,940	1.86	1,460	5,930	158	
10/02/12	1,610	1,170	4.27	2.76	73.5	1,530	1.00 U	4.37	0.500 U	0.970	1.59	0.500 U	6,710	1.19	1,560	6,540	156	
10/2/12 (DUP)	1,590	1,130	4.26	2.68	76.0	1,500	1.00 U	4.04	0.500 U	0.960	0.810	0.500 U	6,280	1.07	1,540	6,340	154	
12/20/12	1,210	825	3.17	1.35	76.0	1,070	1.00 U	0.500 U	0.500 U	0.880	0.500 U	0.500 U	5,600	0.86	1,490	6,200	154	
03/06/13	1,120	615	2.85	2.27	72.5	1,240	1.00 U	1.42	0.500 U	0.530	1.26	0.500 U	4,360	1.55	1,470	6,450	82.0	
06/06/13	663	928	0.500 U	2.27	89.0	988	1.00 U	2.81	0.500 U	0.810	0.500	0.500 U	4,520	1.17	1,290	5,310	121	
09/25/13	666	579	1.80	1.99	82.6	712	1.00 U	3.02	0.500 U	0.770	0.500 U	0.500 U	5,290	0.500 U	2,060	8,710	297	
MW-22	09/14/06	2,600	1,700	14 J	9.7 U	1,500	1,900	6.8 U	5.8 U	5.7 U	6.8 U	6.7 U	7 U	7,700	6.3 U	1,300	5,900	130
	04/04/07	4,800	610	22 J	9.7 U	3,700	3,300	6.8 U	5.8 U	5.7 U	6.8 U	6.7 U	7 U	17,000	6.3 U	2,300	9,900	330
	4/4/07 (DUP)	4,600	610	22 J	9.7 U	3,600	3,100	6.8 U	5.8 U	5.7 U	6.8 U	6.7 U	7 U	17,000	6.3 U	2,300	9,900	330
	09/26/07	1,100	1,800	18	2.2 J	370	1,600	1.4 U	8.2	1.2 U	3 J	1.4 U	5 U	4,000	1.3 U	920	3,650	130
	05/02/08	1,400	2,100	7.2 J	7.6 J	780	540	0.84 U	1 U	1.5 U	3.6 J	1.3 U	0.84 U	7,000	1.6 U	1,400	5,800	200
	10/01/08	30	1,100	0.5 U	1.5 J	12	7.9	0.21 U	0.25 U	0.85 J	1.6 J	0.31 U	0.21 U	38	0.39 U	610	2,170	52
	10/1/08 (DUP)	27	1,100	1 U	2.3 U	12	6.9	0.42 U	0.5 U	1.0 J	1.7	0.61 U	0.42 U	34	0.77 U	650	2,290	61
	03/25/09	160	1,400	0.5 U	0.5 U	72	11	1.0 U	0.5 U	0.5 U	19	0.5 U	0.5 U	1,600	0.5 U	960	3,700	140
	09/30/09	960	1,100	25 U	25 U	17 J	17 J	50 U	25 U	25 U	25 U	25 U	25 U	170	25 U	730	3,100	39
	03/29/10	7.4	480	0.5 U	10 U	24	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	840	25 U	650	1,500	44
	09/30/10	2.0 UJ	611	0.5 U	10.8	10 U	2.6 J	20 U	10 U	10 U	10 U	10 U	5.0 U	24.4	5.0 U	296	751	45.2
	03/04/11	74.1	531	0.780	0.5 U	26.9	184	1.0 U	0.5 U	0.540	1.20	16.7	0.5 U	596	0.500	531	2,750	161
06/23/11	1.13	173	0.660	0.580	3.98	2.27	1.0 U	0.5 U	0.5 U	0.64	0.5 U	0.5 UJ	55.4	0.5 U	148	1,008	45.9	
09/23/11	9.27	0.5 U	0.5 U	1.19	7.40	2.10	1.0 U	0.5 U	0.5 U	0.920	0.5 U	0.5 U	79.0	0.5 U	422	1,828	74.2	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB	
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400	
MW-22 (continued)	12/07/11	32.4	272	0.5 U	0.770	13.1	10.1	1.0 U	0.5 U	0.5 U	0.550	0.5 U	0.5 U	1,390	0.5 U	760	3,081	137	
	03/08/12	6.8	286	0.500 U	0.520	13.1	1.15	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1,630	0.500 U	815	3,388	169	
	06/26/12	1,750 J	280	0.560	0.510	38.9	1,300	1.00 U	2.06	0.500 U	0.730	0.500 U	0.500 U	1,910	0.500 U	807	3,336	166	
	6/26/12 (DUP)	1,230 J	282	0.500 U	0.500 U	38.3	1,030	1.00 U	1.93	0.500 U	0.720	0.500 U	0.500 U	1,750	0.500 U	743	3,002	178	
	10/02/12	1,520	204	0.500 U	0.500 U	30.4	623	1.00 U	0.500 U	0.500 U	0.680	0.500 U	0.500 U	728	0.500 U	552	2,643	136	
	12/19/12	208	278	1.63	0.500 U	9.76	244	1.00 U	0.500 U	0.500 U	0.500 U	64.5	0.500 U	260	1.05	732	3,455	172	
	03/06/13	712	0.5 U	6.77	1.06	17.4	1,310	1.00 U	1.26	0.500 U	0.560	185	0.500 U	156	4.41	376 J	2,168 J	51.5 J	
	06/06/13	1,600	88.0	2.60	0.500 U	21.9	1,760	1.00 U	1.86	0.500 U	0.510	0.500 U	0.500 U	550	0.500 U	199	1,004	69.5	
09/25/13	45.6	104	0.500 U	0.500 U	7.88	25.0	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	25.0	0.500 U	256	1,911	168		
MW-23	09/13/06	0.09 J	0.23 U	0.13 U	0.2 U	0.36 J	0.96	0.14 U	0.12 U	0.12 U	0.14 U	0.14 U	0.14 U	0.11 U	0.28 J	0.13 U	0.22 U	0.15 U	
	04/04/07	0.09 J	0.23 U	0.13 U	0.2 U	0.14 J	3.2	0.14 U	0.12 U	0.12 U	0.14 U	0.22 J	0.21 J	0.11 U	1.8	0.13 U	0.22 U	0.15 U	
	09/25/07	0.13 J	0.23 U	0.13 U	0.2 U	0.25 J	2.4	0.14 U	0.12 U	0.12 U	0.14 U	0.17 J	0.14 J	0.11 U	1.7	0.13 U	0.22 U	0.15 U	
	9/25/07 (DUP)	0.12 J	0.23 U	0.13 U	0.2 U	0.26 J	2.1	0.14 U	0.12 U	0.12 U	0.14 U	0.17 J	0.14 U	0.11 U	1.9	0.13 U	0.22 U	0.15 U	
	05/01/08	0.08 J	0.13 U	0.18 J	0.23 U	0.18 J	3.2	0.042 U	0.05 U	0.073 U	0.045 U	0.25 J	0.12 J	0.07 JB	2.9	0.042 U	0.078 U	0.037 U	
	10/01/08	0.10 J	0.13 U	0.1 U	0.23 U	0.26 J	1.7	0.042 U	0.05 U	0.073 U	0.045 U	0.23 J	0.042 U	0.17 JB	3.3	0.042 U	0.078 U	0.037 U	
	03/24/09	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	
	09/29/09	0.20 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	
	04/01/10	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	
	09/28/10	0.2 UJ	0.5 U	0.5 U	0.5 U	0.31 J	0.63	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.17	0.5 U	0.5 U	0.5 U	
	03/02/11	0.2 U	0.680	0.5 U	0.5 U	0.5 U	5.73	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.32	1.76	0.730	3.43	0.5 U
	06/22/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.16	0.5 U	0.5 U	0.5 U
	09/23/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.16	0.5 U	0.5 U	0.5 U
	12/07/11	0.2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.56	0.5 U	0.5 U	0.5 U
	03/07/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.04	0.500 U	0.500 U	0.500 U
	06/26/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	4.86	0.500 U	0.500 U	0.500 U
	09/27/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.64	0.500 U	0.500 U	0.500 U
12/19/12	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.83	0.500 U	0.500 U	0.500 U	
03/05/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.42	1.00 U	0.500 U	0.500 U	0.500 U	1.03	0.500 U	0.650	1.85	1.08	1.68	0.500 U	
06/06/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	5.46	0.500 U	0.500 U	0.500 U	
09/24/13	0.200 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	1.26	1.00 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	0.500 U	2.17	0.500 U	0.920	0.500 U	
MW-24	03/26/10	1,200	160	0.5 U	540	4,100	4.5	680	0.5 U	0.9	160	0.5 U	4,800	0.5 U	1,900	3,600	230		
	04/16/10	320	1,100	10 U	260	80	20 U	10 U	10 U	10 U	5.0 U	10 U	3,800	10 U	1,300	3,300	18		
	05/06/10	1,900	900	5.0 U	10 U	820	930	20 U	10 U	10 U	5.0 U	10 U	6,200	5.0 U	1,800	4,000	72		
	5/6/10 (LAB DUP)	2,000	970	5.0 U	10 U	850	980	20 U	10 U	10 U	5.0 U	10 U	6,800	5.0 U	1,800	4,400	71		
	06/09/10	3,400	89	22	10 U	1,300	2,200	20 U	97	10 U	10 U	5.2	10 U	5,900	2.2 J	1,600	3,600	130	
	07/06/10	4,200	1,200	14	10 U	940	2,100	20 U	120	10 U	10 U	5.0 U	10 U	7,300	5.0 U	1,200 J	2,900	180	
	7/6/10 (DUP)	3,400	1,100	14	10 U	1,100	2,400	20 U	130	10 U	10 U	5.0 U	10 U	6,600	5.0 U	830 J	2,300	140	
MW-25	03/29/10	2.7	410	0.5 U	0.5 U	25	2.2	1.1	0.5 U	0.9	1.9	0.4	0.5 U	1,200	0.5 U	940	1,600	160	
	04/07/10	12	730	10 U	10 U	48	10 U	20 U	10 U	10 U	10 U	10 U	10 U	3,100	10 U	1,700	2,900	180	
	04/16/10	10	1,900	10 U	10 U	74	10 U	20 U	10 U	10 U	10 U	10 U	10 U	4,100	10 U	2,200	5,100	310	
	4/16/10 (LAB DUP)	9.2	1,800	10 U	10 U	70	10 U	20 U	10 U	10 U	10 U	10 U	10 U	4,000	10 U	2,100	5,000	290	
	05/06/10	2.0	1,100	5.0 U	10 U	32	5.0 U	20 U	10 U	10 U	10 U	5.0 U	10 U	2,900	5.0 U	1,200	3,200	130	
MW-25 (continued)	06/09/10	2.0 U	820	0.5 U	10 U	29	5.0 U	20 U	10 U	10 U	10 U	5.0 U	10 U	1,200	21	680	1,700	110	
	07/06/10	4.0	640	0.5 U	0.5 U	25	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	800	2.9	480	980	79	

Table B-2

Indicator Hazardous Substances in Groundwater  
Univar USA Inc., Kent, Washington

Sample Location	Date Collected	Vinyl Chloride	Chloro-ethane	1,1-DCE	Methylene Chloride	1,1-DCA	cDCE	Chloro-form	TCA	1,2-DCA	Benzene	TCE	1,2-Dichloro-propane	Toluene	PCE	Ethyl-benzene	Total Xylenes	1,2,4-TMB
	Final Cleanup Levels	0.5	15	7.0	5.0	800	70	7.2	200	0.5	0.8	4.0	0.64	1,000	0.86	700	1,600	400
MW-26	04/01/10	0.2 U	0.5 U	1.3	0.5 U	0.5 U	20	1.0 U	0.5 U	0.5 U	0.5 U	37	0.5 U	0.5 U	380	0.5 U	0.5 U	0.5 U
	04/09/10	6.4	10 U	10 U	10 U	10 U	10	20 U	10 U	10 U	10 U	28	10 U	10 U	570	10 U	10 U	10 U
	4/9/10 (LAB DUP)	6.2	10 U	10 U	10 U	10 U	10	20 U	10 U	10 U	10 U	27	10 U	10 U	550	10 U	10 U	10 U
	04/16/10	8.8	10 U	10 U	10 U	10 U	16	20 U	10 U	10 U	10 U	32	10 U	10 U	320	10 U	10 U	10 U
	05/06/10	5.2	10 U	5.0 U	10 U	10 U	11	20 U	10 U	10 U	10 U	28	10 U	10 U	300	10 U	10 U	10 U
	06/09/10	12	10 U	5.0 U	10 U	10 U	14	20 U	10 U	10 U	10 U	31	10 U	10 U	350	10 U	10 U	10 U
	07/06/10	9.0	0.5 U	0.5 U	0.5 U	0.5 U	12	1.0 U	0.5 U	0.5 U	0.5 U	29	0.5 U	0.5 U	300	0.5 U	0.5 U	0.5 U
INJ-1	07/09/01	2.9	25	0.65 J	0.97 U	9.3	29	0.48 U	0.56 U	0.58 U	0.5 U	97	0.62 U	NA	620	NA	NA	NA
	11/20/01	0.50 U	2.8	0.5 U	1 U	1.2	8.1	0.5 U	0.5 U	0.5 U	0.21 U	30	0.5 U	0.5 U	17	0.5 U	0.5 U	NA
	06/11/02	0.44 J	0.46 U	1.9	0.39 U	0.60 J	520	0.2 U	0.23 U	0.23 U	NA	3.7	0.26 U	0.2 U	8.5	0.26 U	0.6 U	0.29 U
INJ-2	07/09/01	5.5 J	4.4 U	3 U	4.9 U	<2.3 U	200	2.4 U	2.8 U	2.9 U	0.5 U	240	3.1 U	NA	6,300	NA	NA	NA
	10/15/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	1.8	0.5 U	0.5 U	33	1.6	6	NA
	10/22/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	2	0.5 U	0.5 U	0.5 U	0.5 U	2.8	0.5 U	0.53	57	2.9	11.3	NA
	10/29/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	4.3	0.5 U	0.65	68	1.4	6.8	NA
	11/19/01	0.5 U	0.50 U	0.5 U	1 U	<0.5 U	7.3	0.5 U	0.5 U	0.5 U	1.1 U	9.2	0.5 U	0.5 U	230	0.89	4.4	NA
	06/11/02	2.2 U	2.3 U	5.4	2 U	<0.91 U	2,100	0.96 U	1.2 U	1.2 U	1.1 U	600	1.3 U	0.98 U	1,000	1.3 U	2.9 U	1.5 U
	06/10/03	2.2 U	2.3 U	5.3	2 U	<0.91 U	2,100	0.96 U	1.2 U	1.2 U	NA	610	1.3 U	1.1 JB	2,700	1.3 U	2.9 U	1.5 U
INJ-3	07/09/01	7.3	5.9	0.95 J	0.97 U	3.4	39	0.48 U	0.56 U	0.58 U	1 U	250	0.62 U	NA	520	NA	NA	NA
	11/20/01	1.8	1.0 U	1.0 U	2 U	1.0 U	49	1.0 U	1.0 U	1.0 U	0.53 U	130	1.0 U	1.0 U	670	1.0 U	1.0 U	NA
	06/11/02	180	1.2 U	3.4	0.97 U	1.2 J	1,200	0.48 U	0.57 U	0.57 U	1.3	240	0.62 U	0.49 U	530	0.65 U	1.5 U	0.71 U
	12/17/02	90	0.50 U	0.53	2 U	2.0	250	0.5 U	0.5 U	0.5 U	1.2	100	0.5 U	0.5 U	150	0.5 U	0.5 U	2 U
	12/17/02 (DUP)	91	0.50 U	0.6	2 U	1.9	270	0.5 U	0.5 U	0.5 U	0.21 U	120	0.5 U	0.5 U	180	0.5 U	0.5 U	2 U
06/10/03	78	2.2	0.98 J	0.39 U	0.40 J	350	0.2 U	0.23 U	0.23 U	0.11 U	140	0.25 U	0.8 B	390	0.26 U	0.44 U	0.29 U	
P-1	09/24/04	0.22 U	0.23 U	0.12 U	0.2 U	0.28 J	1.2	0.096 U	0.12 U	0.12 U	NA	0.12 U	0.13 U	0.098 U	0.11 U	0.13 U	0.22 U	0.15 U

Notes:  
 E = laboratory estimated concentration.  
 Results from June 2000 and from December 2000 to September 2008 are reported relative to the method detection limits (MDLs).  
 1,2,4-TMB = 1,2,4-trimethylbenzene.  
 1,1-DCA = 1,1-dichloroethane.  
 1,2-DCA = 1,2-dichloroethane.  
 1,1-DCE = 1,1-dichloroethene.  
 cis-1,2-DCE = cis-1,2-dichloroethene.  
 TCA = 1,1,1-trichloroethane.  
 TCE = trichloroethene.  
 PCE = tetrachloroethene.

Table B-3

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)			TDS	
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-1	09/04/96	130	NA	NA	88.0	NA	NA	NA	NA	2.1	29.6	NA	NA	NA	NA	NA	NA	990
	12/15/98	68.5	NA	< 0.2	4.3	0.070	500	NA	47.0	NA	NA	23.4	24.6	NA	NA	NA	NA	NA
	03/02/99	64.5	NA	0.2	5.8	0.266	540	NA	37.0	NA	NA	29.4	18.2	NA	NA	NA	NA	NA
	06/17/99	49	NA	0.3	6.7	0.110	460	NA	40.5	NA	NA	24.0	20.8	NA	NA	NA	NA	NA
	09/16/99	59.8	NA	< 0.2	7.2	0.249	400	NA	42.1	NA	NA	11.0	18.8	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	37	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/08/12	27.1	NA	< 0.100	3.50	< 0.500	NA	352	NA	NA	NA	NA	1.0	10.4	1.87	NA	NA	NA
	10/01/12	28.9	NA	< 0.100	21.0	< 0.500	NA	290	NA	NA	NA	NA	2.0	7.86	1.64	NA	NA	NA
03/13/13	17.8	NA	< 0.100	3.2	< 0.500	NA	362	NA	NA	NA	NA	1.8	11.4	1.66	NA	NA	NA	
MW-2	09/04/96	18.0	NA	NA	0.3	NA	NA	NA	NA	3.21	112	NA	NA	NA	NA	NA	NA	576
	12/15/98	13.6	NA	0.3	5.3	0.017	260	NA	26.4	NA	NA	23.9	30.4	NA	NA	NA	NA	NA
	03/02/99	14.3	NA	0.9	13.1	0.037	360	NA	22.8	NA	NA	46.4	23.0	NA	NA	NA	NA	NA
	06/16/99	13	NA	1.0	7.5	0.054	420	NA	24.2	NA	NA	86.5	66.7	NA	NA	NA	NA	NA
	6/16/99 (DUP)	12.2	NA	1.3	12.8	NA	NA	NA	25.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/16/99	14.6	NA	< 0.2	< 0.2	0.037	400	NA	27.2	NA	NA	94.6	61.9	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-3	09/04/96	26.0	NA	NA	0.9	NA	NA	NA	NA	3.17	36.3	NA	NA	NA	NA	NA	NA	952
	9/4/96 (DUP)	26.0	NA	NA	1.1	NA	NA	NA	NA	3.13	38.5	NA	NA	NA	NA	NA	NA	976
	12/14/98	29.8	NA	< 0.2	< 0.2	< 0.001	660	NA	44.5	NA	NA	34.4	34.2	NA	NA	NA	NA	NA
	03/03/99	25.6	NA	< 0.2	0.3	0.013	640	NA	52.8	NA	NA	33.0	31.7	NA	NA	NA	NA	NA
	06/17/99	17.1	NA	< 0.2	< 0.2	0.013	640	NA	57.9	NA	NA	59.7	38.0	NA	NA	NA	NA	NA
09/17/99	14.5	NA	< 0.2	< 0.2	0.047	520	NA	62.4	NA	NA	100.1	47.7	NA	NA	NA	NA	NA	
MW-4	09/04/96	110	NA	NA	37.0	NA	NA	NA	NA	9.89	83.9	NA	NA	NA	NA	NA	NA	796
	12/14/98	89.7	NA	< 0.2	15.6	0.026	840	NA	23.4	NA	NA	59.8	59.1	NA	NA	NA	NA	NA
	03/03/99	45.0	NA	< 0.2	183	0.880	900	NA	12.8	NA	NA	12.9	7.5	NA	NA	NA	NA	NA
	06/17/99	60.9	NA	0.3	61.7	0.159	840	NA	18.2	NA	NA	6.99	4.75	NA	NA	NA	NA	NA
	09/17/99	77.3	NA	< 0.2	2.0	0.071	870	NA	18.4	NA	NA	24.3	13.4	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	19	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/11	NA	NA	NA	NA	NA	NA	NA	19	NA	NA	NA	3.2	NA	NA	NA	NA	NA
	03/08/12	31.9	NA	1.63	18.2	< 0.500	NA	878	13.4	NA	NA	NA	3.0	24.7	3.65	NA	NA	NA
	10/01/12	30.9	NA	< 0.100	14.2	< 0.500	NA	758	NA	NA	NA	NA	NA	11.5	2.62	NA	NA	NA
03/06/13	27.1	NA	< 0.100	37.6	< 0.500	NA	844	NA	NA	NA	NA	3.7	18.9	2.80	NA	NA	NA	
MW-5	09/04/96	17.0	NA	NA	32	NA	NA	NA	NA	0.34	0.107	NA	NA	NA	NA	NA	NA	332
	12/15/98	17.5	NA	< 0.2	17.3	0	200	NA	7.8	NA	NA	0.090	0.024	NA	NA	NA	NA	NA
	03/02/99	6.9	NA	2.4	22.0	0.002	145	NA	4.8	NA	NA	0.137	0.060	NA	NA	NA	NA	NA
	06/16/99	6.2	NA	2.5	20.5	0.002	180	NA	6.0	NA	NA	0.125	0.042	NA	NA	NA	NA	NA
	09/16/99	6.8	NA	1.5	20.7	0.001	160	NA	5.9	NA	NA	0.052	0.008	NA	NA	NA	NA	NA
	9/16/99 (DUP)	6.2	NA	1.5	20.4	NA	NA	NA	5.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/18/02	NA	NA	NA	NA	NA	NA	NA	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/13/06	NA	NA	0.6	34.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/01/10	NA	< 0.1	NA	NA	NA	NA	NA	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/09/10	NA	< 0.1	NA	NA	NA	NA	NA	5.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	< 0.1	NA	NA	NA	NA	NA	6.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/16/10 (LAB DUP)	NA	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	5.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	< 0.1	NA	NA	NA	NA	NA	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	< 0.1	NA	NA	NA	NA	NA	4.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	NA	NA	NA	NA	NA	NA	5.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/03/11	3.68	NA	0.645	24.8	< 0.5	NA	109	4.40	NA	NA	NA	NA	0.0564	0.0128	NA	NA	NA	
3/3/11 (LAB DUP)	3.68	NA	0.666	24.7	NA	NA	108	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
06/22/11	2.26	NA	0.743	11.2	< 0.500	NA	111	4.32	NA	NA	NA	NA	< 0.1	0.105	NA	NA	NA	
09/22/11	2.32	NA	0.161	11.6	< 0.500	NA	142	3.87	NA	NA	NA	2.8	0.376	0.252	NA	NA	NA	
12/07/11	2.27	NA	0.146	11.5	< 0.500	NA	118	5.65	NA	NA	NA	0.8	0.241	0.316	NA	NA	NA	



Table B-3

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS	
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1	
MW-5 (continued)	03/07/12	2.50	NA	< 0.100	15.3	< 0.500	NA	124	5.07	NA	NA	NA	0.8	0.425	0.635	NA	NA	NA	
	06/26/12	2.74	NA	< 0.100	16.1	< 0.500	NA	142	4.94	NA	NA	NA	1.82	0.304	NA	NA	NA	NA	
	09/27/12	2.66	NA	< 0.100	12.1	< 0.500	NA	154	6.38	NA	NA	NA	1.0	1.33	0.215	NA	NA	NA	
	12/19/12	3.30	NA	< 0.100	10.1	< 0.500	NA	158	8.92	NA	NA	NA	9.49	0.555	NA	NA	NA	NA	
	3/6/2013 (DUP)	3.02	NA	< 0.100	11.5	< 0.500	NA	162	5.39	NA	NA	NA	3.4	6.66	0.320	NA	NA	NA	
	03/06/13	3.09	NA	< 0.100	11.4	< 0.500	NA	159	5.08	NA	NA	NA	NA	6.15	0.304	NA	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	6.51	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/26/13	NA	NA	NA	NA	NA	NA	NA	7.11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/26/13 (DUP)	NA	NA	NA	NA	NA	NA	NA	7.20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	09/04/96	340	NA	NA	0.6	NA	NA	NA	NA	9.28	222	NA	NA	NA	NA	NA	NA	1.260	
	12/15/98	199	NA	< 0.2	11.7	0.014	460	NA	22.6	NA	NA	114	125	NA	NA	NA	NA	NA	
	03/02/99	213	NA	0.6	19.8	0.015	500	NA	15.8	NA	NA	170	63	NA	NA	NA	NA	NA	
	3/2/99 (DUP)	208	NA	0.6	46.6	NA	NA	NA	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/16/99	232	NA	0.3	11.6	0.009	520	NA	21	NA	NA	192	120	NA	NA	NA	NA	NA	
	09/16/99	130	NA	< 0.5	27.3	0.047	480	NA	18.5	NA	NA	169	95	NA	NA	NA	NA	NA	
09/18/02	NA	NA	NA	NA	NA	NA	NA	20	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	12/14/98	5.4	NA	< 0.2	1.6	0.003	260	NA	9.4	NA	NA	3.36	3.17	NA	NA	NA	NA	NA	
	03/03/99	5.7	NA	1.3	12.7	0.010	180	NA	6.5	NA	NA	1.79	1.72	NA	NA	NA	NA	NA	
	06/17/99	6.8	NA	2.3	25.1	0.005	200	NA	9.2	NA	NA	2.21	1.86	NA	NA	NA	NA	NA	
	09/17/99	8.1	NA	0.3	21.4	0.004	240	NA	10.6	NA	NA	3.58	2.98	NA	NA	NA	NA	NA	
	03/02/11	2.63	NA	2.77	9.10	< 0.5	NA	94.7	3.65	NA	NA	NA	NA	< 0.1	< 0.002	NA	NA	NA	
	3/2/11 (LAB DUP)	2.61	NA	2.79	9.18	NA	NA	93.2	NA	NA	NA	NA	NA	< 0.1	< 0.002	NA	NA	NA	
	06/22/11	3.16	NA	1.37	9.88	NA	NA	110	5.30	NA	NA	NA	NA	< 0.1	0.00406	NA	NA	NA	
	09/22/11	3.55	NA	0.132	10.1	< 0.500	NA	144	7.04	NA	NA	NA	3.00	0.272	0.150	NA	NA	NA	
	12/07/11	4.02	NA	0.344	14.5	< 0.500	NA	186	9.44	NA	NA	NA	1.5	0.161	0.227	NA	NA	NA	
	03/07/12	2.93	NA	1.49	8.72	< 0.500	NA	108	5.13	NA	NA	NA	0.0	0.154	0.005	NA	NA	NA	
	06/26/12	2.63	NA	1.04	8.28	< 0.500	NA	126	5.52	NA	NA	NA	NA	0.119	0.044	NA	NA	NA	
	09/27/12	3.23	NA	< 0.100	11.3	< 0.500	NA	150	11.2	NA	NA	NA	0.1	0.181	0.363	NA	NA	NA	
	12/19/12	5.93	NA	< 0.100	24.6	< 0.500	NA	326	18.3	NA	NA	NA	NA	0.0739	0.964	NA	NA	NA	
03/05/13	3.12 J	NA	< 0.100	10.1	< 0.500	NA	186	8.58	NA	NA	NA	0.4	0.308	0.792	NA	NA	NA		
06/06/13	NA	NA	NA	NA	NA	NA	NA	6.37	NA	NA	NA	NA	NA	NA	NA	NA	NA		
09/24/13	NA	NA	NA	NA	NA	NA	NA	11.1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-8	12/14/98	9.2	NA	< 0.2	20.4	NA	260	NA	10.0	NA	NA	1.13	0.98	NA	NA	NA	NA	NA	
	12/14/98 (DUP)	9.3	NA	< 0.2	20.4	NA	NA	NA	10.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/02/99	12.7	NA	0.3	29.7	0.023	260	NA	8.9	NA	NA	2.03	0.77	NA	NA	NA	NA	NA	
	06/16/99	12.8	NA	< 0.2	29.1	0.009	240	NA	9.6	NA	NA	0.70	0.50	NA	NA	NA	NA	NA	
	09/16/99	10.5	NA	< 0.2	21.1	0.007	260	NA	10.5	NA	NA	1.02	0.45	NA	NA	NA	NA	NA	
09/18/02	NA	NA	NA	NA	NA	NA	NA	11.4	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-11	04/01/10	NA	< 0.1	NA	NA	NA	NA	NA	5.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/09/10	NA	0.35	NA	NA	NA	NA	NA	4.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	04/16/10	NA	0.35	NA	NA	NA	NA	NA	5.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	05/06/10	NA	2.6	NA	NA	NA	NA	NA	5.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/6/10 (LAB DUP)	NA	2.6	NA	NA	NA	NA	NA	6.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	06/09/10	NA	3.9	NA	NA	NA	NA	NA	5.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/9/10 (LAB DUP)	NA	3.9	NA	NA	NA	NA	NA	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
07/06/10	NA	8.1	NA	NA	NA	NA	NA	5.6	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-12	03/03/11	3.81	NA	7.85	20.8	< 0.5	NA	102	9.80	NA	NA	NA	NA	0.244	0.0283	NA	NA	NA	
	06/22/11	2.51	NA	0.176	13.8	< 0.500	NA	176	47.7	NA	NA	NA	NA	56.4	0.734	NA	NA	NA	
	09/22/11	3.42	NA	< 0.100	12.1	< 0.500	NA	157	16.1	NA	NA	NA	3.2	34.7 J	0.187	NA	NA	NA	
	9/22/11 (DUP)	3.52	NA	< 0.100	11.6	< 0.500	NA	127	20.8	NA	NA	NA	NA	24.1 J	0.169	NA	NA	NA	
	12/07/11	3.75	NA	< 0.100	8.75	< 0.500	NA	159	16.0	NA	NA	NA	1.8	21.6	0.144	NA	NA	NA	
	03/07/12	2.82	NA	< 0.100	11.5	< 0.500	NA	190	13.5	NA	NA	NA	3.0	15.7	0.159	NA	NA	NA	
	3/7/12 (DUP)	2.81	NA	< 0.100	11.4	< 0.500	NA	186	14.7	NA	NA	NA	NA	15.8	0.172	NA	NA	NA	
	06/26/12	5.22	NA	< 0.100	9.52	< 0.500	NA	230	17.9	NA	NA	NA	NA	14.1	0.274	NA	NA	NA	
	10/02/12	4.98	NA	< 0.100	6.57	< 0.500	NA	201	20.0	NA	NA	NA	1.8	17.1	0.154	NA	NA	NA	
	12/19/12	5.22	NA	< 0.100	7.93	< 0.500	NA	199	15.1	NA	NA	NA	NA	16.4	0.181	NA	NA	NA	

Table B-3

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-12 (continued)	03/06/13	4.79	NA	<0.100	7.62	<0.500	NA	167	12.0	NA	NA	NA	3.8	14.6	0.143	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	11.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/25/13	NA	NA	NA	NA	NA	NA	NA	13.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-13	09/24/04	56.1	NA	<0.2	0.6	0.05	260	NA	40.3	1.40	37.1	NA	1.5	NA	NA	NA	NA	NA
	04/05/05	4.3	NA	<0.1	6.1	<0.01	50	NA	5.8	0.145	3.3	NA	2.4	NA	NA	NA	NA	NA
	09/14/06	NA	NA	<0.1	<0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/29/10	NA	0.45	NA	NA	NA	NA	NA	29	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/29/10 (LAB DUP)	NA	0.48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/07/10	NA	0.44	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/7/10 (LAB DUP)	NA	0.46	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.47	NA	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	<2.0	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	0.64	NA	NA	NA	NA	NA	34	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	0.66	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/03/11	42.2	NA	<0.1	0.253	<0.5	NA	242	47.1	NA	NA	NA	NA	33.7	1.87	NA	NA	NA
	3/3/11 (LAB DUP)	NA	NA	NA	NA	NA	NA	NA	48.3	NA	NA	NA	NA	34.4	1.84	NA	NA	NA
	06/23/11	32.1	NA	<0.1 J	0.894	<0.500	NA	274	72.0	NA	NA	NA	NA	54.3	2.67	NA	NA	NA
	09/22/11	39.4	NA	<0.1	0.563	<0.500	NA	264	63.5	NA	NA	NA	2.6	63.6	2.36	NA	NA	NA
	12/07/11	38.6	NA	<0.1	0.801	<0.500	NA	303	47.7	NA	NA	NA	4.9	49.8	2.09	NA	NA	NA
	03/07/12	35.1	NA	<0.100	<0.300	<0.500	NA	324	31.0	NA	NA	NA	5.0	49.6	1.77	NA	NA	NA
	06/27/12	32.7	NA	0.856	<0.300	<0.500	NA	306	31.0	NA	NA	NA	NA	45.0	1.89	NA	NA	NA
10/02/12	29.6	NA	<0.100	0.630	<0.500	NA	292	19.6	NA	NA	NA	1.9	32.3	1.38	NA	NA	NA	
12/19/12	30	NA	<0.100	0.788	<0.500	NA	267	20.2	NA	NA	NA	NA	38.4	1.35	NA	NA	NA	
03/07/13	28.6	NA	<0.100	<0.300	<0.500	NA	386	15.8	NA	NA	NA	1.8	38.1	1.39	NA	NA	NA	
06/06/13	NA	NA	NA	NA	NA	NA	NA	16.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	
09/25/13	NA	NA	NA	NA	NA	NA	NA	11.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-14	09/24/04	6.2	NA	<0.2	<0.2	<0.01	240	NA	11.8	1.12	32.7	NA	2.0	NA	NA	NA	NA	
	04/05/05	6.3	NA	<0.1	<0.2	<0.01	215	NA	12.8	1.24	35.7	NA	1.8	NA	NA	NA	NA	
MW-15	09/24/04	6.6	NA	<0.2	<0.2	<0.01	240	NA	7.9	1.33	34.8	NA	1.6	NA	NA	NA	NA	
	04/05/05	7.5	NA	<0.1	<0.2	<0.01	190	NA	8.0	1.41	35.9	NA	2.0	NA	NA	NA	NA	
	09/13/06	NA	NA	<0.1	<0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-16	09/23/04	33.5	NA	<0.2	8.1	<0.01	420	NA	24.1	3.71	108	NA	2.0	NA	NA	NA	NA	
	04/05/05	36.2	NA	<0.1	1.1	<0.01	295	NA	23.6	3.92	114	NA	2.2	NA	NA	NA	NA	
MW-17	09/23/04	49.7	NA	<0.2	<0.2	<0.01	1,320	NA	32.9	1.77	55.7	NA	2.4	NA	NA	NA	NA	
	9/23/04 (DUP)	46.9	NA	<0.2	<0.2	NA	NA	NA	32.8	1.75	54.9	NA	NA	NA	NA	NA	NA	
	04/05/05	50.0	NA	<0.1	<0.2	<0.01	230	NA	32.7	0.92	40.1	NA	2.5	NA	NA	NA	NA	
	09/12/06	NA	NA	<0.1	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	03/07/11	49.4	NA	<0.1	0.240	<0.5	NA	707	34.8	NA	NA	NA	NA	50.3	2.18	34.1	13.5	
	3/7/11 (LAB DUP)	49.5	NA	<0.1	0.239	<0.5	NA	691	34.7	NA	NA	NA	NA	50.8	2.16	37.0	15.7	
	06/23/11	51.8	NA	1.23 J	0.888	<0.500	NA	574	31.9	NA	NA	NA	NA	38.7	1.47	37.0	15.7	
	09/23/11	51.1	NA	<0.1	0.627	<0.500	NA	436	25.1	NA	NA	NA	2.8	37.4	1.11	NA	NA	
	03/08/12	56.7	NA	0.130	0.312	<0.500	NA	582	41.8	NA	NA	NA	2.0	51.6	1.44	NA	NA	
	06/27/12	64.6	NA	1.34	0.335	<0.500	NA	597	37.1	NA	NA	NA	NA	54.3	1.87	NA	NA	
	10/01/12	49.6	NA	<0.100	0.622	<0.500	NA	536	32.5	NA	NA	NA	3.0	24.7	0.843	NA	NA	
	12/19/12	54.7	NA	0.601	0.743	<0.500	NA	582	42.6	NA	NA	NA	NA	58.4	1.98	NA	NA	
	03/07/13	64.3	NA	0.103	<0.300	<0.500	NA	445	30.5	NA	NA	NA	5.6	48.0	1.26	NA	NA	
06/06/13	NA	NA	NA	NA	NA	NA	NA	32.3	NA	NA	NA	NA	NA	NA	NA	NA		
09/26/13	NA	NA	NA	NA	NA	NA	NA	29.7	NA	NA	NA	NA	NA	NA	NA	NA		
MW-18	09/23/04	8.7	NA	<0.2	<0.2	<0.01	380	NA	17.1	1.64	54.4	NA	2.3	NA	NA	NA	NA	
	04/05/05	8.9	NA	<0.1	<0.2	<0.01	295	NA	17.7	1.62	50.2	NA	2.4	NA	NA	NA	NA	
	4/5/05 (DUP)	8.8	NA	<0.1	<0.2	NA	NA	NA	17.2	1.61	50.0	NA	NA	NA	NA	NA	NA	
	03/04/11	16.1	NA	<0.1	0.227	<0.5	NA	264	16.1	NA	NA	NA	NA	38.4	1.94	18.5	24.2	
	3/4/11 (LAB DUP)	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
06/23/11	8.58	NA	0.138 J	NA	<0.500	NA	262	17.9	NA	NA	NA	NA	39.8	1.81	NA	NA		
09/22/11	10.6	NA	<0.100	0.580	<0.500	NA	243	13.0	NA	NA	NA	3.6	45.7	1.62	NA	NA		

Table B-3

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)				TDS
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-18 (continued)	03/07/12	28.1	NA	< 0.100	1.65	< 0.500	NA	248	18.8	NA	NA	NA	3.6	51.2	1.58	NA	NA	NA
	06/27/12	13.4	NA	0.835	< 0.300	< 0.500	NA	329	20.0	NA	NA	NA	49.6	2.16	NA	NA	NA	
	10/01/12	16.6	NA	0.113	1.10	< 0.500	NA	320	21.9	NA	NA	0.6	39.7	1.37	NA	NA	NA	
	12/19/12	13.8	NA	< 0.100	0.750	< 0.500	NA	292	21.2	NA	NA	NA	46.6	1.54	NA	NA	NA	
	12/19/12 (DUP)	13.4	NA	0.123	0.769	< 0.500	NA	295	20.4	NA	NA	NA	45.6	1.50	NA	NA	NA	
	03/05/13	9.75	NA	< 0.100	0.889	< 0.500	NA	318	17.8	NA	NA	NA	2.8	37.0	1.22	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	18.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/26/13	NA	NA	NA	NA	NA	NA	NA	> 20.0 E	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-19	09/23/04	23.0	NA	< 0.2	0.3	< 0.01	340	NA	19.2	1.44	64.0	NA	1.8	NA	NA	NA	NA	NA
	04/05/05	18.9	NA	< 0.100	3.7	< 0.01	250	NA	19.9	1.31	65.8	NA	2.6	NA	NA	NA	NA	NA
	06/27/12	15.4	NA	< 0.100	0.82	< 0.500	NA	255	16.1	1.31	65.8	NA	NA	52.5	1.5	NA	NA	NA
	12/19/12	18.4	NA	< 0.100	1.23	< 0.500	NA	232	15.7	NA	NA	NA	1.8	44.4	1.14	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	16.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/6/13 (DUP)	NA	NA	NA	NA	NA	NA	NA	16.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-20	09/20/05	50.7	NA	< 0.1	1.4	< 0.01	355	NA	29.1	3.60	88	NA	2.2	NA	NA	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	25.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-21	09/14/06	NA	NA	< 0.1	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/14/06 (DUP)	NA	NA	< 0.1	3.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/26/10	NA	< 0.1	NA	NA	NA	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/07/10	NA	20	NA	NA	NA	NA	NA	2,400	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.59	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	2.7	NA	NA	NA	NA	NA	69	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/6/10 (DUP)	NA	2.6	NA	NA	NA	NA	NA	67	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	8.5	NA	NA	NA	NA	NA	82	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	8.4	NA	NA	NA	NA	NA	150	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/02/11	71.8	NA	< 0.1	0.245	< 0.5	NA	268	124	NA	NA	NA	NA	60.6	3.05	NA	NA	NA
	3/2/11 (DUP)	72.1	NA	< 0.1	0.210	< 0.5	NA	259	120	NA	NA	NA	NA	58.3	3.01	NA	NA	NA
	3/2/11 (LAB DUP)	NA	NA	NA	NA	< 0.5	NA	NA	122	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/23/11	70.5	NA	0.830 J	0.912	< 0.500	NA	270	136	NA	NA	NA	NA	81.0	3.36	NA	NA	NA
	6/23/11 (DUP)	70.3	NA	0.146 J	0.897	< 0.500	NA	281	137	NA	NA	NA	NA	79.6	3.51	NA	NA	NA
	09/22/11	66.5	NA	< 0.1	0.577	< 0.500	NA	312	366	NA	NA	NA	3.6	96.8	3.35	NA	NA	NA
	12/07/11	72.5	NA	< 0.1	0.768	< 0.500	NA	334	386	NA	NA	NA	2.0	93.6	3.39	NA	NA	NA
	03/08/12	67.5	NA	< 0.100	< 0.100 J	< 0.500	NA	318	455	NA	NA	NA	2.0	123	3.55	NA	NA	NA
	06/26/12	68.2	NA	0.871	< 0.300	< 0.500	NA	346	399	NA	NA	NA	NA	117	4.09	NA	NA	NA
	10/01/12	70.3	NA	< 0.100	0.524	< 0.500	NA	328	313	NA	NA	NA	2.6	108	2.48	NA	NA	NA
	10/1/12 (DUP)	71.2	NA	< 0.100	0.535	< 0.500	NA	339	330	NA	NA	NA	NA	115	2.65	NA	NA	NA
12/20/12	62.0	NA	< 0.100	0.797	< 0.500	NA	405	33.5	NA	NA	NA	NA	104	2.69	NA	NA	NA	
03/06/13	57.6	NA	< 0.100	1.13	< 0.500	NA	353	186	NA	NA	NA	3.7	102	2.69	NA	NA	NA	
06/06/13	NA	NA	NA	NA	NA	NA	NA	111	NA	NA	NA	NA	NA	NA	NA	NA	NA	
09/25/13	NA	NA	NA	NA	NA	NA	NA	67.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-22	09/14/06	NA	NA	0.4	49.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/04/11	45.0	NA	< 0.1	0.260	< 0.5	NA	252	19.9	NA	NA	NA	NA	52.8	2.50	NA	NA	NA
	06/23/11	34.6	NA	1.10 J	< 0.1	< 0.500	NA	306	21.5	NA	NA	NA	77.2	3.36	NA	NA	NA	
	09/23/11	34.2	NA	< 0.1	0.591	< 0.500	NA	262	35.1	NA	NA	NA	3.0	75.3	2.64	NA	NA	NA
	12/07/11	35.8	NA	< 0.1	< 0.1	< 0.500	NA	290	50.9	NA	NA	NA	4.2	59.7	2.21	NA	NA	NA
	03/08/12	32.4	NA	< 0.1	< 0.1	< 0.500	NA	282	39.6	NA	NA	NA	6.0	66.8	1.99	NA	NA	NA
	06/26/12	42.3	NA	0.737	< 0.300	< 0.500	NA	295	32.6	NA	NA	NA	NA	59.4	2.29	NA	NA	NA
	6/26/12 (DUP)	42.1	NA	0.707	< 0.300	< 0.500	NA	303	32.4	NA	NA	NA	NA	61.0	2.25	NA	NA	NA
	10/02/12	37.2	NA	< 0.100	0.622	< 0.500	NA	367	24.7	NA	NA	NA	2.0	62.4	1.92	NA	NA	NA
	12/19/12	30.5	NA	< 0.100	0.761	< 0.500	NA	369	18.3	NA	NA	NA	NA	68.8	2.05	NA	NA	NA
	03/06/13	31.1	NA	< 0.100	0.756	< 0.500	NA	347	15.1	NA	NA	NA	3.8	66.0	2.02	NA	NA	NA
	06/06/13	NA	NA	NA	NA	NA	NA	NA	17.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/25/13	NA	NA	NA	NA	NA	NA	NA	11.7	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table B-3

General Chemistry Parameters in Groundwater  
Univar USA Inc. Facility, Kent, Washington

Sample Location	Date Collected	Anions (EPA Method 300.0)				Sulfide	Total Alkalinity		Total Organic Carbon	Total Manganese	Total Iron		Ferrous Iron	Dissolved Metals (EPA Method 200.8)			TDS	
		Chloride	Bromide	Nitrate as Nitrogen	Sulfate	Hach Method 8131 or SM 4500-S2-F	Hach Method AL AP MG-L	SM 2320B	EPA Method 415.1 or SM 5310B	EPA Method 6010A/6010B	EPA Method 6010A/6010B	Hach Method 8008	Hach Method 8146	Iron	Manganese	Sodium	Potassium	EPA Method 160.1
MW-23	09/13/06	NA	NA	< 0.1	29.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	03/02/11	15.7	NA	2.71	33.3	< 0.5	NA	140	9.86	NA	NA	NA	0.259	0.383	NA	NA	NA	
	06/22/11	27.0	NA	6.38	54.4	< 0.500	NA	144	8.94	NA	NA	NA	0.164	0.304	NA	NA	NA	
	09/23/11	23.0	NA	2.51	49.6 J	< 0.500	NA	173	7.94	NA	NA	3.0	0.321	0.476	NA	NA	NA	
	12/07/11	14.3	NA	1.21	30.1	< 0.500	NA	169	11.0	NA	NA	1.4	0.425	0.429	NA	NA	NA	
	03/07/12	25.9	NA	4.11	45.1	< 0.500	NA	150	11.4	NA	NA	NA	0.0	0.366	0.344	NA	NA	NA
	06/26/12	38.4	NA	6.34	58.6	< 0.500	NA	173	10.2	NA	NA	NA	0.37	0.417	NA	NA	NA	
	09/27/12	27.7	NA	1.96	42.3	< 0.500	NA	192	16.6	NA	NA	NA	2.0	1.27	0.470	NA	NA	NA
	12/19/12	15.3	NA	0.530	19.3	< 0.500	NA	177	20.2	NA	NA	NA	NA	0.681	0.558	NA	NA	NA
	03/05/13	22.4	NA	1.55	25.6	< 0.500	NA	200	16.5	NA	NA	NA	0.6	0.305	0.575	NA	NA	NA
06/06/13	NA	NA	NA	NA	NA	NA	NA	NA	9.86	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/24/13	NA	NA	NA	NA	NA	NA	NA	NA	16.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-24	03/26/10	NA	< 0.1	NA	NA	NA	NA	NA	27	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/07/10	NA	50	NA	NA	NA	NA	NA	2,200	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.46	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	58	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	6.3	NA	NA	NA	NA	NA	68	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	8.6	NA	NA	NA	NA	NA	74	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/6/10 (DUP)	NA	8.9	NA	NA	NA	NA	NA	72	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-25	03/29/10	NA	0.45	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/07/10	NA	0.43	NA	NA	NA	NA	NA	24	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.37	NA	NA	NA	NA	NA	23	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	26	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	1.2	NA	NA	NA	NA	NA	33	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	2.5	NA	NA	NA	NA	NA	43	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-26	04/01/10	NA	< 0.1	NA	NA	NA	NA	NA	3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/1/10 (LAB DUP)	NA	NA	NA	NA	NA	NA	NA	3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/09/10	NA	< 0.1	NA	NA	NA	NA	NA	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/16/10	NA	0.43	NA	NA	NA	NA	NA	3.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/06/10	NA	< 2.0	NA	NA	NA	NA	NA	4.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/09/10	NA	< 0.1	NA	NA	NA	NA	NA	4.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/06/10	NA	< 0.1	NA	NA	NA	NA	NA	7.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/6/10 (LAB DUP)	NA	< 0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
P-1	09/24/04	8.8	NA	< 0.2	< 0.2	< 0.01	220	NA	20.7	1.10	38.1	NA	2.0					NA
IW-206-8	10/04/12	NA	NA	NA	NA	NA	NA	NA	401	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-206-17	10/04/12	NA	NA	NA	NA	NA	NA	NA	275	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-209-8	10/04/12	NA	NA	NA	NA	NA	NA	NA	29.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-209-17	10/04/12	NA	NA	NA	NA	NA	NA	NA	28.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-137-28	10/04/12	NA	NA	NA	NA	NA	NA	NA	55.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-137-38	10/04/12	NA	NA	NA	NA	NA	NA	NA	49.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-212-8	10/05/12	NA	NA	NA	NA	NA	NA	NA	53.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-212-17	10/05/12	NA	NA	NA	NA	NA	NA	NA	42.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-217-8	10/05/12	NA	NA	NA	NA	NA	NA	NA	30.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-217-17	10/05/12	NA	NA	NA	NA	NA	NA	NA	30.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-130-27	10/05/12	NA	NA	NA	NA	NA	NA	NA	81.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-130-37	10/05/12	NA	NA	NA	NA	NA	NA	NA	86.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-115-27	10/08/12	NA	NA	NA	NA	NA	NA	NA	61.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-115-37	10/08/12	NA	NA	NA	NA	NA	NA	NA	55.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-106-37	10/08/12	NA	NA	NA	NA	NA	NA	NA	57.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-106-27	10/08/12	NA	NA	NA	NA	NA	NA	NA	60.0	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

All results in mg/L.

NA = not analyzed.

< = less than the method reporting limit shown.

DUP = duplicate sample collected in the field and blind labeled.

E = The result exceeded calibration curve.

LAB DUP = laboratory duplicate sample.

J = the associated numerical value is an estimated quantity based on data review or laboratory estimate.

TDS = Total Dissolved Solids

Table B-4

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-1	12/15/98	18,000	110	310
	03/02/99	15,000	75	270
	06/17/99	8,400	44	170
	09/17/99	14,000	83	230
	09/23/11	9,400	12	8.2
	03/08/12	15,000	18	34
	10/01/12	9,900	11	10
	03/06/13	14,000	16	34
09/25/13	16,000	12	10	
MW-2	12/15/98	13,000	1.1	0.5 U
	03/02/99	8,600	0.88	0.5 U
	06/16/99	13,000	1.0	0.5 U
	6/16/99 (DUP)	13,000	0.97	0.5 U
	09/16/99	17,000	1.2	0.5 U
MW-3	12/14/98	10,000	6.9	0.95
	03/03/99	5,700	9.3	1.2
	06/17/99	3,800	3.2	0.93
	09/17/99	4,300	6.8	0.88
MW-4	12/14/98	16,000	130	1,500
	03/03/99	10,000	110	730
	06/17/99	12,000	110	1,300
	09/17/99	14,000	150	1,000
	09/23/11	14,000	360	240
	03/08/12	18,000	360	500
	10/01/12	14,000	270	310
	03/06/13	16,000	240	89
09/26/13	15,000	400	14	
MW-5	12/15/98	0.5 U	0.5 U	0.5 U
	03/02/99	66	0.5 U	0.5 U
	06/16/99	7.8	0.5 U	0.5 U
	09/16/99	28	0.5 U	0.5 U
	9/16/99 (DUP)	26	0.5 U	0.5 U
	03/03/11	43	0.017 J	0.041
	06/22/11	550	0.010 J	0.053
	09/22/11	730	0.10	0.035
	03/07/12	4,100	0.20	0.17
	07/12/12	6,600	0.31	0.38
	09/27/12	6,200	0.33	0.16
	12/19/12	5,500	0.37 J	0.097 J
	03/06/13	6,700	0.40	0.13
	3/6/13 (DUP)	5,700	0.33	0.10
09/26/13	1,500	0.38	0.24	
9/26/13 (DUP)	1,700	0.38	0.27	

Table B-4

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-6	12/15/98	14,000	130	31
	03/02/99	9,800	94	15
	3/2/99 (DUP)	12,000	120	16
	06/16/99	11,000	100	10
	09/16/99	13,000	98	8.2
MW-7	12/14/98	1.9	0.5 U	0.5 U
	03/03/99	34	0.5 U	0.5 U
	06/17/99	7.9	0.5 U	0.5 U
	09/17/99	15	0.5 U	0.5 U
	03/02/11	0.18	0.025 U	0.026
	06/22/11	0.59	0.025 U	0.019 J
	09/22/11	8.2	0.025 U	0.046
	03/07/12	0.24	0.0032 J	0.016 J
	07/12/12	0.48	0.025 U	0.014 J
	09/27/12	28	0.0085 J	0.028
12/19/12	1,200	0.028 J	0.034 J	
03/05/13	200	0.052	0.029	
09/24/13	240	0.055	0.024 J	
MW-8	12/14/98	23	0.5 U	0.5 U
	12/14/98 (DUP)	25	0.5 U	0.5 U
	03/02/99	12	0.5 U	0.5 U
	06/16/99	5.2	0.5 U	0.5 U
	09/16/99	18	0.5 U	0.5 U
MW-12	03/03/11	3.1	0.017 J	0.20
	06/22/11	9.3	0.080	0.54
	09/22/11	1,000	0.15	4.3
	9/22/11 (DUP)	1,600	0.20	4.7
	9/22/11 (LAB DUP)	1,500	0.19	4.4
	03/07/12	4,000	0.88	0.67
	3/7/12 (DUP)	4,000	0.85	0.63
	07/12/12	13,000	1.2	3.1
	10/02/12	14,000	1.4	4.9
	12/19/12	7,500	0.78 J	6.8
03/06/13	11,000	1.1	7.1	
09/25/13	13,000	2.7	150	
MW-13	09/24/04	13,000	15	680
	04/05/05	520	1.9	27
	03/03/11	22,000	310	1,000
	06/23/11	17,000	280	510
	09/22/11	16,000	240	1,000
	03/07/12	29,000	540	440
	07/12/12	18,000	450	160
	10/02/12	22,000	450	29
	12/19/12	20,000	420	80
03/07/13	20,000	570	3.2	
09/25/13	19,000	410	230	

Table B-4

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-14	09/24/04	5,800	2.2	1.2
	04/05/05	5,900	0.41	0.55 U
MW-15	09/24/04	7,700	1.7	0.8 U
	04/05/05	6,500	1.5	0.55 U
MW-16	09/23/04	16,000	3.2	1.3
	04/05/05	17,000	3.7	2.0
MW-17	09/23/04	13,000	290	61
	9/23/04 (DUP)	13,000	290	60
	04/05/05	13,000	290	70
	03/07/11	21,000	470	21
	06/23/11	18,000	670	8.6
	09/22/11	19,000	530	12
	03/08/12	20,000	550	4.2
	07/12/12	16,000	580	14
	10/01/12	18,000	440	13
	12/19/12	18,000	520	7.6
MW-18	03/07/13	18,000	570	3.6
	09/26/13	20,000	390	3.6
	09/23/04	4,500	25	3.2
	04/05/05	4,800	16	1.5
	4/5/05 (DUP)	5,700	19	1.8
	03/04/11	10,000	260	67
	06/23/11	9,000	24	0.42
	09/22/11	8,000	20	0.19
	03/07/12	9,700	39	36
	07/12/12	10,000	100	35
10/01/12	750	2.0	0.98	
12/19/12	12,000	50	6.2	
03/05/13	11,000	22	0.18	
09/26/13	10,000	220	0.18	
MW-19	09/23/04	5,600	32	870
	04/05/05	5,400	40	97
	07/12/12	1,000	140	270
	12/19/12	18,000	230	520
	03/05/13	12,000	270	840
MW-20	09/20/05	13,000	240	10

Table B-4

**Dissolved Organic Gases in Groundwater  
Univar USA Inc. Facility, Kent, Washington**

Sample Location	Date Collected	Method AM20GAX (µg/L)		
		Methane	Ethane	Ethene
MW-21	03/02/11	17,000	140	1,600
	3/2/11 (DUP)	16,000	130	1,400
	06/23/11	18,000	100	1,400
	6/23/11 (DUP)	20,000	110	1,600
	09/22/11	21,000	120	1,500
	03/08/12	17,000	150	720
	07/12/12	14,000	94	970
	10/02/12	14,000	84	1,200
	10/02/12	12,000	73	1,100
	12/20/12	14,000	89	830
MW-22	03/06/13	18,000	96	1,200
	09/25/13	20,000	60	1,000
	03/04/11	16,000	880	940
	06/23/11	15,000	780	140
	09/23/11	18,000	1,100	220
	03/08/12	27,000	620	900
	07/12/12	18,000	470	860
	10/02/12	22,000	600	810
MW-23	12/19/12	24,000	640	120
	03/06/13	24,000	520	330
	09/25/13	23,000	430	290
	03/02/11	8.6	0.039	0.11
	06/22/11	4.4	0.016 J	0.042
	09/23/11	5.8	0.091	0.24
	03/07/12	160	0.21	0.05
	07/12/12	2,200	1.1	0.028
P-1	09/27/12	4,800	3.0	0.040
	12/19/12	670	0.35 J	0.044 J
	03/05/13	210	0.15	0.039
	09/24/13	97	0.070	0.026
P-1	09/24/04	5,100	3.0	0.8 U

## Notes:

Analyses prior to 2011 performed using Modified RSK Method 175.

Analyses from 2011 on performed using Microseeps Method AM20GAX.

µg/L = micrograms per liter

U = not detected, the associated value is the quantification limit.

J = estimated concentration between the method detection and reporting limits.

(DUP) = duplicate sample collected in the field and blind labeled.



Table B-5

**Groundwater Microbiological Test Results  
Univar USA Inc., Kent, Washington**

Sample Location	Date Collected	Dhc		vcrA		Dhb	
		(cells/L)	Percent Dhc	(gene copies/L)	Percent vcrA	(cells/L)	Percent Dhb
<b>MW-5 Area</b>							
MW-5	10/21/11	3 x 10 <sup>3</sup>	0.0007 - 0.002	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup> U	NA	–	–	4 x 10 <sup>4</sup>	0.007 - 0.02
	09/26/13	1 x 10 <sup>4</sup> J	0.003 - 0.008 J	2 x 10 <sup>4</sup> C	0.003 - 0.01	1 x 10 <sup>3</sup>	0.0002 - 0.0006
MW-7	10/20/11	1 x 10 <sup>3</sup> J	0.0004 - 0.001	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup> U	NA	–	–	2 x 10 <sup>3</sup> U	NA
	09/24/13	1 x 10 <sup>3</sup> J	0.0005 - 0.002 J	1 x 10 <sup>3</sup> U	NA	1 x 10 <sup>3</sup> U	NA
MW-12	10/21/11	7 x 10 <sup>5</sup>	0.04 - 0.1	2 x 10 <sup>5</sup>	0.01 - 0.04	2 x 10 <sup>5</sup>	0.01 - 0.04
	10/02/12	4 x 10 <sup>6</sup>	0.2 - 0.5	5 x 10 <sup>6</sup>	0.2 - 0.6	4 x 10 <sup>5</sup>	0.02 - 0.05
	09/25/13	4 x 10 <sup>7</sup>	4 - 12	2 x 10 <sup>7</sup>	2 - 7	1 X 10 <sup>6</sup>	0.2 - 0.5
MW-23	10/20/11	1 x 10 <sup>3</sup> J	0.0007 - 0.002	2 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/27/12	1 x 10 <sup>3</sup>	0.0002 - 0.0005	1 x 10 <sup>3</sup> U	NA	2 x 10 <sup>3</sup> U	NA
	09/24/13	1 x 10 <sup>3</sup> U	NA	–	–	1 x 10 <sup>3</sup> U	NA
IW-211	10/21/11	3 x 10 <sup>7</sup>	2 - 7	3 x 10 <sup>7</sup>	2 - 7	4 x 10 <sup>5</sup>	0.04 - 0.1
	10/02/12	2 x 10 <sup>9</sup>	4 - 12	2 x 10 <sup>9</sup>	5 - 15	3 x 10 <sup>5</sup>	0.0007 - 0.002
<b>MW-13/MW-21 Area</b>							
MW-13	10/20/11	5 x 10 <sup>7</sup>	3 - 10	4 x 10 <sup>7</sup>	3 - 9	2 x 10 <sup>5</sup>	0.01 - 0.04
	10/02/12	1 x 10 <sup>7</sup>	0.8 - 2	2 x 10 <sup>7</sup>	1 - 3	9 x 10 <sup>4</sup>	0.005 - 0.02
	09/25/13	4 x 10 <sup>6</sup> J	0.4 - 1 J	3 x 10 <sup>5</sup>	0.3 - 1	4 x 10 <sup>4</sup>	0.004 - 0.01
MW-21	10/20/11	4 x 10 <sup>7</sup>	6 - 16	4 x 10 <sup>7</sup>	5 - 14	2 x 10 <sup>6</sup>	0.3 - 0.8
	10/02/12	5 x 10 <sup>7</sup>	1 - 3	7 x 10 <sup>7</sup>	2 - 5	8 x 10 <sup>6</sup>	0.2 - 0.6
	09/25/13	1 x 10 <sup>8</sup>	5 - 14	9 x 10 <sup>7</sup>	4 - 11	3 x 10 <sup>5</sup>	0.01 - 0.04
MW-22	10/21/11	1 x 10 <sup>7</sup>	4 - 13	8 x 10 <sup>6</sup>	3 - 9	4 x 10 <sup>4</sup>	0.02 - 0.05
	10/02/12	3 x 10 <sup>7</sup>	3 - 8	6 x 10 <sup>7</sup>	5 - 14	3 x 10 <sup>4</sup>	0.003 - 0.008
	09/25/13	3 x 10 <sup>7</sup>	6 - 16	2 x 10 <sup>7</sup>	4 - 12	1 x 10 <sup>5</sup>	0.03 - 0.08
IW-117	10/20/11	5 x 10 <sup>5</sup>	0.02 - 0.06	5 x 10 <sup>5</sup>	0.02 - 0.06	4 x 10 <sup>4</sup>	0.002 - 0.005
	10/02/12	3 x 10 <sup>5</sup>	0.0005 - 0.002	2 x 10 <sup>6</sup> C	0.003 - 0.008	3 x 10 <sup>5</sup>	0.0005 - 0.002
IW-140	10/21/11	5 x 10 <sup>5</sup>	0.007 - 0.02	5 x 10 <sup>5</sup> C	0.008 - 0.02	3 x 10 <sup>5</sup>	0.004 - 0.01
	10/02/12	3 x 10 <sup>4</sup>	0.00009 - 0.0003	6 x 10 <sup>5</sup> C	0.002 - 0.005	7 x 10 <sup>4</sup>	0.0002 - 0.0006

## Notes:

Samples analyzed by SiREM using SiREM's Gene-Trac<sup>®</sup> qPCR method.

Dhc = *Dehalococcoides*; based on quantification of Dhc 16S ribosomal ribonucleic acid (rRNA) gene copies. Dhc are generally reported to contain one 16s rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.

vcrA = vinyl chloride reductase gene.

Dhb = *Dehalobacter*; based on quantification of Dhb 16S rRNA gene copies.

Percent Dhc, Dhb, and vcrA = percent Dhc or Dhb in the microbial population and the percent of the microbial population harboring the vcrA gene.

U = not detected, the associated value is the quantification limit.

J = estimated value

C = correction factor applied to correct for non-PCR amplification products.

– = not analyzed.

NA = not applicable as either not detected or quantifiable DNA not extracted from the sample.

Values of Dhc at or below 10<sup>4</sup> gene copies/L are low, indicating that the conditions are suboptimal for high rates of dechlorination.

Values of 10<sup>5</sup> - 10<sup>6</sup> Dhc gene copies/L are moderate and may or may not be associated with observable dechlorination activity.

Values at or above 10<sup>7</sup> Dhc gene copies/L are high and are often associated with high rates of dechlorination.

Values of 10<sup>7</sup> Dhc gene copies/L are generally the highest observed for groundwater samples with rare exceptions.

Table B-6

Groundwater Volatile Fatty Acids  
Univar Facility, Kent, Washington

Location	Date	Lactic Acid	Acetic Acid	Propionic Acid	Butyric Acid	Pyruvic Acid	i-Pentanoic Acid	Pentanoic Acid	i-Hexanoic Acid	Hexanoic Acid
MW-12	10/2/12	0.10 U	0.070 U	0.050 U	<b>0.055</b>	0.15 U	0.15 U	0.070 U	0.050 U	0.10 U
MW-13	10/2/12	0.10 U	<b>0.25</b>	0.050 U	0.050 U	0.15 U	0.15 U	0.070 U	0.050 U	0.10 U
MW-21	10/2/12	1.0 U	<b>380</b>	<b>56</b>	<b>30</b>	<b>8.1</b>	<b>0.74 J</b>	<b>5.6</b>	<b>0.54</b>	<b>2.5</b>
(dup)	10/2/12	1.0 U	<b>380</b>	<b>56</b>	<b>30</b>	<b>8.8</b>	<b>0.76 J</b>	<b>5.6</b>	<b>0.60</b>	<b>2.5</b>


Notes:

1. All results in mg/L; detections are shown in bold.
2. < = not detected at or above the method reporting limit.
3. J = result is an estimate based on laboratory quality control results or data quality review.
4. dup = duplicate sample.
5. All analyses performed by Microseeps, Inc., of Pittsburgh, PA, using Microseeps Method AM23G.

## **APPENDIX C**


### **ANALYTICAL DATA PLOTS OF CONSTITUENTS VERSUS TIME AND DISTANCE**

### Constituent vs Time Monitoring Well MW-1 Univar USA Inc., Kent, Washington



**Notes:**  
1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.  
2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-1 Univar USA Inc., Kent, Washington



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Constituent vs Time  
Monitoring Well MW-2  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-2  
Univar USA Inc., Kent, Washington**



Notes:

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-3 Univar USA Inc., Kent, Washington



- Notes:
- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
  - 2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.




**Constituent vs Time  
Monitoring Well MW-3  
Univar USA Inc., Kent, Washington**



Notes:  
1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.  
2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Constituent vs Time  
Monitoring Well MW-4  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-4 Univar USA Inc., Kent, Washington



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-5 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial shallow injection in March and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-5  
Univar USA Inc., Kent, Washington**



Notes:

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Constituent vs Time  
Monitoring Well MW-6  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-6  
Univar USA Inc., Kent, Washington**



Notes:

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

**Constituent vs Time  
Monitoring Well MW-7  
Univar USA Inc., Kent, Washington**




Notes:

- 1) Initial shallow injection in March and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.




**Constituent vs Time  
Monitoring Well MW-7  
Univar USA Inc., Kent, Washington**



Notes:

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-8 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial shallow injection in March and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-8 Univar USA Inc., Kent, Washington



**Notes:**


- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

### Constituent vs Time Monitoring Well MW-9 Univar USA Inc., Kent, Washington



- Notes:
- 1) Initial shallow injection in March and May 2011.
  - 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
  - 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-9  
Univar USA Inc., Kent, Washington**



Notes:

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-10 Univar USA Inc., Kent, Washington



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-10 Univar USA Inc., Kent, Washington



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

### Constituent vs Time Monitoring Well MW-12 Univar USA Inc., Kent, Washington




**Notes:**

- 1) Initial shallow injection in March and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.




### Constituent vs Time Monitoring Well MW-12 Univar USA Inc., Kent, Washington



**Notes:**


- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

### Constituent vs Time Monitoring Well MW-23 Univar USA Inc., Kent, Washington



Notes:  
1) Initial shallow injection in March and May 2011.  
2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.  
3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-23 Univar USA Inc., Kent, Washington



**Notes:**

- 1) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 2) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-13 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-13 Univar USA Inc., Kent, Washington



**Notes:**


- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

### Constituent vs Time Monitoring Well MW-14 Univar USA Inc., Kent, Washington



- Notes:**
- 1) Initial deep injection in April and May 2011.
  - 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
  - 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-14 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

**Constituent vs Time  
Monitoring Well MW-15  
Univar USA Inc., Kent, Washington**




**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.




### Constituent vs Time Monitoring Well MW-15 Univar USA Inc., Kent, Washington



- Notes:
- 1) Initial deep injection in April and May 2011.
  - 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
  - 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Constituent vs Time  
Monitoring Well MW-16  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-16  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-17 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-17 Univar USA Inc., Kent, Washington



**Notes:**


- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

### Constituent vs Time Monitoring Well MW-18 Univar USA Inc., Kent, Washington



- Notes:**
- 1) Initial deep injection in April and May 2011.
  - 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
  - 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-18 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.

**Constituent vs Time  
Monitoring Well MW-19  
Univar USA Inc., Kent, Washington**




**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.




**Constituent vs Time  
Monitoring Well MW-19  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-20 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-20 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points .
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


### Constituent vs Time Monitoring Well MW-21 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


**Constituent vs Time  
Monitoring Well MW-21  
Univar USA Inc., Kent, Washington**



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Constituent vs Time  
Monitoring Well MW-22  
Univar USA Inc., Kent, Washington**



Notes:

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: PCE = 0.86 µg/L, TCE = 4.0 µg/L, cDCE = 70 µg/L, and Vinyl Chloride = 0.5 µg/L.


### Constituent vs Time Monitoring Well MW-22 Univar USA Inc., Kent, Washington



**Notes:**

- 1) Initial deep injection in April and May 2011.
- 2) All results that were not detected at the lowest reported limit (MDL or MRL) are shown as hollow data points.
- 3) Final Site Cleanup Levels: TCA = 200 µg/L, 1,1-DCA = 800 µg/L, 1,1-DCE = 7 µg/L, and Chloroethane = 15 µg/L.


**Concentrations of Chloroethanes versus Distance from Deep Treatment Area**  
**October 2012**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**



- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.




**Concentrations of Chloroethanes versus Distance from Deep Treatment Area**  
**December 2012**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**




- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chloroethanes versus Distance from Deep Treatment Area**  
**March 2013**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**




- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chloroethanes versus Distance from Deep Treatment Area**  
**June 2013**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**



- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.


**Concentrations of Chloroethanes versus Distance from Deep Treatment Area  
September 2013  
Univar USA Inc., 8201 S 212th Street, Kent, Washington**



**Notes:**


- 1) MW-15 located upgradient of deep source treatment area.
- 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chlorinated Ethenes versus Distance from Deep Treatment Area**  
**October 2012**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**




- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chlorinated Ethenes versus Distance from Deep Treatment Area**  
**December 2012**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**




- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chlorinated Ethenes versus Distance from Deep Treatment Area**  
**March 2013**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**



- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**Concentrations of Chlorinated Ethenes versus Distance from Deep Treatment Area**  
**June 2013**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**




Notes:

- 1) MW-15 located upgradient of deep source treatment area.
- 2) Non-detect results below the MRLs are shown as hollow data points.



**Concentrations of Chlorinated Ethenes versus Distance from Deep Treatment Area**  
**September 2013**  
**Univar USA Inc., 8201 S 212th Street, Kent, Washington**

MW-20



- Notes:
- 1) MW-15 located upgradient of deep source treatment area.
  - 2) Non-detect results below the MRLs are shown as hollow data points.

**APPENDIX D**

**GROUNDWATER SAMPLING FIELD FORMS,  
ANALYTICAL LAB REPORTS,  
AND DATA VALIDATION REPORTS**

**GROUNDWATER SAMPLING FIELD FORMS,  
ANALYTICAL LAB REPORTS,  
AND DATA VALIDATION REPORTS**

**(LOCATED ON CD IN BACK COVER)**