

Date	Well ID	Gradient	Parameter	Concentration	Qualifier	Units
1/1/1994	MW-1	u	Ammonia-N	0.11		mg/L
4/1/1994	MW-1	u	Ammonia-N	0.089		mg/L
7/1/1994	MW-1	u	Ammonia-N	0.15		mg/L
1/1/1995	MW-1	u	Ammonia-N	0.039		mg/L
7/1/1995	MW-1	u	Ammonia-N	0.11		mg/L
1/1/1996	MW-1	u	Ammonia-N	0.12		mg/L
4/1/1996	MW-1	u	Ammonia-N	0.1		mg/L
1/1/1997	MW-1	u	Ammonia-N	0.016		mg/L
4/1/1997	MW-1	u	Ammonia-N	0.18		mg/L
1/1/1998	MW-1	u	Ammonia-N	0.12		mg/L
10/28/1998	MW-1	u	Ammonia-N	0.12		mg/L
5/20/1999	MW-1	u	Ammonia-N	0.13		mg/L
11/30/1999	MW-1	u	Ammonia-N	0.13		mg/L
6/8/2000	MW-1	u	Ammonia-N	0.14		mg/L
12/7/2000	MW-1	u	Ammonia-N	0.13		mg/L
2/7/2002	MW-1	u	Ammonia-N	0.13		mg/L
5/2/2002	MW-1	u	Ammonia-N	0.15		mg/L
1/28/2003	MW-1	u	Ammonia-N	0.11		mg/L
4/22/2003	MW-1	u	Ammonia-N	0.14		mg/L
1/20/2004	MW-1	u	Ammonia-N	0.084		mg/L
4/22/2004	MW-1	u	Ammonia-N	0.082		mg/L
1/27/2005	MW-1	u	Ammonia-N	0.101		mg/L
4/21/2005	MW-1	u	Ammonia-N	0.106		mg/L
1/30/2006	MW-1	u	Ammonia-N	0.076		mg/L
4/24/2006	MW-1	u	Ammonia-N	0.1		mg/L
2/23/2007	MW-1	u	Ammonia-N	0.093		mg/L
2/19/2008	MW-1	u	Ammonia-N	0.102		mg/L
3/4/2009	MW-1	u	Ammonia-N	0.059		mg/L
2/23/2010	MW-1	u	Ammonia-N	0.097		mg/L
3/8/2011	MW-1	u	Ammonia-N	0.092		mg/L
3/27/2012	MW-1	u	Ammonia-N	0.067		mg-N/L
1/1/1994	MW-1	u	Calcium, Dissolved	125		mg/L
4/1/1994	MW-1	u	Calcium, Dissolved	120		mg/L
7/1/1994	MW-1	u	Calcium, Dissolved	144		mg/L
1/1/1995	MW-1	u	Calcium, Dissolved	126		mg/L
7/1/1995	MW-1	u	Calcium, Dissolved	144		mg/L
1/1/1996	MW-1	u	Calcium, Dissolved	145		mg/L
4/1/1996	MW-1	u	Calcium, Dissolved	150		mg/L
1/1/1997	MW-1	u	Calcium, Dissolved	133		mg/L
4/1/1997	MW-1	u	Calcium, Dissolved	150		mg/L
1/1/1998	MW-1	u	Calcium, Dissolved	145		mg/L
10/28/1998	MW-1	u	Calcium, Dissolved	158		mg/L
5/20/1999	MW-1	u	Calcium, Dissolved	148		mg/L
11/30/1999	MW-1	u	Calcium, Dissolved	158		mg/L
6/8/2000	MW-1	u	Calcium, Dissolved	144		mg/L
12/7/2000	MW-1	u	Calcium, Dissolved	154		mg/L
2/7/2002	MW-1	u	Calcium, Dissolved	122		mg/L
5/2/2002	MW-1	u	Calcium, Dissolved	125		mg/L
1/28/2003	MW-1	u	Calcium, Dissolved	130		mg/L
4/22/2003	MW-1	u	Calcium, Dissolved	116		mg/L
1/20/2004	MW-1	u	Calcium, Dissolved	124		mg/L

4/22/2004	MW-1	u	Calcium, Dissolved	125	mg/L
1/27/2005	MW-1	u	Calcium, Dissolved	130	mg/L
4/21/2005	MW-1	u	Calcium, Dissolved	129	mg/L
1/30/2006	MW-1	u	Calcium, Dissolved	138	mg/L
4/24/2006	MW-1	u	Calcium, Dissolved	128	mg/L
2/23/2007	MW-1	u	Calcium, Dissolved	130	mg/L
2/19/2008	MW-1	u	Calcium, Dissolved	132	mg/L
3/4/2009	MW-1	u	Calcium, Dissolved	138	mg/L
2/23/2010	MW-1	u	Calcium, Dissolved	141	mg/L
3/8/2011	MW-1	u	Calcium, Dissolved	128	mg/L
3/27/2012	MW-1	u	Calcium, Dissolved	122	mg/L
1/1/1994	MW-1	u	Chloride	3	mg/L
4/1/1994	MW-1	u	Chloride	2.4	mg/L
7/1/1994	MW-1	u	Chloride	2.7	mg/L
1/1/1995	MW-1	u	Chloride	2.6	mg/L
7/1/1995	MW-1	u	Chloride	3.2	mg/L
1/1/1996	MW-1	u	Chloride	2.7	mg/L
4/1/1996	MW-1	u	Chloride	3.1	mg/L
1/1/1997	MW-1	u	Chloride	3.1	mg/L
4/1/1997	MW-1	u	Chloride	2.6	mg/L
1/1/1998	MW-1	u	Chloride	2.6	mg/L
10/28/1998	MW-1	u	Chloride	2.9	mg/L
5/20/1999	MW-1	u	Chloride	2.3	mg/L
11/30/1999	MW-1	u	Chloride	3.1	mg/L
6/8/2000	MW-1	u	Chloride	4.2	mg/L
12/7/2000	MW-1	u	Chloride	2.4	mg/L
2/7/2002	MW-1	u	Chloride	3.2	mg/L
5/2/2002	MW-1	u	Chloride	3.6	mg/L
1/28/2003	MW-1	u	Chloride	4.4	mg/L
4/22/2003	MW-1	u	Chloride	3.7	mg/L
1/20/2004	MW-1	u	Chloride	3.1	mg/L
4/22/2004	MW-1	u	Chloride	3.2	mg/L
1/27/2005	MW-1	u	Chloride	3	mg/L
4/21/2005	MW-1	u	Chloride	3	mg/L
1/30/2006	MW-1	u	Chloride	3.3	mg/L
4/24/2006	MW-1	u	Chloride	3.3	mg/L
2/23/2007	MW-1	u	Chloride	3.5	mg/L
2/19/2008	MW-1	u	Chloride	3.1	mg/L
3/4/2009	MW-1	u	Chloride	3.3	mg/L
2/23/2010	MW-1	u	Chloride	3.3	mg/L
3/8/2011	MW-1	u	Chloride	2.9	mg/L
3/27/2012	MW-1	u	Chloride	3.8	mg/L
1/1/1994	MW-1	u	COD	5 U	mg/L
4/1/1994	MW-1	u	COD	5 U	mg/L
7/1/1994	MW-1	u	COD	5 U	mg/L
1/1/1995	MW-1	u	COD	5 U	mg/L
7/1/1995	MW-1	u	COD	9.1	mg/L
1/1/1996	MW-1	u	COD	5 U	mg/L
4/1/1996	MW-1	u	COD	22	mg/L
1/1/1997	MW-1	u	COD	17	mg/L
4/1/1997	MW-1	u	COD	5 U	mg/L
1/1/1998	MW-1	u	COD	5 U	mg/L

10/28/1998 MW-1	u	COD	5 U	mg/L
5/20/1999 MW-1	u	COD	5 U	mg/L
11/30/1999 MW-1	u	COD	5 U	mg/L
6/8/2000 MW-1	u	COD	5.2	mg/L
12/7/2000 MW-1	u	COD	5 U	mg/L
2/7/2002 MW-1	u	COD	5 U	mg/L
5/2/2002 MW-1	u	COD	5 U	mg/L
1/28/2003 MW-1	u	COD	5 U	mg/L
4/22/2003 MW-1	u	COD	5 U	mg/L
1/20/2004 MW-1	u	COD	5 U	mg/L
4/22/2004 MW-1	u	COD	5 U	mg/L
1/27/2005 MW-1	u	COD	5 U	mg/L
4/21/2005 MW-1	u	COD	5 U	mg/L
1/30/2006 MW-1	u	COD	5 U	mg/L
4/24/2006 MW-1	u	COD	5 U	mg/L
2/23/2007 MW-1	u	COD	5 U	mg/L
2/19/2008 MW-1	u	COD	5 U	mg/L
3/4/2009 MW-1	u	COD	5 U	mg/L
2/23/2010 MW-1	u	COD	12.9 J	mg/L
3/8/2011 MW-1	u	COD	5 U	mg/L
3/27/2012 MW-1	u	COD	5 U	mg/L
1/1/1994 MW-1	u	Hardness	471	mg/L CaCO3
4/1/1994 MW-1	u	Hardness	460	mg/L CaCO3
7/1/1994 MW-1	u	Hardness	540	mg/L CaCO3
1/1/1995 MW-1	u	Hardness	480	mg/L CaCO3
7/1/1995 MW-1	u	Hardness	560	mg/L CaCO3
1/1/1996 MW-1	u	Hardness	560	mg/L CaCO3
4/1/1996 MW-1	u	Hardness	570	mg/L CaCO3
1/1/1997 MW-1	u	Hardness	520	mg/L CaCO3
4/1/1997 MW-1	u	Hardness	570	mg/L CaCO3
1/1/1998 MW-1	u	Hardness	550	mg/L CaCO3
10/28/1998 MW-1	u	Hardness	600	mg/L CaCO3
5/20/1999 MW-1	u	Hardness	550	mg/L CaCO3
11/30/1999 MW-1	u	Hardness	600	mg/L CaCO3
6/8/2000 MW-1	u	Hardness	540	mg/L CaCO3
12/7/2000 MW-1	u	Hardness	590	mg/L CaCO3
2/7/2002 MW-1	u	Hardness	460	mg/L CaCO3
5/2/2002 MW-1	u	Hardness	480	mg/L CaCO3
1/28/2003 MW-1	u	Hardness	490	mg/L CaCO3
4/22/2003 MW-1	u	Hardness	440	mg/L CaCO3
1/20/2004 MW-1	u	Hardness	470	mg/L CaCO3
4/22/2004 MW-1	u	Hardness	470	mg/L CaCO3
1/27/2005 MW-1	u	Hardness	480	mg/L CaCO3
4/21/2005 MW-1	u	Hardness	480	mg/L CaCO3
1/30/2006 MW-1	u	Hardness	520	mg/L CaCO3
4/24/2006 MW-1	u	Hardness	480	mg/L CaCO3
2/23/2007 MW-1	u	Hardness	480	mg/L CaCO3
2/19/2008 MW-1	u	Hardness	490	mg/L CaCO3
3/4/2009 MW-1	u	Hardness	520	mg/L CaCO3
2/23/2010 MW-1	u	Hardness	530	mg/L CaCO3
3/8/2011 MW-1	u	Hardness	480	mg/L CaCO3
3/27/2012 MW-1	u	Hardness	470	mg/L CaCO3

1/1/1994 MW-1	u	Iron, Dissolved	1.24	mg/L
4/1/1994 MW-1	u	Iron, Dissolved	1.2	mg/L
7/1/1994 MW-1	u	Iron, Dissolved	1.23	mg/L
1/1/1995 MW-1	u	Iron, Dissolved	1.07	mg/L
7/1/1995 MW-1	u	Iron, Dissolved	0.01 U	mg/L
1/1/1996 MW-1	u	Iron, Dissolved	1.12	mg/L
4/1/1996 MW-1	u	Iron, Dissolved	1.28	mg/L
1/1/1997 MW-1	u	Iron, Dissolved	1.22	mg/L
4/1/1997 MW-1	u	Iron, Dissolved	1.27	mg/L
1/1/1998 MW-1	u	Iron, Dissolved	1.27	mg/L
10/28/1998 MW-1	u	Iron, Dissolved	1.02	mg/L
5/20/1999 MW-1	u	Iron, Dissolved	1.26	mg/L
11/30/1999 MW-1	u	Iron, Dissolved	1.39	mg/L
6/8/2000 MW-1	u	Iron, Dissolved	1.3	mg/L
12/7/2000 MW-1	u	Iron, Dissolved	1.41	mg/L
2/7/2002 MW-1	u	Iron, Dissolved	0.76	mg/L
5/2/2002 MW-1	u	Iron, Dissolved	1.21	mg/L
1/28/2003 MW-1	u	Iron, Dissolved	1.19	mg/L
4/22/2003 MW-1	u	Iron, Dissolved	1.12	mg/L
1/20/2004 MW-1	u	Iron, Dissolved	1.24	mg/L
4/22/2004 MW-1	u	Iron, Dissolved	1.19	mg/L
1/27/2005 MW-1	u	Iron, Dissolved	1.24	mg/L
4/21/2005 MW-1	u	Iron, Dissolved	1.29	mg/L
1/30/2006 MW-1	u	Iron, Dissolved	1.19	mg/L
4/24/2006 MW-1	u	Iron, Dissolved	1.24	mg/L
2/23/2007 MW-1	u	Iron, Dissolved	1.43	mg/L
2/19/2008 MW-1	u	Iron, Dissolved	1.07	mg/L
3/4/2009 MW-1	u	Iron, Dissolved	1.14	mg/L
2/23/2010 MW-1	u	Iron, Dissolved	1.08	mg/L
3/8/2011 MW-1	u	Iron, Dissolved	1.17	mg/L
3/27/2012 MW-1	u	Iron, Dissolved	0.68	mg/L
1/1/1994 MW-1	u	Manganese, Dissolved	0.126	mg/L
4/1/1994 MW-1	u	Manganese, Dissolved	0.13	mg/L
7/1/1994 MW-1	u	Manganese, Dissolved	0.123	mg/L
1/1/1995 MW-1	u	Manganese, Dissolved	0.142	mg/L
7/1/1995 MW-1	u	Manganese, Dissolved	0.125	mg/L
1/1/1996 MW-1	u	Manganese, Dissolved	0.163	mg/L
4/1/1996 MW-1	u	Manganese, Dissolved	0.127	mg/L
1/1/1997 MW-1	u	Manganese, Dissolved	0.122	mg/L
4/1/1997 MW-1	u	Manganese, Dissolved	0.115	mg/L
1/1/1998 MW-1	u	Manganese, Dissolved	0.117	mg/L
10/28/1998 MW-1	u	Manganese, Dissolved	0.102	mg/L
5/20/1999 MW-1	u	Manganese, Dissolved	0.116	mg/L
11/30/1999 MW-1	u	Manganese, Dissolved	0.126	mg/L
6/8/2000 MW-1	u	Manganese, Dissolved	0.121	mg/L
12/7/2000 MW-1	u	Manganese, Dissolved	0.123	mg/L
2/7/2002 MW-1	u	Manganese, Dissolved	0.107	mg/L
5/2/2002 MW-1	u	Manganese, Dissolved	0.111	mg/L
1/28/2003 MW-1	u	Manganese, Dissolved	0.103	mg/L
4/22/2003 MW-1	u	Manganese, Dissolved	0.093	mg/L
1/20/2004 MW-1	u	Manganese, Dissolved	0.108	mg/L
4/22/2004 MW-1	u	Manganese, Dissolved	0.1	mg/L

1/27/2005 MW-1	u	Manganese, Dissolved	0.113	mg/L
4/21/2005 MW-1	u	Manganese, Dissolved	0.11	mg/L
1/30/2006 MW-1	u	Manganese, Dissolved	0.109	mg/L
4/24/2006 MW-1	u	Manganese, Dissolved	0.101	mg/L
2/23/2007 MW-1	u	Manganese, Dissolved	0.103	mg/L
2/19/2008 MW-1	u	Manganese, Dissolved	0.092	mg/L
3/4/2009 MW-1	u	Manganese, Dissolved	0.089	mg/L
2/23/2010 MW-1	u	Manganese, Dissolved	0.093	mg/L
3/8/2011 MW-1	u	Manganese, Dissolved	0.09	mg/L
3/27/2012 MW-1	u	Manganese, Dissolved	0.06	mg/L
1/1/1994 MW-1	u	Specific Conductivity	944	umhos/cm
4/1/1994 MW-1	u	Specific Conductivity	848	umhos/cm
7/1/1994 MW-1	u	Specific Conductivity	834	umhos/cm
1/1/1995 MW-1	u	Specific Conductivity	858	umhos/cm
7/1/1995 MW-1	u	Specific Conductivity	1152	umhos/cm
1/1/1996 MW-1	u	Specific Conductivity	931	umhos/cm
4/1/1996 MW-1	u	Specific Conductivity	998	umhos/cm
1/1/1997 MW-1	u	Specific Conductivity	934	umhos/cm
4/1/1997 MW-1	u	Specific Conductivity	945	umhos/cm
1/1/1998 MW-1	u	Specific Conductivity	1380	umhos/cm
10/28/1998 MW-1	u	Specific Conductivity	NA	umhos/cm
5/20/1999 MW-1	u	Specific Conductivity	957	umhos/cm
11/30/1999 MW-1	u	Specific Conductivity	1065	umhos/cm
6/8/2000 MW-1	u	Specific Conductivity	920	umhos/cm
12/7/2000 MW-1	u	Specific Conductivity	767.1	µmhos/cm
2/7/2002 MW-1	u	Specific Conductivity	829	umhos/cm
5/2/2002 MW-1	u	Specific Conductivity	930	umhos/cm
1/28/2003 MW-1	u	Specific Conductivity	287	umhos/cm
4/22/2003 MW-1	u	Specific Conductivity	775	umhos/cm
1/20/2004 MW-1	u	Specific Conductivity	881	umhos/cm
4/22/2004 MW-1	u	Specific Conductivity	782	umhos/cm
1/27/2005 MW-1	u	Specific Conductivity	939	umhos/cm
4/21/2005 MW-1	u	Specific Conductivity	833	umhos/cm
1/30/2006 MW-1	u	Specific Conductivity	912	umhos/cm
4/24/2006 MW-1	u	Specific Conductivity	807	umhos/cm
2/23/2007 MW-1	u	Specific Conductivity	886	umhos/cm
2/19/2008 MW-1	u	Specific Conductivity	915	µmhos/cm
3/4/2009 MW-1	u	Specific Conductivity	905	umhos/cm
2/23/2010 MW-1	u	Specific Conductivity	866	umhos/cm
3/8/2011 MW-1	u	Specific Conductivity	725	umhos/cm
3/27/2012 MW-1	u	Specific Conductivity	840	uS/cm
1/1/1994 MW-1	u	Sulfate	236	mg/L
4/1/1994 MW-1	u	Sulfate	197	mg/L
7/1/1994 MW-1	u	Sulfate	260	mg/L
1/1/1995 MW-1	u	Sulfate	240	mg/L
7/1/1995 MW-1	u	Sulfate	280	mg/L
1/1/1996 MW-1	u	Sulfate	270	mg/L
4/1/1996 MW-1	u	Sulfate	260	mg/L
1/1/1997 MW-1	u	Sulfate	280	mg/L
4/1/1997 MW-1	u	Sulfate	280	mg/L
1/1/1998 MW-1	u	Sulfate	270	mg/L
10/28/1998 MW-1	u	Sulfate	260	mg/L

5/20/1999 MW-1	u	Sulfate	250	mg/L
11/30/1999 MW-1	u	Sulfate	300	mg/L
6/8/2000 MW-1	u	Sulfate	270	mg/L
12/7/2000 MW-1	u	Sulfate	270	mg/L
2/7/2002 MW-1	u	Sulfate	280	mg/L
5/2/2002 MW-1	u	Sulfate	260	mg/L
1/28/2003 MW-1	u	Sulfate	230	mg/L
4/22/2003 MW-1	u	Sulfate	200	mg/L
1/20/2004 MW-1	u	Sulfate	220	mg/L
4/22/2004 MW-1	u	Sulfate	196	mg/L
1/27/2005 MW-1	u	Sulfate	257	mg/L
4/21/2005 MW-1	u	Sulfate	230	mg/L
1/30/2006 MW-1	u	Sulfate	269	mg/L
4/24/2006 MW-1	u	Sulfate	239	mg/L
2/23/2007 MW-1	u	Sulfate	254	mg/L
2/19/2008 MW-1	u	Sulfate	287	mg/L
3/4/2009 MW-1	u	Sulfate	259	mg/L
2/23/2010 MW-1	u	Sulfate	217	mg/L
3/8/2011 MW-1	u	Sulfate	273	mg/L
3/27/2012 MW-1	u	Sulfate	181	mg/L
1/1/1994 MW-1	u	TOC	0.09 U	mg/L
4/1/1994 MW-1	u	TOC	1.5 U	mg/L
7/1/1994 MW-1	u	TOC	1.5 U	mg/L
1/1/1995 MW-1	u	TOC	1.5 U	mg/L
7/1/1995 MW-1	u	TOC	1.5 U	mg/L
1/1/1996 MW-1	u	TOC	1.5 U	mg/L
4/1/1996 MW-1	u	TOC	1.5 U	mg/L
1/1/1997 MW-1	u	TOC	1.5 U	mg/L
4/1/1997 MW-1	u	TOC	2.8	mg/L
1/1/1998 MW-1	u	TOC	1.5 U	mg/L
10/28/1998 MW-1	u	TOC	1.5 U	mg/L
5/20/1999 MW-1	u	TOC	2.3	mg/L
11/30/1999 MW-1	u	TOC	1.5 U	mg/L
6/8/2000 MW-1	u	TOC	1.5 U	mg/L
12/7/2000 MW-1	u	TOC	1.5 U	mg/L
2/7/2002 MW-1	u	TOC	1.5 U	mg/L
5/2/2002 MW-1	u	TOC	1.5 U	mg/L
1/28/2003 MW-1	u	TOC	1.5 U	mg/L
4/22/2003 MW-1	u	TOC	1.5 U	mg/L
1/20/2004 MW-1	u	TOC	1.5 U	mg/L
4/22/2004 MW-1	u	TOC	1.74	mg/L
1/27/2005 MW-1	u	TOC	1.5 U	mg/L
4/21/2005 MW-1	u	TOC	1.5 U	mg/L
1/30/2006 MW-1	u	TOC	1.5 U	mg/L
4/24/2006 MW-1	u	TOC	1.5 U	mg/L
2/23/2007 MW-1	u	TOC	1.5 U	mg/L
2/19/2008 MW-1	u	TOC	1.5 U	mg/L
3/4/2009 MW-1	u	TOC	1.5 U	mg/L
2/23/2010 MW-1	u	TOC	1.5 UJ	mg/L
3/8/2011 MW-1	u	TOC	1.68	mg/L
3/27/2012 MW-1	u	TOC	2.06	mg/L
4/1/1994 MW-2	d	Ammonia-N	0.403	mg/L

4/1/1995 MW-2	d	Ammonia-N	0.46	mg/L
1/1/1996 MW-2	d	Ammonia-N	0.48	mg/L
1/1/1997 MW-2	d	Ammonia-N	0.083	mg/L
4/1/1997 MW-2	d	Ammonia-N	0.22	mg/L
1/1/1998 MW-2	d	Ammonia-N	0.55	mg/L
10/27/1998 MW-2	d	Ammonia-N	0.23	mg/L
5/20/1999 MW-2	d	Ammonia-N	0.63	mg/L
11/30/1999 MW-2	d	Ammonia-N	0.74	mg/L
6/8/2000 MW-2	d	Ammonia-N	0.48	mg/L
12/7/2000 MW-2	d	Ammonia-N	0.56	mg/L
2/7/2002 MW-2	d	Ammonia-N	0.7	mg/L
5/2/2002 MW-2	d	Ammonia-N	0.76	mg/L
1/28/2003 MW-2	d	Ammonia-N	0.77	mg/L
4/22/2003 MW-2	d	Ammonia-N	0.61	mg/L
1/20/2004 MW-2	d	Ammonia-N	0.57	mg/L
4/22/2004 MW-2	d	Ammonia-N	0.515	mg/L
1/27/2005 MW-2	d	Ammonia-N	0.415	mg/L
4/21/2005 MW-2	d	Ammonia-N	0.501	mg/L
1/30/2006 MW-2	d	Ammonia-N	0.35	mg/L
4/24/2006 MW-2	d	Ammonia-N	0.536	mg/L
2/23/2007 MW-2	d	Ammonia-N	0.725	mg/L
2/19/2008 MW-2	d	Ammonia-N	0.804	mg/L
3/4/2009 MW-2	d	Ammonia-N	0.563	mg/L
2/23/2010 MW-2	d	Ammonia-N	0.482	mg/L
3/11/2011 MW-2	d	Ammonia-N	0.51	mg/L
3/28/2012 MW-2	d	Ammonia-N	0.556	mg-N/L
4/1/1994 MW-2	d	Calcium, Dissolved	53	mg/L
4/1/1995 MW-2	d	Calcium, Dissolved	54.9	mg/L
1/1/1996 MW-2	d	Calcium, Dissolved	72	mg/L
1/1/1997 MW-2	d	Calcium, Dissolved	37.2	mg/L
4/1/1997 MW-2	d	Calcium, Dissolved	54.8	mg/L
1/1/1998 MW-2	d	Calcium, Dissolved	54.7	mg/L
10/27/1998 MW-2	d	Calcium, Dissolved	24	mg/L
5/20/1999 MW-2	d	Calcium, Dissolved	40.4	mg/L
11/30/1999 MW-2	d	Calcium, Dissolved	33.3	mg/L
6/8/2000 MW-2	d	Calcium, Dissolved	41.6	mg/L
12/7/2000 MW-2	d	Calcium, Dissolved	50.4	mg/L
2/7/2002 MW-2	d	Calcium, Dissolved	45.9	mg/L
5/2/2002 MW-2	d	Calcium, Dissolved	48.6	mg/L
1/28/2003 MW-2	d	Calcium, Dissolved	57.3	mg/L
4/22/2003 MW-2	d	Calcium, Dissolved	47	mg/L
1/20/2004 MW-2	d	Calcium, Dissolved	53.7	mg/L
4/22/2004 MW-2	d	Calcium, Dissolved	53.3	mg/L
1/27/2005 MW-2	d	Calcium, Dissolved	52.7	mg/L
4/21/2005 MW-2	d	Calcium, Dissolved	52.2	mg/L
1/30/2006 MW-2	d	Calcium, Dissolved	55.8	mg/L
4/24/2006 MW-2	d	Calcium, Dissolved	62.1	mg/L
2/23/2007 MW-2	d	Calcium, Dissolved	81.1	mg/L
2/19/2008 MW-2	d	Calcium, Dissolved	76.9	mg/L
3/4/2009 MW-2	d	Calcium, Dissolved	99.3	mg/L
2/23/2010 MW-2	d	Calcium, Dissolved	80.4	mg/L
3/11/2011 MW-2	d	Calcium, Dissolved	76.9	mg/L

3/28/2012 MW-2	d	Calcium, Dissolved	77.8	mg/L
4/1/1994 MW-2	d	Chloride	2.8	mg/L
4/1/1995 MW-2	d	Chloride	2.8	mg/L
1/1/1996 MW-2	d	Chloride	3.5	mg/L
1/1/1997 MW-2	d	Chloride	4	mg/L
4/1/1997 MW-2	d	Chloride	3.5	mg/L
1/1/1998 MW-2	d	Chloride	3.5	mg/L
10/27/1998 MW-2	d	Chloride	2.2	mg/L
5/20/1999 MW-2	d	Chloride	2.6	mg/L
11/30/1999 MW-2	d	Chloride	5.3	mg/L
6/8/2000 MW-2	d	Chloride	4.6	mg/L
12/7/2000 MW-2	d	Chloride	3.1	mg/L
2/7/2002 MW-2	d	Chloride	4.9	mg/L
5/2/2002 MW-2	d	Chloride	5	mg/L
1/28/2003 MW-2	d	Chloride	6.5	mg/L
4/22/2003 MW-2	d	Chloride	8.8	mg/L
1/20/2004 MW-2	d	Chloride	5.5	mg/L
4/22/2004 MW-2	d	Chloride	6.5	mg/L
1/27/2005 MW-2	d	Chloride	6.4	mg/L
4/21/2005 MW-2	d	Chloride	7.1	mg/L
1/30/2006 MW-2	d	Chloride	9.6	mg/L
4/24/2006 MW-2	d	Chloride	11.1	mg/L
2/23/2007 MW-2	d	Chloride	15.6	mg/L
2/19/2008 MW-2	d	Chloride	15.2	mg/L
3/4/2009 MW-2	d	Chloride	17.3	mg/L
2/23/2010 MW-2	d	Chloride	16.5	mg/L
3/11/2011 MW-2	d	Chloride	14.6	mg/L
3/28/2012 MW-2	d	Chloride	16.1	mg/L
4/1/1994 MW-2	d	COD	14.1	mg/L
4/1/1995 MW-2	d	COD	18	mg/L
1/1/1996 MW-2	d	COD	32	mg/L
1/1/1997 MW-2	d	COD	110	mg/L
4/1/1997 MW-2	d	COD	17	mg/L
1/1/1998 MW-2	d	COD	5 U	mg/L
10/27/1998 MW-2	d	COD	5 U	mg/L
5/20/1999 MW-2	d	COD	5 U	mg/L
11/30/1999 MW-2	d	COD	54	mg/L
6/8/2000 MW-2	d	COD	7.8	mg/L
12/7/2000 MW-2	d	COD	18	mg/L
2/7/2002 MW-2	d	COD	13	mg/L
5/2/2002 MW-2	d	COD	10	mg/L
1/28/2003 MW-2	d	COD	8.8	mg/L
4/22/2003 MW-2	d	COD	6.2	mg/L
1/20/2004 MW-2	d	COD	5 U	mg/L
4/22/2004 MW-2	d	COD	6.53	mg/L
1/27/2005 MW-2	d	COD	6.32	mg/L
4/21/2005 MW-2	d	COD	7.66	mg/L
1/30/2006 MW-2	d	COD	16.5	mg/L
4/24/2006 MW-2	d	COD	11.8	mg/L
2/23/2007 MW-2	d	COD	10.5	mg/L
2/19/2008 MW-2	d	COD	8.53	mg/L
3/4/2009 MW-2	d	COD	6.78	mg/L

2/23/2010 MW-2	d	COD	22.9 J	mg/L
3/11/2011 MW-2	d	COD	5 U	mg/L
3/28/2012 MW-2	d	COD	5 U	mg/L
4/1/1994 MW-2	d	Hardness	220	mg/L CaCO3
4/1/1995 MW-2	d	Hardness	230	mg/L CaCO3
1/1/1996 MW-2	d	Hardness	300	mg/L CaCO3
1/1/1997 MW-2	d	Hardness	150	mg/L CaCO3
4/1/1997 MW-2	d	Hardness	220	mg/L CaCO3
1/1/1998 MW-2	d	Hardness	220	mg/L CaCO3
10/27/1998 MW-2	d	Hardness	96	mg/L CaCO3
5/20/1999 MW-2	d	Hardness	170	mg/L CaCO3
11/30/1999 MW-2	d	Hardness	140	mg/L CaCO3
6/8/2000 MW-2	d	Hardness	170	mg/L CaCO3
12/7/2000 MW-2	d	Hardness	190	mg/L CaCO3
2/7/2002 MW-2	d	Hardness	190	mg/L CaCO3
5/2/2002 MW-2	d	Hardness	200	mg/L CaCO3
1/28/2003 MW-2	d	Hardness	240	mg/L CaCO3
4/22/2003 MW-2	d	Hardness	200	mg/L CaCO3
1/20/2004 MW-2	d	Hardness	220	mg/L CaCO3
4/22/2004 MW-2	d	Hardness	220	mg/L CaCO3
1/27/2005 MW-2	d	Hardness	210	mg/L CaCO3
4/21/2005 MW-2	d	Hardness	220	mg/L CaCO3
1/30/2006 MW-2	d	Hardness	220	mg/L CaCO3
4/24/2006 MW-2	d	Hardness	240	mg/L CaCO3
2/23/2007 MW-2	d	Hardness	330	mg/L CaCO3
2/19/2008 MW-2	d	Hardness	310	mg/L CaCO3
3/4/2009 MW-2	d	Hardness	410	mg/L CaCO3
2/23/2010 MW-2	d	Hardness	330	mg/L CaCO3
3/11/2011 MW-2	d	Hardness	320	mg/L CaCO3
3/28/2012 MW-2	d	Hardness	320	mg/L CaCO3
4/1/1994 MW-2	d	Iron, Dissolved	0.11	mg/L
4/1/1995 MW-2	d	Iron, Dissolved	0.35	mg/L
1/1/1996 MW-2	d	Iron, Dissolved	0.88	mg/L
1/1/1997 MW-2	d	Iron, Dissolved	1.88	mg/L
4/1/1997 MW-2	d	Iron, Dissolved	0.28	mg/L
1/1/1998 MW-2	d	Iron, Dissolved	0.88	mg/L
10/27/1998 MW-2	d	Iron, Dissolved	0.26	mg/L
5/20/1999 MW-2	d	Iron, Dissolved	1.06	mg/L
11/30/1999 MW-2	d	Iron, Dissolved	3.44	mg/L
6/8/2000 MW-2	d	Iron, Dissolved	1.34	mg/L
12/7/2000 MW-2	d	Iron, Dissolved	6.67	mg/L
2/7/2002 MW-2	d	Iron, Dissolved	0.15	mg/L
5/2/2002 MW-2	d	Iron, Dissolved	0.25	mg/L
1/28/2003 MW-2	d	Iron, Dissolved	0.27	mg/L
4/22/2003 MW-2	d	Iron, Dissolved	0.42	mg/L
1/20/2004 MW-2	d	Iron, Dissolved	0.65	mg/L
4/22/2004 MW-2	d	Iron, Dissolved	0.48	mg/L
1/27/2005 MW-2	d	Iron, Dissolved	0.36	mg/L
4/21/2005 MW-2	d	Iron, Dissolved	0.05 U	mg/L
1/30/2006 MW-2	d	Iron, Dissolved	0.33	mg/L
4/24/2006 MW-2	d	Iron, Dissolved	1.02	mg/L
2/23/2007 MW-2	d	Iron, Dissolved	1.37	mg/L

2/19/2008 MW-2	d	Iron, Dissolved	0.95	mg/L
3/4/2009 MW-2	d	Iron, Dissolved	0.89	mg/L
2/23/2010 MW-2	d	Iron, Dissolved	0.69	mg/L
3/11/2011 MW-2	d	Iron, Dissolved	0.66	mg/L
3/28/2012 MW-2	d	Iron, Dissolved	0.65	mg/L
4/1/1994 MW-2	d	Manganese, Dissolved	0.075	mg/L
4/1/1995 MW-2	d	Manganese, Dissolved	0.156	mg/L
1/1/1996 MW-2	d	Manganese, Dissolved	0.143	mg/L
1/1/1997 MW-2	d	Manganese, Dissolved	0.308	mg/L
4/1/1997 MW-2	d	Manganese, Dissolved	0.137	mg/L
1/1/1998 MW-2	d	Manganese, Dissolved	0.179	mg/L
10/27/1998 MW-2	d	Manganese, Dissolved	0.188	mg/L
5/20/1999 MW-2	d	Manganese, Dissolved	0.307	mg/L
11/30/1999 MW-2	d	Manganese, Dissolved	1.78	mg/L
6/8/2000 MW-2	d	Manganese, Dissolved	0.39	mg/L
12/7/2000 MW-2	d	Manganese, Dissolved	1.31	mg/L
2/7/2002 MW-2	d	Manganese, Dissolved	0.255	mg/L
5/2/2002 MW-2	d	Manganese, Dissolved	0.175	mg/L
1/28/2003 MW-2	d	Manganese, Dissolved	0.119	mg/L
4/22/2003 MW-2	d	Manganese, Dissolved	0.123	mg/L
1/20/2004 MW-2	d	Manganese, Dissolved	0.145	mg/L
4/22/2004 MW-2	d	Manganese, Dissolved	0.118	mg/L
1/27/2005 MW-2	d	Manganese, Dissolved	0.08	mg/L
4/21/2005 MW-2	d	Manganese, Dissolved	0.104	mg/L
1/30/2006 MW-2	d	Manganese, Dissolved	0.11	mg/L
4/24/2006 MW-2	d	Manganese, Dissolved	0.229	mg/L
2/23/2007 MW-2	d	Manganese, Dissolved	0.195	mg/L
2/19/2008 MW-2	d	Manganese, Dissolved	0.183	mg/L
3/4/2009 MW-2	d	Manganese, Dissolved	0.144	mg/L
2/23/2010 MW-2	d	Manganese, Dissolved	0.118	mg/L
3/11/2011 MW-2	d	Manganese, Dissolved	0.124	mg/L
3/28/2012 MW-2	d	Manganese, Dissolved	0.111	mg/L
4/1/1994 MW-2	d	Specific Conductivity	541	umhos/cm
4/1/1995 MW-2	d	Specific Conductivity	673	umhos/cm
1/1/1996 MW-2	d	Specific Conductivity	617	umhos/cm
1/1/1997 MW-2	d	Specific Conductivity	405	umhos/cm
4/1/1997 MW-2	d	Specific Conductivity	526	umhos/cm
1/1/1998 MW-2	d	Specific Conductivity	607	umhos/cm
10/27/1998 MW-2	d	Specific Conductivity	NA	umhos/cm
5/20/1999 MW-2	d	Specific Conductivity	507	umhos/cm
11/30/1999 MW-2	d	Specific Conductivity	439	umhos/cm
6/8/2000 MW-2	d	Specific Conductivity	450	umhos/cm
12/7/2000 MW-2	d	Specific Conductivity	531.9	umhos/cm
2/7/2002 MW-2	d	Specific Conductivity	NA	umhos/cm
5/2/2002 MW-2	d	Specific Conductivity	518	umhos/cm
1/28/2003 MW-2	d	Specific Conductivity	183	umhos/cm
4/22/2003 MW-2	d	Specific Conductivity	473	umhos/cm
1/20/2004 MW-2	d	Specific Conductivity	546	umhos/cm
4/22/2004 MW-2	d	Specific Conductivity	528	umhos/cm
1/27/2005 MW-2	d	Specific Conductivity	606	umhos/cm
4/21/2005 MW-2	d	Specific Conductivity	592	umhos/cm
1/30/2006 MW-2	d	Specific Conductivity	552	umhos/cm

4/24/2006	MW-2	d	Specific Conductivity		583	umhos/cm
2/23/2007	MW-2	d	Specific Conductivity		798	umhos/cm
2/19/2008	MW-2	d	Specific Conductivity		896	µmhos/cm
3/4/2009	MW-2	d	Specific Conductivity		956	umhos/cm
2/23/2010	MW-2	d	Specific Conductivity	NA		umhos/cm
3/11/2011	MW-2	d	Specific Conductivity		744	umhos/cm
3/28/2012	MW-2	d	Specific Conductivity		778	uS/cm
4/1/1994	MW-2	d	Sulfate		28.7	mg/L
4/1/1995	MW-2	d	Sulfate		68	mg/L
1/1/1996	MW-2	d	Sulfate		150	mg/L
1/1/1997	MW-2	d	Sulfate		33	mg/L
4/1/1997	MW-2	d	Sulfate		49	mg/L
1/1/1998	MW-2	d	Sulfate		32	mg/L
10/27/1998	MW-2	d	Sulfate		11	mg/L
5/20/1999	MW-2	d	Sulfate		16	mg/L
11/30/1999	MW-2	d	Sulfate		78	mg/L
6/8/2000	MW-2	d	Sulfate		19	mg/L
12/7/2000	MW-2	d	Sulfate		57	mg/L
2/7/2002	MW-2	d	Sulfate		12	mg/L
5/2/2002	MW-2	d	Sulfate		16	mg/L
1/28/2003	MW-2	d	Sulfate		12	mg/L
4/22/2003	MW-2	d	Sulfate		14	mg/L
1/20/2004	MW-2	d	Sulfate		14	mg/L
4/22/2004	MW-2	d	Sulfate		9.4	mg/L
1/27/2005	MW-2	d	Sulfate		11.4	mg/L
4/21/2005	MW-2	d	Sulfate		9.7	mg/L
1/30/2006	MW-2	d	Sulfate		15.2	mg/L
4/24/2006	MW-2	d	Sulfate		8.3	mg/L
2/23/2007	MW-2	d	Sulfate		14.2	mg/L
2/19/2008	MW-2	d	Sulfate		27.8	mg/L
3/4/2009	MW-2	d	Sulfate		25.4	mg/L
2/23/2010	MW-2	d	Sulfate		23.6	mg/L
3/11/2011	MW-2	d	Sulfate		21.1	mg/L
3/28/2012	MW-2	d	Sulfate		22.7	mg/L
4/1/1994	MW-2	d	TOC		1.89	mg/L
4/1/1995	MW-2	d	TOC		2.1	mg/L
1/1/1996	MW-2	d	TOC		4.8	mg/L
1/1/1997	MW-2	d	TOC		20	mg/L
4/1/1997	MW-2	d	TOC		5.8	mg/L
1/1/1998	MW-2	d	TOC		1.5 U	mg/L
10/27/1998	MW-2	d	TOC		2.8	mg/L
5/20/1999	MW-2	d	TOC		2	mg/L
11/30/1999	MW-2	d	TOC		13	mg/L
6/8/2000	MW-2	d	TOC		1.5 U	mg/L
12/7/2000	MW-2	d	TOC		7.4	mg/L
2/7/2002	MW-2	d	TOC		2.7	mg/L
5/2/2002	MW-2	d	TOC		2	mg/L
1/28/2003	MW-2	d	TOC		1.5 U	mg/L
4/22/2003	MW-2	d	TOC		1.8	mg/L
1/20/2004	MW-2	d	TOC		2.4	mg/L
4/22/2004	MW-2	d	TOC		2.65	mg/L
1/27/2005	MW-2	d	TOC		1.5 U	mg/L

4/21/2005 MW-2	d	TOC	1.64	mg/L
1/30/2006 MW-2	d	TOC	5.32	mg/L
4/24/2006 MW-2	d	TOC	3.43	mg/L
2/23/2007 MW-2	d	TOC	5.07	mg/L
2/19/2008 MW-2	d	TOC	3.91	mg/L
3/4/2009 MW-2	d	TOC	3.85	mg/L
2/23/2010 MW-2	d	TOC	4.47 J	mg/L
3/11/2011 MW-2	d	TOC	3.48	mg/L
3/28/2012 MW-2	d	TOC	3.59	mg/L
4/1/1995 MW-3	d	Ammonia-N	0.17	mg/L
1/1/1996 MW-3	d	Ammonia-N	0.21	mg/L
1/1/1997 MW-3	d	Ammonia-N	0.037	mg/L
2/7/2002 MW-3	d	Ammonia-N	1.2	mg/L
5/2/2002 MW-3	d	Ammonia-N	1.1	mg/L
1/28/2003 MW-3	d	Ammonia-N	0.92	mg/L
4/22/2003 MW-3	d	Ammonia-N	0.85	mg/L
1/20/2004 MW-3	d	Ammonia-N	0.64	mg/L
4/22/2004 MW-3	d	Ammonia-N	0.662	mg/L
1/27/2005 MW-3	d	Ammonia-N	0.701	mg/L
4/21/2005 MW-3	d	Ammonia-N	0.635	mg/L
1/30/2006 MW-3	d	Ammonia-N	0.385	mg/L
4/24/2006 MW-3	d	Ammonia-N	0.514	mg/L
2/22/2007 MW-3	d	Ammonia-N	0.426	mg/L
2/13/2008 MW-3	d	Ammonia-N	0.438	mg/L
3/4/2009 MW-3	d	Ammonia-N	0.285	mg/L
2/23/2010 MW-3	d	Ammonia-N	0.47	mg/L
3/8/2011 MW-3	d	Ammonia-N	0.426	mg/L
3/28/2012 MW-3	d	Ammonia-N	0.312	mg-N/L
4/1/1995 MW-3	d	Calcium, Dissolved	25.2	mg/L
1/1/1996 MW-3	d	Calcium, Dissolved	31.5	mg/L
1/1/1997 MW-3	d	Calcium, Dissolved	28.5	mg/L
2/7/2002 MW-3	d	Calcium, Dissolved	48.9	mg/L
5/2/2002 MW-3	d	Calcium, Dissolved	52.3	mg/L
1/28/2003 MW-3	d	Calcium, Dissolved	40.5	mg/L
4/22/2003 MW-3	d	Calcium, Dissolved	41.4	mg/L
1/20/2004 MW-3	d	Calcium, Dissolved	35.6	mg/L
4/22/2004 MW-3	d	Calcium, Dissolved	33.4	mg/L
1/27/2005 MW-3	d	Calcium, Dissolved	34.4	mg/L
4/21/2005 MW-3	d	Calcium, Dissolved	32.2	mg/L
1/30/2006 MW-3	d	Calcium, Dissolved	29.4	mg/L
4/24/2006 MW-3	d	Calcium, Dissolved	28.9	mg/L
2/22/2007 MW-3	d	Calcium, Dissolved	26.1	mg/L
2/13/2008 MW-3	d	Calcium, Dissolved	22	mg/L
3/4/2009 MW-3	d	Calcium, Dissolved	22.1	mg/L
2/23/2010 MW-3	d	Calcium, Dissolved	19.1	mg/L
3/8/2011 MW-3	d	Calcium, Dissolved	21.4	mg/L
3/28/2012 MW-3	d	Calcium, Dissolved	18.5	mg/L
4/1/1995 MW-3	d	Chloride	4.5	mg/L
1/1/1996 MW-3	d	Chloride	4.7	mg/L
1/1/1997 MW-3	d	Chloride	4.9	mg/L
2/7/2002 MW-3	d	Chloride	8.9	mg/L
5/2/2002 MW-3	d	Chloride	8	mg/L

1/28/2003 MW-3	d	Chloride	7.9	mg/L
4/22/2003 MW-3	d	Chloride	7.4	mg/L
1/20/2004 MW-3	d	Chloride	7.2	mg/L
4/22/2004 MW-3	d	Chloride	7.2	mg/L
1/27/2005 MW-3	d	Chloride	7	mg/L
4/21/2005 MW-3	d	Chloride	7.3	mg/L
1/30/2006 MW-3	d	Chloride	7.1	mg/L
4/24/2006 MW-3	d	Chloride	7.4	mg/L
2/22/2007 MW-3	d	Chloride	7.8	mg/L
2/13/2008 MW-3	d	Chloride	6.9	mg/L
3/4/2009 MW-3	d	Chloride	6.8	mg/L
2/23/2010 MW-3	d	Chloride	6.8	mg/L
3/8/2011 MW-3	d	Chloride	7.5	mg/L
3/28/2012 MW-3	d	Chloride	8.4	mg/L
4/1/1995 MW-3	d	COD	5 U	mg/L
1/1/1996 MW-3	d	COD	9.1	mg/L
1/1/1997 MW-3	d	COD	24	mg/L
2/7/2002 MW-3	d	COD	22	mg/L
5/2/2002 MW-3	d	COD	16	mg/L
1/28/2003 MW-3	d	COD	17	mg/L
4/22/2003 MW-3	d	COD	14	mg/L
1/20/2004 MW-3	d	COD	11	mg/L
4/22/2004 MW-3	d	COD	12.1	mg/L
1/27/2005 MW-3	d	COD	12.9	mg/L
4/21/2005 MW-3	d	COD	11.3	mg/L
1/30/2006 MW-3	d	COD	7.48	mg/L
4/24/2006 MW-3	d	COD	7.84	mg/L
2/22/2007 MW-3	d	COD	5 U	mg/L
2/13/2008 MW-3	d	COD	8.21	mg/L
3/4/2009 MW-3	d	COD	10.4	mg/L
2/23/2010 MW-3	d	COD	13.2 J	mg/L
3/8/2011 MW-3	d	COD	11	mg/L
3/28/2012 MW-3	d	COD	5 U	mg/L
4/1/1995 MW-3	d	Hardness	120	mg/L CaCO3
1/1/1996 MW-3	d	Hardness	160	mg/L CaCO3
1/1/1997 MW-3	d	Hardness	140	mg/L CaCO3
2/7/2002 MW-3	d	Hardness	230	mg/L CaCO3
5/2/2002 MW-3	d	Hardness	250	mg/L CaCO3
1/28/2003 MW-3	d	Hardness	190	mg/L CaCO3
4/22/2003 MW-3	d	Hardness	200	mg/L CaCO3
1/20/2004 MW-3	d	Hardness	170	mg/L CaCO3
4/22/2004 MW-3	d	Hardness	160	mg/L CaCO3
1/27/2005 MW-3	d	Hardness	160	mg/L CaCO3
4/21/2005 MW-3	d	Hardness	150	mg/L CaCO3
1/30/2006 MW-3	d	Hardness	140	mg/L CaCO3
4/24/2006 MW-3	d	Hardness	140	mg/L CaCO3
2/22/2007 MW-3	d	Hardness	120	mg/L CaCO3
2/13/2008 MW-3	d	Hardness	100	mg/L CaCO3
3/4/2009 MW-3	d	Hardness	110	mg/L CaCO3
2/23/2010 MW-3	d	Hardness	92	mg/L CaCO3
3/8/2011 MW-3	d	Hardness	100	mg/L CaCO3
3/28/2012 MW-3	d	Hardness	88	mg/L CaCO3

4/1/1995 MW-3	d	Iron, Dissolved	0.09	mg/L
1/1/1996 MW-3	d	Iron, Dissolved	0.18	mg/L
1/1/1997 MW-3	d	Iron, Dissolved	0.09	mg/L
2/7/2002 MW-3	d	Iron, Dissolved	6.01	mg/L
5/2/2002 MW-3	d	Iron, Dissolved	6.01	mg/L
1/28/2003 MW-3	d	Iron, Dissolved	3.8	mg/L
4/22/2003 MW-3	d	Iron, Dissolved	3.81	mg/L
1/20/2004 MW-3	d	Iron, Dissolved	3.17	mg/L
4/22/2004 MW-3	d	Iron, Dissolved	2.45	mg/L
1/27/2005 MW-3	d	Iron, Dissolved	3.21	mg/L
4/21/2005 MW-3	d	Iron, Dissolved	2.89	mg/L
1/30/2006 MW-3	d	Iron, Dissolved	1.59	mg/L
4/24/2006 MW-3	d	Iron, Dissolved	2.19	mg/L
2/22/2007 MW-3	d	Iron, Dissolved	1.59	mg/L
2/13/2008 MW-3	d	Iron, Dissolved	1.15	mg/L
3/4/2009 MW-3	d	Iron, Dissolved	0.99	mg/L
2/23/2010 MW-3	d	Iron, Dissolved	1.45	mg/L
3/8/2011 MW-3	d	Iron, Dissolved	0.77	mg/L
3/28/2012 MW-3	d	Iron, Dissolved	0.66	mg/L
4/1/1995 MW-3	d	Manganese, Dissolved	0.07	mg/L
1/1/1996 MW-3	d	Manganese, Dissolved	0.082	mg/L
1/1/1997 MW-3	d	Manganese, Dissolved	0.081	mg/L
2/7/2002 MW-3	d	Manganese, Dissolved	0.169	mg/L
5/2/2002 MW-3	d	Manganese, Dissolved	0.176	mg/L
1/28/2003 MW-3	d	Manganese, Dissolved	0.087	mg/L
4/22/2003 MW-3	d	Manganese, Dissolved	0.081	mg/L
1/20/2004 MW-3	d	Manganese, Dissolved	0.062	mg/L
4/22/2004 MW-3	d	Manganese, Dissolved	0.051	mg/L
1/27/2005 MW-3	d	Manganese, Dissolved	0.109	mg/L
4/21/2005 MW-3	d	Manganese, Dissolved	0.097	mg/L
1/30/2006 MW-3	d	Manganese, Dissolved	0.068	mg/L
4/24/2006 MW-3	d	Manganese, Dissolved	0.069	mg/L
2/22/2007 MW-3	d	Manganese, Dissolved	0.037	mg/L
2/13/2008 MW-3	d	Manganese, Dissolved	0.026	mg/L
3/4/2009 MW-3	d	Manganese, Dissolved	0.019	mg/L
2/23/2010 MW-3	d	Manganese, Dissolved	0.043	mg/L
3/8/2011 MW-3	d	Manganese, Dissolved	0.029	mg/L
3/28/2012 MW-3	d	Manganese, Dissolved	0.019	mg/L
4/1/1995 MW-3	d	Specific Conductivity	434	umhos/cm
1/1/1996 MW-3	d	Specific Conductivity	511	umhos/cm
1/1/1997 MW-3	d	Specific Conductivity	510	umhos/cm
2/7/2002 MW-3	d	Specific Conductivity	928	umhos/cm
5/2/2002 MW-3	d	Specific Conductivity	338	umhos/cm
1/28/2003 MW-3	d	Specific Conductivity	287	umhos/cm
4/22/2003 MW-3	d	Specific Conductivity	880	umhos/cm
1/20/2004 MW-3	d	Specific Conductivity	873	umhos/cm
4/22/2004 MW-3	d	Specific Conductivity	776	umhos/cm
1/27/2005 MW-3	d	Specific Conductivity	967	umhos/cm
4/21/2005 MW-3	d	Specific Conductivity	866	umhos/cm
1/30/2006 MW-3	d	Specific Conductivity	871	umhos/cm
4/24/2006 MW-3	d	Specific Conductivity	811	umhos/cm
2/22/2007 MW-3	d	Specific Conductivity	770	umhos/cm

2/13/2008	MW-3	d	Specific Conductivity	820	µmhos/cm
3/4/2009	MW-3	d	Specific Conductivity	791	µmhos/cm
2/23/2010	MW-3	d	Specific Conductivity	759	umhos/cm
3/8/2011	MW-3	d	Specific Conductivity	691	umhos/cm
3/28/2012	MW-3	d	Specific Conductivity	772	uS/cm
4/1/1995	MW-3	d	Sulfate	35	mg/L
1/1/1996	MW-3	d	Sulfate	38	mg/L
1/1/1997	MW-3	d	Sulfate	39	mg/L
2/7/2002	MW-3	d	Sulfate	38	mg/L
5/2/2002	MW-3	d	Sulfate	29	mg/L
1/28/2003	MW-3	d	Sulfate	9	mg/L
4/22/2003	MW-3	d	Sulfate	12	mg/L
1/20/2004	MW-3	d	Sulfate	13	mg/L
4/22/2004	MW-3	d	Sulfate	9.5	mg/L
1/27/2005	MW-3	d	Sulfate	78	mg/L
4/21/2005	MW-3	d	Sulfate	57.3	mg/L
1/30/2006	MW-3	d	Sulfate	46.9	mg/L
4/24/2006	MW-3	d	Sulfate	39.7	mg/L
2/22/2007	MW-3	d	Sulfate	24	mg/L
2/13/2008	MW-3	d	Sulfate	31.9	mg/L
3/4/2009	MW-3	d	Sulfate	27.9	mg/L
2/23/2010	MW-3	d	Sulfate	32.9	mg/L
3/8/2011	MW-3	d	Sulfate	36.4	mg/L
3/28/2012	MW-3	d	Sulfate	37.6	mg/L
4/1/1995	MW-3	d	TOC	2	mg/L
1/1/1996	MW-3	d	TOC	2.3	mg/L
1/1/1997	MW-3	d	TOC	1.5 U	mg/L
2/7/2002	MW-3	d	TOC	7	mg/L
5/2/2002	MW-3	d	TOC	4.8	mg/L
1/28/2003	MW-3	d	TOC	4.5	mg/L
4/22/2003	MW-3	d	TOC	4.5	mg/L
1/20/2004	MW-3	d	TOC	4.6	mg/L
4/22/2004	MW-3	d	TOC	4.82	mg/L
1/27/2005	MW-3	d	TOC	2.94	mg/L
4/21/2005	MW-3	d	TOC	3.91	mg/L
1/30/2006	MW-3	d	TOC	3.02	mg/L
4/24/2006	MW-3	d	TOC	3.18	mg/L
2/22/2007	MW-3	d	TOC	3.84	mg/L
2/13/2008	MW-3	d	TOC	3.49	mg/L
3/4/2009	MW-3	d	TOC	3.24	mg/L
2/23/2010	MW-3	d	TOC	3.15 J	mg/L
3/8/2011	MW-3	d	TOC	4.82	mg/L
3/28/2012	MW-3	d	TOC	4.29	mg/L
2/14/2002	MW-5	d	Ammonia-N	0.085	mg/L
5/10/2002	MW-5	d	Ammonia-N	0.084	mg/L
1/28/2003	MW-5	d	Ammonia-N	0.071	mg/L
4/22/2003	MW-5	d	Ammonia-N	0.066	mg/L
1/20/2004	MW-5	d	Ammonia-N	0.037	mg/L
1/27/2005	MW-5	d	Ammonia-N	0.056	mg/L
4/21/2005	MW-5	d	Ammonia-N	0.052	mg/L
1/30/2006	MW-5	d	Ammonia-N	0.04	mg/L
4/24/2006	MW-5	d	Ammonia-N	0.076	mg/L

2/23/2007	MW-5	d	Ammonia-N		0.048	mg/L
2/13/2008	MW-5	d	Ammonia-N		0.055	mg/L
3/4/2009	MW-5	d	Ammonia-N	NA		mg/L
2/23/2010	MW-5	d	Ammonia-N		0.07	mg/L
3/8/2011	MW-5	d	Ammonia-N		0.091	mg/L
3/28/2012	MW-5	d	Ammonia-N		0.053	mg-N/L
2/14/2002	MW-5	d	Calcium, Dissolved		107	mg/L
5/10/2002	MW-5	d	Calcium, Dissolved		103	mg/L
1/28/2003	MW-5	d	Calcium, Dissolved		98.2	mg/L
4/22/2003	MW-5	d	Calcium, Dissolved		86.5	mg/L
1/20/2004	MW-5	d	Calcium, Dissolved		88.4	mg/L
1/27/2005	MW-5	d	Calcium, Dissolved		87.5	mg/L
4/21/2005	MW-5	d	Calcium, Dissolved		87.1	mg/L
1/30/2006	MW-5	d	Calcium, Dissolved		82.9	mg/L
4/24/2006	MW-5	d	Calcium, Dissolved		77.9	mg/L
2/23/2007	MW-5	d	Calcium, Dissolved		66.7	mg/L
2/13/2008	MW-5	d	Calcium, Dissolved		68.9	mg/L
3/4/2009	MW-5	d	Calcium, Dissolved	NA		mg/L
2/23/2010	MW-5	d	Calcium, Dissolved		73.5	mg/L
3/8/2011	MW-5	d	Calcium, Dissolved		70.6	mg/L
3/28/2012	MW-5	d	Calcium, Dissolved		74.4	mg/L
2/14/2002	MW-5	d	Chloride		5.6	mg/L
5/10/2002	MW-5	d	Chloride		4.3	mg/L
1/28/2003	MW-5	d	Chloride		5.1	mg/L
4/22/2003	MW-5	d	Chloride		4.8	mg/L
1/20/2004	MW-5	d	Chloride		6.8	mg/L
1/27/2005	MW-5	d	Chloride		8.4	mg/L
4/21/2005	MW-5	d	Chloride		7.7	mg/L
1/30/2006	MW-5	d	Chloride		7	mg/L
4/24/2006	MW-5	d	Chloride		6.4	mg/L
2/23/2007	MW-5	d	Chloride		6	mg/L
2/13/2008	MW-5	d	Chloride		5.7	mg/L
3/4/2009	MW-5	d	Chloride	NA		mg/L
2/23/2010	MW-5	d	Chloride		6	mg/L
3/8/2011	MW-5	d	Chloride		5.4	mg/L
3/28/2012	MW-5	d	Chloride		5	mg/L
2/14/2002	MW-5	d	COD		15	mg/L
5/10/2002	MW-5	d	COD		6.3	mg/L
1/28/2003	MW-5	d	COD		6.2	mg/L
4/22/2003	MW-5	d	COD		12	mg/L
1/20/2004	MW-5	d	COD		14	mg/L
1/27/2005	MW-5	d	COD		5.99	mg/L
4/21/2005	MW-5	d	COD		5.04	mg/L
1/30/2006	MW-5	d	COD		6.48	mg/L
4/24/2006	MW-5	d	COD		9.84	mg/L
2/23/2007	MW-5	d	COD		5 U	mg/L
2/13/2008	MW-5	d	COD		5.95	mg/L
3/4/2009	MW-5	d	COD	NA		mg/L
2/23/2010	MW-5	d	COD		5 UJ	mg/L
3/8/2011	MW-5	d	COD		5 U	mg/L
3/28/2012	MW-5	d	COD		5 U	mg/L
2/14/2002	MW-5	d	Hardness		460	mg/L CaCO3

5/10/2002	MW-5	d	Hardness		450	mg/L CaCO3
1/28/2003	MW-5	d	Hardness		430	mg/L CaCO3
4/22/2003	MW-5	d	Hardness		380	mg/L CaCO3
1/20/2004	MW-5	d	Hardness		380	mg/L CaCO3
1/27/2005	MW-5	d	Hardness		370	mg/L CaCO3
4/21/2005	MW-5	d	Hardness		380	mg/L CaCO3
1/30/2006	MW-5	d	Hardness		360	mg/L CaCO3
4/24/2006	MW-5	d	Hardness		330	mg/L CaCO3
2/23/2007	MW-5	d	Hardness		290	mg/L CaCO3
2/13/2008	MW-5	d	Hardness		300	mg/L CaCO3
3/4/2009	MW-5	d	Hardness	NA		mg/L CaCO3
2/23/2010	MW-5	d	Hardness		320	mg/L CaCO3
3/8/2011	MW-5	d	Hardness		300	mg/L CaCO3
3/28/2012	MW-5	d	Hardness		320	mg/L CaCO3
2/14/2002	MW-5	d	Iron, Dissolved		6.66	mg/L
5/10/2002	MW-5	d	Iron, Dissolved		1.52	mg/L
1/28/2003	MW-5	d	Iron, Dissolved		4.41	mg/L
4/22/2003	MW-5	d	Iron, Dissolved		4.09	mg/L
1/20/2004	MW-5	d	Iron, Dissolved		5.55	mg/L
1/27/2005	MW-5	d	Iron, Dissolved		4.86	mg/L
4/21/2005	MW-5	d	Iron, Dissolved		4.71	mg/L
1/30/2006	MW-5	d	Iron, Dissolved		4.56	mg/L
4/24/2006	MW-5	d	Iron, Dissolved		4.55	mg/L
2/23/2007	MW-5	d	Iron, Dissolved		4.01	mg/L
2/13/2008	MW-5	d	Iron, Dissolved		4.23	mg/L
3/4/2009	MW-5	d	Iron, Dissolved	NA		mg/L
2/23/2010	MW-5	d	Iron, Dissolved		5.09	mg/L
3/8/2011	MW-5	d	Iron, Dissolved		4.67	mg/L
3/28/2012	MW-5	d	Iron, Dissolved		5.24	mg/L
2/14/2002	MW-5	d	Manganese, Dissolved		0.514	mg/L
5/10/2002	MW-5	d	Manganese, Dissolved		0.587	mg/L
1/28/2003	MW-5	d	Manganese, Dissolved		0.536	mg/L
4/22/2003	MW-5	d	Manganese, Dissolved		0.486	mg/L
1/20/2004	MW-5	d	Manganese, Dissolved		0.432	mg/L
1/27/2005	MW-5	d	Manganese, Dissolved		0.574	mg/L
4/21/2005	MW-5	d	Manganese, Dissolved		0.574	mg/L
1/30/2006	MW-5	d	Manganese, Dissolved		0.56	mg/L
4/24/2006	MW-5	d	Manganese, Dissolved		0.511	mg/L
2/23/2007	MW-5	d	Manganese, Dissolved		0.476	mg/L
2/13/2008	MW-5	d	Manganese, Dissolved		0.519	mg/L
3/4/2009	MW-5	d	Manganese, Dissolved	NA		mg/L
2/23/2010	MW-5	d	Manganese, Dissolved		0.642	mg/L
3/8/2011	MW-5	d	Manganese, Dissolved		0.682	mg/L
3/28/2012	MW-5	d	Manganese, Dissolved		0.791	mg/L
2/14/2002	MW-5	d	Specific Conductivity		335	umhos/cm
5/10/2002	MW-5	d	Specific Conductivity		297	umhos/cm
1/28/2003	MW-5	d	Specific Conductivity		825	umhos/cm
4/22/2003	MW-5	d	Specific Conductivity		815	umhos/cm
1/20/2004	MW-5	d	Specific Conductivity		812	umhos/cm
1/27/2005	MW-5	d	Specific Conductivity		815	umhos/cm
4/21/2005	MW-5	d	Specific Conductivity		758	umhos/cm
1/30/2006	MW-5	d	Specific Conductivity		740	umhos/cm

4/24/2006	MW-5	d	Specific Conductivity		635	umhos/cm
2/23/2007	MW-5	d	Specific Conductivity		603	µmhos/cm
2/13/2008	MW-5	d	Specific Conductivity		630	µmhos/cm
3/4/2009	MW-5	d	Specific Conductivity	NA		µmhos/cm
2/23/2010	MW-5	d	Specific Conductivity		655	umhos/cm
3/8/2011	MW-5	d	Specific Conductivity		548	umhos/cm
3/28/2012	MW-5	d	Specific Conductivity		617	uS/cm
2/14/2002	MW-5	d	Sulfate		260	mg/L
5/10/2002	MW-5	d	Sulfate		150	mg/L
1/28/2003	MW-5	d	Sulfate		200	mg/L
4/22/2003	MW-5	d	Sulfate		170	mg/L
1/20/2004	MW-5	d	Sulfate		160	mg/L
1/27/2005	MW-5	d	Sulfate		160	mg/L
4/21/2005	MW-5	d	Sulfate		142	mg/L
1/30/2006	MW-5	d	Sulfate		134	mg/L
4/24/2006	MW-5	d	Sulfate		119	mg/L
2/23/2007	MW-5	d	Sulfate		17.2	mg/L
2/13/2008	MW-5	d	Sulfate		95.2	mg/L
3/4/2009	MW-5	d	Sulfate	NA		mg/L
2/23/2010	MW-5	d	Sulfate		96.1	mg/L
3/8/2011	MW-5	d	Sulfate		63.8	mg/L
3/28/2012	MW-5	d	Sulfate		79.7	mg/L
2/14/2002	MW-5	d	TOC		2.2	mg/L
5/10/2002	MW-5	d	TOC		2.35	mg/L
1/28/2003	MW-5	d	TOC		1.8	mg/L
4/22/2003	MW-5	d	TOC		2.4	mg/L
1/20/2004	MW-5	d	TOC		2.5	mg/L
1/27/2005	MW-5	d	TOC		1.53	mg/L
4/21/2005	MW-5	d	TOC		1.8	mg/L
1/30/2006	MW-5	d	TOC		2.02	mg/L
4/24/2006	MW-5	d	TOC		1.91	mg/L
2/23/2007	MW-5	d	TOC		2.29	mg/L
2/13/2008	MW-5	d	TOC		2.24	mg/L
3/4/2009	MW-5	d	TOC	NA		mg/L
2/23/2010	MW-5	d	TOC		2.54	UJ mg/L
3/8/2011	MW-5	d	TOC		2.31	mg/L
3/28/2012	MW-5	d	TOC		2.05	mg/L
4/1/1994	SW-6	n/a	Ammonia-N		0.085	mg/L
7/1/1994	SW-6	n/a	Ammonia-N		0.14	mg/L
4/1/1995	SW-6	n/a	Ammonia-N		0.07	mg/L
7/1/1995	SW-6	n/a	Ammonia-N		0.13	mg/L
1/1/1996	SW-6	n/a	Ammonia-N		0.14	mg/L
4/1/1996	SW-6	n/a	Ammonia-N		0.12	mg/L
1/1/1997	SW-6	n/a	Ammonia-N		0.052	mg/L
4/1/1997	SW-6	n/a	Ammonia-N		0.35	mg/L
1/1/1998	SW-6	n/a	Ammonia-N		0.17	mg/L
10/28/1998	SW-6	n/a	Ammonia-N		0.16	mg/L
5/20/1999	SW-6	n/a	Ammonia-N		0.15	mg/L
11/30/1999	SW-6	n/a	Ammonia-N		0.16	mg/L
6/8/2000	SW-6	n/a	Ammonia-N		0.097	mg/L
12/7/2000	SW-6	n/a	Ammonia-N		0.17	mg/L
2/7/2002	SW-6	n/a	Ammonia-N		0.19	mg/L

5/2/2002	SW-6	n/a	Ammonia-N	0.23	mg/L
1/28/2003	SW-6	n/a	Ammonia-N	0.15	mg/L
4/22/2003	SW-6	n/a	Ammonia-N	0.19	mg/L
1/20/2004	SW-6	n/a	Ammonia-N	0.12	mg/L
4/22/2004	SW-6	n/a	Ammonia-N	0.185	mg/L
1/27/2005	SW-6	n/a	Ammonia-N	0.166	mg/L
4/21/2005	SW-6	n/a	Ammonia-N	0.165	mg/L
1/30/2006	SW-6	n/a	Ammonia-N	0.108	mg/L
4/24/2006	SW-6	n/a	Ammonia-N	0.184	mg/L
2/22/2007	SW-6	n/a	Ammonia-N	0.164	mg/L
2/13/2008	SW-6	n/a	Ammonia-N	0.172	mg/L
3/4/2009	SW-6	n/a	Ammonia-N	0.118	mg/L
2/23/2010	SW-6	n/a	Ammonia-N	0.191 J	mg/L
3/8/2011	SW-6	n/a	Ammonia-N	0.148	mg/L
3/27/2012	SW-6	n/a	Ammonia-N	0.167	mg-N/L
4/1/1994	SW-6	n/a	Calcium, Dissolved	73	mg/L
7/1/1994	SW-6	n/a	Calcium, Dissolved	78.4	mg/L
4/1/1995	SW-6	n/a	Calcium, Dissolved	77.2	mg/L
7/1/1995	SW-6	n/a	Calcium, Dissolved	81.9	mg/L
1/1/1996	SW-6	n/a	Calcium, Dissolved	82.1	mg/L
4/1/1996	SW-6	n/a	Calcium, Dissolved	85	mg/L
1/1/1997	SW-6	n/a	Calcium, Dissolved	75.2	mg/L
4/1/1997	SW-6	n/a	Calcium, Dissolved	82.6	mg/L
1/1/1998	SW-6	n/a	Calcium, Dissolved	74.2	mg/L
10/28/1998	SW-6	n/a	Calcium, Dissolved	82.3	mg/L
5/20/1999	SW-6	n/a	Calcium, Dissolved	80.7	mg/L
11/30/1999	SW-6	n/a	Calcium, Dissolved	77.9	mg/L
6/8/2000	SW-6	n/a	Calcium, Dissolved	75.2	mg/L
12/7/2000	SW-6	n/a	Calcium, Dissolved	69.1	mg/L
2/7/2002	SW-6	n/a	Calcium, Dissolved	68.9	mg/L
5/2/2002	SW-6	n/a	Calcium, Dissolved	78.1	mg/L
1/28/2003	SW-6	n/a	Calcium, Dissolved	65.9	mg/L
4/22/2003	SW-6	n/a	Calcium, Dissolved	65.6	mg/L
1/20/2004	SW-6	n/a	Calcium, Dissolved	64	mg/L
4/22/2004	SW-6	n/a	Calcium, Dissolved	72.3	mg/L
1/27/2005	SW-6	n/a	Calcium, Dissolved	63.4	mg/L
4/21/2005	SW-6	n/a	Calcium, Dissolved	67.9	mg/L
1/30/2006	SW-6	n/a	Calcium, Dissolved	55.9	mg/L
4/24/2006	SW-6	n/a	Calcium, Dissolved	78.6	mg/L
2/22/2007	SW-6	n/a	Calcium, Dissolved	71.3	mg/L
2/13/2008	SW-6	n/a	Calcium, Dissolved	63.4	mg/L
3/4/2009	SW-6	n/a	Calcium, Dissolved	65.9	mg/L
2/23/2010	SW-6	n/a	Calcium, Dissolved	62.4	mg/L
3/8/2011	SW-6	n/a	Calcium, Dissolved	73.8	mg/L
3/27/2012	SW-6	n/a	Calcium, Dissolved	67.3	mg/L
4/1/1994	SW-6	n/a	Chloride	5.7	mg/L
7/1/1994	SW-6	n/a	Chloride	6.3	mg/L
4/1/1995	SW-6	n/a	Chloride	5.5	mg/L
7/1/1995	SW-6	n/a	Chloride	6.9	mg/L
1/1/1996	SW-6	n/a	Chloride	4.6	mg/L
4/1/1996	SW-6	n/a	Chloride	6.4	mg/L
1/1/1997	SW-6	n/a	Chloride	5.6	mg/L

4/1/1997 SW-6	n/a	Chloride	5	mg/L
1/1/1998 SW-6	n/a	Chloride	5.3	mg/L
10/28/1998 SW-6	n/a	Chloride	6	mg/L
5/20/1999 SW-6	n/a	Chloride	3.9	mg/L
11/30/1999 SW-6	n/a	Chloride	5.5	mg/L
6/8/2000 SW-6	n/a	Chloride	6	mg/L
12/7/2000 SW-6	n/a	Chloride	5.2	mg/L
2/7/2002 SW-6	n/a	Chloride	4.9	mg/L
5/2/2002 SW-6	n/a	Chloride	4.7	mg/L
1/28/2003 SW-6	n/a	Chloride	5.9	mg/L
4/22/2003 SW-6	n/a	Chloride	6	mg/L
1/20/2004 SW-6	n/a	Chloride	5.4	mg/L
4/22/2004 SW-6	n/a	Chloride	5.1	mg/L
1/27/2005 SW-6	n/a	Chloride	5.6	mg/L
4/21/2005 SW-6	n/a	Chloride	5.5	mg/L
1/30/2006 SW-6	n/a	Chloride	5.2	mg/L
4/24/2006 SW-6	n/a	Chloride	5	mg/L
2/22/2007 SW-6	n/a	Chloride	5	mg/L
2/13/2008 SW-6	n/a	Chloride	5.1	mg/L
3/4/2009 SW-6	n/a	Chloride	4.6	mg/L
2/23/2010 SW-6	n/a	Chloride	5	mg/L
3/8/2011 SW-6	n/a	Chloride	4.6	mg/L
3/27/2012 SW-6	n/a	Chloride	6.4	mg/L
4/1/1994 SW-6	n/a	COD	5 U	mg/L
4/1/1994 SW-6	n/a	COD	5 U	mg/L
7/1/1994 SW-6	n/a	COD	5.4	mg/L
4/1/1995 SW-6	n/a	COD	5 U	mg/L
7/1/1995 SW-6	n/a	COD	6	mg/L
1/1/1996 SW-6	n/a	COD	5 U	mg/L
4/1/1996 SW-6	n/a	COD	28	mg/L
1/1/1997 SW-6	n/a	COD	17	mg/L
4/1/1997 SW-6	n/a	COD	10	mg/L
1/1/1998 SW-6	n/a	COD	6	mg/L
10/28/1998 SW-6	n/a	COD	5 U	mg/L
5/20/1999 SW-6	n/a	COD	5 U	mg/L
11/30/1999 SW-6	n/a	COD	6.1	mg/L
6/8/2000 SW-6	n/a	COD	5 U	mg/L
12/7/2000 SW-6	n/a	COD	5 U	mg/L
2/7/2002 SW-6	n/a	COD	6.4	mg/L
5/2/2002 SW-6	n/a	COD	5 U	mg/L
1/28/2003 SW-6	n/a	COD	5.3	mg/L
4/22/2003 SW-6	n/a	COD	6.9	mg/L
1/20/2004 SW-6	n/a	COD	6.5	mg/L
4/22/2004 SW-6	n/a	COD	5 U	mg/L
1/27/2005 SW-6	n/a	COD	11.9	mg/L
4/21/2005 SW-6	n/a	COD	5 U	mg/L
1/30/2006 SW-6	n/a	COD	49	mg/L
4/24/2006 SW-6	n/a	COD	5 U	mg/L
2/22/2007 SW-6	n/a	COD	5 U	mg/L
2/13/2008 SW-6	n/a	COD	5 U	mg/L
3/4/2009 SW-6	n/a	COD	5 U	mg/L
2/23/2010 SW-6	n/a	COD	6.21	mg/L

3/8/2011	SW-6	n/a	COD	5 U	mg/L
3/27/2012	SW-6	n/a	COD	5 U	mg/L
4/1/1994	SW-6	n/a	Hardness	370	mg/L CaCO3
7/1/1994	SW-6	n/a	Hardness	390	mg/L CaCO3
4/1/1995	SW-6	n/a	Hardness	390	mg/L CaCO3
7/1/1995	SW-6	n/a	Hardness	420	mg/L CaCO3
1/1/1996	SW-6	n/a	Hardness	420	mg/L CaCO3
4/1/1996	SW-6	n/a	Hardness	430	mg/L CaCO3
1/1/1997	SW-6	n/a	Hardness	400	mg/L CaCO3
4/1/1997	SW-6	n/a	Hardness	420	mg/L CaCO3
1/1/1998	SW-6	n/a	Hardness	380	mg/L CaCO3
10/28/1998	SW-6	n/a	Hardness	420	mg/L CaCO3
5/20/1999	SW-6	n/a	Hardness	410	mg/L CaCO3
11/30/1999	SW-6	n/a	Hardness	400	mg/L CaCO3
6/8/2000	SW-6	n/a	Hardness	380	mg/L CaCO3
12/7/2000	SW-6	n/a	Hardness	350	mg/L CaCO3
2/7/2002	SW-6	n/a	Hardness	340	mg/L CaCO3
5/2/2002	SW-6	n/a	Hardness	390	mg/L CaCO3
1/28/2003	SW-6	n/a	Hardness	330	mg/L CaCO3
4/22/2003	SW-6	n/a	Hardness	330	mg/L CaCO3
1/20/2004	SW-6	n/a	Hardness	320	mg/L CaCO3
4/22/2004	SW-6	n/a	Hardness	360	mg/L CaCO3
1/27/2005	SW-6	n/a	Hardness	320	mg/L CaCO3
4/21/2005	SW-6	n/a	Hardness	340	mg/L CaCO3
1/30/2006	SW-6	n/a	Hardness	280	mg/L CaCO3
4/24/2006	SW-6	n/a	Hardness	390	mg/L CaCO3
2/22/2007	SW-6	n/a	Hardness	350	mg/L CaCO3
2/13/2008	SW-6	n/a	Hardness	320	mg/L CaCO3
3/4/2009	SW-6	n/a	Hardness	330	mg/L CaCO3
2/23/2010	SW-6	n/a	Hardness	310	mg/L CaCO3
3/8/2011	SW-6	n/a	Hardness	360	mg/L CaCO3
3/27/2012	SW-6	n/a	Hardness	340	mg/L CaCO3
4/1/1994	SW-6	n/a	Iron, Dissolved	1.3	mg/L
7/1/1994	SW-6	n/a	Iron, Dissolved	1.25	mg/L
4/1/1995	SW-6	n/a	Iron, Dissolved	1.23	mg/L
7/1/1995	SW-6	n/a	Iron, Dissolved	0.04	mg/L
1/1/1996	SW-6	n/a	Iron, Dissolved	1.2	mg/L
4/1/1996	SW-6	n/a	Iron, Dissolved	2.3	mg/L
1/1/1997	SW-6	n/a	Iron, Dissolved	0.79	mg/L
4/1/1997	SW-6	n/a	Iron, Dissolved	1.98	mg/L
1/1/1998	SW-6	n/a	Iron, Dissolved	2.79	mg/L
10/28/1998	SW-6	n/a	Iron, Dissolved	2.9	mg/L
5/20/1999	SW-6	n/a	Iron, Dissolved	3.2	mg/L
11/30/1999	SW-6	n/a	Iron, Dissolved	2.89	mg/L
6/8/2000	SW-6	n/a	Iron, Dissolved	3.47	mg/L
12/7/2000	SW-6	n/a	Iron, Dissolved	0.51	mg/L
2/7/2002	SW-6	n/a	Iron, Dissolved	0.05 U	mg/L
5/2/2002	SW-6	n/a	Iron, Dissolved	0.89	mg/L
1/28/2003	SW-6	n/a	Iron, Dissolved	0.13	mg/L
4/22/2003	SW-6	n/a	Iron, Dissolved	1.17	mg/L
1/20/2004	SW-6	n/a	Iron, Dissolved	0.65	mg/L
4/22/2004	SW-6	n/a	Iron, Dissolved	1.73	mg/L

1/27/2005	SW-6	n/a	Iron, Dissolved	0.07	mg/L
4/21/2005	SW-6	n/a	Iron, Dissolved	0.16	mg/L
1/30/2006	SW-6	n/a	Iron, Dissolved	0.2	mg/L
4/24/2006	SW-6	n/a	Iron, Dissolved	0.81	mg/L
2/22/2007	SW-6	n/a	Iron, Dissolved	0.92	mg/L
2/13/2008	SW-6	n/a	Iron, Dissolved	1.17	mg/L
3/4/2009	SW-6	n/a	Iron, Dissolved	0.05 U	mg/L
2/23/2010	SW-6	n/a	Iron, Dissolved	0.65	mg/L
3/8/2011	SW-6	n/a	Iron, Dissolved	2.84	mg/L
3/27/2012	SW-6	n/a	Iron, Dissolved	1.59	mg/L
4/1/1994	SW-6	n/a	Manganese, Dissolved	1.7	mg/L
7/1/1994	SW-6	n/a	Manganese, Dissolved	1.63	mg/L
4/1/1995	SW-6	n/a	Manganese, Dissolved	1.56	mg/L
7/1/1995	SW-6	n/a	Manganese, Dissolved	1.52	mg/L
1/1/1996	SW-6	n/a	Manganese, Dissolved	1.19	mg/L
4/1/1996	SW-6	n/a	Manganese, Dissolved	1.21	mg/L
1/1/1997	SW-6	n/a	Manganese, Dissolved	0.898	mg/L
4/1/1997	SW-6	n/a	Manganese, Dissolved	0.915	mg/L
1/1/1998	SW-6	n/a	Manganese, Dissolved	0.951	mg/L
10/28/1998	SW-6	n/a	Manganese, Dissolved	0.963	mg/L
5/20/1999	SW-6	n/a	Manganese, Dissolved	0.911	mg/L
11/30/1999	SW-6	n/a	Manganese, Dissolved	0.659	mg/L
6/8/2000	SW-6	n/a	Manganese, Dissolved	0.792	mg/L
12/7/2000	SW-6	n/a	Manganese, Dissolved	0.641	mg/L
2/7/2002	SW-6	n/a	Manganese, Dissolved	0.592	mg/L
5/2/2002	SW-6	n/a	Manganese, Dissolved	0.687	mg/L
1/28/2003	SW-6	n/a	Manganese, Dissolved	0.417	mg/L
4/22/2003	SW-6	n/a	Manganese, Dissolved	0.449	mg/L
1/20/2004	SW-6	n/a	Manganese, Dissolved	0.405	mg/L
4/22/2004	SW-6	n/a	Manganese, Dissolved	0.462	mg/L
1/27/2005	SW-6	n/a	Manganese, Dissolved	0.317	mg/L
4/21/2005	SW-6	n/a	Manganese, Dissolved	0.383	mg/L
1/30/2006	SW-6	n/a	Manganese, Dissolved	0.283	mg/L
4/24/2006	SW-6	n/a	Manganese, Dissolved	0.441	mg/L
2/22/2007	SW-6	n/a	Manganese, Dissolved	0.396	mg/L
2/13/2008	SW-6	n/a	Manganese, Dissolved	0.293	mg/L
3/4/2009	SW-6	n/a	Manganese, Dissolved	0.283	mg/L
2/23/2010	SW-6	n/a	Manganese, Dissolved	0.28	mg/L
3/8/2011	SW-6	n/a	Manganese, Dissolved	0.329	mg/L
3/27/2012	SW-6	n/a	Manganese, Dissolved	0.281	mg/L
7/1/1995	SW-6	n/a	Specific Conductivity	1355	umhos/cm
1/1/1996	SW-6	n/a	Specific Conductivity	639	umhos/cm
4/1/1996	SW-6	n/a	Specific Conductivity	1023	umhos/cm
4/1/1997	SW-6	n/a	Specific Conductivity	1073	umhos/cm
1/1/1998	SW-6	n/a	Specific Conductivity	1880	umhos/cm
10/28/1998	SW-6	n/a	Specific Conductivity	287	umhos/cm
5/20/1999	SW-6	n/a	Specific Conductivity	935	umhos/cm
11/30/1999	SW-6	n/a	Specific Conductivity	1048	umhos/cm
6/8/2000	SW-6	n/a	Specific Conductivity	940	umhos/cm
12/7/2000	SW-6	n/a	Specific Conductivity	837.6	umhos/cm
2/7/2002	SW-6	n/a	Specific Conductivity	949	umhos/cm
5/2/2002	SW-6	n/a	Specific Conductivity	1024	umhos/cm

1/28/2003	SW-6	n/a	Specific Conductivity	861	umhos/cm
4/22/2003	SW-6	n/a	Specific Conductivity	930	umhos/cm
1/20/2004	SW-6	n/a	Specific Conductivity	938	umhos/cm
4/22/2004	SW-6	n/a	Specific Conductivity	886	umhos/cm
1/27/2005	SW-6	n/a	Specific Conductivity	961	umhos/cm
4/21/2005	SW-6	n/a	Specific Conductivity	915	umhos/cm
1/30/2006	SW-6	n/a	Specific Conductivity	898	umhos/cm
4/24/2006	SW-6	n/a	Specific Conductivity	941.9	umhos/cm
2/22/2007	SW-6	n/a	Specific Conductivity	922	umhos/cm
2/13/2008	SW-6	n/a	Specific Conductivity	920	µmhos/cm
3/4/2009	SW-6	n/a	Specific Conductivity	944	umhos/cm
2/23/2010	SW-6	n/a	Specific Conductivity	859	umhos/cm
3/8/2011	SW-6	n/a	Specific Conductivity	851	umhos/cm
3/27/2012	SW-6	n/a	Specific Conductivity	891	uS/cm
4/1/1994	SW-6	n/a	Sulfate	165	mg/L
7/1/1994	SW-6	n/a	Sulfate	190	mg/L
4/1/1995	SW-6	n/a	Sulfate	210	mg/L
7/1/1995	SW-6	n/a	Sulfate	150	mg/L
1/1/1996	SW-6	n/a	Sulfate	170	mg/L
4/1/1996	SW-6	n/a	Sulfate	200	mg/L
1/1/1997	SW-6	n/a	Sulfate	240	mg/L
4/1/1997	SW-6	n/a	Sulfate	220	mg/L
1/1/1998	SW-6	n/a	Sulfate	180	mg/L
10/28/1998	SW-6	n/a	Sulfate	170	mg/L
5/20/1999	SW-6	n/a	Sulfate	190	mg/L
11/30/1999	SW-6	n/a	Sulfate	170	mg/L
6/8/2000	SW-6	n/a	Sulfate	170	mg/L
12/7/2000	SW-6	n/a	Sulfate	150	mg/L
2/7/2002	SW-6	n/a	Sulfate	220	mg/L
5/2/2002	SW-6	n/a	Sulfate	190	mg/L
1/28/2003	SW-6	n/a	Sulfate	140	mg/L
4/22/2003	SW-6	n/a	Sulfate	150	mg/L
1/20/2004	SW-6	n/a	Sulfate	130	mg/L
4/22/2004	SW-6	n/a	Sulfate	138	mg/L
1/27/2005	SW-6	n/a	Sulfate	134	mg/L
4/21/2005	SW-6	n/a	Sulfate	135	mg/L
1/30/2006	SW-6	n/a	Sulfate	108	mg/L
4/24/2006	SW-6	n/a	Sulfate	192	mg/L
2/22/2007	SW-6	n/a	Sulfate	35.2	mg/L
2/13/2008	SW-6	n/a	Sulfate	147	mg/L
3/4/2009	SW-6	n/a	Sulfate	158	mg/L
2/23/2010	SW-6	n/a	Sulfate	112	mg/L
3/8/2011	SW-6	n/a	Sulfate	153	mg/L
3/27/2012	SW-6	n/a	Sulfate	127	mg/L
4/1/1994	SW-6	n/a	TOC	1.56	mg/L
4/1/1994	SW-6	n/a	TOC	1.56	mg/L
7/1/1994	SW-6	n/a	TOC	1.5 U	mg/L
4/1/1995	SW-6	n/a	TOC	1.7	mg/L
7/1/1995	SW-6	n/a	TOC	1.5 U	mg/L
1/1/1996	SW-6	n/a	TOC	1.7	mg/L
4/1/1996	SW-6	n/a	TOC	1.5 U	mg/L
1/1/1997	SW-6	n/a	TOC	1.5 U	mg/L

4/1/1997 SW-6	n/a	TOC	3.9	mg/L
1/1/1998 SW-6	n/a	TOC	1.5 U	mg/L
10/28/1998 SW-6	n/a	TOC	1.5 U	mg/L
5/20/1999 SW-6	n/a	TOC	1.8	mg/L
11/30/1999 SW-6	n/a	TOC	1.5 U	mg/L
6/8/2000 SW-6	n/a	TOC	1.5 U	mg/L
12/7/2000 SW-6	n/a	TOC	2.2	mg/L
2/7/2002 SW-6	n/a	TOC	1.5 U	mg/L
5/2/2002 SW-6	n/a	TOC	1.5 U	mg/L
1/28/2003 SW-6	n/a	TOC	1.5 U	mg/L
4/22/2003 SW-6	n/a	TOC	1.7	mg/L
1/20/2004 SW-6	n/a	TOC	1.7	mg/L
4/22/2004 SW-6	n/a	TOC	2.11	mg/L
1/27/2005 SW-6	n/a	TOC	1.5 U	mg/L
4/21/2005 SW-6	n/a	TOC	1.5 U	mg/L
1/30/2006 SW-6	n/a	TOC	2.87	mg/L
4/24/2006 SW-6	n/a	TOC	1.5 U	mg/L
2/22/2007 SW-6	n/a	TOC	1.73	mg/L
2/13/2008 SW-6	n/a	TOC	1.58	mg/L
3/4/2009 SW-6	n/a	TOC	1.5 U	mg/L
2/23/2010 SW-6	n/a	TOC	1.59	mg/L
3/8/2011 SW-6	n/a	TOC	1.88	mg/L
3/27/2012 SW-6	n/a	TOC	2.13	mg/L
7/1/1995 SW-7	n/a	Ammonia-N	0.015	mg/L
1/1/1996 SW-7	n/a	Ammonia-N	0.064	mg/L
4/1/1996 SW-7	n/a	Ammonia-N	0.01 U	mg/L
1/1/1997 SW-7	n/a	Ammonia-N	0.01 U	mg/L
4/1/1997 SW-7	n/a	Ammonia-N	0.053	mg/L
1/1/1998 SW-7	n/a	Ammonia-N	0.01 U	mg/L
10/28/1998 SW-7	n/a	Ammonia-N	0.01 U	mg/L
5/20/1999 SW-7	n/a	Ammonia-N	0.021	mg/L
11/30/1999 SW-7	n/a	Ammonia-N	0.011	mg/L
6/8/2000 SW-7	n/a	Ammonia-N	0.015	mg/L
12/7/2000 SW-7	n/a	Ammonia-N	0.01	mg/L
2/7/2002 SW-7	n/a	Ammonia-N	0.037	mg/L
5/2/2002 SW-7	n/a	Ammonia-N	0.04	mg/L
1/28/2003 SW-7	n/a	Ammonia-N	0.011	mg/L
4/22/2003 SW-7	n/a	Ammonia-N	0.026	mg/L
1/20/2004 SW-7	n/a	Ammonia-N	0.01 U	mg/L
4/22/2004 SW-7	n/a	Ammonia-N	0.04	mg/L
1/27/2005 SW-7	n/a	Ammonia-N	0.024	mg/L
4/21/2005 SW-7	n/a	Ammonia-N	0.017	mg/L
1/30/2006 SW-7	n/a	Ammonia-N	0.042	mg/L
4/24/2006 SW-7	n/a	Ammonia-N	0.053	mg/L
2/22/2007 SW-7	n/a	Ammonia-N	0.034	mg/L
2/13/2008 SW-7	n/a	Ammonia-N	0.014	mg/L
3/4/2009 SW-7	n/a	Ammonia-N	0.066	mg/L
2/23/2010 SW-7	n/a	Ammonia-N	0.045 J	mg/L
3/8/2011 SW-7	n/a	Ammonia-N	0.055	mg/L
3/27/2012 SW-7	n/a	Ammonia-N	0.041	mg-N/L
4/1/1994 SW-7	n/a	Calcium, Dissolved	51	mg/L
7/1/1994 SW-7	n/a	Calcium, Dissolved	51.3	mg/L

4/1/1995 SW-7	n/a	Calcium, Dissolved	33.6	mg/L
7/1/1995 SW-7	n/a	Calcium, Dissolved	46.2	mg/L
1/1/1996 SW-7	n/a	Calcium, Dissolved	38.5	mg/L
4/1/1996 SW-7	n/a	Calcium, Dissolved	63.5	mg/L
1/1/1997 SW-7	n/a	Calcium, Dissolved	44	mg/L
4/1/1997 SW-7	n/a	Calcium, Dissolved	34.7	mg/L
1/1/1998 SW-7	n/a	Calcium, Dissolved	43.3	mg/L
10/28/1998 SW-7	n/a	Calcium, Dissolved	33.2	mg/L
5/20/1999 SW-7	n/a	Calcium, Dissolved	27.2	mg/L
11/30/1999 SW-7	n/a	Calcium, Dissolved	20.1	mg/L
6/8/2000 SW-7	n/a	Calcium, Dissolved	46	mg/L
12/7/2000 SW-7	n/a	Calcium, Dissolved	40.8	mg/L
2/7/2002 SW-7	n/a	Calcium, Dissolved	19.3	mg/L
5/2/2002 SW-7	n/a	Calcium, Dissolved	35.9	mg/L
1/28/2003 SW-7	n/a	Calcium, Dissolved	17	mg/L
4/22/2003 SW-7	n/a	Calcium, Dissolved	29.5	mg/L
1/20/2004 SW-7	n/a	Calcium, Dissolved	24.5	mg/L
4/22/2004 SW-7	n/a	Calcium, Dissolved	46.6	mg/L
1/27/2005 SW-7	n/a	Calcium, Dissolved	26.1	mg/L
4/21/2005 SW-7	n/a	Calcium, Dissolved	27.1	mg/L
1/30/2006 SW-7	n/a	Calcium, Dissolved	11.8	mg/L
4/24/2006 SW-7	n/a	Calcium, Dissolved	36.5	mg/L
2/22/2007 SW-7	n/a	Calcium, Dissolved	25.5	mg/L
2/13/2008 SW-7	n/a	Calcium, Dissolved	21.2	mg/L
3/4/2009 SW-7	n/a	Calcium, Dissolved	29.4	mg/L
2/23/2010 SW-7	n/a	Calcium, Dissolved	31.4	mg/L
3/8/2011 SW-7	n/a	Calcium, Dissolved	24.4	mg/L
3/27/2012 SW-7	n/a	Calcium, Dissolved	28.7	mg/L
4/1/1994 SW-7	n/a	Chloride	5.3	mg/L
7/1/1994 SW-7	n/a	Chloride	5.6	mg/L
4/1/1995 SW-7	n/a	Chloride	3.7	mg/L
7/1/1995 SW-7	n/a	Chloride	5.4	mg/L
1/1/1996 SW-7	n/a	Chloride	4.1	mg/L
4/1/1996 SW-7	n/a	Chloride	5.8	mg/L
1/1/1997 SW-7	n/a	Chloride	4.5	mg/L
4/1/1997 SW-7	n/a	Chloride	3.7	mg/L
1/1/1998 SW-7	n/a	Chloride	4.6	mg/L
10/28/1998 SW-7	n/a	Chloride	6.3	mg/L
5/20/1999 SW-7	n/a	Chloride	2.7	mg/L
11/30/1999 SW-7	n/a	Chloride	3.5	mg/L
6/8/2000 SW-7	n/a	Chloride	4.7	mg/L
12/7/2000 SW-7	n/a	Chloride	4.9	mg/L
2/7/2002 SW-7	n/a	Chloride	3.5	mg/L
5/2/2002 SW-7	n/a	Chloride	3.8	mg/L
1/28/2003 SW-7	n/a	Chloride	4.8	mg/L
4/22/2003 SW-7	n/a	Chloride	4.1	mg/L
1/20/2004 SW-7	n/a	Chloride	4.4	mg/L
4/22/2004 SW-7	n/a	Chloride	4.7	mg/L
1/27/2005 SW-7	n/a	Chloride	4.5	mg/L
4/21/2005 SW-7	n/a	Chloride	4.2	mg/L
1/30/2006 SW-7	n/a	Chloride	3.2	mg/L
4/24/2006 SW-7	n/a	Chloride	4.2	mg/L

2/22/2007	SW-7	n/a	Chloride	5.4	mg/L
2/13/2008	SW-7	n/a	Chloride	5.3	mg/L
3/4/2009	SW-7	n/a	Chloride	7.3	mg/L
2/23/2010	SW-7	n/a	Chloride	4.9	mg/L
3/8/2011	SW-7	n/a	Chloride	6.8	mg/L
3/27/2012	SW-7	n/a	Chloride	7.1	mg/L
7/1/1995	SW-7	n/a	COD	11	mg/L
1/1/1996	SW-7	n/a	COD	6.6	mg/L
4/1/1996	SW-7	n/a	COD	23	mg/L
1/1/1997	SW-7	n/a	COD	30	mg/L
4/1/1997	SW-7	n/a	COD	8.8	mg/L
1/1/1998	SW-7	n/a	COD	13	mg/L
10/28/1998	SW-7	n/a	COD	9.9	mg/L
5/20/1999	SW-7	n/a	COD	7.2	mg/L
11/30/1999	SW-7	n/a	COD	13	mg/L
6/8/2000	SW-7	n/a	COD	5.8	mg/L
12/7/2000	SW-7	n/a	COD	5 U	mg/L
2/7/2002	SW-7	n/a	COD	11	mg/L
5/2/2002	SW-7	n/a	COD	5	mg/L
1/28/2003	SW-7	n/a	COD	14	mg/L
4/22/2003	SW-7	n/a	COD	10	mg/L
1/20/2004	SW-7	n/a	COD	13	mg/L
4/22/2004	SW-7	n/a	COD	5.83	mg/L
1/27/2005	SW-7	n/a	COD	9.94	mg/L
4/21/2005	SW-7	n/a	COD	8.97	mg/L
1/30/2006	SW-7	n/a	COD	552	mg/L
4/24/2006	SW-7	n/a	COD	6.84	mg/L
2/22/2007	SW-7	n/a	COD	9.45	mg/L
2/13/2008	SW-7	n/a	COD	15.3	mg/L
3/4/2009	SW-7	n/a	COD	5 U	mg/L
2/23/2010	SW-7	n/a	COD	9.41	mg/L
3/8/2011	SW-7	n/a	COD	7.46	mg/L
3/27/2012	SW-7	n/a	COD	5 U	mg/L
4/1/1994	SW-7	n/a	Hardness	263	mg/L CaCO3
7/1/1994	SW-7	n/a	Hardness	270	mg/L CaCO3
4/1/1995	SW-7	n/a	Hardness	160	mg/L CaCO3
7/1/1995	SW-7	n/a	Hardness	230	mg/L CaCO3
1/1/1996	SW-7	n/a	Hardness	180	mg/L CaCO3
4/1/1996	SW-7	n/a	Hardness	330	mg/L CaCO3
1/1/1997	SW-7	n/a	Hardness	220	mg/L CaCO3
4/1/1997	SW-7	n/a	Hardness	160	mg/L CaCO3
1/1/1998	SW-7	n/a	Hardness	210	mg/L CaCO3
10/28/1998	SW-7	n/a	Hardness	140	mg/L CaCO3
5/20/1999	SW-7	n/a	Hardness	120	mg/L CaCO3
11/30/1999	SW-7	n/a	Hardness	82	mg/L CaCO3
6/8/2000	SW-7	n/a	Hardness	220	mg/L CaCO3
12/7/2000	SW-7	n/a	Hardness	190	mg/L CaCO3
2/7/2002	SW-7	n/a	Hardness	84	mg/L CaCO3
5/2/2002	SW-7	n/a	Hardness	170	mg/L CaCO3
1/28/2003	SW-7	n/a	Hardness	71	mg/L CaCO3
4/22/2003	SW-7	n/a	Hardness	140	mg/L CaCO3
1/20/2004	SW-7	n/a	Hardness	110	mg/L CaCO3

4/22/2004	SW-7	n/a	Hardness	230	mg/L CaCO3
1/27/2005	SW-7	n/a	Hardness	120	mg/L CaCO3
4/21/2005	SW-7	n/a	Hardness	120	mg/L CaCO3
1/30/2006	SW-7	n/a	Hardness	47	mg/L CaCO3
4/24/2006	SW-7	n/a	Hardness	170	mg/L CaCO3
2/22/2007	SW-7	n/a	Hardness	110	mg/L CaCO3
2/13/2008	SW-7	n/a	Hardness	92	mg/L CaCO3
3/4/2009	SW-7	n/a	Hardness	130	mg/L CaCO3
2/23/2010	SW-7	n/a	Hardness	140	mg/L CaCO3
3/8/2011	SW-7	n/a	Hardness	100	mg/L CaCO3
3/27/2012	SW-7	n/a	Hardness	130	mg/L CaCO3
7/1/1995	SW-7	n/a	Iron, Dissolved	0.03	mg/L
1/1/1996	SW-7	n/a	Iron, Dissolved	0.09	mg/L
4/1/1996	SW-7	n/a	Iron, Dissolved	0.02 U	mg/L
1/1/1997	SW-7	n/a	Iron, Dissolved	0.05	mg/L
4/1/1997	SW-7	n/a	Iron, Dissolved	0.1	mg/L
1/1/1998	SW-7	n/a	Iron, Dissolved	0.07	mg/L
10/28/1998	SW-7	n/a	Iron, Dissolved	0.66	mg/L
5/20/1999	SW-7	n/a	Iron, Dissolved	0.11	mg/L
11/30/1999	SW-7	n/a	Iron, Dissolved	0.13	mg/L
6/8/2000	SW-7	n/a	Iron, Dissolved	0.05	mg/L
12/7/2000	SW-7	n/a	Iron, Dissolved	0.07	mg/L
2/7/2002	SW-7	n/a	Iron, Dissolved	0.06	mg/L
5/2/2002	SW-7	n/a	Iron, Dissolved	0.09	mg/L
1/28/2003	SW-7	n/a	Iron, Dissolved	0.06	mg/L
4/22/2003	SW-7	n/a	Iron, Dissolved	0.08	mg/L
1/20/2004	SW-7	n/a	Iron, Dissolved	0.07	mg/L
4/22/2004	SW-7	n/a	Iron, Dissolved	0.05 U	mg/L
1/27/2005	SW-7	n/a	Iron, Dissolved	0.07	mg/L
4/21/2005	SW-7	n/a	Iron, Dissolved	0.06	mg/L
1/30/2006	SW-7	n/a	Iron, Dissolved	0.07	mg/L
4/24/2006	SW-7	n/a	Iron, Dissolved	0.07	mg/L
2/22/2007	SW-7	n/a	Iron, Dissolved	0.23	mg/L
2/13/2008	SW-7	n/a	Iron, Dissolved	0.07	mg/L
3/4/2009	SW-7	n/a	Iron, Dissolved	0.1	mg/L
2/23/2010	SW-7	n/a	Iron, Dissolved	0.07	mg/L
3/8/2011	SW-7	n/a	Iron, Dissolved	0.1	mg/L
3/27/2012	SW-7	n/a	Iron, Dissolved	0.16	mg/L
7/1/1995	SW-7	n/a	Manganese, Dissolved	0.101	mg/L
1/1/1996	SW-7	n/a	Manganese, Dissolved	0.201	mg/L
4/1/1996	SW-7	n/a	Manganese, Dissolved	0.2	mg/L
1/1/1997	SW-7	n/a	Manganese, Dissolved	0.12	mg/L
4/1/1997	SW-7	n/a	Manganese, Dissolved	0.072	mg/L
1/1/1998	SW-7	n/a	Manganese, Dissolved	0.048	mg/L
10/28/1998	SW-7	n/a	Manganese, Dissolved	0.063	mg/L
5/20/1999	SW-7	n/a	Manganese, Dissolved	0.051	mg/L
11/30/1999	SW-7	n/a	Manganese, Dissolved	0.028	mg/L
6/8/2000	SW-7	n/a	Manganese, Dissolved	0.101	mg/L
12/7/2000	SW-7	n/a	Manganese, Dissolved	0.062	mg/L
2/7/2002	SW-7	n/a	Manganese, Dissolved	0.045	mg/L
5/2/2002	SW-7	n/a	Manganese, Dissolved	0.101	mg/L
1/28/2003	SW-7	n/a	Manganese, Dissolved	0.02	mg/L

4/22/2003	SW-7	n/a	Manganese, Dissolved	0.049	mg/L
1/20/2004	SW-7	n/a	Manganese, Dissolved	0.046	mg/L
4/22/2004	SW-7	n/a	Manganese, Dissolved	0.096	mg/L
1/27/2005	SW-7	n/a	Manganese, Dissolved	0.034	mg/L
4/21/2005	SW-7	n/a	Manganese, Dissolved	0.036	mg/L
1/30/2006	SW-7	n/a	Manganese, Dissolved	0.022	mg/L
4/24/2006	SW-7	n/a	Manganese, Dissolved	0.056	mg/L
2/22/2007	SW-7	n/a	Manganese, Dissolved	0.057	mg/L
2/13/2008	SW-7	n/a	Manganese, Dissolved	0.036	mg/L
3/4/2009	SW-7	n/a	Manganese, Dissolved	0.041	mg/L
2/23/2010	SW-7	n/a	Manganese, Dissolved	0.052 U	mg/L
3/8/2011	SW-7	n/a	Manganese, Dissolved	0.053	mg/L
3/27/2012	SW-7	n/a	Manganese, Dissolved	0.05	mg/L
7/1/1995	SW-7	n/a	Specific Conductivity	798	umhos/cm
1/1/1996	SW-7	n/a	Specific Conductivity	435	umhos/cm
4/1/1996	SW-7	n/a	Specific Conductivity	800	umhos/cm
4/1/1997	SW-7	n/a	Specific Conductivity	404	umhos/cm
1/1/1998	SW-7	n/a	Specific Conductivity	1180	umhos/cm
10/28/1998	SW-7	n/a	Specific Conductivity	123	umhos/cm
5/20/1999	SW-7	n/a	Specific Conductivity	321	umhos/cm
11/30/1999	SW-7	n/a	Specific Conductivity	251	umhos/cm
12/7/2000	SW-7	n/a	Specific Conductivity	517.4	umhos/cm
2/7/2002	SW-7	n/a	Specific Conductivity	248	umhos/cm
5/2/2002	SW-7	n/a	Specific Conductivity	470	umhos/cm
1/28/2003	SW-7	n/a	Specific Conductivity	195	umhos/cm
4/22/2003	SW-7	n/a	Specific Conductivity	373	umhos/cm
1/20/2004	SW-7	n/a	Specific Conductivity	336	umhos/cm
4/22/2004	SW-7	n/a	Specific Conductivity	567	umhos/cm
1/27/2005	SW-7	n/a	Specific Conductivity	347	umhos/cm
4/21/2005	SW-7	n/a	Specific Conductivity	330	umhos/cm
1/30/2006	SW-7	n/a	Specific Conductivity	137	umhos/cm
4/24/2006	SW-7	n/a	Specific Conductivity	427	umhos/cm
2/22/2007	SW-7	n/a	Specific Conductivity	312	umhos/cm
2/13/2008	SW-7	n/a	Specific Conductivity	280	µmhos/cm
3/4/2009	SW-7	n/a	Specific Conductivity	381	umhos/cm
2/23/2010	SW-7	n/a	Specific Conductivity	418	umhos/cm
3/8/2011	SW-7	n/a	Specific Conductivity	272	umhos/cm
3/27/2012	SW-7	n/a	Specific Conductivity	338	uS/cm
7/1/1995	SW-7	n/a	Sulfate	100	mg/L
1/1/1996	SW-7	n/a	Sulfate	91	mg/L
4/1/1996	SW-7	n/a	Sulfate	190	mg/L
1/1/1997	SW-7	n/a	Sulfate	120	mg/L
4/1/1997	SW-7	n/a	Sulfate	66	mg/L
1/1/1998	SW-7	n/a	Sulfate	110	mg/L
10/28/1998	SW-7	n/a	Sulfate	65	mg/L
5/20/1999	SW-7	n/a	Sulfate	52	mg/L
11/30/1999	SW-7	n/a	Sulfate	36	mg/L
6/8/2000	SW-7	n/a	Sulfate	100	mg/L
12/7/2000	SW-7	n/a	Sulfate	73	mg/L
2/7/2002	SW-7	n/a	Sulfate	38	mg/L
5/2/2002	SW-7	n/a	Sulfate	81	mg/L
1/28/2003	SW-7	n/a	Sulfate	28	mg/L

4/22/2003 SW-7	n/a	Sulfate	59	mg/L
1/20/2004 SW-7	n/a	Sulfate	44	mg/L
4/22/2004 SW-7	n/a	Sulfate	112	mg/L
1/27/2005 SW-7	n/a	Sulfate	46.3	mg/L
4/21/2005 SW-7	n/a	Sulfate	48	mg/L
1/30/2006 SW-7	n/a	Sulfate	18.8	mg/L
4/24/2006 SW-7	n/a	Sulfate	77.4	mg/L
2/22/2007 SW-7	n/a	Sulfate	9.2	mg/L
2/13/2008 SW-7	n/a	Sulfate	39	mg/L
3/4/2009 SW-7	n/a	Sulfate	60	mg/L
2/23/2010 SW-7	n/a	Sulfate	48.8	mg/L
3/8/2011 SW-7	n/a	Sulfate	48.8	mg/L
3/27/2012 SW-7	n/a	Sulfate	49.2	mg/L
4/1/1994 SW-7	n/a	TOC	1.99	mg/L
4/1/1994 SW-7	n/a	TOC	1.99	mg/L
7/1/1994 SW-7	n/a	TOC	2.1	mg/L
4/1/1995 SW-7	n/a	TOC	1.5 U	mg/L
7/1/1995 SW-7	n/a	TOC	2.5	mg/L
1/1/1996 SW-7	n/a	TOC	2.8	mg/L
4/1/1996 SW-7	n/a	TOC	2	mg/L
1/1/1997 SW-7	n/a	TOC	2.5	mg/L
4/1/1997 SW-7	n/a	TOC	3.3	mg/L
1/1/1998 SW-7	n/a	TOC	1.5 U	mg/L
10/28/1998 SW-7	n/a	TOC	6.4	mg/L
5/20/1999 SW-7	n/a	TOC	4.1	mg/L
11/30/1999 SW-7	n/a	TOC	4.1	mg/L
6/8/2000 SW-7	n/a	TOC	1.6	mg/L
12/7/2000 SW-7	n/a	TOC	2	mg/L
2/7/2002 SW-7	n/a	TOC	2.8	mg/L
5/2/2002 SW-7	n/a	TOC	2	mg/L
1/28/2003 SW-7	n/a	TOC	3.2	mg/L
4/22/2003 SW-7	n/a	TOC	2.8	mg/L
1/20/2004 SW-7	n/a	TOC	2.9	mg/L
4/22/2004 SW-7	n/a	TOC	2.76	mg/L
1/27/2005 SW-7	n/a	TOC	2.42	mg/L
4/21/2005 SW-7	n/a	TOC	2.3	mg/L
1/30/2006 SW-7	n/a	TOC	5.57	mg/L
4/24/2006 SW-7	n/a	TOC	2.15	mg/L
2/22/2007 SW-7	n/a	TOC	3.43	mg/L
2/13/2008 SW-7	n/a	TOC	3.32	mg/L
3/4/2009 SW-7	n/a	TOC	2.58	mg/L
2/23/2010 SW-7	n/a	TOC	5.28	mg/L
3/8/2011 SW-7	n/a	TOC	2.94	mg/L
3/27/2012 SW-7	n/a	TOC	2.69	mg/L