



Proudly serving the Inland Northwest since 1976

Geotechnical Engineering
Environmental Engineering
Construction Material Testing
Subsurface Exploration
Special Inspection

Chris Batten
NODO Spokane
502 W Riverside Ave, Ste 103
Spokane, WA 99201

September 21, 2021

Project Number: X19570

**Project: Former Normandie Maintenance Facility
Spokane, WA**

Subject: Facility Remediation and Closure

Dear Mr. Batten,

This report documents completion of remediation efforts performed during site demolition from September of 2019 to August of 2021. This work was performed in general accordance with the Remediation and Closure Plan submitted to Ecology under the Voluntary Cleanup Program on September 27, 2019. This report summarizes remedial efforts undertaken to close the site and supplements information previously submitted:

- Environmental Site Characterization Report (November 20, 2017)
- UST Removal Assessment Report (November 21, 2019)
- Soil Management Plan (February 2020)
- Additional Monitoring Wells-Results of Soil Sampling and Chemical Analysis (March 5, 2020)
- Groundwater Sampling and Analysis Quarterly Report (March 2021, 2020)

This report is intended to be submitted as a final remediation report to Ecology under the Voluntary Cleanup Program to facilitate a formal No Further Action determination for the property. The site plans and chemical analysis reports, QC data, and chain of custodies are provided in the attached Appendix.

PROJECT CONSIDERATIONS

Previous environmental assessment, sampling and chemical analysis presented in the Environmental Site Characterization Report, identified potential environmental concerns in several areas of the site. Contaminants of concern (COC's) included petroleum hydrocarbons and heavy metals. Redevelopment of the site involves demolishing many of the structures on the property, including all of the structures on the western half of the property to prepare the site for re-development. The buildings had numerous floor drains and stormwater drains inside and outside which were connected to the sewer as illustrated on the attached site plans.

A total of 5 environmental monitoring wells were installed and monitored quarterly until 4 consecutive quarters of test results were obtained as described in our report of Soil Sampling and Chemical Analysis,

1101 North Fancher Rd.
Spokane Valley, WA 99212
(T) 509.535.8841
(F) 509.535.9589

www.budingerinc.com

and the final Groundwater Sampling and Analysis Quarterly Report. These wells are no longer to be monitored. We conclude that groundwater beneath the site is not impacted by past use or current conditions at the site.

The UST Removal Assessment report documented removal of the underground storage tanks and fueling station west of the Fleet Building including remediation of a small amount of contaminated soil incidental to UST operations. We did not identify releases from the UST system. Trace concentrations of PAH's and petroleum were identified in two samples of old fill from the excavation sidewall which was left in place at that time. These soils have been over-excavated and disposed of.

This report documents observations during cleaning and excavation of the floor drains, test results from samples taken during removal of the floor drains, over-excavation at the former fueling station, removal of a UST which had been closed in place by the Field Engineers office, and remediation of petroleum contaminated soils which had been left in place beneath the broom shed foundations near the former cesspool location.

REMEDIAL EFFORT

Drainage Structures

At our direction, the floor drains and drywells were cleaned and inspected for obvious leakage or cracks in advance of building demolition with a pressure washer and vac truck. The sediments were placed in a temporary lined settling basin where we collected representative samples for analysis. The sediments were solidified and disposed of as non-hazardous solid waste. Waste disposal characterization and permitting forms are attached.

Two exterior drains were deemed unfeasible to remove due to their proximity to the existing buildings. One of these drains is in the basement stairwell on the west side of the City Stores building, and the other is located near the southeast corner of the Annex building. These remaining drains will be removed/replaced at a later date as renovation continues. The other exterior drainage structures and those located in the demolished buildings were subsequently removed as the buildings were demolished. Soil conditions are illustrated in the attached photographs.

Soils were excavated from beneath the drain structures and covered with plastic sheeting adjacent to each excavation while awaiting results of chemical analysis in compliance with the *Soil Management Plan* dated February 17 of 2020. We obtained representative samples of soil from the bottom of most of the drain excavations. We did not observe stained soils or evidence of leakage from the drains with the exception of the drains near the former cesspool in the Broom Shed and the soils surrounding the remaining cesspool structure. These soils were over-excavated for disposal.

Samples were taken by hand from the bucket of the excavator using disposable nitrile gloves, placed in pre-cleaned sample containers supplied by the analytical laboratory (Anatek Labs, Inc, Spokane WA), stored in an insulated cooler on ice and delivered to the analytical laboratory under chain of custody. The samples were analyzed for petroleum hydrocarbons and heavy metals. Laboratory test reports, QA/QC data and chain of custody forms are attached.

Lead was detected above MTCA Method A Soil Cleanup Levels in the NW Drain at a depth of 3½ feet. After further excavation to a depth of 7 feet, the lead concentration was well below regulatory limits. Other heavy metals were detected at what appear to be normal background concentrations.

Gasoline and diesel range petroleum were not detected in the samples. Low concentrations of heavy oil range petroleum hydrocarbons were detected in samples from the northwest drain, Welding Shop west drain, Annex northwest drywell, and some of the Mission Shed floor drains, but at concentrations well below regulatory limits.

Floor Hoists

Two in-floor vehicle lifts were removed from the former Body Shop. Soil surrounding them was excavated to depths of 7 to 8 feet. The excavated soils were stockpiled on and covered with plastic sheeting adjacent to each excavation in compliance with the *Soil Management Plan*.

We obtained representative samples of what appeared to be unaffected soil from the bottom of each excavation. Samples were taken by hand from the bucket of the excavator using disposable nitrile gloves, placed in pre-cleaned sample containers, stored in an insulated cooler on ice and delivered to the analytical laboratory under chain of custody. The samples were analyzed for petroleum hydrocarbons and heavy metals. Laboratory test reports, QA/QC data and chain of custody forms are attached.

Heavy metals were detected at normal background concentrations. Diesel and heavy oil range petroleum hydrocarbons were not detected.

Underground Storage Tanks

The UST which was abandoned in place east of the Engineer's building was excavated and removed. Evidence of a release from the tank, piping, or obvious indications of soil contamination were not encountered during removal.

We obtained representative samples of what appeared to be unaffected soil from the bottom of each end of the excavation and the stockpiled soil. Samples were taken by hand from the bucket of the excavator using disposable nitrile gloves, placed in pre-cleaned sample containers, stored in an insulated cooler on ice and delivered to the analytical laboratory under chain of custody. The samples were analyzed for petroleum hydrocarbons and heavy metals. Laboratory test reports, QA/QC data and chain of custody forms are attached.

Heavy metals were detected at normal background concentrations. Lube oil was detected in the stockpiled soil, but at concentrations well below the MTCA Method A Soil Cleanup limit.

The fueling station and UST's west of the Fleet building have also been removed. Evidence of a release from the system or obvious indications of soil contamination were not encountered during removal. Petroleum hydrocarbons were not detected in the samples taken during assessment. UST removal and assessment reports have been sent to Ecology's UST program.

Two samples from the northwest corner of the excavation contained trace polycyclic aromatic hydrocarbons (PAH's) exceeding MTCA Method A unrestricted and industrial cleanup levels (one sample each) from depths of 14.5-15 feet and 11-12 feet. Several other samples of the old fill surrounding the tanks contained trace concentrations of PAH's at levels that are below cleanup levels.

This area of the excavation was opened up and excavated on June 24, 2021. The backfill of the excavation was set aside, and the old fill in the northwest area of the excavation was removed to a depth of nearly 20 feet and stockpiled for disposal. The stockpile of overburden was also sampled. Test results for PAH's were well below regulatory limits.

Former Broom Shed and Wash Bays

The former broom shed building was located on the northwest corner of Normandie Street and Sinto Avenue intersection. The broom shed building was used for vehicle maintenance and wash bays. A former brick cesspool and eight floor drains remained underneath the concrete floor. The cesspool was found to have contaminated soils surrounding it during previous assessment and remediation in 1998. A significant amount of contaminated soils had been removed during this work, along with a portion of the east wall of the cesspool. The north, south, and west walls remained due to the risk of causing structural damage of the existing structure. The cesspool was replaced with a catchbasin which drained to a new oil water separator and then to the sanitary sewer.

When the buildings had been demolished by Rob's Demolition the concrete slab, foundation and utility vault remained. During May 19-23, 2021, we observed the excavation of the remaining foundation. The remaining brick cesspool structure was also excavated and transported to Graham Road landfill. Stained soils beneath and surrounding the cesspool and foundation were also excavated for disposal. We did not observe indications of contaminated soils, such as stains, discoloration, or petroleum odors in the remaining soils below the excavation. Additionally, the photo ionization detector (PID) did not detect petroleum vapors emitting from the soils.

We did not observe indications of contaminated soils below most of the eight brick drains below the building. Two of the drains in the broom shed (#3 and 4) had dark and questionable soils found below the drain structures. The PID meter detected low levels of petroleum, but below 14 ppm. We excavated several yards of questionable soils for disposal until the remaining soil appeared unaffected, and collected samples for chemical analysis. The contaminants of concern were not detected in the samples at levels that exceed cleanup levels.

Contaminated Materials Disposal

The stockpiled floor drain sediment and contaminated soils were characterized for disposal as non-hazardous waste at the Graham Road Landfill. Approximately 8.56 tons of contaminated sediment were transported to the landfill on October 15 of 2020 from cleaning of the floor drains. A total of 76.48 tons of soil associated with the drains, miscellaneous surface stains and UST excavation at the former fueling station were also transported to the Graham Road landfill for disposal as petroleum contaminated soil during the course of the demolition project. The waste characterization forms, disposal permit, and disposal records are attached.

CONCLUSIONS

Based on our observations and the results of chemical analysis, we conclude that the horizontal and vertical extent of release from several of the floor drains was limited to the soils immediately surrounding and below the structures. These soils were excavated and disposed of. Most of them did not leak or impact the surrounding soils.

Evidence of a release from the floor hoists and UST systems or other obvious indications of soil contamination were not encountered. A small amount of old fill with low concentrations of petroleum and PAH's near the fueling station UST's was removed for disposal, and remaining soil concentrations are below regulatory limits or detection limits.

The contaminated soils previously left in place near the former cesspool structure have been removed and disposed of.

We conclude that past use of the site and previous UST systems and releases have been adequately remediated.

The results of groundwater monitoring do not indicate impact from current or historical site conditions.

We conclude that the site has been adequately remediated, and that further remedial action or investigation is not warranted. While it is possible that isolated areas of contaminated soils may remain on site, this potential is associated with any property which has been developed and used for more than a century. We do not suspect conditions or releases which would require other than de-minimis removal of stained soils or occasional debris from previous structures, if encountered.


We do not believe that engineering controls or restrictive covenants are necessary to protect human health or the environment from any particular condition or location of the site and conclude that re-development of the site may proceed in an ordinary manner without further environmental consideration.

Thank you for the opportunity to be of service. Should you have any questions regarding this report or if we may be of further assistance, please contact us.

Respectfully Submitted:
Budinger and Associates, Inc.






Stephen D. Burchett, PE
Environmental Services Manager



Attachments:

- Vicinity Map
- Site Plan
- Previous Reports from Environmental Work
- Laboratory Summaries
- Photographs
- Ecology Site Files
- Analytical Test Reports
- Waste Disposal Profile
- Waste Disposal Approval
- Waste Disposal Load Tickets




 SCALE: 1"=2000' 0 1000 2000	SECTION 18 T 25 N R 43 E USGS 1974	 Budinger & Associates	VICINITY MAP NORMANDIE FACILITY REMEDIATION SPOKANE, WASHINGTON	FIGURE 1 PROJECT NUMBER X19570 DATE: 8/2019
---	--	--	---	---

Mission Avenue

Sinto Avenue


Calispel Street

Atlantic Street




Note: Plotted tank locations approximated and not to scale

- ⊕ SOIL SAMPLES (NW DRAIN)
- ⊕ SMALL FLOOR DRAINS
- ⊕ DRAINS AND DRYWELLS
- ▭ UNDERGROUND TANKS
- ▭ PREVIOUSLY REMOVED TANKS
- ▭ BUILDINGS AND STRUCTURES REMOVED
- ⊕ MONITORING WELLS (MW-1)
- ⊕ DRAIN SOIL SAMPLES (5/2021)



SITE PLAN
 NORMANDIE FACILITY REMEDIATION
 SPOKANE, WASHINGTON

FIGURE 2
 PROJECT NUMBER X19570
 DATE: 09/2020



SAMPLE LOCATION & DEPTH (1: 1-2')



Budinger & Associates

SITE PLAN

NORMANDIE FACILITY REMEDIATION
SPOKANE, WASHINGTON

FIGURE 1

PROJECT NUMBER X19570
DATE: 11/2019

Table 1 - Laboratory Analysis Summary

SAMPLE LOCATION:	Under north end of gas tank	East end of northern sidewall	Under south end of gas tank	South end of eastern sidewall	Center of excavation, between tanks	Under north end of diesel tank	Under south end of diesel tank	North end of western sidewall	South end of western sidewall	Middle of spoils pile	South center of spoils pile	South end of spoils pile	North-west corner of spoils pile	West Side, North End	North End	Backfill Stockpile (Composite)	MTCA Limit Method A mg/Kg
SAMPLE ID:	UST 1	UST 2	UST 3	UST 4	UST 5	UST 6	UST 7	UST 8	UST 9	UST 10	UST 11	UST 12	UST 13	UST 14	UST 15	UST 16	
DEPTH:	14.5'-15'	14.5'-15'	14.5'-15'	14.5'-15'	14.5'-15'	14.5'-15'	14.5'-15'	11'-12'	11'-12'	Stockpile	Stockpile	Stockpile	Surficial	18'-19'	18'-19'	Stockpile	
MATRIX:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
DATE:	30-Oct-19	30-Oct-19	30-Oct-19	30-Oct-19	31-Oct-19	31-Oct-19	31-Oct-19	31-Oct-19	31-Oct-19	30-Oct-19	30-Oct-19	30-Oct-19	31-Oct-19	24-Jun-21	24-Jun-21	24-Jun-21	Unrestricted/Industrial
HEAVY METALS																	
Lead	14.3	22.3	14.3	15.7	8.96					5.28	4.28	4.23					250/1000
PETROLEUM HYDROCARBONS																	
Gasoline	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5					< 2.5	< 2.5	< 2.5		ND	ND	ND	30/100
Diesel					< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	ND	ND	ND	2,000
Lube Oil					< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	ND	ND	ND	2,000
VOLATILE ORGANIC COMPOUNDS (VOCs)																	
1,2-Dibromoethane (EDB)	0.00047	< 0.0002	< 0.0002	< 0.0002	< 0.0002					< 0.0002	< 0.0002	< 0.0002					0.03 6 0.1 5 7
1,2-Dichloroethane	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002					< 0.002	< 0.002	< 0.002					
Benzene	0.00793	< 0.002	< 0.002	0.00299	< 0.002					< 0.002	< 0.002	< 0.002					
Ethylbenzene	0.0137	0.00357	< 0.002	< 0.002	< 0.002					< 0.002	< 0.002	< 0.002					
m+p-Xylene	0.0539	0.0143	< 0.004	< 0.004	< 0.004					< 0.004	< 0.004	< 0.004					
methyl-t-butyl ether (MTBE)	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002					< 0.002	< 0.002	< 0.002					
Naphthalene	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01					< 0.01	< 0.01	< 0.01					
o-Xylene	0.0242	0.00746	< 0.002	< 0.002	< 0.002					< 0.002	< 0.002	< 0.002					
Toluene	0.0615	0.0124	0.00348	0.00299	0.00256					0.00328	0.00345	0.00284					
POLYCYCLIC AROMATIC HYDROCARBONS (PAHs)																	
1-Methylnaphthalene					< 0.1	< 0.025	< 0.01	0.143	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	0.1/2.0
2-Methylnaphthalene					< 0.01	< 0.025	< 0.01	0.0598	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Acenaphthene					< 0.01	< 0.025	< 0.01	0.517	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Acenaphthylene					< 0.01	< 0.025	< 0.01	< 0.01	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Anthracene					< 0.01	< 0.025	< 0.01	0.586	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Benzo(ghi)perylene					< 0.01	< 0.025	< 0.01	1.11	0.0481	< 0.1	< 0.01	< 0.01		0.0321	ND	ND	
Benzo[a]anthracene					< 0.01	0.128	< 0.01	1.96	0.0454	< 0.1	0.0107	< 0.01		0.0446	0.0259	ND	
Benzo[a]pyrene					< 0.01	< 0.025	< 0.01	1.90	0.0427	< 0.1	< 0.01	< 0.01		0.0410	0.0163	ND	
Benzo[b]fluoranthene					< 0.01	< 0.025	< 0.01	2.13	0.0466	< 0.1	< 0.01	< 0.01		0.0503	0.0176	ND	
Benzo[k]fluoranthene					< 0.01	< 0.025	< 0.01	0.743	0.0175	< 0.1	< 0.01	< 0.01		0.0169	ND	ND	
Chrysene					< 0.01	< 0.025	< 0.01	2.37	0.0331	< 0.1	< 0.01	< 0.01		0.0295	0.0133	ND	
Dibenz[a,h]anthracene					< 0.01	< 0.025	< 0.01	0.309	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Fluoranthene					< 0.01	0.0275	< 0.01	3.50	0.0469	< 0.1	< 0.01	< 0.01		0.0426	0.0149	ND	
Fluorene					< 0.01	< 0.025	< 0.01	0.323	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Indeno[1,2,3-cd]pyrene					< 0.01	< 0.025	< 0.01	1.05	0.0260	< 0.1	< 0.01	< 0.01		0.0229	ND	ND	
Naphthalene					< 0.01	< 0.025	< 0.01	0.0352	< 0.01	< 0.1	< 0.01	< 0.01		ND	ND	ND	
Phenanthrene					< 0.01	< 0.025	< 0.01	2.77	0.0306	< 0.1	< 0.01	< 0.01		0.0161	ND	ND	
Pyrene					< 0.01	0.0350	< 0.01	4.65	0.0616	< 0.1	< 0.01	< 0.01		0.0469	0.0168	ND	
Total cPAH Equivalent Toxicity Value					< 0.01	0.128	< 0.01	2.654	0.0614	< 0.1	0.00107	< 0.01		0.0531	0.0208	ND	0.1/2.0

Unless otherwise noted results are presented in parts per million (mg/Kg)
 For detection limits refer to Anatek Labs Inc., Test Reports

SITE MAP SAMPLE LOCATION:	MTCA Method A Soil Cleanup Levels for Unrestricted Land Use (mg/kg)	Cesspool Drain	SW of Cesspool	D3	D4
SAMPLE NAME:		CP-2	CP-1	N3	N4
DEPTH:		10'	6'-7'	8'	7'
SAMPLE DATE:		20-May-21	20-May-21	20-May-21	20-May-21
SAMPLE ID:					
HEAVY METALS					
Arsenic	20	12.3	6.97	6.86	4.35
Barium		67.1	86.7	41.5	28.7
Cadmium	2	<0.547	<0.534	<0.509	<0.526
Chromium (VI)/(III)	19 / 2000	11.5	11.9	12.7	7.68
Lead	250	22.5	18	10.5	6.12
Mercury	2	<0.0547	<0.0534	<0.0509	<0.0526
Selenium		1.46	1.60	.128	1.00
Silver		<0.547	<0.534	<0.509	<0.526
PETROLEUM HYDROCARBONS					
Gasoline	30 / 100				
Diesel	2000	<26.9	<26.4	<25.0	<25.6
Lube Oil	2000	<107	<106	<99.8	<102
Mineral Oil	4000	<26.8	<26.4	<25.0	52.9
SEMIVOLATILES					
1-Methylnaphthalene		<0.0110	<0.0109	<0.0105	<0.0104
2-Methylnaphthalene		<0.0110	<0.0109	<0.0105	<0.0104
Acenaphthene		<0.0110	<0.0109	<0.0105	<0.0104
Aceaphthylene		<0.0110	<0.0109	<0.0105	<0.0104
Anthracene		<0.0110	<0.0109	<0.0105	<0.0104
Benzo(g,h,i)perylene		0.0228	<0.0109	<0.0105	<0.0104
Benzo[a]anthracene		<0.0110	<0.0109	<0.0105	<0.0104
Benzo[a]pyrene		0.0126	<0.0109	<0.0105	<0.0104
Benzo[b]fluoranthene		0.0162	<0.0109	<0.0105	<0.0104
Benzo[k]fluoranthene		<0.0110	<0.0109	<0.0105	<0.0104
Chrysene		0.0123	<0.0109	<0.0105	<0.0104
Dibenz(a,h)anthracene		<0.0110	<0.0109	<0.0105	<0.0104
Fluorathene		0.0184	<0.0109	<0.0105	<0.0104
Fluorene		<0.0110	<0.0109	<0.0105	<0.0104
Ideno(1,2,3-cd)pyrene		0.0133	<0.0109	<0.0105	<0.0104
Naphthalene		<0.0110	<0.0109	<0.0105	<0.0104
Phenanthrene		0.0112	<0.0109	<0.0105	<0.0104
Pyrene		0.0183	<0.0109	<0.0105	<0.0104
Total cPAH Equivalent Toxicity Value		0.0157	ND	ND	ND

Soil Sampling and Chemical Analysis Results

SITE PLAN SAMPLE LOCATION:	MTCA Method A Soil Cleanup Levels for Unrestricted Land Use (mg/kg)	West end of closed-in-place UST excavation	East end of closed-in-place UST excavation	Closed-in-place UST excavation stockpile	Eastern drain inside former welding shop	Western drain inside former welding shop	Floor drain inside former body shop	Western vehicle lift inside former body shop	Eastern vehicle lift inside former body shop	SW drywell inside former Annex garage	Western drywell inside former Annex garage	Drywell near Wash Bay building	South catch-basin near Broom Shed building
SAMPLE NAME:		CUST West	CUST East	CUST SP	WS Drain East	WS Drain West	BS Drain	BS Lift W	BS Lift E	Annex D/W SW	Annex D/W W	WB-DW	BS CB-S
DEPTH:		9' - 10'	10' - 11'	-	4'	4'	3'	6' - 7'	7' - 8'	6' - 7'	4	10'	12'
SAMPLE DATE:		01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	17-Jul-20	17-Jul-20
SAMPLE ID:		WAE0381-01	WAE0381-02	WAE0381-03	WAE0381-04	WAE0381-05	WAE0381-06	WAE0381-07	WAE0381-08	WAE0381-09	WAE0381-10	WAG0767-01	WAG0767-02
HEAVY METALS													
Arsenic	20	12.1	7.48	5.67	5.13	8.12	6.63	5.12	6.26	8.90	6.78	6.41	3.71
Barium		84.6	47.0	63.7	43.8	51.5	63.1	65.5	38.7	89.6	106	63.8	34.2
Cadmium	2	<0.560	<0.522	<0.532	<0.509	<0.534	<0.516	<0.528	<0.511	0.661	1.10	<0.535	<0.522
Chromium (VI)/(III)	19 / 2000	10.5	8.69	9.67	9.61	11.6	10.8	14.1	9.78	13.4	12.9	9.57	5.92
Lead	250	21.9	21.5	53.3	8.46	16.0	9.95	9.62	6.73	91.4	17.9	16.7	6.00
Mercury	2	<0.0560	<0.0522	<0.0532	<0.0509	<0.0534	<0.0516	<0.0528	<0.0511	0.0804	<0.0555	<0.0535	<0.0522
Selenium		1.32	1.00	1.16	1.17	1.56	1.27	1.26	1.25	1.69	1.64	1.04	0.817
Silver		<0.560	<0.522	<0.532	<0.509	<0.534	<0.516	<0.528	<0.511	<0.570	<0.555	<0.535	<0.522
PETROLEUM HYDROCARBONS													
Gasoline	30 / 100	<2.75	<2.60	<2.66	NT	NT	NT	NT	NT	NT	NT	NT	NT
Diesel	2000	<26.6	<25.3	<26.0	<25.0	<25.8	<25.0	<25.3	<25.0	<26.9	<27.6	<26.3	<26.0
Lube Oil	2000	<106	<101	161	<100	342	<99.8	<101	<100	<107	<110	<105	<104
Mineral Oil	4000	<26.6	<25.3	<26.0	<25.0	87.8	<25.0	<25.3	<25.0	<26.9	<27.6	<26.3	<26.0

SITE PLAN SAMPLE LOCATION:	MTCA Method A Soil Cleanup Levels for Unrestricted Land Use (mg/kg)	NW drywell inside former Annex garage	Southern drywell east of Annex building	Northern drywell east of Annex building	Floor drains inside former Mission Shed	Floor drains inside former Mission Shed	Floor drains inside former Mission Shed	Floor drains inside former Mission Shed	Floor drains inside former Mission Shed	Storm drain near NW corner of the site
SAMPLE NAME:		Annex D/W NW	Annex D/W SE	Annex D/W NE	MSD 1 & 2	MSD 3 & 4	MSD 5 & 6	MSD 7 & 8	MSD 9 & 10	NW Drain
DEPTH:		6' - 7'	7' - 8'	6' - 7'	4' - 4.5'	4' - 4.5'	4'	3'	3'	3.5'
SAMPLE DATE:		01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20	01-May-20
SAMPLE ID:		WAE0381-11	WAE0381-12	WAE0381-13	WAE0381-16	WAE0381-19	WAE0381-22	WAE0381-25	WAE0381-28	WAE0381-29
HEAVY METALS										
Arsenic	20	6.63	10.6	8.20	9.95	7.38	8.87	6.11	7.84	7.33
Barium		97.8	84.5	61.0	225	56.8	93.2	103	115	116
Cadmium	2	0.566	1.83	<0.533	1.31	<0.515	<0.542	<0.569	<0.523	1.34
Chromium (III)	2000	16.0	20.8	11.5	17.0	13.3	17.7	14.3	15.4	364
Chromium (VI)	19	NT	NT	NT	NT	NT	NT	NT	NT	<0.095
Lead	250	54.7	226	18.8	316	23.5	68.8	32.0	122	284
Mercury	2	<0.0536	0.323	<0.0533	0.0912	<0.0515	<0.0542	<0.0569	0.109	0.132
Selenium		1.53	1.65	1.39	1.96	1.35	1.71	1.71	1.51	1.70
Silver		<0.536	<0.586	<0.533	<0.537	<0.515	<0.542	<0.569	<0.523	<0.548
PETROLEUM HYDROCARBONS										
Gasoline	30 / 100	NT	NT	NT	NT	NT	NT	NT	NT	NT
Diesel	2000	<26.7	<28.1	<25.8	<26.5	<25.9	<27.0	<27.9	<25.7	<27.3
Lube Oil	2000	155	<100	<103	<106	<100	<100	270	117	273
Mineral Oil	4000	67.0	<28.1	<25.8	<26.5	<25.9	<27.0	<27.9	<25.7	187

* Unless otherwise noted, results are presented in parts per million (mg/Kg)

* NT - Sample not tested for specific analyte

* Results above regulatory limits are in bold

Soil Sampling and Chemical Analysis Results

SITE PLAN SAMPLE LOCATION:	MTCA Method A Soil Cleanup Levels for Land Use (mg/kg)	North catch-basin near Broom Shed building	Oil water separator near Broom Shed	South catch-basin near Field Engineers building	Center catch-basin near Field Engineers building	North catch-basin near Field Engineers building	Catch-basin south of former Mission Shed building	Storm drain near former Center Shed building	Storm drain near NW corner of the site	Northern catch-basin near City Stores building	Southern catch-basin near City Stores building	Drywell north of Fleet building	
SAMPLE NAME:		BS CB-N	OWS	FE CB-S	FE CB-C	FE CB-N	MS CB	Center Drain	NW Drain	CS FD-N	CS FD-S	Fleet DW	
DEPTH:		13'	11'	12'	12'	10'	7'	5'	7'	5'	7'	10'	
SAMPLE DATE:		17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20	17-Jul-20
SAMPLE ID:		WAG0767-03	WAG0767-04	WAG0767-05	WAG0767-06	WAG0767-07	WAG0767-08	WAG0767-09	WAG0767-10	WAG0767-11	WAG0767-12	WAG0767-13	
HEAVY METALS													
Arsenic	20	4.88	4.92	3.39	7.71	3.69	4.04	5.86	5.45	4.15	5.61	3.57	
Barium		31.2	50.6	60.2	124	47.1	91.4	47.3	63.9	47.1	36.4	53.5	
Cadmium	2	<0.542	<0.528	<0.561	0.716	<0.542	<0.557	<0.611	<0.539	<0.530	<0.571	<0.533	
Chromium (VI)/(III)	19 / 2000	5.22	9.63	8.03	10.5	10.5	13.2	9.73	14.5	7.75	6.78	6.66	
Lead	250	5.63	14.8	15.8	54.2	14.4	7.26	10.1	23.4	9.07	8.31	6.50	
Mercury	2	<0.0542	<0.0528	<0.0561	<0.0533	<0.0542	<0.0557	<0.0611	<0.0539	<0.0530	<0.0571	<0.0533	
Selenium		0.981	0.806	1.16	1.60	0.970	1.35	1.00	1.16	0.955	0.891	0.684	
Silver		<0.542	<0.528	<0.561	<0.533	<0.542	<0.557	<0.611	<0.539	<0.530	<0.571	<0.533	
PETROLEUM HYDROCARBONS													
Gasoline	30 / 100	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	
Diesel	2000	<25.0	<24.9	<26.2	<25.9	<26.6	<27.8	<25.5	<26.4	<24.4	<25.7	<25.6	
Lube Oil	2000	<99.8	<99.8	<105	<104	<106	<111	<102	<106	<97.6	<103	<103	
Mineral Oil	4000	<25.0	<24.9	<26.2	<25.9	<26.6	<27.8	<25.5	<26.4	<24.4	<25.7	<25.6	

* Unless otherwise noted, results are presented in parts per million (mg/Kg)

* NT - Sample not tested for specific analyte

* Results above regulatory limits are in bold

X19570 Normandie Maintenance Facility Remediation - Photographs



October 2019, UST Removal



X19570 Normandie Maintenance Facility Remediation - Photographs

October 2019, UST Removal (2)



Installation of MW-5 by Broom Shed

X19570 Normandie Maintenance Facility Remediation - Photographs



Environmental sampling in August 2017



X19570 Normandie Maintenance Facility Remediation - Photographs

Floor drain removed from Broom Shed building, May 2021



Inside old cesspool at Broom Shed building, May 2021



Side view of cesspool, May 2021

X19570 Normandie Maintenance Facility Remediation - Photographs



Soils below the cesspool after removal, May 2021



Questionnable soils below wash bay drain (excavated until clean) May 2021

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDIATION

Analytical Results Report

Sample Number	191101010-001	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 5	Sampling Time	10:20 AM	Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	8.96	mg/Kg	0.516	11/13/2019 1:37:00 PM	TRC	EPA 6020A	
1-Methylnaphthalene	ND	mg/kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Pyrene	ND	mg/Kg	0.01	1/15/2019 12:35:00 AM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/13/2019 6:38:00 PM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/13/2019 6:38:00 PM	LMC	NWTPHDX	
Gasoline	ND	mg/kg	2.5	11/6/2019 12:31:00 AM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	
Toluene	2.56	µg/Kg	2	11/7/2019 6:24:00 AM	ARY	EPA 8260C SIM	B1
%moisture	4.1	Percent		11/7/2019	LMC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDIATION

Analytical Results Report

Sample Number	191101010-001	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 5	Sampling Time	10:20 AM	Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	191101010-001						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C SIM		100.0		70-130	
4-Bromofluorobenzene		EPA 8260C SIM		100.4		70-130	
Toluene-d8		EPA 8260C SIM		100.4		70-130	
Terphenyl-d14		EPA 8270D		104.4		35-121	
hexacosane		NWTPHDX		86.4		50-150	
4-Bromofluorobenzene		NWTPHG		95.8		50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDATION

Analytical Results Report

Sample Number	191101010-002	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 6	Sampling Time	12:20 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Benzo[a]anthracene	0.128	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Fluoranthene	0.0275	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Pyrene	0.0350	mg/Kg	0.025	11/14/2019 8:46:00 PM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/13/2019 8:29:00 PM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/13/2019 8:29:00 PM	LMC	NWTPHDX	
%moisture	4.3	Percent		11/7/2019 3:10:00 PM	LMC	%moisture	

Surrogate Data

Sample Number	191101010-002			
Surrogate Standard		Method	Percent Recovery	Control Limits
Terphenyl-d14		EPA 8270D	89.6	35-121
hexacosane		NWTPHDX	96.2	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDATION

Analytical Results Report

Sample Number	191101010-003	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 7	Sampling Time	12:40 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Fluoranthene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Pyrene	ND	mg/Kg	0.01	1/15/2019 12:03:00 AM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/13/2019 9:24:00 PM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/13/2019 9:24:00 PM	LMC	NWTPHDX	
%moisture	6	Percent		11/7/2019 3:10:00 PM	LMC	%moisture	

Surrogate Data

Sample Number	191101010-003			
Surrogate Standard	Method	Percent Recovery	Control Limits	
Terphenyl-d14	EPA 8270D	89.2	35-121	
hexacosane	NWTPHDX	96.4	50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDATION

Analytical Results Report

Sample Number	191101010-004	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 8	Sampling Time	1:00 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	0.143	mg/kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
2-Methylnaphthalene	0.0598	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Acenaphthene	0.517	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Anthracene	0.586	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Benzo(ghi)perylene	1.11	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Benzo[a]anthracene	1.96	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Benzo[a]pyrene	1.90	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Benzo[b]fluoranthene	2.13	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Benzo[k]fluoranthene	0.743	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Chrysene	2.37	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	0.309	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Fluoranthene	3.50	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Fluorene	0.323	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	1.05	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Naphthalene	0.0352	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Phenanthrene	2.77	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Pyrene	4.65	mg/Kg	0.01	11/15/2019 2:58:00 AM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	1/13/2019 12:08:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	1/13/2019 12:08:00 AM	LMC	NWTPHDX	
%moisture	7.5	Percent		11/7/2019 3:10:00 PM	LMC	%moisture	

Surrogate Data

Sample Number	191101010-004		
Surrogate Standard	Method	Percent Recovery	Control Limits
Terphenyl-d14	EPA 8270D	85.6	35-121
hexacosane	NWTPHDX	93.6	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDICATION

Analytical Results Report

Sample Number	191101010-005	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM
Client Sample ID	UST 9	Sampling Time	1:10 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Benzo(ghi)perylene	0.0481	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Benzo[a]anthracene	0.0454	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Benzo[a]pyrene	0.0427	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Benzo[b]fluoranthene	0.0466	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Benzo[k]fluoranthene	0.0175	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Chrysene	0.0331	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Fluoranthene	0.0469	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	0.0260	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Phenanthrene	0.0306	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Pyrene	0.0616	mg/Kg	0.01	11/15/2019 1:39:00 AM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/13/2019 1:03:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/13/2019 1:03:00 AM	LMC	NWTPHDX	
%moisture	5.3	Percent		11/7/2019 3:10:00 PM	LMC	%moisture	

Surrogate Data

Sample Number	191101010-005		
Surrogate Standard	Method	Percent Recovery	Control Limits
Terphenyl-d14	EPA 8270D	90.0	35-121
hexacosane	NWTPHDX	83.6	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191101010
Project Name: NORMANDIE
REMEDATION


Analytical Results Report

Sample Number	191101010-006	Sampling Date	10/31/2019	Date/Time Received	10/31/2012:07 PM		
Client Sample ID	UST 13	Sampling Time	9:30 AM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Diesel	ND	mg/kg	25	11/14/2019 1:58:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/14/2019 1:58:00 AM	LMC	NWTPHDX	
%moisture	3.8	Percent		11/7/2019 3:10:00 PM	LMC	%moisture	

Surrogate Data

Sample Number	191101010-006			
Surrogate Standard	Method	Percent Recovery	Control Limits	
hexacosane	NWTPHDX	90.6	50-150	

Authorized Signature



Kathleen A. Sattler, Lab Manager

B1 Target analyte detected in method blank at or above the method reporting limit
MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: BUDINGER AND ASSOCIATES

Order ID: 191101010

1101 N FANCHER RD

Order Date: 11/1/2019

SPOKANE VALLEY WA 99212

Contact Name: STEVE BURCHETT

Project Name: NORMANDIE
REMEDIATION

Comment: PAH SUB TO ANATEK-M

Sample #: 191101010-001 **Customer Sample #:** UST 5

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019

Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 10:20 AM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/13/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/13/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/13/2019	<u>Normal (~10 Days)</u>

Sample #: 191101010-002 **Customer Sample #:** UST 6

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019

Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 12:20 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>

Sample #: 191101010-003 **Customer Sample #:** UST 7

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019

Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 12:40 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 191101010
Order Date: 11/1/2019

Contact Name: STEVE BURCHETT
Comment: PAH SUB TO ANATEK-M

Project Name: NORMANDIE
REMEDICATION

PAH 8270D MOSC	M	EPA 8270D	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>

Sample #: 191101010-004 **Customer Sample #:** UST 8

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019
Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 1:00 PM
Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>

Sample #: 191101010-005 **Customer Sample #:** UST 9

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019
Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 1:10 PM
Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>

Sample #: 191101010-006 **Customer Sample #:** UST 13

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/31/2019
Quantity: 2 **Date Received:** 10/31/2019 2:07:00 PM **Time Collected:** 9:30 AM
Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/13/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/13/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 191101010
Order Date: 11/1/2019

Contact Name: STEVE BURCHETT
Comment: PAH SUB TO ANATEK-M

Project Name: NORMANDIE
REMEDATION

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	4.6
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Labels and chain agree?	Yes
Total number of containers?	12



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

91101 010 **BUDI** Last Due **11/13/2019**
 1st SAMP 10/31/201 1st RCVD 10/31/2019
NORMANDIE REMEDIATION

Company Name: <u>Budinger</u>		Project Manager: <u>Steve Burchett</u>	
Address: <u>1101 N Fancher</u>		Project Name & #: <u>Normandie Remediation</u>	
City: <u>Spokane Valley</u> State: <u>WA</u> Zip: <u>99212</u>	Email Address: <u>S.Burchett@BudingerInc.com</u>		
Phone:	Purchase Order #:		
Fax:	Sampler Name & phone: <u>Tim Lewis (509) 315 7015</u>		

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

- | | | |
|--|--|---|
| <input checked="" type="checkbox"/> Normal | *All rush order requests must be prior approved. | <input type="checkbox"/> Phone |
| <input type="checkbox"/> Next Day* | | <input type="checkbox"/> Mail |
| <input type="checkbox"/> 2nd Day* | | <input type="checkbox"/> Fax |
| <input type="checkbox"/> Other* | | <input checked="" type="checkbox"/> Email |

Provide Sample Description				List Analyses Requested								Note Special Instructions/Comments		
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative										
				# of Containers	Sample Volume									
	UST 5	10/31/17 10:20	Soil	2	800									SWBS M-PATH Tests added per email from Steve
	UST 6	12:20		2	8									
	UST 7	12:40		2	8									
	UST 8	13:00		2	8									
	UST 9	13:10		2	8									
				2	8									
	UST 13	9:30		2	8									

Inspection Checklist	
Received Intact?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Labels & Chains Agree?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Containers Sealed?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
VOC Head Space?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
n17/c	
Temperature (°C):	<u>4.6 dig 04</u>
Preservative:	
Date & Time:	<u>11-1-19 1230</u>
Inspected By:	<u>M/G</u>

	Printed Name	Signature	Company	Date	Time
Relinquished by	<u>Tim Lewis</u>	<u>[Signature]</u>	<u>DAI</u>	<u>10/31/19</u>	<u>14:07</u>
Received by	<u>Anna Younger</u>	<u>[Signature]</u>	<u>anatek</u>	<u>10/31/19</u>	<u>14:07</u>
Relinquished by					
Received by					
Relinquished by					
Received by					



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

* 91101 010 **BUDI** Last Due **11/13/2019**
 1st SAMP 10/31/201 1st RCVD 10/31/2019
NORMANDIE REMEDIATION

Company Name: <u>Budinger</u>			Project Manager: <u>Steve Burchett</u>		
Address: <u>1101 N Fancher</u>			Project Name & #: <u>Normandie Remediation</u>		
City: <u>Spokane Valley WA</u>	State: <u>WA</u>	Zip: <u>99212</u>	Email Address: <u>SBurchett@Budinger.com</u>		
Phone:			Purchase Order #:		
Fax:			Sampler Name & phone: <u>Tom Lewis (509) 215 7078</u>		

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

- | | | |
|--|---|---|
| <input checked="" type="checkbox"/> Normal | *All rush order requests
must be prior approved. | <input type="checkbox"/> Phone |
| <input type="checkbox"/> Next Day* | | <input type="checkbox"/> Mail |
| <input type="checkbox"/> 2nd Day* | | <input type="checkbox"/> Fax |
| <input type="checkbox"/> Other* | | <input checked="" type="checkbox"/> Email |

Provide Sample Description				List Analyses Requested										Note Special Instructions/Comments				
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative		TPHG +	BTEX	EDB EDL	MTBE	naphthalene	Total Lead	TPH DX	PAH's					
				# of Containers	Sample Volume													
	U1ST 5	11/30/19 10:25	Soil	2	8oz	X	X	X	X	X	X	X	X					
	U1ST 6	12:25		2	8							X	X					
	U1ST 7	12:40		2	8							X	X					
	U1ST 8	13:00		2	8							X	X					
	U1ST 9	13:10		2	8							X	X					
	U1ST 13	9:30		2	8							X						

	Printed Name	Signature	Company	Date	Time
Relinquished by	Tom Lewis	<i>[Signature]</i>	BAI	11/20/19	14:07
Received by	Steve Burchett	<i>[Signature]</i>	Anatek	11/30/19	14:07
Relinquished by					
Received by					
Relinquished by					
Received by					

Inspection Checklist		
Received Intact?	Y	N
Labels & Chains Agree?	Y	N
Containers Sealed?	Y	N
VOC Head Space?	Y	N
Temperature (°C):	<u>14.07</u>	
Preservative:		
Date & Time:		
Inspected By:		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WAE0381
Project: X19570
Reported: 5/27/2020 15:47

Analytical Results Report

Sample Location: Cust West
Lab/Sample Number: WAE0381-01 **Collect Date:** 05/01/20 10:37
Date Received: 05/01/20 14:50 **Collected By:** Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	90.2	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	M1
Arsenic	12.1	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	
Barium	84.6	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	M1
Cadmium	ND	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	
Chromium	10.5	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0560	5/19/20 14:06	TRC	EPA 6020B	M1
Lead	21.9	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	M1
Selenium	1.32	mg/kg dry	0.560	5/22/20 12:57	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	106	5/14/20 16:03	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.6	5/14/20 16:03	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.6	5/14/20 16:03	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>95.3%</i>		<i>50-150</i>	<i>5/14/20 16:03</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	
Volatiles							
Gasoline	ND	mg/kg dry	2.75	5/13/20 14:24	NDE	NWTPH-Gx	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>134%</i>		<i>50-150</i>	<i>5/13/20 14:24</i>	<i>NDE</i>	<i>NWTPH-Gx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Cust East
Lab/Sample Number: WAE0381-02 Collect Date: 05/01/20 10:49
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	96.3	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Arsenic	7.48	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Barium	47.0	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Chromium	8.69	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0522	5/19/20 14:19	TRC	EPA 6020B	
Lead	21.5	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Selenium	1.00	mg/kg dry	0.522	5/22/20 13:10	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	101	5/14/20 16:59	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.3	5/14/20 16:59	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.3	5/14/20 16:59	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>96.7%</i>		<i>50-150</i>	<i>5/14/20 16:59</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	
Volatiles							
Gasoline	ND	mg/kg dry	2.60	5/13/20 15:39	NDE	NWTPH-Gx	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>108%</i>		<i>50-150</i>	<i>5/13/20 15:39</i>	<i>NDE</i>	<i>NWTPH-Gx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Cust SP
Lab/Sample Number: WAE0381-03 Collect Date: 05/01/20 10:51
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	93.8	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Arsenic	5.67	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Barium	63.7	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Chromium	9.67	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0532	5/19/20 14:22	TRC	EPA 6020B	
Lead	53.3	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Selenium	1.16	mg/kg dry	0.532	5/22/20 13:13	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	161	mg/kg dry	104	5/14/20 17:54	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.0	5/14/20 17:54	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.0	5/14/20 17:54	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>93.0%</i>		<i>50-150</i>	<i>5/14/20 17:54</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	
Volatiles							
Gasoline	ND	mg/kg dry	2.66	5/13/20 16:54	NDE	NWTPH-Gx	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>108%</i>		<i>50-150</i>	<i>5/13/20 16:54</i>	<i>NDE</i>	<i>NWTPH-Gx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: WS Drain East
Lab/Sample Number: WAE0381-04 Collect Date: 05/01/20 11:03
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	96.8	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Arsenic	5.13	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Barium	43.8	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Chromium	9.61	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0509	5/19/20 14:25	TRC	EPA 6020B	
Lead	8.46	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Selenium	1.17	mg/kg dry	0.509	5/22/20 13:15	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	<100	mg/kg dry	100	5/14/20 20:39	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.0	5/14/20 20:39	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.0	5/14/20 20:39	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	93.5%		50-150	5/14/20 20:39	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: WS Drain West
Lab/Sample Number: WAE0381-05 Collect Date: 05/01/20 11:06
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.8	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Arsenic	8.12	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Barium	51.5	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Chromium	11.6	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0534	5/19/20 14:28	TRC	EPA 6020B	
Lead	16.0	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Selenium	1.56	mg/kg dry	0.534	5/22/20 13:18	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	342	mg/kg dry	103	5/14/20 21:34	ARC	NWTPH-Dx	
Mineral Oil	87.8	mg/kg dry	25.8	5/14/20 21:34	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.8	5/14/20 21:34	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	93.3%		50-150	5/14/20 21:34	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: BS Drain
Lab/Sample Number: WAE0381-06 Collect Date: 05/01/20 11:15
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	96.2	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Arsenic	6.63	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Barium	63.1	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Chromium	10.8	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0516	5/19/20 14:31	TRC	EPA 6020B	
Lead	9.95	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Selenium	1.27	mg/kg dry	0.516	5/22/20 13:21	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	99.8	5/14/20 23:23	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.0	5/14/20 23:23	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.0	5/14/20 23:23	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	96.3%		50-150	5/14/20 23:23	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: BS Lift W
Lab/Sample Number: WAE0381-07 Collect Date: 05/01/20 11:19
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.7	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Arsenic	5.12	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Barium	65.5	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Chromium	14.1	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0528	5/19/20 14:34	TRC	EPA 6020B	
Lead	9.62	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Selenium	1.26	mg/kg dry	0.528	5/22/20 13:23	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	101	5/15/20 0:17	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.3	5/15/20 0:17	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.3	5/15/20 0:17	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	93.6%		50-150	5/15/20 0:17	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: BS Lift E
Lab/Sample Number: WAE0381-08 Collect Date: 05/01/20 11:40
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	97.0	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Arsenic	6.26	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Barium	38.7	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Chromium	9.78	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0511	5/19/20 14:36	TRC	EPA 6020B	
Lead	6.73	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Selenium	1.25	mg/kg dry	0.511	5/22/20 13:36	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	100	5/15/20 1:11	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.0	5/15/20 1:11	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.0	5/15/20 1:11	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	99.2%		50-150	5/15/20 1:11	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Annex D/W SW
Lab/Sample Number: WAE0381-09 Collect Date: 05/01/20 12:20
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	89.4	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Arsenic	8.90	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Barium	89.6	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Cadmium	0.661	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Chromium	13.4	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Mercury	0.0804	mg/kg dry	0.0570	5/19/20 14:39	TRC	EPA 6020B	
Lead	91.4	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Selenium	1.69	mg/kg dry	0.570	5/22/20 13:38	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	107	5/15/20 2:05	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.9	5/15/20 2:05	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.9	5/15/20 2:05	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	96.9%		50-150	5/15/20 2:05	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Annex D/W W
Lab/Sample Number: WAE0381-10 Collect Date: 05/01/20 12:40
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	89.1	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Arsenic	6.78	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Barium	106	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Cadmium	1.10	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Chromium	12.9	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0555	5/19/20 14:41	TRC	EPA 6020B	
Lead	17.9	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Selenium	1.64	mg/kg dry	0.555	5/22/20 13:41	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	110	5/15/20 2:59	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	27.6	5/15/20 2:59	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	27.6	5/15/20 2:59	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	95.5%		50-150	5/15/20 2:59	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Annex D/W NW
Lab/Sample Number: WAE0381-11 Collect Date: 05/01/20 13:00
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	92.2	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	M1
Arsenic	6.63	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	
Barium	97.8	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	M1
Cadmium	0.566	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	
Chromium	16.0	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0536	5/19/20 14:53	TRC	EPA 6020B	
Lead	54.7	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	M1
Selenium	1.53	mg/kg dry	0.536	5/22/20 13:44	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	155	mg/kg dry	107	5/15/20 8:22	ARC	NWTPH-Dx	
Mineral Oil	67.0	mg/kg dry	26.7	5/15/20 8:22	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.7	5/15/20 8:22	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	88.9%		50-150	5/15/20 8:22	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Annex D/W SE
Lab/Sample Number: WAE0381-12 Collect Date: 05/01/20 13:22
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	86.5	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Arsenic	10.6	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Barium	84.5	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Cadmium	1.83	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Chromium	20.8	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Mercury	0.323	mg/kg dry	0.0586	5/19/20 15:01	TRC	EPA 6020B	
Lead	226	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Selenium	1.65	mg/kg dry	0.586	5/22/20 13:51	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	<100	mg/kg dry	112	5/15/20 9:15	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	28.1	5/15/20 9:15	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	28.1	5/15/20 9:15	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	90.4%		50-150	5/15/20 9:15	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Annex D/W NE
Lab/Sample Number: WAE0381-13 Collect Date: 05/01/20 13:40
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	93.9	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Arsenic	8.20	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Barium	61.0	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Chromium	11.5	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0533	5/19/20 15:03	TRC	EPA 6020B	
Lead	18.8	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Selenium	1.39	mg/kg dry	0.533	5/22/20 13:54	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	103	5/15/20 10:10	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.8	5/15/20 10:10	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.8	5/15/20 10:10	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	98.1%		50-150	5/15/20 10:10	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Composite: MSD 1 & MSD 2
Lab/Sample Number: WAE0381-16 Collect Date: 05/01/20 08:55 - 05/01/20 09:00
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	91.9	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Arsenic	9.95	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Barium	225	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Cadmium	1.31	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Chromium	17.0	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Mercury	0.0912	mg/kg dry	0.0537	5/19/20 15:06	TRC	EPA 6020B	
Lead	316	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Selenium	1.96	mg/kg dry	0.537	5/22/20 13:57	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	106	5/15/20 11:04	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.5	5/15/20 11:04	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.5	5/15/20 11:04	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	97.9%		50-150	5/15/20 11:04	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Composite: MSD 3 & MSD 4
Lab/Sample Number: WAE0381-19 Collect Date: 05/01/20 09:07 - 05/01/20 09:11
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.8	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Arsenic	7.38	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Barium	56.8	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Chromium	13.3	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0515	5/19/20 15:08	TRC	EPA 6020B	
Lead	23.5	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Selenium	1.35	mg/kg dry	0.515	5/22/20 13:59	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	<100	mg/kg dry	104	5/15/20 11:59	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.9	5/15/20 11:59	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.9	5/15/20 11:59	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	92.0%		50-150	5/15/20 11:59	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Composite: MSD 5 & MSD 6
Lab/Sample Number: WAE0381-22 Collect Date: 05/01/20 09:24 - 05/01/20 09:27
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	91.7	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Arsenic	8.87	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Barium	93.2	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Chromium	17.7	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0542	5/19/20 15:11	TRC	EPA 6020B	
Lead	68.8	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Selenium	1.71	mg/kg dry	0.542	5/22/20 14:02	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	<100	mg/kg dry	108	5/15/20 12:54	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	27.0	5/15/20 12:54	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	27.0	5/15/20 12:54	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	96.0%		50-150	5/15/20 12:54	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Composite: MSD 7 & MSD 8
Lab/Sample Number: WAE0381-25 Collect Date: 05/01/20 09:56 - 05/01/20 09:58
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	89.1	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Arsenic	6.11	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Barium	103	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Chromium	14.3	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0569	5/19/20 15:13	TRC	EPA 6020B	
Lead	32.0	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Selenium	1.71	mg/kg dry	0.569	5/22/20 14:05	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	270	mg/kg dry	112	5/15/20 13:49	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	27.9	5/15/20 13:49	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	27.9	5/15/20 13:49	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	92.2%		50-150	5/15/20 13:49	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Composite: MSD 9 & MSD 10
 Lab/Sample Number: WAE0381-28 Collect Date: 05/01/20 10:01 - 05/01/20 10:03
 Date Received: 05/01/20 14:50 Collected By: Tim Lewis
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.9	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Arsenic	7.84	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Barium	115	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Cadmium	ND	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Chromium	15.4	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Mercury	0.109	mg/kg dry	0.0523	5/19/20 15:16	TRC	EPA 6020B	
Lead	122	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Selenium	1.51	mg/kg dry	0.523	5/22/20 14:17	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	117	mg/kg dry	103	5/15/20 14:45	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.7	5/15/20 14:45	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.7	5/15/20 14:45	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>89.4%</i>		<i>50-150</i>	<i>5/15/20 14:45</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: NW Drain
Lab/Sample Number: WAE0381-29 Collect Date: 05/01/20 08:55
Date Received: 05/01/20 14:50 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	89.9	%	0.100	5/14/20 15:00	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Arsenic	7.33	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Barium	116	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Cadmium	1.34	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Chromium	364	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Mercury	0.132	mg/kg dry	0.0548	5/19/20 15:18	TRC	EPA 6020B	
Lead	284	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Selenium	1.70	mg/kg dry	0.548	5/22/20 14:20	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	273	mg/kg dry	109	5/15/20 15:41	ARC	NWTPH-Dx	
Mineral Oil	187	mg/kg dry	27.3	5/15/20 15:41	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	27.3	5/15/20 15:41	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	58.6%		50-150	5/15/20 15:41	ARC	NWTPH-Dx	

Authorized Signature,



Karice Scott For Kathleen Sattler, Laboratory Manager

M1 Matrix spike recovery was high; the associated blank spike recovery was acceptable. Potential matrix effect
PQL Practical Quantitation Limit
ND Not Detected
MCL EPA's Maximum Contaminant Level
Dry Sample results reported on a dry weight basis
* Not a certified analyte
RPD Relative Percent Difference
%REC Percent Recovery
Source Sample that was spiked or duplicated.

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Certifications

Code	Description	Facility	Number
W WA DOE	Washington Department of Ecology	Anatek-Spokane, WA	C585

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data

Metals by ICP-MS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAE0430 - W 3050 Digest

Blank (BAE0430-BLK1)

Prepared: 5/18/2020 Analyzed: 5/22/2020

Arsenic	ND		0.500	mg/kg wet						
Chromium	ND		0.500	mg/kg wet						
Silver	ND		0.500	mg/kg wet						
Mercury	ND		0.0500	mg/kg wet						
Cadmium	ND		0.500	mg/kg wet						
Lead	ND		0.500	mg/kg wet						
Selenium	ND		0.500	mg/kg wet						
Barium	ND		0.500	mg/kg wet						

LCS (BAE0430-BS1)

Prepared: 5/18/2020 Analyzed: 5/22/2020

Cadmium	17.3		0.500	mg/kg wet	20.0		86.5	80-120		
Barium	17.6		0.500	mg/kg wet	20.0		88.0	80-120		
Arsenic	17.8		0.500	mg/kg wet	20.0		89.0	80-120		
Chromium	18.0		0.500	mg/kg wet	20.0		89.9	80-120		
Selenium	17.7		0.500	mg/kg wet	20.0		88.3	80-120		
Silver	20.9		0.500	mg/kg wet	20.0		104	80-120		
Mercury	1.18		0.0500	mg/kg wet	1.00		118	80-120		
Lead	18.5		0.500	mg/kg wet	20.0		92.4	80-120		

Duplicate (BAE0430-DUP1)

Source: WAE0381-01

Prepared: 5/18/2020 Analyzed: 5/22/2020

Silver	0.0658		0.558	mg/kg dry		0.0655		0.448	20	
Chromium	9.68		0.558	mg/kg dry		10.5		8.39	20	
Mercury	ND		0.0558	mg/kg dry		ND			20	
Lead	20.8		0.558	mg/kg dry		21.9		5.38	20	
Arsenic	10.6		0.558	mg/kg dry		12.1		13.0	20	
Cadmium	0.134		0.558	mg/kg dry		0.137		1.64	20	
Selenium	1.31		0.558	mg/kg dry		1.32		1.13	200	
Barium	67.0		0.558	mg/kg dry		84.6		23.2	20	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Metals by ICP-MS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAE0430 - W 3050 Digest (Continued)

Matrix Spike (BAE0430-MS1)

Source: WAE0381-01

Prepared: 5/18/2020 Analyzed: 5/22/2020

Selenium	27.6		0.561	mg/kg dry	22.4	1.32	117	75-125		
Chromium	38.3		0.561	mg/kg dry	22.4	10.5	124	75-125		
Cadmium	26.1		0.561	mg/kg dry	22.4	0.137	116	75-125		
Barium	125	M1	0.561	mg/kg dry	22.4	84.6	181	75-125		
Mercury	1.30		0.0561	mg/kg dry	1.12	ND	116	75-125		
Lead	70.7	M1	0.561	mg/kg dry	22.4	21.9	217	75-125		
Arsenic	37.3		0.561	mg/kg dry	22.4	12.1	112	75-125		
Silver	32.1	M1	0.561	mg/kg dry	22.4	0.0655	143	75-125		

Matrix Spike (BAE0430-MS2)

Source: WAE0381-11

Prepared: 5/18/2020 Analyzed: 5/22/2020

Lead	72.9		0.543	mg/kg dry	21.7	54.7	84.0	75-125		
Mercury	1.22		0.0543	mg/kg dry	1.09	ND	112	75-125		
Chromium	36.0		0.543	mg/kg dry	21.7	16.0	91.6	75-125		
Cadmium	26.0		0.543	mg/kg dry	21.7	0.566	117	75-125		
Barium	71.7	M1	0.543	mg/kg dry	21.7	97.8	NR	75-125		
Arsenic	31.5		0.543	mg/kg dry	21.7	6.63	114	75-125		
Silver	32.4	M1	0.543	mg/kg dry	21.7	0.0766	149	75-125		
Selenium	27.2		0.543	mg/kg dry	21.7	1.53	118	75-125		

Matrix Spike Dup (BAE0430-MSD1)

Source: WAE0381-01

Prepared: 5/18/2020 Analyzed: 5/22/2020

Silver	30.5	M1	0.559	mg/kg dry	22.4	0.0655	136	75-125	5.29	20
Lead	54.1	M1	0.559	mg/kg dry	22.4	21.9	144	75-125	26.5	20
Barium	104		0.559	mg/kg dry	22.4	84.6	85.9	75-125	18.7	20
Selenium	26.5		0.559	mg/kg dry	22.4	1.32	112	75-125	4.23	20
Cadmium	25.3		0.559	mg/kg dry	22.4	0.137	112	75-125	3.20	20
Chromium	35.9		0.559	mg/kg dry	22.4	10.5	113	75-125	6.66	20
Arsenic	34.3		0.559	mg/kg dry	22.4	12.1	99.4	75-125	8.17	20
Mercury	2.48	M1	0.0559	mg/kg dry	1.12	ND	222	75-125	62.1	20

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Metals by ICP-MS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BAE0430 - W 3050 Digest (Continued)										
Matrix Spike Dup (BAE0430-MSD2)		Source: WAE0381-11			Prepared: 5/18/2020 Analyzed: 5/22/2020					
Selenium	25.9		0.548	mg/kg dry	21.9	1.53	111	75-125	4.96	20
Arsenic	30.9		0.548	mg/kg dry	21.9	6.63	111	75-125	1.85	20
Mercury	1.24		0.0548	mg/kg dry	1.10	ND	113	75-125	1.34	20
Chromium	40.7		0.548	mg/kg dry	21.9	16.0	113	75-125	12.4	20
Lead	90.0	M1	0.548	mg/kg dry	21.9	54.7	161	75-125	21.0	20
Silver	30.4	M1	0.548	mg/kg dry	21.9	0.0766	138	75-125	6.29	20
Cadmium	24.8		0.548	mg/kg dry	21.9	0.566	110	75-125	4.92	20
Barium	152	M1	0.548	mg/kg dry	21.9	97.8	247	75-125	71.8	20

Quality Control Data (Continued)

Hydrocarbons

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BAE0315 - W TPH-Dx										
Blank (BAE0315-BLK1)		Source: WAE0381-05			Prepared: 5/13/2020 Analyzed: 5/14/2020					
Diesel	ND		24.7	mg/kg wet						
Lube Oil	ND		98.6	mg/kg wet						
Mineral Oil	ND		24.7	mg/kg wet						
<i>Surrogate: n-Hexacosane</i>			<i>45.8</i>	<i>ppm</i>	<i>50.0</i>		<i>91.6</i>	<i>50-150</i>		
LCS (BAE0315-BS1)										
Source: WAE0381-05		Source: WAE0381-05			Prepared: 5/13/2020 Analyzed: 5/14/2020					
Diesel	87.1		24.6	mg/kg wet	98.4		88.5	70-130		
Lube Oil	ND		98.4	mg/kg wet				70-130		
<i>Surrogate: n-Hexacosane</i>			<i>47.1</i>	<i>ppm</i>	<i>50.0</i>		<i>94.2</i>	<i>50-150</i>		
Duplicate (BAE0315-DUP1)		Source: WAE0381-05			Prepared: 5/13/2020 Analyzed: 5/14/2020					
Diesel	ND		26.2	mg/kg dry		ND				20
Lube Oil	288		105	mg/kg dry		342			17.0	20
Mineral Oil	77.8		26.2	mg/kg dry		87.8			12.2	20
<i>Surrogate: n-Hexacosane</i>			<i>46.7</i>	<i>ppm</i>	<i>50.0</i>		<i>93.4</i>	<i>50-150</i>		
Matrix Spike (BAE0315-MS1)		Source: WAE0381-03			Prepared: 5/13/2020 Analyzed: 5/14/2020					
Diesel	88.7		25.8	mg/kg dry	103	ND	85.9	70-130		
Lube Oil	ND		103	mg/kg dry		161		70-130		
<i>Surrogate: n-Hexacosane</i>			<i>47.2</i>	<i>ppm</i>	<i>50.0</i>		<i>94.4</i>	<i>50-150</i>		
Matrix Spike Dup (BAE0315-MSD1)		Source: WAE0381-03			Prepared: 5/13/2020 Analyzed: 5/14/2020					
Diesel	92.8		26.4	mg/kg dry	106	ND	87.8	70-130	4.54	20
Lube Oil	ND		106	mg/kg dry		161		70-130		20
<i>Surrogate: n-Hexacosane</i>			<i>46.8</i>	<i>ppm</i>	<i>50.0</i>		<i>93.5</i>	<i>50-150</i>		

Quality Control Data (Continued)

Volatiles

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BAE0456 - W VOC										
Blank (BAE0456-BLK1)										
					Prepared & Analyzed: 5/13/2020					
Gasoline	ND		2.50	mg/kg wet						
<i>Surrogate: 4-Bromofluorobenzene</i>			119	ug/L	100		119	50-150		
LCS (BAE0456-BS1)										
					Prepared & Analyzed: 5/13/2020					
Gasoline	40.1		2.50	mg/kg wet	33.7		119	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>			125	ug/L	100		125	50-150		
Duplicate (BAE0456-DUP1)										
					Source: WAE0381-01		Prepared & Analyzed: 5/13/2020			
Gasoline	ND		2.74	mg/kg dry		ND				20
<i>Surrogate: 4-Bromofluorobenzene</i>			111	ug/L	100		111	50-150		
Matrix Spike (BAE0456-MS1)										
					Source: WAE0381-03		Prepared & Analyzed: 5/13/2020			
Gasoline	36.9		2.66	mg/kg dry	35.8	ND	103	70-130		
<i>Surrogate: 4-Bromofluorobenzene</i>			112	ug/L	100		112	50-150		
Matrix Spike Dup (BAE0456-MSD1)										
					Source: WAE0381-03		Prepared & Analyzed: 5/13/2020			
Gasoline	37.0		2.65	mg/kg dry	35.7	ND	104	70-130	0.397	20
<i>Surrogate: 4-Bromofluorobenzene</i>			112	ug/L	100		112	50-150		

**Wendy Ozminkowski**

From: Kathy Sattler
Sent: Tuesday, May 12, 2020 10:53 AM
To: 'Tim Lewis'; Karice Scott
Cc: 'Steve Burchett'; Wendy Ozminkowski
Subject: RE: X19570 - Soil Sample Anlaysis

We will get those analyzed for you.

Thanks,

Kathy

From: Tim Lewis <tlewis@budingerinc.com>
Sent: Tuesday, May 12, 2020 10:52 AM
To: Kathy (kathy@anateklabs.com) <kathy@anateklabs.com>; karices@anateklabs.com
Cc: Steve Burchett <sburchett@budingerinc.com>
Subject: X19570 - Soil Sample Anlaysis

Hello Kathy,

Please perform the following analyses on the soil samples we dropped of on May 1st, as shown on the attached CoC forms.

- TPHDx
- TPH-G
- RCRA8 total
- Total Lead

Also, please note that we would like some of the samples to be composited before analysis, as shown on the attached CoC forms.

Please feel free to contact me if you have any questions or comments.

Thank you,

Tim Lewis, EIT
Staff Engineer
tlewis@budingerinc.com



1101 North Fancher Road, Spokane Valley, WA 99212
Cell: 509-315-7075 Office: 509-535-8841 Fax: 509-535-9589



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

WAE0381



Due: 05/18/20

Anatek Log-In #

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal
 Next Day*
 2nd Day*
 Other*

*All rush order requests must be prior approved.

Phone
 Mail
 Fax
 Email

Company Name: Budinger	Project Manager: J. Burnett
Address: 1101 N Fancher	Project Name & #: X19570
City: Spokane Valley State: WA Zip: 99212	Email Address: T.Lewis@Budingerinc.com
Phone: 509 535 8841	Purchase Order #: X19570
Fax:	Sampler Name & phone: Tim Lewis 509 367075


Provide Sample Description				List Analyses Requested		Note Special Instructions/Comments			
Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume	Hold for instruction			
	MSD 1	5/1/20 8:55	SOI/	2	4oz				
	MSD 2	9:00							
	MSD 3	9:07							
	MSD 4	9:11							
	MSD 5	9:24							
	MSD 6	9:27							
	MSD 7	9:56							
	MSD 8	9:58							
	MSD 9	10:01							
	MSD 10	10:03							
	NW Drain	10:12							

Inspection Checklist

Received Intact? Y N
 Labels & Chains Agree? Y N
 Containers Sealed? Y N
 VOC Head Space? Y N

	Printed Name	Signature	Company	Date	Time
Relinquished by	T Lewis	<i>Tim Lewis</i>	BAI	5/1/20	14:50
Received by	Brook Geyer	<i>Brook Geyer</i>	Anatek	5-1-20	1450
Relinquished by					
Received by					
Relinquished by					
Received by					

Temperature (°C): 12.20 Dig-07
 Preservative: _____
 Date & Time: 5-13-20 0955
 Inspected By: W/gy



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

WAE0381



Due: 05/18/20

Anatek Log-In #

Company Name: <i>Budinger</i>		Project Manager: <i>S. Burnett</i>	
Address: <i>1101 N Fancher</i>		Project Name & #: <i>X1957C</i>	
City: <i>Spa Valley</i>	State: <i>WA</i>	Zip: <i>99212</i>	Email Address: <i>T.Lewis@BudingerInc.com</i>
Phone: <i>509 535 8841</i>		Purchase Order #: <i>X1957C</i>	
Fax:		Sampler Name & phone: <i>Tom Lewis 509 357 0775</i>	

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input checked="" type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input checked="" type="checkbox"/> Email

Provide Sample Description				List Analyses Requested				Note Special Instructions/Comments			
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative		TPHDX	RCRA8 total				
				# of Containers	Sample Volume						
16 <	14 MSD 1	5/1/20 8:53	soil	2	4oz	X	X	<div style="border: 1px solid black; padding: 5px; display: inline-block;">Please composite prior to analysis</div>			
	15 MSD 2	9:00				X	X				
19 <	17 MSD 3	9:07				X	X				
	18 MSD 4	9:11				X	X				
22 <	20 MSD 5	9:24				X	X				
	21 MSD 6	9:27				X	X				
25 <	23 MSD 7	9:56				X	X				
	24 MSD 8	9:58				X	X				
28 <	26 MSD 9	10:01				X	X				
	27 MSD 10	10:03				X	X				
	29 Air Broom	10:12				X	X				

Inspection Checklist

Received Intact?	Y	N
Labels & Chains Agree?	Y	N
Containers Sealed?	Y	N
VOC Head Space?	Y	N

	Printed Name	Signature	Company	Date	Time
Relinquished by	<i>T Lewis</i>	<i>Tom Lewis</i>	<i>BATI</i>	<i>5/1/20</i>	<i>14:50</i>
Received by	<i>Rock G...</i>	<i>Rock G...</i>	<i>Anatek</i>	<i>5-1-20</i>	<i>1450</i>
Relinquished by					
Received by					
Relinquished by					
Received by					

Temperature (°C) _____

Preservative: _____

Date & Time: _____

Inspected By: _____



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

WAE0381

 Due: 05/18/20

Anatek Log-In # _____

Company Name: Budinger
 Address: 1101 N Feneher
 City: Spokane Valley State: WA Zip: 99212
 Phone: 509 535 8841
 Fax: _____

Project Manager: T. Burchett
 Project Name & #: X19570
 Email Address: TLewis@BudingerInc.com
 Purchase Order #: X19570
 Sampler Name & phone: Tim Lewis 509 357 7075

Turn Around _____

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal
 Next Day*
 2nd Day*
 Other*

*All rush order requests must be prior approved.

Phone
 Mail
 Fax
 Email

Provide Sample Description

List Analyses Requested

Note Special Instructions/Comments

Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:															
				# of Containers	Sample Volume	Gasoline													Diesel
	CUST West	5/1/20 10:37	Soil	2	4oz	X	X	X											
	CUST East	10:49				X	X	X											
	CUST SP	10:51				X	X	X											
	WS Drain East	11:03																	
	WS Drain West	11:06																	
	BS Drain	11:15																	
	BS 1 ft W	11:19																	
	BS 1 ft E	11:40																	
	Annex D/W SW	12:20																	
	Annex D/W W	12:40																	
	Annex D/W NW	13:00																	
	Annex D/W SE	13:22																	
	Annex D/W NE	13:40																	

Hold for
 instruction
 SWBS

Inspection Checklist

Received Intact? N
 Labels & Chains Agree? N
 Containers Sealed? N
 VOC Head Space? N


	Printed Name	Signature	Company	Date	Time
Relinquished by	T Lewis	<i>Tim Lewis</i>	BAI	5/1/20	14:50
Received by	Broek Geyer	<i>Broek Geyer</i>	Anatek	5-1-20	1450
Relinquished by					
Received by					
Relinquished by					
Received by					

Temperature (°C): 12.2° Aug-07 hci

Preservative: _____

Date & Time: 5-13-20 0955

Inspected By: W/ny



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

WAE0381



Due: 05/18/20

Anatek Log-In #

Company Name: <u>Budinger</u>				Project Manager: <u>Burchett</u>				Turn Around Time & Reporting					
Address: <u>1101 N Fancher</u>				Project Name & #: <u>XI-1570</u>				Please refer to our normal turn around times at: http://www.anateklabs.com/services/guidelines/reporting.asp <input checked="" type="checkbox"/> Normal *All rush order requests must be prior approved. Phone <input type="checkbox"/> Next Day* Mail <input type="checkbox"/> 2nd Day* Fax <input type="checkbox"/> Other* <input checked="" type="checkbox"/> Email					
City: <u>Spokane Valley</u>		State: <u>WA</u>		Zip: <u>99212</u>		Email Address: <u>TLewis@BudingerInc.com</u>							
Phone: <u>509 535 8841</u>				Purchase Order #: <u>X19570</u>									
Fax:				Sampler Name & phone: <u>Tim Lewis 509 257 7075</u>									
Provide Sample Description				List Analyses Requested								Note Special Instructions/Comments	
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:		TPHDX	RCRA8 total	TPH-G	Total Lead				
				# of Containers	Sample Volume								
1	CLIST West	5/1/20 10:37	Soil	2	100	X	X	X	X	Hold for instruction SWBS			
2	CLIST East	10:49				X	X	X	X				
3	CLIST SW	10:51				X	X	X	X				
4	WS Drive East	11:03				X	X						
5	WS Drive West	11:06				X	X						
6	BS Drive	11:12				X	X						
7	BS LIFT W	11:19				X	X						
8	BS LIFT E	11:40				X	X						
9	Amey Drive SW	12:20				X	X						
10	Amey Drive W	12:40				X	X						
11	Amey Drive NW	13:00				X	X						
12	Amey Drive SE	13:22				X	X						
13	Amey Drive NE	13:40				X	X						
Printed Name			Signature			Company		Date		Time		Inspection Checklist	
Relinquished by			Signature			Company		Date		Time		Received Intact? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Received by			Signature			Company		Date		Time		Labels & Chains Agree? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Relinquished by			Signature			Company		Date		Time		Containers Sealed? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Received by			Signature			Company		Date		Time		VOC Head Space? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Relinquished by			Signature			Company		Date		Time		Temperature (°C): _____	
Received by			Signature			Company		Date		Time		Preservative: _____	
Relinquished by			Signature			Company		Date		Time		Date & Time: _____	
Received by			Signature			Company		Date		Time		Inspected By: _____	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WAG0767
Project: X19570
Reported: 7/31/2020 12:50

Analytical Results Report

Sample Location: WB-DW
Lab/Sample Number: WAG0767-01 **Collect Date:** 07/17/20 07:45
Date Received: 07/17/20 12:32 **Collected By:** Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.6	%	0.100	7/21/20 9:59	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	
Arsenic	6.41	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	
Barium	63.8	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	
Chromium	9.57	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0535	7/23/20 15:04	TRC	EPA 6020B	
Lead	16.7	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	M1
Selenium	1.04	mg/kg dry	0.535	7/23/20 15:04	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	105	7/22/20 7:01	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.3	7/22/20 7:01	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.3	7/22/20 7:01	ARC	NWTPH-Dx	

Surrogate: n-Hexacosane	94.6%		50-150	7/22/20 7:01	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: BS CB-S
Lab/Sample Number: WAG0767-02 Collect Date: 07/17/20 09:12
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.9	%	0.100	7/21/20 9:59	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	
Arsenic	3.71	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	
Barium	34.2	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	
Chromium	5.92	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0522	7/23/20 15:12	TRC	EPA 6020B	
Lead	6.00	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	M1
Selenium	0.817	mg/kg dry	0.522	7/23/20 15:12	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	104	7/22/20 9:50	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.0	7/22/20 9:50	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.0	7/22/20 9:50	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	94.7%		50-150	7/22/20 9:50	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: BS CB-N
Lab/Sample Number: WAG0767-03 Collect Date: 07/17/20 09:35
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	96.5	%	0.100	7/21/20 9:59	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	
Arsenic	4.88	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	
Barium	31.2	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	
Chromium	5.22	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0542	7/23/20 15:15	TRC	EPA 6020B	
Lead	5.63	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	M1
Selenium	0.981	mg/kg dry	0.542	7/23/20 15:15	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	99.8	7/22/20 10:46	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.0	7/22/20 10:46	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.0	7/22/20 10:46	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>95.7%</i>		<i>50-150</i>	<i>7/22/20 10:46</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: OWS
Lab/Sample Number: WAG0767-04 Collect Date: 07/17/20 09:57
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.1	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	
Arsenic	4.92	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	
Barium	50.6	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	
Chromium	9.63	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0528	7/23/20 15:17	TRC	EPA 6020B	
Lead	14.8	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	M1
Selenium	0.806	mg/kg dry	0.528	7/23/20 15:17	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	99.8	7/29/20 19:01	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	24.9	7/29/20 19:01	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	24.9	7/29/20 19:01	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	91.8%		50-150	7/29/20 19:01	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: FE CB-S
Lab/Sample Number: WAG0767-05 Collect Date: 07/17/20 10:10
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	92.8	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	
Arsenic	3.39	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	
Barium	60.2	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	
Chromium	8.03	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0561	7/23/20 15:20	TRC	EPA 6020B	
Lead	15.8	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	M1
Selenium	1.16	mg/kg dry	0.561	7/23/20 15:20	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	105	7/29/20 21:48	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.2	7/29/20 21:48	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.2	7/29/20 21:48	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>90.8%</i>		<i>50-150</i>	<i>7/29/20 21:48</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: FE CB-C
Lab/Sample Number: WAG0767-06 Collect Date: 07/17/20 10:20
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	91.6	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	
Arsenic	7.71	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	
Barium	124	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	M2
Cadmium	0.716	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	
Chromium	10.5	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0533	7/23/20 15:22	TRC	EPA 6020B	
Lead	54.2	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	M1
Selenium	1.60	mg/kg dry	0.533	7/23/20 15:22	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	104	7/29/20 23:39	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.9	7/29/20 23:39	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.9	7/29/20 23:39	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	95.2%		50-150	7/29/20 23:39	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: FE CB-N
Lab/Sample Number: WAG0767-07 Collect Date: 07/17/20 10:35
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	91.4	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	
Arsenic	3.69	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	
Barium	47.1	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	
Chromium	10.5	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0542	7/23/20 15:25	TRC	EPA 6020B	
Lead	14.4	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	M1
Selenium	0.970	mg/kg dry	0.542	7/23/20 15:25	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	106	7/30/20 0:35	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.6	7/30/20 0:35	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.6	7/30/20 0:35	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>91.9%</i>		<i>50-150</i>	<i>7/30/20 0:35</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: MS CB
Lab/Sample Number: WAG0767-08 Collect Date: 07/17/20 10:50
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	88.0	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	
Arsenic	4.04	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	
Barium	91.4	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	
Chromium	13.2	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0557	7/23/20 15:51	TRC	EPA 6020B	
Lead	7.26	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	M1
Selenium	1.35	mg/kg dry	0.557	7/23/20 15:51	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	111	7/30/20 1:31	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	27.8	7/30/20 1:31	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	27.8	7/30/20 1:31	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>92.3%</i>		<i>50-150</i>	<i>7/30/20 1:31</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Center Drain
 Lab/Sample Number: WAG0767-09 Collect Date: 07/17/20 11:00
 Date Received: 07/17/20 12:32 Collected By: Tim Lewis
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.0	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	
Arsenic	5.86	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	
Barium	47.3	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	
Chromium	9.73	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0611	7/23/20 15:53	TRC	EPA 6020B	
Lead	10.1	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	M1
Selenium	1.00	mg/kg dry	0.611	7/23/20 15:53	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	102	7/30/20 2:27	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.5	7/30/20 2:27	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.5	7/30/20 2:27	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>91.2%</i>		<i>50-150</i>	<i>7/30/20 2:27</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: NW Drain
Lab/Sample Number: WAG0767-10 Collect Date: 07/17/20 11:07
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	92.8	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	
Arsenic	5.45	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	
Barium	63.9	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	
Chromium	14.5	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0539	7/23/20 15:56	TRC	EPA 6020B	
Lead	23.4	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	M1
Selenium	1.16	mg/kg dry	0.539	7/23/20 15:56	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	106	7/30/20 3:23	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.4	7/30/20 3:23	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	26.4	7/30/20 3:23	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	94.2%		50-150	7/30/20 3:23	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: CS FD-N
Lab/Sample Number: WAG0767-11 Collect Date: 07/17/20 11:35
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	97.2	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	
Arsenic	4.15	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	
Barium	47.1	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	
Chromium	7.75	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0530	7/23/20 15:58	TRC	EPA 6020B	
Lead	9.07	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	M1
Selenium	0.955	mg/kg dry	0.530	7/23/20 15:58	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	97.6	7/30/20 4:19	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	24.4	7/30/20 4:19	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	24.4	7/30/20 4:19	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>	<i>90.6%</i>		<i>50-150</i>	<i>7/30/20 4:19</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: CS FD-S
Lab/Sample Number: WAG0767-12 Collect Date: 07/17/20 11:47
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.5	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	
Arsenic	5.61	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	
Barium	36.4	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	
Chromium	6.78	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0571	7/23/20 16:01	TRC	EPA 6020B	
Lead	8.31	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	M1
Selenium	0.891	mg/kg dry	0.571	7/23/20 16:01	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	103	7/30/20 5:15	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.7	7/30/20 5:15	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.7	7/30/20 5:15	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	91.3%		50-150	7/30/20 5:15	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Fleet DW
Lab/Sample Number: WAG0767-13 Collect Date: 07/17/20 12:09
Date Received: 07/17/20 12:32 Collected By: Tim Lewis
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.6	%	0.100	7/27/20 9:56	TRC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	
Arsenic	3.57	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	
Barium	53.5	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	
Chromium	6.66	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0533	7/23/20 16:04	TRC	EPA 6020B	
Lead	6.50	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	M1
Selenium	0.684	mg/kg dry	0.533	7/23/20 16:04	TRC	EPA 6020B	
Hydrocarbons							
Lube Oil	ND	mg/kg dry	103	7/30/20 6:11	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.6	7/30/20 6:11	ARC	NWTPH-Dx	
Diesel	ND	mg/kg dry	25.6	7/30/20 6:11	ARC	NWTPH-Dx	
Surrogate: n-Hexacosane	87.8%		50-150	7/30/20 6:11	ARC	NWTPH-Dx	

Authorized Signature,



Kathleen Sattler, Laboratory Manager

- M1 Matrix spike recovery was high; the associated blank spike recovery was acceptable. Potential matrix effect
- M2 Matrix spike recovery was low; the associated blank spike recovery was acceptable. Potential matrix effect.
- PQL Practical Quantitation Limit
- ND Not Detected
- MCL EPA's Maximum Contaminant Level
- Dry Sample results reported on a dry weight basis
- * Not a certified analyte
- RPD Relative Percent Difference
- %REC Percent Recovery
- Source Sample that was spiked or duplicated.

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Certifications

Code	Description	Facility	Number
W WA DOE	Washington Department of Ecology	Anatek-Spokane, WA	C585

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data

Metals by ICP-MS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAG0658 - W 3050 Digest

Blank (BAG0658-BLK1)

Prepared: 7/22/2020 Analyzed: 7/23/2020

Arsenic	ND		0.500	mg/kg wet						
Chromium	ND		0.500	mg/kg wet						
Barium	ND		0.500	mg/kg wet						
Mercury	ND		0.0500	mg/kg wet						
Silver	ND		0.500	mg/kg wet						
Lead	ND		0.500	mg/kg wet						
Cadmium	ND		0.500	mg/kg wet						
Selenium	ND		0.500	mg/kg wet						

LCS (BAG0658-BS1)

Prepared: 7/22/2020 Analyzed: 7/23/2020

Cadmium	19.6		0.500	mg/kg wet	20.0		97.8	85-120		
Chromium	19.5		0.500	mg/kg wet	20.0		97.5	80-120		
Barium	19.7		0.500	mg/kg wet	20.0		98.7	80-120		
Mercury	0.822		0.0500	mg/kg wet	1.00		82.2	80-120		
Arsenic	19.8		0.500	mg/kg wet	20.0		99.0	80-120		
Lead	19.9		0.500	mg/kg wet	20.0		99.4	80-120		
Silver	20.1		0.500	mg/kg wet	20.0		101	80-120		
Selenium	19.2		0.500	mg/kg wet	20.0		96.2	80-120		

Matrix Spike (BAG0658-MS1)

Source: WAG0767-01

Prepared: 7/22/2020 Analyzed: 7/23/2020

Arsenic	25.8		0.533	mg/kg dry	21.3	6.41	90.8	75-125		
Selenium	20.9		0.533	mg/kg dry	21.3	1.04	93.3	75-125		
Silver	20.9		0.533	mg/kg dry	21.3	0.0578	97.5	75-125		
Cadmium	20.5		0.533	mg/kg dry	21.3	0.352	94.7	75-125		
Barium	87.5		0.533	mg/kg dry	21.3	63.8	111	75-125		
Mercury	0.827		0.0533	mg/kg dry	1.07	ND	77.6	75-125		
Lead	36.7		0.533	mg/kg dry	21.3	16.7	93.9	75-125		
Chromium	29.0		0.533	mg/kg dry	21.3	9.57	91.2	75-125		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Metals by ICP-MS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAG0658 - W 3050 Digest (Continued)

Matrix Spike (BAG0658-MS2)

Source: WAG0767-13

Prepared: 7/22/2020 Analyzed: 7/23/2020

Lead	33.6	M1	0.536	mg/kg dry	21.4	6.50	126	75-125		
Silver	22.8		0.536	mg/kg dry	21.4	0.0245	106	75-125		
Arsenic	27.7		0.536	mg/kg dry	21.4	3.57	113	75-125		
Barium	64.2	M2	0.536	mg/kg dry	21.4	53.5	49.8	75-125		
Cadmium	23.4		0.536	mg/kg dry	21.4	0.208	108	75-125		
Mercury	0.942		0.0536	mg/kg dry	1.07	ND	87.9	75-125		
Selenium	23.0		0.536	mg/kg dry	21.4	0.684	104	75-125		
Chromium	29.1		0.536	mg/kg dry	21.4	6.66	105	75-125		

Matrix Spike Dup (BAG0658-MSD1)

Source: WAG0767-01

Prepared: 7/22/2020 Analyzed: 7/23/2020

Arsenic	24.3		0.524	mg/kg dry	20.9	6.41	85.2	75-125	6.06	20
Barium	75.6	M2	0.524	mg/kg dry	20.9	63.8	56.4	75-125	14.5	20
Silver	21.2		0.524	mg/kg dry	20.9	0.0578	101	75-125	1.63	20
Lead	33.8		0.524	mg/kg dry	20.9	16.7	82.0	75-125	8.11	20
Cadmium	20.8		0.524	mg/kg dry	20.9	0.352	97.8	75-125	1.44	20
Chromium	28.0		0.524	mg/kg dry	20.9	9.57	88.1	75-125	3.42	20
Selenium	20.3		0.524	mg/kg dry	20.9	1.04	91.9	75-125	3.13	20
Mercury	0.829		0.0524	mg/kg dry	1.05	ND	79.2	75-125	0.179	20

Matrix Spike Dup (BAG0658-MSD2)

Source: WAG0767-13

Prepared: 7/22/2020 Analyzed: 7/23/2020

Arsenic	27.4		0.537	mg/kg dry	21.5	3.57	111	75-125	1.10	20
Selenium	22.7		0.537	mg/kg dry	21.5	0.684	102	75-125	1.28	20
Lead	27.6		0.537	mg/kg dry	21.5	6.50	98.5	75-125	19.4	20
Barium	64.4	M2	0.537	mg/kg dry	21.5	53.5	50.5	75-125	0.268	20
Mercury	0.933		0.0537	mg/kg dry	1.07	ND	86.9	75-125	0.882	20
Chromium	28.3		0.537	mg/kg dry	21.5	6.66	101	75-125	2.81	20
Cadmium	23.0		0.537	mg/kg dry	21.5	0.208	106	75-125	1.44	20
Silver	19.5		0.537	mg/kg dry	21.5	0.0245	90.6	75-125	15.7	20

Quality Control Data (Continued)

Hydrocarbons

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAG0588 - W TPH-Dx

Blank (BAG0588-BLK1)

Prepared & Analyzed: 7/21/2020

Diesel	ND		24.7	mg/kg wet						
Lube Oil	ND		98.6	mg/kg wet						
Mineral Oil	ND		24.7	mg/kg wet						
<i>Surrogate: n-Hexacosane</i>			46.6	ppm	50.0		93.3	50-150		

LCS (BAG0588-BS1)

Prepared & Analyzed: 7/21/2020

Diesel	90.3		24.5	mg/kg wet	98.0		92.1	70-130		
Lube Oil	ND		98.0	mg/kg wet				70-130		
<i>Surrogate: n-Hexacosane</i>			45.8	ppm	50.0		91.6	50-150		

Duplicate (BAG0588-DUP1)

Source: WAG0520-01

Prepared: 7/21/2020 Analyzed: 7/22/2020

Diesel	ND		302	mg/kg dry		ND				20
Lube Oil	ND		1210	mg/kg dry		ND				20

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Hydrocarbons (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAG0588 - W TPH-Dx (Continued)

Duplicate (BAG0588-DUP1)

Source: WAG0520-01

Prepared: 7/21/2020 Analyzed: 7/22/2020

Mineral Oil	4230		302	mg/kg dry		4060			4.24	20
Surrogate: n-Hexacosane			49.3	ppm	50.0		98.5	50-150		

Matrix Spike (BAG0588-MS1)

Source: WAG0767-01

Prepared: 7/21/2020 Analyzed: 7/22/2020

Diesel	83.1		25.6	mg/kg dry	102	ND	81.3	70-130		
Lube Oil	ND		102	mg/kg dry		ND		70-130		
Surrogate: n-Hexacosane			45.8	ppm	50.0		91.6	50-150		

Matrix Spike Dup (BAG0588-MSD1)

Source: WAG0767-01

Prepared: 7/21/2020 Analyzed: 7/22/2020

Diesel	84.7		25.9	mg/kg dry	104	ND	81.7	70-130	1.87	20
Lube Oil	ND		104	mg/kg dry		ND		70-130		20
Surrogate: n-Hexacosane			47.3	ppm	50.0		94.6	50-150		

Batch: BAG0712 - W TPH-Dx

Blank (BAG0712-BLK1)

Prepared: 7/28/2020 Analyzed: 7/29/2020

Diesel	ND		24.4	mg/kg wet						
Lube Oil	ND		97.7	mg/kg wet						
Mineral Oil	ND		24.4	mg/kg wet						
Surrogate: n-Hexacosane			43.4	ppm	50.0		86.8	50-150		

LCS (BAG0712-BS1)

Prepared: 7/28/2020 Analyzed: 7/29/2020

Diesel	87.3		24.1	mg/kg wet	96.5		90.4	70-130		
Lube Oil	ND		96.5	mg/kg wet				70-130		
Surrogate: n-Hexacosane			42.3	ppm	50.0		84.7	50-150		

Duplicate (BAG0712-DUP1)

Source: WAG0767-05

Prepared: 7/28/2020 Analyzed: 7/29/2020

Diesel	ND		26.0	mg/kg dry		ND				20
Lube Oil	ND		104	mg/kg dry		ND				20
Mineral Oil	ND		26.0	mg/kg dry		ND				20
Surrogate: n-Hexacosane			45.4	ppm	50.0		90.7	50-150		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Hydrocarbons (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BAG0712 - W TPH-Dx (Continued)

Matrix Spike (BAG0712-MS1)

Source: WAG0767-04

Prepared: 7/28/2020 Analyzed: 7/29/2020

Diesel	96.3		25.7	mg/kg dry	103	ND	93.8	70-130		
Lube Oil	ND		103	mg/kg dry		ND		70-130		
<i>Surrogate: n-Hexacosane</i>			<i>45.0</i>	<i>ppm</i>	<i>50.0</i>		<i>89.9</i>	<i>50-150</i>		

Matrix Spike Dup (BAG0712-MSD1)

Source: WAG0767-04

Prepared: 7/28/2020 Analyzed: 7/29/2020

Diesel	94.9		25.7	mg/kg dry	103	ND	92.3	70-130	1.46	20
Lube Oil	ND		103	mg/kg dry		ND		70-130		20
<i>Surrogate: n-Hexacosane</i>			<i>46.2</i>	<i>ppm</i>	<i>50.0</i>		<i>92.3</i>	<i>50-150</i>		



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

WAG0767



Due: 07/31/20

Anatek Log-In #

Company Name: <u>Budinger</u>	Project Manager: <u>S. Burchett</u>
Address: <u>1101 N Fancher</u>	Project Name & #: <u>X19570</u>
City: <u>Spokane Valley</u> State: <u>WA</u> Zip: <u>99212</u>	Email Address: <u>TLewis@Budingerinc</u>
Phone: <u>509 535 8841</u>	Purchase Order #: <u>X19570</u>
Fax:	Sampler Name & phone: <u>TLewis 3157075</u>

Turn A

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input checked="" type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input checked="" type="checkbox"/> Email

Provide Sample Description	List Analyses Requested	Note Special Instructions/Comments
----------------------------	-------------------------	------------------------------------

Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:																
				# of Containers	Sample Volume															
	WB-DW	7/17/20 7:46	Soil	2	4oz															
	BS CB-S	9:12																		
	BS CB-N	9:35																		
	OWS	9:57																		
	FE CB-S	10:10																		
	FE CB-C	10:20																		
	FE CB-N	10:35																		
	MS CB	10:50																		
	Center Drain	11:00																		
	NW Drain	11:07																		
	CS FD-N	11:35																		
	CS FD-S	11:47																		
	Fleet DW	12:09																		

Will e-mail
Analyses

SWBS

Inspection Checklist	
Received Intact?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Labels & Chains Agree?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Containers Sealed?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
VOC Head Space?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
<u>W/Coolidge</u>	
Temperature (°C):	<u>13.2° 1R#1</u>
Preservative:	_____
Date & Time:	<u>7-21-20 0923</u>
Inspected By:	<u>W/C</u>

	Printed Name	Signature	Company	Date	Time
Relinquished by	<u>Tim Lewis</u>	<u>[Signature]</u>	<u>BAI</u>	<u>7/17/20</u>	<u>12:32</u>
Received by	<u>[Signature]</u>	<u>[Signature]</u>	<u>Anatek</u>	<u>7/17/20</u>	<u>1232</u>
Relinquished by					
Received by					
Relinquished by					
Received by					



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

Anatek Log-In #

WAG0767



Due: 07/31/20

Company Name: <u>Budinger</u>	Project Manager: <u>S. Burchett</u>
Address: <u>1101 N Fencher</u>	Project Name & #: <u>X19570</u>
City: <u>Spokane Valley WA</u> State: <u>WA</u> Zip: <u>99212</u>	Email Address: <u>T.Lewis@Budingerinc</u>
Phone: <u>509 525 8841</u>	Purchase Order #: <u>X19570</u>
Fax:	Sampler Name & phone: <u>T Lewis 357075</u>

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal
 Next Day*
 2nd Day*
 Other*

*All rush order requests must be prior approved.
 Phone
 Mail
 Fax
 Email

Provide Sample Description | **List Analyses Requested** | **Note Special Instructions/Comments**

Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:		RCRA 8	TPHDX																
				# of Containers	Sample Volume																		
	WB-DW	7/17/20 7:45	Soil	2	4oz	X	X																
	BS CB-S	9:12				X	X																
	BS CB-N	9:32				X	X																
	OWS	9:57				X	X																
	FE CB-S	10:10				X	X																
	FE CB-C	10:26				X	X																
	FE CB-N	10:35				X	X																
	MS CB	10:50				X	X																
	Center Drain	11:00				X	X																
	NW Drain	11:07				X	X																
	CS FD-N	11:35				X	X																
	CS FD-S	11:47				X	X																
	Fleet DW	12:07				X	X																

Will email analyses

emailed 7/20/20 per Jim

Inspection Checklist

Received Intact? Y N

Labels & Chains Agree? Y N

Containers Sealed? Y N

VOC Head Space? Y N

W. Burchett

Temperature (°C) 73.7° 18.4°

Preservative: _____

Date & Time: _____

Inspected By: _____

	Printed Name	Signature	Company	Date	Time
Relinquished by	<u>Tim Lewis</u>	<i>[Signature]</i>	<u>BAI</u>	<u>7/17/20</u>	<u>12:32</u>
Received by	<u>S. Burchett</u>	<i>[Signature]</i>	<u>Anatek</u>	<u>7/17/20</u>	<u>12:32</u>
Relinquished by					
Received by					
Relinquished by					
Received by					

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
 Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WBE0926
Project: X17444
Reported: 6/11/2021 13:15

Analytical Results Report

Sample Location: Cess Pole Drain @10'
Lab/Sample Number: WBE0926-03 **Collect Date:** 05/20/21 09:04
Date Received: 05/24/21 11:00 **Collected By:** Derry Callender
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	91.3	%	0.100	5/26/21 10:10	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Arsenic	12.3	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Barium	67.1	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Chromium	11.5	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0547	6/1/21 12:03	TRC	EPA 6020B	
Lead	22.5	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Selenium	1.46	mg/kg dry	0.547	6/1/21 12:03	TRC	EPA 6020B	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Benzo(g,h,i)perylene	0.0228	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Benzo[a]pyrene	0.0126	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Benzo[b]fluoranthene	0.0162	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Chrysene	0.0123	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Fluoranthene	0.0184	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Indeno(1,2,3-cd)pyrene	0.0133	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Phenanthrene	0.0112	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
Pyrene	0.0183	mg/kg dry	0.0110	6/10/21 21:53	BMM	EPA 8270D	
<i>Surrogate: Terphenyl-d14</i>							
	86.4%		60-130	6/10/21 21:53	BMM	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	26.8	5/27/21 5:17	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	107	5/27/21 5:17	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.8	5/27/21 5:17	ARC	NWTPH-Dx	
<i>Surrogate: n-Hexacosane</i>							
	99.7%		50-150	5/27/21 5:17	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Cess Pole Drain @10'
Lab/Sample Number: WBE0926-03 Collect Date: 05/20/21 09:04
Date Received: 05/24/21 11:00 Collected By: Derry Callender
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
---------	--------	-------	-----	----------	---------	--------	-----------

Hydrocarbons (Continued)

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: SW of Cess Pole 6'-7'
 Lab/Sample Number: WBE0926-04 Collect Date: 05/20/21 11:08
 Date Received: 05/24/21 11:00 Collected By: Derry Callender
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	93.1	%	0.100	5/26/21 10:10	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Arsenic	6.97	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Barium	86.7	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Chromium	11.9	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0534	6/1/21 12:21	TRC	EPA 6020B	
Lead	18.0	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Selenium	1.60	mg/kg dry	0.534	6/1/21 12:21	TRC	EPA 6020B	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Chrysene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Fluoranthene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
Pyrene	ND	mg/kg dry	0.0109	6/10/21 22:14	BMM	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	86.2%		60-130	6/10/21 22:14	BMM	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	26.4	5/27/21 6:12	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	106	5/27/21 6:12	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	26.4	5/27/21 6:12	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	100%		50-150	5/27/21 6:12	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: N4 @ 7'
 Lab/Sample Number: WBE0926-05 Collect Date: 05/20/21 12:36
 Date Received: 05/24/21 11:00 Collected By: Derry Callender
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	96.1	%	0.100	5/26/21 10:10	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Arsenic	4.35	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Barium	28.7	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Chromium	7.68	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0509	6/1/21 12:24	TRC	EPA 6020B	
Lead	6.12	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Selenium	1.00	mg/kg dry	0.509	6/1/21 12:24	TRC	EPA 6020B	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Chrysene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Fluoranthene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
Pyrene	ND	mg/kg dry	0.0105	6/10/21 21:31	BMM	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	77.4%		60-130	6/10/21 21:31	BMM	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.0	5/27/21 3:28	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	99.8	5/27/21 3:28	ARC	NWTPH-Dx	
Mineral Oil	52.9	mg/kg dry	25.0	5/27/21 3:28	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	96.7%		50-150	5/27/21 3:28	ARC	NWTPH-Dx	

Anatek Labs, Inc.


1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report (Continued)

Sample Location: N3 @ 8'
 Lab/Sample Number: WBE0926-06 Collect Date: 05/20/21 13:18
 Date Received: 05/24/21 11:00 Collected By: Derry Callender
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	95.9	%	0.100	5/26/21 10:10	ARC	SM 2540 G	
Metals by ICP-MS							
Silver	ND	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Arsenic	6.86	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Barium	41.5	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	M2
Cadmium	ND	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Chromium	12.7	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Mercury	ND	mg/kg dry	0.0526	6/1/21 12:27	TRC	EPA 6020B	
Lead	10.5	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Selenium	1.28	mg/kg dry	0.526	6/1/21 12:27	TRC	EPA 6020B	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Chrysene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Fluoranthene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
Pyrene	ND	mg/kg dry	0.0104	6/10/21 21:09	BMM	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	82.6%		60-130	6/10/21 21:09	BMM	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.6	5/27/21 0:44	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	102	5/27/21 0:44	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.6	5/27/21 0:44	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	99.9%		50-150	5/27/21 0:44	ARC	NWTPH-Dx	

Authorized Signature,


 Kathleen Sattler, Laboratory Manager

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

M2	Matrix spike recovery was low; the associated blank spike recovery was acceptable. Potential matrix effect.
PQL	Practical Quantitation Limit
ND	Not Detected
MCL	EPA's Maximum Contaminant Level
Dry	Sample results reported on a dry weight basis
*	Not a state-certified analyte
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was spiked or duplicated.

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Certifications

Code	Description	Facility	Number
W WA DOE	Washington Department of Ecology	Anatek-Spokane, WA	C585
DOE WA	Washington Department of Ecology	Anatek-Moscow, ID	C595

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data

Metals by ICP-MS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BBE0913 - W 3050 Digest

Blank (BBE0913-BLK1)

Prepared: 5/27/2021 Analyzed: 6/1/2021

Silver	ND		0.500	mg/kg wet						
Cadmium	ND		0.500	mg/kg wet						
Arsenic	ND		0.500	mg/kg wet						
Selenium	ND		0.500	mg/kg wet						
Chromium	ND		0.500	mg/kg wet						
Barium	ND		0.500	mg/kg wet						
Lead	ND		0.500	mg/kg wet						
Mercury	ND		0.0500	mg/kg wet						

LCS (BBE0913-BS1)

Prepared: 5/27/2021 Analyzed: 6/1/2021

Arsenic	22.2		0.500	mg/kg wet	20.0		111	80-120		
Cadmium	21.6		0.500	mg/kg wet	20.0		108	85-115		
Silver	20.6		0.500	mg/kg wet	20.0		103	80-120		
Lead	21.7		0.500	mg/kg wet	20.0		108	80-120		
Mercury	1.05		0.0500	mg/kg wet	1.00		105	85-115		
Selenium	21.9		0.500	mg/kg wet	20.0		109	80-120		
Chromium	22.2		0.500	mg/kg wet	20.0		111	85-115		
Barium	20.8		0.500	mg/kg wet	20.0		104	80-120		

Duplicate (BBE0913-DUP1)

Source: WBE0926-03

Prepared: 5/27/2021 Analyzed: 6/1/2021

Barium	62.7		0.543	mg/kg dry		67.1		6.79	20	
Cadmium	0.170		0.543	mg/kg dry		0.177		3.94	20	
Arsenic	11.7		0.543	mg/kg dry		12.3		5.37	20	
Mercury	ND		0.0543	mg/kg dry		ND			20	
Lead	21.0		0.543	mg/kg dry		22.5		6.64	20	
Silver	0.0641		0.543	mg/kg dry		0.0733		13.5	20	
Selenium	1.50		0.543	mg/kg dry		1.46		2.37	200	
Chromium	10.8		0.543	mg/kg dry		11.5		5.80	20	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Metals by ICP-MS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BBE0913 - W 3050 Digest (Continued)

Matrix Spike (BBE0913-MS1)

Source: WBE0926-03

Prepared: 5/27/2021 Analyzed: 6/1/2021

Cadmium	23.0		0.542	mg/kg dry	21.7	0.177	105	75-125		
Mercury	1.13		0.0542	mg/kg dry	1.08	ND	104	75-125		
Barium	81.6	M2	0.542	mg/kg dry	21.7	67.1	66.7	75-125		
Chromium	33.0		0.542	mg/kg dry	21.7	11.5	99.3	75-125		
Arsenic	36.3		0.542	mg/kg dry	21.7	12.3	111	75-125		
Silver	22.1		0.542	mg/kg dry	21.7	0.0733	102	75-125		
Lead	48.6		0.542	mg/kg dry	21.7	22.5	121	75-125		
Selenium	23.7		0.542	mg/kg dry	21.7	1.46	102	75-125		

Matrix Spike Dup (BBE0913-MSD1)

Source: WBE0926-03

Prepared: 5/27/2021 Analyzed: 6/1/2021

Chromium	32.9		0.548	mg/kg dry	21.9	11.5	97.7	75-125	0.262	20
Lead	44.4		0.548	mg/kg dry	21.9	22.5	100	75-125	9.12	20
Selenium	24.5		0.548	mg/kg dry	21.9	1.46	105	75-125	3.27	20
Mercury	1.16		0.0548	mg/kg dry	1.10	ND	106	75-125	2.77	20
Cadmium	23.3		0.548	mg/kg dry	21.9	0.177	105	75-125	1.09	20
Barium	94.5	M2	0.548	mg/kg dry	21.9	67.1	125	75-125	14.7	20
Arsenic	38.9		0.548	mg/kg dry	21.9	12.3	121	75-125	6.85	20
Silver	22.5		0.548	mg/kg dry	21.9	0.0733	102	75-125	1.68	20

Post Spike (BBE0913-PS1)

Source: WBE0926-03

Prepared: 5/27/2021 Analyzed: 6/1/2021

Arsenic	3500			ug/L	2500	1120	95.2	75-125		
Silver	1940			ug/L	2500	6.70	77.1	75-125		
Barium	7710	M2		ug/L	2500	6130	63.2	75-125		
Cadmium	2490			ug/L	2500	16.2	98.8	75-125		
Chromium	3390			ug/L	2500	1050	93.6	75-125		
Selenium	2550			ug/L	2500	134	96.5	75-125		
Lead	4200			ug/L	2500	2050	86.0	75-125		
Mercury	121			ug/L	125	1.55	95.4	75-125		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Metals by ICP-MS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBE0913 - W 3050 Digest (Continued)										
Post Spike (BBE0913-PS2)			Source: WBE0926-03		Prepared: 5/27/2021 Analyzed: 6/1/2021					
Chromium	3460			ug/L	2500	1050	96.4	75-125		
Selenium	2610			ug/L	2500	134	99.0	75-125		
Silver	1960			ug/L	2500	6.70	78.0	75-125		
Mercury	120			ug/L	125	1.55	94.7	75-125		
Arsenic	3560			ug/L	2500	1120	97.3	75-125		
Barium	7960	M2		ug/L	2500	6130	73.3	75-125		
Lead	4300			ug/L	2500	2050	89.9	75-125		
Cadmium	2520			ug/L	2500	16.2	100	75-125		

Quality Control Data (Continued)

Semivolatiles

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0012 - ASE Ext										
Blank (BBF0012-BLK1)					Prepared: 6/1/2021 Analyzed: 6/10/2021					
Naphthalene	ND		0.0100	mg/kg wet						
2-Methylnaphthalene	ND		0.0100	mg/kg wet						
1-Methylnaphthalene	ND		0.0100	mg/kg wet						
Acenaphthylene	ND		0.0100	mg/kg wet						
Acenaphthene	ND		0.0100	mg/kg wet						
Fluorene	ND		0.0100	mg/kg wet						
Phenanthrene	ND		0.0100	mg/kg wet						
Anthracene	ND		0.0100	mg/kg wet						
Fluoranthene	ND		0.0100	mg/kg wet						
Pyrene	ND		0.0100	mg/kg wet						
Benzo[a]anthracene	ND		0.0100	mg/kg wet						
Chrysene	ND		0.0100	mg/kg wet						
Benzo[b]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[k]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[a]pyrene	ND		0.0100	mg/kg wet						
Indeno(1,2,3-cd)pyrene	ND		0.0100	mg/kg wet						
Dibenz(a,h)anthracene	ND		0.0100	mg/kg wet						
Benzo(g,h,i)perylene	ND		0.0100	mg/kg wet						
<i>Surrogate: Terphenyl-d14</i>			4.13	mg/kg wet	5.15		80.2	60-130		

LCS (BBF0012-BS1)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits
Prepared: 6/1/2021 Analyzed: 6/10/2021							
Naphthalene	0.746	0.0100	mg/kg wet	1.00		74.6	32-133
2-Methylnaphthalene	0.815	0.0100	mg/kg wet	1.00		81.5	45-138
1-Methylnaphthalene	0.776	0.0100	mg/kg wet	1.00		77.6	47-135
Acenaphthylene	0.933	0.0100	mg/kg wet	1.00		93.3	48-136
Acenaphthene	0.990	0.0100	mg/kg wet	1.00		99.0	52-127
Fluorene	0.934	0.0100	mg/kg wet	1.00		93.4	56-126
Phenanthrene	0.781	0.0100	mg/kg wet	1.00		78.1	69-127
Anthracene	0.896	0.0100	mg/kg wet	1.00		89.6	32-141
Fluoranthene	0.954	0.0100	mg/kg wet	1.00		95.4	45-130
Pyrene	0.915	0.0100	mg/kg wet	1.00		91.5	71-141
Benzo[a]anthracene	0.866	0.0100	mg/kg wet	1.00		86.6	47-139

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0012 - ASE Ext (Continued)										
LCS (BBF0012-BS1)										
Prepared: 6/1/2021 Analyzed: 6/10/2021										
Chrysene	0.935		0.0100	mg/kg wet	1.00		93.5	36-133		
Benzo[b]fluoranthene	0.828		0.0100	mg/kg wet	1.00		82.8	48-177		
Benzo[k]fluoranthene	0.982		0.0100	mg/kg wet	1.00		98.2	47-169		
Benzo[a]pyrene	0.869		0.0100	mg/kg wet	1.00		86.9	51-155		
Indeno(1,2,3-cd)pyrene	0.977		0.0100	mg/kg wet	1.00		97.7	66-166		
Dibenz(a,h)anthracene	1.01		0.0100	mg/kg wet	1.00		101	57-155		
Benzo(g,h,i)perylene	1.09		0.0100	mg/kg wet	1.00		109	49-165		
<i>Surrogate: Terphenyl-d14</i>			5.46	mg/kg wet	5.15		106	60-130		
LCS Dup (BBF0012-BS1)										
Prepared: 6/1/2021 Analyzed: 6/10/2021										
Naphthalene	0.767		0.0100	mg/kg wet	1.00		76.7	32-133	2.77	50
2-Methylnaphthalene	0.825		0.0100	mg/kg wet	1.00		82.5	45-138	1.19	50
1-Methylnaphthalene	0.787		0.0100	mg/kg wet	1.00		78.7	47-135	1.42	50
Acenaphthylene	0.961		0.0100	mg/kg wet	1.00		96.1	48-136	2.99	50
Acenaphthene	1.02		0.0100	mg/kg wet	1.00		102	52-127	2.95	50
Fluorene	0.942		0.0100	mg/kg wet	1.00		94.2	56-126	0.820	50
Phenanthrene	0.808		0.0100	mg/kg wet	1.00		80.8	69-127	3.35	50
Anthracene	0.931		0.0100	mg/kg wet	1.00		93.1	32-141	3.81	50
Fluoranthene	1.05		0.0100	mg/kg wet	1.00		105	45-130	9.44	50
Pyrene	1.03		0.0100	mg/kg wet	1.00		103	71-141	11.8	50
Benzo[a]anthracene	0.903		0.0100	mg/kg wet	1.00		90.3	47-139	4.16	50
Chrysene	0.994		0.0100	mg/kg wet	1.00		99.4	36-133	6.10	50
Benzo[b]fluoranthene	0.901		0.0100	mg/kg wet	1.00		90.1	48-177	8.46	50
Benzo[k]fluoranthene	1.03		0.0100	mg/kg wet	1.00		103	47-169	4.33	50
Benzo[a]pyrene	0.940		0.0100	mg/kg wet	1.00		94.0	51-155	7.89	50
Indeno(1,2,3-cd)pyrene	0.962		0.0100	mg/kg wet	1.00		96.2	66-166	1.58	50
Dibenz(a,h)anthracene	0.990		0.0100	mg/kg wet	1.00		99.0	57-155	2.12	50
Benzo(g,h,i)perylene	1.04		0.0100	mg/kg wet	1.00		104	49-165	5.12	50
<i>Surrogate: Terphenyl-d14</i>			4.22	mg/kg wet	5.15		82.0	60-130		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0012 - ASE Ext (Continued)										
Matrix Spike (BBF0012-MS1)			Source: MBE0634-05		Prepared: 6/1/2021 Analyzed: 6/10/2021					
Naphthalene	0.723		0.0109	mg/kg dry	1.09	ND	66.5	30-140		
2-Methylnaphthalene	0.825		0.0109	mg/kg dry	1.09	ND	75.9	30-140		
1-Methylnaphthalene	0.805		0.0109	mg/kg dry	1.09	ND	74.0	30-140		
Acenaphthylene	0.980		0.0109	mg/kg dry	1.09	ND	90.1	30-140		
Acenaphthene	1.05		0.0109	mg/kg dry	1.09	ND	96.2	30-140		
Fluorene	1.01		0.0109	mg/kg dry	1.09	ND	92.5	30-140		
Phenanthrene	0.894		0.0109	mg/kg dry	1.09	ND	82.2	30-140		
Anthracene	1.03		0.0109	mg/kg dry	1.09	ND	94.6	30-140		
Fluoranthene	1.14		0.0109	mg/kg dry	1.09	ND	105	30-140		
Pyrene	1.12		0.0109	mg/kg dry	1.09	ND	103	30-140		
Benzo[a]anthracene	0.971		0.0109	mg/kg dry	1.09	ND	89.3	30-140		
Chrysene	1.08		0.0109	mg/kg dry	1.09	ND	99.5	30-140		
Benzo[b]fluoranthene	0.963		0.0109	mg/kg dry	1.09	ND	88.6	30-140		
Benzo[k]fluoranthene	1.07		0.0109	mg/kg dry	1.09	ND	98.8	30-140		
Benzo[a]pyrene	1.00		0.0109	mg/kg dry	1.09	ND	92.0	30-140		
Indeno(1,2,3-cd)pyrene	1.05		0.0109	mg/kg dry	1.09	ND	96.6	30-140		
Dibenz(a,h)anthracene	1.10		0.0109	mg/kg dry	1.09	ND	101	30-140		
Benzo(g,h,i)perylene	1.12		0.0109	mg/kg dry	1.09	ND	103	30-140		
<i>Surrogate: Terphenyl-d14</i>			5.20	mg/kg dry	5.60		92.8	60-130		

Matrix Spike Dup (BBF0012-MSD1)

Source: MBE0634-05

Prepared: 6/1/2021 Analyzed: 6/10/2021

Naphthalene	0.733		0.0110	mg/kg dry	1.10	ND	66.8	30-140	1.33	50
2-Methylnaphthalene	0.855		0.0110	mg/kg dry	1.10	ND	78.0	30-140	3.55	50
1-Methylnaphthalene	0.828		0.0110	mg/kg dry	1.10	ND	75.6	30-140	2.87	50
Acenaphthylene	0.997		0.0110	mg/kg dry	1.10	ND	90.9	30-140	1.73	50
Acenaphthene	1.08		0.0110	mg/kg dry	1.10	ND	98.7	30-140	3.36	50
Fluorene	1.04		0.0110	mg/kg dry	1.10	ND	95.2	30-140	3.67	50
Phenanthrene	0.892		0.0110	mg/kg dry	1.10	ND	81.3	30-140	0.242	50
Anthracene	1.03		0.0110	mg/kg dry	1.10	ND	94.3	30-140	0.422	50
Fluoranthene	1.17		0.0110	mg/kg dry	1.10	ND	107	30-140	2.45	50
Pyrene	1.15		0.0110	mg/kg dry	1.10	ND	105	30-140	2.18	50
Benzo[a]anthracene	1.01		0.0110	mg/kg dry	1.10	ND	92.1	30-140	3.89	50
Chrysene	1.10		0.0110	mg/kg dry	1.10	ND	101	30-140	1.81	50
Benzo[b]fluoranthene	1.03		0.0110	mg/kg dry	1.10	ND	94.2	30-140	6.92	50
Benzo[k]fluoranthene	1.12		0.0110	mg/kg dry	1.10	ND	102	30-140	4.29	50
Benzo[a]pyrene	1.05		0.0110	mg/kg dry	1.10	ND	95.8	30-140	4.83	50
Indeno(1,2,3-cd)pyrene	1.11		0.0110	mg/kg dry	1.10	ND	101	30-140	5.48	50
Dibenz(a,h)anthracene	1.17		0.0110	mg/kg dry	1.10	ND	107	30-140	6.50	50
Benzo(g,h,i)perylene	1.17		0.0110	mg/kg dry	1.10	ND	106	30-140	3.61	50
<i>Surrogate: Terphenyl-d14</i>			4.45	mg/kg dry	5.65		78.8	60-130		

Quality Control Data (Continued)

Hydrocarbons

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BBE0837 - W TPH-Dx

Blank (BBE0837-BLK1)

Prepared & Analyzed: 5/26/2021

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Hydrocarbons (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBE0837 - W TPH-Dx (Continued)										
Blank (BBE0837-BLK1)										
Prepared & Analyzed: 5/26/2021										
Diesel	ND		24.0	mg/kg wet						
Lube Oil	ND		96.2	mg/kg wet						
Mineral Oil	ND		24.0	mg/kg wet						
<i>Surrogate: n-Hexacosane</i>			46.6	ppm	50.1		93.0	50-150		
LCS (BBE0837-BS1)										
Prepared & Analyzed: 5/26/2021										
Diesel	98.0		24.0	mg/kg wet	96.9		101	70-130		
Lube Oil	ND		96.0	mg/kg wet				70-130		
<i>Surrogate: n-Hexacosane</i>			47.8	ppm	50.1		95.3	50-150		
Duplicate (BBE0837-DUP1)										
			Source: WBE0926-05		Prepared: 5/26/2021 Analyzed: 5/27/2021					
Diesel	ND		24.8	mg/kg dry		ND				20
Lube Oil	ND		99.3	mg/kg dry		ND				20
Mineral Oil	44.2		24.8	mg/kg dry		52.9			18.0	20
<i>Surrogate: n-Hexacosane</i>			49.5	ppm	50.1		98.7	50-150		
Matrix Spike (BBE0837-MS1)										
			Source: WBE0926-06		Prepared: 5/26/2021 Analyzed: 5/27/2021					
Diesel	104		25.5	mg/kg dry	103	ND	101	70-130		
Lube Oil	ND		102	mg/kg dry		ND		70-130		
<i>Surrogate: n-Hexacosane</i>			49.2	ppm	50.1		98.1	50-150		
Matrix Spike Dup (BBE0837-MSD1)										
			Source: WBE0926-06		Prepared: 5/26/2021 Analyzed: 5/27/2021					
Diesel	106		25.7	mg/kg dry	104	ND	102	70-130	2.00	20
Lube Oil	ND		103	mg/kg dry		ND		70-130		20
<i>Surrogate: n-Hexacosane</i>			49.5	ppm	50.1		98.7	50-150		



Chain of Custody Record

Anatek Labs
 1282 Alturas Drive, Moscow
 504 E Sprague Ste D, Spokane

WBE0926



Due: 06/08/21

Company Name: BUDINGER	Project Manager: Steve Burchett
Address: 1101 N. FANCHER RD	Project Name & #: X17444
City: SPokane Valley WA State: WA Zip: 99212	Purchase Order #: X17444
Phone: 509-535-8841	Sampler Name & Phone: Darcy Callender - 509-535-8841
Email Address(es): sburchett@budingerinc.com	

Turn Around Time: _____

Please refer to our normal turn around times at
www.anateklabs.com/pricing-lists

Normal _____ Phone
 Next Day* _____ Email
 2nd Day* _____
 Other* _____

*All rush order requests must have prior approval

				List Analyses Requested							Note Special Instructions/Comments			
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:			PAH	RCRA/MLL	TPH-DX					
				# of Containers	Sample Volume									
1	North Sump @ -7'	5-20-21/0814	Soil	1	4oz									
2	North 2	5-20-21/0824	Soil	1	4oz									
3	Cess Pole @ 10'	5-20-21/0904	Soil	1	4oz	X	X	X						
4	Sw of Cess Pole	5-20-21/1100	Soil	1	4oz	X	X	X						
5	N4 @ 7'	5-20-21/1236	Soil	1	4oz	X	X	X						
6	N3 @ 8'	5-20-21/1316	Soil	1	4oz	X	X	X						
7	D5 @ 5'	5-24-21/0954	Soil	1	4oz									
8	D6 @ 5'	5-24-21/1007	Soil	1	4oz									
9	D7 @ 5'	5-24-21/1104	Soil	1	4oz									
10	D8 @ 5'	5-24-21/1022	Soil	1	4oz									

Please hold additional samples for test if needed

SW/MS

Inspection Checklist		
Received Intact?	Y	N
Labels & Chains Agree?	Y	N
Containers Sealed?	Y	N
No VOC Head Space?	Y	N
Cooler?	Y	N
Ice/Ice Packs Present?	Y	N

Temperature (°C): 7.60°F W

Number of Containers: 10

Shipped Via: Truck

Preservative: NA

Date & Time: 5-24-21 1105

Inspected By: SW/MS

	Printed Name	Signature	Company	Date	Time
Relinquished by	Darcy Callender		Budinger	5-24-21	1100
Received by	Steve Burchett		Anatek	5-24-21	1100
Relinquished by					
Received by					
Relinquished by					
Received by					

Samples submitted to Anatek Labs may be subcontracted to other accredited labs if necessary. This message serves as notice of this possibility. Subcontracted analyses will be clearly noted on the analytical report.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WBF0955
Project: X21346
Reported: 7/7/2021 11:54

Analytical Results Report

Sample Location: W. Side, North End
Lab/Sample Number: WBF0955-01 **Collect Date:** 06/24/21 07:10
Date Received: 06/24/21 11:40 **Collected By:** Steve Burchett
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	92.6	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo(g,h,i)perylene	0.0321	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[a]anthracene	0.0446	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[a]pyrene	0.0410	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[b]fluoranthene	0.0503	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[k]fluoranthene	0.0169	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Chrysene	0.0295	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Fluoranthene	0.0426	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	0.0229	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Phenanthrene	0.0161	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Pyrene	0.0469	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
<hr/>							
<i>Surrogate: Terphenyl-d14</i>	<i>99.4%</i>		<i>60-130</i>	<i>7/1/21 7:13</i>	<i>TGT</i>	<i>EPA 8270D</i>	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.9	6/25/21 6:36	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	103	6/25/21 6:36	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.9	6/25/21 6:36	ARC	NWTPH-Dx	
<hr/>							
<i>Surrogate: n-Hexacosane</i>	<i>99.4%</i>		<i>50-150</i>	<i>6/25/21 6:36</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: North End
 Lab/Sample Number: WBF0955-02 Collect Date: 06/24/21 07:18
 Date Received: 06/24/21 11:40 Collected By: Steve Burchett
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.2	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[a]anthracene	0.0259	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[a]pyrene	0.0163	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[b]fluoranthene	0.0176	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Chrysene	0.0133	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Fluoranthene	0.0149	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Pyrene	0.0168	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	87.6%		60-130	7/1/21 6:02	TGT	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.5	6/25/21 7:31	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	102	6/25/21 7:31	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.5	6/25/21 7:31	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	96.9%		50-150	6/25/21 7:31	ARC	NWTPH-Dx	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com


Analytical Results Report

(Continued)

Sample Location: Backfill Stockpile
Lab/Sample Number: WBF0955-03 Collect Date: 06/24/21 07:25
Date Received: 06/24/21 11:40 Collected By: Steve Burchett
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	98.6	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[a]pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Chrysene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	94.5%		60-130	7/1/21 6:26	TGT	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	24.7	6/25/21 8:27	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	98.6	6/25/21 8:27	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	24.7	6/25/21 8:27	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	91.1%		50-150	6/25/21 8:27	ARC	NWTPH-Dx	

Authorized Signature,



Kathleen Sattler, Laboratory Manager

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

PQL Practical Quantitation Limit
ND Not Detected
MCL EPA's Maximum Contaminant Level
Dry Sample results reported on a dry weight basis
* Not a state-certified analyte

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data

Semivolatiles

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: **BBF0894 - ASE Ext**

Blank (BBF0894-BLK1)

Prepared: 6/28/2021 Analyzed: 7/1/2021

Naphthalene	ND		0.0100	mg/kg wet						
2-Methylnaphthalene	ND		0.0100	mg/kg wet						
1-Methylnaphthalene	ND		0.0100	mg/kg wet						
Acenaphthylene	ND		0.0100	mg/kg wet						
Acenaphthene	ND		0.0100	mg/kg wet						
Fluorene	ND		0.0100	mg/kg wet						
Phenanthrene	ND		0.0100	mg/kg wet						
Anthracene	ND		0.0100	mg/kg wet						
Fluoranthene	ND		0.0100	mg/kg wet						
Pyrene	ND		0.0100	mg/kg wet						
Benzo[a]anthracene	ND		0.0100	mg/kg wet						
Chrysene	ND		0.0100	mg/kg wet						
Benzo[b]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[k]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[a]pyrene	ND		0.0100	mg/kg wet						
Indeno(1,2,3-cd)pyrene	ND		0.0100	mg/kg wet						
Dibenz(a,h)anthracene	ND		0.0100	mg/kg wet						
Benzo(g,h,i)perylene	ND		0.0100	mg/kg wet						
<i>Surrogate: Terphenyl-d14</i>			<i>4.69</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>91.0</i>	<i>60-130</i>		

LCS (BBF0894-BS1)

Prepared: 6/28/2021 Analyzed: 7/1/2021

Naphthalene	0.418		0.0100	mg/kg wet	0.500		83.6	32-133		
2-Methylnaphthalene	0.451		0.0100	mg/kg wet	0.500		90.3	45-138		
1-Methylnaphthalene	0.449		0.0100	mg/kg wet	0.500		89.8	47-135		
Acenaphthylene	0.548		0.0100	mg/kg wet	0.500		110	48-136		
Acenaphthene	0.497		0.0100	mg/kg wet	0.500		99.4	52-127		
Fluorene	0.502		0.0100	mg/kg wet	0.500		100	56-126		
Phenanthrene	0.508		0.0100	mg/kg wet	0.500		102	69-127		
Anthracene	0.535		0.0100	mg/kg wet	0.500		107	32-141		
Fluoranthene	0.569		0.0100	mg/kg wet	0.500		114	45-130		
Pyrene	0.561		0.0100	mg/kg wet	0.500		112	71-141		
Benzo[a]anthracene	0.521		0.0100	mg/kg wet	0.500		104	47-139		
Chrysene	0.501		0.0100	mg/kg wet	0.500		100	36-133		
Benzo[b]fluoranthene	0.543		0.0100	mg/kg wet	0.500		109	48-177		
Benzo[k]fluoranthene	0.502		0.0100	mg/kg wet	0.500		100	47-169		
Benzo[a]pyrene	0.535		0.0100	mg/kg wet	0.500		107	51-155		
Indeno(1,2,3-cd)pyrene	0.519		0.0100	mg/kg wet	0.500		104	66-166		
Dibenz(a,h)anthracene	0.511		0.0100	mg/kg wet	0.500		102	57-155		
Benzo(g,h,i)perylene	0.499		0.0100	mg/kg wet	0.500		99.8	49-165		
<i>Surrogate: Terphenyl-d14</i>			<i>4.58</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>89.0</i>	<i>60-130</i>		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0894 - ASE Ext (Continued)										
LCS Dup (BBF0894-BSD1)										
					Prepared: 6/28/2021 Analyzed: 7/1/2021					
Naphthalene	0.409		0.0100	mg/kg wet	0.500		81.8	32-133	2.16	50
2-Methylnaphthalene	0.453		0.0100	mg/kg wet	0.500		90.7	45-138	0.455	50
1-Methylnaphthalene	0.454		0.0100	mg/kg wet	0.500		90.8	47-135	1.07	50
Acenaphthylene	0.512		0.0100	mg/kg wet	0.500		102	48-136	6.77	50
Acenaphthene	0.459		0.0100	mg/kg wet	0.500		91.7	52-127	8.06	50
Fluorene	0.496		0.0100	mg/kg wet	0.500		99.2	56-126	1.19	50
Phenanthrene	0.443		0.0100	mg/kg wet	0.500		88.7	69-127	13.6	50
Anthracene	0.485		0.0100	mg/kg wet	0.500		97.0	32-141	9.74	50
Fluoranthene	0.466		0.0100	mg/kg wet	0.500		93.1	45-130	20.0	50
Pyrene	0.460		0.0100	mg/kg wet	0.500		92.0	71-141	19.9	50
Benzo[a]anthracene	0.477		0.0100	mg/kg wet	0.500		95.5	47-139	8.78	50
Chrysene	0.457		0.0100	mg/kg wet	0.500		91.3	36-133	9.26	50
Benzo[b]fluoranthene	0.460		0.0100	mg/kg wet	0.500		92.0	48-177	16.5	50
Benzo[k]fluoranthene	0.434		0.0100	mg/kg wet	0.500		86.8	47-169	14.5	50
Benzo[a]pyrene	0.481		0.0100	mg/kg wet	0.500		96.2	51-155	10.6	50
Indeno(1,2,3-cd)pyrene	0.561		0.0100	mg/kg wet	0.500		112	66-166	7.70	50
Dibenz(a,h)anthracene	0.547		0.0100	mg/kg wet	0.500		109	57-155	6.89	50
Benzo(g,h,i)perylene	0.539		0.0100	mg/kg wet	0.500		108	49-165	7.73	50
<i>Surrogate: Terphenyl-d14</i>			<i>4.68</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>91.0</i>	<i>60-130</i>		

Quality Control Data (Continued)

Hydrocarbons

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0797 - W TPH-Dx										
Blank (BBF0797-BLK1)										
					Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	ND		24.6	mg/kg wet						
Lube Oil	ND		98.4	mg/kg wet						
Mineral Oil	ND		24.6	mg/kg wet						
<i>Surrogate: n-Hexacosane</i>			<i>45.0</i>	<i>ppm</i>	<i>50.1</i>		<i>89.8</i>	<i>50-150</i>		
LCS (BBF0797-BS1)										
					Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	87.3		25.0	mg/kg wet	100		86.9	70-130		
Lube Oil	ND		100	mg/kg wet				70-130		
<i>Surrogate: n-Hexacosane</i>			<i>45.7</i>	<i>ppm</i>	<i>50.1</i>		<i>91.3</i>	<i>50-150</i>		
Duplicate (BBF0797-DUP1)										
			Source: WBF0682-01		Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	ND		27.5	mg/kg dry		ND				20
Lube Oil	63.4		110	mg/kg dry		66.4			4.70	20
Mineral Oil	ND		27.5	mg/kg dry		ND				20
<i>Surrogate: n-Hexacosane</i>			<i>46.2</i>	<i>ppm</i>	<i>50.1</i>		<i>92.3</i>	<i>50-150</i>		

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-001	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 1	Sampling Time	11:00 AM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	14.3	mg/Kg	0.514	11/13/2019 1:40:00 PM	TRC	EPA 6020A	
%moisture	2.2	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Sample Number	191031061-002	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 2	Sampling Time	11:05 AM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	22.3	mg/Kg	0.539	11/13/2019 1:44:00 PM	TRC	EPA 6020A	
%moisture	6.7	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Sample Number	191031061-003	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 3	Sampling Time	1:00 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	14.3	mg/Kg	0.547	11/13/2019 1:47:00 PM	TRC	EPA 6020A	
%moisture	6	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Sample Number	191031061-004	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 4	Sampling Time	1:10 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	15.7	mg/Kg	0.533	11/13/2019 1:50:00 PM	TRC	EPA 6020A	
%moisture	6	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-005	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 10	Sampling Time	2:17 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	5.28	mg/Kg	0.519	11/13/2019 1:53:00 PM	TRC	EPA 6020A	
%moisture	1.9	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Sample Number	191031061-006	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 11	Sampling Time	2:19 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	4.28	mg/Kg	0.497	11/13/2019 1:57:00 PM	TRC	EPA 6020A	
%moisture	1.5	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Sample Number	191031061-007	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM		
Client Sample ID	UST 12	Sampling Time	2:21 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	4.23	mg/Kg	0.511	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
%moisture	1.8	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT


Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-007A	Sampling Date	10/30/2019	Date/Time Received	10/30/2019 3:17 PM
Client Sample ID	metals qc	Sampling Time	2:21 PM	Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Antimony	ND	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Arsenic	0.0117	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Barium	0.0461	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Cadmium	ND	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Chromium	0.0117	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Cobalt	0.00644	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Copper	0.0156	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Lead	0.00827	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Molybdenum	ND	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Nickel	0.00960	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Selenium	0.00145	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Silver	ND	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Thallium	ND	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	
Zinc	0.0459	mg/Kg	0.001	11/13/2019 2:00:00 PM	TRC	EPA 6020A	

Authorized Signature


Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level

ND Not Detected

PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-001	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 1	Sampling Time	11:00 AM	Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	14.3	mg/Kg	0.514	11/13/2019 1:40:00 PM	TRC	EPA 6020A	
Gasoline	ND	mg/kg	2.5	11/5/2019 6:52:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	0.47	µg/Kg	0.2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
Benzene	7.93	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	13.7	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	53.9	µg/Kg	4	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
o-Xylene	24.2	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	
Toluene	61.5	µg/Kg	2	11/7/2019 2:56:00 AM	ARY	EPA 8260C SIM	B1
%moisture	2.2	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Surrogate Data

Sample Number	191031061-001		
Surrogate Standard	Method	Percent Recovery	Control Limits
1,2-Dichlorobenzene-d4	EPA 8260C SIM	100.4	70-130
4-Bromofluorobenzene	EPA 8260C SIM	101.6	70-130
Toluene-d8	EPA 8260C SIM	100.2	70-130
4-Bromofluorobenzene	NWTPHG	92.7	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-002	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM		
Client Sample ID	UST 2	Sampling Time	11:05 AM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	22.3	mg/Kg	0.539	11/13/2019 1:44:00 PM	TRC	EPA 6020A	
Gasoline	ND	mg/kg	2.5	11/5/2019 8:45:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	3.57	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	14.3	µg/Kg	4	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
o-Xylene	7.46	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	
Toluene	12.4	µg/Kg	2	11/7/2019 3:26:00 AM	ARY	EPA 8260C SIM	B1
%moisture	6.7	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Surrogate Data

Sample Number	191031061-002		
Surrogate Standard	Method	Percent Recovery	Control Limits
1,2-Dichlorobenzene-d4	EPA 8260C SIM	100.0	70-130
4-Bromofluorobenzene	EPA 8260C SIM	102.8	70-130
Toluene-d8	EPA 8260C SIM	100.6	70-130
4-Bromofluorobenzene	NWTPHG	75.0	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-003	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM		
Client Sample ID	UST 3	Sampling Time	1:00 PM	Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Lead	14.3	mg/Kg	0.547	11/13/2019 1:47:00 PM	TRC	EPA 6020A	
Gasoline	ND	mg/kg	2.5	11/5/2019 9:22:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	
Toluene	3.48	µg/Kg	2	11/7/2019 3:56:00 AM	ARY	EPA 8260C SIM	B1
%moisture	6	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Surrogate Data

Sample Number	191031061-003		
Surrogate Standard	Method	Percent Recovery	Control Limits
1,2-Dichlorobenzene-d4	EPA 8260C SIM	101.2	70-130
4-Bromofluorobenzene	EPA 8260C SIM	99.8	70-130
Toluene-d8	EPA 8260C SIM	100.2	70-130
4-Bromofluorobenzene	NWTPHG	84.5	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number 191031061-004 **Sampling Date** 10/30/2019 **Date/Time Received** 10/30/2013:17 PM
Client Sample ID UST 4 **Sampling Time** 1:10 PM **Extraction Date**
Matrix Soil **Sample Location**
Comments

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Gasoline	ND	mg/kg	2.5	11/5/2019 10:00:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
Benzene	2.99	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	
Toluene	2.99	µg/Kg	2	11/7/2019 4:25:00 AM	ARY	EPA 8260C SIM	B1
%moisture	6	Percent		11/8/2019 11:00:00 AM	ARY	%moisture	

Surrogate Data

Sample Number 191031061-004

Surrogate Standard	Method	Percent Recovery	Control Limits
1,2-Dichlorobenzene-d4	EPA 8260C SIM	100.4	70-130
4-Bromofluorobenzene	EPA 8260C SIM	100.2	70-130
Toluene-d8	EPA 8260C SIM	100.2	70-130
4-Bromofluorobenzene	NWTPHG	73.5	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-005	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 10	Sampling Time	2:17 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Fluoranthene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Pyrene	ND	mg/Kg	0.1	11/14/2019 8:23:00 PM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/14/2019 2:53:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/14/2019 2:53:00 AM	LMC	NWTPHDX	
Gasoline	ND	mg/kg	2.5	11/5/2019 10:38:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	
Toluene	3.28	µg/Kg	2	11/7/2019 4:55:00 AM	ARY	EPA 8260C SIM	B1
%moisture	1.9	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-005	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 10	Sampling Time	2:17 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	191031061-005						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C SIM		100.6		70-130	
4-Bromofluorobenzene		EPA 8260C SIM		100.0		70-130	
Toluene-d8		EPA 8260C SIM		100.4		70-130	
Terphenyl-d14		EPA 8270D		94.4		35-121	
hexacosane		NWTPHDX		88.8		50-150	
4-Bromofluorobenzene		NWTPHG		80.1		50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-006	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 11	Sampling Time	2:19 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Benzo[a]anthracene	0.0107	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Fluoranthene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Pyrene	ND	mg/Kg	0.01	11/15/2019 1:07:00 AM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/14/2019 3:48:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/14/2019 3:48:00 AM	LMC	NWTPHDX	
Gasoline	ND	mg/kg	2.5	11/5/2019 11:15:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	
Toluene	3.45	µg/Kg	2	11/7/2019 5:25:00 AM	ARY	EPA 8260C SIM	B1
%moisture	1.5	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-006	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 11	Sampling Time	2:19 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	191031061-006						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C SIM		100.0		70-130	
4-Bromofluorobenzene		EPA 8260C SIM		100.6		70-130	
Toluene-d8		EPA 8260C SIM		100.4		70-130	
Terphenyl-d14		EPA 8270D		94.4		35-121	
hexacosane		NWTPHDX		98.6		50-150	
4-Bromofluorobenzene		NWTPHG		92.1		50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report

Sample Number	191031061-007	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 12	Sampling Time	2:21 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1-Methylnaphthalene	ND	mg/kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
2-Methylnaphthalene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Acenaphthene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Acenaphthylene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Anthracene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Benzo(ghi)perylene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Benzo[a]anthracene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Benzo[a]pyrene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Chrysene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Dibenz[a,h]anthracene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Fluoranthene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Fluorene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Naphthalene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Phenanthrene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Pyrene	ND	mg/Kg	0.01	1/14/2019 11:31:00 PM	BMM	EPA 8270D	
Diesel	ND	mg/kg	25	11/14/2019 4:43:00 AM	LMC	NWTPHDX	
Lube Oil	ND	mg/kg	100	11/14/2019 4:43:00 AM	LMC	NWTPHDX	
Gasoline	ND	mg/kg	2.5	11/5/2019 11:53:00 PM	ARY	NWTPHG	
1,2-Dibromoethane (EDB)	ND	µg/Kg	0.2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
1,2-Dichloroethane	ND	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
Benzene	ND	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
Ethylbenzene	ND	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
m+p-Xylene	ND	µg/Kg	4	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
Naphthalene	ND	µg/Kg	10	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
o-Xylene	ND	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	
Toluene	2.84	µg/Kg	2	11/7/2019 5:54:00 AM	ARY	EPA 8260C SIM	B1
%moisture	1.8	Percent		11/7/2019 3:35:00 PM	LMC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 191031061
Project Name: NORMANDIE X19570

Analytical Results Report


Sample Number	191031061-007	Sampling Date	10/30/2019	Date/Time Received	10/30/2013:17 PM
Client Sample ID	UST 12	Sampling Time	2:21 PM	Extraction Date	11/12/2019
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovery	Control Limits
191031061-007	1,2-Dichlorobenzene-d4	EPA 8260C SIM	99.8	70-130
	4-Bromofluorobenzene	EPA 8260C SIM	99.8	70-130
	Toluene-d8	EPA 8260C SIM	100.4	70-130
	Terphenyl-d14	EPA 8270D	86.0	35-121
	hexacosane	NWTPHDX	91.4	50-150
	4-Bromofluorobenzene	NWTPHG	100.0	50-150

Authorized Signature



Kathleen A. Sattler, Lab Manager

B1 Target analyte detected in method blank at or above the method reporting limit
MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: BUDINGER AND ASSOCIATES

1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 191031061

Order Date: 10/31/2019

Contact Name: STEVE BURCHETT

Project Name: NORMANDIE X19570

Comment: PAH SUB TO ANATEK-M

Sample #: 191031061-001 **Customer Sample #:** UST 1

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019

Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 11:00 AM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/12/2019	<u>Normal (~10 Days)</u>

Sample #: 191031061-002 **Customer Sample #:** UST 2

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019

Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 11:05 AM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/12/2019	<u>Normal (~10 Days)</u>

Sample #: 191031061-003 **Customer Sample #:** UST 3

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019

Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 1:00 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 191031061
Order Date: 10/31/2019

Contact Name: STEVE BURCHETT

Project Name: NORMANDIE X19570

Comment: PAH SUB TO ANATEK-M

TPHG-NW-SPO S NWTPHG 11/12/2019 Normal (~10 Days)
VOC RBCA 8260 SPO S EPA 8260C SIM 11/12/2019 Normal (~10 Days)

Sample #: 191031061-004 **Customer Sample #:** UST 4

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019
Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 1:10 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/12/2019	<u>Normal (~10 Days)</u>

Sample #: 191031061-005 **Customer Sample #:** UST 10

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019
Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 2:17 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/12/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/12/2019	<u>Normal (~10 Days)</u>

Sample #: 191031061-006 **Customer Sample #:** UST 11

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019
Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 2:19 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/12/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 191031061
Order Date: 10/31/2019

Contact Name: STEVE BURCHETT
Comment: PAH SUB TO ANATEK-M

Project Name: NORMANDIE X19570

VOC RBCA 8260 SPO S EPA 8260C SIM 11/12/2019 Normal (~10 Days)

Sample #: 191031061-007 **Customer Sample #:** UST 12

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 10/30/2019

Quantity: 2 **Date Received:** 10/30/2019 3:17:00 PM **Time Collected:** 2:21 PM

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	11/12/2019	<u>Normal (~10 Days)</u>
LEAD	S	EPA 6020A	11/12/2019	<u>Normal (~10 Days)</u>
PAH 8270D MOSC	M	EPA 8270D	11/12/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	11/12/2019	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	11/12/2019	<u>Normal (~10 Days)</u>
VOC RBCA 8260 SPO	S	EPA 8260C SIM	11/12/2019	<u>Normal (~10 Days)</u>

SAMPLE CONDITION RECORD

Samples received in a cooler? Yes

Samples received intact? Yes

What is the temperature of the sample(s)? (°C) 8.6

Samples received with a COC? Yes

Samples received within holding time? Yes

Are all sample bottles properly preserved? Yes

Labels and chain agree? Yes

Total number of containers? 14

91031 061 **BUDI** Last Due 11/12/2019
 1st SAMP 10/30/201 1st RCVD 10/30/2019
 NORMANDIE X19570

Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E. Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433



Company Name: Bueclinger
 Address: 1101 N Fancher State: WA Zip: 99212
 City: Spokane Valley
 Phone: _____
 Fax: _____

Project Manager: Steve Burchett
 Project Name & #: Normandie X19570
 Email Address: S.Burchett@Bueclinger.com
 Purchase Order #: _____
 Sampler Name & phone: Jim L. 509 305 7075

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

*All rush order requests must be prior approved.

Normal
 Next Day*
 2nd Day*
 Other* _____

Phone _____
 Mail _____
 Fax _____
 E-mail _____

Provide Sample Description				List Analyses Requested			
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative	# of Containers	Sample Volume	
1	U5T 1	10/30/19 11:00	Soil		2	8oz	
2	U5T 2	11:05			2	8	
3	U5T 3	13:00			2	8	
4	U5T 4	13:10			2	8	
5	U5T 10	14:17			2	8	
6	U5T 11	14:19			2	8	
7	U5T 12	14:21			2	8	

Note Special Instructions/Comments

SWBS

Tests emailed 10/31/19

Inspection Checklist

Received Intact? Y N
 Labels & Chains Agree? Y N
 Containers Sealed? Y N
 VOC Head Space? Y N

hol/cooling ice
8.6 dig 04

Temperature (°C) _____
 Preservative: _____

Date & Time: 10-31-19 1630
 Inspected By: WJG

Relinquished by	Printed Name	Signature	Company	Date	Time
	Tony Lewis	<i>[Signature]</i>	B41	10/30/19	15:17
Received by	K Scott	<i>[Signature]</i>	Anatek	10/30/19	15:17
Relinquished by					
Received by					
Relinquished by					
Received by					



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

91031 061 **BUDI** Last Due **11/12/2019**
 1st SAMP 10/30/201 1st RCVD 10/30/2019
NORMANDIE X19570

Company Name: <i>Euclysia</i>	Project Manager: <i>Steve Burchett</i>
Address: <i>1101 N Fowler</i>	Project Name & #: <i>Normandie X19570</i>
City: <i>Spokane Valley WA</i> State: <i>WA</i> Zip: <i>99212</i>	Email Address: <i>S.Burchett@Burlington.com</i>
Phone:	Purchase Order #:
Fax:	Sampler Name & phone: <i>Tim L. 509 315 7075</i>

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested								Note Special Instructions/Comments	
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative		TPH Gt	BTEX	EDB EDC	MTBE	NAPHAVAL	Total LEAD	TPH Dx	PART'S
				# of Containers	Sample Volume								
1	U1ST 1	10/20/19 11:00	Soil	2	8	X	X	X	X	X	X		
2	U1ST 2	11:05		2	8	X	X	X	X	X	X		
3	U1ST 3	13:00		2	8	X	X	X	X	X	X		
4	U1ST 4	13:10		2	8	X	X	X	X	X	X		
5	U1ST 10	11:17		2	8	X	X	X	X	X	X	X	
6	U1ST 11	14:19		2	8	X	X	X	X	X	X	X	
7	U1ST 12	14:21		2	8	X	X	X	X	X	X	X	

Inspection Checklist

Received Intact?	Y	N
Labels & Chains Agree?	Y	N
Containers Sealed?	Y	N
VOC Head Space?	Y	N

not applicable

Temperature (°C) _____

Preservative: _____

Date & Time: _____

Inspected By: _____

	Printed Name	Signature	Company	Date	Time
Relinquished by	<i>Tim Lewis</i>	<i>[Signature]</i>	<i>BAI</i>	<i>10/20/19</i>	<i>15:17</i>
Received by	<i>S. Burchett</i>	<i>[Signature]</i>	<i>Anatek</i>	<i>10/20/19</i>	<i>15:11</i>
Relinquished by					
Received by					
Relinquished by					
Received by					

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WBF0955
Project: X21346
Reported: 7/7/2021 11:54

Analytical Results Report

Sample Location: W. Side, North End
Lab/Sample Number: WBF0955-01 **Collect Date:** 06/24/21 07:10
Date Received: 06/24/21 11:40 **Collected By:** Steve Burchett
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	92.6	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo(g,h,i)perylene	0.0321	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[a]anthracene	0.0446	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[a]pyrene	0.0410	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[b]fluoranthene	0.0503	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Benzo[k]fluoranthene	0.0169	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Chrysene	0.0295	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Fluoranthene	0.0426	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	0.0229	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Phenanthrene	0.0161	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
Pyrene	0.0469	mg/kg dry	0.0108	7/1/21 7:13	TGT	EPA 8270D	
<hr/>							
<i>Surrogate: Terphenyl-d14</i>	<i>99.4%</i>		<i>60-130</i>	<i>7/1/21 7:13</i>	<i>TGT</i>	<i>EPA 8270D</i>	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.9	6/25/21 6:36	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	103	6/25/21 6:36	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.9	6/25/21 6:36	ARC	NWTPH-Dx	
<hr/>							
<i>Surrogate: n-Hexacosane</i>	<i>94.4%</i>		<i>50-150</i>	<i>6/25/21 6:36</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: North End
 Lab/Sample Number: WBF0955-02 Collect Date: 06/24/21 07:18
 Date Received: 06/24/21 11:40 Collected By: Steve Burchett
 Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	94.2	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[a]anthracene	0.0259	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[a]pyrene	0.0163	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[b]fluoranthene	0.0176	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Chrysene	0.0133	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Fluoranthene	0.0149	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
Pyrene	0.0168	mg/kg dry	0.0104	7/1/21 6:02	TGT	EPA 8270D	
<hr/>							
<i>Surrogate: Terphenyl-d14</i>	<i>87.6%</i>		<i>60-130</i>	<i>7/1/21 6:02</i>	<i>TGT</i>	<i>EPA 8270D</i>	
Hydrocarbons							
Diesel	ND	mg/kg dry	25.5	6/25/21 7:31	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	102	6/25/21 7:31	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	25.5	6/25/21 7:31	ARC	NWTPH-Dx	
<hr/>							
<i>Surrogate: n-Hexacosane</i>	<i>96.9%</i>		<i>50-150</i>	<i>6/25/21 7:31</i>	<i>ARC</i>	<i>NWTPH-Dx</i>	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com


Analytical Results Report

(Continued)

Sample Location: Backfill Stockpile
Lab/Sample Number: WBF0955-03 Collect Date: 06/24/21 07:25
Date Received: 06/24/21 11:40 Collected By: Steve Burchett
Matrix: Soil

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Inorganics							
% Solids	98.6	%	0.100	6/24/21 14:30	ARC	SM 2540 G	
Semivolatiles							
1-Methylnaphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
2-Methylnaphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Acenaphthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Acenaphthylene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo(g,h,i)perylene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[a]anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[a]pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[b]fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Benzo[k]fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Chrysene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Dibenz(a,h)anthracene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Fluoranthene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Fluorene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Indeno(1,2,3-cd)pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Naphthalene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Phenanthrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
Pyrene	ND	mg/kg dry	0.0101	7/1/21 6:26	TGT	EPA 8270D	
<hr/>							
Surrogate: Terphenyl-d14	94.5%		60-130	7/1/21 6:26	TGT	EPA 8270D	
Hydrocarbons							
Diesel	ND	mg/kg dry	24.7	6/25/21 8:27	ARC	NWTPH-Dx	
Lube Oil	ND	mg/kg dry	98.6	6/25/21 8:27	ARC	NWTPH-Dx	
Mineral Oil	ND	mg/kg dry	24.7	6/25/21 8:27	ARC	NWTPH-Dx	
<hr/>							
Surrogate: n-Hexacosane	91.1%		50-150	6/25/21 8:27	ARC	NWTPH-Dx	

Authorized Signature,



Kathleen Sattler, Laboratory Manager

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

PQL Practical Quantitation Limit
ND Not Detected
MCL EPA's Maximum Contaminant Level
Dry Sample results reported on a dry weight basis
* Not a state-certified analyte

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data

Semivolatiles

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: **BBF0894 - ASE Ext**

Blank (BBF0894-BLK1)

Prepared: 6/28/2021 Analyzed: 7/1/2021

Naphthalene	ND		0.0100	mg/kg wet						
2-Methylnaphthalene	ND		0.0100	mg/kg wet						
1-Methylnaphthalene	ND		0.0100	mg/kg wet						
Acenaphthylene	ND		0.0100	mg/kg wet						
Acenaphthene	ND		0.0100	mg/kg wet						
Fluorene	ND		0.0100	mg/kg wet						
Phenanthrene	ND		0.0100	mg/kg wet						
Anthracene	ND		0.0100	mg/kg wet						
Fluoranthene	ND		0.0100	mg/kg wet						
Pyrene	ND		0.0100	mg/kg wet						
Benzo[a]anthracene	ND		0.0100	mg/kg wet						
Chrysene	ND		0.0100	mg/kg wet						
Benzo[b]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[k]fluoranthene	ND		0.0100	mg/kg wet						
Benzo[a]pyrene	ND		0.0100	mg/kg wet						
Indeno(1,2,3-cd)pyrene	ND		0.0100	mg/kg wet						
Dibenz(a,h)anthracene	ND		0.0100	mg/kg wet						
Benzo(g,h,i)perylene	ND		0.0100	mg/kg wet						
<i>Surrogate: Terphenyl-d14</i>			<i>4.69</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>91.0</i>	<i>60-130</i>		

LCS (BBF0894-BS1)

Prepared: 6/28/2021 Analyzed: 7/1/2021

Naphthalene	0.418		0.0100	mg/kg wet	0.500		83.6	32-133		
2-Methylnaphthalene	0.451		0.0100	mg/kg wet	0.500		90.3	45-138		
1-Methylnaphthalene	0.449		0.0100	mg/kg wet	0.500		89.8	47-135		
Acenaphthylene	0.548		0.0100	mg/kg wet	0.500		110	48-136		
Acenaphthene	0.497		0.0100	mg/kg wet	0.500		99.4	52-127		
Fluorene	0.502		0.0100	mg/kg wet	0.500		100	56-126		
Phenanthrene	0.508		0.0100	mg/kg wet	0.500		102	69-127		
Anthracene	0.535		0.0100	mg/kg wet	0.500		107	32-141		
Fluoranthene	0.569		0.0100	mg/kg wet	0.500		114	45-130		
Pyrene	0.561		0.0100	mg/kg wet	0.500		112	71-141		
Benzo[a]anthracene	0.521		0.0100	mg/kg wet	0.500		104	47-139		
Chrysene	0.501		0.0100	mg/kg wet	0.500		100	36-133		
Benzo[b]fluoranthene	0.543		0.0100	mg/kg wet	0.500		109	48-177		
Benzo[k]fluoranthene	0.502		0.0100	mg/kg wet	0.500		100	47-169		
Benzo[a]pyrene	0.535		0.0100	mg/kg wet	0.500		107	51-155		
Indeno(1,2,3-cd)pyrene	0.519		0.0100	mg/kg wet	0.500		104	66-166		
Dibenz(a,h)anthracene	0.511		0.0100	mg/kg wet	0.500		102	57-155		
Benzo(g,h,i)perylene	0.499		0.0100	mg/kg wet	0.500		99.8	49-165		
<i>Surrogate: Terphenyl-d14</i>			<i>4.58</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>89.0</i>	<i>60-130</i>		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - Fax (208) 8829246 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - fax (509) 838-4433 - email spokane@anateklabs.com

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0894 - ASE Ext (Continued)										
LCS Dup (BBF0894-BSD1)										
					Prepared: 6/28/2021 Analyzed: 7/1/2021					
Naphthalene	0.409		0.0100	mg/kg wet	0.500		81.8	32-133	2.16	50
2-Methylnaphthalene	0.453		0.0100	mg/kg wet	0.500		90.7	45-138	0.455	50
1-Methylnaphthalene	0.454		0.0100	mg/kg wet	0.500		90.8	47-135	1.07	50
Acenaphthylene	0.512		0.0100	mg/kg wet	0.500		102	48-136	6.77	50
Acenaphthene	0.459		0.0100	mg/kg wet	0.500		91.7	52-127	8.06	50
Fluorene	0.496		0.0100	mg/kg wet	0.500		99.2	56-126	1.19	50
Phenanthrene	0.443		0.0100	mg/kg wet	0.500		88.7	69-127	13.6	50
Anthracene	0.485		0.0100	mg/kg wet	0.500		97.0	32-141	9.74	50
Fluoranthene	0.466		0.0100	mg/kg wet	0.500		93.1	45-130	20.0	50
Pyrene	0.460		0.0100	mg/kg wet	0.500		92.0	71-141	19.9	50
Benzo[a]anthracene	0.477		0.0100	mg/kg wet	0.500		95.5	47-139	8.78	50
Chrysene	0.457		0.0100	mg/kg wet	0.500		91.3	36-133	9.26	50
Benzo[b]fluoranthene	0.460		0.0100	mg/kg wet	0.500		92.0	48-177	16.5	50
Benzo[k]fluoranthene	0.434		0.0100	mg/kg wet	0.500		86.8	47-169	14.5	50
Benzo[a]pyrene	0.481		0.0100	mg/kg wet	0.500		96.2	51-155	10.6	50
Indeno(1,2,3-cd)pyrene	0.561		0.0100	mg/kg wet	0.500		112	66-166	7.70	50
Dibenz(a,h)anthracene	0.547		0.0100	mg/kg wet	0.500		109	57-155	6.89	50
Benzo(g,h,i)perylene	0.539		0.0100	mg/kg wet	0.500		108	49-165	7.73	50
<i>Surrogate: Terphenyl-d14</i>			<i>4.68</i>	<i>mg/kg wet</i>	<i>5.15</i>		<i>91.0</i>	<i>60-130</i>		

Quality Control Data (Continued)

Hydrocarbons

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBF0797 - W TPH-Dx										
Blank (BBF0797-BLK1)										
					Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	ND		24.6	mg/kg wet						
Lube Oil	ND		98.4	mg/kg wet						
Mineral Oil	ND		24.6	mg/kg wet						
<i>Surrogate: n-Hexacosane</i>			<i>45.0</i>	<i>ppm</i>	<i>50.1</i>		<i>89.8</i>	<i>50-150</i>		
LCS (BBF0797-BS1)										
					Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	87.3		25.0	mg/kg wet	100		86.9	70-130		
Lube Oil	ND		100	mg/kg wet				70-130		
<i>Surrogate: n-Hexacosane</i>			<i>45.7</i>	<i>ppm</i>	<i>50.1</i>		<i>91.3</i>	<i>50-150</i>		
Duplicate (BBF0797-DUP1)										
			Source: WBF0682-01		Prepared: 6/24/2021 Analyzed: 6/25/2021					
Diesel	ND		27.5	mg/kg dry		ND				20
Lube Oil	63.4		110	mg/kg dry		66.4			4.70	20
Mineral Oil	ND		27.5	mg/kg dry		ND				20
<i>Surrogate: n-Hexacosane</i>			<i>46.2</i>	<i>ppm</i>	<i>50.1</i>		<i>92.3</i>	<i>50-150</i>		



Requested Facility: Graham Road Landfill Unsure Profile Number: 114788WA
 Multiple Generator Locations (Attach Locations) Request Certificate of Disposal Renewal? Original Profile Number: _____

A. GENERATOR INFORMATION (MATERIAL ORIGIN)

- 1. Generator Name: City of Spokane Maintenance Shop
- 2. Site Address: 127 W Mission Ave
(City, State, ZIP) Spokane WA 99201
- 3. County: Spokane
- 4. Contact Name: Budinger Associates
- 5. Email: plia@budingerinc.com
- 6. Phone: (509) 535-8841 7. Fax: (509) 535-9589
- 8. Generator EPA ID: _____ N/A
- 9. State ID: _____ N/A

C. MATERIAL INFORMATION

- 1. Common Name: Floor drain sediment
Describe Process Generating Material: See Attached
Cleaning floor drains under machine shops, and automotive maintenance garages
- 2. Material Composition and Contaminants: See Attached

1. <u>Floor drain sediment and wood pellets</u>	<u>100 %</u>
2.	
3.	
4.	

Total comp. must be equal to or greater than 100% ≥100%
- 3. State Waste Codes: _____ N/A
- 4. Color: brown
- 5. Physical State at 70°F: Solid Liquid Other: _____
- 6. Free Liquid Range Percentage: _____ to _____ N/A
- 7. pH: _____ to _____ N/A
- 8. Strong Odor: Yes No Describe: _____
- 9. Flash Point: <140°F 140°-199°F ≥200° N/A

E. ANALYTICAL AND OTHER REPRESENTATIVE INFORMATION

- 1. Analytical attached Yes
Please identify applicable samples and/or lab reports:
See attached lab report
- 2. Other information attached (such as MSDS)? Yes

G. GENERATOR CERTIFICATION (PLEASE READ AND CERTIFY BY SIGNATURE)

By signing this EZ Profile™ form, I hereby certify that all information submitted in this and all attached documents contain true and accurate descriptions of this material, and that all relevant information necessary for proper material characterization and to identify known and suspected hazards has been provided. Any analytical data attached was derived from a sample that is representative as defined in 40 CFR 261 - Appendix 1 or by using an equivalent method. All changes occurring in the character of the material (i.e., changes in the process or new analytical) will be identified by the Generator and be disclosed to Waste Management prior to providing the material to Waste Management.

If I am an agent signing on behalf of the Generator, I have confirmed with the Generator that information contained in this Profile is accurate and complete.

Name (Print): Budinger Associates Date: 10/18/2019
Title: Engineer/Geologist
Company: Budinger & Associates Inc.

B. BILLING INFORMATION

SAME AS GENERATOR

- 1. Billing Name: NODO Spokane LLC
- 2. Billing Address: 502 w Riverside Suite 103
(City, State, ZIP) Spokane WA 99201
- 3. Contact Name: Chris Batten
- 4. Email: chris@rencorprealty.com
- 5. Phone: (509) 217-5508 6. Fax: _____
- 7. WM Hauled? Yes No
- 8. P.O. Number: _____
- 9. Payment Method: Credit Account Cash Credit Card

D. REGULATORY INFORMATION

- 1. EPA Hazardous Waste? Yes* No
Code: _____
- 2. State Hazardous Waste? Yes No
Code: _____
- 3. Is this material non-hazardous due to Treatment, Delisting, or an Exclusion? Yes* No
- 4. Contains Underlying Hazardous Constituents? Yes* No
- 5. From an industry regulated under Benzene NESHAP? Yes* No
- 6. Facility remediation subject to 40 CFR 63 GGGGG? Yes* No
- 7. CERCLA or State-mandated clean-up? Yes* No
- 8. NRC or State-regulated radioactive or NORM waste? Yes* No
***If Yes, see Addendum (page 2) for additional questions and space.**
- 9. Contains PCBs? → If Yes, answer a, b and c. Yes No
 - a. Regulated by 40 CFR 761? Yes No
 - b. Remediation under 40 CFR 761.61 (a)? Yes No
 - c. Were PCB imported into the US? Yes No
- 10. Regulated and/or Untreated Medical/Infectious Waste? Yes No
- 11. Contains Asbestos? Yes No
→ If Yes: Non-Friable Non-Friable - Regulated Friable

F. SHIPPING AND DOT INFORMATION

- 1. One-Time Event Repeat Event/Ongoing Business
- 2. Estimated Quantity/Unit of Measure: 10
 Tons Yards Drums Gallons Other: _____
- 3. Container Type and Size: _____
- 4. USDOT Proper Shipping Name: _____ N/A

Certification Signature

Budinger Associates



Non-Hazardous WAM Approval

Requested Management Facility: Graham Road Landfill

Profile Number: 114788WA Waste Acceptance Expiration Date: 11/13/2021

Common Name: Floor drain sediment WM Regulatory Volume Limit: _____ NA

APPROVAL DETAILS

Approval Decision: Approved Not Approved Profile Renewal: Yes No

Management Method: Direct Landfill

Generator Name: City of Spokane Maintenance Shop

Profile Expiration Date: 11/13/2021

Periodic Testing Due Date: _____ NA

Other Due Date: _____ NA (Specify) _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval:

Generator Conditions

- Shall not contain free liquids.
- Waste manifest or applicable shipping document must accompany load.
- The waste profile number must appear on the shipping papers.

Leslie Fichera [11/24/2020]:

Approved update to billing information.

WM Authorization Name: Leslie Fichera Title: Waste Approval Manager

WM Authorization Signature: Leslie Fichera Date: 11/13/2020

Agency Authorization (if Required): _____ Date: _____



Non-Hazardous WAM Approval

Requested Management Facility: Graham Road Landfill

Profile Number: 114788WA Waste Acceptance Expiration Date: 11/04/2020

Common Name: LF01 Floor drain sediment WM Regulatory Volume Limit: _____ NA

APPROVAL DETAILS

Approval Decision: Approved Not Approved Profile Renewal: Yes No

Management Method: Direct Landfill

Generator Name: City of Spokane Maintenance Shop

Profile Expiration Date: 11/04/2020

Periodic Testing Due Date: _____ NA

Other Due Date: _____ NA (Specify) _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval:

Generator Conditions

- Shall not contain free liquids.
- Waste manifest or applicable shipping document must accompany load.
- The waste profile number must appear on the shipping papers.

WM Authorization Name: Leslie Fichera Title: Waste Approval Manager

WM Authorization Signature: *Leslie Fichera* Date: 11/04/2019

Agency Authorization (if Required): _____ Date: _____


 Graham Road Facility
 1820 S. Graham Road
 Medical Lake, WA 99022

Reprint
 Ticket# 624562
 Ph: (509)244-0151

Customer Name ABLECLEAN ABLE CLEAN-UP Carrier BUD BUDINGER & ASSOC
 Ticket Date 10/15/2020 Vehicle# BRANTLEY
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Route Check#
 Hauling Ticket# Billing# 0000726
 Destination Grid
 Manifest 114788WA
 Profile 114788WA (LF01 Floor drain sediment)
 Generator WA-CITY OF SPOKANE MAINTENANCE CITY OF SPOKANE MAINTENANCE SHOP 127 W MISSI
 PO#

Time	Scale	Operator	Inbound	Gross	31320 lb
In 10/15/2020 11:07:32	Scale1	ashield2		Tare	14200 lb
Out 10/15/2020 11:22:46	Scale1	ashield2		Net	17120 lb
				Tons	8.56

Comments

Product	LD%	Qty	UOM	Rate	Tax/Fee	Amount	Origin
1 Spwaste Solid Oth-Tons-	100	8.56	Tons				SPOKANE
2 EVF-P10-Environmental F	100		%				SPOKANE
3 SRHD1-Spokane Regional	100	8.56	Tons				SPOKANE

Total Tax/Fees
 Total Ticket

Driver's Signature *AS Brantley*

The total amount includes fees and taxes that may not all be listed on this ticket due to technical limitation.