



Proudly serving the Inland Northwest since 1976

Geotechnical Engineering
Environmental Engineering
Construction Material Testing
Subsurface Exploration
Special Inspection

Chris Batten
NODO Spokane
502 W Riverside Ave, Ste 103
Spokane, WA 99201

January 4th, 2022

Project Number: X19570
Addendum 1

Project: Former Normandie Maintenance Facility
Spokane, WA

Subject: Facility Remediation and Closure - Addendum 1

Dear Mr. Batten,

This addendum to the Facility Remediation and Closure report, dated September 21, 2021, has been completed at the request of the Washington State Department of Ecology (Ecology). The purpose is to address concerns from Ecology concerning the potential presence of polychlorinated biphenyls (PCBs) in the onsite soils. The information presented in this addendum supplements information previously submitted:

- Environmental Site Characterization Report (November 20, 2017)
- UST Removal Assessment Report (November 21, 2019)
- Soil Management Plan (February 2020)
- Additional Monitoring Wells-Results of Soil Sampling and Chemical Analysis (March 5, 2020)
- Groundwater Sampling and Analysis Quarterly Report (March 2021, 2020)
- Facility Remediation and Closure (September 2021)

The site plan, chemical analysis reports, QC data, and chain of custodies are provided in the attached Appendix.

Previous environmental assessment, sampling and chemical analysis did not identify PCBs as a contaminant of concern (COC). As such, extensive testing for PCBs was not conducted on soil and groundwater samples gathered from the site.

During environmental site characterization, shallow soil samples were taken from three storm water swales located between the small vehicle repair building and Normandie Street (GW1), adjacent to the fueling facility (GW2), and at the north end of Normandie Street (GW3). PCBs were not detected in these samples.

During remedial efforts, the floor drains and drywells were cleaned and inspected for obvious leakage or cracks in advance of building demolition with a pressure washer and vac truck. The sediments were placed in a temporary lined settling basin where we collected representative samples for analysis. PCBs were not detected in these samples.

The majority of the onsite drains and drywells were dug up and removed from the ground. Petroleum and other COC's were not present in significant concentrations beneath the drains and drywells except for lead found in the soils under the NW Drain which was excavated further for disposal. Soils near the former fueling station and were also further excavated for disposal after finding polycyclic aromatic hydrocarbon (PAH) concentrations above regulatory limits.

Based on the available historical data and our onsite observations, it is our opinion that products containing PCBs were not used in significant quantity on this site. PCBs are typically associated with oils, such as transformer oil or hydraulic fluid, and we did not find evidence to indicate the presence of significant amounts of petroleum in the soils remaining below the drainage structures.

Thank you for the opportunity to be of service. Should you have any questions regarding this letter or if we may be of further assistance, please contact us.

Respectfully Submitted:
Budinger and Associates, Inc.



Timothy J. Lewis, EIT
Staff Engineer




Stephen D. Burchett, PE
Environmental Services Manager

Attachments:

- Site Plan
- Analytical Test Reports




1/4/2022



- Test Borings (B1)
- ⊗ Surface Samples (SS1)
- Small Floor Drains
- Larger Drains and Dry Wells
- ▭ Existing Tanks (Known)
- ▭ Removed Tanks
- ⊗ Structures being Removed
- Monitoring Wells (MW1901)

Locations Tested for PCBs



SITE PLAN

Former Normandie Facility
Spokane, WA

FIGURE

PROJECT NUMBER

DATE:

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number	190924051-004	Sampling Date	9/23/2019	Date/Time Received	9/23/2019 4:50 PM		
Client Sample ID	COMPOSITE: FLOOR DRAIN SEDIMENT 01,02,03	Sampling Time		Extraction Date			
Matrix	Soil	Sample Location					
Comments	Diesel hit appears to be mineral oil.						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	4.94	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Barium	131	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Cadmium	0.791	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Chromium	24.8	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Lead	306	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	10/8/2019 4:02:00 PM	LMC	EPA 8082	
Selenium	2.03	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Silver	ND	mg/Kg	0.599	9/30/2019 12:35:00 PM	BAG	EPA 6020A	
Diesel	279	mg/kg	25	10/2/2019 3:13:00 AM	LMC	NWTPHDX	
Lube Oil	1290	mg/kg	100	10/2/2019 3:13:00 AM	LMC	NWTPHDX	
%moisture	17.7	Percent		10/2/2019	TRC	%moisture	

Surrogate Data

Sample Number	190924051-004		
Surrogate Standard	Method	Percent Recovery	Control Limits
DCB	EPA 8082	70.0	30-130
hexacosane	NWTPHDX	91.4	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number	190924051-008	Sampling Date	9/23/2019	Date/Time Received	9/23/2019 4:50 PM		
Client Sample ID	COMPOSITE: FLOOR DRAIN SEDIMENT 04,05,06	Sampling Time		Extraction Date			
Matrix	Water	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	0.185	mg/L	0.001	9/30/2019 4:32:00 PM	BAG	EPA 200.8	
Barium	1.54	mg/L	0.1	9/30/2019 4:42:00 PM	BAG	EPA 200.8	
Cadmium	0.0310	mg/L	0.001	9/30/2019 4:32:00 PM	BAG	EPA 200.8	
Chromium	0.154	mg/L	0.001	9/30/2019 4:32:00 PM	BAG	EPA 200.8	
Lead	1.25	mg/L	0.1	9/30/2019 4:42:00 PM	BAG	EPA 200.8	
Mercury-CVAFS	0.707	ug/L	0.01	10/2/2019 12:49:00 PM	ETL	EPA 245.7	
Aroclor 1016 (PCB-1016)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
PCB (total)	ND	ug/L	2	10/3/2019 9:28:00 AM	MAH	EPA 8082	
Selenium	0.158	mg/L	0.001	9/30/2019 4:32:00 PM	BAG	EPA 200.8	
Silver	0.00134	mg/L	0.001	9/30/2019 4:32:00 PM	BAG	EPA 200.8	
Diesel	3.57	mg/L	0.1	10/8/2019 9:41:00 PM	LMC	NWTPHDX	S7
Lube Oil	7.41	mg/L	0.5	10/8/2019 9:41:00 PM	LMC	NWTPHDX	S7

Surrogate Data

Sample Number	190924051-008			
Surrogate Standard	Method	Percent Recovery	Control Limits	
DCB	EPA 8082	88.6	30-130	
hexacosane	NWTPHDX	22.0	50-150	

Anatek Labs, Inc.


1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Authorized Signature



Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit
S7 Surrogate recovery was below laboratory and method acceptance limits. Potential matrix effect

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number 190924051-004 **Sampling Date** 9/23/2019 **Date/Time Received** 9/23/2019 4:50 PM
Client Sample ID COMPOSITE: FLOOR DRAIN **Sampling Time** **Extraction Date**
SEDIMENT 01,02,03
Matrix Soil

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2,4-Trimethylbenzene	171	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,3,5-Trimethylbenzene	103	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
2-hexanone	ND	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Acetone	ND	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Acrylonitrile	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Benzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Bromobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Bromochloromethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Bromoform	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Bromomethane	133	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Carbon disulfide	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number 190924051-004 **Sampling Date** 9/23/2019 **Date/Time Received** 9/23/2019 4:50 PM
Client Sample ID COMPOSITE: FLOOR DRAIN **Sampling Time** **Extraction Date**
SEDIMENT 01,02,03
Matrix Soil

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chlorobenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Chloroethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Chloroform	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Chloromethane	ND	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Dibromomethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Ethylbenzene	38.3	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
m+p-Xylene	285	µg/Kg	45	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	112.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Methylene chloride	ND	µg/Kg	45	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Naphthalene	33.1	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
n-Propylbenzene	27.3	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
o-Xylene	35.6	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
p-isopropyltoluene	877	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Styrene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Toluene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Trichloroethene	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	22.5	9/27/2019 11:00:00 PM	ARY	EPA 8260C	
%moisture	17.7	Percent		10/2/2019	TRC	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number	190924051-004	Sampling Date	9/23/2019	Date/Time Received	9/23/2019 4:50 PM
Client Sample ID	COMPOSITE: FLOOR DRAIN SEDIMENT 01,02,03	Sampling Time		Extraction Date	
Matrix	Soil				

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	190924051-004						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		102.0		70-130	
4-Bromofluorobenzene		EPA 8260C		115.4		70-130	
Toluene-d8		EPA 8260C		105.4		70-130	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number 190924051-008 **Sampling Date** 9/23/2019 **Date/Time Received** 9/23/2019 4:50 PM
Client Sample ID COMPOSITE: FLOOR DRAIN **Sampling Time** **Extraction Date**
SEDIMENT 04,05,06
Matrix Water

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1,1-Trichloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1,2,2-Tetrachloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1,2-Trichloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1-Dichloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1-Dichloroethene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,1-dichloropropene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2,3-Trichlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2,3-Trichloropropane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2,4-Trichlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2,4-Trimethylbenzene	10.3	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2-Dibromoethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2-Dichlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2-Dichloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,2-Dichloropropane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,3,5-Trimethylbenzene	4.80	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,3-Dichlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,3-Dichloropropane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
1,4-Dichlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
2,2-Dichloropropane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
2-Chlorotoluene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
2-hexanone	7.27	µg/L	6.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
4-Chlorotoluene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Acetone	49.5	µg/L	6.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Acrylonitrile	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Benzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Bromobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Bromochloromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Bromodichloromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Bromoform	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Bromomethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Carbon disulfide	2.34	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Carbon Tetrachloride	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Chlorobenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report

Sample Number 190924051-008 **Sampling Date** 9/23/2019 **Date/Time Received** 9/23/2019 4:50 PM
Client Sample ID COMPOSITE: FLOOR DRAIN **Sampling Time** **Extraction Date**
SEDIMENT 04,05,06
Matrix Water

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Chloroform	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Chloromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
cis-1,2-dichloroethene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
cis-1,3-Dichloropropene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Dibromochloromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Dibromomethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Dichlorodifluoromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Ethylbenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Hexachlorobutadiene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Isopropylbenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
m+p-Xylene	3.19	µg/L	2.5	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Methyl ethyl ketone (MEK)	49.6	µg/L	6.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Methyl isobutyl ketone (MIBK)	23.1	µg/L	6.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Methylene chloride	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
methyl-t-butyl ether (MTBE)	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Naphthalene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
n-Butylbenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
n-Propylbenzene	2.03	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
o-Xylene	2.08	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
p-isopropyltoluene	37.7	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
sec-Butylbenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Styrene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
tert-Butylbenzene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Tetrachloroethene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Toluene	8.43	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
trans-1,2-Dichloroethene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
trans-1,3-Dichloropropene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Trichloroethene	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Trichlorofluoromethane	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	
Vinyl Chloride	<1.25	µg/L	1.25	9/27/2019 11:29:00 PM	ARY	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 190924051
Project Name: X19570

Analytical Results Report


Sample Number	190924051-008	Sampling Date	9/23/2019	Date/Time Received	9/23/2019 4:50 PM
Client Sample ID	COMPOSITE: FLOOR DRAIN SEDIMENT 04,05,06	Sampling Time		Extraction Date	
Matrix	Water				

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	190924051-008						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		99.6		70-130	
4-Bromofluorobenzene		EPA 8260C		103.4		70-130	
Toluene-d8		EPA 8260C		104.0		70-130	

Authorized Signature



Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit
S7 Surrogate recovery was below laboratory and method acceptance limits. Potential matrix effect

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: BUDINGER AND ASSOCIATES

1101 N FANCHER RD

SPOKANE VALLEY WA 99212

Order ID: 190924051

Order Date: 9/24/2019

Contact Name: STEVE BURCHETT

Project Name: X19570

Comment: PCB/HG SUB TO ANATEK-M

Sample #: 190924051-001 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 01

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:10 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Sample #: 190924051-002 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 02

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:12 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Sample #: 190924051-003 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 03

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:14 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 190924051
Order Date: 9/24/2019

Contact Name: STEVE BURCHETT

Project Name: X19570

Comment: PCB/HG SUB TO ANATEK-M

Sample #: 190924051-004 **Customer Sample #:** COMPOSITE: FLOOR DRAIN SEDIMENT 01,02,03

Recv'd: **Matrix:** Soil **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	10/4/2019	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	10/4/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	10/4/2019	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	10/4/2019	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Selenium	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	10/4/2019	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	10/4/2019	<u>Normal (~10 Days)</u>

Sample #: 190924051-005 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 04

Recv'd: **Matrix:** Water **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:24 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Sample #: 190924051-006 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 05

Recv'd: **Matrix:** Water **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:27 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 190924051
Order Date: 9/24/2019

Contact Name: STEVE BURCHETT

Project Name: X19570

Comment: PCB/HG SUB TO ANATEK-M

Sample #: 190924051-007 **Customer Sample #:** FLOOR DRAIN SEDIMENT - 06

Recv'd: **Matrix:** Water **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:** 4:30 PM

Comment:

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	9/23/2019	<u>Normal (~10 Days)</u>

Sample #: 190924051-008 **Customer Sample #:** COMPOSITE: FLOOR DRAIN SEDIMENT 04,05,06

Recv'd: **Matrix:** Water **Collector:** TIM LEWIS **Date Collected:** 9/23/2019

Quantity: 1 **Date Received:** 9/23/2019 4:50:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	10/4/2019	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	10/4/2019	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	10/4/2019	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	10/4/2019	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	10/4/2019	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	10/4/2019	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 190924051
Order Date: 9/24/2019


Contact Name: STEVE BURCHETT

Project Name: X19570

Comment: PCB/HG SUB TO ANATEK-M

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	18.4
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	No
Are VOC samples free of headspace?	No
Is there a trip blank to accompany VOC samples?	No
Labels and chain agree?	Yes
Total number of containers?	6



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

90924 051 **BUDI** Last Due **10/4/2019**
 1st SAMP 9/23/2019 1st RCVD 9/23/2019
X 19570

Company Name:			Project Manager:		
Address:			Project Name & #:		
City:	State:	Zip:	Email Address:		
Phone:			Purchase Order #:		
Fax:			Sampler Name & phone:		

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested								Note Special Instructions/Comments		
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservatives		TPH Dx	VOC'S	PORA B	P.B'S					
				# of Containers	Sample Volume									
Floor Drain Sediment														
														SWBS M-Hg, PCB
						X	X	X	X					COMPOSITE FOR ANALYSIS
						X	X	X	X					COMPOSITE FOR ANALYSIS

	Printed Name	Signature	Company	Date	Time
Relinquished by			EA	9/23/2019	16:50
Received by			Burdick	9/23/2019	16:50
Relinquished by					
Received by					
Relinquished by					
Received by					

Inspection Checklist

Received Intact?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Labels & Chains Agree?	<input type="checkbox"/> Y	<input type="checkbox"/> N
Containers Sealed?	<input type="checkbox"/> Y	<input type="checkbox"/> N
VOC Head Space?	<input type="checkbox"/> Y	<input type="checkbox"/> N

hd / Coolidge

Temperature (°C) _____

Preservative: lab pres for Dx, VOC, Hg

Date & Time: _____

Inspected By: _____



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

90924 051 BUDI Last Due **10/4/2019**
 1st SAMP 9/23/2019 1st RCVD 9/23/2019
X19570

Company Name: <i>Burdinger</i>	Project Manager: <i>Steve Burchette</i>
Address: <i>1101 N Fairview</i>	Project Name & #: <i>X19570</i>
City: <i>Spokane Valley WA</i> State: <i>WA</i> Zip: <i>99208</i>	Email Address:
Phone: <i>509 535 8841</i>	Purchase Order #:
Fax: <i>509 535 9589</i>	Sampler Name & phone: <i>Tim Lewis 509 315 7075</i>

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input checked="" type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested								Note Special Instructions/Comments		
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative										
				# of Containers	Sample Volume									
	01	9/23 16:10	Soil	1	800									
	02	16:12	Soil	1	800									
	03	16:14	Soil	1	800									
	04	16:24	Water	1	800									
	05	16:27	Water	1	800									
	06	16:30	Water	1	800									

Inspection Checklist

Received Intact?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Labels & Chains Agree?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Containers Sealed?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
VOC Head Space?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N

hel / Coolantice

Temperature (°C): *18.4° dig -04*

Preservative: *—*

Date & Time: *9-24-19 1700*

Inspected By: *W/Wg*

	Printed Name	Signature	Company	Date	Time
Relinquished by	<i>Tim Lewis</i>	<i>[Signature]</i>	<i>BAI</i>	<i>9/23/19</i>	<i>4:50</i>
Received by	<i>KS [Signature]</i>	<i>[Signature]</i>	<i>Anatek</i>	<i>9/23/19</i>	<i>1650</i>
Relinquished by					
Received by					
Relinquished by					
Received by					

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
 SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-001	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	A GRASSY SWALE 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	12.1	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Barium	82.8	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Cadmium	ND	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Chromium	16.9	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Lead	30.8	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	9/20/2017 5:05:00 PM	ARY	EPA 8082	
Selenium	ND	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Silver	ND	mg/Kg	0.435	10/13/2017 7:46:00 PM	KNP	EPA 6020A	
Diesel	ND	mg/kg	25	10/10/2017 2:41:00 AM	ARY	NWTPHDX	
Lube Oil	431	mg/kg	100	10/10/2017 2:41:00 AM	ARY	NWTPHDX	C9
%moisture	2.6	Percent		9/18/2017	ACS	%moisture	

Surrogate Data

Sample Number	170912100-001		
Surrogate Standard	Method	Percent Recovery	Control Limits
DCB	EPA 8082	72.0	30-130
hexacosane	NWTPHDX	73.4	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number 170912100-002 **Sampling Date** 9/12/2017 **Date/Time Received** 9/12/2017 12:01 PM
Client Sample ID B GRASSY SWALE 2 **Sampling Time** **Extraction Date**
Matrix Soil **Sample Location**
Comments

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	12.0	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Barium	69.5	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Cadmium	ND	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Chromium	12.3	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Lead	25.9	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	9/20/2017 5:23:00 PM	ARY	EPA 8082	
Selenium	ND	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Silver	ND	mg/Kg	0.522	10/13/2017 7:53:00 PM	KNP	EPA 6020A	
Diesel	ND	mg/kg	25	9/24/2017 5:58:00 PM	ARY	NWTPHDX	
Lube Oil	372	mg/kg	100	9/24/2017 5:58:00 PM	ARY	NWTPHDX	
%moisture	3.4	Percent		9/18/2017	ACS	%moisture	

Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovery	Control Limits
170912100-002	DCB	EPA 8082	55.0	30-130
	hexacosane	NWTPHDX	68.4	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number 170912100-003 **Sampling Date** 9/12/2017 **Date/Time Received** 9/12/2017 12:01 PM
Client Sample ID C GRASSY SWALE 3 **Sampling Time** **Extraction Date**
Matrix Soil **Sample Location**
Comments

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	15.9	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Barium	65.9	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Cadmium	ND	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Chromium	12.4	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Lead	13.0	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	10/10/2017 5:59:00 PM	ARY	EPA 8082	
Selenium	ND	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Silver	ND	mg/Kg	0.461	10/13/2017 8:00:00 PM	KNP	EPA 6020A	
Diesel	ND	mg/kg	25	9/25/2017 12:33:00 AM	ARY	NWTPHDX	
Lube Oil	ND	mg/kg	100	9/25/2017 12:33:00 AM	ARY	NWTPHDX	
%moisture	3	Percent		9/18/2017	ACS	%moisture	

Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovery	Control Limits
170912100-003	DCB	EPA 8082	72.0	30-130
	hexacosane	NWTPHDX	84.2	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number 170912100-004 **Sampling Date** 9/12/2017 **Date/Time Received** 9/12/2017 12:01 PM
Client Sample ID D GRATED DRAIN 1 **Sampling Time** **Extraction Date**
Matrix Soil **Sample Location**
Comments

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	5.22	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Barium	84.4	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Cadmium	0.685	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Chromium	15.1	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Lead	46.7	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Mercury-ICPMS	ND	mg/Kg	0.0518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	10/10/2017 6:16:00 PM	ARY	EPA 8082	
Selenium	ND	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Silver	ND	mg/Kg	0.518	10/13/2017 8:34:00 PM	KNP	EPA 6020A	
Diesel	ND	mg/kg	125	9/30/2017 1:26:00 AM	ARY	NWTPHDX	
Lube Oil	962	mg/kg	500	9/30/2017 1:26:00 AM	ARY	NWTPHDX	
%moisture	18.6	Percent		9/18/2017	ACS	%moisture	

Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovery	Control Limits
170912100-004	DCB	EPA 8082	63.0	30-130
	hexacosane	NWTPHDX	108.6	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-005	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM		
Client Sample ID	E GRATED DRAIN 2	Sampling Time		Extraction Date			
Matrix	Soil	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	7.77	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Barium	113	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Cadmium	2.41	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Chromium	23.2	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Lead	112	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Mercury-ICPMS	0.134	mg/Kg	0.0629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Aroclor 1016 (PCB-1016)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	mg/Kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
PCB 8082 (total)	ND	mg/kg	0.1	10/10/2017 6:34:00 PM	ARY	EPA 8082	
Selenium	ND	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Silver	ND	mg/Kg	0.629	10/13/2017 8:41:00 PM	KNP	EPA 6020A	
Diesel	ND	mg/kg	125	9/30/2017 2:22:00 AM	ARY	NWTPHDX	
Lube Oil	1860	mg/kg	500	9/30/2017 2:22:00 AM	ARY	NWTPHDX	
%moisture	24.2	Percent		9/18/2017	ACS	%moisture	

Surrogate Data

Sample Number	170912100-005			
Surrogate Standard	Method	Percent Recovery	Control Limits	
DCB	EPA 8082	66.0	30-130	
hexacosane	NWTPHDX	100.6	50-150	

Anatek Labs, Inc.


1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Authorized Signature



Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-001	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	A GRASSY SWALE 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
2-hexanone	ND	µg/Kg	80	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Acetone	ND	µg/Kg	80	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Acrylonitrile	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Benzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Bromobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Bromochloromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Bromoform	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Bromomethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Carbon disulfide	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-001	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	A GRASSY SWALE 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chlorobenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Chloroethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Chloroform	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Chloromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Dibromomethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Ethylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
m+p-Xylene	ND	µg/Kg	32	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	80	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	80	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Methylene chloride	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Naphthalene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
n-Propylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
o-Xylene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Styrene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Toluene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Trichloroethene	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	16	9/21/2017 8:34:00 PM	ACS	EPA 8260C	
%moisture	2.6	Percent		9/18/2017	ACS	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-001	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	A GRASSY SWALE 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	170912100-001						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		102.8		70-130	
4-Bromofluorobenzene		EPA 8260C		93.6		70-130	
Toluene-d8		EPA 8260C		101.2		70-130	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-002	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	B GRASSY SWALE 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
2-hexanone	ND	µg/Kg	80	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Acetone	ND	µg/Kg	80	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Acrylonitrile	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Benzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Bromobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Bromochloromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Bromoform	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Bromomethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Carbon disulfide	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Chlorobenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-002	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	B GRASSY SWALE 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Chloroform	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Chloromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Dibromomethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Ethylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
m+p-Xylene	ND	µg/Kg	32	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	80	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	80	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Methylene chloride	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Naphthalene	35.2	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
n-Propylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
o-Xylene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Styrene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Toluene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Trichloroethene	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	16	9/21/2017 9:03:00 PM	ACS	EPA 8260C	
%moisture	3.4	Percent		9/18/2017	ACS	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-002	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	B GRASSY SWALE 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	170912100-002						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		105.0		70-130	
4-Bromofluorobenzene		EPA 8260C		94.4		70-130	
Toluene-d8		EPA 8260C		101.2		70-130	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-003	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	C GRASSY SWALE 3	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
2-hexanone	ND	µg/Kg	50	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Acetone	ND	µg/Kg	50	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Acrylonitrile	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Benzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Bromobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Bromochloromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Bromoform	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Bromomethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Carbon disulfide	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Chlorobenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-003	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	C GRASSY SWALE 3	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Chloroform	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Chloromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Dibromomethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Ethylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
m+p-Xylene	ND	µg/Kg	20	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	50	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	50	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Methylene chloride	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Naphthalene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
n-Propylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
o-Xylene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Styrene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Toluene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Trichloroethene	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	10	9/21/2017 9:33:00 PM	ACS	EPA 8260C	
%moisture	3	Percent		9/18/2017	ACS	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-003	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	C GRASSY SWALE 3	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	170912100-003						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		100.6		70-130	
4-Bromofluorobenzene		EPA 8260C		94.2		70-130	
Toluene-d8		EPA 8260C		100.6		70-130	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-004	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	D GRATED DRAIN 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
2-hexanone	ND	µg/Kg	53.5	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Acetone	ND	µg/Kg	53.5	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Acrylonitrile	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Benzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Bromobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Bromochloromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Bromoform	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Bromomethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Carbon disulfide	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Chlorobenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-004	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	D GRATED DRAIN 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Chloroform	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Chloromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Dibromomethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Ethylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
m+p-Xylene	ND	µg/Kg	21.4	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	53.5	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	53.5	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Methylene chloride	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Naphthalene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
n-Propylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
o-Xylene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Styrene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Toluene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Trichloroethene	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	10.7	9/21/2017 10:02:00 PM	ACS	EPA 8260C	
%moisture	18.6	Percent		9/18/2017	ACS	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-004	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	D GRATED DRAIN 1	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	170912100-004						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		104.0		70-130	
4-Bromofluorobenzene		EPA 8260C		95.4		70-130	
Toluene-d8		EPA 8260C		100.2		70-130	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-005	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	E GRATED DRAIN 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
2-hexanone	ND	µg/Kg	58.5	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Acetone	ND	µg/Kg	58.5	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Acrylonitrile	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Benzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Bromobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Bromochloromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Bromodichloromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Bromoform	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Bromomethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Carbon disulfide	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Chlorobenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report

Sample Number	170912100-005	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	E GRATED DRAIN 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Chloroform	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Chloromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Dibromochloromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Dibromomethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Ethylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Isopropylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
m+p-Xylene	ND	µg/Kg	23.4	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	ND	µg/Kg	58.5	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	ND	µg/Kg	58.5	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Methylene chloride	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Naphthalene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
n-Butylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
n-Propylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
o-Xylene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Styrene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Tetrachloroethene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Toluene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Trichloroethene	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
Vinyl Chloride	ND	µg/Kg	11.7	9/21/2017 10:31:00 PM	ACS	EPA 8260C	
%moisture	24.2	Percent		9/18/2017	ACS	%moisture	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 170912100
Project Name: X17444

Analytical Results Report


Sample Number	170912100-005	Sampling Date	9/12/2017	Date/Time Received	9/12/2017 12:01 PM
Client Sample ID	E GRATED DRAIN 2	Sampling Time		Extraction Date	
Matrix	Soil	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	170912100-005						
Surrogate Standard		Method		Percent Recovery		Control Limits	
1,2-Dichlorobenzene-d4		EPA 8260C		102.2		70-130	
4-Bromofluorobenzene		EPA 8260C		93.6		70-130	
Toluene-d8		EPA 8260C		100.0		70-130	

Authorized Signature



Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: BUDINGER AND ASSOCIATES

Order ID: 170912100

1101 N FANCHER RD

Order Date: 9/12/2017

SPOKANE VALLEY WA 99212

Contact Name: STEVE BURCHETT

Project Name: X17444

Comment:

Sample #: 170912100-001 **Customer Sample #:** A GRASSY SWALE 1

Recv'd: **Matrix:** Soil **Collector:** **Date Collected:** 9/12/2017

Quantity: 2 **Date Received:** 9/12/2017 12:01:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	9/22/2017	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	9/22/2017	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/22/2017	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2017	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Selenium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	9/22/2017	<u>Normal (~10 Days)</u>

Sample #: 170912100-002 **Customer Sample #:** B GRASSY SWALE 2

Recv'd: **Matrix:** Soil **Collector:** **Date Collected:** 9/12/2017

Quantity: 2 **Date Received:** 9/12/2017 12:01:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	9/22/2017	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	9/22/2017	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/22/2017	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
 1101 N FANCHER RD
 SPOKANE VALLEY WA 99212

Order ID: 170912100
Order Date: 9/12/2017

Contact Name: STEVE BURCHETT

Project Name: X17444

Comment:

VOC 8260 SPO	S	EPA 8260C	9/22/2017	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Selenium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	9/22/2017	<u>Normal (~10 Days)</u>

Sample #: 170912100-003 **Customer Sample #:** C GRASSY SWALE 3

Recv'd: **Matrix:** Soil **Collector:** **Date Collected:** 9/12/2017
Quantity: 2 **Date Received:** 9/12/2017 12:01:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	9/22/2017	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	9/22/2017	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/22/2017	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2017	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Selenium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	9/22/2017	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 170912100
Order Date: 9/12/2017

Contact Name: STEVE BURCHETT

Project Name: X17444

Comment:

Sample #: 170912100-004 **Customer Sample #:** D GRATED DRAIN 1

Recv'd: **Matrix:** Soil **Collector:** **Date Collected:** 9/12/2017

Quantity: 2 **Date Received:** 9/12/2017 12:01:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	9/22/2017	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	9/22/2017	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/22/2017	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2017	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Selenium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	9/22/2017	<u>Normal (~10 Days)</u>

Sample #: 170912100-005 **Customer Sample #:** E GRATED DRAIN 2

Recv'd: **Matrix:** Soil **Collector:** **Date Collected:** 9/12/2017

Quantity: 2 **Date Received:** 9/12/2017 12:01:00 PM **Time Collected:**

Comment:

Test	Lab	Method	Due Date	Priority
%Moisture	S	%moisture	9/22/2017	<u>Normal (~10 Days)</u>
PCB 8082	S	EPA 8082	9/22/2017	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/22/2017	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2017	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Barium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Chromium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Lead	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Mercury-ICPMS	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>

Customer Name: BUDINGER AND ASSOCIATES
1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order ID: 170912100
Order Date: 9/12/2017

Contact Name: STEVE BURCHETT

Project Name: X17444

Comment:

Selenium	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
Silver	S	EPA 6020A	9/22/2017	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	9/22/2017	<u>Normal (~10 Days)</u>

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	19.1/19.2
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Labels and chain agree?	Yes
Total number of containers?	10



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

70912 100 **BUDI** Last Due **9/22/2017**
 1st SAMP 9/12/2017 1st RCVD 9/12/2017
 17444

Company Name: Budinger & Associates	Project Manager: Steve Burchett
Address: 1101 N. Fancher	Project Name & #: X17444
City: Spokane Valley WA State: WA Zip: 99212	Email Address: sburchett@budingerinc.com
Phone: 509 535 8841	Purchase Order #: X17444
Fax:	Sampler Name & phone:

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal
 Next Day*
 2nd Day*
 Other*

*All rush order requests must be prior approved.

Phone
 Mail
 Fax
 Email

Provide Sample Description				List Analyses Requested				Note Special Instructions/Comments				
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative	# of Containers	Sample Volume						
							<i>See attached</i>					
	A Grassy Swale 1	12 Sep 17	Soil		2							
	B Grassy Swale 2	12 Sep 17	Soil		2							
	C Grassy Swale 3	12 Sep 17	Soil		2							
	D Grated Drain 1	12 Sep 17	Soil		2							
	E Grated Drain 2	12 Sep 17	Soil		2							

Inspection Checklist

Received Intact? N
 Labels & Chains Agree? N
 Containers Sealed? N
 VOC Head Space? N

Hand / Cool


Temperature (°C): **19.1° / 19.2° 1R#1**

Preservative: **Ice**

Date & Time: **9-12-17 1640**

Inspected By: **Meg**

	Printed Name	Signature	Company	Date	Time
Relinquished by	Calen Busch	<i>Calen Busch</i>	Budinger	9/12/17	
Received by	KScott	<i>K Scott</i>	Anatek	9/12/17	1201
Relinquished by					
Received by					
Relinquished by					
Received by					



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

70912 100 **BUDI** Last Due 9/22/2017
 1st SAMP 9/12/2017 1st RCVD 9/12/2017
 17444

Company Name: <i>Bullinger & Associates</i>	Project Manager: <i>Jove Bennett</i>	<div style="border: 1px solid black; padding: 5px;"> Turn Around Time & Reporting Please refer to our normal turn around times at: http://www.anateklabs.com/services/guidelines/reporting.asp <input type="checkbox"/> Normal <input type="checkbox"/> *All rush order requests must be prior approved. <input type="checkbox"/> Phone <input type="checkbox"/> Next Day* <input type="checkbox"/> Mail <input type="checkbox"/> 2nd Day* <input type="checkbox"/> Fax <input type="checkbox"/> Other* <input type="checkbox"/> Email </div>
Address: <i>1101 N Funcher</i>	Project Name & #: <i>X17444</i>	
City: <i>Spokane Valley WA</i> State: Zip: <i>99212</i>	Email Address: <i>j.bennett@bullinger.com</i>	
Phone: <i>509 535 8071</i>	Purchase Order #: <i>X17444</i>	
Fax:	Sampler Name & phone:	

Provide Sample Description				List Analyses Requested							Note Special Instructions/Comments	
Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume	HCID	TPH DX	TPH G	VOC'S	PAH'S		PCB'S
A				2			X	X	X	X	X	X
B				2			X	X	X	X	X	X
C				2			X	X	X	X	X	X
D				2			X	X	X	X	X	X
E				2			X	X	X	X	X	X

Inspection Checklist

Received Intact? Y N

Labels & Chains Agree? Y N

Containers Sealed? Y N

VOC Head Space? Y N

hand written

Temperature (°C): *19.12 / 19.2° 18/11*

Preservative: *Ice*

Date & Time: _____

Inspected By: _____

	Printed Name	Signature	Company	Date	Time
Relinquished by	<i>John Funcher</i>	<i>[Signature]</i>	<i>Bullinger</i>	<i>9/11/17</i>	
Received by	<i>K Scott</i>	<i>[Signature]</i>	<i>Anatek</i>	<i>9/12/17</i>	<i>1241</i>
Relinquished by					
Received by					
Relinquished by					
Received by					