



**King County**

**Solid Waste Division**

Department of Natural Resources and Parks

King Street Center

201 South Jackson Street, Suite 701

Seattle, WA 98104-3855

**206-477-4466**

711 TTY Relay

[www.kingcounty.gov/solidwaste](http://www.kingcounty.gov/solidwaste)

August 28, 2020

TO: Darshan Dhillon, Health and Environmental Investigator III, Environmental Health Division, Public Health – Seattle & King County

VIA: Laura Belt, P.E., Engineer Supervisor

FM: Marisa Baptiste, Engineer III

RE: King County Vashon Island Closed Landfill Quarterly Environmental Monitoring Report for Second Quarter 2020

The purpose of this letter is to transmit a copy of the Solid Waste Division's *King County Vashon Island Closed Landfill Quarterly Environmental Monitoring Report* for Second Quarter 2020 for your review. This report includes environmental data collected from April 1, 2020 through June 30, 2020. Per WAC 173-351, the report also contains evaluations of groundwater and surface water quality at the landfill. The data included in this report are consistent with past characteristic reports.

If you have questions or need additional information, please contact me at 206-477-0458, or via email at [marisa.baptiste@kingcounty.gov](mailto:marisa.baptiste@kingcounty.gov).

Enclosures

cc: Tim O'Connor, Hydrogeologist III, Washington State Department of Ecology  
Alan Noell, PhD., P.E., Washington State Department of Ecology  
Yolanda Pon, Managing Supervisor, Public Health - Seattle & King County  
Glynda Steiner, P.E., CCM, Deputy Division Director, Solid Waste Division (SWD),  
Department of Natural Resources & Parks (DNRP)  
Neil Fujii, P.E., FESS Manager, SWD, DNRP  
Anne Holmes, P.E., Engineer Supervisor, SWD, DNRP  
Laura Belt, P.E., Engineer Supervisor, SWD, DNRP  
Isabel McClure, Engineer III, SWD, DNRP  
Jennifer Keune, Environmental Compliance Coordinator, SWD, DNRP



**King County**

**Solid Waste Division**

Department of Natural Resources and Parks

King Street Center

201 South Jackson Street, Suite 701

Seattle, WA 98104-3855

**206-477-4466**

711 TTY Relay

[www.kingcounty.gov/solidwaste](http://www.kingcounty.gov/solidwaste)

August 28, 2020

Tim O'Connor, Hydrogeologist III  
Solid Waste Management Program  
Washington State Department of Ecology  
Northwest Regional Office  
3190 – 160<sup>th</sup> Avenue SE  
Bellevue, WA 98008-5452

RE: King County Vashon Island Closed Landfill Quarterly Environmental Monitoring Report for Second Quarter 2020

Dear Mr. O'Connor:

The purpose of this letter is to transmit a copy of the Solid Waste Division's *King County Vashon Island Closed Landfill Quarterly Environmental Monitoring Report* for Second Quarter 2020 for your review. This report includes environmental data collected from April 1, 2020 through June 30, 2020. Per WAC 173-351, the report also contains evaluations of groundwater and surface water quality at the landfill. The data included in this report are consistent with past characteristic reports.

If you have questions or need additional information, please contact me at 206-477-0458, or via email at [marisa.baptiste@kingcounty.gov](mailto:marisa.baptiste@kingcounty.gov).

Sincerely,

DocuSigned by:  
*Marisa Baptiste*  
52CD32739BC9450...

Marisa Baptiste  
Engineer III

Enclosures

Tim O'Connor  
August 28, 2020  
Page 2

cc: Darshan Dhillon, Health and Environmental Investigator III, Environmental Health  
Division, Public Health – Seattle & King County  
Alan Noell, PhD., P.E., Solid Waste Program, Washington State Department of  
Ecology  
Glynda Steiner, P.E., CCM, Deputy Division Director, Solid Waste Division (SWD),  
Department of Natural Resources & Parks (DNRP)  
Neil Fujii, P.E., FESS Manager, SWD, DNRP  
Anne Holmes P.E., Engineer Supervisor, SWD, DNRP  
Laura Belt, P.E., Engineer Supervisor, SWD, DNRP  
Isabel McClure, Engineer III, SWD, DNRP  
Jennifer Keune, Environmental Compliance Coordinator, SWD, DNRP

# KING COUNTY VASHON ISLAND CLOSED LANDFILL QUARTERLY ENVIRONMENTAL MONITORING REPORT

Second Quarter 2020



**King County**

Department of  
Natural Resources and Parks  
**Solid Waste Division**

*Serving*  
**Community** ● *Protecting*  
**Environment** ● *Operating*  
**Excellence**

**August 2020**

[www.kingcounty.gov/solidwaste](http://www.kingcounty.gov/solidwaste)

---

KING COUNTY  
VASHON ISLAND CLOSED  
LANDFILL QUARTERLY  
ENVIRONMENTAL  
MONITORING REPORT

---

Second Quarter 2020



Department of Natural Resources and Parks  
Solid Waste Division




**CHECKLIST FOR GROUNDWATER REPORTING**  
**Municipal Solid Waste Landfills**  
**WAC 173-351-415**

Include a signed, completed copy of this checklist with each quarterly and annual report.

Quarterly groundwater reports shall be submitted to the jurisdictional health department and Ecology within 60 days of receipt of analytical data. Annual groundwater reports shall be submitted to the jurisdictional health department and Ecology by April 1 of each year.

1 <sup>st</sup> _____ 2 <sup>nd</sup> <input checked="" type="checkbox"/> _____ 3 <sup>rd</sup> _____ 4 <sup>th</sup> _____ YEAR <u>2020</u>	Reference (section, subsection)	Included in this report	Location – section or appendix
<b>Quarterly Groundwater Reports: 173-351-415 (2) plus the referenced section</b>			
Statistical calculations and summaries			
Descriptive statistics	420, (1)	<input type="checkbox"/>	
Statistical tests	420, (2)	<input checked="" type="checkbox"/>	Tables 7 & 14; App B
Notification of statistical increase (if applicable)	420, (4)	<input type="checkbox"/>	
Notification of concentrations above Chapter 173-200 WAC criteria (if any)	430, (4)	<input checked="" type="checkbox"/>	Sect 3.1.2, 3.1.3, 3.1.4, & 3.1.5
Static water level readings	415, (2)	<input checked="" type="checkbox"/>	App B
Potentiometric surface elevation maps depicting flow direction	415, (2)	<input checked="" type="checkbox"/>	App A
Flow rate – calculated	415, (2)	<input checked="" type="checkbox"/>	App A
Cation-anion balances	430, (5a)	<input checked="" type="checkbox"/>	Tables 2, 5, 9, 12
Explanation of greater than 5% (or 10%) difference if needed	430, (5a)	<input checked="" type="checkbox"/>	Sect 3.1.2, 3.1.3, 3.1.4, & 3.1.5
Trilinear diagrams	430, (5b)	<input checked="" type="checkbox"/>	Figs 2-5
Leachate analyses (if sampled and tested)	415, (2)	<input checked="" type="checkbox"/>	App B
Data entered into EIM database (date entered: 08/25/2020)	415, (3)	<input type="checkbox"/>	
Complete copy of the lab report with chain of custody record.		<input type="checkbox"/>	
<b>Annual Groundwater Reports: 173-351-415 (1)</b>			
Summary of statistical results and trends	415, (1)	<input type="checkbox"/>	
Summary of groundwater flow rate and direction for the year	415, (1)	<input type="checkbox"/>	
Copy of all potentiometric maps for the year	415, (1)	<input type="checkbox"/>	
Summary geochemical evaluation	415, (1)	<input type="checkbox"/>	
<b>For Quarterly and Annual Reports</b>			
Stamped by a licensed professional	RCW 18.220	<input checked="" type="checkbox"/>	

 \_\_\_\_\_ August 28, 2020 \_\_\_\_\_ King County Vashon Island Closed Landfill  
 Signature of Report Author Date Landfill

*If you need this publication in an alternate format, please call the Waste 2 Resources Program at (360) 407-6900. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.*

# CERTIFICATION

## KING COUNTY VASHON ISLAND CLOSED LANDFILL QUARTERLY ENVIRONMENTAL MONITORING REPORT CERTIFICATION

I certify in accordance with the requirements of WAC 173-351-400(c) (3), that the contents of this document were prepared under my direction or supervision under a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Where applicable, some specific and related hydrogeologic portions have been duly certified by the responsible groundwater scientist. Based on my inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

<b>Name:</b> Laura Belt, P.E.	<b>Title:</b> Supervising Engineer, Facility Engineering and Science Section	<b>Date:</b> 08/28/2020
<b>Mailing Address:</b> Solid Waste Division Department of Natural Resources & Parks 201 South Jackson Street, Suite 701 Seattle, WA 98104-3855		<b>Telephone Number:</b>  206-477-5215
<b>Signature:</b>  <i>Laura Belt</i>		



EXPIRES 08/10/2021

KING COUNTY  
VASHON ISLAND  
CLOSED LANDFILL  
QUARTERLY ENVIRONMENTAL  
MONITORING REPORT

For the Second Quarter of 2020  
April 1, 2020 - June 30, 2020



KING COUNTY VASHON ISLAND CLOSED LANDFILL QUARTERLY ENVIRONMENTAL MONITORING REPORT FOR THE SECOND QUARTER OF 2020

**TABLE OF CONTENTS**

**SUMMARY OF QUARTERLY WATER QUALITY FOR THE VASHON CLOSED LANDFILL FOR THE SECOND QUARTER OF 2020** **1**

**1.0 REGULATORY STANDARDS** **1**

**2.0 ANALYTICAL METHODS** **1**

2.1 DATA EVALUATION 1

2.2 TRILINEAR DIAGRAMS AND MAJOR ION BALANCE 1

2.3 INTERWELL AND INTRAWELL PREDICTION LIMITS 2

**3.0 RESULTS AND ANALYSIS** **2**

3.1 GROUNDWATER 2

3.1.1 Groundwater within Unit B Aquifer 3

3.1.2 Groundwater within Channel Cc1 3

3.1.3 Groundwater within Channel Cc2 3

3.1.4 Groundwater within Channel Cc3 6

3.1.5 Groundwater within Unit D Aquifer 7

3.2 WEIRS AND STATION SW-E 8

3.3 LANDFILL GAS 8

3.4 LEACHATE 8

3.5 OFFSITE PRIVATE WELLS 9

**4.0 REFERENCES** **9**

**TABLES AND FIGURES** **10**

Table 1. Vashon Island Closed Landfill groundwater monitoring well completion details 11

Table 2. Channel Cc1: Ion Balance Summary for Groundwater 14

Table 3. Channel Cc1: Summary of groundwater quality criteria exceedances 15

Table 4. Channel Cc1: Summary of groundwater volatile organic compound detections 16

Table 5. Channel Cc2: Ion Balance Summary for Groundwater 18

Table 6. Channel Cc2: Summary of groundwater quality criteria exceedances 19

Table 7. Channel Cc2: Summary of groundwater prediction limit exceedances 20

Table 8. Channel Cc2: Summary of groundwater volatile organic compound detections 21

Table 9. Channel Cc3: Ion Balance Summary for Groundwater 23

Table 10. Channel Cc3: Summary of groundwater quality criteria exceedances 24

Table 11. Channel Cc3: Summary of groundwater volatile organic compound detections 25

Table 12. Unit D Aquifer: Ion Balance Summary for Groundwater 27

Table 13. Unit D Aquifer: Summary of groundwater quality criteria exceedances 28

Table 14. Unit D Aquifer: Summary of groundwater prediction limit exceedances 29

Table 15. Unit D Aquifer: Summary of groundwater volatile organic compound detections 30

Table 16. Summary of surface water monitoring location exceedances vs. SW quality standard 31

Figure 1. Vashon Island Closed Landfill Groundwater Monitoring Wells 12

Figure 2. Channel Cc1: Trilinear Diagram 13

Figure 3. Channel Cc2: Trilinear Diagram 17

Figure 4. Channel Cc3: Trilinear Diagram 22

Figure 5. Unit D Aquifer: Trilinear Diagram 26

Figure 6. Surface Water Monitoring Well Locations 32

Figure 7. Landfill Gas Collection and Monitoring Systems 33

Figure 8. Vashon Island Closed Landfill Leachate Control System 34

Figure 9. Vashon Island Closed Landfill Private Wells 35

**APPENDICES**

APPENDIX A. Potentiometric Surface Maps and Aquifer Flow Calculations

APPENDIX B. Field and Analytical Test Results

APPENDIX C. Leachate Hauling Data

## **Summary of Quarterly Water Quality for the King County Vashon Island Closed Landfill for the Second Quarter of 2020**

This report contains quarterly environmental monitoring results and an evaluation of groundwater quality for the King County Vashon Island Closed Landfill. This evaluation references the updated hydrogeological conceptual model, which was adopted in 2018 and was the model for the annual reports since 2018.

Environmental samples were collected and analyzed in accordance with the *Environmental Monitoring Sampling and Analysis Plan and Quality Assurance Project Plan for Vashon Island Closed Landfill, January 2016* (SAP). This document contains procedures to ensure data quality, consistency, and documentation.

Laboratory data was reviewed as outlined in the SAP for compliance with Data Quality Objectives (DQOs) and Quality Assurance/Quality Control (QA/QC). No quality control issues were identified for this quarter.

### **1.0 Regulatory Standards**

Groundwater results are compared to National Primary and Secondary Drinking Water Regulations (40 CFR Parts 141 and 143) and Water Quality Standards for Groundwaters of the State of Washington (WAC 173-200) (see Appendix B). Seep and surface water monitoring results are compared to Water Quality Standards (40 CFR Parts 131) and Water Quality Standards for Surface Waters of the State of Washington (WAC 173-201A).

### **2.0 Analytical Methods**

#### **2.1 Data Evaluation**

Groundwater quality is evaluated by comparison of analytical results to regulatory standards, geochemical analysis, and statistical evaluation. Changes made in accordance with federal regulations for the guidance of analytical testing methodologies covered by SW-846 (Test Methods for Evaluating Solid Waste) were implemented in 2017 by the contract laboratory. One specific effect of these changes was to replace the Method Detection Limit (MDL) methodology with the Lower Limit of Quantification (LLOQ) methodology as the basis for determining the lowest quantitative value of an analyte that can be reported. This affected all methods covered within SW-846.

The LLOQ is a performance-based methodology that tests known standards repeatedly to create a calibration curve for a specific method. Commonly, the lowest concentration of the (linear) calibration curve is set as the LLOQ. However, in some cases the LLOQ may be greater than the baseline curve concentration due to lab specific factors such as instrument sensitivity and method analytical uncertainty.

#### **2.2 Trilinear Diagrams and Major Ion Balance**

Geochemical data is presented on trilinear diagrams. Major cations and anions are plotted on individual triangles as percentages of total milliequivalents per liter (meq/L). These diagrams illustrate differences in major ion chemistry between groundwater samples and can be used to categorize water composition into identifiable groups or hydrochemical facies. These hydrochemical facies reflect distinct compositions of cation and anion concentrations. The value of the diagram lies in pointing out relationships that exist among individual samples. Trilinear diagrams are included with ionic balance calculations in this report.

### 2.3 Interwell and Intrawell Prediction Limits

Both interwell and intrawell prediction limit methods are used in evaluating groundwater data at the Vashon Island Closed Landfill. The interwell prediction limit is a statistical test that compares an analytical result from a downgradient well to a computed limit value derived from past analytical results from an upgradient well, considered to be representative background data. The prediction limits generated in this report are based on a 1% false positive rate (type I error) and depend on the background distribution. For each parameter tested, the background dataset is the 50 most recent data points beginning with the previous year for the upgradient well.

The intrawell prediction limit is a statistical test that compares an analytical result to a computed limit value derived from past analytical results from the same well, considered representative historical well data. The prediction limits generated in this report are based on a 1% false positive rate (type I error) and depend on the background distribution. For each parameter tested, the background dataset is the 50 most recent data points beginning with the previous year for the well.

Both types of the prediction limits are recalculated annually, adding in the previous year's sampling results. The dataset is tested for normality by application of the Shapiro-Wilk Test for Normality. If the data fail the test for normality, several transformations of the data are tested. When normal or transformed normal datasets are determined, a parametric interwell prediction limit is calculated and future results are compared to this value. When transformations fail the test for normality, a non-parametric method is applied and future results are compared to this limit.

## 3.0 Results and Analysis

### 3.1 Groundwater

Groundwater monitoring well completion details for the Vashon Island Closed Landfill can be found in Table 1 and well locations can be found in Figure 1. Appendix A contains the Potentiometric Groundwater Surface Maps and Groundwater Velocity Calculations for the second quarter of 2020.

Iron, manganese, and arsenic occur naturally in groundwater of this region. The Washington State Department of Ecology conducted a background study on arsenic in groundwater and according to the draft report, the natural background for the Puget Sound basin was found to be 0.008 mg/L (Ecology, 2016). Therefore, exceedances of the Water Quality Standards for

Groundwaters of the State of Washington (SGWC) for these contaminants are believed to be representative of background groundwater quality unaffected by the Vashon Island Closed Landfill.

### 3.1.1 Groundwater within Unit B Aquifer

Monitoring well MW-24 was previously identified as being located within Channel Cc1. However, in accordance with the updated hydrogeological conceptual model, monitoring well MW-24 has been determined to be completed within Unit B (see Figure 1). Monitoring well MW-24 is monitored for water levels only and its groundwater elevations are within historical ranges (see Appendix B).

### 3.1.2 Groundwater within Channel Cc1

Monitoring wells MW-3, MW-4, MW-10, and MW-13 are completed within Channel Cc1 (see Figure 1), previously described as monitoring groundwater perched above the lacustrine silt.

Groundwater quality data for the groundwater samples collected during the second quarter of 2020 are consistent with sample results reported in the last annual report. Groundwater elevations are within historical ranges (see Appendix B).

The trilinear diagram (see Figure 2) shows samples from monitoring wells MW-3, MW-4, MW-10, and MW-13 to be within the same calcium-magnesium-bicarbonate hydrochemical facie as in past samples. The cation/anion balance during this quarter, for the wells in this zone, is within ten percent (see Table 2), which indicates analytical correctness.

Exceedances of regulatory standards are tabulated and presented (see Table 3). These exceedances are consistent with past analyses. Sample results exceeded the secondary SGWC and the primary National Primary Drinking Water Regulations maximum contaminant levels (MCL) for pH (Field):

- MW-3

Sample results exceeded the primary SGWC for total arsenic in the following wells:

- MW-3
- MW-4
- MW-10
- MW-13

Detections of volatile organic compounds in this zone are tabulated and presented in Table 4. These detections include the following:

- Cis-1,2-dichloroethene in monitoring well MW-4.

Volatile organic compounds will continued to be monitored and analyzed quarterly and future recurring volatile organic compound detections will continue to be evaluated to determine any change in trends.

### 3.1.3 Groundwater within Channel Cc2

The monitoring wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 are completed in Channel Cc2 (see Figure 1), previously described as monitoring groundwater within the lacustrine silt. Monitoring well MW-30 is monitored for water levels only. Monitoring well MW-20, which is located upgradient of the landfill, is used to calculate prediction limits and as a background comparison to monitoring wells MW-2, MW-9, MW-21, MW-33, and MW-35.

Groundwater quality data for the groundwater samples collected during the second quarter of 2020 are consistent with sample results reported in the last annual report. Groundwater elevations are within historical ranges (see Appendix B). The potentiometric map and groundwater velocity calculations (see Appendix A) are within historical values.

The trilinear diagram (see Figure 3) shows all samples collected from Channel Cc2 monitoring wells to be within the same calcium-magnesium-bicarbonate hydrochemical facie, as they have been in past samples for these wells. Monitoring wells MW-2, MW-21, MW-33, and MW-35 continue to be characterized by more dominant bicarbonate-carbonate characteristics. The cation/anion balance during this quarter, for the wells in this zone, is within ten percent (see Table 5).

Exceedances of regulatory standards are tabulated and presented in Table 6. All are consistent with past detections. Sample results exceeded the secondary SGWC for specific conductance (field) in the following well:

- MW-33

Sample results exceeded the primary SGWC and MCL for total arsenic in the following wells:

- MW-2 (SGWC only)
- MW-9 (SGWC only)
- MW-20 (SGWC only)
- MW-21 (SGWC only)
- MW-33
- MW-35

Sample results exceeded the secondary SGWC and the secondary MCL for dissolved iron in the following wells:

- MW-21
- MW-33
- MW-35

Sample results exceeded the secondary SGWC and the secondary MCL for dissolved manganese in the following wells:

- MW-2
- MW-20
- MW-21
- MW-33
- MW-35

Sample results exceeded the primary SGWC for 1,1-dichloroethane in the following well:

- MW-33

Sample results exceeded the primary SGWC and the primary MCL for 1,2-dichloropropane in the following well:

- MW-33

Sample results exceeded the primary SGWC for benzene in the following well:

- MW-33

Sample results exceeded the primary SGWC and the primary MCL for vinyl chloride in the following wells:

- MW-2 (SGWC only)
- MW-21 (SGWC only)
- MW-33
- MW-35

Exceedances of the interwell prediction limits (based on monitoring well MW-20) are tabulated and presented in Table 7. These prediction limits have been calculated to include all sample results through 2019.

Sample results from monitoring well MW-2 exceeded the following interwell prediction limits:

- Specific Conductance (Field)
- Alkalinity
- Nitrate
- Total Dissolved Solids
- Total Calcium
- Total Magnesium
- Total Sodium

Sample results from monitoring well MW-9 exceeded the following interwell prediction limits:

- Chloride
- Nitrate

Sample results from monitoring well MW-21 exceeded the following interwell prediction limits:

- Specific Conductance (Field)
- Alkalinity
- Nitrate
- Total Dissolved Solids
- Total Calcium
- Dissolved Iron
- Total Magnesium
- Total Sodium

Sample results from monitoring well MW-33 exceeded the following interwell prediction limits:

- Specific Conductance (Field)
- Alkalinity
- Total Dissolved Solids
- Total Solids
- Total Arsenic
- Total Calcium
- Dissolved Iron
- Total Magnesium
- Dissolved Manganese

- Total Potassium
- Total Sodium
- Vinyl Chloride

Sample results from monitoring well MW-35 exceeded the following interwell prediction limits:

- Specific Conductance (Field)
- Alkalinity
- Ammonia
- Sulfate
- Total Dissolved Solids
- Total Organic Carbon
- Total Solids
- Total Suspended Solids
- Total Arsenic
- Total Barium
- Total Calcium
- Total Chromium
- Total Cobalt
- Dissolved Iron
- Total Magnesium
- Dissolved Manganese
- Total Nickel
- Total Potassium
- Total Sodium
- Total Vanadium
- Vinyl Chloride

Detections of volatile organic compounds in this zone are tabulated and presented in Table 8. Chlorinated hydrocarbons typically detected in sample results from these wells are consistent with previous data and represent stable or decreasing concentrations. Volatile organic compounds will continued to be monitored and analyzed quarterly and future recurring volatile organic compounds detections will continue to be evaluated to determine any change in trends.

#### 3.1.4 Groundwater within Channel Cc3

Monitoring wells MW-8 and MW-36 are completed within Channel Cc3 (see Figure 1), previously described as monitoring groundwater perched above the lacustrine silt.

Groundwater quality data for the groundwater samples collected during the second quarter of 2020 are consistent with sample results reported in the last annual report. Groundwater elevations are within historical ranges (see Appendix B).

The trilinear diagram (see Figure 4) shows samples from monitoring wells MW-8 and MW-36 to be within the same calcium-magnesium-bicarbonate hydrochemical facie, as in past

samples. The cation/anion balance during this quarter, for the well in this zone, is within ten percent (see Table 9), which indicates analytical correctness.

Exceedances of regulatory standards are tabulated and presented (see Table 10). These exceedances are consistent with past analyses. Sample results exceeded the primary SGWC for total arsenic in the following wells:

- MW-8
- MW-36

There were no volatile organic compounds detected in sampled collected from Channel Cc3 during second quarter of 2020.

### 3.1.5 Groundwater within Unit D Aquifer

The wells completed in the Unit D aquifer include monitoring wells MW-7, MW-12, MW-19, MW-26, MW-29, and MW-34, and piezometer wells MW-25 and MW-28 (see Figure 1). Monitoring well MW-7 is located upgradient of the landfill and is not considered to show impacts from landfill activities. The water level in MW-28 was measured below the bottom of the screen and is considered to be dry.

Groundwater quality data for the regional aquifer samples collected during the second quarter of 2020 are consistent with previous samples. Groundwater elevations are within historical ranges (see Appendix B). The potentiometric map and groundwater velocity calculations (see Appendix A) are within historical values.

The trilinear diagram shows all samples are within the same calcium-magnesium-bicarbonate hydrochemical facie (see Figure 5). During this quarter, the cation/anion balance, for the wells in this zone, is within ten percent (see Table 12).

Exceedances of primary and secondary regulatory standards are tabulated and presented (see Table 13). All exceedances are consistent with reported analyses in past quarterly reports. Sample results exceeded the primary SGWC for total arsenic in the following wells:

- MW-7
- MW-12
- MW-19
- MW-26
- MW-29
- MW-34

Sample results exceeded the secondary SGWC and the secondary MCL for dissolved iron in the following wells:

- MW-29

Sample results exceeded the secondary SGWC and the secondary MCL for dissolved manganese in the following wells:

- MW-7
- MW-19
- MW-26
- MW-29



Wells located in Unit D Aquifer use the intrawell prediction limit method to determine prediction limit exceedances, which are tabulated and presented in Table 14. These prediction limits have been calculated to include all sample results through 2019. Sample results from MW-34 exceeded the prediction limit for pH (Field) during first quarter of 2020. Sample results from monitoring well MW-34 did not have a pH (Field) prediction limit exceedance during second quarter of 2020. As a result, monitoring well MW-34 has been taken out of retesting protocol for pH (Field). There were no prediction limit exceedances in samples collected from Unit D Aquifer during second of 2020.

There were no volatile organic compounds detected in samples collected from the Unit D Aquifer during second quarter of 2020.

### 3.2 Weirs and Station SW-E

Samples were collected from the three weirs located on the West Hillslope and SW-E this quarter (see Figure 6). The water samples collected from these sampling stations are evaluated for surface water quality criteria exceedances (see Table 16). Sample results from all four stations were collected on May 19, 2020. Sample results from station SW-W1, SW-W2, and SW-W3 exceeded the surface water quality criteria for the following constituents:

- Total Iron

Station SW-E is located 1600 ft. west and downstream of the weirs. Sample results from station SW-E exceeded the surface water quality criteria for the following constituent:

- Turbidity (Field)

No vinyl chloride was detected in the second quarter of 2020 sample for station SW-E.

### 3.3 Landfill Gas

Landfill gas presence is monitored by a network of compliance probes installed around the perimeter of the landfill (see Figure 7). Probes are monitored monthly and the results are presented in Appendix B. No methane was detected in all compliance gas probes this quarter. The landfill gas blower was sent into Beckwith & Kuffel for repairs in February of 2020, due to the fan moving and scoring the shaft. During testing of that repair, more damage was found in the form of cracking in the impeller, which KCSWD was informed of in early April of 2020. As a result of this additional damage and cost of repairs, KCSWD decided to move forward with a plan to replace the blower with two direct drive blowers, which will run in parallel. KCSWD expects the design and construction of this new system to be completed by the end of 2020. There is currently no blower operating at Vashon Island Closed Landfill.

### 3.4 Leachate

Second quarter of 2020 leachate results are compiled in Appendix B and include sample results for station LS-LVT (required monitoring under Wastewater Discharge Authorization No. 4366-01). As explained in a May 21, 2020 email from Joan Kenton and approved by Washington State Department of Ecology, quarterly leachate characterization samples from stations LS-B and LS-PS1 (see Figure 8) were not taken during second quarter of 2020 because of reduced capacity at the King County

Environmental Laboratory due to Covid-19.

### 3.5 Offsite Private Wells

In accordance with the SAP, offsite private wells were not sampled during second quarter of 2020, as they are only sampled first and third quarters. Locations of these offsite private wells can be found in Figure 9.

## 4.0 References

King County Solid Waste Division. January 2016. *Environmental Monitoring Sampling and Analysis Plan and Quality Assurance Project Plan for Vashon Island Closed Landfill*.


Washington State Department of Ecology (Ecology). 2016. *Natural Background Groundwater Arsenic Concentrations in Washington State [Draft]*. Ecology Publication 14-09-044.

TABLES  
AND FIGURES

**Table 1**  
**Vashon Island Closed Landfill Groundwater Monitoring Well Completion Details**


Well Number	Date Completed	Installed By	Top of PVC Casing Elevation (feet) <sup>a</sup>	Well Casing and Screen	Well Dia. (inches)	Screen slot (inches)	Top of Screen Elevation <sup>b</sup>	Bottom of Screen Elevation <sup>b</sup>	Top of Seal Elevation <sup>b</sup>	Bottom of Seal Elevation <sup>b</sup>	Seal Type	Top of Sand Pack (feet elev.) <sup>b</sup>	Bottom of Sand Pack (feet elev.) <sup>b</sup>	Sand Type	Reference <sup>c</sup>
MW-1 <sup>d</sup>	9/8/1983	Sweet-Edwards	407.06	Sch 80 PVC	3	0.010	287.94	277.94	405.94	292.94	Bentonite	292.94	275.94	3/8 minus pea gravel	A
MW-2	9/9/1983	Sweet-Edwards	318.09	Sch 80 PVC	3	0.010	237.39	232.39	316.39	250.39	Bentonite	248.39	231.39	3/8 minus pea gravel	A
MW-3	9/12/1983	Sweet-Edwards	318.12	Sch 80 PVC	3	0.010	281.15	276.15	316.15	284.15	Bentonite	284.15	276.15	3/8 minus pea gravel	A
MW-4	9/14/1983	Sweet-Edwards	377.30	Sch 80 PVC	3	0.010	276.17	266.17	376.17	281.17	Bentonite	281.17	266.17	3/8 minus pea gravel	A
MW-5S <sup>d</sup>	3/6/1986	Golder	360.09	Sch 40 PVCb	2	0.020	285.32	275.32	359.32	356.32	Bentonite	356.32	274.82	#8 Monterey & Gravel	B
MW-5D <sup>d</sup>	3/6/1986	Golder	360.66	Sch 40 PVCb	2	0.020	244.32	233.32	258.82	253.32	Bentonite	257.32	233.32	#8 Monterey & Gravel	B
MW-6S <sup>d</sup>	3/19/1986	Golder	397.7	Sch 40 PVCb	2	0.020	290.88	280.88	395.88	392.88	Bentonite	392.88	279.88	#8 Aqua and Gravel	B
MW-6D <sup>d</sup>	3/19/1986	Golder	397.6	Sch 40 PVCb	2	0.020	245.38	235.38	259.88	253.88	Bentonite	247.88	234.88	#8 Aqua	B
MW-7	4/28/1995	CH2M HILL	376.56	Sch 40 PVC	2	0.010	154.40	144.40	374.40	157.40	Bentonite	157.40	142.40	#20 x 40	C
MW-8	6/30/1995	CH2M HILL	386.13	Sch 40 PVC	2	0.010	215.95	205.95	383.95	216.95	Bentonite	216.95	203.95	#20 x 40	C
MW-9	6/12/1995	CH2M HILL	405.32	Sch 40 PVC	2	0.010	236.39	226.39	403.39	239.39	Bentonite	239.39	223.39	#20 x 40	C
MW-10	7/1/1995	CH2M HILL	410.21	Sch 40 PVC	2	0.010	265.04	255.04	408.04	268.04	Bentonite	268.04	253.04	#20 x 40	C
MW-11 <sup>d</sup>	5/15/1995	CH2M HILL	409.85	Sch 40 PVC	2	0.010	165.74	155.74	407.74	167.74	Bentonite	167.74	147.74	#20 x 40	C
MW-12	5/26/1995	CH2M HILL	315.67	Sch 40 PVC	2	0.010	142.90	132.90	313.40	146.40	Bentonite	146.40	127.40	#20 x 40	C
MW-13	4/22/1992	Terra	377.37	Sch 40 PVC	2	0.020	267.30	262.30	375.30	269.30	Bentonite	269.30	259.80	#8	D
MW-14 <sup>d</sup>	6/21/1995	CH2M HILL	379.14	Sch 40 PVC	2	0.020	216.08	206.08	377.08	223.08	Bentonite	223.08	205.08	#20 x 40	C
MW-19	6/12/1995	CH2M HILL	405.58	Sch 40 PVC	2	0.020	142.85	132.85	402.35	142.35	Bentonite	142.35	126.35	#20 x 40	C
MW-20	10/21/1998	UES	370.43	Sch 40 PVC	2	0.020	240.79	236.49	368.49	244.09	Bentonite	244.09	234.49	#20 x 40	E
MW-21	10/21/1998	UES	348.95	Sch 40 PVC	2	0.020	246.46	237.06	347.06	252.06	Bentonite	252.06	236.06	#20 x 40	E
MW-24	4/27/1992	Terra	377.53	Sch 40 PVC	2	0.020	294.96	284.96	375.46	298.46	Bentonite	298.46	285.46	#8	D
MW-25	8/11/2003	UES	402.48	Sch 80 PVC	4	0.020	152.04	137.94	400.54	155.54	Bentonite	155.54	133.54	#16 x 30	F
MW-26	8/6/2003	UES	406.58	Sch 80 PVC	4	0.020	158.30	144.20	404.40	162.10	Bentonite	162.10	140.70	#16 x 30	F
MW-27 <sup>d</sup>	8/15/2003	UES	386.34	Sch 80 PVC	4	0.020	197.55	183.35	384.05	200.55	Bentonite	200.55	180.55	#16 x 30	F
MW-28	8/29/2003	UES	398.72	Sch 80 PVC	4	0.020	177.04	162.64	396.64	180.14	Bentonite	180.14	160.84	#16 x 30	F
MW-29	8/29/2003	UES	413.79	Sch 80 PVC	4	0.020	173.02	158.22	411.22	175.22	Bentonite	175.22	150.22	#16 x 30	G
MW-33	3/13/2015	Aspect Consulting	359.77	Sch 40 PVC	4	0.020	229.78	219.78	357.07	232.90	Bentonite	232.90	217.82	10 x 20 Colorado Silica	I
MW-34	3/26/2015	Aspect Consulting	385.88	Sch 40 PVC	4	0.020	147.96	137.96	383.26	151.26	Bentonite	151.26	135.76	10 x 20 Colorado Silica	I
MW-35	3/18/2015	Aspect Consulting	361.47	Sch 40 PVC	4	0.020	244.25	233.35	358.75	247.25	Bentonite	247.25	233.55	10 x 20 Colorado Silica	I
MW-36	4/02/2015	Aspect Consulting	378.24	Sch 40 PVC	4	0.020	221.25	211.25	375.25	223.25	Bentonite	223.25	210.25	10 x 20 Colorado Silica	I
P-1S <sup>d</sup>	3/12/1986	Golder	No data	Sch 40 PVC	2	0.020	307.46	297.46	396.46	393.46	Bentonite	393.46	291.46	#8 Aqua and Gravel	B
P-1D <sup>d</sup>	3/12/1986	Golder	No data	Sch 40 PVC	2	0.020	281.96	271.96	291.46	286.46	Bentonite	286.46	271.46	#8 Aqua	B
P-1A <sup>d</sup>	3/25/1986	Golder	No data	Sch 40 PVC	2	0.020	283.48	273.48	357.48	289.48	Bentonite	289.48	272.48	#8 Monterey	B
P-1B <sup>d</sup>	3/29/1986	Golder	No data	Sch 40 PVC	2	0.020	302.54	292.54	383.54	307.54	Bentonite	307.54	292.54	10 x 20 silica	B
P-2 <sup>d</sup>	3/19/1986	Golder	No data	Sch 40 PVC	2	0.020	277.19	262.19	287.19	282.19	Bentonite	282.19	260.19	#8 Aqua	B
P-2A <sup>d</sup>	3/24/1986	Golder	No data	Sch 40 PVC	2	0.020	297.06	285.06	352.06	310.06	Bentonite	310.06	283.56	#8 Aqua	B
P-4	2/29/1988	Golder	No data	Sch 80 PVC	1	0.020	378.36	376.36	410.86	380.36	Bentonite	380.36	375.36	#16 Monterey	H

<sup>a</sup>All survey data in feet are relative to site NAVD88 datum.  
<sup>b</sup>Well installed as a dual-completion.  
<sup>c</sup>A = R.W. Beck, 1984; B = Golder Associates, 1986; C = CH2M HILL, 1996; D = Terra Associates, 1992; E = B&H and UES, 1999b; F = B&H and UES, 2003b; G = B&H and UES, 2003a; H = Golder Associates, 1986; I = Aspect Consulting, 2015.  
<sup>d</sup>Well has been decommissioned.



**Figure 2. Channel Cc1 Trilinear Diagram**

April 1, 2020 - June 30, 2020



**Table 2**  
**Channel Cc1: Ion Balance Summary for Groundwater**  
**April 1, 2020 - June 30, 2020**

Well #		MW-3			MW-4			MW-10			MW-13			
Sample Date		5/19/2020			5/19/2020			5/19/2020			5/27/2020			
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		5.94			6.6			7.29			6.98		
Conductance	--		60.5			221.1			146.9			137.3		
TDS	--		56			168			113			109		
Calcium	40.1	2	6.69	0.3338	47.7	17.8	0.8882	39.6	9.88	0.4930	32.3	8.8	0.4391	27.7
Magnesium	24.3	2	2.75	0.2263	32.3	12.2	1.0039	44.7	9.4	0.7735	50.7	10.2	0.8393	53.0
Potassium	39.1	1	1.39	0.0356	5.1	1.14	0.0292	1.3	1.48	0.0379	2.5	1.71	0.0437	2.8
Sodium	23.0	1	2.4	0.1044	14.9	7.4	0.3219	14.3	5.09	0.2214	14.5	6	0.2610	16.5
Iron	55.8	2	0.005	0.0002	0.03	0.005	0.0002	0.01	0.005	0.0002	0.01	0.005	0.0002	0.01
Manganese	54.9	2	0.000519	0.00002	0.003	0.000188	0.00001	0.0003	0.00005	0.000002	0.0001	0.000293	0.0000	0.00
Ammonia-N	14.0	1	0.0024	0.0002	0.02	0.001	0.00007	0.0032	0.001	0.0001	0.0047	0.001	0.0001	0.005
<b>Total Cations (meq/L)</b>				<b>0.7</b>			<b>2.2</b>			<b>1.5</b>			<b>1.6</b>	
<b>Anion Parameters</b>	<b>Molecular Weight (g/mol)</b>	<b>n</b>												
Alkalinity, Total	--		24.0			66.5			56.7			58.3		
Carbonate	59.9992	2	0.0013	0.00004	0.0067	0.0159	0.0005	0.0250	0.066	0.002	0.153	0.033	0.001	0.076
Bicarbonate	61.0092	1	29.277	0.480	76.417	81.098	1.329	62.573	69.039	1.132	78.280	71.058	1.165	79.824
Chloride	35.5	1	1.000	0.028	4.492	8.930	0.252	11.857	3.140	0.089	6.127	2.620	0.074	5.065
Nitrate-N	14.0	1	0.308	0.022	3.502	2.06	0.147	6.923	0.528	0.038	2.608	0.346	0.025	1.693
Sulfate	96.1	2	4.7	0.098	15.6	19	0.396	18.6	8.91	0.186	12.8	9.35	0.195	13.3
<b>Total Anions (meq/L)</b>				<b>0.6</b>			<b>2.1</b>			<b>1.4</b>			<b>1.5</b>	
<b>Total Ions (meq/L)</b>				<b>1.3</b>			<b>4.4</b>			<b>3.0</b>			<b>3.0</b>	
<b>Cation/Anion Ratio</b>				<b>1.12</b>			<b>1.06</b>			<b>1.06</b>			<b>1.09</b>	
<b>Percent Difference</b>				<b>5.45</b>			<b>2.73</b>			<b>2.71</b>			<b>4.09</b>	

**Table 3**

**Channel Cc1: Summary of groundwater quality criteria exceedances**

**April 1, 2020 - June 30, 2020**

Parameter	Units	Site ID	Sample Date	Sample Value	Standard(s) Exceeded	Standard(s) Exceeded Numerical Limit
pH (Field)	std. pH Units	MW-3	5/19/2020	5.94	MCL2; SGWC2	< 6.5
Arsenic, Total <sup>1</sup>	mg/L	MW-3	5/19/2020	0.0000562	SGWC1	0.00005
		MW-4	5/19/2020	0.00039		
		MW-10	5/19/2020	0.00161		
		MW-13	5/27/2020	0.00211		

<sup>1</sup> Natural background for arsenic in the Puget Sound Basin is 0.008 mg/L (Ecology, 2016)

SGWC1 = Washington State Primary Groundwater Quality Criteria

SGWC2 = Washington State Secondary Groundwater Quality Criteria

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

See Analytical Data Qualifier in Appendix B for Data Qualifier Information.



**Table 4**

**Channel Cc1: Summary of groundwater volatile organic compound detections**


**April 1, 2020 - June 30, 2020**

Compound	Units	Site ID	Date	Sample Value
Cis-1,2-dichloroethene	ug/L	MW-4	5/19/2020	0.576

See Data Qualifiers Section in Appendix B for Qualifier Information.

**Figure 3. Channel Cc2 Trilinear Diagram**

April 1, 2020 - June 30, 2020



**Table 5**  
**Channel Cc2: Ion Balance Summary for Groundwater**  
**April 1, 2020 - June 30, 2020**

Well #			MW-2			MW-9			MW-20			MW-21			MW-33			MW-35		
Sample Date			5/27/2020			5/28/2020			5/28/2020			5/28/2020			5/27/2020			5/28/2020		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.96			7			7.54			6.94			6.79			6.7		
Conductance	--		292.7			173.4			176.6			272.9			656			646		
TDS	--		193			131			135			182			423			436		
Calcium	40.1	2	21.8	1.0878	31.4	13.9	0.6936	35.3	13	0.6487	33.6	19.4	0.9681	30.8	61.8	3.0838	37.2	62.7	3.1287	39.0
Magnesium	24.3	2	23.3	1.9173	55.4	11.5	0.9463	48.2	11.5	0.9463	49.1	19.7	1.6211	51.5	49.2	4.0485	48.8	42.8	3.5219	43.9
Potassium	39.1	1	2.25	0.0575	1.7	2.2	0.0563	2.9	2.12	0.0542	2.8	2.25	0.0575	1.8	3.4	0.0875	1.1	3.1	0.0801	1.0
Sodium	23.0	1	9.12	0.3967	11.5	6.13	0.2666	13.6	6.08	0.2645	13.7	10.7	0.4654	14.8	18.5	0.8047	9.7	16.7	0.7264	9.1
Iron	55.8	2	0.005	0.0002	0.01	0.005	0.0002	0.01	0.219	0.0078	0.41	0.47	0.0168	0.53	6.62	0.2371	2.86	13.30	0.4763	5.94
Manganese	54.9	2	0.0662	0.0024	0.07	0.00005	0.000002	0.0001	0.143	0.0052	0.27	0.464	0.0169	0.54	0.96	0.0349	0.42	2.25	0.0819	1.02
Ammonia-N	14.0	1	0.0025	0.0002	0.005	0.001	0.0001	0.0036	0.0202	0.0014	0.07	0.0123	0.0009	0.03	0.03	0.0023	0.03	0.07	0.0047	0.06
<b>Total Cations (meq/L)</b>				<b>3.5</b>			<b>2.0</b>			<b>1.9</b>			<b>3.1</b>			<b>8.3</b>			<b>8.0</b>	
<b>Anion Parameters</b>	<b>Molecular Weight (g/mol)</b>	<b>n</b>																		
Alkalinity, Total	--		147.0			73			71.2			131.0			365.0			332.0		
Carbonate	59.9992	2	0.081	0.003	0.081	0.044	0.001	0.079	0.148	0.005	0.271	0.069	0.002	0.077	0.135	0.005	0.058	0.100	0.003	0.046
Bicarbonate	61.0092	1	179.176	2.937	88.741	88.971	1.458	78.474	86.563	1.419	77.925	159.681	2.617	88.176	445.025	7.294	94.383	404.837	6.636	91.914
Chloride	35.5	1	2.400	0.068	2.045	4.370	0.123	6.633	2.990	0.084	4.632	2.100	0.059	1.996	3.480	0.098	1.270	4.030	0.114	1.575
Nitrate-N	14.0	1	0.238	0.0170	0.513	0.444	0.0317	1.706	0.005	0.0004	0.020	0.234	0.0167	0.563	0.005	0.0004	0.005	0.005	0.0004	0.005
Sulfate	96.1	2	13.7	0.2852	8.6	11.7	0.2436	13.1	15	0.3123	17.2	13.1	0.2728	9.2	15.9	0.3311	4.3	22.4	0.4664	6.5
<b>Total Anions (meq/L)</b>				<b>3.3</b>			<b>1.9</b>			<b>1.8</b>			<b>3.0</b>			<b>7.7</b>			<b>7.2</b>	
<b>Total Ions (meq/L)</b>				<b>6.8</b>			<b>3.8</b>			<b>3.7</b>			<b>6.1</b>			<b>16.0</b>			<b>15.2</b>	
<b>Cation/Anion Ratio</b>				<b>1.05</b>			<b>1.06</b>			<b>1.06</b>			<b>1.06</b>			<b>1.07</b>			<b>1.11</b>	
<b>Percent Difference</b>				<b>2.25</b>			<b>2.74</b>			<b>2.86</b>			<b>2.92</b>			<b>3.56</b>			<b>5.25</b>	

**Table 6**  
**Channel Cc2: Summary of groundwater quality criteria exceedances**  
**April 1, 2020 - June 30, 2020**

Parameter	Units	Site ID	Sample Date	Sample Value	Standard(s) Exceeded	Standard(s) Exceeded Numerical Limit
Arsenic, Total <sup>1</sup>	mg/L	MW-2	5/27/2020	0.00079	SGWC1	0.00005
		MW-9	5/28/2020	0.00234		
		MW-20	5/28/2020	0.00298		
		MW-21	5/28/2020	0.00242		
		MW-33	5/27/2020	0.0428	MCL1; SGWC1	0.01; 0.00005
		MW-35	5/28/2020	0.0304		
Iron, Dissolved	mg/L	MW-21	5/28/2020	0.47	MCL2; SGWC2	0.3; 0.3
		MW-33	5/27/2020	6.62		
		MW-35	5/28/2020	13.3		
Manganese, Dissolved	mg/L	MW-2	5/27/2020	0.0662	MCL2; SGWC2	0.05; 0.05
		MW-20	5/28/2020	0.143		
		MW-21	5/28/2020	0.464		
		MW-33	5/27/2020	0.959		
		MW-35	5/28/2020	2.25		
Benzene	ug/L	MW-33	5/27/2020	1.01	SGWC1	1
1,1-Dichloroethane	ug/L	MW-33	5/27/2020	1.54	SGWC1	1
1,2-Dichloropropane	ug/L	MW-33	5/27/2020	7.65	MCL1; SGWC1	5; 0.6
Vinyl Chloride	ug/L	MW-2	5/27/2020	0.0555	SGWC1	0.02
		MW-21	5/28/2020	0.0759		
		MW-33	5/27/2020	31.2	MCL1; SGWC1	2; 0.02
		MW-35	5/28/2020	6.06		

<sup>1</sup> Natural background for arsenic in the Puget Sound Basin is 0.008 mg/L (Ecology, 2016)

SGWC1 = Washington State Primary Groundwater Quality Criteria

SGWC2 = Washington State Secondary Groundwater Quality Criteria

MCL1 = National Primary Drinking Water Regulation Maximum Contaminant Level

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

See Analytical Data Qualifier in Appendix B for Data Qualifier Information.

**Table 7**  
**Channel Cc2: Summary of groundwater prediction limit exceedances**  
**Interwell**  
**April 1, 2020 - June 30, 2020**

Parameter	Units	Well ID	Sample Date	Sample Value	Prediction Limit (PL) Value
Specific Conductance (Field)	umhos/cm	MW-2	5/27/2020	292.7	242.1
		MW-21	5/28/2020	272.9	
		MW-33	5/27/2020	656	
		MW-35	5/28/2020	646.00	
Alkalinity	mg/L	MW-2	5/27/2020	147	94.9
		MW-21	5/28/2020	131	
		MW-33	5/27/2020	365.0	
		MW-35	5/28/2020	332	
Ammonia	mg/L	MW-35	5/28/2020	0.0657	0.0322
Chloride	mg/L	MW-9	5/28/2020	4.37	4.09
Nitrate	mg/L	MW-2	5/27/2020	0.2	0.05
		MW-9	5/28/2020	0.444	
		MW-21	5/28/2020	0.234	
Sulfate	mg/L	MW-35	5/28/2020	22.4	18.51
Total Dissolved Solids	mg/L	MW-2	5/27/2020	193.00	159.02
		MW-21	5/28/2020	182.00	
		MW-33	5/27/2020	423.00	
		MW-35	5/28/2020	436.00	
Total Organic Carbon	mg/L	MW-35	5/28/2020	2.9	2.33
Total Solids	mg/L	MW-33	5/27/2020	438	286.00
		MW-35	5/28/2020	690	
Total Suspended Solids	mg/L	MW-35	5/28/2020	317	95.00
Arsenic, Total	mg/L	MW-33	5/27/2020	0.0428	0.0044
		MW-35	5/28/2020	0.0304	
Barium, Total	mg/L	MW-35	5/28/2020	0.0566	0.0384
Calcium, Total	mg/L	MW-2	5/27/2020	22.5	15.42
		MW-21	5/28/2020	19.4	
		MW-33	5/27/2020	62.8	
		MW-35	5/28/2020	63.6	
Chromium, Total	mg/L	MW-35	5/28/2020	0.0112	0.0111
Cobalt, Total	mg/L	MW-35	5/28/2020	0.0049	0.003
Iron, Dissolved	mg/L	MW-21	5/28/2020	0.5	0.39
		MW-33	5/27/2020	6.62	
		MW-35	5/28/2020	13.30	
Magnesium, Total	mg/L	MW-2	5/27/2020	23.1	17.3
		MW-21	5/28/2020	20.0	
		MW-33	5/27/2020	49.8	
		MW-35	5/28/2020	46.1	
Manganese, Dissolved	mg/L	MW-33	5/27/2020	0.96	0.548
		MW-35	5/28/2020	2.3	
Nickel, Total	mg/L	MW-35	5/28/2020	0.0212	0.01
Potassium, Total	mg/L	MW-33	5/27/2020	3.5	2.52
		MW-35	5/28/2020	3.4	
Sodium, Total	mg/L	MW-2	5/27/2020	8.99	7.57
		MW-21	5/28/2020	10.7	
		MW-33	5/27/2020	18.5	
		MW-35	5/28/2020	17.5	
Vanadium, Total	mg/L	MW-35	5/28/2020	0.0101	0.00767
Vinyl Chloride	ug/L	MW-33	5/27/2020	31.2	0.0867
		MW-35	5/28/2020	6.06	


**Table 8****Channel Cc2: Summary of groundwater volatile organic compound detections****April 1, 2020 - June 30, 2020**

Compound	Units	Site ID	Date	Sample Value
1,1-dichloroethane	ug/L	MW-33	5/27/2020	1.54
		MW-35	5/28/2020	0.23
1,1-dichloroethene	ug/L	MW-33	5/27/2020	0.159JT
1,2-dichloropropane		MW-33	5/27/2020	7.65
		MW-35	5/28/2020	0.515
Benzene	ug/L	MW-33	5/27/2020	1.01
		MW-35	5/28/2020	0.577
Cis-1,2-dichloroethene	ug/L	MW-21	5/28/2020	0.611
		MW-33	5/27/2020	31.8
		MW-35	5/28/2020	3.85
Dichlorodifluoromethane	ug/L	MW-2	5/27/2020	4.34
		MW-20	5/28/2020	0.326
		MW-21	5/28/2020	2.69
		MW-33	5/27/2020	6.24
		MW-35	5/28/2020	1.07
Trans-1,2-dichloroethene	ug/L	MW-33	5/27/2020	0.831
		MW-35	5/28/2020	0.235
Trichloroethene	ug/L	MW-33	5/27/2020	0.166JT
		MW-35	5/28/2020	1.02
Trichlorofluoromethane	ug/L	MW-2	5/27/2020	0.702
		MW-21	5/28/2020	0.811
Vinyl Chloride	ug/L	MW-2	5/27/2020	0.0555
		MW-21	5/28/2020	0.0759
		MW-33	5/27/2020	31.2
		MW-35	5/28/2020	6.06

See Data Qualifiers Section in Appendix B for Qualifier Information.

**Figure 4. Channel Cc3 Trilinear Diagram**

April 1, 2020 - June 30, 2020



**Table 9**  
**Channel Cc3: Ion Balance Summary for Groundwater**  
**April 1, 2020 - June 30, 2020**

Well #			MW-8			MW-36		
Sample Date			5/19/2020			5/28/2020		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.66			7.76		
Conductance	--		167.6			161		
TDS	--		124			133		
Calcium	40.1	2	11.8	0.5888	35.1	13.8	0.6886	38.0
Magnesium	24.3	2	9.41	0.7743	46.2	9.41	0.7743	42.7
Potassium	39.1	1	1.16	0.0297	1.8	2.56	0.0655	3.6
Sodium	23.0	1	6.53	0.2840	16.9	6.54	0.2845	15.7
Iron	55.8	2	0.005	0.0002	0.01	0.005	0.0002	0.01
Manganese	54.9	2	0.00005	0.000002	0.0001	0.000846	0.00003	0.002
Ammonia-N	14.0	1	0.001	0.0001	0.004	0.001	0.0001	0.004
<b>Total Cations (meq/L)</b>			<b>1.7</b>			<b>1.8</b>		
Anion Parameters	Molecular Weight (g/mol)	n						
Alkalinity, Total	--		56			68.1		
Carbonate	59.9992	2	0.015	0.001	0.032	0.234	0.008	0.455
Bicarbonate	61.0092	1	68.289	1.119	69.481	82.606	1.354	78.934
Chloride	35.5	1	4.220	0.119	7.389	2.890	0.082	4.752
Nitrate-N	14.0	1	2.92	0.2085	12.940	0.019	0.0014	0.079
Sulfate	96.1	2	7.86	0.1637	10.2	13	0.2707	15.8
<b>Total Anions (meq/L)</b>			<b>1.6</b>			<b>1.7</b>		
<b>Total Ions (meq/L)</b>			<b>3.3</b>			<b>3.5</b>		
<b>Cation/Anion Ratio</b>			<b>1.04</b>			<b>1.06</b>		
<b>Percent Difference</b>			<b>2.01</b>			<b>2.77</b>		



**Table 10**

**Channel Cc3: Summary of groundwater quality criteria exceedances**

**April 1, 2020 - June 30, 2020**

Parameter	Units	Site ID	Sample Date	Sample Value	Standard(s) Exceeded	Standard(s) Exceeded Numerical Limit
Arsenic, Total <sup>1</sup>	mg/L	MW-8	5/19/2020	0.000482	SGWC1	0.00005
		MW-36	5/28/2020	0.00181		

<sup>1</sup> Natural background for arsenic in the Puget Sound Basin is 0.008 mg/L (Ecology, 2016)

SGWC1 = Washington State Primary Groundwater Quality Criteria

See Analytical Data Qualifier in Appendix B for Data Qualifier Information.

**Table 11**

**Channel Cc3: Summary of groundwater volatile organic compound detections**


**April 1, 2020 - June 30, 2020**

Compound	Units	Site ID	Date	Sample Value
<b>There were no volatile organic compounds detected this quarter in Channel Cc3 samples.</b>				

See Data Qualifiers Section in Appendix B for Qualifier Information.

**Figure 5. Unit D Aquifer Trilinear Diagram**

April 1, 2020 - June 30, 2020



**Table 12**  
**Unit D Aquifer: Ion Balance Summary for Groundwater**  
**April 1, 2020 - June 30, 2020**

Well #			MW-7			MW-12			MW-19			MW-26			MW-29			MW-34		
Sample Date			5/27/2020			5/27/2020			5/28/2020			5/27/2020			5/28/2020			5/28/2020		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		7.68			7.3			7.52			8.19			7.35			6.91		
Conductance	--		178.8			152.2			198.6			180.5			226.8			179.7		
TDS	--		137			118			143			139			153			129		
Calcium	40.1	2	15.4	0.7685	39.5	11.6	0.5788	34.6	14.8	0.7385	32.6	17.1	0.8533	43.9	19.5	0.9731	38.8	13.5	0.6737	33.7
Magnesium	24.3	2	9.81	0.8072	41.5	9.53	0.7842	46.8	13.9	1.1438	50.5	7.32	0.6023	31.0	14.1	1.1603	46.2	12	0.9875	49.5
Potassium	39.1	1	2.77	0.0708	3.6	1.9	0.0486	2.9	2.46	0.0629	2.8	2.99	0.0765	3.9	2.22	0.0568	2.3	1.55	0.0396	2.0
Sodium	23.0	1	6.33	0.2753	14.2	6.03	0.2623	15.7	6.84	0.2975	13.1	8.96	0.3897	20.0	6.64	0.2888	11.5	6.79	0.2953	14.8
Iron	55.8	2	0.018	0.0006	0.03	0.005	0.0002	0.01	0.0474	0.0017	0.08	0.0862	0.0031	0.16	0.796	0.0285	1.14	0.005	0.0002	0.01
Manganese	54.9	2	0.175	0.0064	0.33	0.00005	0.000002	0.0001	0.454	0.0165	0.73	0.0651	0.0024	0.12	0.0914	0.0033	0.13	0.000245	0.00001	0.0004
Ammonia-N	14.0	1	0.231	0.0165	0.85	0.001	0.0001	0.0043	0.0301	0.0021	0.09	0.24	0.0171	0.88	0.0029	0.0002	0.01	0.001	0.0001	0.0036
<b>Total Cations (meq/L)</b>			<b>1.9</b>			<b>1.7</b>			<b>2.3</b>			<b>1.9</b>			<b>2.5</b>			<b>2.0</b>		
Anion Parameters	Molecular Weight (g/mol)	n																		
Alkalinity, Total	--		77.6			63.9			82.4			74.7			99.0			68.5		
Carbonate	59.9992	2	0.222	0.007	0.398	0.077	0.003	0.158	0.164	0.005	0.259	0.685	0.023	1.230	0.133	0.004	0.186	0.033	0.001	0.059
Bicarbonate	61.0092	1	94.220	1.544	82.991	77.802	1.275	78.794	100.195	1.642	78.012	89.741	1.471	79.201	120.510	1.975	82.727	83.502	1.369	72.729
Chloride	35.5	1	3.170	0.089	4.805	2.950	0.083	5.141	4.320	0.122	5.788	3.480	0.098	5.285	3.380	0.095	3.993	4.600	0.130	6.895
Nitrate-N	14.0	1	0.015	0.0011	0.058	0.719	0.0513	3.172	0.005	0.0004	0.017	0.012	0.0009	0.046	0.005	0.0004	0.015	1.71	0.1221	6.487
Sulfate	96.1	2	10.5	0.2186	11.7	9.9	0.2061	12.7	16.1	0.3352	15.9	12.7	0.2644	14.2	15	0.3123	13.1	12.5	0.2603	13.8
<b>Total Anions (meq/L)</b>			<b>1.9</b>			<b>1.6</b>			<b>2.1</b>			<b>1.9</b>			<b>2.4</b>			<b>1.9</b>		
<b>Total Ions (meq/L)</b>			<b>3.8</b>			<b>3.3</b>			<b>4.4</b>			<b>3.8</b>			<b>4.9</b>			<b>3.9</b>		
<b>Cation/Anion Ratio</b>			<b>1.05</b>			<b>1.03</b>			<b>1.08</b>			<b>1.05</b>			<b>1.05</b>			<b>1.06</b>		
<b>Percent Difference</b>			<b>2.22</b>			<b>1.69</b>			<b>3.62</b>			<b>2.29</b>			<b>2.52</b>			<b>2.95</b>		

**Table 13**

**Unit D Aquifer: Summary of groundwater quality criteria exceedances**

**April 1, 2020 - June 30, 2020**

Parameter	Units	Site ID	Sample Date	Sample Value	Standard(s) Exceeded	Standard(s) Exceeded Numerical Limit
Arsenic, Total <sup>1</sup>	mg/L	MW-7	5/27/2020	0.00517	SGWC1	0.00005
		MW-12	5/27/2020	0.00201		
		MW-19	5/28/2020	0.00151		
		MW-26	5/27/2020	0.00378		
		MW-29	5/28/2020	0.00698		
		MW-34	5/28/2020	0.00131		
Iron, Dissolved	mg/L	MW-29	5/28/2020	0.796	MCL2; SGWC2	0.3; 0.3
Manganese, Dissolved	mg/L	MW-7	5/27/2020	0.175	MCL2; SGWC2	0.05; 0.05
		MW-19	5/28/2020	0.454		
		MW-26	5/27/2020	0.0651		
		MW-29	5/28/2020	0.0914		

<sup>1</sup> Natural background for arsenic in the Puget Sound Basin is 0.008 mg/L (Ecology, 2016)

SGWC1 = Washington State Primary Groundwater Quality Criteria

SGWC2 = Washington State Secondary Groundwater Quality Criteria

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

See Analytical Data Qualifier in Appendix B for Data Qualifier Information.

**Table 14**

**Unit D Aquifer: Summary of groundwater prediction limit exceedances**

**Intrawell**

**April 1, 2020 - June 30, 2020**

Parameter	Units	Well ID	Sample Date	Sample Value	Prediction Limit (PL) Value
<b>There were no prediction limit exceedances in Unit D aquifer.</b>					

**Table 15**

**Unit D Aquifer: Summary of groundwater volatile organic compound detections**

**April 1, 2020 - June 30, 2020**

Compound	Units	Site ID	Date	Sample Value
<b>There were no volatile organic compounds detected this quarter in Unit D Aquifer samples.</b>				

See Data Qualifiers Section in Appendix B for Qualifier Information.

**Table 16**

**Summary of surface water monitoring location exceedances vs. SW quality standard**

**Weirs & Station SW-E**

**April 1, 2020 - June 30, 2020**

Compound	Units	Site ID	Sample Date	Sample Value	Reg. Limit	Standard(s) Exceeded
Turbidity (Field)	NTU	SW-E	5/19/2020	28.9	25	SSWC; FA; FC
Iron, Total	mg/L	SW-W1	5/19/2020	1.77	1	FC
		SW-W2	5/19/2020	2.3		
		SW-W3	5/19/2020	1.1		


FC = Federal chronic surface water quality criteria

FA = Federal acute surface water criteria

SSWC = Washington State chronic surface water quality criteria

See Data Qualifiers Section in Appendix B for Qualifier Information.





**Surface Water Monitoring Locations**

- Seep/Weir Sampling Location
- Former Surface Water Monitoring Station
- Phase 1 - 1988 Final Cover
- Phase 2 - 2001 Final Cover
- Pond
- Building
- Road
- Fence
- Vashon Island Closed Landfill
- Other King County-Owned Property
- King County Tax Parcel

*Topographic contours from King County LIDAR, 2016.*

**Surface Water Monitoring Well Locations**


Vashon Island Closed Landfill  
King County, Washington




	2018	FIGURE NO.
		<b>6</b>

GIS Data: T:\Projects\_8\KingCounty\_SolidWaste\WashonIsland\env\lidar\Delivered\_RFS\4-5\Surface Water Monitoring Locations.mxd | Coordinate System: NAD 1983 HARN StatePlane Washington North FIPS 4601 Feet | Date Saved: 10/3/2018 | User: mapin | Print Date: 10/2/2018








-  Regional Well Sampling Location
-  Surface Water Sampling Location
-  Vashon Island Closed Landfill

Topographic contours derived from King County LIDAR, 2016.



### Vashon Island Closed Landfill Private Wells

King County, Washington



King County  
Solid Waste Division

Nov-2018

FIGURE NO.

**9**

GIS Data: King County Solid Waste Division; Data Source: King County LIDAR, 2016; Date: 9/27/2018; File: Vashon Landfill Private Wells.mxd; Coordinate System: NAD 1983 HARN StatePlane Washington North FIPS 4001 Feet; Map Scale: 1" = 1,000 Feet; Print Date: 10/2/2018

# APPENDIX A

Potentiometric Surface Maps and Aquifer Flow  
Calculations



## King County

### Water and Land Resources Division

Department of Natural Resources and Parks  
King Street Center  
201 South Jackson Street, Suite 704  
Seattle, WA 98104-3855

**206-477-4800** Fax 206-296-0192  
TTY Relay: 711

---

---

## TECHNICAL MEMORANDUM

---

---

August 27, 2020

TO: Marisa Baptiste, Engineer III, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks (DNRP)

FM: Sevin Bilir, Environmental Scientist IV, Science and Technical Support Section, Water and Land Resources Division, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations  
Second Quarter 2020 Results  
Vashon Island Closed Landfill, King County, Washington  
Project No. 1033601 – Task 29.14.137.45

---

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the second quarter of 2020 for the middle channel deposit in the Cc2 perched zone and the Unit D aquifer beneath the Vashon Island Closed Landfill (Landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (WLRD, 2020). King County Solid Waste Division (SWD) personnel measured groundwater levels at the Landfill on May 15, 2020. These measurements were received by WLRD on July 1, 2020 and were used to:

1. Evaluate the potentiometric groundwater surface elevation for the Cc2 perched zone and the Unit D aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the Cc2 perched zone and the Unit D aquifer; and
3. Calculate the groundwater velocity of the Cc2 perched zone and the Unit D aquifer.

There have been no significant changes in the interpreted groundwater conditions for the Cc2 perched zone and the Unit D aquifer since the report submitted for the first quarter of 2020.

## **Groundwater Elevation Data**

The SWD attempted groundwater level measurements at 14 monitoring wells during the second quarter of 2020. These wells are completed in the Cc2 perched zone and the Unit D aquifer, as referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2018).

Table A-1 lists the groundwater monitoring well identifications, locations, construction details, measured depth to groundwater levels and calculated groundwater elevations for monitoring wells screened in the Cc2 perched zone and Unit D aquifer.

### **Cc2 Perched Zone**

Three separate coarse-grained perched zones are identified within variable fine-grained sediment in the Cc2 perched zone (Aspect 2018). The Cc2 channel deposit perched zone is not laterally extensive across the Landfill as was not identified in borings southeast and northwest of the landfill closure area (Aspect 2018). Groundwater in this perched zone is monitored by wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 (Aspect 2018).

According to Aspect (2018), water levels in the Unit Cc2 perched zone generally indicate unconfined groundwater conditions, with the exception of monitoring wells MW-20 and MW-33. Groundwater elevations in these two wells are above coarse-grained layers indicating confined conditions (Aspect 2018). During this quarter, the water level in monitoring well MW-33 was measured at almost 17 feet above the top of the screen and may be influenced by confining conditions.

Figure A-1 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Cc2 perched zone based on measurements taken on May 15, 2020.

### **Unit D Aquifer**

Groundwater in the Unit D aquifer is monitored by wells MW-7, MW-12, MW-19, MW 25, MW-26, MW-28, MW-29, and MW-34 (Aspect 2018). Measured water levels in monitoring wells MW-7, MW-12, MW-19, MW-25, and MW-34 were at least 16.5 feet above the top of the screen and may be influenced by vertical gradients, permeability differences (Aspect 2018), or confining conditions in the Unit D aquifer.

Monitoring well MW-28 was again reported as dry as the water level was noted below the screen bottom elevation. This well has historically been reported as “dry” for this reason. The screen for MW-28 was installed at the contact between Unit D and unit below (Unit E) and requires a two foot rise in surrounding groundwater levels to reach the screen bottom.

Figure A-2 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Unit D aquifer based on measurements taken on May 15, 2020.

## **Direction of Groundwater Flow**

Interpreted groundwater flow directions in the Cc2 perched zone and Unit D aquifer, based on measurements taken on May 15, 2020, are shown in Figures A-1 and A-2. Table A-2 lists the flow direction for the Cc2 perched zone and Unit D aquifer beneath the Landfill based on measurements and mapping of groundwater elevation contours taken during the second quarter of 2020.

### **Cc2 Perched Zone**

Calculated groundwater elevations and interpreted groundwater potentiometric surface contours indicate that groundwater in the Cc2 perched zone generally flows towards the west-northwest property-wide with a west to west-southwest component in the south slope area (Figure A-1).

### **Unit D Aquifer**

As per Aspect (2018), groundwater flow direction in Unit D is strongly influenced by the typically higher water levels in MW-7 and MW-34 and this is seen in quarterly mapping of the potentiometric surface forming a groundwater divide running generally west-east beneath the southern area of the landfill footprint. Calculated groundwater elevations and interpreted groundwater potentiometric surface contours during the second quarter of 2020 indicate that groundwater in the Unit D aquifer flows generally southwesterly in the area south of the divide and northerly in the area north of the divide with components of flow to the northeast and northwest (Figure A-2). The groundwater gradient south of the divide is less steep than that north of the divide.

## **Groundwater Parameters**

Table A-2 presents a summary of the groundwater parameters. Hydraulic conductivity and effective porosity values are based on the ranges referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2018). However, average horizontal hydraulic conductivity values for Unit Cc2 are assumed incorrectly listed in that document but assumed correctly commented on later in the notes of that document. Table A-2 reflects this correction (also noted in the accompanying notes) and presents a summary of the groundwater parameters used to calculate groundwater velocities from the second quarter 2020 data.

The average horizontal hydraulic conductivity for the Cc2 perched zone beneath the Landfill is reported to be 8.2 feet per day (ft/d) property wide and 5.8 ft/d in the south slope area (Aspect 2018). The average horizontal hydraulic conductivity in the Unit D aquifer beneath the landfill is reported to be 10.2 ft/d (Aspect 2018). The effective



porosity is reported as 20 percent for both the Cc2 perched zone and the Unit D aquifer (Aspect 2018).

Average hydraulic gradients for the Cc2 perched zone are approximately 0.020 ft/ft property wide and 0.012 ft/ft for the south slope area based on measurements made during the second quarter of 2020. The average hydraulic gradients for the Unit D aquifer, based on measurements made during the second quarter of 2020, are approximately 0.034 and 0.016 ft/ft in the northerly and southerly flow directions, respectively.

Average horizontal groundwater velocities calculated for the Cc2 perched zone and Unit D aquifer beneath the Landfill, are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

$$\text{where: } v = \frac{l}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

$v$  = Groundwater velocity [L/t]

$n_{eff}$  = Effective porosity [dimensionless]

$K$  = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$  = Hydraulic gradient [L/L]

The average horizontal groundwater velocities in the Cc2 perched zone are approximately 0.80 ft/d property wide and 0.35 ft/d in the south slope area. The average horizontal groundwater velocities in the Unit D aquifer are approximately 1.73 and 0.82 ft/d in the northerly and southerly direction, respectively.


## References

Aspect Consulting, LLC. (Aspect). 2018. Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Contract Number E00102E08; Task No. 310.3 – D310.3.2). AGENCY DRAFT. October 9.

King County Water and Land Resources Division (WLRD). 2020. Proposal for 2020 Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations; King County Closed Landfills (Cedar Falls, Enumclaw, Hobart and Vashon Island) and Cedar Hills Regional Landfill. February.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please feel free to contact me at 206-477-4646 or [sevin.bilir@kingcounty.gov](mailto:sevin.bilir@kingcounty.gov).

Sincerely,



Sevin Bilir, WA LHG  
Environmental Scientist IV  
King County Water and Land Resources Division

Enclosures:

- Table A-1: Well Details and Groundwater Elevations – Second Quarter 2020
- Table A-2: Groundwater Parameters – Second Quarter 2020
- Figure A-1: Groundwater Potentiometric Surface Map – Second Quarter 2020 – Cc2 Perched Zone
- Figure A-2: Groundwater Potentiometric Surface Map – Second Quarter 2020 – Unit D Aquifer

**Table A-1: Well Details and Groundwater Elevations – Second Quarter 2020**  
Vashon Island Closed Landfill  
King County, Washington

	Well Identification	Easting <sup>2</sup> (ft)	Northing <sup>2</sup> (ft)	Top of Casing Elevation (ft MSL)	Top of Screen Elevation (ft MSL)	Bottom of Screen Elevation (ft MSL)	May 15, 2020	
							Measured Depth to Water <sup>1</sup> (ft)	Groundwater Elevations (ft MSL)
Cc2 Perched Zone	MW-2	1227788.53	162365.91	317.97	237.06	232.06	74.04	243.93
	MW-9	1227723.68	163527.21	405.17	236.22	224.22	165.57	239.60
	MW-20	1228173.43	162566.52	370.32	241.41	236.41	122.08	248.24
	MW-21	1227647.90	162340.10	349.05	246.45	237.05	106.73	242.32
	MW-30	1227273.26	162671.10	235.67	230.40	225.40	5.83	229.84
	MW-33	1227883.53	162682.24	359.17	229.63	219.63	112.56	246.61
	MW-35	1227651.53	162559.82	361.34	244.20	234.20	118.57	242.77
Unit D Aquifer	MW-7	1228427.68	162811.30	376.75	154.40	144.40	191.55	185.20
	MW-12	1227800.99	162375.28	315.53	142.72	132.72	142.43	173.10
	MW-19	1227725.02	163535.12	405.43	143.14	131.64	245.80	159.63
	MW-25	1228628.13	163749.00	402.33	141.76	137.76	243.49	158.84
	MW-26	1227910.18	163770.66	406.54	153.55	144.15	247.40	159.14
	MW-28 <sup>3</sup>	1228116.11	163843.88	398.73	172.15	162.65	DRY	NA
	MW-29	1228375.59	163681.26	413.85	168.03	158.63	244.42	169.43
	MW-34	1227774.04	163135.04	385.96	147.94	137.94	204.24	181.72

**Notes:**

1. Water level measurements made by SWD personnel.
2. Reference datum for eastings and northings is the North American Datum of 1983 (NAD83/11).
3. MW-28 requires 2 foot rise in groundwater levels. MW-28 screen installed at contact between Unit D and unit below (Unit E). Historically reported as a dry well (Aspect 2018).

Elevations are reported in feet (ft) above mean sea level (MSL) based on the North American Vertical Datum of 1988 (NAVD88).

DRY Well indicated as dry, water detected below screen interval.


NA Not applicable

**Table A-2: Groundwater Parameters – Second Quarter 2020**  
Vashon Island Closed Landfill  
King County, Washington

Water Bearing Zone	Horizontal Hydraulic Conductivity ( $K$ ) <sup>1,2</sup>			Horizontal Hydraulic Gradient (DH/DL) <sup>3</sup>	Effective Porosity ( $n_{eff}$ ) <sup>1</sup>	Horizontal Groundwater Velocity ( $v$ )	General Groundwater Flow Direction
	Range	(cm/s)	(ft/d)	(ft/ft)		(ft/d)	
Unit Cc2 - Property Wide <sup>4,6</sup>	Low	5.7E-04	1.61	0.006	20%	0.05	West-northwest
	High	1.6E-02	46.08	0.033		7.60	
	Average <sup>6</sup>	2.9E-03	8.21	0.020		0.80	
Unit Cc2 - South Slope Area <sup>5,6</sup>	Low	5.7E-04	1.61	0.006		0.05	West to West-southwest
	High	6.8E-03	19.35	0.018		1.74	
	Average <sup>6</sup>	2.1E-03	5.81	0.012		0.35	
Unit D - Northerly flow direction	Low	1.5E-03	4.4	0.034		0.74	North - with flow to the northeast and northwest
	High	1.6E-02	46.1			7.84	
	Average	3.6E-03	10.2			1.73	
Unit D - Southerly flow direction	Low	1.5E-03	4.4	0.016	0.35	Southwest - away from divide	
	High	1.6E-02	46.1		3.69		
	Average	3.6E-03	10.2		0.82		

**Notes:**

1. Horizontal hydraulic conductivity values and effective porosity values (Aspect 2018). However, average horizontal hydraulic conductivity values for Unit Cc2 are assumed incorrectly listed in the Aspect (2018) document table and assumed correctly commented on in the document table notes. The table above reflects the assumed correct values. See notes 4 and 6 below.
2. Average horizontal hydraulic conductivity values are the geometric mean of values reported per well and unit (Aspect 2018).
3. Horizontal hydraulic gradients based on average of gradients measured at several points from the maps shown on Figures A-1 and A-2.
4. Calculations for property wide Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-9, MW-20, MW-21, MW-33, and MW-35. (Aspect 2018).
5. Calculations for South Slope Area Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-20, MW-21, MW-33, and MW-35. (Aspect 2018).
6. Calculations of average hydraulic conductivities for Unit Cc2 did not include data obtained in 1986 from MW-2 as the value was significantly lower than a remeasurement completed in 2015 (Aspect 2018).



**Legend**

**MW-X  
XXX.XX** Monitoring Well Completed in Unit Cc2 Perched Zone


**240** Perched Zone Groundwater Elevation Contour (feet MSL)

Note:  
1. Groundwater measurements made on May 15, 2020.





**Groundwater Potentiometric Surface Map**  
**Second Quarter 2020 - Cc2 Perched Zone**  
 Vashon Island Closed Landfill  
 King County, Washington

DATE: August 2020	PROJECT NO. <b>1033601</b>
DESIGNED BY: SB	FIGURE NO. <b>A-1</b>
DRAWN BY: KK	
REVISED BY: SB	



**Legend**

**MW-X  
XXX.XX**  Monitoring Well Completed In Regional Aquifer

**180**  Inferred Regional Aquifer Groundwater Elevation Contour (feet MSL)

Note:  
1. Groundwater measurements made on May 15, 2020.



**Groundwater Potentiometric Surface Map**  
**Second Quarter 2020 - Unit D Aquifer**  
 Vashon Island Closed Landfill  
 King County, Washington

DATE: August 2020	PROJECT NO. <b>1033601</b>
DESIGNED BY: SB	FIGURE NO. <b>A-2</b>
DRAWN BY: KK	
REVISED BY: SB	

# APPENDIX B

Field and Analytical Test Results

## Water Quality Standards

Analyte	CAS No.	National Drinking Water Regulation			Washington State Groundwater Quality Criteria		
		MCL	Eff. Date	Ref.	Criterion*	Eff. Date	Ref.
<b>Primary Standards</b>							
<b>A. Inorganics</b>							
Antimony	7440-36-0	0.006 mg/L	17-Jan-94	FR v. 57 No.138	0.006 mg/L	17-Jan-94	WAC 173-200
Arsenic c	7440-38-2	0.01 mg/L	23-Jan-06	66 FR 28342	0.00005 mg/L	01-Dec-90	WAC 173-200
Asbestos	132207-33-1	7 mf/L	30-Jul-92	FR v. 56 No. 20	7 mf/L	30-Jul-92	WAC 173-200
Barium	7440-39-3	2.0 mg/L	1-Jan-93	FR v. 56 No. 126	1.0 mg/L	01-Dec-90	WAC 173-200
Beryllium	7440-41-7	0.004 mg/L	17-Jan-94	FR v. 57 No.138	0.004 mg/L	17-Jan-94	WAC 173-200
Cadmium	7440-43-9	0.005 mg/L	30-Jul-92	FR v. 56 No. 20	0.005 mg/L	01-Dec-90	WAC 173-200
Chromium	7440-47-3	0.1 mg/L	30-Jul-92	FR v. 56 No. 20	0.05 mg/L	01-Dec-90	WAC 173-200
Copper	7440-50-8	1.3** mg/L	7-Dec-92	FR v. 57 No. 125	1.0 mg/L	01-Dec-90	WAC 173-200
Cyanide	57-12-5	0.2 mg/L	17-Jan-94	FR v. 57 No.138	0.2 mg/L	17-Jan-94	WAC 173-200
Fluoride	16984-48-8	4.0 mg/L	2-Oct-87	40 CFR 141	4.0 mg/L	01-Dec-90	WAC 173-200
Lead	7439-92-1	0.015** mg/L	7-Dec-92	FR v. 57 No. 125	0.015 mg/L	01-Dec-90	WAC 173-200
Mercury	7439-97-6	0.002 mg/L	2-Apr-86	40 CFR 141	0.002 mg/L	01-Dec-90	WAC 173-200
Nickel	7440-02-0	0.1 mg/L	17-Jan-94	FR v. 57 No.138	0.1 mg/L	17-Jan-94	WAC 173-200
Nitrate	14797-55-8	10.0 mg/L	2-Apr-86	FR v. 56 No. 20	10.0 mg/L	01-Dec-90	WAC 173-200
Nitrate and Nitrite	14797-55-8+14797-65-0	10.0 mg/L	30-Jul-92	FR v. 56 No. 20	10.0 mg/L	30-Jul-92	WAC 173-200
Nitrite	14797-65-0	1 mg/L	30-Jul-92	FR v. 56 No. 20	1.0 mg/L	30-Jul-92	WAC 173-200
Selenium	7782-49-2	0.05 mg/L	30-Jul-92	FR v. 56 No. 20	0.01 mg/L	01-Dec-90	WAC 173-200
Silver	7440-22-4	--			0.05 mg/L	01-Dec-90	WAC 173-200
Sodium	7440-23-5	20*** mg/L	20-Sep-04		20*** mg/L	03-Jul-04	WAC 246-290
Thallium	7440-28-0	0.002 mg/L	17-Jan-94	FR v. 57 No.138	0.002 mg/L	17-Jan-94	WAC 173-200
Total Coliforms		1/100 mL	24-Dec-75	40 CFR 141	1/100 mL	01-Dec-90	WAC 173-200
Turbidity		1 NTU	24-Dec-75	40 CFR 141	--	--	--
<b>B. Organic Chemicals</b>							
Alachlor	15972-60-8	2 µg/L	30-Jul-92	FR v. 56 No. 20	2 µg/L	30-Jul-92	WAC 173-200
Atrazine	1912-24-9	3 µg/L	30-Jul-92	FR v. 56 No. 20	3 µg/L	30-Jul-92	WAC 173-200
Benzene c	71-43-2	5 µg/L	9-Jan-89	40 CFR 141	1 µg/L	01-Dec-90	WAC 173-200
Bis(2-ethylhexyl)phthalate	117-81-7	6 µg/L	17-Jan-94	FR v. 57 No.138	6 µg/L	01-Dec-90	WAC 173-200
Bromodichloromethane c	75-27-4	--			0.3 µg/L	01-Dec-90	WAC 173-200
Bromoform c	75-25-2	--			5 µg/L	01-Dec-90	WAC 173-200
Carbofuran	1563-66-2	40 µg/L	30-Jul-92	FR v. 56 No. 20	40 µg/L	30-Jul-92	WAC 173-200
Carbon Tetrachloride c	56-23-5	5 µg/L	9-Jan-89	40 CFR 141	0.3 µg/L	01-Dec-90	WAC 173-200
Chlordane c	5103-71-9	2 µg/L	30-Jul-92	FR v. 56 No. 20	0.06 µg/L	01-Dec-90	WAC 173-200
Chlorobenzene	108-90-7	100 µg/L	30-Jul-92	FR v. 56 No. 20	100 µg/L	30-Jul-92	WAC 173-200
Chlorodibromomethane c	124-48-1	--			0.5 µg/L	01-Dec-90	WAC 173-200
Chloroform c	67-66-3	--			7 µg/L	01-Dec-90	WAC 173-200
2,4-D	94-75-7	70 µg/L	30-Jul-92	FR v. 56 No. 20	70 µg/L	01-Dec-90	WAC 173-200
Dalapon	75-99-0	200 µg/L	17-Jan-94	FR v. 57 No.138	200 µg/L	17-Jan-94	WAC 173-200
1,2-Dibromo-3-chloropropane	96-12-8	0.2 µg/L	30-Jul-92	FR v. 56 No. 20	0.2 µg/L	30-Jul-92	WAC 173-200
1,2-Dichlorobenzene	95-50-1	600 µg/L	30-Jul-92	FR v. 56 No. 20	600 µg/L	30-Jul-92	WAC 173-200
1,4-Dichlorobenzene c	106-46-7	75 µg/L	9-Jan-89	40 CFR 141	4 µg/L	01-Dec-90	WAC 173-200
1,1-Dichloroethane c	75-34-3	--			1 µg/L	01-Dec-90	WAC 173-200
1,2-Dichloroethane c	107-06-2	5 µg/L	9-Jan-89	40 CFR 141	0.5 µg/L	01-Dec-90	WAC 173-200
1,1-Dichloroethene	75-35-4	7 µg/L	9-Jan-89	40 CFR 141	7 µg/L	01-Dec-90	WAC 173-200
c-1,2-Dichloroethene	156-59-2	70 µg/L	30-Jul-92	FR v. 56 No. 20	70 µg/L	30-Jul-92	WAC 173-200
t-1,2-Dichloroethene	156-60-5	100 µg/L	30-Jul-92	FR v. 56 No. 20	100 µg/L	30-Jul-92	WAC 173-200
1,2-Dichloropropane c	78-87-5	5 µg/L	30-Jul-92	FR v. 56 No. 20	0.6 µg/L	01-Dec-90	WAC 173-200
1,3-Dichloropropene tot. c	542-75-6	--			0.2 µg/L	01-Dec-90	WAC 173-200
Di(ethylhexyl)adipate	103-23-1	400 µg/L	17-Jan-94	FR v. 57 No.138	400 µg/L	17-Jan-94	WAC 173-200
Dinoseb	88-85-7	7 µg/L	17-Jan-94	FR v. 57 No.138	7 µg/L	17-Jan-94	WAC 173-200
Diquat	231-36-7	20 µg/L	17-Jan-94	FR v. 57 No.138	20 µg/L	17-Jan-94	WAC 173-200
Endothall	145-73-3	100 µg/L	17-Jan-94	FR v. 57 No.138	100 µg/L	17-Jan-94	WAC 173-200
Endrin	72-20-8	2 µg/L	17-Jan-94	40 CFR 141	0.2 µg/L	01-Dec-90	WAC 173-200
Ethylbenzene	100-41-4	700 µg/L	30-Jul-92	FR v. 56 No. 20	700 µg/L	30-Jul-92	WAC 173-200
Ethylene dibromide c	106-93-4	0.05 µg/L	30-Jul-92	FR v. 56 No. 20	0.001 µg/L	01-Dec-90	WAC 173-200
Glyphosate	1071-83-6	70 µg/L	17-Jan-94	FR v. 57 No.138	70 µg/L	17-Jan-94	WAC 173-200
Heptachlor c	76-44-8	0.4 µg/L	30-Jul-92	FR v. 56 No. 20	0.02 µg/L	01-Dec-90	WAC 173-200
Heptachlor epoxide c	1024-57-3	0.2 µg/L	30-Jul-92	FR v. 56 No. 20	0.009 µg/L	01-Dec-90	WAC 173-200
Hexachlorobenzene	118-74-1	1 µg/L	17-Jan-94	FR v. 57 No.138	0.05 µg/L	01-Dec-90	WAC 173-200
Hexachlorocyclopentadiene (HEX)	77-47-4	50 µg/L	17-Jan-94	FR v. 57 No.138	50 µg/L	17-Jan-94	WAC 173-200
Lindane c	58-89-9	0.2 µg/L	30-Jul-92	FR v. 56 No. 20	0.06 µg/L	01-Dec-90	WAC 173-200



## Water Quality Standards

Analyte	CAS No.	National Drinking Water Regulation			Washington State Groundwater Quality Criteria				
		MCL	Eff. Date	Ref.	Criterion*	Eff. Date	Ref.		
Methoxychlor	72-43-5	40	µg/L	30-Jul-92	FR v. 56 No. 20	40	µg/L	30-Jul-92	WAC 173-200
Methylene Chloride c	75-09-2	5	µg/L	17-Jan-94	FR v. 57 No.138	5	µg/L	17-Jan-94	WAC 173-200
Oxamyl (vydate)	23135-22-0	200	µg/L	17-Jan-94	FR v. 57 No.138	200	µg/L	17-Jan-94	WAC 173-200
PAHs [Benzo(a)pyrene]		0.2	µg/L	17-Jan-94	FR v. 57 No.138	0.01	µg/L	17-Jan-94	WAC 173-200
PCBs c	27323-18-8	0.5	µg/L	30-Jul-92	FR v. 56 No. 20	0.01	µg/L	01-Dec-90	WAC 173-200
Pentachlorophenol	87-86-5	1	µg/L	1-Jan-93	FR v. 56 No. 126	1	µg/L	01-Jan-93	WAC 173-200
Picloram	1918-02-1	500	µg/L	17-Jan-94	FR v. 57 No.138	500	µg/L	17-Jan-94	WAC 173-200
Simazine	122-34-9	4	µg/L	17-Jan-94	FR v. 57 No.138	4	µg/L	17-Jan-94	WAC 173-200
Styrene	100-42-5	100	µg/L	30-Jul-92	FR v. 56 No. 20	100	µg/L	30-Jul-92	WAC 173-200
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	3E-05	µg/L	17-Jan-94	FR v. 57 No.138	0.0000006	µg/L	01-Dec-90	WAC 173-200
Tetrachloroethylene c	127-18-4	5	µg/L	30-Jul-92	FR v. 56 No. 20	0.8	µg/L	30-Jul-92	WAC 173-200
Toluene	108-88-3	1000	µg/L	30-Jul-92	FR v. 56 No. 20	1000	µg/L	30-Jul-92	WAC 173-200
Total Trihalomethanes c	75-27-4, 75-25-2, 124-48-1, 67-66-3	100	µg/L	29-Nov-79	40 CFR 141	--	--	--	--
Toxaphene c	8001-35-2	3	µg/L	30-Jul-92	FR v. 56 No. 20	0.08	µg/L	01-Dec-90	WAC 173-200
2,4,5-TP	93-72-1	50	µg/L	30-Jul-92	FR v. 56 No. 20	100	µg/L	01-Dec-90	WAC 173-200
1,2,4-Trichlorobenzene	120-82-1	70	µg/L	17-Jan-94	FR v. 57 No.138	70	µg/L	17-Jan-94	WAC 173-200
1,1,1-Trichloroethane	71-55-6	200	µg/L	9-Jan-89	40 CFR 141	200	µg/L	01-Dec-90	WAC 173-200
1,1,2-Trichloroethane	79-00-5	5	µg/L	17-Jan-94	FR v. 57 No.138	5	µg/L	17-Jan-94	WAC 173-200
Trichloroethylene (TCE) c	79-01-6	5	µg/L	9-Jan-89	40 CFR 141	3	µg/L	01-Dec-90	WAC 173-200
Vinyl chloride c	75-01-4	2	µg/L	9-Jan-89	40 CFR 141	0.02	µg/L	01-Dec-90	WAC 173-200
Xylenes (total)	1330-20-7	10000	µg/L	30-Jul-92	FR v. 56 No. 20	10000	µg/L	30-Jul-92	WAC 173-200
<b>C. Radionuclides and Radioactivity</b>									
Radium 226 & Radium 228		5	pCi/L	9-Jul-76	FR v. 41 No. 133	5	pCi/L	01-Dec-90	WAC 173-200
Radium 226	13982-63-3	--				3	pCi/L	01-Dec-90	WAC 173-200
Radium 228	15262-20-1	--				5	pCi/L	01-Dec-90	WAC 173-200
Gross Alpha particle activity		15	pCi/L	9-Jul-76	FR v. 41 No. 133	15	pCi/L	01-Dec-90	WAC 173-200
Tritium	10028-17-8	20,000	pCi/L	9-Jul-76	FR v. 41 No. 133	20,000	pCi/L	01-Dec-90	WAC 173-200
Strontium	7440-24-6	8	pCi/L	9-Jul-76	FR v. 41 No. 133	8	pCi/L	01-Dec-90	WAC 173-200
Gross Beta particle activity		50	pCi/L	9-Jul-76	FR v. 41 No. 133	50	pCi/L	01-Dec-90	WAC 173-200
<b>D. Additional Carcinogens Listed in Groundwater Criteria</b>									
Acrylamide	79-06-1	--				0.02	µg/L	01-Dec-90	WAC 173-200
Acrylonitrile	107-13-1	--				0.07	µg/L	01-Dec-90	WAC 173-200
Aldrin	309-00-2	--				0.005	µg/L	01-Dec-90	WAC 173-200
Aniline	62-53-3	--				14	µg/L	01-Dec-90	WAC 173-200
Aramite	140-57-8	--				3	µg/L	01-Dec-90	WAC 173-200
Azobenzene	103-33-3	--				0.7	µg/L	01-Dec-90	WAC 173-200
Benidine	92-87-5	--				0.0004	µg/L	01-Dec-90	WAC 173-200
Benzo(a)pyrene	50-32-8	--				0.008	µg/L	01-Dec-90	WAC 173-200
Benzotrachloride	98-07-7	--				0.007	µg/L	01-Dec-90	WAC 173-200
Benzyl chloride	100-44-7	--				0.5	µg/L	01-Dec-90	WAC 173-200
Bis(chloroethyl)ether	111-44-4	--				0.07	µg/L	01-Dec-90	WAC 173-200
Bis(chloromethyl)ether	542-88-1	--				0.0004	µg/L	01-Dec-90	WAC 173-200
Carbazole	86-74-8	--				5	µg/L	01-Dec-90	WAC 173-200
4-Chloro-2-methyl aniline	95-69-2	--				0.1	µg/L	01-Dec-90	WAC 173-200
4-Chloro-2-methyl aniline hydrochloride	3165-93-3	--				0.2	µg/L	01-Dec-90	WAC 173-200
o-Chloronitrobenzene	88-73-3	--				3	µg/L	01-Dec-90	WAC 173-200
p-Chloronitrobenzene	100-00-5	--				5	µg/L	01-Dec-90	WAC 173-200
Chlorthalonil	1897-45-6	--				30	µg/L	01-Dec-90	WAC 173-200
Diallate	2303-16-4	--				1	µg/L	01-Dec-90	WAC 173-200
DDT (includes DDE and DDD)	50-29-3, 72-55-9, 72-54-8	--				0.3	µg/L	01-Dec-90	WAC 173-200
1,2-Dibromomethane	106-93-4	--				0.001	µg/L	01-Dec-90	WAC 173-200
3,3'-Dichlorobenzidine	91-94-1	--				0.2	µg/L	01-Dec-90	WAC 173-200
Dichlorovos	62-73-7	--				0.3	µg/L	01-Dec-90	WAC 173-200
Dieldrin	60-57-1	--				0.005	µg/L	01-Dec-90	WAC 173-200
3,3'-Dimethoxybenzidine	119-90-4	--				6.0	µg/L	01-Dec-90	WAC 173-200
3,3-Dimethylbenzidine	119-93-7	--				0.007	µg/L	01-Dec-90	WAC 173-200
1,2-Dimethylhydrazine	540-73-8	--				60	µg/L	01-Dec-90	WAC 173-200
2,4-Dinitrotoluene	121-14-2	--				0.1	µg/L	01-Dec-90	WAC 173-200
2,6-Dinitrotoluene	606-20-2	--				0.1	µg/L	01-Dec-90	WAC 173-200
1,4-Dioxane	123-91-1	--				7	µg/L	01-Dec-90	WAC 173-200
1,2-Diphenylhydrazine	122-66-7	--				0.09	µg/L	01-Dec-90	WAC 173-200

## Water Quality Standards

Analyte	CAS No.	National Drinking Water Regulation			Washington State Groundwater Quality Criteria				
		MCL	Eff. Date	Ref.	Criterion*	Eff. Date	Ref.		
Direct Black 38	1937-37-7	--			0.009	µg/L	01-Dec-90	WAC 173-200	
Direct Blue 6	2602-46-2	--			0.009	µg/L	01-Dec-90	WAC 173-200	
Direct Brown 95	16071-86-6	--			0.009	µg/L	01-Dec-90	WAC 173-200	
Epichlorohydrin	106-89-8	--			8	µg/L	01-Dec-90	WAC 173-200	
Ethyl acrylate	140-88-5	--			2	µg/L	01-Dec-90	WAC 173-200	
Ethylene thiourea	96-45-7	--			2	µg/L	01-Dec-90	WAC 173-200	
Folpet	133-07-3	--			20	µg/L	01-Dec-90	WAC 173-200	
Furazolidone	67-45-8	--			0.02	µg/L	01-Dec-90	WAC 173-200	
Furium	531-82-8	--			0.002	µg/L	01-Dec-90	WAC 173-200	
Furmecyclox	60568-05-0	--			3	µg/L	01-Dec-90	WAC 173-200	
Hexachlorocyclohexane (alpha)	319-84-6	--			0.001	µg/L	01-Dec-90	WAC 173-200	
Hexachlorocyclohexane (technical)	608-73-1	--			0.05	µg/L	01-Dec-90	WAC 173-200	
Hexachlorodibenzo-p-dioxin, mix	34465-46-8	--			0.00001	µg/L	01-Dec-90	WAC 173-200	
Hydrazine/hydrazine sulfate	302-01-2/10034-93-2	--			0.03	µg/L	01-Dec-90	WAC 173-200	
2-Methoxy-5-nitroaniline	99-59-2	--			2.0	µg/L	01-Dec-90	WAC 173-200	
2-Methylaniline	95-53-4	--			0.2	µg/L	01-Dec-90	WAC 173-200	
2-Methylaniline hydrochloride	636-21-5	--			0.5	µg/L	01-Dec-90	WAC 173-200	
4,4'-Methylene bis(N,N'-dimethyl) aniline	101-61-1	--			2.0	µg/L	01-Dec-90	WAC 173-200	
Mirex	2385-85-5	--			0.05	µg/L	01-Dec-90	WAC 173-200	
Nitrofurazone	59-87-0	--			0.06	µg/L	01-Dec-90	WAC 173-200	
N-Nitrosodiethanolamine	1116-54-7	--			0.03	µg/L	01-Dec-90	WAC 173-200	
N-Nitrosodiethylamine	55-18-5	--			0.0005	µg/L	01-Dec-90	WAC 173-200	
N-Nitrosodimethylamine	62-75-9	--			0.002	µg/L	01-Dec-90	WAC 173-200	
N-Nitrosodiphenylamine	86-30-6	--			17.0	µg/L	01-Dec-90	WAC 173-200	
N-Nitroso-di-n-propylamine	621-64-7	--			0.01	µg/L	01-Dec-90	WAC 173-200	
N-Nitrosopyrrolidine	930-55-2	--			0.04	µg/L	01-Dec-90	WAC 173-200	
N-Nitroso-di-n-butylamine	924-16-3	--			0.02	µg/L	01-Dec-90	WAC 173-200	
N-Nitroso-N-methylethylamine	10595-95-6	--			0.004	µg/L	01-Dec-90	WAC 173-200	
PBBs	59536-65-1	--			0.01	µg/L	01-Dec-90	WAC 173-200	
o-Phenylenediamine	95-54-5	--			0.005	µg/L	01-Dec-90	WAC 173-200	
Propylene oxide	75-56-9	--			0.01	µg/L	01-Dec-90	WAC 173-200	
p,a,a,a-Tetrachlorotoluene	5216-25-1	--			0.004	µg/L	01-Dec-90	WAC 173-200	
2,4-Toluediamine	95-80-7	--			0.002	µg/L	01-Dec-90	WAC 173-200	
o-Toluidine	95-53-4	--			0.2	µg/L	01-Dec-90	WAC 173-200	
2,4,6-Trichlorophenol	88-06-2	--			4.0	µg/L	01-Dec-90	WAC 173-200	
Trimethyl phosphate	512-56-1	--			2.0	µg/L	01-Dec-90	WAC 173-200	
<b>Secondary Standards</b>									
Aluminum	7429-90-5	0.05-0.2	mg/L	30-Jul-92	FR v. 56 No. 20	0.05-0.2	mg/L	30-Jul-92	WAC 173-200
Copper	7440-50-8	1.0	mg/L	7-Dec-92	FR v. 57 No. 125	1.0	mg/L	01-Dec-90	WAC 173-200
Iron	7439-89-6	0.3	mg/L	2-Apr-86	40 CFR 143	0.3	mg/L	01-Dec-90	WAC 173-200
Manganese	7439-96-5	0.05	mg/L	2-Apr-86	40 CFR 143	0.05	mg/L	01-Dec-90	WAC 173-200
Color		15	units	2-Apr-86	40 CFR 143	15	units	01-Dec-90	WAC 173-200
pH	12408-02-5	6.5-8.5	units	2-Apr-86	40 CFR 143	6.5-8.5	units	01-Dec-90	WAC 173-200
Specific Conductivity		--				700	µS/cm		WAC 246-290
Total Dissolved Solids		500	mg/L	2-Apr-86	40 CFR 143	500	mg/L	01-Dec-90	WAC 173-200
Chloride	16887-00-6	250	mg/L	2-Apr-86	40 CFR 143	250	mg/L	01-Dec-90	WAC 173-200
Fluoride	16984-48-8	2.0	mg/L	2-Apr-86	40 CFR 143	p			
Silver	7440-22-4	0.1	mg/L	30-Jul-92	FR v. 56 No. 20	p			
Sulfate	14808-79-8	250	mg/L	2-Apr-86	40 CFR 143	250	mg/L	01-Dec-90	WAC 173-200
Surfactants		0.5	mg/L	2-Apr-86	40 CFR 143	0.5	mg/L	01-Dec-90	WAC 173-200
Corrosivity		non-corrosive		2-Apr-86	40 CFR 143	non-corrosive		01-Dec-90	WAC 173-200
Odor-Threshold		3	units	2-Apr-86	40 CFR 143	3	units	01-Dec-90	WAC 173-200
Zinc	7440-66-6	5.0	mg/L	2-Apr-86	40 CFR 143	5.0	mg/L	01-Dec-90	WAC 173-200
<b>NOTES:</b>									mg/L = milligrams per liter
p = Listed as a primary standard									mf/L = million fibers per liter
c = Listed as a carcinogen in the Washington State Groundwater Quality Criteria									mL = milliliter
-- = no standard established									NTU = Nephelometric Turbidity Unit
* = Criteria shall be the most stringent concentration of the Federal MCLG, MCL, or State MCL									µg/L = micrograms per liter
** = treatment technique in lieu of an MCL									pCi/L = per liter
*** = A Drinking Water Advisory, not an enforceable standard.									µS/cm = microSiemen per centimeter
National Primary and Secondary Drinking Water Regulations (40 CFR Parts 141 and 143)									units = standard unit for either color, pH, or odor
Washington State Groundwater Quality Criteria = Water Quality Standards for Groundwaters of the State of Washington (WAC 173-200)									MCL = Maximum Contaminant Level
									MCLG = Maximum Contaminant Level Goal

Compiled by KCSWD 1/12/94. Revised 12/13/19

**KING COUNTY SOLID WASTE DIVISION  
QUALIFIER INFORMATION**  
(Effective 8/27/2015)

QUAL	QUALIFIER DESCRIPTION
U	Undetected; Analyte Concentration Less than Method Detection Limit (< MDL)
T	Estimated; Less than Reporting Detection Limit (<RDL) but Greater than Method Detection Limit (> MDL)
J	Reported Value is an Estimate
B	Matrix Target Analyte Present in Blank, AND, Sample Result Less than or Equal to 10x Blank Detection
C	Confluent Growth
E	Estimated; Outside Expected Accuracy
H	Exceeds Holding Time
R	Data Rejected
S	Sample Handling Errors
X	Too Numerous to Count
D	Re-analysis Due to Dilution
P	PASS – Qualitative Result Acceptable
F	FAIL – Qualitative Result is not Acceptable
G	Estimated with Low Bias (Coliform; BOD; All Other Chemistry Parameters)
L	Estimated with High Bias (BOD; All Other Chemistry Parameters)

### Summary of Trip, Field, and Method Blanks Volatile Organic Compound Detections

April 1, 2020 - June 30, 2020

#### Summary of trip blank volatile organic compound detections

Compound	Units	Sample ID	Date	Sample Value
<b>There were no volatile organic compounds detected in trip blanks this quarter.</b>				

#### Summary of field blank volatile organic compound detections

Compound	Units	Sample ID	Date	Sample Value
Chloroform	ug/L	WV33200527F	5/27/2020	2.66

#### Summary of method blank volatile organic compound detections

Compound	Units	Workgroup ID	Date	Sample Value
<b>There were no volatile organic compounds detected in method blanks this quarter.</b>				

Parameter	Unit	Prediction Limits for MW-20			Prediction Limits for MW-7			Prediction Limits for MW-12			Prediction Limits for MW-19			Prediction Limits for MW-26			Prediction Limits for MW-29			Prediction Limits for MW-34		
		Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit	Transformation Used	Lower Prediction Limit	Upper Prediction Limit
pH (Field)	(std. Units)	cubed	6.29	8.60	Not Normal	7.00	8.09	cubed	6.68	7.85	Not Normal	6.94	7.79	Not Normal	7.34	9.20	Not Normal	6.65	7.80	normal	6.59	7.34
Conductance (Field)	(µmhos/cm)	Not Normal		242.1	Not Normal		194.2	Not Normal		170.8	Not Normal		230.0	Not Normal		200.0	Not Normal		265.0	Not Normal		210
Alkalinity, Total (CaCO <sub>3</sub> )	(mg/L)	Not Normal		94.9	Not Normal		100	fifth power		66.86	Not Normal		110.0	Not Normal		86.0	Not Normal		140	Not Normal		80.2
Ammonia	(mg/L)	Not Normal		0.0	normal		0.32	<=50% Detected		0.036	Not Normal		0.093	squared		0.31	<=50% Detected		0.03	<=50% Detected		0.059
Chloride	(mg/L)	Not Normal		4.09	normal		3.79	Not Normal		4.07	Not Normal		37.6	Not Normal		9.11	Not Normal		4.3	cubed		5.36
Nitrate (NO <sub>3</sub> as N)	(mg/L)	<=50% Detected		0.05	<=50% Detected		0.13	normal		0.82	<=50% Detected		0.12	Not Normal		0.23	<=50% Detected		0.082	normal		2.82
Sulfate	(mg/L)	normal		18.51	normal		11.87	normal		11.50	fifth power		18.98	fourth power		14.5	normal		18.51	normal		14.39
Total Dissolved Solids	(mg/L)	squared		159.02	Not Normal		137.00	squared		129	fourth power		170.0	Not Normal		210	fourth power		167.9	normal		148.35
Total Organic Carbon	(mg/L)	<=50% Detected		2.33	<=50% Detected		1.83	<=50% Detected		1.36	<=50% Detected		18.4	<=50% Detected		1.6	<=50% Detected		2.43	<=50% Detected		1
Total Solids	(mg/L)	Not Normal		286	Not Normal		141.00	Not Normal		150	Not Normal		221.0	Not Normal		582	Not Normal		207	Not Normal		183.00
Total Suspended Solids	(mg/L)	Not Normal		95	<=50% Detected		2.0	<=50% Detected		49	<=50% Detected		12.8	Not Normal		637	Not Normal		133	<=50% Detected		41.7
Antimony, Total	(mg/L)	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001
Arsenic, Total	(mg/L)	log		0.00442	normal		0.0057	normal		0.00230	log		0.00208	Not Normal		0.0108	Not Normal		0.01550	Not Normal		0.002
Barium, Total	(mg/L)	Not Normal		0.0384	normal		0.01714	Not Normal		0.0101	Not Normal		0.0233	Not Normal		0.0636	Not Normal		0.0189	Not Normal		0.010
Beryllium, Total	(mg/L)	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001
Cadmium, Total	(mg/L)	Not Detected		0.002	Not Detected		0.002	Not Detected		0.002	<=50% Detected		0.002	Not Detected		0.002	Not Detected		0.002	Not Detected		0.002
Calcium, Total	(mg/L)	normal		15.42	normal		17.8	normal		13.7131	normal		17.2	fourth power		19.71	normal		22.87	normal		15.63
Chromium, Total	(mg/L)	<=50% Detected		0.0111	<=50% Detected		0.005	<=50% Detected		0.005	Not Detected		0.005	<=50% Detected		0.012	<=50% Detected		0.005	Not Normal		0.00316
Cobalt, Total	(mg/L)	<=50% Detected		0.003	<=50% Detected		0.003	Not Detected		0.003	Not Detected		0.003	<=50% Detected		0.00379	<=50% Detected		0.003	<=50% Detected		0.003
Copper, Total	(mg/L)	<=50% Detected		0.0114	<=50% Detected		0.002	<=50% Detected		0.00476	<=50% Detected		0.002	Not Normal		0.0202	<=50% Detected		0.00279	<=50% Detected		0.002
Iron, Dissolved	(mg/L)	Not Normal		0.39	<=50% Detected		0.0590	<=50% Detected		0.12	Not Normal		0.191	log		0.2	Not Normal		0.98	Not Detected		0.01
Lead, Total	(mg/L)	<=50% Detected		0.00188	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	<=50% Detected		0.00513	Not Detected		0.001	<=50% Detected		0.001
Magnesium, Total	(mg/L)	normal		17.33	normal		11.56	normal		11.25	normal		16.60	normal		9.35	normal		16.53	normal		13.68
Manganese, Dissolved	(mg/L)	Not Normal		0.55	Not Normal		0.255	<=50% Detected		0.140	Not Normal		1.350	normal		0.0805	Not Normal		0.123	Not Normal		0.016
Mercury, Total	(mg/L)	Not Detected		0.0001	Not Detected		0.0001	Not Detected		0.0001	Not Detected		0.0001	Not Detected		0.0001	Not Detected		0.0001	Not Detected		0.0001
Nickel, Total	(mg/L)	<=50% Detected		0.0119	<=50% Detected		0.01	<=50% Detected		0.01	<=50% Detected		0.01	<=50% Detected		0.0179	<=50% Detected		0.01	Not Normal		0.005
Potassium, Total	(mg/L)	normal		2.52	cubed		3.01	normal		2.09	normal		2.79	normal		3.47	normal		2.45	normal		1.80
Selenium, Total	(mg/L)	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001
Silver, Total	(mg/L)	Not Detected		0.003	Not Detected		0.003	<=50% Detected		0.003	Not Detected		0.003	Not Detected		0.003	Not Detected		0.003	Not Detected		0.003
Sodium, Total	(mg/L)	normal		7.57	normal		7.10	normal		7.02	normal		7.99	normal		10.50	normal		7.55	normal		7.59
Thallium, Total	(mg/L)	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001	Not Detected		0.001
Vanadium, Total	(mg/L)	<=50% Detected		0.00767	<=50% Detected		0.002	log		0.00620	<=50% Detected		0.002	<=50% Detected		0.0142	<=50% Detected		0.00313	Not Normal		0.0047
Zinc, Dissolved	(mg/L)	<=50% Detected		0.0053	<=50% Detected		0.00910	<=50% Detected		0.0048	<=50% Detected		0.066	<=50% Detected		0.052	<=50% Detected		0.023	Not Normal		0.00217
Vinyl Chloride	(ug/L)	<=50% Detected		0.0867	Not Detected		0.02	Not Detected		0.02	<=50% Detected		0.2	Not Detected		0.02	Not Detected		0.02	Not Detected		0.02

Groundwater - Static Water Levels		Top of PVC Casing Elevation	Depth to Groundwater	Groundwater Elevation
Well #	Measurement Date	(feet)	(feet)	(feet above MSL)
MW-24	5/15/2020	377.48	88.89	288.59
MW-3	5/15/2020	318.02	40.53	277.49
MW-4	5/15/2020	377.18	106.60	270.58
MW-10	5/15/2020	409.94	MR	MR
MW-13	5/15/2020	377.28	100.05	277.23
MW-2	5/15/2020	317.97	74.04	243.93
MW-9	5/15/2020	405.17	165.57	239.60
MW-20	5/15/2020	370.32	122.08	248.24
MW-21	5/15/2020	349.05	106.73	242.32
MW-30	5/15/2020	235.67	5.83	229.84
MW-33	5/15/2020	359.17	112.56	246.61
MW-35	5/15/2020	361.34	118.57	242.77
MW-8	5/15/2020	386.00	176.10	209.90
MW-36	5/15/2020	378.19	151.51	226.68
MW-7	5/15/2020	376.75	191.55	185.20
MW-12	5/15/2020	315.53	142.43	173.10
MW-19	5/15/2020	405.43	245.80	159.63
MW-25	5/15/2020	402.33	243.49	158.84
MW-26	5/15/2020	406.54	247.40	159.14
MW-28	5/15/2020	398.73	DRY	DRY
MW-29	5/15/2020	413.85	244.42	169.43
MW-34	5/15/2020	385.96	204.24	181.72

Groundwater - Sampling Water Levels		Top of PVC Casing Elevation	Depth to Groundwater	Groundwater Elevation
Well #	Measurement Date	(feet)	(feet)	(feet above MSL)
MW-3	5/19/2020	318.02	40.50	277.52
MW-4	5/19/2020	377.18	106.74	270.44
MW-10	5/19/2020	409.94	145.49	264.45
MW-13	5/27/2020	377.28	99.99	277.29
MW-2	5/27/2020	317.97	74.01	243.96
MW-9	5/28/2020	405.17	165.55	239.62
MW-20	5/28/2020	370.32	122.04	248.28
MW-21	5/28/2020	349.05	106.76	242.29
MW-33	5/27/2020	359.17	112.50	246.67
MW-35	5/28/2020	361.34	118.61	242.73
MW-8	5/19/2020	386.00	176.16	209.84
MW-36	5/28/2020	378.19	151.35	226.84
MW-7	5/27/2020	376.75	191.61	185.14
MW-12	5/27/2020	315.53	142.35	173.18
MW-19	5/28/2020	405.43	245.75	159.68
MW-26	5/27/2020	406.54	247.64	158.90
MW-29	5/28/2020	413.85	244.32	169.53
MW-34	5/28/2020	385.96	204.22	181.74

Notes:

MR - Depth to water was either misrecorded or mismeasured.

Groundwater - Field Parameters			Dissolved Oxygen (DO) (Field)	Oxidation-Reduction Potential (ORP) (Field)	pH (Field)	Specific Conductance (Field)	Temperature (Field)	Turbidity (Field)	Volume Purged
Well #	Sample Date	Sample ID	(mg/L)	(mV)	(µmhos/cm)	(std. Units)	( ° C)	(NTU)	(gal)
MW-3	5/19/2020	WV3-200519-	9.76	237	5.94	60.5	10.13	2.83	0.75
MW-4	5/19/2020	WV4-200519-	--	--	6.6	221.1	12.9	0.74	1.75
MW-10	5/19/2020	WV10200519-	5.05	315.8	7.29	146.9	10.61	0.46	2.8
MW-13	5/27/2020	WV13200527-	8.43	206	6.98	137.3	11.1	0.79	1.3
MW-2	5/27/2020	WV2-200527-	0.92	196.2	6.96	292.7	9.59	0.41	2.5
MW-9	5/28/2020	WV9-200528-	8.54	212.9	7	173.4	10.28	1.02	2.5
MW-20	5/28/2020	WV20200528-	1.18	-83.2	7.54	176.6	12.55	4.74	3
MW-21	5/28/2020	WV21200528-	0.71	2.2	6.94	272.9	10.18	3.28	4
MW-33	5/27/2020	WV33200527-	0.7	-52.7	6.79	656	13.37	0.49	2.5
MW-35	5/28/2020	WV35200528-	0.28	-66.6	6.7	646	11.25	9.95	3.9
MW-8	5/19/2020	WV8-200519-	10.38	307.1	6.66	167.6	10.6	0.53	2.5
MW-36	5/28/2020	WV36200528-	3.5	175.9	7.76	161	11.72	1.97	2.75
MW-7	5/27/2020	WV7-200527-	1.27	3.2	7.68	178.8	11.6	1.5	3.6
MW-7	5/27/2020	WV7-200527D	1.27	3.2	7.68	178.8	11.6	1.5	3.6
MW-12	5/27/2020	WV12200527-	5.4	199.8	7.3	152.2	9.58	0.37	2.5
MW-19	5/28/2020	WV19200528-	1.05	40.5	7.52	198.6	10.1	4.38	5
MW-26	5/27/2020	WV26200527-	0.76	-106.2	8.19	180.5	10.92	5.21	5.5
MW-29	5/28/2020	WV29200528-	0.79	-85.4	7.35	226.8	10.68	7.87	5.2
MW-34	5/28/2020	WV34200528-	6.08	194.2	6.91	179.7	12.49	0.31	3.25
FIELD BLANK	5/27/2020	WV33200527F	--	--	8.19	180.5	10.92	--	--

Groundwater - Conventionals			Alkalinity, Total (as CaCO <sub>3</sub> )	Ammonia as N	Chloride	Nitrate	Specific Conductance (Lab)	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Solids	Total Suspended Solids
Well #	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(µmhos/cm)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3	5/19/20	WV3-200519-	24	0.0024 T	1	0.308	71.8	4.7	56	0.97 T	60.7	0.5 GU
MW-4	5/19/20	WV4-200519-	66.5	0.002 U	8.93	2.06	229	19	168	0.54 T	185	0.77 GU
MW-10	5/19/20	WV10200519-	56.7	0.002 U	3.14	0.528	150	8.91	113	0.5 U	113	1 GU
MW-13	5/27/20	WV13200527-	58.3	0.002 U	2.62	0.346	153	9.35	109	0.7 T	111	0.5 U
MW-2	5/27/20	WV2-200527-	147	0.0025 T	2.4	0.238	330	13.7	193	0.95 T	197	0.5 U
MW-9	5/28/20	WV9-200528-	73	0.002 U	4.37	0.444	196	11.7	131	0.5 U	135	0.5 U
MW-20	5/28/20	WV20200528-	71.2	0.0202	2.99	0.01 U	191	15	135	0.5 U	139	2.83
MW-21	5/28/20	WV21200528-	131	0.0123	2.1	0.234	296	13.1	182	0.92 T	191	2.23
MW-33	5/27/20	WV33200527-	365	0.0316	3.48	0.01 U	715	15.9	423	1.69	438	8.2
MW-35	5/28/20	WV35200528-	332	0.0657	4.03	0.01 U	673	22.4	436	2.9	690	317
MW-8	5/19/20	WV8-200519-	56	0.002 U	4.22	2.92	174	7.86	124	0.5 U	128	0.5 GT
MW-36	5/28/20	WV36200528-	68.1	0.002 U	2.89	0.019 T	181	13	133	0.5 U	134	0.5 U
MW-7	5/27/20	WV7-200527-	77.6	0.231	3.17	0.015 T	195	10.5	137	0.5 U	141	0.5 U
MW-7	5/27/20	WV7-200527D	77.5	0.236	3.17	0.015 T	195	10.4	136	0.5 U	141	0.51 T
MW-12	5/27/20	WV12200527-	63.9	0.002 U	2.95	0.719	172	9.9	118	0.5 U	121	1 U
MW-19	5/28/20	WV19200528-	82.4	0.0301	4.32	0.01 U	219	16.1	143	0.55 T	148	1.76
MW-26	5/27/20	WV26200527-	74.7	0.24	3.48	0.012 T	196	12.7	139	0.55 T	157	18.8
MW-29	5/28/20	WV29200528-	99	0.0029 T	3.38	0.01 U	245	15	153	0.5 U	159	7.2
MW-34	5/28/20	WV34200528-	68.5	0.002 U	4.6	1.71	202	12.5	129	0.5 U	137	0.5 U
FIELD BLANK	5/27/20	WV33200527F	1 U	0.002 U	0.068 T	0.01 U	1.9 T	0.1 U	10 U	0.5 U	10 U	0.5 U



Groundwater - Metals (Dissolved & Total)			Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total	Barium, Dissolved	Barium, Total	Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total	Calcium, Dissolved
Well #	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3	5/19/2020	WV3-200519-	0.0003 U	0.0003 U	5.72E-05	5.62E-05	0.0154	0.0152	0.0001 U	0.0001 U	5E-05 U	5E-05 U	6.69
MW-4	5/19/2020	WV4-200519-	0.0003 U	0.0003 U	0.000403	0.00039	0.00537	0.00532	0.0001 U	0.0001 U	5E-05 U	5E-05 U	17.8
MW-10	5/19/2020	WV10200519-	0.0003 U	0.0003 U	0.00165	0.00161	0.00339	0.00333	0.0001 U	0.0001 U	5E-05 U	5E-05 U	9.88
MW-13	5/27/2020	WV13200527-	0.0003 U	0.0003 U	0.0021	0.00211	0.00384	0.00359	0.0001 U	0.0001 U	5E-05 U	5E-05 U	8.8
MW-2	5/27/2020	WV2-200527-	0.0003 U	0.0003 U	0.0008	0.00079	0.00669	0.00656	0.0001 U	0.0001 U	5E-05 U	5E-05 U	21.8
MW-9	5/28/2020	WV9-200528-	0.0003 U	0.0003 U	0.00233	0.00234	0.00379	0.00363	0.0001 U	0.0001 U	5E-05 U	5E-05 U	13.9
MW-20	5/28/2020	WV20200528-	0.0003 U	0.0003 U	0.00198	0.00298	0.00523	0.00533	0.0001 U	0.0001 U	5E-05 U	5E-05 U	13
MW-21	5/28/2020	WV21200528-	0.0003 U	0.0003 U	0.00127	0.00242	0.00817	0.00803	0.0001 U	0.0001 U	5E-05 U	5E-05 U	19.4
MW-33	5/27/2020	WV33200527-	0.0003 U	0.0003 U	0.0421	0.0428	0.0249	0.0248	0.0001 U	0.0001 U	5E-05 U	5E-05 U	61.8
MW-35	5/28/2020	WV35200528-	0.0003 U	0.0003 U	0.0279	0.0304	0.0225	0.0566	0.0001 U	0.0001 U	5E-05 U	5E-05 U	62.7
MW-8	5/19/2020	WV8-200519-	0.0003 U	0.0003 U	0.000522	0.000482	0.0039	0.00376	0.0001 U	0.0001 U	5E-05 U	5E-05 U	11.8
MW-36	5/28/2020	WV36200528-	0.0003 U	0.0003 U	0.00187	0.00181	0.00697	0.00684	0.0001 U	0.0001 U	5E-05 U	5E-05 U	13.8
MW-7	5/27/2020	WV7-200527-	0.0003 U	0.0003 U	0.00477	0.00517	0.0133	0.0136	0.0001 U	0.0001 U	5E-05 U	5E-05 U	15.4
MW-7	5/27/2020	WV7-200527D	0.0003 U	0.0003 U	0.00476	0.00524	0.0133	0.0136	0.0001 U	0.0001 U	5E-05 U	5E-05 U	15.4
MW-12	5/27/2020	WV12200527-	0.0003 U	0.0003 U	0.00202	0.00201	0.00479	0.00458	0.0001 U	0.0001 U	5E-05 U	5E-05 U	11.6
MW-19	5/28/2020	WV19200528-	0.0003 U	0.0003 U	0.001	0.00151	0.0154	0.0172	0.0001 U	0.0001 U	5E-05 U	5E-05 U	14.8
MW-26	5/27/2020	WV26200527-	0.0003 U	0.0003 U	0.00288	0.00378	0.00893	0.0113	0.0001 U	0.0001 U	5E-05 U	5E-05 U	17.1
MW-29	5/28/2020	WV29200528-	0.0003 U	0.0003 U	0.00391	0.00698	0.0101	0.0107	0.0001 U	0.0001 U	5E-05 U	5E-05 U	19.5
MW-34	5/28/2020	WV34200528-	0.0003 U	0.0003 U	0.00129	0.00131	0.00426	0.004	0.0001 U	0.0001 U	5E-05 U	5E-05 U	13.5
FIELD BLANK	5/27/2020	WV33200527F	0.0003 U	0.0003 U	5E-05 U	5E-05 U	0.0005 U	0.0005 U	0.0001 U	0.0001 U	5E-05 U	5E-05 U	0.142

Groundwater - Metals (Dissolved & Total)			Calcium, Total	Chromium, Dissolved	Chromium, Total	Cobalt, Dissolved	Cobalt, Total	Copper, Dissolved	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total
Well #	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3	5/19/2020	WV3-200519-	6.65	0.0002 U	0.000206	5E-05 U	5E-05 U	0.00023	0.000272	0.01 U	0.0236	0.0001 U	0.0001 U
MW-4	5/19/2020	WV4-200519-	17.7	0.00736	0.00665	5E-05 U	5E-05 U	0.0002 U	0.000329	0.01 U	0.0123	0.0001 U	0.0001 U
MW-10	5/19/2020	WV10200519-	9.86	0.00285	0.00284	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-13	5/27/2020	WV13200527-	8.81	0.00245	0.00238	5E-05 U	5E-05 U	0.000292	0.000237	0.01 U	0.0102	0.0001 U	0.0001 U
MW-2	5/27/2020	WV2-200527-	22.5	0.000282	0.000516	5E-05 U	5E-05 U	0.000277	0.000255	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-9	5/28/2020	WV9-200528-	13.9	0.00378	0.00362	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-20	5/28/2020	WV20200528-	12.5	0.0002 U	0.0002 U	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.219	0.89	0.0001 U	0.0001 U
MW-21	5/28/2020	WV21200528-	19.4	0.0002 U	0.0002 U	0.000207	0.000266	0.0002 U	0.0002 U	0.47	1.02	0.0001 U	0.0001 U
MW-33	5/27/2020	WV33200527-	62.8	0.0002 U	0.0002 U	0.0012	0.00122	0.0002 U	0.0002 U	6.62	6.71	0.0001 U	0.0001 U
MW-35	5/28/2020	WV35200528-	63.6	0.0002 U	0.0112	0.00186	0.00492	0.0002 U	0.0053	13.3	19.8	0.0001 U	0.00156
MW-8	5/19/2020	WV8-200519-	11.8	0.00226	0.00222	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-36	5/28/2020	WV36200528-	13.6	0.000577	0.000566	5E-05 U	5E-05 U	0.0002 U	0.000365	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-7	5/27/2020	WV7-200527-	15.9	0.0002 U	0.000204	5E-05 U	5E-05 U	0.0002 U	0.000363	0.018	0.151	0.0001 U	0.0001 U
MW-7	5/27/2020	WV7-200527D	15.7	0.0002 U	0.0002 U	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.0181	0.152	0.0001 U	0.0001 U
MW-12	5/27/2020	WV12200527-	11.8	0.00383	0.00392	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.01 U	0.01 U	0.0001 U	0.0001 U
MW-19	5/28/2020	WV19200528-	15.2	0.0002 U	0.0002 U	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.0474	0.568	0.0001 U	0.0001 U
MW-26	5/27/2020	WV26200527-	17.5	0.0002 U	0.000919	5E-05 U	0.000162	0.0002 U	0.000722	0.0862	1.31	0.0001 U	0.000135
MW-29	5/28/2020	WV29200528-	19.7	0.0002 U	0.0002 U	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.796	2.28	0.0001 U	0.0001 U
MW-34	5/28/2020	WV34200528-	13.6	0.00104	0.00104	5E-05 U	5E-05 U	0.0002 U	0.0002 U	0.01 U	0.01 U	0.0001 U	0.0001 U
FIELD BLANK	5/27/2020	WV33200527F	0.05 U	0.0002 U	0.0002 U	5E-05 U	5E-05 U	0.00124	0.00131	0.01 U	0.01 U	0.0001 U	0.0001 U

Groundwater - Metals (Dissolved & Total)			Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Mercury, Dissolved	Mercury, Total	Nickel, Dissolved	Nickel, Total	Potassium, Dissolved	Potassium, Total	Selenium, Dissolved
Well #	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3	5/19/2020	WV3-200519-	2.75	2.72	0.000519	0.00148	5E-05 DU	5E-05 U	0.000376	0.000387	1.39	1.39	0.0005 U
MW-4	5/19/2020	WV4-200519-	12.2	11.9	0.000188	0.00735	5E-05 DU	5E-05 U	0.000721	0.000979	1.14	1.13	0.0005 U
MW-10	5/19/2020	WV10200519-	9.4	9.31	0.0001 U	0.000166	5E-05 DU	5E-05 U	0.000277	0.000285	1.48	1.48	0.0005 U
MW-13	5/27/2020	WV13200527-	10.2	10.4	0.000293	0.000389	5E-05 U	5E-05 U	0.00095	0.000974	1.71	1.55	0.0005 U
MW-2	5/27/2020	WV2-200527-	23.3	23.1	0.0662	0.0719	5E-05 U	5E-05 U	0.00241	0.00225	2.25	2.3	0.0005 U
MW-9	5/28/2020	WV9-200528-	11.5	11.4	0.0001 U	0.000176	5E-05 DU	5E-05 U	0.000137	0.000151	2.2	2.02	0.0005 U
MW-20	5/28/2020	WV20200528-	11.5	12.2	0.143	0.142	5E-05 DU	5E-05 U	0.000144	0.000302	2.12	1.91	0.0005 U
MW-21	5/28/2020	WV21200528-	19.7	20	0.464	0.532	5E-05 DU	5E-05 U	0.00183	0.00193	2.25	2.11	0.0005 U
MW-33	5/27/2020	WV33200527-	49.2	49.8	0.959	0.974	5E-05 U	5E-05 U	0.00552	0.00544	3.42	3.5	0.0005 U
MW-35	5/28/2020	WV35200528-	42.8	46.1	2.25	2.52	5E-05 U	5E-05 U	0.00325	0.0212	3.13	3.37	0.0005 U
MW-8	5/19/2020	WV8-200519-	9.41	9.65	0.0001 U	0.000159	5E-05 DU	5E-05 U	0.000586	0.000611	1.16	1.18	0.0005 U
MW-36	5/28/2020	WV36200528-	9.41	9.63	0.000846	0.00323	5E-05 U	5E-05 U	0.0001 U	0.000111	2.56	2.52	0.0005 U
MW-7	5/27/2020	WV7-200527-	9.81	10.1	0.175	0.256	5E-05 U	5E-05 U	0.00014	0.00021	2.77	2.66	0.0005 U
MW-7	5/27/2020	WV7-200527D	9.86	10.2	0.175	0.256	5E-05 U	5E-05 U	0.000242	0.000164	2.73	2.57	0.0005 U
MW-12	5/27/2020	WV12200527-	9.53	9.66	0.0001 U	0.000211	5E-05 U	5E-05 U	0.000177	0.000222	1.9	1.9	0.0005 U
MW-19	5/28/2020	WV19200528-	13.9	14.6	0.454	0.556	5E-05 U	5E-05 U	0.0001 U	0.0001 U	2.46	2.38	0.0005 U
MW-26	5/27/2020	WV26200527-	7.32	7.28	0.0651	0.079	5E-05 U	5E-05 U	0.00039	0.0011	2.99	2.84	0.0005 U
MW-29	5/28/2020	WV29200528-	14.1	14.8	0.0914	0.101	5E-05 DU	5E-05 U	0.000113	0.00012	2.22	2.05	0.0005 U
MW-34	5/28/2020	WV34200528-	12	11.9	0.000245	0.000364	5E-05 U	5E-05 U	0.00118	0.00117	1.55	1.46	0.0005 U
FIELD BLANK	5/27/2020	WV33200527F	0.05 U	0.05 U	0.000259	0.000135	5E-05 U	5E-05 U	0.000112	0.0001 U	0.1 U	0.1 U	0.0005 U

Groundwater - Metals (Dissolved & Total)			Selenium, Total	Silver, Dissolved	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved	Thallium, Total	Vanadium, Dissolved	Vanadium, Total	Zinc, Dissolved	Zinc, Total
Well #	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3	5/19/2020	WV3-200519-	0.0005 U	4E-05 U	4E-05 U	2.4	2.34	0.0001 U	0.0001 U	0.000233	0.000165	0.000546	0.000726
MW-4	5/19/2020	WV4-200519-	0.000505	4E-05 U	4E-05 U	7.4	7.26	0.0001 U	0.0001 U	0.00294	0.00274	0.0005 U	0.0005 U
MW-10	5/19/2020	WV10200519-	0.0005 U	4E-05 U	4E-05 U	5.09	5.07	0.0001 U	0.0001 U	0.00428	0.00414	0.0005 U	0.0005 U
MW-13	5/27/2020	WV13200527-	0.0005 U	4E-05 U	4E-05 U	6	6.04	0.0001 U	0.0001 U	0.0065	0.00658	0.00108	0.0005 U
MW-2	5/27/2020	WV2-200527-	0.0005 U	4E-05 U	4E-05 U	9.12	8.99	0.0001 U	0.0001 U	0.00291	0.00285	0.00124	0.000833
MW-9	5/28/2020	WV9-200528-	0.0005 U	4E-05 U	4E-05 U	6.13	6.2	0.0001 U	0.0001 U	0.00488	0.0048	0.000938	0.000636
MW-20	5/28/2020	WV20200528-	0.0005 U	4E-05 U	4E-05 U	6.08	6.47	0.0001 U	0.0001 U	0.000188	0.000138	0.000885	0.000522
MW-21	5/28/2020	WV21200528-	0.0005 U	4E-05 U	4E-05 U	10.7	10.7	0.0001 U	0.0001 U	0.000617	0.000764	0.000798	0.000598
MW-33	5/27/2020	WV33200527-	0.0005 U	4E-05 U	4E-05 U	18.5	18.5	0.0001 U	0.0001 U	0.000658	0.000667	0.000846	0.0005 U
MW-35	5/28/2020	WV35200528-	0.000639	4E-05 U	4E-05 U	16.7	17.5	0.0001 U	0.0001 U	0.00024	0.0101	0.00176	0.0362
MW-8	5/19/2020	WV8-200519-	0.0005 U	4E-05 U	4E-05 U	6.53	6.5	0.0001 U	0.0001 U	0.00263	0.00245	0.000581	0.000633
MW-36	5/28/2020	WV36200528-	0.0005 U	4E-05 U	4E-05 U	6.54	6.52	0.0001 U	0.0001 U	0.0017	0.00173	0.000728	0.000942
MW-7	5/27/2020	WV7-200527-	0.0005 U	4E-05 U	4E-05 U	6.33	6.61	0.0001 U	0.0001 U	0.000205	0.000145	0.000715	0.0011
MW-7	5/27/2020	WV7-200527D	0.0005 U	4E-05 U	4E-05 U	6.32	6.65	0.0001 U	0.0001 U	0.000208	0.000146	0.000554	0.00119
MW-12	5/27/2020	WV12200527-	0.0005 U	4E-05 U	4E-05 U	6.03	6.01	0.0001 U	0.0001 U	0.00504	0.00511	0.000501	0.0005 U
MW-19	5/28/2020	WV19200528-	0.0005 U	4E-05 U	4E-05 U	6.84	7.32	0.0001 U	0.0001 U	8.67E-05	7.5E-05 U	0.000571	0.000535
MW-26	5/27/2020	WV26200527-	0.0005 U	4E-05 U	4E-05 U	8.96	8.86	0.0001 U	0.0001 U	0.000149	0.000434	0.000725	0.0198
MW-29	5/28/2020	WV29200528-	0.0005 U	4E-05 U	4E-05 U	6.64	6.8	0.0001 U	0.0001 U	9.14E-05	8E-05	0.0005 U	0.000905
MW-34	5/28/2020	WV34200528-	0.0005 U	4E-05 U	4E-05 U	6.79	6.76	0.0001 U	0.0001 U	0.00267	0.0027	0.00086	0.00116
FIELD BLANK	5/27/2020	WV33200527F	0.0005 U	4E-05 U	4E-05 U	0.1 U	0.1 U	0.0001 U	0.0001 U	7.5E-05 U	7.5E-05 U	0.00172	0.0005 U

Groundwater - Volatile Organic Compounds			1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane
CAS #			630-20-6	71-55-6	79-34-5	79-00-5	75-34-3	75-35-4	96-18-4	96-12-8	106-93-4	95-50-1	107-06-2	78-87-5
Well #	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-3	5/19/2020	WV3-200519-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-4	5/19/2020	WV4-200519-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-10	5/19/2020	WV10200519-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-13	5/27/2020	WV13200527-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-2	5/27/2020	WV2-200527-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-9	5/28/2020	WV9-200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-20	5/28/2020	WV20200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-21	5/28/2020	WV21200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-33	5/27/2020	WV33200527-	0.25 U	0.1 U	0.1 U	0.1 U	1.54	0.159 JT	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	7.65
MW-35	5/28/2020	WV35200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.23	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.515
MW-8	5/19/2020	WV8-200519-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-36	5/28/2020	WV36200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527D	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-12	5/27/2020	WV12200527-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-19	5/28/2020	WV19200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-26	5/27/2020	WV26200527-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-29	5/28/2020	WV29200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-34	5/28/2020	WV34200528-	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U
FIELD BLANK	5/27/2020	WV33200527F	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds			1,4-Dichlorobenzene	2-Butanone	2-Hexanone	4-Methyl-2-Pentanone	Acetone	Acrylonitrile	Benzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide
CAS #			106-46-7	78-93-3	591-78-6	108-10-1	67-64-1	107-13-1	71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0
Well #	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-3	5/19/2020	WV3-200519-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-4	5/19/2020	WV4-200519-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-10	5/19/2020	WV10200519-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-13	5/27/2020	WV13200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-2	5/27/2020	WV2-200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-9	5/28/2020	WV9-200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-20	5/28/2020	WV20200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-21	5/28/2020	WV21200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-33	5/27/2020	WV33200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	1.01	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-35	5/28/2020	WV35200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.577	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-8	5/19/2020	WV8-200519-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-36	5/28/2020	WV36200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527D	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-12	5/27/2020	WV12200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-19	5/28/2020	WV19200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-26	5/27/2020	WV26200527-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-29	5/28/2020	WV29200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
MW-34	5/28/2020	WV34200528-	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U
FIELD BLANK	5/27/2020	WV33200527F	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds			Carbon Tetra- chloride	Chloro- benzene	Chloro- dibromo- methane	Chloro- ethane	Chloroform	Chloro- methane	Cis-1-2- Dichloro- ethene	Cis-1,3- Dichloro- propene	Dibromo- methane	Dichloro- difluoro- methane	Ethyl- benzene	M & P Xylene
CAS #			56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	156-59-2	10061-01-5	74-95-3	75-71-8	100-41-4	MPX
Well #	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-3	5/19/2020	WV3-200519-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-4	5/19/2020	WV4-200519-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.576	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-10	5/19/2020	WV10200519-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-13	5/27/2020	WV13200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-2	5/27/2020	WV2-200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	4.34	0.1 U	0.1 U
MW-9	5/28/2020	WV9-200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-20	5/28/2020	WV20200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.326	0.1 U	0.1 U
MW-21	5/28/2020	WV21200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.611	0.25 U	0.1 U	2.69	0.1 U	0.1 U
MW-33	5/27/2020	WV33200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	31.8	0.25 U	0.1 U	6.24	0.1 U	0.1 U
MW-35	5/28/2020	WV35200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	3.85	0.25 U	0.1 U	1.07	0.1 U	0.1 U
MW-8	5/19/2020	WV8-200519-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-36	5/28/2020	WV36200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-7	5/27/2020	WV7-200527D	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-12	5/27/2020	WV12200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-19	5/28/2020	WV19200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-26	5/27/2020	WV26200527-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-29	5/28/2020	WV29200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
MW-34	5/28/2020	WV34200528-	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
FIELD BLANK	5/27/2020	WV33200527F	0.25 U	0.1 U	0.5 U	0.1 U	2.66	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds			Methyl Iodide	Methylene Chloride	O-Xylene	Styrene	Tetra-chloroethene	Toluene	Trans-1-2-Dichloro-ethene	Trans-1-3-Dichloro-propene	Trans-1-4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
CAS #			74-88-4	75-09-2	95-47-6	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6	110-57-6	79-01-6	75-69-4	108-05-4	75-01-4
Well #	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-3	5/19/2020	WV3-200519-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-4	5/19/2020	WV4-200519-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-10	5/19/2020	WV10200519-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-13	5/27/2020	WV13200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-2	5/27/2020	WV2-200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.702	0.1 U	0.0555
MW-9	5/28/2020	WV9-200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-20	5/28/2020	WV20200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-21	5/28/2020	WV21200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.811	0.1 U	0.0759
MW-33	5/27/2020	WV33200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.831	0.5 U	5 U	0.166 JT	0.1 U	0.1 U	31.2
MW-35	5/28/2020	WV35200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.235	0.5 U	5 U	1.02	0.1 U	0.1 U	6.06
MW-8	5/19/2020	WV8-200519-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-36	5/28/2020	WV36200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-7	5/27/2020	WV7-200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-7	5/27/2020	WV7-200527D	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-12	5/27/2020	WV12200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-19	5/28/2020	WV19200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-26	5/27/2020	WV26200527-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-29	5/28/2020	WV29200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
MW-34	5/28/2020	WV34200528-	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
FIELD BLANK	5/27/2020	WV33200527F	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U



Groundwater - Volatile Organic Compounds Trip Blanks			1,1,1,2-Tetrachloroethane CAS # 630-20-6	1,1,1-Trichloroethane CAS # 71-55-6	1,1,2,2-Tetrachloroethane CAS # 79-34-5	1,1,2-Trichloroethane CAS # 79-00-5	1,1-Dichloroethane CAS # 75-34-3	1,1-Dichloroethene CAS # 75-35-4	1,2,3-Trichloropropane CAS # 96-18-4	1,2-Dibromo-3-Chloropropane CAS # 96-12-8	1,2-Dibromoethane CAS # 106-93-4	1,2-Dichlorobenzene CAS # 95-50-1
Site ID	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
VOA TRIP BLANK	5/18/2020	VTRP200519X2	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y2	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Z	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Y	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Z	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Y	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Z	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds Trip Blanks			1,2-Dichloroethane CAS # 107-06-2	1,2-Dichloropropane CAS # 78-87-5	1,4-Dichlorobenzene CAS # 106-46-7	2-Butanone CAS # 78-93-3	2-Hexanone CAS # 591-78-6	4-Methyl-2-Pentanone CAS # 108-10-1	Acetone CAS # 67-64-1	Acrylonitrile CAS # 107-13-1	Benzene CAS # 71-43-2	Bromochloromethane CAS # 74-97-5
Site ID	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
VOA TRIP BLANK	5/18/2020	VTRP200519X2	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y2	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Z	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Y	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Z	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Y	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Z	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds Trip Blanks			Bromodichloromethane CAS # 75-27-4	Bromoform CAS # 75-25-2	Bromomethane CAS # 74-83-9	Carbon Disulfide CAS # 75-15-0	Carbon Tetrachloride CAS # 56-23-5	Chlorobenzene CAS # 108-90-7	Chlorodibromomethane CAS # 124-48-1	Chloroethane CAS # 75-00-3	Chloroform CAS # 67-66-3	Chloromethane CAS # 74-87-3
Site ID	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
VOA TRIP BLANK	5/18/2020	VTRP200519X2	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y2	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/18/2020	VTRP200519Z	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/26/2020	VTRP200527Y	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/26/2020	VTRP200527Z	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/27/2020	VTRP200528Y	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U
VOA TRIP BLANK	5/27/2020	VTRP200528Z	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U	0.1 U	0.1 U	0.25 U

Groundwater - Volatile Organic Compounds Trip Blanks			Cis-1,2-Dichloroethene	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Ethylbenzene	M & P Xylene	Methyl Iodide	Methylene Chloride	O-Xylene	Styrene
Site ID	Sample Date	Sample ID	CAS # 156-59-2 (µg/L)	10061-01-5 (µg/L)	74-95-3 (µg/L)	75-71-8 (µg/L)	100-41-4 (µg/L)	MPX (µg/L)	74-88-4 (µg/L)	75-09-2 (µg/L)	95-47-6 (µg/L)	100-42-5 (µg/L)
VOA TRIP BLANK	5/18/2020	VTRP200519X2	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y2	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Z	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Y	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/26/2020	VTRP200527Z	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Y	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U
VOA TRIP BLANK	5/27/2020	VTRP200528Z	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U

Groundwater - Volatile Organic Compounds Trip Blanks			Tetrachloroethene	Toluene	Trans-1,2-Dichloroethene	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-Butene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl Chloride
Site ID	Sample Date	Sample ID	CAS # 127-18-4 (µg/L)	108-88-3 (µg/L)	156-60-5 (µg/L)	10061-02-6 (µg/L)	110-57-6 (µg/L)	79-01-6 (µg/L)	75-69-4 (µg/L)	108-05-4 (µg/L)	75-01-4 (µg/L)
VOA TRIP BLANK	5/18/2020	VTRP200519X2	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y2	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/18/2020	VTRP200519Z	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/26/2020	VTRP200527Y	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/26/2020	VTRP200527Z	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/27/2020	VTRP200528Y	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/27/2020	VTRP200528Z	0.1 U	0.1 U	0.1 U	0.5 U	5 U	0.1 U	0.1 U	0.1 U	0.01 U

Leachate - Field Parameters			Specific Conductance (Field)	pH (Field)	Temperature (Field)
Site ID	Sample Date	Sample ID	(µmhos/cm)	(Std. pH Units)	(° C)
LS-PS1	--	--	--	--	--
LS-B	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	7.13	355.4	18.3

Note:

Stations LS-PS1 and LS-B were not sampled this quarter because of reduced laboratory capacity due to Covid-19.

Leachate - Conventionals			Alkalinity, Total (as CaCO <sub>3</sub> )	Ammonia as N	Biological Oxygen Demand - 5 Day	Chemical Oxygen Demand	Chloride	Coliforms, Fecal	Coliforms, Total
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(CFU/100 mL)	(CFU/100 mL)
LS-PS1	--	--	--	--	--	--	--	--	--
LS-B	--	--	--	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	--	--	--	--	--	--

Leachate - Conventionals			Cyanide	Fluoride	Nitrate + Nitrite as N	Phosphorous, Soluble Reactive	Phosphorus, Total (as P)	Specific Conductance	Sulfate
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/l)	(µohms/cm)	(mg/L)
LS-PS1	--	--	--	--	--	--	--	--	--
LS-B	--	--	--	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	--	--	--	--	--	--

Leachate - Conventionals			Sulfide, Total	Total Fats, Oil, & Grease	Total Kjeldahl Nitrogen	Total Organic Carbon	Total Suspended Solids	Total Volatile Solids	Volatile Suspended Solids
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
LS-PS1	--	--	--	--	--	--	--	--	--
LS-B	--	--	--	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	1.9 T	--	--	--	--	--

Note:

Stations LS-PS1 and LS-B were not sampled this quarter because of reduced laboratory capacity due to Covid-19.

Leachate - Metals (Total)			Aluminum, Total (mg/L)	Antimony, Total (mg/L)	Arsenic, Total (mg/L)	Barium, Total (mg/L)	Beryllium, Total (mg/L)	Cadmium, Total (mg/L)
Site ID	Sample Date	Sample ID						
LS-PS1	1/29/2020	LVP-200129Q	--	--	--	--	--	--
LS-B	1/29/2020	LVB-200129Q	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	--	0.00262	--	--	0.000492 U

Leachate - Metals (Total)			Calcium, Total (mg/L)	Chromium, Total (mg/L)	Cobalt, Total (mg/L)	Copper, Total (mg/L)	Iron, Total (mg/L)	Lead, Total (mg/L)
Site ID	Sample Date	Sample ID						
LS-PS1	1/29/2020	LVP-200129Q	--	--	--	--	--	--
LS-B	1/29/2020	LVB-200129Q	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	0.00337	--	0.00992	--	0.00297

Leachate - Metals (Total)			Magnesium, Total (mg/L)	Manganese, Total (mg/L)	Mercury, Total (mg/L)	Nickel, Total (mg/L)	Potassium, Total (mg/L)	Selenium, Total (mg/L)
Site ID	Sample Date	Sample ID						
LS-PS1	1/29/2020	LVP-200129Q	--	--	--	--	--	--
LS-B	1/29/2020	LVB-200129Q	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	--	--	--	0.00617	--	--

Leachate - Metals (Total)			Silver, Total (mg/L)	Sodium, Total (mg/L)	Thallium, Total (mg/L)	Tin, Total (mg/L)	Vanadium, Total (mg/L)	Zinc, Total (mg/L)
Site ID	Sample Date	Sample ID						
LS-PS1	1/29/2020	LVP-200129Q	--	--	--	--	--	--
LS-B	1/29/2020	LVB-200129Q	--	--	--	--	--	--
LS-LVT	6/18/2020	LVT-200618P	0.000394 U	--	--	--	--	0.0379

Note:

Stations LS-PS1 and LS-B were not sampled this quarter because of reduced laboratory capacity due to Covid-19.

Surface Water - Field Parameters			Dissolved Oxygen (DO) (Field) (mg/L)	Oxidation-Reduction Potential (ORP) (Field) (mV)	pH (Field)  (µmhos/cm)	Specific Conductance (Field)  (std. Units)	Temperature (Field)  (°C)	Turbidity (Field)  (NTU)
Site ID	Sample Date	Sample ID						
SW-E	5/19/2020	SVE-200519Q	11.19	194.4	8.02	211.3	11.07	28.9
SW-W1	5/19/2020	WVW1200519Q	9.29	-30.2	7.25	191.9	11.21	12.6
SW-W2	5/19/2020	WVW2200519Q	10.81	174.5	8.06	542	11.18	20.4
SW-W3	5/19/2020	WVW3200519Q	10.8	57.3	7.67	260.3	10.85	11.9

Surface Water - Conventionals			Alkalinity, Total (as CaCO <sub>3</sub> )	Ammonia as N	Biological Oxygen Demand - 5 Day	Chemical Oxygen Demand	Chloride	Coliforms, Fecal	Coliforms, Total	Cyanide
Site ID	Sample Date	Sample ID	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(CFU/100 mL)	(CFU/100 mL)	(mg/l)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	76.4	0.0198	2 U	14 T	6.25	19 C	14 C	0.002 SU
SW-W2	5/19/2020	WVW2200519Q	291	0.0091 T	2 U	15 T	17.4	6	100	0.002 U
SW-W3	5/19/2020	WVW3200519Q	129	0.0087 T	2 U	13 T	8.56	1 U	7	0.002 U

Surface Water - Conventionals			Fluoride	Hardness	Nitrate	Nitrate + Nitrite as N	Phosphorous, Soluble Reactive	Phosphorous, Total (as P)	Specific Conductance	Sulfate
Site ID	Sample Date	Sample ID	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	mg/l	µmhos/cm	(mg/l)
SW-E	5/19/2020	SVE-200519Q	--	96.3	--	--	--	--	217	--
SW-W1	5/19/2020	WVW1200519Q	0.02 U	90.7	1.06	1.06	0.0493	0.146	209	8.21
SW-W2	5/19/2020	WVW2200519Q	0.02 U	305	0.125	0.125	0.0171	0.0893	604	13.6
SW-W3	5/19/2020	WVW3200519Q	0.04 U	141	0.268	0.268	0.0699	0.153	309	12.3

Surface Water - Conventionals			Total Dissolved Solids	Total Kjeldahl Nitrogen	Total Organic Carbon	Total Solids	Total Suspended Solids	Turbidity
Site ID	Sample Date	Sample ID	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(NTU)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	9.03
SW-W1	5/19/2020	WVW1200519Q	155	0.339	4.08	185	20.2	10.9
SW-W2	5/19/2020	WVW2200519Q	373	0.339	4.29	405	22.4	17.5
SW-W3	5/19/2020	WVW3200519Q	206	0.215	3.57	235	25	10.6

Surface Water - Metals (Dissolved & Total)			Aluminum, Dissolved	Aluminum, Total	Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total	Barium, Dissolved	Barium, Total
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	0.0102	0.26	0.0003 U	0.0003 U	0.00194	0.00226	0.00507	0.00778
SW-W1	5/19/2020	WVW1200519Q	0.005 U	0.14	0.0003 U	0.0003 U	0.00322	0.00532	0.00071	0.00382
SW-W2	5/19/2020	WVW2200519Q	0.005 U	0.104	0.0003 U	0.0003 U	0.00138	0.00324	0.00322	0.00896
SW-W3	5/19/2020	WVW3200519Q	0.005 U	0.206	0.0003 U	0.0003 U	0.00342	0.00485	0.00448	0.00923

Surface Water - Metals (Dissolved & Total)			Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total	Calcium, Dissolved	Calcium, Total	Chromium, Dissolved	Chromium, Total
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	0.0001 U	0.0001 U	5E-05 U	5E-05 U	15.2	15.7	0.0012	0.00222
SW-W1	5/19/2020	WVW1200519Q	0.0001 U	0.0001 U	5E-05 U	5E-05 U	15.6	16.2	0.000303	0.00101
SW-W2	5/19/2020	WVW2200519Q	0.0001 U	0.0001 U	5E-05 U	5E-05 U	50.2	52	0.000213	0.000601
SW-W3	5/19/2020	WVW3200519Q	0.0001 U	0.0001 U	5E-05 U	5E-05 U	23.2	23.7	0.000339	0.000979

Surface Water - Metals (Dissolved & Total)			Cobalt, Dissolved	Cobalt, Total	Copper, Dissolved	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	5E-05 U	0.000214	0.000316	0.000874	0.0401	0.516	0.0001 U	0.000412
SW-W1	5/19/2020	WVW1200519Q	6.13E-05	0.000522	0.000273	0.000863	0.17	1.77	0.0001 U	0.000534
SW-W2	5/19/2020	WVW2200519Q	5E-05 U	0.000185	0.0002 U	0.000501	0.0151	2.3	0.0001 U	0.000262
SW-W3	5/19/2020	WVW3200519Q	9.12E-05	0.000347	0.000228	0.000806	0.0376	1.1	0.0001 U	0.000548



Surface Water - Metals (Dissolved & Total)			Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Mercury, Total	Nickel, Dissolved	Nickel, Total	Potassium, Dissolved
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	13.6	13.9	0.00906	0.0746	5E-05 U	0.000521	0.00147	1.99
SW-W1	5/19/2020	WVW1200519Q	12.1	12.2	0.308	0.734	5E-05 U	0.000625	0.00239	1.25
SW-W2	5/19/2020	WVW2200519Q	41.2	42.6	0.0223	0.466	5E-05 U	0.00184	0.00253	2.99
SW-W3	5/19/2020	WVW3200519Q	19.4	19.9	0.406	0.733	5E-05 U	0.00101	0.0021	2.28

Surface Water - Metals (Dissolved & Total)			Potassium, Total	Selenium, Dissolved	Selenium, Total	Silver, Dissolved	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	2.03	0.0005 U	0.0005 U	4E-05 U	4E-05 U	7.03	7.09	0.0001 U
SW-W1	5/19/2020	WVW1200519Q	1.29	0.0005 U	0.0005 U	4E-05 U	4E-05 U	7.53	7.51	0.0001 U
SW-W2	5/19/2020	WVW2200519Q	3.1	0.0005 U	0.0005 U	4E-05 U	4E-05 U	15.8	16.1	0.0001 U
SW-W3	5/19/2020	WVW3200519Q	2.36	0.0005 U	0.0005 U	4E-05 U	4E-05 U	9.16	9.27	0.0001 U

Surface Water - Metals (Dissolved & Total)			Thallium, Total	Tin, Dissolved	Tin, Total	Vanadium, Dissolved	Vanadium, Total	Zinc, Dissolved	Zinc, Total
Site ID	Sample Date	Sample ID	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
SW-E	5/19/2020	SVE-200519Q	0.0001 U	0.0005 U	0.0005 U	0.0029	0.00397	0.000599	0.00168
SW-W1	5/19/2020	WVW1200519Q	0.0001 U	0.0005 U	0.0005 U	0.000406	0.0013	0.0015	0.00251
SW-W2	5/19/2020	WVW2200519Q	0.0001 U	0.0005 U	0.0005 U	0.000315	0.000758	0.000516	0.00108
SW-W3	5/19/2020	WVW3200519Q	0.0001 U	0.0005 U	0.0005 U	0.000648	0.00162	0.00115	0.00145

Surface Water - Volatile Organic Compounds			1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane
Site ID	Sample Date	CAS # Sample ID	630-20-6 (µg/L)	71-55-6 (µg/L)	79-34-5 (µg/L)	79-00-5 (µg/L)	75-34-3 (µg/L)	75-35-4 (µg/L)	96-18-4 (µg/L)	96-12-8 (µg/L)	106-93-4 (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U
SW-W2	5/19/2020	WVW2200519Q	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U
SW-W3	5/19/2020	WVW3200519Q	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	0.1 U

Surface Water - Volatile Organic Compounds			1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,4-Dichlorobenzene	2-Butanone	2-Hexanone	4-Methyl-2-Pentanone	Acetone	Acrylonitrile
Site ID	Sample Date	CAS # Sample ID	95-50-1 (µg/L)	107-06-2 (µg/L)	78-87-5 (µg/L)	106-46-7 (µg/L)	78-93-3 (µg/L)	591-78-6 (µg/L)	108-10-1 (µg/L)	67-64-1 (µg/L)	107-13-1 (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	0.1 U	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U
SW-W2	5/19/2020	WVW2200519Q	0.1 U	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U
SW-W3	5/19/2020	WVW3200519Q	0.1 U	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.1 U	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.1 U	0.1 U	0.1 U	0.1 U	1 U	0.5 U	2.5 U	2.5 U	0.035 U

Surface Water - Volatile Organic Compounds			Benzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane
Site ID	Sample Date	CAS # Sample ID	71-43-2 (µg/L)	74-97-5 (µg/L)	75-27-4 (µg/L)	75-25-2 (µg/L)	74-83-9 (µg/L)	75-15-0 (µg/L)	56-23-5 (µg/L)	108-90-7 (µg/L)	124-48-1 (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U
SW-W2	5/19/2020	WVW2200519Q	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U
SW-W3	5/19/2020	WVW3200519Q	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.1 U	0.1 U	0.25 U	0.5 U	0.1 U	0.1 U	0.25 U	0.1 U	0.5 U

Surface Water - Volatile Organic Compounds			Chloroethane	Chloroform	Chloromethane	Cis-1,2-Dichloroethene	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Ethylbenzene	M & P Xylene
Site ID	Sample Date	CAS # Sample ID	75-00-3 (µg/L)	67-66-3 (µg/L)	74-87-3 (µg/L)	156-59-2 (µg/L)	10061-01-5 (µg/L)	74-95-3 (µg/L)	75-71-8 (µg/L)	100-41-4 (µg/L)	MPX (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
SW-W2	5/19/2020	WVW2200519Q	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
SW-W3	5/19/2020	WVW3200519Q	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.1 U	0.1 U	0.25 U	0.1 U	0.25 U	0.1 U	0.1 U	0.1 U	0.1 U

Surface Water - Volatile Organic Compounds			Methyl Iodide	Methylene Chloride	O-Xylene	Styrene	Tetrachloroethene	Toluene	Trans-1,2-Dichloroethene	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-Butene
Site ID	Sample Date	CAS # Sample ID	74-88-4 (µg/L)	75-09-2 (µg/L)	95-47-6 (µg/L)	100-42-5 (µg/L)	127-18-4 (µg/L)	108-88-3 (µg/L)	156-60-5 (µg/L)	10061-02-6 (µg/L)	110-57-6 (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	--	--	--	--	--	--
SW-W1	5/19/2020	WVW1200519Q	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U
SW-W2	5/19/2020	WVW2200519Q	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U
SW-W3	5/19/2020	WVW3200519Q	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.2 U	2.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	5 U

Surface Water - Volatile Organic Compounds			Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl Chloride
Site ID	Sample Date	CAS # Sample ID	79-01-6 (µg/L)	75-69-4 (µg/L)	108-05-4 (µg/L)	75-01-4 (µg/L)
SW-E	5/19/2020	SVE-200519Q	--	--	--	0.01 U
SW-W1	5/19/2020	WVW1200519Q	0.1 U	0.1 U	0.1 U	0.0244
SW-W2	5/19/2020	WVW2200519Q	0.1 U	0.1 U	0.1 U	0.01 U
SW-W3	5/19/2020	WVW3200519Q	0.1 U	0.1 U	0.1 U	0.0578
VOA TRIP BLANK	5/18/2020	VTRP200519X	0.1 U	0.1 U	0.1 U	0.01 U
VOA TRIP BLANK	5/18/2020	VTRP200519Y	0.1 U	0.1 U	0.1 U	0.01 U

Surface Water - Pesticides & Herbicides			2,4,5-T	2,4,5-TP Silvex	2,4-D	Dinoseb
Site ID	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)
SW-W1	5/19/2020	WVW1200519Q	0.025 U	0.025 U	0.05 U	0.025 U
SW-W2	5/19/2020	WVW2200519Q	0.0253 U	0.0253 U	0.0505 U	0.0253 U
SW-W3	5/19/2020	WVW3200519Q	0.0253 U	0.0253 U	0.0505 U	0.0253 U

Surface Water - Pesticides & Herbicides			Endrin	Lindane (Gamma BHC)	Methoxychlor	Toxaphene
Site ID	Sample Date	Sample ID	(µg/L)	(µg/L)	(µg/L)	(µg/L)
SW-W1	5/19/2020	WVW1200519Q	0.0125 U	0.0125 U	0.0625 U	1.25 U
SW-W2	5/19/2020	WVW2200519Q	0.0125 U	0.0125 U	0.0625 U	1.25 U
SW-W3	5/19/2020	WVW3200519Q	0.0125 U	0.0125 U	0.0625 U	1.25 U

### Landfill Gas Monitoring Data

April 1, 2020 - June 30, 2020

Sample ID	Date/Time	CH4		CO2	O2	Static Pressure	Map Location (see Fig. 7)	
		(% Vol)	(% LEL)	(% Vol)	(% Vol)	(in H2O)		
GP-001	4/7/2020	0	0.2	21	0	-1.46	GP-1	
GP-001	5/8/2020	0	1.3	19.8	0	0.52		
GP-001	6/22/2020	0	0.1	20.5	0	-0.39		
GP-002	4/7/2020	0	2.3	18.8	0	-0.01	GP-2	
GP-002	5/8/2020	0	2.3	17.8	0	-0.02		
GP-002	6/22/2020	0	1.9	18.6	0	0.03		
GP-01D	4/7/2020	0	0.2	21	0	-4.14	NP-1	
GP-01D	5/8/2020	0	0.2	20.6	0	1.09		
GP-01D	6/22/2020	0	0.1	20.4	0	-1.47		
GP-01I	4/7/2020	0	0.2	21	0	-2.77		
GP-01I	5/8/2020	0	0.3	20.3	0	1.11		
GP-01I	6/22/2020	0	0.1	20.3	0	-1.03		
GP-01S	4/7/2020	0	0.5	20.7	0	0		
GP-01S	5/8/2020	0	0.7	19.9	0	0.09		
GP-01S	6/22/2020	0	0.6	19.2	0	0.02		
GP-02D	4/7/2020	0	0.2	20.9	0	-3.81		NP-2
GP-02D	5/8/2020	0	0.2	20.9	0	1.12		
GP-02D	6/22/2020	0	0.1	20.5	0	-1.26		
GP-02I	4/7/2020	0	0.2	20.9	0	-3.63		
GP-02I	5/8/2020	0	0.6	18	0	1.06		
GP-02I	6/22/2020	0	0.1	20.5	0	-1.16		
GP-02S	4/7/2020	0	0.3	20.9	0	0.01		
GP-02S	5/8/2020	0	0.3	20.8	0	0.08		
GP-02S	6/22/2020	0	0.5	19.8	0	0.01		
GP-03D	4/7/2020	0	1.6	18.1	0	-3.18	NP-3	
GP-03D	5/8/2020	0	1.6	18.7	0	1.06		
GP-03D	6/22/2020	0	1.5	17.9	0	-0.96		
GP-03I	4/7/2020	0	1.7	18.8	0	-3.21		
GP-03I	5/8/2020	0	1.7	19	0	0.86		
GP-03I	6/22/2020	0	1.7	18.3	0	-0.99		
GP-03S	4/7/2020	0	1.3	18.6	0	-0.17		
GP-03S	5/8/2020	0	1.1	19.5	0	0		
GP-03S	6/22/2020	0	1	18.7	0	-0.06		
GP-04D	4/7/2020	0	1.1	19.7	0	-3.13	NP-4	
GP-04D	5/8/2020	0	1.1	19.7	0	1.11		
GP-04D	6/22/2020	0	1.2	18.6	0	-0.97		
GP-04I	4/7/2020	0	0.9	20.3	0	-1.75		
GP-04I	5/8/2020	0	0.7	20.5	0	0.92		
GP-04I	6/22/2020	0	0.6	19.8	0	-0.51		
GP-04S	4/7/2020	0	2.5	18.5	0	-1.52		
GP-04S	5/8/2020	0	2.5	18	0	0.17		
GP-04S	6/22/2020	0	2.4	17.8	0	-0.11		

**Landfill Gas Monitoring Data**

April 1, 2020 - June 30, 2020

Sample ID	Date/Time	CH4		CO2	O2	Static Pressure	Map Location (see Fig. 7)
		(% Vol)	(% LEL)	(% Vol)	(% Vol)	(in H2O)	
GP-05D	4/7/2020	0	1.9	19.1	0	-0.42	NP-5
GP-05D	5/8/2020	0	2	19.1	0	0.18	
GP-05D	6/22/2020	0	1.9	18.2	0	-0.1	
GP-05I	4/7/2020	0	1.6	19.6	0	-0.19	
GP-05I	5/8/2020	0	1.6	19.7	0	-0.01	
GP-05I	6/22/2020	0	1.5	18.9	0	-0.08	
GP-05S	4/7/2020	0	0.2	21	0	0.02	
GP-05S	5/8/2020	0	4	16.9	0	0.26	
GP-05S	6/22/2020	0	0.2	20.1	0	-0.03	
GP-06D	4/7/2020	0	0.5	21	0	-0.94	NP-6
GP-06D	5/8/2020	0	0.4	20.2	0	0.57	
GP-06D	6/22/2020	0	0.3	21	0	-0.12	
GP-06I	4/7/2020	0	0.3	21	0	-0.38	
GP-06I	5/8/2020	0	0.3	20.3	0	0.02	
GP-06I	6/22/2020	0	0.2	21	0	0	
GP-06S	4/7/2020	0	3.6	16.7	0	0.02	
GP-06S	5/8/2020	0	3.3	16.1	0	0.01	
GP-06S	6/22/2020	0	3.1	17.1	0	0.08	
GP-07D	4/7/2020	0	1.7	18.6	0	0.01	NP-7
GP-07D	5/8/2020	0	1.7	16.8	0	0.03	
GP-07D	6/22/2020	0	1.5	16	0	0.09	
GP-07I	4/7/2020	0	0.2	21	0	-1.79	
GP-07I	5/8/2020	0	0.2	20.6	0	0.63	
GP-07I	6/22/2020	0	0.1	20.8	0	-0.43	
GP-07S	4/7/2020	0	0.2	21	0	-2.24	
GP-07S	5/8/2020	0	0.2	20.7	0	0.89	
GP-07S	6/22/2020	0	0.1	20.7	0	-0.63	
GP-08D	4/7/2020	0	0.3	20.9	0	-3.97	NP-8
GP-08D	5/8/2020	0	0.2	20.6	0	0.01	
GP-08D	6/22/2020	0	0.1	19.3	0	-1.27	
GP-08I	4/7/2020	0	0.3	20.7	0	-3.72	
GP-08I	5/8/2020	0	3.2	15.8	0	1.08	
GP-08I	6/22/2020	0	0	20.1	0	-1.15	
GP-08S	4/7/2020	0	6.3	2.8	0	-1.01	
GP-08S	5/8/2020	0	5	5.8	0	0.01	
GP-08S	6/22/2020	0	0.1	20.1	0	-0.12	

# APPENDIX C

Leachate Hauling Data

**Leachate Hauling Report**  
April 1, 2020 - June 30, 2020

Date	Volume of Leachate [gal]		Comments
	Discharge Points		
	A4355*	Cedar Hills Regional Landfill	
04/01/20	--	--	--
04/02/20	--	--	--
04/03/20	--	--	--
04/04/20	--	--	--
04/05/20	--	--	--
04/06/20	--	--	--
04/07/20	--	--	--
04/08/20	--	--	--
04/09/20	14000	--	--
04/10/20	--	--	--
04/11/20	--	--	--
04/12/20	--	--	--
04/13/20	--	--	--
04/14/20	--	--	--
04/15/20	--	--	--
04/16/20	--	--	--
04/17/20	--	--	--
04/18/20	--	--	--
04/19/20	--	--	--
04/20/20	--	--	--
04/21/20	--	--	--
04/22/20	14000	--	--
04/23/20	--	--	--
04/24/20	--	--	--
04/25/20	--	--	--
04/26/20	--	--	--
04/27/20	--	--	--
04/28/20	--	--	--
04/29/20	--	--	--
04/30/20	--	--	--
<b>Total</b>	<b>28,000</b>	<b>-</b>	

Date	Volume of Leachate [gal]		Comments
	Discharge Points		
	A4355*	Cedar Hills Regional Landfill	
05/01/20	--	--	--
05/02/20	--	--	--
05/03/20	--	--	--
05/04/20	--	--	--
05/05/20	--	--	--
05/06/20	--	--	--
05/07/20	--	--	--
05/08/20	--	--	--
05/09/20	--	--	--
05/10/20	--	--	--
05/11/20	--	--	--
05/12/20	--	--	--
05/13/20	--	--	--
05/14/20	--	--	--
05/15/20	--	--	--
05/16/20	--	--	--
05/17/20	--	--	--
05/18/20	--	--	--
05/19/20	--	--	--
05/20/20	--	--	--
05/21/20	--	--	--
05/22/20	--	--	--
05/23/20	--	--	--
05/24/20	--	--	--
05/25/20	--	--	--
05/26/20	--	--	--
05/27/20	--	--	--
05/28/20	--	--	--
05/29/20	--	--	--
05/30/20	--	--	--
05/31/20	--	--	--
<b>Total</b>	<b>-</b>	<b>-</b>	

Date	Volume of Leachate [gal]		Comments
	Discharge Points		
	A4355*	Cedar Hills Regional Landfill	
06/01/20	--	--	--
06/02/20	--	--	--
06/03/20	14000	--	--
06/04/20	14000	--	--
06/05/20	14000	--	--
06/06/20	--	--	--
06/07/20	14000	--	--
06/08/20	--	--	--
06/09/20	--	--	--
06/10/20	--	--	--
06/11/20	--	--	--
06/12/20	--	--	--
06/13/20	--	--	--
06/14/20	--	--	--
06/15/20	--	--	--
06/16/20	--	--	--
06/17/20	--	--	--
06/18/20	14000	--	--
06/19/20	--	--	--
06/20/20	--	--	--
06/21/20	--	--	--
06/22/20	--	--	--
06/23/20	--	--	--
06/24/20	--	--	--
06/25/20	--	--	--
06/26/20	--	--	--
06/27/20	--	--	--
06/28/20	--	--	--
06/29/20	--	--	--
06/30/20	--	--	--
<b>Total</b>	<b>70,000</b>	<b>-</b>	

Note: A4355\* - Sample site number of discharge point (i.e. Major Discharge Authorization No 4366-01 for KCSWD-Vashon Transfer Station and Closed Landfill)