



6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

**GROUNDWATER MONITORING REPORT
(Fourth Quarter 2021 Event)**

**Phillips 66 Facility No. 2701476 (AOC #2063)
12660 First Avenue South
Seattle, Washington 98168
Washington State Department of Ecology LUST Program ID #5748
Washington State Department of Ecology VCP No. NW2718**

**Submitted to:
Mike Warfel
Washington State Department of Ecology
15700 Dayton Avenue North
Shoreline, Washington 98133**

**Submitted on behalf of:
Audrey Bonafede
Phillips 66 Company
Remediation Management
3900 Kilroy Airport Way
Suite 210
Long Beach, California 90806**

**Submitted by:
Atlas Technical Consultants
6347 Seaview Avenue Northwest
Seattle, Washington 98107**

**Atlas Project No. Z076000070
February 28, 2022**

A handwritten signature in black ink that reads "Greg McCormick".

**Greg McCormick
Senior Scientist**

A handwritten signature in black ink that reads "Elisabeth Silver".

**Elisabeth Silver, L.G.
Senior Project Manager**



6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

SITE INFORMATION:

Atlas Contact Person:	Elisabeth Silver, L.G.
Date of previous sampling event:	10/07-08/2021
Current remediation technique(s):	None. Above ground Vapor and Groundwater Extraction/Air Sparge System Components Decommissioned in September 2016.
Ecology VCP Number:	NW2718

FIELD ACTIVITY 12/16-17/2021:

Date(s) monitored and/or sampled:	12/16-17/2021
Wells monitored:	Seventeen: GW-8D, GW-10S, GW-10D, GW-11D, GW-12D, GW-13S, GW-13D, GW-14S, GW-14D, GW-15S, GW-15D, GW-16S, GW-16D, GW-17S, GW-17D, GW-18S, and GW-18D
Wells sampled:	Six: GW-10D, GW-13S, GW-13D, GW-14S, GW-15S, and GW-15D.
Purging method:	Wells were purged prior to sampling by low flow pumping via a submersible pump and dedicated tubing.
Sampling method:	Samples were collected using low flow pumping via a submersible pump and dedicated polyethylene tubing.

SITE HYDROGEOLOGY 12/16-17/2021:

Minimum depth to groundwater (feet below top of casing [TOC]):	30.01 (GW-10S, upper water bearing zone).
Maximum depth to groundwater (feet below TOC):	79.52 (GW-10D, lower water bearing zone).
Average groundwater elevation (feet):	371.80 (Upper water bearing zone - GW-10S, GW-13S, GW-14S, GW-15S, GW-16S, GW-17S, and GW-18S) 338.83 (Lower water bearing zone – GW-8D, GW-10D, GW-11D, GW-12D, GW-13D, GW-14D, GW-15D, GW-16D, GW-17D, and GW-18D)
Change in average groundwater elevation since previous monitoring event (feet):	+0.39 (upper water bearing zone) -0.69 (lower water bearing zone)
Approximate groundwater gradient/flow direction:	0.209 feet per foot (ft./ft.) west in the east portion and 0.390 ft./ft. east in the west portion (upper water bearing zone) 0.028 ft./ft. north in the south portion (lower water bearing zone)
Previous groundwater gradient/flow direction (07/14-15/2021):	0.421 feet per foot (ft./ft.) west/southwest in the east portion and 0.322 ft./ft. east in the west portion (upper water bearing zone) 0.0005 ft./ft. south in the north portion and 0.039 ft./ft. southwest in the south portion (lower water bearing zone)

GROUNDWATER CONDITIONS 12/16-17/2021:

Minimum dissolved phase gasoline-range hydrocarbon concentration excluding “non-detects” (micrograms per liter [µg/L]):	1,630 (GW-13S – upper water bearing zone)
Maximum dissolved phase gasoline-range hydrocarbon concentration (µg/L):	65,900 (GW-14S – upper water bearing zone)
Maximum dissolved phase gasoline-range hydrocarbon concentration (µg/L) observed previous sampling event (July, 2021):	51,800 (GW-14S – upper water bearing zone)
Minimum dissolved phase benzene concentration excluding “non-detects” (micrograms per liter [µg/L]):	0.83J (GW-13S – upper water bearing zone)
Maximum dissolved phase benzene concentration (µg/L):	26.1J (GW-14S – upper water bearing zone)
Maximum dissolved phase benzene concentration (µg/L) observed previous	290 (GW-14S – upper water bearing zone)

<u>sampling event (July, 2021):</u>	
Minimum dissolved phase toluene concentration excluding “non-detects” (micrograms per liter [µg/L]):	0.32J (GW-13S – upper water bearing zone)
Maximum dissolved phase toluene concentration (µg/L):	1,720 (GW-14S – upper water bearing zone)
Maximum dissolved phase toluene concentration (µg/L) observed previous sampling event (July, 2021):	2,310 (GW-14S – upper water bearing zone)
Minimum dissolved phase ethylbenzene concentration excluding “non-detects” (micrograms per liter [µg/L]):	0.24J (GW-15D – lower water bearing zone)
Maximum dissolved phase ethylbenzene concentration (µg/L):	2,060 (GW-14S – upper water bearing zone)
Maximum dissolved phase ethylbenzene concentration (µg/L) observed previous sampling event (July, 2021):	1,810 (GW-14S – upper water bearing zone)
Minimum dissolved phase total xylenes concentration excluding “non-detects” (µg/L):	0.26J (GW-15D – lower water bearing zone)
Maximum dissolved phase total xylenes concentration (µg/L):	9,870 (GW-14S – upper water bearing zone)
Maximum dissolved phase total xylenes concentration (µg/L) observed previous sampling event (July, 2021):	8,560 (GW-14S – upper water bearing zone)
Minimum total lead concentration excluding “non-detects” (µg/L):	All wells sampled were “non-detect”
Maximum total lead concentration (µg/L):	All wells sampled were “non-detect”
Maximum total lead concentration (µg/L) observed previous sampling event (July, 2021):	All wells sampled were “non-detect”
Minimum dissolved lead concentration excluding “non-detects” (µg/L):	All wells sampled were “non-detect”
Maximum dissolved lead concentration (µg/L):	All wells sampled were “non-detect”
Maximum dissolved lead concentration (µg/L) observed previous sampling event (July, 2021):	All wells sampled were “non-detect”

ADDITIONAL INFORMATION AND COMMENTS:

Fourth Quarter 2021:

During the December 2021 groundwater monitoring and sampling event, 17 monitoring wells were monitored, including GW-8D, GW-10S, GW-10D, GW-11D, GW-12D, GW-13S, GW-13D, GW-14S, GW-14D, GW-15S, GW-15D, GW-16S, GW-16D, GW-17S, GW-17D, GW-18S, and GW-18D. Six of the monitoring wells were sampled and analyzed, including GW-10D, GW-13S, GW-13D, GW-14S, GW-15S, and GW-15D. Monitoring wells GW-14D, GW-18S, and GW-18D did not have sufficient water to sample. Refer to the attached Table 1 for a summary of groundwater gauging and sampling data from the December 2021 event. Purge water and equipment decontamination water was collected in a 16-gallon drum and stored on site.

Shallow Water Bearing Zone:

During the December 2021 event, gasoline-range hydrocarbons were detected above the Model Toxics Control Act (MTCA) Method A Cleanup Level (CUL) in wells GW-13S, GW-14S, and GW-15S with concentrations of 1,630 µg/L, 65,900 µg/L, and 2,220 µg/L, respectively. Benzene was detected above the MTCA Method A CUL in GW-14S at a concentration of 21.6J µg/L. Benzene was detected below the MTCA Method A CUL in wells GW-13S and GW-15S. Toluene was detected above the MTCA Method A CUL in GW-14S at a concentration of 1,720 µg/L. Toluene was detected below the MTCA Method A CUL in wells GW-13S and GW-15S. Ethylbenzene was detected above the MTCA Method A CUL in GW-14S at a concentration of 2,060 µg/L. Ethylbenzene was detected below the MTCA Method A CUL in wells GW-13S and GW-15S. Total xylenes were detected above the MTCA Method A CUL in GW-14S at a concentration of 9,870 µg/L. Total xylenes were detected below the MTCA Method A CUL in wells GW-13S and GW-15S. Total lead and dissolved lead were not detected above the laboratory detection limits for any of the wells sampled in the shallow water bearing zone.

Deep Water Bearing Zone:

Analytical results indicate that gasoline-range hydrocarbons were not detected above the laboratory detection limit in any of the wells sampled in the deep water bearing zone (GW-10D, GW-13D, and GW-15D). Benzene was not detected in any of the wells sampled in the deep water bearing zone. Toluene was not detected in any of the wells sampled in the deep water bearing zone. Ethylbenzene was detected below the MTCA Method A CUL in GW-15D and was not detected in GW-10D and GW-13D. Total xylenes were detected below the MTCA Method A CUL in GW-15D and was not detected in GW-10D and GW-13D. Total lead and dissolved lead were not detected above the laboratory detection limits for any of the wells sampled in the deep water bearing zone.

Conclusions/Recommendations

The fourth quarter 2021 groundwater monitoring and sampling results indicate that groundwater flow was to the west in the east portion and to the east in the west portion in the shallow water-bearing zone. In the deep water-bearing zone, groundwater flow was determined to be to the north. Hydrocarbon-related impacts above the MTCA Method A CULs were detected in the area to the south, east, and southeast of the southern dispensers in the shallow water-bearing zone in wells GW-13S, GW-14S, and GW-15S.

ATTACHMENTS:

Figure 1 Groundwater Potentiometric Map – Upper Water Bearing Zone 12/16-17/2021

Figure 2 Groundwater Potentiometric Map – Lower Water Bearing Zone 12/16-17/2021

Figure 3 Analytical Results Map 12/16-17/2021

Table 1 Summary of Historical Groundwater Gauging and Laboratory Analytical Data Appendix A Laboratory Analytical Data Reports and Chain of Custody Documentation


Appendix B Field Reports / Groundwater Gauging and Sampling Logs

Appendix C Non-hazardous Waste Documentation




6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

FIGURES



SOUTHWEST 128TH STREET




0 30 60

SCALE, FT

NOTE: ALL LOCATIONS ARE APPROXIMATE

1ST AVENUE SOUTH



LEGEND


- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- APPROXIMATE SITE BOUNDARY
- APPROXIMATE SITE BOUNDARY
- GROUNDWATER ELEVATION
- GROUNDWATER ELEVATION CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION / CALCULATED GROUNDWATER GRADIENT (FEET PER FOOT)

GROUNDWATER POTENTIOMETRIC MAP - UPPER WATER BEARING ZONE

(12/16-17/2021)


PHILLIPS 66 FACILITY NO. 2701476 (AOC 2063)
12660 FIRST AVENUE SOUTH
SEATTLE, WASHINGTON

PROJECT NUMBER: Z076000070	DATE: 01/2022	FIGURE 1
APPROVED BY: ES	DRAWN BY: BK	
6347 Seaview Avenue NW Seattle, Washington 98107 Ph: (206) 781-1449 *** Fax: (206) 781-1543		




SOUTHWEST 128TH STREET

1ST AVENUE SOUTH



NOTE: ALL LOCATIONS ARE APPROXIMATE



LEGEND


- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- APPROXIMATE SITE BOUNDARY
- GROUNDWATER ELEVATION (336.11)
- GROUNDWATER ELEVATION CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- CALCULATED GROUNDWATER GRADIENT (FEET PER FOOT) 0.028 ft./ft. North

GROUNDWATER POTENTIOMETRIC MAP - LOWER WATER BEARING ZONE

(12/16-17/2021)
 PHILLIPS 66 FACILITY NO. 2701476 (AOC 2063)
 12660 FIRST AVENUE SOUTH
 SEATTLE, WASHINGTON

PROJECT NUMBER: Z076000070	DATE: 01/2022	FIGURE 2
APPROVED BY: ES	DRAWN BY: BK	
ATLAS 6347 Seaview Avenue NW Seattle, Washington 98107 Ph: (206) 781-1449 *** Fax: (206) 781-1543		

S:\Projects\7675000 COP\2063\GWA_121118.dwg



NOTE: ALL LOCATIONS ARE APPROXIMATE

SOUTHWEST 128TH STREET

1ST AVENUE SOUTH

GW-10D	
TPHg	<42.8
B	<0.10
T	<0.10
E	<0.11
X	<0.20
Total Pb	<2.6
Diss Pb	<2.6

GW-14S	
TPHg	65,900
B	26.1J
T	1,720
E	2,060
X	9,870
Total Pb	<2.6
Diss Pb	<2.6

GW-15S	
TPHg	2,220
B	1.4
T	2.1
E	14.4
X	41.4
Total Pb	<2.6
Diss Pb	<2.6

GW-15D	
TPHg	<42.8
B	<0.10
T	<0.10
E	0.24J
X	0.26J
Total Pb	<2.6
Diss Pb	<2.6

GW-13D	
TPHg	<42.8
B	<0.10
T	<0.10
E	<0.11
X	<0.20
Total Pb	<2.6
Diss Pb	<2.6

GW-13S	
TPHg	1,630
B	0.83J
T	0.32J
E	9.7
X	26.9
Total Pb	<2.6
Diss Pb	<2.6

LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- AIR SPARGE WELL (1994)
- AIR SPARGE POINT (1998)
- MONITORING WELL (1992 and 1994/1995)

--- APPROXIMATE SITE BOUNDARY

TPHg	65,900	TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
B	26.1J	BENZENE
T	1,720	TOLUENE
E	2,060	ETHYLBENZENE
X	9,870	TOTAL XYLENES
Total Pb	<2.6	TOTAL LEAD
Diss Pb	<2.6	DISSOLVED LEAD

ALL ANALYTICAL RESULTS REPORTED IN MICROGRAMS PER LITER (µg/L)

BOLD CONCENTRATION EQUAL TO OR EXCEEDS MTCA METHOD-A CLEANUP LEVEL

(NS) NOT SAMPLED

J ESTIMATED CONCENTRATION ABOVE THE ADJUSTED METHOD DETECTION LIMIT AND BELOW THE ADJUSTED REPORTING LIMIT

GROUNDWATER ANALYTICAL MAP (12/16-17/2021)

PHILLIPS 66 FACILITY NO. 2701476 (AOC 2063)
12660 FIRST AVENUE SOUTH
SEATTLE, WASHINGTON

PROJECT NUMBER: Z076000070		DATE: 01/2022	FIGURE 3
APPROVED BY: ES		DRAWN BY: BK	
 6347 Seaview Avenue NW Seattle, Washington 98107 Ph: (206) 781-1449 *** Fax: (206) 781-1543			



6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

TABLE

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-1	05/07/91	38.97	0.00	61.03	--	--	--	--	--	--	--	--	--	--
100.00	05/08/92	41.28	0.00	58.72	--	--	--	--	--	--	--	--	--	--
	05/20/92	39.46	0.00	60.54	--	--	--	--	--	--	--	--	--	--
	03/10/94	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/02/94	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/11/94	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/17/95	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/95	47.30	0.00	52.70	30,000	--	--	6,300	4,900	638	3,920	--	30	--
	08/09/95	47.65	0.00	52.35	17,000	--	--	3,200	1,700	230	1,400	--	10	--
	11/06/95	48.86	0.00	51.14	--	--	--	--	--	--	--	--	--	--
	02/13/96	49.60	0.00	50.40	--	--	--	--	--	--	--	--	--	--
	02/21/96	49.54	0.00	50.46	--	--	--	--	--	--	--	--	--	--
	05/21/96	39.91	0.00	60.09	62,000	--	--	14,000	16,000	780	5,100	--	7	--
	06/06/96	39.78	0.00	60.22	--	--	--	--	--	--	--	--	--	--
	06/11/96	39.85	0.00	60.15	--	--	--	--	--	--	--	--	--	--
	09/24/96	42.14	0.00	57.86	75,000	--	--	14,000	15,000	890	5,400	--	4	--
	12/12/96	46.97	0.00	53.03	--	--	--	--	--	--	--	--	--	--
	03/24/97	34.84	0.00	65.16	170,000	--	--	29,000	44,000	2,000	14,000	--	18	--
	04/11/97	30.69	0.00	69.31	--	--	--	--	--	--	--	--	--	--
	06/18/97	29.13	0.00	70.87	230,000	--	--	46,000	72,000	3,600	21,000	--	13	--
	08/25/97	35.41	0.00	64.59	170,000	--	--	3,000	46,000	2,900	16,000	--	13	--
	11/19/97 ^c	41.87	0.00	58.13	170,000	--	--	25,000	39,000	3,200	17,000	--	14	--
	02/12/98 ^{NP}	43.10	0.00	56.90	82,000	--	--	20,000	12,000	2,300	210	--	<2	--
	05/14/98 ^{NP}	32.37	0.00	67.63 ^b	180,000	--	--	41,000	59,000	2,000	19,000	--	<2	--
	08/25/98 ^{NP}	26.81	0.00	73.19 ^b	140,000	--	--	27,000	37,000	1,700	16,000	--	22	--
	11/13/98 ^{NP}	29.49	0.00	70.51 ^b	63,000	--	--	12,000	12,000	320	9,200	--	9	--
	02/10/99	45.96	Trace	54.04 ^b	LPH Present	--	--	--	--	--	--	--	--	--
	05/28/99 ^{NP}	17.18	0.00	82.82 ^b	69,000	--	--	490	4,400	490	12,000	--	10	--
	08/18/99 ^{NP}	43.70	0.00	56.30 ^b	32,000	--	--	2,100	190	250	3,600	--	--	--
	11/11/99 ^{NP}	34.01	0.00	65.99	6,110	--	--	849	333	31.8	1,320	--	7.67	--
	02/09/00 ^{NP}	48.11	0.00	51.89	83,000	--	--	1,200	860	740	13,000	--	301	--
	05/24/00 ^{NP}	26.35	Trace	73.65	1,200	--	--	55.9	81.2	2.09	248	--	--	--
	09/11/00 ^{NP}	25.75	0.00	74.25	883	--	--	36.1	54.0	<0.690	161	--	--	--
	11/27/00	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	44.58	0.00	55.42	154	--	--	12.6	5.08	< 0.500	17.1	--	--	--
	05/16/01	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/30/01 ^{NP}	43.17	0.00	56.83	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	2.62	--
	11/19/01	NM	0.00	--	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	40.32	0.00	59.68	<50.0	--	--	1.29	<0.500	<0.500	1.62	--	<1.00	--
	11/20/02	36.15	0.00	63.85	149	--	--	0.575	0.938	<0.500	12.5	--	2.67	<1.00
	05/21/03 ^{NP}	35.97	0.00	64.03	1,620	--	--	56.7	71.7	<5.00	511	--	8.58	4.98
	11/14/03 ^{NP}	33.91	0.00	66.09	528	--	--	15.0	9.9	1.1	47	--	11.2	<5.00
	5/13/04 ^{NP}	30.93	0.00	69.07	5,200	--	--	1,340	129	51.0	431	--	14.4	<5.00
	12/9/04 ^{NP}	35.99	0.00	64.01	3,800	--	--	1,030	201	<20	740	--	15.0	<10.0
	02/08/05	37.79	0.00	62.21	1,310	--	--	98.6	46.0	<5.0	275	--	<10.0	<10.0
	05/16/05	36.36	0.00	63.64	3,380	--	--	699.0	224.0	<10	676	12	<15	<15
	11/22/05	40.77	0.00	59.23	5,900	--	--	2,200.0	420.0	66.0	1,200	--	<8.4	--
	03/01/06	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/30/06	47.26	0.00	52.74	860^d	--	--	96^d	8.6 ^d	12 ^d	120 ^d	--	144	<6.9
	08/28/06	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/14/06	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/21/07	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/22/07	39.18	0.00	60.82	160	--	--	92	4	2	5	<0.5	<6.9	<6.9
	08/20/07	45.01	0.00	54.99	110	--	--	12	2	1	5	<0.5	<6.9	<6.9
	11/19/07	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/19/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/19/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
414.74	08/18/08	49.56	0.00	365.18	Well not sampled due to low water column.									
	11/17/08	49.60	0.00	365.14	Well not sampled due to low water column.									
	02/04/09	51.20	0.00	363.54	--	--	--	--	--	--	--	--	--	--
	05/04/09	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/03/09	44.90	0.00	369.84	--	--	--	--	--	--	--	--	--	--
	11/03/09	48.74	0.00	366.00	Well gauged only this quarter.									
	02/08/10	49.48	0.00	365.26	Well gauged only this quarter.									
	05/03/10	43.45	0.00	371.29	Well gauged only this quarter.									
	09/07/10	45.99	0.00	368.75	Well gauged only this quarter.									
	12/01/10	48.84	0.00	365.90	Well gauged only this quarter.									
	02/10/11	45.91	0.00	368.83	Well gauged only this quarter.									
	05/18/11	35.25	0.00	379.49	Well gauged only this quarter.									
	09/02/11	43.42	0.00	371.32	Well gauged only this quarter.									
	12/07/11	dry	0.00	--	Well gauged only this quarter.									
	02/23/12	49.36	0.00	365.38	Well not sampled due to low water column.									

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800 ^a	500	500	5	1,000	700	1,000	20	15	15
GW-1	05/22/12	39.57	0.00	375.17	<500	--	--	9.8	<1.0	<1.0	<3.0	--	0.81	<0.10
(Cont.)	08/01/12	43.70	0.00	371.04	<50	--	--	<1.0	<1.0	1.2	<3.0	--	0.21	1.0
	03/22/13	43.28	0.00	371.46	<100	--	--	4.6	<1.0	<1.0	<3.0	--	<3.0	<10.0
	09/20/13	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/18/14	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	04/29/15	42.89	0.00	371.85	<100	--	--	7.70	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	46.82	0.00	367.92	<100	--	--	1.2	<1.0	<1.0	<3.0	--	--	--
	10/15/15	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/27/16	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/17	46.03	0.00	368.71	<100	--	--	<1.0	<1.0	<1.0	<1.0	--	<10.0	<10.0
	09/04/18	48.59	0.00	366.15	Well not sampled due to low water column.									
	Well Decommissioned in October 2018													
GW-2	05/07/91	35.56	0.00	63.76	--	--	--	--	--	--	--	--	--	--
99.32	05/08/92	36.53	0.00	62.79	--	--	--	--	--	--	--	--	--	--
	03/10/94	48.43	4.15	54.00	LPH Present	--	--	--	--	--	--	--	--	--
	05/02/94	--	0.20	--	LPH Present	--	--	--	--	--	--	--	--	--
	11/11/94	44.37	0.07	55.00	LPH Present	--	--	--	--	--	--	--	--	--
	02/17/95	44.92	0.03	54.42	LPH Present	--	--	--	--	--	--	--	--	--
	05/16/95	36.19	0.17	63.26	150,000	--	--	21,000	26,000	2,200	14,000	--	9	--
	08/09/95	39.16	0.31	60.39	LPH Present	--	--	--	--	--	--	--	--	--
	11/06/95	42.42	0.11	56.98	LPH Present	--	--	--	--	--	--	--	--	--
	02/13/96	36.62	0.12	62.79	LPH Present	--	--	--	--	--	--	--	--	--
	02/21/96	36.68	0.13	62.74	LPH Present	--	--	--	--	--	--	--	--	--
	05/21/96	28.04	0.37	71.56	LPH Present	--	--	--	--	--	--	--	--	--
	06/06/96	29.09	0.41	70.54	LPH Present	--	--	--	--	--	--	--	--	--
	06/11/96	29.17	0.38	70.44	LPH Present	--	--	--	--	--	--	--	--	--
	09/24/96	37.45	0.41	62.18	LPH Present	--	--	--	--	--	--	--	--	--
	12/12/96	40.86	0.22	58.63	LPH Present	--	--	--	--	--	--	--	--	--
	03/24/97	25.93	0.13	73.49	LPH Present	--	--	--	--	--	--	--	--	--
	04/11/97	23.84	0.19	75.62	LPH Present	--	--	--	--	--	--	--	--	--
	06/18/97	25.87	0.02	73.47	LPH Present	--	--	--	--	--	--	--	--	--
	08/25/97	32.77	0.18	66.69	LPH Present	--	--	--	--	--	--	--	--	--
	11/19/97 [†]	37.67	0.07	61.70	LPH Present	--	--	--	--	--	--	--	--	--
	02/12/98 ^{NP}	32.81	0.03	66.53	LPH Present	--	--	--	--	--	--	--	--	--
	05/14/98 ^{NP}	26.37	0.04	72.98	LPH Present	--	--	--	--	--	--	--	--	--
	08/25/98	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/13/98	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/10/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/28/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/18/99 ^{NP}	33.58	0.00	65.74 ^b	180,000	--	--	15,000	22,000	2,200	20,000	--	--	--
	11/11/99 ^{NP}	46.15	0.00	53.17	85,600	--	--	4,360	7,750	1,160	12,300	--	152	--
	02/09/00 ^{NP}	38.30	0.00	61.02	130,000	--	--	11,000	17,000	1,300	18,000	--	6	--
	05/24/00	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/11/00 ^{NP}	46.35	0.00	52.97	55,000	--	--	2,620	1,910	410	7,380	--	--	--
	11/27/00	43.56	Trace	55.76	76,100	--	--	6,030	8,660	1,050	10,500	--	148	--
	02/23/01	46.15	0.00	53.17	64,300	--	--	5,100	5,880	667	9,140	--	129	--
	05/16/01	42.48	0.00	56.84	83,300	--	--	4,620	8,480	1,060	10,200	--	248	--
	08/30/01 ^{NP}	42.07	0.01	57.26	LPH Present	--	--	--	--	--	--	--	--	--
	11/19/01	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/04/02	31.15	0.00	68.17	51,900	--	--	5,330	4,780	255	7,650	--	38.2	--
	11/20/02	46.25	0.00	53.07	50,900	--	--	3,010	5,600	800	8,110	--	3,850	<1.00
	05/21/03 ^{NP}	45.86	0.00	53.46	35,100	--	--	3,910	4,020	248	4,760	--	26.8	14.6
	11/14/03 ^{NP C}	44.35	0.00	54.97	1,760	--	--	96.2	11.0	1.0	73.1	--	<5.00	<5.00
	5/13/04 ^{NP}	28.97	0.00	70.35	7,370	--	--	446	705	30.4	983	--	8.28	<5.00
	12/9/04 ^{NP}	42.42	0.00	56.90	19,500	--	--	2,370	1,410	140	1,980	--	20.9	<10.0
	02/08/05	39.87	0.00	59.45	32,000	--	--	3,520	2,160	191	3,280	--	24.8	<10.0
	05/16/05	39.50	0.00	59.82	8,600	--	--	166	144	21	470	6.74	15.6	<15
	08/18/05	44.78	0.00	54.54	10,000	--	--	930	220	79	900	<5.0	283	--
	11/22/05	48.18	0.00	51.14	15,000	--	--	2,600	770	110	1,400	--	<8.4	--
	03/01/06	36.10	0.00	63.22	7,800	--	--	380	400	46	760	<0.5	<8.4	--
	05/30/06	42.90	0.00	56.42	3,500	--	--	160	65	23	280	--	26.2	<6.9
	08/28/06	44.20	0.00	55.12	4,800	--	--	390	120	43	460	0.9	<6.9	<6.9
	11/14/06	44.06	0.00	55.26	12,000	--	--	860	720	130	1,500	<1	<6.9	<6.9
	02/21/07	34.22	0.00	65.10	6,800	--	--	920	570	99	810	<1	70.4	62.2
	05/22/07	32.70	0.00	66.62	20,000	--	--	650	1,000	380	2,700	<1	<6.9	<6.9
	08/20/07	35.26	0.00	64.06	49,000	--	--	6,300	6,500	600	5,100	<5	<6.9	<6.9
	11/19/07	41.37	0.00	57.95	12,000	--	--	2,000	390	260	1,200	0.6	15.1	<6.9
	02/19/08	38.17	0.00	61.15	21,000	--	--	2,400	980	440	2,500	<3	10.4	8.8
413.94	05/19/08	35.80	0.00	378.14	35,000	--	--	4,600	3,100	670	4,500	<2.0	23.7	<6.9
	08/18/08	38.75	0.00	375.19	20,000	--	--	3,200	1,400	560	3,500	<3.0	<6.9	<6.9
	11/18/08	41.75	0.00	372.19	28,000	--	--	3,000	690	670	4,500	<3	14.40	<6.9
	02/04/09	39.85	0.00	374.09	28,700	2,800	<410	1,600	130	560	3,700	<1	1.34	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
Phillips 66 Facility No. 2701476 (AOC 2063)
12660 First Avenue South
Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-2	05/05/09	36.00	0.00	377.94	40,800	1,200	<420	3,590 2n	1,760	634	4,590	<1.0	3.3	<1.0
(Cont.)	08/03/09	36.60	0.00	377.34	40,300	--	--	6,710	2,440	959	7,180	<5.0	3.2	2.5
	11/03/09	41.22	0.00	372.72	28,700 1n, 2n	--	--	2,880	673	644	3,460	<5.0	12.3	0.39
	02/08/10	37.04	0.00	376.90	42,600 1n	--	--	4,940	1,830	1,200	8,320	<1.0	24.7	1.2
	05/03/10	32.17	0.00	381.77	17,400	--	--	2,060	746	422	2,990	<1.0	4.1	0.36
	09/07/10	36.61	0.00	377.33	30,700	--	--	6,770	1,930	901	5,480	<1.0	12.9	0.22
	12/01/10	39.35	0.00	374.59	20,600	--	--	3,260	283	802	3,450	<1.0	9.2	0.14
	02/10/11	31.63	0.00	382.31	10,700	--	--	975	250	359	2,020	<1.0	--	--
	05/18/11	25.11	0.00	388.83	503	--	--	6.7	<1.0	2.3	35.0	--	0.46	0.30
	09/02/11	34.81	0.00	379.13	23,700	--	--	2,880	317	563	2,710	--	3.2	0.97
	12/07/11	40.12	0.00	373.82	15,300	--	--	1,280	64.8	430	1,210	<1.0	5.0	0.14
	02/23/12	39.98	0.00	373.96	18,400	--	--	1,110	53.7	356	1,360	--	1.1	--
	05/22/12	29.37	0.00	384.57	9,810	--	--	1,780	148	304	1,320	--	0.36	0.23
	08/01/12	33.91	0.00	380.03	11,200	--	--	1,820	97.4	428	1,470	--	0.26	0.19
	03/22/13	32.59	0.00	381.35	4,300	--	--	466	13.7	114	271	--	<3.0	<10.0
	09/20/13	34.58	0.00	379.36	19,600	--	--	3,960	130.0	760	220	--	16.70	<10.0
	12/19/14	39.91	0.00	374.03	13,000	120	<500	1,900	33.0	810	1,500	--	<5.0	<5.0
	04/29/15	30.61	0.00	383.33	13,600	--	--	1,830	42.6	599	1,300	--	<10.0	<10.0
	07/23/15	35.92	0.00	378.02	22,500	--	--	5,670	190	907	2,300	--	--	--
	10/15/15	40.35	0.00	373.59	10,700	--	--	1,460	26.3	449	537	--	--	--
	09/27/16	38.80	0.00	375.14	10,400	--	--	1,140	61.4	479	898	--	<10.0	<10.0
	09/20/17	35.11	0.00	378.83	2,860	--	--	327	22.0	174	294	--	<10.0	<10.0
	09/05/18	37.61	0.00	376.33	7,570	--	--	1,070	50.2	579	404	--	2.0 J	<2.0
Well Decommissioned in October 2018														
GW-2A	12/9/04 ^{NP}	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
NE	02/08/05	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	05/16/05	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	08/18/05	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	11/22/05	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	03/01/06	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	05/30/06	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	08/28/06	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	11/14/06	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	02/21/07	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	05/22/07	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	08/20/07	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	11/19/07	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	02/19/08	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
414.5	05/19/08	NM	0.00	NE	--	--	--	--	--	--	--	--	--	--
	08/18/08	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/18/08	NM												
	02/04/09	NM												
	05/04/09	NM												
	08/03/09	NM												
	11/03/09	NM												
	02/08/10	NM												
	05/03/10	NM												
	09/07/10	NM												
	12/01/10	NM												
	02/10/11	NM												
	05/18/11	NM												
	09/02/11	NM												
	12/07/11	NM												
	08/01/12	NM												
	03/22/13	NM												
	09/20/13	NM												
	12/19/14	NM												
	04/29/15	NM												
	07/23/15	NM												
	10/15/15	NM												
	09/27/16	NM												
	09/19/17	NM												
	09/04/18	NM												
	12/11/18	NM												
GW-3	05/02/94	71.02	0.00	31.93	--	--	--	--	--	--	--	--	--	--
102.95	11/11/94	82.85	0.00	20.10	<50	--	--	<0.5	<1	<1	<1	--	<2	--
102.78	02/17/95	82.81	0.00	19.97	<50	--	--	<0.5	<1	<1	<1	--	2	--
	05/16/95	82.02	0.00	20.76	<50	--	--	<0.5	<1	<1	<1	--	5	--
	08/09/95	81.33	0.00	21.45	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	11/06/95	81.21	0.00	21.57	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	02/13/96	84.06	0.00	18.72	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	02/21/96	80.60	0.00	22.18	--	--	--	--	--	--	--	--	--	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800 ^a	500	500	5	1,000	700	1,000	20	15	15
GW-3	05/21/96	79.24	0.00	23.54	--	--	--	--	--	--	--	--	--	--
(Cont.)	06/06/96	79.07	0.00	23.71	--	--	--	--	--	--	--	--	--	--
	06/11/96	78.97	0.00	23.81	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	09/24/96	78.21	0.00	24.57	<50	--	--	0.7	2	<1	3	--	2	--
	12/12/96	78.64	0.00	24.14	216	--	--	21.6	54	2	11	--	<2	--
	03/24/97	77.93	0.00	24.85	<50	--	--	<0.5	<1	<1	<1	--	38	--
	04/11/97	77.40	0.00	25.38	--	--	--	--	--	--	--	--	--	--
	06/18/97	76.11	0.00	26.67	<50	--	--	<0.5	1	<1	<1	--	13	--
	08/25/97	75.68	0.00	27.10	<50	--	--	<0.5	<1	<1	<1	--	13	--
	11/19/97 ⁺	76.58	0.00	26.20	<50	--	--	<0.5	<1	<1	<1	--	18	--
	02/12/98 ^{NP}	76.72	0.00	26.06	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	05/14/98 ^{NP}	76.15	0.00	26.63	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/25/98	76.35	0.00	26.43 ^b	--	--	--	--	--	--	--	--	--	--
	11/13/98	77.88	0.00	24.90 ^b	--	--	--	--	--	--	--	--	--	--
	02/10/99	78.98	0.00	23.80 ^b	--	--	--	--	--	--	--	--	--	--
	05/28/99 ^{NP}	79.68	0.00	23.10 ^b	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/18/99 ^{NP}	76.45	0.00	26.33 ^b	--	--	--	--	--	--	--	--	--	--
	11/11/99 ^{NP}	79.18	0.00	23.60	--	--	--	--	--	--	--	--	--	--
	02/09/00 ^{NP}	78.42	0.00	24.36	--	--	--	--	--	--	--	--	--	--
	05/24/00 ^{NP}	77.46	0.00	25.32	352	--	--	<0.500	<0.500	<0.500	36.4	--	--	--
	09/11/00 ^{NP}	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/01	81.80	0.00	20.98	<50	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	08/30/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/19/01	82.30	0.00	20.48	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	81.10	0.00	21.68	94.9	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	11/20/02	80.72	0.00	22.06	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	2.52	<1.00
	05/21/03 ^{NP}	81.15	0.00	21.63	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	11/14/03 ^{NP}	81.59	0.00	21.19	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	81.35	0.00	21.43	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	82.21	0.00	20.57	--	--	--	--	--	--	--	--	--	--
	02/08/05	82.54	0.00	20.24	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	--
	05/16/05	82.75	0.00	20.03	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	82.56	0.00	20.22	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	82.51	0.00	20.27	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	03/01/06	82.40	0.00	20.38	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.8	<8.4	--
	05/30/06	81.72	0.00	21.06	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	81.10	0.00	21.68	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	81.50	0.00	21.28	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	81.05	0.00	21.73	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	64.5	62.2
	05/22/07	81.10	0.00	21.68	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	79.42	0.00	23.36	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/19/08	80.47	0.00	22.31	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	7.4
	05/19/08	80.52	0.00	337.22	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	80.80	0.00	336.94	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	7.0	<6.9
	11/17/08	81.19	0.00	336.55	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	81.50	0.00	336.24	--	--	--	--	--	--	--	--	--	--
	05/04/09	81.72	0.00	336.02	87.2 4n	<83	<420	<1.0	<1.0	<1.0	<1.0	<1.0	1.50	<1.0
	08/03/09	81.65	0.00	336.09	--	--	--	--	--	--	--	--	--	--
	11/03/09	81.95	0.00	335.79	Well gauged only this quarter.									
	02/08/10	82.22	0.00	335.52	Well gauged only this quarter.									
	05/03/10	81.60	0.00	336.14	Well gauged only this quarter.									
	09/07/10	80.72	0.00	337.02	Well gauged only this quarter.									
	12/01/10	81.18	0.00	336.56	Well gauged only this quarter.									
	02/10/11	78.17	0.00	339.57	Well gauged only this quarter.									
	05/18/11	79.56	0.00	338.18	Well gauged only this quarter.									
	09/02/11	78.65	0.00	339.09	Well gauged only this quarter.									
	12/07/11	79.10	0.00	338.64	Well gauged only this quarter.									
	02/23/12	79.91	0.00	337.83	Well gauged only this quarter.									
	05/22/12	79.81	0.00	337.93	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	80.86	0.00	336.88	<100	<100	<500	<0.50	<0.50	<0.50	<0.50	--	<5.0	<5.0
	04/29/15	80.70	0.00	337.04	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	80.19	0.00	337.55	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	--	--
	10/15/15	80.61	0.00	337.13	<250	--	--	<0.50	<0.50	<0.50	<1.0	--	--	--
	09/27/16	79.00	0.00	338.74	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/19/17	77.01	0.00	340.73	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
417.74	09/05/18	78.31	0.00	339.43	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
Well Decommissioned in October 2018														
GW-4	05/02/94	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
101.84	11/11/94	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
Phillips 66 Facility No. 2701476 (AOC 2063)
12660 First Avenue South
Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800 ^a	500	500	5	1,000	700	1,000	20	15	15
GW-4 (Cont.)	02/17/95	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/95	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/09/95	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/06/95	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/13/96	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/21/96	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/21/96	78.27	0.00	23.57	--	--	--	--	--	--	--	--	--	--
	06/06/96	78.10	0.00	23.74	--	--	--	--	--	--	--	--	--	--
	06/11/96	78.02	0.00	23.82	--	--	--	--	--	--	--	--	--	--
	09/24/96	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/12/96	77.71	0.00	24.13	--	--	--	--	--	--	--	--	--	--
	03/24/97	76.88	0.00	24.96	<50	--	--	<50	<1	<1	<1	--	52	--
	04/11/97	76.36	0.00	25.48	--	--	--	--	--	--	--	--	--	--
	06/18/97	75.08	0.00	26.76	<50	--	--	<50	<1	<1	<1	--	4	--
	08/25/97	74.70	0.00	27.14	300	--	--	9.8	15	3	46	--	4	--
	11/19/97 [*]	75.61	0.00	26.23	<50	--	--	0.8	<1	<1	<1	--	18	--
	02/12/98 ^{NP}	75.90	0.00	25.94	<50	--	--	1	<1	<1	<1	--	27	--
	05/14/98 ^{NP}	75.18	0.00	26.66	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/25/98 ^{NP}	75.45	0.00	26.39 ^b	<50	--	--	<0.5	<1	<1	<1	--	23	--
	11/13/98 ^{NP}	77.24	0.00	24.60 ^b	<50	--	--	<0.5	<1	<1	<1	--	103	--
	02/10/99	78.08	0.00	23.76 ^b	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	05/28/99 ^{NP}	73.80	0.00	28.04 ^b	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/18/99 ^{NP}	75.54	0.00	26.30 ^b	<50	--	--	0.5	<1	<1	2	--	--	--
	11/11/99 ^{NP}	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/09/00 ^{NP}	77.50	0.00	24.34	<50	--	--	<0.5	<1	<1	<1	--	24	--
	05/24/00 ^{NP}	75.70	0.00	26.14	<50.0	--	--	<0.500	<0.500	<0.500	2.88	--	--	--
	09/11/00 ^{NP}	71.56	0.00	30.28	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	11/27/00 ^{NP}	78.40	0.00	23.44	141	--	--	<0.500	1.10	<0.500	5.59	--	254	--
	02/23/01	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/01	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/30/01	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/19/01	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/04/02	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/20/02	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/21/03 ^{NP}	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/14/03 ^{NP}	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	5/13/04 ^{NP}	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/9/04 ^{NP}	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/08/05	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/05	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/18/05	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/22/05	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/01/06	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/30/06	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/28/06	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/14/06	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/21/07	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/22/07	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	8/20/2007 ^d	78.47	DRY	23.37	--	--	--	--	--	--	--	--	--	--
	11/19/07	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/19/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
416.79	05/19/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/18/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/17/08	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/04/09	79.15	0.00	337.64	--	--	--	--	--	--	--	--	--	--
	5/4/090	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/03/09	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/03/09	79.10	0.00	337.69	Well gauged only this quarter.									
	02/08/10	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/03/10	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/07/10	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/01/10	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/10/11	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/18/11	78.55	0.00	338.24	Well gauged only this quarter.									
	09/02/11	77.64	0.00	339.15	Well gauged only this quarter.									
	12/07/11	78.21	0.00	338.58	Well gauged only this quarter.									
	02/23/12	Dry	0.00	--	Well gauged only this quarter.									
	05/22/12	Dry	0.00	--	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	Dry	0.00	--	--	--	--	--	--	--	--	--	--	--
	04/29/15	Dry	Dry	Dry	--	--	--	--	--	--	--	--	--	--
	07/23/15	Dry	Dry	Dry	--	--	--	--	--	--	--	--	--	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800 ^a	500	500	5	1,000	700	1,000	20	15	15
GW-4	10/15/15	Dry	Dry	Dry	--	--	--	--	--	--	--	--	--	--
(Cont.)	09/27/16	Dry	Dry	Dry	--	--	--	--	--	--	--	--	--	--
	09/19/17	76.10	0.00	340.69	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/11/18	77.37	0.00	339.42	Well gauged only this quarter.									
	Well Decommissioned in October 2018													
GW-5 98.98	05/02/94	78.84	0.00	20.14	100,000	--	--	8,200	15,000	2,100	12,000	--	3	--
	11/11/94	79.14	0.00	19.84	160,000	--	--	20,000	33,000	2,300	15,000	--	6	--
	02/17/95	79.14	0.00	19.84	130,000	--	--	14,000	25,000	1,550	11,000	--	6	--
	05/16/95	78.31	0.00	20.67	180,000	--	--	19,000	34,000	2,300	16,000	--	8	--
	08/09/95	77.55	0.00	21.43	200,000	--	--	22,000	38,000	2,400	18,000	--	17	--
	11/06/95	77.49	0.00	21.49	184,000	--	--	20,000	42,000	2,900	19,000	--	15	--
	02/13/96	77.31	0.00	21.67	190,000	--	--	19,000	42,000	2,900	18,000	--	8	--
	02/21/96	76.89	0.00	22.09	--	--	--	--	--	--	--	--	--	--
	05/21/96	75.21	0.00	23.77	32,000	--	--	1,800	2,100	100	5,900	--	6	--
	06/06/96	75.04	0.00	23.94	--	--	--	--	--	--	--	--	--	--
	06/11/96	75.07	0.00	23.91	--	--	--	--	--	--	--	--	--	--
	09/24/96	74.47	0.00	24.51	56,000	--	--	3,800	5,100	90	8,700	--	4	--
	12/12/96	74.99	0.00	23.99	88,000	--	--	2,200	4,700	43	16,000	--	42	--
	03/24/97	24.90	0.00	74.08	7,800	--	--	690	790	13	1,300	--	34	--
	04/11/97	73.31	0.00	25.67	--	--	--	--	--	--	--	--	--	--
	06/18/97	72.05	0.00	26.93	90,000	--	--	9,000	21,000	1,400	12,000	--	4	--
	08/25/97	71.85	0.00	27.13	45,000	--	--	4,600	7,000	180	6,500	--	4	--
	11/19/97 ^c	72.77	0.00	26.21	44,000	--	--	3,700	7,200	530	4,800	--	5	--
	02/12/98 ^{NP}	73.10	0.00	25.88	65,000	--	--	6,800	10,000	990	5,500	--	3	--
	05/14/98 ^{NP}	72.40	0.00	26.58 ^b	56,000	--	--	7,700	11,000	1,000	10,000	--	6	--
	08/25/98 ^{NP}	67.44	0.00	31.54 ^b	25,000	--	--	120	450	58	5,300	--	6	--
	11/13/98	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/10/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/28/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/18/99 ^{NP}	72.85	0.00	26.13 ^b	4,900	--	--	430	480	36	560	--	--	--
	11/11/99 ^{NP}	76.11	0.00	22.87	276	--	--	3.07	4.94	0.815	22.2	--	9.62	--
	02/09/00 ^{NP}	75.62	0.00	23.36	94	--	--	<0.5	2	<1	9	--	7	--
	05/24/00 ^{NP}	38.60	0.00	60.38	367	--	--	21.9	40.1	1.34	77.2	--	--	--
	09/11/00 ^{NP}	60.00	0.00	38.98	--	--	--	--	--	--	--	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	48.75	0.00	50.23	436	--	--	<0.500	4.35	1.57	50.1	--	5.31	--
	05/16/01	79.44	0.00	19.54	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	2.35	--
	08/30/01 ^{NP}	77.78	0.00	21.20	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.04	--
	11/19/01	79.37	0.00	19.61	472	--	--	<0.500	8.43	1.34	79.1	--	1.93	--
	05/04/02	76.90	0.00	22.08	<50.0	--	--	<0.500	0.630	<0.500	1.82	--	<1.00	--
	11/20/02	76.93	0.00	22.05	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.70	<1.00
	05/21/03 ^{NP}	78.00	0.00	20.98	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.02	<1.00
	11/14/03 ^{NP C}	79.12	0.00	19.87	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	78.51	0.00	20.47	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	80.04	0.00	18.94	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	78.70	0.00	20.28	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	79.64	0.00	19.34	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	80.55	0.00	18.43	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	78.24	0.00	20.74	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	03/01/06	77.97	0.00	21.01	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/30/06	77.33	0.00	21.65	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	76.68	0.00	22.30	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	78.35	0.00	20.63	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	76.70	0.00	22.28	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	43.6	43.3
	05/22/07	75.78	0.00	23.20	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	75.15	0.00	23.83	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	76.01	0.00	22.97	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/19/08	73.98	0.00	25.00	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
413.40	05/19/08	76.12	0.00	337.28	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	76.52	0.00	336.88	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/17/08	77.00	0.00	336.40	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	77.30	0.00	336.10	--	--	--	--	--	--	--	--	--	--
	05/04/09	77.40	0.00	336.00	<50.0 4n	<83	<420	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/03/09	77.38	0.00	336.02	--	--	--	--	--	--	--	--	--	--
	11/03/09	77.71	0.00	335.69	Well gauged only this quarter.									
	02/08/10	77.94	0.00	335.46	Well gauged only this quarter.									
	05/03/10	77.19	0.00	336.21	Well gauged only this quarter.									
	09/07/10	76.40	0.00	337.00	Well gauged only this quarter.									
	12/01/10	76.94	0.00	336.46	Well gauged only this quarter.									
	02/10/11	76.18	0.00	337.22	Well gauged only this quarter.									
	05/18/11	74.77	0.00	338.63	Well gauged only this quarter.									
	09/02/11	74.33	0.00	339.07	Well gauged only this quarter.									

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-5	12/07/11	74.94	0.00	338.46	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	0.33	0.13
(Cont.)	02/23/12	75.78	0.00	337.62	Well gauged only this quarter.									
	05/22/12	75.44	0.00	337.96	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	76.60	0.00	336.80	<100	<100	<500	<0.50	<0.50	<0.50	<0.50	--	<5.0	<5.0
	4/29/2015**	74.44	0.00	338.96	249	--	--	14.2	<1.0	1.6	14.7	--	<10.0	<10.0
	07/23/15	75.06	0.00	338.34	182	--	--	3.9	<1.0	2.4	7.6	--	--	--
	10/15/15	76.34	0.00	337.06	<250	--	--	<0.50	<0.50	<0.50	<1.0	--	--	--
	09/27/16	74.75	0.00	338.65	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/20/17	63.21	0.00	350.19	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/05/18	74.04	0.00	339.36	<19.6	--	--	0.60 J	<0.083	<0.14	<0.31	--	<2.0	<2.0
Well Decommissioned in October 2018														
GW-6	05/02/94	42.10	1.90	57.57	--	--	--	--	--	--	--	--	--	--
98.24	11/11/94	41.67	0.65	57.06	LPH Present	--	--	--	--	--	--	--	--	--
	02/17/95	41.13	0.24	57.29	LPH Present	--	--	--	--	--	--	--	--	--
	05/16/95	32.62	0.24	65.80	130,000	--	--	14,000	21,000	2,000	11,000	--	2	--
	08/09/95	32.65	0.03	65.61	LPH Present	--	--	--	--	--	--	--	--	--
	11/06/95	40.26	0.06	58.03	LPH Present	--	--	--	--	--	--	--	--	--
	02/13/96	32.10	0.00	66.14	68,000	--	--	11,000	13,000	1,100	6,000	--	5	--
	02/21/96	32.18	0.05	66.10	--	--	--	--	--	--	--	--	--	--
	05/21/96	27.40	0.00	70.84	36,000	--	--	2,300	3,300	560	3,700	--	20	--
	06/06/96	28.16	0.00	70.08	--	--	--	--	--	--	--	--	--	--
	06/11/96	28.23	0.00	70.01	--	--	--	--	--	--	--	--	--	--
	09/24/96	35.38	0.00	62.86	36,000	--	--	3,800	5,100	790	4,300	--	22	--
	12/12/96	37.76	0.00	60.48	66,000	--	--	4,100	7,900	1,100	6,500	--	48	--
	03/24/97	24.55	0.00	73.69	82,000	--	--	2,700	12,000	1,700	10,000	--	41	--
	04/11/97	23.32	0.00	74.92	--	--	--	--	--	--	--	--	--	--
	06/18/97	25.51	0.00	72.73	43,000	--	--	4,100	7,300	800	4,500	--	10	--
	08/25/97	30.55	0.00	67.69	52,000	--	--	5,600	11,000	1,200	6,200	--	10	--
	11/19/97	34.17	0.00	64.07	81,000	--	--	8,700	15,000	1,500	7,700	--	13	--
	02/12/98 ^{NP}	26.67	0.00	71.57	1,400	--	--	33	51	59	110	--	6	--
	05/14/98 ^{NP}	26.00	0.00	72.24 ^b	1,800	--	--	42	170	98	310	--	5	--
	08/25/98 ^{NP}	25.99	0.00	72.25 ^b	14,000	--	--	220	890	79	3,100	--	5	--
	11/13/98	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/10/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/28/99	Inaccessible - L	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/18/99 ^{NP}	32.94	0.00	65.30 ^b	26,000	--	--	1,100	2,600	240	3,100	--	--	--
	11/11/99 ^{NP}	43.39	0.00	54.85	218	--	--	1.11	5.55	0.642	30.1	--	4.47	--
	02/09/00 ^{NP}	36.20	0.00	62.04	<50	--	--	<0.5	<1	<1	2	--	<2	--
	05/24/00 ^{NP}	27.52	0.00	70.72	<50.0	--	--	2.31	1.05	<0.500	1.34	--	--	--
	09/11/00 ^{NP}	26.46	0.00	71.78	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	11/27/00	40.05	0.00	58.19	1,990	--	--	214	265	20.7	333	--	329	--
	02/23/01	34.58	0.00	63.66	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.18	--
	05/16/01	43.52	0.00	54.72	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	08/30/01 ^{NP}	40.20	0.00	58.04	<50.0	--	--	1.73	<0.500	<0.500	1.17	--	1.87	--
	11/19/01	46.75	0.00	51.49	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	28.46	0.00	69.78	<50.0	--	--	0.748	<0.500	<0.500	1.08	--	5.23	--
	11/20/02	46.10	0.00	52.14	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	05/21/03 ^{NP}	35.60	0.00	62.64	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	11/14/03 ^{NP C}	46.05	0.00	52.19	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	34.02	0.00	64.22	<100	--	--	1.95	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	42.73	0.00	55.51	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	39.02	0.00	59.40	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	33.23	0.00	65.01	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	82.10	0.00	16.14	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	38.57	0.00	59.67	<48	--	--	0.7	<0.2	<0.2	0.6	--	<8.4	--
	03/01/06	32.80	0.00	65.44	100	--	--	8	<0.7	<0.8	1	<0.5	<8.4	--
	05/30/06	32.49	0.00	65.75	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	--	0.00	--	<48	--	--	4	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	41.00	0.00	57.24	<48	--	--	4	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	31.14	0.00	67.10	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	57.8	47.6
	05/22/07	27.90	0.00	70.34	<50	--	--	1	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	35.30	0.00	62.94	<50	--	--	2	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	38.67	0.00	59.57	700	--	--	230	15	49	7	<0.5	<6.9	<6.9
	02/19/08	34.37	0.00	63.87	390	--	--	<0.5	83	12	18	10	12.1	<6.9
413.26	05/19/08	32.28	0.00	380.98	800	--	--	280	37	52	49	<0.5	23.4	<6.9
	08/18/08	36.15	0.00	377.11	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/18/08	38.74	0.00	374.52	790	--	--	290	17	35	64	<0.5	<6.9	<6.9
	02/04/09	37.20	0.00	376.06	388	<83	<420	300	7.40	34	20	<1	1.06	--
	05/04/09	32.52	0.00	380.74	<50.0	<83	<420	<1.0	<1.0	<1.0	<1.0	<1.0	20.8	<1.0

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-6	08/03/09	34.00	0.00	379.26	2,050	--	--	697	30.7	126	158	<5.0	1.4	0.4
(Cont.)	11/03/09	38.52	0.00	374.74	1,660 1n,22	--	--	260	8.6	100	118	<1.0	2.2	0.11
	02/08/10	33.24	0.00	380.02	19.2J, 1n	--	--	16.7	<1.0	1.8	3.8	<1.0	18.8	<0.10
	05/03/10	28.13	0.00	385.13	<50.0	--	--	1.1	<1.0	<1.0	<3.0	<1.0	24.9	<0.10
	09/07/10	33.90	0.00	379.36	1,380	--	--	368	13.2	93.9	156	<1.0	7.1	<0.10
	12/01/10	35.78	0.00	377.48	522	--	--	277 M1	4.3	39.2	43.9	<1.0	5.3	0.25
	02/10/11	27.49	0.00	385.77	399	--	--	123	2.0	21.9	27.4	<1.0	1.6	0.14
	05/18/11	24.38	0.00	388.88	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	--	1.4	<0.10
	09/02/11	32.32	0.00	380.94	527	--	--	79.8	3.1	16.2	39.0	--	8.1	<0.10
	12/07/11	37.32	0.00	375.94	1,260	--	--	112	4.2	38.3	68.2	<1.0	1.6	0.14
	02/23/12	38.05	0.00	375.21	187	--	--	37.2	<1.0	8.6	8.4	--	4.8	--
	05/22/12	27.95	0.00	385.31	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	--	0.86	<0.10
	08/01/12	31.33	0.00	381.93	<50.0	--	--	4.8	<1.0	<1.0	<3.0	--	<0.10	<0.10
	03/22/13	29.28	0.00	383.98	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	31.2	<10.0
	09/20/13	32.94	0.00	380.32	1,050	--	--	92.8	6	39	97	--	<10.0	<10.0
	12/19/14	36.47	0.00	376.79	530	<100	<500	190	4.1	34	48	--	<5.0	<5.0
	4/29/2015**	27.39	0.00	385.87	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	33.54	0.00	379.72	3,760	--	--	252	19.0	164	303	--	--	--
	10/15/15	38.12	0.00	375.14	2,560	--	--	197	13.8	125	243	--	--	--
	10/07/16	37.00	0.00	376.26	1,140	--	--	115	7.0	49.5	77.0	--	<10.0	<10.0
	09/20/17	33.16	0.00	380.10	739	--	--	128	8.1	44.6	56.1	--	<10.0	<10.0
	09/04/18	35.34	0.00	377.92	<19.6	--	--	0.34 J	<0.083	0.25J	<0.31	--	<2.0	<2.0
Well Decommissioned in October 2018														
GW-7D¹	11/11/94	77.35	0.00	19.82	<50	--	--	1.3	2	<1	2	--	<2	--
97.17	02/17/95	77.30	0.00	19.87	<50	--	--	0.7	<1	<1	<1	--	<2	--
	05/16/95	73.53	0.00	23.64	<50	--	--	1.5	<1	<1	<1	--	19	--
	08/09/95	75.50	0.00	21.67	<50	--	--	<4	<1	<1	<1	--	5	--
	11/06/95	75.73	0.00	21.44	<50	--	--	6.6	<1	<1	<1	--	12	--
	02/13/96	75.58	0.00	21.59	<50	--	--	1.1	<1	<1	<1	--	<2	--
	02/21/96	75.10	0.00	22.07	--	--	--	--	--	--	--	--	--	--
	05/21/96	73.61	0.00	23.56	--	--	--	--	--	--	--	--	--	--
	06/06/96	73.55	0.00	23.62	--	--	--	--	--	--	--	--	--	--
	06/11/96	73.46	0.00	23.71	<50	--	--	2.1	<1	<1	<1	--	7	--
	09/24/96	72.84	0.00	24.33	<50	--	--	2.6	<1	<1	<1	--	10	--
	12/12/96	73.18	0.00	23.99	<50	--	--	1.2	<1	<1	<1	--	9	--
	03/24/97	68.85	0.00	28.32	<50	--	--	0.8	<1	<1	<1	--	3	--
	04/11/97	71.89	0.00	25.28	--	--	--	--	--	--	--	--	--	--
	06/18/97	71.19	0.00	25.98	<50	--	--	1.0	<1	<1	<1	--	10	--
	08/25/97	70.32	0.00	26.85	<50	--	--	1.1	<1	<1	<1	--	10	--
	11/19/97 ²	71.79	0.00	25.38	<50	--	--	<1	<1	<1	<1	--	14	--
	02/12/98 ^{NP}	71.27	0.00	25.90	<50	--	--	<1	<1	<1	<1	--	2	--
	05/14/98 ^{NP}	70.75	0.00	26.42 ^b	<50	--	--	<0.5	<1	<1	<1	--	6	--
	08/25/98	70.64	0.00	26.53 ^b	--	--	--	--	--	--	--	--	--	--
	11/13/98	71.30	0.00	25.87 ^b	--	--	--	--	--	--	--	--	--	--
	02/10/99	73.76	0.00	23.41 ^b	--	--	--	--	--	--	--	--	--	--
	05/28/99 ^{NP}	69.40	0.00	27.77 ^b	<50	--	--	2.7	<1	<1	<1	--	8	--
	08/18/99 ^{NP}	71.23	0.00	25.94 ^b	--	--	--	--	--	--	--	--	--	--
	11/11/99 ^{NP}	71.62	0.00	25.55	--	--	--	--	--	--	--	--	--	--
	02/09/00 ^{NP}	73.20	0.00	23.97	--	--	--	--	--	--	--	--	--	--
	05/24/00 ^{NP}	76.55	0.00	20.62	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	09/11/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/01	77.92	0.00	19.25	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	7.14	--
	08/30/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/19/01	79.60	0.00	17.57	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	75.67	0.00	21.50	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	3.21	--
	11/20/02	76.20	0.00	20.97	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	11.5	<1.00
	05/21/03 ^{NP}	76.20	0.00	20.97	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	19.0	13.0
	11/14/03 ^{NP}	76.22	0.00	20.95	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	76.73	0.00	20.44	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	78.31	0.00	18.86	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	76.85	0.00	20.32	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	--
	05/16/05	77.07	0.00	20.10	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	77.68	0.00	19.49	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	77.17	0.00	20.00	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<8.4	--
	03/01/06	76.84	0.00	20.33	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/30/06	76.32	0.00	20.85	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	8.7	<6.9
	08/28/06	75.71	0.00	21.46	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	76.22	0.00	20.95	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	75.58	0.00	21.59	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	62.1	52
	05/22/07	74.70	0.00	22.47	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-7D	08/20/07	74.05	0.00	23.12	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
(Cont.)	11/19/07	74.91	0.00	22.26	65	--	--	<0.5	2	<0.8	1	<0.5	12.7	<6.9
	02/19/08	75.02	0.00	22.15	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	24.6	<6.9
412.23	05/19/08	75.12	0.00	337.11	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	20.0	<6.9
	08/18/08	75.37	0.00	336.86	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/18/08	75.85	0.00	336.38	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	7.9	<6.9
	02/04/09	76.11	0.00	336.12	--	--	--	--	--	--	--	--	--	--
	05/05/09	76.35	0.00	335.88	<50.0	<83	<420	<1.0	<1.0	<1.0	<1.0	<1.0	6.3	<1.0
	08/03/09	76.24	0.00	335.99	--	--	--	--	--	--	--	--	--	--
	11/03/09	76.58	0.00	335.65	Well gauged only this quarter.									
	02/08/10	76.79	0.00	335.44	Well gauged only this quarter.									
	05/03/10	76.13	0.00	336.1	Well gauged only this quarter.									
	09/07/10	75.29	0.00	336.94	Well gauged only this quarter.									
	12/01/10	75.81	0.00	336.42	Well gauged only this quarter.									
	02/10/11	74.84	0.00	337.39	Well gauged only this quarter.									
	05/18/11	74.08	0.00	338.15	Well gauged only this quarter.									
	09/02/11	73.31	0.00	338.92	Well gauged only this quarter.									
	12/07/11	73.80	0.00	338.43	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	23.3	0.23
	02/23/12	74.64	0.00	337.59	Well gauged only this quarter.									
	05/22/12	74.36	0.00	337.87	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	NM	0.00	--	Well submerged under large surface puddle of water - not accessible.									
	04/29/15	75.27	0.00	336.96	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	19.0	<10.0
	07/23/15	74.80	0.00	337.43	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	--	--
	10/15/15	75.24	0.00	336.99	<250	--	--	<0.5	<0.5	<0.5	<1.0	--	--	--
	10/07/16	73.80	0.00	338.43	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	21.6	<10.0
	09/20/17	71.70	0.00	340.53	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/05/18	72.98	0.00	339.25	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	2.7J	<2.0
	12/13/18	73.55	0.00	338.68	<19.6	--	--	4.4	1.7	0.31 J	<0.31	--	11.6	<2.0
	03/26/19	74.65	0.00	337.58	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/25/19	74.90	0.00	337.33	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	2.9J	<2.0
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	Well not monitored or sampled this quarter												
	12/16/21	Well not monitored or sampled this quarter												
GW-8S	12/11/18	35.35	0.00	378.42	Insufficient water to sample									
413.77	03/27/19	20.02	0.00	393.75	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	21.92	0.00	391.85	<38.3	--	--	<0.10	<0.83	<0.14	<0.31	--	<2.0	<2.0
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	Well not monitored or sampled this quarter - inaccessible due to damaged bolt												
	12/16/21	Well not monitored or sampled this quarter - inaccessible due to damaged bolt												
GW-8D ¹	11/11/94	79.12	0.00	19.70	88,000	--	--	17,000	18,000	1,000	7,000	--	4	--
98.82	02/17/95	79.04	0.00	19.78	11,000	--	--	20,000	22,000	1,650	9,200	--	5	--
	05/16/95	78.28	0.00	20.54	98,000	--	--	19,000	18,000	1,500	8,300	--	7	--
	08/09/95	77.57	0.00	21.25	95,000	--	--	21,000	19,000	1,400	7,400	--	6	--
	11/06/95	77.49	0.00	21.33	99,000	--	--	21,000	21,000	1,600	8,100	--	4	--
	02/13/96	77.27	0.00	21.55	110,000	--	--	25,000	28,000	2,000	10,000	--	5	--
	02/21/96	76.87	0.00	21.95	--	--	--	--	--	--	--	--	--	--
	05/21/96	75.33	0.00	23.49	100,000	--	--	23,000	24,000	1,700	9,400	--	2	--
	06/06/96	75.13	0.00	23.69	--	--	--	--	--	--	--	--	--	--
	06/11/96	75.17	0.00	23.65	--	--	--	--	--	--	--	--	--	--
	09/24/96	74.60	0.00	24.22	92,000	--	--	18,000	18,000	1,500	7,700	--	4	--
	12/12/96	75.11	0.00	23.71	130,000	--	--	19,000	22,000	1,600	8,500	--	4	--
	03/24/97	74.04	0.00	24.78	73,000	--	--	14,000	18,000	1,400	7,400	--	3	--
	04/11/97	73.57	0.00	25.25	--	--	--	--	--	--	--	--	--	--
	06/18/97	73.38	0.00	25.44	90,000	--	--	20,000	23,000	1,500	8,200	--	7	--
	08/25/97	72.08	0.00	26.74	47,000	--	--	10,000	10,000	840	4,800	--	7	--
	11/19/97 [*]	72.91	0.00	25.91	39,000	--	--	8,000	7,600	760	12,000	--	11	--
	02/12/98 ^{NP}	73.04	0.00	25.78	6,600	--	--	920	420	120	350	--	<2	--
	05/14/98 ^{NP}	72.40	0.00	26.42	640	--	--	200	92	24	110	--	4	--
	08/25/98 ^{NP}	64.50	0.00	34.32 ^b	4,200	--	--	150	850	34	820	--	3	--
	11/13/98 ^{NP}	73.98	0.00	24.84 ^b	1,500	--	--	38	68	2	460	--	10	--
	02/10/99	75.38	0.00	23.44 ^b	284	--	--	66.4	10.5	6.45	23.1	--	--	--
	05/28/99 ^{NP}	64.90	0.00	33.92 ^b	17,000	--	--	230	1,200	100	3,400	--	4	--
	08/18/99 ^{NP}	72.90	0.00	25.92 ^b	<50	--	--	0.7	<1	<1	<1	--	--	--
	11/11/99 ^{NP}	76.78	0.00	22.04	<50.0	--	--	2.46	<0.500	0.509	1.44	--	1.06	--
	02/09/00 ^{NP}	74.83	0.00	23.99	<50	--	--	3.4	<1	<1	<1	--	<2	--
	05/24/00 ^{NP}	73.25	0.00	25.57	8,100	--	--	34.3	10.6	<5.00	1,850	--	--	--
	09/11/00 ^{NP}	67.00	0.00	31.82	69.2	--	--	0.503	<0.500	<0.500	6.87	--	--	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-8D	11/27/00	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
(Cont.)	02/23/01	73.69	0.00	25.13	62.1	--	--	<0.500	<0.500	<0.500	<1.00	--	2.03	--
	05/16/01	DRY	0.00	--	--	--	--	--	--	--	--	--	--	--
	08/30/01 ^{NP}	78.15	0.00	20.67	<50.0	--	--	<0.500	<0.500	<0.500	3.05	--	1.50	--
	11/19/01	78.87	0.00	19.95	99.1	--	--	<0.500	2.47	<0.500	25.6	--	<1.00	--
	05/04/02	76.32	0.00	22.50	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	11/20/02	77.19	0.00	21.63	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	05/21/03 ^{NP}	77.11	0.00	21.71	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	11/14/03 ^{NP}	77.69	0.00	21.14	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	77.64	0.00	21.18	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/10/04 ^{NP}	77.70	0.00	21.12	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	78.21	0.00	20.61	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	79.11	0.00	19.71	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	79.44	0.00	19.38	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.6	<8.4	--
	11/11/05	78.57	0.00	20.25	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<8.4	--
	03/01/06	78.40	0.00	20.42	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/31/06	77.71	0.00	21.11	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	77.20	0.00	21.62	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	78.50	0.00	20.32	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	77.15	0.00	21.67	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	51.1	46.2
	05/22/07	76.32	0.00	22.50	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	75.73	0.00	23.09	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	76.60	0.00	22.22	150	--	--	3	5	1	8	<0.5	<6.9	<6.9
	02/19/08	76.65	0.00	22.17	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	7.7	<6.9
413.79	05/19/08	76.76	0.00	337.03	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	77.09	0.00	336.70	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/17/08	77.50	0.00	336.29	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	77.75	0.00	336.04	--	--	--	--	--	--	--	--	--	--
	05/05/09	78.04	0.00	335.75	<50.0	<85	<430	<1.0	<1.0	<1.0	3.1	<1.0	1.8	<1.0
	08/03/09	77.93	0.00	335.86	--	--	--	--	--	--	--	--	--	--
	11/03/09	78.20	0.00	335.59	Well gauged only this quarter.									
	02/08/10	78.40	0.00	335.39	Well gauged only this quarter.									
	05/03/10	77.79	0.00	336.00	Well gauged only this quarter.									
	09/07/10	76.95	0.00	336.84	Well gauged only this quarter.									
	12/01/10	77.46	0.00	336.33	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	8.5	0.15
	02/10/11	74.16	0.00	339.63	Well gauged only this quarter.									
	05/18/11	75.58	0.00	338.21	Well gauged only this quarter.									
	09/02/11	74.90	0.00	338.89	Well gauged only this quarter.									
	12/07/11	75.47	0.00	338.32	Well gauged only this quarter.									
	02/23/12	76.29	0.00	337.50	Well gauged only this quarter.									
	05/22/12	76.72	0.00	337.07	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/18/14	77.11	0.00	336.68	<100	<100	<500	<0.50	<0.50	<0.50	<0.50	--	<5.0	<5.0
	04/29/15	76.89	0.00	336.90	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	76.46	0.00	337.33	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	--	--
	10/15/15	76.91	0.00	336.88	<250	--	--	<0.5	<0.5	<0.5	<1.0	--	--	--
	09/28/16	75.30	0.00	338.49	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/20/17	73.40	0.00	340.39	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/05/18	74.62	0.00	339.17	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
413.77	12/12/18	75.05	0.00	338.72	<19.6	--	--	<0.10	<0.083	0.28J	<0.31	--	2.2J	<2.0
	03/27/19	76.29	0.00	337.48	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	76.42	0.00	337.35	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	77.12	0.00	336.65	Well not sampled this quarter									
	12/16/21	77.66	0.00	336.11	Well not sampled this quarter									
GW-9D¹	11/11/94	79.83	0.00	19.74	93,000	--	--	6,600	18,000	1,400	9,300	--	<2	--
99.57	02/17/95	79.79	0.00	19.78	87,000	--	--	9,100	17,000	1,330	7,900	--	3	--
	05/16/95	78.99	0.00	20.58	68,000	--	--	7,700	12,000	1,200	6,000	--	3	--
	08/09/95	78.32	0.00	21.25	88,000	--	--	12,000	18,000	1,200	7,100	--	6	--
	11/06/95	78.23	0.00	21.34	88,000	--	--	11,000	20,000	1,300	7,900	--	<2	--
	02/13/96	78.00	0.00	21.57	69,000	--	--	11,000	16,000	1,300	6,300	--	3	--
	02/21/96	77.60	0.00	21.97	--	--	--	--	--	--	--	--	--	--
	05/21/96	76.05	0.00	23.52	76,000	--	--	13,000	20,000	1,500	7,500	--	2	--
	06/06/96	76.01	0.00	23.56	--	--	--	--	--	--	--	--	--	--
	06/11/96	75.91	0.00	23.66	--	--	--	--	--	--	--	--	--	--
	09/24/96	75.26	0.00	24.31	34,000	--	--	4,600	6,200	650	2,800	--	6	--
	12/12/96	75.77	0.00	23.80	100,000	--	--	11,000	18,000	1,700	8,400	--	6	--
	03/24/97	74.81	0.00	24.76	64,000	--	--	7,400	14,000	1,400	1,200	--	10	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-9D	04/11/97	74.32	0.00	25.25	--	--	--	--	--	--	--	--	--	--
(Cont.)	06/18/97	73.05	0.00	26.52	74,000	--	--	8,500	20,000	1,500	7,700	--	8	--
	08/25/97	72.87	0.00	26.70	47,000	--	--	4,000	11,000	940	4,600	--	8	--
	11/19/97 ⁺	73.61	0.00	25.96	34,000	--	--	2,500	6,900	760	3,300	--	27	--
	02/12/98 ^{NP}	73.75	0.00	25.82	52	--	--	2	4	2	7	--	3	--
	05/14/98 ^{NP}	73.12	0.00	26.45	<50	--	--	<0.5	<1	<1	1	--	<2	--
	08/25/98 ^{NP}	72.54	0.00	27.03	46,000	--	--	1,800	6,700	150	11,000	--	6	--
	11/13/98 ^{NP}	74.80	0.00	24.77	200	--	--	93	6	6	32	--	2	--
	02/10/99	76.08	0.00	23.49	3,250	--	--	647	215	112	482	--	--	--
	05/28/99 ^{NP}	68.45	0.00	31.12	3,000	--	--	32	34	10	630	--	9	--
	08/18/99 ^{NP}	73.61	0.00	25.96	<50	--	--	2.9	<1	<1	<1	--	--	--
	11/11/99 ^{NP}	77.38	0.00	22.19	6,440	--	--	2,510	129	625	841	--	7.05	--
	02/09/00 ^{NP}	75.54	0.00	24.03	320	--	--	34	<0.5	0.67	0.74	--	<2	--
	05/24/00 ^{NP}	75.90	0.00	23.67	98.0	--	--	<1.25	<0.550	<0.500	3.11	--	--	--
	09/11/00 ^{NP}	68.40	0.00	31.17	1,160	--	--	94.8	2.53	40.3	134	--	--	--
	11/27/00 ^{NP}	76.41	0.00	23.16	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	3.70	--
	02/23/01	74.59	0.00	24.98	133	--	--	0.721	< 0.500	3.34	3.07	--	10.6	--
	05/16/01	79.10	0.00	20.47	<50.0	--	--	3.92	< 0.500	1.18	<1.00	--	<1.00	--
	08/30/01 ^{NP}	78.85	0.00	20.72	63.4	--	--	52.5	< 0.500	2.39	<1.00	--	2.03	--
	11/19/01	79.38	0.00	20.19	<50.0	--	--	0.726	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	78.05	0.00	21.52	<50.0	--	--	0.670	<0.500	<0.500	1.31	--	2.76	--
	11/20/02	77.97	0.00	21.60	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	05/21/03 ^{NP}	78.09	0.00	21.48	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	11/14/03 ^{NP}	78.36	0.00	21.22	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	78.40	0.00	21.17	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/10/04 ^{NP}	78.48	0.00	21.09	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	78.85	0.00	20.72	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	79.71	0.00	19.86	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	79.94	0.00	19.63	<48	--	--	0.6	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	79.37	0.00	20.20	<48	--	--	0.6	<0.2	<0.2	<0.6	--	<8.4	--
	03/01/06	79.12	0.00	20.45	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/31/06	78.42	0.00	21.15	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	77.87	0.00	21.70	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	78.45	0.00	21.12	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	77.88	0.00	21.69	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	52.9	49.5
	05/22/07	77.00	0.00	22.57	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	76.45	0.00	23.12	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	Dry	--	--	--	--	--	--	--	--	--	--	--	--
	02/19/08	77.37	0.00	22.20	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	8.8	<6.9
414.53	05/19/08	77.47	0.00	337.06	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	77.78	--	336.75	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/17/08	78.20	0.00	336.33	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	78.50	0.00	336.03	--	--	--	--	--	--	--	--	--	--
	05/05/09	78.78	0.00	335.75	<50.0	<85	<430	<1.0	1.0	<1.0	5.3	<1.0	1.1	<1.0
	08/03/09	78.65	0.00	335.88	--	--	--	--	--	--	--	--	--	--
	11/03/09	78.92	0.00	335.61	Well gauged only this quarter.									
	02/08/10	79.11	0.00	335.42	Well gauged only this quarter.									
	05/03/10	78.52	0.00	336.01	Well gauged only this quarter.									
	09/07/10	77.70	0.00	336.83	Well gauged only this quarter.									
	12/01/10	78.15	0.00	336.38	671	--	--	<1.0	<1.0	9.3	47.2	<1.0	1.9	<0.10
	02/10/11	77.80	0.00	336.73	Well gauged only this quarter.									
	05/18/11	76.37	0.00	338.16	Well gauged only this quarter.									
	09/02/11	75.65	0.00	338.88	Well gauged only this quarter.									
	12/07/11	76.18	0.00	338.35	Well gauged only this quarter.									
	02/23/12	76.92	0.00	337.61	Well gauged only this quarter.									
	05/22/12	76.04	0.00	338.49	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/18/14	77.82	0.00	336.71	<100	<100	<500	<0.50	<0.50	<0.50	<0.50	--	<5.0	<5.0
	04/29/15	77.57	0.00	336.96	272	--	--	<1.0	<1.0	<1.0	10.8	--	<10.0	<10.0
	07/23/15	77.17	0.00	337.36	148	--	--	<1.0	<1.0	<1.0	4.9	--	--	--
	10/15/15	78.23	0.00	336.30	<250	--	--	<0.5	<0.5	<0.5	2.8	--	--	--
	10/07/16	76.10	0.00	338.43	130	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/20/17	74.09	0.00	340.44	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/05/18	75.37	0.00	339.16	<19.6	--	--	<0.10	0.17 J	<0.14	<0.31	--	<2.0	<2.0
	12/12/18	75.75	0.00	338.78	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	03/28/19	76.98	0.00	337.55	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	77.50	0.00	337.03	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-10S	12/13/18	22.10	0.00	393.36	<19.6	--	--	0.37 J	0.32 J	<0.14	<0.31	--	<2.0	<2.0
415.46	03/27/19	20.90	0.00	394.56	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	22.13	0.00	393.33	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	35.52	0.00	379.94	Well not sampled this quarter									
	12/16/21	30.01	0.00	385.45	Well not sampled this quarter									
GW-10D¹	11/11/94	80.74	0.00	19.82	510	--	--	14.4	39	2	46	--	<2	--
100.56	02/17/95	80.68	0.00	19.88	1,230	--	--	19.8	119	11	129	--	<2	--
	05/16/95	79.89	0.00	20.67	810	--	--	19.2	94	<1	97	--	<2	--
	08/09/95	79.21	0.00	21.35	120	--	--	2.2	6	<1	21	--	2	--
	11/06/95	79.10	0.00	21.46	290	--	--	5.9	21	<1	46	--	2	--
	02/13/96	78.92	0.00	21.64	2,600	--	--	38	291	10	324	--	<2	--
	02/21/96	78.48	0.00	22.08	--	--	--	--	--	--	--	--	--	--
	05/21/96	77.00	0.00	23.56	1,260	--	--	28.9	121	8	190	--	<2	--
	06/06/96	76.94	0.00	23.62	--	--	--	--	--	--	--	--	--	--
	06/11/96	76.82	0.00	23.74	--	--	--	--	--	--	--	--	--	--
	09/24/96	76.15	0.00	24.41	<50	--	--	0.6	<1	<1	3	--	4	--
	12/12/96	76.63	0.00	23.93	558	--	--	4.9	14	5	61	--	<2	--
	03/24/97	75.87	0.00	24.69	1,200	--	--	2.6	31	23	160	--	8	--
	04/11/97	75.29	0.00	25.27	--	--	--	--	--	--	--	--	--	--
	06/18/97	73.98	0.00	26.58	3,110	--	--	15.7	133	68	434	--	3	--
	08/25/97	73.60	0.00	26.96	<50	--	--	<0.5	<1	<1	<1	--	3	--
	11/19/97 ¹	74.52	0.00	26.04	<50	--	--	<0.5	<1	<1	<1	--	26	--
	02/12/98 ^{NP}	74.61	0.00	25.95	<50	--	--	<0.5	<1	<1	<1	--	4	--
	05/14/98 ^{NP}	73.74	0.00	26.82 ^b	<50	--	--	<0.5	<1	<1	<1	--	4	--
	08/25/98 ^{NP}	72.90	0.00	27.66 ^b	3,000	--	--	5.9	55	15	310	--	2	--
	11/13/98 ^{NP}	75.26	0.00	25.30 ^b	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	02/10/99	76.77	0.00	23.79 ^b	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	05/28/99 ^{NP}	63.60	0.00	36.96 ^b	<50	--	--	<0.5	<1	<1	<1	--	3	--
	08/18/99 ^{NP}	74.17	0.00	26.39 ^b	<50	--	--	<0.5	<1	<1	<1	--	--	--
	11/11/99 ^{NP}	61.05	0.00	39.51	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	02/09/00 ^{NP}	76.11	0.00	24.45	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	05/24/00 ^{NP}	75.15	0.00	25.41	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	09/11/00 ^{NP}	36.00	0.00	64.56	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	80.17	0.00	20.39	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/16/01	81.63	0.00	18.93	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	08/30/01 ^{NP}	79.60	0.00	20.96	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.07	--
	11/19/01	80.85	0.00	19.71	<50.0	--	--	<0.500	0.873	<0.500	1.03	--	<1.00	--
	05/04/02	78.81	0.00	21.75	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.84	--
	11/20/02	78.60	0.00	21.96	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	05/21/03 ^{NP}	78.03	0.00	22.53	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	<1.00
	11/14/03 ^{NP}	80.91	0.00	19.65	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	76.50	0.00	24.06	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	81.65	0.00	18.91	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	79.02	0.00	21.54	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	81.41	0.00	19.15	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	81.98	0.00	18.58	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	80.31	0.00	20.25	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	03/01/06	80.03	0.00	20.53	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/30/06	79.46	0.00	21.10	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	78.70	0.00	21.86	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	79.35	0.00	21.21	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	78.70	0.00	21.86	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	55.8	53.3
	05/22/07	77.82	0.00	22.74	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/20/07	77.15	0.00	23.41	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	77.00	0.00	23.56	67	--	--	<0.5	2	<0.8	3	<0.5	<6.9	<6.9
	02/19/08	78.12	0.00	22.44	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	11.4	<6.9
415.30	05/19/08	78.25	0.00	337.05	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	78.53	0.00	336.77	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/17/08	78.95	0.00	336.35	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	79.25	0.00	336.05	--	--	--	--	--	--	--	--	--	--
	05/04/09	79.29	0.00	336.01	<50.0	<83	<420	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/03/09	79.39	0.00	335.91	--	--	--	--	--	--	--	--	--	--
	11/03/09	79.60	0.00	335.70	Well gauged only this quarter.									
	02/08/10	79.92	0.00	335.38	Well gauged only this quarter.									
	05/03/10	79.29	0.00	336.01	Well gauged only this quarter.									
	09/07/10	78.40	0.00	336.90	Well gauged only this quarter.									
	12/01/10	78.95	0.00	336.35	Well gauged only this quarter.									
	02/10/11	76.95	0.00	338.35	Well gauged only this quarter.									

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-10D	05/18/11	77.20	0.00	338.10										
(Cont.)	09/02/11	76.35	0.00	338.95										
	12/07/11	76.87	0.00	338.43										
	02/23/12	77.78	0.00	337.52										
	05/22/12	77.52	0.00	337.78										
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	78.62	0.00	336.68	<100	560	<500	0.51	<0.50	<0.50	1.0	--	<5.0	<5.0
	04/29/15	78.41	0.00	336.89	<100	<92	<230	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	77.93	0.00	337.37	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	10/15/15	78.35	0.00	336.95	<250	--	--	<0.5	<0.5	<0.5	<1.0	--	--	--
	09/27/16	76.80	0.00	338.50	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/19/17	74.79	0.00	340.51	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/04/18	76.06	0.00	339.24	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
415.30	12/13/18	76.60	0.00	338.70	<19.6	--	--	1.5	0.90 J	0.18 J	<0.31	--	2.9J	<2.0
	03/27/19	77.75	0.00	337.55	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	77.90	0.00	337.40	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	09/12/19	78.60	0.00	336.70	<38.3	<75.3	205J	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	12/12/19	79.00	0.00	336.30	<38.3	<67.7	<79.9	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	03/11/20	79.54	0.00	335.76	<38.3	<69.1	<81.6	<0.12	<0.12	<0.075	<0.29	--	<2.0	<2.0
	03/31/20													
	03/09/21	79.25	0.00	336.05	45.7J	--	--	0.0773J	<0.278	0.157J	0.238J	--	<2.0	<2.0
	07/15/21	78.40	0.00	336.90	<31.6	--	--	<0.0941	0.477J	1.67	10.7	--	<2.6	<2.6
	10/08/21	78.58	0.00	336.72	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	12/17/21	79.52	0.00	335.78	<42.8	--	--	<0.10	<0.10	<0.11	<0.20	--	<2.6	<2.6
GW-11D¹	11/11/94	79.83	0.00	19.89	<50	--	--	<0.5	<1	<1	<1	--	2	--
99.72	02/17/95	79.81	0.00	19.91	<50	--	--	<0.5	<1	<1	<1	--	5	--
	05/16/95	79.01	0.00	20.71	<50	--	--	1.5	<1	<1	<1	--	8	--
	08/09/95	78.35	0.00	21.37	<50	--	--	2.5	<1	<1	<1	--	4	--
	11/06/95	78.20	0.00	21.52	<50	--	--	0.7	<1	<1	<1	--	2	--
	02/13/96	78.02	0.00	21.70	<50	--	--	<0.5	<1	<1	<1	--	2	--
	02/21/96	77.55	0.00	22.17	--	--	--	--	--	--	--	--	--	--
	05/21/96	76.09	0.00	23.63	--	--	--	--	--	--	--	--	--	--
	06/06/96	76.03	0.00	23.69	--	--	--	--	--	--	--	--	--	--
	06/11/96	75.92	0.00	23.80	<50	--	--	<0.5	<1	<1	<1	--	6	--
	09/24/96	75.28	0.00	24.44	<50	--	--	<0.5	<1	<1	1	--	25	--
	12/12/96	75.80	0.00	23.92	<50	--	--	<0.5	<1	<1	<1	--	11	--
	03/24/97	74.69	0.00	25.03	<50	--	--	<0.5	<1	<1	<1	--	29	--
	04/11/97	74.34	0.00	25.38	--	--	--	--	--	--	--	--	--	--
	06/18/97	73.11	0.00	26.61	<50	--	--	<0.5	<1	<1	<1	--	19	--
	08/25/97	73.00	0.00	26.72	<50	--	--	<0.5	<1	<1	<1	--	19	--
	11/19/97 ²	73.61	0.00	26.11	<50	--	--	<0.5	<1	<1	<1	--	23	--
	02/12/98 ^{NP}	73.78	0.00	25.94	<50	--	--	<0.5	<1	<1	<1	--	9	--
	05/14/98 ^{NP}	73.17	0.00	26.55	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/25/98	70.10	0.00	29.62	--	--	--	--	--	--	--	--	--	--
	11/13/98	73.65	0.00	26.07	--	--	--	--	--	--	--	--	--	--
	02/10/99	76.10	0.00	23.62	--	--	--	--	--	--	--	--	--	--
	05/28/99 ^{NP}	64.90	0.00	34.82	<50	--	--	<0.5	<1	<1	<1	--	98	--
	08/18/99 ^{NP}	73.88	0.00	25.84	--	--	--	--	--	--	--	--	--	--
	11/11/99 ^{NP}	77.08	0.00	22.64	--	--	--	--	--	--	--	--	--	--
	02/09/00 ^{NP}	75.61	0.00	24.11	--	--	--	--	--	--	--	--	--	--
	05/24/00 ^{NP}	75.55	0.00	24.17	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	09/11/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/01 ^{NP}	80.33	0.00	19.39	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	08/30/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/19/01	80.66	0.00	19.06	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	<1.00	--
	05/04/02	78.07	0.00	21.65	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	2.18	--
	11/20/02	78.44	0.00	21.28	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.54	<1.00
	05/21/03 ^{NP}	78.07	0.00	21.65	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.21	<1.00
	11/14/03 ^{NP}	78.68	0.00	21.05	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	78.57	0.00	21.15	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/9/04 ^{NP}	79.91	0.00	19.81	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	02/08/05	79.61	0.00	20.11	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	--
	05/16/05	79.75	0.00	19.97	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	80.32	0.00	19.40	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	79.58	0.00	20.14	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<8.4	--
	03/01/06	79.24	0.00	20.48	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/30/06	78.62	0.00	21.10	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	78.00	0.00	21.72	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
Phillips 66 Facility No. 2701476 (AOC 2063)
12660 First Avenue South
Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-11D	11/14/06	78.54	0.00	21.18	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
(Cont.)	02/21/07	77.95	0.00	21.77	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	76.7	65.5
	05/22/07	77.05	0.00	22.67	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
GW-11D ¹ DUP	05/22/07	77.05	0.00	22.67	--	--	--	--	--	--	--	--	<6.9	<6.9
	08/20/07	76.39	0.00	23.33	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	77.22	0.00	22.50	91	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/19/08	77.35	0.00	22.37	--	--	--	--	--	--	--	--	--	--
414.58	05/19/08	77.48	0.00	337.10	--	--	--	--	--	--	--	--	--	--
	08/18/08	77.68	0.00	336.90	Well not sampled due to obstruction.									
	11/17/08	78.19	0.00	336.39	Well not sampled due to obstruction.									
	02/04/09	78.45	0.00	336.13	Well not sampled due to obstruction.									
	05/04/09	78.54	0.00	336.04	Well not sampled due to obstruction.									
	08/03/09	78.60	0.00	335.98	Well not sampled due to obstruction.									
	11/03/09	78.91	0.00	335.67	Well not sampled due to obstruction.									
	02/08/10	79.15	0.00	335.43	Well not sampled due to obstruction.									
	05/03/10	78.52	0.00	336.06	Well gauged only this quarter.									
	09/07/10	77.65	0.00	336.93	Well gauged only this quarter.									
	12/01/10	78.18	0.00	336.40	Well gauged only this quarter.									
	02/10/11	75.79	0.00	338.79	Well gauged only this quarter.									
	05/18/11	76.45	0.00	338.13	Well gauged only this quarter.									
	09/02/11	75.52	0.00	339.06	Well gauged only this quarter.									
	12/07/11	76.16	0.00	338.42	<50	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	7.9	0.15
	02/23/12	77.00	0.00	337.58	Well gauged only this quarter.									
	05/22/12	76.72	0.00	337.86	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/19/14	77.83	0.00	336.75	<100	110	<500	1.3	<0.50	0.92	2.3	--	<5.0	<5.0
	04/29/15	77.64	0.00	336.94	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	77.14	0.00	337.44	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	--	--
	10/15/15	77.56	0.00	337.02	<250	--	--	<0.5	<0.5	<0.5	<1.0	--	--	--
	09/27/16	75.90	0.00	338.68	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/19/17	74.00	0.00	340.58	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	14.3	<10.0
	09/04/18	75.28	0.00	339.30	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	2.1J	<2.0
	12/11/18	75.85	0.00	338.73	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	3.0J	<2.0
	03/26/19	76.98	0.00	337.60	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/25/19	77.10	0.00	337.48	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20				Well not monitored or sampled this quarter									
	03/09/21				Well not monitored or sampled this quarter									
	07/14/21				Well not monitored or sampled this quarter									
	10/07/21	77.79	0.00	336.79	Well not sampled this quarter									
	12/16/21	78.39	0.00	336.19	Well not sampled this quarter									
GW-12D¹	04/20/95	--	0.00	--	<50	--	--	0.6	<1	<1	<1	--	3	--
91.32	05/16/95	67.52	0.00	23.80	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/09/95	67.18	0.00	24.14	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	11/06/95	67.51	0.00	23.81	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	02/13/96	67.35	0.00	23.97	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	02/21/96	66.98	0.00	24.34	--	--	--	--	--	--	--	--	--	--
	05/21/96	65.17	0.00	26.15	--	--	--	--	--	--	--	--	--	--
	06/06/96	65.09	0.00	26.23	--	--	--	--	--	--	--	--	--	--
	06/11/96	65.05	0.00	26.27	<50	--	--	<0.5	<1	<1	<1	--	23	--
	09/24/96	65.35	0.00	25.97	<50	--	--	<0.5	<1	<1	<1	--	7	--
	12/12/96	64.97	0.00	26.35	<50	--	--	<0.5	<1	<1	<1	--	17	--
	03/24/97	63.86	0.00	27.46	<50	--	--	<0.5	<1	<1	<1	--	7	--
	04/11/97	63.03	0.00	28.29	--	--	--	--	--	--	--	--	--	--
	06/18/97	62.12	0.00	29.20	<50	--	--	<0.5	<1	<1	<1	--	11	--
	08/25/97	62.24	0.00	29.08	<50	--	--	<0.5	<1	<1	<1	--	11	--
	11/19/97	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/12/98 ^{NP}	62.50	0.00	28.82	<50	--	--	<0.5	<1	<1	1	--	10	--
	05/14/98 ^{NP}	62.10	0.00	29.22	<50	--	--	<0.5	<1	<1	1	--	6	--
	08/25/98	63.19	0.00	28.13	--	--	--	--	--	--	--	--	--	--
	11/13/98	64.60	0.00	26.72	--	--	--	--	--	--	--	--	--	--
	02/10/99	65.13	0.00	26.19	--	--	--	--	--	--	--	--	--	--
	05/28/99 ^{NP}	61.84	0.00	29.48	<50	--	--	<0.5	<1	<1	<1	--	<2	--
	08/18/99 ^{NP}	62.92	0.00	28.40	--	--	--	--	--	--	--	--	--	--
	11/11/99 ^{NP}	64.40	0.00	26.92	--	--	--	--	--	--	--	--	--	--
	02/09/00 ^{NP}	64.98	0.00	26.34	--	--	--	--	--	--	--	--	--	--
	05/24/00 ^{NP}	63.14	0.00	28.18	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	--	--
	09/11/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	11/27/00	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	02/23/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	05/16/01 ^{NP}	66.70	0.00	24.62	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	4.41	--

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-12D	08/30/01	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
(Cont.)	11/19/01	67.40	0.00	23.92	<50.0	--	--	<0.500	<0.500	<0.500	1.01	--	9.34	--
	05/04/02	66.32	0.00	25.00	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	5.87	--
	11/20/02	66.52	0.00	24.80	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.47	<1.00
	05/21/03 ^{NP}	66.65	0.00	24.67	<50.0	--	--	<0.500	<0.500	<0.500	<1.00	--	1.96	<1.00
	11/14/03 ^{NP}	64.91	0.00	26.42	<50.0	--	--	<1.00	<1.00	<1.00	<1.50	--	<5.00	<5.00
	5/13/04 ^{NP}	64.80	0.00	26.52	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	<5.00	<5.00
	12/10/04 ^{NP}	67.05	0.00	24.27	<100	--	--	<1.00	<1.00	<1.00	<3.00	--	15.5	<10.0
	02/08/05	67.31	0.00	24.01	<100	--	--	<0.5	<1.00	<1.00	<3.00	--	<10.0	<10.0
	05/16/05	67.05	0.00	24.27	<100	--	--	<1	<1	<1	<3	<1	<15	<15
	08/18/05	66.87	0.00	24.45	<48	--	--	<0.2	<0.2	<0.2	<0.6	<0.3	<8.4	--
	11/22/05	67.43	0.00	23.89	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<8.4	--
	03/01/06	66.90	0.00	24.42	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<8.4	--
	05/31/06	66.35	0.00	24.97	<48	--	--	<0.2	<0.2	<0.2	<0.6	--	<6.9	<6.9
	08/28/06	66.07	0.00	25.25	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/14/06	78.00	0.00	13.32	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/21/07	65.91	0.00	25.41	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	76.5	65.4
	05/22/07	66.08	0.00	25.24	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	12	<6.9
	08/20/07	64.97	0.00	26.35	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/19/07	69.95	0.00	21.37	<50	--	--	<0.5	0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/19/08	65.58	0.00	25.74	<50	--	--	<0.5	0.7	<0.8	<0.8	<0.5	19	<6.9
406.56	05/19/08	65.45	0.00	341.11	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	08/18/08	65.88	0.00	340.68	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	11/17/08	66.40	0.00	340.16	<50	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	<6.9	<6.9
	02/04/09	Unable to locate well			--	--	--	--	--	--	--	--	--	--
	05/05/09	67.12	0.00	339.44	<50.0	<83	<420	<1.0	<1.0	<1.0	2.4	<1.0	3.7	<1.0
	08/03/09	64.60	0.00	341.96	--	--	--	--	--	--	--	--	--	--
	11/03/09	66.80	0.00	339.76	Well gauged only this quarter.									
	02/08/10	66.85	0.00	339.71	Well gauged only this quarter.									
	05/03/10	65.81	0.00	340.75	Well gauged only this quarter.									
	09/07/10	65.45	0.00	341.11	Well gauged only this quarter.									
	12/01/10	66.03	0.00	340.53	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	8.3	0.50
	02/10/11	65.39	0.00	341.17	Well gauged only this quarter.									
	05/18/11	64.83	0.00	341.73	Well gauged only this quarter.									
	09/02/11	64.90	0.00	341.66	Well gauged only this quarter.									
	12/07/11	65.43	0.00	341.13	Well gauged only this quarter.									
	02/23/12	66.18	0.00	340.38	Well gauged only this quarter.									
	05/22/12	63.55	0.00	343.01	Well gauged only this quarter.									
	08/01/12	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	03/22/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	09/20/13	NM	0.00	--	--	--	--	--	--	--	--	--	--	--
	12/18/14	64.45	0.00	342.11	<100	<100	<500	<0.50	<0.50	<0.50	<0.50	--	<5.0	<5.0
	04/29/15	63.40	0.00	343.16	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	07/23/15	63.75	0.00	342.81	<100	--	--	<1.0	<1.0	1.5	<3.0	--	--	--
	10/15/15	65.62	0.00	340.94	Well gauged only this quarter.									
	10/07/16	64.50	0.00	342.06	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/19/17	62.35	0.00	344.21	<100	--	--	<1.0	<1.0	<1.0	<3.0	--	<10.0	<10.0
	09/05/18	63.65	0.00	342.91	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	12/12/18	64.28	0.00	342.28	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	2.8J	<2.0
	03/28/19	64.94	0.00	341.62	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/26/19	64.90	0.00	341.66	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	3.6J	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	65.37	0.00	341.19	Well not sampled this quarter									
	12/16/21	65.96	0.00	340.60	Well not sampled this quarter									
GW-13S 413.13	12/13/18	38.85	0.00	374.28	9,380	--	--	41.3	14	230.0	882	--	<2.0	<2.0
	03/28/19	32.70	0.00	380.43	2,780	--	--	12.3	4.1	69.5	194	--	<2.0	<2.0
	06/28/19	34.46	0.00	378.67	712	--	--	0.55J	0.20J	8.3	46.5	--	3.8J	<2.0
	09/12/19	38.25	0.00	374.88	5,740	--	--	6.9	1.8	99.1	190	--	<2.0	<2.0
	12/11/19	40.00	0.00	375.30	6,150	--	--	34.2	9.9	144	257	--	2.3J	--
	03/11/20	31.75	0.00	381.38	3,300	--	--	11.8	4.7	61.9	186	--	<2.0	<2.0
	07/31/20	32.90	0.00	380.23	744	--	--	8.5	3.4	40.0	28.0	--	<2.0	2.2J
	03/09/21	27.35	0.00	385.78	2,410	--	--	3.78	1.86	30.3	107.0	--	<2.0	<2.0
	07/14/21	32.42	0.00	380.71	5,810	--	--	10.4	5.90	90.1	220	--	3.8J	<2.6
	10/08/21	38.16	0.00	374.97	3,650	--	--	1.48	17.2	41.9	177	--	<10.0	<10.0
	12/16/21	37.96	0.00	375.17	1,630	--	--	0.83J	0.32J	9.7	26.9	--	<2.6	<2.6
	12/13/18	74.30	0.00	338.64	<19.6	--	--	0.98 J	0.74 J	0.15 J	<0.31	--	10.00	<2.0
412.94	03/26/19	75.34	0.00	337.60	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/27/19	75.50	0.00	337.44	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	2.5J	<2.0
	09/12/19	76.17	0.00	336.77	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	4.2J	<2.0
	12/11/19	76.65	0.00	338.65	66.9J	--	--	<0.10	<0.083	<0.14	<0.31	--	5.0J	<2.0

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-13D	03/11/20	77.10	0.00	335.84	<38.3	--	--	<0.12	<0.12	<0.075	<0.29	--	4.4J	<2.0
(Cont.)	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	76.90	0.00	336.04	<42.8	--	--	<0.0941	<0.278	<0.137	<0.174	--	7.4J	<2.0
	07/14/21	76.00	0.00	336.94	<31.6	--	--	<0.0941	<0.278	0.162J	0.401J	--	<2.6	<2.6
	10/08/21	76.15	0.00	336.79	902	--	--	<1.00	1.58	5.03	25.0	--	<10.0	<10.0
	12/16/21	76.78	0.00	336.16	<42.8	--	--	<0.10	<0.10	<0.11	<0.20	--	<2.6	<2.6
GW-14S	12/11/18	41.05	0.00	372.73	113,000	--	--	13.8	6,440	2,790	17,600	--	5.0 J	3.0 J
413.78	03/28/19	38.82	0.00	374.96	53,300	--	--	9.7J	3,470	1,870	9,300	--	<2.0	2.2J
	06/28/19	40.30	0.00	373.48	96,200	--	--	21.6	5,350	2,610	13,300	--	4.2J	<2.0
	09/12/19	44.73	0.00	369.05	93,400	--	--	356	3,660	2,840	13,700	--	11.1	<2.0
	12/12/19	45.00	0.00	370.30	114,000	--	--	693	3,900	2,430	11,400	--	2.5J	2.2J
	03/12/20	38.18	0.00	375.60	35,800	--	--	4.5J	1,030	499	2,360	--	3.2J	<2.0
	07/31/20	37.35	0.00	376.43	357,000	--	--	8.3J	814	1,030	3,960	--	8.8J	<2.0
	03/09/21	36.00	0.00	377.78	23,200	--	--	10.6	107	75.4	334	--	<2.0	<2.0
	07/14/21	40.09	0.00	373.69	50,900	--	--	48.7J	4,350	1,740	9,000	--	3.3J	2.9J
	10/08/21	44.81	0.00	368.97	51,800	--	--	290	2,310	1,810	8,560	--	<10.0	<10.0
	12/17/21	42.92	0.00	370.86	65,900	--	--	26.1J	1,720	2,060	9,870	--	<2.6	<2.6
GW-14D	12/13/18	75.00	0.00	338.72	<19.6	--	--	12	0.40 J	<0.14	<0.31	--	<2.0	<2.0
413.72	03/30/19	76.12	0.00	337.60	502	--	--	580	1.5	34.4	3.5	--	<2.0	<2.0
	06/28/19	76.32	0.00	337.40	604	--	--	956	7.5	60.0	19.2	--	<2.0	<2.0
	09/12/19	76.82	0.00	336.90	402	--	--	671	3.0 J	23.1	<1.5	--	<2.0	<2.0
	12/12/19	77.30	0.00	338.00	39.9J	--	--	1.5	0.16J	0.15J	<0.31	--	4.4J	<2.0
	03/12/20	77.90	0.00	335.82	Well not sampled this quarter.									
	07/31/20	73.60	0.00	340.12	908	--	--	509	0.38J	1.6	<0.29	--	2.6J	2.5J
	03/09/21	73.20	0.00	340.52	337	--	--	665	<5.56	7.86J	<3.48	--	<2.0	<2.0
	07/15/21	76.71	0.00	337.01	1,720	--	--	636	<5.56	4.86J	5.72J	--	<2.6	<2.6
	10/08/21	76.93	0.00	336.79	3,300	--	--	<1.00	36.9	49.9	247	--	<10.0	<10.0
	12/17/21	77.63	0.00	336.09	Well not sampled this quarter.									
GW-15S	12/11/18	39.30	0.00	374.76	Insufficient Water to Sample									
414.06	03/30/19	32.69	0.00	381.37	398	--	--	1.0J	0.23J	10.8	26.6	--	<2.0	<2.0
	06/25/19	34.67	0.00	379.39	2,670	--	--	7.4	6.9	52.5	281	--	<2.0	<2.0
	09/12/19	38.63	0.00	375.43	987	--	--	0.50 J	0.81 J	9.8	30.4	--	<2.0	<2.0
	12/11/19	40.42	0.00	374.88	470	--	--	0.65J	1.1	12.0	17.6	--	<2.0	--
	03/12/20	32.49	0.00	381.57	547	--	--	2.0	1.4	4.2	28.2	--	2.3J	<2.0
	07/31/20	33.00	0.00	381.06	392	--	--	2.5	2.7	17.7	30.4	--	<2.0	<2.0
	03/09/21	27.14	0.00	386.92	<42.8	--	--	0.141J	<0.278	<0.137	<0.174	--	<2.0	<2.0
	07/14/21	33.43	0.00	380.63	1,390	--	--	2.47	5.96	37.1	124	--	2.7J	<2.6
	10/07/21	38.16	0.00	375.90	1,940	--	--	<1.00	<1.00	25.7	30.6	--	<10.0	<10.0
	12/16/21	38.47	0.00	375.59	2,220	--	--	1.4	2.1	14.4	41.4	--	<2.6	<2.6
GW-15D	12/13/18	56.00	0.00	358.01	<19.6	--	--	1.0	0.66 J	0.27 J	<0.31	--	8.1 J	<2.0
414.01	03/26/19	52.60	0.00	361.41	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/25/19	52.40	0.00	361.61	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	09/12/19	54.60	0.00	359.41	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	12/11/19	57.35	0.00	357.95	61.8J	--	--	<0.10	0.16J	0.28J	<0.31	--	2.4J	--
	03/12/20	53.98	0.00	360.08	<38.3	--	--	<0.12	<0.12	<0.075	<0.29	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	49.70	0.00	364.31	<42.8	--	--	<0.0941	<0.278	<0.137	<0.174	--	<2.0	<2.0
	07/14/21	51.03	0.00	362.98	<31.6	--	--	<0.0941	<0.278	0.206J	0.621J	--	<2.6	<2.6
	10/07/21	54.38	0.00	359.63	163	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	12/16/21	55.42	0.00	358.59	<42.8	--	--	<0.10	<0.10	0.24J	0.26J	--	<2.6	<2.6
GW-16S	12/11/18	48.50	0.00	366.94	Insufficient Water to Sample									
415.44	03/30/19	42.69	0.00	372.75	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/27/19	43.56	0.00	371.88	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	45.99	0.00	369.45	Well not sampled this quarter									
	12/16/21	49.65	0.00	365.79	Well not sampled this quarter									
GW-16D	12/13/18	76.55	0.00	338.69	<19.6	--	--	0.59 J	0.44 J	0.17 J	<0.31	--	6.7 J	<2.0
415.24	03/27/19	77.64	0.00	337.60	<19.6	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	06/27/19	77.78	0.00	337.46	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	78.47	0.00	336.77	Well not sampled this quarter									
	12/16/21	79.06	0.00	336.18	Well not sampled this quarter									
GW-17S	12/11/18	49.30	0.00	365.54	Insufficient Water to Sample									
414.84	03/30/19	48.00	0.00	366.84	<19.6	--	--	0.29 J	0.094 J	<0.14	<0.31	--	<2.0	<2.0
	06/27/19	47.00	0.00	367.84	<38.3	--	--	<0.10	<0.083	<0.14	<0.31	--	<2.0	<2.0
	07/31/20	Well not monitored or sampled this quarter												
	03/09/21	Well not monitored or sampled this quarter												
	07/14/21	Well not monitored or sampled this quarter												
	10/07/21	48.61	0.00	366.23	Well not sampled this quarter									
	12/16/21	49.24	0.00	365.60	Well not sampled this quarter									

TABLE 1
SUMMARY OF HISTORICAL GROUNDWATER GAUGING AND LABORATORY ANALYTICAL DATA
 Phillips 66 Facility No. 2701476 (AOC 2063)
 12660 First Avenue South
 Seattle, WA

Well ID TOC Elevation	Sample Date	DTW (feet)	LPH (feet)	GW Elev. (feet)	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)
MTCA Method A Cleanup Levels					1,000/800^a	500	500	5	1,000	700	1,000	20	15	15
GW-17D	02/27/00	76.08	0.00	338.99	<19.6	--	--	0.50 J	0.38 J	<0.14	<0.31	--	2.8 J	2.0 J
415.07	03/30/19	77.15	0.00	337.92	<19.6	--	--	<0.10	<0.083	<0.14	<0.31		2.9J	<2.0
	06/27/19	77.35	0.00	337.72	<38.3	--	--	<0.10	<0.083	<0.14	<0.31		2.8J	<2.0
	03/09/21				Well not monitored or sampled this quarter									
	07/14/21				Well not monitored or sampled this quarter									
	10/07/21	77.98	0.00	337.09										
	12/16/21	78.52	0.00	336.55										
GW-18S	12/11/18	48.38	0.00	365.93										
414.31	03/30/19	Dry	0.00	--										
	06/25/19	48.18	0.00	366.13										
	09/12/19	48.50	0.00	365.81										
	12/12/19	48.30	0.00	366.01										
	03/11/20	48.49	0.00	365.82										
	07/31/20				Well not monitored or sampled this quarter									
	03/09/21	48.60	0.00	365.71										
	07/14/21	48.34	0.00	365.97										
	10/07/21	48.93	0.00	365.38										
	12/16/21	49.15	0.00	365.16										
GW-18D	12/11/18	75.45	0.00	338.73	<19.6	--	--	<0.10	0.093 J	<0.14	<0.31	--	<2.0	<2.0
414.18	03/27/19	76.50	0.00	337.68	1,270	--	--	558	3.8	45.0	109	--	4.9J	<2.0
	06/28/19	76.60	0.00	337.58	241	--	--	62.3	1.2J	7.3	<1.5	--	<2.0	<2.0
	09/12/19	77.28	0.00	336.90	<38.3	--	--	1.8	<0.083	<0.14	<0.31	--	5.4J	<2.0
	12/12/19	77.70	0.00	337.60	<38.3	--	--	0.32J	<0.083	<0.14	<0.31	--	3.4J	--
	03/11/20	78.27	0.00	335.91										
	07/31/20	77.60	0.00	336.58										
	03/09/21	78.05	0.00	336.13										
	07/14/21	77.04	0.00	337.14	<36.1	--	--	4.54	<0.278	0.589J	0.321J	--	2.7J	<2.6
	10/07/21	77.39	0.00	336.79	159	--	--	<1.00	<1.00	<1.00	<3.00	--	<10.0	<10.0
	12/17/21	78.11	0.00	336.07										

Notes:

¹ = For wells GW-7D through GW-12D: Well designations changed from GW-7 through GW-12 respectively to reflect that the wells are designated as deep water bearing zone wells.

^a Concentration levels stated by MTCA Method A for TPH-G are 1,000 µg/L when no benzene is present and 800 µg/L when benzene is present.

^b Approximated due to wellhead modification

^c Samples collected from stub-ups inside remediation compound

^d Well contained insufficient water to sample, labeled dry when unable to pull any water from well.

* DTW measurements collected 1 day prior to sampling

** Analytical results are anomalous compared to historical data. Atlas suspects that sample ID's "GW-5" and "GW-6" may have been switched.

< = Less than the stated laboratory reporting limit

1n = Sample was evaluated to the MDL.; 2n = Diluted analysis conducted in excess of EPA method holding time; 4n = Sample was reanalyzed 3 days outside of holding time due to carryover.

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

Z2 = Analyte present in the associated method blank above the detection limit.

All concentrations are in µg/L (ppb).

Data collected before May 18, 2011 was obtained from prior consultants.

DTW = Depth to water in feet below top of casing

Groundwater elevations were corrected for LPH using a specific gravity of 0.75, as necessary.

GW Elev. = Groundwater elevation in feet relative to top of casing elevations

LPH = Liquid-phase hydrocarbon thickness in feet

Prior to 5/18/11, BTEX Analyzed by EPA Method 8021B. After 5/18/11, BTEX Analyzed by EPA Method 5030B/8260.

Prior to second quarter 2008, monitoring wells surveyed to relative elevations. Wells were surveyed relative to sea level during the second quarter of 2008.

NA = Not Analyzed or Sampled

NE = Not established

NM = Not Measured

NP = Not Purged

Total Pb = Total lead by EPA Method 6020; Diss Pb = Dissolved lead by EPA Method 6020.

TPH-G = Total Petroleum Hydrocarbons as gasoline by Ecology Method NWTPH-Gx

TPH-D = Total Petroleum Hydrocarbons as diesel and oil by Ecology Method NWTPH-Dx

Wellhead elevations were taken from prior consultant's reports for dates prior to 2018.



6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

APPENDIX A

LABORATORY ANALYTICAL DATA REPORT AND CHAIN OF CUSTODY DOCUMENTATION

January 06, 2022

Elisabeth Silver
Atlas
6347 Seaview Ave NW
Seattle, WA 98107

RE: Project: P66 Burien
Pace Project No.: 10592024

Dear Elisabeth Silver:


Enclosed are the analytical results for sample(s) received by the laboratory on December 18, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross
jennifer.gross@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: P66 Burien
Pace Project No.: 10592024

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: P66 Burien

Pace Project No.: 10592024

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10592024001	GW-10D	Water	12/17/21 10:15	12/18/21 11:30
10592024002	GW-13D	Water	12/16/21 15:35	12/18/21 11:30
10592024003	GW-13S	Water	12/16/21 14:50	12/18/21 11:30
10592024004	GW-14S	Water	12/17/21 12:35	12/18/21 11:30
10592024005	GW-15D	Water	12/16/21 13:45	12/18/21 11:30
10592024006	GW-15S	Water	12/16/21 13:05	12/18/21 11:30
10592024007	Trip Blank	Water	12/16/21 00:00	12/18/21 11:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: P66 Burien

Pace Project No.: 10592024

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10592024001	GW-10D	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024002	GW-13D	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024003	GW-13S	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024004	GW-14S	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024005	GW-15D	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024006	GW-15S	NWTPH-Gx	TM2	2	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 6010D	IP	1	PASI-M
		EPA 8260D	ZH	7	PASI-M
10592024007	Trip Blank	NWTPH-Gx	TM2	2	PASI-M
		EPA 8260D	ZH	7	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-10D		Lab ID: 10592024001		Collected: 12/17/21 10:15		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	<42.8	ug/L	100	42.8	1		12/27/21 21:42		
Surrogates									
a,a,a-Trifluorotoluene (S)	93	%.	50-150		1		12/27/21 21:42	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:11	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 13:47	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	<0.10	ug/L	1.0	0.10	1		12/20/21 21:34	71-43-2	
Ethylbenzene	<0.11	ug/L	1.0	0.11	1		12/20/21 21:34	100-41-4	
Toluene	<0.10	ug/L	1.0	0.10	1		12/20/21 21:34	108-88-3	
Xylene (Total)	<0.20	ug/L	3.0	0.20	1		12/20/21 21:34	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%.	70-130		1		12/20/21 21:34	2199-69-1	
4-Bromofluorobenzene (S)	100	%.	75-125		1		12/20/21 21:34	460-00-4	
Toluene-d8 (S)	103	%.	75-125		1		12/20/21 21:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-13D		Lab ID: 10592024002		Collected: 12/16/21 15:35		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	<42.8	ug/L	100	42.8	1		12/27/21 22:09		
Surrogates									
a,a,a-Trifluorotoluene (S)	93	%.	50-150		1		12/27/21 22:09	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:22	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 13:56	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	<0.10	ug/L	1.0	0.10	1		12/20/21 13:23	71-43-2	
Ethylbenzene	<0.11	ug/L	1.0	0.11	1		12/20/21 13:23	100-41-4	
Toluene	<0.10	ug/L	1.0	0.10	1		12/20/21 13:23	108-88-3	
Xylene (Total)	<0.20	ug/L	3.0	0.20	1		12/20/21 13:23	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%.	70-130		1		12/20/21 13:23	2199-69-1	
4-Bromofluorobenzene (S)	100	%.	75-125		1		12/20/21 13:23	460-00-4	
Toluene-d8 (S)	103	%.	75-125		1		12/20/21 13:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-13S		Lab ID: 10592024003		Collected: 12/16/21 14:50		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	1630	ug/L	100	42.8	1		12/27/21 23:33		G+,G-
Surrogates									
a,a,a-Trifluorotoluene (S)	95	%.	50-150		1		12/27/21 23:33	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:24	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 13:57	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	0.83J	ug/L	1.0	0.10	1		12/20/21 21:50	71-43-2	
Ethylbenzene	9.7	ug/L	1.0	0.11	1		12/20/21 21:50	100-41-4	
Toluene	0.32J	ug/L	1.0	0.10	1		12/20/21 21:50	108-88-3	
Xylene (Total)	26.9	ug/L	3.0	0.20	1		12/20/21 21:50	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%.	70-130		1		12/20/21 21:50	2199-69-1	
4-Bromofluorobenzene (S)	101	%.	75-125		1		12/20/21 21:50	460-00-4	
Toluene-d8 (S)	102	%.	75-125		1		12/20/21 21:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-14S		Lab ID: 10592024004		Collected: 12/17/21 12:35		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	65900	ug/L	5000	2140	50		12/30/21 01:14		
Surrogates									
a,a,a-Trifluorotoluene (S)	85	%	50-150		50		12/30/21 01:14	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:26	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 13:59	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	26.1J	ug/L	50.0	5.2	50		12/20/21 20:12	71-43-2	
Ethylbenzene	2060	ug/L	50.0	5.4	50		12/20/21 20:12	100-41-4	
Toluene	1720	ug/L	50.0	5.2	50		12/20/21 20:12	108-88-3	
Xylene (Total)	9870	ug/L	150	10	50		12/20/21 20:12	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		50		12/20/21 20:12	2199-69-1	
4-Bromofluorobenzene (S)	102	%	75-125		50		12/20/21 20:12	460-00-4	
Toluene-d8 (S)	105	%	75-125		50		12/20/21 20:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-15D		Lab ID: 10592024005		Collected: 12/16/21 13:45		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	<42.8	ug/L	100	42.8	1		12/28/21 00:57		
Surrogates									
a,a,a-Trifluorotoluene (S)	91	%.	50-150		1		12/28/21 00:57	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:27	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 14:04	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	<0.10	ug/L	1.0	0.10	1		12/20/21 13:38	71-43-2	
Ethylbenzene	0.24J	ug/L	1.0	0.11	1		12/20/21 13:38	100-41-4	
Toluene	<0.10	ug/L	1.0	0.10	1		12/20/21 13:38	108-88-3	
Xylene (Total)	0.26J	ug/L	3.0	0.20	1		12/20/21 13:38	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%.	70-130		1		12/20/21 13:38	2199-69-1	
4-Bromofluorobenzene (S)	101	%.	75-125		1		12/20/21 13:38	460-00-4	
Toluene-d8 (S)	103	%.	75-125		1		12/20/21 13:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: GW-15S		Lab ID: 10592024006		Collected: 12/16/21 13:05		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis									
TPH as Gas	2220	ug/L	100	42.8	1		12/28/21 01:25		G+,G-
Surrogates									
a,a,a-Trifluorotoluene (S)	99	%.	50-150		1		12/28/21 01:25	98-08-8	
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/28/21 12:29	7439-92-1	
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Minneapolis									
Lead, Dissolved	<2.6	ug/L	10.0	2.6	1	12/22/21 09:43	12/27/21 14:06	7439-92-1	
8260D MSV UST									
Analytical Method: EPA 8260D Pace Analytical Services - Minneapolis									
Benzene	1.4	ug/L	1.0	0.10	1		12/20/21 22:07	71-43-2	
Ethylbenzene	14.4	ug/L	1.0	0.11	1		12/20/21 22:07	100-41-4	
Toluene	2.1	ug/L	1.0	0.10	1		12/20/21 22:07	108-88-3	
Xylene (Total)	41.4	ug/L	3.0	0.20	1		12/20/21 22:07	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%.	70-130		1		12/20/21 22:07	2199-69-1	
4-Bromofluorobenzene (S)	100	%.	75-125		1		12/20/21 22:07	460-00-4	
Toluene-d8 (S)	101	%.	75-125		1		12/20/21 22:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: P66 Burién
Pace Project No.: 10592024

Sample: Trip Blank		Lab ID: 10592024007		Collected: 12/16/21 00:00		Received: 12/18/21 11:30		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV									
Analytical Method: NWTPH-Gx									
Pace Analytical Services - Minneapolis									
TPH as Gas	<42.8	ug/L	100	42.8	1		12/24/21 02:35		
Surrogates									
a,a,a-Trifluorotoluene (S)	85	%.	50-150		1		12/24/21 02:35	98-08-8	
8260D MSV UST									
Analytical Method: EPA 8260D									
Pace Analytical Services - Minneapolis									
Benzene	<0.10	ug/L	1.0	0.10	1		12/21/21 18:43	71-43-2	
Ethylbenzene	<0.11	ug/L	1.0	0.11	1		12/21/21 18:43	100-41-4	
Toluene	<0.10	ug/L	1.0	0.10	1		12/21/21 18:43	108-88-3	
Xylene (Total)	<0.20	ug/L	3.0	0.20	1		12/21/21 18:43	1330-20-7	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%.	70-130		1		12/21/21 18:43	2199-69-1	
4-Bromofluorobenzene (S)	98	%.	75-125		1		12/21/21 18:43	460-00-4	
Toluene-d8 (S)	100	%.	75-125		1		12/21/21 18:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burien
Pace Project No.: 10592024

QC Batch: 790808 Analysis Method: NWTPH-Gx
QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx Water
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024005, 10592024006

METHOD BLANK: 4208453 Matrix: Water
Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024005, 10592024006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH as Gas	ug/L	<42.8	100	42.8	12/27/21 18:27	
a,a,a-Trifluorotoluene (S)	%	89	50-150		12/27/21 18:27	

METHOD BLANK: 4208454 Matrix: Water
Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024005, 10592024006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH as Gas	ug/L	<42.8	100	42.8	12/27/21 23:05	
a,a,a-Trifluorotoluene (S)	%	119	50-150		12/27/21 23:05	

LABORATORY CONTROL SAMPLE & LCSD: 4208455			4208456							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1030	864	103	86	75-127	17	20	
a.a.a-Trifluorotoluene (S)	%				119	92	50-150			

SAMPLE DUPLICATE: 4208466

Parameter	Units	10591078013 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	4880	4320	12	30	G+,G-,H5
a,a,a-Trifluorotoluene (S)	%	93	90			

SAMPLE DUPLICATE: 4208485

Parameter	Units	10593047001 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	75900	67400	12	30	E
a,a,a-Trifluorotoluene (S)	%	112	89			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burién

Pace Project No.: 10592024

QC Batch: 791589

Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx

Analysis Description: NWTPH-Gx Water

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10592024004

METHOD BLANK: 4212064

Matrix: Water

Associated Lab Samples: 10592024004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH as Gas	ug/L	<42.8	100	42.8	12/30/21 00:18	
a,a,a-Trifluorotoluene (S)	%.	89	50-150		12/30/21 00:18	

LABORATORY CONTROL SAMPLE & LCSD: 4212066

4212067

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	930	937	93	94	75-127	1	20	
a,a,a-Trifluorotoluene (S)	%.				93	94	50-150			

SAMPLE DUPLICATE: 4212068

Parameter	Units	10592024004 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	65900	67300	2	30	
a,a,a-Trifluorotoluene (S)	%.	85	85			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burién

Pace Project No.: 10592024

QC Batch: 792059

Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx

Analysis Description: NWTPH-Gx Water

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10592024007

METHOD BLANK: 4214445

Matrix: Water

Associated Lab Samples: 10592024007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH as Gas	ug/L	<42.8	100	42.8	12/23/21 23:20	
a,a,a-Trifluorotoluene (S)	%.	83	50-150		12/23/21 23:20	

LABORATORY CONTROL SAMPLE & LCSD: 4214447

4214448

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1080	880	108	88	75-127	21	20	R1
a,a,a-Trifluorotoluene (S)	%.				122	87	50-150			

SAMPLE DUPLICATE: 4214556

Parameter	Units	10593337001 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	64600	66000	2	30	E
a,a,a-Trifluorotoluene (S)	%.	86	86			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burien

Pace Project No.: 10592024

QC Batch: 790036

Analysis Method: EPA 6010D

QC Batch Method: EPA 3010A

Analysis Description: 6010D Water

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

METHOD BLANK: 4205041

Matrix: Water

Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Lead	ug/L	<2.6	10.0	2.6	12/28/21 12:06	

LABORATORY CONTROL SAMPLE: 4205042

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1000	992	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4205043 4205044

Parameter	Units	10592024001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	<2.6	1000	1000	984	1000	98	100	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burién

Pace Project No.: 10592024

QC Batch: 790021

Analysis Method: EPA 6010D

QC Batch Method: EPA 3010A

Analysis Description: 6010D Water Dissolved

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

METHOD BLANK: 4204981

Matrix: Water

Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Lead, Dissolved	ug/L	<2.6	10.0	2.6	12/27/21 13:44	

LABORATORY CONTROL SAMPLE: 4204982

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	1000	946	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4204983 4204984

Parameter	Units	10592024001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead, Dissolved	ug/L	<2.6	1000	1000	981	981	98	98	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burién
Pace Project No.: 10592024

QC Batch: 790209 Analysis Method: EPA 8260D
QC Batch Method: EPA 8260D Analysis Description: 8260D MSV UST-WATER
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

METHOD BLANK: 4205634 Matrix: Water
Associated Lab Samples: 10592024001, 10592024002, 10592024003, 10592024004, 10592024005, 10592024006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	<0.10	1.0	0.10	12/20/21 12:15	
Ethylbenzene	ug/L	<0.11	1.0	0.11	12/20/21 12:15	
Toluene	ug/L	<0.10	1.0	0.10	12/20/21 12:15	
Xylene (Total)	ug/L	<0.20	3.0	0.20	12/20/21 12:15	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130		12/20/21 12:15	
4-Bromofluorobenzene (S)	%	101	75-125		12/20/21 12:15	
Toluene-d8 (S)	%	103	75-125		12/20/21 12:15	

LABORATORY CONTROL SAMPLE & LCSD: 4205635

LABORATORY CONTROL SAMPLE & LCSD: 4205635			4205636							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	20	19.2	19.3	96	96	73-125	0	20	
Ethylbenzene	ug/L	20	18.8	18.6	94	93	75-125	1	20	
Toluene	ug/L	20	18.4	18.3	92	92	75-125	0	20	
Xylene (Total)	ug/L	60	57.3	57.0	95	95	75-125	0	20	
1,2-Dichlorobenzene-d4 (S)	%.				99	101	70-130			
4-Bromofluorobenzene (S)	%.				100	101	75-125			
Toluene-d8 (S)	%.				99	99	75-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: P66 Burien

Pace Project No.: 10592024

QC Batch: 790442

Analysis Method: EPA 8260D

QC Batch Method: EPA 8260D

Analysis Description: 8260D MSV UST-WATER

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10592024007

METHOD BLANK: 4206601

Matrix: Water

Associated Lab Samples: 10592024007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	<0.10	1.0	0.10	12/21/21 15:59	
Ethylbenzene	ug/L	<0.11	1.0	0.11	12/21/21 15:59	
Toluene	ug/L	<0.10	1.0	0.10	12/21/21 15:59	
Xylene (Total)	ug/L	<0.20	3.0	0.20	12/21/21 15:59	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130		12/21/21 15:59	
4-Bromofluorobenzene (S)	%	98	75-125		12/21/21 15:59	
Toluene-d8 (S)	%	100	75-125		12/21/21 15:59	

LABORATORY CONTROL SAMPLE & LCSD: 4206602

4206603

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	20	20.1	20.2	100	101	73-125	1	20	
Ethylbenzene	ug/L	20	20.2	19.9	101	99	75-125	1	20	
Toluene	ug/L	20	19.1	18.9	95	95	75-125	1	20	
Xylene (Total)	ug/L	60	61.0	60.3	102	100	75-125	1	20	
1,2-Dichlorobenzene-d4 (S)	%				100	99	70-130			
4-Bromofluorobenzene (S)	%				100	99	75-125			
Toluene-d8 (S)	%				97	97	75-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: P66 Burien
Pace Project No.: 10592024

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 790209
[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
Batch: 790442
[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
Batch: 790808
[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
Batch: 792059
[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.
G+ Late peaks present outside the GRO window.
G- Early peaks present outside the GRO window.
H5 Reanalysis conducted in excess of EPA method holding time. Results confirm original analysis performed in hold time.
R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66 Burien

Pace Project No.: 10592024

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10592024001	GW-10D	NWTPH-Gx	790808		
10592024002	GW-13D	NWTPH-Gx	790808		
10592024003	GW-13S	NWTPH-Gx	790808		
10592024004	GW-14S	NWTPH-Gx	791589		
10592024005	GW-15D	NWTPH-Gx	790808		
10592024006	GW-15S	NWTPH-Gx	790808		
10592024007	Trip Blank	NWTPH-Gx	792059		
10592024001	GW-10D	EPA 3010A	790036	EPA 6010D	790809
10592024002	GW-13D	EPA 3010A	790036	EPA 6010D	790809
10592024003	GW-13S	EPA 3010A	790036	EPA 6010D	790809
10592024004	GW-14S	EPA 3010A	790036	EPA 6010D	790809
10592024005	GW-15D	EPA 3010A	790036	EPA 6010D	790809
10592024006	GW-15S	EPA 3010A	790036	EPA 6010D	790809
10592024001	GW-10D	EPA 3010A	790021	EPA 6010D	790811
10592024002	GW-13D	EPA 3010A	790021	EPA 6010D	790811
10592024003	GW-13S	EPA 3010A	790021	EPA 6010D	790811
10592024004	GW-14S	EPA 3010A	790021	EPA 6010D	790811
10592024005	GW-15D	EPA 3010A	790021	EPA 6010D	790811
10592024006	GW-15S	EPA 3010A	790021	EPA 6010D	790811
10592024001	GW-10D	EPA 8260D	790209		
10592024002	GW-13D	EPA 8260D	790209		
10592024003	GW-13S	EPA 8260D	790209		
10592024004	GW-14S	EPA 8260D	790209		
10592024005	GW-15D	EPA 8260D	790209		
10592024006	GW-15S	EPA 8260D	790209		
10592024007	Trip Blank	EPA 8260D	790442		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

	Document Name: Sample Condition Upon Receipt (SCUR) - MN	Document Revised: 02Dec2021 Page 1 of 1
	Document No.: ENV-FRM-MIN4-0150 Rev.03	Pace Analytical Services - Minneapolis

Sample Condition
Upon Receipt

Client Name:

Project #:

WO#: 10592024

PM: JMG

Due Date: 12/28/21

CLIENT: ATC_WA

Courier:

☒ Fed Ex ☐ UPS ☐ USPS ☐ Client
☐ Pace ☐ SpeedDee ☐ Commercial

Tracking Number:

28776553 1886

See Exceptions ☐
ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present?

☐ Yes ☐ No

Seals Intact?

☒ Yes ☐ No

Biological Tissue Frozen?

☐ Yes ☐ No ☒ N/A

Packing Material:

☒ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other:

Temp Blank?

☒ Yes ☐ No

Thermometer:

☒ T1(0461) ☐ T2(1336) ☐ T3(0459) ☐ T4(0254)
☐ T5(0489) ☐ 01339252/1710 ☐ 122639816 ☐ 140792808

Type
of Ice:

☒ Wet ☐ Blue ☐ None ☐ Dry ☐ Melted

Did Samples Originate in West Virginia? ☐ Yes ☒ No

Were All Container Temps Taken? ☐ Yes ☐ No ☒ N/A

Temp should be above freezing to 6°C

Cooler Temp Read w/temp blank:

4.5 °C

Average Corrected

☐ See Exceptions

Temp (no temp blank

ENV-FRM-MIN4-0142

only): °C

☐ 1 Container

Correction Factor:

1.0

Cooler Temp Corrected w/temp blank:

4.5 °C

USDA Regulated Soil: ☒ N/A, water sample/Other:

Date/Initials of Person Examining Contents: 12/18/21

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? ☐ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist ENV-FRM-MIN4-0154 and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present and Filled Out?	☒ Yes ☐ No	1.
Chain of Custody Relinquished?	☒ Yes ☐ No	2.
Sampler Name and/or Signature on COC?	☒ Yes ☐ No ☐ N/A	3.
Samples Arrived within Hold Time?	☒ Yes ☐ No	4. If Fecal: ☐ <8 hrs ☐ >8hr, <24 hrs, ☐ >24 hrs
Short Hold Time Analysis (<72 hr)?	☐ Yes ☒ No	5. ☐ Fecal Coliform ☐ HPC ☐ Total Coliform/E coli ☐ BOD/cBOD ☐ Hex Chrome ☐ Turbidity ☐ Nitrate ☐ Nitrite ☐ Orthophos ☐ Other
Rush Turn Around Time Requested?	☐ Yes ☒ No	6.
Sufficient Volume?	☒ Yes ☐ No	7.
Correct Containers Used?	☒ Yes ☐ No	8.
-Pace Containers Used?	☒ Yes ☐ No	9.
Containers Intact?	☒ Yes ☐ No	
Field Filtered Volume Received for Dissolved Tests?	☒ Yes ☐ No ☐ N/A	10. Is sediment visible in the dissolved container? ☐ Yes ☒ No
Is sufficient information available to reconcile the samples to the COC?	☒ Yes ☐ No	11. If no, write ID/ Date/Time on Container Below: See Exception ☐ ENV-FRM-MIN4-0142
Matrix: ☒ Water ☐ Soil ☐ Oil ☐ Other-		
All containers needing acid/base preservation have been checked?	☒ Yes ☐ No ☐ N/A	12. Sample # 1-6-3/2 ☐ NaOH ☒ HNO ₃ ☐ H ₂ SO ₄ ☐ Zinc Acetate
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide)	☒ Yes ☐ No ☐ N/A	
Exceptions: ☒ VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS	☒ Yes ☐ No ☐ N/A	Positive for Res. ☐ Yes ☒ No See Exception ☐ Chlorine? ☐ No pH Paper Lot# ENV-FRM-MIN4-0142 Res. Chlorine 0-6 Roll 136320 0-6 Strip 0-14 Strip
Headspace in Methyl Mercury Container?	☐ Yes ☐ No ☒ N/A	
Extra labels present on soil VOA or WIDRO containers?	☐ Yes ☒ No ☐ N/A	13. See Exception ☐ ENV-FRM-MIN4-0140
Headspace in VOA Vials (greater than 6mm)?	☐ Yes ☒ No ☐ N/A	
Trip Blank Present?	☒ Yes ☐ No ☐ N/A	14. Pace Trip Blank Lot # (if purchased): 325784 (3)
Trip Blank Custody Seals Present?	☒ Yes ☐ No ☐ N/A	

CLIENT NOTIFICATION/RESOLUTION

Person Contacted:

Comments/Resolution:

Field Data Required? ☐ Yes ☐ No

Date/Time:

Project Manager Review:

Jenni Gross

Date:

12/20/21

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled by:

RNC (2)



6347 Seaview Avenue Northwest
Seattle, Washington 98107
Telephone 206-781-1449
Fax 206-781-1543
www.oneatlas.com

APPENDIX B

FIELD REPORTS / GROUNDWATER GAUGING & SAMPLING LOGS

		Field Report		FLD-100	
				Revision 1.0	
				6/1/2016	
ATC Branch: Seattle - 10282			Date: 12/16/21		Page 1 of 3
ATC Representative(s): JT, GM			Project: 1866 Bunion Ave 2063		
Role: _____			Location: 12666 1st Ave S, Seattle, WA		
Contact Information: (206) 781-1449			Project No: 2076 0006 70		Task No: --
Scope of Work:			Weather: Partly Cloudy		Temperature: 40
☒ Monitoring ☐ Assessment ☐ Remediation ☐ Closure			Contractor:		
Time:	Comments:				
12/16 09:00	Arrive on site. Perform tailgate safety meeting. Don level D PPE.				
09:10	Set up exclusion zone around GW-155 + GW-150 w/ cones + caution tape.				
09:20	Open well cap at GW-155				
09:26	Gauge GW-155. OTW = 38.47				
09:40	Malfunction detected w/ geopump - tubing pulled and saved in sealed bag to be used when new pump arrives.				
10:37	Open well cap at GW-165				
10:40	Gauge GW-165. OTW = 49.65				
10:39	Open well cap at GW-160				
10:42	Gauge GW-160. OTW = 79.06				
10:45	Open well cap at GW-175				
10:48	Gauge GW-175. OTW = 49.24				
10:47	Open well cap at GW-170				
10:49	Gauge GW-170. OTW = 78.32				
10:54	Open well cap at GW-105				
10:56	Gauge GW-105. OTW = 30.01				
11:09	Open well cap at GW-120				
11:11	Gauge GW-120. OTW = 65.94				
11:14	Open well cap at GW-80				
11:16	Gauge GW-80. OTW = 77.66				
11:20	Open well cap at GW-185				
Equipment Used:					
Contractor Hours (per Person):			Staff / Technician Hours:		Mileage:
Copies To:			Project Manager:		
			Reviewed By:		

		Field Report		FLD-100	
				Revision 1.0	
				6/1/2016	
ATC Branch: Seattle - 10282			Date: 12/16/21		Page 2 of 3
ATC Representative(s): JT. GM			Project: P66 Borden Ave 2063		
Role:			Location: 1266 1st Ave S, Seattle, WA		
Contact Information: (206) 781-1449			Project No: 2076000070		Task No: --
Scope of Work:			Weather: Partly cloudy		Temperature: 40
☒ Monitoring ☐ Assessment ☐ Remediation ☐ Closure			Contractor: --		
Time:	Comments:				
12/16	11:22 Gauge GW-1805, DTW = 49.15 ; Will not sample - effectively dry				
	11:27 Open well cap at GW-110				
	11:29 Gauge GW-110, DTW = 78.39				
	12:15 Set up exclusion zone around GW-155 + GW150 w/ cones + caution tape				
	12:20 Open well cap at GW-155				
	12:26 Gauge GW-155, DTW = 38.47				
	12:42 Begin purging GW-155				
	13:05 Collect samples at GW-155				
	13:11 Open well cap at GW-155				
	13:14 Gauge GW-150, DTW = 55.42				
	13:25 Begin purging GW-150				
	13:45 Collect samples at GW-150				
	14:05 Set up exclusion zone around GW-135, GW-130 w/ cones + caution tape				
	14:10 Open well cap at GW-135				
	14:12 Gauge GW-135, DTW = 37.96				
	14:24 Begin purging GW-135				
	14:50 Collect samples at GW-135				
	14:58 Open well cap at GW-130				
	15:02 Gauge GW-130, DTW = 76.78				
	15:15 Begin purging GW-130				
	15:35 Collect samples at GW-130				
Equipment Used:					
Contractor Hours (per Person):			Staff / Technician Hours:		Mileage:
Copies To:			Project Manager:		
			Reviewed By:		



Field Report

FLD-100

Revision 1.0

6/1/2016

ATC Branch: Seattle - 10282

Date: 12/17/21

Page 3 of 3

ATC Representative(s): J. Tersi, G. McManis

Project: P66 Burien AOC 2063

Role: _____

Location: 12660 1st Ave S. Seattle, WA

Contact Information: (206) 781-1449

Project No: 2076 00076

Task No: _____

Scope of Work:

☒ Monitoring ☐ Assessment ☐ Remediation ☐ Closure

Weather: Partly Cloudy

Temperature: 40

Contractor: _____

Time:

Comments:

12/17 09:30 Arrive on site. Perform daily tailgate. Don level D PPE.

09:35 Set up exclusion zone around GW-100 w/ cones + caution tape

09:40 Open well cap at GW-100

09:43 Gauge GW-100, OTW = 79.52

09:55 Begin purging GW-100

10:15 Collect samples at GW-100

10:30 Set up exclusion zone around GW-180 w/ cones + caution tape

10:33 Open well cap at GW-180

10:35 Gauge GW-180, OTW = 78.11

10:45 Begin purging GW-180 @ 0.5' above total well depth. Pump was
~~collect samples at GW-180~~ unable to draw water.
well effectively dry.

11:15 Set up exclusion zone around GW-145 + GW-140 w/ cones + caution tape

11:22 Open well cap at GW-140

11:26 Gauge GW-140, OTW = 77.63

11:45 Begin purging GW-140, could not pull water. Re-measured total
~~collect samples at GW-140~~ well depth to 76.70. Well effectively dry.

11:45 Open well cap at GW-145

11:55 Check well w/ i-pole. No free point. Gauge GW-145, OTW = 42.92

12:15 Begin purging GW-145

12:35 Collect samples at GW-145

Equipment Used:

Contractor Hours (per Person):

Staff / Technician Hours:

Mileage:

Copies To:

Project Manager:

Reviewed By:

		Monitor Well Gauging Log						FLD-102	
								Revision 0.0	
								Jul-08	
ATC Branch: Seattle - 10282				Date: 12/16/21				Page 1 of 2	
ATC Representative(s): JT, GM				Project: 866 Aurora Ave 2063				Location: 12660 1st Ave S. Seattle, WA	
Contact Information: (206) 781-1449				Project No: Z076000070				Task No:	
				Weather: Partly Cloudy				Temperature: 40°F	
Water Level Meter Model/ID: EnviroTape				Interface Probe Model/ID: —					
Well ID	Casing Diameter (inches) / Type	Time of Well Cap Removal*	Time of Gauging*	Depth To LNAPL (feet)	Depth To Water (feet)	LNAPL Thickness (feet)	Total Well Depth (feet)	Other (DTW, DO, ORP, Temp, etc)	
* GW-10D	2"	09:40	09:43	—	79.52	—	93.10		
GW-13D		14:58	15:02	—	76.78	—	84.10		
GW-13S		14:10	14:12	—	37.96	—	50.00		
GW-14D		11:22	11:26	—	77.63	—	80.20	78.70 DNS	
GW-14S		11:45	11:58	—	42.92	—	50.50	49.95	
GW-15D		13:11	13:14	—	55.42	—	74.40		
GW-15S		13:20	13:26	—	38.47	—	45.00		
GW-18D		10:33	10:35	—	78.11	—	79.90	DNS	
GW-18S		11:20	11:22	—	49.15	—	50.00	DNS	
Δ GW-8D	2"	11:14	11:16	—	77.66	—	92.55		
GW-10S		10:54	10:56	—	30.01	—	38.95		
GW-11D		11:27	11:29	—	78.39	—	86.64		
GW-11S									
GW-12D		11:09	11:11	—	65.96	—	91.47		
Comments:									
* = gauge and sample									
Δ = gauge only									
DNS = did not sample									

Notes:

- * If top of screen is submerged, allow at least 15 minutes for well equilibration following well cap removal.
- All measurements to be reported to nearest 0.01 ft.
- ID = Identification.
- LNAPL = Light Non-Aqueous Phase Liquid.
- Sheen = Discontinuous, non-measurable thickness of LNAPL (less than 0.01 ft).
- Trace = Continuous, non-measurable thickness of LNAPL.



		Monitoring Well Purging and Sampling Log				FLD-103			
						Revision 1.0			
						Jul-08			
ATC Branch: Seattle - 10282				Date: 12-17-21		Page 1 of 1			
ATC Representative(s): JT, GM				Project: P66 Burien					
				Location:					
Contact Information: (206) 781-1449				Project No:		Task No:			
Well ID: GW-100				Weather:		Temperature:			
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape				Interface Probe (Model/ID): NA					
Water Quality Meter (Model/ID): YSI 556 MPS				Decontamination Method: Alconox/DI Water					
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: ☐									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) 789' (per 98')									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: ☐									
Casing Volume Information				Purging Calculations					
Casing Diameter (Circle): 2" 4" 6" Other				Casing Volumes (CV):					
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47				WC ☐ x CM ☐ = ☐ (CV)(gal) x 3.0 CV (gal) = ☐ PV					
Monitoring Measurements									
Depth to LNAPL (feet):				Total Well Depth (feet): 93.10					
Depth to Water (DTW)(feet): 79.52				Water Column (WC)(feet): 13.58					
LNAPL Thickness (ft):				Purging Start Time: 0955					
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
1005	79.52	0.50	12.4	0.313	clear	8.80	6.79	181.7	
1008	79.52	0.75	12.8	0.311	" "	8.78	6.81	175.2	
1011	79.52	1.00	13.1	0.308	" "	8.97	6.83	171.1	
Sample Data									
Sample ID: GW-100		Time of Sample: 1015		Filtered (yes/no)		Preservatives		Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs				NO		HCl		Gx, VOCs	
2-250ml PE				NO/Lab Filtered		HNO3		Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTWm)(feet): 79.52				Approximate Flow Rate (GPM): 130 ml/min					
Recovery Type: ☒ Fast ☐ Slow				% Recovery = 100					
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments:									

	Monitoring Well Purging and Sampling Log		FLD-103 Revision 1.0 Jul-08	
	ATC Branch: Seattle - 10282		Date: <u>12-16-21</u>	
	ATC Representative(s): <u>JT, GM</u>		Project: <u>P66 Burien</u>	
Contact Information: (206) 781-1449		Location:		Page <u>1</u> of <u>1</u>
Well ID: <u>GW-135</u>		Project No:		Task No:
Weather:		Temperature:		

Purging & Sampling Instrumentation & Method				
Water Level Meter (Model/ID): Envirotape		Interface Probe (Model/ID): NA		
Water Quality Meter (Model/ID): YSI 556 MPS		Decontamination Method: Alconox/DI Water		
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: _____				
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) <u>~45 (per 0-46)</u>				
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: _____				

Casing Volume Information	Purging Calculations
Casing Diameter (Circle): <u>2"</u> 4" 6" Other _____	Casing Volumes (CV):
Casing Multiplier (CM)(gallons/foot): <u>0.16</u> 0.65 1.47	WC _____ x CM _____ = _____ (CV)(gal) x 3.0 CV (gal) = _____ PV

Monitoring Measurements	
Depth to LNAPL (feet): _____	Total Well Depth (feet): <u>50.00</u>
Depth to Water (DTW)(feet): <u>37.96</u>	Water Column (WC)(feet): <u>12.04</u>
LNAPL Thickness (ft): _____	Purging Start Time: <u>1425</u>

Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
<u>1435</u>	<u>38.46</u>	<u>0.75</u>	<u>11.7</u>	<u>0.446</u>	<u>clear</u>	<u>0.94</u>	<u>7.01</u>	<u>-14.1</u>	
<u>1438</u>	<u>38.49</u>	<u>1.00</u>	<u>12.1</u>	<u>0.445</u>	<u>" "</u>	<u>1.17</u>	<u>7.00</u>	<u>-13.1</u>	
<u>1441</u>	<u>38.50</u>	<u>1.25</u>	<u>12.5</u>	<u>0.443</u>	<u>" "</u>	<u>1.35</u>	<u>6.99</u>	<u>-10.7</u>	
<u>1444</u>	<u>38.52</u>	<u>1.50</u>	<u>12.7</u>	<u>0.444</u>	<u>" "</u>	<u>1.39</u>	<u>6.99</u>	<u>-9.2</u>	

Sample Data			
Sample ID: <u>GW-135</u>	Time of Sample: <u>1450</u>	Filtered (yes/no)	Preservatives
Container Types, Volumes, & Quantities:			Analytical Parameters
6-40ml VOAs		NO	HCl
2-250ml PE		NO/Lab Filtered	HNO3
			Gx, VOCs
			Pb, Dissolved Pb

Well Recovery Data	
Maximum Drawdown (DTWm)(feet):	Approximate Flow Rate (GPM):
Recovery Type: ☒ Fast ☐ Slow	% Recovery =
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):	
Comments: <u>Flow Rate 34</u>	

	Monitoring Well Purging and Sampling Log		FLD-103							
	Revision 1.0		Jul-08							
ATC Branch: Seattle - 10282		Date: 12-16-21		Page 1 of 1						
ATC Representative(s): JT, GM		Project: P66 Byron								
		Location:								
Contact Information: (206) 781-1449		Project No:		Task No:						
Well ID: GW-130		Weather:								
		Temperature:								
Purging & Sampling Instrumentation & Method										
Water Level Meter (Model/ID): Envirotape		Interface Probe (Model/ID): NA								
Water Quality Meter (Model/ID): YSI 556 MPS		Decontamination Method: Alconox/DI Water								
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: _____										
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) 82 (pump at 83)										
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: _____										
Casing Volume Information		Purging Calculations								
Casing Diameter (Circle): 2" 4" 6" Other		Casing Volumes (CV):								
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47		WC _____ x CM _____ = _____ (CV)(gal) x 3.0 CV (gal) = _____ PV								
Monitoring Measurements										
Depth to LNAPL (feet):		Total Well Depth (feet): 84.10								
Depth to Water (DTW)(feet): 76.78		Water Column (WC)(feet): 7.32								
LNAPL Thickness (ft):		Purging Start Time: 1515								
Purging Data										
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other	
1525	76.85	0.75	13.8	0.432	cloudy	5.91	7.28	35.8	56.4	
1528	76.86	1.00	14.2	0.435	" "	6.01	7.28	57.4		
1531	76.86	1.25	14.2	0.436	" "	6.02	7.29	60.3		
Sample Data										
Sample ID: GW-130		Time of Sample: 1535		Filtered (yes/no)	Preservatives	Analytical Parameters				
Container Types, Volumes, & Quantities:										
6-40ml VOAs					NO	HCl	Gx, VOCs			
2-250ml PE					NO/Lab Filtered	HNO3	Pb, Dissolved Pb			
Well Recovery Data										
Maximum Drawdown (DTWm)(feet):		Approximate Flow Rate (GPM):								
Recovery Type: _____ Fast _____ Slow		% Recovery =								
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):										
Comments: Flow Rate: 70										

	Monitoring Well Purging and Sampling Log		FLD-103 Revision 1.0 Jul-08						
	ATC Branch: Seattle - 10282		Date: 12-17-21						
	ATC Representative(s): JT, BM		Project: P66 Burton						
Contact Information: (206) 781-1449		Location:		Page 1 of 1					
Well ID: GW-145		Project No:		Task No:					
		Weather:		Temperature:					
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape		Interface Probe (Model/ID): NA							
Water Quality Meter (Model/ID): YSI 556 MPS		Decontamination Method: Alconox/DI Water							
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: _____									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) ~47 (pump @ 18")									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: _____									
Casing Volume Information		Purging Calculations							
Casing Diameter (Circle): 2" 4" 6" Other		Casing Volumes (CV):							
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47		WC _____ x CM _____ = _____ (CV)(gal) x 3.0 CV (gal) = _____ PV							
Monitoring Measurements									
Depth to LNAPL (feet): _____		Total Well Depth (feet): 50.50 57 49.95							
Depth to Water (DTW)(feet): 42.92		Water Column (WC)(feet): 7.03							
LNAPL Thickness (ft): _____		Purging Start Time: 0815 1215							
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
1225	44.44	0.50	14.2	0.513	clear	1.40	7.12	-42.3	
1228	44.82	0.75	14.2	0.519	" "	1.31	7.14	-42.6	
1231	45.03	1.00	14.3	0.521	" "	1.34	7.14	-50.2	
Sample Data									
Sample ID: GW-145		Time of Sample: 1235		Filtered (yes/no)		Preservatives		Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs				NO		HCl		Gx, VOCs	
2-250ml PE				NO/Lab Filtered		HNO3		Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTWm)(feet):					Approximate Flow Rate (GPM):				
Recovery Type: _____ Fast _____ Slow					% Recovery =				
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: -No FP detected w/ iProbe									

ATLAS		Monitoring Well Purging and Sampling Log						FLD-103	
								Revision 1.0	
								Jul-08	
ATC Branch: Seattle - 10282				Date: 12-17-21		Page 1 of 1			
ATC Representative(s): JT, GM				Project: P66 Barium					
				Location:					
Contact Information: (206) 781-1449				Project No:		Task No:			
Well ID: GW-140									
				Weather:		Temperature:			
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape					Interface Probe (Model/ID): NA				
Water Quality Meter (Model/ID): YSI 556 MPS					Decontamination Method: Alconox/DI Water				
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: _____									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC): ~78 (per 79)									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: _____									
Casing Volume Information					Purging Calculations				
Casing Diameter (Circle): 2" 4" 6" Other					Casing Volumes (CV):				
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47					WC _____ x CM _____ = _____ (CV)(gal) x 3.0 CV (gal) = _____ PV				
Monitoring Measurements									
Depth to LNAPL (feet): _____					Total Well Depth (feet): 80.20 78.70				
Depth to Water (DTW)(feet): 77.63 77.69					Water Column (WC)(feet): 2.57 1.01'				
LNAPL Thickness (ft): _____					Purging Start Time: _____				
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
Sample Data									
Sample ID: GW-140			Time of Sample: _____			Filtered (yes/no)	Preservatives	Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs						NO	HCl	Gx, VOCs	
2-250ml PE						NO/Lab Filtered	HNO3	Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTWm)(feet):					Approximate Flow Rate (GPM):				
Recovery Type: _____ Fast _____ Slow					% Recovery =				
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: EPL Dry									

		Monitoring Well Purging and Sampling Log				FLD-103			
						Revision 1.0			
						Jul-08			
ATC Branch: Seattle - 10282				Date: 12-16-21		Page 1 of 1			
ATC Representative(s): JT, GM				Project: 866 - Burien					
				Location:					
Contact Information: (206) 781-1449				Project No:		Task No:			
Well ID: GW-155				Weather:					
				Temperature:					
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape				Interface Probe (Model/ID): NA					
Water Quality Meter (Model/ID): YSI 556 MPS				Decontamination Method: Alconox/DI Water					
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: ☐									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) ~42' (pump @ 43')									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: ☐									
Casing Volume Information				Purging Calculations					
Casing Diameter (Circle): 2" 4" 6" Other				Casing Volumes (CV):					
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47				WC ☐ x CM ☐ = ☐ (CV)(gal) x 3.0 CV (gal) = ☐ PV					
Monitoring Measurements									
Depth to LNAPL (feet):				Total Well Depth (feet): 45.00					
Depth to Water (DTW)(feet): 38.47				Water Column (WC)(feet): 6.53					
LNAPL Thickness (ft):				Purging Start Time: 1242					
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
1252	39.36	0.75	13.9	750.5	clear	2.47	6.76	93.7	
1255	39.45	1.00	14.4	0.538	" "	2.37	6.77	83.0	
1258	39.59	1.25	14.2	0.542	" "	2.20	6.78	75.4	
Sample Data									
Sample ID: GW-155		Time of Sample: 1305		Filtered (yes/no)		Preservatives		Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs				NO		HCl		Gx, VOCs	
2-250ml PE				NO/Lab Filtered		HNO3		Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTW _m)(feet):				Approximate Flow Rate (GPM):					
Recovery Type: ☐ Fast ☐ Slow				% Recovery =					
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: 38.35' once setup									
Flow Rate: 35									

		Monitoring Well Purging and Sampling Log				FLD-103			
						Revision 1.0			
						Jul-08			
ATC Branch: Seattle - 10282				Date: 12-16-21		Page 1 of 1			
ATC Representative(s): JT, BM				Project: P66 Burien					
				Location:					
Contact Information: (206) 781-1449				Project No:		Task No:			
Well ID: GW-150				Weather:					
				Temperature:					
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape				Interface Probe (Model/ID): NA					
Water Quality Meter (Model/ID): YSI 556 MPS				Decontamination Method: Alconox/DI Water					
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: _____									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) ~65 (pump @ ~66')									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: _____									
Casing Volume Information				Purging Calculations					
Casing Diameter (Circle): 2" 4" 6" Other				Casing Volumes (CV):					
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47				WC _____ x CM _____ = _____ (CV)(gal) x 3.0 CV (gal) = _____ PV					
Monitoring Measurements									
Depth to LNAPL (feet):				Total Well Depth (feet): 74.40					
Depth to Water (DTW)(feet): 55.42				Water Column (WC)(feet): 18.98					
LNAPL Thickness (ft):				Purging Start Time: 1325					
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
1335	57.89	0.75	13.4	0.379	clear	3.46	6.84	93.9	
1338	57.89	1.00	13.7	0.380	" "	3.38	6.83	94.9	
1341	57.89	1.25	13.8	0.378	" "	3.08	6.82	95.6	
Sample Data									
Sample ID: GW-150		Time of Sample: 1345		Filtered (yes/no)		Preservatives		Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs				NO		HCl		Gx, VOCs	
2-250ml PE				NO/Lab Filtered		HNO3		Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTWm)(feet):				Approximate Flow Rate (GPM):					
Recovery Type: _____ Fast _____ Slow				% Recovery =					
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: Flow Rate: 36									

		Monitoring Well Purging and Sampling Log				FLD-103			
						Revision 1.0			
						Jul-08			
ATC Branch: Seattle - 10282				Date: 12-17-21		Page 1 of 1			
ATC Representative(s): JT, BM				Project: P66 Barren					
				Location:					
Contact Information: (206) 781-1449				Project No:		Task No:			
Well ID: GW-185				Weather:		Temperature:			
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape				Interface Probe (Model/ID): NA					
Water Quality Meter (Model/ID): YSI 556 MPS				Decontamination Method: Alconox/DI Water					
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: ☐									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) ☐									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: ☐									
Casing Volume Information				Purging Calculations					
Casing Diameter (Circle): 2" 4" 6" Other				Casing Volumes (CV):					
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47				WC ☐ x CM ☐ = ☐ (CV)(gal) x 3.0 CV (gal) = ☐ PV					
Monitoring Measurements									
Depth to LNAPL (feet): ☐				Total Well Depth (feet): 50.00					
Depth to Water (DTW)(feet): 49.15				Water Column (WC)(feet): 0.85					
LNAPL Thickness (ft): ☐				Purging Start Time: ☐					
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
Sample Data									
Sample ID: GW-185				Time of Sample: ☐		Filtered (yes/no):		Preservatives	Analytical Parameters
Container Types, Volumes, & Quantities:									
6-40ml VOAs						NO		HCl	Gx, VOCs
2-250ml PE						NO/Lab Filtered		HNO3	Pb, Dissolved Pb
Well Recovery Data									
Maximum Drawdown (DTWm)(feet):				Approximate Flow Rate (GPM):					
Recovery Type: ☐ Fast ☐ Slow				% Recovery =					
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: - Eff. Dry									

	Monitoring Well Purging and Sampling Log		FLD-103						
			Revision 1.0						
			Jul-08						
ATC Branch: Seattle - 10282		Date: 12-17-21		Page 1 of 1					
ATC Representative(s): JT, CM		Project: P66 Burien							
		Location:							
Contact Information: (206) 781-1449		Project No:		Task No:					
Well ID: GW-180									
		Weather:		Temperature:					
Purging & Sampling Instrumentation & Method									
Water Level Meter (Model/ID): Envirotape		Interface Probe (Model/ID): NA							
Water Quality Meter (Model/ID): YSI 556 MPS		Decontamination Method: Alconox/DI Water							
Purging Method: ☐ PVC Bailer ☐ Vacuum Truck ☒ Submersible Pump ☐ Peristaltic Pump Other: ☐									
3 Well Volumes ☐ Low Flow ☒ Micro Purge ☐ Intake Depth (feet below TOC) ☒									
Sampling Method: ☐ Teflon Bailer ☐ Disposable Bailer ☒ Dedicated Tubing Other: ☐									
Casing Volume Information		Purging Calculations							
Casing Diameter (Circle): 2" 4" 6" Other		Casing Volumes (CV):							
Casing Multiplier (CM)(gallons/foot): 0.16 0.65 1.47		WC ☐ x CM ☐ = ☐ (CV)(gal) x 3.0 CV (gal) = ☐ PV							
Monitoring Measurements									
Depth to LNAPL (feet):		Total Well Depth (feet): 79.90							
Depth to Water (DTW)(feet): 78.11		Water Column (WC)(feet): 1.89							
LNAPL Thickness (ft):		Purging Start Time:							
Purging Data									
Time (24 Hours)	DTW (Feet)	Cum. Vol. Purged (Gallons)	Temp (°C) (± 1°)	Specific Cond. (uS/cm) (± 5%)	Turbidity NTU	Dissolved Oxygen (mg/L) (± 10%)	pH (± 0.1)	ORP (mV) (± 10 mV)	Other
Sample Data									
Sample ID: GW-180		Time of Sample: JT		Filtered (yes/no)		Preservatives		Analytical Parameters	
Container Types, Volumes, & Quantities:									
6-40ml VOAs				NO		HCl		Gx, VOCs	
2-250ml PE				NO/Lab Filtered		HNO3		Pb, Dissolved Pb	
Well Recovery Data									
Maximum Drawdown (DTWm)(feet):				Approximate Flow Rate (GPM):					
Recovery Type: ☐ Fast ☐ Slow				% Recovery =					
Purge Water Disposition (Attach Drum Inventory Log - FLD 108):									
Comments: Eff. Dry, see drawing on this page (back)									




79.40 1.3' well casing → 78.10

Total # of Drums at Site: 1

APPENDIX C

WASTE DISPOSAL DOCUMENTATION

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number WAVSQG	2. Page 1 of 1	3. Emergency Response Phone 888-785-7225	4. Waste Tracking Number 326426/D398155		
5. Generator's Name and Mailing Address Phillips 66 No. 2701476 c/o ATC Group 6347 Seaview Ave NW Seattle, WA 98107			Generator's Site Address (if different than mailing address) Phillips 66 No. 2701476 12660 First Ave South Seattle, WA 98168				
Generator's Phone: 206-491-9754							
6. Transporter 1 Company Name Advanced Chemical Transport Inc./DBA ACTenviro				U.S. EPA ID Number CAR000070540			
7. Transporter 2 Company Name Clean Earth Specialty Waste Solutions				U.S. EPA ID Number MNS000110924			
8. Designated Facility Name and Site Address Burlington Environmental, LLC 1701 E Alexander Ave Tacoma, WA 98421				U.S. EPA ID Number WAD020257945			
Facility's Phone: 253-627-7568							
9. Waste Shipping Name and Description		10. Containers		11. Total Quantity	12. Unit Wt./Vol.		
		No.	Type				
1. Non-RCRA/Non-DOT Regulated Material Liquid (GROUNDWATER) UST Exemption, would otherwise be D018		1	DM	120	P		
2.							
3.							
4.							
13. Special Handling Instructions and Additional Information Project Number 326426 Document #: D398155 1) 1730881-00 PHB- <u>1X 15</u>							
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.							
Generator's/Officer's Printed/Typed Name Elsabehn Silver for PUEB				Signature 	Month 11	Day 24	Year 21
15. International Shipments		☐ Import to U.S. ☐ Export from U.S.		Port of entry/exit: _____ Date leaving U.S.: _____			
16. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name Max Graham				Signature 	Month 12	Day 14	Year 21
Transporter 2 Printed/Typed Name Chance Guiberson				Signature 	Month 12	Day 23	Year 21
17. Discrepancy							
17a. Discrepancy Indication Space		☐ Quantity	☐ Type	☐ Residue	☐ Partial Rejection	☐ Full Rejection	
				Manifest Reference Number: _____			
17b. Alternate Facility (or Generator)				U.S. EPA ID Number			
Facility's Phone: _____							
17c. Signature of Alternate Facility (or Generator)				Month Day Year			
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a							
Printed/Typed Name Tami A Kivley				Signature 	Month 11	Day 5	Year 22