# Appendix G

Laboratory Data Validation

BNSF Parkwater

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	19 September 2013	Soil: RLT-BS1-091713, RLT-SW1-091713, RLT-SW2- 091713, RLT-SW3-091713, RLT-SW4-091713, RLT-SW5-091713, RLT-SW6-091713, RLT-BS2- 091713, RLT-BS102-091713  Water: RLT-RBI-091713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	N/A	No custody seals were on the cooler. Although according to the laboratory report, the cooler or samples did not appear to have been compromised or tampered with.
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	Yes	See laboratory note #1.
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
Trip blank samples – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
<u>Surrogate percent recoveries</u> – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	Yes	

#### Notes:

1 - Method(s) NWTPH-Dx: In analytical batch 145322, the method blank for preparation batch 145227 contained #2 Diesel Fuel (C10-C24) and Motor Oil (>C24-C36) above the reporting limit (RL). None of the samples associated with this method blank contained the target compound; therefore, re-extraction and/or re-analysis of samples were not performed.

#### **Overall Assessment**

# DATA VALIDATION SUMMARY – Lab Report #: 580-40352-1

**BNSF Parkwater** 

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	20 September 2013	Soil: RLT-BS3-091713, RLT-SW7-091713, RLT-SW8- 091713, RLT-SW9-091713, RLT-SW10 -091713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	MS/MSD sample was not from Site. See laboratory note #1.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### Notes

**1 -** Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 145366 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

#### **Overall Assessment**

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40386-1 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	7 October 2013	Water: DS-RB1-091813, WFE-RB1-091913
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	The following sample was activated for metals analysis by the client on 9/22/2013: DS-RB1-091813 (580-40386-7). This analysis was not originally requested on the chain-of-custody (COC).
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	Yes	See laboratory note #1.
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
<u>Surrogate percent recoveries</u> – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> — Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### Notes:

1 - In analytical batch 146331, from preparation batch 146344 the method blank contained #2 Diesel Fuel (C10-C24) above the reporting limit (RL). None of the samples associated with this method blank contained the target compound greater than the reporting limit; therefore, re-extraction and/or re-analysis of samples were not performed.

#### **Overall Assessment**

## DATA VALIDATION SUMMARY – Lab Report #: 580-40386-2

#### **BNSF Parkwater**

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	24 September 2013	Soil: WFE-BS1-091913, WFE-SW1-091913, WFE-BS2-091913, WFE-BS3-091913, WFE-SW3-091913, WFE-SW2-091913, WFE-BS4-091913, WFE-BS5-091913, WFE-BS105-091913, WFE-BS6-091913, WFE-SW4-091913, WFE-SW5-091913, WFE-SW6-091913, WFE-SW7-091913, WFE-BS7-091913, WFE-BS8-091913
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	The following samples was activated for Metals analysis by the client on 9-22-2013.DS-RB1-091813 (580-40386-7). This analysis was not originally requested on the chain-of-custody (COC).
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> — Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples WFE-BS5-091913 and WFE-BS105-091913 is 129% for lead, 75% for barium, and 121% for cadmium.

#### **Overall Assessment**

# DATA VALIDATION SUMMARY – Lab Report #: 580-40386-3

Page 1 of 1

**BNSF Parkwater** 

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	23 September 2013	Soil: DS-SW1-091813, DS-SW2-091813, DS-SW3- 091813, DS-SW4-091813, DS-BS1-091813, DS-BS101-091813
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	The following samples was activated for Metals analysis by the client on 9-22-2013.DS-RB1-091813 (580-40386-7). This analysis was not originally requested on the chain-of-custody (COC).
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples DS-BS1-091813 and DS-BS101-091813 is 60% for lead.

#### **Overall Assessment**

The findings with respect to the quality assurance/quality control (QA/QC) data do not adversely affect the use of the analytical results for purposes of confirmatory sampling. Reviewed by Laura Himes, 27 December 2013

PARKWATER 1596110.00

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40420-2 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	24 September 2013	Soil: WFE-SW8-091913, WFE-SW9-091913, WFE-SW10-091913, WFE-BS9-091913, WFE-BS10-091913, WFE-BS11-091913, WFE-BS12-091913, WFE-BS112-091913, WFE-BS13-091913, WFE-BS14-091913
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
Trip blank samples – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	MS/MSD sample was not from Site. See laboratory note #1.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	Yes	

#### Notes:

**1 -** Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 145579 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

#### **Overall Assessment**

#### Page 1 of 2

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40538-1 BNSF Parkwater

Kennedy Jenks Project Number: 1396110.06

	T	
Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	19 November 2013	Soil: WFE-SW11-092513, WFE-SW12-092513, WFE-SW13-092513, WFE-SW14-092513, WFE-SW15-092513, WFE-SW115-092513, WFE-SW16-092513, WFE-SW17-092613, WFE-SW18-092613, WFE-SW19-092613, WFE-SW119-092613, WFE-BS15-092513, WFE-BS16-092513, WFE-BS17-092513, WFE-BS19-092513, WFE-BS20-092513, WFE-BS21-092513, WFE-BS23-092613, WFE-BS22-092613, WFE-BS23-092613, WFE-BS24-092613, WFE-BS25-092613, WFE-BS126-092613, WFE-BS27-092613, WFE-BS28-092613
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 146090 (WFE-SW11-092513, WFE-SW12-092513, WFE-SW13-092513, WFE-SW14-092513, WFE-SW15-092513, WFE-SW115-092513, WFE-SW17-092613, WFE-SW18-092613, WFE-SW19-092613, WFE-SW119-092613, WFE-SW19-092513) were outside control limits. See laboratory note #1.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples WFE-SW15-092513 and WFE-SW115-092513 is 90% for cadmium.

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40538-1 BNSF Parkwater

Page 2 of 2

Kennedy Jenks Project Number: 1396110.06

#### Notes:

1 - The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 146090 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

#### **Overall Assessment**

The findings with respect to the quality assurance/quality control (QA/QC) data do not adversely affect the use of the analytical results for purposes of confirmatory sampling. Reviewed by Laura Himes, 27 December 2013

PARKWATER 1596110.00

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40538-1 **BNSF Parkwater**

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	19 November 2013	Soil: DS-SW5-092413, DS-SW6-092413, DS-SW106- 092413, DS-SW7-092413  Water: DS-RB1-092413
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
<u>Surrogate percent recoveries</u> – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples DS-SW6-092413 and DS-SW106-092413 is 67% for lead.

#### **Overall Assessment**

The findings with respect to the quality assurance/quality control (QA/QC) data do not adversely affect the use of the analytical results for purposes of confirmatory sampling. Reviewed by Laura Himes, 27 December 2013

1596110.00 **PARKWATER** 

# DATA VALIDATION SUMMARY – Lab Report #: 580-40619-1

**BNSF Parkwater** 

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	3 October 2013	Soil: DS-SW8-100113, DS-SW9-100113, DS-SW109- 100113, DS-SW10-100113, DS-SW11-100113  Water: DS-RB1-100113
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
Laboratory duplicate samples (if applicable)—Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples DS-SW9-100113 and DS-SW109-100113 is 112% for lead and 95% for cadmium.

#### **Overall Assessment**

The findings with respect to the quality assurance/quality control (QA/QC) data do not adversely affect the use of the analytical results for purposes of confirmatory sampling. Reviewed by Laura Himes, 27 December 2013

PARKWATER 1596110.00

# DATA VALIDATION SUMMARY – Lab Report #: 580-40688-1

**BNSF Parkwater** 

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	7 October 2013	Soil: WFE-SW20-100313, WFE-SW21-100313, WFE-BS29-100313, WFE-SW121-100313, WFE-BS30-100313, WFE-BS31-100313, WFE-SW22-100313
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Chris LaRose from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
Trip blank samples – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	The matrix spike / matrix spike duplicate (MS/MSD) recoveries for WFE-SW20-100313 for barium and cadmium were outside control limits. See laboratory note #1.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable )</u> – Control limits met?	Yes	
<u>Field duplicate samples (if submitted)</u> – Relative percent differences within control limit	No	The RPD in samples WFE-SW21-100313 and WFE-SW121-100313 is 58% for lead.

#### Notes:

1 - The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 146584 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

#### **Overall Assessment**

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	23 October 2013	Soil:  MSB-SW1-100713, MSB-SW2-100713, MSB-SW3- 100713, MSB-SW4-100713, MSB-SW5-100713, MSB-SW6-100713, MSB-SW7-100713, MSB-BS1- 100713, MSB-BS2-100713, MSB-BS3-100713, MSB-BS4-100713, YO-SW1-100713, YO-SW2- 100713, YO-SW3-100713, YO-SW4-100713, YO-BS1-100713, YO-BS2-100713, YO-BS3- 100713, YO-BS4-100713, YO-BS104-100713  Water: MSB-RB1-100713, YO-RB1-100713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.  The COC was modified via email communication which has been included in the laboratory package.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
Field/Equipment blank samples – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
Laboratory duplicate samples (if applicable) – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	Yes	

#### **Overall Assessment**

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40745-2 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	14 October 2013	Soil:  MSB-SW1-100713, MSB-SW2-100713, MSB-SW3- 100713, MSB-SW4-100713, MSB-SW5-100713, MSB-SW6-100713, MSB-SW7-100713, MSB-BS1- 100713, MSB-BS2-100713, MSB-BS3-100713, MSB-BS4-100713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.  The COC was modified via email communication which has been included in the laboratory package.
Custody Seals – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
Trip blank samples – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40745-3 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	9 October 2013	Soil:  MSB-SW1-100713, MSB-SW2-100713, MSB-SW3- 100713, MSB-SW4-100713, MSB-SW5-100713, MSB-SW6-100713, MSB-SW7-100713, MSB-BS1- 100713, MSB-BS2-100713, MSB-BS3-100713, MSB-BS4-100713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.  The COC was modified via email communication which has been included in the laboratory package.
Custody Seals – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
<u>Surrogate percent recoveries</u> – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> — Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	23 October 2013	Soil: YO-SW5-100813, YO-SW6-100813, YO-SW7- 100813, YO-SW8-100813, YO-SW9-100813, YO-SW105-100813, YO-BS5-100813, YO-BS6-100813  Water: MSB-RB1-100813, YO-RB1-100813
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	MS/MSD Sample YO-SW5-100813 recoveries for barium and chromium were outside control limits. See Laboratory Note #1.
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
Laboratory duplicate samples (if applicable) – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	No	The RPD in samples YO-SW5-100813 and YO-SW105-100813 is 59% for cadmium.

#### Notes:

**1 -** Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for prep batch 147753 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

#### **Overall Assessment**

#### DATA VALIDATION SUMMARY – Lab Report #: 580-40770-2 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	14 October 2013	Soil: MSB-SW8-100813, MSB-SW9-100813, MSB-SW10-100813, MSB-BS5-100813
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

# DATA VALIDATION SUMMARY – Lab Report #: 580-40770-3

Page 1 of 1

**BNSF Parkwater** 

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	10 October 2013	Soil: MSB-SW8-100813, MSB-SW9-100813, MSB-SW10-100813, MSB-BS5-100813
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

The findings with respect to the quality assurance/quality control (QA/QC) data do not adversely affect the use of the analytical results for purposes of confirmatory sampling.

Reviewed by Laura Himes, 27 December 2013

#### **BNSF Parkwater**

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	23 October 2013	Soil: YO-BS7-100913, YO-BS8-100913, YO-BS108- 100913, YO-BS9-100913, YO-BS10-100913, YO-BS11-100913, YO-BS12-100913, YO-SW10- 100913, YO-SW11-100913, YO-SW12-100913, YO-SW13-100913, YO-SW14-100913, YO-SW15- 100913, YO-SW16-100913, YO-SW17-100913, YO-SW18-100913, YO-SW19-100913  Water: YO-RB1-100913
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	No	MS/MSD Sample YO-BS7-100913 recoveries for cadmium was outside control limits. See Laboratory Note #1.
Surrogate percent recoveries – Control limits met?	N/A	
<u>Laboratory control sample</u> – Control limits met?	Yes	
Laboratory duplicate samples (if applicable) – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	Yes	

#### Notes:

**1 -** Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) precision for prep batch 147762 was outside control limits for Cadmium. Non-homogeneity of the sample matrix is suspected. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision met acceptance criteria.

#### **Overall Assessment:**

## DATA VALIDATION SUMMARY – Lab Report #: 580-40857-1

Page 1 of 1

#### **BNSF Parkwater**

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	24 October 2013	Soil: MSB-BS6-101013
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Matt Wilson from Kennedy/Jenks.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

BNSF Parkwater Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	23 October 2013	Soil: GTP36-NSW-101713, GTP36-ESW-101713, GTP36-SSW-101713, GTP36-WSW-101713, GTP36-BS-101713, GTP36B-NSW-101713, GTP36B-ESW-101713, GTP36B-SSW-101713, GTP36B-WSW-101713, GTP36B-BS-101713
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	No	Sampler was not indicated on COC. Based on field notes and the relinquished signature, the sampler was Chris LaRose from Kennedy/Jenks.  Container IDs did not match the COC and the samples were logged in per the COC. See Laboratory Note #1.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
Field/Equipment blank samples – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	MS/MSD results were not shown as the MS/MSD was not performed on a Site Sample. The case narrative did not note any issues with MS/MSD recoveries.
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### Notes:

1 – The container label for the following sample did not match the information listed on the Chain-of-Custody (COC): GTP36B-NSW-101713 (580-40905-6). The container label lists sample ID of GTP36B-NSW-101713. The COC lists sample ID of GTP3B-NSW-101713. The client was contacted and notified the lab via email on 10/21/2013 that the correct sample ID is GTP36B-NSW-101713. The sample ID was corrected to match the sample label.

#### **Overall Assessment**

#### DATA VALIDATION SUMMARY – Lab Report #: 580-41021-1 BNSF Parkwater

Page 1 of 1

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	8 November 2013	Soil: GTP36-NSW-102313, GTP36B-SSW-102313
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
Temperature Blank – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	N/A	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
<u>Surrogate percent recoveries</u> – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### **Overall Assessment**

BNSF Parkwater

Kennedy Jenks Project Number: 1396110.06

Laboratory Reports included in Data Validation	Final Report Date	Sample IDs
TestAmerica Laboratories, Inc. TestAmerica Seattle 5755 8th Street East Tacoma, WA 98424	12 December 2014	Soil:  MSB-SW-11-111914, MSB-SW-12-111914, MSB-BS-6-111914, MSB-SW-13-111914, MSB-SW-14-111914, MSB-BS-7-111914, MSB-SW-15-111914, MSB-BS-8-111914, MSB-SW-16-112014, MSB-SW-17-112014, MSB-BS-9-112014, MSB-SW-18-112014, MSB-SW-19-112014, MSB-SW-20-112014, MSB-SW-21-112014, MSB-SW-21-112014, MSB-SSW-11-112014, MSB-SW-21-112014, MSB-BS-11-112014, MSB-SW-22112014
Criteria	(Yes or No)	Comment
<u>Chain-of-Custody</u> – Chain-of-custody protocol followed?	Yes	See note #1.
<u>Custody Seals</u> – Custody seals intact on shipping containers/coolers?	Yes	
<u>Temperature Blank</u> – Sample temperature criteria met?	Yes	
Holding times – Samples analyzed within specified holding time?	Yes	
<u>Laboratory method blank samples</u> – Analytes present in method blank samples?	No	
<u>Field/Equipment blank samples</u> – Analytes present in field/equipment blank samples?	No	
<u>Trip blank samples</u> – Analytes present in trip blank samples?	N/A	
Matrix spikes/matrix spike duplicate samples – Control limits met?	Yes	
Surrogate percent recoveries – Control limits met?	Yes	
<u>Laboratory control sample</u> – Control limits met?	Yes	
<u>Laboratory duplicate samples (if applicable)</u> – Control limits met?	Yes	See note #2.
Field duplicate samples (if submitted) – Relative percent differences within control limit	N/A	

#### Notes:

- 1 The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. Sample MSB-SW-11-11914 included one container, the COC listed two containers. The container labels for the following samples did not match the information listed on the COC: MSB-BS-11-112014 and MSB-SW-112014. Container labels listed sample collection times of 16:05 and 16:10, while the COC listed collection times of 14:05 and 14:10.
- 2 In analysis batch 177101, the sample duplicate (DUP) precision was outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample/laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

#### **Overall Assessment**

# Appendix H

**Backfill Tickets** 

# Fine Sand Weight Tickets 10/10/13 Parkwater Construction Engineering

42531nr

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with materials, if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with these If finishing concrete, wear knee packs to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken safely gear (long sleeves, panls and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you given this PELEASE in consideration of the performance of the due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_\_ inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_\_ gal water at customer request. Test cylinders that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises, Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty and RELEASE the seller and its employees from expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Job Site **Arrive Plant** Drivers' Comments Company/ Order No. Customer PO/ Cust. No. Customer Job Phase Code 3009 TICKET NO. 37606 Driver Co. Proj. No. 10120596 Michael S SP1300 Customer STRIDER CONSTRUCTION CO I 5324 Delivery Address Date 10/10/13 TRENT / PARK WATER BNSF **Delivery Instructions** Map Zone 23E 531 07:27 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description** 31.90 31.90 **Unit Price** 30.00 2120 **Amount** tn FINE SAND Gross Tare Net Trks. 104380 28300 63800 rlrs Delivery Charge 12280 FUEL CHG REV TRUCK: OAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slump Type Use Haul Cd. 1 Pit/Plant Sales Tax 刊的中央 Gross Weight Tare Weight 030 Freiles **TOTAL DUE** Trailer Taken by Check #

# Fractured Select Fill Weight Tickets 9/12/13

**Parkwater Construction Engineering** 

OUDTUNET/UFFICE <u>oncrete:</u> Injunous to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with research and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact including. Seek immediate medical attention if you have persistent or severe incomply control in the protection of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is green to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then harding this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective lately gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100320 lafety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. \_\_ inch slump. Arrived at job with seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. taken Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company Phase Code SP1300 Customer Job MIT Cust. No. 10926861 Order No. 09/12/13 Date 37606 **Delivery Address** Мар STRIDER CONSTRUCTION CO I 5324 E TRENT Customer Delivery Instructions Amount RR YARD **Unit Price** Product Description **UOM Product Code** Order Qty FRACTURED SELECT FILL **Delivered Qty** Load Qty tn 240.00 2401 32.21 Delivery Charge: Net Tarre Gross 28300 64420 FUEL CHG 105100 12380

CREDIT

Slump

Trailer

Type

Taken by

CC

Sales Tax

TOTAL DUE

Pit/Plant

Haul Cd.

Check #

CHECK

Trailer

Description

Tare Weight

PREV TRUCK:

LOAD COUNT:

Load Size

Truck

Prod. No.

Gross Weight

CUSTOMER/OFFICE ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with serials. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these reitals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them ishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact such that is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! Uses comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! Uses comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! Uses comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! Uses comfort. In the contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures are the protection of the contact with experiment of the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, Asphalt may cause severe burns. Wear protective they gear (lon 4100326 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking je to water added above design. you in everyway mat we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annumenance. inch slump. Arrived at job with \_\_\_ Test cylinders gal water at customer request. taken Added \_\_\_\_ appurtenances, at: Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 mixer. Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ TICKET NO. SP1300 Company/ Phase Code Frat Customer Job 10926867 09/12/13 Cust. No. Date Order No. Zone 37606 Map Delivery Address 3005 528 STRIDER CONSTRUCTION CO I 5324 E TRENT Customer Scale 09:22 **Delivery Instructions Amount UnitPrice** RR YARD **Product Description UOM ProductCode** FRACTURED SELECT FILL Order Qty **Delivered Qty** Load Qty 240.00 2401 63, 63 31.42 Delivery Charge: Net Tare Gross FUEL CHG 28300 103420 Trks Tribra 510611 TRUCK: PREV Sales Tax Pit/Plant LOAD COUNT: Haul Cd. Use CC TOTAL DUE Type Slump Description Prod. No. Load Size

Taken by

Trailer

Trailer

Tare Weight

Gross Weight

Truck

Check #

CUSTOMER/OFFICE

ICRETE: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, irritation, contains a cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with single concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raish. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them; shirt gonorete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact using concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh clean water. Indirect contact using concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with seven immediately with fresh, clean water. Indirect contact with seven immediately. KEEP out of reach of children even come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Consult hybridization immediately. KEEP out of reach of children into the contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. In the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Consult hybridizate medical attention if yo 4100327 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby fety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the contract with ma. I the understand hereby INIDEMANIEY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. ural you sign uris relieable. In consideration or the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all dairns to the premises, building, utility pipelines or cables, telephone lines, driveway or other annumenance at inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. appurtenances, at: Other additions and RELEASE the seller and its employees from Received X Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 **Arrive Plant** Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ TICKET NO. SP1300 Company/ Customer Job Phase Code TIM 10926868 03/12/13 Date Cust. No. Order No. Zone Map 37806 Delivery Address 3005 STRIDER CONSTRUCTION CO I 5324 E TRENT 09:26 Scale Customer Delivery Instructions Amount UnitPrice RR YARD **Product Description UOM** FRACTURED SELECT FILL **ProductCode** Order Qty **Delivered Qty** Load Qty 240.00 2401 95.99 32.36 Delivery Charge: Net Tare Gross FUEL CHG 64720 28300 105400 Trk: 12380 Trlr: CREDIT CARD 510136 PREV TRUCK: CHECK Sales Tax Pit/Plant Haul Cd. LOAD COUNT: TOTAL DUE Lise CC Type Slump Description Prod. No. Load Size

Taken by

Trailer

Trailer

Tare Weight

Gross Weight

Truck

Check #

added at customer's own risk. Additional water added to concrete with the strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's agent agrees to accept responsibility for reduced strength is strength. Buyer's accept the permisses of the permisses o			CUSTOMER/OFFICE
Hot Asphalt eries insactive and sea a physical great for product any spents and glose; profit and glose; profit and glose; profit so great sea glose; if turned, code with water added at customer's own risk. Additional water added to concrete with added at customer's own risk. Additional water added to concrete with the operator of this pleas of heavy expires to a free point of this pleas of heavy expires to a profit or the pleas of the point had the operation of this pleas of heavy expires to a five opinion that the operation of the position of the pos	and othicles, whear waterproof gloves, a fully-buttoned, to disease at an eight at the to disk. If you have to stand in wet concrete, use waterproof boots that are tight at the to ing concrete, wear knee pads to protect knees. After contact with any of these materials in clothing is as dangerous so promptly rinse these materials from clothing. Seek in clothing is as dangerous so promptly rinse these materials from clothing. Seek fort. In case of eye contact, flush with plently of water for at least 15 minutes. Consul- fort. In case of eye contact, flush with plently of water for at least 15 minutes. Consul- s to convey this warning to all persons who may use or come into contact with well	op and night enuation to have list, wash off immediately with fresh, clean water. Indirect contact immediate medical attention if you have persistent or severe att physician immediately. KEEP out of reach of children! User attended to the control of the contact of the contact to unhandened) concrete, montar, cement or cement mixtures. In your health. Measures to control fugitive dust should be taken by your health. Measures to control fugitive dust should be taken see. Also, Asohalt may cause severe burns. Wear protective	
any extra products to our mixer may void any warranty and addition of any extra products to our mixer may void any warranty pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts and seller accepts no liability.  Signature of Owner or its Agent	added at customer's own risk. Additional water added to concrete will added at customer's own risk. Additional water added to concrete will be its strength. Buyer's agent agrees to accept responsibility for reduced strength water added above design.  Inch slump.  Test cylinders taken	Property Damage Indemnification & Release Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property, it is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or othe appurtenances, at:	Limited Warranty The only liability of the seller to product defect is the return of the purchase price. In no product defect is the return of the purchase price, indirect event shall the seller be liable for any direct, indirect event shall the products or arising out of breach of an incidental or consequential.
Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge 1:28	yer's Agent receipt of product and approval of any added items,	Signature of Owner or its Agent	SPOKANE, WA 99208-708
Order No. Cust. No. Customer Job Customer PO/ Phase Code TICKET NO. 10926869  Order No. 376/06  Delivery Address Customer  STRIDER CONSTRUCTION CO I 5324 E TRENT  Scale Time: 10:43	Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge	NWGDELTK 1090400	* 1 8 8 6 9
Customer STRIDER CONSTRUCTION CO I 5324 E TRENT STRIDER CONSTRUCTION CO I 5324 E TRENT Scale Time: 10:43	Order No. Cust. No. Customer Job	Phase Code 10926869	TIM S SP1300 Date 09/12/13
Delivery instructions  Unit Price Amount	Customer CO I 53	Delivery Address 24 E TRENT	Scale 10:43
	Load Qty Delivered Qty Order Qty Product Co	EDACTERED SEEMS	FILL
Gross Tare Net Delivery Charge: Trk: 103180 28300 62500 FUEL CHG Trlr:	Gross Tare Net Trk: 103180 28300 62500	tn FRACTURED SELECT	Delivery Charge:

Taken by

Check #

Description

Tare Weight

Trailer

Prod. No.

Gross Weight

Load Size

Truck

CUSTOMER/OFFICE narrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sea and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these earned skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these staterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is that the protect knees and the protect knees after contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe sounds of contact with wet (unhardened). KEEP out of reach of children! User sounds of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sounds of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sounds of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sounds of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sounds of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sounds of eye contact, with wet of at least 15 minutes. Consult physician immediately. KEEP out o 4100329 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the contract with me. I the undersinged hereby INDE-MNIFY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_ inch slump. Arrived at job with \_\_\_\_ seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all calms to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders Added \_\_\_\_\_ gal water at customer request. taken Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Finish Discharge : 05 Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code SP1300 Customer Job Fran Cust. No. 10926870 09/12/13 Order No. Date 37606 Zone Map Delivery Address STRIDER CONSTRUCTION CO I 5324 E TRENT Scale Time: 10:47 **Delivery Instructions Amount** RR YARD **UnitPrice Product Description UOM ProductCode** FRACTURED SELECT FYEL Order Qty **Delivered Qty** Load Qtv tn 240,00 2401 159.37 Delivery Charge: Net Tare Gross

CREDIT

Slump

Trailer

Type

Taken by

FUEL CHG

Use

CC

Haul Cd.

Check #

Sales Tax

TOTAL DUE

Pit/Plant

64260

Trailer

CHECK

28300

Description

Tare Weight

510611

104840

Prod. No.

Gross Weight

Trk: Trlr:

Load Size

Truck

PREV FRUCK:

LOAD COUNT:

CUSTOMER/OFFICE crete: Injurious to eyes.Causes-skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, Injurious to eyes.Causes, skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, referred concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raids. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, shing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe upin clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe control in the second of children in the protection of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children industres, control in the protection of the protection of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children industres, control in the protection of eye or contact with wet (unhardened) concrete, mortar, cement or cement mixtures, and in the protection of eye or contact with wet (unhardened) concrete, mortar, cement or cement mixtures, and in the protection of eye or eye or contact with wet (unhardened) concrete, mortar, cement or cement mixtures, and in the protection of eye or 4100333 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby fety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersinged hereby INITEMALIEV the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. \_ inch slump. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annuations are urrived at job with \_\_\_\_ Test cylinders Added \_\_\_\_\_\_ gal water at customer request. appurtenances, at: Other additions and RELEASE the seller and its employees from Received X Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 **Arrive Plant** Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ TICKET NO. SP1300 Company/ Customer Job Phase Code 09/12/13 10926874 Date Cust. No. Order No. Map 37606 Delivery Address 528 3005 STRIDER CONSTRUCTION CO I 5324 E TRENT 11:57 Scale Customer **Delivery Instructions** Amount **UnitPrice** RR YARD Product Description MOU FRACTURED SELECT FILL **ProductCode** Order Qty Delivered Qty Load Qty tn 240.00 2401 190.82 31.45 Delivery Charge: Net Tare Gross FUEL CHG 62900 28300 Trk: 103580 12380 Trlr: CREDIT CARD PREV TRUCK: 510136 CHECK Sales Tax Haul Cd. LOAD COUNT: TOTAL DUE Lise CC Type Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight

Gross Weight

Truck

oncrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, bardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with head concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these earlies in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is a concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact initiations of the protect knees. After contact with any of these materials, seek immediate medical attention if you have persistent or severe limitshing concrete, wear knee pads to protect knees. After contact with any of these materials, seek immediate medical attention if you have persistent or severe limitshing concrete, wear kneepen and the protect kneepen are set to be protect kneepen and the protect kneepen an		
Inishing condetes, wear into a specific product of reach of children user rough clothing is as dangerous so promptly rinse these materials from clothing is as dangerous so promptly rinse these materials from clothing is as dangerous so promptly rinse these materials from the contact with wet (unhardened) concrete, mortar, cement or cement mixtures, scomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children industries, scomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children industries, scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures, scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures, scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures, scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures, scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Scomfort in contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, as the contact with the contact with the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, as the contact with the contact with the contact with the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, as the contact with the con		4100334
water added at customer's own risk. Additional water added to concrete will be duce its strength. Buyer's agent agrees to accept responsibility for reduced strength use to water added above design.  Arrived at job with inch slump Test cylinders taken gal water at customer request. Test cylinders taken the undersigned, hereby INDEMNIFY the seller of its opinion for the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, britting. Utility pipelines or cables, telephone lines, driveway or other his piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presenting this Rt.— The operator of this piece of heavy equipment, in presentin	charged at posted time charged at posted time charged at posted time. Limited Warranty product defect is the event shall the selle incidental or conse the use of the produgarranty. All claims	sty Excess unloading will be truck time rates. Truck standby isted truck time rates. The only liability of the seller for ereturn of the purchase price. In no er be liable for any direct, indirect, quential damages resulting from lots or arising out of breach of any for damages or shortages must be urs of delivery. We do not assume undersome beyond the curb line.
Received by  Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty  and RELEASE the seller and its employees from any liability.  and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent	responsibility for an	DERRY RD WA 99208-7089
Drivers' Comments	*103	2 6 8 7 5 *
Order No. Cust. No. Customer Job Customer Job Phase Code TICKET NO. 10926875  Delivery Address	Driver Frank Dat	e 09/12/13
STRIDER CONSTRUCTION CO I 5324 E TRENT		23E S28
Delivery Instructions  RR YARD	UnitPrice	Amount
Load Qty Delivered Qty Order Qty Product Code UOM Product Description  32.16 222.98 240.00 2401 tn FRACTURED SELECT F	ILL	

CHECK / CREDIT CARD

Trailer

Trailer

20.29 030856

Slump Type CC Use

Taken by

Gross Tare Net

12280

Trk: 104900 28300 64320

PREV TRUEH: 510611

LOAD COUNT: 7

Load Size Prod. No. Description

Truck Gross Weight Tare Weight

CUSTOMER/OFFICE

Delivery Charge:

Haul Cd.

Check #

Pit/Plant Sales Tax

TOTAL DUE

FUEL CHG

# Fractured Select Fill Weight Tickets 9/17/13 Parkwater Construction Engineering

ncrete: Injurious to eyes.Causes ski					wet.			
ardened concrete, mortar, cement or cens and skin. Wear waterproof gloves, a fiverals. If you have to stand in wet concret sishing concrete, wear knee pads to protect uph clothing is as dangerous so promptly confort. In case of eye contact, flush with sees to convey this warning to all persons gregates: Prolonged inhalations of dus in handling this product. Hot Asphalt ety gear (long sleeves, pants and gloves	ully-buttoned, long-ste, use waterproof to the knees. After contactly rinse these mater plenty of water for as s who may use or of the form a gravel pro-	deeve shirt, full-length tro coots that are tight at the ct with any of these matern riels from clothing. Seel at least 15 minutes. Con- come into contact with we duct may be hazardous the mes. Avoid breathing fur-	ousers and tight-fitting eye prote top and high enough to keep of also, wash of immediately with fin k immediate medical attention it sult physician immediately. KEE wet (unhardened) concrete, mort to your health. Measures to cont mes. Also, Asphalt may cause visician.	ection when working with concrete from flowing into esh, clean water. Indirect of if you have persistent or EP out of reach of children tar, cement or cement mit trol fugitive dust should be e severe burns. Wear pro-	these them. contact severe !! User oxtures. e taken objective		410	0384
ter added at customer's own risk. Add uce its strength. Buyer's agent agrees to a to water added above design.  rived at job withi  ided gal water at customer additions	litional water adde accept responsibility inch slump. er request.	d to concrete will for reduced strength  Test cylinders taken	Property Damage Inde The operator of this piece of LEASE to you for your signats machinery in the manner req possibly cause damage to the you in everyway that we can, that you sign this RELEASE, seller of its contract with me, seller and its employees for ar building, utility pipelines or of appurtenances, at:	t neavy equipment, in pi ure, is of the opinion that it uired to perform our cont e premises or property. It but in order to do this, the In consideration of the	ne operation of this	Unloading & Stand charged at posted time charged at posted time charged at posted time charged at posted time charged at posted the selle incidental or consect the use of the produwarranty. All claims made within 24 hou responsibility for any	truck time rates.  sted truck time  The only liability return of the purc r be liable for an  quential damage cts or arising out for damages or sl	rates.  of the seller for the seller
uyer's Agent receipt of product ne addition of any extra products pressed or implied by the seller. ersonal injury incurred by you whi ixer.	to our mixer ma	y void any warranty	any liability.		N	. 13302 P POKANE, W 509) 536-	1A 9924	) 28-7089
10 372 11105	or its Agent Start Dischar	ge Finish Discha	rge Leave Job Site	NGDELTKT090408 Arrive Plant	American della distribution dell		2-5	
rivers' comments						* 1 0 3	A-175 B	
Order No. Cust. No. 3/027 37/02/02/02/02/02/02/02/02/02/02/02/02/02/	Custoi 606		Customer PO/ Phase Code  Delivery Address 4 E TRENT	TICKET!		Driver Pete M Date Map Scale	SP1 09/1 23E	7/13 Zone 831
Order No. Cust. No. 3027 37  Customer STRIDER CONSTR Delivery Instructions RR YARD  Load Qty Delivered Qty	Custoi 606 UCTION	mer Job CO I 532	Phase Code  Delivery Address  4 E TRENT		925	Pete M  Cale  Map  Scale  Time	SP1 09/1 23E 10:	300 7/13 Zone 531
Order No. Cust. No. 3027 37  Customer STRIDER CONSTR Delivery Instructions RR YARD  Load Qty Delivered Qty	Custoi 606 UCTION	mer Job  CO I 532  Product Code	Phase Code  Delivery Address  4 E TRENT	1 0926	925	Pete M  Cale  Map  Scale  Time	SP1 09/1 23E 10:	300 7/13 Zone 831 29
Order No. Cust. No. 3027 37  Customer STRIDER CONSTR Delivery Instructions RR YARD  Load Qty Delivered Qty	Custoi 606 UCTION	mer Job  CO I 532  Product Code	Phase Code  Delivery Address  4 E TRENT	1 0926	925 ELECT FIL	Pete M  Cale  Map  Scale  Time	SP1 09/1 23E 10:	300 7/13 Zone 831 29
Order No. Cust. No. 3027 371 Customer STRIDER CONSTR Delivery Instructions RR YARD Load Qty Delivered Qty 30.75 30.7	Custoi 606 UCTION Order Qty 5 240.	ProductCode 10 2401	Phase Code  Delivery Address 4 E TRENT  Delivery Address 4 E TRENT  Delivery Address 4 E TRENT	Description ACTURED SE	925 ELECT FIL	Pete M Date Map Scale Time UnitPrice	SP1 09/1 23E 10:	300 7/13 Zone 531 29

18.96 030229

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.

13302 PERRY RD WA SPOKANE, 536-3151 Co. Proj. No. Driver B SP1300 ett 09/17/13 Date Map Zone 531 Scale Time: 11:11 Amount **UnitPrice** 

Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 Signature of Owner or its Agent mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers**' Comments Customer PO/ Company/ TICKET NO. Phase Code Customer Job Cust. No. Order No. 10926927 37606 3027. **Delivery Address** Customer STRIDER CONSTRUCTION CO I 5324 E TRENT Delivery Instructions RR YARD **Product Description ProductCode** UOM Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 240.10 2401 tn 63.30 32.55 Tare Net Gross Delivery Charge: 65100 27800 105480 Trk: FUEL CHG 12580 Trira TRUCK: 510011 CARD CREDIT CHECK / COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Lise CC Type Slump Description Prod. No. Load Size **TOTAL DUE** Taken by Trailer Trailer Check # Tare Weight **Gross Weight** Truck 42893 PM. 19 03061

Property Damage Indemnification & Release

appurtenances, at:

Property Damage Indemnification & Release
The operator of this plece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other anountenances. at:

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with ayes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Test cylinders

taken

safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

rinch slump

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength

al water at customer request.

due to water added above design.

Arrived at job with

Other additions

Received

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact

Cross Trk: 103880 27 Trlr: 12  PREV TRUCK: 5106 LOAD COUNT: 3  Load Size Prod. No. Des	Order Qty Product Coo 240. 10 2401  Faire Net 7880 53420 2580  616 # CHEC		FUEL CHG	UnitPrice  ILL  ivery Charge	ax
Gross Trk: 103880 27 Trlr: 12	240.10 2401 Tare Net 7880 53420 2580	tn FRAC	Del FUEL CHG	ILL ivery Charge	
Cross Trk: 103880 27	240.10 2401 Tare Net 7880 53420		CTURED SELECT F	TLL	
RR YARD  Load Qty Delivered Qty	0.00. 4.,				Amount
RR YARD  Load Qty Delivered Qty	0.00. 4.,				Amount
RR YARD  Load Qty Delivered Qty	0.00. 4.,				Amount
RR YARD  Load Qty Delivered Qty	0.00. 4.,				Amount
					A
Order No. Cust. No. 3027 3760 Customer STRIDER CONSTRUCT Delivery Instructions	Customer Job	Phase Code  Delivery Address  E4 E TRENT	TICKETNO. 10926928	Driver Luke W Date Map Scale	SP1300 09/17/13 Zone 3E S31 11:13
	Company/	Customer PO/		Deline	Co. Proj. No.
Drivers' Comments				* 1 0 9 2	6928*
Signature of Owner or il	s Agent art Discharge Finish Disc		Arrive Plant		DES BANK IRIES CORN (BAN IRI
personal injury incurred by you while a mixer.	dding additional products to o	Signature of Own	ner or its Agent	SPOKANE, WA (509) 536-3	99208-7089
The addition of any extra products to o	our mixer may void any warran	nty any liability. Ny	er and its employees from	N. 13302 PE	RRY RD
Received by X Buyer's Agent receipt of product and	approval of any added iten	appuritensinces, at:		made within 24 hours or responsibility for any da	of delivery.We do not assume amage beyond the curb line.
Addedgal water at customer n	equest. Test cylinders taken	that you sign this RELEASE. seller of its contract with me, seller and its employees for ar	In consideration of the performance of the transfer of the undersigned, hereby INDEMNIFY the transfer and for all claims to the premise cables, telephone lines, driveway or other transfer or the transfer of		liable for any direct, indirect ntial damages resulting from or arising out of breach of any damages or shortages must be of delivery. We do not assume
	The second secon	machinery in the manner req possibly cause damage to the	uired to perform our contract with you may e premises or property. It is our wish to he but in order to do this the operator is aski	y time charged at poster	d truck time rates. only liability of the seller for any of the purchase price. In no liable for any direct, indirect, indirec
1111	slump.		me is of the opinion that the operation of the	is charged at posted truc	k time rates. Truck standby
Water added at customer's own risk. Addition reduce its strength. Buyer's agent agrees to accedue to water added above design.	nal water added to concrete will ppt responsibility for reduced strength	Property Damage Inde	heaw enumment in dreseming this ru	Unloading & Standby	Excess unloading will be
discomfort.In case of eye contact, flush with plen agrees to convey this warning to all persons whaggregates: Prolonged inhalations of dust fire when handling this product. Safety gear (long sleeves, pants and gloves). If Water added at customer's own risk. Addition reduce its strength. Buyer's agent agrees to accedue to water added show design.  Arrived at tool with the warning of the contact tool with a discomplete to the contact tool with a discomplete to the contact tool with the contact to the contact tool with the contact to the contact	m a graver product may be mazaruou its nuisance furnes. Avoid breathing burned, cool with water and see a nal water added to concrete will pt responsibility for reduced strength	in furnes. Also, Asphalt may cause physician.  Property Damage Inde	severe burns. Wear protective  mnification & Release theavy equipment in presenting this R	E- Unloading & Standby	4100387  Excess unloading will be

oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have to stand in wet concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incomposition in the protection of the top of the protect knees and the following is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe inscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User ignees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust sho Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release Nater added at customer's own risk. Additional water added to concrete will educe its strength Buyer's agent agrees to accept responsibility for reduced strength lue to water added above design Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with \_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD WA 99208-7089 SPOKANE, Signature of Owner or its Agent NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code **Customer Job** Cust. No. SP1300 Order No. Pete 10926931 37606 Date 09/17/13 3027 **Delivery Address** Мар Zone Customer STRIDER CONSTRUCTION CO I 5324 E TRENT 531 **Delivery Instructions** 11:55 RR YARD Amount **Unit Price Product Description ProductCode** UOM Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 240.10 2401 tn 125.73 30.72 Net Tare Delivery Charge: Gross E1440 25960 99360 Trikes FUEL CHG 11960 Trirs PREV TRUCK: 510162 CREDIT CARD CHECK / LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Slump Description Prod. No. TOTAL DUE Load Size 1 (7) Taken by Trailer Check # Trailer Tare Weight Gross Weight Truck 18.96 030229 49.68

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or ansing out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.

possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: and RELEASE the seller and its employees from any liability 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Arrive Plant Leave Job Site Finish Discharge 50 Customer PO/ Co. Proj. No. Driver TICKET NO. Phase Code SP1300 14 10926932 09/17/13 **Delivery Address** Map Zone CONSTRUCTION CO I 5324 E TRENT 531 12:02 : Amount **Unit Price Product Description UOM** FRACTURED SELECT FILL t:n Delivery Charge:

FUEL CHG

31.57

Trire

PREV TRUCK:

LOAD COUNT:

Net Tare Gross. 24900 98320 Trks

10280

510011

Order Qty

240.10

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cament or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.
Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Test cylinders

Company/

Customer Job

Product Code

2401

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this

machinery in the manner required to perform our contract with you may

safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

\_\_ inch slump.

Buyer's Agent receipt of product and approval of any added items.

The addition of any extra products to our mixer may void any warranty expressed of implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our

Arrive Job Site Start Discharge

37606

Signature of Owner or its Agent

Cust. No

Delivered Qtv

157.30

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength

due to water added above design.

Added \_\_\_\_\_ gal water at customer, request.

Arrived at job with \_

Other additions

mixer.

Drivers' Comments

Order No.

3027

Customer

STRIDER

RR YARD

Load Qty

**Delivery Instructions** 

Leave Plant

CREDIT CARD CHECK /

oad Size	Prod. No.	Description		Slun	пр Туре	CC	Use	Haul Cd.	Pit/Plant	Sales Tax TOTAL DUE
Truck	Gross Weight	Tare Weight	Trailer	Trailer	Taken by			Check #		

Gross Tare Net Trk: 103600 27800 63220 Trlr: 12580

Delivery Charge:

FUEL CHG

PREV TRUCK: 510577 LOAD COUNT: 6

CHECK / CREDIT CARD

Sales Tax Pit/Plant Haul Cd. CC Use Slump Type Description TOTAL DUE Prod No Load Size Taken by Trailer Tare Weight Trailer Check # **Gross Weight** Truck 42893 POL

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151

	9	1	6	9	3	4	*

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and the property and the property of the performance of the seller and the property of the property of the property of the performance of the seller and the property of th Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our Signature of Owner or its Agent mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Arrive Job Site Start Discharge Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Phase Code Customer Job Order No. Cust No. SP1300 10926934 Luke 37606 3027 Date 09/17/13 **Delivery Address** Customer Zone STRIDER CONSTRUCTION CO I 5324 E TRENT 531 **Delivery Instructions** Scale 12:41 RR YARD Amount **Unit Price** Product Description Product Code **UOM** Order Qty Load Qty **Delivered Qty** FRACTURED SELECT FILL tri 220.93 240.10 2401 32.02 Net Tare Gross Delivery Charge: 27880 E4040 104500 Trks 12580 Trire TRUCK: 510616 CREDIT LOAD COUNT: Sales Tax Haul Cd. Pit/Plant CC Slump Type Use Prod. No. Description Load Size TOTAL DUE 1719 Taken by Trailer Gross Weight Tare Weight Trailer Truck Check # 42893

**Property Damage Indemnification & Release** 

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to your for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, the little problems or cables telephone lines of the surror of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. building, utility pipelines or cables, telephone lines, driveway or other 13302 PERRY RD WA 99208-7089 SPOKANE, 536-3151 Co. Proj. No. Driver SP1300 Pete M 09/17/13 Date Map Zone 531 Scale Time: 13:01 Amount **Unit Price** 

**Delivery Address** Customer STRIDER CONSTRUCTION CO I 5324 E TRENT Delivery Instructions RR YARD Product Description UOM **ProductCode** Order Qty Load Qty Delivered Qty FRACTURED SELECT FILL 240.00 2401 tn 250.63 29.70 Net Tare Gross Delivery Charge: 25960 59400 97320 Trks FUEL CHG Trira PREV TRUCK: 510162 CREDIT CARD CHECK / LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump Prod. No. Description TOTAL DUE Load Size 1 1719 Taken by Trailer Trailer Check # Tare Weight Gross Weight Truck 18.96 030229 48. EE 510011

concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement modures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact brough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe triscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User to convex this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

assumption to be only this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health Measures to control fuglitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Test cylinders

Company/

**Customer Job** 

Finish Discharge

appurtenances, at:

any liability.

Leave Job Site

Customer PO/

**Phase Code** 

and RELEASE the seller and its employees from

NWGDELTKT090408

**Arrive Plant** 

TICKET NO.

10926935

Signature of Owner or its Agent

Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength

\_ inch slump.

Buyer's Agent receipt of product and approval of any added items.

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our

Arrive Job Site Start Discharge

37606

Signature of Owner or its Agent

Cust. No.

due to water added above design.

Added \_\_\_\_\_ gal water at customer request.

Arrived at job with \_\_\_\_

Other additions\_

Leave Plant

Received X

mixer.

Drivers' Comments

Order No.

3027

## Fractured Select Fill Weight Tickets 9/18/13 **Parkwater Construction Engineering**

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using. Contact with wet Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to corrively this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fuglitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100406 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. Addedtaken seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received X appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD WA Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Job Site Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant

Customer PO/

Phase Code

**Delivery Address** 

Co. Proj. No. Driver Garrett B SP1300 Date 09/18/13 Мар 7one PARK WATER BNSF Scale 07:57

99208-7089

**Unit Price** Amount UOM **Product Description Product Code** Load Qty Order Qty **Delivered Qty** FRACTURED SELECT FILL 31.21 240.00 2401 tn 31.21

Tare Net Gross 27800 62420 102800 Tribra

Cust. No.

**Drivers** Comments

Order No.

3001

Customer

**Delivery Instructions** 

Delivery Charge:

FUEL CHG

TICKET NO.

10926947

PREV TRUCK: CHECK / CREDIT COUNT:

Company/

STRIDER CONSTRUCTION CO I 5324 E TRENT

**Customer Job** 

Sales Tax Pit/Plant Haul Cd. CC Use Slump Type Description Prod. No. Load Size TOTAL DUE Taken by Tare Weight Trailer Trailer Truck **Gross Weight** Check # 20.19 030616

time charged at posted truck time rates.

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 mirurtes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Probaget inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with \_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders \_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD mixer. Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Agrive Plant 20 Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3001 37606 10926948 Steve SP1300 Customer **Delivery Address** 09/18/13 STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Man Zone **Delivery Instructions** Scale Time: 08:00 Load Qty **Delivered Qty** Order Qty Product Code MOU **Product Description Unit Price** Amount 32.48 63.69 240.00 2401 FRACTURED SELECT FILL tn Gross Net Trk: 106280 28640 64960 Delivery Charge: Trlr: 12680 FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CREDIT CHECK / Load Size Prod. No. Description Slump Type CC Use Haul Cd Pit/Plant Sales Tax **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Trailer Taken by Check #

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nussance furnes. Avoid breathing firmes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.

Arrived at job with inch slump. Added gal water at customer request. Test cylinders Other additions Received

Buyer's Agent receipt of product and approval of any added items.

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help

you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appropriates. appurtenances, at:

and RELEASE the seller and its employees from any liability.

Signature of Owner or its Agent

NWGDELTKT090408

Arrive Plant

13302 PERRY RD SPOKANE, WA 99208-7089

536-3151

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage heword the curb line.

responsibility for any damage beyond the curb line.

time charged at posted truck time rates.

Order No.

Cust. No.

Signature of Owner or its Agent

Leave Plant Arrive Job Site Start Discharge

Company/ Customer Job

Customer PO/ Phase Code

Leave Job Site

TICKET NO.

Co. Proj. No.

4100413

3001 Customer

**Drivers** Comments

37606

STRIDER CONSTRUCTION CO I 5324

**Delivery Address** 

TRENT

10926954

PARK WATER BNSF

ett B SP1300 09/18/13

Date Мар 531

Scale Time: 09:18

**Delivery Instructions** 

Load Qty **Delivered Qty** 

Order Qty

Product Code

Finish Discharge

UOM

-

**Product Description** 

**Unit Price** 

Driver

Garr

Amount

31.52

95, 21

240.00 2401

tn

FRACTURED SELECT FILL

Gross Tare Net Trk: 103420 27800 63040

Trir: 12580 Delivery Charge:

FUEL CHG

TRUCK: 510163 LOAD COUNT:

CHECK CREDIT CARD

Load Size Prod. No. Description CC Slump Type Use Haul Cd. Pit/Plant Sales Tax **TOTAL DUE** Truck **Gross Weight** Tare Weight Trailer Trailer Taken by Check # 510616 20.19 03061

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety quar (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Vater added at custreduce its strength. Bit and the water added about the water added about the water added about the water added about the water additions Received X	omer's own risk. Ad uyer's agent agrees to we design al water at custom	ditional water added accept responsibility for inch slump.  Ter request.	est cylinders	Property Da The operator of EASE to you to machinery in the cossibly cause of you in everyway that you sign the seller of its continued.	If this piece of this piece of the manner recommended that we can, als RELEASE tract with me, apployees for a pipelines or	emnification & Re of heavy equipment, in une, is of the opinion that juried to perform our or e premises or property, but in order to do this, to I the undersigned, here ny damage and for all of cables, telephone lines	presenting this RE the operation of this outract with you may It is our wish to hel he operator is asking e performance of the eby INDEMNIFY the aims to the oremises	charged a time charged time charged time charged to product do event sha incidental the use of warranty, made will	at posted truck to ged at posted to varranty. The or efect is the return all the seller be lie or consequent if the products or All claims for daring 24 hours of the posterior	excess unloading will be time rates. Truck standby ruck time rates.  In liability of the seller for of the purchase price. In no able for any direct, indirect, al damages resulting from arising out of breach of any nages or shortages must be delivery. We do not assume age beyond the curb line.
The addition of an	y extra products ed by the seller.	and approval of a to our mixer may The seller accepts ile adding additiona	void any warranty no liability for any	any liability		er and its employe	es from		022 PERI	RY RD 99208-7089
				Oigilata		icr or its Agont			536-31	
	ure of Owner of Arrive Job Site	or its Agent Start Discharge	Finish Discharge	Leave Jo		Arrive Plant		A head that sall if		
925		· ·				1040		E PRODUCTION .		
Drivers' Comments								*	v 9 2	6 9 5 5 *
Order No. 3001 Customer STRIDER Delivery Instruct	CONSTRU	Compa Custome BØ6 JCTION C	r Job P	customer P thase Code ivery Addre E TRE	ess	TICKET 10926 PARK WAT	955		Date   Map   23   Scale   Time:	Co. Proj. No. SP1300 29/18/13 Zone E S31 09:23
Load Qty	Delivered Qty	Order Qty	Product Code	UOM	Product D	escription		Unit	Price	Amount
30.18	125.39	9 240.0	Ø 2401	tn	FRAC	CTURED SE	ELECT F:	[		
Trk: 1 Trlr:	01680		Net 0360			·FUEL		ivery (	Charge:	
	UCK: 51		encyclestrovinolytes ( socialistic action ( )			DO-10-0000 Maria				
LOAD CO	UNT:	4	CHECK /	CREI	DIT C	HRD (INF				
Load Size	Prod. No. D	escription		Slump	Туре	CC Use	Haul Cd.	Pit/Plant	Sales Tax TOTAL DUE	
		re Weight	Trailer Trail		en by		Check #			

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety ear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing fursafety gear (long sleeves, pants and gloves). If burned, cool with water and see a phy Water added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength the to water added above design.  Arrived at job with	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE in consideration of the performance of the seller of its contract with me, the undersigned, hereby INDENNIPY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:  and RELEASE the seller and its employees from any liability.	time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, inclidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.  N. 13302 FERRY RD
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge  Drivers' Comments	NWGDELTKT090408	SPOKANE, WA 99208-7089 (509) 536-3151
Order No.         Cust. No.         Customer Job           30/01         376/06           Customer         De	Customer PO/ Phase Code TICKET NO. 10926961 elivery Address E TRENT / PARK WATER BNSF	Driver Co. Proj. No. Garrett B SP1300 Date 09/18/13 Map Zone 23E Scale Time: 10:37
Load Qty Delivered Qty Order Qty Product Code 31, 63 157, Ø2 240, ØØ 2401	UOM Product Description to FRACTURED SELECT FI	Unit Price Amount
Gross Tare Net Trk: 103640 27800 63260 Trlr: 12580	Deli FUEL CHG	very Charge:
	/ CREDIT CARD	Pit/Plant Sales Tax
Load Size Prod. No. Description  Truck Gross Weight Tare Weight Trailer Truck 510616, 51.82 20.19 030616	Slump Type CC Use Haul Cd.  1 ailer Taken by Check #	Pit/Plant Sales Tax TOTAL DUE

Concrete: Injurious to eyes.Causes skin imitation,Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release

educe its strength. Elue to water added ab Arrived at job with Added g Other additions Received by Buyer's Agent r	byer's agent agrees to ove design.  h	mer request.  t and approval o	ed to concrete will for reduced strength  Test cylinders taken  f any added items y void any warranty s no liability for any	The operator of this pit LEASE to you for your a machinery in the manne possibly cause damage you in everyway that we that you sign this RELE seller of its contract with seller and its employees building, utility pipeline appurtenances, at:  and RELEASE the any liability.	Indemnification & Rece of heavy equipment, is signature, is of the opinion the required to perform our to the premises or property can, but in order to do this ASE. In consideration of the for any damage and for all is or cables, telephone lines as seller and its employer.	n presenting this RE at the operation of this contract with you ma r. It is our wish to hel the operator is askin he performance of the rerby INDEMNIFY the dairns to the premises as, driveway or othe	charged a time charged time charged time charged to time charged the charged time charged the charged the control of the charged the charg	t posted truck to the posted truck to the posted to the products or a full claims for damin 24 hours of dility for any dama	ly liability of the seller for of the purchase price. In no ble for any direct, indirect, I damages resulting from arising out of breach of any lages or shortages must be elivery. We do not assume age beyond the curb line.
personal injury in mixer.	curred by you wi	nile adding additio	nal products to our	A SHIP A STATE OF	Owner or its Agent			02 PÉRF	99208-7089
	ture of Owner	or its Agent		Oignature of				536-315	
Leave Plant	Arrive Job Site	Start Discharg	e Finish Discha	rge Leave Job Site	NWGDELTKT09040				
10:42	11.6		•	11:21	12:03				
Drivers' Comments									
Order No.	Cust Na	Comp	any/ ner Job	Customer PO/ Phase Code	TICKET	· NO	Driver		Co. Proj. No.
Order No.	Cust. No.	606	iei Job	Filase Code	1092				SP1300
Customer				Delivery Address					79/18/13
		UCTION (			/ PARK WA	TER BNSF		Map	Zone
Delivery Instruc	tions							Scale	531 10:42
								Time:	at the time
Load Qty			Product Code		ct Description			Price	Amount
30.48	1187.4	4 240.1	20 2421	tn FF	RACTURED S	ELECT F	El.L.		4-12-3
	-16								
	Gross	Tare	Net:						
			50840			Del:	ivery C	harge:	
Trire		12680			FUEL.	CHG			
Time time that the same time	ALIENIA EE A	ChC 1 C				4			
	NUCK: 51	6	#	/ CREDIT	CARD		1		
tons and STT fail	1 to 1 1 1 1		Sould I been Sould S	e year to took her als t					
Load Size	Prod. No.	Description		Slump Type	CC Use	Haul Cd.	Pit/Plant	Sales Tax	
Truck Gro	ss Weight T	are Weight	Trailer 1	railer Taken by		Check #	1019	TOTAL DUE	
		20.66	030163	1121	12	CHECK #			
-									

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe disconfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to yet health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety ones (fong sleeves, parts and cloves) If humed cool with water and see a nhvisician. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.

finch slump Arrived at job with gal-water at customer request Added -

Test cylinders

Other additions

Received by Buyer's Agent receipt of product and approval of any added items.

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.

Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:

and RELEASE the seller and its employees from any liability.

Signature of Owner or its Agent

Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge

Leave Plant **Drivers** 

Finish Discharge Leave Job Site

**Arrive Plant** 

Garrett B SP1300

Date

Мар

Scale

Sales Tax

**TOTAL DUE** 

**Unit Price** 

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damages beyond the curb line.

responsibility for any damage beyond the curb line.

time charged at posted truck time rates.

13302 PERRY RD

WA 536-3151

SPOKANE,

Driver

Order No. 3001

Customer

Load Qty

Comments

Cust. No. 37606

Company/ Customer Job

Customer PO/ Phase Code

TICKET NO.

10926967

Delivery Address E TRENT / PARK WATER BNSF

**Delivery Instructions** 

STRIDER CONSTRUCTION CO I 5324

UOM Delivered Qtv Order Qty Product Code

Product Description

Amount

11:54

09/18/13

Zone

4100426

99208-7089

Co. Proj. No.

531

31.26

218.70

240.00 2401

tn

FRACTURED SELECT FILL

Gross Trk: 102900

Tare 27800

Net 62520

12580 Trir:

Delivery Charge:

Pit/Plant

109

FUEL CHG

Use

TRUCK: 510163 PREV

LOAD COUNT:

CREDIT CARD

Load Size Prod. No. Description CHECK / Slump

Trailer Tare Weight Truck **Gross Weight** 

Traile

Taken by

Type

11212

Haul Cd

20.19 030616 510616

CC

Check #

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, wash off immediately with fresh, clean water. Indirect contact hrough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhabitors of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt errits nusance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

en handling this product. Hot Aspiriat. The handling this product has his his active and see a phy seter added at customer's own risk. Additional water added to concrete will stuce its strength. Buyer's agent agrees to accept responsibility for reduced strength to water added above design.  Trived at job with	The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premise building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:	time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from incidental or consequential damages resulting from the seller be liable for any direct, and the selle
Suyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our nixer.	and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent	N. 13302 PERRY RD SPOKANE, WA 99208-7099
Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge  Drivers' Comments	rge Leave Job Site Arrive Plant	(509) 536-3151 * 1 9 2 6 9 6 9 *
Order No. Cust. No. Customer Job	Customer PO/ Phase Code TICKET NO. 10926969	Driver Co. Proj. No. Steve Y SP1300 Date 09/18/13
Order No. Cust. No. Customer Job 3201 37686	Phase Code TICKET NO. 10926969 Delivery Address	Steve Y SP1300 Date 09/18/13
Order No. Cust. No. Customer Job 3001 37606 Customer D STRIDER CONSTRUCTION CO I 5324	Phase Code TICKET NO. 10926969  Delivery Address 4 E TRENT / PARK WATER BNS  UOM Product Description	Steve Y SP1300  Date 09/18/13  Map Zone  23E S31  Scale Time: 12:14  UnitPrice Amount
Order No. Cust. No. Customer Job 3001 37606  Customer Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code	Phase Code TICKET NO. 10926969  Delivery Address 4 E TRENT / PARK WATER BNS  UOM Product Description	Steve Y SP1300  Date 09/18/13  Map Zone  23E S31  Scale Time: 12:14  UnitPrice Amount
Order No. Cust. No. Customer Job 3001 37606  Customer Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code	Phase Code  10926969  Delivery Address 4 E TRENT / PARK WATER BNS  UOM Product Description  th FRACTURED SELECT F	Steve Y SP1300  Date 09/18/13  Map Zone  23E S31  Scale Time: 12:14  UnitPrice Amount
Order No. Cust. No. Customer Job 3001 37606  Customer DESTRIDER CONSTRUCTION CO I 5324  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code 31.47 250.17 240.00 2401  Gross Tare Net*  Trk: 104260 28640 62940	Phase Code  10926969  Delivery Address 4 E TRENT / PARK WATER BNS  UOM Product Description  th FRACTURED SELECT F	Steve Y SP1300 Date 09/18/13 Map Zone 23E S31 Scale 12:14 UnitPrice Amount

## Fractured Select Fill Weight Tickets 9/30/13

**Parkwater Construction Engineering** 

ncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with ear and skin. Wear waterproof gloves, a high-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a high-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a high-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and statisting concrete, wear knee pads to protect knees. After contact with any of these materials, was of immediately with fresh, clean water. Indirect contact inishing concrete, wear knee pads to protect knees. After contact with any of these materials from dothing. Seek immediate medical attention if you have persistent or severe rough othing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe sourceful. Seek immediate medical attention if you have persistent or severe sourceful to thing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe sourceful. Seek immediate, with fresh, clean water, indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures, grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, Asphalt may cause CUSTOMER 4271066 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby /ater added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added abor inch slump. Arrived at job Test cylinders dal water at customer request. Added Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant Arrive Job Site Start Discharge Finish Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Juke Customer Job 10/927207 09/30/13 Cust. No. Order No. Date 37606 3000 Delivery Address PARK WATER BNSF Map 528 Customer CONSTRUCTION CO I 28:00 Scale Time Delivery Instructions . 35 Amount **Unit Price** Product Description **UOM** Product Code SELECT FILL Order Qty Delivered Qty FRACTURED Load Qty 2401 240.10 31.91 31.91 Charge: Net Delivery Tare Gross 63820 27880 104280 FUEL CHG Trks 12580 Trlr: PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax PiVPlant Haul Cd. Use TOTAL DUE Type Slump 109 1 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Truck Gross Weight 42893 20.23 030162 52.14 510162

oncrete: Injurious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mutures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these steenals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, steenals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, steenals of immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact wrough clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children User is grees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement motures, aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product.

Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective isolately gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271067 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant ă **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code Customer Job SP1300 Steve Cust. No. 10927208 Order No. M9/30/13 37606 Date SOUD Delivery Address Mac PARK WATER BNSF RIDER CONSTRUCTION CO I 5324 528 23B 08:03 Delivery Instructions Amount **Unit Price** Product Description **UOM** Product Code Order Qty Delivered Qty FRACTURED SELECT FILL Load Qty tn 240.10 2401 62.47 30.56 Net Tare Delivery Charge: Gross 61120 28640 102440 Trk: FUEL CHG 12680 Trira PREV TRUCK: 510162 CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Туре Slump TOTAL DUE Description 109 Prod. No. Load Size Taken by Check # Trailer Tare Weight Truck Gross Weight 42893 20.66 030163 51.22 510163

priorete: Injunous to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, that dend concrete, mortar, cement or cement mutures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these readers in the west of the part high enough to keep concrete from flowing into them. It is already to have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact with any of these materials. From clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User is comfort, in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is consulted by the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fuglitive dust should be taken after grave. Also, Asphalt may cause severe burns. Wear protective lately gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Vater added at customer's own risk. Additional water added to concrete will property. 4271072 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employage for any damage, and for all claims to the premises. lue to water added above design. inch slump. Arrived at job with Test cylinders taken gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Added Other additions Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 M Customer Job 10927213 Cust. No. Order No. 09/30/13 EØE Date 3000 Delivery Addres PARK WATER BNSF Map 528 538 CONSTRUCTION CO I 09:09 Scale Time: **Delivery Instructions** Amount Unit Price Product Description **UOM** Product Code Order Qty RACTURED SELECT FILL **Delivered Qty** Load Qty 2401 tn 240.10 92.67 30.20 Net Tare Gross Delivery 27880 色图4图图 100860 Trk: FUEL 12580 Trirs # 510163 TRUCK: CARD CREDIT CHECK COUNT: LOAD Sales Tax **Pit/Plant** Haul Cd. CC Use Type Slump TOTAL DUE 109 Description Prod No. Load Size Taken by Trailer Check # Trailer Tare Weight Gross Weight Truck 42893 030162 20.23 50.43 510162

oncrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, or control or cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with the production with the production of the burns and shift full benefit for the production when the production with the production with the production of the burns and shift full benefit for the production with the production with the production of the burns and shift full benefit for the production with the production with the production of the burns and shift full benefit for the production with the production of the production of the production of the production with the production of the product inardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin, Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these laterals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, the stands in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, the stands of the protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact mouthing is as dangerous so promptly rinse these materials from clothing. Seek immediately if the first in the very contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In consult, it is a distributed to contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when flandling this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

\*\*Proportion\*\* Damage.\*\* Indoors in the concrete with the concrete with the concrete with the concrete wit 4271073 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking inch slump. that you sign this RELEASE. In consideration of the performance of the Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other taken Added Other additions appurtenances, at: Received X and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANEY Signature of Owner or its Agent 536-(509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site rive Plant. Finish Discharge Arrive Job Site Start Discharge 0 Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Stev 10927214 Cust. No Order No. 09/30/13 37606 300 Delivery Address Zone BNSF WATER Customer 532 528 CONSTRUCTION CO I 23B 09:12 Scale Time: Delivery Instructions Amount **Unit Price** Product Description UOM Product Code Order Qty Delivered Qty SELECT FILL Load Qty FRACTURED tn 240.10 2401 123.00 30.33 Net Tare Charge: Gross Delivery 60660 28640 101980 Trks FUEL CHG 12680 Trlr: 510162 TRUCK: CHECK COUNT: MAD Sales Tax Haul Cd Pit/Plant Use CC Type Slump TOTAL DUE Description 109 Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 42893 20.66 030163 50.99 510163

pncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, phorete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, therefore concrete mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these starts. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, aterials. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children User spread of the contact with wet (unhardened) concrete, mortar, cement or cement mixtures, uggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product after the product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product have the hazardous to your health. Measures to control fugitive dust should be taken then handling this product have the host Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective fallety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271077 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be The operator of this piece of heavy equipment, in presenting this RE-Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other abourtenances. at: time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design inch slump. Arrived at job with Test cylinders gal water at customer request. Added Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added Items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509)536mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave\_Plant U **Drivers** Comments SP1300 No. Customer PO/ Company/ uke Phase Code Cust. No7606 Customer Job 09/30/13 Order No Date WATER BNSF 532 Delivery Address PARK Мар Zone 528 23B CONSTRUCTION Customer ER 10:22 Delivery Instructions Amount **UnitPrice** Product Description FRACTURED **UOM** SELECT FILL Product Code Order Qly Delivered Qty Load Qty Net Tare Delivery Charge: Gross 27880 62840 103300 CHG Trks FIEL 12580 Trlr: 510163 PREV TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax **Pit/Plant** Haul Cd. CC Use Type Slump TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** 42893 Truck 030162 20.23 51.E 510162

oncrete: Injurious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with nitiardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, if inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact income control in the protect knees and tight in the protect knees are the protect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with glove control, fush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomorfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomorfort. Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Propage Indemnification of the product may be hazardous to your health. Demos Indemnification Protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271078 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to your for your signature, is of the opinion that the operation of this Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the inch slump. Arrived at job with Test cylinders taken \_ gal water at customer request. seller and its employees for any damage and for all daims to the premises, building utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Added \_\_ Other additions Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Driver e v SpGogPjoj, No. Company/ Phase Code Customer Job Cust. No7606 Order No. 09/30/13 Date PARK WATER BNSF CONSTRUCTION CO I 532Delivery AddressT Map Zone S28 CLISTOMer) E.R. 10:25 **Delivery Instructions** Amount **Unit Price** Load Qty 1 3 Delivered Qty 5 Order Qty 1 Product Code UQM SELECT Net Tare Gross Delivery Charge: 62260 103580 28640 Trk: FUEL CHG 12680 Trira 510162 TRUCK: PREV CREDIT LOAD Sales Tax CC Use Haul Cd. Type Slump TOTAL DUE Prod. No. Description Load Size Taken by Trailer Check # Gross Weight Tare Weight 42893 Truck Gr 510153 030163 20.66-

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will 4271082 Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will Property Daniage Indentification a Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the call dame is properties. \_\_ inch slump. Arrived at job with \_\_\_ Test cylinders gal water at customer request. Added taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received X appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent rrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Co. Proj. No. Company/ TICKET NO Driver Customer Job Phase Code SP1300 Order No. Stev e 10927223 GRE 09/30/13 Dale PARK WATER BNSF Zone 53E CUSTOMEDER CONSTRUCTION CO I 528 11:52 **Delivery Instructions** Scale Time: Amount Unit Price **Product Description UOM** Product Code Order Qty Delivered Qty Load Qty FRACTURED SELECT FILL 216.65 tn 300.10 2401 38.10 Tare Net Gross Delivery Charge: 62200 28640 Trk: 103520 FUEL CHG 12680 510163 PREV TRUCK: CREDIT CHECK LOAD COUNT: Sales Tax Haul Cd. Pit/Plant CC Use Type Slump Description Prod. No. 109 Load Size **TOTAL DUE** Taken by Trailer Trailer Tare Weight Check # Gross Weight Truck 42893 20.66 030163 510163 51.76

Concrete: Igjurious to eyes.Causes skin irritation,Contains Portland Cement. Read the following warning before using. Contact with wet, unfiardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User 4271083 agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Arrived at job with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Test cylinders water at customer request. Added gal seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received by appurtenances, at Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE. 99208-7089 WA Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Arrive Plant** ave Plant **Drivers** Comments Customer PO/ Phase Code Company/ TICKET NO. Driver Co. Proj. No. Customer Job Order No. Cust. No. SIDIDID 37606 10927224 SP1300 Luke 09/30/13 Date **Delivery Address** CONSTRUCTION CO WATER BUSE Man 528 **Delivery Instructions** 11:55 Product Description Unit Price UOM Amount Load Qty Delivered Qty Order Qty Product Code 30.60 BØØ. 2401 SEL Gross Net 101660 27880 61200 12580 TRUCK': 510163 CARD I DAD COUNT : CREDI Uše. Haul Cd. Pit/Plant Sales Tax Slump Prod. No. Description Type Load Size 109 **TOTAL DUE** Taken by Gross Weight Trailer Tare Weight Trailer Truck ... Check # 510162 50.83 20.23 030162 42893

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully buttoned, long-sleeve shirt, full-ength trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will 4271085 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump Arrived at job with Test cylinders \_\_ gal water at customer request. taken Other additions Received X appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY 99208-7089 SPOKANE. Signature of Owner or its Agent mixer. 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site eave Plant Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job Cust. No. SP1300 Order No. Stev (2) 10927226 37606 SIDIDIO 09/30/13 Date Delivery Address BNSF Map WATER Zone CONSTRUCTION CO I 532 528 13:05 Delivery Instructions Scale Time: Amount **Unit Price** Product Description Product Code UOM Delivered Qty Order Qty Load Qty SELECT FILL FRACTURED tn 2401 300.10 31.52 278.77 Gross Net Delivery 63040 28640 104360 Trks FUEL CHG 12680 Trira TRUCK: 510162 CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Use Type Slump Prod. No. Description **TOTAL DUE** Load Size 109 Taken by Trailer Trailer Check # Tare Weight **Gross Weight** Truck 42893 20.66 030163 52.18 510163

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cerment. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cerment or cerment mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cerment or cerment mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control funitive dust should be taken 4271086 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective entits nuisance furnes. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. taken seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent mixer Signature of Owner or its Agent WGDELTKT090408 Arrive Plant Leave Job Site Arrive Job Site Start Discharge Finish Discharge Leave Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Phase Code Customer Job Cust. No. uke EVE 09/30/13 Date 532 Delivery Address Gustomener CONSTRUCTION CO I WATER BNSF Map 528 **Delivery Instructions** 13:10 Scale Time: **Unit Price** Amount Product Description Product Code **UOM** Delivered Qty Order Qty Load Qty FRACTURED SELECT FILL 2401 tn 10 18 зии. 31. SM9. Gross Net Delivery Charge: 102820 27880 62360 Trks FUEL CHG 12580 PREV TRUCK: 510163 CREDIT CARD CHECK LOAD COUNT: Sales Tax Haul Cd Pit/Plant CC Use Туре Slump Prod. No. Description Load Size 109 1 **TOTAL DUE** Taken by Trailer Gross Weight Tare Weight Trailer Truck Check # 030162 42893 510162 51.41 20.23

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet Concrete: Ipjurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-filting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will Pronerty Damage Indemnification & Release 4271087 Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 302 PERRY RD WA 99208-7089 Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Order No. Cust. No. SP1300 Frank 10927228 SOUD 37606 09/30/13 Date Delivery Address PARK WATER BNSF Mac CONSTRUCTION CO I 5324 528 **Delivery Instructions** Scale 13:11 Amount **Unit Price Product Description** MOU Product Code Order Qty Load Qty Delivered Qty FRACTURED SELECT FILL 300.10 2401 340.11 30.16 Net Tare Gross Delivery Charge: 60320 28300 100900 Trk: FUEL CHG TRUCK: 510162 CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Use Haul Cd. CC Slump Type Prod. No. Description Load Size 1.09 TOTAL DUE 1 Taken by Trailer Tare Weight Trailer Check # Gross Weight Truck 42893 20.29 030856 50.45 510136

CUSTOMER Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact the pads to protect the experience of the pads to protect the pads to protect the experience of the pads to protect the experience of the pads to protect the pads through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt

The product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt

The product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt

The product may be hazardous to your health may cause severe burns. Wear protective greatly core flows cleaves and the product may be have and see a physician. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defeot is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from \_ inch slump-Arrived at job with Test-cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. (509)536-3151 Signature of Owner or its Agent WGDELTKT090408 Leave Job Site Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Order No SP1300 Dennis 09/30/13 Date BNSF 538 CONSTRUCTION CO Mai Delivery Instructions 14:104 **Unit Price** Amount Product Description **UOM** Load Qty Delivered Qty Order Qty Product Code FILL SELECT FRACTURED 96 171 240 tn 31. 372. 300. Gross 99100 24900 10280 Trir: 510136 PREV TRUCK: CREDIT LOAD COUNT: Pit/Plant Sales Tax CC Use Haul Cd Prod No. Description Load Size 109 **TOTAL DUE** 4 Taken by Trailer Trailer Tare Weight Truck Gross Weight Check # 42893 49.55 17.59 030750 510577

Goncrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear flong sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271091 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. LEASE to you to your signature, is or the opinion that the operation in this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, it the undersigned, hereby INDEMNIFY the due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with \_\_ inch slump. Test cylinders \_ gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent mixer. 536-3151 WGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Drivers Comments Customer PO/ Company/ Co. Proj. No. Driver **TICKET NO** Phase Code Customer Job Order No. Cust. No. SP1300 Steve 10927232 37606 3000 09/30/13 Date Delivery Address PARK WATER BNSF Мар CONSTRUCTION CO I 528 Delivery Instructions Scale 14:30 Amount **Unit Price** UOM **Product Description** Product Code Order Qty Load Qty **Delivered Qty** SELECT FILL tn 300.10 2401 30.40 402.47 Tare Net Gross Charge: 102120 28540 60800 FUEL CHG 12680 Trira 510577 TARUCK: CARD CREDIT CHECK LOAD COUNT: 13 Sales Tax Pit/Plant Haul Cd. Slump Type Description Prod. No. Load Size 109 **TOTAL DUE** 1 Taken by Tare Weight Trailer Trailer Check # Truck Gross Weight

42893

030163

20.66

51.06

510163

	CUSTOMER
oncrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before us nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye dam res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection v	sing: Contact with wet, nage. Avoid contact with when working with these
aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and night enough to keep contact with any of those materials wash off immediately with fresh, de	ean water. Indirect contact
ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you in	of reach of children! User
rees to convey this warning to all persons who may use or come into contact with wet (ultitatuelled) contacte, modal, can	itive dust should be taken
<u>garegates:</u> Prolonged innations of dust from a graver product may be reactious to your least intesting the nandling this product. <u>Hot Asphalt</u> emits nuisance fumes, Avoid breathing fumes, Also, Asphalt may cause severe fety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.	e burns. Wear protective
stor added at customer's own risk Additional water added to concrete will Property Damage Indemnific	cation & Release , equipment, in presenting this RE- Unloading & Standby Excess unloading will be
duce its strength. Buyer's agent agrees to accept responsibility for reduced strength  LEASE to you for your signature, is of machinery in the manner required to	of the opinion that the operation of this charged at posted truck time rates. Truck standb
rrived at job with inch slump. inch slump. inch slump.	and an annually It is our with to hold
dded gal water at customer request.	isideration of the performance of the
ther additions seller and its employees for any dama building, Jutility, pipelines or cables,	the use of the products or arising out of breach of ar
eceived appurenances, at:	made within 24 hours of delivery. We do not assum
Buyer's Agent receipt of product and approval of any added items.	responsibility for any damage beyond the curb line.
he addition of any extra products to our mixer may void any warranty any liability.	
xpressed or implied by the seller. The seller accepts no liability for any ersonal injury incurred by you while adding additional products to our	N. 13302 PERRY RD SPOKANE, WA: 99208-7089
Signature of Owner or	(509) 536-3151
Australia	LTKT090408
Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive	
Drivers'	t iënen lien ënne fank iinn flan ilandiner iur i
	* 1 0 J E C E U U
Comments	
Comments	
Company/ Customer PO/	TICKET NO. Driver Co. Proj. No.
Company/ Customer PO/	10927233 Luke W SP1300
Company/ Customer PO/ Customer Job Phase Code	10927233 Luke W SP1300
Company/ Customer PO/ Phase Code  Customer Job Phase Code  Customer Job Phase Code  Customer Job Phase Code  Customer Job Phase Code	10927233 Luke W SP1300  Date 09/30/13  RK WATER BNSF Map Zone 23B S28
Company/ Customer PO/ Phase Code  Customer Job Phase Code  Customer Job Phase Code  Customer Job Phase Code  Customer Job Phase Code	10927233 Luke W SP1300  Date 09/30/13  RK WATER BNSF Map Zone
Order No. Cust. No. Customer Job Customer PO/ Phase Code  Gustomer Job Customer PO/ Phase Code	10927233
Company/ Customer Job  Customer Job  Customer Job  Customer PO/ Phase Code  Customer Job  Customer Job  Customer PO/ Phase Code	10927233
Order No. Cust. No. Customer Job Customer PO/ Phase Code	10927233
Order No. Cust. No. Customer Job Customer PO/ Phase Code  Sustomer Job Customer Job Customer PO/ Phase Code  Sustomer Job Customer Job Customer PO/ Phase Code  Sustomer Job Customer PO/ Phase Code  Sustomer Job Customer PO/ Phase Code  Customer PO/ Phase Code  Sustomer Job Customer PO/ Phase Code  Load Qty Delivered Qty Order Qty Product Code UOM Product Description	10927233
Company/ Customer Job  Customer Job  Customer Job  Customer PO/ Phase Code  Customer Job  Customer Job  Customer PO/ Phase Code	10927233
Company/ Customer Job  Customer Job  Customer Job  Customer PO/ Phase Code  Customer Job  Customer Job  Customer PO/ Phase Code	10927233
Order No. Cust. No. Customer Job Customer PO/ Phase Code  Gustomer Job Customer Job Customer PO/ Phase Code  Gustomer Job Phase Code  Gustomer Job Phase Code  Load Qty Delivered Qty Order Qty Product Code UOM Product Description	10927233
Company/ Customer Job  Customer Job  Customer Job  Customer PO/ Phase Code  Customer Job  Customer Job  Customer PO/ Phase Code	Luke W SP1300 Date 09/30/13 IRK WATER BNSF Map Zone 23B S28 Scale 14:31 Pition UnitPrice Amount IRED SELECT FILL
Company/ Customer PO/ Phase Code  Order No. Cust. No. Customer Job Phase Code  Quistomer PO/ Pha	Delivery Charge:
Company/ Customer PO/ Phase Code  Order No. Cust. No. Customer Job Phase Code  Quistomer PO/ Pha	Luke W SP1300 Date 09/30/13 IRK WATER BNSF Map Zone 23B S28 Scale 14:31 Pition UnitPrice Amount IRED SELECT FILL
Customer Job Customer PO/Phase Code  Customer Job Customer PO/Phase Code  Customer PO/Phase Code  Customer Job Customer Job Customer Po/Phase Code  Customer Job Customer Job Customer Job Customer Po/Phase Code  Customer Job Customer J	Delivery Charge:
Company/ Customer PO/ Phase Code  Customer Job Customer PO/ Phase Code  Customer P	Delivery Charge:  Tuke W SP1300  Date 09/30/13  Map Zone 23B S28  Scale Time: 14:3,1  Delivery Charge:  FUEL CHG
Company/ Customer PO/ Phase Code  Gustomer Job Phase Code  Gustomer Job Phase Code  Gustomer PO/ Phase Code  FROTT / PA  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description of the phase Code  Tr Load Qty Delivered Qty Order Qty Product Code UOM Product Description of the phase Code  Gross Tare Net  Trk: 100560 27880 60100  Trlr: 12580  PREV TRUCK: 510163 #	Delivery Charge:  Tuke W SP1300  Date 09/30/13  Map Zone 23B S28  Scale Time: 14:3,1  Delivery Charge:  FUEL CHG
Company/ Customer PO/ Phase Code  Gustomer Job Phase Code  Gustomer Job Phase Code  Gustomer PO/ Phase Code  FROTT / PA  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description of the phase Code  Tr Load Qty Delivered Qty Order Qty Product Code UOM Product Description of the phase Code  Gross Tare Net  Trk: 100560 27880 60100  Trlr: 12580  PREV TRUCK: 510163 #	Delivery Charge:  FUEL CHG  Luke W SP1300 Date 09/30/13  Map Zone 23B S28 Scale 14:31  Prior UnitPrice Amount  Delivery Charge:  FUEL CHG

Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cernent. Read the following warning before using: Contact with wet, unhardened officete, mortar, cernent or cernent mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly inise these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271093 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby THE operator or uns piece or nearly equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersinned hereby INDEMNIEY the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_ inch slump. Arrived at job with \_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Cust. No. Order No. SP1300 Frank 10927234 37606 3000 09/30/13 Date **Delivery Address** STRIBER CONSTRUCTION CO I WATER BNSF Мар 532 S28 **Delivery Instructions** 14:33 Amount **Unit Price** UOM **Product Description** Product Code Order Qty **Delivered Qty** Load Qty SELECT FILL FRACTURED 2401 tn 462.61 30.09 300. Net Gross Tare Charge: Delivery 60180 100760 28300 Trk: FUEL CHG 12280 Teles TRUCK: 510162 CREDIT CARD CHECK 15 COUNT: LOAD Pit/Plant Sales Tax Haul Cd. CC Use Type Slump Prod. No. Description Load Size 1 29 TOTAL DUE 1 Taken by Trailer Trailer Tare Weight Check # Truck **Gross Weight** 42893

030856

20.29

50.38

510136

Goncrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin linearont, severe unifical burns of serious eye darkey? Avoid contact, when yorking with these eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures 4271094 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this REreduce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no Arrived at job with inch slump. Test cylinders event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other addition building, utility pipelines or cables, telephone lines, driveway or other Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE WA Signature of Owner or its Agent mixer Signature of Owner or its Agent NWGDELTKT090408 Leave Job Site Arrive Plant Finish Discharge Leave Plant Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Company/ Co. Proj. No TICKET NO. Driver Phase Code Order No. Cust. No. Customer Job SP1300 10927235 Dennis 606 3000 09/30/13 Date Delivery Address SIR DER CONSTRUCTION CO PARK WATER BNSF Map 528 Delivery Instructions 15:34 **Amount** Unit Price **UOM Product Description ProductCode** Load Qty Delivered Qty Order Qty FILL 300.10 2401 t: n RACTURED SELECT 29.60 492.21 Net Gross Delivery Charge: 24900 59200 Trks 94380 FUEL CHG 10280 Trir: TRUCK: 510136 PREV CARD CREDIT LOAD COUNT: Pit/Plant Sales Tax Haul Cd. CC Use Type Description Slump Prod. No. Load Size 109 1 TOTAL DUE Taken by Tare Weight Trailer Trailer **Gross Weight** Truck Check # 42893 17.59 030750 47.19

## Fractured Select Fill Weight Tickets 10/1/13 **Parkwater Construction Engineering**

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly inse these materials from clothing. Seek immediately KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control lugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Paleace. CUSTOMER 4271095 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request Added -Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)Signature of Owner or its Agent NWGDELTKT090408 Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Company/ Customer Job Co. Proj. No. Driver TICKET NO. Phase Code Order No. Cust. No B SP1300 Garr ett 10927236 37606 3000 10/01/13 Date Delivery Address PARK WATER BNSF CONSTRUCTION CO 532 531 .23E **Delivery Instructions** Scale Time: 07:35 Amount **Unit Price** Product Description **UOM** Product Code Delivered Qty Order Qty Load Qty SELECT FILL FRACTURED 400.10 2401 tn 30.73 30.73 Tare Net Gross Delivery Charge: 27800 61460 101840 Trk: FUEL CHG 12580 Trira TRUCK : CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd Lise

CC

**TOTAL DUE** 

109

Check #

Type

17251

Taken by

Slump

Trailer

Trailer

**BBBB16** 

Prod. No.

50.92

Gross Weight

Load Size

510616

Description

Tare Weight

20.19

Contact with wet uniquenes—injunious to eyes causes skin initiation. Contains Portianto Cernent, read the following warning before using. Contact with unhappened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with unhappened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with unhappened state of the contact with these eyes and significant or cement or contact with these eyes and significant or cement or contact with these eyes and significant or cement or contact with these eyes and significant or cement or contact with these eyes and significant or cement or c eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact from Jothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severer discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety over flow of severs. If burned, cool with water and see a physician. **4**271096 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller or its contract with me, I the undersigned, hereby INDEMNIFY the \_ inch slump. Arrived at job with \_\_\_\_\_ Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509)536-3151 mixer. WGDELTKT090408 Signature of Owner or its Agent Finish Discharge Leave Job Site Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code SP1300 Customer Job Frank Cust. No. 10927237 Order No. 606 10/01/13 Date PARK WATER BNSF CONSTRUCTION CO 531 23E 07:50 Scale **Delivery Instructions Amount UnitPrice** Product Description UOM Product Code Order Qty Delivered Qty Load Qty SELECT FILL RACTURED tn 400.10 2401 61.20 30.47 Net Tare Gross Delivery 28300 60940 101520 Troks FUEL CHG 12280 Trlr: 510616 TRUCK: PREV. CREDIT CARD CHECK LOAD COUNT : Sales Tax Pit/Plant Haul Cd CC Use Slump Type 109 TOTAL DUE Description Prod. No. Load Size Taken by Traile Check # Trailer Tare Weight Gross Weight Truck 17251 030856 20.29 50.76 510136

CUSTOMER nicrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet indiced concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns of serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shin, full-length trousers and tight-fitting eye protection when working with these said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shin, full-length trousers and tight-fitting eye protection when working with these terials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them instance or severe neithing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact ough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with persons who may use or come in Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this later added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE: to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daime to the premises. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump. Arrived at job with Test cylinders taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other gal water at customer request Added Other additions appurtenances, at: and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive, Job, Site Start Discharge Drivers' Comments Co. Proj. No. Driver, Customer PO/ TICKET NO. SP1300 Company/ Luke Phase Code Customer Job 10927238 10/01/13 Cust. No. Date Order No. 37606 3000 PARK WATER BNSF Мар Delivery Address 531 23E CONSTRUCTION CO I 532 07:55 Scale Delivery Instructions Amount **UnitPrice** Product Description **UOM** SELECT FILL Product Code FRACTURED Order Qty Delivered Qty Load Qty 400.10 2401 91.78 30.58 Delivery Net Tare Gross 61160 27880 FUEL 101620 Trk: 12580 Trlr: 510136 TRUCK: CREDIT PREV CHECK COUNT : LOAD Sales Tax **PiVPlant** Haul Cd CC. TOTAL DUE Type 109 Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 Truck

Ø30162

20.23

50.81

CUSTOMER ficrete: Ipjurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet africaned concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these lengths. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is shirtly concrete, wear knee pads to protect knees. After contact with any of these materials form cothing. Seek immediately with fresh, dean water Indirect contact withing is as dangerous so promptly rinse these materials from cothing. Seek immediately MEEP out of reach of children! User outfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User rees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. The product may be hazardous to your health. Measures to control fugitive dust should be taken and seen landling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective left gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release attended at customer's own risk. Additional water added to concrete will 4271098 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is or the opinion that the operation to this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. re to water added above design. you in everyway mar. we can, our in order to do this, the operation is easily that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annumerances at \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. Added \_\_\_\_ appurtenances, at: Other additions\_ Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD by any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our WA 99208-7089 SPOKANE, Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ SP1300 TICKET NO. Company/ Customer Job Ste VE Phase Code 10927239 10/01/13 Cust. No. 37606 Date Order No. PARK WATER BNSF Мар Delivery Address 531 CONSTRUCTION CO I 532 08:02 Customer ER Delivery Instructions Amount **Unit Price** Product Description FRACTURED SELECT FILL **UOM** Product Code Order Qty Delivered Qty tn 400.10 2401 Load Qty 123.07 Delivery Charge: Net Tare Gross 62580 FUEL CHG 28640 103900 Trk: 12680 Trlr: 510162 CREDIT CARD PREV TRUCK: CHECK COUNT: Sales Tax **Pit/Plant** Haul Cd. Lise CC TOTAL DUE Type 109 Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 20.66 030163 51.95 5101163

nicrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using. Contact with wet, native concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these instances. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Instance of the exercise to read the standard with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact outling is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soomfort. In case of eye con CUSTOMER 4271104 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this later added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the state of the content with me. I the understands hereby INDEMNIFY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump. Arrived at job with \_\_ seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Frank Company Phase Code 10/01/13 Customer Job Cust. No Order No. Date 37606 PARK WATER BNSF Мар Delivery Address 531 SUSTRIBLER CONSTRUCTION CO I 538 09:05 Scale Time: Delivery Instructions Amount **Unit Price Product Description UOM** SELECT FILL **ProductCode** FRACTURED Order Qty Delivered Qty tn 10 2401 Load Qty 31. Delivery Charge: Net Tare Gross 62320 28300 FUEL CHG 102900 12280 TRUCK: 510163 CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Type 109 Slump 1 Description Prod. No. Load Size . Check # Taken by Trailer Trailer Tare Weight

17251

030856

20.29

**Gross Weight** 

51.45

Truck

CUSTOMER ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these saids shirt was a standard to keep concrete from flowing into them. It is not stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is not shirt to keep concrete from flowing into them is shirt to the protect of the season of the 4271105 lifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design inch slump. krnved at job with Test cylinders gal water at customer request. Added Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. any liability. 99208-7089 WAL SPOKANE. Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Finish Discharge Leave Job Site Arriye Job Site Start Discharge Leave Plant 0.0 U Drivers' Comments Co. Proj. No. Driver Customer PO/ TICKET NO. SP1300 Company Phase Code Luke 10927246 Customer Job 10/01/13 Cust. No. Order No. 37606 3000 **Delivery Address** WATER BNSF 531 STRIBER CONSTRUCTION CO I 5324 09:07 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description UOM FILL **Product Code** SELECT FRACTURED Order Qty **Delivered Qty** Load Qty 2401 400.10 185.62 31.39 Net Tare Gross 62780 27880 FUEL CHG 103240 12580 PREV TRUCK: 510136 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Type Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** 17251 Truck 030162 20.23 51.62 m 4 (3) 1 E (3)

CUSTOMER ncrete: Injurious to eyes. Causes skin irritation, Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these terials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, it is shing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact ishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe outfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User rees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. The contact with wet in the protection of the protectio 4271106 Property Damage Indemnification & Release

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersigned, hereby INDEMNIFY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. re to water added above design. inch slump. mai you sign this KELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Arrived at job with Test cylinders gal water at customer request. Added Other additions and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. N. 13302 PERRY RD by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arfiye Job Site Start Discharge Leave Plant Drivers' Comments B SP1300 Driver Customer PO/ TICKET NO. Garrett Company/ Phase Code 10927247 10/01/13 Customer Job Cust. No. Date Order No. 3000 PARK WATER BNSF Delivery Address 531 23E SUSTRIPLER CONSTRUCTION CO I 53 09:12 Scale Time: Delivery Instructions Amount **Unit Price** Product Description UOM SELECT FILL **ProductCode** FRACTURED Order Qty Delivered Qty 2401 tn Load Qty 400.10 216.69 31.07 Delivery Charge: Net Tare Gross' 62140 FUEL CHG 27800 Trk: 102520 12580 Trlr: 510162 CARD PREV TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC TOTAL DUE 109 Type Slump Prod. No. Description Load Size Check # Taken by Trailer Trailer Tare Weight 17251 Gross Weight Truck 20.19 030616 510616 51.26

CUSTOMER tcrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, avoid contact with vet, and this More undergraph large a fifth buttered local leave shir full length travers and fight. fifting one protection when working with those and this More undergraph large a fifth buttered local leave shirt full length travers and fight. fifting one protection when working with those ardened Concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a and skin. Wear waterproof gloves, a fully-buttoned long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these erials. If you have to stand in wet concrete use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them eishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact gives the expect of expect o 4271107 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept respons bit by for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. \_\_ inch slump. arrived at job with \_\_ Test cylinders \_\_ gal water at customer request. taken Other additions and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 mixer. Arrive Plant Signature of Owner or its Agent Leave Job Site Arrive Job Site Start Discharge Finish Discharge Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ SP1300 TICKET NO. e Stev Company/ Phase Code 10927248 10/01/13 Customer Job Date Cust. No. Order No. 37606 Map SUUD PARK WATER BNSF Delivery Address 531 CONSTRUCTION CO I 532 09:17 Customer Delivery Instructions Amount **Unit Price** Product Description SELECT FILL UOM Product Code FRACTURED Order Qty Delivered Qty tn 400.10 2401 Load Qty 30.67 . 247.36 Delivery Charge: Net Tare Gross 61340 FUEL CHG 28640 102660 12680 Trira 510616 CREDIT TRUCK: PREV 8 COUNT: Sales Tax LOAD Pit/Plant Haul Cd. Use TOTAL DUE CC Type 109 Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 Truck 20.66.030163 E1 23

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with read concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with research several concrete, were concrete from flowing into them aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough cothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures are cono 4271111 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump Arrived at job with \_ Test cylinders seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other \_\_ gal water at customer request. Other additions appurtenances, at and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Company Phase Code Frank Customer Job 10927252 10/01/13 Cust. No. Order No. Date 37606 3000 Zone PARK WATER BNSF Мар **Delivery Address** 531 CUSTON DER CONSTRUCTION CO I 532 10:20 Scale Time: Delivery Instructions Amount **Unit Price** Product Description **UOM ProductCode** FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 2401 400.10 278.48 31.12 Delivery Charge: Net Tare Gross 62240 28300 Trk: 102820 FUEL CHG 12280 Trir: 510163 PREV TRUCK: CARD CREDIT CHECK 9 LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Lise Type TOTAL DUE Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight

17251

20.29 030856

Truck

510136

51.41

CUSTOMER

Oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these yes and sting eye protection when now into the yes and tight eye protection when flowing into them. Indirect contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact finishing concrete, wear kneep adds to protect themses a dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe incommediately. KEEP out of reach of children! User insommediately with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User insommediately with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User insommediately with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User insommediately with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User insommediately with plenty of water for at CUSTOMER 4271112 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, it the undersigned, hereby INDEMNIFY the 
seller and its employees for any damage and for all claims to the premises, Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will educe its strength Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. inch slump Arrived at job\_with Test cylinders salar or its contract with rise, if the undersigned, nereby INDENNIET the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: gal water at customer request. Added Other additions Received. and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers' Comments Co Proj No. Customer PO/ Driver **TICKET NO** Company SP1300 B ett Phase Code Garr Customer Job Cust No. 10/01/13 Date 5324 Delivery Addres WATER BNSF PARK Map 531 CONSTRUCTION CO I 23E 10:26 Scale Time: Delivery Instructions Amount **Unit Price** Product Description Delivered Oty **UOM** Product Code FILL SELECT Order Qty FRACTURED Load Qty t:n 2401 10 31.43 309. Net Delivery Charge: Tare Gross 62860 27800 103240 FUEL CHG Traks 12580 Trira TRUCK: 510136 PREV CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Туре Slump TOTAL DUE 109 Description Prod. No. Load Size

Taken by

1.7251

Trailer

Trailer

20.19.030616

Tare Weight

**Gross Weight** 

510616 51.62

Truck

Check #

CUSTOMER ncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these terials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep contract form flowing into them. It is not stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep contract form flowing into them. It is not stand in wet concrete, the sand the service of 4271113 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you tor your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. inch slump urrived at job with Test cylinders gal water at customer request. Other and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 3151 536-(509)mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. Custome PO/ Driver TICKET NO. SP1300 Company/ Phase Code Luke 10927254 Customer Job 10/01/13 Cust. No. Order No. Date 37606 3000 WATER BNSF Delivery Address 531 23E CONSTRUCTION CO I 5324 10:31 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description UOM FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty tn 2401 400.10 340.88 30.97 Delivery Charge: Net Tare Gross 61940 FUEL CHG 27880 102400 12580 510616 TRUCK: CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Use TOTAL DUE Type Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 Truck 20.23 030162 er 4 1714 C.D 51.20

ncrete pijurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with read said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these as and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these as and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these is and skin. Wear water length of several parts, wash off immediately with fresh, dean water. Indirect contact inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediately medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediately MEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sco 4271115 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersigned, hereby INDEMNIFY the
seller and its emolowes for any damage and for all claims to the premises. afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump. Arrived at job with Test cylinders taken seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent rrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant - 3 0 Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Steve Customer Job 10927256 Cust. No. 10/01/13 Order No. Date 37606 SODO Map Delivery Address PARK WATER BNSF 531 23E TDER CONSTRUCTION CO I 5324 10:48 Scale Time: **Delivery Instructions** Amount **Unit Price** Product Description UOM FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty tn 400.10 2401 31.68 372.50 Delivery Charge: Net Tare Gross 63240 28640 FUEL CHG 104560 12680 PREV TRUCK: 510162 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use Type TOTAL DUE Slump 109 Prod. No. Description 1 Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 17251 20.66 030163 52, 28

510163

CUSTOMER

Direct: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with seven and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these tentals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact using concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact using controle, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, dean water. Indirect contact using controle, wear knee pads to protect knees. After contact with any of these mineralized medical attention if you have persistent or severe used to contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Consult physician immediately. KEEP out of reach of children! User rese to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Again had a persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures. According this product. Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective fety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release after added to concrete will CUSTOMER 4271117 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the that the contract with me. The understands hereby INDEMINIES that Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. \_ inch slump seller of its contract with me, I the undersigned, hereby INDEMNIFY the arrived at job with seller and its employees for any damage and for all claims to the premises, building, utilify pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders \_ gal water at customer request. Added \_\_\_ Other additions and RELEASE the seller and its employees from Received X Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 mixer. Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No Customer PO/ SP1300 TICKET NO. Company/ Customer Job Phase Code Frank 10927258 10/01/13 Cust. No. Date Order No. 37606 SOOD PARK WATER BNSF Delivery Address 531 STRIBER. CONSTRUCTION CO I 5324 11:36 Delivery Instructions Amount **UnitPrice** Product Description **UOM** SELECT FILL **ProductCode** Order Qty FRACTURED Delivered Qty Load Qty tn 400.10 2401 402.69 30.19 Delivery Charge: Net Tare Gross 60380 FUEL CHG 28300 100960 Trks 12280 Trlr: 510163 PREV TRUCK: CARD CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use TOTAL DUE Type 109 Slump Description Prod No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 Truck 030856 20.29

50.48

E1171 3F.

Concrete Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product.

Hot Asphalt emits muisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271119 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is or trie opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees firs any damage and for all relating to the premises. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. nch slump Arrived at job with Test cylinders a water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. (509)Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job B SP1300 Cust. No. Garrett Order No. 10927260 37606 10/01/13 3000 **Delivery Address** Map WATER 53E ER CONSTRUCTION CO I 531 11:41 Scale **Delivery Instructions** Amount **Unit Price Product Description UOM** Product Code Order Qty Load Qty Delivered Qty FRACTURED SELECT FILL tn 400.10 2401 30.48 Net Tare Gross Delivery Charge: 60960 Trk: 101340 27800 FLIEL CHG 12580 Trlr: 510136 TRUCK:

CREDIT

Slump

Trailer

Type

17251

Taken by

CHECK

Trailer

030616

Description

Tare Weight

20.19

LOAD COUNT:

Load Size

510616

Truck

Prod-No-

50.67

Gross Weight

CARD

CC

LISE

Sales Tax

**TOTAL DUE** 

Pit/Plant

109

Haul Cd

Check #

CUSTOMER ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these tentals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them ishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact with any of these materials as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe cough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe cough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe cough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe cough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough control tight was a control full read of the promptly rinse these materials from clothing. Seek immediate with fresh, clean water. Indirect contact with very contact, the promptly rinse these materials from clothing in the promptly rinse these materials. The promptly rinse these materials from clothing in the promptly rinse these materials represented the promptly rinse the promptly rinse these materials. The promptly rinse these materials represented the promptly rinse these materials represented the promptly rinse these materials. The promptly represented the 4271120 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will iduce its strength. Suyer's agent agrees to accept responsibility for reduced strength us to water added above dissign. time charged at posted truck time rates. LEASE to you tor your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at 60 with seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. Added Other additions and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. by 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 99298-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. SP1300 Driver Customer PO/ TICKET NO. Company/ Customer Job Luke Phase Code 10927261 10/01/13 No. 37606 Date Order No. BNSF Map CONSTRUCTION CO I 5324 E Address PARK WATER 531 23E 11:45 Sustemen ER Delivery Instructions Amount **Unit Price** Product Description UOM SELECT FILL Product Code Delivered Qty FRACTURED Order Qty tn Load Qty 10 400. 30.74 463. Delivery Charge: Net Tare Gross F.1480 FUEL CHG 27880 101940 Trk: 12580 Trira 510616 TRUCK: CREDIT PREV LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Туре 109 Slump 1 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 030162 20.23 50.97 A10160

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with seven so and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these terials. If you have to stand in wet concrete, use waterproof boots that are tight at the lop and high enough to keep concrete from flowing into them shing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact nishing concrete, wear knee pads to proteptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe cough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe ough clothing in the persistent or severe ough clothing is as dangerous so promptly rinse these materials. If the persistent is the persiste CUSTOMER 4271122 Property Damage Indemnification & Release
Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, i the undersigned, hereby INDEMNIFY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 'ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. \_\_ inch slump. Arrived at job with \_ saler of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request. Other additions appurtenances at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Active Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge 2.5 Leave Plant 12:10 Drivers' Comments Co. Proj. No. Customer PO/ Driver SP1300 TICKET NO. Company/ Ste ve Phase Code 10/01/13 Customer Job Date Order No. 3000 PARK WATER BNSF Zone 5324 Delivery Address 931 SUSTRIBER CONSTRUCTION CO I 12:08 Scale Delivery Instructions Amount **Unit Price** Product Description FRACTURED SELECT FILL **UOM** Product Code Order Qty Delivered Qty tn Load Qty 400.10 2401 494.68 30.77 Delivery Charge: Net Tare Gross E1540 FUEL CHG 28640 102860 Trkt 12680 Trlr: 510162 PREV TRUCK: CREDIT CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC TOTAL DUE Type 109 Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight 17251 Gross Weight 20.66 030163 Truck 51.43 510163

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, irritation and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with them tended in the stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is not stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep contract indirect contact instructions of the sand to the sand the sand that the top and high enough with fresh, clean water Indirect contact with any of these materials, wash off immediately with fresh, clean water Indirect contact contact with any of these materials, wash off immediately with fresh, clean water Indirect contact with any of these materials, wash off immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of ey CUSTOMER 4271123 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may prosely the reuse damage in the premises or property. It is our wish to halo Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. later added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at ue to water added above design. inch slump. Arrived at job with \_ Test cylinders gal water at customer request. taken Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 1289 99208-WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent rrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers**' Comments Co. Proj. No. Driver Customer PO/ TICKET NO. SP1300 Company/ Phase Code Frank Customer Job 10927264 10/01/13 Cust. No. Order No. 37606 3000 Zone Delivery Address PARK WATER BNSF 531 CUSTOM CONSTRUCTION CO I 5324 12:45 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description UOM FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty tn 400.10 2401 526.77 32.09 Delivery Charge: Net Tare Gross 64180 28300 CHG FUEL 104760 12280 Trlra 510163 PREV TRUCK: CREDIT CARD CHECK LOAD COUNT: 17 Sales Tax Pit/Plant Haul Cd Use CC TOTAL DUE Type Slump 109 Description Prod. No. Load Size Taken by Check # Traile Trailer Tare Weight Gross Weight 17251 Truck 030856 20.29

52.38

norate: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cament mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with research and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these steries. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, tenshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact rough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Our plant the mortal product of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Our plant is minuted at least 15 minutes. Also, Asphalt may cause severe burns. Wear protective the hardened plant is product. Hot Asphalt entits nuisance furnes CUSTOMER 4271124 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our whish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersioned, hereby INDEMNIFY the afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. iue to water added above design. inch slump Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMINIFY the Test cylinders seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: al water at customer request taken Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from b.y The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave, Job-Site Finish Discharge Arrive Job Site Start Discharge eave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver SP1300 TICKET NO. Company/ В Garrett Phase Code Customer Job 10927265 Cust. No. Order No. 10/01/13 37606 Date SOOD Delivery Address PARK WATER BNSF Map 531 23E CHATTER CONSTRUCTION CO. 12:57 Scale Time: Delivery Instructions Amount **Unit Price** Product Description **UOM** Product Code FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 400.10 2401 559, 25 32.48 Delivery Charge: Net Tare Gross 64960 27800 Trk: 105340 FUEL CHG 12580 510136 PREV TRUCK:

CREDIT

Slump

Trailer

Trailer

20.19 030616

Type

17251

Taken by

CC

Use

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd.

1

Check #

18

Description

Tare Weight

LOAD COUNT:

Load Size

510616

Truck

Prod. No.

52.67

Gross Weight

CUSTOMER Crete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, referred concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raids. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, shing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact with any of these materials, wash off immediately with fresh of chaldrent or severe up concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately. KEEP out of reach of children! User up control to contact, with physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User control to contact, with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures are a hardling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective an hardling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. 4271125 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
you in everyway that we can, but in order to do this, the operator is asking
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
appurtenances, at: Unloading & Standby Excess unloading will be lety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. charged at posted truck time rates. Truck standby Iter added at customer's own risk. Additional water added to concrete will ince its strength. Buyer's agent agrees to accept responsibility for reduced strength et o water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. rrived at job with Test cylinders gal water at customer request. taken \dded appurtenances, at: Other additions and RELEASE the seller and its employees from Received, Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 mixer. Arrive Plant Signature of Owner or its Agent Leave Job Sile Finish Discharge Arrive Job Site Start Disona ge eave Plant **Drivers** Comments Co. Proj. No. Driver Customer PO/ SP1300 TICKET NO. Company/ Luke Phase Code 10927266 10/01/13 Customer Job Date Cust. No. Order No. 13760E Map PARK WATER BNSF Delivery Address 531 3000 5324 CONSTRUCTION CO 13:01 I Customer Scale Time: Delivery Instructions Amount **Unit Price** Product Description FRACTURED SELECT FILL **UOM ProductCode** Order Qty Delivered Qty Load Qty 400.10 2401 590.16 30.91 Delivery Charge: Net Tare Gross 61820 FUEL CHG 27880 102280 Trk: 12580 Trlr: 510616 CARD CREDIT TRUCK: PREV Sales Tax COUNT: Pit/Plant LOAD Haul Cd. TOTAL DUE CC Туре 109 Slump Description Prod. No. Load Size Check # Taken by Traile Trailer Tare Weight 17251 Gross Weight 030162 20.23 51.14

Increte ∄igiunous to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, nardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with said said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with fresh can concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact rough cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Onsult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult ph 4271126 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersigned, hereby INDEMNIFY the afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. later added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design inch slump. Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annutranance. Test cylinders gal water at customer request. Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Finish Discharge Arrive Job Site Start Discharge 30 Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Company/ Customer Job Phase Code Stev 0 10927267 10/01/13 Cust. No. Order No. 37606 3000 5324 E RE Zone PARK WATER BNSF 531 SUSTRIBLER CONSTRUCTION CO I 13:31 Scale Time: Delivery Instructions Amount **Unit Price** Product Description FRACTURED SELECT FILL **UOM ProductCode** Order Qty Delivered Qty Load Qty 400.10 2401 tn 622.21 32.05 Delivery Charge: Net Tare Gross 64100 28640 FUEL CHG 105420 Trk: 12680 Trlra 510162 TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type TOTAL DUE Slump 109 Description Prod No Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 17251 Truck 20.66 030163 52.71 510163

CUSTOMER

CUSTOMER ncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these retails. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them institutes native packs to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact ough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User occurrent in the contact with wet (umhardened) concrete, mortar, cement or cement mixtures. The protection of the product may be hazardous to your health. Measures to control fugitive dust should be taken that after the product may be hazardous to your health. Measures to control fugitive dust should be taken that after the product may be hazardous to your health. Measures to control fugitive dust should be taken that after the product may be hazardous to your health. Measures to control fugitive dust should be taken that after the product may be hazardous to your health. Measures to control fugitive dust should be taken that after the product may be hazardous to your health. Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller and its employees for any damage and for all claims to the premises, ifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump. Arrived at job with \_\_\_ seller or its contract with me, i the undersigned, nereby INDEMNIET the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders \_ gal water at customer request. taken Added \_\_\_\_ Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by N. 13302 PERRY RD any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Arrive Plant mixer. Signature of Owner or its Agent Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Driver Customer PO/ SP1300 TICKET NO. Company/ Frank Phase Code 10927269 10/01/13 Customer Job Cust. No. Date Order No. 37606 3000 SUSTRIPLER CONSTRUCTION CO I 5324 ET TREN PARK WATER BNSF 531 13:53 Delivery Instructions Amount **UnitPrice Product Description** FRACTURED SELECT FILL UOM Product Code Order Qty Delivered Qty tin Load Qty 400.10 2401 653.60 31.39 Delivery Charge: Net Tare Gross 62780 28300 FUEL CHG 103360 Trk: 12280 510163 TRUCK: COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Type 109 Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight Gross Weight 17251 Truck 20.29 030856 51.68 C+1711 74

oncrete: Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with research skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these research skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these research skin. Wear water protect stands in the top and high enough to keep concrete from flowing into them, aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If the protect knees are stands or severe in the top and high enough to keep concrete from flowing into them. Seek immediate medical attention if you have persistent or severe incomply insee these materials from cothing. Seek immediate medical attention if you have persistent or severe incomply inseed the protect knees and a least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is green to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then harding this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective interest and gloves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271130 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersioned, hereby INDEMNIFY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other gal water at customer request. Other additions appurtenances, at: Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may vold any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent 536-3151 (509) mixer NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant eave Job Site Finish Discharge Start Discharge Arrive Job Site eave/Plant Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 ett В Phase Code Gar Customer Job 10927271 10/01/13 Order No. Cust. No. 37606 Date 3000 PARK WATER BNSF Zone Delivery Addre Мар 531 CONSTRUCTION CO I 538 14:10 Delivery Instructions Amount **Unit Price** Product Description UOM FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty 2401 tn 400.10 685.04 31.44 Delivery Charge: Net Tare Gross 62880 27800 Trk: 103260 FUEL CHG 12580 Trlr: TRUCK: .510136 PREV CARD CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd Use CC Type Slump TOTAL DUE 109 Description Prod. No. Load Size

Taken by

17251

Trailer

Trailer

030616

Tare Weight

20.19

Gross Weight

51.63

Truck

510616

Check #

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using. Contact with wet, nardered concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sardered concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sardered concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear water for severe outset as a dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe scornfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User specified inhalations of dust from a gravel product with wet (unhardered) concrete, mortar, cement or cement mixtures. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken tent product. Hot Asphalt emits nuisance furnes. Also, Asphalt may cause severe burns. Wear protective later added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release later added at customer's own risk. Additional water added to concrete will CUSTOMER 4271131 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will iduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the total the contract with two I the understand hereby INITERABILEY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump. utal you sign this KELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at Arnved at job with Test cylinders gal water at customer request. Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. N. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Custômer PO Drive TICKET NO. SP1300 Company/ Phase Code Luke Customer Job 10927272 10/01/13 Cust. No. Order No. Date 37606 SOOD Мар Delivery Address PARK WATER BNSF 531 CONSTRUCTION CO I 532 14:16 Scale Delivery Instructions Amount **UnitPrice** Product Description UOM **ProductCode** FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 400.10 2401 716.72 31.68 Delivery Charge: Net Tare Gross 63360 27880 FUEL CHG 103820 Trk: 12580 Trlr: 510616 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use CC TOTAL DUE Type Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer .Tare Weight Gross Weight 17251 Truck...

20.23 030162

51.91

oncrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, taterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, taterials. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly insee these materials from clothing. Seek immediate medical attention if you have persistent or severe liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fuglive dust should be taken when hading this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt m CUSTOMER 4271133 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with Test cylinders taken Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Steve 10927274 Cust. No. Order No. 10/01/13 37606 Date SOOD **Delivery Address** Map PARK WATER BNSF CONSTRUCTION CO I 5324 23E 531 15:00 Scale Time: Delivery Instructions Amount **Unit Price** UOM Product Description Product Code Order Qty FRACTURED SELECT FILL **Delivered Qty** Load Qty 400.10 2401 32.04 748.76 Net Tare · Delivery Charge: Gross 64080 28640 105400 FUEL CHG 12680 Trlr: 510162 TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Use Type Slump TOTAL DUE 109 Description -Prod-No. Load Size Taken by Check # Tare Weight Trailer Gross Weight

17251

20.66 030163

52.70

CUSTOMER crete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, referred concrete, mortar, cement or certient mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing in them. If the part of the part is the part of the part 4271135 Property Damage Indemnification & Release

Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE in consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. fely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. iter added at customer's own risk. Additional water added to concrete will ince its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. e to water added above design. inch slump. rrived at job with seller or its contract with the, i are undersigned, nereby indictivities seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurentances of Test cylinders gal water at customer request. Added \_ appurtenances, at. Other additions Received and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 **Arrive Plant** Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Driver SP1300 Customer PO/ TICKET NO. Frank Company/ Phase Code 10/01/13 10927276 Customer Job Cust. No. Order No. 37606 Map PARK WATER BNSF BODD 531 Delivery Address 23E Customer CONSTRUCTION CO I 15:04 5324 Scale Time: **Delivery Instructions** Amount **Unit Price** Product Description FRACTURED SELECT FILL **UOM ProductCode** Order Qty Delivered Qty tn 2401 Load Qty 400.10 780.77 32.01 Delivery Charge: Net Tarre Gross FUEL CHG 64020 28300 104600 Trk: 12280 CARD 510163 CREDIT PREV TRUCK: CHECK Sales Tax **Pit/Plant** ·COUNT: LOAD Haul Cd. Use TOTAL DUE CC 109 Type Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight 17251 Gross Weight

030856

20.29

52.30

Truck

## Fractured Select Fill Weight Tickets 10/2/13

**Parkwater Construction Engineering** 

crete: Injurious to eyes. Causes skin irritation. Contains Portla	I Come Deed the following warning before using:	Contact with wet, Avoid contact with	
raids. If you have to stand in wet concrete, use waterproof boots the shing concrete, wear knee pads to protect knees. After contact with an uigh clothing is as dangerous so promptly rinse these materials for principle in a second of the se	irt, full-length trousers and tight-fitting eye protection when it are tight at the top and high enough to keep concrete from y of these materials, wash off immediately with fresh, clean war dothing. Seek immediate medical attention if you have p 5 minutes. Consult physician immediately. KEEP out of read	working with these n flowing into them. ster. Indirect contact bersistent or severe ch of children! User	4271139
regates: Prolonged inhalations of dust from a gravel product hot Asphalt emits nuisance furnes Average and analysis and gloves) If humand cool with water flowers against and gloves) If humand cool with water flowers against and gloves.	be hazardous to your health. Measures to control lugitive of bid breathing firmes. Also, Asphalt may cause severe burn	ns. Wear protective	
handling this product. Hot Asphalt emits nuisance turnes. Avity gear (long sleeves, pants and gloves). If burned, cool with water	r and see a physician.		
er added at customer's own risk. Additional water added to co ice its strength. Buyer's agent agrees to accept responsibility for redu io water added above design.	rete will ed strength ed strength ted strength ed strength ted strengt	in & Release ipment, in presenting this RE- opinion that the operation of this om our contract with you may time c	ding & Standby Excess unloading will be d at posted truck time rates. Truck standby harged at posted truck time rates.
ived at job with inch slump.	possibly cause damage to the premises or you in everyway that we can but in order that you sign this RELEASE. In considers	to do this, the operator is asking Limite	d Warranty The only liability of the seller for the defect is the return of the purchase price. In ne shall the seller be liable for any direct, indirect the defendance resulting from
ded gal water at customer request. Test cyl		ation of the performance of the event	shall the seller be liable for any direct, indirect
		nd for all daims to the premises, the us	shall the seller be liable for any offect, indired, indir
ner additions	building, utility pipelines or cables, telep appurtenances, at:	none lines, driveway of other warran	nty. All claims for damages or snortages must be within 24 hours of delivery.We do not assum
ceived	арриненальсь, ас	respon	nsibility for any damage beyond the curb line.
yer's Agent receipt of product and approval of any	added items. and RELEASE the seller and its		
a sustain at any extra products to our miver may void	any warranty any liability.		A few years and a second and a second and a
		7. (7)	3302 PERRY RD
rsonal_injury incurred by you write adding additional pro	Signature of Owner on its		
xer UO5		(509	> 536-3151
Signature of Owner or its Agent	NWGDELTK	T090408	
Leave Plant Arrive Job Site Start Discharge Fi	nish Discharge Leave Job Site Arrive P		
	160 100 1		All Malia la la lia lia li alli mana liana l'arra l'arra l'arra in
rivers'	20 4/6/4/	* 1	0351500*
rivers' 450	20 454	* 1	6357500*
omments 750 7	20 457 /	* 1	0927200*
	l liase code	* 1 TICKET NO. Driv 0927280 R	obert S SP1300
Order No. Cust No. Customer Jo	b Phase Code	Ø92728Ø R	
Order No. Cust No. Customer Jo	Phase Code	HORLET HO.	obert S SP1300 Date 10/02/13
Order No. Cust No. Customer Jo	b Phase Code	Ø92728Ø R	Date 10/02/13  Map Zone 23E S31  Scale 07:09
Company/ Customer Jo Customer Jo Customer Jo Customer Jo Customer Jo Customer Construction Co	b Phase Code	Ø92728Ø R	Obert S SP1300 Date 10/02/13 Map Zone S31
Company/ Customer Jo Customer Jo Customer Jo Customer Jo Customer Construction Co elivery Instructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Date 10/02/13  Map Zone 23E S31  Scale 07:09
Company/ Customer Jo Customer Jo Customer Jo Customer Jo Customer Construction Co elivery Instructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Obert S SP1300 Date 10/02/13 Map Zone 23E S31 Scale 07:09
Company/Order No. Cust No. Customer Journal 27606  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Date 10/02/13  Map Zone 23E 531  Scale 07:09
Company/Order No. Cust No. Customer Journal 27606  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Date 10/02/13  Map Zone 23E 531  Scale 07:09
Company/Order No. Cust No. Customer Journal 27606  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Date 10/02/13  Map Zone 23E 531  Scale 07:09
Company/Order No. Cust No. Customer Journal 27606  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions  Customer Constructions	Delivery Address I 5324 E TRENT / PARK	0927280 R WATER BNSF	Obert S SP1300 Dale 10/02/13 Map Zone 23E 531 Scale 07:09
Company/Customer Journal Control Company/Customer Journal Customer Journal	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT / PARK  Delivery Address I FRENT / PARK  Delivery Address I FRACTURE	WATER BNSF  MATER BNSF  MED SELECT FILL	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Control Contr	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT /	Delivery	Obert S SP1300 Dale 10/02/13 Map Zone 23E 531 Scale 07:09
Company/Customer Journal Control Contr	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT /	WATER BNSF  MATER BNSF  MED SELECT FILL	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Control Contr	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT /	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Constructions  Constructio	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT /	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Constructions  Constructio	Delivery Address I 5324 E TRENT / PARK  DoductCode UOM ProductDescriptio 2401 tn FRACTURE	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Constructions  Constructio	Delivery Address I 5324 E TRENT / PARK  Delivery Address I FRENT /	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Constructions  Constructio	Delivery Address I 5324 E TRENT / PARK  DoductCode UOM ProductDescriptio 2401 tn FRACTURE	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount
Company/Customer Journal Constructions  Constructio	Delivery Address I 5324 E TRENT / PARK  DoductCode UOM ProductDescriptio 2401 tn FRACTURE	Delivery	Date 10/02/13  Map Zone 23E S31  Scale 07:09  UnitPrice Amount  Charge:

CUSTOMER Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 1271140 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, so it die opinion that the special machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the due to water added above design. time charged at posted truck time rates Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job\_with Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added: water at customer request. Other additions appurtenances, at: Received by Buyer's Agent receipt/or product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD WA 99208-7089 SPOKANE Signature of Owner or its Agent 536-NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Customer Job Phase Code SP1300 B Order No. Cust. No Garr 10927281 EVE 10/02/13 Date Delivery Address CONSTRUCTION CO Мар \$31 23E 07:16 **Delivery Instructions** Scale Time: Amount **UnitPrice** Product Description Product Code **UOM** Load Qty Delivered Qty Order Qty RACTURED SELECT FILL tn 65.89 400. 10 2401 45 32. Net Tare Gross Delivery Charge: 64900 27800 105280 Trks 12580 510009 TRUCK: CREDIT CARD CHECK COUNT: LOAD

Sales Tax

**TOTAL DUE** 

Pit/Plant

109

Haul-Cd.

Check #

CC

Type

1212

Taken by

Slump

Trailer

Description

Tare Weight

PM. 19

Trailer

030616

Prod. No.

50 F.4

Gross Weight

Load Size

STOICTE

Use

Gross Trk: 105100 Trlr: PREV TRUCK: 51	Order Qty Pro	2401 et	OM Product Trace of the CREDIT	e CC Use	Del: CHG	iverý Cl *	Scale Time:	Ø7∶3Ø
Cross Trk: 105100  PREV TRUCK: 51	Order Qty Pro 1 400.10 Tare Ne 27880 546 12580	2401 et 540 #	tn FR	ACTURED S	Del:	ivery Cl	Scale Time:	07:30
Coad Oty Delivered Oty 32.32 98.21  Gross Trk: 105100	Order Qty Pro 1 400.10 Tane Ne 27880 646	2401 et	tn FR	ACTURED S	Del:	ivery C	Scale Time:	07:30
Load Oty Delivered Oty 32.32 98.21	Order Oty Pro 1 400.10 Tare Ne 27880 646	2401 et		ACTURED S	Del:	ivery C	Scale Time:	07:30
elivery Instructions  Load Qty Delivered Qty  32.32 98.21	Order Qty Pro 1 400.10	2401 et		ACTURED S	Del:	LL	Scale Time:	07:30
elivery Instructions  Load Qty Delivered Qty 32.32 98.21	Order Qty Pro	2401		st Description ACTURED S		LL	Scale Time:	07:30
elivery Instructions  Load Qty Delivered Qty	Order Qty Pro	oductCode U ⊇4Ø1		et Description ACTURED S	ELECT FI		Scale Time:	07:30
olivery Instructions  oad Qty Delivered Qty	Order Qty Pro	oductCode U 2401		tDescription ACTURED S	ELECT FI		Scale Time:	07:30
livery Instructions oad Qty Delivered Qty	Order Qty Pro	oductCode U 근401		ot Description ACTURED S	ELECT FI		Scale Time:	07:30
livery Instructions oad Qty Delivered Qty	Order Qty Pro	oductCode U 근4장1		ct Description ACTURED S	ELECT FI		Scale Time:	Ø7:30
olivery Instructions  oad Qty Delivered Qty	Order Qty Pro	oductCode U 2401		et Description	ELECT FI		Scale Time:	Ø7:30
113.22						Unit P	Scale Time:	Ø7:30
113,00 000 000	ad Travel 5 also Travel 6.75 Travel Travel						Scale	
TRIDER CONSTRU	of had it is not to "to "took had							
stomer	JCTION CO	I 5324 E	TRENT	/ PARK WA	ובת המסר		Map 23E	Zone S3
		Delive	rv Address	/ DOBY 110	TER BNSF		Delic .	0/02/13
rder No. Cust. No.	Customer Jol		se Code	TICKET 1092	NO. 7283	Driver	4.4	SP1300
	Company/	Cus	tomer PO/	g, sinday no not triff to partie!		Driver	e anderson's men entreprise personner address to	Co. Proj. N
nments								
vers'							9 2	
eave Plant Arrive Job Site	Start Discharge Fin	ish Discharge	Leave Job Site	a				
Signature of Owner or	r its Agent	aged a company of the state of	1.502	NWGDELTKT090408 Arrive Plant		A Your Tier and I had	more upon the book	
ressed or implied by the seller. The soller in the seller in the soller incurred by you while er.	adding additional proc	ducts to our	Signature of O	wner or its Agent		5POKANE (509) 5	, WA ' 36-315	99208-71 1
addition of any extra products to	our mixer may void a	any warranty an) hility for any	/ liability.			N. 1330		
ver's Agent receipt of product a	ind approval of any a	dded items. and	RELEASE the s	seller and its employe	es from			
eived	376	appu	rtenances, at:	a council recolution in the		made within i	24 hours of del for any damage	ges or shortages not a livery. We do not a le beyond the curb
ed gal water at customer er additions	taken	seller	OF IES CONTUBICA WHEN IT	ne, I the undersigned, here rany damage and for all da or cables, telephone lines	aims to the premises	the use of the	consequential products or ari	e for any direct, in damages resulting sing out of breach ges or shortages m
ed at job with inc	r request Test cylin	you in ders that y	everyway that we ca ou sign this RELEAS	the premises or property.  In but in order to do this, the premises of property.  In consideration of the property of the prop	ne operator is asking e performance of the	product defec	t is the return of e seller be liabl	liability of the sel the purchase price e for any direct, in
water added above design.			nery in the manner roly cause damage to	required to perform our co the premises or property.	ntract with you may It is our wish to help	time charged	at posted truc	k time rates.
added at customer's own risk. Addit e its strength.Buyer's agent agrees to ac		ed strength The C	perator of this piece	of heavy equipment, in	presenting this RE- the operation of this	charged at N	osted truck tim	ess unloading we rates. Truck sta
naming this product. The Aspirate of gear (long sleeves, pants and gloves).	. II DUINEU, WUI WIIII WALEI		4 th I	Jamestiantian 9 Dal	0260			
hendling this product Hot Aenhalt of	emits nuisance fumes. Avo.	id breathing fumes. A and see a physician.	lso, Asphalt may cau	ise severe dams. Wear p	NOCOLIVE			.,
mfort.In case of eye contact, tush with pi is to convey this warming to all persons i regates. Prolonged inhalations of dust	who may use or come into from a gravel product may amits nuisance furnes. Avoid the product may amits nuisance furnes.	contact with wet (unh be hazardous to your id breathing furnes. A and see a physician.	ardened) concrete, in health. Measures to d Iso, Asphalt may cau	nortar, cement or cement i control fugitive dust should use severe buims. Wear p	be taken protective			42/11
ning concrete, wear knee pads to protect to the dothing is as dangerous so promptly front. In case of eye contact, flush with pl is to convey this warning to all persons to regates: Prolonged inhabitors of dust	knees. After contact with any rinse these materials fron lenty of water for at least 15 who may use or come into from a gravel product may mits nuisance furnes. Avo	contact with wet (unh be hazardous to your id breathing furnes. A and see a physician.	ardened) concrete, in health. Measures to d Iso, Asphalt may cau	on if you have persistent of EEP out of reach of childri nortar, cement or cement in control fugitive dust should use severe burns. Wear p	be taken protective			42711
and skin. Wear Waterproof gloves, a full als. If you have to stand in wet concrete hing concrete, wear knee pads to profect in clothing is as dangerous so promptly to the part of the part of the part of the part of the top to the part of the part	e, use waterproof boots that knees. After contact with any rinse these materials from	are tight at the top any of these materials, was no clothing. Seek imme 5 minutes. Consult phy contact with wet (unhobe hazardous to your idd breathing furnes. A contact we and see a physician.	d high enough to kee sh off immediately with diate medical attentio sician immediately. K aardened) concrete, m health. Measures to co lso, Asphalt may cau	ep concrete from flowing in h fresh, dean water, Indirec on if you have persistent o EEP out of reach of childn	no mem. to contact or severe en! User mixtures. be taken protective			42711
crete: Injurious to eyes.Causes, skin, dened concrete, mortar, cement or ceme and skin. Wear waterproof gloves, a full itals. If you have to stand in wet concrete thing concrete, wear knee pads to protect ligh clothing is as dangerous so promptly infort. In case of eye contact, flush with ples to convey this warning to all persons uregates: Prolonged inhalations of dust handling this product.  Hot Asphalt ey gear (long sleeves, pants and gloves).	by-buttoned, long-sleeve shire, use waterproof boots that knees. After contact with any rinse these materials from lepty of water for at least 15	nt, full-length trousers a are tight at the top any of these materials, was n clothing. Seek imme 5 minutes. Consult phy contact with wet (unh be hazardous to your id breathing furnes. A and see a physician.	and tight-fitting eye pi d high enough to kee sh off immediately with diate medical attentio sician immediately. K ardened) concrete, m health. Measures to c Iso, Asphalt may cau	rotection when working wi ap concrete from flowing in in fresh, clean water. Indirect on if you have persistent o EEP out of reach of childn	in these to them. It contact in severe en! User mixtures. be taken protective			42711

Slump Type CC U <sub>S</sub> e Haul Cd.	Pit/Plant Sales Tax 1 @ 9 TOTAL DUE
CK / CREDIT CARD	
FUEL CHG	
Del	livery Charge:
	ILL
ode UOM Product Description	Unit Price Amount
	23E 531 Scale 07:38
Delivery Address 3.24 E TRENT / PARK WATER BNS	Date 10/02/13 F Map Zone
Customer PO/ Phase Code TICKET NO. 1 Ø 9 2 7 2 8 4	Driver Co. Proj. No. Stevé Y SP1300
The state of the s	
charge Leave Job Site S. 48	* 1 0 9 2 7 2 8 4
NWGDELTKT090408	(509) 536-3151
any	N. 13302 PERRY RD SPOKANE, WA 99208-708
and RELEASE the seller and its employees from	responsibility for any demage coy
seller and its employees for any damage and for all dams to the premises building, utility pipelines or cables, telephone lines, driveway or othe appurtenances, at:	e event shall the seller of liable for any dieto, indi- incidental or consequential damages resulting in the use of the products or arising out of breach of warranty. All claims for damages or shortages mus made within 24 hours of delivery. We do not ass responsibility for any damage beyond the curb lin
you in everyway that we can, but no order to do this, the operations asked that you sign this RELEASE. In consideration of the performance of the	product defect is the return of the purchase price. If
The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this proper required to perform our contract with you man	time charged at posted truck time rates.
lous to your health. Measures to control lugitive dust should be taken ng furmes. Also, Asphalt may cause severe burns. Wear protective a physician	
Seek immediate medical attention if you have persistent or severe	427114
severe chemical burns of senous eye dailings. Avoid childe with the set at the top and high enough to keep concrete from flowing into them. at the top and high enough to keep concrete from flowing into them. naterials, wash off immediately with fresh, clean water Indirect contact. Seek immediate medical attention if you have persistent or severe.	
	Consult physician immediately. REEP out of real of utilitate to see with wet (unhardened) controlete, mortar, coment or coment mixtures itous to your health. Measures to control tugitive dust should be taken not travely aphysician.  Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to hely you in everyway that we can, but in order to do this, the operator is askin that you sign this RELEASE. In consideration of the performance of the seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or othe appurtenances, at.  BINS.  and RELEASE the seller and its employees from any liability.  any our  Signature of Owner or its Agent  NWGDELTKT090408  Arrive Plant  Customer PO/Phase Code  TICKET NO.  1 0 92 7 28 4  Delivery Address  Code  UOM  Product Description  TICKET NO.  1 0 92 7 28 4  FUEL CHG

increte: Injurious to eyes, Causes, skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe fiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children!

\*\*Material Protection\*\*

\*\*Addition\*\*

\*\*Addition\*\*

\*\*Addition\*\*

\*\*Additi CUSTOMER 4271149 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE: to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request Added < Other additions appurtenances, at: Received bу Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA. Signature of Owner or its Agent (509)536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Pla Leave Job Sife Finish Discharge Arrive Job Site Start Discharge eave Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code B SP1300 Customer Job Garrett Cust. No. 10927290 Order No. 37606 10/02/13 3/2/2/1 Delivery Address WATER BNSF Мар CONSTRUCTION 531 E3E 08:43 Delivery Instructions Amount **UnitPrice Product Description ProductCode UOM** Order Qty Delivered Qty FRACTURED SELECT FILL Load Qty 2401 10 159.94 400. 30.05 Net Tare Gross Delivery Charge: 27800 60100 100480 Trks FUEL CHG 12580

CARD

CC

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd.

Check #

Use

CREDIT

Type

11212

Taken by

Slump

Trailer

Trailer

030616

PREV TRUCK:

LOAD COUNT:

Load Size

Truck

510A616

Prod. No.

50.24

Gross Weight

510163

Description

Tare Weight

20.19

Concrete: Injurious to eyes, Causes skin irritation, Contains Portland Cernent. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cernent or cernent mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety qear (long sleeves.) pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271150 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that way using this REI EASE. In consideration of the performance of the Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_\_ inch slump. Arrived at job with \_\_\_\_ that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders taken Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at by and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent (509)NWGDELTKT090408 Signature of Owner or its Agent Finish Discharge dbb Site Job Site Start Discharge Drivers Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Phase Code Customer Job Order No. Cust. No. SP1300 Rober 10927291 37606 3001 10/02/13 Date Delivery Address CUSTOMEDER CONSTRUCTION CO Delivery Instructions 08:47 Scale Time: Amount **Unit Price** UOM Product Description Product Code Order Qty Load Qty Delivered Qty FRACTURED SELECT FILL 400.10 2401 t: n 30.75 190.69 Net Tare Gross Delivery Charge: 27000 61500 Trks 99260 FUEL CHG 10760 PREV TRUCK: 510616 CREDIT CARD LOAD COUNT: Pit/Plant-Sales Tax Haul-Cd. Slump Type Prod. No. Description Load Size 109 **TOTAL DUE** 1.

Taken by

11212

Check #

Trailer

Tare Weight

49.63 18.88 030099

Gross Weight

Truck

P המהוה ו ב

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet,	CUSTOMER
unhardened concrete, mortar, cement or cement mixtures can cause still littation, severe untrabarding school of concrete, mortar, cement or cement mixtures can cause still littation, severe untrabarding school of concrete, wear waterproof gloves, a fully-buttoned, long-sleeve shir, full-length trousers and tight-fitting eye protection when working with these materials, if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials. Wear protective materials from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective materials from a gravel product with water and see a physician.	4271152
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with inch slump in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant	
Drivers' Comments	* 1 0 9 2 7 2 9 3 *
Order No. 37606  Cust No. 37606  Customer Job Customer PO/ Phase Code  TICKET NO. 10927293	Driver Co. Proj. No. SP1300  Date 10/02/13  Map Zone S31  Scale 08:58
Load Qty Delivered Qty Order Qty Product Code UOM Product Description 30.79 221.48 400.10 2401 tn FRACTURED SELECT FI	UnitPrice Amount
Gross Tare Net Trk: 102040 27880 61580 Deli Trlr: 12580 FUEL CHG  PREV TRUCK: 510009 #	yery Charge:
LOAD COUNT: 7 CHECK / CREDIT CARD	
Load Size Prod. No. Description Slump Type CC. Use Haul Cd.	PiVPlant Sales Tax 109 TOTAL DUE
Truck Gross Weight Tare Weight Trailer Trailer Taken by Check #	

510162 51.02 20.23 030162

Oncrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these variables. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, naterials. If you have to stand in wet concrete, more adaptable with fresh, clean water indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact income in the contact with any of these materials, wash off immediately with fresh, clean water indirect contact income in the contact with any of these materials. The contact with well contact with well cunhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken hardling this product. Should be taken and the h CUSTOMER 4271153 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all clarms to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump Arrived at job with \_ Test cylinders taken \_\_ gal water at customer request. Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Company/ TICKET NO. Phase Code SP1300 Customer Job Steve 10927294 No Order No. 10/02/13 37606 Dale 3001 Delivery Address TREN PARK WATER BNSF Zone 531 ĆB. CONSTRUCTION 23E 09:01 Delivery Instructions Amount **Unit Price Product Description ProductCode UOM** Order Qty FRACTURED SELECT FILL Delivered Qty Load Qty 400.10 2401 tn 31.95 253.43 Net Tare Delivery Charge: Gross 28640 63900 Trks FUEL CHG 12680 510162 PREV TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Slump Type TOTAL DUE 109 Description Prod. No. Load Size

Taken by

11212

Check #

Trailer

Trailer

20.66 030163

Tare Weight

Gross Weight

E1171163

52.61

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe hiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User isometry this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken after the product may be hazardous to your health. Measures to control fugitive dust should be taken here. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to y CUSTOMER 4271159 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building. utility obletines or cables, telephone lines, driveway or other Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. bу and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. (509)NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code Customer Job B SP1300 Garrett Cust. No. Order No. 10927300 10/02/13 37606 Date 3001 **Delivery Address** Map STRIDER CONSTRUCTION CO I 5324 Customer TRENT E 531 Scale Time: 09:54 Delivery Instructions Amount **UnitPrice** Product Description UOM Product Code Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 400.10 2401 tn 282.97 29.54 Net Tare Gross Delivery Charge: 59080 27800 99460 Trks FUEL CHG 12580 510163 TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type Slump TOTAL DUE Description Prod. No. 129 Load Size

Taken by

11212

Check #

Trailer

Trailer

030616

Tare Weight

20.19

**Gross Weight** 

510616 49.

Truck

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with syes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them are tight at the top and high enough to keep concrete from flowing into them of this promote the serious serious promptly inset these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate, KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggree to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggree to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar or cement mixtures. CUSTOMER 4271160 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective and force closure control force. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner NWGDELTKT09040 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Arrive Job Site Start Discharge Leave Plants **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code SP1300 Customer Job Robe 927301 Order No 760E 10/02/13 Date Delivery Address Mag CONSTRUCTION CO Customer ER 531 23E 10:02 Scale **Delivery Instructions** Amount **Unit Price** Product Description **UOM** Order Qty Product Code Load Qty Delivered Qty FRACTURED SELECT FILL tη 10 2401 400 Net Gross Tare Delivery. 65560 103320 27000 FUEL CHG 10760 Irlr: PREV TRUCK: 510616 CREDIT CHECK COUNT: 10 Sales Tax Pit/Plant Haul Cd CC Use Type Slump Description TOTAL DUE Prod No 109 Load Size Taken by Trailer Check # Tare Weight **Gross Weight** Truck 11212 18.88 030099

51.66

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shrt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalators of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nusance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release CUSTOMER 4271164 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE In consideration of the performance of the Water added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with that you sign this RELEASE In consideration of the performance of the Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other gal water at customer request. taken Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Leave Job Site Plant **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver **TICKET NO** Phase Code Customer Job SPIJU Order No. Cust. No \_uke 10/02/13 Date Delivery Address CONSTRUCTION CO I Map 531 10:19 **Delivery Instructions** Scale Time Amount **Unit Price** Product Code **UOM** Product Description Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 412121. Net Tare Gross Delivery Charge: 65520 105980 27880 FUEL CHG 12580 PREV TRUCK: 510009 CREDIT COUNT: Sales Tax Pit/Plant Haul Cd CC Use Slump Type Prod. No. Description TOTAL DUE Load Size 109 1

Taken by

11212

Check #

Trailer

20.23.030162

Tare Weight

Gross Weight

58.99

Truck

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then had appropriated the product may be hazardous to your health. Measures to control fugitive dust should be taken then had appropriated the position of the position CUSTOMER 4271165 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurite agrees. due to water added above design. \_\_ inch slump. Arrived at job with . Test cylinders gal water at customer request. Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT09040 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge (1:0) Drivers' Comments Co. Proj. No. Customer PO/ Company/ Customer Job Driver TICKET NO. SP1300 Phase Code Steve 10927306 Cust. No. Order No. 10/02/13 37606 Date 3001 Delivery Address PARK WATER BNSF Map Zone Customeder CONSTRUCTION CO I 532 S31 10:22 Scale Time: Delivery Instructions Amount **Unit Price** Product Description **UOM** Product Code FRACTURED SELECT FILL Order Qty **Delivered Qty** Load Qty tn 400.10 2401 380.62 32.11 Tare Net Delivery Charge: Gross 64220 28640 105540 FUEL CHG Trk: 12680 Trlr: PREV TRUCK: 510162 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd Type Slump TOTAL DUE 109 Description Prod. No. Load Size Taken by

11212

Trailer

20.66 030163

Tare Weight

**Gross Weight** 

52.77

Truck

510163

Check #

CUSTOMER Concrete: Injurious to eyes.Causes skin.imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control finitive dust should be taken 4271172 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Arrived at job with \_ inch slump. Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its mixer. (509) (536-3151WGDELTKT09040 Signature of Owner or its Agent ite Arrive Plant Job' Job Site Start Discharge Finish Discharge **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Order No. Phase Code SP1300 Customer Job Robe EDE 10/02/13 Date Delivery Addres WATER BNSF Map 532 Sustementer CONSTRUCTION CO I 531 23E 11:29 **Delivery Instructions** Scale Time: Amount **UnitPrice Product Description** Product Code **UOM Delivered Qty** Order Qty Load Qty FRACTURED SELECT FILL 400.10 2401 tn 444.104 31.88 Net Gross Delivery Charge: 63760 27000 Trks 101520 FUEL CHG TRUCK: 510616 CREDIT, CARD CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd Type CC Use Slump Prod. No. Description

Taken by

11212

Trailer

18.88 030099

Tare Weight

Trailer

Load Size

510009

Truck

Gross Weight

50.76

109

Check #

**TOTAL DUE** 

CUSTOMER Concrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety open (floro sleeves, parts and cloves). If hurned, cool with water and see a physician. 4271173 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. inch slump. Arrived at-job, with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders water at customer request. event shall the seller be liable for any direct, indirect Added seller of its contract with me, I the undersigned, hereby INDEMNIFY the event shall the seller be hable for any direct, indirect, indirect seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD WA 99208-7089 SPOKANE, Signature of Owner or its Agent 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Job Site **Arrive Plant** Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ --Company/ Co. Proj. No. **TICKET NO** Driver Phase Code Customer Job Order No. Cust. No. SP1300 10927314 Luke 3001 37606 10/02/13 Date **Delivery Address** PARK WATER BNSF CONSTRUCTION CO I 5324 Мар 531 **Delivery Instructions** Scale Time: 11:36 **Unit Price** Amount **UOM** Product Description **Product Code** Load Qty Order Qty Delivered Qty RACTURED SELECT FILL 31.57 475.61 400.10 2401 Net Gross Tare Delivery Charge: 103600 27880 63140 Trks FUEL CHG 12580 TRUCK: 510009 CREDIT COUNT: CHECK LOAD Sales Tax Pit/Plant Haul Cd. Slump Type CC\_\_\_Use Prod: No. -Description Load Size **TOTAL DUE** 109 1 Trailer Trailer Taken by Tare Weight Gross Weight Truck Check #

11212

20.23 030162

510162 51.80

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact from dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhabitions of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release 4271178 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that way using this PELEASE. In consideration of the preformance of the Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_\_ inch slump. Arrived at job with \_ that you sign this RELEASE. In consideration of the performance of the Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added \_\_\_\_\_ gal water at customer request. Other additions Received appurtenances, at; Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job tev 6 1300 Cust. No., 10/02/13 Date 532Delivery Address WATER BNSF Zone CONSTRUCTION CO Map 531 23E 11:51 Scale Time: **Delivery Instructions** Amount **Unit Price UOM** Product Description **ProductCode** Order Qty Delivered Qty Load Qty SELECT FILL 110 tπ 41 Net Gross Tare Delivery Charge: 62820 104140 28640 Trks FUEL CHG 12680 Trlr: 510162 TRUCK: CREDIT CARD CHECK 16 COUNT: Pit/Plant Sales Tax Haul Cd. CC Use Type Slump Description Prod. No. **TOTAL DUE** Load Size 109 4 Taken by Trailer Check # **Gross Weight** Tare Weight Truck

11212

20.66 030163

510163

52.07

CUSTOMER Concrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with ayes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If this high concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when hardling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cod with water and see a physician. 4271184 Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the nch slump. Arrived at job with Test cylinders gál water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave-Job Site Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Company/ Driver TICKET NO. Phase Code Customer Job B SP1300 ett Order No. Cust. No Garr 10927325 37606 10/02/13 3001 Date Delivery WATER BNSF Mac CONSTRUCTION CO I 531 23E 12:29 Scale Time: **Delivery Instructions** Amount **Unit Price** Product Description UOM Product Code Order Qty **Delivered Qty** Load Qty SELECT FILL FRACTURED tn 400.10 2401 538.36 31.34 Net Tare Gross Delivery Charge: 62680 27800 103060 Trkt FUEL CHG 12580 Trir: 510163 PREV TRUCK: CARD CHECK CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Lise Type

Taken by

11212

Trailer

Trailer

030616

TOTAL DUE

109

Check #

Description

Tare Weight

20.19

Prod. No.

51.53

Gross Weight

Load Size

510616

Truck

Concrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through colothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to yet health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety ear flong sleeves, pants and gloves). If burned, cool with water and see a physician. 4271188 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with you in everyway that we can, but in order to do this, the operator is asking you in everywar that we can, but in code of or the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request. Added Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent 536-3151 Signature of Owner or its Agent WGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Plant Drivers Comments Customer PO/ Company/ Co. Proj. No. TICKET NO Driver Customer Job Phase Code Order No. Cust. No. SP1300 Robert 37606 10/02/13 Date Delivery Address PARK WATER BNSF CONSTRUCTION Map 531 Delivery Instructions 12:51 Scale Time: **Unit Price** Amount Order Qty Product Code UOM Product Description Load Qty Delivered Qty FRACTURED SELECT FILL 31.31 569.67 400.10 2401 Net Gross Tare Delivery Charge: 100380 27000 Trks FUEL CHG 10760 Trlr: TRUCK: 510616 CHECK CREDIT LOAD COUNT: Pit/Plant Sales Tax Haul Cd. CC Use Slump Type Prod. No. Description Load Size 1 **TOTAL DUE** 

Taken by

11212

Check #

Trailer

Trailer

030099

Gross Weight

50.19

Truck

51,0009

Tare Weight

18.88

Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear flong sleeves. bants and cloves). If burned, cool with water and see a physician. 4271189 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Water added at customer's own risk. Additional water added to concrete will reduce its strangth. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby d above design. due to water a time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at lob with Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Company/ Co-Proj. No. Driver TICKET NO. Phase Code Cust. No. Order No. SP1300 10927330 Luke 37606 3001 0/02/13 Date Delivery Address WATER BNSF Map 532 CONSTRUCTION CO I - 53.1 23E Delivery Instructions Scale Time: 12:59 Amount **UnitPrice** Product Description Product Code **UOM** Order Qty Load Qty Delivered Qty FRACTURED SELECT FIL tin 400.10 32.52 602.19 Net Tare Gross Delivery 65040 27880 105500 Trk: FUEL CHG 12580 Trira 510009 PREV TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use Slump Type Description Prod. No. Load Size **TOTAL DUE** 109 Taken by Trailer Trailer Tare Weight Check # Truck **Gross Weight** 20.23 030162 11212 52.75 510162

Concrete Injunous to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet Concrete Injunous to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when hardling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271190 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with inch slump. Test cylinders Added \_\_\_\_\_ gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. (509)536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Customer Job SP1300 Order No. Cust No. Stev 10927331 3001 10/02/13 Date Delivery Address Customer DER CONSTRUCTION CO I 5324 531 **Delivery Instructions** 13:05 Amount **Unit Price** Product Code **UOM Product Description** Order Qty Load Qty **Delivered Qty** FRACTURED SELECT FILL 400.10 2401 t: n 30.99 633.18 Gross Charge: Delivery 103300 28640 61.980 Trks FUEL CHE 12680 Trlrs 510162 TRUCK: PREV CARD CREDIT 2121 COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Slump Type Prod. No. Description Load Size 109 **TOTAL DUE** 1 Taken by Trailer Trailer **Gross Weight** Tare Weight Check # Truck 11212 20.66 030163 51.65 510163

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, inhiardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271200 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can but in order to do this the operator is asking Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the water at customer request Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added Items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave/Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job B SP1300 Cust. No. et Order No. Garr 10927341 GRE 3001 10/02/13 Date Delivery Add e WATER BNSF Мар Customer CONSTRUCTION CO 531 23E 14:00 Delivery Instructions Scale Time: Amount **UnitPrice Product Description** Product Code **UOM** Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 10 2401 400. 32.47 665. E Net Tare Gross Delivery Charge: 64940 27800 105320 Trks 12580 510163 PREV TRUCK: CREDIT CHECK COUNT: CAO.

Pit/Plant

109

Haul Cd

Check #

CC

Type

11212

Taken by

Slump

Trailer

Trailer

030616

Prod. No.

52.66

Gross Weight

Load Size

510616

Truck

Description

Tare Weight

20:19

Use

Sales Tax

TOTAL DUE

CUSTOMER Concrete Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet Concrete Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unfiardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonced inhalations of dust from a gravel product may be hazardous to your health. Measures to control fundive dust should be taken 4271203 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handing this product. Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with \_ Test cylinders gal water at customer request. Added Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA Signature of Owner or its Agent SPOKANE, mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers Comments Customer PO/ Company/ Customer Job Co. Proj. No. Driver TICKET NO. Phase Code Cust. No. Order No. Robert SP1300 10927344 37606 3001 10/02/13 Date **Delivery Address** Customer PARK WATER BNSF Мар RIDER CONSTRUCTION CO I 5324 531 23E **Delivery Instructions** Scale Time: 14:08 Amount **Unit Price** Product Description UOM Product Code Load Qty Delivered Qty Order Qty FRACTURED SELECT FILL tn 696.44 400.10 2401 30.79 Net Tare Gross Delivery Charge: 61580 27000 99340 Trk: FUEL CHG 10760 Inlns 510616 PREV TRUCK: CARD CREDIT CHECK COUNT: Sales Tax Pit/Plant CC Haul Cd. Use Type Slump Prod No. Description Load Size 109 **TOTAL DUE** Trailer Taken by Trailer Tare Weight Check # **Gross Weight** 11212 18.88 030099 49.67 510009

CUSTOMER Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aguereates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control (untive dust should be taken 4271207 agrees to convey this warning to air persons who may use or come into contact with wet (unnarrented) concrete, mortar, cement or cement modures.

Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Drivers**' Comments Company/ Customer PO/ Co. Proj. No. Driver TICKET NO. Customer Job Phase Code Order No. Cust. No. SP1300 10927348 Stev 0 37606 3001 Date 10/02/13 **Delivery Address** PARK WATER BNSF Мар DER CONSTRUCTION CO I 532 531 **Delivery Instructions** 14:27 Scale Time: **Unit Price** Amount UOM **Product Description** Product Code Order Qty Load Qty Delivered Qty FRACTURED SELECT FILL tn 400.10 2401 30.69 727.13 Net Gross Tare Delivery Charge: 28640 61380 Trk: 102700 FUEL CHG Trirs 12680 TRUCK: 510009 CARD CREDIT LOAD COUNT: Sales Tax Haul Cd. Pit/Plant Use Type CC Description Slump Prod. No. Load Size TOTAL DUE 109 1 Taken by Truck Gross-Weight Tare Weight Trailer Trailer Check-# 11212 20.66 030163 510163 51.35

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials, If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wear off immediately with firsh, clean water. Indirect contact with any of these materials, we have the protection for the protection of the protecti CUSTOMER In this ming concere, wear whee pacts to protect whees where contact winning to these materials, wearn on winned attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furmes. Avoid when handling furmes also, Asphalt may cause severe burns. Wear protective affects are formed by the product of t 4271208 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength. Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator, is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Arrived at job with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Added water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises. building, utility pipelines or cables, telephone lines, driveway or other Received by appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. N. 13302 PERRY RD SPOKANE, WA Signature of Owner or its Agent 99208-7089 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge eave Plant Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3001 EVE SP1300 Luke 10/02/13 Date SINTEDER CONSTRUCTION Delivery Address Mac **Delivery Instructions** 23E 531 Scale Time: 14:29 Load Qty Order Qty Delivered Qty Product Code **UOM Product Description Unit Price** Amount 31.66 58. FRACTURED tn SELECT FILI Gross Tare Net Trk: 103780 /6332Ø 27880 Deliveny Charge: Trlrs 12580 FUEL CHG TRUCK: 510163 LOAD COUNT: Prod No. Load Size Description CC Pit/Plant Slump Type Use Haul Cd. Sales Tax 109 **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Taken by Check # 510162 51.89 20.23 030162 11212

## Fractured Select Fill Weight Tickets 10/3/13 **Parkwater Construction Engineering**

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight fitting eye protection when working with these values are stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them raterials, weak off immediately with fresh, clean water. Indirect contact finishing concrete, wear kneep pack to protect knees. After contact with any of these materials, weak off immediately with fresh, clean water. Indirect contact involving is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User signes to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken than harding this product. Should be taken than harding this product. Should be concreted to the product and the product and the product and the product and the product of the product and the product of the product and the product of the product CUSTOMER Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with Test cylinders gal water at customer requesttaken Other additions appurtenances, at: Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Company/ Customer Job Driver TICKET NO. N SP1300 Phase Code Russell 10927360 Cust. No. Order No. 10/03/13 37606 3002 CONSTRUCTION CO I 5324 E REN \$31 07:32 Scale Time: Delivery Instructions Amount **Unit Price Product Description UOM** Product Code SELECT Order Qty FRACTURED Delivered Qty Load Qty 400.10 2401 31.00 31.00 Net Tare Delivery Gross 62000 28300 102680 Trira PREV TRUCK: Sales Tax Pit/Plant Haul Cd CC Type Slump TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 42893 20.34 030611 51.34 510611

		CUSTOMER
dded at customer's own risk. Additional water additional	and high enough to heap doubted when water. Indirect contact wash off immediately with fresh, clean water. Indirect contact wash off immediately. KEEP out of reach of children! User khysician immediately. KEEP out of reach of children! User inhardened) concrete, mortar, cement or cement mixtures. In the alth. Measures to control fugitive dust should be taken water. Asphalt may cause severe burns. Wear protective	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no product the seller be liable for any direct, indirect, event shall the seller be liable for any direct, indirect, event shall the seller segmental damages resulting from
er's Agent receipt of product and or mixer may void any warranty addition of any extra products to our mixer may void any warranty essed or implied by the seller. The seller accepts no liability for any essed or implied by the seller. The seller accepts no liability for any essed or implied by you while adding additional products to our onal injury incurred by you while adding additional products to our	and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  eave Plant	DWGDELTKT090408  Ge Leave Job Site Arrive Plant	* * * * * * * * * * * * * * * * * * * *
monte		
Company/ Customer Job	Customer PO/ Phase Code TICKET NO. 10927361	Driver Robert S SP1300 No. 10/03/13
Company/ Customer Job Customer Job Customer Job Customer Job Customer Job	Phase Code 10927361	Date 10/03/13
Company/ Customer Job	Phase Code 10927361	Date 10/03/13  Date 10/03/13  Map Zone 531  Scale Time:
Company/ Customer Job Customer Job Customer Job Customer Job Customer Job	Phase Code 10927361  pelivery Address / PARK WATER BNS	Date 10/03/13  Date 10/03/13  Map Zone 531  Scale 07:34  UnitPrice Amount
Company/Customer Job Customer J	Phase Code  10927361  Pelivery Address / PARK WATER BNS  OUT Product Description  The FRACTURED SELECT I	Date 10/03/13  Date 10/03/13  Map Zone 531  Scale 07:34  UnitPrice Amount
Company/ Customer Job  ustomer En CONSTRUCTION CO I 532  elivery Instructions  Delivered Qty Order Qty Product Code	Phase Code  10927361  Pelivery Address / PARK WATER BNS  OUT Product Description  The FRACTURED SELECT I	Date 10/03/13  Map Zone S31.  Scale Time: 07:34  UnitPrice Amount
Company/Customer Job  Cust No. Cust No. Customer Job  Cust	Phase Code  10927361  Pelivery Address / PARK WATER BNS  UOM Product Description FRACTURED SELECT I	Date 10/03/13  Map Zone S31  Scale Time 07:34  UnitPrice Amount
Company/Customer Job Customer J	Phase Code  10927361  Pelivery Address / PARK WATER BNS  UOM Product Description FRACTURED SELECT I	Date 10/03/13  Map Zone S31  Scale Time: 07:34  UnitPrice Amount
Company/Customer Job Customer J	Phase Code  10927361  Pelivery Address / PARK WATER BNS  UOM Product Description FRACTURED SELECT I	Date 10/03/13  Map Zone S31  Scale Time 07:34  UnitPrice Amount
Company/Customer Job Customer J	Phase Code  10927361  Pelivery Address / PARK WATER BNS  UOM Product Description FRACTURED SELECT I	Date 10/03/13  Date 10/03/13  Map 23E S31  Scale 17:34  UnitPrice Amount  FILL Pi/Plant Sales Tax
Company/Customer Job Customer J	Phase Code  10927361  Pelivery Address / PARK WATER BNS  UOM Product Description FRACTURED SELECT I	Date 10/03/13  Date 10/03/13  Map Zone S31  Scale Time: 07:34  Palivery Charge:

oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these values and high enough to keep concrete from flowing into them naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them raterials, wear knee pads to protect knees. After contact with any of these materials, wearh off immediately with fresh, clean water. Indirect contact rrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User signess to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, and agreed inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product. See a severe burns. Wear protective when handling this product. See a physician.

Nater added at customer's own risk. Additional water added to concrete will property. Damage Indemnification & Release. CUSTOMER Unloading & Standby Excess unloading will be Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. If the understanded hereby INDEMNIEY the Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request Added <sup>®</sup>taken Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO Driver Company/ TICKET NO. SP1300 Phase Code Dennis Customer Job 10927362 Order No. 10/03/13 606 Date 3002 PARK WATER BNSF Delivery Addres CONSTRUCTION CO I 538 531 07:35 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description Product Code **UOM** SELECT Order Qty Delivered Qty FRACTURED Load Qty tn 400.10 2401 30.41 93. Net Delivery Charge: Tare Gross 60820 96000 24900 Trks FUEL CHG 10280 Trina PREV TRUCK: 510135 CREDIT CHECK LOAD COUNT : Sales Tax Pit/Plant Haul Cd Use CC Slump Type TOTAL DUE 109 Description Prod. No. Load Size Taken by Check # Traile Trailer Tare Weight Gross Weight Truck 42893 17.59 030750 48. 00 517577

CUSTOMER nardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with research skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these stands. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact rough clothing is as dangerous so promptly fines these materials from clothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is consult physician immediately. KEEP out of reach of children! User is convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. User proloct may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective after year (ong sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building; utility pipelines or cables, telephone lines, driveway or other appurtenances, at. afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions\_ appurtenances, at. Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 WGDELTKT09040 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver **TICKET NO** Company/ SP1300 Phase Code JOE Customer Job Cust. No. 10927363 Order No. 10/03/13 Date EVE 3002 **Delivery Address** Zone Map PARK WATER BNSF 531 07:36 Scale Delivery Instructions **Amount Unit Price Product Description** Product Code UOM FRACTURED SELECT FILL Order Qty Load Qty Delivered Qty tn 400. 124.08 30.34 Net Delivery Charge: Tane Gross 60680 25960 98600 FUEL CHG 11960 Trlr: 510577 TRUCK: CREDI CHECK LOAD Sales Tax Pt/Plant Haul Cd. Use Type. TOTAL DUE Slump-Description Prod. No. Load Size Taken by Check # Trailer Trailer Fare Weight Gross Weight 42893 TA . . 1 A BE 030229

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If it is not contact, with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately. KEEP out of reach of children! User hrough dothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly inse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control lugitive dust should be taken that handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective parts and gloves). If burned, cool with water and see a physician. CUSTOMER Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with \_\_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions\_ appurtenances at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixèr. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge eave Plant | Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Co. Proj. No. Company/ TICKET NO. Driver Phase Code SP1300 Cust. No. Customer Job Robert Order No. 10927367 10/03/13 37606 Date 3002 **Delivery Address** PARK WATER BNSF Map Zone STRIDER CONSTRUCTION CO I 5324 E TRENT Customer 531 08:48 **Delivery Instructions** Amount **Unit Price** Product Description **UOM** Product Code Order Qty Delivered Qty RACTURED SELECT FILL Load Qty 600.10 2401 154.84 30.76 Net Gross Delivery Charge: 61520 26700 98420 Trk: FUEL CHG Trin: TRUCK: 510011 PREV CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Type CC Slump TOTAL DUE Description Prod. No. 109 Load Size Taken by Check # Trailer Tare Weight Trailer Gross Weight Truck

42893

40 AS MRM746

oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these variables. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort in the plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or children! User liscomfort in the plenty of w CUSTOMER 4271227 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with Test cylinders gal water at customer request. Added \_\_\_\_ taken Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA Signature of Owner or its Agent SPOKANE. 536-3151 mixer. (509)NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Discharge Finish Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code Customer Job SP1300 Russell Cust. No. Order No. 10927368 10/03/13 37606 3002 **Delivery Address** Zone Man PARK WATER BNSF CONSTRUCTION CO I 5324 E TRENT / Customer 531 STRIDER 08:51 Delivery Instructions Amount **Unit Price** Product Description Product Code **UOM** Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL tn 2401 10 EDW. 186.42 31.58 Net Tare Delivery Charges Gross 63160 28300 103840 FUEL CHG Trk: 12380 Trirs TRUCK: 510135 CARD CREDIT CHECK COUNT: DAD. Sales Tax Pit/Plant Haul Cd. Use CC Slump Type TOTAL DUE Description Prod. No Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 42893

74 MRME11

·\*\*\*\*\*

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Re	ead the following warning before using: Contact with wet,	CUSTOMER
ardened conclete, including the said specified of the said specifi	top and high enough to keep concrete from flowing into them. rials, wash off immediately with fresh, clean water. Indirect contact ki immediate medical attention if you have persistent or severe sult physician immediately. KEEP out of reach of children! User set (unhandened) concrete, mortar, cement or cement mixtures.	4271229
rived at job with inch slump.  Test cylinder  gal water added gal water at customer request.		Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In not event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assuming responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	Signature of Owner or its Agent	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Leave Plant Arrive 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	arge Leave Job Site Arrive Plant	
Drívers'		* 1 2 3 -
Company/	Customer PO/ Phase Code TICKET NO.	Driver Co. Proj. No.
Order No. Cust No. Company/Customer Job	Customer PO/Phase Code  TICKET NO.  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF	Dennis M SP1300 Date 10/03/13
Order No. Cust No. Customer Job 3002 37606 Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF	Dennis M SP1300 Date 10/03/13 Map Zone 23E S31 Scale
Order No. Cust No. Company/Customer Job 37606  Customer STRIDER CONSTRUCTION CO I 532	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF	Dennis M SP1300 Date 10/03/13 Map Zone
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF	Dennis M SP1300 Date 10/03/13 Map Zone
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF	Dennis M SP1300 Date 10/03/13 Map Zone
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod 31.15 217.57 600.10 2401  Gross Tare Net Trk: 97480 24900 62300	Phase Code  10927370  Delivery Address PARK WATER BNSF  TRENT / PARK WATER BNSF  The UOM Product Description  the FRACTURED SELECT F	Dennis M SP1300  Date 10/03/13  Map
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 538 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod 31.15 217.57 600.10 2401	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF  The UOM Product Description  the FRACTURED SELECT F	Dennis M SP1300 Date 10/03/13 Map Zone E3E S31 Scale D8:58 UnitPrice Amount
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod 31.15 217.57 600.10 2401  Gross Tare Net Trk: 97480 24900 62300	Phase Code  10927370  Delivery Address 24 E TRENT / PARK WATER BNSF  The UOM Product Description  the FRACTURED SELECT F  Delivery Address  The Park WATER BNSF  The Uom Product Description  The Pr	Dennis M SP1300 Date 10/03/13 Map Zone 23E S31 Scale 08:58 UnitPrice Amount ILL
Order No. Cust No. Customer Job 3002 37606  Customer STRIDER CONSTRUCTION CO I 532 Delivery Instructions  Load Qty Delivered Qty Order Qty Product Cod 31.15 217.57 600.10 2401  Gross Tare Net Trk: 97480 24900 62300 Trlr: 10280  PREV TRUCK: 510611 #	Phase Code  10927370  Delivery Address 4 E TRENT / PARK WATER BNSF  e UOM Product Description  tn FRACTURED SELECT F  Delivery Address  De	Dennis M SP1300 Date 10/03/13 Map Zone 23E S31 Scale D8:58 UnitPrice Amount

CUSTOMER oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with respective sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these staterals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, staterals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, staterals. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact mough clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, with wet (unhardened) concrete, mortar, cement or cement mixtures. Agare product may be hazardous to your health. Measures to control fugitive dust should be taken the hazardous to pour health may cause severe burns. Wear protectiv 4271230 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. fue to water added above design. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. building, utility pipelines or cables, telephone lines, driveway or other Other additions\_ appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments 00 Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Phase Code Customer Job JOE Cust. No. 10927371 Order No. 10/03/13 37606 3002 Delivery Address Мар PARK WATER BNSF Customer 531 STRIDER CONSTRUCT 08:59 Scale Time: Delivery Instructions **Amount Unit Price Product Description** UOM Product Code Order Qty **Delivered Qty** FRACTURED SELECT FILL Load Qty 600.10 2401 248.39 30.82 Net Delivery Charge: Tare Gross 61640 25960 99560 FUEL CHG 11960 Trlr: PREV TRUCK: 510577 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Type TOTAL DUE Slump Description 109 Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight

42893

40 70 1A 96 030229

The operator of this piece or normal throughout and agrees to accept responsibility for reduced strength. Buyer's agent agrees to accept responsibility for reduced strength buyer agent agrees to accept responsibility for reduced strength buyer agent agrees to accept responsibility for reduced strength water added above design.  The operator of this piece or normal with you may be added at the opinion that the operation of this performance of the possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the undersyned, hereby INDEMINIFY the saller of its contract with me, it the undersyned, hereby INDEMINIFY the saller of its contract with me, it the undersyned, hereby INDEMINIFY the saller of its contract with me, it the undersyned, hereby INDEMINIFY the saller of its contract with me, it the undersyned, hereby INDEMINIFY the saller of its contract with me, it the undersyned in the	g & Standby Excess unloading will be at posted truck time rates. Truck standby ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, Il or consequential damages resulting from of the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.
West value and a sharp with corner to severe pasts to protect knees. Also Assistance to severe the pasts to protect knees where pasts to conver his corner by control knees where pasts to conver the contact while water and sea or property. How are pasts and property to protect knees and protect to be an appearance of the past protective knees and protect and power and past to product and approval of any added items. The seller accepts no liability for any processed or implied by the seller. The seller accepts no liability for any processed or implied by the seller. The seller accepts no liability for any processed or implied by the seller. The seller accepts no liability for any processed or implied by the seller. The seller accepts no liability for any processed or implied by the seller. The seller accepts no liability for any inability.  Signature of Owner or its Agent  Signature of Owner or its Agent  Eave Plant  Arrive Job Site Start Discharge  Finish Discharge  Leave Job Site  NWGDELTKT090408  Arrive Plant  Arrive Job Site Start Discharge  Delivery Address  Delivery Address  Delivery Address  Delivery Deliver Seller and Seller or the past past past past past past past past	g & Standby Excess unloading will be at posted truck time rates. Truck standby ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from for the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 39208-7089
where waterproof gives, a fully-buttened, long-seese may are be put at the top and high enough to keep contract funders contact may on the control was rivened by the solid medical which is a control was rivened by the solid medical which is controlled with less, the survey of the sees medical shared medic	g & Standby Excess unloading will be at posted truck time rates. Truck standby ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from for the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 39208-7089
is if you lake the three pasts to protect knees. After contact which is produced to the past of control in the past of control in the production of the past of control in the past of the past o	g & Standby Excess unloading will be at posted truck time rates. Truck standby ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from for the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 39208-7089
In close of eye contact, flush with plenty of water for at least is minutes. Corsult physician immediately. RELP* out root and extract or content motures, in close of eye contact, flush with plenty of water for at least in contact with wet (immediately contact). It is not to be a present who may use or corne with the wet (immediately contact) in the present plants of other plants). It is not that the present plants of other plants are the present plants of other plants. Property Damage Indemnification & Release pear from gleenes, pains and gloves, if the undersoance times. Avoid treating furnes. Also, Aphatheting furnes. Also, Aphathe	g & Standby Excess unloading will be at posted truck time rates. Truck standby ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from for the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 39208-7089
The canney his warring to all persons who may less during the paradious to your health. Measures to the paradious to your health. Measures to dust from a grawler product may be hazardous to your health. Measures to make a program of the product the paradious possibility of the product seems and the product strength surprises. As Asphait may case severe burns. Wear protective missions that he product seems are properly to manage Indemnification & Release goar (ong slewes, parts and gloves). If burned, nod with veiter and see a physician, greater did do to control with your may ware added at customer's own risk. Additional water added to concrete will be used to design.  The operator of this piece of heavy equipment, in presenting this RE-the considerability or method strength and the product of the profit of this piece of heavy equipment, in presenting this RE-the considerability or may make added at customer request.  Test cylinders saken agrees to accept responsibility for reduced strength and the product of the profit of	ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from if the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
Beates; Protonged wholaster of dist more funes. Since the control times and properly the property of the prope	ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from if the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
gear (org sleeves, pants and glores). If burned, nod with water and see a physician, pear (org sleeves, pants and glores). If burned, nod with water and see a physician, pear (org sleeves, pants and glores). If burned, nod with water and see a physician, and a see a physician, pear (org sleeves, pants and glores). If burned, nod with water and see a physician, and a see a physician, and the pear of	ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from if the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
added at customer's own risk. Additional water added to concrete will be its strength. Buyer's agent agrees to accept responsibility for reduced strength and the concrete will be its strength. Buyer's agent agrees to accept responsibility for reduced strength and the concrete will be its strength. Buyer's agent agrees to accept responsibility for reduced strength and the concrete will be added at 10b with inch slump.  ed at job with inch slump.  ed gal water at customer request.  ed at job with inch slump.  ed gal water at customer request.  Test cylinders taken  Test cylinders taken to you sign the REILERSE. In consideration of the performance of the perform	ged at posted truck time rates.  Varranty The only liability of the seller for efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from if the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
elt as trength. Buyer's agent agrees to accept no accept the profession of the perform our control and with your wish to help possibly dause damage to the perform our control and wish of the possibly dause damage to the perform our control and wish of the performance of the third possibly dause damage to the perform our control as being you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway that when, it her undersigned, hereby INDENNEY the seller and distinguishing the principle of the control with me, it her undersigned, hereby INDENNEY or seller discontrol with me, it her undersigned, hereby INDENNEY or seller and its employees for any damage and for all dams to the performance of the that you say that me, it her undersigned, hereby INDENNEY to seller and its employees for any damage and for all dams to the performance and the performance of the perfor	Yearranty The only liability of the seller for effect is the return of the purchase price. In no all the seller be liable for any direct, indirect, or consequential damages resulting from for the products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume bility for any damage beyond the curb line.  302 PERRY RD  NE, WA 39208-7089
water adultions inch slump.  ed at job with inch slump.  ed gal water at customer request.  Test cylinders taken inch slump.  er additions gal water at customer request.  Test cylinders taken gal water at customer request.  Test cylinders taken gal water at customer request.  Test cylinders taken gal water gal wa	Varranty The only liability of the select of efect is the return of the purchase price. In no all the seller be liable for any direct, indirect, it or consequential damages resulting from fifthe products or arising out of breach of any. All claims for damages or shortages must be thin 24 hours of delivery. We do not assume bility for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
gal water at customer request.  Test cylinders taken  gal water at customer request.  Test cylinders taken  gal water at customer request.  Test cylinders taken  Test cylinders taken Test cylinders	of or consequential damages resulting from fit the products or arising out of breach of any All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
Test cylinders laken  Test cylinders  Seller dis contract with me, it in undersgand for all claims to the premises, seller of the seller and its employees from any liability.  Test cylinders  Test cylinders  Test cylinders  Test cylinders  Test cylinders  Seller dis contract with me, it in undersgand for all claims to the premises, seller of the seller and its employees from any liability.  Test cylinders	of the products or arising out of breach of any of the products or arising out of breach of any All claims for damages or shortages must be thin 24 hours of delivery. We do not assume billity for any damage beyond the curb line.  302 PERRY RD  NE, WA 99208-7089
er additions serior december of product and approval of any added items. Seleved wer's Agent receipt of product so our mixer may void any warranty and addition of any extra products to our mixer may void any warranty and liability for any reseased or implied by the seller. The seller accepts no liability for any reseased or implied by the seller. The seller accepts no liability for any reseased or implied by the seller. The seller accepts no liability for any reseased or implied by the seller. The seller accepts no liability for any reseased or implied by the seller. The seller accepts no liability for any reseased or implied by the seller. The seller accepts no liability for any liability.  Signature of Owner or its Agent  Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Leave Job Site Arrive Plant  Finish Discharge Leave Job Site Arrive Plant  Finish Discharge Leave Job Site Arrive Plant  Phase Code Ticket No.  Delivers Address  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  FRACTURED SELECT FILL	302 PERRY RD NE, WA 99208-7089
Agent receipt of product and approval of any added items. See addition of any extra products to our mixer may void any warrantly pressed or implied by the seller. The seller accepts no liability for any isability.  Signature of Owner or its Agent  Leave Plant   Arrive Job Site   Start Discharge   Finish Discharge   Leave Job Site   Arrive Plant    Finish Discharge   Leave Job Site    Finish Discharge   Leave Job Site   Arrive Plant    Finish Discharge   Leave Job Site    Finish Discharge	302 PERRY RD NE, WA 99208-7089
yer's Agent receipt of product and approval of any added items. and addition of any extra products to our mixer may void any warranty pressed or implied by the seller. The seller accepts no liability for any sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our signature of Owner or its Agent  Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant  Corder No. Cust. No. Customer Job Customer PO/ Phase Code TICKET NO.  Delivery Address  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  Load Qty Delivered Qty Order Qty Product Code to FRACTURED SELECT FILL	302 PERRY RD NE, WA 99208-7089
and RELEASE the seller and its employees and invariants and products to our mixer may void any warrants pressed or implied by the seller. The seller accepts no liability for any sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our sonal injury incurred by you while adding additional products to our signature of Owner or its Agent  Signature of Owner or its Agent  Signature of Owner or its Agent  Leave Plant  Arrive Job Site Start Discharge  Leave Job Site  Arrive Plant  Customer PO/ Phase Code  TICKET NO.  10927376  Delivery Address  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery instructions  Load Qty  Delivered Qty  Order Qty  ProductCode  UOM  ProductDescription  tn FRACTURED SELECT FILL  The product Description  The product Description or the pr	NE, WA 99208-7083
any liability.  any liability.	NE, WA 99208-7083
a addition of any extra products to our microresed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller accepts no liability for any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller accepts any pressed or implied by the seller. The seller any pressed or implied by the seller. The seller accepts any pressed or implied by the seller. The seller accepts any pressed or implied by the seller. The seller accepts any pressed or implied by the seller. The seller accepts any pressed or implied by the seller. The seller accepts any pressed or implied by the seller accepts any pressed or implied by the seller accepts any pressed or in	NE, WA 99208-7083
Signature of Owner or its Agent Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant  Company/ Comments  Company/ Customer PO/ Phase Code  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	E TE Same III
Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant  Privers' omments  Order No. Cust. No. Company/ Customer Job Phase Code Ticket No. 10927376  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM PRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	9 2 7 3 7 6 *
Signature of Owner or its Agent Leave Plant Leave Job Site Arrive Plant Leave Plant Leave Job Site Arrive Plant Arrive Plant Leave Job Site Arrive Plant Arrive Plant Arrive Plant Leave Job Site Arrive Plant Arrive	9 2 7 3 7 6 *
Arrive Job Site Start Discharge  Plant Privers' comments  Company/ Customer PO/ Phase Code  Ticket No. Dr. 10927376  Delivery Address Customer BTRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	0 9 2 7 3 7 6 *
rivers' omments  Order No. Cust. No. Customer Job Phase Code TICKET NO. Dr. 10927376  Solve Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32. 10 280. 49 600. 10 2401 tn FRACTURED SELECT FILL	
Company/ Customer PO/ Phase Code TICKET NO. Dr. 10927376  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	092/3/0
Order No. Cust. No. Customer Job Customer PO/ Phase Code TICKET NO. Dr. 10927376  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	
Order No. Cust. No. Customer Job Customer PO/ Phase Code TICKET NO. 10927376  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  10927376  1	
Order No. Cust. No. Customer Job Phase Code  10927376  Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	Co. Proj. No.
Order No. Cust. No. Customer Job Phase Code  10927376  Delivery Address  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	31
Order No. Cust. No.  3002  Delivery Address  Customer  STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	obert S SP1300
Delivery Address Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	Date 10/03/13
Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WHITE Constructions  Load Qty Delivered Qty Order Qty Product Code UOM Product Description  32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	Map Zone
STRIDER CONSTRUCTION 33 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23E 531
Load Qty Delivered Qty Order Qty Product Code UOM Product Description 32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	Scale 09:49
Load Qty Delivered Qty Order Qty Productions  1	
Load Qty Delivered Qty Order Qty Productions of the FRACTURED SELECT FILL 32.10 280.49 600.10 2401 tn FRACTURED SELECT FILL	Jnit Price Amount
Load Qty Delivered Qty Older Qty	
32.10 280.49 600.10 2401	
Gross Tare Net Delive	
C ( 1000)	y Charge:
Trk: 101100 Lacana	y Charge:
Trlr: 10200	y Charge:
44	y Charge:
PREV TRUCK: 510011 # CHECK / CREDIT CARD	y Charge:
LOOP COUNT: 9	y Charge:
Clump Type CC Use Haul Cd. Fi	
Load Size Prod. No. Description	Plant Sales Tax
Load Size  Trailer Taken by Check #	
Truck Gross Weight Tare Weight Trailer Trailer 42893	Plant Sales Tax

icrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement.		
Contains Portland Cement	the following warning before using: Contact with wet.	CUSTOMER
irdened concrete, motal, carried a surface of concrete, motal, carried a surface of cong-sleeve shirt, full-length and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length and skin.	trousers and ugit-tilling eye processorete from flowing into them.	
shing concrete, wear inter bases of promptly rinse these materials from clothing. Stight clothing is as dangerous so promptly rinse these materials from clothing. Stight case of eye contact, flush with plenty of water for at least 15 minutes. Characteristic convey this warning to all persons who may use or come into contact with the strength of the product may be hazardout transpared. Profugged inhalations of dust from a gravel product may be hazardout.	onsult physician immediately. KEEP out of reach of children! User onsult physician immediately. KEEP out of reach of children! User on wet (unhardened) concrete, mortar, cement or cement mixtures, s to your health Measures to control fugitive dust should be taken firmes. Also, Asohalt may cause severe burns. Wear protective	4271236
in handing tils priciate. The strength handing tils provided at customer's own risk. Additional water added to concrete will use its strength. Buyer's agent agrees to accept responsibility for reduced strength to water added above design inch slump.  Test cylinders taken the radditions gal water at customer request.	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at.	time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the purchase of the products or arising out of breach of any
uyer's Agent receipt of product and approval of any added item are addition of any extra products to our mixer may void any warran pressed or implied by the seller. The seller accepts no liability for a pressonal injury incurred by you while adding additional products to coixer.	Signature of Owner or its Agent	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Disc	harge Leave Job Site Arrive Plant	
orivers' comments		*1092/3//
Order No. Cust No. Customer Job	Customer PO/ Phase Code  TICKET NO. 10927377  Delivery Address 24 E TRENT / PARK WATER BNS	Driver Co. Proj. No.  Russell N SP1300  Date 10/03/13  Map Zone  33F S31
SIKIDEK COMPIKODITON	Let La Transfer	Scale 1719 : 54
SIRIDER CUNSTRUCTION TO		Scale 09:54
SIRIDER CONSTRUCTION	ode UOM Product Description	Scale 709:54 Unit Price Amount
Delivery Instructions  Load Qty Delivered Qty Order Qty Product Co	ode UOM Product Description to FRACTURED SELECT F	Scale 709:54 Unit Price Amount
Delivery Instructions  Load Qty Delivered Qty Order Qty Product Co. 31.44 311.93 600.10 2401	De FUEL CHG	Unit Price Amount
Delivery Instructions  Load Qty Delivered Qty Order Qty Product Co. 31.44 311.93 600.10 2401  Trk: 103560 28300 62880  Trlr: 12380  PREV TRUCK: 510135 #	De FUEL CHG	Scale 109:54 UnitPrice Amount

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with mixed skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and bght-fitting eye protection when working with these valentials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, of finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact without contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your healing/Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release 4271238 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. Added Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge Drivers' Comments Customer PO/ Co. Proj. No. Driver Company/ TICKET NO. Phase Code Customer Job SP1300 Cust. No. JOE Order No. 10927379 37606 10/03/13 Date SOUS Delivery Address Мар PARK WATER BNSF Customer STRIDER CONSTRUCTION CO 531 10:16 **Delivery Instructions** Amount **UnitPrice Product Description UOM** Product Code Order Qty **Delivered Qty** Load Qty FRACTURED SELECT FILL 600. 342.41 30.48 Net Tare Gross Delivery Charge: 60960 25960 98880 Trks FUEL CHG 11960 Trlr: PREV TRUCK: 510611 CHECK / CREDIT LOAD COUNT: Sales Tax **Pit/Plant** Haul Cd. Type TOTAL DUE Prod. No. Description 109 Load Size Taken by Traile Check # Trailer Tare Weight Gross Weight Truck 42893 

oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, thardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with thardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with the conta hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Instruction on concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is seek immediately. KEEP out of reach of children! User is scomfort. In case of eye contact, flush with plently of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is scomfort. In case of eye contact, flush with plently of water for at least 15 minutes. Consult physician immediately with resh, clean water of children! User is control to the protection of eye contact, flush with plently of water for at least 15 minutes. Consult physician immediately with fresh, clean water and see a physician.

Year added at customer's own risk. Additional water added to concrete will provide the protection of the protection of the provided provided inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product. Hot Asphalt ernits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective water added to c Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. taken Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code SP1300 Customer Job i 5 Cust. No. Denn 10927380 Order No. 10/03/13 Date 37606 3002 Delivery Address Zone Мар PARK WATER BNSF E. TRENT Customer 931 STRIDER CONSTRUCTION CO I 5324 Scale Time: 10:18 **Delivery Instructions** Amount **UnitPrice Product Description** Product Code UOM Order Qty **Delivered Qty** FRACTURED SELECT FILL Load Qty 2401 10 373.36 600. 30.95 Net Delivery Gross 61900 24900 97080 Trk: 10280 Trlr: PREV TRUCK: 510011 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pil/Plant Haul Cd CC Use Slump Type TOTAL DUE Description Prod. No Load Size Taken by Traile Check # Trailer Tare Weight Gross Weight Truck 4289 17 SQ MEM750

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet Dncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with less and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these are read to protect knees and skin. Wear waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing on sa dangerous so promptly rinse these materials. From clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sometine contact with wet (unhardened) concrete, mortar, cement or cement or coment mixtures. In the property of the handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective water and see a physician.
Property Damage Indemnification & Release
Water added at customer's own risk. Additional water added to concrete will A271242 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump. Arrived at job with \_\_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Phase Code Robert Customer Job Cust. No. 10927383 Order No. 10/03/13 37606 3002 **Delivery Address** PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 TRENT 531 E Customer 10:53 **Delivery Instructions** Amount **UnitPrice** Product Description **UOM** Product Code Order Qty FRACTURED SELECT FILL Delivered Qty Load Qty 600.10 2401 405.42 Net Delivery Charge: Tare Gross 64120 26700 101020 FUEL CHG Trik: 10200 510577 PREV TRUCK CREDIT CHECK LOAD COUNT: Sales Tax **Pit/Plant** Haul Cd Use CC Type TOTAL DUE Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 42893 10 45 030746

CUSTOMER Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials if you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them, raterials if you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them, raterials if you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If the property is a stangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or exercite from flow 4271244 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller and its emolovees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Co. Proj. No Driver Company/ TICKET NO. Phase Code N SP1300 Customer Job Russell Order No Cust. No. 10927385 37606 10/03/13 Date 3002 **Delivery Address** Мар Customer TRENT STRIDER CONSTRUCTION CO 5324 531 Scale 11:03 Delivery Instructions Amount Unit Price **Product Description** Product Code UOM Order Qty Load Qty **Delivered Qty** FRACTURED SELECT FILL 2401 EDD. 10 437.13 Net Gross Delivery 63420 28300 104100  $\mathbb{C}\mathbb{H}\mathbb{G}$ TRUCK: 510135 CHECK CREDI COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Slump Type TOTAL DUE Description Prod. No. 109 Load Size

Taken by

40893

Traile

Trailer

Tare Weight

Gross Weight

Check #

<u>oncrete:</u> Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inardened concrete, mortar, cement or cement matures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and stail in the control of the protect knees and several stails. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from cothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In control to the protection of the plant of the plant is protective in the plant is protective. The protective is the protection of the plant is protective. In the plant is protective in the plant is protective. In the plant is protective in the plant is protective. CUSTOMER 4271246 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with \_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Customer Job Dennis Cust. No. 10927387 Order No. 10/03/13 Date 37606 3002 **Delivery Address** Map PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT Customer 531 11:34 Scale Delivery Instructions Amount **UnitPrice** Product Description UOM Product Code Order Qty FRACTURED SELECT FILL Load Qty Delivered Qty 2401 600.10 468.47 31.34 Delivery Charge: Net Tare Gross 62680 24900 97850 FUEL CHG Trk: 10280 Trlr: 510611 TRUCK: PREV CARD CREDIT CHECK 15 LOAD COUNT: Sales Tax **Pit/Plant** Haul Cd. Use CC Туре TOTAL DUE Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** 

42893

17 SQ: M30750

15 1011111111								CUSTON	IEN	
			D. Hard C.	ont Dood	the following warning	before using: Conta	ct with wet,			
crete: Injurious to	eyes.Causes skin	irritation.Contair	ns Portland Cem cause skin imitatio	on, severe d	the following warning nemical burns or serious and tight-fitting eye pand high enough to ke wash off immediately with mediate medical attention by the concrete, our health. Measures to sales and an analysis and sales	eye damage. Avoid	contact with			
dened concrete, mo	ortar, cement or cerns tempor aloves, a full	y-buttoned, long-	sleeve shirt, full-le	ength trouse	rs and tight-fitting eye p	rotection when working on concrete from flowing	ng into them.			
ials. If you have to s	stand in wet concrete	use waterproof	boots that are ogr act with any of thes	e materials,	wash off immediately wi	h fresh, dean water. In	direct contact		1	
hing concrete, wear	knee pads to protect i	rinse these mat	enals from clothir	ng. Seek im	mediate medical attenti	on it you have persisu (FFP out of reach of (	hildren! User			4271247
gh clothing is as ua minut in case of eve	e contact, flush with pl	lenty of water for	at least 15 minute	es. Consult   t with wet (1	physician infriedrately. I	nortar, cement or cen	nent mixtures			4611641
s to convey this wa	arning to all persons t	who may use or	nduct may be haz	ardous to yo	our health. Measures to	control fugitive dust sh	ould be taken			
regates: Prolonge	ed inhalations of dust	emits nuisance fi	umes. Avoid brea	thing fumes	; Also, Asphalt may ∝	use severe dulls. W	ear protocuro			
I life trained our L	- and almusc)	If humed cool	WILL Males and a	cere hullow		demnification &	Release	OF 11 1 11 mm 5	Standby Ev	cess unloading will be
er added at custom	er's own risk. Addit er's agent agrees to ac	tional water add	led to concrete w ty for reduced stret	ngth Th	e operator of this piec	or neavy equipmen	that the operation of	his charged at t		
i <b>ce its strength</b> .Buye to water added above	ers agent agrees to a. e design.	Cobi (cabanam	,	LE				Olividae ar l	at posted tru	ick time rates.
		oh elumn		V pc	ASE to you to you seachinery in the manner ssibly cause damage to xu in everyway that we cat you sign this RELE/ eller of its contract with eller and its employees for uilding, utility pipelines pourtenances, at:	the premises or prop	erty. It is our wish to h	ing Limited War	ranty The only	y liability of the seller for the purchase price. In a life for any direct, indirect damages resulting from the fishing out of breach of a lages or shortages must lalivery. We do not assurge beyond the curb line.
	in			yo yo	ou in everyway that we control we control with the contro	an, but in order to do i	of the performance of	the product dete	ne seller be liab	le for any direct, indirect
ded gal	water at custome	r request.	Test cylinders taken	(N/ SE	eller of its contract with	me, I the undersigned	hereby INDEMNIFY	incidental or	consequential	damages resulting ind rising out of breach of ar
				Se	eller and its employees f	or any damage and lor or cables, telephone	lines, driveway or o	ther warranty. All	claims for dama	ages or shortages must
ner additions				a	ppurtenances, at:	Of Cabico, top		made within	24 hours of de	elivery.We do not assur- ne hevond the curb line
ceived				manufacture to				- responsibilit	y tot ally dame;	90.00,
wer's Agent rec	ceipt of product a	and approval	of any added	items.	and RELEASE the	seller and its emp	loyees from			
					any liability.				2 PERR	Y RD
ne addition of any	y extra products to ed by the seller. T	he seller acce	pts no liability	to our				1 4 0		99208-7089
ersonal injury inci	ed by the seller. To curred by you while	e adding addi	uonai products		Signature of	Owner or its Ag	ent	SPOKANE		
ixer.			I MCV					(509) 5	336-315	) 1
Signatu	ure of Owner o	r its Agent		10	Leave Joh Site	NWGDELTKT090 Arrive Plan	t		100 M 2	
Leave Plant	Arrive Job Site	Start Discha	rge Finish L	Discharge	Leave Job Site			1 18 8 18 1 1 8 1 8 1		
				-						
		#		/				I I I I I I I I I I I I I I I I I I I	ma familia San	7 3 8 8
rivers' omments	1 3	4 -						N 2 -		
										Co. Proj. No.
		Co	manul	V	Customer PO/	-10	KETNO	Driver		Co. Floj. No.
O. L. Na	Cust No.	Cor Cust	mpany/ tomer Job	7	Customer PO/ Phase Code		KET NO.	Driver	3.1 M	
	Cust No.	Cust	mpany/ tomer Job	9	Customer PO/ Phase Code		KETNO. 927388	-		SP1300
Order No.		Cor Cust	mpany/ tomer Job	5	Phase Code	10'	927388	Rus	Date	SP1300 10/03/13
3002 Customer	376	Cust	omer Job	3	Phase Code livery Address	10'		Rus	Date Map	SP1300 10/03/13 Zone
3002 Customer STRIDER	376 CONSTRI	Cust	omer Job	5	Phase Code	10'	927388	Rus	Date Map	SP1300 10/03/13 Zone E S31
3002 Customer STRIDER	376 CONSTRI	Cust	omer Job	3	Phase Code livery Address	10'	927388	Rus	Date Map	SP1300 10/03/13 Zone
3002 Customer STRIDER	376 CONSTRI	Cust	omer Job	3	Phase Code livery Address	10'	927388	Rus	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
3002 Customer STRIDER	376 CONSTRI	Cust	CO I	5324	livery Address	/ PARK	927388	Rus	Date Map Scale Time:	SP1300 10/03/13 Zone E S31
3002 Customer STRIDER	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
3002 Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
3002 Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
3002 Customer STRIDER Delivery Instruc	376 CONSTRI	Cust	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time:	SP1300 10/03/13 Zone E S31 11:36
3002 Customer STRIDER Delivery Instruc	CONSTRICTIONS  Delivered Qty 7 497.7	Cust EØ6 UCTION Order Qt 4 600	CO I	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc	CONSTRICTIONS  Delivered Qty 7 497.7	Cust EDE  UCTION  Order Qu 4 600	ty Production 10 24	De 5324	livery Address E TRENT	/ PARK	927388 WATER BN	Rus ISF Unit	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc	CONSTRICTIONS  Delivered Qty 7 497.7	Cust E06  UCTION  Order Qu 4 600  Tare 28300	CO I	De 5324	livery Address E TRENT	PARK  / PARK  outDescription  RACTURED	927388 WATER BN SELECT	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29. 27	CONSTRICTIONS  Delivered Qty 7 497.7	Cust EDE  UCTION  Order Qu 4 600	ty Production 10 24	De 5324	livery Address E TRENT	PARK  / PARK  outDescription  RACTURED	927388 WATER BN	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29.27	CONSTRICTIONS  Delivered Qty 7 497.7	Cust E06  UCTION  Order Qu 4 600  Tare 28300	ty Production 10 24	De 5324	livery Address E TRENT	PARK  / PARK  outDescription  RACTURED	927388 WATER BN SELECT	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29.27	CONSTRI CONSTRI Delivered Qty 7 497.7	Cust 506 UCTION Order Ot 4 600 Tare 28300 12380	( Production of the state of th	5324 5324 stCode	livery Address E TRENT UOM Prodi	1 Ø	927388 WATER BN SELECT	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29.27 Trk: Trlr:	CONSTRIctions  Delivered Qty 7 497.7  Gross 99220	Cust 506 UCTION Order Qt 4 600 Tare 28300 12380	( Production of the state of th	De 5324	livery Address E TRENT	1 Ø	927388 WATER BN SELECT	Rus Uniti FILL	Date Map Scale Time	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29.27	CONSTRIctions  Delivered Qty 7 497.7  Gross 99220	Cust 506 UCTION Order Ot 4 600 Tare 28300 12380	( Production of the state of th	5324 5324 stCode	UOM Proditing F	PARK  / PARK  outDescription  RACTURED  FU	927388 WATER BN SELECT D JEL CHG	Rus Oniti	Date Map  Scale Time:  Charge:	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc  Load Qty 29.27  Trk: Trlr: PREV T	Gross 99220  RUCK: 5:	Cust 506 UCTION Order Qu 4 600 12380 12380 12380	( Production of the state of th	5324 5324 stCode	UOM Proditing F	1 Ø	927388 WATER BN SELECT	Rus  Onit  FILL  elivery	Date Map  Scale Time:  Charge:  Sales Ta:	SP1300 10/03/13 Zone E S31 11:36 Amount
Customer STRIDER Delivery Instruc Load Qty 29.27 Trk: Trlr:	CONSTRIctions  Delivered Qty 7 497.7  Gross 99220	Cust 506 UCTION Order Qt 4 600 Tare 28300 12380	( Production of the state of th	5324 5324 stCode	UOM Product n F	PARK  / PARK  / PARK  / CARD  //PE CC	927388 WATER BN SELECT D JEL CHG	Rus Oniti	Date Map  Scale Time:  Charge:	SP1300 10/03/13 Zone E S31 11:36 Amount

oncrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, clean water, indirect contact finishing is as dangerous so promptly insee these materials from clothing. Seek immediate medical attention if you have persistent or severe inscornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User ignees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken that handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective parts and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release 4271254 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, it the undersigned, hereby INDEMNIFY the
seller and its emolovees for any damage and for all claims to the premises, Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ TICKET NO. Company/ Phase Code SP1300 Customer Job rt Robe Cust. No. 10927395 Order No. 10/03/13 Date 37606 3002 **Delivery Address** Мар Zone PARK WATER BNSF Customer TRENT 531 STRIDER CONSTRUCTION CO I 5324 12:01 Delivery Instructions Amount **Unit Price Product Description ProductCode UOM** Order Qty **Delivered Qty** FRACTURED SELECT FILL Load Qty 600.10 2401 530.23 32.49 Net Delivery Charge: Tare Gross 64980 26700 101880 Trk: FHE CHG 10200 Trira 510611 TRUCK: PREV CARD CREDIT CHECK COUNT: LOAD Sales Tax Haul Cd. Pit/Plant Use Slump Type TOTAL DUE Description Prod. No 11/19 Load Size Taken by Check # Trailer Trailer Gross Weight Tare Weight Truck 42893 カコカフムに

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them of this product with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or corne into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged when handling this product.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken that handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective parts and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will property. CUSTOMER 4271257 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received X bу Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY 'RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 SPOKANE, WA Signature of Owner or its Agent (SØ9) 536-3151 mixer. WGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plan Drivers' Comments Co. Proj. No. Customer PO/ Company/ TICKET NO. N SP1300 Phase Code Customer Job Russell 10927398 Order No. 10/03/13 606 3002 5324 Palivery Address Мар Zone CONSTRUCTION CO I 531 12:15 Delivery Instructions Amount **Unit Price** Product Description UOM Product Code RACTURED SELECT FILL Order Qty Load Qty Delivered Qty tn 10 2401 32.30 562.5 Net Tare Delivery Charge: Gross 28300 64600 Trk: 105280 FUEL CHG 12380 510135 PREV TRUCK: CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type Slump 109 TOTAL DUE Prod. No Description 1

Taken by

42893

Check #

Load Size

Truck

C 1 D.C. 1 1

**Gross Weight** 

50. F.4

Tare Weight

Trailer

20.34 030611

CUSTOMER oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, oncrete: Injunous to eyes. Causes skin imitation. Contains Portiand Cement. Read the tollowing warning before using: Contact with wer, inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with these year waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Inharded the provided the provided them is as dannerous so promotify rinse these materials. If you do the contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials. Seek immediate medical attention if you have persistent or severe the contact with any of these materials. If you have a dannerous so promotify rinse these materials. If you do the contact with any of these materials are contact with any of these materials. nnishing concrete, wear knee pags to protect knees. After contact with any or mese materials, wasn of immediately with tresh, clean water, indirect contact with a set along the protection of t 4271259 iscussional case of eye conscious flush with pleasity of water for a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates; Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handing this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective replacement for the product of safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. macrimery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building utility principles or cables telephone lines disparate or other due to water added above design. inch slump. Arrived at job with \_ Test cylinde gal water at customer request Added building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received and RELEASE the seller and its employees from by Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Dennis Phase Code Customer Job 10927400 Cust. No 10/03/13 Order No. 606 Date 5324 E Address Мар Zone 531 CONSTRUCTION CO Customer ER 12:41 Delivery Instructions Amount Unit Price Product Description **UOM** SELECT FILL Product Code Order Qty FRACTURED Load Qty Delivered Qty tn 10 SV. Net Delivery Charge: Tare Gross 60820 24900 96000 FUEL CHG Trk: 10280 Trira 510611 TRUCK: CREDIT CARD CHECK 19 LOAD COUNT: **Pit/Plant** Sales Tax Haul Cd. Use CC Type Slump 109 TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** 42893 030750 17.59

4A. 010

C10577

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with his contact with the contact wit nhardened borocrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, representation of the protect knees. After contact with any of these materials, wash off immediately with fresh, dean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water Indirect contact with enough to thing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe isocomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective water added at customer's own risk. Additional water added to concrete will.

\*\*Propagation\*\*

\*\*Propagation\*\* 4271260 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its proplement for any damage, and for all dainer to the premises. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at Other additions responsibility for any damage beyond the curb line. Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Company/ TICKET NO. SP Phase Code Customer Job Cust. No. 10/03/13 Order No. 606 Date 532Delivery Addres Мар Zone 531 CONSTRUCTION Customen ER 12:48 Delivery Instructions Amount **Unit Price** Product Description Product Code MOU SELECT FILL Delivered Qty Order Qty RACTURED Load Qty Net Tare Delivery Charge: Gross 61940 25960 99860 FUEL CHG 11960 510577 PREV TRUCK: CARD COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Lise Type 123 TOTAL DUE Description Prod. No. Load Size Taken by Trailer Check # Trailer Tare Weight **Gross Weight** 42893 18.96 030229 49.93 < 1 i7ii7i 1 1

oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If the protection when working with these raterials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with such that the protection of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who m 4271264 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller of its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, taken building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD . any liability. 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. WGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments SP1300 No. Customer PO/ Driver Company/ Phase Code Customer Job Cust. No., 10/03/13 Order No. 606 I 532Delivery Address PARK WATER BNSF Мар 531 SUSTOMEDER CONSTRUCTION CO 23E 13:22 Scale Time: Delivery Instructions Amount **Unit Price** Product Description **ProductCode** UOM SELECT FILL Order Qty Delivered Qty RACTURED Load Qty tn 2401 Net Tare Delivery Charge: Gross 26700 66220 103120 Trk: FUEL CHG 10200 Trlr: 510011 TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul\_Cd. Type Slump 109 TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** Truck 42893 18.45 030746 C10125 51.56

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately. KEEP out of reach of children! User hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to distribute the product may be hazardous to your health. Measures to control fugitive dust should b CUSTOMER 4271266 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you tor your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and the proprieties for any damagne and for all relains to the premises. time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added \_ taken Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site. Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments N SP Co. Proj. No. Customer PO/ TICKETNO. Driver RUSSell Company/ Phase Code Cust. No.7606 Customer Job Order No. 10/03/13 Date PARK WATER BNSF 532Delivery Address Мар CUSTOMEDER CONSTRUCTION CO I 531 23E 13:29 Delivery Instructions Amount **Unit Price** Product Description Product Code UOM SELECT FILL Order Qty Delivered Qty Load Qty Net Tare Gross Delivery Charge: 64840 28300 105520 Triks FUEL CHG 12380 Trira 510135 TRUCK: PREV CARD CREDIT CHECK COUNT: LOAD Sales Tax Haul Cd. CC Type Slump TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck / 42893 20.34 030611 51 DE11 52.76

CUSTOMER Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact trinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact trinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact who wash of immediately with fresh, clean water, indirect contact with wet (unhardened) concretely. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into consult with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into consult with wet (unhardened) 4271267 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions responsibility for any damage beyond the curb line. appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred-by-you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Phase Code Customer Job Dennis 10927408 Cust. No. Order No. 10/03/13 EVE Date 3002 Delivery Addres Map Zone 531 532 SUSTRIBLER CONSTRUCTION CO I 23E 13:54 Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code FRACTURED SELECT FILL Order Qty Load Qty Delivered Qty tn 2401 31.31 Net Delivery Charge: Tare Gross 24900 62620 97800 Trk: FUEL CHG 10280 510611 CHECK COUNT : LOAD Sales Tax **Pit/Plant** Haul Cd. CC Use Slump Type 129 TOTAL DUE Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 42893 17.59 030750 4A. 90

Oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cernent. Read the following warning before using: Contact with wet inflandened concrete, mortar, cement or cement imitatives can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and-high-fenough to keep concrete from flowing into them finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe isomrfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomrfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomrfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isomrfort. The propers who may use or come into contact with wet (unharderied) concrete, mortar, cement or cernent motures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken and handling this product.

\*\*Hot Asphalt\*\* emis nuisance furnes. Avoid breathing, furnes. Also, Asphalt may cause severe burns. Wear protective when handling this product.

\*\*Hot Asphalt\*\* emis nuisance furnes. Avoid breathing, furnes. Also, Asphalt may cause severe burns. Wear protective what added at customer's own risk. Additional water added to concrete will.

\*\*Property Damage Indem CUSTOMER 4271268 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept respons bility for reduced strength LEASE to you for your signature, is or the opinion that the operation in this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and the emphasize for any damage and for all relatins to the premises Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Company/ Phase Code Customer Job Cust. No.7606 10/03/13 Date 532Delivery Address PARK WATER BNSF Zone 531 CONSTRUCTION CO 13:58 Scale Time: Delivery Instructions Amount **Unit Price** Product Description UOM SELECT Load Qty Product Code FILL Order Qty FRACTURED **Delivered Qty** Net Delivery Charge: Tare Gross 61120 25960 99040 FUEL CHG 11960 510577 CREDIT CHECK COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type 109 Slump TOTAL DUE Description Prod. No. nad Size Taken by Check # Trailer Tare Weight **Gross Weight** 42893 030229 18.96 49.52 E 1 121711 1 1

oncrête: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, narradened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact inching is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe inscornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children User ignees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken that handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release CUSTOMER Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller of its contract with me. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_ inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, Added taken building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. SP1300 Customer PO/ Driver TICKET NO. Company/ Phase Code Robert Cust. No. Customer Job 10/03/13 Order No. 5324 En Address Zone 531 CONSTRUCTION CO I 23E 14:29 Scale Time: Delivery Instructions Amount Unit Price **Product Description** Product Code UOM RACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 0 2401 784.36 700 33.05 Net Delivery Charge: Tare Gross 66100 26700 103000 Trks FUEL CHG 10200 510011 PREV TRUCK: CREDIT CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use Type Slump 109 TOTAL DUE Description 1 Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 42893 030746

18.45

51 50

Concrete: Injurious to eyes. Gauses skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can caluse skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials are tight at the top and high enough to keep concrete from flowing into them. If immediately with fresh, clean water. Indirect contact with any of these materials are tight at the top and high enough to keep concrete from flowing into them. If immediately with fresh, clean water. Indirect contact with any of these materials are tight at the top and high enough to keep concrete from flowing into them. If immediately with fresh, clean water. Indirect contact with any of these materials, weach of immediately with fresh, clean water. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures agrees to control, fush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to control fugitive dust should be taken and the handling this product.

Agreegates: Prolonged when handling this product. The handled to concrete will be taken and the following water added to concrete will be taken. Pronerty Damage Indemnification & Release. CUSTOMER 4271273 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
the in approval that we can but in order to do this the operator is asking Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ TICKET NO. Driver Company/ Phase Code SP1300 Cust. No. 37606 Customer Job T. 10927414 Order No. 10/03/13 Date Delivery Addres Map SUPPORTER CONSTRUCTION CO 531 14:39 Delivery Instructions **Amount UnitPrice** Product Description **UOM ProductCode** FRACTURED SELECT FILL Order Qty **Delivered Qty** Load Qty tn 2401 123 34.07 818. Net Tare Gross Delivery Charge: 25960 68140 Trk: 106060 FUEL CHG 11960 510135 TRUCK: CARD CHECK LOAD COUNT: Sales Tax Pit/Plant Slump Type CC Use Haul Cd TOTAL DUE 109 Description Prod. No. 1 Load Size Taken by Check # Tare Weight Trailer **Gross Weight** Truck 42893 18.96 030229 53.03 #1 mm11

Concrète: Injunious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release. CUSTOMER 4271278 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help \_\_your in everyway that we can, but in order to do this, the operator is asking that we used the performance of the Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with that you sign this RELEASE. In consideration of the performance of the Test cylinders seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other gal water at customer request Added \_ Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability PERRY RD 13302 99208-7089 WA Signature of Owner or its Agent 536 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Company/ Driver TICKET NO. Phase Code Cust. No. 7606 i 5 Customer Job Order No. 10/03/13 Date I 532Delivery Address Sustante DER CONSTRUCTION CO Map 531 23E 15:12 Delivery Instructions Amount **Unit Price** Product Code UOM Product Description Order Qty Load Qty Delivered Qty SELECT FILL FRACTURED tn 30. Net Gross Delivery 24900 60980 96160 Trik: FUEL CHG 10280 510011 CREDIT CARD CHECK COUNT: LOAD

Type

42893

Taken by

Description

Tare Weight

17.59

Trailer

030750

Prod. No.

48. 08

Gross Weight

Load Size

510577

Truck

Sales Tax

**TOTAL DUE** 

Pit/Plant...

109

Haul Cd.

Check #

Use

## Fractured Select Fill Weight Tickets 10/7/13 **Parkwater Construction Engineering**

oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with nyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact inscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release CUSTOMER 4271305 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can but in order to do this the operator is asking Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength tue to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: inch slump. Arrived al lob with Test cylinders gal water at customer request. Added Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company TICKET NO. Phase Code SP1300 Customer Job W Luke Order No. Cust. No. 10927446 10/07/13 37606 Date SOOD Delivery Address Map Zone PARK WATER BNSF TRENT Customer CONSTRUCTION CO I 5324 531 07:12 Scale Time: Delivery Instructions TRKS 3 Amount **Unit Price Product Description UOM** Product Code Order Qtv Load Qty **Delivered Qty** FRACTURED SELECT FILL tn 400.10 2401 30,24 30.24 Net Tare Delivery Charge: Gross 60480 27880 Trk: 100940 FUEL CHG 12580 Trlr: PREV TRUCK: CREDIT CARD COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Type Slump TOTAL DUE Description Prod. No. I nad Size Taken by Check # Trailer Trailer

11212

Tare Weight

20.23

030162

Gross Weight

50.47

Truck

oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hisadened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Agardened control flugitive dust should be taken and places. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control flugitive dust should be taken when handling this product.

Hot Asphalt emits nuclear and several product may be hazardous CUSTOMER 4271306 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with **Test cylinders** al water at customer request. Added building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. bу The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Leave Job\_Site Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ Customer Job TICKET NO. B SP1300 Garrett Phase Code 10927447 Cust. No. 10/07/13 Order No. 37606 Delivery Addre PARK WATER BNSF Zone 531 CONSTRUCTION CO I 532 07:14 Scale Time: Delivery Instructions Amount **UnitPrice Product Description UOM** FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty 400.10 2401 60.60 30.36 Net .... Delivery Charge: Tare Gross 60720 Trk: 101460 28260 FUEL CHG 12480 Trira 510162 PREV TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd Use CC Type Slump TOTAL DUE 1-09 Description Prod. No. Load Size

Taken by

11212

Trailer

Trailer

20.37 030616

Tare Weight

Gross Weight

510616

50.73

Check #

Loncretes. Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with reyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly inse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken than Aggregates. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken than Andring this product.

Hot Agphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271308 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, it the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Leave Plant Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Co. Proj. No. Driver Company TICKET NO. Phase Code SP1300 Steve Customer Job 10927449 Order No. 10/07/13 606 Date Delivery Addres Мар Zone Sustementer CONSTRUCTION CO I 531 07:26 Delivery Instructions RT 3 TRKS Amount **UnitPrice Product Description** UOM Product Code Delivered Qty Order Qty SELECT FILL Load Qty FRACTURED 91.59 400.10 2401 30.99 Net Gross Delivery Charge 61980 28640 Trk: 103300 FUEL CHG 12680 Trire 510616 PREV TRUCK: CREDIT LOAD COUNT: Pit/Plant Sales Tax Haul Cd. CC Slump Type 109 TOTAL DUE Description Prod. No Load Size Taken by Check # Trailer Tare Weight Gross Weight Truck 11212

20.66 030163

51.65

510163

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggree to the proposed inhalations of dust from a gravel product may be hazardous to your health. Measures to control funding dust should be taken 4271312 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added about design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its amplicues for any damagne and for all daints in the premises. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: responsibility for any damage beyond the curb line. Received bγ Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Finish Discharge Arrive Job Site Start Discharge Leaye Plant **Drivers** Comments Customer PO/ Co. Proj. No. Company/ TICKET NO. Driver Phase Code SP1300 Customer Job Luke Order No. 10927453 37606 10/07/13 3000 Date Delivery Address PARK WATER BNSF Мар Zone CONSTRUCTION CO I 531 23E 08:27 Delivery Instructions TRKS Amount Unit Price Product Description **UOM** Product Code **Delivered Qty** Order Qty Load Qty FRACTURED SELECT FILL tn 400.10 31.98 123.57 Net Tare Gross 27880 63960 Trk: 104420 FHEL CHE 12580 510163 TRUCK: CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Slump Description Prod. No. TOTAL DUE 109 Load Size Taken by Trailer Tare Weight Trailer Check # Gross Weight Truck 11212 20.23 030162 510162

CUSTOMER Foncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. It is warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalators of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing firmes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves), pants and gloves). If burned, cod with water and see a physician. 4271314 Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Finish Discharge Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Co. Proj. No. Company TICKET NO. Driver Phase Code SP1300 B Customer Job ett Garr Cust. No. 10927455 Order No. 60E 10/07/13 3000 Dale CONSTRUCTION CO I 5324 E TREN WATER BNSF Мар Zone Sustaner BER 531 08:33 Delivery Instructions RT 3 TRKS Amount **UnitPrice** Product Description Product Code UOM Order Qty Delivered Qty FRACTURED SELECT FILL Load Qty 400.10 2401 tn 32.18 155.75 Net Gross Tare Delivery Charge: 64360 Trk: 105100 28260 FUEL CHG 12480 Trlr: 510162 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump Description Prod. No. 1779 TOTAL DUE Load Size

Taken by

11212

Check #

Trailer

Trailer

030616

Tare Weight

20.37

**Gross Weight** 

52.55

Truck

510616

				CUSTOME	B
ncrete: Injurious to eyes.Causes skin imitation.Contains ardened concrete, mortar, cement or cement mixtures can o	s Portland Cement. Re cause skin initation, sever	and the following warning before chemical burns or serious eye	ore using: Contact with wet, e damage. Avoid contact with	COSTONE	
ardened concrete, mortal, certeil of a fully-buttoned, long-sis and skin. Wear waterproof gloves, a fully-buttoned, long-siterials. If you have to stand in wet concrete, use waterproof linishing concrete, wear knee pads to protect knees. After containing to obtaining is as dangerous so promptly rinse these mate comfort. In case of eye contact, flush with plenty of water for rees to convey this warning to all persons who may use or progregates; Prolonged inhalations of dust from a gravel progregates.	sleeve shirt, full-length tro boots that are tight at the ct with any of these materi erials from dothing. Seel at least 15 minutes. Cons come into contact with w oduct may be hazardous to make Augid healthing file	users and tight-timing eye proce- top and high enough to keep or als, wash off immediately with fre is immediate medical attention if sult physician immediately. KEEF et (unhardened) concrete, morta o your health. Measures to conti- mes. Also, Asphalt may cause	nordet from flowing into them. sh, dean water. Indirect contact you have persistent or severe out of reach of children! User ar, cement or cement mixtures. of lugitive dust should be taken severe burns. Wear protective		4271315
lety gear (long seeves, pans and glows), nater added at customer's own risk. Additional water added duce its strength. Buyer's agent agrees to accept responsibility e to water added above design.  rrived at job with inch slump.  dded gal water at customer request.		Property Damage Indel The operator of this piece of LEASE to you for your signatu machinery in the manner requ possibly cause damage to the you in everyway that we can, t that you sign this RELEASE. seller of its contract with me	nnification & Release heavy equipment, in presenting thi re, is of the opinion that the operation ired to perform our contract with yo premises or property. It is our wish out in order to do this, the operator is In consideration of the performance if the undersigned, hereby INDEMNI y damage and for all claims to the pre ables, telephone lines, driveway o	of this charged at pos time charged at pos tim	tandby Excess unloading will be ted truck time rates. Truck standby it posted truck time rates.  The only liability of the seller for the return of the purchase price. In miseller be liable for any direct, indirect insequential damages resulting from roducts or arising out of breach of a miss for damages or shortages must be hours of delivery. We do not assum or any damage beyond the curb line.
Buyer's Agent receipt of product and approval of the addition of any extra products to our mixer may expressed or implied by the seller. The seller acceptersonal injury incurred by you while adding additional injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and approval of the injury incurred by your while adding a great and a g	ay void any warrainy	any massing.	er and its employees from	N. 13302 SPOKANE, (509) 53	PERRY RD WA 99208-7089
		ŅV	VGDELTKT090408	(00.07) 00	
Signature of Owner or its Agent Leave Plant Arrye Job Site Start Dischar	rge Finish Discha	rge Leave Job Site	Arrive lant		
Drivers'				* 1 0	927456*
Order No. Cust. No. Cust. 376/26	npany/ omer Job	Customer PO/ Phase Code	TICKET NO. 10927456	Driver Steva	Co. Proj. No. 2 Y SP1300 Date 10/07/13
Customer STRIDER CONSTRUCTION	CO I 532	Delivery Address 4 E TRENT /	PARK WATER E	INSF	Map Zone S31
Delivery Instructions RT 3 TRKS					Scale
Load Qty Delivered Qty Order Qty 31.55 187.30 400	y ProductCode	tn FRA	Description CTURED SELECT	Unit Pri FILL	ce Amount
	Net				
Gross Tare Trk: 104420 28640 Trlr: 12680	Net 63100		FUEL CHG	Delivery Ch	arge:
Gross Tare Trk: 104420 28640		K / CREDIT		Delivery Ch	arge:
Gross Tare Trk: 104420 28640 Trlr: 12680 PREV TRUCK: 510616 LOAD COUNT: 6	63100		FUEL CHG	Cd. Pi <b>V</b> Plant	Sales Tax
Gross Tare Trk: 104420 28640 Trlr: 12680 PREV TRUCK: 510616	63100	CREDIT ( Slump Type Trailer Taken by	FUEL CHG	Cd. Pit/Plant	

CUSTOMER oncrete injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, refinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort in the presens who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then hardling lits product. Safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. oncrete injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet 4271323 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request. Added building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received and RELEASE the seller and its employees from by Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Customer Job Luke Cust. No. 10927464 Order No 10/07/13 Date 37606 3000 Delivery Address WATER BNSF Map 531 RIDER CONSTRUCTION CO I 5324 09:43 Scale Time: Delivery Instructions 3 TRKS DAY ALL Amount **Unit Price** Product Description UOM Product Code FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 500.10 2401 218:12 30.82 Net Charge: Tare Delivery Gross. 61640 27880 102100 FUEL CHG Trks 12580 510163 PREV TRUCK: GREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use Туре TOTAL DUE Slump Description Prod. No Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** Truck

11212

20.23 030162

510152

51.05

Goncrete: Injurious to eyes.Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement modures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and high-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dargereases to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged when hardling this product.

Aggregates: Prolonged when hardling this product. The product may be hazardous to your health. Measures to control fugitive dust should be taken when hardling this product. Seek immediately were protective after your protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271326 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator or mis piece or nearly equipment, in presenting this NE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersioned, hereby INDEMNIFY the time charged at posted truck time rates due to water added above design. Limited Warranty The only liability of the seller for product delect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with \_ Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at Received X bγ Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant 9 Drivers Comments Customer PO/ Co. Proj. No. Company/ TICKET NO. Phase Code Customer Job SP1300 Order No. Steve Cust. No. 7606 3000 10/07/13 Date Delivery Address Мар SIRTEDER CONSTRUCTION CO 531 09:51 Delivery Instructions TRKS ALL DAY 3 **Amount Unit Price Product Description** Product Code UOM Order Qty Delivered Qty Load Qty FRACTURED SELECT FILL 500.10 2401 249.40 Net Tare Grass Charge: Delivery 28640 103880 FUEL CHG 12680 Trire 510162 PREV TRUCK: CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC-Use Type Description Prod. No. TOTAL DUE 1.09 Load Size Taken by Traile Tare Weight Trailer Check # Gross Weight 11212 20.66 030163 510163 51.94

grees to convey its warring to all persons who may use of order in the class to your health. Measures to control tightee dust should be taken upon the control of the persons of the persons who may use of order in the class of the persons of the p	2m
saidened on these, metapoid flores, a high-statured, large deep dark full-largely houses and light-large specification and control with the control of the c	
audithered actives, intergrand grove, a thyl-strone Ling deepe chit fall-length trauses and spit-filting spit and the control and	
and the control of the control of the control with any of these meterols, work of minuscrate within 1 you have product or sweet only of their or selection of the control o	
ishing corrects west role placed protections are near measures. From clothing, dealer may order to a few places in the places of	
The control of the period of t	07400
Set to consider the water and all the control of th	27132
The deficient of the product of the	
Property Damage Indemnification & Releasement he Releasement for the control with radded at customer's own risk. Additional water added to concrete with readed at customer's own risk. Additional water added to concrete with readed at customer request. The control of the contr	
ther addition of any extra products to our mixer may void any warranty spressed or implied by the seller. The seller accoping of a balling for any extra products to our mixer may void any warranty spressed or implied by the seller. The seller accoping or in ability for any inability for any series of implied by the seller. The seller accoping or inability or any inability for any extra products to our mixer may void any warranty spressed or implied by the seller. The seller accoping or inability or any inability for any inabilit	d lliw pnibaoling will b
machine y be marked a job with water at customer request.  Tel cylindes believe the addition of any extra products to our mixer may void any warranty and the marked at the series of th	FRIES. THUCK SIGNAL
possby case damage in particular to do set the good part of some possby case damage in particular to do set the good part is safety and the control of the particular to do set the good in the set of index in the control of the particular to do set the good in the set of the set of index in the control of the particular to do set the good in the set of the set o	K time rates.
does a customer request. Test cylindes being a company of the comp	iability of the seller in the nurchase price. In
selected by the receipt of product and approval of any added items. The selditions of the selficity of the s	for any direct, indire
budding, dilky ppenes of calles, sequence last, without any added items, appurerance, at appur	ing out of breach of a
Trick: 101180 28260 60440   PREV TRUCK: \$10163 ##  TRUCK: \$10163 ##  TRUCK: \$10163 ##  PREV TRUCK: \$10164 ##  PREV	es or shortages must
and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  and RELEASE the seller and its employees from any liability  Any liability  N. 13302 PERRY SPOKANE, WA 9  Signature of Owner or its Agent  Leave Job Site  Arrive Plant  Leave Plant  Leave Job Site  Arrive Plant  Leave Plant  Leave Job Site  Arrive Plant  Comments  Order No. Cust No. Cust No. Customer Job  30000 37606  Customer Job  Delivery Address  Scale  The Tener Constructions  RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code  Tok: 101180 28260 500. 10 2401 tn FRACTURED SELECT FILL  PREV TRUCK: 510163  ###################################	beyond the curb line
and RELEAS the seller and its employees item and labelity is a proposal of any address item and labelity is a proposal of any address item and labelity is a proposal of any labelity is any l	
No. 13302 PERRY spread to represent in lability for any extra products to our mixer may vot while adding additional products to our mixer.  Signature of Owner or its Agent  Was active Job Site Start Discharge  Finish Discharge  Leave Job Site Name Poly Phase Code  Ticket No.  10927468  Garrett B Signature of Owner or its Agent  Signature of Owner or its Agent  Ticket No.  Deliver Marrier Poly Phase Code  Ticket No.  10927468  Garrett B Signature of Owner or its Agent  Signature of Owner or its Agent  (509) 536-3151  Signature of Own	
Signature of Owner or its Agent Law Plant, Arrive Job Sid Start Discharge Finish Discharge Leave Job-Site Arrive Plant Order No. Cust No. Company/ Customer Job 3000 37606  Customer Start Delivery Address Strict Company/ Customer Job Delivery Instructions RT 3 TRKS ALL DAY  Load Oty Delivered Oty Order Oty Product Code Tork: 101180 28260 60440 Trin: 12480  PREV TRUCK: 510163  ***  Signature of Owner or its Agent (509) 536-3151	
Signature of Owner or its Agent  Lister Plant, Arrive Job Side Start Discharge Finish Discharge Leave Job-Site. Arrive Plant  Drivers' Comments  Cust No. Cust No. 37606  Customer Job Side Start Discharge Leave Job-Site. Arrive Plant  Order No. 37606  Customer Job Customer PO/ Phase Code TICKET NO. 10927468  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM Product Description Unit Price  This: 101180 28260 60440  This: 12480 PREV TRUCK: 510163  ###################################	9208-708
Signature of Owner or its Agent  Lave Plant, Arrive Job Side Start Discharge  Finish Discharge  Leave Job Site Arrive Plant, Arrive Plant  Comments  Company/ Control Coustomer Job  Order No. 37606  Customer Job  Delivery Address  TRENT / PARK WATER BNSF  Company/ Customer Job  Delivery Instructions RT 3 TRKS ALL DAY  Company/ Customer Job  Delivery Address TRENT / PARK WATER BNSF  Scale Time:  Company/ Customer PO/ Phase Code  TICKETNO.  10927458  Date 11  Map  23E  Scale Time:  Company/ Customer PO/ Phase Code  Toket No.  10927458  Date 11  Map  23E  Scale Time:  Trk: 101180  28260  Company/ Customer PO/ Phase Code  Trent  Delivery Address Trent  Trk: 101180  Delivery Charge: FUEL CHG  PREV TRUCK: 510163  ###SEKY COMPANY  FINISH  Delivery Charge: FUEL CHG	i.
Signature of owner of white its agent place of the policy	
Order No. Cust No. Customer Job 37606  Customer Strider Construction Co I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions RT 3 TRKS ALL DAY  Load City Delivered City Delivered City Sold. 10 2401 tn FRACTURED SELECT FILL  Gross Tare Net Trk: 101180 28260 60440 The Strider Sold Sold Sold Sold Sold Sold Sold Sold	BILBIBIT BURN IBIL
Order No. Cust No. Customer Job 37606  Customer Garrett B 9 10927468  Customer Garrett B 9 10927468  Customer Customer Construction Co I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty ProductCode UOM ProductDescription Unit Price  Load Qty 279.62 500.10 2401 tn FRACTURED SELECT FILL  Gross Tare Net Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163  ###################################	
Order No. Cust No. Customer Job Phase Code Po/ Phas	Ann dimental ferror from a
Order No. Cust No. Cust No. 37606  Customer PO/ Phase Code 10927468  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions RT 3 TRKS ALL DAY  Delivered Qty Order Qty ProductCode UOM ProductDescription Unit Price  Load Qty Delivered Qty Order Qty 2401 tn FRACTURED SELECT FILL  Gross Tare Net FRACTURED SELECT FILL  Order Time:  Delivery Charge: FUEL CHG  PREV TRUCK: 510163  ###################################	4 0 0
Order No. Cust No. Customer Job 10927468 Garrett B 3000 37606  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Date 11  Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  Gross Tane Net FRACTURED SELECT FILL  Gross Tane Net Delivery Charge:  Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	
Order No. Cust No. Customer Job 37606  Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  Gross Tane Net FRACTURED SELECT FILL  Gross Tane Net Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	
Order No. Cust No. Customer Job Phase code 10927468 Garrett B 9 Date 11 John Structions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty ProductCode UOM ProductDescription Unit Price  Load Qty Delivered Qty Order Qty ProductCode UOM FRACTURED SELECT FILL  Gross Tane Net FRACTURED SELECT FILL  Gross Tane Net Delivery Charge: FUEL CHG  Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	Co. Proj. No.
Delivery Address STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF  Delivery instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  Gross Tare Net FRACTURED SELECT FILL  Gross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	SP1300
Customer Construction Co I 5324 E TRENT / PARK WHITEK BNS:  23E  Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  30.22 279.62 500.10 2401 tn FRACTURED SELECT FILL  Gross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	0/07/13
Delivery Instructions RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code UOM FRACTURED SELECT FILL  Gross Tare Net FRACTURED SELECT FILL  Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	Zone
RT 3 TRKS ALL DAY  Load Qty Delivered Qty Order Qty Product Code to FRACTURED SELECT FILL  30.22 279.62 500.10 2401 tn FRACTURED SELECT FILL  Cross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	531
Load Qty Delivered Qty Order Qty Product Code 30.22 279.62 500.10 2401 tn FRACTURED SELECT FILL  Gross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	09:54
Load Qty Delivered Qty Order Qty Product Code UOM Product Description FRACTURED SELECT FILL  S0. 22 279.62 500.10 2401 tn FRACTURED SELECT FILL  Gross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	
Load Qty Delivered Qty Order Qty Product Code UOM Product Description FRACTURED SELECT FILL  30.22 279.62 500.10 2401 tn FRACTURED SELECT FILL  Gross Tane Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	Amount
30.22 279.62 500.10 2401 tn FRACTURED SELECT FILE  Gross Tare Net Delivery Charge:  Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	
Gross Tare Net Delivery Charge: Trk: 101180 28260 60440 FUEL CHG  PREV TRUCK: 510163 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28260 60440 FUEL CHG  Trlr: 12480 #	
Trk: 101180 28250 60440 FUEL CHG  Trlr: 12480 #	
Trlr: 12480 FOEL CHO  PREV TRUCK: 510163 #	
PREV TRUCK: 510163 #	
THE COURT : -	
Slump Type CC Use Haul Cd. Pit/Plant Sales Tax	
Load Size Prod. No. Description Slump Type 1 109 TOTAL DUE	
Check #	
Truck Gross Weight Tare Weight , Trailer Trailer 11212 Check #	

Committee Commit	Read the following warning before using: Contact with wet	CUSTOMER
ncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement.  ardened concrete, mortar, cement or cement mixtures can cause skin imitation, se s and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length terials. If you have to stand in wet concrete, use waterproof boots that are tight at t nishing concrete, wear knee pads to protect knees. After contact with any of these mat ough clothing is as dangerous so promptly inse these materials from clothing. So comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Co rees to convey this warning to all persons who may use or come into contact with aggregates: Prolonged inhalations of dust from a gravel product may be hazardou  Hot Asphalt: emis nutsance furnes. Avoid breathing seets and sloves.) If hymed cool with water and see a p	trousers and tight-fitting eye protection when working with tresse the top and high enough to keep concrete from flowing into them, terials, wash off immediately with fresh, clean water, Indirect contact eek immediate medical attention if you have persistent or severe onsult physician immediately. KEEP out of reach of children! User in wet (unhardened) concrete, mortar, cement or cernent mixtures, is to your health. Measures to control fugitive dust should be taken furnes. Also, Asphalt may cause severe burns. Wear protective observing.	4271340
tiety gear (long seeves, parts and govern it to the state added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength et o water added above design.  Trived at job with inch slump.  Test cylinders taken  Other additions	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In nevent shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of an warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assum responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added item the addition of any extra products to our mixer may void any warran expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to only the seller accepts and injury incurred by you while adding additional products to only the seller accepts and injury incurred by you while adding additional products to only the seller accepts and the seller accepts accepts accepts and the seller accepts accepts and the seller accepts accepts accepts accepts accepts accepts accepts and the seller accepts	nv	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge Comments	harge Leave Job Site Arrive Plant	* 1 0 9 2 7 4 8 1
		and the same of th
Order No. Cust. No. Customer Job 37606  Customer Job Cust	Customer PO/ Phase Code TICKET NO. 10927481  Delivery Address / PARK WATER BNSF	Driver Co. Proj. No. Luke W SP1300 Date 10/07/13 Map Zone 23E S31 Scale 10:54
Order No. Cust. No. 376Ø6  Customer Job  Customer Job  Customer Job  Customer Job  Customer Job  Customer Job	Phase Code 10927481  Delivery Address / PARK WATER BNSF	Date 10/07/13  Map Zone 23E S31  Scale 10:54  UnitPrice Amount
Order No. Cust. No. 37606  Customer Job  Cus	Phase Code 10927481  Delivery Address / PARK WATER BNSF	Date 10/07/13  Map Zone 23E S31  Scale 10:54  UnitPrice Amount
Order No. Cust. No. 37606  Customer Job  Cus	Phase Code 10927481  Delivery Address 7 PARK WATER BNSF  de UOM Product Description tn FRACTURED SELECT F:	Date 10/07/13  Map Zone 23E S31  Scale 10:54  UnitPrice Amount
Order No. Cust. No. 37606  Customer Job 37606  Customer Job 37606  Customer Job 37606  Customer Job 27606	Phase Code  10927481  Delivery Address FRENT / PARK WATER BNSF  de UOM Product Description tn FRACTURED SELECT F:	Date 10/07/13  Map Zone 23E S31  Scale 10:54  UnitPrice Amount

ncrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet nardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with them terials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them nishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact ough cothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe soonfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User someting to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. If the property this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures agreed to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective alety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271341 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
appurtenances, at Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release later added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump Arrived at job with Test cylinders gal water at customer request taken Added Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by any liability. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Driver Customer PO/ TICKET NO. B SP1300 Company/ Phase Code Garrett Customer Job 10927482 10/07/13 Cust. No. Order No. Date 37606 3000 Zone Mao **Delivery Address** 531 23E Customer STRIDER CONSTRUCTION CO I 5324 100 11:07 Scale Delivery Instructions ALL DAY TRKS Amount **Unit Price Product Description** UOM Product Code SELECT FILL Order Qty FRACTURED Delivered Qty Load Qty tn 2401 500.10 341.36 31.18 Delivery Charge: Net Tare Gross 62360 28260 CHG FUEL 103100 12480 510162 PREV TRUCK: CREDIT CARD LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Type Slump 109

Taken by

11212

Trailer

Trailer

20.37 030616

Check #

Description

Tare Weight

Prod. No.

51.55

Gross Weight

Load Size

EAGRE 1 C.

CUSTOMER Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using. Contact with wet, unhardened concrete, mortar, cement or cement modures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement modures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. Cement or cement mixtures agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Apprendate: Problomed inhalations of dust from a make inmake the hazardous lo your health. Measures to control further dust should be taken 4271343 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous-to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of del very. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, i the undersigned, hereby INDEMNIFY the Arrived at job with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers**' Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Order No. Cust. No. SP1300 Steve 10927484 37606 3000 10/07/13 Date **Delivery Address** Custome RIDER CONSTRUCTION CO I 531 Delivery Instructions Scale Time: 11:15 3 TRKS ALL DAY Amount **Unit Price** Product Description **UOM** Product Code Load Qty **Delivered Qty** Order Qty FRACTURED SELECT FILL 500.10 2401 tn 372.28 30.92 Net Gross Tare Delivery Charge: 28640 61840 103160 Trk: FUEL: CHG 12680 Trlr: PREV TRUCK: 510616 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Туре CC. Use Slump-Prod. No. Description<sup>-</sup> Load Size TOTAL DUE 109 Taken by Trailer Trailer Gross Weight Tare Weight Check #

11212

20.66 030163

51.58

510163

CUSTOMER Concrete Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, they have been concreted finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact if finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through control to the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardene 4271352 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnitication & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its emolowees for any damage and for all claims to the premises. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Company/ Driver TICKET NO. SP1300 Phase Code Customer Job шке 10927493 Cust. No. Order No. 606 10/07/13 Date Delivery Address PARK WATER BNSF SUSTEMBER CONSTRUCTION CO 531 12:13 Delivery Instructions DAY TRKS ALL Amount **UnitPrice** Product Description UOM Product Code Order Qty Delivered Qty FRACTURED SELECT FILL Load Qty tn 500.10 2401 31.95 Net Tare Gross 27880 63900 104360 Trkt FUEL CHG 12580 Telles 510163 TRUCK: CREDIT CHECK LOAD COUNT: Sales Tax t/Plant Haul Cd. CC Use Туре Slump TOTAL DUE Description Prod. No. 1 oad Size Taken by Trailer Check # Tare Weight Trailer **Gross Weight** Truck 1.1212 20.23 030162

59.1A

510160

CUSTOMER oncrete. Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these values and tight-fitting eye protection when working with these startings in the concrete, were stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates are flowers. Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective when handling this product. Hot Asphalt emits nuisance fumes. Av 4271355 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE LEASE to you for your signature, is of the opinion that the operation of this time charged at posted truck time rates. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the nch slump. Arrived at job with Test cylinders gal water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent rriye Blant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code B SP1300 Customer Job ett Garr Cust. No. 10927496 Order No. 10/07/13 37606 SOOO Delivery Address Zone PARK WATER BNSF RIDER CONSTRUCTION CO 531 5324 12:24 Scale Time: Delivery Instructions ALL DAY 3 TRKS Amount **UnitPrice Product Description UOM** Product Code Order Qty FRACTURED SELECT FILL Delivered Qty Load Qty t n 500.10 2401 435.59 31.36 Net Delivery Charge: Tare Gross 62720 28260 103460 FUEL CHG Trkt 12480 510162 TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd Use CC Type Slump TOTAL DUE Description Prod. No. Load Size Taken by Trailer Check # Trailer Tare Weight

11212

030616

PM. 37

Gross Weight

CH 72

Truck

Concrete. Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with ayes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control lugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271357 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annurtenances. at. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with \_\_\_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request Other additions\_ appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge 15.30 12: Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job SP1300 Steve Order No. Cust. No. 10927498 37606 10/07/13 3000 Delivery Address Мар PARK WATER BNSF Customer STRIDER CONSTRUCTION CO 5324 531 12:41 Scale Time: Delivery Instructions 3 TRKS ALL DAY Amount **UnitPrice** Product Description UOM **ProductCode** Order Qty Delivered Qty Load Qty FRACTURED SELECT FILL 500.10 2401 30.79 466.38 Net Gross Tare Delivery Charge: 61580 28640 102900 Tnk: FUEL CHG 12680 PREV TRUCK: 510616 CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Type CC Use Description TOTAL DUE Prod. No. 109 Load Size 1 Taken by Check # Tare Weight Trailer Gross Weight 11212

PA.66 030163

CE 4 4 CE

CT 4 17 4 C 7

Concrete: Injunious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact frough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will CUSTOMER 4271363 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its emolowers for any damage and for all claims to the premises Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job-with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site rive Job Site Start Discharge Drivers Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Order No. Cust. No B SP1300 Garrett 10927504 37606 3000 10/07/13 Date Delivery Address PARK WATER BNSF Мар Customer STRIDER CONSTRUCTION CO I 5324 531 **Delivery Instructions** 13:38 Scale Time: RT 3 TRKS ALL DAY Amount **Unit Price** Product Description UOM Order Qty Product Code **Delivered Qty** Load Qty FRACTURED SELECT FILL 500.10 2401 30.93 497.31 Net Gross Tare Delivery Charge: 28260 61860 102600 Trks FUEL CHG 12480 Trlr: TRUCK: 510163 CREDIT CARD CHECK COUNT: 16 LOAD Sales Tax Pit/Plant Haul Cd. CC-Use

Type-

11212

Taken by

Trailer

Trailer

PM. 37 030616

TOTAL DUE

109

1

Check #

Description

Tare Weight

Prod No.

51 27

Gross Weight

Load Size

C 1 17 C 1 C

Truck

Concrete: Injunious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nusance turnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk Additional water added to concrete will Property. CUSTOMER 4271365 Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you girn this PEI EASE. In consideration of the performance of the time charged at posted truck time rates. due to water added above pesign. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Test cylinders gal water at customer request. Added building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: of any added items. and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave Plant Drivers Comments Customer PO/ Company/ Co. Proj. No. Driver Phase Code Customer Job Cust. No. Order No. W SP1300 10927506 Luke 37606 3000 10/07/13 Date **Delivery Address** Map Zone RIDER CONSTRUCTION CO 1 5324 531 23E 13:48 Delivery Instructions 3 TRKS ALL DAY **Unit Price** Amount **Product Description UOM** Product Code Order Qty Delivered Qty Load Qty SELECT FILL FRACTURED 500.10 527.36 Gross Tare Delivery Charge: 27880 100560 Trk: FUEL CHG 12580 TRUCK COUNT: Sales Tax Pit/Plant Haul Cd Use Slump. Type Description Prod. No. Load Size TOTAL DUE 109 Taken by Trailer Check # Tare Weight Gross Weight Truck 11212 030162 50.28 20123 510162

			herman - The	19.4			CHETOME	D	
Concrete: Injurious	s to eyes.Causes s	kin irritation.Contains	Portland Cement. Re	ead the following warm	ing before using: Contact v	with wet,	CUSTOME	n and a second	
concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them.									
materials. If you have	to stand in wet cond	ete, use waterproof o	tuit and all these motor	into wach off immediately	with fresh dean water Indire	ct contact			\$15 Out 1
through clothing is as	dangerous so promi	ptry rinse triese mater	the state of the control of the cont	at sharing a signal that	W KEEP out of reach of child	Iren! User			
discomfort.In case of e agrees to convey this	eye contact, nush will warning to all perso	ns who may use or c	ome into contact with w	et (unhardened) concre	te, mortar, cement or cement	mixtures.		42	71370
Aggregates: Prolo	inged innalations of the	ust nom a graver prod	nee Avoid breathing fu	mes. Also, Asphalt may	to control fugitive dust should r cause severe burns. Wear	protective			
safety gear (long siee	eves, parits and giovi	lditional water adde	d to concrete will	Property Damage	Indemnification & Re	lease			A section will be
reduce its strength. B	uyers agent agrees to	accept responsibility	for reduced strength	The operator of this p	piece of heavy equipment, in	presenting this RE-	charged at post	tandby Excess used truck time rate	s. I ruck standby
due to water added abo		to the street		machinery in the man	ner required to perform our o	ontract with you may	time charged a	t posted truck time	e rates.
Arrived at job with			Foot outlindorn	you in everyway that w	ve can, but in order to do this, EASE. In consideration of th	the operator is asking	product defect is	the return of the pu	y of the seller for rchase price. In no
Added g	al water at custon		Test cylinders aken	notion of the confract we	ith me, I the undersigned, he is for any damage and for all of	renv indelviniet ine	event shall the s incidental or co	seller be liable for a nsequential dama	ges resulting from
Other additions_				building, utility pipelin	es or cables, telephone line	s, driveway or other	the use of the pi warranty. All cla	ms for damages or	ges resulting from ut of breach of any shortages must be We do not assume
Received X				appurtenances, at:			made within 24 responsibility fo	nours of delivery.v r any damage beyo	and the curb line
Buyer's Agent re			any added items.		ne seller and its employe	ees from			1
			y void any warranty s no liability for any	any liability.			N. 13302	PERRY R	D
personal injury in	curred by you wh	nile adding additio	nal products to our	Simpature o	f Owner or its Agent		SPOKANE,		
mixer.				Signature	Owner or its Agent		(509) 53	6-3151	
Signal	ture of Owner	or its Agent	e Finish Dischar	rge I eave Job Si	NWGDELTKT090408	3			
Leave Plant	Arrive Job Sit	Start Discharg							
Drivers'						,			
Comments									
				Customes DO/					
Order No.	Cust. No.	Comp Custon	ner Job	Customer PO/ Phase Code	TICKET 1092	7511	Driver Steve	Y. SP1	6. Proj. No. 1300
Customer	CONSTR	HCTION (	co I 532 <sup>9</sup>	elivery Address	/ PARK WA	TER BNSF	1		Zone
		LJUJ S JA CAPINI N	and head also head head below				824	- 23E	531
RT 3 TR	RKS ALL	DAY					3	Scale 14:	:06
								,	mount
Load Qty	Delivered Qty	Order Qty	Product Code		duct Description	TI TOT E	UnitPrice	e A	mount
30.69	558.0	500.	10 2401	tn F	RACTURED S	ELEGI F	L L., L.,		
					-				
								4.700	
						M			
	Gross	Tare	Net			Del	ivery Cha	arde:	
	102700		61380		FUEL	CHG	2 7 2 7 7 2011	u-l	
Trira		12680			I had toos be				
PREV TI	RUCK: 51	10162	#						
LOAD CO		18	CHECK	/ CREDI	T CARD				
				200	1			des Torr	
Load Size	Prod. No.	Description		Slump T	ype CC Use	Haul Cd.	200	iles Tax TAL DUE	
		Toro Mainte	Trailer	Trailer Taken	by		2. 4. 2/ 10	17E DOL	
Truck Gro	oss Weight	Tare Weight	Haller	rianoi iunoii		Check #			

11212

510163 51.35 20.66 030163

## Fractured Select Fill Weight Tickets 10/8/13

**Parkwater Construction Engineering** 

increte: Iquinous to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with plant of the concrete, were waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact hrough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing in the persistent or severe hrough dothing. Seek immediate medical attention if you have persistent or severe hrough dothing in the persistent or severe hrough dothing. Seek immediate medica 4271387 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to your for your signature, is of the opinion that the operation of this
meditines in the manner required to perform our contract with you may Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property, it is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site **Arrive Plant** Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job B Dave Cust. No. 10927528 Order No. 10/08/13 37606 3001 Delivery Address Zone PARK WATER BNSF Customer STRIDER CONSTRUCTION CO I 532 531 23E 08:35 Scale Delivery Instructions ALL DAY RT 3 TRKS Amount **Unit Price Product Description** Product Code **UOM** Order Qty FRACTURED SELECT FILL **Delivered Qty** Load Qty 400.10 2401 t:n 31.67 31.67 Net Tare Gross Delivery Charge: 63340 Trk: 101100 27000 FUEL CHG 10760 Trira 510163 PREV TRUCK: CREDIT EARD CHECK / LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use CC Type Slump TOTAL DUE Description 109 Prod. No. -I-nad Size-Taken by Trailer Trailer Check # Tare Weight Gross Weight Truck 11212 18.88 030099 50.55 510009

CUSTOMER

CUSTOMER crete: unious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, referred concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these rands skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials if you have be stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete freely into them, as the protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, indirect contact shing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe shing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe or for childrent or the seek immediately. KEEP out of reach of childrent User control in the protection of the protec Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the ter added at customer's own risk. Additional water added to concrete will luce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. e to water added above design. you in everyway that we can, but in one to out its, the operation is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the inch slump. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request. taken habhi appurtenances, at: Other additions and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD any liability. Эγ The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 mixer. Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave Plant Drivers' Co. Proj. No. Comments Driver B SP1300 Customer PO/ TICKET NO. Garrett Phase Code Company 10/08/13 10927530 Customer Job Date Cust. No. Order No. 37606 Map PARK WATER BNSF 531 3001 Delivery Address CONSTRUCTION CO I 5324 08:48 Scale Customer STRIDER Amount Delivery Instructions ALL DAY **Unit Price** TRKS Product Description FRACTURED SELECT FILL UOM Product Code Order Qty Delivered Qty tn 400.10 2401 Load Qty 63.15 31.48 Delivery Charge: Net Gross FUEL CHG 62960 28260 Trk: 103700 12480 Trira CARD 510009 CREDIT TRUCK: PREV CHECK Sales Tax Pit/Plant COUNT: Haul Cd. LOAD TOTAL DUE Use CC 109 Type Slump Description Prod. No. Check # Load Size Taken by Trailer Trailer Tare Weight 11212 Gross Weight 030616 20. 51. A5

Concrete: Injurious to eyes.Causes skin irritation,Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them of the protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dargeres to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, i the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 7089 99208-SPOKANE, WA Signature of Owner or its Agent mixer NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Finish Discharge Leave Plant Arrive Job Site Start Discharge : 56 **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Customer Job Phase Code SF1300 Order No. Cust. No. Stev 10927533 EVE 3001 10/08/13 Delivery Addre CUSTOMEDER CONSTRUCTION CO I 531 09:23 Delivery Instructions RT 3 TRKS Scale Time: ALL DAY Amount **Unit Price Product Description** Product Code **UOM** Order Qty Delivered Qty Load Qty FILL FRACTURED SELECT 400.10 2401 94.80 31.65 Net Tare Gross Delivery Charge: 28640 63300 104620 Trks FUEL CHG 12680 Trirs 510616 PREV TRUCK: CREDIT CARD CHECK / LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Туре Slump Load Size Prod. No. Description 1.09 TOTAL DUE Taken by Trailer Trailer Check # Gross Weight Tare Weight Truck 11212 20.66 030163 52.31 510163

CUSTOMER

Directe: Injurious to eyes. Causes skin imitation Contains Portland Cement. Read the following warning before using Contact with wet, had rendered opinionete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe soomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product.

Hot Asphalt emits nuisance turnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective later gode (on sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RElater added at customer's own risk. Additional water added to concrete will iduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the ue to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with \_ Test cylinders \_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added \_\_\_\_ taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received X appurtenances at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Drivers' Comments Customer PO/ Co. Proj. No. SP1300 Company/ Driver TICKET NO. Phase Code Customer Job B Order No. Dave 10/08/13 Date 5324 E REN PARK WATER BNSF Map CONSTRUCTION CO I Sustomer ER 531 09:45 Delivery Instructions RT 3 TRKS ALL DAY Amount **Unit Price** Product Description UOM **ProductCode** Order Qty Delivered Qty Load Qty FRACTURED SELECT FILL 126.55 tn 400.10 2401 31.75 Net: Tare Gross Delivery Charge: 101260 27000 63500 Trk: FUEL CHG 10760 Trire TRUCK: 510163. PREV CREDIT CARD CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Type Slump Description Prod. No. Load Size TOTAL DUE Taken by Trailer Tare Weight Check # Gross Weight Truck 11212 18.88 030099 510009 50.63

CUSTOMER

CUSTOMER crete: Injurious to eyes.Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, referred concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with referred concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with these and skin Wear watermord names a full-builthoned long-sleepe shirt full-length trousers and tinht-fitting eye protection when working with these rdefield concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these saids. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, is a stangerous or protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact withing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact up the contract with any of these materials. Seek immediate medical attention if you have persistent or severe up to contract, the contact with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User control functions of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User control functions of eye contact, flush with plenty of water for at least 15 minutes. On only the protection of the protectin 4271396 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby lety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Informittation of Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to halo iter added at customer's own risk. Additional water added to concrete will luce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be madel within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: e to water added above design. inch slump. rrived at job with Test cylinders gal water at customer request. taken Added Other additions and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD OV any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. SP1300 Driver Customer PO/ TICKET NO. В Garrett 10/08/13 Company Phase Code 10927537 Customer Job Cust. No. Order No. 37606 PARK WATER BNSF CONSTRUCTION CO I 5324 EN AREN 3001 531 09:57 Scale Time: Customer ER Delivery Instructions **Amount** DAY ALL **UnitPrice** TRKS Product Description SELECT FILL UOM **Product Code** FRACTURED Order Qty tn Delivered Qty 2401 400.10 Load Qty 158.33 31.78 Delivery Charge: Net Tare Gross FUEL CHG 63560 28260 104300 Trk: 12480 Trlr: 510009 CARD CREDIT TRUCK: PREV COUNT: Sales Tax LOAD Pit/Plant Haul Cd. Use TOTAL DUE CC 109 Туре Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight 11212 Gross Weight 030616 Truck 20.37 ED 15

Oncrete: Injurious to eyes.Causes skin irritation Contains. Portland Cement. Read the following warning before using: Contact with wet inhardened otherete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe liscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User signess to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Any expensive the hardling this product. In a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Should be taken that after a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken that any gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product. Should be a should be taken that any gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product. Should be a should be taken the hazardous to your health. Measures to control fugitive dust should be taken the hazardous of your health. Measures to control fugitive dust should be taken the hazardous of your health may cause severe burns. Wear protective when hadded at c CUSTOMER 1271398 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_ inch slump Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant 0 **Drivers** Comments Co. Proj. No Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Stev Customer Job 10927539 Cust. No Order No. 10/08/13 37606 3001 Delivery Addres 531 SISTEMEDER CONSTRUCTION CO 10:43 Delivery Instructions ALL DAY 3 TRKS Amount Product Description UOM Product Code Order Qty Delivered Qty SELECT FRACTURED Load Qty tn 400.10 2401 190.19 31.86 Net Tare Charge: Gross Delivery 63720 28640 105040 Trk: FUEL CHG 12680 PREV TRUCK: 510616 CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Type Slump TOTAL DUE 1.09. Description Prod. No. Load Size Taken by .

Trailer

11212

Trailer

20.66 030163

Tare Weight

**Gross Weight** 

52.52

Truck

510163

Check #

oncrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using. Contact with wet, ihardened ethorete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with research skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incidently concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact wrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is consulted in the contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agaregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive du 4271400 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. fue to water added above design. \_\_ inch slump Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Drivers Comments Co. Proj. No Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code В Dave Customer Job 10927541 Cust. No. Order No. 10/08/13 37606 3001 Delivery Address PARK WATER BNSF 5324 Customeder CONSTRUCTION CO I 531 23E 11:13 Scale Time: Delivery Instructions ALL DAY 3 TRKS Amount **UnitPrice** Product Description **UOM** Product Code FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 400.10 2401 32.73 222.92 Net Delivery Charge: Tare Gross 65460 27000 Trk: 103220 FUEL CHG 10760 Trir: PREV TRUCK: 510163 CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Туре Slump TOTAL DUE 109 Prod. No. Description Load Size Taken by Check.# Trailer Trailer Tare Weight **Gross Weight** Truck 11212 51.61 18.88 030099 510009

CUSTOMER

ncrete: Injurious to eyes. Causes skin. irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, ardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with seven should be a said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these tents. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, into them, into the shirt gonorete, wear kneep add to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact is shirt gonorete, wear kneep add to promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In water some one eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In what it is not to the contact with wet (unhardened) concrete, mortar cement or cement mixtures. It is not the contact with wet (unhardened) concrete, mortar cement or cement mixtures. In the contact with wet (unhardened) concrete, mortar cement or cement mixtures. It is not the contact with wet (unhardened) concrete, mortar cement or cement mixtures. Also, Asphalt may cause severe burns. Wear protective that yet and severe protective that the protection of the case of the contact with wet (unh CUSTOMER 4271401 ifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this REEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises. ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Je to water added above design. inch slump Arrived at job with seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. taken Added-Other additions Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 NWGDELTKT090408 mixer. Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. B SP1300 Company ett Phase Code Garr 10927542 Customer Job 10/08/13 Cust. No. Order No. ·37606 Zone 3001 Map PARK WATER BNSF **Delivery Address** 531 23E CONSTRUCTION CO I 532 11:16 Scale Time: **Delivery Instructions** ALL DAY Amount TRKS **Unit Price** Product Description FRACTURED SELECT FILL **UOM Product Code** Order Qty Delivered Qty Load Qty tn 400.10 2401 254.15 31. 23 Delivery Charge: Net Tare Gross 62460 FUEL CHG 28260 103200 Trk: 12480 Trlra 510009 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: 8 Sales Tax **Pit/Plant** Haul Cd. Use CC TOTAL DUE Type Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 11212 030616 20.37 51.60

EIDELIE

CUSTOMER ncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cernent. Read the following warning before using: Contact with wet, ardened concrete, mortar, cernent or cernent mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with severe chemical burns or serious eye damage. Avoid contact with these and skin Waar watermore clause a fith/bittlend logo.closure shirt full-length trousers and firth/fifting are protection when working with those ardened edincrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these iterals. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them isshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact is bugh coloning is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately with fresh, deep restant in the contact with wet (unhardened) concrete, were at each of children in the contact with wet (unhardened) concrete, were at each of children in the contact with wet (unhardened) concrete, were at each of children in the contact with wet (unhar 4271403 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. ifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. je to water added above design. inch slump Arrived at job with \_\_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. taken appurtenances, at. Other additions Received and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 mixer. Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Company/ Ste Phase Code 10927544 Customer Job 10/08/13 Cust. No. Order No. 37606 3001 PARK WATER BNSF **Delivery Address** 531 STRIBER CONSTRUCTION CO = 5324 Customer - I 12:14 **Delivery Instructions** Amount ALL 3 TRKS **UnitPrice** Product Description **ProductCode UOM** SELECT FRACTURED Order Qty Delivered Qty 400.10 2401 Load Qty 285.61 31.46 Delivery Charge: Net Tare Gross FUEL CHG 62920 28640 104240 Trkt 12680 Trir: 510616 TRUCK: CREDIT COUNT Sales Tax LOAD Pit/Plant Haul Cd. CC TOTAL DUE Type 109 Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight Gross Weight 11212 Truck 20.66 030163 52.12

Concrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with respect and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them a finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing in section of eye contact, flush with plenty of water for at least 15 mirrutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contac CUSTOMER 4271405 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to your for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage hevond the curb line. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions responsibility for any damage beyond the curb line. appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509)536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company Phase Code SP1300 Customer Job B Dave Cust. No. 10927546 Order No. 10/08/13 37606 Date 3001 **Delivery Address** Zone PARK WATER BNSF Мар CONSTRUCTION CO I 5324 E 531 12:31 Delivery Instructions 3 TRKS ALL DAY Amount **Unit Price** Product Description **UOM ProductCode** Order Qty Delivered Qty FRACTURED SELECT FILL Load Qty 400.10 2401 tn 318.78 33.17 Net Tare Gross Delivery Charge: 66340 27000 104100 Trks FUEL CHG 10760 PREV TRUCK: 510163 CREDIT. 112 LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump TOTAL DUE

Taken by

11212

Trailer

Trailer

18.88 030099

1-09

Check #

Description

Tare Weight

Prod. No.

52.05

**Gross Weight** 

Load Size

510009

Truck

CUSTOMER acrete: Injurious to eyes.Causes skin-irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, and the following warning before using: Contact with wet, and this More undersoon of the buildrend logical contact with these and this More undersoon of the buildrend logical contact with these and this More undersoon of the buildrend logical contact with these and this More undersoon of the buildrend logical contact with these and this More undersoon of the property of the contact with the conta and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these resisting concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact with set control ting is as dangerous so promptly rinse these materials from clothing. Seek immediately with fresh, dean water, Indirect contact with one contact with wet (unhardened) concrete, mortar, cement or cement mixtures to control, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User cement to control, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User cement to control, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User cement or cement mixtures to control fuglitive dust should be taken the harding this product.

If the Asphalt emits nuisance turnes, Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective tell year good of control fuglitive dust should be taken harding this product.

If the Asphalt emits nuisance turnes, Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective and severe 4271406 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this ifely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall, the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the ie to water added above design. thch slump. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other productions of the premises. Arrived at job with Test cylinders gal water at customer requesttaken Adder Other additions appurtenances, at and RELEASE the seller and its employees from Received Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 mixer. Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Driver Customer PO/ SP1300 TICKET NO. Garrett B Company Phase Code 10927547 10/08/13 Customer Job Date Cust. No. Order No. 37606 3001 PARK WATER BNSF Мар Delivery Address 531 23E CONSTRUCTION CO I 532 12:40 Scale Time: Delivery Instructions ALL DAY Amount TRKS UnitPrice Product Description SELECT FILL **UOM** Product Code FRACTURED Order Qty Delivered Qty tn 400.10 2401 Load Qty 350.83 32.05 Delivery Charge: Net Tare Gross 64100 FUEL CHG 28260 104840 Trk: 12480 510009 CARD PREV TRUCK: CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC TOTAL DUE 109 Type Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight 11212 Gross Weight

030616

20.37

52.42

CUSTOMER Increte: Injurious to eyes, Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, nardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with sex and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these stands. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is that the proof of immediately with fresh, clean water. Indirect contact inishing concrete, wear knee pasts to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or sever scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. 4271411 alety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release later added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the contract with me. I the understand thereby INIDE-MAILEY that Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. \_\_ inch slump. Arrived at job with seller of its contract with me. I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances at: Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Company/ Phase Code Stev B 10927552 Customer Job Cust. No. 10/08/13 Order No: Date 37606 3001 Delivery Address Map PARK WATER BNSF 531 TRENT 23E Customer RIDER CONSTRUCTION CO I 5324 E 13:44 Scale Time: Delivery Instructions ALL DAY RT 3 TRKS **Amount UnitPrice** Product Description **ProductCode** UOM SELECT FILL Delivered Qty Order Qty FRACTURED Load Qty 400.10 2401 31.56 382.39 Delivery Charge: Net Tare Gross 63120 28640 FUEL CHG 104440 Trk 12680 510616 DREV TRUCK: CARD CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC TOTAL DUE Type 109 Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 11212 Truck 030163 52.22 . 20.66 er 1 m 1 C 2

<u>oncrete:</u> Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these attends. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them rough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is consulted to concrete with wet (unhardened) concrete, mortar, cement or ce CUSTOMER 4271412 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with . Test cylinders gal water at customer request. Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. SP1300 Customer PO/ Driver TICKET NO. Company/ Phase Code B Dave Customer Job 10927553 Cust. No. 10/08/13 Order No. 37606 Date PARK WATER BNSF Delivery Address Map 531 Customeder CONSTRUCTION CO I 532 23E 13:48 Scale Time: **Delivery Instructions** ALL DAY 3 TRKS Amount **Unit Price** Product Description **UOM** FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty 414.52 400.10 2401 32.13 Net Delivery Charge: Tare Gross 64260 27000 102020 Trk: FUEL CHG 10760 Trir: PREV TRUCK: 510163 CREDIT COUNT: LOAD Sales Tax **PiVPlant** Haul Cd. Use CC Type Slump TOTAL DUE 1 Description Prod. No. Load Size

Taken by

11212

Trailer

Trailer

18.88 030099

Tare Weight

**Gross Weight** 

51.01

Truck

510009

Check #

CUSTOMER ncrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with essence and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these sand skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these categories. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water, and the contact with any of these materials. Seek immediate medical attention if you have persistent or savered to the contact with a second to the contact with a se inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children systems or contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective after gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271413 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller and its employees for any damage and for all claims to the premises, Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent ave Job Site rive Job Site Start Discharge, Finish Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ B SP1300 Garrett Phase Code Customer Job 10927554 Cust. No. 10/08/13 Order No. Date 37606 3001 Zone **Delivery Address** Map PARK WATER BNSF 531 CONSTRUCTION CO I 5324 23E 13:59 Scale Delivery Instructions ALL DAY 3 TRKS Amount **Unit Price** Product Description UOM FRACTURED SELECT FILL Product Code Order Qty Delivered Qty Load Qty tn 2401 400.10 446.35 31.83 Delivery Charge: Net Tare Gross 63660 28260 FUEL CHG 104400 Triks 12480 Trlr: 510009 PREV TRUCK: CREDIT CHECK COUNT : LOAD Sales Tax Pit/Plant Haul Cd CC Use Туре TOTAL DUE Slump 109 Description Prod. No. Load Size Taken by Check # Trailer

11212

Trailer

030616

Tare Weight

20.37

Gross Weight

52:20

Truck

510A1F

Concrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with seyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from colthing. Seek immediate medical attention if you have persistent or severe through clothing in the medical attention if you have persistent or severe through control fundation or for hidden! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cament or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves; pants and gloves). If burned, cool with water and see a physician. 4271419 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurlenances. at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code **Customer Job** SP1300 Cust. No. Steve Order No. 10927560 37606 10/08/13 3001 **Delivery Address** PARK WATER BNSF TRIDER CONSTRUCTION CO I 5324 531 15:02 Scale Time: Delivery Instructions 3 TRKS ALL DAY **Amount Unit Price UOM** Product Description Product Code Order Qty **Delivered Qty** Load Qty SELECT FILL FRACTURED tn 400.10 2401 477.94 31.59 Tare Net Gross Delivery Charge: 63180 104500 28640 Trk: FUEL CHG 12680 Trins TRUCK: 510616 PREV / CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump Description Prod. No. TOTAL DUE Load Size -Taken by Trailer Check # Trailer Tare Weight **Gross Weight** Truck 11212 20.66 030163 52.25 510163

CUSTOMER

# Fractured Select Fill Weight Tickets 10/9/13 Parkwater Construction Engineering

Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them through clothing is as dangerous so promptly rinse these materials from clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken safely gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Polesse. CUSTOMER 4271435 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersigned, hereby INDEMNIFY the due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with inch slump. time charged at posted truck time rates. gal water at customer request. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability. N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, Signature of Owner or its Agent WA 99208-7089 Leave Plant | Arrive Job Site Start Discharge Finish Discharge (509) 536-3151 NWGDELTKT090408 Leave Job Site Arrive Plant Drivers' Comments Order No. Company/ Customer PO/ Cust. No. Customer Job Phase Code 3003 TICKET NO. 37606 Co. Proj. No. 10927576 Customer Garrett B SP1300 STRIDER CONSTRUCTION Delivery Address 5324 10/09/13 PARK Delivery Instructions WATER BNSF 3 TRUCKS ALL DAY 531 Scale 11:25 Load Qty Delivered Qty Order Qty Product Code **UOM** Product Description 30.38 30.38 **Unit Price** 30.00 2401 **Amount** FRACTURED SELECT FILL

Gross Tare Net Trks 101500 28260 60760 Trlr: 12480

510136

PREU

TRUCK:

LOAD COUNT:

Delivery Charge: FUEL CHG

CHECK CREDIT

Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pit/Plant Sales Tax Truck Gross Weight Tare Weight 109 Trailer TOTAL DUE Trailer Taken by 510616 50.75 20.37 030616 Check # 44176

manufacture.	
rete: «Injuficios to eyes Causes skin irritation: Contains Portland Cement. Read the following warning before using: Contact with wet, and skin. Wear waterproof gloves, a fully-buttoned long-sleepe shirt full water.	CHOZO
ined concrete, mortar, cement or coment mixtures can cause skin imitation, severe chemical burns or serious eye damage. Contact with wet, and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these togocorete, wear knee page to protect kneep Africant state to the concrete, wear kneep page to protect kneep Africant state to the concrete, wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect kneep Africant state to the concrete wear kneep page to protect with the concrete wear kneep page to protect when the concrete wear kneep page to protect with the concrete wear kneep page to protect when the concrete wear kneep page to protect	CUSTOMER
S If VOLI have to cloud in that are a supplied with the cloud in that are a supplied with	
g concrete, wearknee pads to protect kness. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact with any of these materials, wash off immediately with fresh, clean water, indirect contact or the contact with any of these materials, wash off immediately with fresh, clean water, indirect contact or the contact with a contact wi	
couring is as dangerous so promptly rinse these materials from dothing seek immediately with fresh, clean water. Indirect contact	
o convey this transition by the light of water for at least 15 minutes. Consult observes immediately of lave persistent or severe	
dates: Proposed inhelations of contract with wet (unhardened) and the contract with wet (unhardened)	
gates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control furgitive dust should be taken barried to the product may be hazardous to your health. Measures to control furgitive dust should be taken barried to the product may be hazardous to your health. Measures to control furgitive dust should be taken barried to the product may be hazardous to your health measures to control furgitive dust should be taken barried to the product may be hazardous to your health measures to control furgitive dust should be taken by the product may be hazardous to your health measures to control furgitive dust should be taken by the product may be hazardous to your health may cause severe here.	1074 10
	4271438
iucu al customere oum rick Addition	
s strength. Buyer's agent agrees to accept responsibility for reduced strength ter added above design.  Property Damage Indemnification & Release The operator of this piece of bear any engineers.	
LEASE to you for your price of neavy equipment, in presenting this RE-	Unloading 9 04 . u -
at job with machinery in the manner in the operation of this	Excess unloading will be
gal water at customer request.  Test cylinders laken  gal water at customer request.  Test cylinders laken	time charged at posted truck time rates. Truck standby
gal water at customer request.  Test cylinders taken  Test cylinde	Limited Warranty. The entry line rates.
diditions seller of its contract with me I the undersion of the performance of the	product defect is the return of the purchase price to
dditions seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables telephone if	event shall the seller be liable for any direct, indirect
Duilding, utility pinelines or cables talent in dual 5 to the premises,	the use of the products or a lamages resulting from
appurtenances, at:	warranty. All claims for damages or shorteness much
Agent receipt of product and approval of any added items.	made within 24 hours of delivery. We do not assume
NOT OF any extra producte to our mission and RELEASE the celler and the	Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
d or implied by the seller. The seller accepts no liability for any injury incurred by you while additional tips.	
The state of the s	d management of the state of th
Simulation	1. 13302 PERRY RD
Signature of Owner or its Agent	SPOKANE, WA 99208-7089
Plant Arrive Job Stid Start St	509) 536-3151
Leave Job Site   Arrive Plant	227, 000-3101
12.18 /3 60	
	STATE THE PRINCIPLE OF
nts	
	MALMI 65011 MALIO TOICO IPOLI DEMAL STAIL IMPART STAIL IMPART AND A
376Ø6 Customer Job Phase Code TICKET NO.	Driver Co. Proj. No.
Customer Job Phase Code TICKET NO.	Steve Y Sp1300  Date 10/09/13  Map Zone 23E 531
DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF	Steve Y Sp1300  Date 10/09/13  Map Zone 23E 531  Scale (11:37
DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF TRUCKS ALL DAY  Delivered Qty Order Qty Product Code HOM Product	Steve Y Sp1300  Date 10/09/13  Map Zone 23E 531
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
DER CONSTRUCTION CO I 532 Delivery Address TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Cust. No. Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E IRENT / PARK WATER BNSF  Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale / 11:37
Cust. No. Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E IRENT / PARK WATER BNSF  Instructions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKET NO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description FRACTURED SELECT FILL	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale / 11:37
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Structions TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale / 11:37
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 12680 Deliver	Steve Y SP1300  Date 10/09/13  Map Zone 23E 531  Scale 11:37
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 532 Delivery Address / PARK WATER BNSF INTUcks ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gras's Tare Net 103660 28640 62340 12680 TICKETNO. 10927577  Delivery Address / PARK WATER BNSF INTUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description FRACTURED SELECT FILL  Delivered Qty Order Qty Product Code UOM Product Description FRACTURED SELECT FILL  Gras's Tare Net 103660 28640 62340 Delivery	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCTIONS TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 12680 Deliver FUEL CHG	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF INSTRUCTIONS TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 Deliver 12680 TUEL CHG	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 E INENT / PARK WATER BNSF INSTRUCTIONS TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 12680 Delivery Address TRUCK: 510616 #	Steve Y
Gros's Tare Net 103660 28640 62340  GRUCK: 510616	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 ENTRENT / PARK WATER BNSF Instructions TRUCKS ALL DAY  Delivered City Order City Product Code UOM Product Description FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 12680 TUEL CHG  FUEL CHG  FUEL CHG  Prod. No. Description Start Care Tueld Care Tue	Steve Y
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 ENTRENT / PARK WATER BNSF INSTRUCTIONS TRUCKS ALL DAY  Delivered Qty Order Qty Product Code UOM Product Description 17 61.55 30.00 2401 tn FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 Deliver 12680 TUEL CHG  TRUCK: 510616 # COUNT: 2 CHECK / CREDIT CARD  Prod. No. Description Slump Type CC Use Haul Cd. Purple	Steve Y SP1300  Dale 10/09/13  Map Zone 23E 531  Scale 11:37  UnitPrice Amount
Customer Job Phase Code TICKETNO. 10927577  DER CONSTRUCTION CO I 5324 ENTRENT / PARK WATER BNSF INSTRUCKS ALL DAY  Delivered Oty Order Oty Product Code UOM FRACTURED SELECT FILL  Gros's Tare Net 103660 28640 62340 Deliver FUEL CHG  FRUCK: 510616 # CHECK / CREDIT CARD  Prod. No. Description Stump Type 26	Dale 10/09/13  Map Zone 23E 531  Scale 11:37  UnitPrice Amount

Command to		the state of the s			The same of the sa	
Goricrete: Injurious to eyes. Causes skin irritation unhardened concrete, mortar, cement or cement mixture eyes and skin. Wear waterproof gloves, a fully-buttone materials. If you have to stand in wet concrete, use was if finishing concrete, wear knee pads to protect knees. All through clothing is as dangerous so promptly rinse the discomfort in case of eye contact, flush with plenty of wagrees to convey this warning to all persons who may Aggregates: Prolonged inhalations of dust from a great when handling this product. Hot Asphalt emits puts	terproof boots that are tight at leterproof boots that are tight at leter contact with any of these materials from clothing. Seater for at least 15 minutes. Course or come into contact with	trousers and tight-fitting eye the top and high enough to I terials, wash off immediately week immediate medical atter onsult physician immediately.	e protection when working with keep concrete from flowing into with fresh, clean water. Indirect tion if you have persistent or KEEP out of reach of children	to with these of them. contact severe	CUSTOME	R
when handling this product.  Hot Asphalt emits nuis safety gear (long sleeves pants and gloves) It burned	ance furnes. Avoid breathing f	to your hoolth Man	mortar, cement or cement mi control fugitive dust should be ause severe burns. Wear pro	ixtures. e taken otective		427143
Water added at customer's own risk. Additional water reduce its strength. Buyer's agent agrees to accept respondue to water added above design.  Arrived at job with inch slump.  Added gal water at customer request.  Other additions	Test cylinders taken	Property Damage It The operator of this piec LEASE to you for your sig machinery in the manner possibly cause damage to you in everyway that we cut that you sign this RELEAS seller of its contract with m seller and its employees for building, utility pipelines of appurtenances, at:	ndemnification & Release of heavy equipment, in prenature, is of the opinion that the required to perform our contratthe premises or property. It is an, but in order to do this, the of SE. In consideration of the pee, I the undersigned, hereby any damage and for all claims reables, telephone lines, drawlet and its employees for	esenting this RE- e operation of this act with you may	ne charged of ne	dby Excess unloading will truck time rates. Truck stan sted truck time rates.  The only liability of the selle return of the purchase price. If the liable for any direct, india quential damages resulting tuential damages resulting to damages or shortages must of damages of shortages must of damage beyond the curb line damage beyond the curb line truck time truck time truck to the standard truck time truc
mixer.	ditional products to our	Signature of Ow	mer or its Agent	N	13302 P	ERRY RD
Signature of Owner or its Agent Leave Plant Arrive Job Site Start Disch	arge Finish Discharge		VGDELTKT090408	(50)	KANE, WA 9) 536-3	99208-708 3151
	•	1.15	12:40	110000		
Drivers' Comments		4.				H. J. I.   H. J.
Order No. Cont. No. Corr	npany/ Ci	ustomer PO/		*	0 9 2	
Order No. Cust. No. Cust. No. 37606  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY	omer Job pi Deliv CO I 5324 I	ustomer PO/ hase Code /ery Address E TRENT /	TICKETNO. 10927578 PARK WATER	1.1	Date Map	Co. Proj. No. S SP1300 10/09/13 Zone 3É S31 11:39
Order No. Cust. No. Cust. No. 3003  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY  Load Qty Delivered Qty Order Qty	CO I 5324	very Address E TRENT	1092757	8 M BNSF	Date Map Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39
Order No. Cust. No. Cust. No. 3003 37606  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY  Load Qty Delivered Qty Order Qty	CO I 5324	very Address E TRENT	1092757; PARK WATER	8 M BNSF	ichael Date Map	S SP1300 10/09/13 Zone 3É 531
Order No. Cust. No. Cust. No. 3003 37606  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY  Load Qty Delivered Qty Order Qty	CO I 5324	very Address E TRENT	1092757	8 M BNSF	Date Map Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39
Order No. Cust. No. Cust. No. 3003 Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY Load Qty Delivered Qty Order Qty 31. 12 92. 67 30.  Gross Tare Trk: 102820 28300	CO I 5324	very Address E TRENT	10927576 PARK WATER Scription TURED SELEC	8 M BNSF	Date Map 2. Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39
Order No. Cust. No. Cust. Signal Control Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY Load Qty Delivered Qty Order Qty 31. 12 92. 67 30.  Gross Tare Trk: 102820 28300 6 12280  REV TRUCK: 510163	ProductCode UDD 2401  Net 52240	very Address E TRENT  JOM Product Dec	10927576 PARK WATER Scription TURED SELEC	BNSF	Date Map 2. Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39
Order No. Cust. No. Cust. No. 3003 37606  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY  Load Qty Delivered Qty Order Qty 31. 12 92. 67 30.  Gross Tare Trk: 102820 28300 6 12280  REV TRUCK: 510163 OAD COUNT: 3	ProductCode Code 2401  Net CHECK / CO	Product Destan FRACT	10927576 PARK WATER Scription TURED SELEC	BNSF	Date Map 2. Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39
Order No. Cust. No. Cust. No. 3003 37606  Customer STRIDER CONSTRUCTION Delivery Instructions RT 3 TRUCKS ALL DAY  Load Qty Delivered Qty Order Qty 31. 12 92. 67 30.  Gross Tare Trk: 102820 28300 6 rlr: 12280  REV TRUCK: 510163 OAD COUNT: 3	ProductCode Code 2401  Net CHECK / CO	Very Address E TRENT /  JOM Product Det tn FRAC	10927576 PARK WATER Scription TURED SELEC	BNSF TFILL Delivery	Date Map 2. Scale Time:	S SP1300 10/09/13 Zone 3E S31 11:39

Gorfcrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with these if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to correy this warning to all persons who may use or corne into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271439 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all daims to the premises due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added<sup>\*</sup> gal water at customer request. Test cylinders Other additions seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability. N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Plant Leave Job Site Arrive Plant Drivers' Comments Company/ Order No. Customer PO/ Cust. No. Customer Job Phase Code TICKET NO. 3003 Driver 37606 Co. Proj. No. 10927580 Garrett B SP1300 Customer Delivery Address STRIDER CONSTRUCTION CO I Date 10/09/13 PARK WATER BNSF Delivery Instructions Man 3 TRUCKS ALL DAY 531 Scale Time: 12:38 Load Qty Delivered Qty Order Qty Product Code UOM **Product Description** 31.33 **Unit Price** 124.00 **Amount** 30.00 2401 tn FRACTURED SELECT FILL Gross Tare Net 103400 28260 62660 Delivery Charge: 12480 FUEL CHG PREV TRUCK: 510136 LOAD COUNT: CHECK CREDIT CARD Load Size Prod. No. Description Slump Туре CC Use Haul Cd Pit/Plant Sales Tax Truck Gross Weight 109 **TOTAL DUE** Tare Weight Trailer Trailer Taken by 510616 51.70 Check # 20.37 030616 44176

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to conflot fugitive dust should be taken handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parts and gloves). If burned, cool with water and see a physician.

Property Damane Indemnification. & Release. CUSTOMER 4271440 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the understaned, hereby INDEMNIFY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with \_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_\_ gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received by appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty and RELEASE the seller and its employees from any liability. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509)536-3151 Arrive Job Site Start Discharge Leave Plant NWGDELTKT090408 Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. 37606 Co. Proj. No. 10927581 Michael S SP1300 Systemetric Construction CO I Delivery Address 10/09/13 PARK WATER BNSF Delivery Instructions
RT 3 TRUCKS ALL DAY 23E 531 Scale 12:43 Load Qty Delivered Qty Order Qty Product Code **UOM** Product Description **Unit Price** 30.00 2401 **Amount** tn FRACTURED SELECT FILL Gross Tare Net Trks 103520 28300 6294B Trire Delivery Charge: 12280 FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK CREDIT CARD Load Size Prod. No. Description Slump Type Use Haul Cd. Pit/Plant Sales Tax Truck Gross Weight 1 109 TOTAL DUE Tare Weight Trailer Taken by 510136 51.76 20,29 030856 Check # 44176

Concrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with these if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of the protect in the materials of the protect in the protect contact with any of the protect in the materials of the protect in the p discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Photograp inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271442 Water added at customer's own risk. Additional water added to concrete will water added at customer's own risk. Additional water added to consider with reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all clarms to the premises, building utility pinglings or cables indephone lines disparage or other. Arrived at job with \_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_\_ gal water at customer request. Test cylinders Other additions Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 Leave Plant Arrive Job Site Start Discharge Finish Discharge NWGDELTKT090408 Leave Job Site Arrive Plant Drivers' Comments Company/ Order No. Customer PO/ Cust. No. Customer Job 3003 Phase Code 37606 TICKET NO. Driver Co. Proj. No. 10927583 Steve SP1300 SUSTRIBER CONSTRUCTION CO I Delivery Address Date 10/09/13 PARK WATER BNSF Delivery Instructions Man 3 TRUCKS ALL DAY 531 Scale 13:04 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description** 31.00 186.47 30.00 2401 **Unit Price** Amount tin FRACTURED SELECT FILL Gross Tane Net Trk: 103320 28640 62000 Delivery Charge: 12680 FUEL CHG PREV TRUCK: 510136 LOAD COUNT: 6 CHECK / CREDIT Load Size Prod No. Description Slump Type CC Use Haul Cd Pit/Plant Sales Tax Truck Gross Weight Tare Weight 109 TOTAL DUE Trailer Trailer Taken by 510163 51.66 20.66 030163 Check #

44176

CUSTOMER

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, CUSTOMER unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonget inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271445 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the scales of its contract with the scale of the Arrived at job with inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant **Drivers** Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proi. No. 3003 37606 10927586 Garrett B SP1300 Customer STRIDER CONSTRUCTION CO I **Delivery Address** 10/09/13 5324 **Delivery Instructions** 23E 531 RT 3 TRUCKS ALL DAY Scale 13:53 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price Amount** 218, 25 30.00 2401 FRACTURED SELECT FILL Tare Net Trk: 104300 28260 63560 Delivery Charge: Trins 12480 FUEL CHG TRUCK: 510163 LOAD COUNT: CREDIT CARD Load Size Prod. No. Description Slump Туре Use Haul Cd Pit/Plant Sales Tax 109 **TOTAL DUE** Truck Gross Weight Tare Weight Traile Trailer Taken by Check # 510616 52.15 20.37 030616 44176

Goncrete: Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-filting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271446 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may proscribly cause damane to the premises or property it is our wide to help due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_ \_\_\_\_ inch slump. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added Test cylinders \_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Arrive Plant Leave Job Site Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. 3003 37606 Co. Proj. No. 10927587 Michael S SP1300 CUSTRIPLER CONSTRUCTION CO I 532 Pelivery Address 10/09/13 Date PARK WATER BNSF Мар Delivery Instructions 23E 531 RT 3 TRUCKS ALL DAY 13:56 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price** Amount 249.99 30.00 2401 tn FRACTURED SELECT FILL Gross Tare Net Trk: 104060 28300 63480 Delivery Charge: Trir: 12280 FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slump CC Type Haul Cd Pit/Plant Sales Tax 1 109 **TOTAL DUE Gross Weight** Tare Weight Trailer Trailer Taken by 510136 Check # 52.03 20.29 030856 44176

Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with these through colothing is as dangerous so promptly inise these materials from clothing. Seek immediate with fresh, clean water indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately with fresh, clean water indirect contact agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271448 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises, Arrived at job with Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby \_ inch slump. time charged at posted truck time rates. Added \_\_\_ \_\_\_ gal water at customer request. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Other additions Received ) soller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from N. 13302 PERRY RD Signature of Owner or its Agent Signature of Owner or its Agent SPOKANE, WA 99208-7089 (509)NWGDELTKT090408 536-3151 Leave Job Site **Arrive Plant Drivers** Comments Order No. Company/ Cust. No. Customer PO/ Customer Job 3003 37606 Phase Code TICKET NO. SUSTONIE CONSTRUCTION CO I 532 Pelivery Address 10927589 Co. Proj. No. Steve Y. SP1300 Delivery Instructions PARK WATER BNSF 10/09/13 RT 3 TRUCKS ALL DAY 531 Load Qty Scale Time: Delivered Qty 14:10 Order Qty Product Code 31.34 UOM 281.33 Product Description 30.00 2401 tn **Unit Price** FRACTURED SELECT FILL Amount Gross Tare Net Trike 104000 28640 62680 Trir: 12680 Delivery Charge: FUEL CHG PREV TRUCK: 510136 .OAD COUNT: 9 CHECK / CREDIT oad Size Prod. No. Description Slump Type Use Haul Cd ruck Gross Weight Pit/Plant Sales Tax Tare Weight Trailer Trailer 1 109 10163 Taken by 52.00 TOTAL DUE 20.66 030163 Check # 44176

### Fractured Select Fill Weight Tickets 10/10/13 Parkwater Construction Engineering

Concrete Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact with my office the medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediate medical attention if you have persistent or severe hrough clothing. Seek immediately with fresh, clothing in the persistent or severe hrough clothing. Seek immediately wi CUSTOMER 4271454 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_ inch slump. Arrived at job with \_\_ Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions\_ appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site 8.0 Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ Customer Job TICKET NO. SP1300 Phase Code Steve 10927595 Order No. 10//10/13 3760E Date SODO STREEDER CONSTRUCTION CO I 5324 E TREN PARK WATER BNSF Zone 531 107:31 **Delivery Instructions** Amount **Unit Price Product Description UOM ProductCode** FRACTURED SELECT FILL Order Qty Delivered Qty Load Qty tn 400.10 2401 31.06 31.06 Net Tare Delivery Charge: Gross

CREDIT

Type

11212

Taken by

FUEL CHG

Use

Haul Cd.

Check #

Sales Tax

TOTAL DUE

Pit/Plant

62120

Trailer

20.66 030163

CHECK

Trailer

28640

12680

Description

Tare Weight

103440

COUNT:

Prod. No.

51.72

**Gross Weight** 

PREV TRUCK:

I nad Size

510163

Nacretér: Injurious to eyes.Causes\_skin\_rritation.Contains Portland Cement. Read the following warning before using. Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with es and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-fitting eye protection when working with these and serious stand in wet concrete from flowing into them, aterials. If you have to stand in wet concrete, tweek water product with any of these materials, wash off immediately with fresh, clean water. Indirect contact instring otherce, wear knee pads to protect knees. After contact with any of these materials from cothing. Seek immediate medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediately medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediately. KEEP out of reach of children! User sommont of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sommont in the protection of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sommont in the protection of the protection of the protection of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User sommont in the protection of the CUSTOMER 4271455 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength ue to water added above design. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this time charged at posted truck time rates. LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that the useful this DELEASE. Its consideration of the posterior as the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: \_ inch slump. Arrived a job with Test cylinders gal water at customer request. Added taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Plant Arrive Job Site Start Discharge Finish Discharge Leave Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company SP1300 Phase Code Luke Customer Job 10927596 Cust. No. 10/10/13 Order No. Date 37606 SOOO **Delivery Address** Map 531 23E CONSTRUCTION CO 07:39 Scale Time: Delivery instructions Amount **UnitPrice** Product Description UOM **Product Code** Order Qty Delivered Qty Load Qty 2401 tn 400.10 94 30. Delivery Charge: Net Tare Gross 61880 27880 FUEL CHG 102340 Trk: 12580 Trir: PREV TRUCK :. 510163 CREDIT COUNT: DAD Sales Tax Pit/Plant Haul Cd CC Use Туре TOTAL DUE Slump 109 Description Prod. No. Load Size Taken by Check # Traile Trailer Tare Weight **Gross Weight** Truck 11212 030162 20.23 C10162 51.17

CUSTOMER icrete<sup>60</sup> Injurious to eyes.Causes..skin irritation:Contains Portland Cement. Read the following warning before using. Gontact with wet, irdened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a single concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a single concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with a single concrete, wear water proof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have be concrete from flowing into them, shifting concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with control these materials, wash off immediately with fresh, clean water. Indirect contact with order to the semination of the protection of prompty inse these materials from dothing. Seek immediate medical attention if you have persistent or severe long to content, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort name of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User comfort name (unhardened) concrete, mortar, cement or cement mixtures es to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures to estimate the property in the property in the contact with the contact with wet 4271459 Property Damage Indemnification & Release

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersioned, hereby INDEMNIFY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ater added at customer's own risk. Additional water added to concrete will duce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ie to water added above design. \_\_ inch slump. seller of its contract with me, I the undersigned, hereby INDEMNIFY the rrived at job with \_ seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annutranspaces. Test cylinders gal water at customer request. taken appurtenances, at: Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. N. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. any liability. 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 mixer. rrive Plant Signature of Owner or its Agent Leaye Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Driver Customer PO/ S SP1300 TICKET NO. Michael Company/ Phase Code 10927600 10/10/13 Customer Job Date Cust. No. Order No. 37606 PARK WATER BNSF SUUU Delivery Address 531 Customer CONSTRUCTION CO I 5324 08:28 Scale Time: Delivery Instructions Amount **Unit Price** Product Description FRACTURED SELECT FILL UOM **Product Code** Order Qty Delivered Qty tn Load Qty 400.10 2401 93.73 31.73 Delivery Charge: Net Tare Gross FUEL CHG 63460 28300 Trk: 104040 12280 510162 CARD CREDIT PREV TRUCK: CHECK Sales Tax COUNT: **Pit/Plant** LOAD Haul Cd. TOTAL DUE Use CC Type 109 Slump Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight 11212 Gross Weight 20.29 030856 Truck

52.02.

e+m+26.

CUSTOMER ncrete: Injurious to eyes.Causes skin imitation:Contains Portland Cement. Read the following warning before using Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with read concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with research several concrete, were waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these east alterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It is also to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User some to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures in the lation of the properties of the proper afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with Test cylinders seller or its contract with me, i the undersigned, naredy inductivinity the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: gal water at customer request. Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge 0:0 Drivers Comments Co. Proj. No. SP1300 Customer PO/ Driver TICKET NO. Company Phase Code Steve 10927601 Customer Job 10/10/13 Order No. Date 37606 3000 PARK WATER BNSF Delivery Address Map 531 532 STORES CONSTRUCTION CO I Ø8:55 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code Order Qty FRACTURED Delivered Qty Load Qty 10 2401 tn 124.87 Delivery Charge: Gross 62280 28640 103600 FUEL CHG 510136 PREV TRUCK: CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Use Type TOTAL DUE 109 Description Prod. No. Load Size Taken by Check # Trailer **Trailer** Tare Weight **Gross Weight** 11212

030163

20.66

510163 51.80

ncret Injurious to eyes. Causes. skin irritation: Contains Portland Cement. Read the following warning before using: Contact with wet, iardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeves shirt, full-length trousers and tight-fitting eye protection when working with these stand in wet concrete, use waterproof boots that are tight, at the top and high enough to keep concrete from flowing into them, terials. If you have to stand in wet concrete, use waterproof boots that are tight, at the top and high enough to keep concrete from flowing into them. Sometimes are stand in wet concrete, use water indirect contact nishing concrete, wear knee pads to protect knees. After contact with any of these materials from dothing. Seek immediate medical attention if you have persistent or severe ough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe ough dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe ough dothing is a dangerous so promptly rinse these materials from dothing. Seek immediately. KEEP out of reach of children! User immediately. KEEP out of reach of children! User immediately. KEEP out of reach of children! User immediately is warring to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. In the contract with wet (unhardened) concrete, mortar, cement or cement mixtures or control fugitive dust should be taken generals. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken generals. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken generals. Prolonged inhalations of CUSTOMER 4271461 Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this 
machinery in the manner required to perform our contract with you may 
possibly cause damage to the premises or property. It is our wish to help 
you in everyway that we can, but in order to do this, the operator is asking 
that you sign this RELEASE. In consideration of the performance of the 
seller of its contract with me, I the undersigned, hereby INDEMNIFY the 
seller and its emolowes for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will iduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump Arrived at job with Test cylinders sens or its contract with the time undersigned, hereby instictionary time seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at gal water at customer request. taken Added Other additions Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments A. Co. Proj. No. Customer PO/ TICKET NO. Company/ Customer Job SP1300 Phase Code Luke 10927602 10/10/13 Cust. No. Order No. Date 37606 3000 PARK WATER BNSF Map Delivery Address 531 CONSTRUCTION CO I 5324 08:58 Scale Time: Delivery Instructions Amount **UnitPrice Product Description UOM** SELECT FILL Product Code Order Qty FRACTURED Delivered Qty Load Qty 400.10 2401 156.28 31.41 Delivery Charge: Net Tare Gross 62820 FUEL CHG 27880 103280 510163 PREV TRUCK: CREDIT LOAD COUNT: Sales Tax **Pit/Plant** Haul Cd. CC TOTAL DUE Type Slump 109 Description Prod. No. Load Size Taken by Check # Trailer :Trailer Tare Weight Gross Weight 11212 Truck 030162 20.23 51.64 EIDIER

Oncrete. Injurious to eyes.Causes skin imitation:Contains Portland Cement. Read the following warning before using Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these restands. If you have to stand in wet concrete, use waterproof boots that are tight, at the top and high enough to keep concrete from flowing into them atterials. If you have to stand in wet concrete, use waterproof boots that are tight, at the top and high enough to keep concrete from flowing into them atterials. If you have to stand in wet concrete, use waterproof boots that are tight, at the top and high enough to keep concrete from flowing into them atterials. If you have to past to protect kines, after contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep adds to protect kines. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep adds to protect knees. After contact with wet (unhardened) concrete, mortar, cement or cement mixtures, grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, and the protect water and see a physician.

\*\*Mortarian\*\*

\*\*Agreed\*\*

\*\*Indiana\*\*

\*\*Consult Protect\*

\*\*Indiana\*\*

\*\*Indiana\*\*

\*\* CUSTOMER Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. \_\_ inch slump. Arrived at job with \_ Test cylinders gal water at customer request. taken Other additions Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No Customer PO/ TICKET NO. Driver Company/ S SP1300 Phase Code Michael Customer Job 10927605 Cust. No. 10/10/13 Order No. 37606 3000 Delivery Address Мар 531 STRIBER CONSTRUCTION CO I 532 23E 09:53 Scale Delivery Instructions Amount **UnitPrice Product Description ProductCode** UOM Order Qty FRACTURED SELECT FILL Delivered Qty Load Qty 188.46 400.10 2401 tn 32.18 Net Delivery Charge: Tare Gross 64360 28300 104940 FUEL CHG 12280 Teles PREV TRUCK: 510162 CREDIT CARD COUNT: Sales Tax Pit/Plant Haul Cd Use CC Type Slump TOTAL DUE 109 1 Description Prod. No. Load Size

Taken by

11212

Trailer

5 Trailer

20.29 030856

Tare Weight

**Gross Weight** 

52.47

Truck

510136

Check #

Oncrete Injurious to eyes.Causes skin imitation,Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement of cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, rating concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact known in the control contact with a service in the control contact attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe fiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User signes to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken after the following the hazardous to your health. Measures to control fugitive dust should be taken after gravely g CUSTOMER safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_ inch slump. Arrived at job with \_ Test cylinders \_\_ gal water at customer request. Other additions Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Finish Discharge Leave Plant Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Steve Cust. No. Order No. 10927608 10/10/13 37606 Date 3000 **Delivery Address** PARK WATER BNSF TRIDER CONSTRUCTION CO I 5324 TRENT 531 -10:09 Scale Time: Delivery Instructions Amount **Unit Price** Product Description UOM Product Code Order Qty FRACTURED SELECT FILL **Delivered Qty** Load Qty 400.10 2401 tn 219.85 31.39 Net Tare Gross Delivery 28640 Trk: 104100 FUEL CHG 12680 PREV TRUCK: 510136 CREDIT COUNT: Sales Tax Pit/Plant Haul Cd CC Lise Type Slump TOTAL DUE Description 109 Prod. No. Load Size Taken by Trailer Check # Trailer Tare Weight **Gross Weight** 11212 20.66 030163 52.05

			The state of the s					
THE PASSE					ofore using Contact with wet	CUSTOM	ER	
					efore using Contact with wet, eye damage. Avoid contact with tection when working with these	1		
res and skin. Wear water	aproor gioves, a ii	te use waterproof bo	oots that are tight at the to	op and high enough to keep	concrete north howing the start.			and the second
inishing concrete, wear ki	nee paus to protec	th rinse these materi	ials from clothing. Seek i	immediate medical attention	I you have persistent or severe			
comfort.In case of eye o	CONTROL, IIUSII WIUI	s who may use of O	ome into contact with wet	t (unhardened) concrete, mo	otal funition dust should be taken		1.0	427146
agregates: Prolongeo	innaiations of dus	St morn a graver pro-	nee Avoid breathing fume	ies. Also, Asphalt may caus	ntrol lugitive dust should be taken be severe burns. Wear protective		1	
afety gear (long sleeves,	paris and glove	sy, ii burios, sed in	t to concrete will	Property Damage Inde	emnification & Release	s RE- Unloading &	Standby Exc	ess unloading will b
ater added at custome duce its strength. Bipyer ie to water added above o	1 2 gdetti gdioco io	accept responsibility		LEASE to you for your signa	dure, is of the opinion that the operation	of this charged at pour may time charged	osted truck tim at posted truck	e rates. Huck standt
rrived at job with	4	inch slump.		possibly cause damage to the	but in order to do this the operator is	asking Limited Warr	anty The only	liability of the seller
	water at custom	er request.	Test cylinders	that you sign this RELEASE	the undersigned hereby INDEMNI	FY the event shall th		e for any direct, indirect damages resulting frising out of breach of a gas or shortages must
-	ator at coord		aken	seller and its employees for a	any damage and for all daims to the pro- cables, telephone lines, driveway o	the use of the warranty. All	products or ari	sing out of breach of a ges or shortages must been We do not assu
Other additions teceived	510	DIF	1	appurtenances, at:				ivery.We do not assu e beyond the curb line
V	eint of product	and approval of	f any added items.	and RELEASE the se	eller and its employees from			
The addition of any	extra products	to our mixer may	y void any warranty	any liability.		N. 1330		
expressed or implied personal injury incu-	I by the seller. rred by you wh	ile adding addition	s no liability for any onal products to our	Signature of OV	vner or its Agent	SPOKANE	7	99208-708
mixer.		100				(509) 5	36-315	1.
	re of Owner	or its Agent Start Discharg	e Finish Dischar	AND THE PROPERTY OF THE PROPER	WGDELTKT090408 Arrive Plant	1 100101 11011 00	un iniis iisii l	
Leave Plant	ALLING TOD 210	Start Discharg		The state of				
10.00	i di					* 1	9 5	7 6 0 9
Drivers' Comments	40	- 0				many is a confidence of the de	- pe	and the second of the second of
and the same	The second of the	the same taken the t		partitions have a vision and and	t and the gar enterplay of the first			O- Busi No
Order No.	Cust No.		pany/ mer Job	Customer PO/ Phase Code	TICKET NO. 1 /09276/09	Driver Luke	a' W	Co. Proj. No. SP.1300
3000	/ 37	606			T 43 Tem L Cam m		Date	0/10/13
Customer	CONSTR	PHETTON	co I 5324	elivery Address	PARK WATER E	NSF	Map .	Zone 531
		(CJC) I Z CJ(	100				Scale 2.38	10:15
Delivery Instruction	ons					No Edward	Time:	
				Droduct	Description	UnitP	rice	Amount
Load Qty	Delivered Qty		Product Code		t Description		rice	Amount
	Delivered Qty	2 (T) (T)	ProductCode		tDescription ACTURED SELECT		rice	Amount
Load Qty		2 (T) (T)					rice	Amount
Load Qty		2 (T) (T)					rice	Amount
Load Qty		2 (T) (T)					rice	Amount
Load Qty		2 (T) (T)					rice	Amount
Load Qty 30.86	250.7	71 400.	10 2401		ACTURED SELECT	FILL		Amount
Load Qty 30.86	250.7 Gross	2 (T) (T)			ACTURED SELECT	T FILL . Delivery C	harge:	Amount
Load Qty 30.86	250.7	71 400. Tare	10 2401 Net		ACTURED SELECT	T FILL . Delivery C		Amount
Load Qty 30.86	250.7 Gross Ø2180	71 400. Tare 27880 12580	Net 61720		ACTURED SELECT	T FILL . Delivery C		Amount
Load Qty 30.86 Trk: 1 Trlr:	250.7 Gross 02180	Tare 27880 12580	Net 61720	tn FR	FUEL CHG	T FILL . Delivery C		Amount
Load Qty 30.86 Trk: 1 Trlr:	250.7 Gross Ø2180	71 400. Tare 27880 12580	Net 61720	tn FR	FUEL CHG	T FILL . Delivery C		

Taken by

11212

Trailer

Check #

Tare Weight

Trailer

20.23 030162

51.09

Gross Weight

Load Size

510162

Truck

CUSTOMER oncrete: Injurious to eyes Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with read of the control of the afety gear (long sleeves, paolis, and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can that in order to do this the operator is action. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. fue to water added above design. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the \_\_ inch slump. Arrived at job with \_ Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, laken building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co Proj No. Customer PO/ Driver TICKET NO. SP1300 Company/ Michael S Phase Code Customer Job 10927613 10/10/13 Order No. 606 Date 3000 PARK WATER BNSF Delivery Address Map S31. 23E SUSTRIBLER CONSTRUCTION CO I 532 10:58 Scale Time: Delivery instructions Amount **UnitPrice** Product Description UOM FRACTURED SELECT FILL **Product Code** Order Qty Delivered Qty Load Qty 2401 tn 10 400. 31.02 281. Net Charge: Delivery Gross 62040 28300 102620 FUEL CHG 12280 TRUCK: 510162 PREV CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Type TOTAL DUE Slump 109 Description Prod. No. Load Size Check # Taken by Trailer Trailer Tare Weight **Gross Weight** 11212 030856 20.29 51.31 510136

## 5/8" Top Course Weight Tickets 9/17/13 **Parkwater Construction Engineering**

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100396 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other anountenances. at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. Arrived at job with inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_ \_\_\_ gal water at customer request. Test cylinders Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD Signature of Owner or its Agent SPOKANE. WA 99208-7089 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site Drivers' Comments Company/ Customer PO/ Phase Code Order No. Cust. No. Customer Job TICKET NO. Driver Co. Proj. No. 3027 10926937 Denn is M SP1300 Customer **Delivery Address** 09/17/13 STRIDER CONSTRUCTION CO I 5324 E TRENT Мар **Delivery Instructions** 531 RR YARD Scale Time: 13:26 Load Qty Delivered Qtv Order Qty **Product Code UOM Product Description Unit Price Amount** 30.86 30.86 120.00 2350 5/8" TOP COURSE Gross Tare Net Trks 24900 Delivery Charge: 10280 TRUCK: 510011 LOAD COUNT: Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pit/Plant Sales Tax **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Taken by Check # 51057 59 030750

CUSTOMER

CUSTOWIEH Concrete: Injurious to eyes.Cáuses skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and bight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control highive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety quar (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100397 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause darriage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Arrived at job with inch slump time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added gal water at customer request. Test cylinders Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt/of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD mixer. Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509)536-3151 NWGDELTKT090408 Arrive Job Site Start Discharge Leave/Plant Finish Discharge Leave Job Site **Arrive Plant** Drivers Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3027 37606 10926938 Garr B SP1300 ett **Delivery Address** 09/17/13 STRIDER CONSTRUCTION CO I 5324 E Мар **Delivery Instructions** 531 RR YARD 14:00 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price Amount** 31.20 62.06 120.00 2350 tn 5/8" TOP COURSE

Delivery Charge:

Pit/Plant

Sales Tax
TOTAL DUE

FUEL CHG

Use

Haul Cd

Check #

Gross

Prod No.

51.39

**Gross Weight** 

Trk: 102780

PREV TRUCK:

LOAD COUNT:

Load Size

510616

Truck

Tare

12580

510577 .

Description-

Tare Weight

Net

62400

Trailer

20.19 030616

CREDIT

Trailer

Type

Taken by

CC

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete mortar, cement or cement motures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye darriage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through cothing is as dangerous so promptly rinse these materials from dothing. Seek mmediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also Asphalt may cause severe burns. Wear protective safety query flowers and olives). If burned, cool with water and see a notwician. 4100398 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Added water at customer request. seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received by appurtenances, at. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 13302 PERRY RD mixer. Signature of Owner or its Agent SPOKANE WA 99208-7089 Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Arrive Plant Leave Plant Arrive Job Sije Start Discharge Finish Discharge Leave Job Site Drivers Comments Company/ Customer PO/ Order No. Cust. No. **Customer Job** Phase Code TICKET NO. Driver Co. Proj. No. 3027 37606 10926939 Luke SP1300 Customer Date **Delivery Address** 09/17/13 STRIDER CONSTRUCTION CO I 5324 Map Delivery Instructions 531 RR YARD Scale 14:06 Load Qty **Delivered Qty** Order Qty **Product Code UOM** Product Description **Unit Price Amount** 32, 51 94.57 120.00 2350 tn TOP COURSE Gross Tare Net Trk: 105480 27880 65020 Delivery Charge: FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CREDIT Load Size Prod No Description Slump Use Haul Cd. Type Pit/Plant Sales Tax **TOTAL DUE** 1019 Gross Weight Truck Tare Weight Trailer Trailer Taken by Check #

42893

52.74

20.23 030162

4100401

Concrete: Injunious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warming before using: Contact with wet, unhardened concrete mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye definage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Polonged inhalators of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will.

Property Damage Indemnification & Release. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other apportenances, at: Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer. any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Leave Job Site **Arrive Plant** Finish Discharge Customer PO/ Co. Proj. No. Driver TICKET NO. Phase Code SP1300 10926942 Dennis Date 09/17/13 **Delivery Address** Мар STRIDER CONSTRUCTION CO I 5324 E TRENT 531 14:52 **Amount Unit Price Product Description** UOM **Product Code** 5/8" TOP COURSE

Net Tare Gross 62340 24900 97520 Trks. 10280 Tribes

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength

\_ gal water at customer request.

Signature of Owner or its Agent

Cust. No.

Delivered Qty

125.74

Arrive Job Site Start Discharge

37606

Test cylinders

Company/

Order Qty

**Customer Job** 

120.00 2350

due to water added above design

Added \_\_\_\_ Other additions Received by

mixer.

Drivers: Comments

Order No.

Delivery Instructions

31.17

RR YARD

Load Qty

3027

Arrived at job with \_\_\_\_\_ inch slump.

Delivery Change:

FUEL CHG

510162 PREV TRUCK: LOAD COUNT:

CHECK CREDIT

Sales Tax Pit/Plant Haul Cd Slump Type Prod. No. Description Load Size TOTAL DUE Taken by Trailer Tare Weight Trailer **Gross Weight** Check # Truck

30750

#### 5/8" Top Course Weight Tickets 9/24/13 Parkwater Construction Engineering

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with these through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. CUSTOMER agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhabitors of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt enrits nuisance furnes. Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100584 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the understand hereby INDEMNIFY the due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_\_\_\_ \_\_\_\_ inch slump. Added \_\_\_\_\_ gal water at customer request. time charged at posted truck time rates. Test cylinders Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Other additions seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Received X building, utility pipelines or cables, telephone lines, driveway or other Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from N. 13302 PERRY RD Signature of Owner or its Agent Signature of Owner or its Agent SPOKANE, WA 99208-7089 Leave Plant, Arrive Job Site Start Discharge Finish Discharge (509) 536-3151 NWGDELTKT090408 Leave Job Site **Arrive Plant** Drivers' Comments Order No. Company/ Cust. No. Customer PO/ Customer Job 3036 Phase Code TICKET NO. 37606 Driver Customer Co. Proj. No. 10927125 STRIDER CONSTRUCTION CO I 5324 RICH K **Delivery Address** SP1300 Date Delivery Instructions E TRENT / 09/24/13 PARK WATER BNSF Мар Zone 531 Load Qty Scale Time: Delivered Qty Order Qty 11:47 **Product Code** UOM **Product Description** 31.03 31.03 120.00 2350 **Unit Price** tn 5/8" TOP COURSE **Amount** Gross Tare Net Trk: 99980 25960 62060 Trir: 11960 Delivery Charge: FUEL CHG PREV TRUCK: LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slump Туре CC Use Haul Cd. Pit/Plant Truck Gross Weight Sales Tax Tare Weight Trailer Trailer Taken by TOTAL DUE 51001 18.96 030229 Check #

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately with fresh, clean water. Indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective CUSTOMER 10 11 Aggregates: Prolonged impalations of dust from a graver product may be nazarbous to your neatin, measures to control lugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4100587 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
appurtenances, at: Arrived at job with Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby \_\_ inch slump. Added \_\_\_\_ time charged at posted truck time rates. \_\_\_ gal water at customer request. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Other additions Received. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty and RELEASE the seller and its employees from expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our Signature of Owner or its Agent N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Leave Plant Arrive Job Site Start Discharge NWGDELTKT090408 Arrive Plant Finish Discharge (509) 536-3151 Leave Job Site **Drivers** Comments Order No. Company/ Cust. No. Customer PO/ Customer Job Phase Code 3036 TICKET NO. 37606 Driver Customer Co. Proj. No. 10927128 STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF RICH, SP1300 Delivery Instructions Date 09/24/13 Мар Zone S31 Load Qty Delivered Qty Order Qty 13:14 Product Code UOM **Product Description** 29, 93 60.96 120.00 2350 **Unit Price** tn 5/8" TOP COURSE **Amount** Gross Tare Net Trike 97780 25960 5986A Trire 11960 Delivery Charge: FUEL CHG PREV TRUCK: 510011 # LOAD COUNT: CHECK CREDIT \_oad Size Prod. No Description Slump Туре CC Haul Cd. ruck Gross Weight Pit/Plant Sales Tax Tare Weight Trailer Trailer Taken by TOTAL DUE 1 1710 DEDEPE Check #

Concrete: Injurious to eyes.Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with materials, if you have to stand in wet concrete, use waterproof boots that are light at the top and high enough to keep concrete from flowing with these if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User Aggregates: Prolonged inhalations of dust from a greed product may be hazardous to your health. Measures to control fugitive dust should be taken safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will CUSTOMER 4100590 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises. due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_ \_\_\_ inch slump. Added \_\_\_\_\_ gal water at customer request. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received, Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from Signature of Owner or its Agent N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Leave Plant rive Job Site Start Discharge NWGDELTKT090408 Finish Discharge (509) 536-3151 Leave Job Site **Arrive Plant** Drivers' Comments Order No. Company/ Cust. No. Customer PO/ Customer Job Phase Code 3036 TICKET NO. 37606 Driver Customer Co. Proj. No. 10927131 STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF Hal SP1300 Delivery Instructions Date 09/24/13 Map Zone 531 Load Qty Scale Time: Delivered Qty Order Qty 13:30 Product Code UOM **Product Description** 31.91 92.87 120.00 2350 **Unit Price** tn 5/8" TOP COURSE **Amount** Gross Tare Net Trk: 103300 28560 63820 Trire 10920 Delivery Charge: FUEL CHG PREV TRUCK: 510011 LOAD COUNT: 3 CHECK / CREDIT CARD Load Size Prod. No. Description Slump Type Use Haul Cd. Pit/Plant Truck Gross Weight Sales Tax Tare Weight Trailer Trailer TOTAL DUE Taken by 100 510134 19.74 030751 Check #

Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning/before using: Contact with wet, eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these refinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to corvey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Probaged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes, Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4100596 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept respons bility for reduced strength Property Damage Indemnification & Release Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_\_\_ \_\_\_ inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_ gal water at customer request. Test cylinders Other additions Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability. N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent Arrive Joh Site Start Discharge (509) 536-3151 NWGDELTKT090408 Finish Discharge Leave Job Site **Arrive Plant** Drivers' Comments Company/ Order No. Customer PO/ Cust. No. Customer Job Phase Code TICKET NO. 3036 37606 Driver Co. Proj. No. 10927137 Customer RICH SP1300 STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNSF **Delivery Address** 09/24/13 **Delivery Instructions** Мар Zone 531 Scale 14:28 Load Qty Delivered Qty Order Qty Product Code UOM **Product Description** 29.84 **Unit Price** Amount 122.71 120.00 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 97600 25960 59680 Trire Delivery Charge: 11960 FUEL CHG PREV TRUCK: 510134 LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slump Type CC Use Haul Cd Pit/Plant Sales Tax Gross Weight Tare Weight Trailer TOTAL DUE 1170 Traile Taken by Check #

### 5/8" Top Course Weight Tickets 10/8/13 Parkwater Construction Engineering

CREDIT

Type

11212

Taken by

CC

Haul Cd

1

Check #

Pit/Plant

109

Sales Tax

TOTAL DUE

Slump

Trailer

Load Size

510009.

Truck

Prod. No.

29.50

Gross Weight

Description

Tare Weight

13.50

Trailer

Concrete:-Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, eyes and skin, Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken safety gear (long sleeves; pants and gloves). If burned, cool with water and see a physician

5

Arrived at job with  Added  gal water at customer at customer request.  Arrived at job with  Added  gal water at customer request.  Arrived at job with  Added  gal water at customer request.  Arrived at job with  Added  gal water at customer request.  Arrived at job with  Added  gal water at customer request.  Arrived at job with  Added  gal water at customer request.  Test cylinders taken  Other additions  Received  by  Buyer's Agent receipt of product and approval of any added items.	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product delect is the return of the purchase price. In ne event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.  Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Dischar	Signature of Owner or its Agent	
Drivers' Comments		* 1 0 9 2 7 5 2 5 *
Customer Job  Cu	Customer PO/ Phase Code TICKET NO. 1/0927525  livery Address L TRENT / PARK WATER BNSF	Driver Garrett B SP1300 Date 10/08/13 Map Zone
Customer Job	Phase Code TICKET NO. 1-0927525	Garrett B SP1300 Date 10/08/13
Customer Job  Cu	Phase Code TICKET NO. 10927525  livery Address / PARK WATER BNSF  UOM Product Description tn 5/8" TOP COURSE	Garrett B SP1300  Date 10/08/13  Map Zone 23E S31  Scale Time: 07:18

11212

## 5/8" Top Course Weight Tickets 10/9/13 **Parkwater Construction Engineering**

Concreté! Injunous to eyes, Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance turnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release CUSTOMER 4271423 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. inch slump. possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Test cylinders gal water at customer request Added-Other additions building, utility pipelines or cables, telephone lines, driveway or other Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site **Drivers** Comments Customer PO/ Company/ TICKET NO. Co. Proj. No. Order No. Customer Job Phase Code Cust No. Garrett B SP1300 3003 37606 10927564 Date 10/09/13 Delivery Address Customer STRIDER CONSTRUCTION CO WATER BUSE 532 Мар 931 23F **Delivery Instructions** 07:31 3 TRUCKS ALL DAY Scale Time: Load Qty Product Code **UOM Product Description Unit Price** Amount Order Qty Delivered Qty 31.23 400.10 2350 tin 5/8" TOP COURSE 31.23 Tare Net Gross 103200 28260 62460 Delivery Charge: FUEL CHG Trlr: 12480 PREV TRUCK: 510616 LOAD COUNT: CHECK CREDIT CC Use Haul Cd Pit/Plant Sales Tax Prod. No. Description Slump Type Load Size 109 **TOTAL DUE** 

Gross Weight

51.60

Truck

510616

Tare Weight

20.37

Trailer

030616

Trailer

Taken by

44176

Check #

CUSTOMER On Creft: Injurious to eyes. Causes skin imitation Contains Portland Cement. Read the following warning before "using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have pearsistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271424 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. Arrived at job with \_ \_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, you in everyway that we can, but in order to do this, the operator is asking Test cylinders that you sign this RELEASE. In consideration of the performance of the Added \_\_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received X appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509)536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave, Job Site, Arrive Plant : 3 Drivers' Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Order No. Customer Job Phase Code Driver SP1300 10927565 Steve 10/09/13 Date Customenter CONSTRUCTION CO I WATER BNSF 531 RT 3 TRUC TRUCKS ALL DAY 07:34 Scale **Product Description** UOM **Unit Price** Load Qty **Delivered Qty** Order Qty Product Code Amount 61.83 30.60 400.10 2350 tn 5/8" TOP COURSE Tare 102520 28640 61200 Delivery Charges. FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK / CREDIT CARD Pit/Plant Sales Tax Load Size Prod. No. Description Slump Type Haul Cd. 109 1 **TOTAL DUE** Taken by Truck Gross Weight Tare Weight Trailer Trailer Check # 510163 51.26 20.66 030163 44176

CUSTOMER Concrete Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using. Contact with wet, Concrete: Injurious to eyes.Causes skin irritation.Gontains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through dolting is as dangerous so promptly rinse these materials from dolthing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt enrits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burner, cold with water and severe product and the severe and severe for a protective safety gear (long sleeves, pants and gloves). If burner, cold with water and severe product and the severe for a protective safety gear (long sleeves, pants and gloves). If burner, cold with water and severe product and the severe for a protective safety gear (long sleeves, pants and gloves). If burner, cold with water and severe product and the severe for a product and the severe for a product and the severe for a produ 4271425 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be due to water added above design. charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Arrived at job with \_\_\_\_ \_\_\_ inch slump. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume recognibility for any deprese burned the curb line. Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises. building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any any liability. 13302 PERRY RD personal injury incurred by you while adding additional products to our mixer. Signature of Owner or its Agent SPOKANE, WA 99208-7089 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant Arrive Plant Drivers' Comments Customer PO/ Company/ Order No. Cust. No. Customer Job Phase Code TICKET NO Driver Co. Proj. No. 3003 37606 10927566 Michael S SP1300 10/09/13 **Delivery Address** RIDER CONSTRUCTION CO I PARK WATER BNSF Мар Delivery Instructions 531 3 TRUCKS ALL DAY 07:53 Scale Load Qty Product Code **Product Description** Delivered Qty Order Qty **UOM Unit Price** Amount 92.60 400.10 2350 5/8" TOP COURSE Gross Tare Net 102120 28300 Trks 61540 Delivery Charge: Trire 12280 FUEL CHG PREV TRUCK: 510163 LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No Description Slump Type Use Haul Cd. Pit/Plant Sales Tax 109 **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Taken by Trailer Check # 510136 20.29 030856 44176

CUSTOMER Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through dothing is as dangerous so promptly inise these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271426 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. time charged at posted truck time rates. Arrived at job with \_ \_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders that you sign this RELEASE. In consideration of the performance of the Added \_\_\_\_\_ gal water at customer request, seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Order No. Phase Code Driver SP1300 10927567 Steve 10/09/13 Date Delivery Address SIRIBER CONSTRUCTION CO I PARK WATER BNSF 23E .531 **Delivery Instructions** RT 3 TRUCKS ALL DAY, 08:52 Scale Load Qty UOM Product Description **Unit Price** Amount Delivered Qty Order Qty Product Code 31.41 124.01 400.10 2350 tn 5/8" TOP COURSE Gross Tare 28640 Trk: 104140 62820 Delivery Charge: FUEL CHG PREV TRUCK: 510136 LOAD COUNT: CHECK / CREDIT CARD CC Use Haul Cd. Pit/Plant Sales Tax Prod. No. Description Slump Type Load Size 109 1 **TOTAL DUE** 

Taken by

4417E

Check #

Trailer

Truck

510163

Gross Weight

52.07

Tare Weight

Trailer

20.66 030163

CUSTOMER Controlle: Injurious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety open flowers. If burned, cool with water and see a physician. 4271427 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume inch slump. Arrived at job with Test cylinders gal water at customer request Added ~ seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent 536-3151 (509)Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Customer Job Phase Code Order No. Cust. No. Garr SP1300 10927568 ett B 3003 37606 10/09/13 Date **Delivery Address** Customer STRIDER WATER CONSTRUCTION Мар CO T Zone 531 23E Delivery Instructions Scale Time: 08:55 TRUCKS ALL DAY Amount **Unit Price** Product Description Load Qty **Delivered Qty** Order Qty Product Code **UOM** 5/8" TOP COURSE 155.76 400. tn 31. Gross Net 28260 63500 Delivery Charge: 104240 FUEL CHG 12480 510163 PREV TRUCK: CHECK / CREDIT 5 LOAD COUNT: Sales Tax Pit/Plant CC Haul Cd. Slump Type Use Prod. No. Description Load Size **TOTAL DUE** 109 Taken by Trailer Truck Gross Weight Tare Weight Trailer Check # 030616 44176 510616 52.12 20.37

Gross Tare Net Trk: 104440 28300 63860 Trl: 12280  OREV TRUCK: 510616 #_ COAD COUNT: 6 CHECK	tn 5/8" TOP COURSE  DO FUEL CHG	UnitF elivery C	Price	S31 9:08 Amount
Gross Tare Net Trk: 104440 28300 63860 Trl: 12280  OAD COUNT: 6 CHECK	tn 5/8" TOP COURSE  Definition of the course	UnitF elivery C	Scale Time: O	9:08
Cross   Tare   Net	tn 5/8" TOP COURSE  DO FUEL CHG	UnitF	Scale Time: Ø	9:08
Very Instructions F 3 TRUCKS ALL DAY  Pad Qty Delivered Qty Order Qty Product Code 31.93 187.69 400.10 2350  Gross Tare Net Trk: 1044440 28300 63860 rlr: 12280  REV TRUCK: 510616 #	tn 5/8" TOP COURSE  DO FUEL CHG	UnitF	Scale Time:	9:08
Gross Tare Net	tn 5/8" TOP COURSE	UnitF	Scale Time:	9:08
envinstructions 3 TRUCKS ALL DAY  ad Qty Delivered Qty Order Qty Product Code 31.93 187.69 400.10 2350  Gross Tare Net rk: 104440 28300 63860	tn 5/8" TOP COURSE	UnitF	Scale Time:	9:08
Gross Tare Net	tn 5/8" TOP COURSE	UnitF	Scale Time:	9:08
3 TRUCKS ALL DAY  Id Qty Delivered Qty Order Qty Product Code		p	Scale [7]	9:08
ad Qty Delivered Qty Order Qty Product Code		p	Scale [7]	9:08
ad Qty Delivered Qty Order Qty Product Code		p	Scale [7]	9:08
ad Qty Delivered Qty Order Qty Product Code		p	Scale [7]	9:08
ad Qty Delivered Qty Order Qty Product Code		p	Scale [7]	9:08
ery instructions 3 TRUCKS ALL DAY		p	Scale [7]	9:08
very instructions		b	Scale 17	,
KINCK CHMSTKOCTION OF T SOC.			0.25	0.21
RIDER CONSTRUCTION CO I 532	4 E TRENT / PARK WATER BI	VSF	Map	Zone
37606	Delivery Address	t to the food t		/09/13
der No. Cust. No. Customer Job	Phase Code TICKET NO.	Driver	hael S'S	Co. Proj. No.
2	Customer PO/			
ers' ments		* 1	9 2 7	5 7 0 *
7.71	. 10 (0 . 1/			
Signature of Owner or its Agent ive Plant   Arrive Job Site Start Discharge   Finish Discharge	arge Leave Job Site Arrive Plant	1 (0.010) 11011 0	OLEO EN LO TENTAL PROPERTOR	
A Agent	Signature of Owner or its Agent		536-3151	
ssed or implied by the seller. The seller accepts no liability for any nal injury incurred by you while adding additional products to our		N. 1330 SPOKANE	DE PERRY	RD 9208-7089
er's Agent receipt of product and approval of any added items.  addition of any extra products to our mixer may void any warranty	any liability.			
ived X	appurtenances, at:	made within responsibility	n 24 nours of delive ity for any damage i	ery.We do not assume beyond the curb line:
additions	seller and its employees for any damage and for all claims to the pre- building, utility pipelines or cables, telephone lines, driveway or	other the use of the warranty. A	he products or arisi Il claims for damage	amages resulting from ng out of breach of an es or shortages must be ery. We do not assum
d gal water at customer request. Test cylinders taken	that you sign this RELEASE. In consideration of the performance seller of its contract with me. I the undersigned, hereby INDEMINIF			
ed at job with inch slump.	machinery in the manner required to perform our contract with you possibly cause damage to the premises or property. It is our wish to you in everyway that we can, but in order to do this, the operator is a	may time charge	ed at posted truck	time rates. ability of the seller for epithese price. In no
added at customer's own risk. Additional water added to content with its strength. Buyer's agent agrees to accept responsibility for reduced strength water added above design.	The operator of this piece of heavy equipment, in presenting this LEASE to you for your signature is of the opinion that the operation	of this charged at	posted truck time	ss unloading will be rates. Truck standby
idded at customer's own risk. Additional water added to concrete will	hysician.  Property Damage Indemnification & Release			
gear (long sleeves, pants and gloves). If burned, cool with water and see a pr				
to convey this warning to all persons who may use or come into contact with a gates. Prolonged inhalations of dust from a gravel product may be hazardous andling this product. Hot Asphalt emits nuisance furnes. Avoid breathing figear (long sleeves, pants and gloves). If burned, cool with water and see a program with Additional water added to conscrete will	to your health. Measures to control funitive dust should be taken		7	211423
clothing is as dangerous so promptly mise these materials from bothing. Set ort. In case of eye contact, flush with plenty of water for at least 15 minutes. Con to convey this warning to all persons who may use or come into contact with understand inhalations of dust from a gravel product may be hazardous noting this product. Hot Asphalt emits nuisance furnes. Avoid breathing for ear (long sleeves, pants and gloves). If burned, cool with water and see all the description of the description of the second of the	nsult physician immediately. KEEP out of reach of children! User wet (unhardened) concrete, mortar, cement or cement mixtures.		4	271429
is skin. Wear waterproof gloves, a hulty-buttoned, long-seeve smir, hull-lengful in if you have to stand in wet concrete, use waterproof boots that are tight at the g concrete, wear knee pads to protect knees. After contact with any of these mate dothing is as dangerous so promptly rinse these materials from clothing. Se int. In case of eye contact, flush with plenty of water for at least 15 minutes. Con convey this warning to all persons who may use or come into contact with gates: Prolonged inhalations of dust from a gravel product may be hazardous indling this product. Hot Asphalt emits nuisance furnes. Avoid breathing from ear (long sleeves, pants and gloves). If burned, cool with water and see a pt	he top and high enough to keep concrete from flowing into them, erials, wash off immediately with fresh, clean water. Indirect contact lek' immediate medical attention if you have persistent or severe insult physician immediately. KEEP out of reach of children! User wet (unhardened) concrete, mortar, cement or cement mixtures.		4	271429
to convey this warning to all persons who may use or come into contact with a gates: Prolonged inhalations of dust from a gravel product may be hazardous adding this product. Hot Asphalt emits nuisance furnes. Avoid breathing fiear (long sleeves, pants and gloves). If burned, cool with water and see a present the Additional water added to constate will	rousers and tight-fitting eye protection when working with these he top and high enough to keep concrete from flowing into them. I see that wash off timediately with fresh, dean water. Indirect contact leak immediate medical attention if you have persistent or severe insult physician immediately. KEEP out of reach of children! User wet (unhardened) concrete, mortar, cement or cement mixtures.		4	271429

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nursance fumes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271432 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume inch slump. Arrived at job with Test cylinders gal water at customer request. Added \_\_\_ seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipetines or cables, telephone lines, driveway or other Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and-approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. (509)536-3151 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Job Site Arrive Plant Arrive Job Site Start Discharge Leave Drivers Comments Customer PO/ Company/ Co. Proj. No TICKET NO. Drive Phase Code Customer Job Order No. Cust. No. B SP1300 Garrett 10927573 606 3003 10/09/13 Date 5324 E RENT CustomenER CONSTRUCTION CO I Map 531 23E Delivery Instructions
RT 3 TRUCKS ALL DAY 10:14 Amount **Unit Price** Product Code **UOM Product Description** Load Qty **Delivered Qty** Order Qty 5/8" TOP 218.29 tn COURSE 400.10 2350 30.60 Gross Tare Net Delivery Charge: 28260 61200 101940 Trk: FUEL CHG 12480 Trira TRUCK: 510136 PREV CREDIT LOAD COUNT: CHECK Sales Tax Haul Cd. Pit/Plant CC Use Slump Type Prod. No. Description Load Size 109 **TOTAL DUE** Taken by Trailer Trailer Tare Weight Gross Weight Truck Check # 44176 030616 20.37 510616 50.97

CUSTOMER Concrete: injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact If mishing concrete, wear knee pads to protect knees. After contact with any of these materials, and in infrinctional with responding is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. 

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271433 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Arrived at job with \_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders that you sign this RELEASE. In consideration of the performance of the gal water at customer request. Added seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any 13302 PERRY RD personal injury incurred by you while adding additional products to our mixer. Signature of Owner or its Agent SPOKANE. WA 99208-7089 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge | Finish Discharge **Arrive Plant** Leave Job Site :29 **Drivers** Comments Customer PO/ Company/ Customer Job Order No. Cust. No. Phase Code TICKET NO. Co. Proj. No. Driver Steve 3003 37606 10927574 SP1300 Date 10/09/13 Customer STRIDER CONSTRUCTION CO I Delivery Address WATER BNSF -Map 531 **Delivery Instructions** RT 3 TRUCKS ALL DAY 10:19 Load Qty Unit Price Product Code LIOM Product Description Amount Delivered Qty Order Qty 31.07 249.36 400.10 2350 5/8" TOP COURSE Gross Tare Net 28640 Trk: 103460 62140 Delivery Charge: 12680 FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK CREDIT Prod. No. Description CC Use Haul Cd. Pit/Plant Sales Tax Load Size Slump Type **TOTAL DUE** 1 109 Truck Gross Weight Tare Weight Trailer Trailer Taken by Check # 4417E 510163 51.73 20.66 030163

Concrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation; severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If insthing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to contion fugitive dust should be taken when handing this product. Hot Asphalt emits nuisance furnes; Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release CUSTOMER 4271434 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Arrived at job with \_ inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_ gal water at customer request. Test cylinders Other additions Received Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 Arrive Job Site Start Discharge WGDELTKT090408 Finish Discharge Leave Job Site **Arrive Plant** Drivers Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code 3003 TICKET NO. 37.606 Co. Proj. No. 10927575 Michael S SP1300 CUSTOMER CONSTRUCTION CO Delivery Addres Date 10/09/13 **Delivery Instructions** 3 TRUCKS ALL DAY 531 10:21 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description** 30.97 280.33 Unit Price **Amount** tn 5/8" TOP COURSE Gross Tare Net Trike 102520 28300 61940 Trire Delivery Charge: 12280 FUEL CHG PREV TRUCK: 510163 LOAD COUNT: CHECK CREDIT Load Size Prod. No. Description Slump Туре Use Haul Cd Pit/Plant Sales Tax Truck 109 Gross Weight Tare Weight **TOTAL DUE** Trailer Trailer Taken by

44176

Check #

510136

51.26

20.29 030856

## 5/8" Top Course Weight Tickets 10/10/13

**Parkwater Construction Engineering** 

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pacts to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User

Load Size

510162

Truck

Prod. No.

52.27

**Gross Weight** 

Description

Tare Weight

Trailer

20.23 030162

agrees to convey this warning to all persons who may use or come into contact with v <u>Aggregates:</u> Prolonged inhalations of dust from a gravel product may be hazardous when hardling this product. <u>Hot Asphalt</u> emits nuisance furnes. Avoid breathing fu safety gear (long sleeves, pants and gloves). If burned, cool with water and see a ph	to your health. Measures to imes. Also. Asphalt may ca	control funitive dust should be taken	ę	4271475
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with	The operator of this piec LEASE to you for your sig machinery in the manner possibly cause damage to you in everyway that we ce that you sign this RELEA! seller of its contract with in seller and its employees for	ndemnification & Release e of heavy equipment, in presenting this RE- inature, is of the opinion that the operation of this required to perform our contract with you may the premises or property. It is our wish to help an, but in order to do this, the operator is asking SE. In consideration of the performance of the me, I the undersigned, hereby INDEMNIFY the r any damage and for all claims to the premises, or cables, telephone lines, driveway or other	charged at posted time charged at po Limited Warranty product defect is the event shall the selle incidental or conser the use of the produ warranty. All claims made within 24 hou	dby Excess unloading will be truck time rates. Truck standby sted truck time rates.  The only liability of the seller for return of the purchase price. In no re be liable for any direct, indirect, quential damages resulting from cts or arising out of breach of any for damages or shortages must be rs of delivery. We do not assume y damage beyond the curb line.
The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	any liability.	wner or its Agent	1. 13302 P SPOKANE, W	A 99208-7089
Signature of Owner or its Agent  Leave Plant Atrice Job Site Start Discharge Finish Discharge	ge Leave Job-Site	WGDELTKT090408 Arrive Plant	509) 536-	3101
1715 115517.56 1257	17:58	Arrive Flant		
Drivers' Comments	0	diga - the control		
and the second s			aterior other and aroundles	L J U - I . U - N
	Customer PO/ Phase Code	TICKET NO. 10927616	Driver Luke W	Co. Proj. No. SP1300
Customer De STRIDER CONSTRUCTION CO I 5324	livery Address	PARK WATER BNSF	Date	10/10/13
Delivery Instructions	1 1 1 1 1 1 1	THE WITTER DIGIT	Scale Time:	Zone 23E 531 12:14
Load Qty Delivered Qty Order Qty Product Code 32. Ø4 32. Ø4 200. 10 2350		Description " TOP COURSE	Unit Price	Amount
Gross Tare Net Trk: 104540 27880 64080 Trlr: 12580		Deliv FUEL CHG	ery Charg	e':
PREV TRUCK: 510136 #	/ CREDIT C	ORD		

CC

Use

Type

11212

Taken by

Slump

Trailer

Haul Cd.

Check #

Pit/Plant

109

Sales Tax **TOTAL DUE** 

CUSTOMER

Concrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shit, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee packs to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe disconflort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convex this warning to all persons who may use or come into contact with set (unbardened) contacts exists. CUSTOMER discontrol that are or eye contact, flush with plenty or water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271478 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDENNIPY the Arrived at job with \_ \_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any 13302 PERRY RD personal injury incurred by you while adding additional products to our mixer. SPOKANE. WA Signature of Owner or its Agent 99208-7089 (509) 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Leave Plant Finish Discharge Leave Job Site **Arrive Plant** 12:23 12:51 13: 30 Drivers' Comments Customer PO/ Company/ Order No. Customer Job Phase Code Cust No. TICKET NO. Driver Co. Proj. No. 3000 EVE 10927619 SP1300 Steve 10/10/13 Date STRIBER CONSTRUCTION CO I Delivery Addre WATER BNSF Mag **Delivery Instructions** 23E S31 12:23 Load Qty Product Code Delivered Qty Order Qty **UOM Product Description Unit Price** Amount 30.75 62.79 200.10 2350 tn 5/8" TOP COURSE Gross Net Trk: 102820 28640 61500 Delivery Charge: Trire 12680 FUEL CHG PRFU TRUCK: 510162 LOAD COUNT: CHECK CREDIT Load Size Prod. No Description CC Haul Cd. Pit/Plant Sales Tax Slump Type Use 109 **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Taken by Check # 510163 51, 41 20.66 030163 11212

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (flong sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271479 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annumbanances at: Arrived at job with \_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_\_ gal water at customer request. Test cylinders Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 13302 PERRY RD mixer. Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Leave Plant Arrive Job Sitt Start Discharge Finish Discharge Arrive Plant Leave Job Site **Drivers**' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 37606 10927620 Michael S SP1300 Customer Date Delivery Address 10/10/13 TRIDER CONSTRUCTION CO I 5324 PARK WATER BNSF Map Delivery Instructions 531 Scale Time: 12:57 Load Qtv Delivered Qty Order Qty Product Code **UOM** Product Description **Unit Price** Amount .30.96 200.10 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 102500 28300 61920 Delivery Charge: Trir: 12280 FUEL CHG PREV TRUCK: 510163 LOAD COUNT: 3 CHECK / CREDIT CARD Load Size Prod. No. Description Slump CC Type Use Haul Cd Pit/Plant Sales Tax 109 **TOTAL DUE** Truck **Gross Weight** Tare Weight Trailer Trailer Taken by Check # 510136 51, 25 20.29 030856 11212

Goncrete: Injurious to eyes.Causes skin irritation,Contains Portland Cement. Read the following warning before using Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unnardened condete, mortal, certient or certient inducties call cause skirl initiation, severe dientical burns or senious eye barriage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe disconfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement motures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken 4271483 when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength **Unloading & Standby Excess unloading** will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Arrived at job \_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request. Added Other addition Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD mixer. SPOKANE, WA Signature of Owner or its Agent 99208-7089 (509) 536-3151 Signature of Owner or its Agent WGDELTKT090408 Finish Discharge Arrive Plant Leave Job Site Dr vers Comments Company/ Customer PO/ Order No. Cust No. **Customer Job** Phase Code TICKET NO. Driver Co. Proj. No. 3000 37606 10927624 SP1300 Luke W Customer STRIDER CONSTRUCTION CO 10/10/13 **Delivery Address** I WATER BNSF Delivery Instructions 531 Scale Time: 13:30 Load Qty Delivered Qty Product Code **UOM** Order Qty Product Description **UnitPrice** Amount 30.77 200.10 2350 5/8" TOP COURSE Gross Net Trk: 102000 27880 61540 Delivery Charge: Trir: 12580 FUEL CHG PREV TRUCK: LOAD COUNT: CHECK CREDIT Prod. No. Load Size Description Slump Type Use Haul Cd. Pit/Plant Sales Tax 109 TOTAL DUE Truck Gross Weight Tare Weight Taken by Trailer Trailer Check # 510162 51.00 20.23 030162 11212

CUSTOMER

Condifete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, se eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length mitterials. If you have to stand in wet concrete, use waterproof boots that are tight at the feither of the concrete of the concret	vere chemical burns or serious eye damage. Avoid contact with	CUSTOMER
If finishing concrete, wear knee pads to protect knees. After contact with any of these mate through clothing is as dangerous so promptly rinse these materials from clothing. Se	arials usuch off immediately with feets above the test of	
uiscorriorum case of eve confact, flush with pienty of water for at least 15 minutes. Co	neult physician immediately. KEED out of speed of skildered Lie	
agrees to convey this warning to all persons who may use or come into contact with <a href="Aggregates">Aggregates</a> : Prolonged inhalations of dust from a gravel product may be hazardous when handling this product. <a href="Hot Asphalt">Hot Asphalt</a> emits nuisance furnes. Avoid breathing fi safety gear (long steeves, pants and gloves). If burned, cool with water and see a pl	wet (unhardened) concrete, mortar, cement or cement mixtures.  to your health, sessures to control fugitive dust should be taken	427148
Water added at customer's own risk Additional water added to concrete will	Property Damage Indemnification & Release	
reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.	The operator of this piece of heavy equipment, in presenting this RE LEASE to you for your signature, is of the opinion that the operation of this	
Arrived at job with inch slump.	machinery in the manner required to perform our contract with you ma	ondiged at posted truck time rates. Truck stands
	possibly cause damage to the premises or property. It is our wish to hel you in everyway that we can, but in order to do this, the operator is askin	Limited Warranty The only liability of the seller for
Added gal water at customer request. Test cylinders taken	that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the	e product defect is the return of the purchase price. In n
Other additions	Seller and its employees for any damage and for all daims to the promises	Incidental of consequential damages resulting from
Received by X	building, utility pipelines or cables, telephone lines, driveway or othe appurtenances, at:	warranty. All claims for damages or shortages must b
Buyer's Agent receipt of product and approval of any added items.		responsibility for any damage beyond the curb line.
The addition of any extra products to our mixer may void any warranty	and RELEASE the seller and its employees from any liability.	
expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our	Silving.	N. 13302 PERRY RD
mixer.	Signature of Owner or its Agent	
Signature of Owner or its A	organizate of Owner of its Agent	SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Bant   Arrive Job Site Start Discharge   Finish Dischar	NWGDELTKT090408 ge Leave Job Site Arrive Plant	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
3:33 M:13	ge Leave Job Site Arrive Plant	L CONTROLLEM AND ADDRESS OF THE CONTROL OF THE CONT
Drivers' Comments		
		* 1 0 3 5 1 9 5 2 *
0		
	Customer PO/ Phase Code TICKET NO. 1 Ø 9 2 7 6 2 5	Driver Co. Proj. No. Steve Y SP1300
SUSTEMPTION CO T 5324	livery Address E I RENT / PARK WATER BNSE	Date 10/10/13
t and the second	E TRENT / PARK WATER BNSF	Map Zone
Delivery Instructions		23E S31
		Scale 13:33
Load Oby Delivered Ob O L Ob David 10		
Load Qty Delivered Qty Order Qty Product Code 30, 82, 155, 34, 200, 10, 2350	UOM Product Description	Unit Price Amount
a same and a constant mode	tn 5/8" TOP COURSE	
7		
Gross Tare Net		
Trk: 102960 28640 61640	Deli	very Charge:
Trlr: 12680	FUEL CHG	THE PERSONS
	The over the same to be to be the same to be the sa	
PREV TRUCK: 510162 #		
LOAD COUNT: 5 CHECK /	CREDIT CARD	
Load Size Prod. No. Description	Slump Type CC Use Haul Cd.	Pit/Plant Sales Tax
		109 TOTAL DUE
Truck Gross Weight Tare Weight Trailer Trail	er Taken by Check #	
510163 51.48 20.66 030163	11212	

Concrete: ifijurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates:

Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271488 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby nachinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with \_ inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_\_ gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMINIFY the Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received by appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD mixer. Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Leave Plant Arrive Jol Site Start Discharge Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. 3000 Driver 37606 Co. Proj. No. 10927629 Michael S SP1300 Customer CONSTRUCTION CO I Delivery Address 10/10/13 PARK WATER BNSF Delivery Instructions 531 23E Scale Time: 14:08 Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price** 187.07 **Amount** 200.10 2350 5/8" TOP COURSE Gross Net Tane Trk: 104040 28300 63460 Delivery Charge: Trire 12280 FUEL CHG PREV TRUCK: 510163 LOAD COUNT: 6 CHECK CREDIT Load Size Prod. No. Description Slump CC Type Use Haul Cd Pit/Plant Sales Tax 1 109 **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Trailer Taken by 510136 Check # 52.02 20.29 030856 11212

GonoFète: Trijurious to eyes.Causes skin irritation.Contains Portland Cernent. Read the following warning before using "Contact with wet, unhardened concrete, mortar, cernent or cernent mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these infaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handing this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271489 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with time charged at posted truck time rates. inch slump. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Arrive Plant Arrive Job Site Start Discharge Finish Discharge Leave Plant Leave Job Site **Drivers** Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver 3000 Co. Proj. No. 37606 10927630 SP1300 Luke Customer **Delivery Address** Date 10/10/13 STRIDER CONSTRUCTION CO I 5324 PARK WATER BNSF Map **Delivery Instructions** 531 14:39 Load Qty Delivered Qtv Order Qty Product Code **UOM Product Description Unit Price** Amount 31.02 218.09 200.10 -2350 tn 5/8" TOP COURSE Gross Tare Net Trice 102500 27880 62040 Charge: 12580 FUEL CHG PREV TRUCK: 510136 LOAD COUNT: CHECK CREDIT CARD Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pit/Plant Sales Tax 1 109 **TOTAL DUE** Truck Gross Weight Tare Weight Trailer Trailer Taken by Check # 510162 51,25 20.23 030162 11212

CUSTOMER

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing otherele, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, dean water. Indirect contact through clothing is as dangerous so promptly insert these materials. Infinishing concrete, wear knee pacts to protect knees. After contact with any of these materials, wear on infiniteurality with fresh, dear water, indured contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, montar, cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4271490 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises. Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD Signature of Owner or its Agent SPOKANE, WA 99208-7089 (509) 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 606 Steve SP1300 10/10/13 Sustante Construction CO I 532 Pelivery Address Date PARK WATER BNSF Map **Delivery Instructions** 531 14:49 Load Qty Delivered Qtv Order Qty Product Code **UOM** Product Description **UnitPrice** Amount 30.38 248.47 200.10 2350 tn -- 5/8" TOP COURSE Gross Tare Net Trik: 102080 28640 .60760 Delivery Charge: Trire 12680 FUEL CHG PREV TRUCK: 510162 LOAD COUNT: CHECK CREDIT Load Size Prod. No. Description Slump Type CC Use Haul Cd Pit/Plant Sales Tax 1 109 TOTAL DUE Gross Weight Tare Weight Trailer Taken by Check # 510163 51.04 20.66 030163 11212

CUSTOMER

## 5/8" Top Course Weight Tickets 10/14/13 Parkwater Construction Engineering

\*\*Discrete:\* Injunious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, hardened cohorete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them a finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact instruction of you have persistent or severe known dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe known forth, case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271506 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates. due to water added above design Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ich slump Arrived at job with Test cylinders water at customer request Added Other additions Received Buyer's Agent receip of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT09040 Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Company/ Customer Job Driver TICKET NO. Phase Code B SP1300 Garrett 10927647 Order No. 10/14/13 606 Date Delivery Addre PARK WATER BNSF CONSTRUCTION CO 531 23E 07:15 Scale Time **Delivery Instructions** Amount **Unit Price** Product Description UOM Product Code Order Qty 5/8" TOP COURSE **Delivered Qty** Load Qty t: n 400.10 30.58 30. Net Tare Gross Delivery Charge: 61160 101900 28260 Trk FUEL CHG 12480 Trir:

CARD

CC

Use

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd

Check #

CREDIT

Slump

Traile

Trailer

030616

Type

44176

Taken by

TRUCK:

COUNT:

**Gross Weight** 

Prod. No.

50.95

Description

Tare Weight

20.37

PREV

LOAD

Load Size

510616

Truck

LOAD COUNT: 2  Load Size Prod. No. Descrip	otion	Slump Type	e CC Use	Haul Cd. 1. Check #	Pit/Plant Sales 109 TOTAL	
LOAD COUNT: 2					DUDI	
PREV TRUCK: 51061	CHI	ECK / CREDIT	CARD			Tou
	HAT A TO HE					
Trk: 103360 286	40 62040		FUEL		AELA ENIENT	
Gross Ta				nol:	ivery Char	ge:
A-1						
31.02 61.60 4	THINGS IN THE	g Tool To V				
Load Gty	er Qty Product C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	t Description	RSE	UnitPrice	Amount
elivery Instructions				1	Scale Time:	
SUSTEMPER CONSTRUCTI	ON CO I 5	324 E Address	PARK WAT	en blibe		23E 831
000 37606		Delivery Address			Date	10/14/13 Zone
And	Company/ Customer Job	Customer PO/ Phase Code	TICKETN		Driver Steve Y	Co. Proj. No SP1300
vers' mments			and Means			
eave Plant Arrive Job Site Start D	ischarge Finish Di	scnarge Leave Job Site	8 44			2 7/6 4 9
er.	rent	Ŋ	WGDELTKT090408 Agriye Plant		(509) 536-3	21 - 2 1 - 11 11 11 11 11 11 11 11 11 11 11 11 11
addition of any extra products to our mi ressed or implied by the seller. The seller sonal injury incurred by you while adding	r accepts no liability for additional products to	rany	vner or its Agent	- 5	POKANE, WA	99208-70
ver's Agent receipt of product and app	roval of any added it		eller and its employees	from	. 13302 PE	
er additionser additionser additions		seller and its employees for a building, utility pipelines or appurtenances, at:	cables, telephone lines, o	riveway or other	warranty. All claims for made within 24 hours responsibility for any of	damages or shortages mu of delivery.We do not as damage beyond the curb li
ed gal water at customer reques		seller of its contract with me	e, I the undersigned, hereby	INDEMNIFY the	event shall the seller to incidental or consequents the use of the products	tell to the butters of the control o
added at customer's own risk. Additional wat e its strength.Buyer's agent agrees to accept responsate added above design.  ed at job with inch slump		machinery in the manner re possibly cause damage to the	quired to perform our contra ne premises or property. It is	our wish to help	time charged at poster	e only liability of the selle
gear (long sleeves, pants and gloves). If burned	d, cool with water and see	a physician.  Property Damage Ind	emnification & Relea	se		y Excess unloading will ck time rates. Truck stand
fort.In case of eye contact, flux with plenty of wa	ater for at least 15 minutes.	. Consult physician immediately. No with wet (unhardened) concrete, mo	rtar, cement or cement mix	Ures.		427150
nd skin. Wear waterproof gloves, a tally boald list. If you have to stand in wet concrete, use water list. If you have to stand in wet concrete, use water	erproof boots that are tight	at the top and high enough to keep materials, wash off immediately with f	resh, clean water. Indirect co	ntact		
	es can cause skin imitation,	nt. Read the following warning be severe chemical burns or serious e of th trousers and tight-fitting eye pro	eye damage. Avoid contact tection when working with t	with nese	Alle Sand	
depend concrete mortar cement or cement mixture		covere chemical hums or serious e	eye damage. Avoid contact	With		

Property User added all continues on misk. Additional water added to concrete will be addition of the property	oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Re inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, sever was and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length troutenals. If you have to stand in wet concrete, use waterproof boots that are tight at the finishing concrete, wear knee pads to protect knees. After contact with any of these material rough clothing is as dangerous so promptly rinse these materials from clothing. See isocomfort. In case of eye contact, flush with plently of water for at least 15 minutes. Consigeres to convey this warning to all persons who may use or come into contact with wageregates: Prolonged inhalations of dust from a gravel product may be hazardous to the handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing turned agree cleaves material and cloves), if burned, cool with water and see a phy	e top and high enough to keep cor rials, wash off immediately with frest ek immediate medical attention if y sult physician immediately. KEEP wet (unhardened) concrete, mortar to your health. Measures to control mes. Also. Asphalt may cause s	ncrete from flowing into them.  n, clean water. Indirect contact  ou have persistent or severe  out of reach of children! User  coment or cement mixtures.	CUSTOMER	4271509
Byer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty inability.  Beginter of Owner or its Agent  Signature of Owner or its Agent  Signature of Owner or its Agent  Leave Rum Agric Jo: Site Start Discharge Finish Discharge Leave Job Site Agric Plant  Comments  Order No. Cust. No. Customer Job  Order No. 3/00/0 3/76/06  Customer Job  Delivery Address  Delivery Address  Delivery Address  Delivery Instructions  Load Oty Delivered Oty Order Oty Product Code 31.47 93.07 4/00.10 2350 tn 5/8" TOP COURSE  Delivery Cherce Cher	vater added at customer's own risk. Additional water added to concrete will vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength lue to water added above design.  Arrived at job with	Property Damage Internation of this piece of In LEASE to you for your signature machinery in the manner require possibly cause damage to the poyou in everyway that we can, but that you sign this RELEASE. It seller of its contract with me, I's seller and its employees for any building, utility pipelines or car	neavy equipment, in presenting this RE e, is of the opinion that the operation of the red to perform our contract with you may premises or property. It is our wish to he at in order to do this, the operator is askin in consideration of the performance of the the undersigned, hereby INDEMNIFY if	charged at posted it time charged at post time charged at post Limited Warranty T product defect is the revent shall the seller incidental or conseq the use of the product warranty. All claims for the product warranty.	the tales. Thus between the control liability of the seller for return of the purchase price. In no be liable for any direct, indirect, uential damages resulting from its or arising out of breach of any or damages or shortages must be a feldivery. We do not assume
Signature of Owner or its Agent  Jeave Plant  Jeave Plant	The addition of any extra products to our mixer may vote any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our	y any liability.		SPOKANE, W	A 99208-7089
Order No. 2000         Cust. No. 37606         Customer PO/ Phase Code 10927650         TICKETNO. 10927650         Driver Luke W SP1300 Date 10/14/13           Customer Job 3000         37606         Delivery Address TRENT / PARK WATER BNSF         Date 10/14/13           Customer Exercise Constructions         Delivery Address TRENT / PARK WATER BNSF         Map Zone 23E Scale Time: 07:29           Load Qty Delivered Qty 31. 47         Order Qty ProductCode 10 DM ProductDescription 5/8" TOP COURSE         UnitPrice Amount           Trk: 103400         27880 62940         TOP COURSE	Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge	A CONTRACT A CONTRACT OF THE PROPERTY OF THE P	GDELTKT090408 Arrive Plant	* 1 0 9	2 7 6 5 0 *
Order No. 37606         Cust. No. 37606         Company of Customer Job 37606         Ticker No. 10927650         Luke W SP1300 Date 10/14/13           Customer Striction Collision Structions         Delivery Address PARK WATER BNSF         Map Zone 23E S2 Scale 07:29           Delivery Instructions         23E S2 Scale 07:29           Load Qty Delivered Qty Order Qty Product Code 31:47 93.07 400.10 2350         UOM Product Description 5/8" TOP COURSE         UnitPrice Amount 5/8" TOP COURSE           Trk: 103400 27880 62940 Trlr: 12580         FUEL CHG			an and after one of the analysis and	distribution of the space of th	are gal a common promotes that he have already entitle engine days of freq.
Load Qty Delivered Qty Order Qty Product Code UOM Product Description 5/8" TOP COURSE  31.47 93.07 400.10 2350 tn 5/8" TOP COURSE  Trk: 103400 27880 62940 FUEL CHG  PREV TRUCK: 510163 #	Order No. Cust. No. Customer Job 37606  Customer Construction Co I 532	Phase Code  Delivery Address	10927650	Luke W Date Map	10/14/13 Zone 23E S31 e 07:29
31.47 93.07 400.10 2330 011 212 2330 011 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 212 2330 011 2330 011 212 23	Load Qty Delivered Qty Order Qty Product Cod	FF ( C)			11 - 11/2 - 11/2
Trk: 103400 27880 62940 FUEL CHG Trlr: 12580 #	31.47 93.07 400.10 2330				
Trk: 103400 27880 62940 FUEL CHG Trlr: 12580 #	SI-4	-4		1.00	
CINE TO THE COLUMN AND THE COLUMN AN	Trk: 103400 27880 62940			elivery Char	e:
CC Use Haul Cd. Pit/Plant Sales Tax	PREV TRUCK: 510163 #CHEC	-		Pit/Plant Sale	es Tax
Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pitch Latter Co. 1 109 TOTAL DUE	Load Size Prod. No. Description	Slump Type	CC Use Hadrou		AL DUE

510162 51.70 20.23 030162

inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with wet, yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and dight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, fringly oncrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact frinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediate medical attention if you have persistent or severe inrough clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when hardling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271518 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions responsibility for any damage beyond the curb line. appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent rrive Plant Leave Job Site Finish Discharge Apriye Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO TICKET NO. Company/ S SP1300 Phase Code Michael Customer Job 10927659 Cust. No. 37606 Order No. 10/14/13 Date Customer CONSTRUCTION CO I 5324 P Address PARK WATER BNSF Zone Мар 531 08:17 **Delivery Instructions** Amount **Unit Price Product Description UOM** Product Code Order Qty 5/8" TOP COURSE Load Qty **Delivered Qty** tn 400.10 2350 124.28 Net Tare Delivery Charge: Gross 62420 28300 103000 FUEL CHG 12280 Trlr: 510162 PREV TRUCK : CREDIT CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type 109 TOTAL DUE Description Prod. No. Load Size Taken by Trailer Check #

44176

Trailer

030856

Tare Weight

20.29

Gross Weight

51.50

Truck

510136

ioncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement muxtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then had a product may be hazardous to your health. Measures to control fugitive dust should be taken heat of the Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271524 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the martine required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its proplance for any damage, and for all dains to the premises. inch slump Arrived at job with Test cylinders taken gal water at customer request seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509)536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. B SP1300 Phase Code Customer Job Garret 10927665 Cust. No Order No. 10/14/13 37606 3000 Date Delivery Addres Мар STATIONER CONSTRUCTION CO I 531 08:37 Scale Time: Delivery Instructions **UnitPrice** Amount **Product Description ProductCode UOM** Order Qty **Delivered Qty** 5/8" TOP COURSE Load Qty tn 400.10 2350 31.20 155.48 Net Tare Gross Delivery Charge: 62400 103140 28260 FUEL CHG 12480 Trire 510136 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT:

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd

Check #

Use

CC

Туре

44176

Taken by

Slump

Trailer

Trailer

20.37 030616

Description

Tare Weight

Prod. No.

51.57

Gross Weight

Load Size

Truck

510616

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 mirrutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. uscommortan case or eye contact, mush while plenty or water for at least 10 minutes. Consum physician infineduality, NEEP out or reach or crimoren Oser agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures, Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Apphalt

The product may be hazardous to your health may cause severe burns. Wear protective each control floor gloves and leaves. If burned and with water and see a physician. 4271527 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will **Unloading & Standby Excess unloading will** be charged at posted truck time rates. Truck standby time charged at posted truck time rates. reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help Arrived at job with \_ \_\_ inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Test cylinders taken Added \_\_\_\_\_ gal water at customer request. Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. Signature of Owner or its Agent WGDELTKT090408 Arrive Plant Finish Discharge Leave Job Site Arrive Job Site Start Discharge 0: 01 :20 Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Phase Code Customer Job Order No. Cust. No. SP1300 37606 10927668 Steve 3000 10/14/13 Date **Delivery Address** Customer CONSTRUCTION CO Мар 531 **Delivery Instructions** 08:49 Amount Unit Price **Product Description** UOM Product Code Load Qty **Delivered Qty** Order Qty TOP COURSE 30.63 400.10 2350 186.11 Gross Net Delivery Charge: 102580 28640 Trk: FUEL CHG 12680 TRUCK: 510616 CHECK CREDIT LOAD COUNT: Haul Cd. Sales Tax Use Prod. No Description Load Size 109 TOTAL DUE Taken by Trailer

Check #

Tare Weight

Gross Weight

51.29

Truck

510163

Trailer

20.66 030163

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety near (floor sleeves cants and cloves). If burned, cool with water and see a physician. 4271528 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with inch slump. Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Arrive Job Site Start Discharge Finish Discharge Drivers Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Phase Code Customer Job Cust. No. Order No Luke 37606 BUUD 10/14/13 Date Delivery Addres Customer ER CONSTRUCTION CO Map 931 23E **Delivery Instructions** 08:51 Scale Time: Amount **Unit Price Product Description** UOM Order Qty Product Code **Delivered Qty** Load Qty TOP COURSE 216.86 400. 10 2350 30. Net Gross Tare Delivery Charge: 101960 27880 61500 Trks FIFE CHG 1.2580 PREV TRUCK: CREDIT COUNT: Sales Tax Pit/Plant Haul Cd. Use Type Prod. No. Description Load Size **TOTAL DUE** 109 1

Taken by

44176

Check #

Traile

Trailer

20.23 030162

Tare Weight

Gross Weight

50.98

Truck

510162

CUSTOMER concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, anticrete emplicious to eyes causes skin inhaboticontains robustion, severe chemical burns or serious eye damage. Avoid contact with inhardened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with Inhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Accurrently seems to product may be hazardous to your health. Measures to control funitive dust should be taken 4271539 agrees to correcy this wanting to an persons who may use or come into contact with weil (unhandered) contracte, mortal, certain tribunes.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. Added Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job, Site Aprive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ TICKET NO. Phase Code Customer Job S SP1300 Order No. Cust. No. Michael 10927680 37606 10/14/13 SOOD **Delivery Address** Zone PARK WATER BNSF Customer TRIDER CONSTRUCTION CO I 5324 TRENT E 531 09:29 Scale Time: **Delivery Instructions** Amount UnitPrice Product Description **UOM** Product Code Order Qty Load Qty **Delivered Qty** 5/8" TOP COURSE tn 400.10 2350 247.93 31.07 Net Tare Gross Delivery Charge: 62140 28300 102720 FUEL CHG 12280 Trilra PREV TRUCK: 510162 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type Slump Description Prod. No. TOTAL DUE 109 Load Size

Taken by

44176

Check #

Trailer

Trailer

20.29 030856

Tare Weight

Gross Weight

51.36

Truck

510136

CUSTOMER Goncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271546 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help inch slump Arrived at job with you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders a water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added Other additions appurtenances, at Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent mixer. (509)536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Leave Job Site Leave Plant Arrive Job Site Start Discharge Finish Discharge Drivers Comments Customer PO/ Company/ Co. Proj. No Driver TICKET NO. Customer Job Phase Code Order No. Cust. No SP1300 ett В 10927687 7606 3000 10/14/13 Delivery Address Customer ER PARK WATER BNSF CONSTRUCTION 531 23E Delivery Instructions 09:57 Scale Time Amount **Unit Price** Product Description Product Code **UOM** Order Qty Load Qty **Delivered Qty** 5/8" TOP COURSE tn 279.09 31.16 400.10 2350 Net Gross Tare Delivery Charge: 103060 28260 62320 Trki FUEL CHG 12480 PREV TRUCK: 510136 CREDIT CARD CHECK LOAD COUNT: Pit/Plant Sales Tax Haul Cd CC Use Slump Type Description Prod. No. Load Size 1 109 **TOTAL DUE** 

Taken by

Check #

Trailer

Trailer

030616

Gross Weight

51.53

Truck

510616

Tare Weight

20.37

Goncrete: Minjurious to eyes.Causes skin irritation.Contains Portland Cement. R	lead the following warning before using: Contact with wet	CUSTOMER
unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severeyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length materials. If you have to stand in wet concrete, use waterproof boots that are tight at the If finishing concrete, wear knee pads to protect knees. After contact with any of these materials through clothing is as dangerous so promptly rinse these materials from clothing. See discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Con agrees to convey this warning to all persons who may use or come into contact with Aggregates: Protonged inhalations of dust from a gravel product may be hazardous when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing fur safety gear (long sleeves, pants and gloves). If burned, cool with water and see a ph	ere chemical burns or serious eye darinage. Avolu contact with rese ousers and tight-fitting eye protection when working with these e top and high enough to keep concrete from flowing into them. rials, wash off immediately with fresh, clean water. Indirect contact ek immediate medical attention if you have persistent or severe isuit physician immediately. KEEP out of reach of children! User vet (unhardened) concrete, mortar, cement or cement mixtures to your health Measures to control fugitive dust should be taken mes. Also, Asphalt may cause severe burns. Wear protective spician.	4271551
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with inch slump.  Added gal water at customer request.  Other additions Received Received	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this I LEASE to you for your signature, is of the opinion that the operation of  machinery in the manner required to perform our contract with you r  possibly cause damage to the premises or property. It is our wish to I you in everyway that we can, but in order to do this, the operator is as  that you sign this RELEASE. In consideration of the performance of  seller of its contract with me, I the undersigned, hereby INDEMNIFY  seller and its employees for any damage and for all claims to the premo- building, utility pipelines or cables, telephone lines, driveway or or appurtenances, at:	charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect,
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge  Drivers' Comments	rge Leave Job Site Arrive Plant	* 1 0 9 2 7 6 9 2 *
Order No. Cust. No. Customer Job 37606  Customer STRIDER CONSTRUCTION CO I 5324  Delivery Instructions	Customer PO/ Phase Code  TICKET NO. 10927692  elivery Address E TRENT / PARK WATER BNS	Driver Co. Proj. No.  Steve Y SP1300  Date 10/14/13  Map Zone  23E S31  Scale 10:12
Load Qty Delivered Qty Order Qty Product Code 31.49 310.58 400.10 2350	UOM Product Description tn 5/8" TOP COURSE	Unit Price Amount
Gross Tare Net Trk: 104300 28640 62980 Trlr: 12680  PREV TRUCK: 510616 # LOAD COUNT: 10 CHECK	De: FUEL CHG / CREDIT CARD	livery Charge:
Load Size Prod. No. Description	Slump Type CC Use Haul Cd.	Pit/Plant Sales Tax 109 TOTAL DUE
Truck Gross Weight Tare Weight Trailer To	railer Taken by Check #	

510163 52.15 20.66 030163: 44176

Goncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance fumes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear flong sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271553 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the contract with the little undersinged herably INITEMAILEY the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with inch slump. Test cylinders gal-water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added \ taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Finish Discharge Leave Job Site e Job Sife Start Discharge **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Cust. No Order No. SP1300 10927694 Luke 37606 SOOD 10/14/13 Date **Delivery Address** Customer WATER BNSF Мар Zone CONSTRUCTION CO 531 **Delivery Instructions** 10:18 Scale Time: **Unit Price** Amount **Product Description UOM** Order Qty Product Code Load Qty **Delivered Qty** 5/8" TOP COURSE 400.10 tn 30.96 Net Tare Gross Delivery Charge: 61920 27880 102380 FUEL CHG 12580 TRUCK: 510163 CREDIT CARD CHECK LOAD COUNT:

Pit/Plant

109

Use

Slump

Prod. No

51.19

**Gross Weight** 

Load Size

510162

Truck

Description

Tare Weight

20.23

Trailer

030162

Type

Taken by

Haul Cd.

Check #

Sales Tax

**TOTAL DUE** 

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly inise these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety over 160ng sleeves. Dants and cloves). If burned, cool with water and see a physician. 4271561 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength **Unloading & Standby Excess unloading will** be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help Arrived at job with \_\_\_ inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Test cylinders gal water at customer request. Added taken Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Arrive Plant-Leave Job Site Leave Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Driver Phase Code Order No Cust. No. Customer Job S SP1300 10927702 Michael 37606 3000 10/14/13 **Delivery Address** RIDER CONSTRUCTION CO 5324 E 531 **Delivery Instructions** 10:40 Scale Time: Amount **Unit Price** Product Description Load Qty **UOM** Delivered Qty Order Qty Product Code 5/8" TOP COURSE 400.10 2350 tn Net Gross Tare Delivery Charge: 63460 104040 28300 Trk: FUEL CHG 12280 Trlr: PREV TRUCK: 510162 CHECK / CREDIT CARD LOAD COUNT: Haul Cd. Pit/Plant Sales Tax Use CC 1 Type Prod. No. Description Load Size 109 **TOTAL DUE** Taken by Trailer Trailer Tare Weight Gross Weight Check #

44176

20.29 030856

52.02

510136

CUSTOMER

	CHICTOMED
Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep con if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP of the protection of the protec	on when working with these crete from flowing into them. , clean water. Indirect contact ou have persistent or severe and of reach of children! User
discomfort. In case of eye contact, flush with plenty of water for at least 13 frill littles. Contact with wet (unhardened) concrete, mortar, agrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause se safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.	funitive dust should be taken 44110
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above des gn.  Arrived at job with  Added gal water at customer request.  Test cylinders laken.  Test cylinders laken.	Unloading & Standby Excess unloading will be it is of the opinion that the operation of this do perform our contract with you may emises or property. It is our wish to help in order to do this, the operator is asking consideration of the performance of the oundersigned, hereby INDEMNIFY the eundersigned, hereby INDEMNIFY the
Other additions  Received by X  seller and its employees for any disputitions, utility pipelines or cable appurtenances, at:	arriage and for all claims to the premises, es, telephone lines, driveway or other made within 24 hours of delivery. We do not assum responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty any liability.  The seller accepts no liability for any	
personal injury incurred by you while adding additional products to our mixer.  Signature of Owner	(509) 536-3151
	DELTKT090408 Arrive Plan
Drivers' Comments	***************************************
Order No. Cust No. 37606 Company/ Customer Job Customer PO/ Phase Code	TICKET NO. Driver Co. Proj. No. 10927711 Garrett B SP1300   Date 10/14/13
STRIBER CONSTRUCTION CO I 5324 E TRENT / F	PARK WATER BNSF Map Zone 23E S31
Delivery Instructions	Scale 11:08
Load Qty Delivered Qty Order Qty Product Code UOM Product Des 31.73 405.00 400.10 2350 tn 5/8"	· ·
Gross / Tare Net Trk: 104200 28260 63460 Trlr: 12480	Delivery Charge:
Trlr: 12480  PREV TRUCK: 510136 #	• * **********************************
LOAD COUNT: 13 CHECK / CREDIT CAL	RD
Load Size Prod. No. Description Slump Type	CC Use Haul Cd. Pit/Plant Sales Tax

Taken by

44176

Check #

Trailer

Trailer

Truck Gross Weight Tare Weight

510616 52.10 20.37 030616

Concretes Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardarous to your health. Measures to conting severe hums. Wear protective	CUSTOMER 4271576
when handing this product. Hot Aspiratic entries housands with water and see aryphysician.  Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with inch slump Test cylinders taken	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of an warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assum responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.  Signature of Owner or its Agent	N. 13302 PERRY RD BPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant The	
Order No. Cust. No. Customer Job Customer Job Phase Code TICKET NO. 10927717	Driver Co. Proj. No. SP1300
Sustember Construction CO I 5324 E TRENT / PARK WATER BNSF	Map Zone S31
Delivery Instructions	Scale 11:59
Load Qty Delivered Qty Order Qty Product Code UOM Product Description 30.69 435.69 400.10 2350 tn 5/8" TOP COURSE	Unit Price Amount
Gross Tare Net Trk: 102700 28640 61380 Deli Trlr: 12680 FUEL CHG	very Charge:
PREV TRUCK: 510616 # CHECK / CREDIT CARD	
Load Size Prod. No. Description Slump Type CC Use Haul Cd.	Pit/Plant Sales Tax

Trailer

Tare Weight

510163 51.35 20.66 030163

Gross Weight

Truck

Trailer

44176

Check #

CUSTOMER Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety near (form sleeves nants and cloves) if humed, cond with water and see a physician. 4271577 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pinelines or cables, telephone lines, driveway or other Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with \_\_ inch slump. Test cylinders gal water at customer request. Added building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer. 13302 PERRY RD WA . 99208 SPOKANE. Signature of Owner or its Agent Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Arrive Plan Leave Job Site Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No TICKET NO. Driver Phase Code Customer Job Order No. Cust. No. S SP1300 10927718 Michael 37606 3000 10/14/13 Date **Delivery Address** Customer Map Zone RIDER CONSTRUCTION CO 531 **Delivery Instructions** Scale Time: 12:12 Amount Unit Price Product Description **UOM** Load Qty Order Qty Product Code Delivered Qty 5/8" TOP COURSE 400.10 2350 468.15 32.46 Tare Gross Delivery Charge: 28300 FUEL CHG 510163 PREV TRUCK: CHECK COUNT: Sales Tax Haul Cd Pit/Plant Use Type Prod. No. Description Load Size **TOTAL DUE** 109

Taken by

Check #

Trailer

20.29 030856

Tare Weight

Truck

Gross Weight

CUSTOMER Concrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with well Goncrete: Injurious to eyes Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees, After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271578 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LENGE to you to your signature, so to be opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with nch slump Test cylinders gal water at customer request Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. Signature of Owner or its Agent WGDELTKT090408 Leave Job Site Arrive Plant Finish Discharge eave Plant | Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Phase Code Customer Job SP1300 Order No. ett B Garr 7606 3000 10/14/13 Date Delivery Addres WATER BNSF Мар Sustomer ER CONSTRUCTION 531 23E 12:32 **Delivery Instructions** Scale Time: **Unit Price** Amount **Product Description** UOM Order Qty Product Code Load Qty Delivered Qty 5/8" TOP COURSE tn 10 2350 30.62 498. 400. Net Gross Tare Delivery Charge: 101980 28260 61240 Frk: FUEL CHG 12480 Trlr:

CREDIT

Type

44176

Taken by

Sales Tax

TOTAL DUE

Pit/Plant

+1.09

Use

CC

Haul Cd.

1

Check #

CHECK

Trailer

20.37 030616

TRUCK:

COUNT:

Gross Weight

Prod. No.

50.99

DRFU

Load Size

510616

Truck

510136

Description

Tare Weight

16

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cernent. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cernent or cernent mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through coloning is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Any regarders: Penhoned inhabitions of diset from a gravel product may be hazardous to your health. Measures to control funding dust should be taken 4271584 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. The operator of this piece of neavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all dainer to the premises due to water added above design. Limited Warranty -The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with Test cylinders \_\_ gal water at customer request. Added seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 Signature of Owner or its Agent mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Company/ Co. Proj. No. TICKET NO. Phase Code Customer Job SP1300 Order No. Stev 606 3000 10/14/13 5324 E HE CONSTRUCTION --.531 13:20 **Delivery Instructions** Scale Time: Amount **Unit Price Product Description UOM** Product Code Load Qty Order Qty **Delivered Qty** 5/8" TOP COURSE tn 400.10 2350 530.06 Net Tare Gross Charge: Delivery 62580 28640 103900 FUEL CHG 12680 510616 PREV TRUCK: CREDIT CHECK COUNT:

Sales Tax

**TOTAL DUE** 

Pit/Plant

109

Use

Slump

Taken by

Trailer

Trailer

20 66 030163

Description

Tare Weight

Prod. No

Gross Weight

510163 . 51. 95

Load Size

Truck

Haul Cd

Check #

Concrete: Injurious to eyes. Causes skin imitation. Contains Portland Cernent. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cernent or cernent mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them of finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact frincing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dargeres to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits muisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271586 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersioned, hereby INDEMNIFY the Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. PERRY RD 13302 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. 536-3151 WGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant 6 Drivers' Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job S SP1300 Michael Order No. 10927727 7606 3000 10/14/13 Date Delivery Address WATER BNSF SUSTEMBER CONSTRUCTION 531 13:24 **Delivery Instructions** Scale Amount **Unit Price Product Description UOM** Order Qty Product Code Load Qty **Delivered Qty** 5/8" TOP COURSE tn 400. 10 2350 31.37 561. Not Gross Delivery Charge: 28300 62740 103320 FUEL CHG 12280 Trira PREV TRUCK: 510163 CREDIT CHECK COUNT: Sales Tax Pit/Plant Haul Cd. Type Prod. No. Description 109 TOTAL DUE Load Size Taken by

4417,6

Check #

Gross Weight

510136 451.66

Truck

Tare Weight

Trailer

20.29 030856

CUSTOMER Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271589 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Arrived at job with Test cylinders gal water at customer request. Added taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge rrive Job Site Start Discharge Drivers' Comments Customer PO/ Company/ Co. Proj. No. **TICKET NO** Driver Phase Code Customer Job Cust. No. Order No. SP1300 Luke ıW 10927730 37606 3000 10/14/13 Date **Delivery Address** WATER BNSF Mag 5324 CONSTRUCTION CO I 13:47 Delivery Instructions Scale Time: Amount **Unit Price Product Description UOM** Product Code Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tn 400.10 2350 30.90 592.33 Net Tare: Gross Charge: Delivery 27880 61800 CHG FHEL Trln: 510136 TRUCK: CHECK CREDIT COUNT: Sales Tax Haul Cd. Pit/Plant CC Use Type Slump Description Prod. No Load Size **TOTAL DUE** 109 Taken by Trailer Trailer Tare Weight Check #

4417E

030162

20.23

Gross Weight

51.

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before-using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with withardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhabitions of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handing this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271590 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersinged hereby INITEMANIEY the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. nch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, Arrived at job with Test cylinders dal water at customer request Added seller of its contract with me, I the undersigned, hereby INDEMINIFY the event shall the seller be hable for any direct, multicut, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or Its Agent mixer. (509)536-3151 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant eave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Drivers** Comments Customer PO/ Company/ Co. Proj. No TICKET NO. Customer Job Phase Code Order No Cust. No. SP1300 Garrett B 6DE 10927731 10/14/13 Date Delivery Addre Sustement ER CONSTRUCTION CO Мар Zone 531 Delivery Instructions 13:50 Scale Time: **Unit Price** Amount Order Qty Product Code **UOM** Product Description Load Qty Delivered Qty 5/8" TOP COURSE 400. 10 2350 tn 31.11 623.44 Net Gross Tare Delivery Charge: 102960 28260 62220 Trk: FUEL CHG PREV TRUCK: 510162 COUNT: CHECK CREDIT LOAD Sales Tax Pit/Plant

Slump

Trailer

Prod. No.

51.48

Gross Weight

Load Size

510616

Truck

Description

Tare Weight

Trailer

20.37 030616

Type

Taken by

Haul Cd.

1

Check #

109

**TOTAL DUE** 

Name of the second			Budget O	and the following	ususamina hoforo	wising: Contact v	with wet	CUSTOM	ER	
unhardened concrete, eyes and skin. Wear v materials. If you have t If finishing concrete, we	mortar, cement or cen waterproof gloves, a fu to stand in wet concret var knee pads to protect	nent mixtures can ally-buttoned, long- e, use waterproof knees. After conta	ns_Portland Cement. Re cause skin imitation, sever sleeve shirt, full-length tro boots that are tight at the act with any of these materi erials from clothing. Seek	top and tight-fitop and high end als, wash off imme	tting eye protection bugh to keep conducted attempts with fresh,	n when working warete from flowing in clean water. Indire	nto them. ct contact or severe			
discomfort.In case of e agrees to convey this <b>Aggregates</b> : Prolon	eye contact, flush with I warning to all persons inged inhalations of dus	who may use or throm a gravel property or the second	enais from cooting. Seen at least 15 minutes. Cons come into contact with will oduct may be hazardous to urnes. Avoid breathing fur with water and see a phy	et (unhardened) o o your health. Me mes. Also, Aspha vsician.	concrete, mortar, easures to control alt may cause se	cement or cement jugitive dust should vere burns. Wear	mixtures. be taken protective			4271593
Water added at custo reduce its strength.Bu due to water added abo	omer's own risk. Add uyer's agent agrees to a ove design.	itional water add ccept responsibilit	ed to concrete will	The operator of LEASE to you fi machinery in the	this piece of he or your signature, e manner required tamage to the pre	s of the opinion tha I to perform our or mises or property.	presenting this RE- at the operation of this ontract with you may It is our wish to help	charged at po time charged	sted truck tir at posted tru	cess unloading will be ne rates. Truck standby uck time rates.
Arrived at job with  Added ga  Other additions			Test cylinders taken	you in everyway that you sign th seller of its cont	that we can, but is RELEASE. In tract with me, I th	n order to do this, i consideration of the cundersigned, her image and for all d	the operator is asking e performance of the reby INDEMNIFY the laims to the premises, s, driveway or other	product defect event shall the	seller be lial	y liability of the seller for of the purchase price. In no le for any direct, indirect damages resulting fron rising out of breach of an ages or shortages must be livery. We do not assum to be be the curb line.
Received by . X Buyer's Agent re	eceipt of product	and approval o	of any added items.	and RELEA	at: SE the seller	and its employe	<u> </u>	made within 2 responsibility f	4 hours of de for any dama	elivery.We do not assuming beyond the curb line.
	ind by the coller	no coller accen	ay void any warranty ts no liability for any onal products to our	any liability  Signatu		or its Agent		N. 13308 SPOKANE, (509) 53	. WA	99208-7089
Signat Leave Plant	Arrive Job Site	r its Agent Start Dischar	ge Finish Dischar	ge Leave J		ELTKT090408 crrive Plant				
Drivers' Comments							<u> </u>	* 1		7 7 3 4 *
Order No.		Custo	mer Job	Customer P Phase Code	Э	TICKET 1092		Driver Micha		Co. Proj. No. SP1300 0/14/13
Customer STRIDER Delivery Instruc		OCTION	CO I 5324	elivery Addro	ess NT / F	ARK WA	TER BNSF	odo	Map E3E Scale	Zone 531 14:39
January monde				100				LI-AD-	Time:	Amount
Load Qty 31. Ø5	Delivered Qty 654.49	Order Qty 4 ② ②。	Product Code 10 2350	tn	Product Des 5/8"	cription TOP CO	URSE	UnitPrid		Amount
		<i>}</i>								
Trk: 1		Tare 28300 12280	Net 62100			Pane Daniel Dani	Del CHG	ivery Ch	arge:	
PREV TE		2616 1	# CHECK	/ CREI	DIT CA	RD				
Load Size	Prod. No. [	Description		Slump	Туре	CC Use	Haul Cd.		ales Tax OTAL DUE	

Taken by


44176

Check #

Trailer

Gross Weight Tare Weight Trailer

510136 51.34 20.29 030856



Concrete: Injunious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, further and concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged when handling this product.

Aggregates: Prolonged inhabitions of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271603 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received by X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job Order No. Cust. No SP1300 10927744 Bryan 37606 3007 Date 10/15/13 **Delivery Address** PARK WATER BNSF Мар Zone CONSTRUCTION CO 531 Delivery Instructions Scale Time: 07:44 **Unit Price** Amount **UOM** Product Description Product Code Load Qty **Delivered Qty** Order Qty 400.10 2350 tn 5/8" TOP COURSE 31.09 Net Gross Tare Charge: Delivery 100100 25960 FUEL CHG TRUCK: CARD CREDIT LOAD COUNT: Pit/Plant Sales Tax Haul Cd. Use Type Description Slump Prod No. Load Size **TOTAL DUE** Taken by Trailer Tare Weight Trailer Gross Weight Truck Check # 18.96 030229 50.05 510011

CUSTOMER Concrete: Injunous to eyes. Causes skin imitation. Contains Portland Gement. Read the following warning before using Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with the contact with inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe tiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271604 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request Other additions appurtenances, at: Received bу of product and approval of any added items. and RELEASE the seller and its employees from Buyer's Agent receipt The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. WGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant \_Arrive Job Site Start Discharge Finish Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Phase Code В Garret Customer Job 10927745 Cust. No Order No. 10/15/13 37606 312127 Delivery Address PARK WATER BNSF Zone CUSTOMEDER CONSTRUCTION CO 531 23E 07:52 Scale Time: Delivery Instructions **Amount UnitPrice** Product Description UOM Product Code Delivered Qty Order Qty 5/8" TOP COURSE Load Qty 1: n 62.30 10 400. 31. Net Delivery Charge: Gross 62420 28260 103160 Trk: FUEL CHG 12480 Tralre # PREV TRUCK: 510011 CREDIT CARD CHECK LOAD COUNT: Pit/Plant Sales Tax Haul Cd. CC Use Type TOTAL DUE Description 1729 Prod. No. Load Size

Taken by

11212

Check #

Traile

Trailer

20.37 030616

Tare Weight

Gross Weight

51.58

Trück

pncrete: Injurious to eyes.Causes skin irritation.Contains Portland-Cement. Read the following warning before using Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these reads and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these attends. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, attends, If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, attends, If you have to protect kineses after contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep adds to protect kineses. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact with wet (unhardened) concrete, mortar, cement or cement or cement mixtures. Consult physician immediately. KEEP out of reach of children! User is control fugitive finished to the control fugitive dust should be taken then handing this product.

If you have protective with wet (unhardened) concrete, mortar, cement or cemen CUSTOMER 4271607 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength lue to water added above design. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking you sign this RELEASE. In consideration of the performance of the Arrived at job with inch slump seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all clarms to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cyl nders gal water at customer request. Added Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. bу The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner op its Agent **Arrive Plant** Leave Job Site Finish Discharge Job Site Start Discharge Drivers' Comments Co. Proj. No Customer PO/ Driver TICKET NO. Company/ Phase Code SP1300 Customer Job Luke 10927748 Cust. No. Order No. 10/15/13 Date 37606 3007 Delivery Address PARK WATER BNSF RIDER CONSTRUCTION CO I 5324 TRENT 531 Customer -08:08 Scale Time: **Delivery Instructions** Amount **UnitPrice** Product Description **UOM** Product Code Order Qty TOP COURSE Delivered Qty Load Qty 5/8" t: n 400.10 2350 93.32 31.02 Net Delivery Charge: Tare Gross 62040 27880 102500 FUEL CHG 12580 PREV TRUCK: 510616 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd Use Type Slump TOTAL DUE 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 11212 030162 20.23

51.25

CUSTOMER oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, taterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, taterials. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact mough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe fiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User inscretely this warning to all persons who may use or come into contact with wet (unthardened) concrete, mortar, cement or cement mixtures. Augregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken and fight this product. For plantations of dust from a gravel product may be hazardous to your health may cause severe burns. Wear protective after gravel flowers, pants and gloves). If burned, cool with water and see a physician. 4271610 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, it the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building utilifity principles or callest telephone these discussive or other time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT09040 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company SP1300 Phase Code Steve Customer Job 10927751 10/15/13 Order No. 37606 3007 SISTENTEDER CONSTRUCTION CO I 5324 EN TRENT Zone PARK WATER BNSF 531 08:32 Scale Time: **Delivery Instructions** Amount **Unit Price Product Description UOM** Product Code 5/8" TOP COURSE Delivered Qty Order Qty Load Qty tn 400.10 2350 124.04 30.72 Net Delivery Charge: Tare Gross 61440 28640 102760 FUEL CHG 12680 Trir: PREV TRUCK: 510162 CREDIT CARD CHECK

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd.

Check #

CC

Type

11212

Taken by

Slump

Trailer

COUNT:

Gross Weight

510163 51.38

Prod. No.

Description

Tare Weight

Trailer

20.66 030163

LOAD

Load Size

ncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with read the said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these earliests. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, taken growing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clear water. Indirect contact froishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly nise these materials from clothing. Seek immediately MEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scomfort. In case of eye contact, flush with plenty of water for a CUSTOMER 4271615 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Bryan P Customer Job 10927756 Cust. No. 10/15/13 Order No. Dale 37606 3007 Delivery Address PARK WATER BNSF Map 531 CONSTRUCTION CO I 5324 Customer 09:04 Delivery Instructions Amount Unit Price Product Description **UOM ProductCode** Order Qty 5/8" TOP COURSE Delivered Qty Load Qly tn 400.10 2350 154.27 30.23 Delivery Charge: Net Tare Gross 60460 25960 FUEL CHG 98380 Trks 11960 Trira 510163 PREV TRUCK: CARD CREDIT LOAD COUNT: 5 Sales Tax **Pit/Plant** Haul Cd. CC Use Type TOTAL DUE Slump 109 1 Description Prod. No. Load Size Taken by Check # Trailer

11212

Tare Weight

49.19 18.96 030229

Gross Weight

Truck

5 1 17x17x 1 1

Oncrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them, if inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately. KEEP out of reach of children! User inscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) con CUSTOMER 4271617 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises time charged at posted truck time rates Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design, mch slump Arrived at job with Test cylinders gal water at customer request Added \_seller and its employees for any damage and for all claims to the premises taken building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. by and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N: 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Garrett Order No. Cust. No. 10927758 10/15/13 37606 Date 3007 **Delivery Address** Map Zone CONSTRUCTION CO 532 531 I 09:14 Scale Delivery Instructions Amount **UnitPrice Product Description** Product Code **UOM** Order Qtv Load Qty **Delivered Qty** 5/8" TOP COURSE tn 2350 400.10 185.10 30.83 Net Tare Delivery Charge: Gross 61660 28260 102400 Trks FUEL CHG 12480 Trirs 510011 PREV TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Haul Cd. Pit/Plant CC Slump TOTAL DUE Description 109 Prod. No. Load Size

Taken by

11212

Check #

Trailer

Trailer

20.37 030616

Tare Weight

Gross Weight

51:20

Truck

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, Oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, clean water. Indirect contact inrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe fiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User signess to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective water and see a physician. 4271620 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with **Test cylinders** gal water at customer request Added Y Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. by and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509) NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 1d Customer Job Luke 10927761 Order No. 10/15/13 37606 Date 3007 Delivery Address Zone 531 CUSTOMEDER CONSTRUCTION CO I 09:34 Scale Time **Delivery Instructions** Amount **Unit Price** Product Description LIOM Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 215.63 400. 30.53 Net Tare Gross Delivery Charge: 61060 27880 101520 FUEL CHG 12580 Trirs PREV TRUCK: 510616 CREDIT CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use Slump Type TOTAL DUE 109 Description 1 Prod. No Load Size Taken by

11212

Trailer

20.23 030162

Tare Weight

Gross Weight

50.76

Truck

Check #

<u>oncrete:</u> Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using. Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, tenishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe is scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User scortfort. CUSTOMER 4271621 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway that we can, but in order to do this, the operator is asking you in everyway the operator is asking that we have a support to the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Plant2 Arrive Job Site Start Discharge Finish Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Steve Customer Job 10927762 Cust. No. 10/15/13 Order No. Date 37606 3007 Delivery Address PARK WATER CONSTRUCTION CO I 5324 531 09:47 Scale Time: **Delivery Instructions** Amount **UnitPrice** Product Description **Product Code UOM** Order Qty 5/8" TOP COURSE Delivered Qty Load Qty 400.10 2350 tn 246.56 30.93 Delivery Charge: Tare .Net Gross 61860 28640 103180 FUEL CHG 12680 510162 PREV TRUCK: CARD CREDIT 8 COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type TOTAL DUE Slump 109 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 11212 20.66 030163

51.59

CUSTOMER ncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with read said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these es and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these saids. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. aterials. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water, for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, with wet contact with w 4271626 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby later added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its emphasizes for any damane and for all claims to the premises. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. \_ inch slump. Arrived at job with seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. taken Added \_ Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. SP1300 Company Phase Code Bryan Customer Job 10927767 10/15/13 Cust. No. Order No. 37606 3007 PARK WATER BNSF Delivery Address 531 CONSTRUCTION CO I 532 23E Customer ER 10:17 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code 5/8" TOP COURSE Delivered Qty Order Qty Load Qty tn 2350 400.10 276.17 29.61 Net Delivery Charge: Tare Gross 59220 25960 97140 FUEL CHG Trks 11960 Trire 510163 PREV TRUCK: CARD CREDIT COUNT : LOAD Sales Tax Pit/Plant Haul Cd. Use CC TOTAL DUE Type Slump 1.09 4 Description Prod. No. I nad Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 11212 18.96 030229 SIDUTI 48.57

CUSTOMER Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet ¿oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If the part is a stand or the pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to context, flush with plenty of water for at least 15 mirrules. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken the handling this product.
Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear p 4271627 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other
anountenances. at Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump. Arrived at job with Test cylinders gal water at customer request. Other additions appurtenances, at: Received Buyer's Agent eccipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509)536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code ett B SP1300 Customer Job Cust. No. Garr Order No. 10927768 37606 10/15/13 3007 **Delivery Address** WATER BNSF 5324 TREN CONSTRUCTION CO I 531 10:32 Delivery Instructions Amount **Unit Price** Product Description UOM Product Code Delivered Qty Order Qty Load Qty 5/8" TOP COURSE 400.10 2350 tn 308.05 31.88 Tare Gross Delivery Charge: 63760 104500 28260 FUEL CHG 12480 Trlr: PREV TRUCK: 510011 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type TOTAL DUE Description Prod. No. 109 Load Size Taken by Check # Trailer

11212

Tare Weight

20.37

030616

Gross Weight

52, 25

Concrete Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with new sex and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If the provide in the past to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials after mixtures are through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing in section of the first product may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release CUSTOMER 4271630 Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength, Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you tor your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates. due to water added abovy Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived all job with Test cylinders dal water at customer request, Added Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments .Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Luke 10927771 Cust. No. Order No. 10/15/13 606 Date 300 Delivery Address PARK WATER BNSF Мар SUSTEMBER CONSTRUCTION CO I 531 10:58 **Delivery Instructions** Amount **Unit Price** Product Description Product Code **UOM** Order Qty 5/8" TOP COURSE Delivered Qty Load Qty 400.10 2350 tn 340.10 32.05 Tare Gross 64100 27880 104560 FUEL CHG 12580 PREV TRUCK: 510616 CREDIT CHECK LOAD . COUNT: Sales Tax Pit/Plant Haul Cd. Use CC Type Slump TOTAL DUE Description 109 Prod. No. 1 Load Size Taken by Trailer Check # Trailer Tare Weight Gross Weight Truck

11212

52.28 20.23 030162

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, mhardened-concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with respect and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and bight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly inse these materials from clothing. Seek immediately KEEP out of reach of children! User discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271631 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_ inch slump. Arrived at job with Test cylinders \_\_ gal water at customer request. Other additions appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509)536-3151 mixer. Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Plant | Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Co. Proj. No. Driver Company/ TICKET NO. Phase Code Customer Job SP1300 Cust. No. Steve Order No. 37606 10/15/13 Date 3007 Delivery Address PARK WATER BNSF CONSTRUCTION CO 531 23E 11:13 Scale Time: Delivery Instructions Amount Unit Price Product Description LIOM Product Code **Delivered Qty** Order Qty Load Qty 5/8" TOP COURSE 400.10 2350 31.01 Net Delivery Charge: 2059 28640 62020 Triks FUEL CHG 510162 TRUCK: CHECK COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Slump Type Description TOTAL DUE Prod. No 109 Load Size Taken by Trailer Check # Trailer

11212

Tare Weight

20.66 030163

Gross Weight

51.67

Truck

STORY PROPERTY.						O-start with	wet	CUSTO	MER	
nhardened concrete, nees and skin. Wear waterials. If you have to finishing concrete, wearough clothing is as o issoomfort. In case of eigrees to convey this waterials. Prolon when handling this products the search of the control o	nortar, cement of ce atterproof gloves, a o stand in wet concor ar knee pads to prote tangerous so promo ye contact, flush with warning to all persor ged inhalations of dit ct. <u>Hot Asphalt</u> se nants and glow	fully-buttoned, long-sete, use waterproof bet knees. After contactify in the set make a plenty of water for a se who may use or cost from a gravel progenities nuisance fur emits nuisance fur set). If burned, cool w	s Portland Cement. Re ause skin imitation, seve leeve shirt, full-length tro oots that are tight at the t with any of these materi rials from clothing. Seel at least 15 minutes. Consome into contact with w duct may be hazardous t mes. Avoid breathing fur ith water and see a phy	users and tight-fi top and high end als, wash off imm i immediate med sult physician imn et (unhardened) o your health. Me mes. Also, Aspha sician.	ting eye protection by the keep con ediately with fresh ical attention if you ediately. KEEP concrete, mortar, easures to control att may cause se	on when working with crete from flowing into clean water. Indirect or but have persistent or out of reach of childrer cement or cement mit fugitive dust should be evere burns. Wear pro-	these them. sontact severe at User schress e taken olective			4271632
Vater added at custo educe its strength. But us to water added above Arrived at job with Added gat Other additions Received	mer's own risk. Ad yer's agent agrees to ve design.	ditional water adde accept responsibility inch slump. ner request.	d to concrete will for reduced strength  Test cylinders taken	The operator of LEASE to you f machinery in the possibly cause you in everyway that you sign the seller of its con-	i this piece of in- for your signature, e manner require damage to the pi y that we can, but is RELEASE. In tract with me, I that uployees for any opipelines or cab	nification & Rele eavy equipment, in pri- is of the opinion that the dot perform our conf- remises or property. It in order to do this, the consideration of the pre- lamage and for all clair les, telephone lines,	ne operation of this ract with you may is our wish to help operator is asking performance of the y INDEMNIFY the ms in the premises.	charged at time charge Limited Wa product defevent shall incidental of the use of the warranty. A	posted truck tired at posted truing tranty. The online of is the return of the seller be list or consequential the products or all claims for damage.	cess unloading will be ne rates. Truck standby uck time rates.  y liability of the seller for if the purchase price. In no ole for any direct, indirect, damages resulting from rising out of breach of any ages or shortages must be elivery. We do not assume ge beyond the curb line.
The addition of an	y extra products	to our mixer ma	f any added items. y void any warranty is no liability for any onal products to our	any liability	<i>1</i> .	and its employees		SPOKAN	02 PERF E, WA 536-315	99208-7089
Signat	ure of Owner	or its Agent		a valentijiste pr		DELTKT090408 Arrive Plant				- 663
Leave Plant		Start Dischar	Finish Discha	rge Leave J	ob Site	Allive Flair				
Drivers'					1		I.	* 1 (	9 2	7 7 7 3 *
Comments		P								
Order No. 3007  Sustomer E			pany/ mer Job CO I 532	Customer F Phase Cod Delivery Add	e	TICKETN 10927 PARK WAT	773		Date Map Scale Time:	Co. Proj. No. SP1300 10/15/13 Zone E S31 11:44
								Unit	Price	Amount
Load Qty 30.24			ProductCode 10 2350	tn	Product De	TOP COL	JRSE	O.III		
										Y
		Theresa	Net							
Trk: Trlr:	Gross 98400	Tare 25960 11960	60480			FUEL		iveny (	Charges	
	milmi/ re-	400467	#							
LOAD C	RUCK: '5 DUNT:	13	CHECK	/ CRE	DIT CA	ARD				
		Description		Slump	Туре	CC Use	Haul Cd.	Pit/Plant	Sales Tax	
Load Size	Prod. No.	Description					1	109	TOTAL DUE	
Truck Gr	ross Weight	Tare Weight	Trailer	Trailer 1	aken by		Check #			

11212

Truck

Gross Weight

510011 49.20 18.96 030229

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, what the control of t 4271633 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersinged hereby INDEMNIEY that Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. fue to water added above design. inch slump. Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders water at customer request. taken Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent crive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company B SP1300: Phase Code Garrett Customer Job 10927774 Cust. No. Order No. 10/15/13 37606 Date 3007 Delivery Address Мар WATER BNSF 531 CUSTONIER CONSTRUCTION CO I 5324 235 11:47 Scale Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 400.10 2350 432.71 31.36 Delivery Charge: Net Tare Gross 62720 28260 103460 FUEL CHG Trk: 12480 PREV TRUCK: 510011 CARD CREDIT CHECK 14 COUNT: LOAD Sales Tax Pit/Plant Haul Cd Use CC Type TOTAL DUE Slump 125 Description Prod No. Load Size Taken by Check # Trailer

11212

Tare Weight

20.37

030616

Gross Weight

51.73

Truck

Trlr:	103460 27 18 RUCK: 5106 OUNT: 15	are Net 880 63000 580 16 # CHI	ECK / CREDIT Slump Type			ivery Char	Тах
Trk: Trlr:	103460 27 12 RUCK: 5106	880 63000 580 16 #_		CARD	CHG		
Trk: Trlr:	103460 27 12 RUCK: 5106	880 63000 580 16 #_	ECK / CREDIT	20000000000000000000000000000000000000		ivery Char	ge:
Trk:	103460 27 12	880 63000 580		FUEL		ivery Char	ge:
31.50	103460 27	880 63000		FUEL		ivery Char	ge:
31.50	103460 27	880 63000		FIF		ivery Char	ge:
31.50					Del	iverv Charl	ge:
	<						
	(		~				
	T 2001 2 20 2000 do						
100	Bon to Let	order Qty Production 400.10 235		8" TOP COL	JRSE		
	Delivered Oh.	order Oty Product	Code UOM Produc	t Description		UnitPrice	Amount
						Time:	
livery Instruc						Scale	12:17
stomer TRIDEF	CONSTRUC	TION CO I 5	324 E TRENT	/ PARK WAT	ER BNSF	Map	Zone 23E . \$31
207	37600		Delivery Address			Date -	10/15/13
rder No.	Cust. No.	Customer Job	Phase Code	10927		Luke W	SP1300
ind Kerner's transference	T . " " D Street or other for a popular may last think a Think of	Company/	Customer PO/	TICKET	10	Driver	Co. Proj. No
mments					and the second second second	g on the appears on your and the same same and post on a significant	and the second second second
vers'	•					* 1 9 9	2 7 7 7 6
1220	:			•			
Signal eave Plant	ture of Owner or its	Agent t Discharge Finish D		Arrive Plant			11001 1001 1001 1001 1001
er.			Signature or o	wner or its Agent		(509) 536-	
		eller accepts no liability for ding additional products	to our	i Amara		N. 13302 P SPOKANE, W	ERRY RD A 99208-70
	mandinata to ou	approval of any added	rranty any liability.	seller and its employee	S IIOIII		
eived	DKI	approval of any added		all a god ita garaja.	e from	responsibility for any	damage beyond the curb l
er additions	610	NED	building, utility pipelines of appurtenances, at:	or cables, telephone lines,	driveway or other	warranty. All claims to	or damages of shortages inc
ed g	al water at customer re-	quest. taken	seller of its contract with m	ne, I the undersigned, herei named and for all claim	ns to the premises.	incidental or conseq	uential damages resulting
ved at job with	I		you in everyway that we ca	in, but in order to do this, the	e operator is asking nerformance of the		he only liability of the selle eturn of the purchase price, l be liable for any direct, indi
o water added abo	ve design.		machinery in the manner r	required to perform our con	is our wish to help	time charged at pos	ted truck time rates.
r added at custo	omer's own risk. Additionativer's agent agrees to accept	I water added to concrete w responsibility for reduced stren	gth The operator of this piece	of heavy equipment, in p	he operation of this	charged at nosted to	by Excess unloading will uck time rates. Truck stan
handling this prod v near (long slee	ves, pants and gloves). If b	urned, cool with water and se	e a physician.	demnification & Rele	ase		
- 101	Malling of the property with	THEY USE OF COLUMN PINE TO	is: Consuit physician muneualiay. No I with wet (unhardened) concrete, m ardous to your health. Measures to c thing furnes. Also, Asphalt may cau he a physician.	content function duct chould be	e taken		
regates: Proloi	dangerous so prorriphy rins eve contact, flush with plenty	of water for at least 15 minute	s. Consult physician immediately. K	EEP out of reach of children	n! User ixtures		427163
gh clothing is as imfort. In case of e is to convey this iregates: Prolo	on into home a biomination	Marchinol poor aucres al.	the state of immediately with	froch clean water indirect i	contact		
ials. It you have thing concrete, we gh dothing is as mfort.In case of € to convey this regates: Protor	io stand in wet concrete, us ar knee pads to protect knee	Honord Innovelegue shirt full-le	ent. Read the following warning n, severe chemical burns or serious noth trousers and tight-fitting eye pi	rotaction when working with	these		
dened concrete, and skin. Wear waiss. If you have thing concrete, weigh dothing is as infort. In case of each to convey this regates: Prolonger	mortar, cement of cement in waterproof gloves, a fully-bu to stand in wet concrete, uso var knee pads to protect knee	nixtures can cause skin irritatio	ent Read the following warning	before using: Contact with	n wet,		

11212

Tare Weight

510162 51.73 20.23 030162

Gross Weight

Truck :

Concrete: Injurious to eyes.Causes skin irritation,Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senious eye damage. Avoid contact with eyes and skin. Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tigh-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dargereates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken thandling this product.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken thandling this product.

By Control of the product was a product may be hazardous to your health. Measures to control fugitive dust should be taken thandling this product.

By Control of the product was a product may be hazardous to your health. Measures to control fugitive dust should be taken thandling this product.

By Control of the product was a product may be hazardous to your health. Measures to control fugitive dust should be taken than the product may be hazardous to your health. Measures to control fugitive dust should be taken than the product may be hazardous to your health. Measures to control fugitive dust should be taken than the product may be hazard 4271636 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_ inch slump. Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY 99208 SPOKANE. WA Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge 5 Drivers Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code **Customer Job** SP1300 Steve Order No. 1092777 EVE 10/15/13 3007 Date Delivery Address Customer ER CONSTRUCTION -00 531 12:29 **Delivery Instructions** Amount **UnitPrice** Product Description **UOM** Product Code Order Qty Load Qty Delivered Qty 5/8" TOP COURSE tn 2350 400. Net Tar Gross Delivery 62600 28640 103920 Trk: FUEL CHG 12680 Trire PREV TRUCK: 510162 CHECK CREDIT LOAD COUNT: Sales Tax **Pit/Plant** Haul Cd. Type Slump Description Prod No. TOTAL DUE Load Size 109 Taken by Trailer Tare Weight Trailer Check # **Gross Weight** 

11212

030163

51.96 1,20.66

510163

CUSTOMER

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Gement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dargees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

\*\*Men Handling\*\* this product.\*\*

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271640 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. LEASE to you for your signature, is or the opinion that the operation or this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions\_ Received appurtenances, at. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant Drivers' Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job SP1300 Order No. Cust. No. Bryan 37606 3007 10/15/13 Date Delivery Address Customer CONSTRUCTION CO 531 13:01 Delivery Instructions Scale Time: Amount **Unit Price Product Description** UOM Order Qty Product Code **Delivered Qty** Load Qty 5/8" TOP COURSE tin 400.10 2350 30.10 Net Gross Delivery Charge: 60200 98120 25960 Trk: FUEL CHG 11960 Trlr: PREV TRUCK: 510163 CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Type Description Prod. No. Load Size 109 **TOTAL DUE** Taken by Trailer

Check #

Gross Weight

49.06

Truck

Tare Weight

18.96 030229

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Gernent. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with severe and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discornfort. In the same of the property of CUSTOMER 4271643 agrees to convey this warning to all persons who may use or come into contact with wet (urmandened) concrete, mortain, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt entits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and the ampliance for any damage and for all damage to the premises. inch slump. Arrived at job with Test cylinders gal water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other taken Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 WA SPOKANE. Signature of Owner or its Agent mixer. (509)536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site Arrive Job Site Start Discharge eave Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job B SP1300 Order No. Cust. No ett Garr 10927784 37606 10/15/13 3007 Delivery Address WATER BNSF CONSTRUCTION CO 531 13:15 Scale Time: Delivery Instructions Amount **Unit Price UOM Product Description ProductCode** Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tn 400.10 2350 31.44 557.05 Net Tare Gross Delivery Charge: 62880 28260 103620 Trks FUEL CHG Trira 510011 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax Haul Cd. Pit/Plant Use Туре CC Slump Prod. No. Description **TOTAL DUE** Load Size 109 Taken by Trailer Trailer Check # Tare Weight Gross Weight Truck 11212

030616

20.37

51.81

C1176.16

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Gement. Read the following warning before using: Contact with wet, unhardened/concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discormfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when harding this product. Agphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271644 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with **Test cylinders** gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received bу Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Arrive Job Site Start Discharge Finish Discharge Leave Drivers Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code **Customer Job** SP1300 Cust No Order No. 10927785 -1446 10/15/13 Date 5324 E TRENT PARK WATER BNSF Мар STRIBER CONSTRUCTION CO 531 13:34 **Delivery Instructions** Amount **Unit Price** Product Description LIOM Order Qty Product Code **Delivered Qty** Load Qty 5/8" TOP COURSE tin 588.69 400.10 2350 31.64 Tare Net Gross Delivery Charge: 27880 63280 103740 FUEL CHG 12580 Trir: PREV TRUCK: 510616 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant \_Haul\_Cd Use Type Description Prod. No. Load Size 109 TOTAL DUE 1 Taken by Trailer Check # Gross Weight Tare Weight Truck

11212

20.23 030162

510162. 51.87

Concrete: Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly ninse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement muctures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Pronerty Damage Indem CUSTOMER Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with \_ Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the \_\_ gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Customer Job SP1300 Cust. No Steve Order No. 10927787 7606 3007 10/15/13 Date Delivery Addres WATER BNSF Map CONSTRUCTION CO 531 14:01 Delivery Instructions Amount **Unit Price** Product Description **UOM** Order Qty Product Code **Delivered Qty** Load Qty 5/8" TOP COURSE 400.10 620.11 Net Tare Gross Delivery Charge: 62840 28640 Trk: -104160 FUEL CHG 12680 510162 PREV TRUCK: CREDIT CHECK LOAD COUNT: Sales Tax Haul Cd. Pit/Plant Type Description Prod. No. **TOTAL DUE** Load Size 109 1 Taken by Trailer Tare Weight Trailer Check # **Gross Weight** 

11212

20.66 030163

Truck

510163

52. 28

CUSTOMER Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agoregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control funding dust should be taken 4271650 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume Arrived at job with inch slump. **Lest cylinders** water at customer request Added seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA Signature of Owner or its Agent mixer. (SB9) 536 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Arrive Job Site Start Discharge Leave Job Site Drivers Comments Company/ Customer PO/ Co. Proj. No. TICKET NO. Driver Order No. Customer Job Phase Code Cust. No 10927791 Garrett B SP1300 7606 3007 10/15/13 Date Delivery Address Mag 531 **Delivery Instructions** Scale Time: 14:27 **UnitPrice** Amount Load Qty Order Qty Product Code **UOM** Product Description **Delivered Qty** 5/8" TOP 30.75 650,86 400. 2350 tn COURSE Net Gross 102240 28260 61500 Delivery Charge: Trk: FUEL CHG 12480 PREV TRUCK: 510163 CHECK CREDIT LOAD COUNT: Haul Cd. Pit/Plant Sales Tax Prod. No Description Slump Type Load Size 109 **TOTAL DUE** Taken by

Check #

Truck

510616

**Gross Weight** 

51.12

Tare Weight

20.37

Trailer

030616

Trailer

## 5/8" Top Course Weight Tickets 10/16/13

**Parkwater Construction Engineering** 

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with ayes and skin Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through dothing is as dangerous so promptly inise these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dagrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken with mandling this product. Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271658 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is or trie opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage, and for all delime to the premises. time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with nch slump Test cylinders dal water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other taken Other additions appurtenances, at: bу Buyer's Agent receip of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Leave Plant Arrive Job Site Start Discharge **Drivers** Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Garrett B SP1300 Customer Job 10927799 Cust. No. Order No. 606 10/16/13 Date CONSTRUCTION CO I 532 Pelivery Address PARK WATER BNSF Map 531 23E 07:44 Delivery Instructions Amount **UnitPrice Product Description** Product Code UOM Order Qty **Delivered Qty** Load Qty COURSE 5/8" TOP tn 400.10 2350 13 31.13 31. Net Tare Gross Delivery Charge: 28260 62260

FUEL CHG

Use

Haul Cd.

Check #

Sales Tax

TOTAL DUE

Pit/Plant

109

CARD

CC

CREDIT

Taken by

11212

Slump

Trailer

CHECK

Trailer

030616

103000

TRUCK :

COUNT:

Prod. No.

51.50

Gross Weight

12480

Description

Tare Weight

20.37

Trks

PREV

Load Size

510616

CUSTOMER Oncrete. Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, reading concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe fiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User siscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User siscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User siscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User siscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User siscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children in the contact with wet (unhardened) concrete, mortar, cement or cement mixture 4271663 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_ inch slump. Arrived at job with . Test cylinders gal water at customer request. Other additions appurtenances, at: and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-31,51 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Leeve Plant Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Stev Cust. No. 10927804 Order No. 0/16/13 37606 3000 Delivery Address Sustement CONSTRUCTION CO I 532 531 08:24 Delivery Instructions Amount Unit Price **Product Description UOM** Product Code Order Qty Delivered Qty Load Qty 5/8" TOP COURSE tn 400.10 Gross Tare Delivery 62240 28640 FUEL CHG 12680 PREV TRUCK: CARD COUNT: Sales Tax Haul Cd. Pit/Plant CC Type Slump **TOTAL DUE** Description Prod. No., 109 Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 11212 20.66 030163 51.78

CUSTOMER bncrete. Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Seek immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact income forming is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product.

\*\*Hot Asphalt\*\* emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective rafety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271666 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: \_\_ inch slump. Arrived at job with Test cylinders \_\_ gal water at customer request. taken Added \_\_\_\_ Other additions Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Finish Discharge 0:00 Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No Customer PO Driver TICKET NO. SP1300 Company/ Michael Phase Code Customer Job 10927807 10/16/13 Cust. No. Order No. 37606 Date 3000 PARK WATER BNSF Delivery Address Map 531 SUSTEMPEDER CONSTRUCTION CO I 532 23E 08:53 Scale Time: Delivery Instructions Amount **Unit Price Product Description UOM ProductCode** 5/8" TOP COURSE Order Qty Delivered Qty Load Qty tn 93. 13 2350 400.10 30.88 Net Delivery Charge: Tare Gross 61760 28300 Trk: 102340 FUEL CHG 12280 Trlr: 510163 PREV TRUCK: CARD CREDIT COUNT: IDAD Sales Tax Pit/Plant Haul Cd. Lise CC Type Slump TOTAL DUE Description Prod. No. Load Size

Taken by

11212

Trailer

Trailer

030856

Tare Weight

20.29

Gross Weight

51.17

Truck

510136

Check #

CUSTOMER <u>oncrete:</u> Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with research skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If the proving concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incomplete the wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incomplete in the protection of t 4271667 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump Arrived at job-with seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. Added taken Other additions Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent rrive Plant Leave Job Site Finish Discharge Arriye Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ B SP1300 Phase Code ett Garr Customer Job 10927808 Cust. No. Order No 10/16/13 Date 37606 3000 Delivery Address PARK WATER BNSF Мар CONSTRUCTION CO I 5324 531 E 09:04 Scale Delivery Instructions Amount **UnitPrice** Product Description **ProductCode UOM** 5/8" TOP COURSE Order Qty Delivered Qty Load Qty tn 2350 400.10 124.12 30.99 Delivery Charge: Tare Net Gross 61980 28260 102720 FUEL CHG Trk:

CARD

Type

11212

Taken by

CC

Sales Tax

TOTAL DUE

Pit/Plant

109

Haul Cd.

Check #

Use

CREDIT

Slump

Trailer

Trailer

030616

12480

Description

Tare Weight

20.37

510136

Trire

LOAD

Load Size

Truck

PREV TRUCK :

COUNT:

Prod No.

**Gross Weight** 

SIDE15 51.36

oncrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Rehardened concrete, mortar, cement, or cement mixtures can cause skin irritation, seves and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length to attenals. If you have to stand in wet concrete, use waterproof boots that are tight at the finishing concrete, wear knee pads to protect knees. After contact with any of these materough clothing is as dangerous so promptly rinse these materials from clothing. Se scornfort in case of eye contact, flush with plenty of water for at least 15 minutes. Congress to convey this warning to all persons who may use or come into contact with a garregates: Prolonged inhalations of dust from a gravel product may be hazardous then handling this product.  Hot Asphalt emits nuisance furnes. Avoid breathing firest length if humsel cool with water and see a process of the proof with water and see a process in the proof with water and see a process in the proof water and see a process of the proof water and see a process of the proof with water and see a process wat	rousers and tight-fitting eye protection when working with these to pand high enough to keep concrete from flowing into them erials, wash off immediately with fresh, dean water. Indirect contact ek immediate medical attention if you have persistent or severe insult physician immediately. KEEP out of reach of children! User wet (unhardened) concrete, mortar, cement or cement mixtures to your health. Measures to control fugitive dust should be taken turnes. Also, Asphalt may cause severe burns. Wear protective thysician.	4271674
afety gear (long sleeves, partis and gloves). It buthough the strength Buyer's agent agrees to accept responsibility for reduced strength buyer's agent agrees to accept responsibility for reduced strength use to water added above design.  Armived at job with	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at:	Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	y any habinty.	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge  Finish Discharge  Drivers'	arge Leave Job Site Arrive Plant	
Order No. Cust. No. Customer Job	Customer PO/ Phase Code TICKET NO.	Driver Co. Proj. No.
Order No. Cust. No. Customer Job	Phase Code 10927815	Frank T SP1300 Date 10/16/13
Order No. Cust. No. Company/Customer Job 37606  Customer Len Construction Co I 532	Phase Code 10927815  Delivery Address / PARK WATER BNSI	Frank T SP1300 Date 10/16/13 F Map Zone 23E S31 Scale 10:07
Order No. Cust. No. Customer Job 37606  Customer Constructions  Customer Load Qty Delivered Qty Order Qty Product Code	Phase Code  10927815  Delivery Address / PARK WATER BNSI  E UOM Product Description	Frank T SP1300  Date 10/16/13  Map Zone 23E S31  Scale 10:07
Order No. Cust. No. Customer Job 37606  Customer Constructions  Customer Load Qty Delivered Qty Order Qty Product Code	Phase Code  10927815  Delivery Address / PARK WATER BNSI  e UOM Product Description  tn 5/8" TOP COURSE	Frank T SP1300  Date 10/16/13  Map Zone 23E S31  Scale 10:07
Order No. Cust. No. Customer Job 37606  Customer ER CONSTRUCTION CO I 532  Delivery Instructions  Load Qty Delivered Qty Order Qty Product Code 31.84 155.96 400.10 2350  Trk: 104260 28300 63680  Trlr: 12280	Phase Code  10927815  Delivery Address / PARK WATER BNSI  e UOM Product Description tn 5/8" TOP COURSE	Frank T SP1300 Date 10/16/13  Map Zone 23E S31 Scale 10:07  UnitPrice Amount

oncréte: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, if you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials, wash of immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP o CUSTOMER 4271675 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may receible council damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. inch slump. Arrived at job with Test cylinders gal water at customer request. taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Leave Job Site Arrive Job Site Start Discharge **Drivers** Comments Co. Proj. No. Customer PO/ Driver .. TICKET NO. Company/ Phase Code SP1300 Customer Job Luke 10927816 Cust. No. Order No. 10/16/1 Date 376DE 3000 Delivery Address WATER BNSF Map TRENT 531 CONSTRUCTION CO I 5324 Customer E 10:14 Scale Delivery Instructions Amount **Unit Price** Product Description **UOM** Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty 2350 400.10 187.98 32.02 Net Delivery Charge: Tare Gross E4040 27880 104500 CHG FUEL 12580 510136 PREV TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type Slump TOTAL DUE 1-09 Description Prod. No. Load Size Taken by Check #

11212

Trailer

20.23 030162

Tare Weight

**Gross Weight** 

52, 25

Nacrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with es and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these and still a standard to concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact inshing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous op out or distinct the second contract with wet (unhardened) concrete, mortar, cement or cement mixtures. It is a second convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. It is a second convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. It is a second convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. It is a second convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Also, Asphalt may cause severe burns. Wear protective then handling this product. Hot As CUSTOMER 4271676 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sinn this RELEASE. In consideration of the performance of the Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. you in everyway und we can, but in order to do units, are operation is asking that you sign this RELEASE. In consideration of the performance of the inch slump. Arrived at job with ellar you sign this INCLEASE. In consueration of the penormance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders dal water at customer request. taken Added Other additions Received by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. 13302 PERRY RD any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave Plant Drivers Comments Co. Proj. No. Customer PO TICKET NO. SP1300 Company/ B ett Phase Code Garr ,10927817 Customer Job 10/16/13 Cust. No. Order No. Dale EDE 3000 PARK WATER BNSF Мар Delivery Address 531 23E CONSTRUCTION CO 10:23 Delivery Instructions Amount **Unit Price** Product Description **UOM ProductCode** 5/8" TOP COURSE Order Qty Delivered Qty Load Qty t: n 400. 10 219.01 31.03 Delivery Charge: Net Tare Gross 62060 28260 102800 FUEL CHG 12480 510162 PREV TRUCK: CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type TOTAL DUE Slump 109

Taken by

11212

Trailer

Trailer

030616

Check #

Description

Tare Weight

20.37

Prod. No.

51.40

Gross Weight

Load Size

CUSTOMER Discrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these attends. If you have to stand in wet concrete, use waterproof boots that are light at the top and high enough to keep concrete from flowing into them. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact with water (unhardened) concrete, mortar, cement or cement mixtures. In a contact with wet (unhardened) concrete, mortar, cement or cement mixtures are protected in the first of th pncrete: injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet 4271683 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Vater added at customer's own risk. Additional water added to concrete will educe its strength Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking lue to water added above design. \_ inch slump that you sign this RELEASE. In consideration of the performance of the Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at gal water at customer request. taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Frank Customer Job 10927824 Cust. No. 10/16/13 Order No. Date 37606 3000 **Delivery Address** Мар PARK WATER BNSF CONSTRUCTION CO I 5324 E TRENT 531 23E RIDER 11:27 Delivery Instructions Amount **Unit Price** Product Description UOM Product Code Order Qty 5/8" TOP COURSE Delivered Qty Load Qty tn 400.10 2350 250.42 31.41 Delivery Charge: Net Tare Gross 62820 103400 28300 FUEL CHG 12280 510616 PREV TRUCK : CARD CREDIT COUNT: LOAD Sales Tax **Pit/Plant** Haul Cd. CC Use Туре TOTAL DUE Slump Description | Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** 

11212

030856

20.29

oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement matures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, faishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact frough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach or climitation grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. In a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product. Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective rately gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release. CUSTOMER 4271685 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength lue to water added above design. charged at posted truck time rates. Truck standby LEASE to you tor your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE in consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request. Added taken Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Comments Co. Proj. No. Customer PO/ Driver -TICKET NO. Company/ Phase Code SP1300 Customer Job Luke 10927826 Cust. No. Order No. 10/16/13 37606 Date 3000 Delivery Address PARK WATER BNSF 531 532 SUPPLIER CONSTRUCTION CO I 11:44 Scale Time: Delivery Instructions Amount **UnitPrice Product Description UOM Product Code** Order Qty Delivered Qty 5/8" TOP COURSE Load Qty t: n 400.10-2350 281.90 31.48 Net Delivery Charge: Tarres Gross 62960 27880 103420 Trk: FUEL CHG 12580 Trlr: PREV TRUCK: 510136 CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd LISA CC Type TOTAL DUE Slump 109 Description Prod. No Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** Truck 11212 030162 20.23 51 M.LER

CUSTOMER ncrete: Injurious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using. Contact with wet lardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with the and skin Most uselement globes a fall-buttered long closus shirt full length transport and fall the state of the sta iardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these iterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Insting concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact output of control to the service of the service of these materials, wash off immediately with fresh, clean water. Indirect contact with control to the service of the service of these materials from clothing. Seek immediate medical attention if you have persistent or severe output of the service of the 4271686 afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this later added at customer's own risk. Additional water added to concrete will iduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employance for any damage and for all claims to the premises. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. inch slump Arrived at job\_with seller or its contract with rine, i the undersigned, hereby INIDENINITY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Test cylinders gal water at customer request. taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. by N: 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 99208-7089 WA SPOKANE. Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers Comments Co. Proj. No. SP1300 Customer PO/ Driver TICKET NO. ett B Company Phase Code Gar 10927827 10/16/13 Customer Job Order No. Dale EWE 3000 CONSTRUCTION CO I 5324 E TREN PARK WATER BNSF Map 531 23E 11:46 Scale Time: Delivery Instructions Amount **Unit Price** Product Description **LIOM** Product Code COURSE TOP Order Qty 5/8" Delivered Qty tn Load Qty 10 400. 31.45 343.3 Delivery Charge: Net Tare Gross 62900 28260 FUEL CHG 103640 Trks 12480 Trira 510162 PREV TRUCK: CREDIT COUNT: OAD Sales Tax Pit/Plant Haul Cd. CC Use TOTAL DUE Type 109 Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight 11212

030616

20.37

51.82

Truck

SIMELE

<u>oncrete:</u> Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these laterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Infinishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from colthing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KiEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KiEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product.

Hot Asphalt. emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective fafety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271689 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking due to water added above design. \_\_ inch slump. that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added Other additions appurtenances, at: Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. ? Customer PO/ TICKET NO. Company/ SP1300 Phase Code Frank Customer Job 10927830 Cust. No. 10/16/13 Order No. Date 37606 3000 Delivery Address PARK WATER BNSF Map 531 CONSTRUCTION CO I 5324 Customer E TRIDER 12:38 **Delivery Instructions** Amount **UnitPrice** Product Description UOM **Product Code** Order Qty 5/8" TOP COURSE Delivered Qty Load Qty 400.10 2350 345.19 31.84 Delivery Charge: Net Tare Gross

CREDIT

Slump

Type

11212

Taken by

FUEL CHG

Use

CC

Haul Cd

Check #

Sales Tax

TOTAL DUE

Pit/Plant

63680

Trailer

030856

28300

12280

Description-

Tare Weight

20.29

510616

Trk: 104260

PREV TRUCK:

COUNT:

Prod. No.

52.13

**Gross Weight** 

Trlr:

I DAD

Load Size

C 14711 7.6.

Truck

oncrete: Injurious to eyes.Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, inardened concrete, mortar, cement or cement mutures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, atterials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials from clothing. Seek immediately with fresh, clean water. Indirect contact scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach o CUSTOMER 4271690 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. \_\_ inch slump. Arrived at job with \_ Test cylinders gal water at customer request. taken Other additions and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Steve 10927831 Customer Job Cust. No. 10/16/13 Order No. 37606 3000 Custom Delivery Address STRIDER CONSTRUCTION CO I 5324 E REN PARK WATER BNSF 531 12:55 Delivery Instructions Amount **Unit Price** Product Description MOU Product Code Order Qtv 5/8" TOP COURSE Delivered Qty Load Qly 400.10 2350 tn 376.13 30.94 Net Delivery Charge: Tarre Gross 61880 28640 Trk: 103200 FUEL CHG Trirs PREV TRUCK: 510136 LOAD COUNT: 12 Sales Tax Pit/Plant Haul Cd Use CC Type TOTAL DUE 1.09 Prod. No. , Description Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight

11212

20.66 030163

510163 51.60

Concrete: "Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have pasts to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing sea dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe inscornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocornfort. In contact with wet (unhardened) concrete, mortar, cement or cement motures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Aghalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271692 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you ging this RELEASE. In consideration of the performance of the due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the gal water at customers request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other taken Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge eave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. SP1300 Phase Code ett В Customer Job Garr 10927833 Cust. No. Order No. 10/16/13 37606 3000 Date Delivery Address PARK WATER BNSF Мар CONSTRUCTION CO I 532 531 Customer 13:14 Scale Time: **Delivery Instructions** Amount **Unit Price** Product Description **Product Code UOM** Order Qty **Delivered Qty** 5/8" TOP COURSE Load Qty tn 2350 400.10 407.71 31.58 Net Tare Gross Delivery Charge: 63160 28260 103900 FUEL CHG 12480 Trlr: PREV TRUCK: 510163 CARD CREDIT CHECK 13 COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Slump Type 109 TOTAL DUE Prod. No. Description Load Size Taken by Trailer Check # Tare Weight Trailer **Gross Weight** Truck

11212

030616

20.37

51.95

51061E

CUSTOMER oncrete: injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet oncrete: Injunous to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with wet expected and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these retarded in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate, KEEP out of reach of children! User to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4271694 iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, INEEP out of reach of children! User grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective with the product of the product o safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Property Damage Indemnification & Release Property Damage Indemnification & Release

The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me, I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch siump. Arrived at job with Test cylinders taken gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Added Other additions appurtenances, at: Received by Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD any liability. 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No Custome PO/ Driver Company/ TICKET NO. SP1300 Phase Code Luke Customer Job 10927835 Cust. No. Order No. 10/16/13 EVE Date 37 BODO Delivery Addre 531 23E CONSTRUCTION CO 13:25 Scale Time: Delivery Instructions **Amount Unit Price** Product Description **UOM** Product Code Order Qty 5/8" TOP COURSE Load Qty Delivered Qty tn 400.10 439.72 32.01 Net Delivery Charge: Tare Gross 64020 27880 104480 FUEL CHG 12580 TRUCK: CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use CC Type TOTAL DUE Slump 109 Description Prod. No. Load Size

Taken by

11212

Trailer

030162

Tare Weight

20.23

Gross Weight

52, 24

Truck

510162

Check #

oncrete injurious to eyes. Causes skin irritation. Contains Portland Cement. Rea hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe se and skin. Wear waterproof glows, a fully-buttoned, long-sleeve shirt, full-length trous aterials. If you have to stand in wet concrete, use waterproof boots that are tight at the traterials from contain a set angerous so promptly rinse these materials from clothing. Seek scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consugrees to convey this warning to all persons who may use or come into contact with wet ggregates: Prolonged inhalations of dust from a gravel product may be hazardous to the handling this product.  Hot Asphalt emis nuisance furnes. Avoid breathing furner labeless and slowes) If humed, cool with water and see a physical case.	sers and bight-titing eye protection when working with these op and high enough to keep concrete from flowing into them. Is, wash off immediately with fresh, dearn water. Indirect contact immediate medical attention if you have persistent or severe all physician immediately. KEEP out of reach of children! User t (unhardened) concrete, mortar, cement or cement mixtures, your health. Measures to control fugitive dust should be taken use. Also, Asohalt may cause severe burns. Wear protective	CUSTOMER 4271697
later added at customer's own risk. Additional water added to concrete will later added at customer's own risk. Additional water added to concrete will additional water added to concrete will later added at customer's own risk. Additional water added to concrete will later added at customer's own risk. Additional water added to concrete will later added a strength with a customer added above design.  Arrived at job with	Property Damage Indemnification & Release  The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to hely you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or othe appurtenances, at:	Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable droaned resulting from
Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent  NWGDELTKT090408	N. 13302 PERRY RD SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant Arrye Job Site Start Discharge Finish Discharge  Drivers' Comments		* 1 0 9 2 7 8 3 8 *
STRIDER CONSTRUCTION CO I 5324	Customer PO/ Phase Code  TICKET NO. 10927838  Pelivery Address FE TRENT / PARK WATER BNS	Driver Co. Proj. No. Frank T SP1300 Date 10/16/13 Map Zone 23E S31 Scale 13:47
Load Qty Delivered Qty Order Qty Product Code 31.57 471.29 400.10 2350	UOM Product Description tn 5/8" TOP COURSE	Unit Price Amount
Gross Tare Net Trk: 103720 28300 63140 Trlr: 12280	De FUEL CHG	livery Charge:
PREV TRUCK: 510162 # CHECK	/ CREDIT CARD  Slump Type CC Use Haul Cd.	Pit/Plant Sales Tax
Load Size Prod. No. Description	oiump 1990	109 TOTAL DUE

unhardened concrete, eyes and skin. Wear materials. If you have If finishing concrete, w through clothing is as discomfort. In case of	mortar, cement or c waterproof gloves, a to stand in wet cond ear knee pads to prote dangerous so prome eye contact, flush with	ement mixtures can fully-buttoned, long rete, use waterproof ect knees. After cont pity rinse these man in plenty of water for	cause skin imitation, sever sleeve shirt, full-length tro boots that are tight at the act with any of these materi tenals from clothing. Seel at least 15 minutes.	ead the following warning are chemical burns or seriou busers and tight-fitting eye top and high enough to ke ials, wash off immediately wi k immediate medical attent suit physician immediately. tet (unhardened) concrete, to your health. Measures to mes. Also, Asphalt may ca	s eye darrage. Avoid over the control of the contro	with these into them. ect contact or severe tren! User	CUST	OMER	4271698
safety gear (long slee Water added at cust reduce its strength.B due to water added abo Arrived at job with Added g Other additions_ Received	eves, pants and glov.  comer's own risk. Act  duyer's agent agrees to  ove design.  h  all water at custon	es). If burned, cool Iditional water add accept responsibilit inch slump, ner request.	led to concrete will ly for reduced strength  Test cylinders taken	ries. Also, Aspirate may cayscian.  Property Damage In The operator of this piece LEASE to you for your sigmachinery in the manner possibly cause damage to you in everyway that we chat you sign this RELEA seller of its contract with reseller and its employees for building, utility pipelines appurtenances, at:	demnification & Re e of heavy equipment, in nature, is of the opinion the required to perform our or the premises or property, an, but in order to do this, see I the understation of the	elease presenting this RE at the operation of this ontract with you may It is our wish to help the operator is asking e performance of the rehy INDEMNIEY the	charged time charged time charged to the charged to	at posted truck ged at posted t Varranty The o	Excess unloading will be time rates. Truck standby truck time rates.  Inly liability of the seller for a of the purchase price. In no able for any direct, indirect, al damages resulting from arising out of breach of any mages or shortages must be delivery. We do not assume age beyond the curb line.
The addition of all expressed or implemental injury in mixer.	ny extra products lied by the seller. curred by you wh	to our mixer ma The seller acceptile adding additi	of any added items.  By void any warranty  ts no liability for any  conal products to our  ge Finish Dischar	Signature of O	wner or its Agent WGDELTKT090408 Arrive Plant	-	N. 133 SPOKAN	302 PER	RY RD 99208-7089
Drivers' Comments	• .	•		•	•	7	*	0 9 2	7 8 3 9 *.
Order No.	37 CONSTR	606	mer Job	Customer PO/ Phase Code elivery Address E TRENT	TICKET 1092' PARK WA'	7839		eve Y	Co. Proj. No. SP1300 10/16/13 Zone E S31 14:32
Load Qty 31.51	Delivered Qty	Order Qty ② 4②②。	ProductCode 10 2350		Description  3" TOP CO		Unit	Price	Amount
	RUCK: 51	Tare 28640 12680 0136	Net 63020 # CHECK	/.CREDIT	FUEL		ivery (	Charge:	
Load Size		Description		Slump Type	CC Use	Haul Cd.	Pit/Plant	Sales Tax TOTAL DUE	
Truck Gro 510163	oss Weight 7 52. 17	are Weight 20.66	Trailer Tr	Taken by	para para	Check #			

		The state of the s
Concrete: *Injurious to eyes.Causes skin irritation.Contains Portland Cement. R unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, seve eyes and skin. Wear waterproof gloves, a fully-buttoned, long-steeve shirt, full-length tr materials. If you have to stand in wet concrete, we waterproof boots that are tight at the finishing concrete, wear knee pads to protect knees. After contact with any of these mater through clothing is as dangerous so promptly rinse these materials from clothing. See discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Cor	rousers and light-fitting eye protection when working with these e top and high enough to keep concrete from flowing into them. rials, wash off immediately with fresh, clean water. Indirect contact ex immediate medical attention if you have persistent or severe set to be sign immediately. KEEP out of reach of children! User	CUSTOMER 4271699
agrees to convey this warting to all pessons who may be on the product may be hazardous when handling this product. Hot Asphalt emits nuisance turnes. Avoid breathing it safety gear (long sleeves, pants and gloves). If burned, cool with water and see a pir Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with	to your health. Measures to control fugitive dust should be taken urnes. Also, Asphalt may cause severe burns. Wear protective hysician.  Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that the right in Ref. EASE in consideration of the performance of the	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In necessary the liable for any direct, indirect
Other additions  Received by  Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	Signature of Owner or its Agent	incidental or consequential damages resulting from the use of the products or arising out of breach of an warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assum responsibility for any damage beyond the curb line.  1. 13302 PERRY RD  SPOKANE, WA 99208-7089  (509) 536-3151
Signature of Owner or its Agent  Leave Plant	rge Leave Job Site Arrive Plant	* 1 9 2 7 8 4 8 *
	Customer PO/ Phase Code  TICKET NO. 10927840  Delivery Address 4 E TRENT / PARK WATER BNSF	Driver Co. Proj. No.  Luke W SP1300  Date 10/16/13  Map Zone  23E S31  Scale 14:33
Load Qty Delivered Qty Order Qty Product Code 31.09 533.89 400.10 2350	tn 5/8" TOP COURSE	UnitPrice Amount
Gross Tare Net Trk: 102640 27880 62180 Trlr: 12580	Deli FUEL CHG	very Charge:

CHECK / CREDIT CARD

Trailer Taken by

\_Slump Type CC Use

11212

Sales Tax

**TOTAL DUE** 

Pit/Plant

109

Haul Cd.

Check #

- PREV TRUCK: 510163

Prod. No. Description-

Gross Weight Tare Weight

510162 51.32 20.23 030162

LOAD COUNT: 17

Load Size

CUSTOMER Concrete: Injurious to eyes Causes skin imitation Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement modures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4271700 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent mixer. 536-3151 Signature of Owner or its Agent NWGDELTKT090408 **Arrive Plant** Finish Discharge Leave Job Site. Arrive Job Site Start Discharge Drivers Company/ Customer PO/ Co. Proj. No. TICKET NO. Driver Order No. **Customer Job** Phase Code Cust. No. B SP1300 EVE 10927841 Garrett 3000 10/16/13 Date 5324 E RE SIRTEDER CONSTRUCTION CO I Map 531 23E Delivery Instructions 14:36 **Unit Price** Amount Delivered Qty Order Qty **UOM** Product Description Load Qty Product Code 5/8" TOP COURSE 30.81 564. 400. 10 2350 tn Gross Tare Net Trk: 102360 28260 61620 Delivery Charge: Trire 12480 FUEL CHG TRUCK: CARD LOAD COUNT: CHECK CREDIT Use Haul-Cd. Pit/Plant Sales\_Tax Prod No. Description Slump-Type Load Size 109 TOTAL DUE 1

Taken by

11212

Check #

Trailer

Trailer

20.37 030616

Tare Weight

Truck

510616

Gross Weight

51.18

	CUSTOMER
Soncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them.	CUSTOMER
I DIESTRE UTILITATE WEST KIER DEUTS IN DIEDEN KIERS ARRECTORISCH WITH SIN OF THOSE METERS WEST AND	
through dothing is as dangerous so promptly inise these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.  Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.  Hot Asphalt emits nuisance furnes. Avoid breathing furnes also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.	4271703
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this LEASE to you for your signature, is of the opinion that the operation of the property Damage Indemnification of the operation of the operation of the property Damage Indemnification of the operation ope	
Arrived at job with inch slump. machinery in the manner required to perform our contract with you possibly cause damage to the premises or property. It is our wish to	may help time charged at posted truck time rates.
Addedgal water at customer request. Test cylinders taken you in everyway that we can, but in order to do this, the operator is as that you sign this RELEASE. In consideration of the performance of seller of its contract with me, I the undersigned, hereby INDEMNIFY	sking Limited Warranty The only liability of the seller to
Other additions seller and its employees for any damage and for all daims to the prem	ises incidental or consequential damages resulting from
by appurtenances, at:	warranty. All claims for damages or shortages must b made within 24 hours of delivery. We do not assum responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty liability.	
expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our	N. 13302 PERRY RD
mixer. Signature of Owner or its Agent	SPOKANE, WA 99208-7089 (509) 536-3151
Signature of Owner or its Agent  Leave Plant   Arrive Job Site   Start Discharge   Finish Discharge   Leave Job Site   Arrive Plant	(3637 336-3131
3:59	
Drivers' Comments	
Order No. Cust. No. Customer Job Customer PO/Phase Code TICKET NO. 1 2927844	Driver Co. Proj. No. Frank T SP1300
Customer STRIDER CONSTRUCTION CO I 5324 E TRENT / PARK WATER BNS	Date 10/16/13  Map Zone
Delivery Instructions	23E S31
	Scale Time: 15:01
Load Qty Delivered Qty Order Qty Product Code UOM Product Description 31.10 595.80 400.10 2350 tn 5/8" TOP COURSE	UnitPrice / Amount
Gross Tare Net	
Trk: 102780 28300 62200 Del Trlr: 12280 FUEL CHG.	ivery Charge:
PREV TRUCK: 510616 #	
LOAD COUNT: 19 CHECK / CREDIT CARD	
Lordon Bad No. Donatage	
Load Size Prod. No. Description Slump Type CC Use Haul Cd.	Pit/Plant Sales Tax 109 TOTAL DUE
Truck Gross Weight Tare Weight Trailer Trailer Taken by  Check #	
510136 51.39 20.29 030856 . 11212	

## 5/8" Top Course Weight Tickets 10/22/13 Parkwater Construction Engineering

Gross T. Trk: 101660 27 Trlr: 12  PREV TRUCK: LOAD COUNT: 1  LoadSize Prod. No. Desc.	Order Qty Product Co 400.10 2350  are Net. 7880 61200 2580  ###################################	tn 5/8"	TOP COURSE  De  FUEL CHG		Amount
30.60 30.60  Gross T. Trk: 101660 27 Trlr: 12  PREV TRUCK: 1	400.10 2350 are Net 880 61200 580 #	CK / CREDIT CA	TOP COURSE  De  FUEL CHG	elivery Cha	Amount
30.60 30.60  Gross T. Trk: 101660 27 Trlr: 12	400.10 2350 are Net 880 61200 \$580 #	tn 5/8"	TOP COURSE  De FUEL CHG	elivery Cha	Amount
30.60 30.60  Gross T. Trk: 101660 27 Trlr: 12	400.10 2350 are Net 880 61200 \$580 #	tn 5/8"	TOP COURSE  De  FUEL CHG		Amount
30.60 30.60  Gross T. Trk: 101660 27. Trlr: 12	400.10 2350 are Net 880 61200		TOP COURSE		Amount
30.60 30.60  Gross T. Trk: 101660 27	400.10 2350 are Net 880 61200		TOP COURSE		Amount
30.60 30.60 Gross T	400.10 2350		TOP COURSE		Amount
30.60 30.60	400.10 2350		TOP COURSE		Amount
Load diy Donvoida any				Unit Price	part of the same o
Load Gty Donvoide and				Unit Price	part of the same o
Load Gty Donvoide and				UnitPrice	p-sin -
Load Gty Donvoide and				UnitPrice	p-sin -
Load Gty Donvoide and				UnitPrice	p-sin -
Dau diy Donvoida any				Unit Price	p-sin -
	And on Oty Product Co	nde UOM Product Des	scription	UnitPrice	p-sin -
The state of the same					part of the same o
				Tin	
elivery Instructions	N.			Sca	
STATEBER CONSTRUCT	TION CO I 53	Delivery Address 24 E RENT / F	PARK WATER BIN	Maj	23E 531
		_Delivery Address	OORK WATER BNS	SF Mar	#
rder No. Cust. No. 37606	Customer Job		10927985	town of the town	10/00/13
· colo si management de la color	Company/	Customer PO/ Phase Code	TICKET NO	Driver	Co. Proj. No SP 1 3 2 2
				्याचा चत्रवृक्ता वृद्धाः	The state of the s
vers'					*
173					The second second
eave Plant Arrive Job Site Start	( Discharge Fillian Disc				
Signature of Owner or its	Agent t Discharge Finish Disc	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	DELTKT090408 Arrive Plant		
er.		Orginatary or Exercise		(509) 536	-3151
addition of any extra products to our ressed or implied by the seller. The se conal injury incurred by you while add	aller accepts no liability for a ding additional products to o	our Signature of Owner	or its Agent	SPOKANE,	WA 99208-70
	iver may void any warrar	nty any nabinty.		N. 13302	PERRY RD
er's Agent receipt of product and a	approval of any added iter	ms. and RELEASE the seller a	and its employees from		
eived S	NER	appurtenances, at:			urs of delivery. We do not ass ny damage beyond the curb li
er additions	tulion	seller and its employees for any da	amage and for all claims to the premises, telephone lines, driveway or other	the use of the prod warranty. All claims	ucts or arising out of breach of for damages or shortages mu
ed gal water at customer requ	uest. Test cylinders	that you sign this RELEASE. In o	consideration of the performance of	the event shall the sell incidental or cons	er be liable for any direct, indi- equential damages resulting fucts or arising out of breach o
I A I	.u.rip.	possibly cause damage to the prer	namer to do this, the operator is aski	ing Limited Warranty	The only liability of the selle
ed at job with inch slu	umn	titions in the monnor mountings	s of the opinion that the operation of a	1ay time charged at D	osted truck time rates.
e its strength.buyers a gent agrees to be spirit water added above design.				Unloading & Star	dby Excess unloading will truck time rates. Truck stan
added at customer's own risk. Additional is ets strength. Buyer's agent agrees to accept rewater added above design.  ed at job with the inch sk	water added to concrete will responsibility for reduced strength	The operator of this piece of hea		C t din 9 Céan	
handing this product. Hot Aspiration of gear (long sleeves, pants and gloves). If bure added at customer's own risk. Additional acts the tiss strength. Buyer's agent agrees to accept rewater added above design.  The design of the customer's control of the customer's control of the customer's control of the customer's customer	imed, cool with water and see a water added to concrete will responsibility for reduced strength	Property Damage Indemni The operator of this piece of hea	ification & Release	OF 14 1 - ding 9 Chan	
regates: Prolonged inhalations of dust from a handling this product. Hot Asphalt emits regard (long sleeves, pants and gloves). If bur added at customer's own risk. Additional viets strength. Buyer's agent agrees to accept rewater added above design.	a gravel product may be hazardor nuisance furnes. Avoid breathing imed, cool with water and see a water added to concrete will responsibility for reduced strength	pus to your health. Measures to control its g furnes. Also, Asphalt may cause seven a physician.  Property Damage Indemni The operator of this piece of hea	ification & Release	OF the Latine & Cham	
in dothing is as dangerous so profits, infortin case of eye contact, flush with plenty of the convey this warning to all persons who megates: Prolonged inhalations of dust from a randing this product. Hot Asphalt emits regar (long sleeves, pants and gloves). If burnadded at customer's own risk. Additional eits strength. Buyer's agent agrees to accept rewater added above design.	of water for at least 15 minutes. Of may use or come into contact with a gravel product may be hazardo nusance fumes. Avoid breathing arned, cool with water and see a water added to concrete will responsibility for reduced strength	Consult physician immediately, KEEP outh wet (unhardened) concrete, mortar, ous to your health. Measures to control fug furnes. Also, Asphalt may cause seven physician.  Property Damage Indemni The operator of this piece of hea	perment or cement mixtures.  ugitive dust should be taken  ere burns. Wear protective  iffication & Release	OF the state of th	
nd skin. Wear waterproof gives, a tuily-visit is, if you have to stand in wet concrete use ving concrete, wear knee pads to protect knees. In clothing is as dangerous so promptly rinse fort. In case of eye contact, flush with plenty or a to convey this warning to all persons who megates: Prolonged inhalations of dust from a handling this product. Hot Asphalt emits regear (long sleeves, pants and gloves). If bur et a strength. Buyer's agent agrees to accept rewater added above design.  ed at job mith a product inch sleep in	waterproof boots that are tight at a fifter contact with any of these may these materials from clothing. So of water for at least 15 minutes. Of may use or come into contact with a gravel product may be hazardor nuisance furnes. Avoid breathing med, cool with water and see at water added to concrete will responsibility for reduced strength	t the top and high enough to keep concr aterials, wash off immediately with fresh, of Seek immediate medical attention if you Consult physician immediately. KEEP ou th wet (unhardened) concrete, mortar, o sus to your health. Measures to control fu g furnes. Also, Asphalt may cause sever a physician.  Property Damage Indemni The operator of this piece of hea	rete from flowing into trem, dean water. Indirect contact in have persistent or severe it of reach of children! User sement or cement mixtures, ugitive dust should be taken ere burns. Wear protective iffication & Release	OF the state of th	427184
lened concrete, mortal, cerneal to Cerneal that and skin. Wear waterproof gloves, a fully-butter als. If you have to stand in wet concrete use wing concrete, wear knee pads to protect knees. In clothing is as dangerous so promptly rinse mort. In case of eye contact, flush with plenty or so to corvey this warning to all persons who manding this product. Hot Asphalt emits regear (long sleeves, pants and gloves). If but a dded at customer's own risk. Additional is the strength. Buyer's agent agrees to accept research to the strength. Buyer's agent agrees to accept research to the strength. Buyer's agent agrees to accept research to the strength. Buyer's agent agrees to accept research to the strength. Buyer's agent agrees to accept research to the strength.	toned, long-sleeve shirt, full-length waterproof boots that are tight at a contact with any of these materials from clothing. Sof water for at least 15 minutes. Of may use or come into contact with a gravel product may be hazardon nusance furnes. Avoid breathing irried, cool with water and see at water added to concrete will responsibility for reduced strength	h trousers and tight-fitting eye protection the top and high enough to keep concruitenals, wash off immediately with fresh, of Seek immediate medical attention if you Consult physician immediately. KEEP ou th wet (unhardened) concrete, mortar, or us to your health. Measures to control fit, of furnes. Also, Asphalt may cause sever a physician.  Property Damage Indemni The operator of this piece of hea	n when working into them clean water. Indirect contact u have persistent or severe ut of reach of children! User sement or cement mixtures. ugitive dust should be taken ere burns. Wear protective iffication & Release	OF and a diam 9 Shame	
ved at job my	toned, long-sleeve shirt, full-length waterproof boots that are tight at a contact with any of these materials from clothing. Sof water for at least 15 minutes. Of may use or come into contact with a gravel product may be hazardon nusance furnes. Avoid breathing irried, cool with water and see at water added to concrete will responsibility for reduced strength	h trousers and tight-fitting eye protection the top and high enough to keep concruitenals, wash off immediately with fresh, of Seek immediate medical attention if you Consult physician immediately. KEEP ou th wet (unhardened) concrete, mortar, or us to your health. Measures to control fit, of furnes. Also, Asphalt may cause sever a physician.  Property Damage Indemni The operator of this piece of hea	n when working into them clean water. Indirect contact u have persistent or severe ut of reach of children! User sement or cement mixtures. ugitive dust should be taken ere burns. Wear protective iffication & Release	CUSTOMER	

Injurious to eyes. Causes skin imitation Contains Portland Cement. Read the following warning before using. Contact with wet, hardened concrete, mortar, cement or cement matures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these are said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these are said since the said of the CUSTOMER 4271845 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump. Arrived at job with Test cylinders gal water at customer request taken Other additions Received and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. any liability. 13302 PERRY RD The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site Drivers' Comments Co. Proj. No. Customer PO/ TICKET NO. Company/ SP1300 Phase Code Dennis M Customer Job 10927986 Cust. No. Order No. .10/22/13 37606 3000 Delivery Address PARK WATER BNSF CONSTRUCTION CO I 5324 531 -23E Customer STRIDER 08:06 Delivery Instructions Amount **UnitPrice** Product Description UOM **ProductCode** Order Qty 5/8" TOP COURSE Delivered Qty Load Qty tn 400.10 2350 31.00 Net Delivery Charge: Tare Gross 62000 24900 97180 FUEL CHG Trk: 10280 Trir: 510162 PREV TRUCK: CARD CREDIT CHECK LOAD COUNT: Sales Tax Haul Cd Pit/Plant Use CC Type TOTAL DUE Slump 109 Description Prod. No. Load Size

Taken by

17251

Trailer

Trailer

17.59 030750

Tare Weight

Gross Weight

48.59

Truck

5117577

Check #

oncrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with year waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these reaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, sterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, sterials. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact wrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User isocomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately with fresh, clean water. Indirect contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agaregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should b CUSTOMER 4271846 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. tue to water added above design. \_\_ inch slump. Arrived at job with Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site **Drivers** Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Frank T Customer Job 10927987 Order No 10/22/13 606 Date 3000 Sustantiber CONSTRUCTION CO I 5324 EN AREN PARK WATER BNSF Map 531 23E 08:07 **Delivery Instructions** Amount **UnitPrice** Product Description **UOM** Product Code 5/8" TOP COURSE Order Qty **Delivered Qty** Load Qty 2350 tn 10 31.41 93.01 Net Delivery Charge: Gross Tare 62820 28300 103400 FUEL CHG 12280 510577 PREV TRUCK: CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Type Slump TOTAL DUE 1 Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight

17251

Gross Weight

51. 70

20.29 030856

Truck

510136

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If the provide in the past to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials may be remediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or inte 4271847 Property Damage Indemnitication & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
contract with me. I the undersioned hereby INDEMNIEY the Unloading & Standby Excess unloading will be Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. inch slump Arrived at job with seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Luke Cust. No. 10927988 Order No. 10/22/13 37606 SIDID **Delivery Address** Zone PARK WATER BNSF CONSTRUCTION CO I 5324 E TRENT 531 TRIDER 09:09 Scale Time: Delivery Instructions Amount Unit Price Product Description **UOM** Product Code Order Qty Load Qty **Delivered Qty** 5/8" TOP COURSE tn 400.10 2350 124.08 31.07 Net Tare Gross Delivery Charge: 62140 27880 Trk: 102600 FUEL CHG 12580 Trlr: 510136 PREV TRUCK: CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd. Use Type Slump TOTAL DUE Description 109 Prod. No. Load Size Taken by

Trailer

17251

Trailer

030162

Tare Weight

20.23

Gross Weight

51:30

Check #

CUSTOMER

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with rese yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact firishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact firishing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. In a grave product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective water added at customer's own risk. Additional water added to concrete will 4271849 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will educe its strength Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. machinery in the manner required to perform our contract with you may machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the selter of its contract with me, I the undersigned, hereby INDEMNIFY the selter and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurificances. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_\_\_ inch slump. Arrived at job with \_ Test cylinders \_\_\_ gal water at customer request. Added \_\_\_ Other additions appurtenances, at: Received and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. bу The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code SP1300 Dennis M Customer Job 10927990 Cust. No. Order No. 10/22/13 Date 37606 SIDIO **Delivery Address** Map PARK WATER BNSF RIDER CONSTRUCTION CO I 5324 531 E 09:46 Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code Order Qty 5/8" TOP COURSE Delivered Qty Load Qty tn 400.10 2350 154.77 30.69 Net Delivery Charge: Tare Gross 61380 24900 96560. FUEL CHG Trk: 10280 Trira PREV TRUCK: 510162 CARD CREDIT COUNT: LOAD Sales Tax Pit/Plant Haul Cd Use CC Type TOTAL DUE Slump Description Prod. No. Load Size Taken by Check # Trailer Trailer Tare Weight **Gross Weight** Truck

17251

17.59 030750

48.28

510577

Oncrete: Injurious to eyes. Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with navelength rousers and tight-fitting eye protection when working with these yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If it is not to the past to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pasts to protect knees. After contact with any of these materials after medical attention if you have persistent or severe knough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough dothing is as dangerous or promptly rinse hese materials, with the top and high endough the product may be hazardous to your health. Measures to control fugitive dust should be taken after a full material attention in the product may be hazardous to your health. Measures to control fugitive dust should be taken the harden of the full material 4271851 Unloading & Standby Excess unloading will be Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this REcharged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at inch slump. Arrived at job with Test cylinders \_\_ gal water at customer request. Added \_ Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site 0 Leave Plant **Drivers** Comments Co. Proj. No Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Frank 10927992 Order No Cust. No. 10/22/13 37606 Date 3000 Delivery Address Zone PARK WATER BNSF Map RIDER CONSTRUCTION CO I 5324 TRENT 531 10:01 Scale Delivery Instructions Amount **Unit Price Product Description** UOM Product Code Order Qty Load Qty Delivered Qty TOP COURSE 5/8" 400.10 2350 31.34 186.11 Net Delivery Charge: Tare Gross 28300 103260 Trk: 12280 Tribra 510577 PREV TRUCK: CREDI COUNT: LOAD Sales Tax Pit/Plant Haul Cd. CC Use Type Slump TOTAL DUE 109 Description Prod. No. Load Size Taken by Trailer Check # Trailer Gross Weight Tare Weight

17251

030856

20.29

51.63

510136

CUSTOMER

Concrete: Injurious to eyes, Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with syes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them, the standard control of the serious concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves; pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will. CUSTOMER 4271853 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders water at customer request. Added\ Other additions appurtenances, at: Received any added items. and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA Signature of Owner or its Agent SPOKANE: mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Company Driver TICKET NO. Phase Code Customer Job Cust. No. Order No SP1300 W Luke 10927994 10/22/13 37606 Date SOOD **Delivery Address** Мар Zone PARK WATER BNSF Customer E TRENT STRIDER CONSTRUCTION CO I 5324 531 23E 10:25 Delivery Instructions Amount **Unit Price Product Description UOM** Order Qtv Product Code Load Qty Delivered Qty 5/8" TOP COURSE tn 217.43 400.10 2350 31.32 Net Tare Gross Delivery Charge: 62640 103100 27880 Trik FUEL CHG 12580 Trir: PREV TRUCK: 510136 CREDIT CHECK LOAD COUNT: Pit/Plant Sales Tax Haul Cd. CC Use Type Slump Description TOTAL DUE Prod. No. Load Size 109 Taken by Trailer Trailer Check # Gross Weight Tare Weight

17251

20, 23

51.55

030162

ncrete: Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with sex and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these es and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these es and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these es and skin. Wear water long the sex and skin. Wear water long the sex at a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these es and skin. Wear water long that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with sex materials. If you have be stand of investment and the rest of the materials from cothing. Seek immediate medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediate medical attention if you have persistent or severe rough cothing is as dangerous so promptly rinse these materials from cothing. Seek immediately. KEEP out of reach of children! User soonfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soonfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User soonfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physicia CUSTOMER Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Vater added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at time charged at posted truck time rates Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. ue to water added above design. \_ inch slump Arrived at job with \_ Test cylinders gal water at customer request. Other additions appurtenances, at Received X and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 (馬内里) mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ TICKET NO. Company/ Phase Code SP1300 Customer Job Dennis Cust. No. Order No. 10927996 0/22/13 Date 37606 3000 Zone Delivery Address Мар WATER BNSF STRIDER CONSTRUCTION CO I 5324 TRENT 531 E 11:05 Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 400.10 2350 248.60 31.17 Delivery Charge: Net Tare Gross 24900 CHG Trks 10280 Trlr: 510162 PREV TRUCK: CREDIT COUNT: LOAD Sales Tax Haul Cd Pit/Plant CC Use Type Slump TOTAL DUE Description-Prod. No. Load Size aken by Check # Trailer Trailer Tare Weight Gross Weight Truck

17251

030750

17.59

48.76

Oncrete: Injunous to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement modures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If it is not contact, were kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash off immediately. KEEP out of reach of children! User inscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persors who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of outs from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Propage Indemnification & Release.

Nater added at customer's own risk. Additional water added to concrete will.

Propage Indemnification of the protection of the pro CUSTOMER 4271857 Property Damage Indemnification & Release Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this REcharged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions Received X Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT09040 Signature of Owner or its Agent rrive Plant, Leaye Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company TICKET NO. Phase Code Customer Job SP1300 Cust. No. Frank Order No. 10927998 37606 10/22/13 3000 **Delivery Address** Map Zone PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 11:11 Delivery Instructions Amount **UnitPrice** Product Description UOM Product Code Order Qty Delivered Qty Load Qty 5/8" TOP COURSE tn 400.10 2350 31.54 280.14 Net Tare Gross Delivery Charge: 63080 28300 Trk: 103660 FUEL CHG 12280 PREV TRUCK: 510577 CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd Lise CC Type Slump Description TOTAL DUE Prod. No. Load Size Taken by Trailer Check # Trailer Tare Weight Gross Weight Truck

17251

030856

51.83 .20.29

510136

Concrete Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete? Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nussance furnes. Ayoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271859 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength, Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other anountenances. at: due to water added above esign. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage he wand the curb line. inch slump. Arrived at job with Test cylinders gal water at customer request Added Other additions Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer 536-NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Arrive Job Site Start Discharge ve Plant **Drivers** Comments Customer PO/ Company/ Co. Proj. No TICKET NO. Driver -Phase Code Customer Job Cust. No. Order No. SP1300 10928000 LIKE 37606 3000 Date 10/22/13 **Delivery Address** Customer Мар Zone PARK WATER BNSF TRENT STRIDER CONSTRUCTION CO I 5324 ---Delivery Instructions :33 Amount **Unit Price** Product Description **UOM** Product Code Order Qty Delivered Qty Load Qty TOP COURSE 400.10 2350 Gross Delivery 63140 103600 27880 Trks CHG TRUCK: 510136 COUNT: Sales Tax Pit/Plant Haul Cd Use Slump Type Description Prod. No. Load Size TOTAL DUE 109 Taken by Trailer Trailer Tare Weight Check # **Gross Weight** Truck: 17251 51.80 20.23 030162

510162

CUSTOMER

oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, oncrete:: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have to stand in wet concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact finishing is as dangerous so promptly rinse these materials from dothing. Seek immediately KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately is post of reach of children! User is only the physician immediately is post of reach of children! User is only the physician immediately is post of reach of children! User is only the physician immediately is post of reach of children! User is only the physician immediately in the property is warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Again the physician immediately in the property is warning to control fugitive dust should be taken and the property of the property of the physician in th 864 Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE-to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arrising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Jue to water added above design. macriplery in the manner required to periority out contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller or it is contract with me, I the undersigned, hereby INDEMNIFY the seller and its complexes for any damage, and for all claims to the premises. \_ inch slump. Arrived at job with \_ Test cylinders \_\_\_ gal water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of-any-extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. N. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Finish Discharge Leave Job Site Leave Plant | Arrive Job Site Start Discharge 05 Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Dennis Cust. No. 10928005 Order No. 10/22/13 37606 Date 3000 **Delivery Address** Zone Map PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E 531 12:19 Delivery Instructions Amount UnitPrice Product Description **UOM** Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 400.10 2350 343.03 31.32 Net Tare Delivery Charge: Gross 62640 24900 Trk: 97820 FUEL CHG 10280 PREV TRUCK: 510162 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump TOTAL DUE Description 1-09 Prod. No. Load Size Taken by Traile Check # Trailer Tare Weight Gross Weight

17251

17.59 030750

Truck

48.91

CUSTOMER oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using Contact with wet, Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cernent. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cernent or cernent motures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, relatively with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact brough clothing is as dangerous so promptly rinse these materials from doltning. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with pienty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In case of eye contact, flush with pienty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User discomfort. In water and see a physician immediately cause severe burns. Wear protective when handling this product.

Agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures. Additional water and see a physician.

Agree ged (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release 4271865 Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this time charged at posted truck time rates. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking inch slump. Arrived at job with that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders taken Added \_\_\_\_\_ gal water at customer request seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received by Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. 13302 PERRY expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our RD 99208-7089 SPOKANE. WA Signature of Owner or its Agent mixer. 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent Leave Job Sites Arrive Plant Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code Customer Job SP1300 Cust. No. Order No Frank 10928006 10/22/13 Date 37606 3000 Delivery Address PARK WATER BNSF Customer STRIDER CONSTRUCTION CO I E TRENT 5324 531 12:30 Scale Delivery Instructions **Amount Unit Price** Product Description UOM Product Code Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tin 400.10 2350 374.84 31.81 Net Tare Delivery Charge: Gross 63620 28300 104200 Trks FUEL CHG 12280 PREV TRUCK: 510577 CARD CREDIT CHECK COUNT: LOAD Sales Tax Pit/Plant Haul Cd CC Use Type Slump TOTAL DUE Prod. No. Description Load Size Taken by Check # Traile Trailer Tare Weight Gross Weight

17251

20.29 030856

Truck

510136

52.10

Concrete. Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement motures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, Indirect contact through cothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271871 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is or the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims in the premises time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders taken gal water at customer request. Added seller and its employees for any damage and for all daims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 Signature of Owner or its Agent SPOKANE, WA mixer. (509)536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge 20 Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job Cust. No. Order No. SP1300 W 10928012 Luke 37606 3000 Date 10/22/13 **Delivery Address** Мар Zone WATER BNSF TRIDER CONSTRUCTION CO I 5324 531 13:01 Scale Time: Delivery Instructions Amount Unit Price Product Description **UOM ProductCode** Order Qty Delivered Qty Load Qty 5/8" TOP COURSE tn 400.10 2350 406.66 31.82 Net Gross Delivery Charge: 27880 63640 Trk: 104100 FUEL CHG Trir: 510136 PREV TRUCK: CREDIT CARD CHECK COUNT: LOAD Sales Tax Pit/Plant Use Haul Cd. CC Type Slump Description \_Prod. No.\_\_ TOTAL DUE Load Size-109 Taken by Trailer

17251

Check #

Trailer

030162

Tare Weight

20.23

Gross Weight

52.05

Truck

510162

concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe hrough clothing is as dangerous so promptly rinse warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates to convey this warning to all persons who may use or come into contact with wet (u 4271877 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the inch slump. Arrived at job with \_ unar you sign this NELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Test cylinders gal water at customer request Added taken Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No Company/ Driver TICKET NO. Phase Code Customer Job SP1300 Cust. No. Order No. Dennis 10928018 .10/22/13 37606 SOUDE **Delivery Address** Мар PARK WATER BNSF E TRENT CONSTRUCTION CO I 5324 531 STRIDER 13:34 Delivery Instructions Amount **Unit Price Product Description UOM** Product Code Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE 400.10 2350 tn 436.74 30.08 Net Tare Gross Delivery Charge: 24900 60160 95340 Trks FUEL CHG 10280 Trlr: TRUCK: 510162 PREV CARD CHECK · / CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Slump Type Description **TOTAL DUE** Prod. No. Load Size Taken by Trailer Check # Trailer Gross Weight Tare Weight Truck 17251 030750 17.59 .47.67 510577

CUSTOMER

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Adapted at customer's own risk Additional water added to concrete with the property Damage. Indemnification & Release.

Water added at customer's own risk Additional water added to concrete with the property. CUSTOMER 4271879 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may time charged at posted truck time rates. due to water added above design. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with \_ Test cylinders Added \_\_\_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: responsibility for any damage beyond the curb line. Received by Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. (509)536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Company/ Co. Proj. No. Driver TICKET NO. Phase Code Cust. No. Customer Job Order No. SP1300 Frank 10928020 37606 3000 Date 10/22/13 **Delivery Address** Customer Man Zone PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 Delivery Instructions 13:39 Amount **Unit Price** UOM **Product Description ProductCode** Order Qty Load Qty Delivered Qty 5/8" TOP COURSE 468.40: 400.10 tn 2350 31.66 Tare Gross Delivery Charge: 28300 63320 103900 Trk: FUEL CHG 12280 PREV TRUCK: 510577 CREDIT CARD CHECK / COUNT: 15 LOAD Sales Tax Haul Cd. Pit/Plant CC Use Type Slump Description Prod. No. Load Size TOTAL DUE Taken by Trailer Trailer Check #

17251

Gross Weight

51.95

Truck

510136

Tare Weight

20.29 030856

Concrete. Injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof glowes, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact finishing concrete, ever contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User dagrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Agphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. CUSTOMER 4271888 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders gal water at customer request. Added building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 Signature of Owner or its Agent SPOKANE. WA 536-3151 (509) NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job Order No. Cust. No. SP1300 Luke 10928029 37606 3000 10/22/13 Date Delivery Address PARK WATER BNSF Мар Zone STRIDER CONSTRUCTION CO I 532 531 EBE Delivery Instructions Scale Time: 14:11 Amount **Unit Price** Product Description Product Code **UOM** Delivered Qty Order Qty Load Qty 5/8" TOP COURSE 2350 tn 400.10 31.54 499.94 Net Tare Gross Delivery Charge: 63080 Trk: 103540 27880 FUEL CHG 12580 Trin: TRUCK: 510136 CREDIT CARD CHECK COUNT: 16 LOAD Pit/Plant Sales Tax Haul Cd CC Use Type Slump

Taken by

17251

Trailer

TOTAL DUE

1.09

Check#

Description

Tare Weight

20.23

Trailer

030162

Prod. No

51.77

**Gross Weight** 

Load Size

510162

Truck

Concrete: Injunious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhaftened concrete, mortar, cement or cement motures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete mortar, cement or cement mixtures. Aggregates: Prolonged inhations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance turnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will.

Property Damage Indemnification & Paleace 4271897 Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature is of the opinion that the operation of this time charged at posted truck time rates. due to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, if the undersigned, hereby INDEMINEY the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_\_ inch slump. Arrived at job with \_\_\_ Test cylinders \_ gal water at customer request. Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any 13302 PERRY RD personal injury incurred by you while adding additional products to our 99208-7089 Signature of Owner or its Agent SPOKANE, WA mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site. Leave Plant Drivers' Comments Customer PO/ Co. Proj. No. Company TICKET NO. Driver Phase Code Customer Job Cust. No. Order No. SP1300 Dennis M 10928038 37606 3000 10/22/13 **Delivery Address** Мар Custome PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 23E Delivery Instructions 14:53 Scale Amount **Unit Price** Product Description UOM Product Code **Delivered Qty** Order Qty Load Qty 5/8" TOP COURSE 400.10 2350 tn 530.84 30.90 Net Tare Gross Delivery Charge: 61800 24900 96,980 FUEL CHG 10280 PREV TRUCK: 510162 CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd Use CC Туре Slump Prod. No. Description TOTAL DUE l oad Size Taken by Trailer Traile Tare Weight Check # Gross Weight Truck

17251

17.59 030750

48.49

510577

CUSTOMER

CUSTOMER pncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet hardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or senous eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these attends. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. In the concrete, wear kneep add to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water Indirect contact withing is osek immediate wedical attention if you have persistent or severe wough clothing is as dangerous so promptly finise these materials from clothing. Seek immediate medical attention if you have persistent or severe would reach of children! User is comfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User is grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agreegates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product.

Hot Asphalt ernis nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective water added at customer's own risk. Additional water added to concrete will property. Damage Indemnification & Delegation. uncrease injunious to eyes clauses some image in order to come the contract with ihardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with ihardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with ihardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. 4271898 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the collect and its employage for any damage, and for all claims to the promises. lue to water added above design. inch slump. Arrived at job with \_ Test cylinders gal water at customer request. seller and its employees for any damage and for all daims to the premises, Added building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received, by and RELEASE the seller and its employees from Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. RD 13302 PERRY 99208-7089 SPOKANE. WA Signature of Owner or its Agent 536-3151 (509)mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Finish Discharge Arrive Job Site Start Discharge Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ SP1300 Phase Code Frank Customer Job 10928039 Cust. No. Order No. 10/22/13 37606 3000 Zone Delivery Address PARK WATER BNSF 531 CONSTRUCTION CO I 14:55 Scale Time: Delivery Instructions Amount **UnitPrice** Product Description **UOM** Product Code Order Qty 5/8" TOP COURSE **Delivered Qty** Load Qty tn 2350 12 400. 562.52 31.68 Net Delivery Charge: Tare Gross 28300 63360 103940 FUEL CHG Trks 12280 Trlr: # 510577 TRUCK: PREV CARD CREDIT

Sales Tax

**TOTAL DUE** 

Pit/Plant

109

Haul Cd.

Check #

CC

CHECK

Trailer

030856

Slump

Type

17251

Taken by

COUNT:

Prod. No.

51.97

**Gross Weight** 

Description

Tare Weight

20.29

LOAD

Load Size

Truck

510136

## 5/8" Top Course Weight Tickets 10/24/13 Parkwater Construction Engineering

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them, and the property of the property with fresh, clean water. Indirect contact if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing in mediately. KEEP out of reach of children! User disconflort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User disconflort. In a minute of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User disconflort. In a minute of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User disconflort in a minute of eye contact, flush with plenty of water for at least 15 minutes. Co 4271971 Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances. at: time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Arrive Job Site Start Discharge Finish Discharge Leave Plant Drivers' Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Customer Job Phase Code Cust. No. SP1300 Order No. B Dave 10928112 37606 3003 10/24/13 **Delivery Address** Zone PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 23E WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDITION 707:19 **Amount Unit Price Product Description UOM** Product Code Order Qty Load Qty Delivered Qty 5/8" TOP COURSE tn 400.10 2350 21.3531.35 Net Tare Gross Delivery Charge: 100460 27000 Trk: FUEL CHG 1-17-76-17 Trira PREV TRUCK: -CREDIT CARD CHECK / LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Туре Slump Prod. No .... Description TOTAL DUE Load Size 109 Taken by Trailer Check # Gross Weight Tare Weight Truck 11212 18.88 030099 50.23 510009

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet

CUSTOMER

oncrete: Injurious to eyes. Causes skiri irritation. Contains Portland Cement. Read the following warning before using Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trouserstand tight-fitting eye protection when working with these vaterais is. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials after mixtures are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incidence of the pads of children user nor severe north contact with any of these materials. Form cothing is as dangerous so promptly inse these materials from cothing. Seek immediate medical attention if you have persistent or severe north. In case of eye contact, flush with plenty of water for at least 15 mirrules. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warning to all persons of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken after a dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken and the first and the first and the first and CUSTOMER 4271972 Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its emolowees for any damage and for all claims to the premises. Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb I ne. due to water added above design. inch slump. Arrived at job with Test cylinders taken seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: gal water at customer request. Added Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from by The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD SPOKANE, WA : 99208-7089 Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Arrive Job Site Start Discharge Finish Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Driver Company/ TICKET NO. Phase Code SP1300 Customer Job Garrett 10928113 Order No. Cust. No. 6/24/13 37606 3003 Delivery Address PARK WATER BNSF CONSTRUCTION CO I 5324 53,1 23E 07:E1 BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY Delivery Instructions WILL BE Amount **UnitPrice Product Description UOM** Product Code Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tn 2350 400.10 31.58 62.93 Net Tare Delivery Charge: Gross 63160 27800 Trk: 103440 FUEL CHG 12480 Trirs 510009 TRUCK: CREDIT LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type Slumo TOTAL DUE 109 Description Prod-No. Load Size Taken by Check # Trailer Trailer Tare Weight Gross Weight Truck 11212 20.14 030616 51.72

oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these vaterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe rough clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe little records and tight product little medical attention if you have persistent or contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Angregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Angregates: Prolonged inhalations of dust from a gravel product may be hazardous to you CUSTOMER 4271976 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, i the undersigned, hereby INDEMNIFY the seller and its emolowes for any damage and for all claims to the premises, Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design \_\_ inch slump. Arrived at job with \_ Test cylinders taken Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Arrive Job Site Start Discharge Finish Discharge Leave Plant. Drivers Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code 'SP1300 Customer Job Steve Cust. No. 10928117 Order No. 10/24/13 37606 3003 **Delivery Address** PARK WATER BNSF RIDER CONSTRUCTION CO I 5324 531 23E 08:54 BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDI **Delivery Instructions** WILL BE Amount Unit Price Product Description **ProductCode UOM** Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 400.10 2350 94.24 31.31 Net Tare Delivery Charge: Gross 28640 Trk: 103940 FUEL CHG 12680 PREV TRUCK: 510616 CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd. CC Use Type Slump TOTAL DUE Prod. No. Description Load Size Taken by Check # Traile Trailer Tare Weight Gross Weight Truck 11212 20.66 030163 51.97 510163

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, raterials. If you have to stand in wet concrete, use waters indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact frinshing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough clothing is as dangerous so promptly rinse these materials from colthing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggrees to convey this warming to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggree to convey this warming to all persons who may use or come into contact with wet (unha CUSTOMER safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. machinery in the manuse required to perioriti our contact what you hay possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me. I the undersigned, hereby INDEMNIFY the inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received by Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty 13302 PERRY RD expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site D: Leave Plant Drivers' Comments Co. Proj. No. Customer PO/ Driver Company/ TICKET NO. Phase Code Customer Job SP1300 Cust. No. Order No. Frank 10928118 10/24/13 37606 3003 Date **Delivery Address** Map Zone PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDITION Ø8:58 Amount **UnitPrice Product Description ProductCode** UOM Order Qty Load Qty Delivered Qty 5/8" TOP COURSE 400.10 2350 tn 125.57 31.33 Net Tare Gross Delivery Charge: 62660 28300 Trk: 103240 FUEL CHG 12280 Trlr: PREV TRUCK: 510163 CARD CREDIT CHECK I DAD COUNT: Sales Tax Pit/Plant CC Haul Cd. Type Slump Load Size Prod. No. TOTAL DUE Description 109

Taken by

11212

Check #

Trailer

Trailer

20.29 030856

Tare Weight

Gross Weight

Truck

CUSTOMER oncrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using: Contact with wet, oncrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, nhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with yes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these naterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. Indirect contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact incoming is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe its cornifort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User its corniver this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 271978 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be Nater added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annurlenances. at Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. due to water added above design. \_ inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent (509) 536-3151 mixer. NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Leave Job Site Leave Plant | Arrive Job Site Start Discharge Finish Discharge Drivers Comments Co. Proj. No. Customer PO/ TICKET NO. Driver Company/ Phase Code SP1300 Customer Job Dave Cust. No. 10928119 Order No. 10/24/13 37606 3003 Date Delivery Address PARK WATER BNSF Map Customer CONSTRUCTION CO I 5324 531 23E 09:07 WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDI Some **Delivery Instructions** Amount Unit Price Product Description Product Code **UOM** Order Qty Delivered Qty 5/8" TOP COURSE 400.10 2350 tn 157.63 32.06 Net Tare Gross Delivery Charge: 64120. 27000 101880 Trk: FUEL CHG 10760 PREV TRUCK: 510136 CARD CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Use Type Slump TOTAL DUE Prod. No. Description 1.09 Load Size Taken by Trailer Check # Trailer Tare Weight Gross Weight

11212

Truck

510009

50.94 18.88 030099

<u>Increte:</u> Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before-using: Contact with wet, hardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with res and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these are said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these are said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when with messen attends. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them, can water. Indirect contact finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact inshing ose a dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User scornfort. In control fugitive dust should be taken to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, motar, cement or cement mutures. In the plant of the plant p CUSTOMER 4271979 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. lue to water added above design. inch slump Arrived at job with Test cylinders gal water at customer request. Other additions appurtenances, at: Received and RELEASE the seller and its employees from product and approval of any added items. Buyer's Agent receigt b The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent 536-3151 (509) mixer. NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Finish Discharge Arrive Job Site Start Discharge Drivers' Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Company/ Phase Code SP1300 B ett Customer Job Garr 10928120 Cust. No. Order No. 10/24/13 Date 37606 3003 Zone Delivery Address Мар WATER BNSF PARK 531 Customer STRIDER CONSTRUCTION CO I TRENT 5324 100 Scale 09:09 CREDI BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY Delivery Instructions BE Amount WILL **Unit Price** Product Description **UOM** Product Code Order Qty Delivered Qty 5/8" TOP COURSE Load Qty tn 400.10 2350 189.07 31.44 Delivery Charge: Net Tare Gross 62880 27800 FUEL CHG 103160 Trk: 12480 510009 TRUCK: PREV CREDIT CARD CHECK 6 LOAD COUNT: Sales Tax Pit/Plant Haul Cd. Use CC Type TOTAL DUE Slump 109 Description Prod. No Load Size Taken by Check # Trailer Trailer

11212

Tare Weight

20,14

030616

Gross Weight

51.58

Truck

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or senous eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing in the product of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggreeates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4271989 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possury cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its emphasizes for any demanda and for all delime to the premises. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent mixer. (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Drivers' Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job Cust. No. SP1300 Order No 10928130 Frank 37606 3003 10/24/13 **Delivery Address** PARK WATER BNSF Customer E TRENT STRIDER CONSTRUCTION CO I 5324 531 WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDITION 10:20 Amount **Unit Price Product Description** Product Code UOM Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tn 400.10 2350 221.13 32.06 Net 'Gross' Tare Charge: Delivery Trk: 104700 64120 28300 FUEL CHG 12280 Teles TRUCK: 510616 CREDIT CHECK LOAD COUNT: Sales Tax Pit/Plaint Haul Cd. CC LISA Type Slump Load Size Prod. No. Description **TOTAL DUE** 109 Taken by Trailer Traile Check # Gross Weight Tare Weight 11212 20.29 030856 510136 52.35

CUSTOMER

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact from clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhabots of dust from a gravel product may be hazardous to your health. Measures to control lugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will CUSTOMER 4271991 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help
you in everyway that we can, but in order to do this, the operator is asking
that you sign this RELEASE. In consideration of the performance of the
seller of its contract with me. I the undersigned, hereby INDEMNIFY the
seller and its employees for any damage and for all claims to the premises,
building, utility pipelines or cables, telephone lines, driveway or other Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. building utility pipelines or cables, telephone lines, driveway or other appurtenances at. Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD SPOKANE, 99208-7089 WA Signature of Owner or its Agent mixer. 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site Arrive Plant Leave Plant | Arrive Job Site Start Discharge Finish Discharge Drivers' Comments Customer PO/ Co. Proj. No. Company/ **TICKET NO** Driver Phase Code Customer Job Order No. Cust. No. SP1300 Steve 10928132 37606 3003 10/24/13 **Delivery Address** / PARK WATER BNSF STRIDER CONSTRUCTION CO I 5324 E TRENT 531 Delivery Instructions BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDI 10:23 WILL BE Amount **Unit Price** Product Description \*\*\* Product Code UOM Order Qty **Delivered Qty** Load Qty TOP COURSE tn 2350 251.92 400.10 30.79 Net Tare Gross Delivery Charge: Trk: 102900 28640 FUEL CHG 12680 Thins TRUCK: 510136 CREDIT COUNT: > 8 LOAD Pit/Plant Sales Tax Haul Cd. CC Slump Type Prod. No. Description Load Size TOTAL DUE 109 Taken by Trailer Gross Weight · Tare Weight Check # Truck 11212

20.66 030163

51.45

Concrete: Injunious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, unhardened concrete, mortar cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact from clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe through clothing is as dangerous so promptly inse these materials from clothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggreegates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Pronerty Damage Indemnification & Release. 4271994 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is on the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, it the undersigned, hereby INDEMNIFY the time charged at posted truck time rates. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. 13302 PERRY RD 99208-7089 WA SPOKANE, Signature of Owner or its Agent mixer. (509) 536-3151 NWGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site **Drivers** Customer PO/ Co. Proj. No.; Company/ TICKET NO. Driver Phase Code **Customer Job** SP1300 Cust. No. B Order No. Dave 10928135 37606 10/24/13 BØØB Date **Delivery Address** PARK WATER BNSF Máp Zone RIDER CONSTRUCTION CO I 5324 534 23E 10:33 WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDITScale Amount **Unit Price Product Description** UOM Product Code Order Qty Delivered Qty Load Qty 5/8" TOP COURSE 400.10 2350 283.87 31.95 Net: Tare Gross Delivery Charge: 63900 27000 101660 Trk: FUEL CHG 10760 Trlr: TRUCK: 510163 CREDIT LOAD COUNT: Sales Tax Haul Cd. Pit/Plant Туре Slump Prod. No. Description TOTAL DUE Load Size 109 Taken by Trailer Check # Tare Weight Trailer Gross Weight Truck 11212 18.88 030099 50.83 510009

CUSTOMER

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using Contact with wet Concrete: Injurious to eyes.Causes skin imitation.Contains Portland Cement. Read the following warning before using Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with severe said skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bools that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee packs to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly with these contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhabitions of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

\*\*Material Activities\*\*

\*\*Protonged\*\*

\*\*India Material Activities\*\*

\*\*Protonged\*\*

\*\*India Material Activities\*\*

\*\*India Material Activities\*\*

\*\*Protonged\*\*

\*\*India Material Activities\*\*

\*\*India Material Activities\*\*

\*\*India Material Activities\*\*

\*\*In Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. due to water added above design Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the inch slump. Arrived at job\_with Test cylinders water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at Received and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD 99208-7089 SPOKANE, WA Signature of Owner or its Agent mixer. (509) 536-3151 NWGDELTKT090408 Signature of Owner or its Agent Arrive Plant Finish Discharge Arrive Job Site Start Discharge Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code Customer Job Cust. No Order No B SP1300 ett Garr 10928138 3003 37606 10/24/13 **Delivery Address** Мар PARK WATER TRENT CONSTRUCTION CO I 5324 E STRIDER 531 23E BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR 10:39 Delivery Instructions CREDI Scale WILL BE Amount **Unit Price Product Description UOM** Product Code Order Qty Delivered Qty Load Qty 5/8" TOP COURSE 400.10 2350 31.74 Net Tare Gross Delivery Charge: 63480 27800 103760 Trike FUEL CHG 12480 Trin: TRUCK: 510009 CREDIT CHECK COUNT: OAD Sales Tax Haul Cd. Pit/Plant Use CC Type Slump Prod. No. Description TOTAL DUE Load Size 1779 Taken by

Trailer

20.14 030616

Tare Weight

Gross Weight

51.88

Truck

510616

Trailer

11212

Check #


Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with reyes and skin Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe through dothing is as dangerous so promptly rinse these materials from dothing. Seek immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agree protective when harding this product.

Agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Agree to convey this warning to all persons who may use or come into contact with wet (unhardened CUSTOMER 4272002 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may people to the operation of the operation of this machinery in the manner required to perform our contract with you may charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtmanner. due to water added above design. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump. Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received X and RELEASE the seller and its employees from any liability. Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 13302 PERRY RD SPOKANE, WA 99208-7089 Signature of Owner or its Agent 536-3151 (509)NWGDELTKT090408 Signature of Owner or its Agent **Arrive Plant** Leave Job Site Arrive Joh Site Start Discharge Finish Discharge Leave Plant Drivers Comments Customer PO/ Co. Proj. No. Company/ Driver TICKET NO. Phase Code SP1300 Customer Job FrankIT Cust. No. Order No. 10928143 37606 10/24/13 3003 Date Delivery Address PARK WATER BNSF Mao Zone Customer RIDER CONSTRUCTION CO I 5324 531 WILL BE BACKHAULING SELECT FILL-PLEASE WEIGH AT PERRY FOR CREDI 11:52 **Delivery Instructions** Amount **UnitPrice** Product Description **UOM** Product Code Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tn 400. 2350 31.48 347.09 Net Tare Gross Delivery Charge: 62960 Trk: 103540 28300 FUEL CHG 12280 Trire TRUCK: 510616 CREDIT CARD CHECK 11 LOAD COUNT: Sales Tax Pit/Plant Haul Cd CC Lise Type Slump Prod. No. Description TOTAL DUE 1-09 Load Size Taken by Trailer Check # Trailer Tare Weight Gross Weight

11212

20.29 030856

51.77



#### Central Pre-Mix Concrete Co.

E-MAILED FEB 1 7 2015

Correspondence address: Please remit payment to: P O Box 3366 Central Pre-Mix Concrete Co. Spokane WA 99220-3366 PO Box 742421 509-534-6221 Los Angeles CA 90074 Account No 38089 **Sandry Construction** PO Box 507 Bigfork MT 99202 e-mail

Invoice Number: 13- 2070681

Invoice Date: 02/12/2015

Customer PO: 1424

Ship Address

5324 E TRENT AVE

Material Units UOM Unit Price Matl Total Invoice Totals

Date: 2/12/15 **Product Use** Ordered By: **RAY WILSON** 2350 5/8" Top Course 2,014.15 TON 467755 Fuel Surcharge - EA 69.00 EΑ 467795 Winter Aggregate Charge 2,014.15 EΑ 467910 Local Delivery Haul Charge-Agg 2,541.00 EΑ **Ticket Numbers:** Total For 2/12 10161479 10161489 (10161492 10161495 10161498 10161501 10161503 10161506 10161509 -10161511 -10161512 (0161516 10161518 10161523 - 10161524 - 10161528 - 10161529 - 10161534 - 10161537 -10161542 10161543 10161549 10161550 10161552 10161553 10161556 10161557 10161561 10161563 10161565 10161566 10161568 10161569 10161571 10161574 10161580 10161582 10161583 10161584 10161585 10161588 10161591 10161592 10161594 10161595 10161598 10161600 10161602 10161606-10161607 10161608 10161609 10161611 10161613 10161614 1016161610 10161617 10161619 10161620 10161624 10161629 10161630 -- 10161631-10161634 -10161635-

Concrete: Injurious to eyes. Causes skin irritation. Contains I unhardened contrete, mortar, cement or coment mediums can caus.

Initiation, severe chemical burns or serious eye damage. Avoid contact with eyes, and stru. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light fating eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bods that are light at the top and high enough to keep concrete from flowing into them. It finishing concrete, wear kneep parts to protect leness. After contact with any of these materials, wash of immediately with fresh, clean water flower contact through dothing is as dangerous so promptly mise these materials from clothing. Seek immediately effect of the parts of the pa CUSTOMER 4663825 Water added at customer's own risk. Additional water added to concrete will reduce its strongth. Buyer's agent agrees to accept responsibility for reduced strength. Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be due to water added above design charged at posted truck time rates. Truck standby madinery in the manner required to perform our contract with you may maximary in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wesh to help you in everyway that we can, but in order to do this, the operator is asking that you sign fins RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for at claims to the premises, building, utility populations or cables, telephone fines, driveway or other appurtnessors at: Arrived at job with time charged at posted truck time rates. inch słump Limited Warranty The only flability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added Test cylinders taken gal water at customer request. Other additions Received X appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no flability for any personal injury incurred by you while adding additional products to our any liability CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 Arrive Job Site Start Discharge Leave Plant Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3001 38089 1424 10161479 Breit M SPCITY Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Мар Zone Delivery Instructions 23B USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 528 EGG 07:16 MENTOSITE Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price** Amount 31.46 31.46 553.10 2350 tn 5/8" TOP COURSE Grass Tare Net Trk: 101500 38580 62920 Delivery Charge: Trins WINTER A FUEL CHG PREV TRUCK: LOAD COUNT: 1 CHECK / CREDIT CARD Load Size Prod No. Description Slump Турв CC Haul Gd. Sales Tax TOTAL DUE

Taken by 42893

Check #

Turkozers Weight 75are Weight 29

Trailer

Trailer

BUSE Parkengton 294

d. PivPient Sales Tax

WINTER A

Check #

Gross

PREV TRUCK: 520288

Prod No

Truck of Gross Weight 36 are Weight 14

Trie: 104720

LOAD COUNT:

Trin:

Load Size

Tare

27800

12480

Description

Net

F.444D

J30616

CHECK

n by 42893 Concrete: Injurious to eyes.Causes sith initation.Conta... rorfand Cement. Read the following warning before using: Contact with wet, unhandered concrete, morter, cement or coment initiation, severe chemical turns or serious eye demange. Avoid contact with eyes and sith. When welseproof gloves, a fully-buttoned, bray-sleeve shirt, Ashlength trousers and fight-fitting eye protection when working with these materials. If you have be stand in well concrete, use waterproof boots had are tight at the top and high enough to beep concrete from flowing into them. If his hing concrete, wear trace pads to protect knees. After consect with any of these materials, wash and immediately with feath, deen water, hufred contact through contribute as derigenous so promptly dress those materials. Item distribute, Seek immediate mediately with feath, deen water, hufred contact through contribute as derigenous so promptly dress those meterials. Item distribute, Seek immediate mediately with feath, deen water, hufred contact whose in the contact with well (unhandered) controls, morter, cement or cement motures. Against a water for all seals 15 minutes. Consult physician immediately. KEEP out of reach of children's libert, agrees to convey this warning to all persons who may use or come into contact with well (unhandered) controls, morter, cement or cement motures. Against protect in the statement of the physician immediately in the statement of the physician and physician in the contact with well current and see a physician.

Material and controlled one state Additional water added to concente will.

Promotive Damage Indemnification A. Release

# SULL PRANE ROAD

	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this marchinery in the manner required to perform our contract with you may possibly cause damage to the premises or proparty. It is our wish to help you in everyway that we can, but in order to do this, the operator is acting that you sign this RELEASE. In consideration of the performence of the seller and its comployees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, diversely or other appartnersecus, at:  and RELEASE the seller and its employees from any liability.  CENT  Signature of Owner or its Agent	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidentel or consequential damages resulting from the use of the products or erising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.  RAL PRE-MIX CONCRETE CD.  N. 1902 SULLIVAN RD.
Signature of Owner or its Agent		SPOKANE, WA 99216
Leave Plan Arrive Job Site Stan Discharge Finish Discharge Drivers Comments	Leave Job Stee Cath application	509-536-3370
Order No. Cust. No. Customer Job P 3001 38089: 1424  Customer Det	iustomer PO/ hase Code TICKET NO. 10161492 very Address	Driver Co. Proj. No. Luke W SPCITY
SANDRY CONSTRUCTION 5224 Delivery Instructions	E TRENT AVE	Map Zone
USE CAUTION CROSSING RAILROADS MENT@SITE	-FOLLOW ROAD TO THE LEFT-H	23B S28 EAVY E <b>AT</b> 07:31
	UOM Product Description tn 5/8" TOP COURSE	Unit Price Amount
· · · · ·		
Gross Tare Net Trk: 104000 27880 63540 Trlr: 12580	WINTER A	very Charge:
PREV TRUCK: 510616 #	FUEL CHG / CREDIT CARD	
Load Size Prod. No. Description	Skump Type CC Use Haul Qd. Pl	পুণুকুৰ্ Sales Tax TOTAL DUE
Top:1018pms Wester. 005em Yeighi 23 0556162 Tmiles	Takon #B893 Check #	TOTAL BUE

OFFICE

Concrete; Injurious to eyes. Causes shi initizion Contains Portland Cement. Read the following warning before using: Contact with well, unfraintened concrete, motar, coment or cement mixtures can cause skin initizion, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. West waterproof gloves, a fully-buttoned, long-sleeve shirt, full-length trousers and light-ting eye protection when working with these mixtures. If you have be stand in well connects, use waterproof books that are light at the top and high enough to keep connects from flowing into them. It is also contact, were times pads to protect knees. After contact with any of these mistariats, washed in inmediately with feest, clean water, infrared contact through coloring is as dangerous so pumply rince these mistariats from doothing. Seek immediate medical attention if you have persistent or severe disconfrontin case of eye contact, fush with plenty of water for at least 15 minutes. Consult physician immediately. MEEP out of reach of children't been agrees to convey this warring to at persons who may use or come into contact with well (unfraidment). MEEP out of reach of children't best agrees to convey this warring to at persons who may use or come into contact with well (unfraidment) contacts, montar, cement or coment arbitres. Against agrees, produce dust should be taken when flaming this product. He it Apphalit. onto runserous furnes. Avoid transfering furnes. Also, Apphalit may cause soone turns. West protective safety gear (one seemed, parts and gloves). If turned, cod with water and one a physician.

SULLIVAN ROAD

reaches a strength Beyer's agent preses to accept responsibility for reduced strength due to water acted above design.  Arrived at job with	Signature of Owner or its Agent	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shad the seller be liable for any direct, indirect, incidental or consequential demages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of derivery. We do not assume responsibility for any damage beyond the curb line.  **RAL PRE-MIX CONCRETE CO.  N. 1902 SULLIVAN RD.  **SPOKANE, WA 99216  509-536-3370
Order No. Cust. No. Customer Job F 3001 38089 1424  Customer Oel	Sustomer PO/ thase Code TICKET NO. 10161495 EVERY Address E TRENT AVE S-FOLLOW ROAD TO THE LEFT-H	Driver Co. Proj. No.  Jason H SPCITY  Com. 02/12/15  Map Zone  23B 528  EAVY EARL 07:42
Load Oly Delivered Oly Order Oly Product Code 31.40 126.85 553.10 2350	UOM ProductDescription tn 5/8" TOP COURSE	Unit Price Amount
Gross Tare Net Trk: 103040 27560 62800 Trlr: 12680  PREV TRUCK: 510162 # LOAD COUNT: 4 CHECK	WINTER A FUEL CHG	very Charge:
Load Siza Prod. No. Description Troph 0 1 연명도 Weight, 5건ara Weight 12 전쟁 163 Trade		TOTAL DUE

CUSTOMER 4663845 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your squature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be due to water added above design charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with inch slump. Limited Warranty The only flability of the seller for product defect is the return of the purchase price, in no you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seler of its contract with me, if the undersigned, hereby INDEMNIFY the gal water at customer request. Test cylinders Added event shall the seller be liable for any direct, indirect, increase piece, indirect, increase piece, indirect, increase piece, indirect, i seler and its employees for any damage and for at claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Plant | Arrive Job Site-Start Discharge Leave Job Site **Arrive Plant** Ul **Drivers** Comments Customer PO/ Company/ Order No Cust. No **Customer Job** Phase Code TICKET NO. Driver Co. Proj. No. 3001 38089 1424 10161498 William M SPCITY Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION Map 5324 E TRENT AVE Zone **Delivery Instructions** SEB USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDEL 07:45 MENTOSITE Load Qty Delivered Qty Order Qtv **ProductCode** UOM Product Description **Unit Price** Amount 21.82 148.67 553.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 78140 34500 43640 Delivery Charge: Trir: WINTER A FUEL CHG PREV TRUCK: 510163 LOAD COUNT: CHECK / CREDIT CARD

Slump

Traile

Type

Taken by 42893 Usa

Haul Qd.

Check #

Load Size

Prod. No.

Truck 0 4 Gross Weight 0 - Jane Weight 25

Description

PIVPien

Sales Tax

TOTAL DUE

4663848 Appregates: Prolonged inhalations of clust from a gravel product may be hazardous to your featilit. Measures to control further dust should be taken when handing this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long steeves, parts and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for demages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders \_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEWINEY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at. Buyer's Agent receipt of product and approval of any added Items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability CENTRAL FRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Arrive Plant** Drivers' Comments Company/ Customer PO/ Order No. Cust No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3001 38089 1424 10161501 Bret M SPCITY Date Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Маа Delivery Instructions 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDIT 07:57 Load Qty MOU Order Qly Product Code **Product Description** Delivered Qty **Unit Price Amount** 30.52 179.19 553.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 99620 38580 E1040 Delivery Charge: Trir: WINTER A FUEL CHG PREV TRUCK: 510409 # LOAD COUNT: E CHECK / CREDIT CARD

Slumo

Trailer

Type

Taken by 893

Haul Qd

Check #

PivPlent

Sales Tax

TOTAL DUE

and Cement. Read the following warning before using. Contact with waster initiation, severe chemical hums or serious eye damage. Avoid contact was

Concrete: Injunous to eyes Causes skin initiation.Contain

Load Size

Prod. No.

Truple 22 Gross Weight 29

Description

Concrete: Injurious to eyes.Causes skin britation.Contans Portand Cement. Read the following warning before using: Contact with wet unfaridated concrete, motor, cement or cement makens can cause skin britation, severe charmal burns or sedious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a Ady-buttoned, long-sleeve shirt, Ad-length trausers and light-fitting eye protection when working with these materials. If you have to stand in well concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. It brishing concrete, wear home peets to protect liness. After contact and any of these meantals, wash of thirteductary with thesh, deanwater, furties contact through contact, when you make persistent or severe deconflortin case of eye contact. Ash with planty of water for at least 15 minutes. Consult physician immediately, INEEP out of reach of childrent User	OFFICE
agrees to convey this warning to all persons who may use or come into contact with wet (unfandemed) concerts, mortar, coment or coment imbalines. <u>Aggrees the protocol influences of dust form a gravely product may be hearnfour to your health. Measures to consol lightle dust should be taken when handing this protoc. Hot <u>Asphalts</u> emits ruisance furnes, would breathing furnes. Also, Asphalt may cause severe burns. Weer protocked safety pear forms pleased, parts and gloved, if burned, coof with water and soon is physician.</u>	ROAD 4663850
Water added at customer's own risk. Additional water added to concrete will reduce its strength layer's agent agrees to accept responsibility for reduced strength the poerator of this piece of heavy equipment, in presenting this LEASE to you for your signature, is of the operation of machine or contract with you have all customer request.  Added of additions  Test cylinders laten  Other additions  Received by  Buyer's Agent receipt of prodoel-enter approval of any added items.  Property Damage Indemnification & Release  The operator of this piece of heavy equipment, in presenting this LEASE to you for your signature, is of the operator of the presents or property. It is our wish to you he veryway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you sign this RELEASE in construction of the perturnance of the presents or of the presents or of the presents or of the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as that you have everyway that we can, but in order to do this, the operator is as the you have everyway	charged at posted truck time rates. Truck standby time charged at costed truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no the purchase price, incidental or consequential damages resulting from
Drivers. : 1.4:32 820	
Comments	
Order No. Cust. No. Customer Job Phase Code TICKETNO.  3001 38089 1424 10161503  Customer Delivery Address SANDRY CONSTRUCTION 5324 E TRENT AVE Delivery Instructions  USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT MENT@SITE  Load Oty Delivered Oty Order Oty Product Code UOM Product Description  31.75 210.94 553.10 2350 tn 5/8" TOP COURSE	Driver Co. Proj. No.  Luke W SPCITY  Date 02/12/15  Amp 2019  -HEAUY Edite 08:09  Unit Price Amount
PREV TRUCK: 520288 # CHECK / CREDIT CARD	livery Charge:
Load Size Prod. No. Description Stump Type GC Use Haut Qd.	Pivrippq Sales Tax TOTAL DUE
Тэт 01 вет Wэрт. 98 ж Жерт 23 бэй 162 Тейн Такет 1893 Споск #	

4655854 Aggregatos: Prolonged inhalazions of dust from a gravel product may be hazardous to your health. Measures to control highwe dust should be taken when handing this product. <u>Hot Asiphalt</u> emiss nuisance fumes. Avoid breathing fumes. Also, Asiphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Arrived at job with anch slump. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is astury. Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery We do not assume responsibility for any damage beyond the curb line. water at custom Test cylinders that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent rechain product and approval of any added items. and RELEASE the saller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our any lability CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Plant Arrive Job Site Start Discharge Luave Job Sile Arrive Plant Drivers Comments Company/ Customer Job Customer PO/ Order No. Cust. No. TICKET NO. Phase Code Driver Co. Proj. No. 3001 38089 1424 10161506 Garrett B SPCITY Dote Customer 02/12/15 **Delivery Address** SANDRY CONSTRUCTION 5324 É TRENT AVE Mao Delivery Instructions ESB 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDE Ø8:19 Load Qty Delivered Qty Product Code Order Qty LIOM Product Description Unit Price **Amount** 32.61 243.55 553.10 2350 tn 5/8" TOP COURSE Grass Tare Net Trk: 105500 27800 65220 Delivery Charge: Trir: 124AD WINTER A FUEL CHG PREV TRUCK: 510162 LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slump Type Use Haul Od PivPlant Sales Tax **TOTAL DUE** Taken by 833 Tench OE Gress Weight, 7: Tare Weight 14 JUNE 16 Check #

nd Cement. Read the following warning before using: Contact with w an initation, severe chemical burns or serious eye damage. Avoid contact wu.

Concrete: Injurious to eyes. Causes skin imtation. Contain.

CUSTOMER

4655858

Concrete: Injurious to eyes Causes skin Initation.Contain and Cernent. Read the following warring before using: Contact with visible and contact with respect to the conta

Water added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RC-The operator of this piece of heavy equipment, in presenting this RC-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be due to water added above riesion charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with inch slump Limited Warranty The only liability of the seller to product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Test cylinders Added \_\_\_\_\_ gal water at customer request. soler and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appunernances, at: Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrivo Plant Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site Drivers Comments Customer PO/ Company/ Customer Job TICKET NO. Co. Proj. No. Order No. Phase Code Driver Cust. No. 3001 38089 1484 10161509 Bret M SPCITY Date 02/12/15 **Delivery Address** Customer SANDRY CONSTRUCTION Мал 5324 É TRENT AVE 23B 528 Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E問題 Ø8:38 MENTOSITE **UnitPrice** Amount UOM Product Description Product Code Load Qty Delivered Qty Order Qty 5/8" TOP COURSE 30.55 274:10 553:10 2350 tn Gross Tare Net Trk: 99680 38580 €1100 Delivery Charge: WINTER A Trir: FUEL CHG PREV TRUCK: 510616 LOAD COUNT: 9 CHECK / CREDIT CARD PiVPIONI; Sales Tax Use Haul Cd. Prod: No. Description Slump Type Load Size **TOTAL DUE** Taken by893 Trople to 2 Stops Weight B Tare Weight 23 Check #

Concrete: Injurious to eyes, Causes skin initiation. Contains Portland Coment. Read the following warning before using: Contact with wet, unhardened concrete, motar, coment or coment mixtures can cause skin latistich, severe chemical burns or serious eye dermage. Ancid contact with reserves and skin Verar waterproof gloves, a bitly-buttoned, long-sleeve shirt. Mallerght trousers and light-fitting eye protection when working with these materials. If you have to stand in well controls, use waterproof boots that are light at the top and high enough to beep controls from thoming with them. After contact with any of these materials from clothing. Seek immediate models aborded it you have persistent or sowers through cohing is set dangerous so promply rince these materials. From clothing. Seek immediate models aborded it you have persistent or sowers through cohing is set dangerous so promply rince these materials. From clothing. Seek immediate models aborded it you have persistent or sowers disconficted to see promply rince these materials from clothing. Consult physician immediately, MEEP and of reach of children User disconficted in set persons who may use or come into contact with well (unfartened) concrete, mortar, coment or commit mixtures, agrees to convey his warning to all persons who may use or come into contact with well (unfartened) concrete, mortar, coment or commit mixtures. Ancet convey his warning to all presents of dust from a gravel product may be hazactors to your helpf. Measures to control lightle dust stouch to take must be used to be a proposition of the first person between the product of the control of the cont

#### OFFICE SULLIVAN ROAD

Water added at curstomer's own risk. Additional water added to concrete will water added to concrete will reduce its strength huyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with inch slump.  Added gai water at customer request.  Test cylinders taken  Other additions	Property Darmage Indominisation a Industry Property in presenting this RE- LEASE to you for your signifure, is of the opinion that the operation of this mechinary in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wide to help you in everyway that we can, but in order to do this, the operator is setting but you sign this RELEASE. In consideration of the performance of the select of its contract with me, I the undersigned, hereby MOEMNITY the select and its employees for any damage and for all claims to the premises, building, Utility pipelines or cables, talephone lines, difference or other appurterances, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the setter to product defect is the return of the purchase price. In no event shall the setter be fable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
Buyer's Agent receipt all product and approval of any added items.  The addition the any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer.	and RELEASE the seller and its employees from any liability. CEN'	TRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370
Signature of Owner or its agent  Leave Plant Arrive Job Start Discharge Finish Discharge  Drivers' Comments	ree Leave Job one Arrive Planto.	iiminiminininininini
Order No. Cust. No. Customer Job 3001 38089 1424	Customer PO/ Phase Code TICKET NO. 10161511	Driver Co. Proj. No.  Jason H SPCITY  Date Ø2/12/15
Customer SANDRY CONSTRUCTION Delivery instructions USE CAUTION CROSSING RAILROAD	24 È TRENT AVE	23B S28
MENT@SITE Load Oly Delivered City Order City Product Code 31.66 305.76 553.10 2350	to 5/8" TOP COURSE	Untrice
Gross Tare Net Trk: 103560 27560 63320 Trlr: 12680	De WINTER A FUEL CHG	livery Charge:
PREV TRUCK: 520286 #	CK / CREDIT CARD  Sturno Type CC Use Haut Qd.	Purpleyi Sales Tex
Load Size Prod. No. Description  Test 01 Bross Weight 7 Bara Weight 12 JUNI 63	Troller Taken 2/893 Check #	TOTAL DUE
		**************************************

CREDIT CARD

Type

Taken by 42893

Delivery Charge:

PIVPIBOL

Sales Tax

**TOTAL DUE** 

WINTER A

Haul Gd.

Check #

Use

Grass

50000

PREV TRUCK: 510163

Prod. No.

Trk:

LOAD COUNT:

Truck 34 Gross Weight

Trlr:

Load Size

Tare

34500

11

Description

Vara Weight 25

Net

45500

Trailer

CHECK /

Trailer

Slump

Concrete; Injurious to eyes. Causes stin inflation Contas, rortand Coment. Read the lottowing warning before using: Contact with war, unhardered concrete, motar, cament or cement mixtures can cause skin intation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a kily-buttoned, targ-sleeve shirt, full-length trousers and dight-fitting eye protection when working with these materials. If you have be sand in wet concrete, use waterproof boots first are light at the top and high enough to keep contact from bowing into them. If this hing concrete, wear fines peads to protect lenes. After contact with any of these materials, wash off immediately with testin, deen water, indirect contact through contact, the sample cus so promptly rinse these materials from dothing. Seek immediate medical elastion if you have penalest or severe disconflortin case of eye contact, flush with planty of water for all least 15 minutes. Consult physician immediately. INCEP and of reach of childrent bear agrees to convey this warming to all persons who may use or come into contact with wet (unhardered) concrete, mortar, cement or cement in thourses. Aggregates; Protogod inhabitors of dust from a gravel product may be featanded to your feath. Measures to contact legitle dust should be taken when harding this product. Hot Aughalit, entits russinos turnes. Avoid treathing furnes. Also, Apptiet may cause severe burns. Wear protective salety over form severes, parts and gioves). If turned, cod with water and see a physican.

#### OFFICE SULLIVAN ROAD

Water added at customer's own risk Additional water added to concrete will reduce its strength layer's agent agrees to accept responsibility for reduced arongth due to water added above the sign.  Arrived at job with the sign.  Added gld water at customer request.  Test cylinders balen.  Other additions  Received by  Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our moter may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white additing additional products to our miser.	Property Damage Indemnification the operator of this piece of heavy explanation of this piece of heavy explanation in the marrier required to perpossibly cause damage to the premises out in everyway that we can, but in order that you sign this RELEASE, in consider that you sign this RELEASE, in consider softer of its contract with me, if the under selfer and its employees for any damage a building, utility pipelines or cables, leleg appurterances, at:  and RELEASE the sellier and its any liability.  Signature of Owner or its	ipment, in presenting this RE- opinion that the operation of this own cur contract with you may in properly. It is our wish to help to do this, the operator is esting aton of the preformence of the signed, hereby INDEMNEY the not be all dains to the premises, those lines, divieway or other employees from  CENT	Unloading & Standby Exc charged at posted truck time time charged at posted truck Limited Warranty The only product defect to the return of a event shall the seller be flable incidental or consequential the use of the products or airs warranty. All claims for damag made within 24 hours of deli- responsibility for any damage RAL PRE-MIX C N. 1902 SULL I	e rates. Truck standby ck time rates. It is sailer for the pulchase price. In no a for any direct, indirect, damages resulting from sing out of breach of any les or shortages must be very. We do not assume to beyond the curb line.  CONCRETE CO.  EVAN RD.
Characters of Course on the Asses			SPOKANE, WA 9 -536-	
Signature of Owner or its Agent  Leave Plant Ambe Job Side Start Discharge Finish Discharge  Drivers' Comments	De Leans Joh Sila Chriva.			
Order No. Cust No. Customer Job 3001 38089 1424		ICKETNO. 10161516	Bass .	Co. Proj. No. SPCITY
	ilivery Address 4 E TRENT AVE		Map	2/12/15 Zore
USE CAUTION CROSSING RAILROADS MENT@SITE	3-FOLLOW ROAD TO	THE LEFT-H	EAVY EGET	\$28 <b>08:59</b>
Load City Delivered City Order City Product Code 32.19 360.701300.10 2350	tn 5/8" TOP	P COURSE	Unit Price	Amount
Gross Tare Net Trk: 104840 27880 64380 Trlr: 12580 PREV TRUCK: 510409 #	_	Deliv JINTER A 'UEL CHG	ery Charge:	
	/ CREDIT CARD	_		
Load Side Prod. No. Description		Use Haul Qd. Pi	阿姆貝 Sales Tax TOTAL DUE	
Test 01 figur West. 42are West. 23 duit 162 Trad	e. 1845	Check #		

CUSTOMER 4655875 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release reduce its strength. Buyer's agent agre The operator of this piece of heavy equipment in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design, Unloading & Standby Excess unloading will be charged at posted track time rates. Truck standby time charged at posted truck time rates. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly, it is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the sellor of its contract with me, I the undersigned, hereby INDEANNEY the sellor and its employees for any damage and for all dams to the premises, building, utility perbienes or cables, telephone fines, driveway or other annuationances. At Arrived at job with inch slump. Linited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. hat water at customer request. Test cylinders Other additions Received by appurtenances, at: Buyer's Agent receif product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any any liability. CENTRAL PRE-MIX CONCRETE CO. personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. mixer Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent NWGDELTKT090408 509-536-3370 Plant Aprive Job Site Start Discharge Finish Discharge waye Job Slig Drivers Comments Company Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKETNO Driver Co. Proj. No. 3001 38089 1424 10161518 Garrett B SPCITY Date Delivery Address 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Map Zone Delivery Instructions 23B USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 528 ECH Ø9:08 Load Qly Delivered Qty Order Qty Product Code UOM Product Description **Unit Price** Amount 31.65 392.351300.10 2350 5/8" TOP COURSE ton Gross Tare Net

Trk: 103580 27800 63300 Trlr: 12480

Delivery Charge:

WINTER A

PREV TRUCK: 510162 LDAD COUNT: 13

CHECK / CREDIT CARD

Load Size Prod. No. Description Stump Type CC Use Haul Gd. Pil/Plant TOTAL DUE

Truck OF Gross Weight 7 Tare Weight 14 Julie 16 16 Trailer Taken by 42833 Check #

Concrete; Injurious to eyes.Causes skin Initation.Conto... - Portand Cement. Road the lobowing warning before using: Contact with well, inhardered concrete, mortar, cement or cement mixtures can cause skin initation, severe chemical turns or sorious eye direnge. Avoid contact with eyes and skin. Wear waterproof gloves, a Maly-busined, long-sleeve shint, Malkength trausers and dight-king eye protection when working with fless metastals. If you have to stand in well contacts, use waterproof boots that are dight at the top and high enough to teep content from flowing into them, if thishing contrete, were long to these metastals. It was not high enough to take down water, Indirect create through clothing is as dangerous so promply rinse these metastals. It mundating, Seek Immediate medical abortion if you have persistent or severe discontact. In case of eye contact, flash with planty of water for at least 15 minutes. Consult physician immediately, REEP out of reach of childrent User agrees to consey this warming to all persons who may use or come into contact with well (unfordered) concrete, mortar, cement or cement induces. Aggregates; Protonged irrelations of dust from a gravel product may be hazardous to your health. Measures to contail highle dust should be taken when harding the poduct. Hol Agethalit, enter rustance turnes. Another transfer and see a serious for protective safely ger from steemes, parts rustance turnes added at rustances are much additional water and see a property. Damanno Indemntification. B. Release.

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Eurer's agent agrees to accept responsibility for reduced strength due to water added above design.

Tot 05 995 World 45 are World 91 J38751

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signame, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause durinage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign than RELEASE. In consideration of the performance of the seder of its contract with me, If the undersigned, hereby INDEANNEY one seder and its employees for any damage and for all claims to the premises, building, usting longer or cabites, telestrome fines, diversery or other Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived al job with \_ \_\_ inch stump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price, in no event shall the seller be liable for any direct, indirect indi Test cylinders \_\_ gal water at customer request. Other additions building, utility pipelines or cables, telephone lines, driveway or other appurenances, at: Received by X Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no flability for any personal injury incurred by you while adding additional products to our mixer. and RELEASE the seller and its employees from any liability. CENTRAL FRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 Leave Plant | Arrive Job Site Start Discharge NWGDELTKT090408 Finish Discharge Leave Job Ske **Arrive Plant** : UZ 0:00 Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Oriver Co. Proj. No. 3001 38089 1424 10161523 Ton, H SPCITY Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions 23B **S28** USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDITA Ø9:17 <u>MENTOSITE</u> Load Oly Delivered Oty Order Oty Product Code UOM Product Description Unit Price Amount 30.54 422.891300.10 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 96900 24900 61080 Delivery Charge: Trlr: 10920 WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: 14 CHECK / CREDIT CARD Load Size Prod. No. Description CC Slumo Type Haul Gd. Piliping Sales Tax TOTAL DUE

Taken by

Check #

Trailer

**OFFICE** 

4655880

SULLIVAN ROAD

Concrete: Injurious to eyes. Causes skin imitation. Contains Pt. Cement. Read the totiolwing warning before using. Contact with wet, inhandered opporete, mortar, cement or cement modures can cause s... imitation, sewife chemical burns, or serious eye damage. Avoid contact with eyes and ethic. Wear waterproof gloves, a fully-buttoned, long-sleeve shat, full-length trousers and tight-timing eye protection when working with these materials. It you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash of it immediately with tresh, clean water infrinct contact through clothing is as dangerous so promptly tinse these materials from clothing. Seek immediate medical attention if you have persistent or severe disconflort in case of eye contact, firsh with plenty of water for at least 15 immutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this woming to all persons who may use or come into contact with wet (unhardened) concrete, motar, cement or cement midures. Aggregates; Protongel inhactions of dust from a gravel product may be hazardous to your health. Measures to control highly dust should be taken when harding this product.

Hot Asphalt erris musknot turnes. Avoid breathing furnes. Also, Asphalt may cause severe turns. Wear protective safety gear (forg sleoves, parts and gloves). If turned, cool with water and see a physician. 4655881 salety gear (long sleoves, parts and ploves). If burned, cool with water and see a physician. Property Damage Indomnification & Release Mater added at customer's own risk. Additional water added to concrete will Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this piece of heavy equipment, in presenting this REeduce its strength. Duyer's ayuni agrees to accept responsibility for reduced strength The upstant or was pear or nearly experient, in presenting the NEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that the care that DEASE is accomplished and the professional of the fue to water added above design. time charged at posted truck time rates. Limited Warranty. The only Itability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume \_\_ inch slump. Arrived at job with that you sign this RELEASE. In consideration of the performance of the Test cylinders taken gal water at customer request seller of its contract with me, I the undersigned, hereby UNDEMINIFY the seler and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Other additions Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CD. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 **Arrive Plant** Arrive Job Site Start Discharge Finish Discharge Leave Job Site Leave Plant Drivers' Comments Customer PO/ Company TICKET NO Driver Co. Proj. No. Phase Code Customer Job Order No Cust. No. William M SPCITY 10161524 3001 38089 1424 02/12/15 **Delivery Address** Customer Mag Zone 5324 E TRENT AVE SANDRY CONSTRUCTION 528 23B Delivery Instructions ENTE USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 09:19 MENTOSITE **Amount UnitPrice** Product Description ProductCode LIOM Delivered Qty Order Oty Load Qty 5/8" TOP COURSE tn 22.42 445.311300.10 2350 Net Tare Gross Delivery Charge: 34500 44840 Tric: 79340 WINTER A Trir: FUEL CHG

CARD

Use

Haul Gd.

Check #

PluPlany

Sales Tax

**TOTAL DUE** 

CREDIT

Type

Taken by 42893

Slump

CHECK /

Trailer

Traile

PREV TRUCK: 510577

Prod. No.

15

Description

COUNT:

Tack 04 Grass Weight 6

LOAD

Load Size

CUSTOMER

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our

Signature of Owner or its Agent

eyes and acti. Wear waterproof gloves, a hity-buttomed, long-sleeve shirt, hill length in materials. If you have to stand in wet concrete, use waterproof boots that are tight at the lift finishing concrete, wear kopepads to protect knees. After contact with any of these materials through dothing is as dangesous so promptly more these materials from dothing, so discomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Con egrees to convey this warring to all persons who may be true or come into contact with water page to the product. Hot Asphalt, emits nuisance turnes. Avoid breathing the standard this product. Hot Asphalt, emits nuisance turnes. Avoid breathing to safely gear (long sleeves, parts and gloves). If burned, cool with water and see a phy	e top any night enough to keep concress and nowing when this, wash off immediately with fresh, clean water, highest contact it inmediate medical attention if you have persistent or severe suit physician immediately. KEEP out of reach of childrent User ref (pinhandened) concrete, morter, cement or cement midures, to your teath. Measures to control fugitive dust should be taken thes. Also, Asphalt may cause severe burns. Wear protective ysician.	
Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent upless to accept responsibility for reduced strength due to water added above dasign.  Arrived at job with inch stump.  Added gal water at customer request. Test cylinders taken  Other additions	Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you'll or your signature, is of the opinion that the operation of this machinery in the mininer required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE in consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utilly pipelines or cables, telephone lines, driveway or other appurtenances, at.	Unloading charged at time charge Limited Wipproduct del event shall incidental the use of I warranty. A made withingsponsibility
Buyer's Agent receipt of product and approval of any added items.	and RELEASE the seller and its employees from	

any liability

a & Standby Excess unloading will be it posted truck time rates. Truck standby jed at posted truck time rates.

4655887

CUSTOMER

farranty The only liability of the seller for elect is line return of the purchase price. In no if the seller be liable for any direct, indirect, or consequential damages resulting from the products or arising out of breach of any Adams for damages or shortages must be in 24 hours of delivery. We do not assume tility for any damage beyond the curb line.

CENTRAL FRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370



7:28 Drivers' Comments	Arrive Job Site Sta		9:47/	0:04		6 1 5 2 8
Order No.	Cust. No.	Company/ Customer Job	Customer PO/ Phase Code	TICKET NO. 10161528	Driver Bret M	Co. Proj. No.
2001 Customer SANDRY Delivery Instruction			Delivery Address		Date Map	02/12/15 Zone 23B S2B
	LTION CROS	SSING RAILRO	ADS-FOLLOW ROA	AD TO THE LEF	T-HEAVY E	09:27
Trk: Trlr:	87320 38 98300	Tare Net 3580 <del>5074</del> 0 COTHO	)	WINTER A FUEL CHG	elivery Charg	e:
	RUCK: 5104 DUNT: 16	CHE		ARD	Pit/Plant Sales Ta	7
Truck 02 Bigss	Prod No. Descri		Slump Type  Trailer Taken by	CC Use Haul qd.	PivPignt Sales Tar TOTAL DU	

Signature of Owner or its Agent

NWGDELTKT090408

CUSTOMER Congrete: Injurious to eyes Causes skin irritation, Contains:

J Cernent, Read the following warring before using: Contact with wet, unhandered concrete, mortar, cement or cement modures can cause son initation, severe chemical burns or serious eye damage. Avoid contact with eyes and Sun. Wear waterproof gloves, a fully-buttoned, long-seeve shaf, full-length trousers and tight-fang eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep and to protect knees. After contact with any of these materials, wash of immediately with fresh, deen water, indirect contact. through clothing is as dangerous so promptly risse those materials from clothing. Seek immediate medical attention if you have persistent or severe decornfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) contrate, cement or cement mixtures. 4655888 Appregates: Prolonged inheletons of dust from a gravel product may be hazardous to your health. Measures to control fugilise dust should be taken when handling this product. Hot Asphalt emits nuisance lumes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see e physician. Water added at customer's own risk. Additional water added to concrete with reduce its strength. Buyer's openlagrees to accept responsibility for reduced strength. Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with \_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential it amages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders gal water at customer request. Added sellor of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions Received building utity pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Leave Job Site Arrive Plant Leave Plant | Arrive Job Site Start Discharge Finish Discharge Drivers' Comments Company/ Customer PO/ Customer Job TICKET NO. Order No. Crist No. Phase Code Driver Co. Proj. No. 3001 38089 1424 10161529 GARY D. SPCITY Date 02/12/15 Customer **Delivery Address** SANDRY CONSTRUCTION Man 5324 E TRENT AVE Zone Delivery Instructions 23B 528 USE -BAUION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDES 09:34 MENTOSITE Load Qty Product Code UOM Product Description UnitPrice Amount Delivered Oty Order Qty 29.84 500.521300.10 2350 5/8" TOP COURSE

Gross Tare Net 97600 25960 59680

Delivery Charge:

WINTER A FUEL CHG

PREV TRUCK: 520288 LOAD COUNT: 17

Trk:

Trlr:

CHECK / CREDIT CARD

Load Size Prod. No Description Slump Type CC Use Haul Qd. PivPignt Sales Tax
TOTAL DUE

THE NO Figs Weight. Bolana Weight 3E JUNI229 Trailer

Taken by 893

Check #

Concrete: Injurious to eyes Causes skin initiation.Contains . J. Cement. Read the following warning before using: Contact with wet, untrandered concrete, mortar, cement or coment mixtures can cause sun initiation; severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or coment mictures can cause sun initiation; severe chemical burns or serious eye damage. Avoid contact with eyes and stift. Weer waterproof gloves, a fully buttoned, long-sleeve shirt, full-length trausers and tight-fitting eye protection when working with these materials. If you have to stand in well concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, weer knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water, indirect contact through clothing is as damperous so promptly rinse these materials. From clothing. Seek immediate medical attention if you have persistent or severe discomfort in case of eye contact, fush with plenty of water for at least 15 minutes. Consult physician immediately. REEP out of reach of chârten! User agues to convey this warning to all persons who may use or come into contact with well (unhandened) concrete, motor, cement or coment mixtures. Aggregaties: Protogod inhalisons of dust from a gravel product may be hazardous to your health. Measures to control lugitive dust should be taken when handing this poulout. Hot Asphalt emis nuisance lumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective select of control of the productives. If burned, coof with water and see a physician. 4655896 salaty gear (long sleeves, pants and gloves). If burned, cool with water and see a physician, Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause darrage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Arrived at job with inch slump. Limited Warranty The only liability of the setter for product defect is the return of the purchase price. In no inst evinders that you sign this RELEASE. In consideration of the performance of the al water at customer request event shall the seller be liable for any direct, indirect, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utity pipetnes or cables, telephone tines, driveway or other anountenancies, at: Received bν responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 F509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Legve Plant Leave Job Site Arrive Plant Drivers' Comments Customer PO/ Company/ Customer Job Phase Code TICKET NO. Driver Co. Proi. No. Order No. Cust: No 3001 38089 1424 10161537, Garrett B SPCITY Date 02/12/15 **Delivery Address** SANDRY CONSTRUCTION Mag 5324 E TRENT AVE Zone Delivery Instructions 23B **528** USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EUR 09:49 MENTOSITE Product Description Unit Price Amount Load Qly Order Qty Product Code UOM Delivered Oty 31.98 564.961300.10 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 104120 27800 63840 Dalivery Charge: Trlr: 12480 WINTER A FUEL CHG PREV TRUCK: 510162 LOAD COUNT: 19 CHECK / GREDIT CARD

Shumn

Type

Taken bya93

Use

Haul Qd.

Check #

Pivpippy

Sales Tax

**TOTAL DUE** 

Prod. No.

Load Size

Description

Trock OE Gigss Weight, William Weight 14 2799616

CUSTOMER

TOTAL DUE

4655899

Concrete: Injurious to eyes. Causes skin irritation. Contains and Coment. Read the following warning before using: Contact with we unlandered cognete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns obsertious eye demage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-seeve shirt, full-length trousers and tight fitting eye protection when working with these materials burns of stand in wet concrete, we waterproof boots that are light at the top off their point point in the concrete from flowing into them. It finishing our crete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly intes these materials from doffing. Seek immediate medical attention if you have pensistent or severe descontrol thin case of eye contact, firsh with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warrang to all persons with may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates; Protonged inhabitions of dust from a gravel product may be hazardous to your health. Micasures to control fugitive dust should be taken when harding this product. Hol Asphalt, onto ins nuisance furnes. Avoid threathing furnes. Also, Asphalt may cause severe burns. Wear protective safely gear (tong sleeves; puris and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help reduce his strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with \_\_ inch slump Emitted Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders Added \_ gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for at claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurienances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any any flability. CENTRAL PRE-MIX CONCRETE CO. monal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site 20 10 Drivers' Comments Customer PO/ Company/ Order No. Customer Job Phase Code TICKET NO. Cust. No. Driver Co. Prol. No. 3001 38089 1424 10161540 William M SPCITY Customer **Delivery Address** 02/12/15 Mao SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 10:00 MENTOSITE Load Oty Product Code **UOM Product Description Unit Price Delivered Qty** Order Qty Amount 22.75 587.711300.10 2350 5/8" TOP COURSE tn Gross Tare Net Trk: 80000 34500 45500 Delivery Charge: Trira WINTER A FUEL CHG PREV TRUCK: 510616 抽 LOAD COUNT: 20 CHECK / CREDIT CARD PIVPIAPL Use Load Size Prod. No. Description Slump Type CC Haul Gd. Sales Tax

> Taken by 42893

Check #

Traile

Tuck Gross Weight Jare Weight

Concrete: hiprious to eyes. Causes shin intation. Contains Profund Cerrent, Read the lobowing warning before using: Contact with wet, unhardened concrete, mortar, cerrent or cerrent mixtures can cause skin intation, severe charmost turns or serious eye damage. Avoid contact with eyes and skin. Wear websproof gloves, a full-fulformed, long-sleeve shirt. full-length trousers and tight-ficing eye protection when working with these masteries, if you have to stand in well contract, use websproof boots that are tight at the top and high enough to keep contact from flowing into them. If inishing contrate, wear larse pads to protect incess. After contact with any of these materies, wash of immediately with test, dean weater, furfact contract through cothing is as damperous on promptly drives these materies. Immediate medical attention if you have persistent or severe decomfort in case of eye contract, flush with planty of water for at teast 15 minutes. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warming to all persons who may use or come into contact with wet (unharmed) contrate, mortar, cernant or content motures. Aggregates; Protinged intelations of dast from a gravel product may be hazardous to your teachs. Measures to contact duple dust should be taken when handing this product. Hol Asphalt, online reasoned turnes. Avoid threating furnes. Also, Asphalt may cause severe turns. Wear protective solely good forg stenses, parks and gibrest. If turned, cool with water and see a physician.

\*\*Protective\*\*

\*\*Constant\*\*

\*\*Protective\*\*

\*\*Constant\*\*

\*\*Protective\*\*

\*\*Constant\*\*

\*\*Protective\*\*

\*\*Prot

Water added at customer's own risk. Additional water added to concrete will reduce its strength Buyer's agent grees to accept responsibility for reduced strength due to water added above design.

TS: 0577 Weld 99 Weld 91 J36751

The operator of this piece of heavy equipment, in presenting this FG-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. machinery in the manner required to purform our contract with you may possibly cause damage to the premises or properly. It is our wish to help Arrived at job with \_ inch slump. Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incredental or coasequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of derivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the perturbance of the select of its contract with me, it he undersigned, hereby INDEANDY the select and its employees for any demage and for all chains to the premises, building, utility pipelines or cables, telephone lines, driveway or other \_\_ gal water at customer request. Test cylinders Other additions Received appunenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no flability for any personal injury incurred by you while adding additional products to our CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509~536~3370 Signature of Owner or its Agent NWGDELTKT090406 Finish Discharge Arrive Plant
0: UQ Leave Plant | Arrive Job Site Start Discharge Leave Job Site 10:09 V: 2-5 v:27 ):3° Drivers' Comments Customer PO/ Phase Code Company/ TICKET NO. Co., Proj., Na. Order No. Cust No. Customer Job Driver 3001 38089 1424 10161542 SPCITY Tom, Н **Delivery Address** Customer 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Delivery Instructions 23B **S28** USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDEN 10:07 MENTOSITE Delivered Oty Order Oty Product Code UOM Unit Price Product Description Amount 31.08 618.791300.10 2350 5/8" TOP COURSE tn Gross Tare Net Trkt 97980 24900 62160 Delivery Charge: Trlr: 10920 WINTER A FUEL CHG PREV TRUCK: 510409 LOAD COUNT: CHECK / CREDIT CARD Prod. No. Description Haul Gd. PIVEIRPY Sales Tax Slumo Type Load Size **TOTAL DUE** 

1akm by 42893

Check #

Property Damage Indemnification & Release

OFFICE

4655901

SULLIVAN ROAD

4655902

Concrete: Injurious to eyes. Causes skin irritation Contains and Coment. Read the following warning before using: Contact with we, unhardened concrete, morbin, coment or cement irridates can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a hilly-buttoned, long-sleeve shirt, hallength trousers and bight-titing eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If inshing concrete, wear lone parts in protect knees. After contact with any of these materials, wash off immediately with fresh, clean water indirect contact through coloring is as dangerous so promptly rises these materials from coloring. Seek immediate medical attention if you have persistent or severe disconfrot in case of eye contact, flush with plenty of water for at least 15 minutes. Consut physician immediately. REEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unfrartlened) concrete, mortar, cement or cement modules. Aggregates: Prolonged inhabitors of dust from a gravel product may be hotzartous to your health. Measures to control higher dust should be taken when handing this product. Hot Agghatt, emits nusance himes. Avoid breathing furnes. Also, Asphatt may cause severe burns. Wear protocove safety pear (long sleeves, pants and gloves). If burned, cool with water added to contain and severe polystican.

\*\*Property Demande Indemntification.\*\* Releases Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indomnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design

Added g Other additions_ Received	n inch slump. al water at customer request.	Test cylinders laken	possibly cause damage to the premisis you in everyway that we can, but in o that you sign this RELEASE. In one seter of its contract with me, I the us seler and its employees for any dama building, utility pipelines or cables, appuntenances, at:	ses or property. It is our wish to help rider to do this, the operator is asking sideration of the performance of the indersigned, hereby INDEMNIFY the one and for all claims to the premises	mine charach of hoster	I truck time rates.  only liability of the seller for mod the purchase price. In no liable for any direct, indirect, italian damages resulting from or arising out of breach of any amages or shortages must be I delivery. We do not assume mage beyond the curb line.
The addition of an expressed or impli	y extra products to our mixer m ed by the seller. The seller acce curred by you while adding addit	ay void any warranty pts no liability for any	and RELEASE the seller and any liability.  Signature of Owner or	CEN	TRAL PRE-MIX N. 1902 SUL	CONCRETE CO. LIVAN RD.
Signate	ure of Owner or its Agent			TKT090408	SPOKANE, WA	1 33216 16-3370
Leave Plant	Arrive Job Site Start Dischar	ge Finish Discharg	Leave Job Site Arriv	e Plant		
Comments		pany/ C	Customer PO/		* 1 0 1 6	7 5 4 3 2
Order No.	Cust. No. Custo		hase Code	TICKETNO. 10161543	Driver	Co. Proj. No.
Cus <b>torn</b> er SANDRY Delivery Instruction	CONSTRUCTION	<b>Del</b> l 5324	very Address E TRENT AVE		Bret M Date Map  (EAUY Fidd)	SPCITY   02/12/15   Zone   3B
MENT@51	TE Delivered Qty Order Qty		UOM Product Descript		UnitPrice	Amount
1.8	6 649, 951300.1		·	OP COURSE.	om ne	Allouit
	Gross Tare 20900 38580	Net 62320		Doli	very Charge:	
Trlr:				WINTER A	very unarge:	
	UCK: 510577 UNT: 22	#CHECK	/ CREDIT CARD	FUEL CHG		
oad Size P	rod. No Description		Slump Type CC	Uso Haul Qd F	PivPlent Sales Tax	

Taken by 42893

Check #

Trailer

Trusch 0 Signs Weight, 4 Jane Weight 29

Concrete: Injurious to eyes.Causes skin irrisation.Contains Portand Cement. Read the following wenting before using: Contact with wet, untrardened concrete, moster, cement or cement mistures can cause skin inflation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-bullowed, long-deeve shirt, full-length trousers and light-fitting eye protection when working with these mistrales. If you have to stand in wet concrete, user waterproof boots that are light at the top and high enough to keep contract from flowing into them. It is interesting concrete, wear time peats to protect knees. After contact with any of these mistrales, wear for it interest or activity in interest contact through coloring is as dangerous so promply rises these materials it our dothing. Seek interested americal attention if you have persistent or severe discontractin case of eye contact, flush with planty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children User agrees to convey it is wenting to all persons who may use or come into contact with well (untradened) concrete, mortar, cement or cement mistures. Aggregates; Probriged Inflations of dust form a gravel product may be hazardous to your testin. Measures to contact light exists to contact light exists when harding the pocket. Hell Assignabilit, entire under uniter water and see a physician.

Property. Damagna Indexemptification 8. Release

#### OFFICE SULLIVAN ROAD

Arrived at job with gal vater at customer request.  Other additions	Signature of Owner or its Agent	this charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only Hability of the seller for product defect is the return of the purchase price. In no the word shall the seller be fable for any direct, indirect, incidental or consequential damages resulting from
Order No. Cust. No. Customer Job P. 3001 38089 1424  Customer Dell SANDRY CONSTRUCTION 5324  Delivery Instructions USE CAUTION CROSSING RAILROADS MENT@SITE	ustomer PO/ hase Code TICKETNO. 10161549 very Address E TRENT AVE  -FOLLOW ROAD TO THE LEFT  UOM ProductDescription tn 5/8" TOP COURSE	Driver Co. Proj. No.  Luke W SPCITY  Date 02/12/15  Map Zame  23B S2B  HEAVY Edited 10:36  Unit Price Amount
Gross Tare Net Trk: 102880 27880 62420 Trlr: 12580  PREV TRUCK: 520288 # LOAD COUNT: 23 CHECK	WINTER A FUEL CHG CREDIT CARD	livery Charge:
Load Stze Prod. No. Description	Slump Type CC Use Haul Qd.	Pidप्राक्तिम् Sales Tax TOTAL DUE
Test 018 per Weight 44 are Weight 23 058162 Trains	Taken 5/893 Check #	

Concrete: Injurious to eyes.Causes stin Initiation.Contains or ordard Connent, Read the lobowing warning before using: Contact with well, unhardered concrete, morter, connent or cement mixtures can cause sith initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and sith. Wear waterproof gloves, a fully-butomed, torry-server shift. Mallength trousers and tight-doing eye protection when working with these materials. If you have to stand in well concrete, user waterproof boots that are light at the top and high enough to keep contact from bowing into them. If shifting contrate, wear true paids to protect inness. After contact with any of these materials, weath of immediately with firsth, does water, indirect contact through coloring is as dangerous so promply rinse these materials from coloring. Sock trimediately with firsth, does water, indirect contact through coloring is as dangerous so promply rinse these materials from coloring. Sock trimediate medical elevation if you have persistent or severe decomment, cose of eye contact, flush with planty of water for at least 15 minutes. Consult physician trimediately. REEP out of much of children! User agrees to convey this warring to all persons who may use or come into contact with well purhametered contracts, content or comern materials and goods. It is not a gravel product may be hazardous to your texth. Messures to contact highe dust should be taken when harding this product. Hot Assishall, entire subsection of with water and see a physician.

Property: Danmann Insteamolification & Releases.

## SULLIVAN ROAD

Order No. Cust No. Customer Job Phase Code TICKETNO. Driver Co. Proj. No. 3001 38089 1424 10161550 GARY D. SPCITTY  Customer - Delivery Address	Water added at customer's own risk Additional water added to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Anived at job with	Property Damage Indemnification & Release The operator of this piece of heavy exports, in press LEASE to you far your signature, is of the operan that the o machinary in the manner required to perform our context possibly cause damage to the permises or properly. It is on your in everyway that we care, but in order to do this, the oper has you sign this RELEASE in consideration of the perforable of its context with me, I the undestigned, hereby the saler of its context with me, I the undestigned, hereby the saler of its context with me, I the undestigned, thereby the saler of its context with me, I the undestigned, thereby the saler of its context with me, I the undestigned the dearns to building, utility predicts or cobies, telephone lines, other apputerrances, at:  and RELEASE the seder and its employees from any liability.  Signature of Owner or its Agent  hwGDELTIKTU90408  Arrive Plant	uning his RE- peration of his with you may ur wish to help entur it asking ur of the under the seller be fable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All calins for demages or shortages must be made wishs 24 hours of defrivery. We do not assume responsibility for any damage beyond the curb line.
Coad Oily : Delivered Oily Order Oily Product Code UOM Product Description Unit Price Amount 29.44 710.601300.10 2350 tn 5/8" TOP COURSE  Gross Tare Net Trk: i96800 25960 58880 Delivery Charge: Trlr: / 11960 WINTER A FUEL CHG PREV TRUCK: 510162 # LOAD COUNT: 24 CHECK / CREDIT CARD  Load Size Prod. No. Description Stump Type CC Use Hauf Qd. PhiPlippi Sales Tax TOTAL DUE	Order No. Cust. No. Customer Job 3001 38089 1424  Customer - De SANDRY CONSTRUCTION 5324  Delivery Instructions USE CAUTION CROSSING RAILROADS	Phase Code TICKETNO. 1016155 livery Address 4 E TRENT AVE	50 GARY D. SPCITY    Date
TOTAL DUE	Coad Oly   Colleged Oly   Order Oly   Product Code     29.44 710.601300.10 2350	tn 5/8" TOP COURS WINTER FUEL CH	Delivery Charge: A 4G
			TOTAL DUE

CUSTOMER

**TOTAL DUE** 

4655912

Concrete: Injurious to eyes Causes skin irritation Contains and Cement. Read the following warning before using: Contact with we, unhardened comprete, mortar, coment or coment intiduces can cause sain historia, severe chemical turns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a hilly-buttoned, long-steeve shirt, hall-length trousers and tight letting eye protection when working with these materials. It you have to stand in wet concrete, uses waterproof boots that are tight at the top and high enough to keep contract from these three pasts in protect lenses. After contact with any of these materials, wash of immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have pensistent or severe disconflottin case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. REEP out of reach of children't User agrees to convey this warning to all persons who may use or come into contact with wet (unfaritational) concrete, mortar, cement or cement mothers. Aggregates: Prolongel inhibitions of dust from a gravel product may be hazardous to your health. Measures to control highire dust should be taken when handing this product.

Hol Agginal in the control of the product was the control of detects. If higher double with water and see a threshold uses a threshold of these in the control of detects.

salary year (long sleeves, pants and gloves). If burnerl, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strongth Buyer's agent agrees to accept responsibility for reduced strength due to water added above design. Property Damage Indomnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Arrived at job with \_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders that you sign this RELEASE. In consideration of the performance of the \_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Plant | Arrive Job Site Start Discharge Leave Job Site **Arrive Plant** Drivers' Comments Customer PO/ Company/ Customer Job Order No. Cust. No. Phase Code TICKET NO. Driver Co. Proj. No 3001 38089 1424 10161552 William M SPCITY Date 02/12/15 Customer **Delivery Address** SANDRY CONSTRUCTION 5324 É TRENT AVE Mao **Delivery Instructions** 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E開設 10:40 MENTESITE Load Qty Order Qty Product Code **UOM Product Description Delivered Qty** UnitPrice Amount 22.81 733.411300.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 80120 34500 45620 Delivery Charge: Trlr: WINTER A FUEL CHG PREV TRUCK: 510011 LOAD COUNT: 25 CHECK / CREDIT CARD Prod. No. Description Slump Haul Qd PivPlanu Sales Tax Load Size Type

Taken by893

Check #

Trailer

Track of 4 Bross Weight Of are Weight on

CUSTOMER Concrete: Injunous to eyes Causes skin imitation.Contains d Cement. Read the following warning before using: Contact with wel, unhardened congrete, mortar, cement or cement motures can cause son imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve shirt, hall-ength trousers and digit-fitting eye protection when working with these meterials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact.

through dothing is as dangerous so promptly finse these materials from dothing. Seek immediate medical attention if you have persistent or severe discomfort in case of eye contact, fixely with plenty of water for at least 15 minutes. Consult physician immediately KEEP out of resort of children! User agrees to convey this worning to all persons who may use or come into contact with wet (unfrardened) concrete, mortar, cement or content mixtures. Aggregates: Prolonged inhabitors of dust from a gravel product may be hazardous to your health. Measures to control linguise dust should be taken when healthing the product. Hot Asphalt emiss nuceance furnes. Also, Asphalt may cause severe hums. Wear protocive

saloty gear (long sleeves, pants and gloves). If burned, cool with water and see a physician.

Finish Discharge

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength. due to water added above design.

Arrived at job with inch slump. Added \_\_\_\_ gai water at customer request.

Test cylinders

Other additions

Received

Drivers Comments

Buyer's Agent medipt of product and approval of any added items.

The addition of any extra products to our mixer may vold any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.

Signature of Owner or Its Agent

gave Plant Arrive Job Site Start Discharge

Property Damage Indomnification & Release The operator of this place of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurlenances, at:

and RELEASE the seller and its employees from any liability

Signature of Owner or Its Agent

Leave Job Site

NWGDELTKT090408

Arrive Plant

CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370

Order No.	Cust. No.	Company/ Customer Job	Customer PO/ Phase Code		TICKETNO	Driver		Co. Proj. No.
3001	3808	39 1424	•		10161	553 6	armett	B SPCITY
Customer SANDRY	CONSTRUCT	rion	Delivery Address 5324 E TRENT	r AVE			Date Map	02/12/15 Zone
USE CAI MENT@S	JTION CROS	SSING RAIL	ROADS-FOLLOW	ROAD	TO THE	LEFT-HEAVY	ELIGI	23B 528 10:44
		rder Qty Product	Code UOM Produ	ct Descript	on	Unit	Price	Amount
32.43	3 765.8413	900.10 2350	3 tn 5	5/8" T	ab cons	RSE		

Gross Tare Net Trk: 105140 27800 64860

12480

Delivery Charge:

WINTER A FUEL CHG

PREV TRUCK: 510409 LOAD COUNT: 26

Trir:

CREDIT CHECK CARD

Load Size Prod. No. Description Slump Туре CC Haul Çd PIVPIANI Sales Tax TOTAL DUE

Truck Gross Weight Jare Weight 14 1/3/06/16

Taken by 42893

4655913

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incrdental or consequential damages resulting from the use of the products or ensing out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.

Check #

TOTAL DUE

4655916

Concrete: Injurious to eyes.Causes skin initiation.Contains of Cement. Read the following warning before using: Contact with we, unfuridened concrete, mortar, cement or cement mixtures can cause son initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long sleeve shit, full-length trousers and light-fating eye protection when working with these eyes and skin. Wear waterproof pools, a fully-buttoned, long sleeve shit, full-length trousers and light-fating eye protection when working with them intensities. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee parts to protect knees. After contact with any of these materials, wash of immediately with firsh, clean water. Induced contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediately with firsh, clean water. Induced contact through clothing is as dangerous so promptly inrise these materials from clothing. Seek immediately with firsh, clean water. Induced contact through clothing is as dangerous so promptly inrise these materials from clothing. Seek immediately with firsh, clean water. Induced contact through clothing is as dangerous so promptly inrise these materials. It is mixed a through clothing it is seen in the contact with well (unfardened) curried, Replace of the contact with water and see a physician.

If the contact with wear and see a physician.

Property Damage Indomnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Arrived at job with \_ \_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price, in no Test cylinders taken that you sign this RELEASE. In consideration of the performance of the \_\_\_ gal water at customer request. Added event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or artsing out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Leave Plant | Arrive Job Site Start Discharge Leave Job Site **Arrive Plant** Drivers Comments Customer PO/ Company/ Customer Job Phase Code TICKET NO. Order No Cust. No. Driver Co. Proj. No. 3001 38089 1424 10161556 Bret M SPCITY Date 02/12/15 **Delivery Address** Customer SANDRY CONSTRUCTION 5324 E TRENT AVE Map 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY ELAGA 10:53 MENTOSITE **ProductCode UOM Product Description** Unit Price **Amount** Load Qty **Delivered Qty** Order Qty 30.23 796.071300.10 2350 5/8" TOP COURSE tn Gross Tare Net Trk: 99040 38580 60460 Delivery Charge: Trir: WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK / CREDIT Prod. No. Haul Gd. Sales Tax Description Slump Type PIVPIepų Load Size

Taken by

Check #

Traile

Trupling Bross Weight 5 Tare Weight 29

Concrete: Injurious to eyes. Causes skin interior. Contains increted. Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, coment or cement minutens can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. When waterprod gloves, a killy-butaned, lamy-sleeve shirt, kill-length trousers and sphilitating eye protection when working with these materials. If you have to stand in wet concrete, use waterprod boots that are tight at the top and high encoupl to keep concrete from flowing into them. It histing concrete, were him eye pasts to protect kness. After contact with any of these materials, weak oil immediately with livest, dearwater, indirect contact through clothing is as dangerous so promply cinse these materials from clothing. Seek immediate medical admittion if you have persistent or severe deconflorul case of eye contact, then with plenty of water for at least 15 minutes. Consat physician immediately. RCEP out of next not childrent User agrees to convey this warning to all postors who may use or come into contact with wet (unitedness) contract, mortar, coment or cement midures. Agogregates; Protorped inflations of dust toom a gravel product may be hexardous to your teath. Measures to control lugicle dust should be taken when handing his protect. Hot Asphalt, emits russance furnes. Avoid breathing furnes. Also, Asphalt may cause severe turns. Wear protective saided pour forg stemes, parts and gloves). If turned, cod with water and see a physician.

Water added at customer's man risk. Additional water added to concrete will

**OFFICE** 

#### SULLIVAN ROAD

4655917

reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water acted above design.  Arrived at job with	The operator of this piece of heavy equipment, in preser LEASE to you for your signature, is of the opinion that the prescriber in the memore required to perform our contract possibly cause damage to the premises or property. It is our you in everyway first we can, but in order to do this, the operant you sign this RELEASE. In consideration of the performance of its contract with me, I the undersigned, hereby INI seller and its employees for any damage and for all daines to building, utility pipelines or cables, telephone lines, drive appurtanances, at:	eration of this charged at posted truck time charged at posted	Excess unloading will be time rates. Truck standby truck time rates. only liability of the seller for no lithe purchase price, in no lable for any direct, indirect, all damages resulting from rarising out of breach of any mages or shortages must be definery. We do not assume age beyond the curb line.
Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no diability for any personal injury incurred by you while adding additional products to our mixer.	and RELEASE the seller and its employees from any liability.  Signature of Owner or its Agent	CENTRAL PRE-MIX N. 1902 SUL SPOKANE, WA	CONCRETE CD. LIVAN RD.
Signature of Owner or its Agent  Leave Plant   Arrive Job Site Start Discharge   Finish Discharge   AU : Start Discharge   Finish Dis	ge Ceave Job Site Arrive Plant : 3 5	509-53	
Order No. Cust. No. Customer Job ( 3001 38089 1424  Customer De	Customer PO/ Phase Code TICKET NO.  1016155  livery Address 4 E TRENT AVE  6-FOLLOW ROAD TO THE L	Cinici Map	Co. Proj. No. SPCITY 02/12/15 2me SB S28 10:55
Load Oly Delivered Oly Order Oly Product Code 29.24 825.311300.10 2350	tn 5/8" TOP COURS	Unii Price	Amount
Gross Tare Net Trk: 94300 24900 58480 Trlr: 10920  PREV TRUCK: 520288 #_ LOAD COUNT: 28 CHECK		G	
Teach USGross Weight 15 I Jane Weight 91 J30751 Traile	Stump Type CC Use Haul ( or Taken by 42893 Check	TOTAL DUE	

Property Damage Indemnification & Release

Concrete: Injurious to eyes Causes skin initiation. Contains Portland Cement. Read the following warning before using: Contact with wel, unheadened concrete, morter, coment or coment measures can cause with initiation, severe chemical burns or serious eye desrege. And contact with eyes and skin. Weller witesproof plower, a fully buttered, long-sleeve shirt, full-foreign trousers and injurition eye protection when working with these measures. If it is the top and high enough to beep concrete from thorough the first grounder, washing concrete, were here peaks to protect knees. After contact with any of these metatels, wash of immediately with fresh, down water, hafred contact through citring is as dangerous so promptly rise these metatels from clothing. Seek immediate medical attention if you have persistent or severe discomfurith case of eye contact, flush with plenty of water for at least 15 minutes. Contact physician immediately. MEEP and of metath of informit User agrees to convey this warning to all persons who may use or come his contact with well (unlandered) contacte, morter, coment or coment induses. Aggregates; Protonged intestions of dust from a gravel product may be hazardous to your health. Measures to contact flughts dust should be taken when heading this product. Hot Aspehaltic americ natures. Avoid threating lumes. Also, Asphalt may cause severe turns. Wear protocolive safety over (ong steekes, pers and gloves). If burned, cod with water and see a physician.

Water added at cultiment's may take. Additional writer added to concernts with.

### SULLY WARF ROAD

Water added at culturer's own risk. Additional water added to concrete to reduce its strongth Suyer's Rigert agrees to accept responsibility for reduced strongth out to water added story education.  Arrived at job with	Les operator of this poers of the LEASE to your for your signature, machinery in the manner require possibly causes damage to the pr you in everyway that we can, but that you sign this RELEASE. In saler of its contract with me, it had saler and its employees for any of hadding, utility pipelines or cabb appartenences, at:	servicini in presenting this RE- is of the opinion that the operation of this of to perform our contract with your may emises or properly. It is our wish to hely in order to do this, the operature is astim consideration of the performence of this a undestigned, hereby MDEANIFY in a undestigned, hereby MDEANIFY in amage and for all claims to the premises es, telephone lines, divieway or other	charged at posted to time charged at post Limited Warranty 11 product defect is the n	by Excess unloading will be uck time rates. Truck standby to truck time rates, the only flability of the seller for turn of the purchase price, in no be liable for any direct, indirect, ential damages resulting from sor arising out of breach of any demages or shortages must be of delivery. We do not assume damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added/ The addition of any extra products to our mixer may void any will expressed or implied by the seller. The seller accepts no Rability is	ranty any liability.		ITRAL PRE-MI	X CONCRETE CO.
personal injury incurred by you while adding additional products mixer.	Signature of Owner	or its Agent	SPOKANE, W	JLLIVAN RD. IA 99216
Signature of Owner or its Agent	ANMOR	ELTKT090408	•	36-3370
Leave Bland Arrive Job Ski Start Discharge Finish D	scharge Leave Job Site A	rrive Brant		
Comments			i itani lini ku lin	Lenting and militaria
Company/ Order No. Cust. No. Customer Job	Customer PO/ Phase Code	TICKET NO.	Driver	Co. Proj. No.
3001 38089 1424		10161561	Luke_W	SPCITY
Delivery Instructions USE CAUTION CROSSING RAILRO	Oelivery Address 5324 E TRENT AVI DADS-FOLLOW ROAI		Map	02/12/15  zone 23B S28 11:15
MENT@SITE Load Oty Delivered Oty Order Oty Product C	ode UOM Product Desc	ription	UnitPrice	Amount
32.52 857.831300.10 2350	tn 5/8"	TOP COURSE		
Gross Tare Net Trk: 105500 27880 65040 Trlr: 12580		Del WINTER A FUEL CHG	, ivery Charģ	e:
PREV TRUCK: 510577 #_ LOAD COUNT: 29 CHE	CK / CREDIT CAR	RD		
Load Size Prod. No. Description	Slump Type C	C Use Haul Gd.	Pivelegi Sales Ta	
<sup>™</sup> 510165° ™52.75° °66.23 030163	Trailor Taken by 42893	Check #		

Concrete: Injunous to eyes. Causes sun imitation. Contains and Cement, Read the following warning before using: Contact with we, unhardened concrete, mortar, cement or cement motures can cause; son imitation, servere chemical burns or serious eye damage. Avoid contact with eyes and stin Wear waterproof gloves, a high-buttened, long-sleeve shirt, full-length troucers and dight fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear tries pads to protect knoes. After contact with any of these materials, wash of immediately with firest, clean water, induced contact through dodting is as dangerous so promptly insee these materials from dodting. Seek immediate mediate attention if you have persistent or severe ascention, in case of eye contact, this with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of châtrent User agrees to convey this warning to at persons who may use or come into contact with wet (unhardened) concrete, montar, cement or cement materials. Aggregates; Protrugal inhabitors of dust from a gravel product may be hazardous to your health. Measures to control highly dust should be taken when harding time product.

Hot Asphalit ents nuisance turnes. Avoid breatting funes, Asp, Asphat may cause severe burns. Wear protective safety gear (tong sleeves, partis and gloves). If burned, coul with water and see a physician.

Water added at customer's own risk. Additional water added to concrete witi.

Arrived at job with	The operator of this piece of heavy equipment, in presenting the LEASE to you for your signature, is of the opinion that the operation machinery in the manner required to perform our contract with you possibly cause damage to the premises or property. It is our wish it you in everyway that we can but in order to do this, the operator is that you sign this RELEASE. In consideration of the performance seler of its contract with me, I the undersoned, hereby INDEMNIF seler and its employees for any damage and for all claims to the pre-building, utday pipelines or cables, telephone lines, driveway or appurtenances, at:  d items.  and RELEASE the seller and its employees from	of this charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for dry the event shall the seller be liable for any threet, indirect.
The addition of any extra products to our mixer may vold any v expressed or implied by the seller. The seller accepts no liability personal injury incurred by you while adding additional products mixer.	for any	ENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216
Signature of Owner or its Agent	NWGDELTKT090408	509-536-3370
Leave Plant Arrive Job Site Start Discharge Finish  Drivers' Comments	Discharge Leave Job Site Arrive Plant	*
Order No.         Cust. No.         Company/ Customer Job           3001         38089         1424	Customer PO/ Phase Code TICKET NO. 10161562	Driver Co. Proj. No. William M SPEITY
Customer SANDRY CONSTRUCTION Delivery Instructions USE CAUTION CROSSING RAILE MENT@SITE	Delivery Address 5324 E TRENT AVE ROADS-FOLLOW ROAD TO THE LEF	Map Zane 23B 528
Load City Delivered City Order City Product 22.75 880.581300.10 2350	Code UOM ProductDescription  tn 5/8" TOP COURSE	Unit Price Amount
Gross Tare Net Trk: 80000 34500 45500 Trlr:	WINTER A FUEL CHG	elivery Charge:
PREV TRUCK: 510162 #_ LOAD COUNT: 30 CH	ECK / CREDIT CARD	
Load Size Prod. No. Description	Slump Type CC Use Haul Cd.	Purleng Sales Tax TOTAL DUE
Teich 04 Gross Weight Odare Weight 25 Trailer	Trailer Taken by 23 Check #	

RORDFILE

4655923

Concrete: brurious to eyes. Causes sidn intation. Contains Portand Cornert. Read the lobowing warning before using: Contact with wel, unfartered concrete, motor, cornert or cornent misures can cause sidn inflation, severe chemical burns or certous eye demands. Avoid contact with representations and significant experiments of the contract contact with the contract contact with the contract contract with the contract contrac

Wate reds reds Aut Ari	Inch stump.  Test cylinders  ded gai water at customer request.  Test cylinders  there additions
b)	uver's Agent receipt of product and white may yold any warranty any usonity.
T	IREPRE OF ALL AND AREA AND ASSESSMENT ASSESSMENT AND ASSESSMENT AND ASSESSMENT ASSESSMENT ASSESSMENT AND ASSESSMENT ASSESSMEN
,	Course of its Agent
ſ	Signature of Owner Discharge Finish Disc
	Drivers Comments Driver
1	Company/ Phase Code  1/3161563  GARY D. SPCITY  02/12/15
	Order No. Cust. No. 28089 1424
1	3001 EZZA F TRENT AVE
1	SANDRY CONSTRUCTION SANDRY CONSTRUCTION Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDIDET 11:22  Unit Price Amount  Unit Price Amount
1	
1	MENTRESITE Load City Delivered Dity Order City Product Code to 5/8" TOP COURSE 31.18 911.761300.10 2350 to 5/8"
}	31.18 911.7813000
1	
1	
	Delivery Charge:
	Gross Tare West WINTER A
	Trk: 100280 23980 518 FUEL CHG Trlr:
	PREV TRUCK: 510409 #CHECK / CREDIT CARD
	LOAD COUNT: 31  Stump Type CC Use Haut Gd. Piu 100 TOTAL DUE
	Load Size Prod. No Description Trater Taken by 42893
	Text 00 Grass Weight 1 Jane Weight 96 J30229 42893
	1 3,444.

Slump

Type

Taken by 42893

Haul Gd

Check #

PivPlegt

Sales Tax TOTAL DUE

Load Size

Truck Gress Weight

Description

Concrete: Injurious to eyes.Causes stin Intration.Contax... Portland Coment. Read the following warning before using: Contact with well, unhardered contrate, mortar, coment or cement moutres can cause stin inhation, severe chemical burns or serious eye deringe. Avoid contact with eyes and skin. Wher waterproof gloves, a May-busined, long-sleeve shint, Mail length trusses and tight-fitting eye protection when working with freese metasists. If you have to stand in wat contrate, use waterproof boots that are fight at the top and high enough to lease contact born bowling into from. If the stand is the property of these materials, wear not immediately with fresh, downwater, hufrest contact frough cohing is as dangerous so promptly rhose these materials from clothing. Seek immediate maderal abordion if you have persistent or severe disconflottin case of eye contact, flush with pierty of water for at least 15 minutes. Consult physical himselately, MEEP out of method of informal User agrees to convey this warning to all persons who may use or come into contact with well (unfandered) contrate, contact or coment industries. Anguenately expression immediately, MEEP out of method of informal User agrees to convey this warning to all persons who may use or come into contact with well (unfandered) contrate, contact or coment industries. Anguenately expression immediately with the standard when herafulling his poots. Het Apphalt, crists nursance turnes. Avoid breading furnes. Also, Apphalt may cause severa burns. Wear protective safety gear (long seeves, parts and gloves), if burned, cod with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will.

Property Damage Indemnification & Release

SULLIVAN ROAD

OFFICE

reduce its strangth Buyer's open agrees to accept responsibility for reduced spength due to water acted above design.  Arrived at job with inch stump.  Added gal water at customer request. Test cylinders taken  Other additions  Received  Buyer's Agent receipt of product and approval of any added items.	possibly cause damage to the permy you in everyway that we can, but in that you sign this RELEASE. In on softer of its contact with me, if the softer and its employees for any dam building, utility pipelines or cables, appurishmences, at:	y equipment, in presenting this RE- of the opinion that the operation of this to perform our context with you may itses or property. It is our wish to help order to do this, the operator is asking restoration of the performance of the undersigned, hareby BVDENMEY the tage and for all claims to the premises, telephone lines, driveway or other	time charged at posted Limited Warranty. The opposite the return event shall the seller be incidental or consequent the use of the products or warranty. All claims for demands within 24 hours of the made within 24 hours of	Excess untoading will be excess untoading will be interested the rates. These standby truck time rates. The select for not the purchase price, in no filed for any direct, indirect, and damages resulting from arising out of breach of any mages or shortages must be delivery. We do not assume tage beyond the curb line.
The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no itability for any	any Rability.		TRAL PRE-MIX	CONCRETE CO.
personal injury incurred by you white adding additional products to our mixer.	Signature of Owner or		N. 1902 SUL	LIVAN RD.
Signature of Owner or its Agent		TKT090408	SPOKANE, WA 509-53	99216 6~3370
Leave Plant Arrive Job Site Start Discharge Finish Dischar	De Leave Job Site Ant	ve Plant ・ファ	202 001	u .0076
Drivers'	11/ 07110	. 00		H <b>is</b> i Handi Hidak dibah kebah ladar
Comments		<del></del>	ւմութանահան	
Company/	Customer PO/			
Order No. Cust. No. Customer Job	Phase Code	TICKETNO.	Driver	Co. Proj. No.
Contrary	Mara a Alda Ala	10161568	Ton H	SPCITY
Ue .	livery Address 4 E TRENT AUE		Date Mao	02/12/15
Delivery Instructions				
USE CAUTION CROSSING RAILROADS MENT@SITE	3-FOLLOW ROAD	TO THE LEFT-H	EAVY EUTET	11:45
Load City Delivered City Order City Product Code	UOM Product Descript	lon	UnitPrice	Amount
27.83 998.681300.10 2350	tn 5/8" T	OP COURSE		, and a
Gross Tare Net				
Trk: 91480 24900 55660 Trlr: 10920		Deli	very Charge:	
10320		WINTER A	•	
PREV TRUCK: 520288 #_		FUEL CHG		
LOAD COUNT: 34 CHECK	/ CREDIT CARD	<del>-</del> .	*	
Load Size Prod. No. Description	Stump Type CC	Use Haul Gd. Pi	ण्युक्ति Sales Tax	
<sup>1</sup> 571059 ppus Weep'd. 74 ano Weep'ri 91 d'988751 Traile	Taken by	<b>*</b> **	TOTAL DUE	
"31059% "45.74% "17" 91 038751 Tabe	Take42893	Check #	21	

Stump

Trailer

Type

Taken by 42893

Haul Gd.

Check #

Sales Tax

TOTAL DUE

Prod. No.

Truck Gross Weight Tare Weight

Load Size

Description

Concrete: Injurious to eyes.Causes stin intotion.Contains Portand Cement. Read the following warning before using: Contact with wel, unfurdered concrete, mortar, common or common mixtures can cause stin inflation; severe chemical burns or serious eye damage. Avoid contact with eyes and stin. West waterproof gloves, a killy-bustomed, bury-bleve shirt, full-length trousers and fight-filting eye protection when working with these materials. If you have to stand in wat concrete, use waterproof boots that are digit at the top and high amough to keep concrete from flowing with first in contact with any of these materials, wash oil immediately with fresh, cleanwater, hefrest contact through clothing is as damgerous as promptly rice these materials from cobing. Seek immediate medical attention if you have pensistent or severe desconfortin case of eye contact, that with planty of water for at least 15 minutes. Consult physican immediately. ICEP out of reach of children't User agrees to convey this warning to all persons who may use or come into contact with well (unrandered) concrete, mortar, cement or coment mixtures. Aponerousles: Polyaged intuitions of dust time a gravel poduct may be happaned to your hearts. Measures to contact lightle dust should be taken when harding this poduct. Hot Asphalt. emits runsance furnes. Avoid breating furnes. Also, Asphalt may cause severe burns. West protective safely gear (ong steeves, parts and gloves). If burned, cool with water and see a physician.

Water added at cultiposer's zown risk. Additional water added to concrete with

**OFFICE** 

SULLIVAN	
ROAD	

Buyer's Agent receipt of project and approved of any added leans.  In addition of any extra products to our any terror and any terror and the addition of any terror products of any terror and the addition of any terror products of invited by the addition and any terror of installation.  Signature of Owner or its Agent  N. 1902 SULLIVAN RD.  SPOKANE, WA 99216  509-536-3370  Ticket NO.  Customer PO/ Phase Code  Ticket NO.  Driver  Co. Proj. No.  SPOCHANE, WA 99216  Signature of Owner or its Agent  Ticket NO.  Driver  Co. Proj. No.  SPOCHANE, WA 99216  Supplication  Supplication  Ticket NO.  Driver  Co. Proj. No.  SPOCHANE, WA 99216  Supplication  Supplication  Ticket NO.  Driver  Co. Proj. No.  Spoch No.  Sp	der added, at consider added in their additions accepted at their accepted at their additions accepted at their accepted at their accepted at their additions accepted at their accepted at thei	gal water at ou	inch slump.	Tect of finders	possibly cause dame you in everyway that that you sign this RE seller of its contract vi- seller and its employe- building, utility pipeli appurlamences, at:	or systems, is the content of near required to perform our ge to the premises or properly we can, but in order to do this JEASE. In consideration of it with me, it the undersigned, hi as for any demage and for all ness or cables, letephone fin and or cables, letephone fin	contract with you may, it is our wish to hele, the operator is astim- the operator is astim- the performence of the proby INDENNIFY the deline to the openise.	discharged a charged a time charge of Limited V a product de event sha incidental is the use of warranty.  Made with	of posted truck to rged at posted to Varranty. The or elect is the return all the saller be to lor consequents f the products or a All claims for dan hin 24 hours of d	incess unloading will ime rates. Truck stand ruck time rates. why liability of the seller of the purchase price. In subte for any direct, indirect in damages resusting in damages or shortages mus- letivery. We do not assu- age beyond the curb line age beyond the curb line age beyond the curb line prices.
This is a series of implied by the action, the salies accepts no liability for any series of liability of any series of liability	e addition o	d any estra nonde	uce to our mixer m	vinernew year blow ye	any liability.	the seller and its employ		ITPOL D	DE_MTY	CONCRETE
Signature of Owner or its Agent  Spokane, wa 99216  509-535-3370  Spokane, wa 99216  509-535-3370  Ticket No.  Company  Deliver No.  Company  Spokane, wa 99216  509-535-3370  Ticket No.  Deliver No.  Company  Deliver No.	correspond for h	motion by the net	ler. The seller acces	als no liability for any	. /					
Trik: 105500 27880 65040  CondStar Prod. No. Description  CondStar Prod. No. Description  CondStar Prod. No. Description  CondStar Prod. No. Description  Sharp Type CC Use Hawl Cd. Purpley Sales Tex.  CondStar Prod. No. Description  Sharp Type CC Use Hawl Cd. Purpley Sales Tex.  CondStar Prod. No. Description  CondStar Prod. No. Description  CondStar Prod. No. Cust. No. Company/ Customer PO/ Product Description  CondStar Prod. No. Cust. No. Company/ Customer PO/ Product PO/ Product PO/ Product PO/ Product Policy Product				/	Signature o	f Owner or its Agent		SPOKA	NE, WA	99216
Order No. Cust. No. Company/ Customer PO/ Phase Code Ticket No. Driver Co. Proj. No. 3001 38089 1424 10161571 Luke W SPCITY Delivery Instructions Delivery Address O2/12/15 Izre O2/12/1	Sign	nature of Own	er or its Agent				)		509-538	5-3370
Order No.   Cust. No.   Customer Job   Phase Code   TICKETNO.   Driver   Co. Proj. No.   3001   38089   1424   10161571   Lukie   SPCITY   Oztomer   Delivery Address   SANDRY CONSTRUCTION   5324 E TRENT AVE   S28	11/015	2 / Z: (4	Site Start Dischar	ye Finish Ofscha	rge   Ipave Job 3	तं भी				
Delivery Address SANDRY CONSTRUCTION 5324 E TRENT AVE  USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EXTEND 11:56  MENTOSITE Load Gross Tare Net  Trk: 105500 27880 65040 Trlr: 12580 PREV TRUCK: 510409 LOAD COUNT: 36  Delivery Charge:  WINTER A FUEL CHG PREV TRUCK: 510409 LOAD COUNT: 36  Delivery Charge:  WINTER A FUEL CHG PREV TRUCK: 510409 LOAD COUNT: 36  CHECK / CREDIT CARD  Sales Tax TOTAL DUE	Order No.	Cust. N				тіскет	NO.	Driver	0 1 0	Co. Proj. No.
Delivery Address   SANDRY CONSTRUCTION   5324 E TRENT AVE   Sales Tax	212021		2000	1424		1,011	51571	Lu	ikie_W	SPCITY
SHIDRY CONSTRUCTION  5324 E TRENT AVE  elivery instructions  USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Edicit 11:56  MENT@SITE  Load Ony Delivered Ony Order Ony ProductCode UOM ProductDescription Unit Price Amount  32.521053.161300.10 2350 tn 5/8" TOP COURSE   Gross Tare Net  Trk: 105500 27880 65040 Delivery Charge:  Trlr: 12580 WINTER A  FUEL CHG  PREV TRUCK: 510409 #  LOAD COUNT: 36 CHECK / CREDIT CARD  Ded Stae Prod No. Description Shamp Type CC Use Hauf Cd. Purpley Sales Tax TOTAL DUE	2001		0000	* +F-4		1-7-1				
USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EXECUTION Order City ProductCode UOM ProductDescription Unit Price Amount 32.521053.161300.10 2350 tn 5/8" TOP COURSE  Gross Tare Net Trk: 105500 27880 65040 Delivery Charge: Trlr: 12580 WINTER A FUEL CHG PREV TRUCK: 510409 #	Sustomer	٠ مد	<b>_</b>	D						
Load Oly Delivered Ony Order Ony Product Code UOM Product Description Unit Price Amount 32.521053.161300.10 2350 tn 5/8" TOP COURSE  Gross Tare Net Trk: 105500 27880 65040 Delivery Charge: Trlr: 12580 WINTER A FUEL CHG PREV TRUCK: 510409 # LOAD COUNT: 36 CHECK / CREDIT CARD  Delivery Charge: FUEL CHG FUEL CHG Prod. No. Description Slump Type CC Use Haul Cd. Purplage: Sales Tax TOTAL DUE	SANDR		<b>_</b>	D					Map	Zone
Trk: 105500 27880 65040 Delivery Charge: Trlr: 12580 WINTER A FUEL CHG PREV TRUCK: 510409 # LOAD COUNT: 36 CHECK / CREDIT CARD  CHECK / CREDIT CARD  Slump Type CC Use Haul Cd. Piveling TOTAL DUE	SANDR SANDR elivery instr USE C	CAUTION	RUCTION	532	24 É TREN DS-FOLLOW	T AVE ROAD TO TI	HE LEFT-		E <b>G</b> 63	Zme 3B S28 11:56
LOAD COUNT: 36 CHECK / CREDIT CARD  Oad Size Prod. No. Description Slump Type CC Use Haul Cd. Pluggapt Sales Tex TOTAL DUE	SANDR SHIVERY INSTR USE C MENTO LOSE ON	CAUTION SITE Oelivered O	CROSSING	D. 538 RAILROAD ProductCode	24 É TREN DS-FOLLOW UOM Prod	T AVE ROAD TO TI			E <b>G</b> 63	Zme 3B S28 11:56
oed Size Prod. No. Description Slump Type CC Use Haul Cd. Piupiani Sales Tax , TOTAL DUE	Customer SANDR SANDR SHeatway Instr USE C MENTO Load Oty  32.	Gross	CROSSING Tare 27880	ProductCode  0 2350	24 É TREN DS-FOLLOW UOM Prod	T AVE  ROAD TO TI  uctDescription  5/8" TOP CO	De1	Unit	Map 23	Zme ZB 528 11:56 Amount
TOTAL DUE	Customer SANDR SANDR SHORT INSTRUMENTO MENTO Load Oty 32.  Trk: Trlr:	Gross 105500	Tare 27880	RAILROAD ProductCode 0 2350  Net 65040	24 É TREN DS-FOLLOW UOM Prod	T AVE  ROAD TO TI  uctDescription  5/8" TOP CO	De1	Unit	Map 23	Zme ZB 528 11:56 Amount
Turk on Signs Weight 7 Jare Weight 2.2 (162) Trader Taken by ASBOT Check #	Customer SANDR SANDR SHOPP Instrict USE C MENTG Load Oty 32.  Trk: Trlr:	Gross 105500 TRUCK:	Tare 27880 12580	RAILROAD ProductCode Ø 2350  Net 65040	S-FOLLOW  UOM Prod  tn	T AVE  ROAD TO TI  uctDescription  5/8" TOP CO  WINT FUEL	De1	Unit	Map 23	Zme ZB 528 11:56 Amount
	Trk: Trlr: PREV	Gross 105500 TRUCK:	Tare 27880 12580 510409 36	RAILROAD ProductCode Ø 2350  Net 65040	S-FOLLOW  UOM Prod  tn	T AVE  ROAD TO TI  uctDescription  5/8" TOP CO  WINT FUEL	Del TER A . CHG	ivery	Map 23 ECTUPI Price  Charge:	Zme ZB 528 11:56 Amount

Concrete; Injurious to eyes.Causes ship initiation.Contains Portland Cornent. Read the following warning before using: Contact with wet untradianed concrete, mortar, cornent or cement mixtures can cause ship initiation, severe chemical burns or serious eye damage. Avoid contact with syes and ship. Never waterproof gloves, a fully-buttored, long-sleeve shirt, full-length truspers and tight-fitting eye protection when working with these meterials. If you have to stand in wet contact, use waterproof boots that are tight at the top and high remote burns on bothing in bear affected from bothing is as dangerous so promptly tines these meterials from dothing. Seek immediately which instit, dean water, indirect contact through cohing is as dangerous so promptly tines these meterials. Inom dothing. Seek immediately MCEP out of reach of children't bear agrees to convey this warning to all parsons who may use or come into contact with well currenteed) concrete, mortar, certaint or certain makers. Againguites: Protogod inhabitors of dust from a grand product may be hazardous to your testiful Measures to contait highly dust should be taken when harding this product. Hot Appliall, entits russance furnes. Avoid beathing first patients, parts and gloves). If turned, cod with water and see a process.

# SULLIVAN ROAD

Water added at customer's own flak. Additional water added to concrete will reduce to strength Suyer's agent Spress to accept responsibility for induced strength due to water added show design.  Arrived at job with inch stump.  Added gal water at customer request. Test cylinders taken  Other additions  Received  Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mover may void any warranty expressed or implied by the setter. The setter accepts no liability for any personal injury incurred by you white adding additional products to our mixer.  Signature of Owner or its Agent  Leave Plant Arrive Job Site Start Discharge Finish Discharge Orivers' Comments	Signature of Owner or its Agent	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only Bability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, Indirect, incidental or consequential demages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb time.  TRAL PRE-MIX CONCRETE CO.  N. 1902 SULLIVAN RD.  SPOKANE, WA 99216  509-536-3370
Order No. : Cust. No. Customer Job 8 3001 / 38089 1424  Customer De	Customer POV Phase Code TICKET NO. 10161574  ivery Address 4 E TRENT AVE 6-FOLLOW ROAD TO THE LEFT-NOWN UOM Product Description	Driver Co. Proj. No. GARY D. SPCITY Dene 02/12/15 Map 20re 23B S28 HEAVY EDIES 12:09
30.711083.871300.10 2350  Gross Tare Net Trk: 99340 25960 61420 Trlr: 11960	tn 5/8" TOP COURSE	very Charge:
PREV TRUCK: 510162 #	FUEL CHG  / CREDIT CARD  Sturmp Type CC Use Haul Cd.	मिल्लुक्ष्म Sales Tax TOTAL DUE

Finish Discharge

Company

Customer Job

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.

Signature of Owner or Its Agent

Leave Plant | Arrive Job Site Start Discharge

Cust. No.

Drivers' Comments

Order No.

LOAD

Load Size

COUNT:

Prod. No.

Tack OF Gress Weight 1 Jare Weight 14

38

Description

Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby WIDEWNIFY the seller and its employees for any damage and for all claims to the promises, building, utility pipulanes or cables, telephone lines, driveway or other appurtenances, at.

and RELEASE the seller and its employees from any flability.

Signature of Owner or its Agent

Leave Job Site

Customer PO/

Phase Code

of Owner or its Agent

TICKET NO.

4655936

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.

CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370



Driver

PIVPIANT

Haul Gd

Check #

Sales Tax

TOTAL DUE

Co. Proj. No.

3001	38089	1424		10161576	Garrett	B SPCITY
Customer SANDRY CO	ONSTRUCTION		Dellvery Address E4 E TRENT AVE		Cole Map	02/12/15 Zone
USE CAUTI		S RAILROAD	S-FOLLOW ROAD	TO THE LEFT-HE	Cente	23B S28 12:17
	vered Qty Order Qty	ProductCode	UOM Product Descri	ption	UnitPrice	Amount
29.961	113.831300.	LØ 2350	tn 5/8"	TOP COURSE		
Gr Trk: 100	ross Tare 0200 27800 12480	Net 59920		Deliv WINTER A FUEL CHG	very Charge	9 6
I DECU TOHE	1 FRIGITAL STATE	#				

CREDIT

Туре

Taken by

Slump

CARD

CC

Use

CHECK /

J38616

inhardoned conjecte, mortar, cerrent or cerrent modures can ca. ...... in intation, severe cherical burns or serious eye damage. Avoid contact with eyes and skift. Wear waterproof gloves, a hilly-buttoned, long-sleeve shirt, hill-length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If firishing concrete, wear knee pads to protect knoss. After contact with any of these materials, wash off immediately with fresh, dean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have possistent or severe disconfurt the case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of châdren! User agrees to convey this warning to all persons who may use or come into contact with well (unhardened) concrete, mortar, cement or cement mitutes. Aggregates; Protonged infections of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handing this product.

Hot Asphalt\_emis nuisance knees. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety pear (long sleeves, parts and gloves). Il burned, ond with water and see a Personachy, Damage, Indirection. A Belease 4655940 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to the premises or property. It is our wish to help Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's egent agrees to accept responsibility for reduced strength due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rales. Truck standby time charged at posted truck time rates. Arrived at job with inch slumo Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Added \_\_\_\_\_ gal water at customer request. Test cyEnders seller of its contract with me, I the undersigned, hereby INDEMNIFY the sellor and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenancies, al: Other additions\_ Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any flability. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site Drivers' Comments Customer PO/ Company TICKET NO. Order No Customer Job Phase Code Drives Co. Proj. No. Cust No. 3001 38089 1424 10161580 Bret M SPCITY **Delivery Address** 02/12/15 Мэр Zane SANDRY CONSTRUCTION 5324 E TRENT AVE Delivery Instructions 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E成品 12:31 MENTOSITE Product Code Product Description **UnitPrice** Amount LIOM Load Qty Delivered Qty Order Oly 27.691141.521800.10 2350 tn 5/8" TOP COURSE Gross Tare Net: Trk: 33960 38580 55380 Delivery Charge: Trir: WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: 39 CHECK / CREDIT CARD PivPlent Sales Tax Slump Use Haul Gd. Prod. No. Description Турв LoadSize **TOTAL DUE** 

> Taken by 42893

Check #

Trailer

Truck 0:2 Gress Weight 9 Gare Weight 29

Trailer

d Cement. Read the following warning before using: Contact with we at initiation, severe chemical burns or serious eye damage. Avoid contact with

Concrete: Injurious to eyes Causes skin initation.Contains unhandoned congrete, mortar, cement or cement mixtures can ca.

**OFFICE** SULLIVAN ROAD 4655942 Apprenties: Pictorget interiors of dust from a grant product may be hazartous to your heath. Measures to comed tuggife dust should be salan when handling this product. Hot Apphalit emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. West protective safety pear (long steeves, parts and gloves). If burned, cool with water and see a physician. Water added at continuer's own risk, Additional water added to concrete will reduce its strength. Buyer's egent agrees to accept responsibility for reduced strength Property Damage indemnification & Release
The operator of this piece of heavy equipment, in presenting this PE-LEASE to you to your signature, is of the opinion that the operation of this machinery in the marrier required to perform our contract with you may Unloading & Standby Excess unloading will be due to weter added above design. charged at posted truck time rates. Truck standby time charged at posted truck time rates. macrainty in the memoral required to perform our compact with you may possibly cause damage to the premises or property. It is our wish to help you in everyway first we can, but in order to do this, the operator is asking that you sign this RELEASE, in consideration of the performance of the seler of its compact with met, it his endorsigned, hereby INDEANGEY the seler of its comployees for any damage and for all dains to the premises, building, utility pipelines or cables, telephone lines, deliveway or other appurtonances, et: Amved-at job with inch slumo. Limited Wernanty The only fiability of the seller for product defect is the return of the purchase price. In no event shall the seller be fiable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Jakwater at customer request. **Test cylinders** Added Other additions Received Buyer's Agent receipt of produgt and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no ilability for any personal injury incurred by you white adding additional products to our CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent WWGDELTKT090408 Leave Plant Arrive Job Sile Start Discharge Finish Discharge 123 : Drivers' Comments **Customer PO/** Company/ TICKETNO. Order No. Customer Job Cust. No. Phase Code Driver Co. Proj. No. 3001 38089 1424 10161582 Cliff R SPCITY

USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EGEN 12:34 MENTOSITE Product Description Delivered Qty Order Qty Product Code Load Oly UOM **UnitPrice** Amount 28.211169.731800.10 2350 ` tn 5/8" TOP COURSE

Gross Tare Net Trk: 93880 37460 56420 Trlr:

Delivery Charge:

02/12/15

**S28** 

23B

PREV TRUCK: 520288

Customer

**Dalivery Instructions** 

WINTER A FUEL CHG

LOAD COUNT: 40

SANDRY CONSTRUCTION

CHECK / CREDIT CARD

**Delivery Address** 

5324 E TRENT AVE

Load Size Prod. No. Description Slump Турь CC Usa Haul Gd. Pivpigpy Sales Tax TOTAL DUE Trailer Taken 2893 TS207 Press Weight 94 are Weight 73 Check #

PREV TRUCK: 520711

Prod. No.

Truck Grass Weight 6 Tare Weight 25

41

Description

CHECK /

Trailer

Traile

CREDIT

Type

Taken by 42893

Slump

CARD

Haul Gd.

Check #

Sales Tax

TOTAL DUE

PIVPIANL

LOAD COUNT:

Load Size

Concrete: Injurious to eyes. Causes ston inflation. Contains Portland Cement. Read the following warning before using: Contact with well, unhandered concrete, motar, cement or cement misures can cause ston inflation, severe chemical burns or serious eye damage. Avoid contact with eyes and stin. Wear waterproof plotes, a May bushone, long-sleeve shirt, full-large trausers and opin-fating eye protection when working with these metricists. If you have to stand in wet concrete, use weterproof boots that are that at the top and high enough to teep concrete from flowing the free. After contact with any of these meterials, west off immediately with least, dearwater, infored contact frough donling is as dampetor as promptly rises these meterials from debring. Seek immediately with least, dearwater, infored contact disconfiort. In case of eye contact, flush with planty of water for at least 15 minutes. Consult physician immediately. REEP out of reach of children User agrees to convey this warning to at persons who may use or come into contact with wet (unhandered) convete, motar, center of dear tom a grand product may be hazardous to your health. Measures to convel digite dust should be taken when handing this product. Hot Asphalt, emits nuisance fames, Avoid three-timing fames. Also, Asphalt may cause severe hums. Wear protective safety goes (long steeves, pains and gloves), if humed, coof with water and see a physician.

Property Damage Indemnification & Refease

### OFFICE SULLIVAN ROAD

Arrived at job with	Troperty Using Indemnification. The operator of his piece of heavy equipm LEASE to you for your signifure, is of the opin mediturely in the momer required to perform possibly case damage to the premises or proposite case damage to the premises or proposite case damage to the premises or proposite of its contact with me, if the undersigner select of its contact with me, if the undersigner select and its employees for any damage and for building, utility pipelines or cables, telephone appunionances, at:  and RELEASE the seller and its employees the seller and its employees the seller and its employees the seller and its employees.  Signature of Owner or its Age  Leave Job Site Arrive Plant	In h presenting this RE- mit all the operation of this air content with you may sery. It is our wish to help this, the operator is eating of the performance of the the resulting and desires to the premises, fines, dilveway or other  CENTRAL  N. 1  SPOKI	ding & Standby Excess unloading will be did at posted truck time rates. Truck standby harged at posted truck time rates. Truck standby harged at posted truck time rates. Truck standby harged at posted truck time rates.  I Warranty The only liability of the seller for idefect is the return of the purchase price. In no half the seller be liable for any direct, indirect, had or consequential damages resulting from of the products or arising out of breach of any All claims for damages or shortages must be rithin 24 hours of delivery. We do not assume shifting for any damage beyond the curb line.  PRE-MIX CONCRETE CD.  902 SULLIVAN RD.  ANE, WA 99216  509-536-3370
Drivers' Comments	112-3/113-15		
3001 38089 1424  Customer SANDRY CONSTRUCTION 5324  Delivery instructions USE CAUTION CROSSING RAILROADS-MENT@SITE	uslomer POV hase Code TICKE 101 very Address E TRENT AVE  -FOLLOW ROAD TO TO JOM Product Description tn 5/8" TOP Co	61584 To	
Gross Tare Net Trk: 100960 24900 65140 Trlr: 10920 PREV TRUCK: 510409 #_ LOAD COUNT: 42 CHECK /	WINT FUEL CREDIT CARD	CHG	_
1991 05 9 opes Weight. 4 dere Weight 91 J. 1997 51 Trailer	Taken byo Co		eles Tax YAL DUE

Concrete: Injurious to eyes Causes stin initiation. Contains Portland Cement. Read the lobowing woming before using: Contact with wet unfrardened concrete, mortar, coment or cement minuters can cause stin initiation, severe chemical turns or serious eye damage. Anotid contact with eyes and stin. Wear waterproof gloves, a fully-bullioned, long-sleeve shirt, full-length trousers and tight-fitting eye protection when working with freese materials. If you have to sand in wet contract, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into these. After contact with any of freese materials, wash of immediately with lent, cheanwester intract contact from their parties and the protection of the parties of the protection of the first of the protection of the p ROAD 4655946 Property Damage Indomnification & Release
The operator of his piece of heavy equipment, in presenting his RE-LEASE to you for your signature, as of the opinion that the operation of his machinery in the manner required to perform our contract with you may possibly cause damage to the previous or properly. Its our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign the RELEASE. In consideration of the performance of the centure with me It the interstiment properly INDEADECY the Water added at customer's own risk. Additional water added to concrete will reduce its strength Buybs's agent spress to accept responsibility for reduced strength due to water added above dissign. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be flable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery We do not assume responsibility for any damage beyond the cury fine. Test cylinders ater(al oustomer request. sellor of its contract with ms, I the undersigned, hereby INDEANITY se-sellor and its employees for any demage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtemences, at: Other additions Received X by responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approvat of any and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 MWGDELTKT090408 Plant Arrive Job Ske Start Discharge Finish Discharge Leave Job Site Appre Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. **Customer Job** Phase Code TICKET NO. Oriver Co. Proj. No. 3001 38089 1424 10161585 Luke W SPCITY Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION 5324 É TRENT AVE **Dalivery Instructions** 23B **S28** USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY ENTER 12:40 MENTOSITE Load Oty Delivered Oty Order Oty Product Code MOU Product Description Unit Price Amount 31.081252.771800.10 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 102620 27880 62160 Delivery Charge: Trlr: 12580 WINTER A FUEL CHG PREV TRUCK: 510577 LOAD COUNT: 43 CHECK / CREDIT CARD Prod. No. Description Load Size Slump Type CC Use Haul Qd. Piviles Tax TOTAL DUE Test 018 se west 3 face west 23 of state Trailer Taken 2/893

Check #

**OFFICE** 

SULLIVAN

Concrete: Injurious to eyes. Causes stin initiation. Contains Portland Coment. Read the following warning before using: Contact with wet, unhardened contrate, mortar, coment or coment minutes can cause sidn initiation, severe charrical turns or serious eye charrings. Avoid contact with eyes and stin. West waterproof gloves, a life-buddened, lung-stocke shift, full-largith trausers and tight-fitting eye protection where working with these reads the large protection where working with these relativists. If you have to stand in well contact, use waterproof boots that are tight at the top and high enough to less contract from fourling his them. If shisting comein, were hold immediately with less, it deem water, futured contact through clothing is as dangerous so promptly mass these meteriates from clothing. Seek immediately with less, it deem water, futured contact through clothing is as dangerous so promptly mass these meteriates from clothing. Seek immediately, Wite medical, which plants of you have for all east 15 minutes. Consult physician immediately. KEEP out of reach of childrent Uses agrees to convey this warning to all persons who may use or come into contact with well further dead contact, contact, contact, contact, or contact, ROAD 4655949 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Evyer's open agrees to accept responsibility for reduced strength due to water added above design. Property Damago Indemnification & Release Property Damage indemnification & Release
The operator of his piece of heavy equipment, in presenting this RE-LEASE to you for your spireaure, is of the opinion heat the operation of this
machinery in the manner required to perform our contract with you may
possibly cause damage to this premises or propery. A is cur wish to help
you in exemplaymay that we can, but in order to do this, the operator is asking
that you sign his RELEASE. In conducation of the performance of the
solder of its contract with me, I the undestigned, hereby INDEANIFY the
selds and its employees for any damage and for all claims to the premises,
building, utily pipelines or cables, telephone lines, dibeway or other
appunerances, at: Unfoading & Standby Excess unfoading will be charged at posted truck time rates. Truck standby Arrived at job with \_ inch slumo. time charged at posted truck time rates. Limited Warmany The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, undirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added Test cylinders \_\_\_ gal water at customer request. Other additions Received Buyer's A it receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer. any tlability. CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent MAGDELTKT090408 509-536-3370 Leave Plant A re Job Site Start Discharge Finish Discharge Leave Job/Site DYNAME Comments Company/ Customer PO/ Order No. Cust No. Customer Job Phase Code TICKETNO. Drives Co. Proj. No. 3001 38089 1424 10161588 Jası<u>on</u> H SPCITY Customer **Delivery Address** 02/12/15 SANDRY CONSTRUCTION 5324 E TRENT AVE **Delivery Instructions** 23B USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDIC 528 12:48 MENTOSITE Load Oly Delivered Qty Order Qty Product Code UOM Product Description Unit Price Amount 28.911281.681800.10 2350 tn 5/8" TOP COURSE Grass Tare Net Trk: 98060 27560 57820 Delivery Charge: Tring 12680 WINTER A FUEL CHG PREV TRUCK: 510162 LOAD COUNT: CHECK / CREDIT CARD Load Size Prod. No. Description Slumo Type CC Haul Çd. PIVEIZOL Sales Tax TOTAL DUE Tot 0163 Week . 03 are Weight 12 030163 Taken by 42893

Check #

**OFFICE** 

SULLIVAN

Concrete: Injurious to eyes.Causes sith initiation.Contains Portland Cement. Read the following warning before using: Contact with wet, unflatfored concrete, morter, commit or cornent induces can cause sith initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and sith. Weer washproof places, a fully-buttored, torry-stever shirt, full-burns in supplier to personate them only on the exemption when working with these metarists. If you have to stand in wat concrete, use waterproof boots that are tight at the top and high enough to be personate from flowing with fresh of them to which gives on the property rinse these metarists, wash oil immediate which listed, dearwater hadred contact through carrier, seek immediate metalest attendon if you have persistent or server disconforth case of eye consuc, flush with planty of water for all least 15 minutes. Consult physician immediately, MEEP out of metal of children User agrees to convey his warning to all pamons who may use or come into consult with well (unfandened) concrete, montar, coment or cement induces. And regulately: Protongal intelligence of dust from a gravel product may be hearafully be product. Hot Aughbett\_ entire russiance furners. Avoid breathing furnes. Also, Aspiret may cause power burns. Wear protocoles salely gear (long steeves, parts and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will.

Property Damage Indemnification & Release

OFFICE

#### SULLIVAN ROAD

reduce its strength. Buyer's open aprecs to accept responsibility for reduced strength due to water added above design.  Arrived at job with	CENTRAL PRE-MIX CONCRETE CO.  N. 1902 SULL TUDN RD
01	Signature of Owner or its Agent SPOKANE, WA 99216
Signature of Owner or its Agent  Leave Plant   Arrive Job Sile Start Discharge   Finish D	100 Leave Job Sho Arrive Plant   3:34
	Customer PO/ Phase Code TICKET ND. Driver Co. Proj. No. 10161591 GARY D. SPCITY
	elivery Address 02/12/15
Oelwary Instructions USE-CAUTION CROSSING RAILROADS MENT@SITE	S-FOLLOW ROAD TO THE LEFT-HEAVY E
Load Oly Delivered Oly Order Oly Product Code 29. 131310. 811800. 10 2350	to 5/8" TOP COURSE
v	
Gross Tare Net Trk: 96180 25960 58260 Trlr: `11960	Delivery Charge: WINTER A
PREV TRUCK: 510163 #	FUEL CHG
LOAD COUNT: 45 CHECK	/ CREDIT CARD
Load Size Prod. No. Description	Slump Type CC Use Haul Qd. Plwplops Sales Tax
TIST 00 Green Weld . Odens Weight 96 John 223 Traile	TOTAL DUE Check #

Concrete: Injurious to eyes. Causes skin initiation. Contains	e light at the top and high enough to keep concrete from flowing into them it these materials, wash oil immediately with firesh, dean water, Indirect contact dotting. Seek immediate medical ettention if you have persistent or seven smalles. Consult physician immediately, KEEP out of reach of children! Use oritact with wet (unfrardenod) concrete, mortan, cement or cement mixtures hezardious to your health. Measures to control tugitive dust should be take breathing furnes. Also, Asphalt may cause severe turns. Wear protective to see a physician.	4655953
Water added at customer's own risk. Additional water added to concre reduce its strength. Buyer's agent agnes to accept responsibility for reduced s due to water added above design.  Attived at job with inch slump.  Added gal water at customer request  Other additions  Received	It will be the present of this piece of heavy equipment, in present LEASE to you for your signature, is of the opinion first the ope machinery in the memore required to perform our contract with possibly cause damage to the premises or properly. It is our you in everyway that we can, but in order to do this, the oper that you sign this RELEASE, but in consideration of the perform seller or its contract with me, if the undersigned, hereby IND seller and its employees for any damage and for all claims to the butting, utility pipelines or cables, telephone fines, driven appunishances, at:	tor is asking timed Warranty The only liability of the seller for some of the shall the seller be liable for any direct, indirect, indir
Buyer's Agent receipt of product and approval of any addition of any etra products to our mixer may void any expressed or implied by the seller. The seller accepts no itability personal injury incurred by you white adding additional productions.	warranty any liability.	CENTRAL PRE-MIX CONCRETE CO N. 1902 SULLIVAN RD. SPOKANE, WA 99216
Signature of Owner or its Agent	Discharge Leave Job Site Active Plant	509-536-3370
Company	Customer PO/ Phase Code TICKET NO.	Driver Co. Proj. No.
Order No.         Cust. No.         Customer Job           3001         38089         1424	1016159	
3001 38089 1424 Customer SANDRY CONSTRUCTION Delivery Instructions	Delivery Address 5324 E TRENT AVE	Garrett B SPCITY  02/12/15  Map 2010  23B 528  LEFT-HEAVY ECON 12:59
3001 38089 1424  Customer SANDRY CONSTRUCTION  Delivery Instructions  USE CAUTION CROSSING RAIL  MENTIPSITE	Delivery Address  5324 E TRENT AVE  ROADS-FOLLOW ROAD TO THE L  ctCode UOM Product Description	Dose 02/12/15 Map 22ne 528 EFT-HEAVY ECC. 12:59 Unit Price Amount
3001 38089 1424  Customer SANDRY CONSTRUCTION Delivery Instructions  USE CAUTION CROSSING RAIL MENTIPSITE Load City Delivered City Order City Product 32, 401343, 211800, 10, 235	Delivery Address  5324 E TRENT AVE  ROADS-FOLLOW ROAD TO THE LetCode UOM Product Description  50 tn 5/8" TOP COURS	Dose 02/12/15 Map 22ne 528 EFT-HEAVY ECC. 12:59 Unit Price Amount
Customer SANDRY CONSTRUCTION Delivery Instructions USE CAUTION CROSSING RAIL MENTIPSITE Load City Delivered City Order City Product 32. 401343. 211800. 10 235	Delivery Address  5324 E TRENT AVE  ROADS-FOLLOW ROAD TO THE LetCode UOM Product Description  50 tn 5/8" TOP COURS	Delivery Charge:
Customer SANDRY CONSTRUCTION Delivery Instructions USE CAUTION CROSSING RAIL MENTIPSITE Load City Delivered City Order City Product 32. 401343. 211800. 10 235  Gross Tare Net Trk: 105080 27800 6480 Trlr: 12480  PREV TRUCK: 510011	Delivery Address  5324 E TRENT AVE  ROADS-FOLLOW ROAD TO THE L  ctCode UOM ProductDescription  60 tn 5/8" TOP COURS  WINTER FUEL CH	Delivery Charge:

CUSTOMER

4655955

Concrete: Injurious to eyes. Causes skin irritation Contains Prutand Cement. Read the lottowing warning before tissing: Contact with wet, unhardened congrete; morter, cement or coment mixtures can cause skin initation; severe chemical burns or serious eye damings. Avoid contact with eyes and ston. When waterproof gloves, a hilly-buttoned, long-sleeve strint, full-length trousers and bight fibring eye protection when working with these metarials if you have to stand in wet concrete, use waterproof boots that are bight at the lop and high enough to keep concrete from flowing into them, if finishing concrete, wear kneepans to protect knees. After contact with any of these materials, wash off immediately with fixesh, clean water indirect contact through dothing is as dangerous so promptly make these materials from clothing. Seek immediate medical attention if you have persistent or severe disconflort in case of eye contact, flush with planty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warming to at persons who may use or come into contact with wet (unfardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalators of dust from a gravel product may be hazardous to your health. Measures to control tigated dust should be taken when textified in product. Hot Auphalt emits nuisance farmes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safely goar (long sleeves, parts and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete witi

Arrived at job withinch slump.  Added gal water at customer request. Test cylinders taken  Other additions	The operator of this piece of heavy est LEASE to you for your signature, is of the machinery in the manner required to pe possibly cause damage to the premises you in everyway that we can, but in orde that you sign this RELEASE. In conside seller of its contract with me, I the unde seller and its employees for any damage building, utility pipelines or cables, take appurteriances, at:	LEASE to you for your signature, is of the opinion that the operation of this meachinery in the menonic required to perform our contract with you may possibly cause damage to the premises or properly, it is our wish to help you in everyway that we can, but in order to do this, the operator is asking		by Excess unloading will be ruck time rates. Truck standby lad truck time rates. he only liability of the seller for eturn of the purchase price. In no be liable for any direct, indirect, uential damages resulting from ts or arising out of breach of any or damages or shortages must be sof delivery. We do not assume damage beyond the curb line.
Buyer's Agent (eceip) of products and approval or any added term. The addition of any extra products to our mixer may voke any warran expressed or implied by the seller. They seller accepts no liability for ar personal injury incurred by you while adding additional products to or	ty any liability	CENT	RAL PRE-MI N. 1902 SI	IX CONCRETE CO. JLLIVAN RD.
mixer.  Signature of Owner or its Agent	Signature of Owner of it		SPOKANE, V	736-3370
Leave Plant   Arrive Job Site Start Discharge   Finish Disch	narge Leave Job Site Arrive			
Drivers' Comments			* 1 0 1	6 1 5 9 4 *
Order No. Cust. No. Company/ Customer Job	Customer PO/ Phase Code	TICKET NO.	Driver	Co. Proj. No.
3001 38089 1424		10161594	William	m M SPCITY
Contention	Delivery Address 24 E TRENT AVE		Map	02/12/15 zoe 23B S28
USE CAUTION CROSSING RAILROA MENTOSITE Load Oly Delivered Oly Order Qty Product Code			UnitPrice	13:09 Amount
Load Qty Delivered Qty Order Qty Product Code 22.751365.961800.10 2350		P COURSE		
Gross Tare Net Trk: 80000 34500 45500 Trlr:		Deli WINTER A FUEL CHG	very Charg	ge:
PREV TRUCK: 510616 #	K / CREDIT CARD	th-representative of the second of the secon		
Load Size Prod. No. Description	Slump Type CC	Use Haul Gd.	PivPippi Sales T	
	Trailer Taken by 42893	_	TOTAL D	UE

and Cement. Read the following warning before using: Contact with Concrete: Injunous to eyes. Causes skin imitation Contai

concrete; Injurious to eyes. Causes skin imitation Contait and Cement. Read the following warning before using: Contact with wull unhardened concrete, mortar, cement or coment implants can it. I soft initiation, severe chemical burns or serious eye demenge. Anvia contact with eyes and skin. Wear waterproof gloves, a fully-butioned, long-sleeve shirt, full length trousers and bight-fitting eye protection when working with these materials, wash off immediately with fresh, clean water indirect contact through clothing is as dangerous so promptly mas these materials from clothing. Seek immediate medical attention if you have pressent or severe discomfort in case of eye contact, that with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warring to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement midures. Aggregates: Protogod inhabitions of dust from a gravel product may be hazardous to your health. Measures to control highlye dust should be taken when horiding this product.

Hot Aggregates is now and gloves). If burned, cool with water and see a physician. safety gear (long seeves, pants and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release Water added at customer's own riak. Additional water added to concrete will reduce its strongth.Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may charged at posted truck time rates. Truck standby due to water added above design. time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with \_\_ inch slump. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders taken Added \_\_\_\_\_ gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone tines, driveway or other Other additions\_ Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any hability CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 mixer. 509-536-3370 NWGDELTKT090408 Signature of Owner or its Agent Leave Job Site **Arrive Plant** Leave Plant | Arrive Job Site Start Discharge Finish Discharge **Drivers** Comments Customer PO/ Company/ TICKET NO. Driver Co. Proj. No Customer Job Phase Code Order No. Cust. No. SPCITY 10161595 Bret M 1424 3001 38089 Date 02/12/15 **Delivery Address** Customer Мар 5324 E TRENT AVE SANDRY CONSTRUCTION 528 23B Dolivery Instructions E Gina USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 13:12 MENTOSITE Amount **Product Description** Unit Price **ProductCode** LIOM Order Qty **Delivered Qty** Load Oty 5/8" TOP COURSE t:n 30.551396.511800.10 2350 Gross Tare Net Delivery Charge: Trk: 99680 38580 61100 WINTER A Trir: FUEL CHG PREV TRUCK: 510409 LOAD COUNT: 48 CHECK / CREDIT CARD Haul Çd. PIVPIppti Sales Tax CC Use Slump Type Prod. No. Description Load Size TOTAL DUE Taken by Trailer Track to Series Weight A Tare Weight 29 Trailer

Check #

CUSTOMER

Aland Coment. Read the following warning before using: Contact with wet, SUL PRESE ROAD 4655959 Property Damage Indemnification & Release
The operator of its pleas of heavy equipment, in presenting this RE-LEASE to you for your synature, is of the opinion that the operation of this mechinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby MOELMETY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenencies, at: customer's over risk. Additional water added to concrete will ph.Bayer's appet agrees to accept responsibility for reduced swength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Water added at CO reduce its strength.Bo time charged at posted truck time rates. limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indices, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of derivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with Test cylinders Added Other additions Received X Buyer's Agent receipt of product and approval of any addeg and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our pay Hability. CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent Arrive Joh Sile Start Discharge 100/2K Finish Discharge ments **Customer PO/** Company Co. Proj. No. TICKET NO. Driver hase Code Customer Job Order No. Cust No. SPCITY Luke W 10161598 38089 1424 3001 02/12/15 Delivery Address Customer 5324 E TRENT AVE SANDRY CONSTRUCTION S28 23B Dalivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E 13:28 Unit Price Amount Product Code Product Description UOM Order Oty Delivered Oty Load City 5/8" TOP COURSE 32.521429.031800.10 2350 tn Tare Net Gross Delivery Charge: Trk: 105500 27880 65040 WINTER A 12580 Trlr: FUEL CHG PREV TRUCK: 520288 CHECK / CREDIT CARD LOAD COUNT: 49 Sales Tex POPTN' CC Use Haul Çd. Stump Type Description Prod. No. Load Size TOTAL DUE 1aken 27893 42893 19510162 W92.75 M28 23 J38162 Check #

Concrete: Injurious to eyes Causes skin irritation Contains Portland Cement, Read the following warning before using: Contact with wet, untransfered concrete, montar, common or common misutens can cause skin initiation, severe charmical burns or serious eyes demage. And contact with eyes and sirk. Wear websproof gloves, a full-buttoned, long-slowe shirt, full-length troucers and spin-filter protection when working with these materials. If you have to sand in wet contrate, use wearsproof boots that are dight at the top and high emough to beep concrete from storing with them. If friething concrete, were kneep parts to protect knees. After contact with any of these meterials, wash of intranslately with less, deen water. Indirect contact through dobring is as disriparous so primply have treas materials from continuing concrete, were traced at earth of protect the services and account of the contact, flush with planty of where for at least 15 minutes. Consult physician immediately, INEEP out of reach of children't User agrees to consely his warming to all persons who may use or come into contact with well (unfrardened) concrete, month, cement or coment medianes. Associates: Protonged intrastors of dust ison a gravel product may be hexadious to your health. Measures to control liquide dust should be taken when learning this product. Hot Asphalt.

entits nuclear and gloves, it burned, cool with water and see a physician.

Water added at continent's own this. Additional water added to concernite with.

Proportive Damagea bodamalification. & Release.

# SULLIVAN ROAD

Wister added at centromer's own risk. Additional water added to concrete will reduce to strength. Buyer's agent agrees to accept responsibility for enduced strength due to water added above design.  Arrived at job with inch slump	The operator of this place of heavy equipment, in presenting this RE- LEASE to you for your signature, as of the opmon that the operation of his machinery in the monrier required to perform our context, with you may possibly cause damage to the premises or properly. It is our wish to help you in overyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, it the undersigned, hearby INDELANISY the seller of its contract with me, it the undersigned, hearby INDELANISY the seller and its employees for any damage and for all claims to the premises, truiding, utility pipelines or cables, telephone lines, driveway or other appurtenencies, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the setter for product detect is the return of the purchase price. In no event shall the setter be liable for any direct, ladirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages who trages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the outb line.
Buyer's Apply receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer.  Signature of Owner or its Agent  Leave Plant Arriva Job Skir Start Discharge Finish Discharge Orivers  Orivers  Comments	Signature of Owner or its Agent  NWGDELTICT090408	RAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370
Order No. Cust No. Customer Job 3001 38089 1424 Customer Dr. SANDRY CONSTRUCTION 532 Oelivery Instructions USE CAUTION CROSSING RAILROAD MENT@SITE Load Oty Delivered City Order City Product Code 32.601461.631800.10 2350		Driver Co. Proj. No.  Jason H SPCITY One 02/12/15 Zone 23B 528 HEAVY Edical 13:33 Unit Price Amount
fross Tare Net Trk: 105440 27560 65200 Trlr: 12680  PREV TRUCK: 510162 #_ LOAD COUNT: 50 CHECK	WINTER A FUEL CHG	very Charge:
Tock 01 Erass Weight, 72 are Weight 12 030163	aller Taken by 893 Check #	TOTAL DUE

# SULLRAN<sup>E</sup> ROAD

Water added at customer's own risk, Additional water edded to concrete will reduce its strength Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with	Property Damage Indemnitration & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion text the operation of this machinery in the manner required to perform our contract with you new possibly cause diamage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is eating that you sign this RELEASE, in consideration of the performance of the seller of its contract with me, it the undersigned, hereby INDEANEY the seller and its employees for any damage and for all claims to the premises, building, utility placeness or cables, telephone lines, driveway or other appurtanences, at:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is ine return of the purchase price. In or event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mitter may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer.  Signature of Owner or Its Agent	and RELEASE the seller and its employees from cENT signature of Owner or its Agent  NWGDELTKT090408	RAL PRE-MIX CONCRETE CD. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370
Leave Plant Arrive Job Site Start Discharge Finish Discha	ge Leave Job Site Arrive Plant	
SANDRY CONSTRUCTION 532  Delivery Instructions  USE CAUTION CROSSING RAILROAD	Customer PO/Phase Code TICKET NO. 10161602 elivery Address 4 E TRENT AVE 0S-FOLLOW ROAD TO THE LEFT-1	Driver Co. Proj. No.  GARY D. SPCITY  Dee 02/12/15  App Zore  23B S28  HEAVY ECT 13:39
MENT@SITE Load Oty Delivered City Order City ProductCode30.751492.381800.10 2350	UOM ProductDescription tn 5/8" TDP COURSE	Unit Price Amount
Gross Tare Net Trk: 99420 25960 61500 Trlr: 11960  PREV TRUCK: 510163 # LOAD COUNT: 51 CHECK	WINTER A FUEL CHG	ivery Charge:
Load Size Prod. No. Description T@: 00 grass Webg. 7 (Tare Webg) 96 096229 To	Slump Type CC Use Haul Qd.  Taken 19893 Check #	Purific Sales Tax TOTAL DUE

Tuck 04 Gross Weight 37. 34 Tare Weight 25

Property Damage Indomnification & Release Water added at customer's own risk. Additional water added to concrete will reduce its strength, Buyer's ogent agrees to accept responsibility for induced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property, it is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gal water at customer request. select of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, builting, utily pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received X bу Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our CENTRAL PRE-MIX CONCRETE CO. any liability N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 WGDELTKT090408 Arrive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Leave Plant | Arrive Job Site Start Discharge Drivers Customer PO/ Company Co Proj. No Drive TICKET NO. Customer Job Phase Code Cust. No. Order No. William M SPCITY 10161606 1424 38089 3001 02/12/15 **Delivery Address** Customer Zone 5324 E TRENT AVE SANDRY CONSTRUCTION 528 23B Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 13:47 MENTRSITE UnitPrice Amount ProductDescription **ProductCode UOM** Order Qty **Delivered Qty** Load Qty 5/8" TOP COURSE tin 22.691515.071800.10 2350 Net Gross Tare Delivery Charge: 79880 34500 45380 Trk: WINTER A Trir: FUEL CHG PREV TRUCK: 510011 CREDIT CARD CHECK / LOAD COUNT: Sales Tax Haul Gd. Type CC tise Slumo Description Prod. No. Load Size TOTAL DUE Taken by 42893

Check #

CUSTOMER

indigials, if you have to stand in well conferen, use waters in the parts to protect loness. After or through clothing is as damperous so promptly rinse these in description in case of eye contact, fush with plenty of water agrees to convey this warming to all persons who may use Aggregates; Prolonged inhalations of dust from a gravel when handing this product. Hot Asphalt, emits nuisano safety pear (long steeves, pants and gloves). If burned, or Water added at customer's own risk Additional water a reduce its strength. Buyer's agent agrees to accept responsitive to water ackled above design.  Armived at job with inch stump.  Added as fail water at customer requeet.  Other additions  Received	an ca an initiation, severe tings severe shirt, full-length trouser oof boots that are tight at the log product with enry of these meterials, vinderials from clothing. Seek imm or at least 15 minutes. Consult por come into contact with wet (upoduct may be hazardous to you furnes. Avoid breathing farmes, of with water and see a physicial deleter concrete will party for reduced strength.  Test cylinders taken seeks seeks seeks bush	hysician immediately, KEEP out of nhardened) concrete, mortar came ir health. Measures to control highw Also: Asphalt may cause severe l	re. Avoid contact with ear or working with these rom flowing into them.  I water Indirect contact e e porsistent or severe each of châdren! User it or cement modules. e dust should be taken nums. Wear protective tion & Release expression has the operation of this seriom our contract with you may be or properly it is our wish to help er to do this, the operator is asking eration of the performance of the engined, hereby INDEMNIFY the point or all claims to the oremines.	Unloading & Standby Exc charged at posted truck tim time charged at posted truck Limited Warranty The only product delect is the return of event shall the seller be liabl incidental or consequential the use of the products or art warranty. All claims for dama made within 24 hours of del responsibility for any damag-	le rates. Truck standby ck time rates.  Itability of the seller for the purchase price. In ne le for any direct, indirect, damages resulting from sing out of breach of any, ges or shortages must be usery we do not assume
Buyer's Agent receipt of product and approva The addition of any extra products to our mixer expressed or implied by the seller. The seller acc personal injury incurred by you while adding add mixer.  Signature of Owner or its Agent	may void any warranty er epts no flability for any litional products to our	d RELEASE the seller and in the property of the seller and in the property of the seller and in the se	CENT	TRAL PRE-MIX ( N. 1902 SULL)	CONCRETE CO IVAN RD. 99216
Leave Plant Arrive Job Site Start Disch Drivers'	arge Finish Discharge	14.20 14.	40		
***	**	stomer PO/			
Contact No. 10 Curt No. Cust			TICKETNO.		
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions	1424 Delive 5324	ary Address E TRENT AVE	10161607 TO THE LEFT-I	Map 231	2012/15 Zure
Order No. Cust No. Cu	1424 Delive 5324 G RAILROADS-	ery Address E TRENT AVE	10161607 TO THE LEFT-I	Date (Map 23)	22/12/15 Zue 8 S28 13:48
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions  USE CAUTION CROSSIN	Delive 5324 G RAILROADS-	ery Address E TRENT AVE FOLLOW ROAD OM Product Descripti	10161607 TO THE LEFT-I	Date (	202/12/15 Zure S28
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions USE CAUTION CROSSIN MENT@SITE  Load Oty Delivered Oty Order Object 1000 1000 1000 1000 1000 1000 1000 10	Delive 5324 G RAILROADS-	ery Address E TRENT AVE FOLLOW ROAD OM Product Descripti	10161607 TO THE LEFT-1	Date (Map 23)	22/12/15 Zure 8 S28 13:48
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions  USE CAUTION CROSSIN MENT@SITE  Load Oty Delivered Qty Order Qty  31.771546.841800.  Ghoss Tare  Trk: 103820 27800  Trlr: 12480	Delive 5324 6 RAILROADS- y ProductCode U 10 2350 Net 63540	ery Address E TRENT AVE FOLLOW ROAD OM Product Descripti	10161607 TO THE LEFT-I	Date (Map 23)	202/12/15 Zure 8 S28/ 13:49
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions  USE CAUTION CROSSIN MENT@SITE  Load Oty Delivered Qty Order Qty 31.771546.841800.	Delive 5324 6 RAILROADS- y ProductCode U 10 2350 Net 63540	ery Address E TRENT AVE FOLLOW ROAD OM Product Descripti	10161607  TO THE LEFT-I  ON  OP COURSE  Del:	Date  Map  E.31  HEAVY EUTinb.  UnitPrice	22/12/15 Zue 8 S28 13:48
Order No. Cust No. Cust 3001 38089  Customer SANDRY CONSTRUCTION Delivery Instructions  USE CAUTION CROSSIN MENT@SITE  Load Oty Delivered Qty Order Qty 31.771546.841800.  Ghoss Tare Trk: 103820 27800 Trlr: 12480  PREV TRUCK: 510409	Delive 5324 6 RAILROADS- y ProductCode U 10 2350 Net 63540	ery Address E TRENT AVE FOLLOW ROAD  OM Product Descripti tn 5/8" T	10161607  TO THE LEFT-I  ON  OP COURSE  Del:	Date  Map  E.31  HEAVY EUTinb.  UnitPrice	22/12/15 Zue 8 S28 13:48

If firsting concrete, is through clothing is a discomfort in case of agrees to convey the <u>Angrogates:</u> Prowden handing this presidely gear (long steely gear)).	wear knee pads to protect long is dangerous so promptly plan I eye contact, flush with plan is warning to all persons whi bringod inhalations of dust the boduct. Hot Asiphalt emi pevos, parits and glovis). If	ass. After contact won any or mass see these metactals from clothen by of water for at least 15 minute or may use or come into contact m a gravet product may be hazz is neusance furnes. Avoid breati burned, cool with water and see	it at the top and high enough to keep to e materials, wash off immediately with fiving. Seek immediate medical attention it is. Consult physician immediately. KEE with wet (unfrartlened) concrete, mon with wet (unfrartlened) concrete, mon with your health. Measures to cont ming furnos. Also, Asphot may cause e a physician.	you have persistant or severe P out of reach of childrent User ar, cernent or cement mixtures, rol fugilive dust should be taken severe burns. Wear protective		4655971
reduce its strength. due to water added at Arrived at job wi Added  Other additions_ Received	Buyer's agent agrees to acceptove design.  th inch gal water at customer re	equest. Test cylinders taken	LEASE to you for your signatur machinery in the mainter requiressibly cause dearrage to the you in everyway that we can, bithat you sign this RELEASE, seller of its contract with me, is seller and its comployees for any building, utility pipetnes or ca appurtenances, oit:	nnification & Release heavy equipment, in presenting this RE- ie, so the opinion that the operation of this ared to perform our contract with you may premises or properly, it is our wish to help but in order to do this, the operator is asking in consideration of the performance of the the undersigned, hereby INDEMNIFY the yournage and for all claims to the premises ables, telephone lines, driveway or, other	charged at posted truct time charged at posted Limited Warranty The product defect is the rise event shall the seller be incidental or consequent the use of the products of warranty. All claims for d made within 24 hours o	Excess unloading will be a time rates. Truck standby truck time rates. only liability of the seller form of the purchase price. In no included the purchase price, indirect, ital damages resulting from or arising out of breach of any images or shortages must be delivery. We do not assume mage beyond the curb line.
Buyer's Agent The addition of	any extra products to o	approval of any added it or mixer may vold any wan seller accepts no liability for iding additional products to	ranty any liability.		N. 1902 SUL SPOKANE, WA	99216
13.54	19.11	a Agent rt Discharge Finish Old	scharge Leave Job Site	DELTKT090408 Arrive Plant	509-53	55-3370
Order No.	Cust. No.	Company/ Customer Job	Customer PO/ Phase Code	TICKET NO.	Driver	Co. Proj. No.
3001	380	39 1424		10161608	Bret M	
Customer			Delivery Address		Map	02/12/15 Zone
Delivery Instru	ctions		324 E TRENT A		Scale	:3B S28
USE CA	AUTION CROS	SSING RAILRO	ADS-FOLLOW RO	AD TO THE LEFT-	HEAVY EGILL	13:55
Load Oly	Delivered Qty C	order Qty Product Co	ode UOM Product De	scription	UnitPrice	Amount
30.8	301577.641	900.10 2350	tn 5/8	" TOP COURSE		

Net Gross Tare

Delivery Charge:

CUSTOMER

CO.

Trk: 100180 38580 61600 Trir:

WINTER A FUEL CHG

PREV TRUCK: 510616 LOAD COUNT: 54

CARD CHECK CREDIT

PivPlent Sales Tax CC Use Haul Qd Description Slump Туре Prod. No. Load Size TOTAL DUE Taken by 42893 Trailer Trucky 2 Bross Weight . 0 Jan Weight 29 Trailer Check #

Concrete: Injudious to eyes.Causes stin initiation.Contains Portand Cement. Read the totowing warning before using: Contact with wet, unfurthered concrete, montar, coment or cement inhalters can cause sith initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and stur, West waterprote doors, the severe threets and sight-time eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots had are digit in the top and tenh enough to keep concrete from flowing into them. If inighting concrete, were lones pasts to protect knees. After contact with any of these materials, wesh oil immediately with first, doors water, finding concrete, were lones pasts to protect knees. After contact, then with plenty of water for all tests 15 minutes. Consult physican immediately, IEEEP cut of reach of children's User agrees to convey this warning to all persons who may use or come into contact with wet (unfortened) concrete, morar, cament or coment minutes.

And regulates: Protunged intestors of dust item a gravel product say to hexardious to your health. Measures to control higher dust should be taken when harding this product. Hot Asphall... emits nutsance Armes. Avoid breathing termes. Also, Asphalt may cause severe burns. West protective above published customer's own rish. Additional water added to concrete will.

Property Damage Indemnification & Release

### OFFICE SULLIVAN ROAD

Water addition a continuer's own risk. Additional water added to continue will reduce its strength (hyper's spent spress to accept responsibility for reduced strength (he to water added above design.  Arrived at job with	LEASE to you for your signature, is of machinery in the marrier required it possibly cause damage to the premit you in everyway that we can, but in that you sign this RELEASE. In con- sister of its common with me, it has a marrier and its common to the care of the co- tains of the common to any damage.	y equipment, in presenting this RE- if the opinion that the operation of this operium our contract with you may set or property. It is our wish to help order to do this, the operator is astrong relideration of the performence of the indensigned, hereby PRDEMMEY the age and for all claims to the premises, telephone lines, driveway or other	charged at posted truc time charged at poster Limited Warranty The product defect is the ret event shall the saties to incidental or conseque the use of the products warranty. All claims for of made within 24 hours of	Excess unloading will be  ix time rates. Truck standby  d fruck time rates.  only liability of the salter for  um of the purchase price. In no  is able for any direct, indirect,  night demanges resulting from  or arising out of breach of any  lamages or shortages must be  if delivery. We do not assume  umage beyond the curb line.
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.  Signature of Owner or its Agent	and RELEASE the seller and any liability.  Signature of Owner or NWGDE	CENT	N. 1902 SUI SPOKANE, W	X CONCRETE CO. LLIVAN RD. 9 99216 36-3370
Leave Plant Arrive Job Site Start Discharge Finish Dischar Drivers' Comments	ge Legva Job Ske Am	ve Plant		
Company/ Order No. Cust. No. Customer Job 3001 38089 1424	Customer PO/ Phase Code	TICKET NO. 10161609	Driver Cliff R	Co. Proj. No. SPCITY 02/12/15
SANDRY CONSTRUCTION 532	UOM Product Descri	TO THE LEFT-H DUON TOP COURSE	1	238 S28 13:57
• •				
Gross Tare Net Trk: 94140 37460 56680 Trir: PREV TRUCK: 520288 #		Del: WINTER A FUEL CHG	ivery Charg	<b>e :</b>
LOAD COUNT: 55 CHECK	/ CREDIT CAR		Pivipige Sales Tax TOTAL DU	
Treeting 7 Grass Wagets . O Fare Weight 73 Trailer Tr		Check #		

Concrete: Inprious to eyes. Causes sun intation. Contains Puruand Cement. Read the following warning before using: Contact with wet, unhardened congrete, mortar cement or coment modures can cause ston intation, severe chemical burns or serious eye domage. Avoid contact with eyes and ston. Wear waterproof gloves, a high-buttoned, long-sleeve shat, high-ength trousers and light fitting eye protection when working with these ever and stand in wet concrete, use waterproof boots that are both at the top and triph enough to keep concrete from flowing into them. If inshing concrete, wear kneep pasts to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water indirect contact through cothing is as dangerous so promptly mase these materials from dotting. Seek immediate medical attendion if you have persistent or severe disconfiort in case of eye contact, flush with plenty of water for all least 15 minutes. Consult physician immediately KEEP out of reach of childrent User agrees to convey this warning in all persons who may use or come into contact with wet (unhardened) concrete, mortar, cament or cement modures. Aggregates; Protorged intectaces of dust from a gravel product may be hazardous to your health. Measures in control fugitive dust should be taken when harding this product. Hof Agphatt —ends nuisance furnes. Avoid breathing furnes. Also, Asphrat may cause severe turns. Wear protocove safely ear (long sleeves, parts and gloves). If humad, cool with water and see a physician.

Property Damage Indemnification & Release

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced obength due to water added above classign. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. inch slump Arrived at job with \_ that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, if the undersigned, hereby INDEMNIFY the Test cylinders Added \_\_\_\_\_ gal water at customer request. taken sellor and its employees for any damage and for all claims to the premises, building tutily pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. SPOKANE, WA 99216 Signature of Owner or its Agent mixer 509-536-3370 Signature of Owner or its Agent NWGDELTKT09040 Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Arrive Plant** Leave Plant 4:1 Drivers Comments Customer PO/ Company/ Co. Proj. No. Oriver **TICKET NO** Customer Job Phase Code Order No. Cust No. William M SPCITY 10161611 38089 1424 3001 02/12/15 **Delivery Address** Customer Map 5324 E TRENT AVE SANDRY CONSTRUCTION 528 23B Delivery Instructions ELIGH USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:12 MENTOSITE Amount Unit Price Product Description Order Qty **ProductCode** HOL Delivered Qty Load Otv 29.631635.611800.10 2350 5/8" TOP COURSE tn Net Tare Gross Delivery Charge: 97320 38060 59260 Trk: WINTER A Trlr: FUEL CHG PREV TRUCK: 520711 CARD CHECK CREDIT LOAD COUNT: 56 Sales Tax Haul Gd. Slump CC Usa Prod. No Description Load Size TOTAL DUE

Trailer

Touch SE Gross Weight . E dare Weight 03

Taken by 93

Check #

Congrete: Injurious to eyes. Causes skin intakion cause shin intakion, severe chemical burse of serious eye damage. And contact with well, unhardened concrete, morter, cement or cement indused eyes and skin. Were waterproof glover, a Lifty-buttoned. If yesteves shin, full-truph tracers and tight-firm or serious eye damage. And contact with eyes and skin. Were waterproof glover, a Lifty-buttoned of both here shint, full-truph tracers and tight-firm or serious eye damage, a And contact with the eyes and stight strong protection when working with them, introduced the serious of the eyes of SULLIVAM ROAD Property Camage indemnification & Release
The operator of this piece of heavy equipment, in presenting this
LEASE to you to your signature, is of the opinion that the operation of
mechany in the manner required to perform our contract with you
possibly cause damage to the premises or property. It is our with it
you in everyway that we can, but in order to do this, the operator is a
that you sign this RELEASE. In consideration of the performance seller of its contract with me, if the undesigned, heatly NODE-NUTsafer and its employees for any damage and for all claims to the premi
building, utility pipelines or cables, telephone times, driveway or a apoutenances, at: Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced a trength due towater added above design. \_\_ inch stump. Arrived at job with . Test cylinders Added \_\_\_\_\_ gal water at customer request. Other additions appurtenances, at: Received The additional any extra products to our inter may vold any warranty expressed or impded by the saler. The seler accepts no liability for any personal injury incurred by you while adding additional products to our mixer. and RELEASE the seller and its employees from any liability. C Signature of Owner or its Agent Signature of Owner or its Agent NVGDELTKT090408 Jeans Joh Site Leave Plant Arrive Job Site Start Discharge Finish Discharge Arrive Plant

Type

Yake427893

Slump

Check #

Prod. No.

Description

TOT 01 Bross Weight 57 are Weight 12 000163 Trailor

Drivers' Comments

Order No.

Load Oly

Load Size

Delivery Instructions

Customer

OFFICE

4655976

of bear (out) spenies' bases and gloves). It proved coop was ween, and see a bust	sidan.	
er added at customer's own risk. Additional water added to concrete will ace its strength. Buyer's agent apees to accept responsibility for reduced strength toward added above design.  Ived at job with inch stump.    ded gal water at customer request.   Test cylinders taken	Property Damage Indemnification & Release The constor of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion has the operation of his machinery in the manner required to perform our contract with you may possibly cause dumage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, if the undersigned, hereby RECEMENT the safer and its employees for any damage and for all dains to the premises, building, utility pipelines or cables, idephone fines, diveway or other appuritenances, al:	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential, damages resulting from the use of the products or arising out of breach of any warranty. All cleims for damages or shortings must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.
pyer's Ageny precipt of product and approval of any added items.  a additional any extra products to our mixer may void any warranty pressected implied by the usiter. The seller accepts no liability for any monal injury incurred by you white adding additional products to our zer.  Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge Finish Discharge	Signature of Owner or its Agent	RAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370
omments		ritati in Burin Sun in Sun in Sun in A
Order No. Cust. No. Customer Job 3001 38089 1424	Customer PO/ Phase Code  TICKET NO.  10161613  elivery Address 4 E TRENT AVE  S-FOLLOW ROAD TO THE LEFT-1  UOM Product Description  tn 5/8" TOP COURSE	Driver Co. Proj. No.  Jason H SPCITY  Date 02/12/15  Map Zone  23B S2B  HERVY Extra 14:17  UnitPrice Amount
Gross Tare Net Trk: 105140 27560 64900 Trlr: 12680  PREV TRUCK: 525618 #_ LOAD COUNT: 57 CHECK	WINTER A FUEL CHG	ivery Charge:
	Sherry Type CC Use Haul Gd.	Purpuput Sales Tax

TOTAL DUE

Concrete: Injurious to eyes. Causes sith initiation. Contains Portand Cement. Read the following warning before using: Contact with well, unfauthened concrete, mortar, coment or cement induses can cause sith initiation, severe chantical burns or serious eye damage. Anoid contact with eyes and size. Were waterproof gloses, a high-bulbrand, long-deleve stirt, full-length trusters and bight-stiring eye protection when working with these measures. It you have to search in wat concrete, use waterproof boots that are digit at the top and high enough to beep concrete from Bowing into them retends it is finishing concrete, were interediately with their, downwater, indirect contact through clothing is as dangerous so promptly more these measures. Some measures, wesh of immediately with title, closes water, indirect contact through clothing is as dangerous so promptly more these measures. Consult physician immediately, ICEEP out of reach of childrent User deconflorth case of eye contact, bein with planty of water for at least 15 minutes. Consult physician immediately, ICEEP out of reach of childrent User agrees to convey this watering to all persons who may use or come into contact with well privately and prompt. In the Agent and the standard product may be hearables to your teath. Measures to contact luggles dust stand in taken Agent and product indications of dust from a greatly product may be hearables to your teath. Measures to contact luggles dust stand in taken handles in product. Hot Assorbalt, more ruisance furnes. Anoid breasting furnes. Also, Aspiralt may cause sower burns. West protective safety gast forty stores, parts and placed, if turned, coul with water and see a physician.

Property Damage Indemnification & Release

OFFICE

#### SULLIVAN ROAD

Water added at customer a own risk. Additional enter added to concrete will reduce its strength flurror agent agrees to accept responsibility for reduced strength flurror agent agrees to accept responsibility for reduced strength flurror agent agrees to accept responsibility for reduced strength flurror agent agrees to accept responsibility for reduced strength flurror agent agrees to accept responsibility for reduced strength flurror agent agrees to accept responsibility for reduced strength flurror agent receipt of products and approval of any added flurror and is empty pipelines or cables, is and RELEASE in considering the products and approval of any extra products to our mixer.  Signature of Owner or its Agent  Leave Plant Arrive Job Stu-Stan Discharge Finish Discharge Leave Job Stip Arrive Formers.	common that the operation of this common contract with you may properly. It is out with to help to do this, the operation is adding to the of the proformation of the performance of the signed, hereby MDEMMFY the conditions to the permises, whose lines, driveway or other selections in the selection of the product of the selection of the selectio	
Order No. Cust. No. Customer Job Phase Code  3/001 38/089 1424  Customer Delivery Address  SANDRY CONSTRUCTION 5324 E TRENT AVE		
Gross Tare Net Trk: 105500 27880 65040 Trlr: 12580  PREV TRUCK: 510163 # LOAD COUNT: 58 CHECK / CREDIT CARD  Load Size Prod. No. Description Stump Type CC  Texts 01 Ergs Weight. 75 are Watch 23 030162 Treater Texts 12893	Delivery Charge: WINTER A FUEL CHG  Use Hauf Gd. PhiPlant Sales Tax TOTAL DUE	

Concrete: Injurious to eyes.Causes stin Intation.Contains Portland Coment. Read the lidbowing warning before using: Contact with well unhardened concrete, motar, coment or coment modures can cause stin Intation, severe chemical burns or serious eye damage. Avoid contact with eyes and stin. Wear waterproof gloves, a high-burned, long-sleeve shirt, it-flangh trousers and tight-fating eye protection when working with these materials. If you have to stand in well concrete, use waterproof boots that are tight at the top and high enough to keep concrete from thorning that them. If thisting concrete, wear trees peats to protect threes. After contact with any of these materials, wash oil mediate medical attention if you have persistent or severe descomboth case of eye contact, that with plenty of water for at least 15 minutes. Consult physician immediately. NEEP out of reach of childrent User agrees to convey this varning to all persons who may use or come into contact with well (unfrandened) concrete, morter, coment or cament mixtures. Anotheranies; Polonged instaltions of dust tom a granel product may be hazardous to your health. Measures to contact liquide dust should be taken when harding his poutur. Hold Asphall emits nuisance furnes. Avoid breasting furnes. Also, Asphall may cause severe hume. Wear protective scalely over forg sterves, parts and gloves). Il burned, cool with water and see a physician.

Water added at customer's own risk, Additional water added to concents with

**OFFICE** 

# SULLIVAN

Water added at Castomer's own TEL Advances was about a country and reduced a strength Buyer's agent agness to accept responsibility for reduced strength cue to water added storve design.  Arrived at job with inch stump.  Added gai water at customer request. Test cylinders taken  Other additions	The operator of this piece of heavy eq. LEASE: to you for your signature, is of the machinery in the marine required to per possibly cause damage to the premises or you in everyway that we can, but in order that you sign this RELEASE. In consider seler of its contract with me, I the under seler and as employees for any damage at building, utility pipelines or cables, telep appurtamences, at:	our on coulse; whi you just obuiou was us obsessou o us	Unloading & Standby Excharged at posted fruck to time charged at posted fruck to time charged at posted in Limited Warranty. The only product defect is the return devent shell the seller be list incidental or consequential the use of the products or as warranty. All claims for dammade within 24 hours of de responsibility for any damage.	ne rates. Truck standby uck time rates.  Y liability of the seller for it the purchase price. In no ole for any direct, indirect, damages resulting from ising out of breach of any ages or shortages must be timery. We do not assume
Buyer's Agent receipt of product and approval of any added items.  The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our mixer.  Signature of Owner or its Agent  Layve Plant. Arrive Job Sitel Start Discharge Finish Dischard	signature of Owner or its  Signature of Owner or its  NWGDELTK  Per Leave Job Site Arrive P	CENTE	RAL PRE-MIX N. 1902 SULL SPOKANE, WA 509-536	99216
Drivers' Comments				
Order No.         Cust. No.         Customer Job           3001         38089         1424           Customer         De	clivery Address 4 E TRENT AVE 5-FOLLOW ROAD T		Map 23	Co. Proj. No. SPCITY 02/12/15 2mm B
Gross Tare Net Trk: 99580 25960 61660 Trlr: 11960  PREV TRUCK: 510162 #_ LOAD COUNT: 59 CHECK		WINTER A FUEL CHG 	very Charge:	
Teach Ow Grass Water . 79 are Weight 96 JUNE 29 Tra		Check #	TOTAL DUE	

CUSTOMER

Concrete: Injurious to eyes Causes skin imitation Contains Porward Cement. Read the following warning before using: Contact with wel, unhardened congrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gioves, a high-tutioned, long-sleeve shint, full-length intensers and light-fitting eye production when working with these notations it you have to stand in well concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If histing concrete, wear kneep eachs to protect knees. After contact with any of these materials, wash off immediately with tresh, clean water, indirect contact through dothing is as dangerous so promptly rises these materials from clothing. Seek immediate medical attention if you have persistent or severe described in case of eye contact, fixsh with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of châthent User agrees to convey this warning to all persons who may use or come into contact with well (unfartened) concrete, motar, cement or cement mixtures. Anomorphiles: Protropol inharbtons of dust from a gravel product may be hazardous to your health. Necsures to control highly dust should be taken when tanding this product.

Hot Asphalit emiss nursance furnes. Avoid breathing farmes. Also, Asphalit may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cod with water and see a physician. 4655980 salely gear (long sleeves, pants and gloves). If humed, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength duyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE: to you tor your signature, is or me operation near me operation of this maintinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the due to water added above design. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or ansing out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume recognitibility for any damages houseful the curb line. inch slump Arrived at job with Test cylinders Added \_\_\_\_\_ gai water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utity pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our any liability CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Signature of Owner or its Agent Leave Plant | Arrive Job Sile Start Discharge Finish Discharge Leave Job Site **Arrive Plant** Drivers' Comments Customer PO/ Company Co. Proj. No. TICKET NO. Driver Customer Job Phase Code Order No. Cust. No. William M SPCITY 10161617 1424 38089 3001 Date 02/12/15 **Delivery Address** Customer Мар Zone 5324 E TRENT AVE SANDRY CONSTRUCTION 528 Delivery Instructions - Scale USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:28 MENTOSITE Amount Unit Price UOM Product Description Product Code

Net Tare Gross Delivery Charge: 34500 41380 75880 Trk: WINTER A Trir: FUEL CHG PREV TRUCK: 510011 CREDIT CARD CHECK / LOAD COUNT: PivPtent Sales Tax Haul Gd. Use Type Slumo Prod. No. Description Load Sizo **TOTAL DUE** Traile Taken by 893 Truck 04 6ms Weight 9 4are Weight 25 Check #

tn

5/8" TOP COURSE

Order Qly

20.691752.101800.10 2350

Load Qty

Delivered Qty

OFFICE

Concrete: Injurious to eyes Causes sith Initiation. Contains Portland Cement. Read the following warning before using: Contact with west, unhardened concrete, moster, correct or correct makers can cause sith initiation, severe chemical burns or serious eye demage. Anote contact with rese eyes and sin. Wese waterproof gloves, a killy-bushored, larg-sleeve shirt, All-length trousers and sight-large eye protection when working with these metalsists. If you have to saved in well concrete, use weterproof boots that are sight at the top and high enough to been concrete from thorizing into them, the saved in well concrete, use weterproof boots that are sight at the top and high enough to been concrete from the saved in high enough or been makers, wear large confidences are found to the part of these metals in the saved in mediately with less), clean water, before contact with any of these metals in the contact with well printed as a dangerous so promptly mere these metals in the contact with well printed as a dark with a proving which well introduced concrete, morse, contact of children User decomforth case of eye contact, lash with plority of water for at least 15 minutes. Consult physician immediately. REEP out of reach of children User agrees to convey this ventring to all persons who may use or come into contact with well printed and printed as should be taken Aggreegates; Photoget inhalations of dust treat a great penal may be hearded to pure hard. Measures to contact have a severe burns. West protective when harding his poulce. Het Asphalt. entits russinos turnes. Another breathing times. Also, Asphalt may cause severe burns. West protective with harding his poulce. Het Asphalt. entits russinos turnes and see a physician.

Vister selded at customer's own risk. Additional water added to concrete with SULLIVAN 4655982 ROAD Property Damage indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your synearie, is of the opinion that the operation of this machinery in the meries required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to their your in everyway that we can, but in order to do this, the operation is safety you sign this RELEASE in constant with the operation is safety and you sign this RELEASE. In constant with me, I the understand, heatly RODANETY the selfer of its contract with me, I the understand, heatly RODANETY the selfer and its employees for any damage and for all damage to the previous, building, utility pipelines or cables, beliefnone lines, divieway or other appurareances, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength ume cruarged at posted duck unto rates.

Limited Warranty The only liability of the seller for product detect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. dues to water entried above design. inch stump. Arrived at job with . Added \_\_\_\_\_ gal water at customer request. Test cylinders Other additions Received and RELEASE the setter and its employees from CENTRAL PRE-MIX CONCRETE CD. Buyer's Agent receipt of product and approval of any added items. N. 1902 SULLIVAN RD. The addition of any extra products to our mixes may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 WGDELTKT090408 Agive Plant Signature of Owner or its Agent Leave Job Site Finish Discharge Start Discharge Leave Plant Drivers Comments Co. Proj. No. Customer PO/ Driver TICKET NO. Companyl Customer Job SPCITY Phase Code Cliff R 10161619 02/12/15 Cust No. Cate Order No. 1424 38089 700 Mod 3001 **Delivery Address** 5324 É TRENT AVE 528 23B Customer SANDRY CONSTRUCTION USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDITE 14:30 Delivery Instructions Amount Product Description ProductCode UOM MENTOSITE 5/8" TOP COURSE Order Oty Delivered Oly Load Oly 30.011782.111800.10 2350 tn Delivery Charge: Net Tare Gross 60050 WINTER A 37460 97480 Trk: FUEL CHG Trlr: PREV TRUCK: 510409 CHECK / CREDIT CARD LOAD COUNT: 61 PIVITION Sales Tax Haul Qd. Use ČĊ TOTAL DUE Type Stump Description Prod. No.

LEGG Byas

Trailer

Check #

Load Size

Togs 07 Grass Weight. 74 are Weight 73

Concrete: Injurious to eyes Causes skin imitation.Contains:

I Cement. Read the following warning before using: Contact with wet, inhanderned congrete, mortar, cement or cement imbatres can cause sun imitation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a hilly-buttoned, long-sleeve shirt, full length trausers and bight fating eye protection when working with these extensions. If you have to stand in wet concrete, use waterproof boots that are bight at the top and high enough to keep concrete from flowing into them. If finding concrete, wear kneep eads to protect knees. After contact with any of these moterials, wash of immediately with tresh, clean water, indirect contact through dothing is as dangerous so promptly times these materials from clothing. Seek invincible mediated attention if you have pensistent or severe discontrot in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, ICEEP out of reach of children! User agrees to convey this warning to at persons who may use or come into contact with wet (unhandered) concrete, mortar, cement or cement midures. Aggregates: Prolonged inhabtors of dust from a gravel product may be hourardous to your health. Measures to control lugitive dust should be taken when handing this product. Hot Asynhalt emits nuceance furnes. Avoid breathing furness. Aso, Asphalt may cause severe burns. Wear protective series very from sleeves, can'ts and dowes). If burned, out with water and see a physician.

4655983

CUSTOMER

Sales Tax

TOTAL DUE

PIVPIANT

Haul Gd.

Check #

Use

safety gear (long steet) Water added at custor reduce its strength. But due to water added abov Armyed at job with Added gai	ca. True Assumer, and submod, of mer's own risk. Additional water yer's agent agrees to accept respons to design.  inch siump.  i water at customer request.	added to concrete will bibly for roduced strength  Test cylinders taken	Property Jamage Index The operator of this piece of I LEASE to you for your signature machinery in the manner requis possibly cause damage to the p you in everyway that we can, but that you sign this RELEASE. In seller of its contract with me, I'll	nnification & Release heavy equipment, in presenting this RE- e, is of the opinion that the operation of this red to perform our contract with you may premises or property. It is our which to help in order to do this, the operator is estimp in consideration of the performance of the the undersigned, hereby INDEANNIFY the damage and for all claims to the premises, bles, telephone lines, driveway or other	charged at posted tructime charged at posted time charged at posted Limited Warranty The product defect is the relievent shall the seller be incidental or consequent the use of the products warranty. All claims for consequently warranty.	Excess unloading will be k time rates. Truck standby d truck time rates. only liability of the seller for an of the purchase price. In no eliable for any direct, indirect, indirect, indirect, and damages resulting from or arising out of breach of any lamages or shortages must be of delivery. We do not assume image beyond the curb line.
Buyer's Agent rea	ceipt of product and approv y extra products to our mixer ad by the seller. The seller ac urred by you while adding ad	may void any warran	ity any liability. Ny		TRAL PRE-MI: N. 1902 SUI SPOKANE, W	LIVAN RD. A 99216
Signate Leave Plant 14: 34 Drivers' Comments	re of Owner or its Agen Arrive Job Site Start Disci 14:49	narge Finish Disci	harge Leave Job Site	BDELTKT090408 Arrive Plant	209-2	36-3370
Order No	Co Cust. No. Cus	ompany/ stomer Job	Customer PO/ Phase Code	TICKET NO.	Driver	Co. Proj. No.
3001	38089	1424		10161620	Bret M	SPCITY
	CONSTRUCTION	V 53	Delivery Address  E24 E TRENT A	VE AD TO THE LEFT-	HEAVY EDIN	02/12/15 Zone 23B 528 14:33
MENT BC	7 7 6		i'		Unit Price	Amount
Load Oty	Delivered City Order City 21813.301800.			" TOP COURSE		
Trk:	Gross Tar 100960 3858			De1	ivery Charg	e:
Trlr:		#		WINTER A FUEL CHG		
PREV T	RUCK: 520711	11"				

CARD

CC

Type

Taken by 42893

CHECK / CREDIT

Trailer

Trailer

Slump

62

Description

LOAD COUNT:

Load Size

Prod No.

Truck 0288 50, 48 13, 29

PIUPIAPI

Haul Gd.

Check #

Use

CC

Sales Tax

TOTAL DUE

4655987

Concrete: Injurious to eyes Causes skin initiation. Contains Portand Cement., Read the following warning before using: Contact with wet, unhardened congrete, mortar, cement or cement modures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully buttoned, long-sleeve shit, full-length trousers and tight-teting eye protection when working with these matgrists. It you have to stand in wet concrete, we waterproof boots that are tight at the top and high enough to keep concrete from flowing into them. If histning concrete, wear kneep adds to protect tones. After contact with any of these materials, wash of intrinectably with tiesh, clear water. Indirect contact through dotting is as damperous so promptly times these materials from clothing. Seek immediate medical alternion if you have persistent or severe discomfort in case of eye contact, fush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of childrent User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, motar, cement or cement michaes. And renal relations of dust from a gravel product may be hazardous to your health. Measures to control higher dust should be taken when transfery this product.

Hot Asphalit emis nussance turnes. Avoid breathing farmes. Also, Asphalit may cause severe burns. Wear protective safety gear (form sleeves, parts and players). If burned, cool with water and see a physician.

safety gear (long sleeves, pants and ploves). If burned, cool with water and see a physician. Property Damage Indemnification & Release The operator of this piece of heavy equipment, is presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength. Duyer's agent agrees to accept responsibility for reduced strength due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby LEASE to you for your signature, is of the operation that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the promises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the select of its contract with me, the undersigned, hereby INDEMNIFY the select of the combination for multivarious seekers and the combination for multivarious seekers and the combination for multivarious seekers. time charged at posted truck time rates. Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume the search in the contract of inch slump. Test cylinders Added seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items.

The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from CENTRAL PRE-MIX CONCRETE CO. any liability. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE. WA 99216 mixer. 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Leave Job Site Arrive Plant Finish Discharge Plant Arrive Job Site Start Discharge Drivers' Comments Customer PO/ Phase Code Company Co. Proj. No. Driver TICKET NO. **Customer Job** Order No. Cust. No. B SPCITY Garrett 10161624 38089 1424 3001 02/12/15 **Delivery Address** Customer Man Zone 5324 E TRENT AVE SANDRY CONSTRUCTION 23B 528 Delivery Instructions ELIGI 14:50 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD THE LEFT-HEAVY TO Amount Unit Price Product Code **UOM** Product Description Order Qty Delivered Qty Load City 5/8" TOP COURSE 31.791845.091800.10 2350 tn Net Gross Tare Delivery Charge: Trk: 103860 27800 63580 WINTER A 12480 Trira FUEL CHG PREV TRUCK: 520288 CREDIT CARD CHECK LOAD COUNT: 63 1

Slump

Prod No.

Truck OE Gress Weight

Load Size

Description

93 CV. 14

W38616

Турв

Taken by 42893

Concrete: Injurious to eyes Causes ston imitation Contains I hand Cement. Read the following warring before using: Contact with wel, unhardened congrete, mortar, cement or cement modurus can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a high-buttoned, long-steeve shirt, full-length trousers and upht-fitting eye protection when working with these materials. If you have to stand in well contract, we waterproof boots that are light at the top and high enough to keep concrete from flowing into them, attending concrete, wear knee packs to protect knees. After contact with any of these materials, wash of immediately with first, of can water, indirect contact through dotting is as dangerous so promptly ince these materials from dolling. Seek immediate modical attention if you have persistent or severe disconfibritin case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warring to at persons who may use or come into contact with well (unhardened) concrete, motar, cement or cement modures, and groves in the product may be lazardous to your health. Measures to control higher dust should to taken therefore, product. Asphalt emits nuisance turnes. Avoid breast hay a mess. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parts and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will.

Property Damage Indemnification & Release

43800

Trailer

CHECK /

Trailer

34500

Description

78300

PREV TRUCK: 525618

Prod. No.

Tuck 04 Gruss Weight 15 are Weight 25

Trk:

Trlrac

Load Size

LOAD - COUNT:

Water added at customer's own risk. Additional water added to concrete will reduce its extrength larger's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help due to water added above design you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the \_\_inch skimp. Arrived at job with Test cylinders gal water at customer request. Added seller and its employees for any damage and for all dams to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at: Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the sellor and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. Signature of Owner or its Agent mixor. NWGDELTKT090408 Signature of Owner or its Agent Finish Discharge Leave Job Site Arrive Job Site Start Discharge Leave Plant Drivers' Comments Customer PO/ Company Driver TICKET NO. Customer Job Phase Code Cust. No. Order No. William M SPCITY 10161629 1424 38089 3001 02/12/15 **Delivery Address** Мар Customer 5324 E TRENT AVE SANDRY CONSTRUCTION 238 Delivery instructions E Scale USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY UnitPrice TOSITE HOM Product Description Product Code Order Qty Delivered Qly Load Qty 5/8" TOP COUR 21.901898.461800.10 2350 Tare Net Gross

CREDIT

Slump

Type

Taken by

CARD

Check #

#### CUSTOMER

4655993

Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.

Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.

CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. SPOKANE, WA 99216 509-536-3370



Co. Proj. No.

528

Zone

15:14 Amount

Use Haul Gd. PlvPlepy	Sales Tax TOTAL DUE
Delivery WINTER A FUEL CHG	Charge:
P COURSE	

CUSTOMER

4655995

Unload	ding &	Standby	Exces	s un	loading	will	be
charge	d at p	osted truck	time i	ales	Truck	stand	iby
time c	harged	at posted	truck	time	rates.		

* 2	6	6 3 0 +
-----	---	---------

Arrived at job with inch stump  Added gal water at customer request. Test cylinders taken  Other additions  Received by		machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that the contract has PEFEASE in consideration of the performance of the		charged at posted truck time rates. Truck standay time charged at posted truck time rates.  Linited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.			
Buyer's Agent rec	ceipt of product and appro-	val of any added items	and RELEASE the seller and its employees from				
The addition of any expressed or implie personal injury incu- mixer.	y extra products to our mixed by the seller. The seller a urred by you while adding a	r may void any warranty ccepts no liability for any diditional products to ou	any Ilability. CENT Signature of Owner or its Agent		N. 1902 SULLIVAN RD. SPOKANE, WA 99216		
Signatu	re of Owner or its Age	nt in	NWGDELTKT09D408		509-536-3370		
Leave Plant	Arrive Job Site Start Disc	harge Finish Disch	Leave Job Site Art	ive Plant			
Drivers' Comments						6 1 6 3 0 *	
Order No.	Cust No. Cu	ompany/ stomer Job	Customer PO/ Phase Code	TICKET NO.	Driver	Co. Proj No.	
3001	28089	1424		10161630	Bret M	SPCITY	
material Indianal	CONSTRUCTIO	N 53	Delivery Address 24 E TRENT AVE DS-FOLLOW ROAL	TO THE LEFT-	HEAVY EGILL	02/12/15 Zone 23B S28 15:16	
MENTRS!					UnitPrice	Amount	
	Delivered Oly Order C		tn 5/8"	TOP COURSE			
Trk:	Gross Tar 99220 3858			Del WINTER A FUEL CHG	ivery Charg	C .	
PREV T	RUCK: 510409 DUNT: 66	#	K / CREDIT CAR				
Load Size	Prod. No. Description		Stump Type C	C Use Haul Gd.	Pit/Plant Sales To TOTAL D		
	is Weight 6 1 Tare Weight	29 Trailer	Trailer Taken by 92	Check #	IGIALD		

Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the operation that the operation of this

Concrete: Injurious to eyes Causes skin irritation Contains Poward Cement. Read the following warring before using: Contact with wet, unhardered corgrete, mortar, coment or cement mixtures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a high-bullorood, long-sleeve shirt, full-length trousers and bigh-fitting eye protection when working with these materials, if you have to stand in wet concrete, were waterproof bords that are tight at the top and high enough to keep concrete from flowing into them reading concrete, wear kneeparls to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water, indirect contact through dodning is as dangerous so promptly rises these materials from dothing. Seek immediately with fresh, clean water, indirect contact through dodning is as dangerous so promptly rises these materials from dothing. Seek immediately. KEEP out of reach of childrent User discontrol in case of eye contact, flush with plenty of water for all least 15 mixtures. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warning in all persons who may use or come into contact with wet (unhardered) concrete, motar, cement or cement mixtures. Appregates: Protongel invisions of dust from a gravel product may be leatendous to your health. Measures to control higher dust should be taken when lianting this product. Hot Asphalt errols rusance harnes. Avoid breathing turnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parks and gloves). If burned, cool with water and see a physician.

Water added at customer's own risk. Additional water added to concrete will

Water added at customer's own Hisk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength

waster added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Annved at job with inch slump.  Added gal water at customer request. Test cylinders taken  Other additions  Received by  Buyer's Agent receiff of protects and approval of any added items	Property Damage International The operator of this peece of heavy of LEASE to you for your sensitive, is of the machinery in the manner required to perpossibly cause damage to the premises you in everyway that we can, but in order that you sign this RELEASE. In considerably on the select and its employees for any damage building, utility pipelines or cables, telephoremanous, at.	upment, in presenting wis rec- reprison that the operation of this form our contract with you may or properly. It is our wish to help to do this, the operator is asking ration of the performance of the signed, hereby INDEMNIFY the and for all claims to the premises, phone lines, driveway or other employees from	time charged at posted truck time rates.  Limited Warranty. The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, inclidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.	
The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any		CENT	RAL PRE-MIX ( N. 1902 SULL	CONCRETE CO IVAN RD.
expressed or implication by the section. The adding additional products to our mixer.	Signature of Owner or It	s Agent	SPOKANE, WA S	
Signature of Owner or its Agent Leave Plant Arrive Job Site Start Discharge Finish Discharge Drivers' Comments	rge Leave Job Site Arrive		*	2 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
Order No. Cust. No. Customer Job	Customer PO/ Phase Code	TICKET NO.	Drive	Co. Proj. Na.
3001 38089 1424		10161631	2011	SPCITY
Customer	Delivery Address 24 E TRENT AVE		Мар	02/12/15 Zone B 528 "
Delivery Instructions		rn ruc (CET_L	EAVY EGIST	15:35
	S-FOLLOW ROAD	IU ING CEFT	IL-14 1 C. CHARL	2. 10 8 07 107
MENTOSITE  Load Qty Delivered Qty Order Qty Product Code	UOM Product Description	n	UnitPrice	Amount
21.751960.531800.10 2350	tn 5/8" TO	OP COURSE		
= • .				
Gross Tare Net				
Trk: 103780 27800 63500			ivery Charge:	
Trlr: 12480		WINTER A		
		FUEL CHG		
PREV TRUCK: 520288 #				
LOAD COUNT: 67 CHECK	K / CREDIT CARD			
Load Size Prod. No. Description	Slump Type CC	Use Haul Gd.	Piupigni Sales Tax TOTAL DUE	

Taken by 4c893

Check #

Terri DE Gigss Weight. a Jane Weight 14 JE 616

CUSTOMER

4656000

Concrete: Injurious to eyes Causes skin initiation.Contains for and Cement. Read the following warning before using: Contact with wet, unhardened compete, mortar, cement or cement mistures can cause skin initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skint Wear waterproof gloves, a fully-butboned, long-sleeve shint, bull-length trausers and bight sting eye protection when working with these metalials. If you have to stand in west concrete, use waterproof boots that are tight at the top and high enough to keep concrete from flowing with them. If finating concrete, wear kneepads to protect knees. After contact with any of these materials, wash off immediately with tresh, clean water indirect contact through dorting is as dengerous so promptly mise these materials from dofting. Seek immediate medical attention if you have pensistent or sever discontriot in case of eye contact, flush with plenty of water for at least 16 minutes. Conset physician immediately. REEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unfortiened) concrete, mortar, cement or cement mistures. Angregates: Prutinged inhabitors of dust from a gravel product may be hazardous to your health. Measures to control highly dust should be taken when harding this product.

Angregates: Prutinged inhabitors of dust from a gravel product may be hazardous to your health. Measures to control highly dust should be taken when harding the product.

Hot Asphalt critics can be product. The product may be hazardous to your health. Measures to control highly dust should be taken when harding the product.

By Congress and product may be applied to concrete with the product may cause severe burns. Wear protective safety gear (long sleeves, parts and gloves). If burned, cool with water and see a physician.

Property Damage Indemnification & Release

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.  Arrived at job with				Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE- LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the selfer of its contract with me, I the undersigned, hereby INDEMNIFY the selfer and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at.			may time cha tang time cha tang time cha the product d the event shi incidenta the use o warranty made wil	Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates.  Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential, damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be rade within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line.		
Buyer's Agent reco The addition of any expressed or implied personal injury incur	auton mandurde I	a our miver mm	void any warranty	and RELEASE the a		CE	N. 19	902 SULL		
mixer.				Signature of Owner or its Agent			SHUNI	SPOKANE, NA 99216 509-536-3370		
Signatur Leave Plant A	re of Owner or Arrive Job Site	Start Dischard	e Finish Discharg	e Leave Job Site	Arrive Plant					
3:55 Drivers'			•		•					
Comments							* 1	0 1 6	1 6 3 4 *	
Order No. 3001  Customer SANDRY Delivery Instruction USE CAU MENTGSI	CONSTRU	ICTION	L424 De - 532	Phase Code  Ivery Address 4 E TRENT  5-FOLLOW F	AVE.	(ETNO. 0161634 THE LEF		Map . 231	2012/15 Zone	
Load Oly D	elivered Qly		ProductCode  2350		Descripti <b>on</b> /8" TOP	COURSE.	Unit	Price	Amount	
	Gross 73380	Tane 34500	Net 38880			De NTER A JEL CHG	elivery	Charge:		
	UCK: 51		1	7	5005	- 14				
LOAD CO	UNT: E	.8	CHECK	/ CREDIT	CHKD					
Load Size P	Prod. No. De	escription		Slump Type	CC U	e Haul Gd.	PINEIBIT	Sales Tax TOTAL DUE		
Truck @ 4 Gross	Meint Com	re Weight 25	Trailer Tra	iter Taken by	33	Check #				

LOAD COUNT:

Tuck 22 Grass Weight

Load Size

Prod No

69

Description

CHECK

CREDIT

Type

42893

Slumo

Traile

CARD

Haul Gd

Check #

Sales Tax

TOTAL DUE

Use

Property Damage Indemnification & Release The operator of this place of heavy equipment, in presenting this RE-Water added at customer's own risk. Additional water added to concrete will reduce its strength Lluyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby The operator of this place of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDENNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: due to water added above design. time charged at posted truck time rates. inch slumo Arnved at job with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_ gal water at customer request. Test cylinders Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any llability CENTRAL FRE-MIX CONCRETE CD. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Arrive Plant Leave Job Site Vers Comments Customer PO/ Company/ Customer Job Phase Code TICKET NO. Driver Order No. Cust No. Co. Proj. No. 3001 38089 1424 10161635 Bre [17] SPCITY **Delivery Address** Customer 02/12/15 Man Zone SANDRY CONSTRUCTION 5324 E TRENT AVE **Delivery Instructions** 23B S28 ELIGI USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 15:57 MENTOSITE Product Code Load Qty Delivered Qty Order Qly LIOM **Product Description UnitPrice** Amount 29.182009.151800.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 96940 38580 58360 Delivery Charge: Trir: WINTER A FUEL CHG PREV TRUCK: 510409

CUSTOMER

4656001

Concrete: Injurious to eyes.Causes skin imitation.Contains Portand Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes. Causes sixth imitation. Contains Portland Cornent. Read the following woming before using: Contact with well, unterdened connects, morte, center or certent misters can cause sixth initiation, severe themical burns or serious eye damage. Avoid contact with eyes and sixth. Wear waterproof gloss, a full-futured, long-steeve shift, full-fungit trousers and tight-futing eye protection when working with these instantials. If you have to stand in well concrete, use waterproof boots that are tight at the log and high enough to keep concrete from flowing in the function of the serious and training is as dangerous so promptly rinse these materials from dolphing. Seek immediate medical attention If you have persistent or several decornion in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, IGEP out of reach of childrent Utear agrees to convey his warning to all persons who may use or come has contact with well (privardened) protects, material materials agreed product may be hazardous to your hash. Measass to contact highly education in the product of the protection of the product. Hot Asphali. emits ruisance turnes. Avoid breathing furnes. Also, Asphali may cause severe turns. Wear protective safety gear (ong sleeves, parts and gloves). If turned, cod with water and see a physician.

Property. Quanting Indemnitication. A. Release.

Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above design.

Prod. No.

TORSEGOE WEST SQUE West DS

Load Size

Description

pricers.

Property Damage Indemnification & Release
The operator of this place of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this medinitery in the manner required to perform our contract with you may possibly cause damage to the premises or property, it is our wish to help you in everywey that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, if he undersigned, hereby INDEMNIFY is sold rand its employees for any damage and for all chains to the premises, building, utility pipelines or cables, telephone lines, driveway or other appuntenences, at: Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Umited Warranty The only liability of the seller for product defect is the return of the purchase price, in no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of derivery. We do not assume responsibility for any damage beyond the curb line. Arrived at job with inch slump. Added \_\_\_\_\_ gal water at customer request. Test cylinders Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from 'The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. Signature of Owner or its Agent 8510 N. CRESTLINE SPOKANE, WA 99217 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site (509) 536-3160 Orivers' Comments Cust No BOB Scustorial Libb **Customer PO/** 07430045 TICKETM0525 Driwilliam M SCCDOWNO. Phase Code 02/12/15 CARANDRY CONSTRUCTION 530 MARENT AVE 23B 2m 528 DOWNER TO THE LEFT-HEAVY ECUI 15:00 **MENTOSITE** UnitPrice Amount Load 少y, 4 为自治病性口(伤后 10%的(风)) / Prodect Code UOM: n Prodect Question COURSE Net Gross Tare 62940 Trk: 101000 38060 Delivery Charge: Trlr: WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK / CREDIT CARD 64

Slump

Trade

Тура

Tak\$12893

CC

Use

Haul Qd.

Check #

**OFFICE** 

4655988

SULLIVAN ROAD

PWTIGTO

Sales Tax

**TOTAL DUE** 

## Central Pre-Mix Concrete Co.

CSTC Page:

E-MAILED FEB 1 7 2015

Invoice Number 13- 2070236 Correspondence address: Please remit payment to: Invoice Date P O Box 3366 Central Pre-Mix Concrete Co. 99220-3366 PO Box 742421 **Customer Job** Spokane Los Angeles CA 90074 Customer PO 509-534-6221 Ship Address: 38089 Account No 5324 E TRENT AVE **Sandry Construction** PO Box 507 **Bigfork** MT 99202 e-mail **Matl Total** Material Units UOM **Unit Price Invoice Totals** 

Date: 2/11/15 Product Use: Ordered By: **RAY WILSON** TON 1,247.06 2350 5/8" Top Course 467755 40.00 EA Fuel Surcharge - EA 1,247.06 EΑ 467795 Winter Aggregate Charge 1,560.00 EΑ 467910 Local Delivery Haul Charge-Agg Total For 2/11/1 **Ticket Numbers:** 10161407 10161408 10161412 10161415 10161416 10161421 10161423 10161426 10161428 10161429 10161430 10161435 10161437 10161439-10161440 10161442-10161444 10161446-10161447 10161450 ---10161454 10161455 10161457 10161459~ 10161451~ 10161453 -10161458 10161460-10161463 -10161465 ---10161469 10161470 10161471 10161466 10161468 10161472 10161473 10161475---10161476 10161477\_\_\_

Concrete: injurious to eyes. Causes skin imitation. Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact with arriagorate convey this warning to all persons who makes the cause space and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve "ull-length trousers and tight-fitting eye protection when working with the naterials if you have to stand in wet concrete, use waterproof boots to tight to pand high enough to keep concrete from flowing into the finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact brough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663725 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes, Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician, Vater added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release aduce its strength. Suyer's upon to accept responsibility for reduced strength ue to water added above design. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived attjob with \_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequental damages resulting from Test cylinders that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added gal water at customer request seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability CENTRAL PRE-MIX CONGRETE CO. 1902 SULLIVAN RD. nixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-538-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site **Drivers** Comments Company/ Customer Po Order No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161407 SPCITY Date Customer **Delivery Address** 02/11/15 SANDRY CONSTRUCTION Map 5324 E TRENT AVE Zone Jelivery Instructions SER USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Times 09:04 MENTOSITE Load Qty Product Code UOM Delivered Qty Order Qty Product Description Unit Price Amount 32, 19 32.19 900.10 2350 5/8" TOP COURSE Gross Tare Net Trkt 1.014840 27880 64380 Delivery Charge: Trlr: 12580 WINTER A FUEL CHG TRUCK: 44: LOAD COUNT: CHECK CREDIT CARD Pit/Plant Prod. No. Description oad Size Sturno CC Use Haul Cd Sales Tax Type TOTAL DUE Truck Gross Weight Tare Weight Taken by Trailer 44340 Check #

CUSTOMER

2 oncrete: Injufficus to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using. Contact with wet CUSTOMER inhardened concrete morter, cement or cement mixtures can cause skisk initiation, severe chemical burns or serious eye damage. Avoid contact with yes land skip. Myear waterproof gloves, a fully-buttoned, long-sleever hard skip. Myear waterproof gloves, a fully-buttoned waterproof gloves, a fully-buttoned, long-sleever hard skip. Myear waterproof gloves, a fully-buttoned waterproof glo hrough, dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User 4663727 igrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugilive dust should be taken then handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Vater added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE Unloading & Standby Excess unloading will be ue to water added above design. LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway, that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Test cylinders Added dal water at customer request seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises; Other additions building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at Received Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. nixer. Signature of Owner or Its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arlive Plant Orlvers Comments Customer PO/ Company/ Phase Code TICKET NO. Customer Job Driver Order No. Cust. No. Co. Proj. No. 3000 38089 10161408 Garrett B SPCITY Customer **Delivery Address** 02/11/15 Мар SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions 828 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Time 09:07 MENTOSITE Load Qty Product Code **UOM** Product Description **Unit**Price Amount Delivered Qtv Order Qtv 63.89 900.10 2350 5/8" TOP COURSE tn BNSFKWater harperkwater Gross Tare Net 103680 27800 63400 Trk: Trint 12480 WINTER PREV TRUCK: 510162 CARD LOAD COUNT: 2 CHECK CREDIT Sales Tax Prod. No. Description Slump Туре Load Size TOTAL DUE Tare Weight Taken by 44340 Truck OE Gross Weight

Check #

animous to eyes. Causes skin imanon. Contains Portand Cement. Read the following warning before using: Contact with wet, inhandlered concrete, mortar, cement or cement mixtures can cause skin imaterials burns or serious eye damage. Avoid contact with syes and spin. Wear waterproof gloves, a fully-buttoned long-sleever. "All-ength trousers and tight-fitting eye protection when working with the naterials if you have to stand in wet concrete, use waterproof boots a tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, dean water Indirect contact mough, clothing is as dangerous so promptly rinse these materials from colding. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with pienty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663731 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugilitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective rafety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ue to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Arrived at job with \_ \_\_\_\_ inch slump. possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, you in everyway that we can, but in order to do this, the operator is asking Test cylinders that you sign this RELEASE. In consideration of the performance of the gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Other additions Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from 'he addition of any extra products to our mixer may void any warranty any liability CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any sersonal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. nixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Applie Job Site Start Discharge Finish Discharge Leave Job Site/ Leave Plant )rivers comments Customer PO/ Company/ Order No. Customer Job TICKET NO. Cust. No. Driver Co. Proj. No. 3000 38089 1424 10161412 SPCITY **Dustomer** Delivery Address 02/11/15 SANDRY CONSTRUCTION Map Zone 5324 E TRENT AVE elivery instructions 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E 09:35 MENTOSITE Load Qty Order Qty Product Code UOM ·Product Description **UnitPrice** Delivered Qty Amount 95.80 900.10 2350 5/8" TOP COURSE t n Gross Tare Net Trikt 104020 27820 63820 Delivery Trire 12380 WINTER PREV TRUCK: 510616 LOAD COUNT: Prod. No. Description Sales Tax Type Slump

Taken by 44340

CUSTOMER

**TOTAL DUE** 

Check ##

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet,

oad Size

Force Weight Tare Weight

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyest and skin. Wear waterproof gloves, a fully-buttoned, long-sleevy full-length trousers and tight-fitting eye protection when working with the full-length trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots e tight at the top and high enough to keep concrete from flowing into the.

If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact intuiting dorbing is a dangerous or promptly rinse these materials from dothing. Seek immediate medical attention if you have persistent or severe discorniort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handing this product.

Hot Asphalt emilis nuisance furnes. Avoid breathy furnes. Also, Asphalt may cause severe burns. Wear protective 4663737 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Nater added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby fue to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may time charged at posted truck time rates. inch slump. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Job Site **Arrive Plant** Drivers Comments Company/ Customer PO/ Order No. Customer Job TICKET NO. Cust. No. Phase Code Driver Co. Proj. No. SOOD 38089 1424 10161415 Luke W SPCITY Date Customer **Delivery Address** 02/11/15 SANDRY CONSTRUCTION Map 5324 E TRENT AVE Zone Delivery Instructions 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E Liftme 09:48 MENTOSITE Load Qty Delivered Qty Order Qty **Product Code** UOM Product Description Unit Price Amount 31.36 127.16 900.10 2350 tn 5/8" TOP COURSE BN3FKWATER Gross Tare Net 103180 Trk: 27880 62720 Trir: 12580 WINTER A FUEL -CHG 510611 PREV TRUCK: LOAD COUNT: CHECK CREDIT CARD Prod. No. oad Size Description Slump Туре Sales Tax **TOTAL DUE** Taken by 340 Truck 1 Gress Weight 5 Jare Weight 23 Check #

CUSTOMER

CUSTOMER concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, initiation, severe chemical burns or serious eye damage. Avoid contact with sufficient trousers and tight-fitting eye protection when working with the. nhardened concrete, mortar, cement or cement mixtures can cause state yes and skin HWear waterproof gloves, a fully-buttoned, long-sleever national stand in wet concrete, use waterproof boots to a tight at the top and high enough to keep concrete from flowing into them.

Initialing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact rough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe iscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663738 agregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handing this product. Hot Asphalt emits nuisance fumes. Avoid breathing fumes. Also, Asphalt may cause severe burns. Wear protective afety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. /ater added at customer's own risk. Additional water added to concrete will aduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be ue to water added above design. charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. inch slump Arrived at job-with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, you in everyway that we can, but in order to do this, the operator is asking Test cylinders that you sign this RELEASE. In consideration of the performance of the dal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMINIFY the incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions appurtenances, at teceived. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from he addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any sersonal injury incurred by you white adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 eave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site Arrive Plan )rivers comments Company/ Customer PO/ TICKET NO. Order No. Customer Job Phase Code Driver Cust No. Co. Proj. No. BOOD 38089 1.424 10161416 Garrett B SPCITY Date 02/11/15 Delivery Address Customer SANDRY CONSTRUCTION 5384 E TRENT AVE Map elivery Instructions Scale USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY MENTESITE Unit Price Amount Load Qty Product Code LIOM Product Description Delivered Qty Order Qtv 31.08 158.24 900.10 2350 578" TOP COURSE Gross Tare Net TrkE 102440 27800 62160 Trins 12480 WINTER FUEL - CHG TRUCK: 510162 LOAD COUNT: CHECK CREDIT Use Pit/Plahti Sales Tax Prod No. Slump Hauf Cd. oad Size Description Type

Taken by 40

Check #

Truck DE Gross Weight STare Weight 1 4

TOTAL DUE

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause stan, irritation, severe chemical burns or serious eye damage. Avoid contact with eyes, and skin, where waterproof gloves, a fully-buttoned, long-sleev materials. If you have to stand in wet concrete, use waterproof boots are tight at the top and high enough to keep concrete from flowing into the. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact Infrishing Concrete, were interest packs to proceed interest interest in the context will all you have persistent or severe discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control flugitive dust should be taken. 4663745 when handling this product. Hot Asphalt ernits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE Unloading & Standby Excess unloading will be due to water added above design LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from Test cylinders Added water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site-Drivers Comments Customer PO/ Company/ Customer Job Order No. Phase Code TICKET NO. Cust. No. Driver Co. Proj. No. 3000 1424 38089 10161421 Luke Date W SPCITY Customer Delivery Address 02/11/15 Мар SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions S28 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Scale 10:31 MENTOSITE Product Code **UOM** Product Description Load Qty Delivered Qty Order Qty **Unit Price** Amount 31.94 190.18 900.10 2350 5/8" TOP COURSE t: n Gross Tare Net Thk: 104340 27880 63880 Delivery Trirs 12580 WINTER A FUEL CHG 510616 PREV TRUCK: LOAD COUNT: 6 CHECK CREDIT CARD Pit/Plant Load Size Prod. No Description Slump Туре Use Haul Gd. Sales Tax **TOTAL DUE** Taken by 4434(2) 21 Gross Weight Check #

CUSTOMER

CUSTOMER concrete; injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet inhardened concrete, mortar, cement or cement mixtures can cause inhardened concrete, mortar, cement or cement mixtures can cause with the materials. If you have to stand in wet concrete, use waterproof boots to be eight at the top and high enough to keep concrete from flowing into them. finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact hrough dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe tiscomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User grees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663748 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken then handing this product.

Hot Asphalt enits nulsance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety geal (long sleeves, pants and gloves). If burned, cool with water and see a physician. Property Damage Indemnification & Release Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby ue to water added above design. machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help time charged at posted truck time rates. inch slump Arrived at job with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no you in everyway that we can, but in order to do this, the operator is asking Test cylinders that you sign this RELEASE. In consideration of the performance of the Added ual water at customer request event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any any liability. CENTRAL PRE-MIX CONCRETE 1902 SULLIVAN RD. personal injury incurred by you while adding additional products to our Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge Finish Discharge Leave/Job Site **Orivers** Comments Company/ Customer PO/ Phase Code TICKET NO. Customer Job Co. Proj. No. Order No. Cust. No. 38089 3000 1424 10161423 Garrett B SPCITY Date 02/11/15 Delivery Address Customer Map SANDRY CONSTRUCTION 5324 E TRENT elivery Instructions 928 23B Scale Time: USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 10:42 MENTOSITE Load Qty Product Code LIOM Product Description Unit Price Amount Order Qty Delivered Qty 5/8" TOP COURSE 31,46 221,64 900,10 2350 Gross Tara Net 103200 27800 62920 Trks Delivery Charge: Trire 12480 WINTER A FUEL - CHG PREV TRUCK: 510162 # LOAD COUNT: CHECK CREDIT Pit/Plant Sales Tax Prod. No. Haul Cd oad Size Description Type **FOTAL DUE** 

Taken by 340

Check #

Fruck (A.C. Gross Weight C. Tare Weight 14

uniaroened concere, morar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contact we eyes, and stim-Wear waterproof gloves, a fully-buttoned, long-sleever intellength trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots in the standard property of the semanterials, wash of immediately with fresh, clean water, indirect contact with results and concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water, indirect contact scornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Addresses in control furtifies dust should be taken. agrees to convey this warning to all persons who may use or come into contact with wet (unnargened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4663755 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this tue to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may Arrived at job with possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE in consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the inch slump. time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added gal water at customer request. Test cylinders Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any sersonal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent NWGDELTKT090408 Arrive Plant 509-536-3370 Plant | Arrive Job Site Start Discharge Finish Discharge Leave Job Site )rivers comments Company/ Customer PO/ Order No. Cust, No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161426 Luke W SPCITY :ustomer Delivery Address 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE elivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 528 MENTOSITE 11:18 \_oad Qty Delivered Qty Order Qty Product Code **Product Description** UOM **Unit Price** Amount 30.06 251.70 900.10 2350 5/8" TOP COURSE tn Gross Tare Net Trk: 100580 27880 60120 Delivery Charge: Trir: 12580 WINTER A FUEL CHG TRUCK: 510616 \_OAD COUNT: 8 CREDIT CARD ad Size Prod. No. Description Slump Type CC Use Haul Gd. Pit/Plant Sales Tax TOTAL DUE Jare Weight Taken by 23 340 Check #

CUSTOMER

Concrete: Injurious to eyes.Causes skin irritation Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with the contact wi

LOAD

Load Size

COUNT:

Prod. No.

9

Description

117

Zare Weight

CHECK

CREDIT

Type

Taken by 44340

Slump

Trailer

CARD

Use

Haul Cd.

Check #

Pit/Plant

Sales Tax

TOTAL DUE

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, inhardened concrete, mortar, cement or cement mixtures can cause submitted on, severe chemical burns or serious eye damage. Avoid contact with CUSTOMER ayes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve?

"ull-length trousers and tight fitting eye protection when working with the naterials. If you have to stand in wet concrete, use waterproof boots, finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact. hrought clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to correct this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugility dust should be taken 4663758 when handling this product Hot Asphalt ernits nulsance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parts and gloves). If burned, cool with water and see a physician. Vater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be lue to water added above design. LEASE to you for your signature is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job\_with inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no Test cylinders Added gal-water at customer request. event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume recognitibility for any departs between the problem. seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any llability. CENTRAL PRE-MIX CONCRETE expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE. WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Finish Discharge Arrive Job Site Start Discharge Leave Plant Leave Job Site **Arrive Plant** rivers Comments Company/ Customer PO Order No. Customer Job Cust. No. Phase Code TICKET NO. Driver Co. Proj. No. SOOD 38089 1424 10161429 Ganrett B SPCITY Date Delivery Address めミノ11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Map Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Scale 11:31 MENTASTIF Load Qty Order Oty **Product Code** MOU Delivered Qty **Product Description** UnitPrice Amount 31.48 314.30 900.10 2350 5/8" TOP COURSE tn Gross Tare Net Trks 27800 103240 62960 Delivery Charge: Trift 12480 WINTER A FUEL CHG TRUCK: 510611 # LOAD COUNT: 1 [7] Prod. No. Description CC oad Size Slump Type Use Haul Cd Pit/Plant Sales Tax **TOTAL DUE** Truck of Grass Weight C Fare Weight 1.4. Taken by 3 417 MINISTER 1 F.

Check #

\_ inch slump.

due to water added above design.

Truple 5 Gross Weight

7 Fare Weight @3

Trailer

Trailer

Taken by 340

Check #

Arrived at job with

CU	STO	ME	F
----	-----	----	---

4663760

The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can but in order to do this, the operator is asking Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Limited Warranty The only liability of the

n no rect. any ume e.

CO.

**TOTAL DUE** 

Added gal water at customer request. Test cylinders taken  Other additions  Received	that you sign this RELEASE. In consideration of the performance of seller of its contract with me. I the undersigned, hereby INDEMNIFY seller and its employees for any damage and for all claims to the premis building, utility pipelines or cables, telephone lines, driveway or other contracts.	the event snall the seller be liable for any direct, indi- incidental or consequential damages resulting
by X	appurtenances, at:	made within 24 hours of delivery. We do not assi
Buyer's Agent receipt of product and approval of any added items.	and RELEASE the seller and its employees from	responsibility for any damage beyond the curb lin
The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our mixer.	any liability	NTRAL PRE-MIX CONCRETE N. 1902 SULLIVAN RD.
unizer.	Signature of Owner or its Agent	SPOKANE, WA 99216
Signature of Owner or its Agent	NWGDELTKT090408	509-536-3370
Leave Plant Arrive Job Site Start Discharge Finish Dischar	ge Leave Job Site Arrive Plant	
Comments	1:10	
Company/           Order No.         Cust. No.         Customer Job           3ØØØ         38Ø89         1424	Customer PO/ Phase Code TICKET NO.	Driver Co. Proj. No. Pete M SPCITY
	livery Address 4 E TRENT AVE	Date 02/11/15 Map Zone
Delivery Instructions USE CAUTION CROSSING RAILROADS MENT@SITE		270 000
Load Qty. Delivered Qty Order Qty Product Code	UOM Product Description	Unit Price Amount
29.71 344.01 900.10 2350	tn 5/8" TOP COURSE	7 and an
	vii tir tur tuultat	
Gross Tare Net		
Gross Tare Net Trk: 97480 38060 59420		
Trir:		ivery Charge:
	WINTER A	
PREV TRUCK: 510616 #	FUEL CHG	
	/ CREDIT CARD	
oad Size Prod. No. Description	Slump Type CC Use Haul Cd.	PivPient Sales Tax

CUSTOMER

LOAD COUNT:

Load Size

Prod. No.

13

Description

CHECK

CREDIT

Type

Taken by 44340

Use

Haul Gd.

Check #

Sales Tax

**TOTAL DUE** 

Pit/Plant

Slump

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, CUSTOMER LONGINGES. Injurious to eyes, Causes skin Initiation. Contains Portaind Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause starting initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin, Wear waterproof gloves, a fully-buttoned, long-sleev "ull-length trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots to either the top and high enough to keep concrete from flowing into the, it finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water Indirect contact intrough clothing is as dangerous so promptly insee these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User arrives to convex this warning to all nervous who may use or come into contact with wet (unhardened) concrete mortar contact mixtures. agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nulsance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4663774 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Nater added at customer's own risk. Additional water added to concrete will educe its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this iue to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Arrived at job with time charged at posted truck time rates. inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the Added< gal water at customer request. Test cylinders seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may vold any warranty any liability. CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N: 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Plant Leave Job Site rrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161439 Garrett B SPCITY Customer Delivery Address Date 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Man Zone elivery Instructions 23B USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY S28 E lime 12:25 Load Qty Delivered Qty Order Qtv Product Code UOM Product Description Unit Price Amount 32.28 440.57 900.10 2350 tn 5/8" TOP COURSE Gross Tare Net Trk: 104840 27800 64560 Delivery Charge: Trir: 12480 WINTER A FUEL CHG PREV TRUCK: 510611 LOAD COUNT: 14 CHECK CREDIT Prod. No. oad Size Description Slumn Type Haul Cd. Pit/Plant Sales Tax **TOTAL DUE** 

Taken by 340

Check #

JUSE 16

Fruck Of Gross Weight 4 Tare Weight 14

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause state irritation, severe chemical burns or serious eye damage. Avoid contact with CUSTOMER eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleev/ materials. If you have to stand in wet concrete, use waterproof boots full-length trousers and tight-fitting eye protection when working with the eight at the top and high enough to keep concrete from flowing into the. If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to correy this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cernent or cernent mixtures.

Aggregates, Protonged-intellations of titist from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long steeves, pants and gloves). If burned, cool with water and see a physician. 4663775 Nater added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby tue to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with \_\_\_\_ inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, Test cylinders Added al water at customer request selter of its contract with me, I the undersigned, hereby INDEMNIFY the incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. seller and its employees for any damage and for all claims to the premises. Other additions building, utility pipelines or cables, telephone lines, driveway or other Received, appurtenances, at: Dγ Buyer's Agent receipt of product and approval of any added Items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge Leave Plant Leave Job Site Arrive Plant **Drivers** Comments Company/ Customer PO/ Order No. Customer Job Cust: No Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10151440 Pete -[4] SPOITY Date Customer **Delivery Address** SANDRY CONSTRUCTION 5324 E TRENT AVE Man Zone Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Scale MENTESITE Load Qty ProductCode Delivered Qty Order Qty UOM **Product Description Unit Price** Amount 30.21 470.78 900.10 2350 5/8" TOP COURSE Gross Tare Net Trkt 98480 38060 60420 Delivery Charge: Trles WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: 15 CHECK CREDIT Prod. No. Pit/Plant Load Size Description Slump Type Use Haul Cd Sales Tax **TOTAL DUE** Taken by 443412 Truck Gross Weight Tare Weight Trailer Traile Check #

Slump

J318611

Type

Taken by 340

Haul Cd.

Check #

Pit/Plant

Sales Tax

**TOTAL DUE** 

Description

Truck ZIC Gross Weight = Tare Weight 10

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleev, full-length trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots be tight at the top and high enough to keep concrete from flowing into the tight interpretated with free materials wash off immediated with free place water buffer contact. CUSTOMER figure and the concrete was three pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediately with fresh, clean water. Indirect contact through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediately with fresh, clean water. Indirect contact discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugltive dust should be taken when handling this product. Hot Asphalt emits nuisance turnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4663781 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release reduce its strength Buyer's agent agrees to accept responsibility for reduced strength due to water added a poveresign. The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at ob with inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Added Test cylinders gal water at customer request. seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability expressed or implied by the seller. The seller accepts no liability for any CENTRAL PRE-MIX CONCRETE CO. personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Arrive Job Site Start Discharge Finish Discharge eave Plant Leave Job Site Arrive Plant Drivers Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No 3000 38089 1424 10161444 Lukie W SPCITY Customer **Delivery Address** 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Man Zone Delivery Instructions SE8 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY E Litime 12:57 MENTOSITE Load Qty Delivered Otv Order Qty Product Code UOM **Product Description Unit Price** Amount 29.79 532.68 900.10 2350 t: n 5/8" TOP COURSE Gross Tarre Net Trk: 100040 27880 59580 Delivery Charge: Trir: 12580 WINTER A FUEL CHG PREV TRUCK: 510611 LOAD COUNT: 17 CHECK CREDIT CARD Load Size Prod. No. Description Slump Pit/Plant Type Use Haul Çd. Sales Tax **TOTAL DUE** Truck 10 1 Gross Weight Taken by 44340 Trailer

Check #

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with CUSTOMER unhardened concrete, mortar, cement or cement matures can cause sont imagion, severe chemical burns or senious eye damage. Avoid contact with eyes and skin, Wear waterproof gloves, a fully-buttoned, long-sleew full-length trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots in the top and high enough to keep concrete from flowing into the. If finishing concrete, wear kneep adds to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through coloning is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663783 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Unloading & Standby Excess unloading will be due to water added above design charged at posted truck time rates. Truck standby time charged at posted truck time rates. Arrived at job-with inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cylinders Added gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant **Drivers** Comments Company/ Customer PO/ Order No. Customer Job Phase Code Cust. No. TICKET NO. Driver Co. Proj. No. SIDIDID 38089 1424 10161446 Garrett B SPCITY Customer Delivery Address 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE 7nne Delivery Instructions PRB SES USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY EDG. 13:09 Load Qty Product Code UOM **Product Description** Delivered Qty Order Oty Unit Price Amount 31.81 564.49 900.10 2350 5/8" TOP COURSE Gross Tare Net 103900 Trks 27800 63620 Delivery Charge: Trir: 12480 WINTER A FUEL CHG PREV TRUCK: 510162 LOAD COUNT: 18 CHECK / CREDIT CARD Prod. No. Description CC Haul Gd. Load Size Slump Type Use Sales Tax **TOTAL DUE** 35 Tare Weight Taken by 44340 Check #

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with well, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with great skin, Wear waterproof gloves, a fully-buttoned, long sleep in full-length trousers and tight-fitting eye protection when working with it are tight at the top and high enough to keep concrete from flowing into the through clothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornfort. In case of eye contact, flush with plenty, of water for at least 15 minutes. Constit physician immediately. KEEP out of reach of children User agrees to convey this warning to all persons who may use or come into contact with well (unhardened) concrete, mortar, cement or cement mixtures. Aggregates: Protonged initiations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when flartiling this-product. Hot Asphalt emis nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parits and gloves). If burned, cool with water added at customer's own risk. Additional water added to concrete will.

Proparty, Damarty, CUSTOMER 4663784 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RELEASE to you for your signature, is of the opinion that the operation of this
machinery in the manner required to perform our contract with you may
prescribly reuse demands by the propriets or property. It is an expert to the produe to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with \_\_ macinities in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other annumbrances at inch slump time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. \_\_\_ gal water at customer request. Test cylinders Other additions Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our CENTRAL PRE-MIX CONCRETE CO. mixer. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 Leave Plant Arrive Job Site Start Discharge NWGDELTKT090408 Finish Discharge Leave Job Site **Arrive Plant** Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Co. Proj. No. SOUN 38089 1424 10161447 Pete M SPCITY Customer **Delivery Address** Date 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Man Delivery Instructions USE CAUTION CROWSING 528 RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Scale MENTOSITE 13:15 Load Qty Delivered Qty Order Qty Product Code UOM **Product Description** Amount 30.75 595.24 900.10 2350 5/8" TOP COURSE Gross Tare Net 99560 Trks 38060 61500 Delivery Charge: Trire WINTER A FUEL CHG PREV TRUCK: 510616 LOAD COUNT: CHECK / CREDIT Load Size Prod. No. Description Slump Туре Use Pit/Planti Haul Cd. Sales Tax TOTAL DUE Truph 5 Gross Weight 7 dare Weight 73 Trailer Trailer Taken by 40 Check #

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleer materials. If you have to stand in wet concrete, use waterproof boo.

If finishing concrete, wear knee pads to protect knees. After contact with any of these materials wash off immediately with fresh, clean water. Indirect contact discornfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Addredates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this-product. Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4663787 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby Arrived at job with inch slump time charged at posted truck time rates. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_ gal water at customer request. Test cylinders Other additions Received building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our and RELEASE the seller and its employees from any liability CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent Leave Planta Arrive Joh Site Start Discharge NWGDELTKT090408 509-536-3370 Finish Discharge Leave Job Site Arrive Plant **Drivers** Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver 3000 Co. Proj. No. 38089 1424 10161450 Customer SPCITY **Delivery Address** SANDRY CONSTRUCTION 5324 E TRENT AVE 02/11/15 Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY SEB 13:36 Delivered Qty Order Qtv Product Code UOM Product Description Unit Price Amount 31.82 627.06 900.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 103840 27820 63640 Delivery Charge: Trin: 12380 WINTER A FUEL CHG PREV TRUCK: 525618 LOAD COUNT: CHECKIN CREDIT Load Size Prod. No. Description Slump Use Haul Gd. Sales Tax Truck OE Gross Weight 3 Jare Weight 10) TOTAL DUE J38611 Check #

CUSTOMER

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cernent. Read the following warning before using: Contact with wet CUSTOMER unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact we unhardened concrete, mortar, cement or cement mixtures can cause sun immaion, severe chemical burns or senous eye damage. Avoid contact weeyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleev materials. If you have to stand in wet concrete, use waterproof boot.

If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water, indirect contact through dothing is as dangerous so promptly inse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warming to all persons who may use or come into contact with wet (unfrardened) concrete, mortar, cement or cement mixtures. 

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health Measures to control fugitive dust should be taken when handling this product. 

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4663788 Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help Arrived at Nob with time charged at posted truck time rates inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb like. you in everyway that we can, but in order to do this, the operator is asking Added Test cylinders that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the gal water at customer request. seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from any liability. The addition of any extra products to our mixer may void any warranty CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no flability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 10161451 Little W SPCITY Customer Date **Delivery Address** 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Map Zone Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY Scale MENTOSITE Load Qty Delivered Qty Product Code Order Qty UOM Product Description **Unit Price** Amount 31.78 658.84 900.10 2350 5/8" TOP COURSE tn Gross Tare Net Trkt 104020 27880 63560 Delivery Charge: Tribes 12580 WINTER A FUEL CHG PREV TRUCK: 510611 LOAD COUNT: CHECK CREDIT Prod. No. Load Size Description Slump Type CC Use Pit/Plant Haul Cd Sales Tax TOTAL DUE Taken by

Check #

Tare Weight

171

Truck Gross Weight

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear, waterproof gloves, a fully-buttoned, long-sleever "full-length trousers and tight-fitting eye protection when working with the materials, if you have to stand in wet concrete, use waterproof boots a tight at the top and high enough to keep concrete from flowing into ther... If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through obthing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Addresses: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control funitive dust should be taken CUSTOMER Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4663792 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician, Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with \_\_\_\_\_ inch slump time charged at posted truck time rates. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added \_\_\_\_ \_\_ gal water at customer request. Test cylinders seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. responsibility for any damage beyond the curb line. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. expressed or implied by the seller. The seller accepts no liability for any CENTRAL PRE-MIX CONCRETE CO. personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 WGDELTKT090408 Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161453 Bryan SPCITY Customer **Delivery Address** Date 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 888 13:53 MENTOSITE Load Qty Delivered Qty Order Qty Product Code **UOM Product Description Unit Price** Amount 30.49 689.33 900.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 96800 24900 60980 Delivery Charge: Trirs 10920 WINTER A FUEL CHG

PREV TRUCK:

Prod. No.

Truck Gross Weight 4 Tare Weight 31

LOAD COUNT:

\_oad Size

510162

Description

CHECK

CREDIT

Taken by 340

Haul Qd.

Check #

Pit/Plant

Sales Tax
TOTAL DUE

Slump

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause initiation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeving thength trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boots. The standard protection when working with the materials have to stand in wet concrete, trees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663793 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this prodfict.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Nater added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this REreduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby tue to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Arrived at job with possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Test cytinders gal water at customer request. Added seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Other additions building, utility pipelines or cables telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability. CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant, Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161454 Petie M SPCITY Customer **Delivery Address** 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Map Zone Delivery Instructions 23B 528 USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY ESTE 13:58 MENTOSITE Load Oty Delivered Qty Order Qty Product Code UOM **Product Description** Unit Price Amount 718.97 900.10 2350 5/8" TOP COURSE Grass Tare Net 97340 38060 \* K : 59280 Delivery Charge: WINTER A FUEL CHG TRUCK: 510577 LOAD COUNT: 20.00 CHECK CREDIT CARD Prod No. Load Size Description CC Slump Туре Haul Cd. Sales Tax TOTAL DUE Taken by 443412 Truck Gross Weight Trailer Traile

Check #

CUSTOMER

Concrete: Injurious to eyes Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with respect to the concrete protection when working with the contact with a set light at the top and high enough to keep concrete from flowing into their through dothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornifort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete. mortar, cement or cement mixtures. CUSTOMER Aggregates: Protoxyed inhabitions of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisarnoe furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4663794 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Property Damage Indemnification & Release The operator of this place of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this due to water added above design. Untoading & Standby Excess unloading will be machinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help Arrived at Job with charged at posted truck time rates. Truck standby inch slump time charged at posted truck time rates. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Limited Warranty The only liability of the seller for product defect is thereturn of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. Added gal water at customer request. Test cylinders taken seller of its contract with me, I the undersigned, hereby INDEMNIFY the Other additions seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any llability. CENTRAL PRE-MIX CONCRETE CO. mixer. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive-Plant **Drivers** Comments Company/ Order No. Customer PO/ Cust. No. Customer Job Phase Code TICKET NO. 3000 Driver 38089 Co. Proj. No. 1424 10161455 Garrett B SPCITY Customer Delivery Address SANDRY CONSTRUCTION 02/11/15 5324 E TRENT AVE Delivery Instructions Map USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY MENTOSITE -Scala 14:00 Load Qty Delivered Qty Order Qty Product Code UOM **Product Description** Unit Price 31.89 750.86 900.10 2350 Amount 5/8" TOP COURSE Gross Tare Net Trica 104060 27800 63780 Triffe Delivery Charge: 12480 WINTER A FUEL CHG PREV TRUCK: 525618 LOAD COUNT: CHECK / CREDIT oad Size Prod. No. Description Slump Туре Use Pit/Plent Haul Gd. Sales Tax Truck @ Gross Weight @ Fare Weight 14 TOTAL DUE Taken by 340 Jan 16 Trailer

Check #

Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact verses and skin. Wear waterproof gloves, a fully-buttoned, long-slee full-length trousers and tight-fitting eye protection when working with the materials. If you have to stand in wet concrete, use waterproof boo if finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, dean water, Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe disconfort. In case of eye contact, thus his plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of childrent User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. Additional interval in the process of dust from a gravel product may be hazarduse to your health. Measures to portry furtified dust should be taken CUSTOMER Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control flightive dust should be taken when handling this product. Hot Asphalt emits nulsance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, parits and gloves). If burned, cool with water and see a physician. 4663798 Property Damage Indemnification & Release
The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be due to wateradded above design. charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may possibly cause damage to the premises or properly. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking time charged at posted truck time rates. Arrived at job with inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any demante heavend the curb line. Test cylinders Added that you sign this RELEASE. In consideration of the performance of the gal water at customer request seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you white adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site. **Drivers'** Comments Company/ Customer PO/ Order No. Cust No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161457 Roy J SPCITY Customer Delivery Address 02/11/15 SANDRY CONSTRUCTION 5324 E TRENT AVE Map Zone Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:21 MENTOSITE Load Qty Delivered Qty Order Qty Product Code **Product Description UnitPrice** Amount 30.80 781.66 900.10 2350 tn 5/8" TOP COURSE Gross Tare Net

Trks 101800 27820 61600 Trir: 12380

Delivery Charge:

WINTER A FUEL CHG

PREV TRUCK: 510616 LOAD COUNT:

CHECK CREDIT CARD

Prod. No. Load Size Description Slump Type CC Use Haul Cd Pit/Plant Sales Tax TOTAL DUE Taken by 340 Tropk OF Gross Weight Gare Weight 10 Check #

Concrete: In urious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with unhardened concrete mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact eyes and skin, Vivear waterproof gloves, a fully-buttoned, long-sleer to the full-length trousers and tight-fitting eye protection when working with the patentials. If you have to stand in wet concrete, use waterproof both finishing concrete, wear knee pads to protect knees. After contact who was a firmediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discornifort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged initiations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when harding this product.

Hot Asphalt emils nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety dear flows sheaves to ants and diseas. If burned, cool with water and see a physician. CUSTOMER 4663800 safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. machinery in the manner required to perform our contract with you may time charged at posted truck time rates. Arrived at job with inch stump. possibly cause damage to the premises or property. It is our wish to help Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage beyond the curb line. you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the seller of its contract with me, I the undersigned, hereby INDEMNIFY the seller and its employees for any damage and for all claims to the premises, Test cylinders taken gal water at customer request Other additions Received X building, utility pipelines or cables, telephone lines, driveway or other appurtenances, at: Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Arrive Plant Leave Job Site Drivers' Comments Company/ Customer PO/ Order No. Cust. No. Customer Job Phase Code TICKET NO. Driver Co. Proj. No. SOOR 38089 1424 10161459 Pete M SPCITY Customer Date 02/11/15 Delivery Address SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:35 MENTOSITE Load Qty Delivered Qty Order Qty Product Code **UOM** Product Description **UnitPrice** Amount 900.10 2350 5/8" TOP COURSE Snoss Tare Net Trks 101640 38060 63580 Delivery Charge: Trire WINTER A FUEL CHG TRUCK: 510162 LOAD COUNTS CHECK CREDIT Load Size Prod. No. Description Slump CC Type Use Haul Cd. Pit/Plant Sales Tax

Taken by 340

Check #

Truck 5 Gross Weight A Tare Weight A 2

Trailer

Trailer

TOTAL DUE

Gross Tare Net 105040 27800 64760 Trk: Inln: 12480

Delivery Charge:

Sales Tax

**TOTAL DUE** 

WINTER A FUEL CHG

TRUCK: 525618 . PREV HOAD COUNT: 28 CHECK CREDIT

CARD

Prod. No. Description Slump Type Use Haul Gd. Pit/Plant Load Size

\_\_\_ Jare Weight

Taken by 44340

Check #

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with CUSTOMER unhardened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contac unhardened concrete, mortar, cement or cement mixtures can cause skin imitation, severe chemical burns or serious eye damage. Avoid contax eyes and skin, Wear waterproof gloves, a fully-buttoned, long-sier and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof bot are tight at the top and high enough to keep concrete from flowing into them. If finishing concrete, wear kneep pads to protect knees. After contact with any of these materials, wash of immediately with fresh, clean water, indirect contact through coloning is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortan furitive dust should be taken. Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits musance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective 4663806 safety goar (long sleeves, pants and gloves). If burned, cool with water and see a physician. Water added at customer's own risk. Additional water added to concrete will reduce its strength. Buyer's agent agrees to eccept responsibility for reduced strength Property Damage Indemnification & Release The operator of this please of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be charged at posted truck time rates. Truck standby due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this machinery in the manner required to perform our contract with you may possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the time charged at posted truck time rates. Arrived at job with \_\_ \_\_\_inch slump. Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume responsibility for any damage heavend the curb line. Added \_\_\_\_ Test cylinders gal water at customer request. setter of its contract with me, I the undersigned, hereby INDEMINIFY the Other additions setter and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Received, appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liablity CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. mixer. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Leave Plant | Arrive Job Site Start Discharge | Finish Discharge Leave Job Site Arrive Plant Drivers' Comments Company/ Customer PO/ Order No. Cust. No. **Customer Job** Phase Code TICKET NO. Driver Co. Proj. No. 3000 38089 1424 10161463 Bryan P SPOITY Date 02/11/45 **Delivery Address** SANDRY CONSTRUCTION 5324 E TRENT AVE Zone Delivery Instructions CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:53 MENTOSITE Load Qty Product Code **UOM Product Description** Delivered Qty Order Qty **Unit Price** Amount 30.09 907.18 900.10 2350 tn 5/8" TOP COURSE Gross Tare Net 12 6 5 96000 24900 60180 Delivery Charge: Tripe 10920 WINTER A

TRUCK: 510616

Description

CHECK /

CREDIT

Туре

Taken by 340

CC

Slump

LOAD COUNT:

Load Size

Prod No

Truck 05 Gross Weight On Tare Weight 01

**EUEL CHG** 

Haul Cd

Check #

Pit/Plant

Sales Tax
TOTAL DUE

Use

CUSTOMER Concrete: Injurious to eyes.Causes skin irritation.Contains Portland Cement. Read the following warning before using: Contact with wet, unhardened concrete, mortar, cement or cement mixtures can cause skin invitation, severe chemical burns or serious eye damage. Avoid contact with unhardened concrete, mortar, cement or cement mixtures can cause skirreyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve s length trousers and tight-fitting eye protection when working with these materials. If you have to stand in wet concrete, use waterproof boots the adjust at the top and high enough to keep concrete from flowing into them.
If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures. 4663808 Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health, Measures to control ligitive dust should be taken when handling this product.

Hot Asphalt emis nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician Property Damage Indemnification & Release Water added at customer's own risk. Additional water added to concrete will The operator of this piece of heavy equipment, in presenting this RE-LEASE to you for your signature, is of the opinion that the operation of this reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength Unloading & Standby Excess unloading will be due to water added above design. charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help inch slump. Arrived at job with Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no you in everyway that we can, but in order to do this, the operator is asking Test cylinders that you sign this RELEASE. In consideration of the performance of the gal water at customer request. Added event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, building, utility pipelines or cables, telephone lines, driveway or other Other additions the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume appurtenances, at: Received by responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our any liability. CENTRAL PRE-MIX CONCRETE CO. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Finish Discharge Arrive Plant Arrive Job Site Start Discharge Leave Job Site Leave Plant **Drivers** Comments Company/ Customer PO TICKET NO. Order No. Customer Job Phase Code Driver Cust. No Co. Proj. No. 3000 38089 1424 10161465 Cliff SPCITY Date 02/11/15 **Delivery Address** Customer Map SANDRY CONSTRUCTION 5324 E TRENT AVE Delivery Instructions 528 -Scale USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 14:56 MENTESITE **Unit Price** Amount Load Qty Product Code LIOM Product Description Order Qty Delivered Qty 27.61 934.79 900.10 2350 5/8" TOP COURSE Gross Tare Net Trk: 92680 37460 55222 Delivery Charge:

CREDIT

Type

Taken by 410

Slump

Trailer

CHECK

Trailer

WINTER A FUEL CHG

Use

Haul Cd

Check #

Sales Tax

**TOTAL DUE** 

Pit/Plahti

Trilr:

PREV

Load Size

TRUCK:

Prod. No.

Truckin 7 Gross Weight 3 Tare Weight 73

LOAD COUNT:

510577

Description

30

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet, unhandened concrete, mortar, cement or cement mixtures can cause skin irritation, severe chemical burns or serious eye damage. Avoid contact with eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleeve hended with the materials. If you have to stand in wet concrete, use waterproof boots to tight at the top and high enough to keep concrete from flowing into them. CUSTOMER If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water. Indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort. In case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately. KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this product.

Hot Asphalt emits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4663809 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength The operator of this piece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be due to water added above design. LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates. possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking that you sign this RELEASE. In consideration of the performance of the Arrived at job with inch slump Limited Warranty The only liability of the seller for product defect is the return of the purchase price. In no event shall the seller be liable for any direct, incidental or consequential damages resulting from Test cylinders Added gal water at customer request, seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, Other additions the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: responsibility for any damage beyond the curb line. Buyer's Agent receipt of product and approval of any added items. and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no liability for any personal injury incurred by you while adding additional products to our N. 1902 SULLIVAN RD. Signature of Owner or its Agent SPOKANE, WA 99216 Signature of Owner or its Agent 509-536-3370 NWGDELTKT090408 Arrive Job Site Start Discharge Leave Plant Finish, Discharge **Arrive Plant** Leave Job Site Drivers Comments Company/ Customer PO/ TICKET NO. Order No. Cust. No. Customer Job Phase Code Driver Co. Proj. No. 3000 1424 38089 10161466 Roy SPCITY Customer **Delivery Address** Ø2/11/15 Мар SANDRY CONSTRUCTION 5324 E TRENT AVE Zone **Delivery Instructions** 528 E Clime! USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY 15:10 MENTOSITE Load Qty Delivered Qty Order Qtv Product Code UOM **Product Description Unit Price** Amount 32.65 967.44 900.10 2350 5/8" TOP COURSE

Gross Tare Net Trk: 105500 27820 65300 Trlr: 12380

Delivery Charge:

WINTER A FUEL CHG

PREV TRUCK: 520711 LOAD COUNT: 31

CHECK / CREDIT CARI

#

Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pit/Plant Sales Tax TOTAL DUE

Truck of Gross Weight 75 are Weight 10 July 511 Trailer Taken by 44340 Check #

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cernent. Read the following warning before using: Contact with wet unhardened concrete, mortar, cernent or cernent mixtures can cause standing and contact with wet eyes and skin. Wear waterproof gloves, a fully-buttoned, long-sleever attended to stand in wet concrete, use waterproof boots.

Lill-length trousers and tight-fitting eye protection when working with the attended to stand in wet concrete, use waterproof boots. CUSTOMER If finishing concrete, wear knee pads to protect knees. After contact with any of these materials, wash off immediately with fresh, clean water, indirect contact through clothing is as dangerous so promptly rinse these materials from clothing. Seek immediate medical attention if you have persistent or severe discomfort in case of eye contact, flush with plenty of water for at least 15 minutes. Consult physician immediately, KEEP out of reach of children! User agrees to convey this warning to all persons who may use or come into contact with wet (unhardened) concrete, mortar, cement or cement mixtures.

Aggregates: Prolonged inhalations of dust from a gravel product may be hazardous to your health. Measures to control fugitive dust should be taken when handling this-product.

Hot Asphalt enits nuisance furnes. Avoid breathing furnes. Also, Asphalt may cause severe burns. Wear protective safety gear (long sleeves, pants and gloves). If burned, cool with water and see a physician. 4663812 Water added at customer's own risk. Additional water added to concrete will Property Damage Indemnification & Release reduce its strength. Buyer's agent agrees to accept responsibility for reduced strength due to water added above dedign. The operator of this plece of heavy equipment, in presenting this RE-Unloading & Standby Excess unloading will be LEASE to you for your signature, is of the opinion that the operation of this charged at posted truck time rates. Truck standby machinery in the manner required to perform our contract with you may time charged at posted truck time rates Arrived at job with inch slump possibly cause damage to the premises or property. It is our wish to help you in everyway that we can, but in order to do this, the operator is asking Limited Warranty The only liability of the seller for product defect is the return of the purchase price. Inno Test cylinders that you sign this RELEASE. In consideration of the performance of the al water at customer request Added event shall the seller be liable for any direct, indirect, incidental or consequential damages resulting from seller of its contract with me, I the undersigned, hereby INDEMINIFY the seller and its employees for any damage and for all claims to the premises, Other additions the use of the products or arising out of breach of any warranty. All claims for damages or shortages must be made within 24 hours of delivery. We do not assume building, utility pipelines or cables, telephone lines, driveway or other Received appurtenances, at: responsibility for any damage beyond the curb fine. Buyer's Agent receipt of product and approval of any added items and RELEASE the seller and its employees from The addition of any extra products to our mixer may void any warranty any liability CENTRAL PRE-MIX CONCRETE CO. expressed or implied by the seller. The seller accepts no fability for any personal injury incurred by you while adding additional products to our 1902 SULLIVAN RD. SPOKANE, Signature of Owner or its Agent WA 99216 509-536-3370 Signature of Owner or its Agent NWGDELTKT090408 Leave Plant Arrive Job Site Start Discharge Finish Discharge Leave Job Site Arrive Plant Drivers Comments Customer PO/ Company/ TICKET NO. Order No. Cust. No. **Customer Job** Phase Code Driver Co. Proj. No. 医激恩过 ISØ89 1424 10161468 Luke W Date 02/11/45 Customer **Delivery Address** SANDRY CONSTRUCTION Map 5324 E TRENT AVE Zone Delivery Instructions Scale USE CAUTION CROSSING RAILROADS-FOLLOW ROAD TO THE LEFT-HEAVY MENTESITE Product Code **UOM** Product Description **UnitPrice** Amount Load Qty Delivered Qty Order Qty 32.32 999.76 900.10 2350 tn 5/8" TOP COURSE Gross Tare Net 105100 27880 Trks 64640 Delivery Charge: Trire 12580 WINTER A FUEL CHG 51.0611 自食匠り TRUCK # COUNT LOAD CHECK CREDIT

Slump

Je 162

Type

Taken by 418

CC

Use

Haul Cd.

Check #

Pit/Plant

Sales Tax

TOTAL DUE

Prod. No

Truck (1 Gross Weight | Tare Weight | 7

Load Size

Description

Use

Slump

Trailer

Type

Taken by 4434日 Haul Cd.

Check #

Sales Tax

**TOTAL DUE** 

CUSTOMER

Concrete: Injurious to eyes. Causes skin irritation. Contains Portland Cement. Read the following warning before using: Contact with wet,

Prod. No.

Load Size

Description

Tare Weight

Trailer

Gross Tare Net Trk: 104300 27800 64020 TrIr: 12480

Delivery Charge:

WINTER A

PREV TRUCK: 525618 LOAD COUNT: 34

CHECK / CREDIT CARE

#

Load Size Prod. No. Description Slump Type CC Use Haul Cd. Pit/Plant Sales Tax
TOTAL DUE

Truck OF Gross Weight 1 Fare Weight 14 Collect 15 Trailer Taken by 340 Check #

TRUCK: 510616

35

Description

Tare Weight

96

CHECK

COUNT:

Prod. No.

LOAD

Load Size

FUEL CHG

Haul Çd.

Check #

Sales Tax
TOTAL DUE

Use

CARD

CREDIT

Type

Taken by 44340

Slump

Gross Tare Net Trk: 96780 37460 59320 Trlr:

Delivery Charge:

WINTER A

PREV TRUCK: 510011 LOAD COUNT: 36

CHECK / CREDIT CARD

Load Size Prod. No. Description Slump Type CC Use Haul Gd. Pit/Plant Sales Tax
TOTAL DUE

Truck 17 7 Gross Weight 3 Jare Weight 73 - Trailer Taken by 44340 Check #

Gross Tare Net Trk: 95140 24900 59320 Trlr: 10920

Delivery Charge:

WINTER A

PREV TRUCK: 520711 LOAD COUNT: 37

CHECK / CREDIT CARD

oad Size Flod. No.	Description		Sium	р Туре СС	Ose Haul C	d. Pivright	TOTAL DUE	
ruck 05 Gross Weight.	5 Tare Weight 91.	J30751	Trailer	Taken by 44340	Check	#		

Gross Tare Net Trk: 104200 27820 64000 Trlr: 12380

Delivery Charge:

WINTER A

PREV TRUCK: 510577 LOAD COUNT: 38

CHECK / CREDIT CARD

Load Size Prod. No. Description Slump Type CC Use Haul Gd. Pit/Plant TOTAL DUE

Truck V6 Gross Weight 1 Tare Weight 10 July 11 Trailer Taken by 44340 Check #

Gross Tare Net Trk: 103360 27880 62900

12580

井

Delivery Charge:

WINTER A

PREV TRUCK: 510611 LOAD COUNT: 39

Trire

CHECK / CREDIT CARD

Slump Type CC Use Haul Gd. Pit/Plant Sales Tax
TOTAL DUE

Track 1 Process Weight 6 Fare Weight 23 Frield 162 Trailer Taken by 340 Check #

Trlr:

Load Size

LOAD COUNT:

PREV TRUCK: 510162

Prod. No.

Truck 56 Gross Weight OF are Weight 03

Description

CHECK

Trailer

CREDIT

Type

Taken by 44340

Slump

Trailer

WINTER A

FUEL CHG

Haul Gd.

Check #

Pit/Plant

Sales Tax

TOTAL DUE

## Appendix I

Soil Disposal Tickets

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144484

INVOICE NO. PAGE DATE

1 Dec-31-14 1935

CUSTOMER NO. LW-14298 SITE NO.

REFERENCE NO.

SERVICE DATE	P. SRWater	, WA		DESCRIPTION	S Report	REFERENCE	QTY.	AMOUNT
08 - Dec	34	Vehicle: PCS 34	3450	,AWSU200023		53-800000	26.93 TN	
08 - Dec	34	Vehicle: PCS 34	8648	,SCXU280559		53-800001	24.94 TN	
08 - Dec	34	Vehicle: PCS 34	1454	,TOLU456746		53-800002	23.65 TN	
08 - Dec	34	Vehicle: PCS 34	7329	,CLOU282256		53-800003	26.31 TN	
08 - Dec	34	Vehicle: PCS 34	0329,G	CEU426701		53-800004	24.11 TN	
08 - Dec	34	Vehicle: PCS 34	6811	,EGTU420660		53-800005	27.17 TN	
08 - Dec	34	Vehicle: PCS 34	0331,G	CEU426319		53-800006	25.86 TN	
08 - Dec	34	Vehicle: PCS 34	7328	,TOLU457766		53-800007	27.05 TN	
		Vehicle:	0353	,TOLU462811				

**Account Status** 

Payment due upon receipt of this invoice, 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144484

INVOICE NO. PAGE

2 Dec-31-14

DATE CUSTOMER NO. LW-14298

1935

SITE NO.

REFERENCE NO.

ERVICE DATE	P CODE	WA		DESCRIPTION	REFERENCE	QTY.	AMOUNT
08 - Dec	34	PCS 34			53-800008	26.32 TN	
08 - Dec	34	Vehicle: PCS 34	3450	,UPCU411505	53-800009	28.41 TN	
17 - Dec	34	Vehicle: PCS 34	1452	,RBSU200210	53-800010	21.36 TN	
17 - Dec	34	Vehicle: PCS 34	0332,R	BSU200310	53-800011	21.28 TN	
17 - Dec	34	Vehicle: PCS 34	1567	,RABU200049	53-800012	22.23 TN	
17 - Dec	34	Vehicle: PCS 34	0352	,RBSU200344	53-800013	21.91 TN	
17 - Dec	34	Vehicle: PCS 34	2786	,EGTU420695	53-800014	20.25 TN	
17 - Dec	34	Vehicle: PCS 34	5831	,TOLU454179	53-800015	21.15 TN	
17 - Dec	34	Vehicle: PCS 34	8647	,GCEU426141	53-800016	25.50 TN	

**Account Status** 

Payment due upon receipt of this invoice, 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144484 INVOICE NO. 3

PAGE

Dec-31-14 DATE 1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	CODE	WA	The same	DESCRIPTION	REFERENCE	QTY.	AMOUNT
17 - Dec	34	Vehicle: PCS 34	6812	,RBSU200408	53-800017	27.65 TN	
17 - Dec	34	Vehicle: PCS 34	1565	,EGTU420598	53-800018	23.30 TN	
17 - Dec	34	Vehicle: PCS 34	0332,A	WSU200007	53-800019	26.03 TN	
17 - Dec	34	Vehicle: PCS 34	1452	,TOLU442883	53-800020	24.99 TN	
17 - Dec	34	Vehicle: PCS 34	1567	,UPCU411420	53-800021	25.65 TN	
24 - Dec	34	Vehicle: PCS 34	3450	,RBSU200124	53-800022	25.84 TN	
24 - Dec	34	Vehicle: PCS 34	0331,R	BSU200203	53-800023	26.21 TN	
24 - Dec	34	Vehicle: PCS 34	6181	,RBSU200183	53-800024	24.65 TN	
24 - Dec	34	Vehicle: PCS 34	7329	,RBSU200366	53-800025	27.29 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1,5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144484

INVOICE NO.

PAGE

Dec-31-14

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

RVICE DATE	Parkwat	er. WA	A Shirt	DESCRIPTION	REFERENCE	QTY.	AMOUNT
24 - Dec	34	Vehicle: PCS 34	7331	,RBSU200254	53-800026	26.88 TN	
24 - Dec	34	Vehicle: PCS 34	7330	,RBSU200361	53-800027	26.17 TN	
24 - Dec	34	Vehicle: PCS 34	1565	,RBSU200264	53-800028	26.05 TN	
24 - Dec	34	Vehicle: PCS 34	7327	,RBSU200232	53-800029	26.66 TN	
24 - Dec	34	Vehicle: PCS 34	6811	,RBSU200244	53-800030	25.42 TN	
24 - Dec	34	Vehicle: PCS 34	1454	,RBSU200182	53-800031	26.01 TN	
24 - Dec	34	Vehicle: PCS 34	7328	,RBSU200388	53-800032	27.12 TN	
24 - Dec	34	Vehicle: PCS 34	6180	,RBSU200381	53-800033	27.68 TN	
		Vehicle:	3450	,TOLU457766			

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) fate charge on balances

over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom

portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

OVER 90 DAYS

**TOTAL** THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

**CUSTOMER NO.** 

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



INVOICE NO. 0000144484 5

PAGE DATE

Dec-31-14 1935

CUSTOMER NO. LW-14298

REFERENCE NO.

SERVICE DATE	SOPFate	, WA		DESCRIPTION	REFERENCE	QTY.	AMOUNT
26 - Dec	34	PCS 34			53-800034	26.03 TN	
26 - Dec	34	Vehicle: PCS 34	6811	,GCEU426319	53-800035	25.56 TN	
26 - Dec	34	Vehicle: PCS 34	7329	,EGTU420660	53-800036	26.04 TN	
26 - Dec	34	Vehicle: PCS 34	7328	,GCEU426701	53-800037	25.70 TN	
26 - Dec	34	Vehicle: PCS 34	0329,T0	OLU456746	53-800038	25.85 TN	
26 - Dec	34	Vehicle: PCS 34	7329	,AWSU200023	53-800039	26.54 TN	
26 - Dec	34	Vehicle: PCS 34	6811	,AWSU200013	53-800040	27.09 TN	
26 - Dec	34	Vehicle: PCS 34	7328	,RBSU200039	53-800041	26.88 TN	
26 - Dec	34	Vehicle: PCS 34	0331,RI	BSU200099	53-800042	26.28 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

PLEASE PAY THIS AMOUNT

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134 INVOICE

0000144484

LW-14298

INVOICE NO.
PAGE

6

DATE

Dec-31-14 1935

CUSTOMER NO.

REFERENCE NO.

Vehicle: 3450 ,SCXL 26 - Dec 34 PCS 34 Vehicle: 0329,EGTU420 26 - Dec 34 PCS 34	U280559 53-800043 25.73 TN
	53-800044 25.58 TN
34 PCS 34	Material Summary 1,145.31 TN

Payment due upon receipt of this invoice	1.5% per month (18% ner annum) late charge on balances	

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO. 0000144484

PAGE 6
DATE Dec-31-14
CUSTOMER NO. 1935

REGIONAL DISPOSAL COMPANY - 4178 PO BOX 51057 LOS ANGELES, CA 90074-1057 (206) 332-7725

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

REFERENCE NO.
REMARKS

SITE NO.

\*\*\* Please reference your invoice number on each check stub \*\*\*

For Billing Inquiries: Call (206) 332-7725 or email:

rtjok@republicservices.com

SILE		Par		(Spokane (Spokane A			SITE TICK 53	80000 R.	00	CELL		- 19
CUSTOMER 0019		Chara	1				12-08-	2014	3:46 pm	DATE/TIME 12-8-	122	3:46 pm
		ruce Shep dental A		outh			<b>V5145</b> 5			AWSU2	00023	
	ding	1-A					REFERENCE				IN	VOICE
	.4298	- 12					BILL OF LADIR BNSF230	0074				in the second
		AL IN	GROSS	WEIGHT	103,080	NET	TONS	26.	93			
	MANU	AL OUT	TARE	WEIGHT	49,220	NET !	WEIGHT	53,8	60	IN	BOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 26.93		TRACKIN PCS 34	G QTY		Parkwa	ter						
					SA	FETY VE						NET AMOUNT
												TENDERED
The	undersig	ned individual sig	ning this docu	ment on behalf o	f Customer acknowledge	es that he or sh	e has read and	understands t	he terms and cor	ditions	-	CHANGE
RS-F042UP			or sne has the	e authority to sig	n this document on beha	ilf of the custon	ner.					CHECK#

SITE							TICKET # 8000 ASTER Y R.	01		CELL		
	/ Bi	cuce Shepp idental Av	eard Venue South			DATE/TIM 12-0 VEHICLE 8648	8-2014	3:48	pm		1ME OUT 8-2014 1280559	3:48 pm
	Building 1-A LW-14298  MANUAL IN GROSS WEIGHT 97,940					BILL OF L BNSF	ADING 231034				IN	VOICE
<b>——</b>	MANU	AL IN AL OUT	GROSS WEIG	GHT 48,060		TONS WEIGHT	24.			]	INBOUND	
QTV. 28.00	YD	TRACKING	C OTY	DESCRIPTION		-	RATE		EXTENSI	ON	TAX	TOTAL
24.94	TN	PCS 34			rkwater		8					NET AMOUNT
												TENDERED
The on	undersig the revers	gned individual sign se side and that he	ning this document on or she has the authori	behalf of Customer ackn ty to sign this document	nowledges that he or shoon behalf of the custom	e has read er.	and understands	the terms	and con	ditions		CHANGE CHECK#
RS-F042UF	R (07/12	2)			SIGNATURE							OHEOR#

	Par	rkwater (Spokan rkwater (Spokan kane, WA		SITE 53 TICH 53 WEIGHMASTE VICKY	800002 R.		CELL		
USTOMER 001935 BNSF / I	Bruce Shepp	pard		DATE/TIME IN 12-08- VEHICLE 1454	2014 3	:50 pm	DATE/TIME 12-8-		3:50 pm
	cidental A	venue South		1454 REFERENCE	-		TOLU4	56/46	
LW-1429	-			BILL OF LADI	NG.			IN	VOICE
				BNSF23					
	UAL IN UAL OUT	GROSS WEIGHT TARE WEIGHT	96,800 49,500	NET TONS NET WEIGHT	23.65 47,300		INI	BOUND	
QTY. UNIT			ESCRIPTION		RATE	EXTENS	ION	TAX	TOTAL
28.00 YE 23.65 Th		J QIY	Parkwa	ter					
			11 = 1112 1	ME Ngar Falagi					NET AMOUNT

RS-F042UPR (07/12)


SITE		Pai		(Spokane (Spokane			SITE TICK 53 WEIGHMASTER VICKY	800003		CELL		
	/ Br	ruce Shepp					DATE/TIME IN 12-08-2 VEHICLE 7329	2014 3:5	51 pm		8-2014 282256	3:51 pm
Buil	ding .4298	dental A <sup>.</sup> 1-A	venue so	outn			BILL OF LADIN BNSF231	G .034			IN	VOICE
		AL IN AL OUT		WEIGHT WEIGHT	101,580 48,960		TONS WEIGHT	26.31 52,620		I	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ON	TAX	TOTAL
28.0¢ 26.31		TRACKIN PCS 34	G QTY		Parkwa	ter						
	the rever	se side and that he			of Customer acknowledg n this document on beh			understands the te	rms and cor	nditions		TENDERED CHANGE CHECK#


SITE	Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						8000 ASTER Y R.	04	CELL			
2545	/ Bi	cuce Sheppa idental Ave				DATE/TIM 12-08 VEHICLE 0329 REFEREN	8-2014	3:53 pm	DATE/TIME OUT 12-8-201 CONTAINER GCEU4267	Company of the Compan	m	
	ding .4298	1-A				BILL OF L				INVOICE		
		AL IN AL OUT	GROSS WEIGHT TARE WEIGHT	104,780 56,560		TONS	24, 48,2		INBOU	ND		
QTY.	UNIT		DE	SCRIPTION			RATE	EXTEN	SION TA	X TOTAL		
28.00 24.11		TRACKING PCS 34	QTY	Parkwat	er							
										NET AMOUN		
The	e undersi	gned individual signir	ng this document on behalf or she has the authority to sign	of Customer acknowledges	s that he or sh	e has read	and understands	the terms and co	onditions	CHANGE		
RS-F042UF			one has the authority to sign		SNATURE	iei,				CHECK#		

Parkwater (Spokane) Parkwater (Spokane) Spokane, WA	SITE TICKET # 800005 WEIGHMASTER VICKY R.
CUSTOMER 001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South	DATE/TIME IN
Building 1-A LW-14298	REFERENCE INVOICE BBN9F290074
MANUAL OUT	NET TONS 27.17 T WEIGHT 54,340 INBOUND
28.00 YD TRACKING OTY	RATE EXTENSION TAX TOTAL
28.00 YD TRACKING QTY 27.17 TN PCS 34 Parkwater	
The undersigned individual signing this document on behalf of Customer acknowledges that he on the reverse side and that he or she has the authority to sign this document on behalf of the 2/21  RS-F042UPR (07/12)  SIGNATUR	CHECK#

CUSTOMER 0019	35	Par	rkwater (Spo rkwater (Spo kane, WA			WEIGHMASTE VICKY  DATE/TIME IN 12-08-		ma 6.5	DATE/TIME C	OUT 4	3:56 pm
BNSF	/ Br	uce Shep				VEHICLE 0331		Jo pin	SONTAINED		3.30 pill
Buil	ding		venue South			REFERENCE			GELOTE		VOICE
	4298					BILL OF LADI BNSF23	<b>ng</b> 007 <b>4</b>				
		AL IN AL OUT	GROSS WEIG	2000		TONS	25.86 51,720		INB	OUND	
QTY.	UNIT			DESCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 25.86		TRACKIN	G QTY	Parkwa	iter						
The	e undersig the revers	se side and that he	ining this document on o or she has the authori	behalf of Customer acknowledg ty to sign this document on beh S	jes that he or sh alf of the custon	e has read and ner.	understands the to	erms and con	ditions		TENDERED CHANGE CHECK#


SITE		Par		(Spokane (Spokane			SITE TION 53 WEIGHMAST VICKY		07		CELL		
CUSTOMER 0019		*					12-08-	-2014	3:57	pm		#E OUT -2014	3:57 pm
		uce Shepp dental Av		vu+b			7328				TOLUZ	57766	
	ding		ende 50	Jucii			REFERENCE					IN	VOICE
LW-1	4298						BILL OF LAI BNSF23						
		AL IN		WEIGHT	102,000		TONS		.05		Τ,	AIDOUND	
	MANU	AL OUT	TARE	WEIGHT	47,900	NET V	VEIGHT	54,	100		Τi	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE		EXTENS	ION	TAX	TOTAL
28.00 27.05		TRACKING PCS 34	G QTY		Parkw	ater							
													NET AMOUNT
													TENDERED
					of Customer acknowle			nd understand	is the terms	and co	nditions		CHANGE
RS-F042U			or she has th	e authority to sig	in this document on b	ehalf of the custor	ner.						CHECK#






SITE	Parkw Parkw Spokan		53 WEIGHMAST VICKY	R.	010		CELL				
	ruce Sheppar				DATE/TIME IN 12-17- VEHICLE 1452	2014	4:03	mq 8		7-2014 200210	4:03 pr
Building LW-14298				BILL OF LAD BNSF23	ING	-			IN/	OICE	
	JAL IN G	GROSS WEIGHT TARE WEIGHT	84,320 41,600		TONS		.36 720		I	NBOUND	
QTY. UNIT	MELLINA TO	DES	CRIPTION			RAT	E	EXTENS	ION	TAX	TOTAL
21.36 TN	28.00 YD TRACKING QTY										
The unders											NET AMOUNT TENDERED CHANGE

SITE





SITE	Pai		(Spokane) (Spokane)			SITE 53 WEIGHMA VICK	STER Y R.	13	CELL		
CUSTOMER 001935						DATE/TIME 12-1	7 <mark>-</mark> 2014	4:11 pm	12-	TME OUT 17-2014	4:11 pm
BNSF / Br			. 200		l.	VEHICLE			RBUG	200344	
2545 Occi Building		venue So	outh			REFEREN	CE			INV	OICE
LW-14298						BILL OF L BNSF2	ADING 230019				
	AL IN AL OUT		WEIGHT WEIGHT	86,040 42,220		TONS WEIGHT	21. 43,8	30 T	I	NBOUND	
QTY. UNIT			DESC	CRIPTION			RATE	EXTE	ISION	TAX	TOTAL
28.00 YD 21.91 TN	TRACKIN PCS 34	IG QTY		Parkwa	ter						
											TENDERED

SITE

CELL

SITE		Par		(Spokane (Spokane			SITE 53 WEIGHMAS	ER R.	14	CE	ELL	
CUSTOMER 0019:		uce Shepr	aard				DATE/TIME 12-17	2014	4:17 ן	100	2-17-201	
2545	Occi	dental Av		outh			VEHICLE REFERENCE	E		E	H0420695	
Build LW-1	ding 4298	1-A					BILL OF LA	DING 30019			I	NVOICE
		AL IN AL OUT		WEIGHT WEIGHT	86,060 45,560		TONS EIGHT		.25 500		INBOUN	)
QTY.	UNIT		No les les	DES	SCRIPTION			RAT	E E	KTENSION	TAX	TOTAL
28.00 20.25	- 10	TRACKING PCS 34	G QTY		Parkwat	er						
					of Customer acknowledg n this document on beha SI			nd understand	is the terms a	ind conditi	ons	TENDERED  CHANGE  CHECK#

Par	rkwater (Spokane		SITE 3 TICK WEIGHMASTE VICKY	800015 R R.		CELL	
ruce Shep	pard			2014 4:1		75.20	
1-A	venue South		REFERENCE	NG OO1 Q			INVOICE
	GROSS WEIGHT TARE WEIGHT	85,880 43,580	NET TONS NET WEIGHT	21.15	11	INBOUN	D
	DES	CRIPTION		RATE	EXTENSI	ON TAX	TOTAL
PCS 34	O <u>k</u>	Parkwa	ter				
		/SA	FETY V				NET AMOUNT
)	Par Spol ruce Shep idental A 1-A DAL IN DAL OUT	Parkwater (Spokane Spokane, WA)  ruce Sheppard idental Avenue South 1-A  DAL IN GROSS WEIGHT TARE WEIGHT TARE WEIGHT	ruce Sheppard idental Avenue South 1-A  DAL IN GROSS WEIGHT 85,880 DAL OUT TARE WEIGHT 43,580  TRACKING QTY	Parkwater (Spokane) Spokane, WA  ruce Sheppard idental Avenue South 1-A  VEHICLE BILL OF LAD BNSF23  VAL IN GROSS WEIGHT 85,880 NET TONS VAL OUT TARE WEIGHT 43,580 NET WEIGHT  TRACKING QTY	Parkwater (Spokane) Spokane, WA  ruce Sheppard idental Avenue South 1-A  VEIGHMASTER VICKY R.  DATE/TIME IN 12-17-2014 4:1  VEHCLE 12-17-2014 4:1  VEHCLE 18-11-2014 4:1  VEHCLE 18-12-17-2014 4:1  VEHCLE 18-12-17-2014 4:1  VEHCLE 18-12-17-2014 4:1  VEHCLE BILL OF LADING BNSF230019  DAL IN GROSS WEIGHT 85,880 NET TONS 21.15  VAL OUT TARE WEIGHT 43,580 NET WEIGHT 42,300  DESCRIPTION RATE  TRACKING QTY	Spokane, WA  Truce Sheppard idental Avenue South 1-A  DATE: TIME IN 12-17-2014 4:18 pm	WEIGHMASTER VICKY R.  PATE IN

SIGNATURE

RS-F042UPR (07/12)

SITE		Par		(Spokane) (Spokane)	-		SITE TICK 53 WEIGHMASTE VICKY	800016 R.		CELL		
	/ Br	ruce Shep					DATE/TIME IN 12-17-2 VEHICLE	2014 4:	19 pm		145-2514 1426141	4:19 pm
Buil	Occi ding .4298	dental A 1-A	venue So	outn			BILL OF LADIN DTTX275	NG 588			IN	VOICE
		AL IN AL OUT		WEIGHT WEIGHT	94,580 43,580		TONS WEIGHT	25.50 51,000		]	NBOUND	
QTY.	UNIT			DESC	RIPTION			RATE	EXTENSI	ON	TAX	TOTAL
28.00 25.50		TRACKIN PCS 34	16 Ö11		Parkwa							
0					ZX = 70 d	Kigyre 77m	(19)					NET AMOUNT

RS-F042UPR (07/12)

SITE	Parkwater (Spokane) Parkwater (Spokane) Spokane, WA	SITE 53 WEIGHMASTER VICKY F	800017	CELL		
	ruce Sheppard	DATE/TIME IN 12-17-2 VEHICLE	014 4:20	1	75-2514 75-250408	4:20 pm
2545 Occ. Building LW-14298	idental Avenue South 1-A	REFERENCE	G	INVO		
MANU	AL IN GROSS WEIGHT 96,520 AL OUT TARE WEIGHT 41,220	DTTX275  NET TONS  NET WEIGHT	27.65 55,300	1	INBOUND	
QTY. UNIT	DESCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.00 YD 27.65 TN	TRACKING QTY PCS 34 Parkwater					
	igned individual signing this document on behalf of Customer acknowledges the rse side and that he or she has the authority to sign this document on behalf of		understands the terms	and conditions		TENDERED CHANGE CHECK#

SITE	Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						SITE TIC 53 WEIGHMASTE VICKY	80001 R.	.8	CELL		
	/ Br	ruce Shep dental A		outh			DATE/TIME IN 12-17- VEHICLE	2014	4:21 pm		<b>5-2014 5-2014</b>	4:21 pm
	ding .4298	1-A		=1			BILL OF LADI DTTX27	NG 588			INI	/OICE
		AL IN AL OUT		WEIGHT WEIGHT	90,380 43,780		TONS WEIGHT	23.3 46,6		II	BOUND	
QTV. 28.00	YD	TRACKIN	IC OTV	DES	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
23.30	-	PCS 34	G QII		Parkwa	iter						
					S.F.	FETY LIVE						
												NET AMOUNT TENDERED
Th	e undersi the rever	gned individual s se side and that i	igning this doc ne or she has th	ument on behalf o le authority to sign	f Customer acknowledge this document on beh	ges that he or sh ralf of the custon	e has read and ner.	understands 1	the terms and co	nditions		CHANGE
												CHECK#

**SIGNATURE** 

SITE

RS-F042UPR (07/12)

Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						SITE TICE 53 WEIGHMASTE VICKY	800019 R		CELL			
BNSF 2545 Buil	001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298  MANUAL IN GROSS WEIGHT 95,540						DATE/TIME IN 12-17-1 VEHICLE REFERENCE		:22 pm	2507 10	MF-2014 200007 INV	4:22 pm
				WEIGHT WEIGHT	95,540 43,480		TONS VEIGHT	26.03 52,060		I	NBOUND	
28.00 26.03		TRACKIN	G QTY	DESC	Parkwa	ter		RATE	EXTENS	SION	TAX	TOTAL
The on RS-F042UF	the rever	se side and that he	gning this docu	iment on behalf of 0 e authority to sign t	customer acknowledg his document on beh	ges that he or sh alf of the custom	e has read and er.	understands the	terms and co	nditions		TENDERED CHANGE CHECK#


Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						SITE 53 TICKET # 800020 WEIGHMASTER VICKY R.			CELL		
CUSTOMER 001935 BNSF / Bruce Sheppard						PATE/TIME IN 12-17-2014 4:23 pm 12-17-201 VENUS TOLLUME 288					4:23 pm
2545 Occidental Avenue South Building 1-A LW-14298						REFERENCE INVOICE BILL OF LADING DTTX27588					
MANUAL IN GROSS WEIGHT 92,940 MANUAL OUT TARE WEIGHT 42,960						TONS WEIGHT	24.99 49,980 INBOUND				
QTY. UNIT			DESC	RIPTION	VIII.		RATE	EXTENSI	ON	TAX	TOTAL
28.00 YD 24.99 TN	TRACKIN	W Q11		Parkwa	ter						
									addd a ma		TENDERED CHANGE
The unders on the reve	igned Individual s rse side and that	signing this docume he or she has the a	nt on behalf of uthority to sign	Customer acknowled this document on bel	ges that he or s half of the custo	ne nas read and mer.	understands the to	erms and cor	าตเนอกร	20	CHECK#


**SIGNATURE** 


RS-F042UPR (07/12)

SITE		Par		(Spokane (Spokane			VICK	VI-21	21	CELL		
	/ Br	uce Shepp dental Av		out b			VENSE 5	7 <del>-</del> 2014	4:24		04f1420	4:24 pm
	ding		0.140				BILL OF L				IN	VOICE
		AL IN AL OUT		WEIGHT WEIGHT	95,780 44,480		TONS VEIGHT	25 51,			INBOUND	
QTY. 28.00	YD	TRACKING	ОПУ	DES	CRIPTION			RATE	E	CTENSION	TAX	TOTAL
25.65	TN	PCS 34			Parkwa	ter						
						K						NET AMOUNT
					i Customer acknowledg			and understands	s the terms a	ind conditions		CHANGE
on RS-F042UI			or she has th	e authority to sign	this document on beh	alf of the custor	ner.					CHECK#

SITE








SITE		Park		(Spokane (Spokane			53 WEIGHMA		)25	. 5/5-	CELL		
	/ Br	uce Sheppa		WA -			DATE/TIN 12-2 VEHICLE 7329	1E IN 4-2014	4:32	pm		2014 00366	4:32 pm
Buil	Occi ding 4298	dental Ave	enue So	uth			BILL OF DTTX			1100		IN/	/OICE
		AL IN AL OUT	GROSS TARE	WEIGHT WEIGHT	101,960 47,380		TONS VEIGHT		.29 580		IN	BOUND	
QTY.	UNIT			DE	SCRIPTION			RAT	E	EXTENS	ION	TAX	TOTAL
28.00 27.29	YD	TRACKING PCS 34	QTY		Parkwa	ater							
													NET AMOUNT TENDERED
					of Customer acknowled in this document on bel			and understand	is the term	s and co	nditions		CHANGE
RS-F042U			or sile has the	aumonty to sig	9	SIGNATURE							CHECK#

SITE			ater (Spokane ater (Spokane e, WA			SITE TICK 53 WEIGHMASTE VICKY I	800026		CELL	
	/ Br	uce Sheppar dental Aven				DATE/TIME IN 12-24-2 VEHICLE 7331	2014 4:3	33 pm	DATE/TIME OUT 12-24-20 CONTAINER RBSUZ0025	
Buil	ding 4298		iue South			BILL OF LADIN DTTX430	NG )124	th butter		INVOICE
			GROSS WEIGHT TARE WEIGHT	101,040 47,280		TONS VEIGHT	26.88 53,760		INBOUN	ND
QTY.	UNIT		DE	SCRIPTION			RATE	EXTENS	ION TAX	TOTAL
28.00 26.88		TRACKING (PCS 34	QTY	Parkwa	ter					NET AMOUNT
			this document on behalf of the has the authority to sig				understands the to	erms and co	nditions	TENDERED  CHANGE  CHECK#
RS-F042U	PR (07/1	2)		S	SIGNATURE					




**SITE** 53 ' CELL TICKET # SITE Parkwater (Spokane) 800028 Parkwater (Spokane) WEIGHMASTER VICKY R. Spokane, WA DATE/TIME OUT 12-24-2014 12-24-2014 CUSTOMER 4:34 pm 4:34 pm 001935 RBS0200264 VEHICLE 1565 BNSF / Bruce Sheppard 2545 Occidental Avenue South REFERENCE INVOICE Building 1-A **BILL OF LADING** LW-14298 BNSF230011 NET TONS 26.05 GROSS WEIGHT 96,240 MANUAL IN 52,100 INBOUND MANUAL OUT TARE WEIGHT 44,140 NET WEIGHT TOTAL RATE **EXTENSION** TAX DESCRIPTION QTY. UNIT 28.00 YD TRACKING OTY 26.05 Parkwater TN PCS 34 **NET AMOUNT TENDERED** CHANGE The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.


RS-F042UPR (07/12)

SIGNATURE

CHECK#

SITE	Parkwa Parkwa Spokane	ter (Spokane ter (Spokane , WA		SITE TICK 53	800029 R		CELL		
	ruce Sheppard				DATE/TIME IN 12-24-2 VEHICLE 7327	2014 4:	· · · · · · · · · · · · · · · · · · ·	DATE/TIME OUT 12-24-2014 RBSU200232	4:36 pm
Building LW-14298		e South		i,	BILL OF LADIN DTTX430	IG )1 2 4		IN	VOICE
	MANUAL IN GROSS WEIGHT 100,840 MANUAL OUT TARE WEIGHT 47,520  OTY. UNIT DESCRIPTION					26.66 53,320		INBOUND	
QTY. UNIT		DES	CRIPTION	We are		RATE	EXTENSION	ON TAX	TOTAL
28.00 YD 26.66 TN	TRACKING QT PCS 34	Ĭ	Parkwat	er					
The undersigners on the rever	gned individual signing thi se side and that he or she	is document on behalf o has the authority to sigr	this document on behal	es that he or sh If of the custon	e has read and ler.	understands the te	erms and cone	ditions	TENDERED CHANGE CHECK#





SITE	Parkwater Parkwater Spokane, W	(Spokane			53 TICK VEIGHMASTER VICKY	800032 R.		CELL		
CUSTOMER 001935					12-24-2	2014 4:3	39 pm	12-24	о <del>от</del> -2014	4:39 pm
BNSF / Bi	ruce Sheppard idental Avenue S	out b			VEHICLE 7328			CONTAINE RBSUZ	88800	
Building	1-A	Jucii			REFERENCE				INV	OICE
LW-14298					BNSF230	0011				
		WEIGHT WEIGHT	101,800 47,560	NET NET W	TONS EIGHT	27.12 54,240		IN	BOUND	
QTY. UNIT		DES	CRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 YD 27.12 TN	TRACKING QTY PCS 34	×	Parkwa	ter						
										NET AMOUNT
										TENDERED
	gned individual signing this docu					understands the te	rms and co	nditions		CHANGE
On the rever	rse side and that he or she has th	e authority to sig		air of the custome	1.					CHECK#

SITE\_ TICKET #

CELL

SITE

	/ Br Occi	Par Spok Tuce Shepp dental Av	kwater (Spokan kwater (Spokan kane, WA bard venue South			WEIGHMASTER VICKY D DATE/TIME IN 12-24-2 VEHICLE 6180 REFERENCE	800033 R.	40 pm		ME OUT 4-2014 200381 INV	4:40 pπ
LW-1	4298					BILL OF LADIN BNSF230					
		AL IN AL OUT	GROSS WEIGHT TARE WEIGHT	102,320 46,960		'TONS WEIGHT	27.68 55,360		I	NBOUND	
QTY.	UNIT		D	SCRIPTION			RATE	EXTENS	ON	TAX	TOTAL
28.00 27.68	YD TN	TRACKING PCS 34	G QTY	Parkwa	ater						
			ning this document on behalf				understands the te	erms and cor	ditions		TENDERED CHANGE
on t			or she has the authority to si	-	nalf of the custor	ner.					CHECK#

SITE		Par		(Spokane (Spokane			53 WEIGHMAS VICKY		34	CELL		
	/ Br	ruce Shepp dental Av					DATE/TIME 12-26 VEHICLE 3450	IN -2014	4:47 pm		1ME OUT 26-2014 1457766	4:47 pm
	ding		rende 30	Juch			BILL OF LA BNSF2	DING		St. Lands	IN.	/OICE
		AL IN AL OUT		WEIGHT WEIGHT	100,060 48,000		TONS VEIGHT	26. 52,0		]	INBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTE	NSION	TAX	TOTAL
28.00 26.03	1	TRACKING PCS 34	G QTY		Parkwa	ter						
												NET AMOUNT TENDERED
					of Customer acknowledg			nd understands	the terms and	conditions		CHANGE
RS-F042UF			e. one nud th	o actionty to sig		IGNATURE						CHECK#

SITE

SITE TICKET # CELL Parkwater (Spokane) 53 800035 Parkwater (Spokane) WEIGHMASTER VICKY R. Spokane, WA 12-26-2014 DATE/TIME IN 12-26-2014 CUSTOMER 4:48 pm 4:48 pm 001935 CONTAINER GCEU426319 VEHICLE 6811 BNSF / Bruce Sheppard 2545 Occidental Avenue South REFERENCE Building 1-A INVOICE LW-14298 **BILL OF LADING** BNSF230074 GROSS WEIGHT NET TONS 25.56 MANUAL IN 100,420 MANUAL OUT TARE WEIGHT 49,300 NET WEIGHT 51,120 INBOUND TOTAL QTY. DESCRIPTION RATE **EXTENSION** TAX UNIT 28.00 TRACKING OTY YD 25.56 TN PCS 34 Parkwater

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE \_

**NET AMOUNT** 

TENDERED

CHECK#

	Parkwater Parkwater Spokane, W	(Spokane	e) e) 		SITE 53 WEIGHMA VICK		36	CELL		
O01935 BNSF / Bruce S	heppard				DATE/TIME 12-20 VEHICLE 7329	6-2014	4:49 pm		26-2014	4:49 pr
2545 Occidenta Building 1-A LW-14298	l Avenue So	outh			REFERENCE BILL OF L			EGI		/OICE
MANUAL IN MANUAL OUT	_	WEIGHT WEIGHT	100,360 48,280			230074 26 52,0		;	INBOUND	
28.00 YD TRAC	KING QTY	DE	SCRIPTION			RATE	EXTE	ISION	TAX	TOTAL
26.04 TN PCS			Parkwa	ter						
			SA	FETY IVE						NET AMOUNT

SIGNATURE \_

CHECK#

SITE	Parkwater (Spokar Parkwater (Spokar Spokane, WA	ne) ne)	WEIG		037	CELL		
CUSTOMER 001935 BNSF / Bruce 2545 Occident Building 1-A LW-14298			DAT 12 VEH	E/TIME IN 2-26-2014 ICLE 328 ERENCE	4:50		TIME OUT -26-2014 AINER U426701 INV	4:50 pm
MANUAL II MANUAL O		100,120 48,720	NET TC		5.70		INBOUND	
28.00 YD TRA	CKING QTY	ESCRIPTION		RAT	E E	KTENSION	TAX	TOTAL
	3 34	Parkwa	ter					
								NET AMOUNT

SIGNATURE

CHECI

SITE	Par	kwater (Spokane kwater (Spokane ane, WA		SITE TIC 53 WEIGHMAST VICKY		(	CELL	
2545 O	Bruce Shepp ccidental Av ng 1-A	erd Tenue South		DATE/TIME II 12-26- VEHICLE 0329 REFERENCE BILL OF LAD BNSF23	ING		DATE/TIME OUT 12-26-2014 CONTAINEB TOLU456746	4:51 pr
	ANUAL IN ANUAL OUT	GROSS WEIGHT TARE WEIGHT	100,900 49,200	NET TONS NET WEIGHT	25.85 51,700		INBOUND	
100000000000000000000000000000000000000	NIT		CRIPTION		RATE	EXTENSIO	N TAX	TOTAL
	YD TRACKING IN PCS 34	G QTY	Parkwa	ter				
								NET AMOUNT
The unc	dersigned individual sign	ing this document on behalf o or she has the authority to sign	Customer acknowledge	es that he or she has read and	understands the	terms and condi	tions	CHANGE
RS-F042UPR (		or and has the authority to sign		GNATURE		-		CHECK#

BNSF 2545 Buil	Parkwater (Spokane) Parkwater (Spokane) Parkwater (Spokane) Spokane, WA  CUSTOMER  001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298  MANUAL IN GROSS WEIGHT 101,520 MANUAL OUT TARE WEIGHT 48,440						800039 R. 2014 4:	52 pm	_	ME OUT 26-2014 NEB 200023 IN	4:52 pm VOICE
						T TONS WEIGHT	26.54 53,080		I	NBOUND	
QTY.	UNIT		DES	CRIPTION			RATE	EXTENS	ON	TAX	TOTAL
28.0( 26.54		TRACKING Q PCS 34	QTY	Parkwa	ter						
	the rever	se side and that he or st	this document on behalf of he has the authority to sign	this document on beha			understands the te	rms and cor	nditions		TENDERED CHANGE CHECK#

P Sp	arkwater (Spokane arkwater (Spokane okane, WA		VIC	MASTER CKY R.	040	CELL	
O01935 BNSF / Bruce She 2545 Occidental			DATE/T 12- VEHICL 681	26-2014	4:53 pm	DATE/TIME OUT 12-26-2014 CONTAINER AWSU200013	4:53 pm
Building 1-A LW-14298	Avenue South		BILL OF BNS	ENCE LADING F231034		IN	VOICE
MANUAL IN MANUAL OUT	GROSS WEIGHT TARE WEIGHT	104,500 50,320	NET TON	S 27	.09 180	INBOUND	
QTY. UNIT		CRIPTION		RATI	EXTENS	SION TAX	TOTAL
28.00 YD TRACKI 27.09 TN PCS 34	NG QTY	Parkwa	ter				
							NET AMOUNT
The undersigned individual on the reverse side and tha	signing this document on behalf o	f Customer acknowledge this document on beha	es that he or she has rea ilf of the customer.	d and understand	s the terms and co	nditions	CHANGE
RS-F042UPR (07/12)		SI	GNATURE				CHECK#

SITE	Parkwater Parkwater Spokane, WA	(Spokane			SITE TICK 53 WEIGHMASTER VICKY I	800041		CELL		
CUSTOMER 001935 BNSF / Bi	ruce Sheppard				DATE/TIME IN 12-26-2 VEHICLE 7328	2014 4:5	54 pm		6-2014 20039	4:54 pπ
2545 Occi Building LW-14298	dental Avenue S	outh			REFERENCE BILL OF LADIN			INDO.	- C. (14/00/12)	VOICE
		WEIGHT WEIGHT	104,760 51,000		BNSF231 TONS VEIGHT	26.88 53,760		II	NBOUND	
QTY. UNIT		DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 YD 26.88 TN	TRACKING QTY PCS 34		Parkwa	ter						
	gned individual signing this docu se side and that he or she has th					understands the te	rms and co	nditions		TENDERED CHANGE
RS-F042UPR (07/1)		,		IGNATURE	15					CHECK#

WEIGH	MASTER	C	ELL	
12-	26-2014 4:5			4:55 pm
REFERI	ENCE F LADING			/OICE
.01,840 NET TON	S 26.28		INBOUND	
PTION	RATE	EXTENSION	TAX	TOTAL
Parkwater				
				NET AMOUNT
	Meight VIC DATE/T 12- VEHICL OS REFER: BILL OI BNS  1.01,840 NET TON 49,280 NET WEIGH  Parkwater	53   800042	53   800042	S3   800042

SIGNATURE \_

SITE		Pai	rkwater (Spokane rkwater (Spokane kane, WA			53 TICK 53 WEIGHMASTE VICKY			CELL		
CUSTOMER 001935 BNSF / 2545 0	/ Br	uce Shepp	pard venue South			DATE/TIME IN 12-26- VEHICLE 3450	2014 4:	57 pm	DATE/TIME OF 12-26-		4:57 pm
Buildi LW-142	ng		venue Bouth			BILL OF LADIN BNSF230				IN	VOICE
M	ANUA	L IN L OUT	GROSS WEIGHT TARE WEIGHT	99,520 48,060		TONS VEIGHT	25.73 51,460		INB	OUND	
	YD	TRACKING		RIPTION			RATE	EXTENS	ON	TAX	TOTAL
25.73	TN	PCS 34		Parkwa	ter UVE						
The un	dersian	ed individual sign	ning this document on behalf of (	Nietoway pakagulada							TENDERED CHANGE
on the	1040130	side and that he	or she has the authority to sign t	his document on beha	alf of the custom	er. Pr.	understands the te	erms and con	aitions	_	CHECK#

SIGNATURE \_\_\_

SITE	Pa	rkwater rkwater kane, WA	(Spokane (Spokane	) ) ——		53 TICK 53 WEIGHMASTE VICKY	80004 R R.	4	CELL		
CUSTOMER 001935 BNSF / Bi	ruce Shep	pard				DATE/TIME IN 12-26- VEHICLE	2014	4:57 pm	-7-5	6-2014	4:57 pm
2545 Occi Building	idental A	venue So	outh			REFERENCE			EGTU	<b>42</b> 0763	
LW-14298	ITA					BILL OF LADIN BNSF23	IG 1034			IN	VOICE
	AL IN AL OUT		WEIGHT WEIGHT	99,340 48,180		TONS VEIGHT	25.5 51,16		II	NBOUND	
28.00 YD	TRACKIN	0.000	DES	CRIPTION			RATE	EXTENSI	ON	TAX	TOTAL
25.58 TN	PCS 34			Parkwa	ter						
											NET AMOUNT
											TENDERED
The undersig on the reverse	ned individual sigr e side and that he	ning this docum or she has the	nent on behalf of authority to sign	Customer acknowledge this document on behal	es that he or she	has read and u	inderstands the	terms and con	ditions		CHANGE
RS-F042UPR (07/12)			,		GNATURE	••					CHECK#

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657

INVOICE NO.

1

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	Pattorate	, WA	THE REST OF	DESCRIPTION	REFERENCE	QTY.	AMOUNT
03 - Jan	34	Vehicle: PCS 34	5833	,RBSU200210	53-800046	20.05 TN	
03 - Jan	34	Vehicle: PCS 34	0353	,RBSU200310	53-800047	20.96 TN	
03 - Jan	34	Vehicle: PCS 34	7329	,RBSU200344	53-800048	20.42 TN	
03 - Jan	34	Vehicle: PCS 34	3450	,RABU200049	53-800049	21.00 TN	
03 - Jan	34	Vehicle: PCS 34	0329,E	GTU420695	53-800050	21.28 TN	
03 - Jan	34	Vehicle: PCS 34	5833	,TOLU454179	53-800051	22.64 TN	
03 - Jan	34	Vehicle: PCS 34	0353	,GCEU426141	53-800052	22.69 TN	
03 - Jan	34	Vehicle: PCS 34	7329	,RBSU200408	53-800053	25.73 TN	
		Vehicle:	3450	,EGTU420598			

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

**OVER 90 DAYS** 

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

**PAGE** 

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657 INVOICE NO.

PAGE

Jan-31-15 1935

DATE CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

SERVICE DATE	P 6905ate	. WA	DESCRIPTION	REFERENCE	QTY.	AMOUNT
03 - Jan	34	PCS 34		53-800054	24.53 TN	
03 - Jan	34	Vehicle: PCS 34	5833 ,TOLU442883	53-800055	25.39 TN	,
03 - Jan	34	Vehicle: PCS 34	0329,AWSU200007	53-800056	24.59 TN	
03 - Jan	34	Vehicle: PCS 34	0353 ,UPCU411420	53-800057	25.01 TN	
13 - Jan	34	Vehicle: PCS 34	7329 ,TOLU468768	53-800058	29.27 TN	
13 - Jan	34	Vehicle: PCS 34	2783 ,TOLU454179	53-800059	20.64 TN	
13 - Jan	34	Vehicle: PCS 34	7331 ,GCEU426141	53-800060	27.73 TN	
13 - Jan	34	Vehicle: PCS 34	6811 ,AWSU200007	53-800061	27.83 TN	
13 - Jan	34	Vehicle: PCS 34	1454 ,RBSU200408	53-800062	28.08 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances

over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144657

INVOICE NO.
PAGE

3 Jan-31-15

DATE

1935

CUSTOMER NO. LW-14298 SITE NO.

REFERENCE NO.

SERVICE DATE	Parkwater	WA	ALCOHOLD !	DESCRIPTION	San Care Inc.	REFERENCE	QTY.	AMOUNT
13 - Jan	34	Vehicle: PCS 34	7327	,EGTU420598		53-800063	28.72 TN	
13 - Jan	34	Vehicle: PCS 34	7328	,UPCU411420		53-800064	29.74 TN	
13 - Jan	34	Vehicle: PCS 34	0353	,RBSU200344		53-800065	20.57 TN	
13 - Jan	34	Vehicle: PCS 34	0332,R	BSU200310		53-800066	20.96 TN	
13 - Jan	34	Vehicle: PCS 34	3450	,AWSU200060		53-800067	23.25 TN	
13 - Jan	34	Vehicle: PCS 34	5833	,EGTU420695		53-800068	21.71 TN	
13 - Jan	34	Vehicle: PCS 34	1565	,RBSU200210		53-800069	21.41 TN	
13 - Jan	34	Vehicle: PCS 34	2785	,RBSU200232		53-800070	28.21 TN	
13 - Jan	34	Vehicle: PCS 34	0332,RI	3SU200203		53-800071	29.36 TN	

**Account Status** 

Payment due upon receipt of this invoice, 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

PLEASE PAY THIS AMOUNT

We reserve the right to suspend service without notice on any past due account,

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657

INVOICE NO.

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	Parkwate:	WA		DESCRIPTION	1000	REFERENCE	QTY.	AMOUNT
13 - Jan	34	Vehicle: PCS 34	1567	,RBSU200182		53-800072	28.08 TN	
13 - Jan	34	Vehicle: PCS 34	2786	,RBSU200264		53-800073	28.38 TN	
13 - Jan	34	Vehicle: PCS 34	5831	,RBSU200133		53-800074	27.29 TN	
13 - Jan	34	Vehicle: PCS 34	2785	,RBSU200238		53-800075	27.19 TN	
13 - Jan	34	Vehicle: PCS 34	2783	,RBSU200158		53-800076	27.19 TN	
13 - Jan	34	Vehicle: PCS 34	0332,RE	SU200343		53-800077	26.83 TN	
13 - Jan	34	Vehicle: PCS 34	2786	,RBSU200244		53-800078	27.62 TN	
13 - Jan	34	Vehicle: PCS 34	7329	,CLOU282256		53-800079	25.64 TN	
	62	Vehicle:	5833	,EGTU420660				

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.
To ensure proper credit, please include your account number on your check and include the bottom

portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144657

INVOICE NO.

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

15 - Jan							
	34	PCS 34			53-800080	27.92 TN	
		Vehicle:	3450	,TOLU457766			
15 - Jan	34	PCS 34			53-800081	28.94 TN	
		Vehicle:	0353	,GCEU426701			
15 - Jan	34	PCS 34			53-800082	27.46 TN	
15 15-	24	Vehicle:	0329,U	PCU411439	F3 000003	27 44 TN	
15 - Jan	34	PCS 34			53-800083	27.44 TN	
15 - Jan	34	Vehicle: PCS 34	2785	,AWSU200022	53-800084	27.43 TN	
12 - 1911	J <del>4</del>	PC3 34			55-600064	27. <del>4</del> 3 IN	
15 - Jan	34	Vehicle: PCS 34	0352	,AWSU200023	53-800085	27.79 TN	
13 - Jan	דינ	FCS 54			33-800083	27.73 111	
15 - Jan	34	Vehicle: PCS 34	2785	,AWSU200013	53-800086	28.16 TN	
15 5411	J1				33 330000	20.10	
16 - Jan	34	Vehicle: PCS 34	8647	,EGTU420763	53-800087	27.74 TN	
10 5011	٠.				55 55667		
16 - Jan	34	Vehicle: PCS 34	1563	,GCEU426319	53-800088	27.95 TN	

## **Account Status**

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice. Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657 INVOICE NO.

PAGE

Jan-31-15 1935

DATE CUSTOMER NO.

LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	P CODE	ter, WA	1000	DESCRIPTION	REFERENCE	QTY.	AMOUNT
16 - Jan	34	Vehicle: PCS 34	1453	,TOLU456746	53-800089	27.21 TN	
16 - Jan	34	Vehicle: PCS 34	6812	,RBSU200039	53-800090	27.95 TN	
16 - Jan	34	Vehicle: PCS 34	5832	,RBSU200099	53-800091	28.38 TN	
20 - Jan	34	Vehicle: PCS 34	0332,G	CEU431598	53-800092	27.94 TN	
20 - Jan	34	Vehicle: PCS 34	1566	,TOLU459751	53-800093	27.67 TN	
20 - Jan	34	Vehicle: PCS 34	6812	,TOLU424266	53-800094	28.11 TN	
20 - Jan	34	Vehicle: PCS 34	5939	,GCEU430018	53-800095	28.04 TN	
20 - Jan	34	Vehicle: PCS 34	2783	,TOLU456445	53-800096	25.45 TN	
20 - Jan	34	Vehicle: PCS 34	2786	,GCEU426397	53-800097	28.68 TN	

**Account Status** 

Payment due upon receipt of this invoice, 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account,

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657

INVOICE NO.

Jan-31-15

PAGE

1935

DATE

CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

RVICE DATE	Pattowate	(, WA	Spirit State	DESCRIPTION	REFERENCE	QTY.	AMOUNT
20 - Jan	34	Vehicle: PCS 34	0352	,TOLU459362	53-800098	28.16 TN	
20 - Jan	34	Vehicle: PCS 34	2783	,TOLU460838	53-800099	27.88 TN	
20 - Jan	34	Vehicle: PCS 34	5832	,TOLU454005	53-800100	28.10 TN	
20 - Jan	34	Vehicle: PCS 34	0332,T	OLU456085	53-800101	26.85 TN	
20 - Jan	34	Vehicle: PCS 34	1566	,GCEU445088	53-800102	28.42 TN	
23 - Jan	34	Vehicle: PCS 34	0330,T	PHU252202	53-800103	28.82 TN	
24 - Jan	34	Vehicle: PCS 34	6181	,AWSU200013	53-800104	27.09 TN	
24 - Jan	34	Vehicle: PCS 34	7331	,TOLU476859	53-800105	27.40 TN	
		Vehicle:	0331,T	OLU467693			

**Account Status** 

Payment due upon receipt of this invoice, 1,5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

**OVER 90 DAYS** 

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144657

INVOICE NO.

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	Parkwate	, WA	THE RESERVE TO	DESCRIPTION	100000000000000000000000000000000000000	REFERENCE	QTY.	AMOUNT
24 - Ja	n 34	PCS 34				53-800106	27.87 TN	
24 - Ja	n 34	Vehicle: PCS 34	6811	,UPCU411478		53-800107	27.60 TN	
24 - Ja	n 34	Vehicle: PCS 34	7330	,TOLU462811		53-800108	28.13 TN	
24 - Ja	n 34	Vehicle: PCS 34	8648	,AWSU200023		53-800109	27.28 TN	
24 - Ja	n 34	Vehicle: PCS 34	7327	,TOLU458607		53-800110	27.67 TN	
24 - Ja	n 34	Vehicle: PCS 34	1454	,UPCU411439		53-800111	27.38 TN	
24 - Ja	n 34	Vehicle: PCS 34	0330,AV	VSU200022		53-800112	28.03 TN	
24 - Ja	n 34	Vehicle: PCS 34	7329	,GCEU426831		53-800113	28.18 TN	
24 - Ja	n 34	Vehicle: PCS 34	3450	,GCEU425688		53-800114	28.37 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF REMITTANCE** 

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657

INVOICE NO.

9 Jan-31-15

PAGE

1935

DATE CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

SERVICE DATE	Paikwate	, WA		DESCRIPTION	100	REFERENCE	QTY.	AMOUNT
24 - Jan	34	Vehicle: PCS 34	5833	,TOLU466628		53-800115	27.18 TN	
24 - Jan	34	Vehicle: PCS 34	7327	,GCEU420218		53-800116	28.74 TN	
24 - Jan	34	Vehicle: PCS 34	7329	,GCEU426141		53-800117	28.05 TN	
24 - Jan	34	Vehicle: PCS 34	8648	,EGTU420050		53-800118	28.60 TN	
24 - Jan	34	Vehicle: PCS 34	1454	,TOLU468768		53-800119	28.69 TN	
24 - Jan	34	Vehicle: PCS 34	0330,T	OLU454179		53-800120	28.50 TN	
24 - Jan	34	Vehicle: PCS 34	3450	,AWSU200007		53-800121	27.39 TN	
24 - Jan	34	Vehicle: PCS 34	5833	,UPCU411420		53-800122	22.71 TN	
24 - Jan	34	Vehicle: PCS 34	7330	,EGTU420598		53-800123	23.08 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144657

INVOICE NO. PAGE

10 Jan-31-15 1935

DATE CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	P-6905	er. WA	DESCRIPTION	REFERENCE QTY. AMOUNT
24 - Jan	34	Vehicle: PCS 34	7328 ,RBSU200344	53-800124 23.60 TN
24 - Jan	34	Vehicle: PCS 34	8648 ,RBSU200397	53-800125 21.87 TN
24 - Jan	34	Vehicle: PCS 34	0329,RBSU200310	53-800126 23.77 TN
24 - Jan	34	Vehicle: PCS 34	6811 ,AWSU200060	53-800127 23.83 TN
24 - Jan	34	Vehicle: PCS 34	0353 ,RBSU200150	53-800128 28.00 TN
24 - Jan	34	Vehicle: PCS 34	0331,RBSU200434	53-800129 27.76 TN
24 - Jan	34	Vehicle: PCS 34	7331 ,RBSU200259	53-800130 26.80 TN
28 - Jan	34	Vehicle: PCS 34	5833 ,TOLU456462	53-800131 28.41TN
		Vehicle:	0330,GCEU426879	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected,
To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657

INVOICE NO.

11

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	Pertwate	t, WA	DESCRIPTION	The Party	REFERENCE	QTY.	AMOUNT
28 - Jan	34	PCS 34			53-800132	27.32 TN	
28 - Jan	34	Vehicle: PCS 34	7329 ,GCEU440055		53-800133	27.92 TN	
28 - Jan	34	Vehicle: PCS 34	6811 ,GCEU426819		53-800134	28.50 TN	
28 - Jan	34	Vehicle: PCS 34	3450 ,GCEU426709		53-800135	27.73 TN	
28 - Jan	34	Vehicle: PCS 34	0329,GCEU426548		53-800136	28.01 TN	
31 - Jan	34	Vehicle: PCS 34	0332,GCEU420218		53-800137	26.30 TN	
31 - Jan	34	Vehicle: PCS 34	1452 ,GCEU426141		53-800138	27.43 TN	
31 - Jan	34	Vehicle: PCS 34	2786 ,EGTU420050		53-800139	27.57 TN	
31 - Jan	34	Vehicle: PCS 34	2784 ,TOLU454179		53-800140	27.42 TN	

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657 INVOICE NO. 12

PAGE DATE

Jan-31-15 1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	P.600Fat	er, WA	DESCRIPTION	REFERENCE QTY. AMOUNT
31 - Jan	34	Vehicle: PCS 34	2783 ,AWSU200007	53-800141 27.84 TN
31 - Jan	34	Vehicle: PCS 34	0352 ,UPCU411420	53-800142 28.56 TN
31 - Jan	34	Vehicle: PCS 34	1567 ,RBSU200397	53-800143 22.32 TN
31 - Jan	34	Vehicle: PCS 34	5831 ,EGTU420598	53-800144 22.78 TN
31 - Jan	34	Vehicle: PCS 34	6811 ,TOLU459068	53-800145 23.04 TN
31 - Jan	34	Vehicle: PCS 34	8648 ,RBSU200344	53-800146 22.96 TN
31 - Jan	34	Vehicle: PCS 34	0332,GCEU426831	53-800147 28.01 TN
31 - Jan	34	Vehicle: PCS 34	2786 ,UPCU411439	53-800148 27.45TN
31 - Jan	34	Vehicle: PCS 34	0329,RBSU200310	53-800149 22.79 TN

**Account Status** 

Payment due upon receipt of this invoice, 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.
Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account,

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

**REGIONAL DISPOSAL COMPANY - 4178** PO BOX 51057 LOS ANGELES, CA 90074-1057 (206) 332-7725

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South **Building 1-A** Seattle, WA 98134



0000144657 INVOICE NO.

13 PAGE Jan-31-15 DATE

1935 CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

SERVICE DATE	Parkwater	c WA		DESCRIPTION	REFERENCE	QTY.	AMOUNT
31 - Jan	34	Vehicle: PCS 34	1452	,AWSU200022	53-800150	28.13 TN	
31 - Jan	34	Vehicle: PCS 34	7331	,RBSU200259	53-800151	23.09 TN	
31 - Jan	34	Vehicle: PCS 34	5939	,AWSU200023	53-800152	28.25 TN	
31 - Jan	34	Vehicle: PCS 34	7329	,TOLU458607	53-800153	27.97 TN	
31 - Jan	34	Vehicle: PCS 34	3449	,GCEU425688	53-800154	27.85 TN	
31 - Jan	34	Vehicle: PCS 34	5939	,TPHU252136	53-800155	29.52 TN	
31 - Jan	34	Vehicle: PCS 34	7331	,TOLU458160	53-800156	29.56 TN	
31 - Jan	34	Vehicle: PCS 34	2784	,TOLU466654	53-800157	27.28 TN	
		Vehicle:	2783	,TOLU443076			

**Account Status** 

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

REMARKS

**REGIONAL DISPOSAL COMPANY - 4178** PO BOX 51057 LOS ANGELES, CA 90074-1057 (206) 332-7725

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134

0000144657

INVOICE NO.

14

PAGE

Jan-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	Parkwater	, WA	DESCRIPTION	REFERENCE	QTY.	AMOUNT
31 - Jan	34	PCS 34		53-800158	27.89 TN	
31 - Jan	34	Vehicle: 035 PCS 34	.GCEU430669	53-800159	28.37 TN	
31 - Jan	34	Vehicle: 156 PCS 34	,TOLU456702	53-800160	27.34 TN	
2017 NE 25 SE			Material Summary	-		1.5
	34	PCS 34		3	3,049.66 TN	

Please remit to:

0000144657 INVOICE NO. 14

PAGE Jan-31-15 DATE CUSTOMER NO.

1935

**REGIONAL DISPOSAL COMPANY - 4178** 

PO BOX 51057 LOS ANGELES, CA 90074-1057

(206) 332-7725

**AMOUNT OF** REMITTANCE

SITE NO. REFERENCE NO.


PLEASE RETURN THIS PORTION WITH REMITTANCE

REMARKS \*\*\* Please reference your invoice number on each check stub \*\*\*

> For Billing Inquiries: Call (206) 332-7725 or email: rtjok@republicservices.com

Parkwater (Spoka Parkwater (Spoka Spokane, WA	ne) ne)		SITE 53 WEIGHMASTI			ELL	
CUSTOMER 001935 BNSF / Bruce Sheppard			01-03-	2015 7:		ATE/TIME OUT 1-3-2015	7:39 am
2545 Occidental Avenue South			VEHICLE 5833		Ř	DNTAINER BSU200210	
Building 1-A			REFERENCE			IN	VOICE
LW-14298			BH SF 23	<b>09</b> 19			
SCALE IN GROSS WEIGHT		NET	TONS	20.05			
SCALE OUT TARE WEIGHT	47,860	NET W	EIGHT	40,100		INBOUND	
QTY. UNIT	DESCRIPTION			RATE	EXTENSION	TAX	TOTAL
28.00 YD TRACKING QTY 20.05 TN PCS 34	Parkwa	iter					
The undersigned individual signing this document on beh on the reverse side and that he or she has the authority to				I understands the t	terms and conditi	ons	NET AMOUNT TENDERED CHANGE
RS-F042UPR (07/12)	s	SIGNATURE					CHECK#

SITE		arkwater ( arkwater (		SITE 53							
		okane, WA	Spokane.			WEIGHMAST Janice	F.				
CUSTOMER 001935	10.					DATE/THAS !!	2015 7:1	.8 am	BATEL	ME 2015	7:47 am
BNSF / Br		ppard Avenue Sou	ıth			VEHIOL5			RBSC	250310	
Building		Avenue 500	CII			REFERENCE				IN	VOICE
LW-14298						BNSF23	0019				
	E IN E OUT	GROSS W		90,120 48,200		TONS WEIGHT	20.96 41,920		I	NBOUND	
QTY. UNIT			DES	CRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 YD 20.96 TN	PCS 34	NG QTY		Parkwa	ter						
											NET AMOUNT
The unders	igned individual	signing this docum	ent on behalf o	f Customer acknowled	ges that he or s	he has read an	d understands the te	erms and co	onditions		CHANGE
on the rever		t he or she has the a	authority to sigi	n this document on bei	SIGNATURE	ner.					CHECK#




SITE	Parkwater (Spokane Parkwater (Spokane Spokane, WA		SITE TIC WEIGHMAST Janice		CEL	L		
OSTOMER 001935 BNSF / Bruce S 2545 Oscidenta	heppard l Avenue South		DATE/TIME II 01-03- VEHICLE 3450		1000	E-TIME OUT 1-3-2015 VTAINER BU200049	8:02 am	
Building 1-A LW-14298			REFERENCE	REFERENCE				
SCALE IN SCALE OUT	GROSS WEIGHT TARE WEIGHT	88,660 46,660	NET TONS NET WEIGHT	21.00 42,000		INBOUND		
28.00 YD TRAC 21.00 TN PCS	CKING QTY	scription Parkwa	ater	RATE	EXTENSION	TAX	TOTAL	
			16				NET AMOUNT	
							TENDERED	

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

CHECK#

CHANGE




SITE		Pá	arkwater (Spoka arkwater (Spoka okane, WA			SITE TICK	800051 F.		CELL	
CUSTOMER 0019					$\overline{}$	DATE/TIME IN		.0 am	01-3-2015	8:39 am
BNSF 2545	/ Br	uce She	ppard Avenue South			<b>V5병당</b> 5			f810454179	
	ding		ivenue bouen			REFERENCE			11	VOICE
LW-1	4298					BILL OF LADII BNSF230	NG 0019			
		E IN E OUT	GROSS WEIGHT TARE WEIGHT	1050		TONS EIGHT	22.64 45,280		INBOUND	
QTY.	UNIT			DESCRIPTION			RATE	EXTENSION	ON TAX	TOTAL
28.00 22.64		TRACKI PCS 34	NG QTY	Parkwa	iter					
			<del>570 10 -1</del>	113						NET AMOUNT
										TENDERED
Th	e undersi	gned individual	signing this document on beh	alf of Customer acknowled	lges that he or sh	e has read and	understands the te	erms and con-	ditions	CHANGE
RS-F042Ui			t he or she has the authority to		half of the custom	eer.				CHECK#


TICKET # 800052 CELL SITE Parkwater (Spokane) Parkwater (Spokane) WEIGHMASTER Janice F. Spokane, WA **DATE/TIME OUT** 01-3-2015 CUSTOMER 001935 01-03-2015 8:16 am 8:40 am BNSF / Bruce Sheppard GCEU426141 **VEHISLE** 2545 Occidental Avenue South REFERENCE Building 1-A INVOICE LW-14298 BILL OF LADING DTTX27588 SCALE IN 96,440 GROSS WEIGHT NET TONS 22.69 SCALE OUT 51,060 45,380 TARE WEIGHT NET WEIGHT INBOUND **EXTENSION** TAX TOTAL DESCRIPTION RATE QTY. UNIT YD TRACKING OTY 28.00 22.69 TN PCS 34 Parkwater **NET AMOUNT TENDERED** CHANGE The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.


RS-F042UPR (07/12)


SIGNATURE

CHECK#











RS-F042UPR (07/12)

SIGNATURE



SITE		Pa	arkwater arkwater okane, W <i>I</i>	(Spokane			SITE 3 TICKET \$00058 CELL WEIGHMASTER						
CUSTOMER BNSF	/ Br	uce She	ppard			$\overline{}$	DATE/TIME IN	2015 8:2	21 am	The Albert Co.	<b>№-2</b> 515	8:43 am	
Buil	Occi ding .4298		Avenue So	outh			REFERENCE BLT PX 27588					VOICE	
	SCAL:	E IN E OUT		WEIGHT WEIGHT	107,400 48,860		TONS WEIGHT	29.27 58,540		I	NBOUND		
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ON	TAX	TOTAL	
28.00 29.27		PCS 34			Parkwa	iter							
								×					
												NET AMOUNT	
												TENDERED	
Th	e undersi	gned individual	signing this doc	ument on behalf	of Customer acknowledge	ges that he or sh	e has read and	understands the te	rms and cor	nditions		CHANGE	
RS-F042U			ne or sne nas tr	ie authority to sig	n this document on beh	SIGNATURE						CHECK#	



Pa	arkwater (Spokane arkwater (Spokane okane, WA		SITE 3	TICKET 8000	060	CELL			
CUSTOMER 35 BNSF / Bruce Shep	ppard			PATE/THM	<u>5™</u> 2015	8:22 am	PATETIME OU CONTAINES 6		8:49 am
2545 Occidental A Building 1-A	Avenue South			REFEREN	CE		GCEU420.		VOICE
LW-14298				BH PE	<del>27</del> 588				
SCALE IN SCALE OUT	GROSS WEIGHT TARE WEIGHT	101,900 46,440		TONS EIGHT	727.6	.73 460	INBO	UND	
QTY. UNIT 28.00 YD TRACKI	NG QTY	CRIPTION			RATE	EXTEN	SION TA	AX	TOTAL
27.73 TN PCS 34		Parkwa	ter						7/
		740.5							
									NET AMOUNT
									TENDERED
The undersigned individual	signing this document on behalf of	f Customer acknowledg	ges that he or sh	e has read	and understands	s the terms and co	nditions		CHANGE
on the reverse side and that	he or she has the authority to sign	n this document on beh	alf of the custom	er.					CHECK#

RS-F042UPR (07/12)


SIGNATURE \_\_\_\_\_

SITE		Parkwater (Spokane) Parkwater (Spokane) Spokane, WA	SITE 3 TIC WEIGHMASTI	KET #800061	CEL	L	
CUSTOMER 0019 BNSF		ruce Sheppard	POTE/TM5 IN	2015 8:2		E-13-2515	8:52 am
Buil	Occi ding 4298	dental Avenue South 1-A	REFERENCE	NG	V.		VOICE
	SCAL:	E IN GROSS WEIGHT 104,000 E OUT TARE WEIGHT 48,340	NET TONS NET WEIGHT	27.83 55,660		INBOUND	
QTY.	UNIT	DESCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.00 27.83		PCS 34 Parkwate:	r				
	the rever	gned individual signing this document on behalf of Customer acknowledges the se side and that he or she has the authority to sign this document on behalf o		understands the te	rms and condition	ns	TENDERED  CHANGE  CHECK#


DATE THE OUT
am 81515-2015 8:59 am
INVOICE
INBOUND
EXTENSION TAX TOTAL
TENDERED  CHANGE  CHECK#

RS-F042UPR (07/12)


SIGNATURE\_





SITE		Pa		(Spokane (Spokane			SITE 53 WEIGHMAS	800064		CELL		
CUSTOMER 0019 BNSF		uce Shep	pard				DATE/TIME VEHICLE	<u>-</u> 2015 8:2	0 am		ME OUT 15	9:03 aπ
2545	Occi	dental $ar{ extit{P}}$	Avenue So	outh			v <del>5</del> 132-8			UPCU	<b>41</b> 1420	
	ding	1-A					REFERENC	E			IN	VOICE
LW-1	4298						BILL OF LA DTTX2	7588	12 9/2/4/2			
	SCALE			WEIGHT WEIGHT	108,180 48,700		TONS EIGHT	29.74 59,480		I	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 29.74		TRACKIN PCS 34	NG QTY		Parkwa	ter						
												NET AMOUNT
												TENDERED
Th	e undersig	ned individual : se side and that	signing this doc he or she has th	ument on behalf ne authority to sig	of Customer acknowledg	ges that he or sh naif of the custon	e has read ar	nd understands the te	rms and co	nditions		CHANGE
RS-F042UI						SIGNATURE						CHECK#



						53 WEIGHMASTE	800066		CELL	2.151	
O01935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298  SCALE IN GROSS WEIGHT 83,900						VEHICLE 0332 REFERENCE	NG	48 am		0310	9:10 am
				83,900 <b>4</b> 1,980		1-4-00	20.96 41,920		INB	DUND	
-	TDACKEN	C OTTV	DES	CRIPTION			RATE	EXTENS	ON	TAX	TOTAL
TN	PCS 34	G QII		Parkwa	ter						
											NET AMOUNT
											TENDERED
undersig	ned individual si	gning this docu	ment on behalf of	Customer acknowledg	ges that he or sh	e has read and	understands the t	erms and con	ditions		CHANGE
ne revers	e side and that h	e or she has th	e authority to sign	this document on beh	alf of the custom	er.					
	/ Br Occi ding 4298 SCALE SCALE UNIT YD TN	Pa Spo  35 / Bruce Shep Occidental A ding 1-A 4298  SCALE IN SCALE OUT  UNIT YD TRACKIN TN PCS 34	Parkwater Spokane, Williams Spokane, Williams Spokane, Williams Spokane, Williams Spokane, Williams Spokane, Williams Spokane Spokane, Williams Spokane,	Parkwater (Spokane) Spokane, WA  35  / Bruce Sheppard Occidental Avenue South ding 1-A 4298  SCALE IN GROSS WEIGHT SCALE OUT TARE WEIGHT  UNIT DESI YD TRACKING QTY TN PCS 34  undersigned individual signing this document on behalf of	Parkwater (Spokane) Spokane, WA  35  / Bruce Sheppard Occidental Avenue South ding 1-A 4298  SCALE IN GROSS WEIGHT 83,900 SCALE OUT TARE WEIGHT 41,980  UNIT DESCRIPTION YD TRACKING QTY TN PCS 34  Parkwa  undersigned individual signing this document on behalf of Customer acknowledge	Parkwater (Spokane) Spokane, WA  35 / Bruce Sheppard Occidental Avenue South ding 1-A 4298  SCALE IN GROSS WEIGHT 83,900 NET WITH DESCRIPTION YO TRACKING QTY TN PCS 34  Parkwater  UNIT DESCRIPTION YO TRACKING QTY TN PCS 34  Parkwater	Spokane, WA  Bruce Sheppard Occidental Avenue South ding 1-A  4298  SCALE IN GROSS WEIGHT 83,900 NET TONS SCALE OUT TARE WEIGHT 41,980 NET WEIGHT  UNIT DESCRIPTION  YD TRACKING QTY TN PCS 34  Parkwater  WEIGHMASTI Gail H DATEMIASTI Gail H DATE	Spokane, WA  35 / Bruce Sheppard Occidental Avenue South ding 1-A 4298  SCALE IN GROSS WEIGHT 83,900 NET TONS 20.96 SCALE OUT TARE WEIGHT 41,980 NET WEIGHT 41,920  UNIT DESCRIPTION RATE  YD TRACKING QTY TN PCS 34  Parkwater  WEIGHMASTER Gail H. DATE/MARIE IN 01-13-2015 8:  VH3GLE REFERENCE BILL OF LADING BNSF230019  RATE  PARKWATER  PARKWATER  FAIL OF LADING BNSF230019  PARKWATER  PARKWATER  PARKWATER  PARKWATER  PARKWATER  OLANGIA  PARKWATER  PARKWATER  PARKWATER  PARKWATER  OLANGIA  PARKWATER  PARKWATER  OLANGIA  PARKWATER  PARK	Spokane, WA  Spokane, Wa	Spokane, WA  35  / Bruce Sheppard Occidental Avenue South ding 1-A  4298  SCALE IN GROSS WEIGHT 83,900 NET TONS 20.96 SCALE OUT TARE WEIGHT 41,980 NET WEIGHT 41,920 INBOUNT YD TRACKING QTY TN PCS 34  Parkwater  Gail H.  OTTMEN 01-13-2015 8:48 am 01-13- VOIS 22 REFERENCE BILL OF LADING BINSF230019  SCALE OUT TARE WEIGHT 41,980 NET WEIGHT 41,920 INBOUNT YD TRACKING QTY TN PCS 34  Parkwater	Spokane, WA  Spokane, WA







Parkwater (Spokane) Parkwater (Spokane)		SITE 3 TICKET \$00070 CELL						
Spokane, WA	Meighweste	•						
CUSTONET935	DATECTING IN	2015 12:27	om PATE	<b>M5-92</b> 515	12:52 pm			
BNSF / Bruce Sheppard	VEHICE.5		RESE	0232				
2545 Occidental Avenue South Building 1-A	REFERENCE	REFERENCE INVOICE						
LW-14298	BhSF23	811						
SCALE IN GROSS WEIGHT 96,600 SCALE OUT TARE WEIGHT 40,180	NET TONS NET WEIGHT	28.21 56,420	•	INBOUND				
QTY UNIT DESCRIPTION		RATE E	TENSION	TAX	TOTAL			
28.00 YD TRACKING QTY	kwater				NET AMOUNT			
The undersigned individual signing this document on behalf of Customer ackno on the reverse side and that he or she has the authority to sign this document o	owledges that he or she has read and	understands the terms a	and conditions		TENDERED CHANGE			
RS-F042LIPR (07/12)	SIGNATURE				CHECK#			

E		Pa Pa	ırkwater	(Spokane	a) e)	SITE 53	3 TICKET # 8000	71	CELL				
			okane, WA			weigh Gai	WEIGHMASTER Gail H.						
STOMER 00193				- 5		PA IE/T	TIME IN 13-2015	12:48 pm	DATE/TIME O	2015	1:08 pm		
2545	Occi		ppard Avenue So	outh		<sup>V</sup> हमुञ्ज	VENSUS RESULTO 203						
Build LW-14	ding	1-A				REFERI				IN	VOICE		
<u>рит</u> -	1230					BILL OF	FLADING F230011						
	SCALE	E IN E OUT		WEIGHT	100,640	NET TONS	53	.36	19294				
	SCATE	2 001	TARE	WEIGHT	41,920	NET WEIGH	IT 58,7	720	INBO	OUND			
TY. 28.00	YD YD	TRACKIN	MC OMV	DF	ESCRIPTION		RATE	EXTENS	ION	TAX	TOTAL		
	PCS 34			Parkwa	iter								
	1												
		1											
		(											
											NET AMOUNT		
											TENDERED		
The on (	undersig	jned individual s se side and that	signing this docu	ament on behalf one authority to si-	of Customer acknowledg	ges that he or she has rea	ad and understands	the terms and cor	nditions		CHANGE		
					No. work and account to the con-	all be are conserved.							

CELL TICKET #800072 SITE 53 Parkwater (Spokane) SITE Parkwater (Spokane) WEIGHMASTER Gail H. Spokane, WA DATE/195-2015 **PATE/TIME\_1**2015 1:21 pm CUSTOMER 001935 1:02 pm BNSF / Bruce Sheppard RBS0200182 VEHICL5 2545 Occidental Avenue South REFERENCE Building 1-A INVOICE LW-14298 BNSF230011 NET TONS 28.08 GROSS WEIGHT 98,500 SCALE IN SCALE OUT 56,160 INBOUND 42,340 NET WEIGHT TARE WEIGHT TOTAL RATE **EXTENSION** TAX DESCRIPTION QTY. UNIT TRACKING OTY 28.00 YD 28.08 Parkwater TN PCS 34 **NET AMOUNT TENDERED** CHANGE The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer. CHECK#

SIGNATURE

RS-F042UPR (07/12)

SITE				(Spokane (Spokane				<sup>KET</sup> #00073		CELL		
		Spo	okane, WA	40,000	, 	J	WEIGHMASTE Gail H	iR ■				
CUSTOMER 0019	3.5						01-13-2	2015 1:0	00 pm	DATE/TI 01-1	ME OUT 3-2015	1:27 pm
BNSF	/ Br	uce She					VEHICLE 2786			RBNTA	250264	
	ding		Avenue So	outn			REFERENCE	3			INV	OICE
LW-1	4298						BILL OF LADI BNSF230	NG 0011				
	SCALE			WEIGHT WEIGHT	97,280 40,520		TONS VEIGHT	28.38 56,760		I	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 28.38		TRACKI PCS 34	_		Parkwa	ter						
												NET AMOUNT
												TENDERED
Th	e undersi	gned individua	I signing this doo	ument on behalf	of Customer acknowled on this document on be	iges that he or s	he has read and	i understands the	erms and co	onditions		CHANGE
RS-F042U			at he of she ilds t	ne authority to sig		SIGNATURE						CHECK#


SITE		Pa	ırkwater	(Spokane (Spokane			SITE 3 TICI	<sup>KET</sup> 800074		CELL		
CUSTOMER		Spo	okane, WA	A S	<del></del>		BATETIME IN		. mag 0.	DATE/DI	45-2015	1:40 pm
CUSTOMER 0019:		uce Sher	nard					2012 1:1	.u piii	ACCORD 18-23	the control	1.40 ph
			Avenue S	outh			V5₩3-E			RBS02	50133	
Build	ding	1-A					REFERENCE				INV	OICE
LW-1	4298						BTTX 43	NG 124				
	SCALE	E IN	GROSS	WEIGHT	99,100	NET	TONS	27.29				
	SCALE	E OUT	TARE	WEIGHT	44,520	NET V	VEIGHT	54,580		II	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00		TRACKI	NG QTY		D 1 55 5	_025923						
27.29	27.29 TN PO	PCS 34			Parkwa	ter						
				7-								NET AMOUNT
												TENDERED
						. 1155-4-5-4-5		1da.ustanala 45- 4		nditions		CHANGE
IT 10	ne undersi n the rever	igned individual rse side and tha	signing this doo it he or she has t	ument on behalf he authority to sig	of Customer acknowled on this document on be	iges that he or s half of the custo	ne nas read and mer.	understands the t	erms and co	maillons		CHECK
						SIGNATURE						CHECK#
RS-F042U	PR (07/1	<b>Z</b> )				SIGNATURE						

SITE		Pa		(Spokane (Spokane			SITE TICK	800075		CELL	
	/ Br	uce Sher	ppard	-			VEHICLE	2015 1:2	mq 89	845-135-251 685-0250238	
	ding		Avenue So	outh			REFERENCE	NC		]	NVOICE
1111 1	SCAL	E IN E OUT		WEIGHT WEIGHT	95,320 40,940		BILL OF LADI BNSF230 TONS WEIGHT	27.19 54,380		INBOUN	)
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION TAX	TOTAL
28.00 27.19	YD	TRACKII PCS 34	NG QTY		Parkwa	ter					
											NET AMOUNT TENDERED
Th on RS-F042U	the reve	se side and that	signing this doc t he or she has t	ument on behalf he authority to sig	of Customer acknowled gn this document on bel	iges that he or a half of the custo SIGNATURE	he has read and mer.	l understands the t	erms and co	nditions	CHANGE CHECK#

	arkwater (Spokane arkwater (Spokane		SITE 3	800076		CELL					
	okane, WA		) [	WEIGHMASTER Gail H.							
ISTOMER 001935				BATE/TIME	-2015 1:2	25 pm	01-13-2015	1:53 pm			
BNSF / Bruce She 2545 Occidental	ppard Avenue South			VEHICLE		· ·	RBS0250158				
Building 1-A				REFERENC	E		TN	VOICE			
LW-14298				BILL OF LADING DTTX430124							
SCALE IN SCALE OUT	GROSS WEIGHT TARE WEIGHT	95,940 41,560	NET WE		27.19		TMPOUND				
	TAKE WEIGHT	41,500	NET WE	rigni	54,380		INBOUND				
28.00 YD TRACKI		ESCRIPTION			RATE	EXTENS	ION TAX	TOTAL			
27.19 TN PCS 34	NG QTY	Parkwate	r								
					=						
		-					4	NET AMOUNT			
								TENDERED			
								TENDERED			
							_				
The undersigned individue on the reverse side and the	I signing this document on behalf at he or she has the authority to sig	of Customer acknowledges to this document on behalf of	that he or she of the custome	has read ar	nd understands the to	erms and cor	nditions	CHANGE CHECK#			

SITE	Pa	rkwater (Spokane rkwater (Spokane kane, WA			SITE 53 TIC	800077 ER		CELL				
001935 BNSF / B 2545 Occ	ruce Shep idental A	pard venue South			VEHICLE	N-2015 1:	'	01-13-2015 RBS0200343				
Building LW-14298	1-A				REFERENCE INVOICE BILL OF LADING DTTX430124							
	LE IN LE OUT	GROSS WEIGHT TARE WEIGHT	96,140 42,480		TONS WEIGHT	26.83 53,660		INBOUND	,			
QTY. UNIT			CRIPTION			RATE	EXTENSIO	ON TAX	TOTAL			
28.00 YD 26.83 TN	TRACKIN PCS 34	IG QTY	Parkwa	ter								
									NET AMOUNT			
	erse side and that h	igning this document on behalf of ne or she has the authority to sign	this document on beha			d understands the	terms and cond	ditions	CHANGE CHECK#			


Parkwater (Spokane Parkwater (Spokane		SITE 53 TICH	800078	C	ELL	
Spokane, WA		Gail H  DATE/TIME IN 01-13-2		mq 00	DATE/TIME OUT 01-13-2015	2:22 pr
OO1935 BNSF / Bruce Sheppard		VEH/8-E	2015 2:0	7- 11-	BS0200244	2 • 22 P
2545 Occidental Avenue South Building 1-A		REFERENCE			IN	VOICE
LW-14298		BILL OF LADI BNSF230	NG 0011			
SCALE IN GROSS WEIGHT SCALE OUT TARE WEIGHT	95,720 40,480	NET TONS NET WEIGHT	27.62 55,240		INBOUND	
QTY. UNIT DES	SCRIPTION		RATE	EXTENSIO	N TAX	TOTAL
27.62 TN PCS 34		ter				
						NET AMOUN
The undersigned individual signing this document on behalf on the reverse side and that he or she has the authority to signify	of Customer acknowled	dges that he or she has read an	d understands the	terms and con-	ditions	CHANGE
RS-F042UPR (07/12)		SIGNATURE				OTTO THE




E		Pai	ckwater (S	Spokane		SITE 153 WEIGHMAS Gail	Н	DATE/	IME OUT	
2545 Builo	O1935 NSF / Bruce Sheppard 545 Occidental Avenue South Gilding 1-A W-14298  SCALE IN GROSS WEIGHT 105,440 SCALE OUT TARE WEIGHT 49,600  UNIT DESCRIPTION 28.00 YD TRACKING QTY					01-15 VEHICLE 5833 REFERENCE	-2015 8:	CONTA	1420660	8:47 am
						NET TONS NET WEIGHT	27.92 55,840		INBOUND	
QTY.	LINIT			DES	CRIPTION		RATE	EXTENSION	TAX	TOTAL
28.00 27.92			IG QTY		Parkwa	ter				
										NET AMOUNT
Th	e undersig	ned individual se side and that	signing this docum he or she has the a	ent on behalf authority to sig	of Customer acknowled in this document on be	iges that he or she has read half of the customer.	and understands the	terms and conditions		CHANGE CHECK#
RS-F042U	PR (07/12	0)				SIGNATURE				


TE							53 WEIGHMASTE Gail_H	•		CELL		
	/ Br Occi		opard Avenue So	outh			VEHICLE 3450 REFERENCE	2015 8:3	38 am	01-1	457766	9:03 am
LW-1	1298						BNSF230					
	28.00 YD TRACKING QTY					T TONS WEIGHT	28.94 57,880		I	NBOUND		
QTY.	UNIT	The second		DE	SCRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 28.94	28.00 YD	TRACKING QTY PCS 34 Parkwater				ter						
	-								41			NET AMOUNT
The on RS-F042UF	the rever	rse side and that	signing this doc	ument on behalf he authority to s	of Customer acknowled gn this document on bel	ges that he or shalf of the custo	she has read and omer.	understands the t	erms and co	onditions		CHANGE CHECK#


SITE		P	arkwater	(Spokane	e)		53 WEIGHMASTE		-	CELL		
BNSF 2545 Buil	O01935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298  SCALE IN GROSS WEIGHT 105,140 SCALE OUT TARE WEIGHT 50,220  TY. UNIT DESCRIPTION 28.00 YD TRACKING QTY					E OUT 5-2015 ER 126701 IN	)15 9:09 aπ					
					3.5		TONS	27.46 54,920		41	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00	YD				Parkwa	ter						
-		V-2-					- VI		-			NET AMOUNT
												TENDERED
Th	ie undersig	ned individual	signing this do	ument on behalf	of Customer acknowled	ges that he or s	he has read and	understands the to	erms and co	nditions		CHANGE
on	the revers	se side and tha	t he or she has t	he authority to si	gn this document on bel	nalf of the custo	mer.					CHECK#
RS-F042U	PR (07/12	?)			\$	SIGNATURE						







ITE						SITE 53 WEIGHMAS Gail	Н.	DATE/	TIME OUT	
00193 BNSF 2545 Build	Parkwater (Spokane) Spokane, WA  FOMER  001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A  LW-14298  SCALE IN GROSS WEIGHT 98,260 SCALE OUT TARE WEIGHT 42,680  TY. UNIT DESCRIPTION  28.00 YD TRACKING QTY					-2015 12:1 DE ADING	INER 1200023	12:39 pm		
						NET TONS NET WEIGHT	27.79 55,580	I	NBOUND	
QTY.	UNIT	- 401		DE	SCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.00	YD		NG QTY		Parkwa	ter				
Th	ne unders	igned individual se side and the	I signing this do	cument on behalf the authority to si	of Customer acknowle gn this document on bo	dges that he or she has read ehalf of the customer. SIGNATURE	and understands the	terms and conditions		TENDERED  CHANGE  CHECK#








SIGNATURE












The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

**NET AMOUNT** 

TENDERED



SIGNATURE \_

on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SITE	Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						SITE TICK	800094 R		CELL		
CUSTOMER 00193				20000000			DATE/TIME IN	2015 3:	15 pm	200	ME OUT 0-2015	3:34 pm
		uce Shep dental A		outh			VENICLE 6812			f8110	424266	
Builo			ivenue b	Jucii			REFERENCE				INV	OICE
LW-1	1298						BILL OF LADI BNSF230	NG 0011				
	~			•		TONS WEIGHT	28.11 56,220		II	NBOUND		
QTY.				DE	SCRIPTION			RATE	EXTEN	SION	TAX	TOTAL
28.00 28.11			NG QTY		Parkwa	ter						
												NET AMOUNT
					of Customer acknowledge			understands the	terms and co	onditions		CHANGE
RS-F042UF			ne or sne nas ti	ne authority to Sig	n this document on beh	ISIT OF THE CUSTON	ner.					CHECK#


Pa	rkwater (Spokane rkwater (Spokane kane, WA		SITE TIC WEIGHMAST Gail H	KET 800095		CELL			
CUSTOMER 001935				DATE/TIME II	2015 3:	15 pm	81-2	ME OUT 2015	3:40 pm
BNSF / Bruce Sher 2545 Occidental A				YEHICLE 5939			SCET	450018	
Building 1-A	Avenue South			REFERENCE				IN	/OICE
LW-14298				BNSF18	0011				
SCALE IN	GROSS WEIGHT	101,180	NET	TONS	28.04				
SCALE OUT	TARE WEIGHT	45,100	NET WE	CIGHT	56,080		-	INBOUND	
28:00 UNIT TRACKI	DE ORY	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.04 TN PCS 34		Parkwa	ter Live						
									NET AMOUNT


SIGNATURE.


RS-F042UPR (07/12)


Parkwater (Spokane) Parkwater (Spokane) Spokane, WA	SITE 3 WEIGHMAS	800096 TER	CI	ELL	
O01935	9AI=/TIME			1-20-2015	3:45 pm
BNSF / Bruce Sheppard 2545 Occidental Avenue South	VEHICLE		f	BL0456445	
Building 1-A	REFERENC	E		IN'	VOICE
LW-14298	BILL OF LA DTTX43	DING 30124			
SCALE IN GROSS WEIGHT 98,140 SCALE OUT TARE WEIGHT 47,240	NET TONS	25.45		T.1.D.0.11.15	
SCALE OUT TARE WEIGHT 47,240	NET WEIGHT	50,900		INBOUND	
OTY. UNIT DESCRIPTION 28.00 YD TRACKING OTY		RATE	EXTENSION	TAX	TOTAL
25.45 TN PCS 34 Parkwate	er				
SAI	FETY V				
					NET AMOUNT
				-	TENDERED
					CHANGE
The undersigned individual signing this document on behalf of Customer acknowledges on the reverse side and that he or she has the authority to sign this document on behalf	s that he or she has read a	nd understands the t	erms and conditi	ons	CHANGE


SITE	Parkwater (Spokane) Parkwater (Spokane) Spokane, WA						SITE TICK	800097		CELL		
OUSTOMER 00193		-1					DATE/TIME IN	2015 3:1	.5 pm	200000	2015	3:48 pm
		uce She	ppard Avenue S	outh			VEHICLE Z786			GCEO4	26397	
Builo				J 4 5 1 .			REFERENCE			10	INV	OICE
LW-1	4298						BILL OF LADI BNSF230	NG 0011				
	SCALE		GROSS	WEIGHT	99,680	NET	TONS	28.68				
	SCALE	E OUT	TARE	WEIGHT	42,320	NET V	EIGHT	57,360		IN	BOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 28.68	YD TN	TRACKI PCS 34	_		Parkwa	ter						
Th	e undersi	aned individua	I signing this doo	ument on behalf	of Customer acknowled	ges that he or s	ne has read and	understands the t	erms and co	nditions		NET AMOUNT TENDERED CHANGE
on RS-F042UI	the rever	rse side and tha	at he or she has t	he authority to sig	in this document on be	half of the custon	ner.	2.316				CHECK#











Parkwater (Spokane) Parkwater (Spokane) Spokane, WA	-	WEIGHMAST Janice	KET 800103	C	CELL.	
BNSF / Bruce Sheppard		01-23-			1-23-2015	3:55 pm
2545 Occidental Avenue South		SEXISPE.		ľ	PHU252202	
Building 1-A		REFERENCE			IN	VOICE
LW-14298		DILLOK 4-90	<b>№</b> 24	-		
SCALE IN GROSS WEIGHT	106,840	NET TONS	28.82			
SCALE OUT TARE WEIGHT	49,200 NE	T WEIGHT	57,640		INBOUND	
28.00 YD TRACKING QTY	RIPTION		RATE	EXTENSION	XAT V	TOTAL
28.82 TN PCS 34	Parkwater					
						NET AMOUNT
					-	TENDERED
The undersigned individual signing this document on behalf of 0	Customer acknowledges that	ne or she has read and	d understands the t	erms and condi	tions	CHANGE
on the reverse side and that he or she has the authority to sign t	his document on behalf of the	customer.				CHECK#

SIGNATURE\_


SITE			Parkwater (Spokane) Parkwater (Spokane)				800104	CE	LL	
			kane, WA	-		WEIGHMAST Janice				
USTOME 001	<b>R</b> 935					DATE/TIME I 01-24-	- 100	50 am 01	TE/TIME OUT -24-2015	7:42 am
BNS	F / Br	uce Sher	ppard Avenue South		p.	VEHICLE 6181			NTAINER SU200013	
	lding		Avenue South			REFERENCE			IN	VOICE
LW-	14298					BHSF25	210934			
	SCAL		GROSS WEIGHT	104,240	NET	TONS	27.09			
	SCAL.	E OUT	TARE WEIGHT	50,060	NET WE	EIGHT	54,180		INBOUND	
ату. 28.0	UNIT YD	TRACKI	NC OTV	CRIPTION			RATE	EXTENSION	TAX	TOTAL
27.0		PCS 34	20.5000	Parkwa	ater					
							7.6			
										NET AMOUNT
										TENDERED
			signing this document on behalf of the control of t				d understands the t	erms and conditio	ns	CHANGE
	on the revers	e side and that	ne or she has the authority to sig	n uns document on be	man of the custon	ier.				CHECK#


SIGNATURE \_

TE Parkwater (Spokane) Parkwater (Spokane)	SITE 3 TIC	KET #00105	С	ELL	
Spokane, WA	WEIGHMAST Janice	ER <sub>F</sub> .			
USTOMEB 35	PATE/TIME II	2015 6:5	2 am 8	ATE/24-2015	7:48 ar
BNSF / Bruce Sheppard 2545 Occidental Avenue South	VFHISLE		16	<b>91747</b> 6859	
Building 1-A	REFERENCE			IN	/OICE
LW-14298	BNSF23	1034			
SCALE IN GROSS WEIGHT 101,700	NET TONS	27.40			
SCALE OUT TARE WEIGHT 46,900	NET WEIGHT	54,800		INBOUND	
28.00 YD TRACKING OTY		RATE	EXTENSION	TAX	TOTAL
27.40 TN PCS 34 Parkwater					
4.2					
				5	
EVA AC					
					NET AMOUNT
					NET AMOUNT
					TENDERED
The undersigned individual signing this document on behalf of Customer acknowledges the		d understands the t	erms and condit	tions	CHANGE
on the reverse side and that he or she has the authority to sign this document on behalf of	the customer.			-	CHECK#

SIGNATURE\_


TE	Parkwater (Spokan Parkwater (Spokan		SITE 3	800106	CEL	L	
	Spokane, WA	e) 	weighmast Janice	ER F *			
<b>ISTOMER</b> 001935			DATE/TIME II	2015 6:5	4 am 01	-24-2015	7:49 ar
BNSF / Bruce			VENSIE		f8!	T0467693	
Building 1-A	ntal Avenue South A		REFERENCE			I NI	OICE
LW-14298			BILL OF LAD BNSF23	0074			OTCL
SCALE I SCALE O		102,520 46,780	NET TONS NET WEIGHT	27.87 55,740		INBOUND	
QTY. UNIT		DESCRIPTION		RATE	EXTENSION	TAX	TOTAL
	RACKING QTY CS 34	Parkwa	ter				
							NET AMOUNT
						-	TENDERED
	individual signing this document on beha			d understands the te	rms and condition	ns	CHANGE
on the reverse sid	de and that he or she has the authority to	sign this document on be	nait of the customer.				CHECK#







Parkwater (Spokane) Parkwater (Spokane)				SITE 3 TICKET #00109 CELI					
Spokane, WA			WEIGHMAST Janice	WEIGHMASTER Janice F.					
BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298			DATE/TIME II	<b>PATE-TYME IN</b> 2015 6:55 am			01-24-2015 7:59 ar		
			<b>₹ 생성 등</b>	VSUSUS ANSON ON O					
			REFERENCE						
			BNSF23	BINSE 231034					
SCALE IN	GROSS WEIGHT	98,920	NET TONS	27.28		Series Series Series			
SCALE OUT TARE WEIGHT 44,360		44,360	NET WEIGHT	54,560		INBOUND			
28.00 YD TRACK	ING OTY	SCRIPTION		RATE	EXTENSI	ON TAX	TOTAL		
	PCS 34 Parkwater								
			10.00						
							NET AMOUNT		
							TENDERED		
The condensation of the Mark St.	d stantan Mita da como de contra de						CHANGE		
	at signing this document on behalf o at he or she has the authority to sig			understands the to	erms and con	ditions			
S-F042UPR (07/12)			SIGNATURE				CHECK#		

Parkwater (Spokane) Parkwater (Spokane)				SITE 3 TICKET #800110 CELL						
Spokane, WA CUSTOMER 001935			W	WEIGHMASTER Janice F.						
			99	01-24-2015 7:18 a			n 01-24-2015 7:59 a			
BNSF / Bruce Sheppard 2545 Occidental Avenue South				<b>V5'32-5 FOLIOY58</b> 60 7						
Building 1-A			RE	REFERENCE						
LW-14298			BII	BILL OF LAPING BNSF230074						
SCALE IN SCALE OUT				NET TONS 27.67 ET WEIGHT 55,340 INBOUN					1D	
QTY. UNIT		SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL	
28.00 YD TRACKIN 27.67 TN PCS 34	PCS 34 Parkwater					7.5				
l l										
				11/2010					NET AMOUNT	
								-	TENDERED	
The undersigned individual	signing this document on behalf	of Customer acknowled	ges that he or she ha	as read a	and understands the te	erms and cor	nditions		CHANGE	
	he or she has the authority to sig								CHECK#	
RS-F042UPR (07/12)		5	SIGNATURE							




SIGNATURE \_\_\_







Parkwater (Spokane) Parkwater (Spokane)					SITE TICK	CELL					
		ane, WA			WEIGHMASTE Janice	F.					
CUSTOMER 001935			$\overline{}$	DATE/TIME IN	2015 7:3	35 am	PATE/TIME OUT 1	5 8:07 aπ			
BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298					<b>V5</b> 44955		GCEU425688	CEU425688			
					REFERENCE						
					BILL OF LADING BNSF230074						
	SCALE IN GROSS WEIGHT 106,820 SCALE OUT TARE WEIGHT 50,080				NET TONS 28.37 ET WEIGHT 56,740 INBOUND						
QTY. UNIT			SCRIPTION			RATE	EXTENS	ION TAX	TOTAL		
28.00 YD 28.37 TN	TRACKING PCS 34	QTY	Parkwa	ater							
		ning this document on behalf o				understands the te	erms and cor	nditions	NET AMOUNT TENDERED CHANGE		
on the revers		or she has the authority to sig		half of the custon	ier.				CHECK#		





SITE		Pa	rkwater rkwater kane, WA	(Spokane (Spokane	e) e)		WEIGHMAST Janice	ER F.		CELL		
	/ Br	uce Shep					VEHICLE	<u>2</u> 015 8:3	33 am	BATE/EM GENERAL	<b>E-2</b> 015 <b>2</b> 0218	8:59 am
	ding	dental A 1-A	ivenue so	outh			REFERENCE BILL OF LAI				IN	/OICE
		E IN E OUT		WEIGHT WEIGHT	106,480 49,000		DTTX2 TONS VEIGHT	28.74 57,480		IN	BOUND	
QTY.	UNIT			DE	SCRIPTION	<u> </u>		RATE	EXTENS	ION	TAX	TOTAL
28.00 28.74		TRACKIN PCS 34	IG QTY		Parkwa	ter						
	the rever	se side and that			of Customer acknowled gn this document on bel			nd understands the to	erms and cor	nditions		TENDERED CHANGE CHECK#



SITE			arkwater (Spokane arkwater (Spokane			SITE 3	*KET # 00118		CELL		
			okane, WA	=-		WEIGHMAST Janice	F.				
CUSTOMER :	35				$\overline{}$	PATE/TIME !!	2015 8:3	1 am	BATE	<b>4-2</b> 015	9:03 am
		uce Sher	opard Avenue South			<b>₹</b>			EGNTA	<b>월달</b> 0050	
	ding :		Avenue South			REFERENCE	INV	VOICE			
LW-1	4298					DTTX27					
	SCALE		GROSS WEIGHT TARE WEIGHT	101,700 44,500		TONS VEIGHT	28.60 57,200		I	NBOUND	
QTY.	UNIT			SCRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 28.60		PCS 34	NG QII	Parkwa	ter						
											NET AMOUNT
											TENDERED
Th	ne undersig	gned individual	signing this document on behalf	of Customer acknowled	ges that he or si	ne has read an	d understands the te	erms and co	nditions		CHANGE
RS-F042U			t he or she has the authority to sig		half of the custor	ner.					CHECK#








Pa	arkwater (Spokane arkwater (Spokane	)	S	SITE 3 TIC	KET #00122	CE	ELL	
	okane, WA	<del>-</del> -	V	VEIGHMASTE ANICE	R <sub>F</sub>			
USTOMER 35	_		9	PATE/TEME_IN	2015 8:4	17 am B	TE/24E 017	9:24 ar
BNSF / Bruce She 2545 Occidental	ppard Avenue South		V	5 <del>835</del>		9	PUO 451 420	
Building 1-A LW-14298	ivenue bouen			REFERENCE BNSF23	NG - o		INV	VOICE
SCALE IN SCALE OUT	GROSS WEIGHT	94,780 49,360	NET T	CONS	22.71			
SCALL OUT	TARE WEIGHT	NET WE	IGHT	45,420		INBOUND		
28.00 YD TRACKI	NG OTY	SCRIPTION			RATE	EXTENSION	TAX	TOTAL
22.71 TN PCS 34		Parkwa	iter					
		V			- W		_	NET AMOUNT
								TENDERED
The undersigned individual	signing this document on behalf of	of Cuetomer acknowled	ines that he or she h	age road end	understands the to	irms and so-dist		CHANGE
	t he or she has the authority to sig				understands the te	iiiis and conditi	ons	CHECK#
RS-F042UPR (07/12)		•	SIGNATURE					UNEUK#

SITE		Pa	arkwater (Spokane arkwater (Spokane okane, WA			SITE 53	TICKET #001	.23	CE	ELL	5 5)
CUSTOMER 0019 BNSF	/ Br	uce Sher	ppard			PATE/ZIME VEHISHE	-2015	8:40		TEZME 2U15	9:26 am
	ding		Avenue South			BILL OF L BNSF2				occored) denne	VOICE
	SCALI	E IN E OUT	GROSS WEIGHT TARE WEIGHT	95,640 49,480		TONS		.08		INBOUND	
QTY.	UNIT		DE	SCRIPTION			RAT	E	EXTENSION	TAX	TOTAL
28.00 23.08	YD TN	PCS 34	NG QTY	Parkwa	ter						
Th	e undersi	gned individual se side and that	signing this document on behalf o	of Customer acknowled n this document on bel	ges that he or sh half of the custom	e has read a er.	ind understand	s the terms	and condition	ons	TENDERED  CHANGE  CHECK#
RS-F042UF	PR (07/1:	2)		9	SIGNATURE						

Parkwater (Spokane) Parkwater (Spokane)						TICKET#00124	CELL		
		Spok	kane, WA		WEIGHMA Janic	STER e F.			
STOMER 00193		Cl	,		81-24	-2015 9:3	35 am PATE	24-2015	9:59 ar
2545	Occi	uce Shep dental A	pard venue South		y <u>EHI</u> SLE		RBSU	<b>200</b> 344	
Build	ling :	1-A			REFEREN	CE		IN	VOICE
LW-14	298				BN60F2	30019			
	SCALE		GROSS WEIGHT	94,120	NET TONS	23.60			
	SCALE OUT TARE WEIGHT 46,920 NET					47,200		INBOUND	
OTY .00	цип	TRACKIN	IG OTY	DESCRIPTION		RATE	EXTENSION	TAX	TOTAL
23.60	TN	PCS 34	- ***	Parkwa	iter				
									NET AMOUNT
									TENDERED
The	undersig	ned individual s	signing this document on beha he or she has the authority to s	If of Customer acknowled	dges that he or she has read	and understands the te	erms and conditions		CHANGE
On									



SIGNATURE.

SITE		Pa	rkwater (Spokane) rkwater (Spokane)				TICKET #00126		CELL	
		Spo	kane, WA -	N. 20		WEIGHMA: Janic	e F.			
CUSTOMER 0019	35					DATE/TIME 01-24	-2015 9:3	5 am	01-24-2015	10:21 am
BNSF	/ Br	uce She	ppard Avenue South			VEHICLE 0329			RBSU200310	
	ding		Aveilde South			REFERENC	CE		I	NVOICE
LW-1	4298					BNSF2	990619			
		E IN	GROSS WEIGHT	95,860	NET	TONS	23.77	8		
	SCAL	E OUT	TARE WEIGHT	48,320	NET W	EIGHT	47,540		INBOUN	)
оту <sub></sub>	UNIT	MD NOW T	NG QTY DES	CRIPTION			RATE	EXTENS	ION TAX	TOTAL
23.77	TN	PCS 34	factories and professions	Parkwa	ater					
						— ·				NET AMOUNT
										TENDERED
			signing this document on behalf o				and understands the to	erms and co	nditions	CHANGE
or	the rever	se side and tha	t he or she has the authority to sign			mer.				CHECK#
RS-F042U	PR (07/1	2)			SIGNATURE					

SITE		Par	rkwater (Spoka rkwater (Spoka	ne) ne)	SITE		.27	CELL	
		Spo.	kane, WA		Jan	MASTER LCE F.			
CUSTOMER BNSF	/ Br	uce Shep	ppard		8846.	ME IN 24-2015		O1-24-2015	10:29 am
2545	Occi	dental A	venue South					<b>WSU25</b> 0060	
	ding	1-A			REFER	ENCE		IN	VOICE
LW-1	4298				B0135	220019			
	SCAL:	E IN E OUT	GROSS WEIGHT TARE WEIGHT	20,000	NET TONS	23.		4	
			11110 110111	43,220	NET WEIGHT	47,6	60	INBOUND	
<u>°</u> 28.00	UNIT	TRACKIN	IG OTY	DESCRIPTION		RAT	E EXTENSION	ON TAX	TOTAL
23.83	TN	PCS 34		Parkwa	ater				
						11	,		NET AMOUNT
									TENDERED
The on	e undersig the revers	ned individual s e side and that h	igning this document on beh ne or she has the authority to	alf of Customer acknowled sign this document on bel	ges that he or she has rea	d and understand	s the terms and cond	litions	CHANGE
RS-F042UF	PR (07/12	)		•	SIGNATURE				CHECK#


TICKET #00128 CELL Parkwater (Spokane) SITE Parkwater (Spokane) WEIGHMASTER Spokane, WA Janice F. 84TE/TIME OUT 15 01-24-2015 10:49 am 10:22 am BNSF / Bruce Sheppard RBSU250150 VEHICLE 0353 2545 Occidental Avenue South REFERENCE TNVOTCE Building 1-A LW-14298 BULTOK 4-800 MG 2 4 NET TONS SCALE IN GROSS WEIGHT 106,840 28.00 SCALE OUT INBOUND TARE WEIGHT 50,840 NET WEIGHT 56,000 TOTAL TAX RATE **EXTENSION** UNIT DESCRIPTION TRACKING QTY 28.00 TN PCS 34 Parkwater **NET AMOUNT TENDERED** CHANGE The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer. CHECK#

RS-F042UPR (07/12)

SIGNATURE

ITE Pa	arkwater (Spokane) arkwater (Spokane)	SITE 3 TIC	KET #00129	CELL			
Spo	okane, WA	WEIGHMASTE Janice	F.		-		
USTOMER 35		DATE/TIME IN	2015 10:23	3 am BATE	74E-2015	10:51 am	
BNSF / Bruce Sher 2545 Occidental A		V5HS-E		r By	0250434		
Building 1-A	TVOITED BOUGH	REFERENCE			INVOICE		
LW-14298		BILL OF LAST	NG 24				
SCALE IN SCALE OUT	GROSS WEIGHT 100,020 TARE WEIGHT 44,500	NET TONS NET WEIGHT	27.76 55,520		INBOUND		
QTY. UNIT	DESCRIPTION		RATE	EXTENSION	TAX	TOTAL	
28.00 YD TRACKII 27.76 TN PCS 34	NG QTY Parkw	vater					
A D							
				-		NET AMOUNT	
						TENDERED	
	alasta aktis da susanka a babati at Osakasa a atsasud	adance that he ar also has read and	Lunderstands the ten	ms and conditions		CHANGE	
	signing this document on behalf of Customer acknowled the or she has the authority to sign this document on the contract of th		dideistalida tile tel	mo una concinent			

Parl	kwater (Spokane) kwater (Spokane) ane, WA -	v	WEIGHMAST	ICKET #00130	CELL	CELL			
USTOMER 001935				Janice VI-24-		28 am	01-24-2	<b>7</b> 015	11:05 am
BNSF / Bruce Shepp 2545 Occidental Av	ard Menue South		ע	YEHICLE 7331E			RBSU260	259	
Building 1-A LW-14298				REFERENCE	1			INV	OICE
SCALE IN SCALE OUT	GROSS WEIGHT TARE WEIGHT	101,280 47,680	NET TO		26.80 53,600		INBC	OUND	
QTY UNIT TRACKING	G OTY DES	SCRIPTION			RATE	EXTENSI	ION T	AX	TOTAL
26.80 TN PCS 34		Parkwa	ter						
The underelaned individual circu	erter skip de summerk og helself e								TENDERED CHANGE
on the reverse side and that he	ning this document on behalf of or she has the authority to sign	this document on beh	jes that he or sne n half of the customer.	as read and	d understands the te	rms and con	ditions		CHECK#



SITE		Pa	rkwater (Spokane rkwater (Spokane	)		53 TIC	CELL	-		
		Spo.	kane, WA	<u>=</u> _		<mark>veighmast</mark> Gail H				
0019: BNSF	/ Br	uce Shep	pard		D	DATE/TIME IN			ATE/TIME OUT 01-28-2015 CONTAINER CEU426879	10:36 am
2545	Occi	dental A	Avenue South			EFERENCE		G	CEU426879	
	ding	1-A				EFERENCE			4 I	VOICE
LW-14	4298				1	PESTRUMENT	9911			
	SCALI	E IN E OUT	GROSS WEIGHT	102,220	NET TO	ONS	27.32			
	0 01.125	001	TARE WEIGHT	47,580	NET WEI	GHT	54,640		INBOUND	
QTY. 28.00	UNIT	The Property of	DE	SCRIPTION			RATE	EXTENSION	TAX	TOTAL
27.32	TN	PCS 34	NG QTY	Parkwa	iter					
							1/2			
1										
										NET AMOUNT
										TENDERED
The	undersign	ned individual si	igning this document on behalf on ne or she has the authority to sig	of Customer acknowledge	ges that he or she ha	as read and	understands the te	rms and conditi	ons	CHANGE
on t				accountant of Deli	ron of the custoffiel.					

Parkwater (Spokane) TICKET \$00133 CELL SITE Parkwater (Spokane) WEIGHMASTER Spokane, WA Gail H. 01-28-2015 CUSTOMER 001935 01-28-2015 10:39 am 9:51 am BNSF / Bruce Sheppard CCEU440055 YEHICLE 7329 2545 Occidental Avenue South REFERENCE INVOICE Building 1-A LW-14298 BITTOK 4APONG 24 SCALE IN GROSS WEIGHT 104,920 NET TONS 27.92 SCALE OUT 55,840 TARE WEIGHT 49,080 INBOUND NET WEIGHT **EXTENSION** TAX TOTAL RATE UNIT DESCRIPTION TRACKING OTY 27.92 PCS 34 Parkwater **NET AMOUNT TENDERED** CHANGE The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer. CHECK#

RS-F042UPR (07/12)

SIGNATURE

Parkwater (Spokan Parkwater (Spokan Spokane, WA	WEIGHMAST		CELI	L		
Spokane, WA  USTOMER 001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298  SCALE IN GROSS WEIGHT	105,220	Gail H	H. N-2015 10:0	01 am	E/TIME OUT -28-2015 TAINER EU426819 IN	10:40 am
SCALE OUT TARE WEIGHT	48,220	NET WEIGHT	57,000		INBOUND	
28.00 YD TRACKING QTY	ESCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.50 TN PCS 34	Parkwa	ter				
The undersigned individual signing this document on behalf on the reverse side and that he or she has the authority to si	of Customer acknowledg gn this document on beh	es that he or she has read and	f understands the terr	ms and conditions		NET AMOUNT TENDERED CHANGE
S-F042UPR (07/12)					_	CHECK#

Gail H DATE/TIME II 01-28- VEHICLE 3450 REFERENCE	N -2015 10:2	20 am (	DATE/TIME OUT 01-28-2015	10:40 ar
Dittor 25	<b>V9</b> 11		CONTAINER SCEU426709 IN	VOICE
	27.73 55,460	•	INBOUND	
	RATE	EXTENSION	N TAX	TOTAL
she has read and omer.	d understands the te	rms and condit	tions	NET AMOUNT TENDERED CHANGE CHECK#
	F TONS WEIGHT	She has read and understands the te	She has read and understands the terms and conditions.	She has read and understands the terms and conditions


Parkwater ( Parkwater (		SITE 53 110	800136	CELL		
Spokane, WA		WEIGHMAST Gail H	ER			
TOMER 001935		DATE/TIME II 01-28-	2015 10:	37 am 01-	TIME OUT 28-2015	10:59 am
BNSF / Bruce Sheppard 2545 Occidental Avenue So	uth	VEHICLE 0329		CONT GCE	J426548	
Building 1-A		REFERENCE		,	IN	VOICE
LW-14298		BN9F249	<b>09</b> 11			
MANUAL IN GROSS I SCALE OUT TARE		NET TONS	28.01			
TARE	WEIGHT 49,460	NET WEIGHT	56,020		INBOUND	
28.00 YD TRACKING QTY	DESCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.01 TN PCS 34	Parkwa	ater				
					N.	
			-			
			-			NET AMOUNT
						TENDERED
The undersigned individual signing this document the reverse side and that he are the booth has the	nent on behalf of Customer acknowledge authority to sign this document on beh		d understands the t	erms and conditions		CHANGE
on the reverse side and that he or she has the						CHECK#

SITE		Pa		(Spokane (Spokane A			53 WEIGHMA Janio	ce F.	37	CELL		
CUSTOMER 00193 BNSF		uce Shep	pard				01-31 VEHICLE 0332	L-2015	7:10 a	n 01-3	NIME OUT 31-2015 NIMER 420218	7:27 am
2545	Occiding	dental A	venue S	outh		3	REFEREN BILL OF I			BCEO		VOICE
	SCALE			WEIGHT WEIGHT	95,480 42,880		DTTX2 TONS VEIGHT	26.	Z = -	I	NBOUND	
QTY.	UNIT			DE	SCRIPTION	THE EVEN		RATI	EX	TENSION	TAX	TOTAL
28.00 26.30	1	TRACKIN	NG QTY		Parkwa	AFEIY LIVE		,00				
												NET AMOUNT
TI	ne undersi n the rever	gned individual se side and tha	signing this do t he or she has	cument on behalf the authority to si	of Customer acknowle gn this document on b	edges that he or seehalf of the custo	he has read mer.	l and understand	s the terms a	nd conditions		CHANGE CHECK#

SIGNATURE.


RS-F042UPR (07/12)

CELL



**SIGNATURE** 

on the reverse side and that he or she has the authority to sign this document on behalf of the customer.



SIGNATURE

SITE		Par		(Spokane) (Spokane)			SITE 53 WEIGHM		140	CELL		
2545	/ Br Occiding	uce Shep dental A	pard				01-3 VEHICLE 2784 REFERE	1-2015	7:32 am	01-3 CONTA	454179	7:51 am
	SCALI	E IN E OUT		WEIGHT WEIGHT	96,740 41,900	NET NET W	TONS EIGHT	27 54,	.42 840	]	INBOUND	
QTY.	UNIT			DESC	RIPTION			RA	TE EXTE	NSION	TAX	TOTAL
28.00 27.42	YD TN	TRACKIN PCS 34	G QTY		Parkwa	nter						

SIGNATURE \_

**NET AMOUNT** 

TENDERED

SITE	0.0	Pai		(Spokane (Spokane			53 WEIGHMASTE Janice			CELL	
CUSTOMER 00191 BNSF		uce Shep	pard		5000		DATE/TIME IN 01-31-2 VEHICLE 2783	2015 7:3	33 am	DATE/TIME OUT 01-31-2015 CONTAINER AWSU200007	7:57 am
2545	Occi ding	dental A	venue S	outh			REFERENCE	NG			VOICE
	SCALE SCALE			WEIGHT WEIGHT	96,200 40,520		DTTX275 TONS VEIGHT			INBOUND	
QTY.	UNIT			DE	SCRIPTION		to the sales	RATE	EXTENSIO	N TAX	TOTAL
28.00 27.84	1-	TRACKIN PCS 34	G QTY		Parkwa	TEN LIVE					
					of Customer acknowled; in this document on beh			understands the to	erms and cond	litions	TENDERED CHANGE

SIGNATURE \_\_\_

SITE		Pa	rkwater (Spokane rkwater (Spokane kane, WA			53 WEIGHMASTE Janice			CELL		
	/ Br Occi ding		opard Avenue South			DATE/TIME IN 01-31-2 VEHICLE 0352 REFERENCE BILL OF LADI	2015 7:3	9 am _	DATE/TIMI 01-31 CONTAINE UPCU4	-2015 11420	8:05 am
	SCALI SCALI	E IN E OUT	GROSS WEIGHT TARE WEIGHT	98,900 41,780		T TONS WEIGHT	28.56 57,120		IN	BOUND	
QTY.	UNIT		DES	CRIPTION			RATE	EXTENSION	ON	TAX	TOTAL
28.00 28.56		TRACKII PCS 34	NG QTY	Parkwa	ater MFETTY						
			2					=			NET AMOUNT

CHECK#

TENDERED

SITE		Pai	rkwater rkwater kane, W <i>A</i>	(Spokane (Spokane	) ) 		53 WEIGHMASTE Janice			CELL		
O01935	Dri	ıce Shep <sub>l</sub>					DATE/TIME IN 01-31-2		52 am	01-3	1ME OUT 31-2015	8:10 am
2545 0	ccio	dental A	pard venue So	outh			<b>VEHICLE</b> 1567			RBSU	INER 200397	
Buildin	ng 1	1-A					REFERENCE				INV	OICE
LW-142	98						BILL OF LADI					
		IN OUT		WEIGHT WEIGHT	88,420 43,780		TONS EIGHT	22.32 44,640		I	NBOUND	
	NIT		Territo	DES	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
59089	'D 'N	TRACKING PCS 34	G QTY		Parkwa	ter						
			72		SI	ST STETY LIVE TOUR						NET AMOUNT
												NET AMOUNT TENDERED

SIGNATURE \_\_\_\_\_

on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SITE		Pa	rkwater (Spokane rkwater (Spokane kane, WA		SITE 153 WEIGHMAS		CELL	·	
00193		uce Shep	mard	, M	DATE/TIME 01-31 VEHICLE 5831		2 am 01-		8:11 am
	Occi	dental A	venue South		5831 REFERENCE	E	EGTU	J420598 TN	/OICE
LW-1	4298				BILL OF LA				
	SCALI SCALI	E IN E OUT	GROSS WEIGHT TARE WEIGHT	87,680 42,120	NET TONS NET WEIGHT	22.78 45,560	8	INBOUND	
QTY.	UNIT		DES	CRIPTION	7	RATE	EXTENSION	TAX	TOTAL
28.00 22.78		TRACKIN	NG QII	Parkwa	AFETY UVE				
				-8556			· ·		NET AMOUNT

CHANGE CHECK#

SITE		Pa	rkwater (Spokane rkwater (Spokane kane, WA	e) e) 	SITE TICK 53 WEIGHMASTE Janice			CELL	
2545 Buil	/ Br Occi ding	uce Shep dental A 1-A	pard venue South		DATE/TIME IN 01-31-2 VEHICLE 6811 REFERENCE		49 am	DATE/TIME OUT 01-31-2015 CONTAINER TOLU459068	8:14 am
	SCALE	E IN E OUT	GROSS WEIGHT TARE WEIGHT	90,960 44,880	BILL OF LADII BNSF230 NET TONS NET WEIGHT			INBOUND	V 0 1 0 1
28.00	YD YD	TRACKIN		SCRIPTION		RATE	EXTENSIO	ON TAX	TOTAL
23.04	TN	PCS 34		Parkwa	FETY LIVE				
Th. on	a undersig	ned individual si e side and that h	gning this document on behalf o e or she has the authority to sig	of Customer acknowledg n this document on beh	ies that he or she has read and u	understands the te	erms and cond	itions	TENDERED CHANGE

**SIGNATURE** 

USTOMER 00193 BNSF 2545 Build LW-14	/ Br Occi ding	Pa Spo Tuce Shep dental A	rkwater kane, WA				DATE/TIM 01-3 VEHICLE 8648 REFEREN	ce F. IE IN 1-2015	46 7:50 am	01-3	200344	8:16 am
	SCALI SCALI	E IN E OUT		WEIGHT WEIGHT	93,040 47,120		TONS EIGHT	22. 45,9		I	NBOUND	
QTY.	UNIT			DES	CRIPTION			RATE	EXTEN	SION	TAX	TOTAL
28.00 22.96	YD TN	TRACKIN PCS 34	G QTY		Parkwa	ter FEIV UVE						

CHANGE CHECK#

TENDERED

ITE		Parkwater (Spokane Parkwater (Spokane Spokane, WA	e) 	SITE TICK 53 WEIGHMASTE Janice		CEI	LL	
2545 Buil	/ Br	uce Sheppard dental Avenue South		DATE/TIME IN 01-31-; VEHICLE 0332 REFERENCE BILL OF LADI BNSF230	2015 8:0	00 am 01	TE/TIME OUT L=31=2015 NTAINER EU426831 IN	8:16 an
	SCAL	E IN GROSS WEIGHT E OUT TARE WEIGHT	99,960 43,940	NET TONS NET WEIGHT	28.01 56,020		INBOUND	
QTY.	UNIT	OE OE	SCRIPTION		RATE	EXTENSION	TAX	TOTAL
28.00 28.01		TRACKING QTY PCS 34	Parkwa	LIVE				
		ned individual signing this document on behalf se side and that he or she has the authority to sig			understands the te	erms and condition	ns	TENDERED CHANGE
								CHECK#

SIGNATURE \_\_\_\_\_

2545 Buil	35 7 / Br	Pa Spo uce Shep dental A	rkwater kane, Wi				53 WEIGHMA Janic DATE/TIMI 01-31 VEHICLE 2786 REFERENCE	CE F. EIN 1-2015	8 8:04 am	01-3	IME OUT 31-2015 INER 411439 IN	8:25 am
	SCALI			WEIGHT	94,440	NET	TONS	27.4	15			
	SCALI	E OUT	TARE	WEIGHT	39,540	NET W	EIGHT	54,90	00	I	NBOUND	
QTY.	UNIT	THE REAL PROPERTY.	IN STATE	DES	CRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00	9	TRACKIN	G QTY									
27.45	TN	PCS 34			Parkwa	LIVE Right Imm						
												NET AMOUNT
												TENDERED

SIGNATURE \_

CHANGE CHECK#

RS-F042UPR (07/12)

SITE		Pa	arkwater (Spokane arkwater (Spokane okane, WA	) } 	53 WEIGHMAS		CELL		
2545	/ Br Occi ding	uce She			DATE/TIME  01-31- VEHICLE  0329 REFERENCE  BILL OF LAI BNSF23	-2015 7:	53 am 01-	1200310	8:32 am
		E IN E OUT	GROSS WEIGHT TARE WEIGHT	93,740 48,160	NET TONS NET WEIGHT	22.79 45,580		INBOUND	
28.00 22.79	YD TN	TRACKI PCS 34	NG QTY	Parkwa	ater LIVE	RATE	EXTENSION	TAX	TOTAL
									NET AMOUNT
The	e undersig	ned individual	signing this document on behalf of	Customer acknowled	ges that he or she has read an	d understands the t	erme and conditions		CHANGE

RS-F042UPR (07/12)

SIGNATURE.

SITE		Pa	rkwater (Spokane rkwater (Spokane kane, WA		53 WEIGHMASTE Janice	WEIGHMASTER Janice F.					
2545	/ Br Occi ding		ppard Avenue South		01-31-2 VEHICLE 1452 REFERENCE BILL OF LADI	DATE/TIME IN   01-31-2015   8:03 am   01-31-2015   8:33					
	SCAL	E IN E OUT	GROSS WEIGHT TARE WEIGHT	98,660 42,400	NET TONS NET WEIGHT	28.13 56,260		INBOUND			
QTY.	UNIT		DE	SCRIPTION		RATE	EXTENSION	TAX	TOTAL		
28.00 28.13	211.										
									NET AMOUNT		
									CHANGE		


SIGNATURE \_

Parkwater (Spokane) Parkwater (Spokane) Spokane, WA  CUSTOMER  001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298						WEIGH Jan DATE/1 01- VEHICL 733 REFER BILL 0	SITE   TICKET #					
	SCALE	E IN E OUT	GROSS WEI		94,360 48,180		NET TONS 23.09 ET WEIGHT 46,180		INBOUND			
QTY.	UNIT			DESC	RIPTION		RATE	EXTEN	SION	TAX	TOTAL	
28.00 23.09	28.00 YD TRACKING QTY 23.09 TN PCS 34 Parkwater					ter LIVE						
											NET AMOUNT	

RS-F042UPR (07/12)

SIGNATURE \_


TENDERED




SIGNATURE

on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

CHECK#





SCALE IN GROSS WEIGHT 98,600 NET TONS 27.85 SCALE OUT TARE WEIGHT 42,900 55,700 INBOUND NET WEIGHT

QTY.	UNIT		DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
28.00	YD	TRACKING QTY					
27.85	TN	PCS 34	Parkwater				
				1			


The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE


**TENDERED** CHANGE

CHECK#


LW-14298



SIGNATURE



SITE		Pa	rkwater rkwater kane, WA		53 WEIGHMASTE Janice			CELL				
2545 Buil	/ Br	uce Sher dental A					DATE/TIME IN 01-31-2 VEHICL STATE OF LADIE BNSF230	2015 9:1	.8 am		1-2015 66654	9:39 am
	SCALI	E IN E OUT		WEIGHT WEIGHT	97,960 43,400		TONS VEIGHT	27.28 54,560		II	BOUND	
QTY.	UNIT			DES	CRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 27.28		TRACKIN	√G QTY		Parkwa	ter						
												NET AMOUNT
					f Customer acknowled			understands the te	rms and co	nditions		CHANGE
RS-F042U			he or she has th	e authority to sig	n this document on bel	alf of the custon	ner.					CHECK#



SIGNATURE\_

OHLOH

Pa	rkwater	(Spokane) (Spokane)			53 WEIGHMASTE Janice	F.		CELL	IE OUT	
							1 am	01-33	-2015	9:51 am
	venue So	outn							INV	OICE
			97,760 41,020			28.37 56,740		IN	IBOUND	
		DES	CRIPTION			RATE	EXTENS	ION	TAX	TOTAL
PCS 34	NG ÖTY									
					-					NET AMOUN
	Spo ruce Shep idental A 1-A  E IN E OUT	Spokane, WA	Spokane, WA ruce Sheppard idental Avenue South 1-A  E IN GROSS WEIGHT E OUT TARE WEIGHT TRACKING QTY	Spokane, WA  ruce Sheppard idental Avenue South 1-A  JE IN GROSS WEIGHT 97,760 JE OUT TARE WEIGHT 41,020  TRACKING QTY PCS 34  Parkwa	Spokane, WA  ruce Sheppard idental Avenue South 1-A  JE IN GROSS WEIGHT 97,760 NET JE OUT TARE WEIGHT 41,020 NET V  DESCRIPTION  TRACKING QTY PCS 34 Parkwater	Spokane, WA  Truce Sheppard idental Avenue South  1-A  BILL OF LADI DTTX430  LE IN GROSS WEIGHT 97,760 NET TONS LE OUT TARE WEIGHT 41,020 NET WEIGHT  TRACKING QTY	Spokane, WA  Truce Sheppard idental Avenue South 1-A  LE IN GROSS WEIGHT 97,760 NET TONS 28.37  LE OUT TARE WEIGHT 41,020 NET WEIGHT 56,740  DESCRIPTION RATE  TRACKING QTY PCS 34  Parkwater	Spokane, WA  Truce Sheppard idental Avenue South 1-A  Janice F.  DATETIME IN O1-31-2015 9:31 am  VEHICLE 0352  REFERENCE  BILL OF LADING DTTX430124  JE IN GROSS WEIGHT 97,760 NET TONS 28.37  JE OUT TARE WEIGHT 41,020 NET WEIGHT 56,740  DESCRIPTION RATE EXTENS  TRACKING QTY PCS 34  Parkwater	Spokane, WA  Truce Sheppard idental Avenue South 1-A  Set IN GROSS WEIGHT 97,760 NET TONS 28.37  JE OUT TARE WEIGHT 41,020 NET WEIGHT 56,740 IN  TRACKING QTY PCS 34  Parkwater  Janice F.  DATE/TIME IN 01-31  VEHICLE 0352 CONTAIN 01-31  VEHICLE 0352 CO	Spokane, WA  Truce Sheppard idental Avenue South 1-A  LE IN GROSS WEIGHT 97,760 NET TONS 28.37  LE OUT TARE WEIGHT 41,020 NET WEIGHT 56,740 INBOUND  TRACKING QTY PCS 34  Parkwater  Janice F.  DATE/TIME OUT 01-31-2015 9:31 am 01-31-2015 VEHICE 0352 CONTAINER GCEU430669 INV BILL OF LADING DITX4430124  INV BILL OF LADING DITX4430124  TRACKING QTY PCS 34  Parkwater

CUSTOMER 00193 BNSF 2545 Build	/ Bri Occiding	Pa Spo ice Sher	rkwater (Spokane) rkwater (Spokane) kane, WA - ppard Avenue South	-	JZ DA O 1 VE 1 5 RE	TE TIC 53 EIGHMASTI ANICE ATE/TIME IN 1-31-2 EHICLE 567 EFERENCE	F. 2015 9:3	37 am 01-3	456702	9:58 am OICE
4	SCALE		GROSS WEIGHT TARE WEIGHT	97,680 43,000	NET TON		27.34 54,680	:	INBOUND	
QTY.	UNIT		DES	SCRIPTION			RATE	EXTENSION	TAX	TOTAL
28.00 27.34	YD TN	TRACKI PCS 34	NG QTY	Parkwa	ater					
			signing this document on behalf of the or she has the authority to sig			as read and	understands the t	erms and conditions		NET AMOUNT TENDERED CHANGE

SIGNATURE \_\_\_\_\_

CHECK#

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134

# INVOICE

0000144841

INVOICE NO.

PAGE DATE

Feb-28-15 1935

CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

ERVICE DATE	Packwa	ter, WA		DESCRIPTION	REFERENCE	ату.	AMOUNT
02 - Feb	34	Vehicle: PCS 34	8648	,TRLU900475	53-800161	27.97 TN	
02 - Feb	34	Vehicle: PCS 34	0330,U	IPCU411478	53-800162	27.53 TN	
02 - Feb	34	Vehicle: PCS 34	6811	,TOLU476859	53-800163	27.73 TN	
02 - Feb	34	Vehicle: PCS 34	0353	,TOLU467897	53-800164	28.27 TN	
02 - Feb	34	Vehicle: PCS 34	0329,T	OLU467693	53-800165	27.91 TN	
02 - Feb	34	Vehicle: PCS 34	7330	,AWSU200013	53-800166	28.25 TN	
12 - Feb	34	Vehicle: PCS 34	7327	,TRLU900475	53-800167	25.85 TN	
12 - Feb	34	Vehicle: PCS 34	1565	,TOLU467897	53-800168	27.12 TN	
		Vehicle:	6180	,TOLU476859			

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.

Account Status

Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account

numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

AMOUNT OF REMITTANCE

REMARKS

PLEASE RETURN THIS PORTION WITH REMITTANCE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134



0000144841 INVOICE NO.

PAGE

Feb-28-15 DATE 1935 CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

SERVICE DATE	Parkwate	r, WA	DESCRIPTION	REFERENCE	QTY.	AMOUNT
12 - Feb	34	PCS 34		53-800169	28.58 TN	
12 - Feb	34	Vehicle: PCS 34	0331,UPCU411478	53-800170	28.55 TN	
12 - Feb	34	Vehicle: PCS 34	7331 ,GCEU432072	53-800171	27.64 TN	
12 - Feb	34	Vehicle: PCS 34	7330 ,TOLU453935	53-800172	27.10 TN	
12 - Feb	34	Vehicle: PCS 34	1454 ,RBSU200356	53-800173	26.85 TN	
12 - Feb	34	Vehicle: PCS 34	7327 ,GCEU435241	53-800174	27.75 TN	
12 - Feb	34	Vehicle: PCS 34	0329,TOLU467693	53-800175	27.49 TN	
12 - Feb	34	Vehicle: PCS 34	0331,AWSU200046	53-800176	28.74 TN	
12 - Feb	34	Vehicle: PCS 34	1565 ,TRLU902911	53-800177	26.12 TN	

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances

Account Status

over 30 days from date of invoice.
Payments received after invoice date are not reflected.

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

REMARKS

**AMOUNT OF** REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

INVOICE

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134

0000144841

INVOICE NO.

PAGE DATE

Feb-28-15 1935

CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

SERVICE DATE	Parkwa	ater, WA	C	ESCRIPTION		REFERENCE	QTY.	AMOUNT
12 - Feb	34	Vehicle: PCS 34	6180	,AWSU200013		53-800178	29.15 TN	
	34	PCS 34		Materia	al Summary		498.62 TN	

0000144841

3 Feb-28-15 1935

Please remit to: REGIONAL DISPOSAL COMPANY - 4178

PO BOX 51057

LOS ANGELES, CA 90074-1057

(206) 332-7725

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

CUSTOMER NO. SITE NO.

REMARKS

INVOICE NO.

PAGE

DATE

REFERENCE NO.

\*\*\* Please reference your invoice number on each check stub \*\*\*

For Billing Inquiries: Call (206) 332-7731 email:

charte@republicservices.com

Spokane, WA  STOMER 001935 SINST / Bruce Sheppard 2545 Occidental Avenue South EN-14298  SCALE IN GROSS WEIGHT 103,280 NET TONS 27.97 SCALE OUT TARE WEIGHT 47,340 NET WEIGHT 55,940 INBOUND  The undersigned individual signing this document on behalf of Customer extraoviedges that he or she has read and understands the terms and conditions on the reverse lide and that he or she has the authority to sign has document on behalf of the customer.  The undersigned individual signing this document on behalf of Customer extraoviedges that he or she has read and understands the terms and conditions on the reverse lide and that he or she has the authority to sign has document on behalf of the customer.  The undersigned individual signing this document on behalf of the customer extraoviedges that he or she has read and understands the terms and conditions on the reverse lide and that he or she has the authority to sign has document on behalf of the customer.  Tendered  CHAMGE  TRUDORT  TARE WEIGHT 104,840 NET TONS 27.53 SCALE IN GROSS WEIGHT 104,840 NET TONS 27.53 SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND	SITE		Pa Pa	rkwater ( rkwater (	Spokane; Spokane;	)		53	KET # 800161		CELL	
RETAINING  INVOICE  INVOICE  INVOICE  RETAINING  INVOICE  INVOICE  INVOICE  RETAINING  INVOICE  INVOICE  INVOICE  INVOICE  INTOINING  INTOINING  INVOICE  INTOINING  INT	BNSF	/ Br	Spo ruce Sher	kane, WA	-			Gail H DATE/TIME IN 02-02-2 VEHICLE		22 pm	02-2-2015 CONTAINER	3:02 pm
SCALE IN GROSS NEIGHT 103,280 NET TOSS 21,97 SCALE OUT TARE WEIGHT 47,340 NET TOSS 21,97 SCALE OUT TARE WEIGHT 47,340 NET WEIGHT 55,940 INBOUND  The underrapped individual against the accument on behalf of Customer acknowledges that had on site hear read and understands the terms and conditions of the content of behalf of the content on the terms and conditions.    SCALE IN GROSS WEIGHT 104,840 NET TONS 27,53 SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND	Buil	ding		Avenue Soi	ıth					P		NVOICE
TARE WEIGHT 47,340 NET WEIGHT 55,940 INBOUND  TOTAL  TOTAL	LW-1	4298						BHSF259	<b>N</b> 34			
The undersigned individual sliping this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and flash to or she has the authority to sign this document on behalf of the customer.    FORCUPR (07/12)   SIGNATURE											INBOUNI	)
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.  FARKWATER (Spokane) FARKWATER	QTY.				DES	SCRIPTION			RATE	EXTENSIO	N TAX	TOTAL
FOAZUPR (07/12)  SIGNATURE  Parkwater (Spokane)	Th	e undersig	gned individual s			f Customer acknowledg	ges that he or si		understands the t	erms and condi	itions	TENDERED
Parkwater (Spokane) Spokane, WA  TOMER  001935 BNSF / Bruce Sheppard 2245 Occidental Avenue South Building 1-A LW-14298  SCALE IN GROSS WEIGHT 104,840 NET TONS 27.53 SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND  STY. UNIT DESCRIPTION RATE EXTENSION TAX TOTAL  TOTAL  TOTAL  THE Undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.	S-F042UF	PR (07/12			2		SIGNATURE	(SITE TICK	(FT #	1,	CELL	CHECK#
TOMER 001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A  LW-14298  SCALE IN GROSS WEIGHT 104,840 NET TONS 27.53 SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND  STY. UNIT DESCRIPTION RATE EXTENSION TAX TOTAL  27.53 TN PCS 34 Parkwater  Net Amount  Net Amount  Net Amount  Net Amount  Net Amount  Net Amount  Tenderaigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.			Pai	ckwater (S				53	800162			·
SCALE IN GROSS WEIGHT 104,840 NET TONS 27.53 SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND  TY. UNIT DESCRIPTION RATE EXTENSION TAX TOTAL  28.00 YD TRACKING QTY 27.53 TN PCS 34 Parkwater  Parkwater  NET AMOUNT  The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.	BNSF 2545	/ Br Occi	uce Shep dental A	pard	th			DATE/TIME IN 02-02-2 VEHICLE 0330		15 pm (	02-2-2015 CONTAINER PCU411478	
SCALE OUT TARE WEIGHT 49,780 NET WEIGHT 55,060 INBOUND  TY. UNIT DESCRIPTION RATE EXTENSION TAX TOTAL  28.00 YD TRACKING QTY 27.53 TN PCS 34 Parkwater  NET AMOUNT  TENDERED  The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.								BINSF2391	<b>6</b> 34			VOICE
28.00 YD TRACKING QTY 27.53 TN PCS 34 Parkwater  NET AMOUNT  TENDERED  The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.											INBOUND	
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.	28.00		TRACKIN	IG OTY	DES	CRIPTION			RATE	EXTENSION	N TAX	TOTAL
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.	27.53	TN	PCS 34			Parkwa	ter					
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.												NET AMOUNT
on the reverse side and that he or she has the authority to sign this document on behalf of the customer.												
									understands the te	erms and condi	tions	

SITE		Pā Pā	arkwater arkwater	(Spokane	e)		53	800163		CELL	
			kane, WA				Gail H				
CUSTOMER 0019						$\overline{}$	DATE/TIME II	N	:24 pm	DATE/TIME OUT 02-2-2015	2.00
BNSF	/ Br	cuce Shep	pard				VEHICLE 6811	2010 2	· Z4 PIII	CONTAINER TOLU47685	
	ding		Avenue So	uth			REFERENCE			10104/685	9
	4298						BILL OF LAD	INC			INVOICE
							BNSF23				
	SCAL				102,120	NE	T TONS	27.73	3		700 - 100 -
	SCAL.	E OUT	TARE	WEIGHT	46,660	NET	WEIGHT	55,460	)	INBOUN	D
28.00	UNIT			DE	SCRIPTION			RATE	EXTENS	ON TAX	TOTAL
27.73	TN	TRACKIN PCS 34			Parkw	ater					
RS-F042UF	the revers	se side and that	igning this docun he or she has the	nent on behalf c authority to sig	of Customer acknowle n this document on be	dges that he or ehalf of the custo SIGNATURE _	she has read and omer.	understands the	terms and con	ditions	NET AMOUNT  TENDERED  CHANGE  CHECK#
SITE		Par	kwater (: kwater (: ane, WA				53 WEIGHMASTER	800164		CELL	
00193 BNSF	/ Bru	ice Shepr		+ b			Gail H. DATE/TIME IN 02-02-2 VEHICLE 0353	015 2:	41 pm	DATE/TIME OUT 02-2-2015 CONTAINER 0LU467897	3:13 pm
Build	ling ]	L-A	venue 50u	LII			REFERENCE		F	1000	NUOLOD
LW-14							BHSFZ3IN	16 <sub>2 1</sub>			NVOICE
	CCAIL	TAI	CDOGO II	DIGUE				J J 4			
	SCALE SCALE		GROSS W		106,600		TONS	28.27			
			TARE W	EIGHT	50,060	NET W	EIGHT	56,540		INBOUND	)
<b>QTV.</b> 28.00	UNIT YD	TRACKIN	COTTY	DES	CRIPTION			RATE	EXTENSIO	N TAX	TOTAL
28.27	TN	PCS 34	~ ¥11		Parkwa	eter					
	L										NET AMOUNT
											TENDERED
The on the	undersign he reverse	ed individual sig	ning this docume or she has the a	nt on behalf of uthority to sign	Customer acknowledge this document on beh	ges that he or sl	ne has read and u	inderstands the te	erms and condi	tions	CHANGE
RS-F042UPF				,		SIGNATURE					CHECK#

SITE				(Spokane (Spokane			SITE T	800165		CELL	
			kane, WA		<u>/</u> _		WEIGHMAS Gail			-	
CUSTOMER							DATE/TIME	IN		DATE/TIME OUT	221 25 25
0019 BNSE		uce She	opard				02-02-	-2015 2	:29 pm	02-2-2015 CONTAINER	3:20 pm
2545	occi	dental A	Avenue S	outh			0329	E		FOLU467693	3
	lding	1-A						100.00			INVOICE
LW-1	14298						BHSF2	311034			
		E IN	GROSS	WEIGHT	106,000	NET	TONS	27.91			
	SCAL	E OUT	TARE	WEIGHT	50,180	NET WE	EIGHT	55,820		INBOUN	D
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENSI	ON TAX	TOTAL
28.00		TRACKI	NG QTY								
27.91	TN	PCS 34			Parkwa	ater					
											NET AMOUNT
											TENDERED
т	he undersig	ned individual :	signing this doc	ument on behalf o	of Customer acknowled	iges that he or sh	e has read ar	nd understands the	terms and con	ditions	CHANGE
OI	n the revers	e side and that	he or she has th	ne authority to sign	n this document on be	half of the custom	ier.				CHECK#
RS-F042U	JPR (07/12	)				SIGNATURE					
SITE		Pa	rkwater	(Spokane)	1			ICKET#		CELL	
		Pa	rkwater	(Spokane)	O.		53 WEIGHMAS	800166 TER			
CUSTOMER		Spo.	kane, WA		-		Gail H			DATE THE OUT	
0019	35						02-02-		37 pm	02-2-2015	3:32 pm
BNSF	/ Bri	ice Shep	pard Ivenue So				7330			CONTAINER AWSU200013	
Buil	ding :	l-A	ivenue 50	outn			REFERENCE	E			NVOICE
	4298						BINSF 23	PING31		1	NVOICE
	CCALL	7 737	00000	LIDITOUR							
	SCALE			WEIGHT	107,860	NET '		28.26			
			IAKE	WEIGHT	51,340	NET WE	IGHT	56,520		INBOUN	D
28.00	UNIT YD	TRACKI	IC OTY	DES	SCRIPTION			RATE	EXTENSI	ON TAX	TOTAL
28.26	TN	PCS 34	NG QII		Parkwa	iter					
	1										NET AMOUNT
											e.
											TENDERED
-	a unda!	and industria	laning this de	impat on both if	1 Customer astrony	age that he	has and	ad conduction do at		diel	CHANGE
					f Customer acknowled this document on bel			o understands the	terms and con-	itions	
RS-F042U	PR (07/12)	1			5	SIGNATURE					CHECK#

SITE				(Spokane (Spokane			53	800167		CELL		
			kane, W		<i></i>		WEIGHMASTE Beckey					
CUSTOMER 0019	35						02-12-2	2015 11:	45 am	DATE/TII	ME OUT 2-2015	12:03 pm
BNSF	/ Br	uce Shep	pard				VEHICLE 7327		10 am		900475	12.03 pi
	Occi ding	dental A	Avenue S	outh			REFERENCE			ILVIO	900473	
LW-1		1-A					BILL OF LADIN	NC			IN.	VOICE
1311 1	1250						BNSF231	1096				
	SCALI			WEIGHT	99,940	NET	TONS	25.85				
	SCALI	E OUT	TARE	WEIGHT	48,240	NET V	VEIGHT	51,700		I	NBOUND	
QTY.	UNIT			DES	CRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 25.85		TRACKIN	IG QTY		Parkwa							
25.05	1 1/	PC5 34		723	Falkwa	icer						
												NET AMOUNT
												TENDERED
T1.		and Individual a	luuluu Mila daa		f Customer selmended	and that he as als	. h.c. rood and	dorotondo the t		a distance	_	CHANGE
					f Customer acknowled this document on bel			understands the ti	erms and co	naitions		5-1-10(\$1/500004)\$47,07(0)
RS-F042UF	PR (07/12	2)			5	SIGNATURE						CHECK#
SITE		Pa	rkwater	(Spokane	)		SITE TICK	(ET #		CELL		
		Pa	rkwater	(Spokane			WEIGHMASTE	800168				
- CUICTONES		Spo	kane, W	A			Beckey	V.		T		
0019							02-12-2	2015 12:0	03 pm	02-1	2-2015	12:18 pm
		uce Shep dental A		outh			VEHICLE 1565			CONTAIN	467897	
	ding		ivenue 5	outn			REFERENCE				TNI	101 CF
LW-1	4298						BILL OF LADIN				IN	VOICE
							BNSF231					
	SCALE	E IN E OUT		WEIGHT	97,500		TONS	27.12				
	001111	3 001	IARE	WEIGHT	43,260	NET W	EIGHT	54,240		II	NBOUND	
<b>QTY</b> . 28.00	UNIT	TRACKIN	IC OMV	DES	CRIPTION			RATE	EXTENS	ION	TAX	TOTAL
27.12		PCS 34	IG QTY		Parkwa	tor						
7/3344405-343	11,	200 01			Tarkwa	icei						
	9											
												NET AMOUNT
												TENDERED
_		and branch	lanta e tit			and the table				- JIAI		CHANGE
					f Customer acknowled this document on bel			understands the te	erms and co	nditions		
RS-F042UF	PR (07/12	)			5	SIGNATURE						CHECK#
	10.112	,										

SITE		rkwater (Spok rkwater (Spok			SITE TICK	800169	CELL		
		kane, WA			Beckey	V.			
CUSTOMER 001935					02-12-2	015 12:0	12 pm 02-1	TIME OUT 12-2015	12:20 pm
	ruce Shep			18	VEHICLE 6180			AINER J476859	
Building		venue South			REFERENCE				10105
LW-14298					BILL OF LADIN			TN	VOICE
-					BNSF231				
	E IN E OUT	GROSS WEIGH TARE WEIGH	CONTROL WILLIAM DE 18 DESC		TONS EIGHT	28.58 57,160	I	NBOUND	
28.00 YD		0.071	DESCRIPTION		5.19	RATE	EXTENSION	TAX	TOTAL
28.00 YD 28.58 TN	TRACKIN PCS 34	g yli	Parkwa	ter					
									NET AMOUNT
									TENDERED
									CHANGE
			behalf of Customer acknowled y to sign this document on be			understands the te	erms and conditions		Declared to Harcons 1.60
RS-F042UPR (07/	(12)			SIGNATURE					CHECK#
SITE		rkwater (Spok			SITE TICK	800170	CELL		
		rkwater (Spok kane, WA	cane)		WEIGHMASTER	R			
CUSTOMER	OPO	naire, wii			Beckey		DATE/	TIME OUT	
001935 BNSF / B	ruce Shep	pard			VEHICLE 0331	015 11:4	CONTRACTOR	12-2015 AINER J411478	12:24 pm
2545 Occ	idental A	venue South			REFERENCE		UPCU	0411478	
Building LW-14298					BILL OF LADIN	IG		IN.	VOICE
					BNSF231				
	LE IN LE OUT	GROSS WEIGH TARE WEIGH	A A A A A A A A A A A A A A A A A A A		TONS EIGHT	28.55 57,100	I	NBOUND	
QTY. UNIT			DESCRIPTION		The state of the s	RATE	EXTENSION	TAX	TOTAL
28.00 YD 28.55 TN	TRACKIN PCS 34	G QII	Parkwa	ter					
									NET AMOUNT
									TENDERED
			pehalf of Customer acknowled y to sign this document on be			understands the te	erms and conditions		CHANGE
		ne or she has the authority			iel.				CHECK#
RS-F042UPR (07/	12)		:	SIGNATURE					

SITE				(Spokane			53	800171		CELL		
			kane, W		= ) 		WEIGHMASTE Beckey	V.				
CUSTOMER 00193	3.5		grant at the control of public and a second of				02-12-		12 pm	DATE/TI	ME OUT 2-2015	12:39 pm
BNSF	/ Br	uce Shepp					VFHICH F	2013 12.	12 pm		432072	12.33 PII
		dental A	venue S	outh			REFERENCE			GCEO	432072	
Build LW-1	1000	1-A					BILL OF LADI	NC			IN	VOICE
							BNSF23	1096				
	SCALE	E IN E OUT		WEIGHT	104,260		TONS	27.64				
	SCALI	5 001	TARE	WEIGHT	48,980	NET W	EIGHT	55,280		I	NBOUND	
QTY. 28.00	UNIT YD	TRACKING	GOTY	DE	ESCRIPTION		200	RATE	EXTENS	SION	TAX	TOTAL
27.64	TN	PCS 34	O		Parkwa	ter						
	_											NET AMOUNT
												TENDERED
The	e undersi	ned individual si	gning this doc	ument on behalf	of Customer acknowled	ges that he or sh	e has read and	understands the t	erms and co	nditions		CHANGE
on	the rever	se side and that h	e or she has t	he authority to si	gn this document on bel	half of the custor	ner.				-	CHECK#
RS-F042UF	PR (07/1	2)				SIGNATURE						
				,								
SITE				(Spokane			SITE TICI	KET # 800172		CELL		
			kane, W	(Spokane	= ) 		WEIGHMASTE Beckey	R				
CUSTOMER 00193	3 5						02-12-		29 pm	DATE/TI	ME OUT	12:51 pm
		uce Shepp	pard				VEHICLE 7330	2010 12.	25 pin		NER 453935	12.J1 PII
2545 Build		dental A	venue S	outh			REFERENCE			TOLO	433933	
LW-1		I N					BILL OF LADI	NG			IN	VOICE
-							BNSF23					
	SCAL	E IN E OUT		WEIGHT	103,700		TONS	27.10				
	D C/1LI	3 001	IAKE	WEIGHT	49,500	NET V	EIGHT	54,200		Ι	NBOUND	
QTY. 28.00	UNIT YD	TRACKING	COTY	DE	SCRIPTION	The second second		RATE	EXTENS	ION	TAX	TOTAL
27.10		PCS 34	5 Q11		Parkwa	ter						
												NET AMOUNT
												TENDERED
-	a unde'	anod individual =1	aning this do-	umant on baball	of Customer acknowled	ges that he ar at	e has road and	understands the	erms and co	nditions		CHANGE
					of Customer acknowled gn this document on bel			understands the t	orms and co			CHECK#
RS-F042UF	PR (07/12	2)			\$	SIGNATURE						O.ILOIUT

SITE		Par	kwater (Spokan kwater (Spokan		36	53 WEIGHMASTE	800173		CELL	ts.	
CUSTOMER		Spoka	ane, WA			Beckey			DATE/TII	ME OUT	
00193 BNSF	/ Br	uce Sheppa				02-12-2 VEHICLE 1454	2015 12:2	25 pm	02-1	2-2015 VER 200356	12:52 pm
Builo			enue South			REFERENCE					OLCE
LW-1	200					BILL OF LADIN				INV	/OICE
	CCATI	7 TN	CDOCC METCHE	00 700	)	BNSF231					
	SCALI	E OUT	GROSS WEIGHT TARE WEIGHT	98,720 45,020		TONS EIGHT	26.85 53,700		II	NBOUND	
<b>QTY.</b> 28.00	UNIT YD	TRACKING		ESCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
	TN	PCS 34	ing this document on behalf or she has the authority to s		ges that he or sh		understands the te	erms and co	nditions		NET AMOUNT TENDERED CHANGE CHECK#
RS-F042UP	PR (07/12	2)		5	SIGNATURE						
SITE			water (Spokan				KET # 800174		CELL		
			ane, WA			WEIGHMASTE Beckey					
CUSTOMER 00193						02-12-2	2015 12:3	39 pm	02-1	<b>VE OUT</b> 2 <b>−</b> 2015	1:10 pm
		uce Sheppa	ard enue South			VFHJCLF			GONTAI	<b>5</b> 5241	
Builo			ende South			REFERENCE				TNI	OICE
LW-1	4298					BILL OF LADIN	NG .			11/1	OICE
	CCALI	T.M.	CDOCC WEIGHT	102 600	NEW	BNSF231	123 22 242				
	SCALI SCALI	E OUT	GROSS WEIGHT TARE WEIGHT	103,680 48,160		TONS	27.76 55 <b>,</b> 520		11	NBOUND	
QTY. 28.00	UNIT YD	TRACKING		ESCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
27.76	TN	PCS 34		Parkwa	ter						
											NET AMOUNT
											TENDERED
			ing this document on behalf or she has the authority to si				understands the te	rms and cor	nditions		CHANGE
RS-F042UP			•		SIGNATURE						CHECK#

SITE		Pai	rkwater rkwater	(Spokane		*		<b>(ET #</b> 800175		CELL		
0		Spol	kane, WA	5,550			WEIGHMASTE Beckey					
CUSTOMER 0019							02-12-2	2015 12:4	19 pm	02-12-	2015	1:10 pm
		uce Shepp dental A		n+h			VEHICLE			followed	7693	
	ding		venue 50	utii			REFERENCE				T NI	VOICE
LW-1	4298						BILL OF LADIN BNSF231	NG			T 1/	VOICE
	CODI	7 7 7 7	an o a a	LIDICUM	105 100	)						
	SCALI	E OUT		WEIGHT WEIGHT	105,480 50,500		TONS EIGHT	27.49 54,980		INB	OUND	
<b>QTY.</b> 28.00	UNIT YD	TRACKIN	C. OBY	DE	ESCRIPTION	The second	A STATE OF THE STA	RATE	EXTENS	SION	TAX	TOTAL
27.49	TN	PCS 34			Parkwa	ter						NET AMOUNT
												TENDERED
										- dial	-	CHANGE
					of Customer acknowledg gn this document on beh			understands the te	erms and co	nditions		
RS-F042UF	PR (07/12	2)			s	SIGNATURE					(	CHECK#
		-										
SITE		Par	rkwater	(Spokane	e)		SITE TICK	<b>ЕТ #</b> 800176		CELL		
		Par	rkwater	(Spokane	e)	13	WEIGHMASTER Beckey					
CUSTOMER		Spor	kane, WA						1 82	DATE/TIME O	OUT	1900 1000 AS
CUSTOMER 0019		uaa Chanr	2 2 2 2				DATE/TIME IN	2015 12:5	9 pm	02-12-		1:19 pm
		uce Shepr dental Av		uth			VEHS-E			ANTONE	0046	
Build	(0.20)	1-A					REFERENCE				INV	OICE
LW-1	4298						BILL OF LADIN BNSF231	034				
	SCALE	E IN	GROSS	WEIGHT	100,440	NET	TONS	28.74				
	SCALE	TUO 3		WEIGHT	42,960		EIGHT	57,480		INBO	DUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00	YD	TRACKING	G QTY									
28.74	TN	PCS 34			Parkwa	ter						
												NET AMOUNT
												TENDERED
-												
The		anned in district -1	aning this dear	ment on hehelf	of Customer acknowled	nee that he ar al	a has road and	understands the to	rms and an	nditione		CHANGE
on	the revers	ned individual si se side and that h	gning this docur e or she has the	ment on behalf authority to sig	of Customer acknowledg gn this document on beh	ges that he or sh nalf of the custon	e has read and er.	understands the te	erms and co	nditions		CHECK#

SITE			ckwater (Sp				SITE TICK	ET #800177		CELL		
			rkwater (Sp kane, WA		)		WEIGHMASTE Beckey					
CUSTOMER 0019	35						DATE/TIME IN		8 pm	02-12-	о <b>ит</b> -2015	1:23 pm
BNSF	' / Br	uce Shepr					VEHICLE			TRIL DIE		2120 pt
	ding		venue South				REFERENCE					VOI CE
	4298						BILL OF LADIN BNSF231	IG .			TIV	VOICE
	SCAL	E TN	GROSS WEI	CUT	04 040	NET	TONS					
		E OUT	TARE WEI		94,940 42,700		VEIGHT	26.12 52,240		INB	OUND	
QTY. 28.00	YD	TRACKING	G OTY	DES	SCRIPTION		2-1-1	RATE	EXTENS	ION	TAX	TOTAL
26.12	! TN	PCS 34			Parkwa	ter						
												NET AMOUNT
												TENDERED
					of Customer acknowledge on this document on beh			understands the te	rms and co	nditions		CHANGE
RS-F042U				,		SIGNATURE						CHECK#
	,							AM				
SITE			kwater (Sp				SITE TICK	ET# 800178		CELL		
			kwater (Spo ane, WA		)		WEIGHMASTER Beckey	R				
CUSTOMER 0019	3.5					$\overline{}$	DATE/TIME IN 02-12-2		Q nm	02-12-	OUT	1:27 pm
BNSF	/ Br	uce Shepp					VEHICLE VEHICLE	.015 12.5	o più	AWS025		1.27 pm
	Occi ding		renue South				REFERENCE			AWBOZO		
	4298						BILL OF LADIN	IG			IN/	/OICE
	SCALI	Z TN	CDOCC WET	CIIT	100 040	NETT	BNSF231					
		E OUT	GROSS WEI TARE WEI		108,240 49,940		TONS EIGHT	29.15 58,300		INB	OUND	
QTY. 28.00	UNIT YD	TRACKING	G OTY	DES	CRIPTION		of Control of Control	RATE	EXTENS	ION	TAX	TOTAL
29.15	TN	PCS 34			Parkwa	ter						
												NET AMOUNT
												TENDERED
					f Customer acknowledgen this document on beh			understands the te	rms and co	nditions		CHANGE
RS-F042UI						IGNATURE						CHECK#
THE RESERVE OF THE PARTY OF THE	100000000000000000000000000000000000000	0.773				CONTRACTOR OF THE PARTY OF THE						

Parkutter

REGIONAL DISPOSAL COMPANY - 4178 PO BOX 51057 LOS ANGELES, CA 90074-1057 (206) 332-7725

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134

0000145022 INVOICE NO.

PAGE

1 Mar-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO. REFERENCE NO.

RVICE DATE P	≆kWater	, WA		DESCRIPTION	REFERENCE	QTY.	AMOUNT
05 - Mar	34	Vehicle: PCS 34	5939	,RBSU200347	38-113779	20.23 TN	
05 - Mar	34	Vehicle: PCS 34	5939	,GCEU432072	53-800179	31.21 TN	
05 - Mar :	34	Vehicle: PCS 34	2783	,TOLU453935	53-800180	31.41 TN	
05 - Mar 🔾	34	Vehicle: PCS 34	2786	,RBSU200356	53-800181	31.89 TN	
05 - Mar 🗆	34	Vehicle: PCS 34	1567	,GCEU435241	53-800182	30.23 TN	
05 - Mar 🔾	34	Vehicle: PCS 34	8647	,GCEU431233	53-800183	31.73 TN	
05 - Mar 🤾	34	Vehicle: PCS 34	2784	,TOLU467693	53-800184	29.69 TN	
19 - Mar l	E0	Vehicle: TRUCKING E	SUNSH: XEMPT	INE	3A-330294	2.50 HR	

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.
Payments received after invoice date are not reflected.

**Account Status** 

To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT

31 - 60 DAYS

61 - 90 DAYS

OVER 90 DAYS

TOTAL THIS INVOICE

**PLEASE PAY THIS AMOUNT** 

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.

PAGE

DATE

CUSTOMER NO.

SITE NO.

REFERENCE NO.

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

REMARKS

TO:

BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A Seattle, WA 98134

0000145022

INVOICE NO.

2

PAGE

Mar-31-15

DATE

1935 CUSTOMER NO. LW-14298

SITE NO.

REFERENCE NO.

SERVICE DATE	adovater	, WA	DESCRIPTION	REFERENCE QTY.	AMOUNT
	34 E0	PCS 34 TRUCKING EXEMPT	<u>Material Summary</u>	206.44 TN 2.50 HR	
			9		

INVOICE NO.

0000145022

Please remit to: REGIONAL DISPOSAL COMPANY - 4178

PAGE DATE

2 Mar-31-15

1935

PO BOX 51057 LOS ANGELES, CA 90074-1057

(206) 332-7725

**AMOUNT OF** REMITTANCE

CUSTOMER NO. SITE NO.

REFERENCE NO.

PLEASE RETURN THIS PORTION WITH REMITTANCE

REMARKS

\*\*\* Please reference your invoice number on each check stub \*\*\*

For Billing Inquiries: Call (206) 332-7731 email:

chartje@republicservices.com

		Landfill					SITE TICH	KET #13779		CELL		
		elt Grad					WEIGHMASTER					
	vert	Wa, 9935	0				Gail H			DATE	IME OUT	
CUSTOMER 0019							03-05-2	2015 3:	39 pm		<b>IME OUT</b> 5−2015	4:00 pm
		ruce Shep dental A		outh			vehicle 5939			RBSU	INER 200347	
	ding		venue b	oucii			REFERENCE				IN.	VOICE
LW-1	4298						BIT OF LADII	NG	02/25/	2015		Ĭ
	SCAL	EIN	GROSS	WEIGHT	83,280	NET	TONS	20.28				
		E OUT		WEIGHT	42,720	NET WE		40,560			INBOUND	
		-				INDI WI	310111					
оту. 25.84	UNIT YD	TRACKIN	IG QTY	DES	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
20.28	TN	PCS 34			Parkwa	ater						
		5.0										
												NET AMOUNT
											-	TENDERED
					of Customer acknowleden this document on beh			understands the t	erms and cor	nditions		CHANGE
RS-F042UF	DD /07/1/	2)				SIGNATURE						CHECK#
K3-F04201	-K (07/12	2)				SIGNATURE						
SITE		Pa:	rkwater	(Spokane	)		SITE TICI	<b>кет #</b> 800179		CELL		
		Pa:	rkwater	(Spokane			WEIGHMASTE	ER .				
CUSTOMER		Spo	kane, WA	4	<del></del>		Gail H			DATE/T	IME OUT	
0019		G1	1				03-05-2	2015 1:	43 pm		1ME OUT 5-2015	1:43 pm
2545	/ Br Occi	uce Shep dental A	pard venue S	outh			<b>V5433</b> 5			GCEO	432072	
	ding						REFERENCE				IN	JOICE
LW-1	4298						BILL OF LADI BNSF231	NG 1 0 3 4				
	MANIII	AL IN	GROSS	WEIGHT	106,620	NET.	TONS	31.21				
		AL OUT		WEIGHT	44,200		VEIGHT	62,420		I	NBOUND	
QTY.	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00	YD	TRACKIN	G QTY	JE.				, , , , ,	EATERO			TOTAL
31.21	TN	PCS 34			Parkwa	ter						
												NET AMOUNT
												TENDERED
Th	ne underei	aned individual e	ianina this doo	ument on hehalf o	of Customer acknowled	ges that he or el	ne has read and	understands the	terms and co	nditions	-	CHANGE
					n this document on bel			III			-	CHECK#
RS-F042U	PR (07/1	2)				SIGNATURE						5.1E010#

SITE		Par Par	kwater (S kwater (S	pokane pokane	)		SITE TICK	800180		CELL		
		Spok	ane, WA				Gail H.	575: 15				
CUSTOMER 0019 BNSF		uce Shepp	nard				DATE/TIME IN 03-05-2	2015 1:4	4 pm		<b>NE OUT</b> -2015	1:44 pm
2545	Occi	dental Av	zenue Sout	h			V5H/8L5			rolu4	<b>5</b> 3935	
	ding	1-A					REFERENCE	*			IN	VOICE
LW-1	4298						BNSF231	<b>1G</b> 034				
		AL IN AL OUT	GROSS WE		103,840 41,020		TONS EIGHT	31.41 62,820		IN	IBOUND	
оту. 28.00	UNIT			DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
31.41	TN		gning this documer		Parkwa	dges that he or sh		understands the te	rms and co	nditions		NET AMOUNT TENDERED CHANGE
on	the rever	se side and that h	e or she has the au	thority to sig	n this document on be	ehalf of the custon	er.					CHECK#
RS-F042U	PR (07/1	2)				SIGNATURE						
SITE		Par	kwater (S	nokano	1		SITE TICK	FT#		CELL		
OTTE		Par	kwater (S					ET#00181				
		Spok	ane, WA				Gall H.					
CUSTOMER 0019		61					<del>043E/705</del> =12	015 1:4	5 pm	BATE/5IM	2.00000000	1:45 pm
		uce Shepp dental Av	ard enue Sout	h			VEHIBLE			RBSTOW	<b>5</b> 0356	
Buil	ding						REFERENCE				IN	/OICE
LW-1	4298						BILL OF LADIN BNSF231	034			11/	
-	MANUA	AL IN	GROSS WE	IGHT	103,740	NET	TONS	31.89				
	MANUA	AL OUT	TARE WE	IGHT	39,960	NET W	EIGHT	63,780		IN	BOUND	
QTY.	UNIT			DES	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
28.00 31.89	57.0938	TRACKING PCS 34	G QTY		Parkwa	+ 0 %						
	441	233 34			Idixwe							
	L	L				<del></del>						NET AMOUNT
												TENDERED
					of Customer acknowled			understands the te	rms and co	nditions		CHANGE
			e or sne has the au	mority to sig	n this document on be		er.					CHECK#
RS-F042U	PR (07/1:	2)				SIGNATURE						

SILE			rkwater (Spokane rkwater (Spokane			53	800182		CELL		
			kane, WA	= / 		WEIGHMASTE Gail H	R •				
CUSTOMER 0019	2 5		2000/1000 C 201		$\overline{}$	BAJE/TIME IN		16 pm	DATE/TIM	ME OUT	1.16 nm
		uce Shep	pard			VEHICLE	2013 1.5	o piii		<b>5</b> 5241	1:46 pm
2545	Occi	dental A	venue South			REFERENCE			GCEU4	35241	*
	ding 4298	1-A								IN	VOICE
T-M-T	4290					BNSF231	<b>ng</b> .034				
		AL IN	GROSS WEIGHT	101,480	NET	TONS	30.23				
	MANUA	AL OUT	TARE WEIGHT	41,020	NET W	EIGHT	60,460		IN	BOUND	
QTY.	UNIT		DI	ESCRIPTION			RATE	EXTENS	SION	TAX	TOTAL
28.00 30.23		TRACKIN	G QTY	D 1							
30.23	TN	PCS 34		Parkwa	ter						
			9						1		
											NET AMOUNT
											NET AMOON
											TENDERED
										-	CHANGE
			igning this document on behalf he or she has the authority to si				understands the to	erms and co	nditions		
RS-F042U	PR (07/1	2)		s	SIGNATURE						CHECK#
					manana a		-				
SITE		Pa	rkwater (Spokane	2)		SITE 3 TICH	<b>СЕТ 8</b> 00183		CELL		
0112		Pa	rkwater (Spokane			0.000.0000.0					
		Spo!	kane, WA			WEIGHNASHE	· ·				
CUSTOMER						DA BETTANE TA	2015 1:4	17 pm	BAJE/AN	<u>15</u> 2915	1:47 pm
BNSF	/ Br	uce Shep	pard venue South			V8149QLF			CONTRIB	<b>5</b> 1233	
	ding		venue South			REFERENCE			1	TAU	VOICE
LW-1	4298					BILL DE LADI	NG o			TIV	VOICE
						Bhsfbst					
		AL IN AL OUT	GROSS WEIGHT TARE WEIGHT	105,420 41,960		TONS EIGHT	31.73				
			TARE WEIGHT	41,900	MEI M	EIGHI	63,460		IN	IBOUND	
оту. 28.00	UNIT	TRACKIN	G OTY DE	SCRIPTION			RATE	EXTENS	ION	TAX	TOTAL
31.73		PCS 34	G QII	Parkwa	ter						
											NET AMOUNT
										-	TENDERED
0,/255	a van	g New York was an a			7 9 <u>7</u> 0972 ***	700 88 44	\$1 5089 C\$ 4000 to	100		-	CHANGE
Th			igning this document on behalf				understands the to	erms and co	nditions		CHANGE

RS-F042UPR (07/12) SIGNATURE

CHECK#

SITE Pa	Parkwater (Spokane)		SITE 3 TICK	тіскет 800184	CELL	
ods	7		WEIGHMASTER	α.		
2			POBETIME IN 2015	2015 1:50 pm	BAZETHME20VI 5	1:50 pm
BNSF / Bruce Sheppard 2545 Occidental Avenue	ppard Avenue South		V2M94		<b>FOUTBYR7693</b>	
Building 1-A			REFERENCE		NI	INVOICE
LW-14298			BNSF231634	√634		
MANUAL IN MANUAL OUT	GROSS WEIGHT TARE WEIGHT	100,740	NET TONS NET WEIGHT	29.69	INBOUND	
QTY, OUNIT THE STATES		DESCRIPTION		RATE EXTENSION	SION TAX	TOTAL
	NG QII	Parkwater	er			
						ı
						Y
						NET AMOUNT
						TENDERED
				-		CHANGE
The undersigned individual a on the reverse side and that	The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.	T Customer acknowledge This document on beha	es that he or she has read and If of the customer.	understands the terms and c	onditions	
		i				CHECK#
KS-F04ZUPK (0//1Z)		ī,	SIGNATURE			

Roosevelt Landfill 500 Roosevelt Grade Rd Roosevelt Wa, 99356 001935 BNSF / Bruce Sheppard

2545 Occidental Avenue South

LW-14298

Building 1-A

GROSS WEIGHT TARE WEIGHT SCALE IN SCALE OUT

0 0

NET TONS NET WEIGHT 0.00 0

03-19-2015 2:13 pm 03-19-2015 2:13 pm

03/19/2015

3A 330294

CHARLENE H.

SUNSHINE

841132

INBOUND

INVOICE

0

2.50 HR TRUCKING EXEMPT

Parkwater

Roosevelt Landfill 500 Roosevelt Grade Rd Roosevelt Wa, 99356

001935 BNSF / Bruce Sheppard 2545 Occidental Avenue South Building 1-A LW-14298

2.50 HR TRUCKING EXEMPT

SCALE IN SCALE OUT

GROSS WEIGHT TARE WEIGHT

NET TONS 0 0

NET WEIGHT

0.00 0

3A 330294

CHARLENE H.

SUNSHINE

841132

INBOUND

INVOICE

03-19-2015 2:13 pm 03-19-2015 2:13 pm

03/19/2015

Parkwater

Comments Driver Initials · M. Weight SPOKANE WA 02/25/2015 1852
REGIONDISPOS Dest: ROOSEVELTWA
912014940 Tractor: 0036
IC Fran: Transfer Load Log ž RESU 288347 LOAD RABI 428885 BNSF Railway Equipment Inspection Record LGT- 20 HT- 0.00 KP- 0 AXL- 0 WGT: TOFC- 45500 COFC- 37000 WGT: G- T- C-Row: 3 Damage: Current-Inspection - No Damage Found Container# Trailer or TURN HEADLIGHTS ON FLASHERS OFF Driver Name: PATRICK R BUROKER IEP Unknown Ingate: SPOKANE WA Shipper: REGIONDISPOS Trucker: 912014940 Seal: N License: XXXXXXXS9MB HAZMAT DEC: N \*\*\*\*\*\*\*\*\* 15WS V ~~ Proceed To Lot: Time Out Time in Destination. Load . W S 10 <u>--</u> N 47 ಥ თ . Truck \*

Certification No. W. 143	<b>B</b> .
Billing Acct. No 14735	
Product Codo 31	

### BILL OF LADING

## Contaminated Soil

REGIONAL DISPOSAL COMPANY
56 S. Dawson Street
Scattle, WA 98134

Telephone: (	206) 332-7700 / Pox: (206) 332-7600
This Bill of Lading augments the Master Service (Generator/Agent) and Regional Disposal Copart of the Agreement. In the event of confile Agreement prevail.	Agreement ("Agreement") entered into by SSF mpany ("RDC") on \$1915 (date). The terms herein are made a ct beliveen this Bill of Lading and the Agreement, the terms of the
Lading with each shipment delivered.	scribed in Certification No. 110. 141. Signed by General of Agent volt Regional Landfill. Contractor shall present a copy of this Bill of
Location of Wasto: Parkwate	L, WA
Method of Shipment: Sun Shi	
Additional Pees (e.g., laboratory fees, transportation	on fccs, special handling fccs, etc. If none, so state):
PE	RFORMANCE DATE
toate). ROC shall transport the	Waste no later than (date), unless RDC notifies the suspended or canceled due to RDC's exercise of its right to inspect or
for generator transportation:	Agent shall begin delivery of the Waste at [check one];
Roosevelt Regional Landfill.	Scattle Transfer Station located at Third and Lander.
Waste delivery shall begin no later than	(date), and shall complete delivery of the Waste no interthan or/Agent in writing to suspend or cancel the waste delivery due to waste (As provided in the Agreement).
GENERATOR / AGENT	REGIONAL DISPOSAL COMPANY
Signatura	Barlie Signature
ON FILE Pelated Name and Title	Logle Whileman Printed Namo and Titlo
Dato	2 19 15 Date
BABT420005 - 5	76-17 25/15
RBSU20034)	JAN Ja
week van	//