



REPORT

**QUARTERLY MONITORING REPORT
FOURTH QUARTER 2021
RESERVE SILICA RECLAMATION SITE**

*Ecology Facility Site No. 2041/Cleanup Site No 4728
28131 Ravensdale-Black Diamond Road
Ravensdale, Washington 98051*

Submitted to:


Mr. Alan Noell and Mr. Tim O'Connor, Washington State Department of Ecology
Northwest Regional Office
15700 Dayton Ave. N.
Shoreline WA 98133

Submitted by:

Golder Associates USA Inc.
18300 NE Union Hill Road, Suite 200
Redmond, Washington, USA 98052
+1 425 883-0777

152030402.004

April 22, 2022



Distribution List

Chris Martin, Ecology, 2 Hard copies

Electronic Only:

Alan L. Noell, Tim O'Connor, Ecology

Yolanda Pon, Public Health - Seattle & King County

Jerome Cruz, Public Health - Seattle & King County

Randy Sandin, King County DPER

Fred White, Reserve Silica

Frank Melfi, Reserve Silica

Frank Melfi Jr, Reserve Silica

Keith Dearborn, Reserve Silica

Marisa Floyd, Reserve Silica

Douglas Steding, Northwest Resource Law PLLC

Carla Brock, Aspect

Dave Cook, Aspect

Travis Weide, Holcim

Greg Jacoby, McGavick Graves P.S.

Paula Jantzen, Ryan Whaley

Matt Wells, Tupper Mack Wells PLLC

Table of Contents

1.0	INTRODUCTION	1
2.0	BACKGROUND	1
2.1	Site Background	1
2.1.1	Lower Disposal Area Background	1
2.1.2	Dale Strip Pit Background	1
2.2	Mitigation Activities	2
2.2.1	LDA Cover Upgrade	2
2.2.2	LDA Seep Collection System Test Trenches	2
2.2.3	LDA Seep Collection Ditch and Seepage Treatment System	2
2.2.4	LDA Interceptor Trench	3
2.2.5	DSP Cover Upgrade	3
3.0	MONITORING PROGRAM	3
3.1	LDA Sampling Locations	3
3.2	DSP Sampling Locations	4
3.3	LDA Interceptor Trench	4
4.0	SAMPLING ACTIVITIES	4
4.1	Procedures	5
4.1.1	Water Level and Field Parameter Measurements	5
4.1.2	Laboratory Analysis	5
4.1.3	LDA Groundwater Sampling	6
4.1.4	LDA Surface Water Sampling	6
4.1.5	LDA Interceptor Trench Sampling	7
5.0	RESULTS	7
6.0	OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM	7
7.0	LIMITATIONS	8
8.0	REFERENCES	9

TABLES

Table 1: Fourth Quarter 2021 Water Level Measurements

Table 2: Fourth Quarter 2021 Field Parameters and Analytical Data

Table 3: Interceptor Trench Discharge Monitoring

Table 4: Fourth Quarter 2021 Treatment System Metals Monitoring

FIGURES

Figure 1: Site Location Map

Figure 2: Site Plan

Figure 3A: DSP Groundwater Elevations

Figure 3B: LDA Groundwater Elevations

Figure 3C: Alluvial/Shallow Groundwater Elevations

APPENDICES**APPENDIX A**

Summary Data Tables for Individual Wells and Monitoring Locations

APPENDIX A-1

Summary of Lower Disposal Area – Surface Water Sampling Results

Appendix A-2

Summary of Lower Disposal Area – Shallow/Alluvial Groundwater Sampling Results

APPENDIX A-3

Summary of Lower Disposal Area – Bedrock Groundwater Sampling Results

APPENDIX A-4

Summary of Dale Strip Pit – Bedrock Groundwater Sampling Results

APPENDIX A-5

Summary of Lower Disposal Area – Disposal Area Groundwater Sampling Results

APPENDIX B

LDA Shallow/Alluvial Monitoring Wells Data Graphs

APPENDIX C

Data Validation Report and Laboratory Analytical Results

Appendix D

Sample Integrity Data Sheets

1.0 INTRODUCTION

This report, prepared by Golder Associates USA Inc. (Golder) for Holcim (US) Inc., presents the results of surface water and groundwater monitoring conducted at the Reserve Silica Reclamation Site (Site) during the fourth quarter of 2021. The Site is located at 28131 Ravensdale-Black Diamond Road in Ravensdale, Washington. Figure 1 shows the Site location.

A Model Toxics Control Act (MTCA) Remedial Investigation/Feasibility Study (RI/FS) is being conducted at the Site under Agreed Order (AO) No. DE 16052. An RI Work Plan (Work Plan), supporting Sampling and Analysis Plan (SAP), and Quality Assurance Project Plan (QAPP) (Golder 2021) describe the RI monitoring requirements and sampling procedures. Quarterly groundwater monitoring at the Site is currently being conducted in accordance with the Work Plan and supporting documents. Historical groundwater and surface water monitoring activities at the Site were conducted under requirements of Post-Closure Care and Maintenance Permits issued by Public Health – Seattle and King County (Public Health).

The fourth quarter monitoring event is typically conducted in December but was postponed until January 2022 to accommodate a delay in the completion of the third quarter monitoring event. The third quarter monitoring event was delayed to include additional groundwater monitoring wells that were installed in September 2021 as part of Remedial Investigation (RI).

2.0 BACKGROUND

2.1 Site Background

The following is a brief description of the historical mining and reclamation activities that occurred at the Site and includes a discussion of the quarterly monitoring program.

2.1.1 Lower Disposal Area Background

The Lower Disposal Area (LDA) is a former open pit sand mine that was reclaimed by placing CKD and other material into the mine excavation from June 1979 to October 1982. The LDA was filled with approximately 175,000 tons of CKD. Records indicate that a cap consisting of clay and up to 7 feet of overburden material from sand mining operations was placed over the CKD.

Historically, high pH seepage surfaced along the slope west of the LDA. The outbreaks are primarily located along the northern half of the western boundary of the LDA and records as early as 1987 indicate a leachate collection system was implemented for the LDA seepage. The leachate drained through low-lying, marshy areas and commingled with stormwater before flowing to the three infiltration ponds (the Infiltration Ponds as shown in Figure 2) near the Ravensdale-Black Diamond Road (ARCADIS 2004). In 2013 a new seepage collection ditch was installed to intercept and collect the seepage (see Section 2.2.3 of this report), which then flowed inside a pipe to the infiltration ponds. In 2018, a water treatment system was constructed, and the high pH water captured by the collection ditch is currently piped to on-site treatment area for pH neutralization and dissolved metals removal. The treated water discharges from the treatment system to the infiltration ponds.

2.1.2 Dale Strip Pit Background

The Dale Strip Pit (DSP) was created to mine the Dale No. 4 coal seam from the surface starting in 1946. Prior to 1946, the coal seam was worked from an underground mine. The underground mining chutes were driven upward to the surface to provide ventilation and allow the transportation of timbers into the mine. Construction of the mine allowed groundwater to drain by gravity to the mine portal (Portal). The Portal has since collapsed, and now a pipe in the collapsed Portal allows water to continuously drain from the mine under an Ecology Sand and

Gravel General Permit (Ecology 2005) with monitoring as described below. The Portal is located north of the LDA on the east side of the main haul road.

The DSP was approximately 1,800 feet long (north to south), averaged 140 feet wide (east to west), and averaged 40 feet deep. It was filled in the 1970s and 1980s with approximately 250,000 cubic yards of material including CKD, borrow, and other materials pursuant to a permit from Public Health. It is estimated that about one-third of the DSP was filled with CKD (ARCADIS 2004).

2.2 Mitigation Activities

2.2.1 LDA Cover Upgrade

During September and October 2007, the existing soil cover on the LDA was regraded to provide positive drainage at all locations, reduce overly-steep slope areas, and place a minimum 2-foot-thick clean soil cover over the entire area, including locations where CKD was exposed at the surface. The construction activities are described in the Construction Summary Report (Golder 2008a).

2.2.2 LDA Seep Collection System Test Trenches

During September and October 2008, test trenches for collecting high pH seepage were constructed (Golder 2008b). The purpose of this test system was to evaluate the feasibility of using a more extensive trench system to collect high pH seepage that would otherwise discharge at the ground surface adjacent to the LDA. Details of the test trench construction are presented in the Construction Summary Report (Golder 2009a).

Between October 2008 and September 2009, Golder monitored seepage flow rates from each of two test trenches and the pipeline discharge once per month, on average. A summary of activities and results of this monitoring program is presented in the flow monitoring report (Golder 2009b).

2.2.3 LDA Seep Collection Ditch and Seepage Treatment System

In February 2013, a surface water collection ditch and concrete catch basin were constructed on the bench below the main access road on the west side of the LDA. This system was installed to capture leachate seeps emerging from the bank along the east side of the bench (west of the main access road) and direct them into the existing pipeline that carries flow from the test trenches to the infiltration ponds. In April 2015, the 4-inch-diameter pipeline from the catch basin to the infiltration ponds, approximately 1,000 feet in length, was replaced with a 12-inch-diameter pipeline to alleviate plugging issues.

In December 2017, the seepage collection trench was further extended approximately 100 feet to the north to collect additional seepage that was not previously captured. Seepage water was then redirected into a seepage treatment system, which completed construction and started initial operations on September 28, 2018. The treatment system uses carbon dioxide (CO₂) sparging to neutralize pH levels and arsenic and lead adsorption using an iron-based adsorption media.

During the initial year of operation, the system operated intermittently, with system shut-downs occurring as various upgrades and modifications were completed to increase the long-term operational efficiency of the treatment system. The system began continuous operating in June 2019, with only minor shutdowns occurring to complete routine maintenance.

2.2.4 LDA Interceptor Trench

In September 2013, a gravel-filled interceptor trench that included a perforated drainpipe and vertical downgradient liner was installed south of the LDA to intercept clean groundwater moving in a northerly direction prior to encountering the cement kiln dust in the LDA.

2.2.5 DSP Cover Upgrade

Cover upgrade activities began at the DSP in November 2010 and were completed in July 2011. Cover upgrade activities included stripping surficial vegetation and topsoil, regrading the existing surface to establish positive drainage, placing low permeability soil to provide a minimum 2-foot-thick layer at all locations, filling the existing ditch along the northeast side of the DSP, replacing topsoil, and revegetating the cover surface.

3.0 MONITORING PROGRAM

The purpose of the quarterly monitoring activities is to assess the groundwater and surface water conditions with respect to potential impact from the CKD placed in the LDA and the DSP. Prior to the start of the RI, quarterly monitoring and reporting activities were conducted under requirements of Post-Closure Care and Maintenance Permits issued by Public Health. The current RI groundwater and surface water requirements are detailed within the Work Plan (Golder 2021).

3.1 LDA Sampling Locations

The LDA groundwater and surface water sampling locations are shown in Figure 2. Monitoring well construction details are provided in Table 1. Shallow/alluvial monitoring wells were installed near the LDA in July 2005 and are monitored to assess the shallow/alluvial groundwater conditions with respect to potential impact from the CKD. Four of the wells (MW-1A, MW-2A, MW-5A, and MW-6A) are located around the infiltration ponds. MW-3A is located west of the high pH seepage area. MW-4A, a background well, is located south of, and upgradient with respect to groundwater flow and surface water drainage, the high pH seepage area. P-14 was installed in November 2020 in the center of the LDA and is screened within CKD and other fill material disposed in the LDA. Groundwater samples collected from P-14 provide data on chemical composition of water in an area where saturated CKD is present.

As part of the RI, during September 2021, the following groundwater monitoring wells were also installed to evaluate groundwater quality in and downgradient of the LDA:

- MW-7A and MW-8A were installed west and southwest of the infiltration ponds to evaluate groundwater gradients and groundwater quality.
- MW-9A and MW-10A are located west of the high pH seepage area and the South Pond, near the western property boundary to evaluate groundwater gradients and groundwater quality.
- P-15 was installed in the LDA and, similar to P-14, is also screened within CKD and other fill material disposed in the LDA. Groundwater samples collected from P-15 provide data on chemical composition of water just before the groundwater flows across the Lower Haul Road to daylight as seeps west of the LDA.
- P-16 was installed just west (downgradient) of the high pH seepage area and east (upgradient) of the South Pond.
- P-17 was installed per Ecology's request during their Site visit in September 2021 and is located southwest of the LDA.

The LDA surface water sampling locations evaluate the high pH seepage that occurs west of the LDA:

- The Still Well is a 2-inch-diameter flush-mount well located within the high pH seepage zone west of the LDA.
- The South Pond is a closed depression located west of the high pH seepage area.
- The Weir is located north of the access road to MW-3A immediately below the discharge point from the wetlands. If no flow is observed at the Weir, the constructed wetlands upstream are the alternative sampling location.
- The Infiltration Ponds are located at the north end of the Site near Ravensdale-Black Diamond Road and receive treated water from the on-Site seepage treatment system. The surface sample is collected from the southwest area of the infiltration ponds.

In 2006, bedrock monitoring wells were installed along the west side of the main access road, west of the LDA. The bedrock wells were installed to assess groundwater conditions in the bedrock immediately downgradient of the LDA. MWB-1LDA is located near the northern tip of the LDA, MWB-2LDA is located near the center of the LDA, and MWB-3 LDA is located near the southern end of the LDA. In accordance with the Work Plan, field parameters are monitored in the LDA bedrock monitoring wells semi-annually, and the wells are sampled annually. The fourth quarter monitoring event did not include sampling or measurement of field parameters in the LDA bedrock wells.

3.2 DSP Sampling Locations

The DSP groundwater monitoring locations are shown in Figure 2. The DSP bedrock groundwater monitoring program includes four wells in the DSP area (MWB-1SDSP, MWB-1DDSP, MWB-5DSP, and MWB-6DSP), which evaluate groundwater quality beneath, upgradient, and downgradient of the DSP. Groundwater discharging from the Portal is monitored semi-annually. The Portal was originally constructed to drain water from the Dale Strip Coal mine. In accordance with the Work Plan, field parameters are monitored in the LDA bedrock monitoring wells semi-annually, and the wells are sampled annually. There are two additional monitoring wells (MWB-2DSP and MWB-4SDSP) near the DSP area that are monitored semi-annually for water levels and field parameters only. The fourth quarter monitoring event did not include sampling or measurement of field parameters in the DSP bedrock wells or Portal.

3.3 LDA Interceptor Trench

The purpose of the Interceptor Trench is to intercept clean shallow groundwater and direct the water away from the LDA before the water enters the LDA. Monitoring is performed at the Interceptor Trench outfall for flow, pH, turbidity, and total dissolved solids. The purpose of the monitoring is to ensure that the trench is not collecting impacted groundwater.

4.0 SAMPLING ACTIVITIES

The following section summarizes the activities associated with the current monitoring event.

4.1 Procedures

4.1.1 Water Level and Field Parameter Measurements

Depth to water measurements were collected from all monitoring wells at the Site on January 5, 2022. Table 1 presents depth to water measurements and elevations. A groundwater elevation contour maps are provided in Figures 3A-C.

Field parameters for groundwater and surface water were measured as part of the sampling activities described in the following sections. These measurements were performed with the following equipment:

- YSI ProDSS multimeter with pH, ORP (oxidation-reduction potential), conductivity, dissolved oxygen, and temperature probes
- Hach 2100P Turbidimeter

4.1.2 Laboratory Analysis

Laboratory analyses were performed on samples collected from the various locations described in the following sections. Although the analytic parameters varied between the types of samples, the following elements are common to all the sampling and analysis activities:

- The collected samples were transported to the laboratory within appropriate sample hold times following chain-of-custody protocols.
- The testing was performed by Analytical Resources, Inc. (ARI) of Tukwila, Washington.
- All samples were tested for the following parameters using the methods indicated:

Antimony	EPA Method 200.8
Arsenic	EPA Method 200.8
Lead	EPA Method 200.8
Potassium	EPA Method 6010D
Vanadium	EPA Method 200.8
Total Dissolved Solids (TDS)	SM 2540 C

- Samples were collected for both total metals and dissolved metals analyses, with dissolved metals samples field filtered with a 0.45 µm in-line filter. Samples historically were analyzed for dissolved metals at the Site until December 2020. Ecology requested in their review of the draft Work Plan that metals analyses be conducted as total metals. Groundwater samples are collected in the field for both dissolved metals and for total metals analyses. The dissolved metals samples are held at the laboratory so that they can be analyzed if the total metals results indicated significant differences from historical dissolved metals results.
- Interceptor Trench samples were tested for the following parameters using the method indicated:

pH	Field Measurement
TDS	SM 2540 C
Turbidity	Field Measurement

- Summaries of historical analytic data for the various sampling locations are presented in Appendix A. The data validation report and the laboratory analytical data packages are provided in Appendix C. Sampling Integrity Data Sheets (SIDS) are provided in Appendix D.

4.1.3 LDA Groundwater Sampling

On January 5, 6, 7, and 10, 2022, Golder sampled groundwater from the LDA shallow/alluvial groundwater monitoring wells (MW-1A, MW-2A, MW-3A, MW-4A, MW-5A, MW-6A, MW-7A, MW-8A, MW-9A, MW-10, P-16, P-17) and the LDA disposal area (P-14, P-15).

The following methods and procedures were used in collecting the groundwater samples:

- Depth to groundwater was measured in the wells prior to purging and sampling.
- Using a dedicated bladder pump or dedicated tubing connected to a peristaltic pump (if groundwater elevation allowed), water from wells MW-1A, MW-2A, MW-3A, MW-4A, MW-5A, MW-6A, MW-7A, MW-8A, MW-9A, MW-10, P-16, P-17, P-14, and P-15 was purged at a rate between approximately 150 and 450 milliliters (mL) per minute.
- Field parameters of pH, conductivity, temperature, DO, ORP, and turbidity were measured and recorded during purging at approximately five-minute intervals until parameters were stable.
- Once the field parameters stabilized, the purging phase of the process was concluded. Groundwater samples were then collected directly from the dedicated sample tubing.
- For quality control purposes, a duplicate sample was collected from MW-2A (labeled as MW-45A).
- Laboratory-provided containers were used to collect the samples. For each groundwater sample, two 500-mL bottles preserved with nitric acid and one 1-Liter (L) unpreserved bottle were collected (except for P-15). The samples were then labeled and placed in a cooler with ice.

All groundwater and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

4.1.4 LDA Surface Water Sampling

On January 5, 6, and 7, 2022, Golder monitored surface water from the Still Well, Weir, South Pond, and the Infiltration Ponds sampling locations. The following methods and procedures were used in collecting the surface water samples:

- Field parameters of pH, conductivity, temperature, DO, ORP, and turbidity were measured and recorded. These parameters were measured and recorded at each of the surface water locations at the time of sample collection.
- Grab surface water samples were collected using dedicated sample tubing connected to a peristaltic pump.
- For quality control purposes, a duplicate sample was collected from the Infiltration Ponds (labeled as MW-35A).
- Laboratory-provided containers were used to collect the surface water samples. For each surface water sample, two 500-mL bottles preserved with nitric acid and one unpreserved 1-L bottle were collected. The samples were then labeled and placed in a cooler with ice.

- The pH of some LDA surface water sampling locations is occasionally greater than 10. Sampling protocol requires that the preserved samples for dissolved metals analysis have a pH of less than 2 upon receipt at the laboratory. To meet this requirement, the pH of the LDA surface water samples collected for metals analysis were checked at the time of sample collection using pH test paper strips. If the pH was higher than 2, additional nitric acid (provided by the laboratory) was added until the pH of the sample was less than 2.

All surface water and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

4.1.5 LDA Interceptor Trench Sampling

On January 7, 2022, Golder sampled groundwater from the Interceptor Trench. The following methods and procedures were used to collect the groundwater sample:

- Field pH, turbidity, and the flow rate at the Interceptor Trench outfall were measured and recorded.
- Grab water samples were collected from the Interceptor Trench by placing the sample bottles under the flow of water.
- Laboratory-provided containers were used to collect the sample for TDS lab analysis. One 1-L unpreserved bottle was collected. The sample was then labeled and placed in a cooler with ice.

The Interceptor Trench sample was analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

5.0 RESULTS

Analytical results from the January 2022 monitoring round are presented in Table 2. Table 3 presents the current and a historical summary of the Interceptor Trench monitoring data. Historical summary tables of analytical results at each sampling location are provided in Appendix A and concentrations trend graphs for key parameters are provided in Appendix B. All analytical data were subject to a data validation review. Data validation was conducted in accordance with the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (EPA 2020), the SAP, and the QAPP (Golder 2021). Data reporting qualifiers are included with the analytical results in Appendix A. The data validation review found that all the data were considered valid and usable. The data validation and raw analytical data packages provided by the laboratory are provided in Appendix C. Data collected during this sampling round will be combined with all RI data to complete the evaluations and requirements of the RI/FS.

6.0 OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM

The leachate treatment system first began operating in September 2018. The system operated intermittently from December 2018 to May 2019 as the system upgrades were completed during that time, which included various upgrades and modifications to improve the system's long-term operating efficiency. The system began continuous operations in June 2019, with minor shutdowns occurring to complete routine maintenance and continued minor modifications to improve long-term operating efficiency.

The treatment system includes a 4,200-gallon mixing tank (steel rectangular box shaped tank) that receives the influent water coming from the seepage collection ditch and piping. Water from the tank constantly flows through the carbon dioxide (CO₂) sparge unit, which continuously monitors the water pH and activates CO₂ sparging when the water pH exceeds 8.3. CO₂ sparging continues until the pH reduces to 7.5. The sparged water is pumped

back into the mixing tank to maintain the neutralized water within the tank. The influent flow, pumping from the tank and through the CO₂ sparge unit, and discharge from the sparge unit back into the tank are all specifically located in different areas of the mixing tank to provide a constant circulation effectively providing pH neutralization throughout the tank. The mixing tank contains a float switch activated discharge pump that activates when the water reaches a set height within the tank and turns the pump off when the water is lowered to the desired height. Neutralized water pumped from the tank is discharged through filters and an iron-based adsorption media to remove arsenic, prior to discharge of the water to the Infiltration Ponds.

The continuous pH monitoring system is connected to telemetry that sends pH readings and alerts to Golder engineer's cell phones if readings outside of the set ranges occurs allowing for response and trouble shooting. Routine inspections of the treatment system are conducted approximately once every two weeks. The inspections include routine maintenance activities such as cleaning scale off pump parts, hoses, and probes to sustain continued operations of the treatment system. The treatment system has been effective in reducing the pH of the seepage water to below 8 standard units and reducing metals concentrations before discharge to the infiltration ponds. Typical maintenance down time of less than 1 day occasionally occurs. Optimization of the metals adsorption system continues, as calcium carbonate clogging of the adsorption system frequently arises. Table 4 provides the 2021 fourth quarter laboratory analytical data before it enters the pH treatment tank, pre-iron-based adsorption media, and post-iron-based adsorption media showing the reduction in lead and arsenic concentrations. Modifications to the adsorption media system were implemented following collection of the fourth quarter system samples, which improved system performance. Treatment system performance samples collected subsequent to the fourth quarter sampling are also provided in Table 4. The laboratory analytical report is provided in Appendix C.

The treatment system has been effective in reducing the impacts to groundwater in the immediate vicinity of the infiltrations ponds that were historically observed in groundwater monitoring wells MW-5A and MW-6A. Additional modifications and improvements are anticipated to occur to the treatment system during the MTCA cleanup process to improve system performance, efficiency, and achieve Site specific cleanup standards that are protective of human health and the environment.

7.0 LIMITATIONS

Golder prepared this report for the exclusive use of Holcim (US) Inc. and their authorized agents. It may also be submitted to regulatory agencies.

Within the limitations of scope, schedule and budget, our services have been executed in accordance with generally accepted environmental science practices in this area at the time this report was prepared. No warranty or other conditions, express or implied, should be understood. This report was prepared, in part, based on previous investigations and data collected by others. Golder Associates USA Inc. is not responsible for any data that were inaccurately reported by others and reproduced here.

8.0 REFERENCES

ARCADIS (U.S.) Inc. (ARCADIS). 2004. Lower Disposal Area and Dale Strip Pit Conceptual Design Plan, Reserve Silica Property, 28131 Black Diamond-Ravensdale Road, Ravensdale, Washington. April 28.

Golder Associates Inc. (Golder). 2008a. Construction Summary Report, Lower Disposal Area Cover Upgrade, Reserve Silica Site, Reserve Silica Site, Ravensdale, Washington, July 25.

Golder. 2008b. Draft Workplan for Seep Collection Test Trenches, Lower Disposal Area, Reserve Silica Site, Ravensdale, Washington. August 4.

Golder. 2009a. Construction Summary Report, Seep Collection System Test Trenches, Reserve Silica Site, Ravensdale, Washington. March 6.

Golder. 2009b. Flow Monitoring Seep Collection System Test Trenches, Reserve Silica Site, Lower Disposal Area, Ravensdale, Washington. December.

Golder. 2021. Remedial Investigation/Feasibility Study Work Plan, Reserve Silica Reclamation Site, Ravensdale, Washington. July 22.

Washington State Department of Ecology (Ecology). 2005. Sand and Gravel General Permit. Limit for Discharge to Ground Water. January 5.

USEPA (EPA). 2020. National Functional Guidelines for Inorganic Superfund Data Review. Office of Superfund Remediation and Technology Innovation. OLEM 9240.1-66, EPA 542-R-20-006. November.

Tables

Table 1: Fourth Quarter 2021 Water Level Measurements

Sample Area	Sample Location ID	Date Measured	Well Data				Water Levels		
			Total Well Depth (feet bgs)	Screened Interval (feet bgs)	Bentonite Seal (feet bgs)	Casing Diameter (inches)	TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)
LDA - Shallow/Alluvial Groundwater	MW-1A	1/5/2022	44	28-43	2-26	2	613.44	25.20	588.24
	MW-2A	1/5/2022	40	25-40	2-23	2	607.21	19.05	588.16
	MW-3A	1/5/2022	20	4-20	2-4	2	689.11	5.10	684.01
	MW-4A	1/5/2022	20	5-20	2-4	2	705.45	3.40	702.05
	MW-5A	1/5/2022	40	25-40	2-23	2	611.23	23.00	588.23
	MW-6A	1/5/2022	39	24-39	2-22	2	608.95	20.72	588.23
	MW-7A	1/5/2022	20	10-20	2-7	2	592.69	4.73	587.96
	MW-8A	1/5/2022	26	16-26	2-13	2	601.49	13.55	587.94
	MW-9A	1/5/2022	13	8-13	2-5	2	697.29	2.45	694.84
	MW-10A	1/5/2022	29	9-29	2-6	2	698.02	5.55	692.47
Within LDA - Groundwater	P-14	1/5/2022	52	40-50	3-38	2	773.32	27.73	745.59
	P-15	1/5/2022	34	24-34	2-20	2	756.55	15.32	741.23
LDA - Bedrock Groundwater	MWB-1LDA	1/5/2022	135	115-135	2-105	2	704.68	22.00	682.68
	MWB-2LDA	1/5/2022	125	110-125	2-103	2	741.66	35.31	706.35
	MWB-3LDA	1/5/2022	145	125-145	2-115	2	744.19	0.80	743.39
DSP - Bedrock Groundwater	MWB-1SDSP	1/5/2022	160	150-160	138-148	2	936.29	33.64	902.65
	MWB-1DDSP	1/5/2022	265	255-265	243-253	2	935.37	47.77	887.60
	MWB-2DSP	1/5/2022	258	238-258	-	2	934.82	192.66	742.16
	MWB-4SDSP	1/5/2022	43	32-42.8	-	2	932.41	17.66	914.75
	MWB-5DSP	1/5/2022	83	73-83	2-61	2	935.05	16.88	918.17
	MWB-6DSP	1/5/2022	195	120-195	2-108	2	920.65	21.36	899.29

- Not measured or not available
 feet bgs Feet below ground surface
 feet bmp Feet below measuring point
 feet NAVD88 Feet in NAVD88 datum
 TOC Top of casing

Table 2: Fourth Quarter 2021 Field Parameters and Analytical Data

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)					
			TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total	
Preliminary Screening Level ^a			-	-	-	-	-	-	-	-	-	6.5-8.5	-	6	5	-	15	80
LDA - Shallow/Alluvial Groundwater	MW-1A	1/5/2022	613.44	25.2	588.24	9.2	343.8	7.96	170.2	0.67	6.54	255	1.06	1.02	18100	0.1 U	0.782	
	MW-2A	1/6/2022	607.21	19.05	588.16	10.2	466.3	4.66	197.7	2.69	7.14	368	3.24	1.89	80700	0.1 U	1.19	
	MW-2A Duplicate (MW-45A)	1/6/2022	-	-	-	-	-	-	-	-	-	375	3.26	2.03	79400	0.1 U	1.25	
	MW-3A	1/6/2022	689.11	5.1	684.01	7.5	270	2.33	189.1	1.84	7.38	242	8.89	2.04	53400	0.265	2.61	
	MW-4A	1/7/2022	705.45	3.4	702.05	8.7	248.4	4.37	211.1	3.08	6.29	270	0.2 U	0.383	774 J	0.1 U	1.73	
	MW-5A	1/5/2022	611.23	23	588.23	9.2	972	4.7	271.1	1.4	7.18	829	6.42	3.38	252000	0.085 J	1.8	
	MW-6A	1/6/2022	608.95	20.72	588.23	7.3	1,136	8.21	229.4	2.04	7.98	1040	7.89	2.41	333000	0.115	0.912	
	MW-7A	1/10/2022	592.69	4.73	587.96	7	467	5.45	197	2.99	7.34	419	3.89	2.07	98000	0.1 U	1.04	
	MW-8A	1/6/2022	601.49	13.55	587.94	9.5	670	3.99	239.1	4.5	7.05	595	5.21	6.64	169000	0.1 U	3.87	
	MW-9A	1/7/2022	697.29	2.45	694.84	8.5	380.7	4.86	189.9	1.43	6.95	404	0.181 J	1.02	2910	0.056 J	1.03	
	MW-10A	1/6/2022	698.02	5.55	692.47	9.3	168	7.06	94.6	6.9	7.5	141	0.151 J	1.13	2660	0.109	1.03	
	P-16	1/6/2022	702.87	2.35	700.52	8.1	2,804	1.06	-409.7	1.06	12.75	2420	9.63	109	809000	14.6	292	
	P-17	1/7/2022	720.32	3.65	716.67	6.9	388.5	1.13	-60.4	4.09	6.46	388	1.26	2.81	8030	0.1 U	1.8	
Within LDA - Groundwater	P-14	1/7/2022	773.32	27.73	745.59	11.9	9,778	0.96	-112.9	1.86	13.3	4850	51.8	76.3	1480000	9.19	6.77	
	P-15	1/7/2022	756.55	15.32	-	10.2	7,227	1.03	-116.3	1.84	13.28	3420	5.17	6.34	884000	101	0.515 J	
LDA - Bedrock Groundwater ³	MWB-1LDA	1/5/2022	704.68	22	682.68	-	-	-	-	-	-	-	-	-	-	-	-	
	MWB-2LDA	1/5/2022	741.66	35.31	706.35	-	-	-	-	-	-	-	-	-	-	-	-	
	MWB-3LDA	1/5/2022	744.19	0.8	743.39	-	-	-	-	-	-	-	-	-	-	-	-	
LDA- Surface Water	South Pond	1/6/2022	-	-	-	4.5	305.4	10.57	-30.2	4.07	9.42	300	2.29	4.42	77100	2.29	4.27	
	Still Well	1/7/2022	-	-	-	8.8	4103	2.53	55.4	3.04	12.88	1900	8.39	50.3	486000	4.26	3.34	
	Weir	1/6/2022	-	-	-	4.9	269.1	10.81	211.8	15.9	7.63	228	5.52	4.33	50500	0.698	1.3	
	Infiltration Ponds	1/5/2022	-	-	-	1.2	510	9.85	236.4	14.0	8.01	679	6.32	12.1	226000	6.31	3.36	
	Infiltration Ponds Duplicate (MW-35A)	1/5/2022	-	-	-	-	-	-	-	-	-	736	6.61	12.3	228000	6.4	3.4	

Table 2: Fourth Quarter 2021 Field Parameters and Analytical Data

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)					
			TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total	
DSP - Bedrock Groundwater ³	MWB-1SDSP	1/5/2022	936.29	33.64	902.65	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-1DDSP	1/5/2022	935.37	47.77	887.60	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-2DSP	1/5/2022	934.82	192.66	742.16	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-4SDSP	1/5/2022	932.41	17.66	914.75	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-5DSP	1/5/2022	935.05	16.88	918.17	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-6DSP	1/5/2022	920.65	21.36	899.29	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-6DSP Duplicate (MW-55A)	1/5/2022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Portal	1/5/2022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

- Not measured or not collected.
- * Depth to water (DTW) measurements for all shallow/alluvial wells collected on the same day; date noted is sampling date.
- a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- J Data validation code; estimated value.
- J+ Data validation code; estimated value with high bias
- J- Data validation code; estimated value with low bias.
- U Data validation code; not detected at the Reporting Limit (RL).
- DRY Location is dry. Unable to collect field parameters or samples.
- Note 1 P-15 did not produce sufficient volume for sampling of dissolved metals.

- TOC Top of casing inside PVC well
- °C Degrees Celsius
- feet bmp Feet below measuring point
- feet NAVD88 Feet in NAVD88 datum
- ug/L Micrograms per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit
- µmhos/cm Micromhos per centimeter

Table 3: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
19-Oct-13	8:45	0.3	7.47	-	-
19-Nov-13	9:25	0.7	7.52	-	-
23-Dec-13	15:25	1.2	7.27	-	-
20-Jan-14	11:15	0.8	7.58	1	277
-	-	-	-	-	-
31-Mar-14	11:12	1	7.22	1.6	257
22-Apr-14	16:05	3.6	6.85	474	214
27-May-14	15:30	0.8	7.12	21.9	294
27-Jun-14	11:10	0.3	7.13	13.3	136
31-Jul-14	19:45	0.2	6.95	4.1	305
28-Aug-14	14:00	0.1	7.2	1.8	294
29-Sep-14	13:39	0.1	7.87	1.4	340
29-Oct-14	11:45	0.3	7.03	1.1	319
24-Nov-14	11:50	0.8	7.09	0.7	229
22-Dec-14	8:00	0.4	7.08	0.4	253
30-Jan-15 ¹	10:10	1.1	7.09	0.7	270
4-May-15	9:30	0.31	7.54	2.05	290
4-Aug-15	12:20	0.06	7.61	1.51	268
3-Nov-15	13:15	0.8	7.38	36.9	320
8-Feb-16	10:40	1.9	7.23	9.29	279
2-May-16	16:00	0.5	7.77	22.5	431
22-Aug-16	11:00	0.08	7.78	3.34	302
1-Nov-16	11:40	2.4	8.16	96.3	345
2-Feb-17	9:25	4.5	7.61	0.85	514
30-May-17	15:45	4.5	7.33	4.04	324
18-Aug-17	8:50	0.1	7.57	34	300
10-Nov-17	11:20	1.1	6.81	12.9	365

Table 3: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
28-Feb-18	10:16	2.22	7.02	37.9	381
2-May-18	11:45	1.18	7.46	2.89	339
22-Aug-18	10:00	0.13	7.32	19.3	287
7-Nov-18	14:40	0.33	7.24	3.05	342
13-Mar-19	11:31	1.43	7.61	19.4	313
9-May-19	10:30	0.88	7.77	8.9	394
26-Aug-19	18:15	0.42	7.25	26.4	361
14-Nov-19	13:30	0.42	7.05	34.5	447
13-Feb-20	12:35	1.58	6.95	1.76	306
13-Aug-20	12:00	0.21	7.32	20.8	339
10-Dec-20	12:22	3.8	7.7	228	691
4-Mar-21	12:20	3.5	7.23	116	584
10-Jun-21	13:10	0.2	7.02	6.31	360
15-Oct-21	13:55	0.2	7.08	31	382
7-Jan-22	11:58	9.2	7.43	6.23	288

- Not measured or not available
 gpm Gallons per minute
 NTU Nephelometric Turbidity Unit
 mg/L Milligrams per liter
 1 Reduction in monitoring frequency to quarterly approved by Public Health – Seattle and King County in an email to Holcim dated January 2, 2015. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.


Table 4: Fourth Quarter 2021 Treatment System Metals Monitoring

Sample Location	Sample ID	Date Sampled	Total Antimony (ug/L)	Dissolved Antimony (ug/L)	Total Arsenic (ug/L)	Dissolved Arsenic (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)	Total Vanadium (ug/L)	Dissolved Vanadium (ug/L)
pH Tank Influent	Tank-Influent	23-Feb-22	13.9	-	33.6	-	130	-	3.69	-
pH Tank Effluent/Filter Media Influent	Tank-Effluent	23-Feb-22	14.6	-	34.9	-	64.8	-	3.69	-
Filter Media Effluent	As2-Effluent	23-Feb-22	13.9	13.7	32.0	30.8	42.9	1.87	3.46	3.28


Sample Location	Sample ID	Date Sampled	Total Antimony (ug/L)	Dissolved Antimony (ug/L)	Total Arsenic (ug/L)	Dissolved Arsenic (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)	Total Vanadium (ug/L)	Dissolved Vanadium (ug/L)
pH Tank Influent	Tank-Influent	9-Mar-22	14.0	-	30.9	-	83	-	4.19	-
pH Tank Effluent/Filter Media Influent	Tank-Effluent	9-Mar-22	13.9	-	29.5	-	44.1	-	3.80	-
Filter Media Effluent	As2-Effluent	9-Mar-22	9.37	9.69	10.5	7.54	25.6	<0.1	1.87	0.59

- Not measured or not available
mg/L Milligrams per liter

Figures



LEGEND
 Property Boundary



REFERENCE(S)
 1. ASPECT CONSULTING (PROPERTY BOUNDARY)
 2. ESRI (WASHINGTON STATE COUNTY BOUNDARY)
 3. COORDINATE SYSTEM: NAD 1983 STATEPLANE WASHINGTON NORTH FIPS 4601 FEET
 4. MAP SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, GARMIN, USGS, INTERMAP, INCREMENT P, NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI KOREA, ESRI (THAILAND), NGCC, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
 SOURCES: ESRI, HERE, GARMIN, INTERMAP, INCREMENT P CORP., GEBCO, USGS, FAO, NPS, NRCAN, GEOBASE, IGN, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

CLIENT
HOLCIM

PROJECT
**RI WORK PLAN 2020
 RAVENSDALE, WA**


TITLE
SITE LOCATION MAP

CONSULTANT	YYYY-MM-DD	2021-02-10
	DESIGNED	TL
	PREPARED	TL
	REVIEWED	JX
	APPROVED	GZ

PATH: G:\HOLCIM\Reviews\ak098_PROJECTS\152030420_2020\00_002_PRODUCTION\MAXDFIGURES\RevA\152030420_004_001_FL_RevA_SiteLocation.mxd PRINTED ON: 2021-02-10 AT 8:43:10 AM

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

Path: \\winred\red\golder\gis\projects\152030420_20200402_00000402_PRODUCT\CONTOUR\152030420_00000402_00000402.dwg | Last Edited By: lrybar | Date: 2022-01-20 | Time: 8:47:29 AM | Printed By: lrybar | Date: 2022-01-20 | Time: 8:48:39 AM



NOTE(S)

1. BASE TOPOGRAPHY OUTSIDE OF LDA FOOTPRINT PREPARED BY AERO-METRIC, INC., SEATTLE, WA FROM AERIAL PHOTOS FLOWN ON FEBRUARY 10, 2007.
 HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)
 VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88
 CONTOUR INTERVAL: 5 FT
2. BASE TOPOGRAPHY INSIDE OF LDA FOOTPRINT PREPARED BY PACIFIC GEOMATIC SERVICES, INC., MOUNTLAKE TERRACE, WA FROM FIELD DATA TAKEN ON NOVEMBER 1, 2007.
 HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)
 VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88
 CONTOUR INTERVAL: 1 FT
3. BASE TOPOGRAPHY INSIDE OF DSP FOOTPRINT PREPARED BY PARAMETRIX, INC., BELLEVUE, WA FROM FIELD DATA TAKEN ON JULY 6, 2011.
 HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)
 VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88
 CONTOUR INTERVAL: 1 FT

LEGEND			
	COVER AREA		LDA SURFACE WATER SAMPLING LOCATION
	MW-1A ALLUVIAL MONITORING WELL		DSP BEDROCK SAMPLING LOCATION (PORTAL)
	MWB-1DDSP BEDROCK MONITORING WELL		INTERCEPTOR TRENCH SAMPLING LOCATION
	MWB-2DSP BEDROCK MONITORING WELL (NOTE 4)	- x - x -	FENCE LINE
	DISPOSAL AREA MONITORING WELL		



CLIENT
HOLCIM

CONSULTANT



YYYY-MM-DD	2022-01-20
DESIGNED	JX
PREPARED	REDMOND
REVIEWED	JX
APPROVED	GZ


PROJECT
**RI WORK PLAN 2020
RAVENSDALE, WA**

TITLE
SITE PLAN

PROJECT NO. 152030420	PHASE 004	REV. A	FIGURE 2
--------------------------	--------------	-----------	-------------

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI D

Path: \\vancouver.golder.com\golder\GIS\Projects\152030402_R1\20190604_R1_Tasks_202102_PROD\152030402_PROD\152030402_004_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:42:22 AM
 Path: \\vancouver.golder.com\golder\GIS\Projects\152030402_R1\20190604_R1_Tasks_202102_PROD\152030402_PROD\152030402_004_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:42:22 AM



- NOTE(S)**
1. BASE TOPOGRAPHY PROVIDED BY PUGET SOUND LIDAR CONSORTIUM, DATED 2016, IN SHAPEFILE FORMAT.
 2. ONLY EXISTING MONITORING AND PIEZOMETER LOCATIONS (AS OF OCTOBER 2021) ARE SHOWN.
 3. * GROUNDWATER ELEVATION CORRECTED FOR VERTICAL GRADIENT USING MWB-1SDSP WELL SCREEN MIDPOINT ELEVATION AS REFERENCE.
 4. ** MONITORING WELL SCREENED IN DIFFERENT UNIT AND NOT USED IN CONTOURING.

LEGEND	
	COVER AREA
	P-1
	MW-1A
	MWB-1DDSP
	P-14
	AMW-1
	LDA SURFACE WATER SAMPLING LOCATION
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	INTERCEPTOR TRENCH SAMPLING LOCATION
	FENCE LINE
	GOLDER PIEZOMETER
	LDA SURFACE WATER SAMPLING LOCATION
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	INTERCEPTOR TRENCH SAMPLING LOCATION
	FENCE LINE
	ALLUVIAL MONITORING WELL
	BEDROCK MONITORING WELL
	LDA MONITORING WELL
	PLANT SITE MONITORING WELLS

CLIENT
HOLCIM

CONSULTANT	YYYY-MM-DD	
	2021-12-01	DESIGNED
		JX
		PREPARED
		REDMOND
	JX	REVIEWED
	GZ	APPROVED


PROJECT
JANUARY 4, 2022 GROUNDWATER ELEVATIONS
RAVENSDALE, WA

TITLE
DSP GROUNDWATER ELEVATIONS

PROJECT NO.	PHASE	REV.	FIGURE
152030402	004	----	3A

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A3 AND 1 in

Path: \\vancouver.golder.com\data\geomatics\HOLCIM\Reviews\152030402_004.dwg | File Name: 152030402_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:34:32 AM
 Path: \\vancouver.golder.com\data\geomatics\HOLCIM\Reviews\152030402_004.dwg | File Name: 152030402_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:34:32 AM



- NOTE(S)**
1. BASE TOPOGRAPHY PROVIDED BY PUGET SOUND LIDAR CONSORTIUM, DATED 2016, IN SHAPEFILE FORMAT.
 2. ONLY EXISTING MONITORING AND PIEZOMETER LOCATIONS (AS OF OCTOBER 2021) ARE SHOWN.



LEGEND	
	COVER AREA
	P-1 GOLDER PIEZOMETER
	MW-1A ALLUVIAL MONITORING WELL
	LDA SURFACE WATER SAMPLING LOCATION
	MWB-1DDSP BEDROCK MONITORING WELL
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	P-14 LDA MONITORING WELL
	INTERCEPTOR TRENCH SAMPLING LOCATION
	AMW-1 PLANT SITE MONITORING WELLS
	FENCE LINE

CLIENT
HOLCIM

CONSULTANT



YYYY-MM-DD	2021-12-01
DESIGNED	JX
PREPARED	REDMOND
REVIEWED	JX
APPROVED	GZ

PROJECT
JANUARY 4, 2022 GROUNDWATER ELEVATIONS
RAVENSDALE, WA


TITLE
LDA GROUNDWATER ELEVATIONS

PROJECT NO.	PHASE	REV.
152030402	004	----

FIGURE
3B

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A3/D

Path: \\vancouver.golder.com\data\geomatics\HOLCIM\Revised\152030402_004.dwg | File Name: 152030402_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:42 AM
 Path: \\vancouver.golder.com\data\geomatics\HOLCIM\Revised\152030402_004.dwg | File Name: 152030402_004.dwg | Last Edited By: mchrisman Date: 2022-01-31 Time: 9:42 AM



- NOTE(S)**
1. BASE TOPOGRAPHY PROVIDED BY PUGET SOUND LIDAR CONSORTIUM, DATED 2016, IN SHAPEFILE FORMAT.
 2. ONLY EXISTING MONITORING AND PIEZOMETER LOCATIONS (AS OF OCTOBER 2021) ARE SHOWN.

LEGEND	
	COVER AREA
	P-1 GOLDER PIEZOMETER
	MW-1A ALLUVIAL MONITORING WELL
	LDA SURFACE WATER SAMPLING LOCATION
	MWB-1DDSP BEDROCK MONITORING WELL
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	P-14 LDA MONITORING WELL
	INTERCEPTOR TRENCH SAMPLING LOCATION
	AMW-1 PLANT SITE MONITORING WELLS
	FENCE LINE

CLIENT
HOLCIM

CONSULTANT



YYYY-MM-DD	2021-12-01
DESIGNED	JX
PREPARED	REDMOND
REVIEWED	JX
APPROVED	GZ

PROJECT
JANUARY 4, 2022 GROUNDWATER ELEVATIONS
RAVENSDALE, WA

TITLE
ALLUVIAL/SHALLOW GROUNDWATER ELEVATIONS

PROJECT NO.	PHASE	REV.	FIGURE
152030402	004	----	3C

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A3/D

APPENDIX A

**Summary Data Tables for Individual
Wells and Monitoring Locations**

APPENDIX A-1

Summary of Lower Disposal Area – Surface Water Sampling Results

Table A-1A Still Well
Table A-1B Infiltration Ponds
Table A-1C Weir
Table A-1D South Pond

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)						
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Iron	Lead	Manganese	Potassium	Vanadium
9-Nov-17	8.2	7215	3.48	90.9	18.2	12.65	2360	-	62.1	100 U	3.52	2.5	822000	-
27-Feb-18	6.6	5312	3.75	2.3	2.49	12.11	1970	-	50.2	100 U	7.53	2.5	521000	-
2-May-18	11.1	8260	1.7	-	13	12.92	2360	-	43.4	133	21.7 J+	8.8	552000	-
21-Aug-18	20.22	6260	4.71	-42.1	5.84	12.58	2100	-	52.2	100 U	0.138	2 U	629000	-
7-Nov-18	9.7	995	6.72	126.8	20.6	9.15	1880	-	644	1350	80.2	49.1	502000 J+	-
11-Mar-19	10.6	1354	5.93	-18.7	7.19	10.31	1710	-	52.8	9.1 J	21.2	1.3 J	501000	-
9-May-19	13.8	6973	6.4	18.1	16.7	12.36	1980	-	41.6	7.9 J	13.4	0.8 J	521000	-
26-Aug-19	17.8	6405	3.91	Note 1	5.15	12.56	2570	-	42.5	100 U	15.4	1 J	722000	-
14-Nov-19	9.7	6065	0.41	-53.3	12	12.67	1750	-	167	121 J	23.9	6.5	563000	-
13-Feb-20	7.6	4936	0.37	-139	2.56	12.66	1630	-	48.6	13.6 J	6.08	3.1	490000	-
13-Aug-20	15	6817	2.55	-42.8	2.02	12.39	2620	-	41.9	6.3 J	0.86	0.9 J	659000	-
10-Dec-20	8.8	4534	0.55	-26.2	5.87	12.79	1670	-	82.7	241	11.1	10.8	510000	-
4-Mar-21	7.7	4728	0.05	-42	0.85	11.94	1470	-	61.8	100 U	1.49	8 U	512000	-
9-Jun-21	13.4	5213	0.89	-148.4	4.06	12.56	1600	-	91.7	-	5.72	-	471000	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	-	DRY	DRY
7-Jan-22	8.80	4103	2.53	55.4	3.04	12.88	1900	8.39	50.3	-	4.26	-	486000	3.34

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.
- a North Creek Analytical, Inc.
- b Severn Trent Laboratories
- c Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- Note 1 ORP measurements not available due to faulty sensor.
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L
- mV
- NTU

Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1 Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Screening Level ^c	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
1-Feb-05	8.17	1315	-	-	8.13	9.95	874	-	84.9	4.99	-	-
9-Mar-05	14.04	1183	-	-	23.00	9.59	960	-	96.2	3.92	-	-
5-Apr-05	11.00	1115	-	-	43.70	9.80	800	-	62.3	3.21	-	-
10-May-05	14.91	1275	-	-	564.00	9.83	844	-	76.5	5 U	-	-
7-Jun-05	15.11	1140	-	-	239.00	9.61	804	-	84.3	5 U	-	-
15-Jul-05 ^a	23.56	1276	-	-	94.40	9.30	1100	-	92.5	4.14	-	-
15-Jul-05 ^b	-	-	-	-	-	-	874	-	99.9	3.82	-	-
9-Aug-05 ^a	19.05	1744	-	-	57.20	9.44	1000	-	123	5.1	-	-
9-Aug-05 ^b	-	-	-	-	-	-	1030	-	140	6.12	-	-
14-Sept-05 ^a	13.59	1154	-	-	99.80	8.97	790	-	110	3.54	-	-
14-Sept-05 ^b	-	-	-	-	-	-	806	-	118	5.18	-	-
5-Oct-05	14.82	970	-	-	82.70	8.98	736	-	89.3	2.83	-	-
9-Nov-05	8.43	1285	-	-	135.00	8.83	970	-	46	10 U	-	-
9-Dec-05	2.12	1361	-	-	14.20	9.71	980	-	64.6	3.11	-	-
19-Jan-06	6.66	728	7.96	-	64.70	10.13	470 J	-	40.7	2.29	-	-
16-Feb-06	2.63	624	9.75	30.3	25.20	8.54	530 J	-	13.3	1 U	-	-
15-Mar-06	7.16	639	11.61	236.8	23.10	9.22	530 J	-	22.5	1 U	-	-
7-Apr-06	11.91	1013	10.81	27.8	18.80	9.98	780	-	63.8	3.24	-	-
16-May-06	15.58	1160	7.58	50.6	16.50	9.57	950	-	77.9	2.49	-	-
23-Jun-06	18.63	1261	7.41	-	126.00	9.85	920	-	70.7	3.65	-	-
20-Jul-06	20.65	932	5.36	-35.1	279.00	8.94	980	-	108	3.48	-	-
22-Aug-06	15.65	860	7.64	86.5	218.00	9.22	760	-	116	3.84	-	-
26-Sep-06	21.86	903	8.98	-72.8	263.00	8.89	820	-	75.8	3.06	-	-
26-Oct-06	11.04	702	9.97	90.4	221.00	8.56	760	-	68.3	1.66	-	-
15-Nov-06	7.73	715	9.21	149.2	33.60	9.07	500	-	20.8	2.29	-	-
20-Dec-06	4.98	1082	9.05	86.3	9.29	9.78	680	-	51.3	2.67	-	-
24-Jan-07	2.12	1058	10.71	130.4	20.50	9.97	640 J	-	66.1	7.58	-	-
12-Feb-07	10.10	1218	12.40	-61.8	103.00	9.98	860	-	90.1	4.49	-	-
27-Mar-07	7.94	772	9.67	13.3	25.50	8.27	540 J	-	49.8	2.74	-	-
18-Apr-07	7.52	2418	9.23	84.4	58.10	11.73	1400	-	79.2	10.5	-	-
31-May-07	15.45	1879	6.47	-92.2	3.15	9.79	1300	-	165	8.11	-	-
20-Jun-07	24.18	1925	10.88	-52.1	251.00	10.24	1300 J	-	144	5.34	-	-
31-Jul-07	19.05	1418	5.97	-36.1	128.00	9.81	1200	-	140	7.23	-	-
29-Aug-07	18.00	1193	5.60	-35.4	158.00	9.29	1300 J	-	164	7.01	-	-
27-Sep-07	14.97	987	5.44	45.9	186.00	8.99	970	-	196	5.49	-	-
26-Oct-07	2.66	504	6.02	63.1	282.00	8.64	770 J	-	42.9	2.25	-	-
30-Nov-07	1.86	955	9.77	190.1	163.00	10.02	570	-	48.9	1.62	-	-
12-Dec-07	4.22	790	11.11	126.8	56.00	9.40	520	-	34.3	1.67	-	-
24-Jan-08	2.12	875	19.35	142.0	-	8.68	640	-	42.8	1.66	-	-
28-Feb-08	-	-	-	-	25.60	-	510	-	41.3	2.66	-	-
25-Mar-08	5.27	937	14.46	91.0	86.80	9.60	630	-	50.2	2.15	-	-
29-Apr-08	9.02	1079	10.56	190.8	61.30	9.87	670 J	-	66	2.87	-	-
20-May-08	15.42	1191	7.58	160.0	91.40	9.75	820	-	85.9	4.85	-	-
18-Jun-08	12.94	1124	9.62	167.3	76.90	9.65	810 J	-	77.6	3.67	-	-
26-Aug-08	15.95	880	3.75	53.5	490.00	8.00	650 J	-	76.9	1.64	144000	-
20-Nov-08	6.91	897	7.02	183.5	376.00	10.22	960	-	87.2	4.21	313000	-
12-Feb-09	1.29	-	13.72	-	10.20	10.52	800	-	118	5.84	271000	-
19-May-09	11.90	862	6.52	71.9	133.00	9.59	840 J	-	91.3	3.99	238000	-
18-Nov-09	5.70	852	6.61	185.9	68.00	9.88	490	-	40	4.4	160000	-
15-Dec-09	2.30	1162	8.22	460.1	63.30	9.97	640	-	71	7.2	220000	-
24-Mar-10	13.00	1299	5.83	408.2	13.00	10.48	1000	-	140	8.5	340000	-
17-Jun-10	12.00	947	4.45	332.1	33.60	10.56	540	-	62	6.2	220000	-
22-Sep-10	15.60	1736	3.14	342.5	33.00	9.84	1300	-	130	21	360000	-
8-Dec-10	5.40	1382	7.73	371.1	12.10	10.75	870	-	100	12	300000	-
29-Mar-11	9.60	627	5.16	577.6	19.80	11.05	760 J	-	78	3.1	270000	-
21-Jun-11	21.00	1778	5.46	239.1	11.60	10.44	1700 J	-	78	11	340000	-
27-Sep-11	14.80	1382	3.98	239.8	33.40	9.58	1600	-	120	13	670000	-
14-Dec-11	3.10	1046	5.60	281.7	15.70	9.93	1100	-	87	14	330000	-
20-Mar-12	6.10	986	11.04	271.1	11.70	10.32	500	-	71	3.3	180000	-
19-Jun-12	14.80	862	7.83	352.2	38.80	9.57	500	-	64	3.7	180000	-
20-Sep-12	12.40	1961	1.81	419.0	10.30	9.43	4600 J	-	130	2.1	440000	-
19-Dec-12	4.10	1320	10.11	303.1	5.86	9.69	700	-	75	4.3	250000	-
25-Feb-13	7.10	1963	9.30	234.7	26.60	11.30	1000	-	90	6	370000	-
22-May-13	10.50	4380	7.72	411.7	202.00	12.56	1400	-	25	11	530000	-
21-Aug-13	20.10	12850	1.24	-2.3	18.20	12.18	3430	-	106	47.5	1180000	-
20-Nov-13	5.70	1198	8.03	131.9	22.20	10.23	704	-	41.3	6.2	260000	-
1-Apr-14	9.80	1708	9.77	136.4	8.79	12.26	832	-	24.1	3	317000	-
23-May-14	12.63	6574	8.63	120.8	-	12.61	2120	-	4.8	35.4	811000	-
13-Aug-14	18.99	3273	6.29	77.7	89.00	12.34	1660	-	71.4	6.3 J	548000	-

Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1 Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
11-Nov-14	8.80	578	3.55	179.2	62.50	12.73	2000	-	56.7	20.4	739000	-
11-Feb-15	9.70	487	9.97	66.2	42.00	9.40	337	-	9.1	0.9	87700	-
4-May-15	14.30	4210	5.60	281.2	7.67	12.53	1670	-	35.3	7.4	589000	-
5-Aug-15	19.90	4890	5.14	18.8	89.80	11.79	3080	-	85.4	18.1	1150000	-
3-Nov-15	9.20	760	6.39	129.9	34.60	9.78	707	-	23.5	5.3	235000	-
9-Feb-16	10.20	-	10.29	100.3	8.01	12.78	1330	-	5.3	24.8	530000	-
2-May-16 ^d	-	-	-	-	-	-	2490	-	24	37 J-	996000	-
23-Aug-16	19.30	4250	3.95	386.5	46.30	11.76	2970	-	105	14.3	989000	-
1-Nov-16	11.70	229	9.26	185.2	48.90	10.33	508	-	12.6	0.792	164000	-
1-Feb-17	2.40	8890	10.78	26.1	3.17	13.36	2220	-	10.1	46.8	854000	-
30-May-17	14.70	6800	56.90	17.7	1.38	12.73	1720	-	1.75	31.6 J+	759000	-
17-Aug-17	18.10	5410	3.88	-19.5	14.90	11.93	3080	-	62.6	32.8	1150000	-
10-Nov-17	7.90	2016	7.72	64.4	30.70	12.00	1520	-	63	32.2	578000	-
27-Feb-18	5.70	5062	8.76	42.0	3.74	12.28	1620	-	15	54.6	678000	-
1-May-18	12.30	6620	5.25	-	1.94	12.73	2070	-	2.42	30.1 J+	745000	-
21-Aug-18	23.85	5058	2.95	106.0	5.62	11.64	3090	-	77.3	28.8	1200000	-
6-Nov-18	11.70	1078	3.50	-5.4	46.90	8.48	1180	-	6.03	5.44	359000 J+	-
13-Mar-19	3.90	331	8.08	183.7	29.10	10.72	455	-	11.9	2.21	185000	-
8-May-19	17.20	6113	6.38	6.4	6.17	12.39	2040	-	7.7	26.8	830000	-
26-Aug-19	24.22	4177	2.47	Note 1	7.21	9.12	2840	-	17.2 J	5.27 J	1020000	-
13-Nov-19	8.70	2523	1.61	-201.7	33.00	8.67	1930	-	32.5	4.44	726000	-
12-Feb-20	7.80	971	7.99	150.3	16.00	7.92	836	-	14.3	3.96	243000	-
12-Aug-20	18.30	3655	4.33	123.5	5.74	8.98	2570	-	20.8	2.59	988000	-
9-Dec-20	8.30	740	7.80	202.0	18.40	8.21	632	-	14.9	5.11	207000	-
3-Mar-21	8.30	1446	7.87	217.0	15.50	8.56	1310	-	35.3	6.11	509000	-
9-Jun-21	15.10	2963	4.88	174.9	4.37	8.79	2400	-	23.7	1.51	923000	-
13-Oct-21	9.30	2563	4.73	34.2	39.30	8.84	2610 J-	16.1	19.7	6.12	831000	3.11
5-Jan-22	1.20	510	9.85	236.4	14.00	8.01	679	6.32	12.1	6.31	226000	3.36

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above c
- a North Creek Analytical, Inc.
- b Severn Trent Laboratories
- c Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- d Field parameters for Infiltration Ponds #1 were inadvertently not collected during May 2016 sampling
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- Note 1 ORP measurements not available due to faulty sensor.
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L
- mV
- NTU

Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters							Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)		Antimony	Arsenic	Lead	Potassium	Vanadium
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	9.70	1296	7.66	165.6	13.70	8.03	1.98	1200	-	11.4	0.8	355000	-
9-Feb-16	9.10	838	8.79	181.4	2.17	7.87	0.69	529	-	7.8	0.5 J+	145000	-
2-May-16	23.40	1126	6.16	128.1	7.59	7.63	DRY*	688	-	7.6	0.06 J-	162000	-
23-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	11.70	332	7.12	97.5	7.71	7.76	7.24	703	-	9.18	0.3	207000	-
1-Feb-17	2.30	925	11.55	39.1	2.04	7.71	0.30	567	-	4.9	0.09 J	135000	-
30-May-17	13.30	817	57.50	8.3	22.20	7.40	0.30	516	-	13.1	0.08 J+	94300	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	7.00	851	7.57	88.0	67.30	8.43	-	865	-	36.6	10.7	236000	-
27-Feb-18	5.50	498	10.68	106.0	5.39	8.60	-	503	-	9.7	1.23	127000	-
1-May-18	12.80	894	8.87	-	2.39	7.97	-	656	-	7.81	0.1 UJ	195000	-
21-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	8.50	1079	7.37	166.6	5.48	7.94	-	1030	-	15.7	0.089 J	322000 J+	-
11-Mar-19	5.00	525	9.79	146.3	1.28	7.76	-	541	-	4.21	0.1 U	133000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	7.40	842	4.10	214.3	19.00	7.74	DRY*	783	-	11.3	0.076 J	242000	-
12-Feb-20	7.20	401	8.41	-38.3	2.47	7.53	3.96	348	-	4.81	0.1 U	86900	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	7.20	581	6.72	185.0	0.96	7.80	8	560	-	5.13	0.1 U	126000	-
4-Mar-21	4.90	427	7.11	146.0	2.50	7.86	3	424	-	3.7	0.114	80600	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.90	269	10.81	211.8	15.90	7.63	300	228	5.52	4.33	0.698	50500	1.3

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- * Sample collected from constructed wetland (alternative sampling location) upstream of weir
- Not analyzed or not available
- Dry Weir dry; unable to collect field parameters or samples
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- gpm Gallons per minute
- mg/L Milligrams per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit

Table A-1d: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Screening Level ^c	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
1-Feb-05	7.13	9580	-	-	4.19	13.02	4080	-	174	24.3	-	-
9-Mar-05	14.28	9979	-	-	6.79	12.52	4640	-	240	42.1	-	-
5-Apr-05	9.90	10820	-	-	43.50	11.99	3830	-	133	9.85	-	-
10-May-05	15.10	6091	-	-	45.60	12.14	3270	-	92.9	25.5	-	-
7-Jun-05	14.49	8257	-	-	24.20	12.19	3780	-	132	24.7	-	-
15-Jul-05 ^a	18.34	6937	-	-	6.89	11.69	5000	-	281	31.8	-	-
15-Jul-05 ^b	-	-	-	-	-	-	4260	-	237	34.2	-	-
9-Aug-05 ^a	23.53	7654	-	-	17.1	10.26	6600	-	322	44.5	-	-
9-Aug-05 ^b	-	-	-	-	-	-	5580	-	340	37.1	-	-
14-Sept-05 ^a	18.55	6730	-	-	10.00	10.51	5100	-	235	19.3	-	-
14-Sept-05 ^b	-	-	-	-	-	-	4750	-	268	34.2	-	-
5-Oct-05	12.14	4323	-	-	17.60	9.80	3090	-	130	26.5	-	-
9-Nov-05	6.78	3784	-	-	11.80	11.12	2600	-	121	21.7	-	-
9-Dec-05	3.22	8745	-	-	12.90	12.85	3900	-	175	14.1	-	-
19-Jan-06	7.73	5215	5.43	-	13.30	12.52	2000 J	-	20.3	3.24	-	-
16-Feb-06	3.96	9342	8.97	231.2	9.08	12.30	4100 J	-	43	25.6	-	-
15-Mar-06	8.72	12910	9.59	222.1	7.64	12.60	5100 J	-	38.6	41.8	-	-
7-Apr-06	14.26	15220	6.90	18.9	3.65	12.92	5700	-	48.5	65.6	-	-
16-May-06	19.75	10880	2.61	33.8	15.40	12.46	5100	-	130	92.1	-	-
23-Jun-06	22.76	7586	2.98	-	14.10	12.65	5100	-	130	57.9	-	-
20-Jul-06	24.33	7457	0.73	-148.4	16.70	11.33	6400	-	272	51.3	-	-
22-Aug-06	15.03	7481	3.75	61.0	14.10	10.40	6100	-	318	33.2	-	-
26-Sep-06	17.30	8409	1.31	-312.4	15.10	12.38	5500	-	230	45.7	-	-
26-Oct-06	10.95	6075	4.10	-265.6	13.30	12.18	4600	-	243	41.5	-	-
15-Nov-06	8.07	5022	7.71	-152.7	21.50	12.24	2600	-	76.2	3.68	-	-
20-Dec-06	6.32	9148	5.73	-139.6	12.20	12.85	2900 J	-	46.1	1.28	-	-
24-Jan-07	2.15	12690	9.24	-98.4	9.74	13.10	3000 J	-	19.2	26.8	-	-
12-Feb-07	9.35	14110	8.43	-86.7	32.50	13.13	4700	-	96.2	83.5	-	-
27-Mar-07	9.16	10560	8.41	-46.2	7.42	11.31	2900 J	-	5.98	14.5	-	-
18-Apr-07	8.27	14570	8.32	10.8	10.30	12.79	5200	-	19.8	22.1	-	-
31-May-07	23.66	13410	6.42	-95.0	31.20	11.77	5100	-	78.4	50.4	-	-
20-Jun-07	26.35	10050	5.53	-195.7	27.90	12.29	5300 J	-	112	38.2	-	-
31-Jul-07	21.39	6666	4.76	-106.4	72.00	10.86	6300	-	208	68.8	-	-
29-Aug-07	22.61	6950	1.57	-193.4	61.80	12.05	6300 J	-	149	30.6	-	-
27-Sep-07	11.45	5059	2.66	-180.4	78.40	11.43	4800	-	190	17.4	-	-
26-Oct-07	6.98	4147	1.44	-204.7	39.50	12.48	3900 J	-	168	25.5	-	-
30-Nov-07	2.86	5030	8.50	-74.9	12.40	12.20	2600	-	121	14.3	-	-
12-Dec-07	4.45	3564	2.03	-141.8	20.70	10.93	2700	-	79.3	9.87	-	-
24-Jan-08	1.13	4859	4.10	-186.8	-	11.19	2200	-	86.1	6.79	-	-
28-Feb-08	-	-	-	-	18.10	-	2800	-	183	73.4	-	-
25-Mar-08	7.37	5413	7.88	-58.2	122.00	12.29	2900	-	182	13	-	-
29-Apr-08	8.43	3685	9.04	59.3	19.20	11.63	2400 J	-	152	16	-	-
20-May-08	18.03	3554	6.69	58.0	156.00	11.01	2100	-	137	38.3	-	-
18-Jun-08	13.01	5680	6.46	57.5	71.80	11.14	4000 J	-	279	34.4	-	-
26-Aug-08	18.02	2800	5.72	16.9	49.80	10.08	2500 J	-	91.7	18.6	557000	-
20-Nov-08	7.46	2011	9.04	38.3	23.60	10.49	2300	-	72.9	9.2	566000	-
12-Feb-09	1.63	1870	11.74	-	46.10	10.83	2300	-	129	17.2	738000	-
19-May-09	12.73	1895	5.37	-16.4	168.00	9.82	1700 J	-	78.9	11.3	515000	-
23-Sep-09	21.50	4190	0.09	175.1	14.40	9.70	4100	-	120	99	1300000	-
14-Dec-09	+	+	+	+	+	+	+	-	+	+	+	-
22-Mar-10	13.10	2480	-	342.0	15.60	10.05	1700	-	76	34	520000	-
17-Jun-10	13.40	2429	5.14	-	26.10	10.77	2100	-	120	89	630000	-
21-Sep-10	16.30	2733	1.10	216.8	21.50	9.81	2200	-	25	27	510000	-
8-Dec-10	6.00	1994	2.70	-	18.70	10.05	1400	-	53	18	490000	-
30-Mar-11	9.10	509	0.37	179.2	13.80	12.04	730 J	-	36	14	260000	-
21-Jun-11	21.60	2092	1.90	192.2	13.60	10.07	2800 J	-	62	29	380000	-
27-Sep-11	14.60	1516	9.34	220.4	32.50	9.34	1800	-	78	36	780000	-
15-Dec-11	3.00	1449	1.90	94.6	13.80	10.75	2100	-	140	74	630000	-
21-Mar-12	2.60	1088	8.10	285.7	13.10	9.95	780	-	30	7.2	240000	-
19-Jun-12	17.10	1747	5.54	345.3	10.80	9.93	780	-	70	29	400000	-
20-Sep-12	-	-	-	-	-	-	-	-	-	-	-	-
19-Dec-12	4.00	1771	6.37	104.0	6.12	10.71	1300	-	47	18	440000	-
26-Feb-13	6.90	3720	5.40	196.7	10.60	11.86	1100	-	140	39	690000	-
23-May-13	11.50	2335	5.21	323.5	44.10	12.48	1800	-	130	50	530000	-
22-Aug-13	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
19-Nov-13	8.20	1256	4.12	79.3	18.20	9.89	1260	-	39.8	20.4	487000	-
1-Apr-14	15.30	2053	4.42	130.9	772.00	11.27	1800	-	113	42.2	649000	-
23-May-14	14.15	2187	5.50	77.3	-	10.19	1860	-	112	23.6	623000	-
13-Aug-14	20.29	1298	5.35	40.1	24.80	9.63	949	-	44.9	22.8	306000	-

Table A-1d: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
12-Nov-14	1.30	315	4.55	-0.5	22.10	10.45	2440	-	122	34.2	804000	-
12-Feb-15	11.10	1267	4.01	-8.2	23.90	10.20	905	-	27.2	9.6	320000	-
4-May-15	15.60	3200	4.35	240.5	9.21	10.42	2280	-	154	30.8	774000	-
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	8.30	1143	2.01	88.1	35.40	9.22	1050	-	28	28.2	364000	-
9-Feb-16	7.30	1672	3.45	95.9	7.79	10.45	1170	-	51 J+	34	410000	-
3-May-16	14.20	3150	3.61	335.2	63.80	10.35	2260	-	148	97.9 J-	777000	-
24-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	12.10	401	5.56	-65.9	15.00	9.43	742	-	21.9	14.1	356000	-
1-Feb-17	2.10	2064	4.82	5.0	17.80	10.27	1330	-	57.6	139	455000	-
31-May-17	14.50	2594	5.36	-	22.70	9.93	1920	-	105	51.5 J+	664000	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	6.50	1049	6.38	92.3	14.40	10.13	1260	-	58.8	53.4 J+	441000	-
27-Feb-18	6.50	1379	4.05	-71.0	6.11	10.94	865	-	61.7	47.7 J-	429000	-
2-May-18	11.60	2547	-	-	25.30	10.36	1860	-	85.9	26.7 J+	611000	-
22-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	9.70	995	6.72	126.8	20.60	9.15	1040	-	76	65.5	333000 J+	-
11-Mar-19	10.60	1354	5.93	-18.7	7.19	10.31	1270	-	49.3	41.7	458000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	8.70	1180	5.98	30.9	7.38	9.03	1120	-	67.2	76.4	418000	-
13-Feb-20	4.30	1032	2.51	-126.9	6.10	10.46	927	-	28.1	13	348000	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	5.60	1000	2.52	66.8	6.02	9.66	952	-	12	6.63	318000	-
4-Mar-21	8.10	1271	1.98	38.0	8.02	10.35	4820	-	50.6	35.7	435000	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.50	305	10.57	-30.2	4.07	9.42	300	2.29	4.42	2.29	77100	4.27

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above c
- + South Pond frozen; unable to collect field parameters or samples
- Dry South Pond dry; unable to collect field parameters or samples
- a North Creek Analytical, Inc.
- b Severn Trent Laboratories
- c Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L
- mV
- NTU

APPENDIX A-2

**Summary of Lower Disposal Area –
Shallow/Alluvial Groundwater
Sampling Results**

Table A-2A Well MW-1A
Table A-2B Well MW-2A
Table A-2C Well MW-3A
Table A-2D Well MW-4A
Table A-2E Well MW-5A
Table A-2F Well MW-6A
Table A-2G Well MW-7A
Table A-2H Well MW-8A
Table A-2I Well MW-9A
Table A-2J Well MW-10A
Table A-2K Well P-16
Table A-2L Well P-17

Table A-2b: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-2A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
12-Feb-20	14.21	593	8.1	319.3	9.95	189.3	14.6	7.27	277	-	1.95	0.1 U	56300	-
12-Aug-20	30.41	576.8	9.5	463.3	6.6	185.5	72.9	7.03	359	-	1.2	0.1 U	22400	-
9-Dec-20	25.91	581.3	9.4	533	6.44	213	9.96	6.97	400	-	1.38	0.49 J	26800	-
3-Mar-21	20.83	586.38	8.9	330	5.24	216.5	12.4	7.18	268	-	1.8	0.219	61100	-
9-Jun-21	29.14	578.07	9.1	459.8	8.65	193.6	1.34	6.88	360 J	-	1.25	0.058 J	21800	-
12-Oct-21	27.75	579.46	10.4	595	9.33	188.2	0.56	6.53	439 J-	1.19	1.1	0.1 U	21900	1.07
6-Jan-22	19.05	588.16	10.2	466.3	4.66	197.7	2.69	7.14	368	3.24	1.89	0.1 U	80700	1.19

Notes:

Top of casing elevation (feet NAVD88): 607.21

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL

* Dissolved Oxygen meter working incorrectly at the time of sample collection

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2c: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-3A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-2d: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-4A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
13-Feb-20	3.70	701.75	7.9	283.7	2.98	102.2	0.91	6.18	283	-	0.176 J	0.1 U	859	-
13-Aug-20	7.73	697.72	13.5	334.3	0.62	58.3	0.51	6.19	238	-	0.711	0.1 U	921	-
10-Dec-20	3.45	702.00	9.8	364	6.11	169	1.56	6.51	297	-	0.296	0.1 U	1260	-
4-Mar-21	3.72	701.73	8.3	304	2.83	137	0.49	6.47	255	-	0.192 J	0.1 U	876	-
10-Jun-21	5.32	700.13	11.9	338.7	1.23	108.5	0.73	6.09	220	-	0.228	0.1 U	787	-
15-Oct-21	7.69	697.76	12.6	341.3	6.91	133.9	20.5	6.37	363 J-	0.18 J	0.99	0.151	1480	4.09
7-Jan-22	3.40	702.05	8.7	248.4	4.37	211.1	3.08	6.29	270	0.2 U	0.383	0.1 U	774 J	1.73

Notes:

Top of casing elevation (feet NAVD88): 705.45

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-2e: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-5A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
12-Feb-20	18.23	593.00	7	533	7.58	140.4	10.6	8.32	463	-	6.31	0.145	183000	-
12-Aug-20	34.50	576.73	11.2	1381	4	125	2.75	7.52	1250	-	5.37	0.1 U	333000	-
9-Dec-20	29.90	581.33	9.8	1105	4.51	222	8.32	7.29	897	-	3.12	0.295	263000	-
3-Mar-21	24.81	586.42	9.2	899	3.04	225	3.09	7.6	792	-	3.74	0.132	247000	-
9-Jun-21	33.20	578.03	9.3	875	5.23	184	1.26	7.27	700	-	2.62	0.063 J	205000	-
13-Oct-21	31.70	579.53	9.5	1934	5.97	194	9.56	7.22	DRY	DRY	DRY	DRY	DRY	DRY
5-Jan-22	23.00	588.23	9.2	972	4.7	271.1	1.4	7.18	829	6.42	3.38	0.085 J	252000	1.8

Notes:

Top of casing elevation (feet NAVD88): 611.23

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL

Dry Well went dry during sampling. Unable to collect sample.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

**Table A-2f: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-6A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
12-Feb-20	15.95	593.00	7.7	437.7	1.4	150.6	19.7	8.13	379	-	2.12	0.1 U	122000	-
12-Aug-20	32.30	576.65	11	2360	2.25	162.9	13.4	8.16	2060	-	6.28	0.088 J	709000	-
9-Dec-20	27.60	581.35	10.8	1750	1.95	209	22	8.22	1500	-	3.14	0.984	539000	-
3-Mar-21	22.58	586.37	7.1	760	1.74	208	5.6	8.04	722	-	3.09	0.307	243000	-
9-Jun-21	31.07	577.88	9.8	2077	4.83	197.3	1.81	8.08	1900	-	5.03	0.094 J	707000	-
13-Oct-21	29.39	579.56	11.2	2509	4.77	188.6	13.1	7.64	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	20.72	588.23	7.3	1136	8.21	229.4	2.04	7.98	1040	7.89	2.41	0.115	333000	0.912

Notes:

Top of casing elevation (feet NAVD88): 608.95

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

Table A-2g: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-7A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
13-Oct-21	13.61	579.08	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10-Jan-22	4.73	587.96	7.00	467	5.45	197.0	2.99	7.34	419	3.89	2.07	0.1 U	98000	1.04

Notes:

Top of casing elevation (feet NAVD88): 592.69

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-2h: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-8A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
13-Oct-21	23.91	577.58	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	13.55	587.94	9.50	670	3.99	239.1	4.50	7.05	595	5.21	6.64	0.1 U	169000	3.87

Notes:

Top of casing elevation (feet NAVD88): 601.49

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the P

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

Table A-2i: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-9A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
15-Oct-21	4.38	692.91	12.20	956	1.45	-93.2	2.70	7.11	981 J-	0.659	4.79	0.139	16000	1.2
7-Jan-22	2.45	694.84	8.50	381	4.86	189.9	1.43	6.95	404	0.181 J	1.02	0.056 J	2910	1.03

Notes:

Top of casing elevation (feet NAVD88): 697.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the P.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-2j: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-10A Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
15-Oct-21	19.04	678.98	10.70	390	4.24	-115.0	27.80	7.93	383 J-	0.705	4.04	0.383	9700	2.87
6-Jan-22	5.55	692.47	9.30	168	7.06	94.6	6.90	7.50	141	0.151 J	1.13	0.109	2660	1.03

Notes:

Top of casing elevation (feet NAVD88): 698.02

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the P

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2k: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-16
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80	
15-Oct-21	2.41	700.46	12.30	2622	0.71	-261.2	56.2	12.11	2640 J-	9.16	232	41.1	826000	445	
6-Jan-22	2.35	700.52	8.10	2804	1.06	-409.7	1.1	12.75	2420	9.63	109	14.6	809000	292	

Notes:

Top of casing elevation (feet NAVD88): 702.87

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the P.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2I: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-17
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
15-Oct-21	4.89	715.43	14.00	464	0.98	-97.5	38.1	6.49	444 J-	1 U	16.4	13.1	9700	105
7-Jan-22	3.65	716.67	6.90	389	1.13	-60.4	4.1	6.46	388	1.26	2.81	0.1 U	8030	1.8

Notes:

Top of casing elevation (feet NAVD88): 720.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the P.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

APPENDIX A-3

**Summary of Lower Disposal Area –
Bedrock Groundwater Sampling
Results**

Table A-3A Well MWB-1LDA
Table A-3B Well MWB-2LDA
Table A-3C Well MWB-3LDA

Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-1LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
19-Dec-06	26.51	678.17	10.96	546	0.43	-115.4	1.05	7.70	310	151	1 U	-
14-Feb-07	26.08	678.60	10.62	397	1.02	-90.8	3.07	7.53	240	160	1 U	-
31-May-07	25.96	678.72	10.83	386	0.36	-172.8	4.20	8.20	220	122	1 U	-
27-Aug-07	25.66	679.02	10.97	372	0.76	-128.2	1.08	7.51	240	89.9	1 U	-
28-Nov-07	26.81	677.87	10.56	371	0.42	-121.2	1.29	8.03	220	88.3	1 U	-
27-Feb-08	25.80	678.88	10.62	371	2.01	-	1.07	-	230	80.9	1 U	3000 U
20-May-08	25.62	679.06	10.61	391	0.36	-53.0	1.11	7.28	230	64.3	1 U	-
27-Aug-08	26.14	678.54	10.58	394	0.50	-63.9	1.02	7.35	230 J	64	1 U	3000 U
19-Nov-08	25.16	679.52	10.33	269	0.45	-88.6	0.48	7.51	230	59.6	1 U	3000 U
11-Feb-09	25.08	679.60	10.04	268	0.48	-	0.97	7.89	230	56	1 U	3000 U
18-May-09	24.83	679.85	10.10	271	0.42	-50.5	1.81	8.05	230 J	46.6	1 U	3000 U
24-Sep-09	26.32	678.36	11.80	323	0.24	202.0	3.59	7.57	260	27	2 U	1100 J
17-Dec-09	25.06	679.62	10.10	370	0.94	179.0	4.16	7.77	<40	34	2 U	1200 J
23-Mar-10	24.83	679.85	10.90	344	0.21	397.4	3.17	7.57	240	25	2 U	1300 J
15-Jun-10	24.38	680.30	10.50	355	0.08	195.5	0.42	7.66	150	27	2 U	1100 J
20-Sep-10	25.74	678.94	10.50	354	0.06	192.9	0.20	7.65	200	22	2 U	1100 J
6-Dec-10	24.59	680.09	10.00	347	0.09	99.3	0.17	7.86	230	22	2 U	1000 J
28-Mar-11	24.01	680.67	10.00	173	0.16	90.6	0.88	7.58	200	22	2 U	1000 J
20-Jun-11	24.11	680.57	10.30	330	0.07	121.5	0.17	7.65	250	22	2 U	900 J
26-Sep-11	25.39	679.29	10.40	2906	0.06	123.6	0.43	7.65	280	15	2 U	1100 J
14-Dec-11	24.61	680.07	9.90	245	0.10	193.8	1.76	7.57	230	21	2 U	1200 J
21-Mar-12	23.70	680.98	10.10	392	0.07	392.0	0.22	7.47	240	23	2 U	1100 J
18-Jun-12	23.90	680.78	10.50	383	0.02	342.8	0.30	7.67	230	20	0.4 U	3300 U
19-Sep-12	25.38	679.30	10.30	402	0.01	151.0	0.44	7.63	220	19	0.4 U	1000 J
18-Dec-12	23.59	681.09	10.10	492	0.00	-45.7	0.16	7.70	92	17	0.4 U	1200 J
25-Feb-13	23.73	680.95	9.90	377	0.00	177.1	0.37	7.53	270 J	19	0.4 U	1000 J
22-May-13	23.85	680.83	9.90	398	0.00	430.4	0.44	7.73	290	17	0.4 U	3300 U
21-Aug-13	25.34	679.34	10.40	467	0.01	-31.7	0.55	7.68	238	16.8	0.08 J	1060
19-Nov-13	24.25	680.43	10.10	361	0.00	70.3	0.32	7.30	232	15.7	0.1 U	1040
31-Mar-14	22.36	682.32	10.70	286	0.01	107.4	0.21	7.79	211	13.8	0.1 U	1020
21-May-14	23.29	681.39	8.54	271	1.35	54.3	-	7.14	198	13.1	0.1 U	1000
12-Aug-14	24.87	679.81	14.79	335	0.41	-16.0	2.02	7.05	216	11.9	0.1 U	1010
11-Nov-14	24.96	679.72	10.10	262	0.79	11.1	1.51	7.49	221	13.6	0.1 U	1090
10-Feb-15	23.23	681.45	10.40	319	0.25	-114.0	0.36	7.70	240	13.3	0.1 U	960
4-May-15	23.62	681.06	10.20	370	0.05	175.1	0.16	7.70	224	11.7	0.1 U	960
4-Aug-15	25.30	679.38	11.00	279	0.06	-30.5	0.72	7.72	234	14.4	0.1 U	990
4-Nov-15	25.35	679.33	10.60	263	0.00	51.2	0.46	7.46	233	11	0.1 U	1150
8-Feb-16	23.03	681.65	10.20	319	0.03	206.5	0.20	7.77	210	12.1	0.1 U	1050
2-May-16	23.49	681.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	25.00	679.68	11.10	323	0.02	-55.2	1.10	7.64	Monitored Annually ¹			
1-Nov-16	24.29	680.39	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	23.06	681.62	10.20	391	0.05	169.3	0.13	7.66	223	11.9	0.1 U	1030
30-May-17	22.45	682.23	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	24.27	680.41	10.70	385	0.15	123.4	0.40	7.64	Monitored Annually ¹			
9-Nov-17	22.00	680.27	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	22.04	682.64	10.10	276	0.20	-96.4	0.25	7.44	221	10.8	0.1 U	951
1-May-18	22.11	682.57	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	24.42	680.26	11.37	277	5.25	-59.6	0.18	7.61	Monitored Annually ¹			
6-Nov-18	24.57	680.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
11-Mar-19	22.61	682.07	10.10	248	0.60	-70.8	0.68	7.60	224	8.74	0.1 U	1070
8-May-19	22.68	682.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	24.54	680.14	11.45	282	0.58	Note 1	0.04	7.30	Monitored Annually ¹			
13-Nov-19	24.15	680.53	Monitored Semi-Annually ¹						Monitored Annually ¹			

Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-1LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
13-Feb-20	22.04	682.64	10.10	280	0.34	-133.4	0.57	7.51	207	8.82	0.1 U	1050
13-Aug-20	23.92	680.76	11.00	284	0.60	-113.5	0.44	7.55	Monitored Annually ¹			
9-Dec-20	23.35	681.33	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	22.01	682.67	10.20	266	0.04	-50.0	0.42	7.64	214	10.5	0.1 U	1120
10-Jun-21	23.17	681.51	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	24.41	680.27	10.90	327.2	0.91	-76.1	0.33	7.48	Monitored Annually ¹			
5-Jan-22	22.00	682.68	Monitored Semi-Annually ¹						Monitored Annually ¹			

Note:

Top of casing elevation (feet NAVD88): 704.68

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-2LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
19-Dec-06	36.82	704.84	12.15	394	0.57	114.6	1.84	7.58	230	8.49	1 U	-
14-Feb-07	36.30	705.36	11.69	339	1.40	-85.7	2.72	7.39	200	6.09	1 U	-
31-May-07	36.93	704.73	12.13	346	0.20	-223.7	3.04	8.28	210	6.95	1 U	-
27-Aug-07	37.99	703.67	12.18	336	0.49	-169.7	0.84	7.54	210	7.49	1 U	-
28-Nov-07	37.89	703.77	11.82	338	0.28	-146.6	1.32	7.93	250	6.91	1 U	-
27-Feb-08	37.24	704.42	11.87	340	0.23	-	0.87	7.41	210	7.46	1 U	3000 U
20-May-08	37.31	704.35	11.91	359	0.23	-86.6	0.67	7.27	200	6.31	1 U	-
27-Aug-08	38.37	703.29	11.84	362	0.35	-77.6	0.70	7.21	210 J	6.36	1 U	3000 U
19-Nov-08	37.50	704.16	11.53	254	0.44	-105.9	2.08	7.45	200	5.86	1 U	3000 U
11-Feb-09	37.10	704.56	11.25	254	0.48	-	0.63	7.91	220	5.61	1 U	3000 U
18-May-09	37.00	704.66	11.42	258	0.42	-71.9	1.11	8.00	210 J	5.17	1 U	3000 U
25-Sep-09	38.88	702.78	13.10	297	0.14	140.7	3.09	7.54	230	6.5	2 U	1200 J
17-Dec-09	37.19	704.47	10.80	341	0.51	129.0	4.85	7.71	74	4.3	2 U	1100 J
23-Mar-10	36.60	705.06	12.60	323	0.27	355.0	5.28	7.54	110	7.6	2 U	1200 J
15-Jun-10	36.25	705.41	11.40	326	0.08	171.1	-	7.62	98	8.8	2 U	1100 J
20-Sep-10	37.85	703.81	11.60	324	0.08	144.0	0.16	7.61	160	6.5	2 U	1200 J
6-Dec-10	36.60	705.06	11.00	319	0.21	78.3	0.20	7.81	210	2.9	2 U	900 J
29-Mar-11	35.98	705.68	11.20	156	0.15	215.0	0.75	7.48	200	5.6	2 U	1500 J
21-Jun-11	36.34	705.32	11.80	352	0.06	101.5	0.24	7.59	220	5 U	2 U	1000 J
27-Sep-11	38.14	703.52	11.50	2484	0.06	114.4	0.45	7.60	220	5 U	2 U	1000 J
14-Dec-11	36.91	704.75	11.00	228	0.05	127.2	4.04	7.54	190	6.7	2 U	1200 J
21-Mar-12	35.68	705.98	11.00	359	0.05	93.9	0.30	7.43	210	6.9	2 U	1100 J
18-Jun-12	36.06	705.60	11.70	350	0.02	211.9	0.23	7.62	220	6.2	0.4 U	3300 U
19-Sep-12	38.07	703.59	11.60	367	0.00	102.0	0.34	7.59	200	6.5	0.4 U	1000 J
18-Dec-12	34.88	706.78	10.90	463	0.00	-97.8	0.17	7.81	68	6	0.4 U	1200 J
25-Feb-13	35.70	705.96	10.90	347	0.09	112.6	0.27	7.56	190	6.6	0.4 U	1100 J
22-May-13	36.24	705.42	11.00	412	0.00	412.5	0.43	7.71	190	6	0.4 U	3300 U
20-Aug-13	38.13	703.53	12.20	406	0.02	-41.5	0.64	7.48	211	5.5	0.1 U	1030
19-Nov-13	36.56	705.10	11.10	344	0.01	43.6	0.32	7.35	206	5.2	0.1 U	1090
31-Mar-14	35.36	706.30	11.50	285	0.00	93.1	0.31	7.71	207	5.1	0.1 U	1100
22-May-14	35.80	705.86	10.05	260	0.24	17.5	-	7.22	186	5	0.1 U	1000
13-Aug-14	37.50	704.16	13.10	294	0.57	-37.5	3.28	7.19	190	5.4	0.1 U	1110
11-Nov-14	37.06	704.60	10.10	241	0.68	-39.7	2.10	7.48	206	5.4	0.1 U	1090
10-Feb-15	35.70	705.96	11.40	295	0.11	-123.2	2.11	7.69	206	5.1	0.1 U	1020
4-May-15	36.34	705.32	11.70	336	0.05	340.2	0.72	7.73	204	4.8	0.1 U	1040
4-Aug-15	38.42	703.24	12.70	263	0.04	-81.8	0.77	7.72	204	5.8	0.1 U	1040
4-Nov-15	37.81	703.85	11.60	244	0.04	26.9	2.13	7.45	201	4.7	0.1 U	1070
8-Feb-16	35.68	705.98	11.60	307	0.00	208.4	0.74	7.68	186	5.5	0.1 U	1110
2-May-16	36.03	705.63	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	37.92	703.74	12.20	306	0.02	-137.6	1.58	7.67	Monitored Annually ¹			
1-Nov-16	37.07	704.59	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	36.00	705.66	10.90	348	0.10	120.5	0.86	7.67	195	5.66	0.1 U	1110
30-May-17	35.44	706.22	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	37.69	703.97	12.30	356	0.14	-77.2	3.27	7.67	Monitored Annually ¹			
9-Nov-17	37.11	704.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	34.95	706.71	10.90	261	0.21	-115.5	0.80	7.48	205	5.69	0.1 U	992
1-May-18	35.11	706.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	37.90	703.76	12.31	262	1.64	-80.3	0.92	7.56	Monitored Annually ¹			
6-Nov-18	37.66	704.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Mar-19	35.68	705.98	10.70	239	0.58	-75.1	0.59	7.48	188	5.5	0.1 U	1080
8-May-19	35.86	705.80	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	37.85	703.81	12.30	265	0.43	Note 1	0.02	7.46	Monitored Annually ¹			
13-Nov-19	37.22	704.44	Monitored Semi-Annually ¹						Monitored Annually ¹			

Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-2LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
13-Feb-20	35.10	706.56	10.80	261	0.39	-135.9	0.96	7.50	185	5.45	0.1 U	1150
13-Aug-20	37.21	704.45	11.60	266	0.54	-118.2	1.35	7.50	Monitored Annually ¹			
9-Dec-20	36.55	705.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	35.02	706.64	11.10	255	0.04	-80.0	2.29	7.65	176	5.52	0.1 U	1090
10-Jun-21	36.29	705.37	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	37.76	703.90	11.70	308	3.66	-44.7	0.32	7.43	Monitored Annually ¹			
5-Jan-22	35.31	706.35	Monitored Semi-Annually ¹						Monitored Annually ¹			

Note:

Top of casing elevation (feet NAVD88): 741.66

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected

- Not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
19-Dec-06	7.08	737.11	11.37	670	0.42	-171.2	1.20	9.23	500	25.7	1 U	-
23-Jan-07	5.62	738.57	13.07	383	0.51	-275.0	1.53	8.63	270	18.4	1 U	-
14-Feb-07	5.81	738.38	12.57	328	1.09	-158.2	115.00	7.86	310	15.1	1 U	-
29-Mar-07	4.78	739.41	12.44	458	0.57	-140.8	4.25	7.78	260 J	37.9	1 U	-
17-Apr-07	4.86	739.33	12.79	389	0.27	-102.4	1.22	7.46	240	23	1 U	-
31-May-07	6.39	737.80	12.98	394	0.29	-223.8	3.32	8.14	240	21.2	1 U	-
20-Jun-07	6.86	737.33	13.41	412	6.10	-128.5	1.35	8.02	230 J	23.8	1 U	-
31-Jul-07	7.96	736.23	13.47	417	0.77	-174.1	0.92	7.64	250	18.9	1 U	-
27-Aug-07	8.50	735.69	12.84	395	0.46	-132.4	1.97	7.43	250	17.6	1 U	-
27-Sep-07	9.58	734.61	12.68	294	0.51	-133.8	0.53	7.87	250	19.3	1 U	-
26-Oct-07	9.65	734.54	12.49	288	0.84	-111.9	9.83	7.60	240 J	11	1 U	-
28-Nov-07	10.23	733.96	11.95	362	0.64	-86.1	1.58	7.87	200	17.8	1 U	-
12-Dec-07	9.66	734.53	11.83	334	0.26	-93.2	0.63	7.63	280 J	17.4	1 U	-
24-Jan-08	8.20	735.99	11.09	335	0.44	-108.3	-	7.46	220	19.2	1 U	-
26-Feb-08	7.61	736.58	12.26	337	0.48	-	2.40	7.45	210	22	1 U	3000 U
25-Mar-08	7.22	736.97	11.94	337	1.01	-48.6	2.80	7.51	210	17.8	1 U	-
29-Apr-08	6.75	737.44	12.53	332	0.77	-50.3	1.95	7.41	200 J	18.2	1 U	-
19-May-08	7.17	737.02	12.37	336	0.57	-57.2	2.19	7.34	200 J	18.7	1 U	-
18-Jun-08	7.26	736.93	12.11	323	0.48	-64.1	0.83	7.13	190 J	19.5	1 U	-
26-Aug-08	8.78	735.41	12.31	329	1.16	-36.5	2.89	7.30	200 J	17.7	1 U	3000 U
19-Nov-08	9.03	735.16	11.91	243	0.52	-93.1	1.69	7.40	190	18.2	1 U	3000 U
11-Feb-09	7.07	737.12	11.74	227	0.65	-	1.03	7.76	180	17.7	1 U	3000 U
18-May-09	6.50	737.69	12.11	225	0.67	-63.9	1.51	7.83	190 J	12.9	1 U	3000 U
25-Sep-09	10.47	733.72	13.50	260.1	0.36	215.3	4.14	7.61	220	17	0.94 J	12000
17-Dec-09	8.39	735.80	11.50	301.0	0.44	110.0	3.10	7.71	270	23	2 U	1300 J
23-Mar-10	6.46	737.73	12.20	294.8	0.43	332.5	3.52	7.57	150 J	27	2 U	1300 J
16-Jun-10	5.34	738.85	11.10	281.7	0.05	117.0	-	7.71	160	27	2 U	1300 J
21-Sep-10	7.72	736.47	11.80	276.3	0.06	169.5	0.36	7.54	140	23	2 U	1300 J
7-Dec-10	6.48	737.71	11.00	263.0	0.15	77.2	0.38	7.58	180	20	2 U	1200 J
28-Mar-11	4.42	739.77	10.80	134.0	0.44	75.6	1.06	7.46	160 J	21	2 U	1700 J
20-Jun-11	4.76	739.43	12.10	252.7	0.07	68.4	0.13	7.48	200 J	16	2 U	1000 J
27-Sep-11	7.86	736.33	11.90	2064.0	0.04	102.6	0.37	7.48	170	18	2 U	1100 J
14-Dec-11	7.17	737.02	11.00	188.2	0.03	140.8	1.87	7.50	770	22	2 U	1300 J
21-Mar-12	4.68	739.51	10.70	297.8	0.07	130.6	0.41	7.39	170	21	2 U	1100 J
18-Jun-12	4.75	739.44	11.60	289.0	0.16	271.3	0.55	7.54	150 J+	19	0.4 U	3300 U
19-Sep-12	7.65	736.54	12.60	299.9	0.10	121.0	0.42	7.50	160	18	0.4 U	1100 J
18-Dec-12	5.58	738.61	10.90	384.0	0.03	15.6	1.39	7.50	200	19	0.4 U	1300 J
25-Feb-13	4.80	739.39	10.60	284.2	0.03	140.4	0.30	7.53	150	22	0.4 U	1200 J
22-May-13	4.81	739.38	11.00	294.9	0.14	387.7	0.52	7.61	160	18	0.4 U	3300 U
20-Aug-13	7.63	736.56	12.60	383.0	0.81	-8.4	0.80	7.26	164	16.7	0.1 U	1060
19-Nov-13	7.11	737.08	11.30	218.1	0.14	54.3	0.73	7.20	169	16.6	0.1 U	1130
1-Apr-14	4.08	740.11	10.70	222.6	0.15	158.5	1.12	7.50	168	13.3	0.1 U	1070
22-May-14	4.21	739.98	9.98	206.0	1.59	27.1	-	7.17	158	11.2	0.1 U	1000
13-Aug-14	6.95	737.24	13.50	237.0	1.14	9.8	4.70	6.92	154	10.5	0.1 U	990
12-Nov-14	6.04	738.15	8.40	185.1	0.28	-10.1	3.42	7.36	162	16.1	0.1 U	1050
11-Feb-15	4.62	739.57	11.50	205.1	1.20	68.1	1.32	7.41	169	9	0.1 U	1100
4-May-15	4.93	739.26	12.20	262.0	1.64	190.2	0.84	7.43	168	10.9	0.1 U	1010
4-Aug-15	7.44	736.75	13.20	211.3	1.62	81.9	2.02	7.39	173	6.8	0.1 U	1020
5-Nov-15	8.14	736.05	12.50	186.0	1.49	166.9	1.87	7.10	162	3.5	0.1 U	1040
8-Feb-16	3.20	740.99	11.70	240.5	2.13	196.9	0.88	7.23	150	11.2	0.1 U	980
2-May-16	3.77	740.42		Monitored Semi-Annually ¹						Monitored Annually ¹		
22-Aug-16	6.81	737.38	13.10	238.0	2.40	168.5	2.39	7.41		Monitored Annually ¹		
1-Nov-16	6.59	737.60		Monitored Semi-Annually ¹						Monitored Annually ¹		
31-Jan-17	4.02	740.17	11.30	265.8	2.79	218.2	1.39	7.34	154	3.23	0.1 U	953
30-May-17	2.32	741.87		Monitored Semi-Annually ¹						Monitored Annually ¹		
16-Aug-17	5.48	738.71	13.20	258.4	3.54	92.2	2.50	7.41		Monitored Annually ¹		
9-Nov-17	6.00	738.19		Monitored Semi-Annually ¹						Monitored Annually ¹		
28-Feb-18	1.13	743.06	10.80	186.9	4.11	142.0	1.83	7.18	159	2.53	0.1 U	848
1-May-18	1.60	742.59		Monitored Semi-Annually ¹						Monitored Annually ¹		
22-Aug-18	5.93	738.26	13.55	194	7.63	16.9	0.77	7.11		Monitored Annually ¹		
6-Nov-18	6.78	737.41		Monitored Semi-Annually ¹						Monitored Annually ¹		
12-Mar-19	2.32	741.87	10.50	166	4.32	167.7	1.34	7.14	149	1.87	0.1 U	953
8-May-19	2.57	741.62		Monitored Semi-Annually ¹						Monitored Annually ¹		
27-Aug-19	5.76	738.43	13.62	192	3.94	Note 1	0.02	7.09		Monitored Annually ¹		
13-Nov-19	6.00	738.19		Monitored Semi-Annually ¹						Monitored Annually ¹		

Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results - Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
13-Feb-20	1.69	742.50	10.70	180	3.20	88.5	1.21	7.11	140	1.69	0.1 U	915
13-Aug-20	4.59	739.60	13.60	188.7	4.26	50.3	1.60	7.19	Monitored Annually ¹			
9-Dec-20	4.22	739.97	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	1.06	743.13	10.90	172.0	3.43	132	0.69	7.26	136	1.84	0.1 U	877
10-Jun-21	3.46	740.73	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	6.17	738.02	12.90	215.1	4.10	148.3	0.96	7.05	Monitored Annually ¹			
5-Jan-22	0.80	743.39	Monitored Semi-Annually ¹						Monitored Annually ¹			

Note:

Top of casing elevation (feet NAVD88): 744.19

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected

- Not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above the Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

APPENDIX A-4

Summary of Dale Strip Pit – Bedrock Groundwater Sampling Results

Table A-4A Well MWB-1SDSP
Table A-4B Well MWB-1DDSP
Table A-4C Well MWB-5DSP
Table A-4D Well MWB-6DSP
Table A-4E Portal
Table A-4F Well MWB-2DSP
Table A-4G Well MWB-4SDSP

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium	
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-	
2-Dec-02	69.87	866.42	9.5	1690	-	-	-	7.29	910	46.6	2.68	-	
3-Mar-03	36.83	899.46	11.5	1260	-	-	24.10	7.15	860	9.73	-	-	
3-May-03	34.88	901.41	12.8	1520	-	-	38.00	7.09	950	-	-	-	
3-Aug-03	52.02	884.27	19.19	1460	-	-	11.40	7.01	990	-	-	-	
1-Nov-03	53.61	882.68	11.60	915	-	-	8.97	7.19	1010	8.58	0.695	-	
1-Feb-04	32.75	903.54	11.52	1033	-	-	7.36	6.78	1060	-	-	-	
1-May-04	42.50	893.79	14.87	1126	-	-	7.53	7.23	1020	-	-	-	
1-Aug-04	49.26	887.03	13.72	1234	-	-	8.07	6.98	981	-	-	-	
1-Nov-04	42.81	893.48	11.88	1429	-	-	9.06	6.92	1060	10	1 U	-	
1-Feb-05	33.62	902.67	13.06	1615	-	-	7.11	7.01	1020	-	-	-	
1-May-05	34.88	901.41	12.91	1459	-	-	6.54	6.85	1000	-	-	-	
1-Aug-05	43.80	892.49	10.40	1472	-	-	10.40	6.80	1090	-	-	-	
1-Nov-05	52.80	883.49	10.40	1458	-	-	6.02	6.64	1100	10.3	1 U	-	
1-Feb-06	42.70	893.59	10.40	1343	1.10	48.3	11.10	7.08	1100 J	-	-	-	
1-May-06	37.81	898.48	11.52	1686	1.64	49.2	10.50	6.83	1100	-	-	-	
1-Aug-06	46.11	890.18	14.10	1357	2.33	43.0	10.70	7.11	1100	-	-	-	
1-Nov-06	46.47	889.82	-	-	-	-	-	-	-	-	-	-	
28-Dec-06	33.20	903.09	-	-	-	-	-	-	-	-	-	-	
7-Feb-07	34.50	901.79	-	-	-	-	-	-	-	-	-	-	
7-May-07	36.48	899.81	15.19	1484	0.52	-83.4	6.78	7.60	1100	-	-	-	
7-Aug-07	47.57	888.72	11.21	1488	8.80	107.4	9.53	6.51	1200	-	-	-	
27-Nov-07	51.25	885.04	13.60	1483	1.82	-129.5	434.00	7.11	1000 J	5.72	1 U	-	
8-Feb-08	35.12	901.17	14.71	1489	3.11	-	10.20	6.97	1100	-	-	-	
8-May-08	37.60	898.69	14.50	1594	3.99	112.5	4.71	6.90	1200 J	-	-	-	
8-Aug-08	46.98	889.31	13.27	1617	2.49	105.3	5.32	6.96	1200 J	7.82	1 U	5570	
1-Nov-08	43.35	892.94	11.17	1096	7.29	127.1	47.30	7.70	1100	9.8	1 U	5610	
11-Feb-09	37.00	899.29	10.28	1112	4.15	-	7.68	7.25	1100	7.52	1 U	5560	
9-May-09	36.53	899.76	13.87	1209	2.93	89.0	5.45	7.41	990 J	7.57	1 U	5580	
24-Sep-09	53.61	882.68	12.10	1328	1.98	331.0	3.26	6.92	1200	7.9	2 U	5700	
14-Dec-09	33.72	902.57	10.20	1519	0.55	393.0	2.82	6.99	1100	3.4	2 U	5700	
22-Mar-10	35.11	901.18	10.90	1463	-	508.0	3.95	6.94	1200	10	2 U	5600	
15-Jun-10	33.26	903.03	11.00	1485	0.20	210.3	1.50	7.02	1100	11	2 U	5900	
20-Sep-10	45.81	890.48	11.30	1484	0.06	159.7	0.91	6.98	1100	9.1	0.48 J	6000	
6-Dec-10	36.20	900.09	10.70	1494	0.08	35.4	0.24	7.21	1200	6.8	0.48 J	5200	
28-Mar-11	35.07	901.22	10.70	749	0.08	136.8	0.16	6.88	1100	6.8	2 U	5500	
20-Jun-11	38.53	897.76	11.40	1439	0.08	-19.2	0.21	6.99	1400	4.6 J	2 U	5500	
26-Sep-11	50.43	885.86	11.20	1249	0.07	38.5	0.41	7.01	1200	4.5 J	2 U	5700	
13-Dec-11	51.30	884.99	10.40	1308	0.06	50.3	2.03	7.07	530	7.6	2 U	6100	
22-Mar-12	43.75	892.54	10.60	1695	0.08	125.1	0.28	6.99	1200	12	2 U	5700	
18-Jun-12	44.86	891.43	Monitored Semiannually ¹										
18-Sep-12	55.74	880.55	12.90	1506	0.05	99.5	0.36	7.08	1300	10	0.4 U	5800	
18-Dec-12	41.94	894.35	Monitored Semiannually ¹										
21-Feb-13	37.86	898.43	10.40	1730	0.02	131.5	0.41	7.27	1200	13	0.4 U	6300	
22-May-13	39.34	896.95	Monitored Semiannually ¹										
20-Aug-13	49.40	886.89	11.90	1707	0.05	-37.6	0.69	7.00	1240	10.2	0.1 U	6000	
19-Nov-13	44.94	891.35	Monitored Semiannually ¹										
31-Mar-14	33.31	902.98	11.20	1256	0.01	103.5	0.27	7.00	1200	13.1	0.1 U	6580	
21-May-14	33.37	902.92	Monitored Semiannually ¹										
15-Aug-14	45.31	890.98	13.43	1467	0.71	-1.1	2.32	6.79	1150	13.4	0.1 U	6100	
14-Nov-14	44.83	891.46	Monitored Semiannually ¹										
10-Feb-15	35.97	900.32	11.00	1423	0.04	-109.4	2.16	7.00	1200	13	0.1 U	6260	
4-May-15	38.67	897.62	Monitored Semiannually ¹										
4-Aug-15	49.21	887.08	12.50	1253	0.04	-100.7	0.26	7.07	1230	13.9	0.1 U	6070	
5-Nov-15	56.85	879.44	11.20	1159	0.02	57.4	0.91	6.75	1190	14.9	0.1 U	6990	
8-Feb-16	33.02	903.27	11.60	1429	0.00	167.6	0.10	7.05	1190	19.4	0.1 U	6730	
2-May-16	37.48	898.81	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-16	49.78	886.51	12.10	1232	0.06	-143.8	0.77	7.00	Monitored Annually ²				
1-Nov-16	47.49	888.80	Monitored Semiannually ²										
31-Jan-17	35.57	900.72	11.10	1620	0.05	-241.6	0.24	6.99	1260	21.8	0.1 U	6690	
30-May-17	34.70	901.59	Monitored Semiannually ²										
16-Aug-17	44.32	891.97	11.90	1621	0.12	-144.5	0.47	6.97	Monitored Annually ²				
9-Nov-17	44.71	891.58	Monitored Semiannually ²										
28-Feb-18	32.04	904.25	10.70	1278	0.16	-58.5	0.11	6.82	1244	22.4	0.1 U	6530	
1-May-18	33.99	902.30	Monitored Semiannually ²										
22-Aug-18	47.95	888.34	11.97	1246	1.17	4.10	0.17	6.88	Monitored Annually ²				
6-Nov-18	52.94	883.35	Monitored Semiannually ²						Monitored Annually ²				

Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
12-Mar-19	33.09	903.20	10.40	1157	0.55	-23.0	0.62	6.81	1200	20.7	0.1 U	951
8-May-19	34.37	901.92	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	47.88	888.41	12.51	1314	0.15	Note 1	0.39	6.80	Monitored Annually ²			
13-Nov-19	47.03	889.26	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	31.08	905.21	10.60	1249	0.38	-82.2	0.10	6.61	1230	18.3	0.1 U	6360
13-Aug-20	43.99	892.30	11.70	1176	0.56	-67.7	0.18	6.78	Monitored Annually ²			
9-Dec-20	39.67	896.62	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	34.96	901.33	11.00	1257	0.26	-38	0.24	6.95	1200	19.5	0.1 U	6150
10-Jun-21	42.65	893.64	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	55.97	880.32	11.7	858	0.86	-92.3	0.48	6.84	Monitored Annually ²			
5-Jan-22	33.64	902.65	Monitored Semiannually ²						Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 936.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoC)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium	
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-	
2-Dec-02	87.28	848.09	11.1	557	-	-	-	7.72	540	32.7	0.5 U	-	
3-Mar-03	48.63	886.74	12.0	623	-	-	24.00	7.48	370	7.08	-	-	
3-May-03	47.12	888.25	12.1	548	-	-	264.00	7.54	440	-	-	-	
3-Aug-03	64.60	870.77	23.23	675	-	-	195.00	7.36	450	-	-	-	
1-Nov-03	66.14	869.23	11.0	400	-	-	15.50	8.10	437	6.03	0.5 U	-	
1-Feb-04	46.55	888.82	10.68	455	-	-	8.70	7.15	440	-	-	-	
1-May-04	55.82	879.55	13.61	508	-	-	12.40	7.58	429	-	-	-	
1-Aug-04	61.89	873.48	13.15	585	-	-	15.70	7.47	399	-	-	-	
1-Nov-04	56.83	878.54	10.94	655	-	-	9.40	7.22	477	3.08	1 U	-	
1-Feb-05	47.31	888.06	12.80	778	-	-	8.39	7.35	451	-	-	-	
1-May-05	48.60	886.77	12.86	743	-	-	4.22	7.25	432	-	-	-	
1-Aug-05	56.80	878.57	14.17	746	-	-	3.10	6.99	518	-	-	-	
1-Nov-05	66.85	868.52	10.20	702	-	-	5.36	7.11	470	3.6	1 U	-	
1-Feb-06	47.88	887.49	10.11	648	0.71	109.4	2.72	7.53	450 J	-	-	-	
1-May-06	52.23	883.14	12.22	686	1.82	43.7	3.68	7.43	450	-	-	-	
1-Aug-06	59.41	875.96	12.28	665	1.06	-74.0	14.20	7.36	480	-	-	-	
1-Nov-06	61.84	873.53	-	-	-	-	-	-	-	-	-	-	
28-Dec-06	48.26	887.11	-	-	-	-	-	-	-	-	-	-	
7-Feb-07	49.64	885.73	-	-	-	-	-	-	-	-	-	-	
7-May-07	53.24	882.13	12.44	722	0.74	-150.8	6.06	7.94	470	-	-	-	
7-Aug-07	60.45	874.92	13.76	712	0.79	-50.0	4.53	7.28	500	-	-	-	
27-Nov-07	63.40	871.97	14.41	711	0.45	-194.4	7.07	7.34	470 J	2.89	1 U	-	
8-Feb-08	49.23	886.14	14.07	737	0.62	-	6.28	7.46	500	-	-	-	
8-May-08	51.31	884.06	13.52	793	0.55	27.9	4.42	7.40	520 J	-	-	-	
8-Aug-08	59.69	875.68	13.73	812	0.67	-24.7	9.33	7.37	560 J	2.26	1 U	3000 U	
1-Nov-08	57.38	877.99	14.75	619	0.89	-42.5	4.40	7.45	480	2.22	1 U	3000 U	
10-Feb-09	50.92	884.45	6.50	618	10.51	-	655.00	7.69 J	530	2.19	1 U	3010	
9-May-09	51.25	884.12	13.95	637	2.21	39.3	5.87	7.74	540 J	2.42	1 U	3000 U	
25-Sep-09	65.46	869.91	13.20	678	2.25	331.8	2.29	7.15	570	1.8 J	2 U	3300	
17-Dec-09	49.40	885.97	10.60	794	0.99	224.0	3.97	7.58	440	0.7 J	2 U	3200 J	
22-Mar-10	49.18	886.19	10.40	762	-	245.0	0.74	7.39	580	4.5	2 U	3200 J	
15-Jun-10	46.88	888.49	12.10	762	0.05	142.1	0.47	7.50	420	5.5	2 U	3300	
20-Sep-10	58.97	876.40	11.40	765	0.07	89.6	0.47	7.47	520	4.7	0.27 J	3400	
6-Dec-10	50.66	884.71	10.20	763	0.19	58.9	0.32	7.72	550	1.3 J	2 U	3200 J	
28-Mar-11	48.89	886.48	10.50	376	0.55	165.0	0.73	7.53	470	3.7	2 U	3000 J	
20-Jun-11	52.13	883.24	13.40	718	0.45	-65.1	0.75	7.53	600 J	5 U	2 U	3500	
26-Sep-11	63.02	872.35	11.80	633	1.73	-6.0	1.72	7.61	560	5 U	2 U	3500	
13-Dec-11	63.88	871.49	8.60	678	0.69	-24.7	1.95	7.56	530	5.7	2 U	4100	
22-Mar-12	56.96	878.41	5.60	877	1.89	-26.6	0.84	7.69	540	3.4	0.4 U	3000 J	
18-Jun-12	58.01	877.36	Monitored Semiannually ¹										
18-Sep-12	67.78	867.59	26.30	838	3.62	12.4	1.27	7.70	540	3.1	0.4 U	3100 J	
18-Dec-12	56.10	879.27	Monitored Semiannually ¹										
21-Feb-13	51.62	883.75	4.30	895	7.54	31.3	0.83	8.04	510	3.6	0.4 U	3600	
22-May-13	53.14	882.23	Monitored Semiannually ¹										
20-Aug-13	62.35	873.02	12.30	526	0.08	-60.4	2.91	7.47	585	3.2	0.1 U	3200	
19-Nov-13	58.70	876.67	Monitored Semiannually ¹										
31-Mar-14	46.60	888.77	11.10	622	0.04	48.4	0.45	7.52	561	1.8	0.1 U	3340	
21-May-14	46.96	888.41	Monitored Semiannually ¹										
15-Aug-14	58.62	876.75	12.48	732	0.90	-62.4	2.04	7.16	564	2	0.2	3140	
14-Nov-14	59.59	875.78	Monitored Semiannually ¹										
10-Feb-15	49.61	885.76	10.90	717	0.03	-114.4	1.82	7.48	551	2.9	0.1 U	3270	
4-May-15	52.25	883.12	Monitored Semiannually ¹										
4-Aug-15	61.71	873.66	12.00	618	0.04	-115.0	0.35	7.56	552	3	0.1 U	3360	
5-Nov-15	68.72	866.65	11.10	625	0.05	27.5	1.26	7.21	603	1.6	0.1 U	3590	
8-Feb-16	46.93	888.44	11.40	794	0.00	155.1	0.17	7.57	599	2.1	0.1 U	3800	
2-May-16	50.77	884.60	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-16	62.11	873.26	11.60	770	0.04	-251.0	0.86	7.50	Monitored Annually ²				
1-Nov-16	61.71	873.66	Monitored Semiannually ²						Monitored Annually ²				
31-Jan-17	49.02	886.35	10.60	916	0.13	-310.4	0.35	7.47	676	1.87	0.1 U	3410	
30-May-17	48.11	887.26	Monitored Semiannually ²						Monitored Annually ²				
16-Aug-17	57.17	878.20	11.80	898	0.12	-210.9	0.22	7.42	Monitored Annually ²				
9-Nov-17	58.71	876.66	Monitored Semiannually ²						Monitored Annually ²				
28-Feb-18	45.21	890.16	10.20	758	0.19	-166.6	0.20	7.26	694	2.87	0.1 U	3340	
1-May-18	47.40	887.97	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-18	60.25	875.12	11.58	705	2.22	-153.0	0.14	7.37	Monitored Annually ²				

Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
6-Nov-18	65.30	870.07	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	46.35	889.02	9.80	707	0.58	-119.9	0.16	7.24	668	4.96	0.1 U	4210
8-May-19	47.20	888.17	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	59.87	875.50	11.95	762	0.39	Note 1	0.02	7.20	Monitored Annually ²			
13-Nov-19	60.20	875.17	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	44.28	891.09	10.30	760	0.30	-169.3	1.09	7.11	717	4.56	0.1 U	4070
13-Aug-20	57.57	877.80	11.10	739	0.91	-145.8	0.31	7.17	Monitored Annually ²			
9-Dec-20	54.25	881.12	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	48.74	886.63	10.70	724	0.27	-222	0.61	7.36	592	4.06	0.1 U	3880
10-Jun-21	59.90	875.47	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	67.32	868.05	11.60	561	0.83	-149	0.33	7.23	Monitored Annually ²			
5-Jan-22	47.77	887.60	Monitored Semiannually ²						Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 935.37

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-	
18-Dec-06	20.56	914.49	11.30	1054	0.59	-10.5	6.76	7.01	630	4.46	1 U	-	
7-Jan-07	18.48	916.57	12.53	700	0.61	-70.6	33.50	7.11	540	5.19	1 U	-	
7-Feb-07	21.53	913.52	11.59	557	0.57	-59.1	33.50	6.88	530	5.19	1 U	-	
7-Mar-07	15.34	919.71	11.71	817	0.45	-2.4	91.20	6.52	550 J	4.91	1 U	-	
7-Apr-07	17.97	917.08	11.96	909	0.25	0.2	121.00	6.91	560	4.75	1 U	-	
1-May-07	26.92	908.13	12.55	880	4.20	-14.3	63.70	7.13	540	4.9	1 U	-	
7-Jun-07	29.94	905.11	13.12	1016	3.20	-5.6	3.58	7.52	600 J	4.37	1 U	-	
7-Jul-07	35.27	899.78	13.00	910	1.74	-27.4	9.97	7.24	550	4.91	1 U	-	
7-Aug-07	39.55	895.50	12.40	1065	0.92	-14.6	4.62	6.99	590	4.46	1 U	-	
7-Sep-07	44.69	890.36	12.36	696	0.68	-33.3	3.22	7.29	590	4.92	1 U	-	
26-Oct-07	38.90	896.15	11.46	667	0.56	-18.3	22.60	6.98	620 J	4.43	1 U	-	
27-Nov-07	38.79	896.26	11.71	914	0.56	-46.7	3.32	6.91	560 J	4.9	1 U	-	
12-Dec-07	35.33	899.72	12.61	909	0.53	-27.3	4.28	6.87	820	4.09	1 U	-	
24-Jan-08	28.97	906.08	10.72	872	0.78	-49.1	-	7.14	550	4.72	1 U	-	
8-Feb-08	26.00	909.05	11.25	888	0.44	-	4.18	6.85	550	4.5	1 U	-	
8-Mar-08	26.03	909.02	10.94	915	0.59	-95.6	3.19	6.89	550	5.21	1 U	-	
8-Apr-08	25.03	910.02	11.27	931	0.61	-20.1	3.44	6.89	550 J	4.88	1 U	-	
8-May-08	27.33	907.72	11.68	949	0.68	-6.7	5.37	6.62	580 J	5.34	1 U	-	
8-Jun-08	28.38	906.67	11.40	948	0.75	-50.4	1.59	6.68	580 J	4.45	1 U	-	
8-Aug-08	39.80	895.25	11.80	970	0.68	-78.6	1.72	6.84	610 J	4.64	1 U	3000 U	
1-Nov-08	33.96	901.09	11.20	682	0.63	-115.4	0.95	6.82	540	4.8	1 U	3000 U	
10-Feb-09	25.56	909.49	10.54	671	0.71	-71.7	0.98	7.05	610	4.73	1 U	3000 U	
9-May-09	25.79	909.26	11.23	682	0.55	-5.8	0.86	7.68	560 J	3.4	1 U	3000 U	
22-Sep-09	46.68	888.37	18.70	737	0.64	214.5	0.99	6.91	580 J	3.9	2 U	2700 J	
14-Dec-09	30.45	904.60	9.80	901	0.18	200.0	0.70	6.96	450	1.7 J	2 U	2500 J	
23-Mar-10	19.92	915.13	11.30	773	0.25	148.0	4.40	6.86	510	5.6	2 U	2600 J	
15-Jun-10	16.74	918.31	11.00	838	0.10	202.3	2.89	7.01	860 J	8.2	2 U	2800 J	
20-Sep-10	33.31	901.74	11.20	852	0.09	174.7	0.60	6.97	540	6.2	2 U	2700 J	
6-Dec-10	19.81	915.24	10.80	838	0.10	30.5	0.47	7.17	530	3.8	2 U	2300 J	
28-Mar-11	17.16	917.89	10.80	403	0.15	48.4	1.13	6.89	500 J	2.3	2 U	2300 J	
20-Jun-11	18.95	916.10	11.10	775	0.05	-29.1	0.37	7.01	610 J	5 U	2 U	2400 J	
26-Sep-11	33.71	901.34	11.20	690	0.03	-8.7	0.54	7	560	4.1 J	2 U	2800 J	
13-Dec-11	24.48	910.57	10.50	730	0.05	93.6	1.92	7.07	520	6.1	2 U	2800 J	
21-Mar-12	15.54	919.51	10.70	883	0.06	106.9	0.34	6.9	500	6.5	2 U	2400 J	
19-Jun-12	17.01	918.04	Monitored Semiannually ¹										
19-Sep-12	29.82	905.23	11.90	877	0.00	122.0	0.47	7.08	490	6.9	0.4 U	2600 J	
18-Dec-12	17.39	917.66	Monitored Semiannually ¹										
21-Feb-13	18.84	916.21	10.60	875	0.05	103.3	0.40	7.32	510	5.9	0.4 U	2600 J	
22-May-13	20.25	914.80	Monitored Semiannually ¹										
20-Aug-13	30.15	904.90	12.10	530	0.06	-50.3	0.75	6.98	510	5.6	0.1 U	2500	
19-Nov-13	22.73	912.32	Monitored Semiannually ¹										
31-Mar-14	15.50	919.55	11.30	574	0.06	95.7	0.53	7.15	447	5.6	0.1 U	2720	
21-May-14	14.83	920.22	Monitored Semiannually ¹										
15-Aug-14	25.16	909.89	14.49	741	0.48	-24.0	2.92	6.87	477	5.9	0.1 U	2550	
14-Nov-14	22.25	912.80	Monitored Semiannually ¹										
10-Feb-15	15.98	919.07	11.40	693	0.04	-117.5	0.80	7.13	503	5.9	0.1 U	2560	
4-May-15	20.05	915.00	Monitored Semiannually ¹										
4-Aug-15	31.90	903.15	11.90	620	0.16	-71.1	0.47	7.13	517	6.4	0.1 U	2670	
5-Nov-15	32.00	903.05	11.40	605	0.00	37.5	1.16	6.84	511	5.3	0.1 U	3060	
8-Feb-16	17.13	917.92	11.80	720	0.00	160.4	0.08	7.34	480	6	0.1 U	3020	
2-May-16	23.31	911.74	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-16	34.07	900.98	12.50	571	0.00	-	0.66	7.11	Monitored Annually ²				
1-Nov-16	26.04	909.01	Monitored Semiannually ²						Monitored Annually ²				
31-Jan-17	19.36	915.69	12.20	808	0.07	-219.2	0.30	7.21	509	6.76	0.1 U	2840	
30-May-17	17.31	917.74	Monitored Semiannually ²						Monitored Annually ²				
16-Aug-17	28.13	906.92	12.40	826	0.12	-71.9	0.66	7.10	Monitored Annually ²				
9-Nov-17	27.17	907.88	Monitored Semiannually ²						Monitored Annually ²				
28-Feb-18	16.55	918.50	10.90	657	0.15	-97.6	0.35	7.02	528	5.39	0.1 U	2550	
1-May-18	17.69	917.36	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-18	32.63	902.42	12.46	655	0.81	-46.4	0.26	7.01	Monitored Annually ²				
6-Nov-18	32.44	902.61	Monitored Semiannually ²						Monitored Annually ²				
12-Mar-19	18.84	916.21	10.90	597	0.56	-28.1	0.86	6.96	512	4.51	0.1 U	2890	
8-May-19	19.75	915.30	Monitored Semiannually ²						Monitored Annually ²				
27-Aug-19	33.26	901.79	13.08	688	0.26	Note 1	0.02	6.89	Monitored Annually ²				
13-Nov-19	33.03	902.02	Monitored Semiannually ²						Monitored Annually ²				

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
14-Feb-20	16.70	918.35	10.90	626	0.34	-99.8	0.33	6.88	524	4.31	0.1 U	2650
13-Aug-20	27.37	907.68	11.80	619	0.55	-70.6	0.40	6.89	Monitored Annually ²			
9-Dec-20	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	16.91	918.14	11.30	641	0.19	-77.0	0.45	7.09	473	4.84	0.1 U	2450
10-Jun-21	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	29.11	905.94	11.9	440.1	0.87	-86.2	0.35	6.96	Monitored Annually ²			
5-Jan-22	16.88	918.17	Monitored Semiannually ²						Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 935.05

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above
1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-	
18-Dec-06	8.13	897.82	9.93	525	0.54	-54.5	0.61	7.78	300	5.37	1 U	-	
7-Feb-07	9.40	896.55	11.79	479	1.19	-30.0	7.40	7.41	330	6.01	1 U	-	
7-May-07	10.73	895.22	12.26	729	2.83	-103.6	16.40	7.63	480	10.1	1 U	-	
7-Aug-07	15.14	890.81	11.42	882	0.75	-11.5	1.82	7.10	470	3.25	1 U	-	
27-Nov-07	16.16	889.79	10.98	748	0.37	-47.9	0.83	6.99	440 J	2.82	1 U	-	
8-Feb-08	9.66	896.29	11.01	645	0.31	-	0.90	7.05	380	2.68	1 U	-	
8-May-08	10.34	895.61	11.27	665	0.64	13.4	1.52	6.93	380 J	2.40	1 U	-	
8-Aug-08	14.17	891.78	11.23	683	0.72	-8.2	2.49	7.05	390 J	2.18	1 U	3000 U	
1-Nov-08	12.98	892.97	10.61	488	0.60	-45.6	1.35	6.80	380	2.04	1 U	3000 U	
10-Feb-09	9.64	896.31	10.32	398	0.52	-57.0	1.20	7.31	350	2.00	1 U	3000 U	
9-May-09	9.91	896.04	10.50	405	0.73	-4.0	1.26	7.77	320 J	1.69	1 U	3000 U	
23-Sep-09	17.16	888.79	12.50	541	0.25	216.2	5.38	7.14	400 J	0.91 J	2 U	1300 J	
14-Dec-09	12.73	893.22	9.10	580	0.47	231.0	2.70	7.23	270	2 U	2 U	1300 J	
22-Mar-10	9.62	896.33	10.90	504	-	321.7	3.50	7.22	320	2.00	2 U	1200 J	
15-Jun-10	8.30	897.65	11.00	495	0.11	205.1	1.41	7.29	320	4.20	2 U	1300 J	
20-Sep-10	14.90	891.05	10.90	560	0.10	187.2	0.28	7.29	270	3.00	2 U	1400 J	
6-Dec-10	10.47	895.48	10.50	515	0.12	87.8	0.14	7.47	300	2 U	2 U	1100 J	
28-Mar-11	8.71	897.24	10.30	241	0.19	58.9	1.86	7.19	300	2 U	2 U	1100 J	
20-Jun-11	9.87	896.08	10.80	477	0.06	141.2	0.20	7.27	340	5 U	2 U	1100 J	
26-Sep-11	14.82	891.13	10.80	467	0.05	114.8	0.92	7.26	380	5 U	2 U	1500 J	
13-Dec-11	13.02	892.93	10.20	491	0.06	131.3	1.69	7.29	340	5 U	2 U	1600 J	
21-Mar-12	8.13	897.82	10.20	550	0.09	160.0	0.07	7.14	310	2.50	0.4 U	1200 J	
18-Jun-12	-	-	Monitored Semiannually ¹										
18-Sep-12	14.76	891.19	12.50	587	0.00	122.0	0.35	7.31	370	2.80	0.4 U	1300 J	
18-Dec-12	8.16	897.79	Monitored Semiannually ¹										
21-Feb-13	8.45	897.50	10.10	594	0.02	152.7	0.28	7.49	300	1.90	0.4 U	1300 J	
22-May-13	9.36	896.59	Monitored Semiannually ¹										
20-Aug-13	13.28	892.67	11.70	478	0.01	-43.8	0.54	7.22	349 J	1.60	0.1 U	1300	
19-Nov-13	9.71	896.24	Monitored Semiannually ¹										
31-Mar-14	8.42	897.53	10.70	455	0.06	166.1	0.27	7.35	315	1.40	0.1 U	1290	
21-May-14	5.99	899.96	Monitored Semiannually ¹										
14-Aug-14	12.03	893.92	13.45	512	0.56	-21.4	1.99	6.95	317	1.70	0.1 U	1270	
14-Nov-14	10.68	895.27	Monitored Semiannually ¹										
10-Feb-15	7.39	898.56	10.90	482	0.03	-86.2	0.59	7.32	337	1.40	0.1 U	1230	
4-May-15	9.17	896.78	Monitored Semiannually ¹										
4-Aug-15	13.64	892.31	12.40	449	0.18	-81.7	0.27	7.33	385	1.70	0.1 U	1280	
5-Nov-15	13.98	891.97	11.50	435	2.23	85.2	1.09	7.04	354	1.30	0.1 U	1470	
8-Feb-16	6.74	899.21	11.50	495	0.03	187.2	0.25	7.39	297	1.40	0.1 U	1350	
2-May-16	8.64	897.31	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-16	13.27	892.68	12.20	559	0.03	-52.7	0.80	7.28	Monitored Annually ²				
1-Nov-16	11.36	894.59	Monitored Semiannually ²						Monitored Annually ²				
31-Jan-17	7.91	898.04	10.90	539	0.08	124.4	0.18	7.31	321	1.48	0.1 U	1300	
30-May-17	2.65	903.30	Monitored Semiannually ²						Monitored Annually ²				
16-Aug-17	12.08	893.87	12.10	573	0.12	-46.9	1.39	7.26	Monitored Annually ²				
9-Nov-17	11.70	894.25	Monitored Semiannually ²						Monitored Annually ²				
28-Feb-18	6.50	899.45	11.00	423	0.19	-61.0	0.18	7.12	138	1.56	0.1 U	1200	
1-May-18	6.80	899.15	Monitored Semiannually ²						Monitored Annually ²				
22-Aug-18	13.47	892.48	11.61	441	7.44	26.6	0.21	7.11	Monitored Annually ²				
6-Nov-18	13.96	891.99	Monitored Semiannually ²						Monitored Annually ²				
12-Mar-19	7.30	898.65	10.30	363	0.56	-25.1	0.27	7.16	294	1.47	0.1 U	1340	
8-May-19	7.77	898.18	Monitored Semiannually ²						Monitored Annually ²				
27-Aug-19	13.16	892.79	12.19	454	0.45	Note 1	0.02	7.05	Monitored Annually ²				
13-Nov-19	26.35	894.30	Monitored Semiannually ²						Monitored Annually ²				

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
13-Feb-20	20.79	899.86	10.60	387	0.39	-76.5	1.05	7.13	313	1.40	0.1 U	1330
13-Aug-20	25.94	894.71	11.70	403	0.65	-64.3	0.60	7.07	Monitored Annually ²			
9-Dec-20	24.06	896.59	Monitored Semiannually ²						Monitored Annually ²			
4-Mar-21	21.56	899.09	10.80	363	0.16	-9.0	1.29	7.30	280	1.10	0.1 U	1240
10-Jun-21	24.55	896.10	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	28.08	892.57	11.6	273.8	0.96	-73.8	1.38	7.15	Monitored Annually ²			
5-Jan-22	21.36	899.29	Monitored Semiannually ²						Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 905.95

Top of casing elevation (feet NAVD88) after raising casing (post-Q3 2019): 920.65

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem. Total Dissolved Solids (mg/L)	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
1-Mar-02	-	-	-	653	-	-	-	7.29	586	-	-	-
1-Jun-02	-	-	12	920	-	-	-	7.20	583	-	-	-
1-Sep-02	-	-	11	920	-	-	-	7.10	651	-	-	-
2-Dec-02	-	-	9.1	900	-	-	-	7.03	570	4.44	0.5 U	-
3-Mar-03	-	-	10.1	873	-	-	-	7.09	530	-	-	-
3-May-03	-	-	11.2	981	-	-	10.00	6.94	590	-	-	-
3-Aug-03	-	-	12.78	1030	-	-	13.00	7.17	630	-	-	-
1-Nov-03	-	-	10.2	569	-	-	4.65	7.53	592	3.33	0.5 U	-
1-Feb-04	-	-	9.31	568	-	-	5.41	6.85	560	-	-	-
1-May-04	-	-	10.93	952	-	-	5.98	7.12	615	-	-	-
1-Aug-04	-	-	12.10	835	-	-	6.29	7.11	601	-	-	-
1-Nov-04	-	-	10.20	941	-	-	6.58	6.94	656	3.41	1 U	-
1-Feb-05	-	-	10.52	889	-	-	8.72	7.41	541	-	-	-
1-May-05	-	-	13.08	953	-	-	8.15	7.31	548	-	-	-
1-Aug-05	-	-	11.08	988	-	-	7.40	7.23	644	-	-	-
1-Nov-05	-	-	9.53	958	-	-	8.58	7.61	640	3.15	1 U	-
1-Feb-06	-	-	9.23	669	7.88	*	7.93	6.78	450 J	-	-	-
1-May-06	-	-	11.49	947	7.60	38.5	10.40	7.01	570	-	-	-
1-Aug-06	-	-	10.52	835	8.82	-39.8	14.10	7.26	640	-	-	-
1-Nov-06	-	-	9.41	740	9.57	-32.2	12.50	7.23	510	2.45	1 U	-
7-Feb-07	-	-	9.90	815	10.99	-6.2	27.80	7.74	510	-	-	-
7-May-07	-	-	18.39	810	11.05	-6.2	11.80	7.61	510	-	-	-
7-Aug-07	-	-	10.42	870	8.72	-44.9	25.20	7.42	560	-	-	-
30-Nov-07	-	-	9.41	783	9.56	-18.7	48.30	-	520	3.17	1 U	-
8-Feb-08	-	-	10.02	708	10.04	-	50.00	7.20	420	-	-	-
8-May-08	-	-	10.83	815	12.13	0.1	7.28	7.29	480 J	-	-	-
8-Aug-08	-	-	10.63	906	11.05	-5.6	11.00	7.05	560 J	3.69	1 U	41600
1-Nov-08	-	-	9.79	553	10.70	-21.1	16.90	7.40	460	3.2	1 U	35500
11-Feb-09	-	-	9.16	488	6.99	-	15.40	7.52	430	2.97	1 U	34200
9-May-09	-	-	9.64	522	10.56	13.4	9.77	7.39	440 J	2.01	1 U	32400
23-Sep-09	-	-	10.70	745	8.95	271.7	14.70	6.88	570	2 U	2 U	40000
15-Dec-09	-	-	8.60	713	5.20	279.0	12.50	6.67	350	2 U	2 U	30000
24-Mar-10	-	-	9.90	681	6.14	370.7	-	6.57	470	4.2	2 U	39000
17-Jun-10	-	-	10.00	623	9.58	-	26.30	7.50	380	5.9	2 U	28000
22-Sep-10	-	-	10.00	783	9.02	225.9	17.40	7.00	510	5.2	2 U	42000
7-Dec-10	-	-	9.90	662	9.15	186.0	13.60	6.95	450	2 U	2 U	32000
29-Mar-11	-	-	9.90	292	5.90	370.8	4.44	6.73	360 J	4.1	2 U	25000
20-Jun-11	-	-	10.50	591	6.42	219.1	4.44	7.01	420	5 U	2 U	26000
26-Sep-11	-	-	10.70	623	5.76	240.5	11.90	6.83	520	5 U	2 U	39000
15-Dec-11	-	-	8.80	472	4.92	310.4	7.32	6.78	430	4.7 J	2 U	32000
21-Mar-12	-	-	8.90	611	5.24	313.3	9.16	6.49	330	4.8	0.4 U	20000
18-Jun-12	Monitored Semiannually ¹											
18-Sep-12	-	-	14.20	652	9.70	148.0	20.80	7.48	450	5	0.4 U	29000
18-Dec-12	Monitored Semiannually ¹											
25-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
25-Feb-13	Monitored Semiannually ¹											
21-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
22-May-13	Monitored Semiannually ¹											
20-Aug-13	-	-	10.80	635	9.31	170.1	8.46	7.11	458	3.9	0.1 U	32300
19-Nov-13	Monitored Semiannually ¹											
31-Mar-14	-	-	10.60	448	9.29	213.5	87.20	7.30	321	3.7	0.18 J	21100
21-May-14	Monitored Semiannually ¹											
15-Aug-14	-	-	10.01	595	10.01	-35.2	6.43	6.99	427	3.5	0.1 U	31500
14-Nov-14	Monitored Semiannually ¹											
10-Feb-15	-	-	10.60	515	9.88	183.5	6.84	7.26	363	2.8	0.07 J	27200
4-May-15	Monitored Semiannually ¹											
4-Aug-15	-	-	10.90	554	9.98	95.8	8.68	7.48	438	2.6	0.1 U	34700
5-Nov-15	-	-	10.30	503	10.24	177.6	13.40	7.46	449	2.8	0.1 U	31800
8-Feb-16	-	-	9.30	541	11.30	215.0	5.12	7.30	293	3.2	0.1 U	23100
-	Monitored Semiannually ²								Monitored Annually ²			
24-Aug-16	-	-	13.40	585	9.32	410.0	8.50	7.23	Monitored Annually ²			
1-Nov-16	-	-	10.90	242	9.13	51.4	7.57	7.41	Monitored Annually ²			
31-Jan-17	-	-	8.90	663	10.87	-57.4	6.23	7.50	3390	3.97	0.1 U	29200
-	Monitored Semiannually ²								Monitored Annually ²			
17-Aug-17	-	-	11.40	712	9.67	-12.4	9.87	7.30	Monitored Annually ²			
9-Nov-17	Monitored Semiannually ²								Monitored Annually ²			

Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
27-Feb-18	-	-	9.50	427	9.94	-46.4	16.70	7.72	354	4.11	0.1 U	20400
1-May-18	Monitored Semiannually ²								Monitored Annually ²			
21-Aug-18	-	-	13.13	582	12.46	-23.0	23.10	7.24	Monitored Annually ²			
6-Nov-18	Monitored Semiannually ²								Monitored Annually ²			
12-Mar-19	-	-	8.00	406	11.35	-2.8	10.70	7.97	388	1.56	0.1 U	24700
8-May-19	Monitored Semiannually ²								Monitored Annually ²			
27-Aug-19	-	-	10.55	576	11.80	Note 1	154.00	6.78	Monitored Annually ²			
13-Nov-19	Monitored Semiannually ²								Monitored Annually ²			
13-Feb-20	-	-	9.20	382	9.19	-1.3	13.40	6.93	259	3.65	0.1 U	16700
13-Aug-20	-	-	10.10	569	10.01	-27.0	12.20	7.12	Monitored Annually ²			
9-Dec-20	Monitored Semiannually ²								Monitored Annually ²			
4-Mar-21	-	-	9.30	416	5.80	33.0	17.1	6.89	364	4.14	0.1 U	20000
10-Jun-21	Monitored Semiannually ²								Monitored Annually ²			
18-Oct-21	-	-	10.9	386.7	5.11	-28.4	86.1	6.45	Monitored Annually ²			
5-Jan-22	Monitored Semiannually ²								Monitored Annually ²			

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above

* Measurement invalid and not shown

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
1-Mar-02	-	-	-	542	-	-	-	7.22	467	-	-	-
1-Jun-02	197.34	735.48	12.00	750	-	-	-	7.10	459	-	-	-
1-Sep-02	199.29	733.53	14.00	660	-	-	-	6.90	499	-	-	-
2-Dec-02	200.09	732.73	10.80	675	-	-	-	6.89	440	1 U	0.5 U	-
3-Mar-03	190.21	742.61	11.90	763	-	-	-	6.98	450	-	-	-
3-May-03	191.78	741.04	12.30	730	-	-	233.00	6.98	550	-	-	-
3-Aug-03	199.82	733.00	16.50	848	-	-	17.00	6.92	520	-	-	-
1-Nov-03	199.97	732.85	11.60	559	-	-	9.20	7.04	522	0.98	0.5 U	-
1-Feb-04	188.78	744.04	11.96	608	-	-	4.86	6.68	560	-	-	-
1-May-04	198.45	734.37	13.69	614	-	-	6.17	6.80	478	-	-	-
1-Aug-04	199.17	733.65	14.38	731	-	-	5.48	6.71	460	-	-	-
1-Nov-04	197.92	734.90	11.62	785	-	-	12.30	6.75	512	1 U	1 U	-
1-Feb-05	186.36	746.46	11.64	806	-	-	1.47	6.94	487	-	-	-
1-May-05	-	-	12.87	790	-	-	15.80	6.89	338	-	-	-
1-Aug-05	196.10	736.72	15.01	603	-	-	45.70	6.44	388	-	-	-
1-Nov-05	196.78	736.04	9.91	549	-	-	13.30	6.66	350	1 U	1 U	-
1-Feb-06	193.93	738.89	8.10	641	2.11	269.2	35.70	6.82	400 J	-	-	-
1-May-06	197.90	734.92	10.88	798	1.67	27.3	5.38	6.50	380	-	-	-
1-Aug-06	198.80	734.02	11.44	534	2.52	205.7	8.74	6.67	360	-	-	-
1-Nov-06	187.36	745.46	10.77	680	2.12	-19.9	18.90	7.06	430	1 U	1 U	-
28-Dec-06	192.37	740.45	-	-	-	-	-	-	-	-	-	-
7-Feb-07	197.46	735.36	10.24	621	0.64	-16.7	27.80	6.89	420	-	-	-
7-May-07	198.49	734.33	-	-	-	-	-	-	-	-	-	-
1-Aug-07	198.45	734.37	-	-	-	-	-	-	-	-	-	-
27-Nov-07	196.48	736.34	-	-	-	-	-	-	-	-	-	-
8-Feb-08	191.30	741.52	-	-	-	-	-	-	-	-	-	-
8-May-08	193.95	738.87	-	-	-	-	-	-	-	-	-	-
27-Sep-11	197.32	735.50	-	-	-	-	-	-	-	-	-	-
13-Dec-11	192.15	740.67	9.6	421	2.10	313.0	16.10	7.49	-	-	-	-
22-Mar-12	183.35	751.47	8.9	546	12.83	166.3	0.56	7.47	-	-	-	-
18-Jun-12	192.54	742.28	-	-	-	-	-	-	-	-	-	-
18-Sep-12	199.51	735.31	16.2	508	2.21	120.0	1.27	7.58	-	-	-	-
18-Dec-12	184.52	750.30	-	-	-	-	-	-	-	-	-	-
21-Feb-13	190.65	744.17	7.6	678	5.33	342.6	6.61	8.02	-	-	-	-
22-May-13	198.05	736.77	-	-	-	-	-	-	-	-	-	-
20-Aug-13	200.47	734.35	13.0	488	3.26	90.2	8.47	7.42	-	-	-	-
19-Nov-13	196.59	738.23	-	-	-	-	-	-	-	-	-	-
31-Mar-14	186.78	748.04	11.4	421	7.28	195.1	1.70	7.47	-	-	-	-
21-May-14	192.27	742.55	-	-	-	-	-	-	-	-	-	-
15-Aug-14	199.97	734.85	18.9	492	0.97	1.4	52.50	7.01	-	-	-	-
14-Nov-14	196.60	738.22	-	-	-	-	-	-	-	-	-	-
10-Feb-15	183.97	750.85	10.2	450	7.65	121.4	1.02	7.34	-	-	-	-
4-May-15	194.19	740.63	-	-	-	-	-	-	-	-	-	-
4-Aug-15	198.35	736.47	13.6	432	3.07	18.6	0.27	7.47	-	-	-	-
3-Nov-15	198.25	736.57	10.3	405	2.57	106.2	7.07	7.35	-	-	-	-
8-Feb-16	188.43	746.39	12.5	536	2.77	189.8	0.25	7.78	-	-	-	-
2-May-16	195.72	739.10	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	197.89	736.93	14.0	418	1.27	-123.1	4.36	7.32	-	-	-	-
1-Nov-16	195.49	739.33	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	186.94	747.88	9.2	506	5.26	-45.4	0.38	7.45	-	-	-	-
30-May-17	190.62	744.20	Monitored Semiannually ¹						-	-	-	-
16-Aug-17	197.55	737.27	13.3	540	2.31	37.3	3.42	7.37	-	-	-	-
9-Nov-17	197.11	737.71	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	185.96	748.86	10.1	390	5.95	204.7	1.62	7.15	-	-	-	-
1-May-18	184.95	749.87	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	197.40	737.42	13.7	412	3.10	85.5	1.66	7.27	-	-	-	-
6-Nov-18	197.94	736.88	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	182.84	751.98	8.7	332	6.25	148.4	1.93	7.28	-	-	-	-
8-May-19	185.36	749.46	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	196.56	738.26	11.92	411	8.82	Note 1	0.02	7.28	-	-	-	-
13-Nov-19	196.74	738.08	Monitored Semiannually ¹						-	-	-	-

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
13-Feb-20	177.10	757.72	9.3	453	3.03	91.0	2.31	7.56	-	-	-	-
13-Aug-20	200.97	733.85	12.2	422	3.04	35.0	0.96	7.42	-	-	-	-
9-Dec-20	197.86	736.96	Monitored Semiannually ¹						-	-	-	-
5-Mar-21	197.42	737.40	10.0	398	3.79	112.0	1.17	7.37	-	-	-	-
10-Jun-21	199.94	734.88	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	200.24	734.58	12.6	307.7	6.06	161.4	12.3	7.35	-	-	-	-
5-Jan-22	192.66	742.16	Monitored Semiannually ¹						-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 932.82
 Top of casing elevation (feet NAVD88) after raising casing (December 14, 2011): 934.82

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

Table A-4g: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-4SDSP Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5	15	-
26-Sep-11	25.77	906.64	11.40	553	0.86	197.2	-	7.21	-	-	-	-
13-Dec-11	24.94	907.47	9.70	625	1.73	658.0	22.70	7.68	-	-	-	-
22-Mar-12	23.80	908.61	9.60	785	3.71	242.6	8.14	7.30	-	-	-	-
19-Jun-12	24.09	908.32	-	-	-	-	-	-	-	-	-	-
18-Sep-12	25.68	906.73	16.50	664	2.37	150.0	19.20	7.34	-	-	-	-
18-Dec-12	23.02	909.39	-	-	-	-	-	-	-	-	-	-
21-Feb-13	23.50	908.91	10.00	840	6.55	352.4	3.42	7.42	-	-	-	-
22-May-13	23.84	908.57	-	-	-	-	-	-	-	-	-	-
20-Aug-13	25.08	907.33	13.50	539	2.91	45.1	1.87	7.22	-	-	-	-
19-Nov-13	22.76	909.65	-	-	-	-	-	-	-	-	-	-
31-Mar-14	21.39	911.02	12.20	511	6.31	197.3	1.38	7.58	-	-	-	-
21-May-14	19.82	912.59	-	-	-	-	-	-	-	-	-	-
15-Aug-14	24.00	908.41	12.81	647	0.82	7.5	5.42	6.62	-	-	-	-
14-Nov-14	22.28	910.13	-	-	-	-	-	-	-	-	-	-
10-Feb-15	21.10	911.31	12.30	636	2.56	-71.9	1.11	7.11	-	-	-	-
4-May-15	22.65	909.76	-	-	-	-	-	-	-	-	-	-
5-Aug-15	24.65	907.76	13.50	563	3.21	116.4	55.20	7.42	-	-	-	-
3-Nov-15	23.87	908.54	12.20	493	4.65	114.4	5.78	7.52	-	-	-	-
8-Feb-16	19.39	913.02	15.80	670	3.92	163.5	5.06	7.59	-	-	-	-
2-May-16	20.99	911.42	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	24.42	907.99	17.60	527	5.01	106.0	1.39	7.44	-	-	-	-
1-Nov-16	21.31	911.10	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	21.11	911.30	12.10	680	2.75	-146.1	1.48	7.35	-	-	-	-
30-May-17	18.49	913.92	Monitored Semiannually ¹						-	-	-	-
17-Aug-17	22.58	909.83	12.60	673	5.22	177.8	1.97	7.15	-	-	-	-
9-Nov-17	20.72	911.69	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	17.09	915.32	11.10	509	8.34	29.0	0.72	7.37	-	-	-	-
1-May-18	17.76	914.65	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	Could not be safely accessed due to wasp nests.											
6-Nov-18	21.70	910.71	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	18.30	914.11	10.10	215	9.65	18.9	0.39	7.86	-	-	-	-
8-May-19	19.09	913.32	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	22.85	909.56	14.79	562	8.59	Note 1	3.60	7.80	-	-	-	-
13-Nov-19	21.95	910.46	Monitored Semiannually ¹						-	-	-	-
13-Feb-20	16.60	915.81	10.80	458	8.74	68.0	1.98	7.83	-	-	-	-
13-Aug-20	21.96	910.45	12.60	503	8.74	-39.8	1.89	7.83	-	-	-	-
9-Dec-20	20.58	911.83	Monitored Semiannually ¹						-	-	-	-
5-Mar-21	17.69	914.72	11.30	497	6.84	90.0	1.46	7.91	-	-	-	-
10-Jun-21	21.47	910.94	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	23.22	909.19	13.5	368.9	8.47	130.8	1.36	7.63	-	-	-	-
5-Jan-22	17.66	914.75	Monitored Semiannually ¹						-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to DSP Cover Upgrade: 939.42

Top of casing elevation (feet NAVD88) after DSP Cover Upgrade (completed July 2011): 932.41

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

¹ Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016, extended October 10, 2019. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

APPENDIX A-5

**Summary of Lower Disposal Area –
Disposal Area Groundwater
Sampling Results**

Table A-5A Well P-14
Table A-5B Well P-15

Table A-5a: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-14 Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
11-Dec-20	32.53	740.79	11.6	18697	0.12	-61.2	17.9	13.30	6560	-	263	19.6	2540000	-
3-Mar-21	29.44	743.88	12.0	12836	0.05	-87.0	1.54	13.09	4060	-	84.1	9.64	1490000	-
10-Jun-21	33.57	739.75	12.9	18706	0.67	-175.2	1.88	13.06	6400	-	242	3.44	2460000	-
13-Oct-21	33.57	739.75	12.7	23225	0.77	-139.7	0.75	13.18	7240 J-	131	292	2.47	2560000	24.2
7-Jan-22	27.73	745.59	11.90	9778	0.96	-112.9	1.86	13.30	4850	51.8	76.3	9.19	1480000	6.77

Notes:

Top of casing elevation (feet NAVD88): 773.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table A-5b: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-15 Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Preliminary Screening Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	5	15	-	80
15-Oct-21	30.03	726.52	13.00	15815	1.72	-147.5	5.08	13.17	7180 J-	2 U	6.57	94	2390000	3.65
7-Jan-22	15.32	741.23	10.20	7227	1.03	-116.3	1.84	13.28	3420	5.17	6.34	101	884000	0.515 J

Notes:

Top of casing elevation (feet NAVD88): 756.55

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL

a Preliminary Screening Level (PSL) obtained from Table 5-3 of Golder 2021 RI Work Plan.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter


mV Millivolts

NTU Nephelometric Turbidity Unit


APPENDIX B

**LDA Shallow/Alluvial Monitoring
Wells Data Graphs**


LDA Shallow/Alluvial Monitoring Wells MW-1A




LDA Shallow/Alluvial Monitoring Wells MW-1A



LDA Shallow/Alluvial Monitoring Wells MW-1A




LDA Shallow/Alluvial Monitoring Wells MW-2A




LDA Shallow/Alluvial Monitoring Wells


MW-2A



LDA Shallow/Alluvial Monitoring Wells MW-2A




LDA Shallow/Alluvial Monitoring Wells MW-3A




LDA Shallow/Alluvial Monitoring Wells


MW-3A



LDA Shallow/Alluvial Monitoring Wells MW-3A




LDA Shallow/Alluvial Monitoring Wells MW-4A




LDA Shallow/Alluvial Monitoring Wells


MW-4A



LDA Shallow/Alluvial Monitoring Wells MW-4A




LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells


MW-5A



LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells MW-6A




LDA Shallow/Alluvial Monitoring Wells

MW-6A



LDA Shallow/Alluvial Monitoring Wells MW-6A



APPENDIX C

**Data Validation Report and
Laboratory Analytical Results**

DATA VALIDATION CHECKLIST

Project Name:	Ravensdale Project
Project Number:	152030402
Sample Identification(s):	MW-5A-0122, Infiltration Ponds-0122, MW-35A-0122, MW-1A-0122, MW-2A-0122, MW-45A-0122, MW-6A-0122, MW-8A-0122, MW-3A-0122, MW-99-1-0122, Weir-0122, P-16-0122, South Pond-0122, MW-10A-0122, Still Well-0122, MW-9A-0122, MW-4A-0122, P-17-0122, Interceptor Trench-0122, P-14-0122, P-15-0122, and MW-7A-0122
Sample Date(s):	1/5/22, 1/6/22, 1/7/22, and 1/10/22
Sample Team:	Eric Adams, Golder Associates
Sample Matrix:	Aqueous
Analyzing Laboratory:	Analytical Resources, Inc. – Tukwila, WA
Analyses:	TDS (SM2540C); Total Metals (SW6010D, E200.8); K, Pb, Sb, V Total and (E200.8 UCT-KED)
Laboratory Report No.:	22A0182, 22A0208

FIELD DATA PACKAGE DOCUMENTATION

Field Sampling Logs:	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Sampling dates noted		X		X	
2. Sampling team indicated		X		X	
3. Sampling identification traceable to location collected		X		X	
4. Sample location		X		X	
5. Collection technique (bailer, pump, etc.)		X		X	
6. Sample container type		X		X	
7. Preservation methods		X		X	
8. Chain-of-custody form completed		X		X	
9. Required analytical methods requested		X		X	
10. Field sample logs completed properly and signed		X		X	
11. Number and type of field QC samples collected		X		X	
12. Field equipment calibration		X		X	
13. Field equipment decontamination		X		X	

QC – quality control

COMMENTS:

Performance was acceptable, with no exceptions.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Reporting limits of analysis		X		X	
5. Sample collection date		X		X	
6. Laboratory sample received date		X		X	
7. Sample preparation/extraction date		X		X	
8. Sample analysis date		X		X	
9. Copy of chain-of-custody form signed by lab sample custodian		X		X	
10. Narrative summary of QA or sample problems provided		X	X		

QA – quality assurance

COMMENTS:

Performance was acceptable, with the following notes:

- There was a note on the cooler receipt form stating, “sample MW-10A-0122 says P-10A-0122 on the bottle labels”. It was confirmed that there is no P-10A-0122 and that sample is indeed MW-10A-0122.
- For lab report 22A0208, there was a note from the lab stating that the collection time on the COC differs from the time on the bottle labels.
- Sample P-15-0122 failed preservation requirements for dissolved metals. The sample was placed on hold per client request.

INORGANIC ANALYSES

Metals (EPA 6010/200.8)	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Holding times		X		X	
2. Reporting limits		X		X	
3. Blanks					
a. Method blanks		X		X	
b. Equipment rinsate blanks		X		X	
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R		X	X		
6. LCS duplicate (LCSD) %R	X				
7. MS duplicate (MSD) %R		X		X	
8. MS / MSD RPD		X		X	
9. LCS / LCSD RPD	X				
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X		X	

%R – percent recovery RPD – relative percent difference

COMMENTS:

Performance was acceptable, with the following exceptions and/or notes:

- Field duplicates are as followed: MW-35A-0122 in a duplicate to Infiltration Ponds-0122 and MW-45A-0122 is a field duplicate to MW-2A-0122.
- MS recovery for potassium (page 94) less than lower control limit. Parent sample > 4x.
- The MS displayed a recovery less than the lower control limit (75%) for sample BKA0415-MS1 for potassium of 63.3%. Only one QC indicator does not meet criteria and therefore no qualification is needed.

GENERAL WET CHEMISTRY

TDS (SM 2540C)	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Holding times		X		X	
2. Reporting limits		X		X	
3. Blanks					
a. Method blanks		X		X	
b. Equipment rinsate blanks		X		X	
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R	X				
6. LCS duplicate (LCSD) %R	X				X
7. MS duplicate (MSD) %R	X				
8. MS/MSD RPD	X				
9. LCS/LCSD RPD	X				
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X		X	

%R – percent recovery RPD – relative percent difference

COMMENTS:

Performance was acceptable, with the following exceptions and/or notes:

- Field duplicates are as followed: MW-35A-0122 in a duplicate to Infiltration Ponds-0122 and MW-45A-0122 is a field duplicate to MW-2A-0122.

**DATA VALIDATION CHECKLIST
SUMMARY AND DATA QUALIFIER CODES**

Project Name:	Ravensdale Project
Project Number:	152030402
Sample Identification(s):	MW-5A-0122, Infiltration Ponds-0122, MW-35A-0122, MW-1A-0122, MW-2A-0122, MW-45A-0122, MW-6A-0122, MW-8A-0122, MW-3A-0122, MW-99-1-0122, Weir-0122, P-16-0122, South Pond-0122, MW-10A-0122, Still Well-0122, MW-9A-0122, MW-4A-0122, P-17-0122, Interceptor Trench-0122, P-14-0122, P-15-0122, and MW-7A-0122
Sample Date(s):	1/5/22, 1/6/22, 1/7/22, and 1/10/22
Sample Team:	Eric Adams, Golder Associates
Sample Matrix:	Aqueous
Analyzing Laboratory:	Analytical Resources, Inc. – Tukwila, WA
Analyses:	TDS (SM2540C); Total Metals (SW6010D, E200.8);, K, Pb, Sb, V Total and (E200.8 UCT-KED)
Laboratory Report No.:	22A0182, 22A0208

Sample ID	Analyte(s)	Old Result	Old Qualifier	New Result	New Qualifier	Reason(s)
-	-	-	-	-	-	-

VALIDATION PERFORMED BY:	Julia Campbell, Golder Associates
DATE:	February 1, 2022
PEER REVIEW PERFORMED BY:	Michael Shadle, Golder Associates
DATE:	February 8, 2022

		Infiltration Ponds		MW-35A Duplicate				
Client_Sample_ID	Analyte	Result	Result	RPD	Unit	Qualifier	RL	MDL
Infiltration Ponds	Antimony	0.00632	0.00661	4%	mg/L		0.0002	0.000101
Infiltration Ponds	Arsenic	0.0121	0.0123	2%	mg/L		0.0002	0.0000373
Infiltration Ponds	Lead	0.00631	0.0064	1%	mg/L		0.0001	0.0000513
Infiltration Ponds	Potassium	226	228	1%	mg/L		1	0.214
Infiltration Ponds	Vanadium	0.00336	0.0034	1%	mg/L		0.0002	0.0000556
Infiltration Ponds	Dissolved Solids	679	736	8%	mg/L		10	10

		MW-2A		MW-45A Duplicate				
Client_Sample_ID	Analyte	Result	Result	RPD	Unit	Qualifier	RL	MDL
MW-2A	Antimony	0.00324	0.00326	1%	mg/L		0.0002	0.000101
MW-2A	Arsenic	0.00189	0.00203	7%	mg/L		0.0002	0.0000373
MW-2A	Lead	0.0001	0.0001	0%	mg/L	U	0.0001	0.000053
MW-2A	Potassium	80.7	79.4	2%	mg/L		1	0.214
MW-2A	Vanadium	0.00119	0.00125	5%	mg/L		0.0002	0.0000556
MW-2A	Dissolved Solids	368	375	2%	mg/L		10	10

na - not applicable, non-detected value



Analytical Resources, LLC
Analytical Chemists and Consultants

26 January 2022

Joseph Xi
Golder Associates
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333

RE: Ravensdale (Ravensdale/ 152030402)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
22A0182

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclosed Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, LLC

Kelly Bottem, Client Services Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

ARI Assigned Number: 22A0182	Turn-around Requested: Standard	Page: 1 of 3
ARI Client Company: Golder	Phone: 425-883-0777	Date: _____ Ice Present? _____
Client Contact: Joseph Xi	No. of Coolers: 3	Cooler Temps: see CRF

Client Project Name: Ravensdale	Analysis Requested	Notes/Comments
Client Project #: 152030402	Samplers: Eric Adams	

Sample ID	Date	Time	Matrix	No. Containers	Total Metals As, Pb, Sb, V, K	TDS													
MW-5A-0122	1/5/22	1407	GW	3	X	X													Hold Dissolved
Infiltration Ponds -0122	1/5/22	1410	GW	3	X	X													
MW-35A-0122	1/5/22	1415	GW	3	X	X													
MW-1A-0122	1/5/22	1523	GW	3	X	X													
MW-2A-0122	1/6/22	0840	GW	3	X	X													
MW-45A-0122	1/6/22	0840	GW	3	X	X													
MW-6A-0122	1/6/22	0935	GW	3	X	X													
MW-8A-0122	1/6/22	1103	GW	3	X	X													
MW-3A-0122	1/6/22	1218	GW	3	X	X													
MW-99-1-0122	1/6/22	1235	DI	3	X	X													

Comments/Special Instructions Analyze in accordance w/ MSA between Golder + ARI Ecology EIM EDD	Relinquished by: (Signature) <i>Eric Adams</i>	Received by: (Signature) <i>Raven Barbera</i>	Relinquished by: (Signature)	Received by: (Signature)
	Printed Name: Eric Adams	Printed Name: Raven Barbera	Printed Name:	Printed Name:
	Company: Golder	Company: ARI	Company:	Company:
	Date & Time: 1/7/22 1535	Date & Time: 1/7/22 1535	Date & Time:	Date & Time:

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

ARI Assigned Number: 22AD182	Turn-around Requested: Standard	Page: 2 of 3
ARI Client Company: Golder	Phone: 425-883-0777	Date: _____ Ice Present? _____
Client Contact: Joseph Xi	No. of Coolers: 3	Cooler Temps: see CRF

Client Project Name: Ravensdale					Analysis Requested							Notes/Comments	
Client Project #: 192030402		Samplers: Eric Adams			Total Metals As, Pb, Sb, V, K	TDS							
Sample ID	Date	Time	Matrix	No. Containers									
Weir-0122	1/6/22	1250	SW	5	X	X						MS/MSD	Hold Dissolved
P-16-0122	1/6/22	1403	GW	3	X	X							
South Pond-0122	1/6/22	1420	SW	3	X	X							
MW-10A-0122	1/6/22	1517	GW	3	X	X							
Still Well-0122	1/7/22	0840	SW	3	X	X							
MW-9A-0122	1/7/22	1003	GW	3	X	X							
MW-4A-0122	1/7/22	1047	GW	3	X	X							
P-17-0122	1/7/22	1140	GW	3	X	X							
Interceptor Trench-0122	1/7/22	1158	SW	1		X							
P-14-0122	1/7/22	1303	GW	3	X	X							Hold Dissolved
Comments/Special Instructions Analyze in accordance w/MSA between Golder & ARI Ecology RIM EOD	Relinquished by: (Signature) Eric Adams			Received by: (Signature) [Signature]			Relinquished by: (Signature) _____			Received by: (Signature) _____			
	Printed Name: Eric Adams			Printed Name: Karen Barbera			Printed Name: _____			Printed Name: _____			
	Company: Golder			Company: ARI			Company: _____			Company: _____			
	Date & Time: 1/7/22 1535			Date & Time: 1/7/22 1535			Date & Time: _____			Date & Time: _____			

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, LLC
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)

ARI Assigned Number: <i>22AD182</i>	Turn-around Requested: <i>Standard</i>	Page: <i>3</i>	of <i>3</i>
ARI Client Company: <i>Goldier</i>	Phone: <i>425-883-0777</i>	Date:	Ice Present?
Client Contact: <i>Joseph Xi</i>		No. of Coolers: <i>3</i>	Cooler Temps: <i>see CRF</i>

Client Project Name: <i>Ravensdale</i>	Analysis Requested						Notes/Comments
Client Project #: <i>152030402</i>	Samplers: <i>Eric Adams</i>	<i>Total Metals</i>	<i>As, Pb, Sb, V, K</i>	<i>TDS</i>			

Sample ID	Date	Time	Matrix	No. Containers	Total Metals	TDS												
<i>P-15-0122</i>	<i>1/7/22</i>	<i>1403</i>	<i>GW</i>	<i>3</i>	<i>X</i>	<i>Y</i>												<i>Hold Dissolved</i>

Comments/Special Instructions <i>Analyze in accordance w/ MSA between Goldier + ARI Ecology EIM EDD</i>	Relinquished by: <i>Eric Adams</i> (Signature)	Received by: <i>[Signature]</i> (Signature)	Relinquished by:	Received by:
	Printed Name: <i>Eric Adams</i>	Printed Name: <i>Raven Barbera</i>	Printed Name:	Printed Name:
	Company: <i>Goldier</i>	Company: <i>ARI</i>	Company:	Company:
	Date & Time: <i>1/7/22 1535</i>	Date & Time: <i>1/7/22 1535</i>	Date & Time:	Date & Time:

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/ 152030402
Project Manager: Joseph Xi

Reported:
26-Jan-2022 16:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-5A-0122	22A0182-01	Water	05-Jan-2022 14:07	07-Jan-2022 15:35
Infiltration Ponds-0122	22A0182-03	Water	05-Jan-2022 14:10	07-Jan-2022 15:35
MW-35A-0122	22A0182-05	Water	05-Jan-2022 14:15	07-Jan-2022 15:35
MW-1A-0122	22A0182-07	Water	05-Jan-2022 15:23	07-Jan-2022 15:35
MW-2A-0122	22A0182-09	Water	06-Jan-2022 08:40	07-Jan-2022 15:35
MW-45A-0122	22A0182-11	Water	06-Jan-2022 08:40	07-Jan-2022 15:35
MW-6A-0122	22A0182-13	Water	06-Jan-2022 09:35	07-Jan-2022 15:35
MW-8A-0122	22A0182-15	Water	06-Jan-2022 11:03	07-Jan-2022 15:35
MW-3A-0122	22A0182-17	Water	06-Jan-2022 12:18	07-Jan-2022 15:35
MW-99-1-0122	22A0182-19	Water	06-Jan-2022 12:35	07-Jan-2022 15:35
Weir-0122	22A0182-21	Water	06-Jan-2022 12:50	07-Jan-2022 15:35
P-16-0122	22A0182-23	Water	06-Jan-2022 14:03	07-Jan-2022 15:35
South Pond-0122	22A0182-25	Water	06-Jan-2022 14:20	07-Jan-2022 15:35
MW-10A-0122	22A0182-27	Water	06-Jan-2022 15:17	07-Jan-2022 15:35
Still Well-0122	22A0182-29	Water	07-Jan-2022 08:40	07-Jan-2022 15:35
MW-9A-0122	22A0182-31	Water	07-Jan-2022 10:03	07-Jan-2022 15:35
MW-4A-0122	22A0182-33	Water	07-Jan-2022 10:47	07-Jan-2022 15:35
P-17-0122	22A0182-35	Water	07-Jan-2022 11:40	07-Jan-2022 15:35
Interceptor Trench-0122	22A0182-37	Water	07-Jan-2022 11:58	07-Jan-2022 15:35
P-14-0122	22A0182-38	Water	07-Jan-2022 13:03	07-Jan-2022 15:35
P-15-0122	22A0182-40	Water	07-Jan-2022 14:03	07-Jan-2022 15:35



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/ 152030402
Project Manager: Joseph Xi

Reported:
26-Jan-2022 16:03

Work Order Case Narrative

Total Metals - EPA Method 200.8 and 6010D

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits with the exception of analytes flagged on the associated forms.

Sample 22A0182-41 failed the preservation for dissolved metals and was placed on hold per client COC request.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

22A0182

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale/ 152030402

Preservation Confirmation

Container ID	Container Type	pH	
22A0182-01 A	HDPE NM, 1000 mL		
22A0182-01 B	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass (P)
22A0182-02 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-03 A	HDPE NM, 1000 mL		
22A0182-03 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-04 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-05 A	HDPE NM, 1000 mL		
22A0182-05 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-06 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-07 A	HDPE NM, 1000 mL		
22A0182-07 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-08 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-09 A	HDPE NM, 1000 mL		
22A0182-09 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-10 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-11 A	HDPE NM, 1000 mL		
22A0182-11 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-12 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-13 A	HDPE NM, 1000 mL		
22A0182-13 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-14 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-15 A	HDPE NM, 1000 mL		
22A0182-15 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-16 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-17 A	HDPE NM, 1000 mL		
22A0182-17 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-18 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-19 A	HDPE NM, 1000 mL		
22A0182-19 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-20 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<2	P
22A0182-21 A	HDPE NM, 1000 mL		
22A0182-21 B	HDPE NM, 500 mL, 1:1 HNO3	<2	P
22A0182-21 C	HDPE NM, 1000 mL		
22A0182-21 D	HDPE NM, 500 mL, 1:1 HNO3	<2	P



WORK ORDER

22A0182

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale/ 152030402

22A0182-22 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	Pass (P)
22A0182-23 A	HDPE NM, 1000 mL		
22A0182-23 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-24 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-25 A	HDPE NM, 1000 mL		
22A0182-25 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-26 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-27 A	HDPE NM, 1000 mL		
22A0182-27 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-28 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-29 A	HDPE NM, 1000 mL		
22A0182-29 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-30 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-31 A	HDPE NM, 1000 mL		
22A0182-31 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-32 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-33 A	HDPE NM, 1000 mL		
22A0182-33 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-34 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-35 A	HDPE NM, 1000 mL		
22A0182-35 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-36 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-37 A	HDPE NM, 1000 mL		
22A0182-38 A	HDPE NM, 1000 mL		
22A0182-38 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-39 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	P
22A0182-40 A	HDPE NM, 1000 mL		
22A0182-40 B	HDPE NM, 500 mL, 1:1 HNO3	42	P
22A0182-41 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	42	Fail

Preservation Confirmed By *JJP*

Date 01/07/22



Cooler Receipt Form

ARI Client: Golder

Project Name: Ravensdale

COC No(s): _____ NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 2240182

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 1535 0.2 4.4 0.3

If cooler temperature is out of compliance fill out form 00070F Temp Gun ID#: DOO2565

Cooler Accepted by: KB Date: 1/7/22 Time: 1535

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? NA YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: AP Date: 01/07/22 Time: 1627 Labels checked by: _____

**** Notify Project Manager of discrepancies or concerns ****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

sample MW-10A-0122 says P-10A-0122 on bottle labels.

By: AP Date: 01/07/22

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: 22AD0182
 Turn-around Requested: Standard
 ARI Client Company: Golder
 Phone: 425-883-0777
 Client Contact: Joseph Xi
 Client Project Name: Rovandole



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

0.2 4.4 0.3

Page: 1 of 3
 Date: _____
 Ice Present? _____
 Cooler Temps: see CRF
 No. of Coolers: 3

Analysis Requested

Sample ID	Date	Time	Matrix	No. Containers	Analysis Requested		Notes/Comments
					Asgh, Sph, V, K	TDS	
MW-5A-0122	1/5/22	1407	GW	3	X	X	Hold Dissolved
Infiltration Ponds-0122	1/5/22	1415	GW	3	X	X	
MW-35A-0122	1/5/22	1415	GW	3	X	X	
MW-1A-0122	1/5/22	1523	GW	3	X	X	
MW-2A-0122	1/6/22	0840	GW	3	X	X	
MW-45A-0122	1/6/22	0840	GW	3	X	X	
MW-6A-0122	1/6/22	0935	GW	3	X	X	
MW-8A-0122	1/6/22	1103	GW	3	X	X	
MW-3A-0122	1/6/22	1218	GW	3	X	X	
MW-9A-1-0122	1/6/22	1235	DI	3	X	X	
Comments/Special Instructions Analyze in accordance w/ MSA between Golder & ARI Ecology EIM EDD					Relinquished by: <u>Eric Adams</u> Received by: <u>Rovandole</u> Relinquished by: (Signature) Received by: (Signature) Printed Name: <u>Eric Adams</u> Printed Name: <u>Rovandole</u> Company: <u>Golder</u> Company: <u>ARI</u> Date & Time: <u>1/7/22 1535</u> Date & Time: <u>1/7/22 1535</u>		

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: 22AD082
ARI Client Company: Golder
Client Contact: Joseph Xi
Client Project Name: Ravenstoele
Client Project #: 192030402

Turn-around Requested: Standard
Phone: 425-883-0777
Page: 2 of 3
Ice Present?
Cooler Temps: see CRF

0.2 4.4 0.3



Analytical Resources, Incorporated
Analytical Chemists and Consultants
4611 South 134th Place, Suite 100
Tukwila, WA 98168
206-695-6200 206-695-6201 (fax)
www.arilabs.com

Sample ID	Date	Time	Matrix	No. Containers	Analysis Requested												Notes/Comments	
					Total Metals	As	Pb	Sb	V	K	MS/MSD	TDS	Other	Other	Other	Other		
<u>Weir - 0122</u>	<u>1/6/22</u>	<u>1250</u>	<u>SW</u>	<u>5</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>MS/MSD</u>	<u>Hold Dissolved</u>	
<u>P-16-0122</u>	<u>1/6/22</u>	<u>1403</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>South Pond - 0122</u>	<u>1/6/22</u>	<u>1420</u>	<u>SW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>MW-10A-0122</u>	<u>1/6/22</u>	<u>1517</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>Fill Well - 0122</u>	<u>1/7/22</u>	<u>0840</u>	<u>SW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>MW-9A-0122</u>	<u>1/7/22</u>	<u>1003</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>MW-4A-0122</u>	<u>1/7/22</u>	<u>1047</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>P-17-0122</u>	<u>1/7/22</u>	<u>1140</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>Intercept Trench-0122</u>	<u>1/7/22</u>	<u>1158</u>	<u>SW</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>P-14-0122</u>	<u>1/7/22</u>	<u>1303</u>	<u>GW</u>	<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Comments/Special Instructions	Relinquished by: <u>Eric Adams</u>	Received by: <u>Karen Barbera</u>	Relinquished by: <u>Eric Adams</u>	Received by: <u>Karen Barbera</u>													Relinquished by: <u>Eric Adams</u>	Received by: <u>Karen Barbera</u>
Analyze in accordance w/MSA between Golder & ARI	Printed Name: <u>Eric Adams</u>	Printed Name: <u>Karen Barbera</u>	Printed Name: <u>Eric Adams</u>	Printed Name: <u>Karen Barbera</u>													Printed Name: <u>Eric Adams</u>	Printed Name: <u>Karen Barbera</u>
Ecology EIM EDD	Company: <u>Golder</u>	Company: <u>ARI</u>	Company: <u>Golder</u>	Company: <u>ARI</u>													Company: <u>Golder</u>	Company: <u>ARI</u>
	Date & Time: <u>1/7/22 1535</u>	Date & Time: <u>1/7/22 1535</u>	Date & Time: <u>1/7/22 1535</u>	Date & Time: <u>1/7/22 1535</u>													Date & Time: <u>1/7/22 1535</u>	Date & Time: <u>1/7/22 1535</u>

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, not withstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-5A-0122
22A0182-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/05/2022 14:07
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 00:56

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-01 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	6.42	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.0850	ug/L	J
Vanadium	7440-62-2	1	0.0556	0.200	1.80	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-5A-0122
22A0182-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/05/2022 14:07
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 00:56

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-01 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic	7440-38-2	1	0.0373	0.200	3.38	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-5A-0122
22A0182-01 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/05/2022 14:07
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 16:44

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-01 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	252	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-5A-0122
22A0182-01 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/05/2022 14:07
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-01
Preparation Batch: BKA0194 Sample Size: 75 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	13	13	829	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Infiltration Ponds-0122
22A0182-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/05/2022 14:10
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:22

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-03 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	6.32	ug/L	
Lead	7439-92-1	1	0.0513	0.100	6.31	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	3.36	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Infiltration Ponds-0122
22A0182-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/05/2022 14:10
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:22

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-03 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	12.1	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Infiltration Ponds-0122
22A0182-03 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/05/2022 14:10
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 16:47

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-03 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	226	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Infiltration Ponds-0122
22A0182-03 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/05/2022 14:10
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-03
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	679	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-35A-0122
22A0182-05 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/05/2022 14:15
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:27

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-05 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	6.61	ug/L	
Lead	7439-92-1	1	0.0513	0.100	6.40	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	3.40	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-35A-0122
22A0182-05 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/05/2022 14:15
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:27

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-05 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	12.3	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-35A-0122
22A0182-05 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/05/2022 14:15
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:35

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-05 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	228	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-35A-0122
22A0182-05 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/05/2022 14:15
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-05
Preparation Batch: BKA0194 Sample Size: 75 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	13	13	736	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-1A-0122
22A0182-07 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/05/2022 15:23
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:32

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-07 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	1.06	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	0.782	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-1A-0122
22A0182-07 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/05/2022 15:23
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:32

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-07 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic	7440-38-2	1	0.0373	0.200	1.02	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-1A-0122
22A0182-07 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/05/2022 15:23
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:38

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-07 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	18.1	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-1A-0122
22A0182-07 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/05/2022 15:23
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-07
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	255	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-2A-0122
22A0182-09 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-09 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	3.24	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.19	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-2A-0122
22A0182-09 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-09 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic	7440-38-2	1	0.0373	0.200	1.89	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-2A-0122
22A0182-09 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 08:40
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:43

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-09 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	80.7	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-2A-0122
22A0182-09 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 08:40
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-09
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	368	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-45A-0122
22A0182-11 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:42

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-11 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	3.26	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.25	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-45A-0122
22A0182-11 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:42

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-11 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	2.03	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-45A-0122
22A0182-11 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 08:40
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:45

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-11 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	79.4	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-45A-0122
22A0182-11 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 08:40
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-11
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	375	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-6A-0122
22A0182-13 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 09:35
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:46

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-13 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	7.89	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.115	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	0.912	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-6A-0122
22A0182-13 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 09:35
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:46

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-13 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	2.41	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-6A-0122
22A0182-13 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 09:35
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:50

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-13 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	333	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-6A-0122
22A0182-13 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 09:35
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-13
Preparation Batch: BKA0194 Sample Size: 75 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	13	13	1040	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-8A-0122
22A0182-15 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 11:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:52

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-15 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	5.21	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	3.87	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-8A-0122
22A0182-15 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 11:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:52

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-15 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	6.64	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-8A-0122
22A0182-15 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 11:03
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:53

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-15 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	169	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-8A-0122
22A0182-15 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 11:03
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-15
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	595	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-3A-0122
22A0182-17 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 12:18
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:57

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-17 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	8.89	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.265	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	2.61	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-3A-0122
22A0182-17 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 12:18
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 01:57

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-17 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	2.04	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-3A-0122
22A0182-17 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 12:18
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 17:56

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-17 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	53.4	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-3A-0122
22A0182-17 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 12:18
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-17
Preparation Batch: BKA0194 Sample Size: 200 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	242	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-99-1-0122
22A0182-19 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 12:35
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:03

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-19 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	ND	ug/L	U
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	ND	ug/L	U



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-99-1-0122
22A0182-19 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 12:35
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:03

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-19 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	ND	ug/L	U



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-99-1-0122
22A0182-19 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 12:35
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 18:01

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-19 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	ND	mg/L	U



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-99-1-0122
22A0182-19 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 12:35
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-19
Preparation Batch: BKA0194 Sample Size: 200 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	ND	mg/L	U



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Weir-0122
22A0182-21 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 12:50
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 03:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-21 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	5.52	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.698	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	1.30	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Weir-0122
22A0182-21 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 12:50
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 03:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-21 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	4.33	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Weir-0122
22A0182-21 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 12:50
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 18:32

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-21 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	50.5	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Weir-0122
22A0182-21 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 12:50
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:04

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-21
Preparation Batch: BKA0194 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	228	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-16-0122
22A0182-23 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 14:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:29

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-23 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	10	1.01	2.00	9.63	ug/L	D
Lead	7439-92-1	10	0.513	1.00	14.6	ug/L	D
Vanadium	7440-62-2	10	0.556	2.00	292	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-16-0122
22A0182-23 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 14:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:29

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-23 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	10	0.373	2.00	109	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-16-0122
22A0182-23 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 14:03
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 18:46

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-23 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	10	1.07	5.00	809	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-16-0122
22A0182-23 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 14:03
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-23
Preparation Batch: BKA0195 Sample Size: 20 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	50	50	2420	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

South Pond-0122
22A0182-25 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 14:20
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:35

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-25 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	2.29	ug/L	
Lead	7439-92-1	1	0.0513	0.100	2.29	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	4.27	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

South Pond-0122
22A0182-25 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 14:20
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:35

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-25 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	4.42	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

South Pond-0122
22A0182-25 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 14:20
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 18:49

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-25 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	77.1	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

South Pond-0122
22A0182-25 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 14:20
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-25
Preparation Batch: BKA0195 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	300	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-10A-0122
22A0182-27 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/06/2022 15:17
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:40

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-27 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	0.151	ug/L	J
Lead	7439-92-1	1	0.0513	0.100	0.109	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	1.03	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-10A-0122
22A0182-27 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/06/2022 15:17
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:40

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-27 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.13	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-10A-0122
22A0182-27 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/06/2022 15:17
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:05

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-27 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	2.66	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-10A-0122
22A0182-27 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/06/2022 15:17
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-27
Preparation Batch: BKA0195 Sample Size: 200 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	141	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Still Well-0122
22A0182-29 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:30

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-29 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	8.39	ug/L	D
Lead	7439-92-1	1	0.0513	0.100	4.26	ug/L	
Vanadium	7440-62-2	1	0.0556	0.200	3.34	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Still Well-0122
22A0182-29 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 08:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:30

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-29 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	50.3	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Still Well-0122
22A0182-29 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 08:40
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:08

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-29 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	486	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Still Well-0122
22A0182-29 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 08:40
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-29
Preparation Batch: BKA0195 Sample Size: 5 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	200	200	1900	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-9A-0122
22A0182-31 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 10:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:49

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-31 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	0.181	ug/L	J
Lead	7439-92-1	1	0.0513	0.100	0.0560	ug/L	J
Vanadium	7440-62-2	1	0.0556	0.200	1.03	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-9A-0122
22A0182-31 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 10:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:49

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-31 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.02	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-9A-0122
22A0182-31 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 10:03
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:13

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-31 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	2.91	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-9A-0122
22A0182-31 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 10:03
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-31
Preparation Batch: BKA0195 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	404	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-4A-0122
22A0182-33 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 10:47
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:54

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-33 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	ND	ug/L	U
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.73	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-4A-0122
22A0182-33 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 10:47
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:54

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-33 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	0.383	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-4A-0122
22A0182-33 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 10:47
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:16

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-33 B 02
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	0.774	mg/L	J, D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

MW-4A-0122
22A0182-33 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 10:47
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-33
Preparation Batch: BKA0195 Sample Size: 200 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	270	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-17-0122
22A0182-35 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 11:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:59

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-35 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	1.26	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.80	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-17-0122
22A0182-35 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 11:40
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 02:59

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-35 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	2.81	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-17-0122
22A0182-35 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 11:40
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:19

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-35 B 01
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	8.03	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-17-0122
22A0182-35 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 11:40
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-35
Preparation Batch: BKA0195 Sample Size: 100 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	388	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Interceptor Trench-0122
22A0182-37 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 11:58
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-37
Preparation Batch: BKA0195 Sample Size: 200 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	288	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-14-0122
22A0182-38 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 13:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-38 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection		Reporting		Result	Units	Notes
			Limit	Limit	Limit	Limit			
Antimony	7440-36-0	5	0.505	1.00	51.8	ug/L	D		
Lead	7439-92-1	5	0.257	0.500	9.19	ug/L	D		
Vanadium	7440-62-2	5	0.278	1.00	6.77	ug/L	D		



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-14-0122
22A0182-38 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 13:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-38 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	5	0.187	1.00	76.3	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-14-0122
22A0182-38 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 13:03
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:23

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-38 B 01
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	1480	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-14-0122
22A0182-38 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 13:03
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-38
Preparation Batch: BKA0195 Sample Size: 2 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	500	500	4850	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-15-0122
22A0182-40 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/07/2022 14:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:43

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-40 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection		Reporting		Result	Units	Notes
			Limit	Limit	Limit	Limit			
Antimony	7440-36-0	5	0.505	1.00	5.17	ug/L	D		
Lead	7439-92-1	5	0.257	0.500	101	ug/L	D		
Vanadium	7440-62-2	5	0.278	1.00	0.515	ug/L	J, D		



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-15-0122
22A0182-40 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/07/2022 14:03
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 17:43

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0182-40 B 02
Preparation Batch: BKA0471 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	5	0.187	1.00	6.34	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-15-0122
22A0182-40 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/07/2022 14:03
Instrument: ICP2 Analyst: MVP Analyzed: 01/20/2022 19:26

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0182-40 B 01
Preparation Batch: BKA0415 Sample Size: 25 mL
Prepared: 01/19/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	5	0.534	2.50	884	mg/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

P-15-0122
22A0182-40 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/07/2022 14:03
Instrument: BAL2 Analyst: DOE Analyzed: 01/11/2022 08:37

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0182-40
Preparation Batch: BKA0195 Sample Size: 5 mL
Prepared: 01/11/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	200	200	3420	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKA0415 - TWC EPA 3010A

Instrument: ICP2 Analyst: MVP

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0415-BLK1)						Prepared: 19-Jan-2022 Analyzed: 20-Jan-2022 16:41					
Potassium	ND	0.107	0.500	mg/L							U
LCS (BKA0415-BS1)						Prepared: 19-Jan-2022 Analyzed: 20-Jan-2022 18:14					
Potassium	9.96	0.107	0.500	mg/L	10.0		99.6	80-120			
Duplicate (BKA0415-DUP1)						Source: 22A0182-21 Prepared: 19-Jan-2022 Analyzed: 20-Jan-2022 18:29					
Potassium	49.8	0.534	2.50	mg/L		50.5			1.44	20	D
Matrix Spike (BKA0415-MS1)						Source: 22A0182-21 Prepared: 19-Jan-2022 Analyzed: 20-Jan-2022 18:37					
Potassium	56.9	0.534	2.50	mg/L	10.0	50.5	63.3	75-125			*, D

Recovery limits for target analytes in MS/MSD QC samples are advisory only.

Matrix Spike Dup (BKA0415-MSD1)						Source: 22A0182-21 Prepared: 19-Jan-2022 Analyzed: 20-Jan-2022 18:41					
Potassium	60.5	0.534	2.50	mg/L	10.0	50.5	99.9	75-125	6.23	20	D

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/ 152030402
Project Manager: Joseph Xi

Reported:
26-Jan-2022 16:03

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKA0471 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS2 Analyst: MCB

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0471-BLK1)						Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 00:16						
Antimony	121	ND	0.101	0.200	ug/L							U
Antimony	123	ND	0.102	0.200	ug/L							U
Lead	208	ND	0.0513	0.100	ug/L							U
Vanadium	51a	ND	0.0556	0.200	ug/L							U
Vanadium	51b	ND	0.0521	0.200	ug/L							U
Arsenic	75a	ND	0.0373	0.200	ug/L							U

LCS (BKA0471-BS1)						Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 00:21						
Antimony	121	25.9	0.101	0.200	ug/L	25.0		104	80-120			
Antimony	123	25.7	0.102	0.200	ug/L	25.0		103	80-120			
Lead	208	27.1	0.0513	0.100	ug/L	25.0		108	80-120			
Vanadium	51a	24.9	0.0556	0.200	ug/L	25.0		99.7	80-120			
Vanadium	51b	24.9	0.0521	0.200	ug/L	25.0		99.8	80-120			
Arsenic	75a	24.3	0.0373	0.200	ug/L	25.0		97.4	80-120			

Duplicate (BKA0471-DUP1)						Source: 22A0182-21 Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 03:42						
Antimony	121	5.59	0.101	0.200	ug/L		5.52			1.40	20	
Lead	208	0.706	0.0513	0.100	ug/L		0.698			1.14	20	
Vanadium	51a	1.32	0.0556	0.200	ug/L		1.30			1.37	20	
Arsenic	75a	4.30	0.0373	0.200	ug/L		4.33			0.88	20	

Matrix Spike (BKA0471-MS1)						Source: 22A0182-21 Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 03:47						
Antimony	121	32.3	0.101	0.200	ug/L	25.0	5.52	107	75-125			
Lead	208	25.1	0.0513	0.100	ug/L	25.0	0.698	97.5	75-125			
Vanadium	51a	25.4	0.0556	0.200	ug/L	25.0	1.30	96.4	75-125			
Arsenic	75a	28.6	0.0373	0.200	ug/L	25.0	4.33	97.3	75-125			

Recovery limits for target analytes in MS/MSD QC samples are advisory only.

Matrix Spike Dup (BKA0471-MSD1)						Source: 22A0182-21 Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 03:53						
Antimony	121	32.3	0.101	0.200	ug/L	25.0	5.52	107	75-125	0.09	20	
Lead	208	26.6	0.0513	0.100	ug/L	25.0	0.698	103	75-125	5.78	20	
Vanadium	51a	26.4	0.0556	0.200	ug/L	25.0	1.30	101	75-125	3.95	20	
Arsenic	75a	29.5	0.0373	0.200	ug/L	25.0	4.33	101	75-125	2.84	20	

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BKA0194 - No Prep Wet Chem

Instrument: BAL2 Analyst: DOE

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0194-BLK1)						Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:04					
Dissolved Solids	ND	5	5	mg/L							U
LCS (BKA0194-BS1)						Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:04					
Dissolved Solids	494	10	10	mg/L	500		98.8	90-110			
Duplicate (BKA0194-DUP1)						Source: 22A0182-21 Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:04					
Dissolved Solids	228	10	10	mg/L		228			0.00		



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BKA0195 - No Prep Wet Chem

Instrument: BAL2 Analyst: DOE

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0195-BLK1)						Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:37					
Dissolved Solids	ND	5	5	mg/L							U
LCS (BKA0195-BS1)						Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:37					
Dissolved Solids	503	10	10	mg/L	500		101	90-110			
Duplicate (BKA0195-DUP1)						Source: 22A0182-23 Prepared: 11-Jan-2022 Analyzed: 11-Jan-2022 08:37					
Dissolved Solids	2480	50	50	mg/L		2420			2.25	20	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/ 152030402 Project Manager: Joseph Xi	Reported: 26-Jan-2022 16:03
---	--	---------------------------------------

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BKA0450 - No Prep Wet Chem

Instrument: BAL2 Analyst: DOE

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0450-BLK1)						Prepared: 20-Jan-2022 Analyzed: 20-Jan-2022 09:20					
Dissolved Solids	ND	5	5	mg/L							U
LCS (BKA0450-BS1)						Prepared: 20-Jan-2022 Analyzed: 20-Jan-2022 09:20					
Dissolved Solids	499	10	10	mg/L	500		99.8	90-110			



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/ 152030402
Project Manager: Joseph Xi

Reported:
26-Jan-2022 16:03

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Water	
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	NELAP,DoD-ELAP,WADOE
Vanadium-51b	NELAP,DoD-ELAP,WADOE
EPA 200.8 UCT-KED in Water	
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP
EPA 6010D in Water	
Potassium	WADOE,NELAP,DoD-ELAP
SM 2540 C-97 in Water	
Dissolved Solids	DoD-ELAP,WADOE,WA-DW,NELAP

Code	Description	Number	Expires
ADEC	Alaska Dept of Environmental Conservation	17-015	03/28/2023
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program	66169	02/28/2022
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-012	05/12/2022
WADOE	WA Dept of Ecology	C558	06/30/2022
WA-DW	Ecology - Drinking Water	C558	06/30/2022



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/ 152030402
Project Manager: Joseph Xi

Reported:
26-Jan-2022 16:03

Notes and Definitions

- * Flagged value is not within established control limits.
- B This analyte was detected in the method blank.
- D The reported value is from a dilution
- J Estimated concentration value detected below the reporting limit.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.



Analytical Resources, LLC
Analytical Chemists and Consultants

25 January 2022

Joseph Xi
Golder Associates
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333

RE: Ravensdale (Ravensdale/152030402)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
22A0208

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, LLC

Kelly Bottem, Client Services Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, LLC
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)

ARI Assigned Number: 22A0208	Turn-around Requested: Standard	Page: _____ of _____
ARI Client Company: Golder	Phone: 425-883-0777	Date: _____ Ice Present? <input type="checkbox"/>
Client Contact: Joseph Xi	No. of Coolers:	Cooler Temps: 0.9°C
Client Project Name: Rovendale	Analysis Requested	

Sample ID	Date	Time	Matrix	No. Containers	Total metals As, Pb, 56, V, K	TDS	Analysis Requested										Notes/Comments	
mw-7A-0122	1/10/22	1:51	GW	3	X	X												
																		Hold Dissolved

Comments/Special Instructions
**Analyze in accordance
 w/MSA between
 Golder + ARI
 Ecology EIM EDD**

Relinquished by: (Signature)	Received by: (Signature)	Relinquished by: (Signature)	Received by: (Signature)
Printed Name: Ryan Kobel	Printed Name: Dmitri Comradov	Printed Name:	Printed Name:
Company: Golder Assoc.	Company: ARI	Company:	Company:
Date & Time: 1/10/22 2:59	Date & Time: 1/10/22 1459	Date & Time:	Date & Time:

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/152030402
Project Manager: Joseph Xi

Reported:
25-Jan-2022 17:11

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-7A-0122	22A0208-01	Water	10-Jan-2022 01:51	10-Jan-2022 14:59



Golder Associates

18300 NE Union Hill Road Suite 200

Redmond WA, 98052-3333

Project: Ravensdale

Project Number: Ravensdale/152030402

Project Manager: Joseph Xi

Reported:

25-Jan-2022 17:11

Work Order Case Narrative

Total Metals - EPA Method 200.8 and 6010D

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

22A0208

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates **Project Manager:** Kelly Bottem
Project: Ravensdale **Project Number:** Ravensdale/152030402

Report To:

Golder Associates
Joseph Xi
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333
Phone: 425-883-0777
Fax: -

Invoice To:

Golder Associates
Gary Zimmerman
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333
Phone :425-883-0777
Fax: -

Date Due: 25-Jan-2022 18:00 (10 day TAT)

Received By: Dimitri Lominadze

Date Received: 10-Jan-2022 14:59

Logged In By: Arden B Paist

Date Logged In: 11-Jan-2022 10:26

Samples Received at: 0.9°C

Intact, properly signed and dated custody seals attached to outside of cooler(s).....No	Custody papers included with the cooler.....	Yes
Custody papers properly filled out (in, signed, analyses requested, etc).....Yes	Was a temperature blank included in the cooler.....	No
Was sufficient ice used (if appropriate).....Yes	All bottles sealed in individual plastic bags.....	Yes
All bottles arrived in good condition (unbroken).....Yes	All bottle labels complete and legible.....	Yes
Number of containers listed on COC match number received.....Yes	Bottle labels and tags agree with COC.....	No
Correct bottles used for the requested analyses.....Yes	All VOC vials free of air bubbles.....	No
Analyses/bottles require preservation (attach preservation sheet excluding VOC).....Yes	Sufficient amount of sample sent in each bottle.....	Yes
Sample split at ARI.....No		

22A0208-01 MW-7A-0122 [Water] Sampled 10-Jan-2022 01:51

Met 200.8 - As UCT	01/25/2022	10	7/9/2022
Met 200.8 - Pb	01/25/2022	10	7/9/2022
Met 200.8 - Sb	01/25/2022	10	7/9/2022
Met 200.8 - V	01/25/2022	10	7/9/2022
Met 6010D - K	01/25/2022	10	7/9/2022
Solids, Total Dissolved SM 2540 C-97	01/25/2022	10	1/17/2022

22A0208-02 MW-7A-0122 [Water] Sampled 10-Jan-2022 01:51

Hold Sample (No Analysis)	01/25/2022	10	1/10/2023
---------------------------	------------	----	-----------

Preservation Confirmation

Container ID	Container Type	pH	
22A0208-01 A	HDPE NM, 500 mL, 1:1 HNO3	7.2	Pass
22A0208-01 B	HDPE NM, 1000 mL		
22A0208-02 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	7.2	Pass

Preservation Confirmed By *AP*

Date *01/11/22*



Cooler Receipt Form

ARI Client: Golden

Project Name: Ravensdale

COC No(s): _____ NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 2240208

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 1459 0.9

If cooler temperature is out of compliance fill out form 00070F Temp Gun ID#: DOO2565

Cooler Accepted by: DC Date: 1/10/22 Time: 1459

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? NA YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: AP Date: 01/11/22 Time: 1026 Labels checked by: _____

**** Notify Project Manager of discrepancies or concerns ****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

collection time differs on COC and bottle labels

By: AP Date: 01/11/22



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

MW-7A-0122
22A0208-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 01/10/2022 01:51
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/24/2022 18:29

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0208-01 A 02
Preparation Batch: BKA0494 Sample Size: 25 mL
Prepared: 01/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	3.89	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.04	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

MW-7A-0122
22A0208-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 01/10/2022 01:51
Instrument: ICPMS2 Analyst: MCB Analyzed: 01/21/2022 23:05

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22A0208-01 A 02
Preparation Batch: BKA0494 Sample Size: 25 mL
Prepared: 01/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic	7440-38-2	1	0.0373	0.200	2.07	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

MW-7A-0122
22A0208-01 (Water)

Metals and Metallic Compounds

Method: EPA 6010D Sampled: 01/10/2022 01:51
Instrument: ICP2 Analyst: SKD Analyzed: 01/21/2022 17:15

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22A0208-01 A 01
Preparation Batch: BKA0460 Sample Size: 25 mL
Prepared: 01/20/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	1	0.107	0.500	98.0	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

MW-7A-0122
22A0208-01 (Water)

Wet Chemistry

Method: SM 2540 C-97 Sampled: 01/10/2022 01:51
Instrument: BAL2 Analyst: DOE Analyzed: 01/12/2022 13:47

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22A0208-01
Preparation Batch: BKA0248 Sample Size: 100 mL
Prepared: 01/12/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	419	mg/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKA0460 - TWC EPA 3010A

Instrument: ICP2 Analyst: SKD

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0460-BLK1)						Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 17:09					
Potassium	ND	0.107	0.500	mg/L							U
LCS (BKA0460-BS1)						Prepared: 20-Jan-2022 Analyzed: 21-Jan-2022 17:39					
Potassium	9.88	0.107	0.500	mg/L	10.0		98.8	80-120			



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKA0494 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS2 Analyst: MCB

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0494-BLK1)						Prepared: 21-Jan-2022 Analyzed: 21-Jan-2022 17:02						
Lead	208	ND	0.0513	0.100	ug/L							U
Arsenic	75a	ND	0.0373	0.200	ug/L							U
Blank (BKA0494-BLK2)						Prepared: 21-Jan-2022 Analyzed: 24-Jan-2022 16:17						
Antimony	121	ND	0.101	0.200	ug/L							U
Antimony	123	ND	0.102	0.200	ug/L							U
Vanadium	51a	ND	0.0556	0.200	ug/L							U
Vanadium	51b	ND	0.0521	0.200	ug/L							U
LCS (BKA0494-BS1)						Prepared: 21-Jan-2022 Analyzed: 21-Jan-2022 17:07						
Lead	208	25.7	0.0513	0.100	ug/L	25.0		103	80-120			
Arsenic	75a	23.1	0.0373	0.200	ug/L	25.0		92.5	80-120			
LCS (BKA0494-BS2)						Prepared: 21-Jan-2022 Analyzed: 24-Jan-2022 16:22						
Antimony	121	25.3	0.101	0.200	ug/L	25.0		101	80-120			
Antimony	123	24.8	0.102	0.200	ug/L	25.0		99.3	80-120			
Vanadium	51a	23.3	0.0556	0.200	ug/L	25.0		93.0	80-120			
Vanadium	51b	23.4	0.0521	0.200	ug/L	25.0		93.6	80-120			



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale/152030402 Project Manager: Joseph Xi	Reported: 25-Jan-2022 17:11
---	---	---------------------------------------

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BKA0248 - No Prep Wet Chem

Instrument: BAL2 Analyst: DOE

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKA0248-BLK1)						Prepared: 12-Jan-2022 Analyzed: 12-Jan-2022 13:47					
Dissolved Solids	ND	5	5	mg/L							U
LCS (BKA0248-BS1)						Prepared: 12-Jan-2022 Analyzed: 12-Jan-2022 13:47					
Dissolved Solids	495	10	10	mg/L	500		99.0	90-110			
Duplicate (BKA0248-DUP1)						Source: 22A0208-01 Prepared: 12-Jan-2022 Analyzed: 12-Jan-2022 13:47					
Dissolved Solids	420	10	10	mg/L		419			0.24	20	



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/152030402
Project Manager: Joseph Xi

Reported:
25-Jan-2022 17:11

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Water</i>	
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	NELAP,DoD-ELAP,WADOE
Vanadium-51b	NELAP,DoD-ELAP,WADOE
<i>EPA 200.8 UCT-KED in Water</i>	
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP
<i>EPA 6010D in Water</i>	
Potassium	WADOE,NELAP,DoD-ELAP
<i>SM 2540 C-97 in Water</i>	
Dissolved Solids	DoD-ELAP,WADOE,WA-DW,NELAP

Code	Description	Number	Expires
ADEC	Alaska Dept of Environmental Conservation	17-015	03/28/2023
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program	66169	02/28/2022
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-012	05/12/2022
WADOE	WA Dept of Ecology	C558	06/30/2022
WA-DW	Ecology - Drinking Water	C558	06/30/2022



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale/152030402
Project Manager: Joseph Xi

Reported:
25-Jan-2022 17:11

Notes and Definitions

- B This analyte was detected in the method blank.
- D The reported value is from a dilution
- J Estimated concentration value detected below the reporting limit.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.



Analytical Resources, LLC
Analytical Chemists and Consultants

10 March 2022

Gary Zimmerman
Golder Associates
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333

RE: Ravensdale (Ravensdale)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
22B0334

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, LLC

Kelly Bottem, Client Services Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

ARI Assigned Number: 22B0334	Turn-around Requested: Standards	Page: 1 of 1
ARI Client Company: Golder	Phone:	Date: 2/23/22
Client Contact: Joseph Xi		Ice Present? Yes
Client Project Name: Laverdale		No. of Coolers: 1
		Cooler Temps: 2.3

Sample ID	Date	Time	Matrix	No. Containers	Analysis Requested								Notes/Comments		
					As, Pb, Sb, V	As, Pb, Sb, V									
Tank-Influent	2/23/22	1533	W	1	X										
Tank-Effluent	↓	1600	↓	1	X										
As-Effluent	↓	1620	↓	2	X	X									Please filter dissolved metals & preserve.
Comments/Special Instructions	Relinquished by: (Signature)	[Signature]			Received by: (Signature)	[Signature]			Relinquished by: (Signature)				Received by: (Signature)		
	Printed Name:	Joseph Xi / David Low			Printed Name:	Arden Paist			Printed Name:				Printed Name:		
	Company:	Golder			Company:	ARI			Company:				Company:		
	Date & Time:	2/23/22 1533			Date & Time:	2/23/22 1533			Date & Time:				Date & Time:		

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Tank-Influent	22B0334-01	Water	23-Feb-2022 10:00	23-Feb-2022 15:33
Tank-Effluent	22B0334-02	Water	23-Feb-2022 10:10	23-Feb-2022 15:33
As-Effluent	22B0334-03	Water	23-Feb-2022 10:20	23-Feb-2022 15:33
As-Effluent	22B0334-04	Water	23-Feb-2022 10:20	23-Feb-2022 15:33



Golder Associates

18300 NE Union Hill Road Suite 200

Redmond WA, 98052-3333

Project: Ravensdale

Project Number: Ravensdale

Project Manager: Gary Zimmerman

Reported:

10-Mar-2022 16:43

Work Order Case Narrative

Total and Dissolved Metals - EPA Method 200.8

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

22B0334

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

Preservation Confirmation

Container ID	Container Type	pH	
22B0334-01 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-02 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-03 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-04 A	HDPE NM, 500 mL	>2	Fail

RV

Preservation Confirmed By

2/23/22
Date



Cooler Receipt Form

ARI Client: Goldier

Project Name: Ravensdale

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 22B0334

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 1533 2:3

If cooler temperature is out of compliance fill out form 00070F

Temp Gun ID#: DOO 3009708

Cooler Accepted by: AP Date: 2/23/22 Time: 1533

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? NA YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: RP Date: 2/23/22 Time: 1553 Labels checked by: _____

**** Notify Project Manager of discrepancies or concerns ****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



WORK ORDER

22B0334

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

Preservation Confirmation

Container ID	Container Type	pH	
22B0334-01 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-02 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-03 A	HDPE NM, 500 mL, 1:1 HNO3	<2	Pass
22B0334-04 A	HDPE NM, 500 mL	>2	Fail ①

RV

Preservation Confirmed By

2/23/22
Date

① filtered w/ 0.45µ
 & preserved to pH < 2
 with 0.75 mL conc. HNO₃
 (512635) MM 2/23/22



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

Tank-Influent
22B0334-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 02/23/2022 10:00
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:29

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-01 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	13.9	ug/L	D
Lead	7439-92-1	2	0.103	0.200	130	ug/L	D
Vanadium	7440-62-2	1	0.0556	0.200	3.69	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

Tank-Influent
22B0334-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 02/23/2022 10:00
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:29

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-01 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	33.6	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

Tank-Effluent
22B0334-02 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 02/23/2022 10:10
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:02

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-02 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	14.6	ug/L	D
Lead	7439-92-1	2	0.103	0.200	64.8	ug/L	D
Vanadium	7440-62-2	1	0.0556	0.200	3.69	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

Tank-Effluent
22B0334-02 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 02/23/2022 10:10
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:02

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-02 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	34.9	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

As-Effluent
22B0334-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 02/23/2022 10:20
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:07

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-03 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	13.9	ug/L	D
Lead	7439-92-1	2	0.103	0.200	42.9	ug/L	D
Vanadium	7440-62-2	1	0.0556	0.200	3.46	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

As-Effluent
22B0334-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 02/23/2022 10:20
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:07

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-03 A 03
Preparation Batch: BKC0174 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	32.0	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

As-Effluent
22B0334-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8 Sampled: 02/23/2022 10:20
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:12

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-04 A 02
Preparation Batch: BKC0172 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL Filtration Batch: BKB0561
Filtration Date: 02/23/2022 16:56

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony, Dissolved	7440-36-0	2	0.202	0.400	13.7	ug/L	D
Lead, Dissolved	7439-92-1	2	0.136	0.200	1.87	ug/L	D
Vanadium, Dissolved	7440-62-2	1	0.0556	0.200	3.28	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: Ravensdale Project Manager: Gary Zimmerman	Reported: 10-Mar-2022 16:43
---	--	---------------------------------------

As-Effluent
22B0334-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8 UCT-KED Sampled: 02/23/2022 10:20
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/09/2022 18:12

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22B0334-04 A 02
Preparation Batch: BKC0172 Sample Size: 25 mL
Prepared: 03/08/2022 Final Volume: 25 mL Filtration Batch: BKB0561
Filtration Date: 02/23/2022 16:56

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic, Dissolved	7440-38-2	2	0.0440	0.400	30.8	ug/L	D



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Gary Zimmerman

Reported:
10-Mar-2022 16:43

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKC0174 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS1 Analyst: SKD

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKC0174-BLK1)						Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 21:13						
Antimony	121	ND	0.101	0.200	ug/L							U
Antimony	123	ND	0.102	0.200	ug/L							U
Lead	208	ND	0.0513	0.100	ug/L							U
Vanadium	51a	ND	0.0556	0.200	ug/L							U
Vanadium	51b	ND	0.0521	0.200	ug/L							U
Arsenic	75a	ND	0.0373	0.200	ug/L							U
LCS (BKC0174-BS1)						Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 21:18						
Antimony	121	25.0	0.101	0.200	ug/L	25.0		100	80-120			
Antimony	123	24.9	0.102	0.200	ug/L	25.0		99.7	80-120			
Lead	208	25.7	0.0513	0.100	ug/L	25.0		103	80-120			
Vanadium	51a	22.9	0.0556	0.200	ug/L	25.0		91.6	80-120			
Vanadium	51b	23.1	0.0521	0.200	ug/L	25.0		92.5	80-120			
Arsenic	75a	23.8	0.0373	0.200	ug/L	25.0		95.0	80-120			



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Gary Zimmerman

Reported:
10-Mar-2022 16:43

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds (dissolved) - Quality Control

Batch BKC0172 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS1 Analyst: SKD

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKC0172-BLK1)						Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 21:03						
Antimony, Dissolved	121	ND	0.101	0.200	ug/L							U
Antimony, Dissolved	123	ND	0.102	0.200	ug/L							U
Lead, Dissolved	208	ND	0.0513	0.100	ug/L							U
Vanadium, Dissolved	51a	ND	0.0556	0.200	ug/L							U
Vanadium, Dissolved	51b	ND	0.0521	0.200	ug/L							U
Arsenic, Dissolved	75a	ND	0.0373	0.200	ug/L							U
LCS (BKC0172-BS1)						Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 21:08						
Antimony, Dissolved	121	25.4	0.101	0.200	ug/L	25.0		102	80-120			
Antimony, Dissolved	123	25.3	0.102	0.200	ug/L	25.0		101	80-120			
Lead, Dissolved	208	26.2	0.0513	0.100	ug/L	25.0		105	80-120			
Vanadium, Dissolved	51a	23.7	0.0556	0.200	ug/L	25.0		94.7	80-120			
Vanadium, Dissolved	51b	23.9	0.0521	0.200	ug/L	25.0		95.7	80-120			
Arsenic, Dissolved	75a	24.2	0.0373	0.200	ug/L	25.0		96.8	80-120			
Duplicate (BKC0172-DUP1)						Source: 22B0334-04 Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 23:49						
Vanadium, Dissolved	51a	3.24	0.0556	0.200	ug/L		3.28			1.07	20	
Duplicate (BKC0172-DUP2)						Source: 22B0334-04 Prepared: 08-Mar-2022 Analyzed: 09-Mar-2022 18:18						
Antimony, Dissolved	121	13.5	0.202	0.400	ug/L		13.7			1.95	20	D
Lead, Dissolved	208	1.84	0.103	0.200	ug/L		1.87			1.73	20	D
Arsenic, Dissolved	75a	30.2	0.0746	0.400	ug/L		30.8			1.86	20	D
Matrix Spike (BKC0172-MS1)						Source: 22B0334-04 Prepared: 08-Mar-2022 Analyzed: 08-Mar-2022 23:55						
Vanadium, Dissolved	51a	28.7	0.0556	0.200	ug/L	25.0	3.28	102	75-125			
Matrix Spike (BKC0172-MS2)						Source: 22B0334-04 Prepared: 08-Mar-2022 Analyzed: 09-Mar-2022 18:23						
Antimony, Dissolved	121	39.2	0.202	0.400	ug/L	25.0	13.7	102	75-125			D
Lead, Dissolved	208	25.2	0.103	0.200	ug/L	25.0	1.87	93.5	75-125			D
Arsenic, Dissolved	75a	55.3	0.0746	0.400	ug/L	25.0	30.8	98.2	75-125			D

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Gary Zimmerman

Reported:
10-Mar-2022 16:43

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Water	
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	NELAP,DoD-ELAP,WADOE
Vanadium-51b	NELAP,DoD-ELAP,WADOE
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-123	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	DoD-ELAP,NELAP,WADOE
Vanadium-51b	DoD-ELAP,NELAP,WADOE
EPA 200.8 UCT-KED in Water	
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP

Code	Description	Number	Expires
ADEC	Alaska Dept of Environmental Conservation	17-015	03/28/2023
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program	66169	02/28/2022
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-012	05/12/2022
WADOE	WA Dept of Ecology	C558	06/30/2022
WA-DW	Ecology - Drinking Water	C558	06/30/2022



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Gary Zimmerman

Reported:
10-Mar-2022 16:43

Notes and Definitions

- * Flagged value is not within established control limits.
- D The reported value is from a dilution
- J Estimated concentration value detected below the reporting limit.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.



Analytical Resources, LLC
Analytical Chemists and Consultants

24 March 2022

Joseph Xi
Golder Associates
18300 NE Union Hill Road Suite 200
Redmond, WA 98052-3333

RE: Ravensdale (GL152030402)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
22C0184

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, LLC

Kelly Bottem, Client Services Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

ARI Assigned Number: 22C0184	Turn-around Requested: STANDARD	Page: 1 of 1
ARI Client Company: GOLDER	Phone:	Date: 3/9/22
Client Contact: JOSEPH XI	No. of Coolers: 1	Ice Present? YES
Client Project Name: RAVENSDALE	Cooler Temps: 2.7	

Sample ID	Date	Time	Matrix	No. Containers	Analysis Requested								Notes/Comments		
					TOTAL As, Pb, Sb, V	DISSOLVED As, Pb, Sb, V									
TANK-INFLUENT	3/9/22	1135	W	1	X										
TANK-EFFLUENT	3/9/22	1140	W	1	X										
AS-EFFLUENT	3/9/22	1145	W	2	X	X									Lab to filter sample

Comments/Special Instructions <i>Please filter dissolved metal sample & preserve</i>	Relinquished by: (Signature) <i>DLAM</i>	Received by: (Signature) <i>Arden Paist</i>	Relinquished by: (Signature)	Received by: (Signature)
	Printed Name: DAVID LAM	Printed Name: Arden Paist	Printed Name:	Printed Name:
	Company: GOLDER	Company: ARI	Company:	Company:
	Date & Time: 3/9/22 1320	Date & Time: 3/09/22 1320	Date & Time:	Date & Time:

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, not withstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: GL152030402
Project Manager: Joseph Xi

Reported:
24-Mar-2022 12:28

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TANK-INFLUENT	22C0184-01	Water	09-Mar-2022 11:35	09-Mar-2022 13:20
TANK-EFFLUENT	22C0184-02	Water	09-Mar-2022 11:40	09-Mar-2022 13:20
AS-EFFLUENT	22C0184-03	Water	09-Mar-2022 11:45	09-Mar-2022 13:20
AS-EFFLUENT	22C0184-04	Water	09-Mar-2022 11:45	09-Mar-2022 13:20



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: GL152030402
Project Manager: Joseph Xi

Reported:
24-Mar-2022 12:28

Work Order Case Narrative

Total and Dissolved Metals - EPA Method 200.8

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

22C0184

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem


Project: Ravensdale

Project Number: GL152030402

Preservation Confirmation

Container ID	Container Type	pH
22C0184-01 A	HDPE NM, 500 mL, 1:1 HNO3	< 2 pass
22C0184-02 A	HDPE NM, 500 mL, 1:1 HNO3	< 2 pass
22C0184-03 A	HDPE NM, 500 mL, 1:1 HNO3	< 2 pass
22C0184-04 A	HDPE NM, 500 mL	> 2 fail

03/11/2022


Preservation Confirmed By

Date



Cooler Receipt Form

ARI Client: Goldier

Project Name: Ravensdale

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 2200184

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 1320 2.7

If cooler temperature is out of compliance fill out form 00070F Temp Gun ID#: 5009708

Cooler Accepted by: [Signature] Date: 3/09/22 Time: 1320

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? NA YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs)... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? NA YES NO

Date VOC Trip Blank was made at ARI..... NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: [Signature] Date: 03/11/2022 Time: 1728 Labels checked by: SLF

**** Notify Project Manager of discrepancies or concerns ****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



WORK ORDER

22C0184

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates


Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: GL152030402

Preservation Confirmation

Container ID	Container Type	pH
22C0184-01 A	HDPE NM, 500 mL, 1:1 HNO3	<2 pass
22C0184-02 A	HDPE NM, 500 mL, 1:1 HNO3	<2 pass
22C0184-03 A	HDPE NM, 500 mL, 1:1 HNO3	<2 pass
22C0184-04 A	HDPE NM, 500 mL	>2 fail (1)


Preservation Confirmed By

03/11/2022 (1) Filtered w/ 0.45µm
and preserved to pH 2
with 0.75N conc. HNO₃
(K1170) MM 3/14/22



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

TANK-INFLUENT
22C0184-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 03/09/2022 11:35
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 19:55

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-01 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	14.0	ug/L	D
Lead	7439-92-1	2	0.103	0.200	82.7	ug/L	D
Vanadium	7440-62-2	2	0.111	0.400	4.19	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

TANK-INFLUENT
22C0184-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 03/09/2022 11:35
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 19:55

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-01 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	30.9	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

TANK-EFFLUENT
22C0184-02 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 03/09/2022 11:40
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 20:00

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-02 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	13.9	ug/L	D
Lead	7439-92-1	2	0.103	0.200	44.1	ug/L	D
Vanadium	7440-62-2	2	0.111	0.400	3.80	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

TANK-EFFLUENT
22C0184-02 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 03/09/2022 11:40
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 20:00

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-02 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	29.5	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

AS-EFFLUENT
22C0184-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 Sampled: 03/09/2022 11:45
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 20:05

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-03 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	2	0.202	0.400	9.37	ug/L	D
Lead	7439-92-1	2	0.103	0.200	25.6	ug/L	D
Vanadium	7440-62-2	2	0.111	0.400	1.87	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

AS-EFFLUENT
22C0184-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8 UCT-KED Sampled: 03/09/2022 11:45
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 20:05

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-03 A 01
Preparation Batch: BKC0495 Sample Size: 25 mL
Prepared: 03/21/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	10.5	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

AS-EFFLUENT
22C0184-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8 Sampled: 03/09/2022 11:45
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 18:08

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-04 A 02
Preparation Batch: BKC0469 Sample Size: 25 mL
Prepared: 03/18/2022 Final Volume: 25 mL Filtration Batch: BKC0328
Filtration Date: 03/14/2022 16:58

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony, Dissolved	7440-36-0	5	0.505	1.00	9.69	ug/L	D
Lead, Dissolved	7439-92-1	1	0.0680	0.100	ND	ug/L	U
Vanadium, Dissolved	7440-62-2	1	0.0556	0.200	0.589	ug/L	



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

AS-EFFLUENT
22C0184-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8 UCT-KED Sampled: 03/09/2022 11:45
Instrument: ICPMS1 Analyst: MCB Analyzed: 03/21/2022 18:08

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix Extract ID: 22C0184-04 A 02
Preparation Batch: BKC0469 Sample Size: 25 mL
Prepared: 03/18/2022 Final Volume: 25 mL Filtration Batch: BKC0328
Filtration Date: 03/14/2022 16:58

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic, Dissolved	7440-38-2	5	0.110	1.00	7.54	ug/L	D



Golder Associates 18300 NE Union Hill Road Suite 200 Redmond WA, 98052-3333	Project: Ravensdale Project Number: GL152030402 Project Manager: Joseph Xi	Reported: 24-Mar-2022 12:28
---	--	---------------------------------------

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BKC0495 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS1 Analyst: MCB

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKC0495-BLK1)						Prepared: 21-Mar-2022 Analyzed: 21-Mar-2022 17:09						
Antimony	121	ND	0.101	0.200	ug/L							U
Antimony	123	ND	0.102	0.200	ug/L							U
Lead	208	ND	0.0513	0.100	ug/L							U
Vanadium	51a	ND	0.0556	0.200	ug/L							U
Vanadium	51b	ND	0.0521	0.200	ug/L							U
Arsenic	75a	ND	0.0373	0.200	ug/L							U
LCS (BKC0495-BS1)						Prepared: 21-Mar-2022 Analyzed: 21-Mar-2022 17:14						
Antimony	121	24.7	0.101	0.200	ug/L	25.0		98.7	80-120			
Antimony	123	25.5	0.102	0.200	ug/L	25.0		102	80-120			
Lead	208	25.6	0.0513	0.100	ug/L	25.0		102	80-120			
Vanadium	51a	22.3	0.0556	0.200	ug/L	25.0		89.4	80-120			
Vanadium	51b	22.7	0.0521	0.200	ug/L	25.0		90.9	80-120			
Arsenic	75a	24.3	0.0373	0.200	ug/L	25.0		97.4	80-120			



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: GL152030402
Project Manager: Joseph Xi

Reported:
24-Mar-2022 12:28

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds (dissolved) - Quality Control

Batch BKC0469 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Instrument: ICPMS1 Analyst: MCB

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BKC0469-BLK1)						Prepared: 18-Mar-2022 Analyzed: 18-Mar-2022 20:59						
Antimony, Dissolved	121	ND	0.101	0.200	ug/L							U
Antimony, Dissolved	123	ND	0.102	0.200	ug/L							U
Lead, Dissolved	208	ND	0.0513	0.100	ug/L							U
Vanadium, Dissolved	51a	ND	0.0556	0.200	ug/L							U
Vanadium, Dissolved	51b	ND	0.0521	0.200	ug/L							U
Arsenic, Dissolved	75a	ND	0.0373	0.200	ug/L							U
LCS (BKC0469-BS1)						Prepared: 18-Mar-2022 Analyzed: 18-Mar-2022 21:04						
Antimony, Dissolved	121	25.0	0.101	0.200	ug/L	25.0		99.8	80-120			
Antimony, Dissolved	123	25.1	0.102	0.200	ug/L	25.0		100	80-120			
Lead, Dissolved	208	27.5	0.0513	0.100	ug/L	25.0		110	80-120			
Vanadium, Dissolved	51a	23.2	0.0556	0.200	ug/L	25.0		93.0	80-120			
Vanadium, Dissolved	51b	23.2	0.0521	0.200	ug/L	25.0		93.0	80-120			
Arsenic, Dissolved	75a	24.0	0.0373	0.200	ug/L	25.0		96.0	80-120			
Duplicate (BKC0469-DUP1)						Source: 22C0184-04 Prepared: 18-Mar-2022 Analyzed: 18-Mar-2022 23:20						
Lead, Dissolved	208	0.0910	0.0513	0.100	ug/L		ND					J
Vanadium, Dissolved	51a	0.627	0.0556	0.200	ug/L		0.589			6.25	20	
Duplicate (BKC0469-DUP2)						Source: 22C0184-04 Prepared: 18-Mar-2022 Analyzed: 21-Mar-2022 18:14						
Antimony, Dissolved	121	9.17	0.505	1.00	ug/L		9.69			5.46	20	D
Arsenic, Dissolved	75a	7.83	0.187	1.00	ug/L		7.54			3.77	20	D
Matrix Spike (BKC0469-MS1)						Source: 22C0184-04 Prepared: 18-Mar-2022 Analyzed: 18-Mar-2022 23:26						
Lead, Dissolved	208	20.7	0.0513	0.100	ug/L	25.0	ND	82.4	75-125			
Vanadium, Dissolved	51a	24.4	0.0556	0.200	ug/L	25.0	0.589	95.1	75-125			
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												
Matrix Spike (BKC0469-MS2)						Source: 22C0184-04 Prepared: 18-Mar-2022 Analyzed: 21-Mar-2022 18:19						
Antimony, Dissolved	121	36.1	0.505	1.00	ug/L	25.0	9.69	106	75-125			D
Arsenic, Dissolved	75a	34.6	0.187	1.00	ug/L	25.0	7.54	108	75-125			D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: GL152030402
Project Manager: Joseph Xi

Reported:
24-Mar-2022 12:28

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Water	
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	NELAP,DoD-ELAP,WADOE
Vanadium-51b	NELAP,DoD-ELAP,WADOE
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-123	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	DoD-ELAP,NELAP,WADOE
Vanadium-51b	DoD-ELAP,NELAP,WADOE
EPA 200.8 UCT-KED in Water	
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP

Code	Description	Number	Expires
ADEC	Alaska Dept of Environmental Conservation	17-015	03/28/2023
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-012	05/12/2022
WADOE	WA Dept of Ecology	C558	06/30/2022
WA-DW	Ecology - Drinking Water	C558	06/30/2022



Golder Associates
18300 NE Union Hill Road Suite 200
Redmond WA, 98052-3333

Project: Ravensdale
Project Number: GL152030402
Project Manager: Joseph Xi

Reported:
24-Mar-2022 12:28

Notes and Definitions

- D The reported value is from a dilution
- J Estimated concentration value detected below the reporting limit.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.

APPENDIX D

Sample Integrity Data Sheets

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-7A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 10, 2022 **Time** 13:51

Media Groundwater **Station** MW-7A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 0.2 ft BTOC (January 10, 2022 2:20 PM); Well total depth at 20' BGS

Screen Interval: 10' - 20' BGS

Pump Intake: ~ 17' BGS

Sample Description clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3
1-500 mL	Dissolved Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-7A

Date 01/10/2022

Time Begin Purge 13:26

Time Collect Sample 13:51

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
0.2	13:26	7.71	470.5	7	5.86	195.6	5.57
0.2	13:31	7.43	465.1	6.9	5.49	196.5	3.30
0.2	13:36	7.37	465	7	5.4	196.5	3.47
0.2	13:41	7.34	467	7	5.45	197.0	2.99
0.2	13:46	7.32	465.2	7	5.4	197.2	3.19

Comments:

Flow Rate: 250 mL/min

RK

Sampler _____

Date January 10, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** Still Well - 0122

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 7, 2022 **Time** 08:40

Media Surface Water **Station** Still Well

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 0.65 ft BTOC (January 7, 2022 9:36 AM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID Still Well

Date 01/07/2022

Time Begin Purge N/A

Time Collect Sample 08:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	08:40	12.88	4,103	8.8	2.53	55.4	3.04

Comments:

Flow Rate: N/A mL/min

Added HNO₃ to metals bottles



Sampler _____

Date January 7, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-9A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 7, 2022 **Time** 10:03

Media Groundwater **Station** MW-9A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 2.25 ft BTOC (January 7, 2022 10:26 AM); Well total depth at 13' BGS

Screen Interval: 8' - 13' BGS

Pump Intake: ~ 10' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-9A

Date 01/07/2022

Time Begin Purge 09:30

Time Collect Sample 10:03

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
3.46	09:35	7.99	388.5	8	5.44	162.4	1.81
5.37	09:40	7.4	383.5	8.1	5.19	173.9	1.23
6.6	09:45	7.18	378.4	8	5.27	180.8	1.72
7.55	09:50	7.06	377.9	8.1	5.15	184.7	1.26
8.65	09:55	6.99	381.8	8.4	4.92	187.6	2.11
9.65	10:00	6.95	380.7	8.5	4.86	189.9	1.43

Comments:

Flow Rate: 200 mL/min

Eric Odors

Sampler _____

Date January 7, 2022

[Signature]

Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-4A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 7, 2022 **Time** 10:47

Media Groundwater **Station** MW-4A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 3.05 ft BTOC (January 7, 2022 11:10 AM); Well total depth at 20' BGS

Screen Interval: 5' - 20' BGS

Pump Intake: ~ 12' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-4A

Date 01/07/2022

Time Begin Purge 10:20

Time Collect Sample 10:47

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
3.37	10:25	6.52	247.7	8.9	5.08	197.7	4.46
3.45	10:30	6.38	246.3	8.8	4.77	202.5	3.25
3.5	10:35	6.33	249	8.8	4.56	206.1	3.32
3.55	10:40	6.3	248.7	8.8	4.42	209.0	3.14
3.6	10:45	6.29	248.4	8.7	4.37	211.1	3.08

Comments:

Flow Rate: 250 mL/min



Sampler _____

Date January 7, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** P-17 - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 7, 2022 **Time** 11:40

Media Groundwater **Station** P-17

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 2.95 ft BTOC (January 7, 2022 12:06 PM); Well total depth at 13' BGS

Screen Interval: 8'- 13' BGS

Pump Intake: ~ 10' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** Interceptor Trench - 0122

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Grab

Date January 7, 2022 **Time** 11:58

Media Surface Water **Station** Interceptor Trench

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (January 7, 2022 5:56 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** P-14 - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date January 7, 2022 **Time** 13:03

Media Groundwater **Station** P-14

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 25.75 ft BTOC (January 7, 2022 1:30 PM); Well total depth at 50' BGS

Screen Interval: 40'- 50' BGS

Pump Intake: ~ 45' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID P-14

Date 01/07/2022

Time Begin Purge 12:35

Time Collect Sample 13:03

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
25.82	12:40	13.14	8,005	11.7	1.86	-3.1	12.5
25.95	12:45	13.16	8,285	11.8	1.23	-43.5	3.47
26	12:50	13.23	9,052	11.8	1.07	-77.7	2.10
25.9	12:55	13.29	9,475	11.7	1.01	-98.8	2.04
26	13:00	13.3	9,778	11.9	0.96	-112.9	1.86

Comments:

Flow Rate: 300 mL/min

Add HNO₃ to metals bottles



Sampler _____

Date January 7, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** P-15 - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 7, 2022 **Time** 14:03

Media Groundwater **Station** P-15

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 11.75 ft BTOC (January 7, 2022 2:30 PM); Well total depth at 34' BGS

Screen Interval: 24'- 34' BGS

Pump Intake: ~ 30' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID P-15

Date 01/07/2022

Time Begin Purge 13:35

Time Collect Sample 14:03

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
12.13	13:40	13.21	7,216	9.8	2.35	-91.5	0.76
12.15	13:45	13.25	7,156	9.8	1.44	-100.1	3.15
12.14	13:50	13.5	7,134	9.7	1.2	-106.6	1.96
12.12	13:55	13.55	7,253	10.3	1.09	-111.5	2.06
12.15	14:00	13.28	7,227	10.2	1.03	-116.3	1.84

Comments:

Flow Rate: 200 mL/min

Add HNO₃ to metals bottles



Sampler _____

Date January 7, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-2A / MW-45A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date January 6, 2022 **Time** 08:40

Media Groundwater **Station** MW-2A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 17.13 ft BTOC (January 6, 2022 9:08 AM); Well total depth at 40' BGS

Screen Interval: 24'- 40' BGS

Pump Intake: ~ 30' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
2-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Dissolved Metals	HDPE	HNO3
2-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-2A / MW-45A

Date 01/06/2022

Time Begin Purge 08:13

Time Collect Sample 08:40 / 08:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
17.82	08:18	7.21	469.2	10.2	5.16	234.1	3.28
17.82	08:23	7.14	468	10.2	4.98	203.0	2.02
17.82	08:28	7.13	467.3	10.2	4.84	216.3	1.66
17.82	08:33	7.13	468.1	10.2	4.74	222.1	1.97
17.83	08:37	7.14	466.3	10.2	4.66	197.74	2.69

Comments:

Flow Rate: 450 mL/min



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-6A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date January 6, 2022 **Time** 09:35

Media Groundwater **Station** MW-6A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 19.13 ft BTOC (January 6, 2022 10:04 AM); Well total depth at 39' BGS

Screen Interval: 24'- 39' BGS

Pump Intake: ~ 36' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-8A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 6, 2022 **Time** 11:08

Media Groundwater, Other **Station** MW-8A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 11.4 ft BTOC (January 6, 2022 11:08 AM); Well total depth at 26' BGS

Screen Interval: 16' - 26' BGS

Pump Intake: ~ 22' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-3A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 6, 2022 **Time** 12:18

Media Groundwater **Station** MW-3A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 4.25 ft BTOC (January 6, 2022 12:34 PM); Well total depth at 20' BGS

Screen Interval: 4' - 20' BGS

Pump Intake: ~ 12' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** Weir - 0122

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Grab

Date January 6, 2022 **Time** 12:50

Media Surface Water **Station** Weir or Constructed Wetlands

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
2-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Total Metals	HDPE	HNO3
1-500 mL	Dissolved Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID _____ Weir or Constructed Wetlands _____

Date 01/06/2022

Time Begin Purge N/A

Time Collect Sample 12:50

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	12:50	7.63	269.1	4.9	10.81	211.8	15.9

Comments:

Flow Rate: 300 gpm

Too much flow for accurate flow measurement. About 1 second per 5 gal bucket is 300gpm



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** P-16 - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 6, 2022 **Time** 14:03

Media Groundwater, Surface Water **Station** P-16

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 1.82 ft BTOC (January 6, 2022 2:25 PM); Well total depth at 10' BGS

Screen Interval: 5'- 10' BGS

Pump Intake: ~ 8' BGS

Sample Description Dark reddish brown

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID P-16

Date 01/06/2022

Time Begin Purge 13:30

Time Collect Sample 14:03

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
3.29	13:35	10.7	2,282	7.6	3.14	-27.3	28.0
3.75	13:40	10.32	2,328	7.7	1.61	-91.3	27.3
4.45	13:45	11.02	2,400	8.1	1.23	-330.7	26.8
4.55	13:50	11.85	2,538	8.2	1.15	-342.3	15.8
4.52	13:55	12.39	2,666	8.2	1.1	-387.2	15.8
4.7	14:00	12.75	2,804	8.1	1.06	-409.7	13.1

Comments:

Flow Rate: 200 mL/min



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** South Pond - 0122

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Grab

Date January 6, 2022 **Time** 14:20

Media Surface Water **Station** South Pond

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (January 6, 2022 8:43 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description Light reddish brown, clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID South Pond

Date 01/06/2022

Time Begin Purge N/A

Time Collect Sample 14:20

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	14:20	9.42	305.4	4.5	10.57	-30.2	4.07

Comments:

Staff gage 1.1 ft



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-10A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date January 6, 2022 **Time** 15:17

Media Groundwater **Station** MW-10A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 4.8 ft BTOC (January 6, 2022 3:48 PM); Well total depth at 29' BGS

Screen Interval: 9' - 29' BGS

Pump Intake: ~ 25' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-10A

Date 01/06/2022

Time Begin Purge 14:50

Time Collect Sample 15:17

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
6.25	14:55	8.38	173.2	9.5	7.54	59.9	7.68
7.22	15:00	7.27	169.9	9.2	7.3	72.0	6.70
8.41	15:05	7.74	169	9.2	7.17	72.0	6.68
9.37	15:10	7.6	168.7	9.4	7.11	88.3	4.87
10.53	15:15	7.5	167.6	9.3	7.06	94.6	6.90

Comments:

Flow Rate: 150 mL/min



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-99-1 - 0122

Sampling Location QA/QC Blank

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler _____

Date January 6, 2022 **Time** 12:35

Media Other **Station** MW-3A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (January 6, 2022 9:10 PM); Well total depth at

Screen Interval: _____

Pump Intake: _____

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID _____ Other _____

Date 01/06/2022

Time Begin Purge _____

Time Collect Sample 12:35

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
-	-	-	-	-	-	-	-

Comments:



Sampler _____

Date January 6, 2022



Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-5A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date January 5, 2022 **Time** 14:07

Media Groundwater **Station** MW-5A

Sample Type: **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 23 ft BTOC (January 5, 2022 10:07 AM); Well total depth at 40' BGS

Screen Interval: 25'- 40' BGS

Pump Intake: ~ 38' BGS

Sample Description clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-500 mL	Total Metals	HDPE	HNO3
1-500 mL	Dissolved Metals	HDPE	HNO3
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** MW-1A - 0122

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date January 5, 2022 **Time** 15:23

Media Groundwater **Station** MW-1A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 25.2 ft BTOC (January 5, 2022 10:02 AM); Well total depth at 44' BGS

Screen Interval: 28' - 43' BGS

Pump Intake: ~ 39' BGS

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Dissolved Metals	HDPE	HNO3
1-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-1A

Date 01/05/2022

Time Begin Purge 14:55

Time Collect Sample 15:23

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
25.15	15:00	6.98	519	9.2	4.58	119.4	13.7
25.15	15:05	6.74	371.1	8.2	7.49	137.5	2.81
25.15	15:10	6.62	347.1	9.3	7.9	153.1	1.42
25.15	15:15	6.57	344.6	9.3	7.98	162.7	0.78
25.15	15:20	6.54	343.8	9.2	7.96	170.2	0.67

Comments:

Flow Rate: 450 mL/min

Eve Adams

Sampler _____

Date January 5, 2022

[Signature]

Supervisor _____

Date January 17, 2022

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA **Sample ID** Infiltration Ponds / MW-35A - 0122

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Grab

Date January 5, 2022 **Time** 14:10 / 14:15

Media Surface Water **Station** Infiltration Ponds / MW-35A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (January 5, 2022 6:53 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description Clear to yellow brown

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
2-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Dissolved Metals	HDPE	HNO3
2-500 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID Infiltration Ponds / MW-35A

Date 01/05/2022

Time Begin Purge 14:05

Time Collect Sample 14:10 / 14:15

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	14:05	8.01	510	1.2	9.85	236.4	14.0

Comments:

Flow Rate: N/A mL/min



Sampler _____

Date January 5, 2022



Supervisor _____

Date January 17, 2022



golder.com