

INITIAL INVESTIGATION FIELD REPORT

Check this box if you have attached any documents to this form (using the paperclip icon on the left). ERTS #(s): Parcel #(s): County: FSID #: CSID #: UST #:

707753
0007200126
King
62398766
16657
668

SITE INFORMATION

<u>Site Name (Name over door):</u>	Site Address (including City, State and Zip):	<u>Phone</u>
Firestone 31A3	351 Rainier Ave S	Email
	Renton, WA 98057	
Site Contact, Title, Business:	Site Contact Address (including City, State and Zip):	Phone
		<u>Email</u>
Site Owner, Title, Business:	Site Owner Address (including City, State and Zip):	Phone
Toula Properties, LLC		Email
Site Owner Contact, Title, Business:	Site Owner Contact Address (including City, State and Zip):	Phone
Andy Rigel	999 Third Avenue Suite 4600	<u>Email</u>
Hillis Clark Martin & Peterson P.S.	Seattle, WA 98104	andy.rigel@hcmp.com
Previous Site Owner(s):	Additional Info (for any Site Information Item):	
Alternate Site Name(s):	4	

Latitude (Decimal Degrees): 47.47899		
Longitude (Decimal Degrees): -122.21724		
	Please check this box if there is relevant inspection infor	mation such as data or

INSPECTION INFORM	ATION		\square photos, in an existing site report for this site.
Inspection Conducted		me:	Entry Notice: Announced 🔲 Unannounced 🔲
Yes 🗌 🛛 No 🛛			
Photographs taken?	Yes 🔲	No 🔲	Note: Attach photographs or upload to PIMS
Samples collected?	Yes 🔲	No 🔲	Note: Attach record with media, location, depth, etc.

RECOMMENDATION

No Further Action (Check appropriate box below):	LIST on Confirmed and Suspected Contaminated Sites List:
Release or threatened release does not pose a threat	
No release or threatened release	
Refer to program/agency (Name:)	
Independent Cleanup Action Completed (contamination removed)	

COMPLAINT (Brief Summary of ERTS Complaint):

Contamination discovered in the former auto service area was reported to Ecology by the owner's representative on 7/2/21.

CURRENT SITE STATUS (Brief Summary of why Site is recommended for Listing or NFA):

Contamination associated with former Firestone operations has been identified. Cleanup actions have not been completed. Recommendation: add to Confirmed and Suspected Contaminated Sites List.

Investigator: Kim Wooten

Date Submitted: 6/27/2022

OBSERVATIONS

\checkmark Please check this box if you included information on the Supplemental Page at end of report.

Description (If site visit made, please be sure to include the following: site observations, site features and cover, chronology of events, sources/past practices likely responsible for contamination, presence of water supply wells and other potential exposure pathways, etc.):

Sampling on the property was done in anticipation of demolition of the existing Firestone Complete Auto Care building and potential future redevelopment. The Release Report provides a very brief summary of completed site characterization activities, as well as figures and tables showing the results of the sampling.

Two areas of contamination were identified, both in the central area of the Firestone building where auto hoists had been located (see figure below). Overall, contaminants present above Method A cleanup levels were petroleum hydrocarbons in both soil and groundwater and arsenic and tetrachloroethene (PCE) in soil. PCE and naphthalene were also present in soil vapor samples above the applicable Method B screening levels.

There is an existing Ecology UST ID for a removed waste oil tank at this site. The information in Ecology's database indicates the tank was removed in approximately 1996. It is unclear from the available information if this is the same waste oil tank indicated on the figure below, or if there were multiple generations of waste oil tanks on the property.

Remedial actions appear to be progressing independently at the property, based on recent interactions with other Ecology programs to receive a contained-in determination for removed soil and registering of injection wells for the application of Petrofix to address contaminated groundwater.

Documents reviewed:

Hillis Clark Martin & Peterson P.S. July 1, 2021. Release Report, Vacant Former Firestone Complete Auto Care, 351 Rainier Avenue South, Renton, Washington 98057.

Ecology. January 12, 2022. Letter Re: Contained-In Determination for F002 Contaminated Soils at the Former Firestone Complete Auto Care Property.

Ecology. Underground Injection Control Search. Results for this property available at https://apps.ecology.wa.gov/uicsearch/ViewVoluntary.aspx?ID=36251. Accessed May 2022.

CONTAMINANT GROUP	CONTAMINANT	SOIL	GROUNDWATER	SURFACE WATER	AIR	SEDIMENT	DESCRIPTION
	Phenolic Compounds						Compounds containing phenols (Examples: phenol; 4- methylphenol; 2-methylphenol)
	Non-Halogenated Solvents						Organic solvents, typically volatile or semi-volatile, not containing any halogens. To determine if a product has halogens, search HSDB (http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB) and look at the Chemical/Physical Properties, and Molecular Formula. If there is not a CI, I, Br, F in the formula, it's not halogenated. (Examples: acetone, benzene, toluene, xylenes, methyl ethyl ketone, ethyl acetate, methanol, ethanol, isopropranol, formic acid, acetic acid, stoddard solvent, Naptha). Use this when <i>TEX contaminants are present independently of</i> gasoline.
Non-	Polynuclear Aromatic Hydrocarbons (PAH)						Hydrocarbons composed of two or more benzene rings.
Halogenated Organics	Tributyltin						The main active ingredients in biocides used to control a broad spectrum of organisms. Found in antifouling marine paint, antifungal action in textiles and industrial water systems. (Examples: Tributyltin; monobutyltin; dibutyltin)
	Methyl tertiary-butyl ether						MTBE is a volatile oxygen-containing organic compound that was formerly used as a gasoline additive to promote complete combustion and help reduce air pollution.
	Benzene						Benzene
	Other Non-Halogenated Organics						TEX
	Petroleum Diesel	С	С				Petroleum Diesel
	Petroleum Gasoline	C					Petroleum Gasoline
	Petroleum Other						Oil-range organics
	PBDE						Polybrominated di-phenyl ether
	Other Halogenated Organics						Other organic compounds with halogens (chlorine, fluorine, bromine, iodine). search HSDB (http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB) and look at the Chemical/Physical Properties, and Molecular Formula. If there is a Cl, I, Br, F in the formula, it is halogenated. (Examples: Hexachlorobutadiene; hexachlorobenzene; pentachlorophenol)
Halogenated Organics (see	Halogenated solvents	С			S		PCE, chloroform, EDB, EDC, MTBE
notes at bottom)	Polychlorinated Biphenyls (PCB)						Any of a family of industrial compounds produced by chlorination of biphenyl, noted primarily as an environmental pollutant that accumulates in animal tissue with resultant pathogenic and teratogenic effects
	Dioxin/dibenzofuran compounds (see notes at bottom)						A family of more than 70 compounds of chlorinated dioxins or furans. (Examples: Dioxin; Furan; Dioxin TEQ; PCDD; PCDF; TCDD; TCDF; OCDD; OCDF). Do not use for 'dibenzofuran', which is a non- chlorinated compound that is detected using the semivolatile organics analysis 8270
	Metals - Other						Cr, Se, Ag, Ba, Cd
Metals	Lead						Lead
wetais	Mercury						Mercury
	Arsenic	С					Arsenic
Pesticides	Non-halogenated pesticides						Pesticides without halogens (Examples: parathion, malathion, diazinon, phosmet, carbaryl (sevin), fenoxycarb, aldicarb)
	Halogenated pesticides						Pesticides with halogens (Examples: DDT; DDE; Chlordane; Heptachlor; alpha-beta and delta BHC; Aldrin; Endosulfan, dieldrin, endrin)

CONTAMINANT GROUP	CONTAMINANT	SOIL	GROUNDWATER	SURFACE WATER	AIR	SEDIMENT	DESCRIPTION
	Radioactive Wastes						Wastes that emit more than background levels of radiation.
	Conventional Contaminants, Organic						Unspecified organic matter that imposes an oxygen demand during its decomposition (Example: Total Organic Carbon)
	Conventional Contaminants, Inorganic						Non-metallic inorganic substances or indicator parameters that may indicate the existence of contamination if present at unusual levels (Examples: Sulfides, ammonia)
Other Contaminants	Asbestos						All forms of Asbestos. Asbestos fibers have been used in products such as building materials, friction products and heat-resistant materials.
	Other Deleterious Substances						Other contaminants or substances that cause subtle or unexpected harm to sediments (Examples: Wood debris; garbage (e.g., dumped in sediments))
	Benthic Failures						Failures of the benthic analysis standards from the Sediment Management Standards.
	Bioassay Failures						For sediments, a failure to meet bioassay criteria from the Sediment Management Standards. For soils, a failure to meet TEE bioassay criteria for plant, animal or soil biota toxicity.
	Unexploded Ordinance						Weapons that failed to detonate or discarded shells containing volatile material.
	Other Reactive Wastes						Other Reactive Wastes (Examples: phosphorous, lithium metal, sodium metal)
Reactive Wastes	Corrosive Wastes						Corrosive wastes are acidic or alkaline (basic) wastes that can readily corrode or dissolve materials they come into contact with. Wastes that are highly corrosive as defined by the Dangerous Waste Regulation (WAC 173-303-090(6)). (Examples: Hydrochloric acid; sulfuric acid; caustic soda)

(fill in contaminant matrix above with appropriate status choice from the key below the table)

Status choices for contaminants	
Contaminant Status	Definition
B— Below Cleanup Levels (Confirmed)	The contaminant was tested and found to be below cleanup levels. (Generally, we would not enter each and every contaminant that was tested; for example if an SVOC analysis was done we would not enter each SVOC with a status of "below". We would use this for contaminants that were believed likely to be present but were found to be below standards when tested
S— Suspected	The contaminant is suspected to be present; based on some knowledge about the history of the site, knowledge of regional contaminants, or based on other contaminants known to be present
C— Confirmed Above Cleanup Levels	The contaminant is confirmed to be present above any cleanup level. For example—above MTCA method A, B, or C; above Sediment Quality Standards; or above a presumed site-specific cleanup level (such as human health criteria for a sediment contaminant).
RA— Remediated - Above	The contaminant was remediated, but remains on site above the cleanup standards (for example—capped area).
RB— Remediated - Below	The contaminant was remediated, and no area of the site contains this contaminant above cleanup standards (for example— complete removal of contaminated soils).

Halogenated chemicals and solvents: Any chemical compound with chloro, bromo, iodo or fluoro is halogenated; those with eight or fewer carbons are generally solvents (e.g. halogenated methane, ethane, propane, butane, pentane, hexane, heptane or octane) and may also be used for or registered as pesticides or fumigants. Most are dangerous wastes, either listed or categorical. Organic compounds with more carbons are almost always halogenated pesticides or a contaminant or derivative. Referral to the HSDB is recommended if you are unfamiliar with a chemical name or compound, as it contains useful information about synonyms, uses, trade names, waste codes, and other regulatory information about most toxic or potentially toxic chemicals.

Dibenzodioxins and dibenzofurans are normalized to a combined equivalent toxicity based on 2,3,7,8-tetrachloro-pdibenzodioxin as set out in WAC 173-340-708(8)(d) and in the Evaluating the Toxicity and Assessing the Carcinogenic Risk of Environmental Mixtures using Toxicity Equivalency Factors Focus Sheet (https://fortress.wa.gov/ecy/clarc/FocusSheets/tef.pdf). Results may be reported as individual compounds and isomers (usually lab results), or as a toxic equivalency value (reports).

FOR ECOLOGY II REVIEWER USE ONLY (For Listing Sites):							
How did the Sit	te come to be known:	 ✓ Site Discovery (re □ ERTS Complaint □ Other (please ex 			te Report Received)		
	Notice Letter need to b cplain why:	be sent: 🛛 Yes 🗌 No					
NAICS Code (i Otherwise, brid	efly explain how prope	rty is/was used (i.e., g	gas station, o	dry cleaner, pa	int shop, vacant land, etc.):		
• • •	be created (Unit Type): s needed, please explair		P & LUST)	Sediment			
Cleanup Proce	ess Type (for the Unit):	 No Process Voluntary Cleanup F Federal-supervised of 	Program] Independent Act] Ecology-supervi	tion sed or conducted		
Site Status:	 Awaiting Cleanup Cleanup Started No Further Action Required 	Construction Complete – Cleanup Complete – uired			Model Remedy Used?		
Site Manager (Default:):						
Specific confirmed contaminants include: Facility/Site ID No. (if known): 62398766							
	in Soil		Cleanup Site ID No. (if known):				
	in Groundwater						
in Other (specify matrix:)							

COUNTY ASSESSOR INFO: Please attach to this report a copy of the tax parcel/ownership information for each parcel associated with the site, as well as a parcel map illustrating the parcel boundary and location.

0910 231 205, 35, 912 0910 231 205, 35, 912 205, 912 9074 9074 9074 9090 205 907 90 205 205 205 205 205 205 205 20	124 9125 134 9012 134 9017 9012 134 9017 100 9236 200 8 20 8 2 20 8 20 8 2 20 8 2 20 8 2 20 8 2 20 8 2 20 8 20 8 20 8 20 8 2 20 8 2 20 8 2 20 8 2 20 8 2 20 20 8 2 20 8 2 20 8 2 20 20 20 20 20 20 20 20 20 20 20 20 2
220 SW 2nd Pl 261 9033 9273 9033 9273 9033 9273 9033 9275 9089 91272 9033 9275 909 909 909 909 909 909 9275 909 909 909 909 909 909 909 90	Present use: Auto Showroom and Lot Property name: FIRESTONE STORE Jurisdiction: RENTON Taxpayer name: KRUSE ALEXANDRA P Address: 351 RAINIER AVE S 98057 Appraised value: \$1,491,200 Lot area: 15,578 Levy code: 2100 Property Report Districts Report Source: King County Assessor Lot lines are approximate. Not for legal use. See our terms of use.
2116 0 5 150 150 150 0110 0110 0135 Support BIND 53 01.30 0050 0050 0135 Support BIND 53 01.30 0050 0050 014 014 014 014 014 014 014 014 014 01	

Additional or Supplemental Information from Observations Page

Please use this box for any text that requires special formatting

Sampling locations. Soil and groundwater samples were collected from all 20 borings. Soil vapor samples were collected at locations B5, B9, and B10. Figure from Release Report.

