



Stantec

Stantec Consulting Corporation
12034 134th Court NE, Suite 102
Redmond, WA 98052
Tel: (425) 298-1000
Fax: (425) 298-1020

Quarterly Groundwater Monitoring Report - Third Quarter 2010
ConocoPhillips Facility No. 255353 (RM&R #1396)
Washington Department of Ecology Voluntary Cleanup Program # NW1714
600 Westlake Avenue North
Seattle, Washington

Stantec Project No.:
212302387

Submitted to:
Roger Nye
Washington State Department of Ecology
3190 160th Avenue Southeast
Bellevue, WA 98008-5452

Submitted by:
Stantec Consulting Corporation
12034 134th Court NE, Suite 102
Redmond, WA 98052

Prepared on behalf of:
ConocoPhillips Company

November 16, 2010

November 16, 2010

Dear Mr. Nye:

Stantec Consulting Corporation (Stantec) is pleased to present this quarterly groundwater monitoring report to the Washington State Department of Ecology (DOE) Voluntary Cleanup Program (VCP) on behalf of the ConocoPhillips Company (ConocoPhillips). This report describes the results of groundwater monitoring activities performed by Stantec during the Third Quarter of 2010 (the reporting period) at ConocoPhillips Facility No. 255353 (RM&R #1396; VCP ID #NW1714) located at 600 Westlake Avenue North, Seattle, Washington (the Site).

GROUNDWATER MONITORING ACTIVITIES

Groundwater monitoring activities during the reporting period were performed on August 15 through August 18, 2010. Groundwater monitoring activities were performed in accordance with Stantec's protocols for groundwater monitoring events (Attachment A). Twenty-seven groundwater monitoring wells were gauged and sampled. These activities are described below.

Monitoring Well Gauging

Twenty-six groundwater monitoring wells were gauged. Monitoring wells were gauged for the presence of liquid phase hydrocarbons (LPH) and depth-to-groundwater prior to purging and sampling. LPH was not measured in the groundwater monitoring wells at thicknesses greater than or equal to 0.01 feet. The depth to groundwater ranged from 7.12 feet (MW-203) to 13.45 feet (MW-95) below the top of casing (TOC). Depth-to-groundwater data was used to calculate the groundwater elevation in each well and evaluate the groundwater flow direction and gradient. Historical groundwater gauging data and gauging data from the reporting period are summarized in Table 1. Well locations and groundwater flow direction are shown on Figure 1. Based on depth to groundwater measurements, it is apparent that groundwater flow direction is not consistent throughout the site. Groundwater appears to flow towards the north on the north portion of the site and towards the southeast on the south portion of the site. This flow pattern is likely related to the inconsistent subsurface geology (soils beneath the site consist of fill material and soils outside property boundary consist of denser native materials). In addition, groundwater flow direction is likely impacted by subsurface hydrogeologic barriers installed during remedial excavation activities completed in 2008. The location of these barriers is shown on Figure 1.

Monitoring Well Purging

Wells intended to be sampled were purged after gauging. Groundwater was purged from the wells using low-flow methods, which included using a peristaltic pump and dedicated polyethylene tubing. Water quality parameters were measured during purging and recorded on field data sheets (Attachment B). Purged groundwater and rinsate/decontamination water were

November 16, 2010

stored on site in a Department of Transportation (DOT)-approved, steel drum pending laboratory characterization and off site disposal.

Monitoring Well Sampling

Following purging operations, groundwater samples were collected using a peristaltic pump and placed directly into pre-cleaned sample containers provided by an independent laboratory.

Once the sample containers were filled and sealed, they were labeled with the pertinent sampling information, and placed on ice in an insulated cooler for delivery under chain-of-custody documentation to an independent laboratory.

CHEMICAL ANALYSES AND RESULTS

Chemical Analyses

Groundwater samples collected during the reporting period were submitted to Pace Analytical Services, Inc. (Pace) in Seattle, Washington for the following chemical analyses:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) and naphthalene using Environmental Protection Agency (EPA) Method 8260B;
- Total petroleum hydrocarbons (TPH) gasoline range organics (TPH-G) using DOE Northwest Method NWTPH-Gx;
- TPH diesel range organics (TPH-D), TPH oil range organics (TPH-O), and kerosene using DOE Northwest Method NWTPH-Dx with silica gel/acid cleanup; and,
- Total and dissolved lead using EPA Method 6020.

Chemical analyses results are described below. A copy of the certified laboratory analytical report and chain-of-custody documentation from Pace are included in Attachment C.

Chemical Analyses Results

Historical chemical analyses results and those from the reporting period are summarized in Table 1. Analytical results for TPH-G, TPH-D, TPH-O, kerosene, BTEX, naphthalene, and total and dissolved lead from the reporting period are illustrated on Figures 2 and 3.

November 16, 2010

A summary of the analytical results exceeding Model Toxics Control Act (MTCA) Method A cleanup levels is provided below. Analytical results not described below did not exceed MTCA Method A cleanup levels. Analytical results exceeding MTCA Method A cleanup levels are relatively consistent with previous quarter's sampling events. All concentrations are displayed in µg/L.

Well ID	TPH-G	TPH-D	TPH-O	Kerosene	Benzene	Total Xylenes	Naphthalene	Total Lead
MW-18	9,200	--	891	1,480	789	2,240	--	40.4
MW-19	33,500	2,470	954	12,200	293	4,950	--	20.9
MW-37	2,350	--	--	598	51.0	--	--	--
MW-71	5,130	912	729	2,710	99.1	--	--	--
MW-72	--	641	3,460	--	--	--	--	--
MW-73	1,960	--	--	671	37.3	--	--	--
MW-86	1,270	--	--	533	331	--	--	--
MW-200	4,290	608	--	1,820	89.7	--	388	--
MW-201	--	--	--	--	8.7	--	--	--
MW-208	14,800	699	--	5,760	--	--	--	--
MTCA Method A	800	500	500	500	5	1,000	160	15

Laboratory Quality Assurance/Quality Control (QA/QC)

A copy of the analytical report for the samples collected during the reporting period is included in Appendix C. Please refer to the analytical report for a description of QA/QC methods and potential QA/QC concerns. Analyte qualifiers are summarized on page 40 of the laboratory analytical report.

WASTE DISPOSAL

Purge and rinsate water generated during the monitoring and sampling event were temporarily stored on site in a labeled, DOT-approved, steel drum. The drum and its contents will be transported off-site to a licensed disposal or recycling facility by a licensed ConocoPhillips-approved vendor.

CONCLUSIONS

Ten monitoring wells reported concentrations of one or more of the following analytes that exceeded their respective MTCA Method A cleanup level: TPH-G, TPH-D, TPH-O, kerosene, benzene, total xylenes, naphthalene, and total lead. The results during this reporting period are generally consistent with historical results.

LIMITATIONS AND CERTIFICATIONS

This report was prepared in accordance with the scope of work outlined in Stantec's contract and with generally accepted professional engineering and environmental consulting practices existing at the time this report was prepared and applicable to the location of the site. It was prepared for the exclusive use of ConocoPhillips Company for the express purpose stated above. Any re-use of this report for a different purpose or by others not identified above shall be at the user's sole risk without liability to Stantec. To the extent that this report is based on information provided to Stantec by third parties, Stantec may have made efforts to verify this third party information, but Stantec cannot guarantee the completeness or accuracy of this information. The opinions expressed and data collected are based on the conditions of the site existing at the time of the field investigations. No other warranties, expressed or implied are made by Stantec.

Prepared by:

Amanda Thompson, E.I.T.
Engineering Staff

Reviewed by:

Reviewed by:


Marc Sauze, P.E.
Senior Engineer

Chris Gdak
Senior Project Manager

ATTACHMENTS

- Figure 1 Site Map with Groundwater Elevations (August 15 -18, 2010)
Figure 2 Site Map with TPH-G and Benzene Concentrations (August 15-18, 2010)
Figure 3 Site Map with TPH-D, TPH-O, and Kerosene Concentrations (August 15-18, 2010)
- Table 1 Cumulative Summary of Groundwater Elevations and Sample Analytical Results
- Attachment A Field and Laboratory Procedures
Attachment B Field Data Sheets
Attachment C Certified Laboratory Analytical Report and Chain-of-Custody Documentation

FIGURES



LEGEND:


- SUBSURFACE CEMENT SOIL GRAVITY WALL (APPROX. DEPTH 25')
- SHEET PILE WALL (APPROX. DEPTH 25')
- MW-71 COP GROUNDWATER MONITORING WELL
- SMW-4 CITY INVESTORS' GROUNDWATER MONITORING WELL
- MW-24 ABANDONED OR DAMAGED WELL
- MW-68 SOIL VAPOR EXTRACTION WELL LOCATION
- DAS-4 AIR SPARGING WELL LOCATION
- MW-66 DUAL PHASE EXTRACTION WELL LOCATION

GROUNDWATER

- GROUNDWATER FLOW DIRECTION CURRENTLY INDETERMINANT
- 18.90 GROUNDWATER ELEVATION (FEET)
- NS NOT SAMPLED


NOTE:

1). ALL LOCATIONS ARE APPROXIMATE.



No warranty is made by Stantec as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

 12034 134th COURT NE, SUITE 102 REDMOND, WASHINGTON PH (425) 298-1000/FAX (425) 298-1019	FOR: ConocoPhillips FACILITY NO. 255353 (RM&R 1396) WESTLAKE AND MERCER SEATTLE, WASHINGTON	SITE MAP WITH GROUNDWATER ELEVATIONS (AUGUST 15-18, 2010)		FIGURE: 1
	JOB NUMBER: 212302387	DRAWN BY: DJH	CHECKED BY: AT	APPROVED BY: CG



LEGEND:

- MW-71 ● COP GROUNDWATER MONITORING WELL
- SMW-4 ● CITY INVESTORS' GROUNDWATER MONITORING WELL
- MW-24 ∅ ABANDONED OR DAMAGED WELL
- MW-68 ☒ SOIL VAPOR EXTRACTION WELL LOCATION
- DAS-4 ⊕ AIR SPARGING WELL LOCATION
- MW-66 ⊕ DUAL PHASE EXTRACTION WELL LOCATION
- NA NOT ANALYZIED
- NS NOT SAMPLED DUE TO ACCESS LIMITATIONS



NOTE:

1). ALL LOCATIONS ARE APPROXIMATE.



ANALYTES


TPH-G	BENZENE
<50.0	<1.0

TPH-G TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
 UNITS IN MICROGRAMS PER LITER (µg/L)



No warranty is made by Stantec as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

 Stantec 12034 134th COURT NE, SUITE 102 REDMOND, WASHINGTON PH (425) 298-1000/FAX (425) 298-1019	FOR:  FACILITY NO. 255353 (RM&R 1396) WESTLAKE AND MERCER SEATTLE, WASHINGTON	FIGURE: <div style="font-size: 2em; font-weight: bold; margin: 5px 0;">2</div>
	SITE MAP WITH TPH-G AND BENZENE CONCENTRATIONS (AUGUST 15-18, 2010)	DATE: 9/28/10
JOB NUMBER: 212302387	DRAWN BY: DJH	CHECKED BY: AT
APPROVED BY: CG		



LEGEND:

- MW-71 ● COP GROUNDWATER MONITORING WELL
- SMW-4 ● CITY INVESTORS' GROUNDWATER MONITORING WELL
- MW-24 ∅ ABANDONED OR DAMAGED WELL
- MW-68 ☒ SOIL VAPOR EXTRACTION WELL LOCATION
- DAS-4 ⊕ AIR SPARGING WELL LOCATION
- MW-66 ⊕ DUAL PHASE EXTRACTION WELL LOCATION
- NA NOT ANALYZIED
- NS NOT SAMPLED DUE TO ACCESS LIMITATIONS

NOTE:



1). ALL LOCATIONS ARE APPROXIMATE.

ANALYTES

- TPH-D TOTAL PETROLEUM HYDROCARBONS AS DIESEL
 - TPH-O TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL
 - K KEROSENE
- UNITS IN MICROGRAMS PER LITER (µg/L)



No warranty is made by Stantec as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

 Stantec 12034 134th COURT NE, SUITE 102 REDMOND, WASHINGTON PH (425) 298-1000/FAX (425) 298-1019	FOR:  FACILITY NO. 255353 (RM&R 1396) WESTLAKE AND MERCER SEATTLE, WASHINGTON	SITE MAP WITH TPH-D, TPH-O, AND KEROSENE CONCENTRATIONS (AUGUST 15-18, 2010)		FIGURE: 3
	JOB NUMBER: 212302387	DRAWN BY: DJH	CHECKED BY: AT	APPROVED BY: CG

TABLE

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
CI-1 29.97	03/08/07	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.30	0.00	--
	06/13/07	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	6.75	<1	--	--	10.91	0.00	--
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.99	0.00	--
	12/19/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	<1	--	--	10.31	0.00	--
	03/18/08	3,140	<236	<472	476	6.470	4.59	1.83	9.96	<1	<5	<1	<1	9.85	0.00	--
	05/09/08	<50	<0.238	<0.476	<0.238	<0.5	<0.5	<0.5	<3	<1	<5	1.26	<1	12.76	0.00	--
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	11.73	0.00	--
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	11.38	0.00	18.59
	11/05/08	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<240	10.81	0.00	19.16
	02/25/09	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<243	10.82	0.00	19.15
	05/17/09	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<243	11.93	0.00	18.04
	08/16/09	Inaccessible												--	--	--
	11/17/09	<50.0	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<1	<1	<240	9.67	0.00	20.3
	02/22/10	<50.0	357	422	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.2	<0.10	<77.7	8.38	0.00	21.59
05/24/10	<50.0	432	400	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.19	<0.10	205	NM	0.00	NM	
08/17/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	2.0	<0.10	<77.7	9.88	0.00	20.09	
CI-2 28.98	03/08/07	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.91	0.00	--
	06/13/07	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.86	0.00	--
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.06	0.00	--
	12/19/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	<1	--	--	10.07	0.00	--
	03/18/08	3,350	<236	<472	566	7.04	4.76	1.93	10.1	<1	<5	<1	<1	10.00	0.00	--
	05/09/08	<50	<0.238	<0.476	<0.238	<0.5	<0.5	<0.5	<3	<1	<5	1.26	<1	10.68	0.00	--
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	9.22	<1	<236	9.96	0.00	--
	08/05/08	<50	<236	<472	0.52	<0.5	<0.5	<3	<1	<5	<1	<1	<236	10.13	0.00	18.85
	11/05/08	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<240	9.74	0.00	19.24
	02/25/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	9.90	0.00	19.08
	05/17/09	<50.0	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	1.72	<1.00	<238	11.37	0.00	17.61
	08/17/09	Inaccessible												--	--	--
	11/17/09	<50.0	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	1.4	<1	<240	9.58	0.00	19.40
	02/22/10	<50.0	507	559	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.72	<0.10	<77.7	8.82	0.00	20.16
05/24/10	<50.0	712	643	<1.0	<1.0	<1.0	<3.0	--	<1.0	2.2	<0.10	313	9.17	0.00	19.81	
08/17/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.7	<0.10	<76.9	9.65	0.00	19.33	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
CI-3 29.04	03/08/07	<50	<255	<510	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.46	0.00	--	
	06/13/07	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.43	0.00	--	
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.28	0.00	--	
	12/19/07	3,570	<236	<472	16,000	5.2	5.7	8.9	<1	<1	<1	--	--	8.58	0.00	--	
	03/18/08	3,340	<236	<472	555	6.86	4.78	1.90	10.1	<1	<1	<5	<1	<1	10.54	0.00	--
	05/09/08	<50	<0.238	<0.476	<0.238	<0.5	<0.5	<0.5	<3	<1	<1	<5	1.26	<1	8.45	0.00	--
	06/03/08	Construction equipment over well, unable to sample													--	--	--
	08/05/08	2,410			19.6	6.47	7.71	10.4	<1	<5					9.72	0.00	19.32
		Well located on Propel Station property, unable to sample.													--	--	--
MW-3 19.38	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	9.77	Trace	9.61	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	9.36	0.00	10.02	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	9.04	Trace	10.34	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	9.30	0.00	10.08	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	9.13	0.00	10.25	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	8.99	0.00	10.39	
	10/10/01	14,100	4,060	1,990	1,070	<25	1,040	292	--	--	--	--	--	10.11	0.00	9.27	
	12/28/01	3,340	1,810	<500	92.6	4.62	146	51.2	--	--	--	--	--	9.61	0.00	9.77	
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/26/02 ^o	10,500	1,820	<500	326	14.0	685	447	--	--	--	--	--	10.96	0.00	8.42	
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/13/03	17,200	1,440	<595	86.6	38.1	434	798	--	--	--	--	--	7.87	0.00	11.51	
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/19/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/30/04	3,040	1,950	<285	57.1	<5	24.3	23.57	--	--	--	--	--	9.90	0.00	9.48		
06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
09/29/04	Paved over with concrete													NM	NM	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-3A 29.09	03/17/05	1,610	<251	<502	2.54	1.23	30.9	156.8	--	--	--	--	--	11.00	0.00	--	
	06/01/05	1,030 ^j	<241 ⁱ	<483	5.21	<1	27.8	66.0	<1	--	--	--	--	10.29	0.00	--	
	07/25/05	702	<250	<500	4.60	0.860	23.0	47.1	1.06	2.16	--	--	--	10.56	0.00	--	
	11/07/05	647	<243	<485	4.77	0.890	35.2	33.8	<1	--	--	--	--	10.22	0.00	18.87	
	02/23/06	759	1.12	<0.5	4.14	0.740	51.3	38.9	<1	5.83	4.10	--	--	10.37	0.00	18.72	
	05/10/06	654	<260	<521	3.60	1.35	51.2	57.5	<1	13.3	9.14	--	--	10.53	0.00	18.56	
	08/30/06	160	<236	<472	0.550	0.580	8.93	3.45	<1	7.03	11.6	--	--	11.35	0.00	17.74	
	12/12/06	610	<243	<485	0.930	0.700	13.3	14.3	<1	12.3	9.05	--	--	10.39	0.00	18.70	
	03/06/07	<50	<236	<472	<0.5	<5	<5	<3.00	<1	<5	2.36	--	--	10.18	0.00	18.91	
	06/15/07	<50	<250	<500 ^r	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	10.51	0.00	18.58	
	09/14/07	79.4	<250	<500	<0.5	<0.5	2.56	4.82	<1	<5	2.86	--	--	7.71	0.00	21.38	
	12/19/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	3.43	--	--	8.71	0.00	20.38	
	03/17/08	Inaccessible in dumpster area													--	--	--
	06/01/08	Covered/buried in garbage enclosure, unable to sample													--	--	--
	08/04/08	Covered/buried in garbage enclosure, unable to sample.													--	--	--
11/04/08	Covered/buried in garbage enclosure, unable to sample.													--	--	--	
11/18/08	Decommissioned													--	--	--	
MW-8 28.82	07/26/05	81,600	641	<500	4,700	5,280	4,270	15,450	<1	1,010	--	--	--	9.96	0.00	--	
	11/02/05	41,000	506 ^g	<485	4,540	955	3,240	12,000	<1	--	--	--	--	10.04	0.00	18.78	
	02/22/06	72,800	623 ^g	<490	2,760	6,240	3,020	13,400	<1,000 ^{qr}	1,040	21.8	--	--	9.61	0.00	19.21	
	05/09/06	87,600	1,140	<485	2,940	6,510	3,470	13,870	<200	834	22.5	--	--	9.81	0.00	19.01	
	06/12/06	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-13 21.73	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	11.87	0.00	9.86	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	11.43	0.00	10.30	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	11.10	0.00	10.63	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	11.36	0.03	10.39	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.97	0.00	10.76	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	11.13	0.00	10.60	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	11.11	0.00	10.62	
	06/16/05	1,820	880^f	1,100^f	2.91	<1	<1	<2	<1	--	--	--	--	--	11.86	0.00	9.87
	07/26/05	Not sampled - well did not recharge after purging dry													12.06	0.00	--
	30.88	11/01/05	125	<238	<476	1.19	<0.5	<0.5	<1	<2	--	--	--	--	12.16	0.00	-12.16
		02/22/06	227	<272	<543	<0.5	<0.5	<0.5	<3	<1	<1	11.9	--	--	--	--	--
05/08/06		236	<243	<485	<0.5	<0.5	<0.5	<3	<1	<1	38.2	--	--	12.08	0.00	-12.08	
08/31/06		<100	<243	<485	1.24	<0.5	7.64	6.68	<1	6.00	48.9	--	--	12.62	0.00	-12.62	
09/25/06		Destroyed during utility construction activities													--	--	--
MW-14 19.28	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	9.65	0.00	9.63	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	8.95	0.00	10.33	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	8.95	0.00	10.33	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	9.16	0.00	10.12	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	9.15	0.00	10.13	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	8.99	0.00	10.29	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	9.04	0.00	10.24	
	06/02/05	Unable to collect sample													8.35	0.00	10.93
	06/16/05	Not enough water in well to sample													8.60	0.00	10.68
	06/13/06	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-17 21.28	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	11.56	0.07	9.77	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	11.22	0.04	10.09	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	10.75	0.00	10.53	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	11.22	0.00	10.06	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.71	0.00	10.57	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.90	0.00	10.38	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	10.78	0.00	10.50	
	06/02/05	Well obstructed with soil at 2.2 feet below top of casing													--	--	--
	06/12/06	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-18 21.09	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	11.11	0.00	9.98	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	10.78	0.06	10.36	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	10.20	0.00	10.89	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	10.83	0.00	10.26	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.42	Trace	10.67	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.61	0.00	10.48	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	10.36	0.00	10.73	
30.08	06/02/05	6,600	18,000^{I,I}	28,800^I	403	434	91.9	779	<1	--	--	--	--	10.83	0.00	10.26	
	07/26/05	1,400	6,930	13,200	35.2	3.98	6.23	33.4	<1	30.9	--	--	--	11.19	0.00	--	
	11/07/05	2,660	271^I	<505	84.4	28.2	28.7	314	<4	--	--	--	--	11.37	0.00	18.71	
	02/22/06	10,800	2,090^P	<505	345	217	56.4	697	<20.0 ^Q	80.2	386	--	--	10.60	0.00	19.48	
	05/10/06	1,450	269^P	<481	102	5.32	19.0	57.4	<4	122	64.8	--	--	11.85	0.00	18.23	
	08/29/06	1,250	377^P	1,030	298	7.42	13.5	72.2	<1	107	1,360	--	--	11.65	0.00	18.43	
	12/12/06	4,360	856	1,800	301	28.7	44.9	281	<1	69.2	70.2	--	--	10.68	0.00	19.40	
	03/06/07	856	<266	<532	140	5.00	7.20	67.1	<10	<50	15.3	--	--	11.14	0.00	18.94	
	06/14/07	330	<236	<472	8.67	0.72	2.02	4.84	<1	44.9	73.4	--	--	11.24	0.00	18.84	
	09/14/07	458	<243	<485	15.6	16.3	3.23	6.46	<1	16.4	226.0	--	--	11.62	0.00	18.46	
	12/17/07	Well compromised, unable to sample													--	--	--
	03/17/08	Well compromised, unable to sample													--	--	--
	06/01/08	Well compromised, unable to sample													--	--	--
	08/10/08	Well contaminated with surface mud, unable to sample.													--	--	--
	11/02/08	Well contaminated with surface mud, unable to sample.													--	--	--
05/17/09	3,370	1,220	4,320	281	3.95	29.4	258	<1.0	62.6	93.1	4.77	695	11.65	0.00	18.43		
08/16/09	690	910	2,200	120	0.77	3.1	28	<1.0	42	1,100	<5.0	800	13.45	0.00	16.63		
11/15/09	2,300	760^Y	1,200	470^H	1.3	40	180	<1.0	61	57	<1.0	800^Y	11.63	0.00	18.45		
02/21/10	18,400	3,440	2,900	768	289	274	3,280	--	123	33.8	0.38	6,210	10.53	0.00	19.55		
05/23/10	9,700	2,870	2,330	819	109	174	2840	--	128	39.2	0.26	3,930	10.89	0.00	19.19		
08/15/10	9,200	461	891	789	129	115	2240	--	104	40.4	3.30	1,480	11.15	0.00	18.93		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-19 20.97	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	11.24	0.23	9.91	
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	11.07	0.44	10.25	
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	10.78	0.57	10.65	
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	10.96	Trace	10.01	
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	11.04	Trace	9.93	
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	10.76	0.43	10.55	
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	10.70	0.47	10.65	
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	10.19	0.00	10.78	
	06/02/05	Unable to collect sample													10.95	0.00	10.02
29.93	06/16/05	117,000	31,000 ⁱ	<12,000 ^l	391	380	121	21,960	<50	--	--	--	--	10.92	0.00	10.05	
	07/26/05	96,400	4,050 ^d	2,340	201	229	<20	16,590	<1	805	--	--	--	12.14	0.00	--	
	11/07/05	72,000	4,070 ^f	<990	436	520	504	13,700	<40	--	--	--	--	11.00	0.00	18.93	
	02/22/06	18,900	13,900 ^{g,p}	<5,210	288	33.8	146	1,760	<20.0 ^q	491	81.0	--	--	10.69	0.00	19.24	
	05/10/06	45,900	5,520	<1,000	373	171	164	8,760	<100	1,700	64.8	--	--	11.09	0.00	18.84	
	08/29/06	3,530	1,220 ^p	<495	156	72.4	66.1	1,020	<10	251	20.9	--	--	11.71	0.00	18.22	
	12/12/06	68,400	2,720	<481	688	731	286.0	10,700	<1	452	78.6	--	--	10.92	0.00	19.01	
	03/06/07	47,800	2,330	<495	560	192	480	12,000	10	873	40.4	--	--	10.80	0.00	19.13	
	06/14/07	28,100	8140 ^g	<481	279	130	96.9	4,860	<1	308	53.4	--	--	10.96	0.00	18.97	
	09/14/07	22,300	1,530	1,050	98.4	27.8	128	2,710	<1	511	34.0	--	--	11.22	0.00	18.71	
	12/17/07	Well compromised, unable to sample													--	--	--
	03/18/08	32,400	--	--	--	218	89.1	127	4,650	<1	304	72.7	25	10.81		19.12	
	06/01/08	22,400	822	<758	202.00	18.6	140	3,280	<1	337	--	19.40	5,010	8.25	0.00	21.68	
	08/10/08	26,800			180	34.8	140	2,390	<20	210	30.20	25.50		12.05	0.00	17.88	
	11/02/08	19,700	<245	<490	78.6	14.5	90.4	2,610	<1.00	<200	25.80	8.22	549	11.62	0.00	18.31	
	02/22/09	50,700	4,440	<481	470.0	33.7	280	7,900	--	83.5	24.80	5.45	19,500	10.50	0.00	19.43	
	05/17/09	61,200	2,140	<485	202.0	37.6	343	12,300	<1.00	63.7	28.30	1.41	20,900	11.43	0.00	18.50	
	08/16/09	Insufficient volume of water to fill sample containers.													13.90	0.00	16.03
11/15/09	53,000	12,000 ^y	<490	530 ^h	10	490 ^h	8,500 ^h	<1.0	950 ^h	41	1.4	21,000 ^y	11.20	0.00	18.73		
02/21/10	46,400	7,090	1,660	319	7.7	688	7,820	--	517	9.5	0.33	21,300	10.44	0.00	19.49		
05/23/10	44,400	7,100	2,010	312	5.8	687	6,990	--	543	9	0.3	21,400	10.98	0.00	18.95		
08/15/10	33,500	2,470	954	293	4.9	354	4,950	--	67.7	20.9	1.8	12,200	11.14	0.00	18.79		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-24 21.49	02/14/88	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	05/15/88	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	07/20/88	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	04/14/89	--	--	--	--	--	--	--	--	--	--	--	--	10.71	0.00	10.78
	10/27/89	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	02/01/90	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	05/01/90	--	--	--	--	--	--	--	--	--	--	--	--	11.36	0.66	10.66
	06/15/90	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/07/90	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	06/02/05	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
06/16/05	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--	
MW-27 ^a	06/16/05	--	--	--	--	--	--	--	--	--	--	--	--	Dry	--	--
	06/13/06	Decommissioned													--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-32A 20.70	11/04/91	52,000	<1,000	--	--	10,000	10,000	2,000	10,000	--	--	--	--	--	--	--
	12/29/93	19,000	2,900	1,300	--	6,300	990	940	1,700	--	--	--	--	10.73	0.00	9.97
	04/07/94	11,000	2,100	1,300	--	3,900	150	490	590	--	--	--	--	10.65	0.00	10.05
	07/14/94	9,900	1,700	1,500	--	5,600	54	530	500	--	--	--	--	10.72	0.00	9.98
	10/25/94	19,000	1,100	1,000	--	4,600	2,300	560	2,300	--	--	--	--	11.46	0.00	9.24
	03/08/95	21,000	2,300	2,300	--	5,800	1,700	990	2,900	--	--	--	--	11.29	0.00	9.41
	06/06/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/95	20,000	2,500	1,600	--	4,200	470	730	2,000	--	--	--	--	11.27	--	9.43
	12/08/95	11,000	1,200	<750	--	1,600	86	420	910	--	--	--	--	10.61	--	10.09
	04/01/96	7,900	1,400	1,000	--	2,200	58	300	490	--	--	--	--	10.90	--	9.80
	06/25/96	7,500	1,250	<750	--	1,200	60.4	217	435	--	--	--	--	10.98	--	9.72
	09/27/96	7,050	1,040	<750	--	1,570	37.4	264	416	--	--	--	--	11.37	--	9.33
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	11.26	--	9.44
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	10.89	--	9.81
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	11.67	0.00	9.03
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	11.42	0.00	9.28
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	11.30	0.00	9.40
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	11.29	0.00	9.41
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	11.97	0.00	8.73
	12/17/98	--	--	--	--	--	--	--	--	--	--	--	--	11.09	0.00	9.61
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	10.47	0.00	10.23
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	9.60	0.00	11.10
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	11.07	0.00	9.63
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	11.40	0.00	9.30
	12/19/00 ^b	7,010	1,740	<750	4,430	136	438	182	--	--	--	--	--	10.90	0.00	9.80
	06/15/01 ^b	13,700	2,810	<846	2,370	11.2	272	31.1	--	--	--	--	--	11.31	0.00	9.39
	06/26/01 ^b	15,500	1,620	<750	8,780	1,110	1,230	1,020	--	--	--	--	--	11.85	0.00	8.85
	09/07/01 ^b	17,100	4,220	822	5,870	19.9	684	110	--	--	--	--	--	10.81	0.00	9.89
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	12,200	4,260	711	3,570	180	537	393	--	--	--	--	--	11.29	0.00	9.41
	03/08/02	16,400	4,140	769	4,900	142	619	247	--	--	--	--	--	11.49	0.00	9.21
	06/24/02	6,850	2,040	577	2,820	7.43	221	59.1	--	--	--	--	--	11.56	0.00	9.14
09/26/02 ^c	6,580	3,740	670	1,930	31.4	204	89.7	--	--	--	--	--	12.88	0.00	7.82	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-32A contd.	12/12/02	6,750	3,530	528	1,450	55.6	229	283	--	--	--	--	--	12.72	0.00	7.98
	03/13/03	13,000	2,550	<581	1,990	222	419	806	--	--	--	--	--	10.95	0.00	9.75
30.14	06/12/03	17,400	2,730	<500	4,830	200	745	262	--	--	--	--	--	11.92	0.00	8.78
	09/19/03	1,420	<294	<588	64.2	42.7	7.49	135	--	--	--	--	--	12.67	0.00	8.03
	01/14/04	1,580	316	<253	28.9	4.13	13.1	32.5	--	--	--	--	--	11.33	0.00	9.37
	03/30/04	7,310	838	<276	18.3	<10	209	122	--	--	--	--	--	12.39	0.00	8.31
	06/22/04	3,330	1,470	381	149	<10	72.5	43.8	--	--	--	--	--	12.62	0.00	8.08
	09/29/04	330	<242	<484	13	1.6	3.7	39	--	--	--	--	--	9.20	0.00	11.50
	12/29/04	1,500	592	<478	71	<5	30.9	31.2	--	--	--	--	--	12.24	0.00	8.46
	03/17/05	<100	<239	<478	<1	<1	<1	<2	--	--	--	--	--	12.31	0.00	8.39
	06/01/05	205	<237	<473	13.2	<1	5.55	6.16	<1	--	--	--	--	11.76	0.00	8.94
	07/25/05	277	<250	<500	11.2	0.270	7.04	2.83	<1	2.28	--	--	--	12.17	0.00	--
	11/08/05	217	<250	<500	6.84	0.810	0.660	<3.00	<1	--	--	--	--	11.69	0.00	18.45
	02/23/06	<50	400	<505	<0.5	<0.5	<0.5	<3.00	<1	<1	1.12	--	--	11.44	0.00	18.70
	05/08/06	2,740^J	1,030^P	<500	157	1.65	179	85.5	<1	47.4	1.43	--	--	12.54	0.00	17.60
	08/30/06	197	<243	<485	13.8	<0.5	12.3	<3.00	<1	10.9	<1	--	--	12.71	0.00	17.43
	12/13/06	1,770	<250	<500	128.0	7.05	129.0	51	<5	<25	<1	--	--	11.65	0.00	18.49
	03/08/07	596	<248	<495	38.5	<0.5	31.3	5.30	<1	18.5	1.26	--	--	11.45	0.00	18.69
	06/15/07	296	<250	<500^r	14.2	<0.5	3.26	<3.00	<1	12.1	<1	--	--	12.05	0.00	18.09
	09/14/07	358	<245	<490	25.5	<0.5	9.29	<3.00	<1	6.85	<1	--	--	13.11	0.00	17.03
	12/18/07	64.8	<236	<472	3.3	<1	<1	<3	<1	<1	3.55	--	--	10.17	0.00	19.97
	03/17/08	290	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	4.4	<1	11.09		19.05
06/02/08	215	284	<472	<0.5	<0.5	<0.5	<3	<1	<5	415	<1	265	11.41	0.00	18.73	
08/04/08	--	<236	<472	--	--	--	--	--	--	334	<1	<236	11.23	0.00	18.91	
11/05/08	528	<238	<476	<0.500	<0.500	0.65	<3.00	<1.00	<5.00	2.32	<1.00	281	11.20	0.00	18.94	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-33 20.75	11/04/91	11,000	<1,000	--	550	490	240	1,300	--	--	--	--	--	--	--	--	
	12/29/93	7,200	1,100	<750	560	100	250	1,100	--	--	--	--	--	10.82	0.00	9.93	
	04/07/94	3,500	1,000	1,100	220	1.5	80	190	--	--	--	--	--	10.60	0.00	10.15	
	03/08/95	4,900	1,400	2,000	650	<25	320	420	--	--	--	--	--	11.16	0.00	9.59	
	06/06/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/07/95	9,700	1,400	820	550	140	230	620	--	--	--	--	--	11.20	0.00	9.55	
	12/08/95	13,000	1,900	1,800	800	240	280	760	--	--	--	--	--	NM	NM	--	
	04/01/96	5,200	960	<750	630	33	130	270	--	--	--	--	--	11.00	0.00	9.75	
	06/25/96	2,700	1,030	<750	230	24.6	46.5	61.1	--	--	--	--	--	11.05	0.00	9.70	
	09/27/96	5,150	1,190	<750	1,190	237	86.3	272	--	--	--	--	--	11.13	0.00	9.62	
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	11.19	0.00	9.56	
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	10.66	0.00	10.09	
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	10.48	0.00	10.27	
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	11.18	0.00	9.57	
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	11.90	0.00	8.85	
	12/17/98	--	--	--	--	--	--	--	--	--	--	--	--	11.03	0.00	9.72	
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	10.38	0.00	10.37	
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	9.52	0.00	11.23	
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	10.97	0.00	9.78	
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	11.33	0.00	9.42	
	12/19/00	Inaccessible													NM	NM	--
	06/15/01	LPH Present													12.72	2.50	10.03
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01	LPH Present													NM	0.30	--
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	141,000	25,200	2,680	--	5,360	32,500	3,410	22,700	--	--	--	--	--	11.21	0.00	9.54
03/08/02	126,000	31,400	3,420	--	2,660	21,600	3,420	24,800	--	--	--	--	--	11.37	0.00	9.38	
06/24/02	205,000	51,700	14,000	--	1,510	14,200	3,770	28,900	--	--	--	--	--	11.36	0.00	9.39	
09/26/02	LPH Present													12.45	0.10	8.38	
12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	12.34	0.00	8.41	
03/13/03	--	--	--	--	--	--	--	--	--	--	--	--	--	10.59	0.00	10.16	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-33 contd.	06/12/03	30,900	4,170	<562	396	526	474	3,890	--	--	--	--	--	11.65	Sheen	9.10
	09/19/03	125	<291	<581	0.704	<0.5	<0.5	4.30	--	--	--	--	--	6.70	0.00	14.05
30.16	01/14/04	524	<135	<271	17	3.7	7.65	31	--	--	--	--	--	12.03	0.00	8.72
	03/30/04	2,680	725	<256	218	14.7	53.2	150.4	--	--	--	--	--	12.49	0.00	8.26
	06/22/04	3,500	1,330	443	197	12.1	99.2	217.3	--	--	--	--	--	12.66	0.00	8.09
	09/29/04	290	290	<511	12	1.9	5.6	22	--	--	--	--	--	9.60	0.00	11.15
	12/29/04	2,860	795	<491	91	30.9	49.4	169.3	--	--	--	--	--	12.14	0.00	8.61
	03/17/05	106	<239	<478	8.23	1.23	4.6	9.55	--	--	--	--	--	12.07	0.00	8.68
	06/01/05	<100	<262	<524	2.03	<1	<1	<2	<1	--	--	--	--	11.21	0.00	9.54
	07/25/05	79.3	<250	<500	3.27	0.230	1.95	1.78	<1	1.27	--	--	--	11.73	0.00	--
	11/01/05	<50	<236	<472	0.800	<0.5	<0.5	<1	<2	--	--	--	--	6.50	0.00	23.66
	02/23/06	582	<255	<510	145	4.75	5.50	<15.0	<5	<5	1.00	--	--	11.49	0.00	18.67
	05/08/06	242	<240	<481	4.29	<0.5	0.7	1.78	<1	2.13	<1	--	--	11.79	0.00	18.37
	08/30/06	874	<250	<500	200	10.0	26.2	56.0	6.79	17.1	<1	--	--	12.43	0.00	17.73
	12/12/06	11,200	<243	<485	163	41.2	45.2	175	<5	<25	<1	--	--	11.52	0.00	18.64
	03/07/07	867	<260	<521	65	2.48	54.8	84.6	<1	23.8	<1	--	--	8.45	0.00	21.71
	06/15/07	535	<245	<490 ^r	32.5	<0.5	0.550	17.5	1.38	21.8	<1	--	--	12.03	0.00	18.13
	09/14/07	235	<250	<500	29.4	1.45	<0.5	19.8	1.23	6.62	<1	--	--	12.07	0.00	18.09
	12/19/07	176	<236	<472	40.0	<1	<1	4.3	<1	1.30	8.85	--	--	10.22	0.00	19.94
	03/18/08	82.9	<236	<472	<236	1.17	0.68	2.08	<3	<1	<5	7.38	<1	11.22	0.00	18.94
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	5.41	<1	<236	11.43	0.00	18.73
	08/04/08	55.3	<236	<472	1.16	<0.5	0.910	<3	<1	<5	3.84	<1	<236	12.10	0.00	18.06
11/04/08	Well buried under gravel from station decommission, unable to sample.													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-34 21.42	11/04/91	40,000	<1,000	--	23,000	18,000	2,600	14,000	--	--	--	--	--	--	--	--
	10/07/93	4,200	1,600	970	1,400	480	120	440	--	--	--	--	--	--	--	--
	12/29/93	52,000	2,200	<750	15,000	11,000	1,500	7,000	--	--	--	--	--	11.01	0.00	10.41
	04/07/94	9,800	1,400	<750	4,500	930	260	840	--	--	--	--	--	10.88	0.00	10.54
	07/14/94	5,700	1,200	<750	980	420	210	820	--	--	--	--	--	10.78	0.00	10.64
	10/25/94	13,000	4,100	1,900	6,500	170	680	1,000	--	--	--	--	--	11.78	0.00	9.64
	03/08/95	8,200	1,100	480	2,400	1,500	250	1,300	--	--	--	--	--	11.62	0.00	9.80
	06/06/95	9,100	2,300	<750	4,200	1,000	330	1,200	--	--	--	--	--	11.73	0.00	9.69
	09/07/95	18,000	1,800	930	4,800	2,300	560	2,000	--	--	--	--	--	11.57	0.00	9.85
	12/08/95	68,000	2,900	1,600	12,000	9,200	1,200	5,500	--	--	--	--	--	10.92	0.00	10.50
	04/01/96	10,000	1,900	<750	5,500	580	520	1,200	--	--	--	--	--	11.21	0.00	10.21
	06/25/96	13,700	1,160	<750	4,190	1,110	393	1,740	--	--	--	--	--	11.19	0.00	10.23
	09/27/96	16,300	1,030	<750	5,010	2,520	541	1,310	--	--	--	--	--	11.58	0.00	9.84
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	11.47	0.00	9.95
	06/30/97 ^b	2,970	311	<750	1,930	15.7	271	531	--	--	--	--	--	11.19	0.00	10.23
	09/08/97 ^b	8,390	455	<750	3,920	645	567	1,270	--	--	--	--	--	11.74	0.00	9.68
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/26/98 ^b	76,900	3,090	<750	13,400	11,100	2,310	9,080	--	--	--	--	--	11.42	0.00	10.00
	09/23/98 ^b	9,040	3,000	799	3,540	243	636	1,650	--	--	--	--	--	12.23	0.00	9.19
	12/17/98 ^b	80,900	5,470	1,380	14,200	10,800	3,110	11,800	--	--	--	--	--	11.35	0.00	10.07
	03/31/99 ^b	33,400	1,910	<750	5,970	1,740	1,400	3,820	--	--	--	--	--	10.85	0.00	10.57
	06/30/99 ^b	28,500	4,840	984	4,340	1,320	1,490	3,610	--	--	--	--	--	10.18	0.00	11.24
	12/08/99 ^b	62,400	2,500	<1,360	12,900	7,440	3,240	9,210	--	--	--	--	--	11.33	0.00	10.09
	06/20/00 ^b	25,000	<250	<750	6,360	480	2,190	3,930	--	--	--	--	--	11.68	0.00	9.74
	12/19/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/15/01 ^b	25,800	4,780	<883	5,300	90	1,930	2,190	--	--	--	--	--	11.85	0.00	9.57
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01 ^b	17,800	4,510	722	3,540	44.9	1,510	2,180	--	--	--	--	--	11.86	0.00	9.56
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
12/28/01	19,000	8,400	752	5,320	1,200	406	1,010	--	--	--	--	--	11.46	0.00	9.96	
03/08/02	59,200	8,550	661	7,200	8,610	2,190	8,200	--	--	--	--	--	11.70	0.00	9.72	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-34 contd.	06/24/02	12,500	4,200	614	2,140	651	659	1,160	--	--	--	--	--	11.91	0.00	9.51
	09/26/02 ^c	13,800	6,270	<1,160	5,840	21.8	280	87	--	--	--	--	--	12.80	0.00	8.62
30.58	12/12/02	14,500	11,000	681	5,130	44.7	333	224	--	--	--	--	--	12.98	0.00	8.44
	03/13/03	25,600	6,480	<500	6,030	668	775	1,130	--	--	--	--	--	11.67	0.00	9.75
	06/12/03	13,000	2,880	<500	1,590	735	450	1,360	--	--	--	--	--	12.04	0.00	9.38
	09/19/03	351	<301	<602	9.91	11.7	6.48	34.6	--	--	--	--	--	12.83	0.00	8.59
	01/14/04	160	<122	<245	23.7	<0.5	2.11	<1	--	--	--	--	--	12.00	0.00	9.42
	03/30/04	15,100	1,120	<300	3,060	238	564	846.6	--	--	--	--	--	12.62	0.00	8.80
	06/22/04	6,760	1,900	<238	2,320	14.3	395	279.8	--	--	--	--	--	12.88	0.00	8.54
	09/29/04	310	306	<505	10	<0.5	3.5	8.2	--	--	--	--	--	11.38	0.00	10.04
	12/29/04	2,590	481	<504	320	<10	83.8	101.4	--	--	--	--	--	12.67	0.00	8.75
	03/17/05	<100	<239	<478	<1	<1	<1	<2	--	--	--	--	--	12.66	0.00	8.76
	06/01/05	143	<237	<474	<1	<1	5.34	4.87	<1	--	--	--	--	11.81	0.00	9.61
	07/25/05	<50	<250	<500	0.210	<0.2	1.85	1.31	<1	<0.5	--	--	--	11.80	0.00	--
	11/07/05	219	<245	<490	8.46	<0.5	0.58	4.86	<1	--	--	--	--	11.92	0.00	18.66
	02/22/06	95.9	<255	<510	6.27	9.27	2.10	10.2	<1 ^{q,r}	<1	1.32	--	--	11.48	0.00	19.10
	05/08/06	489	<250	<500	14.7	<0.5	9.15	2.36	<1	8.04	<1	--	--	12.84	0.00	17.74
	08/30/06	254	<245	<490	32.8	0.880	4.82	5.45	<1	12.1	<1	--	--	12.70	0.00	17.88
	12/13/06	2,240	<250	<500	211	<2.5	25.0	<15.0	<5	<25	<1	--	--	11.66	0.00	18.92
	03/07/07	1,010	<240	<481	81.7	<5	7.50	181	<10	<50	1.98	--	--	10.75	0.00	19.83
	06/15/07	806	<250	<500 ^r	141	1.01	4.02	<3.00	<1	6.79	<1	--	--	12.39	0.00	18.19
	09/13/07	727	<238	<476	59.2	0.680	27.1	<3.00	<1	14.6	4.25	--	--	13.24	0.00	17.34
	12/19/07	53.4	<236	<472	<1	<1	<1	<3	<1	<1	1.69	--	--	10.50	0.00	20.08
	03/17/08	2040	<236	<472	499	235	1.48	10.5	<3	<1	<5	18.60	<1	11.64	0.00	18.94
	06/02/08	1,280	<240	<481	55.1	1.26	5.07	<3	<1	<5	37.20	<1	356	11.84	0.00	18.74
08/04/08	Unable to unlock													--	--	--
11/05/08	1,890	<238	<476	23.2	1.2	10.4	<3.00	<1.00	8.55	1.41	<1.00	1,060	12.20	0.00	18.38	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-35 20.10	11/04/91	24,000	<1,000	--		440	2,600	610	4,300	--	--	--		--	--	--	
	12/29/93	4,200	1,000	<750		580	40	200	720	--	--	--		10.23	0.00	9.87	
	04/07/94	5,300	870	<750		480	51	140	550	--	--	--		9.91	0.00	10.19	
	07/14/94	8,100	890	<750		980	79	150	600	--	--	--		10.13	0.00	9.97	
	10/25/94	2,800	1,300	1,200		360	3.6	100	82	--	--	--		10.87	0.00	9.23	
	03/08/95	2,600	1,200	1,300		400	<25	120	83	--	--	--		10.67	0.00	9.43	
	06/06/95	810	1,000	930		62	1.4	27	36	--	--	--		10.67	0.00	9.43	
	09/07/95	--	--	--		--	--	--	--	--	--	--		10.87	0.00	9.23	
	12/08/95	--	--	--		--	--	--	--	--	--	--		NM	NM	--	
	04/01/96	--	--	--		--	--	--	--	--	--	--		NM	NM	--	
	06/25/96	1,620	850	<750		68.2	1.11	26.7	17.6	--	--	--		11.11	0.00	8.99	
	09/27/96	959	524	<750		38.8	0.990	10.4	6.18	--	--	--		10.64	0.00	9.46	
	03/28/97 ^b	1,370	333	<750		161	2.36	31.9	10.7	--	--	--		11.28	0.00	8.82	
	03/28/97	1,800	<250	<750		250	2.62	49.1	8.04	--	--	--		11.28	0.00	8.82	
	06/30/97 ^b	1,900	<250	<750		348	<2.5	85	7.31	--	--	--		10.19	0.00	9.91	
	09/08/97 ^b	4,200	<250	<750		1,460	16.2	231	68.2	--	--	--		10.86	0.00	9.24	
	12/19/97	--	--	--		--	--	--	--	--	--	--		NM	NM	--	
	03/16/98 ^b	905	361	<750		410	4.24	<2.5	<5.00	--	--	--		10.64	0.00	9.46	
	06/26/98 ^b	1,300	682	<750		600	<10	45.1	<20.0	--	--	--		10.65	0.00	9.45	
	09/23/98 ^b	665	659	<750		243	<2.5	<2.5	<5.00	--	--	--		11.38	0.00	8.72	
	12/17/98 ^b	699	572	<750		402	<2.5	10.8	9.99	--	--	--		10.49	0.00	9.61	
	03/31/99	Obstructed by vehicle													NM	NM	--
	06/30/99	Obstructed by vehicle													NM	NM	--
	12/08/99	Obstructed by vehicle													NM	NM	--
	06/20/00	Obstructed by vehicle													NM	NM	--
	12/19/00	Obstructed by vehicle													NM	NM	--
	06/15/01	--	--	--		--	--	--	--	--	--	--		NM	NM	--	
	06/26/01 ^b	504	464	<750	11.3	27.5	5.52	28.4	--	--	--	--		10.60	0.00	9.50	
	09/04/01 ^b	263	903	<564	2.36	<0.5	<0.5	<1	--	--	--	--		10.54	0.00	9.56	
	10/10/01	--	--	--		--	--	--	--	--	--	--		NM	NM	--	
	12/28/01	691	1,160	<500	28.7	0.898	14.1	13.2	--	--	--	--		10.54	0.00	9.56	
	03/08/02	638	1,100	<500	16.2	0.939	7.05	6.91	--	--	--	--		10.72	0.00	9.38	
	06/24/02	Obstructed by vehicle													NM	NM	--
	09/26/02 ^b	555	1,420	<500	9.49	<2	1.78	<1.50	--	--	--	--		11.90	0.00	8.20	
	12/12/02	Obstructed by vehicle													NM	NM	--
	03/13/03	13,500	1,430	<500	749	153	791	2,160	--	--	--	--		9.87	0.00	10.23	
06/12/03	3,930	973	<562	338	21.2	49.9	222	--	--	--	--		11.91	0.00	8.19		
09/19/03	517	<373	<746	7.29	4.32	1.86	14.6	--	--	--	--		12.18	0.00	7.92		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-35 contd.	01/14/04	614	142	<256	1.45	<0.5	0.657	0.568	--	--	--	--	--	11.33	0.00	8.77
	03/30/04	541	196	<257	<1	<1	<1	<2	--	--	--	--	--	11.69	0.00	8.41
19.45	06/22/04	526	210	<238	1.27	<1	<1	<2	--	--	--	--	--	11.91	0.00	8.19
	09/29/04	250	248	<487	0.50	<0.5	1.1	2.1	--	--	--	--	--	11.77	0.00	8.33
	12/29/04	280	<255	<510	<1	<1	<1	<2	--	--	--	--	--	10.64	0.00	9.46
	03/17/05	168	<239	<478	<1	<1	<1	<2	--	--	--	--	--	10.88	0.00	8.57
	06/01/05	334	<238 ^l	<475 ^j	7.06	<1	2.11	<2	1.21	--	--	--	--	10.11	0.00	9.34
	07/25/05	296	<250	<500	2.09	0.280	0.980	1.15	1.14	0.970	--	--	--	10.42	0.00	--
	11/07/05	243	<245	<490	1.22	0.870	1.17	3.89	<1	--	--	--	--	10.22	0.00	9.23
28.90	02/23/06	<50	315	<485	<0.5	<0.5	<0.5	<3.00	<1	<1	1.95	--	--	10.21	0.00	9.24
	05/08/06	<50	<236	<472	2.53	<0.5	<0.5	<3.00	<1	<1	2.01	--	--	10.43	0.00	18.47
	08/30/06	120	<245	<490	1.30	1.25	<0.5	<3.00	<1	<5	1.35	--	--	11.18	0.00	17.72
	12/13/06	181	<248	<495	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	10.23	0.00	18.67
	03/08/07	89.1	<253	<505	13.0	0.720	0.890	<3.00	<1	<5	2.55	--	--	9.95	0.00	18.95
	06/15/07	<50	<245	<490 ^r	<0.5	<0.5	<0.5	<3.00	<1	6.34	<1	--	--	10.44	0.00	18.46
	09/14/07	<50	<255	<510	<0.5	<0.5	<0.5	<3.00	<1	<5	4.62	--	--	10.66	0.00	18.24
03/18/08	12/18/07	72.60	<236	<472	2.31	<1	<1	2.40	<1	<1	2.26	--	--	9.53	0.00	19.37
	03/18/08	59.60	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	11.20	<1	9.93		18.97
	06/03/08	75.8	479	940	<0.5	<0.5	<0.5	<3	<1	<5	191	<1	<236	10.46	0.00	18.44
	08/04/08	70.1	<236	<472	<0.5	0.70	<0.5	<3	<1	<5	4.64	<1	<236	10.86	0.00	18.04
	11/05/08	94.8	<238	<476	<0.500	1.35	<0.500	<3.00	<1.00	<5.00	229	<1.00	<238	10.07	0.00	18.83

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-36 17.80	11/05/91	1,000	<1,000	--	24	0.9	<0.5	1.0	--	--	--	--	--	--	--	--
	12/30/93	<100	370	940	0.7	<0.5	<0.5	<0.5	--	--	--	--	--	9.42	0.00	8.38
	07/15/94	<100	410	960	0.7	<0.5	<0.5	<0.5	--	--	--	--	--	7.98	0.00	9.82
	10/25/94	<50	670	1,300	1.2	<0.5	<0.5	<1.0	--	--	--	--	--	9.32	0.00	8.48
	03/08/95	<50	560	1,200	2.6	<0.5	<0.5	<1.0	--	--	--	--	--	9.07	0.00	8.73
	06/06/95	<50	<250	<750	1	<0.5	<0.5	<1.0	--	--	--	--	--	7.92	0.00	9.88
	09/07/95	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	8.11	0.00	9.69
	12/08/95	<50	510	1,200	1.1	<0.5	<0.5	<1.0	--	--	--	--	--	9.00	0.00	8.80
	04/01/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	9.00	0.00	8.80
	06/25/96	<50	<250	<750	0.58	0.500	<0.5	<1.00	--	--	--	--	--	8.97	0.00	8.83
	09/27/96	<50	<250	<750	1.18	<0.5	<0.5	<1.00	--	--	--	--	--	7.53	0.00	10.27
	03/28/97	<50	<250	<750	0.810	<0.5	<0.5	<1.00	--	--	--	--	--	9.21	0.00	8.59
	06/30/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	6.88	0.00	10.92
	09/08/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	9.21	0.00	8.59
	12/19/97 ^b	<50	<250	<750	0.606	<0.5	<0.5	<1.00	--	--	--	--	--	10.09	0.00	7.71
	03/16/98 ^b	56.6	287	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	9.29	0.00	8.51
	06/26/98 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.47	0.00	9.33
	09/23/98 ^b	<50	<250	<750	0.737	<0.5	<0.5	1.13	--	--	--	--	--	9.89	0.00	7.91
	12/17/98 ^b	<50	288	<750	0.533	<0.5	<0.5	<1.00	--	--	--	--	--	10.00	0.00	7.80
	03/31/99 ^b	<50	321	<750	0.759	<0.5	<0.5	<1.00	--	--	--	--	--	8.96	0.00	8.84
	06/30/99 ^b	<50	<250	<750	1.29	<0.5	<0.5	<1.00	--	--	--	--	--	8.44	0.00	9.36
	12/08/99 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	10.05	0.00	7.75
	06/20/00 ^b	172	<250	<750	<0.5	0.583	1.78	11.1	--	--	--	--	--	8.47	0.00	9.33
	12/19/00 ^b	106	<250	<750	0.529	1.51	1.08	7.14	--	--	--	--	--	9.50	0.00	8.30
	06/15/01 ^b	<50	298	<750	0.691	0.648	0.530	1.53	--	--	--	--	--	8.00	0.00	9.80
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01 ^b	<50	<250	<500	0.897	<0.5	<0.5	<1.00	--	--	--	--	--	8.70	0.00	9.10
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	<50	387	<500	0.773	0.748	<0.5	1.78	--	--	--	--	--	9.57	0.00	8.23
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/26/02	<100	<250	<500	0.735	<2	<1	<1.50	--	--	--	--	--	10.16	0.00	7.64
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	<50	<250	<500	0.830	<0.5	<0.5	<1.00	--	--	--	--	--	9.34	0.00	8.46
06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/19/03	<50	<287	<575	1.44	0.561	<0.5	<1.00	--	--	--	--	--	10.23	0.00	7.57	
01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/30/04	<100	<133	<267	<1	<1	<1	<2	--	--	--	--	--	9.46	0.00	8.34	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-36 contd.	06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/29/04	<50	<250	<500	0.90	<0.5	<0.5	<1.0	--	--	--	--	--	9.78	0.00	8.02	
	12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/17/05	<100	<246	<492	<1	<1	<1	<2	--	--	--	--	--	8.66	0.00	9.14	
	06/02/05	<100	-- ^e	-- ^e	<1	<1	<1	<2	<1	--	--	--	--	7.70	0.00	10.10	
	06/16/05	--	82 ^f	<250	--	--	--	--	--	--	--	--	--	7.71	0.00	10.09	
	07/25/05	<50	<250	<500	0.550	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	8.15	0.00	--	
	11/08/05	<50	<243	<485	<0.5	<0.5	<0.5	<3.00	<1	--	--	--	--	8.81	0.00	18.40	
	02/24/06	<50	<255	<510	<0.5	<0.5	<0.5	<3.00	<1	<1	3.37	--	--	8.62	0.00	18.59	
	05/09/06	<50	<243	<485	<0.5	<0.5	<0.5	<3.00	<1	<1	10.7	--	--	7.55	0.00	19.66	
06/13/06	Decommissioned													--	--	--	
MW-37 21.01	11/05/91	21,000	<1,000	--	810	2,400	470	3,300	--	--	--	--	--	--	--	--	
	12/30/93	LPH Present													10.59	0.40	10.74
	04/07/94	92,000	18,000	<750	660	3,600	1,500	9,500	--	--	--	--	--	10.49	0.08	10.58	
	07/15/94	330,000	1,700,000	260,000	18,000	44,000	7,700	44,000	--	--	--	--	--	--	0.25	--	
	10/26/94	170,000	35,000	7,500	14,000	30,000	4,400	26,000	--	--	--	--	--	--	0.17	--	
	03/08/95	34,000	3,200	1,400	3,100	2,400	1,200	6,700	--	--	--	--	--	11.94	0.00	9.07	
	06/06/95	45,000	4,600	2,500	3,700	2,400	1,300	7,900	--	--	--	--	--	11.76	0.01	9.26	
	06/06/95	90,000	--	--	5,100	6,000	2,400	14,000	--	--	--	--	--	11.76	0.01	9.26	
	09/07/95	--	--	--	--	--	--	--	--	--	--	--	--	11.17	0.00	9.84	
	12/08/95	--	--	--	--	--	--	--	--	--	--	--	--	10.22	0.00	10.79	
	04/01/96	LPH Present													10.79	0.02	10.24
	06/25/96	LPH Present													10.82	0.20	10.35
	09/27/96	LPH Present													11.47	0.05	9.58
	03/28/97 ^b	60,100	7,570	789	1,530	2,180	1650	7,440	--	--	--	--	--	--	11.14	0.25	10.07
	03/28/97	297,000	45,100	<8,250	6,570	13,200	4930	22,900	--	--	--	--	--	--	11.14	0.25	10.07
	06/30/97	LPH Present													10.80	0.02	10.23
	09/08/97	LPH Present													11.41	0.23	9.78
	12/19/97	LPH Present													11.28	0.02	9.75
	03/16/98	LPH Present													11.11	0.01	9.91
	06/26/98	LPH Present													11.32	0.01	9.70
	09/23/98	LPH Present													12.01	0.03	9.02
	12/17/98	LPH Present													11.00	Trace	10.01
	03/31/99	LPH Present													NM	Trace	--
06/30/99	LPH Present													DRY	0.30	--	
12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	--	11.11	--	9.90	
06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	--	11.50	--	9.51	
12/19/00	LPH Present													11.50	0.50	9.91	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-37 contd.	06/15/01 ^b	LPH Present												11.35	0.03	9.68	
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/07/01 ^b	159,000	22,100	14,600	3,420	12,600	4,440	27,000	--	--	--	--	--	11.43	0.00	9.58	
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/28/01 ^b	LPH Present												11.00	0.20	10.17	
	03/08/02	LPH Present												11.61	0.40	9.72	
	06/24/02	Inaccessible												NM	NM	--	
	09/26/02	--	--	--	--	--	--	--	--	--	--	--	--	--	12.38	0.00	8.63
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	12.35	0.00	8.66
	03/13/03	--	--	--	--	--	--	--	--	--	--	--	--	--	11.10	0.00	9.91
30.09	06/12/03	1,450	474	<568	22.9	43.2	15.8	85.5	--	--	--	--	--	11.61	0.00	9.40	
	09/19/03	141	<298	<595	<0.5	<0.5	<0.5	1.01	--	--	--	--	--	11.95	0.00	9.06	
	01/14/04	471	<127	<255	4.56	<0.5	9.01	27.75	--	--	--	--	--	12.12	0.00	8.89	
	03/30/04	572	180	<281	5.77	<1	<1	1.53	<1	--	--	--	--	12.73	0.00	8.28	
	06/22/04	737	487	294	3.26	3.66	1.46	14.25	--	--	--	--	--	12.29	0.00	8.72	
	09/29/04	190	419	<496	<0.5	<0.5	0.67	1.3	--	--	--	--	--	10.89	0.00	10.12	
	12/29/04	430	<262	<524	18.2	2.27	1.08	11.22	--	--	--	--	--	11.90	0.00	9.11	
	03/17/05	250	259	<476	<1	1.27	<1	4.22	--	--	--	--	--	12.18	0.00	8.83	
	06/02/05	137	<238	604	<1	<1	<1	<2	<1	--	--	--	--	10.87	0.00	10.14	
	07/26/05	59.4	<250	<500	<0.2	<0.2	<0.2	<0.50	<1	0.520	--	--	--	11.37	0.00	--	
	11/07/05	<50	<243	<485	<0.5	<0.5	<0.5	<3.00	<1	--	--	--	--	14.71	0.00	15.38	
	02/22/06	1,830	<248	<495	32.4	63.8	19.6	284	<5 ^q	15.0	1.66	--	--	11.14	0.00	18.95	
	05/10/06	<50	<243	<485	<0.5	<0.5	<0.5	<3.00	<1	<1	<1	--	--	12.49	0.00	17.60	
	08/29/06	91.2	<258	<515	2.59	1.61	1.19	12.4	<1	<5	1.30	--	--	12.18	0.00	17.91	
	12/12/06	686	<238	<476	5.46	11.2	5.87	60.4	<1	<5	<1	--	--	11.17	0.00	18.92	
	03/06/07	64.6	<266	<532	<0.5	1.14	1.02	5.76	<1	<5	<1	--	--	10.20	0.00	19.89	
	06/14/07	121	<236	<472	1.56	<0.5	0.5	<3.00	<1	<5	<1	--	--	12.18	0.00	17.91	
	09/14/07	<50	<245	<490	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	13.09	0.00	17.00	
	12/17/07	3,130	<240	<481	54.0	72.00	27	600.00	<1	--	18.80	--	--	10.90	0.00	19.19	
	03/18/08	750	<236	<472	249	2.16	1.16	3.32	51.40	<1	<5	92.10	<1	11.04	0.00	19.05	
	06/01/08	1,370	<238	<476	4.9	2.52	5.77	158	<1	7.31	--	<1	343	11.90	0.00	18.19	
	08/10/08	1,450	<240	<481	51.3	1.7	13.4	115	<1	18.10	3.31	<1	444	12.45	0.00	17.64	
	11/02/08	685	<245	<490	3.6	0.54	4.58	38	<1.00	10.30	1.77	<1.00	<245	11.80	0.00	18.29	
	02/22/09	2,380	<238	<476	35.2	49.0	52.4	391	--	21.00	5.44	<1.00	692	12.40	0.00	17.69	
	05/17/09	1,840	<236	<472	12.5	2.37	35.5	199	<1.00	16.30	1.37	<1.00	459	12.35	0.00	17.74	
	08/16/09	1,100	840	<480	4.7	0.53	3.7	47	<1.0	5.9	<5.0	<5.0	650	14.12	0.00	15.97	
11/15/09	1,300	440 ^y	<480	12.0	2.9	19	88	<1.0	20	1.5	<1	530^y	11.65	0.00	18.44		
02/21/10	4,120	958	649	161	66.6	184	1,530	--	15.7	0.85	<0.10	1,030	11.00	0.00	19.09		
05/23/10	2,260	810	522	80.6	13.6	106	706	--	13.3	2.2	<0.10	1140	11.15	0.00	18.94		
08/15/10	2,350	<79.2	<396	51.0	2.6	47.0	415	--	16.7	4.3	0.64	598	11.43	0.00	18.66		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-38 16.52	11/05/91	<1,000	<1,000	--	<0.5	0.6	<0.5	0.5	--	--	--	--	--	--	0.00	--	
	03/08/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/06/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/07/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/08/95	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	04/01/96	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/25/96	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/27/96	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/28/97	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	--	9.23	0.00	7.29
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/17/98	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/19/00	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/15/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	<50	403	<500	0.636	1.33	0.554	2.59	--	--	--	--	--	--	8.96	0.00	7.56
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/26/02 ^c	<100	282	<500	0.743	<2	<1	<1.50	--	--	--	--	--	--	8.87	0.00	7.65
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	<50	<250	<500	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	--	7.84	0.00	8.68
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/19/03	<50	<250	<500	0.704	1.42	0.722	3.72	--	--	--	--	--	--	8.90	0.00	7.62
01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/30/04	<100	<133	<266	<1	<1	<1	<2	--	--	--	--	--	--	8.09	0.00	8.43	
06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/29/04	Unable to locate due to road construction activities													NM	NM	--	
12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/17/05	<100	<250	<499	<1	<1	<1	<2	--	--	--	--	--	--	8.32	0.00	8.20	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-38 contd.	06/02/05	Obstructed by vehicle												--	--	--
	06/16/05	Obstructed by vehicle												--	--	--
26.01	07/26/05	<50	<250	<500	<0.2	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	7.60	0.00	8.92
	11/07/05	<50	<253	<505	<0.5	<0.5	<0.5	<3.00	<1	--	--	--	--	8.11	0.00	17.90
	02/21/06	Well obstructed by vehicle												--	--	--
	05/09/06	<50	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<1	<1	--	--	5.82	0.00	20.19
	08/30/06	<80	<245	<490	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	7.02	0.00	18.99
	12/13/06	<50	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	8.56	0.00	17.45
	03/07/07	<50	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	7.92	0.00	18.09
	06/14/07	<50	<240	<481	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	6.37	0.00	19.64
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	6.93	0.00	19.08
	12/17/07	Inaccessible, well covered by vehicle												--	--	--
	03/17/08	Inaccessible, well covered by vehicle												--	--	--
	06/02/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	3.77	<1	<236	6.71	0.00	19.30
	08/05/08	Vehicle parked over well												--	--	--
	11/04/08	<50.0	<245	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	5.99	<1.00	<236	7.86	0.00	18.15
	02/24/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	1.78	<1.00	<240	7.25	0.00	18.76
	05/17/09	<50.0	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	1.71	<1.00	<238	7.13	0.00	18.88
	08/17/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	5.9	<5.0	<240	20.00	0.00	6.01
11/16/09	<50.0	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	4.9	<1	<240	7.37	0.00	18.64	
02/22/10	<50.0	149	423	<1.0	<1.0	<1.0	<3.0	--	<1.0	5.9	<0.10	<75.5	8.30	0.00	17.71	
05/23/10	Well Destroyed															

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-40 20.89	11/05/91	<1,000	<1,000	--	5.8	0.7	0.5	0.8	--	--	--	--	--	--	--	--
	10/07/93	930	1,800	1,900	36	1.8	2.1	5.3	--	--	--	--	--	--	--	--
	12/30/93	1,500	5,400	4,200	34	1.1	11	7.4	--	--	--	--	--	10.68	0.00	10.21
	04/07/94	1,200	2,200	2,000	29	1.1	6.9	2.6	--	--	--	--	--	9.35	0.00	11.54
	07/15/94	1,000	2,100	2,500	27	0.8	1.2	1.7	--	--	--	--	--	10.68	0.00	10.21
	10/26/94	1,200	2,900	2,600	20	0.53	0.77	2.0	--	--	--	--	--	11.22	0.00	9.67
	03/08/95	960	2,600	2,600	11	<0.5	11	<1.0	--	--	--	--	--	10.98	0.00	9.91
	06/06/95	1,500	2,300	1,600	6.8	4.3	4.1	21	--	--	--	--	--	11.18	0.00	9.71
	09/07/95	650	13,000	66,000	11	0.91	0.57	<1.0	--	--	--	--	--	11.08	0.00	9.81
	12/08/95	500	1,400	4,800	2.7	3.00	<0.5	<1.0	--	--	--	--	--	10.30	0.00	10.59
	04/01/96	520	3,200	13,000	1.2	<0.5	0.55	<1.0	--	--	--	--	--	10.56	0.00	10.33
	06/25/96	500	2,700	8,460	<0.5	9.82	<0.5	<1.00	--	--	--	--	--	10.69	0.00	10.20
	09/27/96	602	3,550	9,860	0.604	41.1	0.525	<1.0	--	--	--	--	--	10.95	0.00	9.94
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	10.92	0.00	9.97
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/19/97 ^b	325	3,260	12,600	<0.5	0.504	0.663	2.44	--	--	--	--	--	11.11	0.00	9.78
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/17/98 ^b	384	2,840	9,620	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	10.86	0.00	10.03
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/09/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/19/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/15/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	449	4,000	5,090	2.12	2.19	1.38	3.88	--	--	--	--	--	10.75	0.00	10.14
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/26/02	331	2,810	3,470	1.92	<2	<1	<1.50	--	--	--	--	--	12.69	0.00	8.20
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	509	2,010	2,010	<0.5	<0.5	0.630	1.77	--	--	--	--	--	11.30	0.00	9.59
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/19/03	259	393	1,120	2.64	3.01	1.39	6.77	--	--	--	--	--	12.46	0.00	8.43

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-40 contd.	01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/30/04	627	863	3,360	3.69	<1	<1	<2	--	--	--	--	--	11.55	Sheen	9.34
30.08	06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/29/04	390	32,800	219,000	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	12.03	Sheen	8.86
	12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/17/05	402	758	4,130	<1	<1	<1	<2	--	--	--	--	--	11.89	Sheen	9.00
	06/02/05	433	692^{fj}	3,760	<1	<1	<1	<2	<1	--	--	--	--	11.30	0.00	9.59
	07/26/05	216	596^c	1,600	<0.2	<0.2	<0.2	<0.500	<1	<0.5	--	--	--	11.35	0.00	--
	11/07/05	269	<243	<485	<0.5	<0.5	<0.5	3.58	<1	--	--	--	--	11.66	0.00	18.42
	02/23/06	397	<248	546	<0.5	<0.5	<0.5	<3.00	<1	<1	7.35	--	--	--	--	--
	05/10/06	207	<238	<476	<0.5	<0.5	<0.5	<3.00	<1	<1	1.84	--	--	12.50	0.00	17.58
	08/29/06	81.5	<236	<472	0.940	<0.5	<0.5	<3.00	<1	<5	2.01	--	--	12.87	0.00	17.21
	12/12/06	540	<243	<485	2.51	0.600	0.520	<3.00	<1	<5	<1	--	--	11.92	0.00	18.16
	03/07/07	216	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<5	1.08	--	--	10.63	0.00	19.45
	06/14/07	179	<240	<481	<0.5	<0.5	<0.5	<3.00	<1	<5	1.05	--	--	11.71	0.00	18.37
	09/14/07	65.8	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	12.08	0.00	18.00
	12/17/07	203	<236	<472	<1	<1	<1	<2	<1	--	7.37	--	--	10.10	0.00	19.98
	03/17/08	411	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	4.10	<1	--	--	--
	06/02/08	272	<240	<481	<0.5	0.68	<0.5	<3	<1	<5	6.39	<1	<240	11.22	0.00	18.86
	08/04/08	149	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	12.5	<1	<236	14.00	0.00	16.08
	11/03/08	350	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<0.500	4.97	<1.00	<240	12.50	0.00	17.58
	02/23/09	330	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	7.09	<1.00	<240	11.96	0.00	18.12
05/17/09	281	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	4.64	<1.00	<238	13.85	0.00	16.23	
08/16/09	Insufficient volume of water to fill sample containers.													17.95	0.00	12.13
11/15/09	Inaccessible													--	--	--
02/21/10	609	1,070	771	1.9	<1.0	<1.0	6.1	--	2.1	3.9	0.39	711	10.52	0.00	19.56	
05/23/10	480	861	909	<1.0	<1.0	<1.0	<3.0	--	<1.0	7.7	0.25	810	10.66	0.00	19.42	
08/15/10	Inaccessible															

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-41 27.00	11/05/91	<1,000	<1,000	--	67	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	12/29/93	<100	<250	<750	4.6	<0.5	<0.5	<0.5	--	--	--	--	--	11.24	0.00	15.76
	07/14/94	<100	<250	<750	10	<0.5	<0.5	<0.5	--	--	--	--	--	10.81	0.00	16.19
	10/25/94	<50	500	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	13.69	0.00	13.31
	03/08/95	<50	<250	<750	1.6	<0.5	<0.5	<1.0	--	--	--	--	--	14.72	--	12.28
	06/06/95	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	15.02	--	11.98
	09/07/95	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	15.00	--	12.00
	12/08/95	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	16.30	--	10.70
	04/01/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	15.02	--	11.98
	06/25/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	15.07	--	11.93
	09/27/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	15.42	0.00	11.58
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	15.27	0.00	11.73
06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
36.25	06/02/05	<100	<237	<474	<1	<1	<1	<2	<1	--	--	--	--	15.48	0.00	11.52
	07/26/05	<50	258 ^c	977	<0.2	<0.2	<0.2	<0.50	<1	<0.5	--	--	--	15.88	0.00	--
	11/02/05	<50	<238	<476	<0.5	<0.5	<0.5	<3.00	<1	--	--	--	--	15.89	0.00	20.36
	02/23/06	<50	<250	<500	<0.5	<0.5	<0.5	<3.00	<1	<1	1.32	--	--	15.26	0.00	20.99
	05/09/06	<50	<253	<505	<0.5	<0.5	<0.5	<3.00	<1	<1	1.56	--	--	15.47	0.00	20.78
	08/30/06	<80	<240	<481	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	15.90	0.00	20.35
	12/12/06	<50	<243	<485	<0.5	<0.5	<0.5	<3.00	<1	<5	8.79	--	--	15.81	0.00	20.44
	03/07/07	<50	<263	<526	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	15.38	0.00	20.87
	06/14/07	79.2	<236	<472	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	--	--	15.45	0.00	20.80
	09/13/07	<50	<236	<472	<0.5	<0.5	<0.5	<3.00	<1	<5	2.56	--	--	15.61	0.00	20.64
	12/18/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	2.73	--	--	15.46	0.00	20.79
	03/17/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	15.33	--	20.92
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	15.31	0.00	20.94
	08/04/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	15.59	0.00	20.66
	11/04/08	<50.0	<245	<490	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<245	15.80	0.00	20.45
	02/24/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	15.60	0.00	20.65
	05/17/09	<50.0	<250	<500	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	2.05	<1.00	<250	15.78	0.00	20.47
	08/16/09	<50	470	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	16.25	0.00	20.00
11/15/09	<50	<280	<560	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	--	--	<280	16.50	0.00	19.75	
02/21/10	<50.0	98.4	<379	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.8	<0.10	<75.8	15.50	0.00	20.75	
05/23/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.35	<0.10	<76.9	15.42	0.00	20.83	
08/16/10	Unable to gauge and sample; Well damaged.															

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-42 20.34	11/05/91	<1,000	<1,000	--	180	2.9	0.8	4.7	--	--	--	--	--	--	--	--
	12/30/93	<100	1,300	2,400	570	0.5	<0.5	0.7	--	--	--	--	--	9.62	0.00	10.72
	04/07/94	<200	840	1,100	620	<1	<1	<1	--	--	--	--	--	9.36	0.00	10.98
	07/15/94	<100	540	850	490	0.6	<0.5	0.5	--	--	--	--	--	9.26	0.00	11.08
	10/26/94	92	1,300	2,500	530	0.55	<0.5	<1.0	--	--	--	--	--	9.92	0.00	10.42
	03/08/95	130	670	1,200	790	<25	<25	<50	--	--	--	--	--	9.45	0.00	10.89
	06/06/95	120	920	1,500	500	<0.56	<0.5	<1.0	--	--	--	--	--	9.37	0.00	10.97
	09/07/95	3,000	780	1,200	210	4.1	42	230	--	--	--	--	--	9.50	0.00	10.84
	12/08/95	200	1,300	1,900	380	<2	<2	<4.0	--	--	--	--	--	8.95	0.00	11.39
	04/01/96	180	650	<750	280	0.52	<0.5	<1	--	--	--	--	--	9.03	0.00	11.31
	06/25/96	150	720	<750	150	<0.5	<0.5	<1	--	--	--	--	--	9.07	0.00	11.27
	09/27/96	<250	534	<750	228	<2.5	<2.5	<5.00	--	--	--	--	--	9.12	0.00	11.22
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	9.09	0.00	11.25
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	8.92	0.00	11.42
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	9.57	0.00	10.77
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	--	--
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	9.53	0.00	10.81
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	9.51	0.00	10.83
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	9.96	0.00	10.38
	12/17/98	--	--	--	--	--	--	--	--	--	--	--	--	9.10	0.00	11.24
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	9.00	0.00	11.34
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	8.60	0.00	11.74
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	8.00	0.00	12.34
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/19/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/15/01	--	--	--	--	--	--	--	--	--	--	--	--	9.41	0.00	10.93
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01	--	--	--	--	--	--	--	--	--	--	--	--	9.66	0.00	10.68
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	--	--	--	--	--	--	--	--	--	--	--	--	10.28	0.00	10.06
03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	9.75	0.00	10.59	
06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/26/02	--	--	--	--	--	--	--	--	--	--	--	--	10.81	0.00	9.53	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-42 contd. 28.66	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	10.89	0.00	9.45	
	03/13/03	--	--	--	--	--	--	--	--	--	--	--	--	9.77	0.00	10.57	
	06/12/03	Not Sampled													NM	NM	--
	06/02/05	198	-- ^e	-- ^e	4.67	<1	<1	<2	<1	--	--	--	--	9.52	0.00	10.82	
	06/16/05	--	97 ^f	<250	--	--	--	--	--	--	--	--	--	9.34	0.00	11.00	
	07/26/05	117	<250	<500	2.95	0.340	<0.2	0.900	<1	<0.5	--	--	--	9.81	0.00	10.53	
	11/02/05	179	<236	<472	8.22	<0.5	<0.5	<3.00	<1	--	--	--	--	10.18	0.00	19.00	
	02/22/06	193	<248	<495	2.23	<0.5	<0.5	<3.00	<1 ^q	<1	<1	--	--	9.66	0.00	19.00	
	05/09/06	185	<250	<500	3.62	1.37	0.580	<3.00	<1	<1	<1	--	--	9.64	0.00	19.02	
	06/12/06	Decommissioned													--	--	--
MW-43 21.04	11/05/91	<1,000	<1,000	--	86	3.4	0.6	2.7	--	--	--	--	--	--	--	--	
	12/30/93	340	320	<750	82	0.5	11	100	--	--	--	--	--	--	--	--	
	07/14/94	360	<250	<750	31	<0.5	4.6	74	--	--	--	--	--	10.70	0.00	10.34	
	10/26/94	160	580	<750	9.1	<0.5	<0.5	<1.0	--	--	--	--	--	11.34	0.00	9.70	
	03/08/95	<50	650	2,400	25	<0.5	<0.5	<1.0	--	--	--	--	--	11.35	0.00	9.69	
	06/06/95	<50	690	1,500	8.2	<0.5	<0.5	<1.0	--	--	--	--	--	11.45	0.00	9.59	
	09/07/95	<50	<250	850	10	<0.5	<0.5	<1.0	--	--	--	--	--	11.14	0.00	9.90	
	12/08/95	<50	960	3,100	37	<0.5	<0.5	<1.0	--	--	--	--	--	10.85	0.00	10.19	
	04/01/96	<50	300	<750	4.5	<0.5	<0.5	<1.0	--	--	--	--	--	10.98	0.00	10.06	
	06/25/96	<50	370	<750	2.57	<0.5	<0.5	<1.00	--	--	--	--	--	11.06	0.00	9.98	
	09/27/96	<50	339	<750	4.4	<0.5	<0.5	<1.00	--	--	--	--	--	11.33	0.00	9.71	
	03/28/97	<50	<250	<750	5.89	0.884	<0.5	2.47	--	--	--	--	--	11.13	0.00	9.91	
	06/30/97 ^b	<50	<250	<750	59.2	<0.5	<0.5	<1.00	--	--	--	--	--	7.08	0.00	13.96	
	09/08/97 ^b	83	<250	<750	35.5	<0.5	2.10	3.08	--	--	--	--	--	11.46	0.00	9.58	
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/16/98 ^b	76.3	408	<750	26.5	<0.5	<0.5	<1.00	--	--	--	--	--	11.09	0.00	9.95	
	06/26/98 ^b	<50	346	<750	69.6	<0.5	<0.5	<1.00	--	--	--	--	--	11.26	0.00	9.78	
	09/23/98 ^b	<50	267	<750	9.05	<0.5	<0.5	<1.00	--	--	--	--	--	11.75	0.00	9.29	
	12/17/98 ^b	<50	<250	<750	33.0	<0.5	<0.5	<1.00	--	--	--	--	--	11.07	0.00	9.97	
	03/31/99 ^b	<50	267	<750	9.84	<0.5	0.782	2.47	--	--	--	--	--	10.97	0.00	10.07	
	06/30/99 ^b	146	253	<750	28.2	7.47	2.95	17.5	--	--	--	--	--	9.97	0.00	11.07	
	12/08/99 ^b	<50	<250	<750	20.5	<0.5	<0.5	<1.00	--	--	--	--	--	11.06	0.00	9.98	
	06/20/00 ^b	<50	<250	<750	3.79	<0.5	<0.5	<1.00	--	--	--	--	--	11.40	0.00	9.64	
12/19/00 ^b	55.9	253	<749	2.97	0.948	0.730	4.78	--	--	--	--	--	11.40	0.00	9.64		
06/15/01 ^b	<50	405	<750	0.670	<0.5	<0.5	1.22	--	--	--	--	--	11.32	0.00	9.72		
06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
09/07/01 ^b	<50	<293	<587	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	11.46	0.00	9.58		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-43 contd.	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/28/01	52	487	<500	5.61	1.18	0.558	3.34	--	--	--	--	--	11.17	0.00	9.87	
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/26/02 ^c	<100	303	<500	0.669	<2	<1	<1.50	--	--	--	--	--	12.28	0.00	8.76	
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/13/03	<50	<321	<641	0.883	<0.5	<0.5	<1.00	--	--	--	--	--	11.20	0.00	9.84	
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/19/03	<50	<291	<581	1.76	<0.5	<0.5	<1.00	--	--	--	--	--	12.37	0.00	8.67	
	01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/30/04	<100	<129	<258	<1	<1	<1	<2	--	--	--	--	--	11.95	0.00	9.09	
	06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/29/04	180	<249	<499	3.6	<0.5	<0.5	<1.0	--	--	--	--	--	12.00	0.00	9.04	
	12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/17/05	<100	<250	<501	2.2	<1	<1	<2	--	--	--	--	--	11.69	0.00	9.35	
	06/02/05	<100	.. ^e	.. ^e	15	<1	<1	<2	<1	--	--	--	--	11.18	0.00	9.86	
	06/16/05	--	<50	<250	--	--	--	--	--	--	--	--	--	11.16	0.00	9.88	
	07/26/05	<50	<250	<500	4.24	<0.2	<0.2	<0.500	<1	<0.5	--	--	--	11.70	0.00	--	
	30.21	11/01/05	<50	<236	<472	<0.2	<0.5	<0.5	<1.00	<2	--	--	--	--	11.45	0.00	18.76
		02/21/06	<50	<281	<562	1.16	<0.5	<0.5	<3.00	<1	<1	<1	--	--	10.99	0.00	19.22
05/09/06		<50	<236	<472	1.13	<0.5	<0.5	<3.00	<1	<1	<1	--	--	11.40	0.00	18.81	
08/31/06		<100	<236	<472	<0.5	<0.5	<0.5	<3.00	<1	<5	<1	<1	--	11.90	0.00	18.31	
12/13/06		<50	<240	<481	10.3	<0.5	<0.5	<3.00	<1	<5	<1	--	--	10.87	0.00	19.34	
03/06/07		Decommissioned													--	--	--
MW-44 18.73		11/05/91	<1,000	<1,000	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
		07/15/94	<100	<250	<750	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	8.35	0.00	10.38
	10/26/94	<50	280	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	9.81	0.00	8.92	
	03/08/95	<50	290	940	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	9.44	0.00	9.29	
	06/06/95	<50	<250	820	<0.5	<0.5	<0.5	1.60	--	--	--	--	--	8.28	0.00	10.45	
	09/07/95	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.94	0.00	10.79	
	12/08/95	<50	520	2,500	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	8.09	0.00	10.64	
	04/01/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.98	0.00	10.75	
	06/25/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	7.90	0.00	10.83	
	09/27/96	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.28	0.00	10.45	
	03/28/97	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.07	0.00	10.66	
	06/30/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	7.84	0.00	10.89	
	09/08/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.65	0.00	10.08	
	12/19/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.51	0.00	10.22	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-44 contd.	03/16/98 ^b	60.0	310	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.43	0.00	10.30
	06/26/98 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.37	0.00	10.36
	09/23/98 ^b	<50	343	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	9.30	0.00	9.43
	12/17/98 ^b	<50	271	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.10	0.00	10.63
	03/31/99 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.18	0.00	10.55
	06/30/99 ^b	<50	393	<750	<0.5	0.619	<0.5	1.21	--	--	--	--	--	8.03	0.00	10.70
	12/08/99 ^b	<50	281	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.52	0.00	10.21
	06/20/00 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	9.53	0.00	9.20
	12/19/00 ^b	301	330	<750	<0.5	1.64	2.76	22.1	--	--	--	--	--	9.20	0.00	9.53
	06/15/01 ^b	<50	468	<841	<0.5	<0.5	<0.5	<1.00	--	--	--	--	--	8.44	0.00	10.29
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01 ^b	10,300	4,250	849	1,050	6.97	945	51.0	--	--	--	--	--	9.48	0.00	9.25
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	12/28/01	90.6	823	<500	10.9	1.40	0.644	4.04	--	--	--	--	--	9.31	0.00	9.42
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/26/02 ^c	<100	1,600	569	14.2	<2	<1	<1.50	--	--	--	--	--	10.79	0.00	7.94
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	196	347	<575	26.8	<0.5	<0.5	<1	--	--	--	--	--	11.58	0.00	7.15
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
09/19/03	156	<301	<602	20.2	0.997	<0.5	2.61	--	--	--	--	--	10.97	0.00	7.76	
01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/30/04	<100	<134	<268	<1	<1	<1	<2	--	--	--	--	--	10.01	0.00	8.72	
06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/29/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
12/29/04	<100	<260	<520	<1	<1	<1	<2	--	--	--	--	--	9.24	0.00	9.49	
03/17/05	<100	<240	<480	<1	<1	<1	<2	--	--	--	--	--	9.48	0.00	9.25	
06/02/05	<100	-- ^e	-- ^e	<1	<1	<1	<2	<1	--	--	--	--	8.30	0.00	10.43	
06/16/05	--	<50	<250	--	--	--	--	--	--	--	--	--	8.32	0.00	10.41	
07/26/05	<50	<250	<500	<0.200	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	8.76	0.00	--	
11/01/05	<50	<236	<472	<0.200	<0.5	<0.5	<1	<2	--	--	--	--	9.14	0.00	18.83	
02/21/06	<50	<263	<526	<0.500	<0.5	<0.5	<3	<1	<1	<1	--	--	8.58	0.00	19.39	
05/09/06	<50	<272	<543	<0.500	<0.5	<0.5	<3	<1	7.98	<1	--	--	9.29	0.00	18.68	
08/29/06	<80	<240	<481	<0.500	<0.5	<0.5	<3	<1	<5	<1	--	--	9.89	0.00	18.08	
03/06/07	Not Sampled													--	--	--
11/04/08	<50.0	<248	<495	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<248	9.25	0.00	18.72	
02/24/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	9.80	0.00	18.17	
05/17/09	<50.0	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	1.01	<1.00	<238	11.97	0.00	16.00	

27.97

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-44 contd.	08/17/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	260	13.25	0.00	14.72	
	11/16/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	3.2	<1	<240	10.95	0.00	17.02	
	02/22/10	<50.0	166	<381	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.52	<0.10	<76.2	9.50	0.00	18.47	
	05/24/10	<50.0	121	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.54	<0.10	<76.9	9.46	0.00	18.51	
	08/17/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.49	0.16	<78.4	9.79	0.00	18.18	
MW-45 18.11	11/04/91	17,000	2,000	--		500	1,000	370	2,300	--	--	--	--	--	--	--	
	12/29/93	11,000	1,100	860		2,900	760	680	3,000	--	--	--	--	8.79	0.00	9.32	
	04/07/94	16,000	830	<750		2,500	620	580	2,500	--	--	--	--	8.22	0.00	9.89	
	07/14/94	25,000	850	1,100		4,000	750	870	3,600	--	--	--	--	8.39	0.00	9.72	
	10/25/94	19,000	1,000	<750		2,600	230	920	3,000	--	--	--	--	9.10	0.00	9.01	
	09/07/01 ^b	<50	375	<606		<0.5	<0.5	<0.5	<1	--	--	--	--	9.80	0.00	8.31	
	10/10/01	--	--	--		--	--	--	--	--	--	--	--	NM	NM	--	
	12/28/01	17,300	2,210	597		2,130	73.4	1,330	2,970	--	--	--	--	9.03	0.00	9.08	
	03/08/02	15,500	2,380	686		2,090	38.4	1,190	1,650	--	--	--	--	9.12	0.00	8.99	
	06/24/02	5,100	1,920	761		1,330	6.39	451	235	--	--	--	--	9.00	0.00	9.11	
	09/26/02 ^c	2,420	1,190	547		394	3.41	204	106	--	--	--	--	10.20	0.00	7.91	
	12/12/02	Obstructed by vehicle													NM	NM	--
	03/13/03	3,590	2,050	<500		219	133	99.4	368	--	--	--	--	--	8.05	0.00	10.06
	06/12/03	10,700	1,470	<575		1,350	10.8	954	631	--	--	--	--	--	9.16	0.00	8.95
	09/19/03	583	<298	<595		1.93	2.25	5.65	38.6	--	--	--	--	--	10.68	0.00	7.43
	01/14/04	360	<118	<236		4.97	<0.5	2.48	1.01	--	--	--	--	--	10.12	0.00	7.99
	03/30/04	303	234	<240		<1	<1	<1	<2	--	--	--	--	--	10.19	0.00	7.92
	06/22/04	151	365	358		<1	<1	<1	<2	--	--	--	--	--	10.34	0.00	7.77
	09/29/04	270	<251	<503		<0.5	1.5	0.62	7.3	--	--	--	--	--	10.40	0.00	7.71
	12/29/04	207	<249	<498		2.90	<1	<1	9.04	--	--	--	--	--	9.40	0.00	8.71
	03/17/05	235	<239	<477		5.61	1.08	2.49	19.1	--	--	--	--	--	9.44	0.00	8.67
	06/01/05	793	283 ^{k,j}	<491 ⁱ		17.1	37.9	13.9	83.8	<1	--	--	--	--	8.62	0.00	9.49
	07/25/05	564	<250	<500		18.6	14.6	16.7	113.2	<1	7.51	--	--	--	8.98	0.00	--
	11/01/05	100	<240	<481		<0.200	<0.5	<0.5	<1	<2	--	--	--	--	9.81	0.00	17.71
	02/21/06	484	<275	<549		5.13	<0.5	7.65	36.5	<1	3.77	1.30	--	--	8.83	0.00	18.69
	05/08/06	198	540	<500		1.06	<0.5	0.980	2.70	<1	1.69	<1	--	--	8.79	0.00	18.73
	08/30/06	104	<248	<495		<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	9.84	0.00	17.68
	12/12/06	25,900	662	<485		64.1	23.8	330	5,020	<5	278	10.8	--	--	9.13	0.00	18.39
	03/06/07	1,680	<260	<521		<0.5	<0.5	22.0	139	<1	54	<1	--	--	8.75	0.00	18.77
	06/15/07	12,500	439	<481 ^r		16.8	2.77	178	1,590	<1	330	1.77	--	--	8.85	0.00	18.67
	09/13/07	23,400	328	<481		65.3	16.9	303	3,740	<1	246	6.85	--	--	9.07	0.00	18.45
	12/17/07	Unable to sample, well under water													--	--	--
03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<1	8.30	0.00	19.22	
06/03/08	Unable to sample, well under water													--	--	--	
08/05/08	64.4	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.39	<1	<236	8.90	0.00	18.62		
MW-45 contd.	11/03/08	Well under water, unable to sample.													--	--	--
	02/22/09	53.2	<236	<472	<0.500	<0.500	<0.500	<3.00	--	15.0	<1.00	<1.00	<236	11.44	0.00	8.38	
	05/17/09	176.0	428	<476	<0.500	<0.500	<0.500	<3.00	<1.00	97.9	<1.00	<1.00	431	16.67	0.00	10.85	
	08/16/09	250	570	<480	<0.50	<0.50	<0.50	<2.0	<1.0	100	<5.0	<5.0	1200	16.92	0.00	10.60	
	11/15/09	1000	2,200^y	<480	3.9	2.2	11	28	<1.0	14	9.2	<1	2,100^y	9.12	0.00	18.40	
	02/21/10	745	1,160	832	3.9	<1.0	34	23.2	--	14.5	4.7	<0.10	566	8.46	0.00	19.06	
	05/23/10	398	692	449	1.3	<1.0	14.5	4	--	7.9	3.1	<0.10	665	8.15	0.00	19.37	
08/16/10	319	<77.7	<388	<1.0	<1.0	5.8	<3.0	--	7.5	7.2	0.37	177	8.80	0.00	18.72		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-46 16.91	11/05/91	<1,000	<1,000	--	<0.5	0.6	<0.5	1.2	--	--	--	--	--	--	--	--	
	07/15/94	<100	270	1,200	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	7.15	0.00	9.76	
	10/25/94	<50	1,500	7,300	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	8.51	0.00	8.40	
	03/08/95	<50	720	3,600	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	8.00	0.00	8.91	
	06/06/95	<50	<250	1,400	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.30	0.00	9.61	
	09/07/95	<50	710	5,600	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.80	0.00	9.11	
	12/08/95	<50	1,400	14,000	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	8.32	0.00	8.59	
	04/01/96	<50	<400	2,800	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.04	0.00	9.87	
	06/25/96	<50	440	2,090	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	7.85	0.00	9.06	
	09/27/96	<50	267	<750	0.518	<0.5	<0.5	<1.0	--	--	--	--	--	7.57	0.00	9.34	
	03/28/97	<50	<250	<750	<0.5	1.25	<0.5	2.06	--	--	--	--	--	7.25	0.00	9.66	
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	7.12	0.00	9.79	
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	8.82	0.00	8.09	
	12/19/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	9.40	0.00	7.51	
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/26/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/17/98 ^b	<50	354	<750	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	9.20	0.00	7.71	
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/20/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/19/00	226	277	<750	<0.5	2.18	2.53	18.0	--	--	--	--	--	12.70	0.00	4.21	
	06/15/01 ^b	<50	295	<750	<0.5	<0.5	<0.5	1.39	--	--	--	--	--	7.19	0.00	9.72	
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/07/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/28/01	Covered by asphalt													NM	NM	--
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
09/26/02	Unable to locate													NM	NM	--	
12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-46 contd.	03/13/03	Covered by asphalt													NM	NM	--
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/19/03	Covered by asphalt													NM	NM	--
	01/14/04	Monitoring Discontinued													NM	NM	--
MW-47 19.83	11/05/91	<1,000	<1,000	--	5.2	0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	12/30/93	<100	310	<750	2.0	<0.5	<0.5	1.0	--	--	--	--	--	9.50	0.00	10.33	
	04/07/94	<100	300	<750	2.5	<0.5	<0.5	<0.5	--	--	--	--	--	10.47	0.00	9.36	
	07/14/94	<100	290	<750	1.6	<0.5	<0.5	<0.5	--	--	--	--	--	10.51	0.00	9.32	
	10/25/94	51	270	<750	1.8	<0.5	<0.5	<1.0	--	--	--	--	--	11.02	0.00	8.81	
	03/08/95	<50	330	1,600	5.3	<0.5	<0.5	<1.0	--	--	--	--	--	10.88	0.00	8.95	
	06/06/95	70	380	780	15	0.59	<0.5	2.3	--	--	--	--	--	10.91	0.00	8.92	
	09/07/95	<50	260	<750	1.7	<0.5	<0.5	<1.0	--	--	--	--	--	10.76	0.00	9.07	
	12/08/95	740	580	2,000	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	10.40	0.00	9.43	
	04/01/96	<50	<250	<750	4.4	<0.5	<0.5	<1.0	--	--	--	--	--	10.67	0.00	9.16	
	06/25/96	110	400	<750	14.4	<0.5	<0.5	<1.0	--	--	--	--	--	10.71	0.00	9.12	
	09/27/96	<50	<250	<750	4.34	<0.5	<0.5	<1.0	--	--	--	--	--	10.85	0.00	8.98	
	03/28/97 ^b	64.5	<250	<750	7.61	<0.5	<0.5	1.57	--	--	--	--	--	10.92	0.00	8.91	
	03/28/97	177	<250	<750	52.6	<0.5	<0.5	<1	--	--	--	--	--	10.92	0.00	8.91	
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/19/97	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/26/98 ^b	<50	356	<750	27.3	<0.5	<0.5	<1	--	--	--	--	--	10.78	0.00	9.05	
	09/23/98	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/17/98 ^b	<50	<250	<750	3.34	<0.5	<0.5	1.12	--	--	--	--	--	10.61	0.00	9.22	
	03/31/99	--	--	--	--	--	--	--	--	--	--	--	--	9.65	0.00	10.18	
	06/30/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/08/99	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/20/00 ^b	<50	<250	<750	<1.30	<0.5	<0.5	<1	--	--	--	--	--	10.94	0.00	8.89	
	12/19/00 ^b	1,310	357	<750	<0.5	6.10	10.6	77.3	--	--	--	--	--	11.20	0.00	8.63	
	06/15/01	<50	591	<952	0.709	0.504	<0.5	1.18	--	--	--	--	--	10.98	0.00	8.85	
06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
09/07/01 ^b	<50	356	<500	<0.5	<0.5	<0.5	<1	--	--	--	--	--	11.14	0.00	8.69		
10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
12/28/01	181	542	<500	7.64	1.49	4.79	37.8	--	--	--	--	--	10.90	0.00	8.93		
03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--		
09/26/02 ^c	106	747	<500	2.36	<2	<1.00	<1.5	--	--	--	--	--	11.85	0.00	7.98		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-47 contd. 29.34	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	75.5	<284	<568	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.91	0.00	8.92
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/19/03	76.8	<294	<588	3.41	<0.5	<0.5	1.14	--	--	--	--	--	12.05	0.00	7.78
	01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/30/04	272	262	980	<1	<1	<1	<2	--	--	--	--	--	11.81	0.00	8.02
	06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/29/04	200	329	735	<0.5	<0.5	<0.5	<1	--	--	--	--	--	11.87	0.00	7.96
	12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/17/05	166	<248	<495	<1	<1	<1	<2	--	--	--	--	--	11.62	0.00	8.21
	06/01/05	217	<252	616 ^f	<1	<1	<1	<2	1.3	--	--	--	--	11.25	0.00	8.58
	07/25/05	162	<250	<500	<0.2	<0.2	<0.2	<0.5	1.18	<0.5	--	--	--	11.36	0.00	--
	11/04/05	99.2	<236	<472	<0.5	<0.5	<0.5	<1	<1	--	--	--	--	11.42	0.00	17.92
02/22/06	73.5	<238	<476	<0.5	<0.5	<0.5	<3	1.06	<1	<1	--	--	11.24	0.00	18.10	
05/09/06	97.8	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	11.41	0.00	17.93	
06/13/06	Decommissioned													--	--	--
MW-48 27.98	06/01/05	357	294 ^g	<494	<1	<1	<1	<2	<1	--	--	--	--	9.40	0.00	--
	07/25/05	334	<250	<500	<0.2	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	9.48	0.00	--
	11/04/05	278	<236	<472	<0.5	<0.5	<0.5	<1	<1	--	--	--	--	9.35	0.00	18.63
	02/22/06	6,460	<258	<515	139	26.8	219	1140	<20.0 ^h	41	<1	--	--	9.41	0.00	18.57
	05/09/06	325	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	9.12	0.00	18.86
	08/30/06	176	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.40	0.00	17.58
	12/13/06	275	<240	<481	<0.5	<0.5	0.870	4.44	<1	<5	<1	--	--	--	--	--
03/06/07	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-49 22.36	07/25/05	313	2,060	6,590	<0.2	<0.2	<0.200	0.3	<1	0.550	--	--	--	3.82	0.00	--	
	11/02/05	<50	<236	<472	0.200	<0.5	0.660	1.06	<2	--	--	--	--	3.60	0.00	18.76	
	02/24/06	380	457	<556	<0.5	<0.5	3.45	9.35	<1	1.52	1.69	--	--	--	--	--	
	05/11/06	201	2,550^P	625^P	<0.5	<0.5	<0.5	<3	<1	<1	2.21	--	--	3.59	0.00	18.77	
	08/31/06	<100	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	5.73	--	--	4.73	0.00	17.63	
	12/13/06	197	<240	679	<0.5	<0.5	<0.5	<3	<1	<5	3.33	--	--	4.03	0.00	18.33	
	03/07/07	232	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1.85	--	--	3.47	0.00	18.89	
	06/13/07	178	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	2.42	--	--	3.59	0.00	18.77	
	09/12/07	68.7	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	2.47	--	--	3.76	0.00	18.60	
	12/19/07	308	<236	<472	<1	<1	<1	<3	<1	<1	13	--	--	2.59	0.00	19.77	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	12.9	<1	<236	3.12	0.00	19.24
	06/03/08	51.8	<236	<472	1.38	<0.5	<0.5	<3	<1	<5	6.12	<1	<236	3.55	0.00	18.81	
	08/06/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	28.1	<1	<236	4.09	0.00	18.27	
11/04/08	Well under water, unable to sample.													3.13	0.00	19.23	
11/18/08	Decommissioned													--	--	--	
MW-50 19.80	10/10/01	8,970	2,200	<606		674	221	382	779	--	--	--	--	11.11	0.00	8.69	
	12/28/01	23,200	3,460	<500		1,630	3,690	991	4,480	--	--	--	--	10.45	0.00	9.35	
	03/08/02	Obstructed by vehicle													NM	NM	--
	06/24/02	8,290	1,970	556		414	23	314	2,010	--	--	--	--	10.84	0.00	8.96	
	09/26/02	Obstructed by vehicle													NM	NM	--
	12/12/02	Obstructed by vehicle													NM	NM	--
	03/13/03	12,200	1,810	<588		733	127	523	1,100	--	--	--	--	9.93	0.00	9.87	
	06/12/03	6,450	1,740	<500		448	13.7	299	286	--	--	--	--	11.27	0.00	8.53	
	09/19/03	4,440	<250	<500		51.7	315	26.1	462	--	--	--	--	12.05	0.00	7.75	
	01/14/04	29,700	1,970	<258		308	502	312	6,180	--	--	--	--	11.81	0.00	7.99	
	03/30/04	3,330	867	<241		21.8	<5	21.9	226.4	--	--	--	--	11.65	0.00	8.15	
	06/22/04	2,130	874	<237		14.2	2.4	27.9	85.11	--	--	--	--	11.79	0.00	8.01	
	09/29/04	3,600	1,330	<502		92	62	100	520	--	--	--	--	11.71	0.00	8.09	
	12/29/04	1,570	745	<611		9.69	3.88	9.98	27.62	--	--	--	--	11.01	0.00	8.79	
	03/17/05	1,420	1,060	506		5.82	2.41	10.6	30.59	--	--	--	--	11.26	0.00	8.54	
	06/01/05	1,710	528^g	<503		20.3	10.7	42.3	84.7	8.01	--	--	--	10.58	0.00	9.22	
	07/25/05	1,500	<250	<500		16.8	3.23	36.9	50.11	4.29	7.04	--	--	10.90	0.00	--	
	11/01/05	634	380 ^g	<472		15.9	2.49	0.52	2.19	5.62	--	--	--	10.60	0.00	18.72	
	02/21/06	1,430	<272	<543		139	15.4	16.7	28.20	<5	7.05	1.33	--	10.56	0.00	18.76	
05/08/06	1,550^j	1,870	<485		28.4	2.13	24.7	35.06	3.88	9.48	<1	--	10.81	0.00	18.51		
08/29/06	264	<248	<495		8.55	0.780	6.87	7.26	4.23	<5	<1	--	11.58	0.00	17.74		
12/12/06	1,650	<243	<485		80.9	2.75	18.9	41.9	3.93	17.4	1.62	--	10.61	0.00	18.71		
03/08/07	1,650	<240	<481		51.3	1.06	14.1	33.6	2.92	35.9	<1	--	10.53	0.00	18.79		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-50 contd.	06/15/07	1390 ^J	333	<495 ^r		28.0	1.00	6.46	5.20	1.85	40.5	<1		10.74	0.00	18.58	
	09/13/07	439	<240	<481		4.36	<0.5	0.650	<3	1.89	10.3	<1		10.90	0.00	18.42	
	12/18/07	886	<236	<472		1.10	<1	4	<3	<1	6.9	2.94		9.63	0.00	19.69	
	03/18/08	77.6	<236	<472	<236	1.02	0.58	1.85	<3	<1	<5	<1	<1	11.39	0.00	17.93	
	06/03/08	Well covered by trailer truck, unable to sample															
	08/05/08	1,260	<236	<472	3.94	0.50	8.42	9.76	2.06	<5	4	<1	494		11.28	0.00	18.04
	11/03/08	1,250	<236	<472	<0.500	<0.500	3.69	4.84	<1.00	<5.00	<1.00	<1.00	<1.00	478	10.79	0.00	18.53
	11/18/08	Thought to be Decommissioned															
	11/15/09	630	2,900 ^Y	<490	2.3	0.74	0.65	<2.0	<1.0	660 ^H	1.1	<1	3000		11.88	0.00	17.44
	02/21/10	<50.0	1,280	457	<1.0	<1.0	<1.0	4.9	--	62.8	0.61	<0.10	392		11.02	0.00	18.30
	05/23/10	57.4	1320	433	<1.0	<1.0	<1.0	<3.0	--	60.4	0.92	<0.10	1080		10.72	0.00	18.60
08/16/10	<50.0	158	<392	<1.0	<1.0	<1.0	<3.0	--	33.4	0.63	0.18	181		11.07	0.00	18.25	
MW-51 20.58	10/10/01	671	11,700	2,150	10.1	10.4	7.75	16.6	--	--	--	--	--	11.68	0.00	8.90	
	12/28/01	631	2,170	3,100	37.0	75.6	30.4	81.2	--	--	--	--	--	11.20	0.00	9.38	
	03/08/02	102	2,350	1,610	6.22	5.89	3.84	10.4	--	--	--	--	--	11.38	0.00	9.20	
	06/24/02	57.7	2,650	1,730	1.28	1.42	0.699	2.51	--	--	--	--	--	11.60	0.00	8.98	
	09/26/02 ^c	<100	1,660	875	0.848	<2	<1	<1.5	--	--	--	--	--	12.18	0.00	8.40	
	12/12/02	<50	2,050	781	<0.5	<0.5	<0.5	<1	--	--	--	--	--	12.28	0.00	8.30	
	03/13/03	<50	693	<625	<0.5	<0.5	<0.5	<1	--	--	--	--	--	11.05	0.00	9.53	
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/19/03	52.4	<250	<500	1.47	1.81	0.544	3.59	--	--	--	--	--	12.42	0.00	8.16	
	01/14/04	73.5	<139	<278	<0.25	0.804	<0.5	<1	--	--	--	--	--	11.79	0.00	8.79	
	03/30/04	<100	404	401	<1	<1	<1	<2	--	--	--	--	--	12.22	0.00	8.36	
	06/22/04	104	129	<237	<1	<1	<1	<2	--	--	--	--	--	12.10	0.00	8.48	
	09/29/04	150	<242	<484	<0.5	<0.5	<0.5	<1	--	--	--	--	--	12.20	0.00	8.38	
	12/29/04	<100	<257	<514	<1	<1	<1	<2	--	--	--	--	--	11.80	0.00	8.78	
	03/17/05	<100	<240	<481	<1	<1	<1	<2	--	--	--	--	--	11.58	0.00	9.00	
	06/01/05	<100	408 ^f	<520	<1	<1	<1	<2	<1	--	--	--	--	11.62	0.00	8.96	
	07/25/05	<50	697 ^c	826	<0.2	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	11.74	0.00	--	
	11/04/05	<50	<238	<476	<0.5	<0.5	<0.5	<1	<1	--	--	--	--	11.80	0.00	17.95	
	29.75	11/04/05	--	1,290 ^{lf}	536 ^{lf}	--	--	--	--	--	--	--	--	--	--	--	--
		02/22/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	11.64	0.00	18.11
	05/08/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<1	3.71	--	--	11.82	0.00	17.93	
	08/30/06	<80	<245	<490	<0.5	<0.5	<0.5	<3	1.20	<5	2.81	--	--	12.23	0.00	17.52	
	12/12/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.70	0.00	18.05	
	03/07/07	<50	<258	<515	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.61	0.00	18.14	
	06/15/07	<50	<245	<490 ^r	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.77	0.00	17.98	
	09/13/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.95	0.00	17.80	
	12/19/07	<50	<236	<472	<1	<1	<1.00	<3	<1	<1	20.60	--	--	11.17	0.00	18.58	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-51 contd.	03/18/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<1	11.71		18.04	
	06/03/08	Well covered by construction vehicles and semi-trucks, unable to sample													--	--	--
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	1.40	<236	11.98	0.00	17.77	
	11/04/08	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00		<5.00	<1.00	<1.00	<236	11.83	0.00	17.92	
	02/22/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<236	15.32	0.00	14.43	
	05/17/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	2.36	<1.00	<240	12.97	0.00	16.78	
	08/16/09	Insufficient volume of water to fill sample containers.													14.80	0.00	14.95
	11/15/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0 ^H	<1	<1	<240	11.81	0.00	17.94	
	02/21/10	<50.0	1,040	1,550	<1.0	<1.0	<1.0	<3.0	--	2.4	6.1	<0.10	<76.9	11.52	0.00	18.23	
	05/23/10	<50.0	1270	1610	<1.0	<1.0	<1.0	<3.0	--	<1.0	.47	<0.10	346	11.40	0.00	18.35	
08/17/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.4	.10	346	11.59	0.00	18.16		
MW-52	10/10/01	13,400	1,460	<582	1,150	<10	827	793	--	--	--	--	--	10.79	0.00	--	
	12/28/01	7,900	1,690	595	634	5.87	509	479	--	--	--	--	--	10.22	0.00	--	
	03/08/02	10,100	2,790	<602	814	6.30	602	387	--	--	--	--	--	10.42	0.00	--	
	06/24/02	9,820	2,810	640	1,250	<25	757	448	--	--	--	--	--	10.58	0.00	--	
	09/26/02 ^c	6,600	3,530	<500	943	21.7	600	284	--	--	--	--	--	11.51	0.00	--	
	12/12/02	1,170	7,350	638	120	0.822	73.9	7.30	--	--	--	--	--	11.61	0.00	--	
	03/13/03	4,540	1,530	<568	272	52.7	236	210	--	--	--	--	--	9.59	0.00	--	
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/19/03	Obstructed by vehicle													NM	NM	--
	01/14/04	905	<126	<252	16.6	0.532	39.6	2.45	--	--	--	--	--	--	11.00	0.00	--
	03/30/04	738	462	<253	16.8	<1	18.4	24.66	--	--	--	--	--	--	11.47	0.00	--
	06/22/04	1,600	593	<248	161	<10	70.1	<20	--	--	--	--	--	--	11.50	0.00	--
	09/29/04	290	<253	<507^r	4.9	<0.5	4.8	2.3	--	--	--	--	--	--	11.45	0.00	--
	12/29/04	844	272	<507	28.7	<1	17	9.22	--	--	--	--	--	--	10.75	0.00	--
	03/17/05	752	<238	<477	18.9	<1	17.6	3.75	--	--	--	--	--	--	11.00	0.00	--
	06/01/05	503	<249 ^j	<498 ^j	28.3	<1	19	7.06	<1	--	--	--	--	--	10.30	0.00	--
	07/25/05	401	368	<500	14.5	<0.2	8.24	3.12	<1	2.37	--	--	--	--	10.60	0.00	--
	11/08/05	243	<243	<485	6.47	0.860	9.39	4.69	<1	--	--	--	--	--	10.41	0.00	18.65
	02/23/06	91.8	587	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	<1	--	--	10.38	0.00	18.68
	05/08/06	<250 ^s	290 ^p	<490	<0.5	<0.5	0.560	<3	<1	<1	<1	<1	--	--	10.48	0.00	18.58
08/30/06	178	<236	<472	10.3	1.14	8.04	11	<1	<5	<1	<1	--	--	11.33	0.00	17.73	
12/13/06	215	<245	<490	5.82	<0.5	4.20	<3	<1	<5	1.02	1.02	--	--	10.37	0.00	18.69	
03/06/07	Not Accessible- construction equipment													--	--	--	
06/15/07	146	<250	<500	0.620	<0.5	<0.5	<3	<1	<5	<1	--	--	--	10.23	0.00	18.83	
09/13/07	57.7	<250	<500	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	--	10.36	0.00	18.70	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D.	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-54 28.00	06/16/05	206	130 ^l	410	4.82	<1	2.09	10.27	<1	--	--	--	--	9.09	0.00	18.91	
	07/25/05	177	<250	<500	5.26	0.280	0.680	3.11	<1	0.990	--	--	--	9.51	0.00	18.49	
	11/18/05	75.8	<243	<485	0.560	0.530	4.19	10.8	<1	--	--	--	--	9.73	0.00	18.27	
	02/23/06	<50	695	<472	<0.5	<0.5	<0.5	<0.5	<1	<1	1.04	--	--	9.44	0.00	18.56	
	05/08/06	<50	328 ^p	<500	<0.5	<0.5	<0.5	<3	<1	<1	1.41	--	--	9.31	0.00	18.69	
	08/29/06	<80	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.33	0.00	17.67	
	12/12/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<5	2.69	--	--	9.69	0.00	18.31	
	03/06/07	<50	<263	<526	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.40	0.00	18.60	
	06/15/07	<50	<243	<485 ^r	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.25	0.00	18.75	
	09/13/07	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.59	0.00	18.41	
	12/18/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	1.13	--	--	8.53	0.00	19.47	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	9.06		18.94	
	06/03/08	Unable to sample, well under water													--	--	--
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	2.37	<1	<236	9.68	0.00	18.32	
	11/03/08	<50	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	8.64	<1.00	<236	8.72	0.00	19.28	
	02/22/09	Well inaccessible: buried under garbage containers.													--	--	--
	05/17/09	Well inaccessible: buried under garbage containers.													--	--	--
	08/16/09	280	<240	<480	<0.50	<0.50	1.4	2.5	<1.0	<5.0	<5.0	<5.0	310	11.78	0.00	16.22	
	11/15/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	1.8	<1	<240	9.78	0.00	18.22	
	02/21/10	<50.0	178	434	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.1	0.24	<75.8	9.20	0.00	18.80	
05/23/10	<50.0	144	384	<1.0	<1.0	<1.0	<3.0	--	<1.0	4.4	0.12	92.8	8.64	0.00	19.36		
08/16/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	5.7	0.21	<77.7	9.30	0.00	18.70		
MW-55 29.22	06/16/05	2,240	3,100^{l,i}	<2,500^l	<2	<2	<2	<4	<2	--	--	--	--	10.53	0.00	18.69	
	07/25/05	1,850	1,390^a	<500	0.480	1.69	2.57	1.99	<1	908	--	--	--	10.92	0.00	18.30	
	11/01/05	814	699ⁿ	<526	0.360	2.12	<0.500	<1	<2	--	--	--	--	11.11	0.00	18.11	
	02/21/06	278	353	<562	<0.5	1.35	<0.500	<3	<1	117	<1	--	--	10.62	0.00	18.60	
	05/08/06	190	358	<500	<0.5	0.550	<0.500	<3	<1	64.9	<1	--	--	11.47	0.00	17.75	
	08/29/06	<80	268	<495	1.42	0.910	0.720	6.95	<1	104	<1	--	--	12.23	0.00	16.99	
	12/12/06	60.1	<243	<485	<0.5	<0.5	<0.5	<3	1.06	39.1	<1	--	--	11.51	0.00	17.71	
	03/06/07	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	10.73	0.00	18.49	
	06/15/07	<50	<245	<490 ^r	<0.5	<0.5	<0.5	<3	<1	7.19	<1	--	--	11.46	0.00	17.76	
	09/13/07	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.99	0.00	17.23	
	12/18/07	<50	<236	<472	<1	<1	<1	<3	<1	3.60	2.31	2.31	--	10.42	0.00	18.80	
	03/18/08	<50	<238	<476	<238	<0.5	<0.5	<0.5	<3	<1	<5	1.00	<1	11.03	0.00	18.19	
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	6.88	1.30	<1	<236	11.23	0.00	17.99	
	08/05/08	Vehicle parked over well													11.76	0.00	17.46
	11/02/08	51.8	<245	<490	<0.5	<0.5	<0.5	<3.00	<1.00	10.1	1.16	<1.00	<245	11.75	0.00	17.47	
11/18/08	Decommissioned													--	--	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-56 29.70	06/16/05	135	210 ^f	380 ^f	<1	<1	<1	<2	1.29	--	--	--	--	10.91	0.00	18.79
	07/25/05	220	<250	<500	3.81	<0.2	3.96	<0.5	<1	<0.5	--	--	--	11.24	0.00	18.46
	11/03/05	130	<236	<472	7.28	<0.5	1.70	2.33	<2	--	--	--	--	11.03	0.00	18.67
	02/22/06	285	<248	<495	3.69	0.690	0.870	<3	2.79	<1	<1	--	--	10.96	0.00	18.74
	05/08/06	120	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	11.19	0.00	18.51
	08/30/06	449	<243	<485	36.7	<0.5	4.02	<3	1.67	<5	1.85	--	--	11.96	0.00	17.74
	12/12/06	609	<245	<490	2.72	0.570	5.12	<3	3.56	<5	<1	--	--	11.11	0.00	18.59
	03/06/07	279	<250	<500	<0.5	<0.5	<0.500	<3	2.20	<5	<1	--	--	10.96	0.00	18.74
	06/15/07	106	<245	<490 ^f	1.94	<0.5	0.650	<3	1.53	10.1	<1	--	--	11.11	0.00	18.59
	09/13/07	<50	<250	<500	<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	11.30	0.00	18.40
	12/18/07	51.30	<236	<472	<1	<1	<1.00	<3	<1	<1	2.99	--	--	9.83	0.00	19.87
	03/18/08	92.90	<236	<472	<236	1.01	0.62	1.83	<3	<1	<5	5.97	<1	10.68	0.00	19.02
	06/03/08	73.80	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	11.12	0.00	18.58
	08/05/08	98.4	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.46	<1	<236	11.60	0.00	18.10
11/03/08	312	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<236	11.11	0.00	18.59	
11/18/08	Decommissioned													--	--	--
MW-57 29.31	06/16/05	16,900	1,800^f	<1,200	525	2,310	327	2,188	<20	--	--	--	--	10.54	0.00	18.77
	07/25/05	11,400	418 ^b	571	614	2,680	436	2,647	<1	98.0	--	--	--	10.83	0.00	18.48
	11/08/05	3,980	<245	<490	328	497	100	525	<10	--	--	--	--	10.62	0.00	18.69
	02/23/06	10,800	877	<495	909	1,570	381	2,230	<20	92.0	4.38	--	--	10.59	0.00	18.72
	05/08/06	12,200	426	<485	538	960	281	1,671	<1	94.0	2.09	--	--	10.70	0.00	18.61
	08/30/06	2,620	<248	<495	249	37.9	77.4	350	<1	28.9	1.24	--	--	11.55	0.00	17.76
	12/13/06	39,400	422	<495	1,200	5,020	1,150	6,590	<5	266	5.18	--	--	10.55	0.00	18.76
	03/08/07	21,600	267	<472	1,130	2,330	876	4,610	<40	291	9.81	--	--	10.44	0.00	18.87
	06/15/07	19,800	<245	<490 ^f	699	1,010	660	3,350	<20	256	1.77	--	--	10.65	0.00	18.66
	09/14/07	34,900	349	<495	1,470	2,400	1,270	6,520	<1	<500	27.60	--	--	10.82	0.00	18.49
	12/18/07	221	<236	<472	<1	<1	<1	<3	<1	1.60	200	--	--	9.60	0.00	19.71
	03/18/08	23,100	340	<476	4,660	942	1,610	878	4,190	<1	<200	199	1.92	10.18	0.00	19.13
	06/03/08	173	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	49.8	<1	<236	10.56	0.00	18.75
	08/04/08	7,580	<236	<472	433	154	399	1,860	<1	87.2	322	<1	1,510	11.17	0.00	18.14
11/05/08	76.2	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	12.8	<1.00	367	10.49	0.00	18.82	
11/18/08	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-58 30.69	06/16/05	3,970	420 ⁱ	<250	628	499	143	541	<5	--	--	--	--	11.71	0.00	18.98
	07/25/05	7,750	673^b	<500	1,420	1,610	379	1,687	<1	57.0	--	--	--	11.85	0.00	18.84
	11/07/05	1,350	<248	<495	147	123	37.2	177	<4	--	--	--	--	11.84	0.00	18.85
	02/22/06	28,700	<258	<515	2,570	3,980	906	4,200	<50^{q,r}	166	1.21	--	--	11.54	0.00	19.15
	05/08/06	11,700	<238	<476	959	1,150	314	1,644	<1	107	1.04	--	--	11.81	0.00	18.88
	08/30/06	9,010	<245	<490	2,070	347	736	2,950	<1	<250	2.09	--	--	12.54	0.00	18.15
	12/13/06	17,000	268	<485	1,720	241	767	2,920	<5	178	<1	--	--	11.37	0.00	19.32
	03/08/07	3,790	<245	<490	423	367	100	548	<20	<100	13.0	--	--	11.84	0.00	18.85
	06/15/07	2,220	<243	<485 ^r	328	175	54.0	333	<1	12.3	<1	--	--	11.72	0.00	18.97
	09/13/07	260	<238	<476	20.8	5.73	5.50	10	<1	<5	<1	--	--	12.25	0.00	18.44
	12/19/07	111	<236	<472	7.9	<1	1.60	7	<1	1.2	71.50	--	--	10.20	0.00	20.49
	03/17/08	486	<236	<472	<236	116.0	<0.5	22.30	8.68	<1	<5	3.29	<1	11.38	0.00	19.31
	06/02/08	2,350	<236	<472	328^x	2.45	167 ^x	215	<1	10.60	19.30	<1	472	11.78	0.00	18.91
	08/04/08	2,680	<236	<472	533	1.94	154	231	<1	19.20	6.82	<1	539	12.44	0.00	18.25
11/04/08	1,310	<236	<472	130	1.46	80.9	99.7	<1.00	8.62	3.47	<1.00	355	12.12	0.00	18.57	
11/18/08	Decommissioned													--	--	--
MW-59 30.73	06/16/05	10,100	1,700^f	<1,200	519	<10	176	725.2	<10	--	--	--	--	12.00	0.00	18.73
	07/25/05	4,680	253	<500	307	1.24	181	201	<4	64.3	--	--	--	12.30	0.00	18.43
	11/08/05	919	<250	<500	10.3	<0.5	28.8	41.0	<1	--	--	--	--	12.05	0.00	18.68
	02/22/06	1,630	<248	<495	89.8	<2.5	105	<15	<5^{q,r}	9.80	1.83	--	--	--	--	--
	05/08/06	968	322	<500	27.9	0.510	53.2	89.44	<1	6.27	1.04	--	--	12.15	0.00	18.58
	08/30/06	830	<236	<472	27.1	<0.5	61.7	82.8	<1	<5	1.82	--	--	13.01	0.00	17.72
	12/13/06	1,280	<243	<485	76.3	1.35	50.7	24.8	<1	13.5	2.18	--	--	12.05	0.00	18.68
	03/06/07	129	<245	<490	2.22	<0.5	1.12	<3	<1	<5	<1	--	--	11.90	0.00	18.83
	06/15/07	87.8	<245	<490 ^r	8.24	<0.5	0.740	<3	<1	<5	<1	--	--	12.12	0.00	18.61
	09/13/07	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	1.13	--	--	12.29	0.00	18.44
	12/18/07	80.20	<236	<472	<1	<1	<1	<3	<1	<1	16.60	--	--	10.95	0.00	19.78
	03/17/08	126	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	142.00	<1	11.68	0.00	19.05
	06/02/08	184	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	32.10	<1	<240	12.09	0.00	18.64
	08/04/08	213	<236	<472	5.64	<0.5	0.51	<3	<1	<5	132	<1	270	12.60	0.00	18.13
11/05/08	280	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	2.29	<1.00	<238	11.90	0.00	18.83	
11/18/08	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-60 30.31	06/16/05	64,300	4,300 ^{i,j}	<5,000 ⁱ	4,100	6,820	2,260	10,610	<40	--	--	--	--	11.54	Sheen	18.77
	07/25/05	48,800	2,820 ^p	791	3,670	4,730	1,570	7,720	<1	299	--	--	--	11.87	0.00	18.44
	11/07/05	78,100	311 ^f	<472	5,260	6,550	2,950	16,200	<200	--	--	--	--	11.53	0.00	18.78
	11/07/05	--	490 ^{l,f}	<962 ⁱ	--	--	--	--	--	--	--	--	--	--	--	--
	02/24/06	56,900	973	<510	5,020	89.6	2,750	14,600	<40	721	5.09	--	--	11.61	0.00	18.70
	05/08/06	48,800	1,150	<476	3,660	179	1,780	8,500	<1	473	3.21	--	--	11.72	0.00	18.59
	08/30/06	40,700	406 ^p	<521	5,350	434	2,610	10,300	<1	472	2.56	--	--	12.59	0.00	17.72
	12/12/06	56,400	417	<505	4,630	58.6	2,840	11,200	<5	<500	2.14	--	--	11.64	0.00	18.67
	03/07/07	27,700	<245	<490	1,780	84.8	652	4,870	<40	350	1.09	--	--	11.44	0.00	18.87
	06/15/07	41,200	957	<476 ^f	2,870	119	1,200	6,970	<40	880	1.11	--	--	7.01 ^v	0.00	23.30 ^v
	09/14/07	52,200	346	<500	3,260	42.2	1,680	10,100	<1	632	1.41	--	--	11.88	0.00	18.43
	12/18/07	29,300	361	<476	2,000	14.0	1,300	3,660	<1	320	20.30	--	--	10.59	0.00	19.72
	03/18/08	24,700	464	<472	5,480	2,490	30.9	1,460	3,710	<1	210	1.67	<1	11.36	0.00	18.95
	06/03/08	24,900	432	<472	2,890	13.8	1,400	2,510	<1	<200	19.30	<1	7,830	11.51	0.00	18.80
08/04/08	29,400	680	<472	3,330	59.2	2,180	3,830	<40.0	377	1.65	<1	5,030	12.22	0.00	18.09	
11/05/08	23,300	740	<476	2,220	24.6	1,760	2,440	<1.00	267	2.14	<1.00	<476	11.54	0.00	18.77	
11/18/08	Decommissioned													--	--	--
MW-61 30.24	11/01/05	<50	<236	<472	10.0	<0.5	<0.5	<1	<2	--	--	--	--	11.39	0.00	18.85
	02/21/06	<50	<250	<500	2.80	<0.5	<0.5	<3	<1	<1	<1	--	--	10.90	0.00	19.34
	05/09/06	<50	<240	<481	3.39	<0.5	<0.5	<3	<1	<1	<1	--	--	11.36	0.00	18.88
	08/31/06	<100	<250	<500	0.600	<0.5	<0.5	<3	<1	<5	<1	--	--	11.66	0.00	18.58
	12/13/06	<50	<238	<476	1.31	<0.5	<0.5	<3	<1	<5	<1	--	--	10.68	0.00	19.56
	03/06/07	Decommissioned													--	--
MW-62 29.74	11/01/05	<50	<243	<485	0.470	<0.5	<0.5	<1	<2	--	--	--	--	10.79	0.00	18.95
	02/21/06	<50	<275	<549	<2.50	<2.5	<2.5	<15	<5	<5	<1	--	--	10.52	0.00	19.22
	05/09/06	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	10.71	0.00	19.03
	08/31/06	<100	<248	<495	<0.5	<0.5	<0.5	<3	<1	<5	1.13	--	--	11.76	0.00	17.98
	12/13/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.89	0.00	19.85
	03/06/07	Decommissioned													--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-63 29.43	11/01/05	<50	<250	<500	1.00	<0.5	<0.5	<1	<2	--	--	--	--	10.44	0.00	18.99
	02/21/06	<50	<278	<556	<0.5	<0.5	<0.5	<3	<1	<1	5.98	--	--	10.26	0.00	19.17
	05/09/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<1	1.43	--	--	10.41	0.00	19.02
	08/31/06	<100	<248	<495	<0.5	<0.5	<0.5	<3	<1	<5	2.52	--	--	11.90	0.00	17.53
	12/13/06	<50	<243	<485	0.59	<0.5	<0.5	<3	<1	<5	<1	--	--	9.99	0.00	19.44
	03/06/07	Decommissioned													--	--
MW-64 28.73	11/01/05	<50	<250	<500	41.9	<0.5	<0.5	<1	<2	--	--	--	--	9.82	0.00	18.91
	02/21/06	84.9	<272	<543	32.4	<0.5	<0.5	<3	<1	<1	<1	--	--	9.48	0.00	19.25
	05/09/06	133 ⁱ	<248	<495	55.8	<0.5	<0.5	<3	<1	<1	<1	--	--	9.60	0.00	19.13
	08/31/06	<100	<243	<485	6.00	<0.5	<0.5	<3	<1	<5	<1	--	--	11.10	0.00	17.63
	12/13/06	<50	<240	<481	14.7	<0.5	<0.5	<3	<1	<5	<1	--	--	9.22	0.00	19.51
	03/06/07	Decommissioned													--	--
MW-65 27.67	11/04/05	857	<236	<472	0.740	0.740	12.9	7.80	<1	--	--	--	--	9.23	0.00	18.44
	02/23/06	1,000	638	<495	<0.5	1.83	15.3	8.34	<1	4.32	<1	--	--	9.13	0.00	18.54
	05/09/06	1,220^j	<236	<472	<0.5	0.680	7.72	3.04	<1	2.52	<1	--	--	8.67	0.00	19.00
	08/30/06	261	<248	<495	<0.5	<0.5	11.2	3.42	<1	<5	<1	--	--	9.90	0.00	17.77
	03/06/07	Decommissioned													--	--
MW-66 28.65	11/07/05	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	--	--	--	--	10.50	0.00	18.15
	02/24/06	<50	<253	<505	<0.5	<0.5	<0.5	<3	<1	<1 ^r	<1	--	--	10.28	0.00	18.37
	05/09/06	<50	<272	<543	<0.5	<0.5	<0.5	<3	<1	1.85	<1	--	--	10.20	0.00	18.45
	08/30/06	<80	<248	<495	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.51	0.00	17.14
	03/06/07	Decommissioned													--	--
MW-67 27.64	11/04/05	78.1	<238	<476	<0.5	<0.5	0.77	1.44	<1	--	--	--	--	9.33	0.00	18.31
	02/23/06	<50	<255	<510	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	9.15	0.00	18.49
	05/09/06	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.81	0.00	18.83
	08/30/06	<80	<275	<549	<0.5	<0.5	<0.5	<3	<1	<5	1.75	--	--	9.55	0.00	18.09
	03/06/07	Decommissioned													--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-68 29.23	11/04/05	437	<236	<472	8.11	0.790	<0.5	<3	1.21	--	--	--	--	11.30	0.00	17.93	
	02/22/06	248	<255	<510	19.0	1.70	<0.5	5.08	<1	<1	<1	--	--	11.15	0.00	18.08	
	05/09/06	184	<238	<476	2.46	0.570	<0.5	<3	<1	<1	<1	--	--	11.33	0.00	17.90	
	08/30/06	168	<258	<515	1.29	2.08	<0.5	<3	1.02	<5	8.45	--	--	11.72	0.00	17.51	
	12/13/06	401	<245	<490	115	<1.00	<1.00	<6	<2	<10	<1	--	--	11.26	0.00	17.97	
	03/06/07	Decommissioned													--	--	--
MW-69 27.67	11/07/05	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	--	--	--	--	9.10	0.00	18.57	
	02/23/06	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	3.54	--	--	9.02	0.00	18.65	
	05/09/06	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	1.01	--	--	8.34	0.00	19.33	
	08/30/06	<80	<255	<510	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	9.54	0.00	18.13	
	03/06/07	Decommissioned													--	--	--
MW-70 31.14	11/02/05	24,800	<236	<472	29.8	3.60	697	1,540	<1	--	--	--	--	12.60	0.00	18.54	
	02/23/06	8,290	<287	<575	33.3	2.00	428	537	<4	91.8	3.47	--	--	12.04	0.00	19.10	
	05/09/06	15,500	<266	<532	108	<10	905	1,315.6	<20	233	2.18	--	--	12.37	0.00	18.77	
	06/12/06	Decommissioned													--	--	--
MW-71 30.42	11/03/05	18,100	5,880^g	<472	240	59.3	925	1,750	<20	--	--	--	--	11.61	0.00	18.81	
	02/23/06	21,800	1,770^g	<485	190	28.0	848	1,710	<20	341	3.25	--	--	11.23	0.00	19.19	
	05/10/06	25,100	733^p	<495	195	<20	803	1,338	<40	410	2.54	--	--	11.71	0.00	18.71	
	08/29/06	15,400	664^p	<476	207	4.61	698	834	<1	364	8.19	--	--	12.27	0.00	18.15	
	12/12/06	11,300	609	<476	127	68.2	237	512	<1	151	1.55	--	--	11.25	0.00	19.17	
	03/07/07	22,100	567	<490	211	<20	836	1220	<40	691	2.33	--	--	11.19	0.00	19.23	
	06/14/07	19,200	851^g	<490	186	2.67	647	667	<1	326	2.89	--	--	11.41	0.00	19.01	
	09/14/07	7,230	901	<485	128	2.00	329	122	<1	200	1.49	--	--	11.60 ^w	0.00	18.82	
	12/17/07	16,500	823	<472	200	17.00	600	694	<1	--	4.76	--	--	10.81	0.00	19.61	
	03/17/08	15,900	1070	<472	5710	124	2.70	454	259	<1	190	2.47	<1	1,860	8.74	0.00	21.68
	06/02/08	9,480	566	<472	94	24.5	291	328	<1	156	2.03	<1	4,280	11.82	0.00	18.60	
	08/04/08	4,140	550	<472	31.7	1.06	103	62.3	<1	89.4	2.97	<1	1,860	12.45	0.00	17.97	
	11/03/08	5,820	524	<485	49.2	1.03	69	10.4	<1.00	68.7	1.56	<1.00	2,450	11.90	0.00	18.52	
	02/23/09	11,600	828	<481	136	2.3	358	213	--	193	2.25	<1.00	4,340	11.70	0.00	18.72	
	05/17/09	13,400	1,380	<481	104	2.38	260	201	<1.00	151	2.21	<1.00	5,820	12.46	0.00	17.96	
	08/16/09	2,300	660	<480	37	<0.50	56	14	<1.0	11	<5.0	<5.0	1,700	14.22	0.00	16.20	
	11/15/09	2500	940^y	<470	6.2	0.6	25	6.5	<1.0	6.2	1.3	<1	1100	11.65	0.00	18.77	
02/21/10	6,390	3,990	4,500	97.1	1.9	403	101	--	126	9.0	0.80	4,980	11.60	0.00	18.82		
05/23/10	2,550	3,860	4,440	39.7	3.8	84.0	12.7	--	56.4	134	.45	4,410	11.08	0.00	19.34		
08/15/10	5,130	912	729	99.1	<1.0	148	12.1	--	128	14.8	.87	2,710	11.69	0.00	18.73		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-72 30.32	11/03/05	71.3	<236	<472	0.980	<0.5	<0.500	2.32	<2	--	--	--	--	10.33	0.00	19.99
	02/23/06	1,900	408 ^g	<500	11.0	1.22	98.2	25.3	<2	37.3	1.61	--	--	10.84	0.00	19.48
	05/10/06	1,540 ^j	<250	<500	8.20	1.12	70.4	<6	<2	48.9	<1	--	--	11.60	0.00	18.72
	08/29/06	810	<253	<505	6.28	<0.5	10.2	<3	<1	48.4	<1	--	--	12.08	0.00	18.24
	12/12/06	970	<250	<500	3.29	<0.5	1.95	<3	<1	12.5	<1	--	--	11.11	0.00	19.21
	03/07/07	560	<260	<521	5.45	0.59	38.5	<3	<1	6.68	<1	--	--	11.02	0.00	19.30
	06/14/07	1,140	<255	<510	5.29	<0.5	2.72	<3	<1	10.0	1.97	--	--	11.43	0.00	18.89
	09/14/07	239	<250	<500	1.76	<0.5	<0.500	<3	<1	<5	<1	--	--	11.47	0.00	18.85
	12/17/07	489	<238	<476	1.8	<1	<1.00	<2	<1	--	1.13	--	--	10.67	0.00	19.65
	03/17/08	983	<236	<472	407	3.3	<0.5	4.34	<3	<1	<5	<1	<1	11.02	0.00	19.30
	06/02/08	1,160	<238	<476	2.89	<0.5	4.77	<3	<1	<5	<1	<1	474	11.65	0.00	18.67
	08/04/08	330	<236	<472	0.81	<0.5	<0.5	<3	<1	6.4	<1	<1	247	12.51	0.00	17.81
	11/03/08	577	<243	<485	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	278	11.80	0.00	18.52
	02/23/09	780	<243	<485	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	3,130	11.80	0.00	18.52
	05/17/09	786	634	<476	3.55	<0.500	24.1	<3.00	<1.00	8.92	2.14	<1.00	962	12.38	0.00	17.94
	08/16/09	170	<240	<490	<0.50	<0.50	0.82	<2.0	<1.0	<5.0	<5.0	<5.0	<240	14.21	0.00	16.11
	11/15/09	110	430 ^y	2,500	<0.50	0.77	<0.50	<2.0	<1.0	<5.0	33	<1	<240	11.71	0.00	18.61
	02/21/10	258	1,810	1,720	<1.0	1.7	<1.0	<3.0	--	2.3	5.1	<0.10	803	11.15	0.00	19.17
05/23/10	329	6,100	2,250	2.3	<1.0	<1.0	<3.0	--	<1.0	10.6	<0.10	5,630	11.33	0.00	18.99	
08/15/10	330	641	3,460	1.4	<1.0	3.1	<3.0	--	<1.0	14.7	.12	236	11.63	0.00	18.69	
MW-73 30.11	11/03/05	1,070 ^m	249 ^g	<472	23.1	1.74	3.58	4.74	<2	--	--	--	--	11.50	0.00	18.61
	02/23/06	2,420	731 ^g	<500	13.2	2.13	4.52	<3	<1	<1	2.27	--	--	11.32	0.00	18.79
	04/10/06	2,460 ^j	<236	<472	9.56	2.19	4.51	2.44	<1	1.06	1.97	--	--	11.67	0.00	18.44
	08/29/06	1,130 ^j	<236	<472	12.60	2.40	1.89	<3	<1	<5	1.76	--	--	12.27	0.00	17.84
	12/12/06	2,360	<243	<485	14.50	2.01	4.32	<3	<1	<5	3.01	--	--	11.35	0.00	18.76
	03/07/07	2,260	<236	<472	17.5	1.47	2.72	3.11	<1	<5	1.16	--	--	11.31	0.00	18.80
	06/14/07	2,450	<260	<521	11.6	1.56	2.63	<3	<1	<5	2.16	--	--	11.59	0.00	18.52
	09/14/07	1,380	<236	<472	12.1	1.88	0.650	<3	<1	<5	1.60	--	--	11.77	0.00	18.34
	12/17/07	2,390	<236	<472	18.0	1.40	3.300	1.40	<1	--	4.95	--	--	10.70	0.00	19.41
	03/17/08	2,670	<238	<476	707	10.1	1.35	2.16	<3	<1	<5	2.15	1.17	11.20	0.00	18.91
	06/02/08	2,260	<236	<472	15.8	0.76	1.14	<3	<1	<5	3.81	1.00	767	11.61	0.00	18.50
	08/04/08	1,250	<236	<472	10.3	1.15	<0.5	<3	<1	<5	11.50	<1	465	12.73	0.00	17.38
	11/03/08	1,790	<243	<485	21.3	1.38	<0.500	<3.00	<1.00	<5.00	6.74	<1.00	466	11.80	0.00	18.31
	02/23/09	2,800	<240	<481	25.6	2.05	1.59	<3.00	--	<5.00	4.82	2.00	7,510	11.56	0.00	18.55
	05/17/09	1,510	<243	<485	9.97	1.00	0.73	<3.00	<1.00	<5.00	5.34	<1.00	430	12.96	0.00	17.15
	08/16/09	1,200	430	<480	5.0	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	1,100	14.65	0.00	15.46
	11/15/09	2,700	1,100 ^y	<480	26	2	3.8	<2.0	<1.0	<5.0	6.4	3.9	1,500 ^y	11.63	0.00	18.48
	02/21/10	2,190	946	624	39	2.4	3.3	6.9	--	2.4	7.8	--	1,110	11.27	0.00	18.84
05/23/10	2260	1030	659	31.2	2.2	2.1	<3.0	--	<1.0	5.7	3.5	1670	6.63	0.00	23.48	
08/15/10	1960	173	<392	37.3	1.8	1.7	<3.0	--	3.3	6.9	2.0	671	11.59	0.00	18.52	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-74 30.35	11/04/05	2,160 ^j	<245	<490	14.2	1.53	13.0	3.35	<1	--	--	--	--	11.79	0.00	18.56	
	02/23/06	3,320	<245	<490	11.0	1.37	17.3	3.50	<1	27.9	5.42	--	--	11.35	0.00	19.00	
	05/10/06	3,320 ^j	<240	<481	13.8	2.29	17.3	4.04	<1	27.8	1.94	--	--	11.70	0.00	18.65	
	08/29/06	618 ^j	<253	<505	33.9	4.55	8.18	<3	<1	21.6	2.71	--	--	13.12	0.00	17.23	
	03/06/07	Not Accessible - Stacy Witback construction													--	--	--
	06/14/07	Not Accessible													--	--	--
	09/12/07	Not Accessible													--	--	--
	12/17/07	Not Accessible, covered for street car													--	--	--
	03/17/08	Well paved over													--	--	--
	06/03/08	Abandoned well													--	--	--
MW-75 28.11	11/08/05	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	--	--	--	--	10.12	0.00	17.99	
	02/24/06	<50	<253	<505	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	10.30	0.00	17.81	
	05/11/06	<50	<240	<481	1.52	<0.5	<0.5	<3	<1	<1	<1	--	--	9.53	0.00	18.58	
	06/12/06	Decommissioned													--	--	--
MW-76 27.08	11/08/05	84.6	<245	<490	0.700	<0.5	<0.5	<3	<1	--	--	--	--	9.42	0.00	17.66	
	02/24/06	<50	394	752	<0.5	<0.5	<0.5	<3	<1	<1	4.30	--	--	9.57	0.00	17.51	
	05/11/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.50	0.00	18.58	
	08/30/06	<80	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.78	--	--	10.02	0.00	17.06	
	03/06/07	--	--	--	--	--	--	--	--	--	--	--	--	9.43	0.00	17.65	
	06/13/07	Not Accessible													--	--	--
	09/12/07	Not Accessible													--	--	--
	12/17/07	Not Accessible, well flooded during attempt to take sample													7.49	--	--
	03/18/08	<50	<236	<472	<236	<0.5	0.55	<0.5	<3	<1	<1	<5	20.80	<1	7.46	0.00	19.62
	06/02/08	<50	<236	<472	<0.5	0.52	<0.5	<3	<1	<5	1.31	<1	<236	<1	7.10	0.00	19.98
08/05/08	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	4.82	<1	<240	<1	7.60	0.00	19.48	
	Well abandoned in October 2008.													--	--	--	
MW-77 26.53	11/04/05	<50	<236	<472	<0.5	<0.5	0.540	<3	<1	--	--	--	--	8.65	0.00	17.88	
	02/23/06	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.86	0.00	17.67	
	05/11/06	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	1.08	<1	--	--	8.11	0.00	18.42	
	06/12/06	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-78 26.45	11/04/05	<50	<236	<472	0.590	0.760	0.730	<3	<1	--	--	--	--	8.30	0.00	18.15	
	02/23/06	<50	1,800^P	<490	<0.5	0.660	<0.500	<3	<1	<1	<1	--	--	8.48	0.00	17.97	
	05/11/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	7.91	0.00	18.54	
	06/12/06	Decommissioned													--	--	--
MW-79 26.80	11/04/05	<50	<236	<472	0.620	<0.5	0.67	1.41	<1	--	--	--	--	8.61	0.00	18.19	
	02/23/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.59	0.00	18.21	
	05/11/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.18	0.00	18.62	
	06/12/06	Decommissioned													--	--	--
MW-80 26.34	11/03/05	69.4	<243	<485	3.96	<0.5	10	7.88	<2	--	--	--	--	8.21	0.00	18.13	
	02/23/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.31	0.00	18.03	
	05/09/06	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	7.42	0.00	18.92	
	08/30/06	<80	<258	<515	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	<1	--	--	7.62	0.00	18.72
	12/13/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	8.57	0.00	17.77	
	03/07/07	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	8.18	0.00	18.16	
	06/14/07	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	6.15	--	--	5.43	0.00	20.91	
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	1.60	--	--	6.52	0.00	19.82	
	12/18/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	2.70	--	--	8.62	0.00	17.72	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	1.15	<1	8.10	0.00	18.24	
	06/02/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.64	<1	<236	7.35	0.00	18.99	
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.81	<1	<236	7.97	0.00	18.37	
	11/04/08	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	3.66	<1.00	<236	8.51	0.00	17.83	
	02/23/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	--	<5.00	2.52	<1.00	<236	7.93	0.00	18.41	
	05/17/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	2.83	<1.00	<240	8.03	0.00	18.31	
08/17/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	7.94	0.00	18.40		
11/16/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	2.4	<1	<240	7.57	0.00	18.77		
02/22/10	Well Destroyed													--	--	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-81 26.21	11/03/05	<50	<236	<472	<0.2	<0.5	0.840	2.05	<2	--	--	--	--	8.37	0.00	17.84	
	02/23/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	1.30	--	--	8.41	0.00	17.80	
	05/09/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	7.28	0.00	18.93	
	08/30/06	<80	<248	<495	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	<1	--	--	8.46	0.00	17.75
	12/13/06	<50	<258	<515	<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	8.90	0.00	17.31	
	03/07/07	<50	<258	<515	<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	8.30	0.00	17.91	
	06/14/07	<50	<240	<481	<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	7.46	0.00	18.75	
	09/12/07	<50	<240	<481	1.08	<0.5	<0.500	<3	<1	<5	<1	--	--	8.06	0.00	18.15	
	12/18/07	<50	<236	<472	<1	<1	<1.00	<3	<1	<5	1.82	--	--	8.79	0.00	17.42	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	1.82	<1	<238	7.31	0.00	18.06
	06/02/08	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<238	7.94	0.00	18.27	
	08/05/08	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	8.83	<1	<238	7.94	0.00	18.27	
	11/04/08	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	7.90	<1.00	<236	8.53	0.00	17.68	
	02/23/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	2.32	<1.00	<240	8.40	0.00	17.81	
	05/17/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	3.27	<1.00	<240	7.62	0.00	18.59	
	08/17/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	7.90	<5.0	<240	20.00	0.00	6.21	
11/16/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	5.3	<1	<240	8.55	0.00	17.66		
02/21/10	<50.0	126	<383	<1.0	<1.0	<1.0	<3.0	--	<1.0	4.0	<0.10	<76.6	8.67	0.00	17.54		
05/23/10	Well Destroyed																
MW-82 23.70	11/03/05	16,300	1,850^g	<472	308	427	696	3,370	<40	--	--	--	--	4.92	0.00	18.78	
	02/21/06	15,400	<258 ^q	<515	483	256	477	2,110	<1	78.7	3.90	--	--	5.12	0.00	18.58	
	05/11/06	6,890	554^p	<476	221	120	177	1,043	<10	31.0	<1	--	--	4.88	0.00	18.82	
	08/29/06	Not accessible - blocked by field office trailer															
	12/11/06	5,590	<240	<481	244	50.7	184	815	<1	27.4	1.28	--	--	5.53	0.00	18.17	
	03/08/07	8,910	<250	<500	425	193	328	1,450	<20	<100	1.39	--	--	4.99	0.00	18.71	
	06/13/07	12,100	<243	<485	630	179	375	1,800	<1	154	1.27	--	--	4.93	0.00	18.77	
	09/12/07	10,200	<240	<481	627	30.8	354	1,610	<1	29	<1	--	--	5.25	0.00	18.45	
	12/19/07	6,030	<236	<472	360	51	230	840	<1	42	2.65	--	--	4.36	0.00	19.34	
	03/18/08	8,570	<236	<472	1,940	407	22.5	250	751	<1	<1	<1	<1	4.98	0.00	18.72	
	06/03/08	7,640	<236	<472	570	8.71	316	1,190	<1	36.0	1.69	<1	1,950	5.00	0.00	18.70	
	08/06/08	12,000	<236	<472	326	18	254	1,890	<1	79.8	1.28	<1	868	5.47	0.00	18.23	
	11/04/08	20,900	<238	<476	1,050	177	549	3,760	<1.00	75.2	<1.00	<1.00	3,370	4.75	0.00	18.95	
11/18/08	Decommissioned																

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-83 23.63	11/03/05	2,270	<236 ^j	<472 ^j	67.9	202	50.6	230	<4	--	--	--	--	4.71	0.00	18.92	
	02/24/06	4,370	<250	<500	198	367	93.9	393	<4	23.8	3.59	--	--	4.84	0.00	18.79	
	05/11/06	2,820	550 ^p	<500	163	172	66.6	259.9	<4	14.3	4.96	--	--	5.02	0.00	18.61	
	08/31/06	386	<236	<472	8.90	4.97	6.30	24.7	<1	<5	1.11	--	--	5.88	0.00	17.75	
	03/06/07	Not accessible- covered by sheet piles													--	--	--
	06/13/07	Not accessible													--	--	--
	09/12/07	Not accessible													--	--	--
	12/19/07	1,030	358	593	<1	<1	1.6	1.2	<1	<1	1.73	--	--	--	6.34	0.00	17.29
	03/17/08	Buried with construction material													--	--	--
	06/03/08	Well under construction debris													--	--	--
	08/06/08	Well under construction debris.													--	--	--
	Well under construction debris.													--	--	--	
MW-84 28.51	11/02/05	95.5	<236	<472	10.2	<0.5	<0.500	<3	<1	--	--	--	--	9.85	0.00	18.66	
	02/22/06	189	<266	<532	53.4	0.550	<0.500	<3	<1	<1	<1	--	--	9.63	0.00	18.88	
	05/09/06	143	<250	<500	29.7	0.810	<0.500	<3	<1	<1	<1	--	--	9.58	0.00	18.93	
	06/12/06	Decommissioned													--	--	--
MW-85 28.29	11/02/05	108	<236	<472	3.25	0.740	2.19	5.68	<1	--	--	--	--	9.80	0.00	18.49	
	02/22/06	69.8	<248	<495	5.47	0.770	0.850	<3	<1	<1	<1	--	--	9.29	0.00	19.00	
	05/09/06	69.5	<245	<490	4.56	0.720	0.800	<3	<1	<1	<1	--	--	9.20	0.00	19.09	
	08/29/06	<80	<248	<495	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	<1	--	--	10.57	0.00	17.72	
	09/20/06	Decommissioned during construction activities													--	--	--
MW-86 27.55	11/02/05	3,010	<248	<495	508	5.09	5.26	31.5	<1	--	--	--	--	9.28	0.00	18.27	
	02/21/06	7,880	<269 ^q	<538	2,640	5.65	10.2	31.9	<5	<5	<1	--	--	9.29	0.00	18.26	
	05/09/06	7,980	<240	<481	2,740	<25	64.0	104	<50	287	<1	--	--	8.85	0.00	18.70	
	08/29/06	2,690 ^l	<253	<505	1,640	6.58	9.78	29.2	2.62	<5	1.32	--	--	10.12	0.00	17.43	
	12/11/06	4,700	<250	<500	1,410	5.79	7.66	28.2	3.21	<5	1.43	--	--	9.61	0.00	17.94	
	03/07/07	7,370	<243	<485	2,530	<10	10.8	<60	<20	<100	<1	--	--	9.23	0.00	18.32	
	06/13/07	7,300	<243	<485	2,430	7.40	11.9	26.9	<5	<25	<1	--	--	9.01	0.00	18.54	
	09/12/07	5,410	<240	<481	1,860	5.55	8.31	25.0	1.56	<5	<1	--	--	9.11	0.00	18.44	
	12/18/07	4,540	<238	<476	1,400	5.60	9.90	29.7	<1	1.40	1.32	--	--	6.52	0.00	21.03	
	03/18/08	6,290	<236	<472	457	1,950	7.10	9.36	27.9	<1	<5	<1	<1	8.95	0.00	18.60	
	06/03/08	5,340	<236	<472	1,380	7.19	12.60	28.40	<1	<5	<1	<1	533	8.60	0.00	18.95	
	08/05/08	4,090	<236	<472	612	7.18	7.23	30.70	<1	<5	<1	<1	356	9.25	0.00	18.30	
	11/04/08	2,430	<245	<490	232	<5.00	4.90	25.60	<1.00	<5.00	<1.00	<1.00	545	9.28	0.00	18.27	
	02/24/09	4,750	<240	<481	1,300	6.48	7.67	29.70	--	<5.00	<1.00	<1.00	4,760	8.90	0.00	18.65	
	05/17/09	10,300	<243	<485	3,380	22.40	87.70	95.00	<1.00	<5.00	<1.00	<1.00	767	11.02	0.00	16.53	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
MW-86 contd.	08/17/09	1,800	440	<480	1500	23	45	71	<1.0	<5.0	<5.0	<5.0	2,100	12.62	0.00	14.93
	11/16/09	2,700	1,000^Y	<480	2,100^H	42	76	200	<1.0	<5.0	<1	<1	1,600^Y	9.41	0.00	18.14
	02/22/10	1,550	1,940	1,640	906	10.5	41.2	90.5	--	4	0.48	<0.10	1,190	9.18	0.00	18.37
	05/24/10	1,440	1,970	1,710	719	7.4	23.3	66.1	--	1.8	.51	<0.10	1,960	8.32	0.00	19.23
	08/16/10	1,270	87.6	<388	331	6.0	10.6	48.6	--	1.9	.63	.25	533	9.15	0.00	18.40
MW-87 26.74	11/02/05	<50	<245	<490	2.35	1.28	1.33	6.61	<1	--	--	--	--	8.40	0.00	18.34
	02/21/06	<50	<263 ^Q	<526	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.55	0.00	18.19
	05/09/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1.0	<1	<1	--	--	7.98	0.00	18.76
	08/29/06	<80	<248	<495	<0.5	<0.5	<0.5	<3	<1.0	<5	<1	--	--	9.33	0.00	17.41
	12/11/06	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1.0	<5	<1	--	--	8.96	0.00	17.78
	03/07/07	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1.0	<5	<1	--	--	8.44	0.00	18.30
	06/13/07	162	<243	<485	<0.5	<0.5	<0.5	<3	<1.0	<5	<1	--	--	8.17	0.00	18.57
	09/12/07	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1.0	<5	<1	--	--	8.27	0.00	18.47
	12/18/07	<50	<240	<481	<1	<1	<1	<3	<1.0	<1	2.95	--	--	7.50	0.00	19.24
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	8.09	0.00	18.65
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	7.80	0.00	18.94
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	8.44	0.00	18.30
	11/04/08	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	1.46	<1.00	<243	8.75	0.00	17.99
	02/24/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	--	<5.00	1.27	<1.00	<236	7.70	0.00	19.04
	05/17/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<240	10.92	0.00	15.82
	08/17/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	11.10	0.00	15.64
	11/16/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	1.3	<1	<240	8.74	0.00	18.00
02/22/10	<50.0	643	860	<1.0	<1.0	<1.0	<3.0	--	<1.0	3.3	<0.10	<76.6	8.40	0.00	18.34	
05/24/10	<50.0	543	675	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.86	<0.10	263	7.50	0.00	19.24	
08/16/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.4	<0.10	<78.4	8.35	0.00	18.39	
MW-88 27.28	11/07/05	14,700	<240	<481	546	<50	2,230	1,400	<100	--	--	--	--	8.75	0.00	18.53
	02/21/06	LPH Present												8.75	Sheen	18.53
	05/10/06	20,500	418 ^P	<476	768	<50	2,590	1,121	<100	734	1.97	--	--	8.38	0.00	18.90
	08/29/06	LPH Present												9.77	0.10	17.51
	12/13/06	16,600	316	<485	208	<10	1,170	1,620	<20	255	2.2	--	--	9.30	0.00	17.98
	03/06/07	Decommissioned												--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-89 23.02	11/03/05	1,110	<236	<472	10.3	8.20	82.5	170	<2	--	--	--	--	3.92	0.00	19.10	
	02/24/06	49,900	1,180 ^g	<515	188	916	2,050	7,950	<20	860	23.4	--	--	4.36	0.00	18.66	
	05/11/06	24,300	3,040 ^P	<495	96.0	352	1,200	3,452	<40	365	37.4	--	--	4.37	0.00	18.65	
	08/31/06	463	<245	<490	6.85	15.4	40.9	82.2	<1	59.8	12.2	--	--	5.41	0.00	17.61	
	12/11/06	1,100	<248	<495	3.21	14.6	38.1	87.9	<1	50.8	6.6	--	--	4.83	0.00	18.19	
	03/08/07	2,640	<250	<500	13.4	14.8	206	396	<10	122	290	--	--	4.10	0.00	18.92	
	06/13/07	2,450	<236	<472	21.6	72.2	148	816	<1	596	12.5	--	--	4.41	0.00	18.61	
	09/13/07	102	<238	<476	<0.5	7.65	5.87	<3	<1	63.2	35.5	--	--	4.57	0.00	18.45	
	12/19/07	210	<236	<472	1.4	<1	<1	3.3	<1	4.7	145.0	--	--	3.19	0.00	19.83	
	03/18/08	522	<236	<472	260	0.89	1.66	13.90	7.62	<1	57.0	875.0	<1	357	3.93	0.00	19.09
	06/03/08	818	<236	<472	4.84	0.64	16.50	23.50	<1	97.8	38.5	<1	276	4.40	0.00	18.62	
	08/06/08	601	<236	<472	1.79	1.22	15.70	24.50	<1	70.4	10.9	<1	276	4.96	0.00	18.06	
	11/04/08	4,590	<236	<472	2.27	1.55	150.00	214.00	<1.00	61.2	16.4	<1.00	1,610	4.49	0.00	18.53	
11/18/08	Decommissioned													--	--	--	
MW-90 22.90	11/02/05	3,840 ^m	444 ^g	<490	70.8	2.94	244	792	<4	--	--	--	--	4.22	0.00	18.68	
	02/21/06	19,800	504 ^g	<538	218	10.0	805	2,400	<20	187	5.59	--	--	4.33	0.00	18.57	
	05/11/06	10,200	1,170 ^P	<495	125	6.90	348	1,222	<10	91.3	2.87	--	--	4.07	0.00	18.83	
	08/29/06	Not accessible - blocked by heavy equipment													--	--	--
	03/06/07	Not accessible - blocked by heavy equipment													--	--	--
	06/13/07	9,180	<248	<495	118	1.90	194	1,290	<1	166	2.14	--	--	4.14	0.00	18.76	
	09/12/07	3,870	<240	<481	46.3	1.15	64.0	645	<1	58.0	4.64	--	--	4.36	0.00	18.54	
	12/17/07	Well compromised, unable to sample													3.43	0.00	19.47
	03/18/08	1,060	<236	<472	367	11.4	<0.5	3.11	17.3	<1	14.3	8.29	<1	<236	3.90	0.00	19.00
	06/03/08	536	<236	<472	8.06	<0.5	1.41	8.92	<1	5.27	3.23	<1	<236	4.10	0.00	18.80	
	08/06/08	422	<236	<472	7.2	<0.5	0.91	5.63	<1	15.1	17.6	<1	<236	4.60	0.00	18.30	
	11/03/08	1,460	<391	<781	9.49	<0.500	6.75	8.45	<1.00	15.9	2.86	<1.00	<391	4.25	0.00	18.65	
	11/18/08	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-91 23.13	11/03/05	9,390	2,230^g	<472	56.2	6.45	319	414	<10	--	--	--	--	4.13	0.00	19.00	
	02/24/06	6,080	487 ^g	<515	21.0	2.67	177	430	<1	188	2.39	--	--	4.51	0.00	18.62	
	05/11/06	5,900	931^P	<485	14.9	14.5	106	162.7	<4	171	1.49	--	--	4.33	0.00	18.80	
	08/29/06	Not accessible - blocked by heavy equipment													--	--	--
	03/06/07	Not accessible - blocked by heavy equipment													--	--	--
	06/13/07	1,180	<236	<472	<0.5	0.770	0.580	<3	<3	<1	91.6	1.80	--	--	4.36	0.00	18.77
	09/12/07	160	<240	<481	<0.5	<0.5	<0.500	<3	<1	13.2	1.05	--	--	--	4.60	0.00	18.53
	12/19/07	316	<236	<472	<1	<1	<1	<3	<1	4.2	4.13	--	--	--	3.48	0.00	19.65
	03/18/08	646	<236	<472	253	0.98	<0.5	5.16	<3	<1	12.0	3.32	<1	<1	4.00	0.00	19.13
	06/03/08	359	<236	<472	2.42	<0.5	<0.5	<3	<1	<5	3.00	<1	<236	<236	4.33	0.00	18.80
	08/06/08	163	<236	<472	<0.5	<0.5	<0.5	<3	<1	21.9	3.04	<1	<236	<236	4.85	0.00	18.28
	11/03/08	252	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	101.00	<1.00	<236	<236	4.39	0.00	18.74
	11/18/08	Decommissioned													--	--	--
MW-92 28.98	11/02/05	12,300	338 ^g	<472	925	83.4	756	940	<20	--	--	--	--	10.28	0.00	18.70	
	02/22/06	4,360	<248	<495	261	8.60	111	127	<5	36.0	3.58	--	--	10.13	0.00	18.85	
	05/10/06	5,580	<240	<481	458	11.2	122	97.6	<20	38.4	2.69	--	--	10.22	0.00	18.76	
	08/31/06	3,770	<243	<485	770	25.0	197	103	<1	55.1	3.36	--	--	11.34	0.00	17.64	
	12/13/06	1,190	<238	<476	23.2	0.730	23.6	14.7	<1	5.05	<1	--	--	10.12	0.00	18.86	
	03/08/07	525	<250	<500	7.68	<0.5	8.90	4.70	<1	<5	<1	--	--	9.86	0.00	19.12	
	06/13/07	662	<238	<476	30.2	<0.5	8.98	<3	<1	<5	<1	--	--	10.20	0.00	18.78	
	09/13/07	1,150	<238	<476	39.9	1.19	35.1	<3	<1	5.18	<1	--	--	10.30	0.00	18.68	
	12/18/07	1,410	<238	<476	79.0	1.20	14.0	3.10	<1	4.30	3.64	--	--	9.26	0.00	19.72	
	03/17/08	1,490	<236	<472	355	51.6	1.14	22.6	5.67	<1	<5	2.41	<1	10.02	0.00	18.96	
	06/03/08	682	<236	<472	4.71	<0.5	5.6	<3	<1	<5	1.48	<1	244	10.21	0.00	18.77	
	08/05/08	546	<238	<476	5.77	0.54	2.48	<3	<1	<5	7.64	<1	<238	10.75	0.00	18.23	
	11/03/08	1,030	<238	<476	56.50	4.87	6.400	6.06	<1.00	6.8	2.59	<1.00	375	10.47	0.00	18.51	
11/18/08	Decommissioned													--	--	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-93 25.74	11/02/05	79.3	<248	<495	0.370	0.570	0.720	2.35	<2	--	--	--	--	7.06	0.00	18.68	
	02/21/06	1,200	3,580^P	<526	2.38	0.780	3.25	3.18	<1	1.71	1.16	--	--	7.25	0.00	18.49	
	05/10/06	1,200^J	1,540	<472	<0.5	0.790	2.04	1.70	<1	2.04	<1	--	--	6.90	0.00	18.84	
	08/31/06	204	<243	<485	<0.5	0.610	1.55	<3	<1	<5	2.98	--	--	8.15	0.00	17.59	
	12/13/06	1,120	<253	<505	<0.5	0.670	2.54	3.18	<1	<5	1.25	--	--	7.54	0.00	18.20	
	03/07/07	1,010	3,490	<500	11.60	0.760	2.91	3.59	<1	<5	<1	--	--	6.99	0.00	18.75	
	06/13/07	1,330	822^{g-P}	1,250	<0.5	0.680	1.77	3.01	<1	5.40	1.66	--	--	6.94	0.00	18.80	
	09/13/07	303	267	616	<0.5	<0.5	1.37	<3	<1	5.43	1.05	--	--	7.26	0.00	18.48	
	12/17/07	Unable to locate on site map													--	--	--
	03/17/08	1,200	541	1,660	464	<0.5	<0.5	0.96	<3	<1	<5	<1	<1	<1	6.79	0.00	18.95
	06/03/08	1,320	429	<472	6.56	<0.5	3.62	1.44	<1	<5	<1	<1	613	6.63	0.00	19.11	
	08/06/08	847	1,140	1,270	<0.5	0.51	1.44	<3	<1	<5	2.69	<1	946	7.50	0.00	18.24	
	11/03/08	1,110	564	842	<0.500	<0.500	1.43	<3.00	<1.00	<5.00	2.95	<1.00	535	5.87	0.00	19.87	
	11/18/08	Decommissioned													--	--	--
MW-94 21.90	11/02/05	393	277 ^d	<472	1.74	0.750	30.2	4.62	<2	--	--	--	--	3.21	0.00	18.69	
	02/24/06	172	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	4.81	--	--	3.38	0.00	18.52	
	05/11/06	236	360	<500	<0.5	<0.5	<0.5	<3	<1	1.60	10.4	--	--	3.10	0.00	18.80	
	08/31/06	<100	<250	<500	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	4.30	0.00	17.60	
	12/13/06	159	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	4.24	--	--	3.76	0.00	18.14	
	03/07/07	1,720	<248	<495	1.88	<0.5	33.6	<3	<1	93.8	<1	--	--	3.16	0.00	18.74	
	06/13/07	2,340	<250	<500	<0.5	<0.5	0.710	<3	<1	96.7	2.13	--	--	3.21	0.00	18.69	
	09/12/07	521	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	3.48	0.00	18.42	
	12/19/07	285	<236	<472	1,010	<1.00	<1	<1.00	<3	<1	<1	12.90	--	2.54	0.00	19.36	
	03/17/08	2,490	255	<472	1,010	1.33	<0.5	31.5	<3	<1	46.6	2.65	<1	2.89			19.01
	06/02/08	Gauged but not sampled													5.15	0.00	16.75
	08/06/08	637	<236	<472	0.58	<0.5	0.80	<3	<1	<5	3.80	<1	294	3.68	0.00	18.22	
	11/03/08	Well under water, unable to sample.													3.23	0.00	18.67
	11/18/08	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-95 31.99	11/02/05	545	<236	<472	1.06	0.910	1.18	9.87	<1	--	--	--	--	13.50	0.00	18.49	
	02/23/06	278	240 ^g	<481	9.67	5.57	7.88	19.20	<1	3.31	<1	<1	--	13.00	0.00	18.99	
	05/09/06	326	<255	<510	2.91	0.730	1.40	15.78	<1	5.56	<1	<1	--	13.35	0.00	18.64	
	08/30/06	94.3	<248	<495	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	<1	<1	--	13.82	0.00	18.17	
	12/12/06	1,330	<243	<485	52.9	14.5	32.9	119	<1	10.6	<1	<1	--	12.98	0.00	19.01	
	03/07/07	60.2	<250	<500	3.87	<0.5	1.31	10.5	<1	<5	<1	<1	--	12.87	0.00	19.12	
	06/14/07	215	<236	<472	4.12	<0.5	1.60	41.7	<1	<5	<1	<1	--	13.10	0.00	18.89	
	09/13/07	<50.0	<238	<476	<0.5	<0.5	<0.500	<3	<1	<5	<1	<1	--	13.18	0.00	18.81	
	12/18/07	<50	<238	<476	<1	<1	<1	<3	<1	<1	<1	<1	--	12.45	0.00	19.54	
	03/17/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<1	12.69	0.00	19.30
	06/03/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	8.78	0.00	23.21	
	08/04/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	14.02	0.00	17.97	
	11/04/08	<50.0	<248	<495	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<248	13.75	0.00	18.24	
	02/24/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	13.50	0.00	18.49	
	05/17/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<240	14.01	0.00	17.98	
	08/16/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	15.67	0.00	16.32	
11/15/09	110	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<1	<1	<240	13.62	0.00	18.37		
02/21/10	<50.0	202	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.58	<0.10	<77.7	13.01	0.00	18.98		
05/23/10	<50.0	80.0	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.47	<0.10	83.2	13.18	0.00	18.81		
08/16/10	56.5	<78.4	<392	<1.0	<1.0	<1.0	4.5	--	<1.0	0.28	<0.10	<78.4	13.45	0.00	18.54		
MW-96 24.98	11/02/05	3,230	501^g	<472	172	75.1	65.0	714	<4	--	--	--	--	6.28	0.00	18.70	
	02/21/06	LPH Present												6.43	0.02	18.57	
	05/11/06	6,190	5,570	<971	392	136	152	1,057	<10	90.8	1.20	1.20	--	6.20	0.01	18.78	
	08/29/06	LPH Present												7.48	0.23	17.04	
	12/11/06	LPH Present												6.76	0.30	18.22	
	03/06/07	Not accessible - construction materials												--	--	--	
	06/13/07	Not accessible												--	--	--	
	09/12/07	Not accessible												--	--	--	
	12/17/07	Not accessible												--	--	--	
	03/17/08	Buried with construction material												--	--	--	
	06/03/08	Well under construction debris												--	--	--	
	08/06/08	Well under construction debris.												--	--	--	
	11/04/08	Well under construction debris.												--	--	--	
11/18/08	Decommissioned												--	--	--		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-97 30.35	11/02/05	17,600	441 ^g	<490	121	38.2	1,010	1,860	<1	--	--	--	--	11.70	0.00	18.65	
	02/22/06	39,900	811 ^g	<500	350	32.8	1,840	3,730	<40	735	21.6	--	--	11.17	0.00	19.18	
	05/09/06	30,300 ^j	686	<498	264	65.5	1,740	2,660	<50	768	12.0	--	--	11.60	0.00	18.75	
	08/30/06	6,580	456 ^g	<485	82.4	6.40	749	401	<1	516	7.48	--	--	12.17	0.00	18.18	
	09/25/06	Decommissioned during construction activities													--	--	--
MW-98 30.47	11/02/05	25,800	<250	<500	1,880	4,080	680	3,760	<1	--	--	--	--	11.85	0.00	18.62	
	02/22/06	173,000	360 ^g	<556	14,000	30,500	4,090	22,200	<400	888	49.9	--	--	11.24	0.00	19.23	
	05/09/06	186,000	651 ^p	<472	12,700	29,000	4,800	22,560	<1,000	11,800	50.0	--	--	11.44	0.00	19.03	
	06/12/06	Decommissioned													--	--	--
MW-99 29.34	11/02/05	910	<243	<485	1.84	0.850	11.1	73.8	<1	--	--	--	--	10.57	0.00	18.77	
	02/22/06	4,910	<240	<481	28.4	<2.5	203	811	<5	80.8	14.0	--	--	10.23	0.00	19.11	
	05/09/06	3,370	<248	<495	14.0	<5	82.5	521.3	<10	59.7	6.57	--	--	10.43	0.00	18.91	
	06/12/06	Decommissioned													--	--	--
MW-101 28.10	07/25/05	6,960	432 ^b	<500	39.1	61.4	88.0	429	<5	19.7	--	--	--	9.45	0.00	18.65	
	11/04/05	2,960	<236	<472	53.8	44.8	72.1	464	<5	--	--	--	--	9.65	0.00	18.45	
	02/23/06	4,890	<250	<500	99.4	16.9	150	768	<4	27.5	<1	--	--	9.57	0.00	18.53	
	05/09/06	1,120	<238	<476	14.2	1.62	27.1	136.7	<2	6.06	<1	--	--	9.13	0.00	18.97	
	06/13/06	Decommissioned													--	--	--
MW-102 23.86	07/25/05	Well could not be located													--	--	--
	11/03/05	10,200	1,730 ^g	<472	471	12.0	492	1,490	<20	--	--	--	--	5.10	0.00	18.76	
	02/24/06	11,400	294 ^g	<532	471	3.96	473	1,160	<4	90.4	4.54	--	--	5.29	0.00	18.57	
	05/11/06	2,810 ^j	370 ^p	<490	97.6	<2	35.8	177.6	<4	22.9	1.71	--	--	5.01	0.00	18.85	
	08/31/06	2,430	<236	<472	212	<2.5	101	208	<5	29.5	2.71	--	--	6.29	0.00	17.57	
	12/11/06	13,600	243	<485	608	30.6	609	1,190	<1	118	6.08	--	--	5.70	0.00	18.16	
	03/08/07	10,000	257	<500	366	25.8	448	1,240	<20	183	3.58	--	--	5.16	0.00	18.70	
	06/13/07	8,080	275 ^g	<476	320	2.26	182	894	<1	139	4.54	--	--	5.12	0.00	18.74	
	09/12/07	8,800	246	<481	428	2.38	426	792	<1	90.2	30.8	--	--	5.41	0.00	18.45	
	12/19/07	13,500	289	<472	400	160	570	1,320	<1	140	14.9	--	--	4.56	0.00	19.30	
	03/18/08	9,840	347	<472	2770	291	1.5	371	746	<1	99.4	24.2	1.75	4.92	0.00	18.94	
	06/03/08	660	359	<472	208	<0.5	78.5	239	<1	85.9	29.00	<1	2,170	5.15	0.00	18.71	
	08/06/08	3,310	276	<472	138	0.79	43.2	69	<1	54.2	54.10	1.14	1,240	5.63	0.00	18.23	
	11/04/08	8,720	497	<472	232	1.23	366	248.0	<1.00	108	19.20	1.36	2,920	4.30	0.00	19.56	
11/18/08	Decommissioned													--	--	--	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-103 27.22	07/26/05	<50	<250	<500	<0.2	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	8.61	0.00	--	
	11/07/05	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	--	--	--	--	8.82	0.00	18.40	
	02/24/06	<50	<250	<500	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.66	0.00	18.56	
	05/09/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	7.84	0.00	19.38	
	08/30/06	<80	<248	<495	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	-- ^u	<1	--	--	6.01	0.00	21.21
	12/13/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<1	<5	<1	--	--	9.00	0.00	18.22
	03/06/07	Decommissioned													--	--	--
MW-105 29.61	07/26/05	62,000	821^b	<500	1,970	7,460	2,640	12,750	<1	723	--	--	--	10.88	0.00	--	
	11/02/05	66,100	495 ^g	< 538	1,370	6,430	2,360	12,300	<1	--	--	--	--	10.94	0.00	18.67	
	02/22/06	50,000	332 ^g	<495	1,200	2,810	1,990	8,540	< 50^{g,r}	498	5.13	--	--	10.59	0.00	19.02	
	05/09/06	62,300	867^p	<472	1,200	5,070	2,210	10,550	< 100	440	9.54	--	--	10.69	0.00	18.92	
	06/12/06	Decommissioned													--	--	--
MW-200 29.69	11/07/05	533	<250	<500	4.39	1.21	8.65	22.1	5.03	--	--	--	--	11.22	0.00	18.47	
	02/22/06	2,560	270 ^g	<490	38.4	2.38	57.3	70.9	1.84	60.7	1.60	--	--	11.15	0.00	18.54	
	05/10/06	1,440^j	<245	<490	25.1	0.620	35.5	12.82	1.57	45.2	<1	--	--	11.29	0.00	18.40	
	08/29/06	471 ^j	<236	<472	7.10	2.00	31.3	28.2	1.11	53.0	<1	--	--	11.95	0.00	17.74	
	12/12/06	1,630	<245	<490	7.12	1.30	20.0	27.9	1.90	25.0	1.05	--	--	11.29	0.00	18.40	
	03/06/07	<50	<260	< 521	<5	<5	<5.00	<3	1.12	<5	1.73	--	--	11.05	0.00	18.64	
	06/14/07	262	<243	<485	3.63	<0.5	1.61	<3	<1	<5	1.87	--	--	11.08	0.00	18.61	
	09/14/07	<50	<245	<490	<0.5	<0.5	<0.500	<3	<1	<5	<1	--	--	11.25	0.00	18.44	
	12/17/07	327	<240	<481	1.5	<1	18.00	10	<1	--	9.24	--	--	9.60	0.00	20.09	
	03/17/08	Well compromised- buried by machinery													--	--	--
	06/01/08	2,390	270	<481	27.5	1.07	55.20	16.6	<1	92.8	2.46	<1	1,220	8.13	0.00	21.56	
	08/10/08	1,140	<238	<476	10.4	0.85	21.20	6.7	<1	45.3	7.41	<1	616	12.10	0.00	17.59	
	11/02/08	North lane of Mercer flooded. Unable to sample.													--	--	--
	02/22/09	4,570	5,550	<481	17.1	2.12	58.0	45.4	--	134	1.82	<1.00	1,820	11.45	0.00	8.25	
	05/17/09	7,160	396	<476	71.4	3.72	224.0	363	<1.00	273	10.4	<1.00	1,820	9.85	0.00	19.84	
	08/16/09	1,800	330	<480	<0.50	<0.50	12	11	<1.0	22	5.8	<5.0	810	14.22	0.00	15.47	
	11/15/09	2,300	890^y	<490	8.3	<0.50	30	17	<1.0	59	8	<1	1,000^y	11.35	0.00	18.34	
02/21/10	8,170	3,160	1,300	116	2	445	151	--	510	4.2	0.59	5,000	11.02	0.00	18.67		
05/23/10	North lane of Mercer flooded. Unable to sample.																
08/15/10	4,290	608	<388	89.7	1.0	191	1.0	--	388	6.2	0.70	1,820	11.36	0.00	18.33		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-201 29.32	11/07/05	56.8	974 ^f	4,180	<0.5	<0.5	0.990	9.49	<1	--	--	--	--	9.81	0.00	19.51	
	02/22/06	199	464 ^h	1,460	27.6	14.2	<0.500	<3	<1	<1	9.78	--	--	10.76	0.00	18.56	
	05/10/06	221	<250	<500	27.1	14.6	<0.500	<3	<1	<1	3.01	--	--	11.12	0.00	18.20	
	08/29/06	114	<248	<495	19.1	10.6	<0.500	<3	<1	<5	2.16	--	--	11.64	0.00	17.68	
	12/12/06	223	<245	<490	16.3	1.79	<0.500	<3	<1	<5	3.88	--	--	11.65	0.00	17.67	
	03/06/07	174	<260	<521	25.6	1.46	<5.00	<3	<1	<5	2.54	--	--	11.65	0.00	17.67	
	06/14/07	206	<245	<490	20.4	0.870	<0.500	<3	<1	<5	<1	--	--	10.89	0.00	18.43	
	09/14/07	125	<245	<490	21.4	0.750	<0.500	<3	<1	<5	1.87	--	--	11.16	0.00	18.16	
	12/17/07	Unable to sample- well under water													--	--	--
	03/18/08	281	<236	<472	<236	11	0.58	<0.5	<3	<1	<5	6.72	1.28	<238	10.63	0.00	18.69
	06/01/08	196	<238	<476	18.3	7.40	<0.5	<3	<1	<5	19.80	2.29	<238	10.90	0.00	18.42	
	08/10/08	125	<243	<485	17.7	1.14	<0.5	<3	<1	<5	13.30	3.73	<243	11.90	0.00	17.42	
	11/02/08	North lane of Mercer flooded. Unable to sample.													--	--	--
	02/22/09	157	<238	6,530	11.5	<0.500	<0.500	<3.00	--	<5.00	8.43	<1.00	<238	10.90	0.00	4.20	
	05/17/09	173	<248	<495	12.4	<0.500	<0.500	<3.00	<1.00	<5.00	11.8	1.28	<248	12.10	0.00	17.22	
	08/16/09	230	570	3,300	2.7	<0.50	<0.50	<2.0	<1.0	<5.0	95	<5.0	<240	13.87	0.00	15.45	
	11/15/09	73	<240	<480	12 ^H	<0.50 ^H	<0.50 ^H	<2.0 ^H	<1.0 ^H	<5.0 ^H	14	2.30	<240	10.88	0.00	18.44	
02/21/10	<50.0	655	1,970	3.8	<1.0	<1.0	5.3	--	<1.0	9.1	<0.10	<79.2	10.56	0.00	18.76		
05/23/10	56.8	639	1670	9.7	<1.0	<1.0	<3.0	--	<1.0	5.9	<0.10	353	10.64	0.00	18.68		
08/15/10	<50.0	113	451	8.7	<1.0	<1.0	<3.0	--	<1.0	4.4	<0.10	<79.2	10.98	0.00	18.34		
MW-202 30.55	11/04/05	247	<240	<481	0.630	0.880	<0.5	1.80	<1	--	--	--	--	12.77	0.00	17.78	
	02/22/06	<50	<253	<505	<0.5	<0.5	<0.5	<3	<1 ^{qr}	<1	1.71	--	--	12.35	0.00	18.20	
	05/10/06	<50	<250	<500	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	12.43	0.00	18.12	
	08/29/06	<80	<253	<505	<0.5	<0.5	<0.5	<3	<1	<5	9.54	--	--	12.76	0.00	17.79	
	12/12/06	<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	12.24	0.00	18.31	
	03/08/07	<50	<253	<505	<0.5	<0.5	<0.5	<3	<1	<5	1.04	--	--	12.23	0.00	18.32	
	06/14/07	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	12.44	0.00	18.11	
	09/14/07	<50	<250	<500	<0.5	<0.5	<0.5	<3	<1	<5	1.43	--	--	12.54	0.00	18.01	
	12/19/07	<50	<240	<481	<1	<1	<1.00	<3	<1	<1	<1	--	--	12.12	0.00	18.43	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	12.42	0.00	18.13	
	06/02/08	<50	<240	<481	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<240	12.47	0.00	18.08	
	08/05/08	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<248	12.65	0.00	17.90	
	11/05/08	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<243	12.52	0.00	18.03	
	02/25/09	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<243	12.80	0.00	17.75	
	05/17/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	12.90	<1.00	<236	13.63	0.00	16.92	
	08/16/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	7.50	<5.0	<240	15.32	0.00	15.23	
	11/15/09	<50	<240	<470	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	2.3	<1	<240	12.54	0.00	18.01	
	02/21/10	<50.0	82.8	<381	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.1	<0.10	<76.2	12.23	0.00	18.32	
	05/23/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	.91	<0.10	<78.4	12.33	0.00	18.22	
	08/18/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.8	<0.10	<78.4	12.60	0.00	17.95	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-203 26.63	11/08/05	<50	<238	<476	1.14	<0.5	0.780	<3	<1	--	--	--	--	8.24	0.00	18.39	
	02/24/06	<50	<260	<521	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	8.05	0.00	18.58	
	05/09/06	<50	<248	<495	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	6.99	0.00	19.64	
	08/30/06	<80	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	8.30	0.00	18.33	
	12/13/06	<50	<258	<515	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	8.46	0.00	18.17	
	03/07/07	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	7.67	0.00	18.96	
	06/13/07	Not accessible													--	--	--
	09/12/07	Not accessible													--	--	--
	12/19/07	<50	<236	<472	<1	<1	<1.00	<3	<1	<1	<1	1.69	--	--	7.49	0.00	19.14
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<1	<5	<1	<1	6.95	0.00	19.68
25.94	06/02/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	6.24	0.00	20.39	
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	1.66	<1	<236	6.94	0.00	19.69	
	11/04/08	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	272.00	<1.00	<236	7.05	0.00	18.89	
	02/25/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	3.21	<1.00	<240	5.54	0.00	20.40	
	05/17/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	4.03	<1.00	<236	7.00	0.00	19.63	
	08/17/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	7.95	0.00	17.99	
	11/16/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	4.3	<1	<240	7.92	0.00	18.02	
	02/22/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.16	<0.10	<77.7	7.44	0.00	18.50	
	05/24/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.9	<0.10	<76.9	6.34	0.00	19.60	
	08/18/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	.84	<0.10	<78.4	7.12	0.00	18.82	
MW-204 28.13	11/03/05	725	<236	<472	34.5	0.550	23.3	13.6	<2	--	--	--	--	10.05	0.00	18.08	
	02/21/06	3,120	<287 ^q	<575	388	<2.5	221	87.0	<5	42.2	1.63	--	--	10.09	0.00	18.04	
	05/09/06	2,990 ^j	<236 ^p	<472	343	9.05	144	84.7	<5	50.6	<1	--	--	9.40	0.00	18.73	
	06/13/06	Decommissioned													--	--	--
MW-205 28.08	11/02/05	735	<236	<472	0.750	<0.5	23.2	20.6	<1	--	--	--	--	9.34	0.00	18.74	
	02/22/06	3,950	<245	<490	7.60	<2.50	307	116	<5 ^{qr}	82.0	3.64	--	--	9.22	0.00	18.86	
	05/10/06	1,530	<236	<472	2.68	<1.00	86.8	30.04	<2	38.5	1.31	--	--	9.19	0.00	18.89	
	06/13/06	Decommissioned													--	--	--

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-206 31.54	11/03/05	93.4	<236	<472	2.23	<0.5	2.86	2.84	<2	--	--	--	--	12.60	0.00	18.94	
	02/23/06	<50	279 ^p	<490	7.57	0.560	<0.5	<3	<1	<1	1.24	--	--	12.40	0.00	19.14	
	05/10/06	<50	<263	<526	8.54	<0.5	<0.5	<3	<1	<1	1.04	--	--	12.75	0.00	18.79	
	08/29/06	<80	<266	<532	1.63	<0.5	<0.5	<3	<1	<5	1.84	--	--	13.25	0.00	18.29	
	06/13/07	Lack of water to sample													10.36	0.00	21.18
	09/14/07	Lack of water to sample													10.67	0.00	20.87
	12/17/07	<50	293	1,020		<1	<1	<1	<2	<1	--	6.16		9.50	0.00	22.04	
	03/17/08	<50	331	1,080	<236	<0.5	<0.5	<0.5	<3	<1	<5	852.00	<1	9.76	0.00	21.78	
	06/02/08	Insufficient water to sample													10.91	0.00	20.63
	08/04/08	Insufficient water to sample.													--	--	--
	11/03/08	<50	<243	564	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	14.80	1.65	<243	9.03	0.00	22.51	
	02/23/09	Well dry													--	--	--
	05/17/09	Well dry													10.80	0.00	19.74
	08/16/09	Well dry													11.48	0.00	20.06
	11/15/09	<50	1,400^y	10,000	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	330	<1	330	9.60	0.00	21.94	
	02/21/10	<50.0	--	--	<1.0	<1.0	<1.0	<1.0	--	<1.0	--	<0.10	--	9.32	0.00	22.22	
05/23/10	<50.0	--	--	<1.0	<1.0	<1.0	<1.0	--	<1.0	7810	<0.10	--	9.48	0.00	22.06		
08/15/10	Well dry													10.88	0.00	20.66	
MW-207 30.65	11/04/05	<50	<281	<562	2.82	<0.5	<0.5	<3	<1	--	--	--	--	13.79	0.00	16.86	
	02/23/06	<50	<248	<495	3.52	2.05	<0.5	<3	<1	<1	<1	--	--	13.64	0.00	17.01	
	05/10/06	<50	<250	<500	1.85	1.86	<0.5	<3	<1	<1	<1	--	--	13.81	0.00	16.84	
	08/29/06	<80	<253	<505	<0.5	<0.5	<0.5	<3	<1	<5	1.22	--	--	14.40	0.00	16.25	
	12/12/06	<50	<248	<495	1.21	<0.5	<0.5	<3	<1	<5	<1	--	--	14.07	0.00	16.58	
	03/07/07	<50	<263	<526	0.960	<0.5	<0.5	<3	<1	<5	<1	--	--	13.88	0.00	16.77	
	06/15/07	<50	<238	<476 ^r	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	13.84	0.00	16.81	
	09/14/07	<50	<245	<490	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	13.88	0.00	16.77	
	12/19/07	<50	<236	<472	<1	<1	<1	<3	<1	<1	<1	--	--	13.70	0.00	16.95	
	03/18/08	<50	<236	<472	<236	<0.5	<0.5	<0.5	<3	<1	<1	<1	<1	14.28	0.00	16.37	
	06/02/08	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<238	14.52	0.00	16.13	
	08/05/08	<50	<238	<476	<0.5	<0.5	<0.5	<3	<1	<5	1.58	<1	<238	14.66	0.00	15.99	
	11/05/08	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	1.02	<1.00	<240	13.85	0.00	16.80	
	02/23/09	Inaccessible													--	--	--
	05/17/09	Inaccessible													--	--	--
	08/17/09	Inaccessible													--	--	--
11/15/09	Inaccessible													--	--	--	
02/21/10	<50.0	681	536	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.20	<0.10	<92.0	13.81	0.00	16.84		
05/24/10	Inaccessible																
08/15/10	Well Decommissioned																

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-208 30.28	11/07/05	1,980	<250	<500	20.2	4.40	35.2	143	<1	--	--	--	--	11.44	0.00	18.84	
	02/22/06	11,900	<243	<485	131	35.4	450	1,610	<20	96.8	2.17	--	--	11.11	0.00	19.17	
	05/10/06	13,400	<236	<472	185	29.2	785	2,358	<20	184	1.80	--	--	11.52	0.00	18.76	
	08/30/06	21,800	276 ^g	<495	213	93.9	1,590	5,960	<1	521	2.88	--	--	12.10	0.00	18.18	
	12/12/06	21,800	542	<490	78.6	18.2	949	3,780	<20	315	1.28	--	--	11.09	0.00	19.19	
	03/08/07	34,000	454	<500	212	25.2	1,660	5,360	40.0	838	<1	--	--	11.02	0.00	19.26	
	06/14/07	57,400	591 ^g	<472	241	52.6	3,520	12,900	<20	2,110	1.74	--	--	11.22	0.00	19.06	
	09/14/07	63,000	1,120	<490	93.7	44.2	2,360	8,480	<1	1,080	<1	--	--	11.40	0.00	18.88	
	12/17/07	8,770	<238	<476	30.0	1.4	470	1,310	<1	--	2.97	--	--	10.63	0.00	19.65	
	03/18/08	23,200	512	<472	6,180	35.2	5.58	756	2,280	<1	210	217.00	<1	10.91	0.00	19.37	
	06/01/08	17,200	310	<472	29.2	10.3	856 ^x	2200 ^x	<1	256 ^x	7.91	<1	7,460	12.22	0.00	18.06	
	08/10/08	40,600	115	<485	52.1	31	1,490	4,920	<10	414	6.23	1.56	12,600	12.30	0.00	17.98	
	11/02/08	32,700	988	<490	10.9	23.5	947	3,150	<1.00	21.4	1.80	1.41	12,500	11.80	0.00	18.48	
	02/23/09	Inaccessible													--	--	--
	05/17/09	18,000	652	<476	4.72	6.26	700	2,100	<1.00	274	3.84	<1.00	7,330	12.15	0.00	18.13	
	08/16/09	22,000	<240	<480	Not analyzed due to analyst error.							<5.0	<5.0	11,000	13.92	0.00	18.13
	11/15/09	28,000	5,600 ^y	<470	8.9	5.6	630 ^h	2,400 ^h	<1.0	280 ^h	4	<1	10,000 ^y	11.70	0.00	18.58	
02/21/10	23,700	1,250	472	6.4	<5.0	679	1,980	--	222	6.1	0.16	8,870	11.05	0.00	19.23		
05/23/10	18,500	1,200	<385	7.0	2.1	341	1,750	--	173	42.7	.29	6,550	11.20	0.00	19.08		
08/15/10	14,800	699	<392	3.4	<1.0	<1.0	<3.0	--	<1.0	3.90	0.50	5,760	11.44	0.00	18.84		
MW-209 27.00	11/05/08	<50.0	<238	<476	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<238	9.22	0.00	17.78	
	02/23/09	Inaccessible													--	--	--
	05/17/09	Inaccessible													--	--	--
	08/17/09	Inaccessible													--	--	--
	11/17/09	Inaccessible													--	--	--
	02/22/10	<50.0	251	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.3	<0.10	<77.7	9.30	0.00	17.70	
	05/24/10	<50.0	192	<396	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.1	<0.10	137	8.04	0.00	18.96	
08/18/10	<50.0	86.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	1.3	<0.10	<77.7	8.86	0.00	18.14		
MW-210 26.70	11/05/08	<50.0	<243	<485	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<243	8.60	0.00	18.10	
	02/25/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	5.90	0.00	20.80	
	05/17/09	<50.0	<245	<490	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<245	8.61	0.00	18.09	
	08/17/09	<50	<240	<280	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	9.60	0.00	17.10	
	11/17/09	<50	<240	<490	<0.50	<0.50	<0.50 ^h	<2.0	<1.0	<5.0	1.3	<1	<240	8.15	0.00	18.55	
	02/22/10	<50.0	154	<381	<1.0	<1.0	<1.0	5.5	--	<1.0	0.31	0.21	<76.2	8.73	0.00	17.97	
	05/24/10	<50.0	190	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	.45	<0.10	150	7.65	0.00	19.05	
	08/18/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	--	<1.0	.36	<0.10	<78.4	8.54	0.00	18.16	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
MW-211 26.55	11/05/08	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	<1.00	<1.00	<240	7.23	0.00	19.32	
	02/25/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	8.19	0.00	18.39	
	05/17/09	<50.0	<236	<472	<0.500	<0.500	<0.500	<3.00	<1.00	<5.00	4.72	<1.00	<236	9.10	0.00	17.45	
	08/17/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<240	9.74	0.00	16.81	
	11/17/09	<50	<240	<480	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<1	<1	<240	8.24	0.00	18.31	
	02/22/10	<50.0	146	<385	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.42	<0.10	<76.9	7.91	0.00	18.64	
	05/24/10	<50.0	115	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	.46	.29	85.1	7.56	0.00	18.99	
	08/18/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	.34	.13	<77.7	8.42	0.00	18.13	
MW-806 26.28	11/02/05	61.8	<245	<490	1.57	<0.5	2.94	10.3	<2	--	--	--	--	7.58	0.00	--	
	02/24/06	117	<238	<476	<0.5	0.910	1.49	4.24	<1	<1	2.16	--	--	7.71	0.00	18.57	
	12/11/06	--	--	--	--	--	--	--	--	--	--	--	--	8.21	0.00	18.07	
MW-X 28.37	11/02/05	760	252 ^f	<472	114	0.730	14.0	7.16	<1	--	--	--	--	9.65	0.00	18.72	
	02/21/06	Casing damaged - unable to collect sample													--	--	--
SMW-2S	07/25/05	Casing damaged - unable to collect sample													8.28	--	--
	11/02/05	Not monitored													--	--	--
SMW-3	03/08/95	<50	400	2,500	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.25	0.00	--	
	06/06/95	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.23	0.00	--	
	09/07/95	<50	300	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.89	0.00	--	
	12/08/95	<50	300	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.36	0.00	--	
	04/01/96	34,000	4,000	2,300	6,400	42	2,100	3,000	--	--	--	--	--	10.07	0.00	--	
	06/25/96	<50	320	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.19	0.00	--	
	09/27/96	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	11.12	0.00	--	
	03/28/97	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.19	0.00	--	
	06/30/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.14	0.00	--	
	09/08/97 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	10.85	0.00	--	
	12/19/97 ^b	<50	521	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	9.67	0.00	--	
	03/16/98 ^b	50.1	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	9.28	0.00	--	
	06/26/98 ^b	<50	500	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	8.87	0.00	--	
	09/23/98 ^b	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	9.88	0.00	--	
	12/17/98 ^b	<50	293	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	9.22	0.00	--	
	03/31/99 ^b	<50	360	<750	<0.5	<0.5	0.53	4.97	--	--	--	--	--	9.01	0.00	--	
	06/30/99 ^b	<50	639	<750	<0.5	0.609	<0.5	1.32	--	--	--	--	--	9.55	0.00	--	
	12/08/99 ^b	<50	<484	<1,450	<0.5	<0.5	<0.5	<1	--	--	--	--	--	8.75	0.00	--	
	06/20/00 ^b	<50	<250	<750	<0.5	0.585	<0.5	1.86	--	--	--	--	--	8.89	0.00	--	
	12/19/00	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
06/15/01 ^b	<50	368	<866	<0.5	<0.5	<0.5	<1	--	--	--	--	--	7.23	0.00	--		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
SMW-3 contd.	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/07/01 ^b	<50	385	<571	<0.5	<0.5	<0.5	<1	--	--	--	--	--	9.19	0.00	--	
	10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	12/28/01	<50	1,160	<500	<0.5	0.902	<0.5	2.78	--	--	--	--	--	8.89	0.00	--	
	03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
	09/26/02	<100	<250	<500	1.83	<2	<1.00	<1.5	--	--	--	--	--	--	10.32	0.00	--
	12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/13/03	<50	<250	<500	<0.5	<0.5	<0.5	<1	--	--	--	--	--	--	10.99	0.00	--
	06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/19/03	<50	<287	<575	<0.5	<0.5	<0.5	<1	--	--	--	--	--	--	11.00	0.00	--
	01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/30/04	<100	<119	<238	<1	<1	<1	<2	--	--	--	--	--	--	10.42	0.00	--
	06/22/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/29/04	56	<242	<483	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	11.67	0.00	--
	12/29/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	03/17/05	<100	<248	<495	<1	<1	<1	<2	--	--	--	--	--	--	11.68	0.00	--
	06/01/05	<100	<249	<498	<1	<1	<1	<2	<1	--	--	--	--	--	10.62	0.00	--
	29.03	07/25/05	<50	<250	<500	<0.2	<0.2	<0.2	<0.5	<1	<0.5	--	--	--	11.19	0.00	--
		11/08/05	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	--	--	--	--	11.77	0.00	17.26
02/24/06		<50	<278	<556	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	--	--	11.84	0.00	17.19	
08/30/06		<80	<243	<485	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--				
10/11/06		<50	<243	<485	<0.5	<0.5	<0.5	<3	<1	<1	<1	--	--	10.70	0.00	18.33	
12/13/06		<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	12.14	0.00	16.89	
03/08/07		<50	<250	<500	<0.5	<0.5	<0.5	<3	<1	<5	<1	--	--	11.68	0.00	17.35	
06/13/07		Not Accessible													--	--	--
09/12/07		Not Accessible													--	--	--
12/17/07		Not Accessible													--	--	--
03/17/08	Unable to locate													--	--	--	
27.40	06/02/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	<1	<1	<236	9.05	0.00	19.98	
	08/05/08	<50	<236	<472	<0.5	<0.5	<0.5	<3	<1	<5	4.54	<1	<236	7.64	0.00	21.39	
	11/04/08	<50.0	<238	<476	<0.500	<0.500	<0.500	<3.00	--	<5.00	5.88	<1.00	<238	9.70	0.00	17.70	
	02/25/09	<50.0	<240	<481	<0.500	<0.500	<0.500	<3.00	--	<5.00	<1.00	<1.00	<240	9.90	0.00	17.50	
	05/17/09	Not Accessible													--	--	--
	08/17/09	<50	<250	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	<5.0	<5.0	<250	10.10	0.00	17.30	
	11/17/09	<50	<240	<490	<0.50	<0.50	<0.50	<2.0	<1.0	<5.0	1.2	<1	<240	9.53	0.00	17.87	
	02/22/10	<50.0	107	605	<1.0	<1.0	<1.0	<3.0	--	<1.0	0.26	<0.10	<76.2	9.90	0.00	17.50	
05/24/10	<50.0	255	510	<1.0	<1.0	<1.0	<3.0	--	<1.0	.42	<0.10	100	8.50	0.00	18.90		
08/18/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	--	<1.0	.39	<0.10	<77.7	9.29	0.00	18.11		

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)	
SMW-4	03/08/95	39,000	4,100	5,100	13,000	<250	2,400	8,200	--	--	--	--	--	8.14	0.00	--	
	06/06/95	41,000	5,500	<750	9,400	44	2,700	4,900	--	--	--	--	--	8.90	0.00	--	
	09/07/95	--	--	--	--	--	--	--	--	--	--	--	--	8.99	0.00	--	
	12/08/95	40,000	1,500	920	8,100	57.0	2,600	3,600	--	--	--	--	--	7.56	0.00	--	
	04/01/96	<50	<250	<750	<0.5	<0.5	<0.5	<1	--	--	--	--	--	8.13	0.00	--	
	06/25/96	28,100	2,680	630	3,900	81.4	1,710	1,710	--	--	--	--	--	8.20	0.00	--	
	09/27/96	28,600	2,460	<750	6,090	<0.5	2,060	1,730	--	--	--	--	--	8.62	0.00	--	
	03/28/97	--	--	--	--	--	--	--	--	--	--	--	--	--	8.20	0.00	--
	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--	8.06	0.00	--
	09/08/97	--	--	--	--	--	--	--	--	--	--	--	--	--	9.00	0.00	--
	12/19/97	LPH Present													9.41	0.04	--
	03/16/98	--	--	--	--	--	--	--	--	--	--	--	--	--	9.09	0.00	--
	06/26/98	LPH Present													8.76	Trace	--
	09/23/98	LPH Present													9.96	0.05	--
	12/17/98	LPH Present													10.22	Trace	--
	03/31/99	LPH Present													8.70	Trace	--
	06/30/99	LPH Present													8.20	Trace	--
	12/08/99	Inaccessible													NM	NM	--
	06/20/00	Inaccessible													NM	NM	--
	12/19/00	Inaccessible													NM	NM	--
	06/15/01	Inaccessible													NM	NM	--
	06/26/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--
	09/07/01	Inaccessible													NM	NM	--
10/10/01	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
12/28/01	Inaccessible													NM	NM	--	
03/08/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
06/24/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/26/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
12/12/02	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
03/13/03	--	--	--	--	--	--	--	--	--	--	--	--	--	9.55	0.00	--	
06/12/03	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
09/19/03	--	--	--	--	--	--	--	--	--	--	--	--	--	10.58	0.00	--	
01/14/04	--	--	--	--	--	--	--	--	--	--	--	--	--	NM	NM	--	
28.33	07/25/05	14,500	6,490	1,110	2,120	<20	908	<50	<1	312	--	--	--	9.04	Sheen	--	
	11/02/05	17,200	3,210	<472	2,440	<50	1,390	<300	<100	--	--	--	--	10.10	0.00	18.23	
	02/24/06	17,800	3,160 ^g	<472	2,730	13.4	1,330	<60	<20	442	15.8	--	--	5.07	0.00	23.26	
	05/11/06	18,700	1,520	<490	2,130	<25	1,120	<150	<50	531	29.4	--	--	9.29	0.00	19.04	
	08/31/06	8,190	651g	<495	1,800	11.9	1,000	1,350	<10	366	20.0	--	--	10.56	0.00	17.77	
	12/13/06	16,800	682	<472	1,880	<20	1,240	1,550	<40	465	9.5	--	--	9.27	0.00	19.06	

TABLE 1
Cumulative Summary of Groundwater Elevations and Sample Analytical Results
 ConocoPhillips Site No. 255353
 600 Westlake Avenue N.
 Seattle, Washington

Sample I.D. TOC ^a	Sample Date	TPH-Gasoline (µg/L)	TPH-Diesel (µg/L)	TPH-Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Naphthalene (µg/L)	Total Lead (µg/L)	Dissolved Lead (µg/L)	Kerosene (µg/L)	DTW (feet)	SPH (feet)	GWE (feet)
SMW-4 contd.	03/08/07	16,500	1,010	<490	2,000	<20	1,480	1,820	40.0	991	7.42	--	--	9.19	0.00	19.14
	06/13/07	13,000	963 ^g	<495	2,070	14.4 ^j	1,720	42.6 ^j	<1	1,160	7.74	--	--	9.21	0.00	19.12
	09/13/07	15,000	834	<476	2,170	16.3	1,800	2,410	<1	598	7.57	--	--	9.45	0.00	18.88
	12/19/07	12,400	904	<472	1,400	4.8	640	13.70	<1	310	8.66	--	--	8.51	0.00	19.82
	03/17/08	1,630	<236	<472	78.1	1.23	1.34	8.17	<1	5.71	3.82	3.82	<1	8.92	0.00	19.41
	06/03/08	14,600	753	<472	1,330	6.02	866	15.40	<1	292	10.40	<1	3,840	8.98	0.00	19.35
	08/06/08	10,300	959	<472	1,210	5.29	782	<3	<1	454	9.96	7.91	3,280	9.47	0.00	18.86
	11/03/08	15,800	1,400	<472	1,290	6.95	1,620	24.40	<1.00	<500	12.30	8.88	5,450	9.41	0.00	18.92
	11/18/08														--	--
SMW-5 29.17	07/25/05	3,110	835 ^b	<500	40.2	0.790	41.8	21.48	<1	24.6	--	--	--	10.40	0.00	--
	11/02/05	1,950 ^m	1,930 ^{f,g}	<490	52.9	3.43	58.0	64.8	<2	--	--	--	--	10.51	0.00	18.66
	02/22/06	3,530	<248	<495	176	<2.5	31.8	18.5	<5	50.0	4.21	--	--	10.42	0.00	18.75
	05/11/06	3,140	1,110	<500	140	2.95	53.6	31.1	<5	49.2	<1	--	--	10.59	0.00	18.58
	08/31/06	942	248p	<472	51.8	1.73	9.01	11.3	<1	30.3	2.12	--	--	11.45	0.00	17.72
	12/13/06	3,780	318	<472	177.0	6.62	93.9	53.4	<2	60.8	<1	--	--	10.42	0.00	18.75
	03/08/07	2,560	<236	<472	80.4	0.840	8.81	6.35	<1	51.3	2.12	--	--	10.27	0.00	18.90
	06/13/07	2,850 ^j	301 ^g	<485	61.2	0.880	8.21	5.43	<1	17.2	<1	--	--	10.15	0.00	19.02
	09/13/07	1,350	258	<476	35.0	1.43	19.5	<3	<1	18.2	<1	--	--	10.29	0.00	18.88
SMW-5 contd.	12/18/07	3,610	264	<472	150.0	8.10	140.0	41.20	<1	66.0	1.83	--	--	8.45	0.00	20.72
	03/17/08	3,450	288	<472	1,110	93.9	1.03	20.4	4.28	<1	15.7	<1	<1	9.75	0.00	19.42
	06/03/08	1,580	<236	<472	24.4	0.89	12.9	5.15	<1	9.06	2.72	<1	682	10.11	0.00	19.06
	08/05/08	2,050	259	<472	18.2	1.28	17.1	4.78	<1	6.2	1.54	<1	941	10.70	0.00	18.47
	11/03/08	2,890	280	<476	6	1.03	21.5	5.59	<1.00	8.59	1.14	<1.00	1190	10	0.00	19.17
11/18/08														--	--	--
MTCA Method A Cleanup Level for Groundwater		1000/800 ^k	500	500	5	1,000	700	1,000	20	160	15	15	500	--	--	--

ATTACHMENT A
FIELD AND LABORATORY PROCEDURES

STANTEC MONITORING WELL GAUGING, PURGING AND SAMPLING PROCEDURES

Monitoring well purging and sampling was conducted based on USEPA approved (Puls and Barcelona, 1996) low-flow sampling techniques whenever possible.

Purging Procedures

- A. Using a decontaminated instrument (i.e., tape measure, continuity meter, or interface probe) measure the depth to groundwater in reference to the measuring point at the top of the casing. Measure the total depth of the well and diameter of the well casing to calculate the volume of water in the well casing.
- B. Based on previously obtained data, if a monitoring well is suspected of containing LPH concentrations, lower a transparent bailer into the well to evaluate the presence of a hydrocarbon sheen on the water table.
- C. Decontaminate the purge pump and/or PVC bailers by scrubbing in Alconox detergent solution, followed by a tap water rinse and then a de-ionized water rinse.
- D. Purge by low-flow pumping (less than 0.5 liters per minute) for approximately five minutes. Monitor the static water level in the well using a decontaminated instrument and adjust the pumping rate to maintain a minimal drawdown. If low-flow purging is not possible and bailing is used to purge the well, then a minimum of three well volumes will be removed. When purging 3 well volumes, parameters should be measured after each casing volume is removed. If the well goes dry, the procedure listed in step E2 (below) should be followed.
- E. Conduct field measurements (i.e., pH, specific conductivity, temperature, and oxidation-reduction potential) note clarity, color, turbidity, and odor of purge water, and measure depth to groundwater.
 1. If the well has not been purged dry and drawdown is minimal, continue to pump and conduct field measurements (including depth to water) again every three to five minutes during purging.
 - a) If the first through third series of measurements vary by less than 10 percent, the well has been adequately purged. If bailers are used to purge the well, then the water level is allowed to recover to 80 percent of its static condition, or for two hours, whichever comes first prior to beginning the sampling procedure.
 - b) If the measurements vary by 10 percent or greater, repeat Step E1 above.
 - c) If a minimum of three parameters cannot be measured during purging and or drawdown cannot be controlled to minimal, remove three well volumes with a bailer prior to sampling.
 2. If the well has been purged dry, measure the water level and allow the well to recharge to 80 percent, or for two hours, whichever occurs first. Calculate the percent recovery, and begin the sampling procedure.

Sampling Procedures

- Use the pump and a clean, dedicated section of tubing to collect the groundwater sample from the screened interval of the water column. If the pump cannot be used, collect the water sample with a clean, dedicated polyethylene disposable bailer.
- Transfer the groundwater sample into the appropriate container(s). Where applicable, some containers are completely filled to achieve zero headspace. Label the samples according to location and date of collection.
- Enter the samples into Chain-of-Custody and preserve on ice until delivery to the analytical laboratory. Complete the Well Development or Purging/Sampling Log to be stored in the project file.

Reference:

Puls, R.W., and Barcelona M.J., 1996. EPA Ground Water Issue Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures, EPA/540/S-95/504.

**ATTACHMENT B
FIELD DATA SHEETS**

Stantec Consulting Corporation
HYDROLOGIC DATA SHEET

Gauge Date: 08/15/10 - 08/18/10

Project Name: Former ConocoPhillips Service Station
AOC 1396

Field Technicians: D. Reitz

Project Number: 212302387

DTP = Depth to Free Product (FP or NAPL) Below TOC
DTW = Depth to Groundwater Below TOC
DTB = Depth to Bottom of Well Casing Below TOC

Flow through cell calibrated Y X N

Wells checked for product and gauged prior to commencement of bailing or purging the wells Y X N

WELL OR LOCATION	WELL SCREEN INTERVAL	PROPOSED INTAKE RANGE (feet below TOC)	MEASUREMENTS			PURGE? (Y/N)	SHEEN? (Y/N)	SAMPLE? (Y/N)	COMMENTS / PROBE CALIBRATION	
			TIME	DTP (feet)	DTW (feet)					DTB (feet)
CI-1	NA			-	9.88	29.90	Y	N	Y	
CI-2	NA			-	9.65	28.70	Y	N	Y	
MW-18	NA			-	11.15	14.70	Y	N	Y	
MW-19	NA			-	11.14	14.80	Y	N	Y	
MW-37	5-25'			-	11.43	20.60	Y	N	Y	
MW-40	7.5-22.5'			-			N	N	N	Surface intrusion
MW-41	5-20'			-			N	N	N	Missing well-lid
MW-44	5-20'			-	9.79	45.00	Y	N	Y	
MW-45	3-19'			-	8.80	18.90	Y	N	Y	
MW-50	NA			-	11.07	19.60	Y	N	Y	
MW-51	5-15'			-	11.59	15.20	Y	N	Y	
MW-54	5-20'			-	9.30	19.90	Y	N	Y	
MW-71	5-20'			-	11.69	19.90	Y	N	Y	
MW-72	5-20'			-	11.63	19.90	Y	N	Y	
MW-73	5-20'			-	11.59	19.50	Y	N	Y	
MW-86	5-20'			-	9.15	19.80	Y	N	Y	
MW-87	5-20'			-	8.35	20.00	Y	N	Y	
MW-95	5-18'			-	13.45	17.80	Y	N	Y	
MW-200	5-20'			-	11.36	19.40	Y	N	Y	
MW-201	5-16'			-	10.98	13.90	Y	N	Y	
MW-202	5-20'			-	12.60	19.50	Y	N	Y	
MW-203	5-20'			-	7.12	17.00	Y	N	Y	
MW-206	5-20'			-	10.88	11.40	N	N	N	Dry well
MW-207	5-20'			-			N	N	N	Destroyed well
MW-208	5-20'			-	11.44	19.00	Y	N	Y	
MW-209	5-20'			-	8.86	19.70	Y	N	Y	
MW-210	5-20'			-	8.54	19.40	Y	N	Y	
MW-211	5-20'			-	8.42	20.00	Y	N	Y	
SMW-3	NA			-	9.29	14.30	Y	N	Y	

SITE VISITATION REPORT

3Q10 Sampling Event - Former ConocoPhillips Service Station AOC 1396, Seattle, WA

Name(s) D. Rife Date: 08/15/10 Time of Arrival Call-In: 0800
Arrival Time: 0630 Departure Time: 1530 Time of Departure Call-In: 1570
Weather Conditions _____ Who did you call? C. Gdolek/T. Parisse

DRUM INVENTORY

2 WATER _____ CARBON TOTAL OPEN TOP 2
SOIL _____ EMPTY TOTAL BUNG TOP _____

HEALTH AND SAFETY ASSESSMENT

Don P. P. E
Review HASP & JSA
Setup Decan. Station.

DESCRIPTION OF ACTIVITIES ONSITE AND NOTES

0630 Arrive on site meet with Dan Donnell (Stated)
& T.C.S. personnel. Perform safety meeting.
0700 Observe T.C.S. mobilization into street.
0800 Initiate 3Q10 GUM sample procedures. Call office
Observe T.C.S. reconfiguring traffic zones.
1430 Complete daily sampling task.
Observe T.C.S. demobilization/departure
1500 Perform housecleaning/decant task
activities. Demobilization procedures.
1530 Report job site, call office.

~~DP~~ 08/15/10

SITE VISITATION REPORT

3Q10 Sampling Event - Former ConocoPhillips Service Station AOC 1396, Seattle, WA

Name(s) D. Reitz Date: 08/16/10 Time of Arrival Call-In: 0800
Arrival Time: 0730 Departure Time: 1600 Time of Departure Call-In: 1550
Weather Conditions _____ Who did you call? C. Gdak / T. Pariso

DRUM INVENTORY

<u>2</u>	WATER	_____	CARBON	TOTAL OPEN TOP	<u>2</u>
_____	SOIL	_____	EMPTY	TOTAL BUNG TOP	_____

HEALTH AND SAFETY ASSESSMENT

Don P. Reitz
Review HASP & ISA
Set-up Decon Station

DESCRIPTION OF ACTIVITIES ONSITE AND NOTES

0730 Arrive on site, meet with A. Donnell & T.C.S. crew. Perform tailgate safety meeting
0800 Observe T.C.S. mobilize into street, call office
0920 Resume 3Q10 GWM sample procedures
1515 Complete daily sampling tasks, T.C.S. sign-off. Perform decon/house cleaning activity.
1600 Depart job site - call office

[Signature]

08/16/10

SITE VISITATION REPORT

3Q10 Sampling Event - Former ConocoPhillips Service Station AOC 1396, Seattle, WA

Name(s) D. Reitz Date: 08/17/10 Time of Arrival Call-In: 1000
Arrival Time: 1000 Departure Time: 1530 Time of Departure Call-In: 1500
Weather Conditions _____ Who did you call? C. Gdalk / T. Parise

DRUM INVENTORY

2 WATER _____ CARBON _____ TOTAL OPEN TOP 2
_____ SOIL _____ EMPTY _____ TOTAL BUNG TOP _____

HEALTH AND SAFETY ASSESSMENT

Don P.P.E
Review HAZSP & JSA
Set-up Access Station

DESCRIPTION OF ACTIVITIES ONSITE AND NOTES

1000 Arrive on job, Perform safety meeting, Call office
1020 Resume 3Q10 GUM sample procedures
1430 Complete daily sampling tasks
Perform housekeeping / clean activity
1500 Call in to office. Investigate destroyed well activities
1530 Depart job site.

DRIT 08, 17, 10

SITE VISITATION REPORT

3Q10 Sampling Event - Former ConocoPhillips Service Station AOC 1396, Seattle, WA

Name(s) D. Rosta Date: 08/18/10 Time of Arrival Call-In: 0800
Arrival Time: 0800 Departure Time: _____ Time of Departure Call-In: 1330
Weather Conditions _____ Who did you call? C. Gdak / T. Per. 28

DRUM INVENTORY

<u>2</u>	WATER	_____	CARBON	TOTAL OPEN TOP	<u>2</u>
_____	SOIL	_____	EMPTY	TOTAL BUNG TOP	_____

HEALTH AND SAFETY ASSESSMENT

Don P. Pi E
Review HASP & J.S.A
Set up Decan. Station

DESCRIPTION OF ACTIVITIES ONSITE AND NOTES

0800 Arrive on job site. Perform safety meeting.
Call-in to office.
0830 Resume 3Q10 CHUM sample procedures.
1315 Complete 3Q10 CHUM sample procedures.
Perform housecleaning/decant. tasks
1336 Call-in to office. Ensure appropriate drum labels
are in place. Depart job site.

D. Rosta 08/18/10

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

 PROJECT #: 212302387

 PURGED BY: D. Reitz

 WELL I.D.: C1 - 1

 CLIENT NAME: ConocoPhillips

 SAMPLED BY: D. Reitz

 SAMPLE I.D.: C1 - 1

 LOCATION: 600 Westlake Avenue N Seattle, WA

 DATE PURGED 08/17/10

 START (2400hr) 1225

 END (2400hr) 1255

 DATE SAMPLED 08/17/10

 SAMPLE TIME (2400hr) 1240

 LOW-FLOW USED X

 SAMPLE TYPE: Groundwater

 Surface Water

 Treatment Effluent

 Other

 CASING DIAMETER:
 Casing Volume: (liters per foot)

 2" (0.64)

 3" (1.44)

 4" (2.45)

 5" (3.86)

 6" (5.68)

 8" (9.84)

 Other ()

 DEPTH TO BOTTOM (feet) = 29.90

 DEPTH TO WATER (feet) = 9.88

 WATER COLUMN HEIGHT (feet) = 20.02

 ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH. (units)	COLOR (visual)
8/17/10	1230	800	18.5	0.018	6.42	Clr
8/17/10	1233	500	19.2	0.017	6.37	Clr
8/17/10	1236	500	20.1	0.017	6.34	Clr
8/17/10	1239	500	20.4	0.017	6.35	Clr
8/ /10						

D. Reitz 08/17/10

 Calculated Variance of Final Three Samples:
 Acceptable Variance Limits:

 1.2
 ≤ 10%

 0
 ≤ 3%

 0.03
 ≤ 0.1

 DEPTH TO PURGE INTAKE DURING PURGE: 25.00

 SAMPLE DTW: 9.92

 ANTICIPATED PURGE INTAKE DEPTH: 25.00 ANALYSES:

 TPH-g, TPH-d, TPH-o,
 Total Lead, Dissolved lead
 Kerosene, BTEX, Naphthalene

 SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber, -HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

 Horiba, Water Quality Monitor, Peristaltic Pump
 Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

 YES

 NO

 WELL PAD CONDITION: Fair

 WELL CASING CONDITION: Fair

 WELL VAULT CONDITION: Fair

 SEAL PRESENT?: yes

 BOLTS PRESENT?: yes

 WELL INTEGRITY: Fair

 WELL TAG: yes

 LOCK#: yes

 REMARKS: _____

 SIGNATURE *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-18

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-18

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/15/10

START (2400hr) 0835

END (2400hr) 0855

DATE SAMPLED 08/15/10

SAMPLE TIME (2400hr) 0850

LOW-FLOW USED X

SAMPLE TYPE: Groundwater x

Surface Water

Treatment Effluent

Other

CASING DIAMETER: 2" X

3"

4"

5"

6"

8"

Other

Casing Volume: (liters per foot)

(0.64)

(1.44)

(2.45)

(3.86)

(5.68)

(9.84)

()

DEPTH TO BOTTOM (feet) = 14.70

DEPTH TO WATER (feet) = 11.15

WATER COLUMN HEIGHT (feet) = 3.55

ACTUAL PURGE (L) = 3.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/15/10	0840	800	19.1	0.018	5.58	Clr
8/15/10	0843	500	19.0	0.017	5.67	Clr
8/15/10	0846	500	18.7	0.017	5.74	Clr
8/15/10	0849	500	18.5	0.017	5.80	Clr
8/15/10	0852	500	18.6	0.017	5.81	Clr

[Signature] 08/15/10

Calculated Variance of Final Three Samples:

0.2

0

0.10

Acceptable Variance Limits:

≤ 10%

≤ 3%

≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 12.00

SAMPLE DTW: 11.74

ANTICIPATED PURGE INTAKE DEPTH: 12.00

ANALYSES: TPH-g, TPH-d, TPH-o,

Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump
Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: yes

BOLTS PRESENT?: yes

WELL INTEGRITY: Fair

WELL TAG: yes

LOCK#: yes

REMARKS: _____

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-45

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-45

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/16/10

START (2400hr) 1355

END (2400hr) 1425

DATE SAMPLED 08/16/10

SAMPLE TIME (2400hr) 1410

LOW-FLOW USED X

SAMPLE TYPE: Groundwater X

Surface Water

Treatment Effluent

Other

CASING DIAMETER: 2" X 3" 4" 5" 6" 8" Other
 Casing Volume: (liters per foot) (0.64) (1.44) (2.45) (3.86) (5.68) (9.84) ()

DEPTH TO BOTTOM (feet) = 18.90

DEPTH TO WATER (feet) = 8.80

WATER COLUMN HEIGHT (feet) = 10.10

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME M(L)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/16/10	1400	800	18.2	0.085	5.92	Clr
8/16/10	1405	500	18.9	0.084	5.79	Clr
8/16/10	1406	500	19.2	0.084	5.78	Clr
8/16/10	1409	500	19.2	0.084	5.77	Clr
8/ /10						

[Signature] 08/16/10

Calculated Variance of Final Three Samples:

0.3

0

0.02

Acceptable Variance Limits:

≤ 10%

≤ 3%

≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 15.00

SAMPLE DTW: 8.86

ANTICIPATED PURGE INTAKE DEPTH: 15.00 ANALYSES: TPH-g, TPH-d, TPH-o,
Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump
 Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: YOS

BOLTS PRESENT?: YOS

WELL INTEGRITY: Fair

WELL TAG: YOS

LOCK#: YOS

REMARKS: _____

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-51

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-51

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/17/10 START (2400hr) 1025 END (2400hr) 1100
 DATE SAMPLED 08/17/10 SAMPLE TIME (2400hr) 1040 LOW-FLOW USED X
 SAMPLE TYPE: Groundwater x Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" X 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (liters per foot) (0.64) (1.44) (2.45) (3.86) (5.68) (9.84) ()

DEPTH TO BOTTOM (feet) = 15.20

DEPTH TO WATER (feet) = 11.59

WATER COLUMN HEIGHT (feet) = 3.61

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/17/10	1030	500	18.0	0.021	5.97	cldy
8/17/10	1033	500	18.2	0.021	5.99	clr
8/17/10	1036	500	19.1	0.020	6.01	clr
8/17/10	1039	500	19.6	0.020	6.02	clr
8/10						
Calculated Variance of Final Three Samples:			<u>1.4</u>	<u>0.001</u>	<u>0.03</u>	
Acceptable Variance Limits:			≤ 10%	≤ 3%	≤ 0.1	

[Signature]
08/17/10

DEPTH TO PURGE INTAKE DURING PURGE: 12.00 SAMPLE DTW: 11.67

ANTICIPATED PURGE INTAKE DEPTH: 12.00 ANALYSES: TPH-g, TPH-d, TPH-o, Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

SAMPLING EQUIPMENT:

Sampling Equipment

Horiba, Water Quality Monitor, Peristaltic Pump
Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?: YES X NO _____

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: yes

BOLTS PRESENT?: yes

WELL INTEGRITY: Fair

WELL TAG: yes

LOCK#: yes

REMARKS: _____

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387 PURGED BY: D. Reitz WELL I.D.: MW-54
 CLIENT NAME: ConocoPhillips SAMPLED BY: D. Reitz SAMPLE I.D.: MW-54
 LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/16/10 START (2400hr) 1445 END (2400hr) 1515
 DATE SAMPLED 08/16/10 SAMPLE TIME (2400hr) 1500 LOW-FLOW USED X
 SAMPLE TYPE: Groundwater x Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" X 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (liters per foot) (0.64) (1.44) (2.45) (3.86) (5.68) (9.84) ()

DEPTH TO BOTTOM (feet) = 19.90
 DEPTH TO WATER (feet) = 9.30
 WATER COLUMN HEIGHT (feet) = 10.60 ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME m(L)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/16/10	1450	800	18.6	0.015	6.13	cloudy
8/16/10	1453	500	18.9	0.015	6.12	cloudy
8/16/10	1456	500	19.0	0.015	6.13	cloudy
8/16/10	1459	500	19.7	0.015	6.12	cloudy
8/110						

[Signature] 08/16/10

Calculated Variance of Final Three Samples: 0.8 0 0.01
 Acceptable Variance Limits: ≤ 10% ≤ 3% ≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 15.00 SAMPLE DTW: 9.37

ANTICIPATED PURGE INTAKE DEPTH: 15.00 ANALYSES: TPH-g, TPH-d, TPH-o,
Total Lead, Dissolved lead
Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber, -HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT: Sampling Equipment	SAMPLING EQUIPMENT: Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI
--	--

Flow Through Cell Disconnected Prior to Sample Collection?: YES X NO _____

WELL PAD CONDITION: Fair WELL CASING CONDITION: Fair
 WELL VAULT CONDITION: Fair SEAL PRESENT?: YES BOLTS PRESENT?: YES
 WELL INTEGRITY: Fair WELL TAG: YES LOCK#: YES

REMARKS: _____

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

 PROJECT #: 212302387

 PURGED BY: D. Reitz

 WELL I.D.: MW-73

 CLIENT NAME: ConocoPhillips

 SAMPLED BY: D. Reitz

 SAMPLE I.D.: MW-73

 LOCATION: 600 Westlake Avenue N Seattle, WA

 DATE PURGED 08/15/10 START (2400hr) 1355 END (2400hr) 1420

 DATE SAMPLED 08/15/10 SAMPLE TIME (2400hr) 1410 LOW-FLOW USED X

 SAMPLE TYPE: Groundwater Surface Water Treatment Effluent Other

 CASING DIAMETER: 2" 3" 4" 5" 6" 8" Other
 Casing Volume: (liters per foot) 2" (0.64) 3" (1.44) 4" (2.45) 5" (3.86) 6" (5.68) 8" (9.84) ()

 DEPTH TO BOTTOM (feet) = 19.50

 DEPTH TO WATER (feet) = 14.59

 WATER COLUMN HEIGHT (feet) = 4.91

 ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/15/10	1400	800	18.1	0.010	5.71	CR
8/15/10	1403	500	17.9	0.010	5.72	CR
8/15/10	1406	500	17.7	0.010	5.73	CR
8/15/10	1409	500	17.5	0.010	5.73	CR
8/11/10						

[Signature] 08/15/10

 Calculated Variance of Final Three Samples: 0.4 0 0.02
 Acceptable Variance Limits: $\leq 10\%$ $\leq 3\%$ ≤ 0.1

 DEPTH TO PURGE INTAKE DURING PURGE: 16.00 SAMPLE DTW: 11.88

 ANTICIPATED PURGE INTAKE DEPTH: 16.00 ANALYSES: TPH-g, TPH-d, TPH-o, Total Lead, Dissolved lead, Kerosene, BTEX, Naphthalene

 SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber, -HCL 1 Poly HNO3, 1 Poly blank
PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI

 Flow Through Cell Disconnected Prior to Sample Collection?: YES NO

 WELL PAD CONDITION: Fair WELL CASING CONDITION: Fair

 WELL VAULT CONDITION: Fair SEAL PRESENT?: yes BOLTS PRESENT?: yes

 WELL INTEGRITY: Fair WELL TAG: yes LOCK#: yes

REMARKS: _____

 SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-87

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-87

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/16/10

START (2400hr) 0955

END (2400hr) 1025

DATE SAMPLED 08/16/10

SAMPLE TIME (2400hr) 1010

LOW-FLOW USED X

SAMPLE TYPE: Groundwater X

Surface Water

Treatment Effluent

Other

CASING DIAMETER:

2" X

3"

4"

5"

6"

8"

Other

Casing Volume: (liters per foot)

(0.64)

(1.44)

(2.45)

(3.86)

(5.68)

(9.84)

()

DEPTH TO BOTTOM (feet) = 20.00

DEPTH TO WATER (feet) = 8.35

WATER COLUMN HEIGHT (feet) = 11.65

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/16/10	1000	800	17.9	0.013	5.72	Clr
8/16/10	1003	500	18.0	0.013	5.75	Clr
8/16/10	1006	500	17.8	0.013	5.77	Clr
8/16/10	1009	500	18.4	0.012	5.77	Clr
8/ /10	 	 	 	 	 	
 	 	 	 	 	 	
 	 	 	 	 	 	
 	 	 	 	 	 	
 	 	 	 	 	 	
 	 	 	 	 	 	
 	 	 	 	 	 	

[Signature] 08/16/10

Calculated Variance of Final Three Samples:

0.6

0.001

0.02

Acceptable Variance Limits:

≤ 10%

≤ 3%

≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 15.00

SAMPLE DTW: 8.40

ANTICIPATED PURGE INTAKE DEPTH: 15.00

ANALYSES: TPH-g, TPH-d, TPH-o,

Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: y83

BOLTS PRESENT?: y83

WELL INTEGRITY: Fair

WELL TAG: y83

LOCK#: y83

REMARKS:

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Ratz

WELL I.D.: MLW-95

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Ratz

SAMPLE I.D.: MLW-95

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/16/10

START (2400hr) 1045

END (2400hr) 1115

DATE SAMPLED 08/16/10

SAMPLE TIME (2400hr) 1100

LOW-FLOW USED X

SAMPLE TYPE: Groundwater X

Surface Water

Treatment Effluent

Other

CASING DIAMETER:
Casing Volume: (liters per foot)

2" X
(0.64)

3"
(1.44)

4"
(2.45)

5"
(3.86)

6"
(5.68)

8"
(9.84)

Other
()

DEPTH TO BOTTOM (feet) = 17.80

DEPTH TO WATER (feet) = 13.45

WATER COLUMN HEIGHT (feet) = 4.35

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/16/10	1050	800	17.6	0.010	6.03	Clr
8/16/10	1053	500	17.5	0.010	6.05	Clr
8/16/10	1056	500	17.5	0.010	6.04	Clr
8/16/10	1059	500	17.5	0.010	6.04	Clr
8/10						

[Signature] 08/16/10

Calculated Variance of Final Three Samples:
Acceptable Variance Limits:

0
≤ 10%

0
≤ 3%

0.01
≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 15.00

SAMPLE DTW: 13.60

ANTICIPATED PURGE INTAKE DEPTH: 15.00 ANALYSES: TPH-g, TPH-d, TPH-o,
Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump
Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: yes

BOLTS PRESENT?: yes

WELL INTEGRITY: Fair

WELL TAG: yes

LOCK#: yes

REMARKS: _____

SIGNATURE *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. R. Ritz

WELL I.D.: MW-200

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. R. Ritz

SAMPLE I.D.: MW-200

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/15/10

START (2400hr) 0945

END (2400hr) 1010

DATE SAMPLED 08/15/10

SAMPLE TIME (2400hr) 1000

LOW-FLOW USED X

SAMPLE TYPE: Groundwater x

Surface Water

Treatment Effluent

Other

CASING DIAMETER:

2" X

3"

4"

5"

6"

8"

Other

Casing Volume: (liters per foot)

(0.64)

(1.44)

(2.45)

(3.86)

(5.68)

(9.84)

()

DEPTH TO BOTTOM (feet) = 19.40

DEPTH TO WATER (feet) = 11.36

WATER COLUMN HEIGHT (feet) = 8.04

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (L)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/15/10	0950	800	17.4	0.014	5.84	Clr
8/15/10	0953	500	17.1	0.014	5.86	Clr
8/15/10	0956	500	17.7	0.014	5.85	Clr
8/15/10	0959	500	17.7	0.014	5.85	Clr
8/ /10						

[Signature] 08/15/10

Calculated Variance of Final Three Samples:

0.6

0

0.01

Acceptable Variance Limits:

≤ 10%

≤ 3%

≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 16.00

SAMPLE DTW: 11.40

ANTICIPATED PURGE INTAKE DEPTH: 16.00

ANALYSES: TPH-g, TPH-d, TPH-o,

Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber, -HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

SAMPLING EQUIPMENT:

Sampling Equipment

Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL-PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: YES

BOLTS PRESENT?: YES

WELL INTEGRITY: Fair

WELL TAG: YES

LOCK#: YES

REMARKS:

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-202

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-202

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/18/10

START (2400hr) 1245

END (2400hr) 1315

DATE SAMPLED 08/18/10

SAMPLE TIME (2400hr) 1300

LOW-FLOW USED X

SAMPLE TYPE: Groundwater x

Surface Water

Treatment Effluent

Other

CASING DIAMETER:

2" X

3"

4"

5"

6"

8"

Other

Casing Volume: (liters per foot)

(0.64)

(1.44)

(2.45)

(3.86)

(5.68)

(9.84)

()

DEPTH TO BOTTOM (feet) = 19.50

DEPTH TO WATER (feet) = 12.60

WATER COLUMN HEIGHT (feet) = 6.90

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/18/10	1250	800	16.9	0.078	6.20	Clr
8/18/10	1253	500	17.0	0.078	6.12	Clr
8/18/10	1256	500	17.1	0.077	6.08	Clr
8/18/10	1259	500	17.1	0.077	6.05	Clr
8/110						

[Signature] 08/18/10

Calculated Variance of Final Three Samples:

0.1

0.001

0.07

Acceptable Variance Limits:

≤ 10%

≤ 3%

≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 17.00

SAMPLE DTW: 13.10

ANTICIPATED PURGE INTAKE DEPTH: 17.00

ANALYSES: TPH-g, TPH-d, TPH-o,

Total Lead, Dissolved lead

Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

SAMPLING EQUIPMENT:

Sampling Equipment

Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

YES X

NO

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: y83

BOLTS PRESENT?: y83

WELL INTEGRITY: Fair

WELL TAG: y83

LOCK#: y83

REMARKS:

SIGNATURE: *[Signature]*

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 212302387

PURGED BY: D. Reitz

WELL I.D.: MW-203

CLIENT NAME: ConocoPhillips

SAMPLED BY: D. Reitz

SAMPLE I.D.: MW-203

LOCATION: 600 Westlake Avenue N Seattle, WA

DATE PURGED 08/18/10

START (2400hr) 0830

END (2400hr) 0900

DATE SAMPLED 08/18/10

SAMPLE TIME (2400hr) 0845

LOW-FLOW USED X

SAMPLE TYPE: Groundwater X Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" X 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (liters per foot) (0.64) (1.44) (2.45) (3.86) (5.68) (9.84) ()

DEPTH TO BOTTOM (feet) = 17.00

DEPTH TO WATER (feet) = 7.12

WATER COLUMN HEIGHT (feet) = 9.88

ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (mL)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/18/10	0835	800	15.0	0.059	6.15	Clr
8/19/10	0838	500	15.0	0.058	6.24	Clr
8/18/10	0841	500	15.0	0.057	6.29	Clr
8/18/10	0844	500	15.0	0.057	6.33	Clr
8/110						

Calculated Variance of Final Three Samples: 0
 Acceptable Variance Limits: $\leq 10\%$ $\leq 3\%$ ≤ 0.1

DEPTH TO PURGE INTAKE DURING PURGE: 14.00 SAMPLE DTW: 7.13

ANTICIPATED PURGE INTAKE DEPTH: 14.00 ANALYSES: TPH-g, TPH-d, TPH-o, Total Lead, Dissolved lead, Kerosene, BTEX, Naphthalene

SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber, -HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

Horiba, Water Quality Monitor, Peristaltic Pump Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?: YES X NO _____

WELL PAD CONDITION: Fair

WELL CASING CONDITION: Fair

WELL VAULT CONDITION: Fair

SEAL PRESENT?: yes

BOLTS PRESENT?: yes

WELL INTEGRITY: Fair

WELL TAG: yes

LOCK#: yes

REMARKS: _____

SIGNATURE: [Signature]

Stantec Consulting Corporation

WATER SAMPLE FIELD DATA SHEET

 PROJECT #: 212302387

 PURGED BY: D. Reitz

 WELL I.D.: SMW-3

 CLIENT NAME: ConocoPhillips

 SAMPLED BY: D. Reitz

 SAMPLE I.D.: SMW-3

 LOCATION: 600 Westlake Avenue N Seattle, WA

 DATE PURGED 08/18/10

 START (2400hr) 1130

 END (2400hr) 1200

 DATE SAMPLED 08/18/10

 SAMPLE TIME (2400hr) 1145

 LOW-FLOW USED X

 SAMPLE TYPE: Groundwater X

 Surface Water

 Treatment Effluent

 Other

CASING DIAMETER:

 2" X

 3"

 4"

 5"

 6"

 8"

 Other

Casing Volume: (liters per foot)

(0.64)

(1.44)

(2.45)

(3.86)

(5.68)

(9.84)

()

 DEPTH TO BOTTOM (feet) = 14.30

 DEPTH TO WATER (feet) = 9.29

 WATER COLUMN HEIGHT (feet) = 5.01

 ACTUAL PURGE (L) = 2.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (ML)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)
8/18/10	1135	500	16.5	0.014	6.43	Clr
8/18/10	1138	500	16.6	0.014	6.45	Clr
8/18/10	1141	500	16.6	0.013	6.44	Clr
8/18/10	1144	500	16.7	0.013	6.44	Clr
8/ 1/10						

[Signature] 08/18/10

Calculated Variance of Final Three Samples:

0.1
0.001
0.01

Acceptable Variance Limits:

≤ 10%
≤ 3%
≤ 0.1

 DEPTH TO PURGE INTAKE DURING PURGE: 11.00

 SAMPLE DTW: 9.43

 ANTICIPATED PURGE INTAKE DEPTH: 11.00

 ANALYSES: TPH-g, TPH-d, TPH-o,
Total Lead, Dissolved lead
Kerosene, BTEX, Naphthalene

 SAMPLE VESSEL / PRESERVATIVE: 6 voas, 1 Amber,-HCL 1 Poly HNO3, 1 Poly blank

PURGING EQUIPMENT:

Sampling Equipment

SAMPLING EQUIPMENT:

 Horiba, Water Quality Monitor, Peristaltic Pump
Interface Probe, YSI

Flow Through Cell Disconnected Prior to Sample Collection?:

 YES X

 NO

 WELL PAD CONDITION: Fair

 WELL CASING CONDITION: Fair

 WELL VAULT CONDITION: Fair

 SEAL PRESENT?: yes

 BOLTS PRESENT?: yes

 WELL INTEGRITY: Fair

 WELL TAG: yes

 LOCK#: yes

REMARKS:

 SIGNATURE: *[Signature]*

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stantec
 Attn: Marc Sauze
 12034 134th CT, Suite 102
 Redmond, WA 98052

Purchase Order #
 212302387

ConocoPhillips AOC#

DATE: 08/16/10
 PAGE: 1 of 4

SAMPLING COMPANY: STANTEC
 Valid Value ID: 1396
 CONOCOPHILLIPS SITE NUMBER: AOC 01396
 ADDRESS: 12034 134th CT Redmond, WA
 PROJECT CONTACT (Hardcopy or PDF Report to): Andrea Donnell
 TELEPHONE: 425 298-1009 FAX: andrea.donnell@stantec.com
 SAMPLER NAME(S) (Print): David Reitz, Jason Payne
 CONSULTANT PROJECT NUMBER: 212302387
 TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 48 HOURS 24 HOURS LESS THAN 24 HOURS

PHONE NO.:
 E-MAIL:
 CONOCOPHILLIPS Manager

SPECIAL INSTRUCTIONS OR NOTES:
 CHECK BOX IF EDD IS NEEDED

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

REQUESTED ANALYSES

Field Point Name	Sample ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	NWTPH-GX	NWTPH-Dx with Silica Gel Cleanup	BTEX	Naphthalene	Kerosene w/ silica gel cleanup	Total Lead	Dissolved Lead	TEMPERATURE ON RECEIPT °C
MW-18	MW-18	08/15/10	0850	GW	10	X	X	X	X	X	X	X	
MW-19	MW-19	08/15/10	1035	GW	10	X	X	X	X	X	X	X	
MW-37	MW-37	08/15/10	0925	GW	10	X	X	X	X	X	X	X	
MW-45	MW-45	08/16/10	1440	GW	10	X	X	X	X	X	X	X	

Relinquished by: (Signature) [Signature] Date: 08/17/10 Time: 0900

Relinquished by: (Signature) [Signature] Date: Date: Time:

Relinquished by: (Signature) [Signature] Date: Date: Time:

Chain Of Custody Record

Pace Analytical
940 South Harney
Seattle, WA 98108
206-767-5060

INVOICE REMITTANCE ADDRESS:

Stantec
Attn: Marc Sauze
12034 134th CT, Suite 102
Redmond, WA 98052

DATE: 08/16/10
PAGE: 2 of 4

Purchase Order #
212302387
ConocoPhillips AOC#

Valid Value ID: **1396**
GLOBAL ID NO.: **1396**
CONOCOPHILLIPS SITE NUMBER
AOC 01396
STANTEC
Address: 12034 134th CT Redmond, WA
PROJECT CONTACT (Hardcopy or PDF Report to):
Andrea Donnell
TELEPHONE: 425 298-1009
FAX:
E-MAIL: andrea.donnell@stantec.com
SAMPLER NAME(S) (P-HH):
David Reitz, Jason Payne
CONSULTANT PROJECT NUMBER
212302387
PHONE NO.:
E-MAIL:
LAB USE ONLY

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS
 7 DAYS
 48 HOURS
 24 HOURS
 LESS THAN 24 HOURS
 CHECK BOX IF EDD IS NEEDED

SPECIAL INSTRUCTIONS OR NOTES:


REQUESTED ANALYSES

Field Point Name	Sample ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	NWTPH-GX	NWTPH-DX with Silica Gel Cleanup	BTEX	Naphthalene	Kerosene w/ silica gel c/n	Total Lead	Dissolved Lead
MW-50	MW-50	08/16/10	1320	GW	10	X	X	X	X	X	X	X
MW-54	MW-54	08/16/10	1500	GW	10	X	X	X	X	X	X	X
MW-71	MW-71	08/15/10	1300	GW	10	X	X	X	X	X	X	X
MW-72	MW-72	08/15/10	1330	GW	10	X	X	X	X	X	X	X
MW-73	MW-73	08/15/10	1410	GW	10	X	X	X	X	X	X	X
MW-86	MW-86	08/16/10	0935	GW	10	X	X	X	X	X	X	X
MW-87	MW-87	08/16/10	1010	GW	10	X	X	X	X	X	X	X

* Field Point name only required if different from Sample ID

FIELD NOTES:
Container/Preservative or PID Readings or Laboratory Notes

TEMPERATURE ON RECEIPT °C

Relinquished by (Signature): 
Date: 08/17/10 Time: 0900

Relinquished by (Signature):
Date:
Time:

Relinquished by (Signature):
Date:
Time:

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stantec
 Attn: Marc Sauze
 12034 134th CT, Suite 102
 Redmond, WA 98052

DATE: 08/16/10
 PAGE: 3 of 4

SAMPLING COMPANY: STANTEC
 Valid Value ID: CONOCO/PHILLIPS SITE NUMBER AOC 01396
 GLOBAL ID NO.: 1396

ADDRESS: 12034 134th CT Redmond, WA
 SITE ADDRESS (Street and City): 600 Westlake Avenue N, Seattle

PROJECT CONTACT (Hardcopy or PDF Report to): Andrea Donnell
 EDI DELIVERABLE TO (RP or Designee):

TELEPHONE: 425 298-1009
 FAX: andrea.donnell@stantec.com
 E-MAIL: andrea.donnell@stantec.com

SAMPLER NAME(S) (PRINT): David Reitz, Jason Payne
 CONSULTANT PROJECT NUMBER: 212302387

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 48 HOURS 24 HOURS LESS THAN 24 HOURS

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NEEDED

CONOCO/PHILLIPS SITE NUMBER: AOC 01396
 ConocoPhillips Manager

PHONE NO.:
 E-MAIL:
 LAST USE ONLY:

REQUESTED ANALYSES

Field Point Name	Sample ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	NWTPH-GX	NWTPH-Dx with Silica Gel Cleanup	BTEX	Naphthalene	Kerosene w/ Silicon gel c/v	Total Lead	Dissolved Lead
MW-95	MW-95	08/16/10	1100	GW	10	X	X	X	X	X	X	X
MW-200	MW-200	08/17/10	1000	GW	10	X	X	X	X	X	X	X
MW-201	MW-201	08/16/10	1105	GW	10	X	X	X	X	X	X	X
MW-208	MW-208	08/15/10	0820	GW	10	X	X	X	X	X	X	X

* Field Point name only required if different from Sample ID

Field Point Name	Sample ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TEMPERATURE ON RECEIPT °C
MW-95	MW-95	08/16/10	1100	GW	10	
MW-200	MW-200	08/17/10	1000	GW	10	
MW-201	MW-201	08/16/10	1105	GW	10	
MW-208	MW-208	08/15/10	0820	GW	10	

Relinquished by: (Signature) [Signature] Date: 08/17/10 Time: 0900

Relinquished by: (Signature) [Signature] Date: Date: Time: Time:

Relinquished by: (Signature) [Signature] Date: Date: Time: Time:

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stantec
 Attn: Marc Sauze
 12034 134th CT, Suite 102
 Redmond, WA 98052

Purchase Order #
212302387
 Corcood Phillips AOC#

DATE: 08/18/10
 PAGE: 3 of 4

STANTEC
 Valid Value ID:

CONOCO/PHILLIPS SITE NUMBER
AOC 01396

SITE ADDRESS (Street and City):
 600 Westlake Avenue N, Seattle

EDF DELIVERABLE TO (RP or Designee):

PHONE NO.:

EMAIL:

CONOCO/PHILLIPS Manager

LAB USE ONLY

ADDRESS:
 12034 134th CT Redmond, WA

PROJECT CONTACT (Narcology or POF Report to):
 Andrea Donnell

TELEPHONE:
 425-298-1009

FAX:
 andrea.donnell@stanlec.com

EMAIL:
 andrea.donnell@stanlec.com

CONSULTANT PROJECT NUMBER
 212302387

LAB USE ONLY

SAMPLER NAME(S) (PHN):
 David Reitz, Jason Payne

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

REQUESTED ANALYSES

SPECIAL INSTRUCTIONS OR NOTES:
 CHECK BOX IF EDF IS NEEDED

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

* Field Point name only required if different from Sample ID

LAB USE ONLY	Field Point Name	Sample ID	SAMPLING DATE	TIME	MATRIX	NO. OF CONT.
	[REDACTED]					
	MMW-202	MMW-202	08/18/10	1300	GW	10
	MMW-203	MMW-203	08/18/10	0845	GW	10
	MMW-209	MMW-209	08/19/10	1055	GW	10
	MMW-210	MMW-210	08/19/10	1010	GW	10

ANALYTES	MMW-202	MMW-203	MMW-209	MMW-210
NWTPH-Gx	X	X	X	X
NWTPH-Dx with Silica Gel Cleanup	X	X	X	X
BTEX	X	X	X	X
Napthalene	X	X	X	X
Kerosene w/ silica gel c/u	X	X	X	X
Total Lead	X	X	X	X
Dissolved Lead	X	X	X	X

TEMPERATURE ON RECEIPT °C

Received by: (Signature) _____ Date: 08/19/10 Time: 0900

Received by: (Signature) _____ Date: _____ Time: _____

Received by: (Signature) _____ Date: _____ Time: _____

ATTACHMENT C
CERTIFIED LABORATORY ANALYTICAL REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION

August 31, 2010

Chris Gdak
Stantec
12034 134th Ct NE, Suite 102
Redmond, WA 98052


RE: Project: 01396 - 600 Westlake N., Seatt
Pace Project No.: 254578

Dear Chris Gdak:

Enclosed are the analytical results for sample(s) received by the laboratory on August 17, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross

jennifer.gross@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification #: UST-078

Alaska Certification #MN00064

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

EPA Region 8 Certification #: Pace

Florida/NELAP Certification #: E87605

Georgia Certification #: 959

Idaho Certification #: MN00064

Illinois Certification #: 200011

Iowa Certification #: 368

Kansas Certification #: E-10167

Louisiana Certification #: 03086

Louisiana Certification #: LA080009

Maine Certification #: 2007029

Maryland Certification #: 322

Michigan DEQ Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT CERT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New Mexico Certification #: Pace

New York Certification #: 11647

North Carolina Certification #: 530

North Dakota Certification #: R-036

North Dakota Certification #: R-036A

Ohio VAP Certification #: CL101

Oklahoma Certification #: D9921

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Tennessee Certification #: 02818

Texas Certification #: T104704192

Washington Certification #: C754

Wisconsin Certification #: 999407970

Washington Certification IDs

940 South Harney Street, Seattle, WA 98108

Alaska CS Certification #: UST-025

Alaska Drinking Water VOC Certification #: WA01230

Alaska Drinking Water Micro Certification #: WA01230

California Certification #: 01153CA

Florida/NELAP Certification #: E87617

Oregon Certification #: WA200007

Washington Certification #: C1229

REPORT OF LABORATORY ANALYSIS

Page 2 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
254578001	MW-18	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254578002	MW-19	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254578003	MW-37	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254578004	MW-45	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	ATH	9	PASI-S
254578005	MW-50	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	ATH	9	PASI-S
254578006	MW-54	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	ATH	9	PASI-S
254578007	MW-71	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254578008	MW-72	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S

REPORT OF LABORATORY ANALYSIS

Page 3 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
254578009	MW-73	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578010	MW-86	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578011	MW-87	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578012	MW-95	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578013	MW-200	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578014	MW-201	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254578015	MW-208	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M

REPORT OF LABORATORY ANALYSIS

Page 4 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
254578016	Trip Blanks	EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 5030B/8260	ATH	9	PASI-S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254578

Sample: MW-18		Lab ID: 254578001	Collected: 08/15/10 08:50	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	461 ug/L		79.2	1	08/26/10 11:20	08/26/10 23:08		
Kerosene SG	1480 ug/L		79.2	1	08/26/10 11:20	08/26/10 23:08	8008-20-6	
Motor Oil Range SG	891 ug/L		396	1	08/26/10 11:20	08/26/10 23:08	64742-65-0	
n-Octacosane (S) SG	99 %		50-150	1	08/26/10 11:20	08/26/10 23:08	630-02-4	
o-Terphenyl (S) SG	101 %		50-150	1	08/26/10 11:20	08/26/10 23:08	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	9200 ug/L		500	10		08/23/10 21:19		
a,a,a-Trifluorotoluene (S)	100 %		50-150	10		08/23/10 21:19	98-08-8	
4-Bromofluorobenzene (S)	94 %		50-150	10		08/23/10 21:19	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	40.4 ug/L		0.10	1	08/25/10 14:53	08/26/10 13:47	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	3.3 ug/L		0.10	1	08/25/10 14:49	08/26/10 11:32	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	789 ug/L		5.0	5		08/26/10 06:38	71-43-2	
Ethylbenzene	115 ug/L		1.0	1		08/26/10 07:01	100-41-4	
Naphthalene	104 ug/L		1.0	1		08/26/10 07:01	91-20-3	
Toluene	129 ug/L		1.0	1		08/26/10 07:01	108-88-3	
Xylene (Total)	2240 ug/L		15.0	5		08/26/10 06:38	1330-20-7	
4-Bromofluorobenzene (S)	94 %		80-120	1		08/26/10 07:01	460-00-4	
Dibromofluoromethane (S)	93 %		80-122	1		08/26/10 07:01	1868-53-7	
1,2-Dichloroethane-d4 (S)	80 %		80-124	1		08/26/10 07:01	17060-07-0	
Toluene-d8 (S)	87 %		80-123	1		08/26/10 07:01	2037-26-5	

Sample: MW-19		Lab ID: 254578002	Collected: 08/15/10 10:35	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	2470 ug/L		79.2	1	08/26/10 11:20	08/26/10 23:25		
Kerosene SG	12200 ug/L		79.2	1	08/26/10 11:20	08/26/10 23:25	8008-20-6	
Motor Oil Range SG	954 ug/L		396	1	08/26/10 11:20	08/26/10 23:25	64742-65-0	
n-Octacosane (S) SG	101 %		50-150	1	08/26/10 11:20	08/26/10 23:25	630-02-4	
o-Terphenyl (S) SG	101 %		50-150	1	08/26/10 11:20	08/26/10 23:25	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	33500 ug/L		2500	50		08/23/10 21:43		
a,a,a-Trifluorotoluene (S)	101 %		50-150	50		08/23/10 21:43	98-08-8	
4-Bromofluorobenzene (S)	98 %		50-150	50		08/23/10 21:43	460-00-4	

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-19		Lab ID: 254578002	Collected: 08/15/10 10:35	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	20.9	ug/L	0.10	1	08/25/10 14:53	08/26/10 14:06	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	1.8	ug/L	0.10	1	08/25/10 14:49	08/26/10 12:08	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	293	ug/L	50.0	50		08/26/10 06:13	71-43-2	
Ethylbenzene	354	ug/L	50.0	50		08/26/10 06:13	100-41-4	
Naphthalene	67.7	ug/L	50.0	50		08/26/10 06:13	91-20-3	
Toluene	4.9	ug/L	1.0	1		08/26/10 07:24	108-88-3	
Xylene (Total)	4950	ug/L	150	50		08/26/10 06:13	1330-20-7	
4-Bromofluorobenzene (S)	97	%	80-120	1		08/26/10 07:24	460-00-4	
Dibromofluoromethane (S)	92	%	80-122	1		08/26/10 07:24	1868-53-7	
1,2-Dichloroethane-d4 (S)	85	%	80-124	1		08/26/10 07:24	17060-07-0	
Toluene-d8 (S)	87	%	80-123	1		08/26/10 07:24	2037-26-5	

Sample: MW-37		Lab ID: 254578003	Collected: 08/15/10 09:25	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND	ug/L	79.2	1	08/26/10 11:20	08/26/10 23:42		
Kerosene SG	598	ug/L	79.2	1	08/26/10 11:20	08/26/10 23:42	8008-20-6	
Motor Oil Range SG	ND	ug/L	396	1	08/26/10 11:20	08/26/10 23:42	64742-65-0	
n-Octacosane (S) SG	106	%	50-150	1	08/26/10 11:20	08/26/10 23:42	630-02-4	
o-Terphenyl (S) SG	106	%	50-150	1	08/26/10 11:20	08/26/10 23:42	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	2350	ug/L	250	5		08/23/10 22:07		
a,a,a-Trifluorotoluene (S)	100	%	50-150	5		08/23/10 22:07	98-08-8	
4-Bromofluorobenzene (S)	103	%	50-150	5		08/23/10 22:07	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	4.3	ug/L	0.10	1	08/25/10 14:53	08/26/10 14:10	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.64	ug/L	0.10	1	08/25/10 14:49	08/26/10 12:12	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	51.0	ug/L	1.0	1		08/26/10 05:50	71-43-2	
Ethylbenzene	47.0	ug/L	1.0	1		08/26/10 05:50	100-41-4	
Naphthalene	16.7	ug/L	1.0	1		08/26/10 05:50	91-20-3	
Toluene	2.6	ug/L	1.0	1		08/26/10 05:50	108-88-3	
Xylene (Total)	415	ug/L	3.0	1		08/26/10 05:50	1330-20-7	
4-Bromofluorobenzene (S)	88	%	80-120	1		08/26/10 05:50	460-00-4	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 7 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254578

Sample: MW-37		Lab ID: 254578003	Collected: 08/15/10 09:25	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
Dibromofluoromethane (S)	96 %		80-122	1		08/26/10 05:50	1868-53-7	
1,2-Dichloroethane-d4 (S)	85 %		80-124	1		08/26/10 05:50	17060-07-0	
Toluene-d8 (S)	90 %		80-123	1		08/26/10 05:50	2037-26-5	

Sample: MW-45		Lab ID: 254578004	Collected: 08/16/10 14:10	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		77.7	1	08/26/10 11:20	08/27/10 00:48		
Kerosene SG	177 ug/L		77.7	1	08/26/10 11:20	08/27/10 00:48	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/26/10 11:20	08/27/10 00:48	64742-65-0	
n-Octacosane (S) SG	109 %		50-150	1	08/26/10 11:20	08/27/10 00:48	630-02-4	
o-Terphenyl (S) SG	109 %		50-150	1	08/26/10 11:20	08/27/10 00:48	84-15-1	

NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	319 ug/L		50.0	1		08/23/10 17:32		
a,a,a-Trifluorotoluene (S)	95 %		50-150	1		08/23/10 17:32	98-08-8	
4-Bromofluorobenzene (S)	95 %		50-150	1		08/23/10 17:32	460-00-4	

6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	7.2 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:15	7439-92-1	

6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.37 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:17	7439-92-1	

8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/19/10 20:03	71-43-2	
Ethylbenzene	5.8 ug/L		1.0	1		08/19/10 20:03	100-41-4	
Naphthalene	7.5 ug/L		1.0	1		08/19/10 20:03	91-20-3	
Toluene	ND ug/L		1.0	1		08/19/10 20:03	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/19/10 20:03	1330-20-7	
4-Bromofluorobenzene (S)	91 %		80-120	1		08/19/10 20:03	460-00-4	
Dibromofluoromethane (S)	93 %		80-122	1		08/19/10 20:03	1868-53-7	
1,2-Dichloroethane-d4 (S)	96 %		80-124	1		08/19/10 20:03	17060-07-0	
Toluene-d8 (S)	88 %		80-123	1		08/19/10 20:03	2037-26-5	

Sample: MW-50		Lab ID: 254578005	Collected: 08/16/10 13:20	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	158 ug/L		78.4	1	08/26/10 11:20	08/27/10 01:04		
Kerosene SG	181 ug/L		78.4	1	08/26/10 11:20	08/27/10 01:04	8008-20-6	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 8 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-50		Lab ID: 254578005	Collected: 08/16/10 13:20	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Motor Oil Range SG	ND ug/L		392	1	08/26/10 11:20	08/27/10 01:04	64742-65-0	
n-Octacosane (S) SG	112 %		50-150	1	08/26/10 11:20	08/27/10 01:04	630-02-4	
o-Terphenyl (S) SG	111 %		50-150	1	08/26/10 11:20	08/27/10 01:04	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/23/10 16:21		
a,a,a-Trifluorotoluene (S)	90 %		50-150	1		08/23/10 16:21	98-08-8	
4-Bromofluorobenzene (S)	93 %		50-150	1		08/23/10 16:21	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.63 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:19	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.18 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:21	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/19/10 20:30	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/19/10 20:30	100-41-4	
Naphthalene	33.4 ug/L		1.0	1		08/19/10 20:30	91-20-3	
Toluene	ND ug/L		1.0	1		08/19/10 20:30	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/19/10 20:30	1330-20-7	
4-Bromofluorobenzene (S)	92 %		80-120	1		08/19/10 20:30	460-00-4	
Dibromofluoromethane (S)	95 %		80-122	1		08/19/10 20:30	1868-53-7	
1,2-Dichloroethane-d4 (S)	97 %		80-124	1		08/19/10 20:30	17060-07-0	
Toluene-d8 (S)	89 %		80-123	1		08/19/10 20:30	2037-26-5	

Sample: MW-54		Lab ID: 254578006	Collected: 08/16/10 15:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		77.7	1	08/26/10 11:20	08/27/10 01:21		
Kerosene SG	ND ug/L		77.7	1	08/26/10 11:20	08/27/10 01:21	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/26/10 11:20	08/27/10 01:21	64742-65-0	
n-Octacosane (S) SG	87 %		50-150	1	08/26/10 11:20	08/27/10 01:21	630-02-4	
o-Terphenyl (S) SG	87 %		50-150	1	08/26/10 11:20	08/27/10 01:21	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/23/10 15:10		
a,a,a-Trifluorotoluene (S)	92 %		50-150	1		08/23/10 15:10	98-08-8	
4-Bromofluorobenzene (S)	87 %		50-150	1		08/23/10 15:10	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	5.7 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:24	7439-92-1	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 9 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-54		Lab ID: 254578006	Collected: 08/16/10 15:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.21 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:26	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/20/10 06:32	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/20/10 06:32	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/20/10 06:32	91-20-3	
Toluene	ND ug/L		1.0	1		08/20/10 06:32	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/20/10 06:32	1330-20-7	
4-Bromofluorobenzene (S)	92 %		80-120	1		08/20/10 06:32	460-00-4	
Dibromofluoromethane (S)	93 %		80-122	1		08/20/10 06:32	1868-53-7	
1,2-Dichloroethane-d4 (S)	96 %		80-124	1		08/20/10 06:32	17060-07-0	
Toluene-d8 (S)	88 %		80-123	1		08/20/10 06:32	2037-26-5	

Sample: MW-71		Lab ID: 254578007	Collected: 08/15/10 13:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	912 ug/L		75.8	1	08/26/10 11:20	08/27/10 01:37		
Kerosene SG	2710 ug/L		75.8	1	08/26/10 11:20	08/27/10 01:37	8008-20-6	
Motor Oil Range SG	729 ug/L		379	1	08/26/10 11:20	08/27/10 01:37	64742-65-0	
n-Octacosane (S) SG	92 %		50-150	1	08/26/10 11:20	08/27/10 01:37	630-02-4	
o-Terphenyl (S) SG	90 %		50-150	1	08/26/10 11:20	08/27/10 01:37	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	5130 ug/L		250	5		08/23/10 22:31		
a,a,a-Trifluorotoluene (S)	107 %		50-150	5		08/23/10 22:31	98-08-8	
4-Bromofluorobenzene (S)	132 %		50-150	5		08/23/10 22:31	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	14.8 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:28	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.87 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:31	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	99.1 ug/L		1.0	1		08/26/10 01:39	71-43-2	
Ethylbenzene	148 ug/L		1.0	1		08/26/10 01:39	100-41-4	
Naphthalene	128 ug/L		1.0	1		08/26/10 01:39	91-20-3	
Toluene	ND ug/L		1.0	1		08/26/10 01:39	108-88-3	
Xylene (Total)	12.1 ug/L		3.0	1		08/26/10 01:39	1330-20-7	
4-Bromofluorobenzene (S)	93 %		80-120	1		08/26/10 01:39	460-00-4	
Dibromofluoromethane (S)	98 %		80-122	1		08/26/10 01:39	1868-53-7	
1,2-Dichloroethane-d4 (S)	95 %		80-124	1		08/26/10 01:39	17060-07-0	
Toluene-d8 (S)	86 %		80-123	1		08/26/10 01:39	2037-26-5	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 10 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-72		Lab ID: 254578008	Collected: 08/15/10 13:30	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	641 ug/L		79.2	1	08/26/10 11:20	08/27/10 01:54		
Kerosene SG	236 ug/L		79.2	1	08/26/10 11:20	08/27/10 01:54	8008-20-6	
Motor Oil Range SG	3460 ug/L		396	1	08/26/10 11:20	08/27/10 01:54	64742-65-0	
n-Octacosane (S) SG	104 %		50-150	1	08/26/10 11:20	08/27/10 01:54	630-02-4	
o-Terphenyl (S) SG	101 %		50-150	1	08/26/10 11:20	08/27/10 01:54	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	330 ug/L		50.0	1		08/23/10 18:33		
a,a,a-Trifluorotoluene (S)	86 %		50-150	1		08/23/10 18:33	98-08-8	
4-Bromofluorobenzene (S)	92 %		50-150	1		08/23/10 18:33	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	14.7 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:42	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.12 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:35	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	1.4 ug/L		1.0	1		08/26/10 01:15	71-43-2	
Ethylbenzene	3.1 ug/L		1.0	1		08/26/10 01:15	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/26/10 01:15	91-20-3	
Toluene	ND ug/L		1.0	1		08/26/10 01:15	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/26/10 01:15	1330-20-7	
4-Bromofluorobenzene (S)	88 %		80-120	1		08/26/10 01:15	460-00-4	
Dibromofluoromethane (S)	100 %		80-122	1		08/26/10 01:15	1868-53-7	
1,2-Dichloroethane-d4 (S)	87 %		80-124	1		08/26/10 01:15	17060-07-0	
Toluene-d8 (S)	85 %		80-123	1		08/26/10 01:15	2037-26-5	

Sample: MW-73		Lab ID: 254578009	Collected: 08/15/10 14:10	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	173 ug/L		78.4	1	08/26/10 11:20	08/27/10 02:11		
Kerosene SG	671 ug/L		78.4	1	08/26/10 11:20	08/27/10 02:11	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/26/10 11:20	08/27/10 02:11	64742-65-0	
n-Octacosane (S) SG	106 %		50-150	1	08/26/10 11:20	08/27/10 02:11	630-02-4	
o-Terphenyl (S) SG	105 %		50-150	1	08/26/10 11:20	08/27/10 02:11	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	1960 ug/L		50.0	1		08/23/10 20:56		
a,a,a-Trifluorotoluene (S)	92 %		50-150	1		08/23/10 20:56	98-08-8	
4-Bromofluorobenzene (S)	262 %		50-150	1		08/23/10 20:56	460-00-4	S2

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-73		Lab ID: 254578009	Collected: 08/15/10 14:10	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	6.9 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:46	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	2.0 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:40	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	37.3 ug/L		1.0	1		08/26/10 02:01	71-43-2	
Ethylbenzene	1.7 ug/L		1.0	1		08/26/10 02:01	100-41-4	
Naphthalene	3.3 ug/L		1.0	1		08/26/10 02:01	91-20-3	
Toluene	1.8 ug/L		1.0	1		08/26/10 02:01	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/26/10 02:01	1330-20-7	
4-Bromofluorobenzene (S)	98 %		80-120	1		08/26/10 02:01	460-00-4	
Dibromofluoromethane (S)	99 %		80-122	1		08/26/10 02:01	1868-53-7	
1,2-Dichloroethane-d4 (S)	91 %		80-124	1		08/26/10 02:01	17060-07-0	
Toluene-d8 (S)	83 %		80-123	1		08/26/10 02:01	2037-26-5	

Sample: MW-86		Lab ID: 254578010	Collected: 08/16/10 09:35	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	87.6 ug/L		77.7	1	08/26/10 11:20	08/27/10 02:27		
Kerosene SG	533 ug/L		77.7	1	08/26/10 11:20	08/27/10 02:27	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/26/10 11:20	08/27/10 02:27	64742-65-0	
n-Octacosane (S) SG	111 %		50-150	1	08/26/10 11:20	08/27/10 02:27	630-02-4	
o-Terphenyl (S) SG	111 %		50-150	1	08/26/10 11:20	08/27/10 02:27	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	1270 ug/L		50.0	1		08/23/10 18:57		
a,a,a-Trifluorotoluene (S)	98 %		50-150	1		08/23/10 18:57	98-08-8	
4-Bromofluorobenzene (S)	225 %		50-150	1		08/23/10 18:57	460-00-4	S2
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.63 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:51	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.25 ug/L		0.10	1	08/25/10 14:49	08/26/10 12:53	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	331 ug/L		5.0	5		08/26/10 07:52	71-43-2	
Ethylbenzene	10.6 ug/L		1.0	1		08/25/10 23:43	100-41-4	
Naphthalene	1.9 ug/L		1.0	1		08/25/10 23:43	91-20-3	
Toluene	6.0 ug/L		1.0	1		08/25/10 23:43	108-88-3	
Xylene (Total)	48.6 ug/L		3.0	1		08/25/10 23:43	1330-20-7	
4-Bromofluorobenzene (S)	89 %		80-120	1		08/25/10 23:43	460-00-4	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 12 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254578

Sample: MW-86		Lab ID: 254578010	Collected: 08/16/10 09:35	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 MSV

Analytical Method: EPA 5030B/8260

Dibromofluoromethane (S)	95 %		80-122	1		08/25/10 23:43	1868-53-7	
1,2-Dichloroethane-d4 (S)	89 %		80-124	1		08/25/10 23:43	17060-07-0	
Toluene-d8 (S)	87 %		80-123	1		08/25/10 23:43	2037-26-5	

Sample: MW-87

Lab ID: 254578011

Collected: 08/16/10 10:10

Received: 08/17/10 12:00

Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

NWTPH-Dx GCS SG

Analytical Method: NWTPH-Dx Preparation Method: EPA 3510

Diesel Range SG	ND ug/L		78.4	1	08/26/10 11:20	08/27/10 02:44		
Kerosene SG	ND ug/L		78.4	1	08/26/10 11:20	08/27/10 02:44	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/26/10 11:20	08/27/10 02:44	64742-65-0	
n-Octacosane (S) SG	104 %		50-150	1	08/26/10 11:20	08/27/10 02:44	630-02-4	
o-Terphenyl (S) SG	104 %		50-150	1	08/26/10 11:20	08/27/10 02:44	84-15-1	

NWTPH-Gx GCV

Analytical Method: NWTPH-Gx

Gasoline Range Organics	ND ug/L		50.0	1		08/23/10 15:33		
a,a,a-Trifluorotoluene (S)	89 %		50-150	1		08/23/10 15:33	98-08-8	
4-Bromofluorobenzene (S)	85 %		50-150	1		08/23/10 15:33	460-00-4	

6020 MET ICPMS

Analytical Method: EPA 6020

Lead	1.4 ug/L		0.10	1	08/25/10 14:53	08/26/10 14:55	7439-92-1	
------	----------	--	------	---	----------------	----------------	-----------	--

6020 MET ICPMS, Dissolved

Analytical Method: EPA 6020

Lead, Dissolved	ND ug/L		0.10	1	08/25/10 14:49	08/26/10 12:58	7439-92-1	
-----------------	---------	--	------	---	----------------	----------------	-----------	--

8260 MSV

Analytical Method: EPA 5030B/8260

Benzene	ND ug/L		1.0	1		08/26/10 00:07	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/26/10 00:07	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/26/10 00:07	91-20-3	
Toluene	ND ug/L		1.0	1		08/26/10 00:07	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/26/10 00:07	1330-20-7	
4-Bromofluorobenzene (S)	87 %		80-120	1		08/26/10 00:07	460-00-4	
Dibromofluoromethane (S)	99 %		80-122	1		08/26/10 00:07	1868-53-7	
1,2-Dichloroethane-d4 (S)	88 %		80-124	1		08/26/10 00:07	17060-07-0	
Toluene-d8 (S)	84 %		80-123	1		08/26/10 00:07	2037-26-5	

Sample: MW-95

Lab ID: 254578012

Collected: 08/16/10 11:00

Received: 08/17/10 12:00

Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

NWTPH-Dx GCS SG

Analytical Method: NWTPH-Dx Preparation Method: EPA 3510

Diesel Range SG	ND ug/L		78.4	1	08/26/10 11:20	08/27/10 03:50		
Kerosene SG	ND ug/L		78.4	1	08/26/10 11:20	08/27/10 03:50	8008-20-6	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 13 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-95	Lab ID: 254578012	Collected: 08/16/10 11:00	Received: 08/17/10 12:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Motor Oil Range SG	ND ug/L		392	1	08/26/10 11:20	08/27/10 03:50	64742-65-0	
n-Octacosane (S) SG	103 %		50-150	1	08/26/10 11:20	08/27/10 03:50	630-02-4	
o-Terphenyl (S) SG	105 %		50-150	1	08/26/10 11:20	08/27/10 03:50	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	56.5 ug/L		50.0	1		08/23/10 16:45		
a,a,a-Trifluorotoluene (S)	82 %		50-150	1		08/23/10 16:45	98-08-8	
4-Bromofluorobenzene (S)	89 %		50-150	1		08/23/10 16:45	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.28 ug/L		0.10	1	08/25/10 14:53	08/26/10 15:04	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/25/10 14:49	08/26/10 13:07	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/26/10 00:29	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/26/10 00:29	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/26/10 00:29	91-20-3	
Toluene	ND ug/L		1.0	1		08/26/10 00:29	108-88-3	
Xylene (Total)	4.5 ug/L		3.0	1		08/26/10 00:29	1330-20-7	
4-Bromofluorobenzene (S)	88 %		80-120	1		08/26/10 00:29	460-00-4	
Dibromofluoromethane (S)	100 %		80-122	1		08/26/10 00:29	1868-53-7	
1,2-Dichloroethane-d4 (S)	87 %		80-124	1		08/26/10 00:29	17060-07-0	
Toluene-d8 (S)	85 %		80-123	1		08/26/10 00:29	2037-26-5	

Sample: MW-200	Lab ID: 254578013	Collected: 08/15/10 10:00	Received: 08/17/10 12:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	608 ug/L		77.7	1	08/26/10 11:20	08/27/10 04:06		
Kerosene SG	1820 ug/L		77.7	1	08/26/10 11:20	08/27/10 04:06	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/26/10 11:20	08/27/10 04:06	64742-65-0	
n-Octacosane (S) SG	74 %		50-150	1	08/26/10 11:20	08/27/10 04:06	630-02-4	
o-Terphenyl (S) SG	72 %		50-150	1	08/26/10 11:20	08/27/10 04:06	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	4290 ug/L		250	5		08/23/10 22:54		
a,a,a-Trifluorotoluene (S)	99 %		50-150	5		08/23/10 22:54	98-08-8	
4-Bromofluorobenzene (S)	112 %		50-150	5		08/23/10 22:54	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	6.2 ug/L		0.10	1	08/25/10 14:53	08/26/10 15:09	7439-92-1	

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-200		Lab ID: 254578013	Collected: 08/15/10 10:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.70 ug/L		0.10	1	08/25/10 14:49	08/26/10 13:11	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	89.7 ug/L		1.0	1		08/26/10 02:25	71-43-2	
Ethylbenzene	191 ug/L		1.0	1		08/26/10 02:25	100-41-4	
Naphthalene	388 ug/L		1.0	1		08/26/10 02:25	91-20-3	
Toluene	1.0 ug/L		1.0	1		08/26/10 02:25	108-88-3	
Xylene (Total)	35.5 ug/L		3.0	1		08/26/10 02:25	1330-20-7	
4-Bromofluorobenzene (S)	92 %		80-120	1		08/26/10 02:25	460-00-4	
Dibromofluoromethane (S)	98 %		80-122	1		08/26/10 02:25	1868-53-7	
1,2-Dichloroethane-d4 (S)	85 %		80-124	1		08/26/10 02:25	17060-07-0	
Toluene-d8 (S)	85 %		80-123	1		08/26/10 02:25	2037-26-5	

Sample: MW-201		Lab ID: 254578014	Collected: 08/15/10 11:05	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	113 ug/L		79.2	1	08/26/10 11:20	08/27/10 04:23		
Kerosene SG	ND ug/L		79.2	1	08/26/10 11:20	08/27/10 04:23	8008-20-6	
Motor Oil Range SG	451 ug/L		396	1	08/26/10 11:20	08/27/10 04:23	64742-65-0	
n-Octacosane (S) SG	81 %		50-150	1	08/26/10 11:20	08/27/10 04:23	630-02-4	
o-Terphenyl (S) SG	79 %		50-150	1	08/26/10 11:20	08/27/10 04:23	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/23/10 17:08		
a,a,a-Trifluorotoluene (S)	77 %		50-150	1		08/23/10 17:08	98-08-8	
4-Bromofluorobenzene (S)	85 %		50-150	1		08/23/10 17:08	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	4.4 ug/L		0.10	1	08/25/10 14:53	08/26/10 15:14	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/25/10 14:49	08/26/10 13:16	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	8.7 ug/L		1.0	1		08/26/10 00:52	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/26/10 00:52	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/26/10 00:52	91-20-3	
Toluene	ND ug/L		1.0	1		08/26/10 00:52	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/26/10 00:52	1330-20-7	
4-Bromofluorobenzene (S)	88 %		80-120	1		08/26/10 00:52	460-00-4	
Dibromofluoromethane (S)	98 %		80-122	1		08/26/10 00:52	1868-53-7	
1,2-Dichloroethane-d4 (S)	85 %		80-124	1		08/26/10 00:52	17060-07-0	
Toluene-d8 (S)	85 %		80-123	1		08/26/10 00:52	2037-26-5	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 15 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: MW-208		Lab ID: 254578015	Collected: 08/15/10 08:20	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	699 ug/L		78.4	1	08/26/10 11:20	08/27/10 04:39		
Kerosene SG	5760 ug/L		78.4	1	08/26/10 11:20	08/27/10 04:39	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/26/10 11:20	08/27/10 04:39	64742-65-0	
n-Octacosane (S) SG	85 %		50-150	1	08/26/10 11:20	08/27/10 04:39	630-02-4	
o-Terphenyl (S) SG	85 %		50-150	1	08/26/10 11:20	08/27/10 04:39	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	14800 ug/L		500	10		08/23/10 23:18		
a,a,a-Trifluorotoluene (S)	99 %		50-150	10		08/23/10 23:18	98-08-8	
4-Bromofluorobenzene (S)	113 %		50-150	10		08/23/10 23:18	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	3.9 ug/L		0.10	1	08/25/10 14:53	08/26/10 15:18	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.50 ug/L		0.10	1	08/25/10 14:49	08/26/10 13:20	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	3.4 ug/L		1.0	1		08/26/10 02:48	71-43-2	
Ethylbenzene	192 ug/L		1.0	1		08/26/10 02:48	100-41-4	
Naphthalene	142 ug/L		1.0	1		08/26/10 02:48	91-20-3	
Toluene	1.3 ug/L		1.0	1		08/26/10 02:48	108-88-3	
Xylene (Total)	781 ug/L		15.0	5		08/26/10 08:17	1330-20-7	
4-Bromofluorobenzene (S)	100 %		80-120	1		08/26/10 02:48	460-00-4	
Dibromofluoromethane (S)	98 %		80-122	1		08/26/10 02:48	1868-53-7	
1,2-Dichloroethane-d4 (S)	92 %		80-124	1		08/26/10 02:48	17060-07-0	
Toluene-d8 (S)	83 %		80-123	1		08/26/10 02:48	2037-26-5	

Sample: Trip Blanks		Lab ID: 254578016	Collected: 08/15/10 00:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/23/10 14:22		
a,a,a-Trifluorotoluene (S)	97 %		50-150	1		08/23/10 14:22	98-08-8	
4-Bromofluorobenzene (S)	92 %		50-150	1		08/23/10 14:22	460-00-4	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/20/10 04:49	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/20/10 04:49	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/20/10 04:49	91-20-3	
Toluene	ND ug/L		1.0	1		08/20/10 04:49	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/20/10 04:49	1330-20-7	
4-Bromofluorobenzene (S)	93 %		80-120	1		08/20/10 04:49	460-00-4	
Dibromofluoromethane (S)	93 %		80-122	1		08/20/10 04:49	1868-53-7	

Date: 08/31/2010 05:03 PM

REPORT OF LABORATORY ANALYSIS

Page 16 of 27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Sample: Trip Blanks		Lab ID: 254578016	Collected: 08/15/10 00:00	Received: 08/17/10 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
1,2-Dichloroethane-d4 (S)	95 %		80-124	1		08/20/10 04:49	17060-07-0	
Toluene-d8 (S)	90 %		80-123	1		08/20/10 04:49	2037-26-5	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: OEXT/2578 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

METHOD BLANK: 38177 Matrix: Water
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range SG	ug/L	ND	80.0	08/26/10 21:45	
Kerosene SG	ug/L	ND	80.0	08/26/10 21:45	
Motor Oil Range SG	ug/L	ND	400	08/26/10 21:45	
n-Octacosane (S) SG	%	110	50-150	08/26/10 21:45	
o-Terphenyl (S) SG	%	107	50-150	08/26/10 21:45	

LABORATORY CONTROL SAMPLE & LCSD: 38178 38179

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Range SG	ug/L	5000	4610	4530	92	91	51-147	2	30	
Motor Oil Range SG	ug/L	5000	5000	4930	100	99	20-160	1	30	
n-Octacosane (S) SG	%				110	108	50-150			
o-Terphenyl (S) SG	%				124	121	50-150			

LABORATORY CONTROL SAMPLE & LCSD: 38180 38181

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Kerosene SG	ug/L	5000	3170	3320	63	66	50-150	5	30	
n-Octacosane (S) SG	%				107	112	50-150			
o-Terphenyl (S) SG	%				107	112	50-150			

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: GCV/1784 Analysis Method: NWTPH-Gx
 QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx GCV Water
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015, 254578016

METHOD BLANK: 37276 Matrix: Water
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015, 254578016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	ug/L	ND	50.0	08/23/10 11:35	
4-Bromofluorobenzene (S)	%	85	50-150	08/23/10 11:35	
a,a,a-Trifluorotoluene (S)	%	79	50-150	08/23/10 11:35	

LABORATORY CONTROL SAMPLE: 37277

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	ug/L	250	255	102	50-163	
4-Bromofluorobenzene (S)	%			104	50-150	
a,a,a-Trifluorotoluene (S)	%			105	50-150	

SAMPLE DUPLICATE: 37840

Parameter	Units	254578010 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	1270	1330	5	
4-Bromofluorobenzene (S)	%	225	230	2	S2
a,a,a-Trifluorotoluene (S)	%	98	100	2	

SAMPLE DUPLICATE: 37841

Parameter	Units	254578011 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	ND	19.9J		
4-Bromofluorobenzene (S)	%	85	93	8	
a,a,a-Trifluorotoluene (S)	%	89	96	8	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: ICPM/21954 Analysis Method: EPA 6020
 QC Batch Method: EPA 6020 Analysis Description: 6020 MET
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

METHOD BLANK: 841242 Matrix: Water
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	08/26/10 13:29	

LABORATORY CONTROL SAMPLE: 841243

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	80	78.5	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 841244 841245

Parameter	Units	254578001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	40.4	80	80	126	134	107	117	75-125	6	

MATRIX SPIKE SAMPLE: 841246

Parameter	Units	254578011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.4	80	78.4	96	75-125	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: ICPM/21951 Analysis Method: EPA 6020
 QC Batch Method: EPA 6020 Analysis Description: 6020 MET Dissolved
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

METHOD BLANK: 841227 Matrix: Water
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578004, 254578005, 254578006, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead, Dissolved	ug/L	ND	0.10	08/26/10 11:59	

LABORATORY CONTROL SAMPLE: 841228

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	80	79.5	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 841229 841230

Parameter	Units	254578001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead, Dissolved	ug/L	3.3	80	80	87.7	86.8	106	104	70-130	1	

MATRIX SPIKE SAMPLE: 841231

Parameter	Units	254578011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L		ND	80	76.6	96	70-130

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: MSV/2877 Analysis Method: EPA 5030B/8260
 QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
 Associated Lab Samples: 254578004, 254578005

METHOD BLANK: 36868 Matrix: Water

Associated Lab Samples: 254578004, 254578005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/19/10 14:47	
Ethylbenzene	ug/L	ND	1.0	08/19/10 14:47	
Naphthalene	ug/L	ND	1.0	08/19/10 14:47	
Toluene	ug/L	ND	1.0	08/19/10 14:47	
Xylene (Total)	ug/L	ND	3.0	08/19/10 14:47	
1,2-Dichloroethane-d4 (S)	%	96	80-124	08/19/10 14:47	
4-Bromofluorobenzene (S)	%	94	80-120	08/19/10 14:47	
Dibromofluoromethane (S)	%	93	80-122	08/19/10 14:47	
Toluene-d8 (S)	%	92	80-123	08/19/10 14:47	

LABORATORY CONTROL SAMPLE & LCSD: 36869 36915

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	20	17.5	16.4	87	82	76-127	7	30	
Ethylbenzene	ug/L	20	17.2	16.0	86	80	72-125	7	30	
Naphthalene	ug/L	20	16.0	15.5	80	77	51-142	3	30	
Toluene	ug/L	20	16.3	15.2	82	76	69-125	8	30	
Xylene (Total)	ug/L	60	52.1	48.6	87	81	74-124	7	30	
1,2-Dichloroethane-d4 (S)	%				95	94	80-124			
4-Bromofluorobenzene (S)	%				93	93	80-120			
Dibromofluoromethane (S)	%				96	96	80-122			
Toluene-d8 (S)	%				91	90	80-123			

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: MSV/2882 Analysis Method: EPA 5030B/8260
 QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
 Associated Lab Samples: 254578006, 254578016

METHOD BLANK: 36934 Matrix: Water

Associated Lab Samples: 254578006, 254578016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/20/10 04:23	
Ethylbenzene	ug/L	ND	1.0	08/20/10 04:23	
Naphthalene	ug/L	ND	1.0	08/20/10 04:23	
Toluene	ug/L	ND	1.0	08/20/10 04:23	
Xylene (Total)	ug/L	ND	3.0	08/20/10 04:23	
1,2-Dichloroethane-d4 (S)	%	96	80-124	08/20/10 04:23	
4-Bromofluorobenzene (S)	%	93	80-120	08/20/10 04:23	
Dibromofluoromethane (S)	%	94	80-122	08/20/10 04:23	
Toluene-d8 (S)	%	91	80-123	08/20/10 04:23	

LABORATORY CONTROL SAMPLE & LCSD: 36935 36936

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	20	17.9	17.7	89	88	76-127	1	30	
Ethylbenzene	ug/L	20	17.2	16.9	86	85	72-125	2	30	
Naphthalene	ug/L	20	15.3	16.2	76	81	51-142	6	30	
Toluene	ug/L	20	16.4	16.0	82	80	69-125	2	30	
Xylene (Total)	ug/L	60	52.1	51.3	87	86	74-124	1	30	
1,2-Dichloroethane-d4 (S)	%				93	95	80-124			
4-Bromofluorobenzene (S)	%				94	94	80-120			
Dibromofluoromethane (S)	%				95	97	80-122			
Toluene-d8 (S)	%				90	89	80-123			

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

QC Batch: MSV/2917 Analysis Method: EPA 5030B/8260
 QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
 Associated Lab Samples: 254578001, 254578002, 254578003, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

METHOD BLANK: 37559 Matrix: Water

Associated Lab Samples: 254578001, 254578002, 254578003, 254578007, 254578008, 254578009, 254578010, 254578011, 254578012, 254578013, 254578014, 254578015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/25/10 23:20	
Ethylbenzene	ug/L	ND	1.0	08/25/10 23:20	
Naphthalene	ug/L	ND	1.0	08/25/10 23:20	
Toluene	ug/L	ND	1.0	08/25/10 23:20	
Xylene (Total)	ug/L	ND	3.0	08/25/10 23:20	
1,2-Dichloroethane-d4 (S)	%	87	80-124	08/25/10 23:20	
4-Bromofluorobenzene (S)	%	87	80-120	08/25/10 23:20	
Dibromofluoromethane (S)	%	100	80-122	08/25/10 23:20	
Toluene-d8 (S)	%	88	80-123	08/25/10 23:20	

LABORATORY CONTROL SAMPLE: 37560

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	21.3	106	76-127	
Ethylbenzene	ug/L	20	19.1	96	72-125	
Naphthalene	ug/L	20	21.7	108	51-142	
Toluene	ug/L	20	18.7	93	69-125	
Xylene (Total)	ug/L	60	60.2	100	74-124	
1,2-Dichloroethane-d4 (S)	%			86	80-124	
4-Bromofluorobenzene (S)	%			92	80-120	
Dibromofluoromethane (S)	%			100	80-122	
Toluene-d8 (S)	%			89	80-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 37751 37752

Parameter	Units	254757001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	MS Spike Conc.	MSD Spike Conc.	MS Result					
Benzene	ug/L	ND	20	20	21.8	21.0	108	104	75-124	3	
Ethylbenzene	ug/L	ND	20	20	19.4	18.7	95	92	76-124	4	
Naphthalene	ug/L	ND	20	20	20.5	19.3	100	93	69-135	6	
Toluene	ug/L	ND	20	20	18.9	18.1	93	89	75-124	4	
Xylene (Total)	ug/L	ND	60	60	61.5	58.6	100	95	76-123	5	
1,2-Dichloroethane-d4 (S)	%						87	89	80-124		
4-Bromofluorobenzene (S)	%						92	92	80-120		
Dibromofluoromethane (S)	%						100	103	80-122		
Toluene-d8 (S)	%						86	85	80-123		

QUALIFIERS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

PASI-S Pace Analytical Services - Seattle

BATCH QUALIFIERS

Batch: GCSV/1833

[1] A sample duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

S2 Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
254578001	MW-18	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578002	MW-19	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578003	MW-37	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578004	MW-45	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578005	MW-50	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578006	MW-54	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578007	MW-71	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578008	MW-72	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578009	MW-73	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578010	MW-86	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578011	MW-87	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578012	MW-95	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578013	MW-200	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578014	MW-201	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578015	MW-208	EPA 3510	OEXT/2578	NWTPH-Dx	GCSV/1833
254578001	MW-18	NWTPH-Gx	GCV/1784		
254578002	MW-19	NWTPH-Gx	GCV/1784		
254578003	MW-37	NWTPH-Gx	GCV/1784		
254578004	MW-45	NWTPH-Gx	GCV/1784		
254578005	MW-50	NWTPH-Gx	GCV/1784		
254578006	MW-54	NWTPH-Gx	GCV/1784		
254578007	MW-71	NWTPH-Gx	GCV/1784		
254578008	MW-72	NWTPH-Gx	GCV/1784		
254578009	MW-73	NWTPH-Gx	GCV/1784		
254578010	MW-86	NWTPH-Gx	GCV/1784		
254578011	MW-87	NWTPH-Gx	GCV/1784		
254578012	MW-95	NWTPH-Gx	GCV/1784		
254578013	MW-200	NWTPH-Gx	GCV/1784		
254578014	MW-201	NWTPH-Gx	GCV/1784		
254578015	MW-208	NWTPH-Gx	GCV/1784		
254578016	Trip Blanks	NWTPH-Gx	GCV/1784		
254578001	MW-18	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578002	MW-19	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578003	MW-37	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578004	MW-45	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578005	MW-50	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578006	MW-54	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578007	MW-71	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578008	MW-72	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578009	MW-73	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578010	MW-86	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578011	MW-87	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578012	MW-95	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578013	MW-200	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578014	MW-201	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578015	MW-208	EPA 6020	ICPM/21954	EPA 6020	ICPM/9005
254578001	MW-18	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254578

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
254578002	MW-19	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578003	MW-37	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578004	MW-45	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578005	MW-50	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578006	MW-54	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578007	MW-71	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578008	MW-72	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578009	MW-73	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578010	MW-86	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578011	MW-87	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578012	MW-95	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578013	MW-200	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578014	MW-201	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578015	MW-208	EPA 6020	ICPM/21951	EPA 6020	ICPM/9004
254578001	MW-18	EPA 5030B/8260	MSV/2917		
254578002	MW-19	EPA 5030B/8260	MSV/2917		
254578003	MW-37	EPA 5030B/8260	MSV/2917		
254578004	MW-45	EPA 5030B/8260	MSV/2877		
254578005	MW-50	EPA 5030B/8260	MSV/2877		
254578006	MW-54	EPA 5030B/8260	MSV/2882		
254578007	MW-71	EPA 5030B/8260	MSV/2917		
254578008	MW-72	EPA 5030B/8260	MSV/2917		
254578009	MW-73	EPA 5030B/8260	MSV/2917		
254578010	MW-86	EPA 5030B/8260	MSV/2917		
254578011	MW-87	EPA 5030B/8260	MSV/2917		
254578012	MW-95	EPA 5030B/8260	MSV/2917		
254578013	MW-200	EPA 5030B/8260	MSV/2917		
254578014	MW-201	EPA 5030B/8260	MSV/2917		
254578015	MW-208	EPA 5030B/8260	MSV/2917		
254578016	Trip Blanks	EPA 5030B/8260	MSV/2882		



Sample Condition Upon Receipt

Client Name: Stantec Project # 254578

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags None Other _____ Temp. Blank Yes No

Thermometer Used 132013 or 101731962 or 226099 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 1.0, 2.4, 3.3, 5.9 Biological Tissue is Frozen: Yes No
Temp should be above freezing ≤ 6°C

Date and Initials of person examining contents: NJS 8/17/10

		Comments:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>water</u>	
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: <input checked="" type="checkbox"/> VOA, <input type="checkbox"/> coliform, TOC, O&G		Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blanks Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		Lot # of added preservative

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: JENNI GROSS Date: 8/18/10

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stanlec
 Attn: Marc Sauze
 12034 134th CT, Suite 102
 Redmond, WA 98052

Purchase Order #
 212302387

ConocoPhillips AOC#

1396

DATE: 08/16/10

PAGE: 2 of 4

SAMPLING COMPANY:
 STANTEC

Valid Value ID:

CONOCOPhillips SITE NUMBER
 AOC 01396

GLOBAL ID NO.:

ADDRESS:
 12034 134th CT Redmond, WA

SITE ADDRESS (Street and City):
 600 Westlake Avenue N, Seattle

ConocoPhillips Manager

PROJECT CONTACT (Hardcopy or PDF Report to):
 Andrea Donnell

EDF DELIVERABLE TO (RP or Designee):

PHONE NO.:

E-MAIL:

LAB USE ONLY
 NO# 254578

TELEPHONE:
 425 298-1009

FAX:

E-MAIL:
 andrea.donnell@stantec.com

SAMPLER NAME(S) (Print):
 David Reitz, Jason Payne

CONSULTANT PROJECT NUMBER
 212302387

REQUESTED ANALYSES

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

SPECIAL INSTRUCTIONS OR NOTES:

CHECK BOX IF EDD IS NEEDED

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

* Field Point name only required if different from Sample ID

LAB USE ONLY	Field Point Name	Sample ID	SAMPLING		MATRIX	NO. OF CONT.	ANALYSES							TEMPERATURE ON RECEIPT °C
			DATE	TIME			NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	BTEX	Napthalene	Kerosene w/ silica gel c/u	Total Lead	Dissolved Lead	
	MMW-50	MMW-50	08/14/10	1320	GW	10	X	X	X	X	X	X	X	10, 24, 3, 3, 5.9
	MMW-54	MMW-54	08/14/10	1500	GW	10	X	X	X	X	X	X	X	
	MMW-71	MMW-71	08/15/10	1300	GW	10	X	X	X	X	X	X	X	
	MMW-72	MMW-72	08/15/10	1330	GW	10	X	X	X	X	X	X	X	
	MMW-73	MMW-73	08/15/10	1410	GW	10	X	X	X	X	X	X	X	
	MMW-86	MMW-86	08/16/10	0935	GW	10	X	X	X	X	X	X	X	
	MMW-87	MMW-87	08/16/10	1010	GW	10	X	X	X	X	X	X	X	

Reinforced by (Signature)

[Signature]

Received by (Signature)

[Signature]

Date:

08/17/10

Time:

0900

Reinforced by (Signature)

[Signature]

Received by (Signature)

[Signature]

Date:

8/17/10

Time:

12:00

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:
 Stanlec
 Attn: Marc Saure
 12034 134th CT, Suite 102
 Redmond, WA 98052

Purchase Order #
212302387
 ConocoPhillips AOC#
1396

DATE: **08/16/10**
 PAGE: **3** of **4**

SAMPLING COMPANY: STANTEC
 ADDRESS: 12034 134th CT Redmond, WA
 PROJECT CONTACT (Hardcopy or PDF Report to): Andrea Donnell
 TELEPHONE: 425 298-1009
 FAX: [Blank]
 E-MAIL: andrea.donnell@stanlec.com
 SAMPLER NAME(S) (Print): David Reitz, Jason Payne
 CONSULTANT PROJECT NUMBER: 212302387

Valid Value ID: AOC 01396
 CONOCOPhillips SITE NUMBER: AOC 01396
 SITE ADDRESS (Street and City): 600 Westlake Avenue N, Seattle
 EDI DELIVERABLE TO (RP or Designee): [Blank]
 PHONE NO.: [Blank]

REQUESTED ANALYSES
 EMAIL: [Blank]
 LAST USE ONLY
MO# 254578

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS
 SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NEEDED

* Field Point name only required if different from Sample ID

Field Point Name	Sample ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.
MMW-95	MMW-95	08/16/10	1100	GW	10
MMW-200	MMW-200	08/15/10	1000	GW	10
MMW-201	MMW-201	08/15/10	1105	GW	10

Field Point Name	Sample ID	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	BTEX	Napthalene	Kerosene w/ silica gel c/o	Total Lead	Dissolved Lead
MMW-95	MMW-95	X	X	X	X	X	X	X
MMW-200	MMW-200	X	X	X	X	X	X	X
MMW-201	MMW-201	X	X	X	X	X	X	X

TEMPERATURE ON RECEIPT °C
11.0, 24.3, 3.5, 9

FIELD NOTES:
 Container/Preservative or PID Readings or Laboratory Notes

Received By: (Signature) *[Signature]* Date: **08/17/10** Time: **0900**

Received By: (Signature) *[Signature]* Date: **8/17/10** Time: **12:00**

Received By: (Signature) *[Signature]* Date: [Blank] Time: [Blank]

September 02, 2010

Chris Gdak
Stantec
12034 134th Ct NE, Suite 102
Redmond, WA 98052


RE: Project: 01396 - 600 Westlake N., Seatt
Pace Project No.: 254599

Dear Chris Gdak:

Enclosed are the analytical results for sample(s) received by the laboratory on August 19, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross

jennifer.gross@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 01396 - 600 Westlake N., Seatt

Peace Project No.: 254599

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification #: UST-078

Alaska Certification #MN00064

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

EPA Region 8 Certification #: Pace

Florida/NELAP Certification #: E87605

Georgia Certification #: 959

Idaho Certification #: MN00064

Illinois Certification #: 200011

Iowa Certification #: 368

Kansas Certification #: E-10167

Louisiana Certification #: 03086

Louisiana Certification #: LA080009

Maine Certification #: 2007029

Maryland Certification #: 322

Michigan DEQ Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT CERT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New Mexico Certification #: Pace

New York Certification #: 11647

North Carolina Certification #: 530

North Dakota Certification #: R-036

North Dakota Certification #: R-036A

Ohio VAP Certification #: CL101

Oklahoma Certification #: D9921

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Tennessee Certification #: 02818

Texas Certification #: T104704192

Washington Certification #: C754

Wisconsin Certification #: 999407970

Washington Certification IDs

940 South Harney Street, Seattle, WA 98108

Alaska CS Certification #: UST-025

Alaska Drinking Water VOC Certification #: WA01230

Alaska Drinking Water Micro Certification #: WA01230

California Certification #: 01153CA

Florida/NELAP Certification #: E87617

Oregon Certification #: WA200007

Washington Certification #: C1229

REPORT OF LABORATORY ANALYSIS

Page 2 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
254599001	CI-1	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254599002	CI-2	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254599003	MW-44	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LNH	9	PASI-S
254599004	MW-51	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LNH	9	PASI-S
254599005	MW-202	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254599006	MW-203	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254599007	MW-209	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S
		EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
254599008	MW-210	NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	AY1	3	PASI-S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
254599009	MW-211	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	ATH	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254599010	SMW-3	EPA 6020	RJS	1	PASI-M
		EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Dx	ERB	5	PASI-S
		NWTPH-Gx	ATH	3	PASI-S
		EPA 6020	RJS	1	PASI-M
254599011	Trip Blank	EPA 6020	RJS	1	PASI-M
		EPA 5030B/8260	LPM	9	PASI-S
		NWTPH-Gx	ATH	3	PASI-S
		EPA 5030B/8260	LNH	9	PASI-S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254599

Sample: CI-1		Lab ID: 254599001	Collected: 08/17/10 12:40	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 09:44		
Kerosene SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 09:44	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/24/10 13:50	08/26/10 09:44	64742-65-0	
n-Octacosane (S) SG	105 %		50-150	1	08/24/10 13:50	08/26/10 09:44	630-02-4	
o-Terphenyl (S) SG	106 %		50-150	1	08/24/10 13:50	08/26/10 09:44	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 13:23		
a,a,a-Trifluorotoluene (S)	90 %		50-150	1		08/24/10 13:23	98-08-8	
4-Bromofluorobenzene (S)	84 %		50-150	1		08/24/10 13:23	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	2.0 ug/L		0.10	1	08/26/10 11:47	09/01/10 12:34	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 13:33	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/24/10 23:53	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/24/10 23:53	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/24/10 23:53	91-20-3	
Toluene	ND ug/L		1.0	1		08/24/10 23:53	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/24/10 23:53	1330-20-7	
4-Bromofluorobenzene (S)	87 %		80-120	1		08/24/10 23:53	460-00-4	
Dibromofluoromethane (S)	101 %		80-122	1		08/24/10 23:53	1868-53-7	
1,2-Dichloroethane-d4 (S)	87 %		80-124	1		08/24/10 23:53	17060-07-0	
Toluene-d8 (S)	81 %		80-123	1		08/24/10 23:53	2037-26-5	

Sample: CI-2		Lab ID: 254599002	Collected: 08/17/10 13:20	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		76.9	1	08/24/10 13:50	08/26/10 10:01		
Kerosene SG	ND ug/L		76.9	1	08/24/10 13:50	08/26/10 10:01	8008-20-6	
Motor Oil Range SG	ND ug/L		385	1	08/24/10 13:50	08/26/10 10:01	64742-65-0	
n-Octacosane (S) SG	109 %		50-150	1	08/24/10 13:50	08/26/10 10:01	630-02-4	
o-Terphenyl (S) SG	110 %		50-150	1	08/24/10 13:50	08/26/10 10:01	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 14:33		
a,a,a-Trifluorotoluene (S)	99 %		50-150	1		08/24/10 14:33	98-08-8	
4-Bromofluorobenzene (S)	91 %		50-150	1		08/24/10 14:33	460-00-4	

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254599

Sample: CI-2		Lab ID: 254599002	Collected: 08/17/10 13:20	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	1.7 ug/L		0.10	1	08/26/10 11:47	09/01/10 12:39	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 13:38	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 00:16	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 00:16	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 00:16	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 00:16	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 00:16	1330-20-7	
4-Bromofluorobenzene (S)	85 %		80-120	1		08/25/10 00:16	460-00-4	
Dibromofluoromethane (S)	103 %		80-122	1		08/25/10 00:16	1868-53-7	
1,2-Dichloroethane-d4 (S)	89 %		80-124	1		08/25/10 00:16	17060-07-0	
Toluene-d8 (S)	81 %		80-123	1		08/25/10 00:16	2037-26-5	

Sample: MW-44		Lab ID: 254599003	Collected: 08/17/10 14:00	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:23		
Kerosene SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:23	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/24/10 13:50	08/26/10 11:23	64742-65-0	
n-Octacosane (S) SG	105 %		50-150	1	08/24/10 13:50	08/26/10 11:23	630-02-4	
o-Terphenyl (S) SG	103 %		50-150	1	08/24/10 13:50	08/26/10 11:23	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 14:57		
a,a,a-Trifluorotoluene (S)	100 %		50-150	1		08/24/10 14:57	98-08-8	
4-Bromofluorobenzene (S)	93 %		50-150	1		08/24/10 14:57	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.49 ug/L		0.10	1	08/26/10 11:47	09/01/10 12:43	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.16 ug/L		0.10	1	08/26/10 14:18	09/01/10 08:02	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/27/10 19:06	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/27/10 19:06	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/27/10 19:06	91-20-3	
Toluene	ND ug/L		1.0	1		08/27/10 19:06	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/27/10 19:06	1330-20-7	
4-Bromofluorobenzene (S)	101 %		80-120	1		08/27/10 19:06	460-00-4	

Date: 09/02/2010 03:22 PM

REPORT OF LABORATORY ANALYSIS

Page 6 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Sample: MW-44		Lab ID: 254599003	Collected: 08/17/10 14:00	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
Dibromofluoromethane (S)	100 %		80-122	1		08/27/10 19:06	1868-53-7	
1,2-Dichloroethane-d4 (S)	103 %		80-124	1		08/27/10 19:06	17060-07-0	
Toluene-d8 (S)	98 %		80-123	1		08/27/10 19:06	2037-26-5	

Sample: MW-51		Lab ID: 254599004	Collected: 08/17/10 10:40	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:40		
Kerosene SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:40	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/24/10 13:50	08/26/10 11:40	64742-65-0	
n-Octacosane (S) SG	94 %		50-150	1	08/24/10 13:50	08/26/10 11:40	630-02-4	
o-Terphenyl (S) SG	94 %		50-150	1	08/24/10 13:50	08/26/10 11:40	84-15-1	

NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 15:20		
a,a,a-Trifluorotoluene (S)	81 %		50-150	1		08/24/10 15:20	98-08-8	
4-Bromofluorobenzene (S)	83 %		50-150	1		08/24/10 15:20	460-00-4	

6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	1.4 ug/L		0.10	1	08/26/10 11:47	09/01/10 12:48	7439-92-1	

6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.10 ug/L		0.10	1	08/26/10 14:18	09/01/10 08:16	7439-92-1	

8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/27/10 01:48	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/27/10 01:48	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/27/10 01:48	91-20-3	
Toluene	ND ug/L		1.0	1		08/27/10 01:48	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/27/10 01:48	1330-20-7	
4-Bromofluorobenzene (S)	101 %		80-120	1		08/27/10 01:48	460-00-4	
Dibromofluoromethane (S)	101 %		80-122	1		08/27/10 01:48	1868-53-7	
1,2-Dichloroethane-d4 (S)	103 %		80-124	1		08/27/10 01:48	17060-07-0	
Toluene-d8 (S)	101 %		80-123	1		08/27/10 01:48	2037-26-5	

Sample: MW-202		Lab ID: 254599005	Collected: 08/18/10 13:00	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:56		
Kerosene SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 11:56	8008-20-6	

Date: 09/02/2010 03:22 PM

REPORT OF LABORATORY ANALYSIS

Page 7 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254599

Sample: MW-202	Lab ID: 254599005	Collected: 08/18/10 13:00	Received: 08/19/10 10:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Motor Oil Range SG	ND ug/L		392	1	08/24/10 13:50	08/26/10 11:56	64742-65-0	
n-Octacosane (S) SG	107 %		50-150	1	08/24/10 13:50	08/26/10 11:56	630-02-4	
o-Terphenyl (S) SG	108 %		50-150	1	08/24/10 13:50	08/26/10 11:56	84-15-1	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx								
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 15:43		
a,a,a-Trifluorotoluene (S)	70 %		50-150	1		08/24/10 15:43	98-08-8	
4-Bromofluorobenzene (S)	72 %		50-150	1		08/24/10 15:43	460-00-4	
6020 MET ICPMS Analytical Method: EPA 6020								
Lead	1.8 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:01	7439-92-1	
6020 MET ICPMS, Dissolved Analytical Method: EPA 6020								
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 08:21	7439-92-1	
8260 MSV Analytical Method: EPA 5030B/8260								
Benzene	ND ug/L		1.0	1		08/25/10 01:25	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 01:25	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 01:25	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 01:25	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 01:25	1330-20-7	
4-Bromofluorobenzene (S)	87 %		80-120	1		08/25/10 01:25	460-00-4	
Dibromofluoromethane (S)	102 %		80-122	1		08/25/10 01:25	1868-53-7	
1,2-Dichloroethane-d4 (S)	87 %		80-124	1		08/25/10 01:25	17060-07-0	
Toluene-d8 (S)	80 %		80-123	1		08/25/10 01:25	2037-26-5	

Sample: MW-203	Lab ID: 254599006	Collected: 08/18/10 08:45	Received: 08/19/10 10:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Range SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 12:13		
Kerosene SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 12:13	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/24/10 13:50	08/26/10 12:13	64742-65-0	
n-Octacosane (S) SG	96 %		50-150	1	08/24/10 13:50	08/26/10 12:13	630-02-4	
o-Terphenyl (S) SG	97 %		50-150	1	08/24/10 13:50	08/26/10 12:13	84-15-1	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx								
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 16:07		
a,a,a-Trifluorotoluene (S)	77 %		50-150	1		08/24/10 16:07	98-08-8	
4-Bromofluorobenzene (S)	77 %		50-150	1		08/24/10 16:07	460-00-4	
6020 MET ICPMS Analytical Method: EPA 6020								
Lead	0.84 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:06	7439-92-1	

Date: 09/02/2010 03:22 PM

REPORT OF LABORATORY ANALYSIS

Page 8 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Sample: MW-203		Lab ID: 254599006	Collected: 08/18/10 08:45	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 08:25	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 01:48	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 01:48	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 01:48	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 01:48	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 01:48	1330-20-7	
4-Bromofluorobenzene (S)	85 %		80-120	1		08/25/10 01:48	460-00-4	
Dibromofluoromethane (S)	102 %		80-122	1		08/25/10 01:48	1868-53-7	
1,2-Dichloroethane-d4 (S)	89 %		80-124	1		08/25/10 01:48	17060-07-0	
Toluene-d8 (S)	81 %		80-123	1		08/25/10 01:48	2037-26-5	

Sample: MW-209		Lab ID: 254599007	Collected: 08/18/10 10:55	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	86.7 ug/L		77.7	1	08/24/10 13:50	08/26/10 12:29		
Kerosene SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 12:29	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/24/10 13:50	08/26/10 12:29	64742-65-0	
n-Octacosane (S) SG	109 %		50-150	1	08/24/10 13:50	08/26/10 12:29	630-02-4	
o-Terphenyl (S) SG	105 %		50-150	1	08/24/10 13:50	08/26/10 12:29	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 16:30		
a,a,a-Trifluorotoluene (S)	100 %		50-150	1		08/24/10 16:30	98-08-8	
4-Bromofluorobenzene (S)	94 %		50-150	1		08/24/10 16:30	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	1.3 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:10	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 08:30	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 02:11	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 02:11	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 02:11	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 02:11	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 02:11	1330-20-7	
4-Bromofluorobenzene (S)	85 %		80-120	1		08/25/10 02:11	460-00-4	
Dibromofluoromethane (S)	104 %		80-122	1		08/25/10 02:11	1868-53-7	
1,2-Dichloroethane-d4 (S)	89 %		80-124	1		08/25/10 02:11	17060-07-0	
Toluene-d8 (S)	81 %		80-123	1		08/25/10 02:11	2037-26-5	

Date: 09/02/2010 03:22 PM

REPORT OF LABORATORY ANALYSIS

Page 9 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Sample: MW-210		Lab ID: 254599008	Collected: 08/18/10 10:10	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 12:46		
Kerosene SG	ND ug/L		78.4	1	08/24/10 13:50	08/26/10 12:46	8008-20-6	
Motor Oil Range SG	ND ug/L		392	1	08/24/10 13:50	08/26/10 12:46	64742-65-0	
n-Octacosane (S) SG	106 %		50-150	1	08/24/10 13:50	08/26/10 12:46	630-02-4	
o-Terphenyl (S) SG	106 %		50-150	1	08/24/10 13:50	08/26/10 12:46	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/24/10 16:54		
a,a,a-Trifluorotoluene (S)	89 %		50-150	1		08/24/10 16:54	98-08-8	
4-Bromofluorobenzene (S)	88 %		50-150	1		08/24/10 16:54	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.36 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:15	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 08:34	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 02:34	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 02:34	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 02:34	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 02:34	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 02:34	1330-20-7	
4-Bromofluorobenzene (S)	88 %		80-120	1		08/25/10 02:34	460-00-4	
Dibromofluoromethane (S)	104 %		80-122	1		08/25/10 02:34	1868-53-7	
1,2-Dichloroethane-d4 (S)	90 %		80-124	1		08/25/10 02:34	17060-07-0	
Toluene-d8 (S)	80 %		80-123	1		08/25/10 02:34	2037-26-5	

Sample: MW-211		Lab ID: 254599009	Collected: 08/18/10 09:35	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 13:02		
Kerosene SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 13:02	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/24/10 13:50	08/26/10 13:02	64742-65-0	
n-Octacosane (S) SG	107 %		50-150	1	08/24/10 13:50	08/26/10 13:02	630-02-4	
o-Terphenyl (S) SG	110 %		50-150	1	08/24/10 13:50	08/26/10 13:02	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/27/10 23:41		
a,a,a-Trifluorotoluene (S)	92 %		50-150	1		08/27/10 23:41	98-08-8	
4-Bromofluorobenzene (S)	84 %		50-150	1		08/27/10 23:41	460-00-4	

ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Sample Project No.: 254599

Sample: MW-211		Lab ID: 254599009	Collected: 08/18/10 09:35	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.34 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:20	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	0.13 ug/L		0.10	1	08/26/10 14:18	09/01/10 08:39	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 02:57	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 02:57	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 02:57	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 02:57	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 02:57	1330-20-7	
4-Bromofluorobenzene (S)	85 %		80-120	1		08/25/10 02:57	460-00-4	
Dibromofluoromethane (S)	104 %		80-122	1		08/25/10 02:57	1868-53-7	
1,2-Dichloroethane-d4 (S)	88 %		80-124	1		08/25/10 02:57	17060-07-0	
Toluene-d8 (S)	80 %		80-123	1		08/25/10 02:57	2037-26-5	

Sample: SMW-3		Lab ID: 254599010	Collected: 08/18/10 11:45	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS SG		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Range SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 14:08		
Kerosene SG	ND ug/L		77.7	1	08/24/10 13:50	08/26/10 14:08	8008-20-6	
Motor Oil Range SG	ND ug/L		388	1	08/24/10 13:50	08/26/10 14:08	64742-65-0	
n-Octacosane (S) SG	102 %		50-150	1	08/24/10 13:50	08/26/10 14:08	630-02-4	
o-Terphenyl (S) SG	101 %		50-150	1	08/24/10 13:50	08/26/10 14:08	84-15-1	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/28/10 00:06		
a,a,a-Trifluorotoluene (S)	95 %		50-150	1		08/28/10 00:06	98-08-8	
4-Bromofluorobenzene (S)	98 %		50-150	1		08/28/10 00:06	460-00-4	
6020 MET ICPMS		Analytical Method: EPA 6020						
Lead	0.39 ug/L		0.10	1	08/26/10 11:47	09/01/10 13:24	7439-92-1	
6020 MET ICPMS, Dissolved		Analytical Method: EPA 6020						
Lead, Dissolved	ND ug/L		0.10	1	08/26/10 14:18	09/01/10 08:43	7439-92-1	
8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/25/10 03:20	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/25/10 03:20	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/25/10 03:20	91-20-3	
Toluene	ND ug/L		1.0	1		08/25/10 03:20	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/25/10 03:20	1330-20-7	
4-Bromofluorobenzene (S)	85 %		80-120	1		08/25/10 03:20	460-00-4	

Date: 09/02/2010 03:22 PM

REPORT OF LABORATORY ANALYSIS

Page 11 of 23

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Sample: SMW-3		Lab ID: 254599010	Collected: 08/18/10 11:45	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
Dibromofluoromethane (S)	102 %		80-122	1		08/25/10 03:20	1868-53-7	
1,2-Dichloroethane-d4 (S)	88 %		80-124	1		08/25/10 03:20	17060-07-0	
Toluene-d8 (S)	80 %		80-123	1		08/25/10 03:20	2037-26-5	

Sample: Trip Blank		Lab ID: 254599011	Collected: 08/18/10 00:00	Received: 08/19/10 10:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx						
Gasoline Range Organics	ND ug/L		50.0	1		08/27/10 21:43		
a,a,a-Trifluorotoluene (S)	121 %		50-150	1		08/27/10 21:43	98-08-8	
4-Bromofluorobenzene (S)	124 %		50-150	1		08/27/10 21:43	460-00-4	

8260 MSV		Analytical Method: EPA 5030B/8260						
Benzene	ND ug/L		1.0	1		08/27/10 01:23	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/27/10 01:23	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/27/10 01:23	91-20-3	
Toluene	ND ug/L		1.0	1		08/27/10 01:23	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		08/27/10 01:23	1330-20-7	
4-Bromofluorobenzene (S)	100 %		80-120	1		08/27/10 01:23	460-00-4	
Dibromofluoromethane (S)	101 %		80-122	1		08/27/10 01:23	1868-53-7	
1,2-Dichloroethane-d4 (S)	103 %		80-124	1		08/27/10 01:23	17060-07-0	
Toluene-d8 (S)	101 %		80-123	1		08/27/10 01:23	2037-26-5	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

QC Batch: OEXT/2523 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS
 Associated Lab Samples: 254599001, 254599002, 254599003, 254599004, 254599005, 254599006, 254599007, 254599008, 254599009, 254599010

METHOD BLANK: 37187 Matrix: Water
 Associated Lab Samples: 254599001, 254599002, 254599003, 254599004, 254599005, 254599006, 254599007, 254599008, 254599009, 254599010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range SG	ug/L	ND	80.0	08/26/10 02:52	
Kerosene SG	ug/L	ND	80.0	08/26/10 02:52	
Motor Oil Range SG	ug/L	ND	400	08/26/10 02:52	
n-Octacosane (S) SG	%	102	50-150	08/26/10 02:52	
o-Terphenyl (S) SG	%	99	50-150	08/26/10 02:52	

LABORATORY CONTROL SAMPLE & LCSD: 37188 37189

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Range SG	ug/L	5000	4370	3240	87	65	51-147	30	30	
Motor Oil Range SG	ug/L	5000	4800	3590	96	72	20-160	29	30	
n-Octacosane (S) SG	%				103	63	50-150			
o-Terphenyl (S) SG	%				118	71	50-150			

LABORATORY CONTROL SAMPLE & LCSD: 37190 37191

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Kerosene SG	ug/L	5000	3480	3620	70	72	50-150	4	30	
n-Octacosane (S) SG	%				105	106	50-150			
o-Terphenyl (S) SG	%				108	108	50-150			

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

QC Batch: GCV/1790 Analysis Method: NWTPH-Gx
 QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx GCV Water
 Associated Lab Samples: 254599001, 254599002, 254599003, 254599004, 254599005, 254599006, 254599007, 254599008

METHOD BLANK: 37399 Matrix: Water
 Associated Lab Samples: 254599001, 254599002, 254599003, 254599004, 254599005, 254599006, 254599007, 254599008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	ug/L	ND	50.0	08/24/10 11:03	
4-Bromofluorobenzene (S)	%	91	50-150	08/24/10 11:03	
a,a,a-Trifluorotoluene (S)	%	95	50-150	08/24/10 11:03	

LABORATORY CONTROL SAMPLE: 37400

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	ug/L	250	252	101	50-163	
4-Bromofluorobenzene (S)	%			79	50-150	
a,a,a-Trifluorotoluene (S)	%			90	50-150	

SAMPLE DUPLICATE: 37556

Parameter	Units	254639007 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	2230	1890	16	
4-Bromofluorobenzene (S)	%	122	108	12	
a,a,a-Trifluorotoluene (S)	%	96	82	16	

SAMPLE DUPLICATE: 37557

Parameter	Units	254599001 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	ND	ND		
4-Bromofluorobenzene (S)	%	84	68	20	
a,a,a-Trifluorotoluene (S)	%	90	67	30	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

QC Batch: GCV/1796 Analysis Method: NWTPH-Gx
 QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx GCV Water
 Associated Lab Samples: 254599009, 254599010, 254599011

METHOD BLANK: 37561 Matrix: Water

Associated Lab Samples: 254599009, 254599010, 254599011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	ug/L	ND	50.0	08/27/10 21:19	
4-Bromofluorobenzene (S)	%	104	50-150	08/27/10 21:19	
a,a,a-Trifluorotoluene (S)	%	107	50-150	08/27/10 21:19	

LABORATORY CONTROL SAMPLE: 37562

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	ug/L	250	253	101	50-163	
4-Bromofluorobenzene (S)	%			102	50-150	
a,a,a-Trifluorotoluene (S)	%			101	50-150	

SAMPLE DUPLICATE: 38205

Parameter	Units	254603005 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	ND	19.6J		
4-Bromofluorobenzene (S)	%	116	100	15	
a,a,a-Trifluorotoluene (S)	%	114	102	11	

SAMPLE DUPLICATE: 38206

Parameter	Units	254599009 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics	ug/L	ND	18.1J		
4-Bromofluorobenzene (S)	%	84	93	11	
a,a,a-Trifluorotoluene (S)	%	92	81	12	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

QC Batch: MSV/2891 Analysis Method: EPA 5030B/8260
 QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
 Associated Lab Samples: 254599001, 254599002, 254599005, 254599006, 254599007, 254599008, 254599009, 254599010

METHOD BLANK: 37123 Matrix: Water
 Associated Lab Samples: 254599001, 254599002, 254599005, 254599006, 254599007, 254599008, 254599009, 254599010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/24/10 22:44	
Ethylbenzene	ug/L	ND	1.0	08/24/10 22:44	
Naphthalene	ug/L	ND	1.0	08/24/10 22:44	
Toluene	ug/L	ND	1.0	08/24/10 22:44	
Xylene (Total)	ug/L	ND	3.0	08/24/10 22:44	
1,2-Dichloroethane-d4 (S)	%	90	80-124	08/24/10 22:44	
4-Bromofluorobenzene (S)	%	87	80-120	08/24/10 22:44	
Dibromofluoromethane (S)	%	104	80-122	08/24/10 22:44	
Toluene-d8 (S)	%	80	80-123	08/24/10 22:44	

LABORATORY CONTROL SAMPLE: 37124

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	22.8	114	76-127	
Ethylbenzene	ug/L	20	18.5	93	72-125	
Naphthalene	ug/L	20	19.8	99	51-142	
Toluene	ug/L	20	18.3	92	69-125	
Xylene (Total)	ug/L	60	58.6	98	74-124	
1,2-Dichloroethane-d4 (S)	%			86	80-124	
4-Bromofluorobenzene (S)	%			91	80-120	
Dibromofluoromethane (S)	%			102	80-122	
Toluene-d8 (S)	%			84	80-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 37126 37127

Parameter	Units	254603015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Benzene	ug/L	230	20	20	344	246	570	77	75-124	33	D6,E,M1
Ethylbenzene	ug/L	98.9	20	20	187	117	439	91	76-124	46	D6,M1
Naphthalene	ug/L	6.9	20	20	26.3	29.6	97	114	69-135	12	
Toluene	ug/L	ND	20	20	20.3	20.4	98	99	75-124	.7	
Xylene (Total)	ug/L	13.0	60	60	79.9	74.8	112	103	76-123	7	
1,2-Dichloroethane-d4 (S)	%						87	86	80-124		
4-Bromofluorobenzene (S)	%						91	90	80-120		
Dibromofluoromethane (S)	%						101	100	80-122		
Toluene-d8 (S)	%						83	86	80-123		

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

QC Batch: MSV/2935 Analysis Method: EPA 5030B/8260
 QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
 Associated Lab Samples: 254599004, 254599011

METHOD BLANK: 37946 Matrix: Water

Associated Lab Samples: 254599004, 254599011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/27/10 00:10	
Ethylbenzene	ug/L	ND	1.0	08/27/10 00:10	
Naphthalene	ug/L	ND	1.0	08/27/10 00:10	
Toluene	ug/L	ND	1.0	08/27/10 00:10	
Xylene (Total)	ug/L	ND	3.0	08/27/10 00:10	
1,2-Dichloroethane-d4 (S)	%	105	80-124	08/27/10 00:10	
4-Bromofluorobenzene (S)	%	102	80-120	08/27/10 00:10	
Dibromofluoromethane (S)	%	100	80-122	08/27/10 00:10	
Toluene-d8 (S)	%	100	80-123	08/27/10 00:10	

LABORATORY CONTROL SAMPLE: 37947

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	18.5	92	76-127	
Ethylbenzene	ug/L	20	19.2	96	72-125	
Naphthalene	ug/L	20	19.0	95	51-142	
Toluene	ug/L	20	18.4	92	69-125	
Xylene (Total)	ug/L	60	57.0	95	74-124	
1,2-Dichloroethane-d4 (S)	%			101	80-124	
4-Bromofluorobenzene (S)	%			102	80-120	
Dibromofluoromethane (S)	%			102	80-122	
Toluene-d8 (S)	%			101	80-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 37948 37949

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		254738001 Result	Spike Conc.	Spike Conc.	MS Result					
Benzene	ug/L	1090	200	200	1220	1280	66	94	75-124	4 M1
Ethylbenzene	ug/L	1030	200	200	1170	1200	69	87	76-124	3 M1
Naphthalene	ug/L	324	200	200	547	589	112	133	69-135	7
Toluene	ug/L	1610	200	200	1730	1780	59	85	75-124	3 M1
Xylene (Total)	ug/L	3360	600	600	3740	3880	64	87	76-123	4 M1
1,2-Dichloroethane-d4 (S)	%						101	102	80-124	
4-Bromofluorobenzene (S)	%						102	101	80-120	
Dibromofluoromethane (S)	%						102	103	80-122	
Toluene-d8 (S)	%						102	101	80-123	

QUALITY CONTROL DATA

Project: 01396 - 600 Westlake N., Seatt
Pace Project No.: 254599

QC Batch:	MSV/2942	Analysis Method:	EPA 5030B/8260
QC Batch Method:	EPA 5030B/8260	Analysis Description:	8260 MSV Water 10 mL Purge
Associated Lab Samples:	254599003		

METHOD BLANK: 38145 Matrix: Water
Associated Lab Samples: 254599003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	08/27/10 13:44	
Ethylbenzene	ug/L	ND	1.0	08/27/10 13:44	
Naphthalene	ug/L	ND	1.0	08/27/10 13:44	
Toluene	ug/L	ND	1.0	08/27/10 13:44	
Xylene (Total)	ug/L	ND	3.0	08/27/10 13:44	
1,2-Dichloroethane-d4 (S)	%	108	80-124	08/27/10 13:44	
4-Bromofluorobenzene (S)	%	100	80-120	08/27/10 13:44	
Dibromofluoromethane (S)	%	101	80-122	08/27/10 13:44	
Toluene-d8 (S)	%	103	80-123	08/27/10 13:44	

LABORATORY CONTROL SAMPLE & LCSD: 38146 38147

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	20	19.6	19.4	98	97	76-127	1	30	
Ethylbenzene	ug/L	20	20.3	19.9	101	100	72-125	2	30	
Naphthalene	ug/L	20	18.5	20.2	93	101	51-142	9	30	
Toluene	ug/L	20	19.5	19.0	97	95	69-125	3	30	
Xylene (Total)	ug/L	60	60.4	58.9	101	98	74-124	2	30	
1,2-Dichloroethane-d4 (S)	%				101	101	80-124			
4-Bromofluorobenzene (S)	%				102	101	80-120			
Dibromofluoromethane (S)	%				102	102	80-122			
Toluene-d8 (S)	%				101	100	80-123			

QUALIFIERS

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

PASI-S Pace Analytical Services - Seattle

BATCH QUALIFIERS

Batch: GCSV/1823

[1] A sample duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

D6 The relative percent difference (RPD) between the sample and sample duplicate exceeded laboratory control limits.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
254599001	CI-1	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599002	CI-2	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599003	MW-44	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599004	MW-51	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599005	MW-202	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599006	MW-203	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599007	MW-209	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599008	MW-210	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599009	MW-211	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599010	SMW-3	EPA 3510	OEXT/2523	NWTPH-Dx	GCSV/1823
254599001	CI-1	NWTPH-Gx	GCV/1790		
254599002	CI-2	NWTPH-Gx	GCV/1790		
254599003	MW-44	NWTPH-Gx	GCV/1790		
254599004	MW-51	NWTPH-Gx	GCV/1790		
254599005	MW-202	NWTPH-Gx	GCV/1790		
254599006	MW-203	NWTPH-Gx	GCV/1790		
254599007	MW-209	NWTPH-Gx	GCV/1790		
254599008	MW-210	NWTPH-Gx	GCV/1790		
254599009	MW-211	NWTPH-Gx	GCV/1796		
254599010	SMW-3	NWTPH-Gx	GCV/1796		
254599011	Trip Blank	NWTPH-Gx	GCV/1796		
254599001	CI-1	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599002	CI-2	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599003	MW-44	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599004	MW-51	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599005	MW-202	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599006	MW-203	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599007	MW-209	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599008	MW-210	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599009	MW-211	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599010	SMW-3	EPA 6020	ICPM/21991	EPA 6020	ICPM/9008
254599001	CI-1	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599002	CI-2	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599003	MW-44	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599004	MW-51	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599005	MW-202	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599006	MW-203	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599007	MW-209	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599008	MW-210	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599009	MW-211	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599010	SMW-3	EPA 6020	ICPM/21988	EPA 6020	ICPM/9012
254599001	CI-1	EPA 5030B/8260	MSV/2891		
254599002	CI-2	EPA 5030B/8260	MSV/2891		
254599003	MW-44	EPA 5030B/8260	MSV/2942		
254599004	MW-51	EPA 5030B/8260	MSV/2935		

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 01396 - 600 Westlake N., Seatt

Pace Project No.: 254599

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
254599005	MW-202	EPA 5030B/8260	MSV/2891		
254599006	MW-203	EPA 5030B/8260	MSV/2891		
254599007	MW-209	EPA 5030B/8260	MSV/2891		
254599008	MW-210	EPA 5030B/8260	MSV/2891		
254599009	MW-211	EPA 5030B/8260	MSV/2891		
254599010	SMW-3	EPA 5030B/8260	MSV/2891		
254599011	Trip Blank	EPA 5030B/8260	MSV/2935		



Sample Condition Upon Receipt

Client Name: Stantec Project # 254599

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags None Other _____ Temp. Blank Yes No

Thermometer Used 132013 or 101731962 or 226099 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 1.5°C, 2.3°C, 3.8°C Biological Tissue is Frozen: Yes No

Date and Initials of person examining content: NS 8/19/10

Temp should be above freezing ≤ 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>Water</u>		
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: <u>VOA</u> , coliform, TOC, O&G		Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blanks Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: JENNI GROSS Date: 8/19/10

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Chain Of Custody Record

Pace Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stanlec
 Attn: Marc Sauze
 12034 134th CT; Suite 102
 Redmond, WA 98052

Purchase Order #

212302387

ConocoPhillips AOC#

1396

DATE: 08/18/10

PAGE: 2 of 4

SAMPLING COMPANY: STANTEC

Valid Value ID:

CONOCOPHILLIPS SITE NUMBER

GLOBAL ID NO.:

ADDRESS: 12034 134th CT Redmond, WA

AOC 01396

ConocoPhillips Manager

PROJECT CONTACT (Hardcopy or PDF Report to):

600 Westlake Avenue N, Seattle

Andrea Donnell

EDF DELIVERABLE TO (RFP or Designee):

PHONE NO.:

E-MAIL:

LAB USE ONLY
 MO # 254599

TELEPHONE: 425 298-1009

FAX:

E-MAIL: andrea.donnell@stantec.com

SAMPLER NAME(S) (Print):

CONSULTANT PROJECT NUMBER

REQUESTED ANALYSES

David Reitz, Jason Payne

212302387

TURNDOWN TIME (CALENDAR DAYS):

14 DAYS 7 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

SPECIAL INSTRUCTIONS OR NOTES:

CHECK BOX IF EDO IS NEEDED

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

* Field Point name only required if different from Sample ID

Field Point Name	Sample ID	SAMPLING DATE		MATRIX	NO. OF CONT.
		DATE	TIME		
MW-51	MW-51	08/17/10	1040	GW	10

NWTPH-Gx
 NWTPH-Dx with Silica Gel Cleanup
 BTEX
 Napthalene
 Kerosene w/ silica gel clu
 Total Lead
 Dissolved Lead

TEMPERATURE ON RECEIPT °C
 1.5, 2.3, 3.8

Requisitioned By: (Signature)

Received By: (Signature)

Date:

Time:

Requisitioned By: (Signature)

Received By: (Signature)

Date:

Time:

Requisitioned By: (Signature)

Received By: (Signature)

Date:

Time:

Chain Of Custody Record

Face Analytical
 940 South Harney
 Seattle, WA 98108
 206-767-5060

INVOICE REMITTANCE ADDRESS:

Stantec
 Attn: Marc Sauze
 12034 134th CT, Suite 102
 Redmond, WA 98052

Purchase Order #
 212302387

ConocoPhillips AOC#

1396

DATE: 08/18/10
 PAGE: 3 of 4

SAMPLING COMPANY: STANTEC
 ADDRESS: 12034 134th CT Redmond, WA
 PROJECT CONTACT (Hardcopy or PDF Report to): Andrea Donnell
 TELEPHONE: 425 298-1009
 FAX: [Blank]
 EMAIL: andrea.donnell@stantec.com
 SAMPLER NAME(S) (Print): David Reitz, Jason Payne
 CONSULTANT PROJECT NUMBER: 212302387

Valid Value ID:
 CONOCOPHILLIPS SITE NUMBER: AOC 01396
 SITE ADDRESS (Street and City): 600 Westlake Avenue N, Seattle
 EDF DELIVERABLE TO (RP or Designee): [Blank]

PHONE NO.: [Blank]
 E-MAIL: [Blank]

GLOBAL ID NO.: ConocoPhillips Manager
 LAB USE ONLY: NO #2545699

TURNAROUND TIME (CALENDAR DAYS):
 14 DAYS 7 DAYS 24 HOURS 48 HOURS 72 HOURS LESS THAN 24 HOURS
 SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NEEDED

REQUESTED ANALYSES

Field Point Name	Sample ID	SAMPLING DATE	TIME	MATRIX	NO. OF CONT.	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	BTEX	Napthalene	Kerosene w/ silica gel c/o	Total Lead	Dissolved Lead	TEMPERATURE ON RECEIPT °C
[Redacted]	MMW-202	08/18/10	1300	GW	10	X	X	X	X	X	X	X	1.5, 2.3, 3.8
[Redacted]	MMW-203	08/18/10	0845	GW	10	X	X	X	X	X	X	X	
[Redacted]	MMW-209	08/18/10	1055	GW	10	X	X	X	X	X	X	X	
[Redacted]	MMW-210	08/18/10	1010	GW	10	X	X	X	X	X	X	X	

* Field Point name only required if different from Sample ID

Relinquished by: (Signature) [Signature]
 Date: 08/19/10
 Time: 0900

Received by: (Signature) Syothi Sany
 Date: 8/19/10
 Time: 10:40

