

CONFIRMATIONAL GROUNDWATER MONITORING REPORT – JULY 2022 SAMPLING EVENT

SeaTac Development Site (MasterPark Lot C Property)

Prepared for:

Washington Department of Ecology

September 2022



Confirmational Groundwater Monitoring Report - July 2022 Sampling Event

Prepared for:
Mr. Vance Atkins
Washington Department of Ecology
Northwest Regional Office
3190 – 160th Avenue Southeast
Bellevue, WA 98009-5452

This document has been prepared by SLR International Corporation (SLR). The material and data in this report were prepared under the supervision and direction of the undersigned.



Christopher Lee, L.G.
Associate Geologist



MICHAEL D. STATON

Michael D. Staton, L.G.
Managing Principal

CONTENTS

ACRONYMS	ii
1. INTRODUCTION	1
2. GROUNDWATER SAMPLING EVENT	2
2.1 Groundwater Monitoring Results	2
2.2 Groundwater Sample Analytical Results.....	3
3. DATA QUALITY ASSURANCE AND VALIDATION	4
4. CONCLUSIONS	5
5. REFERENCES	6

FIGURES

Figure 1	Subject Property Location Map
Figure 2	GRO and Benzene Concentrations in Groundwater Samples - July 2022
Figure 3	Groundwater Elevation Contour Map - July 25, 2022

TABLES

Table 1	Groundwater Field Parameters and Sample Analytical Results for Groundwater COCs - July 2022 Sampling Event
Table 2	Groundwater Monitoring Data – July 25, 2022

APPENDICES

Appendix A	Low-Flow Groundwater Sampling Field Data Sheets
Appendix B	Data Tables and Trend Graphs
Appendix C	Laboratory Report

ACRONYMS

µg/L	micrograms per liter
mg/L	milligrams per liter
Apex	Apex Laboratories, Inc.
BTEX	benzene, toluene, ethylbenzene, and xylenes
CMP	Compliance Monitoring Plan
COC	contaminants of concern
DO	dissolved oxygen
Ecology	Washington Department of Ecology
EDB	1,2-dibromoethane
Golder	Golder Associates, Inc.
GRO	gasoline range organics
IAS/SVE	in-situ air sparging and soil vapor extraction
MDL	method detection limit
MRL	method reporting limit
MSL	mean sea level
MTCA	Model Toxics Control Act
ORP	oxygen reduction potential
QA	quality assurance
QC	quality control
SLR	SLR International Corporation

1. INTRODUCTION

On July 25 and 26, 2022, SLR International Corporation (SLR) conducted a semiannual confirmational groundwater monitoring event at the SeaTac Development Site (the Site), which is primarily located at 16025 International Boulevard in SeaTac, Washington (the subject property). The location of the subject property, which is occupied by the MasterPark Lot C parking lot, is shown on Figure 1.

From approximately May to July 2013 and December 2013 through July 2017, Golder Associates, Inc. (Golder) operated an in-situ air sparging and soil vapor extraction (IAS/SVE) system at the subject property to remediate the petroleum hydrocarbon-impacted groundwater at the Site. After the deactivation of the IAS/SVE system in July 2017, performance groundwater monitoring events were conducted on a semiannual basis from November 2017 through July 2019 to monitor any changes in the petroleum hydrocarbon concentrations over time. The results of the performance groundwater monitoring showed that petroleum hydrocarbon concentrations in the groundwater beneath the northern and northwestern parts of the subject property were still above the MTCA Method A cleanup levels by July 2019 (SLR, 2019). To reduce the remaining petroleum hydrocarbon concentrations in the groundwater, SLR reactivated the IAS/SVE system on September 5, 2019. The system was operated through July 15, 2020, when it was deactivated prior to the July 2020 performance groundwater monitoring event. Based on the results of the January and July 2020 performance groundwater monitoring events (SLR, 2020a and SLR, 2020b), it appeared that the IAS/SVE system had effectively reduced the petroleum hydrocarbon concentrations in the groundwater beneath the subject property to levels that should naturally attenuate to the below the cleanup levels within a reasonable timeframe. Therefore, the IAS/SVE system was not reactivated after the July 2020 performance groundwater monitoring event.

In accordance with the Compliance Monitoring Plan (CMP; Golder, 2011) for the Site, the confirmational groundwater monitoring program has been conducted to evaluate the potential rebound of contaminant concentrations after the deactivation of the IAS/SVE system, and if there is minimal rebound, to demonstrate that the contaminant concentrations have been reduced to below the cleanup levels or to concentrations that will naturally attenuate to below the cleanup levels within a reasonable timeframe. The four quarterly confirmational groundwater monitoring events were conducted in October 2020, January 2021, April 2021, and July 2021. The groundwater sample analytical results showed that there was some localized rebound of the gasoline-range organics (GRO) concentrations at monitoring wells MW-07, MW-12, and MW-22; however, the GRO concentrations were not at levels that justified reactivation of the IAS/SVE system (SLR, 2020d; SLR, 2021a; SLR, 2021b; SLR, 2021c).

The first semiannual confirmational groundwater monitoring event was conducted in January 2022 in accordance with the CMP for the Site, as well as with the modifications to the confirmational groundwater monitoring program (SLR, 2020c) that were approved by the Washington Department of Ecology (Ecology; Ecology, 2020). The groundwater sample analytical results showed that the sample from well MW-07 contained a GRO concentration that exceeded the MTCA Method A cleanup level. The groundwater samples from the other sampled wells did not contain analyte concentrations greater than the Method A or Method B cleanup levels (SLR, 2022).

2. GROUNDWATER SAMPLING EVENT

On July 25 and 26, 2022, SLR personnel collected groundwater samples from monitoring wells MW-07, MW-09, MW-12, MW-13, MW-16, MW-17A, MW-18, and PORT-MW-B. The locations of the groundwater monitoring wells that are included in the confirmational groundwater monitoring program are shown on Figure 2. Wells MW-15 and MW-22 are also included in the confirmational groundwater monitoring program but are only sampled on an annual basis during the January events.

Prior to collecting the groundwater samples, SLR personnel measured the depths to groundwater in all of the monitoring wells at the Site by using an electronic water level meter. To collect each groundwater sample, SLR used the existing dedicated submersible bladder pumping system located in each well to purge approximately 1.25 to 2.50 gallons of water from the well. During the purging of each well, the pH, specific conductance, temperature, oxidation reduction potential (ORP), dissolved oxygen (DO), and turbidity of the extracted water were measured approximately every three minutes. A groundwater sample was collected from each of the wells following the stabilization of the field parameter measurements. The final field parameter readings prior to sample collection are presented in Table 1. The groundwater samples were collected in the appropriate sample containers provided by Apex Laboratories (Apex) of Tigard, Oregon. SLR documented the groundwater purging and sampling activities on Low-Flow Groundwater Sampling Field Data Sheets, which are presented in Appendix A.

In accordance with the CMP and the subsequent modifications to the confirmational groundwater monitoring program, the groundwater samples were submitted to Apex for analysis of the groundwater contaminants of concern (COCs) for the Site (benzene, toluene, ethylbenzene, total xylenes, naphthalene, and n-hexane by EPA Method 8260D; 1,2-dibromoethane [EDB] by EPA Method 8260D SIM; and GRO by Ecology Method NWTPH-Gx).

The sampling purge water is stored in properly labeled 55-gallon drums at the subject property. The water will be transported to a licensed facility for off-site treatment and disposal.

2.1 GROUNDWATER MONITORING RESULTS

On July 25, 2022, the depths to groundwater in the monitoring wells ranged from 43.82 to 106.09 feet below the top of each well casing. The groundwater elevations in the wells ranged from 310.12 to 312.68 above mean sea level (MSL). The depth to groundwater measurements and groundwater elevations in the monitoring wells on July 25, 2022, are presented in Table 2.

Based on the groundwater elevations on July 25, 2022, the general groundwater flow direction beneath the Site area was to the southwest. Due to anomalous depth to groundwater measurements, the groundwater elevations in MW-01, MW-10, and MW-17A were not used to evaluate the groundwater flow direction. MW-01 is screened less than 3 feet below the high seasonal groundwater table and is frequently dry; the top of the screen of MW-10 is over 30 feet below the groundwater table; and the casing of MW-17A is slightly tilted, which makes it difficult to take accurate measurements. A groundwater elevation contour map of the data collected on July 25, 2022, is presented on Figure 3.

2.2 GROUNDWATER SAMPLE ANALYTICAL RESULTS

The groundwater sample analytical results showed that none of the samples contained analyte concentrations greater than the MTCA Method A or Method B cleanup levels. A Method B cleanup level was only used if a Method A cleanup level was not available for an analyte.

The samples collected from MW-07 and MW-12 contained GRO and benzene concentrations (up to 0.51 milligrams per liter [mg/L] and up to 1.03 micrograms per liter [µg/L], respectively, that exceeded the method reporting limits (MRLs), but were below the MTCA Method A cleanup levels (0.80 mg/L when benzene is present and 5.0 µg/L, respectively). The sample from MW-12 also contained toluene, ethylbenzene, total xylenes, n-hexane, and naphthalene concentrations (4.59, 28.7, 62.9, 2.59, and 5.80 µg/L, respectively) greater than the MRLs, but below their Method A or Method B cleanup levels (1,000, 700, 1,000, 480, and 160 µg/L, respectively). The sample collected from MW-18 contained a benzene concentration (0.70 µg/L) that exceeded the MRL but was below the Method A cleanup level. The samples collected from wells MW-09, MW-13, MW-16, MW-17A, and PORT-MW-B did not contain any analyte concentrations greater than the MRLs or method detection limits (MDLs). EDB was not detected at or above the MDL in the groundwater samples collected from any of the wells, however, the MDLs exceeded the Method A cleanup level in the samples collected from MW-07 and MW-16.

The July 2022 groundwater sample analytical results are presented in Table 1, and the GRO and benzene concentrations are also presented on Figure 2. The groundwater sample analytical results from the July 2022 sampling event, as well as from the previous groundwater sampling events (groundwater COCs only), are presented in data tables and on trend plots in Appendix B. The laboratory report from the July 2022 sampling event is included in Appendix C.

3. DATA QUALITY ASSURANCE AND VALIDATION

Based on the results of a data validation review, the groundwater sample analytical data were acceptable without any data qualifications, except for the EDB results. Apex assigned an R-02 qualifier to the EDB concentration in the sample from MW-07. Apex defined the R-02 qualifier as a raised reporting limit to account for interferences from coeluting organic compounds present in the sample.

SLR collected an equipment blank sample for analysis, and a trip blank sample was also analyzed. The analytical results showed that the equipment blank and trip blank samples did not contain any analyte concentrations greater than the MRLs, and Apex did not apply any data qualifiers to those results. The analytical results of the duplicate sample (labeled MW-37-0722) collected from well MW-07 were within an acceptable range.

4. CONCLUSIONS

On July 25 and 26, 2022, SLR conducted the second semiannual confirmational groundwater monitoring event at the SeaTac Development Site. The objectives of the confirmational groundwater monitoring program are to evaluate the potential rebound of contaminant concentrations after the deactivation of the IAS/SVE system in July 2020, and if there is minimal rebound, to demonstrate that the contaminant concentrations have been reduced to below the cleanup levels or to levels that will naturally attenuate to below the cleanup levels within a reasonable timeframe.

The groundwater sample analytical results from the January and July 2020 performance groundwater monitoring events showed that the IAS/SVE system operations had reduced the petroleum hydrocarbon concentrations beneath the subject property to below the MTCA Method A cleanup levels, except for a GRO concentration (0.90 mg/L) at well MW-13 that exceeded the Method A cleanup level and a GRO concentration at well MW-07 that equaled the Method A cleanup level in July 2020 (SLR, 2020b). The groundwater sample analytical results from the four subsequent quarterly confirmational groundwater monitoring events in 2020 and 2021 showed that the petroleum hydrocarbon concentrations at the Site were below the Method A cleanup levels, except for consistent GRO concentrations (up to 3.55 mg/L) above the Method A cleanup level at MW-07, and GRO concentrations above the Method A cleanup level in the January 2021 sample from MW-22 (1.74 mg/L), and in the April and July 2021 samples from MW-12 (up to 3.57 mg/L). By the first two semiannual confirmational groundwater monitoring events in January and July 2022, the petroleum hydrocarbon concentrations at the Site were below the Method A cleanup levels, except for only a GRO concentration (0.83 mg/L) above the Method A cleanup level in the January 2022 sample from MW-07.

The groundwater sample analytical results from the confirmational groundwater monitoring program indicate initial localized rebound of the GRO concentrations near the northern end of the subject property; however, natural attenuation is now reducing the GRO concentrations over time. Also, the concentrations of the higher toxicity components of gasoline (BTEX, EDB, n-hexane, and naphthalene) have been consistently below the MTCA Method A or Method B cleanup levels since the IAS/SVE system was deactivated. The confirmational groundwater monitoring results indicate that the IAS/SVE system does not need to be reactivated because the remaining concentrations are naturally attenuating to below the cleanup levels. Tables that show the groundwater COC concentrations over time and trend graphs that show the GRO and benzene concentrations over time are presented in Appendix B.

5. REFERENCES

- Golder Associates, Inc. 2011. *Attachment E, Compliance Monitoring Plan, Sea-Tac Development Site, SeaTac, Washington*. November 2.
- SLR International Corporation. 2019. *Performance Groundwater Monitoring Report – July 2019 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. October.
- SLR International Corporation. 2020a. *Performance Groundwater Monitoring Report – January 2020 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. March.
- SLR International Corporation. 2020b. *Performance Groundwater Monitoring Report – July 2020 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. September.
- SLR International Corporation. 2020c. *Request for Modifications to Confirmational Groundwater Monitoring Program, SeaTac Development Site (MasterPark Lot C Property), SeaTac, Washington*. September 23.
- SLR International Corporation. 2020d. *Confirmational Groundwater Monitoring Report – October 2020 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. November.
- SLR International Corporation. 2021a. *Confirmational Groundwater Monitoring Report – January 2021 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. February.
- SLR International Corporation. 2021b. *Confirmational Groundwater Monitoring Report – April 2021 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. June.
- SLR International Corporation. 2021c. *Confirmational Groundwater Monitoring Report – July 2021 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. August.
- SLR International Corporation. 2022. *Confirmational Groundwater Monitoring Report – January 2022 Sampling Event, SeaTac Development Site (MasterPark Lot C Property)*. March.
- Washington Department of Ecology. 2020. Letter from Jerome Cruz of Ecology to Mike Staton of SLR Re: Request for Modifications to Confirmational Groundwater Monitoring Program, SeaTac Development Site (MasterPark Lot C), SeaTac, Washington. October 13.


LIMITATIONS

The services described in this work product were performed in accordance with generally accepted professional consulting principles and practices. No other representations or warranties, expressed or implied, are made. These services were performed consistent with our agreement with our client. This work product is intended solely for the use and information of our client unless otherwise noted. Any reliance on this work product by a third party is at such party's sole risk.

Opinions and recommendations contained in this work product are based on conditions that existed at the time the services were performed and are intended only for the client, purposes, locations, time frames, and project parameters indicated. The data reported and the findings, observations, and conclusions expressed are limited by the scope of work. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, or the use of segregated portions of this work product.

FIGURES

Last Saved: September 20, 2019 11:41:25 AM by rkane Drawing path: N:\Bothell\1 PROJECTS\SeaTac Development Site\Figures\Figure 1.dwg



REFERENCED FROM :
USGS 7.5 MINUTE QUADRANGLE DES MOINES, 2017

0 2000' 4000'

SEATAC DEVELOPMENT SITE
16025 INTERNATIONAL BLVD
SEATAC, WASHINGTON

Drawing

SUBJECT PROPERTY LOCATION MAP

Date September 19, 2019

Scale AS SHOWN


Fig. No.

File Name Figure 1.dwg

Project No. 101.01839.00002

1

Last Saved: August 29, 2022 6:18:32 PM by mstrain Drawing path: N:\Bothell\1 PROJECTS\SeaTac Development Site\Figures\July 2022 GW Sampling Report\01-03.dwg



1. BASEMAP BASED ON IAS AND SVE PIPING LAYOUT FIGURE (12/02/15) AND GROUNDWATER MONITORING LOCATIONS MAP (05/01/19) PRODUCED BY GOLDER ASSOCIATES, INC.
2. * = DUE TO AN ANOMALOUS DEPTH TO GROUNDWATER MEASUREMENT, THE GROUDWATER ELEVATION WAS NOT USED FOR CONTOURING.

LEGEND

- MW-21  SITE MONITORING WELL LOCATION AND DESIGNATION
- 310.66 GROUNDWATER SURFACE ELEVATION (FEET ABOVE MEAN SEA LEVEL) ON JULY 25, 2022
-  310.60' GROUNDWATER SURFACE ELEVATION CONTOUR LINE (FEET ABOVE MEAN SEA LEVEL)
-  GENERAL GROUNDWATER FLOW DIRECTION



SEATAC DEVELOPMENT SITE
SEATAC, WASHINGTON

Drawing

GROUNDWATER ELEVATION CONTOUR MAP -
JULY 25, 2022

Date	August 29, 2022	Scale	AS SHOWN	Fig. No.
File Name	01-03	Project No.	128.02207.00002	

TABLES

Table 1
Groundwater Field Parameters and Sample Analytical Results for Groundwater COCs
July 2022 Sampling Event
SeaTac Development Site
SeaTac, Washington

Well ID	Date Sampled	Field Parameters							Analytical Data												
		Depth to Groundwater (feet)	pH	Temperature (°C)	Specific Conductance (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	GRO ^a (mg/L)	Benzene ^b (µg/L)	Toluene ^b (µg/L)	Ethylbenzene ^b (µg/L)	Total Xylenes ^b (µg/L)	EDB ^c (µg/L)	N-hexane ^b (µg/L)	Naphthalene ^b (µg/L)	DRO ^d (mg/L)	ORO ^d (mg/L)	DRO ^d after Silica Gel Cleanup (mg/L)	ORO ^d after Silica Gel Cleanup (mg/L)	
		MTCA Method A Groundwater Cleanup Levels ^g							0.8 ^f /1.0 ^g	5.0	1,000	700	1,000	0.01	480 ^h	160	0.5	0.5	0.5	0.5	
MW-07	07/25/22	47.61	5.97	16.6	210	2.29	86.5	10.7	0.12	0.36	<1.0	<0.50	<1.50	<0.022 ⁱ	R-02	<2.0	<2.0	NA	NA	NA	NA
MW-7 Duplicate ^j	07/25/22	-	-	-	-	-	-	-	0.16	0.41	<1.0	<0.50	<1.5	<0.020 ⁱ		<2.0	<2.0	NA	NA	NA	NA
MW-09	07/25/22	51.19	5.67	18.1	175	3.15	5.7	1.25	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010		<2.0	<2.0	NA	NA	NA	NA
MW-12	07/26/22	53.89	6.57	16.1	251	2.19	79.1	1.52	0.51	1.03	4.59	28.7	62.9	<0.010	2.59	5.80	NA	NA	NA	NA	
MW-13	07/26/22	54.47	6.18	15.1	335	3.58	67.9	3.23	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010		<2.0	<2.0	NA	NA	NA	NA
MW-16	07/25/22	66.81	6.38	14.8	143	1.35	78.0	1.32	<0.10	<0.20	<1.0	<0.50	<1.5	<0.020 ⁱ		<2.0	<2.0	NA	NA	NA	NA
MW-17A	07/25/22	83.38	6.12	14.0	189	4.00	91.9	33.5	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010		<2.0	<2.0	NA	NA	NA	NA
MW-18	07/26/22	49.43	6.92	18.2	496	0.86	70.3	1.71	<0.10	0.70	<1.0	<0.50	<1.5	<0.010		<2.0	<2.0	NA	NA	NA	NA
PORT-MW-B	07/25/22	89.11	6.88	17.8	253	2.01	8.10	6.20	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010		<2.0	<2.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A or B Cleanup Levels. mg/L = Milligrams per liter µg/L = Micrograms per liter µmhos/cm = Micromhos per centimeter NTU = Nephelometric turbidity unit °C = Degrees Celsius J = Laboratory estimated value R-02 = Laboratory noted that the reporting limit was raised to account for interference from coeluting organic compounds present in the sample. COCs = Contaminants of concern GRO = Gasoline-range organics DRO = Diesel-range organics ORO = Oil-range organics EDB = 1,2-dibromoethane NA = Not analyzed mV = Millivolts ^a Analyzed by Ecology Method NWTPH-Gx. ^b Analyzed by EPA Method 8260C. ^c Analyzed by EPA Method 8260C SIM. ^d Analyzed by Ecology Method NWTPH-Dx. ^e Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^f When benzene is present. ^g When benzene is not present. ^h Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ⁱ The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level. ^j Duplicate sample named MW-37-0722 and was collected from MW-7																					

Table 2
Groundwater Monitoring Data - July 25, 2022
SeaTac Development Site
SeaTac, Washington

Well Number	Top of Casing Elevation ^a (feet)	Approximate Depth of Well Screen (feet bgs)	Date Measured	Depth to Groundwater (feet)	Groundwater Elevation (feet)
MW-01	361.38	41 to 51	07/25/22	48.70	312.68
MW-05	364.26	48 to 58	07/25/22	53.33	310.93
MW-06	369.68	50 to 60	07/25/22	58.76	310.92
MW-07	358.69	43.5 to 53.5	07/25/22	47.61	311.08
MW-08A	359.16	44 to 54	07/25/22	48.12	311.04
MW-09	362.13	47.5 to 57	07/25/22	51.19	310.94
MW-10	360.18	80 to 90	07/25/22	50.06	310.12
MW-11	357.53	42 to 57	07/25/22	46.32	311.21
MW-12	364.83	52 to 67	07/25/22	53.89	310.94
MW-13	365.42	50 to 65	07/25/22	54.47	310.95
MW-14	363.76	50 to 65	07/25/22	52.80	310.96
MW-15	364.67	50 to 65	07/25/22	53.64	311.03
MW-16	377.63	64 to 74	07/25/22	66.81	310.82
MW-17A	394.44	80 to 95	07/25/22	83.38	311.06
MW-18	360.45	47 to 62	07/25/22	49.43	311.02
MW-19	356.61	43 to 58	07/25/22	45.45	311.16
MW-20	416.61	103 to 113	07/25/22	106.09	310.52
MW-21	412.85	95 to 110	07/25/22	102.19	310.66
MW-22	393.31	80 to 95	07/25/22	82.41	310.90
MW-23	354.94	42.5 to 57.5	07/25/22	43.82	311.12
PORT-MW-B	399.83	79 to 99	07/25/22	89.11	310.72
Notes: NM = Not measured. ^a The top of well casing elevations were surveyed relative to mean seal level.					

APPENDIX A

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEETS

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

[illegible]

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLo/EH</u>	Well I.D.: <u>MW-7</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLo/EH</u>	Sample I.D.: <u>MW-7-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: <u>MW-37-0722</u>	

Date Purged: <u>7-25-2022</u>	Start (2400hr): <u>1504</u>	End (2400hr): <u>1522</u>
Date Sampled: <u>7-25-2022</u>	Sample Time (2400hr): <u>1522</u>	

Casing Diameter: 2" ☒ 3" ☐ 4" ☐ 5" ☐ 6" ☐ 8" ☐ Other ☐
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>52.97</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>47.01</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual) <u>NTU</u>	Color (Visual)
<u>0</u>	<u>1504</u>	<u>17.2</u>	<u>.241</u>	<u>—</u>	<u>6.72</u>	<u>6.73</u>	<u>80.1</u>	<u>1.32</u>	<u>clear</u>
<u>0.25</u>	<u>1507</u>	<u>16.7</u>	<u>.218</u>	<u>—</u>	<u>3.20</u>	<u>6.06</u>	<u>84.2</u>	<u>53.2</u>	<u>clear</u>
<u>0.50</u>	<u>1510</u>	<u>16.6</u>	<u>.213</u>	<u>—</u>	<u>2.44</u>	<u>5.96</u>	<u>86.3</u>	<u>15.2</u>	<u>clear</u>
<u>0.75</u>	<u>1513</u>	<u>16.5</u>	<u>.210</u>	<u>—</u>	<u>2.25</u>	<u>5.96</u>	<u>86.9</u>	<u>20.8</u>	<u>clear</u>
<u>1</u>	<u>1516</u>	<u>16.5</u>	<u>.210</u>	<u>—</u>	<u>2.23</u>	<u>5.96</u>	<u>87.0</u>	<u>19.3</u>	<u>clear</u>
<u>1.25</u>	<u>1519</u>	<u>16.6</u>	<u>.210</u>	<u>—</u>	<u>2.29</u>	<u>5.97</u>	<u>86.5</u>	<u>10.7</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump ☐ Bailer (disposable) ☐ Active Extraction Well Pump ☐ Bailer (PVC) ☐ Submersible Pump ☐ Bailer (Stainless Steel) ☐ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>50.95</u> (feet)	☐ 40mL VOA ☐ _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ ☐ _____ mL amber glass _____ ☐ _____ mL amber glass w/ HCL _____ ☐ _____ mL HDPE _____ ☐ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: _____	

Signature: <u>[Signature]</u>	Page 1 of <u>1</u>
-------------------------------	--------------------

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLO/EH</u>	Well I.D.: <u>MW-9</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLO/EH</u>	Sample I.D.: <u>MW-9-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-25</u> 2022	Start (2400hr): <u>1544</u>	End (2400hr): <u>1605</u>
Date Sampled: <u>7-25</u> 2022	Sample Time (2400hr): <u>1605</u>	


Casing Diameter: 2" _____ 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>57</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>51.19</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual)	Color (Visual)
<u>0</u>	<u>1544</u>	<u>19.4</u>	<u>.293</u>	<u>—</u>	<u>6.37</u>	<u>5.70</u>	<u>89.9</u>	<u>10.7</u>	<u>clear</u>
<u>0.25</u>	<u>1547</u>	<u>18.1</u>	<u>.247</u>	<u>—</u>	<u>6.04</u>	<u>5.71</u>	<u>88.3</u>	<u>1.82</u>	<u>clear</u>
<u>0.50</u>	<u>1550</u>	<u>18.0</u>	<u>.192</u>	<u>—</u>	<u>4.77</u>	<u>5.74</u>	<u>87.5</u>	<u>2.72</u>	<u>clear</u>
<u>0.75</u>	<u>1553</u>	<u>18.1</u>	<u>.178</u>	<u>—</u>	<u>4.14</u>	<u>5.71</u>	<u>88.6</u>	<u>2.59</u>	<u>clear</u>
<u>1</u>	<u>1556</u>	<u>18.0</u>	<u>.174</u>	<u>—</u>	<u>3.73</u>	<u>5.69</u>	<u>89.4</u>	<u>1.32</u>	<u>clear</u>
<u>1.25</u>	<u>1559</u>	<u>18.2</u>	<u>.174</u>	<u>—</u>	<u>3.33</u>	<u>5.69</u>	<u>89.4</u>	<u>1.15</u>	<u>clear</u>
<u>1.50</u>	<u>1602</u>	<u>18.1</u>	<u>.174</u>	<u>—</u>	<u>3.35</u>	<u>5.69</u>	<u>89.5</u>	<u>1.40</u>	<u>clear</u>
<u>1.75</u>	<u>1605</u>	<u>18.1</u>	<u>.175</u>	<u>—</u>	<u>3.15</u>	<u>5.67</u>	<u>80.3</u>	<u>1.25</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) ☐ Active Extraction Well Pump _____ Bailer (PVC) ☐ Submersible Pump _____ Bailer (Stainless Steel) ☐ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>53.45</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCL _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: _____	

Signature: 	Page 1 of 1
---	-------------

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLO/EH</u>	Well I.D.: <u>MW-12</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLO/EH</u>	Sample I.D.: <u>MW-12-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-20-2022</u>	Start (2400hr): <u>937</u>	End (2400hr): <u>955</u>
Date Sampled: <u>7-20-2022</u>	Sample Time (2400hr): <u>955</u>	


Casing Diameter: <u>2" X</u>	3" _____	4" _____	5" _____	6" _____	8" _____	Other _____
Casing Volume: (gallons per foot)	(0.17)	(0.38)	(0.67)	(1.02)	(1.50)	(2.60)

Total depth (feet) = <u>64.75</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>53.89</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (visual)	Color (visual)
<u>0</u>	<u>937</u>	<u>17.4</u>	<u>.89</u>	<u>—</u>	<u>8.48</u>	<u>7.27</u>	<u>103.8</u>	<u>1.81</u>	<u>clear</u>
<u>0.25</u>	<u>940</u>	<u>16.3</u>	<u>.455</u>	<u>—</u>	<u>2.63</u>	<u>6.70</u>	<u>77.2</u>	<u>5.21</u>	<u>clear</u>
<u>0.50</u>	<u>943</u>	<u>16.2</u>	<u>.266</u>	<u>—</u>	<u>2.40</u>	<u>6.49</u>	<u>78.2</u>	<u>6.08</u>	<u>clear</u>
<u>0.75</u>	<u>946</u>	<u>16.1</u>	<u>.239</u>	<u>—</u>	<u>2.22</u>	<u>6.49</u>	<u>81.7</u>	<u>2.45</u>	<u>clear</u>
<u>1</u>	<u>949</u>	<u>16.1</u>	<u>.242</u>	<u>—</u>	<u>2.21</u>	<u>6.51</u>	<u>81.5</u>	<u>2.26</u>	<u>clear</u>
<u>1.25</u>	<u>952</u>	<u>16.1</u>	<u>.246</u>	<u>—</u>	<u>2.20</u>	<u>6.54</u>	<u>80.5</u>	<u>1.51</u>	<u>clear</u>
<u>1.50</u>	<u>955</u>	<u>16.1</u>	<u>.251</u>	<u>—</u>	<u>2.19</u>	<u>6.57</u>	<u>79.1</u>	<u>1.52</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) ☐ Active Extraction Well Pump _____ Bailer (PVC) ☐ Submersible Pump _____ Bailer (Stainless Steel) ☐ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>57.95</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCL _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: _____	

Signature: 

Page 1 of 1

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLO/EH</u>	Well I.D.: <u>MW-13</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLO/EH</u>	Sample I.D.: <u>MW-13-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-20-2022</u>	Start (2400hr): <u>1114</u>	End (2400hr): <u>1135</u>
Date Sampled: <u>7-20-2022</u>	Sample Time (2400hr): <u>1135</u>	


Casing Diameter: 2" ☒ 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>65.40</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>54.47</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual)	Color (Visual)
<u>0</u>	<u>1114</u>	<u>16.2</u>	<u>.297</u>	<u>—</u>	<u>9.22</u>	<u>6.70</u>	<u>55.4</u>	<u>1.86</u>	<u>clear</u>
<u>0.25</u>	<u>1117</u>	<u>16.4</u>	<u>.301</u>	<u>—</u>	<u>5.37</u>	<u>6.38</u>	<u>62.8</u>	<u>4.68</u>	<u>clear</u>
<u>0.50</u>	<u>1120</u>	<u>15.2</u>	<u>.337</u>	<u>—</u>	<u>4.03</u>	<u>6.20</u>	<u>65.7</u>	<u>7.31</u>	<u>clear</u>
<u>0.75</u>	<u>1123</u>	<u>14.9</u>	<u>.339</u>	<u>—</u>	<u>3.88</u>	<u>6.18</u>	<u>66.9</u>	<u>7.03</u>	<u>clear</u>
<u>1</u>	<u>1126</u>	<u>15.0</u>	<u>.336</u>	<u>—</u>	<u>3.73</u>	<u>6.17</u>	<u>67.4</u>	<u>6.42</u>	<u>clear</u>
<u>1.25</u>	<u>1129</u>	<u>15.4</u>	<u>.336</u>	<u>—</u>	<u>3.66</u>	<u>6.17</u>	<u>67.7</u>	<u>4.64</u>	<u>clear</u>
<u>1.50</u>	<u>1132</u>	<u>15.5</u>	<u>.334</u>	<u>—</u>	<u>3.60</u>	<u>6.17</u>	<u>67.9</u>	<u>3.79</u>	<u>clear</u>
<u>1.75</u>	<u>1135</u>	<u>15.1</u>	<u>.335</u>	<u>—</u>	<u>3.58</u>	<u>6.18</u>	<u>67.9</u>	<u>3.23</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) _____ Active Extraction Well Pump _____ Bailer (PVC) _____ Submersible Pump _____ Bailer (Stainless Steel) _____ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>58.50</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCL _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: _____	

Signature: 	Page 1 of 1
---	-------------

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLo/EH</u>	Well I.D.: <u>MW-110</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLo/EH</u>	Sample I.D.: <u>MW110-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-25-2022</u>	Start (2400hr): <u>1420</u>	End (2400hr): <u>1435</u>
Date Sampled: <u>7-25-2022</u>	Sample Time (2400hr): <u>1435</u>	


Casing Diameter: 2" <u>X</u> 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>73.80</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>66.81</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual)	Color (Visual)
<u>0</u>	<u>1420</u>	<u>15.2</u>	<u>.155</u>	<u>—</u>	<u>9.76</u>	<u>6.98</u>	<u>75.7</u>	<u>8.35</u>	<u>clear</u>
<u>0.25</u>	<u>1423</u>	<u>14.7</u>	<u>.145</u>	<u>—</u>	<u>6.85</u>	<u>6.69</u>	<u>76.4</u>	<u>3.00</u>	<u>clear</u>
<u>0.50</u>	<u>1424</u>	<u>14.8</u>	<u>.143</u>	<u>—</u>	<u>2.35</u>	<u>6.44</u>	<u>77.1</u>	<u>3.16</u>	<u>clear</u>
<u>0.75</u>	<u>1429</u>	<u>14.8</u>	<u>.144</u>	<u>—</u>	<u>1.47</u>	<u>6.40</u>	<u>77.5</u>	<u>2.86</u>	<u>clear</u>
<u>1</u>	<u>1432</u>	<u>14.8</u>	<u>.144</u>	<u>—</u>	<u>1.41</u>	<u>6.39</u>	<u>77.7</u>	<u>2.40</u>	<u>clear</u>
<u>1.25</u>	<u>1435</u>	<u>14.8</u>	<u>.143</u>	<u>—</u>	<u>1.35</u>	<u>6.38</u>	<u>78.0</u>	<u>1.32</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) _____ Active Extraction Well Pump _____ Bailer (PVC) _____ Submersible Pump _____ Bailer (Stainless Steel) _____ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>71.20</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCL _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: _____	

Signature: 	Page 1 of 1
---	-------------

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SL0/EH</u>	Well I.D.: <u>MW-17A</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SL0/EH</u>	Sample I.D.: <u>MW-17A</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-25-2022</u>	Start (2400hr): <u>1334</u>	End (2400hr): <u>1401</u>
Date Sampled: <u>7-25-2022</u>	Sample Time (2400hr): <u>1401</u>	


Casing Diameter: 2" <u>X</u> 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>94.77</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>83.38</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual)	Color (Visual)
<u>0</u>	<u>1334</u>	<u>17.6</u>	<u>349.2</u>	<u>—</u>	<u>10.91</u>	<u>5.63</u>	<u>120.4</u>	<u>3.77</u>	<u>clear</u>
<u>0.25</u>	<u>1337</u>	<u>14.5</u>	<u>218.1</u>	<u>—</u>	<u>9.03</u>	<u>6.28</u>	<u>103.5</u>	<u>34.5</u>	<u>clear</u>
<u>0.50</u>	<u>1340</u>	<u>14.1</u>	<u>176.0</u>	<u>—</u>	<u>5.99</u>	<u>5.85</u>	<u>99.3</u>	<u>58.5</u>	<u>clear</u>
<u>0.75</u>	<u>1343</u>	<u>14.0</u>	<u>178</u>	<u>—</u>	<u>5.12</u>	<u>5.87</u>	<u>98.1</u>	<u>60.4</u>	<u>cloudy</u>
<u>1</u>	<u>1346</u>	<u>14.0</u>	<u>180</u>	<u>—</u>	<u>4.82</u>	<u>5.89</u>	<u>96.8</u>	<u>55.0</u>	<u>cloudy</u>
<u>1.25</u>	<u>1349</u>	<u>13.9</u>	<u>186</u>	<u>—</u>	<u>4.47</u>	<u>6.02</u>	<u>95.6</u>	<u>57.0</u>	<u>clear</u>
<u>1.50</u>	<u>1352</u>	<u>14.0</u>	<u>187</u>	<u>—</u>	<u>4.33</u>	<u>6.06</u>	<u>94.7</u>	<u>52.3</u>	<u>clear</u>
<u>1.75</u>	<u>1355</u>	<u>14.0</u>	<u>188</u>	<u>—</u>	<u>4.03</u>	<u>6.09</u>	<u>93.7</u>	<u>47.3</u>	<u>clear</u>
<u>2</u>	<u>1358</u>	<u>14.0</u>	<u>189</u>	<u>—</u>	<u>4.02</u>	<u>6.11</u>	<u>92.6</u>	<u>39.9</u>	<u>clear</u>
<u>2.25</u>	<u>1401</u>	<u>14.0</u>	<u>189</u>	<u>—</u>	<u>4.00</u>	<u>6.12</u>	<u>91.9</u>	<u>33.5</u>	<u>clear</u>

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) _____ Active Extraction Well Pump _____ Bailer (PVC) _____ Submersible Pump _____ Bailer (Stainless Steel) _____ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>89.30</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCl _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: <u>ex/SLP organic material specks in water</u>	

Signature: 	Page 1 of 1
---	-------------

LOW-FLOW GROUNDWATER SAMPLING FIELD DATA SHEET

Project No. <u>128.02207.00003</u>		Purged By: <u>SLO/EH</u>	Well I.D.: <u>MW-18</u>
Project Name: <u>SeaTac Development</u>		Sampled By: <u>SLO/EH</u>	Sample I.D.: <u>MW-18-0722</u>
Location: <u>16025 International Boulevard</u>		QA Samples: _____	

Date Purged: <u>7-26-2022</u>	Start (2400hr): <u>1028</u>	End (2400hr): <u>1049</u>
Date Sampled: <u>7-26-2022</u>	Sample Time (2400hr): <u>1049</u>	


Casing Diameter: 2" ☒ 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = <u>61.25</u>	Casing Volume (gal) = _____
Depth to water (feet) = <u>49.43</u>	Minimum Purge (gal) = _____
Water column height (feet) = _____	Actual Purge (gal) = _____

FIELD MEASUREMENTS									
Volume (Gal)	Time (2400hr)	Temp. (degrees C)	Conductivity (mS/cm)	TDS (g/L)	DO (mg/L)	pH (units)	ORP (mV)	Turbidity (Visual)	Color (Visual)
0	1028	20.7	1.63	—	2.30	6.50	72.7	1.03	clear
0.25	1031	18.5	1.570	—	1.16	6.84	71.4	2.82	clear
0.50	1034	18.3	1.530	—	0.95	6.88	70.3	9.32	clear
0.75	1037	18.5	1.512	—	0.91	6.88	70.7	6.96	clear
1	1040	18.3	1.509	—	0.92	6.89	70.8	4.78	clear
1.25	1043	18.3	1.501	—	0.84	6.91	70.6	1.94	clear
1.50	1046	18.2	1.500	—	0.83	6.92	70.3	1.96	clear
1.75	1049	18.2	1.496	—	0.86	6.92	70.3	1.71	clear

PURGING & SAMPLING EQUIPMENT	SAMPLE VESSELS
☒ Well Wizard Bladder Pump _____ Bailer (disposable) _____ Active Extraction Well Pump _____ Bailer (PVC) _____ Submersible Pump _____ Bailer (Stainless Steel) _____ Peristaltic Pump ☒ Dedicated <u>Tubing</u> Other: _____ Pump Intake Depth: <u>53.05</u> (feet)	_____ 40mL VOA _____ mL HDPE w/ H2SO4 ☒ 40mL VOA w/ HCL _____ _____ mL amber glass _____ _____ mL amber glass w/ HCL _____ _____ mL HDPE _____ _____ mL HDPE w/ HNO3 _____

Well Integrity: <u>good</u>	Odor: <u>none</u>
Remarks: <u>small flecks in water resemble dust particles</u>	

Signature: 	Page 1 of 1
---	-------------

APPENDIX B

DATA TABLES AND TREND GRAPHS

Table B-1
Summary of Groundwater Sampling Results - Well MW-07
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
01/05/01	358.70	NM	NM	NM	NM	NM	NM	NM	80	470	7,700	2,000	11,200	NA	NA	NA	< 0.25	< 0.50	NA	NA
08/16/07	358.70	NM	NM	NM	NM	NM	NM	NM	68	500	3,200	1,600	8,690	NA	NA	NA	NA	NA	NA	NA
12/07/09	358.70	49.02	309.68	6.89	10.90	347	2.83	NM	46	520	5,600	1,300	6,800	0.03	220	420	NA	NA	NA	NA
03/18/10	358.70	48.69	310.01	6.61	13.30	354	1.41	5.18	26	230	1,100	360	4,630	0.01	160	210	NS	NS	NA	NA
02/13/14	358.69	47.72	310.97	6.56	14.3	131	0.35	3.87	29	25	110	180	2,022	< 3.8 ^e	190	220	11 J	< 0.20	NA	NA
05/29/14	358.69	47.65	311.04	6.65	16.4	379	0.13	2.84	27	14	80	190	1,811	< 1.5 ^e	140	210 B	11 J	< 0.20	NA	NA
09/11/14	358.69	47.95	310.74	6.73	16.5	373	0.35	2.28	36	17	81	260	2,110	< 0.028 ^e	280	300 B J	11	0.41 J	NA	NA
12/04/14	358.69	47.95	310.74	6.70	15.7	333	0.20	2.95	26	21	66	200	1,507	< 0.07 ^e	170	180	11 J	0.32 J	NA	NA
06/18/15	358.69	48.01	310.68	6.64	16.1	371	0.25	1.57	15 J	6.4	28 J	110 J	533 J	< 0.07 ^e	93 J	96 J	5.4	0.24 J	NA	NA
12/03/15	358.69	49.96	308.73	6.44	15.9	526	0.14	2.91	23	77	1,200	270	1,550	<0.020 ^e	160	69	4.9 J	< 0.20	NA	NA
05/04/16	358.69	49.05	309.64	6.68	16.0	640	1.02	4.57	12	30	500	170	970	<0.20 ^e	150	68 J	6.5 J	0.30 J	NA	NA
11/16/16	358.69	48.50	310.19	6.54	15.9	411	1.39	3.95	8.3	4.3	9.5	40	85	<0.20 ^e	11 J	37	2.4	<0.20	NA	NA
05/03/17	358.69	48.13	310.56	6.38	16.2	188	1.33	3.78	2.9	1.8	0.46	14	21	<0.20 ^e	1.9	32	1.4	0.20	NA	NA
11/14/17	358.69	47.15	311.54	6.39	15.1	278	0.98	NM	2.2	0.70	0.42	1.1	5.9	<0.20 ^e	0.3	11	1.6	0.44	NA	NA
01/18/18	358.69	46.75	311.94	6.21	14.7	270	0.23	2.15	1.9	1.0	0.67	2.0 J	7.3 J	<0.20 ^e	0.5	10	1.5	<0.20	NA	NA
03/09/18	358.69	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
05/16/18	358.69	46.10	312.59	6.15	15.2	248	0.25	2.25	1.8	0.41	0.35	1.1	3	<0.01	<0.20	6.1	0.78	<0.20	NA	NA
11/08/18	358.69	46.32	312.37	6.67	14.7	220	0.29	1.60	1.4	0.73	0.29	0.78	1.6	<0.01	0.42	4.0	0.74	<0.20	NA	NA
07/26/19	358.69	46.74	311.95	6.45	17.4	281	0.43	NM	0.73	0.30	0.27	0.75	1.1	<0.0030	0.29	1.6	0.17	<0.20	<0.10	<0.20
01/29/20	358.69	48.12	310.57	6.72	14.6	201	0.86	NM	0.75	0.39	8.1	2.3	11	<0.02 ^e	7.0	5.1	NA	NA	<0.081	<0.16
07/22/20	358.69	48.43	310.26	6.03	16.1	139	0.29	NM	0.80	<0.20	<1.0	2.2	12	<0.010	<2.0	2.9	NA	NA	NA	NA
10/19/20	358.69	48.79	309.90	6.32	15.6	205	1.73	6.59	1.74	0.84	2.50	9.69	15	<0.020 ^e	<0.20	5.8	NA	NA	NA	NA
01/18/21	358.69	49.03	309.66	6.32	14.1	266	1.40	2.73	3.55	2.66	33	41	200	<0.50 ^e	19	16	NA	NA	NA	NA
04/26/21	358.69	48.65	310.04	6.60	15.9	277	0.59	4.54	1.63	3.77	3.23	14	26	<0.01	5.3 J	7.8	NA	NA	NA	NA
07/26/21	358.69	48.78	309.91	6.53	16.1	237	0.26	2.66	2.35	3.17	7.36	23	77	<0.04 ^e	8.43	14	NA	NA	NA	NA
01/24/22	358.69	48.52	310.17	6.55	14.7	247	0.67	45.2	0.83	1.95	0.93 J	3.89	4.65	<0.046 ^e	<2.5	3.12	NA	NA	NA	NA
07/25/22	358.69	47.61	311.08	5.97	16.6	210	2.29	10.7	0.12	0.36	<1.0	<0.50	<1.50	<0.022 ^e	<2.0	<2.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

Table B-2
Summary of Groundwater Sampling Results - Well MW-09
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
01/05/01	362.14	NM	NM	NM	NM	NM	NM	NM	90	1,900	1,200	1,800	9,700	NA	NA	NA	< 0.25	< 0.50	NA	NA
08/16/07	362.14	NM	NM	NM	NM	NM	NM	NM	34	280	230	750	3,270	NA	NA	NA	NA	NA	NA	NA
05/19/09	362.14	52.25	309.89	6.17	15.6	290	1.86	2.86	37	240	220	810	2,910	NA	NA	NA	NA	NA	NA	NA
12/07/09	362.14	52.67	309.47	6.52	10.7	306	0.43	NM	19	190	33	730	1,927	0.01	83	260	NA	NA	NA	NA
03/19/10	362.14	52.30	309.84	6.19	14.2	294	0.13	7.18	16	170	65	400	1,434	0.016	100	160	NS	NS	NA	NA
02/12/14	362.13	51.45	310.68	6.49	12.6	99.5	0.28	3.10	7.5	30	8.1	150	98	< 0.080 ^e	16	120	1.6 J	< 0.20	NA	NA
05/29/14	362.13	51.41	310.72	6.44	15.0	295	0.14	1.01	7.8	32	9.4	170	112	< 0.37 ^e	5.6	92 B	2.3 J	< 0.20	NA	NA
09/10/14	362.13	NM	NM	6.49	15.7	310	0.20	3.85	5.6	17	4.6	100	47	< 0.01	< 0.20	74	2.8	< 0.20	NA	NA
12/03/14	362.13	51.68	310.45	6.47	13.6	307	0.18	2.37	4.1	14	2.8	76	8.8	< 0.07 ^e	< 0.20	44	1.9	< 0.20	NA	NA
06/17/15	362.13	51.67	310.46	6.48	15.1	331	0.18	0.75	1.7	7.2	1.3	40	1.6	< 0.07 ^e	< 0.20	18	1.5	< 0.20	NA	NA
12/03/15	362.13	NM	NM	6.37	14.1	477	0.96	3.91	2.2 J	8.4	1.5 J	73	1.5 J	< 0.07 ^e	< 0.20	5.7	1.0 J	< 0.20	NA	NA
05/03/16	362.13	NM	NM	6.51	18.3	221	4.68	1.08	<0.10	0.15 J	<0.20	0.71	<0.40	<0.20 ^e	<0.20	<0.50	0.22 J	<0.20	NA	NA
11/15/16	362.13	52.15	309.98	5.94	14.5	234	1.41	0.80	<0.10	0.23	0.23	0.56	0.32	<0.20 ^e	<0.20	<0.50	0.20	<0.20	NA	NA
05/03/17	362.13	NM	NM	5.94	15.5	165	3.09	1.43	<0.10	0.23	0.050 J	0.42	<0.40	<0.20 ^e	<0.20	<0.50	0.28	<0.20	NA	NA
11/14/17	362.13	50.74	311.39	5.98	13.9	211	2.14	NM	<0.10	<0.20	<0.20	<0.20	<0.40	<0.020 ^e	<0.20	<0.50	0.22	<0.20	NA	NA
01/16/18	362.13	50.33	311.80	5.94	13.6	202	1.10	1.02	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.26	<0.20	NA	NA
03/09/18	362.13	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
05/15/18	362.13	49.68	312.45	5.86	15.0	193	0.67	0.61	<0.10	0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	0.34	<0.20	NA	NA
11/07/18	362.13	49.86	312.27	6.28	13.8	203	0.32	0.25	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	0.28	<0.20	NA	NA
07/29/19	362.13	50.33	311.80	6.32	15.5	285	0.50	NM	<0.10	0.20	<0.20	<0.20	<0.60	<0.0030	<0.20	<0.50	0.11	<0.20	<0.10	<0.20
01/30/20	362.13	51.45	310.68	6.40	12.7	249	0.77	NM	<0.10	0.54	<0.50	<0.25	<0.75	<0.20 ^e	<1.0	<1.0	NA	NA	NA	NA
01/25/22	362.13	52.05	310.08	7.07	12.5	285	4.23	6.51	<0.05	<0.10	<0.50	<0.25	<0.75	<0.010	<2.50	<1.0	NA	NA	NA	NA
07/25/22	362.13	51.19	310.94	5.67	18.1	175	3.15	1.25	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010	<2.0	<2.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured mg/L = Milligrams per liter mg/L = Milligrams per liter µg/L = Micrograms per liter µmhos/cm = Micromhos per centimeter µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

Table B-3
Summary of Groundwater Sampling Results - Well MW-12
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
08/16/07	364.88	NM	NM	NM	NM	NM	NM	NM	92	710	7,600	1,800	11,000	NA	NA	NA	NA	NA	NA	NA
05/21/09	364.88	54.99	309.87	6.43	17.8	416	0.19	33.7	110	1,600	11,000	2,100	10,000	0.70	< 500 ^e	580	NA	NA	NA	NA
12/07/09	364.88	55.29	309.59	7.58	12.0	452	0.06	NM	38	390	2,600	1,200	4,990	0.21	110	540	NA	NA	NA	NA
03/15/10	364.88	54.99	309.89	6.38	14.5	472	0.03	40.8	36	230	2,400	1,300	5,140	0.16	210	520	NS	NS	NS	NS
02/13/14	364.83	55.02	309.81	7.76	14.1	125	10.50	3.43	8.6	79	410	79	970	< 3.8 ^e	< 10	25	1.1 J	< 0.20	NA	NA
05/29/14	364.83	51.58	313.25	7.87	16.7	252	11.77	5.99	0.12	2.0	4.3	1.6	4.2	< 0.070 ^e	< 0.20	< 0.50	0.34 J	< 0.20	NA	NA
09/11/14	364.83	54.87	309.96	8.04	18.1	255	11.80	38.8	0.11	2.5	2.6	1.5	5.3	< 0.010	0.78	0.53 B J	0.35	< 0.20	NA	NA
12/04/14	364.83	54.87	309.96	8.04	15.1	258	11.51	153	< 0.10	< 0.25	< 0.25	0.73	6.0	< 0.070 ^e	0.18 J	0.68	0.20	< 0.20	NA	NA
06/18/15	364.83	NM	NM	8.09	16.3	208	9.90	2.44	< 0.25	< 0.20	< 0.20	0.10 J	2.1	< 0.070 ^e	0.26	< 0.50	0.45	< 0.20	NA	NA
12/03/15	364.83	56.74	308.09	NM	NM	NM	NM	NM	< 0.25	< 0.20	< 0.20	< 0.20	<0.40	<0.020 ^e	< 0.20	< 0.50	0.29	< 0.20	NA	NA
05/04/16	364.83	55.53	309.30	7.68	15.1	226	7.72	3.48	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.18 J	<0.20	NA	NA
11/16/16	364.83	55.20	309.63	7.84	14.9	199	8.45	13.4	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.16	<0.20	NA	NA
05/03/17	364.83	59.02	305.81	7.53	15.9	80	8.01	4.96	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.89	<0.22	NA	NA
11/15/17	364.83	53.37	311.46	7.69	14.9	301	0.99	18.9	2.23	1.75	17.8	10.6	113	<0.20 ^e	29	33	1.0	0.30	NA	NA
01/18/18	364.83	53.13	311.70	7.29	14.4	314	0.35	30.1	2.20	1.72	11.5	25.6	90	<0.20 ^e	29	30	1.6	<0.20	NA	NA
03/09/18	364.83	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
05/16/18	364.83	52.31	312.52	7.06	15.3	374	0.27	3.02	2.82	17	2.05	23.8	43.0	<0.010	26	19	2.9	<0.20	NA	NA
11/08/18	364.83	52.55	312.28	7.98	14.7	354	0.36	6.60	3.61	26	2.48	24.3	25.0	<0.010	48 J	17	<0.10	<0.20	NA	NA
07/29/19	364.83	53.01	311.82	7.28	16.0	455	0.89	NM	2.29	8.2	2.90	16.0	25.0	<0.0030	8.4	14	1.85	<0.20	<0.10	<0.20
01/29/20	364.83	63.90	300.93	7.18	12.6	10	13.47	NM	<0.10	<0.10	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	<0.078	<0.16
07/22/20	364.83	54.60	310.23	6.36	15.2	185	0.24	NM	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010	<2.0	<2.0	NA	NA	NA	NA
10/19/20	364.83	54.97	309.86	6.85	15.5	129	1.58	2.87	0.13	<0.20	<1.0	<0.50	6.16	<0.010	2.05	<4.0	NA	NA	NA	NA
01/18/21	364.83	55.23	309.60	6.28	14.3	68	0.48	5.04	0.48	0.37	1.97	3.56	40.3	<0.010	9.68	9.24	NA	NA	NA	NA
04/26/21	364.83	54.85	309.98	7.01	15.1	363	0.28	3.25	0.97	0.61	8.84	42.9	66.8	<0.010	21 J	22.4	NA	NA	NA	NA
07/26/21	364.83	55.05	309.78	7.23	15.8	278	0.24	1.01	3.57	1.95	13.9	114.0	378	<0.020 ^e	58	72.2	NA	NA	NA	NA
01/24/22	364.83	54.73	310.10	7.20	14.4	819	0.20	4.75	0.31	4.21	1.70	11.6	28.3	<0.020 ^e	<2.5	3.22	NA	NA	NA	NA
07/26/22	364.83	53.89	310.94	6.57	16.1	251	2.19	1.52	0.51	1.03	4.59	28.7	62.9	<0.010	2.59	5.80	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

Table B-4
Summary of Groundwater Sampling Results - Well MW-13
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data												
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)	
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5	
08/16/07	365.42	NM	NM	NM	NM	NM	NM	NM	92	180	5,600	2,100	12,600	NA	NA	NA	NA	NA	NA	NA	
05/20/09	365.42	55.51	309.91	6.29	18.8	474	1.13	4.8	76	51	1,400	2,100	11,000	0.067	< 250	640	NA	NA	NA	NA	
12/07/09	365.42	55.83	309.59	6.44	12.3	429	0.18	NM	31	20	310	870	4,570	0.054	100	500	NA	NA	NA	NA	
03/19/10	365.42	55.66	309.76	6.28	12.8	271	0.16	72.1	33	14	230	890	4,500	0.029	130	410	NS	NS	NS	NS	
02/12/14	365.42	54.35	311.07	6.57	13.2	73.3	1.41	4.28	14	< 0.25	3.9	240	2,070	< 0.080 ^e	< 0.20	33	1.4 J	< 0.20	NA	NA	
05/29/14	365.42	55.62	309.80	6.84	14.7	182	10.59	4.24	0.14	< 0.25	< 0.25	0.85	19	< 0.070 ^e	0.11 J	< 0.50	0.32	< 0.20	NA	NA	
09/10/14	365.42	54.86	310.56	7.06	14.9	137	11.06	2.41	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.01	< 0.20	< 0.50	0.29	< 0.20	NA	NA	
12/04/14	365.42	54.86	310.56	7.06	13.9	163	10.10	2.32	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.070 ^e	< 0.20	< 0.50	0.31	< 0.20	NA	NA	
06/18/15	365.42	54.70	310.72	7.13	14.7	174	10.71	1.32	< 0.25	< 0.20	< 0.20	< 0.20	< 0.40	< 0.070 ^e	< 0.20	0.61	0.27	< 0.20	NA	NA	
12/02/15	365.42	56.43	308.99	7.27	14.2	164	10.20	0.90	< 0.25	< 0.20	< 0.20	0.23	1.1 J	<0.020 ^e	< 0.20	< 0.50	0.26	< 0.20	NA	NA	
05/03/16	365.42	56.30	309.12	7.79	15.8	194	14.18	1.14	<0.10	<0.20	<0.20	<0.20	0.44	<0.20 ^e	<0.20	<0.50	0.12 J	<0.20	NA	NA	
11/15/16	365.42	55.81	309.61	7.25	14.1	195	10.64	0.73	<0.10	<0.20	<0.20	<0.20	0.46	<0.20 ^e	<0.20	<0.50	0.19	<0.20	NA	NA	
05/03/17	365.42	55.14	310.28	7.03	14.5	116	10.71	1.45	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.18	<0.20	NA	NA	
11/14/17	365.42	54.05	311.37	6.75	13.6	136	1.72	NM	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	0.13	<0.20	NA	NA	
01/16/18	365.42	53.62	311.80	6.93	13.4	159	0.85	2.02	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	<0.10	<0.20	NA	NA	
03/09/18	365.42	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
05/15/18	365.42	52.96	312.46	6.43	14.1	120	1.87	1.14	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA	
11/07/18	365.42	53.16	312.26	7.10	13.6	141	1.00	0.64	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA	
07/29/19	365.42	53.59	311.83	6.83	17.0	212	1.85	NM	<0.10	0.070 J	<0.20	<0.20	<0.60	<0.0030	<0.20	<0.50	<0.10	<0.20	<0.10	<0.20	
01/30/20	365.42	54.92	310.50	7.10	12.9	215	3.28	NM	<0.10	0.15 J	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	NA	NA	
07/22/20	365.42	55.19	310.23	5.75	14.4	238	0.99	NM	0.90	0.34	<1.0	0.74	<1.50	<0.20 ^e	5.8	4.6	NA	NA	NA	NA	
10/19/20	365.42	55.67	309.75	6.72	14.1	274	2.04	2.17	0.53	0.21	<1.0	<0.50	<1.50	<0.20 ^e	<2.0	<2.0	NA	NA	NA	NA	
01/18/21	365.42	55.85	309.57	6.56	13.3	277	1.31	0.49	0.53	0.22	1.23	6.58	18.1	<0.010	<2.0	4.7	NA	NA	NA	NA	
04/26/21	365.42	55.44	309.98	6.85	14.3	217	6.18	1.69	<0.10	<0.20	<1.0	<0.50	3.73	<0.010	<2.0	<2.0	NA	NA	NA	NA	
07/26/21	365.42	55.65	309.77	6.92	14.7	204	5.01	0.68	<0.05	<0.10	<0.50	<0.25	<0.75	<0.020 ^e	<2.0	<2.0	NA	NA	NA	NA	
01/25/22	365.42	55.30	310.12	6.60	13.5	271	2.91	0.51	<0.05	<0.10	<0.50	<0.25	<0.75	<0.010	<2.5	<1.0	NA	NA	NA	NA	
07/26/22	365.42	54.47	310.95	6.18	15.1	335	3.58	3.23	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA	
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																					

Table B-5
Summary of Groundwater Sampling Results - Well MW-15
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
11/01/07	364.67	54.19	310.48	NM	NM	NM	NM	NM	10	18	16	350	418	NA	NA	NA	0.44	NA	NA	NA
05/19/09	364.67	54.76	309.91	6.34	15.2	552	1.58	> 1,000	7.80	9.90	3.4	200	74	NA	NA	NA	NA	NA	NA	NA
12/07/09	364.67	55.05	309.62	6.61	13.6	484	0.26	NM	5.90	21	<4.0	420	49	<0.0096	6.3	150	NA	NA	NA	NA
03/16/10	364.67	54.83	309.84	6.44	12.9	565	0.18	21.0	5.40	17	2.0	310	59	<0.0096	28	120	NA	NA	NA	NA
11/08/18	364.67	52.40	312.27	7.18	14.0	290	2.49	NM	0.82	0.48	0.19 J	1.8	0.24 J	NA	NA	NA	1.0	<0.20	NA	NA
01/18/21	364.67	54.80	309.87	6.58	13.9	493	0.92	36.6	0.29	0.60	<1.0	0.71	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/24/22	364.67	54.54	310.13	6.64	13.7	542	0.72	3.52	0.10	0.19	<0.50	<0.25	<0.75	<0.010	<2.5	<1.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019).																				

Table B-6
Summary of Groundwater Sampling Results - Well MW-16
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data									
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)
				MTCA Method A Groundwater Cleanup Levels ^a					0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5
11/13/07	376.36	65.95	310.41	--	--	--	--	--	26	160	320	830	1,733	NA	NA	NA	NA	NA
05/22/09	376.36	66.56	309.80	6.33	15.4	440	0.35	3.97	28	180	67	1,200	1,800	<0.10 ^e	240	350	NA	NA
12/07/09	376.36	66.82	309.54	6.50	12.7	473	0.25	NM	10	69	67	580	490	0.053	66	230	NA	NA
03/17/10	376.36	66.62	309.74	6.40	11.7	446	0.22	5.14	6.60	51	15	430	292	0.044	38	170	NA	NA
07/29/19	377.63	65.95	311.68	6.57	15.6	184	0.45	NM	1.73	0.64	0.32	0.45	0.48 J	<0.0030	4.13	1.0	<0.10	<0.20
10/19/20	377.63	68.02	309.61	6.55	13.4	237	2.26	2.54	0.19	0.29	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA
01/18/21	377.63	68.21	309.42	6.37	13.3	248	0.58	1.08	0.41	0.22	<1.0	<0.50	<1.5	<0.010	3.43	<2.0	NA	NA
04/26/21	377.63	67.82	309.81	6.72	14.1	184	1.31	2.13	0.35	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA
07/26/21	377.63	68.02	309.61	6.79	15.8	150	0.90	0.49	0.080 J	0.12 J	<0.50	<0.25	<0.75	<0.040 ^e	<2.0	<2.0	NA	NA
01/24/22	377.63	67.68	309.95	6.88	12.7	147	1.30	0.81	<0.050	<0.10	<0.50	<0.25	<0.75	<0.020 ^e	<2.5	<1.0	NA	NA
07/25/22	377.63	66.81	310.82	6.38	14.8	143	1.35	1.32	<0.10	<0.20	<1.0	<0.50	<1.5	<0.020 ^e	<2.0	<2.0	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed µg/L = Micrograms per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value ORO = Oil-range organics ORO = Oil-range organics GRO = Gasoline-range organics -- = Not available ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																		

Table B-7
Summary of Groundwater Sampling Results - Well MW-17A
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundw ater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
11/13/07	385.81	75.60	310.21	NM	NM	NM	NM	NM	17	1.0	5.2	45	507	NA	NA	NA	7.3	< 0.50	NA	NA
05/28/09	385.81	76.17	309.64	6.23	18.2	183.9	0.37	4.9	6.3	0.70	0.6	13	96	< 0.20 ^g	< 5.0	150	NA	NA	NA	NA
12/07/09	385.81	76.49	309.32	6.46	10	166	0.13	NM	4.5	< 4.0	7.0	8.8	56	< 0.0095	< 4.0	140	NA	NA	NA	NA
03/17/10	385.81	76.29	309.52	6.51	9.3	145	0.52	142	1.7	< 1.0	< 1.0	4.0	27	< 0.0095	< 1.0	63	NS	NS	NS	NS
02/11/14	394.00 ^e	83.80	310.20 ^f	6.36	11.3	82.5	1.06	137	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.080 ^g	< 0.20	0.74	< 0.10	< 0.20	NA	NA
05/29/14	394.00 ^e	84.00	310.00 ^f	6.22	12.2	175	2.06	39.7	< 0.10	0.25	< 0.25	< 0.25	< 0.50	< 0.070 ^g	< 0.20	0.62 J	< 0.10	< 0.20	NA	NA
09/10/14	394.00 ^e	84.18	309.82 ^f	6.28	12.4	162	1.42	18.8	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.070 ^g	< 0.20	0.64 J	< 0.10	< 0.20	NA	NA
12/05/14	394.00 ^e	84.18	309.82 ^f	6.42	11.7	167	1.09	31.8	< 0.10 J	0.54 J	< 0.25 J	< 0.25 J	0.63 J	< 0.070 ^g	< 0.20 J	2.8	< 0.10	< 0.20	NA	NA
06/17/15	394.00 ^e	84.16	309.84 ^f	6.29	12.9	158	3.13	29.6	< 0.25	< 0.20	< 0.20	< 0.20	< 0.40	< 0.070 ^g	< 0.20	< 0.50	< 0.10	< 0.20	NA	NA
12/18/15	394.00e	85.95	308.05f	6.57	11.8	127	0.20	23.7	0.050 J	0.75	< 0.20	0.080 J	< 0.40	<0.020 ^e	< 0.20	0.98 J	< 0.10	< 0.20	NA	NA
05/03/16	394.00 ^e	85.21	308.79 ^f	6.51	13.1	132	4.60	8.41	<0.10	0.33	<0.20	<0.20	<0.40	<0.20 ^g	0.11 J	0.71 J	<0.10	<0.20	NA	NA
11/15/16	394.00 ^e	84.57	309.43 ^f	6.46	12.6	122	3.76	10.2	<0.10	0.14 J	<0.20	<0.20	<0.40	<0.20 ^g	<0.20	<0.50	<0.10	<0.20	NA	NA
05/03/17	394.00 ^e	84.24	309.76 ^f	6.08	12.4	76	7.25	7.57	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^g	<0.20	<0.50	<0.10	<0.20	NA	NA
11/15/17	394.00 ^e	83.17	310.83 ^f	6.62	12.1	105	7.05	NM	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^g	<0.20	0.54	<0.10	<0.20	NA	NA
01/16/18	394.00 ^e	82.95	311.05 ^f	6.27	12.0	111	8.55	4.2	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^g	<0.20	<0.50	<0.10	<0.20	NA	NA
03/09/18	394.00 ^e	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
05/15/18	394.00 ^e	82.21	311.79f	6.14	12.9	106	8.57	1.4	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA
11/08/18	394.00 ^e	82.49	311.51 ^f	6.48	12.3	116	8.20	3.4	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA
07/29/19	394.00 ^e	82.67	311.33 ^f	6.35	15.4	175	6.90	NM	<0.10	<0.20	<0.20	<0.20	<0.60	<0.0030	0.10 J	<0.50	<0.10	<0.20	<0.10	<0.20
01/30/20	394.44	84.14	310.30	6.38	12.1	161	5.74	NM	<0.10	<0.10	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	NA	NA
07/21/20	394.44	84.35	310.09	5.35	13.7	168	1.99	NM	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
10/19/20	394.44	84.93	309.51	5.86	14.3	182	3.02	13.2	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/18/21	394.44	85.14	309.30	6.23	12.3	179	1.15	1.7	<0.10	0.49	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
04/26/21	394.44	84.69	309.75	6.29	13.3	180	3.98	94.8	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
07/26/21	394.44	84.85	309.59	6.34	16.1	162	3.99	38.1	<0.050	<0.10	<0.50	<0.25	<0.75	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/24/22	394.44	84.68	309.76	6.70	12.4	220	1.50	12.9	<0.050	<0.10	<0.50	<0.25	<0.75	<0.010	<2.5	<1.0	NA	NA	NA	NA
07/25/22	394.44	83.38	311.06	6.12	14.0	189	4.00	33.5	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e Top of casing elevation was not surveyed; elevation was estimated by Golder Associates, Inc. ^f Estimated elevation. ^g The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

Table B-8
Summary of Groundwater Sampling Results - Well MW-18
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
11/28/07	360.45	52.50	307.95	NM	NM	NM	NM	NM	79	2,900	7,500	1,600	6,290	NA	NA	NA	0.66	< 0.50 ^e	NA	NA
05/21/09	360.45	54.53	305.92	6.71	17.4	494	0.11	4.58	78	3,100	7,600	2,200	9,600	1.4	500	460	NA	NA	NA	NA
12/07/09	360.45	50.85	309.60	6.80	12.4	587	0.28	NM	44	2,200	5,400	1,600	6,690	1.9	180	380	NA	NA	NA	NA
03/18/10	360.45	50.58	309.87	6.69	14.2	586	0.11	5.39	52	2,600	6,000	1,700	6,690	2.5	350	420	NS	NS	NS	NS
02/12/14	360.45	49.01	311.44	7.62	13.8	175	8.11	2.89	1.0	27	13	17	91	< 0.080 ^e	1.1	4.0	0.77 J	<0.20	NA	NA
05/29/14	360.45	49.75	310.70	7.98	15.2	369	10.60	7.95	0.14	6.6	1.5	4.7	9.2	< 0.070 ^e	0.64	0.84 J+	0.33 J	<0.20	NA	NA
09/11/14	360.45	49.83	310.62	8.23	15.2	498	11.23	13.1	< 0.10	0.72	0.27	0.40	0.72	< 0.010	< 0.20	< 0.50	0.14	< 0.20	NA	NA
12/04/14	360.45	49.83	310.62	7.84	14.4	470	10.78	81.6	< 0.10	0.69	< 0.25	0.63	0.93	< 0.070 ^e	0.10 J	< 0.50	0.24	< 0.20	NA	NA
06/18/15	360.45	49.51	310.94	8.05	15.2	515	10.89	49.6	< 0.25	0.67	0.54	0.24	1.1	< 0.070 ^e	< 0.20	< 0.50	0.38	< 0.20	NA	NA
12/03/15	360.45	NM	NM	8.28	14.8	455	10.21	14.6	< 0.25	0.57	4.8	0.34	9.8	<0.020 ^e	0.25	0.67	0.13	< 0.20	NA	NA
05/04/16	360.45	51.12	309.33	7.27	14.8	513	4.53	4.77	0.22	8.0	5.5	8.2	29	<0.20 ^e	1.5	1.5 J	0.37 J	<0.20	NA	NA
11/16/16	360.45	50.63	309.82	7.55	15.0	503	6.97	2.44	0.12	3.6	1.2	2.1	9.0	<0.20 ^e	0.39	<0.50	0.48	<0.20	NA	NA
05/03/17	360.45	50.12	310.33	7.19	15.6	313	4.54	3.57	0.28	6.9	3.1	6.8	21	<0.20 ^e	1.4	2.7	0.29	0.30	NA	NA
11/14/17	360.45	49.00	311.45	6.78	15.2	454	0.71	NM	1.3	3.6	1.6	7.4	8.7	<0.20 ^e	0.33	<0.50	4.4	0.43	NA	NA
01/16/18	360.45	48.62	311.83	6.12	14.4	22.7	6.23	18.1	<0.10	<0.20	<0.20	<0.20	<0.40	<0.20 ^e	<0.20	<0.50	<0.10	<0.20	NA	NA
03/09/18	360.45	48.35	312.10	6.69	14.4	479	0.28	1.89	1.9	NS	NS	NS	NS	NS	NS	NS	4.7	<0.20	NA	NA
05/16/18	360.45	47.94	312.51	6.42	15.2	405	0.21	1.41	1.5	6.2	2.2	20	19	<0.010	1.3	5.1	2.9	<0.20	NA	NA
11/07/18	360.45	48.14	312.31	6.82	15.1	506	0.17	2.50	1.5	6.6	1.1	24	2.8	<0.010	<0.20	7.0	3.3	<0.20	NA	NA
07/26/19	360.45	48.58	311.87	6.55	17.9	782	0.65	NM	1.2	1.3	0.25	1.2	2.4	<0.0030	0.22	4.8	2.8	<0.20	<0.10	<0.20
01/30/20	360.45	50.03	310.42	7.51	13.5	27.0	7.14	NM	<0.10	<0.10	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	<0.080	<0.16
07/22/20	360.45	50.25	310.20	6.80	16.1	355	1.57	NM	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010	<2.0	<2.0	NA	NA	NA	NA
10/19/20	360.45	50.68	309.77	7.51	16.4	390	2.34	1.5	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/18/21	360.45	50.90	309.55	7.49	14.9	378	0.66	0.7	<0.10	0.66	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
04/26/21	360.45	50.49	309.96	7.65	15.7	378	0.19	0.44	<0.10	0.51	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
07/26/21	360.45	50.63	309.82	7.65	18.1	308	0.31	0.63	<0.05	0.59	<0.50	<0.25	<0.75	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/25/22	360.45	50.31	310.14	7.01	14.7	622	0.40	0.29	<0.05	0.33	<0.50	<0.25	<0.75	<0.010	<2.5	<1.0	NA	NA	NA	NA
07/26/22	360.45	49.43	311.02	6.92	18.2	496	0.86	1.71	<0.10	0.70	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
Notes: Values in bold and red exceed MTCA Method A Cleanup Levels. NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				


Table B-9
Summary of Groundwater Sampling Results - Well MW-22
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
12/10/09	393.31	83.8	309.51	6.96	11.7	5.66	0.27	NM	8.0	17	26	770	1,112	< 0.0095	4.9	270	NA	NA	NA	NA
02/12/10	393.31	NM	NM	NM	NM	NM	NM	0.97	12.0	22	51	850	1,719	< 0.0096	11	280	NA	NA	NA	NA
03/16/10	393.31	83.63	309.68	6.65	12.5	586	0.25	82.0	15.0	23	74	1,400	2,420	< 0.0095	15	380	NS	NS	NS	NS
03/20/14	393.31	82.93	310.38	6.68	12.2	381	0.87	64.8	17.0	5.7	12	990	1,503	< 0.070 ^f	7.8	400 J	1.2 J	< 0.20	NA	NA
05/28/14	393.31	82.72	310.59	6.73	13.2	383	0.30	2.26	18.0	3.90	9.70	940	1,900	< 0.070 ^f	8.6	420 B	1.7 J	< 0.20	NA	NA
09/12/14	393.31	82.98	310.33	6.81	13.7	423	0.29	1.03	16.0	4.80	9.30	690	1,103	< 1.5 ^f	9.8	460 B J	1.1 J	< 0.20	NA	NA
12/05/14	393.31	82.98	310.33	6.81	12.8	378	0.26	3.71	16.0	8.70	11.0	740	1,103	< 1.5 ^f	7.2	380	0.86 J	< 0.20	NA	NA
06/25/15	393.31	82.95	310.36	6.82	13.6	354	0.52	3.34	19.0	5.90	7.40	750	1,402	< 0.74 ^f	4.7	310	1.0 J	< 0.20	NA	NA
12/02/15	393.31	84.83	308.48	6.87	13.0	325	0.25	3.42	19.0	4.40	6.20	840	1,503	<0.020 ^e	3.0 J	240	1.5 J	< 0.20	NA	NA
05/04/16	393.31	83.85	309.46	6.84	13.3	294	0.39	3.61	15.0	3.80	5.00	780	1,403	<0.20 ^f	8.6	470 Q	2.8 J	<0.20	NA	NA
11/16/16	393.31	83.43	309.88	6.89	13.1	246	1.00	5.50	11.0	3.97	3.93	631	882	<0.20 ^f	5.9 J	438	1.9	<0.20	NA	NA
05/02/17	393.31	82.95	310.36	6.67	13.3	172	0.41	1.87	12.8	4.22	4.35	651	960	<0.20 ^f	5.7	389	2.8	<0.22	NA	NA
11/15/17	393.31	81.93	311.38	7.09	13.1	215	1.72	3.72	11.1	4.17	3.34	481	583	<2.0 ^f	5.4	326	2.4	<0.20	NA	NA
01/18/18	393.31	81.43	311.88	6.67	12.9	196	0.81	3.08	16.5	4.90	3.89	530	731	<2.0 ^f	7.9	349	2.9	<0.20	NA	NA
03/09/18	393.31	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
05/16/18	393.31	80.92	312.39	6.41	13.5	172	3.39	2.94	12.2	2.97	2.4	340	630	<0.010	4.8	268	2.0	<0.20	NA	NA
11/07/18	393.31	81.22	312.09	6.97	13.4	171	3.92	1.78	8.56	2.27	2.2	198	407	<0.010	4.0	228	1.8 J	0.20 UJ	NA	NA
08/08/19	393.31	81.52	311.79	6.02	14.6	231	5.05	NM	1.94	1.05	0.33	61.4	76.3	<0.0030	0.47	61	0.77	<0.20	<0.10	<0.20
01/29/20	393.31	82.58	310.73	6.72	12.8	192	1.78	NM	4.32	3.10	<5.0	247	335	<2.5 ^f	<10	130	NA	NA	0.27 ^e	<0.20
07/21/20	393.31	83.04	310.27	5.60	14.8	208	0.96	NM	4.38	2.90	<5.0	184	340	<2.5 ^f	<10	175	NA	NA	NA	NA
01/24/22	393.31	82.41	310.90	7.70	13.0	252	0.54	0.84	0.23	1.51	<0.50	1.14	<0.75	<0.010	<1.0	13.2	NA	NA	NA	NA
Notes:																				
Values in bold and red exceed MTCA Method A Cleanup Levels.																				
NS = Not sampled																				
NM = Not measured																				
NA = Not analyzed																				
mg/L = Milligrams per liter																				
µg/L = Micrograms per liter																				
NTU = Nephelometric turbidity unit																				
µmhos/cm = Micromhos per centimeter																				
°C = Degrees Celsius																				
J = Laboratory estimated value																				
DRO = Diesel-range organics																				
ORO = Oil-range organics																				
GRO = Gasoline-range organics																				
EDB = 1,2-dibromoethane																				
^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater.																				
^b When benzene is present.																				
^c When benzene is not present.																				
^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019).																				
^e The laboratory noted that the result for diesel-range organics is due to overlap from gasoline or a gasoline-range product.																				
^f The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

Table B-10
Summary of Groundwater Sampling Results - Well PORT-MW-B
SeaTac Development Site
SeaTac, Washington

Date Sampled	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Field Parameters					Analytical Data											
				pH	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	GRO (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	EDB (µg/L)	N-hexane (µg/L)	Naphthalene (µg/L)	DRO (mg/L)	ORO (mg/L)	DRO after Silica Gel Cleanup (mg/L)	ORO after Silica Gel Cleanup (mg/L)
MTCA Method A Groundwater Cleanup Levels ^a									0.8 ^b /1.0 ^c	5.0	1,000	700	1,000	0.01	480 ^d	160	0.5	0.5	0.5	0.5
08/03/11	400.00 ^e	NM	NM	NM	NM	NM	NM	NM	0.20	1.3	< 1.0	13	3.4	< 0.01	< 1.0	13	0.28	< 0.25	NA	NA
03/20/14	400.00 ^e	89.70	310.30 ^f	6.55	12.3	267	6.16	NM	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.070 ^g	< 0.20	< 0.50 J	< 0.10	< 0.20	NA	NA
05/28/14	400.00 ^e	89.50	310.50 ^f	6.50	14.2	317	4.63	98.3	< 0.10	< 0.25	< 0.25	< 0.25	< 0.50	< 0.070 ^g	< 0.20	< 0.50	< 0.10	< 0.20	NA	NA
09/12/14	400.00 ^e	89.71	310.29 ^f	6.56	14.0	266	3.56	6.18	< 0.10	< 0.25	< 0.25	1.1	1.9	< 0.070 ^g	< 0.20	< 0.50	< 0.10	< 0.20	NA	NA
12/05/14	400.00 ^e	89.71	310.29 ^f	6.57	12.6	265	4.07	84.1	0.11	< 0.25	< 0.25	1.1	1.0	< 0.070 ^g	< 0.20	< 0.50	< 0.10	< 0.20	NA	NA
06/25/15	400.00 ^e	89.67	310.33 ^f	6.51	14.3	290	3.80	4.18	< 0.25	< 0.20	< 0.20	< 0.20	< 0.40	< 0.070 ^g	< 0.20	< 0.50	< 0.10	< 0.20	NA	NA
12/02/15	400.00 ^e	91.61	308.39 ^f	6.56	13.0	267	2.34	1.79	< 0.25	< 0.20	< 0.20	0.26	0.40 J	< 0.070 ^g	< 0.20	2.3 J	< 0.10	0.49	NA	NA
05/04/16	400.00 ^e	90.55	309.45 ^f	6.72	13.2	219	2.59	7.38	<0.10	0.080 J	<0.20	0.74	0.50	<0.20 ^g	<0.20	0.83 J	<0.10	<0.20	NA	NA
11/16/16	400.00 ^e	90.31	309.69 ^f	6.70	13.1	192	3.97	11.7	<0.10	0.030 J	<0.20	0.04 J	<0.40	<0.20 ^g	<0.20	<0.50	<0.10	<0.20	NA	NA
05/02/17	400.00 ^e	89.65	310.35 ^f	6.54	12.9	107	3.85	2.63	<0.10	0.21	<0.20	1.2	<0.40	<0.020 ^e	<0.20	1.4	<0.10	<0.20	NA	NA
11/15/17	400.00 ^e	88.67	311.33 ^f	6.78	13.0	199	5.09	2.42	<0.10	<0.20	<0.20	0.36	<0.40	<0.20 ^g	<0.20	<0.50	<0.10	<0.20	NA	NA
01/18/18	400.00 ^e	88.17	311.83 ^f	6.82	12.6	173	1.39	3.43	0.15	0.47	<0.20	2.7	<0.40	<0.20 ^g	<0.20	3.2	0.17	<0.20	NA	NA
03/09/18	400.00 ^e	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
05/16/18	400.00 ^e	87.64	312.36 ^f	6.40	13.8	103	3.36	2.35	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA
11/07/18	400.00 ^e	87.91	312.09 ^f	6.80	13.1	103	4.92	1.29	<0.10	<0.20	<0.20	<0.20	<0.40	<0.010	<0.20	<0.50	<0.10	<0.20	NA	NA
08/08/19	400.00 ^e	89.11	310.73 ^f	6.88	17.8	253	2.01	NM	<0.10	<0.20	<0.20	<0.20	<0.60	<0.0030	0.11 J	<0.50	0.14	<0.20	<0.10	<0.20
01/29/20	399.83	105.60	294.23	6.66	12.0	166	8.70	NM	<0.10	<0.10	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	NA	NA
07/21/20	399.83	89.77	310.06	5.37	14.5	174	3.15	NM	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
10/19/20	399.83	90.30	309.53	6.22	15.0	194	1.14	3.27	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/18/21	399.83	90.61	309.22	6.31	12.3	209	3.75	14.50	<0.10	<0.20	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
04/26/21	399.83	90.12	309.71	6.80	13.7	228	2.99	62.60	<0.10	0.22	<1.0	<0.50	<1.5	<0.010	<2.0	<2.0	NA	NA	NA	NA
07/26/21	399.83	90.28	309.55	6.88	15.2	185	3.88	2.10	<0.050	<0.10	<0.50	<0.25	<0.75	<0.010	<2.0	<2.0	NA	NA	NA	NA
01/24/22	399.83	90.02	309.81	7.00	12.7	224	2.71	0.64	<0.050	<0.10	<0.50	<0.25	<0.75	<0.010	<1.0	<1.0	NA	NA	NA	NA
07/25/22	399.83	89.11	310.72	6.88	17.8	253	2.01	6.20	<0.10	<0.20	<1.0	<0.50	<1.50	<0.010	<2.0	<2.0	NA	NA	NA	NA
Notes: NS = Not sampled NS = Not sampled NM = Not measured NA = Not analyzed mg/L = Milligrams per liter µg/L = Micrograms per liter NTU = Nephelometric turbidity unit µmhos/cm = Micromhos per centimeter °C = Degrees Celsius J = Laboratory estimated value DRO = Diesel-range organics ORO = Oil-range organics GRO = Gasoline-range organics EDB = 1,2-dibromoethane ^a Ecology's Model Toxics Control Act (MTCA) Cleanup Regulation (Chapter 173-340 WAC), Tables 720-1, Method A Cleanup Levels for Groundwater. ^b When benzene is present. ^c When benzene is not present. ^d Method B cleanup level used because Method A cleanup level is not established. Standard formula values, direct contact Method B groundwater cleanup levels as published on Ecology's Cleanup Level and Risk Calculation (CLARC) on-line database (May 2019). ^e Top of casing elevation was not surveyed; elevation was estimated by Golder Associates, Inc. ^f Estimated elevation. ^g The analyte was not detected at or above the method detection limit (MDL); however, the MDL exceeded the cleanup level.																				

MW-07




Legend

- GRO Concentrations
- ▲ Benzene Concentrations
- Benzene Cleanup Level (5 ug/L)
- - - GRO Trendline
- - - DO Trendline
- GRO Cleanup Level (800 ug/L)
- ▲ Benzene Non-Detects
- ◆ Dissolved Oxygen (DO) Concentrations
- - - Benzene Trendline
- IAS - SVE system operating

FIGURE B-1
GRO and Benzene Concentrations in MW-07
SeaTac Development Site

MW-09




Legend

- GRO Concentrations
- GRO Non-Detects
- GRO Cleanup Level (800 ug/L)
- ▲ Benzene Concentrations
- Benzene Cleanup Level (5 ug/L)
- ▲ Benzene Non-Detects
- ◆ Dissolved Oxygen (DO) Concentrations
- GRO Trendline
- Benzene Trendline
- DO Trendline
- IAS - SVE system operating

FIGURE B-2
GRO, Benzene, & DRO Concentrations in
MW-09
SeaTac Development Site


MW-12




Legend


- GRO Concentrations
- GRO Cleanup Level (800 ug/L)
- ▲ Benzene Non-Detects
- ◆ Dissolved Oxygen (DO) Concentrations
- - - Benzene Trendline
- GRO Non-Detects
- Benzene Cleanup Level (5 ug/L)
- - - DO Trendline
- IAS - SVE system operating

FIGURE B-3
GRO and Benzene Concentrations in MW-12
SeaTac Development Site





MW-16




Legend

- GRO Concentrations
- GRO Non-Detect
- Benzene Cleanup Level (5 ug/L)
- ◆— Dissolved Oxygen (DO) Concentrations
- Benzene Trendline
- GRO Cleanup Level (800 ug/L)
- ▲— Benzene Non-Detects
- GRO Trendline
- DO Trendline
- IAS - SVE system operating

FIGURE B-6
GRO and Benzene Concentrations in
MW-16
SeaTac Development Site

MW-17A



MW-18





FIGURE B-8
GRO and Benzene Concentrations in
MW-18
SeaTac Development Site


MW-22



Legend

- GRO Concentrations
- ▲ Benzene Concentrations
- ◆ Dissolved Oxygen (DO) Concentrations
- Benzene Trendline
- IAS - SVE system operating
- GRO Cleanup Level (800 ug/L)
- Benzene Cleanup Level (5 ug/L)
- GRO Trendline
- DO Trendline

FIGURE B-9
GRO and Benzene Concentrations in
MW-22
SeaTac Development Site



APPENDIX C

LABORATORY REPORT



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Friday, August 5, 2022

Mike Staton

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

RE: A2G0753 - Sea-Tac Development Site - 128.02207.00003

Thank you for using Apex Laboratories. We greatly appreciate your business and strive to provide the highest quality services to the environmental industry.

Enclosed are the results of analyses for work order A2G0753, which was received by the laboratory on 7/27/2022 at 10:38:00AM.

If you have any questions concerning this report or the services we offer, please feel free to contact me by email at: pnerenberg@apex-labs.com, or by phone at 503-718-2323.

Please note: All samples will be disposed of within 30 days of sample receipt, unless prior arrangements have been made.

Cooler Receipt Information

(See Cooler Receipt Form for details)

Cooler #1

5.9 degC

This Final Report is the official version of the data results for this sample submission, unless superseded by a subsequent, labeled amended report.

All other deliverables derived from this data, including Electronic Data Deliverables (EDDs), CLP-like forms, client requested summary sheets, and all other products are considered secondary to this report.



Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**ANALYTICAL REPORT****Apex Laboratories, LLC**6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062**SLR Corporation-Bothell**22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625****ANALYTICAL REPORT FOR SAMPLES****SAMPLE INFORMATION**

Client Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-7-0722	A2G0753-01	Water	07/25/22 15:19	07/27/22 10:38
MW-9-0722	A2G0753-02	Water	07/25/22 16:05	07/27/22 10:38
MW-12-0722	A2G0753-03	Water	07/26/22 09:55	07/27/22 10:38
MW-13-0722	A2G0753-04	Water	07/26/22 11:35	07/27/22 10:38
MW-16-0722	A2G0753-05	Water	07/25/22 14:35	07/27/22 10:38
MW-17A-0722	A2G0753-06	Water	07/25/22 14:01	07/27/22 10:38
MW-18-0722	A2G0753-07	Water	07/26/22 10:49	07/27/22 10:38
Port-MW-B-0722	A2G0753-08	Water	07/25/22 11:03	07/27/22 10:38
MW-37-0722	A2G0753-09	Water	07/25/22 15:22	07/27/22 10:38
Equipment Blank-0722	A2G0753-10	Water	07/25/22 16:21	07/27/22 10:38
Trip Blank-0722	A2G0753-11	Water	07/25/22 00:00	07/27/22 10:38

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062**SLR Corporation-Bothell**22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

ANALYTICAL SAMPLE RESULTS

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-7-0722 (A2G0753-01)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	117	---	100	ug/L	1	07/29/22 13:15	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 98 %	Limits: 50-150 %	1	07/29/22 13:15	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		98 %	50-150 %	1	07/29/22 13:15	NWTPH-Gx (MS)		
MW-9-0722 (A2G0753-02)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 13:59	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 96 %	Limits: 50-150 %	1	07/29/22 13:59	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		98 %	50-150 %	1	07/29/22 13:59	NWTPH-Gx (MS)		
MW-12-0722 (A2G0753-03)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	510	---	100	ug/L	1	07/29/22 14:21	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 99 %	Limits: 50-150 %	1	07/29/22 14:21	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		99 %	50-150 %	1	07/29/22 14:21	NWTPH-Gx (MS)		
MW-13-0722 (A2G0753-04)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 14:44	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 98 %	Limits: 50-150 %	1	07/29/22 14:44	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		100 %	50-150 %	1	07/29/22 14:44	NWTPH-Gx (MS)		
MW-16-0722 (A2G0753-05)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 15:06	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 96 %	Limits: 50-150 %	1	07/29/22 15:06	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		99 %	50-150 %	1	07/29/22 15:06	NWTPH-Gx (MS)		
MW-17A-0722 (A2G0753-06)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 15:28	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 98 %	Limits: 50-150 %	1	07/29/22 15:28	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		100 %	50-150 %	1	07/29/22 15:28	NWTPH-Gx (MS)		
MW-18-0722 (A2G0753-07)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 15:51	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 98 %	Limits: 50-150 %	1	07/29/22 15:51	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		100 %	50-150 %	1	07/29/22 15:51	NWTPH-Gx (MS)		
Port-MW-B-0722 (A2G0753-08)		Matrix: Water			Batch: 22G0935			

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

ANALYTICAL SAMPLE RESULTS

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Port-MW-B-0722 (A2G0753-08)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 16:13	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 96 %	Limits: 50-150 %	1	07/29/22 16:13	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		101 %	50-150 %	1	07/29/22 16:13	NWTPH-Gx (MS)		
MW-37-0722 (A2G0753-09)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	157	---	100	ug/L	1	07/29/22 16:58	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 98 %	Limits: 50-150 %	1	07/29/22 16:58	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		101 %	50-150 %	1	07/29/22 16:58	NWTPH-Gx (MS)		
Equipment Blank-0722 (A2G0753-10)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 12:53	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 96 %	Limits: 50-150 %	1	07/29/22 12:53	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		98 %	50-150 %	1	07/29/22 12:53	NWTPH-Gx (MS)		
Trip Blank-0722 (A2G0753-11)		Matrix: Water			Batch: 22G0935			
Gasoline Range Organics	ND	---	100	ug/L	1	07/29/22 12:31	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 95 %	Limits: 50-150 %	1	07/29/22 12:31	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		98 %	50-150 %	1	07/29/22 12:31	NWTPH-Gx (MS)		

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

ANALYTICAL SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-7-0722 (A2G0753-01)		Matrix: Water			Batch: 22G0935			
Benzene	0.360	---	0.200	ug/L	1	07/29/22 13:15	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 13:15	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 13:15	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 13:15	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 13:15	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 13:15	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	103 %	Limits:	80-120 %	1	07/29/22 13:15	EPA 8260D
Toluene-d8 (Surr)			99 %		80-120 %	1	07/29/22 13:15	EPA 8260D
4-Bromofluorobenzene (Surr)			102 %		80-120 %	1	07/29/22 13:15	EPA 8260D
MW-9-0722 (A2G0753-02)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 13:59	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 13:59	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 13:59	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 13:59	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 13:59	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 13:59	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	102 %	Limits:	80-120 %	1	07/29/22 13:59	EPA 8260D
Toluene-d8 (Surr)			100 %		80-120 %	1	07/29/22 13:59	EPA 8260D
4-Bromofluorobenzene (Surr)			101 %		80-120 %	1	07/29/22 13:59	EPA 8260D
MW-12-0722 (A2G0753-03)		Matrix: Water			Batch: 22G0935			
Benzene	1.03	---	0.200	ug/L	1	07/29/22 14:21	EPA 8260D	
Toluene	4.59	---	1.00	ug/L	1	07/29/22 14:21	EPA 8260D	
Ethylbenzene	28.7	---	0.500	ug/L	1	07/29/22 14:21	EPA 8260D	
Xylenes, total	62.9	---	1.50	ug/L	1	07/29/22 14:21	EPA 8260D	
Naphthalene	5.80	---	2.00	ug/L	1	07/29/22 14:21	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	103 %	Limits:	80-120 %	1	07/29/22 14:21	EPA 8260D
Toluene-d8 (Surr)			99 %		80-120 %	1	07/29/22 14:21	EPA 8260D
4-Bromofluorobenzene (Surr)			100 %		80-120 %	1	07/29/22 14:21	EPA 8260D
MW-12-0722 (A2G0753-03RE1)		Matrix: Water			Batch: 22H0015			
n-Hexane	2.59	---	2.00	ug/L	1	08/01/22 17:25	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	116 %	Limits:	80-120 %	1	08/01/22 17:25	EPA 8260D

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

ANALYTICAL SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-12-0722 (A2G0753-03RE1)		Matrix: Water			Batch: 22H0015			
Surrogate: Toluene-d8 (Surr)		Recovery: 97 %	Limits: 80-120 %	1	08/01/22 17:25	EPA 8260D		
4-Bromofluorobenzene (Surr)		100 %	80-120 %	1	08/01/22 17:25	EPA 8260D		
MW-13-0722 (A2G0753-04)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 14:44	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 14:44	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 14:44	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 14:44	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 14:44	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 14:44	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 103 %	Limits: 80-120 %	1	07/29/22 14:44	EPA 8260D		
Toluene-d8 (Surr)		100 %	80-120 %	1	07/29/22 14:44	EPA 8260D		
4-Bromofluorobenzene (Surr)		100 %	80-120 %	1	07/29/22 14:44	EPA 8260D		
MW-16-0722 (A2G0753-05)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 15:06	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 15:06	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 15:06	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 15:06	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 15:06	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 15:06	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 102 %	Limits: 80-120 %	1	07/29/22 15:06	EPA 8260D		
Toluene-d8 (Surr)		100 %	80-120 %	1	07/29/22 15:06	EPA 8260D		
4-Bromofluorobenzene (Surr)		99 %	80-120 %	1	07/29/22 15:06	EPA 8260D		
MW-17A-0722 (A2G0753-06)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 15:28	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 15:28	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 15:28	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 15:28	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 15:28	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 15:28	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 102 %	Limits: 80-120 %	1	07/29/22 15:28	EPA 8260D		
Toluene-d8 (Surr)		100 %	80-120 %	1	07/29/22 15:28	EPA 8260D		
4-Bromofluorobenzene (Surr)		101 %	80-120 %	1	07/29/22 15:28	EPA 8260D		

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

ANALYTICAL SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-18-0722 (A2G0753-07)		Matrix: Water			Batch: 22G0935			
Benzene	0.700	---	0.200	ug/L	1	07/29/22 15:51	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 15:51	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 15:51	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 15:51	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 15:51	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 15:51	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	102 %	Limits:	80-120 %	1	07/29/22 15:51	EPA 8260D
Toluene-d8 (Surr)			100 %		80-120 %	1	07/29/22 15:51	EPA 8260D
4-Bromofluorobenzene (Surr)			101 %		80-120 %	1	07/29/22 15:51	EPA 8260D
Port-MW-B-0722 (A2G0753-08)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 16:13	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 16:13	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 16:13	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 16:13	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 16:13	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 16:13	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	104 %	Limits:	80-120 %	1	07/29/22 16:13	EPA 8260D
Toluene-d8 (Surr)			100 %		80-120 %	1	07/29/22 16:13	EPA 8260D
4-Bromofluorobenzene (Surr)			101 %		80-120 %	1	07/29/22 16:13	EPA 8260D
MW-37-0722 (A2G0753-09)		Matrix: Water			Batch: 22G0935			
Benzene	0.410	---	0.200	ug/L	1	07/29/22 16:58	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 16:58	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 16:58	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 16:58	EPA 8260D	
Naphthalene	ND	---	2.00	ug/L	1	07/29/22 16:58	EPA 8260D	
n-Hexane	ND	---	2.00	ug/L	1	07/29/22 16:58	EPA 8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	104 %	Limits:	80-120 %	1	07/29/22 16:58	EPA 8260D
Toluene-d8 (Surr)			100 %		80-120 %	1	07/29/22 16:58	EPA 8260D
4-Bromofluorobenzene (Surr)			100 %		80-120 %	1	07/29/22 16:58	EPA 8260D
Equipment Blank-0722 (A2G0753-10)		Matrix: Water			Batch: 22G0935			
Benzene	ND	---	0.200	ug/L	1	07/29/22 12:53	EPA 8260D	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062**SLR Corporation-Bothell**22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

ANALYTICAL SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Equipment Blank-0722 (A2G0753-10)			Matrix: Water			Batch: 22G0935		
Toluene	ND	---	1.00	ug/L	1	07/29/22 12:53	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 12:53	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 12:53	EPA 8260D	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery:</i>	<i>102 %</i>	<i>Limits:</i>	<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:53</i>	<i>EPA 8260D</i>
<i>Toluene-d8 (Surr)</i>			<i>100 %</i>		<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:53</i>	<i>EPA 8260D</i>
<i>4-Bromofluorobenzene (Surr)</i>			<i>103 %</i>		<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:53</i>	<i>EPA 8260D</i>
Trip Blank-0722 (A2G0753-11)			Matrix: Water			Batch: 22G0935		
Benzene	ND	---	0.200	ug/L	1	07/29/22 12:31	EPA 8260D	
Toluene	ND	---	1.00	ug/L	1	07/29/22 12:31	EPA 8260D	
Ethylbenzene	ND	---	0.500	ug/L	1	07/29/22 12:31	EPA 8260D	
Xylenes, total	ND	---	1.50	ug/L	1	07/29/22 12:31	EPA 8260D	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery:</i>	<i>103 %</i>	<i>Limits:</i>	<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:31</i>	<i>EPA 8260D</i>
<i>Toluene-d8 (Surr)</i>			<i>100 %</i>		<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:31</i>	<i>EPA 8260D</i>
<i>4-Bromofluorobenzene (Surr)</i>			<i>101 %</i>		<i>80-120 %</i>	<i>1</i>	<i>07/29/22 12:31</i>	<i>EPA 8260D</i>

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

ANALYTICAL SAMPLE RESULTS

1,2-Dibromoethane (EDB) by EPA 8260D SIM

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-7-0722 (A2G0753-01)				Matrix: Water		Batch: 22H0146		
1,2-Dibromoethane (EDB)	ND	0.0220	0.0220	ug/L	1	08/03/22 16:18	EPA 8260D SIM	R-02
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 100 %	Limits: 80-120 %	1	08/03/22 16:18	EPA 8260D SIM		
Toluene-d8 (Surr)		98 %	80-120 %	1	08/03/22 16:18	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		96 %	80-120 %	1	08/03/22 16:18	EPA 8260D SIM		
MW-9-0722 (A2G0753-02RE1)				Matrix: Water		Batch: 22H0160		
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 20:36	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 100 %	Limits: 80-120 %	1	08/04/22 20:36	EPA 8260D SIM		
Toluene-d8 (Surr)		100 %	80-120 %	1	08/04/22 20:36	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		99 %	80-120 %	1	08/04/22 20:36	EPA 8260D SIM		
MW-12-0722 (A2G0753-03RE1)				Matrix: Water		Batch: 22H0160		
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 21:03	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 99 %	Limits: 80-120 %	1	08/04/22 21:03	EPA 8260D SIM		
Toluene-d8 (Surr)		99 %	80-120 %	1	08/04/22 21:03	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		92 %	80-120 %	1	08/04/22 21:03	EPA 8260D SIM		
MW-13-0722 (A2G0753-04RE1)				Matrix: Water		Batch: 22H0160		
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 21:30	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 102 %	Limits: 80-120 %	1	08/04/22 21:30	EPA 8260D SIM		
Toluene-d8 (Surr)		99 %	80-120 %	1	08/04/22 21:30	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		99 %	80-120 %	1	08/04/22 21:30	EPA 8260D SIM		
MW-16-0722 (A2G0753-05)				Matrix: Water		Batch: 22H0160		
1,2-Dibromoethane (EDB)	ND	0.0200	0.0200	ug/L	1	08/04/22 13:53	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 104 %	Limits: 80-120 %	1	08/04/22 13:53	EPA 8260D SIM		
Toluene-d8 (Surr)		99 %	80-120 %	1	08/04/22 13:53	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		100 %	80-120 %	1	08/04/22 13:53	EPA 8260D SIM		
MW-17A-0722 (A2G0753-06)				Matrix: Water		Batch: 22H0160		
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 13:27	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 103 %	Limits: 80-120 %	1	08/04/22 13:27	EPA 8260D SIM		
Toluene-d8 (Surr)		98 %	80-120 %	1	08/04/22 13:27	EPA 8260D SIM		
4-Bromofluorobenzene (Surr)		100 %	80-120 %	1	08/04/22 13:27	EPA 8260D SIM		

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

ANALYTICAL SAMPLE RESULTS

1,2-Dibromoethane (EDB) by EPA 8260D SIM

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
MW-18-0722 (A2G0753-07)		Matrix: Water			Batch: 22H0160			
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 15:14	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	103 %	Limits:	80-120 %	1	08/04/22 15:14	EPA 8260D SIM
Toluene-d8 (Surr)			99 %		80-120 %	1	08/04/22 15:14	EPA 8260D SIM
4-Bromofluorobenzene (Surr)			100 %		80-120 %	1	08/04/22 15:14	EPA 8260D SIM
Port-MW-B-0722 (A2G0753-08)		Matrix: Water			Batch: 22H0160			
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	08/04/22 15:41	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	104 %	Limits:	80-120 %	1	08/04/22 15:41	EPA 8260D SIM
Toluene-d8 (Surr)			99 %		80-120 %	1	08/04/22 15:41	EPA 8260D SIM
4-Bromofluorobenzene (Surr)			101 %		80-120 %	1	08/04/22 15:41	EPA 8260D SIM
MW-37-0722 (A2G0753-09)		Matrix: Water			Batch: 22H0160			
1,2-Dibromoethane (EDB)	ND	0.0200	0.0200	ug/L	1	08/04/22 16:08	EPA 8260D SIM	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	103 %	Limits:	80-120 %	1	08/04/22 16:08	EPA 8260D SIM
Toluene-d8 (Surr)			98 %		80-120 %	1	08/04/22 16:08	EPA 8260D SIM
4-Bromofluorobenzene (Surr)			96 %		80-120 %	1	08/04/22 16:08	EPA 8260D SIM

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

QUALITY CONTROL (QC) SAMPLE RESULTS

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22G0935 - EPA 5030B						Water						
Blank (22G0935-BLK1)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 12:09									
NWTPH-Gx (MS)												
Gasoline Range Organics	ND	---	100	ug/L	1	---	---	---	---	---	---	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 94 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		97 %		50-150 %		"						
LCS (22G0935-BS2)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 11:46									
NWTPH-Gx (MS)												
Gasoline Range Organics	479	---	100	ug/L	1	500	---	96	80-120%	---	---	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 97 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		97 %		50-150 %		"						
Duplicate (22G0935-DUP1)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 13:37									
QC Source Sample: MW-7-0722 (A2G0753-01)												
NWTPH-Gx (MS)												
Gasoline Range Organics	129	---	100	ug/L	1	---	117	---	---	10	30%	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 98 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		99 %		50-150 %		"						
Duplicate (22G0935-DUP2)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 16:35									
QC Source Sample: Port-MW-B-0722 (A2G0753-08)												
NWTPH-Gx (MS)												
Gasoline Range Organics	ND	---	100	ug/L	1	---	ND	---	---	---	30%	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 97 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		101 %		50-150 %		"						

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes		
Batch 22G0935 - EPA 5030B						Water								
Blank (22G0935-BLK1)			Prepared: 07/29/22 07:23		Analyzed: 07/29/22 12:09									
EPA 8260D														
Benzene	ND	---	0.200	ug/L	1	---	---	---	---	---	---			
Toluene	ND	---	1.00	ug/L	1	---	---	---	---	---	---			
Ethylbenzene	ND	---	0.500	ug/L	1	---	---	---	---	---	---			
Xylenes, total	ND	---	1.50	ug/L	1	---	---	---	---	---	---			
Methyl tert-butyl ether (MTBE)	ND	---	1.00	ug/L	1	---	---	---	---	---	---			
Naphthalene	ND	---	2.00	ug/L	1	---	---	---	---	---	---			
1,2-Dibromoethane (EDB)	ND	---	0.500	ug/L	1	---	---	---	---	---	---			
1,2-Dichloroethane (EDC)	ND	---	0.500	ug/L	1	---	---	---	---	---	---			
Isopropylbenzene	ND	---	1.00	ug/L	1	---	---	---	---	---	---			
1,2,4-Trimethylbenzene	ND	---	1.00	ug/L	1	---	---	---	---	---	---			
1,3,5-Trimethylbenzene	ND	---	1.00	ug/L	1	---	---	---	---	---	---			
Surr: 1,4-Difluorobenzene (Surr)												Recovery: 102 %	Limits: 80-120 %	Dilution: 1x
Toluene-d8 (Surr)												99 %	80-120 %	"
4-Bromofluorobenzene (Surr)												104 %	80-120 %	"
LCS (22G0935-BS1)			Prepared: 07/29/22 07:23		Analyzed: 07/29/22 11:25									
EPA 8260D														
Benzene	19.9	---	0.200	ug/L	1	20.0	---	100	80-120%	---	---			
Toluene	19.2	---	1.00	ug/L	1	20.0	---	96	80-120%	---	---			
Ethylbenzene	20.0	---	0.500	ug/L	1	20.0	---	100	80-120%	---	---			
Xylenes, total	60.7	---	1.50	ug/L	1	60.0	---	101	80-120%	---	---			
Methyl tert-butyl ether (MTBE)	19.7	---	1.00	ug/L	1	20.0	---	98	80-120%	---	---			
Naphthalene	18.0	---	2.00	ug/L	1	20.0	---	90	80-120%	---	---			
1,2-Dibromoethane (EDB)	19.2	---	0.500	ug/L	1	20.0	---	96	80-120%	---	---			
1,2-Dichloroethane (EDC)	20.0	---	0.500	ug/L	1	20.0	---	100	80-120%	---	---			
Isopropylbenzene	20.9	---	1.00	ug/L	1	20.0	---	105	80-120%	---	---			
1,2,4-Trimethylbenzene	20.8	---	1.00	ug/L	1	20.0	---	104	80-120%	---	---			
1,3,5-Trimethylbenzene	20.8	---	1.00	ug/L	1	20.0	---	104	80-120%	---	---			
n-Hexane	26.7	---	2.00	ug/L	1	20.0	---	133	80-120%	---	---			
Surr: 1,4-Difluorobenzene (Surr)												Recovery: 102 %	Limits: 80-120 %	Dilution: 1x
Toluene-d8 (Surr)												98 %	80-120 %	"
4-Bromofluorobenzene (Surr)												100 %	80-120 %	"

Q-56

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22G0935 - EPA 5030B						Water						
Duplicate (22G0935-DUP1)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 13:37									
QC Source Sample: MW-7-0722 (A2G0753-01)												
EPA 8260D												
Benzene	0.350	---	0.200	ug/L	1	---	0.360	---	---	3	30%	
Toluene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Ethylbenzene	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
Xylenes, total	ND	---	1.50	ug/L	1	---	ND	---	---	---	30%	
Methyl tert-butyl ether (MTBE)	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Naphthalene	ND	---	2.00	ug/L	1	---	ND	---	---	---	30%	
1,2-Dibromoethane (EDB)	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichloroethane (EDC)	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
Isopropylbenzene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2,4-Trimethylbenzene	ND	---	1.00	ug/L	1	---	0.720	---	---	***	30%	
1,3,5-Trimethylbenzene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 102 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		99 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		102 %		80-120 %		"						

Duplicate (22G0935-DUP2)

Prepared: 07/29/22 07:23 Analyzed: 07/29/22 16:35

QC Source Sample: Port-MW-B-0722 (A2G0753-08)

EPA 8260D

Benzene	ND	---	0.200	ug/L	1	---	ND	---	---	---	30%	
Toluene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Ethylbenzene	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
Xylenes, total	ND	---	1.50	ug/L	1	---	ND	---	---	---	30%	
Methyl tert-butyl ether (MTBE)	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Naphthalene	ND	---	2.00	ug/L	1	---	ND	---	---	---	30%	
1,2-Dibromoethane (EDB)	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichloroethane (EDC)	ND	---	0.500	ug/L	1	---	ND	---	---	---	30%	
Isopropylbenzene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2,4-Trimethylbenzene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
1,3,5-Trimethylbenzene	ND	---	1.00	ug/L	1	---	ND	---	---	---	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 103 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		100 %		80-120 %		"						

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22G0935 - EPA 5030B						Water						
Duplicate (22G0935-DUP2)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 16:35									
QC Source Sample: Port-MW-B-0722 (A2G0753-08)												
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 101 %		Limits: 80-120 %		Dilution: 1x						
Matrix Spike (22G0935-MS1)			Prepared: 07/29/22 07:23 Analyzed: 07/29/22 20:40									
QC Source Sample: Non-SDG (A2G0818-01)												
EPA 8260D												
Benzene	20.7	---	0.200	ug/L	1	20.0	ND	104	79-120%	---	---	
Toluene	18.2	---	1.00	ug/L	1	20.0	ND	91	80-121%	---	---	
Ethylbenzene	19.1	---	0.500	ug/L	1	20.0	ND	96	79-121%	---	---	
Xylenes, total	24.8	---	1.50	ug/L	1	60.0	ND	41	79-121%	---	---	Q-01
Methyl tert-butyl ether (MTBE)	20.7	---	1.00	ug/L	1	20.0	ND	104	71-124%	---	---	
Naphthalene	ND	---	2.00	ug/L	1	20.0	ND	5	61-128%	---	---	Q-01
1,2-Dibromoethane (EDB)	19.6	---	0.500	ug/L	1	20.0	ND	98	77-121%	---	---	
1,2-Dichloroethane (EDC)	21.9	---	0.500	ug/L	1	20.0	ND	109	73-128%	---	---	
Isopropylbenzene	18.8	---	1.00	ug/L	1	20.0	ND	94	72-131%	---	---	
1,2,4-Trimethylbenzene	ND	---	1.00	ug/L	1	20.0	ND		76-124%	---	---	Q-01
1,3,5-Trimethylbenzene	ND	---	1.00	ug/L	1	20.0	ND		75-124%	---	---	Q-01
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 104 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		97 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		94 %		80-120 %		"						

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260D

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes	
Batch 22H0015 - EPA 5030B						Water							
Blank (22H0015-BLK1)			Prepared: 08/01/22 10:03 Analyzed: 08/01/22 11:45										
EPA 8260D													
n-Hexane	ND	---	2.00	ug/L	1	---	---	---	---	---	---		
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 95 %		Limits: 80-120 %		Dilution: 1x							
Toluene-d8 (Surr)		98 %		80-120 %		"							
4-Bromofluorobenzene (Surr)		102 %		80-120 %		"							
LCS (22H0015-BS1)			Prepared: 08/01/22 10:03 Analyzed: 08/01/22 11:02										A-01
EPA 8260D													
n-Hexane	20.4	---	2.00	ug/L	1	20.0	---	102	80-120%	---	---		
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 93 %		Limits: 80-120 %		Dilution: 1x							
Toluene-d8 (Surr)		97 %		80-120 %		"							
4-Bromofluorobenzene (Surr)		97 %		80-120 %		"							
Duplicate (22H0015-DUP1)			Prepared: 08/01/22 10:03 Analyzed: 08/01/22 15:17										
QC Source Sample: Non-SDG (A2G0791-03)													
n-Hexane	ND	---	2.00	ug/L	1	---	ND	---	---	---	30%		
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 97 %		Limits: 80-120 %		Dilution: 1x							
Toluene-d8 (Surr)		98 %		80-120 %		"							
4-Bromofluorobenzene (Surr)		100 %		80-120 %		"							

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

QUALITY CONTROL (QC) SAMPLE RESULTS

1,2-Dibromoethane (EDB) by EPA 8260D SIM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes	
Batch 22H0146 - EPA 5030B						Water							
Blank (22H0146-BLK1)			Prepared: 08/03/22 10:32 Analyzed: 08/03/22 15:24										
EPA 8260D SIM													
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---		
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 101 %		Limits: 80-120 %		Dilution: 1x							
Toluene-d8 (Surr)		99 %		80-120 %		"							
4-Bromofluorobenzene (Surr)		100 %		80-120 %		"							
LCS (22H0146-BS1)			Prepared: 08/03/22 10:32 Analyzed: 08/03/22 14:58										Q-50
EPA 8260D SIM													
1,2-Dibromoethane (EDB)	0.212	0.0100	0.0200	ug/L	1	0.200	---	106	80-120%	---	---		
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 101 %		Limits: 80-120 %		Dilution: 1x							
Toluene-d8 (Surr)		99 %		80-120 %		"							
4-Bromofluorobenzene (Surr)		99 %		80-120 %		"							

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062SLR Corporation-Bothell
22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: Sea-Tac Development Site
Project Number: 128.02207.00003
Project Manager: Mike StatonReport ID:
A2G0753 - 08 05 22 1625

QUALITY CONTROL (QC) SAMPLE RESULTS

1,2-Dibromoethane (EDB) by EPA 8260D SIM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22H0160 - EPA 5030B						Water						
Blank (22H0160-BLK1)			Prepared: 08/04/22 08:04 Analyzed: 08/04/22 13:00									
EPA 8260D SIM												
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 102 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		99 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		100 %		80-120 %		"						
LCS (22H0160-BS1)			Prepared: 08/04/22 08:04 Analyzed: 08/04/22 11:21									
EPA 8260D SIM												
1,2-Dibromoethane (EDB)	0.196	0.0100	0.0200	ug/L	1	0.200	---	98	80-120%	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 99 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		98 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		96 %		80-120 %		"						
Duplicate (22H0160-DUP1)			Prepared: 08/04/22 08:04 Analyzed: 08/04/22 17:28									
QC Source Sample: Non-SDG (A2H0117-05)												
1,2-Dibromoethane (EDB)	ND	0.0100	0.0200	ug/L	1	---	ND	---	---	---	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 101 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		100 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		100 %		80-120 %		"						
Matrix Spike (22H0160-MS1)			Prepared: 08/04/22 08:04 Analyzed: 08/04/22 14:20									
QC Source Sample: MW-16-0722 (A2G0753-05)												
EPA 8260D SIM												
1,2-Dibromoethane (EDB)	0.192	0.0100	0.0200	ug/L	1	0.200	ND	87	77-121%	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 103 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		99 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		99 %		80-120 %		"						

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625**

SAMPLE PREPARATION INFORMATION

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 22G0935							
A2G0753-01	Water	NWTPH-Gx (MS)	07/25/22 15:19	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-02	Water	NWTPH-Gx (MS)	07/25/22 16:05	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-03	Water	NWTPH-Gx (MS)	07/26/22 09:55	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-04	Water	NWTPH-Gx (MS)	07/26/22 11:35	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-05	Water	NWTPH-Gx (MS)	07/25/22 14:35	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-06	Water	NWTPH-Gx (MS)	07/25/22 14:01	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-07	Water	NWTPH-Gx (MS)	07/26/22 10:49	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-08	Water	NWTPH-Gx (MS)	07/25/22 11:03	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-09	Water	NWTPH-Gx (MS)	07/25/22 15:22	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-10	Water	NWTPH-Gx (MS)	07/25/22 16:21	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-11	Water	NWTPH-Gx (MS)	07/25/22 00:00	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00

Selected Volatile Organic Compounds by EPA 8260D

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 22G0935							
A2G0753-01	Water	EPA 8260D	07/25/22 15:19	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-02	Water	EPA 8260D	07/25/22 16:05	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-03	Water	EPA 8260D	07/26/22 09:55	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-04	Water	EPA 8260D	07/26/22 11:35	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-05	Water	EPA 8260D	07/25/22 14:35	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-06	Water	EPA 8260D	07/25/22 14:01	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-07	Water	EPA 8260D	07/26/22 10:49	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-08	Water	EPA 8260D	07/25/22 11:03	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-09	Water	EPA 8260D	07/25/22 15:22	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-10	Water	EPA 8260D	07/25/22 16:21	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
A2G0753-11	Water	EPA 8260D	07/25/22 00:00	07/29/22 08:00	5mL/5mL	5mL/5mL	1.00
Batch: 22H0015							
A2G0753-03RE1	Water	EPA 8260D	07/26/22 09:55	08/01/22 10:03	5mL/5mL	5mL/5mL	1.00

1,2-Dibromoethane (EDB) by EPA 8260D SIM

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 22H0146							

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director

**ANALYTICAL REPORT****Apex Laboratories, LLC**6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062**SLR Corporation-Bothell**22118 20th Ave SE, Suite G202
Bothell, WA 98021Project: **Sea-Tac Development Site**Project Number: **128.02207.00003**Project Manager: **Mike Staton****Report ID:****A2G0753 - 08 05 22 1625****SAMPLE PREPARATION INFORMATION****1,2-Dibromoethane (EDB) by EPA 8260D SIM**Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
A2G0753-01	Water	EPA 8260D SIM	07/25/22 15:19	08/03/22 15:32	5mL/5mL	5mL/5mL	1.00
<u>Batch: 22H0160</u>							
A2G0753-02RE1	Water	EPA 8260D SIM	07/25/22 16:05	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-03RE1	Water	EPA 8260D SIM	07/26/22 09:55	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-04RE1	Water	EPA 8260D SIM	07/26/22 11:35	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-05	Water	EPA 8260D SIM	07/25/22 14:35	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-06	Water	EPA 8260D SIM	07/25/22 14:01	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-07	Water	EPA 8260D SIM	07/26/22 10:49	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-08	Water	EPA 8260D SIM	07/25/22 11:03	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00
A2G0753-09	Water	EPA 8260D SIM	07/25/22 15:22	08/04/22 08:04	5mL/5mL	5mL/5mL	1.00

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director

Page 19 of 26



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021

Project: **Sea-Tac Development Site**

Project Number: **128.02207.00003**

Project Manager: **Mike Staton**

Report ID:

A2G0753 - 08 05 22 1625

QUALIFIER DEFINITIONS

Client Sample and Quality Control (QC) Sample Qualifier Definitions:

Apex Laboratories

- A-01** MS1 results are not reported due to spiking error, the batch is accepted based on results of the BS1.
- Q-01** Spike recovery and/or RPD is outside acceptance limits.
- Q-50** Due to instrument malfunction, not all Batch QC samples were analyzed. The batch is accepted based on the recoveries of the Blank Spike (BS).
- Q-56** Daily CCV/LCS recovery for this analyte was above the +/-20% criteria listed in EPA 8260
- R-02** The Reporting Limit for this analyte has been raised to account for interference from coeluting organic compounds present in the sample.

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: **Sea-Tac Development Site**

Project Number: **128.02207.00003**

Project Manager: **Mike Staton**

Report ID:

A2G0753 - 08 05 22 1625

REPORTING NOTES AND CONVENTIONS:

Abbreviations:

DET Analyte DETECTED at or above the detection or reporting limit.
ND Analyte NOT DETECTED at or above the detection or reporting limit.
NR Result Not Reported
RPD Relative Percent Difference. RPDs for Matrix Spikes and Matrix Spike Duplicates are based on concentration, not recovery.

Detection Limits: Limit of Detection (LOD)

Limits of Detection (LODs) are normally set at a level of one half the validated Limit of Quantitation (LOQ).

If no value is listed ('-----'), then the data has not been evaluated below the Reporting Limit.

Reporting Limits: Limit of Quantitation (LOQ)

Validated Limits of Quantitation (LOQs) are reported as the Reporting Limits for all analyses where the LOQ, MRL, PQL or CRL are requested. The LOQ represents a level at or above the low point of the calibration curve, that has been validated according to Apex Laboratories' comprehensive LOQ policies and procedures.

Reporting Conventions:

Basis: Results for soil samples are generally reported on a 100% dry weight basis.

The Result Basis is listed following the units as "dry", "wet", or " " (blank) designation.

"dry" Sample results and Reporting Limits are reported on a dry weight basis. (i.e. "ug/kg dry")

See Percent Solids section for details of dry weight analysis.

"wet" Sample results and Reporting Limits for this analysis are normally dry weight corrected, but have not been modified in this case.

" " Results without 'wet' or 'dry' designation are not normally dry weight corrected. These results are considered 'As Received'.

QC Source:

In cases where there is insufficient sample provided for Sample Duplicates and/or Matrix Spikes, a Lab Control Sample Duplicate (LCS Dup) may be analyzed to demonstrate accuracy and precision of the extraction batch.

Non-Client Batch QC Samples (Duplicates and Matrix Spike/Duplicates) may not be included in this report. Please request a Full QC report if this data is required.

Miscellaneous Notes:

" --- " QC results are not applicable. For example, % Recoveries for Blanks and Duplicates, % RPD for Blanks, Blank Spikes and Matrix Spikes, etc.

" *** " Used to indicate a possible discrepancy with the Sample and Sample Duplicate results when the %RPD is not available. In this case, either the Sample or the Sample Duplicate has a reportable result for this analyte, while the other is Non Detect (ND).

Blanks:

Standard practice is to evaluate the results from Blank QC Samples down to a level equal to ½ the Reporting Limit (RL).

-For Blank hits falling between ½ the RL and the RL (J flagged hits), the associated sample and QC data will receive a 'B-02' qualifier.

-For Blank hits above the RL, the associated sample and QC data will receive a 'B' qualifier, per Apex Laboratories' Blank Policy.

For further details, please request a copy of this document.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021

Project: **Sea-Tac Development Site**

Project Number: **128.02207.00003**

Project Manager: **Mike Staton**

Report ID:

A2G0753 - 08 05 22 1625

REPORTING NOTES AND CONVENTIONS (Cont.):

Blanks (Cont.):

Sample results flagged with a 'B' or 'B-02' qualifier are potentially biased high if the sample results are less than ten times the level found in the blank for inorganic analyses, or less than five times the level found in the blank for organic analyses.

'B' and 'B-02' qualifications are only applied to sample results detected above the Reporting Level.

Preparation Notes:

Mixed Matrix Samples:

Water Samples:

Water samples containing significant amounts of sediment are decanted or separated prior to extraction, and only the water portion analyzed, unless otherwise directed by the client.

Soil and Sediment Samples:

Soil and Sediment samples containing significant amounts of water are decanted prior to extraction, and only the solid portion analyzed, unless otherwise directed by the client.

Sampling and Preservation Notes:

Certain regulatory programs, such as National Pollutant Discharge Elimination System (NPDES), require that activities such as sample filtration (for dissolved metals, orthophosphate, hexavalent chromium, etc.) and testing of short hold analytes (pH, Dissolved Oxygen, etc.) be performed in the field (on-site) within a short time window. In addition, sample matrix spikes are required for some analyses, and sufficient volume must be provided, and billable site specific QC requested, if this is required. All regulatory permits should be reviewed to ensure that these requirements are being met.

Data users should be aware of which regulations pertain to the samples they submit for testing. If related sample collection activities are not approved for a particular regulatory program, results should be considered estimates. Apex Laboratories will qualify these analytes according to the most stringent requirements, however results for samples that are for non-regulatory purposes may be acceptable.

Samples that have been filtered and preserved at Apex Laboratories per client request are listed in the preparation section of the report with the date and time of filtration listed.

Apex Laboratories maintains detailed records on sample receipt, including client label verification, cooler temperature, sample preservation, hold time compliance and field filtration. Data is qualified as necessary, and the lack of qualification indicates compliance with required parameters.

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021

Project: **Sea-Tac Development Site**

Project Number: **128.02207.00003**

Project Manager: **Mike Staton**

Report ID:

A2G0753 - 08 05 22 1625

LABORATORY ACCREDITATION INFORMATION

ORELAP Certification ID: OR100062 (Primary Accreditation) -

EPA ID: OR01039

All methods and analytes reported from work performed at Apex Laboratories are included on Apex Laboratories' ORELAP Scope of Certification, with the exception of any analyte(s) listed below:

Apex Laboratories

Matrix	Analysis	TNI_ID	Analyte	TNI_ID	Accreditation
<u>All reported analytes are included in Apex Laboratories' current ORELAP scope.</u>					

Secondary Accreditations

Apex Laboratories also maintains reciprocal accreditation with non-TNI states (Washington DOE), as well as other state specific accreditations not listed here.

Subcontract Laboratory Accreditations

Subcontracted data falls outside of Apex Laboratories' Scope of Accreditation.

Please see the Subcontract Laboratory report for full details, or contact your Project Manager for more information.

Field Testing Parameters

Results for Field Tested data are provided by the client or sampler, and fall outside of Apex Laboratories' Scope of Accreditation.

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202
Bothell, WA 98021

Project: Sea-Tac Development SiteProject Number: 128.02207.00003Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

APEX LABS		CHAIN OF CUSTODY		Company: SLR		Project Mgr: Mike Staton		Project Name: Sea-Tac Development		Project #: 128.02207.00003	
6700 SW Sandburg St., Tigard, OR 97223 Ph. 503-718-2323		Address: 22118 20th Ave SE, Suite G202, Bothell		Phone: (425) 492-8800		Email: mstaton@slrconsulting.com		Email: mstaton@slrconsulting.com		Email: mstaton@slrconsulting.com	
Sampled by: Spencer Lo		Emily Hernandez		Date: 7/15/12		Time: 1519		Matrix: water		# of Containers: 5	
Site Location: OR WA CA AK ID		DATE		TIME		MATRIX		# OF CONTAINERS		NWTPH-HCID	
SAMPLE ID		DATE		TIME		MATRIX		# OF CONTAINERS		NWTPH-HCID	
MW-7-0722	7/15/12 1519	water	5								
MW-9-0722	7/15/12 1005										
MW-12-0722	7/15/12 955										
MW-13-0722	7/15/12 1135										
MW-16-0722	7/15/12 1435										
MW-17A-0722	7/15/12 1401										
MW-18-0722	7/15/12 1049										
Port-MW-B-0722	7/15/12 1103										
MW-37-0722	7/15/12 1522										
Equipment Blank-0722	7/15/12 1621										
Standard Turn Around Time (TAT) = 10 Business Days											
SPECIAL INSTRUCTIONS:											
TAT Requested (circle) 1 Day 2 Day 3 Day 5 Day Standard Other:											
SAMPLES ARE HELD FOR 30 DAYS											
RECEIVED BY: Signature: Date: 7/12/12											
Signature: Date: 7/12/12											
Printed Name: Emily Hernandez											
Printed Name: 1530											
Company: SLR											
Company: Apex											

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

APEX LABS
6700 SW Sandburg St., Tigard, OR 97223 Ph: 503-718-2323

CHAIN OF CUSTODY

Lab # A2G0753 COC 2 of 2

Company: SLR Project Mgr: Mike Staton Project Name: Sea-Tac Development

Address: 22118 20th Ave SE, Ste G202 Bothell Phone: (425) 402-8800 Email: mstaton@slrconsulting.com PO #

Sampled by: Spencer Le Emily Hernandez

Site Location: OR WA CA AK ID

SAMPLE ID: Trip Blank - 0722 7/15/22

DATE: 7/15/22 TIME: 1:00 PM MATRIX: Water # OF CONTAINERS: 1

NWTPH-HCID NWTPH-DX NWTPH-GX 8260 BTEX 8260 RBDM VOCs 8260 Halo VOCs 8260 VOCs Full List 8270 SIM PAHs 8270 Semi-Vols Full List 8082 PCBs 8081 Pesticides RCRA Metals (8) Priority Metals (13) AL, Sb, As, Ba, Be, Cd, Ca, Cr, Cu, Fe, Pb, Hg, Mn, Mo, Ni, K, Se, Ag, Na, Ti, V, Zn TOTAL DISS. TCLP TCLP Metals (8) Frozen Archive

Standard Turn Around Time (TAT) = 10 Business Days

TAT Requested (circle): 1 Day 2 Day 3 Day 5 Day Standard Other:

SPECIAL INSTRUCTIONS:

RELINQUISHED BY: Signature: [Signature] Date: 7/20/22 RECEIVED BY: Signature: [Signature] Date: 7/20/22

Printed Name: Emily Hernandez Time: 1530 Printed Name: [Signature] Time: 1038

Company: SLR Company: Apex

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

SLR Corporation-Bothell

22118 20th Ave SE, Suite G202

Bothell, WA 98021

Project: Sea-Tac Development Site

Project Number: 128.02207.00003

Project Manager: Mike Staton

Report ID:

A2G0753 - 08 05 22 1625

APEX LABS COOLER RECEIPT FORM

Client: SLR Element WO#: A2 G0753Project/Project #: Seatac Development / 128.02207.00003

Delivery Info:

Date/time received: 7/27/22 @ 1038 By: msDelivered by: Apex ☐ Client ☐ ESS ☐ FedEx ☒ UPS ☐ Swift ☐ Senvoy ☐ SDS ☐ Other ☐Cooler Inspection Date/time inspected: 7/27/22 @ 1038 By: msChain of Custody included? Yes ☒ No ☐ Custody seals? Yes ☐ No ☒Signed/dated by client? Yes ☒ No ☐Signed/dated by Apex? Yes ☒ No ☐

Cooler #1	Cooler #2	Cooler #3	Cooler #4	Cooler #5	Cooler #6	Cooler #7
Temperature (°C)	<u>5.9</u>					
Received on ice? (Y/N)	<u>Y</u>					
Temp. blanks? (Y/N)	<u>Y</u>					
Ice type: (Gel/Real/Other)	<u>Real</u>					
Condition:	<u>Cool</u>					

Cooler out of temp? (Y/N) Possible reason why: YesGreen dots applied to out of temperature samples? Yes ☒ No ☐Out of temperature samples form initiated? Yes ☒ No ☐Sample Inspection: Date/time inspected: 7-27-22 @ 1205 By: DSSAll samples intact? Yes ☒ No ☐ Comments: _____Bottle labels/COCs agree? Yes ☒ No ☐ Comments: _____COC/container discrepancies form initiated? Yes ☐ No ☒Containers/volumes received appropriate for analysis? Yes ☒ No ☐ Comments: _____Do VOA vials have visible headspace? Yes ☒ No ☐ NA ☐Comments MW-7-0722 = 1/5 HS, MW-9-0722 = 1/5 HS, MW-13-0722 = 3/5 HS, MW-17A-0722Water samples: pH checked: Yes ☐ No ☐ NA ☒ pH appropriate? Yes ☐ No ☐ NA ☒

Comments: _____

Additional information: * = 3/5 HS, MW-18-0722 = 3/5 HS, ~~MB~~ 7-27 Port - MW-B-0722= 1/5 HS, Equipment Blank -0722 = 4/5 HS, Trip Blank 3133 = 1/1 HSLabeled by: DSS Witness: ms Cooler Inspected by: DSS

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.