

Hidden Valley LF Water Levels 2021

Location	Date	Well Casing Elevation	Depth to Water (FT)	Water Level Elevation	Comments
MW-10S	8/3/2021	463.648	29.4	434.248	
MW-10S	1/20/2021	463.648	23.84	439.808	
MW-10D	1/20/2021	464.088	25.95	438.138	
MW-10D	8/3/2021	464.088	34.1	429.988	
MW-11S	1/20/2021	520.025	89.05	430.975	
MW-11S	8/3/2021	520.025	95.95	424.075	
MW-11D	1/20/2021	520.102	89.22	430.882	
MW-11D	8/3/2021	520.102	96.1	424.002	
MW-11D(2)	1/20/2021	519.531	88.37	431.161	
MW-11D(2)	8/3/2021	519.531	96.41	423.121	
MW-12S	1/20/2021	493.406	61.46	431.946	
MW-12S	8/3/2021	493.406	67.5	425.906	
MW-12D	1/20/2021	493.486	62.99	430.496	
MW-12D	8/3/2021	493.486	70.71	422.776	
MW-13S	1/20/2021	452.255	20.87	431.385	
MW-13S	8/3/2021	452.255	28.1	424.155	
MW-13D	8/3/2021	450.19	28.55	421.64	
MW-13D	1/20/2021	450.19	20.9	429.29	
MW-14S	8/3/2021	481.298	53.3	427.998	
MW-14S	1/20/2021	481.298	55.2	426.098	
MW-14D	8/3/2021	481.39	55.5	425.89	
MW-14D	1/20/2021	481.39	47	434.39	
MW-14R	8/3/2021	480.264	120.6	359.664	
MW-14R	1/20/2021	480.264	114.98	365.284	
MW-15S	8/3/2021	506.78	78.4	428.38	
MW-15S	1/20/2021	506.78	71.13	435.65	
MW-15D	1/20/2021	509.09	75.47	433.62	
MW-15D	8/3/2021	509.09	84.05	425.04	
MW-17S	8/3/2021	555.974	131.9	424.074	
MW-17S	1/20/2021	555.974	126.05	429.924	
MW-18S	8/3/2021	541.426	132.84	408.586	
MW-18S	1/20/2021	541.426	126.51	414.916	
MW-18D	8/3/2021	541.785	133.42	408.365	
MW-18D	1/20/2021	541.785	127.3	414.485	
MW-19S	8/3/2021	489.232	55.94	433.292	
MW-19S	1/20/2021	489.232	51.73	437.502	
MW-19D	1/20/2021	489.35	60.47	428.88	
MW-19D	8/3/2021	489.35	69.1	420.25	
MW-20R	1/20/2021	472.899	102.95	369.949	
MW-20R	8/3/2021	472.899	110.8	362.099	
MW-22U	1/20/2021	549.168	131.86	417.308	
MW-22U	8/3/2021	549.168	137.16	412.008	
MW-22L	8/3/2021	548.946	144	404.946	
MW-22L	1/20/2021	548.946	137.91	411.036	

MW-26R	1/20/2021	485.4	64.06	421.34	
MW-26R	8/3/2021	485.4	72.7	412.7	
MW-29S	8/3/2021	450.654	20.11	430.544	
MW-29S	1/20/2021	450.654	13.7	436.954	
FMMW-1	8/3/2021	546.033	146.64	399.393	
FMMW-1	1/20/2021	546.033	139.9	406.133	
FMMW-2	8/3/2021	539.957	138.47	401.487	
FMMW-2	1/20/2021	539.957	132.56	407.397	
BC-4S	8/3/2021	530.246	127.5	402.746	
BC-4S	1/20/2021	530.246	121.55	408.696	
BC-4R	8/3/2021	530.312	160.66	369.652	
BC-4R	1/20/2021	530.312	155.79	374.522	

Hidden Valley LF Field Parameters 2021

Location	Aquifer	Samp_ID	Samp_Date	Samp_Method	pH	Specific Conductivity	Temperature
MW-10D	Upper	HVL-012021-20	1/20/2021	DP	6.43	193.9	12.7
MW-10D	Upper	HVL-080321-19	8/3/2021	DP	6.64	282	13.39
MW-11D(2)	Upper	HVL-012021-13	1/20/2021	DP	6.78	197	12.26
MW-11D(2)	Upper	HVL-080321-25	8/3/2021	DP	6.86	209	15.8
MW-12D	Upper	HVL-012021-15	1/20/2021	DP	6.86	286	14.91
MW-12D	Upper	HVL-080221-04	8/2/2021	DP	6.59	305	16.6
MW-13D	Upper	HVL-012021-21	1/20/2021	DP	6.56	287	12.21
MW-13D	Upper	HVL-080321-21	8/3/2021	DP	6.4	299	14.79
MW-14D	Upper	HVL-011921-08	1/19/2021	DP	6.29	219	11.7
MW-14D	Upper	HVL-080321-17	8/3/2021	DP	6.45	274	13.14
MW-15D	Upper	HVL-011921-04	1/19/2021	DP	6.66	279.8	13.5
MW-15D	Upper	HVL-080221-07	8/2/2021	DP	6.92	277	15.46
MW-18D	Upper	HVL-011921-05	1/19/2021	DP	6.77	254	13.59
MW-18D	Upper	HVL-080321-20	8/3/2021	DP	6.87	251	16.1
FMMW-1	Shallow	HVL-011921-01	1/19/2021	DP	6.42	271	13.78
FMMW-1	Shallow	HVL-080321-18	8/3/2021	DP	6.45	282	15.8
FMMW-2	Shallow	HVL-011921-03	1/19/2021	DP	6.16	481	14.78
FMMW-2	Shallow	HVL-080321-16	8/3/2021	DP	5.91	364	17.3
MW-10S	Shallow	HVL-012021-22	1/20/2021	DP	6.32	332	13.1
MW-10S	Shallow	HVL-080221-14	8/2/2021	DP	6.48	282	14.4
MW-11S	Shallow	HVL-011921-09	1/19/2021	DP	5.86	333	12.79
MW-11S	Shallow	HVL-080321-24	8/3/2021	DP	6.07	296	15.4
MW-12S	Shallow	HVL-012021-17	1/20/2021	DB	5.87	332	14.21
MW-12S	Shallow	HVL-080221-02	8/2/2021	DB	6.1	381	19.2
MW-13S	Shallow	HVL-012021-23	1/20/2021	DP	6.18	198	10.9
MW-13S	Shallow	HVL-080321-23	8/3/2021	DP	6.19	263	14.91
MW-14S	Shallow	HVL-011921-10	1/19/2021	DP	6	98	11.1
MW-14S	Shallow	HVL-080321-15	8/3/2021	DP	6.24	319	14.19
MW-15S	Shallow	HVL-011921-02	1/19/2021	DP	5.98	312.5	14.3
MW-15S	Shallow	HVL-080221-03	8/2/2021	DP	6.29	315	16.23
MW-17S	Shallow	HVL-012021-16	1/20/2021	DP	5.9	571	18.1
MW-17S	Shallow	HVL-080221-13	8/2/2021	DP	6.26	401	19.94
MW-18S	Shallow	HVL-011921-07	1/19/2021	DP	6.32	472	14.15
MW-18S	Shallow	HVL-080321-22	8/3/2021	DP	6.19	334	16.3
MW-29S	Shallow	HVL-012021-19	1/20/2021	DP	6.38	293	11.9
MW-29S	Shallow	HVL-080221-06	8/2/2021	DP	6.3	321	16
MW-14R	Lower/Regional	HVL-011921-06	1/19/2021	DP	7.54	104.2	10.9
MW-14R	Lower/Regional	HVL-080221-01	8/2/2021	DP	7.66	104	12.5
MW-20R	Lower/Regional	HVL-012121-29	1/21/2021	DP	6.9	98.9	10.5
MW-20R	Lower/Regional	HVL-080221-11	8/2/2021	DP	7.35	98	11.76
MW-26R	Lower/Regional	HVL-012021-18	1/20/2021	DP	7.22	215.2	11.1
MW-26R	Lower/Regional	HVL-080221-09	8/2/2021	DP	7.46	212	12.47
QC, F-Blank		HVL-012021-24	1/20/2021	GB	7.53	4	11.49
QC, F-Blank		HVL-080221-08	8/2/2021	GB	8.27	3.5	29
Water Supply Well, Corliss		HVL-012021-12	1/20/2021	GB	6.36	243.1	8.1
Water Supply Well, Corliss		HVL-080221-12	8/2/2021	GB	7	249	25
Water Supply Well, P. Bunyan		HVL-012021-14	1/20/2021	GB	6.83	288.8	10.4
Water Supply Well, P. Bunyan		HVL-080221-10	8/2/2021	GB	6.86	306	15.2
Leachate, East Area		HVL-012121-25	1/21/2021	GB	7.36	11968	13.72
Leachate, Side Slope		HVL-012121-27	1/21/2021	GB	7.88	28786	22.05
Leak Detection, Main		HVL-012121-28	1/21/2021	GB	6.67	736	10.78
Leak Detection, Side Slope		HVL-012121-26	1/21/2021	GB	7.6	24256	25.87

Hidden Valley LF Inorganics 2021

Location	Samp_ID	Samp_Date	Alkalinity	Ammonia	Chemical Oxygen Demand	Chloride	Nitrate as N	Nitrite as N	Sulfate	Total Dissolved Solids	Total Organic Carbon - Quad	Total Suspended Solids
MW-10D	HVL-012021-20	1/20/2021	82	<0.1		5.4	2.3		8.6	110	<1	<4
MW-10D	HVL-080321-19	8/3/2021	130	<0.1		6.5	0.58		13	140	1.1	<4
MW-10S	HVL-012021-22	1/20/2021	150	<0.1		8.9	1.9		15	180	1.3	<4
MW-10S	HVL-080221-14	8/2/2021	120	<0.1		7	0.66		11	150	1.1	<4
MW-11D(2)	HVL-012021-13	1/20/2021	86	<0.1		5.1	1.9		7	150	<1	<4
MW-11D(2)	HVL-080321-25	8/3/2021	89	<0.1		5	1.7		7.8	320	<1	<4
MW-11S	HVL-011921-09	1/19/2021	90	<0.1		16	7.8		15	210	1.1	<4
MW-11S	HVL-011921-11	1/19/2021	90	<0.1		16	7.9		15	190	1.2	<4
MW-11S	HVL-080321-24	8/3/2021	120	0.12		16	0.55		8.5	160	1.1	<4
MW-12D	HVL-012021-15	1/20/2021	140	<0.1		8.1	1.2		5.8	190	<1	<4
MW-12D	HVL-080221-04	8/2/2021	140	<0.1		7.8	1.1		5.8	170	<1	<4
MW-12S	HVL-012021-17	1/20/2021	49	<0.1		18	15		8	230	1.5	5.6
MW-12S	HVL-080221-02	8/2/2021	180	1.6		12	0.67		0.98	180	1.9	<4
MW-13D	HVL-012021-21	1/20/2021	130	<0.1		8.9	1		11	160	<1	<4
MW-13D	HVL-080321-21	8/3/2021	130	<0.1		7.4	0.4		16	180	<1	<4
MW-13S	HVL-012021-23	1/20/2021	75	<0.1		5	2		5.6	140	<1	<4
MW-13S	HVL-080321-23	8/3/2021	110	<0.1		6	0.4		16	99	<1	<4
MW-14D	HVL-011921-08	1/19/2021	89	3.1		7	<0.2		7.6	120	1.9	<4
MW-14D	HVL-080321-17	8/3/2021	120	3.6		8.5	<0.2		9.5	430	1.6	<4
MW-14R	HVL-011921-06	1/19/2021	48	<0.1		1.6	<0.2		3.7	80	<1	<4
MW-14R	HVL-080221-01	8/2/2021	51	0.11		1.5	<0.2		2.9	95	<1	<4
MW-14S	HVL-011921-10	1/19/2021	39	<0.1		2.4	0.58		3.4	56	1.8	<4
MW-14S	HVL-080321-15	8/3/2021	130	0.76		18	<0.2		5.4	71	2.4	<4
MW-15D	HVL-011921-04	1/19/2021	120	<0.1		9.3	0.67		11	160	<1	16
MW-15D	HVL-080221-07	8/2/2021	120	<0.1		8.3	0.7		8.9	160	<1	<4
MW-15S	HVL-011921-02	1/19/2021	120	3.2		15	2.7		8.6	170	2	<4
MW-15S	HVL-080221-03	8/2/2021	140	3.4		15	<0.2		4.8	220	1.7	<4
MW-15S	HVL-080221-05	8/2/2021	130	3.4		15	<0.2		4.8	160	1.7	<4
MW-17S	HVL-012021-16	1/20/2021	160	5.3		16	24		5.3	320	1.7	<4
MW-17S	HVL-080221-13	8/2/2021	180	4		14	0.35		3.5	220	1.6	<4
MW-18D	HVL-011921-05	1/19/2021	110	<0.1		7.2	1.6		8.1	150	<1	<4
MW-18D	HVL-080321-20	8/3/2021	110	<0.1		6.2	1.4		7.3	160	<1	<4
MW-18S	HVL-011921-07	1/19/2021	190	<0.1		16	4.7		13	260	1.3	<4
MW-18S	HVL-080321-22	8/3/2021	150	<0.1		12	0.41		6.4	200	1.1	<4
MW-20R	HVL-012121-29	1/21/2021	45	<0.1		1.4	<0.2		2.5	110	<1	<4
MW-20R	HVL-080221-11	8/2/2021	50	<0.1		1.5	<0.2		2.4	180	<1	<4
MW-26R	HVL-012021-18	1/20/2021	100	<0.1		4.8	<0.2		11	130	<1	<4
MW-26R	HVL-080221-09	8/2/2021	100	<0.1		4.6	<0.2		8.1	130	<1	<4
MW-29S	HVL-012021-19	1/20/2021	120	<0.1		8.7	0.26		12	190	1.2	6.8
MW-29S	HVL-080221-06	8/2/2021	140	<0.1		10	<0.2		13	190	<1	6
FMMW-1	HVL-011921-01	1/19/2021	99	<0.1		12	1.8		13	170	1	<4
FMMW-1	HVL-080321-18	8/3/2021	120	<0.1		10	0.89		13	61	<1	<4
FMMW-2	HVL-011921-03	1/19/2021	150	<0.1		18	11		21	300	1.2	<4
FMMW-2	HVL-080321-16	8/3/2021	150	<0.1		15	2.3		8.1	240	1.2	<4

QC, F-Blank	HVL-012021-24	1/20/2021	<10	<0.1		<0.2	<0.2		<0.5	<10	<1	<4
QC, F-Blank	HVL-080221-08	8/2/2021	<10	<0.1		<0.2	<0.2		<0.5	<10	<1	<4
Water Supply Well, Corliss	HVL-012021-12	1/20/2021		<0.1	<10	5.2	1.3	<0.5	9.6		<1	
Water Supply Well, Corliss	HVL-080221-12	8/2/2021		<0.1	<10	5.2	0.99	<0.5	8.6		<1	
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021		<0.1	<10	6.7	2	<0.5	9.9		<1	
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021		<0.1	<10	6.5	1.8	<0.5	9.6		<1	
Leachate, East Area	HVL-012121-25	1/21/2021	3700	270		2000	<0.5		31	8900	430	18
Leachate, Side Slope	HVL-012121-27	1/21/2021	7500	440		7600	22		500	21000	930	<4
Leak Detection, Main	HVL-012121-28	1/21/2021	410	<0.1		0.94	<0.5		3.8	430	1.8	<4
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	5400	310		4900	0.52		390	19000	690	<4

Hidden Valley LF Metals 2021

Location	Samp_ID	Samp_Date	Antimony, Total	Arsenic, Total	Barium, Total	Beryllium, Total	Cadmium, Total	Calcium, Dissolved	Calcium, Total	Chromium, Total	Cobalt, Total	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Total	Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Nickel, Total	Potassium, Dissolved	Potassium, Total	Selenium, Total	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Total	Vanadium, Total	Zinc, Total
MW-10D	HVL-012021-20	1/20/2021	<0.002	<0.005	<0.005	<0.005	<0.005	21		<0.005	<0.01	<0.01	0.006		<0.002	7.3		<0.001		<0.02	<2		<0.005	<0.01	6.9		<0.005	<0.01	<0.01
MW-10D	HVL-080321-19	8/3/2021	<0.002	<0.005	<0.005	<0.005	<0.005	32		<0.005	<0.01	<0.01	<0.01		<0.002	10		<0.001		<0.02	<2		<0.005	<0.01	7.8		<0.005	<0.01	0.031
MW-10S	HVL-012021-22	1/20/2021	<0.002	<0.005	<0.005	<0.005	<0.005	41		<0.005	<0.01	<0.01	<0.005		<0.002	13		<0.001		<0.02	2.1		<0.005	<0.01	9.5		<0.005	<0.01	<0.01
MW-10S	HVL-080221-14	8/2/2021	<0.002	<0.005	<0.005	<0.005	<0.005	32		<0.005	<0.01	<0.01	<0.01		<0.002	10		0.0028		<0.02	2.2		<0.005	<0.01	8		<0.005	<0.01	<0.01
MW-11D(2)	HVL-012021-13	1/20/2021	<0.002	<0.005	<0.005	<0.005	<0.005	21		<0.005	<0.01	<0.01	<0.005		<0.002	8.7		<0.001		<0.02	2.2		<0.005	<0.01	7.7		<0.005	<0.01	<0.01
MW-11D(2)	HVL-080321-25	8/3/2021	<0.002	<0.005	<0.005	<0.005	<0.005	19		<0.005	<0.01	<0.01	<0.01		<0.002	8.4		<0.001		<0.02	2		<0.005	<0.01	7		<0.005	<0.01	<0.01
MW-11S	HVL-011921-09	1/19/2021	<0.002	<0.005	0.01	<0.005	<0.005	28		<0.005	<0.01	<0.01	<0.005		<0.002	8.3		<0.001		<0.02	6.3		<0.005	<0.01	19		<0.005	<0.01	<0.01
MW-11S	HVL-011921-11	1/19/2021	<0.002	<0.005	0.01	<0.005	<0.005	27		<0.005	<0.01	<0.01	<0.005		<0.002	8.1		<0.001		<0.02	6.1		<0.005	<0.01	19		<0.005	<0.01	<0.01
MW-11S	HVL-080321-24	8/3/2021	<0.002	<0.005	0.01	<0.005	<0.005	24		<0.005	<0.01	<0.01	<0.01		<0.002	7.5		<0.001		<0.02	6.4		<0.005	<0.01	18		<0.005	<0.01	<0.01
MW-12D	HVL-012021-15	1/20/2021	<0.002	<0.005	0.0057	<0.005	<0.005	29		<0.005	<0.01	<0.01	<0.005		<0.002	11		<0.001		<0.02	3.3		<0.005	<0.01	19		<0.005	<0.01	<0.01
MW-12D	HVL-080221-04	8/2/2021	<0.002	<0.005	0.005	<0.005	<0.005	27		<0.005	<0.01	<0.01	<0.01		<0.002	11		<0.001		<0.02	3.2		<0.005	<0.01	17		<0.005	<0.01	0.33
MW-12S	HVL-011921-17	1/20/2021	<0.002	<0.005	0.018	<0.005	<0.005	24		<0.005	<0.01	<0.01	<0.005		<0.002	6.8		0.0034		<0.02	11		<0.005	<0.01	20		<0.005	<0.01	0.78
MW-12S	HVL-080221-02	8/2/2021	<0.002	<0.005	0.018	<0.005	<0.005	32		<0.005	<0.01	<0.01	<0.01		<0.002	9.3		0.34		<0.02	13		<0.005	<0.01	20		<0.005	<0.01	0.022
MW-13D	HVL-012021-21	1/20/2021	<0.002	<0.005	<0.005	<0.005	<0.005	29		<0.005	<0.01	<0.01	<0.005		<0.002	11		<0.001		<0.02	3.4		<0.005	<0.01	16		<0.005	<0.01	<0.01
MW-13D	HVL-080321-21	8/3/2021	<0.002	<0.005	0.0058	<0.005	<0.005	28		<0.005	<0.01	<0.01	<0.01		<0.002	9.8		<0.001		<0.02	3.3		<0.005	<0.01	14		<0.005	<0.01	<0.01
MW-13S	HVL-012021-23	1/20/2021	<0.002	<0.005	0.0053	<0.005	<0.005	19		<0.005	<0.01	<0.01	<0.005		<0.002	5.4		<0.001		<0.02	3.4		<0.005	<0.01	13		<0.005	<0.01	<0.01
MW-13S	HVL-080321-23	8/3/2021	<0.002	<0.005	0.0074	<0.005	<0.005	25		<0.005	<0.01	<0.01	<0.01		<0.002	7.4		<0.001		<0.02	3.5		<0.005	<0.01	13		<0.005	<0.01	<0.01
MW-14D	HVL-011921-08	1/19/2021	<0.002	<0.005	0.01	<0.005	<0.005	16		<0.005	<0.01	<0.01	3.04		<0.002	4.8		1		<0.02	6.5		<0.005	<0.01	11		<0.005	<0.01	<0.01
MW-14D	HVL-080321-17	8/3/2021	<0.002	0.006	0.015	<0.005	<0.005	20		<0.005	<0.01	<0.01	4.79		<0.002	6.4		1.3		<0.02	6.9		<0.005	<0.01	11		<0.005	<0.01	<0.01
MW-14R	HVL-011921-06	1/19/2021	<0.002	<0.005	<0.005	<0.005	<0.005	7.8		<0.005	<0.01	<0.01	0.054		<0.002	4.5		0.2		<0.02	2.1		<0.005	<0.01	5.3		<0.005	<0.01	<0.01
MW-14R	HVL-080221-01	8/2/2021	<0.002	<0.005	<0.005	<0.005	<0.005	7.1		<0.005	<0.01	<0.01	0.055		<0.002	4.3		0.18		<0.02	2.1		<0.005	<0.01	4.7		<0.005	<0.01	<0.01
MW-14S	HVL-011921-10	1/19/2021	<0.002	<0.005	<0.005	<0.005	<0.005	8.9		<0.005	<0.01	<0.01	<0.005		<0.002	2.7		0.04		<0.02	2.4		<0.005	<0.01	5		<0.005	<0.01	<0.01
MW-14S	HVL-080321-15	8/3/2021	<0.002	<0.005	0.0093	<0.005	<0.005	29		<0.005	<0.01	<0.01	0.221		<0.002	8.8		0.43		<0.02	4.9		<0.005	<0.01	16		<0.005	<0.01	<0.01
MW-15D	HVL-011921-04	1/19/2021	<0.002	<0.005	0.019	<0.005	<0.005	23		<0.005	<0.01	<0.01	<0.005		<0.002	9.7		0.031		<0.02	2.8		<0.005	<0.01	19		<0.005	<0.01	<0.01
MW-15D	HVL-080221-07	8/2/2021	<0.002	<0.005	0.008	<0.005	<0.005	23		<0.005	<0.01	<0.01	<0.01		<0.002	10		0.0068		<0.02	2.9		<0.005	<0.01	17		<0.005	<0.01	<0.01
MW-15S	HVL-011921-02	1/19/2021	<0.002	<0.005	0.013	<0.005	<0.005	23		<0.005	<0.01	<0.01	<0.005		<0.002	7		1.1		<0.02	9.4		<0.005	<0.01	17		<0.005	<0.01	<0.01
MW-15S	HVL-080221-03	8/2/2021	<0.002	<0.005	0.014	<0.005	<0.005	25		<0.005	<0.01	<0.01	0.055		<0.002	7.9		1.1		<0.02	9.5		<0.005	<0.01	15		<0.005	<0.01	<0.01
MW-15S	HVL-080221-05	8/2/2021	<0.002	<0.005	0.014	<0.005	<0.005	25		<0.005	<0.01	<0.01	0.054		<0.002	7.7		1.1		<0.02	9.3		<0.005	<0.01	15		<0.005	<0.01	<0.01
MW-17S	HVL-012021-16	1/20/2021	<0.002	<0.005	0.028	<0.005	<0.005	41		<0.005	<0.01	<0.01	<0.005		<0.002	14		1.9		<0.02	19		<0.005	<0.01	30		<0.005	<0.01	<0.01
MW-17S	HVL-080221-13	8/2/2021	<0.002	<0.005	0.019	<0.005	<0.005	30		<0.005	<0.01	<0.01	<0.01		<0.002	10		0.88		<0.02	14		<0.005	<0.01	23		<0.005	<0.01	<0.01
MW-18D	HVL-011921-05	1/19/2021	<0.002	<0.005	<0.005	<0.005	<0.005	23		<0.005	<0.01	<0.01	<0.005		<0.002	9.2		<0.001		<0.02	3.2		<0.005	<0.01	12		<0.005	<0.01	<0.01
MW-18D	HVL-080321-20	8/3/2021	<0.002	<0.005	<0.005	<0.005	<0.005	23		<0.005	<0.01	<0.01	<0.01		<0.002	9.4		<0.001		<0.02	2.9		<0.005	<0.01	11		<0.005	<0.01	<0.01
MW-18S	HVL-011921-07	1/19/2021	<0.002	<0.005	0.015	<0.005	<0.005	46		<0.005	<0.01	<0.01	<0.005		<0.002	14		<0.001		<0.02	10		<0.005	<0.01	23		<0.005	<0.01	<0.01
MW-18S	HVL-080321-22	8/3/2021	<0.002	<0.005	0.013	<0.005	<0.005	29		<0.005	<0.01	<0.01	0.013		<0.002	8.9		<0.001		<0.02	8.6		<0.005	<0.01	20		<0.005	<0.01	<0.01
MW-20R	HVL-012121-29	1/21/2021	<0.002	<0.005	<0.005	<0.005	<0.005	8.5		<0.005	<0.01	<0.01	<0.005		<0.002	4.3		<0.001		<0.02	2.1		<0.005	<0.01	5.8		<0.005	<0.01	<0.01
MW-20R	HVL-080221-11	8/2/2021	<0.002	<0.005	<0.005	<0.005	<0.005	7.6		<0.005	<0.01	<0.01	<0.01		<0.002	4.1		<0.001		<0.02	2.2		<0.005	<0.01	5.2		<0.005	<0.01	<0.01
MW-26R	HVL-012021-18	1/20/2021	<0.002	<0.005	0.0079	<0.005	<0.005	22		<0.005	<0.01	<0.01	0.753		<0.002	9.9		0.43		<0.02	2.5		<0.005	<0.01	6.6		<0.005	<0.01	<0.01
MW-26R	HVL-080221-09	8/2/2021	<0.002	<0.005	0.008	<0.005	<0.005	21		<0.005	<0.01	<0.01	0.742		<0.002	9.5		0.44		<0.02	2.4		<0.005	<0.01	6.1		<0.005	<0.01	<0.01
MW-29S	HVL-012021-19	1/20/2021	<0.002	0.0085	0.0087	<0.005	<0.005	26		<0.005	<0.01	<0.01	0.175		<0.002	7.4		0.73		<0.02	3		<0.005	<0.01	23		<0.005	<0.01	<0.01
MW-29S	HVL-080221-06	8/2/2021	<0.002	0.0078	0.01	<0.005	<0.005	27		<0.005	<0.01	<0.01	0.23		<0.002	8.1		1.4		<0.02	3		<0.005	<0.01	24		<0.005	<0.01	<0.01
FMMW-1	HVL-011921-01	1/19/2021	<0.002	<0.005	0.0059	<0.005	<0.005	22		<0.005	<0.01	<0.01	<0.005		<0.002	5.9		<0.001		<0.02	3.9		<0.005	<0.01	22		<0.005	<0.01	<0.01
F																													

Hidden Valley LF VOCS 2021

Location	Samp_ID	Samp_Date	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (EDB)	1,2-Dichlorobenzene
MW-10D	HVL-012021-20	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-10D	HVL-080321-19	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-10S	HVL-012021-22	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-10S	HVL-080221-14	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-11D(2)	HVL-012021-13	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-11D(2)	HVL-080321-25	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-11S	HVL-011921-09	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-11S	HVL-011921-11	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-11S	HVL-080321-24	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-12D	HVL-012021-15	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-12D	HVL-080221-04	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-12S	HVL-012021-17	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-12S	HVL-080221-02	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-13D	HVL-012021-21	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-13D	HVL-080321-21	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-13S	HVL-012021-23	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-13S	HVL-080321-23	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14D	HVL-011921-08	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14D	HVL-080321-17	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14R	HVL-011921-06	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14R	HVL-080221-01	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14S	HVL-011921-10	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-14S	HVL-080321-15	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-15D	HVL-011921-04	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-15D	HVL-080221-07	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-15S	HVL-011921-02	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-15S	HVL-080221-03	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-15S	HVL-080221-05	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-17S	HVL-012021-16	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-17S	HVL-080221-13	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-18D	HVL-011921-05	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-18D	HVL-080321-20	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-18S	HVL-011921-07	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-18S	HVL-080321-22	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-20R	HVL-012121-29	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-20R	HVL-080221-11	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-26R	HVL-012021-18	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-26R	HVL-080221-09	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-29S	HVL-012021-19	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
MW-29S	HVL-080221-06	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
FMMW-1	HVL-011921-01	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
FMMW-1	HVL-080321-18	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5

Location	Samp_ID	Samp_Date	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (EDB)	1,2-Dichlorobenzene
FMMW-2	HVL-011921-03	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
FMMW-2	HVL-080321-16	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
QC, F-Blank	HVL-012021-24	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
QC, F-Blank	HVL-080221-08	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Water Supply Well, Corliss	HVL-012021-12	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Water Supply Well, Corliss	HVL-080221-12	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Leachate, East Area	HVL-012121-25	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Leachate, Side Slope	HVL-012121-27	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Leak Detection, Main	HVL-012121-28	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<2	<1	<0.5

Location	Samp_ID	Samp_Date	1,2-Dichloroethane	1,2-Dichloropropane	1,4-Dichlorobenzene	2-Butanone (MEK)	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Acrylonitrile	Benzene	Bromochloromethane	Bromodichloromethane	Bromoform
FMMW-2	HVL-011921-03	1/19/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
FMMW-2	HVL-080321-16	8/3/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
QC, F-Blank	HVL-012021-24	1/20/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
QC, F-Blank	HVL-080221-08	8/2/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Water Supply Well, Corliss	HVL-012021-12	1/20/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Water Supply Well, Corliss	HVL-080221-12	8/2/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Leachate, East Area	HVL-012121-25	1/21/2021	<0.5	<0.5	2.3	<6	<5	<5	17	<20	1.3	<0.5	<0.5	<0.5
Leachate, Side Slope	HVL-012121-27	1/21/2021	<0.5	<0.5	0.58	<6	<5	<5	16	<20	3.5	<0.5	<0.5	<0.5
Leak Detection, Main	HVL-012121-28	1/21/2021	<0.5	<0.5	<0.5	<6	<5	<5	<10	<20	<0.5	<0.5	<0.5	<0.5
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	<0.5	<0.5	<0.5	<6	<5	<5	14	<20	1.6	<0.5	<0.5	<0.5

Location	Samp_ID	Samp_Date	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	cis-1,4-Dichloro-2-butene	Dibromochloromethane
FMMW-2	HVL-011921-03	1/19/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
FMMW-2	HVL-080321-16	8/3/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
QC, F-Blank	HVL-012021-24	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
QC, F-Blank	HVL-080221-08	8/2/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Water Supply Well, Corliss	HVL-012021-12	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Water Supply Well, Corliss	HVL-080221-12	8/2/2021	<0.5	6.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021	<0.5	10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Leachate, East Area	HVL-012121-25	1/21/2021	<0.5	0.93	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Leachate, Side Slope	HVL-012121-27	1/21/2021	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<3	<0.5
Leak Detection, Main	HVL-012121-28	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	<0.5
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.1	<0.5	<3	<0.5

Location	Samp_ID	Samp_Date	Dibromomethane	Dichlorodifluoromethane	Ethylbenzene	Iodomethane	Methylene Chloride	m-Xylene & p-Xylene	o-Xylene	Styrene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene
FMMW-2	HVL-011921-03	1/19/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
FMMW-2	HVL-080321-16	8/3/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QC, F-Blank	HVL-012021-24	1/20/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QC, F-Blank	HVL-080221-08	8/2/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Water Supply Well, Corliss	HVL-012021-12	1/20/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Water Supply Well, Corliss	HVL-080221-12	8/2/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Leachate, East Area	HVL-012121-25	1/21/2021	<0.5	<2	1.6	<1	<2	4	1.9	<0.5	<0.5	2.3	<0.5	<0.5
Leachate, Side Slope	HVL-012121-27	1/21/2021	<0.5	<2	2.2	<1	<2	2	1.5	<0.5	<0.5	4.2	<0.5	<0.5
Leak Detection, Main	HVL-012121-28	1/21/2021	<0.5	<2	<1	<1	<2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	<0.5	<2	<1	<1	<2	0.62	<0.5	<0.5	<0.5	1.5	<0.5	<0.5

Location	Samp_ID	Samp_Date	trans-1,4-Dichloro-2-butene	Trichloroethene	Trichlorofluoro methane	Vinyl acetate	Vinyl chloride
MW-10D	HVL-012021-20	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-10D	HVL-080321-19	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-10S	HVL-012021-22	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-10S	HVL-080221-14	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-11D(2)	HVL-012021-13	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-11D(2)	HVL-080321-25	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-11S	HVL-011921-09	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-11S	HVL-011921-11	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-11S	HVL-080321-24	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-12D	HVL-012021-15	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-12D	HVL-080221-04	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-12S	HVL-012021-17	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-12S	HVL-080221-02	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-13D	HVL-012021-21	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-13D	HVL-080321-21	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-13S	HVL-012021-23	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-13S	HVL-080321-23	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-14D	HVL-011921-08	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-14D	HVL-080321-17	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-14R	HVL-011921-06	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-14R	HVL-080221-01	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-14S	HVL-011921-10	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-14S	HVL-080321-15	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-15D	HVL-011921-04	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-15D	HVL-080221-07	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-15S	HVL-011921-02	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-15S	HVL-080221-03	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-15S	HVL-080221-05	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-17S	HVL-012021-16	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-17S	HVL-080221-13	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-18D	HVL-011921-05	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-18D	HVL-080321-20	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-18S	HVL-011921-07	1/19/2021	<3	<0.5	<0.5	<3	<0.5
MW-18S	HVL-080321-22	8/3/2021	<3	<0.5	<0.5	<3	<0.5
MW-20R	HVL-012121-29	1/21/2021	<3	<0.5	<0.5	<3	<0.5
MW-20R	HVL-080221-11	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-26R	HVL-012021-18	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-26R	HVL-080221-09	8/2/2021	<3	<0.5	<0.5	<3	<0.5
MW-29S	HVL-012021-19	1/20/2021	<3	<0.5	<0.5	<3	<0.5
MW-29S	HVL-080221-06	8/2/2021	<3	<0.5	<0.5	<3	<0.5
FMMW-1	HVL-011921-01	1/19/2021	<3	<0.5	<0.5	<3	<0.5
FMMW-1	HVL-080321-18	8/3/2021	<3	<0.5	<0.5	<3	<0.5

Location	Samp_ID	Samp_Date	trans-1,4-Dichloro-2-butene	Trichloroethene	Trichlorofluoro methane	Vinyl acetate	Vinyl chloride
FMMW-2	HVL-011921-03	1/19/2021	<3	<0.5	<0.5	<3	<0.5
FMMW-2	HVL-080321-16	8/3/2021	<3	<0.5	<0.5	<3	<0.5
QC, F-Blank	HVL-012021-24	1/20/2021	<3	<0.5	<0.5	<3	<0.5
QC, F-Blank	HVL-080221-08	8/2/2021	<3	<0.5	<0.5	<3	<0.5
Water Supply Well, Corliss	HVL-012021-12	1/20/2021	<3	<0.5	<0.5	<3	<0.5
Water Supply Well, Corliss	HVL-080221-12	8/2/2021	<3	<0.5	<0.5	<3	<0.5
Water Supply Well, P. Bunyan	HVL-012021-14	1/20/2021	<3	<0.5	<0.5	<3	<0.5
Water Supply Well, P. Bunyan	HVL-080221-10	8/2/2021	<3	<0.5	<0.5	<3	<0.5
Leachate, East Area	HVL-012121-25	1/21/2021	<3	<0.5	<0.5	<3	<0.5
Leachate, Side Slope	HVL-012121-27	1/21/2021	<3	<0.5	<0.5	<3	<0.5
Leak Detection, Main	HVL-012121-28	1/21/2021	<3	<0.5	<0.5	<3	<0.5
Leak Detection, Side Slope	HVL-012121-26	1/21/2021	<3	<0.5	<0.5	<3	<0.5