




Chevron Environmental Management Company
and King County Metro Transit

First Semi-Annual Groundwater Monitoring Report 2022

**Former Chevron Bulk Plant No. 100-1327
1602 North Northlake Way
Facilities North/King County (Metro)
Seattle, Washington**

06 December 2022


A large, solid orange graphic element in the bottom right corner of the page, consisting of a triangle that points towards the top right, with a thin white diagonal line running through it from the bottom left to the top right.




Ophélie Encelle
Environmental Scientist



Samuel Miles
Project Manager



Zackary S. Wall, L.G.
Licensed Geologist



FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT 2022

Former Chevron Bulk Terminal No. 100-
1327
Facilities North/King County (Metro)
Seattle, Washington

Prepared for:

Chevron Environmental Management
Company

Prepared by:

Arcadis U.S., Inc.
1100 Olive Way
Suite 800
Seattle
Washington 98101
Tel 206 325 5254
Fax 206 325 8218

Our Ref.: 30064328

Date: December 6, 2022

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1. Introduction	1
1.2.1 North Yard	1
1.2.2 South Yard	1
1.2.3 Public Right of Way	2
1.2.4 Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree	2
2. Groundwater monitoring methodology	2
2.1 Groundwater Gauging Methods	3
2.2 Groundwater Sampling Method	3
3. Groundwater monitoring Results	4
3.1 Groundwater Gauging Results	4
3.2 Groundwater Analytical Results	4
4. Conclusions	6
5. Recommendations	6
6. References	6

TABLES

Table 1 Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Table 2 Second Quarter 2022 Groundwater Analytical Results

Table 3 Point of Compliance Consecutive Sampling Events as of First Semi-Annual 2022

FIGURES

Figure 1 Site Location Map

Figure 2 Site Aerial Map

Figure 3 Site Plan

Figure 4 Groundwater Elevation Contour Map - June 24, 2022

Figure 5 Groundwater Analytical Result Map - Petroleum Hydrocarbons - June 24, 2022

Figure 6 cPAH Analytical Results - June 24, 2022

Figure 7 Groundwater Analytical Result Map - Dissolved Metals - June 24, 2022

APPENDICES

- A Field Notes
- B Hydraulic Gradient Three Point Solution Worksheets
- C Laboratory Analytical Reports
- D Historical Groundwater Analytical Results

1. INTRODUCTION

On behalf of Chevron Environmental Management Company (Chevron) and King County Metro Transit (KC Metro), Arcadis US, Inc. (Arcadis) has prepared this report to document the First Semi-Annual 2022 groundwater gauging and sampling event for the former Chevron Bulk Plant No. 100-1327 (the site, Figure 1) conducted during the first half of 2022. This Report documents ongoing compliance with the Consent Decree (CD; Washington State Department of Ecology [Ecology] 1998), #99-2-08651-1SEA, between Chevron, KC Metro, and Ecology.

The site is formally known as Metro Lake Union in Ecology's database. Identifiers are

- Facility Site Identification Number 2217
- Cleanup Site Identification Number 1275.

Ecology's website for the Site is available at [Site Information \(wa.gov\)](#); documents available electronically can be accessed by clicking [View Electronic Documents](#) in the sidebar (or clicking on the preceding hyperlink). The Site is also referred to as the King County Metro Transit Facilities North Site and former Chevron Bulk Terminal #100-1327 Site on Ecology's website.

1.1 Site Description

The Site is located at 1602 North Northlake Way along the north shore of Lake Union in a mixed-use residential and commercial neighborhood, with industrial marine facilities located along the shoreline. The Site consists of three areas, as shown on Figure 2: the South Yard (Parcel Lot 408880-4670), the North Yard (Parcel Lot 408330-6985), and the Public ROW between the two parcels. The Site Plan is shown on Figure 3.

1.2.1 North Yard

The North Yard is located on the north side of North Northlake Way, between North 34th Street to the north, North Northlake Place to the south, Woodlawn Avenue North to the west, and Densmore Avenue North to the east (Figure 3). The 1.67-acre North Yard is occupied by a 4-story office building with underground parking garage and is owned by BRE-BMR 34th LLC (King County Department of Assessments 2022). The property is zoned for industrial commercial use (IC-65 [M]).

1.2.2 South Yard

The South Yard is located on the south side of North Northlake Way. The South Yard is bounded by Lake Union on the southwest, private property on the northwest, North Northlake Place on the northeast, and a property occupied by the Seattle Harbor Patrol on the southeast (Figure 3). The 1.29-acre property is occupied by the Center for Wooden Boats, with loading docks and a storage warehouse, and is a government-owned property (King County Department of Assessments 2022). The property is zoned for industrial/commercial use (IC-45; industrial commercial with a height limit of 45 feet).

1.2.3 Public Right of Way

The portion of the Site between the North Yard and South Yard at North Northlake Place and North Northlake Way is referred to as the Public ROW (Figure 2).

Two sets of subsurface piping were used to transfer product from the South Yard to the North Yard. In 1992, the subsurface piping was cleaned and capped at the south wall of the AST containment area. In 1998, an inspection of piping pits and pipe connections indicated no surface or shallow (within 0.5 foot) petroleum staining or detections in the eight locations tested. The subsurface piping that was closed in place is located under the former North Yard office area, beneath the South Yard and under the dock.

1.2.4 Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree

In 1999 Chevron and KCDOT entered into a CD with Ecology that required remediation of upland soil of the South Yard to MTCA Method A industrial soil cleanup levels for restricted use and MTCA Method B groundwater cleanup levels for protection of Lake Union surface waters. Active cleanup work was divided into two phases. Phase 1 work was completed in 2000. Active Phase 2 work began in 1999 and was completed with Touchstone's Prospective Purchaser Consent Decree (PPCD) site closure in 2016 (See Section 1.2.5). All active remediation work required under the CD for the South Yard has been completed. Compliance groundwater monitoring continues in accordance with the CD.

1.2.5 Touchstone Prospective Purchaser Consent Decree

In 2007, Touchstone and Ecology entered into a PPCD (Ecology 2007) requiring Touchstone to remediate soil at the North Yard to MTCA Method A unrestricted soil CULs, and to manage the dewatering/groundwater during construction. Touchstone was not responsible for remediation of soil outside of the North Yard property boundary or for remediation of groundwater on and outside of the North Yard property boundary. Soil outside the North Yard property line and groundwater are part of the CD (Ecology 1998).

Touchstone completed remediation of the North Yard as part of its redevelopment, called North Edge. On March 22, 2016, Ecology issued a letter (Ecology 2016) providing written notification that no further remedial action is necessary to clean up contamination at the North Edge Site (i.e., North Yard) under the MTCA, determined that no post-cleanup controls or monitoring are necessary under the MTCA for the PPCD (Ecology 2007), and dismissed the PPCD.

2. GROUNDWATER MONITORING METHODOLOGY

Groundwater monitoring has been conducted intermittently (one, two, or more times per year) since 1999. Ecology approved semiannual compliance monitoring for 2015 and beyond.

The compliance monitoring network consist of 11 monitoring wells including MW-4, MW-7, MW-8A, MW-25, MW-26, AGI-2, MLU-1, and MLU-3 at the South Yard; and MW-19, MW-20, and MW-21 at the North Yard. Nine additional monitoring wells (MW-9R, MW-11, MW-14, MW-15, MW-22, MW-24, MW-29, MW-30, and EW-1) are present in the Public ROW and gauged as part of the semiannual compliance monitoring event but are not compliance monitoring wells. Groundwater is sampled from the compliance monitoring wells and analyzed for benzene, toluene, and ethylbenzene. Collected groundwater samples

also are field-filtered and analyzed for polyaromatic hydrocarbons (carcinogenic polyaromatic hydrocarbons [cPAHs] and naphthalene), arsenic, and lead. Light Non-Aqueous Phase Liquid (LNAPL) has not been encountered onsite since 2014.

This report documents groundwater gauging and sampling events conducted by Arcadis during the first half of 2022. On June 24, 2022, depth to water readings and groundwater samples were collected at accessible site network monitoring wells by subcontractor Blaine Tech Services, Inc. (Blaine Tech), with direction from Arcadis.

2.1 Groundwater Gauging Methods

Depth to water was measured using a static oil/water level indicator from the top of the monitoring well casing and recorded on field data sheets. The oil/water level indicators were decontaminated with an Alconox® and water scrub and rinsed between each measurement to prevent cross contamination. Non-disposable groundwater gauging equipment was decontaminated prior to and after each use with a detergent solution and rinsed in potable water. Field notes taken during gauging activities are included in Appendix A. The 11 compliance monitoring wells including MW-4, MW-7, MW-8A, MW-25, MW-26, AGI-2, MLU-1, and MLU-3 at the South Yard; and MW-19, MW-20, and MW-21 at the North Yard and the nine additional monitoring wells (MW-9R, MW-11, MW-14, MW-15, MW-22, MW-24, MW-29, MW-30, and EW-1) were gauged on June 24, 2022 by Blaine Tech to determine groundwater elevations and assess the presence of LNAPL. Groundwater elevation and LNAPL monitoring data are presented in Table 1.

2.2 Groundwater Sampling Method

In total, 16 monitoring wells were sampled from the site monitoring well network during this reporting period. The wells sampled during this reporting period include MW-4, MW-7, MW-8A, MW-11, MW-15, MW-19, MW-20, MW-21, MW-22, MW-24, MW-25, MW-26, MW-29, AGI-2, MLU-1, and MLU-3. Field notes taken during the groundwater sampling activities are included in Appendix A.

Sampling was conducted in accordance with low flow purge methodology, using a peristaltic pump and disposable tubing. The flow rate used during sampling was approximately 200 milliliters per minute (mL/min) thereby minimizing water level drawdown in the well. During low flow purging, water quality parameters including pH, specific conductivity and temperature were monitored using a Yellow Springs Instruments (YSI) 556 multi-parameter meter with a flow-through measurement cell. Groundwater was considered stabilized when pH readings remained within 0.1 unit, and specific conductivity and temperature readings remained within 3%. The flow-through measurement cell was then disconnected from the disposable tubing and sample containers were filled directly from the tubing.

After the samples were collected in appropriate laboratory bottles, they were labeled, stored in a cooler packed with ice, and submitted under proper chain-of-custody procedures to Pace Analytical Laboratory (Pace) of Mount Juliet, Tennessee. Groundwater samples were submitted to the analytical laboratory for the following analyses for site specific compounds of concern (COCs):

- Benzene, toluene, and ethylbenzene by Environmental Protection Agency (EPA) method 8260D.
- Polyaromatic hydrocarbons by EPA 8270E SIM.
- Dissolved lead and arsenic by EPA method 6020B.

A duplicate groundwater sample (DUP) was collected from MW-8A during the sampling event and submitted blind to the laboratory for the above analyses.

3. GROUNDWATER MONITORING RESULTS

3.1 Groundwater Gauging Results

No measurable LNAPL was detected during the June 2022 gauging event. Historically, groundwater elevations were adjusted for LNAPL solubility if present within a monitoring well. A solubility of 0.8 was used to adjust groundwater elevation for LNAPL if observed within onsite monitoring wells during the respective gauging events.

Depth to groundwater ranged between 9.75 feet below top of casing (btoc) in monitoring well MW-29 to 20.99 feet btoc in monitoring well MW-24. Groundwater elevations ranged from 17.68 feet above the North American Vertical Datum of 1988 (NAVD 88) in monitoring well MW-19 to 48.78 feet above NAVD 88 in monitoring well MW-24.

The horizontal hydraulic gradient for the North Yard was calculated to be 0.075 feet per foot (ft/ft) to the southwest, based on the groundwater elevations calculated at monitoring wells MW-24, MW-29, and MW-19. This is consistent with flow direction historically observed in this area. A potentiometric groundwater elevation figure for June 24, 2022, monitoring well gauging data is included on Figure 4. Hydraulic gradient three point solution worksheets are included as Appendix B.

3.2 Groundwater Analytical Results

Groundwater CULs for the Site were based on MTCA Method B surface water CULs for protection of Lake Union surface waters (Foster Wheeler 1998) per Washington Administrative Code (WAC) 173-340-720(2)(d) and 173-340-730. As defined by the MTCA, the POC is the point where CULs shall be attained. The POC for groundwater in the North and South Yards are the respective southern property boundaries. The MTCA Method B surface water CULs for specific COCs at the site include:

Groundwater COC		Groundwater CUL (µg/L)
Benzene		43
Toluene		48,500
Ethylbenzene		6,910
Naphthalene		9,880
Carcinogenic polyaromatic hydrocarbons (cPAHs)	Benzo(a)anthracene	0.0296
	Benzo(a)pyrene	0.0296
	Benzo(b)fluoranthene	0.0296
	Benzo(k)fluoranthene	0.0296

Groundwater COC	Groundwater CUL (µg/L)
Chrysene	0.0296
Dibenz(a,h)anthracene	0.0296
Indeno(1,2,3-cd)pyrene	0.0296
Arsenic	0.0982
Lead	5

Note:

µg/L = microgram per liter

The arsenic CUL specified in the CD (0.0982 µg/L) is two to three orders of magnitude lower than current arsenic standards developed for drinking water. The current MTCA Method A groundwater CUL is 5 µg/L (WAC 173-340-900, Table 720-1), which is based on natural background. Background groundwater concentrations of arsenic in Washington were evaluated by Ecology and results are published in the Natural Background Groundwater Arsenic Concentrations in Washington State Study Results (Ecology 2022). The background threshold value was established at 8 µg/L for the Puget Sound Basin. The Federal Drinking Water Standard for arsenic is 10 µg/L. The current arsenic CUL is also two orders of magnitude below the USEPA Method 6020 practical quantitation limit (PQL) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020 method detection limit (MDL) for arsenic (0.18 to 0.68 µg/L). Therefore, any arsenic detection will exceed the arsenic groundwater CUL.

During the First Semi-Annual 2022 sampling event conducted on June 24, 2022, dissolved arsenic was detected above the MTCA Method B surface water CUL of 0.0982 µg/L in the filtered groundwater samples from monitoring wells MW-4, MW-8A, MW-11, MW-15, MW-19, MW-20, MW-21, MW-22, MW-24, MW-26, MLU-3, and AGI-2 at concentrations ranging from 0.205 J¹ µg/L (MW-4) to 13.4 µg/L (MW-21). Arsenic was detected at concentrations greater than the Ecology identified background value of 8 µg/L for the Puget Sound Basin in dissolved groundwater samples from wells AGI-2, MW-11, and MW-21. Arsenic was not detected in wells MW-7, MW-25, MW-29 and MLU-1, however the PQL for dissolved arsenic exceeded the MTCA Method B surface water CUL. No other COCs were detected at concentrations greater than the respective CULs.

Laboratory data from point of compliance wells will be reported in the Ecology EIM database. The laboratory analytical report is included in Appendix C and the laboratory analytical results are presented on Figure 5, Figure 6 and Figure 7, and in Table 2. Historical groundwater analytical results are presented in Appendix D.

The only remaining requirement of the CD (Ecology 1998) consists of demonstrating that groundwater is complying with the site CULs for five consecutive semiannual groundwater monitoring events. Consecutive sampling events under the MTCA Method B surface water CUL in POC wells are presented in Table 3. During the most recent sampling event in January 2022, all 11 compliance wells were complying with the

¹ J = The identification of the analyte is acceptable; the reported value is an estimate.

site CULs for five consecutive semiannual groundwater monitoring events for benzene, toluene, ethylbenzene, naphthalene, and cPAHs. Ten compliance wells were complying with the site CULs for five consecutive semiannual groundwater monitoring events for lead.

4. CONCLUSIONS

Groundwater currently complies with all CULs except for arsenic, for which the CUL is less than the PQL of 2ug/L. There were no exceedances of benzene, toluene, ethylbenzene, naphthalene, lead, and cPAHs during the first half of 2022 sampling activities. However, there were dissolved arsenic exceedances in multiple wells. Arsenic was detected at concentrations greater than the Ecology identified background value of 8 ug/L for the Puget Sound Basin in dissolved groundwater samples from wells AGI-2, MW-11, and MW-21. The groundwater elevation data collected during the June 2022 monitoring event indicates groundwater flow direction and horizontal hydraulic gradient to be generally consistent with historical data.

During the most recent sampling event in January 2022, all 11 compliance wells were complying with the site CULs for at least five consecutive semiannual groundwater monitoring events for benzene, toluene, ethylbenzene, naphthalene, cPAHs. Ten compliance wells were complying with the site CULs for at least five consecutive semiannual groundwater monitoring events for lead.

5. RECOMMENDATIONS

Semi-annual groundwater sampling will continue in the second half of 2022, with the next event scheduled for the fourth quarter 2022.

Arcadis prepared a Five-Year Review Report for the site during the Spring 2022 (Arcadis 2022). The Five-Year Review Report documents ongoing compliance with the CD and will be submitted for a public review process either in late 2022 or early 2023. Following the public review process, Arcadis recommends evaluating the current compliance monitoring plan.

6. REFERENCES

Arcadis. 2022. Five-Year Review Report. Former Chevron Bulk Plant No. 100-1327 1602 North Northlake Way Facilities North/King County (Metro) Seattle, Washington. May 9.

Ecology. 2022. Natural Background Groundwater Arsenic Concentrations in Washington State Study Results. January. Available online: [Natural Background Groundwater Arsenic Concentrations in Washington State: Study Results](#)

Foster Wheeler Environmental Corporation. 1998. *Draft Cleanup Action Plan Former Chevron Bulk Plant 100-1327 Facilities North/King County Metro Transit Lake Union Site*. November, 24.

TABLES



Table 1
Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-3	North Yard	08/11/99	104.07	--	--	--	--	No	--
MW-3	North Yard	10/22/99	104.07	--	--	--	--	No	--
MW-3	North Yard	05/24/01	104.07	10.25	9.99	0.26	--	No	94.03
MW-3	North Yard	06/27/01	104.07	--	--	--	--	No	--
MW-3	North Yard	03/18/02	104.07	9.28	8.59	0.69	--	No	95.34
MW-3	North Yard	12/31/02	104.07	--	--	--	--	No	--
MW-3	North Yard	03/26/03	104.07	7.02	--	0.00	--	No	97.05
MW-3	North Yard	06/26/03	104.07	11.49	10.49	1.00	2.75	No	93.38
MW-3	North Yard	07/21/03	104.07	--	--	--	2.50	No	--
MW-3	North Yard	08/28/03	104.07	--	--	--	3.00	No	--
MW-3	North Yard	10/16/03	104.07	13.89	11.55	2.34	1.75	No	92.05
MW-3	North Yard	11/21/03	104.07	--	--	--	3.50	No	--
MW-3	North Yard	12/17/03	104.07	11.02	10.27	0.75	2.00	No	93.65
MW-3	North Yard	01/29/04	104.07	10.59	9.82	0.77	1.75	No	94.10
MW-3	North Yard	02/18/04	104.07	10.32	9.77	0.55	0.75	No	94.19
MW-3	North Yard	03/30/04	104.07	9.93	9.28	0.65	0.75	No	94.66
MW-3	North Yard	09/22/04	104.07	11.35	10.61	0.74	1.50	No	93.31
MW-3	North Yard	03/15/05	104.07	12.98	10.82	2.16	3.00	No	92.82
MW-3	North Yard	9/28/05*	104.07	11.25	--	<3.0	3.50	No	--
MW-3	North Yard	03/29/06	104.07	12.40	8.76	3.64	6.50	No	94.58
MW-3	North Yard	03/21/07	104.07	10.67	9.13	1.54	2.00	No	94.63
MW-3	North Yard	03/25/08	104.07	10.38	9.73	0.65	1.00	No	94.21
MW-3	North Yard	09/08-09/08	104.07	11.02	10.55	0.47	1.50	Yes	93.43
MW-3	North Yard	12/11/08	104.07	12.10	10.79	1.31	2.50	Yes	93.02
MW-3	North Yard	03/30-31/09	104.07	9.70	--	0.00	0.00	Yes	94.37
MW-3	North Yard	06/15/09	104.07	10.97	9.79	1.18	2.50 ⁴	Yes	94.04
MW-3	North Yard	09/10-11/09	104.07	12.21	10.94	1.27	1.66 ⁴	Yes	92.88
MW-3	North Yard	02/23/10	104.07	11.25	8.75	2.50	1.75 ⁴	Yes	94.82
MW-3	North Yard	03/15/10	104.07	11.25	8.60	2.65	2.50 ⁵	Yes	94.94
MW-3	North Yard	03/23/12	104.07	12.00	11.90	0.10	0.50	Yes	92.15
MW-3	North Yard	06/01/12	104.07	--	--	--	--	Yes	--
MW-3	North Yard	04/22/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	06/26/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	09/18/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	10/14/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	03/27/14	104.07	22.78	--	0.00	--	Yes	81.29
MW-3	North Yard	06/10/14	104.07	11.88	6.97	4.91	5.00	Yes	96.12
MW-3	North Yard	07/22/14	104.07	10.52	9.83	0.69	--	Yes	94.10
MW-4	South Yard	08/10/99	--	--	--	--	--	--	--
MW-4	South Yard	10/20/99	--	--	--	--	--	--	--
MW-4	South Yard	07/26/01	--	15.46	--	0.00	--	--	--
MW-4	South Yard	10/11/02	--	--	--	--	--	--	--
MW-4	South Yard	12/31/02	--	16.88	--	0.00	--	--	--
MW-4	South Yard	02/27/03	--	16.22	--	0.00	--	--	--
MW-4	South Yard	03/26/03	--	15.38	--	0.00	--	--	--
MW-4	South Yard	04/28/03	--	15.12	--	0.00	--	--	--

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-4	South Yard	05/30/03	--	15.02	--	0.00	--	--	--
MW-4	South Yard	06/25/03	--	15.39	--	0.00	--	--	--
MW-4	South Yard	09/16/03	--	16.76	--	0.00	--	--	--
MW-4	South Yard	12/15/03	--	16.80	--	0.00	--	--	--
MW-4	South Yard	03/25/04	--	15.85	--	0.00	--	--	--
MW-4	South Yard	09/22/04	--	15.94	--	0.00	--	--	--
MW-4	South Yard	03/14/05	--	16.26	--	0.00	--	--	--
MW-4	South Yard	03/29/06	--	15.71	--	0.00	--	--	--
MW-4	South Yard	03/21/07	--	15.77	--	0.00	--	--	--
MW-4	South Yard	03/25/08	--	15.78	--	0.00	--	--	--
MW-4	South Yard	09/08-09/08	--	15.91	--	0.00	--	--	--
MW-4	South Yard	12/11/08	--	--	--	--	--	--	--
MW-4	South Yard	03/30-31/09	--	15.54	--	0.00	--	--	--
MW-4	South Yard	09/10-11/09	--	16.39	--	0.00	--	--	--
MW-4	South Yard	03/15/10	--	12.67	--	0.00	--	--	--
MW-4	South Yard	09/15/10	--	16.25	--	0.00	--	--	--
MW-4	South Yard	03/14/11	--	15.55	--	0.00	--	--	--
MW-4	South Yard	09/25/11	33.92	16.55	--	0.00	--	--	17.37
MW-4	South Yard	10/10/11	33.92	16.20	--	0.00	--	--	17.72
MW-4	South Yard	06/21/12	33.92	14.49	--	0.00	--	--	19.43
MW-4	South Yard	09/20/12	33.92	16.60	--	0.00	--	--	17.32
MW-4	South Yard	09/21/12	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	12/26/12	33.92	16.62	--	0.00	--	--	17.30
MW-4	South Yard	04/22/13	33.92	15.18	--	0.00	--	--	18.74
MW-4	South Yard	06/26/13	33.92	15.15	--	0.00	--	--	18.77
MW-4	South Yard	09/18/13	33.92	15.98	--	0.00	--	--	17.94
MW-4	South Yard	10/14/13	33.92	16.26	--	0.00	--	--	17.66
MW-4	South Yard	03/27/14	33.92	15.69	--	0.00	--	--	18.23
MW-4	South Yard	06/10/14	33.92	15.05	--	0.00	--	--	18.87
MW-4	South Yard	11/11/15	33.92	16.52	--	0.00	--	--	17.40
MW-4	South Yard	04/18/16	33.92	13.31	--	0.00	--	--	20.61
MW-4	South Yard	12/07/16	33.92	16.78	--	0.00	--	--	17.14
MW-4	South Yard	06/21/17	33.92	14.99	--	0.00	--	--	18.93
MW-4	South Yard	12/05/17	33.92	16.72	--	0.00	--	--	17.20
MW-4	South Yard	06/26/18	33.92	15.38	--	0.00	--	--	18.54
MW-4	South Yard	11/27/18	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	06/20/19	33.92	15.33	--	0.00	--	--	18.59
MW-4	South Yard	12/17/19	33.92	16.96	--	0.00	--	--	16.96
MW-4	South Yard	06/10/20	33.92	15.19	--	0.00	--	--	18.73
MW-4	South Yard	11/10/20	33.92	16.64	--	0.00	--	--	17.28
MW-4	South Yard	06/28/21	33.92	15.11	--	0.00	--	--	18.81
MW-4	South Yard	01/06/22	33.92	16.30	--	0.00	--	--	17.62
MW-4	South Yard	06/24/22	33.92	14.97	--	0.00	--	--	18.95
MW-7	South Yard	08/10/99	98.39	--	--	--	--	--	--
MW-7	South Yard	10/20/99	98.39	--	--	--	--	--	--
MW-7	South Yard	07/26/01	98.39	12.61	--	0.00	--	--	85.78

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-7	South Yard	04/03/02	98.39	13.03	--	0.00	--	--	85.36
MW-7	South Yard	07/02/02	98.39	12.13	--	0.00	--	--	86.26
MW-7	South Yard	09/03/02	98.39	13.76	--	0.00	--	--	84.63
MW-7	South Yard	10/11/02	98.39	14.87	--	0.00	--	--	83.52
MW-7	South Yard	03/26/03	98.39	13.12	--	0.00	--	--	85.27
MW-7	South Yard	04/28/03	98.39	12.33	--	0.00	--	--	86.06
MW-7	South Yard	05/30/03	98.39	11.76	--	0.00	--	--	86.63
MW-7	South Yard	06/25/03	98.39	13.14	--	0.00	--	--	85.25
MW-7	South Yard	09/16/03	98.39	13.93	--	0.00	--	--	84.46
MW-7	South Yard	12/15/03	98.39	13.96	--	0.00	--	--	84.43
MW-7	South Yard	03/21/07	98.39	--	--	--	--	--	--
MW-7	South Yard	03/25/08	98.39	--	--	--	--	--	--
MW-7	South Yard	09/08-09/08	98.39	--	--	--	--	--	--
MW-7	South Yard	12/11/08	98.39	--	--	--	--	--	--
MW-7	South Yard	03/30-31/09	98.39	--	--	--	--	--	--
MW-7	South Yard	09/10-11/09	98.39	--	--	--	--	--	--
MW-7	South Yard	03/15/1011	98.39	13.07	--	0.00	--	--	85.32
MW-7	South Yard	09/15/10	98.39	13.40	--	0.00	--	--	84.99
MW-7	South Yard	03/14/11	98.39	12.85	--	0.00	--	--	85.54
MW-7	South Yard	06/21/12	31.13	12.19	--	0.00	--	--	18.94
MW-7	South Yard	09/20/12	31.13	13.74	--	0.00	--	--	17.39
MW-7	South Yard	12/26/12	31.13	15.67	--	0.00	--	--	15.46
MW-7	South Yard	04/22/13	31.13	12.40	--	0.00	--	--	18.73
MW-7	South Yard	06/26/13	31.13	12.30	--	0.00	--	--	18.83
MW-7	South Yard	09/18/13	31.13	13.15	--	0.00	--	--	17.98
MW-7	South Yard	10/14/13	31.13	13.37	--	0.00	--	--	17.76
MW-7	South Yard	03/27/14	31.13	12.82	--	0.00	--	--	18.31
MW-7	South Yard	06/10/14	31.13	12.21	--	0.00	--	--	18.92
MW-7	South Yard	11/11/15	31.13	13.81	--	0.00	--	--	17.32
MW-7	South Yard	04/18/16	31.13	12.43	--	0.00	--	--	18.70
MW-7	South Yard	12/07/16	31.13	13.88	--	0.00	--	--	17.25
MW-7	South Yard	06/12/17	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	12/05/17	31.13	13.90	--	0.00	--	--	17.23
MW-7	South Yard	06/26/18	31.13	12.47	--	0.00	--	--	18.66
MW-7	South Yard	11/27/18	31.13	13.78	--	0.00	--	--	17.35
MW-7	South Yard	06/20/19	31.13	12.50	--	0.00	--	--	18.63
MW-7	South Yard	12/17/19	31.13	14.10	--	0.00	--	--	17.03
MW-7	South Yard	06/10/20	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	11/10/20	31.13	13.77	--	0.00	--	--	17.36
MW-7	South Yard	06/28/21	31.13	12.27	--	0.00	--	--	18.86
MW-7	South Yard	01/06/22	31.13	13.55	--	0.00	--	--	17.58
MW-7	South Yard	06/24/22	31.13	12.19	--	0.00	--	--	18.94
MW-8	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-8	South Yard	10/20/99	97.87	13.06	--	0.00	--	--	84.81
MW-8	South Yard	01/06/00	97.87	--	--	--	--	--	--
MW-8	South Yard	04/12/00	97.87	12.57	--	0.00	--	--	85.30

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8	South Yard	06/27/00	97.87	12.61	--	0.00	--	--	85.26
MW-8	South Yard	09/28/00	97.87	12.88	--	0.00	--	--	84.99
MW-8	South Yard	01/15/01	97.87	13.70	--	0.00	--	--	84.17
MW-8	South Yard	06/21/01	97.87	11.77	--	0.00	--	--	86.10
MW-8	South Yard	07/26/01	97.87	12.18	--	0.00	--	--	85.69
MW-8	South Yard	03/19/02	97.87	12.84	--	0.00	--	--	85.03
MW-8	South Yard	04/03/02	97.87	12.48	--	0.00	--	--	85.39
MW-8	South Yard	05/07/02	97.87	11.86	--	0.00	--	--	86.01
MW-8	South Yard	06/06/02	97.87	12.39	--	0.00	--	--	85.48
MW-8	South Yard	07/02/02	97.87	11.79	--	0.00	--	--	86.08
MW-8	South Yard	09/03/02	97.87	13.24	--	0.00	--	--	84.63
MW-8	South Yard	10/11/02	97.87	14.04	--	0.00	--	--	83.83
MW-8	South Yard	12/31/02	97.87	13.69	--	0.00	--	--	84.18
MW-8	South Yard	03/26/03	97.87	12.23	--	0.00	--	--	85.64
MW-8	South Yard	04/28/03	97.87	12.87	--	0.00	--	--	85.00
MW-8	South Yard	05/30/03	97.87	11.80	--	0.00	--	--	86.07
MW-8	South Yard	06/25/03	97.87	12.20	--	0.00	--	--	85.67
MW-8	South Yard	09/15/03	97.87	13.45	--	0.00	--	--	84.42
MW-8A	South Yard	12/15/03	97.60	13.32	--	0.00	--	--	84.28
MW-8A	South Yard	03/25/04	97.60	12.24	--	0.00	--	--	85.36
MW-8A	South Yard	09/23/04	97.60	12.30	--	0.00	--	--	85.30
MW-8A	South Yard	03/14/05	97.60	12.68	--	0.00	--	--	84.92
MW-8A	South Yard	03/29/06	97.60	12.14	--	0.00	--	--	85.46
MW-8A	South Yard	03/21/07	97.60	12.21	--	0.00	--	--	85.39
MW-8A	South Yard	03/25/08	97.60	12.13	--	0.00	--	--	85.47
MW-8A	South Yard	09/08-09/08	97.60	12.32	--	0.00	--	--	85.28
MW-8A	South Yard	12/11/08	97.60	--	--	--	--	--	--
MW-8A	South Yard	03/30-31/09	97.60	12.04	--	0.00	--	--	85.56
MW-8A	South Yard	09/10-11/09	97.60	12.80	--	0.00	--	--	84.80
MW-8A	South Yard	03/15/10	97.60	12.23	--	0.00	--	--	85.37
MW-8A	South Yard	09/15/10	97.60	12.66	--	0.00	--	--	84.94
MW-8A	South Yard	03/14/11	97.60	12.19	--	0.00	--	--	85.41
MW-8A	South Yard	11/16/11	30.31	13.14	--	0.00	--	--	17.17
MW-8A	South Yard	06/21/12	30.31	11.45	--	0.00	--	--	18.86
MW-8A	South Yard	09/20/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	09/21/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	12/26/12	30.31	13.07	--	0.00	--	--	17.24
MW-8A	South Yard	04/23/13	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	06/26/13	30.31	11.50	--	0.00	--	--	18.81
MW-8A	South Yard	09/18/13	30.31	12.37	--	0.00	--	--	17.94
MW-8A	South Yard	10/14/13	30.31	12.65	--	0.00	--	--	17.66
MW-8A	South Yard	03/27/14	30.31	12.21	--	0.00	--	--	18.10
MW-8A	South Yard	06/10/14	30.31	11.49	--	0.00	--	--	18.82
MW-8A	South Yard	11/11/15	30.31	12.41	--	0.00	--	--	17.90
MW-8A	South Yard	04/18/16	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	12/07/16	30.31	13.26	--	0.00	--	--	17.05

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8A	South Yard	06/21/17	30.31	11.59	--	0.00	--	--	18.72
MW-8A	South Yard	12/05/17	30.31	12.60	--	0.00	--	--	17.71
MW-8A	South Yard	06/26/18	30.31	11.89	--	0.00	--	--	18.42
MW-8A	South Yard	11/27/18	30.31	12.14	--	0.00	--	--	18.17
MW-8A	South Yard	06/20/19	30.31	11.69	--	0.00	--	--	18.62
MW-8A	South Yard	12/17/19	30.31	13.41	--	0.00	--	--	16.90
MW-8A	South Yard	06/10/20	30.31	11.48	--	0.00	--	--	18.83
MW-8A	South Yard	11/10/20	30.31	13.08	--	0.00	--	--	17.23
MW-8A	South Yard	06/28/21	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	01/06/22	30.31	12.40	--	0.00	--	--	17.91
MW-8A	South Yard	06/24/22	30.31	11.75	--	0.00	--	--	18.56
MW-9	ROW	08/11/99	103.67	--	--	--	--	No	--
MW-9	ROW	10/21/99	103.67	--	--	--	--	No	--
MW-9	ROW	05/24/01	103.67	14.07	14.02	0.05	--	No	89.64
MW-9	ROW	06/21/01	103.67	13.78	13.74	0.04	--	No	89.92
MW-9	ROW	06/27/01	103.67	13.79	--	0.00	--	No	89.88
MW-9	ROW	03/18/02	103.67	13.51	12.82	0.69	--	No	90.71
MW-9	ROW	10/16/02	103.67	--	--	0.54	--	No	--
MW-9	ROW	11/11/02	103.67	--	--	0.90	--	No	--
MW-9	ROW	12/31/02	103.67	--	--	0.91	--	No	--
MW-9	ROW	02/27/03	103.67	--	--	0.02	--	No	--
MW-9	ROW	03/26/03	103.67	--	--	0.09	--	No	--
MW-9	ROW	04/28/03	103.67	13.25	13.18	0.07	--	No	90.48
MW-9	ROW	05/30/03	103.67	13.52	13.43	0.09	--	No	90.22
MW-9	ROW	06/26/03	103.67	13.90	13.86	0.04	0.10	No	89.80
MW-9	ROW	07/21/03	103.67	--	--	0.21	2.00	No	--
MW-9	ROW	08/28/03	103.67	--	--	0.23	0.75	No	--
MW-9	ROW	10/16/03	103.67	15.98	15.41	0.57	2.00	No	88.15
MW-9	ROW	11/21/03	103.67	--	--	0.01	0.25	No	--
MW-9	ROW	12/17/03	103.67	--	--	0.00	0.00	No	--
MW-9	ROW	01/29/04	103.67	14.16	14.13	0.03	0.10	No	89.53
MW-9	ROW	02/18/04	103.67	11.11	10.94	0.17	0.25	No	92.70
MW-9	ROW	03/25/04	103.67	13.66	--	0.00	--	No	90.01
MW-9	ROW	03/30/04	103.67	13.80	13.69	0.11	0.25	No	89.96
MW-9	ROW	09/22/04	103.67	9.52	9.49	0.03	0.25	No	94.17
MW-9	ROW	03/15/05	103.67	14.81	14.52	0.29	0.25	No	89.09
MW-9	ROW	09/28/05	103.67	15.31	15.06	0.25	<0.01	No	88.56
MW-9	ROW	03/29/06	103.67	13.26	13.00	0.26	<0.5	No	90.62
MW-9	ROW	03/21/07	103.67	13.73	13.41	0.32	0.19	No	90.20
MW-9	ROW	03/25/08	103.67	13.93	--	0.00	<0.25	No	89.74
MW-9	ROW	09/08-09/08	103.67	14.23	14.22	0.01	0.00	Yes	89.45
MW-9	ROW	12/11/08	103.67	15.16	15.11	0.05	0.02	Yes	88.55
MW-9	ROW	03/30-31/09	103.67	14.06	--	0.00	--	Yes	89.61
MW-9	ROW	06/15/09	103.67	13.32	--	0.00	--	Yes	90.35
MW-9	ROW	09/10-11/09	103.67	14.80	--	0.00	--	Yes	88.87
MW-9	ROW	02/23/10	103.67	13.10	12.80	0.30	0.21 ⁴	Yes	90.81

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-9	ROW	03/15/10	103.67	13.33	13.10	0.23	0.18 ⁴	Yes	90.52
MW-9	ROW	09/15/10 ¹	103.67	15.05	14.50	0.55	0.20 ⁴	Yes	89.06
MW-9	ROW	12/04/10 ¹	103.67	14.50	14.37	0.13	0.20 ⁴	Yes	89.27
MW-9	ROW	3/14/2011 ¹	103.67	12.71	--	0.00	--	Yes	90.96
MW-9	ROW	9/24/2011 ¹	36.46	14.62	--	0.00	--	Yes	21.84
MW-9	ROW	12/08/2011 ¹	36.46	12.87	--	0.00	--	Yes	23.59
MW-9	ROW	03/23/12	36.46	10.55	10.35	0.20	0.50	Yes	26.07
MW-9	ROW	06/01/12	36.46	11.75	11.55	0.20	1.00	Yes	24.87
MW-9	ROW	09/20/12	36.46	14.47	13.95	0.52	--	Yes	22.41
MW-9	ROW	12/26/12	36.46	11.60	10.60	1.00	--	Yes	25.66
MW-9	ROW	04/22/13	36.46	11.07	10.40	0.67	--	Yes	25.93
MW-9	ROW	06/26/13	36.46	12.45	12.30	0.15	--	Yes	24.13
MW-9	ROW	09/18/13	36.46	14.51	14.20	0.31	--	Yes	22.20
MW-9	ROW	10/14/13	36.46	14.10	13.99	0.11	--	Yes	22.45
MW-9	ROW	03/27/14	36.46	11.93	11.76	0.17	--	Yes	24.67
MW-9	ROW	06/10/14	36.46	12.22	12.19	0.03	0.05	Yes	24.26
MW-9R	ROW	07/22/14	36.33	13.31	--	0.00	--	Yes	23.02
MW-9R	ROW	09/26/14	36.33	13.20	--	0.00	--	Yes	23.13
MW-9R	ROW	10/30/14	36.33	13.35	--	0.00	--	Yes	22.98
MW-9R	ROW	12/01/14	36.33	21.40	--	0.00	--	Yes	14.93
MW-9R	ROW	02/20/15	36.33	21.63	--	0.00	--	No	14.70
MW-9R	ROW	11/11/15	36.33	--	--	--	--	--	--
MW-9R	ROW	04/18/16	36.33	--	--	--	--	--	--
MW-9R	ROW	12/07/16	36.34	14.71	--	0.00	--	--	21.63
MW-9R	ROW	06/21/17	36.34	13.42	--	0.00	--	--	22.92
MW-9R	ROW	12/05/17	36.34	14.92	--	0.00	--	--	21.42
MW-9R	ROW	06/26/18	36.34	14.37	--	0.00	--	--	21.97
MW-9R	ROW	11/27/18	36.34	15.27	--	0.00	--	--	21.07
MW-9R	ROW	06/20/19	36.34	13.97	--	0.00	--	--	22.37
MW-9R	ROW	12/17/19	36.34	15.72	--	0.00	--	--	20.62
MW-9R	ROW	06/10/20	36.34	13.88	--	0.00	--	--	22.46
MW-9R	ROW	11/10/20	36.34	14.68	--	0.00	--	--	21.66
MW-9R	ROW	06/28/21	36.34	15.12	--	0.00	--	--	21.22
MW-9R	ROW	01/06/22	36.34	14.00	--	0.00	--	--	22.34
MW-9R	ROW	06/24/22	36.34	13.12	--	0.00	--	--	23.22
MW-10	North Yard	08/11/99	100.30	--	--	--	--	No	--
MW-10	North Yard	10/21/99	100.30	--	--	--	--	No	--
MW-10	North Yard	04/12/00	100.30	7.34	--	0.00	--	No	92.96
MW-10	North Yard	06/27/00	100.30	8.95	--	0.00	--	No	91.35
MW-10	North Yard	09/28/00	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	01/15/01	100.30	10.16	--	0.00	--	No	90.14
MW-10	North Yard	05/24/01	100.30	9.14	--	0.00	--	No	91.16
MW-10	North Yard	06/21/01	100.30	7.97	--	0.00	--	No	92.33
MW-10	North Yard	06/27/01	100.30	9.07	--	0.00	--	No	91.23
MW-10	North Yard	03/18/02	100.30	7.09	--	0.00	--	No	93.21
MW-10	North Yard	07/02/02	100.30	8.37	--	0.00	--	No	91.93

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-10	North Yard	09/28/02	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	12/31/02	100.30	--	--	0.96	--	No	--
MW-10	North Yard	02/27/03	100.30	--	--	0.17	--	No	--
MW-10	North Yard	03/26/03	100.30	--	--	0.04	--	No	--
MW-10	North Yard	04/28/03	100.30	8.80	--	0.00	--	No	91.50
MW-10	North Yard	05/30/03	100.30	8.76	--	0.00	--	No	91.54
MW-10	North Yard	06/26/03	100.30	8.99	8.69	0.30	6.00	No	91.55
MW-10	North Yard	07/21/03	100.30	--	--	0.06	1.00	No	--
MW-10	North Yard	08/28/03	100.30	--	--	0.14	6.00	No	--
MW-10	North Yard	10/16/03	100.30	11.56	10.54	1.02	18.50	No	89.56
MW-10	North Yard	11/21/03	100.30	--	--	1.33	7.00	No	--
MW-10	North Yard	12/17/03	100.30	--	--	0.15	0.75	No	--
MW-10	North Yard	01/29/04	100.30	8.61	8.61	0.00	--	No	91.69
MW-10	North Yard	02/18/04	100.30	8.72	8.58	0.14	0.25	No	91.69
MW-10	North Yard	03/30/04	100.30	8.47	8.41	0.06	0.25	No	91.88
MW-10	North Yard	09/22/04	100.30	9.64	9.56	0.08	0.50	No	90.72
MW-10	North Yard	03/15/05	100.30	10.20	9.83	0.37	0.25	No	90.40
MW-10	North Yard	10/04/05	100.30	11.20	10.39	0.81	1.75	No	89.75
MW-10	North Yard	03/29/06	100.30	8.35	7.63	0.72	2.00	No	92.53
MW-10	North Yard	03/21/07	100.30	7.95	7.49	0.46	0.44	No	92.72
MW-10	North Yard	03/25/08	100.30	8.68	8.68	0.00	0.00	No	91.62
MW-10	North Yard	09/08-09/08	100.30	9.39	9.34	0.05	0.20	Yes	90.95
MW-10	North Yard	12/11/08	100.30	9.90	9.59	0.31	1.00	Yes	90.65
MW-10	North Yard	03/30-31/09	100.30	8.44	8.20	0.24	1.11 ⁴	Yes	92.05
MW-10	North Yard	06/15/09	100.30	8.31	8.10	0.21	0.34 ⁴	Yes	92.16
MW-10	North Yard	09/10-11/09	100.30	10.14	10.12	0.02	0.00	Yes	90.18
MW-10	North Yard	02/23/10	100.30	7.14	7.13	0.01	0.00	Yes	93.17
MW-10	North Yard	03/15/10	100.30	7.24	--	0.00	--	Yes	93.06
MW-10	North Yard	09/15/10	100.30	9.48	Sheen	Sheen	--	Yes	90.82
MW-10	North Yard	12/04/10	100.30	--	--	--	--	Yes	--
MW-10	North Yard	03/27/14	33.09	8.28	--	0.00	--	Yes	24.81
MW-10	North Yard	06/10/14	33.09	7.42	--	0.00	--	Yes	25.67
MW-10	North Yard	07/22/14	33.09	8.81	--	0.00	--	Yes	24.28
MW-11	ROW	08/11/99	100.59	--	--	--	--	--	--
MW-11	ROW	10/22/99	100.59	--	--	--	--	--	--
MW-11	ROW	06/21/01	100.59	11.30	--	0.00	--	--	89.29
MW-11	ROW	03/18/02	100.59	10.96	--	0.00	--	--	89.63
MW-11	ROW	09/16/03	100.59	13.03	--	0.00	--	--	87.56
MW-11	ROW	12/15/03	100.59	13.92	--	0.00	--	--	86.67
MW-11	ROW	03/25/04	100.59	11.17	--	0.00	--	--	89.42
MW-11	ROW	09/22/04	100.59	12.05	--	0.00	--	--	88.54
MW-11	ROW	03/14/05	100.59	11.90	--	0.00	--	--	88.69
MW-11	ROW	03/29/06	100.59	10.32	--	0.00	--	--	90.27
MW-11	ROW	03/21/07	100.59	8.36	--	0.00	--	--	92.23
MW-11	ROW	03/25/08	100.59	9.38	--	0.00	--	--	91.21
MW-11	ROW	09/08-09/08	100.59	10.35	--	0.00	--	--	90.24

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-11	ROW	12/11/08	100.59	10.63	--	0.00	--	--	89.96
MW-11	ROW	03/30-31/09	100.59	9.60	--	0.00	--	--	90.99
MW-11	ROW	06/15/09	100.59	--	--	--	--	--	--
MW-11	ROW	09/10-11/09	100.61	8.07	--	0.00	--	--	92.54
MW-11	ROW	02/23/10	100.61	8.60	--	0.00	--	--	92.01
MW-11	ROW	03/15/10	100.61	8.75	--	0.00	--	--	91.86
MW-11	ROW	09/15/10	100.61	10.27	--	0.00	--	--	90.34
MW-11	ROW	12/04/10	100.61	10.37	--	0.00	--	--	90.24
MW-11	ROW	03/14/11	33.29	9.33	--	0.00	--	--	23.96
MW-11	ROW	10/14/13	33.29	11.04	--	0.00	--	--	22.25
MW-11	ROW	03/27/14	33.29	9.38	--	0.00	--	--	23.91
MW-11	ROW	06/10/14	33.29	9.53	--	0.00	--	--	23.76
MW-11	ROW	07/22/14	33.29	10.60	--	0.00	--	--	22.69
MW-11	ROW	02/20/15	33.29	15.79	--	0.00	--	--	17.50
MW-11	ROW	11/11/15	33.29	--	--	--	--	--	--
MW-11	ROW	04/18/16	33.29	11.82	--	0.00	--	--	21.47
MW-11	ROW	12/07/16	33.03	12.62	--	0.00	--	--	20.41
MW-11	ROW	06/21/17	33.03	11.32	--	0.00	--	--	21.71
MW-11	ROW	12/05/17	33.03	12.81	--	0.00	--	--	20.22
MW-11	ROW	06/26/18	33.03	12.24	--	0.00	--	--	20.79
MW-11	ROW	11/27/18	33.03	13.27	--	0.00	--	--	19.76
MW-11	ROW	06/20/19	33.03	11.98	--	0.00	--	--	21.05
MW-11	ROW	12/17/19	33.03	13.65	--	0.00	--	--	19.38
MW-11	ROW	06/10/20	33.03	11.60	--	0.00	--	--	21.43
MW-11	ROW	11/10/20	33.03	12.89	--	0.00	--	--	20.14
MW-11	ROW	06/28/21	33.03	10.69	--	0.00	--	--	22.34
MW-11	ROW	01/06/22	33.03	12.12	--	0.00	--	--	20.91
MW-11	ROW	06/24/22	33.03	11.89	--	0.00	--	--	21.14
MW-12	North Yard	08/11/99	100.11	--	--	--	--	No	--
MW-12	North Yard	10/21/99	100.11	--	--	--	--	No	--
MW-12	North Yard	05/24/01	100.11	8.30	--	0.00	--	No	91.81
MW-12	North Yard	06/21/01	100.11	--	--	--	--	No	--
MW-12	North Yard	06/27/01	100.11	9.01	9.00	0.01	--	No	91.11
MW-12	North Yard	03/18/02	100.11	7.91	7.87	0.04	--	No	92.23
MW-12	North Yard	12/31/02	100.11	--	--	0.02	--	No	--
MW-12	North Yard	04/28/03	100.11	7.36	7.27	0.09	--	No	92.82
MW-12	North Yard	05/30/03	100.11	7.42	7.37	0.05	--	No	92.73
MW-12	North Yard	06/26/03	100.11	8.32	Sheen	Sheen	0.10	No	91.79
MW-12	North Yard	07/21/03	100.11	--	--	0.01	0.50	No	--
MW-12	North Yard	08/28/03	100.11	--	--	0.03	0.75	No	--
MW-12	North Yard	10/16/03	100.11	9.48	9.36	0.12	0.75	No	90.73
MW-12	North Yard	11/21/03	100.11	--	--	--	--	No	--
MW-12	North Yard	12/17/03	100.11	--	--	--	--	No	--
MW-12	North Yard	01/29/04	100.11	8.44	8.44	0.00	0.00	No	91.67
MW-12	North Yard	02/18/04	100.11	7.54	7.54	0.00	0.00	No	92.57
MW-12	North Yard	03/25/04	100.11	7.54	--	0.00	--	No	92.57

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-12	North Yard	03/30/04	100.11	7.84	7.84	0.00	0.00	No	92.27
MW-12	North Yard	09/22/04	100.11	8.69	8.65	0.04	0.25	No	91.45
MW-12	North Yard	03/15/05	100.11	8.79	8.78	0.01	0.00	No	91.33
MW-12	North Yard	10/04/05	100.11	13.67	13.65	0.02	<0.01	No	86.46
MW-12	North Yard	03/29/06	100.11	7.51	7.51	0.00	0.00	No	92.60
MW-12	North Yard	03/21/07	100.11	7.32	7.32	0.00	0.00	No	92.79
MW-12	North Yard	03/25/08	100.11	8.09	--	0.00	--	No	92.02
MW-12	North Yard	09/08-09/08	100.11	8.65	--	0.00	--	No	91.46
MW-12	North Yard	12/11/08	100.11	8.62	8.61	0.01	0.00	Yes	91.50
MW-12	North Yard	03/30-31/09	100.11	7.54	7.53	0.01	0.00	Yes	92.58
MW-12	North Yard	06/15/09	100.11	7.92	--	0.00	--	Yes	92.19
MW-12	North Yard	09/10-11/09	100.11	9.23	9.22	0.01	0.00	Yes	90.89
MW-12	North Yard	02/23/10	100.11	6.90	--	0.00	--	Yes	93.21
MW-12	North Yard	03/15/10	100.11	7.23	--	0.00	--	Yes	92.88
MW-12	North Yard	09/15/10	100.11	8.62	Sheen	Sheen	--	Yes	91.49
MW-12	North Yard	12/04/10	100.11	--	--	--	--	Yes	--
MW-12	North Yard	06/10/14	32.89	7.68	7.62	0.06	0.05	Yes	25.26
MW-12	North Yard	07/22/14	32.89	8.48	8.44	0.04	--	Yes	24.44
MW-14	ROW	07/26/01	98.87	13.05	--	0.00	--	--	85.82
MW-14	ROW	03/29/06	98.87	13.32	--	0.00	--	--	85.55
MW-14	ROW	03/21/07	98.87	13.33	--	0.00	--	--	85.54
MW-14	ROW	03/25/08	98.87	13.38	--	0.00	--	--	85.49
MW-14	ROW	09/08-09/08	98.87	13.50	--	0.00	--	--	85.37
MW-14	ROW	12/11/08	98.87	--	--	--	--	--	--
MW-14	ROW	03/30-31/09	98.87	13.10	--	0.00	--	--	85.77
MW-14	ROW	09/10-11/09	98.87	14.00	--	0.00	--	--	84.87
MW-14	ROW	03/15/10	98.87	13.49	--	0.00	--	--	85.38
MW-14	ROW	09/15/10	98.87	--	--	--	--	--	--
MW-14	ROW	03/27/14	31.61	--	--	--	--	--	--
MW-14	ROW	06/10/14	31.61	12.61	--	0.00	--	--	19.00
MW-14	ROW	11/11/15	31.61	14.24	--	0.00	--	--	17.37
MW-14	ROW	04/18/16	31.61	12.95	--	0.00	--	--	18.66
MW-14	ROW	12/07/16	31.60	14.72	--	0.00	--	--	16.88
MW-14	ROW	06/21/17	31.60	13.51	--	0.00	--	--	18.09
MW-14	ROW	12/05/17	31.60	14.01	--	0.00	--	--	17.59
MW-14	ROW	06/26/18	31.60	12.81	--	0.00	--	--	18.79
MW-14	ROW	11/27/18	31.60	15.23	--	0.00	--	--	16.37
MW-14	ROW	06/19/19	31.60	13.00	--	0.00	--	--	18.60
MW-14	ROW	12/17/19	31.60	14.60	--	0.00	--	--	17.00
MW-14	ROW	06/10/20	31.60	12.30	--	0.00	--	--	19.30
MW-14	ROW	11/10/20	31.60	14.24	--	0.00	--	--	17.36
MW-14	ROW	06/28/21	31.60	12.27	--	0.00	--	--	19.33
MW-14	ROW	01/06/22	31.60	13.73	--	0.00	--	--	17.87
MW-14	ROW	06/24/22	31.60	12.85	--	0.00	--	--	18.75
MW-15	ROW	08/10/99	98.83	--	--	--	--	--	--
MW-15	ROW	10/20/99	98.83	13.96	--	0.00	--	--	84.87

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-15	ROW	07/26/01	98.83	13.04	--	0.00	--	--	85.79
MW-15	ROW	03/18/02	98.83	13.62	--	0.00	--	--	85.21
MW-15	ROW	06/26/03	98.83	13.05	--	0.00	--	--	85.78
MW-15	ROW	09/16/03	98.83	14.35	--	0.00	--	--	84.48
MW-15	ROW	03/29/06	98.83	13.00	--	0.00	--	--	85.83
MW-15	ROW	03/21/07	98.83	13.33	--	0.00	--	--	85.50
MW-15	ROW	03/25/08	98.83	13.36	--	0.00	--	--	85.47
MW-15	ROW	09/08-09/08	98.83	13.46	--	0.00	--	--	85.37
MW-15	ROW	12/11/08	98.83	--	--	--	--	--	--
MW-15	ROW	03/30-31/09	98.83	13.12	--	0.00	--	--	85.71
MW-15	ROW	09/10-11/09	98.83	13.97	--	0.00	--	--	84.86
MW-15	ROW	03/15/10	98.83	15.50	--	0.00	--	--	83.33
MW-15	ROW	09/15/10	98.83	15.87	--	0.00	--	--	82.96
MW-15	ROW	03/14/11	98.83	14.99	--	0.00	--	--	83.84
MW-15	ROW	03/27/14	31.60	--	--	--	--	--	--
MW-15	ROW	06/10/14	31.60	12.66	--	0.00	--	--	18.94
MW-15	ROW	11/11/15	31.60	14.29	--	0.00	--	--	17.31
MW-15	ROW	04/18/16	31.60	12.81	--	0.00	--	--	18.79
MW-15	ROW	12/07/16	31.60	14.58	--	0.00	--	--	17.02
MW-15	ROW	06/21/17	31.60	13.63	--	0.00	--	--	17.97
MW-15	ROW	12/05/17	31.60	13.92	--	0.00	--	--	17.68
MW-15	ROW	06/26/18	31.60	12.95	--	0.00	--	--	18.65
MW-15	ROW	11/27/18	31.60	14.11	--	0.00	--	--	17.49
MW-15	ROW	06/20/19	31.60	12.94	--	0.00	--	--	18.66
MW-15	ROW	12/17/19	31.60	14.55	--	0.00	--	--	17.05
MW-15	ROW	06/10/20	31.60	12.21	--	0.00	--	--	19.39
MW-15	ROW	11/10/20	31.60	14.23	--	0.00	--	--	17.37
MW-15	ROW	06/28/21	31.60	12.65	--	0.00	--	--	18.95
MW-15	ROW	01/06/22	31.60	13.91	--	0.00	--	--	17.69
MW-15	ROW	06/24/22	31.60	12.52	--	0.00	--	--	19.08
MW-16	Offsite	03/21/07	--	14.49	--	0.00	--	--	--
MW-16	Offsite	03/25/08	--	15.25	--	0.00	--	--	--
MW-16	Offsite	09/08-09/08	--	18.51	--	0.00	--	--	--
MW-16	Offsite	12/11/08	--	--	--	--	--	--	--
MW-16	Offsite	03/30-31/09	--	16.11	--	0.00	--	--	--
MW-19	ROW	08/11/99	98.10	--	--	--	--	--	--
MW-19	ROW	10/20/99	98.10	--	--	--	--	--	--
MW-19	ROW	06/21/01	98.10	11.99	--	0.00	--	--	86.11
MW-19	ROW	06/26/03	98.10	12.02	--	0.00	--	--	86.08
MW-19	ROW	09/16/03	98.10	13.67	--	0.00	--	--	84.43
MW-19	ROW	12/15/03	98.10	13.60	--	0.00	--	--	84.50
MW-19	ROW	03/26/04	98.10	12.74	--	0.00	--	--	85.36
MW-19	ROW	09/23/04	98.10	12.82	--	0.00	--	--	85.28
MW-19	ROW	03/14/05	98.10	13.16	--	0.00	--	--	84.94
MW-19	ROW	03/29/06	98.10	12.63	--	0.00	--	--	85.47
MW-19	ROW	03/21/07	98.10	12.71	--	0.00	--	--	85.39

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-19	ROW	03/25/08	98.10	12.70	--	0.00	--	--	85.40
MW-19	ROW	09/08-09/08	98.10	12.81	--	0.00	--	--	85.29
MW-19	ROW	12/11/08	98.10	--	--	--	--	--	--
MW-19	ROW	03/30-31/09	98.10	12.57	--	0.00	--	--	85.53
MW-19	ROW	09/10-11/09	98.10	13.30	--	0.00	--	--	84.80
MW-19	ROW	03/15/10	98.10	12.85	--	0.00	--	--	85.25
MW-19	ROW	09/15/10	98.10	13.18	--	0.00	--	--	84.92
MW-19	ROW	11/16/11	30.87	13.62	--	0.00	--	--	17.25
MW-19	ROW	06/21/12	30.87	11.93	--	0.00	--	--	18.94
MW-19	ROW	09/20/12	30.87	13.50	--	0.00	--	--	17.37
MW-19	ROW	12/26/12	30.87	13.55	--	0.00	--	--	17.32
MW-19	ROW	04/24/13	30.87	12.18	--	0.00	--	--	18.69
MW-19	ROW	06/26/13	30.87	12.08	--	0.00	--	--	18.79
MW-19	ROW	09/18/13	30.87	12.91	--	0.00	--	--	17.96
MW-19	ROW	10/14/13	30.87	13.10	--	0.00	--	--	17.77
MW-19	ROW	03/27/14	30.87	12.63	--	0.00	--	--	18.24
MW-19	ROW	06/10/14	30.87	11.95	--	0.00	--	--	18.92
MW-19	ROW	07/22/14	30.87	12.73	--	0.00	--	--	18.14
MW-19	ROW	02/20/15	30.87	13.84	--	0.00	--	--	17.03
MW-19	ROW	11/11/15	30.87	13.68	--	0.00	--	--	17.19
MW-19	ROW	04/18/16	30.87	12.25	--	0.00	--	--	18.62
MW-19	ROW	12/07/16	30.91	13.85	--	0.00	--	--	17.06
MW-19	ROW	06/21/17	30.91	11.75	--	0.00	--	--	19.16
MW-19	ROW	12/05/17	30.91	13.31	--	0.00	--	--	17.60
MW-19	ROW	06/26/18	30.91	12.26	--	0.00	--	--	18.65
MW-19	ROW	11/27/18	30.91	13.68	--	0.00	--	--	17.23
MW-19	ROW	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-19	ROW	12/17/19	30.91	13.88	--	0.00	--	--	17.03
MW-19	ROW	06/10/20	30.91	12.09	--	0.00	--	--	18.82
MW-19	ROW	11/10/20	30.91	13.57	--	0.00	--	--	17.34
MW-19	ROW	06/28/21	30.91	11.70	--	0.00	--	--	19.21
MW-19	ROW	01/06/22	30.91	14.48	--	0.00	--	--	16.43
MW-19	ROW	06/24/22	30.91	13.23	--	0.00	--	--	17.68
MW-20	ROW	08/11/99	98.74	--	--	--	--	--	--
MW-20	ROW	10/20/99	98.74	13.99	--	0.00	--	--	84.75
MW-20	ROW	09/28/00	98.74	13.41	--	0.00	--	--	85.33
MW-20	ROW	06/21/01	98.74	12.61	--	0.00	--	--	86.13
MW-20	ROW	03/19/02	98.74	13.69	--	0.00	--	--	85.05
MW-20	ROW	06/26/03	98.74	12.92	--	0.00	--	--	85.82
MW-20	ROW	09/16/03	98.74	14.29	--	0.00	--	--	84.45
MW-20	ROW	12/15/03	98.74	14.34	--	0.00	--	--	84.40
MW-20	ROW	03/26/04	98.74	13.36	--	0.00	--	--	85.38
MW-20	ROW	03/14/05	98.74	13.80	--	0.00	--	--	84.94
MW-20	ROW	03/29/06	98.74	13.26	--	0.00	--	--	85.48
MW-20	ROW	03/21/07	98.74	13.33	--	0.00	--	--	85.41
MW-20	ROW	03/25/08	98.74	13.33	--	0.00	--	--	85.41

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-20	ROW	09/08-09/08	98.74	13.42	--	0.00	--	--	85.32
MW-20	ROW	12/11/08	98.74	--	--	--	--	--	--
MW-20	ROW	03/30-31/09	98.74	--	--	--	--	--	--
MW-20	ROW	09/10-11/09	98.74	13.92	--	0.00	--	--	84.82
MW-20	ROW	03/15/10	98.74	13.46	--	0.00	--	--	85.28
MW-20	ROW	09/15/10	98.74	13.79	--	0.00	--	--	84.95
MW-20	ROW	11/16/11	31.49	14.22	--	0.00	--	--	17.27
MW-20	ROW	06/21/12	31.49	12.53	--	0.00	--	--	18.96
MW-20	ROW	09/20/12	31.49	14.11	--	0.00	--	--	17.38
MW-20	ROW	12/26/12	31.49	14.20	--	0.00	--	--	17.29
MW-20	ROW	04/23/13	31.49	12.80	--	0.00	--	--	18.69
MW-20	ROW	06/26/13	31.49	12.70	--	0.00	--	--	18.79
MW-20	ROW	09/18/13	31.49	13.52	--	0.00	--	--	17.97
MW-20	ROW	10/14/13	31.49	13.72	--	0.00	--	--	17.77
MW-20	ROW	03/27/14	31.49	13.24	--	0.00	--	--	18.25
MW-20	ROW	06/10/14	31.49	12.51	--	0.00	--	--	18.98
MW-20	ROW	07/22/14	31.49	13.35	--	0.00	--	--	18.14
MW-20	ROW	02/20/15	31.49	14.46	--	0.00	--	--	17.03
MW-20	ROW	11/11/15	31.49	14.33	--	0.00	--	--	17.16
MW-20	ROW	04/18/16	31.49	12.75	--	0.00	--	--	18.74
MW-20	ROW	12/07/16	31.53	14.40	--	0.00	--	--	17.13
MW-20	ROW	06/21/17	31.53	12.55	--	0.00	--	--	18.98
MW-20	ROW	12/05/17	31.53	14.43	--	0.00	--	--	17.10
MW-20	ROW	06/26/18	31.53	12.89	--	0.00	--	--	18.64
MW-20	ROW	11/27/18	31.53	14.23	--	0.00	--	--	17.30
MW-20	ROW	06/20/19	31.53	12.88	--	0.00	--	--	18.65
MW-20	ROW	12/17/19	31.53	14.45	--	0.00	--	--	17.08
MW-20	ROW	06/10/20	31.53	12.51	--	0.00	--	--	19.02
MW-20	ROW	11/10/20	31.53	14.19	--	0.00	--	--	17.34
MW-20	ROW	06/28/21	31.53	12.70	--	0.00	--	--	18.83
MW-20	ROW	01/06/22	31.53	14.03	--	0.00	--	--	17.50
MW-20	ROW	06/24/22	31.53	13.07	--	0.00	--	--	18.46
MW-21	ROW	08/10/99	98.52	--	--	--	--	--	--
MW-21	ROW	10/19/99	98.52	--	--	--	--	--	--
MW-21	ROW	06/21/01	98.52	12.31	--	0.00	--	--	86.21
MW-21	ROW	03/18/02	98.52	13.36	--	0.00	--	--	85.16
MW-21	ROW	06/26/03	98.52	12.66	--	0.00	--	--	85.86
MW-21	ROW	09/16/03	98.52	13.98	--	0.00	--	--	84.54
MW-21	ROW	12/15/03	98.52	14.05	--	0.00	--	--	84.47
MW-21	ROW	03/26/04	98.52	13.08	--	0.00	--	--	85.44
MW-21	ROW	09/23/04	98.52	13.19	--	0.00	--	--	85.33
MW-21	ROW	03/14/05	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/29/06	98.52	12.98	--	0.00	--	--	85.54
MW-21	ROW	03/21/07	98.52	13.00	--	0.00	--	--	85.52
MW-21	ROW	03/25/08	98.52	13.02	--	0.00	--	--	85.50
MW-21	ROW	09/08-09/08	98.52	13.14	--	0.00	--	--	85.38

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-21	ROW	12/11/08	98.52	--	--	--	--	--	--
MW-21	ROW	03/30-31/09	98.52	12.86	--	0.00	--	--	85.66
MW-21	ROW	09/10-11/09	98.52	13.63	--	0.00	--	--	84.89
MW-21	ROW	03/15/10	98.52	13.15	--	0.00	--	--	85.37
MW-21	ROW	09/15/10	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/14/11	98.52	13.05	--	0.00	--	--	85.47
MW-21	ROW	09/24/11	31.26	13.51	--	0.00	--	--	17.75
MW-21	ROW	10/10/11	31.26	13.83	--	0.00	--	--	17.43
MW-21	ROW	06/21/12	31.26	12.24	--	0.00	--	--	19.02
MW-21	ROW	09/20/12	31.26	13.82	--	0.00	--	--	17.44
MW-21	ROW	12/26/12	31.26	13.86	--	0.00	--	--	17.40
MW-21	ROW	04/23/13	31.26	12.47	--	0.00	--	--	18.79
MW-21	ROW	06/26/13	31.26	12.39	--	0.00	--	--	18.87
MW-21	ROW	09/18/13	31.26	13.25	--	0.00	--	--	18.01
MW-21	ROW	10/14/13	31.26	--	--	--	--	--	--
MW-21	ROW	03/27/14	31.26	12.98	--	0.00	--	--	18.28
MW-21	ROW	06/10/14	31.26	12.33	--	0.00	--	--	18.93
MW-21	ROW	07/22/14	31.26	13.05	--	0.00	--	--	18.21
MW-21	ROW	02/20/15	31.26	14.21	--	0.00	--	--	17.05
MW-21	ROW	11/11/15	31.26	14.19	--	0.00	--	--	17.07
MW-21	ROW	04/18/16	31.26	12.65	--	0.00	--	--	18.61
MW-21	ROW	12/07/16	31.30	14.20	--	0.00	--	--	17.10
MW-21	ROW	06/21/17	31.30	12.32	--	0.00	--	--	18.98
MW-21	ROW	12/05/17	31.30	14.11	--	0.00	--	--	17.19
MW-21	ROW	06/26/18	31.30	12.67	--	0.00	--	--	18.63
MW-21	ROW	11/27/18	31.30	13.97	--	0.00	--	--	17.33
MW-21	ROW	06/20/19	31.30	12.64	--	0.00	--	--	18.66
MW-21	ROW	12/17/19	31.30	14.22	--	0.00	--	--	17.08
MW-21	ROW	06/10/20	31.30	12.40	--	0.00	--	--	18.90
MW-21	ROW	11/10/20	31.30	13.93	--	0.00	--	--	17.37
MW-21	ROW	06/28/21	31.30	12.47	--	0.00	--	--	18.83
MW-21	ROW	01/06/22	31.30	13.81	--	0.00	--	--	17.49
MW-21	ROW	06/24/22	31.30	12.77	--	0.00	--	--	18.53
MW-22	ROW	08/10/99	99.76	--	--	--	--	--	--
MW-22	ROW	10/22/99	99.76	--	--	--	--	--	--
MW-22	ROW	01/06/00	99.76	--	--	--	--	--	--
MW-22	ROW	01/15/01	99.76	--	--	--	--	--	--
MW-22	ROW	06/21/01	99.76	13.53	--	0.00	--	--	86.23
MW-22	ROW	03/18/02	99.76	14.41	--	0.00	--	--	85.35
MW-22	ROW	07/02/02	99.76	13.56	--	0.00	--	--	86.20
MW-22	ROW	09/03/02	99.76	14.95	--	0.00	--	--	84.81
MW-22	ROW	12/31/02	99.76	15.22	--	0.00	--	--	84.54
MW-22	ROW	06/25/03	99.76	13.91	--	0.00	--	--	85.85
MW-22	ROW	09/16/03	99.76	15.15	--	0.00	--	--	84.61
MW-22	ROW	12/17/03	99.76	15.03	--	0.00	--	--	84.73
MW-22	ROW	03/25/04	99.76	14.20	--	0.00	--	--	85.56

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-22	ROW	09/22/04	99.76	14.28	--	0.00	--	--	85.48
MW-22	ROW	03/14/05	99.76	14.70	--	0.00	--	--	85.06
MW-22	ROW	03/29/06	99.76	14.21	--	0.00	--	--	85.55
MW-22	ROW	03/21/07	99.76	14.31	--	0.00	--	--	85.45
MW-22	ROW	03/25/08	99.76	14.35	--	0.00	--	--	85.41
MW-22	ROW	09/08-09/08	99.76	14.47	--	0.00	--	--	85.29
MW-22	ROW	12/11/08	99.76	--	--	--	--	--	--
MW-22	ROW	03/30-31/09	99.76	14.09	--	0.00	--	--	85.67
MW-22	ROW	09/10-11/09	99.76	15.02	--	0.00	--	--	84.74
MW-22	ROW	03/15/10	99.76	14.46	--	0.00	--	--	85.30
MW-22	ROW	09/15/10	99.76	14.82	--	0.00	--	--	84.94
MW-22	ROW	03/14/11	99.76	14.25	--	0.00	--	--	85.51
MW-22	ROW	03/27/14	32.68	--	--	--	--	--	--
MW-22	ROW	06/10/14	32.68	13.65	--	0.00	--	--	19.03
MW-22	ROW	07/22/14	32.68	14.34	--	0.00	--	--	18.34
MW-22	ROW	11/11/15	32.68	15.31	--	0.00	--	--	17.37
MW-22	ROW	04/18/16	32.68	13.88	--	0.00	--	--	18.80
MW-22	ROW	12/07/16	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	06/21/17	32.68	13.10	--	0.00	--	--	19.58
MW-22	ROW	12/05/17	32.68	15.19	--	0.00	--	--	17.49
MW-22	ROW	06/26/18	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	11/27/18	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/20/19	32.68	13.96	--	0.00	--	--	18.72
MW-22	ROW	12/17/19	32.68	15.52	--	0.00	--	--	17.16
MW-22	ROW	06/10/20	32.68	13.60	--	0.00	--	--	19.08
MW-22	ROW	11/10/20	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/28/21	32.68	13.74	--	0.00	--	--	18.94
MW-22	ROW	01/06/22	32.68	14.42	--	0.00	--	--	18.26
MW-22	ROW	06/24/22	32.68	13.25	--	0.00	--	--	19.43
MW-24	North Yard	03/21/07	--	23.01	--	0.00	--	--	--
MW-24	North Yard	03/25/08	--	23.35	--	0.00	--	--	--
MW-24	North Yard	09/08-09/08	--	23.84	--	0.00	--	--	--
MW-24	North Yard	12/11/08	--	--	--	--	--	--	--
MW-24	North Yard	03/30-31/09	--	23.60	--	0.00	--	--	--
MW-24	North Yard	09/10-11/09	--	24.13	--	0.00	--	--	--
MW-24	North Yard	03/15/10	--	22.76	--	0.00	--	--	--
MW-24	North Yard	09/15/10	--	23.71	--	0.00	--	--	--
MW-24	North Yard	03/14/11	--	22.39	--	0.00	--	--	--
MW-24	North Yard	12/26/12	69.77	22.42	--	0.00	--	--	47.35
MW-24	North Yard	03/27/14	69.77	23.06	--	0.00	--	--	46.71
MW-24	North Yard	06/10/14	69.77	22.85	--	0.00	--	--	46.92
MW-24	North Yard	11/11/15	69.77	--	--	--	--	--	--
MW-24	North Yard	04/18/16	69.77	--	--	--	--	--	--
MW-24	North Yard	12/07/16	69.77	21.73	--	0.00	--	--	48.04
MW-24	North Yard	06/21/17	69.77	20.50	--	0.00	--	--	49.27
MW-24	North Yard	12/05/17	69.77	22.32	--	0.00	--	--	47.45

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-24	North Yard	06/26/18	69.77	22.49	--	0.00	--	--	47.28
MW-24	North Yard	11/27/18	69.77	22.95	--	0.00	--	--	46.82
MW-24	North Yard	06/20/19	69.77	22.80	--	0.00	--	--	46.97
MW-24	North Yard	12/17/19	69.77	23.20	--	0.00	--	--	46.57
MW-24	North Yard	06/10/20	69.77	22.74	--	0.00	--	--	47.03
MW-24	North Yard	11/10/20	69.77	22.77	--	0.00	--	--	47.00
MW-24	North Yard	06/28/21	69.77	22.99	--	0.00	--	--	46.78
MW-24	North Yard	01/06/22	69.77	22.30	--	0.00	--	--	47.47
MW-24	North Yard	06/24/22	69.77	20.99	--	0.00	--	--	48.78
MW-25	South Yard	08/09/99	98.17	--	--	--	--	--	--
MW-25	South Yard	10/19/99	98.17	14.37	--	0.00	--	--	83.80
MW-25	South Yard	01/06/00	98.17	--	--	--	--	--	--
MW-25	South Yard	07/27/00	98.17	12.41	--	0.00	--	--	85.76
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	07/26/01	98.17	12.65	--	0.00	--	--	85.52
MW-25	South Yard	03/19/02	98.17	13.12	--	0.00	--	--	85.05
MW-25	South Yard	07/02/02	98.17	12.04	--	0.00	--	--	86.13
MW-25	South Yard	09/03/02	98.17	13.61	--	0.00	--	--	84.56
MW-25	South Yard	10/11/02	98.17	--	--	--	--	--	--
MW-25	South Yard	12/31/02	98.17	13.97	--	0.00	--	--	84.20
MW-25	South Yard	03/26/03	98.17	13.34	--	0.00	--	--	84.83
MW-25	South Yard	04/28/03	98.17	12.13	--	0.00	--	--	86.04
MW-25	South Yard	05/30/03	98.17	12.10	--	0.00	--	--	86.07
MW-25	South Yard	06/25/03	98.17	12.49	--	0.00	--	--	85.68
MW-25	South Yard	09/15/03	98.17	13.78	--	0.00	--	--	84.39
MW-25	South Yard	12/15/03	98.17	13.88	--	0.00	--	--	84.29
MW-25	South Yard	03/25/04	98.17	12.80	--	0.00	--	--	85.37
MW-25	South Yard	09/22/04	98.17	12.94	--	0.00	--	--	85.23
MW-25	South Yard	03/14/05	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/29/06	98.17	12.72	--	0.00	--	--	85.45
MW-25	South Yard	03/21/07	98.17	12.51	--	0.00	--	--	85.66
MW-25	South Yard	03/25/08	98.17	12.78	--	0.00	--	--	85.39
MW-25	South Yard	09/08-09/08	98.17	12.89	--	0.00	--	--	85.28
MW-25	South Yard	12/11/08	98.17	--	--	--	--	--	--
MW-25	South Yard	03/30-31/09	98.17	12.60	--	0.00	--	--	85.57
MW-25	South Yard	09/10-11/09	98.17	13.41	--	0.00	--	--	84.76
MW-25	South Yard	03/15/10	98.17	12.95	--	0.00	--	--	85.22
MW-25	South Yard	09/15/10	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/14/11	98.17	12.88	--	0.00	--	--	85.29
MW-25	South Yard	09/25/11	30.91	13.50	--	0.00	--	--	17.41
MW-25	South Yard	10/10/11	30.91	13.30	--	0.00	--	--	17.61
MW-25	South Yard	06/21/12	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	09/20/12	30.91	13.56	--	0.00	--	--	17.35
MW-25	South Yard	12/26/12	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	04/22/13	30.91	12.30	--	0.00	--	--	18.61

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-25	South Yard	06/26/13	30.91	12.26	--	0.00	--	--	18.65
MW-25	South Yard	09/18/13	30.91	12.97	--	0.00	--	--	17.94
MW-25	South Yard	10/14/13	30.91	13.22	--	0.00	--	--	17.69
MW-25	South Yard	03/27/14	30.91	12.72	--	0.00	--	--	18.19
MW-25	South Yard	06/10/14	30.91	12.05	--	0.00	--	--	18.86
MW-25	South Yard	11/11/15	30.91	13.61	--	0.00	--	--	17.30
MW-25	South Yard	04/18/16	30.91	12.28	--	0.00	--	--	18.63
MW-25	South Yard	12/07/16	30.91	13.81	--	0.00	--	--	17.10
MW-25	South Yard	06/21/17	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	12/05/17	30.91	13.84	--	0.00	--	--	17.07
MW-25	South Yard	06/26/18	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	11/27/18	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	12/17/19	30.91	13.95	--	0.00	--	--	16.96
MW-25	South Yard	06/10/20	30.91	12.00	--	0.00	--	--	18.91
MW-25	South Yard	11/10/20	30.91	13.65	--	0.00	--	--	17.26
MW-25	South Yard	06/28/21	30.91	12.10	--	0.00	--	--	18.81
MW-25	South Yard	01/06/22	30.91	14.42	--	0.00	--	--	16.49
MW-25	South Yard	06/24/22	30.91	12.17	--	0.00	--	--	18.74
MW-26	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-26	South Yard	10/19/99	97.87	--	--	--	--	--	--
MW-26	South Yard	01/06/00	97.87	13.78	--	0.00	--	--	84.09
MW-26	South Yard	04/12/00	97.87	12.12	--	0.00	--	--	85.75
MW-26	South Yard	06/27/00	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	07/26/01	97.87	12.15	--	0.00	--	--	85.72
MW-26	South Yard	03/19/02	97.87	12.79	--	0.00	--	--	85.08
MW-26	South Yard	12/31/02	97.87	13.97	--	0.00	--	--	83.90
MW-26	South Yard	02/27/03	97.87	12.88	--	0.00	--	--	84.99
MW-26	South Yard	03/26/03	97.87	13.12	--	0.00	--	--	84.75
MW-26	South Yard	04/28/03	97.87	11.78	--	0.00	--	--	86.09
MW-26	South Yard	05/30/03	97.87	11.73	--	0.00	--	--	86.14
MW-26	South Yard	06/25/03	97.87	12.09	--	0.00	--	--	85.78
MW-26	South Yard	09/15/03	97.87	13.49	--	0.00	--	--	84.38
MW-26	South Yard	12/15/03	97.87	13.48	--	0.00	--	--	84.39
MW-26	South Yard	09/22/04	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	03/14/05	97.87	12.94	--	0.00	--	--	84.93
MW-26	South Yard	03/29/06	97.87	12.37	--	0.00	--	--	85.50
MW-26	South Yard	03/21/07	97.87	--	--	--	--	--	--
MW-26	South Yard	03/25/08	97.87	12.46	--	0.00	--	--	85.41
MW-26	South Yard	09/08-09/08	97.87	12.59	--	0.00	--	--	85.28
MW-26	South Yard	12/11/08	97.87	--	--	--	--	--	--
MW-26	South Yard	03/30-31/09	97.87	12.25	--	0.00	--	--	85.62
MW-26	South Yard	09/10-11/09	97.87	13.01	--	0.00	--	--	84.86
MW-26	South Yard	03/15/10	97.87	12.60	--	0.00	--	--	85.27
MW-26	South Yard	09/15/10	97.87	12.94	--	0.00	--	--	84.93
MW-26	South Yard	03/14/11	97.87	12.25	--	0.00	--	--	85.62

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-26	South Yard	09/24/11	30.62	13.20	--	0.00	--	--	17.42
MW-26	South Yard	10/10/11	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/21/12	30.62	11.68	--	0.00	--	--	18.94
MW-26	South Yard	09/20/12	30.62	13.25	--	0.00	--	--	17.37
MW-26	South Yard	09/21/12	30.62	13.28	--	0.00	--	--	17.34
MW-26	South Yard	12/26/12	30.62	13.24	--	0.00	--	--	17.38
MW-26	South Yard	04/22/13	30.62	11.90	--	0.00	--	--	18.72
MW-26	South Yard	06/26/13	30.62	11.85	--	0.00	--	--	18.77
MW-26	South Yard	09/18/13	30.62	12.68	--	0.00	--	--	17.94
MW-26	South Yard	10/14/13	30.62	12.89	--	0.00	--	--	17.73
MW-26	South Yard	03/27/14	30.62	12.45	--	0.00	--	--	18.17
MW-26	South Yard	06/10/14	30.62	11.71	--	0.00	--	--	18.91
MW-26	South Yard	11/11/15	30.62	13.11	--	0.00	--	--	17.51
MW-26	South Yard	04/18/16	30.62	11.93	--	0.00	--	--	18.69
MW-26	South Yard	12/07/16	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/21/17	30.62	11.69	--	0.00	--	--	18.93
MW-26	South Yard	12/05/17	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/26/18	30.62	12.01	--	0.00	--	--	18.61
MW-26	South Yard	11/27/18	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/20/19	30.62	--	--	--	--	--	--
MW-26	South Yard	12/17/19	30.62	13.58	--	0.00	--	--	17.04
MW-26	South Yard	06/10/20	30.62	11.70	--	0.00	--	--	18.92
MW-26	South Yard	11/10/20	30.62	13.29	--	0.00	--	--	17.33
MW-26	South Yard	06/28/21	30.62	11.80	--	0.00	--	--	18.82
MW-26	South Yard	01/06/22	30.62	13.05	--	0.00	--	--	17.57
MW-26	South Yard	06/24/22	30.62	12.03	--	0.00	--	--	18.59
MW-27	North Yard	09/13/99	101.17	--	--	--	--	No	--
MW-27	North Yard	10/22/99	101.17	--	--	--	--	No	--
MW-27	North Yard	01/06/00	101.17	--	--	--	--	No	--
MW-27	North Yard	05/24/01	101.17	11.11	10.38	0.73	--	No	90.64
MW-27	North Yard	06/27/01	101.17	10.07	9.29	0.78	--	No	91.72
MW-27	North Yard	03/18/02	101.17	9.07	9.00	0.07	--	No	92.16
MW-27	North Yard	10/16/02	101.17	--	--	0.05	--	No	--
MW-27	North Yard	12/31/02	101.17	--	--	0.02	--	No	--
MW-27	North Yard	06/26/03	101.17	11.08	10.83	0.25	0.25	No	90.29
MW-27	North Yard	07/21/03	101.17	--	--	0.46	4.00	No	--
MW-27	North Yard	08/28/03	101.17	--	--	0.21	8.00	No	--
MW-27	North Yard	10/16/03	101.17	5.97	--	0.00	0.00	No	95.20
MW-27	North Yard	11/21/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	12/17/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	01/29/04	101.17	10.23	9.71	0.52	2.00	No	91.36
MW-27	North Yard	02/18/04	101.17	10.59	9.97	0.62	1.75	No	91.08
MW-27	North Yard	03/30/04	101.17	10.54	9.77	0.77	3.00	No	91.25
MW-27	North Yard	09/22/04	101.17	9.98	9.91	0.07	0.70	No	91.25
MW-27	North Yard	03/15/05	101.17	11.76	11.21	0.55	0.50	No	89.85
MW-27	North Yard	03/29/06	101.17	9.14	--	0.00	0.00	No	92.03

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-27	North Yard	03/21/07	101.17	7.91	7.90	0.01	<0.01	No	93.27
MW-27	North Yard	03/25/08	101.17	10.57	--	0.00	0.00	No	90.60
MW-27	North Yard	09/08-09/08	101.17	10.83	10.66	0.17	0.28	Yes	90.48
MW-27	North Yard	12/11/08	101.17	11.19	11.18	0.01	0.00	Yes	89.99
MW-27	North Yard	03/30-31/09	101.17	9.92	9.91	0.01	0.00	Yes	91.26
MW-27	North Yard	06/15/09	101.17	9.67	9.66	0.01	0.00	Yes	91.51
MW-27	North Yard	09/10-11/09	101.17	11.27	11.10	0.17	0.33 ⁴	Yes	90.04
MW-27	North Yard	02/23/10	101.17	9.37	--	0.00	--	Yes	91.80
MW-27	North Yard	03/15/10	101.17	9.48	9.47	0.01	0.00	Yes	91.70
MW-27	North Yard	3/14/2011 ¹	101.17	27.77	27.70	0.07	0.05 ⁴	Yes	73.46
MW-27	North Yard	11/16/11	34.01	11.27	--	0.00	--	Yes	22.74
MW-27	North Yard	12/08/11	34.01	9.78	9.69	0.09	0.05 ⁴	Yes	24.30
MW-27	North Yard	03/23/12	34.01	8.18	8.15	0.03	1.00	Yes	25.85
MW-27	North Yard	06/01/12	34.01	8.45	8.25	0.20	1.00	Yes	25.72
MW-27	North Yard	04/22/13	34.01	7.34	7.33	0.01	0.00	Yes	26.68
MW-27	North Yard	06/26/13	34.01	6.67	--	0.00	--	Yes	27.34
MW-27	North Yard	09/18/13	34.01	10.76	--	0.00	--	Yes	23.25
MW-27	North Yard	10/14/13	34.01	10.16	--	0.00	--	Yes	23.85
MW-27	North Yard	03/27/14	34.01	7.10	7.08	0.02	--	Yes	26.93
MW-27	North Yard	06/10/14	34.01	9.25	Sheen	Sheen	--	Yes	24.76
MW-27	North Yard	07/22/14	34.01	10.02	10.015	0.005	--	Yes	23.99
MW-28	North Yard	08/11/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	01/06/00	100.35	6.93	--	0.00	--	No	93.42
MW-28	North Yard	07/27/00	100.35	7.45	--	0.00	--	No	92.90
MW-28	North Yard	09/29/00	100.35	8.50	--	0.00	--	No	91.85
MW-28	North Yard	01/15/01	100.35	8.59	--	0.00	--	No	91.76
MW-28	North Yard	06/21/01	100.35	7.66	--	0.00	--	No	92.69
MW-28	North Yard	03/18/02	100.35	6.02	--	0.00	--	No	94.33
MW-28	North Yard	06/26/03	100.35	7.57	--	0.00	--	No	92.78
MW-28	North Yard	09/15/03	100.35	8.96	--	0.00	--	No	91.39
MW-28	North Yard	12/15/03	100.35	7.56	--	0.00	--	No	92.79
MW-28	North Yard	03/25/04	100.35	7.07	--	0.00	--	No	93.28
MW-28	North Yard	09/22/04	100.35	8.16	--	0.00	--	No	92.19
MW-28	North Yard	03/14/05	100.35	8.45	--	0.00	--	No	91.90
MW-28	North Yard	03/29/06	100.35	6.64	--	0.00	--	No	93.71
MW-28	North Yard	03/21/07	100.35	6.86	6.48	0.38	0.25	No	93.79
MW-28	North Yard	03/25/08	100.35	7.25	7.08	0.17	0.25	No	93.24
MW-28	North Yard	09/08-09/08	100.35	8.04	8.00	0.04	0.16	Yes	92.34
MW-28	North Yard	12/11/08	100.35	8.15	8.14	0.01	0.00	Yes	92.21
MW-28	North Yard	03/30-31/09	100.35	6.84	6.83	0.01	0.00	Yes	93.52
MW-28	North Yard	06/15/09	100.35	7.21	7.20	0.01	0.00	Yes	93.15
MW-28	North Yard	09/10-11/09	100.35	8.16	8.13	0.03	0.00	Yes	92.21
MW-28	North Yard	02/23/10	100.35	6.39	6.38	0.01	0.00	Yes	93.97
MW-28	North Yard	03/15/10	100.35	6.05	--	0.00	--	Yes	94.30

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-28	North Yard	9/15/101	100.35	7.76	7.75	0.01	--	Yes	92.60
MW-28	North Yard	12/04/10	100.35	--	--	--	--	Yes	--
MW-28	North Yard	03/14/11	100.35	5.30	--	0.00	--	Yes	95.05
MW-28	North Yard	07/22/14	33.13	7.24	--	0.00	--	No	25.89
MW-29	ROW	07/22/14	34.06	13.80	--	0.00	--	--	20.26
MW-29	ROW	09/26/14	34.06	14.27	--	0.00	--	--	19.79
MW-29	ROW	10/30/14	34.06	13.03	--	0.00	--	--	21.03
MW-29	ROW	12/01/14	34.06	17.80	--	0.00	--	--	16.26
MW-29	ROW	02/20/15	34.06	19.26	--	0.00	--	--	14.80
MW-29	ROW	11/11/15	34.06	16.61	--	0.00	--	--	17.45
MW-29	ROW	04/18/16	34.06	13.65	--	0.00	--	--	20.41
MW-29	ROW	12/07/16	34.08	14.82	--	0.00	--	--	19.26
MW-29	ROW	06/21/17	34.08	11.29	--	0.00	--	--	22.79
MW-29	ROW	12/05/17	34.08	12.99	--	0.00	--	--	21.09
MW-29	ROW	06/26/18	34.08	13.50	--	0.00	--	--	20.58
MW-29	ROW	11/27/18	34.08	11.37	--	0.00	--	--	22.71
MW-29	ROW	06/20/19	34.08	13.59	--	0.00	--	--	20.49
MW-29	ROW	12/17/19	34.08	14.65	--	0.00	--	--	19.43
MW-29	ROW	06/10/20	34.08	13.40	--	0.00	--	--	20.68
MW-29	ROW	11/10/20	34.08	14.59	--	0.00	--	--	19.49
MW-29	ROW	06/28/21	34.08	14.07	--	0.00	--	--	20.01
MW-29	ROW	01/06/22	34.08	10.29	--	0.00	--	--	23.79
MW-29	ROW	06/24/22	34.08	9.75	--	0.00	--	--	24.33
MW-30	ROW	07/22/14	33.45	12.37	--	0.00	--	--	21.08
MW-30	ROW	09/26/14	33.45	12.87	--	0.00	--	--	20.58
MW-30	ROW	10/30/14	33.45	10.73	--	0.00	--	--	22.72
MW-30	ROW	12/01/14	33.45	17.04	--	0.00	--	--	16.41
MW-30	ROW	02/20/15	33.45	19.18	--	0.00	--	--	14.27
MW-30	ROW	11/11/15	33.45	15.61	--	0.00	--	--	17.84
MW-30	ROW	04/18/16	33.45	12.41	--	0.00	--	--	21.05
MW-30	ROW	12/07/16	33.46	14.01	--	0.00	--	--	19.45
MW-30	ROW	06/21/17	33.46	11.75	--	0.00	--	--	21.71
MW-30	ROW	12/05/17	33.46	12.79	--	0.00	--	--	20.67
MW-30	ROW	06/26/18	33.46	13.09	--	0.00	--	--	20.37
MW-30	ROW	11/27/18	33.46	13.95	--	0.00	--	--	19.51
MW-30	ROW	06/20/19	33.46	12.95	--	0.00	--	--	20.51
MW-30	ROW	12/17/19	33.46	14.40	--	0.00	--	--	19.06
MW-30	ROW	06/10/20	33.46	12.50	--	0.00	--	--	20.96
MW-30	ROW	11/10/20	33.46	13.70	--	0.00	--	--	19.76
MW-30	ROW	06/28/21	33.46	13.13	--	0.00	--	--	20.33
MW-30	ROW	06/24/22	33.46	10.62	--	0.00	--	--	22.84
AGI-2	South Yard	08/10/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	10/20/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	01/15/01	97.95	13.61	--	0.00	--	--	84.34
AGI-2	South Yard	06/21/01	97.95	11.83	--	0.00	--	--	86.12
AGI-2	South Yard	07/26/01	97.95	12.19	--	0.00	--	--	85.76

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	05/07/02	97.95	11.95	--	0.00	--	--	86.00
AGI-2	South Yard	06/06/02	97.95	12.51	--	0.00	--	--	85.44
AGI-2	South Yard	07/02/02	97.95	11.90	--	0.00	--	--	86.05
AGI-2	South Yard	09/03/02	97.95	13.65	--	0.00	--	--	84.30
AGI-2	South Yard	12/31/02	97.95	13.75	--	0.00	--	--	84.20
AGI-2	South Yard	03/26/03	97.95	12.62	--	0.00	--	--	85.33
AGI-2	South Yard	04/28/03	97.95	12.98	--	0.00	--	--	84.97
AGI-2	South Yard	05/30/03	97.95	12.19	--	0.00	--	--	85.76
AGI-2	South Yard	06/25/03	97.95	12.66	--	0.00	--	--	85.29
AGI-2	South Yard	09/15/03	97.95	13.51	--	0.00	--	--	84.44
AGI-2	South Yard	12/15/03	97.95	13.59	--	0.00	--	--	84.36
AGI-2	South Yard	03/26/04	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/22/04	97.95	12.67	--	0.00	--	--	85.28
AGI-2	South Yard	03/14/05	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/29/06	97.95	12.45	--	0.00	--	--	85.50
AGI-2	South Yard	03/21/07	97.95	12.30	--	0.00	--	--	85.65
AGI-2	South Yard	03/25/08	97.95	12.53	--	0.00	--	--	85.42
AGI-2	South Yard	09/08-09/08	97.95	12.63	--	0.00	--	--	85.32
AGI-2	South Yard	12/11/08	97.95	--	--	--	--	--	--
AGI-2	South Yard	03/30-31/09	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/10-11/09	97.95	13.11	--	0.00	--	--	84.84
AGI-2	South Yard	03/15/10	97.95	15.92	--	0.00	--	--	82.03
AGI-2	South Yard	09/15/10	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/14/11	97.95	12.58	--	0.00	--	--	85.37
AGI-2	South Yard	06/21/12	30.68	11.69	--	0.00	--	--	18.99
AGI-2	South Yard	09/20/12	30.68	13.31	--	0.00	--	--	17.37
AGI-2	South Yard	12/26/12	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/23/13	30.68	11.96	--	0.00	--	--	18.72
AGI-2	South Yard	06/26/13	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	09/18/13	30.68	12.72	--	0.00	--	--	17.96
AGI-2	South Yard	10/14/13	30.68	12.94	--	0.00	--	--	17.74
AGI-2	South Yard	03/27/14	30.68	12.41	--	0.00	--	--	18.27
AGI-2	South Yard	06/10/14	30.68	11.85	--	0.00	--	--	18.83
AGI-2	South Yard	11/11/15	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/18/16	30.68	11.98	--	0.00	--	--	18.70
AGI-2	South Yard	12/07/16	30.68	13.50	--	0.00	--	--	17.18
AGI-2	South Yard	06/21/17	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	12/05/17	30.68	13.64	--	0.00	--	--	17.04
AGI-2	South Yard	06/26/18	30.68	12.06	--	0.00	--	--	18.62
AGI-2	South Yard	11/27/18	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	06/20/19	30.68	12.10	--	0.00	--	--	18.58
AGI-2	South Yard	12/17/19	30.68	13.68	--	0.00	--	--	17.00
AGI-2	South Yard	06/10/20	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	11/10/20	30.68	13.35	--	0.00	--	--	17.33

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
AGI-2	South Yard	06/28/21	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	01/06/22	30.68	13.22	--	0.00	--	--	17.46
AGI-2	South Yard	06/24/22	30.68	12.64	--	0.00	--	--	18.04
MLU-1	South Yard	10/20/99	100.18	15.33	--	0.00	--	--	84.85
MLU-1	South Yard	01/06/00	100.18	15.75	--	0.00	--	--	84.43
MLU-1	South Yard	04/12/00	100.18	14.35	--	0.00	--	--	85.83
MLU-1	South Yard	06/27/00	100.18	14.24	--	0.00	--	--	85.94
MLU-1	South Yard	09/29/00	100.18	15.12	--	0.00	--	--	85.06
MLU-1	South Yard	06/25/03	100.18	14.41	--	0.00	--	--	85.77
MLU-1	South Yard	09/15/03	100.18	15.72	--	0.00	--	--	84.46
MLU-1	South Yard	12/15/03	100.18	15.70	--	0.00	--	--	84.48
MLU-1	South Yard	03/25/04	100.18	14.75	--	0.00	--	--	85.43
MLU-1	South Yard	09/22/04	100.18	14.88	--	0.00	--	--	85.30
MLU-1	South Yard	03/14/05	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/29/06	100.18	14.65	--	0.00	--	--	85.53
MLU-1	South Yard	03/21/07	100.18	14.64	--	0.00	--	--	85.54
MLU-1	South Yard	03/25/08	100.18	14.70	--	0.00	--	--	85.48
MLU-1	South Yard	09/08-09/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	12/11/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	03/30-31/09	100.18	--	--	--	--	--	--
MLU-1	South Yard	09/10-11/09	100.18	15.32	--	0.00	--	--	84.86
MLU-1	South Yard	03/15/10	100.18	14.82	--	0.00	--	--	85.36
MLU-1	South Yard	09/15/10	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/14/11	100.18	14.19	--	0.00	--	--	85.99
MLU-1	South Yard	06/21/12	32.90	13.96	--	0.00	--	--	18.94
MLU-1	South Yard	09/20/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	09/21/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	12/26/12	32.90	15.31	--	0.00	--	--	17.59
MLU-1	South Yard	04/22/13	32.90	14.14	--	0.00	--	--	18.76
MLU-1	South Yard	06/26/13	32.90	14.05	--	0.00	--	--	18.85
MLU-1	South Yard	09/18/13	32.90	14.92	--	0.00	--	--	17.98
MLU-1	South Yard	10/14/13	32.90	15.50	--	0.00	--	--	17.40
MLU-1	South Yard	03/27/14	32.90	14.61	--	0.00	--	--	18.29
MLU-1	South Yard	06/10/14	32.90	13.97	--	0.00	--	--	18.93
MLU-1	South Yard	11/11/15	32.90	15.56	--	0.00	--	--	17.34
MLU-1	South Yard	04/18/16	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/07/16	32.90	15.65	--	0.00	--	--	17.25
MLU-1	South Yard	06/21/17	32.90	15.01	--	0.00	--	--	17.89
MLU-1	South Yard	12/05/17	32.90	15.62	--	0.00	--	--	17.28
MLU-1	South Yard	06/26/18	32.90	14.33	--	0.00	--	--	18.57
MLU-1	South Yard	11/27/18	32.90	15.17	--	0.00	--	--	17.73
MLU-1	South Yard	06/20/19	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/17/19	32.90	15.88	--	0.00	--	--	17.02
MLU-1	South Yard	06/10/20	32.90	13.94	--	0.00	--	--	18.96
MLU-1	South Yard	11/10/20	32.90	15.58	--	0.00	--	--	17.32
MLU-1	South Yard	06/28/21	32.90	14.08	--	0.00	--	--	18.82

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MLU-1	South Yard	01/06/22	32.90	14.99	--	0.00	--	--	17.91
MLU-1	South Yard	06/24/22	32.90	13.78	--	0.00	--	--	19.12
MLU-3	South Yard	08/20/99	97.62	--	--	--	--	--	--
MLU-3	South Yard	10/20/99	97.62	13.58	--	0.00	--	--	84.04
MLU-3	South Yard	07/26/01	97.62	12.05	--	0.00	--	--	85.57
MLU-3	South Yard	03/27/14	30.64	12.44	--	0.00	--	--	18.20
MLU-3	South Yard	06/10/14	30.64	11.68	--	0.00	--	--	18.96
MLU-3	South Yard	11/11/15	30.64	13.38	--	0.00	--	--	17.26
MLU-3	South Yard	04/18/16	30.64	12.09	--	0.00	--	--	18.55
MLU-3	South Yard	12/07/16	30.64	13.47	--	0.00	--	--	17.17
MLU-3	South Yard	06/21/17	30.64	11.70	--	0.00	--	--	18.94
MLU-3	South Yard	12/05/17	30.64	13.49	--	0.00	--	--	17.15
MLU-3	South Yard	06/26/18	30.64	12.11	--	0.00	--	--	18.53
MLU-3	South Yard	11/27/18	30.64	13.08	--	0.00	--	--	17.56
MLU-3	South Yard	06/20/19	30.64	12.01	--	0.00	--	--	18.63
MLU-3	South Yard	12/17/19	30.64	13.66	--	0.00	--	--	16.98
MLU-3	South Yard	06/10/20	30.64	11.71	--	0.00	--	--	18.93
MLU-3	South Yard	11/10/20	30.64	13.35	--	0.00	--	--	17.29
MLU-3	South Yard	06/28/21	30.64	11.80	--	0.00	--	--	18.84
MLU-3	South Yard	01/06/22	30.64	13.03	--	0.00	--	--	17.61
MLU-3	South Yard	06/24/22	30.64	12.10	--	0.00	--	--	18.54
EW-1	ROW	07/22/14	35.05	12.25	--	0.00	--	--	22.80
EW-1	ROW	09/26/14	35.05	14.03	--	0.00	--	--	21.02
EW-1	ROW	10/30/14	35.05	11.86	--	0.00	--	--	23.19
EW-1	ROW	12/01/14	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	02/20/15	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	11/11/15	35.05	17.20	--	0.00	--	--	17.85
EW-1	ROW	04/18/16	35.05	--	--	--	--	--	--
EW-1	ROW	12/07/16	35.05	13.72	--	0.00	--	--	21.33
EW-1	ROW	06/21/17	35.05	12.20	--	0.00	--	--	22.85
EW-1	ROW	12/05/17	35.05	13.25	--	0.00	--	--	21.80
EW-1	ROW	06/26/18	35.05	13.33	--	0.00	--	--	21.72
EW-1	ROW	11/27/18	35.05	14.07	--	0.00	--	--	20.98
EW-1	ROW	06/20/19	35.05	12.20	--	0.00	--	--	22.85
EW-1	ROW	12/17/19	35.05	14.68	--	0.00	--	--	20.37
EW-1	ROW	06/10/20	35.05	12.68	--	0.00	--	--	22.37
EW-1	ROW	11/10/20	35.05	13.48	--	0.00	--	--	21.57
EW-1	ROW	06/28/21	35.05	13.96	--	0.00	--	--	21.09
EW-1	ROW	06/24/22	35.05	10.38	--	0.00	--	--	24.67
SMPN-1	North Yard	03/15/05	--	11.23	Sheen	Sheen	0.00	No	--
SMPN-1	North Yard	10/04/05	--	11.96	11.72	0.24	<1/16	No	--
SMPN-1	North Yard	03/29/06	--	9.84	--	0.00	0.00	No	--
SMPN-1	North Yard	03/21/07	--	9.89	--	0.00	0.00	No	--
SMPN-1	North Yard	03/25/08	--	10.36	--	0.00	0.00	No	--
SMPN-1	North Yard	09/08-09/08	100.99	10.68	10.67	0.01	0.00	Yes	90.32
SMPN-1	North Yard	12/11/08	100.99	11.30	--	0.00	0.00	Yes	89.69

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
SMPN-1	North Yard	03/30-31/09	100.99	10.31	10.30	0.01	0.00	Yes	90.69
SMPN-1	North Yard	06/15/09	100.99	9.73	9.72	0.01	0.00	Yes	91.27
SMPN-1	North Yard	09/10-11/09	100.99	11.13	--	0.00	0.00	Yes	89.86
SMPN-1	North Yard	02/23/10	100.99	9.86	--	0.00	0.00	Yes	91.13
SMPN-1	North Yard	03/15/10	100.99	9.83	--	0.01	0.00	Yes	91.17
SMPN-1	North Yard	09/15/10	100.99	11.13	11.12	0.01	--	Yes	89.87
SMPN-1	North Yard	12/4/101	100.99	10.53	10.53	0.00	--	Yes	90.46
SMPN-1	North Yard	11/16/11	33.78	11.27	--	0.00	--	Yes	22.51
SMPN-1	North Yard	12/08/11	33.78	9.79	9.78	0.01	0.05 ⁴	Yes	24.00
SMPN-1	North Yard	03/23/12	33.78	8.27	8.25	0.02	0.50	Yes	25.53
SMPN-1	North Yard	06/01/12	33.78	8.85	--	0.00	--	Yes	24.93
SMPN-1	North Yard	09/20/12	33.78	11.14	10.96	0.18	--	Yes	22.78
SMPN-1	North Yard	12/26/12	33.78	8.50	--	0.00	--	Yes	25.28
SMPN-1	North Yard	04/22/13	33.78	8.75	--	0.00	--	Yes	25.03
SMPN-1	North Yard	06/26/13	33.78	9.54	--	0.00	--	Yes	24.24
SMPN-1	North Yard	09/18/13	33.78	11.29	--	0.00	--	Yes	22.49
SMPN-1	North Yard	10/14/13	33.78	10.49	--	0.00	--	Yes	23.29
SMPN-1	North Yard	03/27/14	33.78	9.46	--	0.00	--	Yes	24.32
SMPN-1	North Yard	06/10/14	33.78	9.23	--	0.00	--	Yes	24.55
SMPN-2	North Yard	03/15/05	101.24	11.21	11.20	0.01	0.00	No	--
SMPN-2	North Yard	03/29/06	101.24	9.48	--	0.00	0.00	No	--
SMPN-2	North Yard	03/21/07	101.24	9.20	9.15	0.05	<0.05	No	--
SMPN-2	North Yard	03/25/08	101.24	10.11	--	0.00	0.00	No	--
SMPN-2	North Yard	09/08-09/08	101.24	10.51	10.50	0.01	0.00	Yes	90.74
SMPN-2	North Yard	12/11/08	101.24	11.06	11.05	0.01	0.00	No	90.19
SMPN-2	North Yard	03/30-31/09	101.24	10.12	10.11	0.01	0.00	No	91.13
SMPN-2	North Yard	06/15/09	101.24	9.51	9.50	0.01	0.00	No	91.74
SMPN-2	North Yard	09/10-11/09	101.24	10.99	10.98	0.01	0.00	No	90.26
SMPN-2	North Yard	02/23/10	101.24	9.23	10.98	0.00	0.00	No	92.01
SMPN-2	North Yard	03/15/10	101.24	9.37	9.36	0.01	0.00	No	91.88
SMPN-2	North Yard	09/15/10	101.24	11.07	10.89	0.18	--	No	90.31
SMPN-2	North Yard	12/04/10	101.24	10.35	10.28	0.07	--	No	90.95
SMPN-2	North Yard	03/14/11	101.24	8.93	--	0.00	--	No	92.31
SMPN-2	North Yard	11/16/11	33.85	9.97	9.96	0.01	0.05 ⁴	No	23.89
SMPN-2	North Yard	12/08/11	33.85	9.61	--	0.00	--	No	24.24
SMPN-2	North Yard	03/23/12	33.85	8.12	8.10	0.02	0.50	No	25.75
SMPN-2	North Yard	06/01/12	33.85	8.40	8.30	0.10	1.00	No	25.53
SMPN-2	North Yard	09/20/12	33.85	11.11	10.95	0.16	--	No	22.87
SMPN-2	North Yard	12/26/12	33.85	8.51	--	0.00	--	No	25.34
SMPN-2	North Yard	04/22/13	33.85	7.88	--	0.00	--	No	25.97
SMPN-2	North Yard	06/26/13	33.85	8.70	--	0.00	--	No	25.15
SMPN-2	North Yard	09/18/13	33.85	10.82	10.81	0.01	--	Yes	23.04
SMPN-2	North Yard	10/14/13	33.85	10.50	--	0.00	--	Yes	23.35
SMPN-2	North Yard	03/27/14	33.85	9.39	--	0.00	--	Yes	24.46
SMPN-2	North Yard	06/10/14	33.85	3.74	--	0.00	--	Yes	30.11
SMPN-3	North Yard	03/15/05	--	11.46	--	0.00	--	No	--

Table 1
Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
SMPN-3	North Yard	03/29/06	--	9.56	--	0.00	--	No	--
SMPN-3	North Yard	03/21/07	--	9.03	--	0.00	--	No	--
SMPN-3	North Yard	03/25/08	--	10.30	--	0.00	--	No	--
SMPN-3	North Yard	09/08-09/08	101.02	10.67	10.66	0.01	0.00	Yes	90.36
SMPN-3	North Yard	12/11/08	101.02	11.26	--	0.00	--	No	89.76
SMPN-3	North Yard	03/30-31/09	101.02	10.28	10.27	0.01	0.00	No	90.75
SMPN-3	North Yard	06/15/09	101.02	9.59	--	0.00	--	No	91.43
SMPN-3	North Yard	09/10-11/09	101.02	11.08	--	0.01	--	No	89.95
SMPN-3	North Yard	02/23/10	101.02	9.44	--	0.00	--	No	91.58
SMPN-3	North Yard	03/15/10	101.02	9.51	--	0.01	--	No	91.52
SMPN-3	North Yard	09/15/10	101.02	11.14	--	0.00	--	No	89.88
SMPN-3	North Yard	12/04/10	101.02	10.49	--	0.00	--	No	90.53
SMPN-3	North Yard	03/14/11	101.02	9.12	--	0.00	--	No	91.90
SMPN-3	North Yard	11/16/11	33.81	11.06	10.94	0.12	0.05 ⁴	No	22.85
SMPN-3	North Yard	12/08/11	33.81	9.73	--	0.00	--	No	24.08
SMPN-3	North Yard	03/23/12	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/01/12	33.81	8.05	--	0.00	--	No	25.76
SMPN-3	North Yard	09/20/12	33.81	11.22	--	0.00	--	No	22.59
SMPN-3	North Yard	12/26/12	33.81	8.89	--	0.00	--	No	24.92
SMPN-3	North Yard	04/22/13	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/26/13	33.81	9.02	--	0.00	--	No	24.79
SMPN-3	North Yard	09/18/13	33.81	11.06	--	0.00	--	No	22.75
SMPN-3	North Yard	10/14/13	33.81	10.52	--	0.00	--	No	23.29
SMPN-3	North Yard	03/27/14	33.81	8.68	--	0.00	--	No	25.13
SMPN-3	North Yard	06/10/14	33.81	9.39	--	0.00	--	Yes	24.42

Notes:

Groundwater elevation corrected for the presence of LNAPL using a specific gravity of 0.80; Correction factor: [(TOC-DTW)+(LNAPL x 0.80)]

¹Well casing elevations listed in feet above NAVD 88. Approximate monitoring well locations are shown in Figure 2.

²Below top of casing.

³Elevation referenced to Horizontal Datum NAD 83/98, State Plane Coordinates Washington North Zone and Vertical Datum NAVD 88

⁴LNAPL + water removed

⁵LNAPL only removed

LNAPL = light non-aqueous phase liquid

Sheen = sheen observed in water

* = Interface probe not recognizing LNAPL, bailer dropped in well, LNAPL thickness > 3 feet

Bolded data are for the current reporting period.

"--" = not measured or not obtainable

Grey well: well no longer present

Table 2
Second Quarter 2022 Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Location	Sample Date	Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) Pyrene	Dissolved Arsenic	Dissolved Lead
Site Cleanup Level		43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-4	06/24/2022	<0.0400	0.617	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.205 J	<2.00
MW-7	06/24/2022	<0.0400	0.144 J	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00
MW-8A	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.752 J	<2.00
MW-8A-DUP	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.545 J	<2.00
AGI-2	06/24/2022	0.73	0.389	8.44	0.956	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	9.17	<2.00
MLU-1	06/24/2022	<0.0400	0.144 J	0.0800 J	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00
MLU-3	06/24/2022	<0.0400	0.147 J	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.452 J	3.56
MW-11	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	11.4	<2.00
MW-15	06/24/2022	<0.0400	<0.200	<0.100	0.286	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.739 J	<2.00
MW-19	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.500 J	<2.00
MW-20	06/24/2022	0.061	0.548	<0.100	1.23	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	2.03	<2.00
MW-21	06/24/2022	0.077	0.283	<0.100	1.49	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	13.4	<2.00
MW-22	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	3.54	<2.00
MW-24	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.671 J	<2.00
MW-25	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00
MW-26	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.350 J	<2.00
MW-29	06/24/2022	<0.0400	<0.200	<0.100	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00

Notes:

All samples were field filtered excluding benzene, ethylbenzene and toluene.

All results are reported in micrograms per liter (µg/L)

Shaded concentrations are greater than corresponding Site Cleanup Levels.

DUP = duplicate sample collected from MW-8A

< = indicates concentration is less than the Reported Detection Limit.

J = The concentration is an approximate value.

Table 3
Point of Compliance Consecutive Clean Sampling Events as of
First Semi-Annual 2022

Former Chevron Bulk Plant # 1001327
 1602 North Northlake Place
 Seattle, Washington

Monitoring Well	Petroleum Constituents: Benzene, Toluene, Ethylbenzene, Naphthalene		cPAHs		Lead	
	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}
North Yard						
MW-19	semi-annual	21 ³	semi-annual	12	semi-annual	20 ³
MW-20	semi-annual	21 ³	semi-annual	20 ³	semi-annual	20 ³
MW-21	semi-annual	21 ³	semi-annual	21 ³	semi-annual	20 ³
South Yard						
MW-4	semi-annual	21 ³	semi-annual	17 ³	semi-annual	20 ³
MW-7	semi-annual	13	semi-annual	13	semi-annual	19 ³
MW-8A	semi-annual	21 ³	semi-annual	20 ³	semi-annual	20 ³
AGI-2	semi-annual	5	semi-annual	18 ³	semi-annual	7 ³
MLU-1	semi-annual	20 ³	semi-annual	19 ³	semi-annual	19 ³
MLU-3 ⁴	semi-annual	15	semi-annual	15	semi-annual	1
MW-25	semi-annual	21 ³	semi-annual	22 ³	semi-annual	20 ³
MW-26	semi-annual	20 ³	semi-annual	19 ³	semi-annual	19 ³

Notes:

¹ "Consecutive events" are number of consecutive sampling events prior to and including the current reporting period that are in compliance with the groundwater Site Cleanup Levels (CULs). Events prior to 2010 are not counted. Refer to progress reports for results.


² Consecutive clean sampling events excludes arsenic values because laboratory limits are above the arsenic Site CUL. The arsenic Site CUL is two orders of magnitude below the USEPA Method 6020 practical quantitation limit for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020 method detection limit for arsenic (0.18 to 0.68 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

³ No exceedences, but constituent not analyzed consecutively every sampling event.


⁴ MLU-3 only sampled eleven times since 2010. MLU-3 was sampled annually in 2014 and 2015 and semi-annually since.


FIGURES





REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., SEATTLE NORTH, WA.



FORMER CHEVRON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO) SEATTLE, WASHINGTON FIVE-YEAR REVIEW REPORT	
SITE LOCATION MAP	
	FIGURE 1



N

LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- NORTH YARD
- SOUTH YARD
- PUBLIC RIGHT OF WAY


0 100' 200'
GRAPHIC SCALE

**FORMER CHEVRON BULK PLANT No. 100-1327
FACILITIES NORTH / KING COUNTY (METRO)
SEATTLE, WASHINGTON
FIVE-YEAR REVIEW REPORT**

SITE AERIAL MAP

ARCADIS

FIGURE
2




LEGEND:


- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROXIMATE)
- UNDERGROUND ELECTRIC LINE (APPROXIMATE)
- WATER LINE (APPROXIMATE)
- SEWER LINE (APPROXIMATE)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

NOTES:

1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE



FORMER CHEVRON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO) SEATTLE, WASHINGTON FIVE-YEAR REVIEW REPORT	
SITE PLAN	
	FIGURE 3



LEGEND:

- PROPERTY BOUNDARY
- - - - - FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- ⊕ COMPLIANCE MONITORING WELL
- ⊕ GROUNDWATER MONITORING WELL
- ⊙ SUPPLEMENTARY MONITORING POINT
- ⊙ BIOSPARGE INJECTION WELL
- ⊗ ABANDONED MONITORING WELL
- CATCH BASIN
- G — NATURAL GAS LINE (APPROX.)
- E — UNDERGROUND ELECTRIC LINE (APPROX.)
- W — WATER LINE (APPROX.)
- S — SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
- 45.0 ——— GROUNDWATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
- (48.78) GROUNDWATER ELEVATION (FEET)
- ← APPROXIMATE DIRECTION OF GROUNDWATER FLOW
- 0.075 FT/FT APPROXIMATE HYDRAULIC GRADIENT (FEET/FOOT)



NOTES:

1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.




FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON

FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT

GROUNDWATER ELEVATION CONTOUR MAP
 JUNE 24, 2022

ARCADIS

FIGURE 4



LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

- BOLD** BOLD VALUES INDICATE THAT THE ANALYTE WAS DETECTED ABOVE THE LABORATORY MINIMUM DETECTION LIMIT (MDL)
- < NOT DETECTED AT OR ABOVE THE REPORTED DETECTION LIMIT (RDL)
- J RESULT IS LESS THAN THE REPORTING LIMIT BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE
- [] DUPLICATE SAMPLE RESULTS

Site Cleanup Levels	
Benzene	43
Toluene	48,500
Ethylbenzene	6,910
Naphthalene	9,880



NOTES:

- BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
- METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
- THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
- THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.


FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON

FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT

GROUNDWATER ANALYTICAL RESULT MAP - PETROLEUM HYDROCARBONS
 JUNE 24, 2022

ARCADIS

FIGURE **5**



MW-20	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-21	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-24	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-29	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-11	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-22	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-15	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-19	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

AGI-2	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-8A	
Date	06/24/2022
Benzo (a) anthracene	<0.0500 [<0.0500]
Benzo (a) pyrene	<0.0500 [<0.0500]
Benzo (b) fluoranthene	<0.0500 [<0.0500]
Benzo (k) fluoranthene	<0.0500 [<0.0500]
Chrysene	<0.0500 [<0.0500]
Dibenz (a,h) anthracene	<0.0500 [<0.0500]
Indeno (1,2,3-cd) Pyrene	<0.0500 [<0.0500]

MW-25	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MLU-3	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-26	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-4	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MW-7	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

MLU-1	
Date	06/24/2022
Benzo (a) anthracene	<0.0500
Benzo (a) pyrene	<0.0500
Benzo (b) fluoranthene	<0.0500
Benzo (k) fluoranthene	<0.0500
Chrysene	<0.0500
Dibenz (a,h) anthracene	<0.0500
Indeno (1,2,3-cd) Pyrene	<0.0500

- LEGEND:**
- GROUNDWATER MONITORING WELL
 - ABANDONED MONITORING WELL
 - COMPLIANCE MONITORING WELL
 - SEPARATE-PHASE MONITORING POINT LOCATION
 - CATCH BASIN
 - ADDITIONAL SOIL BORING LOCATION
 - NATURAL GAS LINE (APPROX.)
 - UNDERGROUND ELECTRIC LINE (APPROX.)
 - WATER LINE (APPROX.)
 - SEWER LINE (APPROX.)
 - TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
 - $<$ NOT DETECTED AT OR ABOVE THE REPORTED DETECTION LIMIT (RDL)
 - [] DUPLICATE SAMPLE ($\mu\text{g/L}$)

Site Cleanup Levels	
Benzo (a) anthracene	0.0296
Benzo (a) pyrene	0.0296
Benzo (b) fluoranthene	0.0296
Benzo (k) fluoranthene	0.0296
Chrysene	0.0296
Dibenz (a,h) anthracene	0.0296
Indeno (1,2,3-cd) Pyrene	0.0296


- NOTES:**
- BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
 - ALL LOCATIONS EXCLUDING MONITORING WELLS ARE APPROXIMATE.
 - ARSENIC AND LEAD SAMPLES WERE FIELD FILTERED WITH A DISPOSABLE 0.45 MICRON FILTER.
 - ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER ($\mu\text{g/L}$)



FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON
FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT

cPAH ANALYTICAL RESULTS
JUNE 24, 2022





MW-29	
Date	06/24/2022
D-As	<2.00
D-Pb	<2.00

MW-11	
Date	06/24/2022
D-As	11.4
D-Pb	<2.00

MW-19	
Date	06/24/2022
D-As	0.500 J
D-Pb	<2.00

MW-20	
Date	06/24/2022
D-As	2.03
D-Pb	<2.00

MW-21	
Date	06/24/2022
D-As	13.4
D-Pb	<2.00

AGI-2	
Date	06/24/2022
D-As	9.17
D-Pb	<2.00

MW-8A	
DATE	06/24/2022
D-As	0.752 J
D-Pb	<2.00

MW-25	
Date	06/24/2022
D-As	<2.00
D-Pb	<2.00

MW-26	
Date	06/24/2022
D-As	0.350 J
D-Pb	<2.00

MW-4	
Date	06/24/2022
D-As	0.205 J
D-Pb	<2.00

MW-24	
DATE	06/24/2022
D-As	0.671 J
D-Pb	<2.00

MW-22	
Date	06/24/2022
D-As	3.54
D-Pb	<2.00

MW-15	
Date	06/24/2022
D-As	0.739 J
D-Pb	<2.00

MLU-3	
Date	06/24/2022
D-As	0.452 J
D-Pb	3.56

MW-7	
Date	06/24/2022
D-As	<2.00
D-Pb	<2.00

MLU-1	
Date	06/24/2022
D-As	<2.00
D-Pb	<2.00

LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

BOLD BOLD VALUES INDICATE THAT THE ANALYTE WAS DETECTED ABOVE THE LABORATORY MINIMUM DETECTION LIMIT (MDL)

BOLD BOLD AND SHADED VALUES ARE GREATER THAN THEIR RESPECTIVE MTCA METHOD A CUL

< NOT DETECTED AT OR ABOVE THE REPORTED DETECTION LIMIT (RDL)

J RESULT IS LESS THAN THE REPORTING LIMIT BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE

B THE SAME ANALYTE IS FOUND IN THE ASSOCIATED BLANK

D-As DISSOLVED ARSENIC

D-Pb DISSOLVED LEAD

Site Cleanup Levels	
Dissolved Arsenic	0.0982
Dissolved Lead	5

0 100' 200'
GRAPHIC SCALE

- NOTES:**
- BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
 - METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
 - THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
 - THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.

FORMER CHEVRON BULK PLANT No. 100-1327
FACILITIES NORTH / KING COUNTY (METRO)
SEATTLE, WASHINGTON

FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT

GROUNDWATER ANALYTICAL RESULTS MAP - DISSOLVED METALS
JUNE 24, 2022

APPENDIX A

Field Notes





Groundwater Gauging Log

Project Number		30064328						
Client:		Chevron						
Site ID:		1001327						
Site Location:		Seattle, Washington						
Measuring Point:		Top of Casing						
Date(s):		06/24/2022						
Sampler(s):		Lee Bures						
Gauging Equipment:		Water Level Meter						
Well ID	Date	Gauging Time	Static Water Level (ft bmp)	Depth to Product (ft bmp)	Total Depth (ft bmp)	PID Reading (ppm)	LNAPL Removed (gal)	Comments
AGI-2	06/24/2022	08:26	12.64	ND	22.50	--	--	--
EW-1	06/24/2022	08:46	10.38	ND	21.78	--	--	--
MLU-1	06/24/2022	08:55	13.78	ND	22.50	--	--	--
MLU-3	06/24/2022	08:31	12.1	ND	20.77	--	--	--
MW-4	06/24/2022	08:42	14.97	ND	19.80	--	--	--
MW-7	06/24/2022	08:48	12.19	ND	16.40	--	--	--
MW-8A	06/24/2022	08:16	11.75	ND	24.43	--	--	--
MW-9R	06/24/2022	08:53	13.12	ND	21.70	--	--	--
MW-11	06/24/2022	08:31	11.89	ND	15.55	--	--	--
MW-14	06/24/2022	08:02	12.85	ND	19.00	--	--	--
MW-15	06/24/2022	08:06	12.52	ND	19.12	--	--	--
MW-19	06/24/2022	08:25	13.23	ND	16.50	--	--	--
MW-20	06/24/2022	08:21	13.07	ND	21.86	--	--	--
MW-21	06/24/2022	08:17	12.77	ND	19.80	--	--	--
MW-22	06/24/2022	08:12	13.25	ND	20.35	--	--	--
MW-24	06/24/2022	09:21	20.99	ND	27.81	--	--	--
MW-25	06/24/2022	08:20	12.17	ND	19.40	--	--	--
MW-26	06/24/2022	08:35	12.03	ND	20.03	--	--	--
MW-29	06/24/2022	08:41	9.75	ND	21.33	--	--	--
MW-30	06/24/2022	08:37	10.62	ND	20.50	--	--	--

ft-bmp = feet below measuring point

ND = Not Detected

PID = Photoionization Detector Reading

ppm = parts per million

-- = Not Recorded

Project Number	30078450	Well ID	AGI-2	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.64	Total Depth (ft-bmp)	22.5	Water Column (ft)	9.86	Gallons in Well 1.6
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:50	Well Volumes Purged	0.50	Sample ID	AGI-2-W-20220624	Evacuation Equipment Peristaltic
Purge Start	11:35	Gallons Purged	0.79	Duplicate ID	--	
Purge End	11:50	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:38	200	12.68	7.99	0.370	77.0	1.16	17.57	146	Clear	--
11:41	200	12.68	7.80	0.368	50.0	1.17	17.24	120.9	Clear	--
11:44	200	12.68	7.72	0.368	41.0	1.17	17.22	113.5	Clear	--
11:47	200	12.68	7.68	0.370	39.0	1.18	17.35	110.6	Clear	--
11:50	200	12.68	7.66	0.370	39.0	1.18	17.39	105.8	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: AGI-2-W-20220624 Sample Time: 11:50 Sample Depth (ft-bmp): 17
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MLU-1	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	10 to 20	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.78	Total Depth (ft-bmp)	22.5	Water Column (ft)	8.72	Gallons in Well 1.42
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	10:00	Well Volumes Purged	0.56	Sample ID	MLU-1-W-20220624	Evacuation Equipment Peristaltic
Purge Start	09:44	Gallons Purged	0.79	Duplicate ID	--	
Purge End	09:59	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:47	200	13.78	7.41	0.578	64.0	2.30	16.93	346.7	Clear	--
09:50	200	13.78	7.40	0.575	60.0	2.17	16.88	348.2	Clear	--
09:53	200	13.78	7.32	0.570	53.0	2.04	16.81	349.8	Clear	--
09:56	200	13.78	7.33	0.570	51.0	2.02	16.80	351	Clear	--
09:59	200	13.78	7.33	0.568	50.0	1.98	16.78	352.4	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MLU-1-W-20220624 Sample Time: 10:00 Sample Depth (ft-bmp): 18
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MLU-3	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	11 to 21	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.1	Total Depth (ft-bmp)	20.77	Water Column (ft)	8.67	Gallons in Well 1.41
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	10:44	Well Volumes Purged	0.56	Sample ID	MLU-3-W-20220624	Evacuation Equipment Peristaltic
Purge Start	10:28	Gallons Purged	0.79	Duplicate ID	--	
Purge End	10:43	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:31	200	12.10	7.38	0.241	67.0	1.04	17.53	311.5	Clear	--
10:34	200	12.10	7.41	0.236	66.0	0.99	17.45	314.2	Clear	--
10:37	200	12.10	7.45	0.232	64.0	0.97	17.40	316.7	Clear	--
10:40	200	12.10	7.48	0.230	63.0	0.95	17.38	318.3	Clear	--
10:43	200	12.10	7.49	0.229	61.0	0.94	17.34	319.5	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MLU-3-W-20220624 Sample Time: 10:44 Sample Depth (ft-bmp): 17
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-4	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	9.7 to 19.4	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	14.97	Total Depth (ft-bmp)	19.8	Water Column (ft)	4.83	Gallons in Well 0.78
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:57	Well Volumes Purged	1.02	Sample ID	MW-4-W-20220624	Evacuation Equipment Peristaltic
Purge Start	11:41	Gallons Purged	0.79	Duplicate ID	--	
Purge End	11:56	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:44	200	14.97	7.44	0.107	21.0	2.11	20.18	324.1	Clear	--
11:47	200	14.97	7.36	0.103	16.0	2.26	20.17	327.8	Clear	--
11:50	200	14.97	7.31	0.099	14.0	2.40	20.25	329.6	Clear	--
11:53	200	14.97	7.28	0.098	13.0	2.43	20.26	331.7	Clear	--
11:56	200	14.97	7.26	0.099	13.0	2.40	20.28	333.9	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-4-W-20220624 Sample Time: 11:57 Sample Depth (ft-bmp): 16
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-7	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	6.5 to 16.5	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.19	Total Depth (ft-bmp)	16.4	Water Column (ft)	4.21	Gallons in Well 0.68
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	09:19	Well Volumes Purged	1.17	Sample ID	MW-7-W-20220624	Evacuation Equipment Peristaltic
Purge Start	09:03	Gallons Purged	0.79	Duplicate ID	--	
Purge End	09:19	Total Purge Time (h:m)	0:16			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:06	200	12.19	6.95	0.162	42.0	1.31	13.66	290.5	Clear	--
09:09	200	12.19	6.98	0.158	38.0	1.27	13.78	288.3	Clear	--
09:12	200	12.19	7.00	0.151	33.0	1.20	13.85	286.4	Clear	--
09:15	200	12.19	7.02	0.148	31.0	1.19	13.88	285.7	Clear	--
09:18	200	12.19	7.03	0.147	30.0	1.17	13.89	284.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-7-W-20220624 Sample Time: 09:19 Sample Depth (ft-bmp): 14.5

Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-8A	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	11.75	Total Depth (ft-bmp)	24.43	Water Column (ft)	12.68	Gallons in Well 2.06
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:11	Well Volumes Purged	0.38	Sample ID	MW-8A-W-20220624	Evacuation Equipment Peristaltic
Purge Start	10:53	Gallons Purged	0.79	Duplicate ID	BD-W-20220624	
Purge End	11:08	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:56	200	11.75	7.58	0.064	173	1.18	21.17	147.7	Clear	--
10:59	200	11.75	7.53	0.064	122	1.19	21.24	145	Clear	--
11:02	200	11.75	7.51	0.064	105	1.17	21.07	142.4	Clear	--
11:05	200	11.75	7.48	0.064	98.0	1.19	21.37	139.6	Clear	--
11:08	200	11.75	7.43	0.064	96.0	1.20	21.29	135.8	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-8A-W-20220624 Sample Time: 11:11 Sample Depth (ft-bmp): 18
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-11	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	6 to 15.5	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	11.89	Total Depth (ft-bmp)	15.55	Water Column (ft)	3.66	Gallons in Well 0.59
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	13:38	Well Volumes Purged	1.34	Sample ID	MW-11-W-20220624	Evacuation Equipment Peristaltic
Purge Start	13:22	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:37	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:25	200	11.89	7.02	0.444	17.0	1.64	17.92	333.1	Clear	--
13:28	200	11.89	6.97	0.438	15.0	1.73	17.84	335	Clear	--
13:31	200	11.89	6.99	0.433	14.0	1.77	17.71	337.4	Clear	--
13:34	200	11.89	6.96	0.430	14.0	1.80	17.68	339.1	Clear	--
13:37	200	11.89	6.95	0.430	14.0	1.79	17.70	340	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-11-W-20220624 Sample Time: 13:38 Sample Depth (ft-bmp): 13.5
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-15	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	9.4 to 18.8	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.52	Total Depth (ft-bmp)	19.12	Water Column (ft)	6.60	Gallons in Well 1.07
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	12:33	Well Volumes Purged	0.74	Sample ID	MW-15-W-20220624	Evacuation Equipment Peristaltic
Purge Start	12:17	Gallons Purged	0.79	Duplicate ID	--	
Purge End	12:32	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:20	200	12.52	6.73	0.345	24.0	0.25	14.84	377.6	Clear	--
12:23	200	12.52	6.67	0.341	22.0	0.18	14.89	381	Clear	--
12:26	200	12.52	6.65	0.335	20.0	0.16	14.93	384.5	Clear	--
12:29	200	12.52	6.65	0.333	19.0	0.15	14.96	386.8	Clear	--
12:32	200	12.52	6.64	0.333	18.0	0.16	14.97	388.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-15-W-20220624 Sample Time: 12:33 Sample Depth (ft-bmp): 16
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-19	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.23	Total Depth (ft-bmp)	16.5	Water Column (ft)	3.27	Gallons in Well 0.53
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	14:02	Well Volumes Purged	1.50	Sample ID	MW-19-W-20220624	Evacuation Equipment Peristaltic
Purge Start	13:44	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:59	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:47	200	13.23	7.69	0.252	24.0	1.51	18.89	55.5	Clear	--
13:50	200	13.23	8.01	0.252	17.0	1.51	18.89	55.5	Clear	--
13:53	200	13.23	8.16	0.251	17.0	1.36	18.82	55.7	Clear	--
13:56	200	13.23	8.20	0.248	16.0	1.30	18.75	55.9	Clear	--
13:59	200	13.23	8.23	0.249	16.0	1.28	18.74	56	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-19-W-20220624 Sample Time: 14:02 Sample Depth (ft-bmp): 14.75
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-20	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.07	Total Depth (ft-bmp)	21.86	Water Column (ft)	8.79	Gallons in Well 1.43
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	12:58	Well Volumes Purged	0.55	Sample ID	MW-20-W-20220624	Evacuation Equipment Peristaltic
Purge Start	12:40	Gallons Purged	0.79	Duplicate ID	--	
Purge End	12:55	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:43	200	13.09	7.73	0.662	17.0	1.56	19.88	48.2	Clear	--
12:46	200	13.09	7.78	0.663	15.0	1.54	19.76	31.1	Clear	--
12:49	200	13.09	7.80	0.670	14.0	1.60	20.16	25	Clear	--
12:52	200	13.09	7.83	0.675	14.0	1.63	20.30	21.22	Clear	--
12:55	200	13.09	7.84	0.674	14.0	1.64	20.34	17.8	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-20-W-20220624 Sample Time: 12:58 Sample Depth (ft-bmp): 17.5

Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-21	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.77	Total Depth (ft-bmp)	19.8	Water Column (ft)	7.03	Gallons in Well 1.14
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	13:29	Well Volumes Purged	0.70	Sample ID	MW-21-W-20220624	Evacuation Equipment Peristaltic
Purge Start	13:11	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:26	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:14	200	12.77	7.27	0.547	37.0	1.32	21.95	-3.7	Clear	--
13:17	200	12.77	7.22	0.546	30.0	1.23	21.71	-10	Clear	--
13:20	200	12.77	7.31	0.545	28.0	1.26	21.73	-15.7	Clear	--
13:23	200	12.77	7.36	0.543	27.0	1.29	21.73	-20.1	Clear	--
13:26	200	12.77	7.39	0.543	26.0	1.30	21.74	-24.9	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-21-W-20220624 Sample Time: 13:29 Sample Depth (ft-bmp): 15.75
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-22	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.25	Total Depth (ft-bmp)	20.35	Water Column (ft)	7.10	Gallons in Well 1.15
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	12:28	Well Volumes Purged	0.69	Sample ID	MW-22-W-20220624	Evacuation Equipment Peristaltic
Purge Start	12:10	Gallons Purged	0.79	Duplicate ID	--	
Purge End	12:25	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:13	200	13.27	7.88	0.255	27.0	1.42	16.16	103.8	Clear	--
12:16	200	13.29	7.72	0.255	20.0	1.32	16.12	103.9	Clear	--
12:19	200	13.29	7.69	0.252	18.0	1.34	16.09	101.8	Clear	--
12:22	200	13.29	7.64	0.250	18.0	1.35	16.08	100	Clear	--
12:25	200	13.29	7.62	0.250	17.0	1.34	16.06	98.4	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-22-W-20220624 Sample Time: 12:28 Sample Depth (ft-bmp): 16.5

Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-24	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	20.99	Total Depth (ft-bmp)	27.81	Water Column (ft)	6.82	Gallons in Well 1.11
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	09:44	Well Volumes Purged	0.71	Sample ID	MW-24-W-20220624	Evacuation Equipment Peristaltic
Purge Start	09:26	Gallons Purged	0.79	Duplicate ID	--	
Purge End	09:41	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:29	200	21.09	8.63	0.353	455	2.12	16.69	310.1	Clear	--
09:32	200	21.14	7.97	0.353	232	2.35	16.65	302.5	Clear	--
09:35	200	21.17	7.97	0.354	131	2.49	16.70	297.6	Clear	--
09:38	200	21.20	7.94	0.354	124	2.53	16.67	293.1	Clear	--
09:41	200	21.23	7.93	0.354	120	2.55	16.64	289	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-24-W-20220624 Sample Time: 09:44 Sample Depth (ft-bmp): 24
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	MW-25	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.17	Total Depth (ft-bmp)	19.4	Water Column (ft)	7.23	Gallons in Well 1.17
Water Quality Meter Make/Model	Hach 2100Q,YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	10:24	Well Volumes Purged	0.68	Sample ID	MW-25-W-20220624	Evacuation Equipment Peristaltic
Purge Start	10:06	Gallons Purged	0.79	Duplicate ID	--	
Purge End	10:21	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:09	200	12.20	7.71	0.633	236	1.55	20.38	270.4	Clear	--
10:17	200	12.22	7.70	0.631	183	1.55	20.22	266.9	Clear	--
10:15	200	12.22	7.67	0.632	165	1.46	20.29	258.3	Clear	--
10:18	200	12.22	7.66	0.630	158	1.41	20.20	256	Clear	--
10:21	200	12.22	7.64	0.627	153	1.40	20.14	249.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-25-W-20220624 Sample Time: 10:24 Sample Depth (ft-bmp): 26
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-26	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	12.03	Total Depth (ft-bmp)	20.03	Water Column (ft)	8.00	Gallons in Well 1.3
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:19	Well Volumes Purged	0.61	Sample ID	MW-26-W-20220624	Evacuation Equipment Peristaltic
Purge Start	11:03	Gallons Purged	0.79	Duplicate ID	--	
Purge End	11:18	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:06	200	12.03	6.24	0.440	22.0	0.65	14.43	302.3	Clear	--
11:09	200	12.03	6.18	0.428	18.0	0.58	14.48	304.8	Clear	--
11:12	200	12.03	6.12	0.422	16.0	0.52	14.52	306.5	Clear	--
11:15	200	12.03	6.10	0.420	15.0	0.49	14.55	308.1	Clear	--
11:18	200	12.03	6.07	0.419	15.0	0.48	14.57	309.8	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-26-W-20220624 Sample Time: 11:19 Sample Depth (ft-bmp): 16
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-29	Date	6/24/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	7.5 to 22.5	Casing Diameter (in.)	4	Well Casing Material --
Static Water Level (ft-bmp)	9.75	Total Depth (ft-bmp)	21.33	Water Column (ft)	11.58	Gallons in Well 7.53
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	13:08	Well Volumes Purged	0.11	Sample ID	MW-29-W-20220624	Evacuation Equipment Peristaltic
Purge Start	12:52	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:07	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:55	200	9.75	6.42	0.425	36.0	2.50	17.03	350.6	Clear	--
12:58	200	9.75	6.39	0.417	29.0	2.62	16.97	353.1	Clear	--
13:01	200	9.75	6.31	0.411	26.0	2.69	16.88	355.5	Clear	--
13:04	200	9.75	6.30	0.410	25.0	2.72	16.83	357.6	Clear	--
13:07	200	9.75	6.27	0.407	25.0	2.74	16.82	359.4	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-29-W-20220624 Sample Time: 13:08 Sample Depth (ft-bmp): 16
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

APPENDIX B

Hydraulic Gradient Three Point Solution Worksheets



Hydraulic Gradient Three Point Solution Worksheet

Instructions to determine groundwater (GW) gradient and flow direction based on static water elevations (SWE) of 3 wells. Only enter values in the highlighted cells.

A. Record elevation difference between the wells:

Well	Well ID	SWE (ft)	Wells		HD (ft)
#1 (high)	MW-24	48.78	#1 to #2	=	24.45
#2 (int)	MW-29	24.33	#2 to #3	=	6.65
#3 (low)	MW-19	17.68	#3 to #1	=	31.1

choose this well

*make sure all wells used are not anomalous

B. Perform the following calculations:

1 Calculate the position between the High Static Water Elevation (HSWE) well and the Low Static Water Elevation (LSWE) well where the SWE is the same as the Intermediate Static Water Elevation (ISWE).

(a) HSWE - 48.78 - LSWE 17.68 = (a) 31.1 (ft)
 (b) Horizontal distance between HSWE well and LSWE well 435.9264 divided by (a) =
 (b) 14.01692605 (ft/ft)
 (c) HSWE 48.78 - ISWE 24.33 = (c) 24.45 (ft)
 (d) (b) 14.01692605 x (c) 24.45 = (d) 342.713842 (ft)

(= the horizontal distance between the HSWE well and LSWE well that is equal to the ISWE).

2 Measure the distance (d) from the HSWE well along the line between it and the LSWE well, and plot that position on the diagram.

3 Draw a straight line from the ISWE well to position (d) on the well location diagram. This represents the water level contour line along which the SWE is the same as the ISWE well.

4 Draw a line perpendicular to the ISWE contour line through the HSWE well location on the well location diagram.

This is the ground water flow direction (high to low). The distance along this groundwater flow line from the HSWE well to the ISWE contour line is (e).

(e) 327.7393

C. Calculate the Hydraulic Gradient (HG) of the groundwater by dividing (c) by (e).

(c) 24.45 divided by (e) 327.739 = HG 0.07460198 (f/ft)

APPENDIX C


Laboratory Analytical Reports



Arcadis - Chevron - WA

Sample Delivery Group: L1508860
Samples Received: 06/25/2022
Project Number: 30064328.19.43
Description: 1001327
Site: 1602 N NORTHLAKE PL SEATTLE
Report To: Sydney Clark
1100 Olive Way
Suite 800
Seattle, WA 98101

Entire Report Reviewed By:



Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	7
Sr: Sample Results	8
MW-4-W-20220624 L1508860-01	8
MW-7-W-20220624 L1508860-02	9
MW-8A-W-20220624 L1508860-03	10
MW-11-W-20220624 L1508860-04	11
MW-15-W-20220624 L1508860-05	12
MW-19-W-20220624 L1508860-06	13
MW-20-W-20220624 L1508860-07	14
MW-21-W-20220624 L1508860-08	15
MW-22-W-20220624 L1508860-09	16
MW-24-W-20220624 L1508860-10	17
MW-25-W-20220624 L1508860-11	18
MW-26-W-20220624 L1508860-12	19
MW-29-W-20220624 L1508860-13	20
AGI-2-W-20220624 L1508860-14	21
MLU-1-W-20220624 L1508860-15	22
MLU-3-W-20220624 L1508860-16	23
BD-W-20220624 L1508860-17	24
EQB-W-20220624 L1508860-18	25
TB-W-20220624 L1508860-19	26
Qc: Quality Control Summary	27
Metals (ICPMS) by Method 6020B	27
Volatile Organic Compounds (GC/MS) by Method 8260D	29
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	33
Gl: Glossary of Terms	34
Al: Accreditations & Locations	35
Sc: Sample Chain of Custody	36


¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY

MW-4-W-20220624 L1508860-01 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 11:57
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1891210	1	07/07/22 16:04	07/10/22 11:37	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 17:10	06/27/22 17:10	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 07:29	AGW	Mt. Juliet, TN



MW-7-W-20220624 L1508860-02 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 09:19
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:21	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 17:29	06/27/22 17:29	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 07:47	AGW	Mt. Juliet, TN

MW-8A-W-20220624 L1508860-03 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 11:11
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:35	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 17:48	06/27/22 17:48	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 08:04	AGW	Mt. Juliet, TN

MW-11-W-20220624 L1508860-04 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 13:38
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:38	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 18:08	06/27/22 18:08	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 08:21	AGW	Mt. Juliet, TN

MW-15-W-20220624 L1508860-05 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 12:33
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:41	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 18:27	06/27/22 18:27	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1887670	1	06/30/22 01:03	06/30/22 01:03	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 08:39	AGW	Mt. Juliet, TN

MW-19-W-20220624 L1508860-06 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 14:02
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:45	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 18:46	06/27/22 18:46	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 08:56	AGW	Mt. Juliet, TN

SAMPLE SUMMARY

MW-20-W-20220624 L1508860-07 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 12:58
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:56	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 19:05	06/27/22 19:05	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 09:14	AGW	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

MW-21-W-20220624 L1508860-08 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 13:29
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 18:59	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 19:24	06/27/22 19:24	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 09:31	AGW	Mt. Juliet, TN

4 Cn

5 Sr

6 Qc

MW-22-W-20220624 L1508860-09 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 12:28
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:03	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1886088	1	06/27/22 19:44	06/27/22 19:44	DWR	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 09:49	AGW	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

MW-24-W-20220624 L1508860-10 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 09:44
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:06	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 21:00	07/02/22 21:00	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 10:06	AGW	Mt. Juliet, TN

MW-25-W-20220624 L1508860-11 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 10:24
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:09	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 21:19	07/02/22 21:19	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 10:23	AGW	Mt. Juliet, TN

MW-26-W-20220624 L1508860-12 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 11:19
 Received date/time: 06/25/22 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:12	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 21:38	07/02/22 21:38	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 10:41	AGW	Mt. Juliet, TN

SAMPLE SUMMARY

MW-29-W-20220624 L1508860-13 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 13:08
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:16	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 21:58	07/02/22 21:58	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 10:58	AGW	Mt. Juliet, TN



AGI-2-W-20220624 L1508860-14 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 11:53
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:19	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 22:17	07/02/22 22:17	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 11:16	AGW	Mt. Juliet, TN

MLU-1-W-20220624 L1508860-15 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 10:00
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:22	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1888839	1	07/02/22 22:37	07/02/22 22:37	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 11:33	AGW	Mt. Juliet, TN

MLU-3-W-20220624 L1508860-16 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 10:44
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:25	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1891445	1	07/07/22 15:53	07/07/22 15:53	JAH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 11:51	AGW	Mt. Juliet, TN

BD-W-20220624 L1508860-17 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 12:00
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:39	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1891445	1	07/07/22 16:12	07/07/22 16:12	JAH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 12:08	AGW	Mt. Juliet, TN

EQB-W-20220624 L1508860-18 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 14:30
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1893094	1	07/18/22 00:59	07/18/22 19:42	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1891445	1	07/07/22 16:31	07/07/22 16:31	JAH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1888163	1	06/30/22 21:08	07/01/22 12:26	AGW	Mt. Juliet, TN

SAMPLE SUMMARY

TB-W-20220624 L1508860-19 GW

Collected by: Jonah Davis
 Collected date/time: 06/24/22 09:00
 Received date/time: 06/25/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1891445	1	07/07/22 15:13	07/07/22 15:13	JAH	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.205	J	0.180	2.00	1	07/10/2022 11:37	WG1891210
Lead,Dissolved	U		0.849	2.00	1	07/10/2022 11:37	WG1891210

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 17:10	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 17:10	WG1886088
Toluene	0.617		0.0500	0.200	1	06/27/2022 17:10	WG1886088
(S) Toluene-d8	105			75.0-131		06/27/2022 17:10	WG1886088
(S) 4-Bromofluorobenzene	76.3			67.0-138		06/27/2022 17:10	WG1886088
(S) 1,2-Dichloroethane-d4	126			70.0-130		06/27/2022 17:10	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 07:29	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 07:29	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 07:29	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 07:29	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 07:29	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 07:29	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 07:29	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 07:29	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 07:29	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 07:29	WG1888163
(S) Nitrobenzene-d5	120			31.0-160		07/01/2022 07:29	WG1888163
(S) 2-Fluorobiphenyl	117			48.0-148		07/01/2022 07:29	WG1888163
(S) p-Terphenyl-d14	137			37.0-146		07/01/2022 07:29	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	07/18/2022 18:21	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:21	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 17:29	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 17:29	WG1886088
Toluene	0.144	J	0.0500	0.200	1	06/27/2022 17:29	WG1886088
(S) Toluene-d8	106			75.0-131		06/27/2022 17:29	WG1886088
(S) 4-Bromofluorobenzene	78.0			67.0-138		06/27/2022 17:29	WG1886088
(S) 1,2-Dichloroethane-d4	123			70.0-130		06/27/2022 17:29	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 07:47	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 07:47	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 07:47	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 07:47	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 07:47	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 07:47	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 07:47	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 07:47	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 07:47	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 07:47	WG1888163
(S) Nitrobenzene-d5	115			31.0-160		07/01/2022 07:47	WG1888163
(S) 2-Fluorobiphenyl	114			48.0-148		07/01/2022 07:47	WG1888163
(S) p-Terphenyl-d14	130			37.0-146		07/01/2022 07:47	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.752	J	0.180	2.00	1	07/18/2022 18:35	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:35	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 17:48	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 17:48	WG1886088
Toluene	U		0.0500	0.200	1	06/27/2022 17:48	WG1886088
(S) Toluene-d8	107			75.0-131		06/27/2022 17:48	WG1886088
(S) 4-Bromofluorobenzene	75.6			67.0-138		06/27/2022 17:48	WG1886088
(S) 1,2-Dichloroethane-d4	121			70.0-130		06/27/2022 17:48	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 08:04	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 08:04	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 08:04	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 08:04	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 08:04	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 08:04	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 08:04	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 08:04	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 08:04	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 08:04	WG1888163
(S) Nitrobenzene-d5	122			31.0-160		07/01/2022 08:04	WG1888163
(S) 2-Fluorobiphenyl	117			48.0-148		07/01/2022 08:04	WG1888163
(S) p-Terphenyl-d14	133			37.0-146		07/01/2022 08:04	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	11.4		0.180	2.00	1	07/18/2022 18:38	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:38	WG1893094

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 18:08	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 18:08	WG1886088
Toluene	U		0.0500	0.200	1	06/27/2022 18:08	WG1886088
(S) Toluene-d8	108			75.0-131		06/27/2022 18:08	WG1886088
(S) 4-Bromofluorobenzene	80.2			67.0-138		06/27/2022 18:08	WG1886088
(S) 1,2-Dichloroethane-d4	122			70.0-130		06/27/2022 18:08	WG1886088

4 Cn

5 Sr

6 Qc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 08:21	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 08:21	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 08:21	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 08:21	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 08:21	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 08:21	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 08:21	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 08:21	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 08:21	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 08:21	WG1888163
(S) Nitrobenzene-d5	122			31.0-160		07/01/2022 08:21	WG1888163
(S) 2-Fluorobiphenyl	118			48.0-148		07/01/2022 08:21	WG1888163
(S) p-Terphenyl-d14	135			37.0-146		07/01/2022 08:21	WG1888163

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.739	J	0.180	2.00	1	07/18/2022 18:41	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:41	WG1893094

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/30/2022 01:03	WG1887670
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 18:27	WG1886088
Toluene	U		0.0500	0.200	1	06/27/2022 18:27	WG1886088
(S) Toluene-d8	106			75.0-131		06/27/2022 18:27	WG1886088
(S) Toluene-d8	89.1			75.0-131		06/30/2022 01:03	WG1887670
(S) 4-Bromofluorobenzene	76.0			67.0-138		06/27/2022 18:27	WG1886088
(S) 4-Bromofluorobenzene	102			67.0-138		06/30/2022 01:03	WG1887670
(S) 1,2-Dichloroethane-d4	121			70.0-130		06/27/2022 18:27	WG1886088
(S) 1,2-Dichloroethane-d4	95.1			70.0-130		06/30/2022 01:03	WG1887670

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 08:39	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 08:39	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 08:39	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 08:39	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 08:39	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 08:39	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 08:39	WG1888163
Naphthalene	0.286		0.0917	0.250	1	07/01/2022 08:39	WG1888163
1-Methylnaphthalene	0.197	J	0.0687	0.250	1	07/01/2022 08:39	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 08:39	WG1888163
(S) Nitrobenzene-d5	116			31.0-160		07/01/2022 08:39	WG1888163
(S) 2-Fluorobiphenyl	115			48.0-148		07/01/2022 08:39	WG1888163
(S) p-Terphenyl-d14	135			37.0-146		07/01/2022 08:39	WG1888163

9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.500	J	0.180	2.00	1	07/18/2022 18:45	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:45	WG1893094

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 18:46	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 18:46	WG1886088
Toluene	U		0.0500	0.200	1	06/27/2022 18:46	WG1886088
(S) Toluene-d8	108			75.0-131		06/27/2022 18:46	WG1886088
(S) 4-Bromofluorobenzene	79.4			67.0-138		06/27/2022 18:46	WG1886088
(S) 1,2-Dichloroethane-d4	123			70.0-130		06/27/2022 18:46	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 08:56	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 08:56	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 08:56	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 08:56	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 08:56	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 08:56	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 08:56	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 08:56	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 08:56	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 08:56	WG1888163
(S) Nitrobenzene-d5	116			31.0-160		07/01/2022 08:56	WG1888163
(S) 2-Fluorobiphenyl	117			48.0-148		07/01/2022 08:56	WG1888163
(S) p-Terphenyl-d14	137			37.0-146		07/01/2022 08:56	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	2.03		0.180	2.00	1	07/18/2022 18:56	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:56	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	0.0610		0.0160	0.0400	1	06/27/2022 19:05	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 19:05	WG1886088
Toluene	0.548		0.0500	0.200	1	06/27/2022 19:05	WG1886088
(S) Toluene-d8	101			75.0-131		06/27/2022 19:05	WG1886088
(S) 4-Bromofluorobenzene	78.9			67.0-138		06/27/2022 19:05	WG1886088
(S) 1,2-Dichloroethane-d4	124			70.0-130		06/27/2022 19:05	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 09:14	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 09:14	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 09:14	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 09:14	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 09:14	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 09:14	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 09:14	WG1888163
Naphthalene	1.23		0.0917	0.250	1	07/01/2022 09:14	WG1888163
1-Methylnaphthalene	8.47		0.0687	0.250	1	07/01/2022 09:14	WG1888163
2-Methylnaphthalene	1.36		0.0674	0.250	1	07/01/2022 09:14	WG1888163
(S) Nitrobenzene-d5	146			31.0-160		07/01/2022 09:14	WG1888163
(S) 2-Fluorobiphenyl	113			48.0-148		07/01/2022 09:14	WG1888163
(S) p-Terphenyl-d14	135			37.0-146		07/01/2022 09:14	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	13.4		0.180	2.00	1	07/18/2022 18:59	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 18:59	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	0.0770		0.0160	0.0400	1	06/27/2022 19:24	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 19:24	WG1886088
Toluene	0.283		0.0500	0.200	1	06/27/2022 19:24	WG1886088
(S) Toluene-d8	104			75.0-131		06/27/2022 19:24	WG1886088
(S) 4-Bromofluorobenzene	76.3			67.0-138		06/27/2022 19:24	WG1886088
(S) 1,2-Dichloroethane-d4	117			70.0-130		06/27/2022 19:24	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 09:31	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 09:31	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 09:31	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 09:31	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 09:31	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 09:31	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 09:31	WG1888163
Naphthalene	1.49		0.0917	0.250	1	07/01/2022 09:31	WG1888163
1-Methylnaphthalene	27.8		0.0687	0.250	1	07/01/2022 09:31	WG1888163
2-Methylnaphthalene	0.132	J	0.0674	0.250	1	07/01/2022 09:31	WG1888163
(S) Nitrobenzene-d5	113			31.0-160		07/01/2022 09:31	WG1888163
(S) 2-Fluorobiphenyl	107			48.0-148		07/01/2022 09:31	WG1888163
(S) p-Terphenyl-d14	137			37.0-146		07/01/2022 09:31	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	3.54		0.180	2.00	1	07/18/2022 19:03	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:03	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	06/27/2022 19:44	WG1886088
Ethylbenzene	U		0.0212	0.100	1	06/27/2022 19:44	WG1886088
Toluene	U		0.0500	0.200	1	06/27/2022 19:44	WG1886088
(S) Toluene-d8	99.9			75.0-131		06/27/2022 19:44	WG1886088
(S) 4-Bromofluorobenzene	77.6			67.0-138		06/27/2022 19:44	WG1886088
(S) 1,2-Dichloroethane-d4	119			70.0-130		06/27/2022 19:44	WG1886088

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 09:49	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 09:49	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 09:49	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 09:49	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 09:49	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 09:49	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 09:49	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 09:49	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 09:49	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 09:49	WG1888163
(S) Nitrobenzene-d5	115			31.0-160		07/01/2022 09:49	WG1888163
(S) 2-Fluorobiphenyl	116			48.0-148		07/01/2022 09:49	WG1888163
(S) p-Terphenyl-d14	139			37.0-146		07/01/2022 09:49	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.671	J	0.180	2.00	1	07/18/2022 19:06	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:06	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/02/2022 21:00	WG1888839
Ethylbenzene	U		0.0212	0.100	1	07/02/2022 21:00	WG1888839
Toluene	U		0.0500	0.200	1	07/02/2022 21:00	WG1888839
(S) Toluene-d8	102			75.0-131		07/02/2022 21:00	WG1888839
(S) 4-Bromofluorobenzene	98.4			67.0-138		07/02/2022 21:00	WG1888839
(S) 1,2-Dichloroethane-d4	98.7			70.0-130		07/02/2022 21:00	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 10:06	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 10:06	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 10:06	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 10:06	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 10:06	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 10:06	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 10:06	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 10:06	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 10:06	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 10:06	WG1888163
(S) Nitrobenzene-d5	124			31.0-160		07/01/2022 10:06	WG1888163
(S) 2-Fluorobiphenyl	121			48.0-148		07/01/2022 10:06	WG1888163
(S) p-Terphenyl-d14	143			37.0-146		07/01/2022 10:06	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	07/18/2022 19:09	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:09	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/02/2022 21:19	WG1888839
Ethylbenzene	U		0.0212	0.100	1	07/02/2022 21:19	WG1888839
Toluene	U		0.0500	0.200	1	07/02/2022 21:19	WG1888839
(S) Toluene-d8	100			75.0-131		07/02/2022 21:19	WG1888839
(S) 4-Bromofluorobenzene	99.7			67.0-138		07/02/2022 21:19	WG1888839
(S) 1,2-Dichloroethane-d4	101			70.0-130		07/02/2022 21:19	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 10:23	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 10:23	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 10:23	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 10:23	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 10:23	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 10:23	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 10:23	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 10:23	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 10:23	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 10:23	WG1888163
(S) Nitrobenzene-d5	118			31.0-160		07/01/2022 10:23	WG1888163
(S) 2-Fluorobiphenyl	114			48.0-148		07/01/2022 10:23	WG1888163
(S) p-Terphenyl-d14	133			37.0-146		07/01/2022 10:23	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.350	J	0.180	2.00	1	07/18/2022 19:12	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:12	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/02/2022 21:38	WG1888839
Ethylbenzene	U		0.0212	0.100	1	07/02/2022 21:38	WG1888839
Toluene	U		0.0500	0.200	1	07/02/2022 21:38	WG1888839
(S) Toluene-d8	100			75.0-131		07/02/2022 21:38	WG1888839
(S) 4-Bromofluorobenzene	102			67.0-138		07/02/2022 21:38	WG1888839
(S) 1,2-Dichloroethane-d4	101			70.0-130		07/02/2022 21:38	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 10:41	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 10:41	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 10:41	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 10:41	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 10:41	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 10:41	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 10:41	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 10:41	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 10:41	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 10:41	WG1888163
(S) Nitrobenzene-d5	123			31.0-160		07/01/2022 10:41	WG1888163
(S) 2-Fluorobiphenyl	119			48.0-148		07/01/2022 10:41	WG1888163
(S) p-Terphenyl-d14	142			37.0-146		07/01/2022 10:41	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	07/18/2022 19:16	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:16	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/02/2022 21:58	WG1888839
Ethylbenzene	U		0.0212	0.100	1	07/02/2022 21:58	WG1888839
Toluene	U		0.0500	0.200	1	07/02/2022 21:58	WG1888839
(S) Toluene-d8	100			75.0-131		07/02/2022 21:58	WG1888839
(S) 4-Bromofluorobenzene	101			67.0-138		07/02/2022 21:58	WG1888839
(S) 1,2-Dichloroethane-d4	98.8			70.0-130		07/02/2022 21:58	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 10:58	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 10:58	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 10:58	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 10:58	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 10:58	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 10:58	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 10:58	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 10:58	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 10:58	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 10:58	WG1888163
(S) Nitrobenzene-d5	122			31.0-160		07/01/2022 10:58	WG1888163
(S) 2-Fluorobiphenyl	119			48.0-148		07/01/2022 10:58	WG1888163
(S) p-Terphenyl-d14	142			37.0-146		07/01/2022 10:58	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	9.17		0.180	2.00	1	07/18/2022 19:19	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:19	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	0.730		0.0160	0.0400	1	07/02/2022 22:17	WG1888839
Ethylbenzene	8.44		0.0212	0.100	1	07/02/2022 22:17	WG1888839
Toluene	0.389		0.0500	0.200	1	07/02/2022 22:17	WG1888839
(S) Toluene-d8	100			75.0-131		07/02/2022 22:17	WG1888839
(S) 4-Bromofluorobenzene	97.8			67.0-138		07/02/2022 22:17	WG1888839
(S) 1,2-Dichloroethane-d4	98.3			70.0-130		07/02/2022 22:17	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 11:16	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 11:16	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 11:16	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 11:16	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 11:16	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 11:16	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 11:16	WG1888163
Naphthalene	0.956		0.0917	0.250	1	07/01/2022 11:16	WG1888163
1-Methylnaphthalene	0.595		0.0687	0.250	1	07/01/2022 11:16	WG1888163
2-Methylnaphthalene	0.495		0.0674	0.250	1	07/01/2022 11:16	WG1888163
(S) Nitrobenzene-d5	122			31.0-160		07/01/2022 11:16	WG1888163
(S) 2-Fluorobiphenyl	113			48.0-148		07/01/2022 11:16	WG1888163
(S) p-Terphenyl-d14	133			37.0-146		07/01/2022 11:16	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	07/18/2022 19:22	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:22	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/02/2022 22:37	WG1888839
Ethylbenzene	0.0800	J	0.0212	0.100	1	07/02/2022 22:37	WG1888839
Toluene	0.144	J	0.0500	0.200	1	07/02/2022 22:37	WG1888839
(S) Toluene-d8	102			75.0-131		07/02/2022 22:37	WG1888839
(S) 4-Bromofluorobenzene	103			67.0-138		07/02/2022 22:37	WG1888839
(S) 1,2-Dichloroethane-d4	96.7			70.0-130		07/02/2022 22:37	WG1888839

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 11:33	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 11:33	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 11:33	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 11:33	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 11:33	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 11:33	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 11:33	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 11:33	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 11:33	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 11:33	WG1888163
(S) Nitrobenzene-d5	121			31.0-160		07/01/2022 11:33	WG1888163
(S) 2-Fluorobiphenyl	119			48.0-148		07/01/2022 11:33	WG1888163
(S) p-Terphenyl-d14	138			37.0-146		07/01/2022 11:33	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Arsenic,Dissolved	0.452	J	0.180	2.00	1	07/18/2022 19:25	WG1893094
Lead,Dissolved	3.56		0.849	2.00	1	07/18/2022 19:25	WG1893094

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0160	0.0400	1	07/07/2022 15:53	WG1891445
Ethylbenzene	U		0.0212	0.100	1	07/07/2022 15:53	WG1891445
Toluene	0.147	J	0.0500	0.200	1	07/07/2022 15:53	WG1891445
(S) Toluene-d8	102			75.0-131		07/07/2022 15:53	WG1891445
(S) 4-Bromofluorobenzene	95.9			67.0-138		07/07/2022 15:53	WG1891445
(S) 1,2-Dichloroethane-d4	101			70.0-130		07/07/2022 15:53	WG1891445

4 Cn

5 Sr

6 Qc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 11:51	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 11:51	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 11:51	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 11:51	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 11:51	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 11:51	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 11:51	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 11:51	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 11:51	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 11:51	WG1888163
(S) Nitrobenzene-d5	121			31.0-160		07/01/2022 11:51	WG1888163
(S) 2-Fluorobiphenyl	120			48.0-148		07/01/2022 11:51	WG1888163
(S) p-Terphenyl-d14	134			37.0-146		07/01/2022 11:51	WG1888163

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.545	J	0.180	2.00	1	07/18/2022 19:39	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:39	WG1893094

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/07/2022 16:12	WG1891445
Ethylbenzene	U		0.0212	0.100	1	07/07/2022 16:12	WG1891445
Toluene	U		0.0500	0.200	1	07/07/2022 16:12	WG1891445
(S) Toluene-d8	103			75.0-131		07/07/2022 16:12	WG1891445
(S) 4-Bromofluorobenzene	95.3			67.0-138		07/07/2022 16:12	WG1891445
(S) 1,2-Dichloroethane-d4	98.9			70.0-130		07/07/2022 16:12	WG1891445

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 12:08	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 12:08	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 12:08	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 12:08	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 12:08	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 12:08	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 12:08	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 12:08	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 12:08	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 12:08	WG1888163
(S) Nitrobenzene-d5	127			31.0-160		07/01/2022 12:08	WG1888163
(S) 2-Fluorobiphenyl	122			48.0-148		07/01/2022 12:08	WG1888163
(S) p-Terphenyl-d14	140			37.0-146		07/01/2022 12:08	WG1888163

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	07/18/2022 19:42	WG1893094
Lead,Dissolved	U		0.849	2.00	1	07/18/2022 19:42	WG1893094

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/07/2022 16:31	WG1891445
Ethylbenzene	U		0.0212	0.100	1	07/07/2022 16:31	WG1891445
Toluene	0.203		0.0500	0.200	1	07/07/2022 16:31	WG1891445
(S) Toluene-d8	103			75.0-131		07/07/2022 16:31	WG1891445
(S) 4-Bromofluorobenzene	96.1			67.0-138		07/07/2022 16:31	WG1891445
(S) 1,2-Dichloroethane-d4	101			70.0-130		07/07/2022 16:31	WG1891445

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	07/01/2022 12:26	WG1888163
Benzo(a)pyrene	U		0.0184	0.0500	1	07/01/2022 12:26	WG1888163
Benzo(b)fluoranthene	U		0.0168	0.0500	1	07/01/2022 12:26	WG1888163
Benzo(k)fluoranthene	U		0.0202	0.0500	1	07/01/2022 12:26	WG1888163
Chrysene	U		0.0179	0.0500	1	07/01/2022 12:26	WG1888163
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	07/01/2022 12:26	WG1888163
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	07/01/2022 12:26	WG1888163
Naphthalene	U		0.0917	0.250	1	07/01/2022 12:26	WG1888163
1-Methylnaphthalene	U		0.0687	0.250	1	07/01/2022 12:26	WG1888163
2-Methylnaphthalene	U		0.0674	0.250	1	07/01/2022 12:26	WG1888163
(S) Nitrobenzene-d5	127			31.0-160		07/01/2022 12:26	WG1888163
(S) 2-Fluorobiphenyl	117			48.0-148		07/01/2022 12:26	WG1888163
(S) p-Terphenyl-d14	142			37.0-146		07/01/2022 12:26	WG1888163

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0160	0.0400	1	07/07/2022 15:13	WG1891445
Ethylbenzene	U		0.0212	0.100	1	07/07/2022 15:13	WG1891445
Toluene	0.116	J	0.0500	0.200	1	07/07/2022 15:13	WG1891445
(S) Toluene-d8	103			75.0-131		07/07/2022 15:13	WG1891445
(S) 4-Bromofluorobenzene	97.0			67.0-138		07/07/2022 15:13	WG1891445
(S) 1,2-Dichloroethane-d4	103			70.0-130		07/07/2022 15:13	WG1891445

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3812899-1 07/10/22 10:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Arsenic,Dissolved	U		0.180	2.00
Lead,Dissolved	U		0.849	2.00

Laboratory Control Sample (LCS)

(LCS) R3812899-2 07/10/22 10:28

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Arsenic,Dissolved	50.0	48.4	96.8	80.0-120	
Lead,Dissolved	50.0	49.4	98.7	80.0-120	

L1508555-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1508555-09 07/10/22 10:31 • (MS) R3812899-4 07/10/22 10:38 • (MSD) R3812899-5 07/10/22 10:41

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Arsenic,Dissolved	50.0	2.99	51.4	54.4	96.9	103	1	75.0-125			5.59	20
Lead,Dissolved	50.0	U	48.5	49.5	97.1	99.1	1	75.0-125			2.06	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3816320-1 07/18/22 18:14

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Arsenic,Dissolved	U		0.180	2.00
Lead,Dissolved	U		0.849	2.00

Laboratory Control Sample (LCS)

(LCS) R3816320-2 07/18/22 18:18

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Arsenic,Dissolved	50.0	48.2	96.3	80.0-120	
Lead,Dissolved	50.0	48.5	96.9	80.0-120	

L1508860-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1508860-02 07/18/22 18:21 • (MS) R3816320-4 07/18/22 18:28 • (MSD) R3816320-5 07/18/22 18:31

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Arsenic,Dissolved	50.0	U	48.7	50.5	97.4	101	1	75.0-125			3.60	20
Lead,Dissolved	50.0	U	46.9	45.8	93.7	91.6	1	75.0-125			2.27	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3809097-2 06/27/22 12:20

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzene	U		0.0160	0.0400
Ethylbenzene	U		0.0212	0.100
Toluene	U		0.0500	0.200
(S) Toluene-d8	104			75.0-131
(S) 4-Bromofluorobenzene	82.8			67.0-138
(S) 1,2-Dichloroethane-d4	111			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3809097-1 06/27/22 11:03

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Benzene	5.00	5.02	100	70.0-123	
Ethylbenzene	5.00	4.40	88.0	74.0-126	
Toluene	5.00	5.09	102	75.0-121	
(S) Toluene-d8			102	75.0-131	
(S) 4-Bromofluorobenzene			81.1	67.0-138	
(S) 1,2-Dichloroethane-d4			121	70.0-130	

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3809320-2 06/29/22 19:57

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0160	0.0400
(S) Toluene-d8	91.9			75.0-131
(S) 4-Bromofluorobenzene	106			67.0-138
(S) 1,2-Dichloroethane-d4	92.3			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3809320-1 06/29/22 18:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	5.00	5.43	109	70.0-123	
(S) Toluene-d8			89.7	75.0-131	
(S) 4-Bromofluorobenzene			105	67.0-138	
(S) 1,2-Dichloroethane-d4			99.8	70.0-130	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3810397-2 07/02/22 18:04

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzene	U		0.0160	0.0400
Ethylbenzene	U		0.0212	0.100
Toluene	U		0.0500	0.200
(S) Toluene-d8	98.8			75.0-131
(S) 4-Bromofluorobenzene	100			67.0-138
(S) 1,2-Dichloroethane-d4	102			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3810397-1 07/02/22 16:18

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Benzene	5.00	5.00	100	70.0-123	
Ethylbenzene	5.00	5.13	103	74.0-126	
Toluene	5.00	4.80	96.0	75.0-121	
(S) Toluene-d8			101	75.0-131	
(S) 4-Bromofluorobenzene			99.4	67.0-138	
(S) 1,2-Dichloroethane-d4			99.6	70.0-130	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3812499-3 07/07/22 12:41

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzene	U		0.0160	0.0400
Ethylbenzene	U		0.0212	0.100
Toluene	U		0.0500	0.200
(S) Toluene-d8	103			75.0-131
(S) 4-Bromofluorobenzene	96.8			67.0-138
(S) 1,2-Dichloroethane-d4	103			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3812499-1 07/07/22 11:22 • (LCSD) R3812499-2 07/07/22 11:42

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Benzene	5.00	4.80	4.59	96.0	91.8	70.0-123			4.47	20
Ethylbenzene	5.00	5.32	5.23	106	105	74.0-126			1.71	20
Toluene	5.00	4.85	4.60	97.0	92.0	75.0-121			5.29	20
(S) Toluene-d8				102	101	75.0-131				
(S) 4-Bromofluorobenzene				97.7	97.5	67.0-138				
(S) 1,2-Dichloroethane-d4				104	104	70.0-130				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3810220-3 07/01/22 06:54

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzo(a)anthracene	U		0.0203	0.0500
Benzo(a)pyrene	U		0.0184	0.0500
Benzo(b)fluoranthene	U		0.0168	0.0500
Benzo(k)fluoranthene	U		0.0202	0.0500
Chrysene	U		0.0179	0.0500
Dibenz(a,h)anthracene	U		0.0160	0.0500
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500
Naphthalene	U		0.0917	0.250
1-Methylnaphthalene	U		0.0687	0.250
2-Methylnaphthalene	U		0.0674	0.250
(S) Nitrobenzene-d5	122			31.0-160
(S) 2-Fluorobiphenyl	120			48.0-148
(S) p-Terphenyl-d14	139			37.0-146

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3810220-1 07/01/22 06:20 • (LCSD) R3810220-2 07/01/22 06:37

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Benzo(a)anthracene	2.00	2.37	2.40	118	120	61.0-140			1.26	20
Benzo(a)pyrene	2.00	2.14	2.08	107	104	60.0-143			2.84	20
Benzo(b)fluoranthene	2.00	2.05	2.01	103	100	58.0-141			1.97	20
Benzo(k)fluoranthene	2.00	2.07	1.99	104	99.5	58.0-148			3.94	20
Chrysene	2.00	2.26	2.30	113	115	64.0-144			1.75	20
Dibenz(a,h)anthracene	2.00	2.06	1.92	103	96.0	52.0-155			7.04	20
Indeno(1,2,3-cd)pyrene	2.00	2.11	2.01	105	100	54.0-153			4.85	20
Naphthalene	2.00	2.21	2.28	111	114	61.0-137			3.12	20
1-Methylnaphthalene	2.00	2.35	2.44	117	122	66.0-142			3.76	20
2-Methylnaphthalene	2.00	2.24	2.29	112	115	62.0-136			2.21	20
(S) Nitrobenzene-d5				121	119	31.0-160				
(S) 2-Fluorobiphenyl				116	119	48.0-148				
(S) p-Terphenyl-d14				131	132	37.0-146				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn


⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address: Arcadis - Chevron - WA 1100 Olive Way Suite 800 Seattle, WA 98101		Billing Information: Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129		Pres Chk		Analysis / Container / Preservative										Chain of Custody Page 1 of 2			
Report to: Sydney Clark		Email To: sydney.clark@arcadis.com;stephen.ahlquist@ar														 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: http://info.pacelabs.com/hubfs/pas-standard-terms.pdf			
Project Description: 1001327		City/State Collected: Seattle, WA		Please Circle: PK MT CT ET <input checked="" type="radio"/>												SDG # U509860 B166			
Phone: 206-325-5254		Client Project # 30064328.19.43		Lab Project # CHEVARCWA-1001327												Acctnum: CHEVARCWA Template: T201494 Prelogin: P896905 PM: 110 - Brian Ford PB:			
Collected by (print): <i>Jonah Davis</i>		Site/Facility ID # 1602 N NORTHLAKE PL		P.O. #												Shipped Via:			
Collected by (signature): <i>[Signature]</i>		Rush? (Lab MUST Be Notified) Same Day ___ Five Day ___ Next Day ___ 5 Day (Rad Only) ___ Two Day ___ 10 Day (Rad Only) ___ Three Day ___		Quote #												Remarks			
Immediately Packed on Ice N ___ Y <input checked="" type="checkbox"/>		Date Results Needed		No. of Cntrs												Sample # (lab only)			
Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	BTE 8260D 40miAmb-HCl		FF Diss As Pb 6010 250mlHDPE HNO3		CPAHs 8270ESIM 40miAmb-NoPres-WT									
MW-4-W-20220624	G	GW	—	6/24/22	1157	6	X	X	X						-01				
MW-7-W-20220624		GW	—		0919	6	X	X	X						-02				
MW-8A-W-20220624		GW	—		1111	6	X	X	X						-03				
MW-11-W-20220624		GW	—		1338	6	X	X	X						-04				
MW-15-W-20220624		GW	—		1233	6	X	X	X						-05				
MW-19-W-20220624		GW	—		1402	6	X	X	X						-06				
MW-20-W-20220624		GW	—		1258	6	X	X	X						-07				
MW-21-W-20220624		GW	—		1329	6	X	X	X						-08				
MW-22-W-20220624		GW	—		1228	6	X	X	X						-09				
MW-24-W-20220624		GW	—		6944	6	X	X	X						-10				
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other		Remarks:		Samples returned via: ___ UPS ___ FedEx ___ Courier		Tracking #		5528 5952 0581, 5719 6190 0497										pH _____ Temp _____ Flow _____ Other _____	
Relinquished by: (Signature) <i>[Signature]</i>		Date: 6/24/22		Time: 1600		Received by: (Signature) Shipped Via Fed Ex		Trip Blank Received: Yes / No <input checked="" type="checkbox"/> HCl / MeOH <input checked="" type="checkbox"/> TBR		Bottles Received: 3810=38 RRAT.5+10=5 108		If preservation required by Login: Date/Time							
Relinquished by: (Signature)		Date:		Time:		Received for lab by: (Signature) Veronika Sistrunk		Date: 6/25/22		Time: 0900		Hold:		Condition: NCF / OK					

Company Name/Address:
Arcadis - Chevron - WA

1100 Olive Way
Suite 800
Seattle, WA 98101

Report to:
Sydney Clark

Project Description:
1001327

Phone: **206-325-5254**

Client Project #
30064328.19.43

Lab Project #
CHEVARCWA-1001327

Collected by (print):
Sarah Davis

Site/Facility ID #
1602 N NORTHLAKE PL

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

No. of
Cntrs

Immediately
Packed on Ice N Y

Billing Information:
Attn: Accounts Payable
630 Plaza Dr., Ste. 600
Highlands Ranch, CO 80129

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 2



12055 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pace-labs.com/hubs/pas-standard-terms.pdf>

SDG # **U508860**

Table #

Acctnum: **CHEVARCWA**

Template: **T201494**

Prelogin: **P896905**

PM: **110 - Brian Ford**

PB:

Shipped Via:

Remarks

Sample # (lab only)

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	BTE 8260D 40mlAmb-HCl	FF Diss As Pb 6010 250mlHDPE HNO3	cPAHs 8270ESIM 40mlAmb-NoPres-WT
MW-25-W-20220624	G	GW	—	6/24/22	1024	6	X	X	X
MW-26-W-20220624		GW	—		1119	9	X	X	X
MW-29-W-20220624		GW	—		1308	6	X	X	X
AGI-2-W-20220624		GW	—		1153	6	X	X	X
MLU-1-W-20220624		GW	—		1000	6	X	X	X
MLU-3-W-20220624		GW	—		1044	6	X	X	X
BD-W-20220624		GW	—		1200	6	X	X	X
EQB-W-20220624		GW	—		1430	6	X	X	X
TB-W-20220624		GW	—		0900	2	X		

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking # **5528 5952 0581, 5719 6190 0497**

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: NP N
 COC Signed/Accurate: N
 Bottles arrive intact: N
 Correct bottles used: N
 Sufficient volume sent: N
 If Applicable
 VOA Zero Headspace: N
 Preservation Correct/Checked: N
 RAD Screen <0.5 mR/hr: N

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes No

HCL/MeOH
 TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: **3.8 to 5.8**
Bottles Received: **2**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: **6/25/22** Time: **0900**

Hold:

Condition:
NCF / OK

U508860

<u>Tracking Numbers</u>		<u>Temperature</u>
5528 5952 0581		2RA7 .5+0=.5
5719 6190 0497		2RA7 3.8+0=3.8

APPENDIX D

Historical Groundwater Analytical Results



Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)							Metals (EPA Method 6020) (µg/L)		
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
																			43
Site Cleanup Level					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-7	South Yard		03/26/03	ND	10.1	16	108	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/28/03	ND	31.5	36	664	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		05/30/03	ND	7.34	12	106	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/25/03	ND	16.4	27	446	--	35	<0.0100	<0.0100	<0.0100	0.900 (Q-20)	<0.0100	<0.0100	<0.0100	--	--	
MW-7	South Yard		09/16/03	ND	<50.0	79	1,190	--	583	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		12/15/03	ND	25.9	45	1,470	--	550	--	--	--	--	--	--	--	--	--	
MW-7	South Yard	5	03/15/10	ND	27	4.9	230	--	490	0.14 ⁶	0.12 ⁶	0.21 ⁶	0.16 ⁶	0.18 ⁶	0.013 ⁶	0.041 ²	1.5	1.1	
MW-7	South Yard		09/15/10	ND	38	6.0	270	--	570	0.3000	0.5000	0.4200	0.3600	0.3800	0.0730	0.3900	2.5	1.7	
MW-7	South Yard		03/14/11	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/21/12	ND	--	--	--	--	--	0.011	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MW-7	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-7	South Yard		09/20/12	ND	46	6.9	120	--	530	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-7	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	6.1	1.6	
MW-7	South Yard	Field Filtered	12/26/12	ND	34	6.0	240	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/22/13	ND	31	4.5	82	--	340	0.019	<0.010	0.0110	<0.010	<0.010	0.012	0.016	--	--	
MW-7	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.3	0.85	
MW-7	South Yard	Field Filtered ¹¹	06/11/14	ND	33	4	65	--	160	<0.010	<0.010	<0.010	<0.010	0.0130	<0.010	<0.010	6.2	1.7	
MW-7	South Yard	¹¹	11/11/15	ND	62	6.5	120	--	310	0.028	0.029	0.043	0.018	0.041	<0.010	0.026	10.3	1.4	
MW-7	South Yard	¹¹	04/18/16	ND	30	4.7	54	--	210	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.5	1.3	
MW-7	South Yard	DUP ¹¹	04/18/16	ND	30	4.9	55	--	200	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.6	1.4	
MW-7	South Yard	¹¹	12/07/16	ND	38	<0.5	90	--	370	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.2	1.2	
MW-7	South Yard	DUP ¹¹	12/07/16	ND	37	4.4	81	--	230	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.8	1.3	
MW-7	South Yard		06/21/17	ND	28	5.7	70	--	66	0.016	<0.011	0.013	0.011	0.019	<0.011	<0.011	--	--	
MW-7	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	64	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	15.1	0.62	
MW-7	South Yard	¹¹	12/06/17	ND	33	5.9	72	--	190	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	13.0	1.2	
MW-7	South Yard	¹¹	06/27/18	ND	30	4.5	51	--	200	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	11.6	<1.1	
MW-7	South Yard	¹¹	11/28/18	ND	34	4.6	47	--	170	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.2	<1.1	
MW-7	South Yard	¹¹	06/21/19	ND	33	3.6	36	--	120	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.6	<1.1	
MW-7	South Yard	¹¹	12/18/19	ND	39	4	74	--	42	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	6.3	0.51 J	
MW-7	South Yard	¹¹	06/11/20	ND	24	2.6	37	--	150	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	7	0.36 J	
MW-7	South Yard		11/11/20	ND	31	3.4	55	--	80	<0.011	<0.011	<0.011	<0.011	<0.011	<0.021	<0.011	8.5	0.92	
MW-7	South Yard		06/28/21	ND	23.3	2.36	35.9	--	193	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.95 J	1.03 J	
MW-7	South Yard		01/06/22	ND	18.2	2.89	33.5	--	137	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	27.3 J	1.47 J	
MW-7	South Yard		06/24/22	ND	<0.0400	0.144J	<0.100		<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00	
MW-8	South Yard		08/09/99	ND	186	15	39	--	9	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	1.21	
MW-8	South Yard		10/20/99	ND	31.4	2.47	2.97	--	0.35 ³	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.00813	<0.0081	--	--	
MW-8	South Yard		01/06/00	ND	710	27	304	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/12/00	ND	28.2	1.72	4.16	--	2	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-8	South Yard		06/27/00	ND	29.5	1.47	3.09	--	<1.00	--	--	--	--	--	--	--	<1.0	<1.0	
MW-8	South Yard		09/28/00	ND	20.3	1.23	1.39	--	4	--	--	--	--	--	--	--	3.10	<1.0	
MW-8	South Yard		01/15/01	ND	17.7	2.14	12.3	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/21/01	ND	197	<10.0	26.7	--	<10.0	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	157	7.03	42.5	--	7	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	147	7.07	42.2	--	6	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,450	22.0	166	--	32	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,430	21.7	169	--	30	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,000	22.3	199	--	37	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,030	21.9	213	--	37	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		05/07/02	ND	472	13.7	152	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/06/02	ND	476	14.1	80	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/02/02	ND	291	14.0	59	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		09/03/02	ND	284	11.3	82	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		10/11/02	ND	238	18.0	152	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	165	16.3	261	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	192	16.1	141	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/26/03	ND	767	23.2	156	--	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)		
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-8	South Yard		04/28/03	ND	683	20.8	125	--	--	--	--	--	--	--	--	--	--	--
MW-8	South Yard		05/30/03	ND	467	15.4	75.4	--	--	--	--	--	--	--	--	--	--	--
MW-8	South Yard		06/25/03	ND	305	17.4	89.7	--	--	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-8	South Yard		09/15/03	ND	159	36.1	634	--	7.94	--	--	--	--	--	--	--	--	--
MW-8A	South Yard		12/15/03	ND	14.8	2.46	37.7	--	168	--	--	--	--	--	--	--	--	--
MW-8A	South Yard		03/25/04	ND	12.0	1.33	2.54	--	0.27	0.0650	0.0454	0.0299	0.0531	0.0568	0.0274	0.0419	2.49	<1.0
MW-8A	South Yard		09/23/04	ND	14.8	0.76	2.00	--	0.32	<0.01	0.0220	<0.01	<0.01	0.0315	<0.01	<0.01	1.2	<1.0
MW-8A	South Yard	DUP	09/23/04	ND	13.3	0.67	1.75	--	0.32	0.110	0.102	0.0980	0.120	0.104	0.0656	0.0937	1.11	<1.0
MW-8A	South Yard		03/14/05	ND	8.3	1.72	4.54	--	3.61	0.0234	0.0135	0.0123	0.0209	0.0164	<0.01	0.0137	5.2	<1.0
MW-8A	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	--	<1.0	<0.00952	<0.00952	0.0281	<0.00952	<0.00952	<0.00952	<0.00952	<1.0	<1.0
MW-8A	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0
MW-8A	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0096	<0.0096	0.010	<0.0096	<0.0096	<0.0096	<0.0096	0.92	2.0
MW-8A	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	--	<1.0	0.017	0.018	0.031	<0.0099	0.028	<0.0099	0.021	1.1	<0.050
MW-8A	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	<0.050
MW-8A	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	--	<1.0	0.012	0.017	0.035	0.011	0.021	<0.0098	0.022	<0.95	0.059
MW-8A	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	--	1	0.036	0.062	0.14	0.099	0.079	0.011	0.040	<0.95	0.062
MW-8A	South Yard		09/15/10	ND	<0.5	<0.5	3	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	2.8	<0.052
MW-8A	South Yard		11/16/11	ND	<0.2	<0.2	<0.2	--	<1.0	0.016	0.02	0.029	0.011	0.028	<0.0095	0.02	0.99	<0.080
MW-8A	South Yard		06/21/12	ND	--	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--
MW-8A	South Yard	DUP	06/21/12	ND	--	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--
MW-8A	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-8A	South Yard		09/20/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-8A	South Yard	Field Filtered	09/21/12	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	4.9	0.13
MW-8A	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
MW-8A	South Yard		04/23/13	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-8A	South Yard	Field Filtered	04/23/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	<0.047
MW-8A	South Yard	¹¹	06/11/14	ND	<0.5	<0.5	<0.5	--	0.062	<0.011	<0.010	0.012	0.011	<0.010	<0.010	<0.010	<0.78	0.59
MW-8A	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	--	0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.64
MW-8A	South Yard	DUP ¹¹	11/11/15	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	0.018	<0.010	<0.010	<0.010	<0.010	<0.54	0.73
MW-8A	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.88
MW-8A	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	--	0.046	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090
MW-8A	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	--	0.035	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--
MW-8A	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	1.8	<0.11
MW-8A	South Yard	DUP	06/21/17	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-8A	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	2.2	<0.11
MW-8A	South Yard	¹¹	12/05/17	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	0.41
MW-8A	South Yard	DUP ¹¹	12/05/17	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	0.42
MW-8A	South Yard	¹¹	06/27/18	ND	1.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.6	<1.1
MW-8A	South Yard	DUP ¹¹	06/27/18	ND	1.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.8	<1.1
MW-8A	South Yard	¹¹	11/27/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1
MW-8A	South Yard	DUP ¹¹	11/27/18	ND	<0.5	<0.5	<0.5	--	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1
MW-8A	South Yard	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	--	0.05 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.9	<1.1
MW-8A	South Yard	DUP ¹¹	06/21/19	ND	<0.5	<0.5	<0.5	--	0.04 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.4	<1.1
MW-8A	South Yard	¹¹	12/17/19	ND	<0.2	<0.2	<0.4	--	<0.03	0.02 J	0.01 J	0.01 J	<0.01	0.01 J	<0.02	<0.01	<0.70	0.13 J
MW-8A	South Yard	DUP ¹¹	12/17/19	ND	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.70	0.076 J
MW-8A	South Yard	¹¹	06/10/20	ND	<0.20	<0.20	<0.40	--	0.12	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	0.83 J	0.23 J
MW-8A	South Yard	DUP ¹¹	06/10/20	ND	<0.20	<0.20	<0.40	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	0.92 J	0.29 J
MW-8A	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	0.66
MW-8A	South Yard	DUP	11/10/20	ND	<0.20	<0.20	<0.40	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	0.88
MW-8A	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	--	0.0994 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.548 J	1.67 J
MW-8A	South Yard	DUP	06/28/21	ND	<0.0941	<0.278	<0.137	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.569 J	<0.849
MW-8A	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00
MW-8A	South Yard	DUP	01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00
MW-8A	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.752J	<2.00
MW-8A	South Yard	DUP	06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.545J	<2.00
MW-9	ROW		08/11/99	ND	<20.0	<20.0	46.7	--	129	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	4.33	<1.0

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)							Metals (EPA Method 6020) (µg/L)	
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296
Site Cleanup Level																		
MW-9	ROW		10/21/99	ND	<0.800	<0.500	20.5	--	110 ³	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	17	0.94
MW-9	ROW		06/27/01	LNAPL	<5.00	<5.00	52.6	--	109	--	--	--	--	--	--	--	--	--
MW-9	ROW		03/25/04	LNAPL	6.71	2.56	39.5	--	168	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12.9	<1.0
MW-9	ROW		09/08-09/08	LNAPL	20	<10 ⁷	16	--	37	<0.10 ⁵	<0.10 ³	<0.10 ³	<0.10 ⁵	<0.10 ⁵	<0.10 ¹	<0.10 ¹	9.5	0.58
MW-9	ROW		12/11/08	LNAPL	<20 ⁸	<50 ⁸	35	62	--	--	--	--	--	--	--	--	--	--
MW-9	ROW		03/30-31/09	ND	--	--	--	--	50	<0.0098	<0.0098	0.025	<0.0098	<0.0098	<0.0098	<0.0098	7.7	0.33
MW-9	ROW		09/10-11/09	ND	<10 ⁹	<10 ⁹	16	--	36	0.15	<0.098 ⁵	0.41	0.10	0.56	<0.098 ⁵	<0.098 ¹	8.0	1.1
MW-10	North Yard		08/11/99	ND	226	292	625	--	121	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	4.21
MW-10	North Yard		10/21/99	ND	431	455	838	--	--	<0.008	<0.008	<0.008	<0.008	0.00333	<0.008 ⁴	<0.008 ⁴	--	--
MW-10	North Yard		04/12/00	ND	662	542	749	--	105	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--
MW-10	North Yard		06/27/00	ND	325	168	136	--	64.5	--	--	--	--	--	--	--	8.61	21.2
MW-10	North Yard		09/28/00	ND	437	339	291	--	32.7	--	--	--	--	--	--	--	3.39	22
MW-10	North Yard		01/15/01	ND	352	266	137	--	63.6	--	--	--	--	--	--	--	--	--
MW-10	North Yard		01/15/01	ND	315	234	117	--	33.9	--	--	--	--	--	--	--	--	--
MW-10	North Yard		06/27/01	ND	591	328	295	--	79.5	--	--	--	--	--	--	--	--	--
MW-10	North Yard		06/27/01	ND	1,090	765	936	--	262	--	--	--	--	--	--	--	--	--
MW-10	North Yard		03/18/02	ND	1,190	1,010	976	--	130	--	--	--	--	--	--	--	--	--
MW-10	North Yard		07/02/02	ND	844	742	871	--	--	--	--	--	--	--	--	--	--	--
MW-10	North Yard		03/15/10	ND	1,200	250	980	--	110	0.10 ⁵	0.054 ⁵	0.046 ⁵	0.059 ⁵	0.18 ⁵	<0.0099 ⁵	<0.0099 ⁵	3.8	10.9
MW-10	North Yard		09/15/10	Sheen	970	180	920	--	130	0.52	0.17	0.3	<0.096	1.2	<0.096	<0.096	4.9	9.3
MW-11	ROW		08/11/99	ND	<1.00	<1.00	<1.00	--	<1.01	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.03	<1.0
MW-11	ROW		10/22/99	ND	<0.500	<0.500	<0.500	--	<0.0082	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081 ³	<0.0081 ³	--	--
MW-11	ROW		06/21/01	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--
MW-11	ROW		03/18/02	ND	1.18	2.77	2.57	--	<1.00	--	--	--	--	--	--	--	--	--
MW-11	ROW		09/16/03	ND	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--
MW-11	ROW		12/15/03	ND	<0.500	<0.500	<0.500	--	2.21	0.0734	<0.0100	0.0632	0.0341	<0.0100	0.0878	0.0857	3.72	<1.0
MW-11	ROW		03/25/04	ND	<0.500	<0.500	<0.500	--	<0.101	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.06	<1.0
MW-11	ROW		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.01	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	19.4	<1.0
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	--	0.060	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	19.0	1.1
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	--	0.058	0.012	<0.0096	0.010	<0.0096	0.013	<0.0096	<0.0096	16.9	1.4
MW-11	ROW		09/08-09/08	ND	<0.5	<0.5	<0.5	--	<1.0	<0.011	<0.011	0.011	<0.011	0.012	<0.011	<0.011	16.5	<0.050
MW-11	ROW		03/30-31/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	19.2	<0.050
MW-11	ROW		09/10-11/09	ND	<0.5	<0.5	<0.5	--	<1.0	0.024	0.034	0.04	0.016	0.036	<0.0098	0.019	29.7	<0.050
MW-11	ROW		03/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0099	0.011	0.016	0.010	0.013	<0.0099	<0.0099	13.4	<0.050
MW-11	ROW		09/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	0.013	0.017	0.018	0.012	0.02	<0.010	0.018	16.6	<0.052
MW-11	ROW	"	06/11/14	ND	<0.5	<0.5	<0.5	--	0.07	0.028	0.02	0.025	0.024	0.033	0.019	0.02	8.4	<0.085
MW-11	ROW		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	13.5 J	<2.00
MW-11	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	11.4	<2.00
MW-12	North Yard		08/11/99	ND	1,590	218	466	--	87.5	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	7.01	17.6
MW-12	North Yard		10/21/99	ND	491	1200	230	--	6.8 ⁶	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083 ³	<0.0083	--	--
MW-12	North Yard		03/25/04	ND	510	294	454	--	98.5	--	--	--	--	--	--	--	--	--
MW-12	North Yard		09/08-09/08	ND	530	130	230	--	65	0.017 ⁵	0.010 ⁵	<0.0099 ⁶	<0.0099 ⁵	<0.0099 ⁵	<0.0099 ⁵	<0.0099 ⁵	6.4	1.8
MW-12	North Yard		03/30-31/09	LNAPL	750	640	270	--	170	0.014	<0.0098	0.012	<0.0098	0.028	<0.0098	<0.0098	4.8	2.8
MW-12	North Yard		09/10-11/09	LNAPL	510	140	180	--	44	0.11	<0.097 ⁵	<0.097 ⁵	<0.097 ⁵	0.22	<0.097 ⁵	<0.097 ⁵	5.5	1.6
MW-12	North Yard		03/15/10	ND	630	260	250	--	110	0.025 ⁵	0.015 ⁵	0.012 ⁵	0.018 ⁵	0.045 ⁵	<0.010 ⁵	<0.010 ⁵	4.6	3.4
MW-12	North Yard		09/15/10	Sheen	490	130	230	--	67	0.086 ⁵	0.028 ⁵	0.053 ⁵	0.011 ⁶	0.18 ⁵	<0.0096 ⁵	0.014 ⁶	6.4	2.2
MW-14	ROW		07/26/01	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--
MW-14	ROW	"	06/11/14	ND	<0.5	<0.5	<0.5	--	0.049	0.011	<0.010	0.014	0.012	0.012	<0.010	0.011	<0.78	<0.085
MW-15	ROW		08/10/99	ND	3.28	2.89	35.4	--	12.5	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.1	<1.0
MW-15	ROW		10/20/99	ND	6.92	57.1	47.7	--	1.4 ⁶	<0.0081	<0.0081	0.00153	<0.0081	<0.0081	<0.0081	<0.0081	--	--
MW-15	ROW		07/26/01	ND	13.8	9.00	18.1	--	10.30	--	--	--	--	--	--	--	--	--
MW-15	ROW		03/18/02	ND	<1.00	1.49	2.46	--	<1.01	--	--	--	--	--	--	--	--	--
MW-15	ROW		06/26/03	ND	0.719	<0.500	0.612	--	--	--	--	--	--	--	--	--	--	--
MW-15	ROW		09/16/03	ND	2.85	30.6	39.6	--	42.2	--	--	--	--	--	--	--	--	--
MW-15	ROW	"	06/11/14	ND	<3.0	0.6	2	--	0.29	0.02	0.02	0.03	0.03	0.02	0.02	0.02	5.60	0.40
MW-15	ROW		01/06/22	ND	0.294 J	0.791 J	1.73	--	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00

Appendix D
Historical Groundwater Analytical Results
 Former Chevron Bulk Plant #1001327
 1602 North Northlake Place
 Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)		
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
Site Cleanup Level					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-15	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	--	0.286	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.739J	<2.00
MW-16	Offsite		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<1.00	<1.00
MW-19	ROW		08/11/99	ND	<1.00	<1.00	<1.00	--	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0
MW-19	ROW		10/20/99	ND	<0.500	<0.500	<0.500	--	<0.021	0.016	0.013	0.016	0.00743	0.015	0.00233	0.011	--	--
MW-19	ROW		06/21/01	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--
MW-19	ROW		06/26/03	ND	<0.500	<0.500	<0.500	--	<0.100	0.264	0.282	0.174	0.118	0.179	0.155	0.189	--	--
MW-19	ROW		09/16/03	ND	<0.500	<0.500	<0.500	--	<1.00	0.171	0.185	0.197	0.0894	0.191	0.0977	0.147	--	--
MW-19	ROW		12/15/03	ND	<0.500	<0.500	<0.500	--	<1.00	0.524	0.479	0.374	0.376	0.474	0.154	0.484	5.27	<1.0
MW-19	ROW		03/26/04	ND	<0.500	<0.500	<0.500	--	0.197	0.209	0.168	0.128	0.127	0.182	0.0433	0.107	2.86	<1.0
MW-19	ROW		03/26/04	ND	<0.500	<0.500	<0.500	--	0.112	0.170	0.137	0.0967	0.106	0.150	0.0363	0.0882	2.28	<1.0
MW-19	ROW		09/23/04	ND	<0.500	<0.500	<0.500	--	<1.00	0.613	0.390	0.317	0.562	0.530	0.145	0.350	4.24	2.93
MW-19	ROW		03/14/05	ND	<0.500	<0.500	<0.500	--	<0.100	0.151	0.111	0.080	0.125	0.126	0.0233	0.076	1.71	<1.0
MW-19	ROW		03/14/05	ND	<0.500	<0.500	<0.500	--	<0.100	0.155	0.109	0.085	0.135	0.131	0.0265	0.085	2.19	<1.0
MW-19	ROW		03/29/06	ND	<0.500	<0.500	<0.500	--	<1.00	0.093	0.076	0.066	0.0775	0.087	0.0348	0.063	3.76	<1.0
MW-19	ROW		03/29/06	ND	<0.500	<0.500	<0.500	--	<1.00	0.042	0.030	0.041	0.0327	0.032	0.0195	0.033	3.47	<1.0
MW-19	ROW		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	0.151	0.121	0.0874	0.139	0.153	0.0417	0.0927	<1.0	<1.0
MW-19	ROW		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	0.154	0.131	0.0896	0.126	0.160	0.0374	0.0894	<1.0	<1.0
MW-19	ROW		03/25/08	ND	<0.5	<0.5	<0.5	--	0.026	0.046	0.039	0.049	0.021	0.042	<0.0097	0.027	1.30	12.9
MW-19	ROW		03/25/08	ND	<0.5	<0.5	<0.5	--	0.023	0.36	0.31	0.35	0.15	0.34	0.053	0.19	0.92	3.5
MW-19	ROW		09/08-09/08	ND	<0.5	<0.5	<0.5	--	<5.03	0.40	0.54	0.46	0.26	0.41	0.077	0.28	<0.95	0.62
MW-19	ROW		03/30-31/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	0.42
MW-19	ROW		09/10-11/09	ND	<0.5	<0.5	<0.5	--	<1.0	0.071	0.084	0.099	0.037	0.081	0.012	0.041	<0.95	1.1
MW-19	ROW		03/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	0.24	0.30	0.32	0.15	0.29	0.046	0.18	0.98	0.41
MW-19	ROW		09/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	0.61	0.91	0.55	0.57	0.66	0.1	0.59	1.8	0.12
MW-19	ROW		11/16/11	ND	<0.2	<0.2	<0.2	--	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.95	<0.080
MW-19	ROW		06/21/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-19	ROW	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-19	ROW		09/20/12	ND	<0.5	<0.5	<0.5	--	0.083	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	--	--
MW-19	ROW	Field Filtered	09/20/12	ND	--	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.41	<0.034
MW-19	ROW		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
MW-19	ROW		04/24/13	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-19	ROW	Field Filtered	04/24/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.42	0.13
MW-19	ROW	"	06/10/14	ND	<0.5	<0.5	<0.5	--	<0.051	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	0.16
MW-19	ROW	"	11/11/15	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.81	<0.13
MW-19	ROW	"	04/18/16	ND	<0.5	<0.5	<0.5	--	0.044	0.015	0.036	0.045	0.041	0.020	0.049	0.049	0.69	0.22
MW-19	ROW	"	12/07/16	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090
MW-19	ROW		06/21/17	ND	<0.5	<0.5	<0.5	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--
MW-19	ROW	Field Filtered	06/21/17	ND	--	--	--	--	--	<0.034	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11
MW-19	ROW	"	12/05/17	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.50	0.15
MW-19	ROW	"	06/26/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1
MW-19	ROW	"	11/27/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1
MW-19	ROW	"	06/21/19	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.68	<1.1
MW-19	ROW	"	12/17/19	ND	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.70	<0.073
MW-19	ROW	"	06/10/20	ND	<0.20	<0.20	<0.40	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	0.13 J
MW-19	ROW		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.034	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	<0.073
MW-19	ROW		06/28/21	ND	<0.0941	<0.278	<0.137	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	<0.849
MW-19	ROW		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00
MW-19	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.500J	<2.00
MW-20	ROW		08/11/99	ND	57.7	2.19	148	--	82.1	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.08	<1.0
MW-20	ROW		10/20/99	ND	71.8	5.69	184	--	25 ³	.0012 ⁴	.00082 ⁴	.0016 ⁴	0.0011 ⁴	.00088 ⁴	<0.008 ⁴	<0.008	--	--
MW-20	ROW		09/28/00	ND	--	--	--	--	--	--	--	--	--	--	--	--	3.1	<1.0
MW-20	ROW		06/21/01	ND	1.66	<1.00	2.68	--	<1.00	--	--	--	--	--	--	--	--	--
MW-20	ROW		03/19/02	ND	<1.00	<1.00	3.48	--	1.77	--	--	--	--	--	--	--	--	--
MW-20	ROW		03/19/02	ND	<1.00	<1.00	3.3	--	2.21	--	--	--	--	--	--	--	--	--
MW-20	ROW		06/26/03	ND	26.5	2.28	61.0	--	20.9 ⁶	0.375(I-02)	<0.0100	<0.0100	0.154(I-02)	<0.0100	<0.0100	<0.0100	--	--
MW-20	ROW		09/16/03	ND	28.9	3.04	35.7	--	12.5	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	--	--

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)			
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	
MW-20	ROW		12/15/03	ND	<0.500	<0.500	<0.500	--	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	4.36	<1.0
MW-20	ROW		03/26/04	ND	0.877	<0.500	0.731	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	2.53	<1.0
MW-20	ROW		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	2.34	<1.0
MW-20	ROW		03/25/08	ND	0.5	<0.5	<0.5	--	0.019	0.012	<0.0099	0.015	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.2	0.63
MW-20	ROW		09/08-09/08	ND	7.0	1.7	1.2	--	<5.0 ⁴	--	--	--	--	--	--	--	--	--	--
MW-20	ROW		09/10-11/09	ND	1.4	0.8	1.1	--	<5.0 ¹⁰	0.014	0.017	0.022	<0.010	0.013	<0.010	0.016	2.4	0.053	
MW-20	ROW		03/15/10	ND	<0.5	<0.5	<0.5	--	2.1	<0.010	<0.010	0.011	<0.010	<0.010	<0.010	0.011	1.3	0.10	
MW-20	ROW		09/15/10	ND	1.60	1.00	1.20	--	4.5	0.011	0.018	0.014	0.011	0.012	<0.0095	0.02	5.2	<0.052	
MW-20	ROW		11/16/11	ND	1.50	0.90	0.80	--	8.40	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	4.50	<0.080	
MW-20	ROW	DUP	11/16/11	ND	1.40	0.80	0.60	--	8.90	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	4.70	<0.080	
MW-20	ROW		06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-20	ROW	Field Filtered	06/21/12	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-20	ROW	Field Filtered	09/20/12	ND	3.20	1.30	1.40	--	0.47	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-20	ROW	Field Filtered	09/20/12	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	11.9	<0.034	
MW-20	ROW		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--	
MW-20	ROW		04/23/13	ND	<0.5	<0.5	<0.5	--	0.04	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-20	ROW	Field Filtered	04/23/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.4	<0.073	
MW-20	ROW	"	06/10/14	ND	7.20	0.90	1.40	--	0.099	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	4.1	0.14	
MW-20	ROW	"	11/11/15	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	3.2	<0.13	
MW-20	ROW	"	04/18/16	ND	<0.5	<0.5	0.6	--	0.098	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	3.5	<0.13	
MW-20	ROW	"	12/07/16	ND	0.5	<0.5	0.8	--	0.14	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	4.7	<0.090	
MW-20	ROW		06/21/17	ND	0.7	<0.5	0.8	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-20	ROW	Field Filtered	06/21/17	ND	--	--	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	2.6	<0.11	
MW-20	ROW	"	12/05/17	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	4.6	<0.11	
MW-20	ROW	"	06/27/18	ND	0.7	0.8	1.1	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	3.0	<1.1	
MW-20	ROW	"	11/27/18	ND	<0.5	<0.5	1	--	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	3.5	<1.1	
MW-20	ROW	"	06/21/19	ND	<0.5	0.9 J	0.7 J	--	1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.2	<1.1	
MW-20	ROW	"	12/17/19	ND	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.7	<0.073	
MW-20	ROW	"	06/10/20	ND	<0.20	0.95 J	<0.40	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	1.1 J	<0.073	
MW-20	ROW		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	2.3	<0.073	
MW-20	ROW		06/28/21	ND	0.117 J	0.386 J	0.203 J	--	2.22	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.766 J	0.953 J	
MW-20	ROW		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<3.17 J	<2.00	
MW-20	ROW		06/24/22	ND	0.061	0.548	<0.100	--	1.23	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	2.03	<2.00	
MW-21	ROW		08/10/99	ND	12.1	1.93	<1.00	--	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	13.8	<1.0	
MW-21	ROW		10/19/99	ND	9.69	1.49	<0.750	--	--	<0.0078	<0.0078	<0.0078	<0.0078	<0.0078	<0.0078	<0.0078	--	--	
MW-21	ROW		06/21/01	ND	2.46	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	
MW-21	ROW		06/21/01	ND	2.70	<1.00	<1.00	--	1.76	--	--	--	--	--	--	--	--	--	
MW-21	ROW		03/18/02	ND	10.5	1.25	<1.00	--	4.09	--	--	--	--	--	--	--	--	--	
MW-21	ROW		06/26/03	ND	5.82	0.687	0.850	--	1.37	0.569	<0.0100	0.646	<0.0100	<0.0100	3.06	2.35	--	--	
MW-21	ROW		09/16/03	ND	5.43	0.86	<0.500	--	7.01	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	--	--	
MW-21	ROW		12/15/03	ND	4.95	0.88	<0.500	--	12.4	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	12.6	<1.0	
MW-21	ROW		03/26/04	ND	5.28	0.854	<0.500	--	10.1	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	15.2	<1.0	
MW-21	ROW		09/23/04	ND	5.45	0.806	<0.500	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	14.6	<1.0	
MW-21	ROW		03/14/05	ND	4.55	0.693	<0.500	--	3.57	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	16.8	<1.0	
MW-21	ROW		03/29/06	ND	4.19	0.800	<0.500	--	4.01	<0.00952	<0.00957	<0.00958	<0.00956	<0.00953	<0.00954	<0.00955	16.4	<1.0	
MW-21	ROW		03/21/07	ND	4.31	0.860	<0.500	--	6.06	<0.0485	<0.0485	<0.0485	<0.0485	<0.0485	<0.0485	<0.0485	16.2	<1.0	
MW-21	ROW		03/25/08	ND	4.4	0.6	<0.5	--	12	<0.010	<0.010	<0.010	<0.010	0.011	<0.010	<0.010	14.6	0.33	
MW-21	ROW		09/08-09/08	ND	6.0	0.6	<0.5	--	18	0.011	0.022	0.017	0.012	0.012	<0.010	<0.010	<0.95	0.58	
MW-21	ROW		03/30-31/09	ND	6.0	0.8	0.6	--	15	<0.10	<0.10	<0.10	<0.10	0.018	<0.10	<0.10	11.1	<0.050	
MW-21	ROW		09/10-11/09	ND	5.1	0.7	<0.5	--	<15 ¹⁰	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	9.9	0.11	
MW-21	ROW		03/15/10	ND	3.6	0.6	<0.5	--	<20 ¹⁰	0.013	0.046	0.045	0.038	4	0.080	0.080	8.5	<0.050	
MW-21	ROW		09/15/10	ND	2.50	0.50	<0.5	--	11.00	0.011	<0.0098	<0.0098	<0.0098	0.021	<0.0098	<0.0098	8.7	<0.052	
MW-21	ROW		09/24/11	ND	<0.2	<0.2	<0.2	--	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	1.60	<0.08	
MW-21	ROW		10/10/11	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-21	ROW		06/21/12	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-21	ROW	Field Filtered	06/21/12	ND	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)							Metals (EPA Method 6020) (µg/L)	
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-21	ROW		09/20/12	ND	<7.0	0.7	<0.5	--	0.84	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--
MW-21	ROW	Field Filtered	09/20/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	15.5	0.052
MW-21	ROW	DUP	12/26/12	ND	2.7	0.6	0.5	--	--	--	--	--	--	--	--	--	--	--
MW-21	ROW		12/26/12	ND	2.7	0.6	0.6	--	--	--	--	--	--	--	--	--	--	--
MW-21	ROW		04/23/13	ND	11.0	0.8	0.9	--	1.3	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-21	ROW	Field Filtered	04/23/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	11.6	<0.047
MW-21	ROW	"	06/11/14	ND	<6.0	0.70	0.50	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	13.6	<0.085
MW-21	ROW	"	11/11/15	ND	0.5	<0.5	<0.5	--	3.1	0.012	0.012	0.016	0.015	0.013	0.016	0.017	13.0	<0.13
MW-21	ROW	"	04/18/16	ND	19	0.8	<0.5	--	0.088	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	18.5	<0.13
MW-21	ROW	"	12/07/16	ND	8.8	0.9	0.6	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	18.0	<0.090
MW-21	ROW		06/21/17	ND	6.6	0.6	<0.5	--	<0.035	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	--	--
MW-21	ROW	Field Filtered	06/21/17	ND	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	16.1	<0.11
MW-21	ROW	"	12/05/17	ND	<0.5	0.6	0.6	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	16.1	<0.11
MW-21	ROW	"	06/27/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	16.2	<1.1
MW-21	ROW	"	11/28/18	ND	<0.5	0.5	0.6	--	0.5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	16.0	<1.1
MW-21	ROW	"	06/21/19	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	15.7	<1.1
MW-21	ROW	"	12/17/19	ND	<0.2	0.3 J	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	15.8	0.074 J
MW-21	ROW	"	06/10/20	ND	<0.20	0.24 J	<0.40	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.010	15.0	<0.073
MW-21	ROW		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	18	<0.073
MW-21	ROW		06/28/21	ND	0.108 J	0.303 J	<0.137	--	1.33	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	8.4	<0.849
MW-21	ROW		01/06/22	ND	0.433 J	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	11.9 J	<2.00
MW-21	ROW		06/24/22	ND	0.077	0.283	<0.100	--	1.49	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	13.4	<2.00
MW-22	ROW		08/10/99	ND	1,140	44.9	93.5	--	7.56	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.66	<1.0
MW-22	ROW		10/22/99	ND	1,680	109	191	--	--	.0017 ⁴	0.0013 ⁴	0.0024 ⁴	0.0012 ⁴	0.002 ⁴	<0.0079 ⁴	0.0015 ⁴	--	--
MW-22	ROW		01/06/00	ND	1,410	46.8	105	--	--	--	--	--	--	--	--	--	--	--
MW-22	ROW		01/15/01	ND	2,040	161	254	--	19.2	--	--	--	--	--	--	--	--	--
MW-22	ROW		06/21/01	ND	1,710	64.8	144	--	<50.0	--	--	--	--	--	--	--	--	--
MW-22	ROW		03/18/02	ND	1,920	85.5	242	--	21.3	--	--	--	--	--	--	--	--	--
MW-22	ROW		07/02/02	ND	2,000	84.9	288	--	--	--	--	--	--	--	--	--	--	--
MW-22	ROW		09/03/02	ND	2,020	66.8	312	--	--	--	--	--	--	--	--	--	--	--
MW-22	ROW		12/31/02	ND	2,360	159	385	--	--	--	--	--	--	--	--	--	--	--
MW-22	ROW		06/25/03	ND	1,950	84.4	273	--	--	--	--	--	--	--	--	--	--	--
MW-22	ROW		09/16/03	ND	2,590	189	425	--	<50.0	--	--	--	--	--	--	--	--	--
MW-22	ROW		12/17/03	ND	1,250	52.9	188	--	15.8	--	--	--	--	--	--	--	--	--
MW-22	ROW		12/17/03	ND	1,920	59	207	--	18.5	--	--	--	--	--	--	--	--	--
MW-22	ROW		03/25/04	ND	1,630	35.4	208	--	14.9	--	--	--	--	--	--	--	--	--
MW-22	ROW		03/21/07	ND	840	54.5	117	--	20.8	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	4.15	<1.0
MW-22	ROW		03/25/08	ND	730	31	90	--	5.5	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	3.5	0.12
MW-22	ROW		09/08-09/08	ND	880	46	130	--	14	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.4	<0.050
MW-22	ROW		03/30-31/09	ND	830	37	98	--	7.3	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.6	<0.050
MW-22	ROW		09/10-11/09	ND	1,100	42	130	--	10	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	3.9	0.45
MW-22	ROW		03/15/10	ND	720	25	70	--	5.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	4.8	<0.050
MW-22	ROW		09/15/10	ND	820	50	100	--	6.9	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	5.7	<0.052
MW-22	ROW	"	06/11/14	ND	780	45	67	--	1.3	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	2.5	<0.085
MW-22	ROW		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00
MW-22	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	3.54	<2.00
MW-24	North Yard		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.00	<1.00
MW-24	North Yard	"	06/10/14	ND	<0.5	<0.5	<0.5	--	0.06	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085
MW-24	North Yard		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00
MW-24	North Yard		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.671 J	<2.00
MW-25	South Yard		08/09/99	ND	<1.00	<1.00	<1.00	--	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.42	3.71
MW-25	South Yard		10/19/99	ND	<0.500	<0.500	<0.500	--	<0.023	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079 ⁴	<0.0079	--	--
MW-25	South Yard		01/06/00	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		07/27/00	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--
MW-25	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--
MW-25	South Yard		03/19/02	ND	2.06	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)			
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
					43	48.500	6.910	--	9.880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5	
MW-25	South Yard		07/02/02	ND	28.4	11.5	2.85	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		09/03/02	ND	68.0	0.810	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		10/11/02	ND	61	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		12/31/02	ND	0.557	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		03/26/03	ND	3.20	0.617	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		04/28/03	ND	15.5	1.64	1.56	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		05/30/03	ND	21.8	0.872	2.69	--	--	--	--	--	--	--	--	--	--	--	--
MW-25	South Yard		06/25/03	ND	9.06	0.545	1.33	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-25	South Yard		09/15/03	ND	<0.500	<0.500	<0.500	--	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-25	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	--	1.76	0.064	0.0628	<0.0100	<0.0100	0.0448	<0.0100	0.0608	17.6	<1.0	
MW-25	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	--	<0.100	0.0142	<0.0100	<0.0100	0.0117	0.0151	<0.0100	<0.0100	10.1	<1.0	
MW-25	South Yard		09/22/04	ND	<0.500	<0.500	<0.500	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.97	<1.0	
MW-25	South Yard		03/14/05	ND	<0.500	<0.500	<0.500	--	<0.100	0.014	0.012	0.013	0.0192	0.015	<0.0100	0.010	12.3	<1.0	
MW-25	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	--	<1.00	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	9.81	<1.0	
MW-25	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	--	<5.00	0.0133	0.0111	<0.0100	<0.0100	0.0113	<0.0100	<0.0100	7.23	<1.0	
MW-25	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	--	0.013	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	6.0	0.15	
MW-25	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	--	<1.0	<0.010	<0.010	<0.010	<0.010	0.019	<0.010	<0.010	<0.95	<0.050	
MW-25	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.95	<0.050	
MW-25	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-25	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	--	1.6	0.021	0.022	0.025	0.011	0.025	<0.0096	0.013	<0.95	0.21	
MW-25	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.052	
MW-25	South Yard		09/25/11	ND	<0.2	<0.2	<0.2	--	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	1.60	<0.08	
MW-25	South Yard		10/10/11	ND	--	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MW-25	South Yard		06/21/12	ND	--	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-25	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	
MW-25	South Yard		09/20/12	ND	<0.5	<0.5	<0.5	--	0.054	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-25	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	--	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	2.3	<0.034	
MW-25	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-25	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.90	<0.073	
MW-25	South Yard	"	06/10/14	ND	<0.5	<0.5	<0.5	--	0.047	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.96	<0.085	
MW-25	South Yard	"	11/11/15	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	3.7	<0.13	
MW-25	South Yard	"	04/18/16	ND	<0.5	<0.5	<0.5	--	0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.0	<0.13	
MW-25	South Yard	"	12/07/16	ND	<0.5	<0.5	<0.5	--	<0.030	<0.010	<0.010	0.016	0.013	0.017	<0.010	<0.010	4.1	<0.090	
MW-25	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-25	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MW-25	South Yard	"	12/05/17	ND	<0.5	<0.5	<0.5	--	<0.030	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.4	<0.11	
MW-25	South Yard	"	06/26/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	2.5	<1.1	
MW-25	South Yard	"	11/27/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	5.6	<1.1	
MW-25	South Yard	"	06/21/19	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	
MW-25	South Yard	"	12/17/19	ND	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	4.0	<0.073	
MW-25	South Yard	"	06/10/20	ND	<0.20	<0.20	<0.40	--	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	<0.073	
MW-25	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	1.8 J	<0.073	
MW-25	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.355 J	1.27 J	
MW-25	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<3.35 B	<2.00	
MW-25	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00	
MW-26	South Yard		08/09/99	ND	<1.00	<1.00	<1.00	--	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MW-26	South Yard		10/19/99	ND	<0.500	<0.500	<0.500	--	<0.0099	.0042 ⁴	.0039 ⁴	.0051 ⁴	0.0027 ⁴	0.0044 ⁴	<0.0081 ⁴	0.0033 ⁴	--	--	
MW-26	South Yard		01/06/00	ND	0.621	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		04/12/00	ND	<1.00	<1.00	<1.00	--	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-26	South Yard		06/27/00	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		03/19/02	ND	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		12/31/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		02/27/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		03/26/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)			
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
																			43
MW-26	South Yard		04/28/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		05/30/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--
MW-26	South Yard		09/15/03	ND	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		09/22/04	ND	<0.500	<0.500	<0.500	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	1.05	<1.0	--
MW-26	South Yard		03/14/05	ND	<0.500	<0.500	<0.500	--	<0.100	0.024	0.014	0.015	0.0239	0.019	<0.0100	<0.0100	1.26	<1.0	--
MW-26	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	--	<1.00	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<1.0	<1.0	--
MW-26	South Yard		03/21/07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	--	0.011	<0.0099	0.011	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.70	0.38	--
MW-26	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	<0.050	--
MW-26	South Yard		12/11/08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	--
MW-26	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	--	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	--
MW-26	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	--	1.2	<0.0096	<0.0096	0.043 ⁴	<0.0096 ⁴	<0.0096	<0.0096	<0.0096	<0.95	<0.050	--
MW-26	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	--	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.95	<0.052	--
MW-26	South Yard		09/25/11	ND	<0.2	<0.2	<0.2	--	<1.0	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.95	<0.08	--
MW-26	South Yard		10/10/11	ND	--	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	--
MW-26	South Yard		06/21/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--
MW-26	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	--	<0.030	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	--	<0.030	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		09/26/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--
MW-26	South Yard	DUP	09/26/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--
MW-26	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	0.53	<0.034	--
MW-26	South Yard	DUP, Field Filtered	09/26/12	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.49	0.10	--
MW-26	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--	--
MW-26	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--
MW-26	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.42	<0.073	--
MW-26	South Yard	Field Filtered ¹¹	06/10/14	ND	<0.5	<0.5	<0.5	--	0.068	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	--
MW-26	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	--
MW-26	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	--	0.041	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	--
MW-26	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	--	0.036	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	0.390	--
MW-26	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--
MW-26	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	--
MW-26	South Yard	¹¹	12/06/17	ND	<0.5	<0.5	<0.5	--	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	<0.11	--
MW-26	South Yard	¹¹	06/27/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	--
MW-26	South Yard	¹¹	11/28/18	ND	<0.5	<0.5	<0.5	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	--
MW-26	South Yard	¹¹	12/18/19	ND	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.70	<0.073	--
MW-26	South Yard	¹¹	06/11/20	ND	<0.20	<0.20	<0.40	--	1.000	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	0.80 J	<0.073	--
MW-26	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	<0.073	--	
MW-26	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.382 J	<0.849	--
MW-26	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	--
MW-26	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.350J	<2.00	--
MW-27	North Yard		09/13/99	--	10.8	<0.500	<1.00	--	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	--	--	--
MW-27	North Yard		10/22/99	--	4.44	<0.500	<0.500	--	5.8 ³	0.0041 ⁴	0.0013 ⁴	0.006 ⁴	0.0033 ⁴	0.0042 ⁴	<0.032	<0.032	--	--	--
MW-27	North Yard		01/06/00	--	10.5	<2.50	<2.50	--	--	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		08/11/99	ND	1.810	1.450	884	--	238	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	9.21	6.82	--
MW-28	North Yard		10/21/99	ND	2.890	2.700	1,350	--	180 ³	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082 ⁴	<0.0082	--	--	--
MW-28	North Yard		10/21/99	ND	2.700	2.480	1,280	--	--	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081 ⁴	<0.0081	--	--	--
MW-28	North Yard		01/06/00	ND	1.770	2.090	1,180	--	--	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		07/27/00	ND	1.840	2.420	702	--	356	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		09/29/00	ND	927	902	450	--	--	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		01/15/01	ND	1.970	2,070	635	--	98.8	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		06/21/01	ND	1,950	3,130	1,190	--	272	--	--	--	--	--	--	--	--	--	--
MW-28	North Yard		06/26/03	ND	1,230	615	1,290	--	--	--	--	--	--	--	--	--	--	--	--

Appendix D
Historical Groundwater Analytical Results
 Former Chevron Bulk Plant #1001327
 1602 North Northlake Place
 Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)							Metals (EPA Method 6020) (µg/L)		
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48.500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
MW-28	North Yard		09/15/03	ND	848	175	916	--	272	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		12/15/03	ND	881	474	1,010	--	284	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		03/25/04	ND	712	281	854	--	288	--	--	--	--	--	--	--	--	--	
MW-29	ROW	¹¹	08/12/14	ND	<2.0	<0.2	0.7	--	3.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	7.1	<0.082
MW-29	ROW		01/06/22	ND	<1.00	<1.00	<1.00	--	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-29	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	--	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<2.00	<2.00	
MW-30	ROW	¹¹	08/12/14	ND	<0.2	<0.2	<0.2	--	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.84	<0.082
MW-30	ROW	DUP ¹¹	08/12/14	ND	<0.2	<0.2	<0.2	--	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010		
AGI-2	South Yard		08/10/99	ND	38.8	11.7	1.57	--	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	10.6	1.84
AGI-2	South Yard		10/20/99	ND	20.3	12.1	5.14	--	0.097	.0014 ³	<0.008	0.0019 ⁴	0.0014 ⁴	0.0014 ⁴	<0.008 ⁴	0.0011 ⁴		--	--
AGI-2	South Yard		01/15/01	ND	41.2	17.8	7.44	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		06/21/01	ND	296	<10.0	<10.0	--	<10.0	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		07/26/01	ND	397.0	14.9	16.9	--	<1.00	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		03/18/02	ND	43.2	78.9	17.6	--	1.68	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		03/18/02	ND	40.5	72.8	16.4	--	<2.00	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		05/07/02	ND	6.16	2.24	2.76	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		06/06/02	ND	4.58	1.52	2.04	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		07/02/02	ND	3.60	2.52	2.00	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		09/03/02	ND	3.48	2.59	3.16	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		12/31/02	ND	1.10	1.36	1.34	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		03/26/03	ND	40.3	481	302	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		04/28/03	ND	27.7	351	190	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		05/30/03	ND	19.4	358	200	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		06/25/03	ND	3.34	1.23	7.70	--	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
AGI-2	South Yard		09/15/03	ND	1.01	0.832	1.40	--	<1.00	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		12/15/03	ND	0.688	0.599	0.851	--	<1.00	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		03/26/04	ND	2.06	1.12	1.56	--	<1.00	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		03/21/07	ND	0.78	<0.500	0.58	--	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	0.00994	4.68	<1.0	
AGI-2	South Yard		09/10-11/09	ND	11	3.5	5.8	--	2.1	0.29	<0.097 ⁸	0.18	<0.097 ⁸	0.32	<0.097 ⁸	<0.097 ⁸	6.0	0.18	
AGI-2	South Yard		03/15/10	ND	3.5	0.9	2.0	--	4.9	0.43	0.12	0.23	0.14	0.51	0.027	0.095	4.9	0.053	
AGI-2	South Yard		09/15/10	ND	19.0	6.5	15.0	--	2.4	0.55	0.15	0.2	0.17	0.61	0.03	0.17	7.7	<0.052	
AGI-2	South Yard		06/21/12	ND	--	--	--	--	--	0.011	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	--	--	
AGI-2	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--
AGI-2	South Yard		09/20/12	ND	61.0	12.0	6.2	--	0.86	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
AGI-2	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	12.8	0.073
AGI-2	South Yard	Field Filtered	12/26/12	ND	11	3.6	1.4	--	--	--	--	--	--	--	--	--	--	--	--
AGI-2	South Yard		04/23/13	ND	5.1	1.1	5.9	--	0.63	0.015	<0.010	<0.010	<0.010	0.015	<0.010	<0.010	<0.010	--	--
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	4.2	1.4	3.9	--	0.60	0.015	<0.010	<0.010	<0.010	0.013	<0.010	<0.010	<0.010	--	--
AGI-2	South Yard	Field Filtered	04/23/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.9	<0.073
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	--	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	11.6	<0.047
AGI-2	South Yard	¹¹	06/11/14	ND	9.2	2.5	7.4	--	0.35	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.8	<0.085
AGI-2	South Yard	¹¹	11/11/15	ND	42	10	140	--	20	0.023	<0.010	<0.010	<0.010	0.022	<0.010	<0.010	6.1	0.47	
AGI-2	South Yard	¹¹	04/18/16	ND	1.7	1.0	7.1	--	0.31	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	9.1	<0.13	
AGI-2	South Yard	¹¹	12/07/16	ND	2.1	1.2	6.3	--	0.24	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.4	<0.090	
AGI-2	South Yard		06/21/17	ND	1.9	1.1	11.0	--	0.37	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
AGI-2	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	0.22	0.011	0.012	0.019	<0.011	<0.011	<0.011	<0.011	<0.011	11.7	<0.11
AGI-2	South Yard	¹¹	12/06/17	ND	3.4	2.1	2.9	--	<0.031	<0.010	<0.010	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	11.2	0.16
AGI-2	South Yard	¹¹	06/27/18	ND	1.1	0.5	1.9	--	0.20	<0.01	0.020	0.020	0.020	<0.01	0.020	0.020	8.9	<1.1	
AGI-2	South Yard	¹¹	11/28/18	ND	8.6	<0.5	10	--	<0.03	0.01	0.01	0.01	<0.01	0.02	<0.02	0.01	5.9	11.2	
AGI-2	South Yard	¹¹	06/21/19	ND	2	1.1 J	10	--	0.4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.2	<1.1	
AGI-2	South Yard	¹¹	12/18/19	ND	48	9	12	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	12.4	<0.073	
AGI-2	South Yard	¹¹	06/11/20	ND	1.6	0.49 J	12	--	0.066 J	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	9.5	<0.073	
AGI-2	South Yard		11/10/20	ND	14	4.5	7.2	--	0.36	<0.011	<0.011	<0.011	<0.011	<0.011	<0.021	<0.011	12	0.11 J	
AGI-2	South Yard		06/28/21	ND	0.913 J	<0.278	1.97	--	0.56	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	2	<0.849	
AGI-2	South Yard		01/06/22	ND	1.06	0.615 J	4.99	--	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	10.2 J	2.03	
AGI-2	South Yard		06/24/22	ND	0.73	0.389	8.44	--	0.956	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	9.17	<2.00

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)			
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5	
Site Cleanup Level																			
Quality Control Samples																			
Trip Blank	NA		08/09/99	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		08/10/99	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		08/11/99	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		10/20/99	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		01/07/00	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		06/28/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		09/29/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		01/15/01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		06/21/01	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/18/02	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/19/02	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		04/03/02	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		09/03/02	--	<0.500	<0.500	1.09	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		12/31/02	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		06/26/03	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		09/15/03	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		12/15/03	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/25/04	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		09/23/04	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/14/05	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/29/06	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/21/07	--	<0.500	<0.500	<0.500	--	<5.00	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA		03/25/08	--	<0.5	<0.5	<0.5	--	<1.0	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		08/20/99	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/22/99	--	--	--	1.1	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/22/99	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		06/21/01	--	<1.00	<1.00	2.49	--	1.88	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		06/27/01	--	<1.00	<1.00	1.79	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		07/26/01	--	1.22	<1.00	4.26	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/19/02	--	<1.00	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		09/03/02	--	0.857	<0.500	3.84	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		12/31/02	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		09/17/03	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		12/17/03	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/26/04	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		09/23/04	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/14/05	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/29/06	--	<0.500	<0.500	<0.500	--	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/21/07	--	<0.500	<0.500	<0.500	--	<5.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		03/25/08	--	<0.5	<0.5	<0.5	--	<1.0	--	--	--	--	--	--	--	--	--	--
Field Blank	NA		09/08-09/08	--	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		03/30-31/09	--	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		09/10-11/09	--	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	--	--	--

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	VOCs (EPA Method 8020 or 8021B) (µg/L)					cPAHs (EPA Method 8270) (µg/L)						Metals (EPA Method 6020) (µg/L)		
					Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
Site Cleanup Level					43	48,500	6,910	--	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982	5
QA	NA		03/15/10	--	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	--	--
QA	NA		09/15/10	--	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	--	--
QA	NA		09/24/11	--	<0.2	<0.2	<0.2	<0.6	--	--	--	--	--	--	--	--	--	--
QA	NA		11/16/11	--	<0.2	<0.2	<0.2	<0.6	--	--	--	--	--	--	--	--	--	--
QA	NA		06/10/14	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		11/11/15	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		04/18/16	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		12/07/16	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		06/21/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		12/05/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		06/26/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		11/27/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		06/21/19	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--
QA	NA		12/18/19	--	<0.2	<0.2	<0.4	--	--	--	--	--	--	--	--	--	--	--
QA	NA		06/10/20	--	<0.2	<0.2	<0.4	--	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.70	<0.073
QA	NA		11/10/20	--	<0.20	<0.20	<0.40	--	--	--	--	--	--	--	--	--	--	--

- Notes:**
- ¹Monitoring well locations are shown in Figure 2.
 - ²LNAPL = light nonaqueous phase liquid.
 - ³Laboratory report indicates concentration exceeds the instrument calibration range.
 - ⁴Laboratory report indicates estimated value.
 - ⁵Laboratory report indicates the reporting limits were raised because sample dilution was necessary to bring internal standard within QC limits
 - ⁶Laboratory report indicates the surrogate data is outside the QC limits due to irresolvable matrix problems evident in the sample chromatogram.
 - ⁷Laboratory report indicates due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
 - ⁸Laboratory report indicates due to the sample matrix an initial dilution was necessary to perform the analysis. Therefore, the reporting limits for the GC/MS semivolatle compounds were raised.
 - ⁹Laboratory report indicates due to the presence of interferents near their retention time, normal reporting limits were not attained for benzene and toluene. The presence or concentrations of these compounds cannot be determined below the reporting limits due to the presence of these interferents.
 - ¹⁰Laboratory report indicates Benzo (b) fluoranthene and benzo (k) fluoranthene were not resolved under the sample analysis conditions. The result reported for benzo (b) fluoranthene represents the combined total of both isomers
 - ¹¹ cPAHs, arsenic and lead samples were filtered in the field using a disposable 0.45 micron filter
- µg/L = micrograms per liter
< = not detected below value
Shaded concentrations are greater than corresponding Site Cleanup Level.
Bolded data are for the current reporting period.
Sheen = sheen observed in water
Naphthalene = actual naphthalene quantity
MTCA = Model Toxics Control Act
DUP = Duplicate sample
Grey well: well no longer present



Arcadis U.S., Inc.

1100 Olive Way

Suite 800

Seattle, Washington 98101

Tel 206 325 5254

Fax 206 325 8218

www.arcadis.com