



**REPORT**

# QUARTERLY MONITORING REPORT SECOND QUARTER 2022 RESERVE SILICA RECLAMATION SITE

*Ecology Facility Site No. 2041/Cleanup Site No 4728  
28131 Ravensdale-Black Diamond Road  
Ravensdale, Washington 98051*

Submitted to:

**Mr. Alan Noell and Mr. Tim O'Connor, Washington State Department of Ecology**  
Northwest Regional Office  
15700 Dayton Ave. N.  
Shoreline WA 98133

Submitted by:

**Golder Associates USA Inc.**  
18300 NE Union Hill Road, Suite 200  
Redmond, Washington, USA 98052  
+1 425 883-0777

GL152030402.004

January 20, 2023

## Distribution List

Electronic Only:

Alan L. Noell, Ecology

Tim O'Connor, Ecology

Chris Martin, Ecology

Yolanda Pon, Public Health - Seattle & King County

Jerome Cruz, Public Health - Seattle & King County

Randy Sandin, King County DPER

Fred White, Reserve Silica

Frank Melfi, Reserve Silica

Frank Melfi Jr, Reserve Silica

Keith Dearborn, Reserve Silica

Marisa Floyd, Reserve Silica

Douglas Steding, Northwest Resource Law PLLC

Carla Brock, Aspect

Dave Cook, Aspect

Travis Weide, Holcim

Greg Jacoby, McGavick Graves P.S.

Paula Jantzen, Ryan Whaley

Matt Wells, Tupper Mack Wells PLLC

# Table of Contents

<b>1.0 INTRODUCTION .....</b>	<b>1</b>
<b>2.0 BACKGROUND .....</b>	<b>1</b>
2.1 Site Background .....	1
2.1.1 Lower Disposal Area Background.....	1
2.1.2 Dale Strip Pit Background .....	1
2.2 Mitigation Activities.....	2
2.2.1 LDA Cover Upgrade.....	2
2.2.2 LDA Seep Collection System Test Trenches.....	2
2.2.3 LDA Seep Collection Ditch and Seepage Treatment System .....	2
2.2.4 LDA Interceptor Trench.....	2
2.2.5 DSP Cover Upgrade .....	3
<b>3.0 MONITORING PROGRAM .....</b>	<b>3</b>
3.1 LDA Sampling Locations .....	3
3.2 DSP Sampling Locations .....	4
3.3 LDA Interceptor Trench .....	4
<b>4.0 SAMPLING ACTIVITIES.....</b>	<b>4</b>
4.1 Procedures .....	4
4.1.1 Water Level and Field Parameter Measurements .....	4
4.1.2 Laboratory Analysis .....	5
4.1.3 LDA Groundwater Sampling .....	5
4.1.4 LDA Surface Water Sampling .....	6
4.1.5 LDA Interceptor Trench Sampling.....	7
<b>5.0 RESULTS.....</b>	<b>7</b>
<b>6.0 OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM.....</b>	<b>7</b>
<b>7.0 LIMITATIONS.....</b>	<b>8</b>
<b>8.0 REFERENCES .....</b>	<b>9</b>

**TABLES**

- Table 1: Second Quarter 2022 Water Level Measurements  
Table 2: Second Quarter 2022 Field Parameters and Analytical Data  
Table 3: Interceptor Trench Discharge Monitoring  
Table 4: Second Quarter 2022 Treatment System Metals Monitoring

**FIGURES**

- Figure 1: Site Location Map  
Figure 2: Site Plan  
Figure 3A: DSP Bedrock Groundwater Elevations  
Figure 3B: LDA Bedrock Groundwater Elevations  
Figure 3C: Alluvial/Shallow Groundwater Elevations

**APPENDICES****APPENDIX A**  
Summary Data Tables for Individual Wells and Monitoring Locations**APPENDIX A-1**  
Summary of Lower Disposal Area – Surface Water Sampling Results**Appendix A-2**  
Summary of Lower Disposal Area – Shallow/Alluvial Groundwater Sampling Results**APPENDIX A-3**  
Summary of Lower Disposal Area – Bedrock Groundwater Sampling Results**APPENDIX A-4**  
Summary of Dale Strip Pit – Bedrock Groundwater Sampling Results**APPENDIX A-5**  
Summary of Lower Disposal Area – Disposal Area Groundwater Sampling Results**APPENDIX B**  
LDA Shallow/Alluvial Monitoring Wells Data Graphs**APPENDIX C**  
Data Validation Report and Laboratory Analytical Results**Appendix D**  
Sample Integrity Data Sheets

## 1.0 INTRODUCTION

This report, prepared by Golder Associates USA Inc. (Golder) for Holcim (US) Inc., presents the results of surface water and groundwater monitoring conducted at the Reserve Silica Reclamation Site (Site) during the second quarter of 2022. The Site is located at 28131 Ravensdale-Black Diamond Road in Ravensdale, Washington. Figure 1 shows the Site location.

A Model Toxics Control Act (MTCA) Remedial Investigation/Feasibility Study (RI/FS) is being conducted at the Site under Agreed Order (AO) No. DE 16052. An RI Work Plan (Work Plan), supporting Sampling and Analysis Plan (SAP), and Quality Assurance Project Plan (QAPP) (Golder 2021) describe the RI monitoring requirements and sampling procedures. Quarterly groundwater monitoring at the Site is currently being conducted in accordance with the Work Plan and supporting documents. Historical groundwater and surface water monitoring activities at the Site were conducted under the requirements of Post-Closure Care and Maintenance Permits issued by Public Health – Seattle and King County (Public Health). The Second quarter monitoring event was conducted in June 2022.

## 2.0 BACKGROUND

### 2.1 Site Background

The following is a brief description of the historical mining and reclamation activities that occurred at the Site and includes a discussion of the quarterly monitoring program.

#### 2.1.1 Lower Disposal Area Background

The Lower Disposal Area (LDA) is a former open pit sand mine that was reclaimed by placing cement kiln dust (CKD) and other material into the mine excavation from June 1979 to October 1982. The LDA was filled with approximately 175,000 tons of CKD. Records indicate that a cap consisting of clay and up to 7 feet of overburden material from sand mining operations was placed over the CKD.

Historically, high pH seepage surfaced along the slope west of the LDA. The outbreaks are primarily located along the northern half of the western boundary of the LDA and records as early as 1987 indicate a leachate collection system was implemented for the LDA seepage. The leachate drained through low-lying, marshy areas and commingled with stormwater before flowing to the three infiltration ponds (the Infiltration Ponds as shown in Figure 2) near the Ravensdale-Black Diamond Road (ARCADIS 2004). In 2013 a new seepage collection ditch was installed to intercept and collect the seepage (see Section 2.2.3 of this report), which then flowed inside a pipe to the infiltration ponds. In 2018, a water treatment system was constructed, and the high pH water captured by the collection ditch is currently piped to the on-site treatment area for pH neutralization and dissolved metals removal. The treated water discharges from the treatment system to the infiltration ponds.

#### 2.1.2 Dale Strip Pit Background

The Dale Strip Pit (DSP) was created to mine the Dale No. 4 coal seam from the surface starting in 1946. Prior to 1946, the coal seam was worked from an underground mine. The underground mining chutes were driven upward to the surface to provide ventilation and allow the transportation of timbers into the mine. Construction of the mine allowed groundwater to drain by gravity to the mine portal (Portal). The Portal has since collapsed, and now a pipe in the collapsed Portal allows water to continuously drain from the mine under an Ecology Sand and Gravel General Permit (Ecology 2005) with monitoring as described below. The Portal is located north of the LDA on the east side of the main haul road.

The DSP was approximately 1,800 feet long (north to south), averaged 140 feet wide (east to west), and averaged 40 feet deep. It was filled in the 1970s and 1980s with approximately 250,000 cubic yards of material including CKD, borrow, and other materials pursuant to a permit from Public Health. It is estimated that about one-third of the DSP was filled with CKD (ARCADIS 2004).

## **2.2 Mitigation Activities**

### **2.2.1 LDA Cover Upgrade**

During September and October 2007, the existing soil cover on the LDA was regraded to provide positive drainage at all locations, reduce overly-steep slope areas, and place a minimum 2-foot-thick clean soil cover over the entire area, including locations where CKD was exposed at the surface. The construction activities are described in the Construction Summary Report (Golder 2008a).

### **2.2.2 LDA Seep Collection System Test Trenches**

During September and October 2008, test trenches for collecting high pH seepage were constructed (Golder 2008b). The purpose of this test system was to evaluate the feasibility of using a more extensive trench system to collect high pH seepage that would otherwise discharge at the ground surface adjacent to the LDA. Details of the test trench construction are presented in the Construction Summary Report (Golder 2009a).

Between October 2008 and September 2009, Golder monitored seepage flow rates from each of the two test trenches and the pipeline discharge once per month, on average. A summary of activities and results of this monitoring program is presented in the flow monitoring report (Golder 2009b).

### **2.2.3 LDA Seep Collection Ditch and Seepage Treatment System**

In February 2013, a surface water collection ditch and concrete catch basin were constructed on the bench below the main access road on the west side of the LDA. This system was installed to capture leachate seeps emerging from the bank along the east side of the bench (west of the main access road) and direct them into the existing pipeline that carries flow from the test trenches to the infiltration ponds. In April 2015, the 4-inch-diameter pipeline from the catch basin to the infiltration ponds, approximately 1,000 feet in length, was replaced with a 12-inch-diameter pipeline to alleviate plugging issues.

In December 2017, the seepage collection trench was further extended approximately 100 feet to the north to collect additional seepage that was not previously captured. Seepage water was then redirected into a seepage treatment system, which completed construction and started initial operations on September 28, 2018. The treatment system uses carbon dioxide (CO<sub>2</sub>) sparging to neutralize pH levels and arsenic and lead adsorption using an iron-based adsorption media.

During the initial year of operation, the system operated intermittently, with system shut-downs occurring as various upgrades and modifications were completed to increase the long-term operational efficiency of the treatment system. The system began continuous operating in June 2019, with only minor shutdowns occurring to complete routine maintenance.

### **2.2.4 LDA Interceptor Trench**

In September 2013, a gravel-filled interceptor trench that included a perforated drainpipe and vertical downgradient liner was installed south of the LDA to intercept clean groundwater moving in a northerly direction prior to encountering the CDK in the LDA.

## 2.2.5 DSP Cover Upgrade

Cover upgrade activities began at the DSP in November 2010 and were completed in July 2011. Cover upgrade activities included stripping surficial vegetation and topsoil, regrading the existing surface to establish positive drainage, placing low permeability soil to provide a minimum 2-foot-thick layer at all locations, filling the existing ditch along the northeast side of the DSP, replacing topsoil, and revegetating the cover surface.

# 3.0 MONITORING PROGRAM

The purpose of the quarterly monitoring activities is to assess the groundwater and surface water conditions with respect to potential impact from the CKD placed in the LDA and the DSP. Prior to the start of the RI, quarterly monitoring and reporting activities were conducted under requirements of Post-Closure Care and Maintenance Permits issued by Public Health. The current RI groundwater and surface water requirements are detailed within the Work Plan (Golder 2021).

## 3.1 LDA Sampling Locations

The LDA groundwater and surface water sampling locations are shown in Figure 2. Monitoring well construction details are provided in Table 1. Shallow/alluvial monitoring wells were installed near the LDA in July 2005 and are monitored to assess the shallow/alluvial groundwater conditions with respect to potential impact from the CKD. Four of the wells (MW-1A, MW-2A, MW-5A, and MW-6A) are located around the infiltration ponds. MW-3A is located west of the high pH seepage area. MW-4A, a background well, is located south of, and upgradient with respect to groundwater flow and surface water drainage, the high pH seepage area. P-14 was installed in November 2020 in the center of the LDA and is screened within CKD and other fill material disposed in the LDA. Groundwater samples collected from P-14 provide data on chemical composition of water in an area where saturated CKD is present. The monitoring well naming convention of assigning either the prefix MW (for monitoring well) or P (for piezometer) differentiates wells that are historically associated with or will likely be associated with the closed landfill permit required monitoring (prefix MW- or MWB- for bedrock wells), from groundwater wells that were installed for site investigation purposes (P-wells). MW and P groundwater wells are constructed similarly, and groundwater sampling of these wells follow the procedures approved in the Work Plan, thus, data collected from MW or P wells are equivalent in the representativeness.

As part of the RI, during September 2021, the following groundwater monitoring wells were also installed to evaluate groundwater quality in and downgradient of the LDA:

- MW-7A and MW-8A were installed west and southwest of the infiltration ponds to evaluate groundwater gradients and groundwater quality.
- MW-9A and MW-10A are located west of the high pH seepage area and the South Pond, near the western property boundary to evaluate groundwater gradients and groundwater quality.
- P-15 was installed in the LDA and, similar to P-14, is also screened within CKD and other fill material disposed in the LDA. Groundwater samples collected from P-15 provide data on chemical composition of water just before the groundwater flows across the Lower Haul Road to daylight as seeps west of the LDA.
- P-16 was installed just west (downgradient) of the high pH seepage area and east (upgradient) of the South Pond.
- P-17 was installed per Ecology's request during their Site visit in September 2021 and is located southwest of the LDA.

The LDA surface water sampling locations evaluate the high pH seepage that occurs west of the LDA:

- The Still Well is a 2-inch-diameter flush-mount well located within the high pH seepage zone west of the LDA.
- The South Pond is a closed depression located west of the high pH seepage area.
- The Weir is located north of the access road to MW-3A immediately below the discharge point from the wetlands. If no flow is observed at the Weir, the constructed wetlands upstream are the alternative sampling location.
- The Infiltration Ponds are located at the north end of the Site near Ravensdale-Black Diamond Road and receive treated water from the on-Site seepage treatment system. The surface sample is collected from the southwest area of the infiltration ponds.

In 2006, bedrock monitoring wells were installed along the west side of the main access road, west of the LDA. The bedrock wells were installed to assess groundwater conditions in the bedrock immediately downgradient of the LDA. MWB-1LDA is located near the northern tip of the LDA, MWB-2LDA is located near the center of the LDA, and MWB-3 LDA is located near the southern end of the LDA. In accordance with the Work Plan, field parameters are monitored in the LDA bedrock monitoring wells semi-annually, and the wells are sampled annually. The second quarter monitoring event did not include sampling or measurement of field parameters in the LDA bedrock wells.

## 3.2 DSP Sampling Locations

The DSP groundwater monitoring locations are shown in Figure 2. The DSP bedrock groundwater monitoring program includes four wells in the DSP area (MWB-1SDSP, MWB-1DDSP, MWB-5DSP, and MWB-6DSP), which evaluate groundwater quality beneath, upgradient, and downgradient of the DSP. Field parameters of groundwater discharging from the Portal are monitored semi-annually, and the Portal is sampled annually. The Portal was originally constructed to drain water from the Dale Strip Coal mine. In accordance with the Work Plan, field parameters are monitored in the LDA bedrock monitoring wells semi-annually, and the wells are sampled annually. There are two additional monitoring wells (MWB-2DSP and MWB-4SDSP) near the DSP area that are monitored semi-annually for water levels and field parameters only.

## 3.3 LDA Interceptor Trench

The purpose of the Interceptor Trench is to intercept clean shallow groundwater and direct the water away from the LDA before the water enters the LDA. Monitoring is performed at the Interceptor Trench outfall for flow, pH, turbidity, and total dissolved solids. The purpose of the monitoring is to ensure that the trench is not collecting impacted groundwater.

# 4.0 SAMPLING ACTIVITIES

The following section summarizes the activities associated with the current monitoring event.

## 4.1 Procedures

### 4.1.1 Water Level and Field Parameter Measurements

Depth to water measurements were collected from all monitoring wells at the Site on June 21, 2022. Table 1 presents depth to water measurements and elevations. Groundwater elevation contour maps are provided in Figures 3A-C.

Field parameters for groundwater and surface water were measured as part of the sampling activities described in the following sections. These measurements were performed with the following equipment:

- YSI ProDSS multimeter with pH, ORP (oxidation-reduction potential), conductivity, dissolved oxygen, and temperature probes
- Hach 2100P Turbidimeter

#### 4.1.2 Laboratory Analysis

Laboratory analyses were performed on samples collected from the various locations described in the following sections. Although the analytic parameters varied between the types of samples, the following elements are common to all the sampling and analysis activities:

- The collected samples were transported to the laboratory within appropriate sample hold times following chain-of-custody protocols.
- The testing was performed by Analytical Resources, Inc. (ARI) of Tukwila, Washington.
- All samples were tested for the following parameters using the methods indicated:

Antimony	EPA Method 200.8
Arsenic	EPA Method 200.8
Lead	EPA Method 200.8
Potassium	EPA Method 6010D
Vanadium	EPA Method 200.8
Total Dissolved Solids (TDS)	SM 2540 C

- Interceptor Trench samples are tested for the following parameters using the method indicated:

pH	Field Measurement
TDS	SM 2540 C
Turbidity	Field Measurement

- Summaries of historical analytic data for the various sampling locations are presented in Appendix A. The data validation report and the laboratory analytical data packages are provided in Appendix C. Sampling Integrity Data Sheets (SIDS) are provided in Appendix D.

#### 4.1.3 LDA Groundwater Sampling

During the period of June 21 to 23, 2022, Golder sampled groundwater from shallow/alluvial groundwater monitoring wells outside of the LDA (MW-1A, MW-2A, MW-3A, MW-4A, MW-5A, MW-6A, MW-7A, MW-8A, MW-9A, MW-10, P-16, P-17), from two well installed within the LDA (P-14 and P-15).

The following methods and procedures were used to collect groundwater samples:

- Depth to groundwater was measured in the wells prior to purging and sampling.
- Using a dedicated bladder pump or dedicated tubing connected to a peristaltic pump (if groundwater elevation allowed), water from wells MW-1A, MW-2A, MW-3A, MW-4A, MW-5A, MW-6A, MW-7A, MW-8A,

MW-9A, MW-10, P-16, P-17, P-14, and P-15 was purged at a rate between approximately 200 and 500 milliliters (mL) per minute.

- Using the dedicated bladder pump installed in wells MWB-1LDA, MWB-2LDA, and MWB-3LDA, water was purged at a rate of approximately 300 to 400 mL per minute.
- Field parameters of pH, conductivity, temperature, DO, ORP, and turbidity were measured and recorded during purging at approximately five-minute intervals until parameters were stable.
- Once the field parameters stabilized, the purging phase of the process was concluded. Groundwater samples were then collected directly from the dedicated sample tubing.
- For quality control purposes, a duplicate sample was collected from MW-2A (labeled as MW-45A).
- Laboratory-provided containers were used to collect the samples. For each groundwater sample, two 500-mL bottles preserved with nitric acid and one 1-Liter (L) unpreserved bottle were collected. The samples were then labeled and placed in a cooler with ice.

All groundwater and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

#### **4.1.4 LDA Surface Water Sampling**

On June 21 and 23, 2022, Golder monitored surface water from the Still Well, Weir, South Pond, and the Infiltration Ponds sampling locations. The Wier and South Pond were both dry, preventing collection of samples during this monitoring period. The following methods and procedures were used to collect surface water samples:

- Field parameters of pH, conductivity, temperature, DO, ORP, and turbidity were measured and recorded. These parameters were measured and recorded at each of the surface water locations at the time of sample collection.
- Grab surface water samples were collected using dedicated sample tubing connected to a peristaltic pump.
- For quality control purposes, a duplicate sample was collected from the Infiltration Ponds (labeled as MW-35A).
- Laboratory-provided containers were used to collect the surface water samples. For each surface water sample, two 500-mL bottles preserved with nitric acid and one unpreserved 1-L bottle were collected. The samples were labeled and placed in a cooler with ice.
- The pH of some LDA surface water sampling locations is occasionally greater than 10. Sampling protocol requires that the preserved samples for dissolved metals analysis have a pH of less than 2 upon receipt at the laboratory. To meet this requirement, the pH of the LDA surface water samples collected for metals analysis were checked at the time of sample collection using pH test paper strips. If the pH was higher than 2, additional nitric acid (provided by the laboratory) was added until the pH of the sample was less than 2.

All surface water and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

#### 4.1.5 LDA Interceptor Trench Sampling

On June 2, 2022, Golder sampled groundwater from the Interceptor Trench outfall. The following methods and procedures were used to collect the sample:

- Field pH, turbidity, and the flow rate at the Interceptor Trench outfall were measured and recorded.
- Grab water samples were collected from the Interceptor Trench by placing the sample bottles under the flow of water.
- Laboratory-provided containers were used to collect the sample for TDS lab analysis. One 1-L unpreserved bottle was collected. The sample was then labeled and placed in a cooler with ice.

The Interceptor Trench sample was analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

### 5.0 RESULTS

Analytical results from the June 2022 monitoring round are presented in Table 2. Table 3 presents the current and a historical summary of the Interceptor Trench monitoring data. Historical summary tables of analytical results at each sampling location are provided in Appendix A and concentrations trend graphs for key parameters are provided in Appendix B. All analytical data were subject to a data validation review. Data validation was conducted in accordance with the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (EPA 2020), the SAP, and the QAPP (Golder 2021). Data reporting qualifiers are included with the analytical results in Appendix A. The data validation review found that all the data were considered valid and usable. The data validation and raw analytical data packages provided by the laboratory are provided in Appendix C. Data collected during this sampling round will be combined with all RI data to complete the evaluations and requirements of the RI/FS.

### 6.0 OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM

The leachate treatment system began operating in September 2018. The system operated intermittently from December 2018 to May 2019 as the system upgrades were completed during that time, which included various upgrades and modifications to improve the system's long-term operating efficiency. The system began continuous operations in June 2019, with minor shutdowns occurring to complete routine maintenance and continued minor modifications to improve long-term operating efficiency.

The treatment system includes a 4,200-gallon mixing tank (steel rectangular box shaped tank) that receives the influent water coming from the seepage collection ditch and piping. Water from the tank constantly flows through the carbon dioxide ( $\text{CO}_2$ ) sparge unit, which continuously monitors the water pH and activates  $\text{CO}_2$  sparging when the water pH exceeds 8.3.  $\text{CO}_2$  sparging continues until the pH reduces to 7.5. The sparged water is pumped back into the mixing tank to maintain the neutralized water within the tank. The influent flow, pumping from the tank and through the  $\text{CO}_2$  sparge unit, and discharge from the sparge unit back into the tank are all specifically located in different areas of the mixing tank to provide a constant circulation effectively providing pH neutralization throughout the tank. The mixing tank contains a float switch activated discharge pump that activates when the water reaches a set height within the tank and turns the pump off when the water is lowered to the desired height. Neutralized water pumped from the tank is discharged through filters and an iron-based adsorption media to remove arsenic, prior to discharge of the water to the Infiltration Ponds.

The continuous pH monitoring system is connected to telemetry that sends pH readings and alerts to Golder engineer's cell phones if readings outside of the set ranges occur allowing for response and troubleshooting. Routine inspections of the treatment system are conducted approximately once every two weeks. The inspections include routine maintenance activities such as cleaning scale off pump parts, hoses, and probes to sustain continued operations of the treatment system. The treatment system has been effective in reducing the pH of the seepage water to below 8 standard units and reducing metals concentrations before discharge to the infiltration ponds. Typical maintenance down time of less than 1 day occasionally occurs. Optimization of the metals adsorption system continues, as calcium carbonate clogging of the adsorption system frequently arises. Table 4 provides the 2022 Second quarter laboratory analytical data before it enters the pH treatment tank, pre-iron-based adsorption media, and post-iron-based adsorption media showing the reduction in lead and arsenic concentrations. The laboratory analytical report is provided in Appendix C.

The treatment system has been effective in reducing the impacts to groundwater in the immediate vicinity of the infiltration ponds that were historically observed in groundwater monitoring wells MW-5A and MW-6A. Additional modifications and improvements are anticipated to occur to the treatment system during the MTCA cleanup process to improve system performance, efficiency, and achieve Site-specific cleanup standards that are protective of human health and the environment.

## **7.0 LIMITATIONS**

Golder prepared this report for the exclusive use of Holcim (US) Inc. and their authorized agents. It may also be submitted to regulatory agencies.

Within the limitations of scope, schedule and budget, our services have been executed in accordance with generally accepted environmental science practices in this area at the time this report was prepared. No warranty or other conditions, express or implied, should be understood. This report was prepared, in part, based on previous investigations and data collected by others. Golder Associates USA Inc. is not responsible for any data that were inaccurately reported by others and reproduced here.

[https://golderassociates.sharepoint.com/sites/11287g/groundwater monitoring/golder reports/2022 year/2022-q2/revised final/1520304-r-rev1-ravensdale 2022 q2 monitoring-012023.docx](https://golderassociates.sharepoint.com/sites/11287g/groundwater%20monitoring/golder%20reports/2022%20year/2022-q2/revised%20final/1520304-r-rev1-ravensdale%2022%20q2%20monitoring-012023.docx)

## 8.0 REFERENCES

- ARCADIS (U.S.) Inc. (ARCADIS). 2004. Lower Disposal Area and Dale Strip Pit Conceptual Design Plan, Reserve Silica Property, 28131 Black Diamond-Ravensdale Road, Ravensdale, Washington. April 28.
- Golder Associates Inc. (Golder). 2008a. Construction Summary Report, Lower Disposal Area Cover Upgrade, Reserve Silica Site, Reserve Silica Site, Ravensdale, Washington, July 25.
- Golder. 2008b. Draft Workplan for Seep Collection Test Trenches, Lower Disposal Area, Reserve Silica Site, Ravensdale, Washington. August 4.
- Golder. 2009a. Construction Summary Report, Seep Collection System Test Trenches, Reserve Silica Site, Ravensdale, Washington. March 6.
- Golder. 2009b. Flow Monitoring Seep Collection System Test Trenches, Reserve Silica Site, Lower Disposal Area, Ravensdale, Washington. December.
- Golder. 2021. Remedial Investigation/Feasibility Study Work Plan, Reserve Silica Reclamation Site, Ravensdale, Washington. July 22.
- Washington State Department of Ecology (Ecology). 2005. Sand and Gravel General Permit. Limit for Discharge to Ground Water. January 5.
- USEPA (EPA). 2020. National Functional Guidelines for Inorganic Superfund Data Review. Office of Superfund Remediation and Technology Innovation. OLEM 9240.1-66, EPA 542-R-20-006. November.

## Tables

**Table 1: Second Quarter 2022 Water Level Measurements**

Sample Area	Sample Location ID	Date Measured	Well Data				Water Levels		
			Total Well Depth (feet bgs)	Screened Interval (feet bgs)	Bentonite Seal (feet bgs)	Casing Diameter (inches)	TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)
LDA - Shallow/Alluvial Groundwater	MW-1A	6/21/2022	44	28-43	2-26	2	613.44	27.91	585.53
	MW-2A	6/21/2022	40	25-40	2-23	2	607.21	21.76	585.45
	MW-3A	6/21/2022	20	4-20	2-4	2	689.11	5.21	683.90
	MW-4A	6/21/2022	20	5-20	2-4	2	705.45	3.83	701.62
	MW-5A	6/21/2022	40	25-40	2-23	2	611.23	25.74	585.49
	MW-6A	6/21/2022	39	24-39	2-22	2	608.95	23.49	585.46
	MW-7A	6/21/2022	20	10-20	2-7	2	592.69	7.45	585.24
	MW-8A	6/21/2022	26	16-26	2-13	2	601.49	16.40	585.09
	MW-9A	6/21/2022	13	8-13	2-5	2	697.29	2.38	694.91
	MW-10A	6/21/2022	29	9-29	2-6	2	698.02	5.89	692.13
	P-16	6/21/2022	10	5-10	1-3	2	702.87	2.71	700.16
	P-17	6/21/2022	13	8-13	2-5	2	720.32	6.87	713.45
Within LDA - Groundwater	P-14	6/21/2022	52	40-50	3-38	2	773.32	28.65	744.67
	P-15	6/21/2022	34	24-34	2-20	2	756.55	18.39	738.16
LDA - Bedrock Groundwater	MWB-1LDA	6/21/2022	135	115-135	2-105	2	704.68	21.58	683.10
	MWB-2LDA	6/21/2022	125	110-125	2-103	2	741.66	34.70	706.96
	MWB-3LDA	6/21/2022	145	125-145	2-115	2	744.19	0.54	743.65
DSP - Bedrock Groundwater	MWB-1SDSP	6/21/2022	160	150-160	138-148	2	936.29	35.46	900.83
	MWB-1DDSP	6/21/2022	265	255-265	243-253	2	935.37	49.68	885.69
	MWB-2DSP	6/21/2022	258	238-258	-	2	934.82	191.33	743.49
	MWB-4SDSP	6/21/2022	43	32-42.8	-	2	932.41	17.95	914.46
	MWB-5DSP	6/21/2022	83	73-83	2-61	2	935.05	17.25	917.80
	MWB-6DSP	6/21/2022	195	120-195	2-108	2	920.65	21.51	899.14

- Not measured or not available  
 feet bgs Feet below ground surface  
 feet bmp Feet below measuring point  
 feet NAVD88 Feet in NAVD88 datum  
 TOC Top of casing

**Table 2: Second Quarter 2022 Field Parameters and Analytical Data**

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)				
			TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total
	Preliminary Cleanup Level <sup>a</sup>		-	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	-	2.1	140
LDA - Shallow/Alluvial Groundwater	MW-1A	6/23/2022	613.44	27.91	585.53	9.8	356.4	7.21	152.8	2.55	6.93	281	1.08	1.04	16500	0.1 U	0.86
	MW-2A	6/23/2022	607.21	21.76	585.45	9.5	442.6	6.06	158.8	1.49	7.10	369	1.94	1.5	37500	0.1 U	1.15
	MW-2A Duplicate (MW-45A)	6/23/2022	-	-	-	-	-	-	-	-	-	349	2.02	1.47	37300	0.1 U	1.13
	MW-3A	6/21/2022	689.11	5.21	683.90	11.2	439	0.19	181.3	0.66	7.03	368	0.966	3.66	75400	0.075 J	0.39
	MW-4A	6/22/2022	705.45	3.83	701.62	10.1	327.8	1.36	114.5	0.46	6.36	263	0.2 U	0.201	666	0.1 U	1.16
	MW-5A	6/23/2022	611.23	25.74	585.49	9.6	969	3.54	173.1	1.13	7.38	881	5.49	3.29	251000	0.093 J	1.82
	MW-6A	6/23/2022	608.95	23.49	585.46	11.2	916	3.74	163.1	0.76	7.66	836	7.00	2.09	265000	0.073 J	0.977
	MW-7A	6/22/2022	592.69	7.45	585.24	12	541	1.88	107.5	0.47	7.21	387	2.91	1.78	65500	0.1 U	1.19
	MW-8A	6/22/2022	601.49	16.4	585.09	9.4	773	2.99	96.1	0.94	7.22	699	5.17	8.13	197000	0.1 U	4.73
	MW-9A	6/22/2022	697.29	2.38	694.91	10.5	485.8	4.42	72.8	0.85	6.89	399	0.244	0.656	2130	0.052 J	0.916
	MW-10A	6/21/2022	698.02	5.89	692.13	11.5	115	7.92	191.1	4.48	6.80	116	0.2 U	0.764	1150	0.081 J	1.02
Within LDA - Groundwater	P-16	6/22/2022	702.87	2.71	700.16	11.6	2,757	0.04	-105.8	27.4	12.19	2200	9.62	124	713000	17.1	285
	P-17	6/22/2022	720.32	6.87	713.45	11.7	586	0.26	-57.6	2.87	6.44	398	0.68	6.73	3560	0.2 U	2.99
LDA - Bedrock Groundwater <sup>b</sup>	P-14	6/23/2022	773.32	28.65	744.67	13.5	18,219	0.05	-88.6	2.04	12.93	6160	130	238	2250000	6.56	21.9
	P-15	6/22/2022	756.55	18.39	738.16	13.0	10,563	0.14	-71	2.19	12.95	3300	2.22	5.37	924000	100	1.14
LDA - Bedrock Groundwater <sup>b</sup>	MWB-1LDA	6/21/2022	704.68	21.58	683.10	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-2LDA	6/21/2022	741.66	34.7	706.96	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-3LDA	6/21/2022	744.19	0.54	743.65	-	-	-	-	-	-	-	-	-	-	-	-

**Table 2: Second Quarter 2022 Field Parameters and Analytical Data**

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)				
			TOC Elevation (feet NAVD88)	Depth to Water (feet b toc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total
LDA- Surface Water	South Pond	6/21/2022	-	-	-	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	Still Well	6/21/2022	-	-	-	15.4	5090	2.53	156.3	3.4	11.96	2180	9.34	51.6	465000	3.08	3.7
	Weir	6/21/2022	-	-	-	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	Infiltration Ponds	6/23/2022	-	-	-	14.90	1982.00	2.58	156.80	5.29	8.34	1650	8.5	10.2	549000	3.44	0.97
	Infiltration Ponds Duplicate (MW-35A)	6/23/2022	-	-	-	-	-	-	-	-	-	1670	8.64	11	556000	2.15	0.932
DSP - Bedrock Groundwater <sup>b</sup>	MWB-1SDSP	6/21/2022	936.29	35.46	900.83	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-1DDSP	6/21/2022	935.37	49.68	885.69	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-2DSP	6/21/2022	934.82	191.33	743.49	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-4SDSP	6/21/2022	932.41	17.95	914.46	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-5DSP	6/21/2022	935.05	17.25	917.80	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-6DSP	6/21/2022	920.65	21.51	899.14	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-6DSP Duplicate (MW-55A)	6/21/2022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Portal	6/21/2022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

Not measured or not collected.

Depth to water (DTW) measurements for all shallow/alluvial wells collected on the same day; date noted is sampling date.

TOC Top of casing inside PVC well

°C Degrees Celsius

feet bmp Feet below measuring point

feet NAVD88 Feet in NAVD88 datum

ug/L Micrograms per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

µmhos/cm Micromhos per centimeter

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

b LDA and DSP bedrock wells are monitored semi-annually

J Data validation code; estimated value.

J+ Data validation code; estimated value with high bias

J- Data validation code; estimated value with low bias.

U Data validation code; not detected at the Reporting Limit (RL).

DRY Location is dry. Unable to collect field parameters or samples.

**Table 3: Interceptor Trench Discharge Monitoring**

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
19-Oct-13	8:45	0.3	7.47	-	-
19-Nov-13	9:25	0.7	7.52	-	-
23-Dec-13	15:25	1.2	7.27	-	-
20-Jan-14	11:15	0.8	7.58	1	277
-	-	-	-	-	-
31-Mar-14	11:12	1	7.22	1.6	257
22-Apr-14	16:05	3.6	6.85	474	214
27-May-14	15:30	0.8	7.12	21.9	294
27-Jun-14	11:10	0.3	7.13	13.3	136
31-Jul-14	19:45	0.2	6.95	4.1	305
28-Aug-14	14:00	0.1	7.2	1.8	294
29-Sep-14	13:39	0.1	7.87	1.4	340
29-Oct-14	11:45	0.3	7.03	1.1	319
24-Nov-14	11:50	0.8	7.09	0.7	229
22-Dec-14	8:00	0.4	7.08	0.4	253
30-Jan-15 <sup>1</sup>	10:10	1.1	7.09	0.7	270
4-May-15	9:30	0.31	7.54	2.05	290
4-Aug-15	12:20	0.06	7.61	1.51	268
3-Nov-15	13:15	0.8	7.38	36.9	320
8-Feb-16	10:40	1.9	7.23	9.29	279
2-May-16	16:00	0.5	7.77	22.5	431
22-Aug-16	11:00	0.08	7.78	3.34	302
1-Nov-16	11:40	2.4	8.16	96.3	345
2-Feb-17	9:25	4.5	7.61	0.85	514
30-May-17	15:45	4.5	7.33	4.04	324
18-Aug-17	8:50	0.1	7.57	34	300
10-Nov-17	11:20	1.1	6.81	12.9	365
28-Feb-18	10:16	2.22	7.02	37.9	381
2-May-18	11:45	1.18	7.46	2.89	339
22-Aug-18	10:00	0.13	7.32	19.3	287

**Table 3: Interceptor Trench Discharge Monitoring**

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
7-Nov-18	14:40	0.33	7.24	3.05	342
13-Mar-19	11:31	1.43	7.61	19.4	313
9-May-19	10:30	0.88	7.77	8.9	394
26-Aug-19	18:15	0.42	7.25	26.4	361
14-Nov-19	13:30	0.42	7.05	34.5	447
13-Feb-20	12:35	1.58	6.95	1.76	306
13-Aug-20	12:00	0.21	7.32	20.8	339
10-Dec-20	12:22	3.8	7.7	228	691
4-Mar-21	12:20	3.5	7.23	116	584
10-Jun-21	13:10	0.2	7.02	6.31	360
15-Oct-21	13:55	0.2	7.08	31	382
7-Jan-22	11:58	9.2	7.43	6.23	288
17-Mar-22	15:25	3.5	11.75^	3.24	368
22-Jun-22	14:05	2.2	6.94	6.21	415

- Not measured or not available

^ pH values error, due to faulty pH probe.

gpm Gallons per minute

NTU Nephelometric Turbidity Unit

mg/L Milligrams per liter

**Table 4: Second Quarter 2022 Treatment System Metals Monitoring**



Sample Location	Sample ID	Date Sampled	Total Antimony (ug/L)	Dissolved Antimony (ug/L)	Total Arsenic (ug/L)	Dissolved Arsenic (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)	Total Vanadium (ug/L)	Dissolved Vanadium (ug/L)
pH Tank Influent	Tank-Influent	18-May-22	13.3	-	20.9	-	51.1	-	3.36	-
pH Tank Effluent/Filter Media Influent	Sand-Effluent	18-May-22	12.7	-	22.4	-	33.5	-	3.42	-
Filter Media Effluent	As-Effluent	18-May-22	11.7	11.60	17.2	16	45.3	0.788	2.41	1.98

Not measured or not available

mg/L

Milligrams per liter

## Figures



**REFERENCE(S)**

1. ASPECT CONSULTING (PROPERTY BOUNDARY)
2. ESRI (WASHINGTON STATE COUNTY BOUNDARY)
3. COORDINATE SYSTEM: NAD 1983 STATEPLANE WASHINGTON NORTH FIPS 4601 FEET
4. MAP SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, GARMIN, USGS, INTERMAP, INCREMENT P, NRCan, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI KOREA, ESRI THAILAND, NGCC, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY SOURCES: ESRI, HERE, GARMIN, INTERMAP, INCREMENT P CORP., GEBCO, USGS, FAO, NPS, NRCan, GEObase, IGN, Kadaster NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY


CLIENT  
HOLCIM

# PROJECT RI WORK PLAN 2020 RAVENSDALE, WA

**TITLE**

**SITE LOCATION MAP**

CONSULTANT	YYYY-MM-DD	2021-02-10
 <b>GOLDER</b> MEMBER OF WSP	DESIGNED	TL
	PREPARED	TL
	REVIEWED	JX
	APPROVED	GZ
PROJECT NO. 152030420	PHASE 004	REV. A
		FIGURE 1



#### NOTE(S)

1. BASE TOPOGRAPHY OUTSIDE OF LDA FOOTPRINT PREPARED BY AERO-METRIC, INC., SEATTLE, WA FROM AERIAL PHOTOS FLOWN ON FEBRUARY 10, 2007.  
HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)  
VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88  
CONTOUR INTERVAL: 5 FT
2. BASE TOPOGRAPHY INSIDE OF LDA FOOTPRINT PREPARED BY PACIFIC GEOMATIC SERVICES, INC., MOUNTLAKE TERRACE, WA FROM FIELD DATA TAKEN ON NOVEMBER 1, 2007.  
HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)  
VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88  
CONTOUR INTERVAL: 1 FT
3. BASE TOPOGRAPHY INSIDE OF DSP FOOTPRINT PREPARED BY PARAMETRIX, INC., BELLEVUE, WA FROM FIELD DATA TAKEN ON JULY 6, 2011.  
HORIZONTAL DATUM: WASHINGTON STATE PLANE NORTH ZONE, NAD 27 US FEET - TRANSLATED TO NAD83/91 (HARN)  
VERTICAL DATUM: NGVD 29 - TRANSLATED TO NAVD88  
CONTOUR INTERVAL: 1 FT

#### LEGEND

	COVER AREA
	LDA SURFACE WATER SAMPLING LOCATION
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	INTERCEPTOR TRENCH SAMPLING LOCATION
	ALLUVIAL MONITORING WELL
	MWB-1DDSP BEDROCK MONITORING WELL
	MWB-2DSP BEDROCK MONITORING WELL (NOTE 4)
	DISPOSAL AREA MONITORING WELL
	FENCE LINE

0 150 300  
1" = 150' FEET



CLIENT  
HOLCIM

CONSULTANT

YYYY-MM-DD 2022-01-20

DESIGNED JX

PREPARED REDMOND

REVIEWED JX


APPROVED GZ

PROJECT  
RI WORK PLAN 2020  
RAVENSDALE, WA

TITLE  
**SITE PLAN**

PROJECT NO. 152030420 PHASE 004

REV. A



**LEGEND**

	COVER AREA
	GOLDER PIEZOMETER
	ALLUVIAL MONITORING WELL
	BEDROCK MONITORING WELL
	LDA MONITORING WELL
	PLANT SITE MONITORING WELLS
	LDA SURFACE WATER SAMPLING LOCATION
	DSP BEDROCK SAMPLING LOCATION (PORTAL)
	INTERCEPTOR TRENCH SAMPLING LOCATION
	FENCE LINE

CLIENT  
HOLCIM



CONSULTANT

YYYY-MM-DD 2022-06-27

DESIGNED JX

PREPARED REDMOND


REVIEWED JX

APPROVED GZ

PROJECT  
JUNE 21, 2022 GROUNDWATER ELEVATIONS  
RAVENSDALE, WA

TITLE  
**DSP BEDROCK GROUNDWATER ELEVATIONS**


PROJECT NO. 152030402 PHASE 004 REV. 0



NOTE(S)

1. BASE TOPOGRAPHY PROVIDED BY PUGET SOUND LIDAR CONSORTIUM, DATED 2016, IN SHAPEFILE FORMAT.
2. ONLY EXISTING MONITORING AND PIEZOMETER LOCATIONS (AS OF OCTOBER 2021) ARE SHOWN.

0 100 200  
1' = 100' FEET



---

**LEGEND**

**COVER AREA**

P-1

GOLDER PIEZOMETRE

## LDA SURFACE WATER SAMPLING LOCATIONS

## DSP BEDROCK SAMPLING LOCATION (PORTAL)

## INTERCEPT

## INTERCEPT

— FENCE LIN

100% of the time.

---

CLIENT  
HOLCIM



---

**PROJECT  
JUNE 21, 2022 GROUNDWATER ELEVATIONS  
RAVENDALE, WA**

---

**TITLE**

**ALLUVIAL/SHALLOW GROUNDWATER ELEVATIONS**

CONSULTANT	YYYY-MM-DD	2022-06-27
GOLDER	DESIGNED	JX
MEMBER OF WSP	PREPARED	REDMOND
	REVIEWED	JX
	APPROVED	GZ

---

PROJECT NO. PHASE REV.  
**152030402** **004**

FIGURE  
3C

## **APPENDIX A**

# **Summary Data Tables for Individual Wells and Monitoring Locations**

## **APPENDIX A-1**

# **Summary of Lower Disposal Area – Surface Water Sampling Results**

Table A-1A Still Well  
Table A-1B Infiltration Ponds  
Table A-1C Weir  
Table A-1D South Pond

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Still Well**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters					Gen-Chem	Metals (ug/L)						
	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Iron	Lead	Manganese	Potassium
Preliminary Cleanup Level <sup>c</sup>	-	-	-	-	6.5-8.5	-	5.6	8	-	2.1	-	-	140
1-Feb-05	8.1	10658	-	-	6.59	12.87	2860	-	49.9	100 U	5.52	10 U	-
9-Mar-05	13.23	7393	-	-	7.42	12.51	2860	-	115	228	14.7	10 U	-
5-Apr-05	9.5	11310	-	-	10.9	12.44	2900	-	55.6	100 U	11.6	20 U	-
10-May-05	13.99	11871	-	-	3.6	12.53	2810	-	55.4	100 U	12.5	20 U	-
7-Jun-05	13.83	10888	-	-	22.6	12.54	2490	-	5 U	100 U	5 U	20 U	-
15-Jul-05 <sup>a</sup>	18.21	11331	-	-	14.8	12.5	3800	-	2.72	150 U	6.07	10 U	-
15-Jul-05 <sup>b</sup>	-	-	-	-	-	-	2540	-	39.8	100 U	7.57	20 U	-
9-Aug-05 <sup>a</sup>	21.45	12087	-	-	17.9	11.78	3500	-	120	288	10.9	10.1	-
9-Aug-05 <sup>b</sup>	-	-	-	-	-	-	2820	-	91.5	100 U	9.53	20 U	-
14-Sept-05 <sup>a</sup>	17.38	9507	-	-	14	12.36	3600	-	118	750 U	11.2	50 U	-
14-Sept-05 <sup>b</sup>	-	-	-	-	-	-	2830	-	115	363	14.4	-	-
5-Oct-05	13.31	11481	-	-	62.7	12.47	3020	-	85.2	100 U	11.9	20 U	-
9-Nov-05	9.58	14417	-	-	11	12.34	3400	-	74	150 U	10 U	10 U	-
9-Dec-05	6.18	7138	-	-	12.5	12.82	2800	-	14.5	150 U	1.07	10 U	-
19-Jan-06	8.66	8265	1.74	-	11.8	13.06	1900 J	-	15.2 J	150 U	1 U	10 U	-
16-Feb-06	8.13	9019	2.81	195.6	6.16	12.27	3200 J	-	13.4 J	150 U	1.89	10 U	-
15-Mar-06	7.98	9033	0.79	114.8	8.93	12.6	3300 J	-	2.36	150 U	2.5 J	10 U	-
7-Apr-06	9.98	10450	0.57	34.8	6.08	12.51	3400	-	15.2	150 U	2.83	10 U	-
16-May-06	12.79	11060	0.14	45.4	9.28	12.4	3500	-	4.04	150 U	1.59	10 U	-
23-Jun-06	13.29	11680	0.44	-	14.6	12.9	3600	-	52.6	150 U	16.5	10 U	-
20-Jul-06	16.2	12240	0.14	-217.8	10.4	12.47	4300	-	19.3	150 U	3.57	10 U	-
22-Aug-06	17.14	10920	1.22	-146	13.3	12.66	3800	-	144	150 U	9.14 J	10 U	-
26-Sep-06	15.72	9599	0.42	-263.3	61.4	12.59	3800	-	123	171	4.63	15.4	-
26-Oct-06	10.99	9955	0.88	-207.5	82.3	12.93	3600	-	161	1500 U	19.5	10 U	-
15-Nov-06	10.58	12040	1.82	149.2	188	12.87	3400	-	30.6 J	150 U	4.5	10 U	-
20-Dec-06	8.85	10990	0.71	-152	32.8	13.02	2600 J	-	52.6	150 U	13	10 U	-
24-Jan-07	8.29	10440	0.97	-139.8	13.7	13.05	2500 J	-	58.6	150 U	13.1	10 U	-
12-Feb-07	8.88	10590	0.86	-125.8	56.4	13.06	3400	-	61.3	150 U	14	10 U	-
27-Mar-07	9.45	9163	1.25	-42.4	18.4	11.53	2900 J	-	44.1	150 U	1.81	10 U	-
18-Apr-07	8.9	8155	2.63	2.3	37.2	12.77	3300 J	-	29.3	150 U	1.98	10 U	-
31-May-07	20.12	11050	5.3	-153.9	9.31	11.59	2800 J	-	48.5	150 U	15.1 J	10 U	-
20-Jun-07	18.28	12000	5.41	-122.5	16.1	12.04	4300 J	-	26.8	150 U	2.33	10 U	-
31-Jul-07	16.53	12200	1.7	-151.6	24.8	12.48	6000	-	87.6	150 U	1.03	10 U	-
29-Aug-07	17	9570	1.12	-183.1	268	12.78	4600 J	-	106	150 U	9.46	10 U	-
27-Sep-07	14.49	8263	52.4	-183	211	12.42	2800	-	125	150 U	15.4	10 U	-
26-Oct-07	9.49	6144	4.88	-147.2	92.4	12.85	3300 J	-	124	260	24.9	10.1	-
30-Nov-07	5.53	7703	2.13	-122.6	127	12.67	2200	-	174	184	14.1	10 U	-
12-Dec-07	5.24	11609	3.43	-144.8	116	12.6	4100	-	110	150 U	11.3	10 U	-
24-Jan-08	3.73	9649	13.81	-138	-	10.74	2500	-	101	1530	9.74	81.5	-
28-Feb-08	-	-	-	-	51.2	-	2900	-	58.5	150 U	12.6	10 U	-
25-Mar-08	7.06	8623	5.52	-11.2	17.4	11.26	3400	-	74.3	150 U	10.4	10 U	-
29-Apr-08	9.74	11332	4.29	-1.3	27.7	12.82	3000 J	-	76.6	150 U	13.3	10 U	-
20-May-08	14.53	11955	1.74	-35.8	72.7	12.82	3400	-	87.3	150 U	15.1	10 U	-
18-Jun-08	12.77	10267	3.34	-27	34	12.86	3200 J	-	63.2	150 U	16.9	10 U	-
26-Aug-08	15.86	7703	1.06	-72.8	38.3	12.67	2600 J	-	430	1220	35	49.7	759000
20-Nov-08	9.59	8762	0.91	-65.6	74.1	13.32	3500	-	70	150 U	16.8	10 U	848000
12-Feb-09	3.25	554	14.29	-	108	13.03	550	-	47.2	150 U	13.7	10 U	551000
19-May-09	11.53	276	8.8	26	43.4	9.83	2500 J	-	37.8	150 U	15	10 U	689000
22-Sep-09	12.47	9760	1.5	159.1	625	12.47	3000	-	160	200	37	10 J	990000
15-Dec-09	5.2	11650	1.9	237	26.3	12.85	3000	-	86	67 J	21	4.7 J	900000 J
22-Mar-10	9.7	1035	-	182	19.4	12.58	3000	-	73	200 U	17	20 U	870000
17-Jun-10	11.7	9610	0.08	-	6.59	12.48	2700	-	66	95 J	15	2 J	780000
21-Sep-10	15	6710	1.26	152.6	140	12.29	2400	-	300	1100 J+	39	30 J+	570000
8-Dec-10	8.3	10110	1	-	5.44	12.63	2600	-	64	200 U	10	20 U	860000
30-Mar-11	8.6	4810	0.46	136.3	13.7	14.31	2500 J	-	65	200 U	9.6	20 U	720000
21-Jun-11	16.6	10420	1.63	111.9	3.4	12.36	5200	-	60	200 U	9.1	1.7 J	770000
28-Sep-11													

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Still Well**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)						
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Iron	Lead	Manganese	Potassium
3-May-16	14.7	7530	1.4	358.1	2.65	12.98	2480	-	54.2	100 U	1.7 J-	2	711000	-
22-Aug-16	20.5	7.91	2.1	-	59	12.95	2780	-	91.3	250 U	5.87	2.3 J	831000	-
1-Nov-16	12.3	2884	2.66	-72.1	19.1	13.17	2620	-	46.2	100 U	9.64	2 U	841000	-
31-Jan-17	7.4	8510	2.37	-167	7.35	13.17	2050	-	52.5	26 J	1.19	1.6 J	582000	-
31-May-17	14.6	7500	2.44	-	4.17	12.89	1900	-	45.4	11 J	0.68 J+	0.7 J	615000	-
17-Aug-17	18.3	8460	3.35	-84	15.9	12.79	2680	-	56.8	3 J	2.14	1.3 J	750000	-
9-Nov-17	8.2	7215	3.48	90.9	18.2	12.65	2360	-	62.1	100 U	3.52	2.5	822000	-
27-Feb-18	6.6	5312	3.75	2.3	2.49	12.11	1970	-	50.2	100 U	7.53	2.5	521000	-
2-May-18	11.1	8260	1.7	-	13	12.92	2360	-	43.4	133	21.7 J+	8.8	552000	-
21-Aug-18	20.22	6260	4.71	-42.1	5.84	12.58	2100	-	52.2	100 U	0.138	2 U	629000	-
7-Nov-18	9.7	995	6.72	126.8	20.6	9.15	1880	-	644	1350	80.2	49.1	502000 J+	-
11-Mar-19	10.6	1354	5.93	-18.7	7.19	10.31	1710	-	52.8	9.1 J	21.2	1.3 J	501000	-
9-May-19	13.8	6973	6.4	18.1	16.7	12.36	1980	-	41.6	7.9 J	13.4	0.8 J	521000	-
26-Aug-19	17.8	6405	3.91	Note 1	5.15	12.56	2570	-	42.5	100 U	15.4	1 J	722000	-
14-Nov-19	9.7	6065	0.41	-53.3	12	12.67	1750	-	167	121 J	23.9	6.5	563000	-
13-Feb-20	7.6	4936	0.37	-139	2.56	12.66	1630	-	48.6	13.6 J	6.08	3.1	490000	-
13-Aug-20	15	6817	2.55	-42.8	2.02	12.39	2620	-	41.9	6.3 J	0.86	0.9 J	659000	-
10-Dec-20	8.8	4534	0.55	-26.2	5.87	12.79	1670	-	82.7	241	11.1	10.8	510000	-
4-Mar-21	7.7	4728	0.05	-42	0.85	11.94	1470	-	61.8	100 U	1.49	8 U	512000	-
9-Jun-21	13.4	5213	0.89	-148.4	4.06	12.56	1600	-	91.7	-	5.72	-	471000	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY
7-Jan-22	8.8	4103	2.53	55.4	3.04	12.88	1900	8.39	50.3	-	4.26	-	486000	3.34
17-Mar-22	9	4955	7.42	153.1	1.88	13.71	2070	8.23	51.7	-	5.88	-	517000	3.02
21-Jun-22	15.4	5090	2.53	156.3	3.4	11.96	2180	9.34	51.6	-	3.08	-	465000	3.7

## Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available  
 Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L

feet bmp Feet below measuring point

mV

feet NAVD88 Feet NAVD88 Datum

NTU

**Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters					Gen-Chem	Metals (ug/L)					
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>c</sup>	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
1-Feb-05	8.17	1315	-	-	8.13	9.95	874	-	84.9	4.99	-	-
9-Mar-05	14.04	1183	-	-	23.00	9.59	960	-	96.2	3.92	-	-
5-Apr-05	11.00	1115	-	-	43.70	9.80	800	-	62.3	3.21	-	-
10-May-05	14.91	1275	-	-	564.00	9.83	844	-	76.5	5 U	-	-
7-Jun-05	15.11	1140	-	-	239.00	9.61	804	-	84.3	5 U	-	-
15-Jul-05 <sup>a</sup>	23.56	1276	-	-	94.40	9.30	1100	-	92.5	4.14	-	-
15-Jul-05 <sup>b</sup>	-	-	-	-	-	-	874	-	99.9	3.82	-	-
9-Aug-05 <sup>a</sup>	19.05	1744	-	-	57.20	9.44	1000	-	123	5.1	-	-
9-Aug-05 <sup>b</sup>	-	-	-	-	-	-	1030	-	140	6.12	-	-
14-Sept-05 <sup>a</sup>	13.59	1154	-	-	99.80	8.97	790	-	110	3.54	-	-
14-Sept-05 <sup>b</sup>	-	-	-	-	-	-	806	-	118	5.18	-	-
5-Oct-05	14.82	970	-	-	82.70	8.98	736	-	89.3	2.83	-	-
9-Nov-05	8.43	1285	-	-	135.00	8.83	970	-	46	10 U	-	-
9-Dec-05	2.12	1361	-	-	14.20	9.71	980	-	64.6	3.11	-	-
19-Jan-06	6.66	728	7.96	-	64.70	10.13	470 J	-	40.7	2.29	-	-
16-Feb-06	2.63	624	9.75	30.3	25.20	8.54	530 J	-	13.3	1 U	-	-
15-Mar-06	7.16	639	11.61	236.8	23.10	9.22	530 J	-	22.5	1 U	-	-
7-Apr-06	11.91	1013	10.81	27.8	18.80	9.98	780	-	63.8	3.24	-	-
16-May-06	15.58	1160	7.58	50.6	16.50	9.57	950	-	77.9	2.49	-	-
23-Jun-06	18.63	1261	7.41	-	126.00	9.85	920	-	70.7	3.65	-	-
20-Jul-06	20.65	932	5.36	-35.1	279.00	8.94	980	-	108	3.48	-	-
22-Aug-06	15.65	860	7.64	86.5	218.00	9.22	760	-	116	3.84	-	-
26-Sep-06	21.86	903	8.98	-72.8	263.00	8.89	820	-	75.8	3.06	-	-
26-Oct-06	11.04	702	9.97	90.4	221.00	8.56	760	-	68.3	1.66	-	-
15-Nov-06	7.73	715	9.21	149.2	33.60	9.07	500	-	20.8	2.29	-	-
20-Dec-06	4.98	1082	9.05	86.3	9.29	9.78	680	-	51.3	2.67	-	-
24-Jan-07	2.12	1058	10.71	130.4	20.50	9.97	640 J	-	66.1	7.58	-	-
12-Feb-07	10.10	1218	12.40	-61.8	103.00	9.98	860	-	90.1	4.49	-	-
27-Mar-07	7.94	772	9.67	13.3	25.50	8.27	540 J	-	49.8	2.74	-	-
18-Apr-07	7.52	2418	9.23	84.4	58.10	11.73	1400	-	79.2	10.5	-	-
31-May-07	15.45	1879	6.47	-92.2	3.15	9.79	1300	-	165	8.11	-	-
20-Jun-07	24.18	1925	10.88	-52.1	251.00	10.24	1300 J	-	144	5.34	-	-
31-Jul-07	19.05	1418	5.97	-36.1	128.00	9.81	1200	-	140	7.23	-	-
29-Aug-07	18.00	1193	5.60	-35.4	158.00	9.29	1300 J	-	164	7.01	-	-
27-Sep-07	14.97	987	5.44	45.9	186.00	8.99	970	-	196	5.49	-	-
26-Oct-07	2.66	504	6.02	63.1	282.00	8.64	770 J	-	42.9	2.25	-	-
30-Nov-07	1.86	955	9.77	190.1	163.00	10.02	570	-	48.9	1.62	-	-
12-Dec-07	4.22	790	11.11	126.8	56.00	9.40	520	-	34.3	1.67	-	-
24-Jan-08	2.12	875	19.35	142.0	-	8.68	640	-	42.8	1.66	-	-
28-Feb-08	-	-	-	-	25.60	-	510	-	41.3	2.66	-	-
25-Mar-08	5.27	937	14.46	91.0	86.80	9.60	630	-	50.2	2.15	-	-
29-Apr-08	9.02	1079	10.56	190.8	61.30	9.87	670 J	-	66	2.87	-	-
20-May-08	15.42	1191	7.58	160.0	91.40	9.75	820	-	85.9	4.85	-	-
18-Jun-08	12.94	1124	9.62	167.3	76.90	9.65	810 J	-	77.6	3.67	-	-
26-Aug-08	15.95	880	3.75	53.5	490.00	8.00	650 J	-	76.9	1.64	144000	-
20-Nov-08	6.91	897	7.02	183.5	376.00	10.22	960	-	87.2	4.21	313000	-
12-Feb-09	1.29	-	13.72	-	10.20	10.52	800	-	118	5.84	271000	-
19-May-09	11.90	862	6.52	71.9	133.00	9.59	840 J	-	91.3	3.99	238000	-
18-Nov-09	5.70	852	6.61	185.9	68.00	9.88	490	-	40	4.4	160000	-
15-Dec-09	2.30	1162	8.22	460.1	63.30	9.97	640	-	71	7.2	220000	-
24-Mar-10	13.00	1299	5.83	408.2	13.00	10.48	1000	-	140	8.5	340000	-
17-Jun-10	12.00	947	4.45	332.1	33.60	10.56	540	-	62	6.2	220000	-
22-Sep-10	15.60	1736	3.14	342.5	33.00	9.84	1300	-	130	21	360000	-
8-Dec-10	5.40	1382	7.73	371.1	12.10	10.75	870	-	100	12	300000	-
29-Mar-11	9.60	627	5.16	577.6	19.80	11.05	760 J	-	78	3.1	270000	-
21-Jun-11	21.00	1778	5.46	239.1	11.60	10.44	1700 J	-	78	11	340000	-
27-Sep-11	14.80	1382	3.98	239.8	33.40	9.58	1600	-	120	13	670000	-
14-Dec-11	3.10	1046	5.60	281.7	15.70	9.93	1100	-	87	14	330000	-
20-Mar-12	6.10	986	11.04	271.1	11.70	10.32	500	-	71	3.3	180000	-
19-Jun-12	14.80	862	7.83	352.2	38.80	9.57	500	-	64	3.7	180000	-
20-Sep-12	12.40	1961	1.81	419.0	10.30	9.43	4600 J	-	130	2.1	440000	-
19-Dec-12	4.10	1320	10.11	303.1	5.86	9.69	700	-	75	4.3	250000	-

**Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
10-Nov-17	7.90	2016	7.72	64.4	30.70	12.00	1520	-	63	32.2	578000	-
27-Feb-18	5.70	5062	8.76	42.0	3.74	12.28	1620	-	15	54.6	678000	-
1-May-18	12.30	6620	5.25	-	1.94	12.73	2070	-	2.42	30.1 J+	745000	-
21-Aug-18	23.85	5058	2.95	106.0	5.62	11.64	3090	-	77.3	28.8	1200000	-
6-Nov-18	11.70	1078	3.50	-5.4	46.90	8.48	1180	-	6.03	5.44	359000 J+	-
13-Mar-19	3.90	331	8.08	183.7	29.10	10.72	455	-	11.9	2.21	185000	-
8-May-19	17.20	6113	6.38	6.4	6.17	12.39	2040	-	7.7	26.8	830000	-
26-Aug-19	24.22	4177	2.47	Note 1	7.21	9.12	2840	-	17.2 J	5.27 J	1020000	-
13-Nov-19	8.70	2523	1.61	-201.7	33.00	8.67	1930	-	32.5	4.44	726000	-
12-Feb-20	7.80	971	7.99	150.3	16.00	7.92	836	-	14.3	3.96	243000	-
12-Aug-20	18.30	3655	4.33	123.5	5.74	8.98	2570	-	20.8	2.59	988000	-
9-Dec-20	8.30	740	7.80	202.0	18.40	8.21	632	-	14.9	5.11	207000	-
3-Mar-21	8.30	1446	7.87	217.0	15.50	8.56	1310	-	35.3	6.11	509000	-
9-Jun-21	15.10	2963	4.88	174.9	4.37	8.79	2400	-	23.7	1.51	923000	-
13-Oct-21	9.30	2563	4.73	34.2	39.30	8.84	2610 J-	16.1	19.7	6.12	831000	3.11
5-Jan-22	1.20	510	9.85	236.4	14.00	8.01	679	6.32	12.1	6.31	226000	3.36
16-Mar-22	11.10	786	10.41	172.1	12.8	7.45	733	7.59	10.6	4.77	236000	1.82
23-Jun-22	14.90	1982	2.58	156.8	5.3	8.34	1650	8.5	10.2	3.44	549000	0.97

## Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

d Field parameters for Infiltration Ponds #1 were inadvertently not collected during May 2016 sampling

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L

feet bmp Feet below measuring point

mV

feet NAVD88 Feet NAVD88 Datum

NTU

**Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)					
	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	6.5-8.5	-	-	5.6	8	2.1	-	140
1-Feb-05	8.47	2205	-	-	6.24	10.23	-	1440	-	149	10.7	-	-
9-Mar-05	11.38	2054	-	-	7.80	10.15	2.64	1630	-	200	11.9	-	-
5-Apr-05	7.7	2169	-	-	7.99	10.42	10.00	1420	-	129	8.61	-	-
10-May-05	14.1	1912	-	-	562.00	9.87	25.00	1210	-	105	7.63	-	-
7-Jun-05	15.74	2588	-	-	11.60	10.03	6.82	1570	-	138	10.1	-	-
15-Jul-05 <sup>a</sup>	20.38	3184	-	-	8.91	10.36	0.94	3200	-	192	9.98	-	-
15-Jul-05 <sup>b</sup>	-	-	-	-	-	-	-	1990	-	189	10.8	-	-
9-Aug-05 <sup>a</sup>	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-	-
9-Aug-05 <sup>b</sup>	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-	-
14-Sept-05 <sup>a</sup>	15.60	3792	-	-	14.50	9.92	0.07	2800	-	208	57.8	-	-
14-Sept-05 <sup>b</sup>	-	-	-	-	-	-	-	2730	-	223	73.3	-	-
5-Oct-05	12.96	3237	-	-	4.99	9.89	0.32	2150	-	170	12.5	-	-
9-Nov-05	8.40	2545	-	-	13.80	9.64	7.50	1900	-	78.2	10 U	-	-
9-Dec-05	3.34	1377	-	-	8.03	10.43	5.00	1700	-	130	6.12	-	-
19-Jan-06	7.37	1424	7.92	-	12.20	10.61	7.50	1000 J	-	89.5	4.81	-	-
16-Feb-06	3.74	1680	12.19	*	14.60	10.78	7.50	1400 J	-	105	5.46	-	-
15-Mar-06	7.21	1634	12.61	194.4	7.44	10.63	5.28	1300 J	-	128	6.38	-	-
7-Apr-06	14.33	2055	8.54	55.3	9.21	10.84	3.17	1500	-	143	6.63	-	-
16-May-06	21.65	2474	6.09	11.6	9.37	10.69	0.83	2000	-	157	8.19	-	-
23-Jun-06	24.58	2820	6.66	-	15.40	11.64	0.63	1400	-	154	13.1	-	-
20-Jul-06	21.17	3291	8.56	-85.5	68.30	10.75	DRY*	2300	-	131	9.41	-	-
22-Aug-06	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-	-
26-Sep-06	16.38	2997	3.00	-57.1	31.60	9.92	DRY*	2900	-	103	16.8	-	-
26-Oct-06	11.00	2650	5.35	59.6	25.80	9.65	0.63	2300	-	132	26.3	-	-
15-Nov-06	8.51	1708	8.16	-35.7	34.70	10.15	17.14	1200	-	67.4	8.07	-	-
20-Dec-06	5.07	1927	8.84	14.8	7.94	10.67	10.91	1200	-	99.7	4.78	-	-
24-Jan-07	2.30	1846	10.72	5.9	11.70	10.37	9.00	1100 J	-	126	16.1	-	-
12-Feb-07	9.26	1777	11.75	-91.3	26.70	10.56	6.00	1100	-	139	7.12	-	-
27-Mar-07	8.71	1219	9.18	-12.6	13.80	8.70	24.00	840 J	-	88.5	4.86	-	-
18-Apr-07	7.39	4563	8.65	41.0	16.80	12.12	9.00	2000	-	97.5	32.5	-	-
31-May-07	-	3916	6.33	-149.5	10.70	10.96	1.36	2100	-	275	22.9	-	-
20-Jun-07	22.59	3336	8.50	-20.4	42.50	10.46	0.29	2400 J	-	255	27.4	-	-
31-Jul-07	18.94	3915	7.85	-69.2	41.30	10.92	0.06	3300	-	236	12.6	-	-
29-Aug-07	21.52	2406	5.75	-5.3	24.10	9.72	DRY*	2300 J	-	129	8.45	-	-
27-Sep-07	13.88	2009	5.75	15.5	28.30	9.56	0.06	1600	-	207	4.37	-	-
26-Oct-07	7.68	1662	9.06	80.5	13.00	9.92	2.04	1800 J	-	132	7.53	-	-
30-Nov-07	4.34	2446	9.63	26.7	11.70	9.86	2.63	1600	-	135	8.27	-	-
12-Dec-07	5.88	2056	10.34	39.3	10.30	10.18	2.63	1500	-	105	5.73	-	-
24-Jan-08	3.05	1601	15.03	42.3	-	9.40	2.63	1000	-	87.4	4.06	-	-
28-Feb-08	-	-	-	-	9.22	-	4.13	1200	-	118	8.92	-	-
25-Mar-08	6.80	1622	12.37	95.1	16.40	9.98	5.25	1100	-	110	3.86	-	-
29-Apr-08	7.53	1997	9.10	137.4	11.90	10.29	7.50	1100 J	-	124	7.05	-	-
20-May-08	16.35	2504	9.03	77.4	32.90	10.92	7.50	1700	-	146	14.7	-	-
18-Jun-08	11.82	2925	8.32	68.3	25.70	11.14	1.69	1800 J	-	208	8.48	-	-
26-Aug-08	17.69	3376	7.98	62.8	41.10	10.43	0.84	2200 J	-	287	13.2	647000	-
20-Nov-08	8.10	1447	9.65	112.0	43.70	11.00	11.25	1400	-	121	16.2	485000	-
12-Feb-09	2.99	1214	14.46	-	14.60	10.93	4.06	1200	-	219	11.8	434000	-
19-May-09	13.05	1962	7.92	32.6	36.70	10.23	7.50	1800 J	-	210	13.7	521000	-
24-Sep-09	16.30	2792	1.59	263.8	13.70	8.82	DRY*	2400	-	130	53	730000	-
15-Dec-09	2.80	1702	7.47	343.0	-	10.18	6.67	1200	-	170	22	330000	-
24-Mar-10	13.80	2629	2.09	270.7	263.00	11.46	6.03	1800	-	180	20	600000	-
17-Jun-10	12.00	1876	0.01	-	157.00	10.76	14.15	1200	-	27	3.9	410000	-
20-Sep-10	11.40	3100	6.34	198.6	12.20	10.63	2.38	2800	-	250	40	580000	-
7-Dec-10	6.60	2455	4.03	154.0	11.00	11.61	16.69	1600	-	240	26	510000	-
30-Mar-11	8.10	848	0.22	136.1	31.50	13.08	58.61	940 J	-	91	9.9	330000	-
22-Jun-11	14.40	2286	5.68	164.2	13.20	11.28	5.68	2600 J	-	120	25	490000	-
27-Sep-11	16.20	1911	4.62	253.4	39.10	10.07	13.40	2100	-	170	45	880000	-
15-Dec-11	4.10	1439	7.40	139.4	10.								

**Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)		Antimony	Arsenic	Lead	Potassium	Vanadium
9-Feb-16	9.10	838	8.79	181.4	2.17	7.87	0.69	529	-	7.8	0.5 J+	145000	-
2-May-16	23.40	1126	6.16	128.1	7.59	7.63	DRY*	688	-	7.6	0.06 J-	162000	-
23-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
1-Nov-16	11.70	332	7.12	97.5	7.71	7.76	7.24	703	-	9.18	0.3	207000	-
1-Feb-17	2.30	925	11.55	39.1	2.04	7.71	0.30	567	-	4.9	0.09 J	135000	-
30-May-17	13.30	817	57.50	8.3	22.20	7.40	0.30	516	-	13.1	0.08 J+	94300	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
9-Nov-17	7.00	851	7.57	88.0	67.30	8.43	-	865	-	36.6	10.7	236000	-
27-Feb-18	5.50	498	10.68	106.0	5.39	8.60	-	503	-	9.7	1.23	127000	-
1-May-18	12.80	894	8.87	-	2.39	7.97	-	656	-	7.81	0.1 UJ	195000	-
21-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
7-Nov-18	8.50	1079	7.37	166.6	5.48	7.94	-	1030	-	15.7	0.089 J	322000 J+	-
11-Mar-19	5.00	525	9.79	146.3	1.28	7.76	-	541	-	4.21	0.1 U	133000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
14-Nov-19	7.40	842	4.10	214.3	19.00	7.74	DRY*	783	-	11.3	0.076 J	242000	-
12-Feb-20	7.20	401	8.41	-38.3	2.47	7.53	3.96	348	-	4.81	0.1 U	86900	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
10-Dec-20	7.20	581	6.72	185.0	0.96	7.80	8	560	-	5.13	0.1 U	126000	-
4-Mar-21	4.90	427	7.11	146.0	2.50	7.86	3	424	-	3.7	0.114	80600	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.90	269	10.81	211.8	15.90	7.63	300	228	6	4.33	0.698	50500	1
17-Mar-22	7.00	410	9.46	157.2	0.91	7.43	8	394	5	3.5	0.055 J	86000	1
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY		DRY	DRY	DRY	DRY	DRY	DRY

## Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

\* Sample collected from constructed wetland (alternative sampling location) upstream of weir

- Not analyzed or not available

Dry Weir dry; unable to collect field parameters or samples

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

gpm Gallons per minute

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-1d: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>c</sup>	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
1-Feb-05	7.13	9580	-	-	4.19	13.02	4080	-	174	24.3	-	-
9-Mar-05	14.28	9979	-	-	6.79	12.52	4640	-	240	42.1	-	-
5-Apr-05	9.90	10820	-	-	43.50	11.99	3830	-	133	9.85	-	-
10-May-05	15.10	6091	-	-	45.60	12.14	3270	-	92.9	25.5	-	-
7-Jun-05	14.49	8257	-	-	24.20	12.19	3780	-	132	24.7	-	-
15-Jul-05 <sup>a</sup>	18.34	6937	-	-	6.89	11.69	5000	-	281	31.8	-	-
15-Jul-05 <sup>b</sup>	-	-	-	-	-	-	4260	-	237	34.2	-	-
9-Aug-05 <sup>a</sup>	23.53	7654	-	-	17.1	10.26	6600	-	322	44.5	-	-
9-Aug-05 <sup>b</sup>	-	-	-	-	-	-	5580	-	340	37.1	-	-
14-Sept-05 <sup>a</sup>	18.55	6730	-	-	10.00	10.51	5100	-	235	19.3	-	-
14-Sept-05 <sup>b</sup>	-	-	-	-	-	-	4750	-	268	34.2	-	-
5-Oct-05	12.14	4323	-	-	17.60	9.80	3090	-	130	26.5	-	-
9-Nov-05	6.78	3784	-	-	11.80	11.12	2600	-	121	21.7	-	-
9-Dec-05	3.22	8745	-	-	12.90	12.85	3900	-	175	14.1	-	-
19-Jan-06	7.73	5215	5.43	-	13.30	12.52	2000 J	-	20.3	3.24	-	-
16-Feb-06	3.96	9342	8.97	231.2	9.08	12.30	4100 J	-	43	25.6	-	-
15-Mar-06	8.72	12910	9.59	222.1	7.64	12.60	5100 J	-	38.6	41.8	-	-
7-Apr-06	14.26	15220	6.90	18.9	3.65	12.92	5700	-	48.5	65.6	-	-
16-May-06	19.75	10880	2.61	33.8	15.40	12.46	5100	-	130	92.1	-	-
23-Jun-06	22.76	7586	2.98	-	14.10	12.65	5100	-	130	57.9	-	-
20-Jul-06	24.33	7457	0.73	-148.4	16.70	11.33	6400	-	272	51.3	-	-
22-Aug-06	15.03	7481	3.75	61.0	14.10	10.40	6100	-	318	33.2	-	-
26-Sep-06	17.30	8409	1.31	-312.4	15.10	12.38	5500	-	230	45.7	-	-
26-Oct-06	10.95	6075	4.10	-265.6	13.30	12.18	4600	-	243	41.5	-	-
15-Nov-06	8.07	5022	7.71	-152.7	21.50	12.24	2600	-	76.2	3.68	-	-
20-Dec-06	6.32	9148	5.73	-139.6	12.20	12.85	2900 J	-	46.1	1.28	-	-
24-Jan-07	2.15	12690	9.24	-98.4	9.74	13.10	3000 J	-	19.2	26.8	-	-
12-Feb-07	9.35	14110	8.43	-86.7	32.50	13.13	4700	-	96.2	83.5	-	-
27-Mar-07	9.16	10560	8.41	-46.2	7.42	11.31	2900 J	-	5.98	14.5	-	-
18-Apr-07	8.27	14570	8.32	10.8	10.30	12.79	5200	-	19.8	22.1	-	-
31-May-07	23.66	13410	6.42	-95.0	31.20	11.77	5100	-	78.4	50.4	-	-
20-Jun-07	26.35	10050	5.53	-195.7	27.90	12.29	5300 J	-	112	38.2	-	-
31-Jul-07	21.39	6666	4.76	-106.4	72.00	10.86	6300	-	208	68.8	-	-
29-Aug-07	22.61	6950	1.57	-193.4	61.80	12.05	6300 J	-	149	30.6	-	-
27-Sep-07	11.45	5059	2.66	-180.4	78.40	11.43	4800	-	190	17.4	-	-
26-Oct-07	6.98	4147	1.44	-204.7	39.50	12.48	3900 J	-	168	25.5	-	-
30-Nov-07	2.86	5030	8.50	-74.9	12.40	12.20	2600	-	121	14.3	-	-
12-Dec-07	4.45	3564	2.03	-141.8	20.70	10.93	2700	-	79.3	9.87	-	-
24-Jan-08	1.13	4859	4.10	-186.8	-	11.19	2200	-	86.1	6.79	-	-
28-Feb-08	-	-	-	-	18.10	-	2800	-	183	73.4	-	-
25-Mar-08	7.37	5413	7.88	-58.2	122.00	12.29	2900	-	182	13	-	-
29-Apr-08	8.43	3685	9.04	59.3	19.20	11.63	2400 J	-	152	16	-	-
20-May-08	18.03	3554	6.69	58.0	156.00	11.01	2100	-	137	38.3	-	-
18-Jun-08	13.01	5680	6.46	57.5	71.80	11.14	4000 J	-	279	34.4	-	-
26-Aug-08	18.02	2800	5.72	16.9	49.80	10.08	2500 J	-	91.7	18.6	557000	-
20-Nov-08	7.46	2011	9.04	38.3	23.60	10.49	2300	-	72.9	9.2	566000	-
12-Feb-09	1.63	1870	11.74	-	46.10	10.83	2300	-	129	17.2	738000	-
19-May-09	12.73	1895	5.37	-16.4	168.00	9.82	1700 J	-	78.9	11.3	515000	-
23-Sep-09	21.50	4190	0.09	175.1	14.40	9.70	4100	-	120	99	1300000	-
14-Dec-09	+	+	+	+	+	+	+	-	+	+	+	-
22-Mar-10	13.10	2480	-	342.0	15.60	10.05	1700	-	76	34	520000	-
17-Jun-10	13.40	2429	5.14	-	26.10	10.77	2100	-	120	89	630000	-
21-Sep-10	16.30	2733	1.10	216.8	21.50	9.81	2200	-	25	27	510000	-
8-Dec-10	6.00	1994	2.70	-	18.70	10.05	1400	-	53	18	490000	-
30-Mar-11	9.10	509	0.37	179.2	13.80	12.04	730 J	-	36	14	260000	-
21-Jun-11	21.60	2092	1.90	192.2	13.60	10.07	2800 J	-	62	29	380000	-
27-Sep-11	14.60	1516	9.34	220.4	32.50	9.34	1800	-	78	36	780000	-
15-Dec-11	3.00	1449	1.90	94.6	13.80	10.75	2100	-	140	74	630000	-
21-Mar-12	2.60	1088	8.10	285.7	13.10	9.95	780	-	30	7.2	240000	-
19-Jun-12	17.10	1747	5.54	345.3	10.80	9.93	780	-	70	29	400000	-
20-Sep-12	-	-	-	-	-	-	-	-	-	-	-	-
19-Dec-12	4.00	1771	6.37	104.0	6.12	10.71	1300	-	47	18	440000	-
26-Feb-13	6.90	3720	5.40									

**Table A-1d: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond  
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
3-May-16	14.20	3150	3.61	335.2	63.80	10.35	2260	-	148	97.9 J-	777000	-
24-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	12.10	401	5.56	-65.9	15.00	9.43	742	-	21.9	14.1	356000	-
1-Feb-17	2.10	2064	4.82	5.0	17.80	10.27	1330	-	57.6	139	455000	-
31-May-17	14.50	2594	5.36	-	22.70	9.93	1920	-	105	51.5 J+	664000	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	6.50	1049	6.38	92.3	14.40	10.13	1260	-	58.8	53.4 J+	441000	-
27-Feb-18	6.50	1379	4.05	-71.0	6.11	10.94	865	-	61.7	47.7 J-	429000	-
2-May-18	11.60	2547	-	-	25.30	10.36	1860	-	85.9	26.7 J+	611000	-
22-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	9.70	995	6.72	126.8	20.60	9.15	1040	-	76	65.5	333000 J+	-
11-Mar-19	10.60	1354	5.93	-18.7	7.19	10.31	1270	-	49.3	41.7	458000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	8.70	1180	5.98	30.9	7.38	9.03	1120	-	67.2	76.4	418000	-
13-Feb-20	4.30	1032	2.51	-126.9	6.10	10.46	927	-	28.1	13	348000	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	5.60	1000	2.52	66.8	6.02	9.66	952	-	12	6.63	318000	-
4-Mar-21	8.10	1271	1.98	38.0	8.02	10.35	4820	-	50.6	35.7	435000	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	DRY
6-Jan-22	4.50	305	10.57	-30.2	4.07	9.42	300	2.29	4.42	2.29	77100	4.27
17-Mar-22	8.80	997	8.53	-66.4	4.54	11.32	912	4.85	22.60	16.70	358000	37.80
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

+ South Pond frozen; unable to collect field parameters or samples

Dry South Pond dry; unable to collect field parameters or samples

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L

mV

NTU

## **APPENDIX A-2**

# **Summary of Lower Disposal Area – Shallow/Alluvial Groundwater Sampling Results**

Table A-2A Well MW-1A  
Table A-2B Well MW-2A  
Table A-2C Well MW-3A  
Table A-2D Well MW-4A  
Table A-2E Well MW-5A  
Table A-2F Well MW-6A  
Table A-2G Well MW-7A  
Table A-2H Well MW-8A  
Table A-2I Well MW-9A  
Table A-2J Well MW-10A  
Table A-2K Well P-16  
Table A-2L Well P-17

**Table A-2a: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-1A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	35.43	578.01	15.17	883	-	-	358	7.03	664	-	8.47	2 U	-	-
9-Nov-05	31.83	581.61	10.77	1037	-	-	22.2	6.89	680	-	3.45	1 U	-	-
15-Feb-06	23.91	589.53	9.14	623	1.53	497.4	6.76	7.26	470 J	-	3.25	1 U	-	-
17-May-06	31.91	581.53	11.32	1029	1.33	121.6	10.3	7.18	600	-	5.18	1 U	-	-
23-Aug-06	35.35	578.09	19.21	481	5.97	60.4	6.3	6.67	340	-	1.7	1 U	-	-
14-Nov-06	20.00	593.44	10.35	635	4.55	95.1	22.2	7.23	550	-	3.07	1 U	-	-
14-Feb-07	29.29	584.15	11.13	435	3.88	85.6	32.1	6.76	260	-	2	1 U	-	-
30-May-07	32.90	580.54	10.30	545	6.63	145.7	6.93	6.81	320	-	2.48	1 U	-	-
27-Aug-07	35.68	577.76	10.49	428	7.13	76.7	8.65	6.95	260 J	-	1.87	1 U	-	-
29-Nov-07	32.75	580.69	10.10	625	7.14	144.3	12.2	6.96	340 J	-	2.32	1 U	-	-
27-Feb-08	27.83	585.61	-	-	-	-	19.6	-	320	-	2.58	1 U	-	-
20-May-08	31.86	581.58	10.22	471	6.38	177.0	109	6.48	290 J	-	2.24	1 U	-	-
27-Aug-08	36.04	577.40	9.84	427	7.40	118.4	63.6	7.08	260	-	2.05	1 U	23000	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	35.65	577.79	9.51	443	9.78	113.9	38	7.38	260 J	-	1.79	1 U	22900	-
20-Nov-08	25.62	587.82	9.49	563	6.11	231.0	5.48	7.18	430	-	3.68	1 U	106000	-
30-Dec-08	23.14	590.30	9.84	402	8.40	106.9	8.92	7.25	280 J	-	2.47	1 U	43900	-
15-Jan-09	20.66	592.78	8.40	336	9.65	229.6	1.07	6.88	290	-	2.25	1 U	35700	-
12-Feb-09	30.00	583.44	9.05	372	8.46	-	16.7	7.34	320	-	1.93	1 U	27000	-
12-Mar-09	31.30	582.14	9.13	409	8.60	174.9	15.8	7.03	340	-	1.66	1 U	20600	-
16-Apr-09	23.88	589.56	8.17	343	10.24	131.8	13.5	6.78	310	-	1.77	1 U	24600	-
19-May-09	30.50	582.94	8.99	392	8.69	82.6	23.7	7.75	340 J	-	1.56	1 U	19600	-
23-Jun-09	34.00	579.44	9.21	480	9.56	79.0	22.9	7.89	430	-	2 U	2 U	20000	-
25-Aug-09	36.95	576.49	13.10	373	6.47	311.9	4.98	6.76	270 J+	-	0.64 J	2 U	17000	-
23-Sep-09	37.12	576.32	11.30	336	6.90	368.3	21.3	6.73	240	-	2 U	0.18 J	14000	-
15-Dec-09	28.30	585.14	9.20	643	5.30	567.0	18	6.72	330	-	2 U	2 U	26000	-
24-Mar-10	30.03	583.41	9.80	562	5.72	545.9	5.04	6.74	370	-	1.9 J	2 U	19000	-
16-Jun-10	23.55	589.89	9.20	506	5.93	405.4	16.1	6.53	40 U	-	3.6	2 U	20000	-
21-Sep-10	35.89	577.55	10.40	593	4.82	288.5	117	6.96	370	-	2.6	0.23 J	19000	-
7-Dec-10	27.39	586.05	10.00	504	1.45	198.4	139	7.15	330	-	2.3	2 U	14000	-
29-Mar-11	29.76	583.68	8.10	247	2.47	169.0	6.81	7.14	300	-	2.4	2 U	15000	-
21-Jun-11	30.45	582.99	9.30	606	4.58	332.9	3.56	7.17	400 J	-	5 U	2 U	16000	-
27-Sep-11	36.65	576.79	9.90	366	7.27	356.2	2.18	6.85	310	-	5 U	2 U	17000	-
14-Dec-11	31.53	581.91	9.20	407	1.97	234.7	20.4	7.09	370	-	5 U	2 U	16000	-
20-Mar-12	21.60	591.84	7.70	561	7.06	385.4	4.8	7.18	280	-	2.3	0.4 U	16000	-
19-Jun-12	21.60	591.84	10.00	575	7.04	378.2	5.6	7.31	330	-	2.5	0.4 U	16000	-
19-Sep-12	36.42	577.02	11.30	561	8.76	286.0	2.49	7.02	310	-	2.4	0.4 U	17000	-
19-Dec-12	23.43	590.01	9.30	671	6.67	348.2	0.74	7.26	20 U	-	1.7	0.4 U	17000	-
25-Feb-13	29.32	584.12	8.00	572	9.51	337.0	26	7.28	300	-	2.5	0.4 U	16000	-
22-May-13	31.23	582.21	9.00	518	8.59	397.7	4.68	7.40	310	-	1.8	0.4 U	15000	-
21-Aug-13	37.02	576.42	10.20	534	9.27	152.7	1.46	7.11	227	-	1.2	0.1 U	14100	-
20-Nov-13	29.69	583.75	9.50	852	7.62	243.5	39.5	6.75	419	-	1.6	0.1 U	19900	-
1-Apr-14	23.29	590.15	8.90	347	7.60	248.1	2.54	7.30	247	-	2	0.1 U	16500	-
21-May-14	28.31	585.13	9.50	349	4.02	178.6	-	7.12	280	-	1.8	0.1 U	15100	-
13-Aug-14	36.52	576.92	12.10	441	9.22	51.9	6.2	7.10	283	-	1.4	0.1 U	15200	-
13-Nov-14	31.63	581.81	11.50	438	8.80	173.0	14.7	7.10	352	-	1.6	0.1 U	17100	-
11-Feb-15	23.02	590.42	9.40	498	3.89	98.1	10.5	7.72	319	-	9.1	0.3	42900	-
4-May-15	31.93	581.51	9.80	578	7.35	416.9	1.05	7.26	413	-	1.7	0.1 U	16000	-
6-Aug-15	37.65	575.79	10.70	447	0.17	71.6	49	7.21	343	-	3.9	0.1 U	10300	-
4-Nov-15	32.89	580.55	9.50	657	8.56	240.5	5.7	6.92	554	-	2.3	0.1 U	49300	-
10-Feb-16	25.39	588.05	9.80	322	7.36	204.8	3.21	7.31	202	-	2	0.1 U	22200	-
2-May-16	32.32	581.												

**Table A-2a: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-1A  
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
9-Jun-21	35.32	578.12	9.20	422	8.47	151.0	2.22	6.68	310	-	1.39	0.1 U	16300	-
12-Oct-21	33.84	579.60	9.30	329	9.07	160.8	1.55	6.34	236 J-	0.846	1.13	0.1 U	12500	0.801
5-Jan-22	25.20	588.24	9.20	344	7.96	170.2	0.67	6.54	255	1.06	1.02	0.1 U	18100	0.782
16-Mar-22	23.67	589.77	9.30	386	7.79	155.0	0.96	5.60	350	1.58	1.33	0.1 U	36800	0.887
23-Jun-22	27.91	585.53	9.80	356	7.21	152.8	2.55	6.93	281	1.08	1.04	0.1 U	16500	0.86

Notes:

Top of casing elevation (feet NAVD88): 613.44

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-2b: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-2A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	29.18	578.03	13.78	853	-	-	28.3	7.7	606	-	2 U	2 U	-	-
9-Nov-05	25.64	581.57	10.95	860	-	-	3.82	7.43	550	-	1.31	1 U	-	-
15-Feb-06	17.64	589.57	7.81	709	0.82	467.7	3.96	7.86	520 J	-	1.06	1 U	-	-
17-May-06	25.76	581.45	9.67	810	2.17	246.1	3.01	7.06	490	-	1.13	1 U	-	-
23-Aug-06	29.13	578.08	12.86	759	2.6	12	9.82	7.4	570	-	1.54	1 U	-	-
14-Nov-06	13.74	593.47	10.44	649	3.72	63.6	9.78	7.72	460	-	1.36	1 U	-	-
14-Feb-07	22.09	585.12	10.77	648	1.69	11.5	52.4	7.51	380	-	1.07	1 U	-	-
30-May-07	26.72	580.49	11.46	732	2.05	72.2	12.8	7.44	480	-	1.17	1 U	-	-
27-Aug-07	29.45	577.76	10.8	829	7.41	62.8	117	7.58	590 J	-	1.09	1 U	-	-
29-Nov-07	26.57	580.64	10.74	899	2	81.1	392	6.05	490	-	1.03	1 U	-	-
27-Feb-08	21.45	585.76	-	-	-	-	446	-	400	-	1.09	1 U	-	-
20-May-08	25.73	581.48	9.48	706	3.07	110.2	419	7.26	420 J	-	1.21	1 U	-	-
27-Aug-08	29.84	577.37	9.87	824	4.74	91.5	571	7.43	550 J	-	1.3	1 U	65100	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	29.13	578.08	9.76	820	4.56	53.6	227	7.33	520 J	-	1.3	1 U	76300	-
20-Nov-08	19.48	587.73	9.31	462	5.24	240.1	6.16	7.35	360	-	1.76	1 U	67000	-
30-Dec-08	16.93	590.28	9.85	480	6.18	66.8	56.1	7.35	390 J	-	1.55	1 U	61500	-
15-Jan-09	14.46	592.75	7.71	402	7.47	177.8	1.61	7.61	360	-	1.57	1 U	58500	-
12-Feb-09	23.84	583.37	9.63	-	8.72	-	74.9	7.54	390	-	1.3	1 U	48100	-
12-Mar-09	25.15	582.06	9.11	454	7.22	163.7	573	7.19	400	-	1.17	1 U	43100	-
16-Apr-09	17.72	589.49	8.4	417	8.27	126.4	128	7.26	400	-	1.4	1 U	48800	-
19-May-09	24.38	582.83	8.8	448	6.88	72	178	7.95	410 J	-	1.1	1 U	44000	-
23-Jun-09	27.85	579.36	8.95	507	7.76	61.9	256	8.07	490	-	2 U	2 U	39000	-
25-Aug-09	30.68	576.53	10.5	707	6.94*	307.4	4.38	7.17	530 J+	-	2 U	0.18 J	49000	-
23-Sep-09	30.84	576.37	11.2	661	5.41	374.7	15	7.28	500	-	2 U	2 U	51000	-
15-Dec-09	22.10	585.11	9.5	720	5.1	579	39	6.92	380	-	2 U	2 U	42000	-
24-Mar-10	23.82	583.39	10	602	4.1	535.3	43.3	6.93	370	-	1.7 J	2 U	39000	-
17-Jun-10	17.45	589.76	9.3	547	4.06	-	157	6.57	350	-	3.9	2 U	39000	-
22-Sep-10	29.66	577.55	10.2	722	5.77	360.2	7.2	7.22	450	-	3.3	2 U	55000	-
8-Dec-10	22.10	585.11	9.9	566	6.69	-	64.6	7.09	350	-	2 U	2 U	35000	-
29-Mar-11	19.94	587.27	8.4	251.3	6.95	620	28	7.13	250 J	-	1.4 J	2 U	30000	-
21-Jun-11	24.25	582.96	9.9	628	5.23	344.3	37	7.29	410 J	-	5 U	2 U	28000	-
28-Sep-11	30.41	576.8	9.5	57.5	6.54	481.7	13.8	7.24	500	-	5 U	2 U	54000	-
14-Dec-11	25.35	581.86	9.3	441	3.86	346.5	386	7.26	440	-	5 U	2 U	29000	-
20-Mar-12	15.45	591.76	7.7	580	1.53	382	32.3	7.4	280	-	2.2	0.4 U	26000	-
19-Jun-12	23.88	583.33	9	590	1.85	388.1	55.7	7.74	320	-	2.5	0.4 U	23000	-
19-Sep-12	30.18	577.03	11.1	695	7.03	297	9.31	7.41	420	-	2.7	0.4 U	42000	-
19-Dec-12	17.24	589.97	9.4	704	6.33	317	55.2	7.4	310	-	1.7	0.4 U	25000	-
25-Feb-13	23.12	584.09	9.1	585	6.04	339	110	7.46	370	-	2.5	0.4 U	24000	-
22-May-13	25.05	582.16	8.6	537	8.41	391.5	12.3	7.51	310	-	1.9	0.4 U	22000	-
21-Aug-13	30.75	576.46	10.6	684	8.42	150.2	5.85	7.74	419	-	1.5	0.2	27700	-
20-Nov-13	23.51	583.7	9.6	513	6.19	230.4	32.1	6.81	364	-	1.3	0.1 U	27500	-
1-Apr-14	17.11	590.1	8.5	386	7.32	243.1	14.6	7.46	294	-	1.4	0.1 U	31700	-
21-May-14	22.07	585.14	9.1	365	6.02	212.7	-	6.93	273	-	1.3	0.1 U	24700	-
12-Aug-14	31.32	575.89	13.16	552	6.56	76.7	6.8	7.36	394	-	1.5	0.1 U	25300	-
13-Nov-14	25.48	581.73	12.3	459.5	7.22	189.8	7.2	7.19	367	-	1.4	0.1 U	25500	-
11-Feb-15	16.83	590.38	9.3	447	6.76	134.4	36.6	7.52	286	-	1.7	0.1 U	30400	-
4-May-15	25.78	581.43	10.2	619	6.27	407.1	7.7	7.36	382	-	1.4	0.1 U	25200	-
6-Aug-15	31.87	575.34	11.3	500	9.18	207.1	28.1	7.23	394	-	1.5	0.1 U	22000	-
4-Nov-15	26.74	580.47	9.9	481	8.76	222.6	16.8	6.88	381	-	1.1	0.1 U	21800	-
10-Feb-16	19.19	588.02	9	376	7.35	206	40.2	7.68	261	-	3.6	0.1 U	37100	-
2-May-16	26.14	581.07	11.3	552	3.19	194.5	87.8	7.35	344	-	2.1	0.01 J-	3120	

**Table A-2b: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-2A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
12-Oct-21	27.75	579.46	10.4	595	9.33	188.2	0.56	6.53	439 J-	1.19	1.1	0.1 U	21900	1.07
6-Jan-22	19.05	588.16	10.2	466.3	4.66	197.7	2.69	7.14	368	3.24	1.89	0.1 U	80700	1.19
16-Mar-22	17.54	589.67	8.4	304.1	9.88	154.6	6.43	6	291	3.26	1.85	0.218	60900	1.15
23-Jun-22	21.76	585.45	9.5	442.6	6.06	158.8	1.49	7.10	369	1.94	1.5	0.1 U	37500	1.15

Notes:

Top of casing elevation (feet NAVD88): 607.21

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

\* Dissolved Oxygen meter working incorrectly at the time of sample collection

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2c: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-3A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	6.09	683.02	13.8	1124	-	-	30.3	6.96	922	-	2.41	2 U	-	-
10-Nov-05	5.50	683.61	10.8	1518	-	-	2.32	6.88	960	-	10.5	1 U	-	-
15-Feb-06	5.31	683.80	9.52	1357	0.46	217.4	58.2	6.33	930 J	-	6.66	1 U	-	-
16-May-06	6.25	682.86	10.4	1296	0.96	91	11.4	6.91	910	-	10.1	1 U	-	-
22-Aug-06	8.85	680.26	12.84	1362	1.28	-64.8	56	6.97	900	-	12.1	1 U	-	-
13-Nov-06	5.03	684.08	11.24	1392	2.12	-74.4	234	6.89	910	-	5.73	1 U	-	-
16-Feb-07	5.55	683.56	8.99	1155	0.75	-71.3	12.3	6.96	770	-	3.74	1 U	-	-
30-May-07	6.72	682.39	11.86	1297	0.75	-25.2	12.5	7.04	790	-	5.2	1 U	-	-
27-Aug-07	8.38	680.73	12.65	1483	0.71	-96.3	15.3	6.73	1100 J	-	8.74	1 U	-	-
28-Nov-07	5.66	683.45	10.47	1363	1.05	-72.9	26.9	7.31	730	-	4.24	1 U	-	-
27-Feb-08	5.57	683.54	-	-	-	-	121	-	860	-	9.76	1 U	-	-
19-May-08	5.94	683.17	9.39	1346	0.66	-52.6	20	6.93	820 J	-	6.64	1 U	-	-
26-Aug-08	6.44	682.67	12.15	1495	0.85	-53.6	5.85	6.88	820	-	3.42	1 U	30300	-
18-Nov-08	5.50	683.61	10.5	975	1.87	-67.4	225	6.93	880 J	-	7.48	1 U	62500	-
11-Feb-09	5.62	683.49	7.67	877	0.98	-	68	7.28	810	-	5.2	1 U	50600	-
19-May-09	5.60	683.51	8.52	847	0.91	-63.4	52	8.21	750 J	-	2.51	1 U	49500	-
22-Sep-09	8.36	680.75	15.7	1149	0.1	132.1	75.1	7.05	910	-	6.6	2 U	53000	-
17-Dec-09	4.59	684.52	8.9	1300	0.4	194	401	7.08	710	-	2 U	2 U	62000	-
24-Mar-10	5.40	683.71	11.2	1010	0.12	-	226	6.76	800	-	3.8	2 U	46000	-
16-Jun-10	5.27	683.84	10.1	1123	0.2	188	6.19	8.43	570	-	13	2 U	49000	-
21-Sep-10	6.01	683.10	12.7	1314	0.19	177.7	2.97	6.91	1,000	-	6.2	0.19 J	160000	-
7-Dec-10	5.23	683.88	9.7	1183	0.23	182.7	25.3	6.86	840	-	3.2	2 U	82000	-
30-Mar-11	5.04	684.07	8.3	498	0.28	174	4.93	7.89	700	-	3.6	2 U	36000	-
22-Jun-11	6.77	682.34	9.7	895	0.43	172.2	9.18	7.01	700 J	-	5 U	2 U	34000	-
28-Sep-11	7.83	681.28	12.6	99	0.18	141.8	6.07	6.83	840	-	8.8	2 U	83000	-
15-Dec-11	5.40	683.71	9	785	0.6	179.8	24.4	6.98	760	-	4.5 J	2 U	73000	-
20-Mar-12	4.96	684.15	7.1	1092	0.16	22.6	12.1	7.11	470	-	5.2	2 U	73000	-
19-Jun-12	6.76	682.35	10.3	1077	0.11	198.6	11.3	7.07	660	-	12	0.4 U	78000	-
20-Sep-12	8.67	680.44	12.3	1235	0.15	111	1.96	6.99	710	-	11	0.05 J	100000	-
18-Dec-12	4.98	684.13	8.7	1450	0.3	-40.6	18.7	7.25	740	-	4.8	0.4 U	150000	-
26-Feb-13	5.25	683.86	7.8	1211	0.15	186.6	27.8	7.21	740	-	4.7	0.4 U	98000	-
23-May-13	6.56	682.55	9.9	1000	0.18	242.3	16.9	7.21	460	-	14	2.8	150000	-
21-Aug-13	9.01	680.10	12.1	917	0.12	-14.2	1.24	7.27	772	-	7.6	0.05 J	94000	-
19-Nov-13	6.09	683.02	9.9	697	0.07	61.8	2.93	6.77	852	-	12.3	0.2	169000	-
1-Apr-14	5.75	683.36	9	722	0.1	131.3	4.47	7.07	624	-	10.5	0.06 J	104000	-
22-May-14	5.80	683.31	9.8	580	1.08	185.3	-	6.85	494	-	5.2	0.1	66500	-
13-Aug-14	8.54	680.57	11.48	915	2.85	-67.6	8.16	7.09	740	-	6.9	0.1 U	116000	-
12-Nov-14	5.97	683.14	11.1	313.7	2.79	-85.1	15.3	6.87	744	-	6.9	0.1 U	89100	-
12-Feb-15	5.50	683.61	9.8	980	0.52	-54.5	1.28	7.04	696	-	4.2	0.1 U	73200	-
4-May-15	5.80	683.31	10.8	994	0.17	143.4	15.4	7.12	701	-	9.3	0.1 U	100000	-
5-Aug-15	10.12	678.99	12.6	881	0.13	-90.4	0.89	7.07	724	-	7.3	0.1 U	70300	-
3-Nov-15	5.30	683.81	12	865	1.23	105.5	5.06	6.97	1020	-	1.7	0.2	195000	-
9-Feb-16	5.14	683.97	9.1	954	0.55	154.6	4.82	7.03	625	-	3.4	0.1 U	92700	-
2-May-16	4.74	684.37	11.3	844	0.19	96.8	2.21	7.16	621	-	10.5	0.04 J-	105000	-
23-Aug-16	9.04	680.07	13.2	946	0.03	156.2	3.48	6.97	924	-	8.19	0.09 J	148000	-
1-Nov-16	6.18	682.93	11.9	349	0.15	18.5	2.43	7.11	744	-	2.63	0.1 U	180000	-
1-Feb-17	5.91	683.20	7.5	1114	0.17	-67.4	6.05	7.08	694	-	6.4	0.1 U	100000	-
30-May-17	7.40	681.71	10.4	753	2.2	8.59	3.28	7.12	465	-	9.52	0.1 U	89300	-
17-Aug-17	9.71	679.40	12.4	1101	0.25	-60.2	3.39	7.01	737	-	8.47	0.1 U	72000	-
9-Nov-17	6.06	683.05	9.6	833	0.64	75.3	2.01	7.08	748	-	1.84	0.1 U	191000	-
27-Feb-18	5.16	683.95	7.6	791	0.21	-75.4	9.52	6.64	506	-	2.97	0.1 U	92000	-
1-May-18	5.41	683.70	10	847	0.93	-	5.82	7.36	547	-	3.81			

**Table A-2c: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-3A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
12-Oct-21	5.34	683.77	12.3	1611	2.92	133.4	5.25	6.63	1070 J-	15.6	3.31	0.4	93200	2.14
6-Jan-22	5.10	684.01	7.5	269.6	2.33	189.1	1.84	7.38	242	8.89	2.04	0.265	53400	2.61
17-Mar-22	4.97	684.14	7.5	269.6	2.33	189.1	1.84	7.38	252	3.39	1.98	0.169	53200	0.88
21-Jun-22	5.21	683.9	11.2	439.4	0.19	181.3	0.66	7.03	368	0.966	3.66	0.075 J	75400	0.39

Notes:

Top of casing elevation (feet NAVD88): 689.11

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-2d: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-4A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	4.60	700.85	12.43	629	-	-	6.07	6.45	490	-	2 U	2 U	-	-
10-Nov-05	3.70	701.75	11.98	441	-	-	7.4	6.22	290	-	1 U	1 U	-	-
19-Jan-06	3.56	701.89	8.29	319	0.42	-	1.46	6.53	290 J	-	1 U	1 U	-	-
15-Feb-06	3.82	701.63	8.32	326	0.62	99.7	3.5	7.39	220 J	-	1 U	1 U	-	-
15-Mar-06	3.79	701.66	7.58	254	0.87	201.9	0.82	6.65	210 J	-	1 U	1 U	-	-
7-Apr-06	3.87	701.58	9.36	295	0.55	157.4	0.24	6.34	220	-	1 U	1 U	-	-
16-May-06	4.92	700.53	10.8	321	0.45	142.1	0.99	6.36	220	-	1 U	1 U	-	-
23-Jun-06	4.41	701.04	12.62	316	0.57	-	2.05	6.25	200	-	1 U	2.64	-	-
20-Jul-06	6.90	698.55	13.43	347	0.23	-20.9	0.32	6.11	120	-	1 U	1 U	-	-
22-Aug-06	8.46	696.99	13.68	406	0.9	153.5	2.2	6.13	280	-	1 U	1 U	-	-
26-Sep-06	6.50	698.95	14.59	417	2.47	-35.2	2.42	6.33	290	-	1 U	1 U	-	-
26-Oct-06	5.98	699.47	12.82	434	3.3	124.1	0.82	6.12	320	-	1 U	1 U	-	-
13-Nov-06	3.02	702.43	11.7	386	5.06	187.8	2.47	6.13	280	-	1 U	1 U	-	-
20-Dec-06	3.60	701.85	9.64	379	4.3	150.5	1.03	6.07	250	-	1 U	1 U	-	-
23-Jan-07	3.68	701.77	8.37	239	3.96	58.9	0.66	6.28	220	-	1 U	1 U	-	-
14-Feb-07	3.74	701.71	8.18	325	2.85	110.8	0.53	6.25	210	-	1 U	1 U	-	-
27-Mar-07	3.32	702.13	8.27	289	2.07	61.5	0.88	6.83	210 J	-	1 U	1 U	-	-
17-Apr-07	3.89	701.56	9.59	306	1.8	102.3	2.31	6.34	190	-	1 U	1 U	-	-
30-May-07	4.70	700.75	11.27	285	1.78	101.7	1.37	6.37	180	-	1 U	1 U	-	-
20-Jun-07	4.69	700.76	12.37	350	1.67	9.3	1.25	6.9	240 J	-	1 U	1 U	-	-
31-Jul-07	6.38	699.07	14.57	402	1.15	5.5	0.6	6.37	250	-	1.29	1 U	-	-
29-Aug-07	7.44	698.01	13.78	353	1.11	128.3	1.87	6.18	280 J	-	1 U	1 U	-	-
27-Sep-07	8.25	697.20	13.6	375	0.96	142.6	0.7	6.7	300	-	1 U	1 U	-	-
26-Oct-07	4.09	701.36	12.16	343	2.27	75.9	3.93	6.1	310 J	-	1 U	1 U	-	-
29-Nov-07	3.93	701.52	10.13	428	3.17	197.3	1.63	6.32	270	-	1 U	1 U	-	-
12-Dec-07	5.82	699.63	9.51	384	3.37	185	0.8	6.06	260	-	1 U	1 U	-	-
24-Jan-08	3.86	701.59	7.74	354	3.09	109	-	6.35	250	-	1 U	1 U	-	-
28-Feb-08	4.04	701.41	-	-	-	-	1.06	-	220	-	1 U	1 U	-	-
19-May-08	4.35	701.10	9.79	329	1.38	209.2	1.2	6.08	200 J	-	1 U	1 U	-	-
26-Aug-08	7.83	697.62	12.66	431	1.38	210.5	0.28	6.19	270	-	1 U	1 U	3000 U	-
18-Nov-08	3.64	701.81	10.43	235	3.95	217.5	0.66	6.03	210	-	1 U	1 U	3000 U	-
11-Feb-09	4.09	701.36	7.24	188	2.13	-	0.12	6.54	180	-	1 U	1 U	3000 U	-
19-May-09	3.79	701.66	8.19	173	1.28	111.9	1.78	7.18	170 J	-	1 U	1 U	3000 U	-
22-Sep-09	9.70	695.75	16.5	440	0.82	383.3	12.5	6.31	370 J	-	2 U	2 U	1200 J	-
17-Dec-09	3.47	701.98	9.2	311	4.37	470	16	6.25	110	-	2 U	2 U	700 J	-
24-Mar-10	3.87	701.58	9.4	410	0.34	204.8	30.7	6.65	240	-	0.81 J	2 U	1300 J	-
16-Jun-10	3.77	701.68	10.3	298	0.99	397.8	1.11	7.4	180	-	3.6	2 U	900 J	-
21-Sep-10	5.82	699.63	13.7	350	1.01	302.5	1.04	6.25	200	-	1.4 J	0.2 J	1200 J	-
7-Dec-10	3.83	701.62	9.6	283	0.72	405.6	0.42	6.16	190	-	2 U	2 U	800 J	-
30-Mar-11	3.91	701.54	8.2	133.3	0.51	248.2	0.29	9.87	140 J	-	0.35 J	2 U	5000	-
22-Jun-11	3.99	701.46	11	219.3	0.16	222.5	0.22	6.13	160	-	5 U	2 U	700 J	-
28-Sep-11	8.54	696.91	14.3	34.5	0.26	333.9	2.45	6.3	270	-	5 U	2 U	2100 J	-
15-Dec-11	4.12	701.33	9.4	217	1.15	414.3	2.74	6.28	200	-	5 U	2 U	1200 J	-
21-Mar-12	3.35	702.10	8.4	346	0.42	438.4	0.48	6.14	220	-	4.8	0.4 U	1300 J	-
19-Jun-12	3.78	701.67	11.3	290.1	0.09	314	0.46	6.28	170 J+	-	1.3	0.4 U	3300 U	-
20-Sep-12	8.53	696.92	14.4	419	0.26	309	1.07	6.39	240	-	1.6	0.4 U	2900 J	-
18-Dec-12	3.49	701.96	9.1	491	2.56	264.4	1.38	6.63	170	-	1 U	0.4 U	1200 J	-
26-Feb-13	3.91	701.54	8.4	324	2.59	404.2	1.01	7.03	140	-	1.1	0.4 U	3400	-
23-May-13	3.76	701.69	10.6	338	1.15	465.9	0.57	6.31	190	-	1 U	0.4 U	3300 U	-
22-Aug-13	8.28	697.17	13.1	284.2	0.33	32.2	0.89	6.34	220	-	0.4	0.1 U	1260	-
19-Nov-13	3.33	702.12	10.3	323	1.7	109.2	0.64	6.27	200	-	0.2	0.1 U	750	-
1-Apr-14	3.69	701.76	8.2	243.6	0.45	180.7	0.28	6.33	173	-	0.18 J	0.1 U	710	-
22-May-14	4.52	700.93	10.8	195	0.65	75	-	7.2	152	-	0.3	0.1	600	-
13-Aug-14														

**Table A-2d: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-4A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
4-Mar-21	3.72	701.73	8.3	304	2.83	137	0.49	6.47	255	-	0.192 J	0.1 U	876	-
10-Jun-21	5.32	700.13	11.9	338.7	1.23	108.5	0.73	6.09	220	-	0.228	0.1 U	787	-
15-Oct-21	7.69	697.76	12.6	341.3	6.91	133.9	20.5	6.37	363 J-	0.18 J	0.99	0.151	1480	4.09
7-Jan-22	3.40	702.05	8.7	248.4	4.37	211.1	3.08	6.29	270	0.2 U	0.383	0.1 U	774 J	1.73
18-Mar-22	3.52	701.93	9.1	340.6	3.26	123.8	1.85	6.63	320	0.2 U	0.279	0.1 U	1140	1.53
22-Jun-22	3.83	701.62	10.1	327.8	1.36	114.5	0.46	6.36	263	0.2 U	0.201	0.1 U	666	1.16

Notes:

Top of casing elevation (feet NAVD88): 705.45

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-2e: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-5A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	33.33	577.90	12.02	956	-	-	496	7.34	600	-	2.01	2 U	-	-
10-Nov-05	29.62	581.61	11.24	1212	-	-	27.6	7.32	800	-	8.4	1 U	-	-
15-Feb-06	21.70	589.53	6.45	665	2.59	280.3	11.1	7.86	520 J	-	22.3	1 U	-	-
17-May-06	29.80	581.43	7.74	831	0.88	101.9	8.67	7.79	580	-	11	1 U	-	-
23-Aug-06	33.25	577.98	15.19	737	1.76	33.5	19.6	7.32	660	-	2.53	1 U	-	-
14-Nov-06	17.79	593.44	10.86	699	4.5	76.3	38.7	7.55	490	-	3.15	1 U	-	-
16-Feb-07	27.08	584.15	8.08	630	6.07	2.3	57.6	8.26	500	-	14.4	1 U	-	-
30-May-07	30.75	580.48	9.6	894	2.59	13.3	13.4	7.76	540	-	8.43	1 U	-	-
29-Aug-07	33.60	577.63	9.56	684	7.64	67	-	7.1	670 J	-	1.97	1 U	-	-
29-Nov-07	30.60	580.63	11	1075	3.53	151.5	23.5	8.37	560	-	5.17	1 U	-	-
27-Feb-08	25.68	585.55	-	-	-	-	29.9	-	400	-	10.7	1 U	-	-
20-May-08	29.73	581.50	7.93	768	4.27	180.7	77.8	7.39	480 J	-	5.67	1 U	-	-
27-Aug-08	33.97	577.26	10.17	862	4.07	81.2	-	7.43	540 J	-	1.17	1 U	87500	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	33.55	577.68	8.89	845	5.39	86.3	852	7.53	440 J	-	1.03	1 U	90700	-
20-Nov-08	23.48	587.75	9.34	577	5.27	234.3	9.48	7.5	470	-	6.24	2 U	138000	-
30-Dec-08	20.88	590.35	8.39	510	8.89	99	44.8	8.02	430 J	-	14.2	1.11	138000	-
15-Jan-09	18.50	592.73	4.97	347	8.9	154.8	17.2	8.47	380	-	24.4	1 U	104000	-
12-Feb-09	27.90	583.33	8.47	-	10.21	-	22	7.6	420 J	-	6.11	1 U	99000	-
12-Mar-09	29.19	582.04	7.47	521	6.15	171.7	26.8	7.39	480	-	8.97	1 U	124000	-
16-Apr-09	21.70	589.53	6.99	456	7.6	151.6	72.7	8.66	470	-	28.2	1.01	126000	-
19-May-09	28.37	582.86	8.08	509	6.38	64.4	31.3	8.07	450 J	-	9.19	1 U	105000	-
23-Jun-09	31.95	579.28	8.84	551	5.97	69.1	74.3	8.28	500	-	4.3	2 U	71000	-
25-Aug-09	35.08	576.15	-	-	-	-	-	-	-	-	-	-	-	-
24-Sep-09	35.29	575.94	11.7	714	2.28	371.9	258	7.26	550 J	-	0.76 J	0.17 J	88000	-
15-Dec-09	26.11	585.12	8.6	928	2.89	544	89	7.14	450	-	1.1 J	2 U	110000	-
24-Mar-10	27.86	583.37	8.3	697	3.52	505.1	18.1	7.47	450	-	23	0.46 J	110000	-
16-Jun-10	21.35	589.88	10.7	783	2.07	379	41.4	7.73	340	-	53	0.0021	150000	-
22-Sep-10	33.88	577.35	10.4	938	4.3	467.1	7.93	7.1	620	-	5	2 U	100000	-
7-Dec-10	25.22	586.01	10.2	781	3.86	353.7	11.1	7.39	500	-	12	0.53 J	130000	-
29-Mar-11	23.59	587.64	7	354	3.47	708	22.22	9.52	440 J	-	63	1.4 J	140000	-
21-Jun-11	28.33	582.90	11.6	1000	2.22	285.3	10.6	9.06	1100 J	-	43	1.2 J	180000	-
27-Sep-11	34.70	576.53	12.7	641	1.46	307.2	12.8	7.3	680	-	5 U	0.23 J	100000	-
14-Dec-11	29.46	581.77	9.5	691	1.95	757.1	9.69	7.35	690	-	6.9	0.18 J	180000	-
20-Mar-12	19.50	591.73	6.2	841	3.98	320.2	8.52	8.25	350	-	26	1 J	140000	-
19-Jun-12	27.91	583.32	10.2	800	3.22	365.9	2.76	7.66	510	-	8.7	0.4 U	120000	-
20-Sep-12	34.53	576.70	11	859	0.73	387	46.8	7.64	530	-	2.6	0.4 U	100000	-
19-Dec-12	21.26	589.97	8.9	983	1.73	279	778	7.71	530	-	11	0.62	180000	-
25-Feb-13	27.19	584.04	7.5	682	7.61	330.5	4.36	7.85	380	-	13	0.15 J	74000	-
22-May-13	29.09	582.14	8.8	828	3.88	411.4	8.11	8.29	350	-	25	0.53	100000	-
21-Aug-13	35.15	576.08	17.1	1248	3.41	114.2	144	7.78	1060	-	1.5	0.05 J	95000	-
20-Nov-13	27.45	583.78	10	1032	4.13	196.5	31.7	7.18	699	-	14.5	1.4	202000	-
1-Apr-14	21.08	590.15	8.4	567	3.04	168.2	15.7	10.24	413	-	62.7	1.5	150000	-
21-May-14	26.11	585.12	10.3	670	0.49	198.4	-	7.45	565	-	95	1.6	166000	-
12-Aug-14	34.56	576.67	14.07	812	3.64	87.7	1519	7.51	560	-	3	0.1 U	107000	-
13-Nov-14	29.48	581.75	12.9	1135	3.5	241.7	10.46	7.69	956	-	20.8	0.1	295000	-
11-Feb-15	20.81	590.42	7.7	619	6.17	81.4	18	9.63	430	-	39.2	1.3	126000	-
4-May-15	29.80	581.43	10.5	924	2.54	361.3	8.7	9.74	623	-	42.3	0.5	192000	-
6-Aug-15	36.08	575.15	12.8	781	2.4	129.6	261	7.24	DRY	-	DRY	DRY	DRY	-
4-Nov-15	30.80	580.43	10.7	1234	4.98	205.6	11.8	7.13	1130	-	6.6	0.3	318000	-
10-Feb-16	23.56	587.67	6.4	602	1.62	197.7	11.9	10.19	451	-	132	1.4	148000	-
2-May-16	30.19	581.04	11.5	1008	0.8	110.6	9.76	10.1						

**Table A-2e: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-5A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
3-Mar-21	24.81	586.42	9.2	899	3.04	225	3.09	7.6	792	-	3.74	0.132	247000	-
9-Jun-21	33.20	578.03	9.3	875	5.23	184	1.26	7.27	700	-	2.62	0.063 J	205000	-
13-Oct-21	31.70	579.53	9.5	1934	5.97	194	9.56	7.22	DRY	DRY	DRY	DRY	DRY	DRY
5-Jan-22	23.00	588.23	9.2	972	4.7	271.1	1.4	7.18	829	6.42	3.38	0.085 J	252000	1.8
16-Mar-22	21.48	589.75	7.8	724	7.0	187	2.65	6.6	711	6.01	4.02	0.11	223000	1.52
23-Jun-22	25.74	585.49	9.6	969	3.5	173.1	1.13	7.38	881	5.49	3.29	0.093 J	251000	1.82

Notes:

Top of casing elevation (feet NAVD88): 611.23

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

-	Not measured or not available
	Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.
Dry	Well went dry during sampling. Unable to collect sample.
a	Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022
U	Data validation code; not detected at the Reporting Limit (RL)
J	Data validation code; estimated value
J+	Data validation code; estimated value with positive bias
°C	Degrees Celsius
Note 1	ORP measurements not available due to faulty sensor.
μmhos/cm	Micromhos per centimeter
feet bmp	Feet below measuring point
feet NAVD88	Feet NAVD88 Datum
	mg/L Milligrams per liter
	mV Millivolts
	NTU Nephelometric Turbidity Unit

**Table A-2f: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-6A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)				Vanadium	
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead		
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Jul-05	30.89	578.06	15.26	735	-	-	303	7.6	612	-	2 U	2 U	-	-
10-Nov-05	27.25	581.70	11.79	700	-	-	13.7	7.51	460	-	2.16	1 U	-	-
15-Feb-06	19.42	589.53	6.17	759	2	162.9	9.42	8.27	550 J	-	7.54	1 U	-	-
17-May-06	27.55	581.40	11.99	835	1.31	248.3	4.16	7.46	550	-	11	1 U	-	-
23-Aug-06	30.99	577.96	15.92	862	1.6	-26.4	15.5	7.4	810	-	1.34	1 U	-	-
14-Nov-06	15.30	593.65	10.56	712	4.59	84.1	14.5	7.32	500	-	1.71	1 U	-	-
16-Feb-07	24.22	584.73	8.49	581	3.64	38.6	139	7.21	420	-	1.6	1 U	-	-
30-May-07	28.50	580.45	13.93	1092	2.72	180.7	210	7.4	740	-	16.2	1 U	-	-
29-Aug-07	31.34	577.61	10.15	701	4.48	84.8	662	7.8	620 J	-	1.41	1 U	-	-
29-Nov-07	28.32	580.63	11.3	731	6.23	154	-	6.26	420	-	1.78	1 U	-	-
27-Feb-08	23.42	585.53	-	-	-	-	-	-	410	-	1.47	1 U	-	-
20-May-08	27.49	581.46	8.14	791	3.93	176.5	-	7.64	540 J	-	8.18	1 U	-	-
27-Aug-08	31.72	577.23	9.33	776	4.83	142	-	7.32	660 J	-	1.86	1 U	109000	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	31.29	577.66	9.17	923	4.6	115.4	-	7.13	590 J	-	1.85	1 U	106000	-
20-Nov-08	21.18	587.77	9.7	578	5.22	249.4	11.7	7.4	460	-	4.42	2 U	110000	-
30-Dec-08	18.64	590.31	8.45	448	9.27	137.9	75.8	7.89	370 J	-	11.9	1.14	106000	-
15-Jan-09	16.23	592.72	6.84	344	9.25	181.9	2.77	7.47	320	-	4.88	1 U	72900	-
12-Feb-09	25.64	583.31	7.89	-	10.82	-	71.7	7.7	420	-	11	1 U	103000	-
12-Mar-09	26.92	582.03	7.27	524	8.31	166.7	116	7.76	500	-	23.5	1 U	125000	-
16-Apr-09	19.46	589.49	7.33	406	7.57	182.8	91.8	8.33	430	-	24.1	1.09	101000	-
19-May-09	26.10	582.85	9.07	554	6.39	65.6	161	8.32	550 J	-	13.4	1 U	115000	-
23-Jun-09	29.67	579.28	9.51	522	6.05	71.4	-	8.17	540	-	3.1	2 U	74000	-
25-Aug-09	32.72	576.23	14.8	795	3.25	282.7	22	7.28	630 J	-	0.75 J	2 U	100000	-
24-Sep-09	32.93	576.02	10.6	745	4.02	361.3	29.8	7.27	560 J	-	0.28 J	2 U	100000	-
15-Dec-09	23.87	585.08	9.5	815	4.2	556	20	7.15	450	-	2 U	2 U	120000	-
24-Mar-10	25.61	583.34	8.5	704	4.93	205.6	20.5	8.53	490	-	47	0.9 J	140000	-
16-Jun-10	19.11	589.84	10.4	553	4.79	399.8	13.4	7.22	310	-	16	2 U	90000	-
22-Sep-10	31.61	577.34	11.3	1019	3.89	413.8	20.3	7.1	770	-	6.2	0.24 J	130000	-
8-Dec-10	23.10	585.85	87.9	751	6.24	437.1	9.55	8.77	520	-	43	1.3 J	130000	-
29-Mar-11	21.32	587.63	7.1	303	4.76	809.4	13.4	9.35	350 J	-	43	0.55 J	110000	-
21-Jun-11	26.04	582.91	11.2	840	3.24	300.2	8.5	8.4	790	-	18	0.58 J	110000	-
28-Sep-11	32.43	576.52	10.9	666	3.92	415.6	8.32	7.3	590	-	5 U	0.19 J	110000	-
14-Dec-11	27.19	581.76	9	605	1.56	329.9	21.9	7.89	570	-	11	0.79 J	150000	-
20-Mar-12	17.23	591.72	6.7	639	5.03	362.5	59.9	7.79	200	-	17	2 U	79000	-
19-Jun-12	25.63	583.32	9.6	681	5.24	373.2	5.94	7.43	430	-	7.4	0.4 U	76000	-
19-Sep-12	32.12	576.83	11.7	786	3.49	290	7.36	7.38	460	-	5.7	0.4 U	81000	-
19-Dec-12	19.00	589.95	8.9	977	4.55	308	26.9	7.98	440	-	20	1.3	150000	-
25-Feb-13	24.93	584.02	7.1	766	7.59	306.9	6.18	8.2	450	-	34	0.73	120000	-
22-May-13	26.84	582.11	9.1	705	3.94	412.9	5.97	9.33	430	-	43	0.52	140000	-
21-Aug-13	32.84	576.11	11.2	879	4.54	110.2	8.28	8.28	548	-	9.5	0.1 U	106000	-
20-Nov-13	25.21	583.74	11.1	1264	4.69	201.4	30.8	7.55	640	-	24.9	1.9	163000	-
1-Apr-14	18.81	590.14	8.4	448	3.5	194.9	14.7	8.87	342	-	14.8	0.3	78400	-
21-May-14	23.84	585.11	10.6	122	1.32	199.3	-	8.46	352	-	18	0.2	80400	-
13-Aug-14	32.25	576.70	12.46	796	5.77	54	8.01	8.68	628	-	16.1	0.1 U	165000	-
13-Nov-14	27.21	581.74	13.3	837	4.02	234.3	11.4	8.63	711	-	44.1	0.4	203000	-
11-Feb-15	18.54	590.41	8.4	609	1.75	16	87.4	9.71	435	-	36.2	1	117000	-
4-May-15	27.52	581.43	9.9	974	3.27	356.5	12.3	10.14	654	-	41.6	0.5	199000	-
6-Aug-15	33.98	574.97	11.7	822	1.77	113.7	4.02	8.83	670	-	19.1	0.1 U	210000	-
4-Nov-15	28.51	580.44	11.7	1207	4.85	206.3	21.2	7.48	1090	-	7.7	1	370000	-
10-Feb-16	20.96	587.99	6.9	712	2.3	145.8	20.1	10.82	575	-	121	1.1	173000	-
2-May-16	28.91	580.04	10.6	1856	0.1									

**Table A-2f: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-6A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
3-Mar-21	22.58	586.37	7.1	760	1.74	208	5.6	8.04	722	-	3.09	0.307	243000	-
9-Jun-21	31.07	577.88	9.8	2077	4.83	197.3	1.81	8.08	1900	-	5.03	0.094 J	707000	-
13-Oct-21	29.39	579.56	11.2	2509	4.77	188.6	13.1	7.64	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	20.72	588.23	7.3	1136	8.21	229.4	2.04	7.98	1040	7.89	2.41	0.115	333000	0.912
16-Mar-22	19.23	589.72	7.3	828	7.3	176.4	3.63	7.57	808	7.90	2.85	0.155	255000	0.935
23-Jun-22	23.49	585.46	11.2	916	3.74	163.1	0.76	7.66	836	7.00	2.09	0.073 J	265000	0.977

Notes:

Top of casing elevation (feet NAVD88): 608.95

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-2g: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-7A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
13-Oct-21	13.61	579.08	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10-Jan-22	4.73	587.96	7.00	467	5.45	197.0	2.99	7.34	419	3.89	2.07	0.1 U	98000	1.04
21-Mar-22	3.21	589.48	7.3	691	6.38	66.2	1.52	7.46	632	6.23	2.88	0.071 J	179000	1.34
22-Jun-22	7.45	585.24	12	541	1.88	107.5	0.47	7.21	387	2.91	1.78	0.1 U	65500	1.19

Notes:

Top of casing elevation (feet NAVD88): 592.69

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2h: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-8A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
13-Oct-21	23.91	577.58	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	13.55	587.94	9.5	670	3.99	239.1	4.50	7.05	595	5.21	6.64	0.1 U	169000	3.87
21-Mar-22	12.11	589.38	8.0	587	7.13	45	3.32	7.71	536	4.76	7.48	0.1 U	163000	3.84
22-Jun-22	16.4	585.09	9.4	773	2.99	96	0.94	7.22	699	5.17	8.13	0.1 U	197000	4.73

Notes:

Top of casing elevation (feet NAVD88): 601.49

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2i: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-9A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Oct-21	4.38	692.91	12.20	956	1.45	-93.2	2.70	7.11	981 J-	0.659	4.79	0.139	16000	1.2
7-Jan-22	2.45	694.84	8.50	381	4.86	189.9	1.43	6.95	404	0.181 J	1.02	0.056 J	2910	1.03
18-Mar-22	2.38	694.91	8.50	423	5.19	138.3	1.17	7.16	403	0.154 J	0.788	0.1 U	2470	0.776
22-Jun-22	2.38	694.91	10.5	485.8	4.42	72.8	0.85	6.89	399	0.244	0.656	0.052 J	2130	0.916

Notes:

Top of casing elevation (feet NAVD88): 697.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2j: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-10A**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Oct-21	19.04	678.98	10.7	390	4.24	-115.0	27.80	7.93	383 J-	0.705	4.04	0.383	9700	2.87
6-Jan-22	5.55	692.47	9.3	168	7.06	94.6	6.90	7.50	141	0.151 J	1.13	0.109	2660	1.03
17-Mar-22	5.39	692.63	9.4	151	7.12	95.1	6.21	6.50	139	0.2 U	0.91	0.061 J	1880	0.807
21-Jun-22	5.89	692.13	11.5	114.9	7.92	191.1	4.48	6.80	116	0.2 U	0.764	0.081 J	1150	1.02

Notes:

Top of casing elevation (feet NAVD88): 698.02

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-2k: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-16**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Oct-21	2.41	700.46	12.30	2622	0.71	-261.2	56.2	12.11	2640 J-	9.16	232	41.1	826000	445
6-Jan-22	2.35	700.52	8.10	2804	1.06	-409.7	1.1	12.75	2420	9.63	109	14.6	809000	292
17-Mar-22	2.73	700.14	8.4	2600	1.16	-421.2	23.5	13.71	2570	8.14	124	10.5	771000	255
22-Jun-22	2.71	700.16	11.6	2757	0.04	-105.8	27.4	12.19	2200	9.62	124	17.1	713000	285

Notes:

Top of casing elevation (feet NAVD88): 702.87

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-2I: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-17**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Oct-21	4.89	715.43	14.00	464	0.98	-97.5	38.1	6.49	444 J-	1 U	16.4	13.1	9700	105
7-Jan-22	3.65	716.67	6.90	389	1.13	-60.4	4.1	6.46	388	1.26	2.81	0.1 U	8030	1.8
18-Mar-22	4.12	716.2	8.4	404.4	1.46	23.7	5.41	7.33	362	1.38	1.34	0.1 U	13300	1.08
22-Jun-22	6.87	713.45	11.7	586	0.26	-57.6	2.87	6.44	398	0.68	6.73	0.2 U	3560	2.99

Notes:

Top of casing elevation (feet NAVD88): 720.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**APPENDIX A-3**

**Summary of Lower Disposal Area –  
Bedrock Groundwater Sampling  
Results**

Table A-3A Well MWB-1LDA

Table A-3B Well MWB-2LDA

Table A-3C Well MWB-3LDA

**Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
19-Dec-06	26.51	678.17	10.96	546	0.43	-115.4	1.05	7.70	310	151	1 U	-
14-Feb-07	26.08	678.60	10.62	397	1.02	-90.8	3.07	7.53	240	160	1 U	-
31-May-07	25.96	678.72	10.83	386	0.36	-172.8	4.20	8.20	220	122	1 U	-
27-Aug-07	25.66	679.02	10.97	372	0.76	-128.2	1.08	7.51	240	89.9	1 U	-
28-Nov-07	26.81	677.87	10.56	371	0.42	-121.2	1.29	8.03	220	88.3	1 U	-
27-Feb-08	25.80	678.88	10.62	371	2.01	-	1.07	-	230	80.9	1 U	3000 U
20-May-08	25.62	679.06	10.61	391	0.36	-53.0	1.11	7.28	230	64.3	1 U	-
27-Aug-08	26.14	678.54	10.58	394	0.50	-63.9	1.02	7.35	230 J	64	1 U	3000 U
19-Nov-08	25.16	679.52	10.33	269	0.45	-88.6	0.48	7.51	230	59.6	1 U	3000 U
11-Feb-09	25.08	679.60	10.04	268	0.48	-	0.97	7.89	230	56	1 U	3000 U
18-May-09	24.83	679.85	10.10	271	0.42	-50.5	1.81	8.05	230 J	46.6	1 U	3000 U
24-Sep-09	26.32	678.36	11.80	323	0.24	202.0	3.59	7.57	260	27	2 U	1100 J
17-Dec-09	25.06	679.62	10.10	370	0.94	179.0	4.16	7.77	<40	34	2 U	1200 J
23-Mar-10	24.83	679.85	10.90	344	0.21	397.4	3.17	7.57	240	25	2 U	1300 J
15-Jun-10	24.38	680.30	10.50	355	0.08	195.5	0.42	7.66	150	27	2 U	1100 J
20-Sep-10	25.74	678.94	10.50	354	0.06	192.9	0.20	7.65	200	22	2 U	1100 J
6-Dec-10	24.59	680.09	10.00	347	0.09	99.3	0.17	7.86	230	22	2 U	1000 J
28-Mar-11	24.01	680.67	10.00	173	0.16	90.6	0.88	7.58	200	22	2 U	1000 J
20-Jun-11	24.11	680.57	10.30	330	0.07	121.5	0.17	7.65	250	22	2 U	900 J
26-Sep-11	25.39	679.29	10.40	2906	0.06	123.6	0.43	7.65	280	15	2 U	1100 J
14-Dec-11	24.61	680.07	9.90	245	0.10	193.8	1.76	7.57	230	21	2 U	1200 J
21-Mar-12	23.70	680.98	10.10	392	0.07	392.0	0.22	7.47	240	23	2 U	1100 J
18-Jun-12	23.90	680.78	10.50	383	0.02	342.8	0.30	7.67	230	20	0.4 U	3300 U
19-Sep-12	25.38	679.30	10.30	402	0.01	151.0	0.44	7.63	220	19	0.4 U	1000 J
18-Dec-12	23.59	681.09	10.10	492	0.00	-45.7	0.16	7.70	92	17	0.4 U	1200 J
25-Feb-13	23.73	680.95	9.90	377	0.00	177.1	0.37	7.53	270 J	19	0.4 U	1000 J
22-May-13	23.85	680.83	9.90	398	0.00	430.4	0.44	7.73	290	17	0.4 U	3300 U
21-Aug-13	25.34	679.34	10.40	467	0.01	-31.7	0.55	7.68	238	16.8	0.08 J	1060
19-Nov-13	24.25	680.43	10.10	361	0.00	70.3	0.32	7.30	232	15.7	0.1 U	1040
31-Mar-14	22.36	682.32	10.70	286	0.01	107.4	0.21	7.79	211	13.8	0.1 U	1020
21-May-14	23.29	681.39	8.54	271	1.35	54.3	-	7.14	198	13.1	0.1 U	1000
12-Aug-14	24.87	679.81	14.79	335	0.41	-16.0	2.02	7.05	216	11.9	0.1 U	1010
11-Nov-14	24.96	679.72	10.10	262	0.79	11.1	1.51	7.49	221	13.6	0.1 U	1090
10-Feb-15	23.23	681.45	10.40	319	0.25	-114.0	0.36	7.70	240	13.3	0.1 U	960
4-May-15	23.62	681.06	10.20	370	0.05	175.1	0.16	7.70	224	11.7	0.1 U	960
4-Aug-15	25.30	679.38	11.00	279	0.06	-30.5	0.72	7.72	234	14.4	0.1 U	990
4-Nov-15	25.35	679.33	10.60	263	0.00	51.2	0.46	7.46	233	11	0.1 U	1150
8-Feb-16	23.03	681.65	10.20	319	0.03	206.5	0.20	7.77	210	12.1	0.1 U	1050
2-May-16	23.49	681.19				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
22-Aug-16	25.00	679.68	11.10	323	0.02	-55.2	1.10	7.64		Monitored Annually <sup>1</sup>		
1-Nov-16	24.29	680.39				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
31-Jan-17	23.06	681.62	10.20	391	0.05	169.3	0.13	7.66	223	11.9	0.1 U	1030
30-May-17	22.45	682.23				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
16-Aug-17	24.27	680.41	10.70	385	0.15	123.4	0.40	7.64		Monitored Annually <sup>1</sup>		
9-Nov-17	21.58	680.27				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
28-Feb-18	22.04	682.64	10.10	276	0.20	-96.4	0.25	7.44	221	10.8	0.1 U	951
1-May-18	22.11	682.57				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
22-Aug-18	24.42	680.26	11.37	277	5.25	-59.6	0.18	7.61		Monitored Annually <sup>1</sup>		
6-Nov-18	24.57	680.11				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
11-Mar-19	22.61	682.07	10.10	248	0.60	-70.8	0.68	7.60	224	8.74	0.1 U	1070
8-May-19	22.68	682.00				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
27-Aug-19	24.54	680.14	11.45	282	0.58	Note 1	0.04	7.30		Monitored Annually <sup>1</sup>		
13-Nov-19	24.15	680.53				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
13-Feb-20	22.04	682.64	10.10	280	0.34	-133.4	0.57	7.51	207	8.82	0.1 U	1050
13-Aug-20	23.92	680.76	11.00	284	0.60	-113.5	0.44	7.55		Monitored Annually <sup>1</sup>		
9-Dec-20	23.35	681.33				Monitored Semi-Annually <sup>1</sup>				Monitored Annually <sup>1</sup>		
5-Mar-21	22.01	682.67	10.20	266	0.04	-50.0	0.42	7.64	214	10.5	0.1 U	1120

**Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
10-Jun-21	23.17	681.51	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
13-Oct-21	24.41	680.27	10.90	327.2	0.91	-76.1	0.33	7.48	Monitored Annually <sup>1</sup>			
5-Jan-22	22.00	682.68	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
17-Mar-22	21.89	682.79	10.7	259.6	1.24	-60.4	0.22	6.52	220	8.2	0.1 U	925
21-Jun-22	21.58	683.1	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			

Note:

Top of casing elevation (feet NAVD88): 704.68

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder

1 Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
19-Dec-06	36.82	704.84	12.15	394	0.57	114.6	1.84	7.58	230	8.49	1 U	-
14-Feb-07	36.30	705.36	11.69	339	1.40	-85.7	2.72	7.39	200	6.09	1 U	-
31-May-07	36.93	704.73	12.13	346	0.20	-223.7	3.04	8.28	210	6.95	1 U	-
27-Aug-07	37.99	703.67	12.18	336	0.49	-169.7	0.84	7.54	210	7.49	1 U	-
28-Nov-07	37.89	703.77	11.82	338	0.28	-146.6	1.32	7.93	250	6.91	1 U	-
27-Feb-08	37.24	704.42	11.87	340	0.23	-	0.87	7.41	210	7.46	1 U	3000 U
20-May-08	37.31	704.35	11.91	359	0.23	-86.6	0.67	7.27	200	6.31	1 U	-
27-Aug-08	38.37	703.29	11.84	362	0.35	-77.6	0.70	7.21	210 J	6.36	1 U	3000 U
19-Nov-08	37.50	704.16	11.53	254	0.44	-105.9	2.08	7.45	200	5.86	1 U	3000 U
11-Feb-09	37.10	704.56	11.25	254	0.48	-	0.63	7.91	220	5.61	1 U	3000 U
18-May-09	37.00	704.66	11.42	258	0.42	-71.9	1.11	8.00	210 J	5.17	1 U	3000 U
25-Sep-09	38.88	702.78	13.10	297	0.14	140.7	3.09	7.54	230	6.5	2 U	1200 J
17-Dec-09	37.19	704.47	10.80	341	0.51	129.0	4.85	7.71	74	4.3	2 U	1100 J
23-Mar-10	36.60	705.06	12.60	323	0.27	355.0	5.28	7.54	110	7.6	2 U	1200 J
15-Jun-10	36.25	705.41	11.40	326	0.08	171.1	-	7.62	98	8.8	2 U	1100 J
20-Sep-10	37.85	703.81	11.60	324	0.08	144.0	0.16	7.61	160	6.5	2 U	1200 J
6-Dec-10	36.60	705.06	11.00	319	0.21	78.3	0.20	7.81	210	2.9	2 U	900 J
29-Mar-11	35.98	705.68	11.20	156	0.15	215.0	0.75	7.48	200	5.6	2 U	1500 J
21-Jun-11	36.34	705.32	11.80	352	0.06	101.5	0.24	7.59	220	5 U	2 U	1000 J
27-Sep-11	38.14	703.52	11.50	2484	0.06	114.4	0.45	7.60	220	5 U	2 U	1000 J
14-Dec-11	36.91	704.75	11.00	228	0.05	127.2	4.04	7.54	190	6.7	2 U	1200 J
21-Mar-12	35.68	705.98	11.00	359	0.05	93.9	0.30	7.43	210	6.9	2 U	1100 J
18-Jun-12	36.06	705.60	11.70	350	0.02	211.9	0.23	7.62	220	6.2	0.4 U	3300 U
19-Sep-12	38.07	703.59	11.60	367	0.00	102.0	0.34	7.59	200	6.5	0.4 U	1000 J
18-Dec-12	34.88	706.78	10.90	463	0.00	-97.8	0.17	7.81	68	6	0.4 U	1200 J
25-Feb-13	35.70	705.96	10.90	347	0.09	112.6	0.27	7.56	190	6.6	0.4 U	1100 J
22-May-13	36.24	705.42	11.00	412	0.00	412.5	0.43	7.71	190	6	0.4 U	3300 U
20-Aug-13	38.13	703.53	12.20	406	0.02	-41.5	0.64	7.48	211	5.5	0.1 U	1030
19-Nov-13	36.56	705.10	11.10	344	0.01	43.6	0.32	7.35	206	5.2	0.1 U	1090
31-Mar-14	35.36	706.30	11.50	285	0.00	93.1	0.31	7.71	207	5.1	0.1 U	1100
22-May-14	35.80	705.86	10.05	260	0.24	17.5	-	7.22	186	5	0.1 U	1000
13-Aug-14	37.50	704.16	13.10	294	0.57	-37.5	3.28	7.19	190	5.4	0.1 U	1110
11-Nov-14	37.06	704.60	10.10	241	0.68	-39.7	2.10	7.48	206	5.4	0.1 U	1090
10-Feb-15	35.70	705.96	11.40	295	0.11	-123.2	2.11	7.69	206	5.1	0.1 U	1020
4-May-15	36.34	705.32	11.70	336	0.05	340.2	0.72	7.73	204	4.8	0.1 U	1040
4-Aug-15	38.42	703.24	12.70	263	0.04	-81.8	0.77	7.72	204	5.8	0.1 U	1040
4-Nov-15	37.81	703.85	11.60	244	0.04	26.9	2.13	7.45	201	4.7	0.1 U	1070
8-Feb-16	35.68	705.98	11.60	307	0.00	208.4	0.74	7.68	186	5.5	0.1 U	1110
2-May-16	36.03	705.63	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
22-Aug-16	37.92	703.74	12.20	306	0.02	-137.6	1.58	7.67	Monitored Annually <sup>1</sup>			
1-Nov-16	37.07	704.59	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
31-Jan-17	36.00	705.66	10.90	348	0.10	120.5	0.86	7.67	195	5.66	0.1 U	1110
30-May-17	35.44	706.22	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
16-Aug-17	37.69	703.97	12.30	356	0.14	-77.2	3.27	7.67	Monitored Annually <sup>1</sup>			
9-Nov-17	37.11	704.55	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
28-Feb-18	34.95	706.71	10.90	261	0.21	-115.5	0.80	7.48	205	5.69	0.1 U	992
1-May-18	35.11	706.55	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
22-Aug-18	37.90	703.76	12.31	262	1.64	-80.3	0.92	7.56	Monitored Annually <sup>1</sup>			
6-Nov-18	37.66	704.00	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
12-Mar-19	35.68	705.98	10.70	239	0.58	-75.1	0.59	7.48	188	5.5	0.1 U	1080
8-May-19	35.86	705.80	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
27-Aug-19	37.85	703.81	12.30	265	0.43	Note 1	0.02	7.46	Monitored Annually <sup>1</sup>			
13-Nov-19	37.22	704.44	Monitored Semi-Annually <sup>1</sup>					Monitored Annually <sup>1</sup>				
13-Feb-20	35.10	706.56	10.80	261	0.39	-135.9	0.96	7.50	185	5.45		

**Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
5-Mar-21	35.02	706.64	11.10	255	0.04	-80.0	2.29	7.65	176	5.52	0.1 U	1090
10-Jun-21	36.29	705.37				Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>
13-Oct-21	37.76	703.90	11.70	308	3.66	-44.7	0.32	7.43				Monitored Annually <sup>1</sup>
5-Jan-22	35.31	706.35				Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>
17-Mar-22	34.52	707.14	11.6	244.3	2.84	-60.6	3.21	6.56	201	5.53	0.071 J	1060
21-Jun-22	34.7	706.96				Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>

Note:

Top of casing elevation (feet NAVD88): 741.66

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

a Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

u Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

j Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
19-Dec-06	7.08	737.11	11.37	670	0.42	-171.2	1.20	9.23	500	25.7	1 U	-
23-Jan-07	5.62	738.57	13.07	383	0.51	-275.0	1.53	8.63	270	18.4	1 U	-
14-Feb-07	5.81	738.38	12.57	328	1.09	-158.2	115.00	7.86	310	15.1	1 U	-
29-Mar-07	4.78	739.41	12.44	458	0.57	-140.8	4.25	7.78	260 J	37.9	1 U	-
17-Apr-07	4.86	739.33	12.79	389	0.27	-102.4	1.22	7.46	240	23	1 U	-
31-May-07	6.39	737.80	12.98	394	0.29	-223.8	3.32	8.14	240	21.2	1 U	-
20-Jun-07	6.86	737.33	13.41	412	6.10	-128.5	1.35	8.02	230 J	23.8	1 U	-
31-Jul-07	7.96	736.23	13.47	417	0.77	-174.1	0.92	7.64	250	18.9	1 U	-
27-Aug-07	8.50	735.69	12.84	395	0.46	-132.4	1.97	7.43	250	17.6	1 U	-
27-Sep-07	9.58	734.61	12.68	294	0.51	-133.8	0.53	7.87	250	19.3	1 U	-
26-Oct-07	9.65	734.54	12.49	288	0.84	-111.9	9.83	7.60	240 J	11	1 U	-
28-Nov-07	10.23	733.96	11.95	362	0.64	-86.1	1.58	7.87	200	17.8	1 U	-
12-Dec-07	9.66	734.53	11.83	334	0.26	-93.2	0.63	7.63	280 J	17.4	1 U	-
24-Jan-08	8.20	735.99	11.09	335	0.44	-108.3	-	7.46	220	19.2	1 U	-
26-Feb-08	7.61	736.58	12.26	337	0.48	-	2.40	7.45	210	22	1 U	3000 U
25-Mar-08	7.22	736.97	11.94	337	1.01	-48.6	2.80	7.51	210	17.8	1 U	-
29-Apr-08	6.75	737.44	12.53	332	0.77	-50.3	1.95	7.41	200 J	18.2	1 U	-
19-May-08	7.17	737.02	12.37	336	0.57	-57.2	2.19	7.34	200 J	18.7	1 U	-
18-Jun-08	7.26	736.93	12.11	323	0.48	-64.1	0.83	7.13	190 J	19.5	1 U	-
26-Aug-08	8.78	735.41	12.31	329	1.16	-36.5	2.89	7.30	200 J	17.7	1 U	3000 U
19-Nov-08	9.03	735.16	11.91	243	0.52	-93.1	1.69	7.40	190	18.2	1 U	3000 U
11-Feb-09	7.07	737.12	11.74	227	0.65	-	1.03	7.76	180	17.7	1 U	3000 U
18-May-09	6.50	737.69	12.11	225	0.67	-63.9	1.51	7.83	190 J	12.9	1 U	3000 U
25-Sep-09	10.47	733.72	13.50	260.1	0.36	215.3	4.14	7.61	220	17	0.94 J	12000
17-Dec-09	8.39	735.80	11.50	301.0	0.44	110.0	3.10	7.71	270	23	2 U	1300 J
23-Mar-10	6.46	737.73	12.20	294.8	0.43	332.5	3.52	7.57	150 J	27	2 U	1300 J
16-Jun-10	5.34	738.85	11.10	281.7	0.05	117.0	-	7.71	160	27	2 U	1300 J
21-Sep-10	7.72	736.47	11.80	276.3	0.06	169.5	0.36	7.54	140	23	2 U	1300 J
7-Dec-10	6.48	737.71	11.00	263.0	0.15	77.2	0.38	7.58	180	20	2 U	1200 J
28-Mar-11	4.42	739.77	10.80	134.0	0.44	75.6	1.06	7.46	160 J	21	2 U	1700 J
20-Jun-11	4.76	739.43	12.10	252.7	0.07	68.4	0.13	7.48	200 J	16	2 U	1000 J
27-Sep-11	7.86	736.33	11.90	2064.0	0.04	102.6	0.37	7.48	170	18	2 U	1100 J
14-Dec-11	7.17	737.02	11.00	188.2	0.03	140.8	1.87	7.50	770	22	2 U	1300 J
21-Mar-12	4.68	739.51	10.70	297.8	0.07	130.6	0.41	7.39	170	21	2 U	1100 J
18-Jun-12	4.75	739.44	11.60	289.0	0.16	271.3	0.55	7.54	150 J+	19	0.4 U	3300 U
19-Sep-12	7.65	736.54	12.60	299.9	0.10	121.0	0.42	7.50	160	18	0.4 U	1100 J
18-Dec-12	5.58	738.61	10.90	384.0	0.03	15.6	1.39	7.50	200	19	0.4 U	1300 J
25-Feb-13	4.80	739.39	10.60	284.2	0.03	140.4	0.30	7.53	150	22	0.4 U	1200 J
22-May-13	4.81	739.38	11.00	294.9	0.14	387.7	0.52	7.61	160	18	0.4 U	3300 U
20-Aug-13	7.63	736.56	12.60	383.0	0.81	-8.4	0.80	7.26	164	16.7	0.1 U	1060
19-Nov-13	7.11	737.08	11.30	218.1	0.14	54.3	0.73	7.20	169	16.6	0.1 U	1130
1-Apr-14	4.08	740.11	10.70	222.6	0.15	158.5	1.12	7.50	168	13.3	0.1 U	1070
22-May-14	4.21	739.98	9.98	206.0	1.59	27.1	-	7.17	158	11.2	0.1 U	1000
13-Aug-14	6.95	737.24	13.50	237.0	1.14	9.8	4.70	6.92	154	10.5	0.1 U	990
12-Nov-14	6.04	738.15	8.40	185.1	0.28	-10.1	3.42	7.36	162	16.1	0.1 U	1050
11-Feb-15	4.62	739.57	11.50	205.1	1.20	68.1	1.32	7.41	169	9	0.1 U	1100
4-May-15	4.93	739.26	12.20	262.0	1.64	190.2	0.84	7.43	168	10.9	0.1 U	1010
4-Aug-15	7.44	736.75	13.20	211.3	1.62	81.9	2.02	7.39	173	6.8	0.1 U	1020
5-Nov-15	8.14	736.05	12.50	186.0	1.49	166.9	1.87	7.10	162	3.5	0.1 U	1040
8-Feb-16	3.20	740.99	11.70	240.5	2.13	196.9	0.88	7.23	150	11.2	0.1 U	980
2-May-16	3.77	740.42	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
22-Aug-16	6.81	737.38	13.10	238.0	2.40	168.5	2.39	7.41	Monitored Annually <sup>1</sup>			
1-Nov-16	6.59	737.60	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
31-Jan-17	4.02	740.17	11.30	265.8	2.79	218.2	1.39	7.34	154	3.23	0.1 U	953
30-May-17	2.32	741.87	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			

**Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results**  
**- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
9-Dec-20	4.22	739.97	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
5-Mar-21	1.06	743.13	10.90	172.0	3.43	132	0.69	7.26	136	1.84	0.1 U	877
10-Jun-21	3.46	740.73	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
13-Oct-21	6.17	738.02	12.90	215.1	4.10	148.3	0.96	7.05	Monitored Annually <sup>1</sup>			
5-Jan-22	0.80	743.39	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			
17-Mar-22	0.2	743.99	11.4	166.1	5.44	58.3	0.79	7.54	151	1.58	0.1 U	1200
21-Jun-22	0.54	743.65	Monitored Semi-Annually <sup>1</sup>						Monitored Annually <sup>1</sup>			

Note:

Top of casing elevation (feet NAVD88): 744.19

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder

1 Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

## **APPENDIX A-4**

# **Summary of Dale Strip Pit – Bedrock Groundwater Sampling Results**

Table A-4A Well MWB-1SDSP  
Table A-4B Well MWB-1DDSP  
Table A-4C Well MWB-5DSP  
Table A-4D Well MWB-6DSP  
Table A-4E Portal  
Table A-4F Well MWB-2DSP  
Table A-4G Well MWB-4SDSP

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
2-Dec-02	69.87	866.42	9.5	1690	-	-	-	7.29	910	46.6	2.68	-
3-Mar-03	36.83	899.46	11.5	1260	-	-	24.10	7.15	860	9.73	-	-
3-May-03	34.88	901.41	12.8	1520	-	-	38.00	7.09	950	-	-	-
3-Aug-03	52.02	884.27	19.19	1460	-	-	11.40	7.01	990	-	-	-
1-Nov-03	53.61	882.68	11.60	915	-	-	8.97	7.19	1010	8.58	0.695	-
1-Feb-04	32.75	903.54	11.52	1033	-	-	7.36	6.78	1060	-	-	-
1-May-04	42.50	893.79	14.87	1126	-	-	7.53	7.23	1020	-	-	-
1-Aug-04	49.26	887.03	13.72	1234	-	-	8.07	6.98	981	-	-	-
1-Nov-04	42.81	893.48	11.88	1429	-	-	9.06	6.92	1060	10	1 U	-
1-Feb-05	33.62	902.67	13.06	1615	-	-	7.11	7.01	1020	-	-	-
1-May-05	34.88	901.41	12.91	1459	-	-	6.54	6.85	1000	-	-	-
1-Aug-05	43.80	892.49	10.40	1472	-	-	10.40	6.80	1090	-	-	-
1-Nov-05	52.80	883.49	10.40	1458	-	-	6.02	6.64	1100	10.3	1 U	-
1-Feb-06	42.70	893.59	10.40	1343	1.10	48.3	11.10	7.08	1100 J	-	-	-
1-May-06	37.81	898.48	11.52	1686	1.64	49.2	10.50	6.83	1100	-	-	-
1-Aug-06	46.11	890.18	14.10	1357	2.33	43.0	10.70	7.11	1100	-	-	-
1-Nov-06	46.47	889.82	-	-	-	-	-	-	-	-	-	-
28-Dec-06	33.20	903.09	-	-	-	-	-	-	-	-	-	-
7-Feb-07	34.50	901.79	-	-	-	-	-	-	-	-	-	-
7-May-07	36.48	899.81	15.19	1484	0.52	-83.4	6.78	7.60	1100	-	-	-
7-Aug-07	47.57	888.72	11.21	1488	8.80	107.4	9.53	6.51	1200	-	-	-
27-Nov-07	51.25	885.04	13.60	1483	1.82	-129.5	434.00	7.11	1000 J	5.72	1 U	-
8-Feb-08	35.12	901.17	14.71	1489	3.11	-	10.20	6.97	1100	-	-	-
8-May-08	37.60	898.69	14.50	1594	3.99	112.5	4.71	6.90	1200 J	-	-	-
8-Aug-08	46.98	889.31	13.27	1617	2.49	105.3	5.32	6.96	1200 J	7.82	1 U	5570
1-Nov-08	43.35	892.94	11.17	1096	7.29	127.1	47.30	7.70	1100	9.8	1 U	5610
11-Feb-09	37.00	899.29	10.28	1112	4.15	-	7.68	7.25	1100	7.52	1 U	5560
9-May-09	36.53	899.76	13.87	1209	2.93	89.0	5.45	7.41	990 J	7.57	1 U	5580
24-Sep-09	53.61	882.68	12.10	1328	1.98	331.0	3.26	6.92	1200	7.9	2 U	5700
14-Dec-09	33.72	902.57	10.20	1519	0.55	393.0	2.82	6.99	1100	3.4	2 U	5700
22-Mar-10	35.11	901.18	10.90	1463	-	508.0	3.95	6.94	1200	10	2 U	5600
15-Jun-10	33.26	903.03	11.00	1485	0.20	210.3	1.50	7.02	1100	11	2 U	5900
20-Sep-10	45.81	890.48	11.30	1484	0.06	159.7	0.91	6.98	1100	9.1	0.48 J	6000
6-Dec-10	36.20	900.09	10.70	1494	0.08	35.4	0.24	7.21	1200	6.8	0.48 J	5200
28-Mar-11	35.07	901.22	10.70	749	0.08	136.8	0.16	6.88	1100	6.8	2 U	5500
20-Jun-11	38.53	897.76	11.40	1439	0.08	-19.2	0.21	6.99	1400	4.6 J	2 U	5500
26-Sep-11	50.43	885.86	11.20	1249	0.07	38.5	0.41	7.01	1200	4.5 J	2 U	5700
13-Dec-11	51.30	884.99	10.40	1308	0.06	50.3	2.03	7.07	530	7.6	2 U	6100
22-Mar-12	43.75	892.54	10.60	1695	0.08	125.1	0.28	6.99	1200	12	2 U	5700
18-Jun-12	44.86	891.43								Monitored Semiannually <sup>1</sup>		
18-Sep-12	55.74	880.55	12.90	1506	0.05	99.5	0.36	7.08	1300	10	0.4 U	5800
18-Dec-12	41.94	894.35								Monitored Semiannually <sup>1</sup>		
21-Feb-13	37.86	898.43	10.40	1730	0.02	131.5	0.41	7.27	1200	13	0.4 U	6300
22-May-13	39.34	896.95								Monitored Semiannually <sup>1</sup>		
20-Aug-13	49.40	886.89	11.90	1707	0.05	-37.6	0.69	7.00	1240	10.2	0.1 U	6000
19-Nov-13	44.94	891.35								Monitored Semiannually <sup>1</sup>		
31-Mar-14	33.31	902.98	11.20	1256	0.01	103.5	0.27	7.00	1200	13.1	0.1 U	6580
21-May-14	33.37	902.92								Monitored Semiannually <sup>1</sup>		
15-Aug-14	45.31	890.98	13.43	1467	0.71	-1.1	2.32	6.79	1150	13.4	0.1 U	6100
14-Nov-14	44.83	891.46								Monitored Semiannually <sup>1</sup>		
10-Feb-15	35.97	900.32	11.00	1423	0.04	-109.4	2.16	7.00	1200	13	0.1 U	6260
4-May-15	38.67	897.62								Monitored Semiannually <sup>1</sup>		
4-Aug-15	49.21	887.08	12.50	1253	0.04	-100.7	0.26	7.07	1230	13.9	0.1 U	6070
5-Nov-15	56.85	879.44	11.20	1159	0.02	57.4	0.91	6.75	1190	14.9	0.1 U	6990
8-Feb-16	33.02	903.27	11.60	1429	0.00	167.6	0.10	7.05	1190	19.4	0.1 U	6730
2-May-16	37.48	898.81								Monitored Annually <sup>2</sup>		
22-Aug-16	49.78	886.51	12.10	1232	0.06	-143.8	0.77	7.00		Monitored Annually <sup>2</sup>		
1-Nov-16	47.49	888.80								Monitored Annually <sup>2</sup>		
31-Jan-17	35.57	900.72	11.10	1620	0.05	-241.6	0.24	6.99	1260	21.8	0.1 U	6690
30-May-17	34.70	901.59								Monitored Annually <sup>2</sup>		
16-Aug-17	44.32	891.97	11.90	1621	0.12	-144.5	0.47	6.97		Monitored Annually <sup>2</sup>		

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
27-Aug-19	47.88	888.41	12.51	1314	0.15	Note 1	0.39	6.80		Monitored Annually <sup>2</sup>		
13-Nov-19	47.03	889.26				Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>		
14-Feb-20	31.08	905.21	10.60	1249	0.38	-82.2	0.10	6.61	1230	18.3	0.1 U	6360
13-Aug-20	43.99	892.30	11.70	1176	0.56	-67.7	0.18	6.78		Monitored Annually <sup>2</sup>		
9-Dec-20	39.67	896.62				Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>		
5-Mar-21	34.96	901.33	11.00	1257	0.26	-38	0.24	6.95	1200	19.5	0.1 U	6150
10-Jun-21	42.65	893.64				Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>		
18-Oct-21	55.97	880.32	11.7	858	0.86	-92.3	0.48	6.84		Monitored Annually <sup>2</sup>		
5-Jan-22	33.64	902.65				Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>		
18-Mar-22	38.2	898.09	11.5	1096	1.17	-40.8	0.31	7.18	1260	16.6	0.1 U	6400
21-Jun-22	35.46	900.83				Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>		

Notes:

Top of casing elevation (feet NAVD88): 936.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

**Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP  
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
2-Dec-02	87.28	848.09	11.1	557	-	-	-	7.72	540	32.7	0.5 U	-
3-Mar-03	48.63	886.74	12.0	623	-	-	24.00	7.48	370	7.08	-	-
3-May-03	47.12	888.25	12.1	548	-	-	264.00	7.54	440	-	-	-
3-Aug-03	64.60	870.77	23.23	675	-	-	195.00	7.36	450	-	-	-
1-Nov-03	66.14	869.23	11.0	400	-	-	15.50	8.10	437	6.03	0.5 U	-
1-Feb-04	46.55	888.82	10.68	455	-	-	8.70	7.15	440	-	-	-
1-May-04	55.82	879.55	13.61	508	-	-	12.40	7.58	429	-	-	-
1-Aug-04	61.89	873.48	13.15	585	-	-	15.70	7.47	399	-	-	-
1-Nov-04	56.83	878.54	10.94	655	-	-	9.40	7.22	477	3.08	1 U	-
1-Feb-05	47.31	888.06	12.80	778	-	-	8.39	7.35	451	-	-	-
1-May-05	48.60	886.77	12.86	743	-	-	4.22	7.25	432	-	-	-
1-Aug-05	56.80	878.57	14.17	746	-	-	3.10	6.99	518	-	-	-
1-Nov-05	66.85	868.52	10.20	702	-	-	5.36	7.11	470	3.6	1 U	-
1-Feb-06	47.88	887.49	10.11	648	0.71	109.4	2.72	7.53	450 J	-	-	-
1-May-06	52.23	883.14	12.22	686	1.82	43.7	3.68	7.43	450	-	-	-
1-Aug-06	59.41	875.96	12.28	665	1.06	-74.0	14.20	7.36	480	-	-	-
1-Nov-06	61.84	873.53	-	-	-	-	-	-	-	-	-	-
28-Dec-06	48.26	887.11	-	-	-	-	-	-	-	-	-	-
7-Feb-07	49.64	885.73	-	-	-	-	-	-	-	-	-	-
7-May-07	53.24	882.13	12.44	722	0.74	-150.8	6.06	7.94	470	-	-	-
7-Aug-07	60.45	874.92	13.76	712	0.79	-50.0	4.53	7.28	500	-	-	-
27-Nov-07	63.40	871.97	14.41	711	0.45	-194.4	7.07	7.34	470 J	2.89	1 U	-
8-Feb-08	49.23	886.14	14.07	737	0.62	-	6.28	7.46	500	-	-	-
8-May-08	51.31	884.06	13.52	793	0.55	27.9	4.42	7.40	520 J	-	-	-
8-Aug-08	59.69	875.68	13.73	812	0.67	-24.7	9.33	7.37	560 J	2.26	1 U	3000 U
1-Nov-08	57.38	877.99	14.75	619	0.89	-42.5	4.40	7.45	480	2.22	1 U	3000 U
10-Feb-09	50.92	884.45	6.50	618	10.51	-	655.00	7.69 J	530	2.19	1 U	3010
9-May-09	51.25	884.12	13.95	637	2.21	39.3	5.87	7.74	540 J	2.42	1 U	3000 U
25-Sep-09	65.46	869.91	13.20	678	2.25	331.8	2.29	7.15	570	1.8 J	2 U	3300
17-Dec-09	49.40	885.97	10.60	794	0.99	224.0	3.97	7.58	440	0.7 J	2 U	3200 J
22-Mar-10	49.18	886.19	10.40	762	-	245.0	0.74	7.39	580	4.5	2 U	3200 J
15-Jun-10	46.88	888.49	12.10	762	0.05	142.1	0.47	7.50	420	5.5	2 U	3300
20-Sep-10	58.97	876.40	11.40	765	0.07	89.6	0.47	7.47	520	4.7	0.27 J	3400
6-Dec-10	50.66	884.71	10.20	763	0.19	58.9	0.32	7.72	550	1.3 J	2 U	3200 J
28-Mar-11	48.89	886.48	10.50	376	0.55	165.0	0.73	7.53	470	3.7	2 U	3000 J
20-Jun-11	52.13	883.24	13.40	718	0.45	-65.1	0.75	7.53	600 J	5 U	2 U	3500
26-Sep-11	63.02	872.35	11.80	633	1.73	-6.0	1.72	7.61	560	5 U	2 U	3500
13-Dec-11	63.88	871.49	8.60	678	0.69	-24.7	1.95	7.56	530	5.7	2 U	4100
22-Mar-12	56.96	878.41	5.60	877	1.89	-26.6	0.84	7.69	540	3.4	0.4 U	3000 J
18-Jun-12	58.01	877.36										
18-Sep-12	67.78	867.59	26.30	838	3.62	12.4	1.27	7.70	540	3.1	0.4 U	3100 J
18-Dec-12	56.10	879.27										
21-Feb-13	51.62	883.75	4.30	895	7.54	31.3	0.83	8.04	510	3.6	0.4 U	3600
22-May-13	53.14	882.23										
20-Aug-13	62.35	873.02	12.30	526	0.08	-60.4	2.91	7.47	585	3.2	0.1 U	3200
19-Nov-13	58.70	876.67										
31-Mar-14	46.60	888.77	11.10	622	0.04	48.4	0.45	7.52	561	1.8	0.1 U	3340
21-May-14	46.96	888.41										
15-Aug-14	58.62	876.75	12.48	732	0.90	-62.4	2.04	7.16	564	2	0.2	3140
14-Nov-14	59.59	875.78										
10-Feb-15	49.61	885.76	10.90	717	0.03	-114.4	1.82	7.48	551	2.9	0.1 U	3270
4-May-15	52.25	883.12										
4-Aug-15	61.71	873.66	12.00	618	0.04	-115.0	0.35	7.56	552	3	0.1 U	3360
5-Nov-15	68.72	866.65	11.10	625	0.05	27.5	1.26	7.21	603	1.6	0.1 U	3590
8-Feb-16	46.93	888.44	11.40	794	0.00	155.1	0.17	7.57	599	2.1	0.1 U	3800
2-May-16	50.77	884.60										
22-Aug-16	62.11	873.26	11.60	770	0.04	-251.0	0.86	7.50				
1-Nov-16	61.71	873.66										
31-Jan-17	49.02	886.35	10.60	916	0.13	-310.4	0.35	7.47	676	1.87	0.1 U	3410
30-May-17	48.11	887.26										
16-Aug-17	57.17	878.20	11.80	898	0.12	-210.9	0.22	7.42				
9-Nov-17	58.71	876.66										
28-Feb-18	45.21	890.16	10.20	758	0.19	-166.6	0.20	7.26	694	2.87	0.1 U	3340
1-May-18	47.40	887.97										
22-Aug-18	60.25	875.12	11.58	705	2.22	-153.0	0.14	7.37				
6-Nov-18	65.30	870.07										
12-Mar-19	46.35	889.02	9.80	707	0.58	-119.9	0.16	7.24	668	4.96	0.1 U	4210

**Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
8-May-19	47.20	888.17			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
27-Aug-19	59.87	875.50	11.95	762	0.39	Note 1	0.02	7.20	Monitored Annually <sup>2</sup>			
13-Nov-19	60.20	875.17			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
14-Feb-20	44.28	891.09	10.30	760	0.30	-169.3	1.09	7.11	717	4.56	0.1 U	4070
13-Aug-20	57.57	877.80	11.10	739	0.91	-145.8	0.31	7.17	Monitored Annually <sup>2</sup>			
9-Dec-20	54.25	881.12			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
5-Mar-21	48.74	886.63	10.70	724	0.27	-222	0.61	7.36	592	4.06	0.1 U	3880
10-Jun-21	59.90	875.47			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
18-Oct-21	67.32	868.05	11.60	561	0.83	-149	0.33	7.23	Monitored Annually <sup>2</sup>			
5-Jan-22	47.77	887.60			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
18-Mar-22	48.37	887	11.3	741	1.2	-93.4	0.39	7.52	781	4.64	0.1 U	4240
21-Jun-22	49.68	885.69			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			

Notes:

Top of casing elevation (feet NAVD88): 935.37

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
18-Dec-06	20.56	914.49	11.30	1054	0.59	-10.5	6.76	7.01	630	4.46	1 U	-
7-Jan-07	18.48	916.57	12.53	700	0.61	-70.6	33.50	7.11	540	5.19	1 U	-
7-Feb-07	21.53	913.52	11.59	557	0.57	-59.1	33.50	6.88	530	5.19	1 U	-
7-Mar-07	15.34	919.71	11.71	817	0.45	-2.4	91.20	6.52	550 J	4.91	1 U	-
7-Apr-07	17.97	917.08	11.96	909	0.25	0.2	121.00	6.91	560	4.75	1 U	-
1-May-07	26.92	908.13	12.55	880	4.20	-14.3	63.70	7.13	540	4.9	1 U	-
7-Jun-07	29.94	905.11	13.12	1016	3.20	-5.6	3.58	7.52	600 J	4.37	1 U	-
7-Jul-07	35.27	899.78	13.00	910	1.74	-27.4	9.97	7.24	550	4.91	1 U	-
7-Aug-07	39.55	895.50	12.40	1065	0.92	-14.6	4.62	6.99	590	4.46	1 U	-
7-Sep-07	44.69	890.36	12.36	696	0.68	-33.3	3.22	7.29	590	4.92	1 U	-
26-Oct-07	38.90	896.15	11.46	667	0.56	-18.3	22.60	6.98	620 J	4.43	1 U	-
27-Nov-07	38.79	896.26	11.71	914	0.56	-46.7	3.32	6.91	560 J	4.9	1 U	-
12-Dec-07	35.33	899.72	12.61	909	0.53	-27.3	4.28	6.87	820	4.09	1 U	-
24-Jan-08	28.97	906.08	10.72	872	0.78	-49.1	-	7.14	550	4.72	1 U	-
8-Feb-08	26.00	909.05	11.25	888	0.44	-	4.18	6.85	550	4.5	1 U	-
8-Mar-08	26.03	909.02	10.94	915	0.59	-95.6	3.19	6.89	550	5.21	1 U	-
8-Apr-08	25.03	910.02	11.27	931	0.61	-20.1	3.44	6.89	550 J	4.88	1 U	-
8-May-08	27.33	907.72	11.68	949	0.68	-6.7	5.37	6.62	580 J	5.34	1 U	-
8-Jun-08	28.38	906.67	11.40	948	0.75	-50.4	1.59	6.68	580 J	4.45	1 U	-
8-Aug-08	39.80	895.25	11.80	970	0.68	-78.6	1.72	6.84	610 J	4.64	1 U	3000 U
1-Nov-08	33.96	901.09	11.20	682	0.63	-115.4	0.95	6.82	540	4.8	1 U	3000 U
10-Feb-09	25.56	909.49	10.54	671	0.71	-71.7	0.98	7.05	610	4.73	1 U	3000 U
9-May-09	25.79	909.26	11.23	682	0.55	-5.8	0.86	7.68	560 J	3.4	1 U	3000 U
22-Sep-09	46.68	888.37	18.70	737	0.64	214.5	0.99	6.91	580 J	3.9	2 U	2700 J
14-Dec-09	30.45	904.60	9.80	901	0.18	200.0	0.70	6.96	450	1.7 J	2 U	2500 J
23-Mar-10	19.92	915.13	11.30	773	0.25	148.0	4.40	6.86	510	5.6	2 U	2600 J
15-Jun-10	16.74	918.31	11.00	838	0.10	202.3	2.89	7.01	860 J	8.2	2 U	2800 J
20-Sep-10	33.31	901.74	11.20	852	0.09	174.7	0.60	6.97	540	6.2	2 U	2700 J
6-Dec-10	19.81	915.24	10.80	838	0.10	30.5	0.47	7.17	530	3.8	2 U	2300 J
28-Mar-11	17.16	917.89	10.80	403	0.15	48.4	1.13	6.89	500 J	2.3	2 U	2300 J
20-Jun-11	18.95	916.10	11.10	775	0.05	-29.1	0.37	7.01	610 J	5 U	2 U	2400 J
26-Sep-11	33.71	901.34	11.20	690	0.03	-8.7	0.54	7	560	4.1 J	2 U	2800 J
13-Dec-11	24.48	910.57	10.50	730	0.05	93.6	1.92	7.07	520	6.1	2 U	2800 J
21-Mar-12	15.54	919.51	10.70	883	0.06	106.9	0.34	6.9	500	6.5	2 U	2400 J
19-Jun-12	17.01	918.04				Monitored Semiannually <sup>1</sup>						
19-Sep-12	29.82	905.23	11.90	877	0.00	122.0	0.47	7.08	490	6.9	0.4 U	2600 J
18-Dec-12	17.39	917.66				Monitored Semiannually <sup>1</sup>						
21-Feb-13	18.84	916.21	10.60	875	0.05	103.3	0.40	7.32	510	5.9	0.4 U	2600 J
22-May-13	20.25	914.80				Monitored Semiannually <sup>1</sup>						
20-Aug-13	30.15	904.90	12.10	530	0.06	-50.3	0.75	6.98	510	5.6	0.1 U	2500
19-Nov-13	22.73	912.32				Monitored Semiannually <sup>1</sup>						
31-Mar-14	15.50	919.55	11.30	574	0.06	95.7	0.53	7.15	447	5.6	0.1 U	2720
21-May-14	14.83	920.22				Monitored Semiannually <sup>1</sup>						
15-Aug-14	25.16	909.89	14.49	741	0.48	-24.0	2.92	6.87	477	5.9	0.1 U	2550
14-Nov-14	22.25	912.80				Monitored Semiannually <sup>1</sup>						
10-Feb-15	15.98	919.07	11.40	693	0.04	-117.5	0.80	7.13	503	5.9	0.1 U	2560
4-May-15	20.05	915.00				Monitored Semiannually <sup>1</sup>						
4-Aug-15	31.90	903.15	11.90	620	0.16	-71.1	0.47	7.13	517	6.4	0.1 U	2670
5-Nov-15	32.00	903.05	11.40	605	0.00	37.5	1.16	6.84	511	5.3	0.1 U	3060
8-Feb-16	17.13	917.92	11.80	720	0.00	160.4	0.08	7.34	480	6	0.1 U	3020
2-May-16	23.31	911.74				Monitored Semiannually <sup>2</sup>						
22-Aug-16	34.07	900.98	12.50	571	0.00	-	0.66	7.11		Monitored Annually <sup>2</sup>		
1-Nov-16	26.04	909.01				Monitored Semiannually <sup>2</sup>						
31-Jan-17	19.36	915.69	12.20	808	0.07	-219.2	0.30	7.21	509	6.76	0.1 U	2840
30-May-17	17.31	917.74				Monitored Semiannually <sup>2</sup>						
16-Aug-17	28.13	906.92	12.40	826	0.12	-71.9	0.66	7.10		Monitored Annually <sup>2</sup>		
9-Nov-17	27.17	907.88				Monitored Semiannually <sup>2</sup>						

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
13-Aug-20	27.37	907.68	11.80	619	0.55	-70.6	0.40	6.89	Monitored Annually <sup>2</sup>			
9-Dec-20	24.68	910.37			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
5-Mar-21	16.91	918.14	11.30	641	0.19	-77.0	0.45	7.09	473	4.84	0.1 U	2450
10-Jun-21	24.68	910.37			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
18-Oct-21	29.11	905.94	11.9	440.1	0.87	-86.2	0.35	6.96	Monitored Annually <sup>2</sup>			
5-Jan-22	16.88	918.17			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
21-Mar-22	17.14	917.91	11.3	601	1.28	-42.9	0.82	6.26	513	4.79	0.1 U	2560
21-Jun-22	17.25	917.8			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			

Notes:

Top of casing elevation (feet NAVD88): 935.05

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
18-Dec-06	8.13	897.82	9.93	525	0.54	-54.5	0.61	7.78	300	5.37	1 U	-
7-Feb-07	9.40	896.55	11.79	479	1.19	-30.0	7.40	7.41	330	6.01	1 U	-
7-May-07	10.73	895.22	12.26	729	2.83	-103.6	16.40	7.63	480	10.1	1 U	-
7-Aug-07	15.14	890.81	11.42	882	0.75	-11.5	1.82	7.10	470	3.25	1 U	-
27-Nov-07	16.16	889.79	10.98	748	0.37	-47.9	0.83	6.99	440 J	2.82	1 U	-
8-Feb-08	9.66	896.29	11.01	645	0.31	-	0.90	7.05	380	2.68	1 U	-
8-May-08	10.34	895.61	11.27	665	0.64	13.4	1.52	6.93	380 J	2.40	1 U	-
8-Aug-08	14.17	891.78	11.23	683	0.72	-8.2	2.49	7.05	390 J	2.18	1 U	3000 U
1-Nov-08	12.98	892.97	10.61	488	0.60	-45.6	1.35	6.80	380	2.04	1 U	3000 U
10-Feb-09	9.64	896.31	10.32	398	0.52	-57.0	1.20	7.31	350	2.00	1 U	3000 U
9-May-09	9.91	896.04	10.50	405	0.73	-4.0	1.26	7.77	320 J	1.69	1 U	3000 U
23-Sep-09	17.16	888.79	12.50	541	0.25	216.2	5.38	7.14	400 J	0.91 J	2 U	1300 J
14-Dec-09	12.73	893.22	9.10	580	0.47	231.0	2.70	7.23	270	2 U	2 U	1300 J
22-Mar-10	9.62	896.33	10.90	504	-	321.7	3.50	7.22	320	2.00	2 U	1200 J
15-Jun-10	8.30	897.65	11.00	495	0.11	205.1	1.41	7.29	320	4.20	2 U	1300 J
20-Sep-10	14.90	891.05	10.90	560	0.10	187.2	0.28	7.29	270	3.00	2 U	1400 J
6-Dec-10	10.47	895.48	10.50	515	0.12	87.8	0.14	7.47	300	2 U	2 U	1100 J
28-Mar-11	8.71	897.24	10.30	241	0.19	58.9	1.86	7.19	300	2 U	2 U	1100 J
20-Jun-11	9.87	896.08	10.80	477	0.06	141.2	0.20	7.27	340	5 U	2 U	1100 J
26-Sep-11	14.82	891.13	10.80	467	0.05	114.8	0.92	7.26	380	5 U	2 U	1500 J
13-Dec-11	13.02	892.93	10.20	491	0.06	131.3	1.69	7.29	340	5 U	2 U	1600 J
21-Mar-12	8.13	897.82	10.20	550	0.09	160.0	0.07	7.14	310	2.50	0.4 U	1200 J
18-Jun-12	-	-								Monitored Semiannually <sup>1</sup>		
18-Sep-12	14.76	891.19	12.50	587	0.00	122.0	0.35	7.31	370	2.80	0.4 U	1300 J
18-Dec-12	8.16	897.79								Monitored Semiannually <sup>1</sup>		
21-Feb-13	8.45	897.50	10.10	594	0.02	152.7	0.28	7.49	300	1.90	0.4 U	1300 J
22-May-13	9.36	896.59								Monitored Semiannually <sup>1</sup>		
20-Aug-13	13.28	892.67	11.70	478	0.01	-43.8	0.54	7.22	349 J	1.60	0.1 U	1300
19-Nov-13	9.71	896.24								Monitored Semiannually <sup>1</sup>		
31-Mar-14	8.42	897.53	10.70	455	0.06	166.1	0.27	7.35	315	1.40	0.1 U	1290
21-May-14	5.99	899.96								Monitored Semiannually <sup>1</sup>		
14-Aug-14	12.03	893.92	13.45	512	0.56	-21.4	1.99	6.95	317	1.70	0.1 U	1270
14-Nov-14	10.68	895.27								Monitored Semiannually <sup>1</sup>		
10-Feb-15	7.39	898.56	10.90	482	0.03	-86.2	0.59	7.32	337	1.40	0.1 U	1230
4-May-15	9.17	896.78								Monitored Semiannually <sup>1</sup>		
4-Aug-15	13.64	892.31	12.40	449	0.18	-81.7	0.27	7.33	385	1.70	0.1 U	1280
5-Nov-15	13.98	891.97	11.50	435	2.23	85.2	1.09	7.04	354	1.30	0.1 U	1470
8-Feb-16	6.74	899.21	11.50	495	0.03	187.2	0.25	7.39	297	1.40	0.1 U	1350
2-May-16	8.64	897.31								Monitored Annually <sup>2</sup>		
22-Aug-16	13.27	892.68	12.20	559	0.03	-52.7	0.80	7.28		Monitored Annually <sup>2</sup>		
1-Nov-16	11.36	894.59								Monitored Annually <sup>2</sup>		
31-Jan-17	7.91	898.04	10.90	539	0.08	124.4	0.18	7.31	321	1.48	0.1 U	1300
30-May-17	2.65	903.30								Monitored Annually <sup>2</sup>		
16-Aug-17	12.08	893.87	12.10	573	0.12	-46.9	1.39	7.26		Monitored Annually <sup>2</sup>		
9-Nov-17	11.70	894.25								Monitored Annually <sup>2</sup>		
28-Feb-18	6.50	899.45	11.00	423	0.19	-61.0	0.18	7.12	138	1.56	0.1 U	1200
1-May-18	6.80	899.15								Monitored Annually <sup>2</sup>		
22-Aug-18	13.47	892.48	11.61	441	7.44	26.6	0.21	7.11		Monitored Annually <sup>2</sup>		
6-Nov-18	13.96	891.99								Monitored Annually <sup>2</sup>		
12-Mar-19	7.30	898.65	10.30	363	0.56	-25.1	0.27	7.16	294	1.47	0.1 U	1340
8-May-19	7.77	898.18								Monitored Annually <sup>2</sup>		
27-Aug-19	13.16	892.79	12.19	454	0.45	Note 1	0.02	7.05		Monitored Annually <sup>2</sup>		
13-Nov-19	26.35	894.30								Monitored Annually <sup>2</sup>		
13-Feb-20	20.79	899.86	10.60	387	0.39	-76.5	1.05	7.13	313	1.40	0.1 U	1330
13-Aug-20	25.94	894.71	11.70	403	0.65	-64.3	0.60	7.07		Monitored Annually <sup>2</sup>		
9-Dec-20	24.06	896.59								Monitored Annually <sup>2</sup>		
4-Mar-21	21.56	899.09	10.80	363	0.16	-9.0	1.29	7.30	280	1.10	0.1 U	1240

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
10-Jun-21	24.55	896.10			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
18-Oct-21	28.08	892.57	11.6	273.8	0.96	-73.8	1.38	7.15		Monitored Annually <sup>2</sup>		
5-Jan-22	21.36	899.29			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			
21-Mar-22	20.7	899.95	10.9	348.2	1.41	102.1	1.4	6.42	297	1.06	0.1 U	1090
21-Jun-22	21.51	899.14			Monitored Semiannually <sup>2</sup>				Monitored Annually <sup>2</sup>			

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 905.95

Top of casing elevation (feet NAVD88) after raising casing (post-Q3 2019): 920.65

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

μmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
1-Mar-02	-	-	-	653	-	-	-	7.29	586	-	-	-
1-Jun-02	-	-	12	920	-	-	-	7.20	583	-	-	-
1-Sep-02	-	-	11	920	-	-	-	7.10	651	-	-	-
2-Dec-02	-	-	9.1	900	-	-	-	7.03	570	4.44	0.5 U	-
3-Mar-03	-	-	10.1	873	-	-	-	7.09	530	-	-	-
3-May-03	-	-	11.2	981	-	-	10.00	6.94	590	-	-	-
3-Aug-03	-	-	12.78	1030	-	-	13.00	7.17	630	-	-	-
1-Nov-03	-	-	10.2	569	-	-	4.65	7.53	592	3.33	0.5 U	-
1-Feb-04	-	-	9.31	568	-	-	5.41	6.85	560	-	-	-
1-May-04	-	-	10.93	952	-	-	5.98	7.12	615	-	-	-
1-Aug-04	-	-	12.10	835	-	-	6.29	7.11	601	-	-	-
1-Nov-04	-	-	10.20	941	-	-	6.58	6.94	656	3.41	1 U	-
1-Feb-05	-	-	10.52	889	-	-	8.72	7.41	541	-	-	-
1-May-05	-	-	13.08	953	-	-	8.15	7.31	548	-	-	-
1-Aug-05	-	-	11.08	988	-	-	7.40	7.23	644	-	-	-
1-Nov-05	-	-	9.53	958	-	-	8.58	7.61	640	3.15	1 U	-
1-Feb-06	-	-	9.23	669	7.88	*	7.93	6.78	450 J	-	-	-
1-May-06	-	-	11.49	947	7.60	38.5	10.40	7.01	570	-	-	-
1-Aug-06	-	-	10.52	835	8.82	-39.8	14.10	7.26	640	-	-	-
1-Nov-06	-	-	9.41	740	9.57	-32.2	12.50	7.23	510	2.45	1 U	-
7-Feb-07	-	-	9.90	815	10.99	-6.2	27.80	7.74	510	-	-	-
7-May-07	-	-	18.39	810	11.05	-6.2	11.80	7.61	510	-	-	-
7-Aug-07	-	-	10.42	870	8.72	-44.9	25.20	7.42	560	-	-	-
30-Nov-07	-	-	9.41	783	9.56	-18.7	48.30	-	520	3.17	1 U	-
8-Feb-08	-	-	10.02	708	10.04	-	50.00	7.20	420	-	-	-
8-May-08	-	-	10.83	815	12.13	0.1	7.28	7.29	480 J	-	-	-
8-Aug-08	-	-	10.63	906	11.05	-5.6	11.00	7.05	560 J	3.69	1 U	41600
1-Nov-08	-	-	9.79	553	10.70	-21.1	16.90	7.40	460	3.2	1 U	35500
11-Feb-09	-	-	9.16	488	6.99	-	15.40	7.52	430	2.97	1 U	34200
9-May-09	-	-	9.64	522	10.56	13.4	9.77	7.39	440 J	2.01	1 U	32400
23-Sep-09	-	-	10.70	745	8.95	271.7	14.70	6.88	570	2 U	2 U	40000
15-Dec-09	-	-	8.60	713	5.20	279.0	12.50	6.67	350	2 U	2 U	30000
24-Mar-10	-	-	9.90	681	6.14	370.7	-	6.57	470	4.2	2 U	39000
17-Jun-10	-	-	10.00	623	9.58	-	26.30	7.50	380	5.9	2 U	28000
22-Sep-10	-	-	10.00	783	9.02	225.9	17.40	7.00	510	5.2	2 U	42000
7-Dec-10	-	-	9.90	662	9.15	186.0	13.60	6.95	450	2 U	2 U	32000
29-Mar-11	-	-	9.90	292	5.90	370.8	4.44	6.73	360 J	4.1	2 U	25000
20-Jun-11	-	-	10.50	591	6.42	219.1	4.44	7.01	420	5 U	2 U	26000
26-Sep-11	-	-	10.70	623	5.76	240.5	11.90	6.83	520	5 U	2 U	39000
15-Dec-11	-	-	8.80	472	4.92	310.4	7.32	6.78	430	4.7 J	2 U	32000
21-Mar-12	-	-	8.90	611	5.24	313.3	9.16	6.49	330	4.8	0.4 U	20000
18-Jun-12	Monitored Semiannually <sup>1</sup>											
18-Sep-12	-	-	14.20	652	9.70	148.0	20.80	7.48	450	5	0.4 U	29000
18-Dec-12	Monitored Semiannually <sup>1</sup>											
25-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
25-Feb-13	Monitored Semiannually <sup>1</sup>											
21-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
22-May-13	Monitored Semiannually <sup>1</sup>											
20-Aug-13	-	-	10.80	635	9.31	170.1	8.46	7.11	458	3.9	0.1 U	32300
19-Nov-13	Monitored Semiannually <sup>1</sup>											
31-Mar-14	-	-	10.60	448	9.29	213.5	87.20	7.30	321	3.7	0.18 J	21100
21-May-14	Monitored Semiannually <sup>1</sup>											
15-Aug-14	-	-	10.01	595	10.01	-35.2	6.43	6.99	427	3.5	0.1 U	31500
14-Nov-14	Monitored Semiannually <sup>1</sup>											
10-Feb-15	-	-	10.60	515	9.88	183.5	6.84	7.26	363	2.8	0.07 J	27200
4-May-15	Monitored Semiannually <sup>1</sup>											
4-Aug-15	-	-	10.90	554	9.98	95.8	8.68	7.48	438	2.6	0.1 U	34700
5-Nov-15	-	-	10.30	503	10.24	177.6	13.40	7.46	449	2.8	0.1 U	31800
8-Feb-16	-	-	9.30	541	11.30	215.0	5.12	7.30	293	3.2	0.1 U	23100
-	Monitored Semiannually <sup>2</sup>											
24-Aug-16	-	-	13.40	585	9.32	410.0	8.50	7.23	Monitored Annually <sup>2</sup>			
1-Nov-16	-	-	10.90	242	9.13	51.4	7.57	7.41	Monitored Annually <sup>2</sup>			
31-Jan-17	-	-	8.90	663	10.87	-57.4	6.23	7.50	3390	3.97	0.1 U	29200
-	Monitored Semiannually <sup>2</sup>											
17-Aug-17	-	-	11.40	712	9.67	-12.4	9.87</					

**Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal  
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
1-May-18	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
21-Aug-18	-	-	13.13	582	12.46	-23.0	23.10	7.24		Monitored Annually <sup>2</sup>		
6-Nov-18	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
12-Mar-19	-	-	8.00	406	11.35	-2.8	10.70	7.97	388	1.56	0.1 U	24700
8-May-19	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
27-Aug-19	-	-	10.55	576	11.80	Note 1	154.00	6.78		Monitored Annually <sup>2</sup>		
13-Nov-19	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
13-Feb-20	-	-	9.20	382	9.19	-1.3	13.40	6.93	259	3.65	0.1 U	16700
13-Aug-20	-	-	10.10	569	10.01	-27.0	12.20	7.12		Monitored Annually <sup>2</sup>		
9-Dec-20	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
4-Mar-21	-	-	9.30	416	5.80	33.0	17.1	6.89	364	4.14	0.1 U	20000
10-Jun-21	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
18-Oct-21	-	-	10.9	386.7	5.11	-28.4	86.1	6.45		Monitored Annually <sup>2</sup>		
5-Jan-22	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				
16-Mar-22	-	-	12	402.9	6.78	70.7	19.8	5.81	348	5.32	0.1 U	18800
21-Jun-22	Monitored Semiannually <sup>2</sup>							Monitored Annually <sup>2</sup>				

## Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.
- \* Measurement invalid and not shown
- 1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012
- 2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.
- a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- Note 1 ORP measurements not available due to faulty sensor.
- μmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L Milligrams per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)		pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
1-Mar-02	-	-	-	542	-	-	-	7.22	467	-	-	-
1-Jun-02	197.34	735.48	12.00	750	-	-	-	7.10	459	-	-	-
1-Sep-02	199.29	733.53	14.00	660	-	-	-	6.90	499	-	-	-
2-Dec-02	200.09	732.73	10.80	675	-	-	-	6.89	440	1 U	0.5 U	-
3-Mar-03	190.21	742.61	11.90	763	-	-	-	6.98	450	-	-	-
3-May-03	191.78	741.04	12.30	730	-	-	233.00	6.98	550	-	-	-
3-Aug-03	199.82	733.00	16.50	848	-	-	17.00	6.92	520	-	-	-
1-Nov-03	199.97	732.85	11.60	559	-	-	9.20	7.04	522	0.98	0.5 U	-
1-Feb-04	188.78	744.04	11.96	608	-	-	4.86	6.68	560	-	-	-
1-May-04	198.45	734.37	13.69	614	-	-	6.17	6.80	478	-	-	-
1-Aug-04	199.17	733.65	14.38	731	-	-	5.48	6.71	460	-	-	-
1-Nov-04	197.92	734.90	11.62	785	-	-	12.30	6.75	512	1 U	1 U	-
1-Feb-05	186.36	746.46	11.64	806	-	-	1.47	6.94	487	-	-	-
1-May-05	-	-	12.87	790	-	-	15.80	6.89	338	-	-	-
1-Aug-05	196.10	736.72	15.01	603	-	-	45.70	6.44	388	-	-	-
1-Nov-05	196.78	736.04	9.91	549	-	-	13.30	6.66	350	1 U	1 U	-
1-Feb-06	193.93	738.89	8.10	641	2.11	269.2	35.70	6.82	400 J	-	-	-
1-May-06	197.90	734.92	10.88	798	1.67	27.3	5.38	6.50	380	-	-	-
1-Aug-06	198.80	734.02	11.44	534	2.52	205.7	8.74	6.67	360	-	-	-
1-Nov-06	187.36	745.46	10.77	680	2.12	-19.9	18.90	7.06	430	1 U	1 U	-
28-Dec-06	192.37	740.45	-	-	-	-	-	-	-	-	-	-
7-Feb-07	197.46	735.36	10.24	621	0.64	-16.7	27.80	6.89	420	-	-	-
7-May-07	198.49	734.33	-	-	-	-	-	-	-	-	-	-
1-Aug-07	198.45	734.37	-	-	-	-	-	-	-	-	-	-
27-Nov-07	196.48	736.34	-	-	-	-	-	-	-	-	-	-
8-Feb-08	191.30	741.52	-	-	-	-	-	-	-	-	-	-
8-May-08	193.95	738.87	-	-	-	-	-	-	-	-	-	-
27-Sep-11	197.32	735.50	-	-	-	-	-	-	-	-	-	-
13-Dec-11	192.15	740.67	9.6	421	2.10	313.0	16.10	7.49	-	-	-	-
22-Mar-12	183.35	751.47	8.9	546	12.83	166.3	0.56	7.47	-	-	-	-
18-Jun-12	192.54	742.28	-	-	-	-	-	-	-	-	-	-
18-Sep-12	199.51	735.31	16.2	508	2.21	120.0	1.27	7.58	-	-	-	-
18-Dec-12	184.52	750.30	-	-	-	-	-	-	-	-	-	-
21-Feb-13	190.65	744.17	7.6	678	5.33	342.6	6.61	8.02	-	-	-	-
22-May-13	198.05	736.77	-	-	-	-	-	-	-	-	-	-
20-Aug-13	200.47	734.35	13.0	488	3.26	90.2	8.47	7.42	-	-	-	-
19-Nov-13	196.59	738.23	-	-	-	-	-	-	-	-	-	-
31-Mar-14	186.78	748.04	11.4	421	7.28	195.1	1.70	7.47	-	-	-	-
21-May-14	192.27	742.55	-	-	-	-	-	-	-	-	-	-
15-Aug-14	199.97	734.85	18.9	492	0.97	1.4	52.50	7.01	-	-	-	-
14-Nov-14	196.60	738.22	-	-	-	-	-	-	-	-	-	-
10-Feb-15	183.97	750.85	10.2	450	7.65	121.4	1.02	7.34	-	-	-	-
4-May-15	194.19	740.63	-	-	-	-	-	-	-	-	-	-
4-Aug-15	198.35	736.47	13.6	432	3.07	18.6	0.27	7.47	-	-	-	-
3-Nov-15	198.25	736.57	10.3	405	2.57	106.2	7.07	7.35	-	-	-	-
8-Feb-16	188.43	746.39	12.5	536	2.77	189.8	0.25	7.78	-	-	-	-
2-May-16	195.72	739.10			Monitored Semiannually <sup>1</sup>				-	-	-	-
22-Aug-16	197.89	736.93	14.0	418	1.27	-123.1	4.36	7.32	-	-	-	-
1-Nov-16	195.49	739.33			Monitored Semiannually <sup>1</sup>				-	-	-	-
31-Jan-17	186.94	747.88	9.2	506	5.26	-45.4	0.38	7.45	-	-	-	-
30-May-17	190.62	744.20			Monitored Semiannually <sup>1</sup>				-	-	-	-
16-Aug-17	197.55	737.27	13.3	540	2.31	37.3	3.42	7.37	-	-	-	-
9-Nov-17	197.11	737.71			Monitored Semiannually <sup>1</sup>				-	-	-	-
28-Feb-18	185.96	748.86	10.1	390	5.95	204.7	1.62	7.15	-	-	-	-
1-May-18	184.95	749.87			Monitored Semiannually <sup>1</sup>				-	-	-	-
22-Aug-18	197.40	737.42	13.7	412	3.10	85.5	1.66	7.27	-	-	-	-
6-Nov-18	197.94	736.88			Monitored Semiannually <sup>1</sup>				-	-	-	-
12-Mar-19	182.84	751.98	8.7	332	6.25	148.4	1.93	7.28	-	-	-	-
8-May-19	185.36	749.46			Monitored Semiannually <sup>1</sup>				-	-	-	-
27-Aug-19	196.56	738.26	11.92	411	8.82	Note 1	0.02	7.28	-	-	-	-
13-Nov-19	196.74	738.08			Monitored Semiannually <sup>1</sup>				-	-	-	-
13-Feb-20	177.10	757.72	9.3	453	3.03	91.0	2.31	7.56	-	-	-	-
13-Aug-20	200.97	733.85	12.2	422	3.04	35.0	0.96	7.42	-	-	-	-
9-Dec-20	197.86	736.96			Monitored Semiannually <sup>1</sup>				-	-	-	-

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
5-Mar-21	197.42	737.40	10.0	398	3.79	112.0	1.17	7.37	-	-	-	-
10-Jun-21	199.94	734.88			Monitored Semiannually <sup>1</sup>				-	-	-	-
18-Oct-21	200.24	734.58	12.6	307.7	6.06	161.4	12.3	7.35	-	-	-	-
5-Jan-22	192.66	742.16			Monitored Semiannually <sup>1</sup>				-	-	-	-
21-Mar-22	193.68	741.14	9.6	369	7.04	125.6	5.95	6.63	-	-	-	-
21-Jun-22	191.33	743.49			Monitored Semiannually <sup>1</sup>				-	-	-	-

## Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 932.82

Top of casing elevation (feet NAVD88) after raising casing (December 14, 2011): 934.82

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table A-4g: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-4SDSP**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Arsenic	Lead	Potassium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	8	2.1	-
26-Sep-11	25.77	906.64	11.40	553	0.86	197.2	-	7.21	-	-	-	-
13-Dec-11	24.94	907.47	9.70	625	1.73	658.0	22.70	7.68	-	-	-	-
22-Mar-12	23.80	908.61	9.60	785	3.71	242.6	8.14	7.30	-	-	-	-
19-Jun-12	24.09	908.32	-	-	-	-	-	-	-	-	-	-
18-Sep-12	25.68	906.73	16.50	664	2.37	150.0	19.20	7.34	-	-	-	-
18-Dec-12	23.02	909.39	-	-	-	-	-	-	-	-	-	-
21-Feb-13	23.50	908.91	10.00	840	6.55	352.4	3.42	7.42	-	-	-	-
22-May-13	23.84	908.57	-	-	-	-	-	-	-	-	-	-
20-Aug-13	25.08	907.33	13.50	539	2.91	45.1	1.87	7.22	-	-	-	-
19-Nov-13	22.76	909.65	-	-	-	-	-	-	-	-	-	-
31-Mar-14	21.39	911.02	12.20	511	6.31	197.3	1.38	7.58	-	-	-	-
21-May-14	19.82	912.59	-	-	-	-	-	-	-	-	-	-
15-Aug-14	24.00	908.41	12.81	647	0.82	7.5	5.42	6.62	-	-	-	-
14-Nov-14	22.28	910.13	-	-	-	-	-	-	-	-	-	-
10-Feb-15	21.10	911.31	12.30	636	2.56	-71.9	1.11	7.11	-	-	-	-
4-May-15	22.65	909.76	-	-	-	-	-	-	-	-	-	-
5-Aug-15	24.65	907.76	13.50	563	3.21	116.4	55.20	7.42	-	-	-	-
3-Nov-15	23.87	908.54	12.20	493	4.65	114.4	5.78	7.52	-	-	-	-
8-Feb-16	19.39	913.02	15.80	670	3.92	163.5	5.06	7.59	-	-	-	-
2-May-16	20.99	911.42	Monitored Semiannually <sup>1</sup>						-	-	-	-
22-Aug-16	24.42	907.99	17.60	527	5.01	106.0	1.39	7.44	-	-	-	-
1-Nov-16	21.31	911.10	Monitored Semiannually <sup>1</sup>						-	-	-	-
31-Jan-17	21.11	911.30	12.10	680	2.75	-146.1	1.48	7.35	-	-	-	-
30-May-17	18.49	913.92	Monitored Semiannually <sup>1</sup>						-	-	-	-
17-Aug-17	22.58	909.83	12.60	673	5.22	177.8	1.97	7.15	-	-	-	-
9-Nov-17	20.72	911.69	Monitored Semiannually <sup>1</sup>						-	-	-	-
28-Feb-18	17.09	915.32	11.10	509	8.34	29.0	0.72	7.37	-	-	-	-
1-May-18	17.76	914.65	Monitored Semiannually <sup>1</sup>						-	-	-	-
22-Aug-18	Could not be safely accessed due to wasp nests.								-	-	-	-
6-Nov-18	21.70	910.71	Monitored Semiannually <sup>1</sup>						-	-	-	-
12-Mar-19	18.30	914.11	10.10	215	9.65	18.9	0.39	7.86	-	-	-	-
8-May-19	19.09	913.32	Monitored Semiannually <sup>1</sup>						-	-	-	-
27-Aug-19	22.85	909.56	14.79	562	8.59	Note 1	3.60	7.80	-	-	-	-
13-Nov-19	21.95	910.46	Monitored Semiannually <sup>1</sup>						-	-	-	-
13-Feb-20	16.60	915.81	10.80	458	8.74	68.0	1.98	7.83	-	-	-	-
13-Aug-20	21.96	910.45	12.60	503	8.74	-39.8	1.89	7.83	-	-	-	-
9-Dec-20	20.58	911.83	Monitored Semiannually <sup>1</sup>						-	-	-	-
5-Mar-21	17.69	914.72	11.30	497	6.84	90.0	1.46	7.91	-	-	-	-
10-Jun-21	21.47	910.94	Monitored Semiannually <sup>1</sup>						-	-	-	-
18-Oct-21	23.22	909.19	13.5	368.9	8.47	130.8	1.36	7.63	-	-	-	-
5-Jan-22	17.66	914.75	Monitored Semiannually <sup>1</sup>						-	-	-	-
21-Mar-22	16.7	915.71	10.7	456.3	9.94	115.5	2.79	7.05	-	-	-	-
21-Jun-22	17.95	914.46	Monitored Semiannually <sup>1</sup>						-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to DSP Cover Upgrade: 939.42

Top of casing elevation (feet NAVD88) after DSP Cover Upgrade (completed July 2011): 932.41

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016, extended October 10, 2019. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

-

Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.

a

Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022

°C

Degrees Celsius

Note 1

ORP measurements not available due to faulty sensor.

μmhos/cm

Micromhos per centimeter

feet bmp

Feet below measuring point

feet NAVD88

Feet NAVD88 Datum

mg/L

Milligrams per liter

mV

Millivolts

NTU

Nephelometric Turbidity Unit

**APPENDIX A-5**

**Summary of Lower Disposal Area –  
Disposal Area Groundwater  
Sampling Results**

Table A-5A Well P-14  
Table A-5B Well P-15

**Table A-5a: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-14**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (μmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140	
11-Dec-20	32.53	740.79	11.6	18697	0.12	-61.2	17.9	13.30	6560	-	263	19.6	2540000	
3-Mar-21	29.44	743.88	12.0	12836	0.05	-87.0	1.54	13.09	4060	-	84.1	9.64	1490000	
10-Jun-21	33.57	739.75	12.9	18706	0.67	-175.2	1.88	13.06	6400	-	242	3.44	2460000	
13-Oct-21	33.57	739.75	12.7	23225	0.77	-139.7	0.75	13.18	7240 J-	131	292	2.47	2560000	
7-Jan-22	27.73	745.59	11.9	9778	0.96	-112.9	1.86	13.30	4850	51.8	76.3	9.19	1480000	
21-Mar-22	27.5	745.82	12.5	11725	1.27	-25.3	2.18	14.52	4110	46.1	74.8	41.3	1430000	
23-Jun-22	28.65	744.67	13.5	18219	0.05	-88.6	2.04	12.93	6160	130	238	6.56	2250000	
														21.9

## Notes:

Top of casing elevation (feet NAVD88): 773.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.
- a Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- μmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L Milligrams per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit

**Table A-5b: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-15**  
**Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen. Chem.	Metals (ug/L)					
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level <sup>a</sup>	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.1	-	140
15-Oct-21	30.03	726.52	13.00	15815	1.72	-147.5	5.08	13.17	7180 J-	2 U	6.57	94	2390000	3.65
7-Jan-22	15.32	741.23	10.20	7227	1.03	-116.3	1.84	13.28	3420	5.17	6.34	101	884000	0.515 J
17-Mar-22	14.44	742.11	11.8	9351	1.11	-70	1.88	14.60	3060	3.08	5.63	109	970000	0.406
22-Jun-22	18.39	738.16	13	10563	0.14	-71	2.19	12.95	3300	2.22	5.37	100	924000	1.14

Notes:

Top of casing elevation (feet NAVD88): 756.55

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

-	Not measured or not available
	Orange shaded values indicate parameter results above the Preliminary Screening Level (PSL), except for pH, which could be above or below the PSL.
a	Preliminary Cleanup Level (PCUL) provided by Ecology 30 Sept 2022
U	Data validation code; not detected at the Reporting Limit (RL)
J	Data validation code; estimated value
J+	Data validation code; estimated value with positive bias
°C	Degrees Celsius
µmhos/cm	Micromhos per centimeter
feet bmp	Feet below measuring point
feet NAVD88	Feet NAVD88 Datum
	mg/L Milligrams per liter
	mV Millivolts
	NTU Nephelometric Turbidity Unit


**APPENDIX B**

**LDA Shallow/Alluvial Monitoring  
Wells Data Graphs**

## LDA Shallow/Alluvial Monitoring Wells


### MW-1A

Treatment System Startup 9/28/2018




## LDA Shallow/Alluvial Monitoring Wells

### MW-1A




## LDA Shallow/Alluvial Monitoring Wells MW-1A

Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells


### MW-2A




## LDA Shallow/Alluvial Monitoring Wells

**MW-2A**

Treatment System Startup 9/28/2018




## LDA Shallow/Alluvial Monitoring Wells MW-2A



## LDA Shallow/Alluvial Monitoring Wells


### MW-3A



## LDA Shallow/Alluvial Monitoring Wells


### MW-3A

Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells


### MW-3A



## LDA Shallow/Alluvial Monitoring Wells

### MW-4A


Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells


**MW-4A**

Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells


### MW-4A



## LDA Shallow/Alluvial Monitoring Wells

### MW-5A


Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells


**MW-5A**

Treatment System Startup 9/28/2018




## LDA Shallow/Alluvial Monitoring Wells

### MW-5A



## LDA Shallow/Alluvial Monitoring Wells


### MW-6A



## LDA Shallow/Alluvial Monitoring Wells

**MW-6A**


Treatment System Startup 9/28/2018



## LDA Shallow/Alluvial Monitoring Wells

### MW-6A

Treatment System Startup 9/28/2018



**APPENDIX C**

**Data Validation Report and  
Laboratory Analytical Results**

## DATA VALIDATION CHECKLIST

<b>Project Name:</b>	Ravensdale Project
<b>Project Number:</b>	GL152030402/004.0003
<b>Sample Identification(s):</b>	MW-3A-0622, MW-10A-0622, P-16-0622, MW-9A-0622, MW-4A-0622, P-17-0622, P-15-0622, MW-8A-0622, MW-7A-0622, MW-5A-0622, MW-6A-0622, MW-2A-0622, MW-45A-0622, MW-1A-0622, P-14-0622, Still Well-0622, Interceptor Trench-0622, Infiltration Ponds-0622, MW-35A-0622, MW-99-1-0622
<b>Sample Date(s):</b>	6/21/22, 6/22/22, 6/23/22
<b>Sample Team:</b>	Sean Johnson, Golder Associates
<b>Sample Matrix:</b>	Aqueous
<b>Analyzing Laboratory:</b>	Analytical Resources, Inc. – Tukwila, WA
<b>Analyses:</b>	TDS (SM2540C); Total Metals K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED)
<b>Laboratory Report No.:</b>	22F0403

## FIELD DATA PACKAGE DOCUMENTATION

<b>Field Sampling Logs:</b>	Reported		Performance Acceptable		<b>Not Required</b>
	NO	YES	NO	YES	
1. Sampling dates noted		X		X	
2. Sampling team indicated		X		X	
3. Sampling identification traceable to location collected	X		X		
4. Sample location	X		X		
5. Collection technique (bailer, pump, etc.)	X		X		
6. Sample container type	X		X		
7. Preservation methods	X		X		
8. Chain-of-custody form completed	X		X		
9. Required analytical methods requested	X		X		
10. Field sample logs completed properly and signed	X		X		
11. Number and type of field QC samples collected	X		X		
12. Field equipment calibration	X		X		
13. Field equipment decontamination	X		X		

QC – quality control

## COMMENTS:

Performance was acceptable, with no exceptions.

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Reporting limits of analysis		X		X	
5. Sample collection date		X	X		
6. Laboratory sample received date		X		X	
7. Sample preparation/extraction date		X		X	
8. Sample analysis date		X		X	
9. Copy of chain-of-custody form signed by lab sample custodian		X		X	
10. Narrative summary of QA or sample problems provided		X	X		

QA – quality assurance

### COMMENTS:

Performance was acceptable, with the following notes:

- It was noted that the sample times for sample Still Well-0622 did not match between the chain of custody and the sample label on the bottles. The bottle label states the sampling time is 16:15 while the COC states it is 16:10. The laboratory reported the time on COC. No further action is required other than to note.
- Sample P-16-0622 failed preservation requirements for total metals upon receival, however it was confirmed by the lab it was adjusted it to a pH <2. No further action is required other than to note.

### INORGANIC ANALYSES

Metals (EPA 6010/200.8) (E200.8 UCT-KED)	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Holding times		X		X	
2. Reporting limits		X		X	
3. Blanks					
a. Method blanks		X		X	
b. Equipment /Rinsate blanks		X	X		
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R		X		X	
6. LCS duplicate (LCSD) %R		X		X	
7. MS duplicate (MSD) %R		X		X	
8. MS / MSD RPD		X		X	
9. LCS / LCSD RPD	X				
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X	X		

%R – percent recovery

RPD – relative percent difference

### COMMENTS:

Performance was acceptable, with the following exceptions and/or notes:

- Field duplicates are as followed: MW-35A-0622 is a duplicate to Infiltration Ponds-0622 and MW-45A-0622 is a field duplicate to MW-2A-0622.
- The following analyte for samples MW-35A-0622/ Infiltration Ponds-0622 exceeded RPD limits of 40% for the field duplicate and parent sample: lead. Following guidelines samples were qualified as estimated (J)
- There was a detection in the equipment blank as shown below. When the blank concentration was less than the RL and associated sample results were greater than the RL no qualifications were required.

Sample ID	Method	Type	Analyte	Blank Result	Reporting Limit	Units
MW-99-1-0622	6010D	Equipment	Potassium	0.244J	0.5	mg/L

#### GENERAL WET CHEMISTRY

TDS (SM 2540C)	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Holding times		X		X	
2. Reporting limits		X		X	
3. Blanks					
a. Method blanks		X		X	
b. Equipment rinsate blanks		X		X	
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R	X			--	
6. LCS duplicate (LCSD) %R	X			--	
7. MS duplicate (MSD) %R	X			--	
8. MS/MSD RPD	X				
9. LCS/LCSD RPD	X				
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X	X		

%R – percent recovery

RPD – relative percent difference

#### COMMENTS:

Performance was acceptable, with the following exceptions and/or notes:

- Field duplicates are as followed: MW-35A-0622 is a duplicate to Infiltration Ponds-0622 and MW-45A-0622 is a field duplicate to MW-2A-0622.
- The following analyte for samples MW-35A-0622/ Infiltration Ponds-0622 exceeded RPD limits of 40% for the field duplicate and parent sample: TDS. Following guidelines samples were qualified as estimated (J)

#### DATA VALIDATION CHECKLIST

## SUMMARY AND DATA QUALIFIER CODES

<b>Project Name:</b>	Ravensdale Project
<b>Project Number:</b>	GL152030402
<b>Sample Identification(s):</b>	MW-3A-0622, MW-10A-0622, P-16-0622, MW-9A-0622, MW-4A-0622, P-17-0622, P-15-0622, MW-8A-0622, MW-7A-0622, MW-5A-0622, MW-6A-0622, MW-2A-0622, MW-45A-0622, MW-1A-0622, P-14-0622, Still Well-0622, Interceptor Trench-0622, Infiltration Ponds-0622, MW-35A-0622, MW-99-1-0622
<b>Sample Date(s):</b>	6/21/22, 6/22/22, 6/23/22
<b>Sample Team:</b>	Sean Johnson, Golder Associates
<b>Sample Matrix:</b>	Aqueous
<b>Analyzing Laboratory:</b>	Analytical Resources, Inc. – Tukwila, WA
<b>Analyses:</b>	TDS (SM2540C); Total Metals K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED)
<b>Laboratory Report No.:</b>	22F0403

Sample ID	Analyte(s)	Old Result	Old Qualifier	New Result	New Qualifier	Reason(s)
MW-35A-0622	Lead	-	-	-	J	Field duplicate RPD exceeded
Infiltration Ponds-0622	Lead	-	-	-	J	Field duplicate RPD exceeded
MW-35A-0622	TDS	-	-	-	J	Field duplicate RPD exceeded
Infiltration Ponds-0622	TDS	-	-	-	J	Field duplicate RPD exceeded

<b>VALIDATION PERFORMED BY:</b>	Julia Campbell, Golder Associates
<b>DATE:</b>	August 12, 2022
<b>PEER REVIEW PERFORMED BY:</b>	Michael Shadle, WSP
<b>DATE:</b>	August 24, 2022

June 2022

152030402

**Infiltration Ponds**  
**Duplicate**

Client_Sample_ID	Analyte	Result	Result	RPD	Unit	Qualifier	RL	MDL
Infiltration Ponds-0622	Antimony	8.5	8.64	2%	mg/L		0.4	0.202
Infiltration Ponds-0622	Lead	3.44	2.15	46%	mg/L	J	0.1	0.0513
Infiltration Ponds-0622	Vanadium	0.97	0.932	4%	mg/L		0.4	0.111
Infiltration Ponds-0622	Arsenic	10.2	11	8%	mg/L		0.2	0.0373
Infiltration Ponds-0622	Potassium	549	556	1%	mg/L		1	0.214
Infiltration Ponds-0622	Total Dissolved Solids	733	1670	78%	mg/L	J	20	20

**MW-2A**  
**Duplicate**

Client_Sample_ID	Analyte	Result	Result	RPD	Unit	Qualifier	RL	MDL
MW-2A-0622	Antimony	1.94	2.02	4%	ug/L		0.2	0.101
MW-2A-0622	Lead	0.1	0.1	0%	ug/L		0.1	0.0513
MW-2A-0622	Vanadium	1.15	1.13	2%	ug/L		0.2	0.0556
MW-2A-0622	Arsenic	1.5	1.47	-	ug/L		0.2	0.0373
MW-2A-0622	Potassium	37.5	37.3	1%	mg/L		0.5	0.107
MW-2A-0622	Total Dissolved Solids	369	349	6%	mg/L		10	10



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

19 July 2022

Gary Zimmerman  
Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond, WA 98052-3333

RE: Ravensdale (Ravensdale)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)  
22F0403

Associated SDG ID(s)  
N/A

-----

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, LLC

A handwritten signature in blue ink that reads "Kelly Bottem".

Kelly Bottem, Client Services Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



# Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: <b>22FO403</b>	Turn-around Requested: <b>STANDARD</b>
--	---

ARI Client Company: <b>GOLDER</b>	Phone: <b>(425) 883-0777</b>
--------------------------------------	---------------------------------

Client Contact: <b>JOSEPH X.</b>
-------------------------------------

Client Project Name: <b>RAVENDALE</b>
--

Client Project #: <b>152030402</b>	Samplers: <b>SEAN JOHNSON + GRADY KONZEN</b>
---------------------------------------	---

Page: **1** of **3**

Date: \_\_\_\_\_ Ice Present? \_\_\_\_\_

No. of Coolers: \_\_\_\_\_ Cooler Temps: **3.6**



**Analytical Resources, Incorporated**  
Analytical Chemists and Consultants  
4611 South 134th Place, Suite 100  
Tukwila, WA 98168  
206-695-6200 206-695-6201 (fax)  
[www.arilabs.com](http://www.arilabs.com)

Sample ID	Date	Time	Matrix	No. Containers	Analysis Requested		Notes/Comments
					Total Metals As, Pb, Sb, V, K	TDS	
MW-3A-0622	6/21/22	13:40	GW	6	X	X	MS/MSD
MW-10A-0622	↓	15:05		2	X	X	
P-16-0622	6/22/22	10:30		2	X	X	
MW-9A-0622	↓	11:40		2	X	X	
MW-4A-0622		12:40		2	X	X	
<del>P</del> -P-17-0622		13:40		2	X	X	
P-15-0622		15:10		2	X	X	
MW-8A-0622		16:45		2	X	X	
MW-7A-0622	↓	17:30	↓	2	X	X	
Comments/Special Instructions <b>ANALYZE IN ACCORDANCE w/ MSA BETWEEN GOLDER AND ARI Ecology EIM EDD</b>	Relinquished by: (Signature) <i>Smith</i>	Received by: (Signature) <i>Older Amos</i>	Relinquished by: (Signature)	Received by: (Signature)			
	Printed Name: <b>SEAN JOHNSON</b>	Printed Name: <b>Orlo Amos</b>	Printed Name:	Printed Name:			
	Company: <b>GOLDER</b>	Company: <b>IAR</b>	Company:	Company:			
	Date & Time: <b>6/23/22 16:10</b>	Date & Time: <b>6/23/22 16:16</b>	Date & Time:	Date & Time:			

**Limits of Liability:** ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

**Sample Retention Policy:** All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

## **Chain of Custody Record & Laboratory Analysis Request**

ARI Assigned Number: <b>22F0403</b>	Turn-around Requested: <b>STANDARD</b>	Page: <b>2</b> of <b>3</b>	 <b>Analytical Resources, Incorporated</b> Analytical Chemists and Consultants 4611 South 134th Place, Suite 100 Tukwila, WA 98168 206-695-6200 206-695-6201 (fax) www.arilabs.com								
ARI Client Company: <b>GOLDER</b>	Phone: <b>(425) 883-0777</b>	Date:			Ice Present?						
Client Contact: <b>JOSEPH XI</b>		No. of Coolers:			Cooler Temps: <b>1.6</b>						
Client Project Name: <b>RAVENDALE</b>					Analysis Requested					Notes/Comments	
Client Project #: <b>152030402</b>	Samplers: <b>SEAN JOHNSON + GRADY KONSEN</b>				<b>METALS</b> TOTAL As, Pb, Sb, V, K	<b>TDS</b>					
Sample ID	Date	Time	Matrix	No. Containers							
MW-5A-0622	6/23/22	10:45	GW	2	X	X					
MW-6A-0622		11:50		2	X	X					
MW-2A-0622		12:30		2	X	X					
MW-45A-0622		12:30		2	X	X					
MW-1A-0622		13:25		2	X	X					
P-14-0622	↓	14:25	↓	2	X	X					
Comments/Special Instructions  <b>ANALYSE IN ACCORDANCE w/ MSA BETWEEN GOLDER AND ARI Ecology EIM EDD</b>	Relinquished by:  <b>SEAN JOHNSON</b>	Received by:  <b>Orlo Amos</b>	Relinquished by:  <b>Orlo Amos</b>	Received by:  <b>Orlo Amos</b>							
	(Signature)	(Signature)	(Signature)	(Signature)							
	Printed Name:  <b>SEAN JOHNSON</b>	Printed Name:  <b>Orlo Amos</b>	Printed Name:	Printed Name:							
	Company:  <b>GOLDER</b>	Company:  <b>ARI</b>	Company:	Company:							
	Date & Time:  <b>6/23/22 16:10</b>	Date & Time:  <b>6/23/22 16:10</b>	Date & Time:	Date & Time:							

**Limits of Liability:** ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

**Sample Retention Policy:** All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

## **Chain of Custody Record & Laboratory Analysis Request**

**Limits of Liability:** ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

**Sample Retention Policy:** All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-3A-0622	22F0403-01	Water	21-Jun-2022 13:40	23-Jun-2022 16:16
MW-10A-0622	22F0403-02	Water	21-Jun-2022 15:05	23-Jun-2022 16:16
P-16-0622	22F0403-03	Water	22-Jun-2022 10:30	23-Jun-2022 16:16
MW-9A-0622	22F0403-04	Water	22-Jun-2022 11:40	23-Jun-2022 16:16
MW-4A-0622	22F0403-05	Water	22-Jun-2022 12:40	23-Jun-2022 16:16
P-17-0622	22F0403-06	Water	22-Jun-2022 13:40	23-Jun-2022 16:16
P-15-0622	22F0403-07	Water	22-Jun-2022 15:10	23-Jun-2022 16:16
MW-8A-0622	22F0403-08	Water	22-Jun-2022 16:45	23-Jun-2022 16:16
MW-7A-0622	22F0403-09	Water	22-Jun-2022 17:30	23-Jun-2022 16:16
MW-5A-0622	22F0403-10	Water	23-Jun-2022 10:45	23-Jun-2022 16:16
MW-6A-0622	22F0403-11	Water	23-Jun-2022 11:50	23-Jun-2022 16:16
MW-2A-0622	22F0403-12	Water	23-Jun-2022 12:30	23-Jun-2022 16:16
MW-45A-0622	22F0403-13	Water	23-Jun-2022 12:30	23-Jun-2022 16:16
MW-1A-0622	22F0403-14	Water	23-Jun-2022 13:25	23-Jun-2022 16:16
P-14-0622	22F0403-15	Water	23-Jun-2022 14:25	23-Jun-2022 16:16
Still Well-0622	22F0403-16	Water	21-Jun-2022 16:10	23-Jun-2022 16:16
Interceptor Trench-0622	22F0403-17	Water	22-Jun-2022 14:05	23-Jun-2022 16:16
Infiltration Ponds-0622	22F0403-18	Water	23-Jun-2022 09:30	23-Jun-2022 16:16
MW-35A-0622	22F0403-19	Water	23-Jun-2022 09:30	23-Jun-2022 16:16
MW-99-1-0622	22F0403-20	Water	23-Jun-2022 15:10	23-Jun-2022 16:16



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

## Work Order Case Narrative

### Total Metals - EPA Method 200.8 and 6010D

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.

### Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



# Cooler Receipt Form

ARI Client: Golder

COC No(s): \_\_\_\_\_ NA

Assigned ARI Job No: 22F0403

## Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler?

YES

NO

Were custody papers included with the cooler? .....

YES

NO

Were custody papers properly filled out (ink, signed, etc.) .....

YES

NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 16:16

36

16

13

Temp Gun ID#: 9708

If cooler temperature is out of compliance fill out form 00070F

Cooler Accepted by: Chris Ames

Date: 6/23/22

Time: 16:16

Complete custody forms and attach all shipping documents

## Log-In Phase:

Was a temperature blank included in the cooler? .....

YES

NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other.

Bubble Wrap

Was sufficient ice used (if appropriate)? .....

NA

NO

How were bottles sealed in plastic bags? .....

Individually

Not Grouped

Did all bottles arrive in good condition (unbroken)? .....

YES

NO

Were all bottle labels complete and legible? .....

YES

NO

Did the number of containers listed on COC match with the number of containers received? .....

YES

NO

Did all bottle labels and tags agree with custody papers? .....

YES

NO

Were all bottles used correct for the requested analyses? .....

YES

NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA

NO

Were all VOC vials free of air bubbles? .....

NA

YES

Was sufficient amount of sample sent in each bottle? .....

YES

NO

Date VOC Trip Blank was made at ARI.....

NA

Were the sample(s) split by ARI?

NA

YES

Date/Time: \_\_\_\_\_

Equipment: \_\_\_\_\_

Split by: \_\_\_\_\_

Samples Logged by: Chris Ames Date: 06/24/2022 Time: 09:53 Labels checked by: \_\_\_\_\_

\*\* Notify Project Manager of discrepancies or concerns \*\*

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC
<u>still well @ 1615</u>	<u>still well @ 1610</u>		

Additional Notes, Discrepancies, & Resolutions:

By: SVF

Date: 06/24/2022



WORK ORDER

22F0403

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

Preservation Confirmation

Container ID	Container Type	pH
22F0403-01 A	HDPE NM, 1000 mL	
22F0403-01 B	HDPE NM, 1000 mL	
22F0403-01 C	HDPE NM, 1000 mL	
22F0403-01 D	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-01 E	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-01 F	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-02 A	HDPE NM, 1000 mL	
22F0403-02 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-03 A	HDPE NM, 1000 mL	
22F0403-03 B	HDPE NM, 500 mL, 1:1 HNO3	>2 fail
22F0403-04 A	HDPE NM, 1000 mL	
22F0403-04 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-05 A	HDPE NM, 1000 mL	
22F0403-05 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-06 A	HDPE NM, 1000 mL	
22F0403-06 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-07 A	HDPE NM, 1000 mL	
22F0403-07 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-08 A	HDPE NM, 1000 mL	
22F0403-08 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-09 A	HDPE NM, 1000 mL	
22F0403-09 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-10 A	HDPE NM, 1000 mL	
22F0403-10 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-11 A	HDPE NM, 1000 mL	
22F0403-11 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-12 A	HDPE NM, 1000 mL	
22F0403-12 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-13 A	HDPE NM, 1000 mL	
22F0403-13 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-14 A	HDPE NM, 1000 mL	
22F0403-14 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)
22F0403-15 A	HDPE NM, 1000 mL	
22F0403-15 B	HDPE NM, 500 mL, 1:1 HNO3	<2 (pH)



WORK ORDER

22F0403

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

**Client:** Golder Associates

**Project Manager:** Kelly Bottem

**Project:** Ravensdale

**Project Number:** Ravensdale

22F0403-16 A HDPE NM, 1000 mL

L2 PMS

22F0403-16 B HDPE NM, 500 mL, 1:1 HNO3

22F0403-17 A HDPE NM, 1000 mL

22F0403-17 B HDPE NM, 500 mL, 1:1 HNO3

L2 PMS

22F0403-18 A HDPE NM, 1000 mL

22F0403-18 B HDPE NM, 500 mL, 1:1 HNO3

L2 PMS

22F0403-19 A HDPE NM, 1000 mL

22F0403-19 B HDPE NM, 500 mL, 1:1 HNO3

L2 PMS

22F0403-20 A HDPE NM, 1000 mL

22F0403-20 B HDPE NM, 500 mL, 1:1 HNO3

L2 PMS

Darren J. Baird  
Preservation Confirmed By

06/24/2022  
Date



WORK ORDER

22F0403

Samples will be discarded 90 days after submission of a final report unless other instructions are received.

Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

Preservation Confirmation

Container ID	Container Type	pH
22F0403-01 A	HDPE NM, 1000 mL	
22F0403-01 B	HDPE NM, 1000 mL	
22F0403-01 C	HDPE NM, 1000 mL	
22F0403-01 D	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-01 E	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-01 F	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-02 A	HDPE NM, 1000 mL	
22F0403-02 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-03 A	HDPE NM, 1000 mL	
22F0403-03 B	HDPE NM, 500 mL, 1:1 HNO3	>7 fail (1)
22F0403-04 A	HDPE NM, 1000 mL	
22F0403-04 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-05 A	HDPE NM, 1000 mL	
22F0403-05 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-06 A	HDPE NM, 1000 mL	
22F0403-06 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-07 A	HDPE NM, 1000 mL	
22F0403-07 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-08 A	HDPE NM, 1000 mL	
22F0403-08 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-09 A	HDPE NM, 1000 mL	
22F0403-09 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-10 A	HDPE NM, 1000 mL	
22F0403-10 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-11 A	HDPE NM, 1000 mL	
22F0403-11 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-12 A	HDPE NM, 1000 mL	
22F0403-12 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-13 A	HDPE NM, 1000 mL	
22F0403-13 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-14 A	HDPE NM, 1000 mL	
22F0403-14 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)
22F0403-15 A	HDPE NM, 1000 mL	
22F0403-15 B	HDPE NM, 500 mL, 1:1 HNO3	≤7 (pH)



WORK ORDER

22F0403

Samples will be discarded 90 days after submission of a final report unless other instructions are received.


Client: Golder Associates

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

22F0403-16 A	HDPE NM, 1000 mL	
22F0403-16 B	HDPE NM, 500 mL, 1:1 HNO3	L2 (M&D)
22F0403-17 A	HDPE NM, 1000 mL	
22F0403-17 B	HDPE NM, 500 mL, 1:1 HNO3	L2 (M&D)
22F0403-18 A	HDPE NM, 1000 mL	
22F0403-18 B	HDPE NM, 500 mL, 1:1 HNO3	L2 (M&D)
22F0403-19 A	HDPE NM, 1000 mL	
22F0403-19 B	HDPE NM, 500 mL, 1:1 HNO3	L2 (M&D)
22F0403-20 A	HDPE NM, 1000 mL	
22F0403-20 B	HDPE NM, 500 mL, 1:1 HNO3	L2 (M&D)

  
\_\_\_\_\_  
Preservation Confirmed By

Date

06/24/2022 (1) Preservative for

with 0.75mL conc HNO3  
(K3476) on 6/24/22



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-3A-0622

22F0403-01 (Water)

## **Metals and Metallic Compounds**

---

## Method: EPA 200.8

---

Sampled: 06/21/2022 13:40

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 03:36

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-01 F 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	0.966	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.0750	ug/L	J
Vanadium	7440-62-2	1	0.0556	0.200	0.390	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-3A-0622**

22F0403-01 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/21/2022 13:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 03:36

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-01 F 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	3.66	ug/L	



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-3A-0622**  
**22F0403-01 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/21/2022 13:40  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:13

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-01 F 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL							
Analyte	CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
			Limit	Limit	Limit	Result			
Potassium	7440-09-7	1	0.107	0.500	75.4	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-3A-0622**

22F0403-01 (Water)

## Wet Chemistry

---

Method: SM 2540 C-97

---

Sampled: 06/21/2022 13:40

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-01  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	368	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-10A-0622**  
**22F0403-02 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/21/2022 15:05  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:15

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-02 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	ND	ug/L	U	
Lead	7439-92-1	1	0.0513	0.100	0.0810	ug/L	J	
Vanadium	7440-62-2	1	0.0556	0.200	1.02	ug/L		



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-10A-0622**  
**22F0403-02 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/21/2022 15:05  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:15

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-02 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	0.764	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-10A-0622  
22F0403-02 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/21/2022 15:05  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:02

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-02 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Result			
Potassium		7440-09-7	1	0.107	0.500	1.15	1.15	mg/L		



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-10A-0622**  
**22F0403-02 (Water)**

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-02  
Preparation Batch: BKF0622 Sample Size: 200 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Prepared: 08/27/2022		Final Volume: 200 mL						
Analyte		CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids				1	5	5	116	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-16-0622  
22F0403-03 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/22/2022 10:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 03:30

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-03 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	10	1.01	2.00	9.62	ug/L	D	
Lead	7439-92-1	10	0.513	1.00	17.1	ug/L	D	
Vanadium	7440-62-2	10	0.556	2.00	285	ug/L	D	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-16-0622  
22F0403-03 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 10:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 03:30

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-03 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	10	0.373	2.00	124	ug/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-16-0622  
22F0403-03 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 10:30  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:37

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-03 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	5	0.534	2.50	713	mg/L	D		



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-16-0622  
22F0403-03 (Water)

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-03  
Preparation Batch: BKF0622 Sample Size: 50 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	20	20	2200	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-9A-0622**

22F0403-04 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/22/2022 11:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:19

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-04 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	0.244	ug/L		
Lead	7439-92-1	1	0.0513	0.100	0.0520	ug/L	J	
Vanadium	7440-62-2	1	0.0556	0.200	0.916	ug/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-9A-0622

22F0403-04 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 11:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:19

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-04 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	0.656	ug/L	



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-9A-0622  
22F0403-04 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 11:40  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:42

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-04 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	1	0.107	0.500	2.13	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-9A-0622**

22F0403-04 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/22/2022 11:40

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-04  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	399	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-4A-0622**

22F0403-05 (Water)

## **Metals and Metallic Compounds**

---

## Method: EPA 200.8

---

Sampled: 06/22/2022 12:40

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 04:24

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-05 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	ND	ug/L	U
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.16	ug/L	



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-4A-0622**  
**22F0403-05 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 12:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:24

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-05 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	0.201	ug/L	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-4A-0622**  
**22F0403-05 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 12:40  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:48

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-05 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL							
Analyte	CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
			Limit	Limit	Limit	Result			
Potassium	7440-09-7	1	0.107	0.500	0.666	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-4A-0622

22F0403-05 (Water)

## Wet Chemistry

---

Method: SM 2540 C-97

---

Sampled: 06/22/2022 12:40

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-05  
Preparation Batch: BKF0622 Sample Size: 200 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	5	5	263	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-17-0622  
22F0403-06 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/22/2022 13:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:54

Analysis by: Analytical Resources, LLC

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-06 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting			Units	Notes
			Limit	Limit	Result			
Antimony	7440-36-0	2	0.202	0.400	0.680	ug/L	D	
Lead	7439-92-1	2	0.103	0.200	ND	ug/L	U	
Vanadium	7440-62-2	2	0.111	0.400	2.99	ug/L	D	



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-17-0622  
22F0403-06 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 13:40  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:54

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-06 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	2	0.0746	0.400	6.73	ug/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-17-0622  
22F0403-06 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 13:40  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 22:54

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-06 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 1/27/2022 Final Volume: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Result			
Potassium		7440-09-7	1	0.107	0.500	3.56	3.56	mg/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-17-0622  
22F0403-06 (Water)

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-06  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Prepared: 08/27/2022		Final Volume: 200 mL						
Analyte		CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids				1	10	10	398	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-15-0622  
22F0403-07 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/22/2022 15:10  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 19:59

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-07 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting			Units	Notes
			Limit	Limit	Result			
Antimony	7440-36-0	5	0.505	1.00	2.22	ug/L	D	
Lead	7439-92-1	5	0.257	0.500	100	ug/L	D	
Vanadium	7440-62-2	5	0.278	1.00	1.14	ug/L	D	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-15-0622  
22F0403-07 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 15:10  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 19:59

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-07 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	5	0.187	1.00	5.37	ug/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-15-0622  
22F0403-07 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 15:10  
Instrument: ICP2 Analyst: MVP Analyzed: 07/12/2022 21:06

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-07 B  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 1/27/2022 Final Volume: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Result			
Potassium		7440-09-7	5	0.534	2.50	924	mg/L	D		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-15-0622  
22F0403-07 (Water)

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-07  
Preparation Batch: BKF0622 Sample Size: 5 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	200	200	3300	mg/L	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-8A-0622

22F0403-08 (Water)

## **Metals and Metallic Compounds**

---

### Method: EPA 200.8

---

Sampled: 06/22/2022 16:45

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 04:34

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-08 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	5.17	ug/L		
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L		U
Vanadium	7440-62-2	1	0.0556	0.200	4.73	ug/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-8A-0622**

22F0403-08 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 16:45  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:34

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-08 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	8.13	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-8A-0622

22F0403-08 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/22/2022 16:45  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 23:12

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-08 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 07/08/2022 Final Volume: 25 mL

---

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	1	0.107	0.500	197	mg/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-8A-0622**

22F0403-08 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/22/2022 16:45

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-08  
Preparation Batch: BKF0622 Sample Size: 75 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	13	13	699	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-7A-0622**

22F0403-09 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/22/2022 17:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:39

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-09 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	2.91	ug/L		
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U	
Vanadium	7440-62-2	1	0.0556	0.200	1.19	ug/L		



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-7A-0622

22F0403-09 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/22/2022 17:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:39

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-09 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.78	ug/L	



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-7A-0622**  
**22F0403-09 (Water)**

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-09 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL							
Analyte	CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
			Limit	Limit	Limit	Result			
Potassium	7440-09-7	1	0.107	0.500	65.5	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-7A-0622**

22F0403-09 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/22/2022 17:30

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-09  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	387	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-5A-0622

22F0403-10 (Water)

## **Metals and Metallic Compounds**

---

### Method: EPA 200.8

---

Sampled: 06/23/2022 10:45

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 04:44

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-10 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	5.49	ug/L		
Lead	7439-92-1	1	0.0513	0.100	0.0930	ug/L	J	
Vanadium	7440-62-2	1	0.0556	0.200	1.82	ug/L		



**Analytical Resources, LLC**  
Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-5A-0622  
22F0403-10 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 10:45  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:44

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-10 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	3.29	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-5A-0622

22F0403-10 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/23/2022 10:45  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 23:23

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-10 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 07/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	1	0.107	0.500	251	mg/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-5A-0622**

22F0403-10 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/23/2022 10:45

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-10  
Preparation Batch: BKF0622 Sample Size: 75 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	13	13	881	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**MW-6A-0622**  
**22F0403-11 (Water)**

**Metals and Metallic Compounds**

Method: EPA 200.8    Sampled: 06/23/2022 11:50  
Instrument: ICPMS2    Analyst: MCB    Analyzed: 07/13/2022 04:49

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix    Extract ID: 22F0403-11 B 02  
Preparation Batch: BKG0170    Sample Size: 25 mL  
Prepared: 07/11/2022    Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	1	0.101	0.200	7.00	ug/L	
Lead	7439-92-1	1	0.0513	0.100	0.0730	ug/L	J
Vanadium	7440-62-2	1	0.0556	0.200	0.977	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-6A-0622**

22F0403-11 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 11:50  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:49

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-11 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	2.09	ug/L	



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-6A-0622**  
**22F0403-11 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/23/2022 11:50  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 23:29

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-11 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Result			
Potassium		7440-09-7	1	0.107	0.500	265	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-6A-0622

22F0403-11 (Water)

## Wet Chemistry

---

Method: SM 2540 C-97

---

Sampled: 06/23/2022 11:50

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-11  
Preparation Batch: BKF0622 Sample Size: 75 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	13	13	836	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-2A-0622

22F0403-12 (Water)

## **Metals and Metallic Compounds**

---

### Method: EPA 200.8

---

Sampled: 06/23/2022 12:30

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 04:55

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-12 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	1	0.101	0.200	1.94	ug/L	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U
Vanadium	7440-62-2	1	0.0556	0.200	1.15	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-2A-0622**

22F0403-12 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 12:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 04:55

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-12 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.50	ug/L	



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-2A-0622**  
**22F0403-12 (Water)**

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-12 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 1/27/20/2022 Final Volume: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	1	0.107	0.500	37.5	37.5	mg/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-2A-0622**

22F0403-12 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/23/2022 12:30

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-12  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	369	mg/L



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-45A-0622**

22F0403-13 (Water)

## **Metals and Metallic Compounds**

---

## Method: EPA 200.8

---

Sampled: 06/23/2022 12:30

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/13/2022 05:18

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-13 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	2.02	ug/L		
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L		U
Vanadium	7440-62-2	1	0.0556	0.200	1.13	ug/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-45A-0622**  
**22F0403-13 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 12:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:18

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-13 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.47	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-45A-0622**  
**22F0403-13 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/23/2022 12:30  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 23:47

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-13 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	1	0.107	0.500	37.3	37.3	mg/L	mg/L	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-45A-0622**  
**22F0403-13 (Water)**

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-13  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	349	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-1A-0622**

22F0403-14 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/23/2022 13:25  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:23

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-14 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	1.08	ug/L		
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U	
Vanadium	7440-62-2	1	0.0556	0.200	0.860	ug/L		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-1A-0622

22F0403-14 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 13:25  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:23

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-14 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	1.04	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-1A-0622

22F0403-14 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/23/2022 13:25  
Instrument: ICP2 Analyst: MVP Analyzed: 07/11/2022 23:52

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-14 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 07/08/2022 Final Volume: 25 mL

---

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	1	0.107	0.500	16.5	mg/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-1A-0622**

22F0403-14 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/23/2022 13:25

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-14  
Preparation Batch: BKF0622 Sample Size: 100 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	10	10	281	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-14-0622  
22F0403-15 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/23/2022 14:25  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 20:06

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-15 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	5	0.505	1.00	130	ug/L	D	
Lead	7439-92-1	5	0.257	0.500	6.56	ug/L	D	
Vanadium	7440-62-2	5	0.278	1.00	21.9	ug/L	D	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-14-0622  
22F0403-15 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 14:25  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 20:06

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-15 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	5	0.187	1.00	238	ug/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-14-0622  
22F0403-15 (Water)

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-15 B  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 07/08/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	10	1.07	5.00	2250	mg/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

P-14-0622  
22F0403-15 (Water)

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-15  
Preparation Batch: BKF0622 Sample Size: 5 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	200	200	6160	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

Still Well-0622

22F0403-16 (Water)

## **Metals and Metallic Compounds**

---

### Method: EPA 200.8

---

Sampled: 06/21/2022 16:10

Instrument: ICPMS2 Analyst: MCB

Analyzed: 07/14/2022 19:42

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-16 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting			Units	Notes
			Limit	Limit	Result			
Antimony	7440-36-0	2	0.202	0.400	9.34	ug/L	D	
Lead	7439-92-1	1	0.0513	0.100	3.08	ug/L		
Vanadium	7440-62-2	2	0.111	0.400	3.70	ug/L	D	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

Still Well-0622  
2F0403-16 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/21/2022 16:10  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:33

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-16 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	51.6	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

Still Well-0622  
22F0403-16 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/21/2022 16:10  
Instrument: ICP2 Analyst: MVP Analyzed: 07/12/2022 00:04

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-16 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	1	0.107	0.500	465	mg/L			



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

Still Well-0622

22F0403-16 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/21/2022 16:10

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-16  
Preparation Batch: BKF0622 Sample Size: 10 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	100	100	2180	mg/L



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**Interceptor Trench-0622**

**22F0403-17 (Water)**

**Wet Chemistry**

Method: SM 2540 C-97

Sampled: 06/22/2022 14:05

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation:	Preparation Method: No Prep Wet Chem	Extract ID: 22F0403-17
	Preparation Batch: BKF0622	
	Prepared: 06/27/2022	
	Sample Size: 100 mL	
	Final Volume: 200 mL	

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	415	mg/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

## **Infiltration Ponds-0622**

22F0403-18 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/23/2022 09:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 19:48

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-18 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	2	0.202	0.400	8.50	ug/L	D	
Lead	7439-92-1	1	0.0513	0.100	3.44	ug/L		
Vanadium	7440-62-2	2	0.111	0.400	0.970	ug/L	D	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

## Infiltration Ponds-0622

22F0403-18 (Water)

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 09:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:37

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-18 B 02

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	10.2	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

## Infiltration Ponds-0622

22F0403-18 (Water)

## **Metals and Metallic Compounds**

Method: EPA 6010D Sampled: 06/23/2022 09:30  
Instrument: ICP2 Analyst: MVP Analyzed: 07/12/2022 21:18

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-18 B  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 07/08/2022 Final Volume: 25 mL

---

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Potassium	7440-09-7	2	0.214	1.00	549	mg/L	D



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

## Infiltration Ponds-0622

22F0403-18 (Water)

## Wet Chemistry

---

## Method: SM 2540 C-97

---

Sampled: 06/23/2022 09:30

Instrument: BAL2 Analyst: DOE

Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-18  
Preparation Batch: BKF0622 Sample Size: 50 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	20	20	1650	mg/L



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-35A-0622**  
**22F0403-19 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/23/2022 09:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/14/2022 19:53

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL Extract ID: 22F0403-19 B 02

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	2	0.202	0.400	8.64	ug/L	D	
Lead	7439-92-1	1	0.0513	0.100	2.15	ug/L		
Vanadium	7440-62-2	2	0.111	0.400	0.932	ug/L	D	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-35A-0622**  
**22F0403-19 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 UCT-KED Sampled: 06/23/2022 09:30  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:42

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-19 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	11.0	ug/L	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-35A-0622  
22F0403-19 (Water)

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-19 B  
Preparation Batch: BKG0139 Sample Size: 25 mL  
Prepared: 1/07/2022 Fig. 1 Volumetric 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Limit			
Potassium		7440-09-7	2	0.214	1.00	556	mg/L	D		



# **Analytical Resources, LLC**

Analytical Chemists and Consultants

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-35A-0622**  
**22F0403-19 (Water)**

## Wet Chemistry

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-19  
Preparation Batch: BKF0622 Sample Size: 50 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Dissolved Solids			1	20	20	1670	mg/L



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

# Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-99-1-0622**  
**22F0403-20 (Water)**

## **Metals and Metallic Compounds**

Method: EPA 200.8 Sampled: 06/23/2022 15:10  
Instrument: ICPMS2 Analyst: MCB Analyzed: 07/13/2022 05:47

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-20 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting		Result	Units	Notes
			Limit	Limit				
Antimony	7440-36-0	1	0.101	0.200	ND	ug/L	U	
Lead	7439-92-1	1	0.0513	0.100	ND	ug/L	U	
Vanadium	7440-62-2	1	0.0556	0.200	ND	ug/L	U	



# **Analytical Resources, LLC**

**Analytical Chemists and Consultants**

## Analytical Report

Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-99-1-0622**  
**22F0403-20 (Water)**

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO<sub>3</sub> matrix Extract ID: 22F0403-20 B 02  
Preparation Batch: BKG0170 Sample Size: 25 mL  
Prepared: 07/11/2022 Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Arsenic	7440-38-2	1	0.0373	0.200	ND	ug/L	U



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

**MW-99-1-0622**  
**22F0403-20 (Water)**

## **Metals and Metallic Compounds**

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: TWC EPA 3010A Extract ID: 22F0403-20 B 02  
Preparation Batch: BKG0139 Sample Size: 25 mL

Prepared: 07/08/2022		Final volume: 25 mL								
Analyte		CAS Number	Dilution	Detection Limit		Reporting Limit		Result	Units	Notes
				Limit	Limit	Limit	Result			
Potassium		7440-09-7	1	0.107	0.500	0.244	mg/L	J		



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

Reported:  
19-Jul-2022 16:21

MW-99-1-0622  
22F0403-20 (Water)

## Wet Chemistry

Method: SM 2540 C-97 Sampled: 06/23/2022 15:10  
Instrument: BAL2 Analyst: DOE Analyzed: 06/27/2022 13:16

**Analysis by: Analytical Resources, LLC**

Sample Preparation: Preparation Method: No Prep Wet Chem Extract ID: 22F0403-20  
Preparation Batch: BKF0622 Sample Size: 200 mL  
Prepared: 06/27/2022 Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes	
			Limit	Limit				
Dissolved Solids			1	5	5	ND	mg/L	U



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**Analysis by: Analytical Resources, LLC**

**Metals and Metallic Compounds - Quality Control**

**Batch BKG0139 - TWC EPA 3010A**

Instrument: ICP2 Analyst: MVP

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	Limits	RPD RPD	RPD Limit	Notes
<b>Blank (BKG0139-BLK1)</b> Prepared: 08-Jul-2022 Analyzed: 11-Jul-2022 21:27											
Potassium	ND	0.107	0.500	mg/L							U
<b>LCS (BKG0139-BS1)</b> Prepared: 08-Jul-2022 Analyzed: 11-Jul-2022 21:33											
Potassium	10.3	0.107	0.500	mg/L	10.0		103	80-120			
<b>Duplicate (BKG0139-DUP1)</b> Source: 22F0403-01 Prepared: 08-Jul-2022 Analyzed: 11-Jul-2022 22:08											
Potassium	75.6	0.107	0.500	mg/L		75.4			0.22	20	
<b>Matrix Spike (BKG0139-MS1)</b> Source: 22F0403-01 Prepared: 08-Jul-2022 Analyzed: 11-Jul-2022 22:19											
Potassium	86.7	0.107	0.500	mg/L	10.0	75.4	113	75-125			
Recovery limits for target analytes in MS/MSD QC samples are advisory only.											
<b>Matrix Spike Dup (BKG0139-MSD1)</b> Source: 22F0403-01 Prepared: 08-Jul-2022 Analyzed: 11-Jul-2022 22:24											
Potassium	87.6	0.107	0.500	mg/L	10.0	75.4	121	75-125	0.93	20	
Recovery limits for target analytes in MS/MSD QC samples are advisory only.											



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**Analysis by: Analytical Resources, LLC**

**Metals and Metallic Compounds - Quality Control**

**Batch BKG0170 - REN EPA 600/4-79-020 4.1.4 HNO3 matrix**

Instrument: ICPMS2 Analyst: MCB

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Notes
<b>Blank (BKG0170-BLK1)</b> Prepared: 11-Jul-2022 Analyzed: 13-Jul-2022 00:59												
Antimony	121	ND	0.101	0.200	ug/L							U
Antimony	123	ND	0.102	0.200	ug/L							U
Lead	208	ND	0.0513	0.100	ug/L							U
Vanadium	51a	ND	0.0556	0.200	ug/L							U
Vanadium	51b	ND	0.0521	0.200	ug/L							U
Arsenic	75a	ND	0.0373	0.200	ug/L							U
<b>LCS (BKG0170-BS1)</b> Prepared: 11-Jul-2022 Analyzed: 13-Jul-2022 01:04												
Antimony	121	25.6	0.101	0.200	ug/L	25.0	103	80-120				
Antimony	123	25.8	0.102	0.200	ug/L	25.0	103	80-120				
Lead	208	27.2	0.0513	0.100	ug/L	25.0	109	80-120				
Vanadium	51a	26.9	0.0556	0.200	ug/L	25.0	108	80-120				
Vanadium	51b	26.8	0.0521	0.200	ug/L	25.0	107	80-120				
Arsenic	75a	25.7	0.0373	0.200	ug/L	25.0	103	80-120				
<b>Duplicate (BKG0170-DUP1)</b> Source: 22F0403-01      Prepared: 11-Jul-2022 Analyzed: 13-Jul-2022 03:41												
Antimony	121	0.966	0.101	0.200	ug/L		0.966				0.00	
Lead	208	0.0710	0.0513	0.100	ug/L		0.0750			5.48	20	J
Vanadium	51a	0.400	0.0556	0.200	ug/L		0.390			2.53	20	
Arsenic	75a	3.81	0.0373	0.200	ug/L		3.66			4.18	20	
<b>Matrix Spike (BKG0170-MS1)</b> Source: 22F0403-01      Prepared: 11-Jul-2022 Analyzed: 13-Jul-2022 03:46												
Antimony	121	26.6	0.101	0.200	ug/L	25.0	0.966	103	75-125			
Lead	208	24.9	0.0513	0.100	ug/L	25.0	0.0750	99.1	75-125			
Vanadium	51a	26.8	0.0556	0.200	ug/L	25.0	0.390	106	75-125			
Arsenic	75a	29.8	0.0373	0.200	ug/L	25.0	3.66	104	75-125			

Recovery limits for target analytes in MS/MSD QC samples are advisory only.

Matrix Spike Dup (BKG0170-MSD1)	Source: 22F0403-01			Prepared: 11-Jul-2022 Analyzed: 13-Jul-2022 03:52								
Antimony	121	27.2	0.101	0.200	ug/L	25.0	0.966	105	75-125	2.10	20	
Lead	208	24.7	0.0513	0.100	ug/L	25.0	0.0750	98.7	75-125	0.44	20	
Vanadium	51a	26.3	0.0556	0.200	ug/L	25.0	0.390	104	75-125	1.90	20	
Arsenic	75a	29.7	0.0373	0.200	ug/L	25.0	3.66	104	75-125	0.29	20	

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

**Analysis by: Analytical Resources, LLC**

**Wet Chemistry - Quality Control**

**Batch BKF0622 - No Prep Wet Chem**

Instrument: BAL2 Analyst: DOE

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	Limits	RPD RPD	RPD Limit	Notes
<b>Blank (BKF0622-BLK1)</b> Prepared: 27-Jun-2022 Analyzed: 27-Jun-2022 13:16											
Dissolved Solids	ND	5	5	mg/L							U
<b>LCS (BKF0622-BS1)</b> Prepared: 27-Jun-2022 Analyzed: 27-Jun-2022 13:16											
Dissolved Solids	495	10	10	mg/L	500		98.9	90-110			
<b>Duplicate (BKF0622-DUP1)</b> Source: 22F0403-01				Prepared: 27-Jun-2022 Analyzed: 27-Jun-2022 13:16							
Dissolved Solids	357	10	10	mg/L		368			3.03	20	



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA 200.8 in Water</b>	
Lead-208	NELAP,WADOE,WA-DW,DoD-ELAP
Antimony-121	NELAP,WADOE,WA-DW,DoD-ELAP
Vanadium-51a	NELAP,DoD-ELAP,WADOE
Vanadium-51b	NELAP,DoD-ELAP,WADOE
<b>EPA 200.8 UCT-KED in Water</b>	
Arsenic-75a	NELAP,WADOE,WA-DW,DoD-ELAP
<b>EPA 6010D in Water</b>	
Potassium	WADOE,NELAP,DoD-ELAP
<b>SM 2540 C-97 in Water</b>	
Dissolved Solids	DoD-ELAP,WADOE,WA-DW,NELAP

Code	Description	Number	Expires
ADEC	Alaska Dept of Environmental Conservation	17-015	03/28/2023
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-012	05/12/2023
WADOE	WA Dept of Ecology	C558	06/30/2022
WA-DW	Ecology - Drinking Water	C558	06/30/2022



Golder Associates  
18300 NE Union Hill Road Suite 200  
Redmond WA, 98052-3333

Project: Ravensdale  
Project Number: Ravensdale  
Project Manager: Gary Zimmerman

**Reported:**  
19-Jul-2022 16:21

#### **Notes and Definitions**

- D The reported value is from a dilution
- J Estimated concentration value detected below the reporting limit.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.

**APPENDIX D**

**Sample Integrity Data Sheets**

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-99-1 - 0622  
**Sampling Location** QA/QC Blank

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Grab

---

**Date** June 23, 2022      **Time** 15:10

---

**Media** Other      **Station** MW-3A

---

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (); Well total depth at

---

Screen Interval:

---

Pump Intake:

---

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## **SAMPLE INTEGRITY DATA SHEET**

Well ID MW-99-1

Date 06/23/2022

Time Begin Purge 15:14

Time Collect Sample 15:10

Water Level (ft bmp)	Time	pH	Cond. ( $\mu\text{S}/\text{cm}$ )	Temp ( $^{\circ}\text{C}$ )	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)

Comments:

Flow Rate: \_\_\_\_\_ mL/min

*S J*

Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

# SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale Project No. 152030402  
Site Location Ravensdale, WA Sample ID P-14 - 0622  
Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date June 23, 2022 Time 14:25

Media Groundwater Station P-14

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 28.89 ft BTOC (June 23, 2022 1:45 PM); Well total depth at 50' BGS

Screen Interval: 40'- 50' BGS

Pump Intake: ~ 45' BGS

Sample Description \_\_\_\_\_

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID P-14

Date 06/23/2022


Time Begin Purge 13:55

Time Collect Sample 14:25

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
29.19	14:00	12.8	17,187	13.7	0.15	-60	20.9
29.21	14:05	12.85	17,431	13.7	0.07	-72.1	6.20
29.21	14:10	13	17,805	13.6	0.06	-80.7	2.72
29.22	14:15	12.9	18,014	13.5	0.06	-84.8	1.87
29.23	14:20	12.95	18,146	13.4	0.05	-87.2	2.40
29.23	14:25	12.93	18,219	13.5	0.05	-88.6	2.04

Comments:

Flow Rate: 300 mL/min



Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

# SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale Project No. 152030402  
Site Location Ravensdale, WA Sample ID MW-1A - 0622  
Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date June 23, 2022 Time 13:25

Media Groundwater Station MW-1A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 28.49 ft BTOC (June 23, 2022 12:51 PM); Well total depth at 44' BGS

Screen Interval: 28' - 43' BGS

Pump Intake: ~ 39' BGS

Sample Description \_\_\_\_\_

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-1A

Date 06/23/2022

Time Begin Purge 12:53

Time Collect Sample 13:25

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
28.4	12:55	7	575	9.9	2.94	154.9	12
28.4	13:00	6.95	375.7	9.7	6.76	150.1	4.93
28.41	13:05	7.02	358.9	9.8	7.02	150.4	2.63
28.4	13:10	6.79	356.2	9.8	7.11	156.1	1.58
28.41	13:15	6.94	355.5	9.7	7.2	151.8	1.38
28.4	13:20	6.93	356.4	9.8	7.21	152.8	2.55

Comments:

Flow Rate: 500 mL/min

Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-2A / MW-45A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Bladder Pump (dedicated)

**Date** June 23, 2022      **Time** 12:30

**Media** Groundwater      **Station** MW-2A

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 22.31 ft BTOC (June 23, 2022 12:07 PM); Well total depth at 40' BGS

Screen Interval: 24'- 40' BGS

Pump Intake: ~ 30' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
2-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-2A / MW-45A

Date 06/23/2022

Time Begin Purge 12:10

Time Collect Sample 12:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
22.35	12:15	7.19	446.1	9.7	5.15	156.3	9.29
22.35	12:20	7.26	443.6	9.5	5.7	158.6	3.21
22.4	12:25	7.16	443.1	9.5	5.77	159	1.90
22.47	12:30	7.1	442.6	9.5	6.06	158.8	1.49

Comments:

Flow Rate: 450 mL/min

Duplicate MW-45A-0622 collected



Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-6A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Bladder Pump (dedicated)

**Date** June 23, 2022      **Time** 11:50

**Media** Groundwater      **Station** MW-6A

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 24.05 ft BTOC (June 23, 2022 11:13 AM); Well total depth at 39' BGS

Screen Interval: 24'- 39' BGS

Pump Intake: ~ 36' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-6A

Date 06/23/2022


Time Begin Purge 11:14

Time Collect Sample 11:50

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
24.65	11:20	7.83	1,119	10.7	3.06	166.9	3.97
24.06	11:25	7.68	1,041	11	2.97	166	1.23
24.06	11:30	7.68	1,011	11.1	3.01	165.7	1.38
24.05	11:35	7.63	957	11.1	3.3	164.8	1.16
24.06	11:40	7.63	922	11.3	3.51	163.9	0.98
24.06	11:45	7.65	916	11.3	3.67	163.5	0.87
24.06	11:50	7.66	916	11.2	3.74	163.1	0.76

Comments:

Flow Rate: 250 mL/min



Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-5A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Bladder Pump (dedicated)

**Date** June 23, 2022      **Time** 10:45

**Media** Groundwater      **Station** MW-5A

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 26.28 ft BTOC (June 23, 2022 9:56 AM); Well total depth at 40' BGS

Screen Interval: 25'- 40' BGS

Pump Intake: ~ 38' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-5A

Date 06/23/2022

Time Begin Purge 10:00

Time Collect Sample 10:45

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
26.29	10:05	7.38	1,321	9.4	0.45	169.9	5.87
26.29	10:10	7.37	1,327	9.4	0.34	173.2	3.02
26.29	10:15	7.36	1,346	9.4	0.34	174.7	2.05
26.29	10:20	7.39	1,289	9.5	1.43	174.3	1.54
26.29	10:25	7.38	1,130	9.5	2.31	173.6	1.58
26.28	10:30	7.37	1,058	9.6	2.86	173.5	1.81
26.28	10:35	7.37	1,029	9.6	3.21	173.4	1.45
26.28	10:40	7.37	945	9.6	3.43	173.3	1.25
26.28	10:45	7.38	969	9.6	3.54	173.1	1.13

Comments:

Flow Rate: 250 mL/min

Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA  
**Sample ID** Infiltration Ponds / MW-35A - 0622  
**Sampling Location** Surface Water Monitoring Point

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Peristaltic Pump  
**Date** June 23, 2022      **Time** 09:30  
**Media** Surface Water      **Station** Infiltration Ponds / MW-35A  
**Sample Type:** grab time composite space composite  
**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)  
SWL: Depth to water at ft BTOC (June 23, 2022 9:30 AM); Well total depth at N/A  
Screen Interval: N/A  
Pump Intake: N/A  
**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
2-1000 mL	Total Dissolved Solids	HDPE	N/A
2-500 mL	Total Metals	HDPE	HNO3

## **SAMPLE INTEGRITY DATA SHEET**

Well ID Infiltration Ponds / MW-35A

Date 06/23/2022

Time Begin Purge 09:30

Time Collect Sample 09:30

Water Level (ft bmp)	Time	pH	Cond. ( $\mu\text{S}/\text{cm}$ )	Temp ( $^{\circ}\text{C}$ )	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	09:30	8.34	1,982	14.9	2.58	156.8	5.29

Comments:

Flow Rate: \_\_\_\_\_ mL/min

Duplicate MW-35A-0622



Sampler \_\_\_\_\_

Date June 23, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-7A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Peristaltic Pump

**Date** June 22, 2022      **Time** 17:30

**Media** Groundwater      **Station** MW-7A

**Sample Type:**      grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 7.81 ft BTOC (June 22, 2022 5:11 PM); Well total depth at 20' BGS

Screen Interval: 10' - 20' BGS

Pump Intake: ~ 17' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-7A

Date 06/22/2022

Time Begin Purge 17:11

Time Collect Sample 17:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
7.81	17:15	7.26	546	11.9	1.87	108.5	0.80
7.81	17:20	7.23	541	11.9	1.88	107.5	1.16
7.81	17:25	7.22	540	11.9	1.89	107.1	0.47
7.81	17:30	7.21	541	12	1.88	107.5	0.47

Comments:

Flow Rate: 250 mL/min



Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-8A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Peristaltic Pump

---

**Date** June 22, 2022      **Time** 16:45

---

**Media** Groundwater      **Station** MW-8A

---

**Sample Type:** grab      time composite      space composite

---

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 16.73 ft BTOC (June 22, 2022 3:51 PM); Well total depth at 26' BGS

---

Screen Interval: 16' - 26' BGS

---

Pump Intake: ~ 22' BGS

---

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-8A

Date 06/22/2022

Time Begin Purge 16:17

Time Collect Sample 16:45

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
16.74	16:25	6.97	624	9.4	2.69	90.5	1.54
16.75	16:30	7.09	677	9.4	3.03	92.4	1.10
16.74	16:35	7.17	739	9.4	3.06	93.3	0.86
16.77	16:40	7.21	769	9.5	3	95.1	0.93
16.77	16:45	7.22	773	9.4	2.99	96.1	0.94

Comments:

Flow Rate: 240 mL/min



Sampler \_\_\_\_\_ Date June 22, 2022

Supervisor \_\_\_\_\_ Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** P-15 - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Peristaltic Pump

**Date** June 22, 2022      **Time** 15:10

**Media** Groundwater      **Station** P-15

**Sample Type:**      grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 18.7 ft BTOC (June 22, 2022 2:31 PM); Well total depth at 34' BGS

Screen Interval: 24'- 34' BGS

Pump Intake: ~ 30' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID P-15

Date 06/22/2022

Time Begin Purge 14:40

Time Collect Sample 15:10

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
19.11	14:45	12.89	10,424	12.7	0.35	-40.9	4.42
19.19	14:50	12.92	10,455	12.9	0.23	-61.2	3.60
19.09	14:55	12.94	10,529	13	0.19	-65.9	2.60
19.11	15:00	12.94	10,534	13	0.15	-68.7	1.18
19.1	15:05	12.95	10,561	13	0.14	-70.7	2.57
19.09	15:10	12.95	10,563	13	0.14	-71	2.19

Comments:

Flow Rate: 200 mL/min

Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** Interceptor Trench - 0622  
**Sampling Location** Surface Water Monitoring Point

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Grab

**Date** June 22, 2022      **Time** 14:05

**Media** Surface Water      **Station** Interceptor Trench

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (June 22, 2022 1:57 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A

# SAMPLE INTEGRITY DATA SHEET

Well ID Interceptor Trench

Date 06/22/2022

Time Begin Purge

Time Collect Sample 14:05

Water Level (ft bmp)	Time	pH	Cond. ( $\mu\text{S}/\text{cm}$ )	Temp ( $^{\circ}\text{C}$ )	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	14:00	6.94	534	12.5	7.71	31.9	6.21

Comments:

Flow Rate: 10000 mL/min



Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** P-17 - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Peristaltic Pump

---

**Date** June 22, 2022      **Time** 13:40

---

**Media** Groundwater      **Station** P-17

---

**Sample Type:**      grab      time composite      space composite

---

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 7.14 ft BTOC (June 22, 2022 1:08 PM); Well total depth at 13' BGS

---

Screen Interval: 8'- 13' BGS

---

Pump Intake: ~ 10' BGS

---

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID P-17

Date 06/22/2022

Time Begin Purge 13:09

Time Collect Sample 13:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
7.57	13:20	6.42	588	11.9	0.3	-38	5.14
7.59	13:25	6.93	582	11.6	0.3	-46	5.36
7.59	13:30	6.44	583	11.6	0.28	-52	5.34
7.58	13:35	6.44	585	11.7	0.26	-54.4	4.55
7.57	13:40	6.44	586	11.7	0.26	-57.6	2.87

Comments:

Flow Rate: 225 mL/min

Sampler \_\_\_\_\_ Date June 22, 2022

Supervisor \_\_\_\_\_ Date \_\_\_\_\_



# SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale Project No. 152030402  
Site Location Ravensdale, WA Sample ID MW-4A - 0622  
Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date June 22, 2022 Time 12:40

Media Groundwater Station MW-4A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 3.81 ft BTOC (June 22, 2022 12:06 PM); Well total depth at 20' BGS

Screen Interval: 5' - 20' BGS

Pump Intake: ~ 12' BGS

Sample Description \_\_\_\_\_

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-4A

Date 06/22/2022

Time Begin Purge 12:07

Time Collect Sample 12:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
4.17	12:15	6.4	419.5	10.9	0.3	101.2	3.26
4.2	12:20	6.34	392.7	11	0.39	102.6	5.10
4.23	12:25	6.3	350.4	10.9	1.05	102.6	1.46
4.26	12:30	6.28	335.4	11	1.43	103.4	0.58
4.23	12:35	6.27	329	11	1.37	114.2	0.91
4.25	12:40	6.36	327.8	10.1	1.36	114.5	0.46

Comments:

Flow Rate: 250 mL/min



Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-9A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

---

**Type of Sampler** Peristaltic Pump

---

**Date** June 22, 2022      **Time** 11:40

---

**Media** Groundwater      **Station** MW-9A

---

**Sample Type:** grab      time composite      space composite

---

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 2.48 ft BTOC (June 22, 2022 11:13 AM); Well total depth at 13' BGS

---

Screen Interval: 8' - 13' BGS

---

Pump Intake: ~ 10' BGS

---

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-9A

Date 06/22/2022

Time Begin Purge 11:16

Time Collect Sample 11:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
5.52	11:25	6.99	483	10.5	3.72	55.8	4.28
6.98	11:30	6.9	482.1	10.5	3.71	63.5	0.94
8.22	11:35	6.89	485.2	10.5	4.15	69.4	1.01
9.04	11:40	6.89	485.8	10.5	4.42	72.8	0.85

Comments:

Flow Rate: 200 mL/min



Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

# SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** P-16 - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Peristaltic Pump

**Date** June 22, 2022      **Time** 10:30

**Media** Groundwater      **Station** P-16

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 2.76 ft BTOC (June 22, 2022 9:42 AM); Well total depth at 10' BGS

Screen Interval: 5'- 10' BGS

Pump Intake: ~ 8' BGS

**Sample Description** Dark reddish brown

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID P-16

Date 06/22/2022


Time Begin Purge 09:43

Time Collect Sample 10:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
4.8	09:50	9.98	2,379	11.4	0.06	160.5	36.3
4.91	09:55	10.08	2,414	11.4	0.05	140.4	52.3
5.63	10:00	10.37	2,434	11.4	0.04	116.2	78.2
5.36	10:05	11.07	2,394	11.4	0.04	56.7	62.6
5.58	10:10	11.59	2,429	11.5	0.04	16.5	46.1
5.61	10:15	11.93	2,502	11.5	0.04	-27	48.5
5.77	10:20	12.09	2,615	11.5	0.04	-54	39.2
5.54	10:25	12.15	2,723	11.6	0.03	-84.4	37.4
5.4	10:30	12.19	2,757	11.6	0.04	-105.8	27.4

Comments:

Flow Rate: 200 mL/min



Sampler \_\_\_\_\_

Date June 22, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402

**Site Location** Ravensdale, WA      **Sample ID** Still Well - 0622

**Sampling Location** Surface Water Monitoring Point

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Peristaltic Pump

**Date** June 21, 2022      **Time** 16:15

**Media** Surface Water      **Station** Still Well

**Sample Type:** grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at -0.01 ft BTOC (June 21, 2022 4:01 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## **SAMPLE INTEGRITY DATA SHEET**

Well ID Still Well

Date 06/21/2022

Time Begin Purge 16:06

Time Collect Sample 16:15

<b>Water Level (ft bmp)</b>	<b>Time</b>	<b>pH</b>	<b>Cond. (uS/cm)</b>	<b>Temp (°C)</b>	<b>DO (mg/L)</b>	<b>ORP (rel mV)</b>	<b>Turbidity (NTU)</b>
0.6	16:10	11.96	5,090	15.4	2.53	156.3	3.4

Comments:

Flow Rate: N/a mL/min



Sampler \_\_\_\_\_

Date June 21, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

# SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale Project No. 152030402  
Site Location Ravensdale, WA Sample ID MW-10A - 0622  
Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date June 21, 2022 Time 15:10

Media Groundwater Station MW-10A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 5.92 ft BTOC (June 21, 2022 2:24 PM); Well total depth at 29' BGS

Screen Interval: 9' - 29' BGS

Pump Intake: ~ 25' BGS

Sample Description \_\_\_\_\_

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-500 mL	Total Metals	HDPE	HNO3

## **SAMPLE INTEGRITY DATA SHEET**

Well ID MW-10A

Date 06/21/2022

Time Begin Purge 14:25

Time Collect Sample 15:10

<b>Water Level (ft bmp)</b>	<b>Time</b>	<b>pH</b>	<b>Cond. (uS/cm)</b>	<b>Temp (°C)</b>	<b>DO (mg/L)</b>	<b>ORP (rel mV)</b>	<b>Turbidity (NTU)</b>
7.73	14:30	6.99	125.8	11.2	9.04	171.8	10.5
9.17	14:35	6.93	123.4	11.2	8.55	172.8	6.19
10.15	14:40	7.08	121.8	11.5	8.52	176.7	5.56
11.03	14:45	6.8	117.8	11.6	8.47	181.0	7.84
12.26	14:50	6.77	106.2	11.3	8.41	186.0	3.94
12.26	14:55	6.79	106.6	11.3	8.23	187.4	4.51
12.52	15:00	6.77	108.1	11.4	8.13	188.7	3.28
13.13	15:10	6.8	114.9	11.5	7.92	191.1	4.48

Comments:

Flow Rate: 200 mL/min

Faulty pump battery caused a variable pumping rate.



Sampler \_\_\_\_\_

Date June 21, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** MW-3A - 0622  
**Sampling Location** Monitoring Well

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** Peristaltic Pump

**Date** June 21, 2022      **Time** 13:40

**Media** Groundwater      **Station** MW-3A

**Sample Type:**      grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 5.27 ft BTOC (June 21, 2022 1:11 PM); Well total depth at 20' BGS

Screen Interval: 4' - 20' BGS

Pump Intake: ~ 12' BGS

**Sample Description** \_\_\_\_\_

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
3-1000 mL	Total Dissolved Solids	HDPE	N/A
3-500 mL	Total Metals	HDPE	HNO3

## SAMPLE INTEGRITY DATA SHEET

Well ID MW-3A

Date 06/21/2022

Time Begin Purge 13:17

Time Collect Sample 13:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
5.45	13:20	6.94	559	11.1	0.21	182.4	4.58
5.63	13:25	7.1	437.3	10.8	0.18	180	2.43
5.6	13:30	7.07	430.8	11	0.18	181.3	1.03
5.6	13:35	7.06	436.4	11.1	0.18	181.9	0.68
5.61	13:40	7.03	439.4	11.2	0.19	181.3	0.66

Comments:

Flow Rate: 240 mL/min

Collected MS/MSD

Sampler \_\_\_\_\_

Date June 21, 2022

Supervisor \_\_\_\_\_

Date \_\_\_\_\_

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402

**Site Location** Ravensdale, WA      **Sample ID** South Pond - 0622

**Sampling Location** Surface Water Monitoring Point

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** \_\_\_\_\_

**Date** June 21, 2022      **Time** 12:05

**Media** Surface Water      **Station** South Pond

**Sample Type:**      grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (June 21, 2022 12:05 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

**Sample Description** Dry - No sample

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
-		HDPE	

## **SAMPLE INTEGRITY DATA SHEET**

Well ID South Pond

Date 06/21/2022

Time Begin Purge  

Time Collect Sample 12:05

<b>Water Level (ft bmp)</b>	<b>Time</b>	<b>pH</b>	<b>Cond. (<math>\mu\text{S}/\text{cm}</math>)</b>	<b>Temp (<math>^{\circ}\text{C}</math>)</b>	<b>DO (mg/L)</b>	<b>ORP (rel mV)</b>	<b>Turbidity (NTU)</b>

Comments:

Flow Rate:   mL/min

Dry - No sample



Sampler  

Date June 21, 2022

Supervisor  

Date

## SAMPLE INTEGRITY DATA SHEET

**Plant/Site** Ravensdale      **Project No.** 152030402  
**Site Location** Ravensdale, WA      **Sample ID** Weir or Constructed Wetlands - 0622  
**Sampling Location** Surface Water Monitoring Point

---

**Technical Procedure Reference(s)** Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

**Type of Sampler** \_\_\_\_\_

**Date** June 21, 2022      **Time** 12:00

**Media** Surface Water      **Station** Weir or Constructed Wetlands

**Sample Type:**      grab      time composite      space composite

**Sample Acquisition Measurements** (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (June 21, 2022 12:00 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

**Sample Description** Dry - No Sample

---

**Field Measurements on Sample** (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

---

<b>Aliquot Amount</b>	<b>Analysis</b>	<b>Container</b>	<b>Preservation</b>
-		HDPE	

## **SAMPLE INTEGRITY DATA SHEET**

Well ID Weir or Constructed Wetlands

Date 06/21/2022

Time Begin Purge  

Time Collect Sample 12:00

Water Level (ft bmp)	Time	pH	Cond. ( $\mu$ S/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)

Comments:

Flow Rate:   mL/min

Dry - No Sample



Sampler  

Date June 21, 2022

Supervisor  

Date



**[golder.com](http://golder.com)**