King County

Department of Natural Resources

Hobart Closed Landfill


2013 Annual Groundwater Data Evaluation Report

Prepared by:
King County Department of Natural Resources & Parks
Solid Waste Division, Engineering Services Section

November 2013

Hobart Closed Landfill 2013 Annual Groundwater Data Evaluation Report Certification

I certify in accordance with the requirements of Chapter 18.220 RCW, that the contents of this Groundwater Data Evaluation Report were prepared under my direction under a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Where applicable, some specific and related hydrogeologic portions have been duly certified by the responsible geologist or engineering geologists in accordance with Chapter 18.220.010 (12) RCW. Based on my inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.



Name: Victor Okereke, Ph.D., P.E., DEE.	**Title:** Engineering Services Manager	**Date:** 12/02/2013
Mailing Address: Solid Waste Division King County Department of Natural Resources & Parks 201 South Jackson Street, Suite 701 Seattle, WA 98104-3855		**Telephone Number:** 206-477-5231

CONTENTS

Chapter	Description		Page
	Executive Summary		
	Purpose		
1	Introduction & Site Characterization		1-1
	1.1	Objectives	1-1
	1.2	Site Summary	1-1
	1.2.1	Site Geology and Hydrogeology	1-2
	1.2.2	Site Remediation	1-3
2	DATA EVALUATION		2-1
	2.1	Groundwater Elevations and Flow Direction	2-1
	2.2	Data Evaluation Methods	2-1
	2.3	Groundwater Chemistry Results	2-2
	2.3.1	Shallow Aquifer Monitoring Well Results	2-2
	2.3.2	Deep Aquifer Monitoring Well Results	2-4
	2.3.3	Shallow Aquifer Remediation	2-5
3	SUMMARY AND CONCLUSIONS		3-1
	3.1	Shallow Aquifer	3-1
	3.2	Deep Aquifer	3-2
	3.3	Recommendations	3-2
4	REFERENCES		4-1

APPENDICES, TABLES AND FIGURES

APPENDICES

A Drinking Water Standards and Groundwater Quality Criteria
B Potentiometric Groundwater Report
C Statistical Tables
C1 Summary of Statistical Analyses
C2 Trend Tables
D Time Concentration Plots For Shallow Aquifer
E Time Concentration Plots For Deep Aquifer
F Hobart Closed Landfill Groundwater Monitoring Data
G Hobart Closed Landfill Gas Monitoring Data

TABLES

Table No.	Description
Table 1-1	Groundwater Monitoring Wells
Table 2-1	Summary of Exceedances of Water Quality Standards
Table 2-2	Data Summary Table
Table 2-3	Slurry Wall Performance on Shallow Aquifer

FIGURES

Figure No.	Description
Figure 1	Location Map
Figure 2	Site Map
Figure 3	Hydrogeologic Cross Section
Figure 4	Influence of Slurry Wall on Groundwater Levels
Figure 5	Water Level Elevations for Shallow Aquifer
Figure 6	Water Level Elevations for Deep Aquifer

EXECUTIVE SUMMARY

This annual report presents the Hobart Landfill evaluation of groundwater quality and water level data collected from October 1986 through September 2013.

Groundwater investigations in the mid-1980s led to remediation design and installation of a bentonite slurry wall to isolate the shallow groundwater beneath the refuse from the aquifer present below the landfill. The groundwater beneath the site was pumped out and a lower water level inside the slurry wall has been maintained since 1989. Final closure of the north half of the landfill was completed in 1990 and of the south half in 1994, with the placement of a High Density Polyethylene (HDPE) cap, drainage layer, and vegetative layer over the refuse.

Groundwater quality and water level data were collected and reviewed to summarize and evaluate groundwater quality at Hobart Landfill and determine changes, if any. Water quality data includes samples collected from nine monitoring wells.

Groundwater flow beneath the landfill has been evaluated by a licensed hydrogeologist. The report is included as Appendix B. The groundwater beneath the landfill occurs in two aquifers, the shallow aquifer and the deep aquifer. In both zones, the water generally flows in a westerly direction.

During the current evaluation period, water quality continued to demonstrate the improvements that have been apparent since remediation and closure. The demonstrated quality improvements together with the maintained head differential across the slurry wall provide indications that the slurry wall is continuing to function as designed. Monitoring at the landfill will continue throughout the required post closure period. In general, water quality in both aquifers has improved over time and demonstrates stability in current conditions.

The water levels inside and outside the slurry wall are monitored monthly. This data is used to ensure that the water levels within the slurry wall remain below the base of waste and that the water levels inside the slurry wall are sufficiently below those outside the slurry wall so as to maintain an inward hydraulic gradient and minimize the potential for migration of contaminants. There is a contingency plan in place that ensures that if water levels within the slurry wall were to rise, actions would be taken to lower them in sufficient time so as to continue to protect groundwater quality

This page is left blank intentionally

PURPOSE

The purpose of this document is to provide an annual update on groundwater quality and water level data collected at Hobart Landfill in accordance with WAC 173-304-405 (4)(d). The focus will be on the data collected during the last year, from October 2012 through September 2013. Historical data will be used as a comparison and to provide context for these results. Based on this analysis, further recommendations will be made as to how to continue to ensure the groundwater quality at Hobart Landfill.

This page is left blank intentionally

CHAPTER 1

1.1. OBJECTIVES

The objectives of the Hobart Landfill groundwater quality evaluation are as follows:

- Review groundwater quality data from September 1986 through September 2013.
- Perform statistical analyses to evaluate any water quality trends, and to compare water quality between monitoring wells.
- Compare water quality data with water quality standards in effect at the time of sampling. Document any exceedances of Washington State Groundwater Quality Criteria.
- Determine whether any exceedances or trends as described above can be attributed to the landfill.

1.2. SITE DESCRIPTION

Hobart Landfill is located on 276th Street Southeast, between the towns of Hobart and Ravensdale, about 25 miles southeast of Seattle (Figure 1). The landfill is owned by King County and was operated and is maintained by the King County Solid Waste Division (KCSWD). It occupies approximately 75 acres, of which about 35 acres have been used for refuse disposal.

Prior to the early 1950s, the Hobart Landfill site was utilized as a sand and gravel pit. Landfill activities began in the 1950s, with refuse being placed in the former sand and gravel pit. Open burning of refuse occurred until the early 1960s. From the early 1960s to 1990, refuse was placed in a controlled manner, including compaction and later placement of a daily cover.

A site characterization in August 1983 included construction and sampling of four groundwater monitoring wells and characterization of surficial soils. Expanded site characterizations were performed between August 1985 and March 1986 and consisted of additional three wells installed in solid waste, and 22 wells installed in native soils surrounding the landfill. Quarterly groundwater monitoring is currently performed in nine wells, of which six are in the Shallow Aquifer and three are in the Deep Aquifer (Table 1.1). The landfill site map (Figure 2) shows the monitoring well locations.

Water quality impacts to the Shallow Aquifer were detected on site, triggering remedial activities in the Shallow Aquifer. Site remediation occurred during 1988 and 1989, including construction of a low permeability soil and bentonite slurry cutoff wall around the landfill. Site remediation is further described in Section 1.2.2.

In 1990, an HDPE final cover with a gas collection system was installed over 14 acres of the solid waste at the northern half of the landfill (Phase 1 closure).

In 1994, the remaining southern portion of the landfill was closed under the Phase 2 closure project. This included: construction of a final cover and landfill gas collection field over the south half of the landfill, modifications and repairs to the existing landfill gas flare system, and utilization of existing infiltration basins for stormwater runoff.

1.2.1. GEOLOGY AND HYDROGEOLOGY

Hobart Landfill site characterization, including history, hydrogeology, and details regarding the slurry cutoff wall, has been documented in the reports listed in References. This section presents a summary.

The Hobart Landfill is located within the Puget Sound lowlands of western Washington. Geologic studies at the Hobart Landfill have identified four lithologic units at the site. These units are recessional outwash, glacial till, advance outwash, and older undifferentiated deposits (OUD). Figure 3 (Harding, 1992) is a north-south cross section depicting the occurrence and variations in thickness of these units at the landfill.

Two groundwater systems have been identified beneath the site: a local or Shallow Aquifer in the recessional and advance outwash deposits, and a regional or Deep Aquifer in the pre-Vashon deposits. Beneficial use of groundwater in the vicinity of the landfill is limited to domestic wells withdrawing from the deep aquifer.

Shallow Aquifer: The Shallow Aquifer occurs continuously below the landfill site in recessional and advance outwash deposits. The aquifer is perched and unconfined, ranges from 5 to 36 feet below ground surface and is between 35 and 50 feet thick. The perching layer is the highly oxidized, low hydraulic conductivity, upper surface of the OUD. Below the highly oxidized upper surface of the OUD, unsaturated conditions occur for over 70 feet before the Deep Aquifer is encountered. There are currently 12 monitoring wells installed in the Shallow Aquifer, of which six are monitored on a quarterly basis. The six wells were selected for representativeness and location. Two additional wells are used to measure water levels only.

Deep Aquifer: The Deep Aquifer occurs between 130 and 150 feet below ground surface (average groundwater elevation of 510-feet msl). The aquifer occurs in the pre-Vashon sand and gravel deposits and appears to be unconfined. There are currently three monitoring wells installed in the Deep Aquifer, one up-gradient (MW-25), and two down-gradient (MW-3 and MW-7). MW-9 was decommissioned in 2001 after it was damaged in the Nisqually earthquake. MW-25 was installed at that time to provide upgradient monitoring. The Deep Aquifer is believed to discharge to the Cedar River located southwest of the site.

1.2.2. SITE REMEDIATION

A low permeability bentonite slurry wall was installed in 1989 around the refuse and keyed into the Shallow Aquifer perching unit. Three extraction wells were installed in the Shallow Aquifer beneath the refuse. Groundwater extraction commenced from the Shallow Aquifer within the slurry wall to reduce hydraulic heads sufficiently below those immediately outside of the slurry wall to maintain an inward hydraulic gradient. This maintains the water table surface below the level of deposited waste and maintains an inward hydraulic gradient around the site minimizing the potential for migration of contaminants.

In the 1930's, the City of Seattle constructed the Walsh Lake Diversion Ditch to divert the water contaminated by the town of Taylor. The water was intercepted just above the natural confluence with Rock Creek, a tributary of the Cedar River in the Municipal Watershed, and conveyed 1.7 miles to a discharge point on the Cedar River downstream of the Landsburg Diversion Dam.

The Diversion Ditch, flowing upgradient and along the north edge of the landfill, was lined in selected areas around the same time that the slurry wall was constructed to reduce Shallow Aquifer recharge and thereby reduce hydraulic head in the vicinity of the solid waste.

The Ditch and adjacent slopes were prone to periodic failures due to the Ditch's problematic location in a steep ravine above Rock Creek. In a January 2009 storm event, a 300-foot section of the Ditch catastrophically failed, effectively disconnecting and dewatering the downstream section of the Ditch. Because the Ditch was no longer needed, Seattle Public Utilities did not repair it, but rather, in 2012 restored the confluence of the Walsh Lake and Rock Creek stream systems. Since this failure and restoration, there is no longer any flow in the Diversion Ditch adjacent to the landfill.


After the 1994 final closure, the infiltration through refuse has been sufficiently reduced such that extraction is no longer necessary. The water levels on the interior of the slurry wall are monitored monthly together with four selected monitoring wells outside of the slurry wall. A comparison of these water levels monthly provides verification that water levels inside the slurry wall remain well below outside levels, insuring that the slurry wall and impermeable cap are functioning properly.

In 2009, AMEC Geomatrix evaluated the conditions and effectiveness of the slurry wall and groundwater control system. It was determined that the piezometers and monitoring well network provides sufficient and valid water level information. Should water elevations within the slurry wall rise, pumping capacity is adequate to counter a 0.5 ft/year rise thus maintaining hydraulic head differences and inward gradients verifying continued effectiveness of the system. As a part of the evaluation, the top of casing elevations for the wells in solid waste were resurveyed in March 2009. It was determined that the top of casing elevations for the wells in solid waste had decreased over time due to microbial degradation of the solid waste. Meanwhile, top of casing elevations surveyed in 1995 were still in use 14 years later. This caused water levels inside the slurry wall to be biased high. In order to continue to obtain accurate water levels in the future, it was also recommended that the top of casing elevations of the wells in solid waste be resurveyed every 4 years.

Figure 4 shows the historical levels of hydraulic head in monitoring wells located outside the slurry wall and water level measurements obtained inside the slurry wall.

Over the last year, the minimum difference in hydraulic head between the inside of the slurry wall and the outside of the slurry wall was 4.17 feet. The maximum elevation of the leachate inside the slurry wall was 617.53. The original design and operational criteria for the slurry wall were to maintain the groundwater levels inside the slurry below the elevation of the deepest refuse (622 feet above mean sea level); and to maintain the groundwater elevation within the slurry wall 1.5 feet lower than the groundwater elevation outside the slurry wall (R.W. Beck, 1989). Therefore the water levels during the 2012-2013 year met the original design and operational criteria for the slurry wall.

SWD is evaluating what may be contributing to higher water levels measured within the slurry wall. Engineering control systems have been prioritized for investigation and include cover penetrations, buried LFG laterals, headers and condensate drops.





KING COUNTY

Dept. of Natural Resources & Parks
Solid Waste Division
Hobart Landfill

Project Location Map


Hobart Landfill
King County, Washington

Dec. 2004	PROJECT NO.
DESIGNED BY: IM	
DRAWN BY: GU	FIGURE NO. 1
REVISED BY: IM	

Table 1-1
Hobart Landfill
Groundwater Monitoring Wells

Monitoring Well	Installation Date	Gradient Relative to Waste Placement	Sampling History	Sampling Frequency
Shallow Aquifer				
MW-11	9/12/1985	Upgradient	Quarterly since 1987	Quarterly
MW-1	8/16/1983	Downgradient	Quarterly since 1987	Quarterly
MW-4	8/22/1983	Downgradient	Quarterly since 1987	Quarterly
MW-6	8/22/1985	Sidegradient	Quarterly since 1987	Quarterly
MW-10	9/10/1985	Downgradient	Quarterly since 1987	Quarterly
MW-16	11/12/1985	Upgradient	None, Water Levels Only	None
MW-18	3/7/1986	Downgradient	Quarterly since 1987	Quarterly
MW-22	3/13/1986	Downgradient	None, Water Levels Only	None
Deep Aquifer				
MW-25	10/22/2001	Upgradient	Quarterly since 2001	Quarterly
MW-3	8/18/1983	Downgradient	Quarterly since 1987	Quarterly
MW-7	9/20/1985	Downgradient	Quarterly since 1987	Quarterly
MW-9	9/17/1985	Upgradient	Quarterly from 1987 until Decommissioned 10/22/2001	None

S:\quarterly\QuarterlySiteMaps\uniformed-quarter-site-maps\Fig-2 HO.dwg




LEGEND

- MW-9 — Monitoring Well
- GP-19 — Gas Probe
- MW-8 — Decommissioned Monitoring Well
- AM-3 — Gas Ambient Station
- LP-3 — Piezometer
- SLURRY WALL

Topography prepared by ***DEGROSS AERIAL MAPPING*** from photogrammetric methods (11-23-92).
Topography updated by ***Emcon Northwest Inc.*** (04-20-94).

King County Solid Waste Division	DATE: / DESIGNED/DWN:	*SITE MAP* Hobart Landfill Hobart, Washington	PROJECT NO. 010099 FIGURE NO. 2



Reference:
Harding Lawson Associates, April 1992
Evaluation of Groundwater Quality
Adjacent to Hobart Landfill


S:\CAD\HOBART\GW report\hydrogelogic_x-sec.dwg

HYDROGELOLGIC CROSS SECTION (1990) Hobart Landfill

FIGURE 3

APPROVED	DATE	REVISED DATE
	3/92	9/07

Figure 4
HOBART LANDFILL
SLURRY WALL DRAWDOWN



CHAPTER 2

DATA EVALUATION

2.1 GROUNDWATER ELEVATIONS AND FLOW DIRECTION

Groundwater levels in individual wells have been plotted as a function of time (Figures 5 & 6). Groundwater flow directions were estimated based on water elevations recorded in monitoring wells screened in similar water-bearing zones (Appendix B). Upgradient and downgradient wells are determined by flow direction.

Shallow Aquifer: Piezometric flow maps, based on water levels recorded in the on-site monitoring wells, indicate a general aquifer flow to the west (Appendix B). The slurry wall is constructed of low permeability materials that prevent inward flow. The measured water levels for wells outside the slurry wall and piezometers inside the slurry wall are shown in Figure 4. Seasonal variation of up to eight feet in water level measurements has been observed for individual wells (Figure 5).

Deep Aquifer: Piezometric surface maps (Appendix B) based on the three monitoring wells indicate a westerly hydraulic flow direction, which sometimes flows southwesterly, depending on the season. A seasonal water level fluctuation up to 6 feet has been recorded in the three on-site monitoring wells. Water level fluctuation in these wells has lagged behind that of the shallow wells by about one month (Figure 6).

2.2 DATA EVALUATION METHODS

The King County Solid Waste Division (KCSWD) assembled the analyte list from parameters listed in WAC 173-200 Ground Water Criteria, WAC 173-351-990 Appendices I and II and 40 CFR 141 and 143, National Primary and Secondary Drinking Water Standards. Some of these analytes are useful in characterizing groundwater quality, as indicators of impacts to groundwater from landfill gas and leachate, or in screening for potentially harmful effects to human health and the environment. It is these analytes that the data evaluation focuses on.

Environmental samples are collected, analyzed and evaluated by the procedures described in the Environmental Monitoring Quality Assurance Project Plan and Sampling Analysis Plan for Cedar Falls, Enumclaw and Hobart Closed Landfills (QAPP/SAP). The QAPP/SAP describes activities undertaken to ensure that analytical results meet data quality objectives and that they are representative of actual groundwater conditions. For this report, the graphical representation includes those parameters that have exceeded regulatory limits or/and have a visual trend. The water quality discussion is focused on exceedances, a trend table, graphs, and potentiometric maps.

2.3 GROUNDWATER CHEMISTRY RESULTS

This section presents results and interpretation of water chemistry evaluations performed for each groundwater monitoring well at the Hobart Landfill. The results are presented according to aquifer and location relative to the principal groundwater flow direction. Discussion emphasis is on results obtained since the last annual groundwater evaluation report, which covered samples through mid-2010. Statistical comparisons have been compiled for three time periods: prior to slurry wall construction (October 1986 to April 1989), post slurry wall construction (April 1989 to early, 2011), and the current reporting period (mid 2011- to mid-2013).

Exceedances of primary and secondary drinking water standards (DWS) as well as exceedances of water quality criteria (WQC), which have occurred during this reporting period (the last four samples), are listed in Table 2-1. Descriptive Statistical and Trend Tables of field and analytical data are presented in Appendix C for the shallow and deep aquifer. Graphical representations of parameters with exceedances and/or visual trends are presented in Appendices D and E. Raw data are contained in Appendix F.

The results are used collectively to indicate the possibility of groundwater contamination. Corroboration by several indicators is necessary before impacts from landfill operations can be considered a reasonable conclusion.

2.3.1 SHALLOW AQUIFER MONITORING WELL RESULTS

Quarterly groundwater monitoring has been performed by KCSWD in six wells since 1986. Field and laboratory analysis results are discussed in this section. Numerical ranges reference the values from the last 8 data points, or from the last two years of samples. Wells are located north, south, and west of the landfill (Figure 2).

MW-11

MW-11 is located near the northeast corner of the site. It is also located near the Walsh Lake Diversion ditch, which may have been a source of recharge to the Shallow Aquifer prior to 2009. This well serves as an upgradient monitoring well for the shallow water bearing zone (see Figure 2).

Data collected from MW-11 indicate that slightly acidic conditions of 5.8 to 6.5 pH units prevail with consistent exceedances of the field pH lower standard limit. Specific conductance, total dissolved solids, alkalinity, chloride, sulfate, nitrate, ammonia, iron, and manganese are low and relatively stable. The minimum, maximum, and mean for these parameters over the last eight sampling events are available in Table 2-2. There are no short term trends in any monitored parameters.

Acetone was detected in MW-11 in February 2012. Acetone is a common laboratory contaminant. Showing no signs of impacts, MW-11 is a good representation of ambient groundwater quality upgradient of the landfill and is an adequate upgradient monitoring well.

MW-1, MW-4, MW-6, MW-10, & MW-18

MW-6 is located in the southeast corner of the site and is hydraulically side gradient to the landfill. MW-1 is located near the southern boundary of the site. MW-10 is located southwest of the landfill, while MW-18 and MW-4 are located west of the landfill (see Figure 2). Piezometric head data indicate these last four wells are hydraulically downgradient of the landfill.

The water in these five wells tends to be slightly acidic to neutral with pH ranges between 5.4 and 7.1. Chloride concentrations have decreased and stabilized at levels similar to upgradient conditions. Most of the wells exhibit long term decreasing trends for specific conductance, alkalinity, sulfate, iron, manganese, calcium, magnesium, potassium and sodium. These wells have similar nitrate concentrations to the background well, MW-11.

In general, water samples from MW-1, MW-6 and MW-10 have relatively higher levels of specific conductance, total dissolved solids, alkalinity, calcium, iron, and manganese than upgradient groundwater. The minimum, maximum, and mean for these parameters over the last eight sampling events are available in Table 2-2. However, most of these parameters have long term decreasing trends. MW-6 has a statistically significant short term increasing trend for calcium; MW-10 has a statistically significant short term decreasing trend for ammonia, iron, and arsenic. MW-18 has a statistically significant short term decreasing trend for nitrate. No other short term trends are evident in the current sampling period.

MW-4 and MW-18 parameter concentrations have declined and stabilized at levels similar to those upgradient for most parameters. The water quality conditions found in MW-4 are very similar to those at MW-11 and indicate no remaining impacts from landfill activities.

No volatile organic compounds were detected in shallow wells.

Field pH was below the lower limit for the Secondary Drinking Water Standards (DWS) in all wells except MW-6. Arsenic exceeded Washington State Ground Water Quality Criteria (WQC) in all MW-10 samples. Iron exceeded secondary DWS in all MW-10 samples, three of four MW-1 samples, and two of three MW-18 samples. Manganese exceeded secondary DWS in all samples from MW-1, MW-10 and MW-18. No other DWS and WQC are exceeded during this period.

2.3.2 DEEP AQUIFER MONITORING WELL RESULTS

Quarterly groundwater monitoring has been performed by KCSWD in three deep aquifer wells since 1986. Field and laboratory analysis results are discussed in this section. Numerical ranges reference the values from the last 8 data points, or from the last two years of samples. Wells are located north, south, and west of the landfill (Figure 2).

MW-25

MW-25 is located north and, based on piezometric head data, is hydraulically upgradient of the landfill. This well was installed in 2001 to replace MW-9, which was damaged in the Nisqually earthquake.

Water in MW-25 is slightly alkaline. Specific conductance, alkalinity, chloride, sulfate, and iron levels are low and stable. The minimum, maximum, and mean for these parameters over the last eight sampling events are available in Table 2-2. Calcium shows a statistically significant short term increasing trend. There are no decreasing short term trends for MW-25. Arsenic is also regularly detected in MW-25 and is stable, showing no short term trend.

Arsenic in MW-25 has exceeded the Washington State Water Quality Criteria (WQC) in all recent samples. No other DWS or WQC are exceeded.

Acetone was detected in one out of four samples for MW-25 during this period. Acetone is a common laboratory contaminant and is not considered indicative of ground water quality. Dichlorodifluoromethane was detected in two of four samples in MW-25 at concentrations greater than the method detection limit but less than the reporting detection limit. There were no other volatile organic compounds detected in MW-25 during this period.

The conditions found in MW-25 are considered representative of background water quality in the deep water bearing.

MW-7 & MW-3

MW-7 is located south of the landfill, and MW-3 is located west of the landfill. Based on piezometric head data, these two wells are hydraulically down gradient of the site.

Water in MW-7 and MW-3 is slightly alkaline, with mean alkalinities of 149 and 66 mg/L, respectively. Specific conductance, total dissolved solids, alkalinity, sulfate, calcium, magnesium, potassium and sodium levels in MW-7 are higher than those in upgradient well MW-25. The minimum, maximum, and mean for these parameters over the last eight sampling events are available in Table 2-2. Specific conductance, total dissolved solids and calcium show statistically significant long term decreasing trends. Sulfate and alkalinity show a significant long term increasing trend. Magnesium, potassium and sodium do not show significant long term trends. Additionally, chloride and manganese, which tend to be detected at similar levels as the background, show a long term decreasing trend.

In MW-3, significant increasing long term trends are detected for specific conductance, chloride, alkalinity, and iron. A long term decreasing trend is detected in MW-3 for nitrate. An increasing trend for total dissolved solids in MW-3 is the only short term trend. Concentrations of these parameters remain relatively low, and except for sodium, calcium and manganese, are close to upgradient well MW-25. Appropriate monitoring will continue in MW-3.

Arsenic is undetected for this period in both wells.

Acetone was detected in one of four samples for MW-3. Acetone is considered to be a laboratory. No other volatile organic compounds were detected in MW-3 or MW-7.

2.3.3 SLURRY WALL PERFORMANCE

The slurry wall containment isolates the Shallow Aquifer beneath the landfill from the local groundwater flow system. Pumping wells installed beneath the solid waste and inside the slurry wall have lowered the groundwater table below the base of refuse. The water elevation outside of the slurry wall has remained consistently above the water elevation inside (See Figure 4). As a result, an inward hydraulic gradient has been created resulting in a system which reduces the possibility of breakthrough of contaminants and off-site transport.

Concurrent with the construction of the slurry wall, the northern half of the landfill was closed with an HDPE final cover. The southern half was later closed in 1994. Consequently, local recharge to the aquifer has been reduced.

Six indicators have been used to evaluate the site remediation: chloride, arsenic, manganese, 1,1-Dichloroethane, 1,1,1-Trichloroethane, and *cis*-1,2-Dichloroethene. Chloride is an early indicator of leachate, and manganese is sensitive to redox conditions. Their movement through groundwater is controlled by different chemical processes. Chloride migration is not retarded by such processes as adsorption, cation exchange, biological uptake or redox processes. The distribution of manganese, however, is strongly controlled by redox processes. Reducing conditions permit manganese to dissolve and be transported in groundwater. Reducing conditions prevail when oxygen is depleted by waste degradation and sustained by the presence of BOD and anaerobic metabolism. Thus, manganese may be an indicator of landfill impacts.

Chloride in all of the down and side gradient wells has been reduced to levels found in MW-11. Manganese levels have been reduced in all wells, but remain elevated relative to MW-11 in MW-1, MW-6, MW-10 and MW-18.

Arsenic has been detected in one well, MW-10, in the shallow aquifer this period. The median concentration is 0.006 mg/L in MW-10, which is within the general range expected in this


geologic area and is below the Federal Drinking Water Maximum Contaminant Level of 0.010 mg/L.

Organic compounds have been detected with relatively low frequency and at low level both prior to and since construction of the slurry wall. The concentration levels for *cis*-1,2-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane have been used to evaluate the success of remediation indicated by their decrease over time. There were no detections of these compounds in any of our wells during this reporting period.

A summary of the performance of the slurry wall and drawdown wells showing water quality prior to remediation and after remediation are presented in Table 2-3.


This water quality evaluation in conjunction with water level data shown in the potentiometric mapping and the trend analyses demonstrates that the slurry wall is functioning as designed. It is maintaining groundwater elevation separation below the waste and preventing groundwater migration within the wall perimeter.

FIGURE 5. HOBART LANDFILL
SHALLOW GROUNDWATER ELEVATIONS



Precipitation Data Source: NOAA
Landsburg, WA station. Monthly Total Precipitation

FIGURE 6. HOBART LANDFILL
DEEP GROUNDWATER ELEVATIONS



Precipitation Data Source: NOAA
Landsburg, WA station. Monthly Total Precipitation

Table 2-3
Hobart Landfill
Slurry Wall Performance on the Shallow Aquifer

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 reportable results (dates vary)

Well Location	MW-11				MW-6				MW-1			
Gradient Location	Up				Side				Down			
	Pre	Post	Current	Change	Pre	Post	Current	Change	Pre	Post	Current	Change
Chloride, mg/L	2.0	2.0	2.6	0.6	6.0	2.3	3.2	-2.8	8.5	2.0	4.3	-4.2
Arsenic, mg/L	ID	ID	ID	--	ID	0.001	ID	--	0.009	0.001	ID	> -0.008
Manganese, mg/L	0.008	0.0005	ID	> -0.0070	0.950	0.007	0.001	-0.949	2.00	1.50	1.61	-0.40
1,1-Dichloroethane, ug/L	ID	ID	ID	--	ID	0.25	ID	--	ID	ID	ID	--
1,1,1-Trichloroethane, ug/L	ID	ID	ID	--	2.00	0.23	ID	> -1.80	ID	ID	ID	--
***cis* -1,2-Dichloroethene**	ID	ID	ID	--	ID	ID	ID	--	ID	ID	ID	--

Well Location	MW-4				MW-10				MW-18			
Gradient Location	Down				Down				Down			
	Pre	Post	Current	Change	Pre	Post	Current	Change	Pre	Post	Current	Change
Chloride, mg/L	2.0	2.0	2.1	0.1	12.0	1.1	1.7	-10.3	17.0	2.0	1.6	-15.4
Arsenic, mg/L	ID	ID	ID	--	0.011	0.007	0.006	-0.005	ID	0.001	ID	--
Manganese, mg/L	0.515	0.0005	ID	> -0.5140	3.10	1.20	0.67	-2.43	6.70	1.22	0.35	-6.35
1,1-Dichloroethane, ug/L	ID	ID	ID	--	ID	0.10	ID	--	ID	ID	ID	--
1,1,1-Trichloroethane, ug/L	ID	ID	ID	--	ID	ID	ID	--	ID	ID	ID	--
***cis* -1,2-Dichloroethene**	ID	ID	ID	--	ID	0.10	ID	--	2.0	0.1	ID	> -1.8

NOTES:
Change is computed as the difference between Current and Pre slurry wall period medians
ID Insufficient Data. The number of detections is less than 3
> Indicates the current value is under detection limit (DL) and difference is between DL and Pre slurry wall period median
-- Unable to compute concentration changes
Gradient location means location of monitoring well relative to the hydraulic gradient of the Recessional Outwash Aquifer and the solid waste
Shading indicates a negative change in concentration

Table 2-2

Hobart Landfill

Data Summary Table - Through September 2013

Last 8 quarterly results (from October 2011 through September 2013)

	SHALLOW AQUIFER						DEEP AQUIFER		
Well Location	MW-11	MW-6	MW-1	MW-4	MW-10	MW-18	MW-25	MW-7	MW-3
Gradient Location	Up	Side	Down	Down	Down	Down	Up	Side	Down
							(Replaced MW-9)		
pH, Standard Units - Field									
Minimum	5.8	6.6	5.9	5.4	6.2	5.6	7.7	7.3	7.3
Maximum	6.5	7.1	6.4	6.0	6.6	6.2	8.0	7.7	7.8
Mean	6.1	6.9	6.1	5.8	6.4	5.8	7.8	7.5	7.5
Specific Conductance, umhos/cm									
Minimum	48	12	65	38	75	48	89	230	120
Maximum	81	125	120	57	110	54	105	305	145
Mean	63	100	86	47	93	44	96	249	135
Total Dissolved Solids, mg/L									
Minimum	42	79	46	27	53	42	68	180	83
Maximum	60	91	70	48	66	51	74	184	107
Mean	50	86.5	59.6	37.1	59.4	47.0	70	182	95
Ammonia as N, mg/L									
Minimum	ND	ND	ND	ND	0.3	ND	ND	ND	ND
Maximum	ND	ND	0.3	ND	0.5	0.01	ND	0.228	ND
Mean	ID	ID	0.1	ID	0.4	ID	ID	ID	ID
Chloride, mg/L									
Minimum	2.3	2.7	0.7	0.9	0.5	1.2	3.2	2.6	2.9
Maximum	10.1	3.7	10.9	2.9	10.0	2.0	4.1	11.9	3.3
Mean	3.5	3.2	4.7	2.0	2.7	1.6	3.7	4.7	3.1
Nitrate as N, mg/L									
Minimum	0.2	0.1	ND	0.3	ND	0.02	0.25	0.03	0.01
Maximum	0.9	0.3	0.49	0.8	0.01	0.11	0.28	0.04	0.02
Mean	0.4	0.2	0.1	0.5	ID	0.07	0.26	0.03	0.01
Sulfate, mg/L									
Minimum	2.3	3.8	4.0	2.1	3.0	2.6	2.1	10.6	2.8
Maximum	2.9	4.5	5	2.5	4.2	3.3	2.6	11.7	3.1
Mean	2.6	4.2	4.5	2.3	3.6	3.0	2.3	11.1	3.0
Alkalinity, mg/L									
Minimum	12	47	23	8	33	18	42	145	65
Maximum	34	50	42	21	45	24	44	155	67
Mean	23.1	48.6	33.8	14.7	38.0	20.9	42.6	149.1	66.2
Arsenic, mg/L									
Minimum	ND	ND	ND	ND	0.005	ND	0.001	ND	ND
Maximum	ND	ND	ND	ND	0.007	ND	0.001	ND	ND
Mean	ID	ID	ID	ID	0.006	ID	0.001	ID	ID
Calcium, mg/L									
Minimum	3.9	10.2	6.9	3.4	8.2	4.1	8.4	28.8	9.8
Maximum	9.2	14.1	10.6	5.3	10.6	6.5	10.2	37.9	15.2
Mean	6.2	11.6	8.8	4.2	9.5	5.0	9.1	34.5	12.5

Table 2-2 (continued)

Hobart Landfill

Data Summary Table - Through September 2012

Last 8 quarterly results (Approximately from October 2009 through September 2012)

	SHALLOW AQUIFER						DEEP AQUIFER		
Well Location	MW-11	MW-6	MW-1	MW-4	MW-10	MW-18	MW-25	MW-7	MW-3
Gradient Location	Up	Side	Down	Down			Up	Side	Down
							(Replaced MW-9)		
Magnesium, mg/L									
Minimum	1.0	3.9	1.7	0.7	1.8	0.9	3.0	10.2	3.9
Maximum	2.5	4.4	2.5	1.2	2.4	1.2	3.9	13.2	4.9
Mean	1.6	4.1	2.0	0.9	2.2	1.0	3.5	11.8	4.5
Potassium, mg/L									
Minimum	0.3	0.6	1.2	0.6	1.3	0.5	0.5	0.8	0.5
Maximum	0.5	0.8	1.6	0.9	1.8	0.7	0.6	1.1	0.9
Mean	0.4	0.7	1.4	0.7	1.5	0.6	0.5	0.9	0.7
Sodium, mg/L									
Minimum	2.7	3.4	1.3	2.3	1.4	2.8	4.5	7.2	8.2
Maximum	3.6	3.9	2.6	3.3	1.8	3.2	5.5	8.9	9.7
Mean	3.0	3.6	2.1	2.6	1.6	3.0	5.0	7.9	9.1
Iron, mg/L									
Minimum	ND	ND	ND	ND	3.0	0.024	ND	ND	ND
Maximum	ND	ND	2.34	ND	3.9	0.045	ND	ND	ND
Mean	ID	ID	1.12	ID	3.4	0.035	ID	ID	ID
Manganese, mg/L									
Minimum	ND	ND	0.109	ND	0.52	0.288	ND	ND	0.041
Maximum	ND	0.002	1.880	ND	0.83	0.5	ND	ND	0.059
Mean	ID	0.001	1.294	ID	0.67	0.387	ID	ID	0.051
1,1-Dichloroethane, ug/L									
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID
cis-1,2-Dichloroethene, ug/L									
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID
1,1,1-Trichloroethane, ug/L									
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID
Vinyl Chloride, ug/L									
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID

Table 2-1
Hobart Landfill
Groundwater Exceedances

September 2012 to September 2013

	Parameter	pH (Field)		Arsenic		Iron		Manganese	
	Limit	6.5-8.5		0.00005		0.3		0.05	
Wells	units	pH units		mg/L		mg/L		mg/L	
	Gradient	Count	Min	Count	Max	Count	Max	Count	Max
Shallow Aquifer									
MW-11	Up	2	5.84	--	--	--	--	--	--
MW-6	Side	--	--	--	--	--	--	--	--
MW-1	Down	3	5.92	--	--	3	1.99	4	1.62
MW-4	Down	3	5.39	--	--	--	--	--	--
MW-10	Down	2	6.16	4	0.00601	4	3.85	4	0.72
MW-18	Down	2	5.69	--	--	--	--	3	0.397
Deep Aquifer									
MW-25	Up	--	--	4	0.00115	--	--	--	--
MW-7	Side	--	--	--	--	--	--	--	--
MW-3	Down	--	--	--	--	--	--	3	0.0588

CHAPTER 3

SUMMARY AND CONCLUSIONS

The conclusions of this groundwater data evaluation are presented according to aquifer and time period.

3.1 SHALLOW AQUIFER

The shallow perched aquifer is an unconfined water table aquifer that has historically saturated lower portions of the solid waste beneath certain areas of the site. Since completion of the Shallow Aquifer remediation in 1989, the shallow water table no longer comes into contact with solid waste, and the groundwater gradient around the site has been altered to minimize off-site transport from beneath the landfill.

Information presented in this report suggests that on-site monitoring wells installed in the Shallow Aquifer and located hydraulically downgradient of the landfill may have historically been influenced by landfill activities. When monitoring began in 1986, the downgradient wells had elevated levels of some leachate indicator constituents with respect to the upgradient wells. Since 1986, these constituents have become progressively less concentrated in downgradient wells, as a result of improved landfill site conditions and Shallow Aquifer remediation activities, particularly installation of the low permeability bentonite slurry wall.

Wells in the shallow water-bearing zone displaying impacts from landfill activities consisted of MW-1, MW-10, MW-6, and to a lesser extent, MW-18 and MW-4. These wells are located along the west and south perimeter of the landfill. Concentrations were highest prior to completion of the slurry wall. Trend analyses show that statistically significant decreases in long term trends of indicator parameters have occurred in the side and down gradient wells. In general, water quality in this aquifer has improved and demonstrates stability in current conditions.

Volatile organic compounds associated with shallow aquifer impact prior to and in the early remediation phase have decreased and been detected infrequently since September of 2004. Reductions in the laboratory detection limits have further confirmed that concentrations have declined and are detectable only infrequently.

Current water quality conditions in the Shallow Aquifer continue to approach background constituent concentrations and no future increases in contaminant levels are expected given current site wide trends.

3.2 DEEP AQUIFER

The refuse is located in excess of 100 feet above the deeper water bearing zone, and is separated from the deeper water bearing zone by about 80 feet of dry or moist soils. A low permeability (10^{-6} cm/sec) perching layer of the older undifferentiated deposits (OUD) is continuous beneath the site and separates the two hydrogeologic systems. The lack of moisture in the soils indicates that hydraulic connection between the fill and the groundwater is not strong and the soil capacity to retard contaminants is enhanced because of unsaturated conditions.

General geochemistry parameters at MW-7 are elevated relative to the upgradient well, but all have shown decreasing trends or stabilization over both the long term and short term periods. In addition, the concentrations of these parameters are below both Federal Drinking Water Standards and State Groundwater Water Quality Criteria. Frequency of volatile detections in the deep aquifer has decreased considerably and the levels are close to detection limits.

The groundwater quality in the deep aquifer has improved over time.

3.3 RECOMMENDATIONS

Recommendations for the Hobart Landfill are:

- Continue the maintenance of engineered controls, including the engineered cover, the leachate extraction system, and the stormwater management structures.

- Continue monitoring water level and field parameters and groundwater sampling on a quarterly basis at all wells in the current monitoring network.

- Propose a modified sample parameter lists to focus on known concerns while maintaining overall water quality characterization.

The Solid Waste Division will propose modifications to groundwater sampling and analysis with the pertinent regulatory agencies during the permit re-issuance process in 2014.

REFERENCES

AMEC Geomatrix, Inc. 2009. *Hobart Closed Landfill Slurry Wall Drawdown System Evaluation Report.* for King County Solid Waste Division, Seattle.

Aspect Consulting, *Monitoring Well MW-25 Installation Memorandum,* August 2002.

Baedecker, M.J. and W. Back, 1979, *Modern Marine Sediments as a Natural Analog to the Chemically Stressed Environment of a Landfill.* Journal of Hydrology, 43:393-414.

Blalock, Jr., H.M., 1972, *Social Statistics*, New York, McGraw-Hill.

EMCON and Gary Struthers & Associates, January 1996, *Hobart Landfill Construction Report for Phase 2 Closure,* report for King County Solid Waste Division, Seattle.

Fisher, S.R., and Potter, K.W., 1989, *Methods for Determining Compliance with Groundwater Quality Regulations at Waste Disposal Facilities, Final Report*, Wisconsin Department of Natural Resources.

Harding Lawson Associates, April 1992, *Evaluation of Groundwater Quality Adjacent to Hobart Landfill* report for EMCON Northwest Inc. and King County Solid Waste Division, Seattle.

Kiernan, K., Hansen, S., and Sagstad, S., 1990, *Slurry Cutoff Wall Meets Landfill Liner Regulations for Continued Operation and Pollution Control*, presented in the Thirteenth Annual Madison Waste Conference, University of Wisconsin-Madison, September 1990.

King County Solid Waste Division, January 1994, *1992 Annual Groundwater Data Evaluation for Hobart Landfill,*.

King County Solid Waste Division, November 2010, *Hobart Closed Landfill 2008 Annual Groundwater Data Evaluation Report.*

Rekow, K.H., and Chapra, S.C., 1983, *Engineering Approaches for Lake Management, Volume 1, Data Analysis and Empirical Modeling*, Boston, Butterworth, p. 340.

R.W. Beck and Associates, and Sweet, Edwards & Associates, 1984, *Groundwater Geology/Quality Investigations for the Rural Landfills*, report for the King County Solid Waste Division, Seattle.

R.W. Beck and Associates, 1986, *Hobart Landfill Final Draft Geotechnical Report*, report for the King County Solid Waste Division, Seattle.

R.W. Beck and Associates, EMCON Associates, and Sweet, Edwards and Associates, 1987, *Hobart Landfill Draft Engineering Report, Technical Appendices*, Prepared for King County Solid Waste Division, Seattle.

R.W. Beck and Associates, 1988, *Slurry Wall Design Report,* Prepared for King County Solid Waste Division, Seattle.

R.W. Beck (R.W. Beck and Associates), 1989, Hobart Landfill Environmental Control Systems, prepared for the King County Solid Waste Division, revised July 21.

Smayda, T.J. and R.J. Owes, 1991. *Unlined Landfills in the Pacific Northwest: Leachate Composition and Groundwater Impacts, in Proceedings: Nonpoint Source. Pollution: The Unfinished Agenda for the Protection of our Water Quality,* Tacoma, WA.

Sweet, Edwards & Associates, Inc., 1986, *Hobart Landfill Final Draft Geotechnical Report*, submitted to King County Solid Waste Division, Seattle, September 1986.

Sweet-Edwards/EMCON, Inc., 1988, *Slurry Wall Design Report, Hobart Landfill, King County, Washington*, Prepared for R.W. Beck and Associates and King County Solid Waste Division, Seattle.

U.S. Environmental Protection Agency, 1989, *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities*, Office of Solid Waste, Waste Management Division, PB-89-151047.

APPENDIX A

Groundwater Quality Criteria

Chapter 173-200 WAC
WATER QUALITY STANDARDS FOR GROUND WATERS OF THE STATE OF WASHINGTON

	Analyte	CAS No.	Ground Water Quality Criteria Criterion*	
I.	PRIMARY AND SECONDARY CONTAMINANTS AND RADIONUCLIDES			
	A. Primary Contaminants			
	Barium	7440-39-3	1.0	mg/L
	Cadmium	7440-43-9	0.005	mg/L
	Chromium	7440-47-3	0.05	mg/L
	Lead	7439-92-1	0.015	mg/L
	Mercury	7439-97-6	0.002	mg/L
	Selenium	7782-49-2	0.01	mg/L
	Silver	7440-22-4	0.05	mg/L
	Fluoride	16984-48-8	4.0	mg/L
	Nitrate	14797-55-8	10.0	mg/L
	Endrin	72-20-8	0.2	ug/L
	Methoxychlor	72-43-5	40	ug/L
	1,1,1-Trichloroethane	71-55-6	200	ug/L
	2,4-D	94-75-7	70	ug/L
	2,4,5-TP	93-72-1	100	ug/L
	Total Coliforms		1/100	mL
	B. Secondary Standards			
	Copper	7440-50-8	1.0	mg/L
	Iron	7439-89-6	0.3	mg/L
	Manganese	7439-96-5	0.05	mg/L
	Zinc	7440-66-6	5.0	mg/L
	Chloride	16887-00-6	250	mg/L
	Sulfate	14808-79-8	250	mg/L
	Total Dissolved Solids		500	mg/L
	Foaming Agents		0.5	mg/L
	pH	12408-02-5	6.5-8.5	units
	Corrosivity		non-corrosive	
	Color		15	units
	Odor-Threshold		3	units
	C. Radionuclides and Radioactivity			
	Gross Alpha particle activity		15	pCi/L
	Gross Beta particle activity		50	pCi/L
	Tritium	10028-17-8	20,000	pCi/L
	Strontium	7440-24-6	8	pCi/L
	Radium 226 & Radium 228		5	pCi/L
	Radium 226	13982-63-3	3	pCi/L
II.	CARCINOGENS			
	1,1-Dichloroethane	75-34-3	1	ug/L
	1,2-Dichloroethane	107-06-2	0.5	ug/L
	1,2-Dichloropropane	78-87-5	0.6	ug/L
	1,2-Dimethylhydrazine	540-73-8	60	ug/L
	1,2-Diphenylhydrazine	122-66-7	0.09	ug/L
	1,3-Dichloropropene tot.	542-75-6	0.2	ug/L
	1,4-Dichlorobenzene	106-46-7	4	ug/L
	1,4-Dioxane	123-91-1	7	ug/L
	2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	0.0000006	ug/L
	2,4,6-Trichlorophenol	88-06-2	4.0	ug/L
	2,4-Dinitrotoluene	121-14-2	0.1	ug/L
	2,4-Toluenediamine	95-80-7	0.002	ug/L
	2,6-Dinitrotoluene	606-20-2	0.1	ug/L
	2-Methoxy-5-nitroanaline	99-59-2	2.0	ug/L
	2-Methylanaline	95-53-4	0.2	ug/L
	2-Methylanaline hydrochloride	636-21-5	0.5	ug/L
	3,3'-Dichlorobenzidine	91-94-1	0.2	ug/L
	3,3'-Dimethoxybenzidine	119-90-4	6.0	ug/L
	3,3-Dimethylbenzidine	119-93-7	0.007	ug/L
	4,4'-Methylene bis(N,N'-dimethyl) aniline	101-61-1	2.0	ug/L
	4-Chloro-2-methyl analine	95-69-2	0.1	ug/L
	4-Chloro-2-methyl analine hydrochloride	3165-93-3	0.2	ug/L
	Acrylamide	79-06-1	0.02	ug/L
	Acrylonitrile	107-13-1	0.07	ug/L
	Aldrin	309-00-2	0.005	ug/L
	Aniline	62-53-3	14	ug/L
	Aramite	140-57-8	3	ug/L
	Arsenic	7440-38-2	0.00005	mg/L
	Azobenzene	103-33-3	0.7	ug/L
	Benzene	71-43-2	1	ug/L

Analyte	CAS No.	Ground Water Quality Criteria Criterion*	
Benzidine	92-87-5	0.0004	ug/L
Benzo(a)pyrene	50-32-8	0.008	ug/L
Benzotrichloride	98-07-7	0.007	ug/L
Benzyl chloride	100-44-7	0.5	ug/L
Bis(2-ethylhexyl)phthalate	117-81-7	6	ug/L
Bis(chloroethyl)ether	111-44-4	0.07	ug/L
Bis(chloromethyl)ether	542-88-1	0.0004	ug/L
Bromodichloromethane	75-27-4	0.3	ug/L
Bromoform	75-25-2	5	ug/L
Carbazole	86-74-8	5	ug/L
Carbon Tetrachloride	56-23-5	0.3	ug/L
Chlordane	5103-71-9	0.06	ug/L
Chlorodibromomethane	124-48-1	0.5	ug/L
Chloroform	67-66-3	7	ug/L
Chlorthalonil	1897-45-6	30	ug/L
DDT (includes DDE and DDD)	50-29-3, 72-55-9, 72-54-8	0.3	ug/L
Diallate	2303-16-4	1	ug/L
Dichlorovos	62-73-7	0.3	ug/L
Dieldrin	60-57-1	0.005	ug/L
Direct Black 38	1937-37-7	0.009	ug/L
Direct Blue 6	2602-46-2	0.009	ug/L
Direct Brown 95	16071-86-6	0.009	ug/L
Epichlorohydrin	106-89-8	8	ug/L
Ethyl acrylate	140-88-5	2	ug/L
Ethylene dibromide	106-93-4	0.001	ug/L
Ethylene thiourea	96-45-7	2	ug/L
Folpet	133-07-3	20	ug/L
Furazolidone	67-45-8	0.02	ug/L
Furium	531-82-8	0.002	ug/L
Furmecyclox	60568-05-0	3	ug/L
Heptachlor	76-44-8	0.02	ug/L
Heptachlor epoxide	1024-57-3	0.009	ug/L
Hexachlorobenzene	118-74-1	0.05	ug/L
Hexachlorocyclohexane (alpha)	319-84-6	0.001	ug/L
Hexachlorocyclohexane (technical)	608-73-1	0.05	ug/L
Hexachlorodibenzo-p-dioxin, mix	34465-46-8	0.00001	ug/L
Hydrazine/hydrazine sufate	302-01-2/10034-93-2	0.03	ug/L
Lindane	58-89-9	0.06	ug/L
Methylene Chloride	75-09-2	5	ug/L
Mirex	2385-85-5	0.05	ug/L
Nitrofurazone	59-87-0	0.06	ug/L
N-Nitrosodiethanolamine	1116-54-7	0.03	ug/L
N-Nitrosodiethylamine	55-18-5	0.0005	ug/L
N-Nitrosodimethylamine	62-75-9	0.002	ug/L
N-Nitroso-di-n-butylamine	924-16-3	0.02	ug/L
N-Nitroso-di-n-propylamine	621-64-7	0.01	ug/L
N-Nitrosodiphenylamine	86-30-6	17.0	ug/L
N-Nitroso-N-methylethylylamine	10595-95-6	0.004	ug/L
N-Nitrosopyrrolidine	930-55-2	0.04	ug/L
o-Chloronitrobenzene	88-73-3	3	ug/L
o-Phenylenediamine	95-54-5	0.005	ug/L
o-Toluidine	95-53-4	0.2	ug/L
p,a,a,a-Tetrachlorotoluene	5216-25-1	0.004	ug/L
PAHs [Benzo(a)pyrene]		0.01	ug/L
PBBs	59536-65-1	0.01	ug/L
PCBs c	27323-18-8	0.01	ug/L
p-Chloronitrobenzene	100-00-5	5	ug/L
Propylene oxide	75-56-9]	0.01	ug/L
Tetrachloroethylene	127-18-4	0.8	ug/L
Toxaphene c	8001-35-2	0.08	ug/L
Trichloroethylene (TCE)	79-01-6	3	ug/L
Trimethyl phosphate	512-56-1	2.0	ug/L
Vinyl chloride	75-01-4	0.02	ug/L

NOTES: pCi/L=picocuries per liter
mg/L=milligrams per liter
ug/L=micrograms per liter
*Ground Water Quality Criteria=173-200 WAC Water Quality Standards for Ground Waters of the State of Washington

**=treatment technique in lieu of an MCL

***= A Drinking Water Advisory, not an enforceable standard.

Ground Water Quality Criteria=173-200 WAC Water Quality Standards for Ground Waters of the State of Washington

APPENDIX B

Potentiometric Groundwater Report

King County

Water and Land Resources Division
Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 600
Seattle, WA 98104-3855
206-477-4800
TTY Relay: 711

ORIGINAL

Memorandum

To: Tom Theno
King County Solid Waste Division

From: Sevin Bilir
King County Water & Land Resources Division

Re: **Potentiometric Groundwater Surface Mapping & Groundwater Velocity Calculations**
Water Year 2012-2013 Results
Hobart Landfill, King County, Washington
Project No. 1033596 – Task 23.14.137.44

Date: November 15, 2013

King County Water & Land Resources Division (KCWLRD) submits this letter report on groundwater conditions during the 2012-2013 water year for the shallow and deep aquifers beneath the Hobart landfill (landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (KCWLRD, 2012). King County Solid Waste Division (KCSWD) personnel measured depth to water at the landfill quarterly during the 2012-2013 water year. These measurements were received by KCWLRD on October 1, 2013 and were used to:

1. Evaluate the potentiometric groundwater surface during the quarters with the lowest and highest water levels for the shallow and deep aquifers;
2. Determine the groundwater flow direction and horizontal gradient during the quarters with the lowest and highest water levels for the shallow and deep aquifers; and
3. Calculate the groundwater flow velocities during the quarters with the lowest and highest water levels for the shallow and deep aquifers.

There have been no significant changes in the groundwater flow direction or velocity for both the shallow and deep aquifers during the 2012-2013 water year since the previous report submitted for the 2011-2012 water year monitoring event.

Groundwater Elevation Data

KCSWD measured groundwater levels quarterly during the 2012-2013 water year at eleven monitoring wells completed in the shallow or deep aquifers. Groundwater levels were also measured at five wells located inside the slurry wall surrounding the landfill. Table 1 lists the well identifications, XY location data, top of casing elevations, measured depth to water levels, and calculated groundwater elevations for the shallow and deep aquifers, as well as for the water-bearing zone inside the slurry wall.

The highest groundwater elevations were measured during the fourth quarter monitoring event performed on February 26, 2013. The lowest groundwater elevations were measured during the second quarter monitoring event performed on August 12, 2013.

Figures 1 and 2 show well locations, groundwater elevations, and inferred groundwater potentiometric surface contours in the shallow aquifer for the quarters with the highest and lowest water levels during the 2012-2013 water year, respectively.

During the 2012-2013 water year, water levels measured inside the slurry wall ranged from approximately five to ten feet below groundwater levels outside the wall, indicating hydraulic separation from the shallow aquifer.

Figures 3 and 4 show well locations, groundwater elevations, and inferred groundwater potentiometric surface contours in the deep aquifer for the quarters with the highest and lowest water levels during the 2012-2013 water year, respectively.

Direction of Groundwater Flow

Figures 1 and 2 show groundwater potentiometric surface contours and interpreted groundwater flow directions in the shallow aquifer, based on the quarters in the 2012-2013 water year having the lowest and highest water levels. Groundwater elevations indicate that groundwater generally flowed towards the west around the slurry wall during both quarters.

Groundwater elevations at MW-16 were higher than elevations observed at other shallow aquifer wells by about 3.5 to 7 feet. This may be caused by groundwater mounding upgradient of the landfill as groundwater approaches the slurry wall and flows around the north and south sides of the slurry wall.

Figures 3 and 4 show groundwater potentiometric surface contours and interpreted groundwater flow directions in the deep aquifer, based on the 2012-2013 water year quarterly measurements. Groundwater elevations indicate that groundwater generally flowed southwest during quarters with the lowest and highest water levels in the deep aquifer.

Groundwater Parameters

Horizontal groundwater velocity was calculated using the following formula:

$$\text{where: } v = \frac{1}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]
n_{eff} = Effective porosity [dimensionless]
K = Hydraulic conductivity [L/t]
$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

Horizontal groundwater velocity was calculated for the shallow aquifer outside the slurry wall and for the deep aquifers below the landfill. The hydraulic conductivity and effective porosity values were based on the ranges referred to in the *Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation - Hobart Landfill* (Aspect, 2010) and reported in various documents (HWA , 2003; Beck & SEA, 1984; Galster & Laprade, 1991).

The hydraulic gradient was determined from the potentiometric surface maps (Figures 1 through 4). The hydraulic gradient in the shallow aquifer was determined from groundwater elevations measured in wells completed along the north, west, and south sides of the slurry wall, as was possible. The gradient in the deep aquifer was determined from the three wells measured during the 2012-2013 water year.

Table 2 presents a summary of the groundwater parameters used to calculate a groundwater velocity for both aquifers.

The velocities calculated in the shallow aquifer were 6.5 and 1.5 ft/day for the highest and lowest quarters, respectively. The velocities calculated in the deep aquifer were 0.03 ft/day for the highest and lowest quarters. The velocities were all within the range of groundwater velocities calculated during the 2011-2012 water year.

References

Aspect Consulting (Aspect). 2010. *Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation – Hobart Landfill.* Unpublished. October 26.

Galster, R. W. and Laprade, W. T. (Galster & Laprade). 1991. *Geology of Seattle, Washington, United States of America.* Bulletin of the Association of Engineering Geologists. *Volume 28. Number* 3. pp. 235-302.


HWA GeoSciences Inc. (HWA). 2003. *Potentiometric Surface Maps and Aquifer Flow Calculations - Hobart Landfill, King County, Washington.* July 15.

R.W. Beck and Associates, and Sweet, Edwards & Associates (Beck & SEA). 1984. *Groundwater Geology/Quality Investigations for the Rural Landfills: Report for the King County Solid Waste Division.*

King County Water & Land Resources Division (KCWLRD). 2012. *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations.* Unpublished.

Thank you for the opportunity to provide hydrogeologic services to the KCSWD. Please contact me if you have any questions.

Sincerely,



Sevin Bilir, WA LHG
Environmental Scientist III
King County Water & Land Resources Division

Attachments

Table 1: Lowest and Highest Groundwater Levels: 2012-2013 Water Year
Table 2: Groundwater Parameters: 2012-2013 Water Year
Figure 1: Groundwater Potentiometric Surface Map: 2012-2013 Water Year - Shallow Aquifer – Highest Water Level
Figure 2: Groundwater Potentiometric Surface Map: 2012-2013 Water Year - Shallow Aquifer - Lowest Water Level
Figure 3: Groundwater Potentiometric Surface Map: 2012-2013 Water Year - Deep Aquifer - Highest Water Level
Figure 4: Groundwater Potentiometric Surface Map: 2012-2013 Water Year - Deep Aquifer - Lowest Water Level

Table 1: Lowest and Highest Groundwater Levels: 2012-2013 Water Year

Hobart Landfill

King County, Washington

					Highest Groundwater Levels		Lowest Groundwater Levels	
					February 26, 2013		August 12, 2013	
	Well Identification	X (ft)	Y (ft)	Top of Casing Elevation (feet MSL)	Measured Depth to Water (feet)	Groundwater Elevations (feet MSL)	Measured Depth to Water (feet)	Groundwater Elevations (feet MSL)
Shallow Aquifer	MW-1	1717159	143198	635.52	10.75	624.77	13.77	621.75
	MW-4	1716704	144243	644.41	20.45	623.96	23.67	620.74
	MW-6	1717688	143223	631.64	5.37	626.27	9.70	621.94
	MW-10	1716699	143208	632.73	8.73	624.00	11.23	621.50
	MW-11	1717591	145023	651.69	26.03	625.66	31.57	620.12
	MW-16	1717910	143886	635.16	4.45	630.71	9.69	625.47
	MW-18	1716517	143545	639.22	15.52	623.70	17.85	621.37
	MW-22	1716684	143024	638.93	14.83	624.10	17.37	621.56
Inside Slurry Wall	LEW-1	1717185	144110	668.73	52.55	616.18	52.82	615.91
	LEW-5	1717078	143578	687.02	70.48	616.54	NA	NA
	LP-1	1716920	144190	663.27	46.79	616.48	47.51	615.64
	LP-3	1717460	144520	663.15	47.55	615.60	71.33	615.87
	LPI-1	1717260	143650	687.20	70.55	616.65	47.32	615.95
Deep Aquifer	MW-3	1716700	144252	644.16	141.40	502.76	144.06	500.10
	MW-7	1717166	143182	634.17	121.52	512.65	123.81	510.36
	MW-25	1717775	144832	652.84	114.10	538.74	115.68	537.16

Notes:


1. Water level measurements made by KCSWD personnel during the 2012-2013 water year.
2. Elevations reported in feet above Mean Sea Level (MSL) based on the National Geodetic Vertical Datum, 1929.
3. Coordinates are in feet based on Washington State Plane grid system
3. Lowest groundwater levels reflect the 2012-2013 Water Year minimum groundwater elevations, observed on February 26, 2013.
4. Highest groundwater levels reflect the 2012-2013 Water Year maximum groundwater elevations, observed during August 12, 2013.
5. NA = no data

Table 2: Groundwater Parameters: 2012-2013 Water Year
Hobart Landfill
King County, Washington

Groundwater Zone Adjacent to or Beneath Landfill	Monitoring Event	Date	Horizontal Hydraulic Conductivity (K)		Horizontal Hydraulic Gradient (DH/DL)	Effective Porosity (n_{eff})	Horizontal Groundwater Velocity (v)	General Groundwater Flow Direction
			(cm/s)	(ft/d)	(ft/ft)		(ft/d)	
Shallow Aquifer	Highest Groundwater Levels	February 22, 2012	0.3	800	0.0020	25%	6.5	West
	Lowest Groundwater Levels	August 27, 2012	0.3	800	0.0005	25%	1.5	
Deep Aquifer	Highest Groundwater Levels	February 22, 2012	0.00007	0.2	0.031	25%	0.03	Southwest
	Lowest Groundwater Levels	August 27, 2012	0.00007	0.2	0.033	25%	0.03	

Notes:

1. Shallow aquifer parameters (horizontal hydraulic conductivity and effective porosity values) from *Potentiometric Surface Maps and Aquifer Flow Calculations: Hobart Landfill* (HWA, 2003).
2. Deep aquifer hydraulic conductivity obtained from *Groundwater Geology/Quality Investigations for the Rural Landfills: Report for the KCSWD* (Beck & SEA, 1984).
3. Lowest groundwater levels reflect the 2011-2012 Water Year minimum groundwater elevations, observed on February 22, 2012.
4. Highest groundwater levels reflect the 2011-2012 Water Year maximum groundwater elevations, observed during August 27, 2012.



Legend

- MW-4 XXX.XX — Well Completed in Shallow Aquifer
- MW-3 — Other Monitoring Well
- 625 — Inferred Shallow Aquifer Groundwater Elevation Contour *(feet MSL)*
- ? — Inferred Horizontal Groundwater Flow Path
- Slurry Wall

Note:
Groundwater level measurements made on February 26, 2013.


King County

Groundwater Potentiometric Surface Map
Shallow Aquifer - Highest Groundwater Levels

2012-2013 Water Year
Hobart Landfill
King County, Washington

DATE: Oct. 2013	PROJECT NO. 1033596
DESIGNED BY: SB	
DRAWN BY: KK	FIGURE NO. 1
REVISED BY: SB	

Hobart_2012-2013_Shallow-High.dwg




King County

Groundwater Potentiometric Surface Map
Shallow Aquifer - Lowest Groundwater Levels

2012-2013 Water Year
Hobart Landfill
King County, Washington

DATE: Oct. 2013	PROJECT NO. 1033596
DESIGNED BY: SB	
DRAWN BY: KK	FIGURE NO. 2
REVISED BY: SB	

Hobart_2012-2013_Shallow-Low.dwg




King County

Groundwater Potentiometric Surface Map
Deep Aquifer - Highest Groundwater Levels

2012-2013 Water Year
Hobart Landfill
King County, Washington

DATE: Oct. 2013	PROJECT NO. 1033596
DESIGNED BY: SB	
DRAWN BY: KK	FIGURE NO. 3
REVISED BY: SB	

Hobart_2012-2013_Deep-High.dwg



King County

Groundwater Potentiometric Surface Map
Deep Aquifer - Lowest Groundwater Levels

2012-2013 Water Year
Hobart Landfill
King County, Washington

DATE: Oct. 2013	PROJECT NO. 1033596
DESIGNED BY: SB	
DRAWN BY: LT	FIGURE NO. 4
REVISED BY: SB	

Hobart_2012-2013_Deep-Low.dwg

APPENDIX C

Statistical Tables

Summary of Statistical Analyses for Shallow Aquifer
Summary of Statistical Analyses for Deep Aquifer
Trend Table for Shallow Aquifer
Trend Table for Deep Aquifer

Hobart Landfill

Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

SHALLOW AQUIFER

Well Location	**MW-11**			**MW-6**			**MW-1**			**MW-4**			**MW-10**			**MW-18**		
Gradient Location	Up			Side			Down			Down			Down			Down		
	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current
pH, Standard Units - Field Measurement																		
No. of Analyses	6	91	8	6	90	8	6	84	8	6	91	8	6	86	8	6	87	7
No. of Detections	6	91	8	6	90	8	6	84	8	6	91	8	6	86	8	6	87	7
Minimum	6.2	5.4	5.8	6.5	5.9	6.6	6.4	5.7	5.9	5.9	5.0	5.4	6.3	5.6	6.2	6.3	5.6	5.6
Maximum	7.4	8.9	6.5	7.3	7.9	7.1	6.8	8.3	6.4	6.5	7.8	6.0	6.7	7.4	6.6	7.7	8.4	6.2
Mean	6.6	6.3	6.1	6.9	7.0	6.9	6.6	6.6	6.1	6.1	6.2	5.8	6.5	6.6	6.4	6.7	6.6	5.8
Standard Deviation	0.5	0.6	0.3	0.3	0.3	0.2	0.2	0.4	0.2	0.2	0.5	0.2	0.1	0.3	0.2	0.6	0.5	0.2
Median	6.4	6.2	6.0	6.9	7.0	7.0	6.7	6.6	6.1	6.0	6.1	5.9	6.6	6.6	6.4	6.4	6.6	5.7
Specific Conductance, micromhos/cm																		
No. of Analyses	6	92	8	6	91	8	6	86	8	6	91	8	6	87	8	6	88	7
No. of Detections	6	92	8	6	91	8	6	86	8	6	91	8	6	87	8	6	88	7
Minimum	40	39	48	120	95	12	210	65	65	80	37	38	360	50	75	320	50	48
Maximum	63	490	81	390	280	125	480	449	120	230	110	57	560	360	110	450	325	54
Mean	54	59	63	267	132	100	321	147	86	145	50	47	460	151	93	400	74	50
Standard Deviation	9	47	10	92	32	37	90	63	17	51	12	7	85	64	12	50	40	2
Median	57	53	64	272	120	108	309	130	86	143	46	47	465	130	96	406	61	50
Total Dissolved Solids, mg/L																		
No. of Analyses	ID	87	8	ID	88	8	ID	85	8	ID	88	8	ID	87	8	ID	86	7
No. of Detections	ID	87	8	ID	87	8	ID	85	8	ID	85	8	ID	87	8	ID	85	7
Minimum	ID	0.5	42	ID	ND	79	ID	6	46	ID	ND	27	ID	17	53	ID	ND	42
Maximum	ID	95.0	60	ID	190	91	ID	286	70	ID	96	48	ID	230	66	ID	160	51
Mean	ID	37.7	50.3	ID	86.1	86.5	ID	84.9	59.6	ID	36.1	37.1	ID	89.9	59.4	ID	49.4	47.0
Standard Deviation	ID	16.8	6.4	ID	26.6	4.5	ID	36.6	8.6	ID	14.7	7.6	ID	40.5	4.5	ID	21.8	3.4
Median	ID	39.0	51	ID	85	88	ID	79	61	ID	35	37	ID	81	59	ID	49	47
Ammonia as N, mg/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	1	9	0	1	16	0	8	86	6	2	11	0	9	89	8	5	26	1
Minimum	ND	ND	ND	ND	ND	ND	4.4	ND	ND	ND	ND	ND	3.5	ND	0.3	ND	ND	ND
Maximum	0.1	0.4	ND	0.1	1.0	ND	8.4	5.4	0.3	0.3	0.2	ND	8.4	6.8	0.5	0.3	0.3	0.01
Mean	ID	0.0	ID	ID	0.03	ID	5.8	1.1	0.1	ID	0.02	ID	6.9	1.4	0.4	0.11	0.02	ID
Standard Deviation	ID	0.0	ID	ID	0.11	ID	1.3	1.4	0.1	ID	0.03	ID	1.5	1.1	0.1	0.10	0.04	ID
Median	ID	0.0	ID	ID	0.01	ID	5.6	0.3	0.2	ID	0.01	ID	7.4	1.0	0.4	0.07	0.01	ID
Chloride, mg/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	7	90	8	7	93	8	8	72	8	10	89	8	9	67	8	7	90	7
Minimum	1.0	ND	2.3	4.0	1.4	2.7	5.0	ND	0.7	2.0	ND	0.9	6.0	ND	0.5	11.0	1.0	1.2
Maximum	3.0	9.0	10.1	8.1	41.7	3.7	16.0	9.0	10.9	18.0	3.5	2.9	18.0	24.0	10.0	25.0	12.0	2.0
Mean	1.9	2.2	3.5	6.3	2.9	3.2	9.5	2.4	4.7	4.3	1.8	2.0	11.1	2.1	2.7	17.7	2.2	1.6
Standard Deviation	0.6	1.1	2.7	1.7	4.1	0.3	3.5	1.7	3.1	5.2	0.6	0.7	3.7	2.9	3.1	4.9	1.4	0.3
Median	2.0	2.0	2.6	6.0	2.3	3.2	8.5	2.0	4.3	2.0	2.0	2.1	12.0	1.1	1.7	17.0	2.0	1.6

Hobart Landfill

Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

SHALLOW AQUIFER

Well Location	**MW-11**			**MW-6**			**MW-1**			**MW-4**			**MW-10**			**MW-18**		
Gradient Location	Up			Side			Down			Down			Down			Down		
	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current
Nitrate as N, mg/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	6	92	8	2	69	8	2	17	4	8	91	8	2	20	2	7	55	7
Minimum	ND	0.0	0.2	ND	ND	0.1	ND	ND	ND	ND	ND	0.3	ND	ND	ND	0.06	ND	0.0
Maximum	0.7	1.2	0.9	0.2	0.4	0.3	0.2	0.5	0.49	1.4	3.6	0.8	0.8	0.6	0.01	3.30	0.5	0.11
Mean	0.4	0.5	0.4	ID	0.11	0.2	ID	0.04	0.1	0.4	0.74	0.5	ID	0.04	ID	1.02	0.06	0.07
Standard Deviation	0.2	0.2	0.2	ID	0.09	0.1	ID	0.06	0.2	0.4	0.57	0.2	ID	0.07	ID	1.11	0.08	0.03
Median	0.3	0.4	0.3	ID	0.07	0.2	ID	0.03	0.0	0.3	0.59	0.5	ID	0.03	ID	0.70	0.05	0.07
Sulfate, mg/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	7	87	8	7	93	8	8	87	8	10	91	8	6	90	8	7	90	7
Minimum	3.0	ND	2.3	5.0	4.0	3.8	2.0	ND	4.0	4.0	ND	2.1	ND	3.0	3.0	2.0	2.0	2.6
Maximum	4.0	18.0	2.9	11	13.0	4.5	24.0	130	5	58.0	13	2.5	4.0	68.2	4.2	4.9	20.1	3.3
Mean	3.5	3.0	2.6	7.9	6.1	4.2	7.3	13.1	4.5	12.0	3.6	2.3	1.6	13	3.6	2.8	4.4	3.0
Standard Deviation	0.5	2.0	0.2	2.3	2.0	0.3	7.1	15.1	0.3	16.4	2.2	0.2	1.3	11.7	0.5	1.0	2.7	0.3
Median	3.3	2.9	2.6	7.2	5.9	4.2	6.0	10.0	4.6	7.2	3.0	2.4	1.0	10	3.6	3.0	3.5	2.9
Alkalinity, mg/L																		
No. of Analyses	ID	67	8	ID	68	8	ID	65	8	ID	67	8	ID	67	8	ID	66	7
No. of Detections	ID	67	8	ID	68	8	ID	65	8	ID	67	8	ID	67	8	ID	66	7
Minimum	ID	12.0	12	ID	46	47	ID	29	23	ID	9	8	ID	16	33	ID	11	18
Maximum	ID	45.0	34	ID	110	50	ID	80	42	ID	60	21	ID	120	45	ID	44	24
Mean	ID	19.9	23.1	ID	56.4	48.6	ID	49.3	33.8	ID	15.7	14.7	ID	58.9	38.0	ID	25.7	20.9
Standard Deviation	ID	5.4	6.7	ID	9.1	1.4	ID	11.0	6.6	ID	6.4	4.8	ID	19.3	4.5	ID	6.1	2.2
Median	ID	19.6	24	ID	55	49	ID	49	36	ID	14	15	ID	56	38	ID	24	21
Arsenic, mg/L																		
No. of Analyses	6	92	8	6	93	8	7	89	8	9	92	8	8	90	8	6	90	7
No. of Detections	0	2	0	0	4	0	6	45	0	0	0	0	8	84	12	0	52	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	0.005	ND	ND	ND
Maximum	ND	0.003	ND	ND	0.004	ND	0.010	0.012	ND	ND	ND	ND	0.012	0.011	0.007	ND	0.003	ND
Mean	ID	ID	ID	ID	0.001	ID	0.008	0.004	ID	ID	ID	ID	0.010	0.007	0.006	ID	0.001	ID
Standard Deviation	ID	ID	ID	ID	0.001	ID	0.003	0.004	ID	ID	ID	ID	0.002	0.001	0.001	ID	0.001	ID
Median	ID	ID	ID	ID	0.001	ID	0.009	0.001	ID	ID	ID	ID	0.011	0.007	0.006	ID	0.001	ID
Calcium, mg/L																		
No. of Analyses	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
No. of Detections	ID	59	8	ID	80	8	ID	77	8	ID	56	8	ID	79	8	ID	78	7
Minimum	ID	ND	3.9	ID	5.6	10.2	ID	8	6.9	ID	ND	3.4	ID	4.6	8.2	ID	3.9	4.1
Maximum	ID	15	9.2	ID	28.2	14.1	ID	47	10.6	ID	6.9	5.3	ID	45.8	10.6	ID	9.5	6.5
Mean	ID	5.3	6.2	ID	14.3	11.6	ID	15.2	8.8	ID	4.4	4.2	ID	15.8	9.5	ID	6.2	5.0
Standard Deviation	ID	1.6	1.6	ID	3.8	1.1	ID	5.4	1.2	ID	0.9	0.8	ID	7.4	0.8	ID	1.4	0.7
Median	ID	4.8	5.9	ID	13	11.6	ID	14	9.1	ID	4.2	4.0	ID	14	9.4	ID	5.6	5.0

Hobart Landfill
Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

SHALLOW AQUIFER

Well Location	**MW-11**			**MW-6**			**MW-1**			**MW-4**			**MW-10**			**MW-18**		
Gradient Location	Up			Side			Down			Down			Down			Down		
	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current
Magnesium, mg/L																		
No. of Analyses	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
No. of Detections	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
Minimum	ID	1.0	1.0	ID	1.6	3.9	ID	1.8	1.7	ID	0.6	0.7	ID	1.1	1.8	ID	0.1	0.9
Maximum	ID	3.7	2.5	ID	8.9	4.4	ID	8.1	2.5	ID	1.2	1.2	ID	6.4	2.4	ID	1.9	1.2
Mean	ID	1.4	1.6	ID	4.8	4.1	ID	3.3	2.0	ID	0.8	0.9	ID	2.5	2.2	ID	1.2	1.0
Standard Deviation	ID	0.4	0.4	ID	1.2	0.2	ID	1.1	0.2	ID	0.1	0.2	ID	0.9	0.2	ID	0.3	0.1
Median	ID	1.3	1.5	ID	4.6	4.0	ID	3.1	1.9	ID	0.8	0.9	ID	2.3	2.2	ID	1.1	1.0
Potassium, mg/L																		
No. of Analyses	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
No. of Detections	ID	72	8	ID	79	8	ID	77	8	ID	79	8	ID	77	8	ID	74	7
Minimum	ID	ND	0.3	ID	ND	0.6	ID	1.3	1.2	ID	0.5	0.6	ID	ND	1.3	ID	ND	0.5
Maximum	ID	1.60	0.5	ID	1.2	0.8	ID	5.1	1.6	ID	1.9	0.9	ID	6.3	1.8	ID	1.2	0.7
Mean	ID	0.40	0.4	ID	0.7	0.7	ID	2.2	1.4	ID	1.0	0.7	ID	3.3	1.5	ID	0.6	0.6
Standard Deviation	ID	0.18	0.05	ID	0.2	0.05	ID	0.9	0.1	ID	0.3	0.1	ID	1.3	0.2	ID	0.2	0.07
Median	ID	0.37	0.4	ID	0.7	0.7	ID	1.9	1.3	ID	0.9	0.7	ID	3.1	1.5	ID	0.6	0.6
Sodium, mg/L																		
No. of Analyses	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
No. of Detections	ID	79	8	ID	80	8	ID	77	8	ID	79	8	ID	79	8	ID	78	7
Minimum	ID	2.0	2.7	ID	3.0	3.4	ID	1.2	1.3	ID	2.0	2.3	ID	1.4	1.4	ID	2.5	2.8
Maximum	ID	4.5	3.6	ID	6.1	3.9	ID	7.8	2.6	ID	3.7	3.3	ID	7.0	1.8	ID	6.0	3.2
Mean	ID	2.9	3.0	ID	4.2	3.6	ID	2.8	2.1	ID	2.6	2.6	ID	3.2	1.6	ID	3.7	3.0
Standard Deviation	ID	0.33	0.34	ID	0.68	0.18	ID	1.35	0.50	ID	0.38	0.36	ID	1.44	0.14	ID	0.88	0.20
Median	ID	2.9	2.9	ID	4.0	3.6	ID	2.3	2.3	ID	2.5	2.6	ID	2.7	1.6	ID	3.4	3.0
Iron, mg/L																		
No. of Analyses	7	92	8	6	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	4	58	0	6	73	0	8	88	6	4	56	0	9	90	8	7	90	7
Minimum	ND	ND	ND	0.15	ND	ND	7.4	ND	ND	ND	ND	ND	10	0.02	3.0	0.92	0.031	0.024
Maximum	3.1	1.4	ND	0.82	0.59	ND	24	21.9	2.34	1.90	0.62	ND	19	15	3.9	80.40	1.10	0.045
Mean	0.816	0.044	ID	0.42	0.06	ID	13.29	4.02	1.12	0.38	0.03	ID	13.5	5.36	3.4	12.71	0.24	0.035
Standard Deviation	1.240	0.150	ID	0.27	0.09	ID	6.23	4.38	0.85	0.60	0.07	ID	3.16	2.55	0.33	29.85	0.182	0.009
Median	0.220	0.012	ID	0.32	0.03	ID	11	2.1	1.07	0.03	0.01	ID	13.7	4.8	3.4	1.40	0.19	0.037
Manganese, mg/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	10	92	8	9	90	8	7	90	7
No. of Detections	3	8	0	7	86	4	8	89	8	9	15	0	9	89	8	7	90	7
Minimum	ND	ND	ND	0.360	ND	ND	1.1	0.018	0.109	ND	ND	ND	1.9	ND	0.52	5.5	0.42	0.288
Maximum	0.080	0.730	ND	2.650	0.680	0.002	4.3	6.680	1.880	1.80	0.023	ND	4.2	4.0	0.83	10.5	6.5	0.5
Mean	0.018	0.009	ID	1.086	0.077	0.001	2.39	1.652	1.294	0.67	0.002	ID	3.16	1.37	0.67	7.4	1.36	0.387
Standard Deviation	0.029	0.076	ID	0.725	0.151	0.000	1.19	1.014	0.710	0.67	0.004	ID	0.71	0.71	0.11	1.9	0.86	0.097
Median	0.008	0.0005	ID	0.950	0.007	0.001	2.0	1.500	1.605	0.52	0.001	ID	3.1	1.2	0.67	6.7	1.22	0.346

Hobart Landfill

Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

SHALLOW AQUIFER

Well Location	**MW-11**			**MW-6**			**MW-1**			**MW-4**			**MW-10**			**MW-18**		
Gradient Location	Up			Side			Down			Down			Down			Down		
	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current	Pre	Post	Current
1,1-Dichloroethane, ug/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	9	92	8	9	90	8	7	90	7
No. of Detections	0	0	0	1	39	0	1	1	0	0	0	0	2	3	0	2	1	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	2.5	1.1	ND	2.5	0.5	ND	ND	ND	ND	3.0	1.0	ND	2.5	0.5	ND
Mean	ID	ID	ID	ID	0.34	ID	ID	ID	ID	ID	ID	ID	ID	0.17	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	0.27	ID	ID	ID	ID	ID	ID	ID	ID	0.18	ID	ID	ID	ID
Median	ID	ID	ID	ID	0.25	ID	ID	ID	ID	ID	ID	ID	ID	0.10	ID	ID	ID	ID
cis-1,2-Dichloroethene, ug/L																		
No. of Analyses	5	84	8	5	85	8	5	81	8	6	83	8	5	82	8	5	82	7
No. of Detections	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	4	21	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0	ND	2.0	2.0	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	0.13	ID	1.7	0.2	ID
Standard Deviation	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	0.12	ID	0.7	0.3	ID
Median	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	0.10	ID	2.0	0.1	ID
1,1,1-Trichloroethane, ug/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	9	92	8	9	90	8	7	90	7
No. of Detections	0	0	0	4	44	0	0	0	0	0	0	0	0	0	0	0	0	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	3.0	2.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	1.64	0.37	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	1.14	0.38	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Median	ID	ID	ID	2.0	0.23	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Vinyl Chloride, ug/L																		
No. of Analyses	7	92	8	7	93	8	8	89	8	9	92	8	9	90	8	7	90	7
No. of Detections	0	0	0	0	4	0	0	0	0	0	0	0	0	3	0	0	1	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	1.0	ND	ND	ND	ND	ND	ND	ND	ND	1.0	ND	ND	1.0	ND
Mean	ID	ID	ID	ID	0.13	ID	ID	ID	ID	ID	ID	ID	ID	0.13	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	0.29	ID	ID	ID	ID	ID	ID	ID	ID	0.29	ID	ID	ID	ID
Median	ID	ID	ID	ID	0.01	ID	ID	ID	ID	ID	ID	ID	ID	0.01	ID	ID	ID	ID

NOTES:

ID	Insufficient Data. The number of detections is less than 3.
ND	Not Detected (at laboratory MDL).
mg/L	Milligram per liter.
ug/L	Microgram per liter.
na	Not applicable. Limited data prior to last 8 samples

Hobart Landfill
Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

DEEP AQUIFER

Well Location	**MW-9**		**MW-25**		**MW-7**			**MW-3**		
Gradient Location	Up		Up (Replaced MW-9)		Side			Down		
	Pre	Post	Post	Current	Pre	Post	Current	Pre	Post	Current
pH, Standard Units - Field Measurement										
No. of Analyses	6	49	40	8	6	91	7	6	91	8
No. of Detections	6	49	40	8	6	91	7	6	91	8
Minimum	6.4	5.7	7.6	7.7	7.1	5.8	7.3	7.0	5.8	7.3
Maximum	8.1	9.3	8.4	8.0	8.4	8.0	7.7	8.0	8.2	7.8
Mean	7.4	7.5	7.9	7.8	7.6	7.3	7.5	7.5	7.5	7.5
Standard Deviation	0.6	0.6	0.2	0.1	0.6	0.4	0.1	0.4	0.4	0.2
Median	7.5	7.6	8.0	7.8	7.4	7.4	7.5	7.6	7.6	7.5
Specific Conductance, micromhos/cm										
No. of Analyses	6	50	40	8	6	91	7	7	91	8
No. of Detections	6	50	40	8	6	91	7	7	91	8
Minimum	87	67	81	89	272	70	230	105	87	120.0
Maximum	100	112	100	105	450	561	305	130	140	145.0
Mean	93	93	90	96	400	371	249	115	117	135.0
Standard Deviation	5	8	4	5	68	95	25	9	11	12.5
Median	93	91	90	96	423	340	240	115	119	142.5
Total Dissolved Solids, mg/L										
No. of Analyses	ID	45	40	8	ID	87	7	ID	89	8
No. of Detections	ID	44	40	8	ID	87	7	ID	89	8
Minimum	ID	ND	25	68	ID	64	180	ID	16	83
Maximum	ID	100	100	74	ID	350	184	ID	110	107
Mean	ID	63	61	70	ID	233	182	ID	77	95
Standard Deviation	ID	19.6	15.0	2.2	ID	59.8	1.4	ID	14.8	7.5
Median	ID	64	63	70	ID	230	183	ID	79	93
Ammonia as N, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	2	7	3	0	1	13	1	0	9	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	0.08	0.03	0.08	ND	0.09	0.18	0.228	ND	0.09	ND
Mean	ID	0.01	0.0	ID	ID	0.02	ID	ID	0.01	ID
Standard Deviation	ID	0.01	0.0	ID	ID	0.02	ID	ID	0.02	ID
Median	ID	0.01	0.0	ID	ID	0.01	ID	ID	0.01	ID
Chloride, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	7	7	40	8	9	91	7	9	93	8
Minimum	1.0	ND	2.0	3.2	13.0	2.7	2.6	1.5	1.0	2.9
Maximum	3.0	3.2	3.5	4.1	15.0	18.0	11.9	2.0	5.0	3.3
Mean	1.9	1.8	2.7	3.7	14.1	8.3	4.7	1.9	2.6	3.1
Standard Deviation	0.6	0.6	0.5	0.3	0.6	3.9	3.4	0.2	0.6	0.1
Median	2.0	2.0	2.7	3.8	14.0	7.4	3.2	2.0	3.0	3.1
Nitrate as N, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	6	49	40	8	1	47	7	4	48	8
Minimum	ND	0.19	0.24	0.25	ND	ND	0.03	ND	ND	0.01
Maximum	0.50	0.44	0.38	0.28	0.20	0.30	0.04	0.30	1.09	0.02
Mean	0.33	0.27	0.31	0.26	ID	0.04	0.03	0.14	0.05	0.01
Standard Deviation	0.14	0.05	0.03	0.01	ID	0.04	0.00	0.08	0.12	0.00
Median	0.30	0.26	0.31	0.27	ID	0.03	0.03	0.10	0.03	0.01
Sulfate, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	7	47	40	8	9	91	7	9	83	8
Minimum	3.0	ND	1.8	2.1	2.0	1.2	10.6	2.0	ND	2.8
Maximum	6.0	4.2	2.4	2.6	3.0	18.0	11.7	3.0	4.5	3.1
Mean	3.6	2.8	2.0	2.3	2.5	9.8	11.1	2.5	2.3	3.0
Standard Deviation	1.1	0.7	0.1	0.2	0.5	3.2	0.4	0.5	0.7	0.1
Median	3.0	3.0	2.0	2.2	2.4	11.0	11.1	2.9	2.4	3.0

Hobart Landfill
Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

DEEP AQUIFER

Well Location	**MW-9**		**MW-25**		**MW-7**			**MW-3**		
Gradient Location	Up		Up (Replaced MW-9)		Side			Down		
	Pre	Post	Post	Current	Pre	Post	Current	Pre	Post	Current
Alkalinity, mg/L										
No. of Analyses	ID	25	40	8	ID	67	7	ID	69	8
No. of Detections	ID	25	40	8	ID	67	7	ID	69	8
Minimum	ID	40	36	42	ID	100	145	ID	41	65
Maximum	ID	50	44	44	ID	284	155	ID	72	67
Mean	ID	43.7	40.0	42.6	ID	181.8	149.1	ID	58.6	66.2
Standard Deviation	ID	2.2	1.8	0.7	ID	41.0	3.8	ID	4.9	0.8
Median	ID	44	40	42	ID	170	148	ID	58	66
Arsenic, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	0	41	37	8	0	7	0	0	3	0
Minimum	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND
Maximum	ND	0.003	0.002	0.001	ND	0.007	ND	ND	0.003	ND
Mean	ID	0.001	0.001	0.001	ID	0.001	ID	ID	0.001	ID
Standard Deviation	ID	0.001	0.000	0.000	ID	0.001	ID	ID	0.000	ID
Median	ID	0.001	0.001	0.001	ID	0.001	ID	ID	0.001	ID
Calcium, mg/L										
No. of Analyses	ID	37	40	8	ID	79	7	ID	81	8
No. of Detections	ID	37	40	8	ID	79	7	ID	10	8
Minimum	ID	7.4	6.8	8.4	ID	32.0	28.8	ID	ND	9.8
Maximum	ID	13	11.0	10.2	ID	77.8	37.9	ID	20.0	15.2
Mean	ID	9.7	8.4	9.1	ID	50.4	34.5	ID	10.5	12.5
Standard Deviation	ID	0.97	0.9	0.6	ID	14.8	3.0	ID	2.0	1.7
Median	ID	10	8.4	9.2	ID	42.1	35.3	ID	10.4	12.2
Magnesium, mg/L										
No. of Analyses	ID	37	40	8	ID	79	7	ID	81	8
No. of Detections	ID	37	40	8	ID	79	7	ID	81	8
Minimum	ID	2.8	2.6	3.0	ID	10.0	10.2	ID	0.03	3.9
Maximum	ID	3.51	4.0	3.9	ID	23.7	13.2	ID	6.4	4.9
Mean	ID	3.28	3.1	3.5	ID	15.9	11.8	ID	3.8	4.5
Standard Deviation	ID	0.18	0.3	0.3	ID	4.3	1.0	ID	0.7	0.3
Median	ID	3.3	3.0	3.5	ID	14.0	11.7	ID	3.7	4.6
Potassium, mg/L										
No. of Analyses	ID	37	40	8	ID	79	7	ID	81	8
No. of Detections	ID	37	40	8	ID	79	7	ID	79	8
Minimum	ID	ND	0.4	0.5	ID	0.7	0.8	ID	ND	0.5
Maximum	ID	0.9	0.6	0.6	ID	1.8	1.1	ID	1.2	0.9
Mean	ID	0.42	0.5	0.5	ID	1.1	0.9	ID	0.7	0.7
Standard Deviation	ID	0.285	0.0	0.0	ID	0.2	0.1	ID	0.2	0.1
Median	ID	0.47	0.5	0.5	ID	1.1	0.9	ID	0.7	0.7
Sodium, mg/L										
No. of Analyses	ID	37	40	8	ID	79	7	ID	81	8
No. of Detections	ID	37	40	8	ID	79	7	ID	81	8
Minimum	ID	2.9	4.1	4.5	ID	6.6	7.2	ID	3.1	8.2
Maximum	ID	4.7	6.4	5.5	ID	12.0	8.9	ID	12.0	9.7
Mean	ID	3.96	4.7	5.0	ID	9.1	7.9	ID	8.5	9.1
Standard Deviation	ID	0.3	0.4	0.4	ID	1.4	0.6	ID	0.9	0.5
Median	ID	4	4.6	5.1	ID	8.9	7.8	ID	8.4	9.1
Iron, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	3	29	28	0	4	65	0	2	57	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	0.270	0.450	0.071	ND	0.090	0.730	ND	0.310	0.330	ND
Mean	0.089	0.041	0.026	ID	0.040	0.085	ID	ID	0.036	ID
Standard Deviation	0.120	0.074	0.019	ID	0.029	0.098	ID	ID	0.055	ID
Median	0.025	0.013	0.029	ID	0.025	0.080	ID	ID	0.021	ID

Hobart Landfill
Summary of Statistical Analyses for Groundwater Well Samples 1986 - September 2013

Pre-9/4/1986 to 4/12/1989 Post- 4/13/1989 to Current Current - Last 8 quarterly results (dates vary)

DEEP AQUIFER

Well Location	**MW-9**		**MW-25**		**MW-7**			**MW-3**		
Gradient Location	Up		Up (Replaced MW-9)		Side			Down		
	Pre	Post	Post	Current	Pre	Post	Current	Pre	Post	Current
Manganese, mg/L										
No. of Analyses	7	49	40	8	9	91	7	9	93	8
No. of Detections	1	8	5	0	5	19	0	9	91	8
Minimum	ND	ND	ND	ND	ND	ND	ND	0.021	ND	0.041
Maximum	0.029	0.030	0.009	ND	0.066	0.280	ND	0.052	0.056	0.059
Mean	ID	0.003	0.001	ID	0.010	0.007	ID	0.026	0.040	0.051
Standard Deviation	ID	0.006	0.002	ID	0.021	0.038	ID	0.010	0.010	0.006
Median	ID	0.001	0.001	ID	0.004	0.001	ID	0.022	0.041	0.049
1,1-Dichloroethane, ug/L										
No. of Analyses	7	49	40	8	9	92	7	9	93	8
No. of Detections	0	0	0	0	0	33	0	0	0	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	0.63	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	0.25	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	ID	0.18	ID	ID	ID	ID
Median	ID	ID	ID	ID	ID	0.10	ID	ID	ID	ID
cis-1,2-Dichloroethene, ug/L										
No. of Analyses	5	41	40	8	6	84	7	5	85	8
No. of Detections	0	0	0	0	0	1	0	0	0	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	0.50	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Median	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
1,1,1-Trichloroethane, ug/L										
No. of Analyses	7	49	40	8	9	92	7	9	93	8
No. of Detections	0	0	0	0	0	0	0	0	0	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Median	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Vinyl Chloride, ug/L										
No. of Analyses	5	41	40	8	9	92	7	9	93	8
No. of Detections	0	0	0	0	0	1	0	0	0	0
Minimum	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maximum	ND	ND	ND	ND	ND	1.0	ND	ND	ND	ND
Mean	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Standard Deviation	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Median	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID

NO1	Insufficient Data. The number of detections is less than 3.
ND	Not Detected (at laboratory MDL).
mg/L	Milligram per liter.
ug/L	Microgram per liter.
na	Not applicable. Limited data prior to last 8 samples

Hobart Landfill
Trend Tables

Short = most recent 8 samples, starting with September 2012 samples.
Long = next most recent 50 samples, earliest samples taken in 1996

	SHALLOW AQUIFER												DEEP AQUIFER					
Well Location	**MW-11**		**MW-6**		**MW-1**		**MW-4**		**MW-10**		**MW-18**		**MW-25**		**MW-7**		**MW-3**	
*Gradient Location	Up		Side		Down		Down		Down		Down		Up		Down		Down	
Time Interval	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short
pH - Field Measurement																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	D	--	D	--	D	--	D	--	D	--	D	--	--	--	I	--	--	--
Probability	8.58E-06	0.904	0.001	0.398	2.11E-06	0.227	1.22E-05	0.812	0.002	0.634	1.79E-07	0.178	0.140	0.812	0.000	0.227	0.907	0.904
Significant	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	NO	NO	YES	NO	NO	NO
Specific Conductance - Field Measurement																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	I	--	D	--	D	--	--	--	D	--	D	--	I	--	D	--	I	--
Probability	0.036	1.000	1.08E-05	0.548	4.75E-06	0.904	0.096	0.548	0.005	0.227	1.22E-08	0.143	0.001	0.812	4.76E-09	0.276	1.55E-09	0.812
Significant	YES	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO
Total Dissolved Solids																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	--	--	--	--	D	--	--	--	D	--	--	--	--	--	D	--	--	--
Probability	0.751	0.178	0.054	0.473	1.08E-05	0.398	0.216	0.337	3.55E-04	0.812	0.828	0.720	0.910	0.276	1.39E-11	0.634	0.168	1.000
Significant	NO	NO	NO	NO	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	YES	NO	NO	NO
Ammonia as N																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	6	0	6	0	50	7	5	0	50	8	13	2	2	1	8	0	7	0
Trend	--	--	--	--	D	--	--	--	D	D	--	--	--	--	--	--	--	--
Probability	0.802	--	0.757	--	2.72E-02	0.548	0.815	--	4.56E-06	0.014	0.270	--	0.897	--	0.953	--	0.874	--
Significant	NO	--	NO	--	YES	NO	NO	--	YES	YES	NO	--	--	--	NO	--	NO	--
Chloride																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	39	8	50	8	31	8	50	8	36	8	50	8	50	8
Trend	I	--	I	--	I	--	I	--	--	--	--	--	I	--	D	--	I	--
Probability	0.000	1.000	0.00000	0.634	0.010	0.548	0.002	0.904	0.22	0.904	0.861	0.227	0.000	0.062	0.00E+00	0.548	1.01E-03	0.548
Significant	YES	NO	YES	NO	YES	NO	YES	NO	NO	NO	NO	NO	YES	NO	YES	NO	YES	NO
Nitrate as N																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	11	2	50	8	13	1	37	8	36	8	33	8	29	8
Trend	--	--	I	--	--	--	--	--	--	--	--	--	--	D	--	--	D	--
Probability	0.525	0.904	1.00E-04	0.720	0.676	--	0.019	1.000	0.157	--	0.192	1.000	0.123	0.047	0.880	0.812	0.001	0.062
Significant	NO	NO	YES	NO	NO	--	YES	NO	NO	--	NO	NO	NO	YES	NO	NO	YES	NO

D = Decreasing concentrations
I = Increasing concentrations
Probability = probality that the null hypotesis is true.
Ho = There is no trend.

Significant = The trend is significant at a p = 0.05 level.

Hobart Landfill
Trend Tables

Short = most recent 8 samples, starting with September 2012 samples.
Long = next most recent 50 samples, earliest samples taken in 1996

	SHALLOW AQUIFER												DEEP AQUIFER					
Well Location	**MW-11**		**MW-6**		**MW-1**		**MW-4**		**MW-10**		**MW-18**		**MW-25**		**MW-7**		**MW-3**	
*Gradient Location	Up		Side		Down		Down		Down		Down		Up		Down		Down	
Time Interval	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short
Sulfate																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	--	--	D	--	D	--	D	--	D	--	D	--	--	--	D	--	I	--
Probability	0.252	0.634	4.09E-09	0.904	7.51E-08	0.276	4.94E-06	0.812	9.27E-12	0.276	3.36E-02	0.143	0.783	0.904	0.0064	0.473	0.0012	0.28
Significant	NO	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO
Alkalinity																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	32	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	19	36	8	50	8	50	8
Trend	--	--	D	--	D	--	--	--	D	--	D	--	--	--	D	--	I	--
Probability	0.150	0.904	0.000	0.227	0.000	0.398	0.9867	0.812	0.000	0.47	0.0000	0.398	0.795	0.812	0.0000	1.000	0.00	0.548
Significant	NO	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO
Arsenic																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	1	0	1	0	14	0	0	0	50	8	24	0	33	8	0	0	0	0
Trend	--	--	--	--	D	--	--	--	D	--	D	--	I	--	--	--	--	--
Probability	--	--	0.947	--	3.80E-03	--	--	--	0.012	0.11	2.70E-06	--	0.004	0.904	--	--	--	--
Significant	--	--	--	--	YES	--	--	--	YES	NO	YES	--	YES	NO	--	--	--	--
Calcium																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	--	--	D	--	D	--	--	--	D	--	D	--	--	--	D	--	I	--
Probability	0.052	1.00	7.81E-03	0.720	5.53E-09	1.000	0.255	1.000	2.88E-05	0.398	8.15E-05	0.55	0.095	0.812	4.28E-08	0.178	8.25E-06	0.812
Significant	NO	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO
Magnesium																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	12	50	8	36	8	50	8	50	8
Trend	--	--	D	--	D	--	I	--	--	--	--	--	I	--	--	--	--	--
Probability	0.514	0.904	2.04E-04	0.904	0.000	0.398	0.008	0.398	0.993	0.398	0.99	0.227	0.022	0.904	0.99	0.40	0.993	0.548
Significant	NO	NO	YES	NO	YES	NO	YES	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	NO
Potassium																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	7	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	--	--	D	--	D	--	D	--	D	--	D	--	--	--	D	--	I	--
Probability	0.235	0.812	0.018	0.548	1.39E-06	1.000	2.81E-06	0.904	1.40E-10	0.108	4.82E-03	0.720	0.783	0.904	1.58E-06	0.276	0.034	0.398
Significant	NO	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	NO	NO	YES	NO	YES	NO

D = Decreasing concentrations
I = Increasing concentrations
Probability = probality that the null hypotesis is true.
Ho = There is no trend.

Significant = The trend is significant at a p = 0.05 level.

Hobart Landfill
Trend Tables

Short = most recent 8 samples, starting with September 2012 samples.
Long = next most recent 50 samples, earliest samples taken in 1996

	SHALLOW AQUIFER												DEEP AQUIFER					
Well Location	**MW-11**		**MW-6**		**MW-1**		**MW-4**		**MW-10**		**MW-18**		**MW-25**		**MW-7**		**MW-3**	
*Gradient Location	Up		Side		Down		Down		Down		Down		Up		Down		Down	
Time Interval	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short
Sodium																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
Trend	--	--	D	D	--	--	--	--	D	--	D	--	--	--	D	--	--	D
Probability	0.993	0.108	1.46E-04	0.023	0.114	0.904	0.707	0.720	2.82E-13	0.178	6.74E-07	0.398	0.277	0.178	6.18E-07	0.398	0.575	0.047
Significant	NO	NO	YES	YES	NO	NO	NO	NO	YES	NO	YES	NO	NO	NO	YES	NO	NO	YES
Iron																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	40	0	48	0	50	7	39	0	50	8	50	8	28	0	46	0	43	0
Trend	--	--	--	--	D	--	I	--	D	--	D	--	--	--	--	--	--	--
Probability	0.225	--	0.520	--	7.25E-03	0.720	0.008	--	4.63E-05	0.90	3.62E-13	1.000	0.685	--	0.349	--	0.2382	--
Significant	NO	--	NO	--	YES	NO	YES	--	YES	NO	YES	NO	NO	--	NO	--	NO	--
Manganese																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	4	0	49	4	50	8	6	1	50	8	50	8	5	0	6	1	50	8
Trend	--	--	D	--	--	--	--	--	D	--	D	--	--	--	--	--	I	--
Probability	0.874	--	2.17E-10	0.634	0.16	0.812	0.725	--	8.45E-04	0.276	2.66E-15	0.178	0.120	--	0.987	--	0.000	0.548
Significant	NO	--	YES	NO	NO	NO	NO	--	YES	NO	YES	NO	NO	--	NO	--	YES	NO
1,1-Dichloroethane																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	12	36	8	50	8	50	8
No. of Detections	0	0	15	0	0	0	0	1	0	0	0	0	0	0	14	0	0	0
Trend	--	--	D	--	--	--	--	--	--	--	--	--	--	--	D	--	--	--
Probability	--	--	9.82E-04	--	--	--	--	--	--	--	--	--	--	--	6.56E-03	--	--	--
Significant	--	--	YES	--	--	--	--	--	--	--	--	--	--	--	YES	--	--	--
cis 1,2-Dichloroethene																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Trend	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Probability	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Significant	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trend	--	--	D	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Probability	--	--	5.08E-03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Significant	--	--	YES	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

D = Decreasing concentrations
I = Increasing concentrations
Probability = probality that the null hypotesis is true.
Ho = There is no trend.

Significant = The trend is significant at a p = 0.05 level.

Hobart Landfill
Trend Tables

Short = most recent 8 samples, starting with September 2012 samples.
Long = next most recent 50 samples, earliest samples taken in 1996

	SHALLOW AQUIFER												DEEP AQUIFER					
Well Location	**MW-11**		**MW-6**		**MW-1**		**MW-4**		**MW-10**		**MW-18**		**MW-25**		**MW-7**		**MW-3**	
*Gradient Location	Up		Side		Down		Down		Down		Down		Up		Down		Down	
Time Interval	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short	Long	Short
Vinyl chloride																		
No. of Analyses	50	8	50	8	50	8	50	8	50	8	50	8	36	8	50	8	50	8
No. of Detections	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Trend	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Probability	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Significant	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		

NOTE Previous Period of Record excluding the last 8 sampling quarters.
Last 8 Results from the 8 most recent sampling quarters.
* Gradient indicates location of monitoring well relative to the hydraulic gradient and the placement of Solid Waste.

D = Decreasing concentrations
I = Increasing concentrations
Probability = probality that the null hypotesis is true.
Ho = There is no trend.

Significant = The trend is significant at a p = 0.05 level.


APPENDIX D

Time Concentration Plots for Shallow Aquifer

Upgradient Well: MW-11


Parameters


pH
Specific Conductance
Total Dissolved Solids
Alkalinity
Ammonia
Chloride
Nitrate
Sulfate
Arsenic
Calcium
Magnesium
Potassium
Sodium
Iron
Manganese
1,1-Dichloroethane
cis-1,2-Dichloroethene
1,1,1-Trichloroethane
Vinyl Chloride
Dichlorodifluoromethane



Hobart Landfill Shallow Aquifer
Field pH
pH Units
9.5
9
8.5
8
7.5
7
6.5
6
5.5
5
4.5
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
Upper Limit
Lower Limit
Slurry Wall

Hobart Landfill Shallow Aquifer
Field Specific Conductance


Groundwater Quality Standard 700 umhos/cm





Hobart Landfill Shallow Aquifer
Total Dissolved Solids (TDS)
Groundwater Quality Standard 500 mg/L
mg/L
300
250
200
150
100
50
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall



Hobart Landfill Shallow Aquifer
Alkalinity
mg/L
140
120
100
80
60
40
20
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall

Hobart Landfill Shallow Aquifer
Ammonia





Hobart Landfill Shallow Aquifer
Chloride





Hobart Landfill Shallow Aquifer
Nitrate
Groundwater Quality Standard 10 mg/L
mg/L
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall


Hobart Landfill Shallow Aquifer
Sulfate





Hobart Landfill Shallow Aquifer
Arsenic
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
GW Criteria
Federal DW Criteria
Slurry Wall
mg/L
0.012
0.009
0.006
0.003
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13

Hobart Landfill Shallow Aquifer
Calcium






Hobart Landfill Shallow Aquifer
Magnesium
mg/L
9
8
7
6
5
4
3
2
1
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall


Hobart Landfill Shallow Aquifer
Potassium
mg/L
0
1
2
3
4
5
6
7
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall


Hobart Landfill Shallow Aquifer
Sodium

Groundwater Quality Standard 20 mg/L





Hobart Landfill Shallow Aquifer
Iron
GW Standard = 0.3 mg/L
Out Of Range Data:
8/25/1987 MW-18=80.4
8/25/1987 MW-6=110
mg/L
25
20
15
10
5
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
GW Standard
DL
Slurry Wall


Hobart Landfill Shallow Aquifer
Manganese



Hobart Landfill Shallow Aquifer
1,1- Dichloroethane


Groundwater Quality Criteria 1 ug/L






Hobart Landfill Shallow Aquifer
cis-1,2-Dichloroethene
Groundwater Quality Criteria 70 ug/L
ug/L
2.5
2
1.5
1
0.5
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall

Hobart Landfill Shallow Aquifer
1,1,1-Trichloroethane

Water Quality Standard 200 µg/L




Hobart Landfill Shallow Aquifer
Vinyl Chloride
10
1
0.1
0.01
ug/L
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
GW Criteria
Federal DW Criteria
Slurry Wall


Hobart Landfill Shallow Aquifer
Dichlorodifluoromethane
ug/L
1
0.8
0.6
0.4
0.2
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-1
MW-10
MW-11
MW-18
MW-4
MW-6
DL
Slurry Wall


APPENDIX E

Time Concentration Plots for Deep Aquifer

Upgradient Well: MW-25


Parameters

pH
Specific Conductance
Total Dissolved Solids
Alkalinity
Ammonia
Chloride
Nitrate
Sulfate
Iron
Manganese
Arsenic
Calcium
Magnesium
Potassium
Sodium
1,1-Dichloroethane
Vinyl Chloride
Dichlorodifluoromethane



Hobart Landfill Deep Aquifer
Field pH
pH Units
9.5
9
8.5
8
7.5
7
6.5
6
5.5
5
4.5
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
Upper Limit
Lower Limit
Slurry Wall


Hobart Landfill Deep Aquifer
Field Specific Conductance

Groundwater Quality Standard 700 umhos/cm





Hobart Landfill Deep Aquifer
Total Dissolved Solids (TDS)





Hobart Landfill Deep Aquifer
Alkalinity
mg/L
300
250
200
150
100
50
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall


Hobart Landfill Deep Aquifer
Ammonia






Hobart Landfill Deep Aquifer
Chloride
Groundwater Quality Standard 250 mg/L
mg/L
20
18
16
14
12
10
8
6
4
2
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall


Hobart Landfill Deep Aquifer
Nitrate






Hobart Landfill Deep Aquifer
Sulfate
Groundwater Quality Standard 250 mg/L
mg/L
20
18
16
14
12
10
8
6
4
2
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall


Hobart Landfill Deep Aquifer
Iron
Out Of Range Data:
3/5/1991 MW-7=0.73
3/6/1991 MW-9=0.45
MW-25
MW-3
MW-7
MW-9
DL
GW Standard
Slurry Wall
mg/L
0.4
0.35
0.3
0.25
0.2
0.15
0.1
0.05
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13



Hobart Landfill Deep Aquifer
Manganese
Out Of Range Data:
3/5/1991 MW-7=0.28
8/21/2008 MW-7=0.23
MW-25
MW-3
MW-7
MW-9
DL
GW Standard
Slurry Wall
mg/L
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13



Hobart Landfill Deep Aquifer
Arsenic
Federal DW Crtiteria 0.01 mg/L
mg/L
0.008
0.007
0.006
0.005
0.004
0.003
0.002
0.001
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
GW Criteria
Slurry Wall


Hobart Landfill Deep Aquifer
Calcium
mg/L
80
70
60
50
40
30
20
10
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall


Hobart Landfill Deep Aquifer
Magnesium
mg/L
25
20
15
10
5
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall


Hobart Landfill Deep Aquifer
Potassium






Hobart Landfill Deep Aquifer
Sodium
Groundwater Quality Standard 20 mg/L
mg/L
14
12
10
8
6
4
2
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall

Hobart Landfill Shallow Aquifer
1,1- Dichloroethane

Groundwater Quality Criteria 1 ug/L




Hobart Landfill Deep Aquifer
Vinyl Chloride
ug/L
10
1
0.1
0.01
0.001
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
GW Criteria
Federal DW Criteria
Slurry Wall


Hobart Landfill Deep Aquifer
Dichlorodifluoromethane
ug/L
5
4
3
2
1
0
Jan-87
Jan-89
Jan-91
Jan-93
Jan-95
Jan-97
Jan-99
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
MW-25
MW-3
MW-7
MW-9
DL
Slurry Wall

APPENDIX F

Hobart Closed Landfill Groundwater Monitoring Data

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-1	6/12/1984	627.87	3.7	624.17
MW-1	8/7/1984	627.87	5.06	622.81
MW-1	12/5/1984	627.87	3.83	624.04
MW-1	2/27/1985	627.87	3.71	624.16
MW-1	6/5/1985	627.87	4.84	623.03
MW-1	7/31/1985	627.87	5.56	622.31
MW-1	4/23/1986	627.87	3.95	623.92
MW-1	8/27/1986	627.87	5.54	622.33
MW-1	5/18/1987	627.87	4.12	623.75
MW-1	8/24/1987	627.87	3.13	624.74
MW-1	11/30/1987	627.87	3.59	624.28
MW-1	3/24/1988	627.87	3.53	624.34
MW-1	5/31/1988	627.87	3.05	624.82
MW-1	8/30/1988	627.87	5.29	622.58
MW-1	3/28/1989	635.52	10.26	625.26
MW-1	5/18/1989	635.52	11.5	624.02
MW-1	9/14/1989	635.52	13.84	621.68
MW-1	11/22/1989	635.52	12.37	623.15
MW-1	2/13/1990	635.52	9.75	625.77
MW-1	5/17/1990	635.52	12.38	623.14
MW-1	12/7/1990	635.52	9.4	626.12
MW-1	2/25/1991	635.52	9.89	625.63
MW-1	6/12/1991	635.52	12.44	623.08
MW-1	9/11/1991	635.52	13.73	621.79
MW-1	12/16/1991	635.52	12.02	623.5
MW-1	3/19/1992	635.52	11.41	624.11
MW-1	6/22/1992	635.52	13.16	622.36
MW-1	9/2/1992	635.52	14.16	621.36
MW-1	9/22/1992	635.52	14.18	621.34
MW-1	12/21/1992	635.52	11.62	623.9
MW-1	12/22/1992	635.52	11.59	623.93
MW-1	3/22/1993	635.52	12.23	623.29
MW-1	3/24/1993	635.52	11.6	623.92
MW-1	6/17/1993	635.52	11.49	624.03
MW-1	6/23/1993	635.52	11.69	623.83
MW-1	9/17/1993	635.52	13.55	621.97
MW-1	12/20/1993	635.52	12.43	623.09
MW-1	3/14/1994	635.52	10.99	624.53
MW-1	3/15/1994	635.52	10.99	624.53
MW-1	6/23/1994	635.52	12.95	622.57
MW-1	8/22/1994	635.52	13.83	621.69
MW-1	12/21/1994	635.52	10.41	625.11
MW-1	3/7/1995	635.52	10.25	625.27
MW-1	5/25/1995	635.52	12.78	622.74
MW-1	9/13/1995	635.52	14.13	621.39
MW-1	12/18/1995	635.52	9.59	625.93
MW-1	3/15/1996	635.52	11.02	624.5
MW-1	5/23/1996	635.52	10.98	624.54
MW-1	7/29/1996	635.52	13.13	622.39
MW-1	7/29/1996	635.52	13.13	622.39
MW-1	12/2/1996	635.52	10.28	625.24
MW-1	2/19/1997	635.52	9.55	625.97
MW-1	3/6/1997	635.52	10.03	625.49
MW-1	5/16/1997	635.52	10.89	624.63
MW-1	5/19/1997	635.52	11.01	624.51
MW-1	8/14/1997	635.52	12.65	622.87
MW-1	8/19/1997	635.52	12.74	622.78
MW-1	12/3/1997	635.52	12.02	623.5
MW-1	2/10/1998	635.52	10.74	624.78
MW-1	3/6/1998	635.52	11.08	624.44

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-1	3/26/1998	635.52	10.99	624.53
MW-1	5/15/1998	635.52	12.7	622.82
MW-1	5/18/1998	635.52	12.7	622.82
MW-1	8/21/1998	635.52	13.63	621.89
MW-1	8/25/1998	635.52	13.65	621.87
MW-1	12/3/1998	635.52	10.13	625.39
MW-1	12/4/1998	635.52	10.19	625.33
MW-1	12/4/1998	635.52	10.19	625.33
MW-1	3/8/1999	635.52	9.85	625.67
MW-1	3/8/1999	635.52	9.85	630.67
MW-1	5/21/1999	635.52	12.1	623.42
MW-1	6/10/1999	635.52	12.65	622.87
MW-1	6/10/1999	635.52	12.65	622.87
MW-1	8/16/1999	635.52	13.18	622.34
MW-1	8/17/1999	635.52	13.2	622.32
MW-1	12/7/1999	635.52	9.68	625.84
MW-1	3/3/2000	635.52	10.9	624.62
MW-1	3/6/2000	635.52	10.6	624.92
MW-1	5/17/2000	635.52	11.85	622.67
MW-1	5/17/2000	635.52	11.85	622.67
MW-1	9/5/2000	635.52	13.57	621.95
MW-1	9/5/2000	635.52	13.6	621.92
MW-1	11/28/2000	635.52	12.67	622.85
MW-1	12/1/2000	635.52	12.68	622.84
MW-1	2/13/2001	635.52	12.5	623.02
MW-1	2/13/2001	635.52	12.5	623.02
MW-1	5/25/2001	635.52	11.85	623.67
MW-1	5/25/2001	635.52	11.85	623.67
MW-1	8/9/2001	635.52	13.39	622.13
MW-1	8/13/2001	635.52	13.45	622.07
MW-1	12/6/2001	635.52	9.77	625.75
MW-1	12/10/2001	635.52	9.71	625.81
MW-1	2/26/2002	635.52	9.95	625.57
MW-1	2/27/2002	635.52	10.11	625.41
MW-1	5/16/2002	635.52	11.55	623.97
MW-1	5/17/2002	635.52	11.6	623.92
MW-1	8/29/2002	635.52	13.88	621.64
MW-1	11/21/2002	635.52	13.98	621.54
MW-1	11/21/2002	635.52	13.98	621.54
MW-1	2/12/2003	635.52	10.98	624.54
MW-1	2/13/2003	635.52	10.95	624.57
MW-1	5/15/2003	635.52	11.38	624.14
MW-1	5/16/2003	635.52	11.4	624.12
MW-1	8/6/2003	635.52	13.68	621.84
MW-1	8/7/2003	635.52	13.68	621.84
MW-1	11/10/2003	635.52	12.8	622.72
MW-1	11/12/2003	635.52	12.82	622.7
MW-1	2/20/2004	635.52	9.94	625.58
MW-1	2/20/2004	635.52	9.94	625.58
MW-1	5/17/2004	635.52	13.05	622.47
MW-1	5/18/2004	635.52	13.11	622.41
MW-1	8/11/2004	635.52	13.52	622
MW-1	9/1/2004	635.52	12.3	623.22
MW-1	11/17/2004	635.52	12.57	622.95
MW-1	11/17/2004	635.52	12.57	622.951
MW-1	2/18/2005	635.52	11.35	624.17
MW-1	2/22/2005	635.52	11.55	623.97
MW-1	5/19/2005	635.52	11.23	624.29
MW-1	8/9/2005	635.52	13.43	622.09
MW-1	8/11/2005	635.52	13.14	622.38

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-1	12/5/2005	635.52	12.14	623.38
MW-1	12/6/2005	635.52	12.14	623.38
MW-1	2/10/2006	635.52	9.62	625.9
MW-1	2/10/2006	635.52	9.62	625.9
MW-1	5/16/2006	635.52	12.24	623.28
MW-1	5/18/2006	635.52	12.29	623.23
MW-1	8/18/2006	635.52	13.38	622.14
MW-1	8/22/2006	635.52	13.58	621.94
MW-1	11/30/2006	635.52	9.6	625.92
MW-1	12/5/2006	635.52	9.98	625.54
MW-1	2/14/2007	635.52	11.3	624.22
MW-1	2/14/2007	635.52	11.3	624.22
MW-1	5/16/2007	635.52	12.08	623.44
MW-1	5/17/2007	635.52	12.1	623.42
MW-1	8/22/2007	635.52	13.84	621.68
MW-1	8/22/2007	635.52	13.84	621.68
MW-1	11/21/2007	635.52	12.55	622.97
MW-1	11/30/2007	635.52	12.42	623.1
MW-1	1/31/2008	635.52	10.58	624.94
MW-1	2/28/2008	635.52	10.63	624.89
MW-1	6/2/2008	635.52	12.03	623.49
MW-1	6/2/2008	635.52	12.03	623.49
MW-1	8/20/2008	635.52	13.48	622.04
MW-1	8/21/2008	635.52	13.4	622.12
MW-1	12/1/2008	635.52	11.33	624.19
MW-1	12/2/2008	635.52	11.29	624.23
MW-1	2/26/2009	635.52	11.68	623.84
MW-1	3/3/2009	635.52	11.94	623.58
MW-1	5/27/2009	635.52	11.93	623.59
MW-1	5/29/2009	635.52	12.05	623.47
MW-1	8/28/2009	635.52	14.15	621.37
MW-1	9/1/2009	635.52	14.23	621.29
MW-1	11/24/2009	635.52	10.62	624.9
MW-1	11/30/2009	635.52	10.68	624.84
MW-1	2/26/2010	635.52	11.41	624.11
MW-1	3/1/2010	635.52	11.47	624.05
MW-1	5/21/2010	635.52	11.53	623.99
MW-1	5/26/2010	635.52	11.37	624.15
MW-1	8/20/2010	635.52	13.08	622.44
MW-1	8/23/2010	635.52	13.18	622.34
MW-1	12/1/2010	635.52	10.7	624.82
MW-1	12/3/2010	635.52	10.76	624.76
MW-1	2/23/2011	635.52	10.45	625.07
MW-1	2/24/2011	635.52	10.45	625.07
MW-1	5/31/2011	635.52	10.68	624.84
MW-1	6/6/2011	635.52	10.66	624.86
MW-1	8/24/2011	635.52	13.45	622.07
MW-1	8/25/2011	635.52	13.45	622.07
MW-1	1/5/2012	635.52	11.97	623.55
MW-1	1/27/2012	635.52	9.84	625.68
MW-1	2/22/2012	635.52	8.86	626.66
MW-1	3/5/2012	635.52	9.96	625.56
MW-1	5/16/2012	635.52	10.83	624.69
MW-1	5/21/2012	635.52	11.05	624.47
MW-1	8/27/2012	635.52	13.38	622.14
MW-1	8/28/2012	635.52	13.43	622.09
MW-1	9/21/2012	635.52	13.83	621.69
MW-1	10/26/2012	635.52	14.11	621.41
MW-1	11/27/2012	635.52	11.13	624.39
MW-1	11/29/2012	635.52	11.34	624.18

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-1	12/21/2012	635.52	9.68	625.84
MW-1	1/25/2013	635.52	10.57	624.95
MW-1	2/26/2013	635.52	10.75	624.77
MW-1	2/28/2013	635.52	10.8	624.72
MW-1	3/29/2013	635.52	11.39	624.13
MW-1	4/26/2013	635.52	9.71	625.81
MW-1	5/14/2013	635.52	10.91	624.61
MW-1	5/16/2013	635.52	10.7	624.82
MW-1	6/14/2013	635.52	12.39	623.13
MW-1	7/30/2013	635.52	13.57	621.95
MW-1	8/12/2013	635.52	13.77	621.75
MW-1	8/20/2013	635.52	13.91	621.61
MW-1	9/20/2013	635.52	14.25	621.27
MW-10	6/11/1987	632.73	9.66	623.07
MW-10	8/24/1987	632.73	10.61	622.12
MW-10	12/9/1987	632.73	8.65	624.08
MW-10	3/14/1988	632.73	8.56	624.17
MW-10	5/25/1988	632.73	8.3	624.43
MW-10	9/2/1988	632.73	10.25	622.48
MW-10	11/14/1988	632.73	8.54	624.19
MW-10	3/6/1989	632.73	8.35	624.38
MW-10	6/23/1989	632.73	9.88	622.85
MW-10	9/14/1989	632.73	10.81	621.92
MW-10	12/11/1989	632.73	8.08	624.65
MW-10	2/13/1990	632.73	7.3	625.43
MW-10	5/21/1990	632.73	9.71	623.02
MW-10	3/6/1991	632.73	7.66	625.07
MW-10	6/19/1991	632.73	9.99	622.74
MW-10	9/18/1991	632.73	10.9	621.83
MW-10	12/13/1991	632.73	8.99	623.74
MW-10	3/23/1992	632.73	9.03	623.7
MW-10	6/29/1992	632.73	10.52	622.21
MW-10	9/2/1992	632.73	11.32	621.41
MW-10	9/28/1992	632.73	11	621.73
MW-10	12/21/1992	632.73	8.64	624.09
MW-10	12/23/1992	632.73	8.45	624.28
MW-10	3/22/1993	632.73	9.37	623.36
MW-10	3/26/1993	632.73	8.36	624.37
MW-10	6/18/1993	632.73	8.93	623.8
MW-10	6/23/1993	632.73	9.16	623.57
MW-10	9/23/1993	632.73	10.77	621.96
MW-10	12/29/1993	632.73	10	622.73
MW-10	3/14/1994	632.73	8.49	624.24
MW-10	3/18/1994	632.73	8.49	624.24
MW-10	6/28/1994	632.73	10.18	622.55
MW-10	8/24/1994	632.73	11.03	621.7
MW-10	12/21/1994	632.73	9.25	623.48
MW-10	12/21/1994	632.73	9.25	623.48
MW-10	3/8/1995	632.73	8.2	624.53
MW-10	5/26/1995	632.73	10.21	622.52
MW-10	9/18/1995	632.73	11.27	621.46
MW-10	12/20/1995	632.73	7.34	625.39
MW-10	3/18/1996	632.73	8.75	623.98
MW-10	5/24/1996	632.73	8.63	624.1
MW-10	7/29/1996	632.73	10.85	621.88
MW-10	7/31/1996	632.73	10.85	621.88
MW-10	12/3/1996	632.73	7.75	624.98
MW-10	2/19/1997	632.73	7.88	624.85
MW-10	3/7/1997	632.73	7.75	624.98
MW-10	5/16/1997	632.73	8.66	624.07

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-10	8/14/1997	632.73	10.11	622.62
MW-10	8/20/1997	632.73	10.2	622.53
MW-10	12/3/1997	632.73	9.31	623.42
MW-10	12/4/1997	632.73	9.36	623.37
MW-10	2/10/1998	632.73	8.48	624.25
MW-10	3/10/1998	632.73	8.71	624.02
MW-10	3/26/1998	632.73	8.73	624
MW-10	5/15/1998	632.73	10.05	622.68
MW-10	5/19/1998	632.73	10.16	622.57
MW-10	8/21/1998	632.73	10.76	621.97
MW-10	8/26/1998	632.73	10.81	621.92
MW-10	12/3/1998	632.73	7.63	625.1
MW-10	12/7/1998	632.73	7.84	624.89
MW-10	12/8/1998	632.73	7.84	624.89
MW-10	3/9/1999	632.73	7.68	625.05
MW-10	3/9/1999	632.73	7.68	625.05
MW-10	5/21/1999	632.73	9.52	623.21
MW-10	6/11/1999	632.73	10	622.73
MW-10	8/16/1999	632.73	10.44	622.29
MW-10	8/18/1999	632.73	10.48	622.25
MW-10	12/7/1999	632.73	7.37	625.36
MW-10	3/3/2000	632.73	8.62	624.11
MW-10	3/7/2000	632.73	8.29	624.44
MW-10	5/17/2000	632.73	9.39	623.34
MW-10	5/19/2000	632.73	9.4	623.33
MW-10	9/5/2000	632.73	10.78	621.95
MW-10	11/28/2000	632.73	10.08	622.65
MW-10	12/11/2000	632.73	10.15	622.58
MW-10	2/13/2001	632.73	9.77	622.96
MW-10	2/13/2001	632.73	9.77	622.96
MW-10	5/25/2001	632.73	9.37	623.36
MW-10	5/31/2001	632.73	9.63	623.1
MW-10	8/9/2001	632.73	10.65	622.1
MW-10	8/14/2001	632.73	10.69	622.04
MW-10	12/6/2001	632.73	7.53	625.2
MW-10	12/11/2001	632.73	7.53	625.2
MW-10	2/26/2002	632.73		
MW-10	2/27/2002	632.73	7.73	625
MW-10	5/16/2002	632.73	9.28	623.45
MW-10	5/17/2002	632.73	9.29	623.44
MW-10	8/30/2002	632.73	11.05	621.68
MW-10	11/21/2002	632.73	11.12	622.61
MW-10	11/22/2002	632.73	11.05	621.68
MW-10	2/12/2003	632.73	8.5	624.23
MW-10	2/13/2003	632.73	8.53	624.2
MW-10	5/15/2003	632.73	9.07	623.66
MW-10	5/15/2003	632.73	9.07	623.66
MW-10	8/6/2003	632.73	10.93	621.8
MW-10	11/10/2003	632.73	10.12	522.05
MW-10	11/13/2003	632.73	10.1	622.63
MW-10	2/20/2004	632.73	7.8	624.93
MW-10	2/23/2004	632.73	7.98	624.75
MW-10	5/17/2004	632.73	10.43	622.3
MW-10	5/20/2004	632.73	10.43	622.3
MW-10	8/11/2004	632.73	10.83	621.9
MW-10	9/1/2004	632.73	9.45	623.28
MW-10	11/17/2004	632.73	9.97	622.76
MW-10	11/17/2004	632.73	9.98	622.75
MW-10	2/18/2005	632.73	9.06	623.67
MW-10	2/18/2005	632.73	9.06	623.67

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-10	5/20/2005	632.73	8.91	623.82
MW-10	8/9/2005	632.73	10.73	622
MW-10	8/15/2005	632.73	10.77	621.95
MW-10	12/5/2005	632.73	9.6	623.13
MW-10	12/5/2005	632.73	9.6	623.13
MW-10	2/10/2006	632.73	7.45	625.28
MW-10	2/10/2006	632.73	7.45	625.28
MW-10	5/16/2006	632.73	9.76	622.97
MW-10	5/22/2006	632.73	9.9	622.83
MW-10	8/18/2006	632.73	10.69	622.04
MW-10	8/22/2006	632.73	10.85	621.88
MW-10	11/30/2006	632.73	7.53	625.2
MW-10	12/1/2006	632.73	7.57	625.16
MW-10	2/14/2007	632.73	9.11	623.62
MW-10	2/14/2007	632.73	9.11	623.62
MW-10	5/16/2007	632.73	9.67	623.06
MW-10	5/17/2007	632.73	9.67	623.06
MW-10	8/22/2007	632.73	11.08	621.65
MW-10	8/24/2007	632.73	11.07	621.66
MW-10	11/21/2007	632.73	9.63	623.1
MW-10	11/30/2007	632.73	9.59	623.14
MW-10	1/31/2008	632.73	8.53	624.2
MW-10	2/29/2008	632.73	8.37	624.36
MW-10	6/2/2008	632.73	9.51	623.22
MW-10	6/2/2008	632.73	9.51	623.22
MW-10	8/20/2008	632.73	10.78	621.95
MW-10	8/20/2008	632.73	10.75	621.95
MW-10	12/1/2008	632.73	9.03	623.7
MW-10	12/3/2008	632.73	9	623.73
MW-10	2/26/2009	632.73	9.6	623.13
MW-10	2/27/2009	632.73	9.6	623.13
MW-10	5/27/2009	632.73	9.57	623.16
MW-10	6/2/2009	623.73	9.79	613.94
MW-10	8/28/2009	632.73	11.58	621.15
MW-10	8/28/2009	632.73	11.58	621.15
MW-10	11/24/2009	632.73	8.35	624.38
MW-10	12/1/2009	632.73	8.27	624.46
MW-10	2/26/2010	632.73	9.21	623.52
MW-10	3/1/2010	632.73	9.3	623.43
MW-10	5/21/2010	632.73	5.72	627.01
MW-10	5/27/2010	632.73	9.12	623.61
MW-10	8/20/2010	632.73	10.64	622.09
MW-10	8/30/2010	632.73	10.85	621.88
MW-10	12/1/2010	632.73	8.78	623.95
MW-10	12/1/2010	632.73	8.78	623.95
MW-10	2/23/2011	632.73	8.25	624.48
MW-10	2/24/2011	632.73	8.3	624.43
MW-10	5/31/2011	632.73	8.55	624.18
MW-10	6/2/2011	632.73	8.52	624.21
MW-10	8/24/2011	632.73	10.92	621.81
MW-10	8/26/2011	632.73	10.95	621.78
MW-10	12/1/2011	632.73	9.14	623.59
MW-10	12/6/2011	632.73	9.43	623.3
MW-10	2/22/2012	632.73	7.42	625.31
MW-10	3/5/2012	632.73	7.85	624.88
MW-10	5/16/2012	632.73	8.66	624.07
MW-10	5/21/2012	632.73	8.87	623.86
MW-10	8/27/2012	632.73	10.88	621.85
MW-10	8/29/2012	632.73	10.93	621.8
MW-10	11/27/2012	632.73	8.63	624.1

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-10	11/28/2012	632.73	8.73	624
MW-10	2/26/2013	632.73	8.73	624
MW-10	2/28/2013	632.73	8.79	623.94
MW-10	5/14/2013	632.73	8.78	623.95
MW-10	5/21/2013	632.73	9.19	623.54
MW-10	8/12/2013	632.73	11.23	621.5
MW-10	8/20/2013	632.73	11.35	621.38
MW-11	8/25/1987	651.17	28.82	622.35
MW-11	11/24/1987	651.17	24.5	626.67
MW-11	3/15/1988	651.17	24.68	626.49
MW-11	6/8/1988	651.17	24.27	626.9
MW-11	9/9/1988	651.17	27.43	623.74
MW-11	11/29/1988	651.17	22.45	628.72
MW-11	2/21/1989	651.17	24.96	626.21
MW-11	6/26/1989	651.17	27	624.17
MW-11	9/19/1989	651.17	27.58	623.59
MW-11	12/8/1989	651.17	21.03	630.14
MW-11	3/9/1990	651.17	23.05	628.12
MW-11	5/18/1990	651.17	26.55	624.62
MW-11	12/13/1990	651.17	19.88	631.29
MW-11	2/22/1991	651.17	18.05	633.12
MW-11	6/10/1991	651.17	27.19	623.98
MW-11	9/10/1991	651.17	27.65	623.52
MW-11	11/15/1991	651.17	25.35	625.82
MW-11	12/13/1991	651.17	23.54	627.63
MW-11	3/17/1992	651.17	25.35	625.82
MW-11	6/25/1992	651.17	27.68	623.49
MW-11	9/2/1992	651.17	29.3	621.87
MW-11	9/23/1992	651.17	29.4	621.77
MW-11	12/21/1992	651.17	22.39	628.78
MW-11	3/22/1993	651.17	24.49	626.68
MW-11	3/29/1993	651.17	22.84	628.45
MW-11	6/21/1993	651.17	25.43	625.74
MW-11	6/21/1993	651.17	25.43	625.74
MW-11	6/23/1993	651.17	24.79	626.38
MW-11	9/24/1993	651.17	28.1	623.07
MW-11	12/28/1993	651.17	27.15	624.02
MW-11	3/14/1994	651.17	23.76	627.41
MW-11	3/16/1994	651.17	23.76	627.41
MW-11	6/24/1994	651.17	27.42	623.75
MW-11	8/25/1994	651.17	28.41	622.76
MW-11	12/19/1994	651.17	25.91	625.26
MW-11	3/8/1995	651.17	23.67	627.5
MW-11	5/31/1995	651.17	27.72	623.45
MW-11	9/20/1995	651.17	28.18	623.99
MW-11	12/19/1995	651.17	19.92	631.25
MW-11	3/15/1996	651.17	24.26	626.91
MW-11	5/28/1996	651.17	24.88	626.29
MW-11	7/29/1996	651.17	27.25	623.92
MW-11	8/5/1996	651.17	27.48	623.69
MW-11	12/5/1996	651.17	19.9	631.27
MW-11	2/19/1997	651.17	12.88	638.29
MW-11	3/6/1997	651.17	22.08	629.09
MW-11	5/16/1997	651.17	24.18	626.99
MW-11	5/20/1997	651.17	24.63	626.54
MW-11	8/14/1997	651.17	27.52	623.65
MW-11	8/20/1997	651.17	27.7	623.47
MW-11	8/20/1997	651.17	27.7	623.47
MW-11	12/3/1997	651.17	25.53	625.64
MW-11	2/10/1998	651.17	23.78	627.39

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-11	3/9/1998	651.17	25.22	625.95
MW-11	3/26/1998	651.17	24.77	626.4
MW-11	5/15/1998	651.17	27.52	623.65
MW-11	5/18/1998	651.17	27.57	623.6
MW-11	8/21/1998	651.17	27.75	623.42
MW-11	8/26/1998	651.17	27.79	623.38
MW-11	12/3/1998	651.17	20.53	630.64
MW-11	12/4/1998	651.17	20.74	630.43
MW-11	12/4/1998	651.17	20.74	630.43
MW-11	3/9/1999	651.17	20.32	630.85
MW-11	3/9/1999	651.17	20.32	630.85
MW-11	5/21/1999	651.17	26.18	624.99
MW-11	6/14/1999	651.17	27.15	624.02
MW-11	8/17/1999	651.17	27.76	623.41
MW-11	12/8/1999	651.17	19.63	631.54
MW-11	3/3/2000	651.17	24.64	626.53
MW-11	3/3/2000	651.17	24.64	626.53
MW-11	5/17/2000	651.17	26.25	624.92
MW-11	5/18/2000	651.17	26.4	624.77
MW-11	9/5/2000	651.17	28.05	623.12
MW-11	9/7/2000	651.17	28.02	623.15
MW-11	11/28/2000	651.17	25.22	625.95
MW-11	12/5/2000	651.17	26.33	624.84
MW-11	2/13/2001	651.17	26.51	624.66
MW-11	2/16/2001	651.17	26.84	624.33
MW-11	5/25/2001	651.17	26.71	624.46
MW-11	5/29/2001	651.17	27.08	624.09
MW-11	8/9/2001	651.17	28.24	622.93
MW-11	8/14/2001	651.17	28.26	622.91
MW-11	12/6/2001	651.17	20.21	630.96
MW-11	12/6/2001	651.17	20.21	630.96
MW-11	2/26/2002	651.17	20.9	630.27
MW-11	5/16/2002	651.17	26.27	624.9
MW-11	5/20/2002	651.17	26.72	624.45
MW-11	8/30/2002	651.17	28.51	622.66
MW-11	11/21/2002	651.17	26.92	624.25
MW-11	11/22/2002	651.17	26.96	624.21
MW-11	2/12/2003	651.17	23.79	627.38
MW-11	2/13/2003	651.17	23.97	627.2
MW-11	5/15/2003	651.17	26.01	625.16
MW-11	5/15/2003	651.17	26.01	625.16
MW-11	8/6/2003	651.17	28.49	622.68
MW-11	8/7/2003	651.17	28.39	622.78
MW-11	11/10/2003	651.17	27.92	623.25
MW-11	11/13/2003	651.17	27.94	623.23
MW-11	2/20/2004	651.17	21.42	629.75
MW-11	2/23/2004	651.17	22.12	629.05
MW-11	5/17/2004	651.17	28.13	623.04
MW-11	5/20/2004	651.17	28.15	623.02
MW-11	8/11/2004	651.17	28.38	622.79
MW-11	9/1/2004	651.17	25.88	625.29
MW-11	11/17/2004	651.17	27.23	623.94
MW-11	11/17/2004	651.17	27.23	623.94
MW-11	2/18/2005	651.17	25.96	625.21
MW-11	2/18/2005	651.17	25.96	625.21
MW-11	5/23/2005	651.17	25.55	625.62
MW-11	8/9/2005	651.17	28.34	622.83
MW-11	8/12/2005	651.17	28.34	622.83
MW-11	12/5/2005	651.17	26.82	624.35
MW-11	12/6/2005	651.17	26.84	624.33

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-11	2/10/2006	651.17	20.05	631.12
MW-11	2/13/2006	651.17	21.1	630.07
MW-11	5/16/2006	651.17	27.3	623.87
MW-11	5/17/2006	651.17	27.38	623.79
MW-11	8/18/2006	651.17	28.43	622.74
MW-11	8/24/2006	651.17	28.47	622.7
MW-11	11/30/2006	651.17	20.3	630.87
MW-11	12/1/2006	651.17	20.5	630.57
MW-11	2/14/2007	651.17	25.95	625.22
MW-11	2/15/2007	651.17	26.08	625.09
MW-11	5/16/2007	651.17	27.19	623.98
MW-11	5/21/2007	651.17	27.47	623.7
MW-11	8/22/2007	651.17	28.45	622.72
MW-11	8/23/2007	651.17	28.35	622.82
MW-11	11/21/2007	651.17	25.12	626.05
MW-11	12/3/2007	627.55	23.62	627.55
MW-11	1/31/2008	651.17	24.21	626.96
MW-11	2/28/2008	651.17	23.35	627.82
MW-11	6/2/2008	651.17	26.75	624.42
MW-11	6/3/2008	651.17	26.85	624.32
MW-11	8/20/2008	651.17	28.35	622.82
MW-11	8/21/2008	651.17	28.24	622.93
MW-11	12/1/2008	651.17	26.51	624.66
MW-11	12/3/2008	651.69	26.43	625.26
MW-11	2/26/2009	351.17	28.65	322.52
MW-11	2/27/2009	651.69	28.11	623.58
MW-11	5/26/2009	651.69	28	623.69
MW-11	5/27/2009	651.17	27.91	623.26
MW-11	8/28/2009	651.17	31.88	619.29
MW-11	9/1/2009	651.69	32.08	619.61
MW-11	11/24/2009	651.17	25.14	626.03
MW-11	11/24/2009	651.69	25.16	626.53
MW-11	2/26/2010	651.17	27.55	623.62
MW-11	3/2/2010	651.69	27.78	623.91
MW-11	5/21/2010	651.17	27.65	623.52
MW-11	5/26/2010	651.69	27.72	623.97
MW-11	8/20/2010	651.17	30.4	620.77
MW-11	8/20/2010	651.69	30.4	621.29
MW-11	12/1/2010	651.17	25.31	625.86
MW-11	12/2/2010	651.69	25.44	626.25
MW-11	2/23/2011	651.69	23.93	627.76
MW-11	2/28/2011	651.69	24.67	627.02
MW-11	5/31/2011	651.69	26.3	625.39
MW-11	6/2/2011	651.69	24.95	626.74
MW-11	8/24/2011	651.69	30.94	620.75
MW-11	8/26/2011	651.69	31.02	620.67
MW-11	12/1/2011	651.17	26.97	624.2
MW-11	12/5/2011	651.69	27.64	624.05
MW-11	1/27/2012	651.69	20.85	630.84
MW-11	2/22/2012	651.69	20.43	631.26
MW-11	2/27/2012	651.69	20.46	631.23
MW-11	5/16/2012	651.17	25.13	626.04
MW-11	5/21/2012	651.69	26	625.69
MW-11	8/27/2012	651.69	30.87	620.82
MW-11	8/28/2012	651.69	30.9	620.79
MW-11	9/21/2012	651.69	31.77	619.92
MW-11	10/26/2012	651.69	32.28	619.41
MW-11	11/20/2012	651.69	27.12	624.57
MW-11	11/27/2012	651.69	26.09	625.6
MW-11	12/21/2012	651.69	21.97	629.72

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-11	1/25/2013	651.69	24.8	626.89
MW-11	2/26/2013	651.69	26.03	625.66
MW-11	2/27/2013	651.69	26.03	625.66
MW-11	3/29/2013	651.69	27.24	624.45
MW-11	4/26/2013	651.69	20.55	631.14
MW-11	5/14/2013	651.69	25.78	625.91
MW-11	5/21/2013	651.69	25.36	626.33
MW-11	6/14/2013	651.69	29.27	622.42
MW-11	7/30/2013	651.69	31.06	620.63
MW-11	8/12/2013	651.69	31.57	620.12
MW-11	8/22/2013	651.69	31.85	619.84
MW-11	9/20/2013	651.69	31.96	619.73
MW-16	9/2/1992	635.16	10.75	624.41
MW-16	12/21/1992	635.16	8.21	626.95
MW-16	3/22/1993	635.16	7.89	627.27
MW-16	6/23/1993	635.16	6.01	629.15
MW-16	3/14/1994	635.16	4.14	631.02
MW-16	6/23/1994	635.16	8.76	626.4
MW-16	7/29/1996	635.16	8.98	626.18
MW-16	2/19/1997	635.16	3.24	631.92
MW-16	5/16/1997	635.16	4	631.16
MW-16	8/14/1997	635.16	8.05	627.11
MW-16	12/3/1997	635.16	7.93	627.23
MW-16	2/10/1998	635.16	3.48	631.68
MW-16	3/26/1998	635.16	5.44	629.72
MW-16	5/18/1998	635.16	8.21	626.95
MW-16	8/21/1998	635.16	10.09	625.07
MW-16	12/3/1998	635.16	4.22	630.94
MW-16	5/21/1999	635.16	7.86	627.3
MW-16	8/16/1999	635.16	9.08	626.08
MW-16	3/3/2000	635.16	5.55	629.61
MW-16	5/17/2000	635.16	7.14	628.02
MW-16	9/5/2000	635.16	9.78	625.38
MW-16	11/28/2000	635.16	10.53	624.63
MW-16	2/13/2001	636.16	8.8	627.36
MW-16	5/25/2001	635.16	6.56	628.6
MW-16	8/9/2001	635.16	9.4	625.76
MW-16	12/6/2001	636.16	2.36	633.8
MW-16	2/26/2002	635.16		
MW-16	5/16/2002	636.16	5.79	630.37
MW-16	11/21/2002	635.16	11.62	623.54
MW-16	2/12/2003	635.16	4.47	630.69
MW-16	5/15/2003	635.16	5.49	629.67
MW-16	8/6/2003	635.16	9.83	625.33
MW-16	11/10/2003	635.16	8.98	626.18
MW-16	2/20/2004	635.16	2.25	632.91
MW-16	5/17/2004	635.16	8.75	626.41
MW-16	8/11/2004	635.16	9.42	625.74
MW-16	11/17/2004	635.16	8.43	626.73
MW-16	2/18/2005	635.16	5.39	629.77
MW-16	8/9/2005	635.16	9.45	625.71
MW-16	12/5/2005	635.16	8.45	626.71
MW-16	2/10/2006	635.16	0.95	634.21
MW-16	5/16/2006	635.16	7.19	627.97
MW-16	8/18/2006	635.16	9.28	625.88
MW-16	11/30/2006	635.16	1.33	633.83
MW-16	5/16/2007	635.16	7.03	628.13
MW-16	8/22/2007	635.16	10.28	624.88
MW-16	11/21/2007	635.16	8.63	626.53
MW-16	1/31/2008	635.16	4.26	630.9

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-16	6/2/2008	635.16	7.11	628.05
MW-16	8/20/2008	635.16	9.41	625.75
MW-16	12/1/2008	635.16	5.44	629.72
MW-16	2/26/2009	635.16	6.97	628.19
MW-16	5/27/2009	635.16	6.92	628.24
MW-16	8/28/2009	635.16	10.25	624.91
MW-16	11/24/2009	635.16	7.63	627.53
MW-16	2/26/2010	635.16		
MW-16	5/21/2010	635.16	9.3	625.86
MW-16	5/27/2010	639.22	16.05	623.17
MW-16	8/20/2010	635.16	8.58	626.58
MW-16	12/1/2010	635.16	5.74	629.42
MW-16	2/23/2011	635.16	3.11	632.05
MW-16	5/31/2011	635.16	3.42	631.74
MW-16	8/24/2011	635.16	9.15	626.01
MW-16	1/27/2012	635.16	3.94	631.22
MW-16	2/22/2012	635.16	2.39	632.77
MW-16	5/16/2012	635.16	3.75	631.41
MW-16	8/27/2012	635.16	9.07	626.09
MW-16	9/21/2012	635.16	9.74	625.42
MW-16	10/26/2012	635.16	10.38	624.78
MW-16	11/27/2012	635.16	7.68	627.48
MW-16	12/1/2012	635.16	8.71	626.45
MW-16	12/21/2012	635.16	2.73	632.43
MW-16	1/25/2013	635.16	3.75	631.41
MW-16	2/26/2013	635.16	4.45	630.71
MW-16	3/29/2013	635.16	5.85	629.31
MW-16	4/26/2013	635.16	0.91	634.25
MW-16	5/14/2013	635.16	4.15	631.01
MW-16	6/14/2013	635.16	7.55	627.61
MW-16	7/30/2013	635.16	9.38	625.78
MW-16	8/12/2013	635.16	9.69	625.47
MW-16	9/20/2013	635.16	10.4	624.76
MW-18	8/25/1987	639.22		
MW-18	11/23/1987	639.22	15.91	623.31
MW-18	3/10/1988	639.22	14.97	624.25
MW-18	5/25/1988	639.22	14.71	624.51
MW-18	9/7/1988	639.22	16.68	622.54
MW-18	11/18/1988	639.22	14.78	624.44
MW-18	3/6/1989	639.22	14.89	624.33
MW-18	6/28/1989	639.22	16.37	622.85
MW-18	9/12/1989	639.22		
MW-18	12/11/1989	639.22	14.27	624.95
MW-18	3/14/1990	639.22	14.57	624.65
MW-18	5/21/1990	639.22	16.15	623.07
MW-18	12/14/1990	639.22	14.02	625.2
MW-18	3/5/1991	639.22	14.18	625.04
MW-18	6/11/1991	639.22	16.34	622.88
MW-18	9/13/1991	639.22	17.1	622.12
MW-18	12/13/1991	639.22	14.95	624.27
MW-18	3/23/1992	639.22	15.6	623.62
MW-18	6/29/1992	639.22	16.92	622.3
MW-18	9/2/1992	639.22	17.66	621.56
MW-18	9/28/1992	639.22	14.1	625.09
MW-18	12/21/1992	639.22	14.67	624.55
MW-18	12/28/1992	639.22	14.87	624.35
MW-18	3/22/1993	639.22	15.6	623.62
MW-18	3/26/1993	639.22	14.19	625.03
MW-18	6/18/1993	639.22	15.31	623.91
MW-18	6/23/1993	639.22	15.66	623.56

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-18	9/20/1993	639.22	17.15	622.07
MW-18	12/21/1993	639.22	15.64	623.58
MW-18	3/14/1994	639.22	14.98	624.24
MW-18	3/18/1994	639.22	14.98	624.24
MW-18	6/28/1994	639.22	16.63	622.59
MW-18	8/25/1994	639.22	17.4	621.82
MW-18	12/16/1994	639.22	15.72	623.5
MW-18	3/8/1995	639.22	14.74	624.48
MW-18	5/31/1995	639.22	16.77	622.45
MW-18	9/19/1995	639.22	17.56	621.66
MW-18	12/20/1995	639.22	13.97	625.25
MW-18	3/20/1996	639.22	15.45	623.77
MW-18	5/29/1996	639.22	15.42	623.8
MW-18	7/29/1996	639.22	13.75	625.47
MW-18	8/6/1996	639.22	16.79	622.43
MW-18	12/4/1996	639.22	14.04	625.18
MW-18	2/19/1997	639.22	14.42	624.8
MW-18	3/7/1997	639.22	14.28	624.94
MW-18	5/16/1997	639.22	15.24	623.98
MW-18	5/22/1997	639.22	15.5	623.72
MW-18	5/22/1997	639.22	15.5	623.72
MW-18	8/14/1997	639.22	16.58	622.64
MW-18	8/20/1997	639.22	16.67	622.55
MW-18	8/20/1997	639.22	16.67	622.55
MW-18	12/3/1997	639.22	16.08	623.14
MW-18	12/4/1997	639.22	15.65	623.57
MW-18	2/10/1998	639.22	15.08	624.14
MW-18	3/25/1998	639.22	15.42	623.8
MW-18	5/15/1998	639.22	16.54	622.68
MW-18	5/20/1998	639.22	16.62	622.6
MW-18	8/21/1998	639.22	17.04	622.18
MW-18	12/3/1998	639.22	13.83	625.39
MW-18	12/7/1998	639.22	13.83	625.39
MW-18	12/8/1998	639.22	13.83	625.39
MW-18	3/9/1999	639.22	14.1	625.12
MW-18	3/9/1999	639.22	14.1	625.12
MW-18	5/21/1999	639.22	15.92	623.3
MW-18	6/14/1999	639.22	14.77	624.45
MW-18	6/15/1999	639.22	15.92	623.3
MW-18	8/16/1999	639.22	16.9	622.32
MW-18	8/17/1999	639.19	16.9	622.32
MW-18	12/7/1999	639.22	13.69	625.53
MW-18	3/3/2000	639.22	15.2	624.02
MW-18	3/3/2000	639.22	15.2	624.02
MW-18	5/17/2000	639.22	15.74	623.48
MW-18	5/19/2000	639.22	15.88	623.34
MW-18	9/5/2000	639.22	17.11	622.11
MW-18	9/5/2000	639.22	17.11	622.11
MW-18	11/28/2000	639.22	16.48	622.74
MW-18	12/6/2000	639.22	16.23	622.99
MW-18	2/13/2001	639.22	16.08	623.14
MW-18	5/25/2001	639.22	16.21	623.01
MW-18	5/25/2001	639.22	16.21	623.01
MW-18	8/9/2001	639.22	17.09	622.13
MW-18	8/14/2001	639.22	17.43	621.79
MW-18	12/6/2001	639.22	13.88	625.34
MW-18	12/6/2001	639.22	13.88	625.34
MW-18	2/26/2002	639.22	13.95	625.27
MW-18	2/26/2002	639.22	13.95	625.27
MW-18	5/16/2002	639.22	15.84	623.38

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-18	5/20/2002	639.22	16.03	623.19
MW-18	8/29/2002	639.22	17.38	621.84
MW-18	11/21/2002	639.22	17.33	621.89
MW-18	11/21/2002	639.22	17.33	621.89
MW-18	2/12/2003	639.22	14.97	624.25
MW-18	2/12/2003	639.22	14.97	624.25
MW-18	5/15/2003	639.22	15.84	623.32
MW-18	5/15/2003	639.22	15.85	623.37
MW-18	8/6/2003	639.22	17.35	621.87
MW-18	8/7/2003	639.22	17.35	621.87
MW-18	11/10/2003	639.22	16.65	622.57
MW-18	11/13/2003	639.22	16.66	622.56
MW-18	2/20/2004	639.22	14.4	624.82
MW-18	2/23/2004	639.22	14.55	624.67
MW-18	5/17/2004	639.22	16.91	622.31
MW-18	5/19/2004	639.22	17.05	622.17
MW-18	8/11/2004	639.22	17.2	622.02
MW-18	9/3/2004	639.22	15.83	623.39
MW-18	11/17/2004	639.22	16.44	622.78
MW-18	11/22/2004	639.22	16.26	622.96
MW-18	2/18/2005	639.22	15.73	623.49
MW-18	2/23/2005	639.22	15.97	623.25
MW-18	5/20/2005	639.22	15.47	623.75
MW-18	8/9/2005	639.22	17.12	622.1
MW-18	8/9/2005	639.22	17.12	622.1
MW-18	12/5/2005	639.22	16.03	623.19
MW-18	12/5/2005	639.22	16.03	623.19
MW-18	2/10/2006	639.22	14.03	625.19
MW-18	2/10/2006	639.22	14.03	625.19
MW-18	5/16/2006	639.22	16.36	622.86
MW-18	5/23/2006	639.22	16.55	622.67
MW-18	8/18/2006	639.22	17.18	622.04
MW-18	8/22/2006	639.22	17.24	621.98
MW-18	11/30/2006	639.22	14.05	625.17
MW-18	12/5/2006	639.22	14.39	624.83
MW-18	2/14/2007	639.22	15.76	623.46
MW-18	2/14/2007	639.22	15.76	623.46
MW-18	5/16/2007	639.22	16.28	622.94
MW-18	5/17/2007	639.22	16.28	622.94
MW-18	8/22/2007	639.22	17.46	621.76
MW-18	8/24/2007	639.22	17.43	621.79
MW-18	11/21/2007	639.22	15.72	623.5
MW-18	12/7/2007	639.22	13.27	625.95
MW-18	1/31/2008	639.22	15.14	624.08
MW-18	3/3/2008	639.22	14.98	624.24
MW-18	6/2/2008	639.22	16.11	623.11
MW-18	6/3/2008	639.22	16.17	623.05
MW-18	8/20/2008	639.22	17.02	622.2
MW-18	8/20/2008	639.22	17.02	622.2
MW-18	12/1/2008	639.22	15.64	623.58
MW-18	12/4/2008	639.22	15.68	623.54
MW-18	2/26/2009	639.22	16.39	622.83
MW-18	3/4/2009	639.22	16.39	622.83
MW-18	5/26/2009	639.22	16.27	622.95
MW-18	5/27/2009	369.22	16.2	353.02
MW-18	8/28/2009	639.22	18.05	621.17
MW-18	11/24/2009	639.22	14.72	624.5
MW-18	12/1/2009	639.22	14.7	624.52
MW-18	2/26/2010	639.22	15.96	623.26
MW-18	3/3/2010	639.22	16.12	623.1

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-18	5/21/2010	639.22	16.09	623.13
MW-18	8/20/2010	639.22	17.32	621.9
MW-18	8/27/2010	639.22	17.46	621.76
MW-18	12/1/2010	639.22	15.52	623.7
MW-18	12/1/2010	639.22	15.52	623.7
MW-18	2/23/2011	639.22	15.32	623.9
MW-18	2/23/2011	639.22	15.32	623.9
MW-18	5/31/2011	639.22	15.28	623.94
MW-18	5/31/2011	639.22	15.28	623.94
MW-18	8/24/2011	639.22	17.57	621.65
MW-18	8/24/2011	639.22	17.57	621.65
MW-18	12/1/2011	639.22	16.63	622.59
MW-18	12/1/2011	639.22	16.63	622.59
MW-18	2/22/2012	639.22	14.11	625.11
MW-18	3/2/2012	639.22	14.25	624.97
MW-18	5/16/2012	639.22	15.37	623.85
MW-18	5/16/2012	639.22	15.37	623.85
MW-18	8/27/2012	639.22	17.5	621.72
MW-18	8/28/2012	639.22	17.55	621.67
MW-18	11/27/2012	639.22	15.05	624.17
MW-18	2/26/2013	639.22	15.52	623.7
MW-18	5/14/2013	639.22	15.55	623.67
MW-18	5/15/2013	639.22	15.55	623.67
MW-18	8/12/2013	639.22	17.85	621.37
MW-2	6/11/1984	648.74	21.28	627.46
MW-2	8/6/1984	648.74	23.74	625
MW-2	10/24/1984	648.74	25.45	623.29
MW-2	2/11/1985	648.74	22.6	626.14
MW-2	6/4/1985	648.74	23.42	625.32
MW-2	7/16/1985	648.74	24	624.74
MW-2	10/16/1985	648.74	25.63	623.11
MW-2	5/14/1986	648.74	22.25	626.49
MW-22	2/13/2001	638.93	16	622.93
MW-22	5/25/2001	638.93	15.55	623.38
MW-22	8/9/2001	638.93	16.88	622.05
MW-22	12/6/2001	638.93	13.78	625.15
MW-22	2/26/2002	638.93	13.93	625
MW-22	5/16/2002	638.93	15.36	623.57
MW-22	11/21/2002	638.93	17.64	621.29
MW-22	2/12/2003	638.93	14.75	624.18
MW-22	5/15/2003	638.93	15.2	623.73
MW-22	8/6/2003	638.93	17.18	621.75
MW-22	11/10/2003	638.93	16.35	622.58
MW-22	2/20/2004	638.93	14.02	624.91
MW-22	5/17/2004	638.93	16.59	622.34
MW-22	8/11/2004	638.93	16.92	622.01
MW-22	11/17/2004	638.93	16.18	622.75
MW-22	2/18/2005	638.93	15.2	623.73
MW-22	8/9/2005	638.93	16.94	621.99
MW-22	12/5/2005	638.93	15.81	623.12
MW-22	2/10/2006	638.93	13.75	625.18
MW-22	5/16/2006	638.93	15.9	623.03
MW-22	8/18/2006	638.93	16.9	622.03
MW-22	11/30/2006	638.93	13.78	625.15
MW-22	2/14/2007	638.93	15.23	623.7
MW-22	5/16/2007	638.93	15.78	623.15
MW-22	8/22/2007	638.93	17.29	621.64
MW-22	11/21/2007	638.93	16.03	622.9
MW-22	1/31/2008	638.93	14.66	624.27
MW-22	6/2/2008	638.93	15.73	623.2

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-22	8/20/2008	638.93	16.98	621.95
MW-22	12/1/2008	638.93	15.18	623.75
MW-22	2/26/2009	638.93	15.73	623.2
MW-22	5/27/2009	638.93	15.71	623.22
MW-22	8/28/2009	638.93	17.69	621.24
MW-22	11/24/2009	638.93	14.64	624.29
MW-22	2/26/2010	638.93	15.3	623.63
MW-22	5/21/2010	638.93	15.41	623.52
MW-22	8/20/2010	638.93	16.74	622.19
MW-22	12/1/2010	638.93	14.94	623.99
MW-22	2/23/2011	638.93	14.46	624.47
MW-22	5/31/2011	638.93	14.7	624.23
MW-22	8/24/2011	638.93	17.03	621.9
MW-22	1/27/2012	638.93	13.92	625.01
MW-22	2/22/2012	638.93	13.64	625.29
MW-22	5/16/2012	638.93	14.78	624.15
MW-22	8/27/2012	638.93	17	621.93
MW-22	9/21/2012	638.93	17.4	621.53
MW-22	10/26/2012	638.93	17.67	621.26
MW-22	11/27/2012	638.93	14.82	624.11
MW-22	12/1/2012	638.93	16.46	622.47
MW-22	12/21/2012	638.93	13.01	625.92
MW-22	1/25/2013	638.93	14.7	624.23
MW-22	2/26/2013	638.93	14.83	624.1
MW-22	3/29/2013	638.93	15.3	623.63
MW-22	4/26/2013	638.93	13.78	625.15
MW-22	5/14/2013	638.93	14.87	624.06
MW-22	6/14/2013	638.93	16.11	622.82
MW-22	7/30/2013	638.93	17.17	621.76
MW-22	8/12/2013	638.93	17.37	621.56
MW-22	9/20/2013	638.93	17.76	621.17
MW-24	12/6/2001	652.84	116.16	536.68
MW-25	12/11/2001	652.84	115.98	536.86
MW-25	12/12/2001	652.84	116.1	536.74
MW-25	2/27/2002	652.84	114.36	538.48
MW-25	5/16/2002	652.84	113.61	539.23
MW-25	5/17/2002	652.84	113.68	539.16
MW-25	9/3/2002	652.84	115.82	537.02
MW-25	11/21/2002	652.84	116.29	536.55
MW-25	11/27/2002	652.84	116.54	536.3
MW-25	2/12/2003	652.84	116.16	536.68
MW-25	2/13/2003	652.84	115.87	536.97
MW-25	2/14/2003	652.84	116.11	536.73
MW-25	5/15/2003	652.84	114.89	537.95
MW-25	5/16/2003	652.84	115.01	537.83
MW-25	8/6/2003	652.84	116.25	536.59
MW-25	8/12/2003	652.84	116.44	536.4
MW-25	11/10/2003	652.84	116.88	535.96
MW-25	11/12/2003	652.84	117.14	535.7
MW-25	2/20/2004	652.84	114.8	538.04
MW-25	2/23/2004	652.84	114.33	538.51
MW-25	5/17/2004	652.84	114.96	537.88
MW-25	5/19/2004	652.84	115.12	537.72
MW-25	8/11/2004	652.84	115.88	536.96
MW-25	9/1/2004	652.84	115.98	536.86
MW-25	11/17/2004	652.84	116.28	536.56
MW-25	11/19/2004	652.84	116.35	536.49
MW-25	2/18/2005	652.84	114.79	538.05
MW-25	2/23/2005	652.84	114.88	537.96
MW-25	5/23/2005	652.84	115.4	537.44

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-25	8/9/2005	652.84	115.71	537.13
MW-25	8/12/2005	652.84	115.82	537.02
MW-25	12/5/2005	652.84	115.79	537.05
MW-25	12/6/2005	652.84	116.73	536.11
MW-25	2/10/2006	652.84	114.62	538.22
MW-25	2/14/2006	652.84	114.26	538.58
MW-25	5/16/2006	652.84	114.3	538.54
MW-25	5/17/2006	652.84	114.41	538.43
MW-25	8/18/2006	652.84	115.65	537.19
MW-25	8/18/2006	652.84	115.65	537.19
MW-25	11/30/2006	652.84	115.6	537.24
MW-25	12/6/2006	652.84	115.27	537.57
MW-25	2/14/2007	652.84	114.02	538.82
MW-25	2/20/2007	652.84	114.17	538.67
MW-25	5/16/2007	652.84	113.77	539.07
MW-25	5/18/2007	652.84	113.7	539.14
MW-25	8/22/2007	652.84	115.74	537.1
MW-25	8/23/2007	652.84	115.56	537.28
MW-25	11/21/2007	652.84	116.65	536.19
MW-25	11/30/2007	652.84	116.25	536.59
MW-25	1/31/2008	652.84	115.02	537.82
MW-25	2/28/2008	652.84	115.02	537.82
MW-25	6/2/2008	652.84	114.74	538.1
MW-25	6/3/2008	652.84	114.41	538.43
MW-25	8/20/2008	652.84	115.32	537.52
MW-25	8/25/2008	652.84	115.85	536.99
MW-25	12/1/2008	652.84	115.7	537.14
MW-25	12/1/2008	652.84	115.7	537.14
MW-25	2/26/2009	652.84	114.3	538.54
MW-25	2/27/2009	652.84	114.3	538.54
MW-25	5/27/2009	652.84	114.8	538.04
MW-25	5/29/2009	652.84	114.82	538.02
MW-25	8/28/2009	652.84	116.18	536.66
MW-25	8/31/2009	652.84	116.08	536.76
MW-25	11/24/2009	652.84	117.41	535.43
MW-25	11/24/2009	652.84	117.41	535.43
MW-25	2/26/2010	652.84	114.84	538
MW-25	3/2/2010	652.84	114.9	537.94
MW-25	5/21/2010	652.84	114.8	538.04
MW-25	5/25/2010	652.84	114.57	538.27
MW-25	8/20/2010	652.84	115.26	537.58
MW-25	8/27/2010	652.84	115.47	537.37
MW-25	12/1/2010	652.84	115.78	537.06
MW-25	12/1/2010	652.84	115.72	537.12
MW-25	2/23/2011	652.84	113.21	539.63
MW-25	2/25/2011	652.84	113.2	539.64
MW-25	5/31/2011	652.84	112.95	539.89
MW-25	5/31/2011	652.84	112.84	540
MW-25	8/24/2011	652.84	115.01	537.83
MW-25	8/26/2011	652.84	114.95	537.89
MW-25	12/2/2011	652.84	115.86	536.98
MW-25	2/22/2012	652.84	114.16	538.68
MW-25	3/5/2012	652.84	113.62	539.22
MW-25	5/16/2012	652.84	112.95	539.89
MW-25	5/22/2012	652.84	112.94	539.9
MW-25	8/27/2012	652.84	115.2	537.64
MW-25	8/28/2012	652.84	115.5	537.34
MW-25	11/27/2012	652.84	115.92	536.92
MW-25	11/28/2012	652.84	115.64	537.2
MW-25	12/1/2012	652.84	116.15	536.69

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-25	2/25/2013	652.84	113.76	539.08
MW-25	2/26/2013	652.84	114.1	538.74
MW-25	5/14/2013	652.84	113.37	539.47
MW-25	5/28/2013	652.84	113.33	539.51
MW-25	8/12/2013	652.84	115.68	537.16
MW-25	8/19/2013	652.84	115.87	536.97
MW-3	6/11/1984	644.16	146.17	497.99
MW-3	6/27/1984	644.16	146.67	497.49
MW-3	8/14/1984	644.16	148.57	495.59
MW-3	12/12/1984	644.16	148.6	495.56
MW-3	2/20/1985	644.16	148.27	495.89
MW-3	7/2/1985	644.16	148.35	495.81
MW-3	8/5/1985	644.16	149.44	494.72
MW-3	10/7/1985	644.16	149.94	494.22
MW-3	10/28/1986	644.16	149.4	494.76
MW-3	5/29/1987	644.16	146.07	498.09
MW-3	9/8/1987	644.16	147.67	496.49
MW-3	12/21/1987	644.16	149.1	495.06
MW-3	3/21/1988	644.16	146.9	497.26
MW-3	5/26/1988	644.16	144.89	499.27
MW-3	9/2/1988	644.16	150.52	493.64
MW-3	11/21/1988	644.16	148.44	495.72
MW-3	11/22/1988	644.16	151.52	492.64
MW-3	2/17/1989	644.16	143.85	500.31
MW-3	6/9/1989	644.16	143.69	500.47
MW-3	9/6/1989	644.16	146.02	498.14
MW-3	12/7/1989	644.16	145.38	498.78
MW-3	2/13/1990	644.16	142.4	501.76
MW-3	5/17/1990	644.16	143.28	500.88
MW-3	2/21/1991	644.16	140.18	503.98
MW-3	6/25/1991	644.16	142.15	502.01
MW-3	9/20/1991	644.16	145.42	498.74
MW-3	12/17/1991	644.16	144.94	499.22
MW-3	3/18/1992	644.16	143.53	500.63
MW-3	6/23/1992	644.16	144.8	499.36
MW-3	9/2/1992	644.16	146.38	497.78
MW-3	9/21/1992	644.16	146.38	497.16
MW-3	12/21/1992	644.16	144.53	499.63
MW-3	12/22/1992	644.16	145.58	498.58
MW-3	3/22/1993	644.16	144.2	499.96
MW-3	3/23/1993	644.16	144.19	499.97
MW-3	6/17/1993	644.16	143.94	500.22
MW-3	6/23/1993	644.16	143.39	500.77
MW-3	9/23/1993	644.16	144.98	499.18
MW-3	12/22/1993	644.16	146.65	497.51
MW-3	3/14/1994	644.16	143.91	500.25
MW-3	6/23/1994	644.16	144.2	499.96
MW-3	8/23/1994	644.16	145.74	498.42
MW-3	12/20/1994	644.16	145	499.16
MW-3	3/6/1995	644.16	141.52	502.64
MW-3	3/6/1995	644.16	141.52	502.64
MW-3	5/26/1995	644.16	143.27	500.89
MW-3	9/14/1995	644.16	145.94	498.22
MW-3	12/19/1995	644.16	142.12	502.04
MW-3	3/15/1996	644.16	140.38	503.78
MW-3	5/23/1996	644.16	141.42	502.74
MW-3	7/29/1996	644.16	143.61	500.55
MW-3	7/30/1996	644.16	143.61	500.55
MW-3	12/2/1996	644.16	143.05	501.11
MW-3	2/19/1997	644.16	139.39	504.77

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-3	3/5/1997	644.16	139.55	504.61
MW-3	5/16/1997	644.16	139.63	504.53
MW-3	5/19/1997	644.16	139.47	504.69
MW-3	8/14/1997	644.16	142.72	501.44
MW-3	8/18/1997	644.16	142.98	501.18
MW-3	12/3/1997	644.16	143.67	500.39
MW-3	12/19/1997	644.16	143.68	500.48
MW-3	2/10/1998	644.16	142.05	502.11
MW-3	3/5/1998	644.16	142.15	502.01
MW-3	3/26/1998	644.16	141.8	502.49
MW-3	5/15/1998	644.16	142.91	501.25
MW-3	8/21/1998	644.16	145.15	499.01
MW-3	8/25/1998	644.16	145.08	499.08
MW-3	12/3/1998	644.16	144.12	500.04
MW-3	12/4/1998	644.16	144.15	500.01
MW-3	3/8/1999	644.16	139.46	504.7
MW-3	5/21/1999	644.16	141.94	502.22
MW-3	6/11/1999	644.16	142.36	501.8
MW-3	8/16/1999	644.16	143.75	500.41
MW-3	12/8/1999	644.16	142.4	501.76
MW-3	3/3/2000	644.16	141.84	502.32
MW-3	3/6/2000	644.16	141.51	502.65
MW-3	5/17/2000	644.16	142.37	501.79
MW-3	5/18/2000	644.16	142.52	501.64
MW-3	9/5/2000	644.16	145.05	499.11
MW-3	9/5/2000	644.16	145	499.16
MW-3	9/7/2000	644.16	144.9	499.26
MW-3	11/28/2000	644.16	145.23	498.93
MW-3	12/5/2000	644.16	145.45	498.71
MW-3	2/13/2001	644.16	145.27	498.89
MW-3	2/15/2001	644.16	145.12	499.04
MW-3	5/25/2001	644.16	141.92	502.24
MW-3	5/30/2001	644.16	142.29	501.87
MW-3	8/9/2001	644.16	144.32	499.84
MW-3	8/13/2001	644.16	144.62	499.54
MW-3	12/6/2001	644.16	143.5	500.66
MW-3	12/7/2001	644.16	143.82	500.34
MW-3	2/26/2002	644.16	141.21	502.95
MW-3	2/26/2002	644.16	141.21	502.95
MW-3	5/16/2002	644.16	141.38	502.78
MW-3	5/16/2002	644.16	141.38	502.78
MW-3	8/30/2002	644.16	142.15	502.01
MW-3	11/25/2002	644.16	144.64	499.52
MW-3	2/12/2003	644.16	143.29	500.87
MW-3	2/14/2003	644.16	143.49	500.67
MW-3	5/15/2003	644.16	142.35	501.81
MW-3	5/15/2003	644.16	142.35	501.81
MW-3	8/6/2003	644.16	145.33	498.83
MW-3	11/10/2003	644.16	145.59	498.57
MW-3	11/12/2003	644.16	145.76	498.4
MW-3	11/13/2003	644.16	145.35	498.81
MW-3	2/20/2004	644.16	141.94	502.22
MW-3	2/20/2004	644.16	141.8	502.36
MW-3	5/17/2004	644.16	143.92	500.24
MW-3	5/19/2004	644.16	144.2	499.96
MW-3	8/11/2004	644.16	145.35	498.81
MW-3	9/2/2004	644.16	145.17	498.99
MW-3	11/17/2004	644.16	144.83	499.33
MW-3	11/19/2004	644.16	144.86	499.3
MW-3	2/18/2005	644.16	142.55	501.61

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-3	2/22/2005	644.16	142.73	501.43
MW-3	5/20/2005	644.16	143.2	500.96
MW-3	8/9/2005	644.16	144.84	499.32
MW-3	8/12/2005	644.16	144.84	499.32
MW-3	12/5/2005	644.16	144.78	499.38
MW-3	12/6/2005	644.16	144.63	499.53
MW-3	2/10/2006	644.16	139.82	504.34
MW-3	2/23/2006	644.16	140.14	504.02
MW-3	5/16/2006	644.16	142.38	501.78
MW-3	5/17/2006	644.16	142.34	501.82
MW-3	8/18/2006	644.16	144.45	499.71
MW-3	8/18/2006	644.16	144.45	499.71
MW-3	11/30/2006	644.16	142.29	501.87
MW-3	12/6/2006	644.16	142.13	502.03
MW-3	2/14/2007	644.16	141.23	502.93
MW-3	2/15/2007	644.16	141.05	503.11
MW-3	5/16/2007	644.16	141.49	502.67
MW-3	5/18/2007	644.16	141.47	502.69
MW-3	8/22/2007	644.16	144.67	499.49
MW-3	8/23/2007	644.16	144.67	499.49
MW-3	11/21/2007	644.16	145.76	498.4
MW-3	11/30/2007	644.16	145.33	498.83
MW-3	1/31/2008	644.16	143.34	500.82
MW-3	2/28/2008	644.16	142.67	501.49
MW-3	6/2/2008	644.16	142.45	501.71
MW-3	6/6/2008	644.16	142.4	501.76
MW-3	8/20/2008	644.16	144.34	499.82
MW-3	8/21/2008	644.16	144.6	499.56
MW-3	12/1/2008	644.16	143.76	500.4
MW-3	12/2/2008	644.16	143.88	500.28
MW-3	2/26/2009	644.16	142.27	501.89
MW-3	3/2/2009	644.16	142.05	502.11
MW-3	5/27/2009	644.16	141.85	502.31
MW-3	5/29/2009	644.16	141.73	502.43
MW-3	8/28/2009	644.16	145.15	499.01
MW-3	9/1/2009	644.16	145.23	498.93
MW-3	11/24/2009	644.16	144.6	499.56
MW-3	11/30/2009	644.16	144.02	500.14
MW-3	2/26/2010	644.16	142.26	501.9
MW-3	3/3/2010	644.16	143.43	500.73
MW-3	5/21/2010	644.16	142.36	501.8
MW-3	5/24/2010	644.16	142.22	501.94
MW-3	8/20/2010	644.16	143.2	500.96
MW-3	8/26/2010	644.16	143.38	500.78
MW-3	12/1/2010	644.16	142.97	501.19
MW-3	12/2/2010	644.16	142.88	501.28
MW-3	2/23/2011	644.16	139.35	504.81
MW-3	2/25/2011	644.16	139.65	504.51
MW-3	5/31/2011	644.16	135.07	509.09
MW-3	6/1/2011	644.16	139.14	505.02
MW-3	8/24/2011	644.16	142.85	501.31
MW-3	8/25/2011	644.16	142.82	501.34
MW-3	12/1/2011	644.16	144	500.16
MW-3	12/1/2011	644.16	144	500.16
MW-3	2/22/2012	644.16	141.02	503.14
MW-3	2/24/2012	644.16	140.92	503.24
MW-3	5/16/2012	644.16	139.99	504.17
MW-3	5/17/2012	644.16	139.99	504.17
MW-3	8/27/2012	644.16	143.37	500.79
MW-3	9/24/2012	644.16	144.22	499.94

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-3	9/24/2012	644.16	144.22	499.94
MW-3	11/27/2012	644.16	143.42	500.74
MW-3	12/17/2012	644.16	142	502.16
MW-3	2/26/2013	644.16	141.4	502.76
MW-3	3/1/2013	644.16	141.52	502.64
MW-3	5/14/2013	644.16	140.3	503.86
MW-3	5/22/2013	644.16	141.77	502.39
MW-3	8/12/2013	644.16	144.06	500.1
MW-3	8/27/2013	644.16	144.55	499.61
MW-4	6/11/1984	644.41	20.03	624.38
MW-4	8/14/1984	644.41	21.61	622.8
MW-4	10/24/1984	644.41	21.85	622.56
MW-4	2/11/1985	644.41	21.12	623.29
MW-4	6/4/1985	644.41	21.28	623.13
MW-4	7/16/1985	644.41	21.74	622.67
MW-4	4/22/1986	644.41	20.56	623.85
MW-4	9/4/1986	644.41	22.12	622.29
MW-4	5/26/1987	644.41	21.04	623.37
MW-4	8/24/1987	644.41	22.23	622.18
MW-4	11/25/1987	644.41	20.06	624.35
MW-4	3/14/1988	644.41	19.98	624.43
MW-4	5/26/1988	644.41	19.57	624.84
MW-4	9/1/1988	644.41	21.72	622.69
MW-4	11/17/1988	644.41	20.07	624.34
MW-4	2/17/1989	644.41	19.9	624.51
MW-4	6/16/1989	644.41	21.1	623.31
MW-4	9/12/1989	644.41	20.06	624.35
MW-4	12/6/1989	644.41	16.83	627.58
MW-4	3/13/1990	644.41	18.8	625.61
MW-4	5/17/1990	644.41	21.06	623.35
MW-4	12/12/1990	644.41	18.15	626.26
MW-4	2/22/1991	644.41	16.66	627.75
MW-4	6/19/1991	644.41	21.41	623
MW-4	9/18/1991	644.41	21.84	622.57
MW-4	11/15/1991	644.41	20.36	624.05
MW-4	12/16/1991	644.41	19.66	624.75
MW-4	3/18/1992	644.41	20.23	624.18
MW-4	6/23/1992	644.41	21.8	622.61
MW-4	9/2/1992	644.41	22.9	621.51
MW-4	9/21/1992	644.41	22.9	621.51
MW-4	12/21/1992	644.41	18.44	625.97
MW-4	12/22/1992	644.41	18.78	625.63
MW-4	3/22/1993	644.41	19.9	624.51
MW-4	3/29/1993	644.41	18.71	625.7
MW-4	6/16/1993	644.41	19.55	624.86
MW-4	6/23/1993	644.41	20.37	624.04
MW-4	9/16/1993	644.41	22.02	622.39
MW-4	12/22/1993	644.41	20.23	624.18
MW-4	3/14/1994	644.41	19.46	624.95
MW-4	3/18/1994	644.41	19.46	624.95
MW-4	6/23/1994	644.41	21.61	622.8
MW-4	8/24/1994	644.41	22.32	622.09
MW-4	12/20/1994	644.41	20.53	623.88
MW-4	3/2/1995	644.41	18.29	626.12
MW-4	5/26/1995	644.41	21.77	622.64
MW-4	9/15/1995	644.41	22.27	622.14
MW-4	12/18/1995	644.41	7.59	636.82
MW-4	3/15/1996	644.41	19.81	624.6
MW-4	5/24/1996	644.41	19.67	624.74
MW-4	7/29/1996	644.41	21.5	622.91

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-4	7/31/1996	644.41	21.5	622.91
MW-4	12/3/1996	644.41	17.8	626.61
MW-4	2/19/1997	644.41	8.41	636
MW-4	3/5/1997	644.41	18.45	625.96
MW-4	5/16/1997	644.41	19.84	624.57
MW-4	5/21/1997	644.41	20.21	624.2
MW-4	5/21/1997	644.41	20.21	624.2
MW-4	8/14/1997	644.41	21.56	622.85
MW-4	8/20/1997	644.41	21.66	622.75
MW-4	12/3/1997	644.41	20.09	624.32
MW-4	2/10/1998	644.41	19.61	624.8
MW-4	3/5/1998	644.41	19.63	624.78
MW-4	3/26/1998	644.41	19.79	624.62
MW-4	5/15/1998	644.41	21.55	622.86
MW-4	8/21/1998	644.41	21.7	622.71
MW-4	8/26/1998	644.41	21.73	622.68
MW-4	12/3/1998	644.41	17.68	626.73
MW-4	12/4/1998	644.41	17.77	626.64
MW-4	3/8/1999	644.41	17.83	626.58
MW-4	5/21/1999	644.41	20.66	623.75
MW-4	6/10/1999	644.41	21.2	623.21
MW-4	8/16/1999	644.41	21.76	622.65
MW-4	8/18/1999	644.56	21.77	622.64
MW-4	12/7/1999	644.41	17.4	627.01
MW-4	3/3/2000	644.41	19.69	624.72
MW-4	3/6/2000	644.41	19	625.41
MW-4	5/17/2000	644.41	20.58	623.83
MW-4	5/18/2000	644.41	20.75	623.66
MW-4	9/5/2000	644.41	22	622.41
MW-4	9/6/2000	644.41	21.94	622.47
MW-4	11/28/2000	644.41	20.79	623.62
MW-4	12/5/2000	644.41	20.77	623.64
MW-4	2/13/2001	644.41	20.83	623.58
MW-4	2/14/2001	644.41	20.92	623.49
MW-4	5/25/2001	644.41	21.09	623.32
MW-4	5/31/2001	644.41	21.45	622.96
MW-4	8/9/2001	644.41	22.23	622.18
MW-4	8/13/2001	644.41	22.28	622.13
MW-4	12/6/2001	644.41	17.85	626.56
MW-4	12/10/2001	644.41	17.93	626.48
MW-4	2/26/2002	644.41	17.85	626.56
MW-4	2/27/2002	644.41	18.1	626.31
MW-4	5/16/2002	644.41	20.89	623.52
MW-4	5/16/2002	644.41	20.89	623.52
MW-4	9/16/2002	644.41	22.41	622
MW-4	11/21/2002	644.41	21.64	622.77
MW-4	11/22/2002	644.41	21.55	622.86
MW-4	2/12/2003	644.41	19.46	624.95
MW-4	2/13/2003	644.41	19.58	624.83
MW-4	5/15/2003	644.41	20.73	623.68
MW-4	5/15/2003	644.41	20.73	623.68
MW-4	8/6/2003	644.41	22.34	622.07
MW-4	8/7/2003	644.41	22.29	622.12
MW-4	11/10/2003	644.41	21.8	622.61
MW-4	11/14/2003	644.41	21.92	622.49
MW-4	2/20/2004	644.41	18.49	625.92
MW-4	2/23/2004	644.41	18.79	625.62
MW-4	5/17/2004	644.41	22.04	622.37
MW-4	5/20/2004	644.41	22.07	622.34
MW-4	8/11/2004	644.41	22.31	622.1

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-4	9/1/2004	644.41	20.5	623.91
MW-4	11/17/2004	644.41	21.39	623.02
MW-4	11/18/2004	644.41	21.32	623.09
MW-4	2/18/2005	644.41	20.73	623.68
MW-4	2/22/2005	644.41	20.98	623.43
MW-4	5/24/2005	644.41	20.2	624.21
MW-4	8/9/2005	644.41	22.29	622.12
MW-4	8/12/2005	644.41	22.28	622.13
MW-4	12/5/2005	644.41	20.95	623.46
MW-4	12/5/2005	644.41	20.95	623.46
MW-4	2/10/2006	644.41	18.94	625.47
MW-4	2/24/2006	644.41	19.7	624.71
MW-4	5/16/2006	644.41	21.48	622.93
MW-4	5/17/2006	644.41	21.5	622.91
MW-4	8/18/2006	644.41	22.45	621.96
MW-4	8/23/2006	644.41	22.4	622.01
MW-4	11/30/2006	644.41	18	626.41
MW-4	12/1/2006	644.41	18.1	626.31
MW-4	2/14/2007	644.41	20.7	623.71
MW-4	2/20/2007	644.41	20.37	624.04
MW-4	5/16/2007	644.41	21.39	623.02
MW-4	5/17/2007	644.41	21.43	622.98
MW-4	8/22/2007	644.41	22.45	621.96
MW-4	8/27/2007	644.41	22.4	622.01
MW-4	11/21/2007	644.41	19.85	624.56
MW-4	12/10/2007	644.41	18.04	626.37
MW-4	1/31/2008	644.41	19.73	624.68
MW-4	3/3/2008	644.41	19.33	625.08
MW-4	6/2/2008	644.41	21	623.41
MW-4	6/4/2008	644.41	21.09	623.32
MW-4	8/20/2008	644.41	22.28	622.13
MW-4	8/21/2008	644.41	22.22	622.19
MW-4	12/1/2008	644.41	20.57	623.84
MW-4	12/3/2008	644.41	20.56	623.85
MW-4	2/26/2009	644.41	21.62	622.79
MW-4	2/27/2009	644.41	21.55	622.86
MW-4	5/27/2009	644.41	21.4	623.01
MW-4	6/1/2009	644.41	21.8	622.61
MW-4	8/28/2009	644.41	23.87	620.54
MW-4	9/2/2009	644.41	23.93	620.48
MW-4	11/24/2009	644.41	19.19	625.22
MW-4	11/30/2009	644.41	19.1	625.31
MW-4	2/26/2010	644.41	21.19	623.22
MW-4	3/2/2010	644.41	21.28	623.13
MW-4	5/21/2010	644.41	21.27	623.14
MW-4	5/26/2010	644.41	21.26	623.15
MW-4	8/20/2010	644.41	23.24	621.17
MW-4	8/31/2010	644.41	23.45	620.96
MW-4	12/1/2010	644.41	20.15	624.26
MW-4	12/3/2010	644.41	19.48	624.93
MW-4	2/23/2011	644.41	19.51	624.9
MW-4	2/28/2011	644.41	19.86	624.55
MW-4	5/31/2011	644.41	19.94	624.47
MW-4	6/1/2011	644.41	20.02	624.39
MW-4	8/24/2011	644.41	23.41	621
MW-4	8/25/2011	644.41	23.42	620.99
MW-4	12/1/2011	644.41	20.43	623.98
MW-4	12/2/2011	644.41	20.5	623.91
MW-4	1/27/2012	644.41	17.94	626.47
MW-4	2/22/2012	644.41	18.11	626.3

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-4	2/23/2012	644.41	17.58	626.83
MW-4	5/16/2012	644.41	20.15	624.26
MW-4	5/21/2012	644.41	20.55	623.86
MW-4	8/27/2012	644.41	23.4	621.01
MW-4	8/27/2012	644.41	23.4	621.01
MW-4	9/21/2012	644.41	23.73	620.68
MW-4	10/26/2012	644.41	23.97	620.44
MW-4	11/20/2012	644.41	20.9	623.51
MW-4	11/27/2012	644.41	19.82	624.59
MW-4	12/21/2012	644.41	10.48	633.93
MW-4	1/25/2013	644.41	20	624.41
MW-4	2/26/2013	644.41	20.45	623.96
MW-4	3/29/2013	644.41	20.97	623.44
MW-4	4/26/2013	644.41	18.08	626.33
MW-4	5/14/2013	644.41	20.53	623.88
MW-4	5/23/2013	644.41	21.4	623.01
MW-4	6/14/2013	644.41	22.32	622.09
MW-4	7/30/2013	644.41	23.5	620.91
MW-4	8/12/2013	644.41	23.67	620.74
MW-4	8/22/2013	644.41	23.78	620.63
MW-4	9/20/2013	644.41	23.93	620.48
MW-5	6/9/1987	650.75	26.96	623.79
MW-6	8/25/1987	631.64	6.19	625.45
MW-6	12/8/1987	631.64	7.7	623.94
MW-6	3/8/1988	631.64	7.44	624.2
MW-6	6/1/1988	631.64	6.79	624.85
MW-6	9/7/1988	631.64	9.37	622.27
MW-6	11/21/1988	631.64	6.94	624.7
MW-6	3/21/1989	631.64	4.78	626.86
MW-6	6/23/1989	631.64	8.29	623.35
MW-6	9/6/1989	631.64	9.66	621.98
MW-6	11/27/1989	631.64	8.45	623.19
MW-6	3/13/1990	631.64	5	626.64
MW-6	5/21/1990	631.64	8.04	623.6
MW-6	12/14/1990	631.64	3.66	627.98
MW-6	2/25/1991	631.64	3.55	628.09
MW-6	6/13/1991	631.64	8.08	623.56
MW-6	9/13/1991	631.64	10.01	621.63
MW-6	12/13/1991	631.64	8.04	623.6
MW-6	3/20/1992	631.64	6.41	625.23
MW-6	6/25/1992	631.64	9.13	622.51
MW-6	9/2/1992	631.64	10.72	620.92
MW-6	9/23/1992	631.64	10.61	621.03
MW-6	12/21/1992	631.64	7.59	624.05
MW-6	12/23/1992	631.64	7.37	624.27
MW-6	3/22/1993	631.64	7.96	623.68
MW-6	3/23/1993	631.64	7.53	624.11
MW-6	6/16/1993	631.64	6.72	624.92
MW-6	6/23/1993	631.64	6.76	624.88
MW-6	9/17/1993	631.64	9.67	621.97
MW-6	12/27/1993	631.64	8.96	622.68
MW-6	3/14/1994	631.64	5.57	626.07
MW-6	3/17/1994	631.64	5.57	626.07
MW-6	6/24/1994	631.64	8.8	622.84
MW-6	8/24/1994	631.64	10	621.64
MW-6	12/21/1994	631.64	7.52	624.12
MW-6	3/6/1995	631.64	4.41	627.23
MW-6	3/6/1995	631.64	4.41	627.23
MW-6	5/26/1995	631.64	8.55	623.09
MW-6	9/21/1995	631.64	10.75	620.89

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-6	12/18/1995	631.64	3.42	628.22
MW-6	3/18/1996	631.64	5.71	625.92
MW-6	5/24/1996	631.64	5.62	626.02
MW-6	7/29/1996	631.64	9.03	622.61
MW-6	8/5/1996	631.64	9.19	622.45
MW-6	12/3/1996	631.64	5.07	626.57
MW-6	2/19/1997	631.64	4.5	627.14
MW-6	3/7/1997	631.64	4.45	627.09
MW-6	5/16/1997	631.64	5.38	626.26
MW-6	5/22/1997	631.64	5.74	625.9
MW-6	8/14/1997	631.64	8.29	623.35
MW-6	8/21/1997	631.64	8.54	623.1
MW-6	12/3/1997	631.64	8	623.64
MW-6	12/4/1997	631.64	7.98	623.66
MW-6	2/10/1998	631.64	4.97	626.67
MW-6	3/10/1998	631.64	6.03	625.61
MW-6	3/26/1998	631.64	6.1	625.54
MW-6	5/15/1998	631.64	8.27	623.37
MW-6	5/21/1998	631.64	8.53	623.11
MW-6	8/21/1998	631.64	9.94	621.7
MW-6	8/31/1998	631.64	10.07	621.57
MW-6	12/3/1998	631.64	5.15	626.49
MW-6	12/7/1998	631.64	4.78	626.86
MW-6	12/8/1998	631.64	4.78	626.86
MW-6	3/9/1999	631.64	3.8	627.84
MW-6	5/21/1999	631.64	7.86	623.78
MW-6	6/11/1999	631.64	8.5	623.14
MW-6	8/16/1999	631.64	9.11	622.53
MW-6	8/18/1999	631.64	9.14	622.5
MW-6	12/7/1999	631.64	3.43	628.21
MW-6	3/3/2000	631.64	6	625.64
MW-6	3/7/2000	631.64	5.71	625.93
MW-6	5/17/2000	631.64	7.32	624.32
MW-6	5/19/2000	631.64	7.37	624.27
MW-6	9/5/2000	631.64	9.74	621.9
MW-6	9/7/2000	631.64	9.78	621.86
MW-6	11/28/2000	631.64	9.31	622.33
MW-6	12/6/2000	631.64	9.35	622.29
MW-6	2/13/2001	631.64	8.55	623.09
MW-6	2/14/2001	631.64	8.53	623.11
MW-6	5/25/2001	631.64	7	624.64
MW-6	5/29/2001	631.64	7.23	624.41
MW-6	8/9/2001	631.64	9.42	622.22
MW-6	8/14/2001	631.64	9.6	622.04
MW-6	12/6/2001	631.64	4.07	627.57
MW-6	12/10/2001	631.64	3.88	627.76
MW-6	2/26/2002	631.64	4.36	627.28
MW-6	2/27/2002	631.64	4.45	627.19
MW-6	5/16/2002	631.64	6.48	625.16
MW-6	5/20/2002	631.64	6.83	624.81
MW-6	9/3/2002	631.64	10.22	621.42
MW-6	11/21/2002	631.64	10.65	620.99
MW-6	11/22/2002	631.64	10.59	621.05
MW-6	2/12/2003	631.64	5.6	626.04
MW-6	2/13/2003	631.64	5.55	626.09
MW-6	5/15/2003	631.64	6.17	625.47
MW-6	5/15/2003	631.64	6.22	625.42
MW-6	8/6/2003	631.64	9.82	621.82
MW-6	8/7/2003	631.64	9.85	621.79
MW-6	11/10/2003	631.64	8.82	622.82

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-6	11/14/2003	631.64	8.95	622.69
MW-6	2/20/2004	631.64	3.95	627.69
MW-6	2/24/2004	631.64	4.33	627.31
MW-6	5/17/2004	631.64	8.77	622.87
MW-6	5/20/2004	631.64	8.92	622.72
MW-6	8/11/2004	631.64	9.43	622.21
MW-6	9/3/2004	631.64	8.56	623.08
MW-6	11/17/2004	631.64	8.45	623.19
MW-6	11/18/2004	631.64	8.29	623.35
MW-6	2/18/2005	631.64	6.13	625.51
MW-6	2/23/2005	631.64	6.55	625.09
MW-6	5/23/2005	631.64	8.51	623.13
MW-6	8/9/2005	631.64	9.44	622.2
MW-6	8/25/2005	631.64	9.76	621.88
MW-6	12/5/2005	631.64	8.14	623.5
MW-6	12/6/2005	631.64	8.16	623.48
MW-6	2/10/2006	631.64	3.24	628.4
MW-6	2/13/2006	631.64	3.57	628.07
MW-6	5/16/2006	631.64	7.52	624.12
MW-6	5/22/2006	631.64	7.82	623.82
MW-6	8/18/2006	631.64	9.32	622.32
MW-6	8/24/2006	631.64	9.47	622.17
MW-6	11/30/2006	631.64	3.49	628.15
MW-6	12/4/2006	631.64	3.82	627.82
MW-6	2/14/2007	631.64	6.22	625.42
MW-6	2/20/2007	631.64	6.28	625.36
MW-6	5/16/2007	631.64	7.33	624.31
MW-6	5/21/2007	631.64	7.65	623.99
MW-6	8/22/2007	631.64	10.11	621.53
MW-6	8/27/2007	631.64	10.15	621.49
MW-6	11/21/2007	631.64	8.47	623.17
MW-6	11/30/2007	631.64	8.2	623.44
MW-6	1/31/2008	631.64	5.17	626.47
MW-6	3/3/2008	631.64	5.08	626.56
MW-6	6/2/2008	631.64	7.4	624.24
MW-6	6/4/2008	631.64	7.99	623.65
MW-6	8/20/2008	631.64	9.43	622.21
MW-6	8/22/2008	631.64	9.43	622.21
MW-6	12/1/2008	631.64	6.23	625.41
MW-6	12/3/2008	631.64	6.24	625.4
MW-6	2/26/2009	631.64	7.14	624.5
MW-6	3/2/2009	631.64	7.4	624.24
MW-6	5/27/2009	631.64	7.27	624.37
MW-6	5/29/2009	631.64	7.79	623.85
MW-6	8/28/2009	631.64	10.34	621.3
MW-6	10/2/2009	631.64	10.45	621.19
MW-6	11/24/2009	631.64	6.9	624.74
MW-6	12/1/2009	631.64	5.98	625.66
MW-6	2/26/2010	631.64	25.91	
MW-6	3/3/2010	631.64	6.73	624.91
MW-6	5/21/2010	631.64	6.4	625.24
MW-6	5/27/2010	631.64	6.54	625.1
MW-6	8/20/2010	631.64	8.75	622.89
MW-6	8/31/2010	631.64	9.15	622.49
MW-6	12/1/2010	631.64	6.17	625.47
MW-6	12/3/2010	631.64	5.85	625.79
MW-6	2/23/2011	631.64	4.53	627.11
MW-6	2/28/2011	631.64	4.73	626.91
MW-6	5/31/2011	631.64	4.89	626.75
MW-6	6/1/2011	631.64	4.91	626.73

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-6	8/24/2011	631.64	9.22	622.42
MW-6	8/26/2011	631.64	9.31	622.33
MW-6	12/1/2011	631.64	7.6	624.04
MW-6	12/5/2011	631.64	7.94	623.7
MW-6	2/22/2012	631.64	3.61	628.03
MW-6	2/27/2012	631.64	3.43	628.21
MW-6	5/16/2012	631.64	5.04	626.6
MW-6	5/21/2012	631.64	5.45	626.19
MW-6	8/27/2012	631.64	9.14	622.5
MW-6	8/27/2012	631.64	9.14	622.5
MW-6	11/20/2012	631.64	7.88	623.76
MW-6	11/27/2012	631.64	7.07	624.57
MW-6	2/26/2013	631.64	5.37	626.27
MW-6	2/27/2013	631.64	5.47	626.17
MW-6	5/14/2013	631.64	5.25	626.39
MW-6	5/23/2013	631.64	6.28	625.36
MW-6	8/12/2013	631.64	9.7	621.94
MW-6	8/27/2013	631.64	10.02	621.62
MW-7	6/2/1987	634.17	119.91	514.26
MW-7	12/23/1987	634.17	123.8	510.37
MW-7	3/10/1988	634.17	122.03	512.14
MW-7	5/31/1988	634.17	119.95	514.22
MW-7	9/1/1988	634.17	122.53	511.64
MW-7	11/17/1988	634.17	122.3	511.87
MW-7	3/28/1989	634.17	118.25	515.92
MW-7	5/18/1989	634.17	115.48	518.69
MW-7	6/7/1989	634.17	118.7	515.47
MW-7	9/14/1989	634.17	121.61	512.56
MW-7	12/7/1989	634.17	120.66	513.51
MW-7	3/13/1990	634.17	117.79	516.38
MW-7	5/21/1990	634.17	119.02	515.15
MW-7	12/12/1990	634.17	115.2	518.97
MW-7	3/5/1991	634.17	115.65	518.52
MW-7	6/11/1991	634.17	117.99	516.18
MW-7	9/12/1991	634.17	121.45	512.72
MW-7	12/16/1991	634.17	122.28	511.89
MW-7	3/19/1992	634.17	120.25	513.92
MW-7	6/24/1992	634.17	121.11	513.06
MW-7	9/2/1992	634.17	122.91	511.26
MW-7	9/25/1992	634.17	123.26	510.91
MW-7	12/21/1992	634.17	122.55	511.62
MW-7	12/23/1992	634.17	123.32	510.85
MW-7	3/22/1993	634.17	120.9	513.27
MW-7	3/25/1993	634.17	121.44	512.73
MW-7	6/21/1993	634.17	123.94	510.23
MW-7	6/23/1993	634.17	120.29	513.88
MW-7	9/23/1993	634.17	121.74	512.43
MW-7	12/27/1993	634.17	122.3	511.87
MW-7	3/14/1994	634.17	121.03	513.14
MW-7	3/18/1994	634.17	121.03	513.14
MW-7	6/28/1994	634.17	120.89	513.28
MW-7	8/24/1994	634.17	122.48	511.69
MW-7	12/21/1994	634.17	122.9	511.27
MW-7	3/3/1995	634.17	118.34	515.83
MW-7	5/25/1995	634.17	119.55	514.62
MW-7	9/20/1995	634.17	123	511.17
MW-7	12/20/1995	634.17	119.6	514.57
MW-7	3/19/1996	634.17	116.4	517.77
MW-7	5/24/1996	634.17	117.88	516.29
MW-7	7/29/1996	634.17	119.94	514.21

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-7	7/29/1996	634.17	119.94	514.21
MW-7	12/4/1996	634.17	122.96	513.21
MW-7	2/19/1997	634.17	118.5	515.67
MW-7	3/6/1997	634.17	118.8	515.37
MW-7	5/16/1997	634.17	118.97	515.2
MW-7	5/21/1997	634.17	118.91	515.26
MW-7	8/14/1997	634.17	121.93	512.24
MW-7	8/19/1997	634.17	122.42	511.75
MW-7	12/3/1997	634.17	123.86	510.69
MW-7	12/5/1997	634.17	123.62	510.55
MW-7	2/10/1998	634.17	121.79	512.38
MW-7	3/6/1998	634.17	121.98	512.19
MW-7	3/26/1998	634.17	121.48	512.69
MW-7	5/15/1998	634.17	122.6	511.57
MW-7	5/19/1998	634.17	122.62	511.55
MW-7	8/21/1998	634.17	125.02	509.15
MW-7	8/25/1998	634.17	124.82	509.35
MW-7	12/3/1998	634.17	125.36	508.81
MW-7	12/7/1998	634.17	124.73	509.44
MW-7	3/8/1999	634.17	119.02	515.15
MW-7	5/21/1999	634.17	121.46	512.71
MW-7	6/10/1999	634.17	121.91	512.26
MW-7	8/17/1999	634.17	123.68	510.49
MW-7	12/7/1999	634.17	123.05	511.12
MW-7	3/3/2000	634.17	121.76	512.41
MW-7	3/6/2000	634.17	121.44	512.73
MW-7	5/17/2000	634.17	122.17	512
MW-7	5/17/2000	634.17	122.17	512
MW-7	9/5/2000	634.17	125.03	509.14
MW-7	9/7/2000	634.17	124.75	509.42
MW-7	11/28/2000	634.17	125.44	508.73
MW-7	12/1/2000	634.17	125.78	508.39
MW-7	2/13/2001	634.17	125.75	508.42
MW-7	2/14/2001	634.17	125.47	508.7
MW-7	5/25/2001	634.17	119.62	514.55
MW-7	5/29/2001	634.17	120.05	514.12
MW-7	8/9/2001	634.17	121.7	512.47
MW-7	8/13/2001	634.17	121.98	512.19
MW-7	12/6/2001	634.17	122.25	511.92
MW-7	12/10/2001	634.17	121.65	512.52
MW-7	2/26/2002	634.17	119.34	514.83
MW-7	2/26/2002	634.17	119.22	514.95
MW-7	5/16/2002	634.17	113.98	520.19
MW-7	5/17/2002	634.17	118.97	515.2
MW-7	8/29/2002	634.17	119.62	514.55
MW-7	11/21/2002	634.17	121.7	512.47
MW-7	11/21/2002	634.17	121.7	512.47
MW-7	2/12/2003	634.17	121.97	512.2
MW-7	2/12/2003	634.17	121.97	512.2
MW-7	4/3/2003	634.17	120.03	513.87
MW-7	5/15/2003	634.17	120.37	513.8
MW-7	5/16/2003	634.17	120.6	513.57
MW-7	8/6/2003	634.17	123.45	510.72
MW-7	8/7/2003	634.17	123.45	510.72
MW-7	11/10/2003	634.17	124.77	509.4
MW-7	11/12/2003	634.17	124.8	509.37
MW-7	2/20/2004	634.17	120.71	513.46
MW-7	2/20/2004	634.17	120.71	513.46
MW-7	5/17/2004	634.17	122.6	511.57
MW-7	5/20/2004	634.17	122.81	511.36

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-7	8/11/2004	634.17	124.27	509.9
MW-7	9/1/2004	634.17	124.62	509.55
MW-7	11/17/2004	634.17	124.41	509.76
MW-7	11/17/2004	634.17	124.41	509.76
MW-7	2/18/2005	634.17	121.53	512.64
MW-7	2/22/2005	634.17	122.03	512.14
MW-7	5/19/2005	634.17	122.69	511.48
MW-7	6/21/2005	634.17	122.87	511.3
MW-7	8/9/2005	634.17	124.07	510.1
MW-7	8/11/2005	634.17	124.25	509.92
MW-7	12/5/2005	634.17	125.02	509.15
MW-7	12/6/2005	634.17	124.98	509.19
MW-7	2/10/2006	634.17	119.25	514.92
MW-7	2/13/2006	634.17	119.54	514.63
MW-7	5/16/2006	634.17	121.54	512.63
MW-7	5/18/2006	634.17	121.03	513.14
MW-7	8/18/2006	634.17	123.85	510.32
MW-7	8/23/2006	634.17	124.02	510.15
MW-7	11/30/2006	634.17	122.43	511.74
MW-7	12/6/2006	634.17	122.08	512.09
MW-7	2/14/2007	634.17	120.46	513.71
MW-7	2/14/2007	634.17	120.46	513.71
MW-7	5/16/2007	634.17	120.63	513.54
MW-7	5/17/2007	634.17	120.55	513.62
MW-7	8/22/2007	634.17	124.32	509.85
MW-7	8/22/2007	634.17	124.32	590.85
MW-7	11/21/2007	634.17	125.93	508.24
MW-7	12/7/2007	634.17	125.46	508.71
MW-7	1/31/2008	634.17	23.27	610.9
MW-7	2/28/2008	634.17	122.22	511.95
MW-7	6/2/2008	634.17	122.22	511.95
MW-7	6/4/2008	634.17	121.98	512.19
MW-7	8/20/2008	634.17	123.68	510.49
MW-7	8/21/2008	634.17	123.85	510.32
MW-7	12/1/2008	634.17	123.67	510.5
MW-7	12/2/2008	634.17	123.87	510.3
MW-7	2/26/2009	634.17	121.67	512.5
MW-7	3/3/2009	634.17	121.42	512.75
MW-7	5/27/2009	634.17	121.42	512.75
MW-7	6/2/2009	634.17	121.46	512.71
MW-7	8/28/2009	634.17	124.18	509.99
MW-7	8/28/2009	634.17	124.18	509.99
MW-7	11/24/2009	634.17	125.56	508.61
MW-7	11/30/2009	634.17	124.85	509.32
MW-7	2/26/2010	634.17	121.88	512.29
MW-7	3/1/2010	634.17	122.25	511.92
MW-7	5/21/2010	634.17	122.23	511.94
MW-7	5/26/2010	634.17	121.95	512.22
MW-7	8/20/2010	634.17	122.78	511.39
MW-7	8/23/2010	634.17	123.37	510.8
MW-7	12/1/2010	634.17	123.52	510.65
MW-7	12/3/2010	634.17	123.55	510.62
MW-7	2/23/2011	634.17	118.66	515.51
MW-7	2/24/2011	634.17	118.75	515.42
MW-7	5/31/2011	634.17	118.64	515.53
MW-7	6/6/2011	634.17	118.86	515.31
MW-7	8/24/2011	634.17	122.42	511.75
MW-7	8/25/2011	634.17	122.45	511.72
MW-7	12/1/2011	634.17	125	509.17
MW-7	12/5/2011	634.17	124.28	509.89

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-7	2/22/2012	634.17	121.07	513.1
MW-7	3/5/2012	634.17	120.18	513.99
MW-7	5/16/2012	634.17	119.74	514.43
MW-7	5/21/2012	634.17	119.63	514.54
MW-7	8/27/2012	634.17	123.1	511.07
MW-7	9/24/2012	634.17	124.06	510.11
MW-7	9/24/2012	634.17	124.06	510.11
MW-7	11/27/2012	634.17	124.22	509.95
MW-7	11/29/2012	634.17	123.62	510.55
MW-7	2/26/2013	634.17	121.52	512.65
MW-7	2/28/2013	634.17	121.36	512.81
MW-7	5/14/2013	634.17	120.08	514.09
MW-7	5/16/2013	634.17	119.85	514.32
MW-7	8/12/2013	634.17	123.81	510.36
MW-7	8/20/2013	634.17	124.3	509.87
MW-8	6/11/1987	644.87	21.62	623.25
MW-8	7/21/1987	644.87	22.36	622.51
MW-9	8/25/1987	651.13	113.7	537.43
MW-9	12/13/1987	651.13	114.32	536.81
MW-9	3/17/1988	651.13	113.95	537.18
MW-9	6/9/1988	651.13	112.8	538.33
MW-9	9/6/1988	651.13	113.44	537.69
MW-9	11/28/1988	651.13	113.96	537.17
MW-9	3/29/1989	651.13	112.05	539.08
MW-9	6/28/1989	651.13	112.15	538.98
MW-9	9/18/1989	651.13	113.39	537.74
MW-9	12/8/1989	651.13	114.68	536.45
MW-9	3/14/1990	651.13	111.74	539.39
MW-9	5/18/1990	651.13	112.27	538.86
MW-9	12/13/1990	651.13	112.17	538.96
MW-9	3/6/1991	651.13	111.3	539.83
MW-9	6/26/1991	651.13	111.4	539.73
MW-9	9/17/1991	651.13	113.37	537.76
MW-9	12/17/1991	651.13	113.7	537.43
MW-9	3/20/1992	651.13	112.89	538.24
MW-9	6/23/1992	651.13	113.28	537.85
MW-9	9/2/1992	651.13	114.4	536.73
MW-9	9/23/1992	651.13	114.17	536.96
MW-9	12/21/1992	651.13	114.37	536.76
MW-9	12/23/1992	651.13	114.8	536.33
MW-9	3/22/1993	651.13	113.22	537.91
MW-9	3/24/1993	651.13	113.44	537.69
MW-9	6/21/1993	651.13	112.74	538.39
MW-9	6/23/1993	651.13	113.03	538.1
MW-9	9/22/1993	651.13	113.81	537.32
MW-9	12/28/1993	651.13	115.31	535.82
MW-9	3/14/1994	651.13	114.62	536.51
MW-9	3/16/1994	651.13	114.62	536.51
MW-9	6/24/1994	651.13	113.8	537.33
MW-9	8/25/1994	651.13	114.52	536.61
MW-9	12/19/1994	651.13	114.38	536.75
MW-9	12/20/1994	651.13	114.38	536.75
MW-9	9/15/1995	651.13	114.76	536.37
MW-9	12/20/1995	651.13	113.93	537.2
MW-9	3/19/1996	651.13	111.9	539.23
MW-9	5/28/1996	651.13	112.42	538.71
MW-9	7/29/1996	651.13	113.27	537.86
MW-9	8/1/1996	651.13	113.35	537.78
MW-9	12/4/1996	651.13	113.58	537.55
MW-9	2/19/1997	651.13	111.27	539.86

Site	Date	Reference Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-9	3/6/1997	651.13	111.29	539.84
MW-9	5/16/1997	651.13	111.35	539.78
MW-9	8/14/1997	651.13	112.66	538.47
MW-9	8/18/1997	651.13	112.87	538.26
MW-9	12/3/1997	651.13	113.62	537.51
MW-9	12/4/1997	651.13	113.63	537.5
MW-9	2/10/1998	651.13	112.87	538.26
MW-9	3/9/1998	651.13	112.84	538.29
MW-9	3/26/1998	651.13	112.37	538.76
MW-9	5/15/1998	651.13	112.82	538.31
MW-9	5/18/1998	651.13	113.02	538.11
MW-9	8/21/1998	651.13	114.23	536.9
MW-9	8/24/1998	651.13	114.12	537.01
MW-9	12/3/1998	651.13	114.46	536.67
MW-9	12/4/1998	651.13	114.56	536.57
MW-9	12/4/1998	651.13	114.56	536.57
MW-9	3/9/1999	651.13	111.47	539.66
MW-9	5/21/1999	651.13	112.35	538.78
MW-9	6/14/1999	651.13	112.57	538.56
MW-9	8/16/1999	651.13	113.51	537.62
MW-9	8/17/1999	651.13	113.5	537.63
MW-9	12/8/1999	651.13	114.03	537.1
MW-9	3/3/2000	651.13	112.75	538.38
MW-9	3/7/2000	651.13	112.4	538.73
MW-9	5/17/2000	651.13	112.81	538.32
MW-9	5/18/2000	651.13	112.88	538.25
MW-9	9/5/2000	651.13	114.12	537.01
MW-9	9/8/2000	651.13	113.72	537.41
MW-9	11/28/2000	651.13	114.54	536.59
MW-9	12/6/2000	651.13	114.91	536.22
MW-9	2/13/2001	651.13	114.93	536.2
MW-9	2/14/2001	651.13	114.69	536.44
MW-9	5/25/2001	651.13	114.52	536.61
MW-9	5/29/2001	651.13	114.41	536.72
MW-9	8/9/2001	651.13	114.71	536.42
MW-9	8/10/2001	651.13	114.82	536.31

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-1	5/18/1987	WH1-87518			9.5	
MW-1	8/24/1987	WH1-87824	6.83	293	13.2	
MW-1	11/30/1987	WH1-87N30	6.35	480	9	
MW-1	5/31/1988	WH1-88531	6.69	275	10	
MW-1	8/30/1988	WH1-88830Q	6.55	325	10.5	
MW-1	12/29/1988	WH1-88D29Q	6.73	210	10	
MW-1	3/28/1989	WH1-89328Q	6.64	340	9	
MW-1	5/18/1989	WH1-89518Q	7.3	250		
MW-1	11/22/1989	WH1-89N22Q	6.4	345	9.3	
MW-1	2/13/1990	WH1-90213Q	6.39	300	8	
MW-1	5/17/1990	WH1-90517Q		230	9.5	
MW-1	12/7/1990	WH1-90D07-		260	11	29.3
MW-1	2/25/1991	WH1-91225-	6.79	160	11	29
MW-1	6/12/1991	WH1-91612-	6.96	149	10	26
MW-1	9/11/1991	WH1-91911-	6.39	183	11.2	27
MW-1	12/16/1991	WH1-91D16-	6.54	240	10.6	26.4
MW-1	3/19/1992	WH1-92319-	6.41	195	10	27
MW-1	6/22/1992	WH1-92622-	6.49	191	13	25.2
MW-1	9/22/1992	WH1-92922-	6.53	198	13.3	24
MW-1	12/22/1992	WH1-92D22-	6.55	257	11	27
MW-1	3/24/1993	WH1-93324-	6.58	210	9.9	26.86
MW-1	6/17/1993	WH1-93618-	5.65	160	12.3	27
MW-1	9/17/1993	WH1-93917-	6.25	160	13.1	25
MW-1	12/20/1993	WH1-93D21-	6.48	193	9.4	26
MW-1	3/15/1994	WH1-94315-	6.63	191	11.9	27.6
MW-1	6/23/1994	WH1-94623-	6.14	147	11.6	26
MW-1	8/22/1994	WH1-94822-	7.26	161	12.5	24.41
MW-1	12/21/1994	WH1-94D21-	8.29	449	9.4	28.2
MW-1	3/7/1995	WH1-95307A	7.23	254	11	28.5
MW-1	5/25/1995	WH1-95525A	7.18	220	13.6	25.5
MW-1	3/15/1996	WH1-96315-	7.31	160	9.2	27.51
MW-1	5/23/1996	WH1-96523-	7.04	174	10.2	27.5
MW-1	7/29/1996	WH1-96729-	6.08	170	12.5	25.2
MW-1	12/2/1996	WH1-96D02-	7.17	147	9.9	30
MW-1	3/6/1997	WH1-97306-	6.43	130	7.6	38
MW-1	5/19/1997	WH1-97519-	7.2	135	10.7	27.6
MW-1	8/19/1997	WH1-97819-	6.52	135	12.4	34
MW-1	12/3/1997	WH1-97D03-	6.74	235	12.1	30
MW-1	3/6/1998	WH1-98306-	6.72	170	8.3	28
MW-1	5/15/1998	WH1-98515-	6.75	155	9.6	35
MW-1	8/25/1998	WH1-98825-	7.34	175	11.2	50
MW-1	3/8/1999	WH1-99308-	7.2	130	9	29
MW-1	6/10/1999	WH1-99610-	6.82	140	9.4	28
MW-1	8/17/1999	WH1-99817-	6.4	135	13.4	28
MW-1	12/7/1999	WH1-99D07-	6.79	160	10.7	32
MW-1	3/6/2000	WH1-00306-	6.86	120	6.4	38
MW-1	5/17/2000	WH1-00517-	6.8	130	8.6	36
MW-1	9/5/2000	WH1-00905-	6.63	120	12	25.6
MW-1	12/1/2000	WH1-00D01-	6.78	155	11.6	28.9
MW-1	2/13/2001	WH1-01213-	6.74	141	6.7	28.8
MW-1	5/25/2001	WH1-01525-	6.85	150	9.6	28
MW-1	8/13/2001	WH1-01813-	6.79	140	11.8	34
MW-1	12/10/2001	WH1-01D10-	6.92	100	9.8	30
MW-1	2/27/2002	WH1-02227-	6.69	100	7.6	46.5
MW-1	5/17/2002	WH1-02517-	6.65	104	9.1	29
MW-1	8/29/2002	WH1-02829-	6.65	110	11.3	37.9
MW-1	11/21/2002	WH1-02N21-	6.84	110	11.9	13.98
MW-1	2/13/2003	WH1-03213-	6.77	98	7	29
MW-1	5/16/2003	WH1-03213-			9.4	
MW-1	5/16/2003	WH1-03516-	6.61	120		31

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-1	8/6/2003	WH1003806-	6.47	125	10	7+
MW-1	8/7/2003	WH1-03807-	6.16	115	10.7	35+
MW-1	11/12/2003	WH1-03N12-	6.67	100	12	26
MW-1	2/20/2004	WH1-04220-	6.6	100	9	40+
MW-1	5/19/2004	WH1-04518-	6.58	110	9.9	~36
MW-1	9/1/2004	WH1-04901-	6.62	125	13	
MW-1	11/17/2004	WH1-04N17-	6.7	125	14.1	44
MW-1	2/22/2005	WH1-05222-	6.74	130	9.5	46
MW-1	5/19/2005	WH1-05519-	6.43	92	9.9	91
MW-1	8/11/2005	WH1-05811-	6.42	120	12	25
MW-1	12/6/2005	WH1-051206-	6.86	79	10.7	35.2
MW-1	2/10/2006	WH1-060210-	6.49	120	10.2	29+
MW-1	5/18/2006	WH1-060518-	6.67	100	10.4	34.8+
MW-1	8/23/2006	WH1-060823-	6.58	105	11.7	42+
MW-1	12/4/2006	WH1-061204-	6.48	130	11.3	49+
MW-1	2/14/2007	WH1-070214-	6.18	110	10.6	30
MW-1	5/17/2007	WH1-070517-	6.25	105	10.5	28.2
MW-1	8/22/2007	WH1-070822-	6.69	105	10.9	57+
MW-1	11/30/2007	WH1-071130-	6.22	105	12.2	27.8
MW-1	2/29/2008	WH1-080229-	6.29	115	9.1	28+
MW-1	6/2/2008	WH1-080602-	6.25	100	9.4	28
MW-1	8/21/2008	WH1-080821-	6.43	110	11	25
MW-1	12/2/2008	WH1-081202-	6.23	95	11.6	51
MW-1	3/3/2009	WH1-090303-	6.41	95	10.1	26.6
MW-1	5/29/2009	WH1-090529-	6.25	97	10.4	35.2
MW-1	9/1/2009	WH1-090901-	6.54	103	10.7	45
MW-1	11/30/2009	WH1-091130-	6.73	70	10.3	28
MW-1	3/1/2010	WH1-100301-	6.35	90	8.6	27
MW-1	5/26/2010	WH1-100526-	6.26	91	9.4	
MW-1	8/23/2010	WH1-100823-	6.51	105	10.9	26
MW-1	12/3/2010	WH1-101203-	6.33	65	10.9	28
MW-1	2/24/2011	WH1-110224-	6.4	100	9.5	29
MW-1	6/6/2011	WH1-110606-	6.17	88	9.7	29
MW-1	8/25/2011	WH1-110825-	6.17	86	10.8	25
MW-1	12/5/2011	WH1-111205-	6.37	65	9.7	27
MW-1	3/5/2012	WH1-120305-	6.32	120	8.8	31.5
MW-1	5/21/2012	WH1-120521-	6.18	92	9.2	28
MW-1	8/28/2012	WH1-120828-	5.95	86	11	25
MW-1	11/29/2012	WH1-121129-	6	65	11.3	27
MW-1	2/28/2013	WH1-130228-	5.92	86	8.7	28
MW-1	5/16/2013	WH1-130516-	6.01	86	9.7	28
MW-1	8/20/2013	WH1-130820-	6.43	89	10.9	24.5
MW-10	6/11/1987	WH1087611			11	
MW-10	8/24/1987	WH1087824	6.29	377	13.1	
MW-10	12/9/1987	WH1087D09	6.55	420	10.5	
MW-10	5/25/1988	WH1088525	6.56	560	12	
MW-10	9/2/1988	WH1088902Q	6.56	510	13.5	
MW-10	11/14/1988	WH1088N14Q	6.51	530	10	
MW-10	3/6/1989	WH1089306Q	6.73	360	9.5	
MW-10	6/23/1989	WH1089623Q		295	11	
MW-10	2/13/1990	WH1090213Q	6.42	350	8.5	
MW-10	5/21/1990	WH1090521Q	6.61	275	10.5	
MW-10	3/6/1991	WH1091306-	6.69	270	9.5	5.1
MW-10	6/19/1991	WH1091619-	6.66	191	10.3	3.9
MW-10	9/18/1991	WH1091918-	6.43	230	13.8	3.5
MW-10	12/13/1991	WH1091D13-	6.61	135.9	10.6	4.5
MW-10	3/23/1992	WH1092323-	6.33	217	8	4.39
MW-10	6/29/1992	WH1092629-	6.37	223	10.7	5
MW-10	9/28/1992	WH1092928-	6.6	193	11.8	3.4
MW-10	12/23/1992	WH1092D23-	6.71	100	8.8	4.7

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-10	3/26/1993	WH1093326-	6.59	110	8	4.8
MW-10	6/18/1993	WH1093618-	5.64	120	10.5	4.4
MW-10	9/23/1993	WH1093923-	5.6	180	10.5	5
MW-10	12/29/1993	WH1093D29-	6.85	127	10.5	3.9
MW-10	3/18/1994	WH1094318-	6.85	119	9.1	4.8
MW-10	6/28/1994	WH1094628-	5.75	188	10.4	5
MW-10	8/24/1994	WH1094824-	6.49	159	11.2	3.4
MW-10	12/21/1994	WH1094D21-	6.45	146	12.2	4.3
MW-10	3/8/1995	WH1095308A	7.39	172	9.3	4.8
MW-10	5/26/1995	WH1095526A	7.29	360	10.8	3.8
MW-10	9/18/1995	WH1095918-	6.75	280	12.5	3.3
MW-10	12/20/1995	WH1095D20-	7.09	153	9.2	5.2
MW-10	3/18/1996	WH1096318-	7.25	270	10.1	4.5
MW-10	5/24/1996	WH1096524-	6.58	270	10.9	4.5
MW-10	7/31/1996	WH1096731-	6.11	356	12.5	3.5
MW-10	12/3/1996	WH1096D03-	6.62	140	9.9	10
MW-10	3/7/1997	WH1097307-	6.42	160	10.3	5.1
MW-10	5/16/1997	WH1097516-	7.44	180	12.2	12
MW-10	8/20/1997	WH1097820-	6.39	186	10.6	5.2
MW-10	12/4/1997	WH1097D04-	6.57	160	10.7	8
MW-10	3/10/1998	WH1098310-	6.55	215	9.8	8
MW-10	5/19/1998	WH1098519-	6.55	230	10.2	3.9
MW-10	8/26/1998	WH1098826-	6.71	195	11.9	6
MW-10	12/7/1998	WH1098D07-	6.69	97	10.9	5.1
MW-10	3/9/1999	WH1099309-	6.63	115	9.3	10
MW-10	6/11/1999	WH1099611-	6.41	165	9.9	10
MW-10	8/18/1999	WH1099818-	6.48	140	12.3	3.8
MW-10	12/7/1999	WH1098D07-	6.69	97	10.9	5.1
MW-10	12/7/1999	WH1099D07-	6.77	104	10	5.1
MW-10	3/7/2000	WH1000307-	6.81	150	9.5	7
MW-10	5/19/2000	WH1000519-	6.8	150	9.3	7
MW-10	9/5/2000	WH1000905-	6.68	160	10.7	4
MW-10	12/11/2000	WH1000D11-	6.64	120	9.6	11.7
MW-10	2/13/2001	WH1001213-	6.83	100	9.3	4.5
MW-10	5/31/2001	WH1001531-	6.73	165	11.2	5.8
MW-10	8/14/2001	WH1001814-	6.73	150	10.6	5
MW-10	12/11/2001	WH1001D11-	6.46	120	10.2	6.2
MW-10	2/27/2002	WH1002227-	6.54	135	9.1	6
MW-10	5/17/2002	WH1002517-	6.64	130	9.4	7
MW-10	8/30/2002	WH1002830-	6.64	120	10.8	6
MW-10	11/22/2002	WH1002N22-	7.03	97	9.6	15
MW-10	2/13/2003	WH1003213-	6.68	89	9.2	6
MW-10	5/15/2003	WH1003515-	6.68	125	9.1	5
MW-10	5/15/2003	WH1103515-	6.23	50	8.4	18
MW-10	11/13/2003	WH1003N13-	6.46	110	10.4	10
MW-10	2/23/2004	WH1004223-	6.63	105	9.6	8+
MW-10	5/20/2004	WH1004520-	6.8	125	10.2	5+
MW-10	9/1/2004	WH1004901-	6.65	130	11.2	
MW-10	11/17/2004	WH1004N17-	6.47	130	11.2	9.5
MW-10	2/18/2005	WH1005218-	6.49	135	10	7
MW-10	5/20/2005	WH1005520-	6.71	125	10	6
MW-10	8/15/2005	WH1005815-	6.31	140	10.6	8
MW-10	12/5/2005	WH10051205-	6.74	140	10.9	6.5
MW-10	2/10/2006	WH10060210-	6.45	135	9.8	7.0+
MW-10	5/22/2006	WH10060522-	6.78	110	10.4	5.3+
MW-10	8/22/2006	WH10060822-	6.66	120	9.8	6+
MW-10	12/1/2006	WH10061201-	6.16	115	10.4	19.6
MW-10	2/14/2007	WH10070214-	6.6	110	9.9	5+
MW-10	5/17/2007	WH10070517-	6.8	100	9.8	6+
MW-10	8/24/2007	WH10070824-	6.39	110	10.8	4

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-10	11/30/2007	WH10071130-	6.32	104	10.5	4.5
MW-10	2/29/2008	WH10080229-	6.48	110	9.5	7
MW-10	6/2/2008	WH10080602-	6.38	110	9.4	5
MW-10	8/20/2008	WH10080820-	6.38	130	10	6
MW-10	12/3/2008	WH10081203-	6.54	130	10.5	7
MW-10	2/27/2009	WH10090227-	6.55	100	9.8	6
MW-10	6/1/2009	WH10090601-	6.51	100	9.2	6.8
MW-10	8/28/2009	WH10090828-	6.28	100	9.2	
MW-10	12/1/2009	WH10091201-	6.85	105	8.9	8
MW-10	3/1/2010	WH10100301-	6.23	87	9.7	8
MW-10	5/27/2010	WH10100527-	6.35	98	8.7	5
MW-10	8/30/2010	WH10100830-	6.33	115	9.3	5
MW-10	12/1/2010	WH10101201-	6.42	100	9.4	5
MW-10	2/24/2011	WH10110224-	6.61	95	9.3	6
MW-10	6/2/2011	WH10110602-	6.78	96	9	12.3
MW-10	8/26/2011	WH10110826-	6.34	90	8.8	3.8
MW-10	12/6/2011	WH10111206-	6.59	100	8.9	4.5
MW-10	12/6/2011	WH10111206F	5.55	5.6	6.3	
MW-10	3/5/2012	WH10120305-	6.2	99	8.6	6.8
MW-10	5/21/2012	WH10120521-	6.59	100	9	5.2
MW-10	8/29/2012	WH10120829-	6.53	110	9.1	6.2
MW-10	11/28/2012	WH10121128-	6.16	93	9.1	8
MW-10	2/28/2013	WH10130228-	6.16	77	9.6	9
MW-10	5/21/2013	WH10130521-	6.26	75	8.4	7
MW-10	8/20/2013	WH10130820-	6.63	89	8.6	3.4
MW-11	8/25/1987	WH1187825	7.42	59	11.4	
MW-11	11/24/1987	WH1187N24	6.41	48	10	
MW-11	6/8/1988	WH1188608	6.39	55	10.5	
MW-11	9/9/1988	WH1188909Q	6.24	63	9.5	
MW-11	11/29/1988	WH1188N29Q	6.84	60	9	
MW-11	2/21/1989	WH1189221Q	6.24	40	8.5	
MW-11	6/26/1989	WH1189626Q		50	9.5	
MW-11	9/19/1989	WH1189919Q	5.87	62	9.5	
MW-11	12/8/1989	WH1189D08Q	5.71	45	9	
MW-11	3/9/1990	WH1190309Q	5.91	46	9	
MW-11	5/18/1990	WH1190518Q	5.95	54	9.5	
MW-11	12/13/1990	WH1190D13-	7.19	48	10	14
MW-11	2/22/1991	WH1191222-	7.03	41	9	20
MW-11	6/10/1991	WH1191610-	6.64	49	9.4	10
MW-11	9/10/1991	WH1191910-	6.04	55	10.5	10
MW-11	11/15/1991	WH1191N15R	5.85	55.4	9.1	11
MW-11	12/13/1991	WH1191D13-	5.68	50	9	11.5
MW-11	3/17/1992	WH1192317-	6.06	53	8.8	10.6
MW-11	6/25/1992	WH1192625-	5.55	60	10.1	9.5
MW-11	9/23/1992	WH1192923-	5.85	69	10.9	8.6
MW-11	12/21/1992	WH1192D21-	6.39	53	9.8	12
MW-11	3/29/1993	WH1193329-	6.05	46	7.8	11.7
MW-11	6/21/1993	WH1193621-	5.4	63	11.3	10.5
MW-11	9/24/1993	WH1193924-	6.6	46	11.2	9.3
MW-11	12/28/1993	WH1193D28-	6.82	57	8.3	9.6
MW-11	3/16/1994	WH1194316-	6.6	43	8.9	11.4
MW-11	6/24/1994	WH1194624-	5.91	55	10.9	14
MW-11	8/25/1994	WH1194825-	8.86	58	10.5	9.09
MW-11	12/19/1994	WH1194D19-	7.74	43	7.8	10.31
MW-11	3/8/1995	WH1195308A	7.1	45	8.8	11.4
MW-11	5/31/1995	WH1195531A	7.66	50	9.1	9.43
MW-11	9/20/1995	WH1195920-	8.39	60	10	4.2
MW-11	12/19/1995	WH1195D19-	8.48	53	8.7	13.2
MW-11	3/15/1996	WH1196315-	7.43	46	8.3	11.1
MW-11	5/28/1996	WH1196528-	6.18	45	8.5	10.8

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-11	8/5/1996	WH1196805-	6.28	50	9.6	17
MW-11	12/5/1996	WH1196D05-	6.6	44	9.1	27
MW-11	3/6/1997	WH1197306-	7.69	39	7.9	12.3
MW-11	5/20/1997	WH1197520-	7.05	43	7.6	18.5
MW-11	8/20/1997	WH1197820-	6.55	53	12.1	9.6
MW-11	12/3/1997	WH1197D03-	6.32	48	10.4	10.5
MW-11	3/9/1998	WH1198309-	6.25	44	9.7	14.4
MW-11	5/18/1998	WH1198518-	6.3	51	9.2	16
MW-11	8/26/1998	WH1198826-	6.54	58	9.9	10
MW-11	12/4/1998	WH1198D04-	6.58	48	9.2	15
MW-11	12/4/1998	WH1-98D04-	6.92	130	9.7	28.5
MW-11	3/9/1999	WH1199309-	6.62	43	7.80	17.5
MW-11	6/14/1999	WH1199614-	5.47	48	11.70	10
MW-11	8/17/1999	WH1199817-	6.65	54	9.9	11
MW-11	12/4/1999	WH1198D04-	6.58	48	9.20	15
MW-11	12/4/1999	WH1-98D04-	6.92	130	9.70	28.5
MW-11	12/8/1999	WH1199D08-	6.38	54	9.10	20
MW-11	3/3/2000	WH1100303-	6.24	45	11	20
MW-11	5/17/2000	WH1100518-		51		20
MW-11	5/18/2000	WH1100518-	6.71		8.90	
MW-11	9/7/2000	WH1100907-	6.19	53	9.60	10
MW-11	12/5/2000	WH1100D05-	6.19	52	10.50	14
MW-11	2/16/2001	WH1101216-	6.47	49	9.40	10
MW-11	5/29/2001	WH1101529-	6.42	51	9.90	20
MW-11	8/14/2001	WH1101814-	6.48	58	10.30	25
MW-11	12/6/2001	WH1101D06-	6.2	490	9.50	14
MW-11	2/26/2002	WH1102226-	6.47	48	8.60	18
MW-11	5/20/2002	WH1102520-	6.23	46	9	11
MW-11	8/30/2002	WH1102830-	6.1	54	9.2	14
MW-11	11/22/2002	WH1102N22-	6.24	54	10.3	12
MW-11	2/13/2003	WH1103213-	6.43	48	9.2	50
MW-11	8/7/2003	WH1103807-	6.09	53	9.3	12+
MW-11	11/13/2003	WH1103N13-	6.19	48	10.9	10+
MW-11	2/23/2004	WH1104223-	5.89	46	8.6	30+
MW-11	5/20/2004	WH1104520-	6.01	49	9.3	10+
MW-11	9/1/2004	WH1104901-	6.17	54	11.9	21
MW-11	11/17/2004	WH1104N17-	5.98	60	11.5	11.5
MW-11	2/18/2005	WH1105218-	6.45	53	9.5	21
MW-11	5/23/2005	WH1105523-	5.56	54	9.3	18
MW-11	8/12/2005	WH1105812-	5.97	59	10.5	10
MW-11	12/6/2005	WH11051206-	6.27	46	10.4	13.2
MW-11	2/13/2006	WH11060213-	6.07	49	8.7	13+
MW-11	5/17/2006	WH11060517-	5.99	53	9.5	13+
MW-11	8/24/2006	WH11060824-	5.96	54	10.1	11+
MW-11	12/1/2006	WH11061201-	5.54	47	10	14.6
MW-11	2/15/2007	WH11070215-	6.14	52	9.2	14+
MW-11	5/21/2007	WH11070521-	5.76	49	8.7	11.2
MW-11	8/23/2007	WH11070823-	6.09	57	10.2	12+
MW-11	12/3/2007	WH11071203-	5.84	54	11.2	11.4
MW-11	2/28/2008	WH11080228-	5.93	45	8.9	19+
MW-11	6/3/2008	WH11080603-	6.05	55	8.9	10
MW-11	8/21/2008	WH11080821-	5.72	57	9.6	9.5
MW-11	12/3/2008	WH11081203-	5.73	57	9.9	18
MW-11	2/27/2009	WH11090227-	5.97	51	9.6	9.7
MW-11	5/28/2009	WH11090528-	5.98	50	9.1	9.5
MW-11	9/1/2009	WH11090901-	6.34	74	9.6	15
MW-11	11/24/2009	WH11091124-	5.74	60	9.7	15
MW-11	3/2/2010	WH11100302-	5.84	57	9.4	3.5
MW-11	5/26/2010	WH11100526-	5.97	55	9.7	12.8
MW-11	8/20/2010	WH11100820-	6.41	68	8.8	8.3

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-11	12/2/2010	WH11101202-	6.07	64	9.5	10.8
MW-11	2/28/2011	WH11110228-	6.27	51	8.3	11
MW-11	6/2/2011	WH11110602-	5.78	74	7.4	18
MW-11	8/26/2011	WH11110826-	6.04	70	9.1	13.3
MW-11	12/5/2011	WH11111205-	5.75	65	8.7	10
MW-11	2/27/2012	WH11120227-	5.96	48	7.6	12.9
MW-11	5/21/2012	WH11120521-	5.94	56	7.5	10.5
MW-11	8/28/2012	WH11120828-	6.36	73	8.5	10.8
MW-11	11/20/2012	WH11121120-	6.14	66	9	10
MW-11	2/27/2013	WH11130227-	5.84	56	8.5	10.2
MW-11	5/21/2013	WH11130521-	6.02	62	7.9	17.5
MW-11	8/22/2013	WH11130822-	6.52	81	8.2	7.5
MW-18	8/25/1987	WH1887825	6.94	406	11.1	
MW-18	11/23/1987	WH1887N23	6.31	450	10	
MW-18	5/25/1988	WH1888525	6.48	450	10	
MW-18	9/7/1988	WH1888907Q	6.35	405	10.2	
MW-18	11/18/1988	WH1888N18Q	6.38	370	8	
MW-18	3/6/1989	WH1889306Q	7.73	320	9.5	
MW-18	6/28/1989	WH1889628Q		325		
MW-18	9/12/1989	WH1889912Q	6.06	240	11	
MW-18	12/11/1989	WH1889D11Q	7.2	200	8.9	
MW-18	3/14/1990	WH1890314Q	6.55	135	10.5	
MW-18	5/21/1990	WH1890521Q	6.35	160	10.2	
MW-18	12/14/1990	WH1890D14-	7.32	110	10.5	8
MW-18	3/5/1991	WH1891305-	6.3	98	10	5.4
MW-18	6/11/1991	WH1891611-	6.82	106	11.5	9
MW-18	9/13/1991	WH1891913-	6.52	109	10.3	4
MW-18	12/13/1991	WH1891D13-	6.55	96.7	9.3	4.8
MW-18	3/23/1992	WH1892323-	6.28	91	7.6	4.6
MW-18	6/29/1992	WH1892629-	6.27	99	10	4
MW-18	9/28/1992	WH1892928-	6.39	97	9.7	5.3
MW-18	12/28/1992	WH1892D28-	6.77	85	9.6	4.95
MW-18	3/26/1993	WH1893326-	6.75	88	8.6	5.3
MW-18	6/18/1993	WH1893618-	5.58	60	10.8	4.7
MW-18	9/20/1993	WH1893920-	6.13	70	9.8	4
MW-18	12/21/1993	WH1893D21-	7.25	59	9.7	4.8
MW-18	3/18/1994	WH1894318-	6.84	71	9.1	4.8
MW-18	6/28/1994	WH1894628-	6.07	74	12	6
MW-18	8/25/1994	WH1894825-	8.29	68	10.2	3.7
MW-18	12/16/1994	WH1894D16-	7.31	79	10.2	4.54
MW-18	3/8/1995	WH1895308A	8.2	85	11	5
MW-18	5/31/1995	WH1895531A	7.8	76	11.7	4.1
MW-18	9/19/1995	WH1895919-	8.44	70	11.9	3.6
MW-18	12/20/1995	WH1895D20-	7.82	80	8.9	5.4
MW-18	3/20/1996	WH1896320-	7.36	84	8.7	4.8
MW-18	5/29/1996	WH1896529-	6.76	84	9.7	4.8
MW-18	8/6/1996	WH1896806-	6.55	83	11.7	4
MW-18	12/4/1996	WH1896D04-	7.81	68	9.5	9
MW-18	3/7/1997	WH1897307-	6.75	67	9.4	7
MW-18	5/22/1997	WH1897522-	8	67	9.1	9
MW-18	8/20/1997	WH1897820-	6.88	62	10.1	5.6
MW-18	12/4/1997	WH1897D04-	6.68	66	9.4	6
MW-18	3/25/1998	WH1898325-	6.61	64	9.9	4.8
MW-18	5/20/1998	WH1898520-	6.72	70	10	7.5
MW-18	8/26/1998	WH1898826-	6.7	69	10.7	5.2
MW-18	12/8/1998	WH1898D08-	6.54	62	10.4	5.5
MW-18	3/9/1999	WH1899309-	6.89	63	9.4	9
MW-18	6/15/1999	WH1899615-	6.16	62	12.7	4.5
MW-18	8/17/1999	WH1899817-	6.24	63	12.3	5
MW-18	12/7/1999	WH1899D07-	6.6	61	9.1	8

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-18	3/3/2000	WH1800303-	6.62	56	11	7
MW-18	5/19/2000	WH1800519-	6.59	57	9.7	4.5
MW-18	9/5/2000	WH1800905-	7.06	58	9.8	6.5
MW-18	12/6/2000	WH1800D06-	6.67	62	10.3	6.3
MW-18	2/15/2001	WH1801215-	6.63	60	8.5	4.5
MW-18	5/25/2001	WH1801525-	6.64	60	9.7	7.9
MW-18	8/14/2001	WH1801814-	6.68	60	10.2	5.1
MW-18	12/6/2001	WH1801D06-	6.49	58	9.5	7
MW-18	2/26/2002	WH1802226-	6.76	63	9.8	8.5
MW-18	5/20/2002	WH1802520-	6.56	58	9.4	4.6
MW-18	8/29/2002	WH1802829-	6.57	55	10.6	6
MW-18	11/21/2002	WH1802N21-	6.46	66	10.4	13
MW-18	5/15/2003	WH1803515-	6.5	57	9.4	14
MW-18	8/7/2003	WH1803807-	6.6	55	10.5	5+
MW-18	11/13/2003	WH1803N13-	6.6	50	9.6	5
MW-18	2/23/2004	WH1804223-	6.53	51	9.9	5.5+
MW-18	5/19/2004	WH1804519-	6.4	56	10.3	12
MW-18	9/3/2004	WH1804903-	6.57	59	10.4	
MW-18	11/22/2004	WH1804N22-	6.57	55	10.1	67
MW-18	2/23/2005	WH1805223-	6.48	56	9.2	5
MW-18	5/20/2005	WH1805520-	6.35	57	9.7	8
MW-18	8/9/2005	WH1805809-	6.54	56	10.5	3.9
MW-18	12/5/2005	WH18051205-	6.68	55	10.2	7.5
MW-18	2/10/2006	WH18060210-	6.33	54	9.7	13+
MW-18	5/23/2006	WH18060523-	6.56	53	10.9	6.3+
MW-18	8/22/2006	WH18060822-	6.62	56	10.5	12+
MW-18	12/5/2006	WH18061205-	6.51	60	9.9	
MW-18	2/14/2007	WH18070214-	6.39	55	9.7	7.5+
MW-18	5/17/2007	WH18070517-	6.5	57	9.8	8+
MW-18	8/24/2007	WH18070824-	6.37	53	10.9	4.8+
MW-18	12/7/2007	WH18071207-	6.31	58	9.5	11.4
MW-18	3/3/2008	WH18080303-	6.09	51	9.8	3
MW-18	6/3/2008	WH18080603-	6.41	54	9.7	8.5
MW-18	8/20/2008	WH18080820-	6.34	53	11.1	6
MW-18	12/4/2008	WH18081204-	6.42	53	10.3	6.2
MW-18	3/4/2009	WH18090304-	6.26	55	9.3	5.8
MW-18	5/28/2009	WH18090528-	6.19	52	9	4.5
MW-18	12/1/2009	WH18091201-	5.94	54	10	7.3
MW-18	3/3/2010	WH18100303-	6	53	9.8	8
MW-18	5/27/2010	WH18100527-	6.01	50	9.3	5.2
MW-18	8/27/2010	WH18100827-	6.16	58	10.1	4.8
MW-18	12/1/2010	WH18101201-	6.02	64	9.8	9
MW-18	2/23/2011	WH18110223-	6.2	55	8.9	9.6
MW-18	5/31/2011	WH18110531-	5.83	50	9	8
MW-18	8/24/2011	WH18110824-	5.88	55	11.8	4.3
MW-18	12/1/2011	WH18111201-	6.24	51	9.6	7
MW-18	3/2/2012	WH18120302-	5.67	54	8.7	11
MW-18	5/16/2012	WH18120516-	5.84	50	8.9	6.5
MW-18	8/28/2012	WH18120828-	5.66	51	10.5	3.6
MW-18	11/27/2012	WH18121127-	5.64	4.9	9.5	4.8
MW-18	2/26/2013	WH18130226-	5.69	48	9	5
MW-18	5/15/2013	WH18130515-	5.77	49	9.2	4.5
MW-25	12/12/2001	WH2501D12-	7.82	87	8.4	78
MW-25	2/27/2002	WH2502227-	8.32	90	9	47
MW-25	5/17/2002	WH2502517-	8.05	87	10	39
MW-25	9/3/2002	WH2502904-				18
MW-25	9/4/2002	WH2502904-	7.67	85	9.5	
MW-25	11/27/2002	WH2502N27-	7.97	87	8.7	48
MW-25	2/14/2003	WH2503214-	8.15	87	8.7	153
MW-25	5/16/2003	WH2503516-	7.65	85	8.9	69

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-25	8/12/2003	WH2503812-	7.79	81	9.1	90
MW-25	11/12/2003	WH2503N12-	8.28	86	8.9	71+
MW-25	2/23/2004	WH2504223-	7.74	87	9	~83
MW-25	5/20/2004	WH2504519-	8.19	88	8.8	77+
MW-25	9/1/2004	WH2504901-	8.12	92	9.5	46
MW-25	11/19/2004	WH2504N19-	8.28	90	8.7	71
MW-25	2/23/2005	WH2505223-	7.98	91	8.8	37
MW-25	5/23/2005	WH2505523-	8.02	92	9.1	55
MW-25	8/12/2005	WH2505812-	7.92	88	9.5	45
MW-25	12/6/2005	WH25051206-	8.02	86	8.5	54
MW-25	2/14/2006	WH25060214-	8	87	8.5	42+
MW-25	5/17/2006	WH25060517-	7.87	90	9.2	60+
MW-25	8/18/2006	WH25060818-	8.37	85	9.5	88+
MW-25	12/6/2006	WH25061206-	8.37	93	8.9	91+
MW-25	2/16/2007	WH25070216-	7.99	91	8.7	48+
MW-25	5/18/2007	WH25070518-	8.06	92	9.2	57+
MW-25	8/23/2007	WH25070823-	8.01	92	9.1	37+
MW-25	11/30/2007	WH25071130-	8.01	91	8.4	36
MW-25	2/28/2008	WH25080228-	7.93	91	8.9	28+
MW-25	6/3/2008	WH25080603-	7.81	90	8.8	36.8
MW-25	8/22/2008	WH25080822-	7.67	91	9.5	36.3
MW-25	12/1/2008	WH25081201-	7.92	93	8.9	28
MW-25	2/26/2009	WH25090226-	7.88	91	8.9	28
MW-25	5/29/2009	WH25090529-	7.57	89	9.5	28
MW-25	8/31/2009	WH25090831-	7.78	95	9.4	
MW-25	11/24/2009	WH25091124-	8.02	95	8.8	39
MW-25	3/2/2010	WH25100302-	7.62	90	9.3	28.1
MW-25	5/25/2010	WH25100525-	7.6	89	9.3	28
MW-25	8/27/2010	WH25100827-	8.01	96	9.4	46
MW-25	12/1/2010	WH25101201-	7.9	100	9.1	27.6
MW-25	2/25/2011	WH25110225-	7.97	92	8	47
MW-25	5/31/2011	WH25110531-	7.81	100	9.7	38.4
MW-25	8/26/2011	WH25110826-	7.71	100	9.7	27.6
MW-25	12/2/2011	WH25111202-	7.76	100	8.7	27.6
MW-25	3/5/2012	WH25120305-	7.67	92	8.4	38
MW-25	5/22/2012	WH25120522-	7.86	93	8.6	38
MW-25	8/28/2012	WH25120828-	7.97	105	9.7	27.8
MW-25	11/28/2012	WH25121128-	7.76	89	8.3	45
MW-25	2/25/2013	WH25130225-	7.93	98	9.3	28.5
MW-25	5/28/2013	WH25130528-	7.74	93	8.7	38
MW-25	8/19/2013	WH25130819-	7.85	100	9.4	36
MW-3	10/28/1986	WH3-86O28		130	12	
MW-3	5/29/1987	WH3-87528			9.5	
MW-3	9/8/1987	WH3-87908	7.6	110	10.2	
MW-3	12/21/1987	WH3-87D21	7.62	105	7.5	
MW-3	5/26/1988	WH3-88526	7.99	115	10	
MW-3	9/2/1988	WH3-88902Q	7.2	123	10	
MW-3	11/22/1988	WH3-88N22Q	7.8	115	9	
MW-3	2/17/1989	WH3-89217Q	7.01	110	8.5	
MW-3	6/9/1989	WH3-89609Q	7.7	105	10	
MW-3	9/6/1989	WH3-89906Q	7.36	110	10.5	
MW-3	12/7/1989	WH3-89D07Q	6.4	110	9.2	
MW-3	2/13/1990	WH3-90213Q	6.63	115	8.5	
MW-3	5/17/1990	WH3-90517Q	7.54	105	10	
MW-3	2/21/1991	WH3-91221-	8.17	105	9	41.6
MW-3	6/25/1991	WH3-91625-	7.6	119	10.5	39.5
MW-3	9/20/1991	WH3-91920-	6.48	130	9.9	36
MW-3	12/17/1991	WH3-91D17-	7.01	129	9.5	36.3
MW-3	3/18/1992	WH3-92318-	6.87	126	9.1	37.95
MW-3	6/23/1992	WH3-92623-	7.05	129	11.2	37

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-3	9/21/1992	WH3-92921-	6.91	125	10.3	35
MW-3	12/22/1992	WH3-92D22-	7.24	100	8.7	35.69
MW-3	3/23/1993	WH3-93323-	7.04	90	9.3	37.2
MW-3	6/17/1993	WH3-93617-	5.76	105	10.3	37.5
MW-3	9/23/1993	WH3-93923-	7.87	87	10	37
MW-3	12/22/1993	WH3-93D22-	7.93	110	9.1	34.5
MW-3	3/14/1994	WH3-94314-	7.83	111	12.8	37.5
MW-3	6/23/1994	WH3-94623-	7.61	110	10.4	37.5
MW-3	8/23/1994	WH3-94823-	7.95	119	12.9	35.5
MW-3	12/20/1994	WH3-94D20-	7.88	118	10	36.3
MW-3	3/6/1995	WH3-95306A	7.93	113	9.1	40.2
MW-3	3/6/1995	WH3-95306L	7.93	113	9.1	40.2
MW-3	5/26/1995	WH3-95526A	7.31	130	11.1	38.25
MW-3	9/14/1995	WH3-95914-	7.18	110	12.1	35.5
MW-3	12/19/1995	WH3-95D19-	7.25	112	9.2	40
MW-3	3/15/1996	WH3-96315-	7.94	98	9.1	41.5
MW-3	5/23/1996	WH3-96523-	6.89	100	9.3	40.2
MW-3	7/30/1996	WH3-96730-	7.65	131	10.5	38
MW-3	12/2/1996	WH3-96D02-	7.16	110	8.5	39
MW-3	3/5/1997	WH3-97305-	7.86	104	8.7	42.34
MW-3	5/19/1997	WH3-97519-	7.98	100	12.3	57
MW-3	8/18/1997	WH3-97818-	7.39	100	11.7	51.6
MW-3	12/19/1997	WH3-97D19-	6.47	126	11.3	50.4
MW-3	3/5/1998	WH3-98305-	7.73	109	10.8	39.6
MW-3	5/15/1998	WH3-98515-	7.69	115	9.6	52
MW-3	8/25/1998	WH3-98825-	7.61	115	10.9	36.3
MW-3	12/4/1998	WH3-98D04-	7.47	105	9.7	37.2
MW-3	3/8/1999	WH3-99308-	7.5	115	9.1	42.3
MW-3	6/11/1999	WH3-99611-	7.46	110	12.5	55
MW-3	8/16/1999	WH3-99816-	7.34	110	12.1	45
MW-3	12/4/1999	WH3-98D04-	7.47	105	9.7	37.2
MW-3	12/8/1999	WH3-99D08-	7.83	110	9.2	53
MW-3	3/6/2000	WH3-00306-	7.54	110	11	42
MW-3	5/18/2000	WH3-00518-	6.88	110	10.4	66.5
MW-3	9/7/2000	WH3-00907-	7.21	110	11.3	50.8
MW-3	12/4/2000	WH3-00D04-	7.56	115	10.3	37
MW-3	2/15/2001	WH3-01215-	7.08	111	9.3	37.4
MW-3	5/30/2001	WH3-01530-	7.41	115	11	79.6
MW-3	8/13/2001	WH3-01813-	7.77	110	10.8	50.2
MW-3	12/7/2001	WH3-01D07-	7.79	110	9.5	50
MW-3	2/26/2002	WH3-02226-	7.6	105	9.5	55
MW-3	5/16/2002	WH3-02516-	7.6	120	10.3	41
MW-3	8/30/2002	WH3-02830-	7.54	115	10.8	42.3
MW-3	11/26/2002	WH3-02N26-	7.55	120	9.5	38.6
MW-3	2/14/2003	WH3-03214-	7.72	110	9.2	39
MW-3	5/15/2003	WH3-03515-	7.74	120	10	42.3
MW-3	8/6/2003	WH3-03806-	7.69	125	10.8	96+
MW-3	11/12/2003	WH3-03N12-	7.73	120	10.3	60
MW-3	11/13/2003	WH3-03N13-	7.88	120	9.7	37+
MW-3	2/20/2004	WH3-04220-	7.54	120	9.8	54.7
MW-3	5/19/2004	WH3-04519-	7.65	120	9.7	50+
MW-3	9/2/2004	WH3-04902-	7.72	120	11.2	
MW-3	11/19/2004	WH3-04N19-	7.77	125	9.9	74
MW-3	2/22/2005	WH3-05222-	7.76	130	9.7	38.7
MW-3	5/20/2005	WH3-05520-	7.84	130	10.3	60
MW-3	8/12/2005	WH3-05812-	7.85	125	11.4	50
MW-3	12/6/2005	WH3-051206-	7.77	120	9.9	43.2
MW-3	2/23/2006	WH3-060223-	7.62	120	10.4	50
MW-3	5/17/2006	WH3-060517-	7.68	120	11.2	40.8
MW-3	8/18/2006	WH3-060818-	7.47	120	11.90	43+

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-3	12/6/2006	WH3-061206-	7.2	115	10.00	
MW-3	2/15/2007	WH3-070215-	7.37	135	10.4	43.2
MW-3	5/18/2007	WH3-070518-	7.41	130	10.6	42.5
MW-3	8/23/2007	WH3-070823-	7.44	130	11.1	43.5
MW-3	11/30/2007	WH3-071130-	7.64	130	9.4	48+
MW-3	2/28/2008	WH3-080228-	7.48	125	10.3	40.6
MW-3	6/6/2008	WH3-080606-	7.54	130	10.3	40
MW-3	8/21/2008	WH3-080821-	7.32	130	10.7	37.4
MW-3	12/2/2008	WH3-081202-	7.77	125	10.3	37.8
MW-3	3/2/2009	WH3-090302-	7.56	130	10.3	40
MW-3	5/29/2009	WH3-090529-	7.55	120	11.1	47
MW-3	9/1/2009	WH3-090901-	7.31	125	11.10	36
MW-3	11/30/2009	WH3-091130-	7.36	130	10.50	38
MW-3	3/3/2010	WH3-100303-	7.38	130	9.60	11
MW-3	5/24/2010	WH3-100524-	7.32	120	10.30	39.6
MW-3	8/26/2010	WH3-100826-	7.73	130	10.30	38.5
MW-3	12/2/2010	WH3-101202-	7.66	140	9.6	39.2
MW-3	2/25/2011	WH3-110225-	7.62	135	10.2	42.6
MW-3	6/1/2011	WH3-110601-	7.36	120	9.8	43
MW-3	8/25/2011	WH3-110825-	7.4	135	10.6	39
MW-3	12/1/2011	WH3-111201-	7.5	145	9.7	38.2
MW-3	2/24/2012	WH3-120224-	7.67	145	10.4	41.3
MW-3	5/17/2012	WH3-120517-	7.6	145	10	42.2
MW-3	9/24/2012	WH3-120924-	7.41	120	10.2	37.5
MW-3	12/17/2012	WH3-121217-	7.75	145	9.5	40
MW-3	3/1/2013	WH3-130301-	7.32	120	9.7	41
MW-3	5/22/2013	WH3-130522-	7.27	120	9.4	40
MW-3	8/27/2013	WH3-130827-	7.58	140	10.7	40
MW-4	5/26/1987	WH4-87526			9.5	
MW-4	8/24/1987	WH4-87824	6.5	150	12.7	
MW-4	11/25/1987	WH4-87N25	5.98	80	10	
MW-4	5/26/1988	WH4-88526	6.04	165	11	
MW-4	9/1/1988	WH4-88901Q	6.01	135	11	
MW-4	11/17/1988	WH4-88N17Q	5.91	110	11	
MW-4	2/17/1989	WH4-89217Q	6.24	230	8.5	
MW-4	6/16/1989	WH4-89616Q	7.14	80	10	
MW-4	9/12/1989	WH4-89912Q	5.34	76	11	
MW-4	12/6/1989	WH4-89D06Q	6.4	110	10.3	
MW-4	3/13/1990	WH4-90313Q	5.94	58	9.5	
MW-4	5/17/1990	WH4-90517Q	5.92	63	9.5	
MW-4	12/12/1990	WH4-90D12-	6.27	51	11.5	19.98
MW-4	2/22/1991	WH4-91222-	6.74	49	9	17
MW-4	6/19/1991	WH4-91619-	6.23	55	9.7	11.7
MW-4	9/18/1991	WH4-91918-	5.68	63	12.8	13
MW-4	11/15/1991	WH4-91N15R	5.76	71.1	10	13
MW-4	12/16/1991	WH4-91D16-	5.71	87.4	9.5	13.5
MW-4	3/18/1992	WH4-92318-	5.75	56	8.5	12.96
MW-4	6/23/1992	WH4-92623-	4.98	60	12.5	11.3
MW-4	9/21/1992	WH4-92921-	5.8	70	13.2	10
MW-4	12/22/1992	WH4-92D22-	5.84	71	9.7	14.6
MW-4	3/29/1993	WH4-93329-	5.88	62	10	14.6
MW-4	6/16/1993	WH4-93616-	5.22	53	8.6	13.7
MW-4	9/16/1993	WH4-93916-	6.28	58	11.3	11
MW-4	12/22/1993	WH4-93D22-	6.81	65	10.6	12.9
MW-4	3/18/1994	WH4-94318-	6.22	49	9.7	13.8
MW-4	6/23/1994	WH4-94623-	6.21	40	10	14
MW-4	8/24/1994	WH4-94824-	6.83	55	11.6	10.5
MW-4	12/20/1994	WH4-94D20-	6.54	62	11.4	12.63
MW-4	3/2/1995	WH4-95302-	7.8	50	9.3	15.3
MW-4	5/26/1995	WH4-95526A	7	60	12	11.25

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-4	9/15/1995	WH4-95915-	7.79	50	10.8	11
MW-4	12/18/1995	WH4-95D18-	7.63	45	10	30
MW-4	3/15/1996	WH4-96315-	7.15	43	8.3	13.42
MW-4	5/24/1996	WH4-96524-	6.05	47	10.6	13.5
MW-4	7/31/1996	WH4-96731-	6.13	60	11	12
MW-4	12/3/1996	WH4-96D03-	6.99	49	10.2	27
MW-4	3/5/1997	WH4-97305-	7.69	42	7.5	14.92
MW-4	5/21/1997	WH4-97521-	6.76	43	10.3	21.65
MW-4	8/20/1997	WH4-97820-	6.21	54	11.4	19
MW-4	12/3/1997	WH4-97D03-	5.9	54	10.8	13.2
MW-4	3/5/1998	WH4-98305-	6.07	42	9.9	13.8
MW-4	5/15/1998	WH4-98515-	6.29	47	9.5	19.5
MW-4	8/26/1998	WH4-98826-	6.27	48	10.2	15
MW-4	12/4/1998	WH4-98D04-	5.82	42	10.9	18
MW-4	3/8/1999	WH4-99308-	6.7	43	8	20.8
MW-4	6/10/1999	WH4-99610-	6.07	44	10.7	12
MW-4	8/18/1999	WH4-99818-	6.7	42	9.2	12
MW-4	12/4/1999	WH4-98D04-	5.82	42	10.9	18
MW-4	12/7/1999	WH4-99D07-	6.61	38	10.2	22
MW-4	3/6/2000	WH4-00306-	5.9	42	10.8	14.3
MW-4	5/18/2000	WH4-00518-	6.21	42	9	39
MW-4	9/6/2000	WH4-00906-	6.14	43	10.3	12
MW-4	12/5/2000	WH4-00D05-	6.06	50	10.7	16
MW-4	2/14/2001	WH4-01214-	6.6	40	8.9	17
MW-4	5/31/2001	WH4-01531-	6.34	41	10.4	25.4
MW-4	8/13/2001	WH4-01813-	6.19	42	11.3	26.8
MW-4	12/10/2001	WH4-01D10-	5.98	41	10.4	16.6
MW-4	2/27/2002	WH4-02227-	6.2	39	8.4	22
MW-4	5/16/2002	WH4-02516-	6.09	37	9.2	13.3
MW-4	9/16/2002	WH4-02916-	6.08	41	9.5	12
MW-4	11/22/2002	WH4-02N22-	6.11	48	10.4	22
MW-4	2/13/2003	WH4-03213-	6.05	37	9.4	19
MW-4	5/15/2003	WH4-03515-	6.02	40	9.8	18.5
MW-4	8/7/2003	WH4-03807-	6.29	46	10.5	11+
MW-4	11/14/2003	WH4-03N14-	6.08	47	10.8	20+
MW-4	2/23/2004	WH4-04223-	5.78	41	8.8	16+
MW-4	5/20/2004	WH4-04520-	5.92	44	8.9	22+
MW-4	9/2/2004	WH4-04902-	5.96	41	10.9	
MW-4	11/18/2004	WH4-04N18-	6.03	46	10.5	24
MW-4	2/22/2005	WH4-05222-	6	41	10.4	12
MW-4	5/24/2005	WH4-05524-	6.15	41	10	17.2
MW-4	8/12/2005	WH4-05812-	6.22	45	11.2	33
MW-4	12/5/2005	WH4-051205-	6.18	48	10.7	12.3
MW-4	2/24/2006	WH4-060224-	6.07	42	9.7	15
MW-4	5/17/2006	WH4-060517-	6.03	42	10.5	12.8
MW-4	8/23/2006	WH4-060823-	5.83	41	11.1	10.5+
MW-4	12/1/2006	WH4-061201-	5.57	39	11.1	32
MW-4	2/20/2007	WH4-070220-	5.62	41	8.7	23.7
MW-4	5/17/2007	WH4-070517-	5.65	42	9.3	17.4
MW-4	8/27/2007	WH4-070827-	5.72	44	10.2	12.1
MW-4	12/10/2007	WH4-071210-	5.84	47	9.8	20.4
MW-4	3/3/2008	WH4-080303-	5.93	38	8.5	6
MW-4	6/4/2008	WH4-080604-	5.73	46	8.7	13
MW-4	8/21/2008	WH4-080821-	5.67	49	9.7	11.3
MW-4	12/3/2008	WH4-081203-	5.96	46	10.5	17
MW-4	2/27/2009	WH4-090227-	5.89	44	9.2	11.7
MW-4	6/1/2009	WH4-090601-	6	44	9	12
MW-4	9/2/2009	WH4-090902-	6.01	54	9.8	18
MW-4	11/30/2009	WH4-091130-	5.68	43	10.8	15
MW-4	3/2/2010	WH4-100302-	5.97	44	9.3	12

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-4	5/26/2010	WH4-100526-	5.64	43	9.8	21.26
MW-4	8/31/2010	WH4-100831-	5.87	58	10	9.4
MW-4	12/3/2010	WH4-101203-	5.97	50	11	14.3
MW-4	2/28/2011	WH4-110228-	6.13	42	8.8	18.3
MW-4	6/1/2011	WH4-110601-	5.86	41	9	13.5
MW-4	8/25/2011	WH4-110825-	5.64	54	10.1	9.6
MW-4	12/2/2011	WH4-111202-	5.65	50	10.5	17.2
MW-4	2/23/2012	WH4-120223-	5.87	42	8.9	16.2
MW-4	5/21/2012	WH4-120521-	5.99	43	8.8	13
MW-4	8/27/2012	WH4-120827-	5.99	57	9.6	10
MW-4	11/20/2012	WH4-121120-	5.9	54	10.7	12.6
MW-4	3/1/2013	WH4-130301-	5.39	40	8.7	24
MW-4	5/23/2013	WH4-130523-	5.47	38	8.7	19.5
MW-4	8/22/2013	WH4-130822-	5.96	53	9.4	9
MW-5	6/9/1987	WH5-87609			9.75	
MW-6	8/25/1987	WH6-87825	7.3	294	11.7	
MW-6	12/8/1987	WH6-87D08	6.53	390	10	
MW-6	6/1/1988	WH6-88601	6.95	230	10	
MW-6	9/7/1988	WH6-88907Q	6.73	250	11	
MW-6	11/21/1988	WH6-88N21Q	6.85	120	10	
MW-6	3/21/1989	WH6-89321Q	6.87	320	9	
MW-6	6/23/1989	WH6-89623Q		280	11	
MW-6	9/6/1989	WH6-89906Q	7.06	180	10	
MW-6	11/27/1989	WH6-89N27Q	6.8	140	9.1	
MW-6	3/13/1990	WH6-90313Q	6.82	170	10	
MW-6	5/21/1990	WH6-90521Q	6.63	180	11	
MW-6	12/14/1990	WH6-90D14-	7.62	190	10	13
MW-6	2/25/1991	WH6-91225-	6.41	160	10	14.3
MW-6	6/13/1991	WH6-91613-	6.61	169	10.1	12.3
MW-6	9/13/1991	WH6-91913-	6.74	170	10.1	11.2
MW-6	12/13/1991	WH6-91D13-	6.64	233	9.9	12.3
MW-6	3/20/1992	WH6-92320-	6.64	179	9.7	12.99
MW-6	6/25/1992	WH6-92625-	6.51	179	10.3	11.67
MW-6	9/23/1992	WH6-92923-	6.94	209	11.1	12
MW-6	12/23/1992	WH6-92D23-	6.78	195	9.4	12.5
MW-6	3/23/1993	WH6-93323-	6.62	150	10	12.4
MW-6	6/16/1993	WH6-93616-	5.93	140	10.5	13.2
MW-6	9/17/1993	WH6-93917-	6.42	150	9.7	10
MW-6	12/27/1993	WH6-93D27-	7.56	177	9.8	11.9
MW-6	3/17/1994	WH6-94317-	7.27	145	9.7	13.5
MW-6	6/24/1994	WH6-94624-	6.22	144	12.6	11.7
MW-6	8/24/1994	WH6-94824-	7	167	10.2	11.25
MW-6	12/21/1994	WH6-94D21-	7.57	174	10.4	12.45
MW-6	3/6/1995	WH6-95306A	7.36	145	10	14
MW-6	3/6/1995	WH6-95306L	7.36	145	10	14
MW-6	5/26/1995	WH6-95526A	7.9	143	10.5	12
MW-6	9/21/1995	WH6-95921-	7.34	155	11.8	11
MW-6	12/18/1995	WH6-95D18-	7	138	9.3	14.4
MW-6	3/18/1996	WH6-96318-	7.68	125	8.7	13.2
MW-6	5/24/1996	WH6-96524-	7.45	144	10.5	13.4
MW-6	8/5/1996	WH6-96805-	6.85	137	11.1	11.6
MW-6	12/3/1996	WH6-96D03-	7.15	141	9.6	27
MW-6	3/7/1997	WH6-97307-	7.57	124	9.4	13.96
MW-6	5/22/1997	WH6-97522-	7.79	127	10.9	27.25
MW-6	8/21/1997	WH6-97821-	7.22	118	10.5	4
MW-6	12/4/1997	WH6-97D04-	7.17	129	10.4	12.3
MW-6	3/10/1998	WH6-98310-	6.86	135	9.7	18
MW-6	5/21/1998	WH6-98521-	6.97	135	9.9	12
MW-6	8/31/1998	WH6-98831-	7.51	140	11.7	20
MW-6	12/7/1998	WH6-98D07-	6.98	120	10.2	18.4

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-6	3/9/1999	WH6-99309-	6.93	120	9.4	14.3
MW-6	6/11/1999	WH6-99611-	7.16	135	10.1	24
MW-6	8/18/1999	WH6-99818-	6.74	125	11.4	13
MW-6	12/7/1999	WH6-98D07-	6.98	120	10.2	4.78
MW-6	12/7/1999	WH6-99D07-	7.11	125	9.4	16
MW-6	3/7/2000	WH6-00307-	7.31	120	9.6	18
MW-6	5/19/2000	WH6-00519-	7.1	120	9.4	18
MW-6	9/7/2000	WH6-00907-	7.13	115	9.8	11
MW-6	12/6/2000	WH6-00D06-	7.09	108	10.1	13.8
MW-6	2/14/2001	WH6-01214-	7.01	110	8.4	20
MW-6	5/29/2001	WH6-01529-	7.07	110	9.9	21.5
MW-6	8/14/2001	WH6-01814-	7.13	115	10.5	23.8
MW-6	12/10/2001	WH6-01D10-	7.07	120	9.5	29.8
MW-6	2/27/2002	WH6-02227-	7.13	120	9.5	26
MW-6	5/20/2002	WH6-02520-	7.06	120	9.9	30
MW-6	9/3/2002	WH6-02903-	7.07	95	9.5	20
MW-6	11/22/2002	WH6-02N22-	6.53	110	10.3	6
MW-6	2/13/2003	WH6-03213-	7.17	110	9.8	20
MW-6	5/15/2003	WH6-03515-	7.15	100	9.5	23
MW-6	8/7/2003	WH6-03807-	6.94	105	9.6	19+
MW-6	11/14/2003	WH6-03N14-	6.95	105	9.9	21+
MW-6	2/24/2004	WH6-04224-	7.05	115	10.1	49
MW-6	5/20/2004	WH6-04520-	7.13	120	9.9	28
MW-6	9/3/2004	WH6-04903-	7.12	120	10	
MW-6	11/18/2004	WH6-04N18-	6.97	115	10	17
MW-6	2/23/2005	WH6-05223-	7.09	120	10.2	30.1
MW-6	5/23/2005	WH6-05523-	6.89	110	10	25
MW-6	8/25/2005	WH6-05825-	7	110	10	20
MW-6	12/6/2005	WH6-051206-	7.28	110	9.9	
MW-6	2/13/2006	WH6-060213-	7	110	9.9	29+
MW-6	5/22/2006	WH6-060522-	7.17	110	10.8	26.3
MW-6	8/24/2006	WH6-060824-	6.82	100	10.9	28.6
MW-6	12/4/2006	WH6-061204-	6.72	100	9.9	49.7
MW-6	2/15/2007	WH6-070215-	6.97	115	10.1	14+
MW-6	5/21/2007	WH6-070521-	6.77	120	10	12.3+
MW-6	8/27/2007	WH6-070827-	6.76	110	10.4	20.1
MW-6	11/30/2007	WH6-071130-	6.71	110	10	21.7
MW-6	3/3/2008	WH6-080303-	6.9	110	9.6	19
MW-6	6/4/2008	WH6-080604-	7.01	110	9.6	23
MW-6	8/22/2008	WH6-080822-	6.68	110	9.8	11.8
MW-6	12/3/2008	WH6-081203-	6.6	110	9.6	29
MW-6	3/2/2009	WH6-090302-	6.88	110	10.1	17
MW-6	5/29/2009	WH6-090529-	6.79	110	10.4	12.8
MW-6	9/2/2009	WH6-090902-	7.08	108	11.2	19
MW-6	12/1/2009	WH6-091201-	6.69	105	9.8	20
MW-6	3/3/2010	WH6-100303-	6.89	105	9.4	22
MW-6	5/27/2010	WH6-100527-	7.09	105	9.4	22
MW-6	8/31/2010	WH6-100831-	6.99	105	9.3	20
MW-6	12/3/2010	WH6-101203-	6.97	115	9.7	13.2
MW-6	2/28/2011	WH6-110228-	7.11	115	9.4	14.2
MW-6	6/1/2011	WH6-110601-	6.9	115	9.7	14.2
MW-6	8/26/2011	WH6-110826-	6.76	108	9.3	12
MW-6	12/5/2011	WH6-111205-	7.04	105	8.7	16.5
MW-6	2/27/2012	WH6-120227-	6.98	125	8.8	17
MW-6	5/21/2012	WH6-120521-	7	125	9.5	22.3
MW-6	8/27/2012	WH6-120827-	7.12	120	9.5	14.3
MW-6	11/20/2012	WH6-121120-	7.02	11.5	9.2	14.6
MW-6	2/27/2013	WH6-130227-	6.64	103	8.9	13.5
MW-6	5/23/2013	WH6-130523-	6.59	100	8.8	17.8
MW-6	8/27/2013	WH6-130827-	6.97	110	10.2	13

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-7	6/2/1987	WH7-87602			9.75	
MW-7	8/24/1987	WH7-87824	8.36	272	12	
MW-7	12/23/1987	WH7-87D23	8.31	380	8.5	
MW-7	5/31/1988	WH7-88531	7.44	450	10	
MW-7	9/1/1988	WH7-88901Q	7.15	450	9.9	
MW-7	11/17/1988	WH7-88N17Q	7.33	405	9	
MW-7	3/28/1989	WH7-89328Q	7.08	440	9	
MW-7	6/7/1989	WH7-89607Q	7.28	440	11	
MW-7	12/7/1989	WH7-89D07Q	6.43	410	8.5	
MW-7	3/13/1990	WH7-90313Q	7.41	440	8.5	
MW-7	5/21/1990	WH7-90521Q	7.31	460	10.5	
MW-7	12/12/1990	WH7-90D12-	7.75	470	10	7.7
MW-7	3/5/1991	WH7-91305-	6.64	460	9.5	7.5
MW-7	6/11/1991	WH7-91611-	6.61	515	10.3	6.3
MW-7	9/12/1991	WH7-91912-	6.6	504	10.7	4.67
MW-7	12/16/1991	WH7-91D16-	6.88	485	8.9	4.2
MW-7	3/19/1992	WH7-92319-	6.88	502	9	5.25
MW-7	6/24/1992	WH7-92624-	6.83	533	12.1	4.8
MW-7	9/25/1992	WH7-92925-	7.97	491	12.2	3.9
MW-7	12/23/1992	WH7-92D23-	7.55	485	10.2	3.75
MW-7	3/25/1993	WH7-93326-	7.17	525	5.8	4.6
MW-7	6/21/1993	WH7-93622-	6.1	510	11.7	3.45
MW-7	9/23/1993	WH7-93923-	5.78	525	9	5
MW-7	12/27/1993	WH7-93D27-	7.54	471	8.9	4.2
MW-7	3/18/1994	WH7-94318-	7.45	508	9.2	4.8
MW-7	6/28/1994	WH7-94628-	6.52	561	10.5	5
MW-7	8/24/1994	WH7-94824-	7.02	458	10.4	4.2
MW-7	12/21/1994	WH7-94D21-	7.68	521	10	3.96
MW-7	3/3/1995	WH7-95303-	7.57	501	10.2	6.3
MW-7	5/25/1995	WH7-95525A	7.91	501	11.3	6
MW-7	9/20/1995	WH7-95920-	7.63	490	10.5	4
MW-7	12/20/1995	WH7-95D20-	7.24	490	8.6	5.6
MW-7	3/19/1996	WH7-96319-	7.75	485	10.4	7.2
MW-7	5/24/1996	WH7-96524-	7.19	508	10.7	6.4
MW-7	7/29/1996	WH7-96729-	6.62	465	11.2	10
MW-7	12/4/1996	WH7-96D04-	7.37	413	9.1	7.5
MW-7	3/6/1997	WH7-97306-	6.92	400	9.3	8
MW-7	5/21/1997	WH7-97521-	7.66	390	9.9	7.5
MW-7	8/19/1997	WH7-97819-	7.05	400	11.6	9.5
MW-7	12/5/1997	WH7-97D05-	7.28	389	9.8	5.1
MW-7	3/6/1998	WH7-98306-	7.04	375	9.5	8
MW-7	5/19/1998	WH7-98519-	7.18	385	10.1	6
MW-7	8/25/1998	WH7-98825-	7.94	445	10.9	4.6
MW-7	12/7/1998	WH7-98D07-	7.03	355	10	9
MW-7	3/8/1999	WH7-99308-	6.97	415	9.8	10
MW-7	6/10/1999	WH7-99610-	7.28	425	10.1	9.5
MW-7	8/17/1999	WH7-99817-	6.92	340	11.7	7
MW-7	12/7/1999	WH7-98D07-	7.03	355	10	9
MW-7	12/7/1999	WH7-99D07-	6.85	385	9.8	6.4
MW-7	3/6/2000	WH7-00306-	7.4	395	9.4	10
MW-7	5/17/2000	WH7-00517-	7.21	370	9.6	9
MW-7	9/7/2000	WH7-00907-	7.43	370	10.2	5
MW-7	12/1/2000	WH7-00D01-	8.01	340	10	6.5
MW-7	2/14/2001	WH7-01214-	7.34	333	8.9	11.8
MW-7	5/29/2001	WH7-01529-	7.39	340	9.8	14.8
MW-7	8/13/2001	WH7-01813-	7.12	310	11.7	6
MW-7	12/10/2001	WH7-01D10-	7.48	300	9.2	7
MW-7	2/26/2002	WH7-02226-	7.35	350	9.8	25
MW-7	5/17/2002	WH7-02517-	7.43	300	9.7	8
MW-7	8/29/2002	WH7-02829-	7.41	320	11.9	12.2

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-7	11/21/2002	WH7-02N21-				20
MW-7	2/12/2003	WH7-03212-	6.69	310	9.6	12
MW-7	4/3/2003	WH7-03403R	7.18	325	10	34.5
MW-7	5/16/2003	WH7-03516-	7.46	315	10.4	8.6
MW-7	8/7/2003	WH7-03807-	7.19	310	10.9	10.2
MW-7	11/12/2003	WH7-03N12-	7.41	255	9.6	6
MW-7	2/20/2004	WH7-04220-	7.53	260	9.5	7+
MW-7	5/20/2004	WH7-04520-	7.4	325	10	10+
MW-7	9/1/2004	WH7-04901-	7.4	320	10.8	
MW-7	11/17/2004	WH7-04N17-	7.22	320	9.80	5
MW-7	2/22/2005	WH7-05222-	7.57	320	9.90	27
MW-7	6/21/2005	WH7-05621-	7.5	300	10.4	6
MW-7	8/11/2005	WH7-05811-	7.47	300	10.60	8
MW-7	11/21/2005	WH7-02N21-	7.44	310	10.4	
MW-7	12/6/2005	WH7-051206-	7.86	300	9.7	10.5
MW-7	2/13/2006	WH7-060213-	7.54	275	9.6	8
MW-7	5/18/2006	WH7-060518-	7.64	270	12.3	9.5
MW-7	8/23/2006	WH7-060823-	7.55	290	10.2	12+
MW-7	12/5/2006	WH7-061205-	7.55	320	9.7	12+
MW-7	2/14/2007	WH7-070214-	7.27	315	9.9	10
MW-7	5/17/2007	WH7-070517-	7.34	310	10.2	10.1
MW-7	8/22/2007	WH7-070822-	7.46	310	10.7	8+
MW-7	12/7/2007	WH7-071207-	7.81	295	9.5	11.2
MW-7	2/29/2008	WH7-080229-	7.59	285	9.8	10
MW-7	6/4/2008	WH7-080604-	7.48	285	9.9	12
MW-7	8/21/2008	WH7-080821-	7.44	300	10.9	10
MW-7	12/2/2008	WH7-081202-	7.43	285	10.3	5.2
MW-7	3/3/2009	WH7-090303-	7.51	275	10.2	7.5
MW-7	6/1/2009	WH7-090601-	7.44	260	10.3	7
MW-7	8/28/2009	WH7-090828-	7.87	285	10.8	
MW-7	11/30/2009	WH7-091130-	6.73	70	10.3	28
MW-7	11/30/2009	WH7-091130-	7.5	290	9.7	4.5
MW-7	3/1/2010	WH7-100301-	7.57	280	10.1	6
MW-7	5/26/2010	WH7-100526-	7.47	270	9.9	
MW-7	8/23/2010	WH7-100823-	7.75	275	10.4	7
MW-7	12/3/2010	WH7-101203-	7.55	260	9.4	7
MW-7	2/24/2011	WH7-110224-	7.61	260	9.3	8
MW-7	6/6/2011	WH7-110606-	7.38	240	10.2	8
MW-7	8/25/2011	WH7-110825-	7.41	260	11	6
MW-7	3/5/2012	WH7-120305-	7.48	305	9.9	7.5
MW-7	5/21/2012	WH7-120521-	7.58	240	9.9	7
MW-7	9/24/2012	WH7-120924-	7.38	240	10.4	4.8
MW-7	11/29/2012	WH7-121129-	7.45	240	9.6	6.8
MW-7	2/28/2013	WH7-130228-	7.36	240	9.5	8.5
MW-7	5/16/2013	WH7-130516-	7.25	230	10.1	9.5
MW-7	8/20/2013	WH7-130516-	7.7	250	10.2	6.5
MW-8	6/11/1987	WH8-87611			11.5	
MW-8	7/21/1987	WH8-87721	6.62	620	13	
MW-9	8/25/1987	WH9-87825	7.74	90	11.3	
MW-9	12/13/1987	WH9-87D14	6.42	87	6	
MW-9	6/9/1988	WH9-88609	8.05	96	10	
MW-9	9/6/1988	WH9-88906Q	7.26	95	9.5	
MW-9	11/28/1988	WH9-88N28Q	7.79	100	8	
MW-9	3/29/1989	WH9-89329Q	7.29	89	8	
MW-9	6/28/1989	WH9-89628Q		86	9.5	
MW-9	9/18/1989	WH9-89918Q	6.02	88	9	
MW-9	12/8/1989	WH9-89D08Q	6.4	87	8.2	
MW-9	3/14/1990	WH9-90314Q	7.55	85	10	
MW-9	5/18/1990	WH9-90518Q	7.37	88	9.5	
MW-9	12/13/1990	WH9-90D13-	8.34	88	9.5	26.8

Site	Date	Sample ID	Field pH (std. units)	Specific Conductance umhos/cm	Field Temperature (deg. C)	Purge Volume gal
MW-9	3/6/1991	WH9-91306-	7.38	88	8.5	30
MW-9	6/26/1991	WH9-91626-	7.63	99	10.4	27
MW-9	9/17/1991	WH9-91917-	7.37	107	12.3	26.1
MW-9	12/17/1991	WH9-91D17-	6.95	108	8.8	26.1
MW-9	3/20/1992	WH9-92320-	6.81	105	8.3	26.46
MW-9	6/23/1992	WH9-92623-	7.51	108	13.1	26.3
MW-9	9/23/1992	WH9-92923-	7.59	104	10.2	25.8
MW-9	12/23/1992	WH9-92D23-	7.65	91	8.5	25.52
MW-9	3/24/1993	WH9-93324-	7.02	100	8.5	26.2
MW-9	6/21/1993	WH9-93621-	5.7	96	9.1	26.5
MW-9	9/22/1993	WH9-93922-	7.5	67	10.2	26
MW-9	12/28/1993	WH9-93D28-	7.86	91	10	25.2
MW-9	3/16/1994	WH9-94316-	7.88	91	8.8	25.5
MW-9	6/24/1994	WH9-94624-	6.64	90	10.4	37
MW-9	8/25/1994	WH9-94825-	8.26	98	9.5	25.8
MW-9	12/19/1994	WH9-94D19-	7.85	93	9.6	25.73
MW-9	12/20/1994	WH9-94D19-	9.27	112	9	25.7
MW-9	3/8/1995	WH9-95308A	7.58	91	9.7	31.5
MW-9	9/15/1995	WH9-95915-	8.1	90	11.3	26
MW-9	12/20/1995	WH9-95D20-	7.94	88	8.6	27
MW-9	3/19/1996	WH9-96319-	8.39	92	8.9	26.7
MW-9	5/28/1996	WH9-96528-	6.96	92	9	26.7
MW-9	8/1/1996	WH9-96801-	7.62	110	9.8	35
MW-9	12/4/1996	WH9-96D04-	6.68	90	9	39
MW-9	3/6/1997	WH9-97306-	7.87	87	8.7	27.3
MW-9	5/16/1997	WH9-97516-	7.73	89	10	27.3
MW-9	8/18/1997	WH9-97818-	7.82	81	9.9	26.49
MW-9	12/4/1997	WH9-97D04-	7.89	87	9.6	25.8
MW-9	3/9/1998	WH9-98309-	7.73	86	9.4	35.6
MW-9	5/18/1998	WH9-98518-	7.53	98	9.2	44
MW-9	8/24/1998	WH9-98824-	7.44	95	9.5	43
MW-9	12/4/1998	WH9-98D04-	7.72	94	8.7	34.4
MW-9	3/9/1999	WH9-99309-	6.98	94	9.5	45
MW-9	6/14/1999	WH9-99614-	6.78	88	11.6	26.6
MW-9	8/17/1999	WH9-99817-	6.99	93	9.3	36
MW-9	12/4/1999	WH9-98D04-	7.72	94	8.7	34.4
MW-9	12/8/1999	WH9-99D08-	7.24	94	10	27.8
MW-9	3/7/2000	WH9-00307-	7.77	96	8.8	36
MW-9	5/18/2000	WH9-00518-	7.68	85	9.1	36
MW-9	9/8/2000	WH9-00908-	7.17	89	10	36.8
MW-9	12/6/2000	WH9-00D06-	7.7	87	9.7	27
MW-9	2/14/2001	WH9-01214-	7.59	84	9.3	26
MW-9	5/29/2001	WH9-01529-	7.57	94	10	35
MW-9	8/10/2001	WH9-01810-	7.89	97	11.3	34.5

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-1	5/18/1987	WH1-87518		4.9	< 10	7				< 2	< 0.005	< 0.2
MW-1	8/24/1987	WH1-87824		6	10	9.6				< 0		0.19
MW-1	11/30/1987	WH1-87N30		6.9	12	13				< 2	< 0.005	< 0.2
MW-1	3/24/1988	WH1-88324		8.4	24	16				< 2	< 0.005	< 0.2
MW-1	5/31/1988	WH1-88531		4.4	< 10	8				< 2	< 0.005	< 0.2
MW-1	8/30/1988	WH1-88830Q		5.2	< 10	9				< 2	< 0.005	0.3
MW-1	12/29/1988	WH1-88D29Q		4.9	32	5				350	< 0.005	< 0.2
MW-1	3/28/1989	WH1-89328Q		5.9	20	8				< 2	< 0.005	< 0.2
MW-1	5/18/1989	WH1-89518Q		4	< 10	3				< 2	< 0.005	< 0.2
MW-1	9/14/1989	WH1-89914Q		5.4	< 10	8				< 2	< 0.005	< 0.2
MW-1	11/22/1989	WH1-89N22Q		5.3	< 10	7				< 2	< 0.005	< 0.2
MW-1	2/13/1990	WH1-90213Q		4.9	16	9				< 2	< 0.005	< 0.2
MW-1	5/17/1990	WH1-90517Q		3.8	< 10	5.1				< 2	< 0.01	0.13
MW-1	8/27/1990	WH1-90827-		3.5	11	4.9				< 2	< 0.01	0.1
MW-1	12/7/1990	WH1-90D07-		3.9	< 10	4				< 2	< 0.01	0.07
MW-1	2/25/1991	WH1-91225-		2.7	< 10	3.1				< 2	< 0.01	0.06
MW-1	6/12/1991	WH1-91612-		2.3	< 10	4.9			< 1		< 0.01	0.17
MW-1	9/11/1991	WH1-91911-		2.5	< 10	2.9			< 1		< 0.01	0.13
MW-1	12/16/1991	WH1-91D16-		3.9	< 10	2.6			< 1		< 0.01	0.1
MW-1	3/19/1992	WH1-92319-		2.7	< 10	2.5			< 1		< 0.01	0.1
MW-1	6/22/1992	WH1-92622-		2.46	< 5 U	2.38			2 J		< 0.02 U	< 1 U
MW-1	9/22/1992	WH1-92922-		2.881	5.67	3.29			< 3 UM		< 0.02 U	< 1 U
MW-1	12/22/1992	WH1-92D22-		2.5	9.6	3.8			< 1 UM		< 0.02 U	< 1 U
MW-1	3/24/1993	WH1-93324-		2.99	< 5 U	4			< 1 UM		< 0.02 U	< 1 U
MW-1	6/18/1993	WH1-93618-		2.39	< 5 U	3.3			< 1 UM		< 0.02 U	< 1 U
MW-1	9/17/1993	WH1-93917-		2.34	< 5 U	3.1			< 1 UM		< 0.02 U	< 1 U
MW-1	12/21/1993	WH1-93D21-		2.34	< 5 U	3			< 1 UM		< 0.02 U	< 1 U
MW-1	3/15/1994	WH1-94315-		2.55	16.8	2.7			< 1 UM		< 0.02 U	< 1 U
MW-1	6/23/1994	WH1-94623-		2.09	5.6	3.4			< 1 UJ		< 0.02 U	< 1 U
MW-1	8/22/1994	WH1-94822-		1.85	8.1	3.5			< 1 UJ		< 0.02 U	< 1 U
MW-1	12/21/1994	WH1-94D21-		2.75	10.6	6.2			< 1 UJ		< 0.02 U	< 1 U
MW-1	5/25/1995	WH1-95525L	62 B	1.7	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	3/15/1996	WH1-96315-	56 B	1.1	< 5 U	2	< 1 UO		< 1 UO		< 0.02 U	< 1 U
MW-1 (Dup)	3/15/1996	WH1-96315D	56 B	1.1	< 5 U	2	< 1 UO		< 1 UO		< 0.02 U	< 1 U
MW-1	5/23/1996	WH1-96523-	80 B	1	< 5 U	2	< 1 U		1		< 0.02 U	< 1 U
MW-1	7/29/1996	WH1-96729-	62 B	1.2	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	12/2/1996	WH1-96D02-	56 B	0.83	8	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	3/6/1997	WH1-97306-	52 B	0.76	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	5/19/1997	WH1-97519-	54 B	0.89	< 5 U	2	< 1 U		160 J		< 0.02 U	< 1 U
MW-1	8/19/1997	WH1-97819-	60 B	0.86	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-1	12/3/1997	WH1-97D03-	74 B	0.62	10	< 1 U	< 1 U		80 J		< 0.02 U	< 1 U
MW-1	3/6/1998	WH1-98306-	68 B	0.49	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	5/15/1998	WH1-98515-	72 B	0.62 B	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	8/25/1998	WH1-98825-	68 B	0.69	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-1	3/8/1999	WH1-99308-	49 B	0.55	< 5 U	2	< 1 U		5		< 0.02 U	< 1 U
MW-1	6/10/1999	WH1-99610-	55 B	0.49	< 5 U	2	< 1 U		130		< 0.02 U	< 1 U
MW-1	8/17/1999	WH1-99817-	59 B	0.51	< 5 U	2	< 1 U		< 1 J		< 0.02 U	< 1 U
MW-1	12/7/1999	WH1-99D07-	53 B	0.39	6	1 O	< 1 U		< 1 J		< 0.02 U	< 1 UO
MW-1	3/6/2000	WH1-00306-	51 M	0.2	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	5/17/2000	WH1-00517-	58 BM	0.23	8	< 1 U	< 1 U		40		< 0.02 U	< 1.0 U
MW-1	9/5/2000	WH1-00905-	30 M	0.36	< 10 UM	1.9	< 1 U		3		< 0.02 U	< 1.0 U
MW-1	12/1/2000	WH1-00D01-	42 M	0.09	5. U	1. U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	2/13/2001	WH1-01213-	52 M	0.02	9	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	5/25/2001	WH1-01525-	64 M	0.06	6	< 1 U	< 1 U		2		< 0.02 U	< 1.0 U
MW-1	8/13/2001	WH1-01813-	66 M	0.08	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	12/10/2001	WH1-01D10-	46 M	0.03	< 5 U	< 1 U	< 1 U		4		< 0.02 U	< 1.0 U
MW-1 (Dup)	12/10/2001	WH1-01D10D	46 M	0.03	6	< 1 U	< 1 U		5		< 0.02 U	< 1.0 U
MW-1	2/27/2002	WH1-02227-	42 M	0.05	5	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	5/17/2002	WH1-02517-	46 M	0.15	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	8/29/2002	WH1-02829-	51 M	0.15	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	11/21/2002	WH1-02N21-	52 M	0.11	6	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	2/13/2003	WH1-03213-	37 M	0.03	6	< 1 U	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-1	5/16/2003	WH1-03516-	52 M	0.07	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	8/6/2003	WH1003806-	60 M	0.89	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	8/7/2003	WH1-03807-	51 M	0.09	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-1	11/12/2003	WH1-03N12-	45 M	0.04		3						
MW-1	2/20/2004	WH1-04220-	49 M	0.11		2						
MW-1	5/18/2004	WH1-04518-	44 M	0.12		3						
MW-1	9/1/2004	WH1-04901-	47 M	0.25		1						
MW-1	11/17/2004	WH1-04N17-	48 M	< 0.05 UM		< 1 U						
MW-1	2/22/2005	WH1-05222-	52 M	0.07 M		2						
MW-1	5/19/2005	WH1-05519-	36 M	0.18 M		< 1 U						
MW-1	8/11/2005	WH1-05811-	50 M	0.17 M		2						
MW-1	12/6/2005	WH1-05D06-	37 DB	< 0.03 U		< 1 U						
MW-1	2/10/2006	WH1-060210-	52 DB	0.15		1.8						
MW-1	5/18/2006	WH1-060518-	43 DB	0.042		2						
MW-1	8/23/2006	WH1-060823-	44 DB	0.15		2.7						
MW-1	12/4/2006	WH1-061204-	51 D	0.14		2.4						
MW-1	2/14/2007	WH1-070214-	46 DB	0.2		2.7						
MW-1	5/17/2007	WH1-070517-	44 DB	0.27		2.8						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-1	8/22/2007	WH1-070822-	42 DB	0.2		2.9						
MW-1	11/30/2007	WH1-071130-	40 DB	0.034		< 1 U						
MW-1	2/29/2008	WH1-080229-	50 B	0.26		2						
MW-1	6/2/2008	WH1-080602-	40 DB	0.15		1.9						
MW-1	8/21/2008	WH1-080821-	46 B	0.2		3.4						
MW-1	12/2/2008	WH1-081202-	42 B	0.069		< 1 U						
MW-1	3/3/2009	WH1-090303-	44 D	0.11		1.7						
MW-1	5/29/2009	WH1-090529-	37.9	0.143		3.04						
MW-1	9/1/2009	WH1-090901-	40.6	0.0869		3.44						
MW-1	11/30/2009	WH1-091130-	29.3	< 0.01 U		0.674						
MW-1 (Dup)	11/30/2009	WH1-091130D	29.2	< 0.01 U		0.644						
MW-1	3/1/2010	WH1-100301-	40.9	0.0446		2.35						
MW-1	5/26/2010	WH1-100526-	38.9	0.0473		2.07						
MW-1	8/23/2010	WH1-100823-	41.7	0.155		2.93						
MW-1	12/3/2010	WH1-101203-	29.9	< 0.01 U		0.46						
MW-1	2/24/2011	WH1-110224-	41.2	0.219		4.17						
MW-1	6/6/2011	WH1-110606-	32.9	0.255		3.3						
MW-1	8/25/2011	WH1-110825-	34.6	0.265		2.96						
MW-1 (Dup)	8/25/2011	WH1-110825D	34.2	0.265		2.91						
MW-1	12/5/2011	WH1-111205-	24.8	< 0.01 U		0.744						
MW-1	3/5/2012	WH1-120305-	42.3	0.189		4.38						
MW-1	5/21/2012	WH1-120521-	36.6	0.256		4.25						
MW-1	8/28/2012	WH1-120828-	36.7	0.222		2.97						
MW-1	11/29/2012	WH1-121129-	22.9	0.011 T		6.87						
MW-1	2/28/2013	WH1-130228-	37.4	0.153		4.47						
MW-1 (Dup)	2/28/2013	WH1-130228D	37.3	0.166		3.38						
MW-1	5/16/2013	WH1-130516-	36.1	< 0.01 U		2.62						
MW-1	8/20/2013	WH1-130820-	33.9	0.163		10.9						
MW-10	6/11/1987	WH1087611		7.8	< 10	12				< 2	< 0.005	< 0.2
MW-10	6/11/1987	WH1087611S		8.3	< 10	11				< 2	< 0.005	< 0.2
MW-10	8/24/1987	WH1087824		7.7	12	12				< 0		0.23
MW-10	12/9/1987	WH1087D09		8.4	< 10	6				13	< 0.005	< 0.2
MW-10	3/14/1988	WH1088314		6.4	16	8				< 2	< 0.005	< 0.2
MW-10	5/25/1988	WH1088525		3.5	< 10	18				< 2	< 0.005	< 0.2
MW-10	9/2/1988	WH1088902Q		6.1	< 10	12				< 2	< 0.005	0.2
MW-10	11/14/1988	WH1088N14Q		7.4	20	14				< 2	< 0.005	< 0.2
MW-10	3/6/1989	WH1089306Q		6.4	< 10	7				< 2	0.007	< 0.2
MW-10	6/23/1989	WH1089623Q		5.2	< 10	4				8	< 0.005	< 0.2
MW-10	9/14/1989	WH1089914Q		6.8	16	24				7	< 0.005	< 0.2
MW-10	2/13/1990	WH1090213Q		3.6	< 10	9				< 2	< 0.005	< 0.2

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-10	5/21/1990	WH1090521Q		5.4	< 10	6				< 2	< 0.01	0.12
MW-10	8/29/1990	WH1090829-		2.3	19	5.4				< 2	< 0.01	0.09
MW-10	11/28/1990	WH1090N28-		0.27	< 10	2.9				< 2	< 0.01	0.07
MW-10	3/6/1991	WH1091306-		3	< 10	4.6				< 2	< 0.01	0.06
MW-10	6/19/1991	WH1091619-		3	81	4.7			< 1		< 0.01	0.14
MW-10	9/18/1991	WH1091918-		3.2	11	3.4			< 1		< 0.01	0.07
MW-10	12/13/1991	WH1091D13-		2.3	< 10	1.7			< 1		< 0.01	0.11
MW-10	3/23/1992	WH1092323-		2.9	< 10	3.2			< 1		< 0.01	0.09
MW-10	6/29/1992	WH1092629-		1.365	< 5 U	2.48			< 1 U		< 0.02 U	< 1 U
MW-10	9/28/1992	WH1092928-		3.067	< 5 U	8.49			< 1 UM		< 0.02 U	< 1 U
MW-10	12/23/1992	WH1092D23-		1.232	8	3.8			< 1 UM		< 0.02 U	< 1 U
MW-10	3/26/1993	WH1093326-		0.724	< 5 U	2.3			< 1 UM		< 0.02 U	< 1 U
MW-10	6/18/1993	WH1093618-		1.92	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U
MW-10	9/23/1993	WH1093923-		2.16	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U
MW-10 (Dup)	9/23/1993	WH1093923D		2.29	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U
MW-10	12/29/1993	WH1093D29-		1.37	< 5 U	1.9			53		< 0.02 U	< 1 U
MW-10	3/18/1994	WH1094318-		1.85 B	5.1	1.7			< 1 UM		< 0.02 U	< 1 U
MW-10	6/28/1994	WH1094628-		1.92	< 5 U	2.3			< 1 UJ		< 0.02 U	< 1 U
MW-10	8/24/1994	WH1094824-		2	< 5 U	2.8			< 1 UJ		< 0.02 U	< 1 U
MW-10	12/21/1994	WH1094D21-		1.78	< 5 U	3.6			< 1 UJ		< 0.02 U	< 1 U
MW-10 (Dup)	12/21/1994	WH1094D21D		1.86	< 5 U	3			< 1 UJ		< 0.02 U	< 1 U
MW-10	5/26/1995	WH1095526L	110 B	3	< 5 U	3	< 1 U		80 J		< 0.02 U	< 1 U
MW-10	9/18/1995	WH1095918-	72 B	1.9	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	12/20/1995	WH1095D20-	58 B	1.2	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	3/18/1996	WH1096318-	88 B	1.7	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	5/24/1996	WH1096524-	90 B	1.9	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	7/31/1996	WH1096731-	120 B	1.9	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	12/3/1996	WH1096D03-	46 B	1.2	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	3/7/1997	WH1097307-	60 B	1.4	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	5/16/1997	WH1097516-	84 B	1.8	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	8/20/1997	WH1097820-	90 B	1.6	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	12/4/1997	WH1097D04-	66 B	1.4	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	3/10/1998	WH1098310-	85 B	1.8	< 5 U	< 1 U	< 1 U		< 1 U		< 0.025 UM	< 1 U
MW-10	5/19/1998	WH1098519-	100 B	1.8	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	8/26/1998	WH1098826-	81 B	1.4	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	3/9/1999	WH1099309-	49 B	0.99	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	6/11/1999	WH1099611-	67 B	1.2	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	8/18/1999	WH1099818-	65 B	1.1	< 5 U	1	< 1 U		100		< 0.02 U	< 1 U
MW-10	12/7/1999	WH1098D07-	44 B	0.78	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-10	12/7/1999	WH1099D07-	40 B	0.79	< 5 U	1 O	< 1 U		< 1 J		< 0.02 U	< 1 UO

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-10	3/7/2000	WH1000307-	68 M	1.1	< 5 U	< 1 U	< 1 U		< 1 U		< 0.025 UM	< 1.0 U
MW-10	5/19/2000	WH1000519-	65 M	1.2	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10 (Dup)	5/19/2000	WH1000519D	68 M	1.2	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	9/5/2000	WH1000905-	56 M	1.1	< 10 UM	< 1 U	< 1 U		8		< 0.02 U	< 1.0 U
MW-10	12/11/2000	WH1000D11-	60 M	0.87	5. U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	2/13/2001	WH1001213-	46 M	0.71	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	5/31/2001	WH1001531-	66 M	1	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	8/14/2001	WH1001814-	66 M	1	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 UO	< 1.0 U
MW-10	12/11/2001	WH1001D11-	48 M	0.76	< 5 U	1	< 1 U		2		< 0.02 U	< 1.0 U
MW-10	2/27/2002	WH1002227-	58 M	0.87	< 5 U	1 O	< 1 U		< 1 U		< 0.02 U	< 1.0 UO
MW-10	5/17/2002	WH1002517-	61 M	1.1	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	8/30/2002	WH1002830-	58 M	0.98	< 5 U	< 1 U	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-10	11/22/2002	WH1002N22-	58 M	0.81	5. U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	2/13/2003	WH1003213-	37 M	0.61	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	5/15/2003	WH1103515-	16 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	5/15/2003	WH1003515-	68 M	0.9	< 5 U	< 1 U	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-10	11/13/2003	WH1003N13-	58 M	0.74		1						
MW-10	2/23/2004	WH1004223-	51 M	0.87		2						
MW-10	5/20/2004	WH1004520-	49 M	0.92		1						
MW-10	9/1/2004	WH1004901-	54 M	0.9		1						
MW-10	11/17/2004	WH1004N17-	54 M	0.79 M		1						
MW-10	2/18/2005	WH1005218-	56 M	0.95 M		< 1 U						
MW-10	5/20/2005	WH1005520-	58 M	1.6 M		< 1 U						
MW-10	8/15/2005	WH1005815-	66 M	0.86 M		< 1 U						
MW-10	12/5/2005	WH1005D05-	64 DB	0.87		< 1 U						
MW-10	2/10/2006	WH10060210-	56 DB	0.75		1.3						
MW-10	5/22/2006	WH10060522-	50 DB	< 0.03 U		< 1 U						
MW-10	8/22/2006	WH10060822-	60 DB	0.91		< 1 U						
MW-10 (Dup)	8/22/2006	WH10060822D	59 DB	0.94		< 1 U						
MW-10	12/1/2006	WH10061201-	50 DB	0.84		1.2						
MW-10	2/14/2007	WH10070214-	46 DB	0.8		< 1 U						
MW-10	5/17/2007	WH10070517-	46 DB	0.78		< 1 U						
MW-10	8/24/2007	WH10070824-	43 DB	0.84		1.1						
MW-10	11/30/2007	WH10071130-	39 DB	0.57		1.4						
MW-10	2/29/2008	WH10080229-	44 B	0.73		< 1 U						
MW-10	6/2/2008	WH10080602-	46 DB	0.85		< 1 U						
MW-10	8/20/2008	WH10080820-	62 B	0.85		< 1 U						
MW-10	12/3/2008	WH10081203-	70	0.96		1.5						
MW-10	2/27/2009	WH10090227-	44 D	0.8		1.7						
MW-10	6/1/2009	WH10090601-	44.8	0.721		0.957						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-10	8/28/2009	WH10090828-	41.8	0.689		2.8						
MW-10	12/1/2009	WH10091201-	43	0.699		3						
MW-10	3/1/2010	WH10100301-	38.2	0.564		1.37						
MW-10	5/27/2010	WH10100527-	48.3	0.58		0.36 T						
MW-10	8/30/2010	WH10100830-	39.4	0.546		2.46						
MW-10	12/1/2010	WH10101201-	49.1	0.538		2.48						
MW-10	2/24/2011	WH10110224-	42	0.488		0.668						
MW-10	6/2/2011	WH10110602-	39.1	0.466		0.315						
MW-10	8/26/2011	WH10110826-	37.9	0.469		2.37						
MW-10	12/6/2011	WH10111206-	38.1	0.464		2.64						
MW-10	3/5/2012	WH10120305-	43.6	0.482		1.44						
MW-10	5/21/2012	WH10120521-	38.7	0.393		0.533						
MW-10	8/29/2012	WH10120829-	39.1	0.366		1.71						
MW-10	11/28/2012	WH10121128-	44.5	0.401		2.49						
MW-10	2/28/2013	WH10130228-	32.9	0.353		0.84						
MW-10	5/21/2013	WH10130521-	32.9	0.349		1.63						
MW-10	8/20/2013	WH10130820-	33.9	0.314		10						
MW-11	8/25/1987	WH1187825		< 0.05	10	1.5				< 1.8		< 0.1
MW-11	11/24/1987	WH1187N24		< 0.05	< 10	1				< 2	< 0.005	< 0.2
MW-11	3/15/1988	WH1188315		< 0.05	20	2				300	< 0.005	< 0.2
MW-11	6/8/1988	WH1188608		< 0.05	< 10	2				2	< 0.005	< 0.2
MW-11	9/9/1988	WH1188909Q		< 0.05	34	2				< 2	< 0.005	< 0.2
MW-11	11/29/1988	WH1188N29Q		0.06	16	3				< 2	< 0.005	< 0.2
MW-11	2/21/1989	WH1189221Q		< 0.05	34	2				4	< 0.005	< 0.2
MW-11	6/26/1989	WH1189626Q		< 0.05	16	2				8	< 0.005	< 0.2
MW-11	9/19/1989	WH1189919Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-11	12/8/1989	WH1189D08Q		< 0.05	< 10	2				8	< 0.005	< 0.2
MW-11	3/9/1990	WH1190309Q		< 0.05	< 10	3				< 2	< 0.005	< 0.2
MW-11	5/18/1990	WH1190518Q		< 0.05	< 10	< 1				< 2	< 0.01	0.07
MW-11 (Dup)	5/18/1990	WH1190518D		< 0.05	< 10	1.5				< 2	< 0.01	0.06
MW-11	8/28/1990	WH1190828-		< 0.05	< 10	1.5				< 2	< 0.01	0.02
MW-11	12/13/1990	WH1190D13-		< 0.05	< 10	2.4				< 2	< 0.01	0.02
MW-11	2/22/1991	WH1191222-		< 0.05	< 10	2				< 2	< 0.01	< 0.01
MW-11	6/10/1991	WH1191610-		< 0.05	61	4			< 1		< 0.01	0.06
MW-11	9/10/1991	WH1191910-		< 0.05	< 10	1.5			1		< 0.01	0.03
MW-11	11/15/1991	WH1191N15R		< 0.05	< 10	< 1			< 1		0.016	0.08
MW-11 (Dup)	11/15/1991	WH1191N15D		< 0.05	< 10	< 1			< 1		0.016	0.03
MW-11	12/13/1991	WH1191D13-		< 0.05	< 10	1.8			< 1		< 0.01	< 0.01
MW-11	3/17/1992	WH1192317-		< 0.01	< 5	8.96			2		< 0.02	< 1
MW-11	6/25/1992	WH1192625-		< 0.01 U	< 5 U	1.56			< 1 U		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-11	9/23/1992	WH1192923-		< 0.01 U	7.21 B	1.85			< 1 UM		< 0.02 U	< 1 U
MW-11	12/21/1992	WH1192D21-		< 0.01 U	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U
MW-11	3/29/1993	WH1193329-		< 0.01 U	< 5 U	1.8			< 1 UM		< 0.02 U	< 1 U
MW-11 (Dup)	3/29/1993	WH1193329D		< 0.01 U	< 5 U	2			< 1 UM		< 0.02 U	< 1 U
MW-11	6/21/1993	WH1193621-		0.016	< 5 U	2.4			< 1 UM		< 0.02 U	< 1 U
MW-11 (Dup)	6/21/1993	WH1193621D		0.025	< 5 U	2.4			< 1 UM		< 0.02 U	< 1 U
MW-11	9/24/1993	WH1193924-		< 0.01 U	< 5 U	2.2			< 1 UM		< 0.02 U	< 1 U
MW-11	12/28/1993	WH1193D28-		< 0.01 U	< 5 U	1.5			< 1 UM		< 0.02 U	< 1 U
MW-11	3/16/1994	WH1194316-		0.01	< 5 U	1.7			< 1 UM		< 0.02 U	< 1 U
MW-11	6/24/1994	WH1194624-		0.04	< 5 U	2.5			< 1 U		< 0.02 U	< 1 U
MW-11	8/25/1994	WH1194825-		< 0.01 U	6.4	1.6			< 1 UJ		< 0.02 U	< 1 U
MW-11	12/19/1994	WH1194D19-		0.025	< 5 U	2.2			< 1 UJ		< 0.02 U	< 1 U
MW-11	5/31/1995	WH1195531L	18 B	< 0.01 U	< 5 U	2	< 1 U		5		< 0.02 U	< 1 U
MW-11	9/20/1995	WH1195920-	26 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	12/19/1995	WH1195D19-	14 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	3/15/1996	WH1196315-	12 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	5/28/1996	WH1196528-	14 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	8/5/1996	WH1196805-	22 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	12/5/1996	WH1196D05-	16 B	< 0.01 U	< 5 U	2	1		3		< 0.02 U	< 1 U
MW-11	3/6/1997	WH1197306-	14 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	5/20/1997	WH1197520-	16 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	8/20/1997	WH1197820-	22 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11 (Dup)	8/20/1997	WH1197820D	24 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	12/3/1997	WH1197D03-	22 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	3/9/1998	WH1198309-	18 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11 (Dup)	3/9/1998	WH1198309D	17 B	0.01	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	5/18/1998	WH1198518-	22 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	8/26/1998	WH1198826-	26 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11 (Dup)	8/26/1998	WH1198826D	25 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	3/9/1999	WH1199309-	16 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	6/14/1999	WH1199614-	19 B	< 0.01 UB	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	8/17/1999	WH1199817-	24 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	12/4/1999	WH1198D04-	20 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	12/4/1999	WH1-98D04-	45 B	0.35	< 5 U	< 1 U	< 1 U		160		< 0.02 U	< 1 U
MW-11	12/8/1999	WH1199D08-	16 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-11	3/3/2000	WH1100303-	16 M	< 0.01 U	< 5 U	2	< 1 U		2		< 0.02 U	< 1.0 U
MW-11	5/18/2000	WH1100518-	19 BM	< 0.01 U	< 5 U	1.9	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	9/7/2000	WH1100907-	20 M	< 0.01 U	< 10 UM	1.1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	12/5/2000	WH1100D05-	33 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	2/16/2001	WH1101216-	22 M	0.07	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-11	5/29/2001	WH1101529-	20 M	< 0.01 U	15	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	8/14/2001	WH1101814-	26 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	12/6/2001	WH1101D06-	17 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	2/26/2002	WH1102226-	15 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	5/20/2002	WH1102520-	17 M	0.03	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	8/30/2002	WH1102830-	22 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	11/22/2002	WH1102N22-	20 M	< 0.01 U	5. U	2	< 1 U		8		< 0.02 U	< 1.0 U
MW-11	2/13/2003	WH1103213-	17 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-11	8/7/2003	WH1103807-	22 M	0.17	< 5 U	1	< 1 U		2		< 0.02 U	< 1.0 U
MW-11	11/13/2003	WH1103N13-	18 M	< 0.01 U		2						
MW-11	2/23/2004	WH1104223-	13 M	< 0.01 U		3						
MW-11	5/20/2004	WH1104520-	17 M	< 0.01 U		2						
MW-11	9/1/2004	WH1104901-	20 M	0.01		2						
MW-11	11/17/2004	WH1104N17-	23 M	< 0.05 UM		2						
MW-11	2/18/2005	WH1105218-	17 M	< 0.05 UM		2						
MW-11	5/23/2005	WH1105523-	18 M	< 0.05 UM		4						
MW-11	8/12/2005	WH1105812-	23 M	< 0.05 UM		1						
MW-11	12/6/2005	WH1105D06-	22 DB	< 0.03 U		1.8						
MW-11	2/13/2006	WH11060213-	13 B	< 0.03 U		2.6						
MW-11	5/17/2006	WH11060517-	16 DB	0.14		2.2						
MW-11	8/24/2006	WH11060824-	20 DB	< 0.03 U		1.6						
MW-11	12/1/2006	WH11061201-	12 DB	< 0.03 U		2.6						
MW-11	2/15/2007	WH11070215-	15 B	< 0.03 U		2.6						
MW-11	5/21/2007	WH11070521-	16 B	< 0.03 U		2.7						
MW-11	8/23/2007	WH11070823-	22 DB	< 0.03 U		1.6						
MW-11	12/3/2007	WH11071203-	20 DB	< 0.03 U		1.4						
MW-11	2/28/2008	WH11080228-	14 B	< 0.03 U		2.7						
MW-11	6/3/2008	WH11080603-	16 DB	< 0.03 U		3.3						
MW-11	8/21/2008	WH11080821-	26 B	< 0.03 U		1.8						
MW-11	12/3/2008	WH11081203-	22 B	< 0.03 U		2.5						
MW-11	2/27/2009	WH11090227-	15	< 0.03 U		3.5						
MW-11	5/28/2009	WH11090528-	15.9	< 0.01 U		3.52						
MW-11 (Dup)	5/28/2009	WH11090528D	16	< 0.01 U		3.65						
MW-11	9/1/2009	WH11090901-	28.6	< 0.01 U		3.07						
MW-11	11/24/2009	WH11091124-	27	< 0.01 U		2.99						
MW-11	3/2/2010	WH11100302-	19.6	< 0.01 U		3.65						
MW-11	5/26/2010	WH11100526-	20.6	< 0.01 U		2.73						
MW-11	8/20/2010	WH11100820-	25.2	< 0.01 U		2.49						
MW-11	12/2/2010	WH11101202-	25.8	< 0.01 U		2.21						
MW-11	2/28/2011	WH11110228-	15	< 0.01 U		3.04						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-11	6/2/2011	WH11110602-	17.8	< 0.01 U		4.18						
MW-11	8/26/2011	WH11110826-	28.8	< 0.01 U		2.65						
MW-11	12/5/2011	WH11111205-	24.4	< 0.01 U		2.32						
MW-11	2/27/2012	WH11120227-	11.9	< 0.01 U		2.62						
MW-11	5/21/2012	WH11120521-	19	< 0.01 U		2.62						
MW-11	8/28/2012	WH11120828-	28.6	< 0.01 U		2.7						
MW-11	11/20/2012	WH11121120-	25.1	< 0.01 U		2.67						
MW-11	2/27/2013	WH11130227-	18.9	< 0.01 U		2.63						
MW-11	5/21/2013	WH11130521-	22.6	< 0.01 U		2.4						
MW-11	8/22/2013	WH11130822-	34	< 0.01 U		10.1						
MW-18	8/25/1987	WH1887825		0.3	18	23				< 1.8		0.35
MW-18	11/23/1987	WH1887N23		0.21	16	25				< 2	< 0.005	< 0.2
MW-18	3/10/1988	WH1888310		0.07	< 10	16				< 2	< 0.005	< 0.2
MW-18	5/25/1988	WH1888525		< 0.05	< 10	18				< 2	< 0.005	< 0.2
MW-18	9/7/1988	WH1888907Q		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-18	11/18/1988	WH1888N18Q		0.07	< 10	17				< 2	< 0.005	< 0.2
MW-18	3/6/1989	WH1889306Q		0.1	16	11				< 2	0.021	< 0.2
MW-18	6/28/1989	WH1889628Q		< 0.05	< 10	12				50	< 0.005	< 0.2
MW-18	9/12/1989	WH1889912Q		< 0.05	< 10	7				< 2	< 0.005	< 0.2
MW-18	12/11/1989	WH1889D11Q		< 0.05	< 10	5					< 0.005	< 0.2
MW-18	3/14/1990	WH1890314Q		< 0.05	< 10	4				< 2	< 0.005	< 0.2
MW-18	5/21/1990	WH1890521Q		< 0.05	< 10	4.2				< 2	< 0.01	0.08
MW-18	8/30/1990	WH1890830-		< 0.05	< 10	3.4				< 2	< 0.01	0.05
MW-18 (Dup)	8/30/1990	WH1890830D		< 0.05	11	3.4				< 2	< 0.01	0.07
MW-18	12/14/1990	WH1890D14-		0.33	< 10	1.4				< 2	< 0.01	0.04
MW-18 (Dup)	12/14/1990	WH1890D14D		0.36	< 10	1.7				< 2	< 0.01	0.04
MW-18	3/5/1991	WH1891305-		0.13	< 10	1.8				< 2	< 0.01	0.05
MW-18	6/11/1991	WH1891611-		< 0.05	11	3.9			< 1		< 0.01	0.15
MW-18	9/13/1991	WH1891913-		< 0.05	< 10	1.7			< 1		< 0.01	0.02
MW-18	12/13/1991	WH1891D13-		< 0.05	< 10	1.9			< 1 CG		< 0.01	0.06
MW-18 (Dup)	12/13/1991	WH1891D13D		0.26	< 10	1.9			< 1		< 0.01	0.06
MW-18	3/23/1992	WH1892323-		< 0.05	< 10	1.6			< 1		< 0.01	0.09
MW-18	6/29/1992	WH1892629-		< 0.01 U	< 5 U	1.71			< 1 U		< 0.02 U	< 1 U
MW-18	9/28/1992	WH1892928-		< 0.01 U	< 5 U	2.62			< 1 UM		< 0.02 U	< 1 U
MW-18	12/28/1992	WH1892D28-		< 0.01 U	< 5 U	1.9			3		< 0.02 U	< 1 U
MW-18 (Dup)	12/28/1992	WH1892D28D		< 0.01 U	9	1.9			< 2 U		< 0.02 U	< 1 U
MW-18	3/26/1993	WH1893326-		< 0.01 U	< 5 U	1.9			< 1 UM		< 0.02 U	< 1 U
MW-18	6/18/1993	WH1893618-		0.088	< 5 U	1.9			< 1 UM		< 0.02 U	< 1 U
MW-18	9/20/1993	WH1893920-		0.03	< 5 U	1.7			< 1 UM		< 0.02 U	< 1 U
MW-18	12/21/1993	WH1893D21-		0.025	< 5 U	1.7			< 1 UM		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-18	3/18/1994	WH1894318-		0.029 B	5.4	1.5			< 1 UM		< 0.02 U	< 1 U
MW-18	6/28/1994	WH1894628-		0.014	< 5 U	2			< 1 U		< 0.02 U	< 1 U
MW-18	8/25/1994	WH1894825-		0.029	< 5 U	1.8			< 1 UJ		< 0.02 U	< 1 U
MW-18 (Dup)	8/25/1994	WH1894825D		0.016	< 5 U	1.8			< 1 UJ		< 0.02 U	< 1 U
MW-18	12/16/1994	WH1894D16-		0.015	< 5 U	2.5			< 1 UJ		< 0.02 U	< 1 U
MW-18	5/31/1995	WH1895531L	34 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	9/19/1995	WH1895919-	32 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	1
MW-18	12/20/1995	WH1895D20-	42 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	3/20/1996	WH1896320-	38 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	5/29/1996	WH1896529-	38 B	0.01	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	8/6/1996	WH1896806-	38 B	< 0.01 U	< 5 U	2	< 1 U		1		< 0.02 U	< 1 U
MW-18	12/4/1996	WH1896D04-	30 B	0.01	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U
MW-18	3/7/1997	WH1897307-	30 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	5/22/1997	WH1897522-	28 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18 (Dup)	5/22/1997	WH1897522D	28 B	< 0.01 U	< 10 UM	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	8/20/1997	WH1897820-	11 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18 (Dup)	8/20/1997	WH1897820D	31 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	12/4/1997	WH1897D04-	30 B	0.01	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	3/25/1998	WH1898325-	31 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	5/20/1998	WH1898520-	30 B	< 0.05 UM	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	8/26/1998	WH1898826-	30 B	0.01	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	12/8/1998	WH1898D08-	29 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	3/9/1999	WH1899309-	28 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	6/15/1999	WH1899615-	28 B	< 0.01 UB	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-18	8/17/1999	WH1899817-	29 B	< 0.01 U	< 5 U	2	< 1 U		17		< 0.02 U	< 1 U
MW-18	12/7/1999	WH1899D07-	44 B	0.01	< 5 U	2 O	< 1 U		< 1 U		< 0.02 U	< 1 UO
MW-18	3/3/2000	WH1800303-	26 M	< 0.01 U	< 5 U	1.7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	5/19/2000	WH1800519-	24 M	0.01	< 5 U	1.7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	9/5/2000	WH1800905-	22 M	< 0.01 U	< 10 UM	1.7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	12/6/2000	WH1800D06-	37 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	2/15/2001	WH1801215-	29 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	5/25/2001	WH1801525-	26 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	8/14/2001	WH1801814-	25 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 UO	< 1.0 U
MW-18	12/6/2001	WH1801D06-	26 M	0.02	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	2/26/2002	WH1802226-	26 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	5/20/2002	WH1802520-	24 M	0.02	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	8/29/2002	WH1802829-	28 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	11/21/2002	WH1802N21-	26 M	< 0.01 U	5. U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	2/12/2003	WH1803212-	23 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	5/15/2003	WH1803515-	22 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-18	8/7/2003	WH1803807-	20 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-18	11/13/2003	WH1803N13-	22 M	< 0.01 U		2						
MW-18	2/23/2004	WH1804223-	22 M	< 0.01 U		2						
MW-18	5/19/2004	WH1804519-	22 M	< 0.01 U		2						
MW-18	9/3/2004	WH1804903-	21 M	0.14		2						
MW-18	11/22/2004	WH1804N22-	22 M	< 0.05 UM		2						
MW-18	2/23/2005	WH1805223-	21 M	< 0.05 UM		3						
MW-18	5/20/2005	WH1805520-	22 M	0.10 M		2						
MW-18	8/9/2005	WH1805809-	24 M	< 0.05 UM		2						
MW-18	12/5/2005	WH1805D05-	22 DB	0.062		1.5						
MW-18	2/10/2006	WH18060210-	22 DB	< 0.03 U		1.7						
MW-18	5/23/2006	WH18060523-	20 D	< 0.03 U		1.4						
MW-18	8/22/2006	WH18060822-	22 DB	< 0.03 U		1.8						
MW-18	12/5/2006	WH18061205-	22 D	< 0.03 U		1.8						
MW-18	2/14/2007	WH18070214-	22 DB	< 0.03 U		1.9						
MW-18	5/17/2007	WH18070517-	20 DB	< 0.03 U		2						
MW-18	8/24/2007	WH18070824-	18 B	< 0.03 U		2.1						
MW-18	12/7/2007	WH18071207-	20 DB	< 0.03 U		2						
MW-18	3/3/2008	WH18080303-	20 B	< 0.03 U		1.8						
MW-18	6/3/2008	WH18080603-	18 DB	< 0.03 U		2.1						
MW-18	8/20/2008	WH18080820-	22 B	0.032		2.5						
MW-18	12/4/2008	WH18081204-	24 B	0.13		1.9						
MW-18	12/4/2008	WH18081204T	1 B	< 0.03 U		< 1 U						
MW-18	3/4/2009	WH18090304-	25 D	< 0.03 U		2.4						
MW-18	5/28/2009	WH18090528-	21.1	< 0.01 U		2.35						
MW-18	12/1/2009	WH18091201-	24.5	< 0.01 U		1.43						
MW-18	3/3/2010	WH18100303-	20.7	< 0.01 U		1.71						
MW-18	5/27/2010	WH18100527-	21.4	< 0.01 U		1.57						
MW-18	8/27/2010	WH18100827-	24.1	0.011 T		1.15						
MW-18	12/1/2010	WH18101201-	29	< 0.01 U		1.16						
MW-18	2/23/2011	WH18110223-	22.8	< 0.01 U		1.67						
MW-18	5/31/2011	WH18110531-	20.7	< 0.01 U		2.04						
MW-18	8/24/2011	WH18110824-	23.4	0.0261		1.43						
MW-18	12/1/2011	WH18111201-	24	< 0.01 U		1.5						
MW-18	3/2/2012	WH18120302-	22.9	< 0.01 U		1.48						
MW-18	5/16/2012	WH18120516-	20.9	0.01 T		1.7						
MW-18	8/28/2012	WH18120828-	21.2	< 0.01 U		1.98						
MW-18	11/27/2012	WH18121127-	20.9	< 0.01 U		1.22						
MW-18	2/26/2013	WH18130226-	18.6	< 0.01 U		1.93						
MW-18	5/15/2013	WH18130515-	17.7	< 0.01 U		1.62						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-25	12/12/2001	WH2501D12-	41 M	< 0.01 U	< 5 U	2	< 1 U		0 NM.CG		< 0.02 U	< 1.0 U
MW-25	2/27/2002	WH2502227-	39 M	< 0.01 U	< 5 U	2 O	< 1 U		< 1 U		< 0.02 U	< 1.0 UO
MW-25	5/17/2002	WH2502517-	39 M	< 0.01 U	< 5 U	2						< 1.0 U
MW-25	9/4/2002	WH2502904-	40 M	< 0.01 U	< 5 U	3	< 1 U		40		< 0.02 U	< 1.0 U
MW-25	11/27/2002	WH2502N27-	42 M	< 0.01 U	5. U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-25	2/14/2003	WH2503214-	40 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-25	5/16/2003	WH2503516-	40 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-25 (Dup)	5/16/2003	WH2503516D	40 M	0.05	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-25	8/12/2003	WH2503812-	38 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-25	11/12/2003	WH2503N12-	39 M	< 0.01 U		2						
MW-25	2/23/2004	WH2504223-	41 M	0.01		2						
MW-25	5/19/2004	WH2504519-	38 M	< 0.01 U		3						
MW-25	9/1/2004	WH2504901-	40 M	0.08		2						
MW-25	11/19/2004	WH2504N19-	40 M	< 0.05 UM		2						
MW-25	2/23/2005	WH2505223-	38 M	< 0.05 UM		2						
MW-25	5/23/2005	WH2505523-	38 M	< 0.05 UM		2						
MW-25	8/12/2005	WH2505812-	40 M	< 0.05 UM		2						
MW-25	12/6/2005	WH25051206-	38 DB	< 0.03 U		2.5						
MW-25	2/14/2006	WH25060214-	39 DB	< 0.03 U		2.6						
MW-25 (Dup)	2/14/2006	WH25060214D	38 DB	< 0.03 U		2.6						
MW-25	5/17/2006	WH25060517-	40 DB	< 0.03 U		2.6						
MW-25	8/18/2006	WH25060818-	39 DB	< 0.03 U		2.9						
MW-25	12/6/2006	WH25061206-	38 D	< 0.03 U		2.8						
MW-25	2/16/2007	WH25070216-	38 DB	< 0.03 U		2.6						
MW-25	5/18/2007	WH25070518-	40 DB	< 0.03 U		2.6						
MW-25 (Dup)	5/18/2007	WH25070518D	40 DB	< 0.03 U		2.6						
MW-25	8/23/2007	WH25070823-	40 DB	< 0.03 U		2.8						
MW-25	11/30/2007	WH25071130-	40 DB	< 0.03 U		2.6						
MW-25	2/28/2008	WH25080228-	40 B	< 0.03 U		2.6						
MW-25	6/3/2008	WH25080603-	38 DB	< 0.03 U		3.1						
MW-25	8/22/2008	WH25080822-	42 B	< 0.03 U		3						
MW-25	12/1/2008	WH25081201-	44 B	< 0.03 U		3.1						
MW-25	2/26/2009	WH25090226-	42 D	< 0.03 U		3.1						
MW-25	2/26/2009	WH25090226T	1	< 0.03 U		< 1 U						
MW-25	5/29/2009	WH25090529-	35.6	< 0.01 U		3.17						
MW-25	8/31/2009	WH25090831-	38.7	< 0.01 U		3.09						
MW-25	11/24/2009	WH25091124-	42.3	< 0.01 U		3.23						
MW-25	3/2/2010	WH25100302-	41.8	< 0.01 U		3.43						
MW-25 (Dup)	3/2/2010	WH25100302D	43.2	< 0.01 U		3.33						
MW-25	5/25/2010	WH25100525-	41.4	< 0.01 U		3.26						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-25	8/27/2010	WH25100827-	40	< 0.01 U		3.17						
MW-25 (Dup)	8/27/2010	WH25100827D	37.2	< 0.01 U		3.18						
MW-25	12/1/2010	WH25101201-	42.7	< 0.01 U		3.32						
MW-25	2/25/2011	WH25110225-	42.9	< 0.01 U		3.41						
MW-25	5/31/2011	WH25110531-	40.4	< 0.01 U		3.53						
MW-25	8/26/2011	WH25110826-	42.7	0.011 T		3.37						
MW-25	12/2/2011	WH25111202-	41.5	< 0.01 U		3.24						
MW-25	3/5/2012	WH25120305-	43.1	< 0.01 U		3.83						
MW-25	5/22/2012	WH25120522-	42.4	< 0.01 U		3.78						
MW-25	8/28/2012	WH25120828-	42.1	< 0.01 U		3.7						
MW-25	11/28/2012	WH25121128-	43.1	< 0.01 U		3.83						
MW-25	2/25/2013	WH25130225-	43.8	< 0.01 U		3.43						
MW-25	5/28/2013	WH25130528-	42.4	< 0.01 U		4.09						
MW-25	8/19/2013	WH25130819-	42.4	< 0.01 U		3.78						
MW-3	10/28/1986	WH3-86O28		< 0.05	< 10	2		< 2			< 0.005	< 0.2
MW-3	5/28/1987	WH3-87528		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	9/8/1987	WH3-87908		< 0.05	< 10	1.54				< 0		0.14
MW-3	12/21/1987	WH3-87D21		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	3/21/1988	WH3-88321		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	5/26/1988	WH3-88526		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	9/2/1988	WH3-88902Q		< 0.05	< 10	2				< 2	< 0.005	0.3
MW-3	11/22/1988	WH3-88N22Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	2/17/1989	WH3-89217Q		< 0.05	34	2				< 2	< 0.005	< 0.2
MW-3	6/9/1989	WH3-89609Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	9/6/1989	WH3-89906Q		< 0.05	< 10	1				< 2	< 0.005	< 0.2
MW-3	12/7/1989	WH3-89D07Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	2/13/1990	WH3-90213Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-3	5/17/1990	WH3-90517Q		< 0.05	< 10	3.1				< 2	< 0.01	0.2
MW-3	8/24/1990	WH3-90824-		< 0.05	< 10	2				< 2	< 0.01	0.14
MW-3	11/13/1990	WH3-90N13-		< 0.05	< 10	1.9				< 2	< 0.01	0.11
MW-3	2/21/1991	WH3-91221-		< 0.05	< 10	1.3				< 2	< 0.01	0.08
MW-3	6/25/1991	WH3-91625-		< 0.05	< 10	3.5			< 1		< 0.01	0.1
MW-3	9/20/1991	WH3-91920-		< 0.05	11	1.7			< 1		< 0.01	0.05
MW-3	12/17/1991	WH3-91D17-		< 0.05	< 10	2.2			< 1		< 0.01	0.09
MW-3	3/18/1992	WH3-92318-		< 0.05	< 10	1.5			< 1		< 0.01	0.1
MW-3	6/23/1992	WH3-92623-		< 0.01 U	< 5 U	1.14			< 1 U		< 0.02 U	< 1 U
MW-3	9/21/1992	WH3-92921-		< 0.01 U	< 5 U	2.09			< 2 UM		< 0.02 U	< 1 U
MW-3	12/22/1992	WH3-92D22-		< 0.01 U	< 5 U	3.3			< 1 UM		< 0.02 U	< 1 U
MW-3	3/23/1993	WH3-93323-		< 0.01 U	< 5 U	2.1			< 1 UM		< 0.02 U	< 1 U
MW-3	6/17/1993	WH3-93617-		0.071	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-3	9/23/1993	WH3-93923-		< 0.01 U	< 5 U	2.1			< 1 UM		< 0.02 U	< 1 U
MW-3	12/22/1993	WH3-93D22-		< 0.01 U	< 5 U	2.3			< 1 UM		< 0.02 U	< 1 U
MW-3	3/14/1994	WH3-94314-		< 0.01 U	< 5 U	2			< 1 U		< 0.02 U	< 1 U
MW-3	6/23/1994	WH3-94623-		< 0.01 U	6.7	2.3			< 1 UJ		< 0.02 U	< 1 U
MW-3	8/23/1994	WH3-94823-		< 0.01 U	< 5 U	2.3			< 1 UJ		< 0.02 U	< 1 U
MW-3	12/20/1994	WH3-94D20-		< 0.01 U	< 5 U	2.6			< 1 UJ		< 0.02 U	< 1 U
MW-3	3/6/1995	WH3-95306L	54	0.02	< 5 U	2	1		1		< 0.02 U	< 1 U
MW-3	5/26/1995	WH3-95526L	56 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	9/14/1995	WH3-95914-	50 B	< 0.01 U	< 5 U	2	< 1 U		80 J		< 0.02 U	< 1 U
MW-3	12/19/1995	WH3-95D19-	54 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	3/15/1996	WH3-96315-	54 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	5/23/1996	WH3-96523-	56 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	7/30/1996	WH3-96730-	58 B	< 0.01 U	< 5 U	2	< 1 U		160 J		< 0.02 U	< 1 U
MW-3	12/2/1996	WH3-96D02-	54 B	< 0.01 U	< 5 U	2	< 1 U		2		< 0.02 U	< 1 U
MW-3	3/5/1997	WH3-97305-	54 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	5/19/1997	WH3-97519-	54 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	8/18/1997	WH3-97818-	55 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	12/19/1997	WH3-97D19-	57 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	3/5/1998	WH3-98305-	56 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	5/15/1998	WH3-98515-	58 B	0.01 B	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	8/25/1998	WH3-98825-	56 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	3/8/1999	WH3-99308-	55 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	6/11/1999	WH3-99611-	56 B	< 0.01 U	< 5 U	3	< 1 U		1		< 0.02 U	< 1 U
MW-3	8/16/1999	WH3-99816-	56 B	< 0.01 U	< 5 U	2	< 1 U		22		< 0.02 U	< 1 U
MW-3	12/4/1999	WH3-98D04-	57 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-3	12/8/1999	WH3-99D08-	54 B	< 0.01 U	< 5 U	3	< 1 U		1		< 0.02 U	< 1 U
MW-3	3/6/2000	WH3-00306-	60 M	0.01	< 5 U	2.8	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	5/18/2000	WH3-00518-	54 BM	< 0.01 U	< 5 U	2.7	< 1 U		12		< 0.02 U	< 1.0 U
MW-3	9/7/2000	WH3-00907-	54 M	< 0.01 U	< 10 UM	2.5	< 1 U		< 1 UM		< 0.02 U	< 1.0 U
MW-3	12/4/2000	WH3-00D04-	59 M	< 0.01 U	5. U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	2/15/2001	WH3-01215-	57 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	5/30/2001	WH3-01530-	58 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	8/13/2001	WH3-01813-	57 M	< 0.01 U	< 5 U	3	< 1 U		0 NM.CG		< 0.02 U	< 1 U
MW-3	12/7/2001	WH3-01D07-	56 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	2/26/2002	WH3-02226-	56 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	5/16/2002	WH3-02516-	57 M	< 0.01 U	< 5 U	3	< 1 U		1		< 0.02 U	< 1.0 U
MW-3	8/30/2002	WH3-02830-	58 M	< 0.01 U	< 5 U	4	< 1 U		0 NM.CG		< 0.02 U	< 1.0 U
MW-3	11/26/2002	WH3-02N26-	61 M	0.04	5. U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	2/14/2003	WH3-03214-	58 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3 (Dup)	2/14/2003	WH3-03214D	60 M	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-3	5/15/2003	WH3-03515-	58 M	0.03	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-3	8/6/2003	WH3-03806-	59 M	0.04	< 5 U	4	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-3	11/3/2003	WH3-03N12-	56 M	< 0.01 U		5						
MW-3	11/13/2003	WH3-03N13-	58 M	< 0.01 U		3						
MW-3	2/20/2004	WH3-04220-	62 M	< 0.01 U		3						
MW-3	5/19/2004	WH3-04519-	58 M	< 0.01 U		3						
MW-3	9/2/2004	WH3-04902-	58 M	0.08		3						
MW-3	11/19/2004	WH3-04N19-	58 M	< 0.05 UM		3						
MW-3	2/22/2005	WH3-05222-	58 M	< 0.05 UM		3						
MW-3	5/20/2005	WH3-05520-	58 M	0.09 M		3						
MW-3	8/12/2005	WH3-05812-	41 M	< 0.05 UM		3						
MW-3	12/6/2005	WH3-051206-	60 DB	< 0.03 U		3.1						
MW-3	2/23/2006	WH3-060223-	60 DB	< 0.03 U		3.2						
MW-3	5/17/2006	WH3-060517-	58 DB	< 0.03 U		2.9						
MW-3	8/18/2006	WH3-060818-	62 DB	< 0.03 U		3.4						
MW-3	12/6/2006	WH3-061206-	60 D	< 0.03 U		3.1						
MW-3 (Dup)	12/6/2006	WH3-061206D	60 D	< 0.03 U		3.4						
MW-3	2/15/2007	WH3-070215-	62 DB	< 0.03 U		3.2						
MW-3	5/18/2007	WH3-070518-	64 DB	< 0.03 U		3.1						
MW-3	8/23/2007	WH3-070823-	64 DB	< 0.03 U		3						
MW-3	11/30/2007	WH3-071130-	64 DB	< 0.03 U		2.8						
MW-3	2/28/2008	WH3-080228-	62 B	< 0.03 U		2.7						
MW-3	6/6/2008	WH3-080606-	58 DB	< 0.03 U		3.1						
MW-3	8/21/2008	WH3-080821-	68 B	< 0.03 U		3						
MW-3	12/2/2008	WH3-081202-	72 B	< 0.03 U		3						
MW-3	3/2/2009	WH3-090302-	67 D	< 0.03 U		3.2						
MW-3	5/29/2009	WH3-090529-	56.2	< 0.01 U		3.23						
MW-3	9/1/2009	WH3-090901-	62.6	< 0.01 U		3.07						
MW-3	11/30/2009	WH3-091130-	66.6	< 0.01 U		3.02						
MW-3	3/3/2010	WH3-100303-	53.2	< 0.01 U		3.05						
MW-3	5/24/2010	WH3-100524-	65.9	< 0.01 U		3.13						
MW-3	8/26/2010	WH3-100826-	59.6	< 0.01 U		2.82						
MW-3	12/2/2010	WH3-101202-	67.2	< 0.01 U		3						
MW-3	2/25/2011	WH3-110225-	67.8	< 0.01 U		3.05						
MW-3	6/1/2011	WH3-110601-	64.1	< 0.01 U		3.23						
MW-3	8/25/2011	WH3-110825-	67.3	< 0.01 U		2.97						
MW-3	12/1/2011	WH3-111201-	65.5	< 0.01 U		3.06						
MW-3	2/24/2012	WH3-120224-	66.4	< 0.01 U		2.94						
MW-3	5/17/2012	WH3-120517-	66.5	< 0.01 U		3.27						
MW-3	9/24/2012	WH3-120924-	66.2	< 0.01 U		3.09						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-3	12/17/2012	WH3-121217-	64.9	< 0.01 U		2.92						
MW-3	3/1/2013	WH3-130301-	67.4	< 0.01 U		3.14						
MW-3	5/22/2013	WH3-130522-	66.7	< 0.01 U		3.19						
MW-3	8/27/2013	WH3-130827-	65.6	< 0.01 U		3.06						
MW-4	9/4/1986	WH4-86904		0.05	< 10	2						< 0.2
MW-4	5/26/1987	WH4-87526		0.28	< 10	18					< 0.005	< 0.2
MW-4	8/24/1987	WH4-87824		< 0.05	11	2.3				1		0.1
MW-4	11/25/1987	WH4-87N25		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4	3/14/1988	WH4-88314		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4	5/26/1988	WH4-88526		< 0.05	< 10	8				< 2	< 0.005	< 0.2
MW-4	9/1/1988	WH4-88901Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4	9/1/1988	WH4-88901S		< 0.05	< 10	2				< 2	0.008	< 0.2
MW-4	11/17/1988	WH4-88N17Q		< 0.05	< 10	3				< 2	< 0.005	< 0.2
MW-4	2/17/1989	WH4-89217Q		< 0.05	20	2				30	< 0.005	< 0.2
MW-4	6/16/1989	WH4-89616Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4	9/12/1989	WH4-89912Q		0.19	< 10	3				< 2	< 0.005	< 0.2
MW-4	12/6/1989	WH4-89D06Q		< 0.05	< 10	2				7	< 0.005	< 0.2
MW-4	3/13/1990	WH4-90313Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4 (Dup)	3/13/1990	WH4-90313D		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-4	5/17/1990	WH4-90517Q		< 0.05	< 10	2.3				< 2	< 0.01	< 0.01
MW-4	8/27/1990	WH4-90827-		< 0.05	11	2				36	< 0.01	0.03
MW-4	12/12/1990	WH4-90D12-		< 0.05	< 10	1.4				< 2	< 0.01	0.02
MW-4	2/22/1991	WH4-91222-		< 0.05	< 10	1.5				< 2	< 0.01	< 0.01
MW-4	6/19/1991	WH4-91619-		< 0.05	26	3.5			< 1		< 0.01	0.04
MW-4	9/18/1991	WH4-91918-		< 0.05	< 10	2.1			79		< 0.01	< 0.01
MW-4 (Dup)	9/18/1991	WH4-91918D		< 0.05	< 10	< 1			31		< 0.01	< 0.01
MW-4	11/15/1991	WH4-91N15R		< 0.05	< 10	< 1			< 1		< 0.01	0.06
MW-4 (Dup)	11/15/1991	WH4-91N15D		< 0.05	< 10	< 1			< 1		< 0.01	< 0.01
MW-4	12/16/1991	WH4-91D16-		< 0.05	< 10	1.2			< 1		< 0.01	0.03
MW-4	3/18/1992	WH4-92318-		< 0.05	< 10	< 1			< 1		< 0.01	0.03
MW-4	6/23/1992	WH4-92623-		< 0.01 U	< 5 U	1.09			< 1 U		< 0.02 U	< 1 U
MW-4	9/21/1992	WH4-92921-		< 0.01 U	< 5 U	1.35			< 2 UM		< 0.02 U	< 1 U
MW-4	12/22/1992	WH4-92D22-		< 0.01 U	< 5 U	2.9			< 1 UM		< 0.02 U	< 1 U
MW-4	3/29/1993	WH4-93329-		< 0.01 U	< 5 U	2			< 1 UM		< 0.02 U	< 1 U
MW-4	6/16/1993	WH4-93616-		0.066	< 5 U	2.4			< 1 UM		< 0.02 U	< 1 U
MW-4	9/16/1993	WH4-93916-		< 0.01 U	10.7	2.1			< 1 UM		< 0.02 U	< 1 U
MW-4	12/22/1993	WH4-93D22-		< 0.01 U	< 5 U	1.6			< 1 UM		< 0.02 U	< 1 U
MW-4	3/18/1994	WH4-94318-		0.018 B	< 5 U	1.2			< 1 UM		< 0.02 U	< 1 U
MW-4	6/23/1994	WH4-94623-		0.015	5.6	2.4			< 1 UJ		< 0.02 U	< 1 U
MW-4	8/24/1994	WH4-94824-		< 0.01 U	< 5 U	2			< 1 UJ		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-4	12/20/1994	WH4-94D20-		0.014	< 5 U	2.3			< 1 UJ		< 0.02 U	< 1 U
MW-4	3/2/1995	WH4-95302-		0.143	< 5 U	1.9			< 1 UJ		< 0.02 U	< 1 U
MW-4	5/26/1995	WH4-95526L	18 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	9/15/1995	WH4-95915-	20 B	< 0.01 U	50	2	< 1 U		7		< 0.02 U	< 1 U
MW-4	12/18/1995	WH4-95D18-	14 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	3/15/1996	WH4-96315-	12 B	< 0.01 U	< 5 U	2	< 1 U		1		< 0.02 U	< 1 U
MW-4	5/24/1996	WH4-96524-	18 B	< 0.01 U	< 5 U	1	< 1 U		1		< 0.02 U	< 1 U
MW-4	7/31/1996	WH4-96731-	22 B	< 0.01 U	< 5 UO	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	12/3/1996	WH4-96D03-	16 B	< 0.01 U	< 5 U	< 1 U	< 1 U		4		< 0.02 U	< 1 U
MW-4	3/5/1997	WH4-97305-	12 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	5/21/1997	WH4-97521-	17 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4 (Dup)	5/21/1997	WH4-97521D	18 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	8/20/1997	WH4-97820-	60 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	12/3/1997	WH4-97D03-	22 B	< 0.01 U	< 5 U	1	< 1 U		4		< 0.02 U	< 1 U
MW-4	3/5/1998	WH4-98305-	16 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	5/15/1998	WH4-98515-	18 B	< 0.01 UB	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	8/26/1998	WH4-98826-	19 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	3/8/1999	WH4-99308-	15 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	6/10/1999	WH4-99610-	14 B	< 0.01 U	< 5 U	2	< 1 U		1		< 0.02 U	< 1 U
MW-4	8/18/1999	WH4-99818-	17 B	0.02	< 5 U	1	< 1 U		7		< 0.02 U	< 1 U
MW-4	12/4/1999	WH4-98D04-	16 B	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	12/7/1999	WH4-99D07-	13 B	0.02	< 5 U	1 O	< 1 U		< 1 U		< 0.02 U	< 1 UO
MW-4	3/6/2000	WH4-00306-	13 M	< 0.01 U	< 5 U	1.8	< 1 U		1		< 0.02 U	< 1.0 U
MW-4	5/18/2000	WH4-00518-	13 BM	< 0.01 U	5	1.6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	9/6/2000	WH4-00906-	13 M	< 0.01 U	< 10 UM	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	12/5/2000	WH4-00D05-	19 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	2/14/2001	WH4-01214-	14 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	5/31/2001	WH4-01531-	12 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	8/13/2001	WH4-01813-	14 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-4	12/10/2001	WH4-01D10-	12 M	< 0.01 U	< 5 U	1	< 1 U		0 NM.ED		< 0.02 U	< 1.0 U
MW-4	2/27/2002	WH4-02227-	11 M	0.02	18	2 O	< 1 U		< 1 U		< 0.02 U	< 1.0 UO
MW-4	5/16/2002	WH4-02516-	12 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	9/16/2002	WH4-02916-	15 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	11/22/2002	WH4-02N22-	16 M	< 0.01 U	5. U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	2/13/2003	WH4-03213-	11 M	< 0.01 U	< 5 U	1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	5/15/2003	WH4-03515-	13 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	8/7/2003	WH4-03807-	13 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-4	11/14/2003	WH4-03N14-	14 M	< 0.01 U		1						
MW-4	2/23/2004	WH4-04223-	11 M	< 0.01 U		2						
MW-4	5/20/2004	WH4-04520-	11 M	< 0.01 U		2						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-4	9/2/2004	WH4-04902-	14 M	0.12		1						
MW-4	11/18/2004	WH4-04N18-	17 M	< 0.05 UM		1						
MW-4	2/22/2005	WH4-05222-	9 M	< 0.05 UM		2						
MW-4	5/24/2005	WH4-05524-	14 M	< 0.05 UM		2						
MW-4	8/12/2005	WH4-05812-	15 M	< 0.05 UM		2						
MW-4	12/5/2005	WH4-05D05-	18 DB	0.14		1.2						
MW-4	2/24/2006	WH4-060224-	11 B	< 0.03 U		2.5						
MW-4	5/17/2006	WH4-060517-	12 DB	< 0.03 U		1.8						
MW-4	8/23/2006	WH4-060823-	14 DB	< 0.03 U		1.6						
MW-4	12/1/2006	WH4-061201-	16 DB	< 0.03 U		1.6						
MW-4	2/20/2007	WH4-070220-	11 B	< 0.03 U		2.5						
MW-4 (Dup)	2/20/2007	WH4-070220D	11 B	< 0.03 U		2.6						
MW-4	5/17/2007	WH4-070517-	26 DB	< 0.03 U		2.6						
MW-4	8/27/2007	WH4-070827-	15 B	< 0.03 U		1.8						
MW-4	12/10/2007	WH4-071210-	17 B	< 0.03 U		1.1						
MW-4	3/3/2008	WH4-080303-	10 B	< 0.03 U		2.1						
MW-4 (Dup)	3/3/2008	WH4-080303D	12 B	< 0.03 U		2.1						
MW-4	6/4/2008	WH4-080604-	14 DB	< 0.03 U		3.1						
MW-4	8/21/2008	WH4-080821-	18 B	< 0.03 U		1.9						
MW-4	12/3/2008	WH4-081203-	20	< 0.03 U		1.2						
MW-4	2/27/2009	WH4-090227-	14	< 0.03 U		3.1						
MW-4	6/1/2009	WH4-090601-	12.7	< 0.01 U		2.93						
MW-4	9/2/2009	WH4-090902-	18.5	< 0.01 U		2.01						
MW-4	11/30/2009	WH4-091130-	13	< 0.01 U		1.83						
MW-4	3/2/2010	WH4-100302-	12.3	< 0.01 U		3.19						
MW-4	5/26/2010	WH4-100526-	13.5	< 0.01 U		2.37						
MW-4	8/31/2010	WH4-100831-	18.8	< 0.01 U		1.77						
MW-4	12/3/2010	WH4-101203-	17.7	< 0.01 U		1.62						
MW-4 (Dup)	12/3/2010	WH4-101203D	17.2	< 0.01 U		1.63						
MW-4	2/28/2011	WH4-110228-	12.2	< 0.01 U		2.6						
MW-4	6/1/2011	WH4-110601-	12	< 0.01 U		2.34						
MW-4	8/25/2011	WH4-110825-	21.6	< 0.01 U		1.29						
MW-4	12/2/2011	WH4-111202-	17.7	< 0.01 U		1.55						
MW-4	2/23/2012	WH4-120223-	8.2	< 0.01 U		2.42						
MW-4	5/21/2012	WH4-120521-	11.8	< 0.01 U		2.44						
MW-4	8/27/2012	WH4-120827-	20.7	< 0.01 U		1.75						
MW-4	11/20/2012	WH4-121120-	19.2	< 0.01 U		1.63						
MW-4	3/1/2013	WH4-130301-	10.7	< 0.01 U		2.4						
MW-4	5/23/2013	WH4-130523-	10.8	< 0.01 U		2.94						
MW-4	8/22/2013	WH4-130822-	18.7	< 0.01 U		0.914						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-5	6/9/1987	WH5-87609		0.6	< 10	2				< 2	< 0.005	< 0.2
MW-6	8/25/1987	WH6-87825		< 0.05	8	8.1				< 1.8		0.17
MW-6	12/8/1987	WH6-87D08		0.07	< 10	8				< 2	< 0.005	< 0.2
MW-6	3/8/1988	WH6-88308		< 0.05	< 10	8				< 2	< 0.005	< 0.2
MW-6	6/1/1988	WH6-88601		< 0.05	< 10	6				< 2	< 0.005	< 0.2
MW-6	9/7/1988	WH6-88907Q		< 0.05	41	5				< 2	< 0.005	< 0.2
MW-6	11/21/1988	WH6-88N21Q		< 0.05	28	4				70	< 0.005	< 0.2
MW-6	3/21/1989	WH6-89321Q		< 0.05	< 10	5				< 2	< 0.005	< 0.2
MW-6	6/23/1989	WH6-89623Q		< 0.05	< 10	4				< 2	< 0.005	< 0.2
MW-6	9/6/1989	WH6-89906Q		< 0.05	< 10	3				22	< 0.005	< 0.2
MW-6	11/27/1989	WH6-89N27		< 0.05	< 10	3				< 2	< 0.005	< 0.2
MW-6	11/27/1989	WH6-89N27Q		< 0.05	< 10	3				< 2	< 0.005	< 0.2
MW-6	3/13/1990	WH6-90313Q		< 0.05	< 10	3				< 2	< 0.005	< 0.2
MW-6	5/21/1990	WH6-90521Q		< 0.05	< 10	2.8				< 2	< 0.01	0.08
MW-6	8/27/1990	WH6-90827-		< 0.05	< 10	2.4				79	< 0.01	0.04
MW-6	12/14/1990	WH6-90D14-		0.12	< 10	2.4				4.5	< 0.01	0.04
MW-6	2/25/1991	WH6-91225-		< 0.05	< 10	2.3				< 2	< 0.01	0.01
MW-6	6/13/1991	WH6-91613-		< 0.05	15	4.9			< 1		< 0.01	0.11
MW-6	9/13/1991	WH6-91913-		< 0.05	< 10	2.2			< 1		< 0.01	< 0.01
MW-6	12/13/1991	WH6-91D13-		0.29	< 10	3			< 1 CG		< 0.01	0.06
MW-6	3/20/1992	WH6-92320-		< 0.05	< 10	1.4			< 1		< 0.01	0.06
MW-6	6/25/1992	WH6-92625-		< 0.01 U	< 5 U	2.3			< 1 U		< 0.02 U	< 1 U
MW-6	9/23/1992	WH6-92923-		< 0.01 U	< 5 U	2.62			17 J		< 0.02 U	< 1 U
MW-6	12/23/1992	WH6-92D23-		< 0.01 U	< 5 U	4.6			< 1 UM		< 0.02 U	< 1 U
MW-6	3/23/1993	WH6-93323-		< 0.01 U	< 5 U	2.6			< 1 UM		< 0.02 U	< 1 U
MW-6	6/16/1993	WH6-93616-		0.057	< 5 U	2.7			< 1 UM		< 0.02 U	< 1 U
MW-6	9/17/1993	WH6-93917-		0.012	< 5 U	2.6			< 1 UM		< 0.02 U	< 1 U
MW-6	12/27/1993	WH6-93D27-		< 0.01 U	< 5 U	2.6			2		< 0.02 U	< 1 U
MW-6	3/17/1994	WH6-94317-		0.02 B	< 5 U	41.7			< 1 UM		< 0.02 U	< 1 U
MW-6	6/24/1994	WH6-94624-		0.024	< 5 U	2.8			< 1 U		< 0.02 U	< 1 U
MW-6	8/24/1994	WH6-94824-		0.011	< 5 U	2.7			< 1 UJ		< 0.02 U	< 1 U
MW-6	12/21/1994	WH6-94D21-		0.021	< 5 U	3			< 1 UJ		< 0.02 U	< 1 U
MW-6	3/6/1995	WH6-95306L	66	< 0.01 U	< 5 U	3	1		1		< 0.02 U	< 1 U
MW-6	5/26/1995	WH6-95526L	72 B	0.01	< 5 U	3	< 1 U		2		< 0.02 U	< 1 U
MW-6	9/21/1995	WH6-95921-	68 B	< 0.01 U	< 5 U	2	< 1 U		160 J		< 0.02 U	< 1 U
MW-6	12/18/1995	WH6-95D18-	64 B	< 0.01 U	< 5 U	3	< 1 U		230		< 0.02 U	< 1 U
MW-6	3/18/1996	WH6-96318-	62 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	5/24/1996	WH6-96524-	62 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	8/5/1996	WH6-96805-	68 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	12/3/1996	WH6-96D03-	62 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-6	3/7/1997	WH6-97307-	62 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	5/22/1997	WH6-97522-	58 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	8/21/1997	WH6-97821-	64 B	< 0.01 U	< 5 U	2	< 1 U		80 J		< 0.02 U	< 1 U
MW-6	12/4/1997	WH6-97D04-	63 B	< 0.01 U	< 5 U	3	< 1 U		16		< 0.02 U	< 1 U
MW-6	3/10/1998	WH6-98310-	58 B	< 0.01 U	< 5 U	2	< 1 U		61		< 0.02 U	< 1 U
MW-6	5/21/1998	WH6-98521-	62 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-6	8/31/1998	WH6-98831-	59 B	0.02	< 5 U	2	< 1 U		80 J		< 0.02 U	< 1 U
MW-6	3/9/1999	WH6-99309-	59 B	0.01	< 5 U	2	< 1 U		80 J		< 0.02 U	< 1 U
MW-6	6/11/1999	WH6-99611-	60 B	0.02	< 5 U	2	< 1 U		< 1 J		< 0.02 U	< 1 U
MW-6	8/18/1999	WH6-99818-	60 B	< 0.01 U	< 5 U	2	< 1 U		< 1 J		< 0.02 U	< 1 U
MW-6	12/7/1999	WH6-99D07-	70 B	< 0.01 U	< 5 U	2 O	< 1 U		< 1 J		< 0.02 U	< 1 UO
MW-6	12/7/1999	WH6-98D07-	57 B	< 0.01 U	< 5 U	2	< 1 U		80 J		< 0.02 U	< 1 U
MW-6	3/7/2000	WH6-00307-	63 M	< 0.01 U	< 5 U	2.3	< 1 U		39		< 0.02 U	< 1.0 U
MW-6	5/19/2000	WH6-00519-	56 M	< 0.01 U	< 5 U	2.1	< 1 U		16		< 0.02 U	< 1.0 U
MW-6	9/7/2000	WH6-00907-	110 M	< 0.01 U	< 5 U	2.1	< 1 U		< 1 J		< 0.02 U	< 1.0 U
MW-6	12/6/2000	WH6-00D06-	52 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	2/14/2001	WH6-01214-	56 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	5/29/2001	WH6-01529-	57 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	8/14/2001	WH6-01814-	56 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 UO	< 1.0 U
MW-6	12/10/2001	WH6-01D10-	58 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	2/27/2002	WH6-02227-	55 M	< 0.01 U	< 5 U	2 O	< 1 U		0 P.CG		< 0.02 U	< 1.0 UO
MW-6	5/20/2002	WH6-02520-	54 M	< 0.01 U	< 5 U	2	< 1 U		10		< 0.02 U	< 1.0 U
MW-6	9/3/2002	WH6-02903-	52 M	< 0.01 U	< 5 U	2	< 1 U		74		< 0.02 U	< 1.0 U
MW-6	11/22/2002	WH6-02N22-	52 M	< 0.01 U	5. U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	2/12/2003	WH6-03213-	56 M	< 0.01 U	< 5 U	2	< 1 U		0 P.CG		< 0.02 U	< 1.0 U
MW-6	5/15/2003	WH6-03515-	56 M	< 0.01 U	< 5 U	2	< 1 U		5		< 0.02 U	< 1.0 U
MW-6	8/7/2003	WH6-03807-	52 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-6	11/14/2003	WH6-03N14-	49 M	0.04		2						
MW-6	2/24/2004	WH6-04224-	57 M	< 0.01 U		2						
MW-6	5/20/2004	WH6-04520-	52 M	< 0.01 U		2						
MW-6	9/3/2004	WH6-04903-	50 M	0.2		2						
MW-6	11/18/2004	WH6-04N18-	52 M	< 0.05 UM		2						
MW-6	2/23/2005	WH6-05223-	52 M	< 0.05 UM		2						
MW-6	5/23/2005	WH6-05523-	52 M	< 0.05 UM		2						
MW-6	8/25/2005	WH6-05825-	50 M	< 0.05 UM		2						
MW-6	12/6/2005	WH6-05D06-	48 DB	< 0.03 U		2.3						
MW-6	2/13/2006	WH6-060213-	53 DB	< 0.03 U		2.3						
MW-6	5/22/2006	WH6-060522-	49 DB	1		2.2						
MW-6	8/24/2006	WH6-060824-	50 DB	< 0.03 U		2.3						
MW-6	12/4/2006	WH6-061204-	50 D	< 0.03 U		2.3						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-6	2/15/2007	WH6-070215-	52 DB	< 0.03 U		2.4						
MW-6	5/21/2007	WH6-070521-	52 DB	< 0.03 U		2.3						
MW-6	8/27/2007	WH6-070827-	50 DB	< 0.03 U		2.4						
MW-6	11/30/2007	WH6-071130-	48 DB	< 0.03 U		2.2						
MW-6	3/3/2008	WH6-080303-	50 B	< 0.03 U		2.2						
MW-6	6/4/2008	WH6-080604-	48 DB	< 0.03 U		2.6						
MW-6	8/22/2008	WH6-080822-	52 B	< 0.03 U		2.5						
MW-6	12/3/2008	WH6-081203-	56 B	< 0.03 U		2.3						
MW-6	3/2/2009	WH6-090302-	56 D	< 0.03 U		3						
MW-6	5/29/2009	WH6-090529-	50.4	< 0.01 U		2.92						
MW-6	9/2/2009	WH6-090902-	47.3	< 0.01 U		2.69						
MW-6	12/1/2009	WH6-091201-	50.9	< 0.01 U		2.75						
MW-6	3/3/2010	WH6-100303-	46.4	< 0.01 U		3.16						
MW-6	5/27/2010	WH6-100527-	51.1	< 0.01 U		3						
MW-6	8/31/2010	WH6-100831-	48	< 0.01 U		2.88						
MW-6	12/3/2010	WH6-101203-	51.6	< 0.01 U		2.85						
MW-6	2/28/2011	WH6-110228-	52.2	< 0.01 U		2.82						
MW-6	6/1/2011	WH6-110601-	48.7	< 0.01 U		3.25						
MW-6	8/26/2011	WH6-110826-	50.6	< 0.01 U		2.86						
MW-6	12/5/2011	WH6-111205-	47	< 0.01 U		2.73						
MW-6	2/27/2012	WH6-120227-	50	< 0.01 U		3.2						
MW-6	5/21/2012	WH6-120521-	49.8	< 0.01 U		3.45						
MW-6	8/27/2012	WH6-120827-	49.4	< 0.01 U		3.11						
MW-6	11/20/2012	WH6-121120-	47.1	< 0.01 U		2.89						
MW-6	2/27/2013	WH6-130227-	49.8	< 0.01 U		3.25						
MW-6	5/23/2013	WH6-130523-	48.7	< 0.01 U		3.22						
MW-6 (Dup)	5/23/2013	WH6-130523D	48.6	< 0.01 U		3.26						
MW-6	8/27/2013	WH6-130827-	46.9	< 0.01 U		3.7						
MW-7	6/2/1987	WH7-87602		< 0.05	< 10	15				< 2	< 0.005	< 0.2
MW-7	8/24/1987	WH7-87824		0.09	< 5	14				4		0.14
MW-7	12/23/1987	WH7-87D23		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	3/10/1988	WH7-88310		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	3/10/1988	WH7-88310S		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	5/31/1988	WH7-88531		< 0.05	< 10	15				< 2	< 0.005	< 0.2
MW-7	9/1/1988	WH7-88901Q		< 0.05	< 10	13				< 2	< 0.005	< 0.2
MW-7	11/17/1988	WH7-88N17Q		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	3/28/1989	WH7-89328Q		< 0.05	20	14				< 2	< 0.005	< 0.2
MW-7	6/7/1989	WH7-89607Q		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	9/14/1989	WH7-89914Q		< 0.05	< 10	13				< 2	< 0.005	< 0.2
MW-7	12/7/1989	WH7-89D07Q		< 0.05	< 10	13				< 2	< 0.005	< 0.2

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-7	3/13/1990	WH7-90313Q		< 0.05	< 10	14				< 2	< 0.005	< 0.2
MW-7	5/21/1990	WH7-90521Q		0.1	< 10	7.9				< 2	< 0.01	0.08
MW-7	8/29/1990	WH7-90829-		< 0.05	15	12				< 2	< 0.01	0.03
MW-7	12/12/1990	WH7-90D12-		< 0.05	< 10	12				< 2	< 0.01	0.02
MW-7	3/5/1991	WH7-91305-		0.18	< 10	12				< 2	< 0.01	0.03
MW-7	6/11/1991	WH7-91611-		< 0.05	26	17			< 1		< 0.01	0.25
MW-7	9/12/1991	WH7-91912-		< 0.05	< 10	14			< 1		< 0.01	0.06
MW-7	12/16/1991	WH7-91D16-		< 0.05	26	14			< 1		< 0.01	0.06
MW-7	3/19/1992	WH7-92319-		< 0.05	< 10	14			< 1		< 0.01	0.03
MW-7	6/24/1992	WH7-92624-		< 0.01 U	< 5 U	12.33			< 1 U		< 0.02 U	< 1 U
MW-7	9/25/1992	WH7-92925-		< 0.01 U	< 5 U	12.54			< 1 UM		< 0.02 U	< 1 U
MW-7	12/23/1992	WH7-92D23-		< 0.01 U	< 5 U	14.9			< 2 U		< 0.02 U	< 1 U
MW-7	3/26/1993	WH7-93326-		< 0.01 U	< 5 U	13.2			< 1 UM		< 0.02 U	< 1 U
MW-7	6/23/1993	WH7-93622-		< 0.01 U	< 5 U	13			< 1 UM		< 0.02 U	< 1 U
MW-7	9/23/1993	WH7-93923-		< 0.01 U	< 5 U	12.8			< 1 UM		< 0.02 U	< 1 U
MW-7	12/27/1993	WH7-93D27-		0.013	< 5 U	12.4			2		< 0.02 U	< 1 U
MW-7	3/18/1994	WH7-94318-		0.022 B	< 5 U	12.5			< 1 UM		< 0.02 U	< 1 U
MW-7	6/28/1994	WH7-94628-		< 0.01 U	< 5 U	12.5			< 1 UJ		< 0.02 U	< 1 U
MW-7	8/24/1994	WH7-94824-		< 0.01 U	< 5 U	12.4			< 1 UJ		< 0.02 U	< 1 U
MW-7	12/21/1994	WH7-94D21-		< 0.01 U	< 5 U	12.5			< 1 UJ		< 0.02 U	< 1 U
MW-7	3/3/1995	WH7-95303-		0.019	< 5 U	13.3			226		< 0.02 U	< 1 U
MW-7	5/25/1995	WH7-95525L	280 B	< 0.01 U	< 5 U	14	< 1 U		1		< 0.02 U	< 1 U
MW-7	9/20/1995	WH7-95920-	240 B	< 0.01 U	< 5 U	12	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	12/20/1995	WH7-95D20-	270 B	< 0.01 U	< 5 U	13	< 1 U		2 J		< 0.02 U	< 1 U
MW-7	3/19/1996	WH7-96319-	270 B	< 0.01 U	< 5 U	11	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	5/24/1996	WH7-96524-	260 B	< 0.01 U	< 5 U	10	< 1 U		160 J		< 0.02 U	< 1 U
MW-7	7/29/1996	WH7-96729-	270 B	< 0.01 U	< 5 U	12	< 1 U		160 J		< 0.02 U	< 1 U
MW-7	12/4/1996	WH7-96D04-	230 B	< 0.01 U	< 5 U	10	< 1 U		160 J		< 0.02 U	< 1 U
MW-7	3/6/1997	WH7-97306-	230 B	< 0.01 U	< 5 U	10	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	5/21/1997	WH7-97521-	230 B	< 0.01 U	< 5 U	18 M	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	8/19/1997	WH7-97819-	220 B	< 0.05 UM	< 5 U	9	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	12/5/1997	WH7-97D05-	240 B	0.02	< 5 U	10	< 1 U		< 1 CG		< 0.02 U	< 1 U
MW-7	3/6/1998	WH7-98306-	230 B	< 0.01 U	< 5 U	9	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	5/19/1998	WH7-98519-	230 B	0.09	< 5 U	9	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	8/25/1998	WH7-98825-	220 B	0.01	< 5 U	9	84		80 J		< 0.02 U	< 1 U
MW-7	3/8/1999	WH7-99308-	200 B	< 0.01 U	< 5 U	9	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	6/10/1999	WH7-99610-	100 B	< 0.01 U	< 5 U	8	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	8/17/1999	WH7-99817-	210 B	< 0.01 U	< 5 U	8	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-7	12/7/1999	WH7-98D07-	200 B	< 0.01 U	< 5 U	9	< 1 U		2		< 0.02 U	< 1 U
MW-7	12/7/1999	WH7-99D07-	190 B	< 0.01 U	< 5 U	8 O	< 2 UM		11		< 0.02 U	< 1 UO

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-7	3/7/2000	WH7-00306-	210 M	< 0.05 UM	< 5 U	7.4	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	5/17/2000	WH7-00517-	190 BM	< 0.01 U	< 5 U	7.6	0 NM.CG		30		< 0.02 U	< 1.0 U
MW-7	9/7/2000	WH7-00907-	180 M	< 0.01 U	< 5 U	7.1	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	12/1/2000	WH7-00D01-	190 M	0.02	8	7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	2/14/2001	WH7-01214-	190 M	< 0.01 U	< 5 U	7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	5/29/2001	WH7-01529-	190 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	8/13/2001	WH7-01813-	180 M	< 0.01 U	< 5 U	7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	12/10/2001	WH7-01D10-	180 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	2/26/2002	WH7-02226-	170 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	5/17/2002	WH7-02517-	170 M	0.06	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	8/29/2002	WH7-02829-	170 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	11/21/2002	WH7-02N21-	180 M	< 0.01 U	5. U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	2/12/2003	WH7-03212-	170 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	5/13/2003	WH7-03516-	170 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	8/7/2003	WH7-03807-	160 M	< 0.01 U	< 5 U	6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-7	11/12/2003	WH7-03N12-	150 M	< 0.01 U		6						
MW-7	2/20/2004	WH7-04220-	170 M	< 0.01 U		6						
MW-7	5/20/2004	WH7-04520-	150 M	< 0.01 U		6						
MW-7	9/1/2004	WH7-04901-	160 M	0.03		6						
MW-7	11/17/2004	WH7-04N17-	150 M	< 0.05 UM		6						
MW-7 (Dup)	11/17/2004	WH7-04N17D	160 M	< 0.05 UM		6						
MW-7	2/22/2005	WH7-05222-	150 M	< 0.05 UM		5						
MW-7	6/21/2005	WH7-05621-	150 M	0.06 M		5						
MW-7	8/11/2005	WH7-05811-	150 M	< 0.05 UM		5						
MW-7	12/6/2005	WH7-05D06-	150 DB	< 0.03 U		5.2						
MW-7	2/13/2006	WH7-060213-	140 DB	< 0.03 U		4.6						
MW-7	5/18/2006	WH7-060518-	150 DB	0.047		4.6						
MW-7	8/23/2006	WH7-060823-	150 DB	< 0.03 U		6.3						
MW-7	12/5/2006	WH7-061205-	150 D	< 0.03 U		4.7						
MW-7	2/14/2007	WH7-070214-	150 DB	< 0.03 U		5						
MW-7	5/17/2007	WH7-070517-	150 DB	< 0.03 U		4.3						
MW-7	8/22/2007	WH7-070822-	160 DB	< 0.03 U		4.1						
MW-7	12/7/2007	WH7-071207-	150 DB	< 0.03 U		3.9						
MW-7	2/29/2008	WH7-080229-	150 B	< 0.03 U		3.8						
MW-7	6/4/2008	WH7-080604-	150 DB	< 0.03 U		4.1						
MW-7	8/21/2008	WH7-080821-	170 B	< 0.03 U		3.8						
MW-7	12/2/2008	WH7-081202-	170 B	< 0.03 U		3.9						
MW-7	3/3/2009	WH7-090303-	160 D	< 0.03 U		3.9						
MW-7 (Dup)	3/3/2009	WH7-090303D	160 D	< 0.03 U		4						
MW-7	6/1/2009	WH7-090601-	146	< 0.01 U		3.78						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-7	8/28/2009	WH7-090828-	150	< 0.01 U		3.5						
MW-7	11/30/2009	WH7-091130-	157	.01 U		3.58						
MW-7	3/1/2010	WH7-100301-	150	< 0.01 U		3.67						
MW-7	5/26/2010	WH7-100526-	153	< 0.01 U		3.1						
MW-7	8/23/2010	WH7-100823-	139	< 0.01 U		2.95						
MW-7	12/3/2010	WH7-101203-	157	< 0.01 U		2.91						
MW-7	2/24/2011	WH7-110224-	153	< 0.01 U		2.93						
MW-7	6/6/2011	WH7-110606-	140	< 0.01 U		3.25						
MW-7	8/25/2011	WH7-110825-	153	< 0.01 U		2.74						
MW-7	3/5/2012	WH7-120305-	155	< 0.01 U		2.6						
MW-7	5/21/2012	WH7-120521-	148	< 0.01 U		3.51						
MW-7	9/24/2012	WH7-120924-	148	< 0.01 U		5.68						
MW-7	11/29/2012	WH7-121129-	150	< 0.01 U		3.22						
MW-7	2/28/2013	WH7-130228-	153	< 0.01 U		2.96						
MW-7	5/16/2013	WH7-130516-	145	0.228		2.75						
MW-7	8/20/2013	WH7-130820-	145	< 0.01 U		11.9						
MW-8	6/11/1987	WH8-87611		12	31	31				< 2	< 0.005	0.5
MW-8	7/21/1987	WH8-87721		11.4	20	26				< 1.8		
MW-9	8/25/1987	WH9-87825		< 0.05	< 5	1.5				23		0.13
MW-9	12/14/1987	WH9-87D14		0.08	85	2				50	< 0.005	0.3
MW-9	3/17/1988	WH9-88317		< 0.05	87	2				22	< 0.005	< 0.2
MW-9	6/9/1988	WH9-88609		0.02	47	1				< 2	< 0.005	< 0.2
MW-9	9/6/1988	WH9-88906Q		< 0.05	16	2				< 2	< 0.005	< 0.2
MW-9	11/28/1988	WH9-88N28Q		< 0.05	< 10	2				8	< 0.005	< 0.2
MW-9	3/29/1989	WH9-89329Q		< 0.05	38	3				300	< 0.005	< 0.2
MW-9	6/28/1989	WH9-89628Q		< 0.05	< 10	1				< 2	< 0.005	< 0.2
MW-9	9/18/1989	WH9-89918Q		< 0.05	< 10	1				< 2	< 0.005	< 0.2
MW-9	12/8/1989	WH9-89D08Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-9	3/14/1990	WH9-90314Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
MW-9	5/18/1990	WH9-90518Q		< 0.05	< 10	< 1				< 2	< 0.01	0.11
MW-9	8/27/1990	WH9-90827-		< 0.05	< 10	1.5				< 2	< 0.01	0.08
MW-9	12/13/1990	WH9-90D13-		< 0.05	< 10	< 1				< 2	< 0.01	0.07
MW-9	3/6/1991	WH9-91306-		< 0.05	< 10	1.5				< 2	< 0.01	0.05
MW-9	6/26/1991	WH9-91626-		< 0.05	11	3.2			< 1		< 0.01	0.06
MW-9	9/17/1991	WH9-91917-		< 0.05	< 10	1.2			< 1		< 0.01	0.03
MW-9	12/17/1991	WH9-91D17-		< 0.05	< 10	1.7			< 1		< 0.01	0.07
MW-9	3/20/1992	WH9-92320-		< 0.05	< 10	< 1			< 1		< 0.01	0.07
MW-9	6/23/1992	WH9-92623-		< 0.01 U	< 5 U	1.04			< 1 U		< 0.02 U	< 1 U
MW-9	9/23/1992	WH9-92923-		< 0.01 U	< 5 U	1.65			< 1 UM		< 0.02 U	< 1 U
MW-9	12/23/1992	WH9-92D23-		< 0.01 U	< 5 U	3.1			< 1 UM		< 0.02 U	< 1 U

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
MW-9	3/24/1993	WH9-93324-		0.023	< 5 U	1.9			< 1 UM		< 0.02 U	< 1 U
MW-9	6/21/1993	WH9-93621-		0.023	< 5 U	1.9			< 1 UM		< 0.02 U	< 1 U
MW-9	9/22/1993	WH9-93922-		< 0.01 U	< 5 U	1.6			< 1 UM		< 0.02 U	< 1 U
MW-9	12/28/1993	WH9-93D28-		0.014	< 5 U	1			< 1 UM		< 0.02 U	< 1 U
MW-9	3/16/1994	WH9-94316-		< 0.01 U	5.6	1.1			< 1 UM		< 0.02 U	< 1 U
MW-9	6/24/1994	WH9-94624-		0.02	< 5 U	2			< 1 U		< 0.02 U	< 1 U
MW-9 (Dup)	6/24/1994	WH9-94624D		0.024	< 5 U	2.2			< 1 U		< 0.02 U	< 1 U
MW-9	8/25/1994	WH9-94825-		< 0.01 U	7.1	1.7			< 1 UJ		< 0.02 U	< 1 U
MW-9	12/19/1994	WH9-94D19-		0.031	< 5 U	2			< 1 UJ		< 0.02 U	< 1 U
MW-9	9/15/1995	WH9-95915-	40 B	< 0.01 U	80	1	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	12/20/1995	WH9-95D20-	42 B	< 0.01 U	< 5 U	3	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	3/19/1996	WH9-96319-	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	5/28/1996	WH9-96528-	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	8/1/1996	WH9-96801-	46 B	< 0.01 U	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U
MW-9 (Dup)	8/1/1996	WH9-96801D	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U
MW-9	12/4/1996	WH9-96D04-	42 B	< 0.01 U	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U
MW-9	3/6/1997	WH9-97306-	42 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	5/16/1997	WH9-97516-	45 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	8/18/1997	WH9-97818-	42 B	< 0.01 U	< 5 U	2	< 1 U		< 1 NM.CG		< 0.02 U	< 1 U
MW-9	12/4/1997	WH9-97D04-	46 B	0.02	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	3/9/1998	WH9-98309-	42 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	5/18/1998	WH9-98518-	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	8/24/1998	WH9-98824-	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	3/9/1999	WH9-99309-	43 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	6/14/1999	WH9-99614-	44 B	< 0.01 UB	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	8/17/1999	WH9-99817-	44 B	< 0.01 U	< 5 U	2	< 1 U		40		< 0.02 U	< 1 U
MW-9	12/4/1999	WH9-98D04-	44 B	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1 U
MW-9	12/8/1999	WH9-99D08-	50 B	< 0.01 U	< 5 U	2	< 1 U		1		< 0.02 U	< 1 U
MW-9	3/7/2000	WH9-00307-	46 M	0.03	< 5 U	1.7	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	5/18/2000	WH9-00518-	42 BM	< 0.01 U	< 5 U	1.6	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	9/8/2000	WH9-00908-	40 M	< 0.01 U	< 5 U	1.5	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	12/6/2000	WH9-00D06-	46 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9 (Dup)	12/6/2000	WH9-00D06D	46 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	2/14/2001	WH9-01214-	44 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	5/29/2001	WH9-01529-	42 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-9	8/10/2001	WH9-01810-	44 M	< 0.01 U	< 5 U	2	< 1 U		< 1 U		< 0.02 U	< 1.0 U
MW-MILETTE	4/12/1989	WHM-89412Q		< 0.05	< 10	2				< 2	< 0.005	< 0.2
FIELD BLANK	12/6/2011	WH10111206F	2.4 T	< 0.01 HU		0.572						
FIELD BLANK	2/27/2012	WH6-120227F	1.8 T	< 0.01 U		< 0.1 U						
TRIP BLANK	6/1/2009	WH4-090601T	< 1 U	< 0.01 U		< 0.1 U						

Site	Date	Sample ID	Alkalinity, Total (as CACO3) mg/l	Ammonia as N mg/l	Chemical Oxygen Demand mg/l	Chloride mg/l	Coliforms, Fecal cfu/100ml	Coliforms, Fecal mpn/100ml	Coliforms, Total cfu/100ml	Coliforms, Total mpn/100ml	Cyanide mg/l	Fluoride mg/l
TRIP BLANK	9/1/2009	WH1-090901T	< 1 U	< 0.01 U		< 0.1 U						

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-1	5/18/1987	WH1-87518	< 0.2		< 0.005	230	6		5.5	0.02		
MW-1	8/24/1987	WH1-87824	0.02				6.4		< 5			
MW-1	11/30/1987	WH1-87N30	0.2		< 0.005	510	2		33	0.05		
MW-1	3/24/1988	WH1-88324	< 0.2		< 0.005	640	2		12	0.05		
MW-1	5/31/1988	WH1-88531	< 0.2		< 0.005	250	4		2.7	0.03		
MW-1	8/30/1988	WH1-88830Q	< 0.2		< 0.005	250	6		8.4	0.02	160	18
MW-1	12/29/1988	WH1-88D29Q	< 0.2		0.005	230	8		4	0.02	120	10
MW-1	3/28/1989	WH1-89328Q	< 0.2		0.005	310	24		5.6	0.02	200	21
MW-1	5/18/1989	WH1-89518Q	< 0.2		< 0.005	230	28		7.2	< 0.02	160	17
MW-1	9/14/1989	WH1-89914Q	< 0.2		< 0.005	310	34		4.9	< 0.02	200	13
MW-1	11/22/1989	WH1-89N22Q	< 0.2		< 0.005	340	31		3.5	< 0.02	220	8
MW-1	2/13/1990	WH1-90213Q	< 0.2		0.007	280	13		6.3	0.04	160	21
MW-1	5/17/1990	WH1-90517Q	0.05		< 0.01	224	6	124	3.8	< 0.02	125	4
MW-1	8/27/1990	WH1-90827-	0.03		< 0.01	230	12	200	5.9	0.07	190	12
MW-1	12/7/1990	WH1-90D07-	< 0.01		< 0.01	240	19	120	9.2	< 0.02	140	< 1
MW-1	2/25/1991	WH1-91225-	0.01		< 0.01	150	7.9	68	8.8	0.03	100	< 1
MW-1	6/12/1991	WH1-91612-	< 0.01		0.012	130	7	100	40	< 0.02	94	1
MW-1	9/11/1991	WH1-91911-	< 0.01		< 0.01	160	< 1	110	12	< 0.02	110	1
MW-1	12/16/1991	WH1-91D16-	< 0.01		< 0.01	190	16	110	4.5	0.038	130	2
MW-1	3/19/1992	WH1-92319-	< 0.01		< 0.01	190	12	94	4.8	< 0.02	96	< 1
MW-1	6/22/1992	WH1-92622-	< 0.1 U		< 0.01 U	152.2	14.26	79.333	1.74	0.008	33	< 1 U
MW-1	9/22/1992	WH1-92922-	< 0.1 U		< 0.01 U	157.6	12.14 B	77	2.05	0.095	147	22
MW-1	12/22/1992	WH1-92D22-	< 0.1 U		0.024	243	14.4 B	102	2.26	0.17	118	< 1 U
MW-1	3/24/1993	WH1-93324-	< 0.1 U		< 0.01 U	191	14.3	134	2.49	0.057	122	< 1 UJ
MW-1	6/18/1993	WH1-93618-	< 0.1 U		< 0.01 U	160	13.1	56	1.66	< 0.02 U	87	< 1 UJ
MW-1	9/17/1993	WH1-93917-	< 0.1 U		< 0.01 U	154	13	98	1.39	0.068	91	< 1 UJ
MW-1	12/21/1993	WH1-93D21-	< 0.1 U		0.03	209	14.1	83	1.95	< 0.02 U	105	< 1 UJ
MW-1	3/15/1994	WH1-94315-	< 0.1 U		< 0.01 U	181	11.7	85	2.79	0.048	91	< 1 UJ
MW-1	6/23/1994	WH1-94623-	< 0.1 U	< 0.01 U	< 0.01 U	144	10.9	84	2.43	< 0.02 U	81	< 1 UJ
MW-1	8/22/1994	WH1-94822-	< 0.1 U	< 0.01 U	< 0.01 U	139	10.8	92	2.27	< 0.02 U	82	< 1 UJ
MW-1	12/21/1994	WH1-94D21-	< 0.1 U	0.018	0.01	421	130	286	3.49	< 0.02 U	275	< 1 UJ
MW-1	5/25/1995	WH1-95525L	0.01	0.01	< 0.01 U	180	24	130 O	3.4	0.03	130 B	3
MW-1	3/15/1996	WH1-96315-	< 0.01 U	< 0.01 U	< 0.01 U	180	15	61	3.5	< 0.02 U	110	7
MW-1 (Dup)	3/15/1996	WH1-96315D	< 0.01 U	< 0.01 U	< 0.01 U	180	16	59	3.4	< 0.02 U	110	5
MW-1	5/23/1996	WH1-96523-	< 0.01 U	< 0.01 U	< 0.01 U	150	14	130	2.8	< 0.02 U	120	1
MW-1	7/29/1996	WH1-96729-	< 0.05 UM	< 0.05 UM	< 0.01 U	150	9	110	2.8	< 0.02 U	100	3
MW-1	12/2/1996	WH1-96D02-	0.01 JB	0.01 B	< 0.01 U	180	37	140	4.2	< 0.02 U	120	< 1 U
MW-1	3/6/1997	WH1-97306-	< 0.01 U	< 0.01 U	< 0.01 U	140	12	91	2.2	< 0.02 U	100	10 B
MW-1	5/19/1997	WH1-97519-	< 0.01 U	< 0.01 U	< 0.01 U	140	8	88	1.6	< 0.02 U	93	3
MW-1	8/19/1997	WH1-97819-	< 0.01 U	< 0.01 U	< 0.01 U	140	7	96	6	< 0.02 U	100	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-1	12/3/1997	WH1-97D03-	< 0.05 UM	< 0.05 UM	< 0.01 U	270	44	150	4.1	< 0.02 UO	170	9
MW-1	3/6/1998	WH1-98306-	0.02 JB	0.02 B	< 0.01 U	190	17	120	2.6	< 0.02 U	120	4
MW-1	5/15/1998	WH1-98515-	< 0.01 U	< 0.01 U	< 0.01 U	160	7	93	4.9	< 0.02 U	100	3
MW-1	8/25/1998	WH1-98825-	0.01 J	0.01	< 0.01 U	180	11	110 B	1.7	< 0.02 U	120 B	< 1 U
MW-1	3/8/1999	WH1-99308-	< 0.05 UM	< 0.05 UM	< 0.01 U	140	11	86 B	2.8	< 0.02 U	88	< 1 UB
MW-1	6/10/1999	WH1-99610-	< 0.01 UB	< 0.01 UB	< 0.01 U	130	10	86 B	2.6	< 0.02 U	88	1 J
MW-1	8/17/1999	WH1-99817-	< 0.01 U	< 0.01 U	< 0.01 U	140	9	82	1.6 O	< 0.02 U	80	< 1 U
MW-1	12/7/1999	WH1-99D07-	0.02 J	0.02	< 0.01 U	140	23 O	110	2.7	< 0.02 U	130	< 1 UB
MW-1	3/6/2000	WH1-00306-	0.03 J	0.03	< 0.01 U	116	13	65	2.8	< 0.02 U	86	1 J
MW-1	5/17/2000	WH1-00517-	< 0.1 UM	< 0.1 UM	< 0.01 U	130	11	76	2.6	0.03 J	88	< 1 U
MW-1	9/5/2000	WH1-00905-	< 0.05 UM	< 0.05 UM	< 0.01 U	130	7.2	73	1.9	< 0.02 U	79	< 1 U
MW-1	12/1/2000	WH1-00D01-	0.13 BJ	0.13 B	< 0.01 U	170	32 M	96	4.2	< 0.05 UM	120	1 J
MW-1	2/13/2001	WH1-01213-	0.16 J	0.16	< 0.01 U	160	23 M	99	3.2	< 0.05 UM	110	< 1 U
MW-1	5/25/2001	WH1-01525-	< 0.01 U	< 0.01 U	< 0.01 U	160	12	110	2.8	< 0.05 UM	110	< 1 U
MW-1	8/13/2001	WH1-01813-	< 0.01 U	< 0.01 U	< 0.01 U	150	10	96	1.9	< 0.05 UM	82	< 1 UB
MW-1	12/10/2001	WH1-01D10-	< 0.01 U	< 0.01 U	< 0.01 U	120	15	74	3.2	< 0.05 UM	330	< 1 U
MW-1 (Dup)	12/10/2001	WH1-01D10D	< 0.01 U	< 0.01 U	< 0.01 U	120	15	79	3.3	< 0.05 UM	92	2
MW-1	2/27/2002	WH1-02227-	0.03 J	0.03	< 0.01 U	97	8	72	1.6	< 0.05 UM	55	< 1 U
MW-1	5/17/2002	WH1-02517-	< 0.01 U	< 0.01 U	< 0.01 U	100	6	72 B	1.3	< 0.05 UM	79	< 1 UO
MW-1	8/29/2002	WH1-02829-	< 0.01 U	< 0.01 U	< 0.01 U	95	5	63	1.6	< 0.05 UM	70	< 1 U
MW-1	11/21/2002	WH1-02N21-	< 0.01 U	< 0.01 U	< 0.01 U	100	8	49	2	< 0.05 UM	230	1. U
MW-1	2/13/2003	WH1-03213-	< 0.01 U	< 0.01 U	< 0.01 U	91	17	85	3.1	< 0.05 UM	79	< 1 U
MW-1	5/16/2003	WH1-03516-	< 0.05 UM	< 0.05 UM	< 0.01 U	100	9	82	1.6	< 0.05 UM	80	< 1 U
MW-1	8/6/2003	WH1003806-	< 0.05 UM	< 0.05 UM	< 0.01 U	140	9	80	1.6	< 0.05 UM	68	5
MW-1	8/7/2003	WH1-03807-	< 0.05 UM	< 0.05 UM	< 0.01 U	100	8	61	1.6	< 0.05 UM	69	3
MW-1	11/12/2003	WH1-03N12-	0.24 MJ			130	12	81	2.8		81 M	< 1 U
MW-1	2/20/2004	WH1-04220-	< 0.05 UM			100	10	55	1.6		55 M	< 1 U
MW-1	5/18/2004	WH1-04518-	< 0.05 UM			120	7	70	1.6		70 M	< 1 U
MW-1	9/1/2004	WH1-04901-	0.47 MJ			130	8	95	3.1		95 M	< 1 U
MW-1	11/17/2004	WH1-04N17-	< 0.05 UM			130	12	78	3.8		78 M	< 1 U
MW-1	2/22/2005	WH1-05222-	< 0.05 UM			150	7	58	1.6		59 M	1 J
MW-1	5/19/2005	WH1-05519-	< 0.05 UM			87	6	60	2.6		70 M	10
MW-1	8/11/2005	WH1-05811-	< 0.05 UM			130	6	75	1.4		76 M	1 J
MW-1	12/6/2005	WH1-05D06-	< 0.05 U			99	11	53 O	3.5		< 2 U	< 2 U
MW-1	2/10/2006	WH1-060210-	< 0.05 U			130	6.9	26	1.5		26	< 2 U
MW-1	5/18/2006	WH1-060518-	< 0.05 U			120	5.9	46	1.4		46	< 2 U
MW-1	8/23/2006	WH1-060823-	< 0.05 U			120	6	69	1.1		72	3
MW-1	12/4/2006	WH1-061204-	< 0.05 U			140	7.4	58	1.8		60	2
MW-1	2/14/2007	WH1-070214-	< 0.05 U			120	5.9	62	1.4		62	< 2 U
MW-1	5/17/2007	WH1-070517-	< 0.05 U			110	5.2	85	1.3		86	< 2 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-1	8/22/2007	WH1-070822-	< 0.05 U			110	5.4	74	1.1		75	< 2 U
MW-1	11/30/2007	WH1-071130-	0.14			120	10	31	2.9		31	< 2 U
MW-1	2/29/2008	WH1-080229-	< 0.05 U			140	< 1 U	79	1.2		80	< 2 U
MW-1	6/2/2008	WH1-080602-	< 0.05 U			110	6.2	6 O	1.7		47	< 2 U
MW-1	8/21/2008	WH1-080821-	< 0.05 U			110	5.2	56	1.2		56	< 2 U
MW-1	12/2/2008	WH1-081202-	< 0.05 U			93	7.3	50	2.3		50	< 2 U
MW-1	3/3/2009	WH1-090303-	< 0.05 U			100	5.4	67	1.5		67	< 2 U
MW-1	5/29/2009	WH1-090529-	< 0.01 U			105	5.49	74 B	1.84		80	< 1 U
MW-1	9/1/2009	WH1-090901-	< 0.01 U			107	5.17	66	1.56		69	< 1 U
MW-1	11/30/2009	WH1-091130-	0.1			72.8	5.18	53	3.02		59	< 1 U
MW-1 (Dup)	11/30/2009	WH1-091130D	0.103			73.1	5.38	56	2.9		60	< 1 U
MW-1	3/1/2010	WH1-100301-	< 0.01 U			101	5.48	55	1.97		64	< 1 U
MW-1	5/26/2010	WH1-100526-	< 0.01 U			97.8	5.52	63	2.74		64	< 1 U
MW-1	8/23/2010	WH1-100823-	< 0.01 U			106	5.09	70	1.29		71	< 1 U
MW-1	12/3/2010	WH1-101203-	0.102			79	4.64	51	2.99		51	< 1 U
MW-1	2/24/2011	WH1-110224-	< 0.01 U			104	5.02	51	1.93		70	1.1
MW-1	6/6/2011	WH1-110606-	< 0.01 U			93.6	4.46	62	1.48		70	1.4
MW-1	8/25/2011	WH1-110825-	< 0.01 U			87.4	4.42	62	1.66		65	< 1 U
MW-1 (Dup)	8/25/2011	WH1-110825D	< 0.01 U			87.3	4.34	57	1.65		59	< 1 U
MW-1	12/5/2011	WH1-111205-		0.324		68.6	4.81	46	2.9		43	< 1 U
MW-1	3/5/2012	WH1-120305-		< 0.01 U		105	4.47	69	1.62		67	1.6
MW-1	5/21/2012	WH1-120521-		< 0.01 U		93.5	4.48	62.2	1.39		66.1	1.4
MW-1	8/28/2012	WH1-120828-		< 0.01 U		84.8	4.27	60.7	1.25		63.1	1.4 T
MW-1	11/29/2012	WH1-121129-	0.49			70.2	3.97	48.7	3.05		49.4	< 1 U
MW-1	2/28/2013	WH1-130228-	0.014 T			92.4	4.78	58.8	1.11		61.9	< 1 U
MW-1 (Dup)	2/28/2013	WH1-130228D	0.012 T			92.8	4.66	59.3	< 1 U		63.7	1.2 T
MW-1	5/16/2013	WH1-130516-	< 0.01 U			92.8	4.69	70	1.62		69.5	1.4
MW-1	8/20/2013	WH1-130820-	0.0452			88.8	4.63	61.5	< 1 U		62.5	< 1 U
MW-10	6/11/1987	WH1087611	< 0.2		< 0.005	440	< 1		10	0.23		
MW-10	6/11/1987	WH1087611S	< 0.2		< 0.005	450	< 1		9	0.04		
MW-10	8/24/1987	WH1087824	< 0.01				0.78		< 5			
MW-10	12/9/1987	WH1087D09	< 0.2		< 0.005	430	2		18	0.05		
MW-10	3/14/1988	WH1088314	< 0.2		< 0.005	390	4		4.3	0.03		
MW-10	5/25/1988	WH1088525	< 0.2		< 0.005	510	< 1		6.2	0.04		
MW-10	9/2/1988	WH1088902Q	0.2		< 0.005	420	1		18	0.05	270	29
MW-10	11/14/1988	WH1088N14Q	< 0.2		< 0.005	550	2		17	0.05	320	8
MW-10	3/6/1989	WH1089306Q	0.8		< 0.005	380	3		7.2	0.03	220	3
MW-10	6/23/1989	WH1089623Q	< 0.2		0.005	290	20		6.4	0.03	170	13
MW-10	9/14/1989	WH1089914Q	< 0.2		< 0.005	490	15		10	0.03	310	14
MW-10	2/13/1990	WH1090213Q	< 0.2		< 0.005	390	12		5.7	0.03	220	14

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-10	5/21/1990	WH1090521Q	0.01		< 0.01	240	5.8	190	3.2	< 0.02	180	14
MW-10	8/29/1990	WH1090829-	< 0.01		< 0.01	250	18	170	5.7	0.05	200	13
MW-10	11/28/1990	WH1090N28-	0.03		< 0.01	240	12	110	11	< 0.02	140	13
MW-10	3/6/1991	WH1091306-	0.01		0.01	280	23	160	3.1	< 0.02	180	6
MW-10	6/19/1991	WH1091619-	0.069		< 0.01	160	8	70	16	< 0.02	110	< 1
MW-10	9/18/1991	WH1091918-	< 0.01		< 0.01	210	17	130	20	< 0.02	130	1
MW-10	12/13/1991	WH1091D13-	< 0.01		< 0.01	110	6.4	66	6.4	< 0.02	58	1
MW-10	3/23/1992	WH1092323-	0.052		< 0.01	210	12	88	4.3	< 0.02	110	1
MW-10	6/29/1992	WH1092629-	< 0.1 U		< 0.01 U	670	14.98	104	1	< 0.02 U	297	10.7
MW-10	9/28/1992	WH1092928-	< 0.1 U		< 0.01 U	179.3	18.57 B	88 B	1.21	< 0.02 U	98	5.6
MW-10	12/23/1992	WH1092D23-	< 0.1 U		< 0.01 U	105.9	6.1 B	40	< 1 U	0.079	40	1.2
MW-10	3/26/1993	WH1093326-	< 0.1 U		< 0.01 U	106	9.6	60	< 1 U	3.1	79	< 1 UJ
MW-10	6/18/1993	WH1093618-	< 0.1 U		< 0.01 U	145	10.5	54	< 1 U	< 0.02 U	68	< 1 UJ
MW-10	9/23/1993	WH1093923-	< 0.1 U		< 0.01 U	182	12.4	92	< 1 U	< 0.02 U	94	3.6
MW-10 (Dup)	9/23/1993	WH1093923D	< 0.1 U		< 0.01 U	177	12.5	86	< 1 U	0.025	98	< 1 UJ
MW-10	12/29/1993	WH1093D29-	< 0.1 U		< 0.01 U	137	12.4	68	< 1 U	1.7	75	< 1 UJ
MW-10	3/18/1994	WH1094318-	< 0.1 U		< 0.01 U	113	8	57	1.42	< 0.02 U	47	< 1 UJ
MW-10	6/28/1994	WH1094628-	< 0.1 U	< 0.01 U	0.017	161	13.6	101	1.57	< 0.02 U	91 B	< 1 UJ
MW-10	8/24/1994	WH1094824-	< 0.1 U	0.028	< 0.01 U	167	14.1	116	< 1 UJ	< 0.02 U	194	8.4
MW-10	12/21/1994	WH1094D21-	< 0.1 U	0.014	< 0.01 U	142	11.5	81	1.84	< 0.02 U	85	< 1 UJ
MW-10 (Dup)	12/21/1994	WH1094D21D	< 0.1 U	< 0.01 U	< 0.01 U	146	11.7	82	1.69	0.057	69	< 1 UJ
MW-10	5/26/1995	WH1095526L	0.04	0.04	< 0.01 U	330	67	230 O	4.4	0.06	250 B	10
MW-10	9/18/1995	WH1095918-	0.01	0.01	< 0.01 U	240	45	180	2.4	< 0.02 U	190	18 B
MW-10	12/20/1995	WH1095D20-	< 0.01 U	< 0.01 U	< 0.01 U	140	14	89	1.4	< 0.02 U	120	4
MW-10	3/18/1996	WH1096318-	< 0.01 U	< 0.01 U	< 0.01 U	280	45	120	2.3	< 0.02 U	180	24
MW-10	5/24/1996	WH1096524-	< 0.01 U	< 0.01 U	< 0.01 U	270	42	170	3.6	< 0.02 U	160	10
MW-10	7/31/1996	WH1096731-	< 0.05 UM	< 0.05 UM	< 0.01 U	320	39	200	7.3	< 0.02 U	200	7
MW-10	12/3/1996	WH1096D03-	0.02 JB	0.02 B	< 0.01 U	130	14	82	1	< 0.02 U	87	< 1 U
MW-10	3/7/1997	WH1097307-	< 0.01 U	< 0.01 U	< 0.01 U	170	16	110	1.4	< 0.02 U	110	4
MW-10	5/16/1997	WH1097516-	< 0.01 U	< 0.01 U	< 0.01 U	190	18	110	1.8	< 0.02 U	130	6
MW-10	8/20/1997	WH1097820-	< 0.01 U	< 0.01 U	< 0.01 U	210	16	140	7.2	< 0.02 U	140	< 1 U
MW-10	12/4/1997	WH1097D04-	< 0.05 UM	< 0.05 UM	< 0.01 U	180	15	94	1.4	< 0.02 UO	100	< 1 UB
MW-10	3/10/1998	WH1098310-	0.02 JB	0.02 B	< 0.01 U	200	20	130	3.2	< 0.02 U	140	2
MW-10	5/19/1998	WH1098519-	< 0.01 U	< 0.01 U	< 0.01 U	280	19	140 B	4.9	< 0.02 U	130 B	6 B
MW-10	8/26/1998	WH1098826-	0.01 J	0.01	< 0.01 U	220	19	130 B	1.1	< 0.02 U	130 B	< 1 U
MW-10	3/9/1999	WH1099309-	< 0.05 UM	< 0.05 UM	< 0.01 U	120	9	85 B	1.4	< 0.02 U	81	1 J
MW-10	6/11/1999	WH1099611-	< 0.01 UB	< 0.01 UB	< 0.01 U	160	13	100 B	1.5	< 0.02 U	100	3
MW-10	8/18/1999	WH1099818-	< 0.01 U	< 0.01 U	< 0.01 U	150	11	85	< 1 UO	< 0.02 U	110	< 1 U
MW-10	12/7/1999	WH1098D07-	< 0.1 UM	< 0.1 UM	< 0.01 U	120	7	57	1.1	< 0.02 U	67	< 1 U
MW-10	12/7/1999	WH1099D07-	0.27	0.27	< 0.01 U	89	7 O	72	< 1 U	< 0.02 U	82	3 B

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-10	3/7/2000	WH1000307-	< 0.10 UM	< 0.10 UM	< 0.01 U	140	16	87	1.6	< 0.02 U	100	1 J
MW-10	5/19/2000	WH1000519-	< 0.2 UM	< 0.2 UM	< 0.01 U	150	13	92	1.4	< 0.02 U	100	< 1 U
MW-10 (Dup)	5/19/2000	WH1000519D	< 0.2 UM	< 0.2 UM	< 0.01 U	150	13	95	1.4	< 0.02 U	95	< 1 U
MW-10	9/5/2000	WH1000905-	< 0.2 UM	< 0.2 UM	< 0.01 U	160	13	90	1.4	< 0.02 U	3	< 1 U
MW-10	12/11/2000	WH1000D11-	< 0.1 UM	< 0.1 UM	< 0.01 U	140 M	12	91	1.5	< 0.05 UM	96	1. U
MW-10	2/13/2001	WH1001213-	< 0.01 U	< 0.01 U	< 0.01 U	110	14	72	< 1.0 U	< 0.05 UM	72	< 1 U
MW-10	5/31/2001	WH1001531-	0.06 J	0.06	< 0.01 U	150	13	90	1.6	< 0.05 UM	100	7
MW-10	8/14/2001	WH1001814-	0.03 J	0.03	< 0.01 U	150	13	97	1.6	< 0.05 UM	120	4.0 B
MW-10	12/11/2001	WH1001D11-	0.26	0.26	< 0.01 U	110	10	74	< 1.0 U	< 0.05 UM	79	1 J
MW-10	2/27/2002	WH1002227-	< 0.01 U	< 0.01 U	< 0.01 U	130	11 O	97	1.1	< 0.05 UM	98	1 BJ
MW-10	5/17/2002	WH1002517-	< 0.01 U	< 0.01 U	< 0.01 U	120	8	96 B	1.5	< 0.05 UM	97	7 O
MW-10	8/30/2002	WH1002830-	< 0.01 U	< 0.01 U	< 0.01 U	120	8	79	1.1	< 0.05 UM	78	1 J
MW-10	11/22/2002	WH1002N22-	< 0.01 U	< 0.01 U	< 0.01 U	110	10	56	1.3	< 0.05 UM	160	1 J
MW-10	2/13/2003	WH1003213-	< 0.01 U	< 0.01 U	< 0.01 U	87	8	58	1.1	< 0.05 UM	71	< 1 U
MW-10	5/15/2003	WH1103515-	0.59 MJ	0.59 M	< 0.01 U	47	3	48	< 1.0 U	< 0.05 UM	42	< 1 U
MW-10	5/15/2003	WH1003515-	< 0.05 UM	< 0.05 UM	< 0.01 U	120	9	83	1.6	< 0.05 UM	97	< 1 U
MW-10	11/13/2003	WH1003N13-	< 0.05 UM			100	10	99	1.1		100 M	2
MW-10	2/23/2004	WH1004223-	< 0.05 UM			130	8	57	< 1.0 U		61 M	4
MW-10	5/20/2004	WH1004520-	< 0.05 UM			130	9	76	1.5		76 M	1 J
MW-10	9/1/2004	WH1004901-	< 0.05 UM			130	9	81	1.5		82 M	1 J
MW-10	11/17/2004	WH1004N17-	< 0.05 UM			140	10	94	1.4		94 M	1 J
MW-10	2/18/2005	WH1005218-	< 0.05 UM			150	9	82	1.8		83 M	1 J
MW-10	5/20/2005	WH1005520-	< 0.05 UM			130	8	51	1.8		52 M	< 1 U
MW-10	8/15/2005	WH1005815-	< 0.05 UM			150	7	80	1.6		81 M	1 J
MW-10	12/5/2005	WH1005D05-	< 0.05 U			140	8.6	96	1.5		97	< 2 U
MW-10	2/10/2006	WH10060210-	< 0.05 U			140	8.1	17	1.3		17	< 2 U
MW-10	5/22/2006	WH10060522-	0.066			120	5.2	68	1.5		70	2
MW-10	8/22/2006	WH10060822-	< 0.05 U			130	5.6	53	1.4		55	2
MW-10 (Dup)	8/22/2006	WH10060822D	< 0.05 U			130	5.6	70	1.4		72	2
MW-10	12/1/2006	WH10061201-	< 0.05 U			120	6.5	81	1.3		81	< 2 U
MW-10	2/14/2007	WH10070214-	< 0.05 U			120	6.3	36	1.4		36	< 2 U
MW-10	5/17/2007	WH10070517-	< 0.05 U			110	4.8	78	1.3		79	< 2 U
MW-10	8/24/2007	WH10070824-	< 0.05 U			120	5	61	1.4		62	< 2 U
MW-10	11/30/2007	WH10071130-	< 0.05 U			120	6	46	< 1 U		47	< 2 U
MW-10	2/29/2008	WH10080229-	< 0.05 U			130	6.2	58	< 1 U		61	3
MW-10	6/2/2008	WH10080602-	< 0.05 U			120	5.9	60 O	1.6		39	< 2 U
MW-10	8/20/2008	WH10080820-	< 0.05 U			130	4.8	81	1.4		83	2
MW-10	12/3/2008	WH10081203-	< 0.05 U			140	5.7	64	1.4		68	4
MW-10	2/27/2009	WH10090227-	< 0.05 U			110	4.3	57	1.2		60	3
MW-10	6/1/2009	WH10090601-	< 0.01 U			106	4.4	62	2.36		71	1.4

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-10	8/28/2009	WH10090828-	0.023 T			107	4.36	63	2.08		71	< 1 U
MW-10	12/1/2009	WH10091201-	0.0583			105	4.84	75	1.48		82	6
MW-10	3/1/2010	WH10100301-	0.021 T			96.4	4.72	49	1.62		56	5
MW-10	5/27/2010	WH10100527-	0.019 T			109	4.84	67	2.03		67	< 1 U
MW-10	8/30/2010	WH10100830-	0.01 T			103	3.72	80	1.5		91	5.9
MW-10	12/1/2010	WH10101201-	< 0.01 U			118	3.9	72	1.95		72	5.8
MW-10	2/24/2011	WH10110224-	< 0.01 U			91.2	4.78	55	1.69		67	4
MW-10	6/2/2011	WH10110602-	< 0.01 U			90.3	3.24	60	1.28		57	3.4
MW-10	8/26/2011	WH10110826-	< 0.01 U			89.3	3.05	60	1.78		60	6.6
MW-10	12/6/2011	WH10111206-		< 0.01 U		95.4	3.51	53	1.87		54	< 1 U
MW-10	3/5/2012	WH10120305-		< 0.01 U		98.9	3.97	56	1.71		65	2
MW-10	5/21/2012	WH10120521-		< 0.01 U		85	3.02	60.4	1.47		62.6	4.4
MW-10	8/29/2012	WH10120829-		0.01 T		85.8	3.11	63.2	1.72		69.6	2.2
MW-10	11/28/2012	WH10121128-	< 0.01 U			102	3.1	66.3	2.21		68.5	3.5
MW-10	2/28/2013	WH10130228-	0.01 T			77.7	4.19	56.2	1.16		59.2	2.2
MW-10	5/21/2013	WH10130521-	< 0.01 U			77.9	4.2	62.6	1.46		62.4	2
MW-10	8/20/2013	WH10130820-	< 0.01 U			84.5	3.78	57.5	< 1 U		63.9	3.8
MW-11	8/25/1987	WH1187825	0.13				3.3		< 5			
MW-11	11/24/1987	WH1187N24	< 0.2		< 0.005	88	3		4.5	< 0.02		
MW-11	3/15/1988	WH1188315	0.6		0.009	49	4		1.4	0.02		
MW-11	6/8/1988	WH1188608	0.3		< 0.005	50	3		1.9	< 0.02		
MW-11	9/9/1988	WH1188909Q	0.3		< 0.005	52	4		2.2	0.03	180	150
MW-11	11/29/1988	WH1188N29Q	0.5		< 0.005	54	4		2.7	0.02	48	6
MW-11	2/21/1989	WH1189221Q	0.7		< 0.005	48	3		2.8	< 0.02	76	43
MW-11	6/26/1989	WH1189626Q	0.5		0.006	54	2		4.9	0.06	56	13
MW-11	9/19/1989	WH1189919Q	0.4		< 0.005	56	3		< 1	< 0.02	66	< 1
MW-11	12/8/1989	WH1189D08Q	0.7		< 0.005	44	3		1.5	< 0.02	41	3
MW-11	3/9/1990	WH1190309Q	1.1		< 0.005	48	3		2.6	< 0.02	39	< 1
MW-11	5/18/1990	WH1190518Q	0.62		< 0.01	32	< 1	44	< 1	< 0.02	46	3
MW-11 (Dup)	5/18/1990	WH1190518D	0.63		< 0.01	49	< 1	62	< 1	< 0.02	60	< 1
MW-11	8/28/1990	WH1190828-	0.3		< 0.01	66	< 1	72	3.9	0.04	72	< 1
MW-11	12/13/1990	WH1190D13-	1.2		< 0.01	53	1.5	34	2.7	0.04	38	< 1
MW-11	2/22/1991	WH1191222-	0.5		< 0.01	46	1.6	22	1.6	0.1	30	3
MW-11	6/10/1991	WH1191610-	0.7		< 0.01	55	< 1	42	9.3	< 0.02	48	< 1
MW-11	9/10/1991	WH1191910-	0.3		< 0.01	52	< 1	44	7	< 0.02	62	2
MW-11	11/15/1991	WH1191N15R	0.24		< 0.01	49	2.2	50	4.6	0.068	32	< 1
MW-11 (Dup)	11/15/1991	WH1191N15D	2.1		< 0.01	49	2.3	8	5.1	< 0.02	6	< 1
MW-11	12/13/1991	WH1191D13-	0.51		< 0.01	46	13	4	3.9	< 0.02	38	< 1
MW-11	3/17/1992	WH1192317-	0.764		< 0.01	62.4	2.77		< 1	4.2	55.33	< 1
MW-11	6/25/1992	WH1192625-	0.399		< 0.01 U	57.5	3.56	40.5 B	< 1 M	0.019	39	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-11	9/23/1992	WH1192923-	0.387		< 0.01 U	61.4	3.64 B	28	< 1 U	< 0.02 U	32	< 1 U
MW-11	12/21/1992	WH1192D21-	0.597		< 0.01 U	48.2	3.9 B	10	8.44	0.03	13	< 1 U
MW-11	3/29/1993	WH1193329-	0.54		< 0.01 U	43	3.7	24	< 1 U	0.066	30	< 1 UJ
MW-11 (Dup)	3/29/1993	WH1193329D	0.54		< 0.01 U	45	3.6	28	< 1 U	0.18	38	< 1 UJ
MW-11	6/21/1993	WH1193621-	0.33		< 0.01 U	61	3.6	26	< 1 U	0.037	33.5	< 1 UJ
MW-11 (Dup)	6/21/1993	WH1193621D	0.33		< 0.01 U	53.5	3.5	15	< 1 U	0.026	34	< 1 UJ
MW-11	9/24/1993	WH1193924-	0.3		< 0.01 U	65.9	2.6	40	< 1 U	< 0.02 U	43	< 1 UJ
MW-11	12/28/1993	WH1193D28-	0.41		< 0.01 U	62.7	3.4	< 1 UJ	< 1 U	1.9	29	< 1 UJ
MW-11	3/16/1994	WH1194316-	0.505		< 0.01 U	49.2	2.6	19	< 1 U	0.046	17	< 1 UJ
MW-11	6/24/1994	WH1194624-	0.39	0.39	< 0.01 U	59.2	2.6	38	< 1 UJ	0.09	34	< 1 UJ
MW-11	8/25/1994	WH1194825-	0.336	0.336	< 0.01 U	61.7	4.1	24	< 1 UJ	< 0.02 U	36	< 1 UJ
MW-11	12/19/1994	WH1194D19-	0.749	0.749	< 0.01 U	44.4	4.1	14	1.77	< 0.02 U	16	< 1 UJ
MW-11	5/31/1995	WH1195531L	0.57	0.57	< 0.01 U	56	3	63 B	< 1 U	< 0.02 U	47 O	< 1 UB
MW-11	9/20/1995	WH1195920-	0.31	0.31	< 0.01 U	83	3	56	1.7	< 0.02 U	70	< 1 U
MW-11	12/19/1995	WH1195D19-	1.1	1.1	< 0.01 U	47	3	48	< 1 U	< 0.02 U	20	< 1 U
MW-11	3/15/1996	WH1196315-	0.81	0.81	< 0.01 U	53	3	< 2 U	1.4	< 0.02 U	35	1
MW-11	5/28/1996	WH1196528-	0.41	0.41	< 0.01 U	45	3	42	< 1 U	< 0.02 U	30	< 1 U
MW-11	8/5/1996	WH1196805-	0.35	0.35	< 0.01 U	58	3	39	1.7	< 0.02 U	48	< 1 U
MW-11	12/5/1996	WH1196D05-	0.72 B	0.72 B	< 0.01 U	49	3	29	1.6	< 0.02 U	27	1 J
MW-11	3/6/1997	WH1197306-	0.55	0.55	< 0.01 U	47	3	39	< 1 U	< 0.02 U	36	1 JB
MW-11	5/20/1997	WH1197520-	0.31	0.31	< 0.01 U	46	3	33	< 1 U	< 0.02 U	34	3
MW-11	8/20/1997	WH1197820-	0.26	0.26	< 0.01 U	56	3	44	< 1 U	< 0.02 U	43	< 1 U
MW-11 (Dup)	8/20/1997	WH1197820D	0.26	0.26	< 0.01 U	55	2	50	< 1 U	< 0.02 U	42	1 J
MW-11	12/3/1997	WH1197D03-	0.34	0.34	< 0.01 U	58	3	30	< 1 U	< 0.02 UO	30	< 1 U
MW-11	3/9/1998	WH1198309-	0.42 B	0.42 B	< 0.01 U	45	2	30	< 1 U	< 0.02 U	40	< 1 U
MW-11 (Dup)	3/9/1998	WH1198309D	0.43 B	0.43 B	< 0.01 U	45	2	48	< 1 U	< 0.02 U	42	< 1 U
MW-11	5/18/1998	WH1198518-	0.4	0.4	< 0.01 U	54	3	33 B	1.3	0.03 J	42 B	< 1 UB
MW-11	8/26/1998	WH1198826-	0.27	0.27	< 0.01 U	66	3	56 B	< 1 U	< 0.02 U	47 B	3
MW-11 (Dup)	8/26/1998	WH1198826D	0.27	0.27	< 0.01 U	67	3	51 B	< 1 U	< 0.02 U	47 B	< 1 U
MW-11	3/9/1999	WH1199309-	0.78	0.78	< 0.01 U	51	3	47 B	1.2	< 0.02 U	5	1 J
MW-11	6/14/1999	WH1199614-	0.47 B	0.47 B	< 0.01 U	51	3	45 B	< 1 U	< 0.02 U	38	< 1 U
MW-11	8/17/1999	WH1199817-	0.32	0.32	< 0.01 U	57	2	33	< 1 UO	< 0.02 U	33	2
MW-11	12/4/1999	WH1198D04-	0.58	0.58	< 0.01 U	59	2	53 B	1.2	< 0.02 U	41	3 B
MW-11	12/4/1999	WH1-98D04-	< 0.01 U	< 0.01 U	< 0.01 U	160	18	95 B	2.5	< 0.02 U	90	< 1 U
MW-11	12/8/1999	WH1199D08-	1	1	< 0.01 U	44	2	42	< 1 U	< 0.02 U	38	2 B
MW-11	3/3/2000	WH1100303-	0.67	0.67	< 0.01 U	40	2.8	15	< 1.0 U	< 0.02 U	30	1 BJ
MW-11	5/18/2000	WH1100518-	0.42	0.42	< 0.01 U	42	2.7	41	< 1.0 U	< 0.02 U	36	< 1 U
MW-11	9/7/2000	WH1100907-	0.29	0.29	< 0.01 U	57	2.7	39	< 1.0 U	< 0.02 U	45	< 1 U
MW-11	12/5/2000	WH1100D05-	0.38 O	0.38 O	< 0.01 U	60	4	36	< 1.0 U	< 0.05 UM	46	< 1 U
MW-11	2/16/2001	WH1101216-	0.28	0.28	< 0.01 U	53	3	41	1	< 0.05 UM	44	2

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-11	5/29/2001	WH1101529-	0.33	0.33	< 0.01 U	52	3	33	< 1.0 U	< 0.05 UM	31	< 1 U
MW-11	8/14/2001	WH1101814-	0.25	0.25	< 0.01 U	58	3	92	2.6	< 0.05 UM	27	3.0 B
MW-11	12/6/2001	WH1101D06-	0.8	0.8	< 0.01 U	52	2	51	< 1.0 U	< 0.05 UM	46	< 1 U
MW-11	2/26/2002	WH1102226-	0.58	0.58	< 0.01 U	42	2	29	< 1.0 U	< 0.05 UM	32	1 BJ
MW-11	5/20/2002	WH1102520-	0.49	0.49	< 0.01 U	46	3	27	< 1.0 U	< 0.05 UM	40	< 1 U
MW-11	8/30/2002	WH1102830-	0.23	0.23	< 0.01 U	51	2	22	< 1.0 U	< 0.05 UM	36	2
MW-11	11/22/2002	WH1102N22-	0.2	0.2	< 0.01 U	43	3	2	< 1.0 U	< 0.05 UM	16000 M	1. U
MW-11	2/13/2003	WH1103213-	0.71	0.71	< 0.01 U	46	3	32	< 1.0 U	< 0.05 UM	39	< 1 U
MW-11	8/7/2003	WH1103807-	0.24 MJ	0.24 M	< 0.01 U	50	4	37	< 1.0 U	< 0.05 UM	33	< 1 U
MW-11	11/13/2003	WH1103N13-	0.33 MJ			36	3	36	< 1.0 U		36 M	< 1 U
MW-11	2/23/2004	WH1104223-	0.96 MJ			42	2	19	< 1.0 U		19 M	< 1 U
MW-11	5/20/2004	WH1104520-	0.51 MJ			53	3	40	< 1.0 U		40 M	< 1 U
MW-11	9/1/2004	WH1104901-	0.22 MJ			56	3	41	1		41 M	< 1 U
MW-11	11/17/2004	WH1104N17-	0.30 MJ			65	3	59	< 1.0 U		59 M	< 1 U
MW-11	2/18/2005	WH1105218-	0.74 MJ			59	3	39	< 1.0 U		39 M	< 1 U
MW-11	5/23/2005	WH1105523-	0.36 MJ			64	2	54	< 1.0 U		54 M	< 1 U
MW-11	8/12/2005	WH1105812-	0.28 MJ			58	3	40	< 1.0 U		41 M	1 J
MW-11	12/6/2005	WH1105D06-	0.22			57	2.7	32 O	< 1 U		< 2 U	< 2 U
MW-11	2/13/2006	WH11060213-	1			49	2.5	51	< 1 U		51	< 2 U
MW-11	5/17/2006	WH11060517-	0.59			57	2.6	21	< 1 U		21	< 2 U
MW-11	8/24/2006	WH11060824-	0.28			60	2.9	40	< 1 U		43	3
MW-11	12/1/2006	WH11061201-	0.87			49	2.6	37	< 1 U		37	< 2 U
MW-11	2/15/2007	WH11070215-	0.61			67	2.8	38	< 1 U		40	2
MW-11	5/21/2007	WH11070521-	0.48			51	2.7	55	< 1 U		55	< 2 U
MW-11	8/23/2007	WH11070823-	0.27			66	2.9	60	< 1 U		60	< 2 U
MW-11	12/3/2007	WH11071203-	0.29			64	2.7	9	< 1 U		9	< 2 U
MW-11	2/28/2008	WH11080228-	0.65			57	2.6	36	< 1 U		36	< 2 U
MW-11	6/3/2008	WH11080603-	0.33			56	2.6	28 O	< 1 U		19	< 2 U
MW-11	8/21/2008	WH11080821-	0.24			57	2.5	38	< 1 U		38	< 2 U
MW-11	12/3/2008	WH11081203-	0.24			59	2.8	32	< 1 U		32	< 2 U
MW-11	2/27/2009	WH11090227-	0.89			56	2.4	43	< 1 U		43	< 2 U
MW-11	5/28/2009	WH11090528-	0.429			55.9	2.67	45 B	< 1 U		48	< 1 U
MW-11 (Dup)	5/28/2009	WH11090528D	0.415			59.1	2.67	45 B	< 1 U		48	< 1 U
MW-11	9/1/2009	WH11090901-	0.351			78.6	2.88	68	< 1 U		69	< 1 U
MW-11	11/24/2009	WH11091124-	0.56			76.2	2.84	53	1.24		51 B	< 1 U
MW-11	3/2/2010	WH11100302-	0.531			68.9	2.8	40	< 1 U		42	< 1 U
MW-11	5/26/2010	WH11100526-	0.21			60.6	3.12	43	1.13		45	< 1 U
MW-11	8/20/2010	WH11100820-	0.195			68.3	2.86	47	< 1 U		50	< 1 U
MW-11	12/2/2010	WH11101202-	0.332			69.9	2.41	42	1.38		43	< 1 U
MW-11	2/28/2011	WH11110228-	0.596			53.1	2.54	21	< 1 U		32	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-11	6/2/2011	WH11110602-	0.28			52.9	2.59	34	< 1 U		29	< 1 U
MW-11	8/26/2011	WH11110826-	0.215			72.3	2.56	54	1.04		50	< 1 U
MW-11	12/5/2011	WH11111205-		0.189		65.6	2.34	49	< 1 U		47	< 1 U
MW-11	2/27/2012	WH11120227-		0.871		48.7	2.41	46	< 1 U		46	< 1 U
MW-11	5/21/2012	WH11120521-		0.321		57.7	2.51	42.4	< 1 U		43.4	< 1 U
MW-11	8/28/2012	WH11120828-		0.281		71.9	2.62	55.6	< 1 U		54.1	< 1 U
MW-11	11/20/2012	WH11121120-	0.272			66.9	2.43	53.4	1.24		72.3	< 1 U
MW-11	2/27/2013	WH11130227-	0.599			60.7	2.71	42.8	< 1 U		43	< 1 U
MW-11	5/21/2013	WH11130521-	0.401			65.4	2.68	52.7	< 1 U		54.5	< 1 U
MW-11	8/22/2013	WH11130822-	0.308			85.2	2.87	60.3	< 1 U		59.2	< 1 U
MW-18	8/25/1987	WH1887825	0.06				4.9		< 5			
MW-18	11/23/1987	WH1887N23	3.3		0.024	450	3		25	0.05		
MW-18	3/10/1988	WH1888310	1.1		< 0.005	420	3		5.2	0.04		
MW-18	5/25/1988	WH1888525	0.3		< 0.005	390	2		64	0.03		
MW-18	9/7/1988	WH1888907Q	0.3		< 0.005	270	2		16	0.03	240	3
MW-18	11/18/1988	WH1888N18Q	1.4		0.006	400	2		13	0.03	240	< 1
MW-18	3/6/1989	WH1889306Q	0.7		< 0.005	340	3		3.2	0.02	220	< 1
MW-18	6/28/1989	WH1889628Q	0.5		< 0.005	320	2		4.4	0.05	210	6
MW-18	9/12/1989	WH1889912Q	< 0.2		< 0.005	270	4		3.1	< 0.02	170	2
MW-18	12/11/1989	WH1889D11Q	0.3		< 0.005	200	8		2.1	0.03	150	3
MW-18	3/14/1990	WH1890314Q	0.4		< 0.005	150	8		2.1	< 0.02	100	< 1
MW-18	5/21/1990	WH1890521Q	0.2		< 0.01	160	3	140	1.9	< 0.02	150	2
MW-18	8/30/1990	WH1890830-	0.1		< 0.01	180	8.7	160	5	0.03	150	4
MW-18 (Dup)	8/30/1990	WH1890830D	0.06		< 0.01	190	9.1	150	5.7	0.08	160	5
MW-18	12/14/1990	WH1890D14-	0.05		< 0.01	120	6.4	82	4	< 0.02	100	2
MW-18 (Dup)	12/14/1990	WH1890D14D	0.05		< 0.01	130	6.6	96	4.5	< 0.02	120	< 1
MW-18	3/5/1991	WH1891305-	0.05		< 0.01	100	5.9	72	2	< 0.02	80	< 1
MW-18	6/11/1991	WH1891611-	0.031		0.011	110	3.4	84	32	< 0.02	82	1
MW-18	9/13/1991	WH1891913-	0.014		< 0.01	100	12	82	8.8	0.083	78	6
MW-18	12/13/1991	WH1891D13-	< 0.01		< 0.01	83	17	40	1.8	< 0.02	50	6
MW-18 (Dup)	12/13/1991	WH1891D13D	< 0.01		< 0.01	82	17	54	5.1	< 0.02	46	3
MW-18	3/23/1992	WH1892323-	0.03		< 0.01	88	6.6	56	1.7	< 0.02	62	2
MW-18	6/29/1992	WH1892629-	< 0.1 U		< 0.01 U	93.6	6.89	61	< 1 U	< 0.02 U	68	2
MW-18	9/28/1992	WH1892928-	< 0.1 U		< 0.01 U	92.8	5.71 B	67 B	< 1 U	< 0.02 U	49	3.6
MW-18	12/28/1992	WH1892D28-	< 0.1 U		< 0.01 U	83.5	5.4 B	< 1 UJ	< 1 U	1 U	57	< 1 UJ
MW-18 (Dup)	12/28/1992	WH1892D28D	< 0.1 U		< 0.01 U	82.8	5.6 B	28	< 1 U	0.04 U	50	< 1 UJ
MW-18	3/26/1993	WH1893326-	< 0.1 U		< 0.01 U	84	6.4	49	< 1 U	2	66	< 1 UJ
MW-18	6/18/1993	WH1893618-	< 0.1 U		< 0.01 U	74.1	6.2	37	< 1 U	< 0.02 U	46	< 1 UJ
MW-18	9/20/1993	WH1893920-	< 0.1 U		< 0.01 U	89.1	7.8	54	< 1 U	0.27	39	< 1 UJ
MW-18	12/21/1993	WH1893D21-	< 0.1 U		< 0.01 U	74.7	5.8	24	< 1 U	0.036	73	64.3

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-18	3/18/1994	WH1894318-	< 0.1 U		< 0.01 U	76.7	4.2	42	< 1 U	< 0.02 U	28	< 1 UJ
MW-18	6/28/1994	WH1894628-	< 0.1 U	< 0.01 U	< 0.01 U	77	5.5	46	< 1 UJ	< 0.02 U	41 B	1.3
MW-18	8/25/1994	WH1894825-	< 0.1 U	< 0.01 U	< 0.01 U	75.8	5.6	43	< 1 UJ	< 0.02 U	47	< 1 UJ
MW-18 (Dup)	8/25/1994	WH1894825D	< 0.1 U	0.029	< 0.01 U	73.6	5.9	44	< 1 UJ	< 0.02 U	48	< 1 UJ
MW-18	12/16/1994	WH1894D16-	< 0.1 U	0.032	< 0.01 U	79.4	4.8	43	< 1 UJ	< 0.02 U	38	< 1 UJ
MW-18	5/31/1995	WH1895531L	0.01	0.01	< 0.01 U	82	5	61 B	< 1 U	< 0.02 U	60 O	4 B
MW-18	9/19/1995	WH1895919-	0.01	0.01	< 0.01 U	100	6	66	2.4	< 0.02 U	56	3
MW-18	12/20/1995	WH1895D20-	< 0.01 U	< 0.01 U	< 0.01 U	85	5	93	< 1 U	< 0.02 U	100	1
MW-18	3/20/1996	WH1896320-	< 0.01 U	< 0.01 U	< 0.01 U	93	5	60	< 1 U	< 0.02 U	52	1
MW-18	5/29/1996	WH1896529-	0.01	0.01	< 0.01 U	87	5	66	2.5	< 0.02 U	47	1
MW-18	8/6/1996	WH1896806-	< 0.01 U	< 0.01 U	< 0.01 U	94	5	52	2.2	< 0.02 U	35	1 J
MW-18	12/4/1996	WH1896D04-	0.03 JB	0.03 B	< 0.01 U	76	4	52	< 1 U	< 0.02 U	53	< 1 U
MW-18	3/7/1997	WH1897307-	< 0.01 U	< 0.01 U	< 0.01 U	72	3	51	< 1 U	< 0.02 U	56	< 1 U
MW-18	5/22/1997	WH1897522-	0.01 J	0.01	< 0.01 U	74	4	51	1	< 0.02 U	52	6
MW-18 (Dup)	5/22/1997	WH1897522D	0.03 J	0.03	< 0.01 U	75	4	53	< 1 U	< 0.02 U	50	4
MW-18	8/20/1997	WH1897820-	< 0.01 U	< 0.01 U	< 0.01 U	71	4	52	1.3	< 0.02 U	54	< 1 U
MW-18 (Dup)	8/20/1997	WH1897820D	< 0.01 U	< 0.01 U	< 0.01 U	72	4	52	1.4	< 0.02 U	54	< 1 U
MW-18	12/4/1997	WH1897D04-	< 0.01 U	< 0.01 U	< 0.01 U	77	4	45	< 1 U	< 0.02 UO	48	< 1 UB
MW-18	3/25/1998	WH1898325-	0.05 JB	0.05 B	< 0.01 U	63	3	16	< 1 U	< 0.02 U	20 B	< 1 U
MW-18	5/20/1998	WH1898520-	0.01 J	0.01	< 0.01 U	80	4	49 B	3.1	< 0.02 U	46 B	2 B
MW-18	8/26/1998	WH1898826-	0.06 J	0.06	< 0.01 U	80	3	58 B	1.2	< 0.02 U	58 B	1 J
MW-18	12/8/1998	WH1898D08-	0.05 J	0.05	< 0.01 U	82	3	50 B	1.1	< 0.02 U	47	3
MW-18	3/9/1999	WH1899309-	0.06 J	0.06	< 0.01 U	68	3	57 B	1.1	< 0.02 U	55	6
MW-18	6/15/1999	WH1899615-	< 0.01 UB	< 0.01 UB	< 0.01 U	66	4	43 B	1.2	< 0.02 U	51	3 B
MW-18	8/17/1999	WH1899817-	0.02 J	0.02	< 0.01 U	67	3	40	< 1 UO	< 0.02 U	38	< 1 U
MW-18	12/7/1999	WH1899D07-	0.07 J	0.07	< 0.01 U	55	3 O	35	< 1 U	0.02 J	45	2 B
MW-18	3/3/2000	WH1800303-	0.05 J	0.05	< 0.01 U	51	3.4	22	< 1.0 U	< 0.02 U	61	< 1 UB
MW-18	5/19/2000	WH1800519-	0.02 J	0.02	< 0.01 U	52	3.6	49	< 1.0 U	< 0.02 U	41	< 1 U
MW-18	9/5/2000	WH1800905-	0.12 J	0.12	< 0.01 U	61	3.4	35	< 1.0 U	< 0.02 U	48	< 1 U
MW-18	12/6/2000	WH1800D06-	0.01 J	0.01	< 0.01 U	56	3	49	< 1.0 U	< 0.05 UM	54	< 1 U
MW-18	2/15/2001	WH1801215-	0.02 J	0.02	< 0.01 U	62	4	47	1.1	< 0.05 UM	49	1 J
MW-18	5/25/2001	WH1801525-	0.04 J	0.04	< 0.01 U	64	4	54	< 1.0 U	< 0.05 UM	61	2
MW-18	8/14/2001	WH1801814-	0.08 J	0.08	< 0.01 U	59	3	48	< 1.0 U	< 0.05 UM	57	2.0 B
MW-18	12/6/2001	WH1801D06-	0.08 J	0.08	< 0.01 U	62	3	55	< 1.0 U	< 0.05 UM	54	2
MW-18	2/26/2002	WH1802226-	0.13 J	0.13	< 0.01 U	58	3	40	< 1.0 U	< 0.05 UM	42	< 1 UB
MW-18	5/20/2002	WH1802520-	< 0.01 U	< 0.01 U	< 0.01 U	52	4	36	< 1.0 U	< 0.05 UM	52	7
MW-18	8/29/2002	WH1802829-	0.05 J	0.05	< 0.01 U	50	3	40	< 1.0 U	< 0.05 UM	44	2
MW-18	11/21/2002	WH1802N21-	0.18 J	0.18	< 0.01 U	57	4	19	< 1.0 U	< 0.05 UM	55	1. U
MW-18	2/12/2003	WH1803212-	0.08 J	0.08	< 0.01 U	54	4	53	< 1.0 U	< 0.05 UM	56	1 J
MW-18	5/15/2003	WH1803515-	0.06 MJ	0.06 M	< 0.01 U	49	4	50	< 1.0 U	< 0.05 UM	48	1 J

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-18	8/7/2003	WH1803807-	< 0.05 UM	< 0.05 UM	< 0.01 U	49	4	51	< 1.0 U	< 0.05 UM	32	3
MW-18	11/13/2003	WH1803N13-	< 0.05 UM			40	3	41	< 1.0 U		42 M	1 J
MW-18	2/23/2004	WH1804223-	0.13 MJ			51	3	39	< 1.0 U		40 M	1 J
MW-18	5/19/2004	WH1804519-	< 0.05 UM			60	3	53	< 1.0 U		53 M	1 J
MW-18	9/3/2004	WH1804903-	0.12 MJ			57	3	42	< 1.0 U		59 M	17
MW-18	11/22/2004	WH1804N22-	< 0.05 UM			60	3	56	< 1.0 U		56 M	< 1 U
MW-18	2/23/2005	WH1805223-	< 0.05 UM			63	3	42	< 1.0 U		43 M	1 J
MW-18	5/20/2005	WH1805520-	< 0.05 UM			55	3	55	< 1.0 U		55 M	< 1 U
MW-18	8/9/2005	WH1805809-	0.05 MJ			58	3	35	< 1.0 U		40 M	5
MW-18	12/5/2005	WH1805D05-	< 0.05 U			55	3.4	33	< 1 U		33	< 2 U
MW-18	2/10/2006	WH18060210-	0.1			54	3.1	2	< 1 U		2	< 2 U
MW-18	5/23/2006	WH18060523-	< 0.05 U			59	3.7	53	< 1 U		54	< 2 U
MW-18	8/22/2006	WH18060822-	< 0.05 U			60	3.5	29	< 1 U		31	2
MW-18	12/5/2006	WH18061205-	0.09			66	3.5	48	< 1 U		48	< 2 U
MW-18	2/14/2007	WH18070214-	0.073			72	2.9	57	< 1 U		57	< 2 U
MW-18	5/17/2007	WH18070517-	< 0.05 U			62	2.9	46	< 1 U		46	< 2 U
MW-18	8/24/2007	WH18070824-	0.19			62	3	45	< 1 U		48	3
MW-18	12/7/2007	WH18071207-	0.13			73	2.8	33	< 1 U		35	2
MW-18	3/3/2008	WH18080303-	0.12			60	3	40	< 1 U		42	2
MW-18	6/3/2008	WH18080603-	< 0.05 U			56	2.9	28 O	< 1 U		18	< 2 U
MW-18	8/20/2008	WH18080820-	0.1			52	2.7	38	< 1 U		39	< 2 U
MW-18	12/4/2008	WH18081204-	0.08			56	2.5	36	< 1 U		36	< 2 U
MW-18	12/4/2008	WH18081204T	< 0.05 U			< 1 U	< 1 U	< 2 U	< 1 U		3	2
MW-18	3/4/2009	WH18090304-	< 0.05 U			58	2.5	45	< 1 U		47	2
MW-18	5/28/2009	WH18090528-	0.024 T			58.8	2.9	51 B	< 1 U		52	< 1 U
MW-18	12/1/2009	WH18091201-	0.105			64.6	3.56	52	< 1 U		57	< 1 U
MW-18	3/3/2010	WH18100303-	0.031 T			61.9	3.19	36	< 1 U		37	< 1 U
MW-18	5/27/2010	WH18100527-	0.013 T			57.2	3.25	50	< 1 U		51	< 1 U
MW-18	8/27/2010	WH18100827-	0.0689			59	3.1	62	< 1 U		63	< 1 U
MW-18	12/1/2010	WH18101201-	0.015 T			72.3	3.12	51	1.21		54	< 1 U
MW-18	2/23/2011	WH18110223-	0.134			57.5	3.11	39	< 1 U		42	< 1 U
MW-18	5/31/2011	WH18110531-	0.0856			55.9	3.19	38	< 1 U		38	< 1 U
MW-18	8/24/2011	WH18110824-	0.0718			51.4	2.78	41	1.05		42	< 1 U
MW-18	12/1/2011	WH18111201-		0.0889		60.5	3.12	50	< 1 U		50	< 1 U
MW-18	3/2/2012	WH18120302-		0.11		56.6	2.85	47	< 1 U		47	2.1
MW-18	5/16/2012	WH18120516-		0.0663		54.8	2.75	42.5	< 1 U		42.5	< 1 U
MW-18	8/28/2012	WH18120828-		0.0815		51.1	2.79	47.4	< 1 U		47.9	< 1 U
MW-18	11/27/2012	WH18121127-	0.0729			54.8	2.63	50.6	1.38		76.6	< 1 U
MW-18	2/26/2013	WH18130226-	0.022 T			53	3.34	42.3	< 1 U		47.1	< 1 U
MW-18	5/15/2013	WH18130515-	0.0413			51	3.21	49.5	< 1 U		42.3	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-25	12/12/2001	WH2501D12-	0.34	0.34	< 0.01 U	80	2	55	< 1.0 U	< 0.05 UM	63	< 1 U
MW-25	2/27/2002	WH2502227-	0.34	0.34	< 0.01 U	83	2 O	73	< 1.0 U	< 0.05 UM	62	2 B
MW-25	5/17/2002	WH2502517-	0.31	0.31	< 0.01 U	81	2	66 B	< 1.0 U	< 0.05 UM	67	< 1 UO
MW-25	9/4/2002	WH2502904-	0.3	0.3	< 0.01 U	82	2	47	< 1.0 U	< 0.05 UM	55	< 1 U
MW-25	11/27/2002	WH2502N27-	0.31	0.31	< 0.01 U	79	2	50	< 1.0 U	< 0.05 UM	60	1. U
MW-25	2/14/2003	WH2503214-	0.36	0.36	< 0.01 U	81	2	54	< 1.0 U	< 0.05 UM	72	< 1 U
MW-25	5/16/2003	WH2503516-	0.32 MJ	0.32 M	< 0.01 U	81	2	70	< 1.0 U	< 0.05 UM	65	< 1 U
MW-25 (Dup)	5/16/2003	WH2503516D	0.32 MJ	0.32 M	< 0.01 U	78	2	65	< 1.0 U	< 0.05 UM	69	< 1 U
MW-25	8/12/2003	WH2503812-	0.31 MJ	0.31 M	< 0.01 U	78	2	25	< 1.0 U	< 0.05 UM	58	< 1 U
MW-25	11/12/2003	WH2503N12-	0.32 MJ			86	2	65	< 1.0 U		65 M	< 1 U
MW-25	2/23/2004	WH2504223-	0.37 MJ			83	2	49	< 1.0 U		49 M	< 1 U
MW-25	5/19/2004	WH2504519-	0.35 MJ			91	2	67	< 1.0 U		67 M	< 1 U
MW-25	9/1/2004	WH2504901-	0.35 MJ			91	2	66	< 1.0 U		66 M	< 1 U
MW-25	11/19/2004	WH2504N19-	0.31 MJ			92	2	85	< 1.0 UO		86 M	1 J
MW-25	2/23/2005	WH2505223-	0.38 MJ			98	2	56	< 1.0 U		57 M	1 J
MW-25	5/23/2005	WH2505523-	0.36 MJ			89	2	80	< 1.0 U		80 M	< 1 U
MW-25	8/12/2005	WH2505812-	0.33 MJ			92	2	60	< 1.0 U		60 M	< 1 U
MW-25	12/6/2005	WH25051206-	0.24			86	1.9	100 O	< 1 U		< 2 U	< 2 U
MW-25	2/14/2006	WH25060214-	0.31			120	1.9	36	< 1 U		36	< 2 U
MW-25 (Dup)	2/14/2006	WH25060214D	0.31			110	2	26	< 1 U		26	< 2 U
MW-25	5/17/2006	WH25060517-	0.32			98	2	42	< 1 U		42	< 2 U
MW-25	8/18/2006	WH25060818-	0.29			96	2.1	60	< 1 U		62	2
MW-25	12/6/2006	WH25061206-	0.33			98	2.3	78	< 1 U		78	< 2 U
MW-25	2/16/2007	WH25070216-	0.3			96	2.1	44	< 1 U		45	< 2 U
MW-25	5/18/2007	WH25070518-	0.32			97	1.8	73	< 1 U		73	< 2 U
MW-25 (Dup)	5/18/2007	WH25070518D	0.35			99	1.9	68	< 1 U		68	< 2 U
MW-25	8/23/2007	WH25070823-	0.31			100	2	63	< 1 U		63	< 2 U
MW-25	11/30/2007	WH25071130-	0.32			100	1.8	25	< 1 U		33	8
MW-25	2/28/2008	WH25080228-	0.3			110	2	59	< 1 U		60	< 2 U
MW-25	6/3/2008	WH25080603-	0.33			95	1.9	48 O	< 1 U		36	< 2 U
MW-25	8/22/2008	WH25080822-	0.28			92	1.9	50	< 1 U		50	< 2 U
MW-25	12/1/2008	WH25081201-	0.32			97	2	65	< 1 U		65	< 2 U
MW-25	2/26/2009	WH25090226-	0.33			97	1.9	59	< 1 U		60	< 2 U
MW-25	2/26/2009	WH25090226T	< 0.05 U			1	< 1 U	2	< 1 U		2	< 2 U
MW-25	5/29/2009	WH25090529-	0.299			98.1	2.16	69 B	< 1 U		77	< 1 U
MW-25	8/31/2009	WH25090831-	0.31			98.5	2.23	69	< 1 U		77	< 1 U
MW-25	11/24/2009	WH25091124-	0.299			100	2.2	66	< 1 U		70 B	< 1 U
MW-25	3/2/2010	WH25100302-	0.297			105	2.1	63	< 1 U		60	< 1 U
MW-25 (Dup)	3/2/2010	WH25100302D	0.299			109	2.21	61	< 1 U		62	< 1 U
MW-25	5/25/2010	WH25100525-	0.291			100	2.28	71	< 1 U		71	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-25	8/27/2010	WH25100827-	0.288			97.1	2.11	81	< 1 U		83	< 1 U
MW-25 (Dup)	8/27/2010	WH25100827D	0.288			96.5	2.2	90	< 1 U		87	< 1 U
MW-25	12/1/2010	WH25101201-	0.281			103	2.02	60	< 1 U		61	< 1 U
MW-25	2/25/2011	WH25110225-	0.29			98.6	2.35	57	< 1 U		59	< 1 U
MW-25	5/31/2011	WH25110531-	0.274			101	2.27	67	< 1 U		64	< 1 U
MW-25	8/26/2011	WH25110826-	0.282			99.9	2.17	70	< 1 U		72	< 1 U
MW-25	12/2/2011	WH25111202-		0.278		102	2.11	72	< 1 U		70	< 1 U
MW-25	3/5/2012	WH25120305-		0.274		101	2.29	68	< 1 U		66	< 1 U
MW-25	5/22/2012	WH25120522-		0.267		100	2.19	68.2	< 1 U		65.6	< 1 U
MW-25	8/28/2012	WH25120828-		0.254		93.5	2.22	67.8	< 1 U		69.9	< 1 U
MW-25	11/28/2012	WH25121128-	0.246			100	2.11	69.3	< 1 U		70.1	< 1 U
MW-25	2/25/2013	WH25130225-	0.268			104	2.42	70.4	< 1 U		73.3	< 1 U
MW-25	5/28/2013	WH25130528-	0.267			103	2.26	71	< 1 U		72.8	< 1 U
MW-25	8/19/2013	WH25130819-	0.258			103	2.56	74.1	< 1 U		76.7	< 1 U
MW-3	10/28/1986	WH3-86O28	< 0.2		< 0.005	130	2		2	0.02		
MW-3	5/28/1987	WH3-87528	< 0.2		< 0.005	87	2		1.1	< 0.02		
MW-3	9/8/1987	WH3-87908	0.028				2.85		< 5			
MW-3	12/21/1987	WH3-87D21	< 0.2		< 0.005	110	2		2.7	0.04		
MW-3	3/21/1988	WH3-88321	< 0.2		< 0.005	100	3		< 0.1	< 0.02		
MW-3	5/26/1988	WH3-88526	0.2		< 0.005	97	3		1	0.02		
MW-3	9/2/1988	WH3-88902Q	0.2		< 0.005	100	3		1.3	< 0.02	79	< 1
MW-3	11/22/1988	WH3-88N22Q	0.3		< 0.005	110	2		< 1	< 0.02	65	< 1
MW-3	2/17/1989	WH3-89217Q	< 0.2		< 0.005	110	3		< 1	< 0.02	81	< 1
MW-3	6/9/1989	WH3-89609Q	< 0.2		< 0.005	110	3		1.6	< 0.02	75	< 1
MW-3	9/6/1989	WH3-89906Q	< 0.2		< 0.005	110	< 1		< 1	0.1	82	2
MW-3	12/7/1989	WH3-89D07Q	0.3		< 0.005	110	3		< 1	< 0.02	86	< 2
MW-3	2/13/1990	WH3-90213Q	< 0.2		< 0.005	110	3		< 1	< 0.02	69	< 1
MW-3	5/17/1990	WH3-90517Q	0.04		< 0.01	107	< 1	85	< 1	< 0.02	75	< 1
MW-3	8/24/1990	WH3-90824-	0.03		< 0.01	107	< 1	110	2	< 0.02	110	< 1
MW-3	11/13/1990	WH3-90N13-	< 0.01		< 0.01	110	1.6	94	2.1	0.03	88	< 1
MW-3	2/21/1991	WH3-91221-	< 0.01		< 0.01	120	1.1	90	3.4	0.06	86	1
MW-3	6/25/1991	WH3-91625-	< 0.01		< 0.01	330	1.2	86	5.7	< 0.02	86	< 1
MW-3	9/20/1991	WH3-91920-	0.27		< 0.01	120	< 1	86	5.4	< 0.02	48	< 1
MW-3	12/17/1991	WH3-91D17-	< 0.01		< 0.01	110	< 1	76	< 1	0.07	82	< 1
MW-3	3/18/1992	WH3-92318-	0.045		< 0.01	110	1.2	76	< 1	< 0.02	76	< 1
MW-3	6/23/1992	WH3-92623-	< 0.1 U		< 0.01 U	114.2	2.01	76.5 J	< 1 U	0.005	76.5 J	< 1 U
MW-3	9/21/1992	WH3-92921-	< 0.1 U		< 0.01 U	111.4	2.96 B	80 B	< 1 U	0.038	87	< 1 U
MW-3	12/22/1992	WH3-92D22-	< 0.1 U		< 0.01 U	114.2	3 B	52	< 1 U	0.046	49	< 1 U
MW-3	3/23/1993	WH3-93323-	< 0.1 U		< 0.01 U	110	2.8	85	< 1 U	0.057	80	< 1 UJ
MW-3	6/17/1993	WH3-93617-	< 0.1 U		< 0.01 U	111	< 2.5 U	50	< 1 U	0.021	65	< 1 UJ

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-3	9/23/1993	WH3-93923-	< 0.1 U		< 0.01 U	120	2.7	56	< 1 U	0.043	71	< 1 UJ
MW-3	12/22/1993	WH3-93D22-	< 0.1 U		< 0.01 U	118	4.5	19	< 1 U	0.021	31	< 1 UJ
MW-3	3/14/1994	WH3-94314-	< 0.1 U		< 0.01 U	124	3	47	< 1 U	0.068	66	< 1 UJ
MW-3	6/23/1994	WH3-94623-	< 0.1 U	< 0.01 U	< 0.01 U	117	< 2.5 U	71	< 1 UJ	< 0.02 U	79	< 1 UJ
MW-3	8/23/1994	WH3-94823-	< 0.1 U	0.032	< 0.01 U	116	2.7	65	< 1 UJ	< 0.02 U	66	< 1 UJ
MW-3	12/20/1994	WH3-94D20-	1.09	1.09	< 0.01 U	121	< 2.5 U	62	< 1 UJ	< 0.02 U	82	< 1 UJ
MW-3	3/6/1995	WH3-95306L	0.03	0.03	< 0.01 U	110	3	86	< 1 U	< 0.02 U	82	< 1 U
MW-3	5/26/1995	WH3-95526L	0.03	0.03	< 0.01 U	110	2	90 BO	1.9	< 0.02 U	80 B	1
MW-3	9/14/1995	WH3-95914-	0.02	0.01 B	< 0.01 U	110	3	81 B	< 1 U	< 0.02 U	67	< 1 U
MW-3	12/19/1995	WH3-95D19-	< 0.01 U	< 0.01 U	< 0.01 U	110	3	77	< 1 U	< 0.02 U	48	< 1 U
MW-3	3/15/1996	WH3-96315-	0.03	0.03	< 0.01 U	120	2	16	2.2	< 0.02 U	83	7
MW-3	5/23/1996	WH3-96523-	0.01	0.01	< 0.01 U	120	2	100	1.2	< 0.02 U	100	< 1 U
MW-3	7/30/1996	WH3-96730-	0.01 J	0.01	< 0.01 U	120	2	84	1.2	< 0.02 U	81	< 1 U
MW-3	12/2/1996	WH3-96D02-	0.04 JB	0.04 B	< 0.01 U	120	3	95	1	< 0.02 U	71	2
MW-3	3/5/1997	WH3-97305-	0.02 J	0.02	< 0.01 U	120	3	76	< 1 U	< 0.02 U	79	< 1 UB
MW-3	5/19/1997	WH3-97519-	0.02 J	0.02	< 0.01 U	120	3	74	< 1 U	< 0.02 U	80	1 J
MW-3	8/18/1997	WH3-97818-	0.03 J	0.03	< 0.01 U	110	2	79	3.7	< 0.02 U	82	< 1 U
MW-3	12/19/1997	WH3-97D19-	0.03 JB	0.03 B	< 0.01 U	130	2	77	< 1 U	< 0.02 U	83 B	< 1 U
MW-3	3/5/1998	WH3-98305-	0.03 JB	0.03 B	< 0.01 U	130	2	78	< 1 U	< 0.02 U	82	< 1 U
MW-3	5/15/1998	WH3-98515-	0.03 J	0.03	< 0.01 U	120	2	70	1.2	< 0.02 U	81	2
MW-3	8/25/1998	WH3-98825-	0.03 J	0.03	< 0.01 U	130	2	80 B	< 1 U	< 0.02 U	84 B	< 1 U
MW-3	3/8/1999	WH3-99308-	0.02 J	0.02	< 0.01 U	130	2	84	1.5	< 0.02 U	84	< 1 UB
MW-3	6/11/1999	WH3-99611-	0.03 JB	0.03 B	< 0.01 U	120	2	77 B	< 1 U	< 0.02 U	73	1 J
MW-3	8/16/1999	WH3-99816-	0.02 J	0.02	< 0.01 U	110	2	65	< 1 UO	< 0.02 U	72	3
MW-3	12/4/1999	WH3-98D04-	0.03 J	0.03	< 0.01 U	130	2	82 B	< 1 U	< 0.02 U	79	2
MW-3	12/8/1999	WH3-99D08-	0.03 J	0.03	< 0.01 U	100	2	64	< 1 U	< 0.02 U	100	< 1 UB
MW-3	3/6/2000	WH3-00306-	0.03 J	0.03	< 0.01 U	110	2.4	67	< 1.0 U	< 0.02 U	80	3
MW-3	5/18/2000	WH3-00518-	0.03 J	0.03	< 0.01 U	100	2.4	70	< 1.0 U	< 0.02 U	75	< 1 U
MW-3	9/7/2000	WH3-00907-	0.02 J	0.02	< 0.01 U	120	2.5	73	< 1.0 U	< 0.02 U	93	< 1 U
MW-3	12/4/2000	WH3-00D04-	0.03 BJ	0.03 B	< 0.01 U	130	2	60	< 1.0 U	< 0.05 U	73	1. U
MW-3	2/15/2001	WH3-01215-	0.05 J	0.05	< 0.01 U	120	2	84	< 1.0 U	< 0.05 UM	83	1 J
MW-3	5/30/2001	WH3-01530-	0.02 J	0.02	< 0.01 U	120	3	67	< 1.0 U	< 0.05 UM	80	< 1 U
MW-3	8/13/2001	WH3-01813-	0.04 J	0.04	< 0.01 U	120	2	85	< 1 U	< 0.05 UM	91 B	1 BJ
MW-3	12/7/2001	WH3-01D07-	0.04 J	0.04	< 0.01 U	120	2	87	< 1.0 U	< 0.05 UM	85	< 1 U
MW-3	2/26/2002	WH3-02226-	0.04 J	0.04	< 0.01 U	120	2	84	< 1.0 U	< 0.05 UM	77	< 1 UB
MW-3	5/16/2002	WH3-02516-	0.01 J	0.01	< 0.01 U	110	2	96	< 1.0 U	< 0.05 UM	80	1 J
MW-3	8/30/2002	WH3-02830-	< 0.01 U	< 0.01 U	< 0.01 U	110	3	62	< 1.0 U	< 0.05 UM	80	< 1 U
MW-3	11/26/2002	WH3-02N26-	0.02 J	0.02	< 0.01 U	110	2	70	< 1.0 U	< 0.05 UM	81	1 J
MW-3	2/14/2003	WH3-03214-	0.03 J	0.03	< 0.01 U	110	3	75	< 1.0 U	< 0.05 UM	84	1 J
MW-3 (Dup)	2/14/2003	WH3-03214D	0.03 J	0.03	< 0.01 U	110	2	69	< 1.0 U	< 0.05 UM	85	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-3	5/15/2003	WH3-03515-	< 0.05 UM	< 0.05 UM	< 0.01 U	110	3	84	< 1.0 U	< 0.05 UM	87	< 1 U
MW-3	8/6/2003	WH3-03806-	< 0.05 UM	< 0.05 UM	< 0.01 U	120	2	81	< 1.0 U	< 0.05 UM	60	3
MW-3	11/3/2003	WH3-03N12-	< 0.05 UM			130	3	77	< 1.0 U		77 M	< 1 U
MW-3	11/13/2003	WH3-03N13-	< 0.05 UM			130	2	63	< 1.0 U		63 M	< 1 U
MW-3	2/20/2004	WH3-04220-	< 0.05 UM			110	2	61	< 1.0 U		61 M	< 1 U
MW-3	5/19/2004	WH3-04519-	< 0.05 UM			130	3	82	< 1.0 U		82 M	< 1 U
MW-3	9/2/2004	WH3-04902-	< 0.05 UM			130	2	83	< 1.0 U		83 M	< 1 U
MW-3	11/19/2004	WH3-04N19-	< 0.05 UM			120	2	94	< 1.0 UO		94 M	< 1 U
MW-3	2/22/2005	WH3-05222-	< 0.05 UM			140	2	72	< 1.0 U		72 M	< 1 U
MW-3	5/20/2005	WH3-05520-	< 0.05 UM			120	2	58	< 1.0 U		58 M	< 1 U
MW-3	8/12/2005	WH3-05812-	0.07 MJ			120	2	80	< 1.0 U		80 M	< 1 U
MW-3	12/6/2005	WH3-051206-	< 0.05 U			130	2.6	67	< 1 U		67	< 2 U
MW-3	2/23/2006	WH3-060223-	< 0.05 U			150	2.5	100	< 1 U		100	2
MW-3	5/17/2006	WH3-060517-	< 0.05 U			150	2.5	71	< 1 U		71	< 2 U
MW-3	8/18/2006	WH3-060818-	< 0.05 U			140	2.6	82	< 1 U		82	< 2 U
MW-3	12/6/2006	WH3-061206-	< 0.05 U			140	2.7	82	< 1 U		82	< 2 U
MW-3 (Dup)	12/6/2006	WH3-061206D	< 0.05 U			150	3	84	< 1 U		84	< 2 U
MW-3	2/15/2007	WH3-070215-	< 0.05 U			150	2.9	82	< 1 U		82	< 2 U
MW-3	5/18/2007	WH3-070518-	< 0.05 U			140	2.4	79	< 1 U		79	< 2 U
MW-3	8/23/2007	WH3-070823-	< 0.05 U			150	2.6	67	< 1 U		67	< 2 U
MW-3	11/30/2007	WH3-071130-	< 0.05 U			160	2.4	62	< 1 U		62	< 2 U
MW-3	2/28/2008	WH3-080228-	< 0.05 U			150	< 1 U	79	< 1 U		84	5
MW-3	6/6/2008	WH3-080606-	< 0.05 U			140	2.6	72	< 1 U		76	4
MW-3	8/21/2008	WH3-080821-	< 0.05 U			130	2.5	76	< 1 U		78	2
MW-3	12/2/2008	WH3-081202-	< 0.05 U			140	2.7	60	< 1 U		60	< 2 U
MW-3	3/2/2009	WH3-090302-	< 0.05 U			140	2.5	90	< 1 U		90	< 2 U
MW-3	5/29/2009	WH3-090529-	0.017 T			144	2.66	90	< 1 U		95	< 1 U
MW-3	9/1/2009	WH3-090901-	0.018 T			143	2.84	89	< 1 U		93	< 1 U
MW-3	11/30/2009	WH3-091130-	0.02 T			142	2.83	90	< 1 U		96	< 1 U
MW-3	3/3/2010	WH3-100303-	0.015 T			142	2.86	78	< 1 U		76	< 1 U
MW-3	5/24/2010	WH3-100524-	0.014 T			145	2.99	91	< 1 U		91	< 1 U
MW-3	8/26/2010	WH3-100826-	0.014 T			140	2.77	87	< 1 U		88	< 1 U
MW-3	12/2/2010	WH3-101202-	0.017 T			149	2.67	93	< 1 U		92	< 1 U
MW-3	2/25/2011	WH3-110225-	0.017 T			142	2.98	87	< 1 U		83	< 1 U
MW-3	6/1/2011	WH3-110601-	0.015 T			148	3.03	88	< 1 U		89	< 1 U
MW-3	8/25/2011	WH3-110825-	0.014 T			144	2.83	86	< 1 U		92	< 1 U
MW-3	12/1/2011	WH3-111201-		0.016 T		146	2.84	83	< 1 U		93	< 1 U
MW-3	2/24/2012	WH3-120224-		0.013 T		142	2.87	93	< 1 U		104	< 1 U
MW-3	5/17/2012	WH3-120517-		0.014 T		143	2.86	89.7	< 1 U		92.5	< 1 U
MW-3	9/24/2012	WH3-120924-		0.014 T		146	3.1	91.3	< 1 U		98.7	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-3	12/17/2012	WH3-121217-	0.015 T			87.2	2.77	97.8	< 1 U		96.9	< 1 U
MW-3	3/1/2013	WH3-130301-	0.014 T			146	3.07	93.4	< 1 U		93.6	< 1 U
MW-3	5/22/2013	WH3-130522-	0.013 T			148	3.03	102	< 1 U		112	< 1 U
MW-3	8/27/2013	WH3-130827-	0.012 T			140	3.13	107	< 1 U		102	< 1 U
MW-4	9/4/1986	WH4-86904	< 0.2		< 0.005	160	5		19			
MW-4	5/26/1987	WH4-87526	< 0.2		< 0.005	370	8		24	0.04		
MW-4	8/24/1987	WH4-87824	0.04				6.3		< 5			
MW-4	11/25/1987	WH4-87N25	0.3		< 0.005	74	4		2.9	< 0.02		
MW-4	3/14/1988	WH4-88314	0.4		< 0.005	76	4		1.4	< 0.02		
MW-4	5/26/1988	WH4-88526	0.4		< 0.005	150	12		11	0.02		
MW-4	9/1/1988	WH4-88901Q	0.3		< 0.005	100	9		13	0.04	88	2
MW-4	9/1/1988	WH4-88901S	0.3		< 0.005	110	9		14	0.02	80	2
MW-4	11/17/1988	WH4-88N17Q	0.4		< 0.005	100	5		1.8	< 0.02	66	< 1
MW-4	2/17/1989	WH4-89217Q	1.4		< 0.005	240	58		3.9	< 0.02	210	15
MW-4	6/16/1989	WH4-89616Q	0.7		< 0.005	82	13		1.9	< 0.02	62	< 1
MW-4	9/12/1989	WH4-89912Q	0.5		< 0.005	91	11		1.2	0.03	61	3
MW-4	12/6/1989	WH4-89D06Q	3.2		< 0.005	110	10		< 1	< 0.02	77	< 1
MW-4	3/13/1990	WH4-90313Q	1.1		< 0.005	63	6		1.6	< 0.02	48	5
MW-4 (Dup)	3/13/1990	WH4-90313D	1.2		< 0.005	63	6		1.4	< 0.02	45	2
MW-4	5/17/1990	WH4-90517Q	1		< 0.01	62	4.5	44	1	< 0.02	50	< 1
MW-4	8/27/1990	WH4-90827-	0.5		< 0.01	76	6.1	84	2.2	0.03	78	1
MW-4	12/12/1990	WH4-90D12-	0.75		< 0.01	59	3.5	40	3.3	< 0.02	42	< 1
MW-4	2/22/1991	WH4-91222-	0.77		< 0.01	55	3.5	42	< 1	< 0.02	34	4
MW-4	6/19/1991	WH4-91619-	0.79		< 0.01	54	< 1	50	5.9	< 0.02	52	2
MW-4	9/18/1991	WH4-91918-	0.7		< 0.01	61	12	48	9.7	< 0.02	48	< 1
MW-4 (Dup)	9/18/1991	WH4-91918D	0.74		< 0.01	60	11	42	8	< 0.02	54	< 1
MW-4	11/15/1991	WH4-91N15R	1.3		< 0.01	64	3.5	50	6	< 0.02	56	< 1
MW-4 (Dup)	11/15/1991	WH4-91N15D	1.3		< 0.01	63	3.2	48	5.7	< 0.02	42	2
MW-4	12/16/1991	WH4-91D16-	3.1		< 0.01	71	11	48	1.8	< 0.02	44	1
MW-4	3/18/1992	WH4-92318-	1.2		< 0.01	54	3.9	34	1.3	< 0.02	36	< 1
MW-4	6/23/1992	WH4-92623-	0.95		< 0.01 U	55.1	4.78	38.5 J	< 1 U	0.094	38.5 J	< 1 U
MW-4	9/21/1992	WH4-92921-	1.047		< 0.01 U	59.6	4.79 B	34 B	< 1 U	0.02	58	< 1 U
MW-4	12/22/1992	WH4-92D22-	3.61		< 0.01 U	72.8	4.7 B	27	< 1 U	0.025	32	1.4
MW-4	3/29/1993	WH4-93329-	1.95		< 0.01 U	56	4.1	36	< 1 U	0.075	45	< 1 UJ
MW-4	6/16/1993	WH4-93616-	1.41		< 0.01 U	53	5.5	11	< 1 U	< 0.02 U	30	< 1 UJ
MW-4	9/16/1993	WH4-93916-	0.6		< 0.01 U	54.7	5.8	35	< 1 U	< 0.02 U	34	< 1 UJ
MW-4	12/22/1993	WH4-93D22-	1.8		< 0.01 U	67.6	6.9	< 1 UJ	< 1 U	0.024	11	< 1 UJ
MW-4	3/18/1994	WH4-94318-	1.41		< 0.01 U	52.7	4.6	22	< 1 U	1	16	< 1 UJ
MW-4	6/23/1994	WH4-94623-	1.01	1.01	< 0.01 U	52.2	3.1	23	< 1 UJ	< 0.02 U	47	< 1 UJ
MW-4	8/24/1994	WH4-94824-	0.831	0.831	< 0.01 U	53.2	6.7	42	< 1 UJ	< 0.02 U	114	< 1 UJ

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-4	12/20/1994	WH4-94D20-	1.22	1.22	< 0.01 U	68	4.5	37	< 1 UJ	< 0.02 U	54	< 1 UJ
MW-4	3/2/1995	WH4-95302-	0.702	0.702	< 0.01 U	52.4	5.5	40	< 1 UJ	< 0.02 U	42	< 1 UJ
MW-4	5/26/1995	WH4-95526L	0.78	0.78	< 0.01 U	61	3	56 BO	1.7	0.03	50 B	3
MW-4	9/15/1995	WH4-95915-	0.98	0.49 B	< 0.01 U	54	4	51	1.3	< 0.02 U	38	< 1 UB
MW-4	12/18/1995	WH4-95D18-	< 0.01 U	< 0.01 U	< 0.01 U	46	4	46	< 1 U	< 0.02 U	54	1
MW-4	3/15/1996	WH4-96315-	0.59	0.59	< 0.01 U	52	3	< 2 U	1.5	< 0.02 U	34	3
MW-4	5/24/1996	WH4-96524-	0.38	0.38	< 0.01 U	49	3	27	< 1 U	< 0.02 U	36	1
MW-4	7/31/1996	WH4-96731-	0.32	0.32	< 0.01 U	63	3	51	1.9	< 0.02 U	48	3
MW-4	12/3/1996	WH4-96D03-	0.82 B	0.82 B	< 0.01 U	54	3	32	1.3	< 0.02 U	31	< 1 U
MW-4	3/5/1997	WH4-97305-	0.58	0.58	< 0.01 U	48	2	38	1.3	< 0.02 U	35	< 1 UB
MW-4	5/21/1997	WH4-97521-	0.33	0.33	< 0.01 U	50	3	33	< 1 U	< 0.02 U	34	< 1 U
MW-4 (Dup)	5/21/1997	WH4-97521D	0.34	0.34	< 0.01 U	50	3	33	< 1 U	< 0.02 U	34	1 J
MW-4	8/20/1997	WH4-97820-	0.38	0.38	< 0.01 U	53	3	40	1.9	< 0.02 U	41	< 1 U
MW-4	12/3/1997	WH4-97D03-	0.51	0.51	< 0.01 U	64	3	33	< 1 U	< 0.02 UO	36	< 1 U
MW-4	3/5/1998	WH4-98305-	0.53 B	0.53 B	< 0.01 U	55	3	26	< 1 U	< 0.02 U	42	1 J
MW-4	5/15/1998	WH4-98515-	0.52	0.52	< 0.01 U	49	3	35	1.5	< 0.02 U	35	2
MW-4	8/26/1998	WH4-98826-	0.5	0.5	< 0.01 U	58	3	47 B	< 1 U	< 0.02 U	41 B	< 1 U
MW-4	3/8/1999	WH4-99308-	0.7	0.7	< 0.01 U	45	3	35	3.1	< 0.02 U	31	5 B
MW-4	6/10/1999	WH4-99610-	0.53 B	0.53 B	< 0.01 U	45	3	33 B	< 1 U	< 0.02 U	36	< 1 U
MW-4	8/18/1999	WH4-99818-	0.49	0.49	< 0.01 U	49	3	29	< 1 UO	< 0.02 U	23	1 J
MW-4	12/4/1999	WH4-98D04-	0.75	0.75	< 0.01 U	52	3	40 B	1.3	< 0.02 U	27	2 B
MW-4	12/7/1999	WH4-99D07-	0.56	0.56	< 0.01 U	34	3 O	28	< 1 U	< 0.02 U	34	2 B
MW-4	3/6/2000	WH4-00306-	0.66	0.66	< 0.01 U	45	3	23	< 1.0 U	< 0.02 U	33	< 1 U
MW-4	5/18/2000	WH4-00518-	0.63	0.63	< 0.01 U	36	2.9	29	< 1.0 U	< 0.02 U	30	< 1 U
MW-4	9/6/2000	WH4-00906-	0.5	0.5	< 0.01 U	45	3	22	< 1.0 U	< 0.02 U	27	1 J
MW-4	12/5/2000	WH4-00D05-	0.94 O	0.94 O	< 0.01 U	56	3	37	1.2	< 0.05 UM	46	< 1 U
MW-4	2/14/2001	WH4-01214-	0.7	0.7	< 0.01 U	43	3	36	< 1.0 U	< 0.05 UM	41	1 J
MW-4	5/31/2001	WH4-01531-	0.77	0.77	< 0.01 U	42	3	26	< 1.0 U	< 0.05 UM	27	< 1 U
MW-4	8/13/2001	WH4-01813-	0.51	0.51	< 0.01 U	41	3	36	< 1 U	< 0.05 UM	47 B	1 BJ
MW-4	12/10/2001	WH4-01D10-	0.47	0.47	< 0.01 U	39	3	27	< 1.0 U	< 0.05 UM	77	49
MW-4	2/27/2002	WH4-02227-	0.82	0.82	< 0.01 U	40	3 O	31	< 1.0 U	< 0.05 UM	24	1 BJ
MW-4	5/16/2002	WH4-02516-	0.37	0.37	< 0.01 U	33	3	39	< 1.0 U	< 0.05 UM	32	2
MW-4	9/16/2002	WH4-02916-	0.36	0.36	< 0.01 U	41	3	30	< 1.0 U	< 0.05 UM	40	1 J
MW-4	11/22/2002	WH4-02N22-	0.38	0.38	< 0.01 U	37	3	7	< 1.0 U	< 0.05 UM	75 M	1 J
MW-4	2/13/2003	WH4-03213-	0.64	0.64	< 0.01 U	35	3	41	< 1.0 U	< 0.05 UM	35	< 1 U
MW-4	5/15/2003	WH4-03515-	0.70 MJ	0.70 M	< 0.01 U	38	3	34	< 1.0 U	< 0.05 UM	43	1 J
MW-4	8/7/2003	WH4-03807-	0.48 MJ	0.48 M	< 0.01 U	37	3	34	< 1.0 U	< 0.05 UM	26	2
MW-4	11/14/2003	WH4-03N14-	0.71 MJ			41	3	59	< 1.0 U		59 M	< 1 U
MW-4	2/23/2004	WH4-04223-	0.74 MJ			37	2	39	< 1.0 U		39 M	1 J
MW-4	5/20/2004	WH4-04520-	0.73 MJ			45	3	28	< 1.0 U		28 M	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-4	9/2/2004	WH4-04902-	0.39 MJ			44	3	30	< 1.0 U		34 M	4
MW-4	11/18/2004	WH4-04N18-	0.34 MJ			47	3	70	< 1.0 UO		70 M	< 1 U
MW-4	2/22/2005	WH4-05222-	0.58 MJ			49	3	28	< 1.0 U		28 M	< 1 U
MW-4	5/24/2005	WH4-05524-	0.38 MJ			43	2	44	< 1.0 U		44 M	< 1 U
MW-4	8/12/2005	WH4-05812-	0.35 MJ			43	2	25	< 1.0 U		26 M	1 J
MW-4	12/5/2005	WH4-05D05-	0.38			48	2.8	37	< 1 U		53	16
MW-4	2/24/2006	WH4-060224-	0.99			46	2.1	96	< 1 U		97	< 2 U
MW-4	5/17/2006	WH4-060517-	0.64			48	2.4	16	< 1 U		20	4
MW-4	8/23/2006	WH4-060823-	0.31			45	2.7	35	< 1 U		39	4
MW-4	12/1/2006	WH4-061201-	0.56			44	2.6	43	< 1 U		45	2
MW-4	2/20/2007	WH4-070220-	0.56			50	2.2	< 2 U	< 1 U		5	5
MW-4 (Dup)	2/20/2007	WH4-070220D	0.56			46	2.4	11	< 1 U		13	2
MW-4	5/17/2007	WH4-070517-	0.32			48	2.1	50	< 1 U		53	3
MW-4	8/27/2007	WH4-070827-	0.3			52	2.6	29	< 1 U		31	2
MW-4	12/10/2007	WH4-071210-	0.5			53	2.6	51	< 1 U		54	3
MW-4	3/3/2008	WH4-080303-	0.46			43	2.5	31	< 1 U		32	< 2 U
MW-4 (Dup)	3/3/2008	WH4-080303D	0.45			43	2.5	29	< 1 U		29	< 2 U
MW-4	6/4/2008	WH4-080604-	0.45			48	2.3	25	< 1 U		29	4
MW-4	8/21/2008	WH4-080821-	0.3			48	2.5	33	< 1 U		38	5
MW-4	12/3/2008	WH4-081203-	0.41			47	2.7	43	< 1 U		45	2
MW-4	2/27/2009	WH4-090227-	0.85			48	2	34	< 1 U		39	5
MW-4	6/1/2009	WH4-090601-	0.435			48.1	2.28	31	1.42		36	1.7
MW-4	9/2/2009	WH4-090902-	0.556			57.6	2.65	41	< 1 U		44	< 1 U
MW-4	11/30/2009	WH4-091130-	0.613			47.3	2.52	35	1.12		39	3.5
MW-4	3/2/2010	WH4-100302-	0.585			52.9	2.4	32	< 1 U		29	1.7
MW-4	5/26/2010	WH4-100526-	0.371			47.3	2.7	41	1.19		76	1.33
MW-4	8/31/2010	WH4-100831-	0.309			58.1	2.49	62	< 1 U		86	< 1 U
MW-4	12/3/2010	WH4-101203-	0.491			54.7	2.48	31	1.24		31	1.6
MW-4 (Dup)	12/3/2010	WH4-101203D	0.501			54.5	2.35	41	< 1 U		46	1.5
MW-4	2/28/2011	WH4-110228-	0.664			43.4	2.01	22	< 1 U		32	< 1 U
MW-4	6/1/2011	WH4-110601-	0.279			42.7	2.37	30	< 1 U		28	< 1 U
MW-4	8/25/2011	WH4-110825-	0.363			56.6	2.36	42	1.14		41	1.6 T
MW-4	12/2/2011	WH4-111202-		0.491		52.2	2.29	42	< 1 U		43	< 1 U
MW-4	2/23/2012	WH4-120223-		0.811		42	2.05	32	< 1 U		37	< 1 U
MW-4	5/21/2012	WH4-120521-		0.462		43.4	2.13	27.4	< 1 U		24.8	1.3
MW-4	8/27/2012	WH4-120827-		0.443		55.8	2.48	44.1	< 1 U		50.2	7.6
MW-4	11/20/2012	WH4-121120-	0.463			56.7	2.39	48.1	1.29		74.7	2.5
MW-4	3/1/2013	WH4-130301-	0.634			42.7	2.43	30.8	< 1 U		31	< 1 U
MW-4	5/23/2013	WH4-130523-	0.325			40.9	2.39	31.5	< 1 U		30.9	< 1 U
MW-4	8/22/2013	WH4-130822-	0.352			55	2.5	41.1	< 1 U		42.3	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-5	6/9/1987	WH5-87609	< 0.2		< 0.005	200	3		2.6	0.03		
MW-6	8/25/1987	WH6-87825	0.02				7.2		< 5			
MW-6	12/8/1987	WH6-87D08	< 0.2		< 0.005	410	7		18	0.04		
MW-6	3/8/1988	WH6-88308	< 0.2		< 0.005	410	8		2.6	0.03		
MW-6	6/1/1988	WH6-88601	< 0.2		< 0.005	300	5		3.1	< 0.02		
MW-6	9/7/1988	WH6-88907Q	0.2		< 0.005	220	6		27	< 0.02	330	140
MW-6	11/21/1988	WH6-88N21Q	< 0.2		< 0.005	200	11		3.7	0.03	920	560
MW-6	3/21/1989	WH6-89321Q	< 0.2		< 0.005	310	11		4.5	0.11	590	310
MW-6	6/23/1989	WH6-89623Q	< 0.2		< 0.005	280	7		6.6	< 0.02	1300	690
MW-6	9/6/1989	WH6-89906Q	< 0.2		0.007	260	6		2	0.02	400	230
MW-6	11/27/1989	WH6-89N27	< 0.2		0.008	160	6		1	< 0.02	140	24
MW-6	11/27/1989	WH6-89N27Q	< 0.2		0.008	160	6		1	< 0.02	140	24
MW-6	3/13/1990	WH6-90313Q	< 0.2		0.006	200	6		4.4	0.06	160	30
MW-6	5/21/1990	WH6-90521Q	< 0.01		< 0.01	200	11	180	< 1	< 0.02	220	50
MW-6	8/27/1990	WH6-90827-	0.16		< 0.01	210	5.9	190	3	0.05	220	34
MW-6	12/14/1990	WH6-90D14-	0.02		< 0.01	210	7.4	100	5.1	< 0.02	170	82
MW-6	2/25/1991	WH6-91225-	0.03		< 0.01	190	5.6	120	6.4	< 0.02	200	96
MW-6	6/13/1991	WH6-91613-	0.035		0.018	180	9.3	140	36	< 0.02	150	28
MW-6	9/13/1991	WH6-91913-	< 0.01		< 0.01	160	11	120	11	0.062	150	27
MW-6	12/13/1991	WH6-91D13-	< 0.01		0.01	190	5.8	130	13	< 0.02	150	25
MW-6	3/20/1992	WH6-92320-	0.066		< 0.01	170	6.1	80	3.1	< 0.02	120	16
MW-6	6/25/1992	WH6-92625-	< 0.1 U		< 0.01 U	171.3	9.75	111 B	< 1 M	0.033	139	44.8
MW-6	9/23/1992	WH6-92923-	< 0.1 U		< 0.01 U	189.7	5.25 B	100	< 1 U	< 0.02 U	116	3.6
MW-6	12/23/1992	WH6-92D23-	< 0.1 U		< 0.01 U	214	6.1 B	80	< 1 U	0.33	121	3.2
MW-6	3/23/1993	WH6-93323-	< 0.1 U		< 0.01 U	170	6	109	< 1 U	< 0.02 U	119	2
MW-6	6/16/1993	WH6-93616-	< 0.1 U		< 0.01 U	161	7	77	< 1 U	< 0.02 U	110	12.8
MW-6	9/17/1993	WH6-93917-	< 0.1 U		< 0.01 U	181	7.6	107	< 1 U	0.025	110	< 1 UJ
MW-6	12/27/1993	WH6-93D27-	< 0.1 U		< 0.01 U	186	8.4	61	< 1 U	< 0.02 U	143	26.6
MW-6	3/17/1994	WH6-94317-	< 0.1 U		< 0.01 U	160	9.3	86	< 1 U	< 0.02 U	83	3.6
MW-6	6/24/1994	WH6-94624-	< 0.1 U	< 0.01 U	< 0.01 U	102	5.3	90	< 1 UJ	< 0.02 U	100	< 1 UJ
MW-6	8/24/1994	WH6-94824-	< 0.1 U	0.056	< 0.01 U	162	7.1	122	< 1 UJ	< 0.02 U	195	2.7
MW-6	12/21/1994	WH6-94D21-	< 0.1 U	0.044	< 0.01 U	178	12.8	110	2.1	< 0.02 U	114	4.8
MW-6	3/6/1995	WH6-95306L	0.06	0.06	< 0.01 U	140	7	120	1.2	< 0.02 U	93	3
MW-6	5/26/1995	WH6-95526L	0.04	0.04	< 0.01 U	150	7	110 O	1.8	< 0.02 U	110 B	5
MW-6	9/21/1995	WH6-95921-	0.01	0.01	< 0.01 U	160	7	< 2 U	< 1 U	< 0.02 U	130	2
MW-6	12/18/1995	WH6-95D18-	0.06	0.06	< 0.01 U	140	7	110	< 1 U	< 0.02 U	47	3
MW-6	3/18/1996	WH6-96318-	0.09	0.09	< 0.01 U	140	7	35	1.5	< 0.02 U	120	20
MW-6	5/24/1996	WH6-96524-	0.1	0.1	< 0.01 U	140	7	92	2.4	< 0.02 U	96	1
MW-6	8/5/1996	WH6-96805-	0.04 J	0.04	< 0.01 U	160	10	97	2.1	< 0.02 U	100	< 1 U
MW-6	12/3/1996	WH6-96D03-	0.04 JB	0.04 B	< 0.01 U	150	13	98	< 1 U	< 0.02 U	110	5

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-6	3/7/1997	WH6-97307-	0.09 J	0.09	< 0.01 U	140	6	95	< 1 U	0.02 J	96 O	1 J
MW-6	5/22/1997	WH6-97522-	0.11 J	0.11	< 0.01 U	140	6	92	< 1 U	< 0.02 U	97	6
MW-6	8/21/1997	WH6-97821-	0.05 J	0.05	< 0.01 U	140	7	88	1.5	< 0.02 U	95	2
MW-6	12/4/1997	WH6-97D04-	0.01 J	0.01	< 0.01 U	150	11	90	< 1 U	< 0.02 UO	99	2 B
MW-6	3/10/1998	WH6-98310-	0.07 JB	0.07 B	< 0.01 U	130	7	87	< 1 U	< 0.02 U	110	2
MW-6	5/21/1998	WH6-98521-	0.05 J	0.05	< 0.01 U	170	8	96	4	< 0.02 U	100	4
MW-6	8/31/1998	WH6-98831-	0.03 JB	0.03 B	< 0.01 U	180	8	86	< 1 U	< 0.02 U	94 B	1 J
MW-6	3/9/1999	WH6-99309-	0.09 J	0.09	< 0.01 U	120	6	94 B	< 1 U	< 0.02 U	100	6
MW-6	6/11/1999	WH6-99611-	0.05 JB	0.05 B	< 0.01 U	140	8	97 B	< 1 U	< 0.02 U	94	4
MW-6	8/18/1999	WH6-99818-	0.03 J	0.03	< 0.01 U	130	8	83	< 1 UO	< 0.02 U	95	1 J
MW-6	12/7/1999	WH6-99D07-	0.07 J	0.07	< 0.01 U	120	7 O	84	< 1 U	< 0.02 U	110	5 B
MW-6	12/7/1999	WH6-98D07-	0.03 J	0.03	< 0.01 U	160	7	79	< 1 U	< 0.02 U	97	< 1 U
MW-6	3/7/2000	WH6-00307-	0.11 J	0.11	< 0.01 U	120	6.4	85	< 1.0 U	< 0.02 U	91	< 1 U
MW-6	5/19/2000	WH6-00519-	0.10 J	0.1	< 0.01 U	120	6.3	82	< 1.0 U	< 0.02 U	96	3
MW-6	9/7/2000	WH6-00907-	0.03 J	0.03	< 0.01 U	130	7.1	86	< 1.0 U	< 0.02 U	96	< 1 U
MW-6	12/6/2000	WH6-00D06-	0.04 J	0.04	< 0.01 U	100	4	63	< 1.0 U	< 0.05 UM	89	< 1 U
MW-6	2/14/2001	WH6-01214-	0.02 J	0.02	< 0.01 U	120	6	80	9.1	< 0.05 UM	100	6
MW-6	5/29/2001	WH6-01529-	0.10 J	0.1	< 0.01 U	130	6	85	< 1.0 U	< 0.05 UM	120	< 1 U
MW-6	8/14/2001	WH6-01814-	0.05 J	0.05	< 0.01 U	120	6	73	< 1.0 U	< 0.05 UM	96	2.0 B
MW-6	12/10/2001	WH6-01D10-	< 0.01 U	< 0.01 U	< 0.01 U	120	5	84	< 1.0 U	< 0.05 UM	83	5
MW-6	2/27/2002	WH6-02227-	0.19 J	0.19	< 0.01 U	120	5 O	90	< 1.0 U	< 0.05 UM	88	5
MW-6	5/20/2002	WH6-02520-	0.16 J	0.16	< 0.01 U	110	5	80	< 1.0 U	< 0.05 UM	89	5
MW-6	9/3/2002	WH6-02903-	0.03 J	0.03	< 0.01 U	110	5	82	< 1.0 U	< 0.05 UM	78	4
MW-6	11/22/2002	WH6-02N22-	0.03 J	0.03	< 0.01 U	100	4	51	< 1.0 U	< 0.05 UM	190	4
MW-6	2/12/2003	WH6-03213-	0.07 J	0.07	< 0.01 U	110	5	69	< 1.0 U	< 0.05 UM	99	8
MW-6	5/15/2003	WH6-03515-	0.22 MJ	0.22 M	< 0.01 U	110	5	87	< 1.0 U	< 0.05 UM	100	< 1 U
MW-6	8/7/2003	WH6-03807-	0.07 MJ	0.07 M	< 0.01 U	110	5	69	< 1.0 U	< 0.05 UM	74	1 J
MW-6	11/14/2003	WH6-03N14-	< 0.05 UM			100	5	96	< 1.0 U		96 M	< 1 U
MW-6	2/24/2004	WH6-04224-	0.36 MJ			110	4	63	< 1.0 U		63 M	< 1 U
MW-6	5/20/2004	WH6-04520-	0.18 MJ			120	5	85	< 1.0 U		85 M	< 1 U
MW-6	9/3/2004	WH6-04903-	0.10 MJ			120	5	78	< 1.0 U		82 M	4
MW-6	11/18/2004	WH6-04N18-	0.12 MJ			120	5	84	< 1.0 UO		84 M	< 1 U
MW-6	2/23/2005	WH6-05223-	0.30 MJ			130	5	78	< 1.0 U		78 M	< 1 U
MW-6	5/23/2005	WH6-05523-	0.27 MJ			120	5	90	< 1.0 U		90 M	< 1 U
MW-6	8/25/2005	WH6-05825-	0.08 MJ			120	4	71	< 1.0 U		72 M	1 J
MW-6	12/6/2005	WH6-05D06-	< 0.05 U			110	4.9	5 O	< 1 U		< 2 U	< 2 U
MW-6	2/13/2006	WH6-060213-	0.27			120	4.2	49	< 1 U		49	< 2 U
MW-6	5/22/2006	WH6-060522-	0.23			130	4.4	88	< 1 U		91	3
MW-6	8/24/2006	WH6-060824-	0.11			120	5	68	< 1 U		69	< 2 U
MW-6	12/4/2006	WH6-061204-	0.23			130	4.6	74	< 1 U		74	< 2 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-6	2/15/2007	WH6-070215-	0.27			120	4.4	87	< 1 U		93	6
MW-6	5/21/2007	WH6-070521-	0.32			120	4.2	69	< 1 U		72	3
MW-6	8/27/2007	WH6-070827-	0.073			120	4.9	72	< 1 U		72	< 2 U
MW-6	11/30/2007	WH6-071130-	0.08			130	4.5	48	< 1 U		48	< 2 U
MW-6	3/3/2008	WH6-080303-	0.31			130	4.4	67	11		67	< 2 U
MW-6	6/4/2008	WH6-080604-	0.27			120	4.4	59	< 1 U		62	3
MW-6	8/22/2008	WH6-080822-	0.11			110	4.5	70	< 1 U		70	< 2 U
MW-6	12/3/2008	WH6-081203-	0.16			120	4.4	65	< 1 U		76	11
MW-6	3/2/2009	WH6-090302-	0.24			120	4.1	75	< 1 U		75	< 2 U
MW-6	5/29/2009	WH6-090529-	0.238			123	4.14	88	< 1 U		84	1.2
MW-6	9/2/2009	WH6-090902-	0.0803			115	4.75	82	< 1 U		82	1.3
MW-6	12/1/2009	WH6-091201-	0.0852			116	4.82	86	< 1 U		90	< 1 U
MW-6	3/3/2010	WH6-100303-	0.252			122	4.24	71	< 1 U		71	< 1 U
MW-6	5/27/2010	WH6-100527-	0.255			123	4.47	86	< 1 U		91	< 1 U
MW-6	8/31/2010	WH6-100831-	0.183			116	4.46	99	< 1 U		104	1
MW-6	12/3/2010	WH6-101203-	0.179			124	4.23	84	< 1 U		80	< 1 U
MW-6	2/28/2011	WH6-110228-	0.298			114	3.97	69	< 1 U		89	< 1 U
MW-6	6/1/2011	WH6-110601-	0.276			122	4.02	82	< 1 U		82	< 1 U
MW-6	8/26/2011	WH6-110826-	0.193			118	4.2	84	1.12		82	< 1 U
MW-6	12/5/2011	WH6-111205-		0.064		114	4.37	79	< 1 U		80	< 1 U
MW-6	2/27/2012	WH6-120227-		0.247		119	4.14	91	< 1 U		103	< 1 U
MW-6	5/21/2012	WH6-120521-		0.256		117	3.77	88.4	< 1 U		101	25
MW-6	8/27/2012	WH6-120827-		0.18		111	4.3	83	< 1 U		86.3	< 1 U
MW-6	11/20/2012	WH6-121120-	0.0684			111	4.34	88.8	1.12		111	< 1 U
MW-6	2/27/2013	WH6-130227-	0.271			119	4.09	82.4	< 1 U		86.5	< 1 U
MW-6	5/23/2013	WH6-130523-	0.269			118	3.76	88	< 1 U		87.4	< 1 U
MW-6 (Dup)	5/23/2013	WH6-130523D	0.274			117	3.75	85.4	< 1 U		86.1	< 1 U
MW-6	8/27/2013	WH6-130827-	0.152			110	4.52	91.4	< 1 U		96.5	8.8
MW-7	6/2/1987	WH7-87602	< 0.2		< 0.005	390	2		3.2	0.12		
MW-7	8/24/1987	WH7-87824	0.04				2.4		< 5			
MW-7	12/23/1987	WH7-87D23	< 0.2		< 0.005	390	2		8.9	0.05		
MW-7	3/10/1988	WH7-88310	< 0.2		< 0.005	420	3		1.6	0.03		
MW-7	3/10/1988	WH7-88310S	< 0.2		< 0.005	430	3		1.3	< 0.02		
MW-7	5/31/1988	WH7-88531	< 0.2		< 0.005	400	2		2.7	0.04		
MW-7	9/1/1988	WH7-88901Q	< 0.2		< 0.005	410	3		15	0.04	250	< 1
MW-7	11/17/1988	WH7-88N17Q	< 0.2		< 0.005	430	2		2.4	0.04	240	< 1
MW-7	3/28/1989	WH7-89328Q	< 0.2		< 0.005	460	3		1.2	< 0.02	280	< 1
MW-7	6/7/1989	WH7-89607Q	0.2		< 0.005	470	3		11	0.02	280	2
MW-7	9/14/1989	WH7-89914Q	< 0.2		< 0.005	460	2		1.7	0.08	280	< 1
MW-7	12/7/1989	WH7-89D07Q	< 0.2		< 0.005	420	4		1.4	< 0.02	270	< 2

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-7	3/13/1990	WH7-90313Q	0.3		< 0.005	460	3		4.4	< 0.02	270	< 1
MW-7	5/21/1990	WH7-90521Q	< 0.01		< 0.01	440	7.5	350	1.4	< 0.02	350	3
MW-7	8/29/1990	WH7-90829-	< 0.01		< 0.01	470	1.2	310	6.9	0.07	350	1
MW-7	12/12/1990	WH7-90D12-	< 0.01		< 0.01	530	1.6	260	18	< 0.02	330	< 1
MW-7	3/5/1991	WH7-91305-	< 0.01		< 0.01	190	2.3	100	2.4	< 0.02	100	4
MW-7	6/11/1991	WH7-91611-	< 0.01		< 0.01	570	5.5	320	78	< 0.02	460	1
MW-7	9/12/1991	WH7-91912-	< 0.01		< 0.01	520	10	320	41	< 0.02	400	< 1
MW-7	12/16/1991	WH7-91D16-	< 0.01		< 0.01	460	11	270	12	0.033	240	< 1
MW-7	3/19/1992	WH7-92319-	0.016		< 0.01	530	3.4	280	8	< 0.02	290	< 1
MW-7	6/24/1992	WH7-92624-	< 0.1 U		< 0.01 U	543	4.75	307 B	< 1 U	0.01	276	< 1 M
MW-7	9/25/1992	WH7-92925-	< 0.1 U		< 0.01 U	467	3.87 B	292 B	< 1 U	0.027	289	1.6
MW-7	12/23/1992	WH7-92D23-	< 0.1 U		< 0.01 U	498	4.9 B	262	< 1 U	0.09	258	< 1 UJ
MW-7	3/26/1993	WH7-93326-	< 0.1 U		< 0.01 U	546	6.2	289	< 1 U	1.5	313	< 1 UJ
MW-7	6/23/1993	WH7-93622-	< 0.1 U		< 0.01 U	576	6.5	310	< 1 U	0.02	314	< 1 UJ
MW-7	9/23/1993	WH7-93923-	< 0.1 U		< 0.01 U	484	6.1	297	< 1 U	0.026	314	< 1 UJ
MW-7	12/27/1993	WH7-93D27-	< 0.1 U		< 0.01 U	448	8	244	< 1 U	< 0.02 U	272	< 1 UJ
MW-7	3/18/1994	WH7-94318-	< 0.1 U		< 0.01 U	530	4.9	288	< 1 U	< 0.02 U	282	< 1 UJ
MW-7	6/28/1994	WH7-94628-	< 0.1 U	< 0.01 U	< 0.01 U	547	7.7	312	< 1 UJ	< 0.02 U	294 B	< 1 UJ
MW-7	8/24/1994	WH7-94824-	< 0.1 U	0.028	< 0.01 U	518	8.4	315	1.65	0.031	388	< 1 UJ
MW-7	12/21/1994	WH7-94D21-	< 0.1 U	< 0.01 U	< 0.01 U	526	9.2	337	1.83	0.021	310	< 1 UJ
MW-7	3/3/1995	WH7-95303-	< 0.1 U	< 0.01 U	< 0.01 U	563	8.2	329	< 1 UJ	< 0.02 U	328	< 1 UJ
MW-7	5/25/1995	WH7-95525L	< 0.01 U	< 0.01 U	< 0.01 U	500	8	330 O	2.5	0.03	340	3
MW-7	9/20/1995	WH7-95920-	0.01	0.01	< 0.01 U	460	9	300	2.3	0.05	320	< 1 U
MW-7	12/20/1995	WH7-95D20-	< 0.01 U	< 0.01 U	< 0.01 U	430	10	330	1.6	< 0.02 U	320	< 1 U
MW-7	3/19/1996	WH7-96319-	0.01	0.01	< 0.01 U	520	11	240	4.7	< 0.02 U	320	< 1 U
MW-7	5/24/1996	WH7-96524-	0.02	0.02	< 0.01 U	540	10	290	1.7	< 0.02 U	290	4
MW-7	7/29/1996	WH7-96729-	0.03 J	0.03	< 0.01 U	510	9	300	3.7	< 0.02 U	300	4
MW-7	12/4/1996	WH7-96D04-	0.04 JB	0.04 B	< 0.01 U	440	9	280	< 1 U	< 0.02 U	280	9
MW-7	3/6/1997	WH7-97306-	0.03 J	0.03	< 0.01 U	450	8	280	1.7	< 0.02 U	280	2 B
MW-7	5/21/1997	WH7-97521-	0.02 J	0.02	< 0.01 U	490	9	270	< 1 U	< 0.02 U	270	2
MW-7	8/19/1997	WH7-97819-	< 0.01 U	< 0.01 U	< 0.01 U	460	8	270	9.7	< 0.02 U	280	< 1 U
MW-7	12/5/1997	WH7-97D05-	0.02 J	0.02	< 0.01 U	490	9	260	2.3	< 0.02 U	270	1 JB
MW-7	3/6/1998	WH7-98306-	0.03 JB	0.03 B	< 0.01 U	500	9	260	2.8	< 0.02 U	290	2
MW-7	5/19/1998	WH7-98519-	0.02 J	0.02	< 0.01 U	510	10	260 B	6.2	< 0.02 U	270 B	1 JB
MW-7	8/25/1998	WH7-98825-	0.03 J	0.03	< 0.01 U	530	10	270 B	1.1	< 0.02 U	270 B	4
MW-7	3/8/1999	WH7-99308-	0.02 J	0.02	< 0.01 U	410	12	270 B	1.8	< 0.02 U	240	1 JB
MW-7	6/10/1999	WH7-99610-	0.03 JB	0.03 B	< 0.01 U	420	12	260 B	< 1 U	< 0.02 U	260	< 1 U
MW-7	8/17/1999	WH7-99817-	0.03 J	0.03	< 0.01 U	400	11	240	< 1 UO	< 0.02 U	250	< 1 U
MW-7	12/7/1999	WH7-98D07-	0.02 J	0.02	< 0.01 U	500	10	250	1.3	< 0.02 U	260	< 1 U
MW-7	12/7/1999	WH7-99D07-	0.03 J	0.03	< 0.01 U	380	12 O	240	< 1 U	0.03 J	250	< 1 UB

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-7	3/7/2000	WH7-00306-	0.05 J	0.05	< 0.01 U	380	13	240	< 1.0 U	< 0.02 U	250	5
MW-7	5/17/2000	WH7-00517-	0.03 J	0.03	< 0.01 U	380	13	240	< 1.0 U	< 0.02 U	250	< 1 U
MW-7	9/7/2000	WH7-00907-	0.02 J	0.02	< 0.01 U	440	13	250	< 1.0 U	< 0.02 U	250	< 1 U
MW-7	12/1/2000	WH7-00D01-	0.04 BJ	0.04 B	< 0.01 U	400	18 M	210	1.3	< 0.05 UM	220	1. U
MW-7	2/14/2001	WH7-01214-	0.03 J	0.03	< 0.01 U	380	13	230	1.2	< 0.05 UM	250	1 J
MW-7	5/29/2001	WH7-01529-	0.04 J	0.04	< 0.01 U	340	14	230	< 1.0 U	< 0.05 UM	240	< 1 U
MW-7	8/13/2001	WH7-01813-	0.06 J	0.06	< 0.01 U	350	12	220	< 1.0 U	< 0.05 UM	240	< 1 UB
MW-7	12/10/2001	WH7-01D10-	0.03 J	0.03	< 0.01 U	340	13	210	< 1.0 U	< 0.05 UM	210	2
MW-7	2/26/2002	WH7-02226-	0.05 J	0.05	< 0.01 U	340	13	210	< 1.0 U	< 0.05 UM	210	< 1 UB
MW-7	5/17/2002	WH7-02517-	0.05 J	0.05	< 0.01 U	310	13	220 B	< 1.0 U	< 0.05 UM	220	< 1 UO
MW-7	8/29/2002	WH7-02829-	0.03 J	0.03	< 0.01 U	280	12	210	< 1.0 U	< 0.05 UM	210	1 J
MW-7	11/21/2002	WH7-02N21-	0.04 J	0.04	< 0.01 U	300	13	140	< 1.0 U	< 0.05 UM	220	1. U
MW-7	2/12/2003	WH7-03212-	0.04 J	0.04	< 0.01 U	300	12	210	< 1.0 U	< 0.05 UM	230	< 1 U
MW-7	5/13/2003	WH7-03516-	< 0.05 UM	< 0.05 UM	< 0.01 U	290	13	210	< 1.0 U	< 0.05 UM	220	< 1 U
MW-7	8/7/2003	WH7-03807-	< 0.05 UM	< 0.05 UM	< 0.01 U	300	12	200	< 1.0 U	< 0.05 UM	200	2
MW-7	11/12/2003	WH7-03N12-	< 0.05 UM			330	12	200	< 1.0 U		200 M	< 1 U
MW-7	2/20/2004	WH7-04220-	< 0.05 UM			270	12	180	< 1.0 U		180 M	< 1 U
MW-7	5/20/2004	WH7-04520-	0.06 MJ			330	12	200	< 1.0 U		200 M	< 1 U
MW-7	9/1/2004	WH7-04901-	< 0.05 UM			340	12	220	< 1.0 U		220 M	< 1 U
MW-7	11/17/2004	WH7-04N17-	< 0.05 UM			300	12	210	< 1.0 U		210 M	< 1 U
MW-7 (Dup)	11/17/2004	WH7-04N17D	< 0.05 UM			290	12	180	< 1.0 U		180 M	1 J
MW-7	2/22/2005	WH7-05222-	< 0.05 UM			340	12	190	< 1.0 U		190 M	1 J
MW-7	6/21/2005	WH7-05621-	< 0.05 UM			340	11	180	< 1.0 U		180 M	2
MW-7	8/11/2005	WH7-05811-	0.08 MJ			340	11	190	< 1.0 U		190 M	1 J
MW-7	12/6/2005	WH7-05D06-	< 0.05 U			300	12	64 O	< 1 U		< 2 U	< 2 U
MW-7	2/13/2006	WH7-060213-	0.052			280	11	88	< 1 U		88	< 2 U
MW-7	5/18/2006	WH7-060518-	< 0.05 U			330	10	180	< 1 U		180	< 2 U
MW-7	8/23/2006	WH7-060823-	< 0.05 U			340	12	200	< 1 U		200	2
MW-7	12/5/2006	WH7-061205-	< 0.05 U			340	12	190	< 1 U		190	< 2 U
MW-7	2/14/2007	WH7-070214-	< 0.05 U			340	11	180	< 1 U		180	< 2 U
MW-7	5/17/2007	WH7-070517-	< 0.05 U			340	11	200	< 1 U		200	2
MW-7	8/22/2007	WH7-070822-	< 0.05 U			330	11	190	< 1 U		190	< 2 U
MW-7	12/7/2007	WH7-071207-	< 0.05 U			380	11	180	< 1 U		180	< 2 U
MW-7	2/29/2008	WH7-080229-	< 0.05 U			330	12	170	< 1 U		170	< 2 U
MW-7	6/4/2008	WH7-080604-	0.052			320	12	160	< 1 U		170	2
MW-7	8/21/2008	WH7-080821-	< 0.05 U			320	11	180 O	< 1 U		180	< 2 UO
MW-7	12/2/2008	WH7-081202-	0.054			310	11	150	< 1 U		150	< 2 U
MW-7	3/3/2009	WH7-090303-	< 0.05 U			310	11	190	< 1 U		200	5
MW-7 (Dup)	3/3/2009	WH7-090303D	< 0.05 U			310	11	180	< 1 U		190	< 2 U
MW-7	6/1/2009	WH7-090601-	0.035 T			320	11.4	188	1.93		194	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-7	8/28/2009	WH7-090828-	0.039 T			322	11.7	186	2.48		236	< 1 U
MW-7	11/30/2009	WH7-091130-	0.0421			311	11.1	192	2.1		198	< 1 U
MW-7	3/1/2010	WH7-100301-	0.03 T			318	11.3	180	1.11		181	< 1 U
MW-7	5/26/2010	WH7-100526-	0.028 T			319	11.8	180	2.05		183	< 1 U
MW-7	8/23/2010	WH7-100823-	0.03 T			309	11.5	183	1.26		192	< 1 U
MW-7	12/3/2010	WH7-101203-	0.031 T			330	11.3	183	1.74		188	< 1 U
MW-7	2/24/2011	WH7-110224-	0.034 T			304	11.3	165	1.94		182	< 1 U
MW-7	6/6/2011	WH7-110606-	0.034 T			316	10.9	181	1.07		188	< 1 U
MW-7	8/25/2011	WH7-110825-	0.029 T			315	11	177	1.52		178	< 1 U
MW-7	3/5/2012	WH7-120305-		0.03 T		311	11.2	182	1.57		182	1
MW-7	5/21/2012	WH7-120521-		0.032 T		307	10.6	184	1.3		189	< 1 U
MW-7	9/24/2012	WH7-120924-		0.032 T		314	11.7	183	1.2		193	< 1 U
MW-7	11/29/2012	WH7-121129-	0.03 T			308	10.6	181	1.25		189	1.24
MW-7	2/28/2013	WH7-130228-	0.031 T			313	11.6	183	< 1 U		191	1
MW-7	5/16/2013	WH7-130516-	0.031 T			309	11.1	183	< 1 U		191	< 1 U
MW-7	8/20/2013	WH7-130820-	0.038 T			308	11	180	< 1 U		184	< 1 U
MW-8	6/11/1987	WH8-87611	< 0.2		< 0.005	850	< 1		25	0.14		
MW-8	7/21/1987	WH8-87721	< 0.005				< 1		15			
MW-9	8/25/1987	WH9-87825	0.24				4		< 5			
MW-9	12/14/1987	WH9-87D14	0.3		0.007	80	3		6.9	1		
MW-9	3/17/1988	WH9-88317	0.3		< 0.005	86	3		10	0.05		
MW-9	6/9/1988	WH9-88609	0.4		< 0.005	97	3		3.3	0.07		
MW-9	9/6/1988	WH9-88906Q	< 0.2		< 0.005	73	3		3.2	< 0.02	89	19
MW-9	11/28/1988	WH9-88N28Q	0.5		< 0.005	93	3		1.9	< 0.02	74	6
MW-9	3/29/1989	WH9-89329Q	0.5		0.009	95	6		3.1	< 0.02	81	5
MW-9	6/28/1989	WH9-89628Q	0.3		< 0.005	91	2		1	< 0.02	73	3
MW-9	9/18/1989	WH9-89918Q	0.3		< 0.005	92	3		< 1	< 0.02	75	5
MW-9	12/8/1989	WH9-89D08Q	0.4		< 0.005	89	3		< 1	< 0.02	76	2
MW-9	3/14/1990	WH9-90314Q	0.5		< 0.005	92	4		3.8	< 0.02	69	< 1
MW-9	5/18/1990	WH9-90518Q	0.32		< 0.01	60	< 1	76	< 1	< 0.02	76	< 1
MW-9	8/27/1990	WH9-90827-	0.21		< 0.01	100	1.9	100	1.4	0.03	100	< 1
MW-9	12/13/1990	WH9-90D13-	0.22		< 0.01	100	1.9	72	3	< 0.02	72	< 1
MW-9	3/6/1991	WH9-91306-	0.2		< 0.01	100	2.3	100	1.4	0.02	110	< 1
MW-9	6/26/1991	WH9-91626-	0.24		< 0.01	120	1.6	82	10	< 0.02	88	< 1
MW-9	9/17/1991	WH9-91917-	0.2		< 0.01	270	< 1	82	6.2	0.04	76	1
MW-9	12/17/1991	WH9-91D17-	0.19		< 0.01	94	1.5	56	< 1	0.58	64	< 1
MW-9	3/20/1992	WH9-92320-	0.3		< 0.01	97	2.2	46	1.6	< 0.02	68	< 1
MW-9	6/23/1992	WH9-92623-	0.253		< 0.01 U	96.5	2.77	62.3 J	< 1 U	0.011	62.3 J	< 1 U
MW-9	9/23/1992	WH9-92923-	0.249		< 0.01 U	92.8	3.18 B	52	< 1 U	< 0.02 U	47	< 1 U
MW-9	12/23/1992	WH9-92D23-	0.233		< 0.01 U	97.3	3.4 B	19	< 1 U	0.14	48	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
MW-9	3/24/1993	WH9-93324-	0.24		< 0.01 U	95	2.6	47	< 1 U	0.029	75	< 1 UJ
MW-9	6/21/1993	WH9-93621-	0.26		< 0.01 U	94	4.2	48	< 1 U	< 0.02 U	60	< 1 UJ
MW-9	9/22/1993	WH9-93922-	0.24		< 0.01 U	101	3.2	65	< 1 U	0.053	51	< 1 UJ
MW-9	12/28/1993	WH9-93D28-	0.24		< 0.01 U	93.8	3.4	< 1 UJ	< 1 U	2.3	59	< 1 UJ
MW-9	3/16/1994	WH9-94316-	0.257		< 0.01 U	96.8	3	61	< 1 U	0.052	46	< 1 UJ
MW-9	6/24/1994	WH9-94624-	0.279	0.279	< 0.01 U	98.4	2.7	61	< 1 UJ	0.033	74	< 1 UJ
MW-9 (Dup)	6/24/1994	WH9-94624D	0.254	0.254	< 0.01 U	98.2	3	57	< 1 UJ	0.049	48	< 1 UJ
MW-9	8/25/1994	WH9-94825-	0.265	0.265	< 0.01 U	94.7	4	59	< 1 UJ	< 0.02 U	49	< 1 UJ
MW-9	12/19/1994	WH9-94D19-	0.256	0.256	< 0.01 U	97.4	3.4	67	< 1 UJ	< 0.02 U	52	< 1 UJ
MW-9	9/15/1995	WH9-95915-	0.44	0.22 B	< 0.01 U	79	3	83	1.6	< 0.02 U	76	< 1 UB
MW-9	12/20/1995	WH9-95D20-	0.26	0.26	< 0.01 U	86	3	83	< 1 U	< 0.02 U	100	< 1 U
MW-9	3/19/1996	WH9-96319-	0.25	0.25	< 0.01 U	110	3	2	5.3	< 0.02 U	72	< 1 U
MW-9	5/28/1996	WH9-96528-	0.27	0.27	< 0.01 U	93	3	64	< 1 U	< 0.02 U	59	< 1 U
MW-9	8/1/1996	WH9-96801-	0.25	0.25	< 0.01 U	100	3	76	1.9	< 0.02 U	62	3
MW-9 (Dup)	8/1/1996	WH9-96801D	0.25	0.25	< 0.01 U	100	3	67	1	< 0.02 U	63	< 1 U
MW-9	12/4/1996	WH9-96D04-	0.29 B	0.29 B	< 0.01 U	94	3	67	< 1 U	< 0.02 U	63	1 J
MW-9	3/6/1997	WH9-97306-	0.26	0.26	< 0.01 U	97	3	72	< 1 U	< 0.02 U	73	< 1 UB
MW-9	5/16/1997	WH9-97516-	0.27	0.27	< 0.01 U	92	3	66	< 1 U	< 0.02 U	71	< 1 U
MW-9	8/18/1997	WH9-97818-	0.26	0.26	< 0.01 U	97	3	67	1.5	< 0.02 U	76	2
MW-9	12/4/1997	WH9-97D04-	0.25	0.25	< 0.01 U	110	3	61	< 1 U	< 0.02 UO	65	< 1 UB
MW-9	3/9/1998	WH9-98309-	0.26 B	0.26 B	< 0.01 U	89	3	66	< 1 U	< 0.02 U	75	< 1 U
MW-9	5/18/1998	WH9-98518-	0.27	0.27	< 0.01 U	110	3	63 B	1.1	< 0.02 U	59 B	1 JB
MW-9	8/24/1998	WH9-98824-	0.27 B	0.27 B	< 0.01 U	100	3	84 B	< 1 U	< 0.02 U	76 B	< 1 U
MW-9	3/9/1999	WH9-99309-	0.26	0.26	< 0.01 U	99	3	73 B	1.5	< 0.02 U	70	< 1 U
MW-9	6/14/1999	WH9-99614-	0.24 B	0.24 B	< 0.01 U	97	3	65 B	< 1 U	< 0.02 U	66	1 J
MW-9	8/17/1999	WH9-99817-	0.24	0.24	< 0.01 U	93	3	51	< 1 UO	< 0.02 U	65	< 1 U
MW-9	12/4/1999	WH9-98D04-	0.24	0.24	< 0.01 U	110	3	59 B	< 1 U	< 0.02 U	72	2 B
MW-9	12/8/1999	WH9-99D08-	0.24	0.24	< 0.01 U	84	3	84	< 1 U	< 0.02 U	70	< 1 UB
MW-9	3/7/2000	WH9-00307-	0.25	0.25	< 0.01 U	83	3.2	54	< 1.0 U	< 0.02 U	75	< 1 U
MW-9	5/18/2000	WH9-00518-	0.26	0.26	< 0.01 U	86	3.1	62	< 1.0 U	< 0.02 U	60	< 1 U
MW-9	9/8/2000	WH9-00908-	0.24	0.24	< 0.01 U	100	3.2	66	< 1.0 U	< 0.02 U	76	< 1 U
MW-9	12/6/2000	WH9-00D06-	0.27	0.27	< 0.01 U	85	3	51	< 1.0 U	< 0.05 UM	77	< 1 U
MW-9 (Dup)	12/6/2000	WH9-00D06D	0.25	0.25	< 0.01 U	85	3	50	< 1.0 U	< 0.05 UM	78	< 1 U
MW-9	2/14/2001	WH9-01214-	0.25	0.25	< 0.01 U	94	3	65	< 1.0 U	< 0.05 UM	71	< 1 U
MW-9	5/29/2001	WH9-01529-	0.25	0.25	< 0.01 U	97	3	59	< 1.0 U	< 0.05 UM	63	< 1 U
MW-9	8/10/2001	WH9-01810-	0.28	0.28	< 0.01 U	92	3	64	< 1.0 U	< 0.05 UM	81 B	< 1 UB
MW-MILETTE	4/12/1989	WHM-89412Q	< 0.2		< 0.005	150	4		< 1	< 0.02	97	2
FIELD BLANK	12/6/2011	WH10111206F		0.101		4.2 T	< 0.1 U	< 5 U	< 1 U		< 5 U	< 1 U
FIELD BLANK	2/27/2012	WH6-120227F		0.106		3.8 T	< 0.1 U	< 5 U	< 1 U		< 5 U	< 1 U
TRIP BLANK	6/1/2009	WH4-090601T	< 0.01 U			1.4 T	< 0.1 U	< 5 U	< 1 U		< 5 U	< 1 U

Site	Date	Sample ID	Nitrate as N mg/l	Nitrate + Nitrite as N mg/l	Nitrite mg/l	SPECIFIC CONDUCTANCE umhos/cm	Sulfate mg/l	Total Dissolved Solids mg/l	Total Organic Carbon mg/l	Total Organic Halides (TOX) mg/l	Total Solids mg/l	Total Suspended Solids mg/l
TRIP BLANK	9/1/2009	WH1-090901T	< 0.01 U			2.9 T	< 0.1 U	< 5 U	< 1 U		< 5 U	< 1 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-1	5/18/1987	WH1-87518			0.009	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	10	< 0.01 U
MW-1	8/24/1987	WH1-87824											12.3	
MW-1	11/30/1987	WH1-87N30			0.01	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	24	< 0.01 U
MW-1	3/24/1988	WH1-88324			0.007	0.07		< 0.002 U		< 0.005 U		< 0.002 U	22	< 0.01 U
MW-1	5/31/1988	WH1-88531			< 0.005 U	< 0.02 U		< 0.002 U		0.008		0.005	10	< 0.01 U
MW-1	8/30/1988	WH1-88830Q			0.009	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	8.6	< 0.01 U
MW-1	12/29/1988	WH1-88D29Q			0.008	0.03		< 0.002 U		< 0.005 U		< 0.002 U	7.4	< 0.01 U
MW-1	3/28/1989	WH1-89328Q			0.009	0.06		< 0.002 U		< 0.005 U		0.002	12	< 0.01 U
MW-1	5/18/1989	WH1-89518Q			0.006	0.03		< 0.002 U		< 0.005 U		< 0.002 U	10	< 0.01 U
MW-1	9/14/1989	WH1-89914Q			0.007	0.04		0.002		< 0.005 U		0.002	12	< 0.01 U
MW-1	11/22/1989	WH1-89N22Q			0.011	0.04		< 0.002 U		< 0.005 U		0.018	15	< 0.01 U
MW-1	2/13/1990	WH1-90213Q			0.005	0.03		< 0.002 U		< 0.005 U		< 0.002 U	14	< 0.01 U
MW-1	5/17/1990	WH1-90517Q			0.009	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	9.6	0.005
MW-1	8/27/1990	WH1-90827-			0.008	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	11	< 0.005 U
MW-1	12/7/1990	WH1-90D07-			0.01	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	11	< 0.005 U
MW-1	2/25/1991	WH1-91225-			0.008	< 0.05 U		< 0.005 U		0.01		< 0.025 U	6.8	< 0.005 U
MW-1	6/12/1991	WH1-91612-			0.008	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	4.4	< 0.005 U
MW-1	9/11/1991	WH1-91911-			0.009	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	7.7	< 0.005 U
MW-1	12/16/1991	WH1-91D16-			0.011	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	9.2	< 0.005 U
MW-1	3/19/1992	WH1-92319-			0.01	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	7.1	< 0.005 U
MW-1	6/22/1992	WH1-92622-	< 0.02 U		0.008	0.013	< 0.001 U	< 0.002 U	14.6	< 0.005 U	0.004	< 0.003 U	6.56	< 0.025 U
MW-1	9/22/1992	WH1-92922-	0.04 B		0.01	0.14	< 0.001 U	< 0.002 U	16.2 B	< 0.005 U	0.003	< 0.003 U	7.09	< 0.025 U
MW-1	12/22/1992	WH1-92D22-	< 0.02 U		0.012	0.021	< 0.001 U	< 0.002 U	23.3	< 0.005 U	0.005	< 0.003 U	10.8	< 0.025 U
MW-1	3/24/1993	WH1-93324-	< 0.02 U		0.01	0.016	< 0.001 U	< 0.002 U	19.3 B	< 0.005 U	0.004	< 0.002 U	8.83	< 0.02 U
MW-1	6/18/1993	WH1-93618-	0.02		0.01	0.012	< 0.001 U	< 0.002 U	15	< 0.005 U	0.003	0.005 B	6.63	0.001
MW-1	9/17/1993	WH1-93917-	< 0.02 U		0.01	0.012	< 0.001 U	< 0.002 U	14.2	< 0.005 U	< 0.003 U	< 0.002 U	6.26	< 0.001 U
MW-1	12/21/1993	WH1-93D21-	< 0.02 U	< 0.001 U	0.011	0.018	< 0.001 U	< 0.002 U	20.7	< 0.005 U	0.004	< 0.002 U	9.84	< 0.001 U
MW-1	3/15/1994	WH1-94315-	< 0.02 U	0.002	0.01	0.014	< 0.001 U	< 0.002 U	18.8	< 0.005 U	0.006	< 0.002 U	8.25	< 0.001 U
MW-1	6/23/1994	WH1-94623-	< 0.02 U	< 0.001 U	0.009	0.012	< 0.001 U	< 0.002 U	13.3 B	< 0.005 U	0.004	< 0.002 U	6.16	0.001
MW-1	8/22/1994	WH1-94822-	< 0.02 U	< 0.001 U	0.009	0.011	< 0.001 U	< 0.002 U	13.8	< 0.005 U	0.004	< 0.002 U	6.19	< 0.001 U
MW-1	12/21/1994	WH1-94D21-	< 0.02 U	< 0.001 U	0.008	0.031	< 0.001 U	< 0.002 U	47	< 0.005 U	0.011	< 0.002 U	21.9	< 0.001 U
MW-1	5/25/1995	WH1-95525L	0.12	< 0.001 U	0.009	0.015	< 0.001 U	< 0.002 U	18	< 0.005 U	0.006	< 0.002 U	8.8 B	< 0.001 U
MW-1	3/15/1996	WH1-96315-	< 0.02 U	< 0.001 U	0.008	0.01	< 0.001 U	< 0.002 U	16	< 0.005 U	0.004	< 0.002 U	6.9	< 0.001 U
MW-1 (Dup)	3/15/1996	WH1-96315D	< 0.02 U	< 0.001 U	0.008	0.01	< 0.001 U	< 0.002 U	16	< 0.005 U	0.004	< 0.002 U	6.9	< 0.001 U
MW-1	5/23/1996	WH1-96523-	< 0.02 U	< 0.001 U	0.008	0.009	< 0.001 U	< 0.002 U	18 BD	< 0.005 U	0.004	< 0.002 U	6.3	< 0.001 U
MW-1	7/29/1996	WH1-96729-	< 0.02 U	< 0.001 U	0.01	0.01	< 0.001 U	< 0.002 U	16	< 0.005 U	0.004	< 0.002 U	7.4	< 0.001 U
MW-1	12/2/1996	WH1-96D02-	< 0.02 U	< 0.001 U	0.005	0.007	< 0.001 U	< 0.002 U	20	< 0.005 U	< 0.003 U	< 0.002 U	4.4	< 0.001 U
MW-1	3/6/1997	WH1-97306-	< 0.02 U	< 0.001 U	0.005	0.007	< 0.001 U	< 0.002 U	16	0.008	0.003	< 0.002 U	5	< 0.001 U
MW-1	5/19/1997	WH1-97519-	< 0.02 U	< 0.001 U	0.007	0.007	< 0.001 U	< 0.002 U	13	< 0.005 U	0.003	< 0.002 U	6	< 0.001 U
MW-1	8/19/1997	WH1-97819-	< 0.02 U	< 0.001 U	0.007	0.008	< 0.001 U	< 0.002 U	15	< 0.005 U	0.003	< 0.002 U	5.9	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-1	12/3/1997	WH1-97D03-	< 0.02 U	< 0.001 U	0.005 J	0.01	< 0.001 U	< 0.002 U	31	< 0.005 U	< 0.003 U	< 0.002 U	4.5	< 0.001 U
MW-1	3/6/1998	WH1-98306-	< 0.02 U	< 0.001 U	0.003 J	0.007	< 0.001 U	< 0.002 U	21	< 0.005 U	< 0.003 U	< 0.002 U	4	< 0.001 U
MW-1	5/15/1998	WH1-98515-	< 0.02 U	< 0.001 U	0.006	0.008	< 0.001 U	< 0.002 U	19	< 0.005 U	< 0.003 U	< 0.002 U	5.3	< 0.001 U
MW-1	8/25/1998	WH1-98825-	< 0.02 U	< 0.001 U	0.006	0.01	< 0.001 U	< 0.002 U	22	< 0.005 U	0.004	< 0.002 U	5.9	< 0.001 U
MW-1	3/8/1999	WH1-99308-	< 0.02 U	< 0.001 U	0.003 J	0.006	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	3.2	< 0.001 U
MW-1	6/10/1999	WH1-99610-	0.16	< 0.001 U	0.002 J	0.006	< 0.001 U	< 0.002 U	16	< 0.005 U	< 0.003 U	0.004	3.3	0.008
MW-1	8/17/1999	WH1-99817-	0.06	< 0.001 U	0.004 J	0.008	< 0.001 U	< 0.002 U	16	< 0.005 U	< 0.003 U	< 0.002 U	4	< 0.001 U
MW-1	12/7/1999	WH1-99D07-	< 0.02 U	< 0.001 U	0.002 J	0.004	< 0.001 U	< 0.002 U	18	< 0.005 U	< 0.003 U	< 0.002 U	2.3	< 0.001 U
MW-1	3/6/2000	WH1-00306-	< 0.020 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	16	< 0.005 U	< 0.003 U	< 0.002 U	0.38	< 0.001 U
MW-1	5/17/2000	WH1-00517-	< 0.020 U	< 0.001 U	< 0.001 U	0.005	< 0.001 U	< 0.002 U	18	< 0.005 U	< 0.003 U	< 0.002 U	1.5	< 0.001 U
MW-1	9/5/2000	WH1-00905-	< 0.020 U	< 0.001 U	0.003 J	0.007	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	2.2	< 0.001 U
MW-1	12/1/2000	WH1-00D01-	< 0.020 U	< 0.001 U	0.002 J	0.005	< 0.001 U	< 0.002 U	18	< 0.005 U	< 0.003 U	0.003	0.39	< 0.001 U
MW-1	2/13/2001	WH1-01213-	0.047	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	17	< 0.005 U	< 0.003 U	0.003	0.23	< 0.001 U
MW-1	5/25/2001	WH1-01525-	0.11	< 0.001 U	< 0.001 U	0.006	< 0.001 U	< 0.002 U	16 B	< 0.005 U	< 0.003 U	< 0.002 U	0.6	< 0.001 U
MW-1	8/13/2001	WH1-01813-	< 0.020 U	< 0.001 U	< 0.001 U	0.005	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.64	< 0.001 U
MW-1	12/10/2001	WH1-01D10-	< 0.020 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	0.002	0.31	< 0.001 U
MW-1 (Dup)	12/10/2001	WH1-01D10D	0.031	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	0.002	0.31	< 0.001 U
MW-1	2/27/2002	WH1-02227-	0.026	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.46	< 0.001 U
MW-1	5/17/2002	WH1-02517-	< 0.020 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.59	< 0.001 U
MW-1	8/29/2002	WH1-02829-	0.071	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.52	< 0.001 U
MW-1	11/21/2002	WH1-02N21-	< 0.020 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.6	< 0.001 U
MW-1	2/13/2003	WH1-03213-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.29	< 0.001 U
MW-1	5/16/2003	WH1-03516-	0.049	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	14 B	< 0.005 U	< 0.003 U	< 0.002 U	0.61	< 0.001 U
MW-1	8/6/2003	WH1003806-	< 0.020 U	< 0.001 U	0.006	0.016	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	5.2	< 0.001 U
MW-1	8/7/2003	WH1-03807-	< 0.020 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.45	< 0.001 U
MW-1	11/12/2003	WH1-03N12-		< 0.001 U	< 0.001 U	0.0030 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.19 J	< 0.0010 U
MW-1	2/20/2004	WH1-04220-		< 0.001 U	< 0.001 U	0.0030 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.47	< 0.0010 U
MW-1	5/18/2004	WH1-04518-		< 0.001 U	< 0.001 U	0.0030 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.4	< 0.0010 U
MW-1	9/1/2004	WH1-04901-		< 0.001 U	< 0.001 U	0.010 J	< 0.0010 U	< 0.0020 U	19	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.55 B	< 0.0010 U
MW-1	11/17/2004	WH1-04N17-		< 0.001 U	< 0.001 U	0.0040 J	< 0.0010 U	0.0021 J	15	< 0.0050 U	< 0.0030 U	0.0024 J	0.63	< 0.0010 U
MW-1	2/22/2005	WH1-05222-		< 0.001 U	< 0.001 U	0.0054 J	< 0.0010 U	< 0.0020 U	15	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.77	< 0.0010 U
MW-1	5/19/2005	WH1-05519-		< 0.001 U	0.0013	0.0033 J	< 0.0010 U	< 0.0020 U	13 B	< 0.0050 U	< 0.0030 U	0.0023 J	0.68	< 0.0010 U
MW-1	8/11/2005	WH1-05811-		< 0.001 U	< 0.001 U	0.0037 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.52	< 0.0010 U
MW-1	12/6/2005	WH1-05D06-		< 0.001 U	< 0.001 U	0.0029	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	0.0023	0.59	< 0.001 U
MW-1	2/10/2006	WH1-060210-		< 0.001 U	< 0.001 U	0.0044	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.91	< 0.001 U
MW-1	5/18/2006	WH1-060518-		< 0.001 U	< 0.001 U	0.0035	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.59 B	< 0.001 U
MW-1	8/23/2006	WH1-060823-		< 0.001 U	< 0.001 U	0.0037	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.57	< 0.001 U
MW-1	12/4/2006	WH1-061204-		< 0.001 U	< 0.001 U	0.0044	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.6	< 0.001 U
MW-1	2/14/2007	WH1-070214-		< 0.001 U	< 0.001 U	0.0045	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	1	< 0.001 U
MW-1	5/17/2007	WH1-070517-		< 0.001 U	< 0.001 U	0.0043	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	1.3	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-1	8/22/2007	WH1-070822-		< 0.001 U	< 0.001 U	0.0039	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.67 B	< 0.001 U
MW-1	11/30/2007	WH1-071130-		< 0.001 U	< 0.001 U	0.0031	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.28 B	< 0.001 U
MW-1	2/29/2008	WH1-080229-		< 0.001 U	< 0.001 U	0.0053	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.96 B	< 0.001 U
MW-1	6/2/2008	WH1-080602-		< 0.001 U	< 0.001 U	0.0081	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.82 B	< 0.001 U
MW-1	8/21/2008	WH1-080821-		< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.66	< 0.001 U
MW-1	12/2/2008	WH1-081202-		< 0.001 U	< 0.001 U	0.0026	< 0.001 U	< 0.002 U	9.9	< 0.005 U	< 0.003 U	< 0.002 U	0.29	< 0.001 U
MW-1	3/3/2009	WH1-090303-		< 0.001 U	< 0.001 U	0.0029	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	0.4	< 0.001 U
MW-1	5/29/2009	WH1-090529-		< 0.001 U	< 0.001 U	0.00308	< 0.001 U	< 0.002 U	10.5	< 0.005 U	< 0.003 U	< 0.002 U	0.426	< 0.001 U
MW-1	9/1/2009	WH1-090901-		< 0.001 U	< 0.001 U	0.00299	< 0.001 U	< 0.002 U	11.3	< 0.005 U	< 0.003 U	< 0.002 U	0.253	< 0.001 U
MW-1	11/30/2009	WH1-091130-		< 0.001 U	< 0.001 U	0.00162	< 0.001 U	< 0.002 U	7.91	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-1 (Dup)	11/30/2009	WH1-091130D		< 0.001 U	< 0.001 U	0.00162	< 0.001 U	< 0.002 U	8.05	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-1	3/1/2010	WH1-100301-		< 0.001 U	< 0.001 U	0.00211	< 0.001 U	< 0.002 U	10.6	< 0.005 U	< 0.003 U	< 0.002 U	0.0801	< 0.001 U
MW-1	5/26/2010	WH1-100526-		< 0.001 U	< 0.001 U	0.0025	< 0.001 U	< 0.002 U	10.9	< 0.005 U	< 0.003 U	< 0.002 U	0.133	< 0.001 U
MW-1	8/23/2010	WH1-100823-		< 0.001 U	< 0.001 U	0.00396	< 0.001 U	< 0.002 U	11.6	< 0.005 U	< 0.003 U	< 0.002 U	0.608	< 0.001 U
MW-1	12/3/2010	WH1-101203-		< 0.001 DU	< 0.001 U	0.00188	< 0.001 U	< 0.002 U	8.15	< 0.005 U	< 0.003 U	< 0.002 U	0.0527	< 0.001 U
MW-1	2/24/2011	WH1-110224-		< 0.001 U	< 0.001 U	0.00475	< 0.001 U	< 0.002 U	11.2	< 0.005 U	< 0.003 U	< 0.002 U	2.11	< 0.001 U
MW-1	6/6/2011	WH1-110606-		< 0.001 U	< 0.001 U	0.00395	< 0.001 U	< 0.002 U	8.75	< 0.005 U	< 0.003 U	< 0.002 U	2.37	< 0.001 U
MW-1	8/25/2011	WH1-110825-		< 0.001 U	< 0.001 U	0.00407	< 0.001 U	< 0.002 U	10.2	< 0.005 U	< 0.003 U	< 0.002 U	1.74	< 0.001 U
MW-1 (Dup)	8/25/2011	WH1-110825D		< 0.001 U	< 0.001 U	0.00415	< 0.001 U	< 0.002 U	10.5	< 0.005 U	< 0.003 U	< 0.002 U	1.76	< 0.001 U
MW-1	12/5/2011	WH1-111205-		< 0.001 U	< 0.001 U	0.00394	< 0.001 U	< 0.002 U	10.6	< 0.005 U	< 0.003 U	< 0.002 U	1.25	< 0.001 U
MW-1	3/5/2012	WH1-120305-		< 0.001 U	< 0.001 U	0.00424	< 0.001 U	< 0.002 U	9.14	< 0.005 U	< 0.003 U	< 0.002 U	2.34	< 0.001 U
MW-1	5/21/2012	WH1-120521-		< 0.001 U	< 0.001 U	0.00388	< 0.001 U	< 0.002 U	9.06	< 0.005 U	< 0.003 U	< 0.002 U	1.56	< 0.001 U
MW-1	11/29/2012	WH1-121129-		< 0.001 U	< 0.001 U	0.00175	< 0.001 U	< 0.002 U	7.69	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-1	2/28/2013	WH1-130228-		< 0.001 U	< 0.001 U	0.0033	< 0.001 U	< 0.002 DU	9.65	< 0.005 U	< 0.003 U	< 0.002 U	0.891	< 0.001 U
MW-1 (Dup)	2/28/2013	WH1-130228D		< 0.001 U	< 0.001 U	0.00331	< 0.001 U	< 0.002 DU	9.42	< 0.005 U	< 0.003 U	< 0.002 U	0.892	< 0.001 U
MW-1	5/16/2013	WH1-130516-		< 0.001 U	< 0.001 U	0.00377	< 0.001 U	< 0.002 U	8.39	< 0.005 U	< 0.003 U	< 0.002 U	1.99	< 0.001 U
MW-1	8/20/2013	WH1-130820-		< 0.001 U	< 0.001 U	0.00365	< 0.001 U	< 0.002 U	9.12	< 0.005 U	< 0.003 U	< 0.002 U	0.897	< 0.001 U
MW-1	WH1-111205-	12/5/2011		< 0.001 U	< 0.001 U	0.00152	< 0.001 U	< 0.002 U	6.88	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-10	6/11/1987	WH1087611S			0.01	0.11		< 0.002 U		< 0.005 U		0.003	10	< 0.01 U
MW-10	8/24/1987	WH1087824											13.7	
MW-10	12/9/1987	WH1087D09			0.009	0.08		< 0.002 U		< 0.005 U		< 0.002 U	14	< 0.01 U
MW-10	3/14/1988	WH1088314			0.008	0.09		< 0.002 U		< 0.005 U		0.003	10	< 0.01 U
MW-10	5/25/1988	WH1088525			0.007	0.12		< 0.002 U		< 0.005 U		< 0.002 U	19	< 0.01 U
MW-10	9/2/1988	WH1088902Q			0.012	0.05		< 0.002 U		< 0.005 U		0.005	16	< 0.01 U
MW-10	11/14/1988	WH1088N14Q			0.012	0.09		< 0.002 U		< 0.005 U		0.005	16	< 0.01 U
MW-10	3/6/1989	WH1089306Q			0.011	0.06		< 0.002 U		< 0.005 U		0.039	10	< 0.01 U
MW-10	6/23/1989	WH1089623Q			0.007	0.07		< 0.002 U		< 0.005 U		< 0.002 U	6.5	< 0.01 U
MW-10	9/14/1989	WH1089914Q			0.008	0.14		< 0.002 U		< 0.005 U		< 0.002 U	15	< 0.01 U
MW-10	2/13/1990	WH1090213Q			< 0.005 U	0.06		< 0.002 U		< 0.005 U		0.003	11	< 0.01 U
MW-10	5/21/1990	WH1090521Q			0.011	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	7.5	< 0.005 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-10	8/29/1990	WH1090829-			0.008	0.05		< 0.005 U		< 0.01 U		< 0.025 U	8.2	< 0.005 U
MW-10	11/28/1990	WH1090N28-			0.009	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	6.5	< 0.005 U
MW-10	3/6/1991	WH1091306-			0.008	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	8.3 XE	< 0.005 U
MW-10	6/19/1991	WH1091619-			0.007	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	2.5	< 0.005 U
MW-10	9/18/1991	WH1091918-			0.008	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	5.2	< 0.005 U
MW-10	12/13/1991	WH1091D13-			0.007	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	2.4	0.011
MW-10	3/23/1992	WH1092323-			0.007	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	5.1	< 0.005 U
MW-10	6/29/1992	WH1092629-	0.03		0.008	0.03	< 0.001 U	< 0.002 U	19.5 B	< 0.005 U	0.004	< 0.003 U	5.35	< 0.025 U
MW-10	9/28/1992	WH1092928-	< 0.02 U		0.009	0.029	< 0.001 U	< 0.002 U	18.5	< 0.005 U	0.005	< 0.003 U	4.92	< 0.025 U
MW-10	12/23/1992	WH1092D23-	< 0.02 U		0.008	0.013	< 0.001 U	< 0.002 U	10.6 B	< 0.005 U	< 0.003 U	< 0.003 U	2.62	< 0.025 U
MW-10	3/26/1993	WH1093326-	< 0.02 U		0.006	0.012	< 0.001 U	< 0.002 U	10.4	< 0.005 U	< 0.003 U	< 0.002 U	2.46	< 0.02 U
MW-10	6/18/1993	WH1093618-	< 0.02 U		0.007	0.018	< 0.001 U	< 0.002 U	12.9	< 0.005 U	< 0.003 U	0.003 B	3.55	< 0.001 U
MW-10	9/23/1993	WH1093923-	< 0.02 U		0.009	0.024	< 0.001 U	< 0.002 U	17.7	< 0.005 U	0.003	< 0.002 U	5.12	< 0.001 U
MW-10 (Dup)	9/23/1993	WH1093923D	0.03		0.009	0.023	< 0.001 U	< 0.002 U	17.7	< 0.005 U	< 0.003 U	< 0.002 U	5.09	< 0.001 U
MW-10	12/29/1993	WH1093D29-	< 0.02 U	< 0.001 U	0.007	0.017	< 0.001 U	< 0.002 U	13.1	< 0.005 U	< 0.003 U	< 0.002 U	3.68	< 0.001 U
MW-10	3/18/1994	WH1094318-	< 0.02 U	< 0.001 U	0.006	0.015 B	< 0.001 U	< 0.002 U	11.9	< 0.005 U	< 0.003 U	< 0.002 U	3.21	< 0.001 U
MW-10	6/28/1994	WH1094628-	< 0.02 U	< 0.001 U	0.008	0.025	< 0.001 U	< 0.002 U	17.9	< 0.005 U	< 0.003 U	< 0.002 U	5.38	< 0.001 U
MW-10	8/24/1994	WH1094824-	< 0.02 U	< 0.001 U	0.007	0.024	< 0.001 U	< 0.002 U	17.9	< 0.005 U	0.004	< 0.002 U	5.37	0.003
MW-10	12/21/1994	WH1094D21-	0.03 B	< 0.001 U	0.006	0.018	< 0.001 U	< 0.002 U	14.3	< 0.005 U	0.004	< 0.002 U	4.01	< 0.001 U
MW-10 (Dup)	12/21/1994	WH1094D21D	< 0.02 U	< 0.001 U	0.006	0.018	< 0.001 U	< 0.002 U	14.4	< 0.005 U	0.003	< 0.002 U	4.11	< 0.001 U
MW-10	5/26/1995	WH1095526L	< 0.02 U	< 0.001 U	0.008	0.054	< 0.001 U	< 0.002 U	42	< 0.005 U	0.007	< 0.002 U	12 B	< 0.001 U
MW-10	9/18/1995	WH1095918-	0.026	0.003	0.009	0.047	< 0.001 U	< 0.002 U	31	< 0.005 U	0.006	< 0.002 U	10	< 0.001 U
MW-10	12/20/1995	WH1095D20-	< 0.02 U	< 0.001 U	0.007	0.022 B	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	4.8	< 0.001 U
MW-10	3/18/1996	WH1096318-	< 0.02 U	< 0.001 U	0.008	0.039	< 0.001 U	< 0.002 U	31 B	< 0.005 U	0.004	< 0.002 U	8.9	< 0.001 U
MW-10	5/24/1996	WH1096524-	< 0.02 U	< 0.001 U	0.008	0.039	< 0.001 U	< 0.002 U	33 BD	< 0.005 U	0.006	< 0.002 U	9.5	< 0.001 U
MW-10	7/31/1996	WH1096731-	< 0.02 U	< 0.001 U	0.009	0.051	< 0.001 U	< 0.002 U	39 D	< 0.005 U	0.007	< 0.002 U	12	< 0.001 U
MW-10	12/3/1996	WH1096D03-	< 0.02 U	< 0.001 U	0.007	0.017	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.3	< 0.001 U
MW-10	3/7/1997	WH1097307-	< 0.02 U	< 0.001 U	0.008	0.025	< 0.001 U	< 0.002 U	18	< 0.005 U	0.004	< 0.002 U	6.4	< 0.001 U
MW-10	5/16/1997	WH1097516-	< 0.02 U	< 0.001 U	0.008	0.026	< 0.001 U	< 0.002 U	21	< 0.005 U	0.004	< 0.002 U	7.4	< 0.001 U
MW-10	8/20/1997	WH1097820-	< 0.02 U	< 0.001 U	0.005	0.026	< 0.001 U	< 0.002 U	22	< 0.005 U	0.004	< 0.002 U	7.5	< 0.001 U
MW-10	12/4/1997	WH1097D04-	0.13	< 0.001 U	0.008	0.025	< 0.001 U	< 0.002 U	18	< 0.005 U	0.003	< 0.002 U	6	< 0.001 U
MW-10	3/10/1998	WH1098310-	< 0.02 U	< 0.001 U	0.008	0.031	< 0.001 U	< 0.002 U	24	< 0.005 U	0.005	0.003	8.5	< 0.001 U
MW-10	5/19/1998	WH1098519-	< 0.02 U	< 0.001 U	0.008	0.033	< 0.001 U	< 0.002 U	29	< 0.005 U	0.005	< 0.002 U	9.3	< 0.001 U
MW-10	8/26/1998	WH1098826-	< 0.02 U	< 0.001 U	0.008	0.033	< 0.001 U	< 0.002 U	25	< 0.005 U	0.004	< 0.002 U	7.9	< 0.001 U
MW-10	3/9/1999	WH1099309-	< 0.02 U	< 0.001 U	0.007	0.015	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	4.3	< 0.001 U
MW-10	6/11/1999	WH1099611-	< 0.02 U	< 0.001 U	0.006	0.02	< 0.001 U	< 0.002 U	19	< 0.005 U	< 0.003 U	< 0.002 U	6.5	< 0.001 U
MW-10	8/18/1999	WH1099818-	< 0.02 U	< 0.001 U	0.008	0.023	< 0.001 U	< 0.002 U	15	< 0.005 U	0.003	< 0.002 U	6	< 0.001 U
MW-10	12/7/1999	WH1098D07-	< 0.02 U	< 0.001 U	0.006	0.013	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	3.2	< 0.001 U
MW-10	12/7/1999	WH1099D07-	< 0.02 U	< 0.001 U	0.006	0.01	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	3.3	< 0.001 U
MW-10	3/7/2000	WH1000307-	< 0.020 U	< 0.001 U	0.008	0.022	< 0.001 U	< 0.002 U	17	< 0.005 U	0.003	< 0.002 U	6	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-10	5/19/2000	WH1000519-	< 0.020 U	< 0.001 U	0.008	0.017	< 0.001 U	< 0.002 U	22	< 0.005 U	0.003	< 0.002 U	8.1	< 0.001 U
MW-10 (Dup)	5/19/2000	WH1000519D	< 0.020 U	< 0.001 U	0.007	0.016	< 0.001 U	< 0.002 U	23	< 0.005 U	0.003	< 0.002 U	8	< 0.001 U
MW-10	9/5/2000	WH1000905-	< 0.020 U	< 0.001 U	0.008	0.025	< 0.001 U	< 0.002 U	17	< 0.005 U	0.003	< 0.002 U	5.2	< 0.001 U
MW-10	12/11/2000	WH1000D11-	0.051	< 0.001 U	0.007	0.018	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.5	< 0.001 U
MW-10	2/13/2001	WH1001213-	0.057	< 0.001 U	0.006	0.013	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	3.7	< 0.001 U
MW-10	5/31/2001	WH1001531-	0.097	< 0.001 U	0.007	0.021	< 0.001 U	< 0.002 U	13	< 0.005 U	0.003	< 0.002 U	5.3	< 0.001 U
MW-10	8/14/2001	WH1001814-	< 0.020 U	< 0.001 U	0.008	0.022	< 0.001 U	< 0.002 U	14	< 0.005 U	0.003	< 0.002 U	5.4	< 0.001 U
MW-10	12/11/2001	WH1001D11-	0.044	< 0.001 U	0.006	0.015	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.1	< 0.001 U
MW-10	2/27/2002	WH1002227-	0.057	< 0.001 U	0.007	0.018	< 0.001 U	< 0.002 U	15	< 0.005 U	0.003	< 0.002 U	6.3	< 0.001 U
MW-10	5/17/2002	WH1002517-	0.036	< 0.001 U	0.007	0.015	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	4.9	< 0.001 U
MW-10	8/30/2002	WH1002830-	0.045	< 0.001 U	0.007	0.017	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.7	< 0.001 U
MW-10	11/22/2002	WH1002N22-	< 0.020 U	< 0.001 U	0.006	0.016	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	4.5	< 0.001 U
MW-10	2/13/2003	WH1003213-	< 0.020 U	< 0.001 U	0.005 J	0.011	< 0.001 U	< 0.002 U	9.2	< 0.005 U	< 0.003 U	0.021	3.2	< 0.001 U
MW-10	5/15/2003	WH1103515-	0.13	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.6 B	< 0.005 U	< 0.003 U	< 0.002 U	0.017	< 0.001 U
MW-10	5/15/2003	WH1003515-	< 0.020 U	< 0.001 U	0.006	0.015	< 0.001 U	< 0.002 U	14 B	< 0.005 U	< 0.003 U	< 0.002 U	5.1	< 0.001 U
MW-10	11/13/2003	WH1003N13-		< 0.001 U	0.007	0.016 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.8	< 0.0010 U
MW-10	2/23/2004	WH1004223-		< 0.001 U	0.006	0.014 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.7	< 0.0010 U
MW-10	5/20/2004	WH1004520-		< 0.001 U	0.007	0.013 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.3	< 0.0010 U
MW-10	9/1/2004	WH1004901-		< 0.001 U	0.007	0.016 J	< 0.0010 U	< 0.0020 U	13	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.5 B	< 0.0010 U
MW-10	11/17/2004	WH1004N17-		< 0.001 U	0.0072	0.016 J	< 0.0010 U	0.0022 J	13 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.9 B	< 0.0010 U
MW-10	2/18/2005	WH1005218-		< 0.001 U	0.007	0.016 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.5	< 0.0010 U
MW-10	5/20/2005	WH1005520-		< 0.001 U	0.0071	0.015 J	< 0.0010 U	< 0.0020 U	14 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	5.1	< 0.0010 U
MW-10	8/15/2005	WH1005815-		< 0.001 U	0.0071	0.015 J	< 0.0010 U	< 0.0020 U	15	< 0.0050 U	< 0.0030 U	< 0.0020 U	4.6	< 0.0010 U
MW-10	12/5/2005	WH1005D05-		< 0.001 U	0.0072	0.017	< 0.001 U	< 0.002 U	17	< 0.005 U	0.0031	< 0.002 U	4.9	< 0.001 U
MW-10	2/10/2006	WH10060210-		< 0.001 U	0.0064	0.017	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	5	< 0.001 U
MW-10	5/22/2006	WH10060522-		< 0.001 U	0.0067	0.013	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	3.9 B	< 0.001 U
MW-10	8/22/2006	WH10060822-		< 0.001 U	0.0065	0.013	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.2	< 0.001 U
MW-10 (Dup)	8/22/2006	WH10060822D		< 0.001 U	0.0064	0.013	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	4.2	< 0.001 U
MW-10	12/1/2006	WH10061201-		< 0.001 U	0.0071	0.014	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	4.4	< 0.001 U
MW-10	2/14/2007	WH10070214-		< 0.001 U	0.0068	0.012	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	3.5	< 0.001 U
MW-10	5/17/2007	WH10070517-		< 0.001 U	0.0062	0.01	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	3.4	< 0.001 U
MW-10	8/24/2007	WH10070824-		< 0.001 U	0.0082	0.012	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	4 B	< 0.001 U
MW-10	11/30/2007	WH10071130-		< 0.001 U	0.0062	0.012	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	3.7 B	< 0.001 U
MW-10	2/29/2008	WH10080229-		< 0.001 U	0.0061	0.012	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	4 B	< 0.001 U
MW-10	6/2/2008	WH10080602-		< 0.001 U	0.0061	0.012	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	4 B	< 0.001 U
MW-10	8/20/2008	WH10080820-		< 0.001 U	0.0065	0.013	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	4.7	< 0.001 U
MW-10	12/3/2008	WH10081203-		< 0.001 U	0.006	0.013	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	5.1	< 0.001 U
MW-10	2/27/2009	WH10090227-		< 0.001 U	0.0056	0.0093	< 0.001 U	< 0.002 U	9.5	< 0.005 U	< 0.003 U	< 0.002 U	3.4	< 0.001 U
MW-10	6/1/2009	WH10090601-		< 0.001 U	0.00654	0.00891	< 0.001 U	< 0.002 U	10.2	< 0.005 U	< 0.003 U	< 0.002 U	3.45	< 0.001 U
MW-10	8/28/2009	WH10090828-		< 0.001 U	0.00647	0.00858	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	3.45	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-10	12/1/2009	WH10091201-		< 0.001 U	0.00597	0.0093 D	< 0.001 DU	< 0.002 DU	11.1 D	< 0.005 U	< 0.003 DU	< 0.002 U	3.57	< 0.001 DU
MW-10	3/1/2010	WH10100301-		< 0.001 U	0.00629	0.0065	< 0.001 U	< 0.002 U	9.57	< 0.005 U	< 0.003 U	< 0.002 U	2.74	< 0.001 U
MW-10	5/27/2010	WH10100527-		< 0.001 U	0.00575	0.00748	< 0.001 U	< 0.002 U	11.4	< 0.005 U	< 0.003 U	< 0.002 U	3.66	< 0.001 U
MW-10	8/30/2010	WH10100830-		< 0.001 U	0.0062	0.00745	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	3.61	< 0.001 U
MW-10	12/1/2010	WH10101201-		< 0.001 DU	0.00649	0.00779	< 0.001 U	< 0.002 U	11.3	< 0.005 U	< 0.003 U	< 0.002 U	3.7	< 0.001 U
MW-10	2/24/2011	WH10110224-		< 0.001 U	0.00723	0.00822	< 0.001 U	< 0.002 U	10.6	< 0.005 U	< 0.003 U	< 0.002 U	3.75	< 0.001 U
MW-10	6/2/2011	WH10110602-		< 0.001 U	0.00655	0.00653	< 0.001 U	< 0.002 U	8.97	< 0.005 U	< 0.003 U	< 0.002 U	3.29	< 0.001 U
MW-10	8/26/2011	WH10110826-		< 0.001 U	0.0065	0.00652	< 0.001 U	< 0.002 U	11.7	< 0.005 U	< 0.003 U	< 0.002 U	3.53	< 0.001 U
MW-10	12/6/2011	WH10111206-		< 0.001 U	0.00621	0.00662	< 0.001 U	< 0.002 U	9.56	< 0.005 U	< 0.003 U	< 0.002 U	3.42	< 0.001 U
MW-10	3/5/2012	WH10120305-		< 0.001 U	0.00673	0.00765	< 0.001 U	< 0.002 U	10.4	< 0.005 U	< 0.003 U	< 0.002 U	3.76	< 0.001 U
MW-10	5/21/2012	WH10120521-		< 0.001 U	0.00602	0.00602	< 0.001 U	< 0.002 U	9.14	< 0.005 U	< 0.003 U	< 0.002 U	3.07	< 0.001 U
MW-10	8/28/2012	WH1-120828-			0.011	0.1		< 0.002 U		< 0.005 U		0.29	13	0.02
MW-10	8/29/2012	WH10120829-		< 0.001 U	0.00571	0.00614	< 0.001 U	< 0.002 U	10 D	< 0.005 U	< 0.003 U	< 0.002 U	3.8	< 0.001 U
MW-10	11/28/2012	WH10121128-		< 0.001 U	0.00593	0.00671	< 0.001 U	< 0.002 U	10.6	< 0.005 U	< 0.003 U	< 0.002 U	3.85	< 0.001 U
MW-10	2/28/2013	WH10130228-		< 0.001 U	0.00601	0.00518	< 0.001 U	< 0.002 DU	8.15	< 0.005 U	< 0.003 U	< 0.002 U	3.2	< 0.001 U
MW-10	5/21/2013	WH10130521-		< 0.001 U	0.00513	0.00584 D	< 0.001 U	< 0.002 DU	8.63	< 0.005 U	< 0.003 DU	< 0.002 U	3.04	< 0.001 DU
MW-10	8/20/2013	WH10130820-		< 0.001 U	0.00529	0.00533	< 0.001 U	< 0.002 U	9.29	< 0.005 U	< 0.003 U	< 0.002 U	3.41	< 0.001 U
MW-11	8/25/1987	WH1187825											3.06	
MW-11	11/24/1987	WH1187N24			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.003	2.1	< 0.01 U
MW-11	3/15/1988	WH1188315			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-11	6/8/1988	WH1188608			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-11	9/9/1988	WH1188909Q			< 0.005 U	< 0.02 U		0.003		< 0.005 U		0.006	0.22	< 0.01 U
MW-11	11/29/1988	WH1188N29Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.26	< 0.01 U
MW-11	2/21/1989	WH1189221Q			< 0.005 U	0.03		0.002		0.008		0.004	< 0.05 U	< 0.01 U
MW-11	6/26/1989	WH1189626Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.06	< 0.01 U
MW-11	9/19/1989	WH1189919Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.12	< 0.01 U
MW-11	12/8/1989	WH1189D08Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.18	< 0.01 U
MW-11	3/9/1990	WH1190309Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.03	< 0.01 U
MW-11	5/18/1990	WH1190518Q			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11 (Dup)	5/18/1990	WH1190518D			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11	8/28/1990	WH1190828-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.18	< 0.005 U
MW-11	12/13/1990	WH1190D13-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11	2/22/1991	WH1191222-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.14	< 0.005 U
MW-11	6/10/1991	WH1191610-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.06	< 0.005 U
MW-11	9/10/1991	WH1191910-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11	11/15/1991	WH1191N15R			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11 (Dup)	11/15/1991	WH1191N15D			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-11	12/13/1991	WH1191D13-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.06	< 0.005 U
MW-11	3/17/1992	WH1192317-			< 0.001 U	0.01		< 0.002 U		< 0.005 U		< 0.003 U	0.025	< 0.025 U
MW-11	6/25/1992	WH1192625-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.49	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-11	9/23/1992	WH1192923-	< 0.02 U		< 0.001 U	0.003	< 0.001 U	< 0.002 U	6.52 B	< 0.005 U	< 0.003 U	0.002	< 0.005 U	< 0.025 U
MW-11	12/21/1992	WH1192D21-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.59	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-11	3/29/1993	WH1193329-	0.03		< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.03 B	< 0.005 U	< 0.003 U	< 0.002 U	0.008	< 0.02 U
MW-11 (Dup)	3/29/1993	WH1193329D	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.04 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.02 U
MW-11	6/21/1993	WH1193621-	< 0.02 U		< 0.001 U	0.002 B	< 0.001 U	< 0.002 U	5.72 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11 (Dup)	6/21/1993	WH1193621D	< 0.02 U		< 0.001 U	0.002 B	< 0.001 U	< 0.002 U	5.68 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	9/24/1993	WH1193924-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	6.85 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	12/28/1993	WH1193D28-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.31 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	3/16/1994	WH1194316-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.33 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	6/24/1994	WH1194624-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	5.9 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	8/25/1994	WH1194825-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	6.51	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	12/19/1994	WH1194D19-	0.05	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.48	< 0.005 U	< 0.003 U	< 0.002 U	0.03	< 0.001 U
MW-11	5/31/1995	WH1195531L	0.096	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.1 B	< 0.005 U	< 0.003 U	< 0.002 U	0.009	< 0.001 U
MW-11	9/20/1995	WH1195920-	0.023	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.9	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-11	12/19/1995	WH1195D19-	< 0.02 U	< 0.001 U	< 0.001 U	0.003 B	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-11	3/15/1996	WH1196315-	0.028	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-11	5/28/1996	WH1196528-	0.037	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.1	< 0.005 U	< 0.003 U	< 0.002 U	0.16 B	< 0.001 U
MW-11	8/5/1996	WH1196805-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.22	< 0.001 U
MW-11	12/5/1996	WH1196D05-	0.14	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	3/6/1997	WH1197306-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-11	5/20/1997	WH1197520-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.011	< 0.001 U
MW-11	8/20/1997	WH1197820-	0.031	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.075	< 0.001 U
MW-11 (Dup)	8/20/1997	WH1197820D	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.051	< 0.001 U
MW-11	12/3/1997	WH1197D03-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.22	< 0.001 U
MW-11	3/9/1998	WH1198309-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11 (Dup)	3/9/1998	WH1198309D	0.072	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-11	5/18/1998	WH1198518-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	8/26/1998	WH1198826-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.8	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-11 (Dup)	8/26/1998	WH1198826D	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	3/9/1999	WH1199309-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	6/14/1999	WH1199614-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	8/17/1999	WH1199817-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	6.1	< 0.005 U	< 0.003 U	< 0.002 U	0.008 J	< 0.001 U
MW-11	12/4/1999	WH1198D04-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.027	< 0.001 U
MW-11	12/4/1999	WH1-98D04-	< 0.02 U	< 0.001 U	0.002 J	0.004	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	1.4	< 0.001 U
MW-11	12/8/1999	WH1199D08-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	3/3/2000	WH1100303-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	5/18/2000	WH1100518-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	6.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	9/7/2000	WH1100907-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.4	< 0.005 U	< 0.003 U	< 0.002 U	0.02	< 0.001 U
MW-11	12/5/2000	WH1100D05-	0.14	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-11	2/16/2001	WH1101216-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.6	< 0.005 U	< 0.003 U	< 0.002 U	0.014	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-11	5/29/2001	WH1101529-	0.051	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	0.008 J	< 0.001 U
MW-11	8/14/2001	WH1101814-	0.062	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-11	12/6/2001	WH1101D06-	0.032	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	0.012	< 0.001 U
MW-11	2/26/2002	WH1102226-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.6	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
MW-11	5/20/2002	WH1102520-	0.12	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-11	8/30/2002	WH1102830-	0.11	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.008 J	< 0.001 U
MW-11	11/22/2002	WH1102N22-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.6	< 0.005 U	< 0.003 U	< 0.002 U	0.009 J	< 0.001 U
MW-11	2/13/2003	WH1103213-	0.027	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-11	8/7/2003	WH1103807-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-11	11/13/2003	WH1103N13-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	4.6	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.026 J	< 0.0010 U
MW-11	2/23/2004	WH1104223-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	4.3	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.017 J	< 0.0010 U
MW-11	5/20/2004	WH1104520-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	4.5	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.024 J	< 0.0010 U
MW-11	9/1/2004	WH1104901-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	4.8 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.030 BJ	< 0.0010 U
MW-11	11/17/2004	WH1104N17-		< 0.001 U	< 0.001 U	0.0023 BJ	< 0.0010 U	< 0.0020 U	6.1 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.029 BJ	< 0.0010 U
MW-11	2/18/2005	WH1105218-		< 0.001 U	< 0.001 U	0.0016 J	< 0.0010 U	< 0.0020 U	4.4	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.010 J	< 0.0010 U
MW-11	5/23/2005	WH1105523-		< 0.001 U	< 0.001 U	0.0014 J	< 0.0010 U	< 0.0020 U	10 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.021 BJ	< 0.0010 U
MW-11	8/12/2005	WH1105812-		< 0.001 U	< 0.001 U	0.0016 J	< 0.0010 U	< 0.0020 U	5.6	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.015 J	< 0.0010 U
MW-11	12/6/2005	WH1105D06-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	5.4	< 0.005 U	< 0.003 U	< 0.002 U	0.009	< 0.001 U
MW-11	2/13/2006	WH11060213-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	4.9	< 0.005 U	< 0.003 U	< 0.002 U	0.024	< 0.001 U
MW-11	5/17/2006	WH11060517-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.0053	< 0.001 U
MW-11	8/24/2006	WH11060824-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	4.9	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-11	12/1/2006	WH11061201-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-11	2/15/2007	WH11070215-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.024	< 0.001 U
MW-11	5/21/2007	WH11070521-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.016	< 0.001 U
MW-11	8/23/2007	WH11070823-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	5.4	< 0.005 U	< 0.003 U	< 0.002 U	0.029 B	< 0.001 U
MW-11	12/3/2007	WH11071203-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	5.1	< 0.005 U	< 0.003 U	< 0.002 U	0.022	< 0.001 U
MW-11	2/28/2008	WH11080228-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.9	< 0.005 U	< 0.003 U	< 0.002 U	0.0056	< 0.001 U
MW-11	6/3/2008	WH11080603-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	0.0033	0.029	< 0.001 U
MW-11	8/21/2008	WH11080821-		< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.6	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-11	12/3/2008	WH11081203-		< 0.001 U	< 0.001 U	0.0017	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.049	< 0.001 U
MW-11	2/27/2009	WH11090227-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	0.052	< 0.001 U
MW-11	5/28/2009	WH11090528-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11 (Dup)	5/28/2009	WH11090528D		< 0.001 U	< 0.001 U	0.00113	< 0.001 U	< 0.002 U	4.44	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	9/1/2009	WH11090901-		< 0.001 U	< 0.001 U	0.00153	< 0.001 U	< 0.002 U	7.46	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	11/24/2009	WH11091124-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	5.96	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	3/2/2010	WH11100302-		< 0.001 U	< 0.001 U	0.00116	< 0.001 U	< 0.002 U	5.55	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	5/26/2010	WH11100526-		< 0.001 U	< 0.001 U	0.00126	< 0.001 U	< 0.002 U	5.86	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	8/20/2010	WH11100820-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	7.15	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	12/2/2010	WH11101202-		< 0.001 DU	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	6.19	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	2/28/2011	WH11110228-		< 0.001 U	< 0.001 U	0.00123	< 0.001 U	< 0.002 U	5.02	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-11	6/2/2011	WH11110602-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.15	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	8/26/2011	WH11110826-		< 0.001 U	< 0.001 U	0.00152	< 0.001 U	< 0.002 U	8.95	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	12/5/2011	WH11111205-		< 0.001 U	< 0.001 U	0.00137	< 0.001 U	< 0.002 U	5.81	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	2/27/2012	WH11120227-		< 0.001 U	< 0.001 U	0.00104	< 0.001 U	< 0.002 U	3.85	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	5/21/2012	WH11120521-		< 0.001 U	< 0.001 U	0.00114	< 0.001 U	< 0.002 U	5.33	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	8/28/2012	WH11120828-		< 0.001 U	< 0.001 U	0.00142	< 0.001 U	< 0.002 U	7.55	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	11/20/2012	WH11121120-		< 0.001 U	< 0.001 U	0.0013 D	< 0.001 U	< 0.002 U	5.68	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	2/27/2013	WH11130227-		< 0.001 U	< 0.001 U	0.00127	< 0.001 DU	< 0.002 U	6.07	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-11	5/21/2013	WH11130521-		< 0.001 U	< 0.001 U	0.00138 D	< 0.001 U	< 0.002 DU	6.23	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-11	8/22/2013	WH11130822-		< 0.001 U	< 0.001 U	0.00164	< 0.001 U	< 0.002 U	9.16	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-18	8/25/1987	WH1887825											80.4	
MW-18	11/23/1987	WH1887N23			< 0.005 U	0.03		< 0.002 U		< 0.005 U		0.004	2.4	< 0.01 U
MW-18	3/10/1988	WH1888310			< 0.005 U	0.03		< 0.002 U		< 0.005 U		0.007	0.98	< 0.01 U
MW-18	5/25/1988	WH1888525			< 0.005 U	0.04		< 0.002 U		< 0.005 U		< 0.002 U	1.8	< 0.01 U
MW-18	9/7/1988	WH1888907Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	1.4	< 0.01 U
MW-18	11/18/1988	WH1888N18Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	0.92	< 0.01 U
MW-18	3/6/1989	WH1889306Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.015	1.1	< 0.01 U
MW-18	6/28/1989	WH1889628Q			< 0.005 U	< 0.02 U		< 0.002 U		0.01		< 0.002 U	1.1	0.01
MW-18	9/12/1989	WH1889912Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.88	< 0.01 U
MW-18	12/11/1989	WH1889D11Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.75	< 0.01 U
MW-18	3/14/1990	WH1890314Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.46	< 0.01 U
MW-18	5/21/1990	WH1890521Q			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.45	0.006
MW-18	8/30/1990	WH1890830-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.47	< 0.005 U
MW-18 (Dup)	8/30/1990	WH1890830D			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.62	< 0.005 U
MW-18	12/14/1990	WH1890D14-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.3	< 0.005 U
MW-18 (Dup)	12/14/1990	WH1890D14D			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.27	< 0.005 U
MW-18	3/5/1991	WH1891305-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.73 XE	< 0.005 U
MW-18	6/11/1991	WH1891611-			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.19	< 0.005 U
MW-18	9/13/1991	WH1891913-			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.17	< 0.005 U
MW-18	12/13/1991	WH1891D13-			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.38	0.015
MW-18 (Dup)	12/13/1991	WH1891D13D			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.46	0.019
MW-18	3/23/1992	WH1892323-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.15	< 0.005 U
MW-18	6/29/1992	WH1892629-	0.09		0.002	0.002	< 0.001 U	< 0.002 U	9.14 B	< 0.005 U	< 0.003 U	0.003	0.188	< 0.025 U
MW-18	9/28/1992	WH1892928-	0.05		0.002	0.002	< 0.001 U	< 0.002 U	9.52	< 0.005 U	< 0.003 U	< 0.003 U	0.223	< 0.025 U
MW-18	12/28/1992	WH1892D28-	0.05		0.003	0.002	< 0.001 U	< 0.002 U	7.73 B	< 0.005 U	< 0.003 U	< 0.003 U	0.177	< 0.025 U
MW-18 (Dup)	12/28/1992	WH1892D28D	0.04		0.003	0.002	< 0.001 U	< 0.002 U	7.65 B	< 0.005 U	< 0.003 U	< 0.003 U	0.17	< 0.025 U
MW-18	3/26/1993	WH1893326-	< 0.02 U		0.002	0.002	< 0.001 U	< 0.002 U	7.72	< 0.005 U	< 0.003 U	< 0.002 U	0.164	< 0.02 U
MW-18	6/18/1993	WH1893618-	< 0.02 U		0.002	0.001	< 0.001 U	< 0.002 U	7.46	< 0.005 U	< 0.003 U	0.006 B	0.168	< 0.001 U
MW-18	9/20/1993	WH1893920-	< 0.02 U		0.002	0.007	< 0.001 U	< 0.002 U	7.98	< 0.005 U	< 0.003 U	< 0.002 U	0.165 B	< 0.001 U
MW-18	12/21/1993	WH1893D21-	< 0.02 U	< 0.001 U	0.002	0.002	< 0.001 U	< 0.002 U	7.16	< 0.005 U	< 0.003 U	< 0.002 U	0.171	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-18	3/18/1994	WH1894318-	< 0.02 U	< 0.001 U	0.002	0.002 B	< 0.001 U	< 0.002 U	7.4	< 0.005 U	< 0.003 U	< 0.002 U	0.181	< 0.001 U
MW-18	6/28/1994	WH1894628-	< 0.02 U	< 0.001 U	0.003	0.002	< 0.001 U	< 0.002 U	7.33	< 0.005 U	< 0.003 U	< 0.002 U	0.185	< 0.001 U
MW-18	8/25/1994	WH1894825-	< 0.02 U	< 0.001 U	0.002	< 0.001 U	< 0.001 U	< 0.002 U	7.41	< 0.005 U	< 0.003 U	< 0.002 U	0.163	< 0.001 U
MW-18 (Dup)	8/25/1994	WH1894825D	< 0.02 U	< 0.001 U	0.003	< 0.001 U	< 0.001 U	< 0.002 U	7.47	< 0.005 U	< 0.003 U	< 0.002 U	0.161	0.004 B
MW-18	12/16/1994	WH1894D16-	0.02 B	< 0.001 U	0.003	0.002	< 0.001 U	< 0.002 U	7.83	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	5/31/1995	WH1895531L	0.026	< 0.001 U	0.002	0.002	< 0.001 U	< 0.002 U	7.6 B	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	9/19/1995	WH1895919-	0.046	< 0.001 U	0.003	0.002	< 0.001 U	< 0.002 U	7.7	< 0.005 U	< 0.003 U	< 0.002 U	0.28	< 0.001 U
MW-18	12/20/1995	WH1895D20-	< 0.02 U	< 0.001 U	0.002	0.004 B	< 0.001 U	< 0.002 U	9.5	< 0.005 U	< 0.003 U	< 0.002 U	0.42	< 0.001 U
MW-18	3/20/1996	WH1896320-	< 0.02 U	< 0.001 U	0.001	0.007	< 0.001 U	< 0.002 U	8.1 B	< 0.005 U	< 0.003 U	< 0.002 U	0.33	< 0.001 U
MW-18	5/29/1996	WH1896529-	< 0.02 U	< 0.001 U	0.001	0.002	< 0.001 U	< 0.002 U	8.6	< 0.005 U	< 0.003 U	< 0.002 U	0.57 B	< 0.001 U
MW-18	8/6/1996	WH1896806-	< 0.02 U	< 0.001 U	0.002 J	0.002	< 0.001 U	< 0.002 U	8.8	< 0.005 U	< 0.003 U	< 0.002 U	0.49	< 0.001 U
MW-18	12/4/1996	WH1896D04-	< 0.02 U	< 0.001 U	0.002 J	< 0.001 U	< 0.001 U	< 0.002 U	6.7	< 0.005 U	< 0.003 U	< 0.002 U	0.25	< 0.001 U
MW-18	3/7/1997	WH1897307-	< 0.02 U	< 0.001 U	0.002 J	0.002	< 0.001 U	< 0.002 U	6.7	< 0.005 U	< 0.003 U	< 0.002 U	0.28	< 0.001 U
MW-18	5/22/1997	WH1897522-	< 0.02 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	6.5	< 0.005 U	< 0.003 U	< 0.002 U	0.25	< 0.001 U
MW-18 (Dup)	5/22/1997	WH1897522D	< 0.02 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	6.5	< 0.005 U	< 0.003 U	< 0.002 U	0.26	< 0.001 U
MW-18	8/20/1997	WH1897820-	< 0.02 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	6.3	< 0.005 U	< 0.003 U	< 0.002 U	0.28	< 0.001 U
MW-18 (Dup)	8/20/1997	WH1897820D	< 0.02 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	6.2	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	12/4/1997	WH1897D04-	0.027	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.9	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	3/25/1998	WH1898325-	< 0.02 U	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.9	< 0.005 U	< 0.003 U	< 0.002 U	0.31	< 0.001 U
MW-18	5/20/1998	WH1898520-	< 0.02 U	< 0.001 U	0.002 J	0.002	< 0.001 U	< 0.002 U	7.3	< 0.005 U	< 0.003 U	< 0.002 U	0.32	< 0.001 U
MW-18	8/26/1998	WH1898826-	< 0.02 U	< 0.001 U	0.002 J	0.002	< 0.001 U	< 0.002 U	7.8	< 0.005 U	< 0.003 U	< 0.002 U	0.29	< 0.001 U
MW-18	12/8/1998	WH1898D08-	0.025	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.9	< 0.005 U	< 0.003 U	< 0.002 U	0.26	< 0.001 U
MW-18	3/9/1999	WH1899309-	< 0.02 U	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.1	< 0.005 U	< 0.003 U	< 0.002 U	0.62	< 0.001 U
MW-18	6/15/1999	WH1899615-	< 0.02 U	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	5.4	< 0.005 U	< 0.003 U	< 0.002 U	0.31	< 0.001 U
MW-18	8/17/1999	WH1899817-	0.03	< 0.001 U	0.002 J	0.002	< 0.001 U	< 0.002 U	7	< 0.005 U	< 0.003 U	< 0.002 U	0.33	< 0.001 U
MW-18	12/7/1999	WH1899D07-	< 0.02 U	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.2	< 0.005 U	< 0.003 U	< 0.002 U	0.17	< 0.001 U
MW-18	3/3/2000	WH1800303-	< 0.020 U	< 0.001 U	0.001 J	0.004	< 0.001 U	< 0.002 U	5.8	< 0.005 U	< 0.003 U	< 0.002 U	0.21	< 0.001 U
MW-18	5/19/2000	WH1800519-	< 0.020 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	7.5	< 0.005 U	< 0.003 U	< 0.002 U	0.25	< 0.001 U
MW-18	9/5/2000	WH1800905-	0.03	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	12/6/2000	WH1800D06-	0.06	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	0.29	< 0.001 U
MW-18	2/15/2001	WH1801215-	< 0.020 U	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.27	< 0.001 U
MW-18	5/25/2001	WH1801525-	0.029	< 0.001 U	0.001 J	0.005	< 0.001 U	< 0.002 U	4.8 B	< 0.005 U	< 0.003 U	< 0.002 U	0.23	< 0.001 U
MW-18	8/14/2001	WH1801814-	< 0.020 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	4.6	< 0.005 U	< 0.003 U	< 0.002 U	0.22	< 0.001 U
MW-18	12/6/2001	WH1801D06-	0.032	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	0.19	< 0.001 U
MW-18	2/26/2002	WH1802226-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-18	5/20/2002	WH1802520-	0.049	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.7	< 0.005 U	< 0.003 U	< 0.002 U	0.17	< 0.001 U
MW-18	8/29/2002	WH1802829-	< 0.020 UM	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.24	< 0.001 U
MW-18	11/21/2002	WH1802N21-	< 0.020 U	< 0.001 U	0.001 J	0.003	< 0.001 U	< 0.002 U	6.1	< 0.005 U	< 0.003 U	< 0.002 U	0.2	< 0.001 U
MW-18	2/12/2003	WH1803212-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-18	5/15/2003	WH1803515-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.3	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-18	8/7/2003	WH1803807-	< 0.020 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.2	< 0.001 U
MW-18	11/13/2003	WH1803N13-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	4.9	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.070 J	< 0.0010 U
MW-18	2/23/2004	WH1804223-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	5.4	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.11 J	< 0.0010 U
MW-18	5/19/2004	WH1804519-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	5.2	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.15 J	< 0.0010 U
MW-18	9/3/2004	WH1804903-		< 0.001 U	0.001	0.0020 J	< 0.0010 U	< 0.0020 U	5.2 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.069 J	< 0.0010 U
MW-18	11/22/2004	WH1804N22-		< 0.001 U	< 0.001 U	0.0022 J	< 0.0010 U	< 0.0020 U	5.4 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.15 BJ	< 0.0010 U
MW-18	2/23/2005	WH1805223-		< 0.001 U	< 0.001 U	0.0029 J	< 0.0010 U	< 0.0020 U	4.8	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.15 J	< 0.0010 U
MW-18	5/20/2005	WH1805520-		< 0.001 U	< 0.001 U	0.0034 J	< 0.0010 U	< 0.0020 U	5.5 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.19 J	< 0.0010 U
MW-18	8/9/2005	WH1805809-		< 0.001 U	0.0011	0.0013 J	< 0.0010 U	< 0.0020 U	5.1	< 0.0050 U	< 0.0030 U	0.0031 J	0.18 J	< 0.0010 U
MW-18	12/5/2005	WH1805D05-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4.9	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-18	2/10/2006	WH18060210-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-18	5/23/2006	WH18060523-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	5.3	< 0.005 U	< 0.003 U	< 0.002 U	0.15 B	< 0.001 U
MW-18	8/22/2006	WH18060822-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-18	12/5/2006	WH18061205-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	5.7	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-18	2/14/2007	WH18070214-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-18	5/17/2007	WH18070517-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	5.3	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-18	8/24/2007	WH18070824-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.8	< 0.005 U	< 0.003 U	< 0.002 U	0.1 B	< 0.001 U
MW-18	12/7/2007	WH18071207-		< 0.001 U	< 0.001 U	0.0019	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.13 B	< 0.001 U
MW-18	3/3/2008	WH18080303-		< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	5.1	< 0.005 U	< 0.003 U	< 0.002 U	0.094 B	< 0.001 U
MW-18	6/3/2008	WH18080603-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.12	< 0.001 U
MW-18	8/20/2008	WH18080820-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	0.12	< 0.001 U
MW-18	12/4/2008	WH18081204-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.12	< 0.001 U
MW-18	3/4/2009	WH18090304-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.9	< 0.005 U	< 0.003 U	< 0.002 U	0.089	< 0.001 U
MW-18	5/28/2009	WH18090528-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.68	< 0.005 U	< 0.003 U	< 0.002 U	0.0969	< 0.001 U
MW-18	12/1/2009	WH18091201-		< 0.001 U	< 0.001 U	0.00106 D	< 0.001 DU	< 0.002 DU	5.42 D	< 0.005 U	< 0.003 DU	< 0.002 U	0.031 T	< 0.001 DU
MW-18	3/3/2010	WH18100303-		< 0.001 U	< 0.001 U	0.00102	< 0.001 U	< 0.002 U	5.28	< 0.005 U	< 0.003 U	< 0.002 U	0.043 T	< 0.001 U
MW-18	5/27/2010	WH18100527-		< 0.001 U	< 0.001 U	0.00107	< 0.001 U	< 0.002 U	5.38	< 0.005 U	< 0.003 U	< 0.002 U	0.053	< 0.001 U
MW-18	8/27/2010	WH18100827-		< 0.001 U	< 0.001 U	0.00123	< 0.001 U	< 0.002 U	5.56	< 0.005 U	< 0.003 U	< 0.002 U	0.0517	< 0.001 U
MW-18	12/1/2010	WH18101201-		< 0.001 DU	< 0.001 U	0.00128	< 0.001 U	< 0.002 U	6.34	< 0.005 U	< 0.003 U	< 0.002 U	0.037 T	< 0.001 U
MW-18	12/1/2010	WH18101201-		< 0.001 DU	< 0.001 U	0.00128	< 0.001 U	< 0.002 U	6.34	< 0.005 U	< 0.003 U	< 0.002 U	0.037 T	< 0.001 U
MW-18	2/23/2011	WH18110223-		< 0.001 U	< 0.001 U	0.00124	< 0.001 U	< 0.002 U	5.55	< 0.005 U	< 0.003 U	< 0.002 U	0.0605	< 0.001 U
MW-18	2/23/2011	WH18110223-		< 0.001 U	< 0.001 U	0.00124	< 0.001 U	< 0.002 U	5.55	< 0.005 U	< 0.003 U	< 0.002 U	0.0605	< 0.001 U
MW-18	5/31/2011	WH18110531-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.85	< 0.005 U	< 0.003 U	< 0.002 U	0.031 T	< 0.001 U
MW-18	5/31/2011	WH18110531-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.85	< 0.005 U	< 0.003 U	< 0.002 U	0.031 T	< 0.001 U
MW-18	8/24/2011	WH18110824-		< 0.001 U	< 0.001 U	0.00123	< 0.001 U	< 0.002 U	6.17	< 0.005 U	< 0.003 U	< 0.002 U	0.043 T	< 0.001 U
MW-18	8/24/2011	WH18110824-		< 0.001 U	< 0.001 U	0.00123	< 0.001 U	< 0.002 U	6.17	< 0.005 U	< 0.003 U	< 0.002 U	0.043 T	< 0.001 U
MW-18	12/1/2011	WH18111201-		< 0.001 U	< 0.001 U	0.00127	< 0.001 U	< 0.002 U	6.46	< 0.005 U	< 0.003 U	< 0.002 U	0.026 T	< 0.001 U
MW-18	3/2/2012	WH18120302-		< 0.001 U	< 0.001 U	0.00117	< 0.001 U	< 0.002 U	4.95	< 0.005 U	< 0.003 U	< 0.002 U	0.045 T	< 0.001 U
MW-18	5/16/2012	WH18120516-		< 0.001 U	< 0.001 U	0.00106	< 0.001 U	< 0.002 U	4.79	< 0.005 U	< 0.003 U	< 0.002 U	0.045 T	< 0.001 U
MW-18	8/28/2012	WH18120828-		< 0.001 U	< 0.001 U	0.00119	< 0.001 U	< 0.002 U	5.03	< 0.005 U	< 0.003 U	< 0.002 U	0.037 T	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-18	11/27/2012	WH18121127-		< 0.001 U	< 0.001 U	0.00117	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	0.024 T	< 0.001 U
MW-18	2/26/2013	WH18130226-		< 0.001 U	< 0.001 U	0.00112	< 0.001 U	< 0.002 DU	4.56	< 0.005 U	< 0.003 U	< 0.002 U	0.038 T	< 0.001 U
MW-18	5/15/2013	WH18130515-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.12	< 0.005 U	< 0.003 U	< 0.002 U	0.029 T	< 0.001 U
MW-25	12/12/2001	WH2501D12-	0.077	< 0.001 U	0.001 J	0.003	< 0.001 U	< 0.002 U	7.2	< 0.005 U	< 0.003 U	< 0.002 U	0.022	< 0.001 U
MW-25	2/27/2002	WH2502227-	0.04	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	7.4	< 0.005 U	< 0.003 U	< 0.002 U	0.013	< 0.001 U
MW-25	5/17/2002	WH2502517-	0.047	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	7.6	< 0.005 U	< 0.003 U	< 0.002 U	0.039	< 0.001 U
MW-25	9/4/2002	WH2502904-	0.11	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	6.8	< 0.005 U	< 0.003 U	< 0.002 U	0.02	< 0.001 U
MW-25	11/27/2002	WH2502N27-	< 0.020 U	< 0.001 U	0.001 J	0.003	< 0.001 U	< 0.002 U	8.1	< 0.005 U	< 0.003 U	< 0.002 U	0.033	< 0.001 U
MW-25	2/14/2003	WH2503214-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	7.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-25	5/16/2003	WH2503516-	< 0.020 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	7.7	< 0.005 U	< 0.003 U	< 0.002 U	0.04	< 0.001 U
MW-25 (Dup)	5/16/2003	WH2503516D	0.066	< 0.001 U	0.002 J	0.001	< 0.001 U	< 0.002 U	7.7	< 0.005 U	< 0.003 U	< 0.002 U	0.036	< 0.001 U
MW-25	8/12/2003	WH2503812-	0.063	< 0.001 U	0.001 J	0.002	< 0.001 U	< 0.002 U	7.5	< 0.005 U	< 0.003 U	< 0.002 U	0.051	< 0.001 U
MW-25	11/12/2003	WH2503N12-		< 0.001 U	0.001	0.001	< 0.0010 U	< 0.0020 U	7.5	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.029 J	< 0.0010 U
MW-25	2/23/2004	WH2504223-		< 0.001 U	0.001	< 0.001 U	< 0.0010 U	< 0.0020 U	8.7	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.031 J	< 0.0010 U
MW-25	5/19/2004	WH2504519-		< 0.001 U	0.001	< 0.001 U	< 0.0010 U	< 0.0020 U	8.8	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.032 J	< 0.0010 U
MW-25	9/1/2004	WH2504901-		< 0.001 U	0.001	0.0020 J	< 0.0010 U	< 0.0020 U	7.7 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.036 BJ	< 0.0010 U
MW-25	11/19/2004	WH2504N19-		< 0.001 U	0.0016	0.0019 J	< 0.0010 U	< 0.0020 U	9.8	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.061 J	< 0.0010 U
MW-25	2/23/2005	WH2505223-		< 0.001 U	0.0012	0.0036 J	< 0.0010 U	< 0.0020 U	9	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.050 J	< 0.0010 U
MW-25	5/23/2005	WH2505523-		< 0.001 U	0.0016	0.0012 J	< 0.0010 U	< 0.0020 U	11 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.035 BJ	< 0.0010 U
MW-25	8/12/2005	WH2505812-		< 0.001 U	0.0011	< 0.001 U	< 0.0010 U	< 0.0020 U	8.4	< 0.0050 U	< 0.0030 U	< 0.0020 U	< 0.0050 U	< 0.0010 U
MW-25	12/6/2005	WH25051206-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.017	< 0.001 U
MW-25	2/14/2006	WH25060214-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	8.9	< 0.005 U	< 0.003 U	< 0.002 U	0.041	< 0.001 U
MW-25 (Dup)	2/14/2006	WH25060214D		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	8.8	< 0.005 U	< 0.003 U	< 0.002 U	0.039	< 0.001 U
MW-25	5/17/2006	WH25060517-		< 0.001 U	0.0012	< 0.001 U	< 0.001 U	< 0.002 U	8.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-25	8/18/2006	WH25060818-		< 0.001 U	0.0015	0.0011	< 0.001 U	< 0.002 U	8.2	< 0.005 U	< 0.003 U	< 0.002 U	0.053	< 0.001 U
MW-25	12/6/2006	WH25061206-		< 0.001 U	0.0014	< 0.001 U	< 0.001 U	< 0.002 U	8	< 0.005 U	< 0.003 U	< 0.002 U	0.061	< 0.001 U
MW-25	2/16/2007	WH25070216-		< 0.001 U	0.0013	0.0011	< 0.001 U	< 0.002 U	8.3	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-25	5/18/2007	WH25070518-		< 0.001 U	0.0012	0.001	< 0.001 U	< 0.002 U	8.9	< 0.005 U	< 0.003 U	< 0.002 U	0.027	< 0.001 U
MW-25 (Dup)	5/18/2007	WH25070518D		< 0.001 U	0.0013	< 0.001 U	< 0.001 U	< 0.002 U	8.3	< 0.005 U	< 0.003 U	< 0.002 U	0.024	< 0.001 U
MW-25	8/23/2007	WH25070823-		< 0.001 U	0.0014	0.0014	< 0.001 U	< 0.002 U	8.4	< 0.005 U	< 0.003 U	< 0.002 U	0.032 B	< 0.001 U
MW-25	11/30/2007	WH25071130-		< 0.001 U	0.0012	< 0.001 U	< 0.001 U	< 0.002 U	8	< 0.005 U	< 0.003 U	< 0.002 U	0.042 B	< 0.001 U
MW-25	2/28/2008	WH25080228-		< 0.001 U	0.0012	0.001	< 0.001 U	< 0.002 U	8.7	< 0.005 U	< 0.003 U	< 0.002 U	0.013	< 0.001 U
MW-25	6/3/2008	WH25080603-		< 0.001 U	0.0011	0.001	< 0.001 U	< 0.002 U	8.6	< 0.005 U	< 0.003 U	< 0.002 U	0.048	< 0.001 U
MW-25	8/22/2008	WH25080822-		< 0.001 U	0.0013	0.0016	< 0.001 U	< 0.002 U	7.5	< 0.005 U	< 0.003 U	< 0.002 U	0.036	< 0.001 U
MW-25	12/1/2008	WH25081201-		0.0013	0.0011	< 0.001 U	< 0.001 U	< 0.002 U	8.2	< 0.005 U	< 0.003 U	< 0.002 U	0.031 B	< 0.001 U
MW-25	2/26/2009	WH25090226-		< 0.001 U	0.0013	0.0013	< 0.001 U	< 0.002 U	8.6	< 0.005 U	< 0.003 U	< 0.002 U	0.071	< 0.001 U
MW-25	5/29/2009	WH25090529-		< 0.001 U	0.00126	< 0.001 U	< 0.001 U	< 0.002 U	7.86	< 0.005 U	< 0.003 U	< 0.002 U	0.011 T	< 0.001 U
MW-25	8/31/2009	WH25090831-		< 0.001 U	0.00121	< 0.001 U	< 0.001 U	< 0.002 U	8.09	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	11/24/2009	WH25091124-		< 0.001 U	0.00113	< 0.001 U	< 0.001 U	< 0.002 U	8.47	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	3/2/2010	WH25100302-		< 0.001 U	0.00125	< 0.001 U	< 0.001 U	< 0.002 U	8.06	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-25 (Dup)	3/2/2010	WH25100302D		< 0.001 U	0.00125	< 0.001 U	< 0.001 U	< 0.002 U	9.06	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	5/25/2010	WH25100525-		< 0.001 U	0.00113	< 0.001 U	< 0.001 U	< 0.002 U	8.79	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	8/27/2010	WH25100827-		< 0.001 U	0.00123	< 0.001 U	< 0.001 U	< 0.002 U	8.69	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25 (Dup)	8/27/2010	WH25100827D		< 0.001 U	0.0012	< 0.001 U	< 0.001 U	< 0.002 U	8.56	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	12/1/2010	WH25101201-		< 0.001 DU	0.0011	< 0.001 U	< 0.001 U	< 0.002 U	8.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	2/25/2011	WH25110225-		< 0.001 U	0.00128	< 0.001 U	< 0.001 U	< 0.002 U	9.26	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	5/31/2011	WH25110531-		< 0.001 U	0.00119	< 0.001 U	< 0.001 U	< 0.002 U	6.93	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	8/26/2011	WH25110826-		< 0.001 U	0.00128	< 0.001 U	< 0.001 U	< 0.002 U	10.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	12/2/2011	WH25111202-		< 0.001 U	0.00119	< 0.001 U	< 0.001 U	< 0.002 U	8.41	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	3/5/2012	WH25120305-		< 0.001 U	0.00123	< 0.001 U	< 0.001 U	< 0.002 U	8.41	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	5/22/2012	WH25120522-		< 0.001 U	0.0012	< 0.001 U	< 0.001 U	< 0.002 U	8.68	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	8/28/2012	WH25120828-		< 0.001 U	0.00114	< 0.001 U	< 0.001 U	< 0.002 U	9.03	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	11/28/2012	WH25121128-		< 0.001 U	0.00107	< 0.001 U	< 0.001 U	< 0.002 U	9.28	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	2/25/2013	WH25130225-		< 0.001 U	0.00115	< 0.001 U	< 0.001 DU	< 0.002 U	10.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-25	5/28/2013	WH25130528-		< 0.001 U	0.00109	< 0.001 DU	< 0.001 U	< 0.002 DU	9.35	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-25	8/19/2013	WH25130819-		< 0.001 U	0.00111	< 0.001 U	< 0.001 U	< 0.002 U	9.47	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	10/28/1986	WH3-86O28			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.02	< 0.01 U
MW-3	5/28/1987	WH3-87528			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.01 U	< 0.01 U
MW-3	9/8/1987	WH3-87908			< 0.004 U	< 0.005 U		< 0.005 U					< 0.02 U	< 0.002 U
MW-3	12/21/1987	WH3-87D21			< 0.005 U	0.02		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-3	3/21/1988	WH3-88321			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-3	5/26/1988	WH3-88526			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.009	< 0.05 U	< 0.01 U
MW-3	9/2/1988	WH3-88902Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.005	0.31	< 0.01 U
MW-3	11/22/1988	WH3-88N22Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-3	2/17/1989	WH3-89217Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.002	< 0.05 U	< 0.01 U
MW-3	6/9/1989	WH3-89609Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-3	9/6/1989	WH3-89906Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.002	0.02	0.01
MW-3	12/7/1989	WH3-89D07Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-3	2/13/1990	WH3-90213Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.005	0.04	< 0.01 U
MW-3	5/17/1990	WH3-90517Q			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-3	8/24/1990	WH3-90824-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.33	0.006
MW-3	11/13/1990	WH3-90N13-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-3	2/21/1991	WH3-91221-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		0.12	< 0.02 U	< 0.005 U
MW-3	6/25/1991	WH3-91625-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-3	9/20/1991	WH3-91920-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	< 0.005 U
MW-3	12/17/1991	WH3-91D17-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-3	3/18/1992	WH3-92318-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-3	6/23/1992	WH3-92623-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.87	< 0.005 U	< 0.003 U	< 0.003 U	0.058	< 0.025 U
MW-3	9/21/1992	WH3-92921-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.4 B	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-3	12/22/1992	WH3-92D22-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.3	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-3	3/23/1993	WH3-93323-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	10.4	< 0.005 U	< 0.003 U	< 0.002 U	0.005	< 0.02 U
MW-3	6/17/1993	WH3-93617-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.1	< 0.005 U	< 0.003 U	0.007 B	< 0.005 U	< 0.001 U
MW-3	9/23/1993	WH3-93923-	0.02		0.001	< 0.001 U	< 0.001 U	< 0.002 U	10.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	12/22/1993	WH3-93D22-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	10.4 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	3/14/1994	WH3-94314-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	6/23/1994	WH3-94623-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	10.1 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	8/23/1994	WH3-94823-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.4 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.001 B
MW-3	12/20/1994	WH3-94D20-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10.6 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.002
MW-3	3/6/1995	WH3-95306L	0.043	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.017	< 0.001 U
MW-3	5/26/1995	WH3-95526L	0.066	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	8.7	< 0.005 U	< 0.003 U	< 0.002 U	0.044 B	< 0.001 U
MW-3	9/14/1995	WH3-95914-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	12/19/1995	WH3-95D19-	0.025	< 0.001 U	< 0.001 U	0.002 B	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-3	3/15/1996	WH3-96315-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.3	< 0.005 U	< 0.003 U	< 0.002 U	0.32	< 0.001 U
MW-3	5/23/1996	WH3-96523-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10 BD	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-3	7/30/1996	WH3-96730-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.26	< 0.001 U
MW-3	12/2/1996	WH3-96D02-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	3/5/1997	WH3-97305-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.038	< 0.001 U
MW-3	5/19/1997	WH3-97519-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	0.012	< 0.001 U
MW-3	8/18/1997	WH3-97818-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.075	< 0.001 U
MW-3	12/19/1997	WH3-97D19-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-3	3/5/1998	WH3-98305-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.021	< 0.001 U
MW-3	5/15/1998	WH3-98515-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.018	< 0.001 U
MW-3	8/25/1998	WH3-98825-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	3/8/1999	WH3-99308-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	6/11/1999	WH3-99611-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.01 U	< 0.005 U	< 0.003 U	< 0.002 U	0.062	< 0.001 U
MW-3	8/16/1999	WH3-99816-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.027	< 0.001 U
MW-3	12/4/1999	WH3-98D04-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	12/8/1999	WH3-99D08-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
MW-3	3/6/2000	WH3-00306-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-3	5/18/2000	WH3-00518-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.016	< 0.001 U
MW-3	9/7/2000	WH3-00907-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	8.4	< 0.005 U	< 0.003 U	< 0.002 U	0.035	< 0.001 U
MW-3	12/4/2000	WH3-00D04-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.5	< 0.005 U	< 0.003 U	< 0.002 U	0.065	< 0.001 U
MW-3	2/15/2001	WH3-01215-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	8.9	< 0.005 U	< 0.003 U	0.025	0.038	< 0.001 U
MW-3	5/30/2001	WH3-01530-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	7.7	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
MW-3	8/13/2001	WH3-01813-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	8.3	< 0.005 U	< 0.003 U	< 0.002 U	0.034	< 0.001 U
MW-3	12/7/2001	WH3-01D07-	0.075	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.033	< 0.001 U
MW-3	2/26/2002	WH3-02226-	0.1	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	9.2	< 0.005 U	< 0.003 U	< 0.002 U	0.042	< 0.001 U
MW-3	5/16/2002	WH3-02516-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.045	< 0.001 U
MW-3	8/30/2002	WH3-02830-	0.16	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9	< 0.005 U	< 0.003 U	< 0.002 U	0.025	< 0.001 U
MW-3	11/26/2002	WH3-02N26-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	11 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 BU	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-3	2/14/2003	WH3-03214-	0.057	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-3 (Dup)	2/14/2003	WH3-03214D	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.9	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-3	5/15/2003	WH3-03515-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10 B	< 0.005 U	< 0.003 U	< 0.002 U	0.047	< 0.001 U
MW-3	8/6/2003	WH3-03806-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.056	< 0.001 U
MW-3	11/3/2003	WH3-03N12-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	9.7	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.051 J	< 0.0010 U
MW-3	11/13/2003	WH3-03N13-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	9.7	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.051 J	< 0.0010 U
MW-3	2/20/2004	WH3-04220-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.047 J	< 0.0010 U
MW-3	5/19/2004	WH3-04519-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.048 J	< 0.0010 U
MW-3	9/2/2004	WH3-04902-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.037 BJ	< 0.0010 U
MW-3	11/19/2004	WH3-04N19-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.047 BJ	< 0.0010 U
MW-3	2/22/2005	WH3-05222-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	12	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.056 J	< 0.0010 U
MW-3	5/20/2005	WH3-05520-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.057 J	< 0.0010 U
MW-3	8/12/2005	WH3-05812-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	11	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.011 J	< 0.0010 U
MW-3	12/6/2005	WH3-051206-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-3	2/23/2006	WH3-060223-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.034	< 0.001 U
MW-3	5/17/2006	WH3-060517-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.019 B	< 0.001 U
MW-3	8/18/2006	WH3-060818-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	7.9	< 0.005 U	< 0.003 U	< 0.002 U	0.051	< 0.001 U
MW-3	12/6/2006	WH3-061206-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.071	< 0.001 U
MW-3 (Dup)	12/6/2006	WH3-061206D		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.069	< 0.001 U
MW-3	2/15/2007	WH3-070215-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.082	< 0.001 U
MW-3	5/18/2007	WH3-070518-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.045	< 0.001 U
MW-3	8/23/2007	WH3-070823-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	20	< 0.005 U	< 0.003 U	< 0.002 U	0.094 B	< 0.001 U
MW-3	11/30/2007	WH3-071130-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.042 B	< 0.001 U
MW-3	2/28/2008	WH3-080228-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-3	6/6/2008	WH3-080606-		< 0.0009 U	< 0.0009 U	0.0032	< 0.0009 U	< 0.0018 U	12	< 0.0045 U	< 0.0027 U	< 0.0018 U	0.069 B	< 0.0009 U
MW-3	8/21/2008	WH3-080821-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.085	< 0.001 U
MW-3	12/2/2008	WH3-081202-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.041 B	< 0.001 U
MW-3	3/2/2009	WH3-090302-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.05	< 0.001 U
MW-3	5/29/2009	WH3-090529-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	9/1/2009	WH3-090901-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	11/30/2009	WH3-091130-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	3/3/2010	WH3-100303-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	5/24/2010	WH3-100524-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	8/26/2010	WH3-100826-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	12/2/2010	WH3-101202-		< 0.001 DU	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	2/25/2011	WH3-110225-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	12.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	6/1/2011	WH3-110601-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	8/25/2011	WH3-110825-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	14.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	12/1/2011	WH3-111201-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	14.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	2/24/2012	WH3-120224-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.5	< 0.005 U	< 0.003 U	< 0.002 DU	< 0.01 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-3	5/17/2012	WH3-120517-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	9/24/2012	WH3-120924-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.76	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 DU
MW-3	12/17/2012	WH3-121217-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	11.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	3/1/2013	WH3-130301-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 DU	12.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-3	5/22/2013	WH3-130522-		< 0.001 U	< 0.001 U	< 0.001 DU	< 0.001 U	< 0.002 DU	13	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-3	8/27/2013	WH3-130827-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	15.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	9/4/1986	WH4-86904			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	0.78	< 0.01 U
MW-4	5/26/1987	WH4-87526			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	1.9	< 0.01 U
MW-4	8/24/1987	WH4-87824											0.626	
MW-4	11/25/1987	WH4-87N25			< 0.005 U	< 0.02 U		< 0.002 U		0.006		< 0.002 U	0.3	< 0.01 U
MW-4	3/14/1988	WH4-88314			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-4	5/26/1988	WH4-88526			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-4	9/1/1988	WH4-88901Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.008	< 0.05 U	< 0.01 U
MW-4	9/1/1988	WH4-88901S			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-4	11/17/1988	WH4-88N17Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-4	2/17/1989	WH4-89217Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.005	< 0.05 U	< 0.01 U
MW-4	6/16/1989	WH4-89616Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.06	< 0.01 U
MW-4	9/12/1989	WH4-89912Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.02	< 0.01 U
MW-4	12/6/1989	WH4-89D06Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.05	0.02
MW-4	3/13/1990	WH4-90313Q			< 0.005 U	< 0.02 U		< 0.002 U		0.006		< 0.002 U	0.09	< 0.01 U
MW-4 (Dup)	3/13/1990	WH4-90313D			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.05	< 0.01 U
MW-4	5/17/1990	WH4-90517Q			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4	8/27/1990	WH4-90827-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.08	< 0.005 U
MW-4	12/12/1990	WH4-90D12-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.03	< 0.005 U
MW-4	2/22/1991	WH4-91222-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.12	< 0.005 U
MW-4	6/19/1991	WH4-91619-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4	9/18/1991	WH4-91918-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4 (Dup)	9/18/1991	WH4-91918D			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.08	< 0.005 U
MW-4	11/15/1991	WH4-91N15R			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4 (Dup)	11/15/1991	WH4-91N15D			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4	12/16/1991	WH4-91D16-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.07	< 0.005 U
MW-4	3/18/1992	WH4-92318-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-4	6/23/1992	WH4-92623-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.99	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-4	9/21/1992	WH4-92921-	< 0.02 U		< 0.001 U	0.003	< 0.001 U	< 0.002 U	6.47 B	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-4	12/22/1992	WH4-92D22-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.83	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-4	3/29/1993	WH4-93329-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.33 B	< 0.005 U	< 0.003 U	< 0.002 U	0.009	< 0.02 U
MW-4	6/16/1993	WH4-93616-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.79 B	< 0.005 U	< 0.003 U	0.003	0.006	0.001
MW-4	9/16/1993	WH4-93916-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.03	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 UM
MW-4	12/22/1993	WH4-93D22-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	6.88 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	3/18/1994	WH4-94318-	0.02	< 0.001 U	< 0.001 U	0.002 B	< 0.001 U	< 0.002 U	4.81	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-4	6/23/1994	WH4-94623-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	4.96 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	8/24/1994	WH4-94824-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	12/20/1994	WH4-94D20-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6.63 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.001
MW-4	3/2/1995	WH4-95302-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.05	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 UJ	< 0.001 U
MW-4	5/26/1995	WH4-95526L	0.063	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	6	< 0.005 U	< 0.003 U	< 0.002 U	0.011 B	< 0.001 U
MW-4	9/15/1995	WH4-95915-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	12/18/1995	WH4-95D18-	< 0.02 U	< 0.001 U	< 0.001 U	0.003 B	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	0.026	< 0.001 U
MW-4	3/15/1996	WH4-96315-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-4	5/24/1996	WH4-96524-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5 BD	< 0.005 U	< 0.003 U	< 0.002 U	0.067	< 0.001 U
MW-4	7/31/1996	WH4-96731-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	0.087	< 0.001 U
MW-4	12/3/1996	WH4-96D03-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	0.01 J	< 0.001 U
MW-4	3/5/1997	WH4-97305-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-4	5/21/1997	WH4-97521-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4 (Dup)	5/21/1997	WH4-97521D	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-4	8/20/1997	WH4-97820-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.7	< 0.005 U	< 0.003 U	< 0.002 U	0.053	< 0.001 U
MW-4	12/3/1997	WH4-97D03-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.6	< 0.005 U	< 0.003 U	< 0.002 U	0.22	< 0.001 U
MW-4	3/5/1998	WH4-98305-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	0.006 J	< 0.001 U
MW-4	5/15/1998	WH4-98515-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.9	< 0.005 U	< 0.003 U	< 0.002 U	0.005 J	< 0.001 U
MW-4	8/26/1998	WH4-98826-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	3/8/1999	WH4-99308-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	3.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	6/10/1999	WH4-99610-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	8/18/1999	WH4-99818-	0.062	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	5	< 0.005 U	< 0.003 U	< 0.002 U	0.006 J	< 0.001 U
MW-4	12/4/1999	WH4-98D04-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	12/7/1999	WH4-99D07-	0.026	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	3.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	3/6/2000	WH4-00306-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	5/18/2000	WH4-00518-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	3.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	9/6/2000	WH4-00906-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.5	< 0.005 U	< 0.003 U	< 0.002 U	0.014	< 0.001 U
MW-4	12/5/2000	WH4-00D05-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.3	< 0.005 U	< 0.003 U	< 0.002 U	0.011	< 0.001 U
MW-4	2/14/2001	WH4-01214-	0.022	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.7	< 0.005 U	< 0.003 U	< 0.002 U	0.006 J	< 0.001 U
MW-4	5/31/2001	WH4-01531-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.3	< 0.005 U	< 0.003 U	< 0.002 U	0.01	< 0.001 U
MW-4	8/13/2001	WH4-01813-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.5	< 0.005 U	< 0.003 U	< 0.002 U	0.009 J	< 0.001 U
MW-4	12/10/2001	WH4-01D10-	0.03	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	3.3	< 0.005 U	< 0.003 U	< 0.002 U	0.009 J	< 0.001 U
MW-4	2/27/2002	WH4-02227-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	0.002	3.6	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-4	5/16/2002	WH4-02516-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.3	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-4	9/16/2002	WH4-02916-	0.031	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	3.4	< 0.005 U	< 0.003 U	< 0.002 U	0.02	< 0.001 U
MW-4	11/22/2002	WH4-02N22-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	4.1	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-4	2/13/2003	WH4-03213-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.1	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-4	5/15/2003	WH4-03515-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	3.8 B	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-4	8/7/2003	WH4-03807-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.033	< 0.001 U
MW-4	11/14/2003	WH4-03N14-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	3.9 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.028 J	< 0.0010 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-4	2/23/2004	WH4-04223-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	3.7	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.010 J	< 0.0010 U
MW-4	5/20/2004	WH4-04520-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	3.9	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.018 J	< 0.0010 U
MW-4	9/2/2004	WH4-04902-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	3.7	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.063 BJ	< 0.0010 U
MW-4	11/18/2004	WH4-04N18-		< 0.001 U	< 0.001 U	0.0028 BJ	< 0.0010 U	< 0.0020 U	4.5 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.023 BJ	< 0.0010 U
MW-4	2/22/2005	WH4-05222-		< 0.001 U	< 0.001 U	0.0017 J	< 0.0010 U	< 0.0020 U	3.3	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.025 J	< 0.0010 U
MW-4	5/24/2005	WH4-05524-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	3.8	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.017 J	< 0.0010 U
MW-4	8/12/2005	WH4-05812-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	4.1	< 0.0050 U	< 0.0030 U	0.0026 J	0.011 J	< 0.0010 U
MW-4	12/5/2005	WH4-05D05-		< 0.001 U	< 0.001 U	0.0058	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	0.62	< 0.001 U
MW-4	2/24/2006	WH4-060224-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4.5	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
MW-4	5/17/2006	WH4-060517-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.014 B	< 0.001 U
MW-4	8/23/2006	WH4-060823-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	3.8	< 0.005 U	< 0.003 U	< 0.002 U	0.018	< 0.001 U
MW-4	12/1/2006	WH4-061201-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	3.5	0.0057	< 0.003 U	< 0.002 U	0.096	< 0.001 U
MW-4	2/20/2007	WH4-070220-		< 0.001 U	< 0.001 U	0.0014	< 0.001 U	< 0.002 U	4 B	< 0.005 U	< 0.003 U	< 0.002 U	0.018 B	< 0.001 U
MW-4 (Dup)	2/20/2007	WH4-070220D		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	3.9 B	< 0.005 U	< 0.003 U	< 0.002 U	0.013 B	< 0.001 U
MW-4	5/17/2007	WH4-070517-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	3.9	< 0.005 U	< 0.003 U	< 0.002 U	0.03	< 0.001 U
MW-4	8/27/2007	WH4-070827-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-4	12/10/2007	WH4-071210-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.027	< 0.001 U
MW-4	3/3/2008	WH4-080303-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.5	< 0.005 U	< 0.003 U	< 0.002 U	0.064 B	< 0.001 U
MW-4 (Dup)	3/3/2008	WH4-080303D		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.5	< 0.005 U	< 0.003 U	< 0.002 U	0.02 B	< 0.001 U
MW-4	6/4/2008	WH4-080604-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	0.0041	0.023	< 0.001 U
MW-4	8/21/2008	WH4-080821-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	4.2	< 0.005 U	< 0.003 U	< 0.002 U	0.017	< 0.001 U
MW-4	12/3/2008	WH4-081203-		< 0.001 U	< 0.001 U	0.0017	< 0.001 U	< 0.002 U	4.4	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-4	2/27/2009	WH4-090227-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	4	< 0.005 U	< 0.003 U	< 0.002 U	0.021	< 0.001 U
MW-4	6/1/2009	WH4-090601-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.68	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	9/2/2009	WH4-090902-		< 0.001 U	< 0.001 U	0.00136	< 0.001 U	< 0.002 U	4.99	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	11/30/2009	WH4-091130-		< 0.001 U	< 0.001 U	0.00101	< 0.001 U	< 0.002 U	3.76	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	3/2/2010	WH4-100302-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.69	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	5/26/2010	WH4-100526-		< 0.001 U	< 0.001 U	0.00101	< 0.001 U	< 0.002 U	4.23	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	8/31/2010	WH4-100831-		< 0.001 U	< 0.001 U	0.00139	< 0.001 U	< 0.002 U	5.14	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	12/3/2010	WH4-101203-		< 0.001 DU	< 0.001 U	0.00109	< 0.001 U	< 0.002 U	4.38	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4 (Dup)	12/3/2010	WH4-101203D		< 0.001 DU	< 0.001 U	0.00108	< 0.001 U	< 0.002 U	4.36	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	2/28/2011	WH4-110228-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.85	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	6/1/2011	WH4-110601-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	2.84	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	8/25/2011	WH4-110825-		< 0.001 U	< 0.001 U	0.00149	< 0.001 U	< 0.002 U	6.44	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	12/2/2011	WH4-111202-		< 0.001 U	< 0.001 U	0.00111	< 0.001 U	< 0.002 U	4.32	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	2/23/2012	WH4-120223-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.49	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	5/21/2012	WH4-120521-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	3.65	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	8/27/2012	WH4-120827-		< 0.001 U	< 0.001 U	0.00134	< 0.001 U	< 0.002 U	5.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	11/20/2012	WH4-121120-		< 0.001 U	< 0.001 U	0.00127 D	< 0.001 U	< 0.002 U	4.72	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 U
MW-4	3/1/2013	WH4-130301-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 DU	3.45	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-4	5/23/2013	WH4-130523-		< 0.001 U	< 0.001 U	< 0.001 DU	< 0.001 U	< 0.002 DU	3.36	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-4	8/22/2013	WH4-130822-		< 0.001 U	< 0.001 U	0.00133	< 0.001 U	< 0.002 U	5.29	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-5	6/9/1987	WH5-87609			0.007	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	11	0.01
MW-6	8/25/1987	WH6-87825											110	
MW-6	12/8/1987	WH6-87D08			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.25	< 0.01 U
MW-6	3/8/1988	WH6-88308			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.69	< 0.01 U
MW-6	6/1/1988	WH6-88601			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.29	< 0.01 U
MW-6	9/7/1988	WH6-88907Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.003	0.34	< 0.01 U
MW-6	11/21/1988	WH6-88N21Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.005	0.82	< 0.01 U
MW-6	3/21/1989	WH6-89321Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.009	0.15	< 0.01 U
MW-6	6/23/1989	WH6-89623Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	0.11	< 0.01 U
MW-6	9/6/1989	WH6-89906Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.18	0.02
MW-6	11/27/1989	WH6-89N27			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.38	< 0.01 U
MW-6	11/27/1989	WH6-89N27Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.38	< 0.01 U
MW-6	3/13/1990	WH6-90313Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.002	0.14	< 0.01 U
MW-6	5/21/1990	WH6-90521Q			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.13	< 0.005 U
MW-6	8/27/1990	WH6-90827-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.18	< 0.005 U
MW-6	12/14/1990	WH6-90D14-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.22	< 0.005 U
MW-6	2/25/1991	WH6-91225-			< 0.001 U	0.05		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-6	6/13/1991	WH6-91613-			0.004	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-6	9/13/1991	WH6-91913-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.16	< 0.005 U
MW-6	12/13/1991	WH6-91D13-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.16	0.012
MW-6	3/20/1992	WH6-92320-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	< 0.005 U
MW-6	6/25/1992	WH6-92625-	< 0.02 U		< 0.001 U	0.004	< 0.001 U	< 0.002 U	19.8	< 0.005 U	< 0.003 U	< 0.003 U	0.023	< 0.025 U
MW-6	9/23/1992	WH6-92923-	< 0.02 U		< 0.001 U	0.005	< 0.001 U	< 0.002 U	24.8 B	< 0.005 U	< 0.003 U	0.002	0.014	< 0.025 U
MW-6	12/23/1992	WH6-92D23-	< 0.02 U		< 0.001 U	0.005	< 0.001 U	< 0.002 U	28.2 B	< 0.005 U	< 0.003 U	< 0.003 U	0.007	< 0.025 U
MW-6	3/23/1993	WH6-93323-	< 0.02 U		< 0.001 U	0.005	< 0.001 U	< 0.002 U	19.8	< 0.005 U	< 0.003 U	< 0.002 U	0.009	< 0.02 U
MW-6	6/16/1993	WH6-93616-	0.16 B		0.001	0.004	< 0.001 U	< 0.002 U	17.6 B	< 0.005 U	< 0.003 U	0.003	0.161	< 0.001 U
MW-6	9/17/1993	WH6-93917-	< 0.02 U		< 0.001 U	0.004	< 0.001 U	< 0.002 U	19.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	12/27/1993	WH6-93D27-	0.03	< 0.001 U	< 0.001 U	0.005	< 0.001 U	< 0.002 U	22.9 B	< 0.005 U	< 0.003 U	< 0.002 U	0.029	< 0.001 U
MW-6	3/17/1994	WH6-94317-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	17.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	6/24/1994	WH6-94624-	< 0.02 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	16.4 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	8/24/1994	WH6-94824-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	18.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	12/21/1994	WH6-94D21-	< 0.02 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	20.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	3/6/1995	WH6-95306L	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	17	< 0.005 U	< 0.003 U	< 0.002 U	0.021	< 0.001 U
MW-6	5/26/1995	WH6-95526L	0.069	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.027 B	< 0.001 U
MW-6	9/21/1995	WH6-95921-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	18	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-6	12/18/1995	WH6-95D18-	< 0.02 U	< 0.001 U	< 0.001 U	0.004 B	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	0.002	0.021	< 0.001 U
MW-6	3/18/1996	WH6-96318-	0.034	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	13 B	< 0.005 U	< 0.003 U	< 0.002 U	0.081	< 0.001 U
MW-6	5/24/1996	WH6-96524-	0.085	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	16 BD	< 0.005 U	< 0.003 U	< 0.002 U	0.12	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-6	8/5/1996	WH6-96805-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	17	< 0.005 U	< 0.003 U	< 0.002 U	0.24	< 0.001 U
MW-6	12/3/1996	WH6-96D03-	0.031	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-6	3/7/1997	WH6-97307-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.033	< 0.001 U
MW-6	5/22/1997	WH6-97522-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.019	< 0.001 U
MW-6	8/21/1997	WH6-97821-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.067	< 0.001 U
MW-6	12/4/1997	WH6-97D04-	< 0.02 U	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	16	< 0.005 U	< 0.003 U	< 0.002 U	0.078	< 0.001 U
MW-6	3/10/1998	WH6-98310-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-6	5/21/1998	WH6-98521-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	17	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-6	8/31/1998	WH6-98831-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	17	< 0.005 U	< 0.003 U	< 0.002 U	0.043	< 0.001 U
MW-6	3/9/1999	WH6-99309-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.009 J	< 0.001 U
MW-6	6/11/1999	WH6-99611-	0.079	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	16	< 0.005 U	< 0.003 U	< 0.002 U	0.057	< 0.001 U
MW-6	8/18/1999	WH6-99818-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.038	< 0.001 U
MW-6	12/7/1999	WH6-99D07-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.033	< 0.001 U
MW-6	12/7/1999	WH6-98D07-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-6	3/7/2000	WH6-00307-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	15	< 0.005 U	< 0.003 U	< 0.002 U	0.01	< 0.001 U
MW-6	5/19/2000	WH6-00519-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	20	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-6	9/7/2000	WH6-00907-	0.088	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.039	< 0.001 U
MW-6	12/6/2000	WH6-00D06-	0.029	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.047	< 0.001 U
MW-6	2/14/2001	WH6-01214-	0.09	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.057	< 0.001 U
MW-6	5/29/2001	WH6-01529-	0.054	< 0.001 U	< 0.001 U	0.004	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.031	< 0.001 U
MW-6	8/14/2001	WH6-01814-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.026	< 0.001 U
MW-6	12/10/2001	WH6-01D10-	0.032	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.03	< 0.001 U
MW-6	2/27/2002	WH6-02227-	0.025	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-6	5/20/2002	WH6-02520-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.053	< 0.001 U
MW-6	9/3/2002	WH6-02903-	0.12	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-6	11/22/2002	WH6-02N22-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.008 J	< 0.001 U
MW-6	2/12/2003	WH6-03213-	0.15	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.067	< 0.001 U
MW-6	5/15/2003	WH6-03515-	< 0.020 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	13 B	< 0.005 U	< 0.003 U	< 0.002 U	0.053	< 0.001 U
MW-6	8/7/2003	WH6-03807-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.057	< 0.001 U
MW-6	11/14/2003	WH6-03N14-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	11 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.056 J	< 0.0010 U
MW-6	2/24/2004	WH6-04224-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.051 J	< 0.0010 U
MW-6	5/20/2004	WH6-04520-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	13	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.053 J	< 0.0010 U
MW-6	9/3/2004	WH6-04903-		< 0.001 U	< 0.001 U	0.0040 J	< 0.0010 U	< 0.0020 U	12 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.051 J	< 0.0010 U
MW-6	11/18/2004	WH6-04N18-		< 0.001 U	< 0.001 U	0.0023 J	< 0.0010 U	< 0.0020 U	22 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.047 BJ	< 0.0010 U
MW-6	2/23/2005	WH6-05223-		< 0.001 U	< 0.001 U	0.0037 J	< 0.0010 U	< 0.0020 U	13	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.59	< 0.0010 U
MW-6	5/23/2005	WH6-05523-		< 0.001 U	< 0.001 U	0.0028 J	< 0.0010 U	< 0.0020 U	5.6 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.048 BJ	< 0.0010 U
MW-6	8/25/2005	WH6-05825-		< 0.001 U	0.0017	0.0027 J	< 0.0010 U	< 0.0020 U	14	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.042 J	< 0.0010 U
MW-6	12/6/2005	WH6-05D06-		< 0.001 U	< 0.001 U	0.0023	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.032	< 0.001 U
MW-6	2/13/2006	WH6-060213-		< 0.001 U	< 0.001 U	0.0025	< 0.001 U	< 0.002 U	14	< 0.005 U	< 0.003 U	< 0.002 U	0.06	< 0.001 U
MW-6	5/22/2006	WH6-060522-		< 0.001 U	< 0.001 U	0.0037	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.019 B	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-6	8/24/2006	WH6-060824-		< 0.001 U	< 0.001 U	0.0021	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.082	< 0.001 U
MW-6	12/4/2006	WH6-061204-		< 0.001 U	< 0.001 U	0.0024	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.06 B	< 0.001 U
MW-6	2/15/2007	WH6-070215-		< 0.001 U	< 0.001 U	0.0027	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.076	< 0.001 U
MW-6	5/21/2007	WH6-070521-		< 0.001 U	< 0.001 U	0.0023	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	< 0.002 U	0.038	< 0.001 U
MW-6	8/27/2007	WH6-070827-		< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.11 B	< 0.001 U
MW-6	11/30/2007	WH6-071130-		< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.041 B	< 0.001 U
MW-6	3/3/2008	WH6-080303-		< 0.001 U	< 0.001 U	0.0023	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.05 B	< 0.001 U
MW-6	6/4/2008	WH6-080604-		< 0.001 U	< 0.001 U	0.0022	< 0.001 U	< 0.002 U	12	< 0.005 U	< 0.003 U	0.0044	0.062	< 0.001 U
MW-6	8/22/2008	WH6-080822-		< 0.001 U	< 0.001 U	0.0023	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.046	< 0.001 U
MW-6	12/3/2008	WH6-081203-		< 0.001 U	< 0.001 U	0.0022	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.054	< 0.001 U
MW-6	3/2/2009	WH6-090302-		< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.023	< 0.001 U
MW-6	5/29/2009	WH6-090529-		< 0.001 U	< 0.001 U	0.00193	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	9/2/2009	WH6-090902-		< 0.001 U	< 0.001 U	0.00199	< 0.001 U	< 0.002 U	10.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	12/1/2009	WH6-091201-		< 0.001 U	< 0.001 U	0.00202	< 0.001 U	< 0.002 U	11.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	3/3/2010	WH6-100303-		< 0.001 U	< 0.001 U	0.00201	< 0.001 U	< 0.002 U	12.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	5/27/2010	WH6-100527-		< 0.001 U	< 0.001 U	0.00215	< 0.001 U	< 0.002 U	12.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	8/31/2010	WH6-100831-		< 0.001 U	< 0.001 U	0.00198	< 0.001 U	< 0.002 U	11.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	12/3/2010	WH6-101203-		< 0.001 DU	< 0.001 U	0.00188	< 0.001 U	< 0.002 U	11.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	2/28/2011	WH6-110228-		< 0.001 U	< 0.001 U	0.00224	< 0.001 U	< 0.002 U	12.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	6/1/2011	WH6-110601-		< 0.001 U	< 0.001 U	0.00168	< 0.001 U	< 0.002 U	9.92	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	8/26/2011	WH6-110826-		< 0.001 U	< 0.001 U	0.00206	< 0.001 U	< 0.002 U	14.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	12/5/2011	WH6-111205-		< 0.001 U	< 0.001 U	0.00179	< 0.001 U	< 0.002 U	10.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	2/27/2012	WH6-120227-		< 0.001 U	< 0.001 U	0.00203	< 0.001 U	< 0.002 U	11.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	5/21/2012	WH6-120521-		< 0.001 U	< 0.001 U	0.00201	< 0.001 U	< 0.002 U	11.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	8/27/2012	WH6-120827-		< 0.001 U	< 0.001 U	0.00195	< 0.001 U	< 0.002 U	11.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	11/20/2012	WH6-121120-		< 0.001 U	< 0.001 U	0.00191 D	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	2/27/2013	WH6-130227-		< 0.001 U	< 0.001 U	0.00201	< 0.001 U	< 0.002 DU	11.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-6	5/23/2013	WH6-130523-		< 0.001 U	< 0.001 U	0.00212 D	< 0.001 U	< 0.002 DU	11.8	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-6 (Dup)	5/23/2013	WH6-130523D		< 0.001 U	< 0.001 U	0.00213 D	< 0.001 U	< 0.002 DU	11.9	< 0.005 U	< 0.003 DU	< 0.002 U	< 0.01 U	< 0.001 DU
MW-6	8/27/2013	WH6-130827-		< 0.001 U	< 0.001 U	0.00195	< 0.001 U	< 0.002 U	14.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	6/2/1987	WH7-87602			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.005	< 0.05 U	0.01
MW-7	8/24/1987	WH7-87824			< 0.004 U	< 0.005 U		< 0.005 U					< 0.02 U	< 0.002 U
MW-7	12/23/1987	WH7-87D23			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-7	3/10/1988	WH7-88310			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.002	0.03	< 0.01 U
MW-7	3/10/1988	WH7-88310S			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.007	0.04	< 0.01 U
MW-7	5/31/1988	WH7-88531			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.09	< 0.01 U
MW-7	9/1/1988	WH7-88901Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.09	< 0.01 U
MW-7	11/17/1988	WH7-88N17Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-7	3/28/1989	WH7-89328Q			< 0.005 U	0.07		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	0.01
MW-7	6/7/1989	WH7-89607Q			< 0.005 U	0.06		< 0.002 U		< 0.005 U		< 0.002 U	0.07	< 0.01 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-7	9/14/1989	WH7-89914Q			< 0.005 U	0.04		0.003		< 0.005 U		0.006	0.01	< 0.01 U
MW-7	12/7/1989	WH7-89D07Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.006	0.05	< 0.01 U
MW-7	3/13/1990	WH7-90313Q			< 0.005 U	0.05		0.002		< 0.005 U		0.013	0.09	< 0.01 U
MW-7	5/21/1990	WH7-90521Q			0.007	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	0.007
MW-7	8/29/1990	WH7-90829-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.06	< 0.005 U
MW-7	12/12/1990	WH7-90D12-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-7	3/5/1991	WH7-91305-			0.005	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.73 XE	< 0.005 U
MW-7	6/11/1991	WH7-91611-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	< 0.005 U
MW-7	9/12/1991	WH7-91912-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-7	12/16/1991	WH7-91D16-			0.002	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.06	< 0.005 U
MW-7	3/19/1992	WH7-92319-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	< 0.005 U
MW-7	6/24/1992	WH7-92624-	< 0.02 U		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	70.2	< 0.005 U	< 0.003 U	0.002	< 0.005 U	< 0.025 U
MW-7	9/25/1992	WH7-92925-	0.02		< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	67.6 B	< 0.005 U	< 0.003 U	0.008 B	0.02	< 0.025 U
MW-7	12/23/1992	WH7-92D23-	< 0.02 U		< 0.001 U	0.001	< 0.001 U	< 0.002 U	73.3 B	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-7	3/26/1993	WH7-93326-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	71.5	< 0.005 U	< 0.003 U	0.003	< 0.005 U	< 0.02 U
MW-7	6/23/1993	WH7-93622-	< 0.02 U		< 0.001 U	0.002	< 0.001 U	< 0.002 U	74.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	9/23/1993	WH7-93923-	< 0.02 U		0.001	0.001	< 0.001 U	< 0.002 U	72.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	12/27/1993	WH7-93D27-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	68.8 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	3/18/1994	WH7-94318-	< 0.02 U	< 0.001 U	< 0.001 U	0.002 B	< 0.001 U	< 0.002 U	73.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	6/28/1994	WH7-94628-	< 0.02 U	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	73.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.001
MW-7	8/24/1994	WH7-94824-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	71.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	12/21/1994	WH7-94D21-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	72.5	< 0.005 U	< 0.003 U	< 0.002 U	0.01	< 0.001 U
MW-7	3/3/1995	WH7-95303-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	77.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 UJ	< 0.001 U
MW-7	5/25/1995	WH7-95525L	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	67	< 0.005 U	< 0.003 U	< 0.002 U	0.1 B	< 0.001 U
MW-7	9/20/1995	WH7-95920-	0.029	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	67	< 0.005 U	< 0.003 U	< 0.002 U	0.11	< 0.001 U
MW-7	12/20/1995	WH7-95D20-	< 0.02 U	< 0.001 U	< 0.001 U	0.003 B	< 0.001 U	< 0.002 U	65	< 0.005 U	< 0.003 U	< 0.002 U	0.055	< 0.001 U
MW-7	3/19/1996	WH7-96319-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	72 B	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-7	5/24/1996	WH7-96524-	0.034	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	70 BD	< 0.005 U	< 0.003 U	< 0.002 U	0.14	< 0.001 U
MW-7	7/29/1996	WH7-96729-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	69 D	< 0.005 U	< 0.003 U	< 0.002 U	0.29	< 0.001 U
MW-7	12/4/1996	WH7-96D04-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	66	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	3/6/1997	WH7-97306-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	61	< 0.005 U	< 0.003 U	< 0.002 U	0.034	< 0.001 U
MW-7	5/21/1997	WH7-97521-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	61	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-7	8/19/1997	WH7-97819-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	60	< 0.005 U	< 0.003 U	< 0.002 U	0.14	< 0.001 U
MW-7	12/5/1997	WH7-97D05-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	63	< 0.005 U	< 0.003 U	< 0.002 U	0.26	< 0.001 U
MW-7	3/6/1998	WH7-98306-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	63	< 0.005 U	< 0.003 U	< 0.002 U	0.12	< 0.001 U
MW-7	5/19/1998	WH7-98519-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	62	< 0.005 U	< 0.003 U	< 0.002 U	0.095	< 0.001 U
MW-7	8/25/1998	WH7-98825-	< 0.02 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	57	< 0.005 U	< 0.003 U	< 0.002 U	0.13	< 0.001 U
MW-7	3/8/1999	WH7-99308-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	67	< 0.005 U	< 0.003 U	< 0.002 U	0.11	< 0.001 U
MW-7	6/10/1999	WH7-99610-	0.036	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	59	< 0.005 U	< 0.003 U	< 0.002 U	0.13	< 0.001 U
MW-7	8/17/1999	WH7-99817-	0.052	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	54	< 0.005 U	< 0.003 U	< 0.002 U	0.13	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-7	12/7/1999	WH7-98D07-	< 0.02 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	60	< 0.005 U	< 0.003 U	< 0.002 U	0.097	< 0.001 U
MW-7	12/7/1999	WH7-99D07-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	57	< 0.005 U	< 0.003 U	< 0.002 U	0.072	< 0.001 U
MW-7	3/7/2000	WH7-00306-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	55	< 0.005 U	< 0.003 U	< 0.002 U	0.045	< 0.001 U
MW-7	5/17/2000	WH7-00517-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	53	< 0.005 U	< 0.003 U	< 0.002 U	0.012	< 0.001 U
MW-7	9/7/2000	WH7-00907-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	41	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-7	12/1/2000	WH7-00D01-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	43	< 0.005 U	< 0.003 U	< 0.002 U	0.086	< 0.001 U
MW-7	2/14/2001	WH7-01214-	0.098	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	41	< 0.005 U	< 0.003 U	< 0.002 U	0.11	< 0.001 U
MW-7	5/29/2001	WH7-01529-	0.082	< 0.001 U	< 0.001 U	0.003	< 0.001 U	< 0.002 U	35	< 0.005 U	< 0.003 U	< 0.002 U	0.096	< 0.001 U
MW-7	8/13/2001	WH7-01813-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	37	< 0.005 U	< 0.003 U	< 0.002 U	0.08	< 0.001 U
MW-7	12/10/2001	WH7-01D10-	0.023	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	39	< 0.005 U	< 0.003 U	< 0.002 U	0.076	< 0.001 U
MW-7	2/26/2002	WH7-02226-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	38	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-7	5/17/2002	WH7-02517-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	42	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-7	8/29/2002	WH7-02829-	0.26	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	36	< 0.005 U	< 0.003 U	< 0.002 U	0.13	< 0.001 U
MW-7	11/21/2002	WH7-02N21-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	44	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-7	2/12/2003	WH7-03212-	< 0.020 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	40 M	< 0.005 U	< 0.003 U	< 0.002 U	0.007 J	< 0.001 U
MW-7	5/13/2003	WH7-03516-	< 0.020 U	< 0.001 U	< 0.001 U	0.002	< 0.001 U	< 0.002 U	41 B	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-7	8/7/2003	WH7-03807-	0.031	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	38	< 0.005 U	< 0.003 U	< 0.002 U	0.2	< 0.001 U
MW-7	11/12/2003	WH7-03N12-		< 0.001 U	< 0.001 U	0.001	< 0.0010 U	< 0.0020 U	34	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.18 J	< 0.0010 U
MW-7	2/20/2004	WH7-04220-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	41	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.16 J	< 0.0010 U
MW-7	5/20/2004	WH7-04520-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	41	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.15 J	< 0.0010 U
MW-7	9/1/2004	WH7-04901-		< 0.001 U	< 0.001 U	0.0020 J	< 0.0010 U	< 0.0020 U	39	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.12 BJ	< 0.0010 U
MW-7	11/17/2004	WH7-04N17-		< 0.001 U	< 0.001 U	0.0014 J	< 0.0010 U	< 0.0020 U	48	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.22 J	< 0.0010 U
MW-7 (Dup)	11/17/2004	WH7-04N17D		< 0.001 U	< 0.001 U	0.0013 J	< 0.0010 U	< 0.0020 U	44	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.19 J	< 0.0010 U
MW-7	2/22/2005	WH7-05222-		< 0.001 U	< 0.001 U	0.0032 J	< 0.0010 U	< 0.0020 U	40	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.16 J	< 0.0010 U
MW-7	6/21/2005	WH7-05621-		< 0.001 U	< 0.001 U	0.0018 J	< 0.0010 U	< 0.0020 U	46 B	< 0.0050 U	< 0.0030 U	< 0.0020 U	0.15 BJ	< 0.0010 U
MW-7	8/11/2005	WH7-05811-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.0010 U	< 0.0020 U	43 M	< 0.0050 U	< 0.0030 U	< 0.0020 U	< 0.0050 U	< 0.0010 U
MW-7	12/6/2005	WH7-05D06-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	40	< 0.005 U	< 0.003 U	< 0.002 U	0.11	< 0.001 U
MW-7	2/13/2006	WH7-060213-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	41	< 0.005 U	< 0.003 U	< 0.002 U	0.16	< 0.001 U
MW-7	5/18/2006	WH7-060518-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	41 D	< 0.005 U	< 0.003 U	< 0.002 U	0.011 B	< 0.001 U
MW-7	8/23/2006	WH7-060823-		< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	35	< 0.005 U	< 0.003 U	< 0.002 U	0.16	< 0.001 U
MW-7	12/5/2006	WH7-061205-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	38	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-7	2/14/2007	WH7-070214-		< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	37	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-7	5/17/2007	WH7-070517-		< 0.001 U	< 0.001 U	0.0011	< 0.001 U	< 0.002 U	37	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-7	8/22/2007	WH7-070822-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	37	< 0.005 U	< 0.003 U	< 0.002 U	0.1 B	< 0.001 U
MW-7	12/7/2007	WH7-071207-		< 0.001 U	< 0.001 U	0.0012	< 0.001 U	< 0.002 U	34	< 0.005 U	< 0.003 U	< 0.002 U	0.11 B	< 0.001 U
MW-7	2/29/2008	WH7-080229-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	37	< 0.005 U	< 0.003 U	< 0.002 U	0.11 B	< 0.001 U
MW-7	6/4/2008	WH7-080604-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	34	< 0.005 U	< 0.003 U	< 0.002 U	0.16	< 0.001 U
MW-7	8/21/2008	WH7-080821-		< 0.001 U	< 0.001 U	0.0013	< 0.001 U	< 0.002 U	34	< 0.005 U	< 0.003 U	< 0.002 U	0.15	< 0.001 U
MW-7	12/2/2008	WH7-081202-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	32	< 0.005 U	< 0.003 U	< 0.002 U	0.12	0.0024
MW-7	3/3/2009	WH7-090303-		< 0.001 U	< 0.001 U	0.0015	< 0.001 U	< 0.002 U	35	< 0.005 U	< 0.003 U	< 0.002 U	0.093	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-7 (Dup)	3/3/2009	WH7-090303D		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	35	< 0.005 U	< 0.003 U	< 0.002 U	0.098	< 0.001 U
MW-7	6/1/2009	WH7-090601-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	33.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	8/28/2009	WH7-090828-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	35.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	11/30/2009	WH7-091130-		.001 U	.001 U	.001 U	.001 U	.002 U	36.1	.005 U	.003 U	.002 U	.01 U	.001 U
MW-7	3/1/2010	WH7-100301-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	38.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	5/26/2010	WH7-100526-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	36.6	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	8/23/2010	WH7-100823-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	39.2	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	12/3/2010	WH7-101203-		< 0.001 DU	< 0.001 U	< 0.001 U	< 0.001 U	0.00205	34.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	2/24/2011	WH7-110224-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	38.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	6/6/2011	WH7-110606-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	37.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	8/25/2011	WH7-110825-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	42.1	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	3/5/2012	WH7-120305-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	34.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	5/21/2012	WH7-120521-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	35.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	9/24/2012	WH7-120924-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	28.8	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 DU
MW-7	11/29/2012	WH7-121129-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	37.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	2/28/2013	WH7-130228-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 DU	35.5	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	5/16/2013	WH7-130516-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	32.9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-7	8/20/2013	WH7-130820-		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	36.7	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
MW-8	6/11/1987	WH8-87611			0.009	0.11		< 0.002 U		< 0.005 U		0.005	20	0.01
MW-8	7/21/1987	WH8-87721											0.036	
MW-9	8/25/1987	WH9-87825			< 0.004 U	< 0.005 U		< 0.005 U					< 0.02 U	< 0.002 U
MW-9	12/14/1987	WH9-87D14			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.01	< 0.01 U
MW-9	3/17/1988	WH9-88317			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-9	6/9/1988	WH9-88609			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.007	0.27	< 0.01 U
MW-9	9/6/1988	WH9-88906Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.006	< 0.05 U	< 0.01 U
MW-9	11/28/1988	WH9-88N28Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.26	< 0.01 U
MW-9	3/29/1989	WH9-89329Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	< 0.05 U	< 0.01 U
MW-9	6/28/1989	WH9-89628Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	< 0.05 U	< 0.01 U
MW-9	9/18/1989	WH9-89918Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.03	< 0.01 U
MW-9	12/8/1989	WH9-89D08Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		< 0.002 U	0.12	0.01
MW-9	3/14/1990	WH9-90314Q			< 0.005 U	< 0.02 U		< 0.002 U		0.007		< 0.002 U	0.08	< 0.01 U
MW-9	5/18/1990	WH9-90518Q			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.02	< 0.005 U
MW-9	8/27/1990	WH9-90827-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.1	< 0.005 U
MW-9	12/13/1990	WH9-90D13-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.08	< 0.005 U
MW-9	3/6/1991	WH9-91306-			< 0.001 U	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	0.45 XE	< 0.005 U
MW-9	6/26/1991	WH9-91626-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-9	9/17/1991	WH9-91917-			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-9	12/17/1991	WH9-91D17-			0.003	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-9	3/20/1992	WH9-92320-			0.001	< 0.05 U		< 0.005 U		< 0.01 U		< 0.025 U	< 0.02 U	< 0.005 U
MW-9	6/23/1992	WH9-92623-	< 0.02 U		0.001	< 0.001 U	< 0.001 U	< 0.002 U	9.78	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
MW-9	9/23/1992	WH9-92923-	< 0.02 U		0.001	0.002	< 0.001 U	< 0.002 U	10.3 B	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-9	12/23/1992	WH9-92D23-	< 0.02 U		0.001	< 0.001 U	< 0.001 U	< 0.002 U	11 B	< 0.005 U	< 0.003 U	< 0.003 U	< 0.005 U	< 0.025 U
MW-9	3/24/1993	WH9-93324-	< 0.02 U		0.002	< 0.001 U	< 0.001 U	< 0.002 U	10.2 B	< 0.005 U	< 0.003 U	< 0.002 U	0.007	< 0.02 U
MW-9	6/21/1993	WH9-93621-	< 0.02 U		0.001	< 0.001 U	< 0.001 U	< 0.002 U	9.68 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	9/22/1993	WH9-93922-	< 0.02 U		0.001	0.001 B	< 0.001 U	< 0.002 U	10.1 B	< 0.005 U	< 0.003 U	< 0.002 U	0.009	< 0.001 U
MW-9	12/28/1993	WH9-93D28-	< 0.02 U	< 0.001 U	0.002	< 0.001 U	< 0.001 U	< 0.002 U	10.2 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	3/16/1994	WH9-94316-	< 0.02 U	< 0.001 U	0.002	< 0.001 U	< 0.001 U	< 0.002 U	10.2 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	6/24/1994	WH9-94624-	< 0.02 U	< 0.001 U	0.002	0.002	< 0.001 U	< 0.002 U	10 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9 (Dup)	6/24/1994	WH9-94624D	< 0.02 U	< 0.001 U	0.001	< 0.001 U	< 0.001 U	< 0.002 U	10.1 B	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	8/25/1994	WH9-94825-	< 0.02 U	< 0.001 U	0.002	< 0.001 U	< 0.001 U	< 0.002 U	10.4	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.002
MW-9	12/19/1994	WH9-94D19-	0.02	< 0.001 U	0.001	< 0.001 U	< 0.001 U	< 0.002 U	10.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	0.002
MW-9	9/15/1995	WH9-95915-	< 0.02 U	< 0.001 U	0.001	< 0.001 U	< 0.001 U	< 0.002 U	9.3	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	12/20/1995	WH9-95D20-	< 0.02 U	< 0.001 U	0.001	0.002 B	< 0.001 U	< 0.002 U	9.5	< 0.005 U	< 0.003 U	< 0.002 U	0.025	< 0.001 U
MW-9	3/19/1996	WH9-96319-	< 0.02 U	< 0.001 U	0.001	< 0.001 U	< 0.001 U	< 0.002 U	9 B	< 0.005 U	< 0.003 U	< 0.002 U	0.14	< 0.001 U
MW-9	5/28/1996	WH9-96528-	< 0.02 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	0.16 B	< 0.001 U
MW-9	8/1/1996	WH9-96801-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.6	< 0.005 U	< 0.003 U	< 0.002 U	0.18	< 0.001 U
MW-9 (Dup)	8/1/1996	WH9-96801D	< 0.02 U	< 0.001 U	0.002 J	< 0.001 U	< 0.001 U	< 0.002 U	9.8	< 0.005 U	< 0.003 U	< 0.002 U	0.32	< 0.001 U
MW-9	12/4/1996	WH9-96D04-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	3/6/1997	WH9-97306-	< 0.02 U	< 0.001 U	0.002 J	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.042	< 0.001 U
MW-9	5/16/1997	WH9-97516-	0.025	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.6	< 0.005 U	< 0.003 U	0.008	0.007 J	< 0.001 U
MW-9	8/18/1997	WH9-97818-	0.022	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.4	< 0.005 U	< 0.003 U	< 0.002 U	0.076	< 0.001 U
MW-9	12/4/1997	WH9-97D04-	0.072	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.029	< 0.001 U
MW-9	3/9/1998	WH9-98309-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.6	< 0.005 U	< 0.003 U	< 0.002 U	0.021	< 0.001 U
MW-9	5/18/1998	WH9-98518-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.013	< 0.001 U
MW-9	8/24/1998	WH9-98824-	< 0.02 U	< 0.001 U	0.001 J	0.004	< 0.001 U	< 0.002 U	9.7	< 0.005 U	< 0.003 U	< 0.002 U	0.1	< 0.001 U
MW-9	3/9/1999	WH9-99309-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-9	6/14/1999	WH9-99614-	0.029	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	8.4	< 0.005 U	< 0.003 U	< 0.002 U	0.055	< 0.001 U
MW-9	8/17/1999	WH9-99817-	< 0.02 U	< 0.001 U	0.001 J	0.001	< 0.001 U	< 0.002 U	11	< 0.005 U	< 0.003 U	< 0.002 U	0.012	< 0.001 U
MW-9	12/4/1999	WH9-98D04-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	12/8/1999	WH9-99D08-	< 0.02 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	3/7/2000	WH9-00307-	< 0.020 U	< 0.001 U	0.001 J	0.003	< 0.001 U	< 0.002 U	10	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
MW-9	5/18/2000	WH9-00518-	< 0.020 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	13	< 0.005 U	< 0.003 U	< 0.002 U	0.014	< 0.001 U
MW-9	9/8/2000	WH9-00908-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	8.1	< 0.005 U	< 0.003 U	< 0.002 U	0.025	< 0.001 U
MW-9	12/6/2000	WH9-00D06-	< 0.020 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.1	< 0.005 U	< 0.003 U	< 0.002 U	0.026	< 0.001 U
MW-9 (Dup)	12/6/2000	WH9-00D06D	0.056	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	9.1	< 0.005 U	< 0.003 U	< 0.002 U	0.028	< 0.001 U
MW-9	2/14/2001	WH9-01214-	< 0.020 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	8.5	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
MW-9	5/29/2001	WH9-01529-	< 0.020 U	< 0.001 U	< 0.001 U	0.001	< 0.001 U	< 0.002 U	7.4	< 0.005 U	< 0.003 U	< 0.002 U	0.016	< 0.001 U
MW-9	8/10/2001	WH9-01810-	< 0.020 U	< 0.001 U	0.001 J	< 0.001 U	< 0.001 U	< 0.002 U	7.8	< 0.005 U	< 0.003 U	< 0.002 U	0.013	< 0.001 U
MW-MILETTE	4/12/1989	WHM-89412Q			< 0.005 U	< 0.02 U		< 0.002 U		< 0.005 U		0.004	0.07	< 0.01 U
FIELD BLANK	12/6/2011	WH10111206F		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.01 U	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U

Site	Date	Sample ID	ALUMINUM mg/l	ANTIMONY mg/l	ARSENIC mg/l	BARIUM mg/l	BERYLLIUM mg/l	CADMIUM mg/l	CALCIUM mg/l	CHROMIUM mg/l	COBALT mg/l	COPPER mg/l	IRON mg/l	LEAD mg/l
FIELD BLANK	2/27/2012	WH6-120227F		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.01 U	< 0.005 U	< 0.003 U	< 0.002 DU	< 0.01 U	< 0.001 U
TRIP BLANK	12/4/2008	WH18081204T		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.1 U	< 0.005 U	< 0.003 U	< 0.002 U	0.015	< 0.001 U
TRIP BLANK	2/26/2009	WH25090226T		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.1 U	< 0.005 U	< 0.003 U	< 0.002 U	< 0.005 U	< 0.001 U
TRIP BLANK	6/1/2009	WH4-090601T		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.01 U	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U
TRIP BLANK	9/1/2009	WH1-090901T		< 0.001 U	< 0.001 U	< 0.001 U	< 0.001 U	< 0.002 U	< 0.01 U	< 0.005 U	< 0.003 U	< 0.002 U	< 0.01 U	< 0.001 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-1	5/18/1987	WH1-87518		1.5	< 0.001 U			< 0.005 U	< 0.002 U					0.042
MW-1	8/24/1987	WH1-87824		2.59										< 0.01 U
MW-1	11/30/1987	WH1-87N30		4	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-1	3/24/1988	WH1-88324		4.3	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-1	5/31/1988	WH1-88531		1.6	< 0.001 U			< 0.005 U	< 0.002 U					0.014
MW-1	8/30/1988	WH1-88830Q		1.6	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.023
MW-1	12/29/1988	WH1-88D29Q		1.1	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-1	3/28/1989	WH1-89328Q		2.4	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-1	5/18/1989	WH1-89518Q		2	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					< 0.002 U
MW-1	9/14/1989	WH1-89914Q		2.5	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.006
MW-1	11/22/1989	WH1-89N22Q		2.6	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.018
MW-1	2/13/1990	WH1-90213Q		3.2	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.011
MW-1	5/17/1990	WH1-90517Q		2.5	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	8/27/1990	WH1-90827-		3	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-1	12/7/1990	WH1-90D07-		2.4	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	2/25/1991	WH1-91225-		1.5	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	6/12/1991	WH1-91612-		1.3	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	9/11/1991	WH1-91911-		2.1	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	12/16/1991	WH1-91D16-		2.4	< 0.001 U	< 0.04 U		< 0.005 U	0.01					< 0.02 U
MW-1	3/19/1992	WH1-92319-		2	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-1	6/22/1992	WH1-92622-	2.25	2.16	< 0.0001 U	< 0.01 U	3.6	< 0.001 U	< 0.003 U	5 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	9/22/1992	WH1-92922-	2.46 B	2.43	< 0.0001 U	< 0.01 U	4.2	< 0.001 U	< 0.003 U	5.39 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	12/22/1992	WH1-92D22-	3.55	2.89	< 0.0001 U	< 0.01 U	5.1	< 0.001 U	< 0.003 U	6.61 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	3/24/1993	WH1-93324-	2.96	2.54	< 0.0001 U	< 0.01 U	4.7	< 0.001 U	< 0.003 U	5.84 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	6/18/1993	WH1-93618-	2.31	2.08	< 0.0001 U	< 0.01 U	3.8	< 0.001 U	0.009	4.7 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	9/17/1993	WH1-93917-	2.19	2.24	< 0.0001 U	< 0.01 U	3.2	< 0.001 U	< 0.003 U	4.59 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	12/21/1993	WH1-93D21-	3.17	2.97	< 0.0001 U	< 0.01 U	4.7	< 0.001 U	< 0.003 U	5.84 B	< 0.05 U	< 0.01 U	0.005	0.004
MW-1	3/15/1994	WH1-94315-	2.83	2.71	< 0.0001 U	< 0.01 U	3.8	0.001	< 0.003 U	5.42 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	6/23/1994	WH1-94623-	2.03	2.27	< 0.0001 U	< 0.01 U	3.4	0.001	< 0.003 U	4.23 B	< 0.001 U	< 0.01 U	< 0.002 U	0.008
MW-1	8/22/1994	WH1-94822-	2.08	2.35	< 0.0001 U	< 0.01 U	3.4	< 0.001 U	< 0.003 U	4.2 B	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-1	12/21/1994	WH1-94D21-	8.1	6.68	< 0.0001 U	< 0.01 U	4.9	0.001	< 0.003 U	7.78 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	5/25/1995	WH1-95525L	2.8	3.6	< 0.0001 U	< 0.01 U	3.3	0.002	< 0.003 U	4.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	3/15/1996	WH1-96315-	2.8	2.4	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-1 (Dup)	3/15/1996	WH1-96315D	2.8	2.4	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	5/23/1996	WH1-96523-	3	2.3 D	< 0.0001 UB	< 0.01 U	2.9 D	< 0.001 U	< 0.003 U	3.8 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.006 B
MW-1	7/29/1996	WH1-96729-	2.9	2.4 D	< 0.0001 U	< 0.01 U	2.4 D	< 0.001 U	< 0.003 U	3.3 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	12/2/1996	WH1-96D02-	4.7	1.5	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-1	3/6/1997	WH1-97306-	3.3	1.6	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	5/19/1997	WH1-97519-	2.5	1.9	< 0.0001 U	< 0.01 U	1.9	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	8/19/1997	WH1-97819-	3	2	< 0.0001 U	< 0.01 U	2.2	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-1	12/3/1997	WH1-97D03-	7.3	1.5	< 0.0001 U	< 0.01 U	2.2	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	3/6/1998	WH1-98306-	4.7	1.5	< 0.0001 UB	< 0.01 U	2.2	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	5/15/1998	WH1-98515-	3.9	1.7	< 0.0001 U	< 0.01 U	2.4	< 0.001 U	< 0.003 U	3.1	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	8/25/1998	WH1-98825-	4.6	1.9	< 0.0001 U	< 0.01 U	2.2	0.008	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	3/8/1999	WH1-99308-	3.2	1.6	< 0.0001 U	< 0.01 U	2.2	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	6/10/1999	WH1-99610-	3	1.4	< 0.0001 U	< 0.01 U	2	0.001 J	< 0.003 U	2.5	< 0.001 U	< 0.01 U	< 0.002 U	0.15
MW-1	8/17/1999	WH1-99817-	4.1	1.4	< 0.0001 U	< 0.01 U	1.9	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	12/7/1999	WH1-99D07-	4.3	1.2	< 0.0001 U	< 0.01 U	1.9	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-1	3/6/2000	WH1-00306-	3.9	0.71	< 0.0001 U	< 0.010 U	1.5	< 0.001 U	< 0.003 U	1.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	5/17/2000	WH1-00517-	4.6	0.91	< 0.0001 U	< 0.010 U	1.9	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	9/5/2000	WH1-00905-	3.3	1.2	< 0.0001 U	< 0.010 U	2	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	12/1/2000	WH1-00D01-	5	0.42	< 0.0001 U	< 0.010 U	2	< 0.001 U	< 0.003 U	1.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	2/13/2001	WH1-01213-	5.1	0.079	< 0.0001 U	< 0.010 U	1.8	< 0.001 U	< 0.003 U	1.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	5/25/2001	WH1-01525-	4.8	0.38 B	< 0.0001 U	< 0.010 U	1.7	< 0.001 U	< 0.003 U	1.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	8/13/2001	WH1-01813-	4.4	0.66	< 0.0001 U	< 0.010 U	2	< 0.001 BU	< 0.003 U	2.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	12/10/2001	WH1-01D10-	3.9	0.2	< 0.0001 U	< 0.010 U	1.8	< 0.001 U	< 0.003 U	1.7	< 0.001 U	< 0.010 U	< 0.002 U	0.007
MW-1 (Dup)	12/10/2001	WH1-01D10D	3.9	0.2	< 0.0001 U	< 0.010 U	1.9	< 0.001 U	< 0.003 U	1.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	2/27/2002	WH1-02227-	3.4	0.59	< 0.0001 U	< 0.010 U	1.6	< 0.001 U	< 0.003 U	1.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	5/17/2002	WH1-02517-	3.2	1	< 0.0001 U	< 0.010 U	1.9	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	8/29/2002	WH1-02829-	3.1	0.95	< 0.0001 U	< 0.010 U	2	< 0.001 U	< 0.003 U	2.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	11/21/2002	WH1-02N21-	4	0.81	< 0.0001 U	< 0.010 U	1.9	< 0.001 U	< 0.003 U	2.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	2/13/2003	WH1-03213-	3.1	0.17	< 0.0001 U	< 0.010 U	1.4	< 0.001 U	< 0.003 U	1.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	5/16/2003	WH1-03516-	3.3	0.99	< 0.0001 U	< 0.010 U	1.5	< 0.001 U	< 0.003 U	1.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	8/6/2003	WH1003806-	2.3	1.1	< 0.0001 U	< 0.010 U	2.8	< 0.001 U	< 0.003 U	2.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	8/7/2003	WH1-03807-	3.1	1.1	< 0.0001 U	< 0.010 U	1.7	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-1	11/12/2003	WH1-03N12-	3.4	0.79	< 0.0001 U	< 0.010 U	1.8	< 0.010 U	< 0.0030 U	1.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	2/20/2004	WH1-04220-	3.3	1	< 0.0001 U	< 0.010 U	1.5	< 0.010 U	< 0.0030 U	2.1	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	5/18/2004	WH1-04518-	3.3	1.3	< 0.0001 U	< 0.010 U	1.9	< 0.010 U	< 0.0030 U	2.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	9/1/2004	WH1-04901-	4.2	1.1	< 0.0001 U	< 0.010 U	2.4	< 0.010 U	< 0.0030 U	2.7	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	11/17/2004	WH1-04N17-	3.4	0.91	< 0.0001 U	< 0.010 U	1.9	< 0.010 U	< 0.0030 U	1.9	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	2/22/2005	WH1-05222-	3.6	1.5	< 0.0001 U	< 0.010 U	1.9	< 0.010 U	< 0.0030 U	2.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	5/19/2005	WH1-05519-	3.4	0.79	< 0.0001 U	< 0.010 U	1.9	0.0021 J	< 0.0030 U	2.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	8/11/2005	WH1-05811-	3.4	1.2 M	< 0.0001 U	< 0.010 U	1.9	< 0.010 U	< 0.0030 U	2.3	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-1	12/6/2005	WH1-05D06-	2.9	0.11	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	1.5 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	2/10/2006	WH1-060210-	3.5	1.5 D	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	2.3 B	< 0.001 U		< 0.002 U	0.0062
MW-1	5/18/2006	WH1-060518-	3.1	1.3 D	< 0.0001 U	< 0.01 U	1.7	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	0.012
MW-1	8/23/2006	WH1-060823-	2.7	1.4 D	< 0.0001 U	< 0.01 U	1.7	< 0.001 U	< 0.003 U	2	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	12/4/2006	WH1-061204-	3.2	1.5 D	< 0.0001 U	< 0.01 U	1.9	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	2/14/2007	WH1-070214-	2.4	1.6 D	< 0.0001 U	< 0.01 U	1.7	[redacted]	< 0.003 U	2.1	< 0.001 U		< 0.002 U	
MW-1	5/17/2007	WH1-070517-	2.4	1.7 D	< 0.0001 U	< 0.01 U	1.7	< 0.001 U	< 0.003 U	2.2	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-1	8/22/2007	WH1-070822-	2.5	1.5 D	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	2.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	11/30/2007	WH1-071130-	2.9	0.75	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	1.6	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	2/29/2008	WH1-080229-	3.1	1.8 D	< 0.0001 U	< 0.01 U	1.7	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	0.0051
MW-1	6/2/2008	WH1-080602-	2.7	1.6 B	< 0.0001 U	< 0.01 U	1.7	< 0.001 U	< 0.003 U	2.2	< 0.001 U		< 0.002 U	0.0086 B
MW-1	8/21/2008	WH1-080821-	2.7	1.7	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	12/2/2008	WH1-081202-	2.5	0.8	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	1.6	< 0.001 U		< 0.002 U	< 0.004 UB
MW-1	3/3/2009	WH1-090303-	2.4	1.2	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	1.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	5/29/2009	WH1-090529-	2.38	1.43	< 0.0001 U	< 0.01 U	1.48	< 0.001 U	< 0.003 U	1.98	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	9/1/2009	WH1-090901-	2.88	1.19	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	2.12	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	11/30/2009	WH1-091130-	1.77	0.0182	< 0.0001 U	< 0.01 U	1.25	< 0.001 U	< 0.003 U	1.18	< 0.001 U		< 0.002 U	< 0.004 U
MW-1 (Dup)	11/30/2009	WH1-091130D	1.77	0.0186	< 0.0001 U	< 0.01 U	1.25	< 0.001 U	< 0.003 U	1.17	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	3/1/2010	WH1-100301-	2.52	0.865	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	1.71	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	5/26/2010	WH1-100526-	2.56	1.02	< 0.0001 U	< 0.01 U	1.36	< 0.001 U	< 0.003 U	1.66	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	8/23/2010	WH1-100823-	2.66	1.66 D	< 0.0001 U	< 0.01 U	1.64	< 0.001 U	< 0.003 U	2.42	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	12/3/2010	WH1-101203-	2.06	0.0889	< 0.0001 U	< 0.01 U	1.25	< 0.001 U	< 0.003 U	1.46	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	2/24/2011	WH1-110224-	2.51	1.9 D	< 0.0001 U	< 0.01 U	1.74	< 0.001 U	< 0.003 U	2.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	6/6/2011	WH1-110606-	1.98	1.62	< 0.0001 U	< 0.01 U	1.48	< 0.001 U	< 0.003 DU	2.38	< 0.001 DU		< 0.002 U	< 0.004 U
MW-1	8/25/2011	WH1-110825-	1.76	1.75	< 0.0001 U	< 0.01 U	1.58 D	< 0.001 U	< 0.003 U	2.21	< 0.001 U		< 0.002 U	< 0.004 U
MW-1 (Dup)	8/25/2011	WH1-110825D	1.82	1.8	< 0.0001 U	< 0.01 U	1.59 D	< 0.001 U	< 0.003 U	2.29	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	12/5/2011	WH1-111205-	2.48	1.88	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	2.41	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	3/5/2012	WH1-120305-	1.96	1.75	< 0.0001 U	< 0.01 U	1.32	< 0.001 U	< 0.003 U	2.15	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	5/21/2012	WH1-120521-	1.88	1.65	< 0.0001 U	< 0.01 U	1.46	< 0.001 U	< 0.003 U	2.32	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	11/29/2012	WH1-121129-	1.74	0.206	< 0.0001 U	< 0.01 U	1.22	< 0.001 U	< 0.003 U	1.31	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	2/28/2013	WH1-130228-	1.95	1.59 D	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	2.41 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-1 (Dup)	2/28/2013	WH1-130228D	1.95	1.59 D	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	2.41 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	5/16/2013	WH1-130516-	1.79	1.62 D	< 0.0001 U	< 0.01 U	1.34	< 0.001 U	< 0.003 U	2.27	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	8/20/2013	WH1-130820-	2.08	1.55	< 0.0001 U	< 0.01 U	1.52	< 0.001 U	< 0.003 U	2.59	< 0.001 U		< 0.002 U	< 0.004 U
MW-1	WH1-111205-	12/5/2011	1.8	0.109	< 0.0001 U	< 0.01 U	1.32 D	< 0.001 U	< 0.003 U	1.31	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	6/11/1987	WH1087611S		3.1	< 0.001 U			< 0.005 U	< 0.002 U					0.017
MW-10	8/24/1987	WH1087824		3.68										< 0.01 U
MW-10	12/9/1987	WH1087D09		2.8	< 0.001 U			< 0.005 U	< 0.002 U					0.003
MW-10	3/14/1988	WH1088314		2.5	< 0.001 U			< 0.005 U	< 0.002 U					0.006
MW-10	5/25/1988	WH1088525		4.2	< 0.001 U			< 0.005 U	< 0.002 U					0.009
MW-10	9/2/1988	WH1088902Q		3.4	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.031
MW-10	11/14/1988	WH1088N14Q		3.8	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-10	3/6/1989	WH1089306Q		1.9	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.004
MW-10	6/23/1989	WH1089623Q		1.5	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.004
MW-10	9/14/1989	WH1089914Q		3.7	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.004
MW-10	2/13/1990	WH1090213Q		2.9	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.007
MW-10	5/21/1990	WH1090521Q		1.8	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-10	8/29/1990	WH1090829-		2.1	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.06
MW-10	11/28/1990	WH1090N28-		1.6	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-10	3/6/1991	WH1091306-		2.1 XE	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-10	6/19/1991	WH1091619-		0.84	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-10	9/18/1991	WH1091918-		1.3	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-10	12/13/1991	WH1091D13-		0.72	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.029
MW-10	3/23/1992	WH1092323-		1.5	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-10	6/29/1992	WH1092629-	2.42	1.45	< 0.0001 U	< 0.01 U	6	< 0.001 U	< 0.003 U	6.61 B	< 0.05 U	< 0.01 U	< 0.002 U	0.013 B
MW-10	9/28/1992	WH1092928-	2.18	1.32	< 0.0001 U	< 0.01 U	5.6 B	< 0.001 U	< 0.003 U	6.28 B	< 0.05 U	< 0.01 U	0.004 B	< 0.004 U
MW-10	12/23/1992	WH1092D23-	1.23	0.733	< 0.0001 U	< 0.01 U	3.2	< 0.001 U	< 0.003 U	3.89 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	3/26/1993	WH1093326-	1.29	0.709	< 0.0001 U	< 0.01 U	2.9	< 0.001 U	< 0.003 U	3.66 B	< 0.05 U	< 0.01 U	0.004 B	< 0.004 U
MW-10	6/18/1993	WH1093618-	1.6	0.974	< 0.0001 U	< 0.01 U	3.8	< 0.001 U	< 0.003 U	4.31 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	9/23/1993	WH1093923-	2.22	1.36	< 0.0001 U	< 0.01 U	4.9	< 0.001 U	< 0.003 U	5.25 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-10 (Dup)	9/23/1993	WH1093923D	2.22	1.36	< 0.0001 U	< 0.01 U	4.9	< 0.001 U	< 0.003 U	5.28 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-10	12/29/1993	WH1093D29-	1.62	0.958	< 0.0001 U	< 0.01 U	4	< 0.001 U	< 0.003 U	3.93 B	< 0.05 U	< 0.01 U	0.004	< 0.004 U
MW-10	3/18/1994	WH1094318-	1.5	0.871	< 0.0001 U	< 0.01 U	3.8	0.001	< 0.003 U	3.71 B	< 0.05 U	< 0.01 U	< 0.002 U	0.007
MW-10	6/28/1994	WH1094628-	2.34	1.45	< 0.0001 U	< 0.01 U	4.6	< 0.001 U	< 0.003 U	5.08 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	8/24/1994	WH1094824-	2.27	1.4	< 0.0001 U	< 0.01 U	4.8	< 0.001 U	< 0.003 U	5.18 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/21/1994	WH1094D21-	1.85	1.03	< 0.0001 U	< 0.01 U	4.5	0.002	< 0.003 U	4.22 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10 (Dup)	12/21/1994	WH1094D21D	1.86	1.02	< 0.0001 U	< 0.01 U	4.4	0.002	< 0.003 U	4.23 B	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-10	5/26/1995	WH1095526L	5.6	3.7	< 0.0001 U	< 0.01 U	6.3	0.002	< 0.003 U	6.3	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-10	9/18/1995	WH1095918-	4.1	2.5	0.0003	< 0.01 U	6.1	< 0.001 U	< 0.003 U	7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/20/1995	WH1095D20-	2	1	< 0.0001 U	< 0.01 U	3.7	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-10	3/18/1996	WH1096318-	3.7	2.7	< 0.0001 U	< 0.01 U	5.5	< 0.001 U	< 0.003 U	5.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	5/24/1996	WH1096524-	3.8	2.8 D	0.0001 B	< 0.01 U	6 D	< 0.001 U	< 0.003 U	6.3 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.008 B
MW-10	7/31/1996	WH1096731-	5.2	3.4 D	< 0.0001 U	< 0.01 U	6 D	< 0.001 U	< 0.003 U	5.5 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/3/1996	WH1096D03-	1.8	1.1	< 0.0001 U	< 0.01 U	3.8	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	3/7/1997	WH1097307-	2.6	1.5	< 0.0001 U	< 0.01 U	4	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	5/16/1997	WH1097516-	2.9	1.8	< 0.0001 U	< 0.01 U	4.1	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	8/20/1997	WH1097820-	3.4	2	< 0.0001 U	< 0.01 U	4.2	0.003 J	< 0.003 U	3.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/4/1997	WH1097D04-	2.4	1.4	< 0.0001 U	< 0.01 U	4	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	3/10/1998	WH1098310-	3.5	2.3	0.0002	< 0.01 U	4.9	< 0.001 U	< 0.003 U	4.8	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-10	5/19/1998	WH1098519-	4.6	2.5	< 0.0001 U	< 0.01 U	5	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	8/26/1998	WH1098826-	3.5	1.8	0.0001	< 0.01 U	4.2	0.001 J	< 0.003 U	4.1	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	3/9/1999	WH1099309-	2	1.1	< 0.0001 U	< 0.01 U	3.7	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	6/11/1999	WH1099611-	2.3	1.5	< 0.0001 U	< 0.01 U	3.7	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	8/18/1999	WH1099818-	2.6	1.2	< 0.0001 U	< 0.01 U	3.2	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/7/1999	WH1098D07-	1.7	0.84	< 0.0001 U	< 0.01 U	3	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	12/7/1999	WH1099D07-	1.4	0.76	< 0.0001 U	< 0.01 U	2.8	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-10	3/7/2000	WH1000307-	2.6	1.4	< 0.0001 U	< 0.010 U	3.5	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-10	5/19/2000	WH1000519-	2.8	1.7	< 0.0001 U	< 0.010 U	3.6	< 0.001 U	< 0.003 U	3.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10 (Dup)	5/19/2000	WH1000519D	2.8	1.7	< 0.0001 U	< 0.010 U	3.7	< 0.001 U	< 0.003 U	3.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	9/5/2000	WH1000905-	2.9	1.6	< 0.0001 U	< 0.010 U	3.7	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	12/11/2000	WH1000D11-	2	0.99	< 0.0001 U	< 0.010 U	3.1	0.004 J	< 0.003 U	2.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	2/13/2001	WH1001213-	1.8	0.79	< 0.0001 U	< 0.010 U	2.7	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	5/31/2001	WH1001531-	2.4	1.2	< 0.0001 U	< 0.010 U	3	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	8/14/2001	WH1001814-	2.6	1.4	< 0.0001 U	< 0.010 U	3.4	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	12/11/2001	WH1001D11-	2	0.89	< 0.0001 U	< 0.010 U	3.3	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	2/27/2002	WH1002227-	2.6	1.3	< 0.0001 U	< 0.010 U	3.3	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	0.006
MW-10	5/17/2002	WH1002517-	2.8	1.3	< 0.0001 U	< 0.010 U	3.1	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	8/30/2002	WH1002830-	2.3	1.1	< 0.0001 U	< 0.010 U	3.1	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	11/22/2002	WH1002N22-	2.4	1.2	< 0.0001 U	< 0.010 U	3.3	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	2/13/2003	WH1003213-	1.5	0.73 M	< 0.0001 U	< 0.010 U	2.3	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	5/15/2003	WH1103515-	1.1	< 0.001 U	< 0.0001 U	< 0.010 U	< 0.30 U	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	5/15/2003	WH1003515-	2.3	1.2	< 0.0001 U	< 0.010 U	2.7	< 0.001 U	< 0.003 U	2.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-10	11/13/2003	WH1003N13-	2.1	1.1	< 0.0001 U	< 0.010 U	2.8	< 0.010 U	< 0.0030 U	2.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-10	2/23/2004	WH1004223-	2.2	1	< 0.0001 U	< 0.010 U	2.9	< 0.010 U	< 0.0030 U	2.5	< 0.0020 U		< 0.0020 U	0.0070 J
MW-10	5/20/2004	WH1004520-	2.3	1.2	< 0.0001 U	< 0.010 U	2.9	< 0.010 U	< 0.0030 U	2.1	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-10	9/1/2004	WH1004901-	2	1.1	< 0.0001 U	< 0.010 U	2.9	< 0.010 U	< 0.0030 U	2.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-10	11/17/2004	WH1004N17-	1.9	1.1	< 0.0001 U	< 0.010 U	< 0.30 U	< 0.010 U	< 0.0030 U	2.3	< 0.0020 U		< 0.0020 U	0.0097 J
MW-10	2/18/2005	WH1005218-	2.1	1.2	< 0.0001 U	< 0.010 U	2.7	< 0.010 U	< 0.0030 U	2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-10	5/20/2005	WH1005520-	2.7	1.3	< 0.0001 U	< 0.010 U	3.2	< 0.010 U	< 0.0030 U	2.6	< 0.0020 U		< 0.0020 U	0.0044 J
MW-10	8/15/2005	WH1005815-	2.9	1.3 M	< 0.0001 U	< 0.010 U	2.9	< 0.010 U	< 0.0030 U	2.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-10	12/5/2005	WH1005D05-	2.6	1.2 D	< 0.0001 U	< 0.01 U	3.3	0.0015	< 0.003 U	2.6 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	2/10/2006	WH10060210-	2.6	1.2 D	< 0.0001 U	< 0.01 U	3.2	< 0.001 U	< 0.003 U	2.7 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	5/22/2006	WH10060522-	2.4	1.1 D	< 0.0001 U	< 0.01 U	2.6	< 0.001 U	< 0.003 U	2	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	8/22/2006	WH10060822-	2.4	1.3 D	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	1.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-10 (Dup)	8/22/2006	WH10060822D	2.4	1.3 D	< 0.0001 U	< 0.01 U	2.4	< 0.001 U	< 0.003 U	1.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	12/1/2006	WH10061201-	2.1	1.1	< 0.0001 U	< 0.01 U	2.8	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	2/14/2007	WH10070214-	1.9	0.98	< 0.0001 U	< 0.01 U	2.6	< 0.001 U	< 0.003 U	1.9	< 0.001 U		< 0.002 U	< 0.004 UB
MW-10	5/17/2007	WH10070517-	2.1	0.94	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	1.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	8/24/2007	WH10070824-	1.9	0.95	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	1.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	11/30/2007	WH10071130-	1.7	0.77	< 0.0001 U	< 0.01 U	2.4	< 0.001 U	< 0.003 U	2	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	2/29/2008	WH10080229-	2	0.95	< 0.0001 U	< 0.01 U	2.6	< 0.001 U	< 0.003 U	2.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	6/2/2008	WH10080602-	2.1	1.1 B	0.000152	< 0.01 U	2.6	< 0.001 U	< 0.003 U	2	< 0.001 U		< 0.002 U	< 0.004 UB
MW-10	8/20/2008	WH10080820-	2.4	1.3	< 0.0001 U	< 0.01 U	2.6	< 0.001 U	< 0.003 U	1.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	12/3/2008	WH10081203-	2.5	1	< 0.0001 U	< 0.01 U	2.5	< 0.001 U	< 0.003 U	2.2	< 0.001 U		< 0.002 U	0.012 B
MW-10	2/27/2009	WH10090227-	1.9	1	< 0.0001 U	< 0.01 U	2.1	< 0.001 U	< 0.003 U	1.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	6/1/2009	WH10090601-	2.16	0.946	< 0.0001 U	< 0.01 U	2.09	< 0.001 U	< 0.003 U	1.55	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	8/28/2009	WH10090828-	2.39	0.959	< 0.0001 U	< 0.01 U	2.03	< 0.001 U	< 0.003 U	1.51	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-10	12/1/2009	WH10091201-	2.5 D	0.996 D	< 0.0001 U	< 0.01 U	2.11	< 0.001 U	< 0.003 DU	1.64	< 0.001 DU		< 0.002 U	< 0.004 U
MW-10	3/1/2010	WH10100301-	1.98	0.776	< 0.0001 U	< 0.01 U	1.9	< 0.001 U	< 0.003 U	1.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	5/27/2010	WH10100527-	2.37	0.885	< 0.0001 U	< 0.01 U	1.73	< 0.001 U	< 0.003 U	1.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	8/30/2010	WH10100830-	2.48	0.824	< 0.0001 U	< 0.01 U	1.81	< 0.001 U	< 0.003 U	1.73	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	12/1/2010	WH10101201-	2.55	0.795 D	< 0.0001 U	< 0.01 U	1.79	< 0.001 U	< 0.003 U	1.84	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	2/24/2011	WH10110224-	2.46	0.871	< 0.0001 U	< 0.01 U	1.98	< 0.001 U	< 0.003 U	1.88	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	6/2/2011	WH10110602-	2.06	0.738	< 0.0001 U	< 0.01 U	1.65	< 0.001 U	< 0.003 DU	1.63	< 0.001 DU		< 0.002 U	< 0.004 U
MW-10	8/26/2011	WH10110826-	2.2	0.748	< 0.0001 U	< 0.01 U	1.6 D	< 0.001 U	< 0.003 U	1.56	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	12/6/2011	WH10111206-	2.31	0.772 D	< 0.0001 U	< 0.01 U	1.8 D	< 0.001 U	< 0.003 U	1.69	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	3/5/2012	WH10120305-	2.38	0.833	< 0.0001 U	< 0.01 U	1.77	< 0.001 U	< 0.003 U	1.79	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	5/21/2012	WH10120521-	2.08	0.66	< 0.0001 U	< 0.01 U	1.37	< 0.001 U	< 0.003 U	1.37	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	8/28/2012	WH1-120828-		3.1	< 0.001 U			< 0.005 U	< 0.002 U					0.01
MW-10	8/29/2012	WH10120829-	2.21 D	0.674 D	< 0.0001 U	< 0.01 U	1.51 D	< 0.001 U	< 0.003 DU	1.58 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	11/28/2012	WH10121128-	2.19	0.72 D	< 0.0001 U	< 0.01 U	1.56	< 0.001 U	< 0.003 U	1.53	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	2/28/2013	WH10130228-	1.8	0.52 D	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	1.54 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-10	5/21/2013	WH10130521-	1.98	0.619 D	< 0.0001 U	< 0.01 U	1.29	< 0.001 U	< 0.003 DU	1.42	< 0.001 DU		< 0.002 U	< 0.004 U
MW-10	8/20/2013	WH10130820-	2.25	0.544 D	< 0.0001 U	< 0.01 U	1.41	< 0.001 U	< 0.003 U	1.66	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/25/1987	WH1187825		0.08										0.026
MW-11	11/24/1987	WH1187N24		0.025	< 0.001 U			< 0.005 U	< 0.002 U					0.014
MW-11	3/15/1988	WH1188315		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-11	6/8/1988	WH1188608		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.016
MW-11	9/9/1988	WH1188909Q		0.008	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.028
MW-11	11/29/1988	WH1188N29Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.032
MW-11	2/21/1989	WH1189221Q		0.008	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.029
MW-11	6/26/1989	WH1189626Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.01
MW-11	9/19/1989	WH1189919Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.002
MW-11	12/8/1989	WH1189D08Q		< 0.002 U	0.004	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-11	3/9/1990	WH1190309Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-11	5/18/1990	WH1190518Q		0.01	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11 (Dup)	5/18/1990	WH1190518D		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11	8/28/1990	WH1190828-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.04
MW-11	12/13/1990	WH1190D13-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11	2/22/1991	WH1191222-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11	6/10/1991	WH1191610-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.048
MW-11	9/10/1991	WH1191910-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11	11/15/1991	WH1191N15R		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11 (Dup)	11/15/1991	WH1191N15D		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-11	12/13/1991	WH1191D13-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.076
MW-11	3/17/1992	WH1192317-		0.001	< 0.0001 U	< 0.01 U		< 0.001 U	< 0.003 U					0.005
MW-11	6/25/1992	WH1192625-	1.42	< 0.001 U	< 0.0001 U	< 0.01 U	0.7 B	< 0.001 U	< 0.003 U	3.04 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-11	9/23/1992	WH1192923-	1.72	< 0.001 U	< 0.0001 U	< 0.01 U	0.4	< 0.001 U	< 0.003 U	3.32 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/21/1992	WH1192D21-	1.22	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	2.5 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	3/29/1993	WH1193329-	1.12	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	2.52 B	< 0.05 U	< 0.01 U	< 0.002 U	0.008
MW-11 (Dup)	3/29/1993	WH1193329D	1.13	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	2.5 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	6/21/1993	WH1193621-	1.62	< 0.001 U	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	3.23 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11 (Dup)	6/21/1993	WH1193621D	1.61	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.2 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	9/24/1993	WH1193924-	1.95	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	3.4	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/28/1993	WH1193D28-	1.76	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.07 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	3/16/1994	WH1194316-	1.16	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	2.6 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	6/24/1994	WH1194624-	1.61	0.001	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	3 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	8/25/1994	WH1194825-	1.78	0.001 B	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	3.19 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/19/1994	WH1194D19-	1.26	< 0.001 U	< 0.0001 U	< 0.01 U	0.8	0.001	< 0.003 U	2.54 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	5/31/1995	WH1195531L	1.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	3.1 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	9/20/1995	WH1195920-	2.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/19/1995	WH1195D19-	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.31	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-11	3/15/1996	WH1196315-	0.98	< 0.001 U	< 0.0001 U	< 0.01 U	0.32	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	5/28/1996	WH1196528-	1	< 0.001 U	< 0.0001 U	< 0.01 U	0.32	< 0.001 U	< 0.003 U	3.1 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	8/5/1996	WH1196805-	1.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.4	< 0.001 U	< 0.003 U	2.9 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/5/1996	WH1196D05-	1.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.32	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	0.009
MW-11	3/6/1997	WH1197306-	0.98	< 0.001 U	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	5/20/1997	WH1197520-	0.96	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	8/20/1997	WH1197820-	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11 (Dup)	8/20/1997	WH1197820D	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.34	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/3/1997	WH1197D03-	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.42	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	3/9/1998	WH1198309-	1.2	< 0.001 U	0.0002	< 0.01 U	0.33	0.001 J	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11 (Dup)	3/9/1998	WH1198309D	1.2	< 0.001 U	0.0001	< 0.01 U	0.33	< 0.001 U	< 0.003 U	3.1	< 0.001 U	< 0.01 U	< 0.002 U	0.004 J
MW-11	5/18/1998	WH1198518-	1.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.38	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	8/26/1998	WH1198826-	1.8	< 0.001 U	0.0001	< 0.01 U	0.46	0.004 J	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11 (Dup)	8/26/1998	WH1198826D	1.8	< 0.001 U	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	3/9/1999	WH1199309-	1	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	6/14/1999	WH1199614-	1	< 0.001 U	< 0.0001 U	< 0.01 U	0.62	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	8/17/1999	WH1199817-	1.5	< 0.001 U	< 0.0001 U	< 0.01 U	0.44	0.004 J	< 0.003 U	2.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/4/1999	WH1198D04-	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.33	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/4/1999	WH1-98D04-	3.7	0.73	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	12/8/1999	WH1199D08-	1.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.34	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-11	3/3/2000	WH1100303-	1.1	< 0.001 U	< 0.0001 U	< 0.010 U	0.34	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	5/18/2000	WH1100518-	1.3	< 0.001 U	< 0.0001 U	< 0.010 U	0.39	< 0.001 U	< 0.003 U	3.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	9/7/2000	WH1100907-	1.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.41	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	12/5/2000	WH1100D05-	1.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.41	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	2/16/2001	WH1101216-	1.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.37	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-11	5/29/2001	WH1101529-	1.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.36	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	8/14/2001	WH1101814-	1.5	< 0.001 U	< 0.0001 U	< 0.010 U	0.38	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	12/6/2001	WH1101D06-	1.3	< 0.001 U	< 0.0001 U	< 0.010 U	0.38	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	2/26/2002	WH1102226-	0.98	< 0.001 U	< 0.0001 U	< 0.010 U	0.31	< 0.001 BU	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	5/20/2002	WH1102520-	1.1	< 0.001 U	< 0.0001 U	< 0.010 U	0.34	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	8/30/2002	WH1102830-	1.5	< 0.001 U	< 0.0001 U	< 0.010 U	0.38	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	11/22/2002	WH1102N22-	1.3	0.006	< 0.0001 U	< 0.010 U	0.36	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	2/13/2003	WH1103213-	1.2	< 0.001 U	< 0.0001 U	< 0.010 U	0.31	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	8/7/2003	WH1103807-	1.5	< 0.001 U	< 0.0001 U	< 0.010 U	0.34	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-11	11/13/2003	WH1103N13-	1.2	< 0.0010 U	< 0.0001 U	< 0.010 U	0.34	< 0.010 U	< 0.0030 U	2.7	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	2/23/2004	WH1104223-	1.1	< 0.0010 U	< 0.0001 U	< 0.010 U	0.33	< 0.010 U	< 0.0030 U	2.7	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	5/20/2004	WH1104520-	1.2	< 0.0010 U	< 0.0001 U	< 0.010 U	0.36	< 0.010 U	< 0.0030 U	2.7	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	9/1/2004	WH1104901-	1.2	< 0.0010 U	< 0.0001 U	< 0.010 U	0.4	< 0.010 U	< 0.0030 U	2.9	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	11/17/2004	WH1104N17-	1.3	< 0.0010 U	< 0.0001 U	< 0.010 U	0.43	< 0.010 U	< 0.0030 U	3	< 0.0020 U		< 0.0020 U	0.010 J
MW-11	2/18/2005	WH1105218-	1.1	< 0.0010 U	< 0.0001 U	< 0.010 U	0.32	< 0.010 U	< 0.0030 U	2.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	5/23/2005	WH1105523-	3	< 0.0010 U	< 0.0001 U	< 0.010 U	0.79	< 0.010 U	< 0.0030 U	4.5	< 0.0020 U		< 0.0020 U	0.0053 J
MW-11	8/12/2005	WH1105812-	1.6	< 0.0010 U	< 0.0001 U	< 0.010 U	0.38	< 0.010 U	< 0.0030 U	3.1	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-11	12/6/2005	WH1105D06-	1.5	< 0.001 U	< 0.0001 U	< 0.01 U	0.45	< 0.001 U	< 0.003 U	3.3 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	2/13/2006	WH11060213-	1.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.39	< 0.001 U	< 0.003 U	3.1 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	5/17/2006	WH11060517-	1.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.37	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/24/2006	WH11060824-	1.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	2.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	12/1/2006	WH11061201-	1.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	2/15/2007	WH11070215-	1.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.36	[redacted]	< 0.003 U	2.8	< 0.001 U		< 0.002 U	
MW-11	5/21/2007	WH11070521-	1.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.36	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/23/2007	WH11070823-	1.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.36	< 0.001 U	< 0.003 U	2.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	12/3/2007	WH11071203-	1.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.39	< 0.001 U	< 0.003 U	3	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	2/28/2008	WH11080228-	0.97	< 0.001 U	< 0.0001 U	< 0.01 U	0.32	< 0.001 U	< 0.003 U	2.6	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	6/3/2008	WH11080603-	1.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.42	< 0.001 U	< 0.003 U	3.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/21/2008	WH11080821-	1.5	< 0.001 U	< 0.0001 U	< 0.01 U	0.37	< 0.001 U	< 0.003 U	3	< 0.001 U		< 0.002 U	0.0098
MW-11	12/3/2008	WH11081203-	1.3	0.0013	< 0.0001 U	< 0.01 U	0.34	< 0.001 U	< 0.003 U	2.6	< 0.001 U		< 0.002 U	0.0042 B
MW-11	2/27/2009	WH11090227-	1.2	0.0031	0.000342	< 0.01 U	0.35	< 0.001 U	< 0.003 U	3	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	5/28/2009	WH11090528-	1.11	< 0.001 DU	< 0.0001 U	< 0.01 U	0.35 T	< 0.001 U	< 0.003 U	2.67	< 0.001 U		< 0.002 U	< 0.004 U
MW-11 (Dup)	5/28/2009	WH11090528D	1.11	< 0.001 DU	< 0.0001 U	< 0.01 U	0.35 T	< 0.001 U	< 0.003 U	2.63	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	9/1/2009	WH11090901-	1.94	< 0.001 U	< 0.0001 U	< 0.01 U	0.42 T	< 0.001 U	< 0.003 U	3.13	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	11/24/2009	WH11091124-	1.44	< 0.001 U	< 0.0001 U	< 0.01 U	0.4 T	< 0.001 U	< 0.003 U	3.14	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	3/2/2010	WH11100302-	1.39	< 0.001 U	< 0.0001 U	< 0.01 U	0.35 T	< 0.001 U	< 0.003 U	2.56	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	5/26/2010	WH11100526-	1.45	< 0.001 U	< 0.0001 U	< 0.01 U	0.4 T	< 0.001 U	< 0.003 U	2.59	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/20/2010	WH11100820-	1.72	< 0.001 DU	< 0.0001 U	< 0.01 U	0.35 T	< 0.001 U	< 0.003 U	3.08	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	12/2/2010	WH11101202-	1.58	< 0.001 U	< 0.0001 U	< 0.01 U	0.42 T	< 0.001 U	< 0.003 U	3.33	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	2/28/2011	WH11110228-	1.29	< 0.001 U	< 0.0001 U	< 0.01 U	0.38 T	< 0.001 U	< 0.003 U	3.12	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-11	6/2/2011	WH11110602-	1.03	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 DU	2.9	< 0.001 DU		< 0.002 U	< 0.004 U
MW-11	8/26/2011	WH11110826-	1.83	< 0.001 U	< 0.0001 U	< 0.01 U	0.44 DT	< 0.001 U	< 0.003 U	3.07	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	12/5/2011	WH11111205-	1.56	< 0.001 U	< 0.0001 U	< 0.01 U	0.44 DT	< 0.001 U	< 0.003 U	3.32	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	2/27/2012	WH11120227-	0.965	< 0.001 U	< 0.0001 U	< 0.01 U	0.34 T	< 0.001 U	< 0.003 U	2.68	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	5/21/2012	WH11120521-	1.39	< 0.001 U	< 0.0001 U	< 0.01 U	0.32 T	< 0.001 U	< 0.003 U	2.65	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	8/28/2012	WH11120828-	1.85	< 0.001 U	< 0.0001 U	< 0.01 U	0.4 T	< 0.001 U	< 0.003 U	2.94	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	11/20/2012	WH11121120-	1.42	< 0.001 DU	< 0.0001 U	< 0.01 U	0.34 T	< 0.001 U	< 0.003 DU	2.79	< 0.001 DU		< 0.002 U	< 0.004 U
MW-11	2/27/2013	WH11130227-	1.46 D	< 0.001 DU	< 0.0001 U	< 0.01 U	0.38 T	< 0.001 U	< 0.003 U	3.24 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-11	5/21/2013	WH11130521-	1.61	< 0.001 DU	< 0.0001 U	< 0.01 U	0.34 T	< 0.001 U	< 0.003 DU	2.78	< 0.001 DU		< 0.002 U	< 0.004 U
MW-11	8/22/2013	WH11130822-	2.46	< 0.001 U	< 0.0001 U	< 0.01 U	0.47 T	< 0.001 U	< 0.003 U	3.59	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/25/1987	WH1887825		10.5										0.168
MW-18	11/23/1987	WH1887N23		9.3	< 0.001 U			< 0.005 U	< 0.002 U					0.025
MW-18	3/10/1988	WH1888310		6.7	< 0.001 U			< 0.005 U	< 0.002 U					0.01
MW-18	5/25/1988	WH1888525		7.8	< 0.001 U			< 0.005 U	< 0.002 U					0.004
MW-18	9/7/1988	WH1888907Q		6.5	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-18	11/18/1988	WH1888N18Q		5.7	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.008
MW-18	3/6/1989	WH1889306Q		5.5	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.01
MW-18	6/28/1989	WH1889628Q		6.5	< 0.001 U	< 0.01 U		< 0.005 U	0.034					< 0.002 U
MW-18	9/12/1989	WH1889912Q		4.8	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-18	12/11/1989	WH1889D11Q		3.8	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.009
MW-18	3/14/1990	WH1890314Q		2.7	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-18	5/21/1990	WH1890521Q		2.9	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18	8/30/1990	WH1890830-		3.4	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-18 (Dup)	8/30/1990	WH1890830D		3.5	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.04
MW-18	12/14/1990	WH1890D14-		2.1	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-18 (Dup)	12/14/1990	WH1890D14D		2.1	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18	3/5/1991	WH1891305-		1.6 XE	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.17
MW-18	6/11/1991	WH1891611-		1.4	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18	9/13/1991	WH1891913-		1.8	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18	12/13/1991	WH1891D13-		1.4	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18 (Dup)	12/13/1991	WH1891D13D		1.5	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.025
MW-18	3/23/1992	WH1892323-		1	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-18	6/29/1992	WH1892629-	1.72	1.44	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	5.97 B	< 0.05 U	< 0.01 U	< 0.002 U	0.015 B
MW-18	9/28/1992	WH1892928-	1.78	1.42	< 0.0001 U	< 0.01 U	1.2 B	< 0.001 U	< 0.003 U	5.79 B	< 0.05 U	< 0.01 U	0.005 B	< 0.004 U
MW-18	12/28/1992	WH1892D28-	1.49	1.3	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	5.48 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18 (Dup)	12/28/1992	WH1892D28D	1.47	1.29	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	5.42 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	3/26/1993	WH1893326-	1.47	1.28	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	5.26 B	< 0.05 U	< 0.01 U	0.004 B	< 0.004 U
MW-18	6/18/1993	WH1893618-	1.45	1.31	< 0.0001 U	< 0.01 U	0.8	< 0.001 U	< 0.003 U	5.22 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	9/20/1993	WH1893920-	1.56	1.4	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	5.41 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/21/1993	WH1893D21-	1.34	1.23	< 0.0001 U	< 0.01 U	0.8	< 0.001 U	< 0.003 U	4.78 B	< 0.05 U	< 0.01 U	0.004	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-18	3/18/1994	WH1894318-	1.41	1.24	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	4.82 B	< 0.05 U	< 0.01 U	< 0.002 U	0.005
MW-18	6/28/1994	WH1894628-	1.4	1.29	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	4.68 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	8/25/1994	WH1894825-	1.42	1.33 B	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	4.73 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18 (Dup)	8/25/1994	WH1894825D	1.43	1.33 B	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	4.79 B	0.001	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/16/1994	WH1894D16-	1.51	1.47	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	4.85	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	5/31/1995	WH1895531L	1.5	1.6	< 0.0001 U	< 0.01 U	0.82	< 0.001 U	< 0.003 U	5.5 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	9/19/1995	WH1895919-	1.6	1.5	< 0.0001 U	< 0.01 U	0.7	0.002	< 0.003 U	4.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/20/1995	WH1895D20-	1.9	1.7	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	4.8	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-18	3/20/1996	WH1896320-	1.6	1.6	< 0.0001 U	< 0.01 U	0.67	< 0.001 U	< 0.003 U	4.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	5/29/1996	WH1896529-	1.7	1.8	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	4.9 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	8/6/1996	WH1896806-	1.8	1.8 D	< 0.0001 U	< 0.01 U	1.1 D	< 0.001 U	< 0.003 U	4.6 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/4/1996	WH1896D04-	1.3	1.5	< 0.0001 U	< 0.01 U	0.61	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	< 0.002 U	0.012
MW-18	3/7/1997	WH1897307-	1.3	1.2	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	5/22/1997	WH1897522-	1.2	1.3	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18 (Dup)	5/22/1997	WH1897522D	1.3	1.3	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	8/20/1997	WH1897820-	1.2	1.2	< 0.0001 U	< 0.01 U	0.58	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18 (Dup)	8/20/1997	WH1897820D	1.2	1.2	< 0.0001 U	< 0.01 U	0.56	0.002 J	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/4/1997	WH1897D04-	1.3	1.4	< 0.0001 U	< 0.01 U	0.58	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	3/25/1998	WH1898325-	1.3	1.6	0.0002	< 0.01 U	0.67	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	5/20/1998	WH1898520-	1.4	1.5	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	4.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	8/26/1998	WH1898826-	1.4	1.5	< 0.0001 U	< 0.01 U	0.76	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/8/1998	WH1898D08-	1.3	1.4	< 0.0001 U	< 0.01 U	0.68	0.001 J	< 0.003 U	4.1	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	3/9/1999	WH1899309-	1.2	1.4	< 0.0001 U	< 0.01 U	0.85	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	6/15/1999	WH1899615-	1	1.4	< 0.0001 U	< 0.01 U	0.8	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	8/17/1999	WH1899817-	1.4	1.4	< 0.0001 U	< 0.01 U	0.57	< 0.001 U	< 0.003 U	3.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	12/7/1999	WH1899D07-	1.2	1.3	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-18	3/3/2000	WH1800303-	0.11	1.2	< 0.0001 U	< 0.010 U	0.61	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	5/19/2000	WH1800519-	1.1	1.4	< 0.0001 U	< 0.010 U	0.64	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	9/5/2000	WH1800905-	1.1	1.3	< 0.0001 U	< 0.010 U	0.6	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	12/6/2000	WH1800D06-	1.1	1.3	< 0.0001 U	< 0.010 U	0.61	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	2/15/2001	WH1801215-	1.1	1.2	< 0.0001 U	< 0.010 U	0.59	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	5/25/2001	WH1801525-	1.1	1.2 B	< 0.0001 U	< 0.010 U	0.55	< 0.001 U	< 0.003 U	3.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	8/14/2001	WH1801814-	1.1	1.2	< 0.0001 U	< 0.010 U	0.59	< 0.001 U	< 0.003 U	3.2	< 0.001 U	< 0.010 U	< 0.002 U	0.012
MW-18	12/6/2001	WH1801D06-	1.2	1.2	< 0.0001 U	< 0.010 U	0.65	< 0.001 U	< 0.003 U	3.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	2/26/2002	WH1802226-	1	1.1	< 0.0001 U	< 0.010 U	0.57	< 0.001 UB	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	5/20/2002	WH1802520-	1.1	1.1	< 0.0001 U	< 0.010 U	0.58	< 0.001 U	< 0.003 U	3.4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	8/29/2002	WH1802829-	1.1	1.2	< 0.0001 U	< 0.010 U	0.62	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	11/21/2002	WH1802N21-	1.3	1.4	0.0001	< 0.010 U	0.62	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	2/12/2003	WH1803212-	1.1	1.1 M	< 0.0001 U	< 0.010 U	0.55	< 0.001 U	< 0.003 U	3.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	5/15/2003	WH1803515-	1.1	0.93	< 0.0001 U	< 0.010 U	0.51	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-18	8/7/2003	WH1803807-	1	0.84	< 0.0001 U	< 0.010 U	0.48	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-18	11/13/2003	WH1803N13-	0.97	0.94	< 0.0001 U	< 0.010 U	0.51	< 0.010 U	< 0.0030 U	2.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	2/23/2004	WH1804223-	1	0.89	< 0.0001 U	< 0.010 U	0.57	< 0.010 U	< 0.0030 U	3	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	5/19/2004	WH1804519-	1	1	< 0.0001 U	< 0.010 U	0.54	< 0.010 U	< 0.0030 U	3.1	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	9/3/2004	WH1804903-	1	0.9	< 0.0001 U	< 0.010 U	0.57	< 0.010 U	< 0.0030 U	2.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	11/22/2004	WH1804N22-	0.86	1.1	< 0.0001 U	< 0.010 U	0.53	< 0.010 U	< 0.0030 U	2.8	< 0.0020 U		< 0.0020 U	0.013 J
MW-18	2/23/2005	WH1805223-	1	0.92	< 0.0001 U	< 0.010 U	0.54	< 0.010 U	< 0.0030 U	3	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	5/20/2005	WH1805520-	1.2	1.1	< 0.0001 U	< 0.010 U	0.66	< 0.010 U	< 0.0030 U	3.4	< 0.0020 U		< 0.0020 U	0.0072 J
MW-18	8/9/2005	WH1805809-	1.1	0.93 M	< 0.0001 U	< 0.010 U	0.56	< 0.010 U	< 0.0030 U	3.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-18	12/5/2005	WH1805D05-	1	0.9 D	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	3.2 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	2/10/2006	WH18060210-	1.1	1.1 D	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	3.2 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/23/2006	WH18060523-	1.1	0.99 D	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	3.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/22/2006	WH18060822-	1.1	0.85	< 0.0001 U	< 0.01 U	0.56	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/5/2006	WH18061205-	1.1	1	< 0.0001 U	< 0.01 U	0.61	< 0.001 U	< 0.003 U	3.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	2/14/2007	WH18070214-	1	0.87	< 0.0001 U	< 0.01 U	0.55	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	< 0.004 UB
MW-18	5/17/2007	WH18070517-	1.1	0.75	< 0.0001 U	< 0.01 U	0.55	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/24/2007	WH18070824-	0.93	0.72	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	2.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/7/2007	WH18071207-	1	0.94	< 0.0001 U	< 0.01 U	0.52	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	3/3/2008	WH18080303-	1.1	0.68	< 0.0001 U	< 0.01 U	0.55	< 0.001 U	< 0.003 U	3.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	6/3/2008	WH18080603-	1.1	0.72	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	3.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/20/2008	WH18080820-	0.94	0.87	< 0.0001 U	< 0.01 U	0.52	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	0.0053
MW-18	12/4/2008	WH18081204-	1	0.76	< 0.0001 U	< 0.01 U	0.56	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	0.01
MW-18	3/4/2009	WH18090304-	1.1	0.76	< 0.0001 U	< 0.01 U	0.53	< 0.001 U	< 0.003 U	3	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/28/2009	WH18090528-	0.975	0.722	< 0.0001 U	< 0.01 U	0.539	< 0.001 U	< 0.003 U	2.77	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/1/2009	WH18091201-	1.22 D	0.561 D	< 0.0001 U	< 0.01 U	0.604	< 0.001 U	< 0.003 DU	3.24	< 0.001 DU		< 0.002 U	< 0.004 U
MW-18	3/3/2010	WH18100303-	1.07	0.635	< 0.0001 U	< 0.01 U	0.583	< 0.001 U	< 0.003 U	3.05	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/27/2010	WH18100527-	1.07	0.701	< 0.0001 U	< 0.01 U	0.621	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/27/2010	WH18100827-	1.12	0.545 D	< 0.0001 U	< 0.01 U	0.602	< 0.001 U	< 0.003 U	3.26	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/1/2010	WH18101201-	1.37	0.575 D	< 0.0001 U	< 0.01 U	0.647	< 0.001 U	< 0.003 U	3.58	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/1/2010	WH18101201-	1.37	0.575 D	< 0.0001 U	< 0.01 U	0.647	< 0.001 U	< 0.003 U	3.58	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	2/23/2011	WH18110223-	1.25	0.686	< 0.0001 U	< 0.01 U	0.663	< 0.001 U	< 0.003 U	3.48	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	2/23/2011	WH18110223-	1.25	0.686	< 0.0001 U	< 0.01 U	0.663	< 0.001 U	< 0.003 U	3.48	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/31/2011	WH18110531-	0.787	0.496	< 0.0001 U	< 0.01 U	0.45 T	< 0.001 U	< 0.003 DU	2.84	< 0.001 DU		< 0.002 U	< 0.004 U
MW-18	5/31/2011	WH18110531-	0.787	0.496	< 0.0001 U	< 0.01 U	0.45 T	< 0.001 U	< 0.003 DU	2.84	< 0.001 DU		< 0.002 U	< 0.004 U
MW-18	8/24/2011	WH18110824-	1.02	0.415	< 0.0001 U	< 0.01 U	0.658 D	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/24/2011	WH18110824-	1.02	0.415	< 0.0001 U	< 0.01 U	0.658 D	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	12/1/2011	WH18111201-	1.17	0.346	< 0.0001 U	< 0.01 U	0.716	< 0.001 U	< 0.003 U	3.24	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	3/2/2012	WH18120302-	1.08	0.514	< 0.0001 U	< 0.01 U	0.568	< 0.001 U	< 0.003 U	3.19	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/16/2012	WH18120516-	0.941	0.527	< 0.0001 U	< 0.01 U	0.548	< 0.001 U	< 0.003 U	2.78	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	8/28/2012	WH18120828-	1.02	0.33	< 0.0001 U	< 0.01 U	0.585	< 0.001 U	< 0.003 U	2.97	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-18	11/27/2012	WH18121127-	0.956	0.288	< 0.0001 U	< 0.01 U	0.582	< 0.001 U	< 0.003 U	2.78	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	2/26/2013	WH18130226-	0.902	0.397 D	< 0.0001 U	< 0.01 U	0.49 T	< 0.001 U	< 0.003 U	3.08 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-18	5/15/2013	WH18130515-	0.903	0.307	< 0.0001 U	< 0.01 U	0.522	< 0.001 U	< 0.003 U	2.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-25	12/12/2001	WH2501D12-	2.8	0.009	< 0.0001 U	< 0.010 U	0.49	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.010 U	0.002	0.005
MW-25	2/27/2002	WH2502227-	3	0.005	< 0.0001 U	< 0.010 U	0.46	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-25	5/17/2002	WH2502517-	3	0.003	< 0.0001 U	< 0.010 U	0.47	< 0.001 U	< 0.003 U	4.7	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-25	9/4/2002	WH2502904-	2.7	0.001	< 0.0001 U	< 0.010 U	0.44	0.002 J	< 0.003 U	4.3	< 0.001 U	< 0.010 U	0.003	0.007
MW-25	11/27/2002	WH2502N27-	2.9	< 0.001 U	< 0.0001 U	< 0.010 U	0.44	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-25	2/14/2003	WH2503214-	2.8	< 0.001 U	< 0.0001 U	< 0.010 U	0.43	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-25	5/16/2003	WH2503516-	2.8	< 0.001 U	< 0.0001 U	< 0.010 U	0.41	< 0.001 U	< 0.003 U	4.1	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-25 (Dup)	5/16/2003	WH2503516D	2.8	< 0.001 U	< 0.0001 U	< 0.010 U	0.4	0.003 J	< 0.003 U	4	< 0.001 U	< 0.010 U	0.003	0.015
MW-25	8/12/2003	WH2503812-	2.6	< 0.001 U	< 0.0001 U	< 0.010 U	0.41	< 0.001 U	< 0.003 U	4.1	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-25	11/12/2003	WH2503N12-	2.8	< 0.0010 U	< 0.0001 U	< 0.010 U	0.41	< 0.010 U	< 0.0030 U	4.4	< 0.0020 U		0.003	< 0.0040 U
MW-25	2/23/2004	WH2504223-	3.1	< 0.0010 U	< 0.0001 U	< 0.010 U	0.47	< 0.010 U	< 0.0030 U	4.7	< 0.0020 U		0.003	< 0.0040 U
MW-25	5/19/2004	WH2504519-	3	< 0.0010 U	< 0.0001 U	< 0.010 U	0.5	< 0.010 U	< 0.0030 U	4.8	< 0.0020 U		0.003	< 0.0040 U
MW-25	9/1/2004	WH2504901-	2.6	< 0.0010 U	< 0.0001 U	< 0.010 U	0.44	< 0.010 U	< 0.0030 U	4.3	< 0.0020 U		0.002	< 0.0040 U
MW-25	11/19/2004	WH2504N19-	3.4	< 0.0010 U	< 0.0001 U	< 0.010 U	0.58	0.0020 J	< 0.0030 U	5.6	< 0.0020 U		0.003	< 0.0040 U
MW-25	2/23/2005	WH2505223-	3.3	< 0.0010 U	< 0.0001 U	< 0.010 U	0.5	0.0016 J	< 0.0030 U	5.1	< 0.0020 U		0.0033	< 0.0040 U
MW-25	5/23/2005	WH2505523-	4	< 0.0010 U	< 0.0001 U	< 0.010 U	0.62	0.0013 J	< 0.0030 U	6.4	< 0.0020 U		0.0032	< 0.0040 U
MW-25	8/12/2005	WH2505812-	3.3	< 0.0010 U	< 0.0001 U	< 0.010 U	0.46	< 0.010 U	< 0.0030 U	4.8	< 0.0020 U		0.0027	< 0.0040 U
MW-25	12/6/2005	WH25051206-	3.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.52	< 0.001 U	< 0.003 U	5.1 B	< 0.001 U		0.003	< 0.004 U
MW-25	2/14/2006	WH25060214-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.48	< 0.001 U	< 0.003 U	5 B	< 0.001 U		0.0031	< 0.004 U
MW-25 (Dup)	2/14/2006	WH25060214D	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.49	< 0.001 U	< 0.003 U	5 B	< 0.001 U		0.003	< 0.004 U
MW-25	5/17/2006	WH25060517-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.51	< 0.001 U	< 0.003 U	4.9	< 0.001 U		0.0027	< 0.004 U
MW-25	8/18/2006	WH25060818-	2.8	< 0.001 U	< 0.0001 U	< 0.01 U	0.43	< 0.001 U	< 0.003 U	4.4	< 0.001 U		0.0028	< 0.004 U
MW-25	12/6/2006	WH25061206-	2.9	< 0.001 U	< 0.0001 U	< 0.01 U	0.44	< 0.001 U	< 0.003 U	4.6	< 0.001 U		0.0027	< 0.004 U
MW-25	2/16/2007	WH25070216-	2.9	< 0.001 U	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	4.3	< 0.001 U		0.0029	< 0.004 UB
MW-25	5/18/2007	WH25070518-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.49	< 0.001 U	< 0.003 U	4.9	< 0.001 U		0.003	< 0.004 U
MW-25 (Dup)	5/18/2007	WH25070518D	3	< 0.001 U	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	4.5	< 0.001 U		0.0028	< 0.004 U
MW-25	8/23/2007	WH25070823-	3	< 0.001 U	< 0.0001 U	< 0.01 U	0.45	0.001	< 0.003 U	4.2	< 0.001 U		0.0029	< 0.004 U
MW-25	11/30/2007	WH25071130-	3	< 0.001 U	< 0.0001 U	< 0.01 U	0.43	< 0.001 U	< 0.003 U	4.4	< 0.001 U		0.0028	< 0.004 U
MW-25	2/28/2008	WH25080228-	2.9	< 0.001 U	< 0.0001 U	< 0.01 U	0.47	< 0.001 U	< 0.003 U	4.5	< 0.001 U		0.0027	< 0.004 U
MW-25	6/3/2008	WH25080603-	3.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.49	0.0013	< 0.003 U	5.3	< 0.001 U		0.0031	< 0.004 U
MW-25	8/22/2008	WH25080822-	3	0.0014	< 0.0001 U	< 0.01 U	0.44	< 0.001 U	< 0.003 U	4.6	< 0.001 U		0.0028	< 0.004 U
MW-25	12/1/2008	WH25081201-	3.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.42	< 0.001 U	< 0.003 U	4.4	< 0.001 U		0.0031	< 0.004 UB
MW-25	2/26/2009	WH25090226-	3.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.43	< 0.001 U	< 0.003 U	4.8 B	< 0.001 U		0.0023	0.052
MW-25	5/29/2009	WH25090529-	3.02	< 0.001 DU	< 0.0001 U	< 0.01 U	0.48 T	< 0.001 U	< 0.003 U	4.55	< 0.001 U		0.00274	< 0.004 U
MW-25	8/31/2009	WH25090831-	3.24	< 0.001 U	< 0.0001 U	< 0.01 U	0.503	< 0.001 U	< 0.003 U	4.55	< 0.001 U		0.00275	< 0.004 U
MW-25	11/24/2009	WH25091124-	2.79	< 0.001 U	< 0.0001 U	< 0.01 U	0.46 T	< 0.001 U	< 0.003 U	4.45	< 0.001 U		0.00266	< 0.004 U
MW-25	3/2/2010	WH25100302-	3.12	< 0.001 U	< 0.0001 U	< 0.01 U	0.45 T	< 0.001 U	< 0.003 U	4.56	< 0.001 U		0.00263	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-25 (Dup)	3/2/2010	WH25100302D	3.33	< 0.001 U	< 0.0001 U	< 0.01 U	0.505	< 0.001 U	< 0.003 U	4.89	< 0.001 U		0.00279	< 0.004 U
MW-25	5/25/2010	WH25100525-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.523	< 0.001 U	< 0.003 U	4.48	< 0.001 U		0.00275	< 0.004 U
MW-25	8/27/2010	WH25100827-	3.4	< 0.001 DU	< 0.0001 U	< 0.01 U	0.48 T	< 0.001 U	< 0.003 U	4.92	< 0.001 U		0.00268	< 0.004 U
MW-25 (Dup)	8/27/2010	WH25100827D	3.43	< 0.001 DU	< 0.0001 U	< 0.01 U	0.47 T	< 0.001 U	< 0.003 U	4.92	< 0.001 U		0.0027	< 0.004 U
MW-25	12/1/2010	WH25101201-	3.29	< 0.001 U	< 0.0001 U	< 0.01 U	0.49 T	< 0.001 U	< 0.003 U	5.03	< 0.001 U		0.00259	< 0.004 U
MW-25	2/25/2011	WH25110225-	3.63	< 0.001 U	< 0.0001 U	< 0.01 U	0.532	< 0.001 U	< 0.003 U	5.34	< 0.001 U		0.00297	< 0.004 U
MW-25	5/31/2011	WH25110531-	2.83	< 0.001 U	< 0.0001 U	< 0.01 U	0.38 T	< 0.001 U	< 0.003 DU	4.81	< 0.001 DU		0.00226	< 0.004 U
MW-25	8/26/2011	WH25110826-	3.31	< 0.001 U	< 0.0001 U	< 0.01 U	0.561 D	< 0.001 U	< 0.003 U	4.69	< 0.001 U		0.00299	< 0.004 U
MW-25	12/2/2011	WH25111202-	3.52	< 0.001 U	< 0.0001 U	< 0.01 U	0.543 D	< 0.001 U	< 0.003 U	5.1	< 0.001 U		0.0026	< 0.004 U
MW-25	3/5/2012	WH25120305-	3.5	< 0.001 U	< 0.0001 U	< 0.01 U	0.47 T	< 0.001 U	< 0.003 U	5.09	< 0.001 U		0.00259	< 0.004 U
MW-25	5/22/2012	WH25120522-	3.45	< 0.001 U	< 0.0001 U	< 0.01 U	0.45 T	< 0.001 U	< 0.003 U	4.46	< 0.001 U		0.00274	< 0.004 U
MW-25	8/28/2012	WH25120828-	3.35	< 0.001 U	< 0.0001 U	< 0.01 U	0.52	< 0.001 U	< 0.003 U	4.66	< 0.001 U		0.00277	< 0.004 U
MW-25	11/28/2012	WH25121128-	3.21	< 0.001 U	< 0.0001 U	< 0.01 U	0.47 T	< 0.001 U	< 0.003 U	4.6	< 0.001 U		0.00256	< 0.004 U
MW-25	2/25/2013	WH25130225-	3.03 D	< 0.001 DU	< 0.0001 U	< 0.01 U	0.532	< 0.001 U	< 0.003 U	5.42 D	< 0.001 U		0.00291	< 0.004 U
MW-25	5/28/2013	WH25130528-	3.69	< 0.001 DU	< 0.0001 U	< 0.01 U	0.49 T	< 0.001 U	< 0.003 DU	5.17	< 0.001 DU		0.00249	< 0.004 U
MW-25	8/19/2013	WH25130819-	3.86	< 0.001 U	< 0.0001 U	< 0.01 U	0.565	< 0.001 U	< 0.003 U	5.47	< 0.001 U		0.0027	< 0.004 U
MW-3	10/28/1986	WH3-86O28		0.022	< 0.001 U			< 0.005 U	< 0.002 U					0.009
MW-3	5/28/1987	WH3-87528		0.021	< 0.001 U			< 0.005 U	< 0.002 U					< 0.002 U
MW-3	9/8/1987	WH3-87908		0.025	0.0005			< 0.005 U						< 0.01 U
MW-3	12/21/1987	WH3-87D21		0.021	< 0.001 U			< 0.005 U	< 0.002 U					< 0.002 U
MW-3	3/21/1988	WH3-88321		0.022	< 0.001 U			< 0.005 U	< 0.002 U					0.003
MW-3	5/26/1988	WH3-88526		0.029	< 0.001 U			< 0.005 U	< 0.002 U					< 0.002 U
MW-3	9/2/1988	WH3-88902Q		0.052	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-3	11/22/1988	WH3-88N22Q		0.022	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					< 0.002 U
MW-3	2/17/1989	WH3-89217Q		0.024	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.008
MW-3	6/9/1989	WH3-89609Q		0.025	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					< 0.002 U
MW-3	9/6/1989	WH3-89906Q		0.023	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.013
MW-3	12/7/1989	WH3-89D07Q		0.03	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.006
MW-3	2/13/1990	WH3-90213Q		0.024	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.002
MW-3	5/17/1990	WH3-90517Q		0.04	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	8/24/1990	WH3-90824-		0.04	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-3	11/13/1990	WH3-90N13-		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	2/21/1991	WH3-91221-		0.05	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	6/25/1991	WH3-91625-		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	9/20/1991	WH3-91920-		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	12/17/1991	WH3-91D17-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.027
MW-3	3/18/1992	WH3-92318-		0.04	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-3	6/23/1992	WH3-92623-	3.52	0.033	< 0.0001 U	< 0.01 U	0.4	< 0.001 U	< 0.003 U	8.14 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	9/21/1992	WH3-92921-	3.59	0.038	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	8.05 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	12/22/1992	WH3-92D22-	3.55	0.039	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	7.87 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-3	3/23/1993	WH3-93323-	3.68	0.038	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	8.32 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	6/17/1993	WH3-93617-	3.62	0.039	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	8.4 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-3	9/23/1993	WH3-93923-	3.67	0.04	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	8.43 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-3	12/22/1993	WH3-93D22-	3.66	0.042	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	8.43 B	< 0.05 U	< 0.01 U	0.005	< 0.004 U
MW-3	3/14/1994	WH3-94314-	3.77	0.042	< 0.0001 U	< 0.01 U	< 0.4 U	0.001	< 0.003 U	8.68 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-3	6/23/1994	WH3-94623-	3.65	0.04	< 0.0001 U	< 0.01 U	0.9	0.002	< 0.003 U	8.42 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	8/23/1994	WH3-94823-	3.67	0.043	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	8.53 B	0.001	< 0.01 U	0.002	< 0.004 U
MW-3	12/20/1994	WH3-94D20-	3.88	0.044	< 0.0001 U	< 0.01 U	1.2 B	0.001	< 0.003 U	9.02 B	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	3/6/1995	WH3-95306L	3.5	0.042	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	5/26/1995	WH3-95526L	3.2	0.036	< 0.0001 U	< 0.01 U	0.56	0.002	< 0.003 U	7.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	9/14/1995	WH3-95914-	3.4	0.043	< 0.0001 U	< 0.01 U	0.44	< 0.001 U	< 0.003 U	7.8 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	12/19/1995	WH3-95D19-	3.6	0.044	< 0.0001 U	< 0.01 U	0.35	< 0.001 U	< 0.003 U	8	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-3	3/15/1996	WH3-96315-	3.3	0.043	< 0.0001 U	< 0.01 U	0.64	< 0.001 U	< 0.003 U	8.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	5/23/1996	WH3-96523-	3.3	0.04	< 0.0001 UB	< 0.01 U	1.1 D	< 0.001 U	< 0.003 U	8.9 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.006 B
MW-3	7/30/1996	WH3-96730-	3.6	0.041	< 0.0001 U	< 0.01 U	0.48 D	< 0.001 U	< 0.003 U	8.4 D	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-3	12/2/1996	WH3-96D02-	3.2	0.038	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	8.6	< 0.001 U	< 0.01 U	< 0.002 U	0.004 J
MW-3	3/5/1997	WH3-97305-	3.5	0.043	< 0.0001 U	< 0.01 U	0.66	0.001 J	< 0.003 U	8	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	5/19/1997	WH3-97519-	3.4	0.035	< 0.0001 U	< 0.01 U	0.69	< 0.001 U	< 0.003 U	8.1	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	8/18/1997	WH3-97818-	3.6	0.04	< 0.0001 U	< 0.01 U	0.61	< 0.001 U	< 0.003 U	8.2	< 0.001 U	< 0.01 U	0.003	0.011
MW-3	12/19/1997	WH3-97D19-	3.8	0.04	< 0.0001 U	< 0.01 U	0.63	< 0.001 U	< 0.003 U	8.2	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-3	3/5/1998	WH3-98305-	3.6	0.042	0.0001 B	< 0.01 U	0.62	< 0.001 U	< 0.003 U	9	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-3	5/15/1998	WH3-98515-	3.7	0.045	< 0.0001 U	< 0.01 U	0.67	< 0.001 U	< 0.003 U	8.7	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	8/25/1998	WH3-98825-	3.6	0.041	< 0.0001 U	< 0.01 U	0.64	< 0.001 U	< 0.003 U	8.6	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	3/8/1999	WH3-99308-	3.4	0.034	< 0.0001 U	< 0.01 U	0.79	< 0.001 U	< 0.003 U	9.8	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-3	6/11/1999	WH3-99611-	0.026 J	0.005	< 0.0001 U	< 0.01 U	0.92	< 0.001 U	< 0.003 U	8.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	8/16/1999	WH3-99816-	4.2	0.047	0.0001	< 0.01 U	0.57	< 0.001 U	< 0.003 U	7.8	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	12/4/1999	WH3-98D04-	3.5	0.042	< 0.0001 U	< 0.01 U	0.64	< 0.001 U	< 0.003 U	8.7	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-3	12/8/1999	WH3-99D08-	3.9	0.048	< 0.0001 U	< 0.01 U	0.66	< 0.001 U	< 0.003 U	9.4	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-3	3/6/2000	WH3-00306-	3.8	0.044	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	8.2	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-3	5/18/2000	WH3-00518-	4.8	0.031	< 0.0001 U	< 0.010 U	0.69	< 0.001 U	< 0.003 U	9.3	< 0.001 U	< 0.010 U	0.004	< 0.004 U
MW-3	9/7/2000	WH3-00907-	3.4	0.043	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	8.7	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-3	12/4/2000	WH3-00D04-	3.6	0.042	< 0.0001 U	< 0.010 U	0.64	< 0.001 U	< 0.003 U	8.1	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-3	2/15/2001	WH3-01215-	3.6	0.044	< 0.0001 U	< 0.010 U	0.63	< 0.001 U	< 0.003 U	8.2	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-3	5/30/2001	WH3-01530-	3.4	0.03	< 0.0001 U	< 0.010 U	0.57	< 0.001 U	< 0.003 U	8.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	8/13/2001	WH3-01813-	3.3	0.031	< 0.0001 U	< 0.01 U	0.64	< 0.001 U	< 0.003 U	7.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-3	12/7/2001	WH3-01D07-	4	0.032	< 0.0001 U	< 0.010 U	0.72	< 0.001 U	< 0.003 U	8.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	2/26/2002	WH3-02226-	3.3	0.031	< 0.0001 U	< 0.010 U	0.63	0.002 J	< 0.003 U	7.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	5/16/2002	WH3-02516-	4	0.029	< 0.0001 U	< 0.010 U	0.66	< 0.001 U	< 0.003 U	8.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	8/30/2002	WH3-02830-	3.6	0.029	< 0.0001 U	< 0.010 U	0.63	< 0.001 U	< 0.003 U	8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	11/26/2002	WH3-02N26-	4.5	0.040 B	< 0.0001 U	< 0.010 U	0.69	< 0.001 U	< 0.003 U	9.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-3	2/14/2003	WH3-03214-	3.8	0.034	< 0.0001 U	< 0.010 U	0.67	< 0.001 U	< 0.003 U	8.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3 (Dup)	2/14/2003	WH3-03214D	3.7	0.035	< 0.0001 U	< 0.010 U	0.63	< 0.001 U	< 0.003 U	7.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	5/15/2003	WH3-03515-	3.6	0.035	< 0.0001 U	< 0.010 U	0.59	0.001 J	< 0.003 U	7.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	8/6/2003	WH3-03806-	3.6	0.029	< 0.0001 U	< 0.010 U	0.58	< 0.001 U	< 0.003 U	7.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-3	11/3/2003	WH3-03N12-	3.6	0.036 J	< 0.0001 U	< 0.010 U	0.58	< 0.010 U	< 0.0030 U	7.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	11/13/2003	WH3-03N13-	3.5	0.034 J	< 0.0001 U	< 0.010 U	0.59	< 0.010 U	< 0.0030 U	7.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	2/20/2004	WH3-04220-	4	0.039 J	< 0.0001 U	< 0.010 U	0.66	< 0.010 U	< 0.0030 U	8.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	5/19/2004	WH3-04519-	3.8	0.038 J	< 0.0001 U	< 0.010 U	0.7	< 0.010 U	< 0.0030 U	8.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	9/2/2004	WH3-04902-	3.6	0.038 J	< 0.0001 U	< 0.010 U	0.65	< 0.010 U	< 0.0030 U	7.9	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	11/19/2004	WH3-04N19-	3.6	0.040 J	< 0.0001 U	< 0.010 U	0.62	< 0.010 U	< 0.0030 U	7.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	2/22/2005	WH3-05222-	4.6	0.046 J	< 0.0001 U	< 0.010 U	0.74	< 0.010 U	< 0.0030 U	9.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	5/20/2005	WH3-05520-	4.4	0.046 J	< 0.0001 U	< 0.010 U	0.75	< 0.010 U	< 0.0030 U	9.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	8/12/2005	WH3-05812-	4.3	0.041 J	< 0.0001 U	< 0.010 U	0.67	< 0.010 U	< 0.0030 U	8.8	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-3	12/6/2005	WH3-051206-	4.4	0.043	< 0.0001 U	< 0.01 U	0.71	< 0.001 U	< 0.003 U	9 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	2/23/2006	WH3-060223-	4.4	0.047	< 0.0001 U	< 0.01 U	0.79	< 0.001 U	< 0.003 U	9.2	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	5/17/2006	WH3-060517-	4.4	0.05	< 0.0001 U	< 0.01 U	0.74	< 0.001 U	< 0.003 U	9	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	8/18/2006	WH3-060818-	2.1	< 0.001 U	< 0.0001 U	< 0.01 U	0.56	< 0.001 U	< 0.003 U	3.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	12/6/2006	WH3-061206-	3.9	0.043	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	8.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-3 (Dup)	12/6/2006	WH3-061206D	4	0.046	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	8.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	2/15/2007	WH3-070215-	3.9	0.05	< 0.0001 U	< 0.01 U	0.64	0.001	< 0.003 U	8	< 0.001 U		< 0.002 U	< 0.004 UB
MW-3	5/18/2007	WH3-070518-	4.2	0.047	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	8.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	8/23/2007	WH3-070823-	6.4	0.047	< 0.0001 U	< 0.01 U	1.2	0.0013	< 0.003 U	12	< 0.001 U		0.0028	< 0.004 U
MW-3	11/30/2007	WH3-071130-	4.2	0.049	< 0.0001 U	< 0.01 U	0.64	< 0.001 U	< 0.003 U	8.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	2/28/2008	WH3-080228-	4	0.047	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	8.2	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	6/6/2008	WH3-080606-	4.6	0.047	< 0.0001 U	< 0.009 U	0.72	< 0.0009 U	< 0.0027 U	9.6	< 0.0009 U		0.002	< 0.0036 U
MW-3	8/21/2008	WH3-080821-	4.1	0.05	< 0.0001 U	< 0.01 U	0.69	< 0.001 U	< 0.003 U	8.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	12/2/2008	WH3-081202-	4	0.044	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	8.1	< 0.001 U		< 0.002 U	< 0.004 UB
MW-3	3/2/2009	WH3-090302-	4.6	0.05	< 0.0001 U	< 0.01 U	0.71	< 0.001 U	< 0.003 U	9.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	5/29/2009	WH3-090529-	4.2	0.047	< 0.0001 U	< 0.01 U	0.715	< 0.001 U	< 0.003 U	8.55	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	9/1/2009	WH3-090901-	4.5	0.0455	< 0.0001 U	< 0.01 U	0.763	< 0.001 U	< 0.003 U	8.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	11/30/2009	WH3-091130-	4.05	0.0472	< 0.0001 U	< 0.01 U	0.699	< 0.001 U	< 0.003 U	8.39	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	3/3/2010	WH3-100303-	4.31	0.0516	< 0.0001 U	< 0.01 U	0.672	< 0.001 U	< 0.003 U	8.56	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	5/24/2010	WH3-100524-	4.22	0.0506	< 0.0001 U	< 0.01 U	0.763	< 0.001 U	< 0.003 U	8.44	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	8/26/2010	WH3-100826-	4.69	0.0525 D	< 0.0001 U	< 0.01 U	0.717	< 0.001 U	< 0.003 U	9.23	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	12/2/2010	WH3-101202-	4.52	0.0455	< 0.0001 U	< 0.01 U	0.696	< 0.001 U	< 0.003 U	9.25	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	2/25/2011	WH3-110225-	5.12	0.0562	< 0.0001 U	< 0.01 U	0.792	< 0.001 U	< 0.003 U	10	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	6/1/2011	WH3-110601-	4.53	0.0474	< 0.0001 U	< 0.01 U	0.749	< 0.001 U	< 0.003 DU	10	< 0.001 DU		< 0.002 U	< 0.004 U
MW-3	8/25/2011	WH3-110825-	4.33	0.0542	< 0.0001 U	< 0.01 U	0.818 D	< 0.001 U	< 0.003 U	8.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	12/1/2011	WH3-111201-	4.58	0.0497	< 0.0001 U	< 0.01 U	0.836	< 0.001 U	< 0.003 U	9.13	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	2/24/2012	WH3-120224-	4.45	0.0479	< 0.0001 U	< 0.01 U	0.745	< 0.001 U	< 0.003 U	9.07	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-3	5/17/2012	WH3-120517-	4.63	0.0484	< 0.0001 U	< 0.01 U	0.682	< 0.001 U	< 0.003 U	8.52	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	9/24/2012	WH3-120924-	3.89	0.0414	< 0.0001 U	< 0.01 U	0.547 D	< 0.001 U	< 0.003 DU	8.24	< 0.001 DU		< 0.002 U	< 0.004 U
MW-3	12/17/2012	WH3-121217-	4.55	0.0487	< 0.0001 U	< 0.01 U	0.784 D	< 0.001 U	< 0.003 U	9.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	3/1/2013	WH3-130301-	4.63	0.0566 D	< 0.0001 U	< 0.01 U	0.682	< 0.001 U	< 0.003 U	9.57 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-3	5/22/2013	WH3-130522-	4.92	0.0588 D	< 0.0001 U	< 0.01 U	0.703	< 0.001 U	< 0.003 DU	9.39	< 0.001 DU		< 0.002 U	< 0.004 U
MW-3	8/27/2013	WH3-130827-	4.58 D	0.0545	< 0.0001 U	< 0.01 U	0.85	< 0.001 U	< 0.003 U	8.88	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	9/4/1986	WH4-86904		1.8	< 0.001 U			< 0.005 U	< 0.002 U					0.01
MW-4	5/26/1987	WH4-87526		1.8	< 0.001 U			< 0.005 U	< 0.002 U					< 0.002 U
MW-4	8/24/1987	WH4-87824		1.03										< 0.01 U
MW-4	11/25/1987	WH4-87N25		0.22	< 0.001 U			< 0.005 U	< 0.002 U					0.008
MW-4	3/14/1988	WH4-88314		0.15	< 0.001 U			< 0.005 U	< 0.002 U					0.004
MW-4	5/26/1988	WH4-88526		0.58	< 0.001 U			< 0.005 U	< 0.002 U					< 0.002 U
MW-4	9/1/1988	WH4-88901Q		0.51	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-4	9/1/1988	WH4-88901S		0.52	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-4	11/17/1988	WH4-88N17Q		0.082	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.008
MW-4	2/17/1989	WH4-89217Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.004
MW-4	6/16/1989	WH4-89616Q		0.004	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.007
MW-4	9/12/1989	WH4-89912Q		0.023	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.007
MW-4	12/6/1989	WH4-89D06Q		0.008	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-4	3/13/1990	WH4-90313Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.008
MW-4 (Dup)	3/13/1990	WH4-90313D		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.011
MW-4	5/17/1990	WH4-90517Q		0.02	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-4	8/27/1990	WH4-90827-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-4	12/12/1990	WH4-90D12-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	2/22/1991	WH4-91222-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	6/19/1991	WH4-91619-		0.02	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	9/18/1991	WH4-91918-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4 (Dup)	9/18/1991	WH4-91918D		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	11/15/1991	WH4-91N15R		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.025
MW-4 (Dup)	11/15/1991	WH4-91N15D		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	12/16/1991	WH4-91D16-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.022
MW-4	3/18/1992	WH4-92318-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-4	6/23/1992	WH4-92623-	0.72	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	3.1 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	9/21/1992	WH4-92921-	0.91	< 0.001 U	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	3.47 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/22/1992	WH4-92D22-	0.95	< 0.001 U	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	3.63 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	3/29/1993	WH4-93329-	0.79	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	3.24 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	6/16/1993	WH4-93616-	0.71	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	2.93 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	9/16/1993	WH4-93916-	0.76	< 0.001 U	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	3.06 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/22/1993	WH4-93D22-	0.99	< 0.001 U	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	3.65 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	3/18/1994	WH4-94318-	0.7	0.001	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	3.04 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-4	6/23/1994	WH4-94623-	0.76	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	0.001	< 0.003 U	2.98 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	8/24/1994	WH4-94824-	0.78	< 0.001 U	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	3.01 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/20/1994	WH4-94D20-	1.03	< 0.001 U	< 0.0001 U	< 0.01 U	1.9 B	0.001	< 0.003 U	3.72 B	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-4	3/2/1995	WH4-95302-	0.82	0.001	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	2.82 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	5/26/1995	WH4-95526L	0.98	0.001	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-4	9/15/1995	WH4-95915-	0.89	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	2.7 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/18/1995	WH4-95D18-	0.71	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	2.4	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-4	3/15/1996	WH4-96315-	0.67	< 0.001 U	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	5/24/1996	WH4-96524-	0.74	< 0.001 U	< 0.0001 UB	< 0.01 U	1.6 D	< 0.001 U	< 0.003 U	3.3 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.005 B
MW-4	7/31/1996	WH4-96731-	0.95	< 0.001 U	< 0.0001 U	< 0.01 U	0.92 D	< 0.001 U	< 0.003 U	2.7 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/3/1996	WH4-96D03-	0.76	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.01 U	< 0.002 U	0.011
MW-4	3/5/1997	WH4-97305-	0.73	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	5/21/1997	WH4-97521-	0.74	< 0.001 U	< 0.0001 U	< 0.01 U	0.93	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4 (Dup)	5/21/1997	WH4-97521D	0.74	< 0.001 U	< 0.0001 U	< 0.01 U	0.88	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	0.004 J
MW-4	8/20/1997	WH4-97820-	0.83	0.001	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/3/1997	WH4-97D03-	0.98	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	3/5/1998	WH4-98305-	0.77	< 0.001 U	0.0002 B	< 0.01 U	1.1	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-4	5/15/1998	WH4-98515-	0.86	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	8/26/1998	WH4-98826-	0.99	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	0.01	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	3/8/1999	WH4-99308-	0.71	< 0.001 U	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	6/10/1999	WH4-99610-	0.77	< 0.001 U	< 0.0001 U	< 0.01 U	0.93	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	8/18/1999	WH4-99818-	1	< 0.001 U	< 0.0001 U	< 0.01 U	0.86	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/4/1999	WH4-98D04-	0.7	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/7/1999	WH4-99D07-	0.61	< 0.001 U	< 0.0001 U	< 0.01 U	0.72	< 0.001 U	< 0.003 U	2.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	3/6/2000	WH4-00306-	0.74	< 0.001 U	< 0.0001 U	< 0.010 U	0.9	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	5/18/2000	WH4-00518-	0.75	< 0.001 U	< 0.0001 U	< 0.010 U	0.9	< 0.001 U	< 0.003 U	2.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	9/6/2000	WH4-00906-	0.86	< 0.001 U	< 0.0001 U	< 0.010 U	0.89	< 0.001 U	< 0.003 U	2.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	12/5/2000	WH4-00D05-	0.9	< 0.001 U	< 0.0001 U	< 0.010 U	1	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	2/14/2001	WH4-01214-	0.78	< 0.001 U	< 0.0001 U	< 0.010 U	0.9	< 0.001 U	< 0.003 U	2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	5/31/2001	WH4-01531-	0.75	< 0.001 U	< 0.0001 U	< 0.010 U	0.74	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	8/13/2001	WH4-01813-	0.73	< 0.001 U	< 0.0001 U	< 0.01 U	0.86	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-4	12/10/2001	WH4-01D10-	0.71	< 0.001 U	< 0.0001 U	< 0.010 U	0.9	< 0.001 U	< 0.003 U	2.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	2/27/2002	WH4-02227-	0.71	< 0.001 U	< 0.0001 U	< 0.010 U	0.83	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	5/16/2002	WH4-02516-	0.66	< 0.001 U	< 0.0001 U	< 0.010 U	0.76	< 0.001 U	< 0.003 U	2.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	9/16/2002	WH4-02916-	0.72	< 0.001 U	< 0.0001 U	< 0.010 U	0.81	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	0.009
MW-4	11/22/2002	WH4-02N22-	0.89	< 0.001 U	< 0.0001 U	< 0.010 U	0.87	< 0.001 U	< 0.003 U	2.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	2/13/2003	WH4-03213-	0.62	0.002	< 0.0001 U	< 0.010 U	0.74	< 0.001 U	< 0.003 U	2.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	5/15/2003	WH4-03515-	0.72	< 0.001 U	< 0.0001 U	< 0.010 U	0.74	< 0.001 U	< 0.003 U	2.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	8/7/2003	WH4-03807-	0.86	0.001	< 0.0001 U	< 0.010 U	0.76	< 0.001 U	< 0.003 U	2.3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-4	11/14/2003	WH4-03N14-	0.78	< 0.0010 U	< 0.0001 U	< 0.010 U	0.81	< 0.010 U	< 0.0030 U	2.5	< 0.0020 U		< 0.0020 U	< 0.0040 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-4	2/23/2004	WH4-04223-	0.71	< 0.0010 U	< 0.0001 U	< 0.010 U	0.73	< 0.010 U	< 0.0030 U	2.3	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-4	5/20/2004	WH4-04520-	0.79	< 0.0010 U	< 0.0001 U	< 0.010 U	0.79	< 0.010 U	< 0.0030 U	2.3	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-4	9/2/2004	WH4-04902-	0.71	< 0.0010 U	< 0.0001 U	< 0.010 U	0.78	< 0.010 U	< 0.0030 U	2.3	< 0.0020 U		< 0.0020 U	0.014 J
MW-4	11/18/2004	WH4-04N18-	0.73	< 0.0010 U	< 0.0001 U	< 0.010 U	0.79	< 0.010 U	< 0.0030 U	2.5	< 0.0020 U		< 0.0020 U	0.018 J
MW-4	2/22/2005	WH4-05222-	0.71	< 0.0010 U	< 0.0001 U	< 0.010 U	0.77	< 0.010 U	< 0.0030 U	2.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-4	5/24/2005	WH4-05524-	0.85	< 0.0010 U	< 0.0001 U	< 0.010 U	0.9	< 0.010 U	< 0.0030 U	2.9	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-4	8/12/2005	WH4-05812-	0.89	< 0.0010 U	< 0.0001 U	< 0.010 U	0.77	< 0.010 U	< 0.0030 U	2.6	< 0.0020 U		< 0.0020 U	0.0072 J
MW-4	12/5/2005	WH4-05D05-	0.95	0.012	< 0.0001 U	< 0.01 U	0.97	< 0.001 U	< 0.003 U	2.8 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	2/24/2006	WH4-060224-	0.86	< 0.001 U	< 0.0001 U	< 0.01 U	0.82	< 0.001 U	< 0.003 U	2.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	5/17/2006	WH4-060517-	0.87	0.0021	< 0.0001 U	< 0.01 U	0.75	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	8/23/2006	WH4-060823-	0.77	< 0.001 U	< 0.0001 U	< 0.01 U	0.73	< 0.001 U	< 0.003 U	2.2	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	12/1/2006	WH4-061201-	0.7	< 0.001 U	< 0.0001 U	< 0.01 U	0.79	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	2/20/2007	WH4-070220-	0.81	< 0.001 U	< 0.0001 U	< 0.01 U	0.66	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-4 (Dup)	2/20/2007	WH4-070220D	0.82	< 0.001 U	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	2.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	5/17/2007	WH4-070517-	0.83	< 0.001 U	< 0.0001 U	< 0.01 U	0.71	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	8/27/2007	WH4-070827-	0.81	< 0.001 U	< 0.0001 U	< 0.01 U	0.71	< 0.001 U	< 0.003 U	2.2	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	12/10/2007	WH4-071210-	0.8	< 0.001 U	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	3/3/2008	WH4-080303-	0.79	< 0.001 U	< 0.0001 U	< 0.01 U	0.66	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4 (Dup)	3/3/2008	WH4-080303D	0.77	< 0.001 U	< 0.0001 U	< 0.01 U	0.68	0.0036	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	6/4/2008	WH4-080604-	1	< 0.001 U	0.000112	< 0.01 U	0.77	< 0.001 U	< 0.003 U	3	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	8/21/2008	WH4-080821-	0.98	< 0.001 U	< 0.0001 U	< 0.01 U	0.78	< 0.001 U	< 0.003 U	2.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	12/3/2008	WH4-081203-	0.9	0.0013	< 0.0001 U	< 0.01 U	0.71	< 0.001 U	< 0.003 U	2.5	< 0.001 U		< 0.002 U	< 0.004 UB
MW-4	2/27/2009	WH4-090227-	0.95	< 0.001 U	< 0.0001 U	< 0.01 U	0.73	< 0.001 U	< 0.003 U	2.6	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	6/1/2009	WH4-090601-	0.823	< 0.001 U	< 0.0001 U	< 0.01 U	0.671	< 0.001 U	< 0.003 U	2.25	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	9/2/2009	WH4-090902-	1.06	< 0.001 U	< 0.0001 U	< 0.01 U	0.874	< 0.001 U	< 0.003 U	2.64	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	11/30/2009	WH4-091130-	0.753	< 0.001 U	< 0.0001 U	< 0.01 U	0.738	< 0.001 U	< 0.003 U	2.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	3/2/2010	WH4-100302-	0.842	< 0.001 U	< 0.0001 U	< 0.01 U	0.703	< 0.001 U	< 0.003 U	2.19	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	5/26/2010	WH4-100526-	0.864	< 0.001 U	< 0.0001 U	< 0.01 U	0.773	< 0.001 U	< 0.003 U	2.25	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	8/31/2010	WH4-100831-	1.11	< 0.001 U	< 0.0001 U	< 0.01 U	0.87	< 0.001 U	< 0.003 U	2.9	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	12/3/2010	WH4-101203-	0.942	< 0.001 U	< 0.0001 U	< 0.01 U	0.796	< 0.001 U	< 0.003 U	2.72	< 0.001 U		< 0.002 U	< 0.004 U
MW-4 (Dup)	12/3/2010	WH4-101203D	0.954	< 0.001 DU	< 0.0001 U	< 0.01 U	0.785	< 0.001 U	< 0.003 U	2.72	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	2/28/2011	WH4-110228-	0.86	< 0.001 U	< 0.0001 U	< 0.01 U	0.699	< 0.001 U	< 0.003 U	2.44	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	6/1/2011	WH4-110601-	0.618	< 0.001 U	< 0.0001 U	< 0.01 U	0.49 T	< 0.001 U	< 0.003 DU	2.27	< 0.001 DU		< 0.002 U	< 0.004 U
MW-4	8/25/2011	WH4-110825-	1.17	0.00114	< 0.0001 U	< 0.01 U	0.945 D	< 0.001 U	< 0.003 U	2.94	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	12/2/2011	WH4-111202-	1.03	< 0.001 U	< 0.0001 U	< 0.01 U	0.884 D	< 0.001 U	< 0.003 U	2.92	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	2/23/2012	WH4-120223-	0.721	< 0.001 U	< 0.0001 U	< 0.01 U	0.662	< 0.001 U	< 0.003 U	2.33	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	5/21/2012	WH4-120521-	0.832	< 0.001 U	< 0.0001 U	< 0.01 U	0.587	< 0.001 U	< 0.003 U	2.26	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	8/27/2012	WH4-120827-	1.15	< 0.001 U	< 0.0001 U	< 0.01 U	0.842	< 0.001 U	< 0.003 U	2.87	< 0.001 U		< 0.002 U	< 0.004 U
MW-4	11/20/2012	WH4-121120-	0.99	< 0.001 DU	< 0.0001 U	< 0.01 U	0.765	< 0.001 U	< 0.003 DU	2.62	< 0.001 DU		< 0.002 U	< 0.004 U
MW-4	3/1/2013	WH4-130301-	0.774	< 0.001 DU	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	2.55 D	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-4	5/23/2013	WH4-130523-	0.756	< 0.001 DU	< 0.0001 U	< 0.01 U	0.584	< 0.001 U	< 0.003 DU	2.35	< 0.001 DU		< 0.002 U	< 0.004 U
MW-4	8/22/2013	WH4-130822-	1.24	< 0.001 U	< 0.0001 U	< 0.01 U	0.901	< 0.001 U	< 0.003 U	3.29	< 0.001 U		< 0.002 U	< 0.004 U
MW-5	6/9/1987	WH5-87609		2.6	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-6	8/25/1987	WH6-87825		2.65										0.282
MW-6	12/8/1987	WH6-87D08		0.77	< 0.001 U			< 0.005 U	< 0.002 U					0.013
MW-6	3/8/1988	WH6-88308		0.99	< 0.001 U			< 0.005 U	< 0.002 U					0.004
MW-6	6/1/1988	WH6-88601		0.95	< 0.001 U			< 0.005 U	< 0.002 U					0.018
MW-6	9/7/1988	WH6-88907Q		0.88	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.019
MW-6	11/21/1988	WH6-88N21Q		1	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.021
MW-6	3/21/1989	WH6-89321Q		0.36	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.015
MW-6	6/23/1989	WH6-89623Q		0.17	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.016
MW-6	9/6/1989	WH6-89906Q		0.18	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.018
MW-6	11/27/1989	WH6-89N27		0.68	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.013
MW-6	11/27/1989	WH6-89N27Q		0.68	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.013
MW-6	3/13/1990	WH6-90313Q		0.39	< 0.001 U	< 0.01 U		0.005	< 0.002 U					0.006
MW-6	5/21/1990	WH6-90521Q		0.43	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-6	8/27/1990	WH6-90827-		0.45	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-6	12/14/1990	WH6-90D14-		0.45	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-6	2/25/1991	WH6-91225-		0.16	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.05
MW-6	6/13/1991	WH6-91613-		0.27	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.028
MW-6	9/13/1991	WH6-91913-		0.46	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-6	12/13/1991	WH6-91D13-		0.49	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-6	3/20/1992	WH6-92320-		0.31	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.021
MW-6	6/25/1992	WH6-92625-	6.64	0.302	< 0.0001 U	< 0.01 U	1 B	< 0.001 U	< 0.003 U	5.26 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	9/23/1992	WH6-92923-	8.14	0.259 B	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	5.79 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/23/1992	WH6-92D23-	8.91	0.207	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	6.07 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/23/1993	WH6-93323-	6.59	0.088	< 0.0001 U	< 0.01 U	0.8	< 0.001 U	< 0.003 U	5.01 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	6/16/1993	WH6-93616-	6.01	0.076	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	4.78 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-6	9/17/1993	WH6-93917-	6.49	0.097	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	5.1 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/27/1993	WH6-93D27-	7.58	0.138	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	5.58 B	< 0.05 U	< 0.01 U	0.005	< 0.004 U
MW-6	3/17/1994	WH6-94317-	5.89	0.045	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	4.76 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	6/24/1994	WH6-94624-	5.6	0.053	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	4.63 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	8/24/1994	WH6-94824-	6.33	0.082	< 0.0001 U	< 0.01 U	0.8	< 0.001 U	< 0.003 U	5.07 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/21/1994	WH6-94D21-	7.06	0.12	< 0.0001 U	< 0.01 U	1.1	0.001	< 0.003 U	5.66 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/6/1995	WH6-95306L	5.3	0.031	< 0.0001 U	< 0.01 U	0.78	< 0.001 U	< 0.003 U	5.7	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-6	5/26/1995	WH6-95526L	5.3	0.032	< 0.0001 U	< 0.01 U	0.71	0.001	< 0.003 U	4.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	9/21/1995	WH6-95921-	5.9	0.064	< 0.0001 U	< 0.01 U	0.82	< 0.001 U	< 0.003 U	4.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/18/1995	WH6-95D18-	5.2	0.017	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/18/1996	WH6-96318-	5.2	0.008	< 0.0001 U	< 0.01 U	0.68	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	5/24/1996	WH6-96524-	4.5	0.011	< 0.0001 UB	< 0.01 U	1.1 D	< 0.001 U	< 0.003 U	5 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.007 B

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-6	8/5/1996	WH6-96805-	5.6	0.017	< 0.0001 U	< 0.01 U	0.88 D	< 0.001 U	< 0.003 U	4.6 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/3/1996	WH6-96D03-	5.1	0.01	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	4.7	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-6	3/7/1997	WH6-97307-	5.1	0.009	< 0.0001 U	< 0.01 U	0.74	< 0.001 U	< 0.003 U	4.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	5/22/1997	WH6-97522-	4.6	0.007	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.01 U	< 0.002 U	0.01
MW-6	8/21/1997	WH6-97821-	5.5	0.012	< 0.0001 U	< 0.01 U	0.74	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/4/1997	WH6-97D04-	5.4	0.009	< 0.0001 U	< 0.01 U	0.85	< 0.001 U	< 0.003 U	4.4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/10/1998	WH6-98310-	5	0.005	0.0002	< 0.01 U	0.69	< 0.001 U	< 0.003 U	4.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	5/21/1998	WH6-98521-	5.5	0.013	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	4.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	8/31/1998	WH6-98831-	5.4	0.009	< 0.0001 U	< 0.01 U	0.83	0.001 J	< 0.003 U	4	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/9/1999	WH6-99309-	4.6	0.015	0.0001	< 0.01 U	0.92	< 0.001 U	< 0.003 U	5.1	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	6/11/1999	WH6-99611-	4.3	0.007	< 0.0001 U	< 0.01 U	0.93	0.001 J	< 0.003 U	4.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	8/18/1999	WH6-99818-	5.9	0.009	< 0.0001 U	< 0.01 U	0.73	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/7/1999	WH6-99D07-	4.9	0.009	< 0.0001 U	< 0.01 U	0.55	< 0.001 U	< 0.003 U	4.2	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	12/7/1999	WH6-98D07-	5.1	0.057	< 0.0001 U	< 0.01 U	0.72	0.002 J	< 0.003 U	4.5	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-6	3/7/2000	WH6-00307-	5.1	0.006	< 0.0001 U	< 0.010 U	0.75	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	5/19/2000	WH6-00519-	6.6	< 0.001 U	< 0.0001 U	< 0.010 U	0.8	< 0.001 U	< 0.003 U	4.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	9/7/2000	WH6-00907-	4.2	0.004	< 0.0001 U	< 0.010 U	0.73	< 0.001 U	< 0.003 U	4.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	12/6/2000	WH6-00D06-	4.1	0.004	< 0.0001 U	< 0.010 U	0.66	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	2/14/2001	WH6-01214-	4.2	0.005	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	3	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	5/29/2001	WH6-01529-	4.2	0.003	< 0.0001 U	< 0.010 U	0.62	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	8/14/2001	WH6-01814-	3.7	0.004	< 0.0001 U	< 0.010 U	0.64	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	12/10/2001	WH6-01D10-	4.6	0.005	< 0.0001 U	< 0.010 U	0.71	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.010 U	< 0.002 U	0.004 J
MW-6	2/27/2002	WH6-02227-	4.8	0.012	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	5/20/2002	WH6-02520-	4.7	0.007	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.010 U	< 0.002 U	0.006
MW-6	9/3/2002	WH6-02903-	3.9	0.003	< 0.0001 U	< 0.010 U	0.62	< 0.001 U	< 0.003 U	3.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	11/22/2002	WH6-02N22-	4.5	0.008	< 0.0001 U	< 0.010 U	0.67	< 0.001 U	< 0.003 U	4.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	2/12/2003	WH6-03213-	4.1	0.004	< 0.0001 U	< 0.010 U	0.68	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	5/15/2003	WH6-03515-	4.1	0.002	< 0.0001 U	< 0.010 U	0.61	< 0.001 U	< 0.003 U	3.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	8/7/2003	WH6-03807-	3.9	0.002	< 0.0001 U	< 0.010 U	0.58	< 0.001 U	< 0.003 U	3.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-6	11/14/2003	WH6-03N14-	3.6	0.0020 J	< 0.0001 U	< 0.010 U	0.56	< 0.010 U	< 0.0030 U	3.5	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	2/24/2004	WH6-04224-	4.6	0.0020 J	< 0.0001 U	< 0.010 U	0.69	0.0020 J	< 0.0030 U	4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	5/20/2004	WH6-04520-	4.4	0.0020 J	< 0.0001 U	< 0.010 U	0.69	< 0.010 U	< 0.0030 U	4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	9/3/2004	WH6-04903-	3.7	0.0020 J	< 0.0001 U	< 0.010 U	0.65	< 0.010 U	< 0.0030 U	3.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	11/18/2004	WH6-04N18-	3.5	0.0023 J	< 0.0001 U	< 0.010 U	0.58	< 0.010 U	< 0.0030 U	3.2	< 0.0020 U		< 0.0020 U	0.0073 J
MW-6	2/23/2005	WH6-05223-	4.6	0.0020 J	< 0.0001 U	< 0.010 U	0.69	< 0.010 U	< 0.0030 U	3.9	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	5/23/2005	WH6-05523-	1.6	0.0021 J	< 0.0001 U	< 0.010 U	0.42	0.0012 J	< 0.0030 U	3.4	< 0.0020 U		< 0.0020 U	0.0074 J
MW-6	8/25/2005	WH6-05825-	4.9	0.0021 J	< 0.0001 U	< 0.010 U	0.72	0.0048 J	< 0.0030 U	4.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-6	12/6/2005	WH6-05D06-	4.3	0.0014	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	4 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	2/13/2006	WH6-060213-	5.2	0.0019	< 0.0001 U	< 0.01 U	0.77	< 0.001 U	< 0.003 U	4.3 B	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	5/22/2006	WH6-060522-	4.5	0.0052	< 0.0001 U	< 0.01 U	0.74	< 0.001 U	< 0.003 U	4	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-6	8/24/2006	WH6-060824-	3.7	0.0019	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	3.2	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	12/4/2006	WH6-061204-	3.9	< 0.001 U	< 0.0001 U	< 0.01 U	0.62	< 0.001 U	< 0.003 U	3.7	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	2/15/2007	WH6-070215-	4	0.0016	< 0.0001 U	< 0.01 U	0.62	< 0.001 U	< 0.003 U	3.4	< 0.001 U		< 0.002 U	< 0.004 UB
MW-6	5/21/2007	WH6-070521-	4.2	0.0013	< 0.0001 U	< 0.01 U	0.66	< 0.001 U	< 0.003 U	3.6	< 0.001 U		< 0.002 U	0.0045
MW-6	8/27/2007	WH6-070827-	3.6	0.0017	< 0.0001 U	< 0.01 U	0.57	< 0.001 U	< 0.003 U	3.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	11/30/2007	WH6-071130-	3.7	0.0015	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	3.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	3/3/2008	WH6-080303-	4.4	0.0016	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	3.8	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	6/4/2008	WH6-080604-	4.3	0.0016	< 0.0001 U	< 0.01 U	0.67	< 0.001 U	< 0.003 U	4	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	8/22/2008	WH6-080822-	3.9	0.013	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	3.6	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	12/3/2008	WH6-081203-	3.7	0.0019	< 0.0001 U	< 0.01 U	0.56	< 0.001 U	< 0.003 U	3.2	< 0.001 U		< 0.002 U	0.018 B
MW-6	3/2/2009	WH6-090302-	4	0.0016	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	3.7	< 0.001 U		0.0034	< 0.004 U
MW-6	5/29/2009	WH6-090529-	3.9	0.00109 D	< 0.0001 U	< 0.01 U	0.659	< 0.001 U	< 0.003 U	3.44	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	9/2/2009	WH6-090902-	3.71	0.00187	< 0.0001 U	< 0.01 U	0.677	< 0.001 U	< 0.003 U	3.42	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	12/1/2009	WH6-091201-	3.54	< 0.001 U	< 0.0001 U	< 0.01 U	0.633	< 0.001 U	< 0.003 U	3.46	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	3/3/2010	WH6-100303-	4.42	0.00101	< 0.0001 U	< 0.01 U	0.688	< 0.001 U	< 0.003 U	3.77	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	5/27/2010	WH6-100527-	4	< 0.001 U	< 0.0001 U	< 0.01 U	0.735	< 0.001 U	< 0.003 U	3.49	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	8/31/2010	WH6-100831-	4.24	< 0.001 U	< 0.0001 U	< 0.01 U	0.649	< 0.001 U	< 0.003 U	3.76	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	12/3/2010	WH6-101203-	4.11	< 0.001 U	< 0.0001 U	< 0.01 U	0.664	< 0.001 U	< 0.003 U	3.79	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	2/28/2011	WH6-110228-	5.15	0.00105	< 0.0001 U	< 0.01 U	0.79	< 0.001 U	< 0.003 U	4.54	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	6/1/2011	WH6-110601-	3.79	< 0.001 U	< 0.0001 U	< 0.01 U	0.603	< 0.001 U	< 0.003 DU	3.72	< 0.001 DU		< 0.002 U	< 0.004 U
MW-6	8/26/2011	WH6-110826-	4.07	0.00108	< 0.0001 U	< 0.01 U	0.725 D	< 0.001 U	< 0.003 U	3.46	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	12/5/2011	WH6-111205-	4.03	< 0.001 U	< 0.0001 U	< 0.01 U	0.717 D	< 0.001 U	< 0.003 U	3.74	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	2/27/2012	WH6-120227-	4.22	< 0.001 U	< 0.0001 U	< 0.01 U	0.661	< 0.001 U	< 0.003 U	3.72	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	5/21/2012	WH6-120521-	4.36	0.00108	< 0.0001 U	< 0.01 U	0.636	< 0.001 U	< 0.003 U	3.38	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	8/27/2012	WH6-120827-	4.05	0.00101	< 0.0001 U	< 0.01 U	0.689	< 0.001 U	< 0.003 U	3.37	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	11/20/2012	WH6-121120-	3.89	0.00121 D	< 0.0001 U	< 0.01 U	0.675	< 0.001 U	< 0.003 DU	3.45	< 0.001 DU		< 0.002 U	< 0.004 U
MW-6	2/27/2013	WH6-130227-	3.88	0.0016 D	< 0.0001 U	< 0.01 U	0.584	< 0.001 U	< 0.003 U	3.85 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-6	5/23/2013	WH6-130523-	4.35	< 0.001 DU	< 0.0001 U	< 0.01 U	0.634	< 0.001 U	< 0.003 DU	3.63	< 0.001 DU		< 0.002 U	< 0.004 U
MW-6 (Dup)	5/23/2013	WH6-130523D	4.38	< 0.001 DU	< 0.0001 U	< 0.01 U	0.634	< 0.001 U	< 0.003 DU	3.61	< 0.001 DU		< 0.002 U	< 0.004 U
MW-6	8/27/2013	WH6-130827-	3.97	< 0.001 U	< 0.0001 U	< 0.01 U	0.762	< 0.001 U	< 0.003 U	3.57	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	6/2/1987	WH7-87602		0.006	< 0.001 U			< 0.005 U	< 0.002 U					0.008
MW-7	8/24/1987	WH7-87824		< 0.005 U	< 0.0001 U			< 0.005 U						< 0.01 U
MW-7	12/23/1987	WH7-87D23		0.005	< 0.001 U			< 0.005 U	< 0.002 U					0.009
MW-7	3/10/1988	WH7-88310		0.066	< 0.001 U			< 0.005 U	< 0.002 U					0.004
MW-7	3/10/1988	WH7-88310S		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-7	5/31/1988	WH7-88531		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.003
MW-7	9/1/1988	WH7-88901Q		0.004	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					< 0.002 U
MW-7	11/17/1988	WH7-88N17Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.005
MW-7	3/28/1989	WH7-89328Q		0.005	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.002
MW-7	6/7/1989	WH7-89607Q		0.007	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-7	9/14/1989	WH7-89914Q		0.004	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-7	12/7/1989	WH7-89D07Q		0.004	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-7	3/13/1990	WH7-90313Q		0.006	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.012
MW-7	5/21/1990	WH7-90521Q		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.02
MW-7	8/29/1990	WH7-90829-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.03
MW-7	12/12/1990	WH7-90D12-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-7	3/5/1991	WH7-91305-		0.28 XE	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.03
MW-7	6/11/1991	WH7-91611-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-7	9/12/1991	WH7-91912-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-7	12/16/1991	WH7-91D16-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.031
MW-7	3/19/1992	WH7-92319-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-7	6/24/1992	WH7-92624-	21.7	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	10.5 B	< 0.05 U	< 0.01 U	0.002	0.005 B
MW-7	9/25/1992	WH7-92925-	22	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	< 0.001 U	< 0.003 U	11.2 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/23/1992	WH7-92D23-	22.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	10.6 B	< 0.05 U	< 0.01 U	0.003	< 0.004 U
MW-7	3/26/1993	WH7-93326-	22	< 0.001 U	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	10.7 B	< 0.05 U	< 0.01 U	0.006 B	< 0.004 U
MW-7	6/23/1993	WH7-93622-	23	< 0.001 U	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	10.9 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-7	9/23/1993	WH7-93923-	22.5	< 0.001 U	< 0.0001 U	< 0.01 U	1.6	< 0.001 U	< 0.003 U	10.8 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/27/1993	WH7-93D27-	21.2	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	10.5 B	< 0.05 U	< 0.01 U	0.006	< 0.004 U
MW-7	3/18/1994	WH7-94318-	22.6	< 0.001 U	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	11 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	6/28/1994	WH7-94628-	22.8	< 0.001 U	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	10.9 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	8/24/1994	WH7-94824-	22.2	0.001	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	10.8 B	0.002	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/21/1994	WH7-94D21-	23.2	< 0.001 U	< 0.0001 U	< 0.01 U	1.8	< 0.001 U	< 0.003 U	11.4 B	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-7	3/3/1995	WH7-95303-	23.7	0.002	< 0.0001 U	< 0.01 U	1.5	< 0.001 U	< 0.003 U	11.3 B	0.001	< 0.01 U	0.004	< 0.004 U
MW-7	5/25/1995	WH7-95525L	20	0.004	< 0.0001 U	< 0.01 U	1.3	0.002	< 0.003 U	11	< 0.001 U	< 0.01 U	< 0.002 U	0.005
MW-7	9/20/1995	WH7-95920-	21	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	0.001	< 0.003 U	10	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-7	12/20/1995	WH7-95D20-	20	< 0.001 U	< 0.0001 U	< 0.01 U	0.94	< 0.001 U	< 0.003 U	9.9	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-7	3/19/1996	WH7-96319-	22	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	11	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	5/24/1996	WH7-96524-	21 D	0.003	0.0001 B	< 0.01 U	1.7 D	< 0.001 U	< 0.003 U	12 BD	< 0.001 U	< 0.01 U	< 0.002 U	0.006 B
MW-7	7/29/1996	WH7-96729-	21 D	0.001	< 0.0001 U	< 0.01 U	1.2 D	< 0.001 U	< 0.003 U	10 D	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/4/1996	WH7-96D04-	20	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	10	< 0.001 U	< 0.01 U	< 0.002 U	0.004 J
MW-7	3/6/1997	WH7-97306-	18	< 0.001 U	< 0.0001 U	< 0.01 U	1.3	< 0.001 U	< 0.003 U	9.8	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	5/21/1997	WH7-97521-	18	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	0.002 J	< 0.003 U	9.6	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	8/19/1997	WH7-97819-	19	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	0.001 J	< 0.003 U	9.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/5/1997	WH7-97D05-	19	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	0.001 J	< 0.003 U	9.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	3/6/1998	WH7-98306-	20	< 0.001 U	0.0001 B	< 0.01 U	1.4	0.002 J	< 0.003 U	10	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	5/19/1998	WH7-98519-	19	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	10	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	8/25/1998	WH7-98825-	18	0.005	< 0.0001 U	< 0.01 U	1.2	0.011	< 0.003 U	11	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	3/8/1999	WH7-99308-	21	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	0.001 J	< 0.003 U	12	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	6/10/1999	WH7-99610-	18	< 0.001 U	< 0.0001 U	< 0.01 U	1.4	0.001 J	< 0.003 U	9.7	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	8/17/1999	WH7-99817-	16	0.003	< 0.0001 U	< 0.01 U	1.2	0.002 J	< 0.003 U	8.8	< 0.001 U	< 0.01 U	0.002	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-7	12/7/1999	WH7-98D07-	17	< 0.001 U	0.0002	< 0.01 U	1.2	< 0.001 U	< 0.003 U	9.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	12/7/1999	WH7-99D07-	18	< 0.001 U	< 0.0001 U	< 0.01 U	1.2	< 0.001 U	< 0.003 U	9.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-7	3/7/2000	WH7-00306-	17	< 0.001 U	< 0.0001 U	< 0.010 U	1.2	< 0.001 U	< 0.003 U	9.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	5/17/2000	WH7-00517-	17	< 0.001 U	< 0.0001 U	< 0.010 U	1.2	< 0.001 U	< 0.003 U	9.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	9/7/2000	WH7-00907-	14	< 0.001 U	< 0.0001 U	< 0.010 U	1.2	< 0.001 U	< 0.003 U	9.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	12/1/2000	WH7-00D01-	14	< 0.001 U	< 0.0001 U	< 0.010 U	1.1	< 0.001 U	< 0.003 U	8.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	2/14/2001	WH7-01214-	14	< 0.001 U	< 0.0001 U	< 0.010 U	1.1	0.001 J	< 0.003 U	6.7	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	5/29/2001	WH7-01529-	14	< 0.001 U	< 0.0001 U	< 0.010 U	1	< 0.001 U	< 0.003 U	8.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	8/13/2001	WH7-01813-	13	< 0.001 U	< 0.0001 U	< 0.010 U	1	0.001 BJ	< 0.003 U	8.1	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	12/10/2001	WH7-01D10-	14	< 0.001 U	< 0.0001 U	< 0.010 U	1	< 0.001 U	< 0.003 U	8.2	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	2/26/2002	WH7-02226-	12	< 0.001 U	< 0.0001 U	< 0.010 U	0.99	0.002 BJ	< 0.003 U	7.6	< 0.001 U	< 0.010 U	< 0.002 U	0.007
MW-7	5/17/2002	WH7-02517-	15	< 0.001 U	< 0.0001 U	< 0.010 U	1.1	0.001 J	< 0.003 U	9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	8/29/2002	WH7-02829-	12	< 0.001 U	< 0.0001 U	< 0.010 U	1	0.001 J	< 0.003 U	8	< 0.001 U	< 0.010 U	< 0.002 U	0.008
MW-7	11/21/2002	WH7-02N21-	15	0.01	0.0001	< 0.010 U	1.2	< 0.001 U	< 0.003 U	9.3	< 0.001 U	< 0.010 U	0.002	0.007
MW-7	2/12/2003	WH7-03212-	12	< 0.001 U	< 0.0001 U	< 0.010 U	1	< 0.001 U	< 0.003 U	8	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	5/13/2003	WH7-03516-	12	< 0.001 U	< 0.0001 U	< 0.010 U	0.95	0.002 J	< 0.003 U	7.6	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	8/7/2003	WH7-03807-	12	< 0.001 U	< 0.0001 U	< 0.010 U	0.92	0.001 J	< 0.003 U	7.5	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-7	11/12/2003	WH7-03N12-	11	< 0.0010 U	< 0.0001 U	< 0.010 U	0.84	< 0.010 U	< 0.0030 U	7	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-7	2/20/2004	WH7-04220-	13	< 0.0010 U	< 0.0001 U	< 0.010 U	1	< 0.010 U	< 0.0030 U	8.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-7	5/20/2004	WH7-04520-	13	< 0.0010 U	< 0.0001 U	< 0.010 U	1	< 0.010 U	< 0.0030 U	8.1	< 0.0020 U		0.002	< 0.0040 U
MW-7	9/1/2004	WH7-04901-	11	< 0.0010 U	< 0.0001 U	< 0.010 U	0.98	< 0.010 U	< 0.0030 U	7.5	< 0.0020 U		0.002	< 0.0040 U
MW-7	11/17/2004	WH7-04N17-	16	< 0.0010 U	< 0.0001 U	< 0.010 U	1.2	0.0012 J	< 0.0030 U	10	< 0.0020 U		0.002	< 0.0040 U
MW-7 (Dup)	11/17/2004	WH7-04N17D	14	< 0.0010 U	< 0.0001 U	< 0.010 U	1.1	0.0019 J	< 0.0030 U	9.2	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-7	2/22/2005	WH7-05222-	14	< 0.0010 U	< 0.0001 U	< 0.010 U	1	0.0012 J	< 0.0030 U	8.4	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-7	6/21/2005	WH7-05621-	15	< 0.0010 U	< 0.0001 U	< 0.010 U	1.2	0.0014 J	< 0.0030 U	9.4	< 0.0020 U		0.002	< 0.0040 U
MW-7	8/11/2005	WH7-05811-	13	< 0.0010 U	< 0.0001 U	< 0.010 U	1	< 0.010 U	< 0.0030 U	8.1	< 0.0020 U		< 0.0020 U	< 0.0040 U
MW-7	12/6/2005	WH7-05D06-	13	< 0.001 U	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	8.2 B	< 0.001 U		0.0021	< 0.004 U
MW-7	2/13/2006	WH7-060213-	14	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	9.2 B	< 0.001 U		0.0022	< 0.004 U
MW-7	5/18/2006	WH7-060518-	13	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	8.3	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	8/23/2006	WH7-060823-	11	< 0.001 U	< 0.0001 U	< 0.01 U	0.92	0.0011	< 0.003 U	7.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	12/5/2006	WH7-061205-	12	< 0.001 U	< 0.0001 U	< 0.01 U	0.99	< 0.001 U	< 0.003 U	8	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	2/14/2007	WH7-070214-	12	< 0.001 U	< 0.0001 U	< 0.01 U	0.95	< 0.001 U	< 0.003 U	7.3	< 0.001 U		< 0.002 U	< 0.004 UB
MW-7	5/17/2007	WH7-070517-	12	< 0.001 U	< 0.0001 U	< 0.01 U	0.98	< 0.001 U	< 0.003 U	8	< 0.001 U		0.0021	< 0.004 U
MW-7	8/22/2007	WH7-070822-	12	0.001	< 0.0001 U	< 0.01 U	0.92	< 0.001 U	< 0.003 U	7.8	< 0.001 U		< 0.002 U	0.0053
MW-7	12/7/2007	WH7-071207-	11	< 0.001 U	< 0.0001 U	< 0.01 U	0.89	< 0.001 U	< 0.003 U	7.4	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	2/29/2008	WH7-080229-	12	< 0.001 U	< 0.0001 U	< 0.01 U	1	< 0.001 U	< 0.003 U	7.8	< 0.001 U		0.002	< 0.004 U
MW-7	6/4/2008	WH7-080604-	13	< 0.001 U	< 0.0001 U	< 0.01 U	0.98	< 0.001 U	< 0.003 U	8.6	< 0.001 U		< 0.002 U	0.0051
MW-7	8/21/2008	WH7-080821-	11	0.23	< 0.0001 U	< 0.01 U	0.92	< 0.001 U	< 0.003 U	7.1	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	12/2/2008	WH7-081202-	10	0.0012	< 0.0001 U	< 0.01 U	0.83	< 0.001 U	< 0.003 U	6.6	< 0.001 U		< 0.002 U	0.0048 B
MW-7	3/3/2009	WH7-090303-	11	< 0.001 U	< 0.0001 U	< 0.01 U	0.87	< 0.001 U	< 0.003 U	7.5	< 0.001 U		0.0025	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-7 (Dup)	3/3/2009	WH7-090303D	11	< 0.001 U	< 0.0001 U	< 0.01 U	0.9	< 0.001 U	< 0.003 U	7.5	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	6/1/2009	WH7-090601-	11.9	< 0.001 U	< 0.0001 U	< 0.01 U	0.986	< 0.001 U	< 0.003 U	7.61	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	8/28/2009	WH7-090828-	11.6	< 0.001 U	< 0.0001 U	< 0.01 U	1.03	< 0.001 U	< 0.003 U	7.55	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	11/30/2009	WH7-091130-	10.3	.001 U	.0001 U	.01 U	0.991	.001 U	.003 U	7.31	.001 U		.002 U	.004 U
MW-7	3/1/2010	WH7-100301-	12.7	< 0.001 U	< 0.0001 U	< 0.01 U	1.05	< 0.001 U	< 0.003 U	8.21	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	5/26/2010	WH7-100526-	11.2	< 0.001 U	< 0.0001 U	< 0.01 U	1.06	< 0.001 U	< 0.003 U	7.19	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	8/23/2010	WH7-100823-	12.4	< 0.001 DU	< 0.0001 U	< 0.01 U	0.94	< 0.001 U	< 0.003 U	7.91	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	12/3/2010	WH7-101203-	12.1	0.00182	< 0.0001 U	< 0.01 U	0.971	< 0.001 U	< 0.003 U	8.03	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	2/24/2011	WH7-110224-	13	< 0.001 U	< 0.0001 U	< 0.01 U	1.12	< 0.001 U	< 0.003 U	8.85	< 0.001 U		0.00209	< 0.004 U
MW-7	6/6/2011	WH7-110606-	11.7	< 0.001 U	< 0.0001 U	< 0.01 U	1.05	< 0.001 U	< 0.003 DU	8.86	< 0.001 DU		< 0.002 U	< 0.004 U
MW-7	8/25/2011	WH7-110825-	11.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.999 D	< 0.001 U	< 0.003 U	7.27	< 0.001 U		0.00203	< 0.004 U
MW-7	3/5/2012	WH7-120305-	12.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.966	< 0.001 U	< 0.003 U	8.27	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	5/21/2012	WH7-120521-	12.7	< 0.001 U	< 0.0001 U	< 0.01 U	0.941	< 0.001 U	< 0.003 U	7.22	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	9/24/2012	WH7-120924-	10.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.766 D	< 0.001 U	< 0.003 DU	7.23	< 0.001 DU		< 0.002 U	< 0.004 U
MW-7	11/29/2012	WH7-121129-	11.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.972	< 0.001 U	< 0.003 U	7.56	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	2/28/2013	WH7-130228-	11.4	< 0.001 DU	< 0.0001 U	< 0.01 U	0.906	< 0.001 U	< 0.003 U	8.43 D	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	5/16/2013	WH7-130516-	11.7	< 0.001 U	< 0.0001 U	< 0.01 U	0.933	< 0.001 U	< 0.003 U	7.84	< 0.001 U		< 0.002 U	< 0.004 U
MW-7	8/20/2013	WH7-130820-	13.2	< 0.001 U	< 0.0001 U	< 0.01 U	1.1	< 0.001 U	< 0.003 U	8.86	< 0.001 U		< 0.002 U	< 0.004 U
MW-8	6/11/1987	WH8-87611		7	< 0.001 U			< 0.005 U	< 0.002 U					0.008
MW-8	7/21/1987	WH8-87721		5.93										< 0.01 U
MW-9	8/25/1987	WH9-87825		< 0.005 U	< 0.0001 U			< 0.005 U						0.016
MW-9	12/14/1987	WH9-87D14		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.005
MW-9	3/17/1988	WH9-88317		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.007
MW-9	6/9/1988	WH9-88609		< 0.002 U	< 0.001 U			< 0.005 U	< 0.002 U					0.015
MW-9	9/6/1988	WH9-88906Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.01
MW-9	11/28/1988	WH9-88N28Q		0.029	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.016
MW-9	3/29/1989	WH9-89329Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.008
MW-9	6/28/1989	WH9-89628Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	0.008					0.009
MW-9	9/18/1989	WH9-89918Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.002
MW-9	12/8/1989	WH9-89D08Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.003
MW-9	3/14/1990	WH9-90314Q		< 0.002 U	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.007
MW-9	5/18/1990	WH9-90518Q		0.02	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	8/27/1990	WH9-90827-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					0.03
MW-9	12/13/1990	WH9-90D13-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	3/6/1991	WH9-91306-		0.03	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	6/26/1991	WH9-91626-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	9/17/1991	WH9-91917-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	12/17/1991	WH9-91D17-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	3/20/1992	WH9-92320-		< 0.01 U	< 0.001 U	< 0.04 U		< 0.005 U	< 0.01 U					< 0.02 U
MW-9	6/23/1992	WH9-92623-	3.31	< 0.001 U	< 0.0001 U	< 0.01 U	0.4	< 0.001 U	< 0.003 U	3.97 B	< 0.05 U	< 0.01 U	0.004	0.028

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
MW-9	9/23/1992	WH9-92923-	3.41	< 0.001 U	< 0.0001 U	< 0.01 U	0.7	0.001	< 0.003 U	4.09 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-9	12/23/1992	WH9-92D23-	3.48	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	4.06 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	3/24/1993	WH9-93324-	3.39	0.001	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	4.01 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	6/21/1993	WH9-93621-	3.36	< 0.001 U	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	3.95 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	9/22/1993	WH9-93922-	3.48	0.001	< 0.0001 U	< 0.01 U	< 0.4 U	< 0.001 U	< 0.003 U	4.2 B	< 0.05 U	< 0.01 U	0.003	< 0.004 U
MW-9	12/28/1993	WH9-93D28-	3.43	< 0.001 U	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	4.05 B	< 0.05 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	3/16/1994	WH9-94316-	3.43	< 0.001 U	< 0.0001 U	< 0.01 U	0.6	< 0.001 U	< 0.003 U	4.17 B	< 0.05 U	< 0.01 U	0.002	< 0.004 U
MW-9	6/24/1994	WH9-94624-	3.41	0.016	< 0.0001 U	< 0.01 U	0.7	< 0.001 U	< 0.003 U	4.05 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9 (Dup)	6/24/1994	WH9-94624D	3.45	0.017	< 0.0001 U	< 0.01 U	0.8	0.001	< 0.003 U	4.09 B	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	8/25/1994	WH9-94825-	3.49	< 0.001 U	< 0.0001 U	< 0.01 U	0.4	< 0.001 U	< 0.003 U	4.13 B	0.001	< 0.01 U	0.003	< 0.004 U
MW-9	12/19/1994	WH9-94D19-	3.51	0.001	< 0.0001 U	< 0.01 U	0.9	0.002	< 0.003 U	4.37 B	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	9/15/1995	WH9-95915-	2.9	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	3.6 B	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	12/20/1995	WH9-95D20-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.01 U	< 0.002 U	0.006
MW-9	3/19/1996	WH9-96319-	3	0.003	< 0.0001 U	< 0.01 U	0.36	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	< 0.002 U	< 0.004 U
MW-9	5/28/1996	WH9-96528-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	4.3 D	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	8/1/1996	WH9-96801-	3.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.49	< 0.001 U	< 0.003 U	3.9 D	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9 (Dup)	8/1/1996	WH9-96801D	3.3	0.002	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	4 D	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	12/4/1996	WH9-96D04-	3	< 0.001 U	< 0.0001 U	< 0.01 U	0.44	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.01 U	< 0.002 U	0.007
MW-9	3/6/1997	WH9-97306-	3.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	5/16/1997	WH9-97516-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.52	0.004 J	< 0.003 U	3.9	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	8/18/1997	WH9-97818-	3.3	0.011	< 0.0001 U	< 0.01 U	0.46	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	12/4/1997	WH9-97D04-	3.4	< 0.001 U	< 0.0001 U	< 0.01 U	0.47	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	3/9/1998	WH9-98309-	3.2	< 0.001 U	0.0001	< 0.01 U	0.45	< 0.001 U	< 0.003 U	4.2	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	5/18/1998	WH9-98518-	3.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.45	< 0.001 U	< 0.003 U	4	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	8/24/1998	WH9-98824-	3.3	< 0.001 U	0.0001	< 0.01 U	0.47	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.01 U	0.003	< 0.004 U
MW-9	3/9/1999	WH9-99309-	3.3	< 0.001 U	< 0.0001 U	< 0.01 U	0.65	< 0.001 U	< 0.003 U	4.7	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	6/14/1999	WH9-99614-	2.8	< 0.001 U	< 0.0001 U	< 0.01 U	0.59	< 0.001 U	< 0.003 U	4.1	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	8/17/1999	WH9-99817-	3.5	< 0.001 U	< 0.0001 U	< 0.01 U	0.5	0.003 J	< 0.003 U	3.6	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	12/4/1999	WH9-98D04-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.47	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	12/8/1999	WH9-99D08-	3.2	< 0.001 U	< 0.0001 U	< 0.01 U	0.34	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.01 U	0.002	< 0.004 U
MW-9	3/7/2000	WH9-00307-	3.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.48	< 0.001 U	< 0.003 U	3.7	< 0.001 U	< 0.010 U	0.003	< 0.004 U
MW-9	5/18/2000	WH9-00518-	3.4	< 0.001 U	< 0.0001 U	< 0.010 U	0.51	< 0.001 U	< 0.003 U	4.3	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-9	9/8/2000	WH9-00908-	3	< 0.001 U	< 0.0001 U	< 0.010 U	0.49	< 0.001 U	< 0.003 U	4.1	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-9	12/6/2000	WH9-00D06-	3.3	< 0.001 U	< 0.0001 U	< 0.010 U	0.47	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-9 (Dup)	12/6/2000	WH9-00D06D	3.3	< 0.001 U	< 0.0001 U	< 0.010 U	0.47	< 0.001 U	< 0.003 U	3.9	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-9	2/14/2001	WH9-01214-	3.2	< 0.001 U	< 0.0001 U	< 0.010 U	0.45	< 0.001 U	< 0.003 U	2.9	< 0.001 U	< 0.010 U	< 0.002 U	< 0.004 U
MW-9	5/29/2001	WH9-01529-	3.2	< 0.001 U	< 0.0001 U	< 0.010 U	0.43	< 0.001 U	< 0.003 U	3.8	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-9	8/10/2001	WH9-01810-	2.9	< 0.001 U	< 0.0001 U	< 0.010 U	0.43	< 0.001 BU	< 0.003 U	3.5	< 0.001 U	< 0.010 U	0.002	< 0.004 U
MW-MILETTE	4/12/1989	WHM-89412Q		0.042	< 0.001 U	< 0.01 U		< 0.005 U	< 0.002 U					0.053
FIELD BLANK	12/6/2011	WH10111206F	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 DU	< 0.001 U	< 0.003 U	0.488	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	MAGNESIUM mg/l	MANGANESE mg/l	MERCURY mg/l	NICKEL mg/l	POTASSIUM mg/l	SELENIUM mg/l	SILVER mg/l	SODIUM mg/l	THALLIUM mg/l	TIN mg/l	VANADIUM mg/l	ZINC mg/l
FIELD BLANK	2/27/2012	WH6-120227F	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	0.441	< 0.001 U		< 0.002 U	< 0.004 U
TRIP BLANK	12/4/2008	WH18081204T	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	< 0.05 U	< 0.001 U		< 0.002 U	< 0.004 U
TRIP BLANK	2/26/2009	WH25090226T	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	< 0.05 UB	< 0.001 U		< 0.002 U	0.015
TRIP BLANK	6/1/2009	WH4-090601T	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	< 0.05 U	< 0.001 U		< 0.002 U	< 0.004 U
TRIP BLANK	9/1/2009	WH1-090901T	< 0.015 U	< 0.001 U	< 0.0001 U	< 0.01 U	< 0.3 U	< 0.001 U	< 0.003 U	< 0.05 U	< 0.001 U		< 0.002 U	< 0.004 U

Site	Date	Sample ID	1,1,1,2-Tetrachloro-ethane	1,1,1-Trichloro-ethane	1,1,2,2-Tetrachloro-ethane	1,1,2-Trichloro-ethane	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,2,3-Trichloro-propane	1,2-Dibromo-3-Chloropropane	1,2-Dibromo-ethane	1,2-Dichloro-benzene
			630-20-6 (ug/L)	71-55-6 (ug/L)	79-34-5 (ug/L)	79-00-5 (ug/L)	75-34-3 (ug/L)	75-35-4 (ug/L)	563-58-6 (ug/L)	96-18-4 (ug/L)	96-12-8 (ug/L)	106-93-4 (ug/L)	95-50-1 (ug/L)
MW-1	5/18/1987	WH1-87518		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	8/24/1987	WH1-87824		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-1	11/30/1987	WH1-87N30		< 1 U	< 3 U	< 1 U	< 5 U	< 5 U					
MW-1	3/24/1988	WH1-88324		< 1 U	< 3 U	< 1 U	2	< 1 U					
MW-1	5/31/1988	WH1-88531		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	8/30/1988	WH1-88830Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	12/29/1988	WH1-88D29Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	3/28/1989	WH1-89328Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	5/18/1989	WH1-89518Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	9/14/1989	WH1-89914Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	11/22/1989	WH1-89N22Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	2/13/1990	WH1-90213Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-1	5/17/1990	WH1-90517Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	8/27/1990	WH1-90827-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	12/7/1990	WH1-90D07-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	2/25/1991	WH1-91225-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	6/12/1991	WH1-91612-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	9/11/1991	WH1-91911-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	12/16/1991	WH1-91D16-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	3/19/1992	WH1-92319-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-1	6/22/1992	WH1-92622-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-1	9/22/1992	WH1-92922-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 U		< 0.2 U
MW-1	12/22/1992	WH1-92D22-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.22	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	3/24/1993	WH1-93324-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	6/18/1993	WH1-93618-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	9/17/1993	WH1-93917-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	12/21/1993	WH1-93D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	3/15/1994	WH1-94315-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	6/23/1994	WH1-94623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	8/22/1994	WH1-94822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	12/21/1994	WH1-94D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-1	5/25/1995	WH1-95525L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	3/15/1996	WH1-96315-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1 (Dup)	3/15/1996	WH1-96315D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	5/23/1996	WH1-96523-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-1	7/29/1996	WH1-96729-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	12/2/1996	WH1-96D02-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	3/6/1997	WH1-97306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	5/19/1997	WH1-97519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	8/19/1997	WH1-97819-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	12/3/1997	WH1-97D03-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	3/6/1998	WH1-98306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	5/15/1998	WH1-98515-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	8/25/1998	WH1-98825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	3/8/1999	WH1-99308-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	6/10/1999	WH1-99610-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	8/17/1999	WH1-99817-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	12/7/1999	WH1-99D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	3/6/2000	WH1-00306-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	5/17/2000	WH1-00517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	9/5/2000	WH1-00905-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	12/1/2000	WH1-00D01-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	2/13/2001	WH1-01213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	5/25/2001	WH1-01525-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	8/13/2001	WH1-01813-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	12/10/2001	WH1-01D10-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1 (Dup)	12/10/2001	WH1-01D10D	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	2/27/2002	WH1-02227-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	5/17/2002	WH1-02517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	8/29/2002	WH1-02829-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	11/21/2002	WH1-02N21-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	2/13/2003	WH1-03213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	5/16/2003	WH1-03516-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	8/6/2003	WH1003806-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	8/7/2003	WH1-03807-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	11/12/2003	WH1-03N12-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	2/20/2004	WH1-04220-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	5/18/2004	WH1-04518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	9/1/2004	WH1-04901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-1	11/17/2004	WH1-04N17-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-1	2/22/2005	WH1-05222-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	5/19/2005	WH1-05519-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	8/11/2005	WH1-05811-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-1	12/6/2005	WH1-05D06-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	2/10/2006	WH1-060210-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/18/2006	WH1-060518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/23/2006	WH1-060823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	12/4/2006	WH1-061204-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	2/14/2007	WH1-070214-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/17/2007	WH1-070517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/22/2007	WH1-070822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	11/30/2007	WH1-071130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	2/29/2008	WH1-080229-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	6/2/2008	WH1-080602-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/21/2008	WH1-080821-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	12/2/2008	WH1-081202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	3/3/2009	WH1-090303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/29/2009	WH1-090529-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	9/1/2009	WH1-090901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	11/30/2009	WH1-091130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1 (Dup)	11/30/2009	WH1-091130D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	3/1/2010	WH1-100301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/26/2010	WH1-100526-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/23/2010	WH1-100823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	12/3/2010	WH1-101203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	2/24/2011	WH1-110224-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	6/6/2011	WH1-110606-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/25/2011	WH1-110825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1 (Dup)	8/25/2011	WH1-110825D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	12/5/2011	WH1-111205-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	3/5/2012	WH1-120305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/21/2012	WH1-120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/28/2012	WH1-120828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	11/29/2012	WH1-121129-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	2/28/2013	WH1-130228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-1 (Dup)	2/28/2013	WH1-130228D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	5/16/2013	WH1-130516-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-1	8/20/2013	WH1-130820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	6/11/1987	WH1087611		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	6/11/1987	WH1087611S		< 1 U	< 1 U	< 1 U	< 5 U	< 1 U					
MW-10	8/24/1987	WH1087824		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-10	12/9/1987	WH1087D09		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	3/14/1988	WH1088314		< 1 U	< 3 U	< 1 U	3	< 1 U					
MW-10	5/25/1988	WH1088525		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	9/2/1988	WH1088902Q		< 1 U	< 3 U	< 1 U	2	< 1 U					
MW-10	11/14/1988	WH1088N14Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	3/6/1989	WH1089306Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	6/23/1989	WH1089623Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	9/14/1989	WH1089914Q		< 1 U	< 3 U	< 1 U	1	< 1 U					
MW-10	2/13/1990	WH1090213Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-10	5/21/1990	WH1090521Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	8/29/1990	WH1090829-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	11/28/1990	WH1090N28-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	3/6/1991	WH1091306-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	6/19/1991	WH1091619-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	9/18/1991	WH1091918-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	12/13/1991	WH1091D13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	3/23/1992	WH1092323-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-10	6/29/1992	WH1092629-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.24	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-10	9/28/1992	WH1092928-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 UM		< 0.2 U
MW-10	12/23/1992	WH1092D23-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	3/26/1993	WH1093326-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	6/18/1993	WH1093618-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.22	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	9/23/1993	WH1093923-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10 (Dup)	9/23/1993	WH1093923D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	12/29/1993	WH1093D29-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	3/18/1994	WH1094318-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	6/28/1994	WH1094628-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	8/24/1994	WH1094824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	12/21/1994	WH1094D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-10 (Dup)	12/21/1994	WH1094D21D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-10	5/26/1995	WH1095526L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	9/18/1995	WH1095918-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	12/20/1995	WH1095D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	3/18/1996	WH1096318-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	5/24/1996	WH1096524-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	7/31/1996	WH1096731-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	12/3/1996	WH1096D03-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	3/7/1997	WH1097307-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	5/16/1997	WH1097516-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	8/20/1997	WH1097820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	12/4/1997	WH1097D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	3/10/1998	WH1098310-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	5/19/1998	WH1098519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	8/26/1998	WH1098826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	3/9/1999	WH1099309-	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM
MW-10	6/11/1999	WH1099611-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	8/18/1999	WH1099818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	12/7/1999	WH1098D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	12/7/1999	WH1099D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	3/7/2000	WH1000307-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	5/19/2000	WH1000519-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10 (Dup)	5/19/2000	WH1000519D	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	9/5/2000	WH1000905-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	12/11/2000	WH1000D11-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	2/13/2001	WH1001213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	5/31/2001	WH1001531-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	8/14/2001	WH1001814-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	12/11/2001	WH1001D11-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	2/27/2002	WH1002227-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	5/17/2002	WH1002517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	8/30/2002	WH1002830-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	11/22/2002	WH1002N22-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	2/13/2003	WH1003213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	5/15/2003	WH1103515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-10	5/15/2003	WH1003515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	11/13/2003	WH1003N13-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	2/23/2004	WH1004223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	5/20/2004	WH1004520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	9/1/2004	WH1004901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	11/17/2004	WH1004N17-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-10	2/18/2005	WH1005218-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	5/20/2005	WH1005520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	8/15/2005	WH1005815-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-10	12/5/2005	WH1005D05-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/10/2006	WH10060210-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	5/22/2006	WH10060522-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/22/2006	WH10060822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10 (Dup)	8/22/2006	WH10060822D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	12/1/2006	WH10061201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/14/2007	WH10070214-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	5/17/2007	WH10070517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/24/2007	WH10070824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	11/30/2007	WH10071130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/29/2008	WH10080229-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	6/2/2008	WH10080602-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/20/2008	WH10080820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	12/3/2008	WH10081203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/27/2009	WH10090227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	6/1/2009	WH10090601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/28/2009	WH10090828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	12/1/2009	WH10091201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	3/1/2010	WH10100301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	5/27/2010	WH10100527-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/30/2010	WH10100830-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	12/1/2010	WH10101201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/24/2011	WH10110224-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	6/2/2011	WH10110602-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/26/2011	WH10110826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	12/6/2011	WH10111206-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-10	3/5/2012	WH10120305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	5/21/2012	WH10120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/29/2012	WH10120829-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	11/28/2012	WH10121128-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	2/28/2013	WH10130228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	5/21/2013	WH10130521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-10	8/20/2013	WH10130820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/25/1987	WH1187825		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-11	11/24/1987	WH1187N24		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	3/15/1988	WH1188315		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	6/8/1988	WH1188608		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	9/9/1988	WH1188909Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	11/29/1988	WH1188N29Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	2/21/1989	WH1189221Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	6/26/1989	WH1189626Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	9/19/1989	WH1189919Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	12/8/1989	WH1189D08Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	3/9/1990	WH1190309Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-11	5/18/1990	WH1190518Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11 (Dup)	5/18/1990	WH1190518D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	8/28/1990	WH1190828-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	12/13/1990	WH1190D13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	2/22/1991	WH1191222-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	6/10/1991	WH1191610-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	9/10/1991	WH1191910-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	11/15/1991	WH1191N15R		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11 (Dup)	11/15/1991	WH1191N15D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	12/13/1991	WH1191D13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-11	3/17/1992	WH1192317-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 0.2 U
MW-11	6/25/1992	WH1192625-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-11	9/23/1992	WH1192923-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-11	12/21/1992	WH1192D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	3/29/1993	WH1193329-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11 (Dup)	3/29/1993	WH1193329D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	6/21/1993	WH1193621-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-11 (Dup)	6/21/1993	WH1193621D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	9/24/1993	WH1193924-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	12/28/1993	WH1193D28-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	3/16/1994	WH1194316-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	6/24/1994	WH1194624-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	8/25/1994	WH1194825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	12/19/1994	WH1194D19-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-11	5/31/1995	WH1195531L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	9/20/1995	WH1195920-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/19/1995	WH1195D19-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	3/15/1996	WH1196315-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	5/28/1996	WH1196528-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	8/5/1996	WH1196805-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/5/1996	WH1196D05-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	3/6/1997	WH1197306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	5/20/1997	WH1197520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	8/20/1997	WH1197820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11 (Dup)	8/20/1997	WH1197820D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/3/1997	WH1197D03-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	3/9/1998	WH1198309-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11 (Dup)	3/9/1998	WH1198309D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	5/18/1998	WH1198518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	8/26/1998	WH1198826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11 (Dup)	8/26/1998	WH1198826D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	3/9/1999	WH1199309-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	6/14/1999	WH1199614-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	8/17/1999	WH1199817-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/4/1999	WH1198D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/4/1999	WH1-98D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	12/8/1999	WH1199D08-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	3/3/2000	WH1100303-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	5/18/2000	WH1100518-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	9/7/2000	WH1100907-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	12/5/2000	WH1100D05-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	2/16/2001	WH1101216-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-11	5/29/2001	WH1101529-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	8/14/2001	WH1101814-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	12/6/2001	WH1101D06-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	2/26/2002	WH1102226-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	5/20/2002	WH1102520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	8/30/2002	WH1102830-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	11/22/2002	WH1102N22-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	2/13/2003	WH1103213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	8/7/2003	WH1103807-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	11/13/2003	WH1103N13-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	2/23/2004	WH1104223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	5/20/2004	WH1104520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	9/1/2004	WH1104901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	11/17/2004	WH1104N17-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-11	2/18/2005	WH1105218-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	5/23/2005	WH1105523-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	8/12/2005	WH1105812-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-11	12/6/2005	WH1105D06-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/13/2006	WH11060213-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/17/2006	WH11060517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/24/2006	WH11060824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	12/1/2006	WH11061201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/15/2007	WH11070215-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/21/2007	WH11070521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/23/2007	WH11070823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	12/3/2007	WH11071203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/28/2008	WH11080228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	6/3/2008	WH11080603-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/21/2008	WH11080821-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	12/3/2008	WH11081203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/27/2009	WH11090227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/28/2009	WH11090528-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11 (Dup)	5/28/2009	WH11090528D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	9/1/2009	WH11090901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	11/24/2009	WH11091124-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-11	3/2/2010	WH11100302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/26/2010	WH11100526-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/20/2010	WH11100820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	12/2/2010	WH11101202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/28/2011	WH11110228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	6/2/2011	WH11110602-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/26/2011	WH11110826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	12/5/2011	WH11111205-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/27/2012	WH11120227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/21/2012	WH11120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/28/2012	WH11120828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	11/20/2012	WH11121120-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	2/27/2013	WH11130227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	5/21/2013	WH11130521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-11	8/22/2013	WH11130822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/25/1987	WH1887825		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-18	11/23/1987	WH1887N23		< 1 U	< 3 U	< 1 U	1	< 1 U					
MW-18	3/10/1988	WH1888310		< 1 U	< 3 U	< 1 U	1	< 1 U					
MW-18	5/25/1988	WH1888525		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	9/7/1988	WH1888907Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	11/18/1988	WH1888N18Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	3/6/1989	WH1889306Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	6/28/1989	WH1889628Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	9/12/1989	WH1889912Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	12/11/1989	WH1889D11Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	3/14/1990	WH1890314Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-18	5/21/1990	WH1890521Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	8/30/1990	WH1890830-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18 (Dup)	8/30/1990	WH1890830D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	12/14/1990	WH1890D14-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18 (Dup)	12/14/1990	WH1890D14D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	3/5/1991	WH1891305-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	6/11/1991	WH1891611-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	9/13/1991	WH1891913-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	12/13/1991	WH1891D13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-18 (Dup)	12/13/1991	WH1891D13D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	3/23/1992	WH1892323-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-18	6/29/1992	WH1892629-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-18	9/28/1992	WH1892928-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 UM		< 0.2 U
MW-18	12/28/1992	WH1892D28-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18 (Dup)	12/28/1992	WH1892D28D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	3/26/1993	WH1893326-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	6/18/1993	WH1893618-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.2	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	9/20/1993	WH1893920-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	12/21/1993	WH1893D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	3/18/1994	WH1894318-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	6/28/1994	WH1894628-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	8/25/1994	WH1894825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18 (Dup)	8/25/1994	WH1894825D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	12/16/1994	WH1894D16-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-18	5/31/1995	WH1895531L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	9/19/1995	WH1895919-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	12/20/1995	WH1895D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	3/20/1996	WH1896320-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	5/29/1996	WH1896529-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	8/6/1996	WH1896806-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	12/4/1996	WH1896D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	3/7/1997	WH1897307-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	5/22/1997	WH1897522-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18 (Dup)	5/22/1997	WH1897522D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	8/20/1997	WH1897820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18 (Dup)	8/20/1997	WH1897820D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	12/4/1997	WH1897D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	3/25/1998	WH1898325-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	5/20/1998	WH1898520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	8/26/1998	WH1898826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	12/8/1998	WH1898D08-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	3/9/1999	WH1899309-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	6/15/1999	WH1899615-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	8/17/1999	WH1899817-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-18	12/7/1999	WH1899D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	3/3/2000	WH1800303-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	5/19/2000	WH1800519-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	9/5/2000	WH1800905-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	12/6/2000	WH1800D06-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	2/15/2001	WH1801215-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	5/25/2001	WH1801525-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	8/14/2001	WH1801814-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	12/6/2001	WH1801D06-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	2/26/2002	WH1802226-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	5/20/2002	WH1802520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	8/29/2002	WH1802829-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	11/21/2002	WH1802N21-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	2/12/2003	WH1803212-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	5/15/2003	WH1803515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	8/7/2003	WH1803807-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	11/13/2003	WH1803N13-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	2/23/2004	WH1804223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	5/19/2004	WH1804519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	9/3/2004	WH1804903-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-18	11/22/2004	WH1804N22-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	2/23/2005	WH1805223-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	5/20/2005	WH1805520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	8/9/2005	WH1805809-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-18	12/5/2005	WH1805D05-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	2/10/2006	WH18060210-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/23/2006	WH18060523-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/22/2006	WH18060822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/5/2006	WH18061205-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	2/14/2007	WH18070214-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/17/2007	WH18070517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/24/2007	WH18070824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/7/2007	WH18071207-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	3/3/2008	WH18080303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	6/3/2008	WH18080603-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-18	8/20/2008	WH18080820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/4/2008	WH18081204-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	3/4/2009	WH18090304-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/28/2009	WH18090528-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/1/2009	WH18091201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	3/3/2010	WH18100303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/27/2010	WH18100527-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/27/2010	WH18100827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/1/2010	WH18101201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	2/23/2011	WH18110223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/31/2011	WH18110531-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/24/2011	WH18110824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	12/1/2011	WH18111201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	3/2/2012	WH18120302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/16/2012	WH18120516-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	8/28/2012	WH18120828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	11/27/2012	WH18121127-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	2/26/2013	WH18130226-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-18	5/15/2013	WH18130515-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	12/12/2001	WH2501D12-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	2/27/2002	WH2502227-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	5/17/2002	WH2502517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	9/4/2002	WH2502904-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	11/27/2002	WH2502N27-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	2/14/2003	WH2503214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	5/16/2003	WH2503516-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25 (Dup)	5/16/2003	WH2503516D	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	8/12/2003	WH2503812-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	11/12/2003	WH2503N12-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-25	2/23/2004	WH2504223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-25	5/19/2004	WH2504519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-25	9/1/2004	WH2504901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-25	11/19/2004	WH2504N19-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	2/23/2005	WH2505223-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	5/23/2005	WH2505523-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-25	8/12/2005	WH2505812-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-25	12/6/2005	WH25051206-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/14/2006	WH25060214-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25 (Dup)	2/14/2006	WH25060214D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/17/2006	WH25060517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/18/2006	WH25060818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	12/6/2006	WH25061206-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/16/2007	WH25070216-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/18/2007	WH25070518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25 (Dup)	5/18/2007	WH25070518D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/23/2007	WH25070823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	11/30/2007	WH25071130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/28/2008	WH25080228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	6/3/2008	WH25080603-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/22/2008	WH25080822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	12/1/2008	WH25081201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/26/2009	WH25090226-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/29/2009	WH25090529-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/31/2009	WH25090831-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	11/24/2009	WH25091124-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	3/2/2010	WH25100302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25 (Dup)	3/2/2010	WH25100302D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/25/2010	WH25100525-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/27/2010	WH25100827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25 (Dup)	8/27/2010	WH25100827D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	12/1/2010	WH25101201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/25/2011	WH25110225-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/31/2011	WH25110531-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/26/2011	WH25110826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	12/2/2011	WH25111202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	3/5/2012	WH25120305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	5/22/2012	WH25120522-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/28/2012	WH25120828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	11/28/2012	WH25121128-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	2/25/2013	WH25130225-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-25	5/28/2013	WH25130528-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-25	8/19/2013	WH25130819-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	10/28/1986	WH3-86O28		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	5/28/1987	WH3-87528		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	9/8/1987	WH3-87908		< 5 U	< 5 U B	< 5 U	< 5 U	< 5 U					
MW-3	12/21/1987	WH3-87D21		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	3/21/1988	WH3-88321		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	5/26/1988	WH3-88526		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	9/2/1988	WH3-88902Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	11/22/1988	WH3-88N22Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	2/17/1989	WH3-89217Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	6/9/1989	WH3-89609Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	9/6/1989	WH3-89906Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	12/7/1989	WH3-89D07Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	2/13/1990	WH3-90213Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-3	5/17/1990	WH3-90517Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	8/24/1990	WH3-90824-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	11/13/1990	WH3-90N13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	2/21/1991	WH3-91221-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	6/25/1991	WH3-91625-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	9/20/1991	WH3-91920-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	12/17/1991	WH3-91D17-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	3/18/1992	WH3-92318-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-3	6/23/1992	WH3-92623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-3	9/21/1992	WH3-92921-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 U		< 0.2 U
MW-3	12/22/1992	WH3-92D22-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	3/23/1993	WH3-93323-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	6/17/1993	WH3-93617-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	9/23/1993	WH3-93923-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	12/22/1993	WH3-93D22-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	3/14/1994	WH3-94314-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	6/23/1994	WH3-94623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	8/23/1994	WH3-94823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	12/20/1994	WH3-94D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-3	3/6/1995	WH3-95306L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-3	5/26/1995	WH3-95526L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	9/14/1995	WH3-95914-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/19/1995	WH3-95D19-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	3/15/1996	WH3-96315-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	5/23/1996	WH3-96523-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	7/30/1996	WH3-96730-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/2/1996	WH3-96D02-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	3/5/1997	WH3-97305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	5/19/1997	WH3-97519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	8/18/1997	WH3-97818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/19/1997	WH3-97D19-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	3/5/1998	WH3-98305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	5/15/1998	WH3-98515-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	8/25/1998	WH3-98825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	3/8/1999	WH3-99308-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	6/11/1999	WH3-99611-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	8/16/1999	WH3-99816-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/4/1999	WH3-98D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/8/1999	WH3-99D08-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	3/6/2000	WH3-00306-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	5/18/2000	WH3-00518-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	9/7/2000	WH3-00907-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	12/4/2000	WH3-00D04-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	2/15/2001	WH3-01215-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	5/30/2001	WH3-01530-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	8/13/2001	WH3-01813-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	12/7/2001	WH3-01D07-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	2/26/2002	WH3-02226-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	5/16/2002	WH3-02516-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	8/30/2002	WH3-02830-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	11/26/2002	WH3-02N26-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	2/14/2003	WH3-03214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3 (Dup)	2/14/2003	WH3-03214D	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	5/15/2003	WH3-03515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	8/6/2003	WH3-03806-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-3	11/3/2003	WH3-03N12-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	11/13/2003	WH3-03N13-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	2/20/2004	WH3-04220-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	5/19/2004	WH3-04519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	9/2/2004	WH3-04902-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-3	11/19/2004	WH3-04N19-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	2/22/2005	WH3-05222-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	5/20/2005	WH3-05520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	8/12/2005	WH3-05812-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-3	12/6/2005	WH3-051206-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	2/23/2006	WH3-060223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/17/2006	WH3-060517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/18/2006	WH3-060818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	12/6/2006	WH3-061206-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3 (Dup)	12/6/2006	WH3-061206D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	2/15/2007	WH3-070215-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/18/2007	WH3-070518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/23/2007	WH3-070823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	11/30/2007	WH3-071130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	2/28/2008	WH3-080228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	6/6/2008	WH3-080606-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/21/2008	WH3-080821-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	12/2/2008	WH3-081202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	3/2/2009	WH3-090302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/29/2009	WH3-090529-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	9/1/2009	WH3-090901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	11/30/2009	WH3-091130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	3/3/2010	WH3-100303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/24/2010	WH3-100524-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/26/2010	WH3-100826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	12/2/2010	WH3-101202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	2/25/2011	WH3-110225-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	6/1/2011	WH3-110601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/25/2011	WH3-110825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	12/1/2011	WH3-111201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-3	2/24/2012	WH3-120224-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/17/2012	WH3-120517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	9/24/2012	WH3-120924-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	12/17/2012	WH3-121217-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	3/1/2013	WH3-130301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	5/22/2013	WH3-130522-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-3	8/27/2013	WH3-130827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/26/1987	WH4-87526		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	8/24/1987	WH4-87824		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-4	11/25/1987	WH4-87N25		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	3/14/1988	WH4-88314		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	5/26/1988	WH4-88526		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	9/1/1988	WH4-88901Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	9/1/1988	WH4-88901S		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	11/17/1988	WH4-88N17Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	2/17/1989	WH4-89217Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	6/16/1989	WH4-89616Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	9/12/1989	WH4-89912Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	12/6/1989	WH4-89D06Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	3/13/1990	WH4-90313Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4 (Dup)	3/13/1990	WH4-90313D		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-4	5/17/1990	WH4-90517Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	8/27/1990	WH4-90827-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	12/12/1990	WH4-90D12-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	2/22/1991	WH4-91222-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	6/19/1991	WH4-91619-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	9/18/1991	WH4-91918-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4 (Dup)	9/18/1991	WH4-91918D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	11/15/1991	WH4-91N15R		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4 (Dup)	11/15/1991	WH4-91N15D		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	12/16/1991	WH4-91D16-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	3/18/1992	WH4-92318-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-4	6/23/1992	WH4-92623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-4	9/21/1992	WH4-92921-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 U		< 0.2 U
MW-4	12/22/1992	WH4-92D22-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-4	3/29/1993	WH4-93329-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	6/16/1993	WH4-93616-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	9/16/1993	WH4-93916-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	12/22/1993	WH4-93D22-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	3/18/1994	WH4-94318-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	6/23/1994	WH4-94623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	8/24/1994	WH4-94824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	12/20/1994	WH4-94D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	3/2/1995	WH4-95302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-4	5/26/1995	WH4-95526L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	9/15/1995	WH4-95915-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/18/1995	WH4-95D18-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	3/15/1996	WH4-96315-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	5/24/1996	WH4-96524-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	7/31/1996	WH4-96731-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/3/1996	WH4-96D03-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	3/5/1997	WH4-97305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	5/21/1997	WH4-97521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4 (Dup)	5/21/1997	WH4-97521D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	8/20/1997	WH4-97820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/3/1997	WH4-97D03-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	3/5/1998	WH4-98305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	5/15/1998	WH4-98515-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	8/26/1998	WH4-98826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	3/8/1999	WH4-99308-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	6/10/1999	WH4-99610-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	8/18/1999	WH4-99818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/4/1999	WH4-98D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/7/1999	WH4-99D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	3/6/2000	WH4-00306-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	5/18/2000	WH4-00518-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	9/6/2000	WH4-00906-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	12/5/2000	WH4-00D05-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	2/14/2001	WH4-01214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	5/31/2001	WH4-01531-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-4	8/13/2001	WH4-01813-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	12/10/2001	WH4-01D10-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	2/27/2002	WH4-02227-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	5/16/2002	WH4-02516-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	9/16/2002	WH4-02916-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	11/22/2002	WH4-02N22-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	2/13/2003	WH4-03213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	5/15/2003	WH4-03515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	8/7/2003	WH4-03807-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	11/14/2003	WH4-03N14-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	2/23/2004	WH4-04223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	5/20/2004	WH4-04520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	9/2/2004	WH4-04902-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	11/18/2004	WH4-04N18-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-4	2/22/2005	WH4-05222-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	5/24/2005	WH4-05524-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	8/12/2005	WH4-05812-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-4	12/5/2005	WH4-05D05-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	2/24/2006	WH4-060224-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/17/2006	WH4-060517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/23/2006	WH4-060823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	12/1/2006	WH4-061201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	2/20/2007	WH4-070220-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4 (Dup)	2/20/2007	WH4-070220D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/17/2007	WH4-070517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/27/2007	WH4-070827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	12/10/2007	WH4-071210-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	3/3/2008	WH4-080303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4 (Dup)	3/3/2008	WH4-080303D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	6/4/2008	WH4-080604-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/21/2008	WH4-080821-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	12/3/2008	WH4-081203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	2/27/2009	WH4-090227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	6/1/2009	WH4-090601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	9/2/2009	WH4-090902-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-4	11/30/2009	WH4-091130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	3/2/2010	WH4-100302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/26/2010	WH4-100526-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/31/2010	WH4-100831-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	12/3/2010	WH4-101203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4 (Dup)	12/3/2010	WH4-101203D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	2/28/2011	WH4-110228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	6/1/2011	WH4-110601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/25/2011	WH4-110825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	12/2/2011	WH4-111202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	2/23/2012	WH4-120223-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/21/2012	WH4-120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/27/2012	WH4-120827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	11/20/2012	WH4-121120-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	3/1/2013	WH4-130301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	5/23/2013	WH4-130523-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-4	8/22/2013	WH4-130822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-5	6/9/1987	WH5-87609		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	8/25/1987	WH6-87825		2 J	< 5 U	< 5 U	< 5 U	< 5 U					
MW-6	12/8/1987	WH6-87D08		3	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	3/8/1988	WH6-88308		3	< 3 U	< 1 U	1	< 1 U					
MW-6	6/1/1988	WH6-88601		2	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	9/7/1988	WH6-88907Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	11/21/1988	WH6-88N21Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	3/21/1989	WH6-89321Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	6/23/1989	WH6-89623Q		2	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	9/6/1989	WH6-89906Q		2	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	11/27/1989	WH6-89N27		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	11/27/1989	WH6-89N27Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-6	3/13/1990	WH6-90313Q		1	< 3 U	< 1 U	1	< 1 U					
MW-6	5/21/1990	WH6-90521Q		1.1	< 1 U	< 1 U	1	< 1 U					
MW-6	8/27/1990	WH6-90827-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	12/14/1990	WH6-90D14-		1.1	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	2/25/1991	WH6-91225-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	6/13/1991	WH6-91613-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-6	9/13/1991	WH6-91913-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	12/13/1991	WH6-91D13-		1	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	3/20/1992	WH6-92320-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-6	6/25/1992	WH6-92625-	< 0.2 U	0.86	< 0.2 U	< 0.2 U	0.78	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-6	9/23/1992	WH6-92923-	< 0.2 U	1.1	< 0.2 U	< 0.2 U	1	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-6	12/23/1992	WH6-92D23-	< 0.2 U	1.1	< 0.2 U	< 0.2 U	1.1	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	3/23/1993	WH6-93323-	< 0.2 U	0.78	< 0.2 U	< 0.2 U	0.76	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	6/16/1993	WH6-93616-	< 0.2 U	0.57	< 0.2 U	< 0.2 U	0.66	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	9/17/1993	WH6-93917-	< 0.2 U	0.83	< 0.2 U	< 0.2 U	0.73	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	12/27/1993	WH6-93D27-	< 0.2 U	0.82	< 0.2 U	< 0.2 U	1	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	3/17/1994	WH6-94317-	< 0.2 U	0.7	< 0.2 U	< 0.2 U	0.73	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	6/24/1994	WH6-94624-	< 0.2 U	0.53	< 0.2 U	< 0.2 U	0.62	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	8/24/1994	WH6-94824-	< 0.2 U	0.81	< 0.2 U	< 0.2 U	0.83	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	12/21/1994	WH6-94D21-	< 0.2 U	0.49	< 0.2 U	< 0.2 U	0.57	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-6	3/6/1995	WH6-95306L	< 0.2 U	0.5	< 0.2 U	< 0.2 U	0.5	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	5/26/1995	WH6-95526L	< 0.2 U	0.5	< 0.2 U	< 0.2 U	0.6	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	9/21/1995	WH6-95921-	< 0.2 U	0.5	< 0.2 U	< 0.2 U	0.7	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	12/18/1995	WH6-95D18-	< 0.2 U	0.4	< 0.2 U	< 0.2 U	0.5	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	3/18/1996	WH6-96318-	< 0.2 U	0.5	< 0.2 U	< 0.2 U	0.5	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	5/24/1996	WH6-96524-	< 0.2 U	0.36	< 0.2 U	< 0.2 U	0.42	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	8/5/1996	WH6-96805-	< 0.2 U	0.64	< 0.2 U	< 0.2 U	0.65	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	12/3/1996	WH6-96D03-	< 0.2 U	0.43 J	< 0.2 U	< 0.2 U	0.61	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	3/7/1997	WH6-97307-	< 0.2 U	0.3 J	< 0.2 U	< 0.2 U	0.35 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	5/22/1997	WH6-97522-	< 0.2 U	0.3 J	< 0.2 U	< 0.2 U	0.35 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	8/21/1997	WH6-97821-	< 0.2 U	0.36 J	< 0.2 U	< 0.2 U	0.41 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	12/4/1997	WH6-97D04-	< 0.2 U	0.34 J	< 0.2 U	< 0.2 U	0.46 J	0.46 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	3/10/1998	WH6-98310-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	5/21/1998	WH6-98521-	< 0.2 U	0.38 J	< 0.2 U	< 0.2 U	0.5	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	8/31/1998	WH6-98831-	< 0.2 U	0.3 J	< 0.2 U	< 0.2 U	0.39 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	3/9/1999	WH6-99309-	< 0.2 U	0.31 J	< 0.2 U	< 0.2 U	0.32 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	6/11/1999	WH6-99611-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.42 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	8/18/1999	WH6-99818-	< 0.2 U	0.28 J	< 0.2 U	< 0.2 U	0.36 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	12/7/1999	WH6-99D07-	< 0.2 U	0.31 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	12/7/1999	WH6-98D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	3/7/2000	WH6-00307-	< 0.20 U	0.28 J	< 0.20 U	< 0.20 U	0.27 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-6	5/19/2000	WH6-00519-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	9/7/2000	WH6-00907-	< 0.20 U	0.23 J	< 0.20 U	< 0.20 U	0.32 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	12/6/2000	WH6-00D06-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.22 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	2/14/2001	WH6-01214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	5/29/2001	WH6-01529-	< 0.20 U	0.32 J	< 0.20 U	< 0.20 U	0.25 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	8/14/2001	WH6-01814-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	12/10/2001	WH6-01D10-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	2/27/2002	WH6-02227-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	5/20/2002	WH6-02520-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	9/3/2002	WH6-02903-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	11/22/2002	WH6-02N22-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	2/12/2003	WH6-03213-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.23 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	5/15/2003	WH6-03515-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	8/7/2003	WH6-03807-	< 0.20 U	0.22 J	< 0.20 U	< 0.20 U	0.49 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	11/14/2003	WH6-03N14-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	2/24/2004	WH6-04224-	< 0.2 U	0.21 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	5/20/2004	WH6-04520-	< 0.2 U	0.25 J	< 0.2 U	< 0.2 U	0.24 J	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	9/3/2004	WH6-04903-	< 0.2 U	0.21 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	11/18/2004	WH6-04N18-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-6	2/23/2005	WH6-05223-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	5/23/2005	WH6-05523-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	8/25/2005	WH6-05825-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-6	12/6/2005	WH6-05D06-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	2/13/2006	WH6-060213-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/22/2006	WH6-060522-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/24/2006	WH6-060824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	12/4/2006	WH6-061204-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	2/15/2007	WH6-070215-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/21/2007	WH6-070521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/27/2007	WH6-070827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	11/30/2007	WH6-071130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	3/3/2008	WH6-080303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	6/4/2008	WH6-080604-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/22/2008	WH6-080822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	12/3/2008	WH6-081203-	< 0.2 U	0.2	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-6	3/2/2009	WH6-090302-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/29/2009	WH6-090529-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	9/2/2009	WH6-090902-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	12/1/2009	WH6-091201-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	3/3/2010	WH6-100303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/27/2010	WH6-100527-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/31/2010	WH6-100831-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	12/3/2010	WH6-101203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	2/28/2011	WH6-110228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	6/1/2011	WH6-110601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/26/2011	WH6-110826-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	12/5/2011	WH6-111205-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	2/27/2012	WH6-120227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/21/2012	WH6-120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/27/2012	WH6-120827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	11/20/2012	WH6-121120-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	2/27/2013	WH6-130227-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	5/23/2013	WH6-130523-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6 Dup	5/23/2013	WH6-130523D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-6	8/27/2013	WH6-130827-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	6/2/1987	WH7-87602		< 1 U	< 1 U	< 1 U	< 5 U	< 1 U					
MW-7	8/24/1987	WH7-87824		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-7	12/23/1987	WH7-87D23		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	3/10/1988	WH7-88310		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	3/10/1988	WH7-88310S		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	5/31/1988	WH7-88531		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	9/1/1988	WH7-88901Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	11/17/1988	WH7-88N17Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	3/28/1989	WH7-89328Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	6/7/1989	WH7-89607Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	9/14/1989	WH7-89914Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	12/7/1989	WH7-89D07Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	3/13/1990	WH7-90313Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-7	5/21/1990	WH7-90521Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	8/29/1990	WH7-90829-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-7	12/12/1990	WH7-90D12-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	3/5/1991	WH7-91305-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	6/11/1991	WH7-91611-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	9/12/1991	WH7-91912-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	12/16/1991	WH7-91D16-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	3/19/1992	WH7-92319-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-7	6/24/1992	WH7-92624-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.62	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-7	9/25/1992	WH7-92925-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 UM	< 0.2 UM	< 0.2 UM		< 0.2 U
MW-7	12/23/1992	WH7-92D23-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	3/26/1993	WH7-93326-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.55	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	6/23/1993	WH7-93622-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.63	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	9/23/1993	WH7-93923-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.56	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	12/27/1993	WH7-93D27-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.47	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	3/18/1994	WH7-94318-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.62	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	6/28/1994	WH7-94628-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.52	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	8/24/1994	WH7-94824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.35	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	12/21/1994	WH7-94D21-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.24	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	3/3/1995	WH7-95303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.35	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-7	5/25/1995	WH7-95525L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.4	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	9/20/1995	WH7-95920-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	12/20/1995	WH7-95D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.3	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	3/19/1996	WH7-96319-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.4	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	5/24/1996	WH7-96524-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.38	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	7/29/1996	WH7-96729-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.44 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	12/4/1996	WH7-96D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.37 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	3/6/1997	WH7-97306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.35 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	5/21/1997	WH7-97521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.33 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	8/19/1997	WH7-97819-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.36 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	12/5/1997	WH7-97D05-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	3/6/1998	WH7-98306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.36 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	5/19/1998	WH7-98519-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.36 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	8/25/1998	WH7-98825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.32 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	3/8/1999	WH7-99308-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.29 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	6/10/1999	WH7-99610-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	8/17/1999	WH7-99817-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.27 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-7	12/7/1999	WH7-98D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	12/7/1999	WH7-99D07-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.41 J	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	3/7/2000	WH7-00306-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.31 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	5/17/2000	WH7-00517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.32 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	9/7/2000	WH7-00907-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.28 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	12/1/2000	WH7-00D01-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	2/14/2001	WH7-01214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	5/29/2001	WH7-01529-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.27 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	8/13/2001	WH7-01813-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.32 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	12/10/2001	WH7-01D10-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	2/26/2002	WH7-02226-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	5/17/2002	WH7-02517-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	8/29/2002	WH7-02829-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	11/21/2002	WH7-02N21-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	2/12/2003	WH7-03212-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	4/3/2003	WH7-03403R	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	5/13/2003	WH7-03516-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	8/7/2003	WH7-03807-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.23 J	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	11/12/2003	WH7-03N12-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	2/20/2004	WH7-04220-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	5/20/2004	WH7-04520-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.24 J		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	9/1/2004	WH7-04901-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	11/17/2004	WH7-04N17-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7 (Dup)	11/17/2004	WH7-04N17D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-7	2/22/2005	WH7-05222-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	6/21/2005	WH7-05621-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	8/11/2005	WH7-05811-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	0.22 J	< 0.20 U		< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-7	12/6/2005	WH7-05D06-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	2/13/2006	WH7-060213-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	5/18/2006	WH7-060518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/23/2006	WH7-060823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	12/5/2006	WH7-061205-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	2/14/2007	WH7-070214-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	5/17/2007	WH7-070517-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/22/2007	WH7-070822-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-7	12/7/2007	WH7-071207-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	2/29/2008	WH7-080229-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	6/4/2008	WH7-080604-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/21/2008	WH7-080821-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.22	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	12/2/2008	WH7-081202-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	3/3/2009	WH7-090303-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7 (Dup)	3/3/2009	WH7-090303D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	6/1/2009	WH7-090601-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/28/2009	WH7-090828-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	11/30/2009	WH7-091130-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	3/1/2010	WH7-100301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	5/26/2010	WH7-100526-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/23/2010	WH7-100823-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	12/3/2010	WH7-101203-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	2/24/2011	WH7-110224-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	6/6/2011	WH7-110606-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/25/2011	WH7-110825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	3/5/2012	WH7-120305-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	5/21/2012	WH7-120521-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	9/24/2012	WH7-120924-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	11/29/2012	WH7-121129-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	2/28/2013	WH7-130228-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	5/16/2013	WH7-130516-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-7	8/20/2013	WH7-130820-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
MW-8	6/11/1987	WH8-87611		< 1 U	< 1 U	< 1 U	< 5 U T	< 1 U					
MW-8	7/21/1987	WH8-87721		< 1 U	< 1 U	< 1 U	1	< 1 U					
MW-9	8/25/1987	WH9-87825		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U					
MW-9	12/14/1987	WH9-87D14		< 1 U	< 3 U	< 1 U	< 5 U	< 5 U					
MW-9	3/17/1988	WH9-88317		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	6/9/1988	WH9-88609		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	9/6/1988	WH9-88906Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	11/28/1988	WH9-88N28Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	3/29/1989	WH9-89329Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	6/28/1989	WH9-89628Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	9/18/1989	WH9-89918Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					

Site	Date	Sample ID	1,1,1,2-Tetrachloro-ethane 630-20-6 (ug/L)	1,1,1-Trichloro-ethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloro-ethane 79-34-5 (ug/L)	1,1,2-Trichloro-ethane 79-00-5 (ug/L)	1,1-Dichloro-ethane 75-34-3 (ug/L)	1,1-Dichloro-ethene 75-35-4 (ug/L)	1,1-Dichloro-propene 563-58-6 (ug/L)	1,2,3-Trichloro-propane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromo-ethane 106-93-4 (ug/L)	1,2-Dichloro-benzene 95-50-1 (ug/L)
MW-9	12/8/1989	WH9-89D08Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	3/14/1990	WH9-90314Q		< 1 U	< 3 U	< 1 U	< 1 U	< 1 U					
MW-9	5/18/1990	WH9-90518Q		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	8/27/1990	WH9-90827-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	12/13/1990	WH9-90D13-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	3/6/1991	WH9-91306-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	6/26/1991	WH9-91626-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	9/17/1991	WH9-91917-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	12/17/1991	WH9-91D17-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	3/20/1992	WH9-92320-		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U					
MW-9	6/23/1992	WH9-92623-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-9	9/23/1992	WH9-92923-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U
MW-9	12/23/1992	WH9-92D23-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	3/24/1993	WH9-93324-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	6/21/1993	WH9-93621-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	9/22/1993	WH9-93922-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	12/28/1993	WH9-93D28-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	3/16/1994	WH9-94316-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	6/24/1994	WH9-94624-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9 (Dup)	6/24/1994	WH9-94624D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	8/25/1994	WH9-94825-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	12/19/1994	WH9-94D19-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U		< 0.2 U
MW-9	9/15/1995	WH9-95915-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	12/20/1995	WH9-95D20-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	3/19/1996	WH9-96319-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	5/28/1996	WH9-96528-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	8/1/1996	WH9-96801-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9 (Dup)	8/1/1996	WH9-96801D	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	12/4/1996	WH9-96D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	3/6/1997	WH9-97306-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	5/16/1997	WH9-97516-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	8/18/1997	WH9-97818-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	12/4/1997	WH9-97D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	3/9/1998	WH9-98309-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	5/18/1998	WH9-98518-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
MW-9	8/24/1998	WH9-98824-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	3/9/1999	WH9-99309-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	6/14/1999	WH9-99614-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	8/17/1999	WH9-99817-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	12/4/1999	WH9-98D04-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	12/8/1999	WH9-99D08-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
MW-9	3/7/2000	WH9-00307-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	5/18/2000	WH9-00518-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	9/8/2000	WH9-00908-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	12/6/2000	WH9-00D06-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9 (Dup)	12/6/2000	WH9-00D06D	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	2/14/2001	WH9-01214-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	5/29/2001	WH9-01529-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-9	8/10/2001	WH9-01810-	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
MW-MILETTE	4/12/1989	WHM-89412Q		< 1	< 3	< 1	< 1	< 1					
FIELD BLANK	2/23/2011	WH18110223F	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
FIELD BLANK	2/28/2011	WH11110228F	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
FIELD BLANK	5/31/2011	WH18110531F	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
FIELD BLANK	12/6/2011	WH10111206F	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
FIELD BLANK	2/27/2012	WH6-120227F	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
TRIP BLANK	12/4/2008	WH18081204T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
TRIP BLANK	2/26/2009	WH25090226T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
TRIP BLANK	6/1/2009	WH4-090601T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
TRIP BLANK	9/1/2009	WH1-090901T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/27/2009	VTRP090828B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/28/2009	VTRP090831B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/28/2009	VTRP090901C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/31/2009	VTRP090901B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	9/1/2009	VTRP090902B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/23/2009	VTRP091124B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/23/2009	VTRP091124C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/24/2009	VTRP091130B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/24/2009	VTRP091130C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/30/2009	VTRP091201B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/30/2009	VTRP091201C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
VOA TRIP BLANK	2/25/2010	VTRP100301B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/26/2010	VTRP100301-	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/1/2010	VTRP100302B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/1/2010	VTRP100302C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/2/2010	VTRP100303B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/2/2010	VTRP100303C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/19/2010	VTRP100524C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/24/2010	VTRP100525C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/25/2010	VTRP100526C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/26/2010	VTRP100526B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/26/2010	VTRP100527C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/19/2010	VTRP100820B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/20/2010	VTRP100823B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/25/2010	VTRP100826B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/25/2010	VTRP100830C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/26/2010	VTRP100827B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/27/2010	VTRP100831B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/29/2010	VTRP101201B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/30/2010	VTRP101201T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/1/2010	VTRP101202C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/1/2010	VTRP101203L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/2/2010	VTRP101203C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/22/2011	VTRP110223B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/23/2011	VTRP110224B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/24/2011	VTRP110225B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/24/2011	VTRP110225C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/25/2011	VTRP110228C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/26/2011	VTRP110531B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/27/2011	VTRP110531C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/31/2011	VTRP110601B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/31/2011	VTRP110601C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	6/1/2011	VTRP110602B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	6/1/2011	VTRP110602C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	6/2/2011	VTRP110606B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/22/2011	VTRP110825C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
VOA TRIP BLANK	8/23/2011	VTRP110824B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/24/2011	VTRP110825B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/24/2011	VTRP110826C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/25/2011	VTRP110826B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/28/2011	VTRP111201B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/30/2011	VTRP111201C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/1/2011	VTRP111202C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/1/2011	VTRP111205B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/2/2011	VTRP111205C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/5/2011	VTRP111206B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/22/2012	VTRP120223C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/23/2012	VTRP120224C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/24/2012	VTRP120227C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/1/2012	VTRP120302B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/2/2012	VTRP120305B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	3/2/2012	VTRP120305C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/15/2012	VTRP120516B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/16/2012	VTRP120517C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/17/2012	VTRP120521B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/17/2012	VTRP120521C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/21/2012	VTRP120522B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/23/2012	VTRP120827T	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/27/2012	VTRP120828B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/27/2012	VTRP120828C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/28/2012	VTRP120829C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	9/21/2012	VTRP120924B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/16/2012	VTRP121120C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/20/2012	VTRP121127B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/27/2012	VTRP121128B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	11/28/2012	VTRP121129B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	12/14/2012	VTRP121217C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/22/2013	VTRP130225C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/25/2013	VTRP130226B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/26/2013	VTRP130227B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	2/27/2013	VTRP130228B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

Site	Date	Sample ID	1,1,1,2-Tetrachloroethane 630-20-6 (ug/L)	1,1,1-Trichloroethane 71-55-6 (ug/L)	1,1,2,2-Tetrachloroethane 79-34-5 (ug/L)	1,1,2-Trichloroethane 79-00-5 (ug/L)	1,1-Dichloroethane 75-34-3 (ug/L)	1,1-Dichloroethene 75-35-4 (ug/L)	1,1-Dichloropropene 563-58-6 (ug/L)	1,2,3-Trichloropropane 96-18-4 (ug/L)	1,2-Dibromo-3-Chloropropane 96-12-8 (ug/L)	1,2-Dibromoethane 106-93-4 (ug/L)	1,2-Dichlorobenzene 95-50-1 (ug/L)
VOA TRIP BLANK	2/28/2013	VTRP130301B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/13/2013	VTRP130515L	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/15/2013	VTRP130516B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/20/2013	VTRP130521B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/21/2013	VTRP130522B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/22/2013	VTRP130523B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	5/25/2013	VTRP130528B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/19/2013	VTRP130819B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/20/2013	VTRP130820B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/22/2013	VTRP130822B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U
VOA TRIP BLANK	8/27/2013	VTRP130827C	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 1 U	< 0.2 U	< 0.2 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 1 U	< 1 U					< 1 U	< 1 U			< 1	6		< 5 U	< 5 U
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	5 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 5 U	< 5 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 UB	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	8.41 B			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.55	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	< 10 U B			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 1 U	< 1 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	10			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	< 10 U			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
0.24	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 40 UM	< 40 UM	< 100 U	< 100 UM	< 40 UM	< 40 UM	< 100 U	< 100 UM	< 100 UM
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.93	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 5 U	< 5 U					1 JB	< 10 U B			< 10 U	< 10 U B			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 1 U	< 1 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			1		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	31			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.3			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.92			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.71			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.09 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	5 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 1 U	< 1 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	< 10 U			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 BU	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.61 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 LU	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 40 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	7.36			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.47			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	7.17	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.9	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			6.05			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 5 U	< 5 U					< 10 U	< 10 U B			< 10 U	5 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 5 U	< 5 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	10			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	< 10 U			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	9.69		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 40 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.9	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			5.83			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 5 U	< 5 U					3 JB	< 10 U B			< 10 U	5 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 1 U	< 1 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	11			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	12			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	12			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	14 B			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	46			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	10.4			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	4 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 1 U	< 1 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	26			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 BU	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.95 B			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.19 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	4 JB			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U		< 5 U	< 5 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	13			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	13 B			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	26			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	58			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	< 10 U			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 UO	< 10 U	< 4 U	< 4 U	< 100 UO	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 BU	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 40 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	< 4.0 U			< 10 U
< 0.20 U	< 0.20 U			< 0.20 U		< 4.0 U	< 4.0 U			< 4.0 U	4.0			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.02 B			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.86 B			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	7.01			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.5			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 1 U	< 1 U					< 1 U	< 1 U			< 1 U	< 1 U		< 5 U	< 5 U
< 1 U	< 1 U												< 5 U0	< 5 U0
< 5 U	< 5 U					< 10 U B	< 10 U B			< 10 U	< 10 U B			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	6		< 5 U	< 5 U
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U					< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 3 U	< 3 U			< 3 U	< 5 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	23			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 5 U	< 10 U			
< 1 U	< 1 U			< 1 U		< 10 U	< 10 U			< 10 U	46			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U		< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2	78-87-5	541-73-1	142-28-9	106-46-7	594-20-7	78-93-3	591-78-6	78-83-1	107-05-1	108-10-1	67-64-1	75-05-8	107-02-8	107-13-1
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 4 U	< 4 U	< 100 U	< 10 U	< 4 U	< 4 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 4.0 U	< 4.0 U	< 100 U	< 10 U	< 10 U
< 1	< 1			< 1		< 3	< 3			< 3	< 5			
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.64			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	12.8	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	8.75			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.6			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 10 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	4.28			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			4.2			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U	< 0.2 U				< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.92	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.09 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	5.4	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	7.43	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	9.31	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	7.69 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	6.2 L	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U			< 4 U	< 4 U	< 0.07 U		
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U

1,2-Dichloro-ethane	1,2-Dichloro-propane	1,3 Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2,2-Dichloro-propane	2-Butanone	2-Hexanone	2-Methyl-1-propanol	3-Chloro-propene	4-Methyl-2-Pentanone	Acetone	Acetonitrile	Acrolein	Acrylonitrile
107-06-2 (ug/L)	78-87-5 (ug/L)	541-73-1 (ug/L)	142-28-9 (ug/L)	106-46-7 (ug/L)	594-20-7 (ug/L)	78-93-3 (ug/L)	591-78-6 (ug/L)	78-83-1 (ug/L)	107-05-1 (ug/L)	108-10-1 (ug/L)	67-64-1 (ug/L)	75-05-8 (ug/L)	107-02-8 (ug/L)	107-13-1 (ug/L)
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U
< 0.2 U	< 0.2 U			< 0.2 U		< 4 U	< 4 U	< 4 U			< 4 U			< 0.07 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
2 J		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 3 U	< 3 U	< 3 U	< 5 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
0.28		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 5 U T		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U T		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
3 J		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	1 J	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
0.29	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.24	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.22	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
0.24		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
0.32		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	0.2	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.21	< 0.2 U
0.34		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.22	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
0.25		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.21	< 0.2 U
0.27		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
0.2	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 200 UM	< 2 UM	< 2 UM
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2 (ug/L)	74-97-5 (ug/L)	75-27-4 (ug/L)	75-25-2 (ug/L)	74-83-9 (ug/L)	75-15-0 (ug/L)	56-23-5 (ug/L)	108-90-7 (ug/L)	124-48-1 (ug/L)	75-00-3 (ug/L)	67-66-3 (ug/L)	74-87-3 (ug/L)	126-99-8 (ug/L)	156-59-2 (ug/L)	10061-01-5 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	1	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.21 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.23 BT		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.28 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
2 J		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		2	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		2	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		2	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		2	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		1	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		1	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	2.2	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.54	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.49	< 0.2 U
0.21		< 0.2 U	< 0.2 U	< 0.2 U	0.22	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.46	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
0.2		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.44	< 0.2 U
0.21		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.4	< 0.2 U
0.22		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.33	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.4	< 0.2 U
0.24		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.37	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.34	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.34	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.26	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.2	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.2	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.2	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.3 J	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.23 J	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	0.21 J	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.21 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.31 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2 (ug/L)	74-97-5 (ug/L)	75-27-4 (ug/L)	75-25-2 (ug/L)	74-83-9 (ug/L)	75-15-0 (ug/L)	56-23-5 (ug/L)	108-90-7 (ug/L)	124-48-1 (ug/L)	75-00-3 (ug/L)	67-66-3 (ug/L)	74-87-3 (ug/L)	126-99-8 (ug/L)	156-59-2 (ug/L)	10061-01-5 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 5 U T		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	1	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	0.22 B	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.24 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.23 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.26 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.502		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	2.5	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.32 J	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.25	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.37 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		0.22	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	0.23	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.26		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.24 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.38 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.31 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.36 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.21 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
8		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
5		< 1 U	< 1 U	< 1 U		< 1 U	1	< 1 U	< 1 U	< 1 U	< 1 U			< 1 U
< 5 U		< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U B	< 10 U	< 5 U	< 10 U			< 5 U
< 1 U		< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U			< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 3 U	< 3 U	< 3 U	< 1 U	< 1 U		< 1 U	< 3 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	1.6	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 1 U		< 1 U	< 1 U	< 5 U	< 1 U	< 1 U	< 1 U	< 1 U	< 5 U	< 1 U	< 5 U			< 1 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 UJ	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U	< 0.5 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.22 J	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 20 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 20 U	< 0.20 U	< 0.20 U
< 1		< 1	< 1	< 1	< 1	< 1	< 3	< 3	< 3	< 1	< 1		< 1	< 3
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	1.34	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	1.17	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	1.05	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.791	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.2 T		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.26 BT		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	0.441 B		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2	74-97-5	75-27-4	75-25-2	74-83-9	75-15-0	56-23-5	108-90-7	124-48-1	75-00-3	67-66-3	74-87-3	126-99-8	156-59-2	10061-01-5
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Benzene	Bromochloro-methane	Bromodichloro-methane	Bromoform	Bromo-methane	Carbon Disulfide	Carbon Tetrachloride	Chloro-benzene	Chloro-dibromo-methane	Chloroethane	Chloroform	Chloro-methane	Chloroprene	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene
71-43-2 (ug/L)	74-97-5 (ug/L)	75-27-4 (ug/L)	75-25-2 (ug/L)	74-83-9 (ug/L)	75-15-0 (ug/L)	56-23-5 (ug/L)	108-90-7 (ug/L)	124-48-1 (ug/L)	75-00-3 (ug/L)	67-66-3 (ug/L)	74-87-3 (ug/L)	126-99-8 (ug/L)	156-59-2 (ug/L)	10061-01-5 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U		< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	1	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	0.2	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 2 UM	< 2 UM	< 2 UM		< 2 UM	< 20 UM	< 50 UM	4.5 JB	< 2 UM	< 60 U	< 2 UM	< 2 UM	< 2 UM	< 2 UM	< 2 UM
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	0.59	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					3			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	0.2	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	0.63	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.56			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	3	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					3			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					5.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.8 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3.8 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3.9 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.9 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					6 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.48	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	0.22 J	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.527	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.21 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.23 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.2 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.24 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.23 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.3 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.33 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.36 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.31 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.37 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.36 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.35 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.35 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.35 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.27 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.25 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 5 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1.1 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.6 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					7.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.2	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.26 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.34 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.20 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.27 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.50	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.22 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.24 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.21 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.21 T	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					6.9 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					6 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.33	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					4			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.1 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					5.7 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3.5 B			< 1 U	< 1 U	< 5 U		< 1 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					4 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.22	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.4	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.9	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.6	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	1	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	1	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.61	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.37 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.39 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.45 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.54	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.42 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.27 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.34 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.55	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	0.57	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.31 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.21 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.31 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.23 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.22 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					1			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					2.8 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					7.1 B			< 1 U	< 1 U	< 5 U		< 1 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
		< 1 U					3.2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					4.4 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		0.25		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	0.63	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		0.25	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	0.2	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.5	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	1.5	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.52	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.71	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.57	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 UO	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.29 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.48 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.49 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.56	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.4 J	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	0.65	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	0.67	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.38 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.33 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.23 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.40 J	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 BU	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.51	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.55	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.50	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	0.92	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			5.0 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U		< 0.20 U		< 0.20 U			< 0.20 U			< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.5 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.471	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
		3					32 B				< 1 U	< 1 U	< 1 U	< 1 U
		< 5 U					< 5 U B			< 5 U	< 5 U	< 5 U		< 5 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 5 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					4			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 1 U	< 1 U	< 3 U
		< 1 U					2.8 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					1.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					3.5 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					< 1 U			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					2 B			< 1 U	< 1 U	< 5 U		< 1 U
		< 1 U					4 B			< 1 U	< 1 U	< 5 U		< 1 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.25	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 UJ	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	0.22 JB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 UB	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U		< 0.2 U	< 2 U	< 5 U	< 0.2 U	< 0.2 U	< 60 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
< 0.20 U	< 0.20 U	< 0.20 U		< 0.20 U	< 2.0 U	< 5.0 U	< 0.20 U	< 0.20 U	< 60 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
		< 1					< 1			< 1	< 1	< 1	< 1	< 3
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.31			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			1.8 B			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			< 0.2 U			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U		< 0.2 U		< 0.2 U			0.23 T			< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.21 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.2 BT	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.22 BT	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.24 BT	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.23 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.498 B	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.683	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.411	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.37 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3	75-71-8	100-41-4	mpx	74-88-4	80-62-6	126-98-7	75-09-2	95-47-6	107-12-0	100-42-5	127-18-4	108-88-3	156-60-5	10061-02-6
(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.37 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.39 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.32 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.39 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.439	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.23 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.23 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

Dibromo-methane	Dichloro-difluoro-methane	Ethylbenzene	m & p Xylenes	Methyl Iodide	Methyl Methacrylate	Methylacrylo-nitrile	Methylene Chloride	o-Xylene	Proprionitrile	Styrene	Tetrachloro-ethene	Toluene	trans-1,2-Dichloro-ethene	trans-1,3-Dichloro-propene
74-95-3 (ug/L)	75-71-8 (ug/L)	100-41-4 (ug/L)	mpx (ug/L)	74-88-4 (ug/L)	80-62-6 (ug/L)	126-98-7 (ug/L)	75-09-2 (ug/L)	95-47-6 (ug/L)	107-12-0 (ug/L)	100-42-5 (ug/L)	127-18-4 (ug/L)	108-88-3 (ug/L)	156-60-5 (ug/L)	10061-02-6 (ug/L)
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.425	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			< 0.2 U	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.26 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.23 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U			0.25 T	< 0.2 U		< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 1 U		< 1 U	< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	1		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.3	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	0.06
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	0.02
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 1000 UM	< 2 UM	< 2 UM	< 2 UM	< 0.2 UM
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 5 U B		< 10 U	< 10 U
	1		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	0.2 J	< 0.2 U	< 0.5 U	< 0.2 U
	0.24	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	0.2 J	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 5 U		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.5	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	0.31	< 0.2 U	< 0.2 U
	< 0.2 U	0.42	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	0.38	< 0.5 UJ	< 0.2 U
	< 0.2 U	0.28	< 0.5 U	< 0.2 U
	< 0.2 U	0.3	< 0.5 U	< 0.2 U
	< 0.2 U	0.3	< 0.5 U	< 0.2 U
	< 0.2 U	0.33	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	0.28	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	0.2	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.2	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	0.03
< 100 U	< 0.2 U	0.2	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.3	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.25 J	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.2 J	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	0.03
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	0.08
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	0.6	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	0.050
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
	< 1 U		< 1 U	< 1 U
	< 1 U			< 1 U
	< 5 U B		< 10 U	< 10 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
	< 1 U		< 1 U	< 1 U
	< 1 U		< 1 U	< 1 U
	< 1 U		< 10 U	< 5 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 1 U		< 10 U	< 2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 UJ	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
	< 0.2 U	< 0.2 U	< 0.5 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
< 100 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.020 U
	< 1		< 1	< 1
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

trans-1,4-Dichloro-2-butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
110-57-6 (ug/L)	79-01-6 (ug/L)	75-69-4 (ug/L)	108-05-4 (ug/L)	75-01-4 (ug/L)
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U
< 100 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.02 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-1	5/18/1987	WH1-87518			<0.11						<0.05	
MW-1	11/30/1987	WH1-87N30			<0.1						<0.05	
MW-1	3/24/1988	WH1-88324			<0.1						<0.05	
MW-1	5/31/1988	WH1-88531			<0.1						<0.05	
MW-1	8/30/1988	WH1-88830Q			<0.1						<0.05	
MW-1	12/29/1988	WH1-88D29Q			<0.1						<0.05	
MW-1	3/28/1989	WH1-89328Q			<0.1						<0.05	
MW-1	5/18/1989	WH1-89518Q			<0.1						<0.05	
MW-1	9/14/1989	WH1-89914Q			<0.1						<0.05	
MW-1	11/22/1989	WH1-89N22Q			<0.1						<0.05	
MW-1	2/13/1990	WH1-90213Q			<0.1						<0.05	
MW-1	5/17/1990	WH1-90517Q			<0.1						<0.05	
MW-1	8/27/1990	WH1-90827-			<0.1						<0.05	
MW-1	12/7/1990	WH1-90D07-			<0.1						<0.05	
MW-1	2/25/1991	WH1-91225-			<0.1						<0.05	
MW-1	6/12/1991	WH1-91612-			<0.1						<0.05	
MW-1	9/11/1991	WH1-91911-			<0.1						<0.05	
MW-1	12/16/1991	WH1-91D16-			<0.1						<0.05	
MW-1	3/19/1992	WH1-92319-			<0.1						<0.05	
MW-1	6/22/1992	WH1-92622-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-1	9/22/1992	WH1-92922-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-1	12/22/1992	WH1-92D22-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	3/24/1993	WH1-93324-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	6/18/1993	WH1-93618-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	9/17/1993	WH1-93917-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	12/21/1993	WH1-93D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	3/15/1994	WH1-94315-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	6/23/1994	WH1-94623-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	8/22/1994	WH1-94822-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	12/21/1994	WH1-94D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	3/7/1995	WH1-95307A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	5/25/1995	WH1-95525A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-1	5/25/1995	WH1-95525L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	3/15/1996	WH1-96315-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	5/23/1996	WH1-96523-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	7/29/1996	WH1-96729-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	12/2/1996	WH1-96D02-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	3/6/1997	WH1-97306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	5/19/1997	WH1-97519-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	8/19/1997	WH1-97819-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-1	12/3/1997	WH1-97D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	3/6/1998	WH1-98306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	5/15/1998	WH1-98515-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	8/25/1998	WH1-98825-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	3/8/1999	WH1-99308-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	6/10/1999	WH1-99610-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	8/17/1999	WH1-99817-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	12/7/1999	WH1-99D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-1	3/6/2000	WH1-00306-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-1	5/17/2000	WH1-00517-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-1	9/5/2000	WH1-00905-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-1	12/1/2000	WH1-00D01-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-1	2/13/2001	WH1-01213-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-1	5/25/2001	WH1-01525-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-1	8/13/2001	WH1-01813-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-1	12/10/2001	WH1-01D10-	<0.023 U	<0.093 U	<0.093 U	<0.19 U	<9.3 U	<0.023 U	<0.023 U	<0.093 U	<0.023 U	<0.023 U
MW-1	2/27/2002	WH1-02227-	<0.023 U	<0.093 U	<0.093 U	<0.19 U	<9.3 U	<0.023 U	<0.023 U	<0.093 U	<0.023 U	<0.023 U
MW-1	5/17/2002	WH1-02517-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-1	8/29/2002	WH1-02829-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-1	11/21/2002	WH1-02N21-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-1	2/13/2003	WH1-03213-	<0.025 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.025 U	<0.025 U	<0.098 U	<0.025 U	<0.025 U
MW-1	5/16/2003	WH1-03516-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-1	8/6/2003	WH1003806-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-1	8/7/2003	WH1-03807-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-10	6/11/1987	WH1087611			<0.1						<0.05	
MW-10	6/11/1987	WH1087611S			<0.1						<0.05	
MW-10	12/9/1987	WH1087D09			<0.1						<0.05	
MW-10	3/14/1988	WH1088314			<0.1						<0.05	
MW-10	5/25/1988	WH1088525			<0.1						<0.05	
MW-10	9/2/1988	WH1088902Q			<0.1						<0.05	
MW-10	11/14/1988	WH1088N14Q			<0.1						<0.05	
MW-10	3/6/1989	WH1089306Q			<0.1						<0.05	
MW-10	6/23/1989	WH1089623Q			<0.1						<0.05	
MW-10	9/14/1989	WH1089914Q			<0.1						<0.05	
MW-10	2/13/1990	WH1090213Q			<0.1						<0.05	
MW-10	5/21/1990	WH1090521Q			<0.1						<0.05	
MW-10	8/29/1990	WH1090829-			<0.1						<0.05	
MW-10	11/28/1990	WH1090N28-			<0.1						<0.05	
MW-10	3/6/1991	WH1091306-			<0.1						<0.05	
MW-10	6/19/1991	WH1091619-			<0.1						<0.05	

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-10	9/18/1991	WH1091918-			<0.1						<0.05	
MW-10	12/13/1991	WH1091D13-			<0.1						<0.05	
MW-10	3/23/1992	WH1092323-			<0.1						<0.05	
MW-10	6/29/1992	WH1092629-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-10	9/28/1992	WH1092928-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-10	12/23/1992	WH1092D23-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	3/26/1993	WH1093326-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	6/18/1993	WH1093618-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	9/23/1993	WH1093923-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	12/29/1993	WH1093D29-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	3/18/1994	WH1094318-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	6/28/1994	WH1094628-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	8/24/1994	WH1094824-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	12/21/1994	WH1094D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	3/8/1995	WH1095308A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	5/26/1995	WH1095526A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-10	5/26/1995	WH1095526L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	9/18/1995	WH1095918-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	12/20/1995	WH1095D20-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	3/18/1996	WH1096318-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	5/24/1996	WH1096524-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	7/31/1996	WH1096731-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	12/3/1996	WH1096D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	3/7/1997	WH1097307-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	5/16/1997	WH1097516-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	8/20/1997	WH1097820-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	12/4/1997	WH1097D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	3/10/1998	WH1098310-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	5/19/1998	WH1098519-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	8/26/1998	WH1098826-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	3/9/1999	WH1099309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	6/11/1999	WH1099611-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	8/18/1999	WH1099818-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	12/7/1999	WH1098D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	12/7/1999	WH1099D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-10	3/7/2000	WH1000307-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	5/19/2000	WH1000519-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	9/5/2000	WH1000905-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	12/11/2000	WH1000D11-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-10	2/13/2001	WH1001213-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-10	5/31/2001	WH1001531-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	8/14/2001	WH1001814-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-10	12/11/2001	WH1001D11-	<0.023 U	<0.093 U	<0.093 U	<0.19 U	<9.3 U	<0.023 U	<0.023 U	<0.093 U	<0.023 U	<0.023 U
MW-10	2/27/2002	WH1002227-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	5/17/2002	WH1002517-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	8/30/2002	WH1002830-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-10	11/22/2002	WH1002N22-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-10	2/13/2003	WH1003213-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-10	5/15/2003	WH1003515-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-10	5/15/2003	WH1103515-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-11	11/24/1987	WH1187N24			<0.1						<0.05	
MW-11	3/15/1988	WH1188315			<0.1						<0.05	
MW-11	6/8/1988	WH1188608			<0.1						<0.05	
MW-11	9/9/1988	WH1188909Q			<0.1						<0.05	
MW-11	11/29/1988	WH1188N29Q			<0.1						<0.05	
MW-11	2/21/1989	WH1189221Q			<0.1						<0.05	
MW-11	6/26/1989	WH1189626Q			<0.1						<0.05	
MW-11	9/19/1989	WH1189919Q			<0.1						<0.05	
MW-11	12/8/1989	WH1189D08Q			<0.1						<0.05	
MW-11	3/9/1990	WH1190309Q			<0.1						<0.05	
MW-11	5/18/1990	WH1190518Q			<0.1						<0.05	
MW-11	8/28/1990	WH1190828-			<0.1						<0.05	
MW-11	12/13/1990	WH1190D13-			<0.1						<0.05	
MW-11	2/22/1991	WH1191222-			<0.1						<0.05	
MW-11	6/10/1991	WH1191610-			<0.1						<0.05	
MW-11	9/10/1991	WH1191910-			<0.1						<0.05	
MW-11	11/15/1991	WH1191N15R			<0.1						<0.05	
MW-11	12/13/1991	WH1191D13-			<0.1						<0.05	
MW-11	3/17/1992	WH1192317-	<0.05	<0.1	<0.1	<0.2	<10	<0.05	<0.05	<0.1	<0.04	<0.1
MW-11	6/25/1992	WH1192625-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-11	9/23/1992	WH1192923-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-11	12/21/1992	WH1192D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	3/29/1993	WH1193329-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	6/21/1993	WH1193621-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	9/24/1993	WH1193924-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	12/28/1993	WH1193D28-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	3/16/1994	WH1194316-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	6/24/1994	WH1194624-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	8/25/1994	WH1194825-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	12/19/1994	WH1194D19-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-11	3/8/1995	WH1195308A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	5/31/1995	WH1195531A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-11	5/31/1995	WH1195531L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	9/20/1995	WH1195920-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/19/1995	WH1195D19-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	3/15/1996	WH1196315-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	5/28/1996	WH1196528-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	8/5/1996	WH1196805-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/5/1996	WH1196D05-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	3/6/1997	WH1197306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	5/20/1997	WH1197520-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	8/20/1997	WH1197820-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/3/1997	WH1197D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	3/9/1998	WH1198309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	5/18/1998	WH1198518-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	8/26/1998	WH1198826-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	3/9/1999	WH1199309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	6/14/1999	WH1199614-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	8/17/1999	WH1199817-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/4/1999	WH1198D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/4/1999	WH1-98D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	12/8/1999	WH1199D08-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-11	3/3/2000	WH1100303-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-11	5/18/2000	WH1100518-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-11	9/7/2000	WH1100907-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-11	12/5/2000	WH1100D05-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-11	2/16/2001	WH1101216-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-11	5/29/2001	WH1101529-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-11	8/14/2001	WH1101814-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-11	12/6/2001	WH1101D06-	<0.025 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.025 U	<0.025 U	<0.098 U	<0.025 U	<0.025 U
MW-11	2/26/2002	WH1102226-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-11	5/20/2002	WH1102520-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-11	8/30/2002	WH1102830-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-11	11/22/2002	WH1102N22-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-11	2/13/2003	WH1103213-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-11	8/7/2003	WH1103807-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-18	11/23/1987	WH1887N23			<0.1						<0.05	
MW-18	3/10/1988	WH1888310			<0.1						<0.05	
MW-18	5/25/1988	WH1888525			<0.1						<0.05	
MW-18	9/7/1988	WH1888907Q			<0.1						<0.05	

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-18	11/18/1988	WH1888N18Q			<0.1						<0.05	
MW-18	3/6/1989	WH1889306Q			<0.1						<0.05	
MW-18	6/28/1989	WH1889628Q			<0.1						<0.05	
MW-18	9/12/1989	WH1889912Q			<0.1						<0.05	
MW-18	12/11/1989	WH1889D11Q			<0.1						<0.05	
MW-18	3/14/1990	WH1890314Q			<0.1						<0.05	
MW-18	5/21/1990	WH1890521Q			<0.1						<0.05	
MW-18	8/30/1990	WH1890830-			<0.1						<0.05	
MW-18	12/14/1990	WH1890D14-			<0.1						<0.05	
MW-18	3/5/1991	WH1891305-			<0.1						<0.05	
MW-18	6/11/1991	WH1891611-			<0.1						<0.05	
MW-18	9/13/1991	WH1891913-			<0.1						<0.05	
MW-18	12/13/1991	WH1891D13-			<0.1						<0.05	
MW-18	3/23/1992	WH1892323-			<0.1						<0.05	
MW-18	6/29/1992	WH1892629-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-18	9/28/1992	WH1892928-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-18	12/28/1992	WH1892D28-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	3/26/1993	WH1893326-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	6/18/1993	WH1893618-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	9/20/1993	WH1893920-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	12/21/1993	WH1893D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	3/18/1994	WH1894318-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	6/28/1994	WH1894628-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	8/25/1994	WH1894825-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	12/16/1994	WH1894D16-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	3/8/1995	WH1895308A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	5/31/1995	WH1895531A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-18	5/31/1995	WH1895531L	<0.025 OU	<0.1 OU	<0.1 OU	<0.2 OU	<10 OU	<0.025 OU	<0.025 OU	<0.1 OU	<0.025 OU	<0.025 OU
MW-18	9/19/1995	WH1895919-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	12/20/1995	WH1895D20-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	3/20/1996	WH1896320-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	5/29/1996	WH1896529-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	8/6/1996	WH1896806-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	12/4/1996	WH1896D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	3/7/1997	WH1897307-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	5/22/1997	WH1897522-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	8/20/1997	WH1897820-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	12/4/1997	WH1897D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	3/25/1998	WH1898325-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	5/20/1998	WH1898520-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-18	8/26/1998	WH1898826-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	12/8/1998	WH1898D08-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	3/9/1999	WH1899309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	6/15/1999	WH1899615-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	8/17/1999	WH1899817-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	12/7/1999	WH1899D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-18	3/3/2000	WH1800303-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-18	5/19/2000	WH1800519-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-18	9/5/2000	WH1800905-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	12/6/2000	WH1800D06-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-18	2/15/2001	WH1801215-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-18	5/25/2001	WH1801525-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-18	8/14/2001	WH1801814-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	12/6/2001	WH1801D06-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	2/26/2002	WH1802226-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	5/20/2002	WH1802520-	<0.025 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.025 U	<0.025 U	<0.098 U	<0.025 U	<0.025 U
MW-18	8/29/2002	WH1802829-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-18	11/21/2002	WH1802N21-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-18	2/12/2003	WH1803212-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	5/15/2003	WH1803515-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-18	8/7/2003	WH1803807-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-25	12/12/2001	WH2501D12-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-25	2/27/2002	WH2502227-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-25	9/4/2002	WH2502904-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-25	11/27/2002	WH2502N27-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-25	2/14/2003	WH2503214-	<0.026 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.026 U	<0.026 U	<0.10 U	<0.026 U	<0.026 U
MW-25	5/16/2003	WH2503516-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-25	8/12/2003	WH2503812-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-3	10/28/1986	WH3-86O28	<0.05	<0.1	<0.1			<0.05	<0.05	<0.05	<0.05	
MW-3	5/28/1987	WH3-87528			<0.05						<0.05	
MW-3	12/21/1987	WH3-87D21			<0.1						<0.05	
MW-3	3/21/1988	WH3-88321			<0.1						<0.05	
MW-3	5/26/1988	WH3-88526			<0.1						<0.05	
MW-3	9/2/1988	WH3-88902Q			<0.1						<0.05	
MW-3	11/22/1988	WH3-88N22Q			<0.1						<0.05	
MW-3	2/17/1989	WH3-89217Q			<0.1						<0.05	
MW-3	6/9/1989	WH3-89609Q			<0.1						<0.05	
MW-3	9/6/1989	WH3-89906Q			<0.1						<0.05	
MW-3	12/7/1989	WH3-89D07Q			<0.1						<0.05	
MW-3	2/13/1990	WH3-90213Q			<0.1						<0.05	

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-3	5/17/1990	WH3-90517Q			<0.1						<0.05	
MW-3	8/24/1990	WH3-90824-			<0.1						<0.05	
MW-3	11/13/1990	WH3-90N13-			<0.1						<0.05	
MW-3	2/21/1991	WH3-91221-			<0.1						<0.05	
MW-3	6/25/1991	WH3-91625-			<0.1						<0.05	
MW-3	9/20/1991	WH3-91920-			<0.1						<0.05	
MW-3	12/17/1991	WH3-91D17-			<0.1						<0.05	
MW-3	3/18/1992	WH3-92318-			<0.1						<0.05	
MW-3	6/23/1992	WH3-92623-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-3	9/21/1992	WH3-92921-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-3	12/22/1992	WH3-92D22-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	3/23/1993	WH3-93323-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	6/17/1993	WH3-93617-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	9/23/1993	WH3-93923-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	12/22/1993	WH3-93D22-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	3/14/1994	WH3-94314-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	6/23/1994	WH3-94623-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	8/23/1994	WH3-94823-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	12/20/1994	WH3-94D20-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	3/6/1995	WH3-95306A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	3/6/1995	WH3-95306L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	5/26/1995	WH3-95526A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-3	5/26/1995	WH3-95526L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	9/14/1995	WH3-95914-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	12/19/1995	WH3-95D19-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	3/15/1996	WH3-96315-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	5/23/1996	WH3-96523-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	7/30/1996	WH3-96730-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	12/2/1996	WH3-96D02-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	3/5/1997	WH3-97305-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	5/19/1997	WH3-97519-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	8/18/1997	WH3-97818-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	12/19/1997	WH3-97D19-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	3/5/1998	WH3-98305-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	5/15/1998	WH3-98515-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	8/25/1998	WH3-98825-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	3/8/1999	WH3-99308-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	6/11/1999	WH3-99611-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	8/16/1999	WH3-99816-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	12/4/1999	WH3-98D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-3	12/8/1999	WH3-99D08-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-3	3/6/2000	WH3-00306-	<0.026 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.026 U	<0.026 U	<0.10 U	<0.026 U	<0.026 U
MW-3	5/18/2000	WH3-00518-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-3	9/7/2000	WH3-00907-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-3	12/4/2000	WH3-00D04-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-3	2/15/2001	WH3-01215-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-3	5/30/2001	WH3-01530-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-3	8/13/2001	WH3-01813-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-3	12/7/2001	WH3-01D07-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-3	2/26/2002	WH3-02226-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-3	5/16/2002	WH3-02516-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-3	8/30/2002	WH3-02830-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-3	11/26/2002	WH3-02N26-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-3	2/14/2003	WH3-03214-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-3	5/15/2003	WH3-03515-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-3	8/6/2003	WH3-03806-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-4	5/26/1987	WH4-87526			<0.11						<0.05	
MW-4	11/25/1987	WH4-87N25			<0.1						<0.05	
MW-4	3/14/1988	WH4-88314			<0.1						<0.05	
MW-4	5/26/1988	WH4-88526			<0.1						<0.05	
MW-4	9/1/1988	WH4-88901Q			<0.1						<0.05	
MW-4	9/1/1988	WH4-88901S			<0.1						<0.05	
MW-4	11/17/1988	WH4-88N17Q			<0.1						<0.05	
MW-4	2/17/1989	WH4-89217Q			<0.1						<0.05	
MW-4	6/16/1989	WH4-89616Q			<0.1						<0.05	
MW-4	9/12/1989	WH4-89912Q			<0.1						<0.05	
MW-4	12/6/1989	WH4-89D06Q			<0.1						<0.05	
MW-4	3/13/1990	WH4-90313Q			<0.1						<0.05	
MW-4	5/17/1990	WH4-90517Q			<0.1						<0.05	
MW-4	8/27/1990	WH4-90827-			<0.1						<0.05	
MW-4	12/12/1990	WH4-90D12-			<0.1						<0.05	
MW-4	2/22/1991	WH4-91222-			<0.1						<0.05	
MW-4	6/19/1991	WH4-91619-			<0.1						<0.05	
MW-4	9/18/1991	WH4-91918-			<0.1						<0.05	
MW-4	11/15/1991	WH4-91N15R			<0.1						<0.05	
MW-4	12/16/1991	WH4-91D16-			<0.1						<0.05	
MW-4	3/18/1992	WH4-92318-			<0.1						<0.05	
MW-4	6/23/1992	WH4-92623-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-4	9/21/1992	WH4-92921-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-4	12/22/1992	WH4-92D22-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-4	3/29/1993	WH4-93329-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	6/16/1993	WH4-93616-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	9/16/1993	WH4-93916-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	12/22/1993	WH4-93D22-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	3/18/1994	WH4-94318-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	6/23/1994	WH4-94623-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	8/24/1994	WH4-94824-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	12/20/1994	WH4-94D20-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	3/2/1995	WH4-95302-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	5/26/1995	WH4-95526A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-4	5/26/1995	WH4-95526L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	9/15/1995	WH4-95915-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	12/18/1995	WH4-95D18-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	3/15/1996	WH4-96315-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	5/24/1996	WH4-96524-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	7/31/1996	WH4-96731-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	12/3/1996	WH4-96D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	3/5/1997	WH4-97305-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	5/21/1997	WH4-97521-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	8/20/1997	WH4-97820-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	12/3/1997	WH4-97D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	3/5/1998	WH4-98305-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	5/15/1998	WH4-98515-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	8/26/1998	WH4-98826-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	3/8/1999	WH4-99308-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	6/10/1999	WH4-99610-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	8/18/1999	WH4-99818-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	12/4/1999	WH4-98D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	12/7/1999	WH4-99D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-4	3/6/2000	WH4-00306-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-4	5/18/2000	WH4-00518-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-4	9/6/2000	WH4-00906-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-4	12/5/2000	WH4-00D05-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-4	2/14/2001	WH4-01214-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-4	5/31/2001	WH4-01531-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-4	8/13/2001	WH4-01813-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-4	12/10/2001	WH4-01D10-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-4	2/27/2002	WH4-02227-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-4	5/16/2002	WH4-02516-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-4	9/16/2002	WH4-02916-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-4	11/22/2002	WH4-02N22-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-4	2/13/2003	WH4-03213-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-4	5/15/2003	WH4-03515-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-4	8/7/2003	WH4-03807-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-5	6/9/1987	WH5-87609			<0.1						<0.05	
MW-6	12/8/1987	WH6-87D08			<0.1						<0.05	
MW-6	3/8/1988	WH6-88308			<0.1						<0.05	
MW-6	6/1/1988	WH6-88601			<0.1						<0.05	
MW-6	9/7/1988	WH6-88907Q			<0.1						<0.05	
MW-6	11/21/1988	WH6-88N21Q			<0.1						<0.05	
MW-6	3/21/1989	WH6-89321Q			<0.1						<0.05	
MW-6	6/23/1989	WH6-89623Q			<0.1						<0.05	
MW-6	9/6/1989	WH6-89906Q			<0.1						<0.05	
MW-6	11/27/1989	WH6-89N27			<0.1						<0.05	
MW-6	11/27/1989	WH6-89N27Q			<0.1						<0.05	
MW-6	3/13/1990	WH6-90313Q			<0.1						<0.05	
MW-6	5/21/1990	WH6-90521Q			<0.1						<0.05	
MW-6	8/27/1990	WH6-90827-			<0.1						<0.05	
MW-6	12/14/1990	WH6-90D14-			<0.1						<0.05	
MW-6	2/25/1991	WH6-91225-			<0.1						<0.05	
MW-6	6/13/1991	WH6-91613-			<0.1						<0.05	
MW-6	9/13/1991	WH6-91913-			<0.1						<0.05	
MW-6	12/13/1991	WH6-91D13-			<0.1						<0.05	
MW-6	3/20/1992	WH6-92320-			<0.1						<0.05	
MW-6	6/25/1992	WH6-92625-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-6	9/23/1992	WH6-92923-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-6	12/23/1992	WH6-92D23-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	3/23/1993	WH6-93323-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	6/16/1993	WH6-93616-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	9/17/1993	WH6-93917-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	12/27/1993	WH6-93D27-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	3/17/1994	WH6-94317-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	6/24/1994	WH6-94624-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	8/24/1994	WH6-94824-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	12/21/1994	WH6-94D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	3/6/1995	WH6-95306A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	3/6/1995	WH6-95306L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	5/26/1995	WH6-95526A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-6	5/26/1995	WH6-95526L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	9/21/1995	WH6-95921-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-6	12/18/1995	WH6-95D18-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	3/18/1996	WH6-96318-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	5/24/1996	WH6-96524-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	8/5/1996	WH6-96805-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	12/3/1996	WH6-96D03-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	3/7/1997	WH6-97307-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	5/22/1997	WH6-97522-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	8/21/1997	WH6-97821-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	12/4/1997	WH6-97D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	3/10/1998	WH6-98310-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	5/21/1998	WH6-98521-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	8/31/1998	WH6-98831-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	3/9/1999	WH6-99309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	6/11/1999	WH6-99611-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	8/18/1999	WH6-99818-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	12/7/1999	WH6-98D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	12/7/1999	WH6-99D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-6	3/7/2000	WH6-00307-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-6	5/19/2000	WH6-00519-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-6	9/7/2000	WH6-00907-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-6	12/6/2000	WH6-00D06-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-6	2/14/2001	WH6-01214-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-6	5/29/2001	WH6-01529-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-6	8/14/2001	WH6-01814-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-6	12/10/2001	WH6-01D10-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-6	2/27/2002	WH6-02227-	<0.023 U	<0.093 U	<0.093 U	<0.19 U	<9.3 U	<0.023 U	<0.023 U	<0.093 U	<0.023 U	<0.023 U
MW-6	5/20/2002	WH6-02520-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-6	9/3/2002	WH6-02903-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-6	11/22/2002	WH6-02N22-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-6	2/12/2003	WH6-03213-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-6	5/15/2003	WH6-03515-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-6	8/7/2003	WH6-03807-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-7	6/2/1987	WH7-87602			<0.1						<0.05	
MW-7	12/23/1987	WH7-87D23			<0.1						<0.05	
MW-7	3/10/1988	WH7-88310			<0.1						<0.05	
MW-7	3/10/1988	WH7-88310S			<0.1						<0.05	
MW-7	5/31/1988	WH7-88531			<0.1						<0.05	
MW-7	9/1/1988	WH7-88901Q			<0.1						<0.05	
MW-7	11/17/1988	WH7-88N17Q			<0.1						<0.05	
MW-7	3/28/1989	WH7-89328Q			<0.1						<0.05	

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-7	6/7/1989	WH7-89607Q			<0.1						<0.05	
MW-7	9/14/1989	WH7-89914Q			<0.1						<0.05	
MW-7	12/7/1989	WH7-89D07Q			<0.1						<0.05	
MW-7	3/13/1990	WH7-90313Q			<0.1						<0.05	
MW-7	5/21/1990	WH7-90521Q			<0.1						<0.05	
MW-7	8/29/1990	WH7-90829-			<0.1						<0.05	
MW-7	12/12/1990	WH7-90D12-			<0.1						<0.05	
MW-7	3/5/1991	WH7-91305-			<0.1						<0.05	
MW-7	6/11/1991	WH7-91611-			<0.1						<0.05	
MW-7	9/12/1991	WH7-91912-			<0.1						<0.05	
MW-7	12/16/1991	WH7-91D16-			<0.1						<0.05	
MW-7	3/19/1992	WH7-92319-			<0.1						<0.05	
MW-7	6/24/1992	WH7-92624-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-7	9/25/1992	WH7-92925-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-7	12/23/1992	WH7-92D23-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	3/26/1993	WH7-93326-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	6/23/1993	WH7-93622-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	9/23/1993	WH7-93923-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	12/27/1993	WH7-93D27-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	3/18/1994	WH7-94318-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	6/28/1994	WH7-94628-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	8/24/1994	WH7-94824-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	12/21/1994	WH7-94D21-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	3/3/1995	WH7-95303-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	5/25/1995	WH7-95525A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-7	5/25/1995	WH7-95525L	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	9/20/1995	WH7-95920-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	12/20/1995	WH7-95D20-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	3/19/1996	WH7-96319-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	5/24/1996	WH7-96524-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	7/29/1996	WH7-96729-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	12/4/1996	WH7-96D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	3/6/1997	WH7-97306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	5/21/1997	WH7-97521-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	8/19/1997	WH7-97819-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	12/5/1997	WH7-97D05-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	3/6/1998	WH7-98306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	5/19/1998	WH7-98519-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	8/25/1998	WH7-98825-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	3/8/1999	WH7-99308-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-7	6/10/1999	WH7-99610-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	8/17/1999	WH7-99817-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	12/7/1999	WH7-98D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	12/7/1999	WH7-99D07-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-7	3/7/2000	WH7-00306-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-7	5/17/2000	WH7-00517-	<0.025 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.025 U	<0.025 U	<0.098 U	<0.025 U	<0.025 U
MW-7	9/7/2000	WH7-00907-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-7	12/1/2000	WH7-00D01-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-7	2/14/2001	WH7-01214-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-7	5/29/2001	WH7-01529-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-7	8/13/2001	WH7-01813-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-7	12/10/2001	WH7-01D10-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-7	2/26/2002	WH7-02226-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-7	5/17/2002	WH7-02517-	<0.024 U	<0.096 U	<0.096 U	<0.19 U	<9.6 U	<0.024 U	<0.024 U	<0.096 U	<0.024 U	<0.024 U
MW-7	8/29/2002	WH7-02829-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-7	11/21/2002	WH7-02N21-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-7	2/12/2003	WH7-03212-	<0.024 U	<0.095 U	<0.095 U	<0.19 U	<9.5 U	<0.024 U	<0.024 U	<0.095 U	<0.024 U	<0.024 U
MW-7	5/13/2003	WH7-03516-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-7	8/7/2003	WH7-03807-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-8	6/11/1987	WH8-87611			<0.1						<0.05	
MW-9	12/14/1987	WH9-87D14			<0.1						<0.05	
MW-9	3/17/1988	WH9-88317			<0.1						<0.05	
MW-9	6/9/1988	WH9-88609			<0.1						<0.05	
MW-9	9/6/1988	WH9-88906Q			<0.1						<0.05	
MW-9	11/28/1988	WH9-88N28Q			<0.1						<0.05	
MW-9	3/29/1989	WH9-89329Q			<0.1						<0.05	
MW-9	6/28/1989	WH9-89628Q			<0.1						<0.05	
MW-9	9/18/1989	WH9-89918Q			<0.1						<0.05	
MW-9	12/8/1989	WH9-89D08Q			<0.1						<0.05	
MW-9	3/14/1990	WH9-90314Q			<0.1						<0.05	
MW-9	5/18/1990	WH9-90518Q			<0.1						<0.05	
MW-9	8/27/1990	WH9-90827-			<0.1						<0.05	
MW-9	12/13/1990	WH9-90D13-			<0.1						<0.05	
MW-9	3/6/1991	WH9-91306-			<0.1						<0.05	
MW-9	6/26/1991	WH9-91626-			<0.1						<0.05	
MW-9	9/17/1991	WH9-91917-			<0.1						<0.05	
MW-9	12/17/1991	WH9-91D17-			<0.1						<0.05	
MW-9	3/20/1992	WH9-92320-			<0.1						<0.05	
MW-9	6/23/1992	WH9-92623-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U
MW-9	9/23/1992	WH9-92923-	<0.05 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.05 U	<0.05 U	<0.1 U	<0.04 U	<0.1 U

Site	Date	Sample ID	Aldrin (µg/L)	Dieldrin (µg/L)	Endrin (µg/L)	Endrin Aldehyde (µg/L)	Isodrin (µg/L)	Alpha BHC (µg/L)	Beta BHC (µg/L)	Delta BHC (µg/L)	Lindane (µg/L)	Alpha Chlordane (µg/L)
MW-9	12/23/1992	WH9-92D23-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	3/24/1993	WH9-93324-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	6/21/1993	WH9-93621-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	9/22/1993	WH9-93922-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	12/28/1993	WH9-93D28-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	3/16/1994	WH9-94316-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	6/24/1994	WH9-94624-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	8/25/1994	WH9-94825-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	12/19/1994	WH9-94D19-	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	3/8/1995	WH9-95308A	<0.025 U	<0.1 U	<0.05 U	<0.05 U	<0.5 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U	<0.025 U
MW-9	9/15/1995	WH9-95915-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	12/20/1995	WH9-95D20-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	3/19/1996	WH9-96319-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	5/28/1996	WH9-96528-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	8/1/1996	WH9-96801-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	12/4/1996	WH9-96D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	3/6/1997	WH9-97306-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	5/16/1997	WH9-97516-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	8/18/1997	WH9-97818-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	12/4/1997	WH9-97D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	3/9/1998	WH9-98309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	5/18/1998	WH9-98518-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	8/24/1998	WH9-98824-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	3/9/1999	WH9-99309-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	6/14/1999	WH9-99614-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	8/17/1999	WH9-99817-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	12/4/1999	WH9-98D04-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	12/8/1999	WH9-99D08-	<0.025 U	<0.1 U	<0.1 U	<0.2 U	<10 U	<0.025 U	<0.025 U	<0.1 U	<0.025 U	<0.025 U
MW-9	3/7/2000	WH9-00307-	<0.024 U	<0.098 U	<0.098 U	<0.20 U	<9.8 U	<0.024 U	<0.024 U	<0.098 U	<0.024 U	<0.024 U
MW-9	5/18/2000	WH9-00518-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-9	9/8/2000	WH9-00908-	<0.024 U	<0.094 U	<0.094 U	<0.19 U	<9.4 U	<0.024 U	<0.024 U	<0.094 U	<0.024 U	<0.024 U
MW-9	12/6/2000	WH9-00D06-	<0.025 U	<0.10 U	<0.10 U	<0.20 U	<10 U	<0.025 U	<0.025 U	<0.10 U	<0.025 U	<0.025 U
MW-9	2/14/2001	WH9-01214-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-9	5/29/2001	WH9-01529-	<0.025 U	<0.099 U	<0.099 U	<0.20 U	<9.9 U	<0.025 U	<0.025 U	<0.099 U	<0.025 U	<0.025 U
MW-9	8/10/2001	WH9-01810-	<0.024 U	<0.097 U	<0.097 U	<0.19 U	<9.7 U	<0.024 U	<0.024 U	<0.097 U	<0.024 U	<0.024 U
MW-MILETTE	4/12/1989	WHM-89412Q			<0.1						<0.05	

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-1	5/18/1987	WH1-87518									<0.53	<1.1
MW-1	11/30/1987	WH1-87N30									<0.5	<1
MW-1	3/24/1988	WH1-88324									<0.5	<1
MW-1	5/31/1988	WH1-88531									<0.5	<1
MW-1	8/30/1988	WH1-88830Q									<0.5	<1
MW-1	12/29/1988	WH1-88D29Q									<0.5	<1
MW-1	3/28/1989	WH1-89328Q									<0.5	<1
MW-1	5/18/1989	WH1-89518Q									<0.5	<1
MW-1	9/14/1989	WH1-89914Q									<0.5	<1
MW-1	11/22/1989	WH1-89N22Q									<0.5	<1
MW-1	2/13/1990	WH1-90213Q									<0.5	<1
MW-1	5/17/1990	WH1-90517Q									<0.5	<1
MW-1	8/27/1990	WH1-90827-									<0.5	<1
MW-1	12/7/1990	WH1-90D07-									<0.5	<1
MW-1	2/25/1991	WH1-91225-									<0.5	<1
MW-1	6/12/1991	WH1-91612-									<0.5	<1
MW-1	9/11/1991	WH1-91911-									<0.5	<1
MW-1	12/16/1991	WH1-91D16-									<0.5	<1
MW-1	3/19/1992	WH1-92319-									<0.5	<1
MW-1	6/22/1992	WH1-92622-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-1	9/22/1992	WH1-92922-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-1	12/22/1992	WH1-92D22-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/24/1993	WH1-93324-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	6/18/1993	WH1-93618-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	9/17/1993	WH1-93917-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	12/21/1993	WH1-93D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/15/1994	WH1-94315-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	6/23/1994	WH1-94623-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	8/22/1994	WH1-94822-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	12/21/1994	WH1-94D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/7/1995	WH1-95307A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	5/25/1995	WH1-95525A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	5/25/1995	WH1-95525L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/15/1996	WH1-96315-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	5/23/1996	WH1-96523-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	7/29/1996	WH1-96729-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	12/2/1996	WH1-96D02-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/6/1997	WH1-97306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	5/19/1997	WH1-97519-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	8/19/1997	WH1-97819-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-1	12/3/1997	WH1-97D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/6/1998	WH1-98306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	5/15/1998	WH1-98515-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	8/25/1998	WH1-98825-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/8/1999	WH1-99308-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	6/10/1999	WH1-99610-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	8/17/1999	WH1-99817-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	12/7/1999	WH1-99D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-1	3/6/2000	WH1-00306-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-1	5/17/2000	WH1-00517-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	9/5/2000	WH1-00905-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	12/1/2000	WH1-00D01-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-1	2/13/2001	WH1-01213-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-1	5/25/2001	WH1-01525-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	8/13/2001	WH1-01813-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	12/10/2001	WH1-01D10-	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.47 U	<0.023 U	<0.023 U	<1.9 U	<2.3 U
MW-1	2/27/2002	WH1-02227-	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.47 U	<0.023 U	<0.023 U	<1.9 U	<2.3 U
MW-1	5/17/2002	WH1-02517-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	8/29/2002	WH1-02829-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	11/21/2002	WH1-02N21-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	2/13/2003	WH1-03213-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-1	5/16/2003	WH1-03516-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	8/6/2003	WH1003806-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-1	8/7/2003	WH1-03807-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	6/11/1987	WH1087611									<0.5	<1
MW-10	6/11/1987	WH1087611S									<0.5	<1
MW-10	12/9/1987	WH1087D09									<0.5	<1
MW-10	3/14/1988	WH1088314									<0.5	<1
MW-10	5/25/1988	WH1088525									<0.5	<1
MW-10	9/2/1988	WH1088902Q									<0.5	<1
MW-10	11/14/1988	WH1088N14Q									<0.5	<1
MW-10	3/6/1989	WH1089306Q									<0.5	<1
MW-10	6/23/1989	WH1089623Q									<0.5	<1
MW-10	9/14/1989	WH1089914Q									<0.5	<1
MW-10	2/13/1990	WH1090213Q									<0.5	<1
MW-10	5/21/1990	WH1090521Q									<0.5	<1
MW-10	8/29/1990	WH1090829-									<0.5	<1
MW-10	11/28/1990	WH1090N28-									<0.5	<1
MW-10	3/6/1991	WH1091306-									<0.5	<1
MW-10	6/19/1991	WH1091619-									<0.5	<1

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-10	9/18/1991	WH1091918-									<0.5	<1
MW-10	12/13/1991	WH1091D13-									<0.5	<1
MW-10	3/23/1992	WH1092323-									<0.5	<1
MW-10	6/29/1992	WH1092629-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-10	9/28/1992	WH1092928-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-10	12/23/1992	WH1092D23-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/26/1993	WH1093326-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	6/18/1993	WH1093618-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	9/23/1993	WH1093923-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/29/1993	WH1093D29-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/18/1994	WH1094318-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	6/28/1994	WH1094628-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	8/24/1994	WH1094824-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/21/1994	WH1094D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/8/1995	WH1095308A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	5/26/1995	WH1095526A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	5/26/1995	WH1095526L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	9/18/1995	WH1095918-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/20/1995	WH1095D20-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/18/1996	WH1096318-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	5/24/1996	WH1096524-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	7/31/1996	WH1096731-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/3/1996	WH1096D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/7/1997	WH1097307-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	5/16/1997	WH1097516-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	8/20/1997	WH1097820-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/4/1997	WH1097D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/10/1998	WH1098310-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	5/19/1998	WH1098519-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	8/26/1998	WH1098826-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/9/1999	WH1099309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	6/11/1999	WH1099611-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	8/18/1999	WH1099818-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/7/1999	WH1098D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	12/7/1999	WH1099D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-10	3/7/2000	WH1000307-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	5/19/2000	WH1000519-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	9/5/2000	WH1000905-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	12/11/2000	WH1000D11-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	2/13/2001	WH1001213-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-10	5/31/2001	WH1001531-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	8/14/2001	WH1001814-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	12/11/2001	WH1001D11-	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.47 U	<0.023 U	<0.023 U	<1.9 U	<2.3 U
MW-10	2/27/2002	WH1002227-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	5/17/2002	WH1002517-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	8/30/2002	WH1002830-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-10	11/22/2002	WH1002N22-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	2/13/2003	WH1003213-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	5/15/2003	WH1003515-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-10	5/15/2003	WH1103515-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	11/24/1987	WH1187N24									<0.5	<1
MW-11	3/15/1988	WH1188315									<0.5	<1
MW-11	6/8/1988	WH1188608									<0.5	<1
MW-11	9/9/1988	WH1188909Q									<0.5	<1
MW-11	11/29/1988	WH1188N29Q									<0.5	<1
MW-11	2/21/1989	WH1189221Q									<0.5	<1
MW-11	6/26/1989	WH1189626Q									<0.5	<1
MW-11	9/19/1989	WH1189919Q									<0.5	<1
MW-11	12/8/1989	WH1189D08Q									<0.5	<1
MW-11	3/9/1990	WH1190309Q									<0.5	<1
MW-11	5/18/1990	WH1190518Q									<0.5	<1
MW-11	8/28/1990	WH1190828-									<0.5	<1
MW-11	12/13/1990	WH1190D13-									<0.5	<1
MW-11	2/22/1991	WH1191222-									<0.5	<1
MW-11	6/10/1991	WH1191610-									<0.5	<1
MW-11	9/10/1991	WH1191910-									<0.5	<1
MW-11	11/15/1991	WH1191N15R									<0.5	<1
MW-11	12/13/1991	WH1191D13-									<0.5	<1
MW-11	3/17/1992	WH1192317-	<0.1	<0.05	<0.05	<0.1	<0.05	<0.5	<0.05	<1	<2	<2.5
MW-11	6/25/1992	WH1192625-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-11	9/23/1992	WH1192923-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-11	12/21/1992	WH1192D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/29/1993	WH1193329-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	6/21/1993	WH1193621-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	9/24/1993	WH1193924-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/28/1993	WH1193D28-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/16/1994	WH1194316-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	6/24/1994	WH1194624-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	8/25/1994	WH1194825-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/19/1994	WH1194D19-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-11	3/8/1995	WH1195308A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	5/31/1995	WH1195531A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	5/31/1995	WH1195531L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	9/20/1995	WH1195920-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/19/1995	WH1195D19-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/15/1996	WH1196315-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	5/28/1996	WH1196528-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	8/5/1996	WH1196805-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/5/1996	WH1196D05-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/6/1997	WH1197306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	5/20/1997	WH1197520-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	8/20/1997	WH1197820-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/3/1997	WH1197D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/9/1998	WH1198309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	5/18/1998	WH1198518-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	8/26/1998	WH1198826-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/9/1999	WH1199309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	6/14/1999	WH1199614-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	8/17/1999	WH1199817-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/4/1999	WH1198D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/4/1999	WH1-98D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	12/8/1999	WH1199D08-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-11	3/3/2000	WH1100303-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-11	5/18/2000	WH1100518-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	9/7/2000	WH1100907-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	12/5/2000	WH1100D05-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-11	2/16/2001	WH1101216-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	5/29/2001	WH1101529-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	8/14/2001	WH1101814-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	12/6/2001	WH1101D06-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-11	2/26/2002	WH1102226-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	5/20/2002	WH1102520-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	8/30/2002	WH1102830-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	11/22/2002	WH1102N22-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	2/13/2003	WH1103213-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-11	8/7/2003	WH1103807-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	11/23/1987	WH1887N23									<0.5	<1
MW-18	3/10/1988	WH1888310									<0.5	<1
MW-18	5/25/1988	WH1888525									<0.5	<1
MW-18	9/7/1988	WH1888907Q									<0.5	<1

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-18	11/18/1988	WH1888N18Q									<0.5	<1
MW-18	3/6/1989	WH1889306Q									<0.5	<1
MW-18	6/28/1989	WH1889628Q									<0.5	<1
MW-18	9/12/1989	WH1889912Q									<0.5	<1
MW-18	12/11/1989	WH1889D11Q									<0.5	<1
MW-18	3/14/1990	WH1890314Q									<0.5	<1
MW-18	5/21/1990	WH1890521Q									<0.5	<1
MW-18	8/30/1990	WH1890830-									<0.5	<1
MW-18	12/14/1990	WH1890D14-									<0.5	<1
MW-18	3/5/1991	WH1891305-									<0.5	<1
MW-18	6/11/1991	WH1891611-									<0.5	<1
MW-18	9/13/1991	WH1891913-									<0.5	<1
MW-18	12/13/1991	WH1891D13-									<0.5	<1
MW-18	3/23/1992	WH1892323-									<0.5	<1
MW-18	6/29/1992	WH1892629-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-18	9/28/1992	WH1892928-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-18	12/28/1992	WH1892D28-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/26/1993	WH1893326-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	6/18/1993	WH1893618-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	9/20/1993	WH1893920-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/21/1993	WH1893D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/18/1994	WH1894318-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	6/28/1994	WH1894628-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	8/25/1994	WH1894825-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/16/1994	WH1894D16-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/8/1995	WH1895308A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	5/31/1995	WH1895531A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	5/31/1995	WH1895531L	<0.1 OU	<0.1 OU	<0.1 OU	<0.1 OU	<0.1 OU	<0.5 OU	<0.025 OU	<0.025 OU	<2 OU	<2.5 OU
MW-18	9/19/1995	WH1895919-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/20/1995	WH1895D20-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/20/1996	WH1896320-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	5/29/1996	WH1896529-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	8/6/1996	WH1896806-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/4/1996	WH1896D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/7/1997	WH1897307-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	5/22/1997	WH1897522-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	8/20/1997	WH1897820-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/4/1997	WH1897D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/25/1998	WH1898325-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	5/20/1998	WH1898520-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-18	8/26/1998	WH1898826-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/8/1998	WH1898D08-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/9/1999	WH1899309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	6/15/1999	WH1899615-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	8/17/1999	WH1899817-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	12/7/1999	WH1899D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-18	3/3/2000	WH1800303-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-18	5/19/2000	WH1800519-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.51 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-18	9/5/2000	WH1800905-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	12/6/2000	WH1800D06-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-18	2/15/2001	WH1801215-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-18	5/25/2001	WH1801525-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	8/14/2001	WH1801814-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	12/6/2001	WH1801D06-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	2/26/2002	WH1802226-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	5/20/2002	WH1802520-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-18	8/29/2002	WH1802829-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	11/21/2002	WH1802N21-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	2/12/2003	WH1803212-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	5/15/2003	WH1803515-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-18	8/7/2003	WH1803807-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-25	12/12/2001	WH2501D12-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-25	2/27/2002	WH2502227-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-25	9/4/2002	WH2502904-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-25	11/27/2002	WH2502N27-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-25	2/14/2003	WH2503214-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.51 U	<0.026 U	<0.026 U	<2.0 U	<2.6 U
MW-25	5/16/2003	WH2503516-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-25	8/12/2003	WH2503812-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	10/28/1986	WH3-86O28	<0.1	<0.1	<0.1		<0.1	<0.1	<0.05	<0.05	<0.5	<1
MW-3	5/28/1987	WH3-87528									<0.5	<5
MW-3	12/21/1987	WH3-87D21									<0.5	<1
MW-3	3/21/1988	WH3-88321									<0.5	<1
MW-3	5/26/1988	WH3-88526									<0.5	<1
MW-3	9/2/1988	WH3-88902Q									<0.5	<1
MW-3	11/22/1988	WH3-88N22Q									<0.5	<1
MW-3	2/17/1989	WH3-89217Q									<0.5	<1
MW-3	6/9/1989	WH3-89609Q									<0.5	<1
MW-3	9/6/1989	WH3-89906Q									<0.5	<1
MW-3	12/7/1989	WH3-89D07Q									<0.5	<1
MW-3	2/13/1990	WH3-90213Q									<0.5	<1

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-3	5/17/1990	WH3-90517Q									<0.5	<1
MW-3	8/24/1990	WH3-90824-									<0.5	<1
MW-3	11/13/1990	WH3-90N13-									<0.5	<1
MW-3	2/21/1991	WH3-91221-									<0.5	<1
MW-3	6/25/1991	WH3-91625-									<0.5	<1
MW-3	9/20/1991	WH3-91920-									<0.5	<1
MW-3	12/17/1991	WH3-91D17-									<0.5	<1
MW-3	3/18/1992	WH3-92318-									<0.5	<1
MW-3	6/23/1992	WH3-92623-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-3	9/21/1992	WH3-92921-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-3	12/22/1992	WH3-92D22-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/23/1993	WH3-93323-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	6/17/1993	WH3-93617-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	9/23/1993	WH3-93923-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/22/1993	WH3-93D22-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/14/1994	WH3-94314-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	6/23/1994	WH3-94623-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	8/23/1994	WH3-94823-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/20/1994	WH3-94D20-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/6/1995	WH3-95306A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/6/1995	WH3-95306L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	5/26/1995	WH3-95526A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	5/26/1995	WH3-95526L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	9/14/1995	WH3-95914-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/19/1995	WH3-95D19-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/15/1996	WH3-96315-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	5/23/1996	WH3-96523-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	7/30/1996	WH3-96730-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/2/1996	WH3-96D02-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/5/1997	WH3-97305-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	5/19/1997	WH3-97519-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	8/18/1997	WH3-97818-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/19/1997	WH3-97D19-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/5/1998	WH3-98305-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	5/15/1998	WH3-98515-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	8/25/1998	WH3-98825-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/8/1999	WH3-99308-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	6/11/1999	WH3-99611-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	8/16/1999	WH3-99816-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	12/4/1999	WH3-98D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-3	12/8/1999	WH3-99D08-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-3	3/6/2000	WH3-00306-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.51 U	<0.026 U	<0.026 U	<2.0 U	<2.6 U
MW-3	5/18/2000	WH3-00518-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	9/7/2000	WH3-00907-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	12/4/2000	WH3-00D04-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	2/15/2001	WH3-01215-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	5/30/2001	WH3-01530-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	8/13/2001	WH3-01813-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	12/7/2001	WH3-01D07-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	2/26/2002	WH3-02226-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	5/16/2002	WH3-02516-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	8/30/2002	WH3-02830-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	11/26/2002	WH3-02N26-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	2/14/2003	WH3-03214-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-3	5/15/2003	WH3-03515-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-3	8/6/2003	WH3-03806-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	5/26/1987	WH4-87526									<0.55	<1.1
MW-4	11/25/1987	WH4-87N25									<0.5	<1
MW-4	3/14/1988	WH4-88314									<0.5	<1
MW-4	5/26/1988	WH4-88526									<0.5	<1
MW-4	9/1/1988	WH4-88901Q									<0.5	<1
MW-4	9/1/1988	WH4-88901S									<0.5	<1
MW-4	11/17/1988	WH4-88N17Q									<0.5	<1
MW-4	2/17/1989	WH4-89217Q									<0.5	<1
MW-4	6/16/1989	WH4-89616Q									<0.5	<1
MW-4	9/12/1989	WH4-89912Q									<0.5	<1
MW-4	12/6/1989	WH4-89D06Q									<0.5	<1
MW-4	3/13/1990	WH4-90313Q									<0.5	<1
MW-4	5/17/1990	WH4-90517Q									<0.5	<1
MW-4	8/27/1990	WH4-90827-									<0.5	<1
MW-4	12/12/1990	WH4-90D12-									<0.5	<1
MW-4	2/22/1991	WH4-91222-									<0.5	<1
MW-4	6/19/1991	WH4-91619-									<0.5	<1
MW-4	9/18/1991	WH4-91918-									<0.5	<1
MW-4	11/15/1991	WH4-91N15R									<0.5	<1
MW-4	12/16/1991	WH4-91D16-									<0.5	<1
MW-4	3/18/1992	WH4-92318-									<0.5	<1
MW-4	6/23/1992	WH4-92623-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-4	9/21/1992	WH4-92921-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-4	12/22/1992	WH4-92D22-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-4	3/29/1993	WH4-93329-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	6/16/1993	WH4-93616-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	9/16/1993	WH4-93916-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/22/1993	WH4-93D22-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/18/1994	WH4-94318-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	6/23/1994	WH4-94623-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	8/24/1994	WH4-94824-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/20/1994	WH4-94D20-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/2/1995	WH4-95302-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	5/26/1995	WH4-95526A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	5/26/1995	WH4-95526L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	9/15/1995	WH4-95915-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/18/1995	WH4-95D18-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/15/1996	WH4-96315-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	5/24/1996	WH4-96524-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	7/31/1996	WH4-96731-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/3/1996	WH4-96D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/5/1997	WH4-97305-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	5/21/1997	WH4-97521-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	8/20/1997	WH4-97820-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/3/1997	WH4-97D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/5/1998	WH4-98305-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	5/15/1998	WH4-98515-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	8/26/1998	WH4-98826-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/8/1999	WH4-99308-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	6/10/1999	WH4-99610-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	8/18/1999	WH4-99818-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/4/1999	WH4-98D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	12/7/1999	WH4-99D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-4	3/6/2000	WH4-00306-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	5/18/2000	WH4-00518-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-4	9/6/2000	WH4-00906-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	12/5/2000	WH4-00D05-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-4	2/14/2001	WH4-01214-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-4	5/31/2001	WH4-01531-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	8/13/2001	WH4-01813-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	12/10/2001	WH4-01D10-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	2/27/2002	WH4-02227-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	5/16/2002	WH4-02516-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	9/16/2002	WH4-02916-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-4	11/22/2002	WH4-02N22-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	2/13/2003	WH4-03213-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-4	5/15/2003	WH4-03515-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-4	8/7/2003	WH4-03807-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-5	6/9/1987	WH5-87609									<0.5	<1
MW-6	12/8/1987	WH6-87D08									<0.5	<1
MW-6	3/8/1988	WH6-88308									<0.5	<1
MW-6	6/1/1988	WH6-88601									<0.5	<1
MW-6	9/7/1988	WH6-88907Q									<0.5	<1
MW-6	11/21/1988	WH6-88N21Q									<0.5	<1
MW-6	3/21/1989	WH6-89321Q									<0.5	<1
MW-6	6/23/1989	WH6-89623Q									<0.5	<1
MW-6	9/6/1989	WH6-89906Q									<0.5	<1
MW-6	11/27/1989	WH6-89N27									<0.5	<1
MW-6	11/27/1989	WH6-89N27Q									<0.5	<1
MW-6	3/13/1990	WH6-90313Q									<0.5	<1
MW-6	5/21/1990	WH6-90521Q									<0.5	<1
MW-6	8/27/1990	WH6-90827-									<0.5	<1
MW-6	12/14/1990	WH6-90D14-									<0.5	<1
MW-6	2/25/1991	WH6-91225-									<0.5	<1
MW-6	6/13/1991	WH6-91613-									<0.5	<1
MW-6	9/13/1991	WH6-91913-									<0.5	<1
MW-6	12/13/1991	WH6-91D13-									<0.5	<1
MW-6	3/20/1992	WH6-92320-									<0.5	<1
MW-6	6/25/1992	WH6-92625-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-6	9/23/1992	WH6-92923-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-6	12/23/1992	WH6-92D23-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/23/1993	WH6-93323-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	6/16/1993	WH6-93616-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	9/17/1993	WH6-93917-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/27/1993	WH6-93D27-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/17/1994	WH6-94317-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	6/24/1994	WH6-94624-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	8/24/1994	WH6-94824-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/21/1994	WH6-94D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/6/1995	WH6-95306A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/6/1995	WH6-95306L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	5/26/1995	WH6-95526A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	5/26/1995	WH6-95526L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	9/21/1995	WH6-95921-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-6	12/18/1995	WH6-95D18-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/18/1996	WH6-96318-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	5/24/1996	WH6-96524-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	8/5/1996	WH6-96805-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/3/1996	WH6-96D03-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/7/1997	WH6-97307-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	5/22/1997	WH6-97522-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	8/21/1997	WH6-97821-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/4/1997	WH6-97D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/10/1998	WH6-98310-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	5/21/1998	WH6-98521-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	8/31/1998	WH6-98831-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/9/1999	WH6-99309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	6/11/1999	WH6-99611-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	8/18/1999	WH6-99818-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/7/1999	WH6-98D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	12/7/1999	WH6-99D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-6	3/7/2000	WH6-00307-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-6	5/19/2000	WH6-00519-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-6	9/7/2000	WH6-00907-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	12/6/2000	WH6-00D06-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-6	2/14/2001	WH6-01214-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	5/29/2001	WH6-01529-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	8/14/2001	WH6-01814-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	12/10/2001	WH6-01D10-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	2/27/2002	WH6-02227-	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.093 U	<0.47 U	<0.023 U	<0.023 U	<1.9 U	<2.3 U
MW-6	5/20/2002	WH6-02520-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	9/3/2002	WH6-02903-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	11/22/2002	WH6-02N22-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	2/12/2003	WH6-03213-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	5/15/2003	WH6-03515-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-6	8/7/2003	WH6-03807-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	6/2/1987	WH7-87602									<0.5	<1
MW-7	12/23/1987	WH7-87D23									<0.5	<1
MW-7	3/10/1988	WH7-88310									<0.5	<1
MW-7	3/10/1988	WH7-88310S									<0.5	<1
MW-7	5/31/1988	WH7-88531									<0.5	<1
MW-7	9/1/1988	WH7-88901Q									<0.5	<1
MW-7	11/17/1988	WH7-88N17Q									<0.5	<1
MW-7	3/28/1989	WH7-89328Q									<0.5	<1

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-7	6/7/1989	WH7-89607Q									<0.5	<1
MW-7	9/14/1989	WH7-89914Q									<0.5	<1
MW-7	12/7/1989	WH7-89D07Q									<0.5	<1
MW-7	3/13/1990	WH7-90313Q									<0.5	<1
MW-7	5/21/1990	WH7-90521Q									<0.5	<1
MW-7	8/29/1990	WH7-90829-									<0.5	<1
MW-7	12/12/1990	WH7-90D12-									<0.5	<1
MW-7	3/5/1991	WH7-91305-									<0.5	<1
MW-7	6/11/1991	WH7-91611-									<0.5	<1
MW-7	9/12/1991	WH7-91912-									<0.5	<1
MW-7	12/16/1991	WH7-91D16-									<0.5	<1
MW-7	3/19/1992	WH7-92319-									<0.5	<1
MW-7	6/24/1992	WH7-92624-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-7	9/25/1992	WH7-92925-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-7	12/23/1992	WH7-92D23-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/26/1993	WH7-93326-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	6/23/1993	WH7-93622-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	9/23/1993	WH7-93923-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/27/1993	WH7-93D27-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/18/1994	WH7-94318-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	6/28/1994	WH7-94628-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	8/24/1994	WH7-94824-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/21/1994	WH7-94D21-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/3/1995	WH7-95303-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	5/25/1995	WH7-95525A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	5/25/1995	WH7-95525L	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	9/20/1995	WH7-95920-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/20/1995	WH7-95D20-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/19/1996	WH7-96319-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	5/24/1996	WH7-96524-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	7/29/1996	WH7-96729-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/4/1996	WH7-96D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/6/1997	WH7-97306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	5/21/1997	WH7-97521-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	8/19/1997	WH7-97819-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/5/1997	WH7-97D05-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/6/1998	WH7-98306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	5/19/1998	WH7-98519-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	8/25/1998	WH7-98825-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/8/1999	WH7-99308-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-7	6/10/1999	WH7-99610-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	8/17/1999	WH7-99817-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/7/1999	WH7-98D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	12/7/1999	WH7-99D07-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-7	3/7/2000	WH7-00306-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	5/17/2000	WH7-00517-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-7	9/7/2000	WH7-00907-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	12/1/2000	WH7-00D01-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-7	2/14/2001	WH7-01214-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	5/29/2001	WH7-01529-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	8/13/2001	WH7-01813-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	12/10/2001	WH7-01D10-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	2/26/2002	WH7-02226-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	5/17/2002	WH7-02517-	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.096 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	8/29/2002	WH7-02829-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	11/21/2002	WH7-02N21-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	2/12/2003	WH7-03212-	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.095 U	<0.48 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	5/13/2003	WH7-03516-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-7	8/7/2003	WH7-03807-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-8	6/11/1987	WH8-87611									<0.5	<1
MW-9	12/14/1987	WH9-87D14									<0.5	<1
MW-9	3/17/1988	WH9-88317									<0.5	<1
MW-9	6/9/1988	WH9-88609									<0.5	<1
MW-9	9/6/1988	WH9-88906Q									<0.5	<1
MW-9	11/28/1988	WH9-88N28Q									<0.5	<1
MW-9	3/29/1989	WH9-89329Q									<0.5	<1
MW-9	6/28/1989	WH9-89628Q									<0.5	<1
MW-9	9/18/1989	WH9-89918Q									<0.5	<1
MW-9	12/8/1989	WH9-89D08Q									<0.5	<1
MW-9	3/14/1990	WH9-90314Q									<0.5	<1
MW-9	5/18/1990	WH9-90518Q									<0.5	<1
MW-9	8/27/1990	WH9-90827-									<0.5	<1
MW-9	12/13/1990	WH9-90D13-									<0.5	<1
MW-9	3/6/1991	WH9-91306-									<0.5	<1
MW-9	6/26/1991	WH9-91626-									<0.5	<1
MW-9	9/17/1991	WH9-91917-									<0.5	<1
MW-9	12/17/1991	WH9-91D17-									<0.5	<1
MW-9	3/20/1992	WH9-92320-									<0.5	<1
MW-9	6/23/1992	WH9-92623-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U
MW-9	9/23/1992	WH9-92923-	<0.1 U	<0.05 U	<0.05 U	<0.1 U	<0.05 U	<0.5 U	<0.05 U	<1 U	<2 U	<2.5 U

Site	Date	Sample ID	4,4'-DDD (µg/L)	4,4'-DDE (µg/L)	4,4'-DDT (µg/L)	Endo-sulfan I (µg/L)	Endo-sulfan II (µg/L)	Endo-sulfan (µg/L)	Heptachlor (µg/L)	Heptachlor Epoxide (µg/L)	Methoxy-chlor (µg/L)	Toxaphene (µg/L)
MW-9	12/23/1992	WH9-92D23-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/24/1993	WH9-93324-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	6/21/1993	WH9-93621-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	9/22/1993	WH9-93922-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/28/1993	WH9-93D28-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/16/1994	WH9-94316-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	6/24/1994	WH9-94624-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	8/25/1994	WH9-94825-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/19/1994	WH9-94D19-	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/8/1995	WH9-95308A	<0.1 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	9/15/1995	WH9-95915-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/20/1995	WH9-95D20-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/19/1996	WH9-96319-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	5/28/1996	WH9-96528-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	8/1/1996	WH9-96801-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/4/1996	WH9-96D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/6/1997	WH9-97306-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	5/16/1997	WH9-97516-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	8/18/1997	WH9-97818-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/4/1997	WH9-97D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/9/1998	WH9-98309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	5/18/1998	WH9-98518-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	8/24/1998	WH9-98824-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/9/1999	WH9-99309-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	6/14/1999	WH9-99614-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	8/17/1999	WH9-99817-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/4/1999	WH9-98D04-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	12/8/1999	WH9-99D08-	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.1 U	<0.5 U	<0.025 U	<0.025 U	<2 U	<2.5 U
MW-9	3/7/2000	WH9-00307-	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.098 U	<0.49 U	<0.024 U	<0.024 U	<2.0 U	<2.4 U
MW-9	5/18/2000	WH9-00518-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-9	9/8/2000	WH9-00908-	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.094 U	<0.47 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-9	12/6/2000	WH9-00D06-	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.10 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-9	2/14/2001	WH9-01214-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-9	5/29/2001	WH9-01529-	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.099 U	<0.50 U	<0.025 U	<0.025 U	<2.0 U	<2.5 U
MW-9	8/10/2001	WH9-01810-	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.097 U	<0.49 U	<0.024 U	<0.024 U	<1.9 U	<2.4 U
MW-MILETTE	4/12/1989	WHM-89412Q									<0.5	<1

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-1	5/18/1987	WH1-87518								<0.5		<0.5
MW-1	11/30/1987	WH1-87N30								<0.5		<0.5
MW-1	3/24/1988	WH1-88324								<0.5		<0.5
MW-1	5/31/1988	WH1-88531								<0.5		<0.5
MW-1	8/30/1988	WH1-88830Q								<0.5		<0.5
MW-1	12/29/1988	WH1-88D29Q								<0.5		<0.5
MW-1	3/28/1989	WH1-89328Q								<0.5		<0.5
MW-1	5/18/1989	WH1-89518Q								<0.5		<0.5
MW-1	9/14/1989	WH1-89914Q								<0.5		<0.5
MW-1	11/22/1989	WH1-89N22Q								<0.5		<0.5
MW-1	2/13/1990	WH1-90213Q								<0.5		<0.5
MW-1	5/17/1990	WH1-90517Q								<10		<10
MW-1	8/27/1990	WH1-90827-								<10		<10
MW-1	12/7/1990	WH1-90D07-								<10	<10	
MW-1	2/25/1991	WH1-91225-								<10	<10	
MW-1	6/12/1991	WH1-91612-								<10	<10	
MW-1	9/11/1991	WH1-91911-								<10		<10
MW-1	12/16/1991	WH1-91D16-								<10		<10
MW-1	3/19/1992	WH1-92319-								<10		<10
MW-1	6/22/1992	WH1-92622-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-1	9/22/1992	WH1-92922-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-1	12/22/1992	WH1-92D22-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	3/24/1993	WH1-93324-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	6/18/1993	WH1-93618-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	9/17/1993	WH1-93917-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	12/21/1993	WH1-93D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	3/15/1994	WH1-94315-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	6/23/1994	WH1-94623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	8/22/1994	WH1-94822-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	12/21/1994	WH1-94D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	3/7/1995	WH1-95307A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-1	5/25/1995	WH1-95525A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-1	5/25/1995	WH1-95525L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	3/15/1996	WH1-96315-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	5/23/1996	WH1-96523-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	7/29/1996	WH1-96729-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	12/2/1996	WH1-96D02-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	3/6/1997	WH1-97306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	5/19/1997	WH1-97519-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	8/19/1997	WH1-97819-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-1	12/3/1997	WH1-97D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	3/6/1998	WH1-98306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	5/15/1998	WH1-98515-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	8/25/1998	WH1-98825-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	3/8/1999	WH1-99308-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	6/10/1999	WH1-99610-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	8/17/1999	WH1-99817-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	12/7/1999	WH1-99D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-1	3/6/2000	WH1-00306-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	5/17/2000	WH1-00517-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	9/5/2000	WH1-00905-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-1	12/1/2000	WH1-00D01-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	2/13/2001	WH1-01213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	5/25/2001	WH1-01525-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	8/13/2001	WH1-01813-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	12/10/2001	WH1-01D10-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-1	2/27/2002	WH1-02227-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-1	5/17/2002	WH1-02517-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	8/29/2002	WH1-02829-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	11/21/2002	WH1-02N21-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	2/13/2003	WH1-03213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	5/16/2003	WH1-03516-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	8/6/2003	WH1003806-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-1	8/7/2003	WH1-03807-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	6/11/1987	WH1087611								<0.5		<0.5
MW-10	6/11/1987	WH1087611S								<0.5		<0.5
MW-10	12/9/1987	WH1087D09								<0.5		<0.5
MW-10	3/14/1988	WH1088314								<0.5		<0.5
MW-10	5/25/1988	WH1088525								<0.5		<0.5
MW-10	9/2/1988	WH1088902Q								<0.5		<0.5
MW-10	11/14/1988	WH1088N14Q								<0.5		<0.5
MW-10	3/6/1989	WH1089306Q								<0.5		<0.5
MW-10	6/23/1989	WH1089623Q								<0.5		<0.5
MW-10	9/14/1989	WH1089914Q								<0.5		<0.5
MW-10	2/13/1990	WH1090213Q								<0.5		<0.5
MW-10	5/21/1990	WH1090521Q								<10		<10
MW-10	8/29/1990	WH1090829-								<10		<10
MW-10	11/28/1990	WH1090N28-								<10		<10
MW-10	3/6/1991	WH1091306-								<10	<10	
MW-10	6/19/1991	WH1091619-								<10	<10	

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-10	9/18/1991	WH1091918-								<10		<10
MW-10	12/13/1991	WH1091D13-								<10		<10
MW-10	3/23/1992	WH1092323-								<10		<10
MW-10	6/29/1992	WH1092629-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-10	9/28/1992	WH1092928-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-10	12/23/1992	WH1092D23-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	3/26/1993	WH1093326-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	6/18/1993	WH1093618-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	9/23/1993	WH1093923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	12/29/1993	WH1093D29-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	3/18/1994	WH1094318-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	6/28/1994	WH1094628-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	8/24/1994	WH1094824-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	12/21/1994	WH1094D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	3/8/1995	WH1095308A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-10	5/26/1995	WH1095526A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-10	5/26/1995	WH1095526L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	9/18/1995	WH1095918-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 UB	<5 U	<2 U	<1 U
MW-10	12/20/1995	WH1095D20-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	3/18/1996	WH1096318-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	5/24/1996	WH1096524-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	7/31/1996	WH1096731-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	12/3/1996	WH1096D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	3/7/1997	WH1097307-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	5/16/1997	WH1097516-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	8/20/1997	WH1097820-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	12/4/1997	WH1097D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	3/10/1998	WH1098310-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	5/19/1998	WH1098519-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	8/26/1998	WH1098826-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	3/9/1999	WH1099309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	6/11/1999	WH1099611-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	8/18/1999	WH1099818-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	12/7/1999	WH1098D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	12/7/1999	WH1099D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-10	3/7/2000	WH1000307-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	5/19/2000	WH1000519-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	9/5/2000	WH1000905-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	12/11/2000	WH1000D11-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	2/13/2001	WH1001213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-10	5/31/2001	WH1001531-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	8/14/2001	WH1001814-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	12/11/2001	WH1001D11-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-10	2/27/2002	WH1002227-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	5/17/2002	WH1002517-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	8/30/2002	WH1002830-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	11/22/2002	WH1002N22-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	2/13/2003	WH1003213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	5/15/2003	WH1003515-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-10	5/15/2003	WH1103515-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	11/24/1987	WH1187N24								<0.5		<0.5
MW-11	3/15/1988	WH1188315								<0.5		<0.5
MW-11	6/8/1988	WH1188608								<0.5		<0.5
MW-11	9/9/1988	WH1188909Q								<0.5		<0.5
MW-11	11/29/1988	WH1188N29Q								<0.5		<0.5
MW-11	2/21/1989	WH1189221Q								<0.5		1.2
MW-11	6/26/1989	WH1189626Q								<0.5		<0.5
MW-11	9/19/1989	WH1189919Q								<0.5		<0.5
MW-11	12/8/1989	WH1189D08Q								<0.5		<0.5
MW-11	3/9/1990	WH1190309Q								<0.5		<0.5
MW-11	5/18/1990	WH1190518Q								<10		<10
MW-11	8/28/1990	WH1190828-								<10		<10
MW-11	12/13/1990	WH1190D13-								<10	<10	
MW-11	2/22/1991	WH1191222-								<10	<10	
MW-11	6/10/1991	WH1191610-								<10	<10	
MW-11	9/10/1991	WH1191910-								<10		<10
MW-11	11/15/1991	WH1191N15R								<10		<10
MW-11	12/13/1991	WH1191D13-								<10		<10
MW-11	3/17/1992	WH1192317-	<0.5	<1	<0.5	<0.5	<0.5	<1	<1	<10		<2
MW-11	6/25/1992	WH1192625-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-11	9/23/1992	WH1192923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-11	12/21/1992	WH1192D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	3/29/1993	WH1193329-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	6/21/1993	WH1193621-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	9/24/1993	WH1193924-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	12/28/1993	WH1193D28-	<0.5 U	<1 U	<0.5 UM	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	3/16/1994	WH1194316-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	6/24/1994	WH1194624-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	8/25/1994	WH1194825-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	12/19/1994	WH1194D19-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-11	3/8/1995	WH1195308A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-11	5/31/1995	WH1195531A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-11	5/31/1995	WH1195531L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	9/20/1995	WH1195920-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/19/1995	WH1195D19-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	3/15/1996	WH1196315-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	5/28/1996	WH1196528-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	8/5/1996	WH1196805-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/5/1996	WH1196D05-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	3/6/1997	WH1197306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	5/20/1997	WH1197520-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	8/20/1997	WH1197820-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/3/1997	WH1197D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	3/9/1998	WH1198309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	5/18/1998	WH1198518-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	8/26/1998	WH1198826-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	3/9/1999	WH1199309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	6/14/1999	WH1199614-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	8/17/1999	WH1199817-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/4/1999	WH1198D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/4/1999	WH1-98D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	12/8/1999	WH1199D08-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-11	3/3/2000	WH1100303-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	5/18/2000	WH1100518-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	9/7/2000	WH1100907-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-11	12/5/2000	WH1100D05-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	2/16/2001	WH1101216-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	5/29/2001	WH1101529-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	8/14/2001	WH1101814-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	12/6/2001	WH1101D06-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	2/26/2002	WH1102226-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-11	5/20/2002	WH1102520-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	8/30/2002	WH1102830-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	11/22/2002	WH1102N22-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-11	2/13/2003	WH1103213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-11	8/7/2003	WH1103807-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	11/23/1987	WH1887N23								<0.5		<0.5
MW-18	3/10/1988	WH1888310								<0.5		<0.5
MW-18	5/25/1988	WH1888525								<0.5		<0.5
MW-18	9/7/1988	WH1888907Q								<0.5		<0.5

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-18	11/18/1988	WH1888N18Q								<0.5		<0.5
MW-18	3/6/1989	WH1889306Q								<0.5		<0.5
MW-18	6/28/1989	WH1889628Q								<0.5		<0.5
MW-18	9/12/1989	WH1889912Q								<0.5		<0.5
MW-18	12/11/1989	WH1889D11Q								<0.5		<0.5
MW-18	3/14/1990	WH1890314Q								<0.5		<0.5
MW-18	5/21/1990	WH1890521Q								<10		<10
MW-18	8/30/1990	WH1890830-								<10		<10
MW-18	12/14/1990	WH1890D14-								<10	<10	
MW-18	3/5/1991	WH1891305-								<10	<10	
MW-18	6/11/1991	WH1891611-								<10	<10	
MW-18	9/13/1991	WH1891913-								<10		<10
MW-18	12/13/1991	WH1891D13-								<10		<10
MW-18	3/23/1992	WH1892323-								<10		<10
MW-18	6/29/1992	WH1892629-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-18	9/28/1992	WH1892928-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-18	12/28/1992	WH1892D28-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	3/26/1993	WH1893326-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	6/18/1993	WH1893618-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	9/20/1993	WH1893920-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	12/21/1993	WH1893D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	3/18/1994	WH1894318-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	6/28/1994	WH1894628-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	8/25/1994	WH1894825-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	12/16/1994	WH1894D16-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	3/8/1995	WH1895308A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-18	5/31/1995	WH1895531A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-18	5/31/1995	WH1895531L	<0.01 OU	<0.01 OU	<0.01 OU	<0.01 OU	<0.01 OU	<0.01 OU	<0.01 OU	<5 U	<2 U	<1 U
MW-18	9/19/1995	WH1895919-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 UB	<5 U	<2 U	<1 U
MW-18	12/20/1995	WH1895D20-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	3/20/1996	WH1896320-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	5/29/1996	WH1896529-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	8/6/1996	WH1896806-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	12/4/1996	WH1896D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	3/7/1997	WH1897307-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	5/22/1997	WH1897522-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	8/20/1997	WH1897820-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	12/4/1997	WH1897D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	3/25/1998	WH1898325-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	5/20/1998	WH1898520-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-18	8/26/1998	WH1898826-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	12/8/1998	WH1898D08-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	3/9/1999	WH1899309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	6/15/1999	WH1899615-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	8/17/1999	WH1899817-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	12/7/1999	WH1899D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-18	3/3/2000	WH1800303-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	5/19/2000	WH1800519-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	9/5/2000	WH1800905-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	12/6/2000	WH1800D06-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	2/15/2001	WH1801215-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	5/25/2001	WH1801525-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	8/14/2001	WH1801814-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	12/6/2001	WH1801D06-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	2/26/2002	WH1802226-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	5/20/2002	WH1802520-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	8/29/2002	WH1802829-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	11/21/2002	WH1802N21-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-18	2/12/2003	WH1803212-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	5/15/2003	WH1803515-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-18	8/7/2003	WH1803807-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	12/12/2001	WH2501D12-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	2/27/2002	WH2502227-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-25	9/4/2002	WH2502904-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	11/27/2002	WH2502N27-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	2/14/2003	WH2503214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	5/16/2003	WH2503516-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-25	8/12/2003	WH2503812-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	10/28/1986	WH3-86O28	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.551		<0.167
MW-3	5/28/1987	WH3-87528								<0.5		<0.5
MW-3	12/21/1987	WH3-87D21								<0.5		<0.5
MW-3	3/21/1988	WH3-88321								<0.5		<0.5
MW-3	5/26/1988	WH3-88526								<0.5		<0.5
MW-3	9/2/1988	WH3-88902Q								<0.5		<0.5
MW-3	11/22/1988	WH3-88N22Q								<0.5		<0.5
MW-3	2/17/1989	WH3-89217Q								<0.5		<0.5
MW-3	6/9/1989	WH3-89609Q								<0.5		<0.5
MW-3	9/6/1989	WH3-89906Q								<0.5		<0.5
MW-3	12/7/1989	WH3-89D07Q								<0.5		<0.5
MW-3	2/13/1990	WH3-90213Q								<0.5		<0.5

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-3	5/17/1990	WH3-90517Q								<10		<10
MW-3	8/24/1990	WH3-90824-								<10		<10
MW-3	11/13/1990	WH3-90N13-								<10		<10
MW-3	2/21/1991	WH3-91221-								<10	<10	
MW-3	6/25/1991	WH3-91625-								<10	<10	
MW-3	9/20/1991	WH3-91920-								<10		<10
MW-3	12/17/1991	WH3-91D17-								<10		<10
MW-3	3/18/1992	WH3-92318-								<10		<10
MW-3	6/23/1992	WH3-92623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-3	9/21/1992	WH3-92921-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-3	12/22/1992	WH3-92D22-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	3/23/1993	WH3-93323-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	6/17/1993	WH3-93617-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	9/23/1993	WH3-93923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	12/22/1993	WH3-93D22-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	3/14/1994	WH3-94314-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	6/23/1994	WH3-94623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	8/23/1994	WH3-94823-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	12/20/1994	WH3-94D20-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	3/6/1995	WH3-95306A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-3	3/6/1995	WH3-95306L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	5/26/1995	WH3-95526A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-3	5/26/1995	WH3-95526L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	9/14/1995	WH3-95914-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 UB	<5 U	<2 U	<1 U
MW-3	12/19/1995	WH3-95D19-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	3/15/1996	WH3-96315-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	5/23/1996	WH3-96523-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	7/30/1996	WH3-96730-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	12/2/1996	WH3-96D02-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	3/5/1997	WH3-97305-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	5/19/1997	WH3-97519-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	8/18/1997	WH3-97818-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	12/19/1997	WH3-97D19-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	3/5/1998	WH3-98305-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	5/15/1998	WH3-98515-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	8/25/1998	WH3-98825-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	3/8/1999	WH3-99308-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	6/11/1999	WH3-99611-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	8/16/1999	WH3-99816-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	12/4/1999	WH3-98D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-3	12/8/1999	WH3-99D08-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-3	3/6/2000	WH3-00306-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	5/18/2000	WH3-00518-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	9/7/2000	WH3-00907-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-3	12/4/2000	WH3-00D04-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	2/15/2001	WH3-01215-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	5/30/2001	WH3-01530-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	8/13/2001	WH3-01813-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5 U	<2 U	<1 U
MW-3	12/7/2001	WH3-01D07-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	2/26/2002	WH3-02226-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	5/16/2002	WH3-02516-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	8/30/2002	WH3-02830-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	11/26/2002	WH3-02N26-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	2/14/2003	WH3-03214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	5/15/2003	WH3-03515-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-3	8/6/2003	WH3-03806-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	5/26/1987	WH4-87526								<0.5		0.59
MW-4	11/25/1987	WH4-87N25								<0.5		<0.5
MW-4	3/14/1988	WH4-88314								<0.5		<0.5
MW-4	5/26/1988	WH4-88526								<0.5		<0.5
MW-4	9/1/1988	WH4-88901Q								<0.5		<0.5
MW-4	9/1/1988	WH4-88901S								<0.5		<0.5
MW-4	11/17/1988	WH4-88N17Q								<0.5		<0.5
MW-4	2/17/1989	WH4-89217Q								<0.5		<0.5
MW-4	6/16/1989	WH4-89616Q								<0.5		<0.5
MW-4	9/12/1989	WH4-89912Q								<0.5		<0.5
MW-4	12/6/1989	WH4-89D06Q								<0.5		<0.5
MW-4	3/13/1990	WH4-90313Q								<0.5		<0.5
MW-4	5/17/1990	WH4-90517Q								<10		<10
MW-4	8/27/1990	WH4-90827-								<10		<10
MW-4	12/12/1990	WH4-90D12-								<10	<10	
MW-4	2/22/1991	WH4-91222-								<10	<10	
MW-4	6/19/1991	WH4-91619-								<10	<10	
MW-4	9/18/1991	WH4-91918-								<10		<10
MW-4	11/15/1991	WH4-91N15R								<10		<10
MW-4	12/16/1991	WH4-91D16-								<10		<10
MW-4	3/18/1992	WH4-92318-								<10		<10
MW-4	6/23/1992	WH4-92623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-4	9/21/1992	WH4-92921-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-4	12/22/1992	WH4-92D22-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-4	3/29/1993	WH4-93329-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	6/16/1993	WH4-93616-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	9/16/1993	WH4-93916-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	12/22/1993	WH4-93D22-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	3/18/1994	WH4-94318-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	6/23/1994	WH4-94623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	8/24/1994	WH4-94824-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	12/20/1994	WH4-94D20-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	3/2/1995	WH4-95302-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-4	5/26/1995	WH4-95526A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-4	5/26/1995	WH4-95526L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	9/15/1995	WH4-95915-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 UB	<5 U	<2 U	<1 U
MW-4	12/18/1995	WH4-95D18-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	3/15/1996	WH4-96315-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	5/24/1996	WH4-96524-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	7/31/1996	WH4-96731-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	12/3/1996	WH4-96D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	3/5/1997	WH4-97305-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	5/21/1997	WH4-97521-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	8/20/1997	WH4-97820-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	12/3/1997	WH4-97D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	3/5/1998	WH4-98305-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	5/15/1998	WH4-98515-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	8/26/1998	WH4-98826-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	3/8/1999	WH4-99308-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	6/10/1999	WH4-99610-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	8/18/1999	WH4-99818-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	12/4/1999	WH4-98D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	12/7/1999	WH4-99D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	3/6/2000	WH4-00306-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	5/18/2000	WH4-00518-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	9/6/2000	WH4-00906-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	12/5/2000	WH4-00D05-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	2/14/2001	WH4-01214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	5/31/2001	WH4-01531-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	8/13/2001	WH4-01813-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-4	12/10/2001	WH4-01D10-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	2/27/2002	WH4-02227-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-4	5/16/2002	WH4-02516-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	9/16/2002	WH4-02916-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-4	11/22/2002	WH4-02N22-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-4	2/13/2003	WH4-03213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	5/15/2003	WH4-03515-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-4	8/7/2003	WH4-03807-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-5	6/9/1987	WH5-87609								<0.5		<0.5
MW-6	12/8/1987	WH6-87D08								<0.5		<0.5
MW-6	3/8/1988	WH6-88308								<0.5		<0.5
MW-6	6/1/1988	WH6-88601								<0.5		<0.5
MW-6	9/7/1988	WH6-88907Q								<0.5		<0.5
MW-6	11/21/1988	WH6-88N21Q								<0.5		<0.5
MW-6	3/21/1989	WH6-89321Q								<0.5		<0.5
MW-6	6/23/1989	WH6-89623Q								<0.5		<0.5
MW-6	9/6/1989	WH6-89906Q								<0.5		<0.5
MW-6	11/27/1989	WH6-89N27								<0.5		<0.5
MW-6	11/27/1989	WH6-89N27Q								<0.5		<0.5
MW-6	3/13/1990	WH6-90313Q								<0.5		<0.5
MW-6	5/21/1990	WH6-90521Q								<10		<10
MW-6	8/27/1990	WH6-90827-								<10		<10
MW-6	12/14/1990	WH6-90D14-								<10	<10	
MW-6	2/25/1991	WH6-91225-								<10	<10	
MW-6	6/13/1991	WH6-91613-								<10	<10	
MW-6	9/13/1991	WH6-91913-								<10		<10
MW-6	12/13/1991	WH6-91D13-								<10		<10
MW-6	3/20/1992	WH6-92320-								<10		<10
MW-6	6/25/1992	WH6-92625-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-6	9/23/1992	WH6-92923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-6	12/23/1992	WH6-92D23-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	3/23/1993	WH6-93323-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	6/16/1993	WH6-93616-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	9/17/1993	WH6-93917-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	12/27/1993	WH6-93D27-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	3/17/1994	WH6-94317-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	6/24/1994	WH6-94624-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	8/24/1994	WH6-94824-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	12/21/1994	WH6-94D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	3/6/1995	WH6-95306A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-6	3/6/1995	WH6-95306L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	5/26/1995	WH6-95526A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-6	5/26/1995	WH6-95526L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	9/21/1995	WH6-95921-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-6	12/18/1995	WH6-95D18-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	3/18/1996	WH6-96318-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	5/24/1996	WH6-96524-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	8/5/1996	WH6-96805-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	12/3/1996	WH6-96D03-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	3/7/1997	WH6-97307-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	5/22/1997	WH6-97522-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	8/21/1997	WH6-97821-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	12/4/1997	WH6-97D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	3/10/1998	WH6-98310-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	5/21/1998	WH6-98521-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	8/31/1998	WH6-98831-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	3/9/1999	WH6-99309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	6/11/1999	WH6-99611-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	8/18/1999	WH6-99818-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	12/7/1999	WH6-98D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	12/7/1999	WH6-99D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-6	3/7/2000	WH6-00307-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	5/19/2000	WH6-00519-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	9/7/2000	WH6-00907-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-6	12/6/2000	WH6-00D06-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	2/14/2001	WH6-01214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	5/29/2001	WH6-01529-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	8/14/2001	WH6-01814-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	12/10/2001	WH6-01D10-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	2/27/2002	WH6-02227-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-6	5/20/2002	WH6-02520-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-6	9/3/2002	WH6-02903-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	11/22/2002	WH6-02N22-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	2/12/2003	WH6-03213-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	5/15/2003	WH6-03515-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-6	8/7/2003	WH6-03807-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	6/2/1987	WH7-87602								<0.5		<0.5
MW-7	12/23/1987	WH7-87D23								<0.5		<0.5
MW-7	3/10/1988	WH7-88310								<0.5		<0.5
MW-7	3/10/1988	WH7-88310S								<0.5		<0.5
MW-7	5/31/1988	WH7-88531								<0.5		<0.5
MW-7	9/1/1988	WH7-88901Q								<0.5		<0.5
MW-7	11/17/1988	WH7-88N17Q								<0.5		<0.5
MW-7	3/28/1989	WH7-89328Q								<0.5		<0.5

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-7	6/7/1989	WH7-89607Q								<0.5		<0.5
MW-7	9/14/1989	WH7-89914Q								<0.5		<0.5
MW-7	12/7/1989	WH7-89D07Q								<0.5		<0.5
MW-7	3/13/1990	WH7-90313Q								<0.5		<0.5
MW-7	5/21/1990	WH7-90521Q								<10		<10
MW-7	8/29/1990	WH7-90829-								<10		<10
MW-7	12/12/1990	WH7-90D12-								<10	<10	
MW-7	3/5/1991	WH7-91305-								<10	<10	
MW-7	6/11/1991	WH7-91611-								<10	<10	
MW-7	9/12/1991	WH7-91912-								<10		<10
MW-7	12/16/1991	WH7-91D16-								<10		<10
MW-7	3/19/1992	WH7-92319-								<10		<10
MW-7	6/24/1992	WH7-92624-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-7	9/25/1992	WH7-92925-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-7	12/23/1992	WH7-92D23-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	3/26/1993	WH7-93326-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	6/23/1993	WH7-93622-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	9/23/1993	WH7-93923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	12/27/1993	WH7-93D27-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	3/18/1994	WH7-94318-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	6/28/1994	WH7-94628-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	8/24/1994	WH7-94824-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	12/21/1994	WH7-94D21-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	3/3/1995	WH7-95303-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-7	5/25/1995	WH7-95525A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U	<2 U	<1 U
MW-7	5/25/1995	WH7-95525L	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	9/20/1995	WH7-95920-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	12/20/1995	WH7-95D20-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	3/19/1996	WH7-96319-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	5/24/1996	WH7-96524-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	7/29/1996	WH7-96729-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	12/4/1996	WH7-96D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	3/6/1997	WH7-97306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	5/21/1997	WH7-97521-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	8/19/1997	WH7-97819-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	12/5/1997	WH7-97D05-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	3/6/1998	WH7-98306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	5/19/1998	WH7-98519-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	8/25/1998	WH7-98825-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	3/8/1999	WH7-99308-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-7	6/10/1999	WH7-99610-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	8/17/1999	WH7-99817-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 UO	<2 UO	<1 UO
MW-7	12/7/1999	WH7-98D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	12/7/1999	WH7-99D07-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-7	3/7/2000	WH7-00306-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-7	5/17/2000	WH7-00517-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	9/7/2000	WH7-00907-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-7	12/1/2000	WH7-00D01-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	2/14/2001	WH7-01214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	5/29/2001	WH7-01529-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	8/13/2001	WH7-01813-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	12/10/2001	WH7-01D10-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-7	2/26/2002	WH7-02226-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	5/17/2002	WH7-02517-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	8/29/2002	WH7-02829-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	11/21/2002	WH7-02N21-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	2/12/2003	WH7-03212-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	5/13/2003	WH7-03516-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-7	8/7/2003	WH7-03807-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-8	6/11/1987	WH8-87611								<0.5		<0.5
MW-9	12/14/1987	WH9-87D14								<0.5		<0.5
MW-9	3/17/1988	WH9-88317								<0.5		<0.5
MW-9	6/9/1988	WH9-88609								<0.5		<0.5
MW-9	9/6/1988	WH9-88906Q								<0.5		<0.5
MW-9	11/28/1988	WH9-88N28Q								<0.5		<0.5
MW-9	3/29/1989	WH9-89329Q								<0.5		<0.5
MW-9	6/28/1989	WH9-89628Q								<0.5		<0.5
MW-9	9/18/1989	WH9-89918Q								<0.5		<0.5
MW-9	12/8/1989	WH9-89D08Q								<0.5		<0.5
MW-9	3/14/1990	WH9-90314Q								<0.5		<0.5
MW-9	5/18/1990	WH9-90518Q								<10		<10
MW-9	8/27/1990	WH9-90827-								<10		<10
MW-9	12/13/1990	WH9-90D13-								<10	<10	
MW-9	3/6/1991	WH9-91306-								<10	<10	
MW-9	6/26/1991	WH9-91626-								<10	<10	
MW-9	9/17/1991	WH9-91917-								<10		<10
MW-9	12/17/1991	WH9-91D17-								<10		<10
MW-9	3/20/1992	WH9-92320-								<10		<10
MW-9	6/23/1992	WH9-92623-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U
MW-9	9/23/1992	WH9-92923-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<1 U	<1 U	<10 U		<2 U

Site	Date	Sample ID	Aroclor 1016 (µg/L)	Aroclor 1221 (µg/L)	Aroclor 1232 (µg/L)	Aroclor 1242 (µg/L)	Aroclor 1248 (µg/L)	Aroclor 1254 (µg/L)	Aroclor 1260 (µg/L)	2,4-D (µg/L)	2,4,5-T (µg/L)	2,4,5-TP (µg/L)
MW-9	12/23/1992	WH9-92D23-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	3/24/1993	WH9-93324-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	6/21/1993	WH9-93621-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	9/22/1993	WH9-93922-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	12/28/1993	WH9-93D28-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	3/16/1994	WH9-94316-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	6/24/1994	WH9-94624-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	8/25/1994	WH9-94825-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	12/19/1994	WH9-94D19-	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	3/8/1995	WH9-95308A	<0.5 U	<1 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<0.5 U	<5 U		<1 U
MW-9	9/15/1995	WH9-95915-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 UB	<5 U	<2 U	<1 U
MW-9	12/20/1995	WH9-95D20-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	3/19/1996	WH9-96319-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	5/28/1996	WH9-96528-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	8/1/1996	WH9-96801-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	12/4/1996	WH9-96D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	3/6/1997	WH9-97306-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	5/16/1997	WH9-97516-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	8/18/1997	WH9-97818-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	12/4/1997	WH9-97D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	3/9/1998	WH9-98309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	5/18/1998	WH9-98518-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	8/24/1998	WH9-98824-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	3/9/1999	WH9-99309-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	6/14/1999	WH9-99614-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	8/17/1999	WH9-99817-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	12/4/1999	WH9-98D04-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	12/8/1999	WH9-99D08-	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<0.01 U	<5 U	<2 U	<1 U
MW-9	3/7/2000	WH9-00307-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-9	5/18/2000	WH9-00518-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-9	9/8/2000	WH9-00908-	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<0.009 U	<5.0 U	<2.0 U	<1.0 U
MW-9	12/6/2000	WH9-00D06-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-9	2/14/2001	WH9-01214-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-9	5/29/2001	WH9-01529-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-9	8/10/2001	WH9-01810-	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<0.010 U	<5.0 U	<2.0 U	<1.0 U
MW-MILETTE	4/12/1989	WHM-89412Q								<0.5		<0.5

Site	Date	Sample ID	Dinoseb (µg/L)
MW-1	5/18/1987	WH1-87518	
MW-1	11/30/1987	WH1-87N30	
MW-1	3/24/1988	WH1-88324	
MW-1	5/31/1988	WH1-88531	
MW-1	8/30/1988	WH1-88830Q	
MW-1	12/29/1988	WH1-88D29Q	
MW-1	3/28/1989	WH1-89328Q	
MW-1	5/18/1989	WH1-89518Q	
MW-1	9/14/1989	WH1-89914Q	
MW-1	11/22/1989	WH1-89N22Q	
MW-1	2/13/1990	WH1-90213Q	
MW-1	5/17/1990	WH1-90517Q	
MW-1	8/27/1990	WH1-90827-	
MW-1	12/7/1990	WH1-90D07-	
MW-1	2/25/1991	WH1-91225-	
MW-1	6/12/1991	WH1-91612-	
MW-1	9/11/1991	WH1-91911-	
MW-1	12/16/1991	WH1-91D16-	
MW-1	3/19/1992	WH1-92319-	
MW-1	6/22/1992	WH1-92622-	<1 U
MW-1	9/22/1992	WH1-92922-	<1 U
MW-1	12/22/1992	WH1-92D22-	<1 U
MW-1	3/24/1993	WH1-93324-	<1 U
MW-1	6/18/1993	WH1-93618-	<1 U
MW-1	9/17/1993	WH1-93917-	<1 U
MW-1	12/21/1993	WH1-93D21-	<1 U
MW-1	3/15/1994	WH1-94315-	<1 U
MW-1	6/23/1994	WH1-94623-	<1 U
MW-1	8/22/1994	WH1-94822-	<1 U
MW-1	12/21/1994	WH1-94D21-	<1 U
MW-1	3/7/1995	WH1-95307A	<1 U
MW-1	5/25/1995	WH1-95525A	<1 U
MW-1	5/25/1995	WH1-95525L	<1 U
MW-1	3/15/1996	WH1-96315-	<1 U
MW-1	5/23/1996	WH1-96523-	<1 U
MW-1	7/29/1996	WH1-96729-	<1 U
MW-1	12/2/1996	WH1-96D02-	<1 U
MW-1	3/6/1997	WH1-97306-	<1 U
MW-1	5/19/1997	WH1-97519-	<1 U
MW-1	8/19/1997	WH1-97819-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-1	12/3/1997	WH1-97D03-	<1 U
MW-1	3/6/1998	WH1-98306-	<1 U
MW-1	5/15/1998	WH1-98515-	<1 U
MW-1	8/25/1998	WH1-98825-	<1 U
MW-1	3/8/1999	WH1-99308-	<1 U
MW-1	6/10/1999	WH1-99610-	<1 U
MW-1	8/17/1999	WH1-99817-	<1 U
MW-1	12/7/1999	WH1-99D07-	<1 U
MW-1	3/6/2000	WH1-00306-	<1.0 U
MW-1	5/17/2000	WH1-00517-	<1.0 U
MW-1	9/5/2000	WH1-00905-	<1.0 U
MW-1	12/1/2000	WH1-00D01-	<1.0 U
MW-1	2/13/2001	WH1-01213-	<1.0 U
MW-1	5/25/2001	WH1-01525-	<1.0 U
MW-1	8/13/2001	WH1-01813-	<1.0 U
MW-1	12/10/2001	WH1-01D10-	<1.0 U
MW-1	2/27/2002	WH1-02227-	<1.0 U
MW-1	5/17/2002	WH1-02517-	<1.0 U
MW-1	8/29/2002	WH1-02829-	<1.0 U
MW-1	11/21/2002	WH1-02N21-	<1.0 U
MW-1	2/13/2003	WH1-03213-	<1.0 U
MW-1	5/16/2003	WH1-03516-	<1.0 U
MW-1	8/6/2003	WH1003806-	<1.0 U
MW-1	8/7/2003	WH1-03807-	<1.0 U
MW-10	6/11/1987	WH1087611	
MW-10	6/11/1987	WH1087611S	
MW-10	12/9/1987	WH1087D09	
MW-10	3/14/1988	WH1088314	
MW-10	5/25/1988	WH1088525	
MW-10	9/2/1988	WH1088902Q	
MW-10	11/14/1988	WH1088N14Q	
MW-10	3/6/1989	WH1089306Q	
MW-10	6/23/1989	WH1089623Q	
MW-10	9/14/1989	WH1089914Q	
MW-10	2/13/1990	WH1090213Q	
MW-10	5/21/1990	WH1090521Q	
MW-10	8/29/1990	WH1090829-	
MW-10	11/28/1990	WH1090N28-	
MW-10	3/6/1991	WH1091306-	
MW-10	6/19/1991	WH1091619-	

Site	Date	Sample ID	Dinoseb (µg/L)
MW-10	9/18/1991	WH1091918-	
MW-10	12/13/1991	WH1091D13-	
MW-10	3/23/1992	WH1092323-	
MW-10	6/29/1992	WH1092629-	<1 U
MW-10	9/28/1992	WH1092928-	<1 U
MW-10	12/23/1992	WH1092D23-	<1 U
MW-10	3/26/1993	WH1093326-	<1 U
MW-10	6/18/1993	WH1093618-	<1 U
MW-10	9/23/1993	WH1093923-	<1 U
MW-10	12/29/1993	WH1093D29-	<1 U
MW-10	3/18/1994	WH1094318-	<1 U
MW-10	6/28/1994	WH1094628-	<1 U
MW-10	8/24/1994	WH1094824-	<1 U
MW-10	12/21/1994	WH1094D21-	<1 U
MW-10	3/8/1995	WH1095308A	<1 U
MW-10	5/26/1995	WH1095526A	<1 U
MW-10	5/26/1995	WH1095526L	<1 U
MW-10	9/18/1995	WH1095918-	<1 U
MW-10	12/20/1995	WH1095D20-	<1 U
MW-10	3/18/1996	WH1096318-	<1 U
MW-10	5/24/1996	WH1096524-	<1 U
MW-10	7/31/1996	WH1096731-	<1 U
MW-10	12/3/1996	WH1096D03-	<1 U
MW-10	3/7/1997	WH1097307-	<1 U
MW-10	5/16/1997	WH1097516-	<1 U
MW-10	8/20/1997	WH1097820-	<1 U
MW-10	12/4/1997	WH1097D04-	<1 U
MW-10	3/10/1998	WH1098310-	<1 U
MW-10	5/19/1998	WH1098519-	<1 U
MW-10	8/26/1998	WH1098826-	<1 U
MW-10	3/9/1999	WH1099309-	<1 U
MW-10	6/11/1999	WH1099611-	<1 U
MW-10	8/18/1999	WH1099818-	<1 U
MW-10	12/7/1999	WH1098D07-	<1 U
MW-10	12/7/1999	WH1099D07-	<1 U
MW-10	3/7/2000	WH1000307-	<1.0 U
MW-10	5/19/2000	WH1000519-	<1.0 U
MW-10	9/5/2000	WH1000905-	<1.0 U
MW-10	12/11/2000	WH1000D11-	<1.0 U
MW-10	2/13/2001	WH1001213-	<1.0 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-10	5/31/2001	WH1001531-	<1.0 U
MW-10	8/14/2001	WH1001814-	<1.0 U
MW-10	12/11/2001	WH1001D11-	<1.0 U
MW-10	2/27/2002	WH1002227-	<1.0 U
MW-10	5/17/2002	WH1002517-	<1.0 U
MW-10	8/30/2002	WH1002830-	<1.0 U
MW-10	11/22/2002	WH1002N22-	<1.0 U
MW-10	2/13/2003	WH1003213-	<1.0 U
MW-10	5/15/2003	WH1003515-	<1.0 U
MW-10	5/15/2003	WH1103515-	<1.0 U
MW-11	11/24/1987	WH1187N24	
MW-11	3/15/1988	WH1188315	
MW-11	6/8/1988	WH1188608	
MW-11	9/9/1988	WH1188909Q	
MW-11	11/29/1988	WH1188N29Q	
MW-11	2/21/1989	WH1189221Q	
MW-11	6/26/1989	WH1189626Q	
MW-11	9/19/1989	WH1189919Q	
MW-11	12/8/1989	WH1189D08Q	
MW-11	3/9/1990	WH1190309Q	
MW-11	5/18/1990	WH1190518Q	
MW-11	8/28/1990	WH1190828-	
MW-11	12/13/1990	WH1190D13-	
MW-11	2/22/1991	WH1191222-	
MW-11	6/10/1991	WH1191610-	
MW-11	9/10/1991	WH1191910-	
MW-11	11/15/1991	WH1191N15R	
MW-11	12/13/1991	WH1191D13-	
MW-11	3/17/1992	WH1192317-	<1
MW-11	6/25/1992	WH1192625-	<1 U
MW-11	9/23/1992	WH1192923-	<1 U
MW-11	12/21/1992	WH1192D21-	<1 U
MW-11	3/29/1993	WH1193329-	<1 U
MW-11	6/21/1993	WH1193621-	<1 U
MW-11	9/24/1993	WH1193924-	<1 U
MW-11	12/28/1993	WH1193D28-	<1 U
MW-11	3/16/1994	WH1194316-	<1 U
MW-11	6/24/1994	WH1194624-	<1 U
MW-11	8/25/1994	WH1194825-	<1 U
MW-11	12/19/1994	WH1194D19-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-11	3/8/1995	WH1195308A	<1 U
MW-11	5/31/1995	WH1195531A	<1 U
MW-11	5/31/1995	WH1195531L	<1 U
MW-11	9/20/1995	WH1195920-	<1 U
MW-11	12/19/1995	WH1195D19-	<1 U
MW-11	3/15/1996	WH1196315-	<1 U
MW-11	5/28/1996	WH1196528-	<1 U
MW-11	8/5/1996	WH1196805-	<1 U
MW-11	12/5/1996	WH1196D05-	<1 U
MW-11	3/6/1997	WH1197306-	<1 U
MW-11	5/20/1997	WH1197520-	<1 U
MW-11	8/20/1997	WH1197820-	<1 U
MW-11	12/3/1997	WH1197D03-	<1 U
MW-11	3/9/1998	WH1198309-	<1 U
MW-11	5/18/1998	WH1198518-	<1 U
MW-11	8/26/1998	WH1198826-	<1 U
MW-11	3/9/1999	WH1199309-	<1 U
MW-11	6/14/1999	WH1199614-	<1 U
MW-11	8/17/1999	WH1199817-	<1 U
MW-11	12/4/1999	WH1198D04-	<1 U
MW-11	12/4/1999	WH1-98D04-	<1 U
MW-11	12/8/1999	WH1199D08-	<1 U
MW-11	3/3/2000	WH1100303-	<1.0 U
MW-11	5/18/2000	WH1100518-	<1.0 U
MW-11	9/7/2000	WH1100907-	<1.0 U
MW-11	12/5/2000	WH1100D05-	<1.0 U
MW-11	2/16/2001	WH1101216-	<1.0 U
MW-11	5/29/2001	WH1101529-	<1.0 U
MW-11	8/14/2001	WH1101814-	<1.0 U
MW-11	12/6/2001	WH1101D06-	<1.0 U
MW-11	2/26/2002	WH1102226-	<1.0 U
MW-11	5/20/2002	WH1102520-	<1.0 U
MW-11	8/30/2002	WH1102830-	<1.0 U
MW-11	11/22/2002	WH1102N22-	<1.0 U
MW-11	2/13/2003	WH1103213-	<1.0 U
MW-11	8/7/2003	WH1103807-	<1.0 U
MW-18	11/23/1987	WH1887N23	
MW-18	3/10/1988	WH1888310	
MW-18	5/25/1988	WH1888525	
MW-18	9/7/1988	WH1888907Q	

Site	Date	Sample ID	Dinoseb (µg/L)
MW-18	11/18/1988	WH1888N18Q	
MW-18	3/6/1989	WH1889306Q	
MW-18	6/28/1989	WH1889628Q	
MW-18	9/12/1989	WH1889912Q	
MW-18	12/11/1989	WH1889D11Q	
MW-18	3/14/1990	WH1890314Q	
MW-18	5/21/1990	WH1890521Q	
MW-18	8/30/1990	WH1890830-	
MW-18	12/14/1990	WH1890D14-	
MW-18	3/5/1991	WH1891305-	
MW-18	6/11/1991	WH1891611-	
MW-18	9/13/1991	WH1891913-	
MW-18	12/13/1991	WH1891D13-	
MW-18	3/23/1992	WH1892323-	
MW-18	6/29/1992	WH1892629-	<1 U
MW-18	9/28/1992	WH1892928-	<1 U
MW-18	12/28/1992	WH1892D28-	<1 U
MW-18	3/26/1993	WH1893326-	<1 U
MW-18	6/18/1993	WH1893618-	<1 U
MW-18	9/20/1993	WH1893920-	<1 U
MW-18	12/21/1993	WH1893D21-	<1 U
MW-18	3/18/1994	WH1894318-	<1 U
MW-18	6/28/1994	WH1894628-	<1 U
MW-18	8/25/1994	WH1894825-	<1 U
MW-18	12/16/1994	WH1894D16-	<1 U
MW-18	3/8/1995	WH1895308A	<1 U
MW-18	5/31/1995	WH1895531A	<1 U
MW-18	5/31/1995	WH1895531L	<1 U
MW-18	9/19/1995	WH1895919-	<1 U
MW-18	12/20/1995	WH1895D20-	<1 U
MW-18	3/20/1996	WH1896320-	<1 U
MW-18	5/29/1996	WH1896529-	<1 U
MW-18	8/6/1996	WH1896806-	<1 U
MW-18	12/4/1996	WH1896D04-	<1 U
MW-18	3/7/1997	WH1897307-	<1 U
MW-18	5/22/1997	WH1897522-	<1 U
MW-18	8/20/1997	WH1897820-	<1 U
MW-18	12/4/1997	WH1897D04-	<1 U
MW-18	3/25/1998	WH1898325-	<1 U
MW-18	5/20/1998	WH1898520-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-18	8/26/1998	WH1898826-	<1 U
MW-18	12/8/1998	WH1898D08-	<1 U
MW-18	3/9/1999	WH1899309-	<1 U
MW-18	6/15/1999	WH1899615-	<1 U
MW-18	8/17/1999	WH1899817-	<1 U
MW-18	12/7/1999	WH1899D07-	<1 U
MW-18	3/3/2000	WH1800303-	<1.0 U
MW-18	5/19/2000	WH1800519-	<1.0 U
MW-18	9/5/2000	WH1800905-	<1.0 U
MW-18	12/6/2000	WH1800D06-	<1.0 U
MW-18	2/15/2001	WH1801215-	<1.0 U
MW-18	5/25/2001	WH1801525-	<1.0 U
MW-18	8/14/2001	WH1801814-	<1.0 U
MW-18	12/6/2001	WH1801D06-	<1.0 U
MW-18	2/26/2002	WH1802226-	<1.0 U
MW-18	5/20/2002	WH1802520-	<1.0 U
MW-18	8/29/2002	WH1802829-	<1.0 U
MW-18	11/21/2002	WH1802N21-	<1.0 U
MW-18	2/12/2003	WH1803212-	<1.0 U
MW-18	5/15/2003	WH1803515-	<1.0 U
MW-18	8/7/2003	WH1803807-	<1.0 U
MW-25	12/12/2001	WH2501D12-	<1.0 U
MW-25	2/27/2002	WH2502227-	<1.0 U
MW-25	9/4/2002	WH2502904-	<1.0 U
MW-25	11/27/2002	WH2502N27-	<1.0 U
MW-25	2/14/2003	WH2503214-	<1.0 U
MW-25	5/16/2003	WH2503516-	<1.0 U
MW-25	8/12/2003	WH2503812-	<1.0 U
MW-3	10/28/1986	WH3-86O28	
MW-3	5/28/1987	WH3-87528	
MW-3	12/21/1987	WH3-87D21	
MW-3	3/21/1988	WH3-88321	
MW-3	5/26/1988	WH3-88526	
MW-3	9/2/1988	WH3-88902Q	
MW-3	11/22/1988	WH3-88N22Q	
MW-3	2/17/1989	WH3-89217Q	
MW-3	6/9/1989	WH3-89609Q	
MW-3	9/6/1989	WH3-89906Q	
MW-3	12/7/1989	WH3-89D07Q	
MW-3	2/13/1990	WH3-90213Q	

Site	Date	Sample ID	Dinoseb (µg/L)
MW-3	5/17/1990	WH3-90517Q	
MW-3	8/24/1990	WH3-90824-	
MW-3	11/13/1990	WH3-90N13-	
MW-3	2/21/1991	WH3-91221-	
MW-3	6/25/1991	WH3-91625-	
MW-3	9/20/1991	WH3-91920-	
MW-3	12/17/1991	WH3-91D17-	
MW-3	3/18/1992	WH3-92318-	
MW-3	6/23/1992	WH3-92623-	<1 U
MW-3	9/21/1992	WH3-92921-	<1 U
MW-3	12/22/1992	WH3-92D22-	<1 U
MW-3	3/23/1993	WH3-93323-	<1 U
MW-3	6/17/1993	WH3-93617-	<1 U
MW-3	9/23/1993	WH3-93923-	<1 U
MW-3	12/22/1993	WH3-93D22-	<1 U
MW-3	3/14/1994	WH3-94314-	<1 U
MW-3	6/23/1994	WH3-94623-	<1 U
MW-3	8/23/1994	WH3-94823-	<1 U
MW-3	12/20/1994	WH3-94D20-	<1 U
MW-3	3/6/1995	WH3-95306A	<1 U
MW-3	3/6/1995	WH3-95306L	<1 U
MW-3	5/26/1995	WH3-95526A	<1 U
MW-3	5/26/1995	WH3-95526L	<1 U
MW-3	9/14/1995	WH3-95914-	<1 U
MW-3	12/19/1995	WH3-95D19-	<1 U
MW-3	3/15/1996	WH3-96315-	<1 U
MW-3	5/23/1996	WH3-96523-	<1 U
MW-3	7/30/1996	WH3-96730-	<1 U
MW-3	12/2/1996	WH3-96D02-	<1 U
MW-3	3/5/1997	WH3-97305-	<1 U
MW-3	5/19/1997	WH3-97519-	<1 U
MW-3	8/18/1997	WH3-97818-	<1 U
MW-3	12/19/1997	WH3-97D19-	<1 U
MW-3	3/5/1998	WH3-98305-	<1 U
MW-3	5/15/1998	WH3-98515-	<1 U
MW-3	8/25/1998	WH3-98825-	<1 U
MW-3	3/8/1999	WH3-99308-	<1 U
MW-3	6/11/1999	WH3-99611-	<1 U
MW-3	8/16/1999	WH3-99816-	<1 U
MW-3	12/4/1999	WH3-98D04-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-3	12/8/1999	WH3-99D08-	<1 U
MW-3	3/6/2000	WH3-00306-	<1.0 U
MW-3	5/18/2000	WH3-00518-	<1.0 U
MW-3	9/7/2000	WH3-00907-	<1.0 U
MW-3	12/4/2000	WH3-00D04-	<1.0 U
MW-3	2/15/2001	WH3-01215-	<1.0 U
MW-3	5/30/2001	WH3-01530-	<1.0 U
MW-3	8/13/2001	WH3-01813-	<1 U
MW-3	12/7/2001	WH3-01D07-	<1.0 U
MW-3	2/26/2002	WH3-02226-	<1.0 U
MW-3	5/16/2002	WH3-02516-	<1.0 U
MW-3	8/30/2002	WH3-02830-	<1.0 U
MW-3	11/26/2002	WH3-02N26-	<1.0 U
MW-3	2/14/2003	WH3-03214-	<1.0 U
MW-3	5/15/2003	WH3-03515-	<1.0 U
MW-3	8/6/2003	WH3-03806-	<1.0 U
MW-4	5/26/1987	WH4-87526	
MW-4	11/25/1987	WH4-87N25	
MW-4	3/14/1988	WH4-88314	
MW-4	5/26/1988	WH4-88526	
MW-4	9/1/1988	WH4-88901Q	
MW-4	9/1/1988	WH4-88901S	
MW-4	11/17/1988	WH4-88N17Q	
MW-4	2/17/1989	WH4-89217Q	
MW-4	6/16/1989	WH4-89616Q	
MW-4	9/12/1989	WH4-89912Q	
MW-4	12/6/1989	WH4-89D06Q	
MW-4	3/13/1990	WH4-90313Q	
MW-4	5/17/1990	WH4-90517Q	
MW-4	8/27/1990	WH4-90827-	
MW-4	12/12/1990	WH4-90D12-	
MW-4	2/22/1991	WH4-91222-	
MW-4	6/19/1991	WH4-91619-	
MW-4	9/18/1991	WH4-91918-	
MW-4	11/15/1991	WH4-91N15R	
MW-4	12/16/1991	WH4-91D16-	
MW-4	3/18/1992	WH4-92318-	
MW-4	6/23/1992	WH4-92623-	<1 U
MW-4	9/21/1992	WH4-92921-	<1 U
MW-4	12/22/1992	WH4-92D22-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-4	3/29/1993	WH4-93329-	<1 U
MW-4	6/16/1993	WH4-93616-	<1 U
MW-4	9/16/1993	WH4-93916-	<1 U
MW-4	12/22/1993	WH4-93D22-	<1 U
MW-4	3/18/1994	WH4-94318-	<1 U
MW-4	6/23/1994	WH4-94623-	<1 U
MW-4	8/24/1994	WH4-94824-	<1 U
MW-4	12/20/1994	WH4-94D20-	<1 U
MW-4	3/2/1995	WH4-95302-	<1 U
MW-4	5/26/1995	WH4-95526A	<1 U
MW-4	5/26/1995	WH4-95526L	<1 U
MW-4	9/15/1995	WH4-95915-	<1 U
MW-4	12/18/1995	WH4-95D18-	<1 U
MW-4	3/15/1996	WH4-96315-	<1 U
MW-4	5/24/1996	WH4-96524-	<1 U
MW-4	7/31/1996	WH4-96731-	<1 U
MW-4	12/3/1996	WH4-96D03-	<1 U
MW-4	3/5/1997	WH4-97305-	<1 U
MW-4	5/21/1997	WH4-97521-	<1 U
MW-4	8/20/1997	WH4-97820-	<1 U
MW-4	12/3/1997	WH4-97D03-	<1 U
MW-4	3/5/1998	WH4-98305-	<1 U
MW-4	5/15/1998	WH4-98515-	<1 U
MW-4	8/26/1998	WH4-98826-	<1 U
MW-4	3/8/1999	WH4-99308-	<1 U
MW-4	6/10/1999	WH4-99610-	<1 U
MW-4	8/18/1999	WH4-99818-	<1 U
MW-4	12/4/1999	WH4-98D04-	<1 U
MW-4	12/7/1999	WH4-99D07-	<1 U
MW-4	3/6/2000	WH4-00306-	<1.0 U
MW-4	5/18/2000	WH4-00518-	<1.0 U
MW-4	9/6/2000	WH4-00906-	<1.0 U
MW-4	12/5/2000	WH4-00D05-	<1.0 U
MW-4	2/14/2001	WH4-01214-	<1.0 U
MW-4	5/31/2001	WH4-01531-	<1.0 U
MW-4	8/13/2001	WH4-01813-	<1 U
MW-4	12/10/2001	WH4-01D10-	<1.0 U
MW-4	2/27/2002	WH4-02227-	<1.0 U
MW-4	5/16/2002	WH4-02516-	<1.0 U
MW-4	9/16/2002	WH4-02916-	<1.0 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-4	11/22/2002	WH4-02N22-	<1.0 U
MW-4	2/13/2003	WH4-03213-	<1.0 U
MW-4	5/15/2003	WH4-03515-	<1.0 U
MW-4	8/7/2003	WH4-03807-	<1.0 U
MW-5	6/9/1987	WH5-87609	
MW-6	12/8/1987	WH6-87D08	
MW-6	3/8/1988	WH6-88308	
MW-6	6/1/1988	WH6-88601	
MW-6	9/7/1988	WH6-88907Q	
MW-6	11/21/1988	WH6-88N21Q	
MW-6	3/21/1989	WH6-89321Q	
MW-6	6/23/1989	WH6-89623Q	
MW-6	9/6/1989	WH6-89906Q	
MW-6	11/27/1989	WH6-89N27	
MW-6	11/27/1989	WH6-89N27Q	
MW-6	3/13/1990	WH6-90313Q	
MW-6	5/21/1990	WH6-90521Q	
MW-6	8/27/1990	WH6-90827-	
MW-6	12/14/1990	WH6-90D14-	
MW-6	2/25/1991	WH6-91225-	
MW-6	6/13/1991	WH6-91613-	
MW-6	9/13/1991	WH6-91913-	
MW-6	12/13/1991	WH6-91D13-	
MW-6	3/20/1992	WH6-92320-	
MW-6	6/25/1992	WH6-92625-	<1 U
MW-6	9/23/1992	WH6-92923-	<1 U
MW-6	12/23/1992	WH6-92D23-	<1 U
MW-6	3/23/1993	WH6-93323-	<1 U
MW-6	6/16/1993	WH6-93616-	<1 U
MW-6	9/17/1993	WH6-93917-	<1 U
MW-6	12/27/1993	WH6-93D27-	<1 U
MW-6	3/17/1994	WH6-94317-	<1 U
MW-6	6/24/1994	WH6-94624-	<1 U
MW-6	8/24/1994	WH6-94824-	<1 U
MW-6	12/21/1994	WH6-94D21-	<1 U
MW-6	3/6/1995	WH6-95306A	<1 U
MW-6	3/6/1995	WH6-95306L	<1 U
MW-6	5/26/1995	WH6-95526A	<1 U
MW-6	5/26/1995	WH6-95526L	<1 U
MW-6	9/21/1995	WH6-95921-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-6	12/18/1995	WH6-95D18-	<1 U
MW-6	3/18/1996	WH6-96318-	<1 U
MW-6	5/24/1996	WH6-96524-	<1 U
MW-6	8/5/1996	WH6-96805-	<1 U
MW-6	12/3/1996	WH6-96D03-	<1 U
MW-6	3/7/1997	WH6-97307-	<1 U
MW-6	5/22/1997	WH6-97522-	<1 U
MW-6	8/21/1997	WH6-97821-	<1 U
MW-6	12/4/1997	WH6-97D04-	<1 U
MW-6	3/10/1998	WH6-98310-	<1 U
MW-6	5/21/1998	WH6-98521-	<1 U
MW-6	8/31/1998	WH6-98831-	<1 U
MW-6	3/9/1999	WH6-99309-	<1 U
MW-6	6/11/1999	WH6-99611-	<1 U
MW-6	8/18/1999	WH6-99818-	<1 U
MW-6	12/7/1999	WH6-98D07-	<1 U
MW-6	12/7/1999	WH6-99D07-	<1 U
MW-6	3/7/2000	WH6-00307-	<1.0 U
MW-6	5/19/2000	WH6-00519-	<1.0 U
MW-6	9/7/2000	WH6-00907-	<1.0 U
MW-6	12/6/2000	WH6-00D06-	<1.0 U
MW-6	2/14/2001	WH6-01214-	<1.0 U
MW-6	5/29/2001	WH6-01529-	<1.0 U
MW-6	8/14/2001	WH6-01814-	<1.0 U
MW-6	12/10/2001	WH6-01D10-	<1.0 U
MW-6	2/27/2002	WH6-02227-	<1.0 U
MW-6	5/20/2002	WH6-02520-	<1.0 U
MW-6	9/3/2002	WH6-02903-	<1.0 U
MW-6	11/22/2002	WH6-02N22-	<1.0 U
MW-6	2/12/2003	WH6-03213-	<1.0 U
MW-6	5/15/2003	WH6-03515-	<1.0 U
MW-6	8/7/2003	WH6-03807-	<1.0 U
MW-7	6/2/1987	WH7-87602	
MW-7	12/23/1987	WH7-87D23	
MW-7	3/10/1988	WH7-88310	
MW-7	3/10/1988	WH7-88310S	
MW-7	5/31/1988	WH7-88531	
MW-7	9/1/1988	WH7-88901Q	
MW-7	11/17/1988	WH7-88N17Q	
MW-7	3/28/1989	WH7-89328Q	

Site	Date	Sample ID	Dinoseb (µg/L)
MW-7	6/7/1989	WH7-89607Q	
MW-7	9/14/1989	WH7-89914Q	
MW-7	12/7/1989	WH7-89D07Q	
MW-7	3/13/1990	WH7-90313Q	
MW-7	5/21/1990	WH7-90521Q	
MW-7	8/29/1990	WH7-90829-	
MW-7	12/12/1990	WH7-90D12-	
MW-7	3/5/1991	WH7-91305-	
MW-7	6/11/1991	WH7-91611-	
MW-7	9/12/1991	WH7-91912-	
MW-7	12/16/1991	WH7-91D16-	
MW-7	3/19/1992	WH7-92319-	
MW-7	6/24/1992	WH7-92624-	<1 U
MW-7	9/25/1992	WH7-92925-	<1 U
MW-7	12/23/1992	WH7-92D23-	<1 U
MW-7	3/26/1993	WH7-93326-	<1 U
MW-7	6/23/1993	WH7-93622-	<1 U
MW-7	9/23/1993	WH7-93923-	<1 U
MW-7	12/27/1993	WH7-93D27-	<1 U
MW-7	3/18/1994	WH7-94318-	<1 U
MW-7	6/28/1994	WH7-94628-	<1 U
MW-7	8/24/1994	WH7-94824-	<1 U
MW-7	12/21/1994	WH7-94D21-	<1 U
MW-7	3/3/1995	WH7-95303-	<1 U
MW-7	5/25/1995	WH7-95525A	<1 U
MW-7	5/25/1995	WH7-95525L	<1 U
MW-7	9/20/1995	WH7-95920-	<1 U
MW-7	12/20/1995	WH7-95D20-	<1 U
MW-7	3/19/1996	WH7-96319-	<1 U
MW-7	5/24/1996	WH7-96524-	<1 U
MW-7	7/29/1996	WH7-96729-	<1 U
MW-7	12/4/1996	WH7-96D04-	<1 U
MW-7	3/6/1997	WH7-97306-	<1 U
MW-7	5/21/1997	WH7-97521-	<1 U
MW-7	8/19/1997	WH7-97819-	<1 U
MW-7	12/5/1997	WH7-97D05-	<1 U
MW-7	3/6/1998	WH7-98306-	<1 U
MW-7	5/19/1998	WH7-98519-	<1 U
MW-7	8/25/1998	WH7-98825-	<1 U
MW-7	3/8/1999	WH7-99308-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-7	6/10/1999	WH7-99610-	<1 U
MW-7	8/17/1999	WH7-99817-	<1 UO
MW-7	12/7/1999	WH7-98D07-	<1 U
MW-7	12/7/1999	WH7-99D07-	<1 U
MW-7	3/7/2000	WH7-00306-	<1.0 U
MW-7	5/17/2000	WH7-00517-	<1.0 U
MW-7	9/7/2000	WH7-00907-	<1.0 U
MW-7	12/1/2000	WH7-00D01-	<1.0 U
MW-7	2/14/2001	WH7-01214-	<1.0 U
MW-7	5/29/2001	WH7-01529-	<1.0 U
MW-7	8/13/2001	WH7-01813-	<1.0 U
MW-7	12/10/2001	WH7-01D10-	<1.0 U
MW-7	2/26/2002	WH7-02226-	<1.0 U
MW-7	5/17/2002	WH7-02517-	<1.0 U
MW-7	8/29/2002	WH7-02829-	<1.0 U
MW-7	11/21/2002	WH7-02N21-	<1.0 U
MW-7	2/12/2003	WH7-03212-	<1.0 U
MW-7	5/13/2003	WH7-03516-	<1.0 U
MW-7	8/7/2003	WH7-03807-	<1.0 U
MW-8	6/11/1987	WH8-87611	
MW-9	12/14/1987	WH9-87D14	
MW-9	3/17/1988	WH9-88317	
MW-9	6/9/1988	WH9-88609	
MW-9	9/6/1988	WH9-88906Q	
MW-9	11/28/1988	WH9-88N28Q	
MW-9	3/29/1989	WH9-89329Q	
MW-9	6/28/1989	WH9-89628Q	
MW-9	9/18/1989	WH9-89918Q	
MW-9	12/8/1989	WH9-89D08Q	
MW-9	3/14/1990	WH9-90314Q	
MW-9	5/18/1990	WH9-90518Q	
MW-9	8/27/1990	WH9-90827-	
MW-9	12/13/1990	WH9-90D13-	
MW-9	3/6/1991	WH9-91306-	
MW-9	6/26/1991	WH9-91626-	
MW-9	9/17/1991	WH9-91917-	
MW-9	12/17/1991	WH9-91D17-	
MW-9	3/20/1992	WH9-92320-	
MW-9	6/23/1992	WH9-92623-	<1 U
MW-9	9/23/1992	WH9-92923-	<1 U

Site	Date	Sample ID	Dinoseb (µg/L)
MW-9	12/23/1992	WH9-92D23-	<1 U
MW-9	3/24/1993	WH9-93324-	<1 U
MW-9	6/21/1993	WH9-93621-	<1 U
MW-9	9/22/1993	WH9-93922-	<1 U
MW-9	12/28/1993	WH9-93D28-	<1 U
MW-9	3/16/1994	WH9-94316-	<1 U
MW-9	6/24/1994	WH9-94624-	<1 U
MW-9	8/25/1994	WH9-94825-	<1 U
MW-9	12/19/1994	WH9-94D19-	<1 U
MW-9	3/8/1995	WH9-95308A	<1 U
MW-9	9/15/1995	WH9-95915-	<1 U
MW-9	12/20/1995	WH9-95D20-	<1 U
MW-9	3/19/1996	WH9-96319-	<1 U
MW-9	5/28/1996	WH9-96528-	<1 U
MW-9	8/1/1996	WH9-96801-	<1 U
MW-9	12/4/1996	WH9-96D04-	<1 U
MW-9	3/6/1997	WH9-97306-	<1 U
MW-9	5/16/1997	WH9-97516-	<1 U
MW-9	8/18/1997	WH9-97818-	<1 U
MW-9	12/4/1997	WH9-97D04-	<1 U
MW-9	3/9/1998	WH9-98309-	<1 U
MW-9	5/18/1998	WH9-98518-	<1 U
MW-9	8/24/1998	WH9-98824-	<1 U
MW-9	3/9/1999	WH9-99309-	<1 U
MW-9	6/14/1999	WH9-99614-	<1 U
MW-9	8/17/1999	WH9-99817-	<1 U
MW-9	12/4/1999	WH9-98D04-	<1 U
MW-9	12/8/1999	WH9-99D08-	<1 U
MW-9	3/7/2000	WH9-00307-	<1.0 U
MW-9	5/18/2000	WH9-00518-	<1.0 U
MW-9	9/8/2000	WH9-00908-	<1.0 U
MW-9	12/6/2000	WH9-00D06-	<1.0 U
MW-9	2/14/2001	WH9-01214-	<1.0 U
MW-9	5/29/2001	WH9-01529-	<1.0 U
MW-9	8/10/2001	WH9-01810-	<1.0 U
MW-MILETTE	4/12/1989	WHM-89412Q	

KING COUNTY SOLID WASTE DIVISION
HISTORICAL QUALIFIER INFORMATION
(Applicable to samples taken prior to 4/1/2009)

QUAL	QUALIFIER DESCRIPTION
B	Analyte Found In Associated Method Blank
D	Compound Analyzed at a Secondary Dilution Factor.
E	Exceed The Calibration or Linear Range.
J	Estimated Value Less Than Practical Quantitation Limit And Greater Than The Method Detection Limit.
M	Raised Detection Limit. Due to Matrix Interference.
O	Analyzed Beyond Specified Holding Time.
P	Pesticide/PCBs > 25% Difference Between Columns.
R	Rejected Data
U	Analyte Not Detected at Given Value.
CG	Confluent Growth (Bacterial Analyses Only)
ED	Excess Debris on Growth Media (Bacterial Analyses Only).

More than one qualifier can be applied to any analytical result.

Non-numeric result NOTATIONS:

NM – Coliforms 'Not Measured' in sample (no CO_2 production).
P – Coliforms 'Present' in sample (CO_2 production) but can't be quantifed.
NA Not Analyzed
NT Not Tested

Others:

TNTC - Too Numerous To Count

KING COUNTY SOLID WASTE DIVISION
QUALIFIER INFORMATION
(Effective 4/1/2009)

QUAL	QUALIFIER DESCRIPTION
U	Undetected Analyte concentration <MDL – Less than Method detection limit
T	Estimated, Less than Reporting Detection Limit but greater than Method detection limit
J	Reported value is an estimate
B	Contamination present in Blank
C	Confluent Growth
E	Estimated, outside expected accuracy
H	Exceeds holding time
R	Data Rejected
S	Sample handling errors
X	Too numerous to count
D	Dilution
P	PASS – Qualitative result acceptable
F	FAIL – Qualitative result is not acceptable
G	Greater than
L	Less than

APPENDIX G

Hobart Closed Landfill Gas Monitoring Data

HOBART LANDFILL

Landfill Gas Migration Probes and Ambient Stations

Quarterly Monitoring Results October 2012 through July 2013

Station	Date/Time	CH4 %vol	CO2 %vol	O2 %vol	%LEL (Lower Explosive Limit)	Static Pressure In. W.C.	Comments
GP-1	10/11/2012 11:02	0.0	1.1	20.3	0	0	
GP-1	1/17/2013 14:52	0.0	0.7	20.5	0	0	
GP-1	4/18/2013 10:45	0.0	0.9	20.4	0	0.08	
GP-1	7/18/2013 14:32	0.0	1.6	20.2	0	0	
GP-2	10/11/2012 10:58	0.0	1.2	20.0	0	0	
GP-2	1/17/2013 14:45	0.0	0.3	20.7	0	0	
GP-2	4/18/2013 10:40	0.0	1.1	20.2	0	0.17	
GP-2	7/18/2013 14:27	0.0	1.4	20.3	0	0	
GP-3	10/11/2012 10:55	0.0	0.3	20.7	0	0	
GP-3	1/17/2013 14:48	0.0	0.8	20.3	0	0	
GP-3	4/18/2013 10:36	0.0	0.4	20.6	0	0	
GP-3	7/18/2013 14:23	0.0	0.7	21.0	0	0	
GP-4	10/11/2012 10:47	0.0	1.5	19.5	0	0	
GP-4	1/17/2013 14:39	0.0	1.2	19.1	0	0	
GP-4	4/18/2013 10:26	0.0	1.6	18.6	0	0.09	
GP-4	7/18/2013 14:08	0.0	1.9	19.6	0	0	
GP-5	10/11/2012 10:44	0.0	0.7	20.4	0	0	
GP-5	1/17/2013 14:35	0.0	1.2	20.0	0	0	
GP-5	4/18/2013 10:22	0.0	1.1	20.0	0	0.09	
GP-5	7/18/2013 14:02	0.0	0.7	20.9	0	0	
GP-6	10/11/2012 10:37	0.0	1.5	19.8	0	0	
GP-6	1/17/2013 14:15	0.0	1.3	19.9	0	0	
GP-6	4/18/2013 10:15	0.0	2.1	19.0	0	0.12	
GP-6	7/18/2013 13:51	0.0	2.3	19.4	0	0.01	
GP-8	10/11/2012 11:12	0.0	1.8	19.6	0	0	
GP-8	1/17/2013 15:04	0.0	0.0	0.0	0	0	No Reading, Water Blocked
GP-8	4/18/2013 14:22	0.0	0.0	0.0	0	4.73	No Reading, Water Blocked
GP-8	7/18/2013 15:10	0.0	2.0	19.8	0	-3.73	
AM-1	10/11/2012 11:04	0.0	0.0	21.0	0	0	
AM-1	1/17/2013 14:55	0.0	0.1	21.0	0	0	
AM-1	4/18/2013 14:16	0.0	0.1	20.9	0	0	
AM-1	7/18/2013 14:48	0.0	0.0	21.0	0	0	
AM-2	10/11/2012 11:06	0.0	0.0	20.9	0	0	
AM-2	1/17/2013 14:57	0.0	0.0	21.0	0	0	
AM-2	4/18/2013 14:18	0.0	0.1	20.8	0	0	
AM-2	7/18/2013 14:50	0.0	0.0	21.0	0	0	
AM-3	10/11/2012 10:35	0.0	0.1	20.8	0	0	
AM-3	1/17/2013 13:59	0.0	0.1	20.6	0	0	
AM-3	4/18/2013 10:12	0.0	0.1	20.8	0	0	
AM-3	7/18/2013 13:48	0.0	0.0	21.0	0	0	
AM-4	10/11/2012 10:39	0.0	0.1	20.9	0	0	
AM-4	1/17/2013 14:17	0.0	0.1	20.8	0	0	
AM-4	4/18/2013 10:17	0.0	0.1	20.8	0	0	
AM-4	7/18/2013 13:53	0.0	0.0	21.0	0	0	

HOBART LANDFILL

Landfill Gas Migration Probes and Ambient Stations

Quarterly Monitoring Results October 2012 through July 2013

Station	Date/Time	CH4 %vol	CO2 %vol	O2 %vol	%LEL (Lower Explosive Limit)	Static Pressure In. W.C.	Comments
AM-5	10/11/2012 10:43	0.0	0.0	20.9	0	0	
AM-5	1/17/2013 14:34	0.0	0.0	20.8	0	0	
AM-5	4/18/2013 10:20	0.0	0.1	20.8	0	0	
AM-5	7/18/2013 14:01	0.0	0.0	21.0	0	0	
AM-6	10/11/2012 10:52	0.0	0.1	20.9	0	0	
AM-6	1/17/2013 14:43	0.0	0.1	20.8	0	0	
AM-6	4/18/2013 10:33	0.0	0.1	21.0	0	0	
AM-6	7/18/2013 14:18	0.0	0.0	21.0	0	0	
AM-7	10/11/2012 11:15	0.0	0.1	21.0	0	0	
AM-7	1/17/2013 15:08	0.0	0.0	21.0	0	0	
AM-7	4/18/2013 14:29	0.0	0.1	21.0	0	0	
AM-7	7/18/2013 15:00	0.0	0.0	21.0	0	0	
AM-8	10/11/2012 11:17	0.0	0.0	21.0	0	0	
AM-8	1/17/2013 15:10	0.0	0.0	20.9	0	0	
AM-8	4/18/2013 14:32	0.0	0.1	21.0	0	0	
AM-8	7/18/2013 15:04	0.0	0.0	21.0	0	0	