



Chevron Environmental Management Company
and King County Metro Transit

Second Semi-Annual Groundwater Monitoring Report 2022

**Former Chevron Bulk Plant No. 100-1327
1602 North Northlake Way
Facilities North/King County (Metro)
Seattle, Washington**

23 March 2023

A large, solid orange geometric shape in the bottom right corner of the page, consisting of a right-angled triangle with a thin white diagonal line running from the bottom-left corner to the top-right corner. A thin white horizontal line also crosses the page, intersecting the orange shape.



Ophélie Encelle
Environmental Scientist



Samuel Miles
Project Manager



Rebecca Andresen, LG
Sr. Vice President

SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT 2022

Former Chevron Bulk Terminal No. 100-
1327
Facilities North/King County (Metro)
Seattle, Washington

Prepared for:

Chevron Environmental Management
Company

Prepared by:

Arcadis U.S., Inc.
1100 Olive Way
Suite 800
Seattle
Washington 98101
Tel 206 325 5254
Fax 206 325 8218

Our Ref.: 30064328

Date: March 23, 2023

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1. Introduction	1
1.1 Site Description	1
1.2.1 North Yard	1
1.2.2 South Yard	1
1.2.3 Public Right of Way	2
1.2.4 Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree	2
1.2.5 Touchstone Prospective Purchaser Consent Decree	2
2. Groundwater monitoring methodology	2
2.1 Groundwater Gauging Methods	3
2.2 Groundwater Sampling Method	3
3. Groundwater monitoring Results	4
3.1 Groundwater Gauging Results	4
3.2 Groundwater Analytical Results	4
4. Conclusions	6
5. Recommendations	6
6. References	6

TABLES

Table 1 Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Table 2 Fourth Quarter 2022 Groundwater Analytical Results

Table 3 Point of Compliance Consecutive Sampling Events as of Second Semi-Annual 2022

FIGURES

Figure 1 Site Location Map

Figure 2 Site Aerial Map

Figure 3 Site Plan

Figure 4 Groundwater Elevation Contour Map - December 16, 2022

Figure 5 Groundwater Analytical Result Map - Petroleum Hydrocarbons - December 16, 2022

Figure 6 Groundwater Analytical Result Map - cPAH Analytical Results - December 16, 2022

Figure 7 Groundwater Analytical Result Map - Dissolved Metals - December 16, 2022

APPENDICES

A Field Notes

B Hydraulic Gradient Three Point Solution Worksheets

C Laboratory Analytical Reports

D Historical Groundwater Analytical Results

1. INTRODUCTION

On behalf of Chevron Environmental Management Company (Chevron) and King County Metro Transit (KC Metro), Arcadis US, Inc. (Arcadis) has prepared this report to document the Second Semi-Annual 2022 groundwater gauging and sampling event for the former Chevron Bulk Plant No. 100-1327 (the site, Figure 1) conducted during the second half of 2022. This Report documents ongoing compliance with the Consent Decree (CD; Washington State Department of Ecology [Ecology] 1998), #99-2-08651-1SEA, between Chevron, KC Metro, and Ecology.

The site is officially known as Metro Lake Union in Ecology's database. Identifiers are

- Facility Site Identification Number 2217
- Cleanup Site Identification Number 1275.

Ecology's website for the Site is available at [Site Information \(wa.gov\)](#); documents available electronically can be accessed by clicking [View Electronic Documents](#) in the sidebar (or clicking on the preceding hyperlink). The Site is also referred to as the King County Metro Transit Facilities North Site and former Chevron Bulk Terminal #100-1327 Site on Ecology's website.

1.1 Site Description

The Site is located at 1602 North Northlake Way along the north shore of Lake Union in a mixed-use residential and commercial neighborhood, with industrial marine facilities located along the shoreline. The Site consists of three areas, as shown on Figure 2: the South Yard (Parcel Lot 408880-4670), the North Yard (Parcel Lot 408330-6985), and the Public ROW between the two parcels. The Site Plan is shown on Figure 3.

1.2.1 North Yard

The North Yard is located on the north side of North Northlake Way, between North 34th Street to the north, North Northlake Place to the south, Woodlawn Avenue North to the west, and Densmore Avenue North to the east (Figure 3). The 1.67-acre North Yard is occupied by a 4-story office building with underground parking garage and is owned by BRE-BMR 34th LLC (King County Department of Assessments 2022). The property is zoned for industrial commercial use (IC-65 [M]).

1.2.2 South Yard

The South Yard is located on the south side of North Northlake Way. The South Yard is bounded by Lake Union on the southwest, private property on the northwest, North Northlake Place on the northeast, and a property occupied by the Seattle Harbor Patrol on the southeast (Figure 3). The 1.29-acre property is occupied by the Center for Wooden Boats, with loading docks and a storage warehouse, and is a government-owned property (King County Department of Assessments 2022). The property is zoned for industrial/commercial use (IC-45; industrial commercial with a height limit of 45 feet).

1.2.3 Public Right of Way

The portion of the Site between the North Yard and South Yard at North Northlake Place and North Northlake Way is referred to as the Public ROW (Figure 2).

Two sets of subsurface piping were used to transfer product from the South Yard to the North Yard. In 1992, the subsurface piping was cleaned and capped at the south wall of the AST containment area. In 1998, an inspection of piping pits and pipe connections indicated no surface or shallow (within 0.5 foot) petroleum staining or detections in the eight locations tested. The subsurface piping that was closed in place is located under the former North Yard office area, beneath the South Yard and under the dock.

1.2.4 Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree

In 1999 Chevron and KCDOT entered into a CD with Ecology that required remediation of upland soil of the South Yard to MTCA Method A industrial soil cleanup levels for restricted use and MTCA Method B groundwater cleanup levels for protection of Lake Union surface waters. Active cleanup work was divided into two phases. Phase 1 work was completed in 2000. Active Phase 2 work began in 1999 and was completed with Touchstone's Prospective Purchaser Consent Decree (PPCD) site closure in 2016 (See Section 1.2.5). All active remediation work required under the CD for the South Yard has been completed. Compliance groundwater monitoring continues in accordance with the CD.

1.2.5 Touchstone Prospective Purchaser Consent Decree

In 2007, Touchstone and Ecology entered into a PPCD (Ecology 2007) requiring Touchstone to remediate soil at the North Yard to MTCA Method A unrestricted soil CULs, and to manage the dewatering/groundwater during construction. Touchstone was not responsible for remediation of soil outside of the North Yard property boundary or for remediation of groundwater on and outside of the North Yard property boundary. Soil outside the North Yard property line and groundwater are part of the CD (Ecology 1998).

Touchstone completed remediation of the North Yard as part of its redevelopment, called North Edge. On March 22, 2016, Ecology issued a letter (Ecology 2016) providing written notification that no further remedial action is necessary to clean up contamination at the North Edge Site (i.e., North Yard) under the MTCA, determined that no post-cleanup controls or monitoring are necessary under the MTCA for the PPCD (Ecology 2007), and dismissed the PPCD.

2. GROUNDWATER MONITORING METHODOLOGY

Groundwater monitoring has been conducted intermittently (one, two, or more times per year) since 1999. Ecology approved semiannual compliance monitoring for 2015 and beyond.

The compliance monitoring network consists of 11 monitoring wells including MW-4, MW-7, MW-8A, MW-25, MW-26, AGI-2, MLU-1, and MLU-3 at the South Yard; and MW-19, MW-20, and MW-21 at the North Yard. Nine additional monitoring wells (MW-9R, MW-11, MW-14, MW-15, MW-22, MW-24, MW-29, MW-30, and EW-1) are present in the Public ROW and gauged as part of the semiannual compliance monitoring event but are not compliance monitoring wells. Groundwater is sampled from the compliance monitoring wells and analyzed for benzene, toluene, and ethylbenzene. Collected groundwater samples

also are field-filtered and analyzed for polyaromatic hydrocarbons (carcinogenic polyaromatic hydrocarbons [cPAHs] and naphthalene), arsenic, and lead. Light Non-Aqueous Phase Liquid (LNAPL) has not been encountered onsite since 2014.

This report documents groundwater gauging and sampling events conducted by Arcadis during the second half of 2022. On December 16, 2022, depth to water readings and groundwater samples were collected at accessible site network monitoring wells by subcontractor Blaine Tech Services, Inc. (Blaine Tech), with direction from Arcadis.

2.1 Groundwater Gauging Methods

Depth to water was measured using a static oil/water level indicator from the top of the monitoring well casing and recorded on field data sheets. The oil/water level indicators were decontaminated with an Alconox® and water scrub and rinsed between each measurement to prevent cross contamination. Non-disposable groundwater gauging equipment was decontaminated prior to and after each use with a detergent solution and rinsed in potable water. Field notes taken during gauging activities are included in Appendix A. The 11 compliance monitoring wells including MW-4, MW-7, MW-8A, MW-25, MW-26, AGI-2, MLU-1, and MLU-3 at the South Yard; and MW-19, MW-20, and MW-21 at the North Yard and the nine additional monitoring wells (MW-9R, MW-11, MW-14, MW-15, MW-22, MW-24, MW-29, MW-30, and EW-1) were gauged on December 16, 2022 by Blaine Tech to determine groundwater elevations and assess the presence of LNAPL. Groundwater elevation and LNAPL monitoring data are presented in Table 1. Field notes taken during the groundwater sampling activities are included in Appendix A.

2.2 Groundwater Sampling Method

In total, 11 monitoring wells were sampled from the site monitoring well network during this reporting period. The wells sampled during this reporting period include MW-4, MW-7, MW-8A, MW-19, MW-20, MW-21, MW-25, MW-26, AGI-2, MLU-1, and MLU-3. Field notes taken during the groundwater sampling activities are included in Appendix A.

Sampling was conducted in accordance with low flow purge methodology, using a peristaltic pump and disposable tubing. The flow rate used during sampling was approximately 200 milliliters per minute (mL/min) thereby minimizing water level drawdown in the well. During low flow purging, water quality parameters including pH, specific conductivity and temperature were monitored using a Yellow Springs Instruments (YSI) 556 multi-parameter meter with a flow-through measurement cell. Groundwater was considered stabilized when pH readings remained within 0.1 unit, and specific conductivity and temperature readings remained within 3%. The flow-through measurement cell was then disconnected from the disposable tubing and sample containers were filled directly from the tubing.

After the samples were collected in appropriate laboratory bottles, they were labeled, stored in a cooler packed with ice, and submitted under proper chain-of-custody procedures to Pace Analytical Laboratory (Pace) of Mount Juliet, Tennessee. Groundwater samples were submitted to the analytical laboratory for the following analyses for site specific compounds of concern (COCs):

- Benzene, toluene, and ethylbenzene by Environmental Protection Agency (EPA) method 8260D.
- Polyaromatic hydrocarbons by EPA 8270E SIM.
- Dissolved lead and arsenic by EPA method 6020B.

A duplicate groundwater sample (DUP) was collected from MW-8A during the sampling event and submitted blind to the laboratory for the above analyses.

3. GROUNDWATER MONITORING RESULTS

3.1 Groundwater Gauging Results

No measurable LNAPL was detected during the December 2022 gauging event. Historically, groundwater elevations were adjusted for LNAPL solubility if present within a monitoring well. A solubility of 0.8 was used to adjust groundwater elevation for LNAPL if observed within onsite monitoring wells during the respective gauging events.

Depth to groundwater ranged between 10.88 feet below top of casing (btoc) in monitoring well MW-29 to 21.3 feet btoc in monitoring well MW-24. Groundwater elevations ranged from 16.56 feet above the North American Vertical Datum of 1988 (NAVD 88) in monitoring well MW-19 to 48.47 feet above NAVD 88 in monitoring well MW-24.

The horizontal hydraulic gradient for the North Yard was calculated to be 0.077 feet per foot (ft/ft) to the southwest, based on the groundwater elevations calculated at monitoring wells MW-24, MW-29, and MW-19. This is consistent with flow direction historically observed in this area. A potentiometric groundwater elevation figure for December 16, 2022, monitoring well gauging data is included on Figure 4. Hydraulic gradient three-point solution worksheets are included as Appendix B.

3.2 Groundwater Analytical Results

Groundwater CULs for the Site were based on MTCA Method B surface water CULs for protection of Lake Union surface waters (Foster Wheeler 1998) per Washington Administrative Code (WAC) 173-340-720(2)(d) and 173-340-730. As defined by the MTCA, the POC is the point where CULs shall be attained. The POC for groundwater in the North and South Yards are the respective southern property boundaries. The MTCA Method B surface water CULs for specific COCs at the site include:

Groundwater COC		Groundwater CUL (µg/L)
Benzene		43
Toluene		48,500
Ethylbenzene		6,910
Naphthalene		9,880
Carcinogenic polyaromatic hydrocarbons (cPAHs)	Benzo(a)anthracene	0.0296
	Benzo(a)pyrene	0.0296
	Benzo(b)fluoranthene	0.0296
	Benzo(k)fluoranthene	0.0296

Groundwater COC	Groundwater CUL (µg/L)
Chrysene	0.0296
Dibenz(a,h)anthracene	0.0296
Indeno(1,2,3-cd)pyrene	0.0296
Arsenic	0.0982
Lead	5

Note:

µg/L = microgram per liter

The arsenic CUL specified in the CD (0.0982 µg/L) is two to three orders of magnitude lower than current arsenic standards developed for drinking water. The current MTCA Method A groundwater CUL is 5 µg/L (WAC 173-340-900, Table 720-1), which is based on natural background. Background groundwater concentrations of arsenic in Washington were evaluated by Ecology and results are published in the Natural Background Groundwater Arsenic Concentrations in Washington State Study Results (Ecology 2022). The background threshold value was established at 8 µg/L for the Puget Sound Basin. The Federal Drinking Water Standard for arsenic is 10 µg/L. The current arsenic CUL is also two orders of magnitude below the USEPA Method 6020 practical quantitation limit (PQL) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020 method detection limit (MDL) for arsenic (0.18 to 0.95 µg/L). Therefore, any arsenic detection will exceed the arsenic groundwater CUL.

During the Second Semi-Annual 2022 sampling event conducted on December 16, 2022, dissolved arsenic was detected above the MTCA Method B surface water CUL of 0.0982 µg/L in the filtered groundwater samples from monitoring wells MW-4, MW-7, MW-8A, MW-19, MW-20, MW-21, MW-25, MW-26, MLU-1, MLU-3, and AGI-2 at concentrations ranging from 0.248 J¹ µg/L (AGI-2) to 12.7 µg/L (MW-21). Arsenic was detected at concentrations greater than the Ecology identified background value of 8 µg/L for the Puget Sound Basin in dissolved groundwater samples from well MW-21. No other COCs were detected at concentrations greater than the respective CULs.

Laboratory data from point of compliance wells will be reported in the Ecology EIM database. The laboratory analytical report is included in Appendix C and the laboratory analytical results are presented on Figure 5, Figure 6 and Figure 7, and in Table 2. Historical groundwater analytical results are presented in Appendix D.

The only remaining requirement of the CD (Ecology 1998) consists of demonstrating that groundwater is complying with the site CULs for five consecutive semiannual groundwater monitoring events. Consecutive sampling events under the MTCA Method B surface water CUL in POC wells are presented in Table 3. As of the most recent sampling event in December 2022, all 11 compliance wells have been in compliance with the site CULs for five consecutive semiannual groundwater monitoring events for benzene, toluene,

¹ J = The concentration is an estimated value - the result is greater than the MDL and less than the PQL (or reported detection limit [RDL])

ethylbenzene, naphthalene, and cPAHs. Ten compliance wells have been in compliance with the site CULs for five consecutive semiannual groundwater monitoring events for lead.

4. CONCLUSIONS

Groundwater currently complies with all CULs except for arsenic, for which the CUL is less than the PQL of 2 µg/L. There were no exceedances of benzene, toluene, ethylbenzene, naphthalene, lead, and cPAHs during the second half of 2022 sampling activities. However, there were dissolved arsenic exceedances in multiple wells. Arsenic was detected at concentrations greater than the Ecology identified background value of 8 µg/L for the Puget Sound Basin in dissolved groundwater samples from wells MW-21. The groundwater elevation data collected during the December 2022 monitoring event indicates groundwater flow direction and horizontal hydraulic gradient to be generally consistent with historical data.

As of the most recent sampling event in June 2022, all 11 compliance wells have been in compliance with the site CULs for at least five consecutive semiannual groundwater monitoring events for benzene, toluene, ethylbenzene, naphthalene, cPAHs. Ten compliance wells have been in compliance with the site CULs for at least five consecutive semiannual groundwater monitoring events for lead.

5. RECOMMENDATIONS

Semi-annual groundwater sampling will continue in the first half of 2023, with the next event scheduled for the second quarter 2023.

Arcadis prepared a Five-Year Review Report for the site during the Spring 2022 (Arcadis 2022). The Five-Year Review Report documents ongoing compliance with the CD and will be submitted for a public review process. Following the public review process, Arcadis recommends evaluating the current compliance monitoring plan.

6. REFERENCES

Arcadis. 2022. Five-Year Review Report. Former Chevron Bulk Plant No. 100-1327 1602 North Northlake Way Facilities North/King County (Metro) Seattle, Washington. May 9.

Ecology. 2022. Natural Background Groundwater Arsenic Concentrations in Washington State Study Results. January. Available online: [Natural Background Groundwater Arsenic Concentrations in Washington State: Study Results](#)

Foster Wheeler Environmental Corporation. 1998. *Draft Cleanup Action Plan Former Chevron Bulk Plant 100-1327 Facilities North/King County Metro Transit Lake Union Site*. November, 24.

King County Department of Assessments. 2022. Website accessed on January 25.
<https://blue.kingcounty.com/Assessor/eRealProperty/Detail.aspx?ParcelNbr=4083306985>
<https://blue.kingcounty.com/Assessor/eRealProperty/Detail.aspx?ParcelNbr=4088804670>

TABLES



Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-3	North Yard	08/11/99	104.07	--	--	--	--	No	--
MW-3	North Yard	10/22/99	104.07	--	--	--	--	No	--
MW-3	North Yard	05/24/01	104.07	10.25	9.99	0.26	--	No	94.03
MW-3	North Yard	06/27/01	104.07	--	--	--	--	No	--
MW-3	North Yard	03/18/02	104.07	9.28	8.59	0.69	--	No	95.34
MW-3	North Yard	12/31/02	104.07	--	--	--	--	No	--
MW-3	North Yard	03/26/03	104.07	7.02	--	0.00	--	No	97.05
MW-3	North Yard	06/26/03	104.07	11.49	10.49	1.00	2.75	No	93.38
MW-3	North Yard	07/21/03	104.07	--	--	--	2.50	No	--
MW-3	North Yard	08/28/03	104.07	--	--	--	3.00	No	--
MW-3	North Yard	10/16/03	104.07	13.89	11.55	2.34	1.75	No	92.05
MW-3	North Yard	11/21/03	104.07	--	--	--	3.50	No	--
MW-3	North Yard	12/17/03	104.07	11.02	10.27	0.75	2.00	No	93.65
MW-3	North Yard	01/29/04	104.07	10.59	9.82	0.77	1.75	No	94.10
MW-3	North Yard	02/18/04	104.07	10.32	9.77	0.55	0.75	No	94.19
MW-3	North Yard	03/30/04	104.07	9.93	9.28	0.65	0.75	No	94.66
MW-3	North Yard	09/22/04	104.07	11.35	10.61	0.74	1.50	No	93.31
MW-3	North Yard	03/15/05	104.07	12.98	10.82	2.16	3.00	No	92.82
MW-3	North Yard	9/28/05*	104.07	11.25	--	<3.0	3.50	No	--
MW-3	North Yard	03/29/06	104.07	12.40	8.76	3.64	6.50	No	94.58
MW-3	North Yard	03/21/07	104.07	10.67	9.13	1.54	2.00	No	94.63
MW-3	North Yard	03/25/08	104.07	10.38	9.73	0.65	1.00	No	94.21
MW-3	North Yard	09/08-09/08	104.07	11.02	10.55	0.47	1.50	Yes	93.43
MW-3	North Yard	12/11/08	104.07	12.10	10.79	1.31	2.50	Yes	93.02
MW-3	North Yard	03/30-31/09	104.07	9.70	--	0.00	0.00	Yes	94.37
MW-3	North Yard	06/15/09	104.07	10.97	9.79	1.18	2.50 ⁴	Yes	94.04
MW-3	North Yard	09/10-11/09	104.07	12.21	10.94	1.27	1.66 ⁴	Yes	92.88
MW-3	North Yard	02/23/10	104.07	11.25	8.75	2.50	1.75 ⁴	Yes	94.82
MW-3	North Yard	03/15/10	104.07	11.25	8.60	2.65	2.50 ⁵	Yes	94.94
MW-3	North Yard	03/23/12	104.07	12.00	11.90	0.10	0.50	Yes	92.15
MW-3	North Yard	06/01/12	104.07	--	--	--	--	Yes	--
MW-3	North Yard	04/22/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	06/26/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	09/18/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	10/14/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	03/27/14	104.07	22.78	--	0.00	--	Yes	81.29
MW-3	North Yard	06/10/14	104.07	11.88	6.97	4.91	5.00	Yes	96.12
MW-3	North Yard	07/22/14	104.07	10.52	9.83	0.69	--	Yes	94.10
MW-4	South Yard	08/10/99	--	--	--	--	--	--	--
MW-4	South Yard	10/20/99	--	--	--	--	--	--	--
MW-4	South Yard	07/26/01	--	15.46	--	0.00	--	--	--
MW-4	South Yard	10/11/02	--	--	--	--	--	--	--
MW-4	South Yard	12/31/02	--	16.88	--	0.00	--	--	--
MW-4	South Yard	02/27/03	--	16.22	--	0.00	--	--	--
MW-4	South Yard	03/26/03	--	15.38	--	0.00	--	--	--
MW-4	South Yard	04/28/03	--	15.12	--	0.00	--	--	--

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-4	South Yard	05/30/03	--	15.02	--	0.00	--	--	--
MW-4	South Yard	06/25/03	--	15.39	--	0.00	--	--	--
MW-4	South Yard	09/16/03	--	16.76	--	0.00	--	--	--
MW-4	South Yard	12/15/03	--	16.80	--	0.00	--	--	--
MW-4	South Yard	03/25/04	--	15.85	--	0.00	--	--	--
MW-4	South Yard	09/22/04	--	15.94	--	0.00	--	--	--
MW-4	South Yard	03/14/05	--	16.26	--	0.00	--	--	--
MW-4	South Yard	03/29/06	--	15.71	--	0.00	--	--	--
MW-4	South Yard	03/21/07	--	15.77	--	0.00	--	--	--
MW-4	South Yard	03/25/08	--	15.78	--	0.00	--	--	--
MW-4	South Yard	09/08-09/08	--	15.91	--	0.00	--	--	--
MW-4	South Yard	12/11/08	--	--	--	--	--	--	--
MW-4	South Yard	03/30-31/09	--	15.54	--	0.00	--	--	--
MW-4	South Yard	09/10-11/09	--	16.39	--	0.00	--	--	--
MW-4	South Yard	03/15/10	--	12.67	--	0.00	--	--	--
MW-4	South Yard	09/15/10	--	16.25	--	0.00	--	--	--
MW-4	South Yard	03/14/11	--	15.55	--	0.00	--	--	--
MW-4	South Yard	09/25/11	33.92	16.55	--	0.00	--	--	17.37
MW-4	South Yard	10/10/11	33.92	16.20	--	0.00	--	--	17.72
MW-4	South Yard	06/21/12	33.92	14.49	--	0.00	--	--	19.43
MW-4	South Yard	09/20/12	33.92	16.60	--	0.00	--	--	17.32
MW-4	South Yard	09/21/12	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	12/26/12	33.92	16.62	--	0.00	--	--	17.30
MW-4	South Yard	04/22/13	33.92	15.18	--	0.00	--	--	18.74
MW-4	South Yard	06/26/13	33.92	15.15	--	0.00	--	--	18.77
MW-4	South Yard	09/18/13	33.92	15.98	--	0.00	--	--	17.94
MW-4	South Yard	10/14/13	33.92	16.26	--	0.00	--	--	17.66
MW-4	South Yard	03/27/14	33.92	15.69	--	0.00	--	--	18.23
MW-4	South Yard	06/10/14	33.92	15.05	--	0.00	--	--	18.87
MW-4	South Yard	11/11/15	33.92	16.52	--	0.00	--	--	17.40
MW-4	South Yard	04/18/16	33.92	13.31	--	0.00	--	--	20.61
MW-4	South Yard	12/07/16	33.92	16.78	--	0.00	--	--	17.14
MW-4	South Yard	06/21/17	33.92	14.99	--	0.00	--	--	18.93
MW-4	South Yard	12/05/17	33.92	16.72	--	0.00	--	--	17.20
MW-4	South Yard	06/26/18	33.92	15.38	--	0.00	--	--	18.54
MW-4	South Yard	11/27/18	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	06/20/19	33.92	15.33	--	0.00	--	--	18.59
MW-4	South Yard	12/17/19	33.92	16.96	--	0.00	--	--	16.96
MW-4	South Yard	06/10/20	33.92	15.19	--	0.00	--	--	18.73
MW-4	South Yard	11/10/20	33.92	16.64	--	0.00	--	--	17.28
MW-4	South Yard	06/28/21	33.92	15.11	--	0.00	--	--	18.81
MW-4	South Yard	01/06/22	33.92	16.30	--	0.00	--	--	17.62
MW-4	South Yard	06/24/22	33.92	14.97	--	0.00	--	--	18.95
MW-4	South Yard	12/16/22	33.92	15.30	--	0.00	--	--	18.62
MW-7	South Yard	08/10/99	98.39	--	--	--	--	--	--
MW-7	South Yard	10/20/99	98.39	--	--	--	--	--	--

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-7	South Yard	07/26/01	98.39	12.61	--	0.00	--	--	85.78
MW-7	South Yard	04/03/02	98.39	13.03	--	0.00	--	--	85.36
MW-7	South Yard	07/02/02	98.39	12.13	--	0.00	--	--	86.26
MW-7	South Yard	09/03/02	98.39	13.76	--	0.00	--	--	84.63
MW-7	South Yard	10/11/02	98.39	14.87	--	0.00	--	--	83.52
MW-7	South Yard	03/26/03	98.39	13.12	--	0.00	--	--	85.27
MW-7	South Yard	04/28/03	98.39	12.33	--	0.00	--	--	86.06
MW-7	South Yard	05/30/03	98.39	11.76	--	0.00	--	--	86.63
MW-7	South Yard	06/25/03	98.39	13.14	--	0.00	--	--	85.25
MW-7	South Yard	09/16/03	98.39	13.93	--	0.00	--	--	84.46
MW-7	South Yard	12/15/03	98.39	13.96	--	0.00	--	--	84.43
MW-7	South Yard	03/21/07	98.39	--	--	--	--	--	--
MW-7	South Yard	03/25/08	98.39	--	--	--	--	--	--
MW-7	South Yard	09/08-09/08	98.39	--	--	--	--	--	--
MW-7	South Yard	12/11/08	98.39	--	--	--	--	--	--
MW-7	South Yard	03/30-31/09	98.39	--	--	--	--	--	--
MW-7	South Yard	09/10-11/09	98.39	--	--	--	--	--	--
MW-7	South Yard	03/15/10/11	98.39	13.07	--	0.00	--	--	85.32
MW-7	South Yard	09/15/10	98.39	13.40	--	0.00	--	--	84.99
MW-7	South Yard	03/14/11	98.39	12.85	--	0.00	--	--	85.54
MW-7	South Yard	06/21/12	31.13	12.19	--	0.00	--	--	18.94
MW-7	South Yard	09/20/12	31.13	13.74	--	0.00	--	--	17.39
MW-7	South Yard	12/26/12	31.13	15.67	--	0.00	--	--	15.46
MW-7	South Yard	04/22/13	31.13	12.40	--	0.00	--	--	18.73
MW-7	South Yard	06/26/13	31.13	12.30	--	0.00	--	--	18.83
MW-7	South Yard	09/18/13	31.13	13.15	--	0.00	--	--	17.98
MW-7	South Yard	10/14/13	31.13	13.37	--	0.00	--	--	17.76
MW-7	South Yard	03/27/14	31.13	12.82	--	0.00	--	--	18.31
MW-7	South Yard	06/10/14	31.13	12.21	--	0.00	--	--	18.92
MW-7	South Yard	11/11/15	31.13	13.81	--	0.00	--	--	17.32
MW-7	South Yard	04/18/16	31.13	12.43	--	0.00	--	--	18.70
MW-7	South Yard	12/07/16	31.13	13.88	--	0.00	--	--	17.25
MW-7	South Yard	06/12/17	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	12/05/17	31.13	13.90	--	0.00	--	--	17.23
MW-7	South Yard	06/26/18	31.13	12.47	--	0.00	--	--	18.66
MW-7	South Yard	11/27/18	31.13	13.78	--	0.00	--	--	17.35
MW-7	South Yard	06/20/19	31.13	12.50	--	0.00	--	--	18.63
MW-7	South Yard	12/17/19	31.13	14.10	--	0.00	--	--	17.03
MW-7	South Yard	06/10/20	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	11/10/20	31.13	13.77	--	0.00	--	--	17.36
MW-7	South Yard	06/28/21	31.13	12.27	--	0.00	--	--	18.86
MW-7	South Yard	01/06/22	31.13	13.55	--	0.00	--	--	17.58
MW-7	South Yard	06/24/22	31.13	12.19	--	0.00	--	--	18.94
MW-7	South Yard	12/16/22	31.13	13.74	--	0.00	--	--	17.39
MW-8	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-8	South Yard	10/20/99	97.87	13.06	--	0.00	--	--	84.81

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8	South Yard	01/06/00	97.87	--	--	--	--	--	--
MW-8	South Yard	04/12/00	97.87	12.57	--	0.00	--	--	85.30
MW-8	South Yard	06/27/00	97.87	12.61	--	0.00	--	--	85.26
MW-8	South Yard	09/28/00	97.87	12.88	--	0.00	--	--	84.99
MW-8	South Yard	01/15/01	97.87	13.70	--	0.00	--	--	84.17
MW-8	South Yard	06/21/01	97.87	11.77	--	0.00	--	--	86.10
MW-8	South Yard	07/26/01	97.87	12.18	--	0.00	--	--	85.69
MW-8	South Yard	03/19/02	97.87	12.84	--	0.00	--	--	85.03
MW-8	South Yard	04/03/02	97.87	12.48	--	0.00	--	--	85.39
MW-8	South Yard	05/07/02	97.87	11.86	--	0.00	--	--	86.01
MW-8	South Yard	06/06/02	97.87	12.39	--	0.00	--	--	85.48
MW-8	South Yard	07/02/02	97.87	11.79	--	0.00	--	--	86.08
MW-8	South Yard	09/03/02	97.87	13.24	--	0.00	--	--	84.63
MW-8	South Yard	10/11/02	97.87	14.04	--	0.00	--	--	83.83
MW-8	South Yard	12/31/02	97.87	13.69	--	0.00	--	--	84.18
MW-8	South Yard	03/26/03	97.87	12.23	--	0.00	--	--	85.64
MW-8	South Yard	04/28/03	97.87	12.87	--	0.00	--	--	85.00
MW-8	South Yard	05/30/03	97.87	11.80	--	0.00	--	--	86.07
MW-8	South Yard	06/25/03	97.87	12.20	--	0.00	--	--	85.67
MW-8	South Yard	09/15/03	97.87	13.45	--	0.00	--	--	84.42
MW-8A	South Yard	12/15/03	97.60	13.32	--	0.00	--	--	84.28
MW-8A	South Yard	03/25/04	97.60	12.24	--	0.00	--	--	85.36
MW-8A	South Yard	09/23/04	97.60	12.30	--	0.00	--	--	85.30
MW-8A	South Yard	03/14/05	97.60	12.68	--	0.00	--	--	84.92
MW-8A	South Yard	03/29/06	97.60	12.14	--	0.00	--	--	85.46
MW-8A	South Yard	03/21/07	97.60	12.21	--	0.00	--	--	85.39
MW-8A	South Yard	03/25/08	97.60	12.13	--	0.00	--	--	85.47
MW-8A	South Yard	09/08-09/08	97.60	12.32	--	0.00	--	--	85.28
MW-8A	South Yard	12/11/08	97.60	--	--	--	--	--	--
MW-8A	South Yard	03/30-31/09	97.60	12.04	--	0.00	--	--	85.56
MW-8A	South Yard	09/10-11/09	97.60	12.80	--	0.00	--	--	84.80
MW-8A	South Yard	03/15/10	97.60	12.23	--	0.00	--	--	85.37
MW-8A	South Yard	09/15/10	97.60	12.66	--	0.00	--	--	84.94
MW-8A	South Yard	03/14/11	97.60	12.19	--	0.00	--	--	85.41
MW-8A	South Yard	11/16/11	30.31	13.14	--	0.00	--	--	17.17
MW-8A	South Yard	06/21/12	30.31	11.45	--	0.00	--	--	18.86
MW-8A	South Yard	09/20/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	09/21/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	12/26/12	30.31	13.07	--	0.00	--	--	17.24
MW-8A	South Yard	04/23/13	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	06/26/13	30.31	11.50	--	0.00	--	--	18.81
MW-8A	South Yard	09/18/13	30.31	12.37	--	0.00	--	--	17.94
MW-8A	South Yard	10/14/13	30.31	12.65	--	0.00	--	--	17.66
MW-8A	South Yard	03/27/14	30.31	12.21	--	0.00	--	--	18.10
MW-8A	South Yard	06/10/14	30.31	11.49	--	0.00	--	--	18.82
MW-8A	South Yard	11/11/15	30.31	12.41	--	0.00	--	--	17.90

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8A	South Yard	04/18/16	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	12/07/16	30.31	13.26	--	0.00	--	--	17.05
MW-8A	South Yard	06/21/17	30.31	11.59	--	0.00	--	--	18.72
MW-8A	South Yard	12/05/17	30.31	12.60	--	0.00	--	--	17.71
MW-8A	South Yard	06/26/18	30.31	11.89	--	0.00	--	--	18.42
MW-8A	South Yard	11/27/18	30.31	12.14	--	0.00	--	--	18.17
MW-8A	South Yard	06/20/19	30.31	11.69	--	0.00	--	--	18.62
MW-8A	South Yard	12/17/19	30.31	13.41	--	0.00	--	--	16.90
MW-8A	South Yard	06/10/20	30.31	11.48	--	0.00	--	--	18.83
MW-8A	South Yard	11/10/20	30.31	13.08	--	0.00	--	--	17.23
MW-8A	South Yard	06/28/21	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	01/06/22	30.31	12.40	--	0.00	--	--	17.91
MW-8A	South Yard	06/24/22	30.31	11.75	--	0.00	--	--	18.56
MW-8A	South Yard	12/16/22	30.31	13.35	--	0.00	--	--	16.96
MW-9	ROW	08/11/99	103.67	--	--	--	--	No	--
MW-9	ROW	10/21/99	103.67	--	--	--	--	No	--
MW-9	ROW	05/24/01	103.67	14.07	14.02	0.05	--	No	89.64
MW-9	ROW	06/21/01	103.67	13.78	13.74	0.04	--	No	89.92
MW-9	ROW	06/27/01	103.67	13.79	--	0.00	--	No	89.88
MW-9	ROW	03/18/02	103.67	13.51	12.82	0.69	--	No	90.71
MW-9	ROW	10/16/02	103.67	--	--	0.54	--	No	--
MW-9	ROW	11/11/02	103.67	--	--	0.90	--	No	--
MW-9	ROW	12/31/02	103.67	--	--	0.91	--	No	--
MW-9	ROW	02/27/03	103.67	--	--	0.02	--	No	--
MW-9	ROW	03/26/03	103.67	--	--	0.09	--	No	--
MW-9	ROW	04/28/03	103.67	13.25	13.18	0.07	--	No	90.48
MW-9	ROW	05/30/03	103.67	13.52	13.43	0.09	--	No	90.22
MW-9	ROW	06/26/03	103.67	13.90	13.86	0.04	0.10	No	89.80
MW-9	ROW	07/21/03	103.67	--	--	0.21	2.00	No	--
MW-9	ROW	08/28/03	103.67	--	--	0.23	0.75	No	--
MW-9	ROW	10/16/03	103.67	15.98	15.41	0.57	2.00	No	88.15
MW-9	ROW	11/21/03	103.67	--	--	0.01	0.25	No	--
MW-9	ROW	12/17/03	103.67	--	--	0.00	0.00	No	--
MW-9	ROW	01/29/04	103.67	14.16	14.13	0.03	0.10	No	89.53
MW-9	ROW	02/18/04	103.67	11.11	10.94	0.17	0.25	No	92.70
MW-9	ROW	03/25/04	103.67	13.66	--	0.00	--	No	90.01
MW-9	ROW	03/30/04	103.67	13.80	13.69	0.11	0.25	No	89.96
MW-9	ROW	09/22/04	103.67	9.52	9.49	0.03	0.25	No	94.17
MW-9	ROW	03/15/05	103.67	14.81	14.52	0.29	0.25	No	89.09
MW-9	ROW	09/28/05	103.67	15.31	15.06	0.25	<0.01	No	88.56
MW-9	ROW	03/29/06	103.67	13.26	13.00	0.26	<0.5	No	90.62
MW-9	ROW	03/21/07	103.67	13.73	13.41	0.32	0.19	No	90.20
MW-9	ROW	03/25/08	103.67	13.93	--	0.00	<0.25	No	89.74
MW-9	ROW	09/08-09/08	103.67	14.23	14.22	0.01	0.00	Yes	89.45
MW-9	ROW	12/11/08	103.67	15.16	15.11	0.05	0.02	Yes	88.55
MW-9	ROW	03/30-31/09	103.67	14.06	--	0.00	--	Yes	89.61

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-9	ROW	06/15/09	103.67	13.32	--	0.00	--	Yes	90.35
MW-9	ROW	09/10-11/09	103.67	14.80	--	0.00	--	Yes	88.87
MW-9	ROW	02/23/10	103.67	13.10	12.80	0.30	0.21 ⁴	Yes	90.81
MW-9	ROW	03/15/10	103.67	13.33	13.10	0.23	0.18 ⁴	Yes	90.52
MW-9	ROW	09/15/10 ¹	103.67	15.05	14.50	0.55	0.20 ⁴	Yes	89.06
MW-9	ROW	12/04/10 ¹	103.67	14.50	14.37	0.13	0.20 ⁴	Yes	89.27
MW-9	ROW	3/14/2011 ¹	103.67	12.71	--	0.00	--	Yes	90.96
MW-9	ROW	9/24/2011 ¹	36.46	14.62	--	0.00	--	Yes	21.84
MW-9	ROW	12/08/2011 ¹	36.46	12.87	--	0.00	--	Yes	23.59
MW-9	ROW	03/23/12	36.46	10.55	10.35	0.20	0.50	Yes	26.07
MW-9	ROW	06/01/12	36.46	11.75	11.55	0.20	1.00	Yes	24.87
MW-9	ROW	09/20/12	36.46	14.47	13.95	0.52	--	Yes	22.41
MW-9	ROW	12/26/12	36.46	11.60	10.60	1.00	--	Yes	25.66
MW-9	ROW	04/22/13	36.46	11.07	10.40	0.67	--	Yes	25.93
MW-9	ROW	06/26/13	36.46	12.45	12.30	0.15	--	Yes	24.13
MW-9	ROW	09/18/13	36.46	14.51	14.20	0.31	--	Yes	22.20
MW-9	ROW	10/14/13	36.46	14.10	13.99	0.11	--	Yes	22.45
MW-9	ROW	03/27/14	36.46	11.93	11.76	0.17	--	Yes	24.67
MW-9	ROW	06/10/14	36.46	12.22	12.19	0.03	0.05	Yes	24.26
MW-9R	ROW	07/22/14	36.33	13.31	--	0.00	--	Yes	23.02
MW-9R	ROW	09/26/14	36.33	13.20	--	0.00	--	Yes	23.13
MW-9R	ROW	10/30/14	36.33	13.35	--	0.00	--	Yes	22.98
MW-9R	ROW	12/01/14	36.33	21.40	--	0.00	--	Yes	14.93
MW-9R	ROW	02/20/15	36.33	21.63	--	0.00	--	No	14.70
MW-9R	ROW	11/11/15	36.33	--	--	--	--	--	--
MW-9R	ROW	04/18/16	36.33	--	--	--	--	--	--
MW-9R	ROW	12/07/16	36.34	14.71	--	0.00	--	--	21.63
MW-9R	ROW	06/21/17	36.34	13.42	--	0.00	--	--	22.92
MW-9R	ROW	12/05/17	36.34	14.92	--	0.00	--	--	21.42
MW-9R	ROW	06/26/18	36.34	14.37	--	0.00	--	--	21.97
MW-9R	ROW	11/27/18	36.34	15.27	--	0.00	--	--	21.07
MW-9R	ROW	06/20/19	36.34	13.97	--	0.00	--	--	22.37
MW-9R	ROW	12/17/19	36.34	15.72	--	0.00	--	--	20.62
MW-9R	ROW	06/10/20	36.34	13.88	--	0.00	--	--	22.46
MW-9R	ROW	11/10/20	36.34	14.68	--	0.00	--	--	21.66
MW-9R	ROW	06/28/21	36.34	15.12	--	0.00	--	--	21.22
MW-9R	ROW	01/06/22	36.34	14.00	--	0.00	--	--	22.34
MW-9R	ROW	06/24/22	36.34	13.12	--	0.00	--	--	23.22
MW-9R	ROW	12/16/22	36.34	14.90	--	0.00	--	--	21.44
MW-10	North Yard	08/11/99	100.30	--	--	--	--	No	--
MW-10	North Yard	10/21/99	100.30	--	--	--	--	No	--
MW-10	North Yard	04/12/00	100.30	7.34	--	0.00	--	No	92.96
MW-10	North Yard	06/27/00	100.30	8.95	--	0.00	--	No	91.35
MW-10	North Yard	09/28/00	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	01/15/01	100.30	10.16	--	0.00	--	No	90.14
MW-10	North Yard	05/24/01	100.30	9.14	--	0.00	--	No	91.16

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-10	North Yard	06/21/01	100.30	7.97	--	0.00	--	No	92.33
MW-10	North Yard	06/27/01	100.30	9.07	--	0.00	--	No	91.23
MW-10	North Yard	03/18/02	100.30	7.09	--	0.00	--	No	93.21
MW-10	North Yard	07/02/02	100.30	8.37	--	0.00	--	No	91.93
MW-10	North Yard	09/28/02	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	12/31/02	100.30	--	--	0.96	--	No	--
MW-10	North Yard	02/27/03	100.30	--	--	0.17	--	No	--
MW-10	North Yard	03/26/03	100.30	--	--	0.04	--	No	--
MW-10	North Yard	04/28/03	100.30	8.80	--	0.00	--	No	91.50
MW-10	North Yard	05/30/03	100.30	8.76	--	0.00	--	No	91.54
MW-10	North Yard	06/26/03	100.30	8.99	8.69	0.30	6.00	No	91.55
MW-10	North Yard	07/21/03	100.30	--	--	0.06	1.00	No	--
MW-10	North Yard	08/28/03	100.30	--	--	0.14	6.00	No	--
MW-10	North Yard	10/16/03	100.30	11.56	10.54	1.02	18.50	No	89.56
MW-10	North Yard	11/21/03	100.30	--	--	1.33	7.00	No	--
MW-10	North Yard	12/17/03	100.30	--	--	0.15	0.75	No	--
MW-10	North Yard	01/29/04	100.30	8.61	8.61	0.00	--	No	91.69
MW-10	North Yard	02/18/04	100.30	8.72	8.58	0.14	0.25	No	91.69
MW-10	North Yard	03/30/04	100.30	8.47	8.41	0.06	0.25	No	91.88
MW-10	North Yard	09/22/04	100.30	9.64	9.56	0.08	0.50	No	90.72
MW-10	North Yard	03/15/05	100.30	10.20	9.83	0.37	0.25	No	90.40
MW-10	North Yard	10/04/05	100.30	11.20	10.39	0.81	1.75	No	89.75
MW-10	North Yard	03/29/06	100.30	8.35	7.63	0.72	2.00	No	92.53
MW-10	North Yard	03/21/07	100.30	7.95	7.49	0.46	0.44	No	92.72
MW-10	North Yard	03/25/08	100.30	8.68	8.68	0.00	0.00	No	91.62
MW-10	North Yard	09/08-09/08	100.30	9.39	9.34	0.05	0.20	Yes	90.95
MW-10	North Yard	12/11/08	100.30	9.90	9.59	0.31	1.00	Yes	90.65
MW-10	North Yard	03/30-31/09	100.30	8.44	8.20	0.24	1.11 ⁴	Yes	92.05
MW-10	North Yard	06/15/09	100.30	8.31	8.10	0.21	0.34 ⁴	Yes	92.16
MW-10	North Yard	09/10-11/09	100.30	10.14	10.12	0.02	0.00	Yes	90.18
MW-10	North Yard	02/23/10	100.30	7.14	7.13	0.01	0.00	Yes	93.17
MW-10	North Yard	03/15/10	100.30	7.24	--	0.00	--	Yes	93.06
MW-10	North Yard	09/15/10	100.30	9.48	Sheen	Sheen	--	Yes	90.82
MW-10	North Yard	12/04/10	100.30	--	--	--	--	Yes	--
MW-10	North Yard	03/27/14	33.09	8.28	--	0.00	--	Yes	24.81
MW-10	North Yard	06/10/14	33.09	7.42	--	0.00	--	Yes	25.67
MW-10	North Yard	07/22/14	33.09	8.81	--	0.00	--	Yes	24.28
MW-11	ROW	08/11/99	100.59	--	--	--	--	--	--
MW-11	ROW	10/22/99	100.59	--	--	--	--	--	--
MW-11	ROW	06/21/01	100.59	11.30	--	0.00	--	--	89.29
MW-11	ROW	03/18/02	100.59	10.96	--	0.00	--	--	89.63
MW-11	ROW	09/16/03	100.59	13.03	--	0.00	--	--	87.56
MW-11	ROW	12/15/03	100.59	13.92	--	0.00	--	--	86.67
MW-11	ROW	03/25/04	100.59	11.17	--	0.00	--	--	89.42
MW-11	ROW	09/22/04	100.59	12.05	--	0.00	--	--	88.54
MW-11	ROW	03/14/05	100.59	11.90	--	0.00	--	--	88.69

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-11	ROW	03/29/06	100.59	10.32	--	0.00	--	--	90.27
MW-11	ROW	03/21/07	100.59	8.36	--	0.00	--	--	92.23
MW-11	ROW	03/25/08	100.59	9.38	--	0.00	--	--	91.21
MW-11	ROW	09/08-09/08	100.59	10.35	--	0.00	--	--	90.24
MW-11	ROW	12/11/08	100.59	10.63	--	0.00	--	--	89.96
MW-11	ROW	03/30-31/09	100.59	9.60	--	0.00	--	--	90.99
MW-11	ROW	06/15/09	100.59	--	--	--	--	--	--
MW-11	ROW	09/10-11/09	100.61	8.07	--	0.00	--	--	92.54
MW-11	ROW	02/23/10	100.61	8.60	--	0.00	--	--	92.01
MW-11	ROW	03/15/10	100.61	8.75	--	0.00	--	--	91.86
MW-11	ROW	09/15/10	100.61	10.27	--	0.00	--	--	90.34
MW-11	ROW	12/04/10	100.61	10.37	--	0.00	--	--	90.24
MW-11	ROW	03/14/11	33.29	9.33	--	0.00	--	--	23.96
MW-11	ROW	10/14/13	33.29	11.04	--	0.00	--	--	22.25
MW-11	ROW	03/27/14	33.29	9.38	--	0.00	--	--	23.91
MW-11	ROW	06/10/14	33.29	9.53	--	0.00	--	--	23.76
MW-11	ROW	07/22/14	33.29	10.60	--	0.00	--	--	22.69
MW-11	ROW	02/20/15	33.29	15.79	--	0.00	--	--	17.50
MW-11	ROW	11/11/15	33.29	--	--	--	--	--	--
MW-11	ROW	04/18/16	33.29	11.82	--	0.00	--	--	21.47
MW-11	ROW	12/07/16	33.03	12.62	--	0.00	--	--	20.41
MW-11	ROW	06/21/17	33.03	11.32	--	0.00	--	--	21.71
MW-11	ROW	12/05/17	33.03	12.81	--	0.00	--	--	20.22
MW-11	ROW	06/26/18	33.03	12.24	--	0.00	--	--	20.79
MW-11	ROW	11/27/18	33.03	13.27	--	0.00	--	--	19.76
MW-11	ROW	06/20/19	33.03	11.98	--	0.00	--	--	21.05
MW-11	ROW	12/17/19	33.03	13.65	--	0.00	--	--	19.38
MW-11	ROW	06/10/20	33.03	11.60	--	0.00	--	--	21.43
MW-11	ROW	11/10/20	33.03	12.89	--	0.00	--	--	20.14
MW-11	ROW	06/28/21	33.03	10.69	--	0.00	--	--	22.34
MW-11	ROW	01/06/22	33.03	12.12	--	0.00	--	--	20.91
MW-11	ROW	06/24/22	33.03	11.89	--	0.00	--	--	21.14
MW-11	ROW	12/16/22	33.03	13.14	--	0.00	--	--	19.89
MW-12	North Yard	08/11/99	100.11	--	--	--	--	No	--
MW-12	North Yard	10/21/99	100.11	--	--	--	--	No	--
MW-12	North Yard	05/24/01	100.11	8.30	--	0.00	--	No	91.81
MW-12	North Yard	06/21/01	100.11	--	--	--	--	No	--
MW-12	North Yard	06/27/01	100.11	9.01	9.00	0.01	--	No	91.11
MW-12	North Yard	03/18/02	100.11	7.91	7.87	0.04	--	No	92.23
MW-12	North Yard	12/31/02	100.11	--	--	0.02	--	No	--
MW-12	North Yard	04/28/03	100.11	7.36	7.27	0.09	--	No	92.82
MW-12	North Yard	05/30/03	100.11	7.42	7.37	0.05	--	No	92.73
MW-12	North Yard	06/26/03	100.11	8.32	Sheen	Sheen	0.10	No	91.79
MW-12	North Yard	07/21/03	100.11	--	--	0.01	0.50	No	--
MW-12	North Yard	08/28/03	100.11	--	--	0.03	0.75	No	--
MW-12	North Yard	10/16/03	100.11	9.48	9.36	0.12	0.75	No	90.73

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-12	North Yard	11/21/03	100.11	--	--	--	--	No	--
MW-12	North Yard	12/17/03	100.11	--	--	--	--	No	--
MW-12	North Yard	01/29/04	100.11	8.44	8.44	0.00	0.00	No	91.67
MW-12	North Yard	02/18/04	100.11	7.54	7.54	0.00	0.00	No	92.57
MW-12	North Yard	03/25/04	100.11	7.54	--	0.00	--	No	92.57
MW-12	North Yard	03/30/04	100.11	7.84	7.84	0.00	0.00	No	92.27
MW-12	North Yard	09/22/04	100.11	8.69	8.65	0.04	0.25	No	91.45
MW-12	North Yard	03/15/05	100.11	8.79	8.78	0.01	0.00	No	91.33
MW-12	North Yard	10/04/05	100.11	13.67	13.65	0.02	<0.01	No	86.46
MW-12	North Yard	03/29/06	100.11	7.51	7.51	0.00	0.00	No	92.60
MW-12	North Yard	03/21/07	100.11	7.32	7.32	0.00	0.00	No	92.79
MW-12	North Yard	03/25/08	100.11	8.09	--	0.00	--	No	92.02
MW-12	North Yard	09/08-09/08	100.11	8.65	--	0.00	--	No	91.46
MW-12	North Yard	12/11/08	100.11	8.62	8.61	0.01	0.00	Yes	91.50
MW-12	North Yard	03/30-31/09	100.11	7.54	7.53	0.01	0.00	Yes	92.58
MW-12	North Yard	06/15/09	100.11	7.92	--	0.00	--	Yes	92.19
MW-12	North Yard	09/10-11/09	100.11	9.23	9.22	0.01	0.00	Yes	90.89
MW-12	North Yard	02/23/10	100.11	6.90	--	0.00	--	Yes	93.21
MW-12	North Yard	03/15/10	100.11	7.23	--	0.00	--	Yes	92.88
MW-12	North Yard	09/15/10	100.11	8.62	Sheen	Sheen	--	Yes	91.49
MW-12	North Yard	12/04/10	100.11	--	--	--	--	Yes	--
MW-12	North Yard	06/10/14	32.89	7.68	7.62	0.06	0.05	Yes	25.26
MW-12	North Yard	07/22/14	32.89	8.48	8.44	0.04	--	Yes	24.44
MW-14	ROW	07/26/01	98.87	13.05	--	0.00	--	--	85.82
MW-14	ROW	03/29/06	98.87	13.32	--	0.00	--	--	85.55
MW-14	ROW	03/21/07	98.87	13.33	--	0.00	--	--	85.54
MW-14	ROW	03/25/08	98.87	13.38	--	0.00	--	--	85.49
MW-14	ROW	09/08-09/08	98.87	13.50	--	0.00	--	--	85.37
MW-14	ROW	12/11/08	98.87	--	--	--	--	--	--
MW-14	ROW	03/30-31/09	98.87	13.10	--	0.00	--	--	85.77
MW-14	ROW	09/10-11/09	98.87	14.00	--	0.00	--	--	84.87
MW-14	ROW	03/15/10	98.87	13.49	--	0.00	--	--	85.38
MW-14	ROW	09/15/10	98.87	--	--	--	--	--	--
MW-14	ROW	03/27/14	31.61	--	--	--	--	--	--
MW-14	ROW	06/10/14	31.61	12.61	--	0.00	--	--	19.00
MW-14	ROW	11/11/15	31.61	14.24	--	0.00	--	--	17.37
MW-14	ROW	04/18/16	31.61	12.95	--	0.00	--	--	18.66
MW-14	ROW	12/07/16	31.60	14.72	--	0.00	--	--	16.88
MW-14	ROW	06/21/17	31.60	13.51	--	0.00	--	--	18.09
MW-14	ROW	12/05/17	31.60	14.01	--	0.00	--	--	17.59
MW-14	ROW	06/26/18	31.60	12.81	--	0.00	--	--	18.79
MW-14	ROW	11/27/18	31.60	15.23	--	0.00	--	--	16.37
MW-14	ROW	06/19/19	31.60	13.00	--	0.00	--	--	18.60
MW-14	ROW	12/17/19	31.60	14.60	--	0.00	--	--	17.00
MW-14	ROW	06/10/20	31.60	12.30	--	0.00	--	--	19.30
MW-14	ROW	11/10/20	31.60	14.24	--	0.00	--	--	17.36

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-14	ROW	06/28/21	31.60	12.27	--	0.00	--	--	19.33
MW-14	ROW	01/06/22	31.60	13.73	--	0.00	--	--	17.87
MW-14	ROW	06/24/22	31.60	12.85	--	0.00	--	--	18.75
MW-14	ROW	12/16/22	31.60	14.17	--	0.00	--	--	17.43
MW-15	ROW	08/10/99	98.83	--	--	--	--	--	--
MW-15	ROW	10/20/99	98.83	13.96	--	0.00	--	--	84.87
MW-15	ROW	07/26/01	98.83	13.04	--	0.00	--	--	85.79
MW-15	ROW	03/18/02	98.83	13.62	--	0.00	--	--	85.21
MW-15	ROW	06/26/03	98.83	13.05	--	0.00	--	--	85.78
MW-15	ROW	09/16/03	98.83	14.35	--	0.00	--	--	84.48
MW-15	ROW	03/29/06	98.83	13.00	--	0.00	--	--	85.83
MW-15	ROW	03/21/07	98.83	13.33	--	0.00	--	--	85.50
MW-15	ROW	03/25/08	98.83	13.36	--	0.00	--	--	85.47
MW-15	ROW	09/08-09/08	98.83	13.46	--	0.00	--	--	85.37
MW-15	ROW	12/11/08	98.83	--	--	--	--	--	--
MW-15	ROW	03/30-31/09	98.83	13.12	--	0.00	--	--	85.71
MW-15	ROW	09/10-11/09	98.83	13.97	--	0.00	--	--	84.86
MW-15	ROW	03/15/10	98.83	15.50	--	0.00	--	--	83.33
MW-15	ROW	09/15/10	98.83	15.87	--	0.00	--	--	82.96
MW-15	ROW	03/14/11	98.83	14.99	--	0.00	--	--	83.84
MW-15	ROW	03/27/14	31.60	--	--	--	--	--	--
MW-15	ROW	06/10/14	31.60	12.66	--	0.00	--	--	18.94
MW-15	ROW	11/11/15	31.60	14.29	--	0.00	--	--	17.31
MW-15	ROW	04/18/16	31.60	12.81	--	0.00	--	--	18.79
MW-15	ROW	12/07/16	31.60	14.58	--	0.00	--	--	17.02
MW-15	ROW	06/21/17	31.60	13.63	--	0.00	--	--	17.97
MW-15	ROW	12/05/17	31.60	13.92	--	0.00	--	--	17.68
MW-15	ROW	06/26/18	31.60	12.95	--	0.00	--	--	18.65
MW-15	ROW	11/27/18	31.60	14.11	--	0.00	--	--	17.49
MW-15	ROW	06/20/19	31.60	12.94	--	0.00	--	--	18.66
MW-15	ROW	12/17/19	31.60	14.55	--	0.00	--	--	17.05
MW-15	ROW	06/10/20	31.60	12.21	--	0.00	--	--	19.39
MW-15	ROW	11/10/20	31.60	14.23	--	0.00	--	--	17.37
MW-15	ROW	06/28/21	31.60	12.65	--	0.00	--	--	18.95
MW-15	ROW	01/06/22	31.60	13.91	--	0.00	--	--	17.69
MW-15	ROW	06/24/22	31.60	12.52	--	0.00	--	--	19.08
MW-15	ROW	12/16/22	31.60	14.02	--	0.00	--	--	17.58
MW-16	Offsite	03/21/07	--	14.49	--	0.00	--	--	--
MW-16	Offsite	03/25/08	--	15.25	--	0.00	--	--	--
MW-16	Offsite	09/08-09/08	--	18.51	--	0.00	--	--	--
MW-16	Offsite	12/11/08	--	--	--	--	--	--	--
MW-16	Offsite	03/30-31/09	--	16.11	--	0.00	--	--	--
MW-19	ROW	08/11/99	98.10	--	--	--	--	--	--
MW-19	ROW	10/20/99	98.10	--	--	--	--	--	--
MW-19	ROW	06/21/01	98.10	11.99	--	0.00	--	--	86.11
MW-19	ROW	06/26/03	98.10	12.02	--	0.00	--	--	86.08

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-19	ROW	09/16/03	98.10	13.67	--	0.00	--	--	84.43
MW-19	ROW	12/15/03	98.10	13.60	--	0.00	--	--	84.50
MW-19	ROW	03/26/04	98.10	12.74	--	0.00	--	--	85.36
MW-19	ROW	09/23/04	98.10	12.82	--	0.00	--	--	85.28
MW-19	ROW	03/14/05	98.10	13.16	--	0.00	--	--	84.94
MW-19	ROW	03/29/06	98.10	12.63	--	0.00	--	--	85.47
MW-19	ROW	03/21/07	98.10	12.71	--	0.00	--	--	85.39
MW-19	ROW	03/25/08	98.10	12.70	--	0.00	--	--	85.40
MW-19	ROW	09/08-09/08	98.10	12.81	--	0.00	--	--	85.29
MW-19	ROW	12/11/08	98.10	--	--	--	--	--	--
MW-19	ROW	03/30-31/09	98.10	12.57	--	0.00	--	--	85.53
MW-19	ROW	09/10-11/09	98.10	13.30	--	0.00	--	--	84.80
MW-19	ROW	03/15/10	98.10	12.85	--	0.00	--	--	85.25
MW-19	ROW	09/15/10	98.10	13.18	--	0.00	--	--	84.92
MW-19	ROW	11/16/11	30.87	13.62	--	0.00	--	--	17.25
MW-19	ROW	06/21/12	30.87	11.93	--	0.00	--	--	18.94
MW-19	ROW	09/20/12	30.87	13.50	--	0.00	--	--	17.37
MW-19	ROW	12/26/12	30.87	13.55	--	0.00	--	--	17.32
MW-19	ROW	04/24/13	30.87	12.18	--	0.00	--	--	18.69
MW-19	ROW	06/26/13	30.87	12.08	--	0.00	--	--	18.79
MW-19	ROW	09/18/13	30.87	12.91	--	0.00	--	--	17.96
MW-19	ROW	10/14/13	30.87	13.10	--	0.00	--	--	17.77
MW-19	ROW	03/27/14	30.87	12.63	--	0.00	--	--	18.24
MW-19	ROW	06/10/14	30.87	11.95	--	0.00	--	--	18.92
MW-19	ROW	07/22/14	30.87	12.73	--	0.00	--	--	18.14
MW-19	ROW	02/20/15	30.87	13.84	--	0.00	--	--	17.03
MW-19	ROW	11/11/15	30.87	13.68	--	0.00	--	--	17.19
MW-19	ROW	04/18/16	30.87	12.25	--	0.00	--	--	18.62
MW-19	ROW	12/07/16	30.91	13.85	--	0.00	--	--	17.06
MW-19	ROW	06/21/17	30.91	11.75	--	0.00	--	--	19.16
MW-19	ROW	12/05/17	30.91	13.31	--	0.00	--	--	17.60
MW-19	ROW	06/26/18	30.91	12.26	--	0.00	--	--	18.65
MW-19	ROW	11/27/18	30.91	13.68	--	0.00	--	--	17.23
MW-19	ROW	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-19	ROW	12/17/19	30.91	13.88	--	0.00	--	--	17.03
MW-19	ROW	06/10/20	30.91	12.09	--	0.00	--	--	18.82
MW-19	ROW	11/10/20	30.91	13.57	--	0.00	--	--	17.34
MW-19	ROW	06/28/21	30.91	11.70	--	0.00	--	--	19.21
MW-19	ROW	01/06/22	30.91	14.48	--	0.00	--	--	16.43
MW-19	ROW	06/24/22	30.91	13.23	--	0.00	--	--	17.68
MW-19	ROW	12/16/22	30.91	14.35	--	0.00	--	--	16.56
MW-20	ROW	08/11/99	98.74	--	--	--	--	--	--
MW-20	ROW	10/20/99	98.74	13.99	--	0.00	--	--	84.75
MW-20	ROW	09/28/00	98.74	13.41	--	0.00	--	--	85.33
MW-20	ROW	06/21/01	98.74	12.61	--	0.00	--	--	86.13
MW-20	ROW	03/19/02	98.74	13.69	--	0.00	--	--	85.05

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-20	ROW	06/26/03	98.74	12.92	--	0.00	--	--	85.82
MW-20	ROW	09/16/03	98.74	14.29	--	0.00	--	--	84.45
MW-20	ROW	12/15/03	98.74	14.34	--	0.00	--	--	84.40
MW-20	ROW	03/26/04	98.74	13.36	--	0.00	--	--	85.38
MW-20	ROW	03/14/05	98.74	13.80	--	0.00	--	--	84.94
MW-20	ROW	03/29/06	98.74	13.26	--	0.00	--	--	85.48
MW-20	ROW	03/21/07	98.74	13.33	--	0.00	--	--	85.41
MW-20	ROW	03/25/08	98.74	13.33	--	0.00	--	--	85.41
MW-20	ROW	09/08-09/08	98.74	13.42	--	0.00	--	--	85.32
MW-20	ROW	12/11/08	98.74	--	--	--	--	--	--
MW-20	ROW	03/30-31/09	98.74	--	--	--	--	--	--
MW-20	ROW	09/10-11/09	98.74	13.92	--	0.00	--	--	84.82
MW-20	ROW	03/15/10	98.74	13.46	--	0.00	--	--	85.28
MW-20	ROW	09/15/10	98.74	13.79	--	0.00	--	--	84.95
MW-20	ROW	11/16/11	31.49	14.22	--	0.00	--	--	17.27
MW-20	ROW	06/21/12	31.49	12.53	--	0.00	--	--	18.96
MW-20	ROW	09/20/12	31.49	14.11	--	0.00	--	--	17.38
MW-20	ROW	12/26/12	31.49	14.20	--	0.00	--	--	17.29
MW-20	ROW	04/23/13	31.49	12.80	--	0.00	--	--	18.69
MW-20	ROW	06/26/13	31.49	12.70	--	0.00	--	--	18.79
MW-20	ROW	09/18/13	31.49	13.52	--	0.00	--	--	17.97
MW-20	ROW	10/14/13	31.49	13.72	--	0.00	--	--	17.77
MW-20	ROW	03/27/14	31.49	13.24	--	0.00	--	--	18.25
MW-20	ROW	06/10/14	31.49	12.51	--	0.00	--	--	18.98
MW-20	ROW	07/22/14	31.49	13.35	--	0.00	--	--	18.14
MW-20	ROW	02/20/15	31.49	14.46	--	0.00	--	--	17.03
MW-20	ROW	11/11/15	31.49	14.33	--	0.00	--	--	17.16
MW-20	ROW	04/18/16	31.49	12.75	--	0.00	--	--	18.74
MW-20	ROW	12/07/16	31.53	14.40	--	0.00	--	--	17.13
MW-20	ROW	06/21/17	31.53	12.55	--	0.00	--	--	18.98
MW-20	ROW	12/05/17	31.53	14.43	--	0.00	--	--	17.10
MW-20	ROW	06/26/18	31.53	12.89	--	0.00	--	--	18.64
MW-20	ROW	11/27/18	31.53	14.23	--	0.00	--	--	17.30
MW-20	ROW	06/20/19	31.53	12.88	--	0.00	--	--	18.65
MW-20	ROW	12/17/19	31.53	14.45	--	0.00	--	--	17.08
MW-20	ROW	06/10/20	31.53	12.51	--	0.00	--	--	19.02
MW-20	ROW	11/10/20	31.53	14.19	--	0.00	--	--	17.34
MW-20	ROW	06/28/21	31.53	12.70	--	0.00	--	--	18.83
MW-20	ROW	01/06/22	31.53	14.03	--	0.00	--	--	17.50
MW-20	ROW	06/24/22	31.53	13.07	--	0.00	--	--	18.46
MW-20	ROW	12/16/22	31.53	14.48	--	0.00	--	--	17.05
MW-21	ROW	08/10/99	98.52	--	--	--	--	--	--
MW-21	ROW	10/19/99	98.52	--	--	--	--	--	--
MW-21	ROW	06/21/01	98.52	12.31	--	0.00	--	--	86.21
MW-21	ROW	03/18/02	98.52	13.36	--	0.00	--	--	85.16
MW-21	ROW	06/26/03	98.52	12.66	--	0.00	--	--	85.86

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-21	ROW	09/16/03	98.52	13.98	--	0.00	--	--	84.54
MW-21	ROW	12/15/03	98.52	14.05	--	0.00	--	--	84.47
MW-21	ROW	03/26/04	98.52	13.08	--	0.00	--	--	85.44
MW-21	ROW	09/23/04	98.52	13.19	--	0.00	--	--	85.33
MW-21	ROW	03/14/05	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/29/06	98.52	12.98	--	0.00	--	--	85.54
MW-21	ROW	03/21/07	98.52	13.00	--	0.00	--	--	85.52
MW-21	ROW	03/25/08	98.52	13.02	--	0.00	--	--	85.50
MW-21	ROW	09/08-09/08	98.52	13.14	--	0.00	--	--	85.38
MW-21	ROW	12/11/08	98.52	--	--	--	--	--	--
MW-21	ROW	03/30-31/09	98.52	12.86	--	0.00	--	--	85.66
MW-21	ROW	09/10-11/09	98.52	13.63	--	0.00	--	--	84.89
MW-21	ROW	03/15/10	98.52	13.15	--	0.00	--	--	85.37
MW-21	ROW	09/15/10	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/14/11	98.52	13.05	--	0.00	--	--	85.47
MW-21	ROW	09/24/11	31.26	13.51	--	0.00	--	--	17.75
MW-21	ROW	10/10/11	31.26	13.83	--	0.00	--	--	17.43
MW-21	ROW	06/21/12	31.26	12.24	--	0.00	--	--	19.02
MW-21	ROW	09/20/12	31.26	13.82	--	0.00	--	--	17.44
MW-21	ROW	12/26/12	31.26	13.86	--	0.00	--	--	17.40
MW-21	ROW	04/23/13	31.26	12.47	--	0.00	--	--	18.79
MW-21	ROW	06/26/13	31.26	12.39	--	0.00	--	--	18.87
MW-21	ROW	09/18/13	31.26	13.25	--	0.00	--	--	18.01
MW-21	ROW	10/14/13	31.26	--	--	--	--	--	--
MW-21	ROW	03/27/14	31.26	12.98	--	0.00	--	--	18.28
MW-21	ROW	06/10/14	31.26	12.33	--	0.00	--	--	18.93
MW-21	ROW	07/22/14	31.26	13.05	--	0.00	--	--	18.21
MW-21	ROW	02/20/15	31.26	14.21	--	0.00	--	--	17.05
MW-21	ROW	11/11/15	31.26	14.19	--	0.00	--	--	17.07
MW-21	ROW	04/18/16	31.26	12.65	--	0.00	--	--	18.61
MW-21	ROW	12/07/16	31.30	14.20	--	0.00	--	--	17.10
MW-21	ROW	06/21/17	31.30	12.32	--	0.00	--	--	18.98
MW-21	ROW	12/05/17	31.30	14.11	--	0.00	--	--	17.19
MW-21	ROW	06/26/18	31.30	12.67	--	0.00	--	--	18.63
MW-21	ROW	11/27/18	31.30	13.97	--	0.00	--	--	17.33
MW-21	ROW	06/20/19	31.30	12.64	--	0.00	--	--	18.66
MW-21	ROW	12/17/19	31.30	14.22	--	0.00	--	--	17.08
MW-21	ROW	06/10/20	31.30	12.40	--	0.00	--	--	18.90
MW-21	ROW	11/10/20	31.30	13.93	--	0.00	--	--	17.37
MW-21	ROW	06/28/21	31.30	12.47	--	0.00	--	--	18.83
MW-21	ROW	01/06/22	31.30	13.81	--	0.00	--	--	17.49
MW-21	ROW	06/24/22	31.30	12.77	--	0.00	--	--	18.53
MW-21	ROW	12/16/22	31.30	14.55	--	0.00	--	--	16.75
MW-22	ROW	08/10/99	99.76	--	--	--	--	--	--
MW-22	ROW	10/22/99	99.76	--	--	--	--	--	--
MW-22	ROW	01/06/00	99.76	--	--	--	--	--	--

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-22	ROW	01/15/01	99.76	--	--	--	--	--	--
MW-22	ROW	06/21/01	99.76	13.53	--	0.00	--	--	86.23
MW-22	ROW	03/18/02	99.76	14.41	--	0.00	--	--	85.35
MW-22	ROW	07/02/02	99.76	13.56	--	0.00	--	--	86.20
MW-22	ROW	09/03/02	99.76	14.95	--	0.00	--	--	84.81
MW-22	ROW	12/31/02	99.76	15.22	--	0.00	--	--	84.54
MW-22	ROW	06/25/03	99.76	13.91	--	0.00	--	--	85.85
MW-22	ROW	09/16/03	99.76	15.15	--	0.00	--	--	84.61
MW-22	ROW	12/17/03	99.76	15.03	--	0.00	--	--	84.73
MW-22	ROW	03/25/04	99.76	14.20	--	0.00	--	--	85.56
MW-22	ROW	09/22/04	99.76	14.28	--	0.00	--	--	85.48
MW-22	ROW	03/14/05	99.76	14.70	--	0.00	--	--	85.06
MW-22	ROW	03/29/06	99.76	14.21	--	0.00	--	--	85.55
MW-22	ROW	03/21/07	99.76	14.31	--	0.00	--	--	85.45
MW-22	ROW	03/25/08	99.76	14.35	--	0.00	--	--	85.41
MW-22	ROW	09/08-09/08	99.76	14.47	--	0.00	--	--	85.29
MW-22	ROW	12/11/08	99.76	--	--	--	--	--	--
MW-22	ROW	03/30-31/09	99.76	14.09	--	0.00	--	--	85.67
MW-22	ROW	09/10-11/09	99.76	15.02	--	0.00	--	--	84.74
MW-22	ROW	03/15/10	99.76	14.46	--	0.00	--	--	85.30
MW-22	ROW	09/15/10	99.76	14.82	--	0.00	--	--	84.94
MW-22	ROW	03/14/11	99.76	14.25	--	0.00	--	--	85.51
MW-22	ROW	03/27/14	32.68	--	--	--	--	--	--
MW-22	ROW	06/10/14	32.68	13.65	--	0.00	--	--	19.03
MW-22	ROW	07/22/14	32.68	14.34	--	0.00	--	--	18.34
MW-22	ROW	11/11/15	32.68	15.31	--	0.00	--	--	17.37
MW-22	ROW	04/18/16	32.68	13.88	--	0.00	--	--	18.80
MW-22	ROW	12/07/16	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	06/21/17	32.68	13.10	--	0.00	--	--	19.58
MW-22	ROW	12/05/17	32.68	15.19	--	0.00	--	--	17.49
MW-22	ROW	06/26/18	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	11/27/18	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/20/19	32.68	13.96	--	0.00	--	--	18.72
MW-22	ROW	12/17/19	32.68	15.52	--	0.00	--	--	17.16
MW-22	ROW	06/10/20	32.68	13.60	--	0.00	--	--	19.08
MW-22	ROW	11/10/20	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/28/21	32.68	13.74	--	0.00	--	--	18.94
MW-22	ROW	01/06/22	32.68	14.42	--	0.00	--	--	18.26
MW-22	ROW	06/24/22	32.68	13.25	--	0.00	--	--	19.43
MW-22	ROW	12/16/22	32.68	14.70	--	0.00	--	--	17.98
MW-24	North Yard	03/21/07	--	23.01	--	0.00	--	--	--
MW-24	North Yard	03/25/08	--	23.35	--	0.00	--	--	--
MW-24	North Yard	09/08-09/08	--	23.84	--	0.00	--	--	--
MW-24	North Yard	12/11/08	--	--	--	--	--	--	--
MW-24	North Yard	03/30-31/09	--	23.60	--	0.00	--	--	--
MW-24	North Yard	09/10-11/09	--	24.13	--	0.00	--	--	--

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-24	North Yard	03/15/10	--	22.76	--	0.00	--	--	--
MW-24	North Yard	09/15/10	--	23.71	--	0.00	--	--	--
MW-24	North Yard	03/14/11	--	22.39	--	0.00	--	--	--
MW-24	North Yard	12/26/12	69.77	22.42	--	0.00	--	--	47.35
MW-24	North Yard	03/27/14	69.77	23.06	--	0.00	--	--	46.71
MW-24	North Yard	06/10/14	69.77	22.85	--	0.00	--	--	46.92
MW-24	North Yard	11/11/15	69.77	--	--	--	--	--	--
MW-24	North Yard	04/18/16	69.77	--	--	--	--	--	--
MW-24	North Yard	12/07/16	69.77	21.73	--	0.00	--	--	48.04
MW-24	North Yard	06/21/17	69.77	20.50	--	0.00	--	--	49.27
MW-24	North Yard	12/05/17	69.77	22.32	--	0.00	--	--	47.45
MW-24	North Yard	06/26/18	69.77	22.49	--	0.00	--	--	47.28
MW-24	North Yard	11/27/18	69.77	22.95	--	0.00	--	--	46.82
MW-24	North Yard	06/20/19	69.77	22.80	--	0.00	--	--	46.97
MW-24	North Yard	12/17/19	69.77	23.20	--	0.00	--	--	46.57
MW-24	North Yard	06/10/20	69.77	22.74	--	0.00	--	--	47.03
MW-24	North Yard	11/10/20	69.77	22.77	--	0.00	--	--	47.00
MW-24	North Yard	06/28/21	69.77	22.99	--	0.00	--	--	46.78
MW-24	North Yard	01/06/22	69.77	22.30	--	0.00	--	--	47.47
MW-24	North Yard	06/24/22	69.77	20.99	--	0.00	--	--	48.78
MW-24	North Yard	12/16/22	69.77	21.30	--	0.00	--	--	48.47
MW-25	South Yard	08/09/99	98.17	--	--	--	--	--	--
MW-25	South Yard	10/19/99	98.17	14.37	--	0.00	--	--	83.80
MW-25	South Yard	01/06/00	98.17	--	--	--	--	--	--
MW-25	South Yard	07/27/00	98.17	12.41	--	0.00	--	--	85.76
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	07/26/01	98.17	12.65	--	0.00	--	--	85.52
MW-25	South Yard	03/19/02	98.17	13.12	--	0.00	--	--	85.05
MW-25	South Yard	07/02/02	98.17	12.04	--	0.00	--	--	86.13
MW-25	South Yard	09/03/02	98.17	13.61	--	0.00	--	--	84.56
MW-25	South Yard	10/11/02	98.17	--	--	--	--	--	--
MW-25	South Yard	12/31/02	98.17	13.97	--	0.00	--	--	84.20
MW-25	South Yard	03/26/03	98.17	13.34	--	0.00	--	--	84.83
MW-25	South Yard	04/28/03	98.17	12.13	--	0.00	--	--	86.04
MW-25	South Yard	05/30/03	98.17	12.10	--	0.00	--	--	86.07
MW-25	South Yard	06/25/03	98.17	12.49	--	0.00	--	--	85.68
MW-25	South Yard	09/15/03	98.17	13.78	--	0.00	--	--	84.39
MW-25	South Yard	12/15/03	98.17	13.88	--	0.00	--	--	84.29
MW-25	South Yard	03/25/04	98.17	12.80	--	0.00	--	--	85.37
MW-25	South Yard	09/22/04	98.17	12.94	--	0.00	--	--	85.23
MW-25	South Yard	03/14/05	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/29/06	98.17	12.72	--	0.00	--	--	85.45
MW-25	South Yard	03/21/07	98.17	12.51	--	0.00	--	--	85.66
MW-25	South Yard	03/25/08	98.17	12.78	--	0.00	--	--	85.39
MW-25	South Yard	09/08-09/08	98.17	12.89	--	0.00	--	--	85.28

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-25	South Yard	12/11/08	98.17	--	--	--	--	--	--
MW-25	South Yard	03/30-31/09	98.17	12.60	--	0.00	--	--	85.57
MW-25	South Yard	09/10-11/09	98.17	13.41	--	0.00	--	--	84.76
MW-25	South Yard	03/15/10	98.17	12.95	--	0.00	--	--	85.22
MW-25	South Yard	09/15/10	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/14/11	98.17	12.88	--	0.00	--	--	85.29
MW-25	South Yard	09/25/11	30.91	13.50	--	0.00	--	--	17.41
MW-25	South Yard	10/10/11	30.91	13.30	--	0.00	--	--	17.61
MW-25	South Yard	06/21/12	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	09/20/12	30.91	13.56	--	0.00	--	--	17.35
MW-25	South Yard	12/26/12	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	04/22/13	30.91	12.30	--	0.00	--	--	18.61
MW-25	South Yard	06/26/13	30.91	12.26	--	0.00	--	--	18.65
MW-25	South Yard	09/18/13	30.91	12.97	--	0.00	--	--	17.94
MW-25	South Yard	10/14/13	30.91	13.22	--	0.00	--	--	17.69
MW-25	South Yard	03/27/14	30.91	12.72	--	0.00	--	--	18.19
MW-25	South Yard	06/10/14	30.91	12.05	--	0.00	--	--	18.86
MW-25	South Yard	11/11/15	30.91	13.61	--	0.00	--	--	17.30
MW-25	South Yard	04/18/16	30.91	12.28	--	0.00	--	--	18.63
MW-25	South Yard	12/07/16	30.91	13.81	--	0.00	--	--	17.10
MW-25	South Yard	06/21/17	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	12/05/17	30.91	13.84	--	0.00	--	--	17.07
MW-25	South Yard	06/26/18	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	11/27/18	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	12/17/19	30.91	13.95	--	0.00	--	--	16.96
MW-25	South Yard	06/10/20	30.91	12.00	--	0.00	--	--	18.91
MW-25	South Yard	11/10/20	30.91	13.65	--	0.00	--	--	17.26
MW-25	South Yard	06/28/21	30.91	12.10	--	0.00	--	--	18.81
MW-25	South Yard	01/06/22	30.91	14.42	--	0.00	--	--	16.49
MW-25	South Yard	06/24/22	30.91	12.17	--	0.00	--	--	18.74
MW-25	South Yard	12/16/22	30.91	13.52	--	0.00	--	--	17.39
MW-26	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-26	South Yard	10/19/99	97.87	--	--	--	--	--	--
MW-26	South Yard	01/06/00	97.87	13.78	--	0.00	--	--	84.09
MW-26	South Yard	04/12/00	97.87	12.12	--	0.00	--	--	85.75
MW-26	South Yard	06/27/00	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	07/26/01	97.87	12.15	--	0.00	--	--	85.72
MW-26	South Yard	03/19/02	97.87	12.79	--	0.00	--	--	85.08
MW-26	South Yard	12/31/02	97.87	13.97	--	0.00	--	--	83.90
MW-26	South Yard	02/27/03	97.87	12.88	--	0.00	--	--	84.99
MW-26	South Yard	03/26/03	97.87	13.12	--	0.00	--	--	84.75
MW-26	South Yard	04/28/03	97.87	11.78	--	0.00	--	--	86.09
MW-26	South Yard	05/30/03	97.87	11.73	--	0.00	--	--	86.14
MW-26	South Yard	06/25/03	97.87	12.09	--	0.00	--	--	85.78
MW-26	South Yard	09/15/03	97.87	13.49	--	0.00	--	--	84.38

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-26	South Yard	12/15/03	97.87	13.48	--	0.00	--	--	84.39
MW-26	South Yard	09/22/04	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	03/14/05	97.87	12.94	--	0.00	--	--	84.93
MW-26	South Yard	03/29/06	97.87	12.37	--	0.00	--	--	85.50
MW-26	South Yard	03/21/07	97.87	--	--	--	--	--	--
MW-26	South Yard	03/25/08	97.87	12.46	--	0.00	--	--	85.41
MW-26	South Yard	09/08-09/08	97.87	12.59	--	0.00	--	--	85.28
MW-26	South Yard	12/11/08	97.87	--	--	--	--	--	--
MW-26	South Yard	03/30-31/09	97.87	12.25	--	0.00	--	--	85.62
MW-26	South Yard	09/10-11/09	97.87	13.01	--	0.00	--	--	84.86
MW-26	South Yard	03/15/10	97.87	12.60	--	0.00	--	--	85.27
MW-26	South Yard	09/15/10	97.87	12.94	--	0.00	--	--	84.93
MW-26	South Yard	03/14/11	97.87	12.25	--	0.00	--	--	85.62
MW-26	South Yard	09/24/11	30.62	13.20	--	0.00	--	--	17.42
MW-26	South Yard	10/10/11	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/21/12	30.62	11.68	--	0.00	--	--	18.94
MW-26	South Yard	09/20/12	30.62	13.25	--	0.00	--	--	17.37
MW-26	South Yard	09/21/12	30.62	13.28	--	0.00	--	--	17.34
MW-26	South Yard	12/26/12	30.62	13.24	--	0.00	--	--	17.38
MW-26	South Yard	04/22/13	30.62	11.90	--	0.00	--	--	18.72
MW-26	South Yard	06/26/13	30.62	11.85	--	0.00	--	--	18.77
MW-26	South Yard	09/18/13	30.62	12.68	--	0.00	--	--	17.94
MW-26	South Yard	10/14/13	30.62	12.89	--	0.00	--	--	17.73
MW-26	South Yard	03/27/14	30.62	12.45	--	0.00	--	--	18.17
MW-26	South Yard	06/10/14	30.62	11.71	--	0.00	--	--	18.91
MW-26	South Yard	11/11/15	30.62	13.11	--	0.00	--	--	17.51
MW-26	South Yard	04/18/16	30.62	11.93	--	0.00	--	--	18.69
MW-26	South Yard	12/07/16	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/21/17	30.62	11.69	--	0.00	--	--	18.93
MW-26	South Yard	12/05/17	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/26/18	30.62	12.01	--	0.00	--	--	18.61
MW-26	South Yard	11/27/18	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/20/19	30.62	--	--	--	--	--	--
MW-26	South Yard	12/17/19	30.62	13.58	--	0.00	--	--	17.04
MW-26	South Yard	06/10/20	30.62	11.70	--	0.00	--	--	18.92
MW-26	South Yard	11/10/20	30.62	13.29	--	0.00	--	--	17.33
MW-26	South Yard	06/28/21	30.62	11.80	--	0.00	--	--	18.82
MW-26	South Yard	01/06/22	30.62	13.05	--	0.00	--	--	17.57
MW-26	South Yard	06/24/22	30.62	12.03	--	0.00	--	--	18.59
MW-26	South Yard	12/16/22	30.62	13.40	--	0.00	--	--	17.22
MW-27	North Yard	09/13/99	101.17	--	--	--	--	No	--
MW-27	North Yard	10/22/99	101.17	--	--	--	--	No	--
MW-27	North Yard	01/06/00	101.17	--	--	--	--	No	--
MW-27	North Yard	05/24/01	101.17	11.11	10.38	0.73	--	No	90.64
MW-27	North Yard	06/27/01	101.17	10.07	9.29	0.78	--	No	91.72
MW-27	North Yard	03/18/02	101.17	9.07	9.00	0.07	--	No	92.16

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-27	North Yard	10/16/02	101.17	--	--	0.05	--	No	--
MW-27	North Yard	12/31/02	101.17	--	--	0.02	--	No	--
MW-27	North Yard	06/26/03	101.17	11.08	10.83	0.25	0.25	No	90.29
MW-27	North Yard	07/21/03	101.17	--	--	0.46	4.00	No	--
MW-27	North Yard	08/28/03	101.17	--	--	0.21	8.00	No	--
MW-27	North Yard	10/16/03	101.17	5.97	--	0.00	0.00	No	95.20
MW-27	North Yard	11/21/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	12/17/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	01/29/04	101.17	10.23	9.71	0.52	2.00	No	91.36
MW-27	North Yard	02/18/04	101.17	10.59	9.97	0.62	1.75	No	91.08
MW-27	North Yard	03/30/04	101.17	10.54	9.77	0.77	3.00	No	91.25
MW-27	North Yard	09/22/04	101.17	9.98	9.91	0.07	0.70	No	91.25
MW-27	North Yard	03/15/05	101.17	11.76	11.21	0.55	0.50	No	89.85
MW-27	North Yard	03/29/06	101.17	9.14	--	0.00	0.00	No	92.03
MW-27	North Yard	03/21/07	101.17	7.91	7.90	0.01	<0.01	No	93.27
MW-27	North Yard	03/25/08	101.17	10.57	--	0.00	0.00	No	90.60
MW-27	North Yard	09/08-09/08	101.17	10.83	10.66	0.17	0.28	Yes	90.48
MW-27	North Yard	12/11/08	101.17	11.19	11.18	0.01	0.00	Yes	89.99
MW-27	North Yard	03/30-31/09	101.17	9.92	9.91	0.01	0.00	Yes	91.26
MW-27	North Yard	06/15/09	101.17	9.67	9.66	0.01	0.00	Yes	91.51
MW-27	North Yard	09/10-11/09	101.17	11.27	11.10	0.17	0.33 ⁴	Yes	90.04
MW-27	North Yard	02/23/10	101.17	9.37	--	0.00	--	Yes	91.80
MW-27	North Yard	03/15/10	101.17	9.48	9.47	0.01	0.00	Yes	91.70
MW-27	North Yard	3/14/2011 ¹	101.17	27.77	27.70	0.07	0.05 ⁴	Yes	73.46
MW-27	North Yard	11/16/11	34.01	11.27	--	0.00	--	Yes	22.74
MW-27	North Yard	12/08/11	34.01	9.78	9.69	0.09	0.05 ⁴	Yes	24.30
MW-27	North Yard	03/23/12	34.01	8.18	8.15	0.03	1.00	Yes	25.85
MW-27	North Yard	06/01/12	34.01	8.45	8.25	0.20	1.00	Yes	25.72
MW-27	North Yard	04/22/13	34.01	7.34	7.33	0.01	0.00	Yes	26.68
MW-27	North Yard	06/26/13	34.01	6.67	--	0.00	--	Yes	27.34
MW-27	North Yard	09/18/13	34.01	10.76	--	0.00	--	Yes	23.25
MW-27	North Yard	10/14/13	34.01	10.16	--	0.00	--	Yes	23.85
MW-27	North Yard	03/27/14	34.01	7.10	7.08	0.02	--	Yes	26.93
MW-27	North Yard	06/10/14	34.01	9.25	Sheen	Sheen	--	Yes	24.76
MW-27	North Yard	07/22/14	34.01	10.02	10.015	0.005	--	Yes	23.99
MW-28	North Yard	08/11/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	01/06/00	100.35	6.93	--	0.00	--	No	93.42
MW-28	North Yard	07/27/00	100.35	7.45	--	0.00	--	No	92.90
MW-28	North Yard	09/29/00	100.35	8.50	--	0.00	--	No	91.85
MW-28	North Yard	01/15/01	100.35	8.59	--	0.00	--	No	91.76
MW-28	North Yard	06/21/01	100.35	7.66	--	0.00	--	No	92.69
MW-28	North Yard	03/18/02	100.35	6.02	--	0.00	--	No	94.33
MW-28	North Yard	06/26/03	100.35	7.57	--	0.00	--	No	92.78
MW-28	North Yard	09/15/03	100.35	8.96	--	0.00	--	No	91.39

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-28	North Yard	12/15/03	100.35	7.56	--	0.00	--	No	92.79
MW-28	North Yard	03/25/04	100.35	7.07	--	0.00	--	No	93.28
MW-28	North Yard	09/22/04	100.35	8.16	--	0.00	--	No	92.19
MW-28	North Yard	03/14/05	100.35	8.45	--	0.00	--	No	91.90
MW-28	North Yard	03/29/06	100.35	6.64	--	0.00	--	No	93.71
MW-28	North Yard	03/21/07	100.35	6.86	6.48	0.38	0.25	No	93.79
MW-28	North Yard	03/25/08	100.35	7.25	7.08	0.17	0.25	No	93.24
MW-28	North Yard	09/08-09/08	100.35	8.04	8.00	0.04	0.16	Yes	92.34
MW-28	North Yard	12/11/08	100.35	8.15	8.14	0.01	0.00	Yes	92.21
MW-28	North Yard	03/30-31/09	100.35	6.84	6.83	0.01	0.00	Yes	93.52
MW-28	North Yard	06/15/09	100.35	7.21	7.20	0.01	0.00	Yes	93.15
MW-28	North Yard	09/10-11/09	100.35	8.16	8.13	0.03	0.00	Yes	92.21
MW-28	North Yard	02/23/10	100.35	6.39	6.38	0.01	0.00	Yes	93.97
MW-28	North Yard	03/15/10	100.35	6.05	--	0.00	--	Yes	94.30
MW-28	North Yard	9/15/10	100.35	7.76	7.75	0.01	--	Yes	92.60
MW-28	North Yard	12/04/10	100.35	--	--	--	--	Yes	--
MW-28	North Yard	03/14/11	100.35	5.30	--	0.00	--	Yes	95.05
MW-28	North Yard	07/22/14	33.13	7.24	--	0.00	--	No	25.89
MW-29	ROW	07/22/14	34.06	13.80	--	0.00	--	--	20.26
MW-29	ROW	09/26/14	34.06	14.27	--	0.00	--	--	19.79
MW-29	ROW	10/30/14	34.06	13.03	--	0.00	--	--	21.03
MW-29	ROW	12/01/14	34.06	17.80	--	0.00	--	--	16.26
MW-29	ROW	02/20/15	34.06	19.26	--	0.00	--	--	14.80
MW-29	ROW	11/11/15	34.06	16.61	--	0.00	--	--	17.45
MW-29	ROW	04/18/16	34.06	13.65	--	0.00	--	--	20.41
MW-29	ROW	12/07/16	34.08	14.82	--	0.00	--	--	19.26
MW-29	ROW	06/21/17	34.08	11.29	--	0.00	--	--	22.79
MW-29	ROW	12/05/17	34.08	12.99	--	0.00	--	--	21.09
MW-29	ROW	06/26/18	34.08	13.50	--	0.00	--	--	20.58
MW-29	ROW	11/27/18	34.08	11.37	--	0.00	--	--	22.71
MW-29	ROW	06/20/19	34.08	13.59	--	0.00	--	--	20.49
MW-29	ROW	12/17/19	34.08	14.65	--	0.00	--	--	19.43
MW-29	ROW	06/10/20	34.08	13.40	--	0.00	--	--	20.68
MW-29	ROW	11/10/20	34.08	14.59	--	0.00	--	--	19.49
MW-29	ROW	06/28/21	34.08	14.07	--	0.00	--	--	20.01
MW-29	ROW	01/06/22	34.08	10.29	--	0.00	--	--	23.79
MW-29	ROW	06/24/22	34.08	9.75	--	0.00	--	--	24.33
MW-29	ROW	12/16/22	34.08	10.88	--	0.00	--	--	23.20
MW-30	ROW	07/22/14	33.45	12.37	--	0.00	--	--	21.08
MW-30	ROW	09/26/14	33.45	12.87	--	0.00	--	--	20.58
MW-30	ROW	10/30/14	33.45	10.73	--	0.00	--	--	22.72
MW-30	ROW	12/01/14	33.45	17.04	--	0.00	--	--	16.41
MW-30	ROW	02/20/15	33.45	19.18	--	0.00	--	--	14.27
MW-30	ROW	11/11/15	33.45	15.61	--	0.00	--	--	17.84
MW-30	ROW	04/18/16	33.45	12.41	--	0.00	--	--	21.05
MW-30	ROW	12/07/16	33.46	14.01	--	0.00	--	--	19.45

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-30	ROW	06/21/17	33.46	11.75	--	0.00	--	--	21.71
MW-30	ROW	12/05/17	33.46	12.79	--	0.00	--	--	20.67
MW-30	ROW	06/26/18	33.46	13.09	--	0.00	--	--	20.37
MW-30	ROW	11/27/18	33.46	13.95	--	0.00	--	--	19.51
MW-30	ROW	06/20/19	33.46	12.95	--	0.00	--	--	20.51
MW-30	ROW	12/17/19	33.46	14.40	--	0.00	--	--	19.06
MW-30	ROW	06/10/20	33.46	12.50	--	0.00	--	--	20.96
MW-30	ROW	11/10/20	33.46	13.70	--	0.00	--	--	19.76
MW-30	ROW	06/28/21	33.46	13.13	--	0.00	--	--	20.33
MW-30	ROW	06/24/22	33.46	10.62	--	0.00	--	--	22.84
MW-30	ROW	12/16/22	33.46	12.05	--	0.00	--	--	21.41
AGI-2	South Yard	08/10/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	10/20/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	01/15/01	97.95	13.61	--	0.00	--	--	84.34
AGI-2	South Yard	06/21/01	97.95	11.83	--	0.00	--	--	86.12
AGI-2	South Yard	07/26/01	97.95	12.19	--	0.00	--	--	85.76
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	05/07/02	97.95	11.95	--	0.00	--	--	86.00
AGI-2	South Yard	06/06/02	97.95	12.51	--	0.00	--	--	85.44
AGI-2	South Yard	07/02/02	97.95	11.90	--	0.00	--	--	86.05
AGI-2	South Yard	09/03/02	97.95	13.65	--	0.00	--	--	84.30
AGI-2	South Yard	12/31/02	97.95	13.75	--	0.00	--	--	84.20
AGI-2	South Yard	03/26/03	97.95	12.62	--	0.00	--	--	85.33
AGI-2	South Yard	04/28/03	97.95	12.98	--	0.00	--	--	84.97
AGI-2	South Yard	05/30/03	97.95	12.19	--	0.00	--	--	85.76
AGI-2	South Yard	06/25/03	97.95	12.66	--	0.00	--	--	85.29
AGI-2	South Yard	09/15/03	97.95	13.51	--	0.00	--	--	84.44
AGI-2	South Yard	12/15/03	97.95	13.59	--	0.00	--	--	84.36
AGI-2	South Yard	03/26/04	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/22/04	97.95	12.67	--	0.00	--	--	85.28
AGI-2	South Yard	03/14/05	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/29/06	97.95	12.45	--	0.00	--	--	85.50
AGI-2	South Yard	03/21/07	97.95	12.30	--	0.00	--	--	85.65
AGI-2	South Yard	03/25/08	97.95	12.53	--	0.00	--	--	85.42
AGI-2	South Yard	09/08-09/08	97.95	12.63	--	0.00	--	--	85.32
AGI-2	South Yard	12/11/08	97.95	--	--	--	--	--	--
AGI-2	South Yard	03/30-31/09	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/10-11/09	97.95	13.11	--	0.00	--	--	84.84
AGI-2	South Yard	03/15/10	97.95	15.92	--	0.00	--	--	82.03
AGI-2	South Yard	09/15/10	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/14/11	97.95	12.58	--	0.00	--	--	85.37
AGI-2	South Yard	06/21/12	30.68	11.69	--	0.00	--	--	18.99
AGI-2	South Yard	09/20/12	30.68	13.31	--	0.00	--	--	17.37
AGI-2	South Yard	12/26/12	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/23/13	30.68	11.96	--	0.00	--	--	18.72

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
AGI-2	South Yard	06/26/13	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	09/18/13	30.68	12.72	--	0.00	--	--	17.96
AGI-2	South Yard	10/14/13	30.68	12.94	--	0.00	--	--	17.74
AGI-2	South Yard	03/27/14	30.68	12.41	--	0.00	--	--	18.27
AGI-2	South Yard	06/10/14	30.68	11.85	--	0.00	--	--	18.83
AGI-2	South Yard	11/11/15	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/18/16	30.68	11.98	--	0.00	--	--	18.70
AGI-2	South Yard	12/07/16	30.68	13.50	--	0.00	--	--	17.18
AGI-2	South Yard	06/21/17	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	12/05/17	30.68	13.64	--	0.00	--	--	17.04
AGI-2	South Yard	06/26/18	30.68	12.06	--	0.00	--	--	18.62
AGI-2	South Yard	11/27/18	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	06/20/19	30.68	12.10	--	0.00	--	--	18.58
AGI-2	South Yard	12/17/19	30.68	13.68	--	0.00	--	--	17.00
AGI-2	South Yard	06/10/20	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	11/10/20	30.68	13.35	--	0.00	--	--	17.33
AGI-2	South Yard	06/28/21	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	01/06/22	30.68	13.22	--	0.00	--	--	17.46
AGI-2	South Yard	06/24/22	30.68	12.64	--	0.00	--	--	18.04
AGI-2	South Yard	12/16/22	30.68	14.11	--	0.00	--	--	16.57
MLU-1	South Yard	10/20/99	100.18	15.33	--	0.00	--	--	84.85
MLU-1	South Yard	01/06/00	100.18	15.75	--	0.00	--	--	84.43
MLU-1	South Yard	04/12/00	100.18	14.35	--	0.00	--	--	85.83
MLU-1	South Yard	06/27/00	100.18	14.24	--	0.00	--	--	85.94
MLU-1	South Yard	09/29/00	100.18	15.12	--	0.00	--	--	85.06
MLU-1	South Yard	06/25/03	100.18	14.41	--	0.00	--	--	85.77
MLU-1	South Yard	09/15/03	100.18	15.72	--	0.00	--	--	84.46
MLU-1	South Yard	12/15/03	100.18	15.70	--	0.00	--	--	84.48
MLU-1	South Yard	03/25/04	100.18	14.75	--	0.00	--	--	85.43
MLU-1	South Yard	09/22/04	100.18	14.88	--	0.00	--	--	85.30
MLU-1	South Yard	03/14/05	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/29/06	100.18	14.65	--	0.00	--	--	85.53
MLU-1	South Yard	03/21/07	100.18	14.64	--	0.00	--	--	85.54
MLU-1	South Yard	03/25/08	100.18	14.70	--	0.00	--	--	85.48
MLU-1	South Yard	09/08-09/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	12/11/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	03/30-31/09	100.18	--	--	--	--	--	--
MLU-1	South Yard	09/10-11/09	100.18	15.32	--	0.00	--	--	84.86
MLU-1	South Yard	03/15/10	100.18	14.82	--	0.00	--	--	85.36
MLU-1	South Yard	09/15/10	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/14/11	100.18	14.19	--	0.00	--	--	85.99
MLU-1	South Yard	06/21/12	32.90	13.96	--	0.00	--	--	18.94
MLU-1	South Yard	09/20/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	09/21/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	12/26/12	32.90	15.31	--	0.00	--	--	17.59
MLU-1	South Yard	04/22/13	32.90	14.14	--	0.00	--	--	18.76

Table 1
Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MLU-1	South Yard	06/26/13	32.90	14.05	--	0.00	--	--	18.85
MLU-1	South Yard	09/18/13	32.90	14.92	--	0.00	--	--	17.98
MLU-1	South Yard	10/14/13	32.90	15.50	--	0.00	--	--	17.40
MLU-1	South Yard	03/27/14	32.90	14.61	--	0.00	--	--	18.29
MLU-1	South Yard	06/10/14	32.90	13.97	--	0.00	--	--	18.93
MLU-1	South Yard	11/11/15	32.90	15.56	--	0.00	--	--	17.34
MLU-1	South Yard	04/18/16	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/07/16	32.90	15.65	--	0.00	--	--	17.25
MLU-1	South Yard	06/21/17	32.90	15.01	--	0.00	--	--	17.89
MLU-1	South Yard	12/05/17	32.90	15.62	--	0.00	--	--	17.28
MLU-1	South Yard	06/26/18	32.90	14.33	--	0.00	--	--	18.57
MLU-1	South Yard	11/27/18	32.90	15.17	--	0.00	--	--	17.73
MLU-1	South Yard	06/20/19	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/17/19	32.90	15.88	--	0.00	--	--	17.02
MLU-1	South Yard	06/10/20	32.90	13.94	--	0.00	--	--	18.96
MLU-1	South Yard	11/10/20	32.90	15.58	--	0.00	--	--	17.32
MLU-1	South Yard	06/28/21	32.90	14.08	--	0.00	--	--	18.82
MLU-1	South Yard	01/06/22	32.90	14.99	--	0.00	--	--	17.91
MLU-1	South Yard	06/24/22	32.90	13.78	--	0.00	--	--	19.12
MLU-1	South Yard	12/16/22	32.90	15.08	--	0.00	--	--	17.82
MLU-3	South Yard	08/20/99	97.62	--	--	--	--	--	--
MLU-3	South Yard	10/20/99	97.62	13.58	--	0.00	--	--	84.04
MLU-3	South Yard	07/26/01	97.62	12.05	--	0.00	--	--	85.57
MLU-3	South Yard	03/27/14	30.64	12.44	--	0.00	--	--	18.20
MLU-3	South Yard	06/10/14	30.64	11.68	--	0.00	--	--	18.96
MLU-3	South Yard	11/11/15	30.64	13.38	--	0.00	--	--	17.26
MLU-3	South Yard	04/18/16	30.64	12.09	--	0.00	--	--	18.55
MLU-3	South Yard	12/07/16	30.64	13.47	--	0.00	--	--	17.17
MLU-3	South Yard	06/21/17	30.64	11.70	--	0.00	--	--	18.94
MLU-3	South Yard	12/05/17	30.64	13.49	--	0.00	--	--	17.15
MLU-3	South Yard	06/26/18	30.64	12.11	--	0.00	--	--	18.53
MLU-3	South Yard	11/27/18	30.64	13.08	--	0.00	--	--	17.56
MLU-3	South Yard	06/20/19	30.64	12.01	--	0.00	--	--	18.63
MLU-3	South Yard	12/17/19	30.64	13.66	--	0.00	--	--	16.98
MLU-3	South Yard	06/10/20	30.64	11.71	--	0.00	--	--	18.93
MLU-3	South Yard	11/10/20	30.64	13.35	--	0.00	--	--	17.29
MLU-3	South Yard	06/28/21	30.64	11.80	--	0.00	--	--	18.84
MLU-3	South Yard	01/06/22	30.64	13.03	--	0.00	--	--	17.61
MLU-3	South Yard	06/24/22	30.64	12.10	--	0.00	--	--	18.54
MLU-3	South Yard	12/16/22	30.64	13.57	--	0.00	--	--	17.07
EW-1	ROW	07/22/14	35.05	12.25	--	0.00	--	--	22.80
EW-1	ROW	09/26/14	35.05	14.03	--	0.00	--	--	21.02
EW-1	ROW	10/30/14	35.05	11.86	--	0.00	--	--	23.19
EW-1	ROW	12/01/14	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	02/20/15	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	11/11/15	35.05	17.20	--	0.00	--	--	17.85

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
EW-1	ROW	04/18/16	35.05	--	--	--	--	--	--
EW-1	ROW	12/07/16	35.05	13.72	--	0.00	--	--	21.33
EW-1	ROW	06/21/17	35.05	12.20	--	0.00	--	--	22.85
EW-1	ROW	12/05/17	35.05	13.25	--	0.00	--	--	21.80
EW-1	ROW	06/26/18	35.05	13.33	--	0.00	--	--	21.72
EW-1	ROW	11/27/18	35.05	14.07	--	0.00	--	--	20.98
EW-1	ROW	06/20/19	35.05	12.20	--	0.00	--	--	22.85
EW-1	ROW	12/17/19	35.05	14.68	--	0.00	--	--	20.37
EW-1	ROW	06/10/20	35.05	12.68	--	0.00	--	--	22.37
EW-1	ROW	11/10/20	35.05	13.48	--	0.00	--	--	21.57
EW-1	ROW	06/28/21	35.05	13.96	--	0.00	--	--	21.09
EW-1	ROW	06/24/22	35.05	10.38	--	0.00	--	--	24.67
EW-1	ROW	12/16/22	35.05	11.38	--	0.00	--	--	23.67
SMPN-1	North Yard	03/15/05	--	11.23	Sheen	Sheen	0.00	No	--
SMPN-1	North Yard	10/04/05	--	11.96	11.72	0.24	<1/16	No	--
SMPN-1	North Yard	03/29/06	--	9.84	--	0.00	0.00	No	--
SMPN-1	North Yard	03/21/07	--	9.89	--	0.00	0.00	No	--
SMPN-1	North Yard	03/25/08	--	10.36	--	0.00	0.00	No	--
SMPN-1	North Yard	09/08-09/08	100.99	10.68	10.67	0.01	0.00	Yes	90.32
SMPN-1	North Yard	12/11/08	100.99	11.30	--	0.00	0.00	Yes	89.69
SMPN-1	North Yard	03/30-31/09	100.99	10.31	10.30	0.01	0.00	Yes	90.69
SMPN-1	North Yard	06/15/09	100.99	9.73	9.72	0.01	0.00	Yes	91.27
SMPN-1	North Yard	09/10-11/09	100.99	11.13	--	0.00	0.00	Yes	89.86
SMPN-1	North Yard	02/23/10	100.99	9.86	--	0.00	0.00	Yes	91.13
SMPN-1	North Yard	03/15/10	100.99	9.83	--	0.01	0.00	Yes	91.17
SMPN-1	North Yard	09/15/10	100.99	11.13	11.12	0.01	--	Yes	89.87
SMPN-1	North Yard	12/4/10	100.99	10.53	10.53	0.00	--	Yes	90.46
SMPN-1	North Yard	11/16/11	33.78	11.27	--	0.00	--	Yes	22.51
SMPN-1	North Yard	12/08/11	33.78	9.79	9.78	0.01	0.05 ⁴	Yes	24.00
SMPN-1	North Yard	03/23/12	33.78	8.27	8.25	0.02	0.50	Yes	25.53
SMPN-1	North Yard	06/01/12	33.78	8.85	--	0.00	--	Yes	24.93
SMPN-1	North Yard	09/20/12	33.78	11.14	10.96	0.18	--	Yes	22.78
SMPN-1	North Yard	12/26/12	33.78	8.50	--	0.00	--	Yes	25.28
SMPN-1	North Yard	04/22/13	33.78	8.75	--	0.00	--	Yes	25.03
SMPN-1	North Yard	06/26/13	33.78	9.54	--	0.00	--	Yes	24.24
SMPN-1	North Yard	09/18/13	33.78	11.29	--	0.00	--	Yes	22.49
SMPN-1	North Yard	10/14/13	33.78	10.49	--	0.00	--	Yes	23.29
SMPN-1	North Yard	03/27/14	33.78	9.46	--	0.00	--	Yes	24.32
SMPN-1	North Yard	06/10/14	33.78	9.23	--	0.00	--	Yes	24.55
SMPN-2	North Yard	03/15/05	101.24	11.21	11.20	0.01	0.00	No	--
SMPN-2	North Yard	03/29/06	101.24	9.48	--	0.00	0.00	No	--
SMPN-2	North Yard	03/21/07	101.24	9.20	9.15	0.05	<0.05	No	--
SMPN-2	North Yard	03/25/08	101.24	10.11	--	0.00	0.00	No	--
SMPN-2	North Yard	09/08-09/08	101.24	10.51	10.50	0.01	0.00	Yes	90.74
SMPN-2	North Yard	12/11/08	101.24	11.06	11.05	0.01	0.00	No	90.19
SMPN-2	North Yard	03/30-31/09	101.24	10.12	10.11	0.01	0.00	No	91.13

Table 1**Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data**

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
SMPN-2	North Yard	06/15/09	101.24	9.51	9.50	0.01	0.00	No	91.74
SMPN-2	North Yard	09/10-11/09	101.24	10.99	10.98	0.01	0.00	No	90.26
SMPN-2	North Yard	02/23/10	101.24	9.23	10.98	0.00	0.00	No	92.01
SMPN-2	North Yard	03/15/10	101.24	9.37	9.36	0.01	0.00	No	91.88
SMPN-2	North Yard	09/15/10	101.24	11.07	10.89	0.18	--	No	90.31
SMPN-2	North Yard	12/04/10	101.24	10.35	10.28	0.07	--	No	90.95
SMPN-2	North Yard	03/14/11	101.24	8.93	--	0.00	--	No	92.31
SMPN-2	North Yard	11/16/11	33.85	9.97	9.96	0.01	0.05 ⁴	No	23.89
SMPN-2	North Yard	12/08/11	33.85	9.61	--	0.00	--	No	24.24
SMPN-2	North Yard	03/23/12	33.85	8.12	8.10	0.02	0.50	No	25.75
SMPN-2	North Yard	06/01/12	33.85	8.40	8.30	0.10	1.00	No	25.53
SMPN-2	North Yard	09/20/12	33.85	11.11	10.95	0.16	--	No	22.87
SMPN-2	North Yard	12/26/12	33.85	8.51	--	0.00	--	No	25.34
SMPN-2	North Yard	04/22/13	33.85	7.88	--	0.00	--	No	25.97
SMPN-2	North Yard	06/26/13	33.85	8.70	--	0.00	--	No	25.15
SMPN-2	North Yard	09/18/13	33.85	10.82	10.81	0.01	--	Yes	23.04
SMPN-2	North Yard	10/14/13	33.85	10.50	--	0.00	--	Yes	23.35
SMPN-2	North Yard	03/27/14	33.85	9.39	--	0.00	--	Yes	24.46
SMPN-2	North Yard	06/10/14	33.85	3.74	--	0.00	--	Yes	30.11
SMPN-3	North Yard	03/15/05	--	11.46	--	0.00	--	No	--
SMPN-3	North Yard	03/29/06	--	9.56	--	0.00	--	No	--
SMPN-3	North Yard	03/21/07	--	9.03	--	0.00	--	No	--
SMPN-3	North Yard	03/25/08	--	10.30	--	0.00	--	No	--
SMPN-3	North Yard	09/08-09/08	101.02	10.67	10.66	0.01	0.00	Yes	90.36
SMPN-3	North Yard	12/11/08	101.02	11.26	--	0.00	--	No	89.76
SMPN-3	North Yard	03/30-31/09	101.02	10.28	10.27	0.01	0.00	No	90.75
SMPN-3	North Yard	06/15/09	101.02	9.59	--	0.00	--	No	91.43
SMPN-3	North Yard	09/10-11/09	101.02	11.08	--	0.01	--	No	89.95
SMPN-3	North Yard	02/23/10	101.02	9.44	--	0.00	--	No	91.58
SMPN-3	North Yard	03/15/10	101.02	9.51	--	0.01	--	No	91.52
SMPN-3	North Yard	09/15/10	101.02	11.14	--	0.00	--	No	89.88
SMPN-3	North Yard	12/04/10	101.02	10.49	--	0.00	--	No	90.53
SMPN-3	North Yard	03/14/11	101.02	9.12	--	0.00	--	No	91.90
SMPN-3	North Yard	11/16/11	33.81	11.06	10.94	0.12	0.05 ⁴	No	22.85
SMPN-3	North Yard	12/08/11	33.81	9.73	--	0.00	--	No	24.08
SMPN-3	North Yard	03/23/12	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/01/12	33.81	8.05	--	0.00	--	No	25.76
SMPN-3	North Yard	09/20/12	33.81	11.22	--	0.00	--	No	22.59
SMPN-3	North Yard	12/26/12	33.81	8.89	--	0.00	--	No	24.92
SMPN-3	North Yard	04/22/13	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/26/13	33.81	9.02	--	0.00	--	No	24.79
SMPN-3	North Yard	09/18/13	33.81	11.06	--	0.00	--	No	22.75
SMPN-3	North Yard	10/14/13	33.81	10.52	--	0.00	--	No	23.29
SMPN-3	North Yard	03/27/14	33.81	8.68	--	0.00	--	No	25.13
SMPN-3	North Yard	06/10/14	33.81	9.39	--	0.00	--	Yes	24.42

Table 1

Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant #1001327

1602 North Northlake Place

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
-------------	---------------	---------------	------------------------------------	--	-----------------------	------------------------	-------------------------	-----------------------------------	---

Notes:

Groundwater elevation corrected for the presence of LNAPL using a specific gravity of 0.80; Correction factor: [(TOC-DTW)+(LNAPL x 0.80)]

¹Well casing elevations listed in feet above NAVD 88. Approximate monitoring well locations are shown in Figure 2.

²Below top of casing.

³Elevation referenced to Horizontal Datum NAD 83/98, State Plane Coordinates Washington North Zone and Vertical Datum NAVD 88

⁴LNAPL + water removed

⁵LNAPL only removed

LNAPL = light non-aqueous phase liquid

Sheen = sheen observed in water

* = Interface probe not recognizing LNAPL, bailer dropped in well, LNAPL thickness > 3 feet

Bolded data are for the current reporting period.

"--" = not measured or not obtainable

Grey well: well no longer present

Table 2
Fourth Quarter 2022 Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Location	Sample Date	Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) Pyrene	Dissolved Arsenic	Dissolved Lead
Site Cleanup Level		43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹	5
MW-4	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.339 J	<0.849
MW-7	12/16/2022	20.5	2.55	20.6	36.4	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.04	0.913 J
MW-8A	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.289 J	<0.849
MW-8A-DUP	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.248 J	<0.849
AGI-2	12/16/2022	20.1	2.67	23.1	93.8	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.02	0.888 J
MLU-1	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.16 J	<0.849
MLU-3	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.15 J	<0.849
MW-19	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.588 J	<0.849
MW-20	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.90 J	<0.849
MW-21	12/16/2022	0.113 J	<0.278	<0.137	0.293	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	12.7	<0.849
MW-25	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.39 J	<0.849
MW-26	12/16/2022	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.366 J	<0.849

Notes:

All samples were field filtered excluding benzene, ethylbenzene and toluene

All results are reported in micrograms per liter (µg/L)

Shaded concentrations are greater than corresponding Site Cleanup Level (CUL)

DUP = duplicate sample collected from MW-8A

< = indicates concentration is less than the Method Detection Limit (MDL).

J = The concentration is an estimated value - the result is greater than the MDL and less than the practical quantitation limit (PQL) (or reported detection limit [RDL])

Benzene, toluene, and ethylbenzene by Environmental Protection Agency (EPA) method 8260D

Polyaromatic hydrocarbons - benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene and naphthalene - by EPA method 8270E SIM

Dissolved lead and arsenic by EPA method 6020B

¹ The arsenic Site CUL is two orders of magnitude below the USEPA Method 6020B PQL (or RDL) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020B MDL for arsenic (0.18 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

Table 3
Point of Compliance Consecutive Clean Sampling Events as of Second Semi-Annual 2022
Former Chevron Bulk Plant # 1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well	Petroleum Constituents: Benzene, Toluene, Ethylbenzene, Naphthalene		Carcinogenic Polycyclic Aromatic Hydrocarbons		Lead	
	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}
North Yard						
MW-19	semi-annual	22 ³	semi-annual	13	semi-annual	21 ³
MW-20	semi-annual	22 ³	semi-annual	22 ³	semi-annual	21 ³
MW-21	semi-annual	22 ³	semi-annual	22 ³	semi-annual	21 ³
South Yard						
MW-4	semi-annual	22 ³	semi-annual	18 ³	semi-annual	21 ³
MW-7	semi-annual	14	semi-annual	14	semi-annual	20 ³
MW-8A	semi-annual	22 ³	semi-annual	21 ³	semi-annual	21 ³
AGI-2	semi-annual	6	semi-annual	19 ³	semi-annual	8 ³
MLU-1	semi-annual	21 ³	semi-annual	20 ³	semi-annual	20 ³
MLU-3 ⁴	semi-annual	16	semi-annual	16	semi-annual	2
MW-25	semi-annual	22 ³	semi-annual	23 ³	semi-annual	21 ³
MW-26	semi-annual	21 ³	semi-annual	21 ³	semi-annual	20 ³

Notes:

¹ "Consecutive events" are number of consecutive sampling events prior to and including the current reporting period that are in compliance with the groundwater Site Cleanup Levels (CULs). Events prior to 2010 are not counted. Refer to progress reports for results.


² Consecutive clean sampling events excludes arsenic values because laboratory limits are above the arsenic Site CUL. The arsenic Site CUL is two orders of magnitude below the USEPA Method 6020/6020A/6020B practical quantitation limit (PQL) (or reported detection limit [RDL]) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020/6020A/6020B Method Detection Limit (MDL) for arsenic (varying from 0.18 to 0.95 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

³ No exceedences, but constituent not analyzed consecutively every sampling event.


⁴ MLU-3 only sampled 16 times since 2010. MLU-3 was sampled annually in 2014 and 2015 and semi-annually since.

FIGURES










REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., SEATTLE NORTH, WA.




<p>FORMER CHEVRON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO) SEATTLE, WASHINGTON SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT</p>	
<p>SITE LOCATION MAP</p>	
	<p>FIGURE 1</p>




LEGEND:

-  PROPERTY BOUNDARY
-  FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
-  NORTH YARD
-  SOUTH YARD
-  PUBLIC RIGHT OF WAY



FORMER CHEVRON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO) SEATTLE, WASHINGTON SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT	
SITE AERIAL MAP	
	FIGURE 2




LEGEND:


- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROXIMATE)
- UNDERGROUND ELECTRIC LINE (APPROXIMATE)
- WATER LINE (APPROXIMATE)
- SEWER LINE (APPROXIMATE)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

NOTES:

1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE



FORMER CHEVRON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO) SEATTLE, WASHINGTON SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT	
SITE PLAN	
	FIGURE 3



LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
- 45.0 GROUNDWATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
- (48.47) GROUNDWATER ELEVATION (FEET)
- APPROXIMATE DIRECTION OF GROUNDWATER FLOW
- 0.077 FT/FT APPROXIMATE HYDRAULIC GRADIENT (FEET/FOOT)

NOTES:


1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.



FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON
**SECOND SEMI-ANNUAL GROUNDWATER
 MONITORING REPORT**

**GROUNDWATER ELEVATION
 CONTOUR MAP
 DECEMBER 16, 2022**

ARCADIS



MW-19	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MW-20	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MW-21	
Date	12/16/2022
B	0.113 J
T	<0.278
E	<0.137
N	0.293

AGI-2	
Date	12/16/2022
B	20.1
T	2.67
E	23.1
N	93.8

MW-8A	
Date	12/16/2022
B	<0.0941 [<0.0941]
T	<0.278 [<0.278]
E	<0.137 [<0.137]
N	<0.0917 [<0.0917]

MW-25	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MW-26	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MW-4	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MLU-3	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

MW-7	
Date	12/16/2022
B	20.5
T	2.55
E	20.6
N	36.4

MLU-1	
Date	12/16/2022
B	<0.0941
T	<0.278
E	<0.137
N	<0.0917

LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

BOLD BOLD VALUES INDICATE THAT THE ANALYTE WAS DETECTED ABOVE THE LABORATORY METHOD DETECTION LIMIT (MDL)

< NOT DETECTED AT OR ABOVE THE MDL


J RESULT IS LESS THAN THE REPORTED DETECTION LIMIT (RDL) BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE

[] DUPLICATE SAMPLE RESULTS

(NS) NOT SAMPLED

- NOTES:**
- BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
 - METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
 - THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
 - THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
 - ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.
 - ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L)

Cleanup Levels	µg/L
Benzene	43
Toluene	48,500
Ethylbenzene	6,910
Naphthalene	9,880



FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON

SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT

GROUNDWATER ANALYTICAL RESULT MAP - PETROLEUM HYDROCARBONS
 DECEMBER 16, 2022

ARCADIS

FIGURE **5**

MW-20	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-21	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-19	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

AGI-2	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-8A	
Date	12/16/2022
Benzo (a) anthracene	<0.0203 [<0.0203]
Benzo (a) pyrene	<0.0184 [<0.0184]
Benzo (b) fluoranthene	<0.0168 [<0.0168]
Benzo (k) fluoranthene	<0.0202 [<0.0202]
Chrysene	<0.0179 [<0.0179]
Dibenz (a,h) anthracene	<0.0160 [<0.0160]
Indeno (1,2,3-cd) Pyrene	<0.0158 [<0.0158]

MW-25	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MLU-3	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-26	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-4	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MW-7	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158

MLU-1	
Date	12/16/2022
Benzo (a) anthracene	<0.0203
Benzo (a) pyrene	<0.0184
Benzo (b) fluoranthene	<0.0168
Benzo (k) fluoranthene	<0.0202
Chrysene	<0.0179
Dibenz (a,h) anthracene	<0.0160
Indeno (1,2,3-cd) Pyrene	<0.0158


LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- GROUNDWATER MONITORING WELL
- ABANDONED MONITORING WELL
- COMPLIANCE MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
- $<$ NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL)
- [] DUPLICATE SAMPLE ($\mu\text{g/L}$)
- (NS) NOT SAMPLED

Cleanup Levels	$\mu\text{g/L}$
Benzo (a) anthracene	0.0296
Benzo (a) pyrene	0.0296
Benzo (b) fluoranthene	0.0296
Benzo (k) fluoranthene	0.0296
Chrysene	0.0296
Dibenz (a,h) anthracene	0.0296
Indeno (1,2,3-cd) Pyrene	0.0296


NOTES:

1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.
6. ARSENIC AND LEAD SAMPLES WERE FIELD FILTERED WITH A DISPOSABLE 0.45 MICRON FILTER.
7. ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER ($\mu\text{g/L}$)



FORMER CHEVRON BULK PLANT No. 100-1327
FACILITIES NORTH / KING COUNTY (METRO)
SEATTLE, WASHINGTON
SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT
GROUNDWATER ANALYTICAL RESULT MAP - cPAH ANALYTICAL RESULTS
DECEMBER 16, 2022





- LEGEND:**
- PROPERTY BOUNDARY
 - FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
 - COMPLIANCE MONITORING WELL
 - GROUNDWATER MONITORING WELL
 - SUPPLEMENTARY MONITORING POINT
 - BIOSPARGE INJECTION WELL
 - ABANDONED MONITORING WELL
 - CATCH BASIN
 - NATURAL GAS LINE (APPROX.)
 - UNDERGROUND ELECTRIC LINE (APPROX.)
 - WATER LINE (APPROX.)
 - SEWER LINE (APPROX.)
 - TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
- BOLD** BOLD VALUES INDICATE THAT THE ANALYTE WAS DETECTED ABOVE THE LABORATORY METHOD DETECTION LIMIT (MDL)
- BOLD** BOLD AND SHADED VALUES ARE GREATER THAN THEIR RESPECTIVE CLEAN UP LEVEL
- < NOT DETECTED AT OR ABOVE THE MDL
- J RESULT IS LESS THAN THE REPORTED DETECTION LIMIT (RDL) BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE
- D-As DISSOLVED ARSENIC
- D-Pb DISSOLVED LEAD
- [] DUPLICATE SAMPLE RESULTS
- (NS) NOT SAMPLED

MW-19	
Date	12/16/2022
D-As	0.588 J
D-Pb	<0.849

MW-20	
Date	12/16/2022
D-As	1.90 J
D-Pb	<0.849

MW-21	
Date	12/16/2022
D-As	12.7
D-Pb	<0.849

AGI-2	
Date	12/16/2022
D-As	5.02
D-Pb	0.888 J

MW-8A	
Date	12/16/2022
D-As	0.289 J [0.248 J]
D-Pb	<0.849 [<0.849]

MW-25	
Date	12/16/2022
D-As	1.39 J
D-Pb	<0.849

MW-26	
Date	12/16/2022
D-As	0.366 J
D-Pb	<0.849

MW-4	
Date	12/16/2022
D-As	0.339 J
D-Pb	<0.849


MLU-3	
Date	12/16/2022
D-As	1.15 J
D-Pb	<0.849

MW-7	
Date	12/16/2022
D-As	5.04
D-Pb	0.913 J

MLU-1	
Date	12/16/2022
D-As	1.16 J
D-Pb	<0.849

Cleanup Levels	µg/L
Dissolved Arsenic	0.0982
Dissolved Lead	5

- NOTES:**
- BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
 - METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
 - THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
 - THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
 - ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.
 - ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L)



FORMER CHEVRON BULK PLANT No. 100-1327
 FACILITIES NORTH / KING COUNTY (METRO)
 SEATTLE, WASHINGTON

SECOND SEMI-ANNUAL GROUNDWATER MONITORING REPORT

GROUNDWATER ANALYTICAL RESULTS MAP - DISSOLVED METALS
 DECEMBER 16, 2022

ARCADIS

FIGURE **7**

APPENDIX A

Field Notes





Groundwater Gauging Log

Project Number		30064328						
Client:		Chevron						
Site ID:		1001327						
Site Location:		Seattle, Washington						
Measuring Point:		Top of Casing						
Date(s):		12/16/2022						
Sampler(s):		Lee Bures						
Gauging Equipment:		Water Level Meter						
Well ID	Date	Gauging Time	Static Water Level (ft bmp)	Depth to Product (ft bmp)	Total Depth (ft bmp)	PID Reading (ppm)	LNAPL Removed (gal)	Comments
AGI-2	12/16/2022	09:12	14.11	ND	22.50	--	--	--
EW-1	12/16/2022	08:34	11.38	ND	21.80	--	--	--
MLU-1	12/16/2022	09:25	15.08	ND	22.48	--	--	--
MLU-3	12/16/2022	09:17	13.57	ND	20.70	--	--	--
MW-4	12/16/2022	09:30	15.3	ND	19.80	--	--	--
MW-7	12/16/2022	09:21	13.74	ND	16.38	--	--	--
MW-8A	12/16/2022	09:42	13.35	ND	24.45	--	--	--
MW-9R	12/16/2022	08:37	14.9	ND	21.69	--	--	--
MW-11	12/16/2022	08:21	13.14	ND	15.50	--	--	--
MW-14	12/16/2022	09:03	14.17	ND	18.97	--	--	--
MW-15	12/16/2022	09:00	14.02	ND	19.10	--	--	--
MW-19	12/16/2022	08:13	14.35	ND	16.50	--	--	--
MW-20	12/16/2022	08:08	14.48	ND	21.88	--	--	--
MW-21	12/16/2022	08:04	14.55	ND	19.75	--	--	--
MW-22	12/16/2022	08:56	14.7	ND	20.32	--	--	--
MW-24	12/16/2022	08:45	21.3	ND	27.80	--	--	--
MW-25	12/16/2022	09:38	13.52	ND	19.37	--	--	--
MW-26	12/16/2022	09:34	13.4	ND	20.00	--	--	--
MW-29	12/16/2022	08:29	10.88	ND	21.30	--	--	--
MW-30	12/16/2022	08:25	12.05	ND	20.46	--	--	--

ft-bmp = feet below measuring point

ND = Not Detected

PID = Photoionization Detector Reading

ppm = parts per million

-- = Not Recorded

Project Number	30064328	Well ID	AGI-2	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	14.11	Total Depth (ft-bmp)	22.5	Water Column (ft)	8.39	Gallons in Well 1.36
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	10:39	Well Volumes Purged	0.58	Sample ID	AGI-2-W-20221216	Evacuation Equipment Peristaltic
Purge Start	10:23	Gallons Purged	0.79	Duplicate ID	--	
Purge End	10:38	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:26	200	14.39	7.21	0.475	1.0	0.29	7.40	217.4	Clear	--
10:29	200	14.68	7.30	0.475	1.0	0.37	6.79	202.3	Clear	--
10:32	200	14.75	7.37	0.475	1.0	0.40	6.42	199.5	Clear	--
10:35	200	14.94	7.40	0.475	1.0	0.40	6.39	198	Clear	--
10:38	200	15.10	7.39	0.475	1.0	0.38	6.34	196.7	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: AGI-2-W-20221216 Sample Time: 10:39 Sample Depth (ft-bmp): 18.5
 Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MLU-1	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	10 to 20	Casing Diameter (in.)	4	Well Casing Material --
Static Water Level (ft-bmp)	15.08	Total Depth (ft-bmp)	22.48	Water Column (ft)	7.40	Gallons in Well 4.81
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:43	Well Volumes Purged	0.16	Sample ID	MLU-1-W-20221216	Evacuation Equipment Peristaltic
Purge Start	11:27	Gallons Purged	0.79	Duplicate ID	--	
Purge End	11:42	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:30	200	15.08	7.84	0.109	1.0	0.65	11.31	233.4	Clear	--
11:33	200	15.08	7.96	0.110	1.0	0.47	11.54	230	Clear	--
11:36	200	15.08	8.03	0.110	1.0	0.34	11.60	228	Clear	--
11:39	200	15.08	8.04	0.108	1.0	0.33	11.63	227.4	Clear	--
11:42	200	15.08	8.02	0.107	1.0	0.32	11.65	228.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MLU-1-W-20221216 Sample Time: 11:43 Sample Depth (ft-bmp): 19
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MLU-3	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	11 to 21	Casing Diameter (in.)	4	Well Casing Material --
Static Water Level (ft-bmp)	13.57	Total Depth (ft-bmp)	20.7	Water Column (ft)	7.13	Gallons in Well 4.63
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	12:13	Well Volumes Purged	0.17	Sample ID	MLU-3-W-20221216	Evacuation Equipment Peristaltic
Purge Start	11:57	Gallons Purged	0.79	Duplicate ID	--	
Purge End	12:12	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:00	200	13.65	8.06	0.138	1.0	0.34	10.58	220.9	Clear	--
12:03	200	13.65	7.92	0.135	1.0	0.26	10.35	217.6	Clear	--
12:06	200	13.65	7.83	0.131	1.0	0.22	10.20	215.3	Clear	--
12:09	200	13.65	7.80	0.132	1.0	0.20	10.22	214.8	Clear	--
12:12	200	13.65	7.80	0.130	1.0	0.20	10.24	214	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MLU-3-W-20221216 Sample Time: 12:13 Sample Depth (ft-bmp): 17
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-4	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	9.7 to 19.4	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	15.3	Total Depth (ft-bmp)	19.8	Water Column (ft)	4.50	Gallons in Well 0.73
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	13:11	Well Volumes Purged	1.09	Sample ID	MW-4-W-20221216	Evacuation Equipment Peristaltic
Purge Start	12:55	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:10	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:58	200	15.30	7.75	0.343	1.0	0.75	10.13	212.9	Clear	--
13:01	200	15.30	7.59	0.342	1.0	0.67	9.60	210.3	Clear	--
13:04	200	15.30	7.47	0.340	1.0	0.52	9.02	207.4	Clear	--
13:07	200	15.30	7.44	0.340	1.0	0.52	8.93	205.8	Clear	--
13:10	200	15.30	7.48	0.340	1.0	0.50	8.90	204.6	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-4-W-20221216 Sample Time: 13:11 Sample Depth (ft-bmp): 17.5
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-7	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	6.5 to 16.5	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.74	Total Depth (ft-bmp)	16.38	Water Column (ft)	2.64	Gallons in Well 0.43
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	11:10	Well Volumes Purged	1.84	Sample ID	MW-7-W-20221216	Evacuation Equipment Peristaltic
Purge Start	10:54	Gallons Purged	0.79	Duplicate ID	--	
Purge End	11:09	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:57	200	13.74	7.96	0.585	5.0	1.24	6.49	227.6	Clear	--
11:00	200	13.74	7.89	0.585	4.0	1.09	5.97	223.9	Clear	--
11:03	200	13.74	7.83	0.585	3.0	1.03	5.81	221	Clear	--
11:06	200	13.74	7.81	0.583	3.0	1.02	5.77	220.3	Clear	--
11:09	200	13.74	7.80	0.582	3.0	0.99	5.73	219.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-7-W-20221216 Sample Time: 11:10 Sample Depth (ft-bmp): 15
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-8A	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.35	Total Depth (ft-bmp)	24.45	Water Column (ft)	11.10	Gallons in Well 1.8
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	10:10	Well Volumes Purged	0.44	Sample ID	MW-8A-W-20221216	Evacuation Equipment Peristaltic
Purge Start	09:54	Gallons Purged	0.79	Duplicate ID	BD-W-20221216	
Purge End	10:09	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:57	200	13.57	7.81	0.117	22.0	1.93	7.58	232.9	Clear	--
10:00	200	13.70	7.95	0.098	18.0	1.82	7.13	234.8	Clear	--
10:03	200	13.70	8.01	0.089	14.0	1.57	6.88	236.3	Clear	--
10:06	200	13.70	8.04	0.088	14.0	1.56	6.82	237	Clear	--
10:09	200	13.70	8.06	0.087	13.0	1.54	6.80	238.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-8A-W-20221216 Sample Time: 10:10 Sample Depth (ft-bmp): 19
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-19	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	14.35	Total Depth (ft-bmp)	16.5	Water Column (ft)	2.15	Gallons in Well 0.35
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	15:06	Well Volumes Purged	2.26	Sample ID	MW-19-W-20221216	Evacuation Equipment Peristaltic
Purge Start	14:50	Gallons Purged	0.79	Duplicate ID	--	
Purge End	15:05	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
14:53	200	14.48	7.45	0.309	4.0	0.67	12.64	220.4	Clear	--
14:56	200	14.62	7.48	0.305	2.0	0.34	12.90	221.9	Clear	--
14:59	200	14.70	7.42	0.305	1.0	0.23	13.02	223.4	Clear	--
15:02	200	14.70	7.40	0.305	1.0	0.21	13.08	224.1	Clear	--
15:05	200	14.70	7.40	0.304	1.0	0.20	13.05	223	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-19-W-20221216 Sample Time: 15:06 Sample Depth (ft-bmp): 15.5
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-20	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	14.48	Total Depth (ft-bmp)	21.88	Water Column (ft)	7.40	Gallons in Well 1.2
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	14:40	Well Volumes Purged	0.66	Sample ID	MW-20-W-20221216	Evacuation Equipment Peristaltic
Purge Start	14:24	Gallons Purged	0.79	Duplicate ID	--	
Purge End	14:39	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
14:27	200	14.48	8.04	0.375	1.0	0.39	13.67	226.7	Clear	--
14:30	200	14.48	7.88	0.374	1.0	0.30	13.48	224.1	Clear	--
14:33	200	14.48	7.83	0.371	1.0	0.21	13.33	222.9	Clear	--
14:36	200	14.48	7.80	0.370	1.0	0.20	13.28	222.4	Clear	--
14:39	200	14.48	7.78	0.370	1.0	0.20	13.30	221.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-20-W-20221216 Sample Time: 14:40 Sample Depth (ft-bmp): 18.5
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-21	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	14.55	Total Depth (ft-bmp)	19.75	Water Column (ft)	5.20	Gallons in Well 0.84
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	14:11	Well Volumes Purged	0.94	Sample ID	MW-21-W-20221216	Evacuation Equipment Peristaltic
Purge Start	13:55	Gallons Purged	0.79	Duplicate ID	--	
Purge End	14:10	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:58	200	14.55	7.83	0.595	11.0	0.84	12.86	214.7	Clear	--
14:01	200	14.55	7.60	0.595	7.0	0.71	13.10	218.3	Clear	--
14:04	200	14.55	7.48	0.595	4.0	0.65	13.22	220.1	Clear	--
14:07	200	14.55	7.44	0.595	4.0	0.66	13.28	220.9	Clear	--
14:10	200	14.55	7.43	0.595	4.0	0.63	13.25	222.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-21-W-20221216 Sample Time: 14:11 Sample Depth (ft-bmp): 17
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-25	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	2	Well Casing Material --
Static Water Level (ft-bmp)	13.52	Total Depth (ft-bmp)	19.37	Water Column (ft)	5.85	Gallons in Well 0.95
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	13:39	Well Volumes Purged	0.83	Sample ID	MW-25-W-20221216	Evacuation Equipment Peristaltic
Purge Start	13:23	Gallons Purged	0.79	Duplicate ID	--	
Purge End	13:38	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:26	200	13.80	7.69	0.312	34.0	0.69	14.93	188.2	Clear	--
13:29	200	13.80	7.93	0.306	30.0	0.53	16.40	186.9	Clear	--
13:32	200	13.80	8.00	0.301	27.0	0.50	16.53	186.4	Clear	--
13:35	200	13.80	8.04	0.300	26.0	0.47	16.60	185.9	Clear	--
13:38	200	13.80	8.06	0.300	26.0	0.48	16.65	184.7	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-25-W-20221216 Sample Time: 13:39 Sample Depth (ft-bmp): 16
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30064328	Well ID	MW-26	Date	12/16/2022	
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by Lee Bures
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	4	Well Casing Material --
Static Water Level (ft-bmp)	13.4	Total Depth (ft-bmp)	20	Water Column (ft)	6.60	Gallons in Well 4.29
Water Quality Meter Make/Model	YSI 556 MP5	Purge Method	Low-Flow	Sample Method	Grab	
Sample Time	12:43	Well Volumes Purged	0.18	Sample ID	MW-26-W-20221216	Evacuation Equipment Peristaltic
Purge Start	12:27	Gallons Purged	0.79	Duplicate ID	--	
Purge End	12:42	Total Purge Time (h:m)	0:15			

Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:30	200	13.40	7.99	0.285	2.0	2.13	10.95	234.7	Clear	--
12:33	200	13.40	7.80	0.285	1.0	1.69	10.70	232.6	Clear	--
12:36	200	13.40	7.65	0.284	1.0	1.52	10.53	230.4	Clear	--
12:39	200	13.40	7.63	0.285	1.0	1.54	10.54	230.1	Clear	--
12:42	200	13.40	7.61	0.283	1.0	1.54	10.50	229.5	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-26-W-20221216 Sample Time: 12:43 Sample Depth (ft-bmp): 17
Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = milliSiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Company Name/Address:
Arcadis - Chevron - WA

215 Clay St NW
STE B-1
Auburn, WA 98101

Attn: Accounts Payable
630 Plaza Dr., Ste. 600
Highlands Ranch, CO 80129

Report to:
Lee Bures

Email To:
erika.midkiff@arcadis.com; molly.whitcomb@ar

Project Description:
1001327

City/State Collected: **Seattle, WA**
Please Circle: **PT** MT CT ET

Phone: **206-348-8985**

Client Project #
30064328.19.43

Collected by (print):
Jonah Davis

Lab Project #
CHEVARCWA-1001327

Collected by (signature):
[Signature]

Site/Facility ID #
1602 N NORTHLAKE PL

Immediately Packed on Ice N Y

Quote #
Date Results Needed

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
1B-W-20221216	G	GW	—	12/16/22	0900	2
MW-4-W-20221216			—		1311	6
MW-7-W-20221216			—		1110	6
MW-8A-W-20221216			—		1010	6
MW-19-W-20221216			—		1506	6
MW-20-W-20221216			—		1440	6
MW-21-W-20221216			—		1411	6
MW-25-W-20221216			—		1339	9
MW-26-W-20221216			—		1243	6
AG1-2-W-20221216			—		1039	6

Remarks:
* Matrix: SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - Waste Water
DW - Drinking Water
OT - Other

Samples returned via: UPS FedEx Courier

Relinquished by: (Signature) *[Signature]* Date: **12/19/22** Time: **1600**
 Relinquished by: (Signature) *[Signature]* Date: _____ Time: _____
 Relinquished by: (Signature) _____ Date: _____ Time: _____

Received by: (Signature) *[Signature]* Date: _____ Time: _____
 Received by: (Signature) *[Signature]* Date: _____ Time: _____
 Received for lab by: (Signature) _____ Date: _____ Time: _____

Tracking # _____
 Shipped Via **FedEx**
 Trip Blank Received: Yes / No
 HCL/MeOH TBR
 Temp: _____ °C Bottles Received: _____
 Date: _____ Time: _____

Pace
PEOPLE ADVANCING SCIENCE

MT JULIET, TN

12085 Lebanon Rd Mount Juliet, TN 37122
 Shipping to: Sample ID, this chain of custody
 number, and date of collection are required for
 accreditation and compliance of the
 Page Terms and Conditions found at:
 https://info.pacelabs.com/hubfs/pas-standard-
 terms.pdf

SDG # _____
 Table # _____
 Acctnum: **CHEVARCWA**
 Template: **T221711**
 Prelogin: **P970506**
 PM: **110 - Brian Ford**
 PB: _____
 Shipped Via: _____
 Remarks _____
 Sample # (lab only) _____

Analysis / Container / Preservative	Pres Chk
BTF 8260D 40mlamb-HCl	X
FF Diss As, Pb 6020 250mlHDPE HNO3	X
CPAHS/Naphs 8270ESIM 40mlamb-NoPres-WT	X

Sample Receipt Checklist
 COC seal present/intact: Y N
 COC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 If Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N
 RAD Screen <0.5 mR/hr: Y N

If preservation required by Login: Date/Time
 Hold: _____
 Condition: NCF / OK

Billing Information:
Attn: Accounts Payable
 630 Plaza Dr., Ste. 600
 Highlands Ranch, CO 80129

Email To: **erika.midkiff@arcadis.com; molly.whitcomb@ar**
 City/State Collected: **Seattle, WA**
 Release Circle: **PT MT CT ET**

Client Project # **30064328.19.43**
 Lab Project # **CHEVARCWA-1001327**
 Site/Facility ID # **1602 N NORTHLAKE PL**
 P.O. #

Quote #
 Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Chtrs
MLU-1-W-20221216	6	GW	-	12/16/22	1143	6
MLU-3-W-20221216	↓	↓	-	↓	1213	6
GD-W-20221216	↓	↓	-	↓	1200	6
EQB-W-20221216	↓	↓	-	↓	1530	6

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Samples returned via: UPS FedEx Courier

Date: **12/19/22** Time: **1600**
 Date: **12/19/22** Time: **1600**

Received by: (Signature) **Shipped Via FedEx**
 Received by: (Signature)

Temp: °C Bottles received: HCL/MeOH TBR
 Date: Time: °C Bottles received: HCL/MeOH TBR

If preservation required by Login: Date/Time

Chain of Custody Page **2** of **2**

Pace
 PEOPLE ADVANCING SCIENCE

12065 Labanon Rd. Mount Juliet, TN 37122
 Submitting samples into this chain of custody
 constitutes an acknowledgment of the
 Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

MT JULIET, TN

Accntnum: **CHEVARCWA**
 Template: **T221711**
 Prelogin: **P970506**
 PM: **110 - Brian Ford**
 PB:

Shipped Via: _____
 Remarks: _____
 Sample # (lab only)

Analysis / Container / Preservative	Pres Chk
BTE 8260D 40mlamb-HCl	X
FF Diss As,Pb 6020 250mlHDFE HNO3	X
CPAHS/Naphs 8270ESIM 40mlamb-NPres-VT	X

Sample	Seal Present/Intact	NP	Y	N
COC Signed/Accurate				
Bottles arrive intact				
Correct bottles used				
Sufficient volume sent				
If Applicable				
VOA Zero Headspace				
Preservation Correct/Checked				
RAD Screen <0.5 mR/hr				

Relinquished by: (Signature) _____
 Relinquished by: (Signature) _____
 Relinquished by: (Signature) _____

Condition: NCF / OK

WELLHEAD INSPECTION FORM

Client: Arcadis Site: 1602 N Northlake Pl Seattle, WA Date: 12/16/22
 Job #: 221216 - J01 Technician: JD Page 1 of 2

Well ID	Well Inspected - No Corrective Action Required	Check indicates deficiency											Well Not Inspected (explain in notes)	Notes <small>(list if cap or lick replaced, if there are access issues associated with repairs, if traffic control is required, if stand pipe damaged, or any specific details not covered by checklist)</small>		
		Cap non-functional	Lock non-functional	Lock missing	Bolts missing (list qty)	Tabs stripped (list qty)	Tabs broken (list qty)	Annular seal incomplete	Apron damaged	Rim / Lid broken	Trip Hazard	Below Grade			Other (explain in notes)	
MW-4	X															
MW-7	X				2/3											
MW-8A	Y				3/3											
MW-9R	X															
MW-11	X															
MW-14	X															
MW-15	X															
MW-19	X															
MW-20	X				2/3											
MW-21	X															
MW-22	X															
MW-24	X															
MW-25	X															
MW-26	X															
MW-29	X															
MW-30	X															
EW-1	X															

NOTES: _____

WELLHEAD INSPECTION FORM

Client: Arcadis Site: 1602 N Northlake Pl Seattle, WA Date: 12/16/22
 Job #: 221216-JD1 Technician: JD Page 2 of 2

Well ID	Well Inspected - No Corrective Action Required	Check indicates deficiency											Well Not Inspected (explain in notes)	Notes <small>(list if cap or lick replaced, if there are access issues associated with repairs, if traffic control is required, if stand pipe damaged, or any specific details not covered by checklist)</small>		
		Cap non-functional	Lock non-functional	Lock missing	Bolts missing (list qty)	Tabs stripped (list qty)	Tabs broken (list qty)	Annular seal incomplete	Apron damaged	Rim / Lid broken	Trip Hazard	Below Grade			Other (explain in notes)	
AG1-2	Y				1/2											
MLU-1	X			NL												
MLU.3	X			NL												

NOTES: _____

CHEVRON-WASHINGTON/OREGON TYPE A BILL OF LADING

SOURCE RECORD BILL OF LADING
 FOR PURGEWATER RECOVERED FROM
 GROUNDWATER WELLS AT CHEVRON FACILITIES IN
 THE STATE OF WASHINGTON AND OREGON. THE
 PURGE-WATER WHICH HAS BEEN RECOVERED FROM
 GROUND- WATER WELLS IS COLLECTED BY THE
 CONTRACTOR AND HAULED TO THEIR FACILITY IN
 KENT, WASHINGTON FOR TEMPORARILY HOLDING
 PENDING TRANSPORT BY OTHERS TO FINAL
 DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 22727 72ND Ave South, Suite D - 102, Kent, WA 98032. BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

CHEVRON # 100-1327 Chevron Project Manager
1662 N Northlake Pl Seattle WA
 Street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
MW-4	0.8	MW-3	0.8
MW-7	0.8		
MW-8A	0.8		
MW-9	0.8		
MW-10	0.8		
MW-11	0.8		
MW-15	0.8		
MW-16	0.8		
AG1-2	0.8		
AMW-1	0.8		

added equip. any other adjustments /
 rinse water / 0.2

TOTAL GALS. RECOVERED 9 loaded onto BTS vehicle # 135

BTS event # 221216-30' time 1520 date 12/16/22

signature [Signature]

Blaine Tech Services, Inc.

Permit To Work

for Chevron EMC Sites

Client: Arads Date 12/16/22

Site Address: 1602 N Northlake Pl Seattle, WA

Job Number: 221216-J01 Technician(s): J0

Pre-Job Safety Review

1. JMP reviewed, site restrictions and parking/access issues addressed. Reviewed:

2. Special Permit Required Task Review

Are there any conditions or tasks that would require:	Yes	No
Confined space entry	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Working at height	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Lock-out/Tag-out	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Excavations greater than 4 feet deep	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Excavations within 3 feet of a buried active electrical line or product piping or within 10 feet of a high pressure gas line.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Use of overhead equipment within 15 feet of an overhead electrical power line or pole supporting one	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hot work	<input type="checkbox"/>	<input checked="" type="checkbox"/>

If "Yes" was the answer to any of the Special Permit Required Tasks above, the Project Manager will contact the client and arrange to modify the Scope of Work so that the Special Permit Required Tasks are not required to be performed by Blaine Tech Services employees.

3. Is a Traffic Control Permit required for today's work? Yes No

If so is it in the folder?

Is it current?

Do you understand the Traffic Control Plan and what equipment you will need?

On site Pre-Job Safety Review

- 1. Reviewed and signed the site specific HASP.
- 2. Route to hospital understood.
- 3. Reviewed "Groundwater Monitoring Well Sampling General Job Safety Analysis included in the HASP.
- 4. Exceptional circumstances today that are not covered by the HASP, JSA or JMP have been addressed and mitigated.
- 5. Understands procedure to follow, if site circumstances change, to address new site hazards.
- 6. There are no unexpected conditions which would make your task a Special Permit Required Task. If there is, contact your Project Manager.
- 7. All site hazards have been communicated to all necessary onsite personnel during tailgate safety meeting.
- 8. After lunch tailgate safety meeting refresher conducted.

If Checklist Task cannot be completed, explain:

Permit To Work Authority: Jeriah Davis Environmental Tech 12/16/22 @ 0755

Name Title Date Time

APPENDIX B

Hydraulic Gradient Three Point Solution Worksheets



Hydraulic Gradient Three-Point Solution Worksheet

Instructions to determine groundwater (GW) gradient and flow direction based on static water elevations (SWE) of 3 wells. Only enter values in the highlighted cells.

A. Record elevation difference between the wells:

Well	Well ID	SWE (ft)	Wells		HD (ft)
#1 (high)	MW-24	48.47	#1 to #2	=	25.27
#2 (int)	MW-29	23.20	#2 to #3	=	6.64
#3 (low)	MW-19	16.56	#3 to #1	=	31.91

choose this well

*make sure all wells used are not anomalous

B. Perform the following calculations:

1	Calculate the position between the High Static Water Elevation (HSWE) well and the Low Static Water Elevation (LSWE) well where the SWE is the same as the Intermediate Static Water Elevation (ISWE).
(a)	HSWE - LSWE = (a) 31.91 (ft)
(b)	Horizontal distance between HSWE well and LSWE well 435.926 divided by (a) =
(b)	13.6611 (ft/ft)
(c)	HSWE - ISWE = (c) 25.27 (ft)
(d)	(b) x (c) = (d) 345.216234 (ft)
<i>(= the horizontal distance between the HSWE well and LSWE well that is equal to the ISWE).</i>	
2	Measure the distance (d) from the HSWE well along the line between it and the LSWE well, and plot that position on the diagram.
3	Draw a straight line from the ISWE well to position (d) on the well location diagram. This represents the water level contour line along which the SWE is the same as the ISWE well.
4	Draw a line perpendicular to the ISWE contour line through the HSWE well location on the well location diagram.
<i>This is the groundwater flow direction (high to low). The distance along this groundwater flow line from the HSWE well to the ISWE contour line is (e).</i>	
(e)	326.184


C. Calculate the Hydraulic Gradient (HG) of the groundwater by dividing (c) by (e).

(c) 25.27 divided by (e) 326.184 = HG 0.077 (f/ft)

APPENDIX C

Laboratory Analytical Reports





Arcadis - Chevron - WA


Sample Delivery Group: L1569425
Samples Received: 12/20/2022
Project Number: 30064328.19.43
Description: 1001327
Site: 1602 N NORTHLAKE PL SEATTLE
Report To: Lee Bures
215 Clay St NW
STE B-1
Auburn, WA 98101

Entire Report Reviewed By:



Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.




Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	6
Sr: Sample Results	7
TB-W-20221216 L1569425-01	7
MW-4-W-20221216 L1569425-02	8
MW-7-W-20221216 L1569425-03	9
MW-8A-W-20221216 L1569425-04	10
MW-19-W-20221216 L1569425-05	11
MW-20-W-20221216 L1569425-06	12
MW-21-W-20221216 L1569425-07	13
MW-25-W-20221216 L1569425-08	14
MW-26-W-20221216 L1569425-09	15
AG1-2-W-20221216 L1569425-10	16
MLU-1-W-20221216 L1569425-11	17
MLU-3-W-20221216 L1569425-12	18
BD-W-20221216 L1569425-13	19
EQB-W-20221216 L1569425-14	20
Qc: Quality Control Summary	21
Metals (ICPMS) by Method 6020B	21
Volatile Organic Compounds (GC/MS) by Method 8260D	22
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	23
Gl: Glossary of Terms	24
Al: Accreditations & Locations	25
Sc: Sample Chain of Custody	26



SAMPLE SUMMARY

TB-W-20221216 L1569425-01 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 09:00
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/28/22 23:10	12/28/22 23:10	GH	Mt. Juliet, TN

MW-4-W-20221216 L1569425-02 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 13:11
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:39	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/28/22 23:55	12/28/22 23:55	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 16:37	AGW	Mt. Juliet, TN

MW-7-W-20221216 L1569425-03 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 11:10
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:42	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 00:16	12/29/22 00:16	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 20:56	AGW	Mt. Juliet, TN

MW-8A-W-20221216 L1569425-04 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 10:10
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:46	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 00:39	12/29/22 00:39	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 16:57	AGW	Mt. Juliet, TN

MW-19-W-20221216 L1569425-05 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 15:06
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:49	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 01:01	12/29/22 01:01	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 17:17	AGW	Mt. Juliet, TN

MW-20-W-20221216 L1569425-06 GW


Collected by: Jonah Davis
 Collected date/time: 12/16/22 14:40
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:52	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 01:23	12/29/22 01:23	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 21:15	AGW	Mt. Juliet, TN

MW-21-W-20221216 L1569425-07 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 14:11
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:56	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 01:45	12/29/22 01:45	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 21:35	AGW	Mt. Juliet, TN




SAMPLE SUMMARY

MW-25-W-20221216 L1569425-08 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 13:39
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 20:59	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 02:07	12/29/22 02:07	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 21:55	AGW	Mt. Juliet, TN



MW-26-W-20221216 L1569425-09 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 12:43
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:02	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 02:29	12/29/22 02:29	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 17:37	AGW	Mt. Juliet, TN

AG1-2-W-20221216 L1569425-10 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 10:39
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:14	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 02:51	12/29/22 02:51	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 22:15	AGW	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	20	12/21/22 09:13	12/22/22 20:34	DSH	Mt. Juliet, TN

MLU-1-W-20221216 L1569425-11 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 11:43
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:17	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 03:12	12/29/22 03:12	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 22:35	AGW	Mt. Juliet, TN

MLU-3-W-20221216 L1569425-12 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 12:13
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:20	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 03:34	12/29/22 03:34	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 22:55	AGW	Mt. Juliet, TN

BD-W-20221216 L1569425-13 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 12:00
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:24	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/29/22 03:56	12/29/22 03:56	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 17:57	AGW	Mt. Juliet, TN

SAMPLE SUMMARY

EQB-W-20221216 L1569425-14 GW

Collected by: Jonah Davis
 Collected date/time: 12/16/22 15:30
 Received date/time: 12/20/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG1977570	1	12/21/22 10:55	12/21/22 21:27	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1980602	1	12/28/22 23:32	12/28/22 23:32	GH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG1977616	1	12/21/22 09:13	12/21/22 18:16	AGW	Mt. Juliet, TN

- ¹Cp
- ²Tc
- ³Ss
- ⁴Cn
- ⁵Sr
- ⁶Qc
- ⁷Gl
- ⁸Al
- ⁹Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/28/2022 23:10	WG1980602
Toluene	0.296	J	0.278	1.00	1	12/28/2022 23:10	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/28/2022 23:10	WG1980602
(S) Toluene-d8	97.9			80.0-120		12/28/2022 23:10	WG1980602
(S) 4-Bromofluorobenzene	84.2			77.0-126		12/28/2022 23:10	WG1980602
(S) 1,2-Dichloroethane-d4	124			70.0-130		12/28/2022 23:10	WG1980602

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.339	J	0.180	2.00	1	12/21/2022 20:39	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:39	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/28/2022 23:55	WG1980602
Toluene	U		0.278	1.00	1	12/28/2022 23:55	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/28/2022 23:55	WG1980602
(S) Toluene-d8	98.4			80.0-120		12/28/2022 23:55	WG1980602
(S) 4-Bromofluorobenzene	94.3			77.0-126		12/28/2022 23:55	WG1980602
(S) 1,2-Dichloroethane-d4	118			70.0-130		12/28/2022 23:55	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 16:37	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 16:37	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 16:37	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 16:37	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 16:37	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 16:37	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 16:37	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 16:37	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 16:37	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 16:37	WG1977616
(S) Nitrobenzene-d5	101			31.0-160		12/21/2022 16:37	WG1977616
(S) 2-Fluorobiphenyl	119			48.0-148		12/21/2022 16:37	WG1977616
(S) p-Terphenyl-d14	122			37.0-146		12/21/2022 16:37	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	5.04		0.180	2.00	1	12/21/2022 20:42	WG1977570
Lead,Dissolved	0.913	J	0.849	2.00	1	12/21/2022 20:42	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	20.5		0.0941	1.00	1	12/29/2022 00:16	WG1980602
Toluene	2.55		0.278	1.00	1	12/29/2022 00:16	WG1980602
Ethylbenzene	20.6		0.137	1.00	1	12/29/2022 00:16	WG1980602
(S) Toluene-d8	83.4			80.0-120		12/29/2022 00:16	WG1980602
(S) 4-Bromofluorobenzene	84.8			77.0-126		12/29/2022 00:16	WG1980602
(S) 1,2-Dichloroethane-d4	124			70.0-130		12/29/2022 00:16	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 20:56	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 20:56	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 20:56	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 20:56	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 20:56	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 20:56	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 20:56	WG1977616
Naphthalene	36.4		0.0917	0.250	1	12/21/2022 20:56	WG1977616
1-Methylnaphthalene	3.78		0.0687	0.250	1	12/21/2022 20:56	WG1977616
2-Methylnaphthalene	3.71		0.0674	0.250	1	12/21/2022 20:56	WG1977616
(S) Nitrobenzene-d5	97.4			31.0-160		12/21/2022 20:56	WG1977616
(S) 2-Fluorobiphenyl	115			48.0-148		12/21/2022 20:56	WG1977616
(S) p-Terphenyl-d14	128			37.0-146		12/21/2022 20:56	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.289	J	0.180	2.00	1	12/21/2022 20:46	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:46	WG1977570

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 00:39	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 00:39	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 00:39	WG1980602
(S) Toluene-d8	101			80.0-120		12/29/2022 00:39	WG1980602
(S) 4-Bromofluorobenzene	85.9			77.0-126		12/29/2022 00:39	WG1980602
(S) 1,2-Dichloroethane-d4	114			70.0-130		12/29/2022 00:39	WG1980602

4 Cn

5 Sr

6 Qc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 16:57	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 16:57	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 16:57	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 16:57	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 16:57	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 16:57	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 16:57	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 16:57	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 16:57	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 16:57	WG1977616
(S) Nitrobenzene-d5	102			31.0-160		12/21/2022 16:57	WG1977616
(S) 2-Fluorobiphenyl	118			48.0-148		12/21/2022 16:57	WG1977616
(S) p-Terphenyl-d14	119			37.0-146		12/21/2022 16:57	WG1977616

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.588	J	0.180	2.00	1	12/21/2022 20:49	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:49	WG1977570

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 01:01	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 01:01	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 01:01	WG1980602
(S) Toluene-d8	95.1			80.0-120		12/29/2022 01:01	WG1980602
(S) 4-Bromofluorobenzene	87.3			77.0-126		12/29/2022 01:01	WG1980602
(S) 1,2-Dichloroethane-d4	118			70.0-130		12/29/2022 01:01	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 17:17	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 17:17	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 17:17	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 17:17	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 17:17	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 17:17	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 17:17	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 17:17	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 17:17	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 17:17	WG1977616
(S) Nitrobenzene-d5	107			31.0-160		12/21/2022 17:17	WG1977616
(S) 2-Fluorobiphenyl	123			48.0-148		12/21/2022 17:17	WG1977616
(S) p-Terphenyl-d14	131			37.0-146		12/21/2022 17:17	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	1.90	J	0.180	2.00	1	12/21/2022 20:52	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:52	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 01:23	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 01:23	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 01:23	WG1980602
(S) Toluene-d8	98.8			80.0-120		12/29/2022 01:23	WG1980602
(S) 4-Bromofluorobenzene	95.3			77.0-126		12/29/2022 01:23	WG1980602
(S) 1,2-Dichloroethane-d4	115			70.0-130		12/29/2022 01:23	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 21:15	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 21:15	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 21:15	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 21:15	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 21:15	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 21:15	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 21:15	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 21:15	WG1977616
1-Methylnaphthalene	0.0778	J	0.0687	0.250	1	12/21/2022 21:15	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 21:15	WG1977616
(S) Nitrobenzene-d5	94.7			31.0-160		12/21/2022 21:15	WG1977616
(S) 2-Fluorobiphenyl	118			48.0-148		12/21/2022 21:15	WG1977616
(S) p-Terphenyl-d14	120			37.0-146		12/21/2022 21:15	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	12.7		0.180	2.00	1	12/21/2022 20:56	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:56	WG1977570

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	0.113	J	0.0941	1.00	1	12/29/2022 01:45	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 01:45	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 01:45	WG1980602
(S) Toluene-d8	89.9			80.0-120		12/29/2022 01:45	WG1980602
(S) 4-Bromofluorobenzene	88.2			77.0-126		12/29/2022 01:45	WG1980602
(S) 1,2-Dichloroethane-d4	120			70.0-130		12/29/2022 01:45	WG1980602

4 Cn

5 Sr

6 Qc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 21:35	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 21:35	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 21:35	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 21:35	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 21:35	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 21:35	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 21:35	WG1977616
Naphthalene	0.293		0.0917	0.250	1	12/21/2022 21:35	WG1977616
1-Methylnaphthalene	7.02		0.0687	0.250	1	12/21/2022 21:35	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 21:35	WG1977616
(S) Nitrobenzene-d5	90.5			31.0-160		12/21/2022 21:35	WG1977616
(S) 2-Fluorobiphenyl	112			48.0-148		12/21/2022 21:35	WG1977616
(S) p-Terphenyl-d14	125			37.0-146		12/21/2022 21:35	WG1977616

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	1.39	J	0.180	2.00	1	12/21/2022 20:59	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 20:59	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 02:07	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 02:07	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 02:07	WG1980602
(S) Toluene-d8	101			80.0-120		12/29/2022 02:07	WG1980602
(S) 4-Bromofluorobenzene	93.6			77.0-126		12/29/2022 02:07	WG1980602
(S) 1,2-Dichloroethane-d4	121			70.0-130		12/29/2022 02:07	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 21:55	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 21:55	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 21:55	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 21:55	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 21:55	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 21:55	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 21:55	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 21:55	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 21:55	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 21:55	WG1977616
(S) Nitrobenzene-d5	100			31.0-160		12/21/2022 21:55	WG1977616
(S) 2-Fluorobiphenyl	118			48.0-148		12/21/2022 21:55	WG1977616
(S) p-Terphenyl-d14	122			37.0-146		12/21/2022 21:55	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.366	J	0.180	2.00	1	12/21/2022 21:02	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 21:02	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 02:29	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 02:29	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 02:29	WG1980602
(S) Toluene-d8	103			80.0-120		12/29/2022 02:29	WG1980602
(S) 4-Bromofluorobenzene	91.9			77.0-126		12/29/2022 02:29	WG1980602
(S) 1,2-Dichloroethane-d4	122			70.0-130		12/29/2022 02:29	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 17:37	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 17:37	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 17:37	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 17:37	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 17:37	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 17:37	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 17:37	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 17:37	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 17:37	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 17:37	WG1977616
(S) Nitrobenzene-d5	98.4			31.0-160		12/21/2022 17:37	WG1977616
(S) 2-Fluorobiphenyl	115			48.0-148		12/21/2022 17:37	WG1977616
(S) p-Terphenyl-d14	122			37.0-146		12/21/2022 17:37	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	5.02		0.180	2.00	1	12/21/2022 21:14	WG1977570
Lead,Dissolved	0.888	J	0.849	2.00	1	12/21/2022 21:14	WG1977570

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	20.1		0.0941	1.00	1	12/29/2022 02:51	WG1980602
Toluene	2.67		0.278	1.00	1	12/29/2022 02:51	WG1980602
Ethylbenzene	23.1		0.137	1.00	1	12/29/2022 02:51	WG1980602
(S) Toluene-d8	83.6			80.0-120		12/29/2022 02:51	WG1980602
(S) 4-Bromofluorobenzene	89.1			77.0-126		12/29/2022 02:51	WG1980602
(S) 1,2-Dichloroethane-d4	124			70.0-130		12/29/2022 02:51	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 22:15	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 22:15	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 22:15	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 22:15	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 22:15	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 22:15	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 22:15	WG1977616
Naphthalene	93.8		1.83	5.00	20	12/22/2022 20:34	WG1977616
1-Methylnaphthalene	81.7		0.0687	0.250	1	12/21/2022 22:15	WG1977616
2-Methylnaphthalene	122		1.35	5.00	20	12/22/2022 20:34	WG1977616
(S) Nitrobenzene-d5	91.6	J7		31.0-160		12/22/2022 20:34	WG1977616
(S) Nitrobenzene-d5	106			31.0-160		12/21/2022 22:15	WG1977616
(S) 2-Fluorobiphenyl	103	J7		48.0-148		12/22/2022 20:34	WG1977616
(S) 2-Fluorobiphenyl	117			48.0-148		12/21/2022 22:15	WG1977616
(S) p-Terphenyl-d14	117	J7		37.0-146		12/22/2022 20:34	WG1977616
(S) p-Terphenyl-d14	129			37.0-146		12/21/2022 22:15	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	1.16	J	0.180	2.00	1	12/21/2022 21:17	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 21:17	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 03:12	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 03:12	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 03:12	WG1980602
(S) Toluene-d8	95.8			80.0-120		12/29/2022 03:12	WG1980602
(S) 4-Bromofluorobenzene	89.1			77.0-126		12/29/2022 03:12	WG1980602
(S) 1,2-Dichloroethane-d4	109			70.0-130		12/29/2022 03:12	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 22:35	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 22:35	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 22:35	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 22:35	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 22:35	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 22:35	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 22:35	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 22:35	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 22:35	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 22:35	WG1977616
(S) Nitrobenzene-d5	103			31.0-160		12/21/2022 22:35	WG1977616
(S) 2-Fluorobiphenyl	122			48.0-148		12/21/2022 22:35	WG1977616
(S) p-Terphenyl-d14	122			37.0-146		12/21/2022 22:35	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	1.15	J	0.180	2.00	1	12/21/2022 21:20	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 21:20	WG1977570

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 03:34	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 03:34	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 03:34	WG1980602
(S) Toluene-d8	96.4			80.0-120		12/29/2022 03:34	WG1980602
(S) 4-Bromofluorobenzene	90.4			77.0-126		12/29/2022 03:34	WG1980602
(S) 1,2-Dichloroethane-d4	118			70.0-130		12/29/2022 03:34	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 22:55	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 22:55	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 22:55	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 22:55	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 22:55	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 22:55	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 22:55	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 22:55	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 22:55	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 22:55	WG1977616
(S) Nitrobenzene-d5	102			31.0-160		12/21/2022 22:55	WG1977616
(S) 2-Fluorobiphenyl	118			48.0-148		12/21/2022 22:55	WG1977616
(S) p-Terphenyl-d14	121			37.0-146		12/21/2022 22:55	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	0.248	J	0.180	2.00	1	12/21/2022 21:24	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 21:24	WG1977570

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/29/2022 03:56	WG1980602
Toluene	U		0.278	1.00	1	12/29/2022 03:56	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/29/2022 03:56	WG1980602
(S) Toluene-d8	96.9			80.0-120		12/29/2022 03:56	WG1980602
(S) 4-Bromofluorobenzene	85.4			77.0-126		12/29/2022 03:56	WG1980602
(S) 1,2-Dichloroethane-d4	120			70.0-130		12/29/2022 03:56	WG1980602

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 17:57	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 17:57	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 17:57	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 17:57	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 17:57	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 17:57	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 17:57	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 17:57	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 17:57	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 17:57	WG1977616
(S) Nitrobenzene-d5	108			31.0-160		12/21/2022 17:57	WG1977616
(S) 2-Fluorobiphenyl	122			48.0-148		12/21/2022 17:57	WG1977616
(S) p-Terphenyl-d14	122			37.0-146		12/21/2022 17:57	WG1977616

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Arsenic,Dissolved	U		0.180	2.00	1	12/21/2022 21:27	WG1977570
Lead,Dissolved	U		0.849	2.00	1	12/21/2022 21:27	WG1977570

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzene	U		0.0941	1.00	1	12/28/2022 23:32	WG1980602
Toluene	0.773	J	0.278	1.00	1	12/28/2022 23:32	WG1980602
Ethylbenzene	U		0.137	1.00	1	12/28/2022 23:32	WG1980602
(S) Toluene-d8	98.1			80.0-120		12/28/2022 23:32	WG1980602
(S) 4-Bromofluorobenzene	87.1			77.0-126		12/28/2022 23:32	WG1980602
(S) 1,2-Dichloroethane-d4	120			70.0-130		12/28/2022 23:32	WG1980602

4 Cn

5 Sr

6 Qc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Benzo(a)anthracene	U		0.0203	0.0500	1	12/21/2022 18:16	WG1977616
Benzo(a)pyrene	U		0.0184	0.0500	1	12/21/2022 18:16	WG1977616
Benzo(b)fluoranthene	U		0.0168	0.0500	1	12/21/2022 18:16	WG1977616
Benzo(k)fluoranthene	U		0.0202	0.0500	1	12/21/2022 18:16	WG1977616
Chrysene	U		0.0179	0.0500	1	12/21/2022 18:16	WG1977616
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	12/21/2022 18:16	WG1977616
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	12/21/2022 18:16	WG1977616
Naphthalene	U		0.0917	0.250	1	12/21/2022 18:16	WG1977616
1-Methylnaphthalene	U		0.0687	0.250	1	12/21/2022 18:16	WG1977616
2-Methylnaphthalene	U		0.0674	0.250	1	12/21/2022 18:16	WG1977616
(S) Nitrobenzene-d5	108			31.0-160		12/21/2022 18:16	WG1977616
(S) 2-Fluorobiphenyl	123			48.0-148		12/21/2022 18:16	WG1977616
(S) p-Terphenyl-d14	126			37.0-146		12/21/2022 18:16	WG1977616

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3874605-1 12/21/22 19:46

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Arsenic,Dissolved	U		0.180	2.00
Lead,Dissolved	U		0.849	2.00

Laboratory Control Sample (LCS)

(LCS) R3874605-2 12/21/22 19:49

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Arsenic,Dissolved	50.0	45.8	91.5	80.0-120	
Lead,Dissolved	50.0	46.2	92.4	80.0-120	

L1566546-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1566546-04 12/21/22 19:56 • (MS) R3874605-4 12/21/22 19:59 • (MSD) R3874605-5 12/21/22 20:02

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Arsenic,Dissolved	50.0	12.1	58.1	59.3	92.1	94.5	1	75.0-125			2.09	20
Lead,Dissolved	50.0	2.82	51.2	49.1	96.7	92.5	1	75.0-125			4.19	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3876639-2 12/28/22 22:09

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzene	U		0.0941	1.00
Toluene	U		0.278	1.00
Ethylbenzene	U		0.137	1.00
(S) Toluene-d8	99.4			80.0-120
(S) 4-Bromofluorobenzene	87.4			77.0-126
(S) 1,2-Dichloroethane-d4	117			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3876639-1 12/28/22 21:25

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Benzene	5.00	4.36	87.2	70.0-123	
Toluene	5.00	4.21	84.2	79.0-120	
Ethylbenzene	5.00	4.33	86.6	79.0-123	
(S) Toluene-d8			92.8	80.0-120	
(S) 4-Bromofluorobenzene			89.6	77.0-126	
(S) 1,2-Dichloroethane-d4			120	70.0-130	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3874967-3 12/21/22 16:17

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzo(a)anthracene	U		0.0203	0.0500
Benzo(a)pyrene	U		0.0184	0.0500
Benzo(b)fluoranthene	U		0.0168	0.0500
Benzo(k)fluoranthene	U		0.0202	0.0500
Chrysene	U		0.0179	0.0500
Dibenz(a,h)anthracene	U		0.0160	0.0500
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500
Naphthalene	U		0.0917	0.250
1-Methylnaphthalene	U		0.0687	0.250
2-Methylnaphthalene	U		0.0674	0.250
(S) Nitrobenzene-d5	101			31.0-160
(S) 2-Fluorobiphenyl	120			48.0-148
(S) p-Terphenyl-d14	127			37.0-146

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3874967-1 12/21/22 15:37 • (LCSD) R3874967-2 12/21/22 15:57

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Benzo(a)anthracene	2.00	2.22	2.14	111	107	61.0-140			3.67	20
Benzo(a)pyrene	2.00	2.45	2.36	122	118	60.0-143			3.74	20
Benzo(b)fluoranthene	2.00	2.38	2.29	119	114	58.0-141			3.85	20
Benzo(k)fluoranthene	2.00	2.32	2.23	116	111	58.0-148			3.96	20
Chrysene	2.00	2.52	2.42	126	121	64.0-144			4.05	20
Dibenz(a,h)anthracene	2.00	2.19	2.10	109	105	52.0-155			4.20	20
Indeno(1,2,3-cd)pyrene	2.00	2.27	2.19	114	109	54.0-153			3.59	20
Naphthalene	2.00	2.51	2.40	125	120	61.0-137			4.48	20
1-Methylnaphthalene	2.00	2.34	2.25	117	112	66.0-142			3.92	20
2-Methylnaphthalene	2.00	2.37	2.26	118	113	62.0-136			4.75	20
(S) Nitrobenzene-d5				108	102	31.0-160				
(S) 2-Fluorobiphenyl				124	120	48.0-148				
(S) p-Terphenyl-d14				127	121	37.0-146				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122




Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		





¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: Arcadis - Chevron - WA 215 Clay St NW STE B-1 Auburn, WA 98101		Billing Information: Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129		Pres Chk		Analysis / Container / Preservative										Chain of Custody Page 1 of 2						
Report to: Lee Bures		Email To: erika.midkiff@arcadis.com;molly.whitcomb@ar														 MT JULIET, TN <small>12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf</small>						
Project Description: 1001327		City/State Collected: Seattle, WA		Please Circle: <input checked="" type="radio"/> PT <input type="radio"/> MT <input type="radio"/> CT <input type="radio"/> ET												156 9425 H201						
Phone: 206-348-8985		Client Project # 30064328.19.43		Lab Project # CHEVARCWA-1001327												Acctnum: CHEVARCWA Template: T221711 Prelogin: P970506 PM: 110 - Brian Ford PB:						
Collected by (print): Jonah Davis		Site/Facility ID # 1602 N NORTHLAKE PL		P.O. #												Shipped Via:						
Collected by (signature): 		Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #												Date Results Needed						
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>																No. of Cntrs						
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time	Cntrs											Remarks	Sample # (lab only)			
TB-W-20221216		G	GW	-	12/16/22	0900	2	X												-01		
MW-4-W-20221216				-		1311	6	X	X	X												-02
MW-7-W-20221216				-		1110	6	X	X	X												-03
MW-8A-W-20221216				-		1010	6	X	X	X												-04
MW-19-W-20221216				-		1506	6	X	X	X												-05
MW-20-W-20221216				-		1440	6	X	X	X												-06
MW-21-W-20221216				-		1411	6	X	X	X												-07
MW-25-W-20221216				-		1339	9	X	X	X												-08
MW-26-W-20221216				-		1243	6	X	X	X												-09
AGI-2-W-20221216				-		1034	6	X	X	X												-10
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other		Remarks:		Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier		Tracking # 5528 5946 4280												pH _____ Temp _____ Flow _____ Other _____		Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Relinquished by: (Signature) 		Date: 12/19/22	Time: 1600	Received by: (Signature) Shipped Via FedEx		Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No HCL MeOH TBR												Temp: 6.2°C Bottles Received: 78 3.70-3.7		If preservation required by Login: Date/Time		
Relinquished by: (Signature)		Date:	Time:	Received by: (Signature)		Date: 12-20-22 Time: 9:30												Hold:		Condition: NCF / OK		

Company Name/Address: Arcadis - Chevron - WA			Billing Information: Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129			Analysis / Container / Preservative			Chain of Custody Page 2 of 2					
215 Clay St NW STE B-1 Auburn, WA 98101			Email To: erika.midkiff@arcadis.com;molly.whitcomb@ar			Pres Chk BTE 8260D 40mlAmb-HCl FF Diss As,Pb 6020 250mlHDPE HNO3 CPAHs/Naphs 8270ESIM 40mlAmb-NoPres-WT			 PEOPLE ADVANCING SCIENCE MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: http://info.pacelabs.com/hubfs/pas-standard-terms.pdf					
Report to: Lee Bures			City/State Collected: Seattle, WA						Report to: Release Circle: <input checked="" type="radio"/> PT <input type="radio"/> MT <input type="radio"/> CT <input type="radio"/> ET			SDG #		
Project Description: 1001327		Client Project # 30064328.19.43		Lab Project # CHEVARCWA-1001327					Table #			Acctnum: CHEVARCWA Template: T221711 Prelogin: P970506 PM: 110 - Brian Ford PB:		
Phone: 206-348-8985		Site/Facility ID # 1602 N NORTHLAKE PL		P.O. #					Date Results Needed			No. of Cntrs Packed on Ice N ___ Y <input checked="" type="checkbox"/>		
Collected by (print): Jonah Davis			Quote #											
Collected by (signature): 			Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day											
Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs								
MLU-1-W-20221216	G	GW	—	12/16/22	1143	6	X	X	X				-11	
MLU-3-W-20221216	↓	↓	—	↓	1213	6	X	X	X				-12	
BD-W-20221216	↓	↓	—	↓	1200	6	X	X	X				-13	
FRB-W-20221216	↓	↓	—	↓	1530	6	X	X	X				-14	
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____			Remarks: Samples returned via: _ UPS <input checked="" type="checkbox"/> FedEx <input checked="" type="checkbox"/> Courier _____			Tracking # 55285946 4280			pH _____ Temp _____ Flow _____ Other _____			Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Relinquished by: (Signature) 		Date: 12/19/22	Time: 1600	Received by: (Signature) Shipped Via FedEx		Trip Blank Received: Yes/No HCL/MeOH TBR			Bottles Received:			If preservation required by Login: Date/Time		
Relinquished by: (Signature)		Date:	Time:	Received by: (Signature)		Temp: 68.2°C 3.7+0.317			Date: 12-20-22			Condition: NCF / OK		
Relinquished by: (Signature)		Date:	Time:	Received for lab by: (Signature) 		Date: 12-20-22			Time: 9:30			Condition: NCF / OK		

APPENDIX D

Historical Groundwater Analytical Results



Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysenes	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
MW-3	North Yard		08/11/99	ND	168	4	21	3	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	5.34	4.39	
MW-3	North Yard		10/21/99	ND	149	<3.25	<5.9	0.54 ³	0.0044 ⁴	0.0008 ⁴	0.0062 ⁴	0.0034 ⁴	0.0028 ⁴	0.0063 ⁴	0.0057 ⁴	--	--	
MW-3	North Yard		10/22/99	ND	149	<2.30	<4.00	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		08/10/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MW-4	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		10/11/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		12/31/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		02/27/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		03/26/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		04/28/03	ND	<0.500	0.536	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		05/30/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	
MW-4	South Yard		09/16/03	ND	<0.500	<0.500	<0.500	<1.00	0.0241	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	
MW-4	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.0	<1.0	
MW-4	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	<0.119	0.0137	<0.0119	<0.0119	<0.0119	<0.0119	<0.0119	<0.0119	<1.0	<1.0	
MW-4	South Yard		03/21/07	ND	0.59	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0	
MW-4	South Yard		03/25/08	ND	<0.5	1.2	<0.5	0.022	0.030	0.0250	0.031	0.014	0.028	<0.0099	0.019	<0.70	1.4	
MW-4	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	0.15	0.1500	0.14	0.079	0.13	<0.011	<0.011	<0.95	<0.050	
MW-4	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-4	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.012	0.013	0.014	<0.0098	0.0120	<0.0098	<0.0098	<0.95	<0.050	
MW-4	South Yard		03/15/10	ND	0.6	<0.5	<0.5	<1.0	0.041	0.052	0.069	0.0270	0.0480	<0.0099	0.016	<0.95	<0.050	
MW-4	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.48	0.68	0.43	0.4300	0.5300	0.0650	0.43	<0.95	<0.052	
MW-4	South Yard		09/25/11	ND	0.5	<0.2	<0.2	<1.0	<0.012	<0.012	0.012	<0.012	<0.012	<0.012	<0.012	<0.95	0.09	
MW-4	South Yard		10/10/11	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard		06/21/12	ND	--	--	--	--	0.032	0.037	0.039	0.018	0.0350	<0.010	0.013	--	--	
MW-4	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		09/26/12	ND	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-4	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.40	<0.034	
MW-4	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	<0.050	
MW-4	South Yard	¹¹	06/11/14	ND	<0.5	<0.5	<0.5	0.07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	
MW-4	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MW-4	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	0.067	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MW-4	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	0.75	
MW-4	South Yard	¹¹	06/21/17	ND	<0.5	<0.5	<0.5	0.058	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-4	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MW-4	South Yard	¹¹	12/06/17	ND	<0.5	<0.5	<0.5	0.052	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	0.21	
MW-4	South Yard	¹¹	06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	
MW-4	South Yard	¹¹	11/28/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	
MW-4	South Yard	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	0.03 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1	
MW-4	South Yard	¹¹	12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	14.5	<0.073	
MW-4	South Yard	¹¹	06/11/20	ND	<0.20	<0.20	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	<0.073	
MW-4	South Yard		11/11/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	<0.073	
MW-4	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.298 J	<0.849	
MW-4	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-4	South Yard		06/24/22	ND	<0.0400	0.617	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.205 J	<2.00	
MW-4	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.339 J	<0.849	
MW-7	South Yard		08/10/99	ND	683	491	2,550	673	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.71	4.64	
MW-7	South Yard		10/20/99	ND	172	80	177	--	0.0028 ⁴	0.0038 ⁴	0.0043 ⁴	0.0025 ⁴	0.0061 ⁴	0.0079 ⁴	--	--	--	
MW-7	South Yard		07/26/01	ND	162	59	314	149	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/03/02	ND	58	22	346	96	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		07/02/02	ND	46.9	10	158	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		09/03/02	ND	42	22	153	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		09/03/02	ND	88.8	37	498	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		10/11/02	ND	41.4	16	145	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		03/26/03	ND	10.1	16	108	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals			
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead		
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
MW-7	South Yard		04/28/03	ND	31.5	36	664	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		05/30/03	ND	7.34	12	106	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/25/03	ND	16.4	27	446	35	<0.0100	<0.0100	<0.0100	0.900 (Q-20)	<0.0100	<0.0100	<0.0100	--	--	--	
MW-7	South Yard		09/16/03	ND	< 50.0	79	1,190	583	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		12/15/03	ND	25.9	45	1,470	550	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard	5	03/15/10	ND	27	4.9	230	490	0.14 ⁶	0.12 ⁶	0.21 ⁶	0.16 ⁶	0.18 ⁶	0.013 ⁶	0.041 ²	1.5	1.1		
MW-7	South Yard		09/15/10	ND	38	6.0	270	570	0.3000	0.5000	0.4200	0.3600	0.3800	0.0730	0.3900	2.5	1.7		
MW-7	South Yard		03/14/11	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/21/12	ND	--	--	--	--	0.011	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MW-7	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-7	South Yard		09/20/12	ND	46	6.9	120	530	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-7	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	6.1	1.6	
MW-7	South Yard	Field Filtered	12/26/12	ND	34	6.0	240	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/22/13	ND	31	4.5	82	340	0.019	<0.010	0.0110	<0.010	<0.010	0.012	0.016	--	--	--	
MW-7	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.3	0.85	
MW-7	South Yard	Field Filtered ¹¹	06/11/14	ND	33	4	65	160	<0.010	<0.010	<0.010	<0.010	0.0130	<0.010	<0.010	<0.010	6.2	1.7	
MW-7	South Yard	¹¹	11/11/15	ND	62	6.5	120	310	0.028	0.029	0.043	0.018	0.041	<0.010	0.026	10.3	1.4		
MW-7	South Yard	¹¹	04/18/16	ND	30	4.7	54	210	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.5	1.3	
MW-7	South Yard	DUP ¹¹	04/18/16	ND	30	4.9	55	200	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.6	1.4	
MW-7	South Yard	¹¹	12/07/16	ND	38	<0.5	90	370	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.2	1.2	
MW-7	South Yard	DUP ¹¹	12/07/16	ND	37	4.4	81	230	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.8	1.3	
MW-7	South Yard		06/21/17	ND	28	5.7	70	66	0.016	<0.011	0.013	0.011	0.019	<0.011	<0.011	<0.011	--	--	
MW-7	South Yard	Field Filtered	06/21/17	ND	--	--	--	64	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	15.1	0.62	
MW-7	South Yard	¹¹	12/06/17	ND	33	5.9	72	190	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	13.0	1.2	
MW-7	South Yard	¹¹	06/27/18	ND	30	4.5	51	200	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	11.6	<1.1	
MW-7	South Yard	¹¹	11/28/18	ND	34	4.6	47	170	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	9.2	<1.1	
MW-7	South Yard	¹¹	06/21/19	ND	33	3.6	36	120	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	9.6	<1.1	
MW-7	South Yard	¹¹	12/18/19	ND	39	4	74	42	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	6.3	0.51 J	
MW-7	South Yard	¹¹	06/11/20	ND	24	2.6	37	150	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	7	0.36 J	
MW-7	South Yard		11/11/20	ND	31	3.4	55	80	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	8.5	0.92	
MW-7	South Yard		06/28/21	ND	23.3	2.36	35.9	193	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.95 J	1.03 J		
MW-7	South Yard		01/06/22	ND	18.2	2.89	33.5	137	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	27.3 J	1.47 J		
MW-7	South Yard		06/24/22	ND	<0.0400	0.144 J	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00		
MW-7	South Yard		12/16/22	ND	20.5	2.55	20.6	36.4	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.04	0.913 J		
MW-8	South Yard		08/09/99	ND	186	15	39	9	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	1.21	
MW-8	South Yard		10/20/99	ND	31.4	2.47	2.97	0.35 ³	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	--	--	
MW-8	South Yard		01/06/00	ND	710	27	304	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/12/00	ND	28.2	1.72	4.16	2	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-8	South Yard		06/27/00	ND	29.5	1.47	3.09	<1.00	--	--	--	--	--	--	--	--	<1.0	<1.0	
MW-8	South Yard		09/28/00	ND	20.3	1.23	1.39	4	--	--	--	--	--	--	--	--	3.10	<1.0	
MW-8	South Yard		01/15/01	ND	17.7	--	12.3	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/21/01	ND	197	<10.0	26.7	<10.0	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	157	7.03	42.5	7	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	147	7.07	42.2	6	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,450	22.0	166	32	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,430	21.7	169	30	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,000	22.3	199	37	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,030	21.9	213	37	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		05/07/02	ND	472	13.7	152	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/06/02	ND	476	14.1	80	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/02/02	ND	291	14.0	59	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		09/03/02	ND	284	11.3	82	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		10/11/02	ND	238	18.0	152	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	165	16.3	261	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	192	16.1	141	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/26/03	ND	767	23.2	156	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/28/03	ND	683	20.8	125	--	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		05/30/03	ND	467	15.4	75.4	--	--	--	--	--	--	--	--	--	--	--	

Appendix D
 Historical Groundwater Analytical Results
 Former Chevron Bulk Plant #1001327
 1602 North Northlake Place
 Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals			
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead		
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
MW-9	ROW		03/25/04	LNAPL	6.71	2.56	39.5	168	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12.9	<1.0	
MW-9	ROW		09/08-09/08	LNAPL	20	<10 ¹	16	37	<0.10 ³	<0.10 ³	<0.10 ³	<0.10 ³	<0.10 ³	<0.10 ³	<0.10 ³	<0.10 ³	9.5	0.58	
MW-9	ROW		12/11/08	LNAPL	<20 ³	<50 ³	35	--	--	--	--	--	--	--	--	--	--	--	
MW-9	ROW		03/30-31/09	ND	--	--	--	50	<0.0098	<0.0098	0.025	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	7.7	0.33	
MW-9	ROW		09/10-11/09	ND	<10 ³	<10 ³	16	36	0.15	<0.098 ³	0.41	0.10	0.56	<0.098 ³	<0.098 ³	<0.098 ³	8.0	1.1	
MW-10	North Yard		08/11/99	ND	226	292	625	121	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	4.21	
MW-10	North Yard		10/21/99	ND	431	455	838	--	<0.008	<0.008	<0.008	<0.008	0.00333	<0.008 ⁴	<0.008 ⁴	--	--		
MW-10	North Yard		04/12/00	ND	662	542	749	105	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--		
MW-10	North Yard		06/27/00	ND	325	168	136	64.5	--	--	--	--	--	--	--	8.61	21.2		
MW-10	North Yard		09/28/00	ND	437	339	291	32.7	--	--	--	--	--	--	--	3.39	22		
MW-10	North Yard		01/15/01	ND	352	266	137	63.6	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		01/15/01	ND	315	234	117	33.9	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		06/27/01	ND	591	328	295	79.5	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		06/27/01	ND	1,090	765	936	262	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		03/18/02	ND	1,190	1,010	976	130	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		07/02/02	ND	844	742	871	--	--	--	--	--	--	--	--	--	--		
MW-10	North Yard		03/15/10	ND	1,200	250	980	110	0.10 ³	0.054 ³	0.046 ³	0.059 ³	0.18 ³	<0.0099 ³	<0.0099 ³	3.8	10.9		
MW-10	North Yard		09/15/10	Sheen	970	180	920	130	0.52	0.17	0.3	<0.096	1.2	<0.096	<0.096	4.9	9.3		
MW-11	ROW		08/11/99	ND	<1.00	<1.00	<1.00	<1.01	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.03	<1.0	
MW-11	ROW		10/22/99	ND	<0.500	<0.500	<0.500	<0.0082	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081 ³	<0.0081 ³	--	--		
MW-11	ROW		06/21/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--		
MW-11	ROW		03/18/02	ND	1.18	2.77	2.57	<1.00	--	--	--	--	--	--	--	--	--		
MW-11	ROW		09/16/03	ND	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--		
MW-11	ROW		12/15/03	ND	<0.500	<0.500	<0.500	2.21	0.0734	<0.0100	0.0632	0.0341	<0.0100	0.0878	0.0857	3.72	<1.0		
MW-11	ROW		03/25/04	ND	<0.500	<0.500	<0.500	<0.101	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.06	<1.0		
MW-11	ROW		03/21/07	ND	<0.500	<0.500	<0.500	<5.01	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	19.4	<1.0		
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	0.060	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	19.0	1.1		
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	0.058	0.012	<0.0096	0.010	<0.0096	0.013	<0.0096	<0.0096	16.9	1.4		
MW-11	ROW		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.011	<0.011	0.011	<0.011	0.012	<0.011	<0.011	16.5	<0.050		
MW-11	ROW		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	19.2	<0.050		
MW-11	ROW		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.024	0.034	0.04	0.016	0.036	<0.0098	0.019	29.7	<0.050		
MW-11	ROW		03/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	0.011	0.016	0.010	0.013	<0.0099	<0.0099	13.4	<0.050		
MW-11	ROW		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.013	0.017	0.018	0.012	0.02	<0.010	0.018	16.6	<0.052		
MW-11	ROW	11	06/11/14	ND	<0.5	<0.5	<0.5	0.07	0.028	0.02	0.025	0.024	0.033	0.019	0.02	8.4	<0.085		
MW-11	ROW		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	13.5 J	<2.00		
MW-11	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	11.4	<2.00		
MW-12	North Yard		08/11/99	ND	1,590	218	466	87.5	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	7.01	17.6		
MW-12	North Yard		10/21/99	ND	491	1200	230	6.8 ³	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083 ³	<0.0083	--	--		
MW-12	North Yard		03/25/04	ND	510	294	454	98.5	--	--	--	--	--	--	--	--	--		
MW-12	North Yard		09/08-09/08	ND	530	130	230	65	0.017 ³	0.010 ³	<0.0099 ³	<0.0099 ³	0.039 ³	<0.0099 ³	<0.0099 ³	6.4	1.8		
MW-12	North Yard		03/30-31/09	LNAPL	750	640	270	170	0.014	<0.0098	0.012	<0.0098	0.028	<0.0098	<0.0098	4.8	2.8		
MW-12	North Yard		09/10-11/09	LNAPL	510	140	180	44	0.11	<0.097 ³	<0.097 ³	<0.097 ³	0.22	<0.097 ³	<0.097 ³	5.5	1.6		
MW-12	North Yard		03/15/10	ND	630	260	250	110	0.025 ³	0.015 ³	0.012 ³	0.018 ³	0.045 ³	<0.010 ³	<0.010 ³	4.6	3.4		
MW-12	North Yard		09/15/10	Sheen	490	130	230	67	0.08 ³	0.028 ³	0.053 ³	0.011 ³	0.18 ³	<0.0096 ³	0.014 ³	6.4	2.2		
MW-14	ROW		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--		
MW-14	ROW	11	06/11/14	ND	<0.5	<0.5	<0.5	0.049	0.011	<0.010	0.014	0.012	0.012	<0.010	0.011	<0.78	<0.085		
MW-15	ROW		08/10/99	ND	3.28	2.89	35.4	12.5	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.1	<1.0		
MW-15	ROW		10/20/99	ND	6.92	57.1	47.7	1.4 ⁶	<0.0081	<0.0081	0.00153	<0.0081	<0.0081	<0.0081	<0.0081	--	--		
MW-15	ROW		07/26/01	ND	13.8	9.00	18.1	10.30	--	--	--	--	--	--	--	--	--		
MW-15	ROW		03/18/02	ND	<1.00	1.49	2.46	<1.01	--	--	--	--	--	--	--	--	--		
MW-15	ROW		06/26/03	ND	0.719	<0.500	0.612	--	--	--	--	--	--	--	--	--	--		
MW-15	ROW		09/16/03	ND	2.85	30.6	39.6	42.2	--	--	--	--	--	--	--	--	--		
MW-15	ROW	11	06/11/14	ND	<3.0	0.6	2	0.29	0.02	0.02	0.03	0.03	0.02	0.02	0.02	5.60	0.40		
MW-15	ROW		01/06/22	ND	0.294 J	0.791 J	1.73	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00		
MW-15	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	0.286	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.739 J	<2.00		
MW-16	Offsite		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<1.00	<1.00		
MW-19	ROW		08/11/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0		
MW-19	ROW		10/20/99	ND	<0.500	<0.500	<0.500	<0.021	0.016	0.013	0.016	0.00743	0.015	0.00233	0.011	--	--		

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals				
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead			
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296
MW-25	South Yard		06/25/03	ND	9.06	0.545	1.33	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	---	---
MW-25	South Yard		09/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	---	---
MW-25	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	1.76	0.064	0.0628	<0.0100	<0.0100	0.0448	<0.0100	<0.0608			17.6	<1.0	
MW-25	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	<0.100	0.0142	<0.0100	<0.0100	0.0117	0.0151	<0.0100	<0.0100			10.1	<1.0	
MW-25	South Yard		09/22/04	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.97	<1.0	
MW-25	South Yard		03/14/05	ND	<0.500	<0.500	<0.500	<0.100	0.014	0.012	0.013	0.0192	0.015	<0.0100	0.010			12.3	<1.0	
MW-25	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	<1.00	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	9.81	<1.0	
MW-25	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	0.0133	0.0111	<0.0100	<0.0100	0.0113	<0.0100	<0.0100	<0.0100	7.23	<1.0		
MW-25	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	0.013	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	6.0	0.15		
MW-25	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.010	<0.010	<0.010	<0.010	0.019	<0.010	<0.010	<0.010	<0.010	<0.95	<0.050	
MW-25	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.95	<0.050	
MW-25	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-25	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1.6	0.021	0.022	0.025	0.011	0.025	<0.0096	0.013			<0.95	0.21	
MW-25	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.052	
MW-25	South Yard		09/25/11	ND	<0.2	<0.2	<0.2	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	1.60	<0.08		
MW-25	South Yard		10/10/11	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--		
MW-25	South Yard		06/21/12	ND	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--		
MW-25	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--		
MW-25	South Yard		09/20/12	ND	<0.5	<0.5	<0.5	0.054	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--		
MW-25	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	2.3	<0.034		
MW-25	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--		
MW-25	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-25	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.90	<0.073		
MW-25	South Yard	¹¹	06/10/14	ND	<0.5	<0.5	<0.5	0.047	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.96	<0.085		
MW-25	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	3.7	<0.13		
MW-25	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.0	<0.13		
MW-25	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	0.016	0.013	0.017	<0.010	<0.010	<0.010	4.1	<0.090		
MW-25	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--		
MW-25	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MW-25	South Yard	¹¹	12/05/17	ND	<0.5	<0.5	<0.5	<0.030	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.4	<0.11		
MW-25	South Yard	¹¹	06/26/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.5	<1.1		
MW-25	South Yard	¹¹	11/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	5.6	<1.1		
MW-25	South Yard	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.68	<1.1		
MW-25	South Yard	¹¹	12/17/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	4.0	<0.073		
MW-25	South Yard	¹¹	06/10/20	ND	<0.20	<0.20	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.010	<0.70	<0.073		
MW-25	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.011	1.8 J	<0.073		
MW-25	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	0.355 J	1.27 J		
MW-25	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	<3.35 B	<2.00		
MW-25	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	<2.00	<2.00		
MW-25	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	1.39 J	<0.849		
MW-26	South Yard		08/09/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MW-26	South Yard		10/19/99	ND	<0.500	<0.500	<0.500	<0.0099	.0042 ^d	.0039 ^d	.0051 ^d	0.0027 ^d	0.0044 ^d	<0.0081 ^d	0.0033 ^d					
MW-26	South Yard		01/06/00	ND	0.621	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		04/12/00	ND	<1.00	<1.00	<1.00	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--		
MW-26	South Yard		06/27/00	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		03/19/02	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		12/31/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		02/27/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		03/26/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		04/28/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		05/30/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--		
MW-26	South Yard		09/15/03	ND	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard																			

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
MW-26	South Yard		03/21/07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	0.011	<0.0099	0.011	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.70	0.38
MW-26	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	<0.050
MW-26	South Yard		12/11/08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050
MW-26	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050
MW-26	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1.2	<0.0096	<0.0096	0.043 ⁴	<0.0096 ⁴	<0.0096	<0.0096	<0.0096	<0.0096	<0.95	<0.050
MW-26	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.95	<0.052
MW-26	South Yard		09/25/11	ND	<0.2	<0.2	<0.2	<1.0	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.95	<0.08
MW-26	South Yard		10/10/11	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MW-26	South Yard		06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-26	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-26	South Yard	DUP	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-26	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	0.53	<0.034
MW-26	South Yard	DUP, Field Filtered	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.49	0.10
MW-26	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-26	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-26	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.42	<0.073
MW-26	South Yard	Field Filtered ¹¹	06/10/14	ND	<0.5	<0.5	<0.5	0.068	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085
MW-26	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13
MW-26	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	0.041	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13
MW-26	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	0.036	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	0.390
MW-26	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--
MW-26	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11
MW-26	South Yard	¹¹	12/06/17	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	<0.11
MW-26	South Yard	¹¹	06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1
MW-26	South Yard	¹¹	11/28/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1
MW-26	South Yard	¹¹	12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.70	<0.073
MW-26	South Yard	¹¹	06/11/20	ND	<0.20	<0.20	<0.40	1.000	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.80 J	<0.073
MW-26	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.70	<0.073
MW-26	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	0.382 J	<0.849
MW-26	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	<2.00 B	<2.00
MW-26	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	0.350 J	<2.00
MW-26	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	0.366 J	<0.849
MW-27	North Yard		09/13/99	--	10.8	<0.500	<1.00	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	--	--
MW-27	North Yard		10/22/99	--	4.44	<0.500	<0.500	5.8 ³	0.0041 ⁴	0.0013 ⁴	0.006 ⁴	0.0033 ⁴	0.0042 ⁴	<0.032	<0.032	--	--	
MW-27	North Yard		01/06/00	--	10.5	<2.50	<2.50	--	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		08/11/99	ND	1,810	1,450	884	238	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	9.21	6.82
MW-28	North Yard		10/21/99	ND	2,890	2,700	1,350	180 ³	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082 ⁴	<0.0082	<0.0082	--	--
MW-28	North Yard		10/21/99	ND	2,700	2,480	1,280	--	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081 ⁴	<0.0081	<0.0081	--	--
MW-28	North Yard		01/06/00	ND	1,770	2,090	1,180	--	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		07/27/00	ND	1,840	2,420	702	356	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		09/29/00	ND	927	902	450	--	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		01/15/01	ND	1,970	2,070	635	98.8	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		06/21/01	ND	1,950	3,130	1,190	272	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		06/26/03	ND	1,230	615	1,290	--	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		09/15/03	ND	848	175	916	272	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		12/15/03	ND	881	474	1,010	284	--	--	--	--	--	--	--	--	--	
MW-28	North Yard		03/25/04	ND	712	281	854	288	--	--	--	--	--	--	--	--	--	
MW-29	ROW	¹¹	08/12/14	ND	<2.0	<2.0	<2.0	3.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	7.1	<0.082
MW-29	ROW		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	<2.00 B	<2.00
MW-29	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.0158	<2.00	<2.00
MW-30	ROW	¹¹	08/12/14	ND	<0.2	<0.2	<0.2	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.84	<0.082
MW-30	ROW	DUP ¹¹	08/12/14	ND	<0.2	<0.2	<0.2	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.082
AGI-2	South Yard		08/10/99	ND	38.8	11.7	1.57	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	10.6	1.84

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals			
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead		
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5
AGI-2	South Yard		10/20/99	ND	20.3	12.1	5.14	0.097	.0014 ³	<0.008	0.0019 ⁴	0.0014 ⁴	0.0014 ⁴	<0.008 ⁴	0.0011 ⁴	--	--		
AGI-2	South Yard		01/15/01	ND	41.2	17.8	7.44	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		06/21/01	ND	296	<10.0	<10.0	<10.0	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		07/26/01	ND	397.0	14.9	16.9	<1.00	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		03/18/02	ND	43.2	78.9	17.6	1.68	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		03/18/02	ND	40.5	72.8	16.4	<2.00	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		05/07/02	ND	6.16	2.24	2.76	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		06/06/02	ND	4.58	1.52	2.04	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		07/02/02	ND	3.60	2.52	2.00	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		09/03/02	ND	3.48	2.59	3.16	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		12/31/02	ND	1.10	1.36	1.34	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		03/26/03	ND	40.3	481	302	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		04/28/03	ND	27.7	351	190	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		05/30/03	ND	19.4	358	200	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		06/25/03	ND	3.34	1.23	7.70	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	
AGI-2	South Yard		09/15/03	ND	1.01	0.832	1.40	<1.00	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		12/15/03	ND	0.688	0.599	0.851	<1.00	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		03/26/04	ND	2.06	1.12	1.56	<1.00	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		03/21/07	ND	0.78	<0.500	0.58	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	0.00994	4.68	<1.0		
AGI-2	South Yard		09/10-11/09	ND	11	3.5	5.8	2.1	0.29	<0.097 ⁸	0.18	<0.097 ⁸	0.32	<0.097 ⁸	<0.097 ⁸	6.0	0.18		
AGI-2	South Yard		03/15/10	ND	3.5	0.9	2.0	4.9	0.43	0.12	0.23	0.14	0.51	0.027	0.095	4.9	0.053		
AGI-2	South Yard		09/15/10	ND	19.0	6.5	15.0	2.4	0.55	0.15	0.2	0.17	0.61	0.03	0.17	7.7	<0.052		
AGI-2	South Yard		06/21/12	ND	--	--	--	--	0.011	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	--	--		
AGI-2	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--		
AGI-2	South Yard		09/20/12	ND	61.0	12.0	6.2	0.86	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--		
AGI-2	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	12.8	0.073		
AGI-2	South Yard	Field Filtered	12/26/12	ND	11	3.6	1.4	--	--	--	--	--	--	--	--	--	--		
AGI-2	South Yard		04/23/13	ND	5.1	1.1	5.9	0.63	0.015	<0.010	<0.010	<0.010	0.015	<0.010	<0.010	--	--		
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	4.2	1.4	3.9	0.60	0.015	<0.010	<0.010	<0.010	0.013	<0.010	<0.010	--	--		
AGI-2	South Yard	Field Filtered	04/23/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.9	<0.073		
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	11.6	<0.047		
AGI-2	South Yard	¹¹	06/11/14	ND	9.2	2.5	7.4	0.35	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.8	<0.085		
AGI-2	South Yard	¹¹	11/11/15	ND	42	10	140	20	0.023	<0.010	<0.010	<0.010	0.022	<0.010	<0.010	6.1	0.47		
AGI-2	South Yard	¹¹	04/18/16	ND	1.7	1.0	7.1	0.31	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	9.1	<0.13		
AGI-2	South Yard	¹¹	12/07/16	ND	2.1	1.2	6.3	0.24	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.4	<0.090		
AGI-2	South Yard		06/21/17	ND	1.9	1.1	11.0	0.37	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--		
AGI-2	South Yard	Field Filtered	06/21/17	ND	--	--	--	0.22	0.011	0.012	0.019	<0.011	<0.011	<0.011	<0.011	11.7	<0.11		
AGI-2	South Yard	¹¹	12/06/17	ND	3.4	2.1	2.9	<0.031	<0.010	<0.010	0.011	<0.010	<0.010	<0.010	<0.010	11.2	0.16		
AGI-2	South Yard	¹¹	06/27/18	ND	1.1	0.5	1.9	0.20	<0.01	0.020	0.020	0.020	<0.01	0.020	0.020	8.9	<1.1		
AGI-2	South Yard	¹¹	11/28/18	ND	8.6	<0.5	10	<0.03	0.01	0.01	0.01	<0.01	0.02	<0.02	0.01	5.9	11.2		
AGI-2	South Yard	¹¹	06/21/19	ND	2	1.1 J	10	0.4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.2	<1.1		
AGI-2	South Yard	¹¹	12/18/19	ND	48	9	12	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	12.4	<0.073		
AGI-2	South Yard	¹¹	06/11/20	ND	1.6	0.49 J	12	0.066 J	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	9.5	<0.073		
AGI-2	South Yard		11/10/20	ND	14	4.5	7.2	0.36	<0.011	<0.011	4.5	<0.011	<0.011	<0.021	<0.011	12	0.11 J		
AGI-2	South Yard		06/28/21	ND	0.913 J	<0.278	1.97	0.56	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	2	<0.849		
AGI-2	South Yard		01/06/22	ND	1.06	0.615 J	4.99	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	10.2 J	2.03		
AGI-2	South Yard		06/24/22	ND	0.730	0.389	8.44	0.956	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	9.17	<2.00		
AGI-2	South Yard		12/16/22	ND	20.1	2.67	23.1	93.8	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.02	0.888 J		
MLU-1	South Yard		08/10/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0		
MLU-1	South Yard		10/20/99	ND	<0.500	<0.500	<0.500	0.023	.0012 ⁴	0.00091 ⁴	.0022 ⁴	<0.0079	<0.0079	<0.0079	.0013 ⁴	--	--		
MLU-1	South Yard		01/06/00	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MLU-1	South Yard		04/12/00	ND	<1.00	<1.00	<1.00	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--		
MLU-1	South Yard		06/27/00	ND	<1.00	<1.00	--	<1.00	--	--	--	--	--	--	--	--	--		
MLU-1	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	<0.100	0.0476	0.0264	<0.0100	0.0164	0.0285	<0.0100	0.0776	--	--		
MLU-1	South Yard		09/15/03	ND	0.6280	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--		
MLU-1	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	0.0653	<0.0100	<0.0100	0.051	<0.0100	<0.0100	<1.0	<1.0		
MLU-1	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.0	<1.0		
MLU-1	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0		

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
MLU-1	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.012	0.011	0.021	<0.0098	0.014	<0.0098	0.011	<0.95	<0.050	
MLU-1	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1.7	<0.010	<0.010	0.066 ¹⁰	<0.010 ¹⁰	<0.010	<0.010	<0.010	<0.95	<0.050	
MLU-1	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.95	<0.052	
MLU-1	South Yard		06/21/12	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MLU-1	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MLU-1	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.031	--	--	--	--	--	--	--	--	--	
MLU-1	South Yard		09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MLU-1	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	0.041	
MLU-1	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MLU-1	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MLU-1	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	0.097	
MLU-1	South Yard	¹¹	06/11/14	ND	<0.5	<0.5	<0.5	0.051	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	
MLU-1	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MLU-1	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	0.035	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.23	
MLU-1	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090	
MLU-1	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MLU-1	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-1	South Yard	¹¹	12/06/17	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	<0.11	
MLU-1	South Yard	¹¹	06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard	¹¹	11/28/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard	¹¹	12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.70	0.084 J	
MLU-1	South Yard	¹¹	06/11/20	ND	<0.20 H	<0.20 H	<0.40 H	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.70	<0.073	
MLU-1	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	0.35 J	
MLU-1	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	<0.849	
MLU-1	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MLU-1	South Yard		06/24/22	ND	<0.0400	0.144 J	0.0800 J	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00	
MLU-1	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.16 J	<0.849	
MLU-3	South Yard		08/20/99	ND	<1.00	<1.00	<1.00	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<1.0	<1.0	
MLU-3	South Yard		10/20/99	ND	<0.500	<0.500	<0.500	0.057	0.0099	0.01	0.011	0.0075 ⁴	0.013	0.0019 ⁴	0.0075 ⁴	--	--	
MLU-3	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MLU-3	South Yard	¹¹	06/11/14	ND	<0.5	<0.5	<0.5	0.056	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	0.15	
MLU-3	South Yard	¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	0.014	<0.010	0.013	<0.010	<0.010	0.79	0.22	
MLU-3	South Yard	¹¹	04/18/16	ND	<0.5	<0.5	<0.5	0.036	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.18	
MLU-3	South Yard	¹¹	12/07/16	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.71	1.8	
MLU-3	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MLU-3	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-3	South Yard	¹¹	12/06/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-3	South Yard		06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard	¹¹	11/28/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard	¹¹	12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.0 J	0.67	
MLU-3	South Yard	¹¹	06/11/20	ND	<0.20 H	<0.20 H	<0.40 H	0.034 J	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	<0.073	
MLU-3	South Yard		11/11/20	ND	<0.20	<0.20	<0.40	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.021	<0.011	<0.70	1.3	
MLU-3	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	0.950 J	
MLU-3	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	5.45 J	
MLU-3	South Yard		06/24/22	ND	<0.0400	0.147 J	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.452 J	3.56	
MLU-3	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.15 J	<0.849	
Quality Control Samples																		
Trip Blank	NA		08/09/99	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		08/10/99	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		08/11/99	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		10/20/99	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		01/07/00	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons						Metals			
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
Trip Blank	NA		04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		06/28/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		09/29/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		01/15/01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		06/21/01	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/18/02	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/19/02	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		04/03/02	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		09/03/02	--	<0.500	<0.500	1.09	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		12/31/02	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		06/26/03	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		09/15/03	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		12/15/03	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/25/04	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		09/23/04	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/14/05	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/29/06	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/21/07	--	<0.500	<0.500	<0.500	<5.00	--	--	--	--	--	--	--	--	--	
Trip Blank	NA		03/25/08	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	
Field Blank	NA		08/20/99	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/22/99	--	--	--	1.1	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/22/99	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		06/21/01	--	<1.00	<1.00	2.49	1.88	--	--	--	--	--	--	--	--	--	
Field Blank	NA		06/27/01	--	<1.00	<1.00	1.79	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		07/26/01	--	1.22	<1.00	4.26	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/19/02	--	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		09/03/02	--	0.857	<0.500	3.84	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		12/31/02	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
Field Blank	NA		09/17/03	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		12/17/03	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/26/04	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		09/23/04	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/14/05	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/29/06	--	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/21/07	--	<0.500	<0.500	<0.500	<5.00	--	--	--	--	--	--	--	--	--	
Field Blank	NA		03/25/08	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	
Field Blank	NA		09/08-09/08	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
QA	NA		03/30-31/09	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		09/10-11/09	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		03/15/10	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		09/15/10	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		09/24/11	--	<0.2	<0.2	<0.2	--	--	--	--	--	--	--	--	--	--	
QA	NA		11/16/11	--	<0.2	<0.2	<0.2	--	--	--	--	--	--	--	--	--	--	
QA	NA		06/10/14	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		11/11/15	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		04/18/16	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		12/07/16	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		06/21/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		12/05/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		06/26/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		11/27/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant #1001327
1602 North Northlake Place
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
QA	NA		06/21/19	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
QA	NA		12/18/19	--	<0.2	<0.2	<0.4	--	--	--	--	--	--	--	--	--	--	
QA	NA		06/10/20	--	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.073	
QA	NA		11/10/20	--	<0.20	<0.20	<0.40	--	--	--	--	--	--	--	--	--	--	

Notes:

¹Monitoring well locations are shown in Figure 3.

²LNAPL = light nonaqueous phase liquid.

³Laboratory report indicates concentration exceeds the instrument calibration range.

⁴Laboratory report indicates estimated value.

⁵Laboratory report indicates the reporting limits were raised because sample dilution was necessary to bring internal standard within QC limits.

⁶Laboratory report indicates the surrogate data is outside the QC limits due to irresolvable matrix problems evident in the sample chromatogram.

⁷Laboratory report indicates due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

⁸Laboratory report indicates due to the sample matrix an initial dilution was necessary to perform the analysis. Therefore, the reporting limits for the GC/MS semivolatiles compounds were raised.

⁹Laboratory report indicates due to the presence of interferents near their retention time, normal reporting limits were not attained for benzene and toluene. The presence or concentrations of these compounds cannot be determined below the reporting limits due to the presence of these interferents.

¹⁰Laboratory report indicates Benzo (b) fluoranthene and benzo (k) fluoranthene were not resolved under the sample analysis conditions. The result reported for benzo (b) fluoranthene represents the combined total of both isomers.

¹¹Carcinogenic polycyclic aromatic hydrocarbons, arsenic and lead samples were filtered in the field using a disposable 0.45 micron filter.

¹²The arsenic Site Cleanup Level (CUL) is two orders of magnitude below the USEPA Method 6020/6020A/6020B practical quantitation limit (PQL) (or reported detection limit [RDL]) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020/6020A/6020B Method Detection Limit (MDL) for arsenic (varying from 0.18 to 0.95 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

All results are reported in micrograms per liter (µg/L)

Since 2011. Benzene, toluene, and ethylbenzene by Environmental Protection Agency (EPA) method 8021B, 8260C or 8260D.

Since 2011. Polyaromatic hydrocarbons - benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene and naphthalene - by EPA method 8270C SIM, 8270D SIM or 8270E SIM. Naphthalene was also analysed by EPA method 8021B.

Since 2011. Dissolved lead and arsenic by EPA method 6020, 6020A or 6020B

< = indicates concentration is less than the MDL except for 01/06/22 and 06/24/22 where concentration is less than the RDL for benzene, toluene, and ethylbenzene and metals.

J = The concentration is an estimated value - the result is greater than the MDL and less than the PQL (or RDL)

B = The same analyte is found in the associated laboratory method blank.

Shaded concentrations are greater than corresponding Site CUL.

Bolded data are for the current reporting period.

Sheen = sheen observed in water

DUP = Duplicate sample

Grey well: well no longer present



Arcadis U.S., Inc.

1100 Olive Way

Suite 800

Seattle, Washington 98101

Tel 206 325 5254

Fax 206 325 8218

www.arcadis.com