# **Site Assessment**

John's Dry Cleaning Yakima, Washington

for Washington State Department of Ecology

March 10, 2023



# **Site Assessment**

John's Dry Cleaning Yakima, Washington

for Washington State Department of Ecology

March 10, 2023



523 East Second Avenue Spokane, Washington 99202 509.363.3125 **Site Assessment** 

# John's Dry Cleaning Yakima, Washington

File No. 0504-185-00

March 10, 2023

Prepared for:

Washington State Department of Ecology Central Regional Office 1250 West Alder Street Union Gap, Washington 98903

Attention: John Mefford, LHG

Prepared by:

GeoEngineers, Inc. 523 East Second Avenue Spokane, Washington 99202 509.363.3125

Justin D. Orr, LG Staff Geologist



n willi

Bruce D. Williams Senior Principal

JDO:BDW:tjh:tlm

Disclaimer: Any electronic form, facsimile or hard copy of the original document (email, text, table and/or figure), if provided, and any attachments are only a copy of the original document. The original document is stored by GeoEngineers, Inc. and will serve as the official document of record.



# **Table of Contents**

1.0	INTRODUCTION	1
2.0	SITE DESCRIPTION AND BACKGROUND	1
2.1.	Previous Site Investigations	.1
3.0	FIELD INVESTIGATION ACTIVITIES	2
3.2.	Sonic Soil Assessment Subsurface Conditions Soil Vapor Assessment	.3
4.0	CHEMICAL ANALYTICAL RESULTS	3
4.2.	Soil Chemical Analytical Results Soil Vapor Chemical Analytical Results	.4
	SUMMARY AND CONCLUSIONS	
	LIMITATIONS	
7.0	REFERENCES	5

# LIST OF TABLES

Table 1. Chemical Analytical Results - SoilTable 2. Chemical Analytical Results - Soil Vapor

# LIST OF FIGURES

Figure 1. Vicinity Map Figure 2. Site Plan

# APPENDICES

Appendix A. Boring Logs Figure A-1. Key to Exploration Logs Figure A-2 through A-9. Logs of Borings Appendix B. Work Plan Appendix C. Chemical Analytical Laboratory Reports and Data Validation Appendix D. Report Limitations and Guidelines for Use



### **1.0 INTRODUCTION**

This report describes soil and soil vapor assessment activities conducted at the John's Dry Cleaning facility (herein referred to as "site") located at 4001 Summitview Avenue in Yakima, Washington as shown on Figure 1, Vicinity Map. Washington State Department of Ecology (Ecology) reference numbers for this site include Facility Site ID 53248389 and Cleanup Site ID 2115.

This assessment report has been prepared by GeoEngineers, Inc. (GeoEngineers) for Ecology under Ecology Master Contract No. C1900044, task work assignment number GEI039. This report describes site history, field activities, observations and chemical analytical results associated with soil and soil vapor samples collected at the site. The purpose of this assessment was to determine if soil and/or groundwater contamination related to dry cleaning operations was present, to assess the extent and magnitude of contamination in soil and/or groundwater, and to evaluate potential vapor intrusion from soil and/or groundwater contamination. Groundwater was not encountered during the site assessment, and therefore groundwater analytical results are not discussed in this report.

### **2.0 SITE DESCRIPTION AND BACKGROUND**

The former John's Dry Cleaning site is located at 4001 Summitview Avenue in Yakima, Washington. The site is currently occupied by the Westpark Shopping Center, a multi-tenant retail building located in a mixed commercial and residential area. The site is occupied by multiple commercial businesses including: a Walgreens Drug Store, flower shop, café, shoe store, nail salon, diet center and a financial services business. Prior to development as a shopping center, the site was historically occupied by a gasoline service station. The deed to the property currently includes an environmental covenant because remnant petroleum contamination from heating oil product tanks remain after remedial actions conducted at the site in October 2005. John's Dry Cleaning was a tenant in the Westpark Shopping Center since the 1960s but has since closed; the space is now occupied by the Quilter's Cafe. The John's Dry Cleaning facility was not part of the remedial action nor are dry cleaning chemicals of concern included as part of the environmental covenant.

### **2.1. Previous Site Investigations**

In 2005, Fulcrum Environmental Consulting (Fulcrum) conducted a remedial action and mitigation effort for the adjacent tenant space to the east as part of a redevelopment effort (Fulcrum 2005). Tetrachloroethene (PCE) contaminated soil was excavated to depths ranging between 9 and 14½ feet below ground surface (bgs). PCE reportedly remains in-place along the northern and western margins of the tenant space currently occupied by the Yakima Shipping Shop business and the former dry cleaning tenant space. The PCE was reportedly left in-place because the presence of utilities and site buildings would render soil removal impractical. PCE vapor intrusion was mitigated at the site using 24-mil highdensity polyethylene (HDPE) liner and perforated piping for ventilation purposes. According to Fulcrum, the remaining known PCE contaminated soil is beneath existing site buildings or other features.

Groundwater was not encountered during the remedial action and there are no existing groundwater monitoring wells at the site. Groundwater is reportedly greater than 60 feet bgs based on well logs.

To assess the potential extent of chlorinated dry cleaning chemicals (PCE, trichloroethene [TCE] and daughter products) and Stoddard Solvent, GeoEngineers advanced soil borings, installed soil vapor



points, collected soil and soil vapor samples, and submitted the samples for chemical analyses of volatile organic compounds (VOCs) and gasoline-range petroleum hydrocarbons (GRPH).

### **3.0 FIELD INVESTIGATION ACTIVITIES**

The following sections describe field activities including advancing sonic borings, collection of soil samples, a discussion on observed subsurface conditions, installation of soil vapor points and collection of soil vapor samples.

### **3.1. Sonic Soil Assessment**

Initial site reconnaissance occurred on November 8 and 9, 2022. During these site visits, site access was assessed and soil borings were marked with flags and white spray paint. Site utilities located near the potential soil boring locations were identified and marked by Utilities Plus, LLC, on November 9, 2022. Boring locations and site utilities are shown on Figure 2, Site Plan.

Anderson Environmental Contracting, Inc. (AEC) advanced seven borings (GEI039-B-1 through GEI039-B-7) at the locations indicated on Figure 2 on December 1, 2022. Boring logs associated with the borings are included in Appendix A, Boring Logs. Boring GEI039-B-1 was advanced to approximately 30 feet bgs after discussion in the field with Ecology to attempt to characterize groundwater at the site; groundwater was not encountered at 30 feet bgs. Borings GEI039-B-2 through GEI039-B-6 were advanced to 20 to 25 feet bgs depending on subsurface conditions and field screening observations. Boring GEI039-B-7 was advanced to 10 feet bgs. Soil samples recovered from the sonic borings were field screened in general accordance with the Work Plan (Appendix B). The following table summarizes the results of field screening and selection of soil samples for laboratory chemical analysis. Where field screening indicated the presence of contamination, the sample with the greatest indication and the sample immediately below were submitted.

Soil Boring	Total Depth (feet bgs)	Depth Intervals with Greatest Field Screening Indication of Contamination (feet bgs)	Highest PID Detection (ppm)	Sheen	Sample(s) Submitted
GEI039-B-1	30	12 - 13	2.0	No Sheen	GEI039-B1 (12-13)
GEI039-B-2	20	16 - 17	13.1	No Sheen	GEI039-B2 (16-17), GEI039-B2 (18-19)
GEI039-B-3	25	19 - 20	42.5	No Sheen	GEI039-B3 (19-20), GEI039-B3 (22-23)
GEI039-B-4	20	6 - 7	76.4	No Sheen	GEI039-B4 (6-7), GEI039-B4 (7-8)
GEI039-B-5	20	5 - 6	46.3	No Sheen	GEI039-B5 (5-6), GEI039-B5 (10-11)
GEI039-B-6	20	6 - 7	2.8	No Sheen	GEI039-B6 (6-7)
GEI039-B-7	10	6 - 7	43.7	No Sheen	GEI039-B7 (6-7)

# TABLE I – SUMMARY OF FIELD SCREENING RESULTS

Notes:

PID = photoionization detector; ppm = parts per million



AEC backfilled each boring with bentonite chips and cold patch asphalt or concrete to match existing ground surface in general accordance with the Work Plan. Soil cuttings from the borings were placed in two 55-gallon drums, labeled and stored on-site pending analysis and disposal.

### **3.2. Subsurface Conditions**

Subsurface conditions indicated by soil recovered from GEI039-B-1 through GEI039-B-7 indicate the following general soil profile from the surface:

- **3** to 4 inches of asphalt in paved areas; up to 6 inches of topsoil in landscaped areas;
- 5 to 6 feet of silt;
- In borings GEI039-B-4, GEI039-B-5 and GEI039-B-7, 1 foot of light brown sand with silt and occasional gravel;
- 9 to 15 feet of silty sand and/or sandy silt; and
- Sand with varying amounts of silt and gravel to the final depth of the boring.

Groundwater was not encountered at the time of exploration.

### **3.3. Soil Vapor Assessment**

AEC installed two soil vapor points (SVP-1 and SVP-2) located outside the northeast and southeast corners of the building, respectively, on December 1, 2022, in general accordance with the Work Plan. The soil vapor point well construction diagrams are included in Appendix A. GeoEngineers collected soil vapor samples from SVP-1 and SVP-2 on December 28, 2022, in general accordance with procedures described in the Work Plan.

## **4.0 CHEMICAL ANALYTICAL RESULTS**

The following sections describe soil and soil vapor chemical analytical results. Laboratory reports and a data validation report are included in Appendix C, Chemical Analytical Laboratory Reports and Data Validation.

### **4.1. Soil Chemical Analytical Results**

Eleven soil samples and one duplicate sample were submitted to Eurofins Environment Testing (Eurofins) for analysis of the following contaminants of concern (COCs):

- GRPH including Stoddard Solvent using Northwest Method NWTPH-Gx; and
- VOCs using Environmental Protection Agency (EPA) Method 8260D.

Soil chemical analytical results are presented and compared to Washington State Model Toxics Control Act (MTCA) Method A cleanup levels for unrestricted land use in Table 1, Chemical Analytical Results – Soil and are summarized below:

 GRPH was either not detected or was detected at concentrations less the MTCA Method A cleanup level.



- PCE was detected at concentrations greater than the MTCA Method A cleanup level in five samples: GEI039-B2 (16-17), GEI039-B2 (18-19), GEI039-B4 (6-7), GEI039-B5 (5-6) and GEI039-B7 (6-7).
- 1,2,4-trichlorobenzene, 1,2,3-trichlorobenzene, hexachlorobutadiene and naphthalene were detected in one sample, GEI039-B2(18-19); however, these compounds were also detected in the trip blank.
- Other VOCs were not detected.

### **4.2. Soil Vapor Chemical Analytical Results**

Two soil vapor samples were submitted to Eurofins for analysis of VOCs using EPA Method TO-15 – Low Level.

Soil vapor chemical analytical results are presented and compared to MTCA Method B Sub-slab Soil Vapor cancer/non-cancer screening levels<sup>1</sup> in Table 2, Chemical Analytical Results – Soil Vapor and are summarized below:

- PCE was detected at concentrations greater than the MTCA Method B cleanup level (320 micrograms per cubic meter [µg/m<sup>3</sup>]) in both samples analyzed.
- TCE was detected at concentrations greater than the MTCA Method B cleanup level (11 μg/m<sup>3</sup>) in both samples analyzed.
- Other VOCs were either not detected or were detected at concentrations less than the respective MTCA Method B cleanup levels.

### **5.0 SUMMARY AND CONCLUSIONS**

Seven sonic soil borings were advanced on December 1, 2022, around the existing site structures at the John's Dry Cleaning site. Soil vapor samples were collected from two soil vapor points on December 28, 2022.

Laboratory chemical analysis of soil samples from the borings indicate PCE contamination is present in samples from GEI039-B-2 north of the building and GEI039-B-4, GEI039-B-5 and GEI039-B-7 south-southeast of the building.

Both samples from GEI039-B-2 were greater than the MTCA Method A cleanup level; however, PCE was not detected in the borings adjacent to GEI039-B-2 to the east (GEI039-B-3) and west (GEI039-B-1); indicating contamination to the north is localized to within approximately 20 feet of GEI039-B-2.

The shallow samples (between approximately 5 and 7 feet bgs) from borings GEI039-B-4, GEI039-B-5 and GEI039-B-7 had PCE concentrations greater than the MTCA Method A cleanup level; however, samples collected below the layer of light brown sand present from approximately 5 to 10 feet bgs did not have detectable PCE concentrations. PID detections were greater than 40 ppm in the shallow samples, and less than 10 ppm in deeper samples, indicating a generally shallow contaminated layer.

<sup>&</sup>lt;sup>1</sup> The Method B Sub-slab Soil Vapor cancer screening level was used, where established, because it is the most conservative screening level.

Laboratory chemical analysis of the soil vapor samples indicate TCE and PCE contamination are present in soil vapor at concentrations greater than the MTCA Method B cleanup levels.

The results of this soil and soil vapor assessment for the John's Dry Cleaning site indicate contamination remains at the site.

### **6.0 LIMITATIONS**

We have prepared this report for the exclusive use of Washington State Department of Ecology and their authorized agents.

Within the limitations of scope, schedule and budget, our services have been executed in accordance with generally accepted environmental science practices in this area at the time this report was prepared. The conclusions and opinions presented in this report are based on our professional knowledge, judgement and experience. No warranty or other conditions, express or implied, should be understood.

Please refer to Appendix D, Report Limitations and Guidelines for Use for additional information pertaining to this report.

#### **7.0 REFERENCES**

Fulcrum Environmental Consulting, Inc. (Fulcrum). 2005. "Limited Remedial Action Report, Former Godfathers Building at the Westpark Shopping Center, 4001 West Summitview Avenue, Yakima, Washington." November 1, 2005.



# Table 1

Chemical Analytical Results - Soil<sup>1</sup> John's Dry Cleaning Yakima, Washington

			Location ID	GEI039-B1	L	GEI039-B2	2	GEI039-B2	2	GEI039-B	3	GEI039-B3	}	GEI039-B4		GEI039-B4		GEI039-B5	5	GEI039-B5	5	GEI039-B6	GEI039-B7
		Sample Dep	oth (feet bgs)	12 to 13		16 to 17		18 to 19		19 to 20		22 to 23		6 to 7		7 to 8		5 to 6		10 to 11		6 to 7	6 to 7
		:	Sample Date	12/1/2022	2	12/1/2022	2	12/1/202	2	12/1/202	2	12/1/202	2	12/1/2022		12/1/2022		12/1/202	2	12/1/2022	2	12/1/2022	12/1/2022
Method	Analyte	MTCA CUL <sup>4</sup>	Units																				
NWTPH-Gx <sup>2</sup>	GRPH	30/100 <sup>5</sup>	mg/kg	2.7	U	3.1	U	3.1	U	4.0	U	2.8	U	5.0	J	3.3	U	9.8	J	2.8	U	3.2 U	7.8 J
	Trichloroethene (TCE)	0.03	mg/kg	0.011	U	0.013	U	0.013	U	0.017	U	0.012	U	0.015	U	0.014	U	0.018	U	0.012	U	0.013 U	0.015 U
	Tetrachloroethene (PCE)	0.05	mg/kg	0.026	U	0.12		0.22		0.039	U	0.027	U	2.6		0.032	U	5.7		0.027	U	0.031 U	4.1
NO0- <sup>3</sup>	cis-1,2-Dichloroethene	NE	mg/kg	0.031	U	0.036	U	0.036	U	0.047	U	0.032	U	0.042	U	0.038	U	0.049	U	0.032	U	0.037 U	0.042 U
VOCs <sup>3</sup>	trans-1,2-Dichloroethene	NE	mg/kg	0.034	U	0.039	U	0.040	U	0.051	U	0.036	U	0.046	U	0.042	U	0.054	U	0.035	U	0.040 U	0.046 U
	1,1-Dichloroethene	NE	mg/kg	0.050	U	0.059	U	0.059	U	0.077	U	0.053	U	0.069	U	0.062	U	0.080	U	0.052	U	0.060 U	0.068 U
	Vinyl Chloride	NE	mg/kg	0.030	U	0.035	U	0.035	U	0.045	U	0.031	U	0.041	U	0.037	U	0.047	U	0.031	U	0.036 U	0.040 U

#### Notes

<sup>1</sup>Samples analyzed by Eurofins Environment Testing located in Spokane Valley, Washington.

<sup>2</sup>Gasoline-range petroleum hydrocarbons analyzed using Northwest Method NWTPH-Gx.

<sup>3</sup>Volatile organic compounds (VOCs) analyzed using EPA Method 8260D. Only contaminants of concern are shown. The full list of analytes are included in the laboratory reports (Appendix C).

<sup>4</sup>MTCA Method A unrestricted land use cleanup levels (CUL).

<sup>5</sup>Gasoline-range hydrocarbons when benzene is present / no detectable benzene.

mg/kg = milligrams per kilogram

bgs = below ground surface

NE = not established

U = analyte was not detected above the laboratory reporting or method detection limit (RL or MDL, respectively).

J = estimated concentration.

Bold indicates analyte was detected.

Gray shading and bold indicates the analyte exceeded the current referenced cleanup level.



# Table 2

# Chemical Analytical Results - Soil Vapor<sup>1</sup> John's Dry Cleaning Yakima, Washington

			Location ID	SVP-1		SVP-2	
			Sample Date	12/28/202	2	12/28/202	22
Method	Analyte	MTCA Screening Level <sup>3</sup>	Units				
	Tetrachloroethene (PCE)	320	µg/m <sup>3</sup>	11,000		15,000	
	Trichloroethene (TCE)	11	µg/m <sup>3</sup>	35		37	J
VOCs <sup>2</sup>	cis-1,2-Dichloroethene	NE	µg/m <sup>3</sup>	5.8	U	8.8	U
VUUS	trans-1,2-Dichloroethene	610	µg/m <sup>3</sup>	5.8	U	8.9	U
	1,1-Dichloroethene	3000	µg/m <sup>3</sup>	6.5	U	10	U
	Vinyl Chloride	9.5	µg/m <sup>3</sup>	3.9	U	6.0	U

#### Notes

<sup>1</sup>Samples analyzed by Eurofins Air Toxics located in Folsom, California.

<sup>2</sup>Volatile organic compounds (VOCs) analyzed using EPA Method TO-15 - Low Level. Only contaminants of concern are shown.

The full list of analytes are included in the laboratory reports (Appendix C).

<sup>3</sup>MTCA Method B Sub-slab Soil Gas cancer/non-cancer screening levels (the lowest screening level is used).

 $\mu g/m^3$  = micrograms per cubic meter

bgs = below ground surface

NE = not established

U = analyte was not detected above the laboratory reporting or method detection limit (RL or MDL, respectively).

J = estimated concentration.

Bold indicates analyte was detected.

Gray shading and bold indicates the analyte exceeded the current referenced cleanup level.







0\0504185\GIS\0504185\_Project\0504185\_Project.aprx\050418500\_F01\_VicinityMap Date Exported: 10/11/22 by ccabrera



Source(s): Bing Imagery

Coordinate System: NAD 1983 StatePlane Washington South FIPS 4602 Feet

**Disclaimer:** This figure was created for a specific purpose and project. Any use of this figure for any other project or purpose shall be at the user's sole risk and without liability to GeoEngineers. The locations of features shown may be approximate. GeoEngineers makes no warranty or representation as to the accuracy, completeness, or suitability of the figure, or data contained therein. The file containing this figure is a copy of a master document, the original of which is retained by GeoEngineers and is the official document of record.

- GeoEngineers Soil Boring -
- ۲ GeoEngineers Soil Boring & Soil Vapor
- GeoEngineers Soil Vapor ------
- PCE Concentration Greater than MTCA Method A Soil Cleanup Level
- Contaminant Concentration(s) Greater than  ${igodot}$ MTCA Method B Vapor Screening Level
- Gas Line
- Water
- **?** Unknown Utility



# Site Plan

John's Dry Cleaning Yakima, Washington



Figure 2





	S	OIL CLASS	FICATIO	ON CH	ART	ADDI	IONAL	MA
	MAJOR DIVIS	IONS	SYME GRAPH		TYPICAL DESCRIPTIONS		BOLS	
			000	LETTER		GRAPH	LETTER	
	GRAVEL AND	CLEAN GRAVELS		GW	WELL-GRADED GRAVELS, GRAVEL - SAND MIXTURES		AC	As
	GRAVELLY SOILS	(LITTLE OR NO FINES)		GP	POORLY-GRADED GRAVELS, GRAVEL - SAND MIXTURES		сс	Ce
COARSE GRAINED SOILS	MORE THAN 50% OF COARSE	GRAVELS WITH FINES		GM	SILTY GRAVELS, GRAVEL - SAND - SILT MIXTURES		CR	Cru
30123	FRACTION RETAINED ON NO. 4 SIEVE	(APPRECIABLE AMOUNT OF FINES)		GC	CLAYEY GRAVELS, GRAVEL - SAND - CLAY MIXTURES	<u> <u> </u></u>		Qu
MORE THAN 50%		CLEAN SANDS		SW	WELL-GRADED SANDS, GRAVELLY SANDS	<u>1/ <u>\1/</u> <u>\1/</u></u>	SOD	So
RETAINED ON NO. 200 SIEVE	SAND AND SANDY SOILS	(LITTLE OR NO FINES)	•••••	SP	POORLY-GRADED SANDS, GRAVELLY SAND		TS	То
	MORE THAN 50% OF COARSE	SANDS WITH FINES		SM	SILTY SANDS, SAND - SILT MIXTURES		Ground	wat
	FRACTION PASSING ON NO. 4 SIEVE	(APPRECIABLE AMOUNT OF FINES)		SC	CLAYEY SANDS, SAND - CLAY MIXTURES		Measured well, or pi	
				ML	INORGANIC SILTS, ROCK FLOUR, CLAYEY SILTS WITH SLIGHT PLASTICITY	-	Measured	
FINE	SILTS AND CLAYS	LIQUID LIMIT LESS THAN 50		CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS	_	Graphic	Lo
GRAINED SOILS				OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY		Distinct co	
MORE THAN 50% PASSING NO. 200 SIEVE				МН	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS SILTY SOILS		Approxima <b>Materia</b>	
10120001212	SILTS AND CLAYS	LIQUID LIMIT GREATER THAN 50		СН	INORGANIC CLAYS OF HIGH PLASTICITY		Contact be	
				ОН	ORGANIC CLAYS AND SILTS OF MEDIUM TO HIGH PLASTICITY		Contact be unit	etwe
	HIGHLY ORGANIC	SOILS	h	PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS	I	Laborat	ory
B	Sa 2.4 Sta She Pist Dire Dire Cor Cor Cor Corsecut is relowed to the second	ect-Push k or grab ntinuous Coring ecorded for dri	ool Desc parrel / Da tion Test ( s s wen samp ampler 12	riptior ames & SPT) lers as t inches	IS Moore (D&M) he number of (or distance noted).	AL Att CA Che CP Lat CS Cor DD Dry DS Dir HA Hyd MC Mo Mohs Mo OC Org PM Per PI Pla PL Poi PP Poo SA Sie TX Tria UC Und	rcent grav erberg lim emical any poratory co- nsolidation density ect shear drometer a isture con isture cont hs hardne ganic cont meability sticity ind nt load te cket pene ve analysi axial comp confined consolidat	hits alysi omp n tes anal tent tent tess s ent v or h lex st trom is oress comp
	-	C	0		of the drill rig.		ne shear Sheen (	Clas
	WOH" indicat ammer.	es sampler pus	shed using	g the we	ight of the	SS Slig	Visible Sh ght Sheen derate Sh	

#### **FIONAL MATERIAL SYMBOLS**

SYM	BOLS	TYPICAL
GRAPH	LETTER	DESCRIPTIONS
	AC	Asphalt Concrete
	СС	Cement Concrete
	CR	Crushed Rock/ Quarry Spalls
	SOD	Sod/Forest Duff
	TS	Topsoil

#### Groundwater Contact Measured groundwater level in exploration, well, or piezometer Measured free product in well or piezometer **Graphic Log Contact** Distinct contact between soil strata Approximate contact between soil strata **Material Description Contact** Contact between geologic units Contact between soil of the same geologic unit Laboratory / Field Tests rcent fines rcent gravel erberg limits emical analysis poratory compaction test solidation test density ect shear frometer analysis isture content isture content and dry density hs hardness scale anic content meability or hydraulic conductivity sticity index nt load test ket penetrometer ve analysis axial compression confined compression consolidated undrained triaxial compression e shear Sheen Classification **Visible Sheen**

nderstanding of subsurface conditions. ere made; they are not warranted to be representative of subsurface conditions at other locations or times.



Drilled		<u>Start</u> 1/2022	: 1	<u>End</u> L2/1/20		n (ft)	30	Logged By JDO Checked By JDO	Driller Anderson Env Contracting, L	vironmenta	al		Drilling Method Sonic
Surface Vertica			)		386 NAVD88			Hammer Data	NA		Drilling Equipn	nent	Sonic Drill Rig
Latitud Longitu					46.6007 -120.5637			System Datum	Decimal Degrees WGS84		Ground	lwater	not observed at time of exploration
Notes:										I			
$\equiv$			F	FIELD	DATA								
Elevation (feet)	o Depth (feet) I	Interval Recovered (in)		Blows/foot Collected Sample	<u>Sample Name</u> Testing	Graphic Log	Group Classification	DES	ATERIAL CRIPTION		Sheen	Headspace Vapor (ppm)	REMARKS
_365	-	12	0				AC SP-SM	· · · · · · · · · · · · · · · · · · ·	of asphalt concrete pave nd with silt and gravel (m		NS	<1	
-	-						GM		nedium dense to dense,	moist)	NS	<1	
-	-				GEI039-B-1 (4-5)		ML	Brown silt with sand (sti	ff, moist)		NS	<1	
- 	5 —				_ (= 0)					-	1		
-	-			Ŧ	- GEI039-B-1		SM	- - Brown silty fine sand (de	ense moist)	-	NS	<1	
- - 3 <sup>159</sup>	10 -	12	0	_+	(9-10)			-		_			
-	-				- <u>GEI039-B-1</u> (12-13)		ML	Brown sandy silt (stiff, n	noist)	-	NS	2.0	
	-			<b>_</b>	- <u>(12-13)</u> - CA			_		-			
- 70	15				_			-		-	NS	<1	
	-			I	GEI039-B-1 (18-19)		SP	Brown fine to coarse sar – moist)	nd with gravel (very dens	se, -		-	
	20	60	)	Ţ	_ GEI039-B-1 _ (22-23)			- - -		-	- NS	1.1	
	25 <del>-</del> - - -	60		I	_ GEI039-B-1 _ (27-28)			-			- NS	<1	
-	30 —					<b>I</b>	1	Backfilled with bentonite patch asphalt	e chips, complete with co	old			1
	te: See	Figure es Data	A-1 f	or expla	anation of sy rizontal app	mbols	Ited base	d on Aerial Imagery. Vertical	approximated based on <i>i</i>	Aerial Ima	gery.		
								Log of Borir	ng GE1039-B-1				
								Project: John's		•			
	E	σE	N	GIN	NEER	S/	D		: Yakima, Washir : 0504-185-00	ngton			Figure A-2 Sheet 1 of 1

Drilled	<u>9</u> 12/2	<u>Start</u> 1/20			<u>End</u> ./2022	Total Depth	(ft)	20	Logged By JDO Checked By JDO	Driller Anderson Environr Contracting, LLC	nental		Drilling Method Sonic
Surfac Vertica	e Eleva Il Datur	ntion m	(ft)		1	386 NAVD88			Hammer Data	NA	Drillir Equip	ig ment	Sonic Drill Rig
Latitud Longitu						6.6007 20.5636			System Datum	Decimal Degrees WGS84	Grou	ndwate	er not observed at time of exploration
Notes	:												
				FIEL	D D	ATA							
Elevation (feet)		Interval	Recovered (in)	Blows/foot	Collected Sample	<u>Sample Name</u> Testing	Graphic Log	Group Classification		ATERIAL CRIPTION	Sheen	Headspace Vapor (ppm)	REMARKS
_3 <sup>65</sup> - -	0		120			GEI039-B-2 (2-3)		AC ML	Approximately 4 inches Brown silt with sand (stil -	of asphalt concrete pavemen f, moist)	t - NS	3.2	
- - ^^ -	5				Ţ	GEI039-B-2 (5-6)		SM	Brown silty fine to coars - (dense, moist)	e sand with occasional gravel	– NS –	4.2	
- - - - - -			108			GEI039-B-2 (11-12)			- - - -		- - - NS -	3.5	
						GEI039-B-2 (16-17) CA GEI039-B-2 (18-19) CA		ML	- Brown sandy silt (stiff, m - - -	ioist)	- NS - NS - NS		
-	20 —		1		I				Backfilled with bentonite	e chips, complete with cold		_	1
Not	te: See rrdinat	Figu	ure A- rata S	1 for e	xplana Horiz	ation of syn ontal appro	nbols.	ted base	d on Aerial Imagery. Vertical a	approximated based on Aeria	I Imagery.		
$\geq$										g GE1039-B-2			
			_						Project: John's	-			
0	E			IG	IN	EERS	5/		-	: Yakima, Washingto : 0504-185-00	'n		Figure A-3 Sheet 1 of 1



050418500.GPJ ate:1/26/23

Figure A-4 Sheet 1 of 1

Drilled	<u>s</u> 12/1	<u>Start</u> L/2022	2	<u>E</u> 12/1,	<u>nd</u> /2022	2 Total Depth	(ft)	20	Logged By JDO Checked By JDO	Driller Anderson Environme Contracting, LLC	ental			Drilling Method Sonic
Surface Vertical			t)		١	386 NAVD88			Hammer Data	NA	Dril Equ	ling iipm	nent	Sonic Drill Rig
Latitude						6.6005 20.5634			System [ Datum	Decimal Degrees WGS84	Gro	und	water	not observed at time of exploration
Notes:								I						
$\equiv$				FIEL	DD/	ATA								
	o Depth (feet) I	Interval Recovered (in)		Blows/foot	Collected Sample	<u>Sample Name</u> Testing	Graphic Log	Group Classification		TERIAL CRIPTION	į	Sheen	Headspace Vapor (ppm)	REMARKS
	-	96	6		T (	GEI039-B-4 (2-3)		ML	Approximately 4 inches c Brown silt with sand (stif	f asphalt concrete pavement f, moist)		ıs	7.0	
- - - - - -	- 5 - - -					(2-3) <u>GEI039-B-4</u> <u>(6-7)</u> CA <u>GEI039-B-4</u> <u>(7-8)</u> CA		SP-SM ML	Light brown sand with si (dense, moist) Brown silt with sand (stif			IS IS	76.4 7.1	
- ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10 — - - 15 —	12	20			GEI039-B-4 (11-12)		SM	Brown silty fine sand (de - - -	nse, moist)		IS	4.2	
						GEI039-B-4 (16-17)		SP-SM	<ul> <li>to very dense, moist)</li> <li></li> </ul>	d with silt and gravel (dense	- N	IS	4.0	
Note Cool	e: See rdinat	Figure	a A-1 a Sc	for expurce:	plana	ation of syn	nbols	ted base	Backfilled with bentonite concrete d on Aerial Imagery. Vertical a	pproximated based on Aerial I	mager	ý-		
									Log of Borin	g GEl039-B-4				
G	ΪEC	οE	N	GI	N	EER	5 /	D	Project: John's [	Dry Cleaning Yakima, Washingtor	)			Figure A-5 Sheet 1 of 1

Drilled		<u>Start</u> 1/202:	2	<u>En</u> 12/1/2		Total Depth	(ft)	20	Logged By JDO Checked By JDO	Driller	Anderson Environme Contracting, LLC	ental		Drilling Method Sonic
Surfac Vertica	e Eleva al Datur		t)			886 VD88			Hammer Data	NA		Drilling Equipr	g nent	Sonic Drill Rig
Latitud Longitu						6005 ).5636			System Datum	Decimal De WGS8	egrees	Ground	dwater	not observed at time of exploration
Notes:					-									
				FIELD	) DAT	A								
Elevation (feet)		Interval				Sample Name Testing	Graphic Log	Group Classification		ATERIAL CRIPTIC		Sheen	Headspace Vapor (ppm)	REMARKS
3 <sup>55</sup>	0	7	2			039-B-5 (1-2)		AC SM	Approximately 3 inches of Brown silty fine sand (m		· · · · · · · · · · · · · · · · · · ·	- NS -	5.4	
	_			ŀ	GEI	039-B-5 (4-5)		ML	Brown sandy silt (stiff, m	noist)		NS	6.5	
	5 — -				GEI	039-B-5 (5-6) CA		SP-SM	Light brown fine to coars – occasional gravel (de –	se sand wit ense, mois	h silt and t)	- NS -	46.3	
375	- 10	10	08			<u>039-B-5</u> 10-11) CA	$\sum_{i=1}^{n}$	 SM	Brown silty fine sand (de	ense, moist	.) .)	- - NS -	6.9	
	- - 15 —				GEI (1	039-B-5 13-14)		SP-SM	- Brown fine to coarse sar 	nd with silt	(dense, moist)	- NS	7.0	
310	-					039-B-5 17-18)		ML	Brown silt with sand (stil	ff to very si	iff, moist)	- NS	9.0	
	20								Backfilled with bentonite	e, complete	e with concrete			
Not	tte: See	Figure	eA-1	for exp	planatic	on of syn	nbols	tad boos	d on Aerial Imagery. Vertical a		ind based on Asriel I	natory		
Cod	ordinate	es Dat	a So	urce: H	lorizon	tal appro	oxima	ted base	d on Aerial Imagery. Vertical a			nagery.		
	_								Project: John's	-				
C	E	bΕ	Ν	GI	NE	ERS	5 /		Project Location Project Number					Figure A Sheet 1 of

Drilled	<u>9</u> 12/1	Start L/20	22	E 12/1	<u>ind</u> /202:	2 Total Depth	(ft)	20	Logged By JDO Checked By JDO	Driller Anderson Environme Contracting, LLC	ental		Drilling Method Sonic
Surface Vertical	e Eleva I Datur	tion n	(ft)			386 NAVD88			Hammer Data	NA	Drillin Equip		Sonic Drill Rig
Latitude Longitu						46.6005 120.5637			System Datum	Decimal Degrees WGS84	Grour	Idwate	r not observed at time of exploration
Notes:													
$\equiv$				FIEL	DD	ATA							
Elevation (feet)	o Depth (feet)	Interval	Recovered (in)	Blows/foot	Collected Sample	<u>Sample Name</u> Testing	Graphic Log	Group Classification	DES	ATERIAL CRIPTION	Sheen	Headspace Vapor (ppm)	REMARKS
- - -			90		Ţ	GEI039-B-6 (2-3)		ML	Approximately 3 inches Brown silt with sand (sti - - -	of asphalt concrete pavement	- NS 	<1	
- - - - - -	- - - 10		120		Ţ	<u>GEI039-B-6</u> (6-7) CA		SM	Brown silty fine sand (de - - -	ense, moist)	NS  	2.8	
5 1 1	- - - 15				Ţ	GEI039-B-6 (11-12)			- With gravel - -		- NS - - -	<1	
					Ţ	GEI039-B-6 (16-17)	<u></u>	ML	Brown silt with sand (sti - - Backfilled with bentonit	ff to very stiff, moist) e, complete with concrete	- NS - -	1.9	
Note	e: See rdinate	Figu es D	rre A- ata S	1 for e	xplana	ation of syn	nbols	ted based		approximated based on Aerial I	magery.		
									Log of Borir	ng GEl039-B-6			
G	ΞEC	)E	EN	IG	N	EERS	5 /	D		Dry Cleaning n: Yakima, Washingtor : 0504-185-00	1		Figure A-7 Sheet 1 of 1

Date:/26/23 Path:P:/0/0504185/GINT/050418500.GPJ DBUbrary/Libeny/GEOEGINEERS\_DF\_STD\_US\_JUNE\_2017.GLB/GEB\_ENVIRONMENTAL\_STANDARD\_NO\_GW

Start Drilled 12/1/2022	<u>End</u> 12/1/2022	Total Depth (ft)	10	Logged By Checked By	JD0 JD0	Driller Anderson Environmer Contracting, LLC	ntal	Drilling Method Sonic
Surface Elevation (ft) Vertical Datum		86 /D88		Hammer Data		NA	Drilling Equipment	Sonic Drill Rig
Latitude Longitude		6004 .5635		System Datum		Decimal Degrees WGS84	Groundwate	r not observed at time of exploration

Notes:

$\square$			FIELD DATA								
Elevation (feet)	Depth (feet)	Interval Recovered (in)	Blows/foot	Collected Sample	Sample Name Testing	Graphic Log	Group Classification	MATERIAL DESCRIPTION	Sheen	Headspace Vapor (ppm)	REMARKS
 	0	84		Ţ	GEI039-B-7 (2-3)		AC SM ML	Approximately 3 inches of asphalt concrete pavement Brown silty fine sand (dense, moist) Brown silt with sand (stiff, moist)	NS	1.0	
- - - -	5			Ţ	<u>GEI039-B-7</u> ( <u>6-7)</u> CA		SP-SM	Light brown fine to coarse sand with silt and - occasional gravel (dense, moist)	NS	43.7	

Note: See Figure A-1 for explanation of symbols. Coordinates Data Source: Horizontal approximated based on Aerial Imagery. Vertical approximated based on Aerial Imagery.

# Log of Boring GEI039-B-7



Project: John's Dry Cleaning Project Location: Yakima, Washington Project Number: 0504-185-00

Figure A-8 Sheet 1 of 1



STD\_US\_JUNE\_2017.GLB/GEI8\_ DBI ibran/I \050418500.GPJ GINT ate:1/26/23

Figure A-9 Sheet 1 of 1

# APPENDIX B Work Plan

# Work Plan

John's Dry Cleaning Site Assessment Yakima, Washington

for Washington State Department of Ecology

October 26, 2022



# Work Plan

John's Dry Cleaning Site Assessment Yakima, Washington

for Washington State Department of Ecology

October 26, 2022



523 East Second Avenue Spokane, Washington 99202 509.363.3125

# **Work Plan**

# John's Dry Cleaning Site Assessment Yakima, Washington

File No. 0504-185-00

October 26, 2022

Prepared for:

Washington State Department of Ecology Central Regional Office 1250 West Alder Street Union Gap, Washington 98903

Attention: John Mefford, LHG

Prepared by:

GeoEngineers, Inc. 523 East Second Avenue Spokane, Washington 99202 509.363.3125

Justin D. Orr, LG Staff Geologist

Bruce D. Williams Senior Principal

JDO:BDW:tjh

Disclaimer: Any electronic form, facsimile or hard copy of the original document (email, text, table and/or figure), if provided, and any attachments are only a copy of the original document. The original document is stored by GeoEngineers, Inc. and will serve as the official document of record.



1.0	INTRODUCTION	. 1
2.0	SITE DESCRIPTION AND BACKGROUND	. 1
2.1.	Previous Site Investigations	.1
3.0	FIELD INVESTIGATION ACTIVITIES	. 2
4.0	SCHEDULE	. 4
5.0	REFERENCES	. 4

# LIST OF FIGURES

Figure 1. Vicinity Map Figure 2. Site Plan

# APPENDICES

Appendix A. Field Assessment Procedures
Appendix B. Quality Assurance Project Plan
Table B-1. Soil Measurement Quality Objective and Target Reporting Limits
Table B-2. Groundwater Measurement Quality Objective and Target Reporting Limits
Table B-3. Vapor Measurement Quality Objective and Target Reporting Limits
Table B-4. Soil Test Methods, Sample Containers, Preservation and Holding Time
Table B-5. Water Test Methods, Sample Containers, Preservation and Holding Time
Table B-6. Vapor Test Methods, Sample Containers, Preservation and Holding Time
Table B-7. Quality Control Samples Type and Frequency
Appendix C. Health and Safety Plan



## **1.0 INTRODUCTION**

This Work Plan presents the scope of work and approach to conduct soil, soil vapor and, if encountered, groundwater assessment activities at the John's Dry Cleaner facility (herein referred to as "site") located at 4001 Summitview Avenue in Yakima, Washington as shown in the Vicinity Map, Figure 1.

This Work Plan has been prepared by GeoEngineers for the State of Washington Department of Ecology (Ecology) under Ecology Master Contract No. C1900044, task work assignment number GEI039. The purpose of this assessment is to determine if soil and/or groundwater contamination related to dry cleaning operations is present, to assess the extent and magnitude of contamination in soil and/or groundwater, and to evaluate potential vapor intrusion from soil and/or groundwater contamination. Data generated from this assessment will support a no further action (NFA) determination or planning potential remedial actions within the defined project area to address ecological and human health risks associated with historical contamination.

A sampling plan, with a description of field assessment procedures is provided in Appendix A; the Quality Assurance Project Plan (QAPP) and the Health and Safety Plan (HASP) are presented in Appendices B and C, respectively. The Work Plan is organized as follows:

- Site Description and Background Section 2.0
- Field Investigation Activities Section 3.0
- Schedule Section 4.0
- References Section 5.0

## 2.0 SITE DESCRIPTION AND BACKGROUND

The former John's Dry Cleaning site is located at 4001 Summitview Avenue in Yakima, Washington. The site is currently occupied by the Westpark Shopping Center, a multi-tenant retail building located in a mixed commercial and residential area. The site is occupied by multiple commercial businesses including: a Walgreens Drug Store, flower shop, café, shoe store, nail salon, diet center and a financial services business. Prior to development as a shopping center, the site was historically occupied by a gasoline service station. The property is currently under an environmental covenant due to remedial action for remnant petroleum contamination from heating oil product tank removals conducted at the site in October 2005. John's Dry Cleaning was a tenant in the Westpark Shopping Center since the 1960s but has since closed; the space is now occupied by a dance studio. The John's Dry Cleaning facility was not part of the remedial action nor are dry cleaning chemicals of concern included as part of the environmental covenant.

## **2.1. Previous Site Investigations**

In 2005, Fulcrum Environmental Consulting (Fulcrum) conducted a remedial action and mitigation effort for the adjacent tenant space to the east as part of a redevelopment effort. Tetrachloroethylene (PCE) contaminated soil was excavated to depths ranging between 9 and 14½ feet below ground surface (bgs). PCE reportedly remains in-place along the northern and western margins of the tenant space currently occupied by the Yakima Shipping Shop business and the former dry cleaning tenant space. The PCE was reportedly left in-place due to utilities and site buildings. PCE vapor intrusion was mitigated at the site



using 24-mil HDPE liner and perforated piping for ventilation purposes. According to Fulcrum, the remaining known PCE contaminated soil is beneath existing site buildings or other features.

Groundwater was not encountered during the remedial action and there are no existing groundwater monitoring wells at the site. Groundwater is reportedly greater than 60 feet bgs based on well logs; however, GeoEngineers encountered groundwater at a depth of about 18 feet bgs at an Ecology project at 55<sup>th</sup> and Summitview.

To assess the potential extent of chlorinated dry cleaning chemicals (PCE, trichloroethylene [TCE] and daughter products) and Stoddard Solvent, we plan to advance soil borings and install temporary well points, collecting groundwater and soil gas samples from the borings and temporary wells, and submit the samples for chemical analyses of volatile organic compounds (VOCs) and gasoline-range petroleum hydrocarbons (GRPH).

### **3.0 FIELD INVESTIGATION ACTIVITIES**

The tasks described below reflect the proposed field activities. The specific tasks conducted at the site may change in response to conditions encountered in the field or as additional information is obtained. Adjustments to the tasks listed will be mutually agreed upon by Ecology and GeoEngineers and authorized prior to implementation.

Field investigation activities will include the following:

- Coordinate underground utility locating using the State of Washington Utility Notification and a private utility locate company. Per state regulations, GeoEngineers will mobilize to/from the site from Spokane to mark the proposed boring locations prior to initiating the locate request.
- Mobilize to/from the site from Spokane, Washington to conduct the sampling event.
- Conduct up to 2 days of subsurface assessment using sonic drilling techniques. We anticipate advancing at least six borings at the site. However, the number, location and depth of the borings will depend on field conditions (such as field screening evidence of contamination, accessibility, soil conditions and depth to groundwater). Borings will be advanced along the northern and southern former dry cleaner building margins. In general, borings will be advanced along the perimeter of the dry cleaner tenant space. Soil samples will be collected using a continuous core sampler (sonic) for field screening and potential chemical analysis. Borings will be advanced to approximately 20 to 25 feet bgs. If groundwater is not encountered by 25 feet bgs, the boring will be terminated unless Ecology field approves a decision to drill deeper for the purpose of characterizing groundwater. Proposed boring locations are shown in Figure 2. Soil samples will be collected per procedures outlined in Appendix A.
- Install up to two soil vapor points outside the building to approximately 5 feet bgs and collect soil vapor samples. The proposed soil vapor point locations are shown in Figure 2. The soil vapor samples will be collected per procedures outlined in Appendix A.
- Observe and document subsurface soil conditions using a qualified field engineer or geologist. Field screening will consist of visual observation, water sheen testing and headspace vapor measurements using a photoionization detector (PID).



- If indications of contaminated soil are observed extending to depths near groundwater, then the boring will be advanced at least 5 feet below the groundwater interface and a temporary groundwater sampling point will be installed for the collection of a grab groundwater sample. We anticipate up to six grab groundwater samples and one duplicate sample will be collected and submitted for analysis. Grab groundwater samples will be collected per procedures outlined in Appendix A.
- If deemed necessary and field-approved by Ecology, complete up to three of the borings as groundwater monitoring wells. Monitoring wells will be installed per procedures outlined in Appendix A. Each monitoring well will be completed with a flush-mounted protective steel monument.
- Backfill borings with bentonite clay and surface completed with turf, asphalt or concrete patch to match the existing ground surface.
- Conduct groundwater sampling at newly installed on-site wells, if warranted. Groundwater samples will be collected per procedures outlined in Appendix A. Three groundwater samples will be collected from the completed wells instead of collecting three grab samples from three of the temporary groundwater sampling points listed above.
- Submit at least one soil sample from each boring. The soil sample with the greatest field screening indication of potential contamination or the closest sample collected above the groundwater interface, if present, will be submitted for analysis. We anticipate up to six soil samples and one duplicate sample will be submitted for analysis. Samples will be submitted on a standard turnaround time (TAT).
- Soil and groundwater samples submitted from the site will be analyzed for the following potential contaminants:
  - Volatile organic compounds (VOCs) using Environmental Protection Agency (EPA) Method 8260D; and
  - Gasoline-range petroleum hydrocarbons (GRPH) using Northwest Method NWTPH-Gx.
- The soil vapor sample will be submitted and analyzed for VOCs using EPA Method TO-15.
- Drum and label investigation-derived waste (IDW). Analytical data from the soil borings will be used to characterize the IDW. In addition, a sample will be collected and analyzed for Resource Conservation and Recovery Act (RCRA) metals, which is required by most disposal facilities. A qualified contractor will be retained to profile and transport the IDW for disposal at a permitted facility. We assume IDW will be non-hazardous.
- Compare soil and groundwater analytical results to Washington State Model Toxics Control Act (MTCA) Method A cleanup levels and compare soil vapor analytical reports to MTCA Method B cleanup levels.
- Prepare a site assessment report that provides field and laboratory data, comparison of the analytical results to MTCA, and recommendations, as needed. The report will include field procedures, tables and figures, and historical site information, as appropriate.
- Enter laboratory analytical data results into Ecology's Environmental Information Management (EIM) database.



## **4.0 SCHEDULE**

The fieldwork will be conducted during the 4<sup>th</sup> Quarter of 2022 and completed in up to 2 days. We expect to receive analytical data within 2 weeks after submitting the samples to the laboratory. Our report will be completed within a month following receipt of the laboratory analytical reports.

## **5.0 REFERENCES**

Fulcrum Environmental Consulting, Inc. 2005. "Limited Remedial Action Report, Former Godfathers Building at the Westpark Shopping Center, 4001 West Summitview Avenue, Yakima, Washington." November 1, 2005.






0\0504185\GIS\0504185\_Project\0504185\_Project.aprx\050418500\_F01\_VicinityMap Date Exported: 10/11/22 by ccabrera



Source(s):

Bing Imagery

Coordinate System: NAD 1983 StatePlane Washington South FIPS 4602 Feet

**Disclaimer:** This figure was created for a specific purpose and project. Any use of this figure for any other project or purpose shall be at the user's sole risk and without liability to GeoEngineers. The locations of features shown may be approximate. GeoEngineers makes no warranty or representation as to the accuracy, completeness, or suitability of the figure, or data contained therein. The file containing this figure is a copy of a master document, the original of which is retained by GeoEngineers and is the official document of record.



+ Proposed Sonic Boring Location

• Proposed Soil Vapor Location

40 Feet

## Site Plan

John's Dry Cleaning Yakima, Washington



Figure 2



# **APPENDIX A** Field Assessment Procedures

## APPENDIX A FIELD ASSESSMENT PROCEDURES

#### STANDARD PROCEDURES

This section contains standard procedures for field data collection that are anticipated during the site assessment at the John's Dry Cleaning site in Yakima, Washington, including the following:

- Collecting soil samples from sonic soil borings;
- Soil vapor point construction;
- Monitoring well construction;
- Groundwater sampling grab sampling and monitoring well sampling (if encountered);
- Soil vapor sampling;
- Field screening methods;
- Decontamination procedures;
- Handling of investigation-derived waste (IDW);
- Sample location control;
- Sample handling and custody requirements;
- Field measurement and observation documentation; and
- Sample identification.

#### **Collecting Soil Samples from Soil Borings**

Drilling will be conducted by a State of Washington licensed driller and supervised by a trained GeoEngineers field engineer or geologist. Soil samples will be collected continuously during drilling (sonic) using 5- or 10-foot core barrels and disposable plastic sleeves.

Each boring will be monitored by a GeoEngineers field representative to observe and classify the soil encountered and prepare a detailed log of each boring. Soil encountered in the borings will be classified in the field in general accordance with ASTM International (ASTM) D2488-17, the Standard Practice for Description and Identification of Soils (Visual-Manual Procedure).

Soil samples from each sampling interval will be field screened for the presence of contaminants using the procedures described below to determine which sample will be submitted for chemical analysis. Based on field indicators, a minimum of one soil sample from each boring exhibiting the greatest level of contamination, as indicted by field screening, will be submitted for laboratory analysis. If field screening does not indicate the presence of contamination, the sample collected closest to and above the groundwater interface will be submitted for analysis. Additional samples may be submitted, based on field screening results and as approved by the Washington State Department of Ecology (Ecology).

Soil selected for analysis will be removed from the sampler using a new or decontaminated soil knife, clean nitrile gloves, transferred into a laboratory-prepared container, labeled with a waterproof pen, and



placed on "blue ice" or wet ice in a clean plastic-lined cooler. Each sample will be documented on a boring log and chain-of-custody (COC) and will include sample name, sample collection date and time, sample type, sample depth (relative to ground surface), requested analyses and sampler name. Soil samples for volatile organic compounds (VOCs) and gasoline-range petroleum hydrocarbons (GRPH) analyses will be collected consistent with Environmental Protection Agency (EPA) Method 5035A (EPA 2002) and preserved in accordance with Ecology Implementation Memorandum 5 (Ecology 2004) and EPA (1998).

Sampling equipment will be decontaminated between each sampling attempt as described in the Decontamination Procedures Section. The sample coolers will be delivered to the analytical laboratory under standard COC procedures described in the Quality Assurance Project Plan (QAPP) (Appendix B).

#### **Soil Vapor Point Construction**

To assess potential soil vapor migration into the site structure, up to two soil vapor points will be placed outside the building footprint, including one to the north and one to the south. The soil vapor points will be comprised of a 6-inch-long stainless steel screen attached to Teflon™ tubing installed to a depth of at least 5 feet bgs, as recommended by Ecology's VI Guidance (Ecology 2022). The tubing will be connected to a sampling manifold at the ground surface. Hydrated bentonite will be placed around the soil vapor probe where it enters the ground surface. The sampling manifold will be vacuum-tested (shut-in test) by briefly introducing a vacuum to the aboveground portion of the sampling train and checking for loss of vacuum. If vacuum loss is observed, connections and fittings in the sample train will be checked and adjusted. The soil vapor point will be completed with a flush-mounted monument and a concrete surface seal will be placed around the monument at the ground surface to divert surface water away from the vapor point location.

If shallow groundwater precludes soil vapor sample collection at a depth of at least 5 feet bgs, the assessment report will indicate that there is uncertainty associated with using analytical results associated with the shallow (that is, less than 5 feet bgs) samples to estimate indoor air concentrations.

## **Monitoring Well Construction**

If deemed necessary and field-approved by Ecology, up to three borings will be completed as monitoring wells in accordance with Chapter 173-160 WAC, Minimum Standards for Construction and Maintenance of Wells. Monitoring well installation records will be submitted in accordance with these standards. GeoEngineers' field representative will observe and document the monitoring well installation, including maintaining a detailed log of the well construction materials, depths of materials and depths of each well. Well construction details will be recorded on a monitoring well construction log.

The groundwater wells will have about a 5-foot screened interval, with at least 1 foot of screen above the observed depth to groundwater level. Each monitoring well will be constructed using 2-inch-diameter, schedule 40 polyvinyl chloride (PVC) well casing and well screens.

Each monitoring well will be completed with a bentonite seal and a flush-mounted monument. A lockable cap will be installed at the top of the PVC well casing. A concrete surface-seal will be placed around the monument at the ground surface to divert surface water away from the monitoring well location.



The monitoring wells will be developed to remove water introduced into the well during drilling (if any), stabilize the filter pack and formation materials surrounding the well screen, and restore the hydraulic connection between the well screen and the surrounding soil. The depth to water in the monitoring well will be measured prior to development. The total depth of the well also will be measured and recorded. The monitoring wells will be developed by pumping, surging, bailing or a combination of these methods after construction. Development of each well will continue until the water is as free of sediment as practicable with respect to the composition of the subsurface materials within the screened interval. The removal rate and amount of groundwater removed will be recorded during well development procedures. Water generated during development will be drummed, labeled and stored in a safe location on site until chemical analytical results are obtained. After development, wells will be allowed to equilibrate a minimum of 72 hours prior to sampling.

The horizontal locations and relative elevations of the monitoring wells will be surveyed by GeoEngineers. A fixed location (such as a fire hydrant or lamp post base) will be assigned an arbitrary elevation of 100.00. The ground surface and top of well casing of each well will be surveyed relative to this fixed location to quantitatively understand relative groundwater elevations and groundwater flow direction. A survey reference mark will be established on the north side of each monitoring well casing as a reference for measuring groundwater elevations and at the fixed location.

#### **Groundwater Sampling**

Groundwater (if encountered) will be collected as a grab sample from the soil borings and newly constructed monitoring wells.

#### **Grab Sampling**

If groundwater is encountered in the soil borings, grab samples will be collected and analyzed in the field as described below. Depth to groundwater relative to the ground surface will be measured to the nearest 0.01 foot using an electronic interface probe and recorded in the field notes. The interface probe will be decontaminated with Liquinox<sup>®</sup> solution wash and a distilled water rinse prior to use in each boring.

Following depth to groundwater measurement, a groundwater sample will be collected from the open boring consistent with the EPA's low-flow groundwater sampling procedure, as described in EPA (2017) and Puls and Barcelona (1996). Dedicated tubing and a peristaltic pump will be used for groundwater purging and sampling. During purging activities, water quality parameters, including pH, temperature, conductivity, dissolved oxygen (DO), oxygen-reduction potential (ORP) and turbidity, will be measured using a multi-parameter meter equipped with a flow-through cell. Each boring will be purged until turbidity is stable for three consecutive readings, or for a maximum of 15 minutes, whichever occurs first, before collecting the sample. Stability is defined as the following:

Turbidity: +/- 10% NTUs (when turbidity is greater than 10 NTUs)

Samples will not be collected from the boring if it has measurable free product. Field water quality measurements and depth-to-water measurements will be recorded on a Well Purging-Field Water Quality Measurement Form. Groundwater samples will be transferred in the field to laboratory-prepared sample containers and kept cool during transport to the testing laboratory. COC procedures will be observed from the time of sample collection to delivery to the testing laboratory consistent with the QAPP.



#### **Monitoring Well Sampling**

If deemed necessary and field-approved by Ecology, up to three soil borings will be completed as groundwater monitoring wells, and groundwater samples will be collected and analyzed as described below. Depth to groundwater relative to the top of the PVC well casing will be measured to the nearest 0.01 foot using an electronic interface probe and recorded in the field notes. The interface probe will be decontaminated with Liquinox<sup>®</sup> solution wash and a distilled water rinse prior to use in each monitoring well.

Following depth to groundwater measurement, a groundwater sample will be collected from the open boring consistent with the EPA's low-flow groundwater sampling procedure, as described in EPA (2017) and Puls and Barcelona (1996). Dedicated tubing and a peristaltic pump will be used for groundwater purging and sampling. During purging activities, water quality parameters, including pH, temperature, conductivity, DO, ORP and turbidity, will be measured using a multi-parameter meter equipped with a flow-through cell. Each boring will be purged until parameters stabilize, or a maximum of 30 minutes, whichever occurs first, before collecting the sample. Stability is defined as the following:

- pH: +/- 0.1 pH units
- Conductivity: +/- 3 mS/cm
- ORP: +/- 10 mV
- Turbidity: +/- 10% NTUs (when turbidity is greater than 10 NTUs)
- D0: +/- 0.3 mg/L
- Temperature: +/- 3 degrees Celsius

Samples will not be collected from the monitoring well if it has measurable free product. Field water quality measurements and depth-to-water measurements will be recorded on a Well Purging-Field Water Quality Measurement Form. Groundwater samples will be transferred in the field to laboratory-prepared sample containers and kept cool during transport to the testing laboratory. COC procedures will be observed from the time of sample collection to delivery to the testing laboratory consistent with the QAPP.

#### **Soil Vapor Sampling**

The soil vapor sample points will be collected as described below. Prior to sampling, each vapor sample location will be leak tested using a helium shroud. Teflon<sup>™</sup> or Tygon® tubing will be connected to the sample port and a portable air pump will be attached the end of the tubing. The sample point will be purged using the portable air pump for 1 minute and the pump exhaust will be monitored for helium during purging using a helium detector. If a helium is detected in the pump exhaust, the leak will be repaired, and the port will be resampled before a Summa cannister is connected to the sample line.

If helium is not detected in the exhaust port, a 1-liter Summa canister fitted with a flow controller will be attached to the Teflon<sup>™</sup> or Tygon<sup>®</sup> tubing. The flow controllers will be set to approximately 200 milliliters per minute (ml/min) by the analytical laboratory. Valves on the cannister will be opened and air from the sampling port will be drawn into the cannister. Air will be drawn for about 5 minutes until the cannister is filled, but before atmospheric pressure is reached. The flow controller will be submitted to Eurofins for analysis of



VOCs by EPA Method TO-15. GeoEngineers will request below reporting limit/calibration curve, estimated concentration "method detection limit" reporting from the selected laboratory.

Consistent with Ecology's VI Guidance, soil vapor samples will not be obtained during or immediately after a significant rain event. For the purposes of this Work Plan, a significant rain event is defined as ½-inch or greater during the preceding 24-hour period (DTSC 2012).

#### **Field Screening Methods**

Field screening methods will be used to select samples for laboratory chemical analysis.

A GeoEngineers field representative will perform visual and physical field screening tests on soil samples and record the observations on the field boring log and in the field notebook. Field screening results will be used to aid in the selection of soil samples for laboratory chemical analysis. The sample from each boring showing the highest likelihood of contamination, based on field screening, will be selected for laboratory analysis. The remaining samples may be submitted to the laboratory and held, pending the results of the samples submitted for analysis.

Screening methods will include (1) visual examination; (2) water-sheen screening; and (3) headspace vapor screening using a photoionization detector (PID). Visual screening consists of inspecting the soil for discoloration indicative of the presence of petroleum-impacted material or other contaminants in the sample.

Water-sheen screening involves placing soil in water and observing the water surface for signs of sheen. Sheen classifications are as follows:

- **No Sheen (NS)** No visible sheen on the water surface;
- Slight Sheen (SS) Light, colorless, dull sheen; spread is irregular, not rapid; sheen dissipates rapidly. Natural organic matter in the soil might produce a slight sheen;
- Moderate Sheen (MS) Light to heavy sheen; might have some color/iridescence; spread is irregular to flowing, may be rapid; few remaining areas of no sheen on water surface; and
- Heavy Sheen (HS) Heavy sheen with color/iridescence; spread is rapid; entire water surface might be covered with sheen.

Water sheen testing equipment will be disposable or decontaminated before field screening each sample using a Liquinox<sup>®</sup> soap solution with a water rinse. Used testing equipment and/or decontamination water will be stored on-site in a labeled Washington State Department of Transportation (DOT)-approved drum pending disposal with other IDW.

Headspace vapor screening involves placing a soil sample into a sealed plastic bag and measuring the airspace VOC vapor concentrations in parts per million (ppm) with a PID. Once a soil sample is placed in a sealed plastic bag with air space, the bag is shaken to expose the soil to the air trapped in the bag. The probe of the PID, calibrated to isobutylene following the manufacturer's instructions, is inserted into a small opening in the bag seal and the VOC concentration is measured. The PID typically is designed to quantify VOC vapor concentrations in the range between 1 ppm and 2,000 ppm with an accuracy of



 $\pm 10$  percent of the reading, and between 2,000 ppm and 5,000 ppm with an accuracy of  $\pm 20$  percent of the reading.

#### **Decontamination Procedures**

The objective of the decontamination procedures described herein is to minimize the potential for crosscontamination between sample locations. A designated decontamination area will be established for decontamination of drilling equipment and reusable sampling equipment. Drilling equipment will be cleaned by water jetting using high-pressure/low-volume cleaning equipment.

Sampling equipment will be decontaminated in accordance with the following procedures before each sampling attempt or measurement.

- 1. Brush equipment with a nylon brush to remove large particulate matter.
- 2. Wash with non-phosphate detergent solution (Liquinox® and potable tap water).
- 3. Rinse with distilled water.

#### Handling of IDW

IDW, which consists mainly of drill cuttings and decontamination/purge water, typically will be placed in Department of Transportation (DOT)-approved 55-gallon drums. Each drum will be labeled with the project name, general contents and generated date. The drummed IDW will be stored on site at a location approved by the site owner pending analysis and disposal.

Disposable items, such as sample tubing, disposable bailers, bailer line, gloves and protective overalls, paper towels, etc., will be placed in plastic bags after use and deposited in trash receptacles for disposal.

#### **Sample Location Control**

Horizontal sample control will be maintained throughout the project. Horizontal control will be established using measuring tapes or a hand-held global positioning system (GPS) meter accurate to approximately  $\pm 15$  lateral feet. Boring locations also will be established by measuring their distance relative to permanent site features.

#### **Sample Handling and Custody Requirements**

Samples will be handled in accordance with the QAPP (Appendix B). A complete discussion of the sample identification and custody procedures is provided in the QAPP.

#### **Field Measurements and Observations Documentation**

Field measurements and observations will be recorded in a project field notebook. Daily field logs will be dated, and pages will be consecutively numbered. Entries will be recorded directly and legibly in the daily field log and signed and dated by the person conducting the work. If changes are made, the changes will not obscure the previous entry, and the changes will be signed and dated. At a minimum, the following data will be recorded in the project field notebook:

- Purpose and location of investigation;
- Location of activity;



- Site or sampling area sketch showing sample locations and distances to fixed reference points;
- Date and time of sampling;
- Type of sample (matrix);
- Designation as a discrete or composite sample;
- Sample identification number (should match with what is on jar and COC);
- Soil sample top and bottom depth (bgs);
- Sample preservation (if any);
- Sampling equipment used;
- Field measurements and screening observations (e.g., odor, color, staining, sheens, etc.);
- Field conditions that are pertinent to the integrity of the samples (e.g., weather conditions, performance of the sampling equipment, sample depth control, sample disturbance, etc.);
- Relevant comments regarding field activities; and
- Shipping arrangements (including overnight air bill number, if applicable) and receiving laboratory.

Information will be recorded in the project field notebook with enough detail so that field activities can be reconstructed without reliance on personnel memory. In addition to the sampling information, the following specific information also will be recorded in the field log for each day of sampling:

- Team members and their responsibilities
- Time of arrival/entry on site and time of site departure
- Other personnel present at the site
- Summary of pertinent meetings or discussions with regulatory agency or contractor personnel
- Deviations from sampling plans, site safety plans and QAPP procedures
- Changes in personnel and responsibilities with reasons for the changes
- Levels of safety protection
- Weather conditions
- Calibration readings for any equipment used and equipment model and serial number

#### **Sample Identification**

Sample identification is important to provide concise data management and to quickly determine sample location and date when comparing multiple samples. Soil samples for each site will adhere to the following general format:

#### Site Number - Location ID (Depth)

Site numbers are established by Ecology's work assignment number in the format GEIxxx. For example, a soil sample collected at the John's Dry Cleaning site (work assignment No. GEI039) at boring location B-1 at a depth interval of 5 to 6 feet shall be labeled as GEI039-B1(5-6).



Grab groundwater samples will have the following general format:

#### Site Number-Location ID-Date

For example, groundwater sampled from boring location B-1 at the John's Dry Cleaning site on November 1, 2022 will be labeled as GEI039-B1-110122.

Groundwater sampled from wells will be labelled similarly, with the well number replacing the location number. Following the example above, groundwater sampled from MW-1 will be labelled as GEI039-MW1-110122.

Soil vapor point (SVP) samples will have the following general format:

#### Site Number-Point ID-Date

For example, soil vapor sampled from soil vapor point SVP-1 at the John's Dry Cleaning site on November 1, 2022 will be labeled as GEI039-SVP1-110122.

#### REFERENCES

- ASTM D2488. 2017. Standard Practice for Description and Identification of Soils (Visual-Manual Procedures).
- Department of Toxic Substances Control. 2012. "Advisory Active Soil Gas Investigation. Department of Toxic Substances Control, California Environmental Protection Agency. Los Angeles Regional Water Quality Control Board. San Francisco Regional Water Quality Control Board." April 2012.
- Puls, R. W. and M.J. Barcelona. 1996. "Low-flow (Minimal Drawdown) Ground-water Sampling Procedures." EPA Ground Water Issue. April. p.1-9.
- U.S. Environmental Protection Agency. 1998. "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW\_846)." Revision 5, April.
- U.S. Environmental Protection Agency. 2017. Region 1, "Low Stress (Low-Flow) Purging and Sampling Procedure for the Collection of Ground Water Samples from Monitoring Wells." EPA SOP No. GW4, Revision No. 4., September 19, 2017.
- U.S. Environmental Protection Agency. 2002. Method 5035A (SW-846). Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. Draft Revision 1. Washington, D.C. July 2002.
- Washington State Department of Ecology. 2004. "Collecting and Preparing Soil Samples for VOC Analysis."
- Washington State Department of Ecology. 2022. "Guidance for Evaluating Soil Vapor Intrusion in Washington State: Investigation and Remedial Action." Publication No. 09-09-047. March 2022.



# **APPENDIX B** Quality Assurance Project Plan

## APPENDIX B QUALITY ASSURANCE PROJECT PLAN

This Quality Assurance Project Plan (QAPP) was developed to guide laboratory analyses for soil, groundwater and vapor samples collected as part of the assessment conducted for the Washington State Department of Ecology (Ecology) under Ecology Contract C1900044, individual work assignment GEI039. The QAPP presents the objectives, procedures, organization, functional activities and specific Quality Assurance (QA) and Quality Control (QC) activities designed to achieve data quality goals established for the projects. This QAPP is based on Ecology guidelines (Ecology 2016) and the Environmental Protection Agency (EPA) Requirements for Quality Assurance Project Plans (EPA 2001) and related guidelines (EPA 2002).

Throughout the projects, environmental measurements will be conducted to produce data that are scientifically valid, of known and acceptable quality and meet established objectives. QA/QC procedures will be implemented so that precision, accuracy, representativeness, completeness and comparability (PARCC) of data generated meet the specified data quality objectives to the extent possible.

#### PROJECT ORGANIZATION AND RESPONSIBILITY

Descriptions of the responsibilities, lines of authority and communication for the key positions to QA/QC are provided below. This organization facilitates the efficient production of project work, allows for an independent quality review and permits resolution of QA issues before submittal.

#### **Project Leadership and Management**

The Project Manager's (PM) duties consist of providing concise technical work statements for project tasks, selecting project team members, determining subcontractor participation, establishing budgets and schedules, adhering to budgets and schedules, providing technical oversight, and providing overall production and review of project deliverables. Justin Orr, Licensed Geologist (LG) is the PM for activities at the site. The Principal-in-Charge, Bruce Williams, is responsible to Ecology for fulfilling contractual and administrative control of the project.

#### **Field Coordinator**

The Field Coordinator is responsible for the daily management of activities in the field. Specific responsibilities include the following:

- Provides technical direction to the field staff.
- Develops schedules and allocates resources for field tasks.
- Coordinates data collection activities to be consistent with information requirements.
- Supervises the compilation of field data and laboratory analytical results.
- Assures that data are correctly and completely reported.
- Implements and oversees field sampling in accordance with project plans.
- Supervises field personnel.
- Coordinates work with on-site subcontractors.



- Schedules sample shipment, if necessary, with the analytical laboratory.
- Monitors that appropriate sampling, testing and measurement procedures are followed.
- Coordinates the transfer of field data, sample tracking forms, and project field notebook to the PM for data reduction and validation.
- Participates in QA corrective actions, as required.

The Field Coordinator for each work assignment will be drawn from our pool of experienced staff, since fieldwork will be conducted concurrently at multiple sites. Staff that will serve as Field Coordinator could include Bryce Hanson and Justin Orr.

## **QA Leader**

The GeoEngineers QA Leader is under the direction of Justin Orr and Bruce Williams, who are responsible for the project's overall QA. The QA Leader is responsible for coordinating QA/QC activities as they relate to the acquisition of field data. Denell Warren is the QA Leader. The QA Leader has the following responsibilities:

- Serves as the official contact for laboratory data QA concerns.
- Responds to laboratory data, QA needs, resolves issues, and answers requests for guidance and assistance.
- Reviews the implementation of the QAPP and the adequacy of the data generated from a quality perspective.
- Maintains the authority to implement corrective actions, as necessary.
- Reviews and approves the laboratory QA Plan.
- Evaluates the laboratory's final QA report for any condition that adversely impacts data generation.
- Ensures that appropriate sampling, testing and analysis procedures are followed and that correct QC checks are implemented.
- Monitors subcontractor compliance with data quality requirements.

#### **Laboratory Management**

The Ecology-accredited subcontracted laboratory (Eurofins Environment Testing [Eurofins] of Spokane Valley, Washington) conducting sample analyses for this project is required to obtain approval from the QA Leader before the initiation of sample analysis to assure that the laboratory QA plan complies with the project QA objectives. The Laboratory's QA Coordinator (Randee Arrington) administers the Laboratory QA Plan and is responsible for QC. Specific responsibilities of this position include:

- Ensures implementation of the QA Plan.
- Serves as the laboratory point of contact.
- Activates corrective action for out-of-control events.
- Issues the final laboratory QA/QC report.
- Administers QA sample analysis.



- Complies with the specifications established in the project plans as related to laboratory services.
- Participates in QA audits and compliance inspections.

## **DATA QUALITY OBJECTIVES**

The QA objective for technical data is to collect environmental monitoring data of known, acceptable and documentable quality. The QA objectives established for the project are:

- Implement the procedures outlined herein for field sampling, sample custody, equipment operation and calibration, laboratory analysis, and data reporting that will facilitate consistency and thoroughness of data generated.
- Achieve the acceptable level of confidence and quality required so that data generated are scientifically valid and of known and documented quality. This will be performed by establishing criteria for PARCC, and by testing data against these criteria.

The sampling design, field procedures, laboratory procedures and QC procedures are set up to provide highquality data for use in this project. Specific data quality factors that may affect data usability include quantitative factors (precision, bias, accuracy, completeness and reporting limits) and qualitative factors (representativeness and comparability). The measurement quality objectives (MQO) associated with these data quality factors are summarized in Tables B-1 (soil), B-2 (groundwater), and B-3 (vapor) and are discussed below.

#### **Analytes and Matrices of Concern**

Samples of soil and/or groundwater will be collected from up to six sonic explorations during the assessment. Samples of soil vapor will be collected from up to two soil vapor points. Tables B-4 (soil), B-5 (groundwater) and B-6 (vapor) summarize the analyses to be performed at the site for soil, groundwater, and vapor, respectively.

#### **Detection Limits**

Analytical methods have quantitative limitations at a given statistical level of confidence that are often expressed as the method detection limit (MDL). Individual instruments often can detect but not accurately quantify compounds at concentrations lower than the MDL, referred to as the instrument detection limit (IDL). Although results reported near the MDL or IDL provide insight to site conditions, QA dictates that analytical methods achieve a consistently reliable level of detection known as the practical quantitation limit (PQL). The contract laboratory will provide numerical results for all analytes and report them as detected above the PQL or undetected at the PQL.

Achieving a stated detection limit for a given analyte is helpful in providing statistically useful data. Intended data uses, such as comparison to numerical criteria or risk assessments, typically dictate specific project target reporting limits (TRLs) necessary to fulfill stated objectives. The PQL for contaminants of potential concern (COPCs) at the site is presented in Tables B-1, B-2 and B-3 for soil, groundwater and vapor, respectively. These reporting limits were obtained from Eurofins, the Ecology-accredited lab that will be analyzing the samples. Other criteria include State of Washington (WAC 173-201) water quality criteria and federal ambient water quality criteria (AWQC). The analytical methods and processes selected will provide



PQLs less than the TRLs under ideal conditions. However, the reporting limits in Tables B-1 through B-3 are considered targets because several factors may influence final detection limits. First, moisture and other physical conditions of soil affect detection limits. Second, analytical procedures may require sample dilutions or other practices to accurately quantify a particular analyte at concentrations above the range of the instrument. The effect is that other analytes could be reported as undetected but at a value much higher than a specified TRL. Data users must be aware that high non-detect values, although correctly reported, can bias statistical summaries and careful interpretation is required to correctly characterize site conditions.

#### **Precision**

Precision is the measure of mutual agreement among replicate or duplicate measurements of an analyte from the same sample and applies to field duplicate or split samples, replicate analyses and duplicate spiked environmental samples (matrix spike duplicates). The closer the measured values are to each other, the more precise the measurement process. Precision error may affect data usefulness. Good precision is indicative of relative consistency and comparability between different samples. Precision will be expressed as the relative percent difference (RPD) for spike sample comparisons of various matrices and field duplicate comparisons for water samples. This value is calculated by:

$$RPD(\%) = \frac{|D_1 - D_2|}{(D_1 + D_2)/2} X 100,$$

Where

D1=Concentration of analyte in sample.D2=Concentration of analyte in duplicate sample.

The calculation applies to split samples, replicate analyses, duplicate spiked environmental samples (matrix spike duplicates) and laboratory control duplicates. The RPD will be calculated for samples and compared to the applicable criteria. Precision can also be expressed as the percent difference (%D) between replicate analyses. Persons performing the evaluation must review one or more pertinent documents (EPA 2017a,b) that address criteria exceedances and courses of action. Relative percent difference goals for this effort are no greater than 30 percent in groundwater, 40 percent in soil, and 25 percent in vapor for all analyses, unless the duplicate sample values are within 5 times the reporting limit. In this case, the absolute difference is used instead of the RPD. The absolute difference control limit is equal to the lowest reporting limit of the two samples for water and two times the lowest reporting limit of the two samples for water and two times the lowest reporting limit of the two samples for water and two times the lowest reporting limit of the two samples for soil.

#### Accuracy

Accuracy is a measure of bias in the analytic process. The closer the measurement value is to the true value, the greater the accuracy. This measure is defined as the difference between the reported value versus the actual value and is often measured with the addition of a known compound to a sample. The amount of known compound reported in the sample, or percent recovery, assists in determining the performance of the analytical system in correctly quantifying the compounds of interest. Since most environmental data collected represent one point spatially and temporally rather than an average of values, accuracy plays a greater role than precision in assessing the results. In general, if the percent recovery is low, non-detect results may indicate that compounds of interest are not present when in fact, these



compounds are present. Detected compounds may be biased low or reported at a value less than actual environmental conditions. The reverse is true when recoveries are high. Non-detect values are considered accurate while detected results may be higher than the true value.

Accuracy will be expressed as the percent recovery of a surrogate compound (also known as "system monitoring compound"), a matrix spike (MS) result, or from a standard reference material where:

$$Recovery(\%) = \frac{Sample Result}{Spike Amount} X \ 100$$

Persons performing the evaluation must review one or more pertinent documents (EPA 2017a,b) that address criteria exceedances and courses of action. Accuracy criteria for surrogate spikes, MS and laboratory control spikes (LCS) are found in Tables B-1 through B-3 of this QAPP.

#### **Representativeness, Completeness and Comparability**

Representativeness expresses the degree to which data accurately and precisely represent the actual site conditions. The determination of the representativeness of the data will be performed by completing the following:

- Comparing actual sampling procedures to those delineated within the Work Plan and this QAPP.
- Comparing analytical results of field duplicates to determine the variations in the analytical results.
- Invalidating non-representative data or identifying data to be classified as questionable or qualitative. Only representative data will be used in subsequent data reduction, validation and reporting activities.

Completeness establishes whether a sufficient amount of valid measurements were obtained to meet project objectives. The number of samples and results expected establishes the comparative basis for completeness. Completeness goals are 90 percent useable data for samples/analyses planned. If the completeness goal is not achieved, an evaluation will be made to determine if the data are adequate to meet study objectives.

Comparability expresses the confidence with which one set of data can be compared to another. Although numeric goals do not exist for comparability, a statement on comparability will be prepared to determine overall usefulness of data sets, following the determination of both precision and accuracy.

#### **Holding Times**

Holding times are defined as the time between sample collection and extraction, sample collection and analysis, or sample extraction and analysis. Some analytical methods specify a holding time for analysis only. For many methods, holding times may be extended by sample preservation techniques in the field. If a sample exceeds a holding time, then the results may be biased low. For example, if the extraction holding time for volatile analysis of soil sample is exceeded, then the possibility exists that some of the organic constituents have volatilized from the sample or degraded. Results for that analysis will be qualified as estimated to indicate that the reported results may be lower than actual site conditions. Holding times are presented in Tables B-4 through B-6.



#### **Blanks**

According to the National Functional Guidelines for Organic Data Review (EPA 2017b), "The purpose of laboratory (or field) blank analysis is to determine the existence and magnitude of contamination resulting from laboratory (or field) activities. The criteria for evaluation of blanks apply to any blank associated with the samples (e.g., method blanks, instrument blanks, trip blanks and equipment blanks)." Trip blanks are placed with samples during shipment; method blanks are created during sample preparation and follow samples throughout the analysis process.

Analytical results for blanks will be interpreted in general accordance with *National Functional Guidelines for Organic Data Review* and professional judgment.

#### SAMPLE COLLECTION, HANDLING AND CUSTODY

Sampling procedures are provided in Section 3 and Appendix A of this Work Plan.

#### **Sampling Equipment Decontamination**

Sampling equipment decontamination procedures are described in Appendix A of the Work Plan.

#### **Sample Containers and Labeling**

The Field Coordinator will establish field protocol to manage field sample collection, handling and documentation. Soil, groundwater and vapor samples obtained during this study will be placed in appropriate laboratory-prepared containers. Sample containers and preservatives are listed in Tables B-4 through B-6.

Sample containers will be labeled with the following information at the time of collection:

- Project name and number;
- Sample name, which will include a reference to depth if appropriate; and
- Date and time of collection.

The sample collection activities will be noted in the field log books. The Field Coordinator will monitor consistency between the Work Plan, sample containers/labels, field log books and the chain-of-custody (COC).

#### **Sample Storage**

Samples will be placed in a cooler with "blue ice" or double-bagged "wet ice" immediately after they are collected. The objective of the cold storage will be to attain a sample temperature of 4 degrees Celsius (within plus/minus 2 degrees Celsius). Holding times will be observed during sample storage. Holding times for the project analyses are summarized in Tables B-4 through B-6.

#### **Sample Shipment**

The samples will be transported and delivered to the analytical laboratory in the coolers. Field personnel will transport and hand-deliver samples that are being submitted to a local laboratory for analysis. Samples that are being submitted from a remote location for analysis will be transported by a commercial express



mailing service on an overnight basis or returning field personnel. The Field Coordinator will monitor that the shipping container (cooler) has been properly secured using clear packing tape and custody seals.

Measures will be implemented to minimize the potential for sample breakage, which includes packaging materials and placing sample bottles in the cooler in a manner intended to minimize damage. Sample bottles will be wrapped with bubble wrap or other protective material before being place in coolers. Trip blanks will be included in coolers with groundwater samples.

#### **Chain-of-Custody Records**

Field personnel are responsible for the security of samples from the time the samples are taken until the samples have been received by the shipper or laboratory. A COC form will be completed at the end of each field day for samples being shipped to the laboratory. Information to be included on the COC form includes:

- Project name and number.
- Sample identification number.
- Date and time of sampling.
- Sample matrix (soil, water, etc.) and number of containers from each sampling point, including preservatives used.
- Depth of subsurface soil sample.
- Analyses to be performed.
- Names of sampling personnel and transfer of custody acknowledgment spaces.
- Shipping information including shipping container number.

The original COC record will be signed by a member of the field team and bear a unique tracking number. Field personnel shall retain carbon copies and place the original and remaining copies in a sealed plastic bag, placed within the cooler or taped to the inside lid of the cooler before sealing the container for shipment. This record will accompany the samples during transit by carrier to the laboratory.

#### Laboratory Custody Procedures

The laboratory will follow their standard operating procedures (SOPs) to document sample handling from time of receipt (sample log-in) to reporting. Documentation will include at a minimum, the analyst's name or initial, time and date.

#### CALIBRATION PROCEDURES

#### **Field Instrumentation**

Equipment and instrumentation calibration facilitate accurate and reliable field measurements. Field and laboratory equipment used on the project will be calibrated and adjusted in general accordance with the manufacturer's recommendations. Methods and intervals of calibration and maintenance will be based on the type of equipment, stability characteristics, required accuracy, intended use and environmental conditions. The basic calibration frequencies are described below.



The photoionization detector (PID) used for vapor measurements will be calibrated daily, if required (based on the model used), for site safety monitoring purposes in general accordance with the manufacturer's specifications. If daily calibration is not required for a specific PID model, calibration of the PID will be checked to make sure it is up to date. The calibration results will be recorded in the field log book.

#### **Laboratory Instrumentation**

For analytical chemistry, calibration procedures will be performed in general accordance with the methods cited and laboratory SOPs. Calibration documentation will be retained at the laboratory and readily available for a period of 6 months.

#### DATA REPORTING AND LABORATORY DELIVERABLES

Laboratories will report data in formatted hardcopy and digital form. Analytical laboratory measurements will be recorded in standard formats that display, at a minimum, the field sample identification, the laboratory identification, reporting units, qualifiers, analytical method, analyte tested, analytical result, extraction and analysis dates, and detection limit (PQL only). Each sample delivery group will be accompanied by sample receipt forms and a case narrative identifying data quality issues. Laboratory electronic data deliverable (EDD) formats will be established by GeoEngineers, Inc., with the contract laboratory. Final results will be sent to the PM.

Chromatograms will be provided for samples analyzed by Northwest Methods NWTPH-Gx. The laboratory will assure the full heights of all peaks appear on the chromatograms and the same horizontal time scale is used to allow for comparisons to other chromatograms.

#### **INTERNAL QC**

Table B-7 summarizes the types and frequency of QC samples to be collected during the site characterization, including both field QC and laboratory QC samples.

#### Field QC

Field QC samples serve as a control and check mechanism to monitor the consistency of sampling methods and the influence of off-site factors on environmental samples. Off-site factors include airborne volatile organic compounds (VOCs) and potable water used in drilling activities.

#### **Field Duplicates**

In addition to replicate analyses performed in the laboratory, field duplicates also serve as measures for precision. Under ideal field conditions, field duplicates (referred to as splits), are created when a volume of the sample matrix is thoroughly mixed, placed in separate containers and identified as different samples. Analysis of duplicates test both the precision and consistency of laboratory analytical procedures and methods, and the consistency of the sampling techniques used by field personnel.

One field duplicate will be collected during each groundwater sampling event, including groundwater samples collected from direct-push borings. The duplicate sample will be analyzed for the COPCs specified for the given well.



#### **Trip Blanks**

Trip blanks will accompany soil and groundwater sample containers submitted for VOC analyses during shipment and sampling periods. Trip blanks will be analyzed on a one per cooler basis.

#### Laboratory QC

Laboratory QC procedures will be evaluated through a formal data validation process. The analytical laboratory will follow standard method procedures that include specified QC monitoring requirements. These requirements will vary by method but generally include:

- Method blanks
- Internal standards
- Calibrations
- MS/matrix spike duplicates (MSD)
- LCS/laboratory control spike duplicates (LCSD)
- Laboratory replicates or duplicates
- Surrogate spikes

#### Laboratory Blanks

Laboratory procedures employ the use of several types of blanks but the most commonly used blank for QA/QC assessments are method blanks. Method blanks are laboratory QC samples that consist of either a soil-like material having undergone a contaminant destruction process or high-performance liquidchromatography (HPLC) water. Method blanks are extracted and analyzed with each batch of environmental samples undergoing analysis. Method blanks are particularly useful during volatiles analysis since VOCs can be transported in the laboratory through the vapor phase. If a substance is found in the method blank, then one (or more) of the following occurred:

- Measurement apparatus or containers were not properly cleaned and contained contaminants.
- Reagents used in the process were contaminated with a substance(s) of interest.
- Contaminated analytical equipment was not properly cleaned.
- Volatile substances in the air with high solubility or affinities toward the sample matrix contaminated the samples during preparation or analysis.

It is difficult to determine which of the above scenarios took place if blank contamination occurs. However, it is assumed that the conditions that affected the blanks also likely affected the project samples. Given method blank results, validation rules assist in determining which substances in samples are considered "real," and which ones are attributable to the analytical process. Furthermore, the guidelines state, "... there may be instances where little or no contamination was present in the associated blank, but qualification of the sample is deemed necessary. Contamination introduced through dilution water is one example."



#### Calibrations

Several types of calibrations are used, depending on the method, to determine whether the methodology is 'in control' by verifying the linearity of the calibration curve and to assure that the sample results reflect accurate and precise measurements. The main calibrations used are initial calibrations, daily calibrations and continuing calibration verification.

#### MS/MSD

MS/MSD samples are used to assess influences or interferences caused by the physical or chemical properties of the sample itself. For example, extreme pH affects the results of semivolatile organic compounds (SVOCs). Or the presence of a compound may interfere with accurate quantitation of another analyte. MS/MSD data is reviewed in combination with other QC monitoring data to determine matrix effects. In some cases, matrix affects cannot be determined due to dilution and/or high levels of related substances in the sample. A MS is evaluated by spiking a known amount of one or more of the target analytes ideally at a concentration of 5 to 10 times higher than the sample result. A percent recovery is calculated by subtracting the sample result from the spike result, dividing by the spiked amount and multiplying by 100.

The samples for the MS and MSD analyses should be collected from a boring or sampling location that is believed to exhibit low-level contamination. A sample from an area of low-level contamination is needed because the objective of MS/MSD analyses is to determine the presence of matrix interferences, which can best be achieved with low levels of contaminants. Additional sample volume will be collected for these analyses. This MS/MSD sample will be a composite to achieve a level of representativeness and reproducibility in the data.

#### LCS/LCSD

Also known as blanks spikes, LCSs are similar to MSs in that a known amount of one or more of the target analytes are spiked into a prepared media and a percent recovery of the spiked substances are calculated. The primary difference between a MS and LCS is that the LCS media is considered "clean" or contaminant free. For example, HPLC water is typically used for LCS water analyses. The purpose of an LCS is to help assess the overall accuracy and precision of the analytical process including sample preparation, instrument performance and analyst performance. LCS data must be reviewed in context with other controls to determine if out-of-control events occur.

#### Laboratory Replicates/Duplicates

Laboratories often utilize MS/MSDs, LCS/LCSDs and/or replicates to assess precision. Replicates are a second analysis of a field-collected environmental sample. Replicates can be split at varying stages of the sample preparation and analysis process, but most commonly occur as a second analysis on the extracted media.

#### **Surrogate Spikes**

The purposes of using a surrogate are to verify the accuracy of the instrument being used and extraction procedures. Surrogates are substances similar to, but not one of, the target analytes. A known concentration of surrogate is added to the sample and passed through the instrument, noting the surrogate recovery. Each surrogate used has an acceptable range of percent recovery. If a surrogate recovery is low,



sample results may be biased low and depending on the recovery value, a possibility of false negatives may exist. Conversely, when recoveries are above the specified range of acceptance a possibility of false positives exist, although non-detected results are considered accurate.

#### DATA REDUCTION AND ASSESSMENT PROCEDURES

#### **Data Reduction**

Data reduction involves the conversion or transcription of field and analytical data to a useable format. The laboratory personnel will reduce the analytical data for review by the QA Leader and PM.

#### **Field Measurement Evaluation**

Field data will be reviewed at the end of each day by following the QC checks outlined below and procedures in the Work Plan. Field data documentation will be checked against the applicable criteria as follows:

- Sample collection information.
- Field instrumentation and calibration.
- Sample collection protocol.
- Sample containers, preservation and volume.
- Field QC samples collected at the frequency specified.
- Sample documentation and COC protocols.
- Sample shipment.

Cooler receipt forms and sample condition forms provided by the laboratory will be reviewed for out-ofcontrol incidents. The final report will contain what effects, if any, an incident has on data quality. Sample collection information will be reviewed for correctness before inclusion in a final report.

#### **Field QC Evaluation**

A field QC evaluation will be conducted by reviewing project field notebook and daily reports, discussing field activities with staff and reviewing field QC samples (trip blanks and field duplicates). Trip blanks will be evaluated using the same criteria as method blanks.

Precision for field duplicate soil will not be evaluated because even a well-mixed sample is not entirely homogenous due to sampling procedures, soil conditions and contaminant transport mechanisms. Grab groundwater duplicate samples are also highly variable because of sampling procedures and borehole conditions and are therefore not reliable measures of precision.

#### Laboratory Data QC Evaluation

The laboratory data assessment will consist of a formal review of the following QC parameters:

- Holding times
- Method blanks



- MS/MSD
- LCS/LCSD
- Surrogate spikes
- Replicates

In addition to these QC mechanisms, other documentation such as cooler receipt forms and case narratives will be reviewed to fully evaluate laboratory QA/QC.

## REFERENCES

- U.S. Environmental Protection Agency). 2001. EPA Requirements for Quality Assurance Project Plans. EPA QA/R-5. EPA/240/B-01/003. Office of Environmental Information, Washington, D.C. March 2001.
- U.S. Environmental Protection Agency). 2002. Guidance for Quality Assurance Project Plans. EPA QA/G-5. EPA/240/R-02/009. Office of Environmental Information, Washington, D.C. December 2002.
- U.S. Environmental Protection Agency. 2017a. National Functional Guidelines for Inorganic Superfund Methods Data Review. 540-R-2017-001. Office of Superfund Remediation and Technology Innovation. Washington, D.C. January 2017.
- U.S. Environmental Protection Agency. 2017b. National Functional Guidelines for Organic Superfund Methods Data Review. Office of Superfund Remediation and Technology Innovation. Washington, D.C. 540-R-2017-002. January 2017.
- Washington State Department of Ecology. 2016. Guidelines for Preparing Quality Assurance Project Plans for Environmental Studies. Publication No. 04-03-030. July 2004 (revised December 2016).



## Soil Measurement Quality Objective and Target Reporting Limits

John's Dry Cleaning

#### Yakima, Washington

				LCS/LCSD M			MS/MSD			
Analyte	Method	MDL (mg/kg)	PQL (mg/kg)	Lower	Upper	RPD	Lower	Upper	RPD	MTCA Method A Cleanup Level (mg/kg)
VOCs										
Tetrachloroethene (PCE)	EPA 8260D	0.0176	0.04	77	149	10	77	149	10	0.05
Trichloroethene (TCE)	EPA 8260D	0.0076	0.025	79	144	13	79	144	13	0.03
1,1-Dichloroethene (1,1-DCE)	EPA 8260D	0.0341	0.1	63	150	40	63	150	40	NE
cis-1,2-Dichloroethene (cis-1,2-DCE)	EPA 8260D	0.0208	0.1	80	144	15	80	144	15	NE
trans-1,2-Dichloroethene (trans-1,2-DCE)	EPA 8260D	0.0229	0.1	80	138	16	80	138	16	NE
Vinyl chloride (VC)	EPA 8260D	0.0202	0.06	66	129	20	66	129	20	NE
ТРН			•							
Gasoline Range Organics	NWTPH-Gx	1.80	5	74	124	20	50	133	20	30/100 <sup>1</sup>

#### Notes:

<sup>1</sup>MTCA Method A cleanup level for gasoline-range petroleum hydrocarbons is 100 mg/kg if benzene is not detected and the total

concentrations of ethylbenzene, toluene and xylenes are less than 1 percent of the gasoline mixture; otherwise, the cleanup level is 30 mg/kg.

Practical quantitation limits (PQLs) based on information provided by Eurofins Environment Testing.

mg/kg = milligrams per kilogram; NE = Not established;

MDL = method detection limit; LCS = laboratory control spike; LCSD = laboratory control spike duplicate; MS = matrix spike; MSD = matrix spike duplicate; RPD = relative percent difference;

EPA = Environmental Protection Agency; VOCs = volatile organic compounds; TPH = total petroleum hydrocarbons; MTCA = Model Toxics Control Act



## Groundwater Measurement Quality Objective and Target Reporting Limits

John's Dry Cleaning

#### Yakima, Washington

					LCS/LCSD MS/MSD			DUP	MTCA Method A			
Analyte	Method	MDL (µg/L)	PQL (µg/L)	Lower	Upper	RPD	Lower	Upper	RPD	RPD	Cleanup Level (µg/L)	
VOCs												
Tetrachloroethene (PCE)	EPA 8260D	0.217	1	77	124	22	77	124	22		5	
Trichloroethene (TCE)	EPA 8260D	0.199	1	75	129	17	75	129	17		5	
1,1-Dichloroethene (1,1-DCE)	EPA 8260D	0.202	1	75	140	24	75	140	24		NE	
cis-1,2-Dichloroethene (DCE)	EPA 8260D	0.227	1	80	121	18	80	121	18		NE	
trans-1,2-Dichloroethene (DCE)	EPA 8260D	0.201	1	75	132	17	75	132	17		NE	
Vinyl chloride (VC)	EPA 8260D	0.13	0.4	47	150	18	47	150	18		0.20	
ТРН	•	•					•	8	8			
Gasoline Range Organics	NWTPH-Gx	30.5	150	80	120	20	56	126	20	35	1,000/800 <sup>1</sup>	

#### Notes:

<sup>1</sup>MTCA Method A cleanup level for gasoline-range petroleum hydrocarbons is 1,000 µg/L if benzene is not detected and the total concentrations

of ethylbenzene, toluene and xylenes are less than 1 percent of the gasoline mixture; otherwise the cleanup level is 800 µg/L.

Practical quantitation limits (PQLs) based on information provided by Eurofins Environment Testing.

 $\mu$ g/L = micrograms per liter; NE = Not established; DUP = duplicate; MCL = maximum contaminant level

MDL = method detection limit; LCS = laboratory control spike; LCSD = laboratory control spike duplicate; MS = matrix spike; MSD = matrix spike duplicate; RPD = relative percent difference;

EPA = Environmental Protection Agency; VOCs = volatile organic compounds; TPH = total petroleum hydrocarbons

MTCA = Model Toxics Control Act



## Soil Vapor Measurement Quality Objective and Target Reporting Limits

John's Dry Cleaning

#### Yakima, Washington

					LCS/LCSD		
Analyte	Method	MDL (µg/m <sup>3</sup> )	PQL (µg⁄m <sup>3</sup> )	Lower	Upper	RPD	MTCA Method B Cleanup Level (µg/m³)
VOCs							
Tetrachloroethene (PCE)	EPA TO-15	1.5	7.4	70	130	25	18.3
Trichloroethene (TCE)	EPA TO-15	1.5	5.9	70	130	25	0.91
1,1-Dichloroethene (1,1-DCE)	EPA TO-15	1.5	4.4	70	130	25	NE
cis-1,2-Dichloroethene (cis-1,2-DCE)	EPA TO-15	0.88	4.4	70	130	25	NE
trans-1,2-Dichloroethene (tans-1,2-DCE)	EPA TO-15	1.3	4.4	70	130	25	NE
Vinyl chloride (VC)	EPA TO-15	0.75	2.8	70	130	25	45.7

#### Notes:

Practical quantitation limits (PQLs) based on information provided by Eurofins Environment Testing.

 $\mu g/m^3$  = micrograms per cubic meter; NE = Not established;

MDL = method detection limit; LCS = laboratory control spike; LCSD = laboratory control spike duplicate; RPD = relative percent difference;

EPA = Environmental Protection Agency; VOCs = volatile organic compounds; MTCA = Model Toxics Control Act

MTCA = Washington State Model Toxics Control Act



## Soil Test Methods, Sample Containers, Preservation and Holding Time<sup>1</sup>

John's Dry Cleaning

Yakima, Washington

Analysis	Matrix	Method	Minimum Sample Size	Sample Containers	Sample Preservation	Holding Times
VOCs	Soil	EPA 8260D	30 g	2 pre-weighed 40 mL VOA vials preserved with MeOH 4 oz jar (for dry-weight correction)	MeOH; <cool 6°c<="" td=""><td>14 days from collection to analysis</td></cool>	14 days from collection to analysis
GRPH	Soil	NWTPH-Gx	30 g	2 pre-weighed 40 mL VOA vials preserved with MeOH; 4 oz jar (for dry-weight correction)	MeOH; Cool <6°C	14 days from collection to analysis

Notes:

<sup>1</sup>Holding times are based on elapsed time from date of collection.

VOCs = volatile organic compounds; MeOH = Methanol; VOA = volatile organic analysis

g = gram; oz = ounce; C = Celsius

GRPH = gasoline-range petroleum hydrocarbons

EPA = Environmental Protection Agency



## Water Test Methods, Sample Containers, Preservation and Holding Time<sup>1</sup>

John's Dry Cleaning

Yakima, Washington

Analysis	Matrix	Method	Minimum Sample Size	Sample Containers	Sample Preservation	Holding Times
VOCs	Water	EPA 8260D	120 ml	3 - 40 mL VOA	HCL pH<2, Cool <6°C	14 days from collection to analysis
GRPH	Water	NWTPH-Gx	80 ml	3 - 40 mL VOA	HCL pH<2, Cool <6°C	14 days from collection to analysis

#### Notes:

 $^1\mbox{Holding}$  times are based on elapsed time from date of collection.

VOC = volatile organic compound; VOA = volatile organic analysis; HCl = hydrochloric acid;

mL = milliliters; C = Celsius

GRPH = gasoline-range petroleum hydrocarbons

EPA = Environmental Protection Agency



# Soil Vapor Test Methods, Sample Containers, Preservation and Holding Time<sup>1</sup>

John's Dry Cleaning

Yakima, Washington

Analysis	Matrix	Method	Minimum Sample Size	Sample Containers	Sample Preservation	Holding Times
VOCs	Air	EPA TO-15	1 L	Summa Canister	None	28 days

#### Notes:

<sup>1</sup>Holding times are based on elapsed time from date of collection.

VOC = volatile organic compound

L = liter

EPA = Environmental Protection Agency



# Table B-7Quality Control Samples Type and FrequencyJohn's Dry CleaningYakima, Washington

Field QC			Laboratory QC					
Parameter	Field Duplicate	Trip Blanks	Method Blanks	LCS	MS / MSD	Lab Duplicates		
VOCs	1 per groundwater event	1 per soil event and 1 per water event	1/batch	1/batch	1/batch	1/batch		
GRPH	1 per groundwater event	1 per soil event and 1 per water event	1/batch	1/batch	1/batch	1/batch		

#### Notes:

No more than 20 field samples can be contained in one batch.

QC = quality control

VOCs = volatile organic compounds

GRPH = gasoline-range petroleum hydrocarbons

LCS = Laboratory control sample; MS = Matrix spike sample; MSD = Matrix spike duplicate sample



# **APPENDIX C** Health and Safety Plan

## APPENDIX C GEOENGINEERS, INC. SITE HEALTH AND SAFETY PLAN JOHN'S DRY CLEANING FILE NO. 0504-185-00

This Health and Safety Plan (HASP) is to be used in conjunction with the GeoEngineers, Inc. (GeoEngineers) Safety Programs. Together, the written GeoEngineers' safety programs and this HASP constitute the site safety plan for this subject site. This HASP is required by the Hazardous Waste Operations and Emergency Response (HAZWOPER) regulation (29 CFR 1910.120) when preforming mandatory or voluntary clean-up operations and initial investigations conducted to determine the presence or absence of hazardous substances unless the employer can demonstrate that the work does not involve employee exposure to safety and health hazards from hazardous substances at the site. This HASP is to be used by GeoEngineers personnel on this site and must be available on site, as well as in project Safety folder on Sharepoint.

Standard HASPs will have to be reviewed and approved at least by the GeoEngineers Project Manager and the Site Safety Officer. The Project Manager will need to send an email to GeoEngineers Health and Safety Manager indicating the availability of the final copy of the approved standard HASP on SharePoint for review and/or reference.

All HASPs and/or HCPs are to be used in conjunction with current standards and policies outlined in the GeoEngineers Health and Safety Programs.

<u>Liability Clause</u>: If requested by subcontractors, this site HASP may be provided for informational purposes only. In this case, Form 1 of this HASP shall be signed by the subcontractor. Please be advised that this site-specific HASP is intended for use by GeoEngineers employees only. Nothing herein shall be construed as granting rights to GeoEngineers' subcontractors or any other contractors working on this site to use or legally rely on this HASP. GeoEngineers specifically disclaims any responsibility for the health and safety of any person not employed by the company.

#### **1.0 GENERAL PROJECT INFORMATION**

Project Name:	John's Dry Cleaning
Project Number:	0504-185-00
Type of Project:	Sonic Drilling Site Assessment
Start/Completion:	October 2022/January 2023
Subcontractors:	Utilities Plus, AEC, Eurofins
Client:	Washington State Department of Ecology



Chain of Command	Title	Name	Telephone Numbers (0 & C)
1	Current Property Owner (c/o Ecology Project Manager)	John Mefford	0: 509.731.9613
2	Principal-in-Charge	Bruce Williams	0: 509.363.2814 C: 509.954.6614
3	Health and Safety Manager (HSM)	Lucas Miller	0: 509.209.2830 C: 270.978.6222
4	Health and Safety Specialist (HSS)	Connor Jordan	0: 253.722.2426 C: 530.210.5462
6	Project Manager (PM)	Justin Orr	0: 509.570.0779 C: 406.890.1310
7	Site Safety Officer (SSO)	Justin Orr Bryce Hanson	See above C: 360.269.3237
8	Field Personnel	Justin Orr Bryce Hanson	See above See above
10	Subcontractor(s)	Utilities Plus AEC Eurofins	509.985.4355 360.577.9194 509.924.9200

#### 1.1. Functional Responsibility

#### Health and Safety Manager (HSM)

GeoEngineers' Health and Safety Manager (HSM) is responsible for implementing and promoting employee participation in the company Health and Safety Program. The HSM has overall responsibility for the general health and safety of GeoEngineers personnel. The HSM issues directives, advisories and information regarding health and safety to the technical staff. Additionally, the HSM has the authority to audit on-site compliance with HASPs, suspend work or modify work practices for safety reasons, and dismiss from the site any GeoEngineers or subcontractor employees whose conduct on the site endangers the health and safety of themselves or others.

#### Health and Safety Specialist (HSS)

GeoEngineers' Health and Safety Specialist (HSS) is a designated safety specialist. The HSS provides technical support to the PM and Site Safety Officer (SSO) to ensure that that GeoEngineers staff are following GeoEngineers safety program and safe work practices during site activities. The HSS works with the PM and SSO to ensure the subcontractors' crews are following the site general HASPs, the activities HASP/JHAs and safe work practices. The HSS may periodically go on-site to perform safety observations and mentor on-site personnel on safety behavior practices. Additionally, the HSS has the authority to suspend work or modify work practices for safety reasons and dismiss from the site any GeoEngineers or subcontractor employees whose conduct on the site endangers the health and safety of themselves or others. The HSS shall keep the PM and HSM informed of the project's health- and safety-related matters, as necessary.



#### Project Manager (PM)

A PM is assigned to manage the activities of various projects and is responsible to the principal-in-charge of the project. The PM has the responsibility of ensuring the safety of all GeoEngineers personnel on job sites. The PM is responsible for assessing the hazards present at a job site and incorporating the appropriate safety measures for field staff protection into the field briefing and/or Site Safety Plan. He or she is also responsible for assuring that appropriate HASPs are developed. The PM will provide a summary of chemical analysis to personnel completing the HASP. PMs shall also see that their project budgets consider health and safety costs. The PM shall keep the HSM and HSS or Health and Safety Consultant (HSC) informed of the project's health- and safety-related matters as necessary. The PM shall designate the project SSO and help the SSO implement the specifications of the HASP. The PM is responsible for communicating information in site safety plans and checklists to appropriate field personnel. Additionally, the PM and SSO shall hold a site safety briefing before any field activities begin. The PM is responsible for transmitting health and safety information to the SSO when appropriate.

#### Site Safety Officer/HAZWOPER

The SSO will have the on-site responsibility and authority to modify and stop work, or remove GeoEngineers personnel from the site if working conditions change that may affect on-site and off-site health and safety. The SSO will be the main contact for any on-site emergency situation. The SSO is First Aid and CPR qualified and has current Hazardous Waste Operations and Emergency Response (HAZWOPER) training when working at hazardous waste sites. The SSO is responsible for implementing and enforcing the project safety program and safe work practices during site activities. The SSO shall conduct daily safety meetings, perform air monitoring as required, conduct site safety inspections as required, coordinate emergency medical care, and ensure personnel are wearing the appropriate personal protective equipment (PPE). The SSO shall have advanced fieldwork experience and shall be familiar with health and safety requirements specific to the project. The SSO has the authority to suspend site activities if unsafe conditions are reported or observed.

Duties of the SSO include the following:

- Implementing the HASP in the field and monitoring staff compliance with its guidelines.
- Ensuring that all GeoEngineers field personnel have met the training and medical examination requirements. Advising other contractor employees of these requirements.
- Maintaining adequate and functioning safety supplies and equipment at the site.
- Setting up work zones, markers, signs and security systems, if necessary.
- Performing or supervising air quality measurements. Communicating information on these measurements to GeoEngineers field staff and subcontractor personnel.
- Lead the pre-entry briefing (at the beginning of the site activities) and the site safety meetings (daily and/or weekly), with onsite personnel. These meetings should include a discussion of emergency response, site communications and site hazards associated with the planned activities.
- Communicating health and safety requirements and site hazards to field personnel, subcontractors and contractor employees, and site visitors.
- Directing personnel to wear PPE and guiding compliance with all health and safety practices in the field.


- Consulting with the PM regarding new or unanticipated site conditions, including emergency response activities. If monitoring detects concentrations of potentially hazardous substances at or above the established exposure limits, notify/consult with the PM. Consult with the PM, the HSC or HSS, and the HSM regarding new or unanticipated site conditions, including emergency response activities. If field monitoring indicates concentrations of potentially hazardous substances at or above the established exposure limits, the HSM must be notified, and corrective action taken.
- Documenting all site accidents, injuries, illnesses and unsafe activities or conditions and/or near misses, and reporting them to the PM, HSC or HSS and the HSM as soon as practical, but no later than the end of the day.
- Directing decontamination operations of equipment and personnel.

#### **Field Employees**

All employees working on site that have the potential of coming in contact with hazardous substances or chemical, biological, and/or physical hazards are responsible for participating in the health and safety program and complying with the site-specific health and safety plans. These employees are required to:

- Read, participate and be familiar with the GeoEngineers health and safety programs located in SharePoint. Attend to applicable specific safety training.
- Notify the SSO that when there is need to stop work to address an unsafe situation.
- Comply with the HASP and acknowledge understanding of the plan discussed during the health and safety pre-entry briefing.
- Review applicable Job Hazard Analysis (JHAs) prior starting a new activity and follow the recommended critical actions to mitigate hazards.
- Perform Task Safety Analysis (TSA) at the beginning of a new task, before changing tasks, when conditions changes and after a near miss or incident.
- Report to the SSO, PM or HSM any unsafe conditions and all facts pertaining to near misses, incidents or accidents that could result in physical injury or exposure to hazardous materials and/or equipment damage.
- Participate in health and safety training, including initial 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) course, annual 8-hour HAZWOPER refresher, and First Aid/cardiopulmonary resuscitation (CPR) training.
- Participate in the medical surveillance program, if applicable.
- Schedule and take a respirator fit test annually.
- Any field employee working on site may stop work if the employee believes the work is unsafe.

#### **Contractors Under GeoEngineers Supervision**

#### GeoEngineers will hire contractors for this project? Yes oxtimes No $\ \Box$

Contractors working on the site directly for the Client will have their own Health and Safety Plans or Job Hazard Analysis. Sub-contractors working on the site under GeoEngineers supervision that have the potential of coming in contact with hazardous substances or chemical, biological and/or physical hazards



shall have their own health and safety programs and safety plan that is generally consistent with the requirements of this HASP.

Contractor Name	Predicted start/end dates	
1. Utilities Plus, LLC		11/1 - 12/31/2022
Contractor Scope Summary: Private utility locating		
2. Anderson Environmental Consulting, LLC		11/1 - 12/31/2022
Contractor Scope Summary: Sonic drilling		
3. Eurofins Environment Testing		11/1 - 12/31/2022
Contractor Scope Summary: Laboratory analysis		

**1.2.** GeoEngineers Field Personnel Qualifications and Readiness Status

Name of Employee on Site	Level of HAZWOPER Training (24-hr/40-hr)	Date of last 8-Hr Refresher Training	Last First Aid/ CPR Training Date
Justin Orr	40-hr	1/10/2022	11/12/2020
Bryce Hanson	40-hr	4/18/2022	1/12/2021

#### **1.3. Personnel Medical Surveillance**

Field personnel on this job site are  $\Box$ ; are not  $\boxtimes$  entered in a GeoEngineers provided medical surveillance program.

#### 2.0 WORK SITE

#### 2.1. Site Description

The John's Dry Cleaning site is located at 4001 Summitview Avenue in Yakima, Washington. The site is currently occupied by the Westpark Shopping Center, a multi-tenant retail building located in a mixed commercial and residential area. The site is occupied by multiple commercial businesses including: a Walgreens Drug Store, flower shop, café, shoe store, nail salon, diet center and a financial services business. Prior to development as a shopping center, the site was historically occupied by a gasoline service station. The property is currently under an environmental covenant due to remedial action for remnant petroleum contamination from heating oil product tank removals conducted at the site in October 2005. Johns Dry Cleaning was a tenant in the Westpark Shopping Center since the 1960s but has since closed; the space is now occupied by a dance studio. The Johns Dry Cleaning facility was not part of the remedial action nor are dry cleaning chemicals of concern included as part of the environmental covenant.

#### 2.2. Site Map

See Figure 2, Site Plan, included with the Work Plan for the site layout and work areas.



#### 2.3. Site History

The former John's Dry Cleaning site is located at 4001 Summitview Avenue in Yakima, Washington. The site is currently occupied by the Westpark Shopping Center, a multi-tenant retail building located in a mixed commercial and residential area. The site is occupied by multiple commercial businesses including: a Walgreens Drug Store, flower shop, café, shoe store, nail salon, diet center and a financial services business. Prior to development as a shopping center, the site was historically occupied by a gasoline service station. The property is currently under an environmental covenant due to remedial action for remnant petroleum contamination from heating oil product tank removals conducted at the site in October 2005. Johns Dry Cleaning was a tenant in the Westpark Shopping Center since the 1960s but has since closed; the space is now occupied by a dance studio. The John's Dry Cleaning facility was not part of the remedial action nor are dry cleaning chemicals of concern included as part of the environmental covenant.

#### **2.4. Previous Investigations**

In 2005, Fulcrum Environmental Consulting (Fulcrum) conducted a remedial action and mitigation effort for the adjacent tenant space to the east as part of a redevelopment effort. Tetrachloroethylene (PCE) contaminated soil was excavated to depths ranging between 9 and 14½ feet below ground surface (bgs). PCE reportedly remains in-place along the northern and western margins of the tenant space currently occupied by the Yakima Shipping Shop business and the former dry cleaning tenant space. The PCE was reportedly left in-place due to utilities and site buildings. PCE vapor intrusion was mitigated at the site using 24-mil HDPE liner and perforated piping for ventilation purposes. According to Fulcrum, the remaining known PCE contaminated soil is beneath existing site buildings or other features.

Groundwater was not encountered during the remedial action and there are no existing groundwater monitoring wells at the site. Groundwater is reportedly greater than 60 feet bgs based on well logs; however, GeoEngineers encountered groundwater at a depth of about 18 feet bgs at an Ecology project at 55th and Summitview.

The following table presents the most recent available data of contaminants of concern and was/were collected during the historical Site Investigation(s) conducted at the subject site and/or its vicinity in 2005 as presented in the following table.

Key Study (Name/Company/Date [year])	Main Contaminants of Concern (TPH, VOCs, PAHs, Metals, PCBs, PFAS, etc.)	Media (soil, groundwater, sediments, air)/Maximum Concentration Levels (units)
Fulcrum 2005	VOCs	PCE left in place

#### **3.0 GEOENGINEERS SCOPE OF WORK**

#### **3.1. Summary of Project Scope**

To assess the potential extent of chlorinated dry cleaning chemicals (PCE, trichloroethylene [TCE] and daughter products) and Stoddard Solvent, we plan to advance soil borings and install temporary well points, collecting groundwater and soil gas samples from the borings and temporary wells, and submit the samples for chemical analyses of volatile organic compounds (VOCs) and gasoline-range petroleum hydrocarbons (GRPH).



#### **3.2. Primary Field Tasks**

Indicate the primary field tasks to be completed during the scope of this project (delete or add rows as needed). Refer back to this table for development of hazard mitigation strategies in the sections that follow.

3.2.1. Primary	Field	Tasks to	be Perforn	ned by	GeoEngineers
----------------	-------	----------	------------	--------	--------------

Task #	Primary Field	l Task	Predicted start/end dates	
	Exploratory B	orings and Soil Sampling	11/1 - 12/31/22	
1	Advance up to 12 borings to depths ranging from 15 to 20 feet below ground surfaceTask(bgs) using sonic drilling techniques. Soil will be field screened and sampled for VOCsDescription:and gasoline-range petroleum hydrocarbons (GRPH). If groundwater is encountered, grab groundwater samples will be collected.			
	Monitoring W	ell Installation	11/1 - 12/31/22	
2	Task Description: If deemed necessary and field approved by Ecology, up to 3 soil borings will be competed as 2-inch groundwater wells using Schedule-40 PVC with 0.01 factory slotte screen and completed with a flush-mounted protective steel monument.			
	Monitoring W	ell Development	11/1 - 12/31/22	
3	TaskIf monitoring wells are installed, the wells will be developed following the Description:bescription:standards.		following the applicable	
	Groundwater depth gauging 11/1 – 1		11/1 - 12/31/22	
4	TaskGroundwater depth readings will be obtained before well development and before sampling.		velopment and before	
	Groundwater Sampling 11/1 – 12/3		11/1 - 12/31/22	
5	Task Description: Monitoring wells will be sampled using low-flow techniques.			
6	Soil Vapor Measurements and/or Sampling 11/1 - 12/31/22			
	Task Description: one soil vapor point will be installed and sampled following the applicable standards.			

#### **4.0 HAZARD ANALYSIS**

From within the Primary Field Tasks (3.2.1 above), identify activities which may pose an elevated risk to worker's health. A list of activities that GeoEngineers recognizes as Elevated Risk Activities (ERA) are included in the dropdowns in table below. If this project has ERA that are not present there, they are to be added. Each ERA triggers the completion of a separate ERA Job Hazard Analysis (Form 3).

#### **General Safe Work Practices**

- Utility check: there may be site-specific procedures for preventing drilling or digging into utilities. Add these procedures to the standard GeoEngineers utility check list. Implement additional utilities clearance activities, if deemed necessary (typically if disturbing drilling work is within 2, 5 and/or 10 feet of underground utilities, for Lower, Medium and Higher Risks, respectively)
- Lifting hazards: use proper techniques, mechanical devices where appropriate.
- Terrain obstacles: Terrain could be soft, and activities will be conducted to minimize lawn damage and the potential for vehicles to get stuck.



- Personnel will wear high-visibility vests for increased visibility by vehicle and equipment operators.
- At the beginning of the day conduct a tail gate safety meeting discussing the jobs, the hazards, exclusion zone(s) surrounding work area(s), utilities clearance and actions that will be taken to prevent injury and reduce risk. Discuss "Stop Work Authority" as it applies to each site member. Discuss appropriate PPE including high visibility clothing such as reflective vest. Discuss Competent Person's responsibilities and support of excavation (SOE) protective system(s) and potential de-watering.

#### 4.1. Elevated Risk Activities

#### Does this project have Elevated Risk Activities? Yes $\Box$ or No $\boxtimes$

Elevated Risk Activities	Associated Primary Field Task(s)	Separate ERA JHA Completed?
Choose an item.		
Choose an item.		

Each JHA describes the activity being performed in a helpful chronological order, the inherent risks and their specific control measures. They must be completed before the activity begins and must be updated if any aspect is revised. Any single project may have multiple ERA JHAs.

#### 4.2. General Hazard Review

The Primary Field Tasks (excluding the previously identified ERA) identified in Section 3.2.1 are to be included in the following Primary Field Task Hazard Analysis Tables. The Tables list the commonly encountered field hazards for the work we do at GeoEngineers. Hazards are divided in to three categories: (A) Chemical; (B) Biological; and (C) Physical. Add others as necessary. Review each of your Primary Filed Tasks (Section 3.2.1) and indicate which Tasks possess the hazards listed. Once assigned, the review is narrowed by focusing on only those hazards present on this site and how to avoid and/or mitigate them. If some hazards listed are not applicable, they can be removed from the Table. The final Table should include only those hazards and mitigations that are relevant to this project and associated activities.



#### 4.3. Primary Field Task Hazard Analysis

Prim	ary Field Tasks
#1	Chemical, Physical
#2	Chemical, Physical
#3	Chemical, Physical
#4	Chemical, Physical
#5	Chemical, Physical
#6	Chemical, Physical

Task Hazard Recognition – evaluate primary field tasks for hazards					
Chemical Hazards	Task #s	<b>Biological Hazards</b>	<u>Task #s</u>	Physical Hazards	<u>Task #s</u>
Dermal Exposure Potential	all			Heavy Equipment	1/2
				Noise	all
				Heat Exposure Risk	All
				Cold Exposure Risk	all
				Trip/Fall Hazards	all

Hazard Details and Controls - include those items checked above				
Chemical Hazards				
Hazard	When/How Exposure May Occur	Critical Actions to Mitigate Hazards		
Known or Expected Human Carcinogens	Anytime during drilling or sampling activities, especially when handling soil or groundwater	Where gloves when handling potentially contaminated media Wash hands prior to leaving site and/or eating or drinking		
Dermal Exposure Potential	Anytime during drilling or sampling activities, especially when handling soil or groundwater	Where gloves when handling potentially contaminated media		

Biological Hazards				
Hazard	When/How Exposure May Occur	Critical Actions to Mitigate Hazards		
Choose an item.		See COVID-19 Field JHA		

Physical Hazard				
Hazard	When/How Exposure May Occur	Critical Actions to Mitigate Hazards		
Heavy Equipment	During drilling operations. When approaching to obtain soil sample from core.	Maintain communication with the drillers/helpers. Check before approaching drill rig.		
Noise	During drilling operations. When approaching to obtain soil sample from core.	Wear hearing protection during drilling activities.		



Heat Exposure Risk	Work days may be hot	Take breaks and monitor hydration. Know the symptoms of heat stress/exhaustion/stroke
Cold Exposure Risk	Work days may be cold	Dress in layers. Take breaks when necessary.

PPE	Task #s	Equipment	Task #s	Tools	Task #s
☑ Hard Hat	1/2	□ Safety Beacons		⊠ Cell Phone/Satellite	All
☑ Eye Protection	All	🛛 First Aid Kit	All	🛛 Digital Camera	All
⊠ Hearing Protection	1/2	⊠ Fire Extinguisher	All	□ Radio/Spare Batteries	
⊠ Gloves	All	Sunglasses/Sunscreen	All	□ Flashlight	
🛛 High Visibility Vest	All	Drinking Water		☑ Hands Tools	All
Steel Toe Boots	All	Survival Gear		□ Other	
Face Shield     Eye Wash Kit		All			
		□ Other			

#### **4.4. Chemical Hazards**

The following table is a summary of the chemicals known to be historically or currently present on the site and their associated occupational exposure limits (OEL). Once Table 4.4.1 is filled out, <u>highlight</u> which of the identified exposure limits will be utilized on this project. GeoEngineers typically uses the most conservative (lowest) of the limits published for the protection of its' workers. Chemicals without published limits should be discussed with the Health and Safety Department.

#### 4.4.1. Summary of Chemical Hazard Exposure Limits

Chemical Compound/CAS #	Primary Field Task or Elevated Risk Activity With Potential Exposures	OSHA Permisible Exposure Limit (PEL)	Applicable* State OSHA Plan (PEL)	ACGIH Exposure Limits (TLV and/or TWA)	NIOSH Exposure Limits (REL and/or IDLH)
Gasoline	All	None established by OSHA	PEL: 300 ppm STEL: 500 ppm	TWA: 300 ppm STEL: 500 ppm	
Tetrachloroethene (PCE, PERC, perchloroethylene)	All	OSHA = TWA 100 ppm, C 200 ppm	WA L&I PEL: TWA – 50 ppm STEL – 200 ppm	TLV-TWA = 10 ppm TLV-STEL = 25 ppm	NIOSH = 100 ppm, C 200 ppm, IDLH 150 ppm TLV TWA = 25 ppm, STEL = 100 ppm



Chemical Compound/CAS #	Primary Field Task or Elevated Risk Activity With Potential Exposures	OSHA Permisible Exposure Limit (PEL)	Applicable* State OSHA Plan (PEL)	ACGIH Exposure Limits (TLV and/or TWA)	NIOSH Exposure Limits (REL and/or IDLH)
Trichloroethene (TCE)	All	OSHA = TWA 100 ppm, C 200 ppm	WA L&I PEL: TWA – 50 ppm STEL – 200 ppm	TLV-TWA = 10 ppm TLV-STEL = 25 ppm	NIOSH = 100 ppm, C 200 ppm, IDLH 150 ppm TLV TWA = 25 ppm, STEL = 100 ppm
Vinyl Chloride (VC)	All	TLV = 1 ppm Ceiling = 5 ppm		TLV = 1 ppm	

Notes:

\*If a State has established a PEL more restrictive than the OSHA limits, then the applicable State limit becomes the legal limit.

IDLH = immediately dangerous to life or health

OSHA = Occupational Safety and Health Administration

ACGIH = American Conference of Governmental Industrial Hygienists

NIOSH = National Institute of Occupational Safety & Health

mg/m3 = milligrams per cubic meter (dust or particulate conc.)

TWA = time-weighted average (Over 8 hrs.), basis of most exposure limits

PEL = permissible exposure limit, legally enforceable

TLV = threshold limit value (over 8 hrs)

REL= recommended exposure limit (over 10 hrs)

STEL = short-term exposure limit (15 min)

Ceiling (C) - concentration never to be exceeded

ppm = parts per million (vapor conc.)

#### 4.4.2. Descriptive Summaries of Chemicals Present

For those chemicals onsite either historically or currently, complete the following table. For chemicals without a direct pathway for exposure or those cleaned or removed from the site in previous site activities, indicate these conditions or actions. Most of our projects are shorter in duration. In these instances, it is more relevant to provide the acute symptoms of exposure rather than the chronic. Discuss the difference with the Health and Safety Department if unsure.

Chemical Compound	Physical Characteristics of Chemical	Acute $\boxtimes$ and/or Chronic $\boxtimes$ Symptoms of Exposure
Gasoline	Clear liquid with a characteristic odor. Motor fuel, motor spirits, natural gasoline. A complex mixture of volatile hydrocarbons (paraffins, cycloparaffins and aromatics)	Irritation eyes, skin, mucous membrane; dermatitis, headache, lassitude (weakness, exhaustion), blurred vision, dizziness, slurred-speech, confusion, convulsions; chemical pneumonitis (aspiration liquid)
PCE	Colorless liquid widely used for dry cleaning of fabrics, hence it is sometimes called "dry-cleaning fluid"	Irritation eyes, skin, nose, throat, respiratory system; nausea; flush face, neck; dizziness, incoordination; headache, drowsiness; skin erythema (skin redness); liver damage; [potential occupational carcinogen]



Chemical Compound	Physical Characteristics of Chemical	Acute $\boxtimes$ and/or Chronic $\boxtimes$ Symptoms of Exposure	
TCE	Clear, colorless non-flammable liquid with a chloroform-like[1] sweet smell	Sleepiness, fatigue, headache, confusion, tissue damage to kidneys, lungs, hearts, nervous tissue damage	
VC	Colorless liquid or gas with a pleasant odor	Lassitude (weakness, exhaustion); abdominal pain, gastrointestinal bleeding; enlarged liver; pallor or cyanosis of extremities; liquid: frostbite; (potential occupational carcinogen)	
Where and how exposure may occur:	Handling potentially contaminated media while logging soil or purging groundwater and while collecting soil and groundwater samples		

#### 5.0 AIR MONITORING PLAN

#### Air monitoring for personal exposures will $\Box$ , will not $\boxtimes$ be implemented as part of this HASP.

An air monitoring plan is based on the results of the chemical hazard assessment and the potential for exposures above occupational exposure limits during work tasks. The air monitoring plan provides a framework for limiting worker airborne exposures while on the job site. If air monitoring will not be used, provide short summary justification for this decision below.

#### Air Monitoring Instrumentation

Personal exposure instrumentation will be used to: estimate exposures  $\Box$ ; calculate time weighted averages (TWA)  $\Box$ ; or both  $\Box$ .

#### **Reasoning for Absence of Air Monitoring**

Concentrations above exposure limits not expected

All deployed instrumentation will be calibrated and field verified according to manufacturer's recommendation and recorded on the attached form (Attachment 5).

The following table is a list of all instrumentation to be used to monitor air parameters while on site. This list will be updated if new chemicals or other airborne hazards are identified, or scope of work changes necessitate enhanced monitoring.

Instrumentation to be Used	Chemicals from Hazard Assessment to be Detected with Instrument	Brand, Model, Calibration and any additional attachments
Choose an item.		

#### Air Monitoring Action Levels

Instrument action levels protect field staff by predetermining how they will respond to the collected field or laboratory exposure data. The action levels for each instrument are organized by the field task performed.



It is possible for more than one air hazard to be present during each work task. Examples of completed air monitoring action level tables can be provided upon request by the Health and Safety Team.

Review the Primary Field Tasks (and ER Activities) for air monitoring needs.

#### Tasks or Activities Requiring Personal Exposure Air Monitoring

Field Task or ER Activities	Duration of Task	Location(s) of Task on Site

#### 5.1. Action Level Table

#### Will an Action Level Table be used during this project? Yes □ No ⊠

#### 5.2. Respirator Selection, Use and Maintenance

#### Respirators will □, will not ⊠ be utilized to maintain safe work conditions during this project.

If respirators are prescribed in the Action Level Table, site personnel shall be trained before use on the proper use, maintenance and limitations of respirators. Additionally, they must be medically qualified to wear respiratory protection in accordance with 29 CFR 1910.134 (in WA, Chapter 296-842 WAC). Site personnel who will use a tight-fitting respirator must have passed a qualitative or quantitative fit test conducted in accordance with an OSHA-accepted fit test protocol. Fit testing must be repeated annually or whenever a new type of respirator is used.

#### 5.3. Work Tasks with Potential Respirator Use

Work Task	Duration of Task	Chemicals/Contaminants Assoc.

#### 5.4. Respirator Use Details

Res	pirator Type	Cartridge Type	Chemical or Hazard Associated	Cartridge Change Out Frequency

#### 6.0 OTHER PERSONAL PROTECTIVE EQUIPMENT

The appropriate personal protective equipment (PPE) will be selected on a daily or task-specific basis. These PPE selections will be communicated to field personnel during the pre-work briefing, **before** the start of site operations.



Gloves	Clothing
$oxtimes$ Nitrile $\Box$ Latex $\Box$ Liners $oxtimes$ Cold Weather	$oxtimes$ High-vis Vest $\Box$ Tyvek $\Box$ Saranex $\Box$ Snake Chaps
$\Box$ Leather $\boxtimes$ General Construction Gloves $\Box$ Cut resistant/Kevlar $\Box$ Rubber $\Box$ Other	$\Box$ Fire Retardant Clothing $\boxtimes$ Long Pants $\boxtimes$ Rain gear $\Box$ Long Sleeve Shirt $\Box$ Other
Head	Eye & Face
🛛 Hard Hat 🗆 Climbing Helmut 🗆 Sunhat	$oxtimes$ Safety Glasses $\Box$ Face Shield $\Box$ Goggles $\Box$ Sun Glasses
Hearing Protection	Feet
	$oxtimes$ Safety Toe Work Boot/Shoe $\Box$ Safety Toe Rubber Boot
🛛 Ear Plugs 🗆 Ear Muffs 🗆 Flanges	

#### 6.1. Personal Protective Equipment Inspections

PPE ensemble shall be selected daily or before each separate task to provide protection against known or anticipated hazards. To obtain maximum performance from PPE, site personnel shall be trained in the proper use and inspection of PPE.

#### 7.0 SITE CONTROL PLAN

#### 7.1. Traffic or Vehicle Access Control Plans

Will vehicles, heavy equipment and/or pedestrians traffic be controlled on this site? Yes □ No ⊠.

#### 7.2 Site Work Zones

Exclusion zones will be established within approximately 10 to 15 feet around each working area. Only persons with the appropriate training will enter this perimeter while work is being conducted in these exclusion zones.

In addition, an exclusion zone, contamination reduction zone and support zone should be established when the project involves significant chemical contamination and potential of for exposure to contaminants to on-site personnel. Passage through zones or out of the site should be consistent with the level of decontamination required.

Decontamination, at a minimum, should include removing and disposing of PPE when exiting the exclusion zone and washing your hands. Decontamination may also consist of removing outer protective gloves and washing soiled boots and gloves using bucket and brush provided on site in the contamination reduction zone. If needed, inner gloves will then be removed, and hands and face will be washed in either a portable wash station or a bathroom facility at the site. Employees will perform decontamination procedures and wash before eating, drinking or leaving the site.

The contamination reduction zone, at a minimum, should consist of garbage bags into which used PPE should be disposed. Personnel should wash hands before eating or leaving the reduction zone.

Drinking, eating, smoking and using phone are not allowed in the Exclusion and Reduction Zones.



A site control / site layout map was included in Section 2.2. Yes  $\boxtimes$  or No  $\square$ .

Zone	Size/Location of Zone	Steps Required to Enter	Steps Required to Exit
Exclusion	15 feet around current boring	<ol> <li>Level D PPE and nitrile gloves</li> <li>Eye contact with driller</li> </ol>	1. Discard nitrile gloves, make sure boots are clean
Reduction	Trash bags	1. Throw away disposable PPE and sampling equipment	1. Wash hands
Support Zone	Site area more than 15 feet from current boring	1. Notify SSO	1. Notify SSO

#### 7.1.1. Work Zone Parameters and Decontamination Procedures

Equipment or tools operated or maintained by GeoEngineers on a contaminated site may need to undergo decontamination procedures as they travel through site work zones. The following table summarizes the steps needed to safely move these items through zones.

#### 7.1.2. Work Zone Parameters for Equipment or Tools

Zone	Steps Required to Enter	Steps Required to Exit
Exclusion		Knock large debris off equipment near the borehole
Reduction	Large debris has been removed from equipment	Decontaminate equipment per instructions in the Work Plan
Support Zone		

#### 7.3 Buddy System

Personnel on site should use the buddy system (pairs), particularly whenever communication is restricted. If only one GeoEngineers employee is on site, a buddy system can be arranged with subcontractor/ contractor personnel.

#### 7.4 Site Communication Plan

Communication Equipment	Location Used	Phone #s/Channels	
Cell phones	Site	See contact information (Section 1.0)	

Positive communications (within sight and hearing distance or via radio) should be maintained between workers on site, with the pair remaining in proximity to assist each other in case of emergencies. The field team should prearrange other emergency signals for communication when voice communication becomes impaired (including cases of dropped cell phone or radio breakdown) and an agreed upon location for an emergency assembly area.

All personnel from GeoEngineers and subcontractor(s) should be made aware of safety features during safety tailgate meeting (drill rig shutoff switch, location of fire extinguishers, cell phone numbers, etc.).

On-site personnel will be visible to the operator at all times and will remain out of the swing and/or direction of the equipment apparatus. (drilling rig, CPT unit and/or excavator) only when they are certain the operator has indicated it is safe to do so. ("Show My Hands Technic" or another agreed sign language).



#### 7.5. Investigative Derived Waste (IDW) Disposal or Storage

IDW Type	Action
	$oxedsymbol{\boxtimes}$ On site, pending analysis and further action
Drilling Tailings/Cores	□ Secured (list method):
	$\Box$ Other (describe destination, responsible parties):
	$oxedsymbol{\boxtimes}$ On site, pending analysis and further action
Well Water	□ Secured (list method):
	$\Box$ Other (describe destination, responsible parties):
	$\square$ On site, pending analysis and further action
PPE	□ Secured (list method):
	$\boxtimes$ Other (describe destination, responsible parties): placed in black contractor bags and disposed in trash receptacle

#### 7.6. Spill Containment Plans

#### Will spill containment contingencies be needed on this project? Yes □ or No ⊠

#### 7.7. Sampling, Managing and Handling Drums and Containers

#### There will be drums or sealed containers on site during this project? Yes ⊠ or No □

Drums and containers used during the investigation and/or cleanup activities shall meet the appropriate Department of Transportation (DOT), OSHA, U.S. Environmental Protection Agency (EPA) and applicable state regulations for the waste that they contain. Site operations shall be organized to minimize the amount of drum or container on-site temporary storage and movement. When practicable, drums and containers shall be inspected, and their integrity shall be ensured before they are moved. Unlabeled drums and containers shall be considered to contain hazardous substances and handled accordingly until the contents are positively identified and labeled. Before drums or containers are moved, all employees involved in the transfer operation shall be warned of the potential hazards associated with the contents. Personnel involved with the coordination of the drum or container's off-site disposal shall ensure that the off-site disposal facility is approved by the GeoEngineers Project manager and the Client.

Drums or containers and suitable quantities of proper absorbent shall be kept available and used where spills, leaks or rupturing may occur. Where major spills may occur, a spill containment program shall be implemented to contain and isolate the entire volume of the hazardous substance being transferred.

Fire extinguishing equipment shall be on hand and ready for use to control incipient fires.

#### 7.8. Sanitation

Field staff and subcontractors must go off site to access sanitation facilities or may use the on-site building restroom.

#### 7.9. Lighting

Work is anticipated to be performed during daylight hours. Work may extend slightly into the evening provided adequate lighting is used (e.g. portable flood lights).



#### **8.0 EMERGENCY RESPONSE**

For each potential site emergency indicate what site-specific procedures you will implement to address the occurrence.

Emergency Event	Response Plan
Medical	Get injured personnel to the hospital. If life-threatening, call 911.

#### 8.1. General Response Guidance

- If any member of the field crew experiences any adverse exposure symptoms while on site or an injury, the entire field crew should immediately halt work and act according to the instructions provided by the SSO.
- The discovery of any condition that would suggest the existence of a situation more hazardous than anticipated should result in the evacuation of the field team, contact of the PM, and reevaluation of the hazard and the level of protection required.
- As soon as feasible, notify GeoEngineers' PM and follow the GeoEngineers' Incident Reporting and Investigation Program, and Health and Safety Injury Management Procedures Flowchart (see copy attached to this HASP).
- If an accident occurs, the Site Safety Officer and the injured person are to complete, within 24 hours, an Incident Report (Form 4) for submittal to the PM, the HSPM, and HR. The PM should ensure that follow-up action is taken to correct the situation that caused the accident or exposure.

Hospital Name and Address:	Yakima Valley Memorial		
	2811 Tieton Dr, Yakima, Washington		
Phone Numbers (Hospital ER):	509.575.8000		
Distance:	1.4 miles		
Route to Hospital:	Map to Hospital:		

Head south on N  $40^{\mbox{th}}$  Ave for 0.5 miles.

Turn left on to W Tieton Ave and proceed for 0.8 miles.

Turn left onto S  $28^{th}$  Ave. The hospital will be on the left in about 200 feet.





Cell phones are carried by field personnel. Check connectivity at work site location.

**Nearest Fire Extinguisher:** 

**Nearest First-Aid Kit:** 

**Ambulance:** 

**Police:** 

Fire:

**Poison Control:** 

Located in the GeoEngineers vehicle on site.

Located in the GeoEngineers vehicle on site.



#### Standard Emergency Procedures Get help

- Send another worker to phone 9-1-1 (if necessary)
- As soon as feasible, notify the GeoEngineers' Project Manager and/or GeoEngineers HSM and follow the GeoEngineers' Incident Reporting and Investigation Program, and Health and Safety Injury Management Procedures Flowchart (see copy attached to this HASP).

#### Reduce risk to injured person

- Turn off equipment.
- Move person from injury location to safer area (if in life-threatening situation only)
- Keep person warm
- Perform CPR (if necessary)

#### Transport injured person to medical treatment facility (if necessary)

- By ambulance (if necessary) or GeoEngineers vehicle.
- Stay with person at medical facility.
- Keep GeoEngineers Project Manager apprised of situation and notify Human Resources Manager of situation
- Accidents involving injuries requiring professional medical attention must be reported within one hour of occurrence to the Safety Officer.
- First aid cases not involving professional medical attention must be reported within 24 hours after occurrence.
- Incidents involving property damage must be reported within 24 hours of occurrence.
- After hours illnesses must be reported within 24 hours (i.e. flu, rashes)

#### 9.0 DOCUMENTATION TO BE COMPLETED FOR HAZWOPER PROJECTS

- PM Checklist
- Daily Field Log
- FORM 1—Health and Safety Pre-Entry Briefing and Acknowledgment of Site Health and Safety Plan for use by employees, subcontractors and visitors
- FORM 2—Safety Meeting Record
- FORM 3—Elevated Risk Job Hazard Analyses (ERA-JHA) Form (as needed)
- FORM 4—<u>Near Miss Form</u> (as needed)
- FORM 4—<u>Incident Report Form</u> (as needed)
- FORM 5—Direct Reading Instrument Monitoring Log (as needed)



#### **10.0 APPROVALS - HASP for Yakima Dry Cleaners**

NOTE: THIS HASP IS NOT CONSIDERED APPROVED OR ACTIVE UNTIL AT LEAST LINES 1 THROUGH 2 HAVE BEEN SIGNED by the designated personnel. For HASPs with elevated risk tasks including but not limited to confined spaces, working over water, hazardous atmospheres, chemical hazards, extreme weather conditions, fall protection/rope access, or respirator usage the Health and Safety Team must review and sign lines 3 and 4. The Health and Safety Team may review other JHAs/HASPs as they have time upon request and will sign lines 3 and/or 4.

1. Plan Prepared by	$\Lambda$	
	CAMM_	October 26, 2022
	Signature	Date
2. Project Manager Plan Approval	1	
	CAM	October 26, 2022
	PM Signature	Date
3. Health and Safety		
Specialist or Consultant		
	Connor R. Jordan HSS or HSC Signature	October 26, 2022
	HSS or HSC Signature	Date
4. Health and Safety Manager	1 12:00	
	frecont heller	October 27, 2022
	HSM Signature	Date
5. GeoEngineers Laboratory		
Manager		
	GLM Signature	Date

#### **Attachments:**

Form 1: HEALTH AND SAFETY PRE-ENTRY BRIEFING AND ACKNOWLEDGEMENT

Form 2: SITE SAFETY MEETING RECORD (Daily or weekly)

Form 3: ELEVATED RISK ACTIVITY JHA FORM

Form 4: NEAR MISS OR INCIDENT REPORT FORM



#### FORM 1 HEALTH AND SAFETY PRE-ENTRY BRIEFING AND ACKNOWLEDGEMENT

FOR GEOENGINEERS' EMPLOYEES, SUBCONTRACTORS AND VISITORS John's Dry Cleaning, 4001 Summitview Ave, Yakima, WA File No. 0504-185-00

Inform GeoEngineers employees, contractors and subcontractors or their representatives about:

- The nature, level and degree of exposure to hazardous substances and other hazards they are likely to encounter;
- All site-related emergency response procedures; and
- Any identified potential fire, explosion, health, safety or other hazards.

Conduct safety pre-entry briefing meeting with GeoEngineers on-site employees, contractors and subcontractors, or their representatives as follows:

- A pre-entry briefing before any site activity is started.
- Additional briefings, as needed, to make sure that the Site-specific HASP is followed, especially prior starting new activities and/or when new on-site personnel is planning to work at the site.
- Make sure all employees (GeoEngineers, contractors, subcontractors and equipment/material delivery companies) working on the Site are informed of any risks identified and trained on how to protect themselves and other workers against the Site hazards and risks.
- Update all information to reflect current site activities and hazards.
- All personnel participating in this project must receive "initial" health and safety orientation. Thereafter, brief daily or weekly tailgate safety meetings will be held as deemed necessary by the Site Safety Officer.
- The orientation and the tailgate safety meetings shall include a discussion of emergency response, site communications and site hazards associated with the planned activities and activities performed concurrently by others at the site in the vicinity of the working areas.
- Have all personnel attending the pre-entry briefing meeting sign Form 2 of the HASP.

(All of GeoEngineers' Site workers shall complete this Form 1, which should remain attached to the HASP and be filed with other project documentation). Please be advised that this site-specific HASP is intended for use by GeoEngineers employees only. Nothing herein shall be construed as granting rights to GeoEngineers' subcontractors or any other contractors working on this site to use or legally rely on this HASP. GeoEngineers specifically disclaims any responsibility for the health and safety of any person not employed by the company.

I hereby verify that a copy of the current HASP has been provided by GeoEngineers, Inc., for my review and personal use. I have read the document completely and acknowledge an understanding of the safety procedures and protocol for my responsibilities on site. I agree to comply with all required, specified safety regulations and procedures.

Print Name	Company	Signature	Date



#### FORM 1 (CON'T) HEALTH AND SAFETY PRE-ENTRY BRIEFING AND ACKNOWLEDGEMENT

John's Dry Cleaning, 4001 Summitview Ave, Yakima, WA File No. 0504-185-00

Print Name	Company	Signature	Date



#### FORM 2 SITE SAFETY MEETING RECORD (Daily or weekly)

John's Dry Cleaning, 4001 Summitview Ave, Yakima, WA File No. 0504-185-00

Site Safety meetings should include a discussion of emergency response, site communications and site hazards associated with the planned activities. Site safety meeting should be completed prior implementing site activities at a minimum in the beginning of each day and/or at a minimum weekly for similar activities performed few consecutive days.

Use in conjunction with the HASP Hazard Review and ERA Job Hazard Analyses (JHA) Form 3 to help identify hazards with the planned activities and activities performed concurrently by others at the site in the vicinity of the working areas.

Date:	Site Safety Officer (SS0):		
Topics:			
Attendees:			
Print Name	Company	Signature	



#### FORM 3 ELEVATED RISK ACTIVITY JHA FORM

#### John's Dry Cleaning, 4001 Summitview Ave, Yakima, WA

This ERA JHA Form is to be used when the project's Principal Field Tasks (Section 4.1) include elevated risk activities. Complete a separate ERA JHA for each identified elevated risk activity. Add activities manually if not included in drop down. Activity Phases may include staging/set-up/initiation/operations/shutdown/ clean-up or others specific to this project. If all phases of this activity have the same controls, indicate this by including all applicable phase names in single row.

Elevated Risk	Activity:	Choose an item.			
Written by: Position/Title:			Reviewed by:	Position/Title:	
	ning Acti	ons <u>Prior</u> to Arriving	on Site:	-	
1.				2.	
3.				4.	
5. Activity				6.	
Phase	How Ris	k May Occur	Phase B	ased Hazard Mitigations	
	Unfamiliar locations, congestion, unpaved roads, Mechanical Failure, Flat Tires		•	Test equipment Reset starter Clear road of fallen trees	
Set-up		ire, Exhaust Leaks,	•		
		Vehicle Collision, Internal Projectiles		nt	
	Projectile				
			•		
		Slipping into waste water pond from shore			
Operations - Shut-down -	Slipping i				
Cleanup	pond from			nt	
			Tools		
			•		
Communicatio	on Plan				
Activity Phase	Mode Co Task Pha	mmunication During se	Frequenc	y of Communication	Related Reference Material or Plan
Set-up	Cellular F	Phone	Continuo	us	Action Level Table
Operations			Every 4 h	ours	River Map



#### FORM 4 NEAR MISS OR INCIDENT REPORT FORM

John's Dry Cleaning File No. 0504-185-00

Electronic Version Available at: <u>https://safety.geoengineers.com/nearmisses/new</u> or <u>https://safety.geoengineers.com/incidents/new</u>

#### **NEAR MISS**

Near Miss Date
Reported By
Location
Location Type
Incident Details

How did the incident happen?

What led to the Near Miss occurring? (Contributing factors, constraints, the setting, behaviors, etc.)

What is the most important thing you learned from this Near Miss that others could learn from?

#### **INCIDENT REPORT**

Basic Information

Reported By

Location

Location Type

**Business Unit** 

#### **Office Information**

Project Manager



Group Leader

Office Manager

Other Emails

Incident Type (more than one OK)

Injury

Vehicle

Utility Strike

Damaged Property

Stolen Equipment

#### **Incident Details**

What happened? Describe how the incident occurred. Where the employee was located at the time of the incident.

Project Number (if project related)

Date & Time employee started working

Date & Time supervisor notified

Supervisor Name

Notified Project Manager/PA \_\_\_\_ Yes \_\_\_\_ No

Client Notified \_\_\_\_Yes \_\_\_\_No

Supervisor Comments (Optional. These are usually filled out later.)

Supervisor Comments Date

Project Manager Comments (Optional. These are usually filled out later.)

Project Manager Comments Date Health and Safety Comments (Optional. These are usually filled out later.)

Health & Safety Rep Name Health & Safety Comments Date Corrective Action (Optional. These are usually filled out later.)





**APPENDIX C** Chemical Analytical Laboratory Reports and Data Validation



### **Air Toxics**

1/16/2023 Mr. Justin Orr GeoEngineers, Inc. 523 E. Second Avenue

Spokane WA 99202

Project Name: John's Dry Cleaning Project #: 0504-185-00 Workorder #: 2212748

Dear Mr. Justin Orr

The following report includes the data for the above referenced project for sample(s) received on 12/30/2022 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Monica Tran at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

Ionica Fran

Monica Tran Project Manager

180 Blue Ravine Road, Suite B Folsom, CA 95630



**Air Toxics** 

#### **WORK ORDER #: 2212748**

#### Work Order Summary

CLIENT:	Mr. Justin Orr GeoEngineers, Inc. 523 E. Second Avenue Spokane, WA 99202	BILL TO:	CORP Accounts Payables GeoEngineers, Inc. 8410 154th Avenue NE Redmond, WA 98052
PHONE:	509-363-3125	<b>P.O.</b> #	
FAX: DATE RECEIVED: DATE COMPLETED:	12/30/2022	PROJECT # CONTACT:	0504-185-00 John's Dry Cleaning Monica Tran
DATE COMPLETED:	01/16/2023		

			RECEIPT	FINAL
FRACTION #	NAME	<u>TEST</u>	VAC./PRES.	<b>PRESSURE</b>
01A	GEI039-SVP1-122822	Modified TO-15	4.3 "Hg	9.9 psi
02A	GEI039-SVP2-122822	Modified TO-15	4.7 "Hg	9.9 psi
03A	Lab Blank	Modified TO-15	NA	NA
04A	CCV	Modified TO-15	NA	NA
05A	LCS	Modified TO-15	NA	NA
05AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY:

layes end

DATE: 01/16/23

Technical Director

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP – 209222, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP – T104704434-22-18, UT NELAP – CA009332022-14, VA NELAP - 12240, WA NELAP - C935 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) Accreditation number: CA300005-017, Effective date: 10/18/2022, Expiration date: 10/17/2023. Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

> This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC. 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630 (916) 985-1000. (800) 985-5955. FAX (916) 351-8279

#### LABORATORY NARRATIVE Modified TO-15 GeoEngineers, Inc. Workorder# 2212748

Two 1 Liter Summa Canister (100% Certified) samples were received on December 30, 2022. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the EATL modifications.

Requirement	TO-15	ATL Modifications
Initial Calibration	=30% RSD with 2<br compounds allowed out to < 40% RSD	=30% RSD with 4 compounds allowed out to < 40% RSD</td
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

#### **Receiving Notes**

There were no receiving discrepancies.

#### Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page. Target compound non-detects in the samples that are associated with high bias in CCV analyses have not been flagged.

Samples GEI039-SVP1-122822 and GEI039-SVP2-122822 were transferred from Low Level analysis to full scan TO-15 due to high levels of target compounds.

Dilution was performed on samples GEI039-SVP1-122822 and GEI039-SVP2-122822 due to the presence of high level target species.

#### **Definition of Data Qualifying Flags**

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

- E Exceeds instrument calibration range.
- S Saturated peak.
- Q Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV



N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

## eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

Client ID:         GEI039-SVP1-12           Lab ID:         2212748-01A           Date/Time Collected:         12/28/22 01:36 P           Media:         1 Liter Summa Ca		Date/Time A Dilution Fact Instrument/F	t <b>or:</b> 13.0	i 01:19 PM j011206	
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1,1-Trichloroethane	71-55-6	6.6	18	35	Not Detected
1,1,2,2-Tetrachloroethane	79-34-5	8.2	33	45	Not Detected
1,1,2-Trichloroethane	79-00-5	5.3	27	35	Not Detected
1,1-Dichloroethane	75-34-3	5.5	13	26	Not Detected
1,1-Dichloroethene	75-35-4	6.5	19	26	Not Detected
1,2,4-Trichlorobenzene	120-82-1	69	170	190	Not Detected
1,2,4-Trimethylbenzene	95-63-6	11	24	32	Not Detected
1,2-Dibromoethane (EDB)	106-93-4	11	37	50	Not Detected
1,2-Dichlorobenzene	95-50-1	13	29	39	Not Detected
1,2-Dichloroethane	107-06-2	6.0	20	26	Not Detected
1,2-Dichloropropane	78-87-5	5.9	22	30	Not Detected
1,3,5-Trimethylbenzene	108-67-8	11	24	32	Not Detected
1,3-Butadiene	106-99-0	5.9	11	14	Not Detected
1,3-Dichlorobenzene	541-73-1	8.4	29	39	Not Detected
1,4-Dichlorobenzene	106-46-7	14	29	39	Not Detected
1,4-Dioxane	123-91-1	5.2	35	94	Not Detected
2,2,4-Trimethylpentane	540-84-1	6.7	23	30	Not Detected
2-Butanone (Methyl Ethyl Ketone)	78-93-3	9.2	69	77	Not Detected
2-Hexanone	591-78-6	38	96	110	Not Detected
2-Propanol	67-63-0	20	58	64	25 J
3-Chloropropene	107-05-1	11	30	81	Not Detected
4-Ethyltoluene	622-96-8	7.8	24	32	Not Detected
4-Methyl-2-pentanone	108-10-1	16	20	27	Not Detected
Acetone	67-64-1	57	77	150	Not Detected

## eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

Lab ID: 2 Date/Time Collected: 1	EI039-SVP1-122822 212748-01A 2/28/22 01:36 PM Liter Summa Canister (100% Certified)	Date/Time Ar Dilution Fact Instrument/F	t <b>or:</b> 13.0	3 01:19 PM / j011206			
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)		
alpha-Chlorotoluene	100-44-7	11	25	34	Not Detected		
Benzene	71-43-2	4.6	16	21	Not Detected		
Bromodichloromethane	75-27-4	7.8	22	44	Not Detected		
Bromoform	75-25-2	17	50	67	Not Detected		
Bromomethane	74-83-9	75	91	250	Not Detected		
Carbon Disulfide	75-15-0	62	73	200	Not Detected		
Carbon Tetrachloride	56-23-5	7.6	31	41	Not Detected		
Chlorobenzene	108-90-7	4.5	15	30	Not Detected		
Chloroethane	75-00-3	22	62	69	Not Detected		
Chloroform	67-66-3	4.9	16	32	5.8 J		
Chloromethane	74-87-3	20	48	130	Not Detected		
cis-1,2-Dichloroethene	156-59-2	5.8	19	26	Not Detected		
cis-1,3-Dichloropropene	10061-01-5	7.4	22	30	Not Detected		
Cumene	98-82-8	11	24	32	Not Detected		
Cyclohexane	110-82-7	4.3	17	22	Not Detected		
Dibromochloromethane	124-48-1	11	42	55	Not Detected		
Ethanol	64-17-5	52	61	120	Not Detected		
Ethyl Benzene	100-41-4	6.3	21	28	Not Detected		
Freon 11	75-69-4	7.1	27	36	Not Detected		
Freon 113	76-13-1	11	37	50	Not Detected		
Freon 114	76-14-2	14	34	45	Not Detected		
Freon 12	75-71-8	4.7	24	32	Not Detected		
Heptane	142-82-5	7.4	20	27	Not Detected		
Hexachlorobutadiene	87-68-3	100	250	280	Not Detected		

### 🛟 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

ate/Time Collected:12/28/22 01:3edia:1 Liter Summ	36 PM a Canister (100% Certified)	Date/Time A Dilution Fact Instrument/F	t <b>or:</b> 13.0	/ j011206	
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Hexane	110-54-3	6.5	17	23	7.4 J
m,p-Xylene	108-38-3	9.9	21	28	Not Detected
Methyl tert-butyl ether	1634-04-4	5.7	35	94	Not Detected
Methylene Chloride	75-09-2	16	81	220	Not Detected
o-Xylene	95-47-6	5.2	21	28	Not Detected
Propylbenzene	103-65-1	4.1	24	32	Not Detected
Styrene	100-42-5	5.6	21	28	Not Detected
Tetrachloroethene	127-18-4	8.3	33	44	11000
Tetrahydrofuran	109-99-9	5.9	14	19	Not Detected
Toluene	108-88-3	6.3	18	24	Not Detected
trans-1,2-Dichloroethene	156-60-5	5.8	19	26	Not Detected
trans-1,3-Dichloropropene	10061-02-6	5.2	22	30	Not Detected
Trichloroethene	79-01-6	7.6	26	35	35
Vinyl Chloride	75-01-4	3.9	12	17	Not Detected

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	108
Toluene-d8	2037-26-5	70-130	102

### 🔅 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

Client ID:         GEI039-SVP2-12           Lab ID:         2212748-02A           Date/Time Collected:         12/28/22 01:55 P           Media:         1 Liter Summa Ca		Date/Time A Dilution Fact Instrument/F	tor: 19.8	3 01:50 PM / j011207		
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)	
1,1,1-Trichloroethane	71-55-6	10	27	54	Not Detected	
1,1,2,2-Tetrachloroethane	79-34-5	12	51	68	Not Detected	
1,1,2-Trichloroethane	79-00-5	8.0	40	54	Not Detected	
1,1-Dichloroethane	75-34-3	8.4	20	40	Not Detected	
1,1-Dichloroethene	75-35-4	10	29	39	Not Detected	
1,2,4-Trichlorobenzene	120-82-1	100	260	290	Not Detected	
1,2,4-Trimethylbenzene	95-63-6	17	36	49	Not Detected	
1,2-Dibromoethane (EDB)	106-93-4	17	57	76	Not Detected	
1,2-Dichlorobenzene	95-50-1	19	45	60	Not Detected	
1,2-Dichloroethane	107-06-2	9.2	30	40	Not Detected	
1,2-Dichloropropane	78-87-5	9.0	34	46	Not Detected	
1,3,5-Trimethylbenzene	108-67-8	16	36	49	Not Detected	
1,3-Butadiene	106-99-0	9.0	16	22	Not Detected	
1,3-Dichlorobenzene	541-73-1	13	45	60	Not Detected	
1,4-Dichlorobenzene	106-46-7	21	45	60	Not Detected	
1,4-Dioxane	123-91-1	7.9	54	140	Not Detected	
2,2,4-Trimethylpentane	540-84-1	10	35	46	Not Detected	
2-Butanone (Methyl Ethyl Ketone)	78-93-3	14	100	120	Not Detected	
2-Hexanone	591-78-6	58	150	160	Not Detected	
2-Propanol	67-63-0	30	88	97	Not Detected	
3-Chloropropene	107-05-1	17	46	120	Not Detected	
4-Ethyltoluene	622-96-8	12	36	49	Not Detected	
4-Methyl-2-pentanone	108-10-1	24	30	40	Not Detected	
Acetone	67-64-1	87	120	240	Not Detected	

## eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

Lab ID:22127Date/Time Collected:12/28	39-SVP2-122822 748-02A /22 01:55 PM r Summa Canister (100% Certified)	Date/Time Ar Dilution Fact Instrument/F	tor: 19.8	3 01:50 PM / j011207	
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
alpha-Chlorotoluene	100-44-7	17	38	51	Not Detected
Benzene	71-43-2	7.0	24	32	7.4 J
Bromodichloromethane	75-27-4	12	33	66	Not Detected
Bromoform	75-25-2	26	77	100	Not Detected
Bromomethane	74-83-9	110	140	380	Not Detected
Carbon Disulfide	75-15-0	95	110	310	Not Detected
Carbon Tetrachloride	56-23-5	12	47	62	Not Detected
Chlorobenzene	108-90-7	6.9	23	46	Not Detected
Chloroethane	75-00-3	34	94	100	Not Detected
Chloroform	67-66-3	7.5	24	48	Not Detected
Chloromethane	74-87-3	31	74	200	Not Detected
cis-1,2-Dichloroethene	156-59-2	8.8	29	39	Not Detected
cis-1,3-Dichloropropene	10061-01-5	11	34	45	Not Detected
Cumene	98-82-8	17	36	49	Not Detected
Cyclohexane	110-82-7	6.6	26	34	6.8 J
Dibromochloromethane	124-48-1	17	63	84	Not Detected
Ethanol	64-17-5	78	93	190	Not Detected
Ethyl Benzene	100-41-4	9.6	32	43	Not Detected
Freon 11	75-69-4	11	42	56	Not Detected
Freon 113	76-13-1	17	57	76	Not Detected
Freon 114	76-14-2	21	52	69	Not Detected
Freon 12	75-71-8	7.2	37	49	Not Detected
Heptane	142-82-5	11	30	40	Not Detected
Hexachlorobutadiene	87-68-3	150	380	420	Not Detected

## eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

ab ID: bate/Time Collected: ledia:	2212748-02A 12/28/22 01:55 PM 1 Liter Summa Canister (100% Certified)	Date/Time A Dilution Fac Instrument/	tor:	1/12/23 01:50 PM 19.8 msdj.i / j011207	
Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit ) (ug/m3)	Amount (ug/m3)
Hexane	110-54-3	9.9	26	35	Not Detected
m,p-Xylene	108-38-3	15	32	43	Not Detected
Methyl tert-butyl ether	1634-04-4	8.7	54	140	Not Detected
Methylene Chloride	75-09-2	24	120	340	Not Detected
o-Xylene	95-47-6	8.0	32	43	Not Detected
Propylbenzene	103-65-1	6.3	36	49	Not Detected
Styrene	100-42-5	8.5	32	42	Not Detected
Tetrachloroethene	127-18-4	13	50	67	15000
Tetrahydrofuran	109-99-9	9.0	22	29	Not Detected
Toluene	108-88-3	9.6	28	37	18 J
trans-1,2-Dichloroethe	ne 156-60-5	8.9	29	39	Not Detected
trans-1,3-Dichloroprop	pene 10061-02-6	7.9	34	45	Not Detected
Trichloroethene	79-01-6	12	40	53	37 J
Vinyl Chloride	75-01-4	6.0	19	25	Not Detected

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	108
Toluene-d8	2037-26-5	70-130	101

### 🛟 eurofins

#### EPA METHOD TO-15 GC/MS FULL SCAN

Lab Blank

2212748-03A

John's Dry Cleaning

Client ID:

Lab ID:

# Air Toxics

1/12/23 11:14 AM

ate/Time Collected: NA - Not Applicate ledia: NA - Not Applicate	Dilution Factor:     1.00       NA - Not Applicable     Instrument/Filename:     msdj.i / j011205c				
<b>0</b>	0.10%	MDL	LOD	Rpt. Limit (ug/m3)	Amount (ug/m3)
Compound	CAS#	(ug/m3)	(ug/m3) 1.4		Not Detected
1,1,1-Trichloroethane	71-55-6	0.51	2.6	2.7	
1,1,2,2-Tetrachloroethane	79-34-5	0.63	2.0	3.4	Not Detected
1,1,2-Trichloroethane	79-00-5	0.40	2.0	2.7	Not Detected
1,1-Dichloroethane	75-34-3	0.42	-	2.0	Not Detected
1,1-Dichloroethene	75-35-4	0.50	1.5	2.0	Not Detected
1,2,4-Trichlorobenzene	120-82-1	5.3	13	15	Not Detected
1,2,4-Trimethylbenzene	95-63-6	0.86	1.8	2.4	Not Detected
1,2-Dibromoethane (EDB)	106-93-4	0.88	2.9	3.8	Not Detected
1,2-Dichlorobenzene	95-50-1	0.98	2.2	3.0	Not Detected
1,2-Dichloroethane	107-06-2	0.46	1.5	2.0	Not Detected
1,2-Dichloropropane	78-87-5	0.45	1.7	2.3	Not Detected
1,3,5-Trimethylbenzene	108-67-8	0.84	1.8	2.4	Not Detected
1,3-Butadiene	106-99-0	0.46	0.83	1.1	Not Detected
1,3-Dichlorobenzene	541-73-1	0.65	2.2	3.0	Not Detected
1,4-Dichlorobenzene	106-46-7	1.1	2.2	3.0	Not Detected
1,4-Dioxane	123-91-1	0.40	2.7	7.2	Not Detected
2,2,4-Trimethylpentane	540-84-1	0.51	1.8	2.3	Not Detected
2-Butanone (Methyl Ethyl Ketone)	78-93-3	0.71	5.3	5.9	Not Detected
2-Hexanone	591-78-6	2.9	7.4	8.2	Not Detected
2-Propanol	67-63-0	1.5	4.4	4.9	Not Detected
3-Chloropropene	107-05-1	0.84	2.3	6.3	Not Detected
4-Ethyltoluene	622-96-8	0.60	1.8	2.4	Not Detected
4-Methyl-2-pentanone	108-10-1	1.2	1.5	2.0	Not Detected
Acetone	67-64-1	4.4	5.9	12	Not Detected

Date/Time Analyzed:
# **eurofins**

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

**Client ID:** Lab ID:

Media:

Compound

Benzene

Bromoform

Bromomethane

Carbon Disulfide

Chlorobenzene

Chloromethane

Chloroethane

Chloroform

#### Lab Blank 2212748-03A **Date/Time Analyzed:** 1/12/23 11:14 AM Date/Time Collected: NA - Not Applicable **Dilution Factor:** 1.00 NA - Not Applicable Instrument/Filename: msdj.i / j011205c MDL LOD **Rpt. Limit** Amount (ug/m3)(ug/m3)(ug/m3)(ug/m3)CAS# 1.9 alpha-Chlorotoluene Not Detected 0.87 2.6 100-44-7 1.2 Not Detected 0.35 1.6 71-43-2 1.7 Bromodichloromethane 0.60 3.4 Not Detected 75-27-4 3.9 Not Detected 1.3 5.2 75-25-2 5.8 7.0 19 Not Detected 74-83-9 4.8 5.6 Not Detected 16 75-15-0 2.4 Not Detected Carbon Tetrachloride 0.58 3.1 56-23-5 1.2 Not Detected 0.35 2.3 108-90-7 4.7 1.7 Not Detected 5.3 75-00-3 0.38 1.2 2.4 Not Detected 67-66-3 3.7 74-87-3 1.6 10 Not Detected ted ted ted ted cted cted ted

	1 - 01-5				
cis-1,2-Dichloroethene	156-59-2	0.45	1.5	2.0	Not Detected
cis-1,3-Dichloropropene	10061-01-5	0.57	1.7	2.3	Not Detected
Cumene	98-82-8	0.88	1.8	2.4	Not Detected
Cyclohexane	110-82-7	0.33	1.3	1.7	Not Detected
Dibromochloromethane	124-48-1	0.88	3.2	4.2	Not Detected
Ethanol	64-17-5	4.0	4.7	9.4	Not Detected
Ethyl Benzene	100-41-4	0.48	1.6	2.2	Not Detected
Freon 11	75-69-4	0.55	2.1	2.8	Not Detected
Freon 113	76-13-1	0.88	2.9	3.8	Not Detected
Freon 114	76-14-2	1.1	2.6	3.5	Not Detected
Freon 12	75-71-8	0.36	1.8	2.5	Not Detected
Heptane	142-82-5	0.57	1.5	2.0	Not Detected
Hexachlorobutadiene	87-68-3	7.8	19	21	Not Detected

# 🔅 eurofins

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

## **Air Toxics**

Client ID:Lab BlankLab ID:2212748-03ADate/Time Collected:NA - Not ApplMedia:NA - Not Appl	icable	Date/Time A Dilution Fac Instrument/F	tor: 1.00	3 11:14 AM / j011205c	
		MDL	LOD	Rpt. Limit	Amount
Compound	CAS#	(ug/m3)	(ug/m3)	(ug/m3)	(ug/m3)
Hexane	110-54-3	0.50	1.3	1.8	Not Detected
m,p-Xylene	108-38-3	0.76	1.6	2.2	Not Detected
Methyl tert-butyl ether	1634-04-4	0.44	2.7	7.2	Not Detected
Methylene Chloride	75-09-2	1.2	6.2	17	Not Detected
o-Xylene	95-47-6	0.40	1.6	2.2	Not Detected
Propylbenzene	103-65-1	0.32	1.8	2.4	Not Detected
Styrene	100-42-5	0.43	1.6	2.1	Not Detected
Tetrachloroethene	127-18-4	0.64	2.5	3.4	1.5 J
Tetrahydrofuran	109-99-9	0.45	1.1	1.5	Not Detected
Toluene	108-88-3	0.48	1.4	1.9	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.45	1.5	2.0	Not Detected
trans-1,3-Dichloropropene	10061-02-6	0.40	1.7	2.3	Not Detected
Trichloroethene	79-01-6	0.59	2.0	2.7	Not Detected
Vinyl Chloride	75-01-4	0.30	0.96	1.3	Not Detected
J = Estimated value. D: Analyte not within the DoD scope	of accreditation.				
Surrogates	CAS#			Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0			70-130	96
4-Bromofluorobenzene	460-00-4			70-130	108
Toluene-d8	2037-26-5			70-130	98

# 🛟 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

Client ID:	CCV		
Lab ID:	2212748-04A	Date/Time Analyzed:	1/12/23 09:36 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011202

Compound	CAS#	%Recovery
1,1,1-Trichloroethane	71-55-6	98
1,1,2,2-Tetrachloroethane	79-34-5	92
1,1,2-Trichloroethane	79-00-5	92
1,1-Dichloroethane	75-34-3	94
1,1-Dichloroethene	75-35-4	106
1,2,4-Trichlorobenzene	120-82-1	105
1,2,4-Trimethylbenzene	95-63-6	107
1,2-Dibromoethane (EDB)	106-93-4	98
1,2-Dichlorobenzene	95-50-1	103
1,2-Dichloroethane	107-06-2	90
1,2-Dichloropropane	78-87-5	94
1,3,5-Trimethylbenzene	108-67-8	104
1,3-Butadiene	106-99-0	102
1,3-Dichlorobenzene	541-73-1	101
1,4-Dichlorobenzene	106-46-7	100
1,4-Dioxane	123-91-1	106
2,2,4-Trimethylpentane	540-84-1	118
2-Butanone (Methyl Ethyl Ketone)	78-93-3	101
2-Hexanone	591-78-6	102
2-Propanol	67-63-0	98
3-Chloropropene	107-05-1	99
4-Ethyltoluene	622-96-8	109
4-Methyl-2-pentanone	108-10-1	112
Acetone	67-64-1	95

# 🔅 eurofins

#### EPA METHOD TO-15 GC/MS FULL SCAN

NA - Not Applicable

John's Dry Cleaning

Media:

John's Dry Cleaning				
Client ID:	CCV			
Lab ID:	2212748-04A	Date/Time Analyzed:	1/12/23 09:36 AM	
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00	

Instrument/Filename:

msdj.i / j011202

Compound	CAS#	%Recovery
alpha-Chlorotoluene	100-44-7	106
Benzene	71-43-2	98
Bromodichloromethane	75-27-4	92
Bromoform	75-25-2	101
Bromomethane	74-83-9	152 Q
Carbon Disulfide	75-15-0	96
Carbon Tetrachloride	56-23-5	99
Chlorobenzene	108-90-7	94
Chloroethane	75-00-3	104
Chloroform	67-66-3	94
Chloromethane	74-87-3	112
cis-1,2-Dichloroethene	156-59-2	105
cis-1,3-Dichloropropene	10061-01-5	104
Cumene	98-82-8	112
Cyclohexane	110-82-7	109
Dibromochloromethane	124-48-1	96
Ethanol	64-17-5	89
Ethyl Benzene	100-41-4	106
Freon 11	75-69-4	96
Freon 113	76-13-1	100
Freon 114	76-14-2	95
Freon 12	75-71-8	99
Heptane	142-82-5	112
Hexachlorobutadiene	87-68-3	104

**Air Toxics** 

# 🔅 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

Client ID:	CCV		
Lab ID:	2212748-04A	Date/Time Analyzed:	1/12/23 09:36 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011202

Compound	CAS#	%Recovery
Hexane	110-54-3	110
m,p-Xylene	108-38-3	107
Methyl tert-butyl ether	1634-04-4	111
Methylene Chloride	75-09-2	91
o-Xylene	95-47-6	111
Propylbenzene	103-65-1	104
Styrene	100-42-5	111
Tetrachloroethene	127-18-4	97
Tetrahydrofuran	109-99-9	95
Toluene	108-88-3	95
trans-1,2-Dichloroethene	156-60-5	102
trans-1,3-Dichloropropene	10061-02-6	103
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	104

Q = Exceeds Quality Control limits. D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	110
Toluene-d8	2037-26-5	70-130	98

# 🛟 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

•••••••••••••••••••			
Client ID:	LCS		
Lab ID:	2212748-05A	Date/Time Analyzed:	1/12/23 10:08 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011203

Compound	CAS#	%Recovery
1,1,1-Trichloroethane	71-55-6	100
1,1,2,2-Tetrachloroethane	79-34-5	90
1,1,2-Trichloroethane	79-00-5	94
1,1-Dichloroethane	75-34-3	95
1,1-Dichloroethene	75-35-4	108
1,2,4-Trichlorobenzene	120-82-1	102
1,2,4-Trimethylbenzene	95-63-6	100
1,2-Dibromoethane (EDB)	106-93-4	97
1,2-Dichlorobenzene	95-50-1	98
1,2-Dichloroethane	107-06-2	94
1,2-Dichloropropane	78-87-5	91
1,3,5-Trimethylbenzene	108-67-8	100
1,3-Butadiene	106-99-0	101
1,3-Dichlorobenzene	541-73-1	96
1,4-Dichlorobenzene	106-46-7	95
1,4-Dioxane	123-91-1	103
2,2,4-Trimethylpentane	540-84-1	114
2-Butanone (Methyl Ethyl Ketone)	78-93-3	104
2-Hexanone	591-78-6	105
2-Propanol	67-63-0	108
3-Chloropropene	107-05-1	102
4-Ethyltoluene	622-96-8	107
4-Methyl-2-pentanone	108-10-1	111
Acetone	67-64-1	98

# 🛟 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

Client ID:	LCS		
Lab ID:	2212748-05A	Date/Time Analyzed:	1/12/23 10:08 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011203

Compound	CAS#	%Recovery
alpha-Chlorotoluene	100-44-7	100
Benzene	71-43-2	95
Bromodichloromethane	75-27-4	90
Bromoform	75-25-2	98
Bromomethane	74-83-9	147 Q
Carbon Disulfide	75-15-0	99
Carbon Tetrachloride	56-23-5	98
Chlorobenzene	108-90-7	92
Chloroethane	75-00-3	105
Chloroform	67-66-3	92
Chloromethane	74-87-3	64 Q
cis-1,2-Dichloroethene	156-59-2	104
cis-1,3-Dichloropropene	10061-01-5	103
Cumene	98-82-8	108
Cyclohexane	110-82-7	109
Dibromochloromethane	124-48-1	94
Ethanol	64-17-5	97
Ethyl Benzene	100-41-4	102
Freon 11	75-69-4	97
Freon 113	76-13-1	98
Freon 114	76-14-2	96
Freon 12	75-71-8	98
Heptane	142-82-5	107
Hexachlorobutadiene	87-68-3	102

# 🔅 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

Client ID:	LCS		
Lab ID:	2212748-05A	Date/Time Analyzed:	1/12/23 10:08 AM
Date/Time Collected	: NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011203

Compound	CAS#	%Recovery
Hexane	110-54-3	108
m,p-Xylene	108-38-3	103
Methyl tert-butyl ether	1634-04-4	111
Methylene Chloride	75-09-2	90
o-Xylene	95-47-6	106
Propylbenzene	103-65-1	100
Styrene	100-42-5	109
Tetrachloroethene	127-18-4	95
Tetrahydrofuran	109-99-9	96
Toluene	108-88-3	91
trans-1,2-Dichloroethene	156-60-5	103
trans-1,3-Dichloropropene	10061-02-6	98
Trichloroethene	79-01-6	93
Vinyl Chloride	75-01-4	101

Q = Exceeds Quality Control limits. D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	93
4-Bromofluorobenzene	460-00-4	70-130	107
Toluene-d8	2037-26-5	70-130	96

# 🔅 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Drv Cleaning

John's Dry Cleaning			
Client ID:	LCSD		
Lab ID:	2212748-05AA	Date/Time Analyzed:	1/12/23 10:39 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011204

Compound	CAS#	%Recovery
1,1,1-Trichloroethane	71-55-6	100
1,1,2,2-Tetrachloroethane	79-34-5	90
1,1,2-Trichloroethane	79-00-5	94
1,1-Dichloroethane	75-34-3	95
1,1-Dichloroethene	75-35-4	109
1,2,4-Trichlorobenzene	120-82-1	106
1,2,4-Trimethylbenzene	95-63-6	100
1,2-Dibromoethane (EDB)	106-93-4	96
1,2-Dichlorobenzene	95-50-1	98
1,2-Dichloroethane	107-06-2	93
1,2-Dichloropropane	78-87-5	92
1,3,5-Trimethylbenzene	108-67-8	100
1,3-Butadiene	106-99-0	102
1,3-Dichlorobenzene	541-73-1	96
1,4-Dichlorobenzene	106-46-7	93
1,4-Dioxane	123-91-1	103
2,2,4-Trimethylpentane	540-84-1	117
2-Butanone (Methyl Ethyl Ketone)	78-93-3	102
2-Hexanone	591-78-6	105
2-Propanol	67-63-0	111
3-Chloropropene	107-05-1	102
4-Ethyltoluene	622-96-8	105
4-Methyl-2-pentanone	108-10-1	111
Acetone	67-64-1	100

# 🛟 eurofins

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

John's Dry Cleaning			
Client ID:	LCSD		
Lab ID:	2212748-05AA	Date/Time Analyzed:	1/12/23 10:39 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011204

Compound	CAS#	%Recovery
alpha-Chlorotoluene	100-44-7	100
Benzene	71-43-2	95
Bromodichloromethane	75-27-4	90
Bromoform	75-25-2	98
Bromomethane	74-83-9	146 Q
Carbon Disulfide	75-15-0	99
Carbon Tetrachloride	56-23-5	98
Chlorobenzene	108-90-7	91
Chloroethane	75-00-3	110
Chloroform	67-66-3	93
Chloromethane	74-87-3	73
cis-1,2-Dichloroethene	156-59-2	104
cis-1,3-Dichloropropene	10061-01-5	104
Cumene	98-82-8	107
Cyclohexane	110-82-7	112
Dibromochloromethane	124-48-1	94
Ethanol	64-17-5	104
Ethyl Benzene	100-41-4	102
Freon 11	75-69-4	97
Freon 113	76-13-1	99
Freon 114	76-14-2	96
Freon 12	75-71-8	98
Heptane	142-82-5	107
Hexachlorobutadiene	87-68-3	104

\* % Recovery is calculated using unrounded analytical results.

**Air Toxics** 

# 🔅 eurofins

**Air Toxics** 

#### EPA METHOD TO-15 GC/MS FULL SCAN

John's Dry Cleaning

Client ID:	LCSD		
Lab ID:	2212748-05AA	Date/Time Analyzed:	1/12/23 10:39 AM
Date/Time Collected:	NA - Not Applicable	Dilution Factor:	1.00
Media:	NA - Not Applicable	Instrument/Filename:	msdj.i / j011204

Compound	CAS#	%Recovery
Hexane	110-54-3	112
m,p-Xylene	108-38-3	102
Methyl tert-butyl ether	1634-04-4	113
Methylene Chloride	75-09-2	88
o-Xylene	95-47-6	106
Propylbenzene	103-65-1	100
Styrene	100-42-5	109
Tetrachloroethene	127-18-4	96
Tetrahydrofuran	109-99-9	98
Toluene	108-88-3	92
trans-1,2-Dichloroethene	156-60-5	107
trans-1,3-Dichloropropene	10061-02-6	99
Trichloroethene	79-01-6	94
Vinyl Chloride	75-01-4	102

Q = Exceeds Quality Control limits. D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	108
Toluene-d8	2037-26-5	70-130	97



**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Justin Orr GeoEngineers Inc 523 East Second Ave Spokane, Washington 99202 Generated 12/16/2022 2:14:29 PM

# JOB DESCRIPTION

John's Dry Cleaning/0504-185-00

# **JOB NUMBER**

590-19375-1

Eurofins Spokane 11922 East 1st Ave Spokane WA 99206





# **Eurofins Spokane**

## Job Notes

This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender and destroy this report immediately. This report shall not be reproduced except in full, without prior express written approval by the laboratory.

The data in the report relate to the field sample(s) as received by the laboratory and associated QC. All results have been reviewed and have been found to be compliant with laboratory and accreditation requirements, with the exception of the noted deviation(s). For questions, please contact the Project Manager.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

Authorization

tandue trington

Generated 12/16/2022 2:14:29 PM

Authorized for release by Randee Arrington, Lab Director <u>Randee.Arrington@et.eurofinsus.com</u> (509)924-9200

# **Table of Contents**

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Definitions	6
Client Sample Results	7
QC Sample Results	28
Chronicle	46
Certification Summary	51
Method Summary	52
Chain of Custody	53
Receipt Checklists	55

#### Job ID: 590-19375-1

#### Laboratory: Eurofins Spokane

#### Narrative

#### Receipt

The samples were received on 12/2/2022 1:30 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.9° C.

#### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 590-39386 recovered outside acceptance criteria, low biased, for Dichlorodifluoromethane, 1,2-Dibromo-3-Chloropropane, 1,2,4-Trichlorobenzene, 1,2,3-Trichlorobenzene and Naphthalene. A reporting limit (RL) standard was analyzed, and the target analytes are detected. Since the associated samples were non-detect for the analytes, the data are reported.

Method 8260D: For the following sample the CCV failed low. LCS recovery was within limits. (LCS 590-39381/2-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

Method 6010D: The sample duplicate (DUP) precision for preparation batch 590-39479 and analytical batch 590-39492 was outside control limits. Sample matrix interference is suspected.

Method 6010D: The post digestion spike % recovery for Silver associated with batch 590-39492 was outside the upper control limits. The associated sample is: (590-19375-A-14-A PDS).

Method 7471B: The method blank for preparation batch 590-39480 and 590-39480 and analytical batch 590-39493 contained Mercury above and/or equal to the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### **General Chemistry**

Method Moisture: No sample volume was provided for the referenced method for the following sample: GEI039-B7 (6-7) (590-19375-11). A %moisture value was calculated using the average values of samples 590-19375-6 and 590-19375-8 per the client's request.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Sample Summary

#### Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
590-19375-1	GEI039-B1 (12-13)	Solid	12/01/22 08:50	12/02/22 13:30
590-19375-2	GEI039-B2 (16-17)	Solid	12/01/22 09:55	12/02/22 13:30
590-19375-3	GEI039-B2 (18-19)	Solid	12/01/22 10:00	12/02/22 13:30
590-19375-4	GEI039-B3 (19-20)	Solid	12/01/22 10:25	12/02/22 13:30
590-19375-5	GEI039-B3 (22-23)	Solid	12/01/22 10:30	12/02/22 13:30
590-19375-6	GEI039-B4 (6-7)	Solid	12/01/22 13:15	12/02/22 13:30
590-19375-7	GEI039-B4 (7-8)	Solid	12/01/22 13:20	12/02/22 13:30
590-19375-8	GEI039-B5 (5-6)	Solid	12/01/22 13:50	12/02/22 13:30
590-19375-9	GEI039-B5 (10-11)	Solid	12/01/22 13:53	12/02/22 13:30
590-19375-10	GEI039-B6 (6-7)	Solid	12/01/22 14:15	12/02/22 13:30
590-19375-11	GEI039-B7 (6-7)	Solid	12/01/22 15:05	12/02/22 13:30
590-19375-12	GEI039-B-DUP	Solid	12/01/22 08:00	12/02/22 13:30
590-19375-13	Trip Blank	Solid	12/01/22 08:00	12/02/22 13:30
590-19375-14	GE1039-WC	Solid	12/01/22 16:20	12/02/22 13:30

Job ID: 590-19375-1

## **Definitions/Glossary**

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00 Job ID: 590-19375-1

#### Qualifiers

Quaimers		
GC/MS VOA		
Qualifier	Qualifier Description	
F2	MS/MSD RPD exceeds control limits	
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	5
Metals		
Qualifier	Qualifier Description	
В	Compound was found in the blank and sample.	
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.	
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	8
Glossary		
Abbreviation	These commonly used abbreviations may or may not be present in this report.	9
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	
CFU	Colony Forming Unit	
CNF	Contains No Free Liquid	
DER	Duplicate Error Ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	
DL	Detection Limit (DoD/DOE)	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	

DLCDecision Level Concentration (Radiochemistry)EDLEstimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit

ML Minimum Level (Dioxin)

MPNMost Probable NumberMQLMethod Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

- NEG Negative / Absent
- POS Positive / Present
- PQL Practical Quantitation Limit

PRES Presumptive

QC Quality Control

- RER Relative Error Ratio (Radiochemistry)
- RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

- TEF Toxicity Equivalent Factor (Dioxin)
- TEQ Toxicity Equivalent Quotient (Dioxin)
- TNTC Too Numerous To Count

#### Client Sample ID: GEI039-B1 (12-13) Date Collected: 12/01/22 08:50 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

#### Lab Sample ID: 590-19375-1 Matrix: Solid Percent Solids: 84.4

Method: SW846 8260D	- Volatile Organic	Compounds by GC/M	s					
Analyte		Qualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND	0.15	0.041	mg/Kg	— <u> </u>	12/07/22 14:23	12/07/22 22:32	1
Chloromethane	ND	0.74	0.062	mg/Kg	☆	12/07/22 14:23	12/07/22 22:32	1
Vinyl chloride	ND	0.089	0.030	mg/Kg	☆	12/07/22 14:23	12/07/22 22:32	1
Bromomethane	ND	0.74	0.049	mg/Kg		12/07/22 14:23	12/07/22 22:32	1
Chloroethane	ND	0.30	0.083	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Trichlorofluoromethane	ND	0.30	0.048	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1-Dichloroethene	ND	0.15	0.050	mg/Kg	¢.	12/07/22 14:23	12/07/22 22:32	1
Methylene Chloride	ND	0.52	0.30	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
trans-1,2-Dichloroethene	ND	0.15	0.034	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1-Dichloroethane	ND	0.15	0.039	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
2,2-Dichloropropane	ND	0.15	0.036	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
cis-1,2-Dichloroethene	ND	0.15	0.031	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Bromochloromethane	ND	0.15	0.059	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Chloroform	ND	0.15	0.035	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1,1-Trichloroethane	ND	0.15	0.026	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Carbon tetrachloride	ND	0.15	0.016	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1-Dichloropropene	ND	0.15	0.026	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Benzene	ND	0.030	0.015	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,2-Dichloroethane	ND	0.15	0.010	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Trichloroethene	ND	0.037	0.011	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,2-Dichloropropane	ND	0.18	0.045	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Dibromomethane	ND	0.15	0.033	mg/Kg	¢.	12/07/22 14:23	12/07/22 22:32	1
Bromodichloromethane	ND	0.15	0.092	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
cis-1,3-Dichloropropene	ND	0.15	0.030	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Toluene	ND	0.15	0.020	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
trans-1,3-Dichloropropene	ND	0.15	0.039	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1,2-Trichloroethane	ND	0.15	0.052	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Tetrachloroethene	ND	0.059	0.026	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,3-Dichloropropane	ND	0.15	0.044	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Dibromochloromethane	ND	0.30	0.024	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,2-Dibromoethane (EDB)	ND	0.15	0.049	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Chlorobenzene	ND	0.15	0.031	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Ethylbenzene	ND	0.15	0.024	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1,1,2-Tetrachloroethane	ND	0.15	0.028	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,1,2,2-Tetrachloroethane	ND	0.15	0.043	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
m,p-Xylene	ND	0.59	0.042	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
o-Xylene	ND	0.30	0.034	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Styrene	ND	0.15	0.035	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Bromoform	ND	0.30	0.028	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Isopropylbenzene	ND	0.15	0.046	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
Bromobenzene	ND	0.15	0.033	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
N-Propylbenzene	ND	0.15	0.039	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,2,3-Trichloropropane	ND	0.30	0.054	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
2-Chlorotoluene	ND	0.15	0.024	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
1,3,5-Trimethylbenzene	ND	0.15	0.047	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
4-Chlorotoluene	ND	0.15	0.013	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
tert-Butylbenzene	ND	0.15		mg/Kg	₽	12/07/22 14:23	12/07/22 22:32	1
1,2,4-Trimethylbenzene	ND	0.15		mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1
sec-Butylbenzene	ND	0.15	0.027	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1

**Eurofins Spokane** 

#### Client Sample ID: GEI039-B1 (12-13) Date Collected: 12/01/22 08:50 Date Received: 12/02/22 13:30

Analyte

1,3-Dichlorobenzene

Job ID: 590-19375-1

#### Lab Sample ID: 590-19375-1 Matrix: Solid Percent Solids: 84.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued) MDL Unit D Dil Fac Prepared Analyzed 0.019 mg/Kg ☆ 12/07/22 14:23 12/07/22 22:32 1 40/07/00 44.00 40/07/00 00.00 .....

					5.5					
p-Isopropyltoluene	ND		0.15	0.030	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
1,4-Dichlorobenzene	ND		0.15	0.030	mg/Kg	₽	12/07/22 14:23	12/07/22 22:32	1	2
n-Butylbenzene	ND		0.15	0.041	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
1,2-Dichlorobenzene	ND		0.15	0.034	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
1,2-Dibromo-3-Chloropropane	ND		0.74	0.089	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
1,2,4-Trichlorobenzene	ND		0.15	0.027	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
1,2,3-Trichlorobenzene	ND		0.15	0.049	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
Hexachlorobutadiene	ND		0.15	0.024	mg/Kg	₽	12/07/22 14:23	12/07/22 22:32	1	
Naphthalene	ND		0.30	0.041	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
Methyl tert-butyl ether	ND		0.074	0.044	mg/Kg	¢	12/07/22 14:23	12/07/22 22:32	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
Toluene-d8 (Surr)	90		80 - 120				12/07/22 14:23	12/07/22 22:32	1	
4-Bromofluorobenzene (Surr)	94		76 - 122				12/07/22 14:23	12/07/22 22:32	1	
Dibromofluoromethane (Surr)	101		80 - 120				12/07/22 14:23	12/07/22 22:32	1	
1,2-Dichloroethane-d4 (Surr)	96		75 - 129				12/07/22 14:23	12/07/22 22:32	1	

RL

0.15

#### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Result Qualifier

ND

Analyte Gasoline	Result ND	Qualifier	<b>RL</b> 7.4	 Unit mg/Kg	<b>D</b>	Prepared 12/07/22 14:23	Analyzed 12/07/22 22:32	Dil Fac
Surrogate 4-Bromofluorobenzene (Surr)	%Recovery 94	Qualifier	Limits 41.5 - 162			Prepared 12/07/22 14:23	Analyzed	Dil Fac

#### Client Sample ID: GEI039-B2 (16-17) Date Collected: 12/01/22 09:55 Date Received: 12/02/22 13:30

#### Lab Sample ID: 590-19375-2 Matrix: Solid Percent Solids: 75.9

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result (	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND F	F2	0.17	0.048	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Chloromethane	ND		0.86	0.072	mg/Kg	☆	12/07/22 14:23	12/07/22 23:15	1
Vinyl chloride	ND		0.10	0.035	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Bromomethane	ND		0.86	0.057	mg/Kg	₽	12/07/22 14:23	12/07/22 23:15	1
Chloroethane	ND		0.34	0.097	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Trichlorofluoromethane	ND		0.34	0.056	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,1-Dichloroethene	ND		0.17	0.059	mg/Kg	₿	12/07/22 14:23	12/07/22 23:15	1
Methylene Chloride	ND		0.60	0.34	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
trans-1,2-Dichloroethene	ND		0.17	0.039	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,1-Dichloroethane	ND		0.17	0.045	mg/Kg	₽	12/07/22 14:23	12/07/22 23:15	1
2,2-Dichloropropane	ND		0.17	0.042	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
cis-1,2-Dichloroethene	ND		0.17	0.036	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Bromochloromethane	ND		0.17	0.069	mg/Kg	₽	12/07/22 14:23	12/07/22 23:15	1
Chloroform	ND		0.17	0.040	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,1,1-Trichloroethane	ND		0.17	0.030	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Carbon tetrachloride	ND		0.17	0.019	mg/Kg	₽	12/07/22 14:23	12/07/22 23:15	1
1,1-Dichloropropene	ND		0.17	0.030	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Benzene	ND		0.034	0.017	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,2-Dichloroethane	ND		0.17	0.012	mg/Kg	☆	12/07/22 14:23	12/07/22 23:15	1
Trichloroethene	ND		0.043	0.013	mg/Kg	☆	12/07/22 14:23	12/07/22 23:15	1

**Eurofins Spokane** 

6

# **Client Sample Results**

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

#### Client Sample ID: GEI039-B2 (16-17) Date Collected: 12/01/22 09:55 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

#### Lab Sample ID: 590-19375-2 Matrix: Solid Percent Solids: 75.9

Analyte 1,2-Dichloropropane		Qualifier	RL				Prepared	Analyzed	Dil Fac
	ND		0.21	0.052	mg/Kg	— <u> </u>	12/07/22 14:23	12/07/22 23:15	1
Dibromomethane	ND		0.17		mg/Kg		12/07/22 14:23	12/07/22 23:15	1
Bromodichloromethane	ND		0.17	0.11		¢	12/07/22 14:23	12/07/22 23:15	1
cis-1,3-Dichloropropene	ND		0.17		mg/Kg	÷	12/07/22 14:23	12/07/22 23:15	1
Toluene	ND		0.17		mg/Kg		12/07/22 14:23		1
trans-1,3-Dichloropropene	ND		0.17		mg/Kg	÷		12/07/22 23:15	1
1,1,2-Trichloroethane	ND		0.17		mg/Kg	¢		12/07/22 23:15	1
Tetrachloroethene	0.12		0.069		mg/Kg		12/07/22 14:23		1
1,3-Dichloropropane	ND		0.17		mg/Kg	÷		12/07/22 23:15	1
Dibromochloromethane	ND		0.34		mg/Kg	÷.		12/07/22 23:15	1
1,2-Dibromoethane (EDB)	ND		0.17		mg/Kg		12/07/22 14:23		
Chlorobenzene	ND		0.17		mg/Kg	÷.		12/07/22 23:15	1
Ethylbenzene	ND		0.17		mg/Kg	÷.		12/07/22 23:15	1
1,1,1,2-Tetrachloroethane	ND		0.17		mg/Kg		12/07/22 14:23		
1,1,2,2-Tetrachloroethane	ND		0.17		mg/Kg	÷		12/07/22 23:15	1
m,p-Xylene	ND		0.69		mg/Kg	÷		12/07/22 23:15	1
o-Xylene	ND		0.34		mg/Kg mg/Kg		12/07/22 14:23		
Styrene	ND		0.34		mg/Kg mg/Kg			12/07/22 23:15	1
•						¢ v			•
Bromoform	ND		0.34		mg/Kg	÷ • • • • • •		12/07/22 23:15	1
Isopropylbenzene	ND		0.17		mg/Kg		12/07/22 14:23		1
Bromobenzene	ND		0.17		mg/Kg	¢		12/07/22 23:15	1
N-Propylbenzene	ND		0.17		mg/Kg	¢		12/07/22 23:15	
1,2,3-Trichloropropane	ND		0.34		mg/Kg	÷.		12/07/22 23:15	1
2-Chlorotoluene	ND		0.17		mg/Kg	¢		12/07/22 23:15	1
1,3,5-Trimethylbenzene	ND		0.17		mg/Kg	₩		12/07/22 23:15	1
4-Chlorotoluene	ND		0.17		mg/Kg	¢	12/07/22 14:23		1
tert-Butylbenzene	ND		0.17		mg/Kg	¢		12/07/22 23:15	1
1,2,4-Trimethylbenzene	ND		0.17		mg/Kg	\$		12/07/22 23:15	1
sec-Butylbenzene	ND		0.17		mg/Kg	¢		12/07/22 23:15	1
1,3-Dichlorobenzene	ND		0.17		mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
p-Isopropyltoluene	ND		0.17		mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,4-Dichlorobenzene	ND		0.17	0.035	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
n-Butylbenzene	ND		0.17	0.047	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,2-Dichlorobenzene	ND		0.17	0.040	mg/Kg	¢	12/07/22 14:23		1
1,2-Dibromo-3-Chloropropane	ND		0.86	0.10	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,2,4-Trichlorobenzene	ND		0.17	0.032	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
1,2,3-Trichlorobenzene	ND		0.17	0.057	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Hexachlorobutadiene	ND		0.17	0.028	mg/Kg	₽	12/07/22 14:23	12/07/22 23:15	1
Naphthalene	ND		0.34	0.048	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Methyl tert-butyl ether	ND		0.086	0.052	mg/Kg	¢	12/07/22 14:23	12/07/22 23:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 120				12/07/22 14:23	12/07/22 23:15	1
4-Bromofluorobenzene (Surr)	92		76 - 122				12/07/22 14:23	12/07/22 23:15	1
Dibromofluoromethane (Surr)	100		80 - 120				12/07/22 14:23	12/07/22 23:15	1
1,2-Dichloroethane-d4 (Surr)	96		75 - 129				12/07/22 14:23	12/07/22 23:15	1
Method: NWTPH-Gx - North	west - Volatile	Petroleu	n Products (	GC/MS)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

## **Client Sample Results**

Limits

41.5 - 162

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

Client Sample ID: GEI039-B2 (16-17) Date Collected: 12/01/22 09:55 Date Received: 12/02/22 13:30

%Recovery Qualifier

92

ND

ND

ND

ND

ND

Surrogate

Styrene

Bromoform

Isopropylbenzene

Bromobenzene

N-Propylbenzene

4-Bromofluorobenzene (Surr)

Job ID: 590-19375-1

Percent Solids: 75.9

Analyzed

Matrix: Solid

Dil Fac

1

Lab Sample ID: 590-19375-2

12/07/22 14:23 12/07/22 23:15

Prepared

lient Sample ID: GEI03					L	ab Sample.	e ID: 590-19		
ate Collected: 12/01/22 10:0								: Solid	
ate Received: 12/02/22 13:3	50						Percent Solid	s: 77.5	
Method: SW846 8260D - Vol	latile Organic Comp	ounds by GC/MS	;						
Analyte	Result Qualifi	ier RL		Unit	D	Prepared	Analyzed	Dil Fac	2
Dichlorodifluoromethane	ND	0.17	0.049	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Chloromethane	ND	0.86	0.072	mg/Kg	₽	12/07/22 14:23	12/08/22 00:19	1	
Vinyl chloride	ND	0.10	0.035	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Bromomethane	ND	0.86	0.057	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Chloroethane	ND	0.35	0.097	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Trichlorofluoromethane	ND	0.35	0.057	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
1,1-Dichloroethene	ND	0.17	0.059	mg/Kg	₽	12/07/22 14:23	12/08/22 00:19	1	
Methylene Chloride	ND	0.60	0.35	mg/Kg	₽	12/07/22 14:23	12/08/22 00:19	1	
rans-1,2-Dichloroethene	ND	0.17	0.040	mg/Kg	₽	12/07/22 14:23	12/08/22 00:19	1	
1,1-Dichloroethane	ND	0.17	0.046	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
2,2-Dichloropropane	ND	0.17	0.042	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
cis-1,2-Dichloroethene	ND	0.17	0.036	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Bromochloromethane	ND	0.17	0.069	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Chloroform	ND	0.17	0.041	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
1,1,1-Trichloroethane	ND	0.17	0.030	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Carbon tetrachloride	ND	0.17	0.019	mg/Kg		12/07/22 14:23	12/08/22 00:19	1	
1,1-Dichloropropene	ND	0.17	0.030	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Benzene	ND	0.035	0.017	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
1,2-Dichloroethane	ND	0.17	0.012	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Trichloroethene	ND	0.043	0.013	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
1,2-Dichloropropane	ND	0.21	0.052	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Dibromomethane	ND	0.17	0.039	mg/Kg	¢.	12/07/22 14:23	12/08/22 00:19	1	
Bromodichloromethane	ND	0.17	0.11	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
cis-1,3-Dichloropropene	ND	0.17	0.035	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
Toluene	ND	0.17	0.023	mg/Kg		12/07/22 14:23	12/08/22 00:19	1	
rans-1,3-Dichloropropene	ND	0.17		mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1	
1,1,2-Trichloroethane	ND	0.17		mg/Kg	ġ.	12/07/22 14:23		1	
Tetrachloroethene	0.22	0.069		mg/Kg		12/07/22 14:23			
1,3-Dichloropropane	ND	0.17		mg/Kg	₽		12/08/22 00:19	1	
Dibromochloromethane	ND	0.35		mg/Kg	¢		12/08/22 00:19	1	
1,2-Dibromoethane (EDB)	ND	0.17		mg/Kg		12/07/22 14:23			
Chlorobenzene	ND	0.17		mg/Kg	¢	12/07/22 14:23		1	
Ethylbenzene	ND	0.17		mg/Kg	ġ.	12/07/22 14:23		1	
1,1,1,2-Tetrachloroethane	ND	0.17		mg/Kg			12/08/22 00:19		
1,1,2,2-Tetrachloroethane	ND	0.17	0.050	mg/Kg	ġ.	12/07/22 14:23		1	
n,p-Xylene	ND	0.69	0.050	mg/Kg	÷.	12/07/22 14:23		1	
p-Xylene	ND	0.35		mg/Kg		12/07/22 14:23			

0.041 mg/Kg

0.033 mg/Kg

0.053 mg/Kg

0.039 mg/Kg

0.046 mg/Kg

**Eurofins Spokane** 

12/07/22 14:23 12/08/22 00:19

12/07/22 14:23 12/08/22 00:19

☆ 12/07/22 14:23 12/08/22 00:19

12/07/22 14:23 12/08/22 00:19

12/07/22 14:23 12/08/22 00:19

0.17

0.35

0.17

0.17

0.17

1

1

1

1

1

#### Client Sample ID: GEI039-B2 (18-19) Date Collected: 12/01/22 10:00 Date Received: 12/02/22 13:30

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	ND		0.35	0.063	mg/Kg	☆	12/07/22 14:23	12/08/22 00:19	1
2-Chlorotoluene	ND		0.17	0.028	mg/Kg	₿	12/07/22 14:23	12/08/22 00:19	1
1,3,5-Trimethylbenzene	ND		0.17	0.055	mg/Kg	₽	12/07/22 14:23	12/08/22 00:19	1
4-Chlorotoluene	ND		0.17	0.015	mg/Kg	₿	12/07/22 14:23	12/08/22 00:19	1
tert-Butylbenzene	ND		0.17	0.034	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
1,2,4-Trimethylbenzene	ND		0.17	0.040	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
sec-Butylbenzene	ND		0.17	0.032	mg/Kg	☆	12/07/22 14:23	12/08/22 00:19	1
1,3-Dichlorobenzene	ND		0.17	0.022	mg/Kg	☆	12/07/22 14:23	12/08/22 00:19	1
p-Isopropyltoluene	ND		0.17	0.035	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
1,4-Dichlorobenzene	ND		0.17	0.036	mg/Kg	☆	12/07/22 14:23	12/08/22 00:19	1
n-Butylbenzene	ND		0.17	0.048	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
1,2-Dichlorobenzene	ND		0.17	0.040	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
1,2-Dibromo-3-Chloropropane	ND		0.86	0.10	mg/Kg	☆	12/07/22 14:23	12/08/22 00:19	1
1,2,4-Trichlorobenzene	0.095	J	0.17	0.032	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
1,2,3-Trichlorobenzene	0.14	J	0.17	0.058	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
Hexachlorobutadiene	0.096	J	0.17	0.028	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
Naphthalene	0.091	J	0.35	0.048	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
Methyl tert-butyl ether	ND		0.086	0.052	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		80 - 120				12/07/22 14:23	12/08/22 00:19	1
4-Bromofluorobenzene (Surr)	91		76 - 122				12/07/22 14:23	12/08/22 00:19	1

#### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

102

95

			in roudels	(00/110)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		8.6	3.1	mg/Kg	¢	12/07/22 14:23	12/08/22 00:19	1
Surrogate 4-Bromofluorobenzene (Surr)	%Recovery 91	Qualifier	Limits 41.5 - 162				Prepared 12/07/22 14:23	Analyzed 12/08/22 00:19	Dil Fac

80 - 120

75 - 129

## Client Sample ID: GEI039-B3 (19-20)

Date Collected: 12/01/22 10:25 Date Received: 12/02/22 13:30

Dibromofluoromethane (Surr)

1,2-Dichloroethane-d4 (Surr)

#### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.22	0.063	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Chloromethane	ND		1.1	0.094	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Vinyl chloride	ND		0.13	0.045	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	1
Bromomethane	ND		1.1	0.074	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Chloroethane	ND		0.45	0.13	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Trichlorofluoromethane	ND		0.45	0.074	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
1,1-Dichloroethene	ND		0.22	0.077	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Methylene Chloride	ND		0.79	0.45	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
trans-1,2-Dichloroethene	ND		0.22	0.051	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
1,1-Dichloroethane	ND		0.22	0.059	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
2,2-Dichloropropane	ND		0.22	0.055	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
cis-1,2-Dichloroethene	ND		0.22	0.047	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Bromochloromethane	ND		0.22	0.090	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1

**Eurofins Spokane** 

12/16/2022

5

6

1

1

Matrix: Solid

Percent Solids: 82.9

#### Lab Sample ID: 590-19375-3 Matrix: Solid

12/07/22 14:23 12/08/22 00:19

12/07/22 14:23 12/08/22 00:19

Lab Sample ID: 590-19375-4

Percent Solids: 77.5

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

#### Client Sample ID: GEI039-B3 (19-20) Date Collected: 12/01/22 10:25 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

## Lab Sample ID: 590-19375-4 Matrix: Solid

Percent Solids: 82.9

5

6

Analyte	Result	Qualifier	RL	MDL		D	Prepared	Analyzed	Dil Fac
Chloroform	ND		0.22	0.053	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
1,1,1-Trichloroethane	ND		0.22	0.039	mg/Kg	☆	12/07/22 14:23	12/08/22 01:02	1
Carbon tetrachloride	ND		0.22	0.025	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	1
1,1-Dichloropropene	ND		0.22	0.039	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Benzene	ND		0.045	0.022	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	1
1,2-Dichloroethane	ND		0.22	0.016	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Trichloroethene	ND		0.056	0.017	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
1,2-Dichloropropane	ND		0.27	0.068	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Dibromomethane	ND		0.22	0.050	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	1
Bromodichloromethane	ND		0.22	0.14	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	1
cis-1,3-Dichloropropene	ND		0.22	0.046	mg/Kg	☆	12/07/22 14:23	12/08/22 01:02	
Toluene	ND		0.22	0.030	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	
trans-1,3-Dichloropropene	ND		0.22	0.059	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	
1,1,2-Trichloroethane	ND		0.22	0.079	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	1
Tetrachloroethene	ND		0.090	0.039	mg/Kg		12/07/22 14:23	12/08/22 01:02	1
1,3-Dichloropropane	ND		0.22	0.067	mg/Kg	¢	12/07/22 14:23	12/08/22 01:02	
Dibromochloromethane	ND		0.45	0.036	mg/Kg	₽	12/07/22 14:23	12/08/22 01:02	
1,2-Dibromoethane (EDB)	ND		0.22	0.075	mg/Kg	¢		12/08/22 01:02	
Chlorobenzene	ND		0.22	0.046	mg/Kg	₽		12/08/22 01:02	
Ethylbenzene	ND		0.22		mg/Kg	₽		12/08/22 01:02	
1,1,1,2-Tetrachloroethane	ND		0.22		mg/Kg		12/07/22 14:23	12/08/22 01:02	
1,1,2,2-Tetrachloroethane	ND		0.22		mg/Kg	÷.		12/08/22 01:02	
m,p-Xylene	ND		0.90		mg/Kg	¢.		12/08/22 01:02	
o-Xylene	ND		0.45		mg/Kg			12/08/22 01:02	
Styrene	ND		0.22		mg/Kg	Å		12/08/22 01:02	
Bromoform	ND		0.45		mg/Kg	Å		12/08/22 01:02	
sopropylbenzene	ND		0.22		mg/Kg			12/08/22 01:02	
Bromobenzene	ND		0.22		mg/Kg	÷.		12/08/22 01:02	
N-Propylbenzene	ND		0.22		mg/Kg	Å		12/08/22 01:02	
1,2,3-Trichloropropane	ND		0.22		mg/Kg			12/08/22 01:02	
2-Chlorotoluene	ND		0.43		mg/Kg	¢		12/08/22 01:02	
1,3,5-Trimethylbenzene	ND		0.22		mg/Kg	÷		12/08/22 01:02	
4-Chlorotoluene	ND		0.22		mg/Kg			12/08/22 01:02	
tert-Butylbenzene	ND		0.22		mg/Kg	¢.		12/08/22 01:02	
1,2,4-Trimethylbenzene	ND		0.22		mg/Kg	¥ ¢	12/07/22 14:23		
sec-Butylbenzene					mg/Kg			12/08/22 01:02	
1,3-Dichlorobenzene	ND ND		0.22		mg/Kg	¢ ¢		12/08/22 01:02	
p-Isopropyltoluene	ND		0.22		mg/Kg mg/Kg	₽ ¢		12/08/22 01:02	
			0.22		mg/Kg mg/Kg			12/08/22 01:02	
1,4-Dichlorobenzene n-Butylbenzene	ND ND		0.22		mg/Kg mg/Kg	¢ ¢		12/08/22 01:02	
•								12/08/22 01:02	
1,2-Dichlorobenzene	ND		0.22		mg/Kg	÷ · · · · .			· · · · · · · · ·
1,2-Dibromo-3-Chloropropane	ND		1.1		mg/Kg	¢ ×		12/08/22 01:02	•
1,2,4-Trichlorobenzene	ND		0.22		mg/Kg	Å.		12/08/22 01:02	
1,2,3-Trichlorobenzene	ND		0.22		mg/Kg			12/08/22 01:02	
Hexachlorobutadiene	ND		0.22		mg/Kg	¢		12/08/22 01:02	
Naphthalene	ND		0.45		mg/Kg	¢		12/08/22 01:02	
Methyl tert-butyl ether	ND		0.11	0.067	mg/Kg	☆	12/07/22 14:23	12/08/22 01:02	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
Toluene-d8 (Surr)	<u></u>	Quanner	80 - 120					12/08/22 01:02	

# **Client Sample Results**

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00 Job ID: 590-19375-1

5 6

Client Sample ID: GEI03 Date Collected: 12/01/22 10:3	•	)				L	ab Sample	D: 590-19	)375-4 (: Solid
Date Collected: 12/01/22 10:2 Date Received: 12/02/22 13:3								Percent Solid	
Method: SW846 8260D - Vo	latile Organic	Compoun	ds by GC/MS	(Contir	ued)				
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		76 - 122				12/07/22 14:23	12/08/22 01:02	1
Dibromofluoromethane (Surr)	100		80 - 120				12/07/22 14:23	12/08/22 01:02	1
1,2-Dichloroethane-d4 (Surr)	97		75 - 129				12/07/22 14:23	12/08/22 01:02	1
_ Method: NWTPH-Gx - North	west - Volatile	Petroleu	m Products (						
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		11		mg/Kg	— <del>—</del>	12/07/22 14:23		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	<u>92</u>	Quanner	41.5 - 162				<u> </u>	12/08/22 01:02	1
Client Sample ID: GEI03 Date Collected: 12/01/22 10:3 Date Received: 12/02/22 13:3 Method: SW846 8260D - Vo	30 30		ide by GC/MS			L		HD: 590-19 Matrix Percent Solic	c: Solid
Analyte	•	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane		quantor	0.16		mg/Kg		12/07/22 14:23		1
Chloromethane	ND		0.78		mg/Kg	÷.		12/08/22 01:23	1
Vinyl chloride	ND		0.093		mg/Kg	÷	12/07/22 14:23		1
Bromomethane	ND		0.78		mg/Kg		12/07/22 14:23		
Chloroethane	ND		0.31		mg/Kg	ġ.		12/08/22 01:23	1
Trichlorofluoromethane	ND		0.31		mg/Kg	ġ.	12/07/22 14:23		1
1,1-Dichloroethene	ND		0.16		mg/Kg		12/07/22 14:23		
Methylene Chloride	ND		0.54		mg/Kg	ġ.		12/08/22 01:23	1
trans-1,2-Dichloroethene	ND		0.16		mg/Kg	¢		12/08/22 01:23	1
1,1-Dichloroethane	ND		0.16		mg/Kg		12/07/22 14:23		1
2,2-Dichloropropane	ND		0.16		mg/Kg	¢		12/08/22 01:23	1
cis-1,2-Dichloroethene	ND		0.16		mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Bromochloromethane	ND		0.16		mg/Kg		12/07/22 14:23	12/08/22 01:23	1
Chloroform	ND		0.16		mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
1,1,1-Trichloroethane	ND		0.16	0.027	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Carbon tetrachloride	ND		0.16	0.017	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
1,1-Dichloropropene	ND		0.16	0.027	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Benzene	ND		0.031	0.016	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
1,2-Dichloroethane	ND		0.16	0.011	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Trichloroethene	ND		0.039	0.012	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
1,2-Dichloropropane	ND		0.19	0.047	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Dibromomethane	ND		0.16	0.035	mg/Kg	₽	12/07/22 14:23	12/08/22 01:23	1
Bromodichloromethane	ND		0.16	0.096	mg/Kg	☆	12/07/22 14:23	12/08/22 01:23	1
cis-1,3-Dichloropropene	ND		0.16	0.032	mg/Kg	☆	12/07/22 14:23	12/08/22 01:23	1
Toluene	ND		0.16		mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
trans-1,3-Dichloropropene	ND		0.16		mg/Kg	₽	12/07/22 14:23	12/08/22 01:23	1
1,1,2-Trichloroethane	ND		0.16		mg/Kg	₿	12/07/22 14:23		1
Tetrachloroethene	ND		0.062		mg/Kg	¢	12/07/22 14:23		1
1,3-Dichloropropane	ND		0.16		mg/Kg	¢	12/07/22 14:23		1
Dibromochloromethane	ND		0.31		mg/Kg	¢	12/07/22 14:23		1
1,2-Dibromoethane (EDB)	ND		0.16		mg/Kg	¢	12/07/22 14:23		1
Chlorobenzene	ND		0.16		mg/Kg	☆	12/07/22 14:23	12/08/22 01:23	1
Ethylbenzene	ND		0.16	0.025	mg/Kg	☆	12/07/22 14:23	12/08/22 01:23	1

Result Qualifier

ND

ND

ND

ND

ND

ND

ND

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

#### Client Sample ID: GEI039-B3 (22-23) Date Collected: 12/01/22 10:30 Date Received: 12/02/22 13:30

Analyte

m,p-Xylene

o-Xylene

Styrene

Bromoform

Isopropylbenzene

1,1,1,2-Tetrachloroethane

1,1,2,2-Tetrachloroethane

Job ID: 590-19375-1

## Lab Sample ID: 590-19375-5 Matrix: Solid

Percent Solids: 96.0 Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued) MDL Unit RL D Prepared Analyzed Dil Fac 0.16 0.030 mg/Kg ☆ 12/07/22 14:23 12/08/22 01:23 1 6 12/07/22 14:23 12/08/22 01:23 0.16 0.045 mg/Kg 1 0.62 0.045 mg/Kg · 12/07/22 14:23 12/08/22 01:23 1 ÷ 12/07/22 14:23 12/08/22 01:23 0.31 0.036 mg/Kg 1 0.16 0.037 mg/Kg 12/07/22 14:23 12/08/22 01:23 1 12/07/22 14:23 12/08/22 01:23 0.31 0.030 mg/Kg 1 0 16 0.048 mg/Kg 12/07/22 14:23 12/08/22 01:23 1

1	isopropyidenzene	ND	0.16	0.046 mg/kg	↓ 12/07/22 14:23 12/06/22 01:23 1	
	Bromobenzene	ND	0.16	0.035 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	N-Propylbenzene	ND	0.16	0.041 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
I	1,2,3-Trichloropropane	ND	0.31	0.057 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	2-Chlorotoluene	ND	0.16	0.025 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	1,3,5-Trimethylbenzene	ND	0.16	0.050 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	4-Chlorotoluene	ND	0.16	0.013 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	tert-Butylbenzene	ND	0.16	0.030 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	1,2,4-Trimethylbenzene	ND	0.16	0.036 mg/Kg	☆ 12/07/22 14:23 12/08/22 01:23 1	
	sec-Butylbenzene	ND	0.16	0.029 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	1,3-Dichlorobenzene	ND	0.16	0.020 mg/Kg	☆ 12/07/22 14:23 12/08/22 01:23 1	
	p-Isopropyltoluene	ND	0.16	0.032 mg/Kg	☆ 12/07/22 14:23 12/08/22 01:23 1	
	1,4-Dichlorobenzene	ND	0.16	0.032 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	n-Butylbenzene	ND	0.16	0.043 mg/Kg	☆ 12/07/22 14:23 12/08/22 01:23 1	
	1,2-Dichlorobenzene	ND	0.16	0.036 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
I	1,2-Dibromo-3-Chloropropane	ND	0.78	0.093 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	1,2,4-Trichlorobenzene	ND	0.16	0.029 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	1,2,3-Trichlorobenzene	ND	0.16	0.052 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
I	Hexachlorobutadiene	ND	0.16	0.025 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	Naphthalene	ND	0.31	0.043 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
	Methyl tert-butyl ether	ND	0.078	0.047 mg/Kg	12/07/22 14:23 12/08/22 01:23 1	
I						

Surrogate	%Recovery 0	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120	12/07/22 14:23	12/08/22 01:23	1
4-Bromofluorobenzene (Surr)	91		76 - 122	12/07/22 14:23	12/08/22 01:23	1
Dibromofluoromethane (Surr)	101		80 - 120	12/07/22 14:23	12/08/22 01:23	1
1.2-Dichloroethane-d4 (Surr)	97		75 - 129	12/07/22 14:23	12/08/22 01:23	1

#### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		7.8	2.8	mg/Kg	¢	12/07/22 14:23	12/08/22 01:23	1
Surrogate 4-Bromofluorobenzene (Surr)	%Recovery 91	Qualifier	Limits 41.5 - 162				Prepared 12/07/22 14:23	Analyzed 12/08/22 01:23	Dil Fac

#### Client Sample ID: GEI039-B4 (6-7) Date Collected: 12/01/22 13:15 Date Received: 12/02/22 13:30

#### Method: SW846 8260D - Volatile Organic Compounds by GC/MS Analyte Result Qualifier RL MDL Unit D Prepared

Dichlorodifluoromethane	ND	0.20	0.057 mg/Kg	12/07/22 14:23 12/08/22 01:44	1
Chloromethane	ND	1.0	0.084 mg/Kg	12/07/22 14:23 12/08/22 01:44	1
Vinyl chloride	ND	0.12	0.041 mg/Kg	12/07/22 14:23 12/08/22 01:44	1
Bromomethane	ND	1.0	0.067 mg/Kg	12/07/22 14:23 12/08/22 01:44	1

**Eurofins Spokane** 

Matrix: Solid

Dil Fac

Percent Solids: 81.8

Analyzed

Lab Sample ID: 590-19375-6

#### Client Sample ID: GEI039-B4 (6-7) Date Collected: 12/01/22 13:15 Date Received: 12/02/22 13:30

Method: SW846 8260D - Vo Analyte	Result Qualifier	RL	MDL		D	Prepared	Analyzed	Dil Fac
Chloroethane				mg/Kg		<u> </u>	12/08/22 01:44	
Trichlorofluoromethane	ND	0.40		mg/Kg	÷		12/08/22 01:44	1
1,1-Dichloroethene	ND	0.40		mg/Kg			12/08/22 01:44	
Methylene Chloride	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
trans-1,2-Dichloroethene	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
1,1-Dichloroethane	ND	0.20		mg/Kg			12/08/22 01:44	
2,2-Dichloropropane	ND	0.20	0.033	mg/Kg	÷		12/08/22 01:44	1
cis-1,2-Dichloroethene	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
Bromochloromethane	ND	0.20		mg/Kg			12/08/22 01:44	
Chloroform	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
1,1,1-Trichloroethane	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
Carbon tetrachloride	ND	0.20		mg/Kg			12/08/22 01:44	
1,1-Dichloropropene	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
Benzene	ND	0.040		mg/Kg	÷		12/08/22 01:44	1
1,2-Dichloroethane	ND	0.20		mg/Kg			12/08/22 01:44	1
Trichloroethene	ND	0.051		mg/Kg	÷		12/08/22 01:44	1
1,2-Dichloropropane	ND	0.24		mg/Kg	÷		12/08/22 01:44	1
Dibromomethane	ND	0.20		mg/Kg			12/08/22 01:44	1
Bromodichloromethane	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
cis-1,3-Dichloropropene	ND	0.20	0.041	mg/Kg	÷		12/08/22 01:44	1
Toluene	ND	0.20		mg/Kg			12/08/22 01:44	
trans-1,3-Dichloropropene	ND	0.20		mg/Kg	¢		12/08/22 01:44	1
1,1,2-Trichloroethane	ND	0.20	0.000	mg/Kg	÷		12/08/22 01:44	1
Tetrachloroethene	2.6	0.081		mg/Kg			12/08/22 01:44	
1,3-Dichloropropane	ND	0.20		mg/Kg	¢		12/08/22 01:44	1
Dibromochloromethane	ND	0.40		mg/Kg	÷		12/08/22 01:44	1
1,2-Dibromoethane (EDB)	ND	0.20		mg/Kg			12/08/22 01:44	1
Chlorobenzene	ND	0.20		mg/Kg	÷		12/08/22 01:44	1
Ethylbenzene	ND	0.20	0.033	mg/Kg	÷		12/08/22 01:44	1
1,1,1,2-Tetrachloroethane	ND	0.20	0.039	mg/Kg			12/08/22 01:44	
1,1,2,2-Tetrachloroethane	ND	0.20	0.059	mg/Kg	¢		12/08/22 01:44	1
m,p-Xylene	ND	0.81	0.058	mg/Kg	¢		12/08/22 01:44	1
o-Xylene	ND	0.40	0.047				12/08/22 01:44	1
Styrene	ND	0.20	0.048	mg/Kg	¢		12/08/22 01:44	1
Bromoform	ND	0.40		mg/Kg	¢		12/08/22 01:44	1
Isopropylbenzene	ND	0.20		mg/Kg			12/08/22 01:44	1
Bromobenzene	ND	0.20		mg/Kg	☆	12/07/22 14:23		1
N-Propylbenzene	ND	0.20		mg/Kg	☆		12/08/22 01:44	1
1,2,3-Trichloropropane	ND	0.40		mg/Kg			12/08/22 01:44	1
2-Chlorotoluene	ND	0.20		mg/Kg	☆		12/08/22 01:44	1
1,3,5-Trimethylbenzene	ND	0.20		mg/Kg	₽		12/08/22 01:44	1
4-Chlorotoluene	ND	0.20		mg/Kg			12/08/22 01:44	1
tert-Butylbenzene	ND	0.20		mg/Kg	¢		12/08/22 01:44	1
1,2,4-Trimethylbenzene	ND	0.20		mg/Kg			12/08/22 01:44	1
sec-Butylbenzene	ND	0.20		mg/Kg			12/08/22 01:44	1
1,3-Dichlorobenzene	ND	0.20		mg/Kg			12/08/22 01:44	1
p-Isopropyltoluene	ND	0.20		mg/Kg			12/08/22 01:44	1
1,4-Dichlorobenzene	ND	0.20		mg/Kg			12/08/22 01:44	1
n-Butylbenzene	ND	0.20		mg/Kg			12/08/22 01:44	1

#### **Eurofins Spokane**

12/16/2022

Job ID: 590-19375-1

Percent Solids: 81.8

Matrix: Solid

Lab Sample ID: 590-19375-6

5 6

#### Client Sample ID: GEI039-B4 (6-7) Date Collected: 12/01/22 13:15 Date Received: 12/02/22 13:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene	ND		0.20	0.047	mg/Kg	<u></u>	12/07/22 14:23	12/08/22 01:44	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.12	mg/Kg	¢	12/07/22 14:23	12/08/22 01:44	1
1,2,4-Trichlorobenzene	ND		0.20	0.037	mg/Kg	¢	12/07/22 14:23	12/08/22 01:44	1
1,2,3-Trichlorobenzene	ND		0.20	0.068	mg/Kg	¢	12/07/22 14:23	12/08/22 01:44	1
Hexachlorobutadiene	ND		0.20	0.033	mg/Kg	¢	12/07/22 14:23	12/08/22 01:44	1
Naphthalene	ND		0.40	0.057	mg/Kg	₽	12/07/22 14:23	12/08/22 01:44	1
Methyl tert-butyl ether	ND		0.10	0.061	mg/Kg	¢	12/07/22 14:23	12/08/22 01:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120				12/07/22 14:23	12/08/22 01:44	1
4-Bromofluorobenzene (Surr)	94		76 - 122				12/07/22 14:23	12/08/22 01:44	1
Dibromofluoromethane (Surr)	103		80 - 120				12/07/22 14:23	12/08/22 01:44	1
1,2-Dichloroethane-d4 (Surr)	98		75 - 129				12/07/22 14:23	12/08/22 01:44	1
		Petroleu Qualifier	m Products (( <sub>RL</sub>	GC/MS) MDL	Unit	D	Prepared	Analyzed	Dil Fac
Method: NWTPH-Gx - Nort Analyte Gasoline		Qualifier	•	MDĹ	Unit mg/Kg	<b>D</b>	Prepared 12/07/22 14:23	Analyzed 12/08/22 01:44	Dil Fac
Analyte	Result	Qualifier J	RL	MDĹ					1
Analyte Gasoline	Result 5.0	Qualifier J	<b>RL</b> 10	MDĹ			12/07/22 14:23	12/08/22 01:44	Dil Fac 1 Dil Fac 1
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr)	Result           5.0           %Recovery           94	Qualifier J	RL           10	MDĹ		☆	12/07/22 14:23 Prepared 12/07/22 14:23	12/08/22 01:44 <b>Analyzed</b> 12/08/22 01:44	1 Dil Fac
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI03	Result         %Recovery         94         39-B4 (7-8)	Qualifier J	RL           10	MDĹ		☆	12/07/22 14:23 Prepared 12/07/22 14:23	12/08/22 01:44 Analyzed 12/08/22 01:44 PID: 590-19	1 Dil Fac 1 375-7
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI03 pate Collected: 12/01/22 13:	Result           %Recovery           94           39-B4 (7-8)           20	Qualifier J	RL           10	MDĹ		☆	12/07/22 14:23 Prepared 12/07/22 14:23 ab Sample	12/08/22 01:44 Analyzed 12/08/22 01:44 PID: 590-19	1 Dil Fac 1 0375-7 c: Solid
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI03 Date Collected: 12/01/22 13: Date Received: 12/02/22 13:	Result           %Recovery           94           39-B4 (7-8)           20           30	Qualifier J Qualifier	RL 10 Limits 41.5 - 162	<u>MDL</u> 3.6		☆	12/07/22 14:23 Prepared 12/07/22 14:23 ab Sample	12/08/22 01:44 Analyzed 12/08/22 01:44 12/08/22 01:44 DI: 590-19 Matrix	Dil Fac 1 1 1 375-7 4: Solid
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI0 Date Collected: 12/01/22 13: Date Received: 12/02/22 13: Method: SW846 8260D - Vo	Result         %Recovery         94         39-B4 (7-8)         20         30         blatile Organic	Qualifier J Qualifier	RL 10 <u>Limits</u> 41.5 - 162 ds by GC/MS	<u>MDL</u> 3.6	mg/Kg	☆	12/07/22 14:23 Prepared 12/07/22 14:23 ab Sample	12/08/22 01:44 Analyzed 12/08/22 01:44 12/08/22 01:44 DI: 590-19 Matrix	1 Dil Fac 1 375-7 3: Solid Is: 83.5
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI0 Date Collected: 12/01/22 13: Date Received: 12/02/22 13: Method: SW846 8260D - Vo Analyte	Result         %Recovery         94         39-B4 (7-8)         20         30         blatile Organic	Qualifier J Qualifier	RL 10 Limits 41.5 - 162	<u>MDL</u> 3.6		☆	12/07/22 14:23 Prepared 12/07/22 14:23 ab Sample	12/08/22 01:44 Analyzed 12/08/22 01:44 Percent Solid Analyzed	1 Dil Fac 1 0375-7 x: Solid
Analyte Gasoline Surrogate 4-Bromofluorobenzene (Surr) Client Sample ID: GEI0 Date Collected: 12/01/22 13: Date Received: 12/02/22 13: Method: SW846 8260D - Vo	Result         %Recovery         94         39-B4 (7-8)         20         30         blatile Organic	Qualifier J Qualifier	RL 10 <u>Limits</u> 41.5 - 162 ds by GC/MS	<u>MDL</u> 3.6 	mg/Kg	¤	12/07/22 14:23 Prepared 12/07/22 14:23 ab Sample	12/08/22 01:44 Analyzed 12/08/22 01:44 12/08/22 01:44 D: 590-19 Matrix Percent Solid	1 Dil Fac 1 375-7 3: Solid Is: 83.5

Dichlorodifluoromethane	ND	0.18	0.051 mg/Kg	\$	12/07/22 14:23	12/08/22 02:06	1
Chloromethane	ND	0.92	0.076 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Vinyl chloride	ND	0.11	0.037 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Bromomethane	ND	0.92	0.061 mg/Kg	☆	12/07/22 14:23	12/08/22 02:06	1
Chloroethane	ND	0.37	0.10 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Trichlorofluoromethane	ND	0.37	0.060 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
1,1-Dichloroethene	ND	0.18	0.062 mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
Methylene Chloride	ND	0.64	0.37 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
trans-1,2-Dichloroethene	ND	0.18	0.042 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
1,1-Dichloroethane	ND	0.18	0.048 mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
2,2-Dichloropropane	ND	0.18	0.044 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
cis-1,2-Dichloroethene	ND	0.18	0.038 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Bromochloromethane	ND	0.18	0.073 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Chloroform	ND	0.18	0.043 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
1,1,1-Trichloroethane	ND	0.18	0.032 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Carbon tetrachloride	ND	0.18	0.020 mg/Kg	☆	12/07/22 14:23	12/08/22 02:06	1
1,1-Dichloropropene	ND	0.18	0.032 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Benzene	ND	0.037	0.018 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
1,2-Dichloroethane	ND	0.18	0.013 mg/Kg	☆	12/07/22 14:23	12/08/22 02:06	1
Trichloroethene	ND	0.046	0.014 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
1,2-Dichloropropane	ND	0.22	0.055 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Dibromomethane	ND	0.18	0.041 mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
Bromodichloromethane	ND	0.18	0.11 mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
cis-1,3-Dichloropropene	ND	0.18	0.037 mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1

Lab Sample ID: 590-19375-6 Matrix: Solid

Percent Solids: 81.8

#### Client Sample ID: GEI039-B4 (7-8) Date Collected: 12/01/22 13:20 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

5 6

#### Lab Sample ID: 590-19375-7 Matrix: Solid Percent Solids: 83.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
oluene	ND		0.18	0.024	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
ans-1,3-Dichloropropene	ND		0.18	0.048	mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
,1,2-Trichloroethane	ND		0.18	0.065	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
etrachloroethene	ND		0.073	0.032	mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
,3-Dichloropropane	ND		0.18	0.054	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Dibromochloromethane	ND		0.37	0.030	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
,2-Dibromoethane (EDB)	ND		0.18	0.061	mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
Chlorobenzene	ND		0.18	0.038	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Ethylbenzene	ND		0.18	0.030	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
,1,1,2-Tetrachloroethane	ND		0.18	0.035	mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
,1,2,2-Tetrachloroethane	ND		0.18	0.053	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
n,p-Xylene	ND		0.73	0.053	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
-Xylene	ND		0.37	0.042	mg/Kg	₽	12/07/22 14:23	12/08/22 02:06	1
Styrene	ND		0.18	0.043	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Bromoform	ND		0.37	0.035	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
sopropylbenzene	ND		0.18	0.057	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
Bromobenzene	ND		0.18	0.041	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
I-Propylbenzene	ND		0.18	0.048	mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
,2,3-Trichloropropane	ND		0.37	0.067	mg/Kg	¢.	12/07/22 14:23	12/08/22 02:06	1
-Chlorotoluene	ND		0.18		mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
,3,5-Trimethylbenzene	ND		0.18		mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	-
-Chlorotoluene	ND		0.18		mg/Kg	÷		12/08/22 02:06	1
ert-Butylbenzene	ND		0.18		mg/Kg	¢	12/07/22 14:23	12/08/22 02:06	1
,2,4-Trimethylbenzene	ND		0.18		mg/Kg	¢		12/08/22 02:06	1
ec-Butylbenzene	ND		0.18		mg/Kg	÷			
,3-Dichlorobenzene	ND		0.18		mg/Kg	÷.		12/08/22 02:06	1
-Isopropyltoluene	ND		0.18		mg/Kg	¢		12/08/22 02:06	-
,4-Dichlorobenzene	ND		0.18		mg/Kg		12/07/22 14:23		
-Butylbenzene	ND		0.18	0.050	mg/Kg	¢		12/08/22 02:06	1
,2-Dichlorobenzene	ND		0.18		mg/Kg	¢		12/08/22 02:06	1
,2-Dibromo-3-Chloropropane	ND		0.92	0.11			12/07/22 14:23		
,2,4-Trichlorobenzene	ND		0.18		mg/Kg	¢		12/08/22 02:00	
,2,3-Trichlorobenzene	ND		0.18		mg/Kg	¢		12/08/22 02:00	1
exachlorobutadiene	ND		0.10		mg/Kg		12/07/22 14:23		
laphthalene	ND		0.18		mg/Kg	÷ ¢		12/08/22 02:00	
	ND		0.092		mg/Kg mg/Kg				
lethyl tert-butyl ether	ND		0.092	0.055	mg/kg	¢	12/07/22 14:23	12/06/22 02:06	
urrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
oluene-d8 (Surr)	98		80 - 120				12/07/22 14:23	12/08/22 02:06	-
-Bromofluorobenzene (Surr)	91		76 - 122				12/07/22 14:23	12/08/22 02:06	
Dibromofluoromethane (Surr)	102		80 - 120				12/07/22 14:23	12/08/22 02:06	
,2-Dichloroethane-d4 (Surr)	99		75 - 129				12/07/22 14:23	12/08/22 02:06	
Method: NWTPH-Gx - North	nwest - Volatile	e Petroleur	n Products (						
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fa
Casalina			0.2	2.2	malka			12/09/22 02:06	

Gasoline	ND		9.2	3.3	mg/Kg	12/07/22 14:23	12/08/22 02:06	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	91		41.5-162			12/07/22 14:23	12/08/22 02:06	1	

#### Client Sample ID: GEI039-B5 (5-6) Date Collected: 12/01/22 13:50 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

## Lab Sample ID: 590-19375-8 Matrix: Solid

Percent Solids: 82.3

Analyte		Compounds by GC/MS Qualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Dichlorodifluoromethane	ND	0.23		mg/Kg	— <u>–</u>		12/08/22 02:27	1	
Chloromethane	ND	1.2		mg/Kg	¢		12/08/22 02:27	1	
/inyl chloride	ND	0.14		mg/Kg	¢	12/07/22 14:23		1	
Bromomethane	ND	1.2		mg/Kg		12/07/22 14:23	12/08/22 02:27	1	
Chloroethane	ND	0.47		mg/Kg	¢		12/08/22 02:27	1	
Trichlorofluoromethane	ND	0.47		mg/Kg	¢		12/08/22 02:27	1	
I,1-Dichloroethene	ND	0.23		mg/Kg		12/07/22 14:23			
/lethylene Chloride	ND	0.82		mg/Kg	¢.		12/08/22 02:27	1	
rans-1,2-Dichloroethene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
,1-Dichloroethane	ND	0.23		mg/Kg		12/07/22 14:23		· · · · · · · · · · · · 1	
2,2-Dichloropropane	ND	0.23		mg/Kg	÷.		12/08/22 02:27	1	
sis-1,2-Dichloroethene	ND	0.23		mg/Kg	Å		12/08/22 02:27	1	
Bromochloromethane	ND	0.23		mg/Kg		12/07/22 14:23		· · · · · · · · · 1	
Chloroform	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
,1,1-Trichloroethane	ND	0.23		mg/Kg	÷		12/08/22 02:27	1	
Carbon tetrachloride	ND	0.23		mg/Kg mg/Kg		12/07/22 14:23			
,1-Dichloropropene	ND	0.23			¢		12/08/22 02:27	1	
senzene	ND	0.23		mg/Kg mg/Kg	¢		12/08/22 02:27	1	
,2-Dichloroethane	ND	0.23		mg/Kg mg/Kg		12/07/22 14:23		· · · · · · · · · · · · 1	
richloroethene	ND	0.23		mg/Kg mg/Kg	¢		12/08/22 02:27	1	
	ND	0.28					12/08/22 02:27	1	
2-Dichloropropane	ND	0.28		mg/Kg mg/Kg	¢		12/08/22 02:27	· · · · · · · · · · 1	
ibromomethane romodichloromethane					¢ ×			1	
	ND	0.23		mg/Kg	Å.		12/08/22 02:27	1	
s-1,3-Dichloropropene	ND	0.23 0.23		mg/Kg mg/Kg	¢		12/08/22 02:27 12/08/22 02:27	· · · · · · · · · · · · · · · · · · ·	
oluene	ND				Å.			•	
ans-1,3-Dichloropropene	ND ND	0.23 0.23		mg/Kg	Å.		12/08/22 02:27	1 1	
,1,2-Trichloroethane				mg/Kg	×		12/08/22 02:27		
etrachloroethene	5.7	0.094		mg/Kg	Å		12/08/22 02:27	1	
,3-Dichloropropane	ND	0.23		mg/Kg	Å		12/08/22 02:27	1	
ibromochloromethane	ND	0.47		mg/Kg	¢	12/07/22 14:23		1	
,2-Dibromoethane (EDB)	ND	0.23		mg/Kg	Å	12/07/22 14:23		1	
hlorobenzene	ND	0.23		mg/Kg	Å		12/08/22 02:27	1	
thylbenzene	ND	0.23		mg/Kg	×		12/08/22 02:27	1	
,1,1,2-Tetrachloroethane	ND	0.23		mg/Kg		12/07/22 14:23		1	
,1,2,2-Tetrachloroethane	ND	0.23		mg/Kg		12/07/22 14:23		1	
ı,p-Xylene	ND	0.94		mg/Kg		12/07/22 14:23		1	
-Xylene	ND	0.47		mg/Kg		12/07/22 14:23		1	
tyrene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
romoform	ND	0.47		mg/Kg	×		12/08/22 02:27	1	
sopropylbenzene	ND	0.23		mg/Kg		12/07/22 14:23		1	
romobenzene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
-Propylbenzene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
,2,3-Trichloropropane	ND	0.47		mg/Kg		12/07/22 14:23		1	
-Chlorotoluene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
,3,5-Trimethylbenzene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
-Chlorotoluene	ND	0.23		mg/Kg	¢	12/07/22 14:23		1	
ert-Butylbenzene	ND	0.23		mg/Kg	¢		12/08/22 02:27	1	
,2,4-Trimethylbenzene	ND	0.23	0.055	mg/Kg	¢	12/07/22 14:23	12/08/22 02:27	1	

#### Client Sample ID: GEI039-B5 (5-6) Date Collected: 12/01/22 13:50 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

## Lab Sample ID: 590-19375-8 Matrix: Solid

Percent Solids: 82.3

Method: SW846 8260D - Vo	latile Organic	Compound	ds by GC/MS	(Contin	lued)				
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	ND		0.23	0.029	mg/Kg	¢	12/07/22 14:23	12/08/22 02:27	1
p-Isopropyltoluene	ND		0.23	0.048	mg/Kg	¢	12/07/22 14:23	12/08/22 02:27	1
1,4-Dichlorobenzene	ND		0.23	0.048	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
n-Butylbenzene	ND		0.23	0.064	mg/Kg	¢	12/07/22 14:23	12/08/22 02:27	1
1,2-Dichlorobenzene	ND		0.23	0.055	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
1,2-Dibromo-3-Chloropropane	ND		1.2	0.14	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
1,2,4-Trichlorobenzene	ND		0.23	0.043	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
1,2,3-Trichlorobenzene	ND		0.23	0.078	mg/Kg	¢	12/07/22 14:23	12/08/22 02:27	1
Hexachlorobutadiene	ND		0.23	0.038	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
Naphthalene	ND		0.47	0.066	mg/Kg	₽	12/07/22 14:23	12/08/22 02:27	1
Methyl tert-butyl ether	ND		0.12	0.070	mg/Kg	☆	12/07/22 14:23	12/08/22 02:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		80 - 120				12/07/22 14:23	12/08/22 02:27	1
4-Bromofluorobenzene (Surr)	89		76 - 122				12/07/22 14:23	12/08/22 02:27	1
Dibromofluoromethane (Surr)	104		80 - 120				12/07/22 14:23	12/08/22 02:27	1
1,2-Dichloroethane-d4 (Surr)	100		75 - 129				12/07/22 14:23	12/08/22 02:27	1

#### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte Gasoline	Result 9.8	Qualifier J	<b>RL</b> 12	MDL 4.2	Unit mg/Kg	<u> </u>	Prepared 12/07/22 14:23	Analyzed 12/08/22 02:27	Dil Fac
Surrogate 4-Bromofluorobenzene (Surr)	%Recovery 89	Qualifier	Limits 41.5 - 162				Prepared 12/07/22 14:23	Analyzed	Dil Fac

#### Client Sample ID: GEI039-B5 (10-11) Date Collected: 12/01/22 13:53 Date Received: 12/02/22 13:30

### Lab Sample ID: 590-19375-9 Matrix: Solid

#### Percent Solids: 87.8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.15	0.043	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Chloromethane	ND		0.77	0.064	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Vinyl chloride	ND		0.092	0.031	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Bromomethane	ND		0.77	0.051	mg/Kg	₽	12/07/22 14:23	12/08/22 02:48	1
Chloroethane	ND		0.31	0.087	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Trichlorofluoromethane	ND		0.31	0.050	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
1,1-Dichloroethene	ND		0.15	0.052	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
Methylene Chloride	ND		0.54	0.31	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
trans-1,2-Dichloroethene	ND		0.15	0.035	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
1,1-Dichloroethane	ND		0.15	0.041	mg/Kg	₿	12/07/22 14:23	12/08/22 02:48	1
2,2-Dichloropropane	ND		0.15	0.037	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
cis-1,2-Dichloroethene	ND		0.15	0.032	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Bromochloromethane	ND		0.15	0.061	mg/Kg	₿	12/07/22 14:23	12/08/22 02:48	1
Chloroform	ND		0.15	0.036	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
1,1,1-Trichloroethane	ND		0.15	0.027	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Carbon tetrachloride	ND		0.15	0.017	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
1,1-Dichloropropene	ND		0.15	0.027	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Benzene	ND		0.031	0.015	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
1,2-Dichloroethane	ND		0.15	0.011	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Trichloroethene	ND		0.038		mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1

## **Client Sample Results**

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

#### Client Sample ID: GEI039-B5 (10-11) Date Collected: 12/01/22 13:53 Date Received: 12/02/22 13:30

Job ID: 590-19375-1

5

6

#### Lab Sample ID: 590-19375-9 Matrix: Solid Percent Solids: 87.8

Analyte	Result (	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	ND		0.18	0.047	mg/Kg	<u></u>	12/07/22 14:23	12/08/22 02:48	1
Dibromomethane	ND		0.15	0.034	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Bromodichloromethane	ND		0.15	0.096	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
cis-1,3-Dichloropropene	ND		0.15	0.031	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Toluene	ND		0.15	0.020	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
trans-1,3-Dichloropropene	ND		0.15	0.040	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
1,1,2-Trichloroethane	ND		0.15	0.054	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Tetrachloroethene	ND		0.062	0.027	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
1,3-Dichloropropane	ND		0.15	0.046	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Dibromochloromethane	ND		0.31	0.025	mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
1,2-Dibromoethane (EDB)	ND		0.15	0.052	mg/Kg	÷	12/07/22 14:23	12/08/22 02:48	1
Chlorobenzene	ND		0.15	0.032	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
Ethylbenzene	ND		0.15	0.025	mg/Kg	☆	12/07/22 14:23	12/08/22 02:48	1
1,1,1,2-Tetrachloroethane	ND		0.15	0.030	mg/Kg		12/07/22 14:23	12/08/22 02:48	1
1,1,2,2-Tetrachloroethane	ND		0.15		mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
m,p-Xylene	ND		0.62		mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
o-Xylene	ND		0.31		mg/Kg		12/07/22 14:23	12/08/22 02:48	1
Styrene	ND		0.15		mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Bromoform	ND		0.31		mg/Kg	¢	12/07/22 14:23	12/08/22 02:48	1
Isopropylbenzene	ND		0.15		mg/Kg	÷÷÷	12/07/22 14:23		1
Bromobenzene	ND		0.15		mg/Kg	÷.	12/07/22 14:23	12/08/22 02:48	1
N-Propylbenzene	ND		0.15		mg/Kg	÷	12/07/22 14:23		1
1,2,3-Trichloropropane	ND		0.31		mg/Kg		12/07/22 14:23		
2-Chlorotoluene	ND		0.15		mg/Kg	÷		12/08/22 02:48	1
1,3,5-Trimethylbenzene	ND		0.15		mg/Kg	÷.		12/08/22 02:48	1
4-Chlorotoluene	ND		0.15		mg/Kg		12/07/22 14:23		
tert-Butylbenzene	ND		0.15		mg/Kg	¢		12/08/22 02:48	1
1,2,4-Trimethylbenzene	ND		0.15		mg/Kg	¢		12/08/22 02:48	1
sec-Butylbenzene	ND		0.15		mg/Kg		12/07/22 14:23		
1,3-Dichlorobenzene	ND		0.15		mg/Kg	¢		12/08/22 02:48	1
p-Isopropyltoluene	ND		0.15		mg/Kg	¢		12/08/22 02:48	1
1,4-Dichlorobenzene	ND		0.15		mg/Kg		12/07/22 14:23		
n-Butylbenzene	ND		0.15		mg/Kg		12/07/22 14:23		1
1,2-Dichlorobenzene	ND		0.15		mg/Kg	¢ ¢	12/07/22 14:23		1
1,2-Dibromo-3-Chloropropane	ND		0.13		mg/Kg		12/07/22 14:23		1
, , , , , , , , , , , , , , , , , , , ,	ND		0.15		mg/Kg mg/Kg	¢.		12/08/22 02:48	1
1,2,4-Trichlorobenzene						14 ~			1
1,2,3-Trichlorobenzene	ND		0.15		mg/Kg		12/07/22 14:23		
Hexachlorobutadiene	ND		0.15		mg/Kg		12/07/22 14:23		1
Naphthalene Methyl tert-butyl ether	ND ND		0.31 0.077		mg/Kg mg/Kg	¢ ¢	12/07/22 14:23 12/07/22 14:23		1
		Qualifier			5 0				
Surrogate	%Recovery	Quaimer	Limits 80 - 120				Prepared	Analyzed 12/08/22 02:48	Dil Fac
Toluene-d8 (Surr)	96						12/07/22 14:23		1
4-Bromofluorobenzene (Surr)	88		76 - 122					12/08/22 02:48	1
Dibromofluoromethane (Surr)	98		80 - 120					12/08/22 02:48	1
1,2-Dichloroethane-d4 (Surr)	99		75 - 129				12/07/22 14:23	12/08/22 02:48	1
Method: NWTPH-Gx - North			•						
Analyte	Result (	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND	7.7	2.8	mg/Kg		12/07/22 14:23	12/08/22 02:48	1

## **Client Sample Results**

Styrene

Bromoform

Isopropylbenzene

N-Propylbenzene

Bromobenzene

Project/Site: John's Dry Clear	-							
Client Sample ID: GEI0					L	ab Sample.	e ID: 590-19	
Date Collected: 12/01/22 13:								c: Solid
Date Received: 12/02/22 13:	30						Percent Solid	ls: 87.8
Surrogate	%Recovery Qu	alifier Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88	41.5 - 16	2				12/08/22 02:48	1
Client Sample ID: GEI0	39-B6 (6-7)				La	b Sample	ID: 590-193	375-10
Date Collected: 12/01/22 14: Date Received: 12/02/22 13:	15							c: Solid
_		maganda hu Ci						
Method: SW846 8260D - Vo Analyte	Result Qu			Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND			mg/Kg		12/07/22 14:23		1
Chloromethane	ND			mg/Kg	÷.	12/07/22 14:23		1
Vinyl chloride	ND			mg/Kg		12/07/22 14:23		1
Bromomethane	ND			mg/Kg		12/07/22 14:23		· · · · · · · · · · · · · · · · · · ·
Chloroethane	ND			mg/Kg	Å	12/07/22 14:23		1
Trichlorofluoromethane	ND			mg/Kg	¢	12/07/22 14:23		1
1,1-Dichloroethene	ND			mg/Kg		12/07/22 14:23		
Methylene Chloride	ND	0.		mg/Kg	¢	12/07/22 14:23		1
trans-1,2-Dichloroethene	ND	0.		mg/Kg	¢	12/07/22 14:23		1
1,1-Dichloroethane	ND	0.		mg/Kg		12/07/22 14:23		· · · · · · · · · · · · · · · · · · ·
2,2-Dichloropropane	ND			mg/Kg	¢	12/07/22 14:23		1
cis-1,2-Dichloroethene	ND			mg/Kg		12/07/22 14:23		1
Bromochloromethane	ND			mg/Kg		12/07/22 14:23		
Chloroform	ND	0.		mg/Kg	¢	12/07/22 14:23		1
1,1,1-Trichloroethane	ND	0.		mg/Kg	æ	12/07/22 14:23		1
Carbon tetrachloride	ND	0.		mg/Kg		12/07/22 14:23		· · · · · · · · · · · · · · · · · · ·
1,1-Dichloropropene	ND	0.		mg/Kg	æ	12/07/22 14:23		1
Benzene	ND	0.0		mg/Kg	¢	12/07/22 14:23		1
1,2-Dichloroethane	ND	0.		mg/Kg		12/07/22 14:23		1
Trichloroethene	ND	0.0		mg/Kg	¢	12/07/22 14:23		1
1,2-Dichloropropane	ND	0.		mg/Kg	¢	12/07/22 14:23		1
Dibromomethane	ND			mg/Kg		12/07/22 14:23		
Bromodichloromethane	ND			mg/Kg		12/07/22 14:23		1
cis-1,3-Dichloropropene	ND			mg/Kg		12/07/22 14:23		1
Toluene	ND	0.		mg/Kg		12/07/22 14:23		
trans-1,3-Dichloropropene	ND			mg/Kg		12/07/22 14:23		1
1,1,2-Trichloroethane	ND			mg/Kg		12/07/22 14:23		1
Tetrachloroethene	ND	0.0		mg/Kg		12/07/22 14:23		
1,3-Dichloropropane	ND	0.		mg/Kg		12/07/22 14:23		1
Dibromochloromethane	ND	0.		mg/Kg		12/07/22 14:23		1
1,2-Dibromoethane (EDB)	ND			mg/Kg		12/07/22 14:23		1
Chlorobenzene	ND			mg/Kg		12/07/22 14:23		1
Ethylbenzene	ND			mg/Kg		12/07/22 14:23		1
1,1,1,2-Tetrachloroethane	ND			mg/Kg		12/07/22 14:23		1
1,1,2,2-Tetrachloroethane	ND	0.		mg/Kg	¢	12/07/22 14:23		1
m,p-Xylene	ND	0.		mg/Kg		12/07/22 14:23		1
o-Xylene	ND	0.		mg/Kg		12/07/22 14:23		
,		0.			Ť			

**Eurofins Spokane** 

12/07/22 14:23 12/08/22 03:10

12/07/22 14:23 12/08/22 03:10

12/07/22 14:23 12/08/22 03:10

12/07/22 14:23 12/08/22 03:10

12/07/22 14:23 12/08/22 03:10

0.18

0.35

0.18

0.18

0.18

0.042 mg/Kg

0.034 mg/Kg

0.055 mg/Kg

0.039 mg/Kg

0.047 mg/Kg

ND

ND

ND

ND

ND

1

1

1

1

1

5 6

# MD1 11.24

#### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.20	0.056	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Chloromethane	ND		1.0	0.084	mg/Kg	₽	12/09/22 10:44	12/09/22 13:55	1
Vinyl chloride	ND		0.12	0.040	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Bromomethane	ND		1.0	0.066	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Chloroethane	ND		0.40	0.11	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Trichlorofluoromethane	ND		0.40	0.066	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,1-Dichloroethene	ND		0.20	0.068	mg/Kg	☆	12/09/22 10:44	12/09/22 13:55	1
Methylene Chloride	ND		0.70	0.40	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
trans-1,2-Dichloroethene	ND		0.20	0.046	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,1-Dichloroethane	ND		0.20	0.053	mg/Kg	₽	12/09/22 10:44	12/09/22 13:55	1
2,2-Dichloropropane	ND		0.20	0.049	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
cis-1,2-Dichloroethene	ND		0.20	0.042	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Bromochloromethane	ND		0.20	0.080	mg/Kg	☆	12/09/22 10:44	12/09/22 13:55	1

**Eurofins Spokane** 

12/16/2022

## Project/Site: John's Dry Cleaning/0504-185-00 Client Sample ID: GEI039-B6 (6-7)

Date Collected: 12/01/22 14:15 Date Received: 12/02/22 13:30

Client: GeoEngineers Inc

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	ND		0.35	0.065	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
2-Chlorotoluene	ND		0.18	0.029	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,3,5-Trimethylbenzene	ND		0.18	0.057	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
4-Chlorotoluene	ND		0.18	0.015	mg/Kg	☆	12/07/22 14:23	12/08/22 03:10	1
tert-Butylbenzene	ND		0.18	0.034	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,2,4-Trimethylbenzene	ND		0.18	0.041	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
sec-Butylbenzene	ND		0.18	0.033	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,3-Dichlorobenzene	ND		0.18	0.022	mg/Kg	₿	12/07/22 14:23	12/08/22 03:10	1
p-Isopropyltoluene	ND		0.18	0.036	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,4-Dichlorobenzene	ND		0.18	0.036	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
n-Butylbenzene	ND		0.18	0.049	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,2-Dichlorobenzene	ND		0.18	0.041	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,2-Dibromo-3-Chloropropane	ND		0.88	0.11	mg/Kg	₿	12/07/22 14:23	12/08/22 03:10	1
1,2,4-Trichlorobenzene	ND		0.18	0.033	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
1,2,3-Trichlorobenzene	ND		0.18	0.059	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
Hexachlorobutadiene	ND		0.18	0.029	mg/Kg	☆	12/07/22 14:23	12/08/22 03:10	1
Naphthalene	ND		0.35	0.050	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
Methyl tert-butyl ether	ND		0.088	0.053	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		80 - 120				12/07/22 14:23	12/08/22 03:10	1
4-Bromofluorobenzene (Surr)	91		76 - 122				12/07/22 14:23	12/08/22 03:10	1
Dibromofluoromethane (Surr)	99		80 - 120				12/07/22 14:23	12/08/22 03:10	1

#### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

98

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result C	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		8.8	3.2	mg/Kg	¢	12/07/22 14:23	12/08/22 03:10	1
Surrogate	%Recovery G	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			41.5 - 162				12/07/22 14:23	12/08/22 03:10	1

75 - 129

# Client Sample ID: GEI039-B7 (6-7)

Date Collected: 12/01/22 15:05 Date Received: 12/02/22 13:30

1,2-Dichloroethane-d4 (Surr)

1

Matrix: Solid

Percent Solids: 82.0

12/07/22 14:23 12/08/22 03:10

Lab Sample ID: 590-19375-11

**Client Sample Results** 

## Client Sample ID: GEI039-B7 (6-7) Date Collected: 12/01/22 15:05

Project/Site: John's Dry Cleaning/0504-185-00

Date Received: 12/02/22 13:30

Client: GeoEngineers Inc

Method: SW846 8260D - Vo Analyte		Qualifier	RL	MDL		D	Prepared	Analyzed	Dil Fac
Chloroform	ND		0.20	0.047	mg/Kg		12/09/22 10:44	12/09/22 13:55	1
1,1,1-Trichloroethane	ND		0.20	0.035	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Carbon tetrachloride	ND		0.20	0.022	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,1-Dichloropropene	ND		0.20	0.035	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Benzene	ND		0.040	0.020	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,2-Dichloroethane	ND		0.20	0.014	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Trichloroethene	ND		0.050	0.015	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,2-Dichloropropane	ND		0.24	0.061	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Dibromomethane	ND		0.20	0.045	mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Bromodichloromethane	ND		0.20		mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
cis-1,3-Dichloropropene	ND		0.20		mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Toluene	ND		0.20	0.027	mg/Kg		12/09/22 10:44	12/09/22 13:55	1
trans-1,3-Dichloropropene	ND		0.20		mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
1,1,2-Trichloroethane	ND		0.20		mg/Kg	¢	12/09/22 10:44	12/09/22 13:55	1
Tetrachloroethene	4.1		0.080		mg/Kg		12/09/22 10:44		1
1,3-Dichloropropane	ND		0.20		mg/Kg	☆		12/09/22 13:55	1
Dibromochloromethane	ND		0.40		mg/Kg	☆		12/09/22 13:55	1
1,2-Dibromoethane (EDB)	ND		0.20		mg/Kg		12/09/22 10:44		1
Chlorobenzene	ND		0.20		mg/Kg	÷.		12/09/22 13:55	1
Ethylbenzene	ND		0.20		mg/Kg	¢		12/09/22 13:55	1
1,1,1,2-Tetrachloroethane	ND		0.20		mg/Kg		12/09/22 10:44		1
1,1,2,2-Tetrachloroethane	ND		0.20		mg/Kg	ġ.		12/09/22 13:55	1
m,p-Xylene	ND		0.80		mg/Kg	¢		12/09/22 13:55	1
o-Xylene	ND		0.40		mg/Kg			12/09/22 13:55	
Styrene	ND		0.20		mg/Kg	ġ.		12/09/22 13:55	. 1
Bromoform	ND		0.40		mg/Kg	÷.		12/09/22 13:55	1
Isopropylbenzene	ND		0.20		mg/Kg			12/09/22 13:55	
Bromobenzene	ND		0.20		mg/Kg	÷.		12/09/22 13:55	1
N-Propylbenzene	ND		0.20		mg/Kg	÷.		12/09/22 13:55	1
1,2,3-Trichloropropane	ND		0.40		mg/Kg			12/09/22 13:55	
2-Chlorotoluene	ND		0.20		mg/Kg	¢		12/09/22 13:55	1
1,3,5-Trimethylbenzene	ND		0.20		mg/Kg	÷.		12/09/22 13:55	1
4-Chlorotoluene	ND		0.20		mg/Kg		12/09/22 10:44		
tert-Butylbenzene	ND		0.20		mg/Kg	÷.		12/09/22 13:55	1
1,2,4-Trimethylbenzene	ND		0.20		mg/Kg	÷		12/09/22 13:55	1
sec-Butylbenzene	ND		0.20		mg/Kg		12/09/22 10:44		
1,3-Dichlorobenzene	ND		0.20		mg/Kg		12/09/22 10:44		1
p-Isopropyltoluene	ND		0.20		mg/Kg	÷	12/09/22 10:44		1
1,4-Dichlorobenzene	ND		0.20		mg/Kg		12/09/22 10:44		
n-Butylbenzene	ND		0.20		mg/Kg	÷		12/09/22 13:55	1
1,2-Dichlorobenzene	ND		0.20		mg/Kg mg/Kg			12/09/22 13:55	
					mg/Kg		12/09/22 10:44		1
1,2-Dibromo-3-Chloropropane	ND		1.0						
1,2,4-Trichlorobenzene	ND		0.20		mg/Kg	¢ ×	12/09/22 10:44		1
1,2,3-Trichlorobenzene	ND		0.20		mg/Kg	÷		12/09/22 13:55	1
Hexachlorobutadiene	ND		0.20		mg/Kg		12/09/22 10:44		1
Naphthalene	ND		0.40		mg/Kg	¢	12/09/22 10:44		1
Methyl tert-butyl ether	ND		0.10	0.060	mg/Kg	☆	12/09/22 10:44	12/09/22 13:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)		<u> </u>	80 - 120					12/09/22 13:55	1

# Lab Sample ID: 590-19375-11 Matrix: Solid Percent Solids: 82.0

# **Client Sample Results**

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00 Job ID: 590-19375-1

Client Sample ID: GEI						Lĉ	an Samhie	ID: 590-193 Matrix	c: Soli
ate Collected: 12/01/22 13 ate Received: 12/02/22 13								Percent Solic	
Method: SW846 8260D - V	/olatile Organic	Compoun	ds by GC/MS	(Contin	ued)				
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	85		76 - 122				12/09/22 10:44	12/09/22 13:55	
Dibromofluoromethane (Surr)	100		80 - 120					12/09/22 13:55	
1,2-Dichloroethane-d4 (Surr)	99		75 - 129					12/09/22 13:55	
Method: NWTPH-Gx - Nor	thwest - Volatile	Petroleu	m Products ((	GC/MS)					
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fa
Gasoline	7.8		10		mg/Kg		12/09/22 10:44	-	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	85		41.5 - 162				12/09/22 10:44	12/09/22 13:55	
Client Sample ID: GEIC pate Collected: 12/01/22 08 pate Received: 12/02/22 13 Method: SW846 8260D - V	3:00 3:30 /olatile Organic	Compoun Qualifier		MDI	Unit			ID: 590-193 Matrix Percent Solic	c: Soli Is: 82.
Analyte Dichlorodifluoromethane	Result ND	Qualifier		0.057		— <u>D</u>	Prepared 12/09/22 10:44	Analyzed	Dil Fa
					0 0				
Chloromethane	ND		1.0		mg/Kg	¢		12/09/22 14:39	
/inyl chloride	ND		0.12	0.041			12/09/22 10:44		
Bromomethane	ND		1.0		mg/Kg	¢	12/09/22 10:44		
Chloroethane	ND		0.41	0.11	mg/Kg	¢	12/09/22 10:44		
Trichlorofluoromethane	ND		0.41	0.067		₽	12/09/22 10:44		
1,1-Dichloroethene	ND		0.20	0.069	0 0	¢	12/09/22 10:44		
Methylene Chloride	ND		0.71	0.41	mg/Kg	¢	12/09/22 10:44		
trans-1,2-Dichloroethene	ND		0.20		mg/Kg	₽	12/09/22 10:44		
1,1-Dichloroethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
2,2-Dichloropropane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
cis-1,2-Dichloroethene	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Bromochloromethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Chloroform	ND		0.20		mg/Kg	¢	12/09/22 10:44		
1,1,1-Trichloroethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Carbon tetrachloride	ND		0.20		mg/Kg	☆	12/09/22 10:44		
1,1-Dichloropropene	ND		0.20		mg/Kg	☆	12/09/22 10:44		
Benzene	ND		0.041		mg/Kg	¢	12/09/22 10:44		
1,2-Dichloroethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Trichloroethene	ND		0.051		mg/Kg	¢	12/09/22 10:44		
1,2-Dichloropropane	ND		0.24		mg/Kg	¢	12/09/22 10:44		
Dibromomethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Bromodichloromethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
cis-1,3-Dichloropropene	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Toluene	ND		0.20		mg/Kg		12/09/22 10:44		
trans-1,3-Dichloropropene	ND		0.20		mg/Kg	¢	12/09/22 10:44		
1,1,2-Trichloroethane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Tetrachloroethene	2.0		0.081		mg/Kg		12/09/22 10:44		
1,3-Dichloropropane	ND		0.20		mg/Kg	¢	12/09/22 10:44		
Dibromochloromethane	ND		0.41		mg/Kg	¢	12/09/22 10:44		
1,2-Dibromoethane (EDB)	ND		0.20		mg/Kg	☆	12/09/22 10:44		
<b>.</b>									
Chlorobenzene Ethylbenzene	ND ND		0.20 0.20	0.042	mg/Kg mg/Kg	¢ ¢	12/09/22 10:44	12/09/22 14:39 12/09/22 14:39	

#### Client Sample ID: GEI039-B-DUP Date Collected: 12/01/22 08:00 Date Received: 12/02/22 13:30

#### Lab Sample ID: 590-19375-12 Matrix: Solid

Percent Solids: 82.2

ND ND ND ND ND		0.20 0.20 0.81 0.41	0.059	mg/Kg mg/Kg mg/Kg		12/09/22 10:44 12/09/22 10:44 12/09/22 10:44	12/09/22 14:39	1
ND ND ND		0.81 0.41	0.058	mg/Kg				
ND ND		0.41			¢	12/09/22 10:44	12/09/22 14:39	
ND			0.047	malka				1
		0.00		my/rxy	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.048	mg/Kg	₽	12/09/22 10:44	12/09/22 14:39	1
		0.41	0.039	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.063	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.045	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.054	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.41	0.074	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.033	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20	0.065	mg/Kg	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20			¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20			¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20			¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20		7 7	¢	12/09/22 10:44	12/09/22 14:39	
ND		0.20			¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20		0 0	¢	12/09/22 10:44	12/09/22 14:39	1
ND		0.20			Ф	12/09/22 10:44	12/09/22 14:39	
ND		0.20			¢	12/09/22 10:44	12/09/22 14:39	1
					¢	12/09/22 10:44	12/09/22 14:39	1
					 ¢			
					¢			1
					÷			1
					÷			
					÷			1
					÷			1
%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
104		80 - 120				12/09/22 10:44	12/09/22 14:39	1
88		76 - 122				12/09/22 10:44	12/09/22 14:39	1
103		80 - 120				12/09/22 10:44	12/09/22 14:39	1
101		75 - 129				12/09/22 10:44	12/09/22 14:39	1
				11	<b>_</b>	Drenered	Analyzad	
								Dil Fac
4.6	J	10	3.7	mg/kg	Υ.	12/09/22 10:44	12/09/22 14:39	1
%Recoverv	Qualifier	Limits				Prepared	Analvzed	Dil Fac
88		41.5 - 162					12/09/22 14:39	1
	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND         ND	ND         0.20           ND         0.41           ND         0.20           ND	ND         0.20         0.045           ND         0.41         0.074           ND         0.20         0.033           ND         0.20         0.033           ND         0.20         0.065           ND         0.20         0.041           ND         0.20         0.040           ND         0.20         0.040           ND         0.20         0.040           ND         0.20         0.040           ND         0.20         0.048           ND         0.20         0.048           ND         0.20         0.041           ND         0.20         0.041           ND         0.20         0.042           ND         0.20         0.041           ND         0.20         0.038           ND         0.20         0.038           ND         0.20         0.033           ND         0.20         0.033           ND         0.20         0.033           ND         0.10         0.061 <i>%Recovery</i> Qualifier         Limits           101         75-129         10	ND         0.20         0.045         mg/kg           ND         0.20         0.054         mg/kg           ND         0.41         0.074         mg/kg           ND         0.20         0.033         mg/kg           ND         0.20         0.033         mg/kg           ND         0.20         0.065         mg/kg           ND         0.20         0.018         mg/kg           ND         0.20         0.040         mg/kg           ND         0.20         0.048         mg/kg           ND         0.20         0.048         mg/kg           ND         0.20         0.048         mg/kg           ND         0.20         0.048         mg/kg           ND         0.20         0.041         mg/kg           ND         0.20         0.042         mg/kg           ND         0.20         0.041         mg/kg           ND         0.20         0.047         mg/kg           ND         0.20         0.038         mg/kg           ND         0.20         0.038         mg/kg           ND         0.20         0.038         mg/kg	ND         0.20         0.045         mg/Kg         ##           ND         0.20         0.054         mg/Kg         ##           ND         0.41         0.074         mg/Kg         ##           ND         0.20         0.033         mg/Kg         ##           ND         0.20         0.033         mg/Kg         ##           ND         0.20         0.018         mg/Kg         ##           ND         0.20         0.044         mg/Kg         ##           ND         0.20         0.048         mg/Kg         ##           ND         0.20         0.041         mg/Kg         ##           ND         0.20         0.042         mg/Kg         ##           ND         0.20         0.047         mg/Kg         ##           ND         0.20         0.038         mg/Kg         ##           ND         0.20         0.033         mg/Kg         ##	ND         0.20         0.045         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.054         mg/Kg         ☆         12/09/22         10:44           ND         0.41         0.074         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.033         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.065         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.018         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.048         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.048         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.048         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.047         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.047         mg/Kg         ☆         12/09/22         10:44           ND         0.20         0.038         mg/Kg         12/09/22<	ND         0.20         0.045         mg/kg         12/09/22         104         12/09/22         144         12/09/22         1439           ND         0.20         0.054         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.033         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.065         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.018         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.044         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.048         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.048         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.042         mg/kg         12/09/22         10.44         12/09/22         14.39           ND         0.20         0.044         mg/kg         12/09/22         10.44         <

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.10	0.028	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
Chloromethane	ND		0.50	0.042	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
Vinyl chloride	ND		0.060	0.020	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
Bromomethane	ND		0.50	0.033	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

### Client Sample ID: Trip Blank Date Collected: 12/01/22 08:00 Date Received: 12/02/22 13:30

ND	0.20						
	0.20	0.056	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND	0.20		mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND	0.10	0.034	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND	0.35	0.20	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND	0.10				12/09/22 10:44	12/09/22 16:05	1
ND	0.10				12/09/22 10:44	12/09/22 16:05	1
ND	0.10				12/09/22 10:44	12/09/22 16:05	1
ND	0.10	0.021			12/09/22 10:44	12/09/22 16:05	1
ND	0.10	0.040					1
ND	0.10						
ND	0.10						-
							1
							-
							-
ND	0.10						 1
			0 0				
			0 0				
			7 7				
							•
							-
							-
ND	0.10						•
ND	0.10						
ND	0.10						-
ND	0.10	0.020	mg/Kg		12/09/22 10:44	12/09/22 16:05	•
ND	0.10	0.021	mg/Kg		12/09/22 10:44	12/09/22 16:05	
	ND         ND	ND         0.10           ND         0.12           ND         0.10           ND	ND         0.10         0.023           ND         0.10         0.026           ND         0.10         0.021           ND         0.10         0.040           ND         0.10         0.040           ND         0.10         0.017           ND         0.10         0.011           ND         0.10         0.017           ND         0.10         0.017           ND         0.10         0.0070           ND         0.020         0.010           ND         0.025         0.0076           ND         0.10         0.022           ND         0.10         0.020           ND         0.10         0.026           ND         0.10         0.035           ND         0.10         0.034           ND         0.10         0.034           ND         0.10         0.021           ND         0.10         0.022           ND<	ND         0.10         0.023         mg/Kg           ND         0.10         0.024         mg/Kg           ND         0.10         0.024         mg/Kg           ND         0.10         0.021         mg/Kg           ND         0.10         0.024         mg/Kg           ND         0.10         0.024         mg/Kg           ND         0.10         0.017         mg/Kg           ND         0.10         0.017         mg/Kg           ND         0.10         0.017         mg/Kg           ND         0.020         0.010         mg/Kg           ND         0.025         0.0076         mg/Kg           ND         0.10         0.022         mg/Kg           ND         0.10         0.022         mg/Kg           ND         0.10         0.022         mg/Kg           ND         0.10         0.022         mg/Kg           ND         0.10         0.026         mg/Kg           ND         0.10         0.026         mg/Kg           ND         0.10         0.035         mg/Kg           ND         0.10         0.034         mg/Kg	ND         0.10         0.023         mg/kg           ND         0.10         0.024         mg/kg           ND         0.10         0.017         mg/kg           ND         0.10         0.016         mg/kg           ND         0.10         0.016         mg/kg           ND         0.10         0.022         mg/kg           ND         0.10         0.026         mg/kg           ND         0.10         0.035         mg/kg           ND         0.10         0.034         mg/kg	ND         0.10         0.023         mg/Kg         12/09/22         10:44           ND         0.10         0.024         mg/Kg         12/09/22         10:44           ND         0.10         0.024         mg/Kg         12/09/22         10:44           ND         0.10         0.024         mg/Kg         12/09/22         10:44           ND         0.10         0.017         mg/Kg         12/09/22         10:44           ND         0.020         0.010         mg/Kg         12/09/22         10:44           ND         0.10         0.027         mg/Kg         12/09/22         10:44           ND         0.10         0.028         mg/Kg         12/09/22         10:44           ND         0.10         0.020         mg/Kg         12/09/22         10:44           ND         0.10         0.026         mg/Kg         12/09/22         10:44	ND         0.10         0.023         mg/Kg         1209/22 10:44         1209/22 16:05           ND         0.10         0.026         mg/Kg         1209/22 10:44         12/09/22 16:05           ND         0.10         0.021         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.040         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.047         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.017         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.017         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.020         0.010         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.025         0.0076         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.026         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.026         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.10         0.026         mg/Kg         12/09/22 10:44         12/09/22 16:05

**Eurofins Spokane** 

### Lab Sample ID: 590-19375-13 Matrix: Solid

8

5

6

### **Client Sample Results**

RL

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Result Qualifier

**Client Sample ID: Trip Blank** 

Date Collected: 12/01/22 08:00

Date Received: 12/02/22 13:30

Analyte

### Job ID: 590-19375-1

Matrix: Solid

Dil Fac

Lab Sample ID: 590-19375-13

Analyzed

## 6

		0.0						•
ND		5.0	1.8	ma/Ka		12/09/22 10:44	12/09/22 16:05	1
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
west - Volatile	e Petroleui	m Products (	GC/MS)					
100		75 - 129				12/09/22 10:44	12/09/22 16:05	1
103		80 - 120				12/09/22 10:44	12/09/22 16:05	1
96		76 - 122				12/09/22 10:44	12/09/22 16:05	1
99		80 - 120				12/09/22 10:44	12/09/22 16:05	1
%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
ND		0.050	0.030	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
0.058	J	0.20		0 0		12/09/22 10:44	12/09/22 16:05	1
0.045	J	0.10		0 0		12/09/22 10:44	12/09/22 16:05	1
0.075	J	0.10				12/09/22 10:44	12/09/22 16:05	1
0.053	J	0.10	0.019	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND		0.50	0.060	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
ND		0.10	0.023	mg/Kg		12/09/22 10:44	12/09/22 16:05	1
	ND 0.053 0.075 0.045 0.058 ND %Recovery 99 96 103 100 west - Volatile Result	ND           0.053         J           0.075         J           0.045         J           0.058         J           ND         ND           %Recovery         Qualifier           99         96           103         100           west - Volatile         Petroleur           Result         Qualifier	ND         0.50           0.053         J         0.10           0.075         J         0.10           0.045         J         0.10           0.058         J         0.20           ND         0.050           %Recovery         Qualifier         Limits           99         80 - 120           96         76 - 122           103         80 - 120           100         75 - 129           Invest - Volatile         Petroleum         Products (           Result         Qualifier         RL	ND         0.50         0.060           0.053         J         0.10         0.019           0.075         J         0.10         0.033           0.045         J         0.10         0.016           0.058         J         0.20         0.028           ND         0.050         0.030           %Recovery         Qualifier         Limits           99         80 - 120           96         76 - 122           103         80 - 120           100         75 - 129           west - Volatile Petroleum Products (GC/MS)           Result         Qualifier         RL         MDL	ND         0.50         0.060         mg/Kg           0.053         J         0.10         0.019         mg/Kg           0.075         J         0.10         0.033         mg/Kg           0.045         J         0.10         0.033         mg/Kg           0.058         J         0.20         0.028         mg/Kg           ND         0.050         0.030         mg/Kg           %Recovery         Qualifier         Limits           99         80 - 120           96         76 - 122           103         80 - 120           100         75 - 129           weest - Volatile Petroleum Products (GC/MS)           Result         Qualifier         RL         MDL         Unit	ND         0.50         0.060         mg/Kg           0.053         J         0.10         0.019         mg/Kg           0.075         J         0.10         0.033         mg/Kg           0.045         J         0.10         0.016         mg/Kg           0.058         J         0.20         0.028         mg/Kg           ND         0.050         0.030         mg/Kg           %Recovery         Qualifier         Limits           99         80 - 120           96         76 - 122           103         80 - 120           100         75 - 129           Invest - Volatile Petroleum Products (GC/MS)           Result         Qualifier         RL         MDL         Unit         D	ND         0.50         0.060         mg/Kg         12/09/22 10:44           0.053         J         0.10         0.019         mg/Kg         12/09/22 10:44           0.075         J         0.10         0.033         mg/Kg         12/09/22 10:44           0.045         J         0.10         0.033         mg/Kg         12/09/22 10:44           0.045         J         0.10         0.016         mg/Kg         12/09/22 10:44           0.058         J         0.20         0.028         mg/Kg         12/09/22 10:44           ND         0.050         0.030         mg/Kg         12/09/22 10:44           MD         0.050         0.030         mg/Kg         12/09/22 10:44           %Recovery         Qualifier         Limits         Prepared           99         80 - 120         12/09/22 10:44         103           96         76 - 122         12/09/22 10:44         12/09/22 10:44           100         75 - 129         12/09/22 10:44         12/09/22 10:44           100         75 - 129         12/09/22 10:44         100           mwest - Volatile Petroleum Products (GC/MS)         Prepared         Prepared           Result         Qualifier         <	ND         0.50         0.060         mg/Kg         12/09/22 10:44         12/09/22 16:05           0.053         J         0.10         0.019         mg/Kg         12/09/22 10:44         12/09/22 16:05           0.075         J         0.10         0.033         mg/Kg         12/09/22 10:44         12/09/22 16:05           0.045         J         0.10         0.033         mg/Kg         12/09/22 10:44         12/09/22 16:05           0.045         J         0.10         0.016         mg/Kg         12/09/22 10:44         12/09/22 16:05           0.058         J         0.20         0.028         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         0.050         0.030         mg/Kg         12/09/22 10:44         12/09/22 16:05           ND         80 - 120         12/09/22 10:44         12/09/22 16:05         12/09/22 10:44         12/09/22 16:05           96         76 - 122         12/09/22 10:44         12/09/22 16:05         12/09/22 10:44         12/09/22 16:05           100         75 - 129         12/09/22 10:44         12/09/22 16:05         12/09/22 10:44         12/09/22 16:05           100         75 - 129         12/09/22 10:44         12/09/22 16:05         12/09/22 10:44

MDL Unit

D

Prepared

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96	41.5 - 162	12/09/22 10:44	12/09/22 16:05	1

### **Client Sample ID: GEI039-WC**

Date Collected: 12/01/22 16:20 Date Received: 12/02/22 13:30

### Lab Sample ID: 590-19375-14 Matrix: Solid Percent Solids: 84.4

### Method: SW846 6010D - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	5.3	J	5.5	2.2	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Barium	160		5.5	1.5	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Cadmium	ND		4.4	0.26	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Chromium	4.8	J	5.5	0.78	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Lead	8.5	J	13	6.5	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Selenium	ND		22	13	mg/Kg	¢	12/15/22 09:49	12/15/22 16:47	5
Silver	ND		5.5	1.3	mg/Kg	₽	12/15/22 09:49	12/15/22 16:47	5
Method: SW846 7471B - Mer	cury (CVAA)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	48	В	42	3.0	ug/Kg	⊉	12/15/22 09:56	12/15/22 18:08	1

### Method: 8260D - Volatile Organic Compounds by GC/MS

### Lab Sample ID: MB 590-39381/1-A Matrix: Solid

Analysis Batch: 39386

### Client Sample ID: Method Blank Prep Type: Total/NA Prep Batch: 39381

Analysis Batch: 39386	MD	МВ						Ргер Ватсп	39301
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.10	0.028	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Chloromethane	ND		0.50	0.042	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Vinyl chloride	ND		0.060	0.020	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Bromomethane	ND		0.50	0.033	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Chloroethane	ND		0.20	0.056	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Trichlorofluoromethane	ND		0.20	0.033	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1-Dichloroethene	ND		0.10	0.034	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Methylene Chloride	ND		0.35	0.20	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
trans-1,2-Dichloroethene	ND		0.10	0.023	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1-Dichloroethane	ND		0.10	0.026	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
2,2-Dichloropropane	ND		0.10	0.024	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
cis-1,2-Dichloroethene	ND		0.10	0.021	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Bromochloromethane	ND		0.10	0.040	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Chloroform	ND		0.10	0.024	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1,1-Trichloroethane	ND		0.10	0.017	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Carbon tetrachloride	ND		0.10	0.011	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1-Dichloropropene	ND		0.10	0.017	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Benzene	ND		0.020	0.010	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,2-Dichloroethane	ND		0.10	0.0070	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Trichloroethene	ND		0.025	0.0076	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,2-Dichloropropane	ND		0.12	0.030	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Dibromomethane	ND		0.10	0.022	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Bromodichloromethane	ND		0.10	0.062	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
cis-1,3-Dichloropropene	ND		0.10	0.020	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Toluene	ND		0.10	0.013	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
trans-1,3-Dichloropropene	ND		0.10	0.026	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1,2-Trichloroethane	ND		0.10	0.035	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Tetrachloroethene	ND		0.040	0.018	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,3-Dichloropropane	ND		0.10	0.030	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Dibromochloromethane	ND		0.20	0.016	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,2-Dibromoethane (EDB)	ND		0.10	0.034	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Chlorobenzene	ND		0.10	0.021	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Ethylbenzene	ND		0.10	0.016	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1,1,2-Tetrachloroethane	ND		0.10	0.019	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,1,2,2-Tetrachloroethane	ND		0.10	0.029	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
m,p-Xylene	ND		0.40	0.029	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
o-Xylene	ND		0.20	0.023	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Styrene	ND		0.10	0.024	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Bromoform	ND		0.20	0.019	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Isopropylbenzene	ND		0.10	0.031	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
Bromobenzene	ND		0.10	0.022	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
N-Propylbenzene	ND		0.10	0.026	mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,2,3-Trichloropropane	ND		0.20		mg/Kg		12/07/22 14:22	12/07/22 21:28	1
2-Chlorotoluene	ND		0.10		mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,3,5-Trimethylbenzene	ND		0.10		mg/Kg		12/07/22 14:22	12/07/22 21:28	1
4-Chlorotoluene	ND		0.10	0.0087			12/07/22 14:22	12/07/22 21:28	1
tert-Butylbenzene	ND		0.10		mg/Kg		12/07/22 14:22	12/07/22 21:28	1
1,2,4-Trimethylbenzene	ND		0.10	0.023	mg/Kg		12/07/22 14:22	12/07/22 21:28	1

**Eurofins Spokane** 

RL

0.10

0.10

0.10

0.10

0.10

0.10

0.50

0.10

0.10

0.10

0.20

0.050

Limits

80 - 120

76 - 122

80 - 120

75 - 129

MDL

0.019

0.013

0.020

0.021

0.028

0.023

0.060

0.019

0.033

0.016

0.028

0.030 mg/Kg

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

MB MB

Qualifier

Result

ND

98

93

%Recovery

MB MB

Qualifier

### Lab Sample ID: MB 590-39381/1-A Matrix: Solid Analysis Batch: 39386

Analyte

sec-Butylbenzene

p-Isopropyltoluene

n-Butylbenzene 1,2-Dichlorobenzene

1,3-Dichlorobenzene

1,4-Dichlorobenzene

1,2,4-Trichlorobenzene

1,2,3-Trichlorobenzene

Hexachlorobutadiene

Methyl tert-butyl ether

Naphthalene

Surrogate

Toluene-d8 (Surr)

1,2-Dibromo-3-Chloropropane

### **Client Sample ID: Method Blank**

			Prep Type: To Prep Batch:		
11-14		Drevered	1 - C		5
Unit	_ <u>D</u>	Prepared	Analyzed	Dil Fac	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	7
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	0
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	0
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	9
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	
mg/Kg		12/07/22 14:22	12/07/22 21:28	1	

12/07/22 14:22 12/07/22 21:28

12/07/22 14:22 12/07/22 21:28

12/07/22 14:22 12/07/22 21:28

12/07/22 14:22 12/07/22 21:28

12/07/22 14:22 12/07/22 21:28

**Client Sample ID: Lab Control Sample** 

Analyzed

Prep Type: Total/NA

Prep Batch: 39381

Dil Fac

1

1

1

1

Prepared

### Dibromofluoromethane (Surr) 98 1,2-Dichloroethane-d4 (Surr) 98 Lab Sample ID: LCS 590-39381/2-A Matrix: Solid

### Analysis Batch: 39411

4-Bromofluorobenzene (Surr)

	Spike	109	LCS				%Rec
Analyte	Added	-	Qualifier	Unit	D	%Rec	Limits
Dichlorodifluoromethane	0.500	0.280		mg/Kg		56	34 - 120
Chloromethane	0.500	0.389	J	mg/Kg		78	42 - 120
Vinyl chloride	0.500	0.445		mg/Kg		89	66 - 129
Bromomethane	0.500	0.518		mg/Kg		104	56 - 138
Chloroethane	0.500	0.478		mg/Kg		96	50 - 150
Trichlorofluoromethane	0.500	0.529		mg/Kg		106	64 - 143
1,1-Dichloroethene	0.500	0.556		mg/Kg		111	63 - 150
Methylene Chloride	0.500	0.544		mg/Kg		109	47 - 150
trans-1,2-Dichloroethene	0.500	0.548		mg/Kg		110	80 - 138
1,1-Dichloroethane	0.500	0.530		mg/Kg		106	80 - 136
2,2-Dichloropropane	0.500	0.529		mg/Kg		106	73 - 150
cis-1,2-Dichloroethene	0.500	0.517		mg/Kg		103	80 - 144
Bromochloromethane	0.500	0.497		mg/Kg		99	75 - 148
Chloroform	0.500	0.535		mg/Kg		107	80 - 150
1,1,1-Trichloroethane	0.500	0.542		mg/Kg		108	80 - 150
Carbon tetrachloride	0.500	0.557		mg/Kg		111	72 - 150
1,1-Dichloropropene	0.500	0.519		mg/Kg		104	78 - 145
Benzene	0.500	0.543		mg/Kg		109	76 - 139
1,2-Dichloroethane	0.500	0.506		mg/Kg		101	73 - 150
Trichloroethene	0.500	0.544		mg/Kg		109	79 - 144
1,2-Dichloropropane	0.500	0.504		mg/Kg		101	75 - 135
Dibromomethane	0.500	0.481		mg/Kg		96	80 - 140
Bromodichloromethane	0.500	0.499		mg/Kg		100	80 - 146
cis-1,3-Dichloropropene	0.500	0.470		mg/Kg		94	80 - 136

### **QC Sample Results**

Matrix: Solid

### Job ID: 590-19375-1

Prep Type: Total/NA

**Client Sample ID: Lab Control Sample** 

Method: 8260D - Volatile Organic Compounds by GC	/MS (Continued)
Lab Sample ID: LCS 590-39381/2-A	CI

97

1,2-Dichloroethane-d4 (Surr)

Analyte Toluene trans-1,3-Dichloropropene			Added						
					Qualifier	Unit	D	%Rec	Limits
trans 1.3 Dichloropropopo			0.500	0.524		mg/Kg		105	77 - 131
trans-1,5-Dichloroproperie			0.500	0.523		mg/Kg		105	80 - 124
1,1,2-Trichloroethane			0.500	0.547		mg/Kg		109	80 - 132
Tetrachloroethene			0.500	0.542		mg/Kg		108	77 _ 149
1,3-Dichloropropane			0.500	0.514		mg/Kg		103	76 - 125
Dibromochloromethane			0.500	0.528		mg/Kg		106	78 - 136
1,2-Dibromoethane (EDB)			0.500	0.493		mg/Kg		99	75 - 129
Chlorobenzene			0.500	0.528		mg/Kg		106	80 - 136
Ethylbenzene			0.500	0.547		mg/Kg		109	77 - 135
1,1,1,2-Tetrachloroethane			0.500	0.539		mg/Kg		108	80 - 128
1,1,2,2-Tetrachloroethane			0.500	0.494		mg/Kg		99	75 - 137
m,p-Xylene			0.500	0.535		mg/Kg		107	78 - 130
o-Xylene			0.500	0.491		mg/Kg		98	77 _ 129
Styrene			0.500	0.505		mg/Kg		101	80 - 128
Bromoform			0.500	0.489		mg/Kg		98	72 - 133
Isopropylbenzene			0.500	0.518		mg/Kg		104	78 - 139
Bromobenzene			0.500	0.493		mg/Kg		99	75 - 142
N-Propylbenzene			0.500	0.528		mg/Kg		106	77 - 140
1,2,3-Trichloropropane			0.500	0.493		mg/Kg		99	67 - 144
2-Chlorotoluene			0.500	0.516		mg/Kg		103	77 - 135
1,3,5-Trimethylbenzene			0.500	0.528		mg/Kg		106	76 - 133
4-Chlorotoluene			0.500	0.526		mg/Kg		105	77 - 133
tert-Butylbenzene			0.500	0.510		mg/Kg		102	76 - 130
1,2,4-Trimethylbenzene			0.500	0.515		mg/Kg		103	76 - 139
sec-Butylbenzene			0.500	0.515		mg/Kg		103	76 - 139
1,3-Dichlorobenzene			0.500	0.530		mg/Kg		106	80 - 133
p-Isopropyltoluene			0.500	0.496		mg/Kg		99	80 - 140
1,4-Dichlorobenzene			0.500	0.516		mg/Kg		103	80 - 133
n-Butylbenzene			0.500	0.477		mg/Kg		95	80 - 131
1,2-Dichlorobenzene			0.500	0.499		mg/Kg		100	80 - 135
1,2-Dibromo-3-Chloropropane			0.500	0.450	J	mg/Kg		90	65 - 139
1,2,4-Trichlorobenzene			0.500	0.428		mg/Kg		86	67 - 140
1,2,3-Trichlorobenzene			0.500	0.432		mg/Kg		86	66 - 143
Hexachlorobutadiene			0.500	0.472		mg/Kg		94	59 - 150
Naphthalene			0.500	0.415		mg/Kg		83	67 - 129
Methyl tert-butyl ether			0.500	0.489		mg/Kg		98	80 - 144
,						.99			
	LCS								
Surrogate	%Recovery	Qualifier	Limits						
Toluene-d8 (Surr)	101		80 - 120						
4-Bromofluorobenzene (Surr)	100		76 - 122						
Dibromofluoromethane (Surr)	100		80 - 120						

75 - 129

### **QC Sample Results**

Client Sample ID: GEI039-B2 (16-17)

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Lab Sample ID: 590-19375-2 MS Matrix: Solid

Matrix: Solid Analysis Batch: 39386									Prep Type: Total/NA Prep Batch: 3938
Analysis Batch. 55500	Sample	Sample	Spike	MS	MS				%Rec
Analyte		Qualifier	Added	-	Qualifier	Unit	D	%Rec	Limits
Dichlorodifluoromethane		F2	0.859	0.625		mg/Kg	— <u>–</u>	73	34 - 120
Chloromethane	ND		0.859	0.830	J	mg/Kg	¢	97	42 - 120
Vinyl chloride	ND		0.859	0.874		mg/Kg	¢	102	66 - 129
Bromomethane	ND		0.859	0.973		mg/Kg	¢	113	56 - 138
Chloroethane	ND		0.859	0.765		mg/Kg	¢	89	50 - 150
Trichlorofluoromethane	ND		0.859	0.982		mg/Kg	¢	114	64 - 143
1,1-Dichloroethene	ND		0.859	1.00		mg/Kg		117	63 - 150
Methylene Chloride	ND		0.859	0.914		mg/Kg	¢	106	47 - 150
trans-1,2-Dichloroethene	ND		0.859	0.962		mg/Kg	¢	112	80 - 138
1,1-Dichloroethane	ND		0.859	0.933		mg/Kg	¢	109	80 - 136
2,2-Dichloropropane	ND		0.859	0.837		mg/Kg	¢	97	73 - 150
cis-1,2-Dichloroethene	ND		0.859	0.870		mg/Kg	¢	101	80 - 144
Bromochloromethane	ND		0.859	0.952		mg/Kg	¢	111	75 - 148
Chloroform	ND		0.859	0.901		mg/Kg	¢	105	80 - 150
1,1,1-Trichloroethane	ND		0.859	0.983		mg/Kg	¢	114	80 - 150
Carbon tetrachloride	ND		0.859	0.947		mg/Kg	¢	110	72 - 150
1,1-Dichloropropene	ND		0.859	0.907		mg/Kg	¢	106	78 - 145
Benzene	ND		0.859	0.899		mg/Kg	¢	105	76 - 139
1,2-Dichloroethane	ND		0.859	0.854		mg/Kg	¢	99	73 - 150
Trichloroethene	ND		0.859	0.904		mg/Kg	¢	105	79 - 144
1,2-Dichloropropane	ND		0.859	0.812		mg/Kg	¢	95	75 - 135
Dibromomethane	ND		0.859	0.756		mg/Kg	¢	88	80 - 140
Bromodichloromethane	ND		0.859	0.836		mg/Kg	¢	97	80 - 146
cis-1,3-Dichloropropene	ND		0.859	0.793		mg/Kg	¢	92	80 - 136
Toluene	ND		0.859	0.859		mg/Kg	☆	100	77 - 131
trans-1,3-Dichloropropene	ND		0.859	0.804		mg/Kg	¢	94	80 - 124
1,1,2-Trichloroethane	ND		0.859	0.877		mg/Kg	¢	102	80 - 132
Tetrachloroethene	0.12		0.859	0.998		mg/Kg	¢	102	77 - 149
1,3-Dichloropropane	ND		0.859	0.811		mg/Kg	¢	94	76 - 125
Dibromochloromethane	ND		0.859	0.843		mg/Kg	¢	98	78 - 136
1,2-Dibromoethane (EDB)	ND		0.859	0.815		mg/Kg	¢	95	75 - 129
Chlorobenzene	ND		0.859	0.880		mg/Kg	¢	102	80 - 136
Ethylbenzene	ND		0.859	0.906		mg/Kg	¢	105	77 - 135
1,1,1,2-Tetrachloroethane	ND		0.859	0.900		mg/Kg	₽	105	80 - 128
1,1,2,2-Tetrachloroethane	ND		0.859	0.783		mg/Kg	¢	91	75 - 137
m,p-Xylene	ND		0.859	0.900		mg/Kg	¢	105	78 - 130
o-Xylene	ND		0.859	0.861		mg/Kg	¢	100	77 _ 129
Styrene	ND		0.859	0.842		mg/Kg	¢	98	80 - 128
Bromoform	ND		0.859	0.779		mg/Kg	¢	91	72 - 133
Isopropylbenzene	ND		0.859	0.885		mg/Kg	☆	103	78 - 139
Bromobenzene	ND		0.859	0.813		mg/Kg	¢	95	75 - 142
N-Propylbenzene	ND		0.859	0.860		mg/Kg	₽	100	77 - 140
1,2,3-Trichloropropane	ND		0.859	0.760		mg/Kg	₽	88	67 - 144
2-Chlorotoluene	ND		0.859	0.842		mg/Kg	¢	98	77 - 135
1,3,5-Trimethylbenzene	ND		0.859	0.829		mg/Kg	\$	96	76 - 133
4-Chlorotoluene	ND		0.859	0.864		mg/Kg	¢	101	77 - 133
tert-Butylbenzene	ND		0.859	0.821		mg/Kg	¢	96	76 - 130
4047									

**Eurofins Spokane** 

0.827

mg/Kg

₽

96

76 - 139

0.859

ND

1,2,4-Trimethylbenzene

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Job ID: 590-19375-1

Client Sample ID: GEI039-B2 (16-17)

### 5 6 7 8

### Lab Sample ID: 590-19375-2 MS Matrix: Solid

### Analysis Ratch: 20296

Analysis Batch: 39386	Sample	Sample	Spike	MS	MS				Prep Batch: 3 %Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
sec-Butylbenzene	ND		0.859	0.829		mg/Kg	¢	97	76 - 139	
1,3-Dichlorobenzene	ND		0.859	0.892		mg/Kg	¢	104	80 - 133	
p-Isopropyltoluene	ND		0.859	0.799		mg/Kg	₽	93	80 - 140	
1,4-Dichlorobenzene	ND		0.859	0.854		mg/Kg	¢	99	80 - 133	
n-Butylbenzene	ND		0.859	0.785		mg/Kg	¢	91	80 - 131	
1,2-Dichlorobenzene	ND		0.859	0.843		mg/Kg	¢	98	80 - 135	
1,2-Dibromo-3-Chloropropane	ND		0.859	0.704	J	mg/Kg	¢	82	65 - 139	
1,2,4-Trichlorobenzene	ND		0.859	0.743		mg/Kg	¢	87	67 _ 140	
1,2,3-Trichlorobenzene	ND		0.859	0.699		mg/Kg	¢	81	66 - 143	
Hexachlorobutadiene	ND		0.859	0.805		mg/Kg	¢	94	59 - 150	
Naphthalene	ND		0.859	0.683		mg/Kg	¢	80	67 _ 129	
Methyl tert-butyl ether	ND		0.859	0.834		mg/Kg	¢	97	80 - 144	

	10		
Surrogate	%Recovery	Qualifier	Limits
Toluene-d8 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	96		76 - 122
Dibromofluoromethane (Surr)	103		80 - 120
1,2-Dichloroethane-d4 (Surr)	98		75 - 129

### Lab Sample ID: 590-19375-2 MSD Matrix: Solid Analysis Batch: 39386

### Client Sample ID: GEI039-B2 (16-17) **Prep Type: Total/NA** Prep Batch: 39381

Analysis Baton. 00000								1100 5	Juton. C		
	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Dichlorodifluoromethane	ND	F2	0.859	0.510	F2	mg/Kg	¢	59	34 - 120	20	13
Chloromethane	ND		0.859	0.814	J	mg/Kg	¢	95	42 - 120	2	12
Vinyl chloride	ND		0.859	0.851		mg/Kg	¢	99	66 - 129	3	20
Bromomethane	ND		0.859	0.978		mg/Kg	¢	114	56 - 138	1	14
Chloroethane	ND		0.859	0.737		mg/Kg	¢	86	50 - 150	4	17
Trichlorofluoromethane	ND		0.859	0.894		mg/Kg	¢	104	64 - 143	9	10
1,1-Dichloroethene	ND		0.859	0.976		mg/Kg	₽	114	63 - 150	3	40
Methylene Chloride	ND		0.859	0.904		mg/Kg	¢	105	47 - 150	1	40
trans-1,2-Dichloroethene	ND		0.859	0.926		mg/Kg	¢	108	80 - 138	4	16
1,1-Dichloroethane	ND		0.859	0.922		mg/Kg	₽	107	80 - 136	1	16
2,2-Dichloropropane	ND		0.859	0.760		mg/Kg	¢	88	73 - 150	10	13
cis-1,2-Dichloroethene	ND		0.859	0.861		mg/Kg	¢	100	80 - 144	1	15
Bromochloromethane	ND		0.859	0.893		mg/Kg	¢	104	75 - 148	6	32
Chloroform	ND		0.859	0.905		mg/Kg	¢	105	80 - 150	0	15
1,1,1-Trichloroethane	ND		0.859	0.970		mg/Kg	¢	113	80 - 150	1	10
Carbon tetrachloride	ND		0.859	1.07		mg/Kg	₽	125	72 - 150	13	17
1,1-Dichloropropene	ND		0.859	0.872		mg/Kg	¢	101	78 - 145	4	14
Benzene	ND		0.859	0.900		mg/Kg	¢	105	76 - 139	0	14
1,2-Dichloroethane	ND		0.859	0.835		mg/Kg	¢	97	73 - 150	2	25
Trichloroethene	ND		0.859	0.945		mg/Kg	¢	110	79 - 144	5	13
1,2-Dichloropropane	ND		0.859	0.826		mg/Kg	¢	96	75 - 135	2	20
Dibromomethane	ND		0.859	0.809		mg/Kg	¢	94	80 - 140	7	24
Bromodichloromethane	ND		0.859	0.826		mg/Kg	¢	96	80 - 146	1	19
cis-1,3-Dichloropropene	ND		0.859	0.763		mg/Kg	¢	89	80 - 136	4	17

5

Client Sample ID: GEI039-B2 (16-17)

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Lab Sample ID: 590-19375-2 MSD Matrix: Solid

Matrix: Solid Analysis Batch: 39386									Prep Ty	/pe: Tot Batch: 3	
Analysis Balch. 39300	Sample	Sample	Spike	MSD	MSD				%Rec	Saten. a	RPD
Analyte	•	Qualifier	Added		Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Toluene	ND		0.859	0.889		mg/Kg	— <u> </u>	104	77 - 131	3	14
trans-1,3-Dichloropropene	ND		0.859	0.833		mg/Kg		97	80 - 124	4	14
1,1,2-Trichloroethane	ND		0.859	0.889		mg/Kg	₽	104	80 - 132	1	12
Tetrachloroethene	0.12		0.859	1.03		mg/Kg		106	77 - 149	4	10
1,3-Dichloropropane	ND		0.859	0.841		mg/Kg	₽	98	76 - 125	4	24
Dibromochloromethane	ND		0.859	0.864		mg/Kg	¢	101	78 - 136	2	18
1,2-Dibromoethane (EDB)	ND		0.859	0.858		mg/Kg		100	75 - 129	5	18
Chlorobenzene	ND		0.859	0.897		mg/Kg	☆	104	80 - 136	2	10
Ethylbenzene	ND		0.859	0.925		mg/Kg	☆	108	77 - 135	2	13
1,1,1,2-Tetrachloroethane	ND		0.859	0.936		mg/Kg		109	80 - 128	4	25
1,1,2,2-Tetrachloroethane	ND		0.859	0.743		mg/Kg	☆	86	75 - 137	5	15
m,p-Xylene	ND		0.859	0.895		mg/Kg	¢	104	78 - 130	1	23
o-Xylene	ND		0.859	0.870		mg/Kg		101	77 - 129	1	15
Styrene	ND		0.859	0.874		mg/Kg	¢	102	80 - 128	4	25
Bromoform	ND		0.859	0.793		mg/Kg	¢	92	72 - 133	2	10
lsopropylbenzene	ND		0.859	0.891		mg/Kg		104	78 - 139	1	10
Bromobenzene	ND		0.859	0.775		mg/Kg	¢	90	75 - 142	5	25
N-Propylbenzene	ND		0.859	0.825		mg/Kg	¢	96	77 - 140	4	25
1,2,3-Trichloropropane	ND		0.859	0.710		mg/Kg	☆	83	67 - 144	7	40
2-Chlorotoluene	ND		0.859	0.821		mg/Kg	¢	96	77 - 135	3	35
1,3,5-Trimethylbenzene	ND		0.859	0.835		mg/Kg	¢	97	76 - 133	1	20
4-Chlorotoluene	ND		0.859	0.836		mg/Kg		97	77 - 133	3	17
tert-Butylbenzene	ND		0.859	0.811		mg/Kg	¢	94	76 - 130	1	16
1,2,4-Trimethylbenzene	ND		0.859	0.805		mg/Kg	¢	94	76 - 139	3	21
sec-Butylbenzene	ND		0.859	0.816		mg/Kg	 ¢	95	76 - 139	2	18
1,3-Dichlorobenzene	ND		0.859	0.868		mg/Kg	₽	101	80 - 133	3	18
p-Isopropyltoluene	ND		0.859	0.790		mg/Kg	¢	92	80 - 140	1	19
1,4-Dichlorobenzene	ND		0.859	0.845		mg/Kg		98	80 - 133	1	16
n-Butylbenzene	ND		0.859	0.755		mg/Kg	¢	88	80 - 131	4	20
1,2-Dichlorobenzene	ND		0.859	0.814		mg/Kg	¢	95	80 - 135	4	17
1,2-Dibromo-3-Chloropropane	ND		0.859	0.660	J	mg/Kg		77	65 - 139	6	27
1,2,4-Trichlorobenzene	ND		0.859	0.773		mg/Kg	¢	90	67 - 140	4	25
1,2,3-Trichlorobenzene	ND		0.859	0.825		mg/Kg	¢	96	66 - 143	16	16
Hexachlorobutadiene	ND		0.859	0.794		mg/Kg		92	59 - 150	1	19
Naphthalene	ND		0.859	0.762		mg/Kg	¢	89	67 - 129	11	15
Methyl tert-butyl ether	ND		0.859	0.862		mg/Kg	¢	100	80 - 144	3	17
	MSD	MSD									
Surrogate	%Recovery		Limits								
Toluene-d8 (Surr)	- <u></u>		80 - 120								
4-Bromofluorobenzene (Surr)	94		76 - 122								
Dibromofluoromethane (Surr)	101		80 - 120								
1,2-Dichloroethane-d4 (Surr)	101		75 - 129								

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Lab Sample ID: 590-19375-1 DU Matrix: Solid

Analy	ysis	<b>Batch:</b>	39386

Analysis Batch: 39386							Prep Batch: 3	
	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
Dichlorodifluoromethane	ND		ND		mg/Kg	\$	NC	24
Chloromethane	ND		ND		mg/Kg	¢	NC	22
Vinyl chloride	ND		ND		mg/Kg	¢	NC	20
Bromomethane	ND		ND		mg/Kg	¢	NC	21
Chloroethane	ND		ND		mg/Kg	¢	NC	25
Trichlorofluoromethane	ND		ND		mg/Kg	¢	NC	25
1,1-Dichloroethene	ND		ND		mg/Kg	¢	NC	18
Methylene Chloride	ND		ND		mg/Kg	¢	NC	40
trans-1,2-Dichloroethene	ND		ND		mg/Kg	¢	NC	25
1,1-Dichloroethane	ND		ND		mg/Kg	¢	NC	25
2,2-Dichloropropane	ND		ND		mg/Kg	¢	NC	22
cis-1,2-Dichloroethene	ND		ND		mg/Kg	¢	NC	23
Bromochloromethane	ND		ND		mg/Kg	¢	NC	25
Chloroform	ND		ND		mg/Kg	¢	NC	25
1,1,1-Trichloroethane	ND		ND		mg/Kg	¢	NC	19
Carbon tetrachloride	ND		ND		mg/Kg		NC	25
1,1-Dichloropropene	ND		ND		mg/Kg	¢	NC	24
Benzene	ND		ND		mg/Kg	¢	NC	25
1,2-Dichloroethane	ND		ND		mg/Kg		NC	25
Trichloroethene	ND		ND		mg/Kg	¢	NC	25
1,2-Dichloropropane	ND		ND		mg/Kg	¢	NC	20
Dibromomethane	ND		ND		mg/Kg		NC	24
Bromodichloromethane	ND		ND		mg/Kg	¢	NC	26
cis-1,3-Dichloropropene	ND		ND		mg/Kg	¢	NC	24
Toluene	ND		ND		mg/Kg		NC	25
trans-1,3-Dichloropropene	ND		ND		mg/Kg	¢	NC	28
1,1,2-Trichloroethane	ND		ND		mg/Kg	¢	NC	31
Tetrachloroethene	ND		ND		mg/Kg		NC	24
1,3-Dichloropropane	ND		ND		mg/Kg	¢	NC	16
Dibromochloromethane	ND		ND		mg/Kg	¢	NC	25
1,2-Dibromoethane (EDB)	ND		ND		mg/Kg		NC	18
Chlorobenzene	ND		ND		mg/Kg	¢	NC	25
Ethylbenzene	ND		ND		mg/Kg	¢	NC	25
1,1,1,2-Tetrachloroethane	ND		ND		mg/Kg		NC	25
1,1,2,2-Tetrachloroethane	ND		ND		mg/Kg	¢	NC	22
m,p-Xylene	ND		ND		mg/Kg	¢	NC	23
o-Xylene	ND		ND		mg/Kg		NC	25
Styrene	ND		ND		mg/Kg	¢	NC	25
Bromoform	ND		ND		mg/Kg	¢	NC	34
Isopropylbenzene	ND		ND		mg/Kg		NC	24
Bromobenzene	ND		ND		mg/Kg	¢	NC	25
N-Propylbenzene	ND		ND		mg/Kg	¢.	NC	25
1,2,3-Trichloropropane	ND		ND		mg/Kg		NC	27
2-Chlorotoluene	ND		ND		mg/Kg	¢	NC	20
1,3,5-Trimethylbenzene	ND		ND		mg/Kg	¢	NC	20
4-Chlorotoluene	ND		ND		mg/Kg		NC	25
tert-Butylbenzene	ND		ND		mg/Kg	¢	NC	16
1,2,4-Trimethylbenzene	ND		ND		mg/Kg	¢	NC	21

Job ID: 590-19375-1

Prep Type: Total/NA

Client Sample ID: GEI039-B1 (12-13)

5 7

DU DU

Qualifier

Unit

mg/Kg

D

☆

₽

÷Ċŕ

₽

÷Ċ

₽

₽

₽

₽

Æ

₽

÷Ċ

Result

ND

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Qualifier

Sample Sample

Result

ND

97

95

100

101

%Recovery

DU DU

Qualifier

Limits

80 - 120

76 - 122

80 - 120 75 - 129

### Lab Sample ID: 590-19375-1 DU Matrix: Solid

### Analysis Batch: 39386

Analyte

sec-Butylbenzene

p-Isopropyltoluene

n-Butylbenzene

1,3-Dichlorobenzene

1,4-Dichlorobenzene

1,2-Dichlorobenzene

1,2,4-Trichlorobenzene

1,2,3-Trichlorobenzene

Hexachlorobutadiene

Methyl tert-butyl ether

Naphthalene

Surrogate

Toluene-d8 (Surr)

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

1,2-Dichloroethane-d4 (Surr)

1,2-Dibromo-3-Chloropropane

### Client Sample ID: GEI039-B1 (12-13) Prep Type: Total/NA Prep Batch: 39381

Job ID: 590-19375-1

RPD

NC

5	
7	
8	
9	

RPD

Limit

34

18

26

16

20

25

40

25

25

25

36

25

Lab Sa	ample ID:	MB 59	0-3942	3/1-A
Matrix	: Solid			
Analys	sis Batch:	3942	D	

### **Client Sample ID: Method Blank** Prep Type: Total/NA Prep Batch: 39423

	MB	МВ							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		0.10	0.028	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Chloromethane	ND		0.50	0.042	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Vinyl chloride	ND		0.060	0.020	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Bromomethane	ND		0.50	0.033	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Chloroethane	ND		0.20	0.056	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Trichlorofluoromethane	ND		0.20	0.033	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,1-Dichloroethene	ND		0.10	0.034	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Methylene Chloride	ND		0.35	0.20	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
trans-1,2-Dichloroethene	ND		0.10	0.023	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,1-Dichloroethane	ND		0.10	0.026	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
2,2-Dichloropropane	ND		0.10	0.024	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
cis-1,2-Dichloroethene	ND		0.10	0.021	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Bromochloromethane	ND		0.10	0.040	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Chloroform	ND		0.10	0.024	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,1,1-Trichloroethane	ND		0.10	0.017	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Carbon tetrachloride	ND		0.10	0.011	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,1-Dichloropropene	ND		0.10	0.017	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Benzene	ND		0.020	0.010	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,2-Dichloroethane	ND		0.10	0.0070	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Trichloroethene	ND		0.025	0.0076	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
1,2-Dichloropropane	ND		0.12	0.030	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Dibromomethane	ND		0.10	0.022	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
Bromodichloromethane	ND		0.10	0.062	mg/Kg		12/09/22 10:44	12/09/22 13:33	1
cis-1,3-Dichloropropene	ND		0.10	0.020	mg/Kg		12/09/22 10:44	12/09/22 13:33	1

RL

0.10

MDL Unit

0.013 mg/Kg

D

Prepared

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

MB MB

ND

**Result Qualifier** 

### Lab Sample ID: MB 590-39423/1-A Matrix: Solid Analysis Batch: 39420

Analyte

Toluene

Client Sample ID: Method Blan
Prep Type: Total/N/
Prep Batch: 3942

12/09/22 10:44 12/09/22 13:33

Analyzed

Job ID: 590-19375-1

Blank tal/NA 39423 Dil Fac

Toluene	ND		0.10	0.013	mg/kg	12/09/22 10.44	12/09/22 13:33	I
trans-1,3-Dichloropropene	ND		0.10	0.026	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,1,2-Trichloroethane	ND		0.10	0.035	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Tetrachloroethene	ND		0.040	0.018	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,3-Dichloropropane	ND		0.10	0.030	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Dibromochloromethane	ND		0.20	0.016	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2-Dibromoethane (EDB)	ND		0.10	0.034	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Chlorobenzene	ND		0.10	0.021	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Ethylbenzene	ND		0.10	0.016	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,1,1,2-Tetrachloroethane	ND		0.10	0.019	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,1,2,2-Tetrachloroethane	ND		0.10	0.029	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
m,p-Xylene	ND		0.40	0.029	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
o-Xylene	ND		0.20	0.023	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Styrene	ND		0.10	0.024	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Bromoform	ND		0.20	0.019	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Isopropylbenzene	ND		0.10	0.031	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Bromobenzene	ND		0.10	0.022	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
N-Propylbenzene	ND		0.10	0.026	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2,3-Trichloropropane	ND		0.20	0.037	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
2-Chlorotoluene	ND		0.10	0.016	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,3,5-Trimethylbenzene	ND		0.10	0.032	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
4-Chlorotoluene	ND		0.10	0.0087	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
tert-Butylbenzene	ND		0.10	0.020	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2,4-Trimethylbenzene	ND		0.10	0.023	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
sec-Butylbenzene	ND		0.10	0.019	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,3-Dichlorobenzene	ND		0.10	0.013	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
p-Isopropyltoluene	ND		0.10	0.020	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,4-Dichlorobenzene	ND		0.10		mg/Kg	12/09/22 10:44	12/09/22 13:33	1
n-Butylbenzene	ND		0.10	0.028	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2-Dichlorobenzene	ND		0.10	0.023	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2-Dibromo-3-Chloropropane	ND		0.50		mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2,4-Trichlorobenzene	ND		0.10		mg/Kg	12/09/22 10:44	12/09/22 13:33	1
1,2,3-Trichlorobenzene	ND		0.10		mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Hexachlorobutadiene	ND		0.10	0.016	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Naphthalene	ND		0.20	0.028	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
Methyl tert-butyl ether	ND		0.050	0.030	mg/Kg	12/09/22 10:44	12/09/22 13:33	1
	MB	MB						
Surrogate	%Recovery		Limits			Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120				12/09/22 13:33	1
4-Bromofluorobenzene (Surr)	95		76 - 122			12/09/22 10:44	12/09/22 13:33	1
Dibromofluoromethane (Surr)	101		80 - 120			12/09/22 10:44	12/09/22 13:33	1
1,2-Dichloroethane-d4 (Surr)	99		75 - 129			12/09/22 10:44	12/09/22 13:33	1

### **QC Sample Results**

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Job ID: 590-19375-1

Clien	it Sai	mple ID	Prep Ty	ntrol Sample /pe: Total/NA	
				Batch: 39423	5
			%Rec		Ð
nit	D	%Rec	Limits		
g/Kg		68	34 - 120		
g/Kg		93	42 - 120		-
g/Kg		98	66 - 129		7
g/Kg		110	56 - 138		
g/Kg		102	50 - 150		8
g/Kg		103	64 - 143		
g/Kg		114	63 - 150		0
g/Kg		122	47 - 150		
g/Kg		116	80 - 138		
g/Kg		110	80 - 136		
~///~~		107	70 450		

Lab Sample ID: LCS 590-39423/2-A Matrix: Solid Analysis Batch: 39420

Analysis Datch. 33420	Spike	1.00	LCS				%Rec	Datch: 35423
Analyte	Added		Qualifier	Unit	D	%Rec	Limits	
Dichlorodifluoromethane		0.341	Quaimer	mg/Kg		68	34 - 120	
Chloromethane	0.500	0.467	1	mg/Kg		93	42 - 120	
Vinyl chloride	0.500	0.492	5	mg/Kg		93 98	42 - 120 66 - 129	
Bromomethane	0.500	0.492		mg/Kg		110	56 - 138	
Chloroethane	0.500	0.508		mg/Kg		102	50 - 150 50 - 150	
Trichlorofluoromethane	0.500	0.500		mg/Kg		102	64 - 143	
1,1-Dichloroethene	0.500	0.510		mg/Kg		103	63 - 150	
Methylene Chloride	0.500	0.609		mg/Kg		122	47 <sub>-</sub> 150	
trans-1,2-Dichloroethene	0.500	0.578		mg/Kg		122	47 - 130 80 - 138	
1,1-Dichloroethane	0.500	0.578				110	80 - 136	
	0.500	0.532		mg/Kg		107	73 - 150	
2,2-Dichloropropane				mg/Kg			73 - 150 80 - 144	
cis-1,2-Dichloroethene	0.500	0.537		mg/Kg		107		
Bromochloromethane	0.500	0.519		mg/Kg		104	75 - 148	
Chloroform	0.500	0.550		mg/Kg		110	80 - 150	
1,1,1-Trichloroethane	0.500	0.550		mg/Kg		110	80 - 150	
Carbon tetrachloride	0.500	0.549		mg/Kg		110	72 - 150	
1,1-Dichloropropene	0.500	0.552		mg/Kg		110	78 - 145	
Benzene	0.500	0.563		mg/Kg		113	76 - 139	
1,2-Dichloroethane	0.500	0.504		mg/Kg		101	73 - 150	
Trichloroethene	0.500	0.566		mg/Kg		113	79 - 144	
1,2-Dichloropropane	0.500	0.539		mg/Kg		108	75 - 135	
Dibromomethane	0.500	0.469		mg/Kg		94	80 - 140	
Bromodichloromethane	0.500	0.500		mg/Kg		100	80 - 146	
cis-1,3-Dichloropropene	0.500	0.488		mg/Kg		98	80 - 136	
Toluene	0.500	0.533		mg/Kg		107	77 - 131	
trans-1,3-Dichloropropene	0.500	0.526		mg/Kg		105	80 - 124	
1,1,2-Trichloroethane	0.500	0.537		mg/Kg		107	80 - 132	
Tetrachloroethene	0.500	0.536		mg/Kg		107	77 - 149	
1,3-Dichloropropane	0.500	0.525		mg/Kg		105	76 - 125	
Dibromochloromethane	0.500	0.494		mg/Kg		99	78 - 136	
1,2-Dibromoethane (EDB)	0.500	0.500		mg/Kg		100	75 - 129	
Chlorobenzene	0.500	0.528		mg/Kg		106	80 - 136	
Ethylbenzene	0.500	0.556		mg/Kg		111	77 - 135	
1,1,1,2-Tetrachloroethane	0.500	0.531		mg/Kg		106	80 - 128	
1,1,2,2-Tetrachloroethane	0.500	0.512		mg/Kg		102	75 - 137	
m,p-Xylene	0.500	0.549		mg/Kg		110	78 - 130	
o-Xylene	0.500	0.523		mg/Kg		105	77 _ 129	
Styrene	0.500	0.522		mg/Kg		104	80 - 128	
Bromoform	0.500	0.502		mg/Kg		100	72 - 133	
Isopropylbenzene	0.500	0.528		mg/Kg		106	78 - 139	
Bromobenzene	0.500	0.520		mg/Kg		104	75 - 142	
N-Propylbenzene	0.500	0.553		mg/Kg		111	77 - 140	
1,2,3-Trichloropropane	0.500	0.509		mg/Kg		102	67 - 144	
2-Chlorotoluene	0.500	0.546		mg/Kg		109	77 - 135	
1,3,5-Trimethylbenzene	0.500	0.545		mg/Kg		109	76 - 133	
4-Chlorotoluene	0.500	0.554		mg/Kg		111	77 - 133	
tert-Butylbenzene	0.500	0.522		mg/Kg		104	76 - 130	
1,2,4-Trimethylbenzene	0.500	0.541		mg/Kg		108	76 - 139	

### **QC Sample Results**

### Job ID: 590-19375-1

**Client Sample ID: Lab Control Sample** 

Client Sample ID: GEI039-B-DUP

Prep Type: Total/NA

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued) Lab Sample ID: LCS 590-39423/2-A

### Matrix: Solid Analysis Ratch: 20420

Matrix: Solid Analysis Batch: 39420							Prep Type: Total/NA Prep Batch: 39423
	Spike	LCS LO	CS				%Rec
Analyte	Added	Result Q	ualifier U	nit	D	%Rec	Limits
sec-Butylbenzene	0.500	0.538	m	ng/Kg		108	76 - 139
1,3-Dichlorobenzene	0.500	0.534	m	ng/Kg		107	80 - 133
p-Isopropyltoluene	0.500	0.527	m	ng/Kg		105	80 - 140
1,4-Dichlorobenzene	0.500	0.523	m	ng/Kg		105	80 - 133
n-Butylbenzene	0.500	0.536	m	ng/Kg		107	80 - 131
1,2-Dichlorobenzene	0.500	0.515	m	ng/Kg		103	80 - 135
1,2-Dibromo-3-Chloropropane	0.500	0.443 J	m	ng/Kg		89	65 - 139
1,2,4-Trichlorobenzene	0.500	0.512	m	ng/Kg		102	67 - 140
1,2,3-Trichlorobenzene	0.500	0.498	m	ng/Kg		100	66 - 143
Hexachlorobutadiene	0.500	0.517	m	ng/Kg		103	59 - 150
Naphthalene	0.500	0.537	m	ng/Kg		107	67 - 129
Methyl tert-butyl ether	0.500	0.513	m	ng/Kg		103	80 - 144
LCS LCS							

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	101		76 - 122
Dibromofluoromethane (Surr)	96		80 - 120
1,2-Dichloroethane-d4 (Surr)	94		75 - 129

### Lab Sample ID: 590-19375-12 MS Matrix: Solid Analysis Batch: 39420

Analysis Batch: 39420									Prep Batch: 39423
	•	Sample	Spike	MS	-				%Rec
Analyte		Qualifier	Added		Qualifier	Unit	D	%Rec	Limits
Dichlorodifluoromethane	ND		1.02	0.907		mg/Kg	¢	89	34 - 120
Chloromethane	ND		1.02	1.11		mg/Kg	¢	109	42 - 120
Vinyl chloride	ND		1.02	1.18		mg/Kg	¢	117	66 - 129
Bromomethane	ND		1.02	1.24		mg/Kg	₽	122	56 - 138
Chloroethane	ND		1.02	1.10		mg/Kg	¢	108	50 - 150
Trichlorofluoromethane	ND		1.02	1.18		mg/Kg	¢	116	64 - 143
1,1-Dichloroethene	ND		1.02	1.20		mg/Kg	¢	118	63 - 150
Methylene Chloride	ND		1.02	1.26		mg/Kg	¢	124	47 - 150
trans-1,2-Dichloroethene	ND		1.02	1.18		mg/Kg	¢	116	80 - 138
1,1-Dichloroethane	ND		1.02	1.12		mg/Kg	₽	110	80 - 136
2,2-Dichloropropane	ND		1.02	1.02		mg/Kg	¢	101	73 - 150
cis-1,2-Dichloroethene	ND		1.02	1.07		mg/Kg	¢	105	80 - 144
Bromochloromethane	ND		1.02	0.968		mg/Kg	¢	95	75 - 148
Chloroform	ND		1.02	1.11		mg/Kg	¢	109	80 - 150
1,1,1-Trichloroethane	ND		1.02	1.14		mg/Kg	¢	112	80 - 150
Carbon tetrachloride	ND		1.02	1.10		mg/Kg	₽	108	72 - 150
1,1-Dichloropropene	ND		1.02	1.12		mg/Kg	₽	111	78 - 145
Benzene	ND		1.02	1.13		mg/Kg	¢	111	76 - 139
1,2-Dichloroethane	ND		1.02	0.990		mg/Kg	₽	97	73 - 150
Trichloroethene	ND		1.02	1.13		mg/Kg	¢	111	79 - 144
1,2-Dichloropropane	ND		1.02	1.03		mg/Kg	¢	102	75 - 135
Dibromomethane	ND		1.02	0.943		mg/Kg	₽	93	80 - 140
Bromodichloromethane	ND		1.02	0.989		mg/Kg	¢	97	80 - 146
cis-1,3-Dichloropropene	ND		1.02	0.981		mg/Kg	₽	97	80 - 136

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Job ID: 590-19375-1

# 7

Lab Sample ID: 590-19375-12 MS Matrix: Solid

Lab Sample ID: 590-1937	5-12 MS						Clie	nt Sam	ple ID: GEI039-B-DUP
Matrix: Solid									Prep Type: Total/NA
Analysis Batch: 39420									Prep Batch: 39423
		Sample	Spike		MS		_	~ <b>-</b>	%Rec
Analyte		Qualifier	Added		Qualifier	Unit	<u> </u>	%Rec	Limits
Toluene	ND		1.02	1.09		mg/Kg	₩	107	77 - 131
trans-1,3-Dichloropropene	ND		1.02	1.03		mg/Kg	¢	102	80 - 124
1,1,2-Trichloroethane	ND		1.02	1.01		mg/Kg	₽	100	80 - 132
Tetrachloroethene	2.0		1.02	3.13		mg/Kg	¢	108	77 - 149
1,3-Dichloropropane	ND		1.02	1.02		mg/Kg	☆	100	76 - 125
Dibromochloromethane	ND		1.02	0.990		mg/Kg	☆	97	78 - 136
1,2-Dibromoethane (EDB)	ND		1.02	1.03		mg/Kg	☆	101	75 - 129
Chlorobenzene	ND		1.02	1.05		mg/Kg	¢	104	80 - 136
Ethylbenzene	ND		1.02	1.08		mg/Kg	¢	107	77 - 135
1,1,1,2-Tetrachloroethane	ND		1.02	1.04		mg/Kg		103	80 - 128
1,1,2,2-Tetrachloroethane	ND		1.02	0.972		mg/Kg	☆	96	75 - 137
m,p-Xylene	ND		1.02	1.07		mg/Kg	¢	106	78 - 130
o-Xylene	ND		1.02	1.01		mg/Kg		100	77 - 129
Styrene	ND		1.02	1.00		mg/Kg	¢	99	80 - 128
Bromoform	ND		1.02	0.978		mg/Kg	¢	96	72 - 133
Isopropylbenzene	ND		1.02	1.03		mg/Kg	 ¢	102	78 - 139
Bromobenzene	ND		1.02	0.960		mg/Kg	¢	95	75 - 142
N-Propylbenzene	ND		1.02	1.02		mg/Kg	¢	101	77 - 140
1,2,3-Trichloropropane	ND		1.02					97	67 - 144
				0.980		mg/Kg	¢		
2-Chlorotoluene	ND		1.02	1.03		mg/Kg	¢	101	77 - 135
1,3,5-Trimethylbenzene	ND		1.02	1.02		mg/Kg	¢	100	76 - 133
4-Chlorotoluene	ND		1.02	1.02		mg/Kg	¢	100	77 - 133
tert-Butylbenzene	ND		1.02	0.997		mg/Kg	¢	98	76 - 130
1,2,4-Trimethylbenzene	ND		1.02	1.02		mg/Kg	¢	100	76 - 139
sec-Butylbenzene	ND		1.02	1.01		mg/Kg	¢	100	76 - 139
1,3-Dichlorobenzene	ND		1.02	1.04		mg/Kg	☆	103	80 - 133
p-Isopropyltoluene	ND		1.02	1.02		mg/Kg	☆	100	80 - 140
1,4-Dichlorobenzene	ND		1.02	1.03		mg/Kg	¢	101	80 - 133
n-Butylbenzene	ND		1.02	0.992		mg/Kg	☆	98	80 - 131
1,2-Dichlorobenzene	ND		1.02	0.991		mg/Kg	¢	97	80 - 135
1,2-Dibromo-3-Chloropropane	ND		1.02	0.978	J	mg/Kg	¢	96	65 - 139
1,2,4-Trichlorobenzene	ND		1.02	0.998		mg/Kg	¢	98	67 - 140
1,2,3-Trichlorobenzene	ND		1.02	1.01		mg/Kg	¢	100	66 - 143
Hexachlorobutadiene	ND		1.02	0.974		mg/Kg		96	59 - 150
Naphthalene	ND		1.02	1.01		mg/Kg	¢	99	67 - 129
Methyl tert-butyl ether	ND		1.02	1.04		mg/Kg	¢	102	80 - 144
				1.04			Ŧ		
	MS	MS							
Surrogate	%Recovery	Qualifier	Limits						
Toluene-d8 (Surr)	104		80 - 120						
4-Bromofluorobenzene (Surr)	95		76 - 122						
Dibromofluoromethane (Surr)	100		80 - 120						
1,2-Dichloroethane-d4 (Surr)	99		75 - 129						

Prep Type: Total/NA

5

7

Client Sample ID: GEI039-B-DUP

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Lab Sample ID: 590-19375-12 MSD Matrix: Solid

SampleSampleSpikeMSDMSD%RecRPDAnalyteResultQualifierAddedResultQualifierUnitD%RecLimitsRPDLimitDichlorodifluoromethaneND $1.02$ $0.952$ mg/Kg $\odot$ 94 $34.120$ $5$ 13ChloromethaneND $1.02$ $0.952$ mg/Kg $\odot$ 117 $42.120$ $7$ 12Vinyl chlorideND $1.02$ $1.19$ mg/Kg $\simeq$ 117 $42.120$ $7$ 12BromomethaneND $1.02$ $1.24$ mg/Kg $\simeq$ 130 $56.138$ $6$ 14ChloroethaneND $1.02$ $1.12$ mg/Kg $\simeq$ 111 $50.150$ 217TrichlorofluoromethaneND $1.02$ $1.24$ mg/Kg $\simeq$ 121 $63.150$ 3401,1-DichloroetheneND $1.02$ $1.24$ mg/Kg $\simeq$ 126 $47.150$ 240trans-1,2-DichloroetheneND $1.02$ $1.18$ mg/Kg $\simeq$ 116 $80.138$ 0161,1-DichloroethaneND $1.02$ $1.05$ mg/Kg $\simeq$ 105 $80.144$ 015grass $1.92$ $1.02$ $1.11$ mg/Kg $\simeq$ 108 $80.144$ 015grass $1.22$ $1.07$ $mg/Kg$ $\simeq$ $105$ $80.144$ 015grass $1.02$ $1.02$ $1.01$ $mg/Kg$ $\simeq$	Analysis Batch: 39420									Pron F			ł
Analyte         Result         Qualifier         Added         Result         Qualifier         Unit         D         %Rec         Limits         RPD         Limit           Dichlorodifluoromethane         ND         1.02         0.952         mg/Kg         94         34 . 120         5         13           Chloromethane         ND         1.02         1.19         mg/Kg         117         42 . 120         7         12           Vinyl chloride         ND         1.02         1.24         mg/Kg         130         56 . 138         6         14           Chloroethane         ND         1.02         1.32         mg/Kg         111         50 . 150         2         17           Trichlorofluoromethane         ND         1.02         1.24         mg/Kg         111         50 . 150         2         17           Trichlorofluoromethane         ND         1.02         1.24         mg/Kg         121         63 . 150         3         40           Methylene Chloride         ND         1.02         1.28         mg/Kg         121         63 . 150         2         40           trans-1,2-Dichloroethene         ND         1.02         1.11         mg/Kg	Analysis Daten. 00420	Sample	Sample	Spike	MSD	MSD					Jacon		
Dichlorodifluoromethane         ND         1.02         0.952         mg/Kg         94         34-120         5         13           Chloromethane         ND         1.02         1.19         mg/Kg         117         42-120         7         12           Vinyl chloride         ND         1.02         1.24         mg/Kg         130         56-138         6         14           Chloroethane         ND         1.02         1.32         mg/Kg         130         56-138         6         14           Chloroethane         ND         1.02         1.24         mg/Kg         111         50-150         2         17           Trichlorofluoromethane         ND         1.02         1.24         mg/Kg         122         64-143         5         10           1,1-Dichloroethene         ND         1.02         1.23         mg/Kg         121         63-150         3         40           Methylene Chloride         ND         1.02         1.28         mg/Kg         126         47-150         2         40           trans-1,2-Dichloroethane         ND         1.02         1.18         mg/Kg         109         80-136         1         16	Analyte			•			Unit	р	%Rec		RPD		1
Chloromethane       ND       1.02       1.19       mg/Kg       the second													
Vinyl chlorideND1.021.24mg/Kg $\approx$ 12266.129520BromomethaneND1.021.32mg/Kg $\approx$ 13056.138614ChloroethaneND1.021.12mg/Kg $\approx$ 11150.150217TrichlorofluoromethaneND1.021.24mg/Kg $\approx$ 12264.1435101,1-DichloroetheneND1.021.23mg/Kg $\approx$ 12163.150340Methylene ChlorideND1.021.28mg/Kg $\approx$ 12647.150240trans-1,2-DichloroetheneND1.021.11mg/Kg $\approx$ 108161,1-DichloroethaneND1.021.11mg/Kg $\approx$ 10373.150213cis-1,2-DichloroetheneND1.021.05mg/Kg $\approx$ 10373.150213cis-1,2-DichloroetheneND1.021.07mg/Kg $\approx$ 10373.150213cis-1,2-DichloroetheneND1.021.07mg/Kg $\approx$ 10975.1481332cis-1,2-DichloroetheneND1.021.08mg/Kg $\approx$ 10680.150315gradeND1.021.08mg/Kg $\approx$ 10680.150315BromochloromethaneND1.021.08mg/Kg $\approx$ 10680.150315 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td></td<>													1
Bromomethane         ND         1.02         1.32         mg/Kg $\cong$ 130         56.138         6         14           Chloroethane         ND         1.02         1.12         mg/Kg $\cong$ 111         50.150         2         17           Trichlorofluoromethane         ND         1.02         1.24         mg/Kg $\cong$ 122         64.143         5         10           1,1-Dichloroethene         ND         1.02         1.23         mg/Kg $\cong$ 121         63.150         3         40           Methylene Chloride         ND         1.02         1.28         mg/Kg $\cong$ 116         80.138         0         16           1,1-Dichloroethene         ND         1.02         1.18         mg/Kg $\cong$ 109         80.136         1         16           1,1-Dichloroethane         ND         1.02         1.01         mg/Kg $\cong$ 109         80.136         1         16           2,2-Dichloroethane         ND         1.02         1.05         mg/Kg $\cong$ 103         73.150         2         13           cis-1,2-Dichloroethane         ND	Vinyl chloride												
ChloroethaneND1.021.12mg/Kg $\approx$ 11150.150217TrichlorofluoromethaneND1.021.24mg/Kg $\approx$ 12264.1435101,1-DichloroetheneND1.021.23mg/Kg $\approx$ 12163.150340Methylene ChlorideND1.021.28mg/Kg $\approx$ 12647.150240trans-1,2-DichloroetheneND1.021.18mg/Kg $\approx$ 11680.1380161,1-DichloroethaneND1.021.11mg/Kg $\approx$ 10980.1361162,2-DichloroethaneND1.021.05mg/Kg $\approx$ 10373.150213cis-1,2-DichloroetheneND1.021.07mg/Kg $\approx$ 10580.144015g,2-DichloroetheneND1.021.07mg/Kg $\approx$ 10975.1481332cis-1,2-DichloroethaneND1.021.08mg/Kg $\approx$ 10680.150315BromochloromethaneND1.021.08mg/Kg $\approx$ 10680.1503151,1,1-TrichloroethaneND1.021.12mg/Kg $\approx$ 11080.150210Carbon tetrachlorideND1.021.12mg/Kg $\approx$ 11172.150217	Bromomethane	ND		1.02	1.32				130	56 - 138	6	14	
TrichlorofluoromethaneND1.021.24mg/Kg $\begin{tabular}{lllllllllllllllllllllllllllllllllll$	Chloroethane	ND						¢	111	50 - 150	2	17	
1,1-Dichloroethene       ND       1.02       1.23       mg/Kg $\odot$ 121       63.150       3       40         Methylene Chloride       ND       1.02       1.28       mg/Kg $\odot$ 126       47.150       2       40         trans-1,2-Dichloroethene       ND       1.02       1.18       mg/Kg $\odot$ 116       80.138       0       16         1,1-Dichloroethane       ND       1.02       1.11       mg/Kg $\odot$ 109       80.136       1       16         2,2-Dichloroptopane       ND       1.02       1.05       mg/Kg $\simeq$ 103       73.150       2       13         cis-1,2-Dichloroethene       ND       1.02       1.07       mg/Kg $\simeq$ 105       80.144       0       15         Bromochloromethane       ND       1.02       1.07       mg/Kg $\simeq$ 109       75.148       13       32         Chloroform       ND       1.02       1.08       mg/Kg $\simeq$ 106       80.150       3       15         1,1,1-Trichloroethane       ND       1.02       1.12       mg/Kg $\simeq$ 110       80.150       2       10	Trichlorofluoromethane	ND						¢	122	64 - 143	5	10	
Methylene Chloride         ND         1.02         1.28         mg/Kg $\begin{subarray}{c}{c}$ 126         47.150         2         40           trans-1,2-Dichloroethene         ND         1.02         1.18         mg/Kg $\begin{subarray}{c}{c}$ 116         80.138         0         16           1,1-Dichloroethane         ND         1.02         1.11         mg/Kg $\begin{subarray}{c}{c}$ 109         80.138         1         16           2,2-Dichloroethane         ND         1.02         1.05         mg/Kg $\begin{subarray}{c}{c}$ 103         73.150         2         13           cis-1,2-Dichloroethane         ND         1.02         1.07         mg/Kg $\begin{subarray}{c}{c}$ 105         80.144         0         15           Bromochloromethane         ND         1.02         1.07         mg/Kg $\begin{subarray}{c}{c}$ 106         80.150         3         15           Bromochloromethane         ND         1.02         1.08         mg/Kg $\begin{subarray}{c}{c}$ 106         80.150         3         15           1,1,1-Trichloroethane         ND         1.02         1.12         mg/Kg $sub$	1,1-Dichloroethene	ND									3	40	
trans-1,2-DichloroetheneND1.021.18mg/Kg $\besize$ 11680 - 1380161,1-DichloroethaneND1.021.11mg/Kg $\besize$ 10980 - 1361162,2-DichloropropaneND1.021.05mg/Kg $\besize$ 10373 - 150213cis-1,2-DichloroetheneND1.021.07mg/Kg $\besize$ 10580 - 144015BromochloromethaneND1.021.10mg/Kg $\besize$ 10975 - 1481332ChloroformND1.021.08mg/Kg $\besize$ 10680 - 1503151,1,1-TrichloroethaneND1.021.12mg/Kg $\besize$ 11080 - 150210Carbon tetrachlorideND1.021.12mg/Kg $\besize$ 11172 - 150217	Methylene Chloride	ND						¢	126	47 - 150	2	40	
1,1-DichloroethaneND1.021.11mg/Kg $\besize 109$ 80.1361162,2-DichloropropaneND1.021.05mg/Kg $\besize 103$ 73.150213cis-1,2-DichloroetheneND1.021.07mg/Kg $\besize 105$ 80.144015BromochloromethaneND1.021.10mg/Kg $\besize 109$ 75.1481332ChloroformND1.021.08mg/Kg $\besize 106$ 80.1503151,1,1-TrichloroethaneND1.021.12mg/Kg $\besize 110$ 80.150210Carbon tetrachlorideND1.021.12mg/Kg $\besize 111$ 72.150217	trans-1,2-Dichloroethene	ND		1.02	1.18			¢	116	80 - 138	0	16	
cis-1,2-Dichloroethene       ND       1.02       1.07       mg/Kg $\approx$ 105       80 - 144       0       15         Bromochloromethane       ND       1.02       1.10       mg/Kg $\approx$ 109       75 - 148       13       32         Chloroform       ND       1.02       1.08       mg/Kg $\approx$ 106       80 - 150       3       15         1,1,1-Trichloroethane       ND       1.02       1.12       mg/Kg $\approx$ 110       80 - 150       2       10         Carbon tetrachloride       ND       1.02       1.12       mg/Kg $\approx$ 111       72 - 150       2       17	1,1-Dichloroethane	ND		1.02	1.11				109	80 - 136	1	16	
cis-1,2-Dichloroethene         ND         1.02         1.07         mg/Kg $\odot$ 105         80.144         0         15           Bromochloromethane         ND         1.02         1.10         mg/Kg $\odot$ 109         75.148         13         32           Chloroform         ND         1.02         1.08         mg/Kg $\odot$ 106         80.150         3         15           1,1,1-Trichloroethane         ND         1.02         1.12         mg/Kg $\odot$ 110         80.150         2         10           Carbon tetrachloride         ND         1.02         1.12         mg/Kg $\odot$ 111         72.150         2         17	2,2-Dichloropropane	ND		1.02	1.05			¢	103	73 - 150	2	13	
Bromochloromethane         ND         1.02         1.10         mg/Kg $\boxdot$ 109         75 - 148         13         32           Chloroform         ND         1.02         1.08         mg/Kg $\oiint$ 106         80 - 150         3         15           1,1,1-Trichloroethane         ND         1.02         1.12         mg/Kg $\oiint$ 110         80 - 150         2         10           Carbon tetrachloride         ND         1.02         1.12         mg/Kg $\oiint$ 111         72 - 150         2         17	cis-1,2-Dichloroethene	ND						¢	105	80 - 144	0	15	
Chloroform         ND         1.02         1.08         mg/Kg $\[theta]$ 106         80 - 150         3         15           1,1,1-Trichloroethane         ND         1.02         1.12         mg/Kg $\[theta]$ 110         80 - 150         2         10           Carbon tetrachloride         ND         1.02         1.12         mg/Kg $\[theta]$ 111         72 - 150         2         17	Bromochloromethane	ND		1.02	1.10				109	75 - 148	13	32	
1,1,1-Trichloroethane       ND       1.02       1.12       mg/Kg       110       80 - 150       2       10         Carbon tetrachloride       ND       1.02       1.12       mg/Kg       111       72 - 150       2       17	Chloroform	ND		1.02	1.08			¢	106	80 - 150	3	15	
Carbon tetrachloride         ND         1.02         1.12         mg/Kg         🌣         111         72 - 150         2         17	1,1,1-Trichloroethane							¢	110	80 - 150	2		
	Carbon tetrachloride	ND		1.02	1.12				111	72 - 150	2	17	
1,1-Dichloropropene ND 1.02 1.08 mg/Kg 🌣 106 78-145 4 14	1,1-Dichloropropene	ND		1.02	1.08		mg/Kg	¢	106	78 - 145	4	14	
Benzene ND 1.02 1.10 mg/Kg 🔅 108 76-139 2 14	Benzene	ND		1.02	1.10			¢	108	76 - 139	2	14	
1,2-Dichloroethane ND 1.02 0.998 mg/Kg 🌣 98 73 - 150 1 25	1,2-Dichloroethane	ND		1.02	0.998				98	73 - 150	1	25	
Trichloroethene ND 1.02 1.08 mg/Kg 🜣 107 79 - 144 4 13	Trichloroethene	ND		1.02	1.08			¢	107	79 - 144	4	13	
1,2-Dichloropropane ND 1.02 1.02 mg/Kg 🜣 100 75-135 1 20	1,2-Dichloropropane	ND		1.02	1.02			¢	100	75 - 135	1	20	
Dibromomethane ND 1.02 0.954 mg/Kg 🜣 94 80 - 140 1 24	Dibromomethane	ND		1.02	0.954				94	80 - 140	1	24	
Bromodichloromethane ND 1.02 1.01 mg/Kg 🌣 100 80 - 146 2 19	Bromodichloromethane	ND		1.02	1.01			¢	100	80 - 146	2	19	
cis-1,3-Dichloropropene ND 1.02 0.972 mg/Kg 🜣 96 80 - 136 1 17	cis-1,3-Dichloropropene	ND						¢	96	80 - 136	1	17	
Toluene ND 1.02 1.10 mg/Kg 🌣 108 77 - 131 1 14	Toluene	ND		1.02	1.10				108	77 - 131	1	14	
trans-1,3-Dichloropropene ND 1.02 1.03 mg/Kg 🜣 102 80 - 124 0 14	trans-1,3-Dichloropropene	ND		1.02	1.03		mg/Kg	¢	102	80 - 124	0	14	
1,1,2-Trichloroethane ND 1.02 1.04 mg/Kg 🜣 102 80 - 132 2 12	1,1,2-Trichloroethane	ND		1.02	1.04			¢	102	80 - 132	2	12	
Tetrachloroethene 2.0 1.02 3.09 mg/Kg 🜣 104 77 - 149 1 10	Tetrachloroethene	2.0		1.02	3.09		mg/Kg	¢.	104	77 - 149	1	10	
1,3-Dichloropropane ND 1.02 1.00 mg/Kg 🌣 99 76-125 2 24	1,3-Dichloropropane	ND		1.02	1.00		mg/Kg	¢	99	76 - 125	2	24	
Dibromochloromethane ND 1.02 1.04 mg/Kg 🌣 102 78 - 136 5 18	Dibromochloromethane	ND		1.02	1.04		mg/Kg	¢	102	78 - 136	5	18	
1,2-Dibromoethane (EDB) ND 1.02 1.03 mg/Kg 🜣 102 75 - 129 0 18	1,2-Dibromoethane (EDB)	ND		1.02	1.03		mg/Kg	¢	102	75_129	0	18	
Chlorobenzene ND 1.02 1.03 mg/Kg 🌣 102 80-136 2 10	Chlorobenzene	ND		1.02	1.03		mg/Kg	¢	102	80 - 136	2	10	
Ethylbenzene ND 1.02 1.10 mg/Kg 🌣 109 77 - 135 2 13	Ethylbenzene	ND		1.02	1.10		mg/Kg	¢	109	77 - 135	2	13	
1,1,1,2-Tetrachloroethane ND 1.02 1.03 mg/Kg 🜣 101 80 - 128 2 25	1,1,1,2-Tetrachloroethane	ND		1.02	1.03		mg/Kg	₽	101	80 - 128	2	25	
1,1,2,2-Tetrachloroethane ND 1.02 0.948 mg/Kg 🌣 93 75 - 137 3 15	1,1,2,2-Tetrachloroethane	ND		1.02	0.948		mg/Kg	¢	93	75 - 137	3	15	
m,p-Xylene ND 1.02 1.07 mg/Kg 🌣 105 78 - 130 0 23	m,p-Xylene	ND		1.02	1.07		mg/Kg	¢	105	78 - 130	0	23	
o-Xylene ND 1.02 1.04 mg/Kg 🌣 102 77 - 129 3 15	o-Xylene	ND		1.02	1.04		mg/Kg	₽	102	77 - 129	3	15	
Styrene ND 1.02 1.01 mg/Kg 🌣 100 80 - 128 1 25	Styrene	ND		1.02	1.01		mg/Kg	¢	100	80 - 128	1	25	
Bromoform ND 1.02 0.967 mg/Kg 🌣 95 72-133 1 10	Bromoform	ND		1.02	0.967		mg/Kg	¢	95	72 - 133	1	10	
Isopropylbenzene ND 1.02 1.06 mg/Kg 🜣 104 78 - 139 2 10	Isopropylbenzene	ND		1.02	1.06		mg/Kg	¢	104	78 - 139	2	10	
Bromobenzene ND 1.02 0.984 mg/Kg 🜣 97 75-142 2 25	Bromobenzene	ND		1.02	0.984		mg/Kg	¢	97	75 - 142	2	25	
N-Propylbenzene ND 1.02 1.04 mg/Kg 🌣 102 77 - 140 1 25	N-Propylbenzene	ND		1.02	1.04		mg/Kg	¢	102	77 - 140	1	25	
1,2,3-Trichloropropane ND 1.02 0.991 mg/Kg 🜣 98 67 - 144 1 40	1,2,3-Trichloropropane	ND		1.02	0.991		mg/Kg	₽	98	67 - 144	1	40	
2-Chlorotoluene ND 1.02 1.04 mg/Kg 🌣 102 77 - 135 1 35	2-Chlorotoluene	ND		1.02	1.04		mg/Kg	¢	102	77 - 135	1	35	
1,3,5-Trimethylbenzene ND 1.02 1.05 mg/Kg 🌣 103 76 - 133 3 20	1,3,5-Trimethylbenzene	ND		1.02	1.05		mg/Kg	¢	103	76 - 133	3	20	
4-Chlorotoluene ND 1.02 1.04 mg/Kg 🌣 102 77 - 133 2 17	4-Chlorotoluene	ND		1.02	1.04		mg/Kg	₽	102	77 - 133	2	17	
tert-Butylbenzene ND 1.02 1.01 mg/Kg 🌣 99 76-130 1 16	tert-Butylbenzene	ND		1.02	1.01		mg/Kg	¢	99	76 - 130	1	16	
1,2,4-Trimethylbenzene ND 1.02 1.03 mg/Kg 🌣 102 76-139 1 21	1,2,4-Trimethylbenzene	ND		1.02	1.03		mg/Kg	₽	102	76 - 139	1	21	

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Client Sample ID: GEI039-B-DUP Prep Type: Total/NA Prep Batch: 39423 %Rec RPD D %Rec Limits RPD Limit

7

### Lab Sample ID: 590-19375-12 MSD Matrix: Solid

Analysis Batch: 39420									Prep E	atch: 3	39423
-	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
sec-Butylbenzene	ND		1.02	1.02		mg/Kg	<u>¤</u>	100	76 - 139	1	18
1,3-Dichlorobenzene	ND		1.02	1.05		mg/Kg	¢	103	80 - 133	0	18
p-Isopropyltoluene	ND		1.02	0.983		mg/Kg	¢	97	80 - 140	3	19
1,4-Dichlorobenzene	ND		1.02	1.00		mg/Kg	¢	99	80 - 133	3	16
n-Butylbenzene	ND		1.02	0.963		mg/Kg	¢	95	80 - 131	3	20
1,2-Dichlorobenzene	ND		1.02	0.982		mg/Kg	¢	97	80 - 135	1	17
1,2-Dibromo-3-Chloropropane	ND		1.02	0.879	J	mg/Kg	¢	87	65 - 139	11	27
1,2,4-Trichlorobenzene	ND		1.02	0.908		mg/Kg	¢	89	67 - 140	9	25
1,2,3-Trichlorobenzene	ND		1.02	0.892		mg/Kg	¢	88	66 - 143	13	16
Hexachlorobutadiene	ND		1.02	0.919		mg/Kg	¢	90	59 - 150	6	19
Naphthalene	ND		1.02	0.887		mg/Kg	¢	87	67 - 129	13	15
Methyl tert-butyl ether	ND		1.02	1.04		mg/Kg	☆	102	80 - 144	0	17
	MSD	MSD									

	14130	14130	
Surrogate	%Recovery	Qualifier	Limits
Toluene-d8 (Surr)	100		80 - 120
4-Bromofluorobenzene (Surr)	98		76 - 122
Dibromofluoromethane (Surr)	96		80 - 120
1,2-Dichloroethane-d4 (Surr)	100		75 - 129

### Lab Sample ID: 590-19375-11 DU Matrix: Solid Analysis Batch: 39420

### Client Sample ID: GEI039-B7 (6-7) Prep Type: Total/NA Prep Batch: 39423

Analysis Daton. 55420							riep Daten.	00420
	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
Dichlorodifluoromethane	ND		ND		mg/Kg	¢	NC	24
Chloromethane	ND		ND		mg/Kg	¢	NC	22
Vinyl chloride	ND		ND		mg/Kg	¢	NC	20
Bromomethane	ND		ND		mg/Kg	¢	NC	21
Chloroethane	ND		ND		mg/Kg	¢	NC	25
Trichlorofluoromethane	ND		ND		mg/Kg	¢	NC	25
1,1-Dichloroethene	ND		ND		mg/Kg	¢	NC	18
Methylene Chloride	ND		ND		mg/Kg	¢	NC	40
trans-1,2-Dichloroethene	ND		ND		mg/Kg	¢	NC	25
1,1-Dichloroethane	ND		ND		mg/Kg	¢	NC	25
2,2-Dichloropropane	ND		ND		mg/Kg	¢	NC	22
cis-1,2-Dichloroethene	ND		ND		mg/Kg	¢	NC	23
Bromochloromethane	ND		ND		mg/Kg	¢	NC	25
Chloroform	ND		ND		mg/Kg	¢	NC	25
1,1,1-Trichloroethane	ND		ND		mg/Kg	¢	NC	19
Carbon tetrachloride	ND		ND		mg/Kg	¢	NC	25
1,1-Dichloropropene	ND		ND		mg/Kg	¢	NC	24
Benzene	ND		ND		mg/Kg	¢	NC	25
1,2-Dichloroethane	ND		ND		mg/Kg	¢	NC	25
Trichloroethene	ND		ND		mg/Kg	¢	NC	25
1,2-Dichloropropane	ND		ND		mg/Kg	¢	NC	20
Dibromomethane	ND		ND		mg/Kg	¢	NC	24
Bromodichloromethane	ND		ND		mg/Kg	¢	NC	26
cis-1,3-Dichloropropene	ND		ND		mg/Kg	¢	NC	24

### Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

### Lab Sample ID: 590-19375-11 DU Matrix: Solid

Analysis Batch: 39420							Prep Batch: 3	
		Sample		DU				RPD
Analyte		Qualifier		Qualifier	Unit	D		Limit
Toluene	ND		ND		mg/Kg	₩	NC	25
trans-1,3-Dichloropropene	ND		ND		mg/Kg	☆	NC	28
1,1,2-Trichloroethane	ND		ND		mg/Kg	₽	NC	31
Tetrachloroethene	4.1		3.77		mg/Kg	¢	9	24
1,3-Dichloropropane	ND		ND		mg/Kg	¢	NC	16
Dibromochloromethane	ND		ND		mg/Kg	¢	NC	25
1,2-Dibromoethane (EDB)	ND		ND		mg/Kg	¢	NC	18
Chlorobenzene	ND		ND		mg/Kg	¢	NC	25
Ethylbenzene	ND		ND		mg/Kg	☆	NC	25
1,1,1,2-Tetrachloroethane	ND		ND		mg/Kg	₽	NC	25
1,1,2,2-Tetrachloroethane	ND		ND		mg/Kg	₽	NC	22
m,p-Xylene	ND		ND		mg/Kg	¢	NC	23
o-Xylene	ND		ND		mg/Kg	¢	NC	25
Styrene	ND		ND		mg/Kg	☆	NC	25
Bromoform	ND		ND		mg/Kg	☆	NC	34
Isopropylbenzene	ND		ND		mg/Kg		NC	24
Bromobenzene	ND		ND		mg/Kg	¢	NC	25
N-Propylbenzene	ND		ND		mg/Kg	¢	NC	25
1,2,3-Trichloropropane	ND		ND		mg/Kg	¢.	NC	27
2-Chlorotoluene	ND		ND		mg/Kg	¢	NC	20
1,3,5-Trimethylbenzene	ND		ND		mg/Kg	¢	NC	20
4-Chlorotoluene	ND		ND		mg/Kg		NC	25
tert-Butylbenzene	ND		ND		mg/Kg	¢	NC	16
1,2,4-Trimethylbenzene	ND		ND		mg/Kg	¢	NC	21
sec-Butylbenzene	ND		ND		mg/Kg	¢.	NC	34
1,3-Dichlorobenzene	ND		ND		mg/Kg	¢	NC	18
p-lsopropyltoluene	ND		ND		mg/Kg	¢	NC	26
1,4-Dichlorobenzene	ND		ND		mg/Kg		NC	16
n-Butylbenzene	ND		ND		mg/Kg	¢.	NC	20
1,2-Dichlorobenzene	ND		ND		mg/Kg	¢	NC	25
1,2-Dibromo-3-Chloropropane	ND		ND		mg/Kg		NC	40
1,2,4-Trichlorobenzene	ND		ND		mg/Kg	¢.	NC	25
1,2,3-Trichlorobenzene	ND		ND		mg/Kg	¢	NC	25
Hexachlorobutadiene	ND		ND		mg/Kg		NC	25
Naphthalene	ND		ND		mg/Kg	¢	NC	36
Methyl tert-butyl ether	ND		ND		mg/Kg	¢	NC	25
Methyl ton-butyl ether					mg/ng	*	No	20
Surrogate	DU %Recovery	DU Qualifier	Limits					
Toluene-d8 (Surr)	105		80 - 120					
4-Bromofluorobenzene (Surr)	93		76 - 122					
Dibromofluoromethane (Surr)	99		80 - 120					
1,2-Dichloroethane-d4 (Surr)	99 97		75 - 129					

Prep Type: Total/NA

Client Sample ID: GEI039-B7 (6-7)

### QC Sample Results

Job ID: 590-19375-1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) Lab Sample ID: MB 590-39381/1-A Client Sample ID: Method Blank Matrix: Solid **Prep Type: Total/NA** Analysis Batch: 39387 Prep Batch: 39381 MB MB **Result Qualifier** RL MDL Unit Analyzed Dil Fac Analyte D Prepared 5.0 12/07/22 14:22 12/07/22 21:28 Gasoline ND 1.8 mg/Kg 1 MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 12/07/22 14:22 12/07/22 21:28 4-Bromofluorobenzene (Surr) 93 41.5 - 162 Lab Sample ID: LCS 590-39381/3-A **Client Sample ID: Lab Control Sample** Matrix: Solid Prep Type: Total/NA Analysis Batch: 39387 Prep Batch: 39381 LCS LCS %Rec Spike Analyte Added **Result Qualifier** Unit D %Rec Limits Gasoline 50.0 48.6 mg/Kg 97 74.4 - 124 LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 95 41.5 - 162 Lab Sample ID: 590-19375-1 DU Client Sample ID: GEI039-B1 (12-13) Matrix: Solid **Prep Type: Total/NA** Analysis Batch: 39387 Prep Batch: 39381 Sample Sample DU DU RPD Analyte **Result Qualifier** Result Qualifier Unit D RPD Limit ₽ Gasoline ND ND mg/Kg NC 32.3 DU DU Qualifier Limits Surrogate %Recovery 4-Bromofluorobenzene (Surr) 95 41.5 - 162 Lab Sample ID: MB 590-39423/1-A **Client Sample ID: Method Blank** Matrix: Solid Prep Type: Total/NA Analysis Batch: 39421 Prep Batch: 39423 MB MB Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed Dil Fac Gasoline ND 5.0 1.8 mg/Kg 12/09/22 10:44 12/09/22 13:33 MB MB Qualifier Limits Dil Fac Surrogate %Recovery Prepared Analyzed 4-Bromofluorobenzene (Surr) 12/09/22 10:44 12/09/22 13:33 41.5 - 162 95 Lab Sample ID: LCS 590-39423/3-A **Client Sample ID: Lab Control Sample** Matrix: Solid Prep Type: Total/NA Analysis Batch: 39421 Prep Batch: 39423 Spike LCS LCS %Rec Added Analyte **Result Qualifier** Unit %Rec Limits D 74.4 - 124 Gasoline 50.0 50.9 mg/Kg 102 LCS LCS Surrogate %Recoverv Qualifier Limits 99

4-Bromofluorobenzene (Surr)

41 5 - 162

**Client Sample ID: Method Blank** 

**Client Sample ID: Lab Control Sample** 

**Client Sample ID: GEI039-WC** 

Prep Type: Total/NA

**Prep Type: Total/NA** 

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

Lab Sample ID: 590-1937 Matrix: Solid Analysis Batch: 39421	5-11 DU						Client Sa	mple ID: GEI039-B7 Prep Type: Tot Prep Batch: 3	al/NÁ
Analysis Daton. 55421	Sample	Sample		DU	DU			riep Daten. c	RPD
Analyte	•	Qualifier		Result	Qualifier	Unit	D	RPD	Limit
Gasoline	7.8	J		6.65	J	mg/Kg	¢		32.3
	DU	DU							
Surrogate	%Recovery	Qualifier	Limits						
4-Bromofluorobenzene (Surr)	93		41.5 - 162						

### Method: 6010D - Metals (ICP) Lab Sample ID: MB 590-39479/2-A

Matrix: Solid Analysis Batch: 39492								Prep Type: To Prep Batch:	
	MB M	В							
Analyte	Result Q	ualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		1.3	0.50	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Barium	ND		1.3	0.34	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Cadmium	ND		1.0	0.059	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Chromium	ND		1.3	0.18	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Lead	ND		3.0	1.5	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Selenium	ND		5.0	3.0	mg/Kg		12/15/22 09:49	12/15/22 16:43	1
Silver	ND		1.3	0.29	mg/Kg		12/15/22 09:49	12/15/22 16:43	1

### Lab Sample ID: LCS 590-39479/1-A **Matrix: Solid** Analysis Batch: 39492

Analysis Batch: 39492							Prep Ba	tch: 39479
	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Arsenic	100	97.1		mg/Kg		97	80 - 120	
Barium	100	97.1		mg/Kg		97	80 - 120	
Cadmium	50.0	49.8		mg/Kg		100	80 - 120	
Chromium	50.0	48.2		mg/Kg		96	80 - 120	
Lead	50.0	51.5		mg/Kg		103	80 - 120	
Selenium	100	99.7		mg/Kg		100	80 - 120	
Silver	5.00	4.89		mg/Kg		98	80 - 120	

### Lab Sample ID: 590-19375-14 MS Matrix: Solid Analysis Batch: 39492

Analysis Batch: 39492									Prep Batch: 39479
	Sample	Sample	Spike	MS	MS				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Arsenic	5.3	J	117	119		mg/Kg	☆	97	75 - 125
Barium	160		117	274		mg/Kg	¢	100	75 - 125
Cadmium	ND		58.7	59.6		mg/Kg	₽	102	75 - 125
Chromium	4.8	J	58.7	62.6		mg/Kg	¢	99	75 - 125
Lead	8.5	J	58.7	69.9		mg/Kg	¢	105	75 - 125
Selenium	ND		117	115		mg/Kg	¢	98	75 - 125
Silver	ND		5.87	5.98	J	mg/Kg	¢	102	75 - 125

**Eurofins Spokane** 

7

### Method: 6010D - Metals (ICP) (Continued)

### Lab Sample ID: 590-19375-14 MSD Client Sample ID: GEI039-WC Matrix: Solid Prep Type: Total/NA Analysis Batch: 39492 Prep Batch: 39479 Sample Sample Spike MSD MSD %Rec RPD Analyte **Result Qualifier** Added Result Qualifier Unit %Rec Limits RPD Limit D Arsenic 5.3 J 116 123 mg/Kg ₽ 102 75 - 125 3 20 Barium 160 116 272 mg/Kg ₽ 100 75 - 125 1 20 Cadmium ND 60.2 58.1 mg/Kg 104 75 - 125 20 ₽ 1 Chromium 4.8 J 58.1 63.2 100 75 - 125 20 mg/Kg ₽ 1 20 Lead 8.5 58.1 74.8 mg/Kg ☆ 114 75 - 125 7 J Selenium ND 116 119 mg/Kg ₽ 102 75 - 125 20 4 Silver ND 6.48 J 112 75 - 125 20 5.81 mg/Kg ÷Ċŕ 8 Lab Sample ID: 590-19375-14 DU **Client Sample ID: GEI039-WC** Matrix: Solid Prep Type: Total/NA Analysis Batch: 39492 Prep Batch: 39479 DU DU Sample Sample RPD **Result Qualifier** Analyte **Result Qualifier** Unit D RPD Limit 6.57 F5 Arsenic 5.3 J ₽ 22 mg/Kg 20 Barium 160 158 ₽ 20 mg/Kg 1 ND mg/Kg NC 20 Cadmium ND ₽ Chromium 4.8 4.41 J ¢ 9 20 J mg/Kg Lead 10.1 J 8.5 ₽ 17 20 J mg/Kg Selenium ND ND mg/Kg ₽ NC 20 Silver ND ND ₽ NC 20 mg/Kg

### Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 590-39480/9-A Matrix: Solid Analysis Batch: 39493		МБ							CI	ient Samp	ole ID: Method Prep Type: T Prep Batch	otal/NA
Analyte		MB Qualifier		RL	I	MDL	Unit	D	1	Prepared	Analyzed	Dil Fac
Mercury	4.00	J		50		3.6	ug/Kg		12	/15/22 09:55	12/15/22 17:25	1
Lab Sample ID: LCS 590-39480/8-/ Matrix: Solid Analysis Batch: 39493	4							Clien	it Sa	ample ID:	Lab Control S Prep Type: T Prep Batch	otal/NA
			Spike		LCS	LCS					%Rec	
Analyte			Added		Result	Quali	ifier	Unit	C	) %Rec	Limits	
Mercury			200		176			ug/Kg		88	80 - 120	

### Client Sample ID: GEI039-B1 (12-13) Date Collected: 12/01/22 08:50 Date Received: 12/02/22 13:30

Dren Turne	Batch	Batch	<b>D</b>	Dil Factor	Initial	Final	Batch	Prepared	A	l ah
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	EET SPK
Total/NA	Analysis	Moisture		I			39342	12/06/22 09:00	M1V	EEISPN
Client Sam	ple ID: GEI	039-B1 (12-	13)				L	ab Sample	ID: 590	-19375
Date Collecte	d: 12/01/22 0	8:50							Ма	atrix: Sol
Date Received	d: 12/02/22 1	3:30						P	ercent S	olids: 84
-	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			9.17 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	Analysis	8260D		1	0.86 mL	43 mL	39386	12/07/22 22:32	JSP	EET SPK
Total/NA	Prep	5035			9.17 g	10 mL	39381	12/07/22 14:23	ISP	EET SPK
Total/NA	Analysis	NWTPH-Gx		1	0.86 mL	43 mL	39387	12/07/22 22:32		EET SPK
	, analysis			•	0.00 me	HOME				
		039-B2 (16-	17)				L	ab Sample	ID: 590	-19375
Date Collecte									Ма	atrix: Sol
Date Received	d: 12/02/22 1	3:30								
_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
-		000 D0 (40	4 7						ID. 500	40075
		039-B2 (16-	17)				L	ab Sample		
Date Collecte								_		atrix: Sol
Date Received	d: 12/02/22 1	3:30						Р	ercent S	olids: 75
_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			9.396 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	Analysis	8260D		1	0.86 mL	43 mL	39386	12/07/22 23:15	JSP	EET SPK
Total/NA	Prep	5035			9.396 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	Analysis	NWTPH-Gx		1	0.86 mL	43 mL	39387	12/07/22 23:15	JSP	EET SPK
- Client Semi		020 B2 (49	10)					ah Camala		10275
		039-B2 (18-	19)				L	ab Sample		
Date Collecte									IVIa	atrix: Sol
	u. 12/02/22 1	3.30								
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
Client Sam	nle ID: GEI	039-B2 (18-	19)				1	ab Sample	ID: 590	-19375
Date Collecte			13)							atrix: Soli
Date Received								Р		olids: 77
-										
	Batch	Batch	_	Dil	Initial	Final	Batch	Prepared	-	
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	Prep	5035			8.969 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	• · ·			1	0.86 mL	43 mL	39386	12/08/22 00:19	JSP	EET SPK
	Analysis	8260D		•	0.00					
Total/NA	Analysis Prep	8260D 5035		·	8.969 g	10 mL	39381	12/07/22 14:23		EET SPK

Matrix: Solid

5 6

Lab Sample ID: 590-19375-4

### Client Sample ID: GEI039-B3 (19-20) Date Collected: 12/01/22 10:25 Date Received: 12/02/22 13:30

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
Client Sam	ple ID: GEI	039-B3 (19-	20)				L	ab Sample	ID: 590	-19375-
Date Collecte			'							atrix: Soli
Date Received								P		olids: 82
_	Detah	Batch		Dil	Initial	Final	Batah	Dremered		
Bron Tuno	Batch	Method	Dun	Dil Factor	Initial	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Prep Type Total/NA	Prep	5035	Run	Factor	Amount 5.915 g	10 mL	39381	12/07/22 14:23	Analyst JSP	EET SPK
Total/NA	Analysis	8260D		1	0.86 mL	43 mL	39386	12/08/22 01:02		EET SPK
Total/NA	Prep	5035			5.915 g	10 mL	39381	12/07/22 14:23		EET SPK
Total/NA	Analysis	NWTPH-Gx		1	0.86 mL	43 mL	39387	12/08/22 01:02	JSP	EET SPK
Client Sam	ple ID: GEI	039-B3 (22-	23)				L	ab Sample	ID: 590	-19375
Date Collecte	d: 12/01/22 1	0:30								atrix: Soli
Date Received	d: 12/02/22 1	3:30								
_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
		039-B3 (22-2	23)				L	ab Sample	ID: 590	-19375
Date Collecte										atrix: Sol
Date Received	d: 12/02/22 1	3:30						P	ercent S	olids: 96
_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
Total/NA	Prep	5035			6.902 g		39381		JSP	EET SPK
Total/NA Total/NA	Prep Analvsis	5035 8260D		1	6.902 g 0.86 mL	10 mL	39381 39386	12/07/22 14:23	JSP JSP	
Total/NA	Analysis	8260D		1	0.86 mL	10 mL 43 mL	39386	12/07/22 14:23 12/08/22 01:23	JSP	EET SPK
Total/NA Total/NA	Analysis Prep	8260D 5035			0.86 mL 6.902 g	10 mL 43 mL 10 mL	39386 39381	12/07/22         14:23           12/08/22         01:23           12/07/22         14:23	JSP JSP	EET SPK EET SPK
Total/NA	Analysis	8260D		1 1	0.86 mL	10 mL 43 mL	39386	12/07/22 14:23 12/08/22 01:23	JSP JSP	EET SPK EET SPK
Total/NA Total/NA Total/NA	Analysis Prep Analysis	8260D 5035	)		0.86 mL 6.902 g	10 mL 43 mL 10 mL	39386 39381 39387	12/07/22         14:23           12/08/22         01:23           12/07/22         14:23	JSP JSP JSP	EET SPK EET SPK EET SPK
Total/NA Total/NA Total/NA	Analysis Prep Analysis	8260D 5035 NWTPH-Gx 039-B4 (6-7)	)		0.86 mL 6.902 g	10 mL 43 mL 10 mL	39386 39381 39387	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23	JSP JSP JSP ID: 590	EET SPK EET SPK EET SPK - <b>19375</b> -
Total/NA Total/NA Total/NA Client Sam Date Collected	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15	)		0.86 mL 6.902 g	10 mL 43 mL 10 mL	39386 39381 39387	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23	JSP JSP JSP ID: 590	EET SPK EET SPK EET SPK - <b>19375</b> -
Total/NA Total/NA Total/NA Client Sam Date Collected	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15	)	1	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample	JSP JSP JSP ID: 590	EET SPK EET SPK EET SPK - <b>19375-</b>
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Receiver	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch		1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387 L Batch	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared	JSP JSP JSP ID: 590 Ma	EET SPK EET SPK -19375- atrix: Soli
Total/NA Total/NA Total/NA Client Sam Date Collected	Analysis Prep Analysis <b>ple ID: GEI</b> d: 12/01/22 1 d: 12/02/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30	) Run	1	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample	JSP JSP JSP ID: 590 Ma	EET SPK EET SPK EET SPK - <b>19375</b> -
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Received Prep Type Total/NA	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture	Run	1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387 L Batch <u>Number</u> 39342	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared or Analyzed 12/06/22 09:00	JSP JSP JSP ID: 590 Ma Analyst M1V	EET SPK EET SPK EET SPK -19375- atrix: Soli EET SPK
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Received Prep Type Total/NA Client Sam	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7)	Run	1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387 L Batch <u>Number</u> 39342	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared or Analyzed	JSP JSP JSP ID: 590 Ma Analyst M1V ID: 590	EET SPK EET SPK EET SPK -19375- atrix: Soli EET SPK -19375-
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Receiver Total/NA Prep Type Total/NA Client Sam Date Collecter	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7) 3:15	Run	1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387 L Batch <u>Number</u> 39342	12/07/22 14:23         12/08/22 01:23         12/07/22 14:23         12/08/22 01:23         ab Sample         Prepared or Analyzed         12/06/22 09:00         ab Sample	JSP JSP JSP ID: 590 Ma M1V ID: 590 Ma	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Received Prep Type Total/NA Client Sam	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7) 3:15	Run	1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL	39386 39381 39387 L Batch <u>Number</u> 39342	12/07/22 14:23         12/08/22 01:23         12/07/22 14:23         12/08/22 01:23         ab Sample         Prepared or Analyzed         12/06/22 09:00         ab Sample	JSP JSP JSP ID: 590 Ma M1V ID: 590 Ma	EET SPK EET SPK EET SPK -19375- atrix: Soli EET SPK
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Receiver Total/NA Client Sam Date Collecter Date Collecter Date Receiver	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7) 3:15 3:30 Batch Batch Batch	<u>Run</u>	1 Dil Factor 1 Dil	0.86 mL 6.902 g 0.86 mL	10 mL 43 mL 10 mL 43 mL Final Amount	39386 39381 39387 L Batch Number 39342 L Batch	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared or Analyzed 12/06/22 09:00 ab Sample Prepared	JSP JSP JSP ID: 590 Ma Analyst M1V ID: 590 Ma ercent S	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Receiver Total/NA Client Sam Date Collecter Date Collecter Date Receiver	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1 d: 12/01/22 1 d: 12/02/22 1 Batch Type	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method 039-B4 (6-7) 3:15 3:30 Batch Method Moisture	Run	1 Dil Factor 1	0.86 mL 6.902 g 0.86 mL Initial Amount	10 mL 43 mL 10 mL 43 mL Final Amount	39386 39381 39387 L Batch Number 39342 L Batch Number	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared 0r Analyzed 12/06/22 09:00 ab Sample Prepared 0r Analyzed	JSP JSP JSP ID: 590 Ma Analyst ID: 590 Ma ercent S Analyst	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol olids: 81
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Received Total/NA Client Sam Date Collecter Date Collecter Date Received Date Received Date Received	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Prep	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7) 3:15 3:30 Batch Method 5035	<u>Run</u>	1 Dil Factor 1 Dil	0.86 mL 6.902 g 0.86 mL Initial Amount	10 mL 43 mL 10 mL 43 mL Final Amount Final Amount 10 mL	39386 39381 39387 L Batch Number 39342 L Batch Number 39381	12/07/22 14:23 12/08/22 01:23 12/08/22 01:23 ab Sample Prepared or Analyzed 12/06/22 09:00 ab Sample Prepared or Analyzed 12/07/22 14:23	JSP JSP JSP ID: 590 Ma M1V ID: 590 Ma ercent S Analyst JSP	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol olids: 81 EET SPK
Total/NA Total/NA Total/NA Client Sam Date Collecter Date Receiver Total/NA Client Sam Date Collecter Date Collecter Date Receiver	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1 d: 12/01/22 1 d: 12/02/22 1 Batch Type	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method 039-B4 (6-7) 3:15 3:30 Batch Method Moisture	<u>Run</u>	1 Dil Factor 1 Dil	0.86 mL 6.902 g 0.86 mL Initial Amount	10 mL 43 mL 10 mL 43 mL Final Amount	39386 39381 39387 L Batch Number 39342 L Batch Number	12/07/22 14:23 12/08/22 01:23 12/07/22 14:23 12/08/22 01:23 ab Sample Prepared 0r Analyzed 12/06/22 09:00 ab Sample Prepared 0r Analyzed	JSP JSP JSP ID: 590 Ma M1V ID: 590 Ma ercent S Analyst JSP	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol olids: 81 EET SPK
Total/NA Total/NA Total/NA Client Samp Date Collecter Date Received Total/NA Client Samp Date Collecter Date Collecter Date Received Total/NA	Analysis Prep Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 1 d: 12/02/22 1 Batch Type Prep	8260D 5035 NWTPH-Gx 039-B4 (6-7) 3:15 3:30 Batch Method Moisture 039-B4 (6-7) 3:15 3:30 Batch Method 5035	<u>Run</u>	1 Dil Factor 1 Dil Factor	0.86 mL 6.902 g 0.86 mL Initial Amount	10 mL 43 mL 10 mL 43 mL Final Amount Final Amount 10 mL	39386 39381 39387 L Batch Number 39342 L Batch Number 39381	12/07/22 14:23 12/08/22 01:23 12/08/22 01:23 ab Sample Prepared or Analyzed 12/06/22 09:00 ab Sample Prepared or Analyzed 12/07/22 14:23	JSP JSP JSP ID: 590 Ma M1V ID: 590 Ma ercent S Analyst JSP JSP	EET SPK EET SPK EET SPK -19375- atrix: Sol EET SPK -19375- atrix: Sol olids: 81

Lab Chronicle

Matrix: Solid

Lab Sample ID: 590-19375-7

### Client Sample ID: GEI039-B4 (7-8) Date Collected: 12/01/22 13:20 Date Received: 12/02/22 13:30

Total/NA       A         Client Sample II         Date Collected: 12/         Date Received: 12/         Date Received: 12/         Prep Type         Total/NA         Total/NA         Total/NA         Total/NA         Total/NA         Total/NA         A         Client Sample II         Date Collected: 12/         Date Received: 12/         Date Received: 12/         B         Prep Type         Total/NA	V01/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V01/22 1	3:20 3:30 Batch Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50	Run	Factor 1 Dil Factor 1	Amount Initial Amount 7.331 g 0.86 mL	Amount Final Amount 10 mL	Number           39342           Li           Batch           Number           39381	ab Sample Prepared or Analyzed	ID: 590 Ma ercent S Analyst	Lab EET SPK -19375- atrix: Solid olids: 83.
Client Sample II Date Collected: 12/ Date Received: 12/ Date Received: 12/ Prep Type T Total/NA P Total/NA A Total/NA A Client Sample II Date Collected: 12/ Date Received: 12/ Date Received: 12/	D: GEI /01/22 13 /02/22 13 /02/22 13 /02/22 13 /02/22 13 /01/22 13 /01/22 13	039-B4 (7-8) 3:20 3:30 Batch <u>Method</u> 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50	Run	Factor	<b>Amount</b> 7.331 g	Amount 10 mL	La Batch Number	ab Sample Pe Prepared or Analyzed	ID: 590 Ma ercent S Analyst	9-19375- atrix: Soli olids: 83.
Date Collected: 12/         Date Received: 12/         Date Received: 12/         Prep Type         Total/NA         Total/NA         Total/NA         Total/NA         Total/NA         Pate Collected: 12/         Date Collected: 12/         Date Collected: 12/         Date Received: 12/         Date Received: 12/         Date Received: 12/	V01/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V01/22 1	3:20 3:30 Batch Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50	Run	Factor	<b>Amount</b> 7.331 g	Amount 10 mL	Batch Number	Prepared or Analyzed	Ma ercent S Analyst	atrix: Soli olids: 83
Date Collected: 12/         Date Received: 12/         Date Received: 12/         Prep Type         Total/NA         Total/NA         Total/NA         Total/NA         Total/NA         Pate Collected: 12/         Date Collected: 12/         Date Collected: 12/         Date Received: 12/         Date Received: 12/         Date Received: 12/	V01/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V02/22 1 V01/22 1	3:20 3:30 Batch Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50	Run	Factor	<b>Amount</b> 7.331 g	Amount 10 mL	Batch Number	Prepared or Analyzed	Ma ercent S Analyst	atrix: Sol olids: 83
Date Received: 12//         B         Prep Type         Total/NA         P         Total/NA         Total/NA         P         Total/NA         A         Client Sample II         Date Collected: 12/         Date Received: 12/         B         Prep Type         T	02/22 1: Batch ype Prep unalysis Prep unalysis D: GEI (01/22 1:	3:30 Batch Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50		Factor	<b>Amount</b> 7.331 g	Amount 10 mL	Number	Prepared or Analyzed	Analyst	olids: 83
Prep Type       T         Total/NA       P         Total/NA       A         Total/NA       P         Total/NA       P         Total/NA       P         Total/NA       P         Total/NA       A         Client Sample II         Date Collected: 12/         Date Received: 12/         Prep Type       T	ype Prep Analysis Prep Analysis D: GEI (01/22 1	Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50		Factor	<b>Amount</b> 7.331 g	Amount 10 mL	Number	or Analyzed		Lah
Prep Type       T         Total/NA       P         Total/NA       A         Total/NA       P         Total/NA       P         Total/NA       P         Total/NA       P         Total/NA       A         Client Sample II         Date Collected: 12/         Date Received: 12/         Prep Type       T	ype Prep Analysis Prep Analysis D: GEI (01/22 1	Method 5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50		Factor	<b>Amount</b> 7.331 g	Amount 10 mL	Number	or Analyzed		Lah
Total/NA       P         Total/NA       A         Total/NA       P         Total/NA       P         Total/NA       A         Client Sample II         Date Collected: 12/         Date Received: 12/         Prep Type       T	Prep Analysis Prep Analysis D: GEI (01/22 1	5035 8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50		1	7.331 g	10 mL				
Total/NA A Total/NA P Total/NA A Client Sample II Date Collected: 12/ Date Received: 12/ Prep Type T	nalysis Prep nalysis D: GEI /01/22 1	8260D 5035 NWTPH-Gx 039-B5 (5-6) 3:50	)		-			12/07/22 14:23	JSP	EET SPK
Total/NA P Total/NA A Client Sample II Date Collected: 12/ Date Received: 12/ B Prep Type T	Prep Analysis D: GEI /01/22 1	5035 NWTPH-Gx 039-B5 (5-6) 3:50	)		0.00 IIIE	43 mL	39386		JSP	EET SPK
Total/NA A Client Sample II Date Collected: 12/ Date Received: 12/ B Prep Type T	nalysis D: GEI /01/22 1	NWTPH-Gx 039-B5 (5-6) 3:50	)	1	7 0 0 4 -					
Client Sample II Date Collected: 12/ Date Received: 12/ B Prep Type	D: GEI /01/22 1	<b>039-B5 (5-6)</b> 3:50	)	1	7.331 g	10 mL	39381	12/07/22 14:23		EET SPK
Date Collected: 12/ Date Received: 12/ B Prep Type	/01/22 1	3:50			0.86 mL	43 mL	39387	12/08/22 02:06	J26	EET SPK
Date Received: 12/ B Prep Type							L	ab Sample	ID: 590	-19375-
B Prep Type	02/22 1:	3:30						-		atrix: Soli
Prep Type Ty										
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	уре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	nalysis	Moisture		1			39342	12/06/22 09:00		EET SPK
 Client Sample II								ab Sample		
Date Collected: 12/ Date Received: 12/								P	Ma ercent S	atrix: Sol olids: 82
_				5.1	1	<b>F</b> 11	Datab			
	Batch	Batch	Dum	Dil	Initial	Final	Batch	Prepared	Analyst	Lah
	ype Prop	_ <u>Method</u> 5035	Run	Factor	Amount	Amount 10 mL	- Number 39381	or Analyzed 12/07/22 14:23	Analyst JSP	EET SPK
	Prep Analysis	8260D		1	5.724 g 0.86 mL	43 mL	39386	12/08/22 02:27		EET SPK
	rep	5035			5.724 g	10 mL	39381	12/07/22 14:23		EET SPK
Total/NA A	nalysis	NWTPH-Gx		1	0.86 mL	43 mL	39387	12/08/22 02:27	JSP	EET SPK
Client Sample II	D: GEI	039-B5 (10- <sup>-</sup>	11)				L	ab Sample	ID: 590	-19375-
Date Collected: 12/									Ma	atrix: Soli
Date Received: 12/	02/22 13	3:30								
_ B	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	уре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	nalysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
 Client Sample II		020 B5 (10 /	11)				1.	ab Sample		10275
Date Collected: 12/			•••							atrix: Soli
Date Received: 12/								P		olids: 87
_					1. 141 1	<b>-</b>	D-1			
	Batch	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analvet	Lab
	<b>ype</b> Prep	5035			8.128 g	10 mL	39381	12/07/22 14:23	Analyst JSP	
	nalysis	8260D		1	0.86 mL	43 mL	39386	12/08/22 02:48		EET SPK
	,									
	Prep Analysis	5035 NWTPH-Gx		1	8.128 g 0.86 mL	10 mL 43 mL	39381 39387	12/07/22 14:23 12/08/22 02:48		EET SPK EET SPK

Matrix: Solid

5 6

Lab Sample ID: 590-19375-10

### Client Sample ID: GEI039-B6 (6-7) Date Collected: 12/01/22 14:15 Date Received: 12/02/22 13:30

	Batch	Batch	_	Dil	Initial	Final	Batch	Prepared	_	
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK
Client Sam	ole ID: GEI	039-B6 (6-7)					La	b Sample II	D: 590-	19375-1
, Date Collecte										atrix: Sol
Date Receive	d: 12/02/22 1	3:30						Р	ercent S	olids: 86
-	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			7.23 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	Analysis	8260D		1	0.86 mL	43 mL	39386	12/08/22 03:10	JSP	EET SPK
Total/NA	Prep	5035			7.23 g	10 mL	39381	12/07/22 14:23	JSP	EET SPK
Total/NA	Analysis	NWTPH-Gx		1	0.86 mL	43 mL	39387	12/08/22 03:10		EET SPK
- Client Com		020 BZ (C Z)						h Samala II	D. 500	40275 /
Date Collecte		039-B7 (6-7)					La	b Sample I		19375-1 atrix: Soli
Date Receive									IVIC	atrix. 501
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	Amount	Amount	39342	12/06/22 09:00	M1V	EET SPK
				•						
		039-B7 (6-7)					La	b Sample I	D: 590-	19375-1
Date Collecte	d: 12/01/22 1	5:05							Ма	atrix: Sol
Date Receive	d: 12/02/22 1	3:30						P	ercent S	olids: 82
_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Datch									
Prep Type		Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Prep Type Total/NA	Type Prep		Run				<b>Number</b> 39423	•	Analyst JSP	
	Туре	Method	Run		Amount	Amount		or Analyzed	JSP	EET SPK
Total/NA	Type Prep	Method 5035	Run	Factor	<b>Amount</b> 6.833 g 0.86 mL	Amount 10 mL	39423	or Analyzed 12/09/22 10:44	JSP	EET SPK EET SPK
Total/NA Total/NA	Type Prep Analysis	Method 5035 8260D	Run	Factor	<b>Amount</b> 6.833 g	Amount 10 mL 43 mL	39423 39420	or Analyzed 12/09/22 10:44 12/09/22 13:55	JSP JSP JSP	EET SPK EET SPK EET SPK
Total/NA Total/NA Total/NA Total/NA	<b>Type</b> Prep Analysis Prep Analysis	Method 5035 8260D 5035 NWTPH-Gx	Run	Factor	Amount 6.833 g 0.86 mL 6.833 g	<b>Amount</b> 10 mL 43 mL 10 mL	39423 39420 39423 39421	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44 12/09/22 13:55	JSP JSP JSP JSP JSP	EET SPK EET SPK EET SPK EET SPK
Total/NA Total/NA Total/NA Total/NA	Type Prep Analysis Prep Analysis	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP	Run	Factor	Amount 6.833 g 0.86 mL 6.833 g	<b>Amount</b> 10 mL 43 mL 10 mL	39423 39420 39423 39421	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44	JSP JSP JSP JSP JSP <b>D: 590-</b>	EET SPK EET SPK EET SPK EET SPK 19375-1
Total/NA Total/NA Total/NA Total/NA Client Sam	Type Prep Analysis Prep Analysis Ple ID: GEI d: 12/01/22 0	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00	Run	Factor	Amount 6.833 g 0.86 mL 6.833 g	<b>Amount</b> 10 mL 43 mL 10 mL	39423 39420 39423 39421	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44 12/09/22 13:55	JSP JSP JSP JSP JSP <b>D: 590-</b>	EET SPK EET SPK EET SPK EET SPK 19375-1
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte	Type Prep Analysis Prep Analysis Ple ID: GEI d: 12/01/22 0	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00	Run	Factor	Amount 6.833 g 0.86 mL 6.833 g	<b>Amount</b> 10 mL 43 mL 10 mL	39423 39420 39423 39421	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44 12/09/22 13:55	JSP JSP JSP JSP JSP <b>D: 590-</b>	EET SPK EET SPK EET SPK EET SPK 19375-1
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30	Run Run	Factor 1	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL	39423 39420 39423 39421 La	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44 12/09/22 13:55 <b>b Sample II</b>	JSP JSP JSP JSP JSP <b>D: 590-</b>	EET SPK EET SPK EET SPK EET SPK
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch		Factor 1 1 Dil	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL	39423 39420 39423 39421 La Batch	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 10:44 12/09/22 13:55 <b>b Sample II</b> Prepared	JSP JSP JSP JSP <b>D: 590-</b> Ma	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Soli
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Prep Type Total/NA	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis	Method           5035           8260D           5035           NWTPH-Gx           039-B-DUP           8:00           3:30           Batch           Method           Moisture		Factor 1 1 Dil	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL	39423 39420 39423 39421 La Batch <u>Number</u> 39342	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 12/09/22 13:55 <b>b Sample II</b> Prepared or Analyzed 12/06/22 09:00	JSP JSP JSP JSP <b>D: 590-</b> Ma <b>Analyst</b> M1V	EET SPK EET SPK EET SPK 19375-1 atrix: Sol
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Prep Type Total/NA Client Sam	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch Method Moisture 039-B-DUP		Factor 1 1 Dil	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL	39423 39420 39423 39421 La Batch <u>Number</u> 39342	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 12/09/22 13:55 <b>b Sample II</b> Prepared or Analyzed	JSP JSP JSP JSP D: 590- Ma <u>Analyst</u> M1V D: 590-	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch Method Moisture 039-B-DUP 8:00		Factor 1 1 Dil	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL Final	39423 39420 39423 39421 La Batch <u>Number</u> 39342	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II	JSP JSP JSP JSP <b>D: 590-</b> Ma <u>Analyst</u> M1V <b>D: 590-</b> Ma	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol Lab EET SPK 19375-1 atrix: Sol
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Prep Type Total/NA Client Sam	Type           Prep           Analysis           Prep           Analysis           ple ID: GEI           d: 12/01/22 0           d: 12/02/22 1           Batch           Type           Analysis           ple ID: GEI           bit 12/02/22 1           Batch           Type           Analysis           ple ID: GEI           Analysis           Type           Analysis	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch Method Moisture 039-B-DUP 8:00 3:30		Factor 1 1 Sactor 1	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL Initial Amount	Amount 10 mL 43 mL 10 mL 43 mL Final Amount	39423 39420 39423 39421 La Batch Number 39342 La	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II P	JSP JSP JSP JSP <b>D: 590-</b> Ma <u>Analyst</u> M1V <b>D: 590-</b> Ma	EET SPK EET SPK EET SPK EET SPK 19375-1 htrix: Soli
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte Date Collecte Date Received	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch Method Moisture 039-B-DUP 8:00 3:30 Batch Batch	Run	Factor 1 1 1 Factor 1 Dil	Amount           6.833 g           0.86 mL           6.833 g           0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL Final Amount Final	39423 39420 39423 39421 La Batch Number 39342 La Batch	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II Prepared	JSP JSP JSP JSP D: 590-* Ma Analyst M1V D: 590-* Ma ercent S	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1 atrix: Sol olids: 82
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte Date Collecte Date Received Prep Type	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type	Method 5035 8260D 5035 NWTPH-Gx 039-B-DUP 8:00 3:30 Batch Method 039-B-DUP 8:00 3:30 Batch Method Batch Method		Factor 1 1 Sactor 1	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL Initial Amount Initial Amount	Amount 10 mL 43 mL 10 mL 43 mL Final Amount Final Amount	39423 39420 39423 39421 La Batch Number 39342 La Batch Number	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II Prepared or Analyzed	JSP JSP JSP JSP D: 590- Ma Analyst M1V D: 590- Ma ercent S Analyst	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1 atrix: Sol olids: 82 Lab
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte Date Collecte Date Received Prep Type Total/NA	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Prep	Method           5035           8260D           5035           NWTPH-Gx           039-B-DUP           8:00           3:30           Batch           Method           Moisture           039-B-DUP           8:00           3:30           Batch           Method           3:30           Batch           Method           5:00           3:30	Run	Factor 1 1 1 1 Factor 1 Dil Factor	Amount           6.833 g           0.86 mL           6.833 g           0.86 mL   Initial Amount Initial Amount 6.697 g	Amount 10 mL 43 mL 10 mL 43 mL Final Amount Final Amount 10 mL	39423 39420 39423 39421 La Batch Number 39342 La Batch Number 39423	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II Prepared or Analyzed 12/09/22 10:44	JSP JSP JSP JSP D: 590 Ma M1V D: 590 Ma ercent S Analyst JSP	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1 atrix: Sol olids: 82 EET SPK
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte Date Collecte Date Collecte Date Received Total/NA	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis	Method           5035           8260D           5035           NWTPH-Gx           039-B-DUP           8:00           3:30           Batch           Method           Moisture           039-B-DUP           8:00           3:30           Batch           Method           Moisture           039-B-DUP           8:00           3:30           Batch           Method           5035           8260D	Run	Factor 1 1 1 Factor 1 Dil	Amount 6.833 g 0.86 mL 6.833 g 0.86 mL Initial Amount Initial Amount 6.697 g 0.86 mL	Amount 10 mL 43 mL 10 mL 43 mL Final Amount Final Amount 10 mL 43 mL	39423 39420 39423 39421 La Batch Number 39342 La Batch Number 39423 39420	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II P Prepared or Analyzed 12/06/22 10:44 12/09/22 10:44 12/09/22 10:44	JSP JSP JSP JSP D: 590 Ma M1V D: 590 Ma ercent S Analyst JSP JSP	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1 atrix: Sol olids: 82 Lab EET SPK EET SPK EET SPK
Total/NA Total/NA Total/NA Total/NA Client Sam Date Collecte Date Received Total/NA Client Sam Date Collecte Date Collecte Date Received Prep Type Total/NA	Type Prep Analysis Prep Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Analysis ple ID: GEI d: 12/01/22 0 d: 12/02/22 1 Batch Type Prep	Method           5035           8260D           5035           NWTPH-Gx           039-B-DUP           8:00           3:30           Batch           Method           Moisture           039-B-DUP           8:00           3:30           Batch           Method           3:30           Batch           Method           5:00           3:30	Run	Factor 1 1 1 1 Factor 1 Dil Factor	Amount           6.833 g           0.86 mL           6.833 g           0.86 mL   Initial Amount Initial Amount 6.697 g	Amount 10 mL 43 mL 10 mL 43 mL Final Amount Final Amount 10 mL	39423 39420 39423 39421 La Batch Number 39342 La Batch Number 39423	or Analyzed 12/09/22 10:44 12/09/22 13:55 12/09/22 13:55 b Sample II Prepared or Analyzed 12/06/22 09:00 b Sample II Prepared or Analyzed 12/09/22 10:44	JSP JSP JSP JSP D: 590- Ma M1V D: 590- Ma ercent S Analyst JSP JSP JSP	EET SPK EET SPK EET SPK EET SPK 19375-1 atrix: Sol EET SPK 19375-1 atrix: Sol olids: 82

Lab Chronicle

### Lab Sample ID: 590-19375-13 Matrix: Solid

Date Collected: 12/01/22 08:00 Date Received: 12/02/22 13:30

**Client Sample ID: Trip Blank** 

Prep Type Total/NA Total/NA	Batch Type Prep Analysis	Batch <u>Method</u> 5035 8260D	<u>Run</u>	Dil Factor	Initial Amount 10 g 0.86 mL	Final Amount 10 mL 43 mL	Batch Number 39423 39420	Prepared or Analyzed 12/09/22 10:44 12/09/22 16:05	Analyst JSP JSP	Lab EET SPK EET SPK
Total/NA Total/NA	Prep Analysis	5035 NWTPH-Gx		1	10 g 0.86 mL	10 mL 43 mL	39423 39421	12/09/22 10:44 12/09/22 16:05	JSP JSP	EET SPK EET SPK

### **Client Sample ID: GEI039-WC** Date Collected: 12/01/22 16:20 Date Received: 12/02/22 13:30

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			39342	12/06/22 09:00	M1V	EET SPK

### **Client Sample ID: GEI039-WC** Date Collected: 12/01/22 16:20 Date Received: 12/02/22 13:30

### Lab Sample ID: 590-19375-14 Matrix: Solid

### Percent Solids: 84.4

Matrix: Solid

Γ	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.34 g	50 mL	39479	12/15/22 09:49	AMB	EET SPK
Total/NA	Analysis	6010D		5			39492	12/15/22 16:47	AMB	EET SPK
Total/NA	Prep	7471B			0.71 g	50 mL	39480	12/15/22 09:56	AMB	EET SPK
Total/NA	Analysis	7471B		1			39493	12/15/22 18:08	AMB	EET SPK

Laboratory References:

EET SPK = Eurofins Spokane, 11922 East 1st Ave, Spokane, WA 99206, TEL (509)924-9200

### Accreditation/Certification Summary

Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

5 6 7

9

### Laboratory: Eurofins Spokane Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. **Expiration Date** Authority Program **Identification Number** Washington State C569 01-06-23 The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification. Analysis Method Prep Method Matrix Analyte Moisture Solid Percent Moisture Solid Percent Solids Moisture

### **Method Summary**

### Client: GeoEngineers Inc Project/Site: John's Dry Cleaning/0504-185-00

EPA = US Environmental Protection Agency NWTPH = Northwest Total Petroleum Hydrocarbon

10

Method Description	Protocol	Laboratory
Volatile Organic Compounds by GC/MS	SW846	EET SPK
Northwest - Volatile Petroleum Products (GC/MS)	NWTPH	EET SPK
Metals (ICP)	SW846	EET SPK
Mercury (CVAA)	SW846	EET SPK
Percent Moisture	EPA	EET SPK
Preparation, Metals	SW846	EET SPK
Closed System Purge and Trap	SW846	EET SPK
Preparation, Mercury	SW846	EET SPK
nces:		
vironmental Protection Agency		
orthwest Total Petroleum Hydrocarbon		

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

**Protocol References:** 

Method

NWTPH-Gx 6010D

8260D

7471B

3050B

5035

7471B

Moisture

EET SPK = Eurofins Spokane, 11922 East 1st Ave, Spokane, WA 99206, TEL (509)924-9200

### **Eurofins TestAmerica, Spokane**

### Chain of Custody Record

Environment Testing TestAmerica

Spokane, WA 99206 Phone (509) 924-9200 Fax (509) 924-9290

11922 East 1st Ave

Client Information	Sampler	<u></u>		Lai	b PM:						Ca	rrier Trac	cking N	o(s):			COC No:		
Client Contact:	Phone:			E-	viail;												590-4564-1472 1 Page:		
Scott-Lathen Justin Dr-	(406) 89	0-1310	>		-								-				Page 10 of 25-	100	2
Company: GeoEngineers Inc	·							4	Analv	sis F	Reque	ested					Job #;		
Address:	Due Dale Request	ed:						<u> </u>							Τ		Preservation Cod	<b>is</b> :	
523 East Second Ave	STD TAT Requested (da	wei												ļ		and the second	A HCL	M Hexane	
Spokane	STD	.,.,															B NaOH C Zn Acetate	N None O AsNaO2	
State, Zip: WA, 99202	511																D Nitric Acld E NaHSO4	P Na2O4S Q Na2SO3	
Phone:	PO #:				-												F MeOH G Amchlor	R Na2S2O S H2SO4	
Email:	0504-1	85-0'	0		<u>_</u> @	~											H Ascorbic Acid	T TSP Dod	
enan: stathen@geoengineers.comOrregoer.quers.com	WO #: \\				NO)	*	0										I Ice J DI Water	U Acetone V MCAA	
Project Name:	Project #:					X ئ	5									liner	K EDTA L EDA	W pH 4-5 Z other (sp	ecify)
John's Dry Cleaning	SSOW#:				Sample (Ye SD (Yes or	Ŭ	2 M									1 and	Other-		
					<b>Jas</b> 2	さ										20			
			Sampte	Matrix	pere	NWTP	3									nbei			
			Туре	(Wewater Sesolid,	Ē	3										Mu			
Sample Identification	Sample Date	Sample Time	(C=comp, G=grab) в	O=wastelog		2	9									Total	Special In:	structions	Note
		> <	Preservat			Ē	<b>Æ</b>					100	<u></u>			X	C poolei III		
GE1039-BI (12-13)	12/1/22	0850	6	÷	5	X	Х									3	* INC ST	oddard	
GE1039-B2 (16-17)		0955				1												solver	
GE1039-B2 (18-19)		1000				Π										d Antes Maria			
<u>GE1039-B3 (19-20)</u>		1025			П														
661039-33 (22-23)		1030		_												in the second			
GE1039-B4 (6-7)		1315																	
GE1039-B4 (7-8)		1320											<b>a</b> 1		£ \$1866 10.61		II A A A ZI WAN EKEN A 11414 10810	1813 1 8 6 1	
(F1039-B5 (5-6)		1350																	
GE1039-BS (10-11)		1353																	
GE1039-B6 (6-7)		1415											 59	90-19	11111111 375 CI	I II III hain	of Custody	11141401	
GEID39-B7 (6-7) Possible Hazard Identification		1505												ĺ	I		ĺ		
Possible Hazard Identification					Sa	mple	Dispo	osal (7	A fee i	may b	e ass	essed	lf san	nples	are ret	taihe	ed longer than 1 ive For	month)	
Non-Hazard Flammable Skin Irritant Pois	on B 🛄 Unkn	iown 🛄 i	Radiological			'R	eturn	To Clie	nt	<u>ا</u> ــــ	-' Disp	oosal B	y Lab	)		Arch	ive For	Months	
Deliverable Requested. I, II III IV Other (specify)							Instruc	ctions/0	UC Re	quire	ments:								
Empty Kit Relinquished by		Date:			Time:							Metho		hlpmenl					
Relinquished by:	Date/Time: 1 Z / 2 / 1 / Date/Time:	, 11	4S	ompany <sup>−</sup>	:\	Rece	ived by	51	~h	'n				Date/Tin ノフ	12 1	$l_2$	. ~~	Company	-7
Rohoduished by:	Date/Time:		-50	ompony C-E-		Recei	ived by:	-		1	5			Date/Th	he:	10	(330	Company	ter de
Relinquiphed by:	Date/Time.	<u> </u>		ompany		Rece	ived by:		1	C	£		1	Date/Tin	10:			Company	<u> </u>
Custody Seals Intact. Custody Seal No.	<b>I</b>						r Temp	erature(	s) °C ar	d Othe	r Remai	ks:	┈╼					i	
ΔYes ΔNo		<u> </u>	P	<del>age 5</del> 3	3 of 55	1		<u> </u>			<u>_</u>	01	29	i¥	rs.			Ver: 01/16	12/16/2

### **Eurofins TestAmerica, Spokane**

### **Chain of Custody Record**

🔅 eurofins

Environment Testing TestAmerica

Spokane, WA 99206 Phone (509) 924-9200 Fax (509) 924-9290

11922 East 1st Ave

				PM:				Carrier Tracking No(s):			COC No: 590-4564-1472	17
Client Information	Phone:	Dustin Orr Phone: E-M									Page:	
icoll-Lethen Justin Orr		(406) 890-1310									Page-17-01-25-	2012
eoEngineers Inc					4	Analysis	Reques	ted			Job #:	
ddress:	Due Date Requested:		10				T			ggeoring A	Preservation Co	des:
23 East Second Ave	STD										A HCL	M Hexane
ly: pokane	TAT Requested (days):										B NaOH C Zn Acetate	N None O AsNaO2
jokano jale, Zip:	- SD										D Nitric Acid	P Na2O4S
/A, 99202	- 0		<u></u>								E NaHSO4 F MeOH	Q Na2SO3 R Na2S2O3
none:	PO #:		â. A								G Amchlor	S H2SO4
	0504-185- W0#:	00			14						H Ascorbic Acid	T TSP Dodecahydrate U Acetone
nati: Jorne groungineers com athen@aeoengineers.com oject Name: ohn's Dry Clean, g	10 m			3	Metel					e	J DI Water	V MCAA
oject Name:	Project #:	Project #:			2 3					ine i	K EDTA L EDA	W pH 4-5 Z other (specify)
ohn's Dry Cleaning	SSOW#:				1 1					contain	Olher <sup>.</sup>	
	550₩#;		1	NWTPH-Cax	2N					010		
<b>***</b> ***			Matrix 1		I					<b>Der</b>		
		Sample Type	(W=water	비언	VOC5 RCRA							
	Sa		S≖solid, O=waste/oil,		25							
ample Identification		Time G=grab) вт	=Tissue, A=Ab)	AND SQUARES	> ₩					Total	Special I	nstructions/Note:
		Preservatio	n Code: 🌔	<b>€</b> XF	¢ l					<u>X</u>		
E1039-B-DUP	12/1/220	800 4	5		XL					3	XF INC	Staddord
Brostel Trip Blank			2		X					Ţ		stoddord solvent
GEID39-WC		,10 C	S		K							
										C		
	······································									Stands Refer		
						++						
										<u> </u>		
ossible Hazard Identification				Somnio	Disposal (		v ho assoc	sod if con		rotain	1 ed longer than	1 month)
Non-Hazard Centification					oturn To Cli	A iee iiia	Dispo				ive For	Months
eliverable Requested I, II, III IV Other (specify)		radiological			nstructions/			aar by Lab		AUCI		months
						~~						
mpty Kit Relinquished by	Dat			Time:				Method of S				
slinquished by:	Date/Time:	Date/Time: (2/2/22 1145 ac		Received by			Date/Time:			ZZ	Company	
efoquished by.	Date/Time:	$\begin{array}{c ccccc} 12/2c & 1145 & Get \\ \hline DaterTime: & Company \\ \hline DaterTime: & Company \\ \hline DaterTime: & Company \\ \hline \end{array}$			Received by:				Date/Time:		<u> </u>	Company
1. the	12/7/77											
elingyshed by:	Date#ime:/	c	ompany /	Recei	veđ by:				Date/Time:			Company
	5			1				1				1
Custody Seals Intact. Custody Seal No.	······································	I		Coole	r Temperature	(s) °C and C	ther Remarks	:				

### Login Sample Receipt Checklist

### Client: GeoEngineers Inc

### Login Number: 19375 List Number: 1 Creator: Fettig, Riley

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

List Source: Eurofins Spokane



### **Data Validation Report**

www.geoengineers.com

523 East Second Avenue, Spokane, Washington 99202, Telephone: 509.363.3125, Fax: 509.363.3126

Project:	John's Dry Cleaning – Environmental Services December 2022 Soil and Soil Vapor Samples
GEI File No:	00504-185-00
Date:	March 7, 2023

This report documents the results of a United States Environmental Protection Agency (USEPA)-defined Stage 2A data validation (USEPA Document 540-R-08-005; USEPA, 2009) of analytical data from the analyses of soil and soil vapor samples collected as part of the December 2022 sampling event, and the associated laboratory and field quality control (QC) samples. The samples were obtained from the John's Dry Cleaning site located at 4001 Summitview Avenue in Yakima, Washington.

### **Objective and Quality Control Elements**

GeoEngineers, Inc. (GeoEngineers) completed the data validation consistent with the USEPA Contract Laboratory Program National Functional Guidelines for Organic Superfund Methods Data Review (USEPA, 2020a) and Inorganic Superfund Methods Data Review (USEPA, 2020b) (National Functional Guidelines) to determine if the laboratory analytical results meet the project objectives and are usable for their intended purpose. Data usability was assessed by determining if:

- The samples were analyzed using well-defined and acceptable methods that provide reporting limits below applicable regulatory criteria;
- The precision and accuracy of the data are well-defined and sufficient to provide defensible data; and
- The quality assurance/quality control (QA/QC) procedures utilized by the laboratory meet acceptable industry practices and standards.

In accordance with the Quality Assurance Project Plan (QAPP), Appendix B of the Work Plan (GeoEngineers, 2022), the data validation included review of the following QC elements:

- Data Package Completeness
- Chain-of-Custody Documentation
- Holding Times and Sample Preservation
- Surrogate Recoveries
- Method and Trip Blanks
- Matrix Spikes/Matrix Spike Duplicates
- Laboratory Control Samples/Laboratory Control Sample Duplicates
- Laboratory/Field Duplicates

### **Validated Sample Delivery Groups**

This data validation included review of the sample delivery groups (SDGs) listed below in Table 1.



### TABLE 1: SUMMARY OF VALIDATED SAMPLE DELIVERY GROUPS

Laboratory SDG	Samples Validated					
590-19375-1	GEI039-B1 (12-13), GEI039-B2 (16-17), GEI039-B2 (18-19), GEI039-B3 (19-20), GEI039-B3 (22-23), GEI039-B4 (6-7), GEI039-B-DUP, GEI039-B4 (7-8), GEI039-B5 (5-6), GEI039-B5 (10-11), GEI039-B6 (6-7), GEI039-B7 (6-7), GEI039-WC, Trip Blank					
2212748	GEI039-SVP1-122822, GEI039-SVP2-122822					

### **Chemical Analysis Performed**

Eurofins Spokane, Environment Testing Northwest, LLC (Eurofins), located in Spokane, Washington, performed laboratory analyses on the samples using one or more of the following methods:

- Gasoline-Range Hydrocarbons (NWTPH-Gx) by Method NWTPH-Gx;
- Volatile Organic Compounds (VOCs) by Method EPA8260D; and
- Total Metals by Methods EPA6010D and EPA7471B

Eurofins Air Toxics, Inc. (Air Toxics), located in Folsom, California, performed laboratory analyses on the samples using the following method:

Volatile Organic Compounds in Soil Vapor (VOCs) by Method TO-15

### **Data Validation Summary**

The results for each of the QC elements are summarized below.

### **Data Package Completeness**

Eurofins and Air Toxics provided the required deliverables for the data validation according to the National Functional Guidelines. The laboratories followed adequate corrective action processes and the identified anomalies were discussed in the relevant laboratory case narrative.

### **Chain-of-Custody Documentation**

Chain-of-custody (COC) forms were provided with the laboratory analytical reports. The COCs were accurate and complete when submitted to the laboratory.

### **Holding Times and Sample Preservation**

The sample holding time is defined as the time that elapses between sample collection and sample analysis. Maximum holding time criteria exist for each analysis to help ensure that the analyte concentrations found at the time of analysis reflect the concentration present at the time of sample collection. Established holding times were met for each analysis. The sample cooler arrived at the laboratory within the appropriate temperatures of between two and six degrees Celsius.



### **Surrogate Recoveries**

A surrogate compound is a compound that is chemically similar to the organic analytes of interest, but unlikely to be found in an environmental sample. Surrogates are used for organic analyses and are added to the samples, standards, and blanks to serve as an accuracy and specificity check of each analysis. The surrogates are added to the samples at a known concentration and percent recoveries are calculated following analysis. The surrogate percent recoveries for field samples were within the laboratory control limits.

### **Method and Trip Blanks**

### Method Blanks

Method blanks are analyzed to ensure that laboratory procedures and reagents do not introduce measurable concentrations of the analytes of interest. A method blank was analyzed with each batch of samples, at a frequency of 1 per 20 samples. For each sample batch, method blanks for the applicable methods were analyzed at the required frequency. None of the analytes of interest were detected in the method blanks, with the following exceptions:

**SDG 590-19375-1:** (Total Metals) There was a positive result for total mercury detected above the method detection limit, but below the reporting limit in the method blank digested on 12/15/2022. The positive result for this target analyte was greater than 10X the concentration in the method blank in the associated field sample; therefore, no qualification was required.

**SDG 2212748:** (VOCs) There was a positive result for tetrachloroethene detected above the method detection limit, but below the reporting limit in the method blank extracted on 1/12/2023. The positive results for this target analyte were greater than 2X the concentration in the method blank in the associated field samples; therefore, no qualifications were required.

### <u>Trip Blanks</u>

Trip blanks are analyzed to provide an indication as to whether volatile compounds have cross-contaminated other like samples within the transportation process to the laboratory. None of the analytes of interest were detected in the trip blank, with the following exceptions:

**SDG 590-19375-1:** (VOCs) There was a positive result for 1,2,3-Trichlorobenzene, 1,2,4-Trichlorobenzene, hexachlorobutadiene, and naphthalene detected above the method detection limit, but below the reporting limit in the trip blank sample. The positive results for these target analytes were qualified as non-detected (U) in Sample GEI039-B2 (18-19).

### Matrix Spikes/Matrix Spike Duplicates

Since the actual analyte concentration in an environmental sample is not known, the accuracy of a particular analysis is usually inferred by performing a matrix spike (MS) analysis on one sample from the associated batch, known as the parent sample. One aliquot of the sample is analyzed in the normal manner and then a second aliquot of the sample is spiked with a known amount of analyte concentration and analyzed. From these analyses, a percent recovery is calculated. Matrix spike duplicate (MSD) analyses are generally performed for organic analyses as a precision check and analyzed in the same sequence as a matrix spike. Using the result values from the MS and MSD, the relative percent difference (RPD) is calculated. The percent recovery control limits for MS and MSD analyses are specified in the laboratory documents, as are the RPD control limits for MS/MSD sample sets.



One MS/MSD analysis should be performed for every analytical batch or every 20 field samples, whichever is more frequent. The frequency requirements were met for each analysis and the percent recovery and RPD values were within the proper control limits, with the following exception:

**SDG 590-19375-1:** (VOCs) The laboratory performed an MS/MSD sample set on Sample GEI039-B2 (16-17). The RPD for dichlorodifluoromethane was greater than the control limit in the MS/MSD extracted on 12/7/2022. There were no positive results for this target analyte in this sample; therefore, no qualification was required.

### Laboratory Control Samples/Laboratory Control Sample Duplicates

A laboratory control sample (LCS) is a blank sample that is spiked with a known amount of analyte and then analyzed. An LCS is similar to an MS, but without the possibility of matrix interference. Given that matrix interference is not an issue, the LCS/LCSD control limits for accuracy and precision are usually more rigorous than for MS/MSD analyses. Additionally, data qualification based on LCS/LCSD analyses would apply to each sample in the associated batch, instead of just the parent sample. The percent recovery control limits for LCS and LCSD analyses are specified in the laboratory documents, as are the RPD control limits for LCS/LCSD sample sets.

One LCS/LCSD analysis should be performed for every analytical batch or every 20 field samples, whichever is more frequent. The frequency requirements were met for each analysis and the percent recovery and RPD values were within the proper control limits, with the following exceptions:

**SDG 2212748:** (VOCs) The percent recovery for chloromethane was less than the control limits in the LCS extracted on 1/12/2023; however, the percent recovery for this target analyte was within the control limits in the corresponding LCSD. No action was required for this outlier.

Additionally, in the same LCS/LCSD sample set, the percent recovery for bromomethane was greater than the control limits in the LCS/LCSD. There were no positive results for this target analyte in the associated field samples; therefore, no qualifications were required.

### **Laboratory Duplicates**

Internal laboratory duplicate analyses are performed to monitor the precision of the analyses. Two separate aliquots of a sample are analyzed as distinct samples in the laboratory and the RPD between the two results is calculated. Duplicate analyses should be performed once per analytical batch. If one or more of the samples used has a concentration less than five times the reporting limit for that sample, the absolute difference is used instead of the RPD. The RPD control limits are specified in the laboratory documents. Laboratory duplicates were analyzed at the proper frequency and the specified acceptance criteria were met, with the following exception:

**SDG 590-19375-1:** (Total Metals) A laboratory duplicate sample set was performed on Sample GEI039-WC. The RPD for total arsenic was greater than the control limit in the laboratory duplicate digested on 12/15/2022. The positive result for this target analyte was qualified as estimated (J) in this sample.

### **Field Duplicates**

In order to assess precision, field duplicate samples are collected and analyzed along with the reviewed sample batches. The duplicate samples are analyzed for the same parameters as the associated parent samples. Precision is determined by calculating the RPD between each pair of samples. If one or more of



the sample analytes has a concentration less than five times the reporting limit for that sample, then the absolute difference is used instead of the RPD. The RPD control limit for soil and soil vapor is 35 percent.

**SDG 590-19375-1:** One field duplicate sample pair, GEI039-B4 (6-7) and GEI039-B-DUP, was submitted with this SDG. The precision criteria for the target analytes were met for this sample pair.

### **Overall Assessment**

As was determined by this data validation, the laboratory followed the specified analytical methods. Accuracy was acceptable, as demonstrated by the surrogate and LCS/LCSD percent recovery values, with the exceptions noted above. Precision was acceptable, as demonstrated by the LCS/LCSD and laboratory/field duplicate RPD values, with the exceptions noted above.

The data are acceptable for the intended use, with the following qualifications listed below in Table 2.

Sample ID	Analyte	Qualifier	Reason
GEI039-B2 (18-19)	1,2,3-Trichlorobenzene	U	Trip Blank Contamination
	1,2,4 Trichlorobenzene	U	Trip Blank Contamination
	Hexachlorobutadiene	U	Trip Blank Contamination
	Naphthalene	U	Trip Blank Contamination
GEI039-WC	Total arsenic	J	Laboratory Duplicate Precision

### TABLE 2: SUMMARY OF QUALIFIED SAMPLES

### References

U.S. Environmental Protection Agency (USEPA). "Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use," EPA-540-R-08-005. January 2009.

U.S. Environmental Protection Agency (USEPA) 2020a. Contract Laboratory Program National Functional Guidelines for Organic Superfund Methods Data Review, EPA-540-R-20-005. November 2020.

U.S. Environmental Protection Agency (USEPA) 2020b. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Methods Data Review, EPA-542-R-20-006. November 2020.

GeoEngineers, Inc. (GeoEngineers). "Work Plan, John's Dry Cleaning Site Assessment," prepared for Washington State Department of Ecology. October 26, 2022.



### **APPENDIX D** Report Limitations and Guidelines for Use

### APPENDIX D REPORT LIMITATIONS AND GUIDELINES FOR USE<sup>2</sup>

This Appendix provides information to help you manage your risks with respect to the use of this report.

### **Environmental Services Are Performed for Specific Purposes, Persons and Projects**

This report has been prepared for the exclusive use of the Washington State Department of Ecology (Ecology). This report is not intended for use by others, and the information contained herein is not applicable to other sites.

GeoEngineers structures our services to meet the specific needs of our clients. For example, an environmental site assessment study conducted for a property owner may not fulfill the needs of a prospective purchaser of the same property. Because each environmental study is unique, each environmental report is unique, prepared solely for the specific client and project site. No one except Ecology should rely on this environmental report without first conferring with GeoEngineers. This report should not be applied for any purpose or project except the one originally contemplated.

### This Environmental Report is Based on a Unique Set of Project-Specific Factors

This report has been prepared for the John's Dry Cleaning site located at 4001 Summitview Avenue in Yakima, Washington. GeoEngineers considered a number of unique, project-specific factors when establishing the scope of services for this project and report. Unless GeoEngineers specifically indicates otherwise, do not rely on this report if it was:

- not prepared for you,
- not prepared for your project,
- not prepared for the specific site explored, or
- completed before important project changes were made.

If important changes are made after the date of this report, GeoEngineers should be given the opportunity to review our interpretations and recommendations and provide written modifications or confirmation, as appropriate.

### **Reliance Conditions for Third Parties**

Our report was prepared for the exclusive use of Ecology. No other party may rely on the product of our services unless we agree in advance to such reliance in writing. This is to provide our firm and Ecology with reasonable protection against open-ended liability claims by third parties with whom there would otherwise be no contractual limits to their actions. Within the limitations of scope, schedule and budget,

<sup>&</sup>lt;sup>2</sup> Developed based on material provided by ASFE, Professional Firms Practicing in the Geosciences; www.asfe.org.

our services have been executed in accordance with our Agreement with Ecology and generally accepted environmental practices in this area at the time this report was prepared.

### **Environmental Regulations are Always Evolving**

Some substances may be present in the site vicinity in quantities or under conditions that may have led, or may lead, to contamination of the subject site, but are not included in current local, state or federal regulatory definitions of hazardous substances or do not otherwise present current potential liability. GeoEngineers cannot be responsible if the standards for appropriate inquiry, or regulatory definitions of hazardous substance, change or if more stringent environmental standards are developed in the future.

### **Uncertainty May Remain Even After This Phase II ESA is Completed**

No Environmental Site Assessment (ESA) can wholly eliminate uncertainty regarding the potential for contamination in connection with a property. Our interpretation of subsurface conditions in this study is based on field observations and chemical analytical data from widely spaced sampling locations. It is always possible that contamination exists in areas that were not explored, sampled or analyzed.

### **Subsurface Conditions Can Change**

This environmental report is based on conditions that existed at the time the study was performed. The findings and conclusions of this report may be affected by the passage of time, by manmade events such as construction on or adjacent to the site, by new releases of hazardous substances, or by natural events such as floods, earthquakes, slope instability or groundwater fluctuations. Always contact GeoEngineers before applying this report to determine if it is still applicable.

### **Most Environmental Findings are Professional Opinions**

Our interpretations of subsurface conditions are based on field observations and chemical analytical data from widely spaced sampling locations at the site. Site exploration identifies subsurface conditions only at those points where subsurface tests are conducted, or samples are taken. GeoEngineers reviewed field and laboratory data and then applied our professional judgment to render an opinion about subsurface conditions throughout the site. Actual subsurface conditions may differ – sometimes significantly – from those indicated in this report. Our report, conclusions and interpretations should not be construed as a warranty of the subsurface conditions.

### **Do Not Redraw the Exploration Logs**

Environmental scientists prepare final boring and testing logs based upon their interpretation of field logs and laboratory data. To prevent errors or omissions, the logs included in an environmental report should never be redrawn for inclusion in other design drawings. Only photographic or electronic reproductions are acceptable but recognize that separating logs from the report can elevate risk.

### **Read These Provisions Closely**

Some clients, design professionals and contractors may not recognize that the geoscience practices (geotechnical engineering, geology and environmental science) are far less exact than other engineering and natural science disciplines. This lack of understanding can create unrealistic expectations that could lead to disappointments, claims and disputes. GeoEngineers includes these explanatory "limitations"



provisions in our reports to help reduce such risks. Please confer with GeoEngineers if you are unclear how these "Report Limitations and Guidelines for Use" apply to your project or site.

### Geotechnical, Geologic and Geoenvironmental Reports Should Not be Interchanged

The equipment, techniques and personnel used to perform an environmental study differ significantly from those used to perform a geotechnical or geologic study and vice versa. For that reason, a geotechnical engineering or geologic report does not usually relate any environmental findings, conclusions or recommendations; e.g., about the likelihood of encountering underground storage tanks or regulated contaminants. Similarly, environmental reports are not used to address geotechnical or geologic concerns regarding a specific project.

### **Biological Pollutants**

GeoEngineers' Scope of Work specifically excludes the investigation, detection, prevention or assessment of the presence of Biological Pollutants. Accordingly, this report does not include any interpretations, recommendations, findings, or conclusions regarding the detecting, assessing, preventing or abating of Biological Pollutants and no conclusions or inferences should be drawn regarding Biological Pollutants, as they may relate to this project. The term "Biological Pollutants" includes, but is not limited to, molds, fungi, spores, bacteria, and viruses, and/or any of their byproducts.

If Ecology desires these specialized services, they should be obtained from a consultant who offers services in this specialized field.



