



# 2019 ANNUAL ENVIRONMENTAL MONITORING REPORT

## INMAN LANDFILL

14506 Allen West Road  
Bow, Washington




Prepared by:

Skagit County Public Works Department  
1800 Continental Place  
Mount Vernon, Washington 98273-5625

March 2019

**2019 Annual Environmental Monitoring Report  
Inman Landfill  
Skagit County, Washington**

Prepared by:



John F. Rapp, LG, LHg

Skagit County Public Works Department  
1800 Continental Place  
Mount Vernon, Washington 98273-5625

March 2019

## TABLE OF CONTENTS

<b>1.0 INTRODUCTION</b> .....	<b>1</b>
1.1. Site Background .....	1
1.2. Landfill Closure .....	1
<b>2.0 LEACHATE</b> .....	<b>3</b>
2.1. Leachate Collection System Operation .....	3
2.2. Leachate Generation .....	3
<b>3.0 HYDROGEOLOGY</b> .....	<b>4</b>
3.1. Perched Aquifer .....	4
3.2. Upper Regional Aquifer .....	5
<b>4.0 GROUNDWATER SAMPLING METHODS</b> .....	<b>7</b>
4.1. Sample Locations and Frequency .....	7
4.2. Sample Collection .....	7
4.3. Analytical Parameters .....	7
<b>5.0 GROUNDWATER QUALITY RESULTS</b> .....	<b>8</b>
5.1. Perched Aquifer .....	8
5.2. Upper Regional Aquifer .....	8
5.3. Domestic Wells .....	9
<b>6.0 STATISTICAL EVALUATION OF GROUNDWATER RESULTS</b> .....	<b>10</b>
6.1. Piper Diagrams .....	10
6.2. Stiff Diagrams .....	10
6.3. Cation-Anion Balance .....	11
6.4. Box Plots .....	11
6.5. Mann-Kendall Trend Test .....	13
<b>7.0 LANDFILL GAS EXTRACTION AND MONITORING ACTIVITIES</b> .....	<b>17</b>
7.1. LFG Extraction System Operation .....	17
7.2. Perimeter Monitoring .....	17
<b>8.0 INSPECTIONS</b> .....	<b>18</b>
<b>9.0 SUMMARY AND CONCLUSIONS</b> .....	<b>19</b>
<b>10.0 RECOMMENDATIONS</b> .....	<b>21</b>
<b>11.0 REFERENCES</b> .....	<b>22</b>

## TABLES

Table 1. 2019 Static Water Level Elevations: Perched Aquifer .....	4
Table 2. 2019 Static Water Level Elevations: Upper Regional Aquifer .....	5
Table 3. Summary of Maximum Concentrations of Analytes Exceeding Groundwater Quality Standards in Perched Aquifer Wells: 2019 .....	8
Table 4. Summary of Maximum Concentrations of Analytes Exceeding Groundwater Quality Standards in Upper Regional Aquifer Wells: 2019 .....	9
Table 5. Summary of Box Plot Visual Analysis in Perched Aquifer Wells: 2019 .....	12
Table 6. Summary of Box Plot Visual Analysis in Upper Regional Aquifer Wells: 2019 .....	13
Table 7. Mann-Kendall Significant Trends: Perched Aquifer .....	14
Table 8. Mann-Kendall Significant Trends: Upper Regional Aquifer .....	15
Table F-1. Perimeter Landfill Gas Measurements, 2019: Inman Landfill .....	Appendix F

## FIGURES

Figure 1.	Inman Landfill Location Map .....	27
Figure 2.	Annual Volume of Leachate Disposed .....	28
Figure 3.	Perched Aquifer Monitoring Well Locations. ....	30
Figure 3a.	Potentiometric Surface Contour Map, Perched Aquifer, March 2019. ....	31
Figure 3b.	Potentiometric Surface Contour Map Perched Aquifer, June 2019. ....	32
Figure 3c.	Potentiometric Surface Contour Map, Perched Aquifer, September 2019. ....	33
Figure 3d.	Potentiometric Surface Contour Map, Perched Aquifer, December 2019. ....	34
Figure 4.	Regional Aquifer Monitoring Well Locations. ....	35
Figure 4a.	Potentiometric Surface Contour, Central Landfill, Regional Aquifer, March 2019. ....	36
Figure 4b.	Potentiometric Surface Contour, Central Landfill, Regional Aquifer, June 2019. ....	37
Figure 4c.	Potentiometric Surface Contour, Central Landfill, Regional Aquifer, September 2019. ....	38
Figure 4d.	Potentiometric Surface Contour, Central Landfill, Regional Aquifer, December 2019 .....	39
Figure 5.	Perched Aquifer Hydrograph, 1994-2019. ....	40
Figure 6.	Regional Aquifer Hydrograph, 1994-2019 .....	41
Figure 7a.	Potentiometric Surface Contour Map, Regional Aquifer, March 2019 .....	42
Figure 7b.	Potentiometric Surface Contour Map, Regional Aquifer, June 2019. ....	43
Figure 7c.	Potentiometric Surface Contour Map, Regional Aquifer, September 2019. ....	44
Figure 7d.	Potentiometric Surface Contour Map, Regional Aquifer, December 2019 .....	45
Figure 8.	Inman Landfill Gas Extraction System Layout. ....	46
Figure 9.	Landfill Gas Perimeter Monitoring Probe Locations. ....	47
Figure 9a.	Landfill Gas Perimeter Monitoring Results, March 2019. ....	48
Figure 9b.	Landfill Gas Perimeter Monitoring Results, June 2019. ....	49
Figure 9c.	Landfill Gas Perimeter Monitoring Results, September 2019. ....	50
Figure 9d.	Landfill Gas Perimeter Monitoring Results, December 2019 .....	51

## APPENDICES

**APPENDIX A-1 2019 GROUNDWATER MONITORING DATA – PERCHED AQUIFER**

**APPENDIX A-2 LONG TERM TIME SERIES PLOTS 1994-2019 – PERCHED AQUIFER**

**APPENDIX B-1 2019 GROUNDWATER MONITORING DATA – UPPER REGIONAL AQUIFER**

**APPENDIX B-2 LONG-TERM TIME SERIES PLOTS 1994-2019 – UPPER REGIONAL AQUIFER**

**APPENDIX C DATA VALIDATION REPORT FOURTH QUARTER 2019**

**APPENDIX D-1 PIPER DIAGRAMS 2019 – PERCHED AQUIFER**

**APPENDIX D-2 STIFF DIAGRAMS 2019 – PERCHED AQUIFER**

**APPENDIX D-3 BOX PLOTS 1994-2019 – PERCHED AQUIFER**

**APPENDIX D-4 LONG-TERM MANN-KENDALL TREND TESTS 1994-2019 – PERCHED AQUIFER**

**APPENDIX D-5 SHORT-TERM MANN-KENDALL TREND TESTS 2015-2019 – PERCHED AQUIFER**

**APPENDIX E-1 PIPER DIAGRAMS 2019 – UPPER REGIONAL AQUIFER**

**APPENDIX E-2 STIFF DIAGRAMS 2019 – UPPER REGIONAL AQUIFER**

**APPENDIX E-3 BOX PLOTS 1994-2019 – UPPER REGIONAL AQUIFER**

**APPENDIX E-4 LONG-TERM MANN-KENDALL TREND TESTS 1994-2019 – UPPER REGIONAL AQUIFER**

**APPENDIX E-5 SHORT-TERM MANN-KENDALL TREND TESTS 2015-2019 – UPPER REGIONAL AQUIFER**

**APPENDIX F LANDFILL GAS MONITORING DATA – 2019**

## 1.0 INTRODUCTION

This report presents a summary of environmental monitoring data collected during 2019 at the Inman Landfill. Annual reporting of environmental monitoring data is required by *Minimum Functional Standards for Solid Waste Handling* (Chapter 173-304 Washington Administrative Code [WAC]) and *Special Incinerator Ash Management Standards* (Chapter 173-306 WAC). This annual monitoring report includes a summary of leachate generation, groundwater quality and flow characteristics, landfill gas extraction system operations, methane concentrations measured in perimeter gas probes, and surface water quality.

### 1.1. Site Background

Inman Landfill is located in the northwestern portion of Skagit County, approximately 7.5 miles northwest of Mount Vernon, Washington (Figure 1). The site occupies a former gravel pit and was operated as a solid waste disposal facility by Skagit County beginning in 1973. The site stopped accepting waste in April 1994 and closure construction was completed in 1995.

Solid waste was first disposed in an unlined area covering approximately 16 acres in the eastern portion of the site (Phase I). Beginning in 1986, solid waste was disposed in a lined portion of the site (Phase II), which covers approximately 10 acres, part of which overlaps the Phase I area. Incinerator ash was also disposed in the lined (Phase II) area. The lined portion of the site includes a combination of composite, geomembrane, and soil liner systems. The leachate collection system consists of a series of perforated pipes placed above the bottom liner. The perforated pipes collect and route leachate through a pump station to a lined aeration pond where it is subsequently hauled to a local wastewater treatment plant for disposal.

### 1.2. Landfill Closure

The landfill stopped receiving waste on April 8, 1994. Closure activities followed in accordance with the approved closure plans. An assessment of potential contaminant sources was conducted in response to the detection of groundwater impacts in the landfill monitoring wells. Based on the results of this assessment, several corrective actions were incorporated into the final closure design to reduce or eliminate identified potential contaminant sources and to protect public health. Corrective actions implemented during and after closure included:

- Relining the leachate aeration pond and upgrading the pump station.
- Improving the surface water collection, conveyance, and storage facilities.
- Recapping the Phase I portion of the landfill with a cover that exceeded the standards required at the time.
- Connecting surrounding homes to a public water system and abandoning drinking water wells.

In addition to these corrective actions, closure activities also included the construction of a landfill gas (LFG) extraction system and expansion of the perimeter gas monitoring probe network. The LFG extraction system has operated since closure to alleviate the accumulation of methane beneath the landfill cap and to control off-site methane migration.

These measures were intended to reduce leachate generation by reducing surface water infiltration, minimizing the potential transport of contaminants in the gas stream into groundwater, and eliminating suspected groundwater contaminant sources and potential exposure pathways. Since closure was completed, these actions have resulted in a gradual long-term decrease in leachate generation and a long-term improvement of groundwater quality as discussed in subsequent sections of this report.

## 2.0 LEACHATE

### 2.1. Leachate Collection System Operation

Post-closure activities at Inman Landfill include operation of a leachate collection system. The leachate collection system consists of a network of drain pipes situated under the newer (Phase II) portion of the landfill. These drain pipes lead to a single concrete sump and pump station (PS#1). Leachate enters the sump and is pumped up to a double-lined leachate collection pond. Leachate in the pond is pre-treated with aerators. The pre-treated leachate is periodically pumped from the pond and hauled to the City of Mount Vernon wastewater treatment plant for disposal as authorized by a State Wastewater Discharge Permit.

### 2.2. Leachate Generation

The amount of leachate collected from the lined, Phase II portion of the landfill generally increased each year until closure in 1994 (Figure 2). Since 1994 leachate generation has generally decreased. In 2006, leachate generation was 3 percent of the amount collected during 1991 and 1992, which was prior to installation of the landfill cover system. Leachate generation rates leveled off approximately twelve years ago, and then decreased again from 2002 through 2005 before increasing in 2007. There was an approximate four-fold increase between 2006 and 2007; this increase was due to the complete draining of the leachate pond during the third quarter of 2007 for cleaning and repair. In 2019, leachate was produced in quantities similar to those from 2003 to 2005. In 2019, a total of 169,000 gallons was pumped from the leachate pond and transferred to the Wastewater Treatment Plant in Mount Vernon, Washington.

The stabilization of leachate generation rates during the late 1990s may indicate the removal of easily-drained leachate that entered the landfill prior to construction of the existing cover system. One point that is clear from the graph is that the landfill cover has been effective in reducing the amount of precipitation entering the landfill and, consequently the amount of leachate that is generated.

The Phase I area of the landfill does not have a bottom liner and therefore, no leachate collection system. A significant amount of leachate generated from this portion of the site does potentially reach the underlying groundwater system. However, since the landfill cover system placed over the Phase I area is similar to that placed over the Phase II area, it is reasonable to assume that potential leachate generated from the Phase I area has also decreased in amounts proportional to those observed for the Phase II area.

### 3.0 HYDROGEOLOGY

Inman Landfill is located on the north side of Bay View Ridge. Bay View Ridge is composed of a series of glacial and glaciomarine deposits and rises up to 200 feet above the surrounding delta valleys. A previous investigation concludes that the Inman Landfill site is underlain by two aquifers (Sweet Edwards & Associates 1987). These aquifers consist of a shallow, unconfined perched aquifer that is typically located above sea level, and a deeper regional aquifer (referred to as the upper regional aquifer or the regional aquifer) that is situated near or below sea level. The shallow perched aquifer occurs in a sand unit that is situated above a dense silt/clay layer at elevations of approximately 1 to 13 feet above sea level. The silt/clay layer appears to dip to the west and southwest into Bay View Ridge. Monitoring Wells B-6, B-7, B-8, B-9, B-11, and B-13 and Gas Probe GP-6 are screened in the perched aquifer (Figure 3). Previous groundwater measurements in these wells indicate that groundwater in this aquifer follows the dip of the silt/clay layer and flows generally to the southwest into Bay View Ridge.

The upper regional aquifer is located in fine to coarse sand deposits that are present beneath the silt/clay layer (Sweet Edwards & Associates 1987). The upper regional aquifer is confined by the overlying silt/clay layer. The top of this aquifer is reportedly situated at elevations ranging from 6 to 14 feet below sea level. Monitoring Wells B-1, B-2, B-3, B-4, B-5, B-10, and B-12 are screened in the upper regional aquifer (Figure 4). Previous groundwater measurements in these wells indicate that groundwater in this aquifer flows in a radial pattern away from Bay View Ridge to the north, northeast, and east.

Water level measurements were collected during four quarterly monitoring events during 2019 (March, June, September, and December) from monitoring wells completed within each aquifer. Based on the measured water levels, computer-generated potentiometric surface maps were created for each aquifer for each of these quarters (Figures 3a-3d, 4a-4d). These maps were prepared with the kriging method in the Surfer™ 8.0 contouring software package using elevations from the monitoring wells in each aquifer (Table 1 & 2). Wells B-7 and GP-6 were dry during each of the measuring events in 2019, and B-8 and B-11 were dry during the 2<sup>nd</sup>, 3<sup>rd</sup>, and 4<sup>th</sup> measuring events; therefore, these wells were not used to construct the water table contour map. Hydrographs of groundwater elevations collected since landfill closure for both aquifers were also prepared (Figures 5 & 6).

#### 3.1. Perched Aquifer

Static water level elevations measured in 2019 for the perched aquifer ranged from a minimum of 9.18 feet above mean sea level (amsl) at B-11 (March) to 12.21 feet amsl at B-13 (March) (Table 1).

**Table 1. 2019 Static Water Level Elevations: Perched Aquifer**

	March	June	September	December
<b>B-6</b>	11.14	10.71	10.37	10.39
<b>B-7</b>	dry	dry	dry	dry
<b>B-8</b>	11.48	dry	dry	dry
<b>B-9</b>	10.26	10.03	9.72	9.62
<b>B-11</b>	9.18	dry	dry	dry
<b>B-13</b>	12.21	11.93	11.95	11.65
<b>GP-6</b>	dry	dry	dry	dry

Elevations are in feet above mean sea level (NGVD 29)

The water table contour maps indicate that perched groundwater flow was fairly consistent during 2019, flowing generally from the east towards the west (Figures 3a-3d). Local groundwater velocities can be variable because of the complex local groundwater flow patterns. For simplicity, the average groundwater velocity across the site within this aquifer was calculated using gradients observed across the central and southern portions of the site.

Based on these criteria, the average gradient in 2019 ranged from about 0.0015 to 0.0034 feet per foot (ft/ft), with an average gradient of approximately 0.0027 ft/ft. The average porosity of the perched aquifer material was estimated to be approximately 27.5 percent and the hydraulic conductivity was estimated to be approximately 28 feet per day (ft/day) (Sweet Edwards & Associates 1987). These parameters were used in conjunction with the average hydraulic gradient of 0.0024 ft/ft to estimate the average linear velocity of groundwater in the perched aquifer using Darcy's Law, where:  $V = Ki/n$ , and

$V$  = average linear velocity,  
 $K$  = hydraulic conductivity,  
 $i$  = hydraulic gradient, and  
 $n$  = porosity.

This calculation indicates that the average linear velocity of groundwater in the perched aquifer during 2019 was approximately 0.27 ft/day.

A review of the hydrograph for the perched aquifer (Figure 5) shows that the water levels fluctuate in a typical seasonal manner. Prior to 2004 the hydrograph shows an overall slightly decreasing trend in all of the wells since 1995; however, the 2004 through 2019 measurements indicate that this decreasing trend has stabilized. The decreasing trend may be a result of reduced infiltration of rainwater over the landfill since construction of the cap was completed in 1995.

### 3.2. Upper Regional Aquifer

Static water level elevations measured in 2019 for the upper regional aquifer ranged from 2.24 feet amsl at B-5 (June) to 9.06 feet amsl at B-2 (March) (Table 2).

**Table 2. 2019 Static Water Level Elevations: Upper Regional Aquifer**

Well	March	June	September	December
B-1	8.76	8.33	7.82	8.25
B-2	9.06	8.58	8.29	8.29
B-3	8.55	8.02	7.80	7.90
B-4	8.90	8.49	8.14	8.45
B-5	3.27	2.24	2.87	3.56
B-10	8.86	8.75	8.46	8.28
B-12	8.45	8.00	7.85	7.92

Elevations are in feet above mean sea level (NGVD 29)

The water table contour maps for 2019 indicate that the upper regional aquifer groundwater generally flowed from the west towards the east (Figures 4a-4d). Using the information in these maps, hydraulic gradients were calculated between Well B-10, the most upgradient well, and Well B-12, the most downgradient well for the majority of the monitoring events. The calculated hydraulic gradients from

Well B-10 to Well B-12 for 2019 ranged from 0.0002 to 0.0004 ft/ft, with an average of approximately 0.0003 ft/ft.

In addition to the construction of the potentiometric surface maps, groundwater elevations were also used to calculate estimated groundwater flow velocities for the upper regional aquifer. Because of the similarity in material in the perched and upper regional aquifers, the same values for porosity and hydraulic conductivity used for the perched aquifer were also used for the upper regional aquifer. These parameters were used in conjunction with the average hydraulic gradient for 2019 of 0.0003 ft/ft (calculated previously) to estimate the average linear velocity of groundwater in the upper regional aquifer using Darcy's Law. The result of this calculation indicates that the average linear velocity of groundwater in the upper regional aquifer during 2019 was approximately 0.031 ft/day across the central landfill site.

In addition to the potentiometric surface map showing the central landfill area, potentiometric surface maps were also prepared showing groundwater contours beyond the northern and eastern boundaries of the landfill and into the topographically lower Samish River Valley (Figures 7a-7d). These maps were also prepared with the wells used for the central landfill area in addition to elevations from a single well located in the valley (Well B-5; refer to Table 2) and estimated groundwater elevations for points located along nearby Joe Leary Slough. Groundwater elevations along Joe Leary Slough were estimated using the elevation of surface water measured in the slough. It should be noted that water level elevations in both the slough and in Well B-5 show significant tidal influence.

The flow pattern in the upper regional aquifer continues to be a radial flow into the Samish River valley, although the hydraulic gradient appears to increase significantly as groundwater enters the Samish River Valley from the central landfill area. Also, flow in the upper regional aquifer appears more radial than in the perched aquifer, flowing from the western side of the site toward the north, northeast, and east.

Hydraulic gradients were calculated from the west side of the landfill and extending into the valley. The gradients were calculated using the groundwater elevations measured at Well B-10, located in the southwestern portion of the site, and Well B-5, which is located in the valley and downgradient of Well B-10. The gradients calculated between these two points ranged from approximately 0.0012 to 0.0018 ft/ft during 2019, with an average of approximately 0.0015 ft/ft. This gradient is steeper than that calculated for the central landfill area because it combines the flatter gradient beneath the landfill with the steeper gradient measured between the landfill proper and the Samish Valley. As noted above, this gradient is significantly influenced by the tide. Using this average hydraulic gradient and the aquifer parameters presented above, the resulting average linear velocity of groundwater in the upper regional aquifer across the landfill area and into the Samish Valley in 2019 was approximately 0.28 ft/day.

A review of the hydrograph for the upper regional aquifer (Figure 6) shows that the water levels fluctuate in a typical seasonal manner. Well B-5 shows the greatest variation of all wells in the upper regional aquifer, but this variation is likely a reflection of different tidal stages in which measurements are made and is to a lesser extent due to seasonal variation. Prior to 2004 the hydrograph shows an overall slightly decreasing trend in all of the wells except Well B-5; however, since 2004 generally water levels have stabilized. The decreasing trend may be a result of reduced infiltration of rainwater over the landfill since construction of the cap was completed in 1995.

## 4.0 GROUNDWATER SAMPLING METHODS

### 4.1. Sample Locations and Frequency

Groundwater sampling at Inman Landfill is conducted on a quarterly basis. The Inman Landfill groundwater monitoring network consists of 13 monitoring wells: seven wells screened in the upper regional aquifer (B-1, B-2, B-3, B-4, B-5, B-10, and B-12), and six wells screened in the perched aquifer (B-6, B-7, B-8, B-9, B-11, and B-13). Quarterly sampling in 2019 was conducted in March, June, September, and December. Declining water levels in the perched aquifer prevented sample collection at Wells B-7, B-8, B-11, and B-13 during the 2019 sampling events. Well B-7 has been dry for over 20 years and has not been sampled since landfill closure in 1994. Monitoring well B-8 was last sampled during the second quarter of 2017 (June 2017). Monitoring well B-11 was last sampled during the first quarter of 2017 (March 2017). Monitoring well B-13 was last sampled during the fourth quarter of 2010 (December 2010).

### 4.2. Sample Collection

All monitoring wells were purged and sampled in accordance with the *Quality Assurance Project Plan* (QAPP) for Inman Landfill (Skagit County Public Works (SCPW) Dept., 2010).

### 4.3. Analytical Parameters

Groundwater samples were submitted to Edge Analytical of Burlington, Washington for analysis. Parameters tested consisted of analytes specified in the QAPP (SCPW Dept., 2010). Beginning with the second quarter of 2008 sampling event, additional parameters were tested during each subsequent quarterly sampling event. These additional parameters were measured for a two year period based on a request from the Washington Department of Ecology to further characterize groundwater at the landfill site. These additional parameters were measured for the last time during the first quarter 2010 monitoring event. These additional parameters included total dissolved solids (TDS), alkalinity, bicarbonate, total calcium, total magnesium, total potassium, total sodium, and the following dissolved metals: antimony, barium, beryllium, cobalt, copper, nickel, selenium, silver, thallium, and vanadium.

Based on a subsequent request from the Washington Department of Ecology, most of these additional parameters were sampled again beginning in the third quarter of 2011. The parameters that were never detected above practical quantitation limits during the 2008 to 2010 sampling rounds were dropped from the sampling request. The additional parameters from the most recent request included TDS, alkalinity, bicarbonate, total magnesium, total potassium, and the following dissolved metals: antimony, barium, chromium, cobalt, copper, nickel, selenium, and vanadium. For quality assurance purposes, duplicate samples were collected from Well B-3 during each sampling round.

## 5.0 GROUNDWATER QUALITY RESULTS

A discussion of groundwater quality based on analytical results from the monitoring well network is presented in this section. Separate discussions are included for the perched and upper regional aquifers, respectively. A background well has not been established for either the perched aquifer or the upper regional aquifer monitoring networks because of apparent or potential landfill impacts at each monitoring well location as indicated by historical monitoring results.

Tabulated groundwater monitoring results for 2019 are presented in Appendices A-1 and B-1 for the perched and upper regional aquifers, respectively. Time-series plots were generated from data collected from 1994 through 2019 (99 sampling events).

For quality assurance purposes, a data validation report was generated that reviews laboratory groundwater quality data from the sampling event. The fourth quarter data validation report is presented in Appendix C.

### 5.1. Perched Aquifer

The perched aquifer monitoring system for the site is comprised of Monitoring Wells B-6, B-7, B-8, B-9, B-11, and B-13. As mentioned in Section 4.1, only monitoring wells B-6 and B-9 had sufficient water to collect representative groundwater samples during the four quarterly sampling events in 2019. One analyte was found to exceed state groundwater standards (Chapter 173-200 WAC) in the perched aquifer during 2019 (Table 3).

**Table 3. Summary of Maximum Concentrations of Analytes Exceeding Groundwater Quality Standards in Perched Aquifer Wells: 2019**

Contaminant	GW Quality Standards (173-200 WAC)	B-6	B-9
<b>Carcinogen</b>			
Arsenic (mg/L)	0.00005	0.0007	0.0009

The 2019 analytical data indicate that elevated concentrations of dissolved arsenic tended to be widespread, with exceedances of the water quality standards occurring in each of the perched aquifer wells sampled.

### 5.2. Upper Regional Aquifer

The upper regional aquifer monitoring well network comprises Wells B-1, B-2, B-3, B-4, B-5, B-10, and B-12. Seven wells were found to exceed state groundwater standards (Chapter 173-200 WAC) for at least one sampling event during 2019 in the upper regional aquifer (Table 4).

**Table 4. Summary of Maximum Concentrations of Analytes Exceeding Groundwater Quality Standards in Upper Regional Aquifer Wells: 2019**

Contaminant	GW Quality Standards (173-200 WAC)	Maximum Concentration Detected						
		B-1	B-2	B-3	B-4	B-5	B-10	B-12
<b>Carcinogen</b>								
Arsenic, dissolved (mg/L)	0.00005	0.046	0.001	0.003	0.0027	0.0059	0.002	0.0051
Vinyl chloride (µg/L)	0.02	NE	NE	0.041	NE	0.127	NE	NE
1,4 Dioxane	7	NE	NE	NE	NE	8.2	NE	NE
<b>Secondary</b>								
Iron, dissolved (mg/L)	0.3	2.85	NE	6.81	5.78	21.0	1.87	0.64
Manganese, dissolved (mg/L)	0.05	2.838	NE	0.616	5.87	2.324	0.522	0.075
pH (standard units)	6.5-8.5	8.98	NE	NE	NE	6.15	9.00	NE
Total dissolved solids (mg/L)	500	602	NE	NE	632	NE	NE	NE

NE: Not exceeded

The 2019 analytical data for the upper regional aquifer show areal distribution trends that are somewhat similar to those observed in the perched aquifer. For instance, elevated concentrations of metals, tended to be widespread, with exceedances of water quality standards for dissolved arsenic, iron, and manganese occurring in almost all of the upper regional aquifer wells. Vinyl chloride concentrations tended to be more localized in the upper regional aquifer in 2019, with water quality standards exceeded in only two wells (B-3 and B-5), which are located in the northwestern and western margins of the landfill.

In general, concentrations of all analytes tended to be lower in upgradient wells (B-1, B-10, and B-12) and higher in downgradient wells (B-2, B-3, B-4, and B-5), as would be expected. VOCs were not detected above PQLs in either well B-1, B-2, B-4, B-10, or B-12, during any of the 2019 monitoring events.

### 5.3. Domestic Wells

No domestic wells were sampled in 2019. Domestic wells located to the southwest and southeast of the landfill site have been sampled previously. The results of these analyses were presented in earlier annual reports. Refer to those reports for a discussion of domestic well results.

## 6.0 STATISTICAL EVALUATION OF GROUNDWATER RESULTS

Statistical analysis of groundwater monitoring data from the Inman Landfill is conducted using Microsoft Excel and WQStat Plus v.9 or equivalent software in accordance with the EPA guidance document (EPA 2009). Statistical analysis is conducted using data from the entire monitoring period (1994-2019) unless otherwise noted.

### 6.1. Piper Diagrams

Piper diagrams are a graphical display of the proportions of the major cations and anions in a sample. Piper diagrams are constructed by plotting the proportions of the major cations (calcium, magnesium, sodium and potassium) on one triangular diagram, the proportions of the major anions (alkalinity, chloride, sulfate) on another, and then combining the information from the two triangular plots onto a quadrilateral plot (Drever 2002). A piper diagram was created using the data from each quarterly monitoring event in 2019 for both the perched aquifer (Appendix D-1) and the upper regional aquifer (Appendix E-1).

#### 6.1.1. Perched Aquifer

The piper diagrams indicate that all the monitoring wells in the perched aquifer have similar chemical signatures. The results also show that general chemistry of the perched aquifer does not significantly change throughout the year.

#### 6.1.2. Regional Aquifer

The piper diagrams indicate that the monitoring wells in the regional aquifer have mostly similar chemical signatures. Wells B-2, B-4, and B-5 do appear to each have their own slightly different chemical signature that varies from the rest of the monitoring wells. The results also indicate that the general chemistry of the upper regional aquifer does not significantly change throughout the year.

### 6.2. Stiff Diagrams

A stiff diagram is another graphical representation of the major ion composition of a water analysis. A polygonal shape is created from three horizontal axes extending on either side of a vertical axis. The three major anions are plotted to the right of the center axis and the three major cations are plotted to the left of the center axis. The points are connected to create the polygonal shape. The larger the area of the polygonal shape, the greater the concentrations of the analytes (Drever 2002). Stiff diagrams were produced for every well with the data from each quarterly monitoring event in 2019 for both the perched (Appendix D-2) and upper regional (Appendix E-2) aquifers.

#### 6.2.1. Perched Aquifer

The polygons produced at each well are similar to each other in shape, but do vary in overall size. The polygon shapes and sizes remain similar for each quarterly monitoring event.

### **6.2.2. Upper Regional Aquifer**

Generally, the polygons produced at each well are similar to each other, and are similar for each quarterly monitoring event. Well B-4 has the largest polygonal shape, which indicates that it has the greatest concentration of analytes.

### **6.3. Cation-Anion Balance**

Cation-anion balance is the ratio of cations to anions within the water sample. Since water samples are electrically neutral, the sum of the cations should equal the sum of the anions. The cations are magnesium, calcium, sodium and potassium. The anions are sulfate, chloride, carbonate and bicarbonate. The ratio would be determined as:

$$\text{Ratio} = (\text{sum of cations})/(\text{sum of anions}) * 100\%$$

Since water is electrically neutral, we would expect the ratio to be 1 or 100%. The cation-anion balance was calculated for the monitoring wells in each aquifer during every quarterly monitoring event of 2019. The results are displayed on the quarterly piper diagrams in Appendix D-1 and Appendix E-1.

The cation-anion balances calculated for each quarterly monitoring event in the perched aquifer are 9.05%, 7.34%, 7.62%, and 0.79%, respectively (Appendix D-1). The cation-anion balances calculated for each quarterly monitoring event in the upper regional aquifer are 2.34%, 3.88%, 0.24%, and 5.18%, respectively (Appendix E-1). These results indicate that there are more anions than cations in the results. There could be a couple of reasons for this ratio imbalance. One is the fact that some analyte values are for dissolved metals and some analyte values are for total metals. Another reason could be that not all species were analyzed in the water sample, and were therefore not included in the cation-anion balance. The most common species were analyzed, but there could be less common species present in the water that were not included in the calculation.

### **6.4. Box Plots**

Box plots are useful in providing a visual display of the distribution of a data set (EPA 2009). The central box of the plot shows the interquartile range from the 25<sup>th</sup> to the 75<sup>th</sup> percentiles. A line (whisker) is drawn to the minimum and maximum values from the 25<sup>th</sup> and 75<sup>th</sup> percentiles, respectively. The 50<sup>th</sup> percentile is drawn within the box. The mean value of the data set is plotted within the box as a separate mark. Significantly staggered boxes could be an indication of spatial variability.

Box-plots were created with data collected from 1994 through 2019. 30 plots were created from the perched aquifer analytical results (Appendix D-3) and 35 plots were created from the upper regional aquifer analytical results (Appendix E-3). Box plots were not generated for parameters when the results were all or nearly all detected at levels below the laboratory practical quantitation limits. Box Plots were only generated for perched aquifer wells B-6 and B-9. Refer to the previous Annual Reports for a presentation of data for all perched aquifer wells B-8, B-11, and B-13.

The box plots were visually analyzed to see if there were significant differences between the wells (Table 5 & Table 6). A significant difference would be if one of the boxes in the plot did not overlap with any of the others. This significant difference could indicate that there are statistically different average concentrations between the wells.

#### 6.4.1. Perched Aquifer

Nine out of the 30 analytes plotted had wells with statistically different average concentrations (Table 5). In 9 of the 30 analytes (alkalinity, dissolved barium, bicarbonate, total calcium, COD, magnesium, nitrate as nitrogen, TDS, and TOC) the values measured in B-6 were higher. These results indicate that B-6 shows the most impacts from the landfill. It should be noted that only monitoring wells B-6 and B-9 have had sufficient water to collect samples since approximately early 2017.

**Table 5. Summary of Box Plot Visual Analysis in Perched Aquifer Wells: 2019**

Significantly Staggered Analyte	Distribution of Boxes
Alkalinity	B-6 is higher
Barium, dissolved	B-6 is higher
Calcium, total	B-6 is higher
Chemical oxygen demand (COD)	B-6 is higher
Bicarbonate	B-6 is higher
Magnesium, total	B-6 is higher
Nitrate-N	B-6 is higher
Total dissolved solids (TDS)	B-6 is higher
Total organic carbon (TOC)	B-6 is higher

#### 6.4.2. Upper Regional Aquifer

Seventeen out of the 35 analytes plotted had wells with statistically different average concentrations (Table 6). In 7 out of 15 analytes (alkalinity, dissolved barium, bicarbonate, Freon-22, magnesium, manganese, TDS), the values measured in B-4 were significantly higher than the values measured in the rest of the wells. In 3 out of the 15 analytes (CFC-12, nitrate-N, and potassium), the values measured in B-2 were significantly higher than the values measured in the rest of the wells. B-1 was significantly higher in one analyte (dissolved arsenic), and B-5 was significantly higher in four analytes (1,4-dioxane, dissolved iron, dissolved nickel, and vinyl chloride). Wells B-3 and B-5 were both significantly higher in diethyl ether than the other wells. Wells B-4 and B-5 were both significantly higher in dissolved manganese than the other wells.

These results indicate that the B-2, B-4, and B-5 show the most impacts from the landfill. B-1 and B-3 were both significantly higher in one analyte each. B-10 and B-12 were not significantly higher in any analyte in the upper regional aquifer.

**Table 6. Summary of Box Plot Visual Analysis in Upper Regional Aquifer Wells: 2019**

Significantly Staggered Analyte	Distribution of Boxes
1,4-dioxane	B-5 is higher
Alkalinity	B-4 is higher
Arsenic, dissolved	B-1 is higher
Barium, dissolved	B-4 is higher
Bicarbonate	B-4 is higher
Chemical Oxygen Demand	B-5 is higher
Chlorodifluoromethane (Freon 22)	B-4 is higher
Dichlorodifluoromethane (CFC-12)	B-2 is higher
Diethyl ether	B-3 and B-5 are higher
Iron, dissolved	B-5 is higher
Magnesium, total	B-4 is higher
Manganese, dissolved	B-4 and B-5 are higher
Nickel	B-5 is higher
Nitrate-N	B-2 is higher
Potassium, total	B-2 is higher
Total dissolved solids	B-4 is higher
Vinyl Chloride	B-5 is higher

### 6.5. Mann-Kendall Trend Test

The presence of significant increasing or decreasing trends was determined using the Mann-Kendall test. The Mann-Kendall test evaluates possible trends by comparing random pairs of data within the data set. The test statistic will increase if the later value is greater than the earlier value, and decrease if the later value is less than the earlier value. After the test statistic is determined, the Z-score is calculated from the test statistic. The farther the Z-score is from zero, the more significant the trend (EPA 2009).

A Mann-Kendall test was run on each well in every long-term time-series plot, however, significant trends were examined for the two active perched aquifer wells B-6 and B-9. The Mann-Kendall results show the slope of the trend, the Z-score, the critical threshold of significance for the Z-score, and if the Z-score is significant at the 98% confidence interval. Each analyte concentration is tested. Mann-Kendall long-term trend test results for the perched and upper regional aquifers are included in Appendix D-4 and E-4. Mann-Kendall short-term trend test results for the perched and upper regional aquifers are included in Appendix D-5 and E-5. A positive slope indicates an increasing trend, and a negative slope indicates a decreasing trend. Some results state the presence of a statistically significant increasing or decreasing trend in the data, but there were either no or very few actual detections within the data set. These trends are not considered statistically significant since they are the result of a change in laboratory detection limit of the analyte, and not an actual change in detected concentrations.

#### 6.5.1. Perched Aquifer

Overall, the Mann-Kendall results indicate that every well shows stabilizing conditions in water quality (Table 7). Most of the statistically significant decreasing trends have been found in the long-term data

set. Nitrate as nitrogen has shown a significant increasing in the long-term trend in the long-term data set in B-6. However, this parameter has never exceeded the groundwater quality criteria for Nitrate at B-6. Additionally, pH has shown a significant increasing trend in the long-term data set in B-6 and B-9.

**Table 7. Mann-Kendall Significant Trends: Perched Aquifer**

<b>Well</b>	<b>Analytes with Decreasing trends</b>		<b>Analytes with Increasing trends</b>
<b>B-6</b>	Ammonia-N <b>Arsenic, dissolved</b> <b>Alkalinity</b> Barium, dissolved Bicarbonate Calcium, total Chemical oxygen demand Chromium, dissolved Copper, dissolved Iron, dissolved Magnesium, dissolved Manganese, dissolved Selenium, dissolved Sodium, total Specific conductance Sulfate Total Dissolved Solids (TDS) Total organic carbon (TOC) <b>Vanadium, dissolved</b> Zinc, dissolved		Nitrate-N pH
<b>B-9</b>	1,1-dichloroethane <b>Alkalinity</b> Arsenic, dissolved <b>Barium, dissolved</b> Bicarbonate Calcium, total Chloride Chromium, dissolved Copper, dissolved <b>Dichlorofluoromethane (CFC-12)</b> Magnesium, total Manganese, dissolved Potassium	Magnesium, dissolved Potassium, dissolved Selenium, dissolved <b>Sodium, total</b> <b>Specific conductance</b> Sulfate <b>TDS</b> TOC Vanadium, dissolved Zinc, dissolved	pH

Regular text denotes a long-term trend only

**Bold text denotes both a long-term and short-term trend**

*Italicized text denotes a short-term trend only*

### **6.5.2. Upper Regional Aquifer**

Statistically significant long-term and short-term trends discerned from the upper regional aquifer data indicate that Wells B-2 and B-3 show the most long-term decreasing concentration trends for landfill analytes during the long-term monitoring period (Table 8). Wells B-1, B-4, B-5, B-10, and B-12 show the most increasing concentration trends, in both the long-term and short-term data sets. These increasing trends are all inorganic analytes, except for Freon-22 in Wells B-1 and B-4.

**Table 8. Mann-Kendall Significant Trends: Upper Regional Aquifer**

<b>Well</b>	<b>Analytes with Decreasing trends</b>		<b>Analytes with Increasing trends</b>	
<b>B-1</b>	<i>Arsenic, dissolved</i> Chromium, dissolved CFC-12 Copper, dissolved Selenium, dissolved Sulfate Zinc, dissolved		Alkalinity Ammonia-N Barium, dissolved Bicarbonate Calcium, total COD Chloride Freon 22 Iron, dissolved Magnesium, total	<b>Manganese, dissolved</b> Nickel, dissolved pH Potassium, total Specific conductance Sodium, total Sulfate TDS TOC
<b>B-2</b>	1,1-dichloroethane Ammonia-N Arsenic, dissolved Calcium, total Chloride Chromium, dissolved Copper, dissolved <b>CFC-12</b> Freon 22 Iron, dissolved Magnesium, total Manganese, dissolved Nickel, dissolved	Selenium, dissolved Sodium, total Specific conductance Sulfate TDS TOC Vanadium, dissolved Vinyl chloride Zinc, dissolved	Potassium <i>Copper, dissolved</i>	
<b>B-3</b>	Arsenic, dissolved Calcium, total CFC-12 Chloride Chromium, dissolved Copper, dissolved Diethyl ether Iron, dissolved Manganese, dissolved	Selenium, dissolved Sodium, total TOC Vanadium, dissolved Vinyl chloride Zinc, dissolved	pH	
<b>B-4</b>	<b>Alkalinity</b> Ammonia-N Arsenic, dissolved <b>Barium, dissolved</b> <b>Bicarbonate</b> <b>Calcium, total</b> CFC-12 <b>Chloride</b> Chromium, dissolved Copper, dissolved <i>Freon 22</i> <i>Magnesium, dissolved</i> <i>Manganese, total</i> Selenium, dissolved	<b>Sodium, total</b> <i>Specific Conductance</i> <i>Sulfate</i> TDS Vanadium, dissolved Vinyl chloride Zinc, dissolved	Ammonia-N Calcium, total Chloride COD Freon 22 Iron, dissolved	Sodium, total Sulfate TOC

Regular text denotes a long-term trend only

**Bold text denotes both a long-term and short-term trend**

*Italicized text denotes a short-term trend only*

**Table 8. Mann-Kendall Significant Trends: Upper Regional Aquifer (cont).**

<b>Well</b>	<b>Analytes with Decreasing trends</b>	<b>Analytes with Increasing trends</b>
<b>B-5</b>	<b>Arsenic, dissolved</b> Freon 22 Chromium, dissolved Copper, dissolved CFC-12 Diethyl Ether <b>Freon 22</b>	Selenium, dissolved Vanadium, dissolved Vinyl chloride Zinc, dissolved 1,4-dioxane Calcium, total Chloride COD Potassium, total Specific conductance Sodium, total Tetrahydrofuran TDS TOC
<b>B-10</b>	<i>Alkalinity</i> Arsenic, dissolved <i>Barium</i> Bicarbonate <i>Calcium, total</i> CFC-12 Chromium, dissolved Copper, dissolved <i>Iron, dissolved</i> <i>Magnesium, dissolved</i> Nitrate <i>Potassium, dissolved</i> Selenium, dissolved Sodium, total <i>Specific Conductance</i> <i>Sulfate</i> TDS <b>Vanadium, dissolved</b> Zinc, dissolved	Ammonia-N Calcium, total Chloride COD Iron, dissolved Manganese, dissolved pH Potassium, dissolved Sodium, total Sulfate TOC
<b>B-12</b>	Arsenic, dissolved CFC-12 Chloride Chromium, dissolved Copper, dissolved Manganese, dissolved Nitrate Selenium, dissolved <b>Specific conductance</b> <i>Sulfate</i> TOC Zinc, dissolved	<b>Alkalinity</b> <b>Barium, dissolved</b> <b>Bicarbonate</b> Calcium, total <i>Chloride</i> COD Iron, dissolved Magnesium, total Potassium, total pH Specific conductance Sodium, total Sulfate <b>TDS</b>

Regular text denotes a long-term trend only

**Bold text denotes both a long-term and short-term trend**

*Italicized text denotes a short-term trend only*

## 7.0 LANDFILL GAS EXTRACTION AND MONITORING ACTIVITIES

To alleviate the accumulation of methane beneath the landfill cap and to control off-site methane migration, Inman Landfill has a LFG extraction system consisting of 27 wells and trenches (Figure 8). The landfill also contains perimeter LFG monitoring probes to monitor for off-site migration of LFG.

### 7.1. LFG Extraction System Operation

The LFG system was operated sporadically during 2019 due to low methane levels within the landfill and over-capacity of the current equipment configuration.

### 7.2. Perimeter Monitoring

Section (2)(b)(i) of Chapter 173-304-460 WAC specifies minimum functional air quality standards for landfills. These standards limit the concentration of explosive gases at the property boundary to the lower explosive limit (LEL) for that gas. For methane, the LEL occurs at a concentration of approximately 5 percent by volume. To monitor for potential exceedance of this standard, concentrations of methane and associated landfill gases (oxygen and carbon dioxide) are measured in 10 nested perimeter LFG monitoring probe sets that include a total of 24 individual probes. Measurements of LFG concentrations in perimeter monitoring probes were conducted during the 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup>, and 4<sup>th</sup> quarterly monitoring events in 2019. The results of these measurements are presented in Table G-1 located in Appendix G.

The LFG probes are located on all sides of the landfill perimeter as depicted in Figure 9. Some of the probes are co-located with groundwater monitoring wells (Wells B-6, B-7, B-9, B-11, and B-13) and some are stand-alone probes (Probes GDW-1, GDW-2, GDW-3, GDW-5, GP-6, and GP-7). The depths of the screened intervals of the probes vary from 7 to 87 feet below ground surface (Table F-1). For assessment purposes, methane concentrations measured in each probe were compared to the methane air quality standard of 5 percent methane by volume. The maximum concentrations of methane detected at each LFG monitoring probe set during each measuring event in 2019 are depicted in Figures 9a through 9d.

Comparisons of the methane results to the air quality standard shows that there were only detections of methane exceeding the LEL at GDW-1 in 2019. Historically, methane has been detected in GDW-1 and B-13 at concentrations above the LEL. Probe set GDW-1 is located near the southeastern corner of the Inman Landfill site. The properties adjacent to the east and south of the landfill are vacant. Currently, subsurface methane concentrations in this area do not appear to present an immediate risk to the public.

In general, concentrations detected in 2019 show similar concentrations at GDW-1 from the concentrations measured in 2018. The highest methane concentration measured in 2019 was 26.5% in the shallow probe of GDW-1 during the third quarter monitoring event.

## **8.0 INSPECTIONS**

Inspections were conducted in conjunction with quarterly groundwater monitoring in 2019.

## 9.0 SUMMARY AND CONCLUSIONS

Inman Landfill closed in 1994. Post-closure activities have been on-going since closure was completed in 1995. These activities include: leachate collection and disposal, LFG collection, perimeter groundwater monitoring, subsurface LFG monitoring, surface water monitoring, and site maintenance. Groundwater monitoring activities include collection of groundwater samples from two aquifers: an unconfined perched aquifer and a confined upper regional aquifer. Monitoring data indicate that groundwater in the perched aquifer generally flows to the west and southwest, and the upper regional aquifer flows in a radial pattern toward the north, northeast, and east.

Assessment of groundwater monitoring results shows that several groundwater quality standards were exceeded at one or more monitoring wells in both aquifers during 2019. Standards exceeded include the WAC 173-200 carcinogen standards for dissolved arsenic, 1,4-dioxane, and vinyl chloride, and the WAC 173-200 secondary standards for dissolved iron, dissolved manganese, total dissolved solids, and pH.

Only two of the original six perched aquifer wells had sufficient water to collect groundwater samples in 2019. These include B-6 and B-9. The two perched aquifer monitoring wells sampled during 2019 contained elevated concentrations of landfill-related analytes, specifically dissolved arsenic, relative to state standards, which could indicate impact from the landfill. Every well has shown improved water quality in recent years compared to that observed in 1994, particularly with regards to VOCs. The only inorganic analyte that shows a long-term increasing trend is Nitrate as nitrogen at B-6. However, there has never been an exceedance of this parameter above the WAC-173-200 primary contaminant standard. No VOCs show any increasing trends. Out of all of the perched aquifer wells, most inorganic analytes show decreasing trends, although dissolved arsenic, iron, and manganese are exceeded regulatory limits at B-8. HB-8 has not been sampled since June of 2017.

All wells screened in the upper regional aquifer sampled during 2019 contained elevated concentrations of landfill-related analytes relative to state standards, which could indicate impact from the landfill with the degree of apparent impact varying from well to well. Exceedance of standards for metals also tended to be widespread, while exceedance of standards for VOCs also tended to be more localized, occurring in only two wells (B-3 and B-5). Approximately 17 inorganic analytes show increasing trends. Four of these inorganic analytes (dissolved iron, dissolved manganese, pH, and TDS) exceed regulatory limits. Significant VOC concentrations were limited to wells B-3 and B-5. One VOC, Chlorodifluoromethane (Freon 22), shows an increasing trend, however this VOCs doesn't have regulatory limits. Approximately twenty-one inorganics and 5 VOCs are exhibiting decreasing trends with only one of these VOCs (vinyl chloride) currently exceeding regulatory limits. VOCs were not detected above laboratory PQLs in Wells B-1, B-10, or B-12 during 2019. This VOC distribution is consistent with the regional groundwater flow characteristics for this aquifer.

Although apparent impacts from the landfill continue within both aquifers, most of the time-series plots and Mann-Kendall trend tests for the last approximately 25 years show decreasing concentration trends in most wells, indicating that groundwater in the vicinity of the landfill is continuing to improve. Decreasing trends were most apparent in wells completed within the perched aquifer, which historically has shown the highest degree of impact. However, there are some increasing trends in the regional aquifer which could indicate continued impact to the groundwater quality below the landfill. Improvements to groundwater quality underlying the site appear to be directly attributable to several specific corrective actions conducted at suspected groundwater contaminant sources during general closure activities conducted in 1994 and 1995. These corrective actions included:

- Recapping the old, unlined (Phase I) portion of the landfill which reduced the amount of precipitation infiltrating the landfill, and consequently the amount of leachate entering groundwater.
- Eliminating leachate seeps that allowed leachate to enter into the drainage system.
- Improving the old infiltration basin and constructing a new infiltration basin.
- Relining the pre-treatment leachate pond and pump station.
- Constructing and operating an active LFG extraction system that reduced the potential for VOCs to enter groundwater via partitioning.
- Making other drainage improvements which eliminated surface water run-on to the site and consequently reduced the amount of leachate generated.

In addition to these corrective actions, Skagit County connected several homes located southwest and southeast of the landfill to a public water system and subsequently abandoned their drinking water wells. Because of their location and well construction characteristics, these wells had the potential to be impacted by contaminants from the landfill. These connections have removed the threat of impacts to nearby drinking water sources.

The results of perimeter gas monitoring activities indicate that the historical operation of the LFG system has been effective at controlling landfill gas migration in the vicinity of Probes GDW-1 and B-13.

## 10.0 RECOMMENDATIONS

As a result of closure activities and the implementation of corrective actions, groundwater quality at the site has shown signs of significant improvement and is expected to further improve with time. Furthermore, the risk of potential impacts to domestic wells located southeast and southwest of the landfill has been eliminated due to their abandonment and the connection of the homes to a public water source. The increasing trends of inorganic analytes in the upper regional aquifer will continue to be monitored.

Perimeter gas monitoring results indicate that the historical operation of the LFG system is effective at control methane concentrations in the vicinity of GDW-1. Occasional operation of the LFG system will continue during 2020.

## **11.0 REFERENCES**


Environmental Protection Agency. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities. EPA 530-R-09-007. March 2009.

Skagit County Public Works Department. 2010. Quality Assurance Project Plan. Appendix B of Post-Closure Operations and Maintenance Manual, Inman Landfill. February 2010.

Sweet, Edwards, and Associates, Inc. 1987. Inman Landfill Hydrogeology Investigation Phase II Report. January 16, 1987.

## FIGURES

Figure 1. Inman Landfill Location Map



**Figure 2. Annual Volume of Leachate Disposed.**





Figure 3. Perched Aquifer Monitoring Well Locations.



LEGEND




-  Monitoring Well
-  Approximate Landfill Boundary



Figure 3a. Potentiometric Surface Contour Map, Perched Aquifer, March 2019.



**LEGEND**

- B-6** ● Monitoring Well
- 12.5—** Potentiometric Surface Contour (feet above MSL)
- Direction of Groundwater Flow
- (9.03)** Measured Static Water-Level Elevation (feet above MSL)
- - - - - Approximate Landfill Boundary



Figure 3b. Potentiometric Surface Contour Map Perched Aquifer, June 2019.



**LEGEND**

- B-6** ● Monitoring Well
- 12.5—** Potentiometric Surface Contour (feet above MSL)
- Direction of Groundwater Flow
- (9.03)** Measured Static Water-Level Elevation (feet above MSL)
- - - Approximate Landfill Boundary


Figure 3c. Potentiometric Surface Contour Map, Perched Aquifer, September 2019.



**LEGEND**

-  Monitoring Well
-  Potentiometric Surface Contour (feet above MSL)
-  Direction of Groundwater Flow
-  Measured Static Water-Level Elevation (feet above MSL)
-  Approximate Landfill Boundary


Figure 3d Potentiometric Surface Contour Map, Perched Aquifer, December 2019.



**LEGEND**

- B-6** ● Monitoring Well
- 12.5—** Potentiometric Surface Contour (feet above MSL)
- Direction of Groundwater Flow
- (9.03)** Measured Static Water-Level Elevation (feet above MSL)
- - - Approximate Landfill Boundary



Figure 4. Regional Aquifer Monitoring Well Locations.



**LEGEND**

- B-10** ● Monitoring Well
- - - Approximate Landfill Boundary


Figure 4a. Potentiometric Surface Contour, Central Landfill, Regional Aquifer, March 2019.



LEGEND

-  B-6 Monitoring Well
-  8.2 Potentiometric Surface Contour (feet above MSL)
-  Direction of Groundwater Flow
-  (8.43) Measured Static Water-Level Elevation (feet above MSL)
-  - - - Approximate Landfill Boundary



Figure 4b. Potentiometric Surface Contour, Central Landfill, Regional Aquifer, June 2019.



**LEGEND**

- B-6** ● Monitoring Well
- 8.2— Potentiometric Surface Contour (feet above MSL)
- ➔ Direction of Groundwater Flow
- (8.43) Measured Static Water-Level Elevation (feet above MSL)
- - - Approximate Landfill Boundary



Figure 4c. Potentiometric Surface Contour, Central Landfill, Regional Aquifer, September 2019.



LEGEND

- B-6 Monitoring Well
- 8.2— Potentiometric Surface Contour (feet above MSL)
- ➔ Direction of Groundwater Flow
- (8.43) Measured Static Water-Level Elevation (feet above MSL)
- - - Approximate Landfill Boundary

Figure 4d. Potentiometric Surface Contour, Central Landfill, Regional Aquifer, December 2019.



LEGEND

-  B-6 Monitoring Well
-  8.2 Potentiometric Surface Contour (feet above MSL)
-  Direction of Groundwater Flow
-  (8.43) Measured Static Water-Level Elevation (feet above MSL)
-  - - - Approximate Landfill Boundary




Figure 5. Perched Aquifer Hydrograph, 1994-2019

Figure 6.

Regional Aquifer Hydrograph, 1994-2019




Figure 7a Potentiometric Surface Contour Map, Regional Aquifer, March 2019.




0 1000 2000  
Scale (feet)

**LEGEND**

- B-10** ● Monitoring Well
- 8 — Potentiometric Surface Contour (feet above MSL)
- (8.18) Measured Static Water-Level Elevation (feet above MSL)
- ➔ Direction of Groundwater Flow
- - - Approximate Landfill Boundary

Figure 7b. Potentiometric Surface Contour Map, Regional Aquifer, June 2019.




0 1000 2000  
Scale (feet)

**LEGEND**

- B-10** ● Monitoring Well
- 8 — Potentiometric Surface Contour (feet above MSL)
- (8.18) Measured Static Water-Level Elevation (feet above MSL)
- ➔ Direction of Groundwater Flow
- - - Approximate Landfill Boundary


Figure 7c. Potentiometric Surface Contour Map, Regional Aquifer, September 2019.



**LEGEND**

- B-10** ● Monitoring Well
- 8 — Potentiometric Surface Contour (feet above MSL)
- (8.18) Measured Static Water-Level Elevation (feet above MSL)
- ➔ Direction of Groundwater Flow
- - - Approximate Landfill Boundary

Figure 7d Potentiometric Surface Contour Map, Regional Aquifer, December 2019.



**LEGEND**

- B-10** ● Monitoring Well
- 8 —** Potentiometric Surface Contour (feet above MSL)
- (8.18)** Measured Static Water-Level Elevation (feet above MSL)
- Direction of Groundwater Flow
- - -** Approximate Landfill Boundary

Figure 8.

Inman Landfill Gas Extraction System Layout

Figure 8. Inman Landfill Gas Extraction System Layout




Figure 9. Landfill Gas Perimeter Monitoring Probe Locations.



Scale (feet)

**LEGEND**

- B-6** ● Perimeter Gas Monitoring Well
- (6.9%)** Maximum methane concentration ( $\leq 0.1\%$  for wells with no concentrations shown)
- - - Approximate Landfill Boundary

Figure 9a. Landfill Gas Perimeter Monitoring Results, March 2019.



Scale (feet)

**LEGEND**

- B-6** ● Perimeter Gas Monitoring Well
- (6.9%)** Maximum methane concentration (<=0.1% for wells with no concentrations shown)
- - - Approximate Landfill Boundary

Figure 9b. Landfill Gas Perimeter Monitoring Results, June 2019.



0 500 1000  
Scale (feet)

LEGEND

- B-6** ● Perimeter Gas Monitoring Well
- (6.9%)** Maximum methane concentration (<=0.1% for wells with no concentrations shown)
- - - Approximate Landfill Boundary

Figure 9c. Landfill Gas Perimeter Monitoring Results, September 2019.



0 500 1000  
Scale (feet)

LEGEND

- B-6** ● Perimeter Gas Monitoring Well
- (6.9%)** Maximum methane concentration (<=0.1% for wells with no concentrations shown)
- - - Approximate Landfill Boundary

Figure 9d Landfill Gas Perimeter Monitoring Results, December 2019.



Scale (feet)

LEGEND

- B-6** ● Perimeter Gas Monitoring Well
- (6.9%)** Maximum methane concentration (<=0.1% for wells with no concentrations shown)
- - - Approximate Landfill Boundary

**APPENDIX A-1**  
**2019 Groundwater Monitoring Data – Perched Aquifer**

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-6	B-6	B-6	B-6
Sampling Date			3/22/2019	6/19/2019	9/16/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		2.15	2.01	1.99	2.53
Total Dissolved Solids †	mg/L	**500	217	285	272	233
Alkalinity †	mg/L		150.8	211.6	220	163.7
Bicarbonate †	mg CaCO3/L		150.8 U	211.6	214.3	163.7
Ammonia as nitrogen	mg/L		0.01 U	0.01 U	0.05 U	0.01
Nitrate as nitrogen	mg/L	*10	3.76	4.3	4.5	4.16
Nitrite as nitrogen	mg/L		0.1 U	0.1 U	0.1 U	0.01 U
Chloride	mg/L	**250	1.5	4.8	4.4	2.2
Sulfate	mg/L	**250	11	14.2	9.7	13.4
pH	SU	**6.5-8.5	7.29	6.55	7.57	7.1
Specific Conductance	µS/cm		345	489	449	370
Temperature	C		10.83	11.33	11.4	10.43
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.0004 J	0.00027 J	0.0002	0.00026 J
Dissolved Arsenic	mg/L	***0.00005	<b>0.0007</b> J	<b>0.0005</b> J	<b>0.0006</b>	<b>0.0006</b>
Dissolved Barium †	mg/L	*1.0	0.023	0.029	0.03	0.025
Dissolved Cadmium	mg/L	*0.01	0.001 U	3E-05 J	3E-05	4E-05 J
Dissolved Chromium †	mg/L	*0.05	0.0005 J	0.0009	0.0008	0.002
Dissolved Cobalt †	mg/L		0.001 U	9E-05 J	9E-05	8E-05 J
Dissolved Copper †	mg/L	**1.0	0.0014 J	0.001 J	0.0011	0.0019 J
Dissolved Iron	mg/L	**0.3	0.05 U	0.02	0.05 U	0.006 J
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	2E-05 J
Dissolved Manganese	mg/L	**0.05	0.0003 J	0.0001 J	0.001 U	0.0002 J
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0005 J	0.0007 J	0.0013	0.0017
Dissolved Selenium †	mg/L	*0.01	0.0005 J	0.0005 J	0.0003	0.0005 J
Dissolved Vanadium †	mg/L		0.0017	0.0015	0.0015	0.0019
Dissolved Zinc	mg/L	**5.0	0.0009 J	0.0025 U	0.0008 J	0.0009 J
Total Calcium	mg/L		40.6	52	51.9	43.4
Total Magnesium †	mg/L		15	19	22.2	18
Total Potassium †	mg/L		2.24	2.4	2.62	2.3
Total Sodium	mg/L		4.07	4.4	4.48	4.6

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-9	B-9	B-9	B-9
Sampling Date			3/25/2019	6/24/2019	9/19/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		1.19	1.21	1.12	1.33
Total Dissolved Solids †	mg/L	**500	139	111	126	127
Alkalinity †	mg/L		97.8	80.9	75.4	87.8
Bicarbonate †	mg CaCO3/L		97.5 U	80.9	80.3	162.2
Ammonia as nitrogen	mg/L		0.51	0.01 U	0.01	0.01 U
Nitrate as nitrogen	mg/L	*10	0.82	1.06	0.98	1.17
Nitrite as nitrogen	mg/L		0.1 U	0.1 U	0.01 U	0.01 U
Chloride	mg/L	**250	0.9	0.8	0.8	0.9
Sulfate	mg/L	**250	11	7.0	14.9	7.3
pH	SU	**6.5-8.5	7.16	7.45	6.7	6.93
Specific Conductance	µS/cm		209	183	179	189
Temperature	C		10.37	10.61	11.24	10.05
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.0002 J	0.00013 J	0.00017 J
Dissolved Arsenic	mg/L	***0.00005	<b>0.0008</b> J	<b>0.0008</b> J	<b>0.0009</b> J	<b>0.0009</b>
Dissolved Barium †	mg/L	*1.0	0.013	0.011	0.011	0.0116
Dissolved Cadmium	mg/L	*0.01	0.001 U	3E-05 J	0.001 U	1.8E-05 J
Dissolved Chromium †	mg/L	*0.05	0.0012	0.0011	0.0018	0.0013
Dissolved Cobalt †	mg/L		0.001 U	5E-05 J	4E-05 J	4E-05 J
Dissolved Copper †	mg/L	**1.0	0.0011 J	0.0012 J	0.0012 J	0.0012 J
Dissolved Iron	mg/L	**0.3	0.05	0.05 U	0.05 U	0.05 U
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	0.0005 U
Dissolved Manganese	mg/L	**0.05	0.0036	0.0003 J	0.001 U	0.0008 J
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0007 J	0.0004 J	0.0005 J	0.0003 J
Dissolved Selenium †	mg/L	*0.01	0.001	0.001	0.0011	0.0009 J
Dissolved Vanadium †	mg/L		0.0019	0.0018	0.0019	0.0021
Dissolved Zinc	mg/L	**5.0	0.0015 J	0.0021 J	0.0024 J	0.0018 J
Total Calcium	mg/L		17.2	15	14.1	15.4
Total Magnesium †	mg/L		11.9	11	10.2	11.2
Total Potassium †	mg/L		1.39	1.8	1.65	1.5
Total Sodium	mg/L		3.32	3.2	3.02	3.1

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-6	B-6	B-6	B-6
Sampling Date			3/22/2019	6/19/2019	9/16/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001***	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-6	B-6	B-6	B-6
Sampling Date			3/22/2019	6/19/2019	9/16/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

Qualifiers:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

U

Indicates the analyte of interest was not detected, to the limit of detection indicated.

J

Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:

µg/L= micrograms per liter

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-9	B-9	B-9	B-9
Sampling Date			3/25/2019	6/24/2019	9/19/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001****	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4	0.5	0.6	0.6
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-9	B-9	B-9	B-9
Sampling Date			3/25/2019	6/24/2019	9/19/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.3 J	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.


Units:

µg/L= micrograms per liter


Results shown in bold exceed Ground Water Quality Criteria.

**APPENDIX A-2**  
**Long Term Time Series Plots 1994-2019 – Perched Aquifer**


**Antimony  
Perched Aquifer**




### Alkalinity Perched Aquifer




Ammonia as nitrogen  
Perched Aquifer




Arsenic, dissolved  
Perched Aquifer




Barium, dissolved  
Perched Aquifer




Bicarbonate  
Perched Aquifer




**Cadmium, dissolved  
Perched Aquifer**




Calcium, total  
Perched Aquifer




### Chemical Oxygen Demand Perched Aquifer




Chromium, dissolved  
Perched Aquifer




**Cobalt, dissolved  
Perched Aquifer**




Copper, dissolved  
Perched Aquifer




### Chloride Perched Aquifer



Iron, dissolved  
Perched Aquifer




**Lead, dissolved  
Perched Aquifer**




WAC 173-200 criterion = 0.05 mg/l


### Magnesium, total Perched Aquifer




Manganese, dissolved  
Perched Aquifer




Mercury, dissolved  
Perched Aquifer




Nickel, dissolved  
Perched Aquifer




Nitrate as nitrogen  
Perched Aquifer




### Nitrite as nitrogen




pH  
Perched Aquifer




Potassium, total  
Perched Aquifer




Selenium, dissolved  
Perched Aquifer




Sodium, total  
Perched Aquifer




### Specific Conductance Perched Aquifer




### Sulfate Perched Aquifer




### Total Dissolved Solids Perched Aquifer



**Total Organic Carbon  
Perched Aquifer**




Vanadium, dissolved  
Perched Aquifer



WAC 173-200 criterion = NA

Zinc, dissolved  
Perched Aquifer



**APPENDIX B-1**  
**2019 Groundwater Monitoring Data – Upper Regional Aquifer**

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-1	B-1	B-1	B-1
Sampling Date			3/22/2019	6/19/2019	9/18/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		2.34	2.46	1.5	2.58
Total Dissolved Solids †	mg/L	**500	<b>542</b>	<b>528</b>	373	<b>602</b>
Alkalinity †	mg/L		379.4	400.7	286	451.9
Bicarbonate †	mg CaCO3/L		379.4 U	400.7	268	451.9
Ammonia as nitrogen	mg/L		0.29	0.28	0.19	0.35
Nitrate as nitrogen	mg/L	*10	0.24	0.19	0.1 U	0.01 U
Nitrite as nitrogen	mg/L		0.1 U	0.1 U	0.1 U	0.01 U
Chloride	mg/L	**250	70	65.4	36.4	82.8
Sulfate	mg/L	**250	0.1	6.8	2.6	7.7
pH	SU	**6.5-8.5	8.98	7.38	7.61	7.05
Specific Conductance	µS/cm		886	947	430	1058
Temperature	C		10.94	11.38	13.18	10.54
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.001 U	0.001 U	0.001 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.041</b>	<b>0.043</b>	<b>0.046</b>	<b>0.0406</b>
Dissolved Barium †	mg/L	*1.0	0.038	0.035	0.036	0.0429
Dissolved Cadmium	mg/L	*0.01	0.001 U	2E-05 J	0.001 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.0009 J	0.0021	0.0015	0.0044
Dissolved Cobalt †	mg/L		0.0008 J	0.0007 J	0.00094 J	0.0009 J
Dissolved Copper †	mg/L	**1.0	0.0002 J	0.0002 J	0.0003 J	0.0004 J
Dissolved Iron	mg/L	**0.3	<b>2.72</b>	<b>2.42</b>	<b>1.75</b>	<b>2.85</b>
Dissolved Lead	mg/L	*0.05	0.001 U	5E-05 J	6E-05 J	3E-05 J
Dissolved Manganese	mg/L	**0.05	<b>2.429</b>	<b>2.15</b>	<b>2.09</b>	<b>2.838</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0058	0.0057	0.004	0.0088
Dissolved Selenium †	mg/L	*0.01	0.0005 J	0.0008 J	0.0005 J	0.001
Dissolved Vanadium †	mg/L		0.0031	0.0022	0.0021	0.0033
Dissolved Zinc	mg/L	**5.0	0.0025 U	0.0025 U	0.0006 J	0.0007 J
Total Calcium	mg/L		78.3	77	38.9	93.7
Total Magnesium †	mg/L		53	49	28	66.4
Total Potassium †	mg/L		5.74	4.9	4.01	5.8
Total Sodium	mg/L		22.5	17	13.1	17.4

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-2	B-2	B-2	B-2
Sampling Date			3/20/2019	6/17/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		1.17	2.35	0.48	0.95
Total Dissolved Solids †	mg/L	**500	244	213	205	206
Alkalinity †	mg/L		127.8	121.5	131	122.4
Bicarbonate †	mg CaCO3/L		127.8 U	121.5	125.8	122.4
Ammonia as nitrogen	mg/L		0.01 U	0.01 U	0.01 U	0.01 U
Nitrate as nitrogen	mg/L	*10	2.55	2.01	1.25	1.21
Nitrite as nitrogen	mg/L		0.05 U	0.1 U	0.1 U	0.01 U
Chloride	mg/L	**250	13	7.2	4.8	5.3
Sulfate	mg/L	**250	21	22.3	21.9	22.1
pH	SU	**6.5-8.5	6.85	6.47	7.6	6.75
Specific Conductance	µS/cm		378	332	367	315
Temperature	C		11.41	11.77	11.38	10.56
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.005 U	0.001 U	0.001 U	0.001 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.0008</b> J	<b>0.0009</b>	<b>0.0011</b>	<b>0.00089</b>
Dissolved Barium †	mg/L	*1.0	0.032	0.025	0.024	0.025
Dissolved Cadmium	mg/L	*0.01	0.001 U	0.001 U	0.001 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.0014	0.0015	0.0014	0.0037
Dissolved Cobalt †	mg/L		0.001 U	0.001 U	5E-05 J	5E-05 J
Dissolved Copper †	mg/L	**1.0	0.0006 J	0.0007 J	0.0006 J	0.001 J
Dissolved Iron	mg/L	**0.3	0.05 U	0.02 J	0.05 U	0.05 U
Dissolved Lead	mg/L	*0.05	0.001 U	0.0005 U	0.001 U	5E-05 J
Dissolved Manganese	mg/L	**0.05	0.00022 J	0.0003 J	0.001 U	0.00015 J
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0015	0.0015	0.0016	0.0018
Dissolved Selenium †	mg/L	*0.01	0.0027	0.004	0.0031	0.0023
Dissolved Vanadium †	mg/L		0.002	0.0019	0.0021	0.0026
Dissolved Zinc	mg/L	**5.0	0.05 U	0.0025 U	0.0004 J	0.0006 J
Total Calcium	mg/L		29.1	23.8	22.6	25.4
Total Magnesium †	mg/L		11.3	11.1	9.44	10.5
Total Potassium †	mg/L		26.8	26.4	22.8	25.2
Total Sodium	mg/L		7.71	7.93	7.39	8.2

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-3	B-3	B-3	B-3
Sampling Date			3/20/2019	6/20/2019	9/16/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		2.67	1.38	1.08	2.65
Total Dissolved Solids †	mg/L	**500	229	162	154	208
Alkalinity †	mg/L		145.1	111	109	146
Bicarbonate †	mg CaCO3/L		145.1 U	110.2	106.4	145.6
Ammonia as nitrogen	mg/L		1.31	0.98	0.92	1.12
Nitrate as nitrogen	mg/L	*10	0.01 U	0.17	0.1 U	0.01 U
Nitrite as nitrogen	mg/L		0.01	0.1 U	0.1 U	0.02
Chloride	mg/L	**250	14	5.5	3.8	16.1
Sulfate	mg/L	**250	10 U	10 U	10 U	0.2 U
pH	SU	**6.5-8.5	8.46	7.64	7.43	7.02
Specific Conductance	µS/cm		362	243	227	356
Temperature	C		13.82	13.77	13.58	13.6
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.005 U	0.001 U	0.001 U	0.001 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.0033</b>	<b>0.0024</b>	<b>0.002</b>	<b>0.0028</b>
Dissolved Barium †	mg/L	*1.0	0.11	0.069	0.054	0.108
Dissolved Cadmium	mg/L	*0.01	0.001 U	0.001 U	0.00025 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.00037 J	0.0003 J	0.0004	0.001
Dissolved Cobalt †	mg/L		0.00025 J	0.0001 J	8E-05	0.0003 J
Dissolved Copper †	mg/L	**1.0	0.0001 J	0.0002 J	0.002 U	0.002 U
Dissolved Iron	mg/L	**0.3	<b>6.81</b>	<b>3.64</b>	<b>2.59</b>	<b>5.88</b>
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	0.0005 U
Dissolved Manganese	mg/L	**0.05	<b>0.461</b>	<b>0.318</b>	<b>0.312</b>	<b>0.616</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.00064 J	0.0005 J	0.0004	0.0004 J
Dissolved Selenium †	mg/L	*0.01	0.005 U	0.0003 J	0.001 U	0.0002 J
Dissolved Vanadium †	mg/L		0.00082 J	0.0004 J	0.0006 J	0.0007 J
Dissolved Zinc	mg/L	**5.0	0.05 U	0.0025 U	0.0002 J	0.0003 J
Total Calcium	mg/L		23.5	15.7	15.4	24.2
Total Magnesium †	mg/L		16	11.8	10.7	16.9
Total Potassium †	mg/L		4.96	4.26	4.09	4.7
Total Sodium	mg/L		12	9.5	8.39	10.6

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-4	B-4	B-4	B-4
Sampling Date			3/25/2019	6/21/2019	9/19/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		1.62	1.56	1.67	1.71
Total Dissolved Solids †	mg/L	**500	<b>632</b>	<b>625</b>	<b>625</b>	<b>602</b>
Alkalinity †	mg/L		366	373.8	349	364.8
Bicarbonate †	mg CaCO3/L		358.3 U	373.8	377	364.8
Ammonia as nitrogen	mg/L		0.92	1.1	1.12	1.02
Nitrate as nitrogen	mg/L	*10	0.1 U	0.23	0.1 U	0.01 U
Nitrite as nitrogen	mg/L		0.1 U	0.1 U	0.02	0.02
Chloride	mg/L	**250	112	120	116.3	118
Sulfate	mg/L	**250	53	52.5	56.7	53
pH	SU	**6.5-8.5	7.85	8.26	6.66	6.84
Specific Conductance	µS/cm		1117	1142	1060	1116
Temperature	C		10.29	10.4	10.31	10.18
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.001 U	0.001 U	0.005 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.0027</b>	<b>0.0021</b>	<b>0.0018</b>	<b>0.0022</b>
Dissolved Barium †	mg/L	*1.0	0.103	0.109	0.114	0.109
Dissolved Cadmium	mg/L	*0.01	0.001 U	0.001 U	0.001 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.0012	0.0013	0.0029	0.0007 J
Dissolved Cobalt †	mg/L		0.0003	0.0002 J	0.0002 J	0.0002 J
Dissolved Copper †	mg/L	**1.0	0.0002 J	0.0002 J	0.002 U	0.0005 J
Dissolved Iron	mg/L	**0.3	<b>5.78</b>	<b>5.62</b>	<b>5.72</b>	<b>1.277</b>
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	0.001 U
Dissolved Manganese	mg/L	**0.05	<b>1.503</b>	<b>1.36</b>	<b>1.274</b>	<b>5.87</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0011	0.0018	0.0009 J	0.0036
Dissolved Selenium †	mg/L	*0.01	0.0009 J	0.0012	0.001	0.0015
Dissolved Vanadium †	mg/L		0.001	0.0004 J	0.0008 J	0.0002 J
Dissolved Zinc	mg/L	**5.0	0.0012 J	0.0025 U	0.0008 J	0.0008 J
Total Calcium	mg/L		78.4	89	80.1	83.4
Total Magnesium †	mg/L		64.3	75	67.8	71.3
Total Potassium †	mg/L		7.1	8	6.67	6.4
Total Sodium	mg/L		18.1	19	16	16.4

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-5	B-5	B-5	B-5
Sampling Date			3/21/2019	6/21/2019	9/20/2019	1/16/2020
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		22	46	29	36
Total Organic Carbon	mg/L		7.75	7.52	7.87	7.26
Total Dissolved Solids †	mg/L	**500	464	482	452	408
Alkalinity †	mg/L		303	304	267	251.7
Bicarbonate †	mg CaCO3/L		283.7	318.6	267	251.7
Ammonia as nitrogen	mg/L		1.41	1.11	1.2	1.74
Nitrate as nitrogen	mg/L	*10	0.18	0.22	0.1 U	0.01 U
Nitrite as nitrogen	mg/L		0.03	0.1 U	0.02	0.08
Chloride	mg/L	**250	85	88.2	81.9	76.7
Sulfate	mg/L	**250	0.34	5.3	0.2	0.2 U
pH	SU	**6.5-8.5	8.38	7.44	<b>6.15</b>	6.6
Specific Conductance	µS/cm		844	897	796	936
Temperature	C		11.47	11.5	11.54	11.17
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.005 U	0.001 U	0.001 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.004</b>	<b>0.0037</b>	<b>0.0049</b>	<b>0.0059</b>
Dissolved Barium †	mg/L	*1.0	0.1	0.108	0.099	0.106
Dissolved Cadmium	mg/L	*0.01	0.001 U	0.001 U	0.001 U	3E-05 J
Dissolved Chromium †	mg/L	*0.05	0.0012	0.0017	0.0021	0.0028
Dissolved Cobalt †	mg/L		0.0008 J	0.0008 J	0.0008 J	0.0008 J
Dissolved Copper †	mg/L	**1.0	0.0002 J	0.0001 J	0.0003 J	0.0006 J
Dissolved Iron	mg/L	**0.3	<b>17.8</b>	<b>12.3</b>	<b>14.9</b>	<b>21</b>
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	3E-05 J
Dissolved Manganese	mg/L	**0.05	<b>2.324</b>	<b>2.31</b>	<b>2.04</b>	<b>1.747</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.0043	0.0053	0.0053	0.006
Dissolved Selenium †	mg/L	*0.01	0.0013	0.0015	0.0013 J	0.0022
Dissolved Vanadium †	mg/L		0.001	0.0008 J	0.001	0.0017
Dissolved Zinc	mg/L	**5.0	0.0025 U	0.0025 U	0.0008 J	0.0017 J
Total Calcium	mg/L		47	53	40.8	41.6
Total Magnesium †	mg/L		39.1	46	35.1	35.4
Total Potassium †	mg/L		5.42	7.6	5.24	5.3
Total Sodium	mg/L		39.7	44	37.6	42.4

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-10	B-10	B-10	B-10
Sampling Date			3/26/2019	6/19/2019	9/18/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		0.8	0.8	0.75	0.97
Total Dissolved Solids †	mg/L	**500	189	186	206	219
Alkalinity †	mg/L		141	135.2	139	156
Bicarbonate †	mg CaCO3/L		138.9 U	135.2	148.1	156
Ammonia as nitrogen	mg/L		0.41	0.44	0.5	0.39
Nitrate as nitrogen	mg/L	*10	0.01 U	0.16	0.1 U	0.02
Nitrite as nitrogen	mg/L		0.01 U	0.1 U	0.1 U	0.01 U
Chloride	mg/L	**250	36.9	3.8	4.1	4.2
Sulfate	mg/L	**250	20	20.5	24.7	25
pH	SU	**6.5-8.5	<b>9.00</b>	7.72	8.27	7.24
Specific Conductance	µS/cm		317	314	331	356
Temperature	C		10.1	10.24	10.19	10.1
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.005 U	0.001 U	0.005 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.0017</b>	<b>0.0018</b>	<b>0.002</b>	<b>0.0018</b>
Dissolved Barium †	mg/L	*1.0	0.039	0.037	0.044	0.0445
Dissolved Cadmium	mg/L	*0.01	0.001 U	0.001 U	0.001 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.001	0.0004 J	0.0005 J	0.0003 J
Dissolved Cobalt †	mg/L		0.001 U	5E-05 J	9E-05 J	7E-05 J
Dissolved Copper †	mg/L	**1.0	0.002 U	0.02 U	0.002 U	0.0004 J
Dissolved Iron	mg/L	**0.3	<b>1.53</b>	<b>1.35</b>	<b>1.65</b>	<b>1.87</b>
Dissolved Lead	mg/L	*0.05	0.001 U	0.001 U	0.0005 U	0.001 U
Dissolved Manganese	mg/L	**0.05	<b>0.349</b>	<b>0.394</b>	<b>0.465</b>	<b>0.522</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.00016 J	0.00015 J	2E-05 J	0.0011
Dissolved Selenium †	mg/L	*0.01	0.001 U	0.005 U	0.001 U	0.005 U
Dissolved Vanadium †	mg/L		0.0004 J	0.0003 J	0.0004 J	0.00015 J
Dissolved Zinc	mg/L	**5.0	0.0025 U	0.05 U	0.0004 J	0.0005 J
Total Calcium	mg/L		22.3	22	24.6	28.4
Total Magnesium †	mg/L		15.8	16	18.4	20.8
Total Potassium †	mg/L		2.59	2.8	3.15	3.3
Total Sodium	mg/L		7.05	7.5	8.06	8.4

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Inorganic Monitoring Results  
Inman Landfill**

AQUIFER			Perched			
MONITORING WELL			B-12	B-12	B-12	B-12
Sampling Date			3/21/2019	6/18/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
<b>CONVENTIONALS</b>						
Chemical Oxygen Demand	mg/L		20 U	20 U	20 U	20 U
Total Organic Carbon	mg/L		0.41	0.59	0.91	0.52
Total Dissolved Solids †	mg/L	**500	222	223	222	221
Alkalinity †	mg/L		172	29.9	173	174.9
Bicarbonate †	mg CaCO3/L		162.1 U	167.9	168.9	174.9
Ammonia as nitrogen	mg/L		0.16	0.11	0.13	0.12
Nitrate as nitrogen	mg/L	*10	0.01 U	0.2	0.1 U	0.01 U
Nitrite as nitrogen	mg/L		0.01 U	0.1 U	0.1 U	0.01 U
Chloride	mg/L	**250	3.4	3.3	3.5	3.6
Sulfate	mg/L	**250	13	13	12.8	11.3
pH	SU	**6.5-8.5	8.43	7.42	7.99	7.25
Specific Conductance	µS/cm		344	346	328	357
Temperature	C		11.97	11.98	11.87	11.7
<b>METALS</b>						
Dissolved Antimony †	mg/L		0.001 U	0.001 U	0.001 U	0.001 U
Dissolved Arsenic	mg/L	***0.00005	<b>0.0051</b>	<b>0.005</b>	<b>0.0044</b>	<b>0.0044</b>
Dissolved Barium †	mg/L	*1.0	0.031	0.032	0.031	0.0322
Dissolved Cadmium	mg/L	*0.01	0.001 U	1E-05	0.001 U	0.001 U
Dissolved Chromium †	mg/L	*0.05	0.001 U	0.0003	0.00033 J	0.0031
Dissolved Cobalt †	mg/L		0.001 U	7E-05	5E-05 J	6E-05 J
Dissolved Copper †	mg/L	**1.0	0.0001 J	0.0001	0.002 U	0.0003 J
Dissolved Iron	mg/L	**0.3	<b>0.64</b>	<b>0.6</b>	<b>0.57</b>	<b>0.53</b>
Dissolved Lead	mg/L	*0.05	0.001 U	0.0005 U	0.001 U	2E-05 J
Dissolved Manganese	mg/L	**0.05	<b>0.06</b>	<b>0.075</b>	<b>0.067</b>	<b>0.0599</b>
Dissolved Mercury	mg/L	*0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Dissolved Nickel †	mg/L		0.001 U	4E-05	0.0005 J	0.0007 J
Dissolved Selenium †	mg/L	*0.01	0.00023 J	0.0002	0.001 U	0.001 U
Dissolved Vanadium †	mg/L		0.0009 J	0.001	0.0009 J	0.0018
Dissolved Zinc	mg/L	**5.0	0.0025 U	0.0025 U	0.0003 J	0.0004 J
Total Calcium	mg/L		22.6	22.5	21.1	24.8
Total Magnesium †	mg/L		20.7	20.9	20.1	24
Total Potassium †	mg/L		3.9	4.3	3.93	4.2
Total Sodium	mg/L		11.1	12.1	11	12.4

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen

Units:

- mg/L = milligrams per liter
- µg/L = micrograms per liter
- SU = standard units
- µS/cm = microsiemens per centimeter
- C = degrees centigrade
- mg CaCO3/L = milligrams of calcium carbonate per liter

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.
- NT Not tested.

Results shown in bold exceed Ground Water Quality Criteria.

† Indicates supplement analytes measured due to Ecology request

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-1	B-1	B-1	B-1
Sampling Date			3/22/2019	6/19/2019	9/18/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001****	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5.7
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07****	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		1	1.8	0.4 U	1.6
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-1	B-1	B-1	B-1
Sampling Date			3/22/2019	6/19/2019	9/18/2019	12/11/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5****	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3****	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:

µg/L= micrograms per liter

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-2	B-2	B-2	B-2
Sampling Date			3/20/2019	6/17/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001****	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.6	0.0	0.4 U	0.8
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-2	B-2	B-2	B-2
Sampling Date			3/20/2019	6/17/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02***	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

Units:

µg/L= micrograms per liter

Qualifiers:

U

Indicates the analyte of interest was not detected, to the limit of detection indicated.

J

Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-3	B-3	B-3	B-3
Sampling Date			3/20/2019	6/20/2019	9/16/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001***	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07****	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4	0.4 U	0.4 U	0.5
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.3 J	0.4 U	0.4 U	0.3 J
Diethyl ether	µg/L		1.1	0.5	0.4 U	2.6

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-3	B-3	B-3	B-3
Sampling Date			3/20/2019	6/20/2019	9/16/2019	12/16/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		0.8 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02***	<b>0.033</b>	0.011	0.01 U	<b>0.041</b>

Groundwater Quality Criteria:

Qualifiers:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

U

Indicates the analyte of interest was not detected, to the limit of detection indicated.

J

Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:

µg/L= micrograms per liter

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER		Regional			
MONITORING WELL		B-4	B-4	B-4	B-4
Sampling Date		3/25/2019	6/21/2019	9/19/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)			
1,1,1,2-tetrachloroethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001***	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U
2,2-dichloropropane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L	3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L	2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L	10 U	10 U	10 U	10 U
2-phenylbutane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L	4 U	4 U	4 U	4 U
Acetone	µg/L	3 U	3 U	3 U	3 U
Acrolein	µg/L	4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L	2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L	3.2	5.8	2.7	3.7
Chloroethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L	0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L	0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-4	B-4	B-4	B-4
Sampling Date			3/25/2019	6/21/2019	9/19/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5****	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3****	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

Qualifiers:

- U Indicates the analyte of interest was not detected, to the limit of detection indicated.
- J Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:

µg/L= micrograms per liter

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-5	B-5	B-5	B-5
Sampling Date			3/21/2019	6/21/2019	9/20/2019	1/16/2020
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001****	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5****	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6****	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	8.1	7.5	8.2
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07****	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4	0.8	0.3 J	0.6 N1
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.3 J	0.4 U	0.3 J	0.3 J
Diethyl ether	µg/L		2.5	3.3	2.7 N1	9.2 N1

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-5	B-5	B-5	B-5
Sampling Date			3/21/2019	6/21/2019	9/20/2019	1/16/2020
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	4.6	4.2	4.1
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02***	<b>0.065</b>	<b>0.09</b>	<b>0.124</b>	<b>0.127 N1</b>

Groundwater Quality Criteria:

Qualifiers:

\* = Primary Contaminant

U

Indicates the analyte of interest was not detected, to the limit of detection indicated.

\*\* = Secondary Contaminant

\*\*\* = Carcinogen

\*\*\*\* = 246-290 WAC criteria

J

Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:

µg/L= micrograms per liter

N1

The calibration standard run after samples had low recovery for Vinyl Chloride (76% recovery. The reported value for VC may be biased low.

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-10	B-10	B-10	B-10
Sampling Date			3/26/2019	6/19/2019	9/18/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001****	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-10	B-10	B-10	B-10
Sampling Date			3/26/2019	6/19/2019	9/18/2019	12/12/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8****	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5****	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3****	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

Units:

µg/L= micrograms per liter

Qualifiers:

U

Indicates the analyte of interest was not detected, to the limit of detection indicated.

J

Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Results shown in bold exceed Ground Water Quality Criteria.

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-12	B-12	B-12	B-12
Sampling Date			3/21/2019	6/18/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
1,1,1,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,1-trichloroethane	µg/L	200*	0.4 U	0.4 U	0.4 U	0.4 U
1,1,2,2-tetrachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1,2-trichlorofluorotoluene (Freon-113)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethane	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloroethene	µg/L	7****	0.4 U	0.4 U	0.4 U	0.4 U
1,1-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,3-trichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2,4-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dibromo-3-chloropropane (DBCP)	µg/L	0.2****	1 U	1 U	1 U	1 U
1,2-dibromoethane (EDB)	µg/L	0.001***	0.01 U	0.01 U	0.01 U	0.01 U
1,2-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloroethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
1,2-dichloropropane	µg/L	0.6***	0.4 U	0.4 U	0.4 U	0.4 U
1,3,5-trimethylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,3-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
1,4-dichlorobenzene	µg/L	4***	0.4 U	0.4 U	0.4 U	0.4 U
1,4-dioxane	µg/L	7***	5 U	5 U	5 U	5 U
2,2-dichloropropane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-butanone	µg/L		3 U	3 U	3 U	3 U
2-chloroethyl vinyl ether	µg/L		2 U	2 U	2 U	2 U
2-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
2-nitropropane	µg/L		10 U	10 U	10 U	10 U
2-phenylbutane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-chlorotoluene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
4-methyl-2-pentanone	µg/L		4 U	4 U	4 U	4 U
Acetone	µg/L		3 U	3 U	3 U	3 U
Acrolein	µg/L		4 U	4 U	4 U	4 U
Acrylonitrile	µg/L	0.07***	0.05 U	0.05 U	0.05 U	0.05 U
Allyl chloride	µg/L		2 U	2 U	2 U	2 U
Benzene	µg/L	1.0***	0.4 U	0.4 U	0.4 U	0.4 U
Bromobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Bromodichloromethane	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Bromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon disulfide	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Carbon tetrachloride	µg/L	0.3***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobenzene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Chlorobromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chlorodibromomethane	µg/L	0.5***	0.4 U	0.4 U	0.4 U	0.4 U
Chlorodifluoromethane (Freon-22)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Chloroform	µg/L	7.0***	0.4 U	0.4 U	0.4 U	0.4 U
Chloromethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
cis-1,2-dichloroethene	µg/L	70****	0.4 U	0.4 U	0.4 U	0.4 U
cis-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Cymene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dibromomethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Dichlorodifluoromethane (CFC-12)	µg/L		0.4 U	0.4 U	0.6	0.4 U
Dichloromethane	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Dichloromonofluoromethane (Freon-21)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Diethyl ether	µg/L		0.4 U	0.4 U	0.4 U	0.4 U

**2019 Volatile Organic Compound Monitoring Results  
Inman Landfill**

AQUIFER			Regional			
MONITORING WELL			B-12	B-12	B-12	B-12
Sampling Date			3/21/2019	6/18/2019	9/17/2019	12/10/2019
Analyte	Units	GW Quality Standards (173-200 WAC)				
Ethyl methacrylate	µg/L		3 U	3 U	3 U	3 U
Ethylbenzene	µg/L	700****	0.4 U	0.4 U	0.4 U	0.4 U
Hexachloro-1,3-butadiene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Hexachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Isopropylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m+p-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
m-dichlorobenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Methyl acrylate	µg/L		2 U	2 U	2 U	2 U
Methyl iodide	µg/L		5 U	5 U	5 U	5 U
Methyl methacrylate	µg/L		2 U	2 U	2 U	2 U
Methyl n-butyl ketone	µg/L		5 U	5 U	5 U	5 U
Methyl tert-butyl ether	µg/L		1 U	1 U	1 U	1 U
Methylacrylonitrile	µg/L		4 U	4 U	4 U	4 U
Naphthalene	µg/L		1 U	1 U	1 U	1 U
n-butyl chloride	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
n-propylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
o-xylene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Pentachloroethane	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Styrene (monomer)	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Tert-butylbenzene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Tetrachloroethene	µg/L	0.8***	0.4 U	0.4 U	0.4 U	0.4 U
Tetrahydrofuran	µg/L		3 U	3 U	3 U	3 U
Toluene	µg/L	1****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,2-dichloroethene	µg/L	100****	0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,3-dichloropropene	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Trans-1,4-dichlorobutene	µg/L		5 U	5 U	5 U	5 U
Tribromomethane (Bromoform)	µg/L	5***	0.4 U	0.4 U	0.4 U	0.4 U
Trichloroethene	µg/L	3***	0.4 U	0.4 U	0.4 U	0.4 U
Trichlorofluoromethane (CFC-11)	µg/L		0.4 U	0.4 U	0.4 U	0.4 U
Vinyl chloride	µg/L	0.02****	0.01 U	0.01 U	0.01 U	0.01 U

Groundwater Quality Criteria:

Qualifiers:

- \* = Primary Contaminant
- \*\* = Secondary Contaminant
- \*\*\* = Carcinogen
- \*\*\*\* = 246-290 WAC criteria

U

J

Indicates the analyte of interest was not detected, to the limit of detection indicated.  
Indicates the analyte of interest was detected below the routine reporting limit. This value should be regarded as an estimate.

Units:


µg/L= micrograms per liter

Results shown in bold exceed Ground Water Quality Criteria.

**APPENDIX B-2**  
**Long-Term Time Series Plots 1994-2019 – Upper Regional Aquifer**




### Alkalinity Upper Regional Aquifer




WAC 173-200 criterion = NA

Ammonia as nitrogen  
Upper Regional Aquifer




Antimony, dissolved  
Upper Regional Aquifer




WAC 173-200 criterion = NA


Arsenic, dissolved  
Upper Regional Aquifer




Barium, dissolved  
Upper Regional Aquifer



**Bicarbonate  
Upper Regional Aquifer**




Calcium, total  
Upper Regional Aquifer



Sampling Date  
WAC 173-200 criterion = NA




### Chemical Oxygen Demand Upper Regional Aquifer




WAC 173-200 criterion = NA

### Chloride Upper Regional Aquifer




Chlorodifluoromethane (Freon 22)  
Upper Regional Aquifer






**Cobalt, dissolved  
Upper Regional Aquifer**




Copper, dissolved  
Upper Regional Aquifer




WAC 173-200 criterion = 1.0 mg/l

Dichlorodifluoromethane (CFC-12)  
Upper Regional Aquifer




WAC 173-200 criterion = NA

Diethyl ether  
Upper Regional Aquifer




Iron, dissolved  
Upper Regional Aquifer



Sampling Date  
WAC 173-200 criterion = 0.3 mg/L




Magnesium, total  
Upper Regional Aquifer




WAC 173-200 criterion = NA

### Manganese, dissolved Upper Regional Aquifer






Nickel, dissolved  
Upper Regional Aquifer




### Nitrate as nitrogen Upper Regional Aquifer



WAC 173-200 criterion = 10 mg/L




Potassium, total  
Upper Regional Aquifer




WAC 173-200 criterion = NA


pH  
Upper Regional Aquifer




Selenium, dissolved  
Upper Regional Aquifer



### Sulfate Upper Regional Aquifer




Specific Conductance  
Upper Regional Aquifer




WAC 173-200 criterion = NA


Sodium, total  
Upper Regional Aquifer




### Total Dissolved Solids Upper Regional Aquifer



Total Organic Carbon  
Upper Regional Aquifer




Vanadium, dissolved  
Upper Regional Aquifer



WAC 173-200 criterion = NA



Zinc, dissolved  
Upper Regional Aquifer



WAC 173-200 criterion = 5 mg/l

**APPENDIX C**  
**Data Validation Report**  
**Fourth Quarter 2019**

**INMAN LANDFILL FOURTH QUARTER 2019 MONITORING EVENT  
DATA VALIDATION REPORT**

**1. INTRODUCTION**

This report presents the results of data validation for laboratory reports 19-46888, 19-47038, 19-47284, 19-47673, and 20-01843 by Edge Analytical, Burlington, Washington. Sample identifications and the analyses requested are provided in the following table.

Sample Location	Skagit County Sample ID	Lab Sample ID	Lab Report	Analysis (All Samples)
B-1	3009	91223	19-47038	Dissolved Sb, As, Ba, Cd, Cr, Co, Cu, Fe, Hg, Mn, Ni, Pb, Se, Vd, Zn: 200.7/Filter, 200.8/Filter, 245.1/Filter  Total Metals (Ca, K, Mg, Na): 200.7  Inorganic Anions (NO <sub>3</sub> , NO <sub>2</sub> , Cl, SO <sub>4</sub> ): 300.0  Nutrients (NH <sub>3</sub> ): SM 4500  Demand (TOC, COD): SM 5310B, SM 5220D  Organics (VOCs): 8260B, 8260SIM  Properties (Alkalinity, TDS, Bicarbonate): SM 2320B, SM 2540C
B-2	3010	90971	19-46888	
B-3	3011	92488	19-47673	
B-3 Duplicate	3012	92489	19-47673	
B-4	3013	91781	19-47284	
B-5	3014	3542	20-01843	
B-6	3015	91224	19-47038	
B-9	3016	92490	19-47673	
B-10	3017	91780	19-47284	
B-12	3018	90972	19-46888	

The samples were collected on December 10, 11, 12, 16, 2019, and January 16, 2020.

**2. SAMPLE HANDLING AND CUSTODY REQUIREMENTS**

Samples were transported off site for analysis. Custody of the samples was controlled and documented on a chain of custody form. Unique sample identification numbers were recorded on the chain of custody forms along with date, time, matrix type, preservative, analysis required for each sample, and other required information.

**2.1 Dissolved Metals**

Sample custody was maintained throughout collection, transport, and lab receipt.

**2.2 Total Metals**

Sample custody was maintained throughout collection, transport, and lab receipt.

**2.3 Inorganic Anions**

Sample custody was maintained throughout collection, transport, and lab receipt.

**2.4 Nutrients**

Sample custody was maintained throughout collection, transport, and lab receipt.

## **2.5 Demand**

Sample custody was maintained throughout collection, transport, and lab receipt.

## **2.6 Organics**

Sample custody was maintained throughout collection, transport, and lab receipt.

## **2.7 Properties**

Sample custody was maintained throughout collection, transport, and lab receipt.

# **3. HOLDING TIME**

## **3.1 Dissolved Metals**

All analyses were performed within the recommended maximum holding time.

## **3.2 Total Metals**

All analyses were performed within the recommended maximum holding time.

## **3.3 Inorganic Anions**

All analyses were performed within the recommended maximum holding time.

## **3.4 Nutrients**

All analyses were performed within the recommended maximum holding time.

## **3.5 Demand**

All analyses were performed within the recommended maximum holding time.

## **3.6 Organics**

All analyses were performed within the recommended maximum holding time.

## **3.7 Properties**

All analyses were performed within the recommended maximum holding time.

# **4. METHOD BLANKS**

The assessment of blank analysis results is to determine the existence and magnitude of contamination resulting from laboratory activities.

## **4.1 Dissolved Metals**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

## **4.2 Total Metals**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

## **4.3 Inorganic Anions**

No method blanks were analyzed for inorganic anions.

## **4.4 Nutrients**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

## **4.5 Demand**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

#### **4.6 Organics**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

#### **4.7 Properties**

Goals for blank analyses were met. Method blanks were analyzed and were target analyte free.

### **5. LABORATORY FORTIFIED BLANK**

Data for laboratory control samples (LCS) were provided in order to evaluate the accuracy and performance of the analytical method. GC and GC/MS method performance on individual samples is established by means of spiking system monitoring compounds (surrogates), and internal standards which are added just prior to analyses.

#### **5.1 Dissolved Metals**

Goals for LCS recovery were met.

#### **5.2 Total Metals**

Goals for LCS recovery were met.

#### **5.3 Inorganic Anions**

Goals for LCS recovery were met.

#### **5.4 Nutrients**

Goals for LCS recovery were met.

#### **5.5 Demand**

Goals for LCS recovery were met.

#### **5.6 Organics**

Goals for LCS recovery were met.

#### **5.7 Properties**

Goals for LCS recovery were met.

### **6. LABORATORY DUPLICATE PRECISION**

#### **6.1 Dissolved Metals**

The RPD values for duplicate analyses performed on dissolved metal samples were within acceptable limits.

#### **6.2 Total Metals**

The RPD values for duplicate analyses performed on total metal samples were within acceptable limits.

#### **6.3 Inorganic Anions**

The RPD values for duplicate analyses performed on inorganic anion samples were within acceptable limits.

#### **6.4 Nutrients**

The RPD values for duplicate analyses performed on nutrient samples were within acceptable limits.

#### **6.5 Demand**

The RPD values for duplicate analyses performed on demand samples were within acceptable limits.

## **6.6 Organics**

The RPD values for duplicate analyses performed on organic samples were within acceptable limits.

## **6.7 Properties**

The RPD values for duplicate analyses performed on organic samples were within acceptable limits.

# **7. MATRIX SPIKE AND MATRIX SPIKE DUPLICATE ANALYSIS**

## **7.1 Dissolved Metals**

The matrix spike and matrix spike duplicate (MS/MSD) analyses were in control for all recoveries.

## **7.2 Total Metals**

The matrix spike and matrix spike duplicate (MS/MSD) analyses were in control for all recoveries.

## **7.3 Inorganic Anions**

The matrix spike and matrix spike duplicate (MS/MSD) analyses were in control for all other recoveries.

## **7.4 Nutrients**

The RPD for Ammonia-N was above the upper limit of 20%. The sample was flagged as non-homogeneous and no further action taken. The MS/MSD analyses performed on the nutrient samples were in control for all other recoveries and RPDs.

## **7.5 Demand**

The MS/MSD analyses performed on the demand samples were in control for all recoveries and RPDs.

## **7.6 Organics**

The MS/MSD analyses performed on the organic samples were in control for all recoveries and RPDs.

## **7.7 Properties**

The MS/MSD analyses performed on other samples were in control for all recoveries and RPDs.

## 8. FIELD DUPLICATE

Analyte	Field Duplicate		
	B-3 (3011)	B-3 Duplicate (3012)	RPD (%)
<i>Dissolved Metals (mg/L)</i>			
Arsenic	0.0028	0.0028	0.00%
Barium	0.108	0.108	0.00%
Iron	5.88	5.77	1.89%
Manganese	0.616	0.610	0.98%
Nickel	0.0004	0.0004	0.00%
Vanadium	0.0007	0.0009	25.00%
<i>Total Metals (mg/L)</i>			
Calcium	24.2	24.1	0.41%
Magnesium	16.9	16.9	0.00%
Potassium	4.7	4.7	0.00%
Sodium	10.6	10.6	0.00%
<i>Inorganic Anions (mg/L)</i>			
Chloride	16.1	15.9	1.25%
<i>Nutrients (mg/L)</i>			
Ammonia	1.12	1.12	0.00%
<i>Demand (mg/L)</i>			
Total organic carbon	2.65	2.71	2.24%
<i>Properties (mg/L)</i>			
Alkalinity	146	149	2.03%
Bicarbonate	145.6	145.3	0.21%
Total dissolved solids	208	213	2.38%

**Bold** = Relative Percent Difference (RPD) exceeds 20% acceptance criteria

Non-detects are not shown.

### 8.1 Dissolved Metals

The RPD for Vanadium was 25% exceeding the RPD criteria of 20%. Since these values were estimated and well below the groundwater cleanup criteria, no further action was taken with the data set. All RPDs between the duplicate samples were within  $\leq 20\%$ .

### 8.2 Total Metals

All RPDs between the duplicate samples were within  $\leq 20\%$ .

### 8.3 Inorganic Anions

All RPDs between the duplicate samples were within  $\leq 20\%$ .

### 8.4 Nutrients

All RPDs between the duplicate samples were within  $\leq 20\%$ .

### 8.5 Demand

All RPDs between the duplicate samples were within  $\leq 20\%$ .

### 8.6 Organics

All RPDs between the duplicate samples were within  $\leq 20\%$ .

## **8.7 Properties**

All RPDs between the duplicate samples were within  $\leq 20\%$ .

## **9. DETECTION LIMITS**

If detection limit goals are met, then the analytic method is considered to have provided detection limits low enough to allow site data to be compared to the applicable groundwater criteria.

### **9.1 Dissolved Metals – 200.8/Filter, 245.1/Filter**

Detection limit goals were met for all results.

### **9.2 Total Metals – 200.7**

Detection limit goals were met for all results.

### **9.3 Inorganic Anions – 300.0**

Detection limit goals were met for all results.

### **9.4 Nutrients – SM 4500**

Detection limit goals were met for all results.

### **9.5 Demand – SM 5310B, SM 5220D**

Detection limit goals were met for all results.

### **9.6 Organics – 8260B, 8260SIM**

Detection limit goals were met for all results.

### **9.7 Properties – SM2320 B, SM2540 C**

Detection limit goals were met for all results.


## **10. DATA VALIDATION AND USABILITY**

With the exception of the above noted anomalies, standard analytical protocols were followed in the analysis of the samples and all laboratory quality control samples analyzed in conjunction with the samples in this project were within established control limits. Limitations were stated and clearly identified where applicable. As a result of this review, the data are found to be acceptable as reported by the laboratory for the intended use in this project.

**APPENDIX D-1**  
**Piper Diagrams 2019 – Perched Aquifer**

### Piper Diagram

Cation-Anion Balance = 9.053%




Analysis Run 3/12/2020 11:39 AM

Demo Client: Demo Data: inman perched organic results (1995-2019)

### Piper Diagram

Cation-Anion Balance = 7.341%




Analysis Run 3/12/2020 11:42 AM

Demo Client: Demo Data: inman perched organic results (1995-2019)

### Piper Diagram

Cation-Anion Balance = 7.523%




Analysis Run 3/12/2020 11:43 AM

Demo Client: Demo Data: inman perched organic results (1995-2019)

# Piper Diagram



Cation-Anion Balance = 0.7979%.





Analysis Run 3/12/2020 11:44 AM

Demo Client: Demo Data: inman perched organic results (1995-2019)

**APPENDIX D-2**  
**Stiff Diagrams 2019 – Perched Aquifer**





Stiff Diagram Analysis Run 3/12/2020 11:50 AM  
Demo Client: Demo Data: inman perched organic results (1995-2019)





Stiff Diagram Analysis Run 3/12/2020 11:51 AM

Demo Client: Demo Data: inman perched organic results (1995-2019)







Stiff Diagram Analysis Run 3/12/2020 11:52 AM  
Demo Client: Demo Data: inman perched organic results (1995-2019)







Stiff Diagram Analysis Run 3/12/2020 11:52 AM  
Demo Client: Demo Data: inman perched organic results (1995-2019)



**APPENDIX D-3**  
**Box Plots 1994-2019 – Perched Aquifer**


















































**APPENDIX D-4**  
**Long-Term Mann-Kendall Trend Tests 1994-2019 – Perched Aquifer**

**Long-Term Mann-Kendall Trend Tests 1995-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
1,4-Dioxane	ug/L	B-6	0	-2.668	-2.33	Yes	58	98.28	0.02
		B-8	0	-3.353	-2.33	Yes	46	100	0.02
		B-9	0	-3.046	-2.33	Yes	57	100	0.02
		B-11	0	-2.071	-2.33	No	44	97.73	0.02
		B-13	0	-52	-73	No	20	100	0.02
Alkalinity	mg/L	B-6	-4.332	-3.123	-2.33	Yes	41	0	0.02
		B-8	-1.745	-14	-119	No	28	0	0.02
		B-9	-4.702	-406	-201	Yes	40	0	0.02
		B-11	-5.069	-86	-119	No	28	0	0.02
		B-13	-39.11	-9	-17	No	7	0	0.02
Ammonia as nitrogen	mg/L	B-6	-0.00839	-9.92	-2.33	Yes	100	28	0.02
		B-8	0.005382	2.306	2.33	No	83	13.25	0.02
		B-9	0	-1.99	-2.33	No	95	62.11	0.02
		B-11	-0.0002879	-2.369	-2.33	Yes	72	69.44	0.02
		B-13	0	-0.1014	-2.33	No	47	25.53	0.02
Antimony, dissolved	mg/L	B-6	-0.00003692	-375	-201	Yes	40	45	0.02
		B-8	-0.00006732	-169	-125	Yes	29	65.52	0.02
		B-9	-0.00004368	-4.067	-2.33	Yes	41	60.98	0.02
		B-11	0	-149	-132	Yes	30	90	0.02
		B-13	0	-8	-17	No	7	100	0.02
Arsenic, dissolved	mg/L	B-6	-0.0001594	-10.25	-2.33	Yes	98	18.37	0.02
		B-8	-0.000315	-3.84	-2.33	Yes	83	25.3	0.02
		B-9	-0.00003324	-9.183	-2.33	Yes	93	18.28	0.02
		B-11	0	-4.501	-2.33	Yes	71	35.21	0.02
		B-13	-0.0003771	-6.139	-2.33	Yes	46	50	0.02
Barium, dissolved	mg/L	B-6	-0.000548	-2.898	-2.33	Yes	41	0	0.02
		B-8	-0.0004403	-22	-132	No	30	0	0.02
		B-9	-0.0004457	-3.875	-2.33	Yes	41	0	0.02
		B-11	-0.0004398	-63	-132	No	30	3.333	0.02
		B-13	-0.001834	-11	-17	No	7	0	0.02
Bicarbonate	mg/L	B-6	-4.345	-3.123	-2.33	Yes	41	0	0.02
		B-8	-1.745	-14	-119	No	28	0	0.02
		B-9	-3.947	-324	-201	Yes	40	0	0.02
		B-11	-5.037	-84	-119	No	28	0	0.02
		B-13	-39.11	-9	-17	No	7	0	0.02
Cadmium, dissolved	mg/L	B-6	-0.0000369	-6.909	-2.33	Yes	98	85.71	0.02
		B-8	-0.00004165	-5.753	-2.33	Yes	82	84.15	0.02
		B-9	-0.00002378	-5.618	-2.33	Yes	94	86.17	0.02
		B-11	-0.00004803	-6.989	-2.33	Yes	72	91.67	0.02
		B-13	0	-1.635	-2.33	No	46	95.65	0.02
Calcium, total	mg/L	B-6	-1.067	-6.266	-2.33	Yes	100	1	0.02
		B-8	-1.556	-3.697	-2.33	Yes	83	0	0.02
		B-9	-0.7787	-7.815	-2.33	Yes	95	0	0.02
		B-11	-0.8061	-3.915	-2.33	Yes	73	0	0.02
		B-13	-0.6144	-2.487	-2.33	Yes	47	0	0.02
Chemical Oxygen Demand	mg/L	B-6	-0.06761	-2.439	-2.33	Yes	100	53	0.02
		B-8	-0.3821	-1.251	-2.33	No	83	6.024	0.02
		B-9	0	0.3441	2.33	No	95	68.42	0.02
		B-11	0	-2.471	-2.33	Yes	72	69.44	0.02
		B-13	-0.09674	-2.018	-2.33	No	47	65.96	0.02
Chloride	mg/L	B-6	-0.04708	-1.565	-2.33	No	99	2.02	0.02
		B-8	-3.431	-9.044	-2.33	Yes	83	0	0.02
		B-9	-0.2644	-10.63	-2.33	Yes	94	0	0.02
		B-11	-0.1893	-7.717	-2.33	Yes	71	0	0.02
		B-13	0.443	5.155	2.33	Yes	47	0	0.02
Chlorodifluoromethane (Freon 22)	ug/L	B-6	0	1.023	2.33	No	68	98.53	0.02
		B-8	-0.07293	-4.031	-2.33	Yes	58	34.48	0.02
		B-9	0	0.846	2.33	No	67	97.01	0.02
		B-11	0	0	2.33	No	45	97.78	0.02
		B-13	-0.0183	-179	-132	Yes	30	43.33	0.02

**Long-Term Mann-Kendall Trend Tests 1995-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Chromium, dissolved	mg/L	B-6	-0.000141	-3.22	-2.33	Yes	41	31.71	0.02
		B-8	-0.0005017	-272	-132	Yes	30	30	0.02
		B-9	-0.000188	-4.713	-2.33	Yes	41	19.51	0.02
		B-11	-0.0002863	-209	-132	Yes	30	33.33	0.02
		B-13	0	-10	-17	No	7	100	0.02
Cobalt, dissolved	mg/L	B-6	0	-279	-201	Yes	40	65	0.02
		B-8	0	-33	-125	No	29	24.14	0.02
		B-9	0	-4.065	-2.33	Yes	41	63.41	0.02
		B-11	0	-111	-132	No	30	80	0.02
		B-13	0	0	17	No	7	100	0.02
Copper, dissolved	mg/L	B-6	-0.000182	-4.207	-2.33	Yes	41	43.9	0.02
		B-8	-0.0004953	-185	-132	Yes	30	30	0.02
		B-9	-0.0001403	-3.422	-2.33	Yes	41	43.9	0.02
		B-11	-0.000166	-185	-132	Yes	30	53.33	0.02
		B-13	-0.004968	-12	-17	No	7	100	0.02
Dichlorodifluoromethane (CFC-12)	ug/L	B-6	0	-4.655	-2.33	Yes	96	75	0.02
		B-8	0	-5.586	-2.33	Yes	83	100	0.02
		B-9	-0.08035	-4.466	-2.33	Yes	94	15.96	0.02
		B-11	0	-6.008	-2.33	Yes	70	94.29	0.02
		B-13	0	1.469	2.33	No	51	33.33	0.02
Diethyl ether	ug/L	B-6	0	0.8001	2.33	No	68	98.53	0.02
		B-8	-0.09053	-2.749	-2.33	Yes	58	24.14	0.02
		B-9	0	0.8786	2.33	No	67	100	0.02
		B-11	0	0	2.33	No	45	97.78	0.02
		B-13	-0.2631	-258	-132	Yes	30	40	0.02
Iron, dissolved	mg/L	B-6	0	-4.516	-2.33	Yes	100	66	0.02
		B-8	0.0113	2.067	2.33	No	84	16.67	0.02
		B-9	0	-1.619	-2.33	No	95	71.58	0.02
		B-11	0	-2.9	-2.33	Yes	73	61.64	0.02
		B-13	-0.06808	-4.307	-2.33	Yes	47	57.45	0.02
Lead, dissolved	mg/L	B-6	-0.00002552	-5.22	-2.33	Yes	99	93.94	0.02
		B-8	-0.00003172	-4.753	-2.33	Yes	83	92.77	0.02
		B-9	-0.00002105	-4.657	-2.33	Yes	95	90.53	0.02
		B-11	-0.00003616	-6.515	-2.33	Yes	73	95.89	0.02
		B-13	0	-1.736	-2.33	No	47	97.87	0.02
Magnesium, total	mg/L	B-6	-0.7335	-3.461	-2.33	Yes	41	0	0.02
		B-8	-0.06567	-4	-125	No	29	0	0.02
		B-9	-0.6269	-5.461	-2.33	Yes	41	0	0.02
		B-11	-0.3036	-40	-132	No	30	0	0.02
		B-13	-3.542	-5	-17	No	7	0	0.02
Manganese, dissolved	mg/L	B-6	-0.01096	-11.36	-2.33	Yes	100	14	0.02
		B-8	-0.005571	-1.669	-2.33	No	84	5.952	0.02
		B-9	-0.04515	-10.51	-2.33	Yes	95	20	0.02
		B-11	-0.0002883	-6.807	-2.33	Yes	73	56.16	0.02
		B-13	-0.07596	-8.101	-2.33	Yes	47	4.255	0.02
Mercury, dissolved	mg/L	B-6	0	-1.868	-2.33	No	99	98.99	0.02
		B-8	0	-1.133	-2.33	No	83	98.8	0.02
		B-9	0	-3.01	-2.33	Yes	94	98.94	0.02
		B-11	0	-2.083	-2.33	No	72	97.22	0.02
		B-13	0	0.1324	2.33	No	47	100	0.02
Nickel, dissolved	mg/L	B-6	0	188	201	No	40	45	0.02
		B-8	-0.0002463	-83	-125	No	29	3.448	0.02
		B-9	0	-0.4446	-2.33	No	41	31.71	0.02
		B-11	0.00003788	146	132	Yes	30	40	0.02
		B-13	0	-6	-17	No	7	14.29	0.02
Nitrate as nitrogen	mg/L	B-6	0.06202	5.146	2.33	Yes	99	1.01	0.02
		B-8	0	-0.9772	-2.33	No	82	63.41	0.02
		B-9	0.007376	1.229	2.33	No	94	6.383	0.02
		B-11	-0.04655	-1.097	-2.33	No	71	4.225	0.02
		B-13	0.1155	4.112	2.33	Yes	47	17.02	0.02

**Long-Term Mann-Kendall Trend Tests 1995-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Nitrite as nitrogen	mg/L	B-6	0	-0.4089	-2.33	No	99	89.9	0.02
		B-8	0	3.268	2.33	Yes	82	95.12	0.02
		B-9	0	-0.2213	-2.33	No	94	96.81	0.02
		B-11	0	0.5863	2.33	No	71	92.96	0.02
		B-13	0	1.767	2.33	No	47	87.23	0.02
pH	mg/L	B-6	0.02227	5.284	2.33	Yes	97	0	0.02
		B-8	0.009998	1.671	2.33	No	85	0	0.02
		B-9	0.01585	4.087	2.33	Yes	94	0	0.02
		B-11	0.01451	2.567	2.33	Yes	73	0	0.02
		B-13	-0.01595	-1.991	-2.33	No	47	0	0.02
Potassium, total	mg/L	B-6	0	0.3041	2.33	No	41	0	0.02
		B-8	-0.1734	-76	-125	No	29	0	0.02
		B-9	-0.03415	-2.567	-2.33	Yes	41	0	0.02
		B-11	-0.03544	-101	-132	No	30	0	0.02
		B-13	-0.3668	-9	-17	No	7	0	0.02
Selenium, dissolved	mg/L	B-6	-0.0001716	-5.503	-2.33	Yes	41	46.34	0.02
		B-8	-0.000254	-287	-132	Yes	30	56.67	0.02
		B-9	-0.0001792	-5.438	-2.33	Yes	41	21.95	0.02
		B-11	-0.0002743	-225	-132	Yes	30	63.33	0.02
		B-13	0	0	17	No	7	100	0.02
Sodium, total	mg/L	B-6	-0.337	-10.88	-2.33	Yes	100	1	0.02
		B-8	-0.9913	-7.076	-2.33	Yes	83	0	0.02
		B-9	-0.3143	-11.22	-2.33	Yes	95	0	0.02
		B-11	-0.1399	-5.864	-2.33	Yes	73	0	0.02
		B-13	-0.2233	-3.054	-2.33	Yes	47	0	0.02
Specific Conductance	us/cm	B-6	-0.006039	-3.595	-2.33	Yes	65	0	0.02
		B-8	-0.01417	-2.107	-2.33	No	57	0	0.02
		B-9	-0.004948	-6.344	-2.33	Yes	67	0	0.02
		B-11	-0.006149	-1.663	-2.33	No	45	0	0.02
		B-13	0.01012	101	125	No	29	0	0.02
Sulfate	mg/L	B-6	-1.449	-9.659	-2.33	Yes	99	2.02	0.02
		B-8	-1.242	-3.953	-2.33	Yes	83	1.205	0.02
		B-9	-1.228	-9.896	-2.33	Yes	94	0	0.02
		B-11	-0.9865	-4.068	-2.33	Yes	71	0	0.02
		B-13	0.1022	1.342	2.33	No	47	0	0.02
Total Dissolved Solids	mg/L	B-6	-3.766	-2.619	-2.33	Yes	41	0	0.02
		B-8	-7.339	-58	-125	No	29	0	0.02
		B-9	-4.774	-4.923	-2.33	Yes	41	0	0.02
		B-11	-1.481	-29	-125	No	29	0	0.02
		B-13	-26.42	-14	-17	No	7	0	0.02
Total Organic Carbon	mg/L	B-6	-0.1215	-9.174	-2.33	Yes	100	1	0.02
		B-8	-0.0707	-0.8113	-2.33	No	84	0	0.02
		B-9	-0.05997	-7.234	-2.33	Yes	95	0	0.02
		B-11	-0.028	-4.388	-2.33	Yes	73	4.11	0.02
		B-13	-0.2874	-5.327	-2.33	Yes	47	2.128	0.02
Vanadium, dissolved	mg/L	B-6	-0.0002692	-5.394	-2.33	Yes	41	2.439	0.02
		B-8	-0.0007505	-187	-132	Yes	30	13.33	0.02
		B-9	-0.0001502	-4.383	-2.33	Yes	41	4.878	0.02
		B-11	-0.0002743	-222	-132	Yes	30	6.667	0.02
		B-13	-0.0008239	-7	-17	No	7	14.29	0.02
Vinyl chloride	ug/L	B-6	0	-2.874	-2.33	Yes	96	97.92	0.02
		B-8	0	-0.2682	-2.33	No	82	47.56	0.02
		B-9	0	-4.676	-2.33	Yes	94	84.04	0.02
		B-11	0	-6.142	-2.33	Yes	70	95.71	0.02
		B-13	-0.02228	-6.265	-2.33	Yes	51	62.75	0.02
Zinc, dissolved	mg/L	B-6	-0.0002049	-7.06	-2.33	Yes	100	50	0.02
		B-8	-0.0002294	-5.818	-2.33	Yes	84	50	0.02
		B-9	-0.0001514	-4.123	-2.33	Yes	95	44.21	0.02
		B-11	-0.0002143	-5.775	-2.33	Yes	73	50.68	0.02
		B-13	-0.0004265	-2.955	-2.33	Yes	47	46.81	0.02

**APPENDIX D-5**  
**Short-Term Mann-Kendall Trend Tests 2015-2019 – Perched Aquifer**

**Short-Term Mann-Kendall Trend Tests 2015-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
1,4-Dioxane	ug/L	B-6	0	-4	-68	No	19	94.74	0.02
		B-8	0	0	23	No	9	100	0.02
		B-9	0	0	68	No	19	100	0.02
		B-11	0	7	20	No	8	87.5	0.02
Alkalinity	mg/L	<b>B-6</b>	<b>-11.52</b>	<b>-71</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-8	-52.37	-14	-23	No	9	0	0.02
		<b>B-9</b>	<b>-5.544</b>	<b>-94</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	-6.773	-4	-20	No	8	0	0.02
Ammonia as nitrogen	mg/L	B-6	0	15	68	No	19	73.68	0.02
		B-8	-0.06216	-3	-23	No	9	22.22	0.02
		B-9	0	-4	-68	No	19	63.16	0.02
		B-11	0	7	20	No	8	87.5	0.02
Antimony, dissolved	mg/L	B-6	0	-1	-68	No	19	5.263	0.02
		B-8	-0.0001104	-12	-23	No	9	33.33	0.02
		B-9	0	-16	-68	No	19	31.58	0.02
		B-11	0	-7	-20	No	8	87.5	0.02
Arsenic, dissolved	mg/L	<b>B-6</b>	<b>-0.00004457</b>	<b>-87</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-8	-0.0001725	-5	-23	No	9	0	0.02
		B-9	0	-33	-68	No	19	0	0.02
		B-11	0	0	20	No	8	0	0.02
Barium, dissolved	mg/L	B-6	-0.001342	-67	-68	No	19	0	0.02
		B-8	-0.00846	-10	-23	No	9	0	0.02
		<b>B-9</b>	<b>-0.0008184</b>	<b>-79</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	-0.0006798	-9	-20	No	8	0	0.02
Bicarbonate	mg/L	<b>B-6</b>	<b>-11.52</b>	<b>-71</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-8	-52.37	-14	-23	No	9	0	0.02
		B-9	-4.128	-54	-68	No	19	0	0.02
		B-11	-6.773	-4	-20	No	8	0	0.02
Cadmium, dissolved	mg/L	B-6	-0.000003101	-24	-68	No	19	42.11	0.02
		B-8	-0.00001206	-15	-23	No	9	66.67	0.02
		B-9	0	7	68	No	19	47.37	0.02
		B-11	0	-7	-20	No	8	87.5	0.02
Chemical Oxygen Demand	mg/L	B-6	0	32	68	No	19	63.16	0.02
		B-8	-12.11	-22	-23	No	9	11.11	0.02
		B-9	0	39	68	No	19	84.21	0.02
		B-11	0	-3	-20	No	8	50	0.02
Chloride	mg/L	B-6	-0.1989	-25	-68	No	19	0	0.02
		B-8	-1.451	-20	-23	No	9	0	0.02
		B-9	-0.09179	-49	-68	No	19	0	0.02
		B-11	-0.02856	-2	-20	No	8	0	0.02
Chlorodifluoromethane (Freon 22)	ug/L	B-6	0	-15	-68	No	19	94.74	0.02
		B-8	0	-5	-23	No	9	77.78	0.02
		B-9	0	0	63	No	18	100	0.02
		B-11	0	7	20	No	8	87.5	0.02
Chromium, dissolved	mg/L	B-6	0	2	68	No	19	0	0.02
		B-8	-0.0001818	-13	-23	No	9	0	0.02
		B-9	0	28	68	No	19	0	0.02
		B-11	0	1	20	No	8	0	0.02
Cobalt, dissolved	mg/L	B-6	-0.000006673	-47	-68	No	19	42.11	0.02
		B-8	-0.00006457	-6	-23	No	9	0	0.02
		B-9	0	-17	-68	No	19	31.58	0.02
		B-11	0	-2	-20	No	8	62.5	0.02
Copper, dissolved	mg/L	B-6	0	-7	-68	No	19	0	0.02
		B-8	-0.0006927	-12	-23	No	9	0	0.02
		B-9	0	-18	-68	No	19	0	0.02
		B-11	0.000124	8	20	No	8	12.5	0.02
Dichlorodifluoromethane (CFC-12)	ug/L	B-6	0	-4	-68	No	19	94.74	0.02
		B-8	0	0	23	No	9	100	0.02
		<b>B-9</b>	<b>-0.1412</b>	<b>-100</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	0	7	20	No	8	87.5	0.02
Diethyl ether	ug/L	B-6	0	-4	-68	No	19	94.74	0.02
		B-8	0	-1	-23	No	9	44.44	0.02
		B-9	0	0	63	No	18	100	0.02
		B-11	0	7	20	No	8	87.5	0.02

**Short-Term Mann-Kendall Trend Tests 2015-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Iron, dissolved	mg/L	B-6	0	-35	-68	No	19	78.95	0.02
		B-8	0.2918	4	23	No	9	11.11	0.02
		B-9	0	18	68	No	19	84.21	0.02
		B-11	0	7	20	No	8	87.5	0.02
Lead, dissolved	mg/L	B-6	0	21	68	No	19	78.95	0.02
		B-8	0	5	23	No	9	88.89	0.02
		B-9	0	33	68	No	19	73.68	0.02
		B-11	0	-7	-20	No	8	87.5	0.02
Magnesium, dissolved	mg/L	B-6	-1.55	-60	-68	No	19	0	0.02
		B-8	-3.542	-12	-23	No	9	0	0.02
		B-9	-0.6316	-62	-68	No	19	0	0.02
		B-11	0.03336	1	20	No	8	0	0.02
Manganese	mg/L	B-6	-0.00003963	-35	-68	No	19	10.53	0.02
		B-8	-0.01234	-4	-23	No	9	0	0.02
		B-9	-0.00008057	-21	-68	No	19	21.05	0.02
		B-11	0.0002578	14	20	No	8	62.5	0.02
Mercury, dissolved	mg/L	B-6	0	-4	-68	No	19	94.74	0.02
		B-8	0	0	23	No	9	100	0.02
		B-9	0	0	68	No	19	100	0.02
		B-11	0	7	20	No	8	87.5	0.02
Nickel, dissolved	mg/L	B-6	-0.00004993	-23	-68	No	19	5.263	0.02
		B-8	-0.001007	-11	-23	No	9	0	0.02
		B-9	<b>-0.0001637</b>	<b>-94</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>5.263</b>	<b>0.02</b>
		B-11	0	5	20	No	8	0	0.02
Nitrate as nitrogen	mg/L	B-6	0.07078	16	68	No	19	0	0.02
		B-8	0	3	23	No	9	66.67	0.02
		B-9	0.1012	27	68	No	19	0	0.02
		B-11	0.117	2	20	No	8	0	0.02
Nitrite as nitrogen	mg/L	B-6	0	-21	-68	No	19	94.74	0.02
		B-8	0	0	23	No	9	100	0.02
		B-9	0	-34	-68	No	19	100	0.02
		B-11	0	7	20	No	8	87.5	0.02
pH	pH units	B-6	-0.01342	-15	-68	No	19	0	0.02
		B-8	0.03061	2	23	No	9	0	0.02
		B-9	0.02676	29	68	No	19	0	0.02
		B-11	-0.1318	-10	-20	No	8	0	0.02
Potassium	mg/L	B-6	-0.04022	-24	-68	No	19	0	0.02
		B-8	-0.5134	-8	-23	No	9	0	0.02
		B-9	-0.07918	-44	-68	No	19	0	0.02
		B-11	0.00573	2	20	No	8	0	0.02
Selenium, dissolved	mg/L	B-6	0	14	68	No	19	5.263	0.02
		B-8	-0.0002501	-22	-23	No	9	0	0.02
		B-9	0	-37	-68	No	19	0	0.02
		B-11	0	0	20	No	8	25	0.02
Specific Conductance	us/cm	B-6	-0.01333	-50	-68	No	19	0	0.02
		B-8	-0.03685	-10	-23	No	9	0	0.02
		B-9	<b>-0.009942</b>	<b>-95</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	0.01569	8	20	No	8	0	0.02
Sulfate	mg/L	B-6	0.6307	45	68	No	19	0	0.02
		B-8	2.182	2	23	No	9	11.11	0.02
		B-9	-0.1338	-8	-68	No	19	0	0.02
		B-11	-0.9986	-5	-20	No	8	0	0.02
Calcium, total	mg/L	B-6	-1.806	-59	-68	No	19	0	0.02
		B-8	-11.3	-20	-23	No	9	0	0.02
		B-9	-1.025	-62	-68	No	19	0	0.02
		B-11	-1.397	-4	-20	No	8	0	0.02
Total Dissolved Solids	mg/L	B-6	-9.905	-56	-68	No	19	0	0.02
		B-8	-46.12	-16	-23	No	9	0	0.02
		B-9	<b>-5.989</b>	<b>-70</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	-12.27	-12	-20	No	8	0	0.02
Total Organic Carbon	mg/L	B-6	-0.01997	-18	-68	No	19	0	0.02
		B-8	-3.452	-14	-23	No	9	0	0.02
		B-9	-0.05319	-36	-68	No	19	0	0.02
		B-11	0.06485	9	20	No	8	0	0.02


**Short-Term Mann-Kendall Trend Tests 2015-2019**  
**Perched Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Sodium, total	mg/L	B-6	0	0	68	No	19	0	0.02
		B-8	-1.779	-10	-23	No	9	0	0.02
		<b>B-9</b>	<b>-0.2589</b>	<b>-88</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-11	0.1183	6	20	No	8	0	0.02
Vanadium, dissolved	mg/L	B-6	<b>-0.0001668</b>	<b>-79</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-8	0	3	23	No	9	22.22	0.02
		B-9	-0.00005677	-46	-68	No	19	5.263	0.02
		B-11	-0.0004009	-12	-20	No	8	0	0.02
Vinyl chloride	ug/L	B-6	0	51	68	No	19	94.74	0.02
		B-8	-0.001608	-6	-23	No	9	44.44	0.02
		<b>B-9</b>	<b>0</b>	<b>78</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>100</b>	<b>0.02</b>
		B-11	0	7	20	No	8	87.5	0.02
Zinc, dissolved	mg/L	B-6	-0.00002666	-22	-68	No	19	10.53	0.02
		B-8	-0.0003425	-15	-23	No	9	0	0.02
		B-9	0.00001674	4	68	No	19	10.53	0.02
		B-11	0.000004501	0	20	No	8	25	0.02

**APPENDIX E-1**  
**Piper Diagrams 2019 – Upper Regional Aquifer**

### Piper Diagram

Cation-Anion Balance = 2.34%




Analysis Run 3/18/2020 12:03 PM

Demo Client: Demo Data: inman organic results (1995-2019)

### Piper Diagram

Cation-Anion Balance = 3.889%




Analysis Run 3/18/2020 12:04 PM

Demo Client: Demo Data: inman organic results (1995-2019)

# Piper Diagram

Cation-Anion Balance = 0.2463%.




Analysis Run 3/18/2020 12:05 PM

Demo Client: Demo Data: inman organic results (1995-2019)

### Piper Diagram


Cation-Anion Balance = 5.184%




Analysis Run 3/18/2020 12:06 PM

Demo Client: Demo Data: inman organic results (1995-2019)


**APPENDIX E-2**  
**Stiff Diagrams 2019 – Upper Regional Aquifer**




B-2 3/20/2019




B-3 3/20/2019




B-4 3/25/2019




B-5 3/21/2019



B-1 3/22/2019




B-10 3/26/2019




B-12 3/21/2019


Stiff Diagram Analysis Run 3/18/2020 12:08 PM  
Demo Client: Demo Data: inman organic results (1995-2019)




B-2 6/17/2019




B-3 6/20/2019




B-4 6/21/2019




B-5 6/21/2019



B-1 6/19/2019










B-10 6/19/2019










B-12 6/18/2019

Stiff Diagram Analysis Run 3/18/2020 12:08 PM  
Demo Client: Demo Data: inman organic results (1995-2019)





Stiff Diagram Analysis Run 3/18/2020 12:09 PM  
Demo Client: Demo Data: inman organic results (1995-2019)







**DEMO**



Stiff Diagram Analysis Run 3/18/2020 12:09 PM  
Demo Client: Demo Data: inman organic results (1995-2019)



**APPENDIX E-3**  
**Box Plots 1994-2019 – Upper Regional Aquifer**



















































**APPENDIX E-4**  
**Long-Term Mann-Kendall Trend Tests 1994-2019 – Upper Regional Aquifer**

Long-Term Mann-Kendall Trend Tests 1995-2019  
Upper Regional Aquifer

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Significance Level
1,4-dioxane	ug/L	B-1	0	-1.903	-2.33	No	57	98.25	0.02
		B-2	0	<b>-3.046</b>	<b>-2.33</b>	Yes	57	100	0.02
		B-3	0	-2.319	-2.33	No	57	98.25	0.02
		B-4	0	<b>-3.046</b>	<b>-2.33</b>	Yes	57	100	0.02
		B-5	0	<b>2.944</b>	<b>2.33</b>	Yes	56	69.64	0.02
		B-10	0	-2.241	-2.33	No	56	98.21	0.02
		B-12	0	<b>-3.432</b>	<b>-2.33</b>	Yes	54	100	0.02
Alkalinity	mg/L	B-1	<b>29.99</b>	<b>5.707</b>	<b>2.33</b>	Yes	41	0	0.02
		B-2	-0.5719	-106	-201	No	40	0	0.02
		B-3	-0.7426	-30	-201	No	40	0	0.02
		B-4	<b>-25.6</b>	<b>-627</b>	<b>-201</b>	Yes	40	0	0.02
		B-5	-0.9967	-61	-194	No	39	0	0.02
		B-10	-1.478	-78	-201	No	40	0	0.02
		B-12	<b>7.642</b>	<b>485</b>	<b>179</b>	Yes	37	0	0.02
Ammonia as nitrogen	mg/L	B-1	<b>0.00577</b>	<b>7.745</b>	<b>2.33</b>	Yes	101	0	0.02
		B-2	-0.0008344	-1.782	-2.33	No	101	37.62	0.02
		B-3	-0.003633	-0.8157	-2.33	No	102	0.9804	0.02
		B-4	<b>0.05317</b>	<b>7.822</b>	<b>2.33</b>	Yes	101	0	0.02
		B-5	0.007263	1.373	2.33	No	100	1	0.02
		B-10	<b>0.003015</b>	<b>3.03</b>	<b>2.33</b>	Yes	100	0	0.02
		B-12	<b>0.001231</b>	<b>2.522</b>	<b>2.33</b>	Yes	98	4.082	0.02
Antimony, dissolved	mg/L	B-1	0	-201	-201	No	40	75	0.02
		B-2	0	<b>-204</b>	<b>-201</b>	Yes	40	80	0.02
		B-3	0	-66	-201	No	40	95	0.02
		B-4	0	-1.963	-2.33	No	41	90.24	0.02
		B-5	0	-153	-194	No	39	82.05	0.02
		B-10	0	9	194	No	39	97.44	0.02
		B-12	0	<b>-216</b>	<b>-186</b>	Yes	38	78.95	0.02
Arsenic, dissolved	mg/L	B-1	0	1.011	2.33	No	99	0	0.02
		B-2	<b>-0.00003471</b>	<b>-8.571</b>	<b>-2.33</b>	Yes	98	19.39	0.02
		B-3	<b>-0.00007079</b>	<b>-3.532</b>	<b>-2.33</b>	Yes	99	19.19	0.02
		B-4	<b>-0.0001108</b>	<b>-4.782</b>	<b>-2.33</b>	Yes	99	19.19	0.02
		B-5	<b>-0.0001969</b>	<b>-3.771</b>	<b>-2.33</b>	Yes	97	15.46	0.02
		B-10	<b>-0.00006479</b>	<b>-6.237</b>	<b>-2.33</b>	Yes	98	19.39	0.02
		B-12	<b>-0.0002031</b>	<b>-7.199</b>	<b>-2.33</b>	Yes	95	15.79	0.02
Barium, dissolved	mg/L	B-1	<b>0.002624</b>	<b>6.668</b>	<b>2.33</b>	Yes	41	0	0.02
		B-2	<b>-0.001002</b>	<b>-3.578</b>	<b>-2.33</b>	Yes	41	0	0.02
		B-3	-0.0004012	-0.1686	-2.33	No	41	0	0.02
		B-4	<b>-0.005455</b>	<b>-4.475</b>	<b>-2.33</b>	Yes	41	0	0.02
		B-5	0.001107	144	201	No	40	0	0.02
		B-10	0	9	201	No	40	0	0.02
		B-12	<b>0.001302</b>	<b>619</b>	<b>186</b>	Yes	38	0	0.02
Bicarbonate	mg/L	B-1	<b>29.9</b>	<b>5.685</b>	<b>2.33</b>	Yes	41	0	0.02
		B-2	-0.6187	-105	-201	No	40	0	0.02
		B-3	-0.6117	-22	-201	No	40	0	0.02
		B-4	<b>-24.86</b>	<b>-625</b>	<b>-201</b>	Yes	40	0	0.02
		B-5	0.02895	6	194	No	39	0	0.02
		B-10	-1.318	-68	-201	No	40	0	0.02
		B-12	<b>8.118</b>	<b>545</b>	<b>179</b>	Yes	37	0	0.02
Cadmium, dissolved	mg/L	B-1	<b>-0.00002331</b>	<b>-5.524</b>	<b>-2.33</b>	Yes	99	94.95	0.02
		B-2	<b>-0.00002987</b>	<b>-5.608</b>	<b>-2.33</b>	Yes	99	87.88	0.02
		B-3	<b>-9.817E-06</b>	<b>-4.475</b>	<b>-2.33</b>	Yes	100	98	0.02
		B-4	<b>-0.00001446</b>	<b>-5.034</b>	<b>-2.33</b>	Yes	100	96	0.02
		B-5	<b>-0.00002414</b>	<b>-5.499</b>	<b>-2.33</b>	Yes	98	90.82	0.02
		B-10	<b>-9.487E-06</b>	<b>-4.443</b>	<b>-2.33</b>	Yes	98	97.96	0.02
		B-12	<b>-0.00002244</b>	<b>-4.942</b>	<b>-2.33</b>	Yes	97	92.78	0.02
Chemical Oxygen Demand	mg/L	B-1	<b>0.1278</b>	<b>4.638</b>	<b>2.33</b>	Yes	101	78.22	0.02
		B-2	0	-0.2652	-2.33	No	101	74.26	0.02
		B-3	0	-0.6129	-2.33	No	102	41.18	0.02
		B-4	<b>0.5151</b>	<b>6.129</b>	<b>2.33</b>	Yes	101	54.46	0.02
		B-5	<b>1.013</b>	<b>7.613</b>	<b>2.33</b>	Yes	100	6	0.02
		B-10	<b>0.08348</b>	<b>3.62</b>	<b>2.33</b>	Yes	100	81	0.02
		B-12	<b>0.06737</b>	<b>3.603</b>	<b>2.33</b>	Yes	98	89.8	0.02
Chloride	mg/L	B-1	<b>0.6202</b>	<b>9.081</b>	<b>2.33</b>	Yes	100	0	0.02
		B-2	<b>-2.139</b>	<b>-7.885</b>	<b>-2.33</b>	Yes	100	0	0.02
		B-3	<b>-0.6664</b>	<b>-3.977</b>	<b>-2.33</b>	Yes	101	0	0.02
		B-4	<b>4.639</b>	<b>6.964</b>	<b>2.33</b>	Yes	100	0	0.02
		B-5	<b>2.875</b>	<b>11.43</b>	<b>2.33</b>	Yes	99	0	0.02
		B-10	<b>0.03167</b>	<b>2.885</b>	<b>2.33</b>	Yes	99	0	0.02
		B-12	0.00434	0.7844	2.33	No	97	0	0.02

**Long-Term Mann-Kendall Trend Tests 1995-2019**  
**Upper Regional Aquifer**

Analyte	Units	Well	Critical Significant # of % Non- Significance						
			Slope	Z-Score	Value	Trend?	Samples	detects	Level
Chlorodifluoromethane (Freon 22)	ug/L	B-1	0.01964	5.701	2.33	Yes	69	68.12	0.02
		B-2	0	-4.341	-2.33	Yes	69	82.61	0.02
		B-3	-0.006031	-1.448	-2.33	No	70	31.43	0.02
		B-4	0.2767	3.119	2.33	Yes	69	1.449	0.02
		B-5	-0.1321	-6.329	-2.33	Yes	68	1.471	0.02
		B-10	0	-0.1807	-2.33	No	68	98.53	0.02
		B-12	0	1.696	2.33	No	66	100	0.02
Chromium, dissolved	mg/L	B-1	-0.00005714	-1.761	-2.33	No	41	31.71	0.02
		B-2	-0.0001098	-3.437	-2.33	Yes	41	26.83	0.02
		B-3	-0.0002487	-4.937	-2.33	Yes	41	36.59	0.02
		B-4	-0.0004677	-5.183	-2.33	Yes	41	9.756	0.02
		B-5	-0.0002869	-328	-201	Yes	40	17.5	0.02
		B-10	-0.00006346	-332	-201	Yes	40	47.5	0.02
		B-12	-0.00004432	-228	-186	Yes	38	63.16	0.02
Copper, dissolved	mg/L	B-1	-0.000285	-5.67	-2.33	Yes	41	46.34	0.02
		B-2	-0.0002331	-4.912	-2.33	Yes	41	43.9	0.02
		B-3	-0.0002491	-4.803	-2.33	Yes	41	63.41	0.02
		B-4	-0.0002411	-6.479	-2.33	Yes	41	48.78	0.02
		B-5	-0.0002848	-537	-201	Yes	40	50	0.02
		B-10	-0.0001998	-263	-201	Yes	40	72.5	0.02
		B-12	-0.000267	-414	-186	Yes	38	57.89	0.02
Dichlorodifluoromethane (CFC-12)	ug/L	B-1	0	-6.065	-2.33	Yes	97	100	0.02
		B-2	-0.1981	-6.04	-2.33	Yes	95	15.79	0.02
		B-3	0	-5.891	-2.33	Yes	98	98.98	0.02
		B-4	0	-3.958	-2.33	Yes	97	90.72	0.02
		B-5	-0.002981	-7.288	-2.33	Yes	96	64.58	0.02
		B-10	0	-5.997	-2.33	Yes	96	98.96	0.02
		B-12	0	-5.238	-2.33	Yes	94	98.94	0.02
Diethyl ether	ug/L	B-1	0	0.3738	2.33	No	69	100	0.02
		B-2	0	0.7248	2.33	No	69	100	0.02
		B-3	-0.109	-3.056	-2.33	Yes	70	20	0.02
		B-4	0	0.3738	2.33	No	69	100	0.02
		B-5	-0.06308	-2.486	-2.33	Yes	68	2.941	0.02
		B-10	0	-0.1807	-2.33	No	68	98.53	0.02
		B-12	0	1.696	2.33	No	66	100	0.02
Iron, dissolved	mg/L	B-1	0.04003	10.89	2.33	Yes	101	0	0.02
		B-2	0	-2.427	-2.33	Yes	101	67.33	0.02
		B-3	-0.1535	-3.091	-2.33	Yes	102	0	0.02
		B-4	0.2539	8.762	2.33	Yes	101	0	0.02
		B-5	-0.05442	-0.6344	-2.33	No	100	1	0.02
		B-10	0.07134	8.637	2.33	Yes	100	2	0.02
		B-12	0.007717	4.323	2.33	Yes	98	1.02	0.02
Lead, dissolved	mg/L	B-1	-0.00003189	-5.978	-2.33	Yes	100	89	0.02
		B-2	-0.00002097	-4.518	-2.33	Yes	100	97	0.02
		B-3	-0.00002223	-4.451	-2.33	Yes	101	93.07	0.02
		B-4	-0.00002171	-4.819	-2.33	Yes	101	93.07	0.02
		B-5	-0.0000215	-4.484	-2.33	Yes	99	89.9	0.02
		B-10	0	-4.076	-2.33	Yes	99	96.97	0.02
		B-12	-0.00002376	-4.767	-2.33	Yes	98	90.82	0.02
Magnesium, total	mg/L	B-1	4.136	5.932	2.33	Yes	41	0	0.02
		B-2	-0.4609	-3.124	-2.33	Yes	41	0	0.02
		B-3	-0.08815	-0.5841	-2.33	No	41	0	0.02
		B-4	-2.66	-4.302	-2.33	Yes	41	0	0.02
		B-5	-0.1352	-33	-201	No	40	0	0.02
		B-10	-0.2683	-96	-201	No	40	0	0.02
		B-12	1.066	546	186	Yes	38	0	0.02
Manganese, dissolved	mg/L	B-1	0.03904	10.04	2.33	Yes	101	1.98	0.02
		B-2	-0.007457	-5.139	-2.33	Yes	101	5.941	0.02
		B-3	-0.02165	-4.551	-2.33	Yes	102	0.9804	0.02
		B-4	0.004961	0.9655	2.33	No	101	0	0.02
		B-5	-0.00969	-2.279	-2.33	No	100	1	0.02
		B-10	0.01293	6.123	2.33	Yes	100	3	0.02
		B-12	-0.003656	-6.239	-2.33	Yes	98	0	0.02
Mercury, dissolved	mg/L	B-1	0	-2.032	-2.33	No	100	100	0.02
		B-2	0	-2.032	-2.33	No	100	100	0.02
		B-3	0	-2.187	-2.33	No	101	99.01	0.02
		B-4	0	-1.923	-2.33	No	100	99	0.02
		B-5	0	-1.994	-2.33	No	99	100	0.02
		B-10	0	-1.828	-2.33	No	96	97.92	0.02
		B-12	0	-2.468	-2.33	Yes	98	100	0.02

Long-Term Mann-Kendall Trend Tests 1995-2019  
Upper Regional Aquifer

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Significance Level
Nickel, dissolved	mg/L	B-1	0.0003845	477	201	Yes	40	40	0.02
		B-2	-0.0003068	-408	-201	Yes	40	2.5	0.02
		B-3	0	-104	-201	No	40	32.5	0.02
		B-4	0	-0.7203	-2.33	No	41	7.317	0.02
		B-5	0	66	194	No	39	2.564	0.02
		B-10	0	-129	-194	No	39	53.85	0.02
		B-12	0	-127	-186	No	38	55.26	0.02
Nitrate as nitrogen	mg/L	B-1	0	-2.201	-2.33	No	100	92	0.02
		B-2	-0.02229	-1.433	-2.33	No	100	8	0.02
		B-3	0	-1.404	-2.33	No	101	91.09	0.02
		B-4	0	-1.866	-2.33	No	100	86	0.02
		B-5	0	0.9117	2.33	No	99	73.74	0.02
		B-10	0	-2.77	-2.33	Yes	99	89.9	0.02
		B-12	0	-2.913	-2.33	Yes	97	93.81	0.02
Nitrite as nitrogen	mg/L	B-1	0	1.103	2.33	No	100	100	0.02
		B-2	0	0.2085	2.33	No	100	97	0.02
		B-3	0	1.732	2.33	No	101	93.07	0.02
		B-4	0	1.123	2.33	No	100	95	0.02
		B-5	0	0.6543	2.33	No	99	90.91	0.02
		B-10	0	0.8778	2.33	No	99	97.98	0.02
		B-12	0	0.6424	2.33	No	97	97.94	0.02
pH	mg/L	B-1	0.01359	2.806	2.33	Yes	99	0	0.02
		B-2	0.001619	0.384	2.33	No	99	0	0.02
		B-3	0.0274	5.599	2.33	Yes	102	0	0.02
		B-4	-0.004479	-1.075	-2.33	No	100	0	0.02
		B-5	0.009511	2.151	2.33	No	100	0	0.02
		B-10	0.01334	2.731	2.33	Yes	99	0	0.02
		B-12	0.01622	3.521	2.33	Yes	98	0	0.02
Potassium, total	mg/L	B-1	0.2094	4.881	2.33	Yes	41	0	0.02
		B-2	0.4008	1.753	2.33	No	41	0	0.02
		B-3	0.04359	0.8989	2.33	No	41	0	0.02
		B-4	-0.05529	-1.967	-2.33	No	41	0	0.02
		B-5	0.1326	325	201	Yes	40	0	0.02
		B-10	0.02942	114	201	No	40	0	0.02
		B-12	0.1229	443	186	Yes	38	0	0.02
Selenium, dissolved	mg/L	B-1	-0.0001597	-3.858	-2.33	Yes	41	46.34	0.02
		B-2	-0.0005692	-4.105	-2.33	Yes	41	7.317	0.02
		B-3	-0.0001984	-4.731	-2.33	Yes	41	60.98	0.02
		B-4	-0.0001397	-4.185	-2.33	Yes	41	29.27	0.02
		B-5	-0.00009979	-265	-201	Yes	40	45	0.02
		B-10	-0.00008885	-239	-201	Yes	40	85	0.02
		B-12	-0.0001443	-323	-186	Yes	38	84.21	0.02
Specific Conductance	us/cm	B-1	0.04063	9.402	2.33	Yes	68	0	0.02
		B-2	-0.01411	-7.025	-2.33	Yes	68	0	0.02
		B-3	-0.002919	-1.103	-2.33	No	69	0	0.02
		B-4	0.01574	2.313	2.33	No	68	0	0.02
		B-5	0.01589	6.694	2.33	Yes	67	0	0.02
		B-10	0.002706	1.591	2.33	No	67	0	0.02
		B-12	0.01186	10.11	2.33	Yes	66	0	0.02
Sulfate	mg/L	B-1	0.1543	3.281	2.33	Yes	100	1	0.02
		B-2	-1.593	-8.261	-2.33	Yes	100	0	0.02
		B-3	0	0.00302	2.33	No	101	76.24	0.02
		B-4	1.508	6.95	2.33	Yes	100	0	0.02
		B-5	-0.004885	-1.121	-2.33	No	99	36.36	0.02
		B-10	0.6974	7.127	2.33	Yes	99	0	0.02
		B-12	0.4891	9.925	2.33	Yes	97	1.031	0.02
Calcium, total	mg/L	B-1	1.661	8.315	2.33	Yes	101	0	0.02
		B-2	-2.162	-9.918	-2.33	Yes	101	0	0.02
		B-3	-0.6183	-4.031	-2.33	Yes	102	0	0.02
		B-4	3.361	7.51	2.33	Yes	101	0	0.02
		B-5	0.7297	6.303	2.33	Yes	100	0	0.02
		B-10	0.6971	5.856	2.33	Yes	100	0	0.02
		B-12	0.2741	4.625	2.33	Yes	97	0	0.02
Total Dissolved Solids	mg/L	B-1	38.62	508	201	Yes	40	0	0.02
		B-2	-5.708	-4.385	-2.33	Yes	41	0	0.02
		B-3	-0.9612	-0.3146	-2.33	No	41	0	0.02
		B-4	-30.48	-4.64	-2.33	Yes	41	0	0.02
		B-5	5.041	217	201	Yes	40	0	0.02
		B-10	-0.7322	-28	-201	No	40	0	0.02
		B-12	8.653	630	186	Yes	38	0	0.02

**Long-Term Mann-Kendall Trend Tests 1995-2019**  
**Upper Regional Aquifer**

Analyte	Units	Well	Critical Significant # of % Non- Significance						
			Slope	Z-Score	Value	Trend?	Samples	detects	Level
Total Organic Carbon	mg/L	B-1	0.03709	4.702	2.33	Yes	101	13.86	0.02
		B-2	-0.0619	-7.825	-2.33	Yes	101	4.95	0.02
		B-3	-0.1799	-5.43	-2.33	Yes	102	0	0.02
		B-4	0.05563	8.34	2.33	Yes	101	10.89	0.02
		B-5	0.09363	2.683	2.33	Yes	100	0	0.02
		B-10	0.01694	5.42	2.33	Yes	100	12	0.02
		B-12	-0.01105	-3.087	-2.33	Yes	98	11.22	0.02
Sodium, total	mg/L	B-1	0.3132	7.111	2.33	Yes	101	0	0.02
		B-2	-2.731	-12.26	-2.33	Yes	101	0	0.02
		B-3	-0.4703	-5.474	-2.33	Yes	102	0	0.02
		B-4	0.2891	3.275	2.33	Yes	101	0	0.02
		B-5	1.18	11.26	2.33	Yes	100	1	0.02
		B-10	0.0895	4.823	2.33	Yes	100	0	0.02
		B-12	0.1486	6.708	2.33	Yes	98	0	0.02
Vanadium, dissolved	mg/L	B-1	0	-1.165	-2.33	No	41	4.878	0.02
		B-2	-0.0001346	-3.788	-2.33	Yes	41	7.317	0.02
		B-3	-0.0001624	-3.527	-2.33	Yes	41	17.07	0.02
		B-4	-0.0004931	-3.811	-2.33	Yes	41	21.95	0.02
		B-5	-0.000443	-334	-201	Yes	40	20	0.02
		B-10	-0.0001456	-360	-201	Yes	40	17.5	0.02
		B-12	0	-63	-186	No	38	23.68	0.02
Vinyl chloride	ug/L	B-1	0	-2.897	-2.33	Yes	97	98.97	0.02
		B-2	-0.0003725	-4.933	-2.33	Yes	95	69.47	0.02
		B-3	-0.002402	-2.668	-2.33	Yes	97	20.62	0.02
		B-4	-0.001166	-2.549	-2.33	Yes	97	17.53	0.02
		B-5	-0.00648	-4.222	-2.33	Yes	95	5.263	0.02
		B-10	0	-3.289	-2.33	Yes	95	97.89	0.02
		B-12	0	-1.451	-2.33	No	94	86.17	0.02
Zinc, dissolved	mg/L	B-1	-0.0001669	-7.178	-2.33	Yes	101	57.43	0.02
		B-2	-0.0001849	-6.067	-2.33	Yes	101	55.45	0.02
		B-3	-0.0002085	-6.284	-2.33	Yes	102	56.86	0.02
		B-4	-0.00017	-6.826	-2.33	Yes	101	55.45	0.02
		B-5	-0.0002003	-6.956	-2.33	Yes	100	56	0.02
		B-10	-0.0001663	-5.926	-2.33	Yes	100	59	0.02
		B-12	-0.0001695	-5.781	-2.33	Yes	98	62.24	0.02

**APPENDIX E-5**  
**Short-Term Mann-Kendall Trend Tests 2015-2019 – Upper Regional Aquifer**

Short-Term Mann-Kendall Trend Tests 2015-2019  
Regional Aquifer

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
1,4-Dioxane	ug/L	B-1	0	18	68	No	19	94.74	0.02
		B-2	0	0	68	No	19	100	0.02
		B-3	0	-27	-68	No	19	94.74	0.02
		B-4	0	0	68	No	19	100	0.02
		B-5	0	-3	-68	No	19	31.58	0.02
		B-10	0	-3	-63	No	18	94.44	0.02
		B-12	0	0	58	No	17	100	0.02
Alkalinity	mg/L	B-1	-3.946	-10	-68	No	19	0	0.02
		B-2	-1.419	-30	-68	No	19	0	0.02
		B-3	-2.913	-9	-68	No	19	0	0.02
		<b>B-4</b>	<b>-17.16</b>	<b>-98</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-1.671	-11	-68	No	19	0	0.02
		<b>B-10</b>	<b>-17.74</b>	<b>-108</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		<b>B-12</b>	<b>9.301</b>	<b>84</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Ammonia as nitrogen	mg/L	B-1	-0.01673	-59	-68	No	19	0	0.02
		B-2	0	-27	-68	No	19	78.95	0.02
		B-3	-0.03747	-22	-68	No	19	0	0.02
		<b>B-4</b>	<b>-0.07078</b>	<b>-109</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-0.02343	-21	-68	No	19	0	0.02
		B-10	-0.004973	-13	-63	No	18	0	0.02
		B-12	0.00804	35	58	No	17	0	0.02
Antimony, dissolved	mg/L	B-1	0	-2	-68	No	19	68.42	0.02
		B-2	0	6	68	No	19	73.68	0.02
		B-3	0	21	68	No	19	89.47	0.02
		B-4	0	4	68	No	19	78.95	0.02
		B-5	0	17	68	No	19	73.68	0.02
		B-10	0	47	63	No	18	94.44	0.02
		B-12	0	26	58	No	17	58.82	0.02
Arsenic, dissolved	mg/L	<b>B-1</b>	<b>0.003961</b>	<b>94</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-2	-0.00002662	-65	-68	No	19	0	0.02
		B-3	0	-19	-68	No	19	0	0.02
		B-4	-0.00008924	-46	-68	No	19	0	0.02
		<b>B-5</b>	<b>0.0006242</b>	<b>74</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-10	-0.00005325	-57	-63	No	18	0	0.02
		B-12	0	2	58	No	17	5.882	0.02
Barium, dissolved	mg/L	B-1	0.0007265	38	68	No	19	0	0.02
		B-2	-0.001613	-58	-68	No	19	0	0.02
		B-3	-0.001264	-16	-68	No	19	0	0.02
		<b>B-4</b>	<b>-0.00918</b>	<b>-121</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	0	0	68	No	19	0	0.02
		<b>B-10</b>	<b>-0.004902</b>	<b>-108</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		<b>B-12</b>	<b>0.001177</b>	<b>95</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Bicarbonate	mg/L	B-1	-4.396	-12	-68	No	19	0	0.02
		B-2	-1.59	-35	-68	No	19	0	0.02
		B-3	-2.913	-9	-68	No	19	0	0.02
		<b>B-4</b>	<b>-16.17</b>	<b>-96</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-1.444	-7	-68	No	19	0	0.02
		<b>B-10</b>	<b>-18.02</b>	<b>-104</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		<b>B-12</b>	<b>10.65</b>	<b>106</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Cadmium, dissolved	mg/L	B-1	0	37	68	No	19	78.95	0.02
		B-2	0	30	68	No	19	63.16	0.02
		B-3	0	61	68	No	19	94.74	0.02
		B-4	0.00007953	67	68	No	19	89.47	0.02
		B-5	0	19	68	No	19	63.16	0.02
		<b>B-10</b>	<b>0.00009318</b>	<b>78</b>	<b>63</b>	<b>Yes</b>	<b>18</b>	<b>88.89</b>	<b>0.02</b>
		B-12	0	33	58	No	17	76.47	0.02
Calcium, total	mg/L	B-1	-0.3132	-9	-68	No	19	0	0.02
		B-2	0.5024	20	68	No	19	0	0.02
		B-3	-0.3025	-14	-68	No	19	0	0.02
		<b>B-4</b>	<b>-5.608</b>	<b>-97</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-0.1272	-3	-68	No	19	0	0.02
		<b>B-10</b>	<b>-3.992</b>	<b>-111</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		B-12	1.076	51	58	No	17	0	0.02
Chemical Oxygen Demand	mg/L	B-1	0	-12	-68	No	19	52.63	0.02
		B-2	0	49	68	No	19	84.21	0.02
		B-3	0	-17	-68	No	19	57.89	0.02
		B-4	-1.349	-47	-68	No	19	42.11	0.02
		B-5	0.5859	14	68	No	19	0	0.02
		B-10	0.6104	62	63	No	18	66.67	0.02
		B-12	0	26	58	No	17	76.47	0.02

**Short-Term Mann-Kendall Trend Tests 2015-2019**  
**Regional Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Chloride	mg/L	B-1	5.204	34	68	No	19	0	0.02
		B-2	-0.3394	-21	-68	No	19	0	0.02
		B-3	-0.3935	-14	-68	No	19	0	0.02
		<b>B-4</b>	<b>-12.92</b>	<b>-147</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	0.6456	15	68	No	19	0	0.02
		B-10	-0.07206	-34	-63	No	18	0	0.02
		<b>B-12</b>	<b>0.08991</b>	<b>67</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Chlorodifluoromethane (Freon 22)	ug/L	B-1	0	-7	-68	No	19	15.79	0.02
		B-2	0	0	68	No	19	100	0.02
		B-3	0	-29	-68	No	19	47.37	0.02
		<b>B-4</b>	<b>-1.628</b>	<b>-122</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		<b>B-5</b>	<b>-0.1592</b>	<b>-81</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-10	0	-3	-63	No	18	94.44	0.02
		B-12	0	0	58	No	17	100	0.02
Chromium, dissolved	mg/L	B-1	0	20	68	No	19	0	0.02
		B-2	0	-20	-68	No	19	0	0.02
		B-3	-0.00005738	-45	-68	No	19	10.53	0.02
		B-4	-0.0004562	-58	-68	No	19	0	0.02
		B-5	-0.0001335	-21	-68	No	19	0	0.02
		B-10	0	-16	-63	No	18	5.556	0.02
		B-12	0.00003349	22	58	No	17	35.29	0.02
Cobalt, dissolved	mg/L	<b>B-1</b>	<b>0.00006176</b>	<b>71</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>5.263</b>	<b>0.02</b>
		B-2	0	-16	-68	No	19	36.84	0.02
		B-3	-0.00002017	-31	-68	No	19	5.263	0.02
		<b>B-4</b>	<b>-0.00002885</b>	<b>-70</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	0	-19	-68	No	19	0	0.02
		B-10	-0.00001615	-39	-63	No	18	44.44	0.02
		B-12	0	-12	-58	No	17	41.18	0.02
Copper, dissolved	mg/L	B-1	-0.00003614	-41	-68	No	19	5.263	0.02
		<b>B-2</b>	<b>0.00003104</b>	<b>72</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-3	0	7	68	No	19	31.58	0.02
		B-4	-0.00007344	-50	-68	No	19	5.263	0.02
		B-5	-0.00004688	-44	-68	No	19	5.263	0.02
		B-10	0.0001	42	63	No	18	50	0.02
		B-12	0	8	58	No	17	11.76	0.02
Dichlorodifluoromethane (CFC-12)	ug/L	B-1	0	0	68	No	19	100	0.02
		<b>B-2</b>	<b>-0.2865</b>	<b>-97</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>5.556</b>	<b>0.02</b>
		B-3	0	0	68	No	19	100	0.02
		B-4	0	-27	-68	No	19	89.47	0.02
		B-5	0	0	68	No	19	100	0.02
		B-10	0	-3	-63	No	18	94.44	0.02
		B-12	0	14	58	No	17	94.12	0.02
Diethyl ether	ug/L	B-1	0	0	68	No	19	100	0.02
		B-2	0	0	68	No	19	100	0.02
		B-3	-0.0804	-20	-68	No	19	31.58	0.02
		B-4	0	0	68	No	19	100	0.02
		B-5	-0.1337	-39	-68	No	19	5.263	0.02
		B-10	0	-3	-63	No	18	94.44	0.02
		B-12	0	0	58	No	17	100	0.02
Iron, dissolved	mg/L	B-1	0.1537	36	68	No	19	0	0.02
		B-2	0	-9	-68	No	19	73.68	0.02
		B-3	-0.01482	-1	-68	No	19	0	0.02
		B-4	-0.1361	-48	-68	No	19	0	0.02
		B-5	-0.2865	-13	-68	No	19	0	0.02
		<b>B-10</b>	<b>-0.1657</b>	<b>-73</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		B-12	0.02093	41	58	No	17	0	0.02
Lead, dissolved	mg/L	B-1	-0.00002231	-42	-68	No	19	52.63	0.02
		B-2	0	15	68	No	19	89.47	0.02
		B-3	0	33	68	No	19	89.47	0.02
		B-4	0	52	68	No	19	84.21	0.02
		B-5	0	18	68	No	19	73.68	0.02
		B-10	0	53	63	No	18	94.44	0.02
		B-12	0	17	58	No	17	76.47	0.02
Magnesium, dissolved	mg/L	B-1	0	0	68	No	19	0	0.02
		B-2	0.212	26	68	No	19	0	0.02
		B-3	-0.1995	-10	-68	No	19	0	0.02
		<b>B-4</b>	<b>-4.32</b>	<b>-93</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-0.3391	-7	-68	No	19	0	0.02
		<b>B-10</b>	<b>-2.839</b>	<b>-110</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		B-12	0.9251	48	58	No	17	0	0.02

Short-Term Mann-Kendall Trend Tests 2015-2019  
Regional Aquifer

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Manganese	mg/L	B-1	0.1611	83	68	Yes	19	0	0.02
		B-2	-0.0001604	-66	-68	No	19	21.05	0.02
		B-3	-0.03121	-34	-68	No	19	0	0.02
		B-4	-0.04894	-74	-68	Yes	19	0	0.02
		B-5	-0.01993	-7	-68	No	19	0	0.02
		B-10	-0.06703	-91	-63	Yes	18	0	0.02
		B-12	0.001634	18	58	No	17	0	0.02
Mercury, dissolved	mg/L	B-1	0	0	68	No	19	100	0.02
		B-2	0	0	68	No	19	100	0.02
		B-3	0	0	68	No	19	100	0.02
		B-4	0	0	68	No	19	100	0.02
		B-5	0	0	68	No	19	100	0.02
		B-10	0	-3	-63	No	18	94.44	0.02
		B-12	0	0	58	No	17	100	0.02
Nickel, dissolved	mg/L	B-1	0.0004446	43	68	No	19	0	0.02
		B-2	-0.0001144	-45	-68	No	19	0	0.02
		B-3	-0.0001614	-42	-68	No	19	5.263	0.02
		B-4	-0.0002507	-36	-68	No	19	5.263	0.02
		B-5	-0.0002026	-39	-68	No	19	0	0.02
		B-10	-0.0001047	-53	-63	No	18	11.11	0.02
		B-12	2.50E-11	10	58	No	17	11.76	0.02
Nitrate as nitrogen	mg/L	B-1	0	39	68	No	19	73.68	0.02
		B-2	0.2752	61	68	No	19	0	0.02
		B-3	0	-4	-68	No	19	78.95	0.02
		B-4	0	23	68	No	19	73.68	0.02
		B-5	0.01587	30	68	No	19	47.37	0.02
		B-10	0	9	63	No	18	66.67	0.02
		B-12	0	-5	-58	No	17	70.59	0.02
Nitrite as nitrogen	mg/L	B-1	0	-18	-68	No	19	100	0.02
		B-2	0	-40	-68	No	19	100	0.02
		B-3	0	-38	-68	No	19	84.21	0.02
		B-4	0	-34	-68	No	19	89.47	0.02
		B-5	0	-13	-68	No	19	84.21	0.02
		B-10	0	-35	-63	No	18	94.44	0.02
		B-12	0	-34	-58	No	17	100	0.02
pH	mg/L	B-1	0.06127	24	68	No	19	0	0.02
		B-2	-0.03883	-21	-68	No	19	0	0.02
		B-3	0.0525	23	68	No	19	0	0.02
		B-4	-0.01322	-11	-68	No	19	0	0.02
		B-5	-0.03592	-25	-68	No	19	0	0.02
		B-10	0.04856	34	63	No	18	0	0.02
		B-12	0.0169	4	58	No	17	0	0.02
Potassium, dissolved	mg/L	B-1	0.05014	6	68	No	19	0	0.02
		B-2	-1.203	-50	-68	No	19	0	0.02
		B-3	0	-1	-68	No	19	0	0.02
		B-4	-0.07806	-18	-68	No	19	0	0.02
		B-5	0.2433	46	68	No	19	0	0.02
		B-10	-0.1532	-66	-63	Yes	18	0	0.02
		B-12	0.1188	40	58	No	17	0	0.02
Selenium, dissolved	mg/L	B-1	0.00002491	35	68	No	19	5.263	0.02
		B-2	0	-8	-68	No	19	0	0.02
		B-3	0	6	68	No	19	31.58	0.02
		B-4	-0.0001881	-53	-68	No	19	0	0.02
		B-5	0.00009799	34	68	No	19	5.263	0.02
		B-10	0.0001322	60	63	No	18	72.22	0.02
		B-12	0	-12	-58	No	17	70.59	0.02
Sodium, total	mg/L	B-1	0.7152	58	68	No	19	0	0.02
		B-2	-0.3563	-54	-68	No	19	0	0.02
		B-3	0.2011	8	68	No	19	0	0.02
		B-4	-1.108	-93	-68	Yes	19	0	0.02
		B-5	2.27	59	68	No	19	5.263	0.02
		B-10	-0.4056	-78	-63	Yes	18	0	0.02
		B-12	0.4026	47	58	No	17	0	0.02
Specific Conductance	mg/L	B-1	-0.005328	-5	-68	No	19	0	0.02
		B-2	-0.00403	-23	-68	No	19	0	0.02
		B-3	-0.01045	-22	-68	No	19	0	0.02
		B-4	-0.07147	-131	-68	Yes	19	0	0.02
		B-5	0.01196	34	68	No	19	0	0.02
		B-10	-0.04116	-121	-63	Yes	18	0	0.02
		B-12	0.0158	98	58	Yes	17	0	0.02

**Short-Term Mann-Kendall Trend Tests 2015-2019**  
**Regional Aquifer**

Analyte	Units	Well	Slope	Z-Score	Critical Value	Significant Trend?	# of Samples	% Non-detects	Alpha
Sulfate	mg/L	B-1	-0.3925	-31	-68	No	19	5.263	0.02
		B-2	-1.003	-47	-68	No	19	0	0.02
		B-3	0	37	68	No	19	94.74	0.02
		<b>B-4</b>	<b>-3.389</b>	<b>-107</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	0.01589	16	68	No	19	26.32	0.02
		<b>B-10</b>	<b>-4.457</b>	<b>-116</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		<b>B-12</b>	<b>-0.7288</b>	<b>-94</b>	<b>-58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Total Dissolved Solids	mg/L	B-1	8.567	17	68	No	19	0	0.02
		B-2	-2.685	-20	-68	No	19	0	0.02
		B-3	-5.055	-24	-68	No	19	0	0.02
		<b>B-4</b>	<b>-31.75</b>	<b>-136</b>	<b>-68</b>	<b>Yes</b>	<b>19</b>	<b>0</b>	<b>0.02</b>
		B-5	-2.674	-11	-68	No	19	0	0.02
		<b>B-10</b>	<b>-23.67</b>	<b>-127</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		<b>B-12</b>	<b>7.935</b>	<b>110</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>0</b>	<b>0.02</b>
Total Organic Carbon	mg/L	B-1	0.01703	4	68	No	19	0	0.02
		B-2	0.04341	52	68	No	19	0	0.02
		B-3	-0.1284	-31	-68	No	19	0	0.02
		B-4	-0.04241	-42	-68	No	19	0	0.02
		B-5	-0.03355	-9	-68	No	19	0	0.02
		B-10	-0.04654	-60	-63	No	18	0	0.02
		B-12	0.04508	44	58	No	17	0	0.02
Vanadium, dissolved	mg/L	B-1	0	25	68	No	19	0	0.02
		B-2	0	-13	-68	No	19	5.263	0.02
		B-3	-0.0004005	-30	-68	No	19	10.53	0.02
		B-4	-0.0001185	-45	-68	No	19	5.263	0.02
		B-5	-0.00006166	-29	-68	No	19	5.263	0.02
		<b>B-10</b>	<b>-0.0001232</b>	<b>-80</b>	<b>-63</b>	<b>Yes</b>	<b>18</b>	<b>0</b>	<b>0.02</b>
		B-12	0.00001264	16	58	No	17	0	0.02
Vinyl chloride	ug/L	<b>B-1</b>	<b>0.04359</b>	<b>86</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>100</b>	<b>0.02</b>
		<b>B-2</b>	<b>0.04601</b>	<b>90</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>100</b>	<b>0.02</b>
		B-3	0.005101	36	68	No	19	36.84	0.02
		<b>B-4</b>	<b>0.04212</b>	<b>82</b>	<b>68</b>	<b>Yes</b>	<b>19</b>	<b>42.11</b>	<b>0.02</b>
		B-5	0.001013	3	68	No	19	0	0.02
		<b>B-10</b>	<b>0.04356</b>	<b>69</b>	<b>63</b>	<b>Yes</b>	<b>18</b>	<b>94.44</b>	<b>0.02</b>
		<b>B-12</b>	<b>0.04369</b>	<b>63</b>	<b>58</b>	<b>Yes</b>	<b>17</b>	<b>88.24</b>	<b>0.02</b>
Zinc, dissolved	mg/L	B-1	0.00003188	19	68	No	19	21.05	0.02
		B-2	0.0001006	43	68	No	19	21.05	0.02
		B-3	0.00003352	20	68	No	19	31.58	0.02
		B-4	-0.0000146	-21	-68	No	19	15.79	0.02
		B-5	0.00007707	32	68	No	19	15.79	0.02
		B-10	0.00006212	25	63	No	18	33.33	0.02
		B-12	0.00003375	27	58	No	17	35.29	0.02

**APPENDIX F**  
**Landfill Gas Monitoring Data – 2019**

Table G-1. Perimeter Landfill Gas Measurements, 2019  
Inman Landfill

Well Identifier	Probe Identifier	Screened Interval Depth (ft bgs)	Date	CH4 Concentration (%v/v)	CO2 Concentration (%v/v)	O2 Concentration (%v/v)	Barometric Pressure mm Hg	Static Pressure (inches H2O)	LFG Extraction System Status
GDW-1	Shallow	19-21	3/27/19	3.2	2.3	12.1	29.87	1.36	off
			06/21/19	17.2	2.3	1.6	29.87	1.36	off
			09/17/19	26.5	2.3	1.6	29.87	1.36	off
			12/10/19	0.1	2.0	17.4	30.2	0.9	off
GDW-1	Intermediate	58-60	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
GDW-1	Deep	82-84	3/27/19	0.0	0.2	20.2	30.12	1.07	off
			06/21/19	0.0	0.2	20.2	30.12	1.07	off
			09/17/19	0.0	0.2	20.2	30.12	1.07	off
			12/10/19	0.1	1.1	18.6	30.2	1.5	off
GDW-2	Shallow	14.5-15.5	3/27/19	0.0	0.8	20.1	30.05	0.91	off
			06/21/19	0.0	0.8	20.1	30.05	0.91	off
			09/17/19	0.0	0.8	20.1	30.05	0.91	off
			NA	NM	NM	NM	NM	NM	off
GDW-2	Intermediate	27-28	3/27/19	0.0	6.2	12.8	30.05	1	off
			06/21/19	0.0	6.2	12.8	30.05	1	off
			09/17/19	0.0	6.2	12.8	30.05	1	off
			NA	NM	NM	NM	NM	NM	off
GDW-2	Deep	44-45	3/27/19	0.0	3.8	15	30.01	1	off
			06/21/19	0.0	3.8	15	30.01	1	off
			09/17/19	0.0	3.8	15	30.01	1	off
			NA	NM	NM	NM	NM	NM	off
GDW-5	Shallow	9-10	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
GDW-5	Intermediate	19-20	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
GDW-5	Deep	29-30	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off

**Table G-1. Perimeter Landfill Gas Measurements, 2019  
Inman Landfill**

Well Identifier	Probe Identifier	Screened Interval Depth (ft bgs)	Date	CH4 Concentration (%v/v)	CO2 Concentration (%v/v)	O2 Concentration (%v/v)	Barometric Pressure mm Hg	Static Pressure (inches H2O)	LFG Extraction System Status
GP-6	Shallow	7-27	3/27/19	0.0	0.2	20.2	30.46	1.17	off
			06/21/19	0.0	0.2	20.2	30.46	1.17	off
			09/17/19	0.0	0.2	20.2	30.46	1.17	off
			12/10/19	0.1	2.5	14.9	30.2	0.9	off
GP-6	Deep	34-74	3/27/19	0.0	3.2	16.5	30.06	1.01	off
			06/21/19	0.0	3.2	16.5	30.06	1.01	off
			09/17/19	0.0	3.2	16.5	30.06	1.01	off
			NA	NM	NM	NM	NM	NM	off
GP-7	Shallow	7-17	3/27/19	0.0	10.4	9.8	30.06	0.9	off
			06/21/19	0.0	10.4	9.8	30.06	0.9	off
			09/17/19	0.0	10.4	9.8	30.06	0.9	off
			12/10/19	0.0	11.1	6.1	30.2	0.9	off
GP-7	Deep	26-49	3/27/19	0.0	4.9	17.9	30.06	1.18	off
			06/21/19	0.0	4.9	17.9	30.06	1.18	off
			09/17/19	0.0	4.9	17.9	30.06	1.18	off
			12/10/19	0.0	2.7	18.0	30.2	1.2	off
B-6	Shallow	39-40	3/27/19	0.0	0.6	19.7	29.82	1.02	off
			06/21/19	0.0	0.6	19.7	29.82	1.02	off
			09/18/19	0.0	0.6	19.7	29.82	1.02	off
			NA	NM	NM	NM	NM	NM	off
B-6	Intermediate	94-95	3/27/19	0.0	0.1	20.4	29.82	1	off
			06/21/19	0.0	0.1	20.4	29.82	1	off
			09/18/19	0.0	0.1	20.4	29.82	1	off
			NA	NM	NM	NM	NM	NM	off
B-6	Deep	134-135	3/27/19	0.0	1.2	18.9	29.82	1.05	off
			06/21/19	0.0	1.2	18.9	29.82	1.05	off
			09/18/19	0.0	1.2	18.9	29.82	1.05	off
			NA	NM	NM	NM	NM	NM	off
B-7	Shallow	14-15	3/27/19	0.0	0.2	20.3	30.48	1.22	off
			06/21/19	0.0	0.2	20.3	30.48	1.22	off
			09/18/19	0.0	0.2	20.3	30.48	1.22	off
			12/11/19	0.0	0.1	20.0	30.2	0.9	off
B-7	Deep	50-51	3/27/19	0.0	0.2	20.2	30.47	1.22	off
			06/21/19	0.0	0.2	20.2	30.47	1.22	off
			09/18/19	0.0	0.2	20.2	30.47	1.22	off
			12/11/19	0.0	0.0	19.9	30.2	0.8	off

Table G-1. Perimeter Landfill Gas Measurements, 2019  
Inman Landfill

Well Identifier	Probe Identifier	Screened Interval Depth (ft bgs)	Date	CH4 Concentration (%v/v)	CO2 Concentration (%v/v)	O2 Concentration (%v/v)	Barometric Pressure mm Hg	Static Pressure (Inches H2O)	LFG Extraction System Status
B-9	Shallow	10-11	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
B-9	Deep	49-50	NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
			NA	NM	NM	NM	NM	NM	off
B-11	Shallow	66-67	3/27/19	0.0	0.4	19.5	29.87	0.55	off
			06/21/19	0.0	0.4	19.5	29.87	0.55	off
			09/20/19	0.0	0.4	19.5	29.87	0.55	off
			NA	NM	NM	NM	NM	NM	off
B-11	Deep	86-87	3/27/19	0.0	0.3	19.6	29.86	1.26	off
			06/21/19	0.0	0.3	19.6	29.86	1.26	off
			09/20/19	0.0	0.3	19.6	29.86	1.26	off
			NA	NM	NM	NM	NM	NM	off
B-13	Shallow	38-40	3/27/19	0.0	0.1	20.2	30.14	1.03	off
			06/21/19	0.0	0.1	20.2	30.14	1.03	off
			09/17/19	0.0	0.1	20.2	30.14	1.03	off
			12/10/19	0.0	0.0	18.9	30.2	0.4	Off
B-13	Deep	73-74	3/27/19	0.0	0.1	20.2	30.14	1.03	off
			06/21/19	0.0	1.7	17.8	30.14	1.14	off
			09/17/19	0.0	1.7	17.8	30.14	1.14	off
			12/10/19	0.0	0.0	18.9	30.2	0.4	Off

## Notes:

ft bgs = feet below ground surface

%v/v = percent by volume

NA = Flow restriction error.

NM = Not measured

Methane results above lower explosive limit shown in **bold**.