

Jerome Cruz
March 30, 2023
Page 2




King County


Solid Waste Division

Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5701
Seattle, WA 98104-3855
206-477-4466
711 TTY Relay
www.kingcounty.gov/solidwaste

March 30, 2023

TO: Jerome Cruz, Environmental Scientist III, Environmental Health Division, Public Health
– Seattle and King County

VIA: Jamey Barker, P.E., Engineer IV 

FM: Adrienne M. Scott, Engineer III - Geologist 

RE: King County Vashon Island Closed Landfill 2022 Annual Groundwater Data Evaluation Report

The purpose of this letter is to transmit the *King County Vashon Island Closed Landfill 2022 Annual Groundwater Data Evaluation Report*. The potentiometric maps and groundwater velocity calculations that have been included in the report were sealed by a licensed hydrogeologist and have been previously submitted with quarterly reports. This report also includes an executive summary, site specific summary, exceedances table, trend test table, time-concentration plots of parameters of interest, and descriptive statistics summary table.

The 2022 Annual Report has been updated to include environmental data collected through December 2022.

If you have questions or need additional information, please contact me at 206-263-0518, or via email at adscott@kingcounty.gov.

Enclosures

cc: Yolanda Pon, Solid Waste Program Supervisor, Environmental Health Division, Public Health Seattle & King County
Tim O'Connor, LG., LHG., Hydrogeologist III, Washington State Department of Ecology
Alan Noell, PhD., P.E., Solid Waste Engineer, Washington State Department of Ecology
Glynda Steiner, P.E., CCM, Deputy Division Director, Solid Waste Division (SWD), Department of Natural Resources & Parks (DNRP)
Theresa Thurlow, P.E., Engineer Manager, SWD, DNRP
Jamey Barker, P.E., Engineer IV, SWD, DNRP

Jerome Cruz
March 30, 2023
Page 2

Marisa Baptiste, Engineer III, SWD, DNRP
Eric W. Ferguson, L.H.G., L.G., Water Quality Planner III, Science and Technical
Support Section, Water and Land Resources Division
Jennifer Keune, Interim Supervisor Environmental/Permit Compliance, SWD, DNRP
Naima Rushiddin, Records Management Specialist, SWD, DNRP



King County

Solid Waste Division

Department of Natural Resources and Parks

King Street Center

201 South Jackson Street, Suite 5701

Seattle, WA 98104-3855

206-477-4466

711 TTY Relay

www.kingcounty.gov/solidwaste

March 30, 2023

Tim O'Connor, Hydrogeologist III
Washington State Department of Ecology
Northwest Regional Office
15700 Dayton Ave N
Shoreline, WA 98133

RE: King County Vashon Island Closed Landfill 2022 Annual Groundwater Data Evaluation Report


Dear Mr. O'Connor:

The purpose of this letter is to transmit the *King County Vashon Island Closed Landfill 2022 Annual Groundwater Data Evaluation Report*. The potentiometric maps and groundwater velocity calculations that have been included in the report were sealed by a licensed hydrogeologist and have been previously submitted with quarterly reports. This report also includes an executive summary, site specific summary, exceedances table, trend test table, time-concentration plots of parameters of interest, and descriptive statistics summary table.

The 2022 Annual Report has been updated to include environmental data collected through December 2022.

If you have questions or need additional information, please contact me at 206-263-0518, or via email at adscott@kingcounty.gov.

Sincerely,

DocuSigned by:

14908FAE672E464...

Adrienne M. Scott
Engineer III - Geologist

Enclosures

Tim O'Connor
March 30, 2023
Page 2

cc: Jerome Cruz, Environmental Scientist III, Environmental
Health Division, Public Health – Seattle & King County
Alan Noell, PhD., P.E., Solid Waste Program, Washington State Department of
Ecology
Glynda Steiner, P.E., CCM, Deputy Division Director, Solid Waste Division (SWD),
Department of Natural Resources & Parks (DNRP)
Theresa Thurlow, P.E., Engineer Manager, SWD, DNRP
Jamey Barker, P.E., Engineer IV, SWD, DNRP
Marisa Baptiste, Engineer III, SWD, DNRP
Eric W. Ferguson, L.H.G., L.G., Water Quality Planner III, Science and Technical
Support Section, Water and Land Resources Division
Jennifer Keune, Interim Supervisor Environmental/Permit Compliance, SWD, DNRP
Naima Rushiddin, Records Management Specialist, SWD, DNRP

KING COUNTY VASHON ISLAND CLOSED LANDFILL

2022 ANNUAL GROUNDWATER DATA EVALUATION REPORT



King County

Department of
Natural Resources and Parks
Solid Waste Division

Serving
Community ● *Protecting*
Environment ● *Operating*
Excellence


March 2023


www.kingcounty.gov/solidwaste

CERTIFICATION

KING COUNTY VASHON ISLAND CLOSED LANDFILL 2022 ANNUAL GROUNDWATER DATA EVALUATION REPORT CERTIFICATION

I certify in accordance with the requirements of WAC 173-351-400(c) (3), that the contents of this document were prepared under my direction or supervision under a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Where applicable, some specific and related hydrogeologic portions have been duly certified by the responsible groundwater scientist. Based on my inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.


| | | |
|---|---|--|
| Name: Jamey Barker, P.E. | Title: Supervising Engineer, Facility Engineering and Science Section | Date: March 30, 2023 |
| Mailing Address: Solid Waste Division King County Department of Natural Resources & Parks 201 South Jackson Street, Suite 701 Seattle, WA 98104-3855 | | Telephone Number: 206-477-4625 |
| Signature:  3/30/2023 | | |




CERTIFICATION

KING COUNTY VASHON ISLAND CLOSED LANDFILL 2022 ANNUAL GROUNDWATER DATA EVALUATION REPORT CERTIFICATION

I certify in accordance with the requirements of WAC 173-351-400(c) (3), that the contents of this document were prepared under my direction or supervision under a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Where applicable, some specific and related hydrogeologic portions have been duly certified by the responsible groundwater scientist. Based on my inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

| | | |
|--|---|--|
| Name: Eric W. Ferguson, LHG, LG | Title: Water Quality Planner – Hydrogeologist; Science and Technical Support Section | Date: March 30, 2023 |
| Mailing Address: Water and Land Resources Division King County Department of Natural Resources & Parks 201 South Jackson Street, Suite 600 Seattle, WA 98104-3855 | | Telephone Number: 206-477-4690 |
| Signature:  | | |





CHECKLIST FOR GROUNDWATER REPORTING
Municipal Solid Waste Landfills
WAC 173-351-415

Include a signed, completed copy of this checklist with each quarterly and annual report.

Quarterly groundwater reports shall be submitted to the jurisdictional health department and Ecology within 60 days of receipt of analytical data. Annual groundwater reports shall be submitted to the jurisdictional health department and Ecology by April 1 of each year.

| 1 st _____ 2 nd _____ 3 rd _____ 4 th <input checked="" type="checkbox"/> _____ YEAR: 2022 | Reference (section, subsection) | Included in this report | Location – section or appendix |
|--|---------------------------------------|-------------------------------------|--|
| Quarterly Groundwater Reports: 173-351-415(2) plus the referenced sections | | | |
| Statistical calculations and summaries | | | |
| Statistical tests | 420, (2) | <input checked="" type="checkbox"/> | Tables 3-2, 3-3, 3-5; Appendix B |
| Notification of statistical increase (if applicable) | 430, (4) | <input checked="" type="checkbox"/> | Sect 4.3.3, 4.4.3, 4.4.4, 4.5.3, 4.6.3 & 4.6.4 |
| Notification of concentrations above Chapter 173-200 WAC criteria (if any) | 430, (4) | <input checked="" type="checkbox"/> | Appendix B |
| Static water level readings | 415, (2) | <input checked="" type="checkbox"/> | Appendix H |
| Potentiometric surface elevation maps depicting flow direction | 415, (2) | <input checked="" type="checkbox"/> | Appendix G |
| Flow rate – calculated | 415, (2) | <input checked="" type="checkbox"/> | Appendix G |
| Cation-anion balances | 430, (5a) | <input checked="" type="checkbox"/> | Appendix I |
| Explanation of greater than 5% (or 10%) difference (if needed) | 430, (5a) | <input checked="" type="checkbox"/> | Sect 4.3.2, 4.4.2, 4.5.2, & 4.6.2 |
| Trilinear diagrams | 430, (5b) | <input checked="" type="checkbox"/> | Appendix I |
| Leachate analyses (if sampled and tested) | 415, (2) | <input checked="" type="checkbox"/> | Appendix K |
| Data entered into EIM database (date entered by: 05/17/2022) | 415, (3) | <input checked="" type="checkbox"/> | |
| Annual Groundwater Reports: 173-351-415(1) YEAR: 2022 | | | |
| Summary of statistical results and trends | 415, (1) | <input checked="" type="checkbox"/> | Tables 3-1, 3-2, 3-3, 3-5, and 3-6 |
| Descriptive statistics | 420, (1) | <input checked="" type="checkbox"/> | |
| Summary of groundwater flow rate and direction for the year | 415, (1) | <input checked="" type="checkbox"/> | Appendix G |
| Copy of all potentiometric maps for the year | 415, (1) | <input checked="" type="checkbox"/> | Appendix G |
| Summary geochemical evaluation | 415, (1) | <input checked="" type="checkbox"/> | Section 4 |
| For Quarterly and Annual Reports | | | |
| Stamped by a licensed professional | RCW 18.220 | <input checked="" type="checkbox"/> | |

DocuSigned by:

14908FAE672E464...

Signature of Report Author

March 30, 2022

Date

King County Vashon Island Closed Landfill

Landfill

If you need this publication in an alternate format, please call the Waste 2 Resources Program at (360) 407-6900. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

**KING COUNTY
VASHON ISLAND CLOSED LANDFILL**

**2022 ANNUAL GROUNDWATER DATA
EVALUATION REPORT**

**King County Department of Natural Resources & Parks
Solid Waste Division, Facility Engineering & Science Section**

March 2023

TABLE OF CONTENTS

| | |
|---|------------|
| TABLE OF CONTENTS..... | I |
| LIST OF FIGURES | III |
| LIST OF TABLES | IV |
| LIST OF APPENDICES | V |
| EXECUTIVE SUMMARY..... | VI |
| 1. PURPOSE | 1-1 |
| 2. INTRODUCTION | 2-1 |
| 2.1. SITE LOCATION AND REGIONAL SETTING..... | 2-1 |
| 2.2. SITE HISTORY | 2-1 |
| 2.3. 2021 INVESTIGATIONS AND SITE IMPROVEMENTS..... | 2-2 |
| 3. EVALUATION METHODS..... | 3-1 |
| 3.1. GROUNDWATER ELEVATIONS AND FLOW DIRECTION..... | 3-1 |
| 3.2. TRILINEAR DIAGRAMS AND ION BALANCE | 3-2 |
| 3.3. GROUNDWATER AND SURFACE WATER EXCEEDANCES..... | 3-2 |
| 3.4. VOLATILE ORGANIC COMPOUND DETECTIONS | 3-2 |
| 3.5. PREDICTION LIMIT EXCEEDANCES | 3-3 |
| 3.6. STATISTICAL AND TREND ANALYSES | 3-4 |
| 3.6.1. <i>Descriptive Statistics</i> | 3-4 |
| 3.6.2. <i>Trend Analysis</i> | 3-4 |
| 3.7. DATA QUALITY | 3-5 |
| 4. RESULTS AND DISCUSSION..... | 4-1 |
| 4.1. GROUNDWATER | 4-1 |
| 4.2. GROUNDWATER IN UNIT B | 4-1 |
| 4.2.1. <i>Groundwater Elevations and Flow Direction</i> | 4-1 |
| 4.3. GROUNDWATER IN CHANNEL Cc1..... | 4-2 |
| 4.3.1. <i>Groundwater Elevations and Flow Direction</i> | 4-2 |
| 4.3.2. <i>Trilinear Diagrams and Ion Balance</i> | 4-2 |
| 4.3.3. <i>Groundwater Exceedances</i> | 4-2 |
| 4.3.1. <i>Volatile Organic Compounds Detections</i> | 4-2 |
| 4.3.2. <i>Statistical and Trends Analyses</i> | 4-3 |
| 4.3.3. <i>Summary</i> | 4-3 |
| 4.4. GROUNDWATER IN CHANNEL Cc2 | 4-3 |
| 4.4.1. <i>Groundwater Elevations and Flow Direction</i> | 4-4 |
| 4.4.2. <i>Trilinear Diagrams and Ion Balance</i> | 4-4 |
| 4.4.3. <i>Groundwater Exceedances</i> | 4-4 |
| 4.4.4. <i>Prediction Limits Exceedances</i> | 4-5 |
| 4.4.5. <i>Volatile Organic Compound Detections</i> | 4-5 |
| 4.4.6. <i>Statistical and Trends Analyses</i> | 4-5 |
| 4.4.7. <i>Appendix III Sampling</i> | 4-6 |
| 4.4.8. <i>Summary</i> | 4-6 |
| 4.5. GROUNDWATER IN CHANNEL Cc3..... | 4-7 |
| 4.5.1. <i>Groundwater Elevations and Flow Direction</i> | 4-7 |
| 4.5.2. <i>Trilinear Diagrams and Ion Balance</i> | 4-7 |
| 4.5.3. <i>Groundwater Exceedances</i> | 4-7 |
| 4.5.4. <i>Volatile Organic Compounds Detections</i> | 4-8 |
| 4.5.5. <i>Statistical and Trends Analyses</i> | 4-8 |
| 4.5.6. <i>Summary</i> | 4-8 |

| | | |
|-----------|--|------------|
| 4.6. | GROUNDWATER IN THE UNIT D AQUIFER | 4-8 |
| 4.6.1. | <i>Groundwater Elevations and Flow Direction</i> | 4-9 |
| 4.6.2. | <i>Trilinear Diagrams and Ion Balance</i> | 4-9 |
| 4.6.3. | <i>Groundwater Exceedances</i> | 4-9 |
| 4.6.4. | <i>Prediction Limits Exceedances</i> | 4-9 |
| 4.6.5. | <i>Volatile Organic Compounds Detections</i> | 4-10 |
| 4.6.6. | <i>Statistical and Trends Analyses</i> | 4-10 |
| 4.6.7. | <i>Summary</i> | 4-11 |
| 4.7. | WEIR AND SURFACE WATER QUALITY | 4-11 |
| 4.7.1. | <i>Surface Water Exceedances</i> | 4-11 |
| 4.7.2. | <i>Volatile Organic Compound Detections</i> | 4-12 |
| 4.7.3. | <i>Statistical Analysis</i> | 4-12 |
| 4.7.4. | <i>Summary</i> | 4-12 |
| 4.8. | OFFSITE DOMESTIC WELL MONITORING | 4-12 |
| 5. | LEACHATE | 5-1 |
| 6. | LANDFILL GAS | 6-1 |
| 7. | CONCLUSIONS AND RECOMMENDATIONS | 7-1 |
| 7.1. | CONCLUSIONS | 7-1 |
| 7.2. | RECOMMENDATIONS/PROPOSED ACTIONS | 7-1 |
| 8. | REFERENCES | 8-1 |

LIST OF FIGURES

| | |
|-----------|---|
| Figure 1 | Vashon Island Closed Landfill Vicinity Map |
| Figure 2 | Groundwater Monitoring Well Locations |
| Figure 3 | Surface Water Monitoring Well Locations |
| Figure 4 | Vashon Island Closed Landfill Private Wells |
| Figure 5 | Vashon Island Closed Landfill Leachate Control System |
| Figure 6 | Landfill Gas Collection and Monitoring Systems |
| Figure 7 | Water Level Elevations in Unit B Aquifer |
| Figure 8 | Water Level Elevations in Channel Cc1 |
| Figure 9 | Water Level Elevations in Channel Cc2 |
| Figure 10 | Water Level Elevations in Channel Cc3 |
| Figure 11 | Water Level Elevations in Unit D Aquifer |

LIST OF TABLES

| | |
|-----------|--|
| Table 2-1 | Significant Maintenance Activities Summary 2022 |
| Table 2-2 | Previous Investigations and Site Improvements |
| Table 2-3 | Vashon Island Closed Landfill Groundwater Monitoring Well Completion Details |
| Table 3-1 | Summary of Statistical Analyses for Groundwater Well Samples |
| Table 3-2 | Summary of Trend Results for Groundwater Well Samples Summary of Trend Analysis |
| Table 3-3 | Summary of Trend Analyses for Groundwater Well Samples Groundwater Trends in Individual Wells |
| Table 3-4 | Summary of Statistical Analyses for West Hillside Seep/Weir Surface Water Samples |
| Table 3-5 | Summary of Statistical Analyses for Appendix III Analytes |
| Table 3-6 | Summary of Trend Analyses for Appendix III Analytes |
| Table 4-1 | Comparison of Background Conditions and Unit D Aquifer |

LIST OF APPENDICES

| | |
|-------------------|---|
| Appendix A | Standards, Qualifiers, and Prediction Limits |
| Appendix B | Exceedance Reports Summary of Groundwater Quality Criteria Exceedances Summary of Groundwater Prediction Limit Exceedances Summary of Groundwater Volatile Organic Compound Detections Exceedances Summary of Surface Water Monitoring Location Exceedances vs. Surface Water Quality Standards |
| Appendix C | Time Concentration Plots for Groundwater in Channel Cc1 |
| Appendix D | Time Concentration Plots for Groundwater in Channel Cc2 |
| Appendix E | Time Concentration Plots for Groundwater in Channel Cc3 |
| Appendix F | Time Concentration Plots for Groundwater in Unit D Aquifer |
| Appendix G | Groundwater Velocity Calculations and Potentiometric Maps |
| Appendix H | Groundwater Monitoring Data |
| Appendix I | Ion Balance Summary & Trilinear Diagrams |
| Appendix J | Surface Water Monitoring Data |
| Appendix K | Leachate Monitoring Data |
| Appendix L | Landfill Gas Monitoring Data |
| Appendix M | Financial Summary |

EXECUTIVE SUMMARY

This report presents the results of statistical analyses on the groundwater monitoring data collected at the Vashon Island Closed Landfill (VLF) from January 1986 through December 2022 per Washington Administrative Code (WAC) 173-351 and King County Solid Waste Code, Chapter 10.04. The fourth quarter 2022 data is presented in the following appendices: Appendix B: Exceedance Reports, Appendix G: Groundwater Velocity Calculations and Potentiometric Maps, Appendix H: Groundwater Monitoring Data, Appendix I: Ion Balance Summary & Trilinear Diagrams, Appendix J: Surface Water Monitoring Data, Appendix K: Leachate Monitoring Data, and Appendix L: Landfill Gas Monitoring Data.

The Financial Assurance information in this document (included in Appendix M) presents the authorized 2023-2024 budget for the VLF. The financial information is presented in a format, which responds to the regulatory request for financial assurance and will be updated based on a remedial investigation and feasibility study ongoing for the landfill.

Landfilling was discontinued in August of 1999 with the final cover placement occurring in fall 2001. The landfill closure area is approximately 34 acres. The basic components of the cover system, from the top down, include vegetative layer, upper drainage layer, impervious layer consisting of high-density polyethylene (HDPE), and lower gravel drainage layer.

The groundwater monitoring wells on VLF penetrate two water-bearing zones, Unit C, including Channels Cc1, Cc2, and Cc3, and Unit D (Figure 2).

Channel Cc1 has two monitoring wells, MW-10, and MW-13, which are not considered to be impacted by landfilling activities. Monitoring wells MW-3 and MW-4 have reduced water volumes and do not always yield enough water to be sampled.

Monitoring wells in the groundwater perched in Channel Cc2 exhibit impacts from landfill activities, these monitoring wells include MW-2, MW-21, MW-33, and MW-35. Stronger reducing conditions are identified in monitoring wells MW-21, MW-33, and MW-35 than in monitoring well MW-2, consistent with historical conditions. Since the landfill was closed and capped, wells in Channel Cc2 have shown an overall reduction in volatile organic compounds (VOCs). Patterns observed for VOCs in monitoring wells MW-2, MW-21, MW-33, and MW-35 indicate landfill gas is the source of these groundwater impacts, which differs from other water quality parameters. In 2014, Channel Cc2 entered voluntary cleanup under the Washington State Model Toxics Control Act (MTCA).

There are two groundwater monitoring wells (MW-8 and MW-36) in Channel Cc3; the groundwater at both wells is of good quality with little evidence of landfilling impacts.

Conditions in the Unit D Aquifer show as being stable and do not indicate impacts attributable to landfill activities.

The landfill gas control system continues to be monitored. Two new direct drive blowers were installed in March of 2022 and active landfill gas collection has resumed after two years of being offline. There have been no methane detections at the compliance monitoring points since 2008.

Springs discharge on the hillslope to the west of Westside Highway SW. The water from these springs has been collected since 1991 at three weirs, SW-W1, SW-W2, and SW-W3. The only VOC detected with any frequency in the weirs is vinyl chloride. A surface water sampling location, SW-E was added to the sampling network in November of 2012 and sample results show that water quality is similar to SW-W1 with no VOC detections.

King County Solid Waste Division (KCSWD) monitors quarterly for groundwater, surface water, and leachate at VLF; monthly for landfill gas; and semiannually for offsite wells. KCSWD is currently reviewing the need for improvements to the engineering control systems for the landfill.

1. PURPOSE

The purpose of this report is to present the annual groundwater conditions at Vashon Island Closed Landfill (VLF) in compliance of the regulatory requirements of the Washington Administrative Code (WAC) 173-351, *Criteria for Municipal Solid Waste Landfills*.

2. INTRODUCTION

This is the 2022 Annual Groundwater Data Evaluation Report that presents the results of statistical analyses on the groundwater monitoring data collected at the VLF from January 1986 through December 2022. This annual report describes the hydrogeologic conditions at the landfill, presents the evaluated groundwater quality data collected from upgradient and downgradient monitoring wells, and the water quality data from seeps on the hillside to the west of the landfill. The data in this report are presented in compliance with Washington State Department of Ecology (Ecology) *Criteria for Municipal Solid Waste Landfills* (WAC 173-351-415), and the King County Code, *King County Solid Waste Regulations* (Title 10, Rules and Regulations No. 8).

In accordance with the annual reporting requirement of WAC 173-351, this annual report includes a discussion of maintenance activities at the site during 2022 (Table 2-1), surface water data (Appendix J), landfill gas data (Appendix L), and leachate data (Appendix K). This report also includes a summary of previous site investigations and ongoing efforts; a description of the location; a history of the landfill; evaluation methods; data quality; and results and discussion of groundwater flow and chemistry at the landfill. Planned future activities at the site are presented in Section 7. This report reflects the updated hydrogeological conceptual model (Aspect, 2020).

2.1. *SITE LOCATION and REGIONAL SETTING*

The VLF is located on a 54.3-acre King County owned parcel in the west central portion of Vashon Island (Figure 1). The landfill property is divided by Westside Highway SW. Most of the property exists in sparsely vegetated to unwooded, gently rolling terrain at elevations of 300 to 400 ft. The 39-acre area east of the highway is primarily unwooded open space and consists of 10.3 acres of municipal solid waste and 28.7 acres of landfill facilities. The 15.3-acre area west of the highway is steep, undeveloped, forested land sloping towards Colvos Passage, commonly referred to as the West Hillslope. The VLF property is bounded by Westside Highway Southwest and rural residential land to the northwest, by Southwest 184th Street to the north, by forested land and rural residential land to the east, and by rural residential land to the south (Figure 1). Vashon Island has a mild climate, tempered by the surrounding Puget Sound. Summers are cool and dry, while winters are moist and mild.

2.2. *SITE HISTORY*

Solid waste disposal began at the landfill property in the early 1900s. Operation of the landfill was assumed by the Solid Waste Division in the late 1950s, when daily cover, record keeping, and other updated solid waste management practices were initiated. The landfill was closed in two phases: a partial closure in 1988, in accordance with WAC 173-304, and a final closure in 2001, in accordance with WAC 173-351.

The 1988, Phase 1 closure occurred in the northwest portion of the landfill (approximately 2.3 acres). The closure included installation of a cover, a liner below the lateral expansion area, surface water management, leachate collection, and landfill gas collection systems. The selected design consisted of installing an impermeable composite liner (consisting of high density polyethylene (HDPE) geomembrane, low-permeability soil, geotextile, and foundation material/natural soil liner) over the existing refuse area; a passive gas collection system under this liner; a leachate collection and conveyance system; an aerated pretreatment lagoon; stormwater control facilities (ditches, culverts, and siltation and detention ponds); and a venting and treatment system of landfill gas. A liner for the future refuse area was installed. These improvements were completed in 1989.

Phase 2 closure began in August of 1999 with the discontinuation of material placement in the landfill and the installation of a temporary plastic cover over the refuse. Stormwater facility improvements were constructed during the summer and fall of 1999, including a detention pond in the southeast corner and an underground drain system around the perimeter of the landfill. The leachate collection and conveyance system were expanded before cap placement during the Phase 2 closure, and the leachate lagoon was constructed. Between 1996 and 2001, additional horizontal trench collectors between refuse lifts were connected into the existing active landfill gas collection system. The final cover placement occurred in the fall of 2001. The basic components of the cover system, from the top down, include a vegetative layer, upper drainage layer, impervious layer consisting of HDPE, and a lower gravel drainage layer. The combined Phase 1 and Phase 2 landfill closure area is approximately 10.3 acres.

2.3. 2022 INVESTIGATIONS and SITE IMPROVEMENTS

For a list of previous investigations at Vashon Island Closed Landfill see Table 2-2. In 2021, the Feasibility Study was started, as part of the independent cleanup for Channel Cc2 being conducted under the Model Toxics Control Act (WAC 173-340). The Feasibility Study Outline, after review by the Washington State Department of Ecology and Public Health-Seattle & King County, was finalized on June 30, 2021. Since finalization of the Feasibility Study Outline, the a draft scope of work has been written and is currently being refined.

For the 2022 site improvements see Table 2-1.

3. EVALUATION METHODS

The landfill environmental evaluation was conducted in accordance with WAC 173-351 and the *Environmental Monitoring Sampling and Analysis Plan and Quality Assurance Project Plan for Vashon Island Closed Landfill (SAP)*.

3.1. *GROUNDWATER ELEVATIONS and FLOW DIRECTION*

Groundwater levels in individual wells have been plotted as a function of time (Figures 7-11). Prior to May 2019, all vertical well data surveyed at Vashon Island Landfill used the National Geodetic Vertical Datum of 1929 (NGVD29). NGVD29 was superseded by the North American Vertical Datum of 1988 (NAVD88). During May 2019, groundwater monitoring wells were resurveyed using NAVD88 and beginning in July of 2019, water level elevations were calculated from the updated reference elevations. To correct groundwater elevations prior to July 2019, survey benchmark monuments were referenced via the National Geodetic Survey Data Explorer. Five benchmark monuments were listed within a 16,000 foot radius of Vashon Island Landfill (stations SY0637, and SY0640-SY0643); the stations show a mean and median 3.44 foot correction between NGVD29 and NAVD88 control survey markers (US Department of Commerce, 2023). Therefore, all groundwater elevations reported prior to July 2019 were corrected by increasing the historic elevations by 3.44 feet. Well completion details are listed in Table 2-3, and all screen intervals are in reference to the NAVD88, unless otherwise indicated.

Groundwater static water levels are reviewed each quarter. Inconsistencies with historical data are carefully reviewed and evaluated for accuracy. Since water levels are taken prior to sampling, this provides a second data point for quality control. Static groundwater elevation, also called hydraulic head, is calculated by subtracting static water level measurements from the reference point elevation (surveyed in NAVD88). The updated conceptual hydrogeologic model delineated groundwater monitoring wells into their respective water-bearing units (Aspect, 2020). Upgradient and downgradient wells were determined by the hydraulic head at each well relative to the waste unit and other wells in the same water-bearing unit; upgradient wells have higher hydraulic head measurements relative to downgradient wells.

Quarterly groundwater potentiometric surface maps are generated using Surfer, a gridding, contouring, and 3D surface mapping program. Surfer was used to interpolate and smooth the irregularly spaced three-dimensional groundwater elevation data into grid values that represent modeled hydraulic head values across each aquifer. Next, the grid values are used to generate equipotential contours that represent the groundwater potentiometric surface for each aquifer. The hydraulic gradient is the change in hydraulic head over a distance, and the maximum hydraulic gradient will be perpendicular to the potentiometric contours; therefore, the maximum gradient determines the direction of groundwater flow, with groundwater moving from high hydraulic head values to low hydraulic head values. Potentiometric surface maps and groundwater velocity calculations are included in Appendix G.

3.2. *TRILINEAR DIAGRAMS and ION BALANCE*

Geochemical data is presented on trilinear diagrams. Major cations and anions are plotted on individual triangles as percentages of total milliequivalents per liter (meq/L). These diagrams illustrate differences in major ion chemistry between groundwater samples and can be used to categorize water composition into identifiable groundwater types or hydrochemical facies. These hydrochemical facies reflect distinct compositions of cation and anion concentrations. The value of the diagram lies in describing relationships that exist among individual samples. Leachate from station LS-B is included on the trilinear diagram for comparison. Trilinear Diagrams prepared for the monitoring wells are included with ionic balance calculations in Appendix I.

Ion balances also provide information about the internal consistency of sample results. If the ion ratio is greater than ten percent, this is an indication of analytical error. When this disparity occurs, the individual results are reviewed, and any findings are included in this report. For the ion balance calculations non-detects values are evaluated as half the method detection limit.

3.3. *GROUNDWATER and SURFACE WATER EXCEEDANCES*

Groundwater quality monitoring results are compared to the *National Primary and Secondary Drinking Water Regulations* (40 CFR Parts 141 and 143; MCL) and *Water Quality Standards for Groundwaters of the State of Washington* (WAC 173-200; SGWC) found in Appendix A. Surface water quality monitoring results are compared to *Water Quality Standards for Surface Waters of the State of Washington* (WAC 173-201A) and *Water Quality Standards* (40 CFR Parts 131). Analytical results, not mean or median values, are compared to their respective standards. Exceedances are tabulated and reported in Appendix B and comply with the requirement in WAC 173-351-415(2)c to report concentrations above the MCL. In addition, not all parameters that are analyzed have standards.

In addition to providing information about the water quality relative to established standards, exceedances also provide a cursory evaluation of changes relative to historical data. When an established standard is exceeded for the first time or is a statistically significant increase compared to historical results, the data is reviewed more carefully.

3.4. *VOLATILE ORGANIC COMPOUND DETECTIONS*

All groundwater VOC detections are reported in Appendix B. Groundwater VOC detections are used as a groundwater quality evaluation method, since the majority of organic compounds are synthetic and occurrences in groundwater may be an indication of an impact from landfilling activities.

3.5. *PREDICTION LIMIT EXCEEDANCES*

The 2022 prediction limits are summarized in Appendix A. The prediction limit is a statistical interval calculated, during the first quarter, annually on past background samples to estimate future values. The data from monitoring wells screened within Unit D Aquifer are compared to the calculated intrawell prediction limits, and data from wells screened within Channel Cc2 are compared to interwell prediction limits calculated using data from upgradient monitoring well MW-20. Before calculating the Prediction Limit, the data set is tested for normality by application of the Shapiro-Wilk Test for Normality. If the data fail the test for normality, transformed data are tested. When normal or transformed normal data sets are determined, a parametric prediction limit is calculated, and future results compared to this value. The prediction limits generated for the annual report are based on a 5% false positive rate (type I error) and depend on the background distribution. If the normality test fails or if the dataset has fewer than 50% detections, then the prediction limit is calculated based on the maximum value from that dataset for the specific analyte. If the dataset is completely made up of non-detect data, then the current method detection limit is used as the prediction limit. For prediction limit calculations non-detects values are evaluated as half the method detection limit.

3.6. STATISTICAL AND TREND ANALYSES

3.6.1. Descriptive Statistics

Descriptive statistical summary tables are compiled for groundwater (Table 3-1) and surface water (Table 3-4). The data from each monitoring well or surface water stations are divided into two groups for evaluation. The first group consists of all data in the period of record, excluding the eight most recent analyses. The second group consists of the eight most recent analyses. Monitoring wells that have not produced sufficient water for eight samples in the last two years are compiled as a long-term trend only. Descriptive statistics describe general measures of a sample population, the extremes (maximum, minimum,) central tendencies (mean, median), and variability (standard deviation). These descriptive statistics are compared to historical values to identify any significant changes. For the descriptive statistics calculations non-detects values are evaluated as half the method detection limit.

For the purpose of discussion, the more recent period is considered to have more importance, both because of the timeliness of the data and improvements in the quality of the data. Although both means and medians are reported in the summary tables, medians are used in the text because they tend to be a more reliable measure of central tendency in the case of nonnormal distributions, particularly when there are outliers, as is the case here. Natural waters are commonly characterized by non-normal distributions.

3.6.2. Trend Analysis

The trend test tables are compiled for groundwater as a summary table (Table 3-2) and a detailed table (Table 3-3). Trend testing was accomplished by using the Mann-Kendall test for trend. The Mann-Kendall trend test involves listing the observations in temporal order and computing all differences that may be formed between measurements and earlier measurements. The test statistic is the difference between the number of strictly positive differences and the number of strictly negative differences. The tabulated results presented in a table in the annual report are: number of analyses, number of detections, direction of trend, probability, and significance of trend at a 95% confidence level. For the trend analysis, non-detects values are evaluated as half the method detection limit.

The trend test evaluates data for long-term trends, including historical data up to the last eight samples, and for short-term trends using the last eight samples. For wells with historical data beyond 50 samples, the most recent 50 samples are used in the long-term trend test. Monitoring wells that have not produced sufficient water for eight samples in the last two years are compiled for a long-term trend test only. For the purpose of discussion, the more recent period is considered to have more importance, both because of the timeliness of the data and improvements in the quality of the data.

3.7. DATA QUALITY

Five analytical labs have performed laboratory services for water samples collected at the VLF including Laucks from 1986 to March 1990, AmTest from March 1990 to April 1992, and Analytical Resources (ARI) from April 1992 to May 1995, Laucks again from May 1995 to April 2008, Pace from April 2008 to March 2009, and the King County Environmental Laboratory from April 2009 to current. All five laboratories have Washington State Department of Ecology accreditation through the Washington State Manchester Environmental Laboratory for the methods used at the time that the samples were analyzed.

Contamination of blanks has important ramifications for data quality. However, some compounds have high blank contamination rates for compounds, such as acetone, bis (2-ethylhexyl) phthalate, toluene, and methylene chloride. Although improvements have reduced the rate of blank contamination in the lab, blank samples that have a longer residence time in the laboratory still show elevated rates. Since the common laboratory contaminants do not provide the only evidence of landfill impacts, other volatile organic compounds are used for this evaluation. Other compounds, such as, sulfate, zinc, and iron have also been detected in blanks. These detections will be noted for the individual samples in which they have occurred. Some data, particularly concerning solvents, must be qualified based on blank contamination events and measures of precision and accuracy. All sample results qualified with a “B” have blank contamination associated with the analysis. (See Appendix B)

KCSWD conducts quality control and quality assurance (QA/QC) quarterly on analytical data. If the QA/QC process or any of the data evaluation methods above show any inconsistencies or outliers the lab is contacted and asked to verify results. Administrative errors, such as a sample switch, are corrected promptly. In some cases, the sample will be reanalyzed, and a new result provided. If no error can be identified by the lab, the monitoring location will be resampled. Results that are demonstrated to be incorrect are flagged as rejected in the database and data that is flagged rejected in the database is not used for data analysis.

There are instances where the limit of detection, because of technological limitations, is above the *National Primary and Secondary Drinking Water Regulations* and *Water Quality Standards for Groundwaters of the State of Washington* for groundwater or above the *Water Quality Standards for Surface Waters of the State of Washington* (WAC 173-201A) and *Water Quality Standards* (40 CFR Parts 131) for surface water. Because these concentrations are not quantifiable, they can be reported only qualitatively, as less than a reporting limit and are qualified accordingly. Another issue involving limits arises when the limits of detection or analytical sensitivity changes over time. This issue is especially noticeable for parameters such as chloride, where more recent samples show more fluctuations or definition on the graphs due to more significant figures (greater sensitivity) being reported. Other factors that may contribute to these changes may be due to dilution, or due to technical or contractual specifications such as technical advancements in instrumentation in the contractual laboratory industry. These changes must be kept in mind while reviewing data evaluation and conclusions; laboratory qualifiers can be found in Appendix A.

A notable change in 2017 involved the methodology for the analytical testing covered by SW-846 (Test Methods for Evaluating Solid Waste). The previous Method Detection Limit (MDL)

methodology was updated in 2017 to use the Lower Limit of Quantitation (LLOQ). The LLOQ is the lowest point on a calibration curve that can be used for quantification. It is a method that repeatedly tests and calibrates against known standards such as reagent water, method blanks, etc. Ultimately, the LLOQ's ability to detect an analyte at a specific concentration is dependent upon factors such as instrument sensitivity and can, at times, be greater than the baseline curve concentration.

4. RESULTS and DISCUSSION

4.1. GROUNDWATER

The updated hydrogeological conceptual model presents the latest interpretation of the hydrogeology, and that interpretation has been used in the preparation of potentiometric surface maps and calculations of groundwater velocities (Aspect, 2020). Monitoring well locations are shown on Figure 2. These monitoring wells penetrate four water-bearing zones (Channels Cc1, Cc2, and Cc3, and Unit D Aquifer).

Results for the groundwater quality beneath the VLF were derived from Channels Cc1, Cc2, Cc3, and the Unit D Aquifer. During the recent sampling period, eight samples were taken from each well, with the exceptions of monitoring wells MW-3 and MW-4. These wells have limited data because they are seasonally dry, have low production, or are slow to recover and did not yield adequate data for comprehensive analyses. Only long-term trend tests are available for the MW-3 and MW-4 wells.

It is also important to note that several compounds, in particular acetone, zinc, and methylene chloride, have been frequently detected in blanks and field samples at similar concentrations. The likely source of these compounds is laboratory contamination.

Iron, manganese, and arsenic occur naturally in groundwater of this region. The Washington State Department of Ecology conducted a background study on arsenic in groundwater and found for the Puget Sound basin the natural background is 0.008 mg/L or 8 µg/L (Ecology, 2016). Therefore, exceedances of the *Water Quality Standards for Groundwaters of the State of Washington* for these contaminants are believed to be representative of background groundwater quality unaffected by the VLF.

The pH field data for the period between late 1993 and early 1996 may not be reliable due to inconsistent field instrumentation.

4.2. GROUNDWATER in UNIT B

Previously, monitoring well MW-24 was considered to be screened in Channel Cc1, but information provided in the updated hydrogeological conceptual model placed this well in Unit B. Monitoring well MW-24 does not produce enough groundwater, in order to sample, so only water level measurements are taken (Figure 7).

4.2.1. Groundwater Elevations and Flow Direction

Groundwater elevation data for Unit B can be found in Figure 7 and Appendix H. Due to monitoring well MW-24 being the only well screened in Unit B, there is not enough water level elevation

data to calculate velocity and produce potentiometric maps for Unit B. Static water level data for monitoring well MW-24 is consistent with previous years.

4.3. GROUNDWATER in CHANNEL Cc1

There are four monitoring wells, MW-3, MW-4, MW-10, and MW-13, screened in Channel Cc1 deposits, previously described as monitoring groundwater perched above the lacustrine silt. Water levels and water quality in Channel Cc1 is consistent with previous years unless stated otherwise below.

4.3.1. Groundwater Elevations and Flow Direction

Groundwater elevation data for Channel Cc1 can found in Figure 8 and Appendix H. Historically, groundwater levels in the monitoring wells in Channel Cc1 have shown a variation from less than one foot to almost five feet with no marked seasonality. Due to minimal recharge rates in monitoring wells MW-3 and MW-4, there is not enough water level elevation data to calculate velocity and produce potentiometric maps for Channel Cc1. Field permeability tests performed by Harper-Owes (1986) indicated that the average permeability of sand in Channel Cc1 was approximately 4.3 ft/day.

4.3.2. Trilinear Diagrams and Ion Balance

The Channel Cc1 trilinear diagrams and ion balances are located in Appendix I for 2022. The trilinear diagrams for monitoring wells MW-3, MW-10, and MW-13 show the samples are within the same calcium-magnesium-bicarbonate hydrochemical facies as previous years. The cation-anion sums for monitoring wells MW-3, MW-4, MW-10 and MW-13 are less than 5 meq/L, and are below the ten percent difference threshold limit (Appendix I).

4.3.3. Groundwater Exceedances

Exceedances of the *Water Quality Standards for Groundwaters of the State of Washington* (SGWC) and *National Primary and Secondary Drinking Water Regulations* (MCL) are summarized in tables in Appendix B. Total arsenic exceeded the primary SGWC for all samples collected in Channel Cc1 during 2022 (Appendix B). There were no new or statistically significant increases in groundwater criteria exceedances for Channel Cc1 in 2022. Groundwater exceedances are consistent with previous years and are the result of background arsenic conditions.

4.3.1. Volatile Organic Compounds Detections

Groundwater VOC detections are summarized in tables in Appendix B. During 2022, there were two detections: cis-1,2-dichloroethene in monitoring well MW-4, and trichlorofluoromethane (qualified as 'JT') in monitoring well MW-3.

4.3.2. Statistical and Trends Analyses

Statistical and trend analysis results for Channel Cc1 are summarized in Tables 3-1, 3-2, and 3-3.

All short-term trends for monitoring wells MW-10 and MW-13 are stable.

Monitoring wells MW-3 and MW-4 do not have sufficient data in the past two years to run short-term statistical and trend analyses. Long-term trend analyses show that most analytes have declining or stable trends over the past 50 sampling event, except for pH, nitrate, total sodium, and total calcium for monitoring well MW-4.

4.3.3. Summary

Raw analytical groundwater data and time-concentration plots for monitoring wells in Channel Cc1 can be found in Appendices H and C, respectively.

During 2022, the groundwater quality for monitoring wells MW-10 and MW-13 is consistent with previous years, good with no indication of landfill impacts.

The long-term trends for monitoring wells MW-3 and MW-4 indicate that water quality is improving. Monitoring well MW-4 is screened across a silt contact and the well can act as a sump. Due to the poor sample quality in monitoring well MW-4, indicated by past ion balance and trilinear diagram changes, monitoring well MW-4 will only be sampled if the depth to water is less than 105.3 ft. (above the silt contact).

4.4. GROUNDWATER in CHANNEL Cc2

Monitoring wells MW-2, MW-9, MW-20, MW-21, MW-33, MW-35, and MW-37 monitor the groundwater perched within Channel Cc2. Monitoring wells MW-2, MW-20, MW-21, MW-33, and MW-35 are completed in continuous thin sand that correlates with the elevation and location of two of the seeps (seeps 2 and 3 or SW-S2 and SW-S3) on the west side of the landfill (King County, 2011). Monitoring well MW-5D was monitored quarterly beginning in 1986 and decommissioned in April 2015. Monitoring well MW-35 was installed in March of 2015, to replace monitoring well MW-5D and monitoring well MW-33 was installed in March of 2015, to better define groundwater quality in Channel Cc2. Monitoring well MW-37 was installed on May 18, 2022 to monitor the southern boundary of the site.

Groundwater in Channel Cc2 has been impacted by landfill gas (Aspect et. al., 2020). Remediation of Channel Cc2 is being addressed through an independent cleanup under the *Model Toxics Control Act* (WAC 173-340). The *Vashon Island Closed Landfill Remedial Investigation Report* (Aspect, 2020; Remedial Investigation) was finalized in November 2020. The Remedial Investigation will be used to prepare a Feasibility Study (FS) and to develop the Cleanup Action Plan. Water levels and water quality in Channel Cc2 is consistent with previous years unless stated otherwise below.

4.4.1. Groundwater Elevations and Flow Direction

Groundwater elevation data for Channel Cc2 can found in Figure 9 and Appendix H. Quarterly velocity calculations and potentiometric maps are attached in Appendix G.

In 2022, water level fluctuations in monitoring wells MW-2, MW-9, MW-20, MW-21, MW-33, MW-35, and MW-37 were less than one foot (Figure 9). This low or lack of response to the annual cycle of wet and dry seasons can be explained by the landfill location, which is in an area where significant recharge to the aquifer does not occur (Carr, 1983). Relatively low-permeability surficial deposits (till) and partial landfill closures in 1989 and 1999 contribute to the lack of significant recharge. The Cc2 channel deposit is a perched water-bearing zone that is not laterally extensive across the site and the water levels generally indicate unconfined groundwater conditions (Aspect, 2020).

4.4.2. Trilinear Diagrams and Ion Balance

The Channel Cc2 trilinear diagrams and ion balances are located in Appendix I for 2022. The trilinear diagram shows all the samples to be within the same calcium-magnesium-bicarbonate hydro-chemical facies, as they have been in past samples for these wells. Monitoring wells MW-2, MW-21, MW-33, and MW-35 continue to be characterized by more dominant bicarbonate-carbonate characteristics. Well MW-37 has exhibited dominant bicarbonate-carbonate characteristics since installation in May 2022. The cation-anion sums for wells MW-2, MW-21, MW-33, and MW-37 meet the percent difference threshold limits for all of 2022 (Appendix I).

Groundwater Monitoring well MW-35 has a total cation-anion sum greater than 5 meq/L and exceeds the five percent difference threshold during the first, second, and fourth quarter of 2022. Although well MW-35 exceeds the percent difference threshold, it is likely that the laboratory results are valid given the consistency of the results. Well MW-35 exhibits elevated trace metals and metalloids such as arsenic, iron, and manganese. It is likely that the presence of the trace metals and metalloids has affected the ion balance calculation (discussed further in Sections 4.4.3 - 4.4.8).

4.4.3. Groundwater Exceedances

Exceedances of the SGWC and MCL are summarized in tables in Appendix B. There were no statistically significant increases in groundwater criteria exceedances for Channel Cc2 in 2022.

Monitoring wells MW-2 and MW-20 exhibited new bis(2-ethylhexyl)phthalate exceedances during the fourth quarter of 2022. All fourth quarter 2022 bis(2-ethylhexyl)phthalate results were flagged by the laboratory as estimates with high bias; additionally, the constituent is a common laboratory contaminant. Groundwater exceedances are consistent with previous years and are the result of landfill gas impacts.

4.4.4. Prediction Limits Exceedances

Exceedances of the interwell prediction limits are summarized in tables in Appendix B. The prediction limits in for monitoring wells in Channel Cc2 are compared to upgradient monitoring well MW-20.

During 2022, newly installed monitoring well MW-37 exhibited prediction limit exceedances for nitrate, total suspended solids, total calcium, and total sodium. Excluding well MW-37, there were no new prediction limit exceedances for Channel Cc2 in 2022 and there were no prediction limit exceedances for total cobalt, which was exceeded during 2021. Prediction limit exceedances are consistent with previous years and are the result of landfill gas impacts.

4.4.5. Volatile Organic Compound Detections

Groundwater VOC detections are summarized in tables in Appendix B. Detections of VOCs in 2022 were consistent with previous years for samples collected from Channel Cc2 and are the result of landfill gas impacts.

4.4.6. Statistical and Trends Analyses

Statistical and trend analysis results for Channel Cc2 are summarized in Tables 3-1, 3-2, and 3-3.

There was a statistically significant short-term increasing trend for cis-1,2-dichloroethene in monitoring well MW-2 during 2022 (Tables 3-2 and 3-3). The short term mean value is lower than the long term mean value (Table 3-1), and the increasing trend is not believed to represent a new landfill impact.

There was a statistically significant short-term increasing trend for nitrate and total magnesium in monitoring well MW-9 (Tables 3-2 and 3-3). These increasing trends are not believed to represent changing conditions in monitoring well MW-9. Nitrate concentrations are more than an order of magnitude lower than the SGWC of 10 mg/L (Table 3-1), and there is no SGWC for magnesium. The increasing trends do not coincide with any increases in chloride concentrations, which would be indicative of a leachate impact.

All other Channel Cc2 short-term trend analysis results showed to be either stable or decreasing.

4.4.7. Appendix III Sampling

In 2021, KCSWD added five appendix III analytes (2,4,5-TP Silvex, 2-methyl-1-propanol, bis(2-chloroethyl) ether, bis(2-ethylhexyl) phthalate, and diethyl phthalate) to the quarterly monitoring program for Channel Cc2 (not including monitoring well MW-9). These five analytes were previously detected during appendix III sampling. Exceedances of the SGWC and MCL for these analytes are summarized in tables in Appendix B. Statistical (Table 3-5) and trend analyses (Table 3-6) were conducted on the 2021 and 2022 results. These new analytes will be added to the prediction limit exceedance check in 2023. Full appendix III sampling will be conducted again in 2024.

4.4.8. Summary

Raw analytical groundwater data and time-concentration plots for monitoring wells in Channel Cc2 can be found in Appendices H and D, respectively.

The 2022 groundwater quality for monitoring wells MW-9 and MW-20 is consistent with previous years and appear to be of good quality with little evidence of landfilling impacts.

The redox condition of groundwater controls the mobility, persistence, and fate of anthropogenic and natural groundwater contaminants. Water with more dissolved oxygen is considered aerobic (or oxic), and water with less dissolved oxygen is considered anaerobic (or reduced). Redox state is generally inferred from groundwater quality data in an effort to characterize the predominant redox processes occurring in situ. Under aerobic aquifer conditions, constituents such like uranium, selenium, and nitrate are expected to have elevated concentrations. In strongly reducing or anaerobic environments, elevated dissolved methane concentrations can reduce carbon dioxide which may enhance dissolution of redox-sensitive constituents like sulfur, iron, manganese, and arsenic. In western Washington, where Vashon Island Landfill is located, the host aquifer rocks naturally contain higher concentrations of arsenic and manganese; reduced groundwater conditions react with the aquifer materials and arsenic and manganese is released from the aquifer.

In general, conditions in monitoring well MW-2 appear to be more oxidizing than other wells in Channel Cc2. This environment is characterized by lower levels of iron and ammonia, absence of manganese, and higher levels of nitrate. Oxidizing conditions decrease the mobility of arsenic, due to adsorption to ferric hydroxides.

The redox conditions in monitoring wells MW-21, MW-33, and MW-35 are more reducing, determined by lower levels of nitrate, and higher levels of iron, manganese, and ammonia. Reducing conditions increase the mobility of arsenic, which result in higher concentrations of arsenic in these monitoring wells.

Groundwater conditions in Channel Cc2 are consistent with previous years. Impact from landfill activities is evident in monitoring wells MW-2, MW-21, MW-33, and MW-35. Historically, there was evidence of impacts from leachate; however, declines in concentration of general water

quality indicators (specific conductance, dissolved solids, chlorides, metals, etc.) suggest that leachate impacts have been controlled with closure. Current groundwater impacts in Channel Cc2 are the result of landfill gas (Aspect et. al., 2020). In 2014, Channel Cc2 was entered into voluntary cleanup under MTCA. These evaluations will aid in determining if any additional improvements are needed.

4.5. GROUNDWATER in CHANNEL Cc3

Monitoring wells MW-8 and MW-36 monitor the groundwater in Channel Cc3. Monitoring well MW-14 was decommissioned in April of 2015 and monitoring well MW-27, which was previously thought to be screened in both Channel Cc3 and Unit D Aquifer, was decommissioned in July of 2016. The updated hydrogeological model shows monitoring well MW-27 had been fully screened in Unit C (Figure 10). Monitoring well MW-36, which replaced monitoring well MW-14, was commissioned in April of 2015.

4.5.1. Groundwater Elevations and Flow Direction

Groundwater elevation data for Channel Cc3 can found in Figure 10 and Appendix H.

Monitoring wells MW-8 and MW-36 are screened within the coarser sand deposit of Channel Cc3. Monitoring well MW-8 was previously considered to not be hydraulically equivalent to groundwater in either Cc2 nor Cc3 and to be screened along a flow path from Cc2 to Cc3. The updated hydrogeological conceptual model (Aspect et. al., 2020), shows that monitoring wells MW-8, MW-36, and decommissioned wells MW-14 and MW-27 are fully screened within Cc3 and that there is limited hydraulic interconnection between Channels Cc2 and Cc3.

Annual water-level fluctuations in the monitoring wells MW-8 and MW-36 are usually within an annual range of about one foot. There is not enough water level data in Channel Cc3, with only two wells, to produce potentiometric maps and water velocities.

4.5.2. Trilinear Diagrams and Ion Balance

The Channel Cc3 trilinear diagrams and ion balances are located in Appendix I for 2022. The trilinear diagram shows all the samples to be within the same calcium-magnesium-bicarbonate hydro-chemical facies, as they have been in past samples for these wells. The cation/anion ratio for the wells in this channel was within ten percent (Appendix I) for all of 2022. The reported results are sufficient for characterization.

4.5.3. Groundwater Exceedances

Exceedances of the SGWC and MCL are summarized in tables in Appendix B. Total arsenic exceeded the primary SGWC for all samples collected in Channel Cc3 during 2022 (Appendix

B). There were no new or statistically significant increases in groundwater criteria exceedances for Channel Cc3 during 2022. Groundwater exceedances are consistent with previous years and are the result of background arsenic conditions.

4.5.4. Volatile Organic Compounds Detections

There were no VOCs detected this year in Channel Cc3 samples.

4.5.5. Statistical and Trends Analyses

Statistical and trend analysis results for Channel Cc3 are summarized in Tables 3-1, 3-2, and 3-3.

There were statistically significant short-term increasing trends for nitrate and arsenic in monitoring well MW-8 during 2022. These increasing trends are not believed to represent a new landfill impact. The nitrate short-term median value is less than the long-term median value (see Table 3-1) and is significantly lower than the primary SGWC of 10 mg/L.

There was a statistically significant short-term increasing trend for nitrate in monitoring well MW-36. This increasing trend is not believed to represent changing conditions in monitoring well MW-36. Nitrate values at well MW-36 are more than two orders of magnitude below the 10 mg/L SGWC. Additionally, this increasing trend does not coincide with any increases in chloride concentrations, which would be more indicative of leachate impacts.

All other Channel Cc3 short-term trend analysis results showed to be either stable or decreasing.

4.5.6. Summary

Raw analytical groundwater data and time-concentration plots for monitoring wells in Channel Cc3 can be found in Appendices H and E, respectively.

The 2022 groundwater quality within monitoring wells in Channel Cc3 is consistent with previous years and appear to be of good quality with little evidence of landfilling impacts.

4.6. GROUNDWATER in the UNIT D AQUIFER

Monitoring wells MW-7, MW-12, MW-19, MW-26, MW-29, and MW-34 monitor the groundwater in the Unit D Aquifer. Monitoring well MW-11 was damaged during the Nisqually earthquake and decommissioned in 2003. Monitoring well MW-25 was installed in 2003 to replace monitoring well MW-11. However, the screen failed during installation and the well cannot be developed. The well has been left in place for use for water level measurements only. Monitoring well MW-29 was subsequently installed in 2003 as the new replacement well for

monitoring well MW-11. Monitoring well MW-28 has been dry since installation and was decommissioned on May 6, 2022.

4.6.1. Groundwater Elevations and Flow Direction

Groundwater elevation data for the Unit D Aquifer can be found in Figure 11 and Appendix H. Quarterly velocity calculations and potentiometric maps are attached in Appendix G.

Construction differences make the determination of groundwater gradients and flow direction difficult in the area monitored by these wells. The average screened depth below the water table in the wells ranges from near zero in monitoring wells MW-26 and MW-29 to more than 30 ft. in monitoring wells MW-7, MW-12, and MW-34.

The general flow direction in the Unit D Aquifer is away from MW-7 southwest towards MW-12, northwest towards MW-19, and northeast towards MW-25 (Appendix G). The water fluctuations for the monitoring wells are less than two ft. in 2022, and without considerable seasonal trends (Figure 11). This lack of response to the annual cycle of wet and dry seasons can be explained by the landfill location, which is in an area where there is insignificant recharge to the aquifer (Carr, 1983); which is attributable to relatively low-permeability surficial deposits (till) and landfill closures.

4.6.2. Trilinear Diagrams and Ion Balance

The Unit D Aquifer trilinear diagrams and ion balances are located in Appendix I for 2021. The trilinear diagram shows all samples are within the same calcium-magnesium-bicarbonate hydrochemical facies. During 2022, the cation/anion for the wells in this zone are within ten percent (Appendix I), which is sufficient for characterization.

4.6.3. Groundwater Exceedances

Exceedances of the SGWC and MCL are summarized in tables in Appendix B. Total arsenic exceeded the primary SGWC for all samples collected in the Unit D Aquifer during 2022 and one sample collected from monitoring well MW-29 exceeded the primary MCL for total arsenic (Appendix B). There were no new or statistically significant increases in groundwater criteria exceedances for Unit D Aquifer in 2022. Groundwater exceedances are consistent with previous years and are the result of background arsenic conditions.

4.6.4. Prediction Limits Exceedances

Exceedances of the intrawell prediction limits are summarized in tables in Appendix B.

Monitoring well MW-7 exhibited intrawell prediction limit exceedances of total solids, total dissolved solids, total arsenic, and total barium during 2022; of these constituents, total barium,

and total solids are not new exceedances and have sporadically exceeded their respective intrawell prediction limits over the past five years. Well MW-7 has entered retesting protocol, all other wells have been removed from retesting protocol.

During third quarter 2022, well MW-12 exceeded the intrawell prediction limits for dissolved iron and dissolved manganese, and well MW-26 exceeded the intrawell prediction limit for ammonia.

Excluding the aforementioned prediction limit exceedances, there were no other prediction limit exceedances for the Unit D aquifer during 2022.

4.6.5. Volatile Organic Compounds Detections

There were no VOCs detected this year in Unit D samples.

4.6.6. Statistical and Trends Analyses

Statistical and trend analysis results for the Unit D Aquifer are summarized in Tables 3-1, 3-2, and 3-3.

There were statistically significant short-term increasing trends for nitrate, total arsenic, and total iron at monitoring well MW-7. Since arsenic and iron are naturally occurring in the environment, the increasing trends for total arsenic and total iron may reflect the elevated total solids in the well (denoted in Section 4.6.4 of this report). The nitrate short-term median value is less than the long-term value, and nitrate results at MW-7 are approximately three orders of magnitude smaller than the 10 mg/L SGWC. These increasing trends are not believed to represent a new landfill impact, as arsenic and iron are both naturally occurring in the environment.

There was a statistically significant short-term increasing trend for pH in monitoring well MW-12. The pH short-term median value is less than the long-term median value (see Table 3-1), and the increasing trend is not believed to be indicative of changing groundwater conditions since there are no other increasing trends at well MW-12.

There was a statistically significant short-term increasing trend for dissolved iron in monitoring well MW-26. This increasing trend is not believed to represent changing conditions in monitoring well MW-26, since iron is naturally occurring in the environment. The dissolved iron short-term mean value is less than the long-term mean value (see Table 3-1) and both are less than the secondary SGWC of 0.3 mg/L.

There was a statistically significant short-term increasing trend for nitrate and total arsenic in monitoring well MW-34. The nitrate short-term median value is less than the long-term value, and nitrate results at MW-34 are approximately lower than the 10 mg/L SGWC. The increasing trend of arsenic is not believed to represent a new landfill impact, since arsenic occurs naturally in the environment.

All other Unit D Aquifer short-term trend analysis results showed to be either stable or decreasing.

4.6.7. Summary

Raw analytical groundwater data and time-concentration plots for monitoring wells in Unit D Aquifer can be found in Appendices H and F, respectively.

Table 4-1 presents a water quality comparison of background conditions and the Unit D Aquifer characterized beneath the Vashon Landfill. VOCs are not summarized due to the absence of detections in these wells.

Conditions present in wells in the Unit D Aquifer do not indicate impacts attributable to landfill activities. The water quality in this unit is good and is believed to represent natural conditions.

4.7. WEIR and SURFACE WATER QUALITY

The seeps and weirs are located on the western ravine adjacent to the landfill (Figure 3). Identified seeps (SW-S1, SW-S2, SW-S3, SW-S4, and SW-S5) are monitored by downstream weir sampling locations SW-W1, SW-W2 and SW-W3. Surface water sampling location SW-E was installed further downstream of the landfill to verify that there are no impacts to Robinwood Creek (see location in Figure 4). The sampling stations consist of a v-notch weir.

Historically, the naming for these locations has on occasion been inadvertently switched. After a thorough review of the data, corrections have been made and the probable results from switching location names have been associated with the correct location name. However, single unusual results may be the result of the naming issues rather than true fluctuations in the data. As a result of this data issue, results reported previously may differ from the current conditions.

The *Vashon Closed Landfill Western Hillslope Investigation* (King County, 2011) identified the groundwater sources for each of the weirs as follows; weir SW-W1 contains groundwater seeping from Unit A, Unit B, Channel Cc1, and possibly Channel Cc2; weir SW-W2 contains groundwater seeping from Channel Cc2 and possibly Channel Cc3; and weir SW-W3 contains groundwater seeping from Channel Cc2 and possibly Channel Cc3. The sampling location of weir SW-W1 is closer to the groundwater seep SW-S1, than weirs SW-W2 and SW-W3 are to their associated seeps. The updated hydrogeological conceptual model further clarified the groundwater sources following out of the seeps and into the weirs with all three weirs being primarily sourced from Channel Cc2 seeps (Aspect et. al., 2020).

4.7.1. Surface Water Exceedances

Exceedances of the WAC 173-201A (Washington State acute and chronic surface water quality criteria) and 40 CFR Parts 131 (federal acute and chronic surface water quality criteria) are

summarized in Appendix B. Weirs SW-W1, SW-W2, SW-W3, and Station SW-E had total iron exceedances of the federal chronic surface water criteria. Exceedances of total metal criteria is consistent with previous years.

4.7.2. Volatile Organic Compound Detections

Weir and surface water VOC detections can be found in Appendix J.

The VOC detections during 2022 were consistent with previous years. Vinyl chloride is the only VOC routinely detected in the surface water at the weirs. Vinyl chloride was detected in every quarter in SW-W3 and SW-W2, however, all SW-W2 detections were flagged as ‘JT’ by the laboratory. Vinyl chloride has never been detected in Station E.

4.7.3. Statistical Analysis

Statistical results for the weirs and station SW-E are summarized in Table 3-4. For indicator parameters like specific conductance, alkalinity, chloride, nitrate, calcium, and magnesium, short-term median values continue to be similar or lower than long-term median values, indicating stable or improving water quality conditions. Specific conductance, alkalinity, and chloride concentrations continue to be higher in weir SW-W2, compared with SW-W1 and SW-W3, indicating that weir SW-W2 may still be impacted by leachate. Short- and long-term median values for station SW-E continue to be low and stable.

4.7.4. Summary

Raw analytical groundwater data weirs and surfaces water stations can be found in Appendix J.

Conditions in weir SW-W1 continues to show the least evidence of landfill impact, while weir SW-2 has more evidence of landfill impact. Weir SW-W3 exhibits a midrange impact based on conventional parameters and metals and showing detections of vinyl chloride. Water quality monitoring will continue at the weirs to provide water quality data for surface water flow leaving the property.

Station SW-E continues to show no evidence of landfill impact.

4.8. OFFSITE DOMESTIC WELL MONITORING

In 2002, King County Department of Natural Resources and Parks (DNRP) conducted sampling on Vashon-Maury Island in eleven domestic wells located around the landfill. No evidence of contamination originating from the landfill was found. The data was presented in the *2002 Vashon Island Closed Landfill Annual Report*.

In 2005, King County Solid Waste Division agreed to monitor three of these eleven wells. The first round of these samples was collected in October 2005. One of the three wells is no longer sampled as access is no longer available. Starting in 2010, samples have been collected from off-property wells (DW-85 and DW-PA) bi-annually. Samples from the 85 Acres well (DW-85) are collected from the well head and the Paquette well (DW-PA) sample is taken from one of the properties connected to that well. In 2021, a new offsite well (DW-LS) was added to the offsite monitoring program. Six samples were collected in 2022 from the three off property wells (DW-85, DW-LS, and DW-PA) (Figure 4). No evidence of contamination originating from the landfill was found.

The results from the domestic wells are included in Appendix H. The domestic well trilinear diagrams and ion balances are in Appendix I for 2022. The trilinear diagram shows all samples are within the same calcium-magnesium-bicarbonate hydrochemical facies. During 2022, the cation/anion for the wells in this zone are within ten percent (Appendix I).

5. LEACHATE

The 2022 leachate results are compiled in Appendix K and include sample results for station LS-LVT (required monitoring under Wastewater Discharge Authorization No. 4366-01). See Figure 5 for a map of the leachate control system.

6. LANDFILL GAS

Landfill gas is monitored by a network of compliance probes installed around the perimeter of the landfill and ambient air stations around the property boundary (Figure 6). The monitoring network comprises of nine ambient air stations, two groundwater monitoring wells, and twenty-six gas probes. Probes are monitored monthly. The results can be found in Appendix L. There were no methane detections in 2022 and there have been no methane detections at the compliance monitoring points since 2008. The effects of landfill gas on current groundwater conditions are being reviewed to determine whether data gaps exist in the current analysis. In 2017, two sets (shallow and deep) temporary gas probes were installed to continue the determination of landfill gas on the south hillslope. In 2016 and 2018, three gas extraction wells (GW-9, GW-10, and GW-11) were installed on the south slope hillslope of the landfill, to increase the radius of influence of the landfill extraction system. The *Landfill Gas System Evaluation Summary Report* determined that the radius of influence for extracting methane was 190 ft., 135 ft., and 50 ft. for gas wells GW-9, GW-10, and GW-11, respectively (Aspect and Herrera, 2019). In March of 2022, the belt-drive landfill gas blower was replaced by two direct-drive landfill gas blower, after being offline for two years.

7. CONCLUSIONS AND RECOMMENDATIONS

7.1. CONCLUSIONS

Conditions at the Vashon Island Closed Landfill have continued the historic trend, with some VOCs showing decreasing trends. Therefore, most of the conclusions drawn from the previous Annual Reports hold true for this report. The following conclusions reiterate some conclusions from previous Annual Reports:

1. Groundwater movement in the middle channel of the lacustrine silt, Channel Cc2, within Unit C generally travels along west-northwest and south-southeast flow paths. A better understanding of the flow path distribution in Channel Cc2 occurred subsequent to the installation of monitoring well MW-37 along the southern property boundary.
2. The flow direction within the Unit D Aquifer is better defined and potentiometric maps show less radial flow after monitoring well MW-27 was decommissioned. The updated hydrogeological conceptual model provided a further definition in the potentiometric maps (Appendix G).
3. The monitoring wells in the Unit D Aquifer showed low sensitivity to hydrologic activity, based on the observation of very small seasonal water level fluctuations, indicating limited groundwater recharge in the area of the landfill.
4. Landfilling impacts have been recognized in Channel Cc2 at monitoring wells MW-2, MW-21, MW-33, and MW-35, including for VOCs. Detections for many VOCs have declined significantly or are stable in the short-term. Leachate is believed to have contributed to past impacts. Recent data and investigations, specifically levels of VOCs in monitoring wells MW-2, MW-21, MW-33, and MW-35, support transport of historic contaminants from landfill gas.
5. The landfill closure has been effective in improving the water quality condition of impacted wells, based on reductions in specific conductance, total dissolved solids, chloride, and several VOCs.
6. Results obtained from wells in Unit D Aquifer do not show impacts attributable to landfill activities, but instead reflect the natural variations in water quality that exist around the landfill.

7.2. RECOMMENDATIONS/PROPOSED ACTIONS

1. The existing monitoring network described in the *Vashon Island Closed Landfill Remedial Investigation Report* (RI; Aspect et. al., 2020) and monitoring well MW-37 shall continue to be monitored following protocols from the *Environmental Monitoring Sampling and Analysis Plan and Quality Assurance Project Plan for Vashon Island Closed Landfill*.
2. Evaluation of the operating efficiency of the landfill gas collection system and probe network will continue into 2023 to determine if more improvements to the collection and

treatment system are needed. Furthermore, we will continue to assess the effect of landfill gas wells GW-9, GW-10, and GW-11 have on groundwater conditions.

3. Monitoring of the groundwater wells will continue for Appendix I and II parameters, with the addition of dichlorodifluoromethane and 2,4,5-TP Silvex, 2-methyl-1-propanol, bis(2-chloroethyl) ether, bis(2-ethylhexyl) phthalate, and diethyl phthalate for monitoring wells MW-2, MW-20, MW-21, MW-33, and MW-35. These new analytes will be added to the prediction limit exceedance check in 2023. The next Appendix III sampling will occur in 2024.
4. The water-bearing zone in Channel Cc2 shall continue with assessment monitoring in accordance with WAC 173-351-430. The RI was completed in 2020. Work started on the Feasibility Study in 2021, and refinement of the scope of work continues as of March 2023.
5. In 2023, KCSWD will continue trying to coordinate the addition of the offsite spring, DW-GW, to the offsite monitoring network.
6. Surface water sampling site SW-E will be sampled quarterly for pH (field), specific conductance (field and laboratory), turbidity (field and laboratory), hardness, total metals, and vinyl chloride.
7. In accordance with WAC 173-350-340, the leachate lagoon at VLF is to be tested in 2025 for leaks.
8. In August 2021, KCSWD submitted a proposed schedule and framework for developing and implementing a program to test select leachate containment and conveyance structures at VLF in accordance with WAC 173-350-330. Public Health – Seattle & King County approved KCSWD’s proposal in December 2021 and KCSWD established a Capital Improvement Program project intended to identify and validate asset-specific test methods. Work for this project is ongoing.
9. In March of 2022, two new direct drive blowers were installed to replace the previous belt drive blower and active landfill gas collection was resumed. KCSWD will continue to closely monitor the methane concentration in the landfill gas stack emissions and the groundwater response.

8. REFERENCES

- Aspect Consulting, LLC (Aspect) et al., 2012, *Environmental Review, Investigation, and Evaluation Technical Memorandum – Vashon Island Closed Landfill, Agency Draft*, prepared for King County Department of Public Works, Solid Waste Division, Aspect Consulting, LLC, Seattle, WA, March 2012.
- Aspect Consulting, LLC (Aspect), 2017, *Vashon Landfill – Influence Testing Summary Report, D310.1.6.4.2*, Seattle, WA, June 2017.
- Aspect Consulting, LLC (Aspect) and Herrera (Herrera) Environmental Consultants, 2019, *Landfill Gas System Evaluation Summary Report*, August 2019.
- Aspect Consulting, LLC (Aspect et. al.), Anchor QEA, and BHC Consultants, 2020, *Vashon Island Closed Landfill Remedial Investigation Report*, November 2020.
- Baedecker, M.J. and W. Back, 1979, *Modern Marine Sediments as a Natural Analog to the Chemically Stressed Environment of a Landfill*. Journal of Hydrology, 43:393-414.
- Berryman & Henigar, 1999, *Vashon Landfill 1999 Stormwater Improvements Technical Information Report*, March 1999.
- Berryman & Henigar, CH2Mhill, HWA Geosciences Inc. Udaloy Environmental Services, and HDR Engineering, Inc. December 1999. *Pre-design Engineering report for the Vashon Landfill Closure*, prepared for King County Department of Natural Resources, Solid Waste Division.
- Berryman & Henigar, CH2Mhill, HWA Geosciences Inc. Udaloy Environmental Services, and HDR Engineering, Inc. November 2000. *Vashon Island Landfill Hydrogeologic Report*, prepared for King County Department of Natural Resources, Solid Waste Division.
- Berryman & Henigar and Herrera Environmental Consultants, 2004, *VOC Sampling and Testing Results*, July 2004.
- Berryman & Henigar and Udaloy Environmental Services (UES). December 2004. *Vashon Island Landfill Hydrogeologic Report Update*, prepared for King County Department of Natural Resources, Solid Waste Division.
- Berryman & Henigar and UES, 2006a, *Vashon Island Closed Landfill Environmental Evaluation*, March 2006.
- Berryman & Henigar and UES, 2006b, *Vashon Island Closed Landfill: Potential Effects of Landfill Gas and Leachate on Vashon Landfill Groundwater and Springs*, February 2006.

- Carr/Associates. December 1, 1983. *Vashon/ Maury Island Water Resources Study*, prepared for King County Department of Planning and Community Development.
- CH2M Hill. March 1995. *Groundwater Monitoring Well Construction Work Plan*, prepared for King County Solid Waste Division.
- CH2M Hill. December 1996. *Vashon Island Landfill Monitoring Well Construction Report*, prepared for King County Solid Waste Division.
- CH2M HILL, 1997a, *Vashon Island Landfill Interior Gas Collection and Treatment System*, Record Drawings.
- CH2M HILL, 1997b, *Vashon Island Landfill Interior Gas Collection and Treatment System Operations and Maintenance Manual*. March 1997.
- Challa, J.; D. Skoff; F.J. Quirus. 1997. *Landfill Gas as Source of VOCs in Ground Water*. Practice Periodical of Hazardous, Toxic and Radioactive Waste Management. Vol. 1, No. 2. ASCE
- Fisher, S.R., and Potter, K.W., 1989, *Methods for Determining Compliance with Groundwater Quality Regulations at Waste Disposal Facilities, Final Report*, Wisconsin Department of Natural Resources.
- Geraghty & Miller, Inc. Environmental Services. 1993. *Vashon Groundwater Management Plan, Update Area Characterization and Data Analysis, Project*. Public Health-Seattle & King County.
- Gibbons, Robert D. 1994 *Statistical Methods for Groundwater Monitoring*, John Wiley and Sons, New York.
- Golder Associates. 1986. *Geotechnical Memorandum #4, Subtask 1/Task 1B, Geotechnical Data Development Vashon Landfill Leachate Control*.
- Harding Lawson Associates. August 8, 1991. *Vashon Landfill Groundwater Quality, Statistical Summary of Data Collection between 1986 and 1991*, prepared for King County Solid Waste Division, Seattle, Washington.
- Harding Lawson Associates. June 30, 1993. *Vashon Landfill 1992 Annual Water Quality Report*, prepared for King County Solid Waste Division, Seattle, Washington.
- Harper-Owes. 1986. *Vashon Landfill Leachate Control, Task 1A: Conceptual Alternatives Development*, Technical Memorandum prepared for King County Solid Waste Division, Seattle, Washington.
- Harper-Owes. 1986. *Vashon Island Leachate Control*, Technical Memorandum prepared for King County Solid Waste Division, Seattle, Washington.


- Harper-Owes et al., 1988, *Vashon Island Landfill Leachate Control Facilities Construction Record Drawings*, May 1988.
- Kerfoot, H.B. 1994. *Landfill Gas effects on Groundwater Samples at Municipal Solid Waste Facility*. Journal of Air & Waste Management Association. Vol. 44.
- King County, 2005, *Vashon-Maury Island Phase I Groundwater Model, A Part of the Vashon-Mary Island Water Resources Evaluation*, King County Department of Natural Resources and Parks, Water and Land Resources Division, October 2005.
- King County, 2011, *Vashon Closed Landfill Western Hillslope Investigation*, King County Department of Natural Resources and Parks, Water and Land Resources Division, March 31, 2011.
- King County Solid Waste Division, April 2003. *Vashon Island Closed Landfill 2002 Annual Groundwater Data Evaluation*.
- King County Solid Waste Division. January 2016. *Environmental Monitoring Sampling and Analysis Plan and Quality Assurance Project Plan for Vashon Island Closed Landfill*.
- King County Solid Waste Division, April 2019. *Vashon Island Closed Landfill 2018 Annual Groundwater Data Evaluation*.
- King County Department of Natural Resources. April 2000. *Vashon Landfill Final Closure, Contract No. C03056C, Special Provisions*, prepared by Berryman & Henigar.
- Nyer, E.K., M.E. Duffin. 1997. *The State of the Art of Bioremediation*. GWMR. Spring.
- Prosser, R., A. Janecek. 1995. *Landfill Gas and Groundwater Contamination*. Proceedings of the October 1995 American Society of Civil Engineers Convention.
- R. W. Beck and Associates, 1983. *King County Landfills Ground Water Monitoring Investigations, Task 11 Report*.
- R.W. Beck and Associates/ Sweet, Edwards & Associates. December 1984. *Groundwater Geology/ Quality Investigations for Rural Landfills in King County, Washington*, prepared for King County Solid Waste Division.
- Rekow, K.H., and Chapra, S.C. 1983, *Engineering Approaches for Lake Management, Volume 1, Data Analysis and Empirical Modeling*, Boston, Butterworth, p. 340.
- Smayda, T.J. and R.J. Owes. 1991. *Unlined Landfills in the Pacific Northwest: Leachate Composition and Groundwater Impacts, in Proceedings: Nonpoint Source. Pollution: The Unfinished Agenda for the Protection of our Water Quality*, Tacoma, WA.

Stumm, W. and J. J. Morgan. 1981. *Aquatic Chemistry: An introduction Emphasizing Chemical Equilibria in Natural Waters*. John Wiley & Sons.

US Department of Commerce, NOAA, National Geodetic Survey. "National Geodetic Survey Data Explorer." geodesy.noaa.gov/NGSDataExplorer. Retrieved March 2023.

Washington, J. W. 1996. *Gas Partitioning of Dissolved Volatile Organic Compounds in the Vadose Zone: Principles, Temperature Effects and Literature Review*. *Groundwater*. Vol. 34, No. 4.

FIGURES and TABLES



Vashon Island Closed Landfill Vicinity Map

King County, Washington



King County
SWD

March-2019


FIGURE NO.

1

Figures and Tables

Figure 1

GIS Path: \\work\esri\workspaces_8\kingcounty_solid\workspace\vashon\island\landfill\Delivered\RFIS_2-1_Site_Location.mxd | Coordinate System: NAD 1983 HARN StatePlane Washington North FIPS 4801 Feet | Date Saved: 9/27/2018 | User: rjppin | Print Date: 10/3/2018



GIS Data: 11. Surfaces; 12. Buildings; 13. Stormwater; 14. Stormwater Management; 15. Stormwater Management; 16. Stormwater Management; 17. Stormwater Management; 18. Stormwater Management; 19. Stormwater Management; 20. Stormwater Management; 21. Stormwater Management; 22. Stormwater Management; 23. Stormwater Management; 24. Stormwater Management; 25. Stormwater Management; 26. Stormwater Management; 27. Stormwater Management; 28. Stormwater Management; 29. Stormwater Management; 30. Stormwater Management; 31. Stormwater Management; 32. Stormwater Management; 33. Stormwater Management; 34. Stormwater Management; 35. Stormwater Management; 36. Stormwater Management; 37. Stormwater Management; 38. Stormwater Management; 39. Stormwater Management; 40. Stormwater Management; 41. Stormwater Management; 42. Stormwater Management; 43. Stormwater Management; 44. Stormwater Management; 45. Stormwater Management; 46. Stormwater Management; 47. Stormwater Management; 48. Stormwater Management; 49. Stormwater Management; 50. Stormwater Management; 51. Stormwater Management; 52. Stormwater Management; 53. Stormwater Management; 54. Stormwater Management; 55. Stormwater Management; 56. Stormwater Management; 57. Stormwater Management; 58. Stormwater Management; 59. Stormwater Management; 60. Stormwater Management; 61. Stormwater Management; 62. Stormwater Management; 63. Stormwater Management; 64. Stormwater Management; 65. Stormwater Management; 66. Stormwater Management; 67. Stormwater Management; 68. Stormwater Management; 69. Stormwater Management; 70. Stormwater Management; 71. Stormwater Management; 72. Stormwater Management; 73. Stormwater Management; 74. Stormwater Management; 75. Stormwater Management; 76. Stormwater Management; 77. Stormwater Management; 78. Stormwater Management; 79. Stormwater Management; 80. Stormwater Management; 81. Stormwater Management; 82. Stormwater Management; 83. Stormwater Management; 84. Stormwater Management; 85. Stormwater Management; 86. Stormwater Management; 87. Stormwater Management; 88. Stormwater Management; 89. Stormwater Management; 90. Stormwater Management; 91. Stormwater Management; 92. Stormwater Management; 93. Stormwater Management; 94. Stormwater Management; 95. Stormwater Management; 96. Stormwater Management; 97. Stormwater Management; 98. Stormwater Management; 99. Stormwater Management; 100. Stormwater Management






Figure 3



GIS Data: T:\Projects\B_KingCounty_SolidWaste\WashonIsland\Landfill\Delivered_RFS\4-5-Surface Water Monitoring Locations.mxd | Coordinate System: NAD 1983 HARN StatePlane Washington North FIPS 4601 Feet | Date Saved: 10/3/2018 | User: mapin | Print Date: 10/3/2018



GIS Data: Topographic & King County Solid Waste Division Landfill Database; KRS 4.4.04 Property Monitoring Locations.mxd | Coordinate System: NAD 1983 HARN StatePlane Washington North FIPS 4001 Feet | Date Saved: 9/27/2018 | Map: Vashon | Print Date: 10/2/2018

Figure 4





Landfill Gas Collection and Monitoring Systems

Vashon Island Closed Landfill
King County, Washington

| | | | |
|--|-------------------------------------|----------|------------------------|
| | King County Solid Waste Division | Nov-2018 | FIGURE NO. 6 |
| | | | |

Figure 6

GIS Data: \GIS\Projects\2022AnnualGroundwaterData\EvaluationReport\Fig6\LandfillGasCollectionandMonitoringData.mxd 11 CoordinateSystem: NAD_83\NAD_83\StatePlane\NAD83\North\1983\8301 Feet 11 Date: 2022/10/26 11 User: jgiblin 11 Print Date: 02/23/2018

Figure 9 - Water Level Elevations in Channel Cc2




Figure 7 - Water Level Elevations in Unit B Aquifer




Figure 8 - Water Level Elevations in Channel Cc1




Figure 10 - Water Level Elevations in Channel Cc3




Figure 11 - Water Level Elevations in Unit D Aquifer




Table 2-1
Significant Maintenance Activities Summary 2022

| Maintenance Activity | Resolution |
|---|---|
| Landfill Gas Blower Maintenance | The landfill gas blower was sent in for repairs, due to the fan moving out of position, causing a lot of noise. It was determine due to the repair needs and the age of the blower to replace the blower with two direct drive blowers running in parallel. The installation of these blowers began in November 2021 and was completed on March 2, 2022 |
| Leachate Lagoon Liner Testing/Liner Flap Installation | The leachate lagoon liner was tested in 2020, in accordance with the requirement to test surface impoundment every five years in WAC 173-350-340. The test was unsuccessful due to damage to the liner beneath the perimeter road. The damaged liner was repaired and a flap was installed for accessibility during future tests. The liner was retested on May 25, 2021. There were no leaks detects and results were submitted to Public Health - Seattle/King County and Washington State Department of Ecology by June 24, 2021. Maintenance work is ongoing. |

**Table 2-2
Previous Investigations and Site Improvements**

| Reference | Deliverable | Major Work Conducted |
|--|--|---|
| R.W. Beck and Associates (1983) | Preliminary Report, King County Landfills, Groundwater Geology Investigations | Installation of monitoring wells MW-1, MW-2, MW-3, and MW-4 and groundwater investigation. |
| R.W. Beck and Associates and Sweet, Edwards and Associates (1984) | Groundwater Geology/Quality Investigations for the Rural Landfills | |
| Harper-Owes (1985) | Vashon Landfill Leachate Control, Task 1A: Conceptual Alternatives Development | Evaluation of water quality conditions and design and installation of leachate control in preparation for Phase 1 closure. |
| Harper-Owes (1986) | Vashon Leachate Control, Task 1B: Geotechnical and Water Quality Investigations | |
| Harper-Owes et al. (1988) | Vashon Island Landfill Leachate Control Facilities Construction Record Drawings | |
| CH2M Hill (1995) | Groundwater Monitoring Well Construction Work Plan | Installation of eight groundwater monitoring wells (MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, MW-14, and MW-19) and eight gas probes were installed around the perimeter of the refuse area. |
| CH2M Hill (1996) | Vashon Island Landfill Monitoring Well Construction Report | |
| CH2M Hill (1997a) | Vashon Island Landfill Interior Gas Collection and Treatment System, Record Drawings | Converting the landfill gas system from passive to active and changing the treatment system from flares to activated carbon |
| CH2M Hill (1997b) | Vashon Island Landfill Interior Gas Collection and Treatment System, Record Drawings | |
| Berryman & Henigar (1999) | Stormwater Improvements Technical Information Report | Stormwater system improvements as part of closure. |
| Berryman & Henigar et al. (2000) | Vashon Island Landfill Hydrogeologic Report | An evaluation of the site hydrogeology. |
| Berryman & Henigar and Udalyo Environmental Services (UES) (2004) | Vashon Island Landfill Hydrogeologic Report Update | Installation of three additional monitoring wells (MW-26, MW-27 and MW-28) and one piezometer (MW-25) and a revision to the 2000 hydrogeologic report incorporating these new wells into the hydrogeologic interpretation of the site |
| Berryman & Henigar and Udalyo Environmental Services (UES) (2006a) | Vashon Island Closed Landfill Environmental Evaluation | An evaluation of the landfill environmental control systems and their interaction with the hydrogeologic environment. |
| Berryman & Henigar and UES (2006b) | Vashon Island Closed Landfill: Potential Effects of Landfill Gas and Leachate on Vashon Landfill Groundwater and Springs | A chemistry-based evaluation of the source of volatile organic compounds (VOCs) found in some of the wells present at the time. |
| King County (2011) | Vashon Closed Landfill Western Hillslope Investigation | Reconnaissance of the West Hillslope to help design a stratigraphic model for the VLF, including the installation of monitoring wells MW-30, MW-31, and MW-32. |
| Aspect and Herrera (2019) | Landfill Gas System Evaluation Summary Report | This Report summarizes findings from an extent of refuse investigation and landfill gas extended influence testing performed at the VLF, and provides recommendations based on LFG control system and treatment technology performance. |
| Aspect et. al. (2020) | Vashon Island Closed Landfill Remedial Investigation Report | The report documenting the results of the remedial investigation, conducted to define the distribution of contaminants at a site and the associated potential threat to human health and the environment. |

Table 2-3
Vashon Island Closed Landfill Groundwater Monitoring Well Completion Details

| Well Number | Date Completed | Installed By | Top of PVC Casing Elevation (feet) ^a | Well Casing and Screen | Well Dia. (inches) | Screen slot (inches) | Top of Screen Elevation ^a | Bottom of Screen Elevation ^a | Top of Seal Elevation ^a | Bottom of Seal Elevation ^a | Seal Type | Top of Sand Pack (feet elev.) ^a | Bottom of Sand Pack (feet elev.) ^a | Sand Type | Reference ^c |
|----------------------|----------------|-------------------|---|------------------------|--------------------|----------------------|--------------------------------------|---|------------------------------------|---------------------------------------|-----------|--|---|-------------------------|------------------------|
| MW-1 ^d | 8/9/1983 | Sweet- Edwards | 407.06 | Sch 80 PVC | 3 | 0.010 | 287.94 | 277.94 | 405.94 | 292.94 | Bentonite | 292.94 | 275.94 | 3/8 minus pea gravel | A |
| MW-2 | 9/9/1983 | Sweet- Edwards | 318.09 | Sch 80 PVC | 3 | 0.010 | 237.39 | 232.39 | 316.39 | 250.39 | Bentonite | 248.39 | 231.39 | 3/8 minus pea gravel | A |
| MW-3 | 12/9/1983 | Sweet- Edwards | 318.12 | Sch 80 PVC | 3 | 0.010 | 281.15 | 276.15 | 316.15 | 284.15 | Bentonite | 284.15 | 276.15 | 3/8 minus pea gravel | A |
| MW-4 | 9/14/1983 | Sweet- Edwards | 377.30 | Sch 80 PVC | 3 | 0.010 | 276.17 | 266.17 | 376.17 | 281.17 | Bentonite | 281.17 | 266.17 | 3/8 minus pea gravel | A |
| MW-5S ^{b,d} | 6/3/1986 | Golder | 360.09 | Sch 40 PVCb | 2 | 0.020 | 285.32 | 275.32 | 359.32 | 356.32 | Bentonite | 356.32 | 274.82 | #8 Monterey & Gravel | B |
| MW-5D ^{b,d} | 6/3/1986 | Golder | 360.66 | Sch 40 PVCb | 2 | 0.020 | 244.32 | 233.32 | 258.82 | 253.32 | Bentonite | 257.32 | 233.32 | #8 Monterey & Gravel | B |
| MW-6S ^{b,d} | 3/19/1986 | Golder | 397.7 | Sch 40 PVCb | 2 | 0.020 | 290.88 | 280.88 | 395.88 | 392.88 | Bentonite | 392.88 | 279.88 | #8 Aqua and Gravel | B |
| MW-6D ^{b,d} | 3/19/1986 | Golder | 397.6 | Sch 40 PVCb | 2 | 0.020 | 245.38 | 235.38 | 259.88 | 253.88 | Bentonite | 247.88 | 234.88 | #8 Aqua | B |
| MW-7 | 4/28/1995 | CH2M HILL | 376.56 | Sch 40 PVC | 2 | 0.010 | 154.40 | 144.40 | 374.40 | 157.40 | Bentonite | 157.40 | 142.40 | #20 x 40 | C |
| MW-8 | 6/30/1995 | CH2M HILL | 386.13 | Sch 40 PVC | 2 | 0.010 | 215.95 | 205.95 | 383.95 | 216.95 | Bentonite | 216.95 | 203.95 | #20 x 40 | C |
| MW-9 | 12/6/1995 | CH2M HILL | 405.32 | Sch 40 PVC | 2 | 0.010 | 236.39 | 226.39 | 403.39 | 239.39 | Bentonite | 239.39 | 223.39 | #20 x 40 | C |
| MW-10 | 1/7/1995 | CH2M HILL | 410.21 | Sch 40 PVC | 2 | 0.010 | 265.04 | 255.04 | 408.04 | 268.04 | Bentonite | 268.04 | 253.04 | #20 x 40 | C |
| MW-11 ^d | 5/15/1995 | CH2M HILL | 409.85 | Sch 40 PVC | 2 | 0.010 | 165.74 | 155.74 | 407.74 | 167.74 | Bentonite | 167.74 | 147.74 | #20 x 40 | C |
| MW-12 | 5/26/1995 | CH2M HILL | 315.67 | Sch 40 PVC | 2 | 0.010 | 142.90 | 132.90 | 313.40 | 146.40 | Bentonite | 146.40 | 127.40 | #20 x 40 | C |
| MW-13 | 4/22/1992 | Terra | 377.37 | Sch 40 PVC | 2 | 0.020 | 267.30 | 262.30 | 375.30 | 269.30 | Bentonite | 269.30 | 259.80 | #8 | D |
| MW-14 ^d | 6/21/1995 | CH2M HILL | 379.14 | Sch 40 PVC | 2 | 0.020 | 216.08 | 206.08 | 377.08 | 223.08 | Bentonite | 223.08 | 205.08 | #20 x 40 | C |
| MW-19 | 12/6/1995 | CH2M HILL | 405.58 | Sch 40 PVC | 2 | 0.020 | 142.85 | 132.85 | 402.35 | 142.35 | Bentonite | 142.35 | 126.35 | #20 x 40 | C |
| MW-20 | 10/21/1998 | UES | 370.43 | Sch 40 PVC | 2 | 0.020 | 240.79 | 236.49 | 368.49 | 244.09 | Bentonite | 244.09 | 234.49 | #20 x 40 | E |
| MW-21 | 10/21/1998 | UES | 348.95 | Sch 40 PVC | 2 | 0.020 | 246.46 | 237.06 | 347.06 | 252.06 | Bentonite | 252.06 | 236.06 | #20 x 40 | E |
| MW-24 | 4/27/1992 | Terra | 377.53 | Sch 40 PVC | 2 | 0.020 | 294.96 | 284.96 | 375.46 | 298.46 | Bentonite | 298.46 | 285.46 | #8 | D |
| MW-25 | 11/8/2003 | UES | 402.48 | Sch 80 PVC | 4 | 0.020 | 152.04 | 137.94 | 400.54 | 155.54 | Bentonite | 155.54 | 133.54 | #16 x 30 | F |
| MW-26 | 6/8/2003 | UES | 406.58 | Sch 80 PVC | 4 | 0.020 | 158.30 | 144.20 | 404.40 | 162.10 | Bentonite | 162.10 | 140.70 | #16 x 30 | F |
| MW-27 ^d | 8/15/2003 | UES | 386.34 | Sch 80 PVC | 4 | 0.020 | 197.55 | 183.35 | 384.05 | 200.55 | Bentonite | 200.55 | 180.55 | #16 x 30 | F |
| MW-28 ^d | 8/29/2003 | UES | 398.72 | Sch 80 PVC | 4 | 0.020 | 177.04 | 162.64 | 396.64 | 180.14 | Bentonite | 180.14 | 160.84 | #16 x 30 | F |
| MW-29 | 8/29/2003 | UES | 413.79 | Sch 80 PVC | 4 | 0.020 | 173.02 | 158.22 | 411.22 | 175.22 | Bentonite | 175.22 | 150.22 | #16 x 30 | G |
| MW-30 | 12/14/2009 | King County | 235.67 | Sch 40 PVC | 2 | 0.010 | 230.40 | 225.40 | 234.42 | 223.42 | Bentonite | 231.42 | 225.40 | 10 x 20 Colorado Silica | J |
| MW-31 | 12/15/2009 | King County | 209.24 | Sch 40 PVC | 2 | 0.010 | 204.24 | 199.24 | 207.16 | 196.66 | Bentonite | 203.16 | 197.16 | 10 x 20 Colorado Silica | J |
| MW-32 | 12/14/2009 | King County | 254.72 | Sch 40 PVC | 2 | 0.010 | 242.82 | 232.82 | 252.82 | 232.82 | Bentonite | 244.82 | 232.82 | 10 x 20 Colorado Silica | J |
| MW-33 | 3/13/2015 | Aspect Consulting | 359.77 | Sch 40 PVC | 4 | 0.020 | 229.78 | 219.78 | 357.07 | 232.90 | Bentonite | 232.90 | 217.82 | 10 x 20 Colorado Silica | I |
| MW-34 | 3/26/2015 | Aspect Consulting | 385.88 | Sch 40 PVC | 4 | 0.020 | 147.96 | 137.96 | 383.26 | 151.26 | Bentonite | 151.26 | 135.76 | 10 x 20 Colorado Silica | I |
| MW-35 | 3/18/2015 | Aspect Consulting | 361.47 | Sch 40 PVC | 4 | 0.020 | 244.25 | 233.35 | 358.75 | 247.25 | Bentonite | 247.25 | 233.55 | 10 x 20 Colorado Silica | I |
| MW-36 | 4/2/2015 | Aspect Consulting | 378.24 | Sch 40 PVC | 4 | 0.020 | 221.25 | 211.25 | 375.25 | 223.25 | Bentonite | 223.25 | 210.25 | 10 x 20 Colorado Silica | I |
| MW-37 | 5/18/2022 | Jacobs | 294.70 | Sch 40 PVC | 4 | 0.020 | 222.10 | 212.10 | 291.10 | 224.10 | Bentonite | 224.10 | 212.10 | 12/20 Washed Silica | K |
| P-1S ^{b,d} | 12/3/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 307.46 | 297.46 | 396.46 | 393.46 | Bentonite | 393.46 | 291.46 | #8 Aqua and Gravel | B |
| P-1D ^{b,d} | 12/3/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 281.96 | 271.96 | 291.46 | 286.46 | Bentonite | 286.46 | 271.46 | #8 Aqua | B |
| P-1A ^{b,d} | 3/25/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 283.48 | 273.48 | 357.48 | 289.48 | Bentonite | 289.48 | 272.48 | #8 Monterey | B |
| P-1B ^{b,d} | 3/29/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 302.54 | 292.54 | 383.54 | 307.54 | Bentonite | 307.54 | 292.54 | 10 x 20 silica | B |
| P-2 ^{b,d} | 3/19/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 277.19 | 262.19 | 287.19 | 282.19 | Bentonite | 282.19 | 260.19 | #8 Aqua | B |
| P-2A ^{b,d} | 3/24/1986 | Golder | No data | Sch 40 PVC | 2 | 0.020 | 297.06 | 285.06 | 352.06 | 310.06 | Bentonite | 310.06 | 283.56 | #8 Aqua | B |
| P-4 | 2/29/1988 | Golder | No data | Sch 80 PVC | 1 | 0.020 | 378.36 | 376.36 | 410.86 | 380.36 | Bentonite | 380.36 | 375.36 | #16 Monterey | H |

^aAll survey data in feet are relative to site NAVD88 datum.

^bWell installed as a dual-completion.

^cA = R.W. Beck, 1984; B = Golder Associates, 1986; C = CH2M HILL, 1996; D = Terra Associates., 1992; E = B&H and UES, 1999b; F = B&H and UES, 2003b; G = B&H and UES, 2003a; H = Golder Associates, 1986; I = Aspect Consulting, 2015; J = King County, 2011; K = Jacobs, 2022.

^dWell has been decommissioned.

Table 3-1
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|---|-------------|--------|-------|--------|--------|--------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| Time Interval | Long | Long | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | |
| No. of Analyses | 38 | 55 | 101 | 8 | 106 | 8 |
| No. of Detections | 38 | 55 | 101 | 8 | 106 | 8 |
| Minimum | 5.44 | 5.94 | 6.75 | 6.85 | 6.70 | 6.63 |
| Maximum | 6.82 | 7.97 | 8.42 | 7.18 | 7.99 | 7.18 |
| Mean | 6.02 | 6.57 | 7.35 | 7.05 | 7.20 | 6.97 |
| Standard Deviation | 0.35 | 0.35 | 0.29 | 0.11 | 0.25 | 0.22 |
| Median | 5.985 | 6.46 | 7.35 | 7.045 | 7.205 | 7.02 |
| Specific Conductance, Field [umhos/cm] | | | | | | |
| No. of Analyses | 38 | 55 | 101 | 8 | 105 | 8 |
| No. of Detections | 38 | 55 | 101 | 8 | 105 | 8 |
| Minimum | 46.3 | 149.5 | 100.0 | 127.3 | 130.0 | 101.0 |
| Maximum | 200.0 | 860.0 | 158.8 | 136.8 | 195.0 | 142.3 |
| Mean | 99.8 | 440.4 | 132.3 | 131.0 | 160.2 | 132.2 |
| Standard Deviation | 33.4 | 219.9 | 12.1 | 3.5 | 14.6 | 13.2 |
| Median | 99.5 | 460 | 130 | 130.1 | 160 | 135.75 |
| Alkalinity [mg/L] | | | | | | |
| No. of Analyses | 31 | 34 | 101 | 8 | 103 | 8 |
| No. of Detections | 31 | 34 | 101 | 8 | 103 | 8 |
| Minimum | 15.6 | 37.8 | 52 | 56.5 | 30 | 59.8 |
| Maximum | 41 | 320 | 70 | 59.4 | 80 | 63.2 |
| Mean | 25.98 | 129.77 | 56.69 | 57.53 | 63.68 | 61.96 |
| Standard Deviation | 6.23 | 102.22 | 2.71 | 1.12 | 7.29 | 1.31 |
| Median | 24.7 | 67.05 | 56.3 | 56.95 | 64 | 62.5 |
| Ammonia-N [mg/L] | | | | | | |
| No. of Analyses | 37 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 11 | 25 | 15 | 0 | 12 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | 0.65 | 0.332 | 0.06 | ND | 0.07 | ND |
| Mean | 0.086 | 0.042 | 0.009 | ID | 0.009 | ID |
| Standard Deviation | 0.183 | 0.069 | 0.011 | ID | 0.011 | ID |
| Median | 0.005 | 0.025 | 0.005 | ID | 0.005 | ID |
| Chloride [mg/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 38 | 65 | 100 | 8 | 108 | 8 |
| Minimum | 0.941 | ND | ND | 3.16 | 2.5 | 2.58 |
| Maximum | 11 | 19 | 30.9 | 3.53 | 10.6 | 2.89 |
| Mean | 2.48 | 8.91 | 3.38 | 3.40 | 3.46 | 2.71 |
| Standard Deviation | 2.07 | 4.03 | 2.79 | 0.12 | 1.00 | 0.11 |
| Median | 1.895 | 7.84 | 3 | 3.415 | 3.025 | 2.69 |
| Nitrate-N [mg/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 38 | 42 | 101 | 8 | 107 | 8 |
| Minimum | 0.2 | ND | 0.21 | 0.409 | ND | 0.238 |
| Maximum | 5.53 | 6.3 | 0.84 | 0.461 | 0.407 | 0.418 |
| Mean | 1.620 | 1.450 | 0.425 | 0.428 | 0.118 | 0.330 |
| Standard Deviation | 1.344 | 1.713 | 0.127 | 0.016 | 0.072 | 0.062 |
| Median | 1.245 | 0.3 | 0.4 | 0.4245 | 0.0898 | 0.33 |
| Sulfate [mg/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 107 | 8 |
| No. of Detections | 38 | 67 | 101 | 8 | 107 | 8 |
| Minimum | 3.96 | 3.7 | 2.6 | 9.04 | 8.39 | 8.39 |
| Maximum | 19 | 46 | 11 | 10.2 | 26.81 | 11.7 |
| Mean | 9.0 | 17.1 | 9.4 | 9.4 | 18.0 | 10.0 |
| Standard Deviation | 4.2 | 8.7 | 0.9 | 0.4 | 3.2 | 1.2 |
| Median | 8 | 15 | 9.5 | 9.215 | 18.9 | 9.72 |
| Total Dissolved Solids [mg/L] | | | | | | |
| No. of Analyses | 33 | 52 | 100 | 8 | 107 | 8 |
| No. of Detections | 33 | 52 | 100 | 8 | 107 | 8 |
| Minimum | 8 | 29 | 46 | 90 | 68 | 101 |
| Maximum | 90 | 500 | 130 | 131 | 150 | 117 |
| Mean | 62 | 284 | 98 | 106 | 116 | 108 |
| Standard Deviation | 17 | 130 | 13 | 12 | 14 | 5 |
| Median | 64 | 300 | 100 | 105.5 | 118 | 109 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc1 | | | | | |
|------------------------------------|-------------|-------|--------|-------|--------|--------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 5 | 24 | 100 | 8 | 107 | 8 |
| Minimum | ND | ND | ND | 1.67 | ND | 1.89 |
| Maximum | 7.00 | 6.00 | 2.00 | 1.78 | 3.00 | 2.3 |
| Mean | 0.722 | 1.062 | 1.610 | 1.711 | 1.819 | 2.079 |
| Standard Deviation | 1.265 | 1.079 | 0.331 | 0.043 | 0.296 | 0.156 |
| Median | 0.500 | 0.500 | 1.640 | 1.700 | 1.875 | 2.055 |
| Arsenic, Total [ug/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 11 | 18 | 29 | 8 | 32 | 8 |
| Minimum | ND | ND | 1.47 | 1.66 | 1.55 | 1.94 |
| Maximum | 0.5 | 0.623 | 1.75 | 1.72 | 2.22 | 2.33 |
| Mean | 0.171 | 0.384 | 1.587 | 1.699 | 1.887 | 2.125 |
| Standard Deviation | 0.171 | 0.070 | 0.074 | 0.023 | 0.197 | 0.160 |
| Median | 0.104 | 0.366 | 1.580 | 1.705 | 1.930 | 2.160 |
| Calcium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 101 | 8 | 108 | 8 |
| No. of Detections | 32 | 44 | 101 | 8 | 108 | 8 |
| Minimum | 4.55 | 11.1 | 4.3 | 9.68 | 6.5 | 8.87 |
| Maximum | 11 | 73.6 | 13 | 10.3 | 11.5 | 9.47 |
| Mean | 8.2 | 36.6 | 9.0 | 10.0 | 9.4 | 9.2 |
| Standard Deviation | 1.7 | 23.3 | 1.0 | 0.2 | 0.9 | 0.2 |
| Median | 8.43 | 33.5 | 9.05 | 9.875 | 9.5 | 9.215 |
| Calcium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Minimum | 4.47 | 11.2 | 8.23 | 9.72 | 8.21 | 8.45 |
| Maximum | 9.67 | 26 | 11.2 | 10.4 | 11.5 | 9.6 |
| Mean | 7.20 | 14.67 | 9.58 | 9.99 | 9.67 | 9.14 |
| Standard Deviation | 1.61 | 4.12 | 0.69 | 0.23 | 0.81 | 0.37 |
| Median | 7.235 | 12.9 | 9.6 | 9.935 | 9.63 | 9.095 |
| Iron, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 21 | 40 | 55 | 0 | 65 | 1 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | 8.6 | 0.5 | 0.3 | ND | 0.49 | 0.0302 |
| Mean | 0.75 | 0.07 | 0.03 | ID | 0.03 | ID |
| Standard Deviation | 2.08 | 0.10 | 0.05 | ID | 0.06 | ID |
| Median | 0.0215 | 0.025 | 0.0097 | ID | 0.016 | ID |
| Iron, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 14 | 18 | 2 | 29 | 2 |
| Minimum | 0.0192 | ND | ND | ND | ND | ND |
| Maximum | 0.353 | 0.335 | 0.041 | 0.062 | 2.18 | 0.0137 |
| Mean | 0.128 | 0.041 | 0.012 | ID | 0.134 | ID |
| Standard Deviation | 0.103 | 0.075 | 0.008 | ID | 0.383 | ID |
| Median | 0.11095 | 0.016 | 0.012 | ID | 0.0359 | ID |
| Magnesium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 101 | 8 | 108 | 8 |
| No. of Detections | 32 | 44 | 101 | 8 | 108 | 8 |
| Minimum | 1.8 | 8.03 | 4.2 | 9.35 | 7.7 | 10.6 |
| Maximum | 3.1 | 56.8 | 12 | 10.1 | 14 | 11.5 |
| Mean | 2.35 | 27.55 | 8.41 | 9.59 | 10.70 | 10.91 |
| Standard Deviation | 0.29 | 18.08 | 0.98 | 0.24 | 1.20 | 0.31 |
| Median | 2.335 | 24 | 8.3 | 9.585 | 10.5 | 10.85 |
| Magnesium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Minimum | 1.89 | 7.75 | 8.04 | 8.95 | 9.63 | 9.95 |
| Maximum | 2.94 | 17.7 | 10.9 | 9.78 | 13.6 | 11 |
| Mean | 2.38 | 10.40 | 9.35 | 9.39 | 11.44 | 10.68 |
| Standard Deviation | 0.30 | 2.58 | 0.70 | 0.25 | 1.12 | 0.40 |
| Median | 2.41 | 9.34 | 9.41 | 9.335 | 11.25 | 10.85 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc1 | | | | | |
|------------------------------------|-------------|-------|-------|-------|-------|-------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 31 | 60 | 11 | 2 | 67 | 7 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | 2700 | 970 | 3 | 0.55 | 27 | 8 |
| Mean | 257 | 132 | 0.54 | ID | 2.6 | 1.7 |
| Standard Deviation | 746 | 205 | 0.43 | ID | 4.1 | 2.7 |
| Median | 1.04 | 28 | 0.50 | ID | 1.0 | 0.41 |
| Manganese, Total [ug/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 20 | 6 | 29 | 8 |
| Minimum | 0.81 | 1.1 | ND | ND | ND | 0.20 |
| Maximum | 36 | 169 | 1.9 | 4.3 | 65 | 3.9 |
| Mean | 8.4 | 22 | 0.57 | 0.69 | 6.6 | 0.94 |
| Standard Deviation | 9.7 | 40 | 0.48 | 1.4 | 12 | 1.2 |
| Median | 4.4 | 7.7 | 0.50 | 0.16 | 3.2 | 0.54 |
| Potassium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 101 | 8 | 108 | 8 |
| No. of Detections | 32 | 44 | 101 | 8 | 108 | 8 |
| Minimum | 1.06 | 0.88 | 0.65 | 1.35 | 1.1 | 1.59 |
| Maximum | 4.1 | 2.7 | 2 | 1.55 | 2.24 | 1.89 |
| Mean | 2.59 | 1.54 | 1.37 | 1.44 | 1.71 | 1.71 |
| Standard Deviation | 0.93 | 0.54 | 0.15 | 0.07 | 0.16 | 0.09 |
| Median | 2.555 | 1.45 | 1.38 | 1.415 | 1.7 | 1.69 |
| Potassium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Minimum | 1.04 | 0.901 | 1.28 | 1.39 | 1.48 | 1.59 |
| Maximum | 2.8 | 1.24 | 1.65 | 1.47 | 2.5 | 1.84 |
| Mean | 1.86 | 1.07 | 1.49 | 1.43 | 1.81 | 1.69 |
| Standard Deviation | 0.61 | 0.10 | 0.08 | 0.03 | 0.17 | 0.08 |
| Median | 1.665 | 1.04 | 1.49 | 1.425 | 1.79 | 1.66 |
| Sodium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 101 | 8 | 108 | 8 |
| No. of Detections | 32 | 44 | 101 | 8 | 108 | 8 |
| Minimum | 1.81 | 5.4 | 2.3 | 4.4 | 4.9 | 5.31 |
| Maximum | 7.1 | 24.8 | 6.4 | 5.43 | 14.4 | 6.28 |
| Mean | 4.3 | 11.8 | 4.6 | 4.9 | 6.0 | 5.9 |
| Standard Deviation | 1.3 | 6.0 | 0.5 | 0.3 | 0.9 | 0.3 |
| Median | 4.2 | 10.2 | 4.6 | 4.885 | 5.9 | 5.855 |
| Sodium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Minimum | 1.82 | 5.84 | 4.41 | 4.62 | 5.4 | 5.41 |
| Maximum | 7.73 | 9.18 | 5.72 | 5.24 | 15.8 | 6.23 |
| Mean | 3.78 | 7.11 | 5.05 | 4.93 | 6.46 | 5.85 |
| Standard Deviation | 1.70 | 0.91 | 0.31 | 0.20 | 1.75 | 0.24 |
| Median | 3.465 | 7.05 | 5.07 | 4.93 | 6.21 | 5.845 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc1 | | | | | |
|---------------------------------------|--------------|--------------|---------------------|----|---------------------|----|
| | MW-3 Long | MW-4 Long | MW-10 Long Short | | MW-13 Long Short | |
| 1,1-Dichloroethane [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 17 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 5 | ND | ND | ND | ND |
| Mean | ID | 0.40 | ID | ID | ID | ID |
| Standard Deviation | ID | 0.63 | ID | ID | ID | ID |
| Median | ID | 0.35 | ID | ID | ID | ID |
| 1,2-Dichloropropane [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID |
| Benzene [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 0 | 1 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | 0.28 | ND | 0.22 | ND |
| Mean | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID |
| Chloroethane [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 6 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 5 | ND | ND | ND | ND |
| Mean | ID | 0.816 | ID | ID | ID | ID |
| Standard Deviation | ID | 1.029 | ID | ID | ID | ID |
| Median | ID | 0.1 | ID | ID | ID | ID |
| Tetrachloroethene [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 7 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | 2.50 | ND | ND | ND | ND | ND |
| Mean | 0.22 | ID | ID | ID | ID | ID |
| Standard Deviation | 0.41 | ID | ID | ID | ID | ID |
| Median | 0.10 | ID | ID | ID | ID | ID |
| cis -1,2-Dichloroethene [ug/L] | | | | | | |
| No. of Analyses | 35 | 54 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 27 | 0 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 16 | ND | ND | 0.79 | ND |
| Mean | ID | 1.051 | ID | ID | ID | ID |
| Standard Deviation | ID | 2.283 | ID | ID | ID | ID |
| Median | ID | 0.5 | ID | ID | ID | ID |
| Dichlorodifluoromethane [ug/L] | | | | | | |
| No. of Analyses | 31 | 35 | 101 | 8 | 103 | 8 |
| No. of Detections | 0 | 12 | 0 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 5 | ND | ND | 1.5 | ND |
| Mean | ID | 0.847 | ID | ID | ID | ID |
| Standard Deviation | ID | 1.297 | ID | ID | ID | ID |
| Median | ID | 0.05 | ID | ID | ID | ID |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc1 | | | | | |
|---|-------------|-------|-------|-------|-------|-------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 0 | 1 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | 0.35 | ND | 0.78 | ND |
| Mean | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID |
| trans -1,2-Dichloroethene [ug/L] | | | | | | |
| No. of Analyses | 37 | 59 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 1 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 5 | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID |
| Trichloroethene [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID |
| Trichlorofluoromethane [ug/L] | | | | | | |
| No. of Analyses | 32 | 45 | 101 | 8 | 108 | 8 |
| No. of Detections | 16 | 27 | 1 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | 0.67 | 5 | 0.2 | ND | 1 | ND |
| Mean | 0.195 | 0.746 | ID | ID | ID | ID |
| Standard Deviation | 0.158 | 0.922 | ID | ID | ID | ID |
| Median | 0.1295 | 0.24 | ID | ID | ID | ID |
| Vinyl Chloride [ug/L] | | | | | | |
| No. of Analyses | 38 | 67 | 101 | 8 | 108 | 8 |
| No. of Detections | 0 | 23 | 1 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND |
| Maximum | ND | 19 | 0.02 | ND | 0.1 | ND |
| Mean | ID | 2.684 | ID | ID | ID | ID |
| Standard Deviation | ID | 4.720 | ID | ID | ID | ID |
| Median | ID | 0.5 | ID | ID | ID | ID |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc2 | | | | | | | | | | | |
|---|-------------|--------|--------|--------|--------|--------|---------|--------|--------|---------|--------|---------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | | | | | | | |
| No. of Analyses | 156 | 8 | 104 | 8 | 89 | 8 | 90 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 156 | 8 | 104 | 8 | 89 | 8 | 90 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 6.06 | 6.57 | 6.55 | 6.65 | 6.57 | 7.45 | 6.41 | 6.53 | 6.32 | 6.58 | 6.37 | 6.38 |
| Maximum | 7.75 | 7.07 | 7.98 | 7.27 | 8.56 | 7.89 | 8.24 | 6.91 | 6.89 | 6.85 | 6.91 | 6.70 |
| Mean | 6.87 | 6.80 | 7.31 | 6.93 | 7.76 | 7.63 | 6.87 | 6.75 | 6.70 | 6.69 | 6.67 | 6.50 |
| Standard Deviation | 0.24 | 0.16 | 0.25 | 0.23 | 0.44 | 0.19 | 0.24 | 0.15 | 0.13 | 0.12 | 0.15 | 0.11 |
| Median | 6.9 | 6.77 | 7.34 | 6.9 | 7.84 | 7.59 | 6.87 | 6.805 | 6.72 | 6.645 | 6.68 | 6.495 |
| Specific Conductance, Field [umhos/cm] | | | | | | | | | | | | |
| No. of Analyses | 156 | 8 | 104 | 8 | 90 | 8 | 90 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 156 | 8 | 104 | 8 | 90 | 8 | 90 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 230.0 | 260.5 | 110.0 | 160.6 | 140.0 | 159.5 | 200.0 | 243.6 | 608.4 | 539.9 | 569.0 | 488.8 |
| Maximum | 1024.0 | 286.3 | 209.9 | 185.5 | 242.1 | 196.6 | 480.0 | 299.0 | 921.6 | 589.4 | 884.9 | 620.0 |
| Mean | 432.9 | 271.8 | 158.8 | 171.8 | 178.3 | 166.5 | 333.1 | 266.5 | 793.9 | 568.0 | 726.8 | 557.9 |
| Standard Deviation | 122.2 | 9.7 | 20.8 | 9.2 | 23.1 | 12.3 | 68.4 | 19.3 | 76.4 | 17.8 | 84.5 | 44.1 |
| Median | 412.5 | 271.65 | 155 | 169.45 | 171 | 162.9 | 317.5 | 269.2 | 810.5 | 570.5 | 705.1 | 559.25 |
| Alkalinity [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 104 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 104 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 110 | 134 | 56 | 67.5 | 58.5 | 68.5 | 116 | 127 | 342 | 316 | 309 | 297 |
| Maximum | 500 | 143 | 100 | 79.8 | 94.9 | 72.6 | 290 | 146 | 496 | 349 | 460 | 345 |
| Mean | 208.57 | 138.38 | 67.43 | 73.45 | 73.96 | 71.08 | 185.19 | 137.75 | 417.61 | 332.88 | 368.78 | 320.88 |
| Standard Deviation | 57.39 | 3.50 | 6.22 | 4.14 | 6.22 | 1.23 | 49.57 | 7.05 | 40.37 | 11.64 | 40.10 | 15.74 |
| Median | 197.5 | 138 | 67.8 | 72.9 | 72 | 71 | 180 | 140.5 | 421 | 333 | 353 | 323 |
| Ammonia-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 161 | 8 | 103 | 8 | 89 | 8 | 88 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 26 | 0 | 12 | 0 | 57 | 8 | 51 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | 0.015 | ND | 0.0077 | 0.0152 | 0.0292 | 0.0319 | 0.0635 |
| Maximum | 0.04 | ND | 0.06 | ND | 0.1 | 0.0187 | 0.13 | 0.0108 | 0.0651 | 0.0323 | 0.0954 | 0.0715 |
| Mean | 0.011 | ID | 0.009 | ID | 0.018 | 0.016 | 0.017 | 0.009 | 0.034 | 0.031 | 0.068 | 0.066 |
| Standard Deviation | 0.009 | ID | 0.010 | ID | 0.012 | 0.001 | 0.018 | 0.001 | 0.008 | 0.001 | 0.011 | 0.003 |
| Median | 0.005 | ID | 0.005 | ID | 0.0151 | 0.0157 | 0.01425 | 0.0091 | 0.0321 | 0.03075 | 0.0676 | 0.06515 |
| Chloride [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 159 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | 2.06 | 3 | 4.33 | 2.99 | 3.06 | 2.01 | 1.76 | 3.46 | 3.29 | 3.83 | 3.32 |
| Maximum | 10.6 | 2.53 | 23 | 5.84 | 4.3 | 3.36 | 15.2 | 2.09 | 5.78 | 4.07 | 5.97 | 4.26 |
| Mean | 4.23 | 2.25 | 4.45 | 4.92 | 3.56 | 3.19 | 3.80 | 1.91 | 4.54 | 3.57 | 4.55 | 3.87 |
| Standard Deviation | 1.55 | 0.14 | 1.93 | 0.49 | 0.36 | 0.09 | 1.87 | 0.10 | 0.74 | 0.24 | 0.69 | 0.29 |
| Median | 4 | 2.24 | 4.14 | 4.87 | 3.47 | 3.17 | 3.48 | 1.91 | 4.49 | 3.51 | 4.21 | 3.875 |
| Nitrate-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 78 | 8 | 103 | 8 | 15 | 0 | 56 | 8 | 2 | 0 | 1 | 0 |
| Minimum | ND | 0.154 | ND | 0.38 | ND | ND | ND | 0.0987 | ND | ND | ND | ND |
| Maximum | 1.25 | 1.23 | 1.6 | 0.951 | 0.11 | ND | 0.555 | 0.343 | 0.0426 | ND | 0.025 | ND |
| Mean | 0.129 | 0.736 | 0.269 | 0.643 | 0.014 | ID | 0.101 | 0.232 | ID | ID | ID | ID |
| Standard Deviation | 0.233 | 0.364 | 0.247 | 0.216 | 0.014 | ID | 0.106 | 0.090 | ID | ID | ID | ID |
| Median | 0.05 | 0.777 | 0.1935 | 0.638 | 0.005 | ID | 0.076 | 0.248 | ID | ID | ID | ID |
| Sulfate [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 162 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 1.54 | 11.9 | 9 | 12 | 14 | 14.9 | 10 | 12 | 13.9 | 15.9 | 13.8 | 24.7 |
| Maximum | 18.8 | 15.1 | 18 | 13.7 | 18 | 16 | 19 | 14.1 | 17.9 | 18.6 | 26.4 | 31.9 |
| Mean | 12.6 | 13.3 | 12.8 | 12.7 | 16.1 | 15.5 | 14.0 | 13.0 | 15.9 | 16.9 | 20.6 | 28.1 |
| Standard Deviation | 2.7 | 1.0 | 1.3 | 0.6 | 1.1 | 0.4 | 2.6 | 0.7 | 1.3 | 0.8 | 3.0 | 2.3 |
| Median | 12 | 13.2 | 13 | 12.4 | 16 | 15.55 | 13.6 | 12.9 | 16.2 | 17.05 | 21 | 28.15 |
| Total Dissolved Solids [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 151 | 8 | 103 | 8 | 88 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 151 | 8 | 103 | 8 | 88 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 34 | 162 | 58 | 108 | 50 | 113 | 157 | 166 | 402 | 325 | 404 | 371 |
| Maximum | 480 | 195 | 160 | 139 | 160 | 142 | 307 | 195 | 519 | 394 | 539 | 434 |
| Mean | 265 | 178 | 114 | 126 | 125 | 126 | 222 | 179 | 470 | 372 | 451 | 409 |
| Standard Deviation | 66 | 10 | 18 | 10 | 18 | 8 | 37 | 11 | 36 | 22 | 33 | 21 |
| Median | 259 | 178.5 | 114 | 128.5 | 128 | 128 | 220 | 174 | 485 | 374 | 445 | 405.5 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc2 | | | | | | | | | | | |
|------------------------------------|-------------|-------|-------|--------|-------|--------|-------|--------|-------|-------|--------|--------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 101 | 8 | 102 | 8 | 88 | 8 | 82 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | 0.83 | ND | 2.27 | ND | 1.92 | ND | 0.871 | 32.7 | 36.1 | 22.9 | 23.7 |
| Maximum | 4.00 | 0.982 | 3.00 | 2.44 | 5.00 | 2.08 | 23 | 1.15 | 57.2 | 41.7 | 38.4 | 29.3 |
| Mean | 1.038 | 0.917 | 2.388 | 2.343 | 1.771 | 2.005 | 4.536 | 0.990 | 41.5 | 38.0 | 30.4 | 26.6 |
| Standard Deviation | 0.610 | 0.051 | 0.393 | 0.059 | 0.479 | 0.060 | 5.674 | 0.107 | 5.806 | 1.719 | 4.150 | 1.660 |
| Median | 1.000 | 0.914 | 2.340 | 2.345 | 1.700 | 1.995 | 1.680 | 0.949 | 39.8 | 37.7 | 29.4 | 26.9 |
| Arsenic, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 16 | 8 | 31 | 8 | 31 | 8 | 28 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | 0.836 | 2.17 | 2.21 | 1.3 | 2.03 | ND | 1.2 | 32.3 | 36.1 | 20.4 | 28.4 |
| Maximum | 2.5 | 1.02 | 2.5 | 2.4 | 4.4 | 2.22 | 8.73 | 2.72 | 47.1 | 43.1 | 55.3 | 51.8 |
| Mean | 0.751 | 0.917 | 2.310 | 2.323 | 2.202 | 2.153 | 3.155 | 1.641 | 40.0 | 38.6 | 31.0 | 36.8 |
| Standard Deviation | 0.376 | 0.054 | 0.086 | 0.058 | 0.762 | 0.067 | 1.979 | 0.472 | 3.523 | 2.000 | 7.254 | 7.640 |
| Median | 0.740 | 0.913 | 2.320 | 2.335 | 2.210 | 2.175 | 3.060 | 1.550 | 39.5 | 38.4 | 29.8 | 34.9 |
| Calcium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 4.3 | 19.9 | 7.8 | 13.3 | 9.1 | 12.9 | 16.3 | 19.8 | 57.8 | 55.2 | 52.1 | 54.2 |
| Maximum | 47.9 | 21.7 | 15.8 | 15.6 | 18 | 13.4 | 40 | 21.7 | 77.1 | 59 | 77.4 | 67.4 |
| Mean | 30.9 | 20.6 | 12.0 | 14.4 | 12.4 | 13.1 | 25.0 | 20.9 | 67.8 | 57.2 | 63.4 | 60.3 |
| Standard Deviation | 9.6 | 0.7 | 1.5 | 0.8 | 1.5 | 0.2 | 6.1 | 0.8 | 4.9 | 1.3 | 5.7 | 4.5 |
| Median | 30 | 20.35 | 12 | 14.45 | 12.5 | 13.1 | 23 | 21.05 | 68.8 | 57.25 | 63.1 | 61.15 |
| Calcium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 18.4 | 19.8 | 8.51 | 13 | 11.5 | 13.1 | 16.1 | 20 | 60.2 | 55.3 | 52.8 | 54.2 |
| Maximum | 27.1 | 21.8 | 16.7 | 16 | 14.6 | 13.3 | 24.9 | 22.2 | 78.7 | 59.2 | 73.2 | 67.2 |
| Mean | 22.24 | 20.56 | 13.29 | 14.49 | 13.33 | 13.19 | 20.35 | 20.88 | 69.77 | 57.29 | 65.52 | 60.86 |
| Standard Deviation | 2.31 | 0.57 | 1.65 | 0.94 | 0.81 | 0.08 | 2.01 | 0.73 | 4.84 | 1.34 | 4.53 | 4.56 |
| Median | 22.1 | 20.4 | 13.3 | 14.65 | 13.4 | 13.2 | 20.2 | 20.8 | 70 | 57.45 | 64.6 | 60.4 |
| Iron, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 104 | 1 | 50 | 0 | 68 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | 0.0992 | 0.146 | 0.102 | 5.77 | 5.36 | 10.8 | 10.4 |
| Maximum | 0.89 | 0.01 | 0.29 | ND | 0.51 | 0.211 | 5.2 | 0.564 | 8.19 | 5.83 | 16.4 | 14.8 |
| Mean | 0.06 | ID | 0.03 | ID | 0.10 | 0.13 | 1.35 | 0.35 | 7.21 | 5.63 | 13.88 | 12.75 |
| Standard Deviation | 0.11 | ID | 0.05 | ID | 0.11 | 0.04 | 1.25 | 0.18 | 0.59 | 0.19 | 1.83 | 1.63 |
| Median | 0.025 | ID | 0.005 | ID | 0.063 | 0.112 | 0.9 | 0.4015 | 7.28 | 5.69 | 13.7 | 13 |
| Iron, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 18 | 1 | 22 | 1 | 30 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | 0.137 | 0.231 | 0.299 | 5.87 | 5.36 | 11 | 11.7 |
| Maximum | 0.15 | 0.02 | 0.346 | 0.0346 | 5.12 | 0.354 | 3.28 | 1.39 | 9.1 | 5.91 | 23.8 | 17.9 |
| Mean | 0.018 | ID | 0.045 | ID | 0.680 | 0.225 | 1.225 | 0.707 | 7.355 | 5.684 | 15.183 | 15.263 |
| Standard Deviation | 0.027 | ID | 0.068 | ID | 0.956 | 0.065 | 0.744 | 0.376 | 0.715 | 0.201 | 2.899 | 2.564 |
| Median | 0.011 | ID | 0.019 | ID | 0.521 | 0.2075 | 1.08 | 0.774 | 7.44 | 5.7 | 15.1 | 15.85 |
| Magnesium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 3.9 | 20.6 | 6.6 | 10.2 | 7.7 | 10.9 | 15.2 | 19.2 | 45.1 | 41.4 | 37.8 | 41.2 |
| Maximum | 53.9 | 23 | 13 | 12.6 | 15.1 | 12.1 | 43.2 | 22.9 | 65.1 | 48 | 51.4 | 47.4 |
| Mean | 34.63 | 22.10 | 9.56 | 11.69 | 10.66 | 11.63 | 25.07 | 20.90 | 55.67 | 44.85 | 43.86 | 44.54 |
| Standard Deviation | 10.85 | 0.94 | 1.34 | 0.78 | 1.84 | 0.34 | 7.63 | 1.47 | 4.48 | 1.83 | 3.51 | 2.30 |
| Median | 33 | 22.5 | 9.3 | 11.9 | 10 | 11.7 | 23 | 20.8 | 55.9 | 44.95 | 43.4 | 45.25 |
| Magnesium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 19.4 | 19.7 | 8.54 | 11 | 8.69 | 10.1 | 14.3 | 17.8 | 46.2 | 40.1 | 36.5 | 41.2 |
| Maximum | 31.8 | 23.2 | 14 | 13.2 | 15.7 | 11.9 | 25.7 | 22.2 | 61.1 | 46.1 | 59.6 | 47.5 |
| Mean | 24.76 | 21.83 | 11.07 | 11.65 | 12.61 | 11.41 | 19.75 | 20.61 | 54.91 | 44.04 | 44.43 | 44.19 |
| Standard Deviation | 3.60 | 1.12 | 1.13 | 0.75 | 1.80 | 0.58 | 3.07 | 1.68 | 3.76 | 2.08 | 4.59 | 2.52 |
| Median | 23.1 | 21.85 | 11 | 11.5 | 12.8 | 11.6 | 19.7 | 21.55 | 55.6 | 44.7 | 43.9 | 43.75 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc2 | | | | | | | | | | | |
|------------------------------------|-------------|-------|------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 162 | 8 | 103 | 8 | 89 | 8 | 88 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 161 | 8 | 10 | 0 | 89 | 8 | 88 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | 12 | ND | ND | 53 | 126 | 165 | 158 | 877 | 877 | 1630 | 2140 |
| Maximum | 590 | 57 | 540 | ND | 548 | 146 | 1600 | 505 | 1130 | 927 | 2560 | 2350 |
| Mean | 127 | 41 | 6.1 | ID | 209 | 134 | 550.5 | 330 | 1014 | 887 | 2297 | 2345 |
| Standard Deviation | 76 | 17 | 53 | ID | 90 | 6.7 | 309.0 | 142 | 78 | 17 | 236 | 141 |
| Median | 110 | 45 | 0.50 | ID | 210 | 133 | 478.5 | 368 | 1010 | 882 | 2370 | 2335 |
| Manganese, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 32 | 8 | 24 | 6 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 18 | 27 | ND | ND | 140 | 129 | 168 | 175 | 897 | 863 | 1940 | 2180 |
| Maximum | 306 | 68 | 15 | 1.6 | 2920 | 152 | 1050 | 536 | 1290 | 921 | 2790 | 2570 |
| Mean | 135 | 50 | 1.9 | 0.35 | 376 | 136 | 524 | 370 | 1043 | 892 | 2439 | 2374 |
| Standard Deviation | 65 | 15 | 3.0 | 0.51 | 486 | 7.1 | 243 | 158 | 108 | 21 | 215 | 136 |
| Median | 117 | 51 | 0.50 | 0.17 | 298 | 135 | 496 | 417 | 1030 | 895 | 2440 | 2400 |
| Potassium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 0.59 | 2.01 | 1.2 | 2.01 | 1.5 | 1.99 | 1.8 | 2.1 | 3.03 | 3.02 | 3.03 | 3.13 |
| Maximum | 3.7 | 2.32 | 2.41 | 2.28 | 2.9 | 2.2 | 3.3 | 2.47 | 3.79 | 3.32 | 3.72 | 3.37 |
| Mean | 2.49 | 2.14 | 1.95 | 2.12 | 2.07 | 2.08 | 2.36 | 2.27 | 3.45 | 3.17 | 3.32 | 3.21 |
| Standard Deviation | 0.40 | 0.11 | 0.21 | 0.10 | 0.21 | 0.08 | 0.34 | 0.14 | 0.18 | 0.13 | 0.18 | 0.09 |
| Median | 2.4 | 2.105 | 1.95 | 2.105 | 2.09 | 2.075 | 2.27 | 2.235 | 3.47 | 3.15 | 3.29 | 3.19 |
| Potassium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 2.07 | 2.06 | 1.92 | 2.05 | 1.91 | 2 | 2.02 | 2.15 | 3.27 | 3 | 3.07 | 3.14 |
| Maximum | 2.58 | 2.2 | 2.67 | 2.28 | 2.48 | 2.21 | 2.74 | 2.47 | 3.89 | 3.38 | 3.88 | 3.56 |
| Mean | 2.31 | 2.11 | 2.18 | 2.13 | 2.20 | 2.07 | 2.27 | 2.26 | 3.56 | 3.15 | 3.50 | 3.29 |
| Standard Deviation | 0.14 | 0.05 | 0.17 | 0.07 | 0.13 | 0.08 | 0.19 | 0.10 | 0.15 | 0.14 | 0.19 | 0.15 |
| Median | 2.33 | 2.095 | 2.17 | 2.11 | 2.2 | 2.04 | 2.21 | 2.245 | 3.57 | 3.125 | 3.46 | 3.285 |
| Sodium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 137 | 8 | 103 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 2.2 | 7.8 | 4.5 | 5.29 | 4.2 | 5.15 | 8.35 | 8.93 | 16.9 | 15.4 | 13.8 | 15.6 |
| Maximum | 14 | 9.35 | 6.59 | 6.24 | 8 | 6.42 | 13 | 11.4 | 21.4 | 18 | 17.7 | 18.1 |
| Mean | 10.3 | 8.7 | 5.4 | 5.8 | 6.2 | 5.9 | 10.4 | 10.3 | 18.9 | 16.5 | 16.1 | 16.6 |
| Standard Deviation | 1.7 | 0.5 | 0.5 | 0.4 | 0.7 | 0.4 | 0.9 | 0.8 | 1.0 | 0.8 | 1.2 | 0.8 |
| Median | 9.9 | 8.88 | 5.3 | 5.985 | 6.16 | 5.98 | 10.2 | 10.6 | 18.9 | 16.5 | 16.3 | 16.4 |
| Sodium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Minimum | 8.15 | 7.73 | 5.19 | 5.62 | 4.85 | 4.99 | 9.16 | 9.66 | 16.5 | 14.6 | 13.2 | 15.1 |
| Maximum | 11.4 | 9.23 | 6.84 | 6.37 | 7.27 | 6.19 | 12.2 | 10.8 | 20.8 | 17.3 | 17.8 | 17.8 |
| Mean | 9.28 | 8.70 | 5.95 | 5.97 | 6.23 | 5.79 | 10.73 | 10.27 | 18.86 | 16.40 | 16.21 | 16.68 |
| Standard Deviation | 0.62 | 0.50 | 0.43 | 0.25 | 0.52 | 0.40 | 0.74 | 0.50 | 0.91 | 0.94 | 1.19 | 0.84 |
| Median | 9.23 | 8.765 | 5.94 | 5.975 | 6.23 | 5.85 | 10.9 | 10.235 | 18.9 | 16.5 | 16.6 | 16.7 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc2 | | | | | | | | | | | |
|---------------------------------------|-------------|-------|------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | 1.29 | 0.727 | 0.12 | 0.196 |
| Maximum | 0.5 | ND | ND | ND | ND | ND | ND | ND | 2.32 | 2.06 | 0.483 | 0.302 |
| Mean | 0.18 | ID | ID | ID | ID | ID | ID | ID | 1.64 | 1.53 | 0.27 | 0.24 |
| Standard Deviation | 0.16 | ID | ID | ID | ID | ID | ID | ID | 0.28 | 0.48 | 0.11 | 0.05 |
| Median | 0.1 | ID | ID | ID | ID | ID | ID | ID | 1.58 | 1.53 | 0.27 | 0.2255 |
| 1,2-Dichloropropane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | 6.26 | 4.64 | 0.321 | 0.328 |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | 12.5 | 8.31 | 1.33 | 0.546 |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | 7.98 | 6.52 | 0.88 | 0.43 |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | 1.61 | 1.33 | 0.31 | 0.08 |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | 7.43 | 6.205 | 0.888 | 0.3955 |
| Benzene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | 0.934 | 0.579 | 0.518 | 0.449 |
| Maximum | ND | ND | ND | ND | ND | ND | 0.25 | ND | 1.76 | 0.964 | 1.17 | 0.594 |
| Mean | ID | ID | ID | ID | ID | ID | 0.096 | ID | 1.131 | 0.797 | 0.881 | 0.520 |
| Standard Deviation | ID | ID | ID | ID | ID | ID | 0.031 | ID | 0.227 | 0.147 | 0.190 | 0.057 |
| Median | ID | ID | ID | ID | ID | ID | 0.1 | ID | 1.04 | 0.7735 | 0.932 | 0.497 |
| Chloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 2 | 0 | 1 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | 2.5 | ND | ND | ND | ND | ND | ND | ND | 0.947 | 0.435 | ND | 0.10 |
| Mean | 0.594 | ID | ID | ID | ID | ID | ID | ID | 0.411 | ID | ID | ID |
| Standard Deviation | 0.839 | ID | ID | ID | ID | ID | ID | ID | 0.196 | ID | ID | ID |
| Median | 0.1 | ID | ID | ID | ID | ID | ID | ID | 0.41 | ID | ID | ID |
| Tetrachloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| cis-1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 147 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 44 | 6 | 0 | 0 | 0 | 0 | 88 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | 0.463 | 24.1 | 22.8 | 2.7 | 2.9 |
| Maximum | 0.6 | 0.331 | ND | ND | ND | ND | 8.7 | 0.595 | 52.7 | 39.4 | 11.2 | 3.71 |
| Mean | 0.175 | 0.160 | ID | ID | ID | ID | 1.993 | 0.532 | 33.487 | 29.113 | 7.360 | 3.298 |
| Standard Deviation | 0.128 | 0.098 | ID | ID | ID | ID | 2.079 | 0.049 | 7.889 | 6.138 | 2.589 | 0.280 |
| Median | 0.1 | 0.133 | ID | ID | ID | ID | 1.1 | 0.54 | 31.8 | 28.8 | 8.42 | 3.24 |
| Dichlorodifluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 103 | 8 | 104 | 8 | 89 | 8 | 88 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 101 | 8 | 0 | 0 | 24 | 5 | 87 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | 1.59 | ND | ND | ND | ND | ND | 1.27 | 3.21 | 2.68 | 0.225 | 0.494 |
| Maximum | 30.00 | 3.81 | ND | ND | 1.75 | 0.249 | 20.00 | 2.34 | 8.82 | 4.4 | 1.13 | 0.909 |
| Mean | 10.010 | 2.546 | ID | ID | 0.217 | 0.136 | 4.679 | 1.646 | 5.179 | 3.540 | 0.592 | 0.682 |
| Standard Deviation | 6.508 | 0.740 | ID | ID | 0.255 | 0.079 | 3.735 | 0.408 | 1.359 | 0.652 | 0.283 | 0.144 |
| Median | 8.10 | 2.43 | ID | ID | 0.1 | 0.149 | 3.31 | 1.505 | 5.27 | 3.415 | 0.57 | 0.6915 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Channel Cc2 | | | | | | | | | | | |
|--|-------------|---------|------|-------|-------|-------|-------|---------|--------|--------|-------|-------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 6 | 1 | 7 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | 2.5 | ND | ND | ND | 0.22 | ND | ND | ND | 2.25 | 0.10 | 0.21 | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | 0.20 | ID | 0.09 | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | 0.46 | ID | 0.04 | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | 0.05 | ID | 0.1 | ID |
| trans-1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 150 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | 0.632 | 0.469 | 0.222 | 0.183 |
| Maximum | ND | ND | ND | ND | ND | ND | 0.41 | ND | 1.15 | 1.05 | 0.401 | 0.259 |
| Mean | ID | ID | ID | ID | ID | ID | 0.122 | ID | 0.829 | 0.814 | 0.312 | 0.231 |
| Standard Deviation | ID | ID | ID | ID | ID | ID | 0.076 | ID | 0.173 | 0.179 | 0.053 | 0.028 |
| Median | ID | ID | ID | ID | ID | ID | 0.1 | ID | 0.745 | 0.824 | 0.319 | 0.238 |
| Trichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 7 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.856 | 0.92 |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | 0.18 | 0.192 | 1.45 | 1.29 |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | 0.125 | 0.148 | 1.033 | 1.163 |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | 0.036 | 0.044 | 0.134 | 0.122 |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | 0.137 | 0.1555 | 1.02 | 1.19 |
| Trichlorofluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 137 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 133 | 8 | 0 | 0 | 0 | 0 | 86 | 8 | 0 | 0 | 0 | 0 |
| Minimum | ND | 0.733 | ND | ND | ND | ND | ND | 0.519 | ND | ND | ND | ND |
| Maximum | 23 | 2.45 | ND | ND | ND | ND | 9 | 1.6 | ND | ND | ND | ND |
| Mean | 6.156 | 1.647 | ID | ID | ID | ID | 2.068 | 1.026 | ID | ID | ID | ID |
| Standard Deviation | 5.505 | 0.659 | ID | ID | ID | ID | 2.229 | 0.360 | ID | ID | ID | ID |
| Median | 3.95 | 1.94 | ID | ID | ID | ID | 0.929 | 1.085 | ID | ID | ID | ID |
| Vinyl Chloride [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 172 | 8 | 104 | 8 | 89 | 8 | 89 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 160 | 5 | 0 | 0 | 0 | 0 | 89 | 8 | 23 | 8 | 23 | 8 |
| Minimum | ND | ND | ND | ND | ND | ND | 0.04 | 0.0368 | 22.6 | 11.4 | 1.78 | 1.62 |
| Maximum | 40 | 0.0474 | ND | ND | ND | ND | 1 | 0.32 | 53.1 | 21.9 | 9.19 | 6.66 |
| Mean | 5.940 | 0.018 | ID | ID | ID | ID | 0.314 | 0.084 | 32.096 | 17.463 | 4.378 | 4.483 |
| Standard Deviation | 8.273 | 0.015 | ID | ID | ID | ID | 0.226 | 0.097 | 6.498 | 4.423 | 2.075 | 1.512 |
| Median | 0.72 | 0.01485 | ID | ID | ID | ID | 0.319 | 0.04655 | 31.2 | 18.7 | 4.09 | 4.37 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|---|-------------|-------|-------|--------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| pH, Field [standard units] | | | | |
| No. of Analyses | 103 | 8 | 23 | 8 |
| No. of Detections | 103 | 8 | 23 | 8 |
| Minimum | 5.97 | 6.25 | 6.51 | 7.31 |
| Maximum | 7.95 | 6.57 | 8.95 | 7.72 |
| Mean | 6.82 | 6.36 | 7.65 | 7.58 |
| Standard Deviation | 0.33 | 0.09 | 0.41 | 0.16 |
| Median | 6.8 | 6.365 | 7.73 | 7.655 |
| Specific Conductance, Field [umhos/cm] | | | | |
| No. of Analyses | 103 | 8 | 23 | 8 |
| No. of Detections | 103 | 8 | 23 | 8 |
| Minimum | 130.0 | 144.1 | 133.2 | 114.1 |
| Maximum | 650.0 | 156.7 | 190.4 | 165.8 |
| Mean | 168.9 | 148.6 | 173.8 | 154.2 |
| Standard Deviation | 49.8 | 4.6 | 10.7 | 16.6 |
| Median | 165 | 146.6 | 176 | 157.85 |
| Alkalinity [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 46.5 | 50.6 | 67.5 | 67.3 |
| Maximum | 78 | 59.1 | 70.9 | 69.8 |
| Mean | 58.99 | 54.61 | 69.22 | 68.84 |
| Standard Deviation | 5.82 | 2.71 | 1.10 | 0.94 |
| Median | 59 | 55.2 | 69.5 | 69.1 |
| Ammonia-N [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 10 | 0 | 4 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.43 | ND | 0.005 | ND |
| Mean | 0.013 | ID | 0.003 | ID |
| Standard Deviation | 0.044 | ID | 0.002 | ID |
| Median | 0.005 | ID | 0.003 | ID |
| Chloride [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 3 | 4.1 | 2.89 | 2.86 |
| Maximum | 6.23 | 4.69 | 3.28 | 3.1 |
| Mean | 4.38 | 4.33 | 3.09 | 3.02 |
| Standard Deviation | 0.45 | 0.19 | 0.10 | 0.09 |
| Median | 4.29 | 4.305 | 3.08 | 3.055 |
| Nitrate-N [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 101 | 8 | 23 | 8 |
| Minimum | ND | 2.71 | 0.014 | 0.017 |
| Maximum | 8.1 | 4.41 | 0.027 | 0.028 |
| Mean | 3.810 | 3.598 | 0.020 | 0.021 |
| Standard Deviation | 0.916 | 0.564 | 0.003 | 0.004 |
| Median | 3.70 | 3.48 | 0.02 | 0.02 |
| Sulfate [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 6.71 | 6.19 | 12.3 | 13.8 |
| Maximum | 11 | 7.91 | 13.8 | 14.6 |
| Mean | 8.4 | 7.0 | 13.1 | 14.1 |
| Standard Deviation | 0.8 | 0.5 | 0.4 | 0.3 |
| Median | 8.315 | 7.125 | 13.1 | 14.1 |
| Total Dissolved Solids [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 54 | 101 | 111 | 115 |
| Maximum | 150 | 128 | 141 | 133 |
| Mean | 117 | 116 | 129 | 128 |
| Standard Deviation | 15 | 10 | 6 | 7 |
| Median | 120 | 118.5 | 130 | 130.5 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|------------------------------------|-------------|--------|-------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 16 | 8 | 23 | 8 |
| Minimum | ND | 0.494 | 1.6 | 1.72 |
| Maximum | 2.1 | 0.566 | 2 | 2.08 |
| Mean | 0.513 | 0.529 | 1.751 | 1.881 |
| Standard Deviation | 0.159 | 0.023 | 0.105 | 0.131 |
| Median | 0.500 | 0.531 | 1.730 | 1.865 |
| Arsenic, Total [ug/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 15 | 8 | 23 | 8 |
| Minimum | ND | 0.497 | 1.57 | 1.69 |
| Maximum | 0.523 | 0.535 | 1.92 | 2.09 |
| Mean | 0.495 | 0.517 | 1.724 | 1.859 |
| Standard Deviation | 0.013 | 0.014 | 0.088 | 0.129 |
| Median | 0.500 | 0.521 | 1.710 | 1.850 |
| Calcium, Dissolved [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 9.67 | 11 | 10.4 | 13.6 |
| Maximum | 15.9 | 12.4 | 14.6 | 14.7 |
| Mean | 11.9 | 11.8 | 13.3 | 14.0 |
| Standard Deviation | 1.1 | 0.4 | 1.0 | 0.3 |
| Median | 11.9 | 11.7 | 13.7 | 14 |
| Calcium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Minimum | 9.51 | 11.4 | 11.5 | 13.8 |
| Maximum | 12.5 | 12.5 | 14.9 | 14.7 |
| Mean | 11.44 | 11.85 | 13.50 | 14.10 |
| Standard Deviation | 0.66 | 0.38 | 0.93 | 0.31 |
| Median | 11.6 | 11.75 | 13.7 | 14 |
| Iron, Dissolved [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 52 | 0 | 1 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.17 | ND | 0.036 | ND |
| Mean | 0.03 | ID | ID | ID |
| Standard Deviation | 0.03 | ID | ID | ID |
| Median | 0.007 | ID | ID | ID |
| Iron, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 9 | 1 | 7 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.0687 | 0.0137 | 0.334 | ND |
| Mean | 0.012 | ID | 0.029 | ID |
| Standard Deviation | 0.016 | ID | 0.071 | ID |
| Median | 0.005 | ID | 0.005 | ID |
| Magnesium, Dissolved [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 7.1 | 9.14 | 7.95 | 9.28 |
| Maximum | 11.9 | 9.97 | 10 | 9.84 |
| Mean | 9.29 | 9.61 | 9.25 | 9.60 |
| Standard Deviation | 0.75 | 0.31 | 0.57 | 0.18 |
| Median | 9.295 | 9.66 | 9.41 | 9.605 |
| Magnesium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Minimum | 8.27 | 9.17 | 7.8 | 9.35 |
| Maximum | 10 | 10 | 10.3 | 9.88 |
| Mean | 9.24 | 9.45 | 9.36 | 9.56 |
| Standard Deviation | 0.44 | 0.26 | 0.62 | 0.15 |
| Median | 9.395 | 9.365 | 9.62 | 9.53 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|------------------------------------|-------------|-------|-------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Manganese, Dissolved [µg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 4 | 2 | 23 | 8 |
| Minimum | ND | ND | 0.639 | 0.254 |
| Maximum | 2.90 | 1.38 | 35.60 | 0.69 |
| Mean | 0.49 | ID | 3.48 | 0.48 |
| Standard Deviation | 0.38 | ID | 7.18 | 0.16 |
| Median | 0.50 | ID | 1.51 | 0.47 |
| Manganese, Total [µg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 7 | 2 | 23 | 8 |
| Minimum | ND | ND | 1.3 | 0.61 |
| Maximum | 2.2 | 0.3 | 243 | 1.9 |
| Mean | 0.41 | ID | 24 | 1.113 |
| Standard Deviation | 0.47 | ID | 54 | 0.475 |
| Median | 0.43 | ID | 5.3 | 1.050 |
| Potassium, Dissolved [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 0.9 | 1.07 | 2.3 | 2.62 |
| Maximum | 1.5 | 1.21 | 2.9 | 2.87 |
| Mean | 1.10 | 1.14 | 2.66 | 2.73 |
| Standard Deviation | 0.11 | 0.05 | 0.16 | 0.10 |
| Median | 1.1 | 1.14 | 2.7 | 2.695 |
| Potassium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Minimum | 1.02 | 1.08 | 2.49 | 2.6 |
| Maximum | 1.29 | 1.18 | 2.97 | 2.76 |
| Mean | 1.14 | 1.13 | 2.71 | 2.69 |
| Standard Deviation | 0.06 | 0.03 | 0.11 | 0.06 |
| Median | 1.135 | 1.14 | 2.7 | 2.705 |
| Sodium, Dissolved [mg/L] | | | | |
| No. of Analyses | 102 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 23 | 8 |
| Minimum | 4.5 | 5.64 | 5.47 | 5.57 |
| Maximum | 7.31 | 6.7 | 6.99 | 6.76 |
| Mean | 6.1 | 6.2 | 6.3 | 6.2 |
| Standard Deviation | 0.5 | 0.4 | 0.4 | 0.4 |
| Median | 6.195 | 6.22 | 6.21 | 6.2 |
| Sodium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Minimum | 5.64 | 5.99 | 5.22 | 5.96 |
| Maximum | 6.78 | 6.63 | 6.88 | 6.63 |
| Mean | 6.27 | 6.23 | 6.31 | 6.24 |
| Standard Deviation | 0.28 | 0.24 | 0.39 | 0.25 |
| Median | 6.295 | 6.14 | 6.44 | 6.145 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|---------------------------------------|-------------|-------|-------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| 1,2-Dichloropropane [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Benzene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Chloroethane [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Tetrachloroethene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| cis -1,2-Dichloroethene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Dichlorodifluoromethane [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 11 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.64 | ND | ND | ND |
| Mean | 0.125 | ID | ID | ID |
| Standard Deviation | 0.103 | ID | ID | ID |
| Median | 0.1 | ID | ID | ID |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|--|-------------|-------|-------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Toluene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 1 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.33 | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| trans-1,2-Dichloroethene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Trichloroethene [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |
| Trichlorofluoromethane [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 20 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | 0.56 | ND | ND | ND |
| Mean | 0.143 | ID | ID | ID |
| Standard Deviation | 0.113 | ID | ID | ID |
| Median | 0.1 | ID | ID | ID |
| Vinyl Chloride [ug/L] | | | | |
| No. of Analyses | 101 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID |
| Median | ID | ID | ID | ID |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|---|----------------|--------|-------|--------|--------|---------|-------|--------|-------|--------|--------|--------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 6.76 | 7.36 | 6.59 | 6.95 | 6.84 | 7.13 | 7.07 | 7.71 | 6.65 | 7.06 | 6.64 | 6.47 |
| Maximum | 8.38 | 7.82 | 8.37 | 7.46 | 8.54 | 7.60 | 9.20 | 8.17 | 7.80 | 7.54 | 7.55 | 6.92 |
| Mean | 7.68 | 7.57 | 7.44 | 7.19 | 7.62 | 7.35 | 8.08 | 7.91 | 7.50 | 7.27 | 6.97 | 6.70 |
| Standard Deviation | 0.30 | 0.17 | 0.28 | 0.19 | 0.25 | 0.15 | 0.30 | 0.15 | 0.19 | 0.17 | 0.19 | 0.15 |
| Median | 7.75 | 7.535 | 7.46 | 7.15 | 7.63 | 7.35 | 8.125 | 7.935 | 7.51 | 7.305 | 6.94 | 6.7 |
| Specific Conductance, Field [umhos/cm] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 100.0 | 163.9 | 115.0 | 102.5 | 100.0 | 191.7 | 136.1 | 167.7 | 165.0 | 206.9 | 150.0 | 172.1 |
| Maximum | 194.2 | 176.8 | 185.0 | 151.2 | 230.0 | 202.9 | 200.0 | 179.8 | 265.0 | 214.7 | 210.0 | 178.4 |
| Mean | 162.7 | 168.2 | 143.1 | 138.8 | 197.0 | 194.8 | 173.0 | 172.0 | 219.2 | 210.3 | 196.0 | 175.0 |
| Standard Deviation | 16.9 | 5.1 | 14.4 | 15.2 | 23.6 | 3.5 | 14.2 | 3.6 | 21.8 | 3.4 | 11.9 | 2.5 |
| Median | 160 | 165.45 | 140 | 142.1 | 200 | 194.15 | 170 | 171.8 | 217.5 | 209.8 | 199.4 | 175.25 |
| Alkalinity [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 58 | 76.7 | 30 | 62 | 64 | 82.8 | 67.2 | 74.8 | 88 | 97.2 | 67.4 | 69.6 |
| Maximum | 100 | 79.6 | 66.3 | 63.8 | 110 | 86.3 | 86 | 77.9 | 140 | 101 | 80.2 | 72.2 |
| Mean | 74.09 | 78.36 | 58.34 | 63.06 | 84.16 | 84.99 | 74.59 | 76.51 | 99.32 | 99.33 | 69.95 | 70.56 |
| Standard Deviation | 4.91 | 0.91 | 4.63 | 0.62 | 11.67 | 1.12 | 3.24 | 1.07 | 6.87 | 1.14 | 2.57 | 0.86 |
| Median | 73.9 | 78.35 | 58.7 | 63.2 | 84.5 | 85.3 | 74.95 | 76.3 | 100 | 99.65 | 69.5 | 70.55 |
| Ammonia-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 101 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 8 | 1 | 88 | 8 | 74 | 8 | 17 | 7 | 4 | 0 |
| Minimum | 0.073 | 0.225 | ND | ND | ND | 0.0176 | 0.03 | 0.241 | ND | ND | ND | ND |
| Maximum | 0.32 | 0.25 | 0.06 | 0.0039 | 0.2 | 0.0556 | 0.3 | 0.312 | 0.03 | 0.0036 | 0.0587 | ND |
| Mean | 0.209 | 0.235 | 0.008 | ID | 0.045 | 0.032 | 0.225 | 0.258 | 0.008 | 0.002 | 0.006 | ID |
| Standard Deviation | 0.050 | 0.007 | 0.008 | ID | 0.033 | 0.011 | 0.044 | 0.023 | 0.007 | 0.001 | 0.013 | ID |
| Median | 0.21 | 0.233 | 0.005 | ID | 0.0351 | 0.02945 | 0.232 | 0.2535 | 0.005 | 0.0025 | 0.001 | ID |
| Chloride [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 2.7 | 3.12 | 2.6 | 3 | 3.7 | 4.43 | 3 | 3.49 | 3.38 | 3.35 | 4.58 | 4.61 |
| Maximum | 5 | 3.44 | 5 | 3.25 | 37.6 | 4.81 | 9.11 | 3.79 | 5.6 | 17.4 | 5.24 | 5.25 |
| Mean | 3.21 | 3.33 | 3.09 | 3.09 | 5.42 | 4.58 | 3.92 | 3.70 | 3.85 | 5.25 | 4.99 | 4.94 |
| Standard Deviation | 0.32 | 0.10 | 0.35 | 0.08 | 3.26 | 0.11 | 0.77 | 0.10 | 0.32 | 4.91 | 0.17 | 0.22 |
| Median | 3.125 | 3.355 | 3 | 3.1 | 5 | 4.575 | 3.81 | 3.73 | 3.815 | 3.54 | 5.03 | 4.935 |
| Nitrate-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 46 | 6 | 102 | 8 | 35 | 2 | 36 | 7 | 1 | 0 | 23 | 8 |
| Minimum | ND | ND | 0.55 | 0.638 | ND | ND | ND | ND | ND | ND | 1.59 | 1.6 |
| Maximum | 0.34 | 0.024 | 1.9 | 0.697 | 0.81 | 0.013 | 0.232 | 0.028 | 0.082 | ND | 2.57 | 2.05 |
| Mean | 0.022 | 0.015 | 0.737 | 0.677 | 0.023 | ID | 0.026 | 0.019 | ID | ID | 2.115 | 1.789 |
| Standard Deviation | 0.037 | 0.008 | 0.138 | 0.022 | 0.080 | ID | 0.030 | 0.007 | ID | ID | 0.295 | 0.168 |
| Median | 0.016 | 0.0155 | 0.737 | 0.682 | 0.01 | ID | 0.025 | 0.019 | ID | ID | 2.15 | 1.74 |
| Sulfate [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 8.7 | 10.6 | 9 | 9.63 | 12 | 16.1 | 11 | 13.2 | 14.9 | 14.1 | 12 | 12 |
| Maximum | 14 | 11.3 | 12 | 10.1 | 24 | 18.4 | 14.2 | 13.7 | 18 | 33.2 | 14 | 13.7 |
| Mean | 10.5 | 11.0 | 10.2 | 9.8 | 18.7 | 16.9 | 13.1 | 13.4 | 16.4 | 17.6 | 13.1 | 13.1 |
| Standard Deviation | 0.6 | 0.2 | 0.5 | 0.2 | 2.1 | 0.7 | 0.6 | 0.2 | 0.9 | 6.3 | 0.5 | 0.7 |
| Median | 10.5 | 11.05 | 10 | 9.825 | 18 | 16.7 | 13.05 | 13.3 | 16.25 | 15.9 | 13.1 | 13.3 |
| Total Dissolved Solids [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 63 | 123 | 53 | 99.3 | 80 | 124 | 90 | 124 | 90 | 135 | 129 | 109 |
| Maximum | 160 | 136 | 150 | 117 | 170 | 147 | 450 | 153 | 170 | 159 | 149 | 138 |
| Mean | 117 | 131 | 103 | 110 | 134 | 140 | 135 | 137 | 146 | 149 | 137 | 127 |
| Standard Deviation | 16 | 5 | 15 | 6 | 19 | 8 | 41 | 9 | 14 | 9 | 5 | 10 |
| Median | 120 | 133 | 105 | 111 | 140 | 141.5 | 133 | 137.5 | 150 | 148.5 | 135 | 129 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|------------------------------------|----------------|--------|---------|--------|--------|--------|--------|---------|--------|--------|--------|--------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 2.1 | 4.75 | 1.7 | 2.03 | 0.979 | 0.94 | 2 | 2.89 | 3.84 | 3.95 | 1.11 | 1.27 |
| Maximum | 22 | 5.12 | 5.6 | 2.17 | 27 | 1.02 | 3.41 | 3.17 | 8.00 | 4.25 | 1.38 | 1.41 |
| Mean | 6.817 | 4.949 | 2.110 | 2.114 | 3.451 | 0.978 | 2.894 | 3.040 | 4.555 | 4.103 | 1.314 | 1.324 |
| Standard Deviation | 3.011 | 0.119 | 0.387 | 0.050 | 3.689 | 0.026 | 0.392 | 0.088 | 0.666 | 0.120 | 0.060 | 0.042 |
| Median | 6.090 | 4.960 | 2.015 | 2.130 | 2.100 | 0.975 | 3.000 | 3.060 | 4.475 | 4.130 | 1.330 | 1.330 |
| Arsenic, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Minimum | 4.55 | 4.97 | 1.85 | 2.05 | 1.08 | 1.02 | 2.94 | 3.34 | 3.54 | 6.45 | 1.16 | 1.28 |
| Maximum | 5.92 | 7.31 | 2.28 | 2.18 | 2.11 | 1.54 | 10.8 | 3.76 | 15.5 | 18.1 | 1.78 | 1.4 |
| Mean | 5.143 | 5.686 | 2.045 | 2.105 | 1.421 | 1.161 | 4.330 | 3.479 | 7.452 | 9.904 | 1.331 | 1.334 |
| Standard Deviation | 0.236 | 0.731 | 0.098 | 0.052 | 0.240 | 0.181 | 1.625 | 0.152 | 3.505 | 4.233 | 0.112 | 0.047 |
| Median | 5.120 | 5.430 | 2.040 | 2.095 | 1.350 | 1.075 | 3.790 | 3.455 | 6.800 | 7.805 | 1.310 | 1.335 |
| Calcium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 9.2 | 15.6 | 7.7 | 11.1 | 9.2 | 14.7 | 11.2 | 17.1 | 13.6 | 19.3 | 10.8 | 13.5 |
| Maximum | 18 | 16.9 | 13 | 12.1 | 19.6 | 15.5 | 18.7 | 18.6 | 23 | 21.4 | 14.6 | 14.3 |
| Mean | 13.4 | 16.0 | 10.1 | 11.7 | 14.2 | 15.1 | 16.0 | 17.7 | 18.7 | 19.9 | 13.4 | 13.8 |
| Standard Deviation | 1.7 | 0.4 | 1.2 | 0.3 | 1.9 | 0.2 | 1.4 | 0.5 | 1.5 | 0.6 | 0.9 | 0.3 |
| Median | 13.1 | 15.85 | 9.9 | 11.7 | 14.5 | 15.1 | 15.95 | 17.75 | 18.65 | 19.8 | 13.6 | 13.65 |
| Calcium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Minimum | 12.2 | 15.7 | 7.97 | 11.4 | 13.5 | 14.9 | 14.9 | 17.6 | 17.6 | 19.6 | 11.9 | 13.5 |
| Maximum | 16.8 | 16.3 | 12.8 | 11.8 | 16.8 | 15.7 | 19.1 | 18.1 | 22.2 | 21.2 | 14.9 | 14.2 |
| Mean | 14.97 | 15.99 | 10.98 | 11.61 | 15.09 | 15.33 | 17.22 | 17.83 | 19.90 | 20.16 | 13.64 | 13.80 |
| Standard Deviation | 1.19 | 0.19 | 1.10 | 0.16 | 0.79 | 0.23 | 1.19 | 0.18 | 1.16 | 0.49 | 0.71 | 0.23 |
| Median | 15.4 | 16 | 11.2 | 11.6 | 15.2 | 15.3 | 17.6 | 17.85 | 20 | 20 | 13.7 | 13.85 |
| Iron, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 73 | 8 | 51 | 1 | 101 | 8 | 74 | 8 | 74 | 8 | 0 | 0 |
| Minimum | ND | 0.0124 | ND | ND | ND | 0.0139 | 0.033 | 0.0908 | 0.29 | 0.666 | ND | ND |
| Maximum | 0.22 | 0.0344 | 0.42 | 0.01 | 0.191 | 0.0766 | 0.23 | 0.115 | 0.975 | 0.804 | ND | ND |
| Mean | 0.04 | 0.02 | 0.03 | ID | 0.06 | 0.05 | 0.10 | 0.10 | 0.70 | 0.74 | ID | ID |
| Standard Deviation | 0.04 | 0.01 | 0.06 | ID | 0.04 | 0.02 | 0.04 | 0.01 | 0.13 | 0.04 | ID | ID |
| Median | 0.0305 | 0.0187 | 0.007 | ID | 0.047 | 0.048 | 0.0969 | 0.09835 | 0.7195 | 0.7415 | ID | ID |
| Iron, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 19 | 4 | 31 | 8 | 31 | 8 | 31 | 8 | 14 | 2 |
| Minimum | ND | 0.112 | ND | ND | 0.0607 | 0.107 | 0.14 | 0.45 | 0.729 | 1.63 | ND | ND |
| Maximum | 0.193 | 0.854 | 0.937 | 0.0204 | 1.09 | 0.86 | 10.5 | 1.01 | 5.85 | 6.09 | 1.38 | 0.0909 |
| Mean | 0.050 | 0.299 | 0.064 | 0.012 | 0.323 | 0.268 | 2.358 | 0.678 | 2.262 | 3.024 | 0.098 | ID |
| Standard Deviation | 0.049 | 0.247 | 0.176 | 0.008 | 0.254 | 0.255 | 2.767 | 0.203 | 1.509 | 1.595 | 0.296 | ID |
| Median | 0.032 | 0.1855 | 0.01445 | 0.0106 | 0.245 | 0.172 | 1.48 | 0.6525 | 1.73 | 2.255 | 0.0128 | ID |
| Magnesium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 6.3 | 9.6 | 6.2 | 9.6 | 8.4 | 13.6 | 5.4 | 6.89 | 10 | 13.7 | 10.8 | 11.8 |
| Maximum | 11 | 10.5 | 10.1 | 9.99 | 17.1 | 14.7 | 8.06 | 7.77 | 16.2 | 14.8 | 13.7 | 12.8 |
| Mean | 8.37 | 9.99 | 8.00 | 9.77 | 12.87 | 14.05 | 6.79 | 7.36 | 13.21 | 14.34 | 12.09 | 12.29 |
| Standard Deviation | 0.95 | 0.29 | 1.02 | 0.13 | 1.87 | 0.33 | 0.64 | 0.26 | 1.37 | 0.34 | 0.74 | 0.37 |
| Median | 8.3 | 9.975 | 7.85 | 9.745 | 13 | 14.05 | 6.79 | 7.35 | 13.4 | 14.4 | 12.1 | 12.2 |
| Magnesium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Minimum | 7.81 | 9.83 | 7.86 | 9.21 | 12.2 | 13.7 | 6.13 | 7.21 | 11.9 | 13.9 | 11 | 11.7 |
| Maximum | 11.1 | 10.2 | 10.7 | 9.78 | 16 | 14.6 | 9.59 | 7.62 | 15.9 | 15.1 | 13.4 | 12.6 |
| Mean | 9.39 | 9.98 | 9.24 | 9.50 | 14.29 | 14.08 | 7.49 | 7.41 | 14.28 | 14.34 | 12.18 | 12.31 |
| Standard Deviation | 0.94 | 0.13 | 0.83 | 0.17 | 0.90 | 0.32 | 0.72 | 0.15 | 0.89 | 0.41 | 0.57 | 0.29 |
| Median | 9.62 | 10 | 9.34 | 9.49 | 14.5 | 13.95 | 7.51 | 7.475 | 14.4 | 14.4 | 12.3 | 12.35 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|------------------------------------|----------------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 102 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 100 | 8 | 5 | 3 | 101 | 8 | 74 | 8 | 74 | 8 | 16 | 3 |
| Minimum | ND | 110 | ND | ND | ND | 317 | 42 | 57.7 | 67.8 | 81.9 | ND | ND |
| Maximum | 255 | 149 | 140 | 2.4 | 1350 | 533 | 85 | 64 | 123 | 101 | 16 | 0.19 |
| Mean | 141 | 136 | 1.9 | 0.44 | 439 | 471 | 64 | 61 | 93 | 92 | 0.95 | 0.09 |
| Standard Deviation | 33 | 13 | 14 | 0.81 | 185 | 65 | 7.5 | 2.6 | 7.9 | 6.8 | 3.2 | 0.06 |
| Median | 142 | 138 | 0.50 | 0.05 | 473 | 489.00 | 64 | 61 | 92 | 90 | 0.23 | 0.05 |
| Manganese, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 18 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 22 | 8 |
| Minimum | 147 | 187 | ND | 0.13 | 441 | 487 | 53 | 66 | 85 | 89 | ND | 0.133 |
| Maximum | 557 | 849 | 15 | 2.8 | 863 | 653 | 203 | 91 | 211 | 270 | 50 | 2.9 |
| Mean | 220 | 329 | 1.2 | 0.67 | 550 | 541 | 87 | 72 | 111 | 142 | 4.5 | 0.62 |
| Standard Deviation | 85 | 218 | 2.8 | 0.89 | 87 | 52 | 33 | 7.9 | 29 | 63 | 11 | 0.94 |
| Median | 188 | 275 | 0.50 | 0.30 | 522 | 522 | 78 | 69 | 101 | 108 | 0.56 | 0.26 |
| Potassium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 1.6 | 2.63 | 1.40 | 1.74 | 1.70 | 2.26 | 2.10 | 2.82 | 1.55 | 2.02 | 1.35 | 1.46 |
| Maximum | 3.6 | 2.97 | 2.30 | 1.92 | 3.30 | 2.54 | 3.30 | 3.24 | 2.50 | 2.31 | 1.68 | 1.64 |
| Mean | 2.57 | 2.76 | 1.74 | 1.83 | 2.42 | 2.38 | 2.88 | 3.03 | 2.07 | 2.13 | 1.55 | 1.54 |
| Standard Deviation | 0.28 | 0.12 | 0.17 | 0.07 | 0.23 | 0.10 | 0.23 | 0.15 | 0.18 | 0.09 | 0.08 | 0.08 |
| Median | 2.56 | 2.72 | 1.78 | 1.83 | 2.44 | 2.34 | 2.92 | 3.00 | 2.11 | 2.12 | 1.54 | 1.52 |
| Potassium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Minimum | 2.12 | 2.67 | 1.67 | 1.76 | 2.29 | 2.31 | 2.76 | 2.94 | 2.02 | 2.09 | 1.46 | 1.47 |
| Maximum | 2.95 | 2.83 | 2.08 | 1.91 | 2.86 | 2.59 | 3.37 | 3.18 | 2.36 | 2.27 | 1.80 | 1.64 |
| Mean | 2.70 | 2.72 | 1.84 | 1.81 | 2.50 | 2.43 | 3.07 | 3.05 | 2.19 | 2.16 | 1.59 | 1.52 |
| Standard Deviation | 0.16 | 0.06 | 0.10 | 0.05 | 0.11 | 0.09 | 0.16 | 0.09 | 0.10 | 0.06 | 0.08 | 0.05 |
| Median | 2.7 | 2.7 | 1.84 | 1.80 | 2.47 | 2.42 | 3.06 | 3.02 | 2.18 | 2.14 | 1.58 | 1.51 |
| Sodium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 102 | 8 | 102 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 102 | 8 | 102 | 8 | 102 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| Minimum | 4.77 | 5.68 | 4.3 | 5.22 | 4.8 | 6.07 | 6.5 | 8.42 | 5.08 | 6.02 | 5.9 | 5.81 |
| Maximum | 7.5 | 6.44 | 10 | 6.01 | 7.54 | 7.04 | 9.73 | 10.1 | 7.56 | 6.9 | 7.46 | 7.11 |
| Mean | 5.9 | 6.1 | 5.5 | 5.7 | 6.4 | 6.7 | 8.2 | 9.3 | 6.2 | 6.5 | 6.7 | 6.5 |
| Standard Deviation | 0.5 | 0.3 | 0.9 | 0.3 | 0.6 | 0.3 | 0.8 | 0.6 | 0.5 | 0.3 | 0.4 | 0.4 |
| Median | 5.995 | 6.155 | 5.4 | 5.88 | 6.4 | 6.77 | 8.3 | 9.335 | 6.245 | 6.44 | 6.74 | 6.545 |
| Sodium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Minimum | 5.36 | 5.89 | 5.02 | 5.37 | 6.09 | 6.49 | 7.06 | 8.63 | 5.33 | 6.16 | 5.92 | 6.22 |
| Maximum | 6.96 | 6.6 | 6.74 | 5.98 | 8.01 | 7.1 | 10.1 | 10 | 7.1 | 6.83 | 7.25 | 7.15 |
| Mean | 6.09 | 6.19 | 5.92 | 5.66 | 6.93 | 6.77 | 8.70 | 9.34 | 6.55 | 6.53 | 6.69 | 6.68 |
| Standard Deviation | 0.46 | 0.26 | 0.43 | 0.24 | 0.43 | 0.23 | 0.76 | 0.40 | 0.41 | 0.24 | 0.37 | 0.34 |
| Median | 6.13 | 6.115 | 5.935 | 5.695 | 7.04 | 6.76 | 8.8 | 9.38 | 6.58 | 6.52 | 6.76 | 6.55 |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|---------------------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| 1,2-Dichloropropane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Benzene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Chloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Tetrachloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| cis-1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Dichlorodifluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |

Table 3-1 (continued)
Summary of Statistical Analyses for Groundwater Well Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|--|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | 0.946 | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| trans-1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Trichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | 0.35 | ND | 0.28 | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Trichlorofluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Vinyl Chloride [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 102 | 8 | 103 | 8 | 103 | 8 | 74 | 8 | 74 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | 0.1 | ND | ND | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID | ID |

NOTES:

- Short - eight most recent analyses in the last two years.
- Long - historical data up to the last eight samples.
- umhos/cm - microSiemens per centimeter
- mg/L - milligram per liter
- ug/L - microgram per liter
- ID - insufficient Data (i.e. the number of detections is less than 3)
- ND - Not Detected (i.e. at laboratory MDL - Method Detection Limit)

Table 3-2
Summary of Trend Results for Groundwater Well Samples
Summary of Trend Analysis
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc1 | | | | | |
|--|-----------------|-----------------|-----------------|-------|-------|-------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| pH, Field [standard units] | D | I | D | -- | -- | -- |
| Specific Conductance, Field [umhos/cm] | D | D | I | -- | D | -- |
| Alkalinity [mg/L] | D | D | -- | -- | D | -- |
| Ammonia-N [mg/L] | -- ^a | D | -- ^a | -- | -- | -- |
| Chloride [mg/L] | D | -- | I | -- | -- | -- |
| Nitrate-N [mg/L] | -- | I | I | -- | I | -- |
| Sulfate [mg/L] | D | -- | D | -- | D | -- |
| Total Dissolved Solids [mg/L] | D | D | I | -- | D | -- |
| Arsenic, Dissolved [ug/L] | D | D | D | -- | I | -- |
| Arsenic, Total [ug/L] | D | -- | -- | -- | I | -- |
| Calcium, Dissolved [mg/L] | D | D | I | -- | -- | -- |
| Calcium, Total [mg/L] | D | I | I | -- | -- | -- |
| Iron, Dissolved [mg/L] | D | D | D | -- | -- | -- |
| Iron, Total [mg/L] | -- | D | D | -- | D | -- |
| Magnesium, Dissolved [mg/L] | -- | D | I | -- | -- | -- |
| Magnesium, Total [mg/L] | D | -- | I | -- | -- | -- |
| Manganese, Dissolved [ug/L] | D | D | D | -- | -- | -- |
| Manganese, Total [ug/L] | -- | -- | D | -- | D | -- |
| Potassium, Dissolved [mg/L] | D | D | I | -- | -- | -- |
| Potassium, Total [mg/L] | D | -- | -- | -- | D | -- |
| Sodium, Dissolved [mg/L] | D | D | I | -- | -- | -- |
| Sodium, Total [mg/L] | D | I | I | -- | -- | -- |
| 1,1-Dichloroethane [ug/L] | -- | D | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | -- | -- | -- | -- | -- | -- |
| Benzene [ug/L] | -- | -- | -- | -- | -- | -- |
| Chloroethane [ug/L] | -- | -- ^a | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | D | -- | -- | -- | -- | -- |
| cis-1,2-Dichloroethene [ug/L] | -- | -- | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | -- | D | -- | -- | -- | -- |
| Toluene [ug/L] | -- | -- | -- | -- | -- | -- |
| trans-1,2-Dichloroethene [ug/L] | -- | -- | -- | -- | -- | -- |
| Trichloroethene [ug/L] | -- | -- | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | D | D | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | -- | D | -- | -- | -- | -- |

Table 3-2 (continued)
Summary of Trend Results for Groundwater Well
Samples Summary of Trend Analysis
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Channel Ce2 | | | | | | | | | | | | |
|--|-----------------|-------|------|-------|-----------------|-------|-------|-------|-------|-------|-----------------|-------|----|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | |
| pH, Field [standard units] | -- | -- | D | -- | D | -- | -- | -- | -- | -- | -- | D | -- |
| Specific Conductance, Field [umhos/cm] | D | D | I | -- | I | -- | D | -- | D | -- | D | D | D |
| Alkalinity [mg/L] | D | -- | I | -- | -- | -- | D | D | D | -- | D | D | D |
| Ammonia-N [mg/L] | -- ^a | -- | -- | -- | -- | -- | I | -- | D | -- | D | -- | -- |
| Chloride [mg/L] | D | D | -- | -- | D | -- | D | -- | D | -- | D | D | D |
| Nitrate-N [mg/L] | -- | -- | I | I | -- ^a | -- | I | -- | -- | -- | -- | -- | -- |
| Sulfate [mg/L] | -- | D | D | -- | D | -- | -- | -- | I | -- | I | -- | -- |
| Total Dissolved Solids [mg/L] | D | -- | I | -- | I | -- | D | -- | D | -- | D | D | D |
| Arsenic, Dissolved [ug/L] | -- | -- | -- | -- | I | -- | -- | -- | D | -- | -- | -- | -- |
| Arsenic, Total [ug/L] | I | -- | I | -- | I | -- | -- | D | -- | -- | I | -- | -- |
| Calcium, Dissolved [mg/L] | D | -- | I | -- | I | -- | D | D | D | -- | -- | D | D |
| Calcium, Total [mg/L] | D | -- | I | -- | -- | -- | -- | D | D | -- | -- | D | D |
| Iron, Dissolved [mg/L] | D | -- | D | -- | I | -- | D | -- | D | D | I | D | D |
| Iron, Total [mg/L] | D | -- | -- | -- | I | D | I | D | D | D | I | D | D |
| Magnesium, Dissolved [mg/L] | D | -- | I | -- | I | -- | D | D | D | -- | -- | D | D |
| Magnesium, Total [mg/L] | D | D | -- | I | I | -- | -- | -- | D | -- | -- | -- | -- |
| Manganese, Dissolved [ug/L] | -- | -- | D | -- | -- | -- | -- | D | D | -- | -- | D | D |
| Manganese, Total [ug/L] | -- | -- | -- | -- | D | -- | -- | -- | D | -- | -- | D | D |
| Potassium, Dissolved [mg/L] | D | -- | I | -- | -- | -- | D | D | -- | -- | -- | -- | -- |
| Potassium, Total [mg/L] | D | -- | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- |
| Sodium, Dissolved [mg/L] | -- | -- | I | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Sodium, Total [mg/L] | -- | -- | I | -- | I | -- | -- | -- | -- | -- | -- | -- | -- |
| 1,1-Dichloroethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | D | -- |
| 1,2-Dichloropropane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | D | -- | -- |
| Benzene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | D | D | D |
| Chloroethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| cis-1,2-Dichloroethene [ug/L] | -- | I | -- | -- | -- | -- | -- | D | -- | -- | D | -- | -- |
| Dichlorodifluoromethane [ug/L] | D | -- | -- | -- | I | -- | D | -- | -- | -- | -- | -- | -- |
| Toluene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- ^a | -- | -- |
| trans-1,2-Dichloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- | -- | -- |
| Trichloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | I | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | D | -- | -- | -- | -- | -- | D | -- | -- | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | D | -- | -- | -- | -- | -- | D | -- | D | -- | -- | -- | -- |

Table 3-2 (continued)
 Summary of Trend Results for Groundwater Well Samples
 Summary of Trend Analysis
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|--|-----------------|-------|-----------------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| pH, Field [standard units] | -- | -- | D | -- |
| Specific Conductance, Field [umhos/cm] | I | D | D | -- |
| Alkalinity [mg/L] | D | -- | D | -- |
| Ammonia-N [mg/L] | -- ^a | -- | -- ^a | -- |
| Chloride [mg/L] | D | -- | D | -- |
| Nitrate-N [mg/L] | D | I | -- | I |
| Sulfate [mg/L] | D | D | -- | -- |
| Total Dissolved Solids [mg/L] | -- | -- | -- | -- |
| Arsenic, Dissolved [ug/L] | -- ^a | -- | I | -- |
| Arsenic, Total [ug/L] | -- | I | I | -- |
| Calcium, Dissolved [mg/L] | -- | -- | I | -- |
| Calcium, Total [mg/L] | I | -- | I | -- |
| Iron, Dissolved [mg/L] | D | -- | -- | -- |
| Iron, Total [mg/L] | -- | -- | -- | -- |
| Magnesium, Dissolved [mg/L] | -- | -- | I | -- |
| Magnesium, Total [mg/L] | I | -- | I | -- |
| Manganese, Dissolved [ug/L] | -- | -- | D | D |
| Manganese, Total [ug/L] | D | -- | -- ^a | -- |
| Potassium, Dissolved [mg/L] | I | -- | -- | -- |
| Potassium, Total [mg/L] | -- | -- | -- | -- |
| Sodium, Dissolved [mg/L] | I | -- | I | -- |
| Sodium, Total [mg/L] | I | D | I | -- |
| 1,1-Dichloroethane [ug/L] | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | -- | -- | -- | -- |
| Benzene [ug/L] | -- | -- | -- | -- |
| Chloroethane [ug/L] | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | -- | -- | -- | -- |
| cis -1,2-Dichloroethene [ug/L] | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | -- | -- | -- | -- |
| Toluene [ug/L] | -- | -- | -- | -- |
| trans -1,2-Dichloroethene [ug/L] | -- | -- | -- | -- |
| Trichloroethene [ug/L] | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | -- | -- | -- | -- |

Table 3-2 (continued)
Summary of Trend Results for Groundwater Well Samples
Summary of Trend Analysis
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | Unit D Aquifer | | | | | | | | | | | |
|--|----------------|-------|-----------------|-------|-------|-------|-------|-------|-----------------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | D | -- | D | I | D | -- | D | -- | D | -- | -- | -- |
| Specific Conductance, Field [umhos/cm] | I | -- | I | D | -- | -- | I | -- | I | D | D | -- |
| Alkalinity [mg/L] | I | -- | I | -- | D | -- | -- | -- | -- | -- | D | -- |
| Ammonia-N [mg/L] | -- | -- | -- ^a | -- | D | -- | I | -- | -- ^a | -- | D | -- |
| Chloride [mg/L] | -- | -- | I | -- | D | -- | -- | -- | D | D | -- | -- |
| Nitrate-N [mg/L] | -- | I | -- | D | D | -- | D | -- | -- | -- | -- | I |
| Sulfate [mg/L] | I | -- | -- | -- | D | -- | -- | -- | D | -- | -- | -- |
| Total Dissolved Solids [mg/L] | I | -- | I | -- | D | -- | I | -- | I | -- | -- | -- |
| Arsenic, Dissolved [ug/L] | D | -- | D | -- | D | -- | D | -- | D | -- | -- | -- |
| Arsenic, Total [ug/L] | -- | I | -- | -- | -- | -- | I | -- | -- | -- | -- | I |
| Calcium, Dissolved [mg/L] | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| Calcium, Total [mg/L] | I | -- | I | -- | -- | -- | -- | -- | I | -- | -- | -- |
| Iron, Dissolved [mg/L] | I | -- | D | -- | -- | -- | I | I | I | -- | -- | -- |
| Iron, Total [mg/L] | I | I | -- | -- | I | -- | I | -- | I | -- | D | -- |
| Magnesium, Dissolved [mg/L] | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| Magnesium, Total [mg/L] | I | -- | I | -- | -- | -- | I | -- | I | -- | I | D |
| Manganese, Dissolved [ug/L] | I | -- | D | -- | D | -- | I | -- | -- | -- | D | -- |
| Manganese, Total [ug/L] | I | -- | D | -- | -- | -- | I | -- | -- | -- | D | -- |
| Potassium, Dissolved [mg/L] | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| Potassium, Total [mg/L] | I | -- | I | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Sodium, Dissolved [mg/L] | I | -- | I | -- | -- | -- | -- | -- | I | -- | I | -- |
| Sodium, Total [mg/L] | I | -- | I | -- | -- | -- | -- | -- | I | -- | I | -- |
| 1,1-Dichloroethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Benzene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Chloroethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| cis-1,2-Dichloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Toluene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| trans-1,2-Dichloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichloroethene [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

NOTES:

- Short - eight most recent analyses in the last two years.
- Long - historical data up to the last eight samples, but no greater than 50 samples.
- D - decreasing trend
- I - increasing trend
- - no detectable trend or too few data point to determine significance
- umhos/cm - microSiemens per centimeter
- mg/L - milligram per liter
- ug/L - microgram per liter
- ^a - Trend analysis resulted in artificial decreasing trend caused by changes in MDL.

Table 3-3
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|---|-----------------|----------|-----------------|----------|----------|----------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 38 | 50 | 50 | 8 | 50 | 8 |
| Trend | D | I | D | -- | -- | -- |
| S-value | -304 | 261 | -369 | 2 | -62 | 4 |
| Probability | 0.000139 | 0.029564 | 0.002066 | 0.901539 | 0.609676 | 0.710523 |
| Significant | YES | YES | YES | NO | NO | NO |
| Specific Conductance, Field [umhos/cm] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 38 | 50 | 50 | 8 | 50 | 8 |
| Trend | D | D | I | -- | D | -- |
| S-value | -458 | -772 | 470 | -1 | -406 | -4 |
| Probability | 8.41E-09 | 1.12E-10 | 8.06E-05 | 1 | 0.000692 | 0.710523 |
| Significant | YES | YES | YES | NO | YES | NO |
| Alkalinity [mg/L] | | | | | | |
| No. of Analyses | 31 | 34 | 50 | 8 | 50 | 8 |
| No. of Detections | 31 | 34 | 50 | 8 | 50 | 8 |
| Trend | D | D | -- | -- | D | -- |
| S-value | -296 | -265 | -182 | 11 | -708 | 12 |
| Probability | 5.18E-07 | 9.06E-05 | 0.129832 | 0.212486 | 3.3E-09 | 0.173546 |
| Significant | YES | YES | NO | NO | YES | NO |
| Ammonia-N [mg/L] | | | | | | |
| No. of Analyses | 37 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 11 | 23 | 9 | 0 | 1 | 0 |
| Trend | -- ^a | D | -- ^a | -- | -- | -- |
| S-value | -448 | -740 | -679 | 0 | -617 | 0 |
| Probability | 1.95E-09 | 4.18E-10 | 6.66E-10 | NaN | 9.73E-10 | NaN |
| Significant | YES | YES | YES | -- | -- | -- |
| Chloride [mg/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 38 | 49 | 50 | 8 | 50 | 8 |
| Trend | D | -- | I | -- | -- | -- |
| S-value | -339 | -40 | 248 | -9 | -90 | 2 |
| Probability | 2.02E-05 | 0.743809 | 0.038597 | 0.318567 | 0.456144 | 0.901539 |
| Significant | YES | NO | YES | NO | NO | NO |
| Nitrate-N [mg/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 38 | 38 | 50 | 8 | 50 | 8 |
| Trend | -- | I | I | -- | I | -- |
| S-value | 8 | 582 | 826 | 1 | 535 | 0 |
| Probability | 0.929795 | 1.01E-06 | 5.1E-12 | 1 | 7.94E-06 | 1 |
| Significant | NO | YES | YES | NO | YES | NO |
| Sulfate [mg/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 38 | 50 | 50 | 8 | 50 | 8 |
| Trend | D | -- | D | -- | D | -- |
| S-value | -541 | -64 | -534 | 2 | -905 | -4 |
| Probability | 1.06E-11 | 0.598054 | 8.2E-06 | 0.901539 | 3.84E-14 | 0.710523 |
| Significant | YES | NO | YES | NO | YES | NO |
| Total Dissolved Solids [mg/L] | | | | | | |
| No. of Analyses | 33 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 33 | 50 | 50 | 8 | 50 | 8 |
| Trend | D | D | I | -- | D | -- |
| S-value | -243 | -715 | 401 | -8 | -502 | -6 |
| Probability | 0.000175 | 2.3E-09 | 0.000799 | 0.37908 | 2.67E-05 | 0.520912 |
| Significant | YES | YES | YES | NO | YES | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|------------------------------------|-------------|----------|----------|----------|----------|----------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 5 | 23 | 50 | 8 | 50 | 8 |
| Trend | D | D | D | -- | I | -- |
| S-value | -421 | -535 | -244 | 0 | 444 | 7 |
| Probability | 7.38E-09 | 1.08E-06 | 0.04184 | 1 | 0.000209 | 0.454427 |
| Significant | YES | YES | YES | NO | YES | NO |
| Arsenic, Total [ug/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 11 | 18 | 29 | 8 | 32 | 8 |
| Trend | D | -- | -- | -- | I | -- |
| S-value | -55 | 5 | 12 | 14 | 192 | 5 |
| Probability | 0.014473 | 0.888388 | 0.836033 | 0.095108 | 0.001922 | 0.617989 |
| Significant | YES | NO | NO | NO | YES | NO |
| Calcium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 50 | 8 | 50 | 8 |
| No. of Detections | 32 | 44 | 50 | 8 | 50 | 8 |
| Trend | D | D | I | -- | -- | -- |
| S-value | -292 | -557 | 668 | 14 | -168 | -8 |
| Probability | 2.32E-06 | 1.86E-08 | 2.4E-08 | 0.107762 | 0.161969 | 0.386476 |
| Significant | YES | YES | YES | NO | NO | NO |
| Calcium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Trend | D | I | I | -- | -- | -- |
| S-value | -80 | 98 | 154 | 9 | -47 | 4 |
| Probability | 0.000375 | 0.000661 | 0.004092 | 0.318567 | 0.455516 | 0.710523 |
| Significant | YES | YES | YES | NO | NO | NO |
| Iron, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 21 | 26 | 6 | 0 | 18 | 1 |
| Trend | D | D | D | -- | -- | -- |
| S-value | -399 | -428 | -237 | 0 | -18 | 5 |
| Probability | 2.73E-07 | 0.000232 | 0.000445 | NaN | 0.868159 | 0.382733 |
| Significant | YES | YES | YES | -- | NO | -- |
| Iron, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 14 | 18 | 2 | 29 | 2 |
| Trend | -- | D | D | -- | D | -- |
| S-value | -21 | -97 | -125 | 1 | -281 | 3 |
| Probability | 0.367395 | 0.00069 | 0.016332 | 1 | 5.55E-06 | 0.742308 |
| Significant | NO | YES | YES | -- | YES | -- |
| Magnesium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 50 | 8 | 50 | 8 |
| No. of Detections | 32 | 44 | 50 | 8 | 50 | 8 |
| Trend | -- | D | I | -- | -- | -- |
| S-value | -49 | -589 | 636 | 10 | -130 | 2 |
| Probability | 0.435715 | 2.71E-09 | 1.08E-07 | 0.26551 | 0.278954 | 0.900004 |
| Significant | NO | YES | YES | NO | NO | NO |
| Magnesium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Trend | D | -- | I | -- | -- | -- |
| S-value | -56 | 44 | 116 | 0 | -69 | 1 |
| Probability | 0.013091 | 0.131772 | 0.030854 | 1 | 0.26954 | 1 |
| Significant | YES | NO | YES | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|------------------------------------|-------------|----------|----------|----------|----------|----------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 31 | 43 | 7 | 2 | 26 | 7 |
| Trend | D | D | D | -- | -- | -- |
| S-value | -392 | -509 | -580 | 13 | 66 | 10 |
| Probability | 8.07E-07 | 2.12E-05 | 1.92E-08 | 0.04852 | 0.571475 | 0.26551 |
| Significant | YES | YES | YES | -- | NO | NO |
| Manganese, Total [ug/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 20 | 6 | 29 | 8 |
| Trend | -- | -- | D | -- | D | -- |
| S-value | -16 | -27 | -216 | 9 | -227 | -6 |
| Probability | 0.499461 | 0.36302 | 4.13E-05 | 0.318567 | 0.000246 | 0.536187 |
| Significant | NO | NO | YES | NO | YES | NO |
| Potassium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 50 | 8 | 50 | 8 |
| No. of Detections | 32 | 44 | 50 | 8 | 50 | 8 |
| Trend | D | D | I | -- | -- | -- |
| S-value | -398 | -628 | 465 | 7 | -13 | -3 |
| Probability | 1.18E-10 | 2.07E-10 | 0.000102 | 0.454427 | 0.919925 | 0.803089 |
| Significant | YES | YES | YES | NO | NO | NO |
| Potassium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Trend | D | -- | -- | -- | D | -- |
| S-value | -87 | 16 | 16 | -6 | -202 | -3 |
| Probability | 0.000106 | 0.599062 | 0.777994 | 0.52982 | 0.001103 | 0.803089 |
| Significant | YES | NO | NO | NO | YES | NO |
| Sodium, Dissolved [mg/L] | | | | | | |
| No. of Analyses | 32 | 44 | 50 | 8 | 50 | 8 |
| No. of Detections | 32 | 44 | 50 | 8 | 50 | 8 |
| Trend | D | D | I | -- | -- | -- |
| S-value | -206 | -563 | 626 | -8 | 141 | -16 |
| Probability | 0.000883 | 1.27E-08 | 1.7E-07 | 0.386476 | 0.241468 | 0.063487 |
| Significant | YES | YES | YES | NO | NO | NO |
| Sodium, Total [mg/L] | | | | | | |
| No. of Analyses | 16 | 19 | 29 | 8 | 32 | 8 |
| No. of Detections | 16 | 19 | 29 | 8 | 32 | 8 |
| Trend | D | I | I | -- | -- | -- |
| S-value | -74 | 66 | 122 | -14 | -36 | -5 |
| Probability | 0.001014 | 0.022879 | 0.023127 | 0.107762 | 0.569985 | 0.617989 |
| Significant | YES | YES | YES | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|---------------------------------------|-------------|-----------------|-------|-------|-------|-------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 17 | 0 | 0 | 0 | 0 |
| Trend | -- | D | -- | -- | -- | -- |
| S-value | 0 | -733 | 0 | 0 | 0 | 0 |
| Probability | NaN | 2.91E-10 | NaN | NaN | NaN | NaN |
| Significant | -- | YES | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- |
| Benzene [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- |
| Chloroethane [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 6 | 0 | 0 | 0 | 0 |
| Trend | -- | -- ^a | -- | -- | -- | -- |
| S-value | 0 | -756 | 0 | 0 | 0 | 0 |
| Probability | NaN | 1.83E-11 | NaN | NaN | NaN | NaN |
| Significant | -- | YES | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 7 | 0 | 0 | 0 | 0 | 0 |
| Trend | D | -- | -- | -- | -- | -- |
| S-value | -368 | 0 | 0 | 0 | 0 | 0 |
| Probability | 1.23E-06 | NaN | NaN | NaN | NaN | NaN |
| Significant | YES | -- | -- | -- | -- | -- |
| cis-1,2-Dichloroethene [ug/L] | | | | | | |
| No. of Analyses | 35 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 27 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 111 | 0 | 0 | 0 | 0 |
| Probability | NaN | 0.353874 | NaN | NaN | NaN | NaN |
| Significant | -- | NO | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | | | | | | |
| No. of Analyses | 31 | 35 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 12 | 0 | 0 | 0 | 0 |
| Trend | -- | D | -- | -- | -- | -- |
| S-value | 0 | -378 | 0 | 0 | 0 | 0 |
| Probability | NaN | 7.42E-09 | NaN | NaN | NaN | NaN |
| Significant | -- | YES | -- | -- | -- | -- |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc1 | | | | | |
|---|-------------|----------|-------|-------|-------|-------|
| | MW-3 | MW-4 | MW-10 | | MW-13 | |
| | Long | Long | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- |
| trans -1,2-Dichloroethene [ug/L] | | | | | | |
| No. of Analyses | 37 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 1 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | -686 | 0 | 0 | 0 | 0 |
| Probability | NaN | 2.6E-10 | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- |
| Trichloroethene [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | | | | | | |
| No. of Analyses | 32 | 45 | 50 | 8 | 50 | 8 |
| No. of Detections | 16 | 27 | 0 | 0 | 0 | 0 |
| Trend | D | D | -- | -- | -- | -- |
| S-value | -135 | -557 | 0 | 0 | 0 | 0 |
| Probability | 0.026798 | 3.49E-08 | NaN | NaN | NaN | NaN |
| Significant | YES | YES | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | | | | | | |
| No. of Analyses | 38 | 50 | 50 | 8 | 50 | 8 |
| No. of Detections | 0 | 15 | 0 | 0 | 0 | 0 |
| Trend | -- | D | -- | -- | -- | -- |
| S-value | 0 | -796 | 0 | 0 | 0 | 0 |
| Probability | NaN | 6.66E-12 | NaN | NaN | NaN | NaN |
| Significant | -- | YES | -- | -- | -- | -- |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc2 | | | | | | | | | | | |
|---|-----------------|----------|----------|----------|-----------------|----------|----------|----------|----------|----------|----------|----------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | D | -- | D | -- | -- | -- | -- | -- | D | -- |
| S-value | 127 | 4 | -333 | 2 | -588 | 11 | -27 | 4 | -17 | 9 | -82 | 11 |
| Probability | 0.291569 | 0.710523 | 0.005422 | 0.901539 | 9.02E-07 | 0.212486 | 0.827699 | 0.710523 | 0.671964 | 0.318567 | 0.032074 | 0.212486 |
| Significant | NO | NO | YES | NO | YES | NO | NO | NO | NO | NO | YES | NO |
| Specific Conductance, Field [umhos/cm] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | D | I | -- | I | -- | D | -- | D | -- | D | D |
| S-value | -655 | -20 | 461 | 14 | 379 | -6 | -322 | -16 | -218 | -9 | -151 | -20 |
| Probability | 4.42E-08 | 0.018741 | 0.000112 | 0.107762 | 0.001507 | 0.536187 | 0.007205 | 0.063487 | 9.86E-09 | 0.318567 | 7.45E-05 | 0.018741 |
| Significant | YES | YES | YES | NO | YES | NO | YES | NO | YES | NO | YES | YES |
| Alkalinity [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | -- | -- | D | D | D | -- | D | D |
| S-value | -927 | -7 | 244 | 8 | 196 | -13 | -758 | -21 | -226 | -2 | -193 | -18 |
| Probability | 9.33E-15 | 0.454427 | 0.042037 | 0.386476 | 0.102799 | 0.126484 | 2.37E-10 | 0.012649 | 2.77E-09 | 0.901539 | 3.89E-07 | 0.035448 |
| Significant | YES | NO | YES | NO | NO | NO | YES | YES | YES | NO | YES | YES |
| Ammonia-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 11 | 0 | 2 | 0 | 46 | 8 | 35 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- ^a | -- | -- | -- | -- | -- | I | -- | D | -- | D | -- |
| S-value | -460 | 0 | -622 | 0 | 130 | 11 | 239 | -12 | -118 | 1 | -77 | -14 |
| Probability | 1.32E-05 | NaN | 1.34E-09 | NaN | 0.280294 | 0.212486 | 0.044365 | 0.166905 | 0.001994 | 1 | 0.044431 | 0.107762 |
| Significant | YES | -- | -- | -- | NO | NO | YES | NO | YES | NO | YES | NO |
| Chloride [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | D | -- | -- | D | -- | D | -- | D | -- | D | D |
| S-value | -608 | -18 | 192 | 6 | -654 | -3 | -817 | -5 | -224 | 14 | -122 | -22 |
| Probability | 3.81E-07 | 0.035448 | 0.109992 | 0.536187 | 4.6E-08 | 0.803089 | 8.52E-12 | 0.610492 | 3.83E-09 | 0.107762 | 0.00139 | 0.009375 |
| Significant | YES | YES | NO | NO | YES | NO | YES | NO | YES | NO | YES | YES |
| Nitrate-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 39 | 8 | 49 | 8 | 11 | 0 | 50 | 8 | 2 | 0 | 1 | 0 |
| Trend | -- | -- | I | I | -- ^a | -- | I | -- | -- | -- | -- | -- |
| S-value | -208 | -6 | 743 | 18 | -205 | 0 | 352 | -14 | 13 | -7 | 1 | -17 |
| Probability | 0.081555 | 0.536187 | 5.4E-10 | 0.035448 | 0.030429 | NaN | 0.003319 | 0.107762 | 0.585312 | NaN | 1 | NaN |
| Significant | NO | NO | YES | YES | YES | -- | YES | NO | -- | -- | -- | -- |
| Sulfate [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | D | D | -- | D | -- | -- | -- | I | -- | I | -- |
| S-value | -53 | -17 | -528 | 7 | -338 | -1 | -161 | -11 | 108 | -1 | 176 | 10 |
| Probability | 0.663317 | 0.046063 | 1.01E-05 | 0.454427 | 0.00472 | 1 | 0.180468 | 0.212486 | 0.004642 | 1 | 3.72E-06 | 0.26551 |
| Significant | NO | YES | YES | NO | YES | NO | NO | NO | YES | NO | YES | NO |
| Total Dissolved Solids [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | I | -- | D | -- | D | -- | D | D |
| S-value | -722 | -6 | 374 | 5 | 392 | -9 | -717 | -11 | -193 | -2 | -143 | -25 |
| Probability | 1.61E-09 | 0.536187 | 0.001766 | 0.617989 | 0.001052 | 0.310926 | 2.09E-09 | 0.212486 | 3.89E-07 | 0.901539 | 0.000175 | 0.00277 |
| Significant | YES | NO | YES | NO | YES | NO | YES | NO | YES | NO | YES | YES |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc2 | | | | | | | | | | | |
|------------------------------------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 34 | 8 | 50 | 8 | 50 | 8 | 43 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | I | -- | -- | -- | D | -- | -- | -- |
| S-value | -210 | -2 | -93 | -13 | 445 | 10 | 62 | 4 | -85 | -6 | 27 | -16 |
| Probability | 0.075078 | 0.901539 | 0.440895 | 0.134625 | 0.000202 | 0.26551 | 0.609207 | 0.710523 | 0.026417 | 0.536187 | 0.491987 | 0.063487 |
| Significant | NO | NO | NO | NO | YES | NO | NO | NO | YES | NO | NO | NO |
| Arsenic, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 16 | 8 | 31 | 8 | 31 | 8 | 28 | 8 | 23 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | I | -- | -- | D | -- | -- | I | -- |
| S-value | 135 | -4 | 160 | -9 | 272 | -8 | 114 | -24 | -37 | -7 | 107 | -10 |
| Probability | 0.021448 | 0.710523 | 0.006694 | 0.318567 | 4.09E-06 | 0.386476 | 0.054654 | 0.004434 | 0.341718 | 0.454427 | 0.005046 | 0.26551 |
| Significant | YES | NO | YES | NO | YES | NO | NO | YES | NO | NO | YES | NO |
| Calcium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | I | -- | D | D | D | -- | -- | D |
| S-value | -613 | -8 | 525 | 12 | 511 | -12 | -561 | -19 | -89 | -2 | 24 | -22 |
| Probability | 3.03E-07 | 0.386476 | 1.13E-05 | 0.173546 | 1.91E-05 | 0.166905 | 2.79E-06 | 0.024822 | 0.020032 | 0.901539 | 0.543418 | 0.009375 |
| Significant | YES | NO | YES | NO | YES | NO | YES | YES | YES | NO | NO | YES |
| Calcium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | -- | -- | -- | D | D | -- | -- | D |
| S-value | -192 | -2 | 147 | 16 | 38 | -13 | -72 | -17 | -161 | 0 | -58 | -18 |
| Probability | 0.001159 | 0.897842 | 0.01297 | 0.063487 | 0.528422 | 0.111961 | 0.22706 | 0.046063 | 2.38E-05 | 1 | 0.132087 | 0.035448 |
| Significant | YES | NO | YES | NO | NO | NO | NO | YES | YES | NO | NO | YES |
| Iron, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 3 | 1 | 4 | 0 | 30 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | D | -- | I | -- | D | -- | D | D | I | D |
| S-value | -100 | 5 | -118 | 0 | 606 | -15 | -360 | -10 | -168 | -23 | 108 | -28 |
| Probability | 0.043327 | 0.382733 | 0.036702 | NaN | 1.62E-07 | 0.080905 | 0.002673 | 0.26551 | 1.01E-05 | 0.006091 | 0.004604 | 0.000837 |
| Significant | YES | -- | YES | -- | YES | NO | YES | NO | YES | YES | YES | YES |
| Iron, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 18 | 1 | 22 | 1 | 30 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | -- | -- | I | D | I | D | D | D | I | D |
| S-value | -159 | 5 | -105 | -1 | 219 | -20 | 168 | -22 | -179 | -19 | 159 | -18 |
| Probability | 0.007288 | 0.382733 | 0.073198 | 1 | 0.00021 | 0.018741 | 0.004528 | 0.009375 | 2.55E-06 | 0.024822 | 2.93E-05 | 0.035448 |
| Significant | YES | -- | NO | -- | YES | YES | YES | YES | YES | YES | YES | YES |
| Magnesium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | I | -- | D | D | D | -- | -- | D |
| S-value | -742 | -16 | 568 | 15 | 577 | -7 | -559 | -18 | -119 | -2 | -54 | -20 |
| Probability | 5.67E-10 | 0.059451 | 2.07E-06 | 0.080905 | 1.42E-06 | 0.444833 | 3.02E-06 | 0.035448 | 0.001817 | 0.901539 | 0.16105 | 0.018741 |
| Significant | YES | NO | YES | NO | YES | NO | YES | YES | YES | NO | NO | YES |
| Magnesium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | D | -- | I | I | -- | -- | -- | D | -- | -- | -- |
| S-value | -229 | -21 | 107 | 17 | 123 | -5 | -55 | -15 | -99 | -5 | -28 | -16 |
| Probability | 0.000105 | 0.012649 | 0.070786 | 0.046063 | 0.037879 | 0.617989 | 0.358581 | 0.080905 | 0.009597 | 0.617989 | 0.475641 | 0.063487 |
| Significant | YES | YES | NO | YES | YES | NO | NO | NO | YES | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc2 | | | | | | | | | | | |
|------------------------------------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 49 | 8 | 6 | 0 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | D | -- | -- | -- | -- | D | D | -- | -- | D |
| S-value | 158 | 8 | -651 | 0 | 117 | 3 | 112 | -18 | -111 | -13 | 55 | -25 |
| Probability | 0.188979 | 0.386476 | 1.44E-10 | NaN | 0.331885 | 0.803089 | 0.353098 | 0.035448 | 0.003616 | 0.134625 | 0.153246 | 0.00277 |
| Significant | NO | NO | YES | -- | NO | NO | NO | YES | YES | NO | NO | YES |
| Manganese, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 32 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 32 | 8 | 24 | 6 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | D | -- | -- | -- | D | -- | -- | D |
| S-value | 15 | 12 | -112 | 1 | -264 | -1 | 89 | -16 | -155 | -8 | 16 | -25 |
| Probability | 0.820377 | 0.173546 | 0.057591 | 1 | 7.8E-06 | 1 | 0.134736 | 0.063487 | 4.62E-05 | 0.386476 | 0.691887 | 0.00277 |
| Significant | NO | NO | NO | NO | YES | NO | NO | NO | YES | NO | NO | YES |
| Potassium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | I | -- | -- | -- | D | D | -- | -- | -- | -- |
| S-value | -429 | -7 | 511 | 3 | 122 | -7 | -495 | -20 | -7 | -6 | -42 | 0 |
| Probability | 0.000338 | 0.454427 | 1.95E-05 | 0.803089 | 0.310999 | 0.454427 | 3.56E-05 | 0.018741 | 0.873918 | 0.536187 | 0.277259 | 1 |
| Significant | YES | NO | YES | NO | NO | NO | YES | YES | NO | NO | NO | NO |
| Potassium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | -- | -- | -- | -- | -- | -- | -- | -- | D | -- |
| S-value | -194 | -3 | 26 | 13 | -54 | 11 | -80 | -7 | -66 | 2 | -77 | 3 |
| Probability | 0.001028 | 0.803089 | 0.670678 | 0.126484 | 0.367158 | 0.212486 | 0.179049 | 0.454427 | 0.085709 | 0.901539 | 0.04458 | 0.803089 |
| Significant | YES | NO | NO | NO | NO | NO | NO | NO | NO | NO | YES | NO |
| Sodium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | I | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | -159 | -8 | 557 | -4 | -61 | -6 | 92 | -3 | -37 | -11 | 66 | -13 |
| Probability | 0.186224 | 0.386476 | 3.29E-06 | 0.710523 | 0.615637 | 0.52982 | 0.445564 | 0.803089 | 0.340705 | 0.212486 | 0.085709 | 0.134625 |
| Significant | NO | NO | YES | NO | NO | NO | NO | NO | NO | NO | NO | NO |
| Sodium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | I | -- | I | -- | -- | -- | -- | -- | -- | -- |
| S-value | -80 | -16 | 142 | 6 | 129 | -12 | 44 | -3 | -15 | -15 | 63 | -15 |
| Probability | 0.179175 | 0.063487 | 0.016537 | 0.536187 | 0.029543 | 0.173546 | 0.46295 | 0.803089 | 0.710217 | 0.080905 | 0.10106 | 0.080905 |
| Significant | NO | NO | YES | NO | YES | NO | NO | NO | NO | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc2 | | | | | | | | | | | |
|---------------------------------------|-------------|----------|------|-------|----------|----------|----------|----------|----------|----------|----------|----------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | D | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -56 | -12 | -94 | -15 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | 0.146201 | 0.173546 | 0.014009 | 0.080905 |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | NO | NO | YES | NO |
| 1,2-Dichloropropane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | D | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -81 | -16 | -114 | -14 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | 0.034615 | 0.063487 | 0.002832 | 0.107762 |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | YES | NO | YES | NO |
| Benzene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | D | D |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -140 | -14 | -101 | -20 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | 0.00024 | 0.107762 | 0.008265 | 0.018741 |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | YES | NO | YES | YES |
| Chloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 2 | 0 | 1 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -112 | -1 | 0 | -5 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | 0.003362 | 1 | NaN | 0.382733 |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | YES | -- | -- | -- |
| Tetrachloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| cis -1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 13 | 6 | 0 | 0 | 0 | 0 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | -- | I | -- | -- | -- | -- | -- | D | -- | -- | D | -- |
| S-value | 183 | 23 | 0 | 0 | 0 | 0 | -186 | -20 | -61 | -16 | -92 | -13 |
| Probability | 0.075325 | 0.006091 | NaN | NaN | NaN | NaN | 0.121669 | 0.018741 | 0.113051 | 0.063487 | 0.016208 | 0.134625 |
| Significant | NO | YES | -- | -- | -- | -- | NO | YES | NO | NO | YES | NO |
| Dichlorodifluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 0 | 0 | 23 | 5 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | -- | -- | I | -- | D | -- | -- | -- | -- | -- |
| S-value | -580 | -8 | 0 | 0 | 445 | -15 | -643 | -12 | -22 | 0 | -10 | -10 |
| Probability | 1.27E-06 | 0.386476 | NaN | NaN | 5.02E-05 | 0.074619 | 7.85E-08 | 0.173546 | 0.579022 | 1 | 0.812054 | 0.26551 |
| Significant | YES | NO | -- | -- | YES | NO | YES | NO | NO | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc2 | | | | | | | | | | | |
|---|-------------|----------|------|-------|----------|-------|----------|----------|----------|----------|-----------------|----------|
| | MW-2 | | MW-9 | | MW-20 | | MW-21 | | MW-33 | | MW-35 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 6 | 1 | 7 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- ^a | -- |
| S-value | 0 | 0 | 0 | 0 | -551 | 0 | 0 | 0 | -140 | -5 | -84 | 0 |
| Probability | NaN | NaN | NaN | NaN | 1.25E-08 | NaN | NaN | NaN | 2.67E-05 | 0.382733 | 0.020117 | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | YES | -- | YES | -- |
| trans -1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 23 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | D | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | -41 | 0 | -91 | -5 | -32 | -10 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | 0.678046 | NaN | 0.017457 | 0.617989 | 0.412454 | 0.26551 |
| Significant | -- | -- | -- | -- | -- | -- | NO | -- | YES | NO | NO | NO |
| Trichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 7 | 23 | 8 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | I | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 85 | 8 | 41 | -14 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | 0.023057 | 0.386476 | 0.290103 | 0.107762 |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | YES | NO | NO | NO |
| Trichlorofluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 0 | 0 | 0 | 0 | 50 | 8 | 0 | 0 | 0 | 0 |
| Trend | D | -- | -- | -- | -- | -- | D | -- | -- | -- | -- | -- |
| S-value | -664 | -12 | 0 | 0 | 0 | 0 | -602 | -6 | 0 | 0 | 0 | 0 |
| Probability | 2.92E-08 | 0.173546 | NaN | NaN | NaN | NaN | 4.97E-07 | 0.536187 | NaN | NaN | NaN | NaN |
| Significant | YES | NO | -- | -- | -- | -- | YES | NO | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 | 23 | 8 |
| No. of Detections | 50 | 5 | 0 | 0 | 0 | 0 | 50 | 8 | 23 | 8 | 23 | 8 |
| Trend | D | -- | -- | -- | -- | -- | D | -- | D | -- | -- | -- |
| S-value | -713 | 7 | 0 | 0 | 0 | 0 | -871 | -14 | -99 | 2 | -36 | -10 |
| Probability | 2.57E-09 | 0.444833 | NaN | NaN | NaN | NaN | 3E-13 | 0.107762 | 0.009647 | 0.901539 | 0.355128 | 0.26551 |
| Significant | YES | NO | -- | -- | -- | -- | YES | NO | YES | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc3 | | | |
|---|-----------------|----------|-----------------|----------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Time Interval | | | | |
| pH, Field [standard units] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | -- | -- | D | -- |
| S-value | 35 | 5 | -76 | 1 |
| Probability | 0.775968 | 0.610492 | 0.045891 | 1 |
| Significant | NO | NO | YES | NO |
| Specific Conductance, Field [umhos/cm] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | I | D | D | -- |
| S-value | 247 | -20 | -80 | -4 |
| Probability | 0.03886 | 0.018741 | 0.036743 | 0.710523 |
| Significant | YES | YES | YES | NO |
| Alkalinity [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | D | -- | D | -- |
| S-value | -285 | -16 | -107 | 2 |
| Probability | 0.017488 | 0.063487 | 0.004985 | 0.901539 |
| Significant | YES | NO | YES | NO |
| Ammonia-N [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 3 | 0 | 4 | 0 |
| Trend | -- ^a | -- | -- ^a | -- |
| S-value | -610 | 0 | -108 | 0 |
| Probability | 5.2E-09 | NaN | 0.002039 | NaN |
| Significant | YES | -- | YES | -- |
| Chloride [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | D | -- | D | -- |
| S-value | -244 | 4 | -98 | -10 |
| Probability | 0.041955 | 0.710523 | 0.010279 | 0.258095 |
| Significant | YES | NO | YES | NO |
| Nitrate-N [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | D | I | -- | I |
| S-value | -469 | 22 | 23 | 22 |
| Probability | 9.02E-05 | 0.009375 | 0.55622 | 0.008321 |
| Significant | YES | YES | NO | YES |
| Sulfate [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | D | D | -- | -- |
| S-value | -433 | -24 | 22 | 0 |
| Probability | 0.000301 | 0.004434 | 0.577424 | 1 |
| Significant | YES | YES | NO | NO |
| Total Dissolved Solids [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- |
| S-value | 169 | -10 | 23 | -5 |
| Probability | 0.158469 | 0.26551 | 0.559664 | 0.617989 |
| Significant | NO | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc3 | | | |
|------------------------------------|-----------------|----------|----------|----------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Time Interval | | | | |
| Arsenic, Dissolved [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 15 | 8 | 23 | 8 |
| Trend | -- ^a | -- | I | -- |
| S-value | -258 | 10 | 88 | 10 |
| Probability | 0.00921 | 0.26551 | 0.021229 | 0.26551 |
| Significant | YES | NO | YES | NO |
| Arsenic, Total [ug/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 15 | 8 | 23 | 8 |
| Trend | -- | I | I | -- |
| S-value | -56 | 20 | 107 | 12 |
| Probability | 0.292622 | 0.018741 | 0.004884 | 0.173546 |
| Significant | NO | YES | YES | NO |
| Calcium, Dissolved [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | -- | -- | I | -- |
| S-value | 174 | -6 | 122 | -4 |
| Probability | 0.146401 | 0.520912 | 0.00134 | 0.700116 |
| Significant | NO | NO | YES | NO |
| Calcium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Trend | I | -- | I | -- |
| S-value | 148 | -10 | 90 | 10 |
| Probability | 0.008348 | 0.26551 | 0.018431 | 0.247888 |
| Significant | YES | NO | YES | NO |
| Iron, Dissolved [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 5 | 0 | 1 | 0 |
| Trend | D | -- | -- | -- |
| S-value | -181 | 0 | -22 | 0 |
| Probability | 0.003683 | NaN | 0.113436 | NaN |
| Significant | YES | -- | -- | -- |
| Iron, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 9 | 1 | 7 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | -79 | -1 | -45 | 0 |
| Probability | 0.084405 | 1 | 0.151325 | NaN |
| Significant | NO | -- | NO | -- |
| Magnesium, Dissolved [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | -- | -- | I | -- |
| S-value | 170 | -12 | 115 | 8 |
| Probability | 0.157379 | 0.173546 | 0.002588 | 0.386476 |
| Significant | NO | NO | YES | NO |
| Magnesium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Trend | I | -- | I | -- |
| S-value | 175 | -10 | 99 | -5 |
| Probability | 0.001901 | 0.26551 | 0.009597 | 0.617989 |
| Significant | YES | NO | YES | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Channel Cc3 | | | |
|------------------------------------|-------------|----------|-----------------|----------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 2 | 23 | 8 |
| Trend | -- | -- | D | D |
| S-value | 0 | 13 | -195 | -18 |
| Probability | NaN | 0.04852 | 2.94E-07 | 0.035448 |
| Significant | -- | -- | YES | YES |
| Manganese, Total [ug/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 7 | 2 | 23 | 8 |
| Trend | D | -- | -- ^a | -- |
| S-value | -170 | -7 | -81 | -12 |
| Probability | 0.001307 | 0.32394 | 0.034615 | 0.173546 |
| Significant | YES | -- | YES | NO |
| Potassium, Dissolved [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | I | -- | -- | -- |
| S-value | 348 | -2 | 74 | -6 |
| Probability | 0.003568 | 0.900004 | 0.053219 | 0.536187 |
| Significant | YES | NO | NO | NO |
| Potassium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Trend | -- | -- | -- | -- |
| S-value | 34 | -1 | 54 | 1 |
| Probability | 0.550759 | 1 | 0.160171 | 1 |
| Significant | NO | NO | NO | NO |
| Sodium, Dissolved [mg/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- |
| S-value | 310 | -16 | 121 | -10 |
| Probability | 0.009715 | 0.063487 | 0.001528 | 0.26551 |
| Significant | YES | NO | YES | NO |
| Sodium, Total [mg/L] | | | | |
| No. of Analyses | 30 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 23 | 8 |
| Trend | I | D | I | -- |
| S-value | 167 | -18 | 114 | -10 |
| Probability | 0.003051 | 0.035448 | 0.002762 | 0.26551 |
| Significant | YES | YES | YES | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | Channel Cc3 | | | |
|---------------------------------------|-------------|-------|-------|-------|
| | MW-8 | | MW-36 | |
| | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| Benzene [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| Chloroethane [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| cis -1,2-Dichloroethene [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | | | | |
| No. of Analyses | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Time Interval | Channel Cc3 | | | |
|---|---------------|-------------|-------|-------|-------|
| | | MW-8 | | MW-36 | |
| | | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | |
| No. of Analyses | | 50 | 8 | 23 | 8 |
| No. of Detections | | 1 | 0 | 0 | 0 |
| Trend | | -- | -- | -- | -- |
| S-value | | -547 | 0 | 0 | 0 |
| Probability | | 1.59E-08 | NaN | NaN | NaN |
| Significant | | -- | -- | -- | -- |
| trans -1,2-Dichloroethene [ug/L] | | | | | |
| No. of Analyses | | 50 | 8 | 23 | 8 |
| No. of Detections | | 0 | 0 | 0 | 0 |
| Trend | | -- | -- | -- | -- |
| S-value | | 0 | 0 | 0 | 0 |
| Probability | | NaN | NaN | NaN | NaN |
| Significant | | -- | -- | -- | -- |
| Trichloroethene [ug/L] | | | | | |
| No. of Analyses | | 50 | 8 | 23 | 8 |
| No. of Detections | | 0 | 0 | 0 | 0 |
| Trend | | -- | -- | -- | -- |
| S-value | | 0 | 0 | 0 | 0 |
| Probability | | NaN | NaN | NaN | NaN |
| Significant | | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | | | | | |
| No. of Analyses | | 50 | 8 | 23 | 8 |
| No. of Detections | | 0 | 0 | 0 | 0 |
| Trend | | -- | -- | -- | -- |
| S-value | | 0 | 0 | 0 | 0 |
| Probability | | NaN | NaN | NaN | NaN |
| Significant | | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | | | | | |
| No. of Analyses | | 50 | 8 | 23 | 8 |
| No. of Detections | | 0 | 0 | 0 | 0 |
| Trend | | -- | -- | -- | -- |
| S-value | | 0 | 0 | 0 | 0 |
| Probability | | NaN | NaN | NaN | NaN |
| Significant | | -- | -- | -- | -- |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Unit D Aquifer | | | | | | | | | | | |
|---|----------------|----------|-----------------|----------|----------|----------|----------|----------|-----------------|----------|----------|----------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | D | -- | D | I | D | -- | D | -- | D | -- | -- | -- |
| S-value | -347 | -14 | -472 | 19 | -297 | 3 | -265 | 14 | -314 | 10 | -48 | 13 |
| Probability | 0.003776 | 0.107762 | 8.06E-05 | 0.024822 | 0.013186 | 0.803089 | 0.027139 | 0.107762 | 0.00876 | 0.26551 | 0.214018 | 0.134625 |
| Significant | YES | NO | YES | YES | YES | NO | YES | NO | YES | NO | NO | NO |
| Specific Conductance, Field [umhos/cm] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | D | -- | -- | I | -- | I | D | D | -- |
| S-value | 534 | -13 | 586 | -18 | -62 | -16 | 399 | -12 | 338 | -24 | -121 | -2 |
| Probability | 7.68E-06 | 0.134625 | 8.49E-07 | 0.035448 | 0.609015 | 0.063487 | 0.000835 | 0.173546 | 0.004754 | 0.004434 | 0.001517 | 0.901539 |
| Significant | YES | NO | YES | YES | NO | NO | YES | NO | YES | YES | YES | NO |
| Alkalinity [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | D | -- | -- | -- | -- | -- | D | -- |
| S-value | 466 | -11 | 648 | 2 | -838 | -6 | -102 | 1 | -160 | -10 | -119 | 1 |
| Probability | 9.94E-05 | 0.212486 | 6.18E-08 | 0.901539 | 2.5E-12 | 0.536187 | 0.397847 | 1 | 0.176637 | 0.26551 | 0.00179 | 1 |
| Significant | YES | NO | YES | NO | YES | NO | NO | NO | NO | NO | YES | NO |
| Ammonia-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 3 | 1 | 49 | 8 | 50 | 8 | 14 | 7 | 4 | 0 |
| Trend | -- | -- | -- ^a | -- | D | -- | I | -- | -- ^a | -- | D | -- |
| S-value | 115 | -15 | -614 | 5 | -559 | 16 | 252 | 4 | -589 | 8 | -106 | 0 |
| Probability | 0.340143 | 0.074619 | 6.01E-09 | 0.382733 | 3.03E-06 | 0.063487 | 0.035596 | 0.710523 | 9.25E-09 | 0.386476 | 0.001422 | NaN |
| Significant | NO | NO | YES | -- | YES | NO | YES | NO | YES | NO | YES | -- |
| Chloride [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | -- | -- | I | -- | D | -- | -- | -- | D | D | -- | -- |
| S-value | 220 | -10 | 321 | -6 | -691 | 4 | -139 | -15 | -532 | -17 | -29 | -3 |
| Probability | 0.066714 | 0.26551 | 0.007372 | 0.52982 | 7.74E-09 | 0.710523 | 0.247937 | 0.080905 | 8.89E-06 | 0.046063 | 0.459294 | 0.803089 |
| Significant | NO | NO | YES | NO | YES | NO | NO | NO | YES | YES | NO | NO |
| Nitrate-N [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 24 | 6 | 50 | 8 | 18 | 2 | 35 | 7 | 1 | 0 | 23 | 8 |
| Trend | -- | I | -- | D | D | -- | D | -- | -- | -- | -- | I |
| S-value | 46 | 19 | -184 | -18 | -443 | -7 | -421 | 2 | -139 | 0 | -43 | 26 |
| Probability | 0.691152 | 0.024822 | 0.125672 | 0.035448 | 2.82E-05 | 0.32394 | 0.000391 | 0.901539 | 0.004846 | NaN | 0.267327 | 0.001982 |
| Significant | NO | YES | NO | YES | YES | -- | YES | NO | -- | -- | NO | YES |
| Sulfate [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | -- | -- | D | -- | -- | -- | D | -- | -- | -- |
| S-value | 400 | -14 | 186 | -9 | -399 | 0 | 198 | -16 | -529 | -16 | 2 | -11 |
| Probability | 0.000803 | 0.102358 | 0.120258 | 0.318567 | 0.000852 | 1 | 0.097843 | 0.054127 | 9.73E-06 | 0.054127 | 0.978878 | 0.212486 |
| Significant | YES | NO | NO | NO | YES | NO | NO | NO | YES | NO | NO | NO |
| Total Dissolved Solids [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | D | -- | I | -- | I | -- | -- | -- |
| S-value | 622 | -5 | 552 | -2 | -451 | -10 | 342 | 0 | 286 | -3 | 46 | 2 |
| Probability | 1.94E-07 | 0.612407 | 3.87E-06 | 0.901539 | 0.000162 | 0.258095 | 0.004261 | 1 | 0.016831 | 0.803089 | 0.232409 | 0.901539 |
| Significant | YES | NO | YES | NO | YES | NO | YES | NO | YES | NO | NO | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Unit D Aquifer | | | | | | | | | | | |
|------------------------------------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Arsenic, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | D | -- | D | -- | D | -- | D | -- | D | -- | -- | -- |
| S-value | -720 | 6 | -336 | 6 | -1007 | -16 | -543 | 9 | -600 | 13 | -66 | 12 |
| Probability | 1.8E-09 | 0.536187 | 0.005003 | 0.520912 | 3.82E-17 | 0.059451 | 5.75E-06 | 0.308325 | 5.36E-07 | 0.134625 | 0.08425 | 0.143943 |
| Significant | YES | NO | YES | NO | YES | NO | YES | NO | YES | NO | NO | NO |
| Arsenic, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Trend | -- | I | -- | -- | -- | -- | I | -- | -- | -- | -- | I |
| S-value | -42 | 24 | 89 | 16 | -36 | -5 | 135 | -1 | 95 | -12 | -2 | 17 |
| Probability | 0.485537 | 0.004434 | 0.115637 | 0.059451 | 0.55164 | 0.617989 | 0.022664 | 1 | 0.110118 | 0.173546 | 0.978637 | 0.046063 |
| Significant | NO | YES | NO | NO | NO | NO | YES | NO | NO | NO | NO | YES |
| Calcium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| S-value | 679 | -9 | 638 | 3 | -195 | 6 | 557 | 5 | 502 | -3 | 55 | 9 |
| Probability | 1.37E-08 | 0.318567 | 9.77E-08 | 0.803089 | 0.10411 | 0.520912 | 3.2E-06 | 0.617989 | 2.7E-05 | 0.788653 | 0.152575 | 0.308325 |
| Significant | YES | NO | YES | NO | NO | NO | YES | NO | YES | NO | NO | NO |
| Calcium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | -- | -- | I | -- | -- | -- |
| S-value | 250 | 0 | 220 | 7 | 30 | -1 | 101 | 4 | 136 | -6 | 24 | 6 |
| Probability | 2.24E-05 | 1 | 9.15E-05 | 0.437302 | 0.621599 | 1 | 0.088705 | 0.706197 | 0.021287 | 0.52982 | 0.54172 | 0.520912 |
| Significant | YES | NO | YES | NO | NO | NO | NO | NO | YES | NO | NO | NO |
| Iron, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 21 | 8 | 4 | 1 | 49 | 8 | 50 | 8 | 50 | 8 | 0 | 0 |
| Trend | I | -- | D | -- | -- | -- | I | I | I | -- | -- | -- |
| S-value | 283 | 8 | -184 | 5 | -110 | -2 | 278 | 20 | 425 | 8 | 0 | 0 |
| Probability | 0.008397 | 0.386476 | 0.001085 | 0.382733 | 0.361694 | 0.901539 | 0.020478 | 0.018741 | 0.000389 | 0.386476 | NaN | NaN |
| Significant | YES | NO | YES | -- | NO | NO | YES | YES | YES | NO | -- | -- |
| Iron, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 30 | 8 | 19 | 4 | 31 | 8 | 31 | 8 | 31 | 8 | 14 | 2 |
| Trend | I | I | -- | -- | I | -- | I | -- | I | -- | D | -- |
| S-value | 315 | 18 | 14 | 1 | 162 | -8 | 135 | -12 | 122 | -12 | -101 | 5 |
| Probability | 9.38E-08 | 0.035448 | 0.811668 | 1 | 0.006204 | 0.386476 | 0.022755 | 0.173546 | 0.039699 | 0.173546 | 0.006332 | 0.510798 |
| Significant | YES | YES | NO | NO | YES | NO | YES | NO | YES | NO | YES | -- |
| Magnesium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| S-value | 678 | 0 | 727 | 1 | -103 | 5 | 669 | -12 | 441 | -5 | 57 | -1 |
| Probability | 1.47E-08 | 1 | 1.25E-09 | 1 | 0.393032 | 0.617989 | 2.28E-08 | 0.173546 | 0.000228 | 0.617989 | 0.138592 | 1 |
| Significant | YES | NO | YES | NO | NO | NO | YES | NO | YES | NO | NO | NO |
| Magnesium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | I | -- | I | -- | I | D |
| S-value | 255 | 0 | 200 | -7 | -8 | -1 | 136 | -11 | 149 | -8 | 88 | -17 |
| Probability | 1.57E-05 | 1 | 0.000382 | 0.454427 | 0.904935 | 1 | 0.021742 | 0.212486 | 0.011684 | 0.368803 | 0.021018 | 0.042707 |
| Significant | YES | NO | YES | NO | NO | NO | YES | NO | YES | NO | YES | YES |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Unit D Aquifer | | | | | | | | | | | |
|------------------------------------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Manganese, Dissolved [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 4 | 3 | 49 | 8 | 50 | 8 | 50 | 8 | 16 | 3 |
| Trend | I | -- | D | -- | D | -- | I | -- | -- | -- | D | -- |
| S-value | 396 | -8 | -507 | 6 | -434 | 1 | 312 | 0 | 47 | -8 | -152 | 4 |
| Probability | 0.000945 | 0.386476 | 5.58E-07 | 0.473542 | 0.000291 | 1 | 0.009275 | 1 | 0.700358 | 0.386476 | 5.1E-05 | 0.667169 |
| Significant | YES | NO | YES | NO | YES | NO | YES | NO | NO | NO | YES | NO |
| Manganese, Total [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 18 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 22 | 8 |
| Trend | I | -- | D | -- | -- | -- | I | -- | -- | -- | D | -- |
| S-value | 163 | 6 | -170 | -2 | 65 | -15 | 143 | 0 | 95 | -16 | -155 | 8 |
| Probability | 0.005869 | 0.536187 | 0.001951 | 0.901539 | 0.276558 | 0.080905 | 0.015801 | 1 | 0.109878 | 0.063487 | 4.76E-05 | 0.386476 |
| Significant | YES | NO | YES | NO | NO | NO | YES | NO | NO | NO | YES | NO |
| Potassium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | I | -- | I | -- | -- | -- |
| S-value | 582 | -5 | 637 | 2 | -63 | 7 | 393 | 6 | 435 | 1 | 21 | 0 |
| Probability | 1.15E-06 | 0.610492 | 1E-07 | 0.901539 | 0.603585 | 0.454427 | 0.001021 | 0.536187 | 0.000279 | 1 | 0.596499 | 1 |
| Significant | YES | NO | YES | NO | NO | NO | YES | NO | YES | NO | NO | NO |
| Potassium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 233 | 5 | 146 | -7 | -49 | -4 | -3 | 5 | 52 | 5 | -69 | -10 |
| Probability | 7.84E-05 | 0.610492 | 0.009541 | 0.454427 | 0.414194 | 0.710523 | 0.972836 | 0.617989 | 0.385056 | 0.617989 | 0.071247 | 0.258095 |
| Significant | YES | NO | YES | NO | NO | NO | NO | NO | NO | NO | NO | NO |
| Sodium, Dissolved [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | -- | -- | I | -- | I | -- |
| S-value | 414 | -12 | 716 | -11 | 196 | -14 | 215 | 2 | 417 | -10 | 85 | -12 |
| Probability | 0.000549 | 0.173546 | 2.21E-09 | 0.212486 | 0.102823 | 0.107762 | 0.073347 | 0.901539 | 0.0005 | 0.26551 | 0.026522 | 0.173546 |
| Significant | YES | NO | YES | NO | NO | NO | NO | NO | YES | NO | YES | NO |
| Sodium, Total [mg/L] | | | | | | | | | | | | |
| No. of Analyses | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| No. of Detections | 31 | 8 | 30 | 8 | 31 | 8 | 31 | 8 | 31 | 8 | 23 | 8 |
| Trend | I | -- | I | -- | -- | -- | -- | -- | I | -- | I | -- |
| S-value | 170 | -12 | 187 | -8 | 113 | -13 | 39 | -1 | 173 | -16 | 110 | -16 |
| Probability | 0.004068 | 0.166905 | 0.000902 | 0.386476 | 0.056724 | 0.134625 | 0.518368 | 1 | 0.00341 | 0.063487 | 0.00398 | 0.063487 |
| Significant | YES | NO | YES | NO | NO | NO | NO | NO | YES | NO | YES | NO |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Unit D Aquifer | | | | | | | | | | | |
|---------------------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| 1,1-Dichloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 1,2-Dichloropropane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Benzene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Chloroethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tetrachloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| cis -1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Dichlorodifluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 3-3 (continued)
Summary of Trend Analyses for Groundwater Well Samples Groundwater
Trends in Individual Wells
Vashon Island Closed Landfill
1986 through 2022

| Well Location | Unit D Aquifer | | | | | | | | | | | |
|---|----------------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|
| | MW-7 | | MW-12 | | MW-19 | | MW-26 | | MW-29 | | MW-34 | |
| | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short | Long | Short |
| Toluene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | -541 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | 2.28E-08 | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| trans -1,2-Dichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichloroethene [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichlorofluoromethane [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Vinyl Chloride [ug/L] | | | | | | | | | | | | |
| No. of Analyses | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 50 | 8 | 23 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | -453 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Probability | NaN | NaN | NaN | NaN | 1.89E-06 | NaN | NaN | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

NOTES:

- Short - eight most recent analyses in the last two years.
- Long - historical data up to the last eight samples, but no greater than 50 samples.
- D - decreasing trend
- I - increasing trend
- - no detectable trend or too few data point to determine significance
- NaN - too few data points to calculate probability
- Probability - probability null hypothesis (i.e. 'No Trend') is true (aka p-value)
- Significance - trend is significant at 0.05
- umhos/cm - microSiemens per centimeter
- mg/L - milligram per liter
- ug/L - microgram per liter
- ^a - Trend analysis resulted in artificial decreasing trend caused by changes in MDL.

Table 3-4
Summary of Statistical Analyses for West Hillslope Seep/Weir Surface Water Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | West Hillslope Seep/Weir | | | | | | | |
|---|--------------------------|---------|--------|---------|--------|--------|--------|--------|
| | SW-W1 | | SW-W2 | | SW-W3 | | SW-E | |
| | Long | Short | Long | Short | Long | Short | Long | Short |
| pH, Field [standard units] | | | | | | | | |
| No. of Analyses | 84 | 8 | 116 | 8 | 116 | 8 | 33 | 8 |
| No. of Detections | 84 | 8 | 116 | 8 | 116 | 8 | 33 | 8 |
| Minimum | 6.54 | 7.33 | 6.88 | 7.9 | ND | 7.46 | 6.42 | 7.62 |
| Maximum | 8.76 | 7.71 | 8.89 | 8.21 | ND | 7.81 | 10.18 | 7.97 |
| Mean | 7.54 | 7.49 | 7.95 | 8.02 | ID | 7.62 | 7.61 | 7.82 |
| Standard Deviation | 0.42 | 0.12 | 0.37 | 0.11 | ID | 0.12 | 0.67 | 0.14 |
| Median | 7.605 | 7.495 | 8.035 | 7.98 | ID | 7.63 | 7.6 | 7.84 |
| Specific Conductance, Field [umhos/cm] | | | | | | | | |
| No. of Analyses | 85 | 8 | 117 | 8 | 117 | 8 | 32 | 8 |
| No. of Detections | 85 | 8 | 117 | 8 | 117 | 8 | 32 | 8 |
| Minimum | 70 | 158.1 | 325 | 236.2 | 94.6 | 76.4 | 110 | 152.8 |
| Maximum | 860 | 221.9 | 1200 | 577 | 1034 | 300.5 | 370 | 201.6 |
| Mean | 304.65 | 177.99 | 728.21 | 457.96 | 428.91 | 234.45 | 190.82 | 179.65 |
| Standard Deviation | 159.73 | 20.42 | 183.63 | 107.86 | 164.15 | 68.00 | 45.51 | 18.39 |
| Median | 235 | 172.45 | 705.8 | 482.25 | 405 | 240.75 | 188.75 | 182.35 |
| Alkalinity [mg/L] | | | | | | | | |
| No. of Analyses | 56 | 8 | 76 | 8 | 75 | 8 | | |
| No. of Detections | 56 | 8 | 76 | 8 | 75 | 8 | | |
| Minimum | 64.2 | 65.1 | 222 | 245 | 86.6 | 114 | | |
| Maximum | 150 | 81.3 | 530 | 304 | 290 | 139 | | |
| Mean | 88.50 | 72.19 | 376.63 | 266.38 | 166.29 | 123.50 | | |
| Standard Deviation | 17.50 | 6.68 | 76.07 | 21.85 | 51.83 | 10.42 | | |
| Median | 85.25 | 71.05 | 371.5 | 254.5 | 146 | 120 | | |
| Ammonia-N [mg/L] | | | | | | | | |
| No. of Analyses | 84 | 8 | 118 | 8 | 117 | 8 | | |
| No. of Detections | 55 | 8 | 54 | 8 | 42 | 8 | | |
| Minimum | ND | 0.0114 | ND | 0.0022 | ND | 0.0054 | | |
| Maximum | 0.14 | 0.0342 | 45 | 0.0075 | 0.2 | 0.0098 | | |
| Mean | 0.024 | 0.017 | 0.395 | 0.005 | 0.016 | 0.008 | | |
| Standard Deviation | 0.026 | 0.008 | 4.141 | 0.002 | 0.024 | 0.002 | | |
| Median | 0.01695 | 0.01365 | 0.0088 | 0.0062 | 0.0065 | 0.0079 | | |
| Chemical Oxygen Demand [mg/L] | | | | | | | | |
| No. of Analyses | 84 | 8 | 117 | 8 | 116 | 8 | | |
| No. of Detections | 77 | 7 | 115 | 8 | 102 | 8 | | |
| Minimum | ND | ND | ND | 13 | ND | 5.6 | | |
| Maximum | 100 | 29.6 | 130 | 22.4 | 160 | 18 | | |
| Mean | 19.79 | 16.89 | 20.90 | 16.73 | 17.72 | 12.38 | | |
| Standard Deviation | 16.88 | 7.37 | 17.43 | 3.50 | 19.60 | 4.70 | | |
| Median | 14.5 | 17.5 | 16 | 16 | 14 | 11 | | |
| Chloride [mg/L] | | | | | | | | |
| No. of Analyses | 84 | 8 | 116 | 8 | 116 | 8 | | |
| No. of Detections | 84 | 8 | 114 | 8 | 114 | 8 | | |
| Minimum | 3 | 5.73 | ND | 15.4 | ND | 7.96 | | |
| Maximum | 15 | 7.21 | 79 | 19 | 48 | 9.04 | | |
| Mean | 6.05 | 6.27 | 29.90 | 16.90 | 11.67 | 8.40 | | |
| Standard Deviation | 1.77 | 0.45 | 11.56 | 1.21 | 5.84 | 0.38 | | |
| Median | 5.62 | 6.295 | 30 | 16.5 | 9.78 | 8.285 | | |
| Nitrate-N [mg/L] | | | | | | | | |
| No. of Analyses | 84 | 8 | 118 | 8 | 117 | 8 | | |
| No. of Detections | 76 | 8 | 89 | 8 | 109 | 8 | | |
| Minimum | ND | 0.486 | ND | 0.0707 | ND | 0.141 | | |
| Maximum | 4.26 | 2.43 | 9 | 0.212 | 1.4 | 0.525 | | |
| Mean | 1.48 | 1.53 | 0.23 | 0.12 | 0.36 | 0.32 | | |
| Standard Deviation | 1.07 | 0.75 | 0.83 | 0.05 | 0.27 | 0.14 | | |
| Median | 1.4 | 1.62 | 0.12 | 0.10655 | 0.3 | 0.257 | | |

Table 3-4 (continued)
Summary of Statistical Analyses for West Hillslope Seep/Weir Surface Water Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | West Hillslope Seep/Weir | | | | | | | |
|----------------------------------|--------------------------|---------|---------|---------|--------|---------|---------|---------|
| | SW-W1 | | SW-W2 | | SW-W3 | | SW-E | |
| | Long | Short | Long | Short | Long | Short | Long | Short |
| Sulfate [mg/L] | | | | | | | | |
| No. of Analyses | 84 | 8 | 118 | 8 | 117 | 8 | | |
| No. of Detections | 83 | 8 | 118 | 8 | 117 | 8 | | |
| Minimum | ND | 6.32 | 4.6 | 13.8 | 6 | 11.6 | | |
| Maximum | 35.9 | 10.6 | 29.9 | 16.2 | 109 | 12.4 | | |
| Mean | 11.12 | 8.00 | 9.28 | 15.08 | 12.10 | 11.91 | | |
| Standard Deviation | 4.77 | 1.25 | 3.58 | 0.86 | 9.23 | 0.27 | | |
| Median | 10 | 7.775 | 8.81 | 14.9 | 11.6 | 11.8 | | |
| Arsenic, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 49 | 8 | 53 | 8 | 55 | 8 | 32 | 8 |
| Minimum | ND | 0.00172 | ND | 0.0012 | 0.0017 | 0.00288 | 0.00112 | 0.00153 |
| Maximum | 0.0086 | 0.0049 | 0.0160 | 0.0016 | 0.0039 | 0.0037 | 0.0023 | 0.0022 |
| Mean | 0.0027 | 0.0028 | 0.0017 | 0.0014 | 0.0029 | 0.0033 | 0.0018 | 0.0019 |
| Standard Deviation | 0.0018 | 0.0010 | 0.0020 | 0.0001 | 0.0006 | 0.0003 | 0.0003 | 0.0002 |
| Median | 0.0023 | 0.0028 | 0.0014 | 0.0014 | 0.0028 | 0.0032 | 0.0018 | 0.0018 |
| Arsenic, Total [mg/L] | | | | | | | | |
| No. of Analyses | 85 | 8 | 117 | 8 | 116 | 8 | 32 | 8 |
| No. of Detections | 85 | 8 | 117 | 8 | 115 | 8 | 32 | 8 |
| Minimum | 0.00197 | 0.00329 | 0.00151 | 0.00158 | ND | 0.00372 | 0.00149 | 0.00169 |
| Maximum | 0.0830 | 0.0078 | 0.0170 | 0.0064 | 0.0520 | 0.0051 | 0.0106 | 0.0026 |
| Mean | 0.0107 | 0.0050 | 0.0045 | 0.0032 | 0.0059 | 0.0044 | 0.0024 | 0.0022 |
| Standard Deviation | 0.0113 | 0.0017 | 0.0028 | 0.0016 | 0.0059 | 0.0005 | 0.0015 | 0.0003 |
| Median | 0.0070 | 0.0044 | 0.0036 | 0.0031 | 0.0047 | 0.0044 | 0.0022 | 0.0022 |
| Calcium, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| Minimum | 12.2 | 13.6 | 35 | 43.8 | 17.2 | 20.9 | 7.78 | 12.8 |
| Maximum | 18.5 | 16.5 | 74.3 | 54.6 | 33 | 25.7 | 17 | 16.2 |
| Mean | 15.54 | 14.71 | 55.84 | 47.98 | 23.65 | 22.89 | 13.88 | 14.64 |
| Standard Deviation | 1.63 | 0.94 | 8.02 | 3.84 | 3.40 | 1.73 | 2.64 | 1.33 |
| Median | 15.6 | 14.65 | 56 | 46.4 | 23 | 22.9 | 14.7 | 14.8 |
| Calcium, Total [mg/L] | | | | | | | | |
| No. of Analyses | 80 | 8 | 111 | 8 | 110 | 8 | 32 | 8 |
| No. of Detections | 80 | 8 | 111 | 8 | 110 | 8 | 32 | 8 |
| Minimum | 12.4 | 14 | 27 | 43.7 | 17.3 | 21.2 | 8.51 | 12.8 |
| Maximum | 84.8 | 16.6 | 127 | 54.7 | 93 | 25.4 | 18.9 | 16.5 |
| Mean | 27.92 | 15.15 | 72.23 | 48.79 | 39.68 | 23.15 | 14.57 | 14.99 |
| Standard Deviation | 19.38 | 0.96 | 20.85 | 3.74 | 19.03 | 1.56 | 2.65 | 1.49 |
| Median | 18 | 15.05 | 67 | 47.75 | 33.5 | 22.65 | 15.3 | 15.2 |
| Iron, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 51 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| Minimum | ND | 0.0758 | 0.0115 | 0.0127 | 0.018 | 0.0355 | 0.033 | 0.0381 |
| Maximum | 1.43 | 0.534 | 8.97 | 0.138 | 0.215 | 0.0901 | 0.221 | 0.0924 |
| Mean | 0.2612 | 0.2226 | 0.2319 | 0.0357 | 0.0711 | 0.0572 | 0.0738 | 0.0608 |
| Standard Deviation | 0.2784 | 0.1475 | 1.2043 | 0.0418 | 0.0505 | 0.0166 | 0.0466 | 0.0204 |
| Median | 0.1795 | 0.1765 | 0.0284 | 0.0225 | 0.0490 | 0.0543 | 0.0531 | 0.0555 |
| Iron, Total [mg/L] | | | | | | | | |
| No. of Analyses | 85 | 8 | 117 | 8 | 116 | 8 | 32 | 8 |
| No. of Detections | 85 | 8 | 117 | 8 | 116 | 8 | 32 | 8 |
| Minimum | 0.682 | 0.941 | 0.364 | 0.392 | 0.49 | 0.407 | 0.226 | 0.306 |
| Maximum | 76 | 3.43 | 27.9 | 5.25 | 37.5 | 6.03 | 14.9 | 2.97 |
| Mean | 7.41 | 1.76 | 4.21 | 2.02 | 3.32 | 1.57 | 1.30 | 0.77 |
| Standard Deviation | 10.29 | 0.82 | 4.71 | 1.57 | 5.18 | 1.89 | 2.69 | 0.89 |
| Median | 3.70 | 1.76 | 2.64 | 1.87 | 1.81 | 0.78 | 0.58 | 0.49 |

Table 3-4 (continued)
Summary of Statistical Analyses for West Hillslope Seep/Weir Surface Water Samples
Vashon Island Closed Landfill
1986 through 2022

| Well Location Time Interval | West Hillslope Seep/Weir | | | | | | | |
|------------------------------------|--------------------------|-------|--------|--------|-------|-------|---------|---------|
| | SW-W1 | | SW-W2 | | SW-W3 | | SW-E | |
| | Long | Short | Long | Short | Long | Short | Long | Short |
| Magnesium, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| Minimum | 10.1 | 11.2 | 28.9 | 36.1 | 11.7 | 17.7 | 6.36 | 10.5 |
| Maximum | 16 | 12.6 | 63.6 | 45.2 | 25.8 | 21.3 | 15.8 | 14.3 |
| Mean | 12.60 | 11.70 | 47.42 | 39.33 | 19.42 | 19.11 | 12.38 | 12.91 |
| Standard Deviation | 1.25 | 0.49 | 7.46 | 3.11 | 2.87 | 1.29 | 2.58 | 1.39 |
| Median | 12.65 | 11.60 | 46.60 | 38.15 | 19.40 | 18.70 | 12.65 | 13.45 |
| Magnesium, Total [mg/L] | | | | | | | | |
| No. of Analyses | 80 | 8 | 111 | 8 | 111 | 8 | 32 | 8 |
| No. of Detections | 80 | 8 | 111 | 8 | 111 | 8 | 32 | 8 |
| Minimum | 10.1 | 11 | 20 | 36.1 | 14.5 | 17.7 | 6.98 | 10.8 |
| Maximum | 55.3 | 13 | 104 | 45.6 | 89 | 23.6 | 15.7 | 14.4 |
| Mean | 18.44 | 11.75 | 61.17 | 39.36 | 31.25 | 19.45 | 12.83 | 13.05 |
| Standard Deviation | 9.80 | 0.71 | 18.75 | 3.67 | 14.45 | 2.09 | 2.32 | 1.42 |
| Median | 14.05 | 11.55 | 56.90 | 37.40 | 26.00 | 18.35 | 13.55 | 13.25 |
| Manganese, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| Minimum | 0.0113 | 0.137 | 0.0155 | 0.0219 | 0.112 | 0.375 | 0.00616 | 0.00748 |
| Maximum | 3.18 | 0.845 | 2.4 | 0.0796 | 0.581 | 0.631 | 0.0188 | 0.0121 |
| Mean | 0.397 | 0.364 | 0.110 | 0.041 | 0.311 | 0.452 | 0.010 | 0.010 |
| Standard Deviation | 0.485 | 0.242 | 0.320 | 0.022 | 0.101 | 0.082 | 0.002 | 0.001 |
| Median | 0.277 | 0.293 | 0.050 | 0.033 | 0.310 | 0.440 | 0.010 | 0.011 |
| Manganese, Total [mg/L] | | | | | | | | |
| No. of Analyses | 85 | 8 | 116 | 8 | 115 | 8 | 32 | 8 |
| No. of Detections | 85 | 8 | 116 | 8 | 115 | 8 | 32 | 8 |
| Minimum | 0.325 | 0.424 | 0.126 | 0.107 | 0.254 | 0.55 | 0.0243 | 0.0238 |
| Maximum | 18 | 1.17 | 17.9 | 0.926 | 8.56 | 0.925 | 1.14 | 0.0992 |
| Mean | 2.287 | 0.767 | 1.883 | 0.424 | 1.167 | 0.655 | 0.103 | 0.060 |
| Standard Deviation | 2.730 | 0.294 | 2.457 | 0.270 | 1.420 | 0.120 | 0.193 | 0.026 |
| Median | 1.310 | 0.699 | 0.965 | 0.421 | 0.762 | 0.644 | 0.061 | 0.060 |
| Potassium, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 51 | 8 | 55 | 8 | 54 | 8 | 32 | 8 |
| Minimum | ND | 0.799 | 1.2 | 2.69 | ND | 2.01 | 1.68 | 1.68 |
| Maximum | 1.53 | 1.45 | 4.05 | 3.08 | 2.8 | 2.38 | 2.78 | 1.95 |
| Mean | 1.10 | 1.05 | 3.16 | 2.93 | 2.13 | 2.19 | 1.99 | 1.86 |
| Standard Deviation | 0.21 | 0.19 | 0.40 | 0.15 | 0.37 | 0.13 | 0.20 | 0.09 |
| Median | 1.11 | 1.06 | 3.17 | 2.98 | 2.16 | 2.22 | 1.99 | 1.89 |
| Potassium, Total [mg/L] | | | | | | | | |
| No. of Analyses | 80 | 8 | 112 | 8 | 111 | 8 | 32 | 8 |
| No. of Detections | 80 | 8 | 112 | 8 | 111 | 8 | 32 | 8 |
| Minimum | 0.82 | 0.805 | 1.8 | 2.64 | 1.7 | 2.04 | 1.65 | 1.7 |
| Maximum | 2.8 | 1.73 | 5.6 | 3.22 | 17 | 2.66 | 3.38 | 2.05 |
| Mean | 1.34 | 1.10 | 3.43 | 2.97 | 2.62 | 2.25 | 2.00 | 1.93 |
| Standard Deviation | 0.39 | 0.28 | 0.52 | 0.18 | 1.46 | 0.21 | 0.28 | 0.11 |
| Median | 1.22 | 1.05 | 3.37 | 3.02 | 2.40 | 2.20 | 1.98 | 1.94 |

Table 3-4 (continued)
Summary of Statistical Analyses for West Hillslope Seep/Weir Surface Water Samples
 Vashon Island Closed Landfill
 1986 through 2022

| Well Location Time Interval | West Hillslope Seep/Weir | | | | | | | |
|---------------------------------|--------------------------|--------|-------|-------|-------|--------|------|-------|
| | SW-W1 | | SW-W2 | | SW-W3 | | SW-E | |
| | Long | Short | Long | Short | Long | Short | Long | Short |
| Sodium, Dissolved [mg/L] | | | | | | | | |
| No. of Analyses | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| No. of Detections | 52 | 8 | 55 | 8 | 55 | 8 | 32 | 8 |
| Minimum | 5.44 | 6.22 | 9.55 | 13.9 | 6.21 | 8.36 | 4.47 | 5.84 |
| Maximum | 8.04 | 7.24 | 19.3 | 17.5 | 11.1 | 9.88 | 7.8 | 7.5 |
| Mean | 6.90 | 6.77 | 15.29 | 15.41 | 8.72 | 8.83 | 6.51 | 6.71 |
| Standard Deviation | 0.60 | 0.36 | 1.72 | 1.14 | 0.86 | 0.56 | 0.87 | 0.52 |
| Median | 6.87 | 6.80 | 15.40 | 15.35 | 8.71 | 8.65 | 6.65 | 6.80 |
| Sodium, Total [mg/L] | | | | | | | | |
| No. of Analyses | 80 | 8 | 112 | 8 | 110 | 8 | 32 | 8 |
| No. of Detections | 80 | 8 | 112 | 8 | 110 | 8 | 32 | 8 |
| Minimum | 5.33 | 6.28 | 7.8 | 13.9 | 6.52 | 8.25 | 4.73 | 5.9 |
| Maximum | 17.2 | 7.72 | 25 | 17.3 | 18.2 | 10.4 | 7.57 | 7.47 |
| Mean | 8.57 | 6.77 | 16.01 | 15.15 | 10.90 | 9.00 | 6.59 | 6.71 |
| Standard Deviation | 2.88 | 0.50 | 2.35 | 1.42 | 2.84 | 0.86 | 0.79 | 0.61 |
| Median | 7.27 | 6.64 | 16.00 | 14.35 | 10.00 | 8.49 | 6.74 | 6.58 |
| Vinyl Chloride [ug/L] | | | | | | | | |
| No. of Analyses | 82 | 8 | 115 | 8 | 114 | 8 | 32 | 8 |
| No. of Detections | 22 | 5 | 1 | 1 | 87 | 8 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND | 0.0291 | ND | ND |
| Maximum | 1 | 0.0238 | ND | ND | 1 | 0.0642 | ND | ND |
| Mean | 0.056 | 0.011 | ID | ID | 0.075 | 0.042 | ID | ID |
| Standard Deviation | 0.187 | 0.006 | ID | ID | 0.155 | 0.013 | ID | ID |
| Median | 0.010 | 0.011 | ID | ID | 0.044 | 0.039 | ID | ID |

NOTES:

- Short - eight most recent analyses in the last two years.
- Long - historical data up to the last eight samples, but no greater than 50 samples.
- umhos/cm - microSiemens per centimeter
- mg/L - milligram per liter
- ug/L - microgram per liter
- ID - insufficient Data (i.e. the number of detections is less than 3)
- ND - Not Detected (i.e. at laboratory MDL - Method Detection Limit)

Table 3-5
Summary of Statistical Analyses for Appendix III Analytes
Channel Cc1
Vashon Island Closed Landfill
January 1, 2021 - December 31, 2022

| Well Location Time Interval | Channel Cc2 | | | | |
|--|---------------|----------------|----------------|----------------|----------------|
| | MW-2 Short | MW-20 Short | MW-21 Short | MW-33 Short | MW-35 Short |
| 2,4,5-TP Silvex [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 0 | 8 | 6 |
| Minimum | ND | ND | ND | 0.03 | ND |
| Maximum | ND | ND | ND | 0.05 | 0.05 |
| Mean | ID | ID | ID | 0.04 | 0.03 |
| Standard Deviation | ID | ID | ID | 0.01 | 0.02 |
| Median | ID | ID | ID | 0.0392 | 0.0374 |
| 2-Methyl-1-Propanol [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 |
| Minimum | ND | ND | ND | ND | ND |
| Maximum | ND | ND | ND | ND | ND |
| Mean | ID | ID | ID | ID | ID |
| Standard Deviation | ID | ID | ID | ID | ID |
| Median | ID | ID | ID | ID | ID |
| Bis(2-Chloroethyl)Ether [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 1 | 8 | 7 |
| Minimum | ND | ND | ND | 1.44 | ND |
| Maximum | ND | ND | 0.266 | 5.39 | 1.28 |
| Mean | ID | ID | ID | 3.44 | 0.82 |
| Standard Deviation | ID | ID | ID | 1.25 | 0.41 |
| Median | ID | ID | ID | 3.44 | 0.8575 |
| Bis(2-Ethylhexyl)Phthalate [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 1 | 4 | 3 | 6 | 5 |
| Minimum | ND | ND | ND | ND | ND |
| Maximum | 19.1 | 7.4 | 4.72 | 25.4 | 20.2 |
| Mean | ID | 1.859 | 1.022 | 8.071 | 4.927 |
| Standard Deviation | ID | 2.619 | 1.545 | 10.029 | 7.738 |
| Median | ID | 0.659 | 0.26075 | 2.14 | 0.856 |
| Diethyl Phthalate [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 1 | 8 | 1 |
| Minimum | ND | ND | ND | 0.901 | ND |
| Maximum | ND | ND | 0.551 | 1.51 | 0.54 |
| Mean | ID | ID | ID | 1.17 | ID |
| Standard Deviation | ID | ID | ID | 0.24 | ID |
| Median | ID | ID | ID | 1.065 | ID |

NOTES:

- Short - eight most recent analyses in the last two years.
- ug/L - microgram per liter
- ID - insufficient Data (i.e. the number of detections is less than 3)
- ND - Not Detected (i.e. at laboratory MDL - Method Detection Limit)

Table 3-6
Summary of Trend Analyses for Appendix III Analytes
Channel Cc1
Vashon Island Closed Landfill
January 1, 2021 - December 31, 2022

| Well Location Time Interval | Channel Cc2 | | | | |
|--|---------------|----------------|----------------|----------------|----------------|
| | MW-2 Short | MW-20 Short | MW-21 Short | MW-33 Short | MW-35 Short |
| 2,4,5-TP Silvex [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 0 | 8 | 6 |
| Trend | -- | -- | -- | -- | -- |
| S-value | 0 | -2 | 2 | -14 | -16 |
| Probability | NaN | NaN | NaN | 0.107762 | 0.063487 |
| Significant | -- | -- | -- | NO | NO |
| 2-Methyl-1-Propanol [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 0 | 0 | 0 |
| Trend | -- | -- | -- | -- | -- |
| S-value | 0 | 0 | 0 | 0 | -1 |
| Probability | NaN | NaN | NaN | NaN | NaN |
| Significant | -- | -- | -- | -- | -- |
| Bis(2-Chloroethyl)Ether [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 1 | 8 | 7 |
| Trend | -- | -- | -- | -- | -- |
| S-value | -2 | 7 | -6 | -6 | -14 |
| Probability | NaN | NaN | 0.52982 | 0.536187 | 0.107762 |
| Significant | -- | -- | -- | NO | NO |
| Bis(2-Ethylhexyl)Phthalate [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 1 | 4 | 3 | 6 | 5 |
| Trend | -- | -- | -- | -- | -- |
| S-value | 3 | 12 | -3 | 0 | -2 |
| Probability | 0.803089 | 0.173546 | 0.803089 | 1 | 0.901539 |
| Significant | -- | NO | NO | NO | NO |
| Diethyl Phthalate [ug/L] | | | | | |
| No. of Analyses | 8 | 8 | 8 | 8 | 8 |
| No. of Detections | 0 | 0 | 1 | 8 | 1 |
| Trend | -- | -- | -- | -- | -- |
| S-value | -2 | 7 | 2 | 0 | 7 |
| Probability | NaN | NaN | 0.900004 | 1 | 0.454427 |
| Significant | -- | -- | -- | NO | -- |

NOTES:

- Short - eight most recent analyses in the last two years.
- - no detectable trend or too few data point to determine significance
- NaN - too few data points to calculate probability
- Probability - probability null hypothesis (i.e. 'No Trend') is true (aka p-value)
- Significance - trend is significant at 0.05
- ug/L - microgram per liter

Table 4-1
Comparison of Background Conditions and Unit D Aquifer
Vashon Island Closed Landfill

| Constituent | Area Background Range* | Unit D Aquifer Jan. 2021 - Dec. 2022 |
|---|------------------------|---|
| <u>General Indicators</u> | | |
| pH (Field) | 6.5 to 8.3 | 6.47 to 8.17 |
| Specific Conductance (Field) | 80 to 545 | 102.5 to 214.7 |
| Chloride [mg/L] | 1.6 to 14 | 3.00 to 17.4 |
| Nitrate [mg/L] | <0.2 to 5.8 | <0.01 to 2.05 |
| Sulfate [mg/L] | <0.50 to 41 | 9.63 to 33.2 |
| <u>Metals</u> | | |
| Arsenic, Total [ug/L] | <1 to 17 | 1.02 to 18.1 |
| Iron, Total [mg/L] | 0.040 to 10 | <0.010 to 6.09 |
| Manganese, Total [ug/L] | 5 to 960 | 0.125 to 849 |
| Sodium, Total [mg/L] | 5 to 62 | 5.37 to 10 |
| <u>Notes:</u> | | |
| All values except pH (standard units) and specific conductivity (umhos/cm) are reported in milligrams per liter (mg/L). | | |
| *Background values are based on Carr (1983) and Vashon-Maury Island Groundwater Management Plan (1998) | | |

Appendix A

Standards, Qualifiers, and Prediction Limits

Water Quality Standards

| Analyte | CAS No. | National Drinking Water Regulation | | | Washington State Groundwater Quality Criteria | | | |
|---------------------------------|-----------------------|------------------------------------|-----------|-----------|---|-----------|----------------|-------------|
| | | MCL | Eff. Date | Ref. | Criterion* | Eff. Date | Ref. | |
| Primary Standards | | | | | | | | |
| A. Inorganics | | | | | | | | |
| Antimony | 7440-36-0 | 0.006 | mg/L | 17-Jan-94 | FR v. 57 No.138 | 0.006 | mg/L 17-Jan-94 | WAC 173-200 |
| Arsenic c | 7440-38-2 | 0.01 | mg/L | 23-Jan-06 | 66 FR 28342 | 0.05 | ug/L 01-Dec-90 | WAC 173-200 |
| Asbestos | 132207-33-1 | 7 | mf/L | 30-Jul-92 | FR v. 56 No. 20 | 7 | mf/L 30-Jul-92 | WAC 173-200 |
| Barium | 7440-39-3 | 2.0 | mg/L | 1-Jan-93 | FR v. 56 No. 126 | 1.0 | mg/L 01-Dec-90 | WAC 173-200 |
| Beryllium | 7440-41-7 | 0.004 | mg/L | 17-Jan-94 | FR v. 57 No.138 | 0.004 | mg/L 17-Jan-94 | WAC 173-200 |
| Cadmium | 7440-43-9 | 0.005 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.005 | mg/L 01-Dec-90 | WAC 173-200 |
| Chromium | 7440-47-3 | 0.1 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.05 | mg/L 01-Dec-90 | WAC 173-200 |
| Copper | 7440-50-8 | 1.3** | mg/L | 7-Dec-92 | FR v. 57 No. 125 | 1.0 | mg/L 01-Dec-90 | WAC 173-200 |
| Cyanide | 57-12-5 | 0.2 | mg/L | 17-Jan-94 | FR v. 57 No.138 | 0.2 | mg/L 17-Jan-94 | WAC 173-200 |
| Fluoride | 16984-48-8 | 4.0 | mg/L | 2-Oct-87 | 40 CFR 141 | 4.0 | mg/L 01-Dec-90 | WAC 173-200 |
| Lead | 7439-92-1 | 0.015** | mg/L | 7-Dec-92 | FR v. 57 No. 125 | 0.015 | mg/L 01-Dec-90 | WAC 173-200 |
| Mercury | 7439-97-6 | 0.002 | mg/L | 2-Apr-86 | 40 CFR 141 | 0.002 | mg/L 01-Dec-90 | WAC 173-200 |
| Nickel | 7440-02-0 | 0.1 | mg/L | 17-Jan-94 | FR v. 57 No.138 | 0.1 | mg/L 17-Jan-94 | WAC 173-200 |
| Nitrate | 14797-55-8 | 10.0 | mg/L | 2-Apr-86 | FR v. 56 No. 20 | 10.0 | mg/L 01-Dec-90 | WAC 173-200 |
| Nitrate and Nitrite | 14797-55-8+14797-65-0 | 10.0 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 10.0 | mg/L 30-Jul-92 | WAC 173-200 |
| Nitrite | 14797-65-0 | 1 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 1.0 | mg/L 30-Jul-92 | WAC 173-200 |
| Selenium | 7782-49-2 | 0.05 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.01 | mg/L 01-Dec-90 | WAC 173-200 |
| Silver | 7440-22-4 | -- | | | | 0.05 | mg/L 01-Dec-90 | WAC 173-200 |
| Sodium | 7440-23-5 | 20*** | mg/L | 20-Sep-04 | | 20*** | mg/L 03-Jul-04 | WAC 246-290 |
| Thallium | 7440-28-0 | 0.002 | mg/L | 17-Jan-94 | FR v. 57 No.138 | 0.002 | mg/L 17-Jan-94 | WAC 173-200 |
| Total Coliforms | | 1/100 | mL | 24-Dec-75 | 40 CFR 141 | 1/100 | mL 01-Dec-90 | WAC 173-200 |
| Turbidity | | 1 | NTU | 24-Dec-75 | 40 CFR 141 | -- | -- -- | -- |
| B. Organic Chemicals | | | | | | | | |
| Alachlor | 15972-60-8 | 2 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 2 | µg/L 30-Jul-92 | WAC 173-200 |
| Atrazine | 1912-24-9 | 3 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 3 | µg/L 30-Jul-92 | WAC 173-200 |
| Benzene c | 71-43-2 | 5 | µg/L | 9-Jan-89 | 40 CFR 141 | 1 | µg/L 01-Dec-90 | WAC 173-200 |
| Bis(2-ethylhexyl)phthalate | 117-81-7 | 6 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 6 | µg/L 01-Dec-90 | WAC 173-200 |
| Bromodichloromethane c | 75-27-4 | -- | | | | 0.3 | µg/L 01-Dec-90 | WAC 173-200 |
| Bromoform c | 75-25-2 | -- | | | | 5 | µg/L 01-Dec-90 | WAC 173-200 |
| Carbofuran | 1563-66-2 | 40 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 40 | µg/L 30-Jul-92 | WAC 173-200 |
| Carbon Tetrachloride c | 56-23-5 | 5 | µg/L | 9-Jan-89 | 40 CFR 141 | 0.3 | µg/L 01-Dec-90 | WAC 173-200 |
| Chlordane c | 5103-71-9 | 2 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.06 | µg/L 01-Dec-90 | WAC 173-200 |
| Chlorobenzene | 108-90-7 | 100 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 100 | µg/L 30-Jul-92 | WAC 173-200 |
| Chlorodibromomethane c | 124-48-1 | -- | | | | 0.5 | µg/L 01-Dec-90 | WAC 173-200 |
| Chloroform c | 67-66-3 | -- | | | | 7 | µg/L 01-Dec-90 | WAC 173-200 |
| 2,4-D | 94-75-7 | 70 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 70 | µg/L 01-Dec-90 | WAC 173-200 |
| Dalapon | 75-99-0 | 200 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 200 | µg/L 17-Jan-94 | WAC 173-200 |
| 1,2-Dibromo-3-chloropropane | 96-12-8 | 0.2 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.2 | µg/L 30-Jul-92 | WAC 173-200 |
| 1,2-Dichlorobenzene | 95-50-1 | 600 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 600 | µg/L 30-Jul-92 | WAC 173-200 |
| 1,4-Dichlorobenzene c | 106-46-7 | 75 | µg/L | 9-Jan-89 | 40 CFR 141 | 4 | µg/L 01-Dec-90 | WAC 173-200 |
| 1,1-Dichloroethane c | 75-34-3 | -- | | | | 1 | µg/L 01-Dec-90 | WAC 173-200 |
| 1,2-Dichloroethane c | 107-06-2 | 5 | µg/L | 9-Jan-89 | 40 CFR 141 | 0.5 | µg/L 01-Dec-90 | WAC 173-200 |
| 1,1-Dichloroethene | 75-35-4 | 7 | µg/L | 9-Jan-89 | 40 CFR 141 | 7 | µg/L 01-Dec-90 | WAC 173-200 |
| c-1,2-Dichloroethene | 156-59-2 | 70 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 70 | µg/L 30-Jul-92 | WAC 173-200 |
| t-1,2-Dichloroethene | 156-60-5 | 100 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 100 | µg/L 30-Jul-92 | WAC 173-200 |
| 1,2-Dichloropropane c | 78-87-5 | 5 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.6 | µg/L 01-Dec-90 | WAC 173-200 |
| 1,3-Dichloropropene tot. c | 542-75-6 | -- | | | | 0.2 | µg/L 01-Dec-90 | WAC 173-200 |
| Di(ethylhexyl)adipate | 103-23-1 | 400 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 400 | µg/L 17-Jan-94 | WAC 173-200 |
| Dinoseb | 88-85-7 | 7 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 7 | µg/L 17-Jan-94 | WAC 173-200 |
| Diquat | 231-36-7 | 20 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 20 | µg/L 17-Jan-94 | WAC 173-200 |
| Endothall | 145-73-3 | 100 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 100 | µg/L 17-Jan-94 | WAC 173-200 |
| Endrin | 72-20-8 | 2 | µg/L | 17-Jan-94 | 40 CFR 141 | 0.2 | µg/L 01-Dec-90 | WAC 173-200 |
| Ethylbenzene | 100-41-4 | 700 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 700 | µg/L 30-Jul-92 | WAC 173-200 |
| Ethylene dibromide c | 106-93-4 | 0.05 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.001 | µg/L 01-Dec-90 | WAC 173-200 |
| Glyphosate | 1071-83-6 | 70 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 70 | µg/L 17-Jan-94 | WAC 173-200 |
| Heptachlor c | 76-44-8 | 0.4 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.02 | µg/L 01-Dec-90 | WAC 173-200 |
| Heptachlor epoxide c | 1024-57-3 | 0.2 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.009 | µg/L 01-Dec-90 | WAC 173-200 |
| Hexachlorobenzene | 118-74-1 | 1 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 0.05 | µg/L 01-Dec-90 | WAC 173-200 |
| Hexachlorocyclopentadiene (HEX) | 77-47-4 | 50 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 50 | µg/L 17-Jan-94 | WAC 173-200 |
| Lindane c | 58-89-9 | 0.2 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.06 | µg/L 01-Dec-90 | WAC 173-200 |

Water Quality Standards

| Analyte | CAS No. | National Drinking Water Regulation | | | Washington State Groundwater Quality Criteria | | | | |
|---|-------------------------------------|------------------------------------|-----------|-----------|---|-----------|-------|-----------|-------------|
| | | MCL | Eff. Date | Ref. | Criterion* | Eff. Date | Ref. | | |
| Methoxychlor | 72-43-5 | 40 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 40 | µg/L | 30-Jul-92 | WAC 173-200 |
| Methylene Chloride c | 75-09-2 | 5 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 5 | µg/L | 17-Jan-94 | WAC 173-200 |
| Oxamyl (vydate) | 23135-22-0 | 200 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 200 | µg/L | 17-Jan-94 | WAC 173-200 |
| PAHs [Benzo(a)pyrene] | | 0.2 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 0.01 | µg/L | 17-Jan-94 | WAC 173-200 |
| PCBs c | 27323-18-8 | 0.5 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.01 | µg/L | 01-Dec-90 | WAC 173-200 |
| Pentachlorophenol | 87-86-5 | 1 | µg/L | 1-Jan-93 | FR v. 56 No. 126 | 1 | µg/L | 01-Jan-93 | WAC 173-200 |
| Picloram | 1918-02-1 | 500 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 500 | µg/L | 17-Jan-94 | WAC 173-200 |
| Simazine | 122-34-9 | 4 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 4 | µg/L | 17-Jan-94 | WAC 173-200 |
| Styrene | 100-42-5 | 100 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 100 | µg/L | 30-Jul-92 | WAC 173-200 |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 1746-01-6 | 3E-05 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 0.0000006 | µg/L | 01-Dec-90 | WAC 173-200 |
| Tetrachloroethylene c | 127-18-4 | 5 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.8 | µg/L | 30-Jul-92 | WAC 173-200 |
| Toluene | 108-88-3 | 1000 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 1000 | µg/L | 30-Jul-92 | WAC 173-200 |
| Total Trihalomethanes c | 75-27-4, 75-25-2, 124-48-1, 67-66-3 | 100 | µg/L | 29-Nov-79 | 40 CFR 141 | -- | -- | -- | -- |
| Toxaphene c | 8001-35-2 | 3 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.08 | µg/L | 01-Dec-90 | WAC 173-200 |
| 2,4,5-TP | 93-72-1 | 50 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 10 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,2,4-Trichlorobenzene | 120-82-1 | 70 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 70 | µg/L | 17-Jan-94 | WAC 173-200 |
| 1,1,1-Trichloroethane | 71-55-6 | 200 | µg/L | 9-Jan-89 | 40 CFR 141 | 200 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,1,2-Trichloroethane | 79-00-5 | 5 | µg/L | 17-Jan-94 | FR v. 57 No.138 | 5 | µg/L | 17-Jan-94 | WAC 173-200 |
| Trichloroethylene (TCE) c | 79-01-6 | 5 | µg/L | 9-Jan-89 | 40 CFR 141 | 3 | µg/L | 01-Dec-90 | WAC 173-200 |
| Vinyl chloride c | 75-01-4 | 2 | µg/L | 9-Jan-89 | 40 CFR 141 | 0.02 | µg/L | 01-Dec-90 | WAC 173-200 |
| Xylenes (total) | 1330-20-7 | 10000 | µg/L | 30-Jul-92 | FR v. 56 No. 20 | 10000 | µg/L | 30-Jul-92 | WAC 173-200 |
| C. Radionuclides and Radioactivity | | | | | | | | | |
| Radium 226 & Radium 228 | | 5 | pCi/L | 9-Jul-76 | FR v. 41 No. 133 | 5 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Radium 226 | 13982-63-3 | -- | | | | 3 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Radium 228 | 15262-20-1 | -- | | | | 5 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Gross Alpha particle activity | | 15 | pCi/L | 9-Jul-76 | FR v. 41 No. 133 | 15 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Tritium | 10028-17-8 | 20,000 | pCi/L | 9-Jul-76 | FR v. 41 No. 133 | 20,000 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Strontium | 7440-24-6 | 8 | pCi/L | 9-Jul-76 | FR v. 41 No. 133 | 8 | pCi/L | 01-Dec-90 | WAC 173-200 |
| Gross Beta particle activity | | 50 | pCi/L | 9-Jul-76 | FR v. 41 No. 133 | 50 | pCi/L | 01-Dec-90 | WAC 173-200 |
| D. Additional Carcinogens Listed in Groundwater Criteria | | | | | | | | | |
| Acrylamide | 79-06-1 | -- | | | | 0.02 | µg/L | 01-Dec-90 | WAC 173-200 |
| Acrylonitrile | 107-13-1 | -- | | | | 0.07 | µg/L | 01-Dec-90 | WAC 173-200 |
| Aldrin | 309-00-2 | -- | | | | 0.005 | µg/L | 01-Dec-90 | WAC 173-200 |
| Aniline | 62-53-3 | -- | | | | 14 | µg/L | 01-Dec-90 | WAC 173-200 |
| Aramite | 140-57-8 | -- | | | | 3 | µg/L | 01-Dec-90 | WAC 173-200 |
| Azobenzene | 103-33-3 | -- | | | | 0.7 | µg/L | 01-Dec-90 | WAC 173-200 |
| Benzdine | 92-87-5 | -- | | | | 0.0004 | µg/L | 01-Dec-90 | WAC 173-200 |
| Benzo(a)pyrene | 50-32-8 | -- | | | | 0.008 | µg/L | 01-Dec-90 | WAC 173-200 |
| Benzo(b)fluoranthene | 98-07-7 | -- | | | | 0.007 | µg/L | 01-Dec-90 | WAC 173-200 |
| Benzyl chloride | 100-44-7 | -- | | | | 0.5 | µg/L | 01-Dec-90 | WAC 173-200 |
| Bis(chloroethyl)ether | 111-44-4 | -- | | | | 0.07 | µg/L | 01-Dec-90 | WAC 173-200 |
| Bis(chloromethyl)ether | 542-88-1 | -- | | | | 0.0004 | µg/L | 01-Dec-90 | WAC 173-200 |
| Carbazole | 86-74-8 | -- | | | | 5 | µg/L | 01-Dec-90 | WAC 173-200 |
| 4-Chloro-2-methyl aniline | 95-69-2 | -- | | | | 0.1 | µg/L | 01-Dec-90 | WAC 173-200 |
| 4-Chloro-2-methyl aniline hydrochloride | 3165-93-3 | -- | | | | 0.2 | µg/L | 01-Dec-90 | WAC 173-200 |
| o-Chloronitrobenzene | 88-73-3 | -- | | | | 3 | µg/L | 01-Dec-90 | WAC 173-200 |
| p-Chloronitrobenzene | 100-00-5 | -- | | | | 5 | µg/L | 01-Dec-90 | WAC 173-200 |
| Chlorthalonil | 1897-45-6 | -- | | | | 30 | µg/L | 01-Dec-90 | WAC 173-200 |
| Diallate | 2303-16-4 | -- | | | | 1 | µg/L | 01-Dec-90 | WAC 173-200 |
| DDT (includes DDE and DDD) | 50-29-3, 72-55-9, 72-54-8 | -- | | | | 0.3 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,2-Dibromomethane | 106-93-4 | -- | | | | 0.001 | µg/L | 01-Dec-90 | WAC 173-200 |
| 3,3'-Dichlorobenzidine | 91-94-1 | -- | | | | 0.2 | µg/L | 01-Dec-90 | WAC 173-200 |
| Dichlorovos | 62-73-7 | -- | | | | 0.3 | µg/L | 01-Dec-90 | WAC 173-200 |
| Dieldrin | 60-57-1 | -- | | | | 0.005 | µg/L | 01-Dec-90 | WAC 173-200 |
| 3,3'-Dimethoxybenzidine | 119-90-4 | -- | | | | 6.0 | µg/L | 01-Dec-90 | WAC 173-200 |
| 3,3'-Dimethylbenzidine | 119-93-7 | -- | | | | 0.007 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,2-Dimethylhydrazine | 540-73-8 | -- | | | | 60 | µg/L | 01-Dec-90 | WAC 173-200 |
| 2,4-Dinitrotoluene | 121-14-2 | -- | | | | 0.1 | µg/L | 01-Dec-90 | WAC 173-200 |
| 2,6-Dinitrotoluene | 606-20-2 | -- | | | | 0.1 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,4-Dioxane | 123-91-1 | -- | | | | 7 | µg/L | 01-Dec-90 | WAC 173-200 |
| 1,2-Diphenylhydrazine | 122-66-7 | -- | | | | 0.09 | µg/L | 01-Dec-90 | WAC 173-200 |

Water Quality Standards

| Analyte | CAS No. | National Drinking Water Regulation | | | Washington State Groundwater Quality Criteria | | | | |
|---|---------------------|------------------------------------|-----------|-----------|---|---------------|-----------------------|---|-------------|
| | | MCL | Eff. Date | Ref. | Criterion* | Eff. Date | Ref. | | |
| Direct Black 38 | 1937-37-7 | -- | | | 0.009 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Direct Blue 6 | 2602-46-2 | -- | | | 0.009 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Direct Brown 95 | 16071-86-6 | -- | | | 0.009 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Epichlorohydrin | 106-89-8 | -- | | | 8 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Ethyl acrylate | 140-88-5 | -- | | | 2 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Ethylene thiourea | 96-45-7 | -- | | | 2 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Folpet | 133-07-3 | -- | | | 20 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Furazolidone | 67-45-8 | -- | | | 0.02 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Furium | 531-82-8 | -- | | | 0.002 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Furmecyclo | 60568-05-0 | -- | | | 3 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Hexachlorocyclohexane (alpha) | 319-84-6 | -- | | | 0.001 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Hexachlorocyclohexane (technical) | 608-73-1 | -- | | | 0.05 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Hexachlorodibenzo-p-dioxin, mix | 34465-46-8 | -- | | | 0.00001 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Hydrazine/hydrazine sulfate | 302-01-2/10034-93-2 | -- | | | 0.03 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 2-Methoxy-5-nitroaniline | 99-59-2 | -- | | | 2.0 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 2-Methylaniline | 95-53-4 | -- | | | 0.2 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 2-Methylaniline hydrochloride | 636-21-5 | -- | | | 0.5 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 4,4'-Methylene bis(N,N'-dimethyl) aniline | 101-61-1 | -- | | | 2.0 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Mirex | 2385-85-5 | -- | | | 0.05 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Nitrofurazone | 59-87-0 | -- | | | 0.06 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitrosodiethanolamine | 1116-54-7 | -- | | | 0.03 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitrosodiethylamine | 55-18-5 | -- | | | 0.0005 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitrosodimethylamine | 62-75-9 | -- | | | 0.002 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitrosodiphenylamine | 86-30-6 | -- | | | 17.0 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitroso-di-n-propylamine | 621-64-7 | -- | | | 0.01 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitrosopyrrolidine | 930-55-2 | -- | | | 0.04 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitroso-di-n-butylamine | 924-16-3 | -- | | | 0.02 | µg/L | 01-Dec-90 WAC 173-200 | | |
| N-Nitroso-N-methylethylamine | 10595-95-6 | -- | | | 0.004 | µg/L | 01-Dec-90 WAC 173-200 | | |
| PBBs | 59536-65-1 | -- | | | 0.01 | µg/L | 01-Dec-90 WAC 173-200 | | |
| o-Phenylenediamine | 95-54-5 | -- | | | 0.005 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Propylene oxide | 75-56-9 | -- | | | 0.01 | µg/L | 01-Dec-90 WAC 173-200 | | |
| p,a,a,-Tetrachlorotoluene | 5216-25-1 | -- | | | 0.004 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 2,4-Toluenediamine | 95-80-7 | -- | | | 0.002 | µg/L | 01-Dec-90 WAC 173-200 | | |
| o-Toluidine | 95-53-4 | -- | | | 0.2 | µg/L | 01-Dec-90 WAC 173-200 | | |
| 2,4,6-Trichlorophenol | 88-06-2 | -- | | | 4.0 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Trimethyl phosphate | 512-56-1 | -- | | | 2.0 | µg/L | 01-Dec-90 WAC 173-200 | | |
| Secondary Standards | | | | | | | | | |
| Aluminum | 7429-90-5 | 0.05-0.2 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | 0.05-0.2 | mg/L | 30-Jul-92 | WAC 173-200 |
| Copper | 7440-50-8 | 1.0 | mg/L | 7-Dec-92 | FR v. 57 No. 125 | 1.0 | mg/L | 01-Dec-90 | WAC 173-200 |
| Iron | 7439-89-6 | 0.3 | mg/L | 2-Apr-86 | 40 CFR 143 | 0.3 | mg/L | 01-Dec-90 | WAC 173-200 |
| Manganese | 7439-96-5 | 0.05 | mg/L | 2-Apr-86 | 40 CFR 143 | 50 | ug/L | 01-Dec-90 | WAC 173-200 |
| Color | | 15 | units | 2-Apr-86 | 40 CFR 143 | 15 | units | 01-Dec-90 | WAC 173-200 |
| pH | 12408-02-5 | 6.5-8.5 | units | 2-Apr-86 | 40 CFR 143 | 6.5-8.5 | units | 01-Dec-90 | WAC 173-200 |
| Specific Conductivity | | -- | | | | 700 | µS/cm | | WAC 246-290 |
| Total Dissolved Solids | | 500 | mg/L | 2-Apr-86 | 40 CFR 143 | 500 | mg/L | 01-Dec-90 | WAC 173-200 |
| Chloride | 16887-00-6 | 250 | mg/L | 2-Apr-86 | 40 CFR 143 | 250 | mg/L | 01-Dec-90 | WAC 173-200 |
| Fluoride | 16984-48-8 | 2.0 | mg/L | 2-Apr-86 | 40 CFR 143 | p | | | |
| Silver | 7440-22-4 | 0.1 | mg/L | 30-Jul-92 | FR v. 56 No. 20 | p | | | |
| Sulfate | 14808-79-8 | 250 | mg/L | 2-Apr-86 | 40 CFR 143 | 250 | mg/L | 01-Dec-90 | WAC 173-200 |
| Surfactants | | 0.5 | mg/L | 2-Apr-86 | 40 CFR 143 | 0.5 | mg/L | 01-Dec-90 | WAC 173-200 |
| Corrosivity | | non-corrosive | | 2-Apr-86 | 40 CFR 143 | non-corrosive | | 01-Dec-90 | WAC 173-200 |
| Odor-Threshold | | 3 | units | 2-Apr-86 | 40 CFR 143 | 3 | units | 01-Dec-90 | WAC 173-200 |
| Zinc | 7440-66-6 | 5.0 | mg/L | 2-Apr-86 | 40 CFR 143 | 5.0 | mg/L | 01-Dec-90 | WAC 173-200 |
| NOTES: | | | | | | | | mg/L = milligrams per liter | |
| p = Listed as a primary standard | | | | | | | | mF/L = million fibers per liter | |
| c = Listed as a carcinogen in the Washington State Groundwater Quality Criteria | | | | | | | | mL = milliliter | |
| -- = no standard established | | | | | | | | NTU = Nephelometric Turbidity Unit | |
| * = Criteria shall be the most stringent concentration of the Federal MCLG, MCL, or State MCL | | | | | | | | µg/L = micrograms per liter | |
| ** = treatment technique in lieu of an MCL | | | | | | | | pCi/L = per liter | |
| *** = A Drinking Water Advisory, not an enforceable standard. | | | | | | | | µS/cm = microSiemen per centimeter | |
| National Primary and Secondary Drinking Water Regulations (40 CFR Parts 141 and 143) | | | | | | | | units = standard unit for either color, pH, or odor | |
| Washington State Groundwater Quality Criteria = Water Quality Standards for Groundwaters of the State of Washington (WAC 173-200) | | | | | | | | MCL = Maximum Contaminant Level | |
| | | | | | | | | MCLG = Maximum Contaminant Level Goal | |

Compiled by KCSWD 01/12/1994. Revised 3/15/2023

**KING COUNTY SOLID WASTE DIVISION
QUALIFIER INFORMATION**
(Effective 8/27/2015)

| QUAL | QUALIFIER DESCRIPTION |
|-------------|---|
| U | Undetected; Analyte Concentration Less than Method Detection Limit (< MDL) |
| T | Estimated; Less than Reporting Detection Limit (<RDL) but Greater than Method Detection Limit (> MDL) |
| J | Reported Value is an Estimate |
| B | Matrix Target Analyte Present in Blank, AND, Sample Result Less than or Equal to 10x Blank Detection |
| C | Confluent Growth |
| E | Estimated; Outside Expected Accuracy |
| H | Exceeds Holding Time |
| R | Data Rejected |
| S | Sample Handling Errors |
| X | Too Numerous to Count |
| D | Re-analysis Due to Dilution |
| P | PASS – Qualitative Result Acceptable |
| F | FAIL – Qualitative Result is not Acceptable |
| G | Estimated with Low Bias (Coliform; BOD; All Other Chemistry Parameters) |
| L | Estimated with High Bias (BOD; All Other Chemistry Parameters) |

Appendix B

Exceedance Reports

Summary of Groundwater Quality Criteria Exceedances

Summary of Groundwater Prediction Limit Exceedances

Summary of Groundwater Volatile Organic Compound
Detections Exceedances

Summary of Surface Water Monitoring Location Exceedances
vs. Surface Water Quality Standards

Table B-1

Channel Cc1: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|-----------------------------|---------------|---------|-------------|--------------|----------------------|--------------------------------------|
| pH (Field) | std. pH Units | MW-3 | 2/1/2022 | 5.65 | MCL2; SGWC2 | < 6.5 |
| | | MW-3 | 5/11/2022 | 5.72 | | |
| | | MW-3 | 9/13/2022 | 5.6 | | |
| Arsenic, Total ¹ | ug/L | MW-3 | 2/1/2022 | 0.0691 | SGWC1 | 0.05 |
| | | MW-3 | 5/11/2022 | 0.171 | | |
| | | MW-4 | 9/14/2022 | 0.33 | | |
| | | MW-10 | 1/31/2022 | 1.72 | | |
| | | MW-10 | 5/9/2022 | 1.72 | | |
| | | MW-10 | 9/12/2022 | 1.72 | | |
| | | MW-10 | 11/7/2022 | 1.7 | | |
| | | MW-13 | 1/31/2022 | 1.96 | | |
| | | MW-13 | 5/9/2022 | 1.94 | | |
| | | MW-13 | 9/13/2022 | 2.2 | | |
| | | MW-13 | 11/7/2022 | 2.33 | | |

¹ Natural Background for arsenic in the Puget Sound Basin is 8 ug/L (Ecology, 2016)

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

SGWC1 = Washington State Primary Groundwater Quality Criterion

SGWC2 = Washington State Secondary Groundwater Quality Criterion

See Analytical Data Qualifier Page for Data Qualifier Information (Appendix A)

Table B-2

Channel Cc2: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|-----------------------------|---------------|---------|-------------|--------------|----------------------|--------------------------------------|
| | | | | | | |
| pH (Field) | std. pH Units | MW-35 | 2/3/2022 | 6.43 | MCL2; SGWC2 | < 6.5 |
| | | MW-35 | 9/15/2022 | 6.45 | | |
| | | | | | | |
| Arsenic, Total ¹ | ug/L | MW-2 | 2/3/2022 | 1.02 | SGWC1 | 0.05 |
| | | MW-2 | 5/12/2022 | 0.911 | | |
| | | MW-2 | 9/15/2022 | 0.886 | | |
| | | MW-2 | 11/9/2022 | 0.889 | | |
| | | MW-9 | 2/2/2022 | 2.4 | | |
| | | MW-9 | 5/10/2022 | 2.31 | | |
| | | MW-9 | 9/13/2022 | 2.33 | | |
| | | MW-9 | 11/8/2022 | 2.28 | | |
| | | MW-20 | 2/3/2022 | 2.16 | | |
| | | MW-20 | 5/12/2022 | 2.2 | | |
| | | MW-20 | 9/15/2022 | 2.09 | | |
| | | MW-20 | 11/9/2022 | 2.12 | | |
| | | MW-21 | 2/3/2022 | 1.49 | | |
| | | MW-21 | 5/12/2022 | 1.48 | | |
| | | MW-21 | 9/15/2022 | 1.26 | | |
| | | MW-21 | 11/9/2022 | 1.2 | | |
| | | MW-33 | 2/3/2022 | 38.6 | MCL1; SGWC1 | 0.01 mg/L; 0.05 |
| | | MW-33 | 5/12/2022 | 37.7 | | |
| | | MW-33 | 9/15/2022 | 36.1 | | |
| | | MW-33 | 11/9/2022 | 38.6 | | |
| | | MW-35 | 2/3/2022 | 51.8 | | |
| | | MW-35 | 5/12/2022 | 32.7 | | |
| | | MW-35 | 9/15/2022 | 31.7 | | |
| | | MW-35 | 11/9/2022 | 31.8 | | |
| | | MW-37 | 6/30/2022 | 1.02 | SGWC1 | 0.05 |
| | | MW-37 | 9/15/2022 | 1.17 | | |
| | | MW-37 | 11/9/2022 | 1.48 | | |
| | | | | | | |

Table B-2 (continued)

Channel Cc2: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|----------------------|-------|---------|-------------|--------------|----------------------|--------------------------------------|
| Iron, Dissolved | mg/L | MW-21 | 2/3/2022 | 0.457 | MCL2; SGWC2 | 0.3; 0.3 |
| | | MW-33 | 2/3/2022 | 5.47 | | |
| | | MW-33 | 5/12/2022 | 5.61 | | |
| | | MW-33 | 9/15/2022 | 5.41 | | |
| | | MW-33 | 11/9/2022 | 5.36 | | |
| | | MW-35 | 2/3/2022 | 12.8 | | |
| | | MW-35 | 5/12/2022 | 12.2 | | |
| | | MW-35 | 9/15/2022 | 10.6 | | |
| | | MW-35 | 11/9/2022 | 10.4 | | |
| Manganese, Dissolved | ug/L | MW-2 | 9/15/2022 | 56.1 | MCL2; SGWC2 | 0.05 mg/L; 50 |
| | | MW-2 | 11/9/2022 | 55.7 | | |
| | | MW-20 | 2/3/2022 | 126 | | |
| | | MW-20 | 5/12/2022 | 133 | | |
| | | MW-20 | 9/15/2022 | 146 | | |
| | | MW-20 | 11/9/2022 | 130 | | |
| | | MW-21 | 2/3/2022 | 361 | | |
| | | MW-21 | 5/12/2022 | 168 | | |
| | | MW-21 | 9/15/2022 | 158 | | |
| | | MW-21 | 11/9/2022 | 186 | | |
| | | MW-33 | 2/3/2022 | 883 | | |
| | | MW-33 | 5/12/2022 | 877 | | |
| | | MW-33 | 9/15/2022 | 881 | | |
| | | MW-33 | 11/9/2022 | 877 | | |
| | | MW-35 | 2/3/2022 | 2350 | | |
| | | MW-35 | 5/12/2022 | 2290 | | |
| | | MW-35 | 9/15/2022 | 2190 | | |
| | | MW-35 | 11/9/2022 | 2140 | | |
| | | MW-37 | 6/30/2022 | 58.5 | | |
| 1,1-Dichloroethane | µg/L | MW-33 | 2/3/2022 | 1.91 | SGWC1 | 1 |
| | | MW-33 | 9/15/2022 | 1.17 | | |
| | | MW-33 | 11/9/2022 | 1.31 | | |

Table B-2 (continued)

Channel Cc2: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|----------------------------|-------|---------|-------------|--------------|----------------------|--------------------------------------|
| 1,2-Dichloropropane | µg/L | MW-33 | 2/3/2022 | 6.36 | MCL1; SGWC1 | 5; 0.6 |
| | | MW-33 | 5/12/2022 | 4.64 | SGWC1 | 0.6 |
| | | MW-33 | 9/15/2022 | 5.41 | MCL1; SGWC1 | 5; 0.6 |
| | | MW-33 | 11/9/2022 | 6.05 | | |
| Bis(2-Chloroethyl)Ether | ug/L | MW-33 | 2/3/2022 | 3.37 | SGWC1 | 0.07 |
| | | MW-33 | 5/12/2022 | 3.67 | | |
| | | MW-33 | 9/15/2022 | 3.51 | | |
| | | MW-33 | 11/9/2022 | 2.46 | | |
| | | MW-35 | 2/3/2022 | 0.86 | | |
| | | MW-35 | 5/12/2022 | 0.769 | | |
| | | MW-35 | 11/9/2022 | 0.855 | | |
| Bis(2-Ethylhexyl)Phthalate | ug/L | MW-2 | 11/9/2022 | 19.1 L | MCL1; SGWC1 | 6 |
| | | MW-20 | 11/9/2022 | 7.4 L | | |
| | | MW-33 | 11/9/2022 | 15.2 L | | |
| | | MW-37 | 6/30/2022 | 7.27 BJ | | |
| | | MW-37 | 11/9/2022 | 6.56 L | | |
| Vinyl Chloride | µg/L | MW-2 | 9/15/2022 | 0.0474 D | SGWC1 | 0.02 |
| | | MW-2 | 11/9/2022 | 0.0235 D | | |
| | | MW-21 | 2/3/2022 | 0.0687 | | |
| | | MW-21 | 5/12/2022 | 0.0375 | | |
| | | MW-21 | 9/15/2022 | 0.0368 D | | |
| | | MW-21 | 11/9/2022 | 0.0388 D | | |
| | | MW-33 | 2/3/2022 | 21.9 | MCL1; SGWC1 | 2; 0.02 |
| | | MW-33 | 5/12/2022 | 11.4 | | |
| | | MW-33 | 9/15/2022 | 21.8 D | | |
| | | MW-33 | 11/9/2022 | 21.1 D | | |
| | | MW-35 | 2/3/2022 | 6.66 | | |
| | | MW-35 | 5/12/2022 | 4.56 | | |
| | | MW-35 | 9/15/2022 | 4.18 D | | |
| | | MW-35 | 11/9/2022 | 3.87 D | | |

¹ Natural Background for arsenic in the Puget Sound Basin is 8 ug/L (Ecology, 2016)

MCL1 = National Primary Drinking Water Regulation Maximum Contaminant Level

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

SGWC1 = Washington State Primary Groundwater Quality Criterion

SGWC2 = Washington State Secondary Groundwater Quality Criterion

See Analytical Data Qualifier Page for Data Qualifier Information (Appendix A)

Table B-3

Channel Cc3: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|-----------------------------|---------------|---------|-------------|--------------|----------------------|--------------------------------------|
| pH (Field) | std. pH Units | MW-8 | 1/31/2022 | 6.37 | MCL2; SGWC2 | < 6.5 |
| | | MW-8 | 5/9/2022 | 6.25 | | |
| | | MW-8 | 9/12/2022 | 6.37 | | |
| Arsenic, Total ¹ | ug/L | MW-8 | 1/31/2022 | 0.526 | SGWC1 | 0.05 |
| | | MW-8 | 5/9/2022 | 0.532 | | |
| | | MW-8 | 9/12/2022 | 0.52 | | |
| | | MW-8 | 11/7/2022 | 0.535 | | |
| | | MW-36 | 1/31/2022 | 1.79 | | |
| | | MW-36 | 5/10/2022 | 2.09 | | |
| | | MW-36 | 9/13/2022 | 1.88 | | |
| | | MW-36 | 11/8/2022 | 1.93 | | |

¹ Natural Background for arsenic in the Puget Sound Basin is 8 ug/L (Ecology, 2016)

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

SGWC1 = Washington State Primary Groundwater Quality Criterion

SGWC2 = Washington State Secondary Groundwater Quality Criterion

See Analytical Data Qualifier Page for Data Qualifier Information (Appendix A)

Table B-4

Unit D Aquifer: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|-----------------------------|---------------|---------|-------------|--------------|----------------------|--------------------------------------|
| pH (Field) | std. pH Units | | | | MCL2; SGWC2 | < 6.5 |
| Arsenic, Total ¹ | ug/L | MW-7 | 2/1/2022 | 5.52 | SGWC1 | 0.05 |
| | | MW-7 | 5/10/2022 | 5.93 | | |
| | | MW-7 | 9/13/2022 | 5.88 | | |
| | | MW-7 | 11/8/2022 | 7.31 | | |
| | | MW-12 | 1/31/2022 | 2.12 | | |
| | | MW-12 | 5/9/2022 | 2.18 | | |
| | | MW-12 | 9/13/2022 | 2.18 | | |
| | | MW-12 | 11/8/2022 | 2.11 | | |
| | | MW-19 | 2/2/2022 | 1.06 | | |
| | | MW-19 | 5/10/2022 | 1.06 | | |
| | | MW-19 | 9/13/2022 | 1.13 | | |
| | | MW-19 | 11/8/2022 | 1.08 | | |
| | | MW-26 | 2/2/2022 | 3.34 | | |
| | | MW-26 | 5/10/2022 | 3.76 | | |
| | | MW-26 | 9/13/2022 | 3.34 | | |
| | | MW-26 | 11/8/2022 | 3.48 | | |
| | | MW-29 | 2/2/2022 | 8.14 | MCL1; SGWC1 | 0.01 mg/L; 0.05 |
| | | MW-29 | 5/10/2022 | 13.6 | | |
| | | MW-29 | 9/15/2022 | 7.07 | SGWC1 | 0.05 |
| | | MW-29 | 11/8/2022 | 6.45 | | |
| | | MW-34 | 2/1/2022 | 1.33 | | |
| | | MW-34 | 5/9/2022 | 1.37 | | |
| | | MW-34 | 9/12/2022 | 1.4 | | |
| | | MW-34 | 11/7/2022 | 1.34 | | |

Table B-4 (continued)

Unit D Aquifer: Summary of groundwater quality criteria exceedances

January 1, 2022 - December 31, 2022

| Parameter | Units | Site ID | Sample Date | Sample Value | Standard(s) Exceeded | Standard(s) Exceeded Numerical Limit |
|----------------------|-------|---------|-------------|--------------|----------------------|--------------------------------------|
| Iron, Dissolved | mg/L | MW-29 | 2/2/2022 | 0.666 | MCL2; SGWC2 | 0.3; 0.3 |
| | | MW-29 | 5/10/2022 | 0.741 | | |
| | | MW-29 | 9/15/2022 | 0.804 | | |
| | | MW-29 | 11/8/2022 | 0.756 | | |
| Manganese, Dissolved | ug/L | MW-7 | 2/1/2022 | 140 | MCL2; SGWC2 | 0.05 mg/L; 50 |
| | | MW-7 | 5/10/2022 | 126 | | |
| | | MW-7 | 9/13/2022 | 145 | | |
| | | MW-7 | 11/8/2022 | 110 | | |
| | | MW-19 | 2/2/2022 | 491 | | |
| | | MW-19 | 5/10/2022 | 465 | | |
| | | MW-19 | 9/13/2022 | 487 | | |
| | | MW-19 | 11/8/2022 | 492 | | |
| | | MW-26 | 2/2/2022 | 58.9 | | |
| | | MW-26 | 5/10/2022 | 62.1 | | |
| | | MW-26 | 9/13/2022 | 63.7 | | |
| | | MW-26 | 11/8/2022 | 58.4 | | |
| | | MW-29 | 2/2/2022 | 81.9 | | |
| | | MW-29 | 5/10/2022 | 99.3 | | |
| | | MW-29 | 9/15/2022 | 88.9 | | |
| | | MW-29 | 11/8/2022 | 86.4 | | |

¹ Natural Background for arsenic in the Puget Sound Basin is 8 ug/L (Ecology, 2016)

MCL1 = National Primary Drinking Water Regulation Maximum Contaminant Level

MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level

SGWC1 = Washington State Primary Groundwater Quality Criterion

SGWC2 = Washington State Secondary Groundwater Quality Criterion

See Analytical Data Qualifier Page for Data Qualifier Information (Appendix A)

Table B-5

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|------------------------------|---------------|---------|-------------|--------------|-----------------------------|
| pH (Field) | std. pH Units | MW-21 | 9/15/2022 | 6.53 | < 6.60 |
| | | MW-35 | 2/3/2022 | 6.43 | |
| | | MW-35 | 5/12/2022 | 6.56 | |
| | | MW-35 | 9/15/2022 | 6.45 | |
| Specific Conductance (Field) | umhos/cm | MW-2 | 2/3/2022 | 271.2 | 258.1 |
| | | MW-2 | 5/12/2022 | 262.8 | |
| | | MW-2 | 9/15/2022 | 260.5 | |
| | | MW-2 | 11/9/2022 | 263.7 | |
| | | MW-21 | 2/3/2022 | 270.8 | |
| | | MW-33 | 2/3/2022 | 539.9 | |
| | | MW-33 | 5/12/2022 | 565.0 | |
| | | MW-33 | 9/15/2022 | 576.0 | |
| | | MW-33 | 11/9/2022 | 561.3 | |
| | | MW-35 | 2/3/2022 | 572.5 | |
| | | MW-35 | 5/12/2022 | 546.0 | |
| | | MW-35 | 9/15/2022 | 512.0 | |
| | | MW-35 | 11/9/2022 | 488.8 | |
| Alkalinity | mg/L | MW-2 | 2/3/2022 | 135 | 94.9 |
| | | MW-2 | 5/12/2022 | 136 | |
| | | MW-2 | 9/15/2022 | 136 | |
| | | MW-2 | 11/9/2022 | 141 | |
| | | MW-21 | 2/3/2022 | 140 | |
| | | MW-21 | 5/12/2022 | 127 | |
| | | MW-21 | 9/15/2022 | 131 | |
| | | MW-21 | 11/9/2022 | 131 | |
| | | MW-33 | 2/3/2022 | 316 | |
| | | MW-33 | 5/12/2022 | 328 | |
| | | MW-33 | 9/15/2022 | 343 | |
| | | MW-33 | 11/9/2022 | 334 | |
| | | MW-35 | 2/3/2022 | 331 | |
| | | MW-35 | 5/12/2022 | 306 | |
| | | MW-35 | 9/15/2022 | 310 | |
| | | MW-35 | 11/9/2022 | 297 | |

Table B-5 (continued)

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|-----------|-------|---------|-------------|--------------|-----------------------------|
| Ammonia | mg/L | MW-33 | 2/3/2022 | 0.0305 | 0.0285 |
| | | MW-33 | 5/12/2022 | 0.0306 | |
| | | MW-33 | 9/15/2022 | 0.0323 | |
| | | MW-33 | 11/9/2022 | 0.0306 | |
| | | MW-35 | 2/3/2022 | 0.0643 | |
| | | MW-35 | 5/12/2022 | 0.0649 | |
| | | MW-35 | 9/15/2022 | 0.0657 | |
| | | MW-35 | 11/9/2022 | 0.0635 | |
| Chloride | mg/L | MW-9 | 2/2/2022 | 4.54 | 4.09 |
| | | MW-9 | 5/10/2022 | 5.38 | |
| | | MW-9 | 9/13/2022 | 4.96 | |
| | | MW-9 | 11/8/2022 | 4.94 | |
| Nitrate | mg/L | MW-2 | 2/3/2022 | 1.230 | 0.039 |
| | | MW-2 | 5/12/2022 | 0.856 | |
| | | MW-2 | 9/15/2022 | 0.278 | |
| | | MW-2 | 11/9/2022 | 0.154 | |
| | | MW-9 | 2/2/2022 | 0.541 | |
| | | MW-9 | 5/10/2022 | 0.876 | |
| | | MW-9 | 9/13/2022 | 0.951 | |
| | | MW-9 | 11/8/2022 | 0.735 | |
| | | MW-21 | 2/3/2022 | 0.315 | |
| | | MW-21 | 5/12/2022 | 0.226 | |
| | | MW-21 | 9/15/2022 | 0.102 | |
| | | MW-21 | 11/9/2022 | 0.099 | |
| | | MW-37 | 9/15/2022 | 0.900 | |
| | | MW-37 | 11/9/2022 | 0.781 | |
| Sulfate | mg/L | MW-33 | 9/15/2022 | 18.6 | 18.50 |
| | | MW-35 | 2/3/2022 | 26.0 | |
| | | MW-35 | 5/12/2022 | 29.2 | |
| | | MW-35 | 9/15/2022 | 31.9 | |
| | | MW-35 | 11/9/2022 | 29.1 | |

Table B-5 (continued)

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|------------------------|-------|---------|-------------|--------------|-----------------------------|
| Total Dissolved Solids | mg/L | MW-2 | 2/3/2022 | 169.00 | 156.47 |
| | | MW-2 | 5/12/2022 | 174.00 | |
| | | MW-2 | 9/15/2022 | 178.00 | |
| | | MW-2 | 11/9/2022 | 179.00 | |
| | | MW-21 | 2/3/2022 | 166.00 | |
| | | MW-21 | 5/12/2022 | 169.00 | |
| | | MW-21 | 9/15/2022 | 174.00 | |
| | | MW-21 | 11/9/2022 | 174.00 | |
| | | MW-33 | 2/3/2022 | 325.00 | |
| | | MW-33 | 5/12/2022 | 370.00 | |
| | | MW-33 | 9/15/2022 | 394.00 | |
| | | MW-33 | 11/9/2022 | 373.00 | |
| | | MW-35 | 2/3/2022 | 401.00 | |
| | | MW-35 | 5/12/2022 | 405.00 | |
| | | MW-35 | 9/15/2022 | 401.00 | |
| | | MW-35 | 11/9/2022 | 371.00 | |
| Total Organic Carbon | mg/L | MW-35 | 2/3/2022 | 3.76 | 2.33 |
| | | MW-35 | 5/12/2022 | 3.35 | |
| | | MW-35 | 9/15/2022 | 3.10 | |
| | | MW-35 | 11/9/2022 | 3.28 | |
| Total Solids | mg/L | MW-33 | 2/3/2022 | 339 | 286 |
| | | MW-33 | 5/12/2022 | 397 | |
| | | MW-33 | 9/15/2022 | 391 | |
| | | MW-33 | 11/9/2022 | 394 | |
| | | MW-35 | 2/3/2022 | 701 | |
| | | MW-35 | 5/12/2022 | 449 | |
| | | MW-35 | 9/15/2022 | 491 | |
| | | MW-35 | 11/9/2022 | 425 | |
| Total Suspended Solids | mg/L | MW-35 | 2/3/2022 | 323.0 | 9.7 |
| | | MW-35 | 5/12/2022 | 84.0 | |
| | | MW-35 | 9/15/2022 | 170.0 | |
| | | MW-35 | 11/9/2022 | 89.5 | |
| | | MW-37 | 9/15/2022 | 11.9 | |

Table B-5 (continued)

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|----------------|-------|---------|-------------|--------------|-----------------------------|
| Arsenic, Total | ug/L | MW-33 | 2/3/2022 | 38.6 | 4.3878 |
| | | MW-33 | 5/12/2022 | 37.7 | |
| | | MW-33 | 9/15/2022 | 36.1 | |
| | | MW-33 | 11/9/2022 | 38.6 | |
| | | MW-35 | 2/3/2022 | 51.8 | |
| | | MW-35 | 5/12/2022 | 32.7 | |
| | | MW-35 | 9/15/2022 | 31.7 | |
| | | MW-35 | 11/9/2022 | 31.8 | |
| Barium, Total | mg/L | MW-35 | 2/3/2022 | 0.0402 | 0.0384 |
| Calcium, Total | mg/L | MW-2 | 2/3/2022 | 20.3 | 15.1 |
| | | MW-2 | 5/12/2022 | 20.7 | |
| | | MW-2 | 9/15/2022 | 20.4 | |
| | | MW-2 | 11/9/2022 | 20.4 | |
| | | MW-9 | 9/13/2022 | 16.0 | |
| | | MW-9 | 11/8/2022 | 15.2 | |
| | | MW-21 | 2/3/2022 | 21.4 | |
| | | MW-21 | 5/12/2022 | 20.3 | |
| | | MW-21 | 9/15/2022 | 20.0 | |
| | | MW-21 | 11/9/2022 | 20.3 | |
| | | MW-33 | 2/3/2022 | 57.2 | |
| | | MW-33 | 5/12/2022 | 57.7 | |
| | | MW-33 | 9/15/2022 | 58.4 | |
| | | MW-33 | 11/9/2022 | 56.4 | |
| | | MW-35 | 2/3/2022 | 67.2 | |
| | | MW-35 | 5/12/2022 | 60.3 | |
| | | MW-35 | 9/15/2022 | 55.7 | |
| | | MW-35 | 11/9/2022 | 54.2 | |
| | | MW-37 | 9/15/2022 | 15.2 | |
| | | MW-37 | 11/9/2022 | 15.3 | |

Table B-5 (continued)

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|----------------------|-------|---------|-------------|--------------|-----------------------------|
| | | | | | |
| Iron, Dissolved | mg/L | MW-21 | 2/3/2022 | 0.46 | 0.39 |
| | | MW-33 | 2/3/2022 | 5.47 | |
| | | MW-33 | 5/12/2022 | 5.61 | |
| | | MW-33 | 9/15/2022 | 5.41 | |
| | | MW-33 | 11/9/2022 | 5.36 | |
| | | MW-35 | 2/3/2022 | 12.80 | |
| | | MW-35 | 5/12/2022 | 12.20 | |
| | | MW-35 | 9/15/2022 | 10.60 | |
| | | MW-35 | 11/9/2022 | 10.40 | |
| | | | | | |
| Magnesium, Total | mg/L | MW-2 | 2/3/2022 | 22.20 | 16.59 |
| | | MW-2 | 5/12/2022 | 19.70 | |
| | | MW-2 | 9/15/2022 | 21.50 | |
| | | MW-2 | 11/9/2022 | 21.10 | |
| | | MW-21 | 2/3/2022 | 21.80 | |
| | | MW-21 | 5/12/2022 | 17.80 | |
| | | MW-21 | 9/15/2022 | 18.90 | |
| | | MW-21 | 11/9/2022 | 19.30 | |
| | | MW-33 | 2/3/2022 | 43.00 | |
| | | MW-33 | 5/12/2022 | 40.10 | |
| | | MW-33 | 9/15/2022 | 45.90 | |
| | | MW-33 | 11/9/2022 | 44.70 | |
| | | MW-35 | 2/3/2022 | 47.20 | |
| | | MW-35 | 5/12/2022 | 41.20 | |
| | | MW-35 | 9/15/2022 | 41.60 | |
| | | | | | |
| Manganese, Dissolved | ug/L | MW-33 | 2/3/2022 | 883 | 548 |
| | | MW-33 | 5/12/2022 | 877 | |
| | | MW-33 | 9/15/2022 | 881 | |
| | | MW-33 | 11/9/2022 | 877 | |
| | | MW-35 | 2/3/2022 | 2350 | |
| | | MW-35 | 5/12/2022 | 2290 | |
| | | MW-35 | 9/15/2022 | 2190 | |
| | | MW-35 | 11/9/2022 | 2140 | |
| | | | | | |

Table B-5 (continued)

Channel Cc2: Summary of groundwater prediction limit exceedances

Interwell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|------------------|-------|---------|-------------|--------------|-----------------------------|
| Potassium, Total | mg/L | MW-33 | 2/3/2022 | 3.14 | 2.51 |
| | | MW-33 | 5/12/2022 | 3.13 | |
| | | MW-33 | 9/15/2022 | 3.33 | |
| | | MW-33 | 11/9/2022 | 3.06 | |
| | | MW-35 | 2/3/2022 | 3.56 | |
| | | MW-35 | 5/12/2022 | 3.30 | |
| | | MW-35 | 9/15/2022 | 3.32 | |
| | | MW-35 | 11/9/2022 | 3.16 | |
| Sodium, Total | mg/L | MW-2 | 2/3/2022 | 8.37 | 7.39 |
| | | MW-2 | 5/12/2022 | 7.73 | |
| | | MW-2 | 9/15/2022 | 8.94 | |
| | | MW-2 | 11/9/2022 | 8.59 | |
| | | MW-21 | 2/3/2022 | 9.84 | |
| | | MW-21 | 5/12/2022 | 9.87 | |
| | | MW-21 | 9/15/2022 | 10.80 | |
| | | MW-21 | 11/9/2022 | 9.86 | |
| | | MW-33 | 2/3/2022 | 15.80 | |
| | | MW-33 | 5/12/2022 | 14.60 | |
| | | MW-33 | 9/15/2022 | 16.70 | |
| | | MW-33 | 11/9/2022 | 16.00 | |
| | | MW-35 | 2/3/2022 | 16.70 | |
| | | MW-35 | 5/12/2022 | 15.10 | |
| | | MW-35 | 9/15/2022 | 16.20 | |
| | | MW-35 | 11/9/2022 | 16.70 | |
| | | MW-37 | 9/15/2022 | 7.55 | |
| | | MW-37 | 11/9/2022 | 7.50 | |
| Vinyl Chloride | ug/L | MW-2 | 9/15/2022 | 0.05 | 0.02 |
| | | MW-2 | 11/9/2022 | 0.02 | |
| | | MW-21 | 2/3/2022 | 0.07 | |
| | | MW-21 | 5/12/2022 | 0.04 | |
| | | MW-21 | 9/15/2022 | 0.04 | |
| | | MW-21 | 11/9/2022 | 0.04 | |
| | | MW-33 | 2/3/2022 | 21.90 | |
| | | MW-33 | 5/12/2022 | 11.40 | |
| | | MW-33 | 9/15/2022 | 21.80 | |
| | | MW-33 | 11/9/2022 | 21.10 | |
| | | MW-35 | 2/3/2022 | 6.66 | |
| | | MW-35 | 5/12/2022 | 4.56 | |
| | | MW-35 | 9/15/2022 | 4.18 | |
| | | MW-35 | 11/9/2022 | 3.87 | |

Table B-6

Unit D Aquifer: Summary of groundwater prediction limit exceedances

Intrawell

January 1, 2022 - December 31, 2022

| Parameter | Units | Well ID | Sample Date | Sample Value | Prediction Limit (PL) Value |
|------------------------|-------|---------|-------------|--------------|-----------------------------|
| Ammonia (NH3) | mg/L | MW-26 | 9/13/2022 | 0.312 | 0.299 |
| Total Solids | mg/L | MW-7 | 11/8/2022 | 148 | 145.26 |
| Total Dissolved Solids | mg/L | MW-7 | 5/10/2022 | 3.2 | 1.6 |
| | | MW-7 | 9/13/2022 | 2.0 | |
| | | MW-7 | 11/8/2022 | 16.0 | |
| Arsenic, Total | ug/L | MW-7 | 5/10/2022 | 5.93 | 5.69 |
| | | MW-7 | 9/13/2022 | 5.88 | |
| | | MW-7 | 11/8/2022 | 7.31 | |
| Barium, Total | mg/L | MW-7 | 11/8/2022 | 0.0265 | 0.017379224 |
| Iron, Dissolved | mg/L | MW-12 | 9/13/2022 | 0.0107 | 0.01 |
| Manganese, Dissolved | ug/L | MW-12 | 9/13/2022 | 2.4 | 1.8 |

Table B-7

Channel Cc1: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|------------------------|--------------|----------------|-------------|---------------------|
| | | | | |
| cis-1,2-Dichloroethene | ug/L | MW-4 | 9/14/2022 | 1.14 |
| | | | | |
| Trichlorofluoromethane | ug/L | MW-3 | 2/1/2022 | 0.166 JT |
| | | | | |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-8

Channel Cc2: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|---------------------|-------|---------|-----------|--------------|
| 1,1-Dichloroethane | ug/L | MW-33 | 2/3/2022 | 1.91 |
| | | MW-33 | 5/12/2022 | 0.727 |
| | | MW-33 | 9/15/2022 | 1.17 |
| | | MW-33 | 11/9/2022 | 1.31 |
| | | MW-35 | 2/3/2022 | 0.296 |
| | | MW-35 | 5/12/2022 | 0.217 |
| | | MW-35 | 9/15/2022 | 0.196 JT |
| | | MW-35 | 11/9/2022 | 0.202 |
| 1,1-Dichloroethene | ug/L | MW-33 | 2/3/2022 | 0.216 |
| | | MW-33 | 9/15/2022 | 0.119 JT |
| | | MW-33 | 11/9/2022 | 0.133 JT |
| 1,2-Dichloroethane | ug/L | MW-33 | 2/3/2022 | 0.142 JT |
| | | MW-33 | 11/9/2022 | 0.109 JT |
| 1,2-Dichloropropane | ug/L | MW-33 | 2/3/2022 | 6.36 |
| | | MW-33 | 5/12/2022 | 4.64 |
| | | MW-33 | 9/15/2022 | 5.41 |
| | | MW-33 | 11/9/2022 | 6.05 |
| | | MW-35 | 2/3/2022 | 0.389 |
| | | MW-35 | 5/12/2022 | 0.328 |
| | | MW-35 | 9/15/2022 | 0.371 |
| | | MW-35 | 11/9/2022 | 0.402 |
| Acetone | ug/L | MW-2 | 5/12/2022 | 7.23 |
| | | MW-20 | 5/12/2022 | 8.46 |
| | | MW-33 | 5/12/2022 | 4.94 JT |
| Benzene | ug/L | MW-33 | 2/3/2022 | 0.811 |
| | | MW-33 | 5/12/2022 | 0.579 |
| | | MW-33 | 9/15/2022 | 0.672 |
| | | MW-33 | 11/9/2022 | 0.736 |
| | | MW-35 | 2/3/2022 | 0.485 |
| | | MW-35 | 5/12/2022 | 0.476 |
| | | MW-35 | 9/15/2022 | 0.449 |
| | | MW-35 | 11/9/2022 | 0.482 |
| Chloroethane | ug/L | MW-33 | 9/15/2022 | 0.196 JT |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-8 (continued)

Channel Cc2: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|-------------------------|-------|---------|-----------|--------------|
| | | | | |
| cis-1,2-Dichloroethene | ug/L | MW-2 | 2/3/2022 | 0.139 JT |
| | | MW-2 | 5/12/2022 | 0.221 |
| | | MW-2 | 9/15/2022 | 0.246 |
| | | MW-2 | 11/9/2022 | 0.331 |
| | | MW-21 | 2/3/2022 | 0.56 |
| | | MW-21 | 5/12/2022 | 0.538 |
| | | MW-21 | 9/15/2022 | 0.478 |
| | | MW-21 | 11/9/2022 | 0.463 |
| | | MW-33 | 2/3/2022 | 32.5 |
| | | MW-33 | 5/12/2022 | 23.3 |
| | | MW-33 | 9/15/2022 | 22.8 |
| | | MW-33 | 11/9/2022 | 25.1 |
| | | MW-35 | 2/3/2022 | 3.22 |
| | | MW-35 | 5/12/2022 | 3.22 |
| | | MW-35 | 9/15/2022 | 2.9 |
| | | MW-35 | 11/9/2022 | 3.26 |
| | | | | |
| Dichlorodifluoromethane | ug/L | MW-2 | 2/3/2022 | 2.86 |
| | | MW-2 | 5/12/2022 | 3.24 |
| | | MW-2 | 9/15/2022 | 2.16 |
| | | MW-2 | 11/9/2022 | 1.59 |
| | | MW-20 | 2/3/2022 | 0.217 |
| | | MW-21 | 2/3/2022 | 2.2 |
| | | MW-21 | 5/12/2022 | 1.66 |
| | | MW-21 | 9/15/2022 | 1.27 |
| | | MW-21 | 11/9/2022 | 1.28 |
| | | MW-33 | 2/3/2022 | 4.4 |
| | | MW-33 | 5/12/2022 | 2.91 |
| | | MW-33 | 9/15/2022 | 4.19 |
| | | MW-33 | 11/9/2022 | 3.52 |
| | | MW-35 | 2/3/2022 | 0.909 |
| | | MW-35 | 5/12/2022 | 0.752 |
| | | MW-35 | 9/15/2022 | 0.602 |
| | | MW-35 | 11/9/2022 | 0.494 |
| | | MW-37 | 6/30/2022 | 0.152 JT |
| | | MW-37 | 9/15/2022 | 0.114 JT |
| | | MW-37 | 11/9/2022 | 0.123 JT |
| | | | | |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-8 (continued)

Channel Cc2: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|----------------------------------|-------|---------|-----------|--------------|
| <i>trans</i> -1,2-Dichloroethene | ug/L | MW-33 | 2/3/2022 | 1.05 |
| | | MW-33 | 5/12/2022 | 0.469 |
| | | MW-33 | 9/15/2022 | 0.764 |
| | | MW-33 | 11/9/2022 | 0.764 |
| | | MW-35 | 2/3/2022 | 0.257 |
| | | MW-35 | 5/12/2022 | 0.239 |
| | | MW-35 | 9/15/2022 | 0.183 JT |
| | | MW-35 | 11/9/2022 | 0.194 JT |
| Trichloroethene | ug/L | MW-33 | 2/3/2022 | 0.192 JT |
| | | MW-33 | 5/12/2022 | 0.147 JT |
| | | MW-33 | 9/15/2022 | 0.146 JT |
| | | MW-33 | 11/9/2022 | 0.167 JT |
| | | MW-35 | 2/3/2022 | 1.29 |
| | | MW-35 | 5/12/2022 | 1.17 |
| | | MW-35 | 9/15/2022 | 0.92 |
| | | MW-35 | 11/9/2022 | 1.06 |
| | | MW-37 | 6/30/2022 | 0.231 |
| | | MW-37 | 9/15/2022 | 0.179 JT |
| | | MW-37 | 11/9/2022 | 0.212 |
| Trichlorofluoromethane | ug/L | MW-2 | 11/9/2022 | 0.733 |
| | | MW-2 | 9/15/2022 | 0.783 |
| | | MW-2 | 5/12/2022 | 1.97 |
| | | MW-2 | 2/3/2022 | 2.45 |
| | | MW-21 | 11/9/2022 | 0.619 |
| | | MW-21 | 9/15/2022 | 0.519 |
| | | MW-21 | 5/12/2022 | 1.16 |
| | | MW-21 | 2/3/2022 | 1.6 |
| | | MW-37 | 11/9/2022 | 0.284 |
| | | MW-37 | 9/15/2022 | 0.28 |
| | | MW-37 | 6/30/2022 | 0.32 |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-8 (continued)

Channel Cc2: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|-----------------|--------------|----------------|-------------|---------------------|
| Vinyl Chloride | ug/L | MW-2 | 2/3/2022 | 0.0135 JT |
| | | MW-2 | 9/15/2022 | 0.0474 D |
| | | MW-2 | 11/9/2022 | 0.0235 D |
| | | MW-21 | 2/3/2022 | 0.0687 |
| | | MW-21 | 5/12/2022 | 0.0375 |
| | | MW-21 | 9/15/2022 | 0.0368 D |
| | | MW-21 | 11/9/2022 | 0.0388 D |
| | | MW-33 | 2/3/2022 | 21.9 |
| | | MW-33 | 5/12/2022 | 11.4 |
| | | MW-33 | 9/15/2022 | 21.8 D |
| | | MW-33 | 11/9/2022 | 21.1 D |
| | | MW-35 | 2/3/2022 | 6.66 |
| | | MW-35 | 5/12/2022 | 4.56 |
| | | MW-35 | 9/15/2022 | 4.18 D |
| | | MW-35 | 11/9/2022 | 3.87 D |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-9

Channel Cc3: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|--|--------------|----------------|-------------|---------------------|
| There were no volatile organic compounds detected this year in Channel Cc3 samples. | | | | |

Table B-10

Unit D Aquifer: Summary of groundwater volatile organic compound detections

January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Date | Sample Value |
|---|--------------|----------------|-------------|---------------------|
| | | | | |
| There were no volatile organic compounds detected this year in Unit D Aquifer samples. | | | | |
| | | | | |

Table B-11**Summary of Trip, Field, and Method Blanks Volatile Organic Compound Detections**

January 1, 2022 - December 31, 2022

Summary of trip blank volatile organic compound detections

| Compound | Units | Sample ID | Date | Sample Value |
|----------|-------|-------------|----------|--------------|
| Acetone | ug/L | VTRP220203X | 2/3/2022 | 12.5 |
| | | VTRP220203Y | 2/3/2022 | 12 |
| | | VTRP220203Z | 2/3/2022 | 11.9 |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Summary of field blank volatile organic compound detections

| Compound | Units | Sample ID | Date | Sample Value |
|------------------|-------|-------------|-----------|--------------|
| 2-Butanone | ug/L | WV85220207F | 2/7/2022 | 2.41 JT |
| | | WV9-220913F | 9/13/2022 | 8.01 |
| Acetone | ug/L | WV85220207F | 2/7/2022 | 7.66 |
| Carbon Disulfide | ug/L | WV9-220913F | 9/13/2022 | 0.114 JT |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Summary of method blank volatile organic compound detections

| Compound | Units | Workgroup ID | Date | Sample Value |
|-----------------------------|-------|--------------|-----------|--------------|
| Acetone | ug/L | WG180071-1 | 2/3/2022 | 12.7 B |
| | | WG180071-2 | 2/3/2022 | 30 B |
| | | WG180071-3 | 2/3/2022 | 22.5 B |
| | | WG180071-4 | 2/3/2022 | 22.4 B |
| Bis(2-Ethylhexyl) phthalate | ug/L | WV37220630- | 6/30/2022 | 7.27 BJ |
| | | WG182552-1 | 7/13/2022 | 0.935 BJT |
| Diethylphthalate | ug/L | WV37220630- | 7/13/2022 | 0.633 BGJT |
| | | WG182552-1 | 7/13/2022 | 0.806 BJT |

See Data Qualifiers Section in Appendix B for Qualifier Information.

Table B-12

Summary of surface water monitoring location exceedances vs. SW quality standard

West Hillslope Seeps & Site Surface Water Discharge

Vashon Island Closed Landfill
January 1, 2022 - December 31, 2022

| Compound | Units | Site ID | Sample Date | Sample Value | Reg. Limit | Standard(s) Exceeded |
|------------------|-------|---------|-------------|--------------|------------|----------------------|
| Turbidity, Field | ntu | SW-W3 | 2/7/2022 | 29.2 | 25 | SSWC; FA; FC |
| Iron, Total | mg/L | SW-E | 11/16/2022 | 2.97 | 1 | FC |
| | | SW-W1 | 2/7/2022 | 3.43 | | |
| | | SW-W1 | 5/11/2022 | 1.91 | | |
| | | SW-W2 | 2/7/2022 | 2.98 | | |
| | | SW-W2 | 5/11/2022 | 2.04 | | |
| | | SW-W2 | 9/14/2022 | 2.21 | | |
| | | SW-W2 | 11/16/2022 | 1.03 | | |
| | | SW-W3 | 2/7/2022 | 2.14 | | |
| | | SW-W3 | 5/11/2022 | 1.23 | | |

FC = Federal chronic surface water quality criteria

FA = Federal Acute Surface Water Criteria

SSWC = Washington State chronic surface water quality criteria

See Data Qualifiers Section in Appendix B for Qualifier Information.

Appendix C

Time Concentration Plots for
Groundwater in Channel Cc1

Figure C-1A
Channel Cc1
Field pH




Figure C-1B
Channel Cc1
Field pH




Figure C-2A
Channel Cc1
Field Specific Conductance




Figure C-2B
Channel Cc1
Field Specific Conductance




Figure C-3A
Channel Cc1
Alkalinity




Figure C-3B
Channel Cc1
Alkalinity




Figure C-4A
Channel Cc1
Ammonia




Figure C-4B
Channel Cc1
Ammonia




Figure C-5A
Channel Cc1
Chloride




Figure C-5B
Channel Cc1
Chloride




Figure C-6A
Channel Cc1
Nitrate




Figure C-6B
Channel Cc1
Nitrate




Figure C-7A
Channel Cc1
Sulfate




Figure C-7B
Channel Cc1
Sulfate




Figure C-8A
Channel Cc1
Total Dissolved Solids




Figure C-8B
Channel Cc1
Total Dissolved Solids




Figure C-9A
Channel Cc1
Arsenic




Figure C-9B
Channel Cc1
Arsenic




Figure C-10A
Channel Cc1
Calcium




Figure C-10B
Channel Cc1
Calcium




Figure C-11A
Channel Cc1
Iron




Figure C-11B
Channel Cc1
Iron




Figure C-12A
Channel Cc1
Magnesium




Figure C-12B
Channel Cc1
Magnesium




Figure C-13A
Channel Cc1
Manganese




Figure C-13B
Channel Cc1
Manganese




Figure C-14A
Channel Cc1
Potassium




Figure C-14B
Channel Cc1
Potassium




Figure C-15A
Channel Cc1
Sodium




Figure C-15B
Channel Cc1
Sodium




Figure C-16A
Channel Cc1
1,1-Dichloroethane




Figure C-16B
Channel Cc1
1,1-Dichloroethane




Figure C-17A
Channel Cc1
1,2-Dichloropropane




Figure C-17B
Channel Cc1
1,2-Dichloropropane




Figure C-18A
Channel Cc1
Benzene




Figure C-18B
Channel Cc1
Benzene




Figure C-19A
Channel Cc1
Chloroethane




Figure C-19B
Channel Cc1
Chloroethane




Figure C-20A
Channel Cc1
cis-1,2-Dichloroethene




Figure C-20B
Channel Cc1
cis-1,2-Dichloroethene




Figure C-21A
Channel Cc1
Dichlorodifluoromethane




Figure C-21B
Channel Cc1
Dichlorodifluoromethane




Figure C-22A
Channel Cc1
Tetrachloroethene




Figure C-22B
Channel Cc1
Tetrachloroethene




Figure C-23A
Channel Cc1
Toluene




Figure C-23B
Channel Cc1
Toluene




Figure C-24A
Channel Cc1
Trans-1,2-Dichloroethene




Figure C-24B
Channel Cc1
Trans-1,2-Dichloroethene




Figure C-25A
Channel Cc1
Trichloroethene




Figure C-25B
Channel Cc1
Trichloroethene




Figure C-26A
Channel Cc1
Trichlorofluoromethane




Figure C-26B
Channel Cc1
Trichlorofluoromethane




Figure C-27A
Channel Cc1
Vinyl chloride





Figure C-27B
Channel Cc1
Vinyl chloride



Appendix D

Time Concentration Plots for
Groundwater in Channel Cc2

Figure D-1A
Channel Cc2
Field pH




Figure D-1B
Channel Cc2
Field pH




Figure D-2A
Channel Cc2
Field Specific Conductance




Figure D-2B
Channel Cc2
Field Specific Conductance




Figure D-3A
Channel Cc2
Alkalinity




Figure D-3B
Channel Cc2
Alkalinity




Figure D-4A
Channel Cc2
Ammonia




Figure D-4B
Channel Cc2
Ammonia




Figure D-5A
Channel Cc2
Chloride




Figure D-5B
Channel Cc2
Chloride




Figure D-6A
Channel Cc2
Nitrate




Figure D-6B
Channel Cc2
Nitrate




Figure D-7A
Channel Cc2
Sulfate




Figure D-7B
Channel Cc2
Sulfate




Figure D-8A
Channel Cc2
Total Dissolved Solids




Figure D-8B
Channel Cc2
Total Dissolved Solids




Figure D-9A
Channel Cc2
Arsenic




Figure D-9B
Channel Cc2
Arsenic




Figure D-10A
Channel Cc2
Calcium




Figure D-10B
Channel Cc2
Calcium




Figure D-11A
Channel Cc2
Iron




Figure D-11B
Channel Cc2
Iron




Figure D-12A
Channel Cc2
Magnesium




Figure D-12B
Channel Cc2
Magnesium




Figure D-13A
Channel Cc2
Manganese




Figure D-13B
Channel Cc2
Manganese




Figure D-14A
Channel Cc2
Potassium




Figure D-14B
Channel Cc2
Potassium




Figure D-15A
Channel Cc2
Sodium




Figure D-15B
Channel Cc2
Sodium




Figure D-16A
Channel Cc2
1,1-Dichloroethane




Figure D-16B
Channel Cc2
1,1-Dichloroethane




Figure D-17A
Channel Cc2
1,2-Dichloropropane




Figure D-17B
Channel Cc2
1,2-Dichloropropane




Figure D-18A
Channel Cc2
Benzene




Figure D-18B
Channel Cc2
Benzene




Figure D-19A
Channel Cc2
Chloroethane




Figure D-19B
Channel Cc2
Chloroethane




Figure D-20A
Channel Cc2
cis-1,2-Dichloroethene




Figure D-20B
Channel Cc2
cis-1,2-Dichloroethene




Figure D-21A
Channel Cc2
Dichlorodifluoromethane




Figure D-21B
Channel Cc2
Dichlorodifluoromethane




Figure D-22A
Channel Cc2
Tetrachloroethene




Figure D-22B
Channel Cc2
Tetrachloroethene




Figure D-23A
Channel Cc2
Toluene




Figure D-23B
Channel Cc2
Toluene




Figure D-24A
Channel Cc2
Trans-1,2-Dichloroethene




Figure D-24B
Channel Cc2
Trans-1,2-Dichloroethene




Figure D-25A
Channel Cc2
Trichloroethene




Figure D-25B
Channel Cc2
Trichloroethene




Figure D-26B
Channel Cc2
Trichlorofluoromethane




Figure D-26A
Channel Cc2
Trichlorofluoromethane




Figure D-27B
Channel Cc2
Vinyl chloride




Figure D-27A
Channel Cc2
Vinyl chloride




Figure D-28
Channel Cc2
2,4,5-TP Silvex




Figure D-29
Channel Cc2
2-Methyl-1-Propanol




Figure D-30
Channel Cc2
Bis(2-Chloroethyl)Ether




Figure D-31
Channel Cc2
Bis(2-Ethylhexyl)Phthalate





Figure D-32
Channel Cc2
Diethyl Phthalate



Appendix E

Time Concentration Plots for
Groundwater in Channel Cc3

Figure E-1A
Channel Cc3
Field pH




Figure E-1B
Channel Cc3
Field pH




Figure E-2A
Channel Cc3
Field Specific Conductance




Figure E-2B
Channel Cc3
Field Specific Conductance




Figure E-3A
Channel Cc3
Alkalinity




Figure E-3B
Channel Cc3
Alkalinity




Figure E-4A
Channel Cc3
Ammonia




Figure E-4B
Channel Cc3
Ammonia




Figure E-5A
Channel Cc3
Chloride




Figure E-5B
Channel Cc3
Chloride




Figure E-6A
Channel Cc3
Nitrate




Figure E-6B
Channel Cc3
Nitrate




Figure E-7A
Channel Cc3
Sulfate




Figure E-7B
Channel Cc3
Sulfate




Figure E-8A
Channel Cc3
Total Dissolved Solids




Figure E-8B
Channel Cc3
Total Dissolved Solids




Figure E-9A
Channel Cc3
Arsenic




Figure E-9B
Channel Cc3
Arsenic




Figure E-10A
Channel Cc3
Calcium




Figure E-10B
Channel Cc3
Calcium




Figure E-11A
Channel Cc3
Iron




Figure E-11B
Channel Cc3
Iron




Figure E-12A
Channel Cc3
Magnesium




Figure E-12B
Channel Cc3
Magnesium




Figure E-13A
Channel Cc3
Manganese




Figure E-13B
Channel Cc3
Manganese




Figure E-14A
Channel Cc3
Potassium




Figure E-14B
Channel Cc3
Potassium




Figure E-15A
Channel Cc3
Sodium




Figure E-15B
Channel Cc3
Sodium




Figure E-16A
Channel Cc3
1,1-Dichloroethane




Figure E-16B
Channel Cc3
1,1-Dichloroethane




Figure E-17A
Channel Cc3
1,2-Dichloropropane




Figure E-17B
Channel Cc3
1,2-Dichloropropane




Figure E-18A
Channel Cc3
Benzene




Figure E-18B
Channel Cc3
Benzene




Figure E-19A
Channel Cc3
Chloroethane




Figure E-19B
Channel Cc3
Chloroethane




Figure E-20A
Channel Cc3
cis-1,2-Dichloroethene




Figure E-20B
Channel Cc3
cis-1,2-Dichloroethene




Figure E-21A
Channel Cc3
Dichlorodifluoromethane




Figure E-21B
Channel Cc3
Dichlorodifluoromethane




Figure E-22A
Channel Cc3
Tetrachloroethene




Figure E-22B
Channel Cc3
Tetrachloroethene




Figure E-23A
Channel Cc3
Toluene




Figure E-23B
Channel Cc3
Toluene




Figure E-24A
Channel Cc3
Trans-1,2-Dichloroethene




Figure E-24B
Channel Cc3
Trans-1,2-Dichloroethene




Figure E-25A
Channel Cc3
Trichloroethene




Figure E-25B
Channel Cc3
Trichloroethene




Figure E-26A
Channel Cc3
Trichlorofluoromethane




Figure E-26B
Channel Cc3
Trichlorofluoromethane




Figure E-27A
Channel Cc3
Vinyl chloride





Figure E-27B
Channel Cc3
Vinyl chloride



Appendix F

Time Concentration Plots for
Groundwater in Unit D Aquifer

Figure F-1A
Unit D
Field pH




Figure F-1B
Unit D
Field pH




Figure F-2A
Unit D
Field Specific Conductance




Figure F-2B
Unit D
Field Specific Conductance




Figure F-3A
Unit D
Alkalinity




Figure F-3B
Unit D
Alkalinity




Figure F-4A
Unit D
Ammonia




Figure F-4B
Unit D
Ammonia




Figure F-5A
Unit D
Chloride




Figure F-5B
Unit D
Chloride




Figure F-6A
Unit D
Nitrate




Figure F-6B
Unit D
Nitrate




Figure F-7A
Unit D
Sulfate




Figure F-7B
Unit D
Sulfate




Figure F-8A
Unit D
Total Dissolved Solids




Figure F-8B
Unit D
Total Dissolved Solids




Figure F-9A
Unit D
Arsenic




Figure F-9B
Unit D
Arsenic




Figure F-10A
Unit D
Calcium




Figure F-10B
Unit D
Calcium




Figure F-11A
Unit D
Iron




Figure F-11B
Unit D
Iron




Figure F-12A
Unit D
Magnesium




Figure F-12B
Unit D
Magnesium




Figure F-13A
Unit D
Manganese




Figure F-13B
Unit D
Manganese




Figure F-14A
Unit D
Potassium




Figure F-14B
Unit D
Potassium




Figure F-15A
Unit D
Sodium




Figure F-15B
Unit D
Sodium




Figure F-16A
Unit D
1,1-Dichloroethane




Figure F-16B
Unit D
1,1-Dichloroethane




Figure F-17A
Unit D
1,2-Dichloropropane




Figure F-17B
Unit D
1,2-Dichloropropane




Figure F-18A
Unit D
Benzene




Figure F-18B
Unit D
Benzene




Figure F-19A
Unit D
Chloroethane




Figure F-19B
Unit D
Chloroethane




Figure F-20A
Unit D
cis-1,2-Dichloroethene




Figure F-20B
Unit D
cis-1,2-Dichloroethene




Figure F-21A
Unit D
Dichlorodifluoromethane




Figure F-21B
Unit D
Dichlorodifluoromethane




Figure F-22A
Unit D
Tetrachloroethene




Figure F-22B
Unit D
Tetrachloroethene




Figure F-23A
Unit D
Toluene




Figure F-23B
Unit D
Toluene




Figure F-24A
Unit D
Trans-1,2-Dichloroethene




Figure F-24B
Unit D
Trans-1,2-Dichloroethene




Figure F-25A
Unit D
Trichloroethene




Figure F-25B
Unit D
Trichloroethene




Figure F-26A
Unit D
Trichlorofluoromethane




Figure F-26B
Unit D
Trichlorofluoromethane




Figure F-27A
Unit D
Vinyl chloride





Figure F-27B
Unit D
Vinyl chloride



Appendix G

Groundwater Velocity Calculations and Potentiometric Maps



King County

Water and Land Resources Division

Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5600
Seattle, WA 98104-3855

206-477-4800 Fax 206-296-0192
TTY Relay: 711

TECHNICAL MEMORANDUM

May 25, 2022

TO: Marisa Baptiste, Engineer III, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks (DNRP)

FM: Eric Ferguson and Sevin Bilir, Science and Technical Support Section, Water and Land Resources Division, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations First Quarter 2022 Results
Vashon Island Closed Landfill, King County, Washington
Project No. 1033601 – Task 29.14.137.45

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the first quarter of 2022 for the middle channel deposit in the Cc2 perched zone and the Unit D aquifer beneath the Vashon Island Closed Landfill (Landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (WLRD, 2021). King County Solid Waste Division (SWD) personnel measured groundwater levels at the Landfill on January 31, 2022. These measurements were received by WLRD in May 2022 and were used to:

1. Evaluate the potentiometric groundwater surface elevation for the Cc2 perched zone and the Unit D aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the Cc2 perched zone and the Unit D aquifer; and
3. Calculate the groundwater velocity of the Cc2 perched zone and the Unit D aquifer.

There have been no significant changes in the interpreted groundwater conditions for the Cc2 perched zone and the Unit D aquifer since the report submitted for the fourth quarter of 2021.

Groundwater Elevation Data

The SWD attempted groundwater level measurements at 15 monitoring wells during the first quarter of 2021. These wells are completed in the Cc2 perched zone and the Unit D aquifer, as referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2020).

Table A-1 lists the groundwater monitoring well identifications, locations, construction details, measured depth to groundwater levels and calculated groundwater elevations for monitoring wells screened in the Cc2 perched zone and Unit D aquifer.

Cc2 Perched Zone

Three separate coarse-grained perched zones are identified within variable fine-grained sediment in the Cc2 perched zone (Aspect 2020). The Cc2 channel deposit perched zone is not laterally extensive across the Landfill as it was not identified in borings southeast and northwest of the landfill closure area (Aspect 2020). Groundwater in this perched zone is monitored by wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 (Aspect 2020).

According to Aspect (2020), water levels in the Unit Cc2 perched zone generally indicate unconfined groundwater conditions, with the exception of monitoring wells MW-20 and MW-33. Groundwater elevations in these two wells are above coarse-grained layers indicating confined conditions (Aspect 2020). During this quarter, the water level in monitoring well MW-33 was measured at almost 17 feet above the top of the screen and may be influenced by confining conditions.

Figure A-1 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Cc2 perched zone based on measurements taken on January 31, 2022.

Unit D Aquifer

Groundwater in the Unit D aquifer is monitored by wells MW-7, MW-12, MW-19, MW-25, MW-26, MW-28, MW-29, and MW-34 (Aspect 2020). Measured water levels in monitoring wells MW-7, MW-12, MW-19, MW-25, and MW-34 were at least 16.2 feet above the top of the screen and may be influenced by vertical gradients, permeability differences (Aspect 2020), or confining conditions in the Unit D aquifer.

Monitoring well MW-28 was again reported as dry as moisture was noted at less than two feet above the screen bottom elevation. This well has historically been reported as

“dry” for this reason. The screen for MW-28 was installed at the contact between Unit D and unit below (Unit E) and requires a two foot rise in surrounding groundwater levels to reach the screen bottom.

Figure A-2 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Unit D aquifer based on measurements taken on January 31, 2022.

Direction of Groundwater Flow

Interpreted groundwater flow directions in the Cc2 perched zone and Unit D aquifer, based on measurements taken on January 31, 2022, are shown in Figures A-1 and A-2. Table A-2 lists the flow direction for the Cc2 perched zone and Unit D aquifer beneath the Landfill based on measurements and mapping of groundwater elevation contours taken during the first quarter of 2022.

Cc2 Perched Zone

Calculated groundwater elevations and interpreted groundwater potentiometric surface contours indicate that groundwater in the Cc2 perched zone generally flows towards the west-northwest property-wide with a west to west-southwest component in the south slope area (Figure A-1).

Unit D Aquifer

As per Aspect (2020), groundwater flow direction in Unit D is strongly influenced by the typically higher water levels in MW-7 and MW-34 and this is seen in quarterly mapping of the potentiometric surface forming a groundwater divide running generally west-east beneath the southern area of the landfill footprint. Calculated groundwater elevations and interpreted groundwater potentiometric surface contours during the first quarter of 2022 indicate that groundwater in the Unit D aquifer flows generally southwesterly in the area south of the divide and northerly in the area north of the divide with components of flow to the northeast and northwest (Figure A-2). The groundwater gradient south of the divide is less steep than that north of the divide.

Groundwater Parameters

Table A-2 presents a summary of the groundwater parameters. Hydraulic conductivity and effective porosity values are based on the ranges referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2020).

The average horizontal hydraulic conductivity for the Cc2 perched zone beneath the Landfill is reported to be 8.21 feet per day (ft/d) property wide and 5.81 ft/d in the south slope area (Aspect 2020). The average horizontal hydraulic conductivity in the Unit D aquifer beneath the landfill is reported to be 10.2 ft/d (Aspect 2020). The effective

porosity is reported as 20 percent for both the Cc2 perched zone and the Unit D aquifer (Aspect 2020).

Average hydraulic gradients for the Cc2 perched zone are approximately 0.020 ft/ft property wide and 0.012 ft/ft for the south slope area based on measurements made during the first quarter of 2022. The average hydraulic gradients for the Unit D aquifer, based on measurements made during the first quarter of 2022, are approximately 0.029 and 0.017 ft/ft in the northerly and southerly flow directions, respectively.

Average horizontal groundwater velocities calculated for the Cc2 perched zone and Unit D aquifer beneath the Landfill, are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

$$\text{where: } v = \frac{l}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]

n_{eff} = Effective porosity [dimensionless]

K = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

The average horizontal groundwater velocities in the Cc2 perched zone are approximately 0.81 ft/d property wide and 0.34 ft/d in the south slope area. The average horizontal groundwater velocities in the Unit D aquifer are approximately 1.45 and 0.88 ft/d in the northerly and southerly direction, respectively.


References

Aspect Consulting, LLC. (Aspect). 2020. Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Contract Number E00102E08; Task No. 310.3 – D310.3.1.3). AGENCY DRAFT. November 6. FINAL.

King County Water and Land Resources Division (WLRD). 2021. Proposal for 2021 Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations; King County Closed Landfills (Cedar Falls, Enumclaw, Hobart and Vashon Island) and Cedar Hills Regional Landfill. April.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please feel free to contact me at 206-477-4690 (eric.ferguson@kingcounty.gov) or Sevin at 206-477-4646 (sevin.bilir@kingcounty.gov).

Sincerely,



Eric W Ferguson, WA LHG
Water Quality Planner - Hydrogeologist
King County Water and Land Resources Division

Enclosures:

- Table A-1: Well Details and Groundwater Elevations – First Quarter 2022
- Table A-2: Groundwater Parameters – First Quarter 2022
- Figure A-1: Groundwater Potentiometric Surface Map – First Quarter 2022 – Cc2 Perched Zone
- Figure A-2: Groundwater Potentiometric Surface Map – First Quarter 2022 – Unit D Aquifer

Table A-1: Well Details and Groundwater Elevations – First Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| | | | | | | | January 31, 2022 | |
|------------------------|---------------------|------------------------------|-------------------------------|---|---|---|---|--|
| | Well Identification | Easting ² (ft) | Northing ² (ft) | Top of Casing Elevation ⁵ (ft MSL) | Top of Screen Elevation ⁵ (ft MSL) | Bottom of Screen Elevation ⁵ (ft MSL) | Measured Depth to Water ¹ (ft) | Groundwater Elevations ⁵ (ft MSL) |
| Cc2 Perched Zone | MW-2 | 1227788.53 | 162365.91 | 317.97 | 237.06 | 232.06 | 74.14 | 243.83 |
| | MW-9 | 1227723.68 | 163527.21 | 405.17 | 236.22 | 224.22 | 165.18 | 239.99 |
| | MW-20 | 1228173.43 | 162566.52 | 370.32 | 241.41 | 236.41 | 122.20 | 248.12 |
| | MW-21 | 1227647.90 | 162340.10 | 349.05 | 246.45 | 237.05 | 106.89 | 242.16 |
| | MW-30 | 1227273.26 | 162671.10 | 235.67 | 230.40 | 225.40 | 4.62 | 231.05 |
| | MW-33 | 1227883.53 | 162682.24 | 359.17 | 229.63 | 219.63 | 112.66 | 246.51 |
| | MW-35 | 1227651.53 | 162559.82 | 361.34 | 244.20 | 234.20 | 118.73 | 242.61 |
| Unit D Aquifer | MW-7 | 1228427.68 | 162811.30 | 376.75 | 154.40 | 144.40 | 192.23 | 184.52 |
| | MW-12 | 1227800.99 | 162375.28 | 315.53 | 142.72 | 132.72 | 143.09 | 172.44 |
| | MW-19 | 1227725.02 | 163535.12 | 405.43 | 143.14 | 131.64 | 246.38 | 159.05 |
| | MW-25 | 1228628.13 | 163749.00 | 402.33 | 141.76 | 137.76 | 243.47 | 158.86 |
| | MW-26 | 1227910.18 | 163770.66 | 406.54 | 153.55 | 144.15 | 248.00 | 158.54 |
| | MW-28 ³ | 1228116.11 | 163843.88 | 398.73 | 172.15 | 162.65 | DRY | DRY |
| | MW-29 ⁴ | 1228375.59 | 163681.26 | 413.85 | 172.83 | 158.63 | 244.56 | 169.29 |
| | MW-34 | 1227774.04 | 163135.04 | 385.96 | 147.94 | 137.94 | 205.14 | 180.82 |

Notes:


1. Water level measurements made by SWD personnel.
 2. Reference datum for eastings and northings is the North American Datum of 1983 (NAD83/11).
 3. MW-28 requires 2 foot rise in groundwater levels. MW-28 screen installed at contact between Unit D and unit below (Unit E). Historically reported as a dry well (Aspect 2020).
 4. MW-29 top and bottom of screen elevations were reported differently in Table A-1 of previous reports. This did not impact outcomes for generated groundwater maps and data reported in Table A-2 of related reports.
 5. Elevations are reported in feet (ft) above mean sea level (MSL) based on the North American Vertical Datum of 1988 (NAVD88).
- DRY Well indicated as dry, less than 2 ft of moisture detected within screen interval.

Table A-2: Groundwater Parameters – First Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| Water Bearing Zone | Horizontal Hydraulic Conductivity (K) ^{1,2} | | | Effective Porosity (n_{eff}) ¹ | January 31, 2022 | | General Groundwater Flow Direction |
|---|--|---------|--------|---|--|---|--|
| | Range | (cm/s) | (ft/d) | | Horizontal Hydraulic Gradient (DH/DL) ³ | Horizontal Groundwater Velocity (v) | |
| | | | | | (ft/ft) | (ft/d) | |
| Unit Cc2 - Property Wide ^{4,6} | Low | 5.7E-04 | 1.61 | 20% | 0.007 | 0.05 | West-northwest |
| | High | 1.6E-02 | 46.1 | | 0.033 | 7.60 | |
| | Average ⁶ | 2.9E-03 | 8.21 | | 0.020 | 0.81 | |
| Unit Cc2 - South Slope Area ^{5,6} | Low | 5.7E-04 | 1.61 | | 0.007 | 0.05 | West to West-southwest |
| | High | 6.8E-03 | 19.4 | | 0.017 | 1.61 | |
| | Average ⁶ | 2.1E-03 | 5.81 | | 0.012 | 0.34 | |
| Unit D - Northerly flow direction | Low | 1.5E-03 | 4.4 | | 0.029 | 0.62 | North - with flow to the northeast and northwest |
| | High | 1.6E-02 | 46.1 | | | 6.57 | |
| | Average | 3.6E-03 | 10.2 | | | 1.45 | |
| Unit D - Southerly flow direction | Low | 1.5E-03 | 4.4 | 0.017 | | 0.38 | Southwest - away from divide |
| | High | 1.6E-02 | 46.1 | | | 3.98 | |
| | Average | 3.6E-03 | 10.2 | | | 0.88 | |

Notes:

1. Horizontal hydraulic conductivity values and effective porosity values from Aspect 2020.
2. Average horizontal hydraulic conductivity values are the geometric mean of values reported per well and unit (Aspect 2020).
3. Horizontal hydraulic gradients based on average of gradients measured at several points from the maps shown on Figures A-1 and A-2.
4. Calculations for property wide Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-9, MW-20, MW-21, MW-33, and MW-35. (Aspect 2020).
5. Calculations for South Slope Area Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-20, MW-21, MW-33, and MW-35. (Aspect 2020).
6. Calculations of average hydraulic conductivities for Unit Cc2 did not include data obtained in 1986 from MW-2 as the value was significantly lower than a remeasurement completed in 2015 (Aspect 2020).




Legend

- MW-X**
XXX.XX Monitoring Well Completed in Unit Cc2 Perched Zone
Elevation (feet mean sea level (MSL))
- 240** - - - Perched Zone Groundwater Elevation Contour (feet MSL)
- Inferred Horizontal Groundwater Flow Path

Note:
1. Groundwater measurements made on January 31, 2022.

- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building



Locations surveyed on Washington State Plane Coordinate System, North Zone (NAD 83/11)
Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).
Basemap Layer Data: King County Solid Waste Division




King County

**Groundwater Potentiometric Surface Map
First Quarter 2022 - Cc2 Perched Zone**

Vashon Island Closed Landfill
King County, Washington

| | |
|--------------------|-------------------------------|
| DATE: May 2022 | PROJECT NO. 1033601 |
| DESIGNED BY: SB | FIGURE NO. A-1 |
| DRAWN BY: KK | |
| REVISED BY: SB | |



Groundwater Potentiometric Surface Map First Quarter 2022 - Unit D Aquifer

Vashon Island Closed Landfill
King County, Washington

| | |
|--------------------|------------------------|
| DATE: May 2022 | PROJECT NO. 1033601 |
| DESIGNED BY: SB | FIGURE NO. A-2 |
| DRAWN BY: KK | |
| REVISED BY: SB | |



King County

Water and Land Resources Division

Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5600
Seattle, WA 98104-3855

206-477-4800 Fax 206-296-0192
TTY Relay: 711

TECHNICAL MEMORANDUM

August 31, 2022

TO: Marisa Baptiste, Engineer III, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks (DNRP)

VIA: Eric Ferguson, Water Quality Planner – Hydrogeologist, Science and Technical Support Section, Water and Land Resources Division, DNRP

FM: Adrienne Scott, Engineer II, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations
Second Quarter 2022 Results
Vashon Island Closed Landfill, King County, Washington
Project No. 1033601 – Task 29.14.137.45

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the second quarter of 2022 for the middle channel deposit in the Cc2 perched zone and the Unit D aquifer beneath the Vashon Island Closed Landfill (Landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (WLRD, 2021). King County Solid Waste Division (SWD) personnel measured groundwater levels at the Landfill on May 6, 2022. These measurements were used to:

1. Evaluate the potentiometric groundwater surface elevation for the Cc2 perched zone and the Unit D aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the Cc2 perched zone and the Unit D aquifer; and
3. Calculate the groundwater velocity of the Cc2 perched zone and the Unit D aquifer.

Since the first quarter 2022 quarterly report was submitted, groundwater monitoring well MW-37 was installed within the Cc2 perched zone, near the southern property boundary. The additional groundwater measurement at well MW-37 has elucidated a south-southeast flowpath for the south slope area of the Cc2 perched unit. Excluding the south slope area of the Cc2 perched zone, there have been no significant changes in the interpreted groundwater conditions since the report submitted for the first quarter of 2022.

Groundwater Elevation Data

On May 6, 2022, SWD attempted groundwater level measurements at 15 monitoring wells during the second quarter of 2022. These wells are completed in the Cc2 perched zone and the Unit D aquifer, as referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Aspect 2020)*.

Table A-1 lists the groundwater monitoring well identifications, locations, construction details, measured depth to groundwater levels and calculated groundwater elevations for monitoring wells screened in the Cc2 perched zone and Unit D aquifer.

Cc2 Perched Zone

Three separate coarse-grained perched zones are identified within variable fine-grained sediment in the Cc2 perched zone (Aspect 2020). The Cc2 channel deposit perched zone is not laterally extensive across the Landfill as it was not identified in borings southeast and northwest of the landfill closure area (Aspect 2020). Groundwater in this perched zone is monitored by wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 (Aspect 2020). After measurements of the static groundwater levels during this quarter, groundwater monitoring well MW-37 was installed and successfully completed within the Cc2 perched zone on May 18, 2022; Well MW-37 was not installed as a replacement well for the recently decommissioned Unit D monitoring well MW-28.

According to Aspect (2020), water levels in the Unit Cc2 perched zone generally indicate unconfined groundwater conditions, with the exception of monitoring wells MW-20 and MW-33. Groundwater elevations in these two wells are above coarse-grained layers indicating confined conditions (Aspect 2020). During this quarter, the water level in monitoring well MW-33 measured nearly 17.6 feet above the top of the screen and may be influenced by confining conditions.

Figure A-1 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Cc2 perched zone based on measurements taken on May 6, 2022.

Unit D Aquifer

Groundwater in the Unit D aquifer is monitored by wells MW-7, MW-12, MW-19, MW-25, MW-26, MW-29, and MW-34 (Aspect 2020). Measured water levels in monitoring wells MW-7, MW-12, MW-19, MW-25, and MW-34 were at least 16.4 feet above the top of the screen and may be influenced by vertical gradients, permeability differences (Aspect 2020), or confining conditions in the Unit D aquifer.

Monitoring well MW-28 was again reported as dry as moisture was noted at less than two feet above the screen bottom elevation. This well has historically been reported as “dry” for this reason. The screen for MW-28 was installed at the contact between Unit D and unit below (Unit E) and requires a two foot rise in surrounding groundwater levels to reach the screen bottom. Subsequent to the quarterly static water level measurements, groundwater monitoring well MW-28 was decommissioned on May 16, 2022, due to the lack of groundwater observed in this well throughout its lifespan.

Figure A-2 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Unit D aquifer based on measurements taken on May 6, 2022.

Direction of Groundwater Flow

Interpreted groundwater flow directions in the Cc2 perched zone and Unit D aquifer, based on measurements taken on May 6, 2022, are shown in Figures A-1 and A-2. Table A-2 lists the flow direction for the Cc2 perched zone and Unit D aquifer beneath the Landfill based on measurements and mapping of groundwater elevation contours taken during the second quarter of 2022.

Cc2 Perched Zone

Calculated groundwater elevations and interpreted groundwater potentiometric surface contours indicate that groundwater in the Cc2 perched zone generally flows towards the south-southeast in the south slope area with a component of west-northwest flow for the remainder of the property (Figure A-1).

Unit D Aquifer

As per Aspect (2020), groundwater flow direction in Unit D is strongly influenced by the typically higher water levels in MW-7 and MW-34 and this is seen in quarterly mapping of the potentiometric surface forming a groundwater divide running generally west-east beneath the southern area of the landfill footprint. Calculated groundwater elevations and interpreted groundwater potentiometric surface contours during the second quarter of 2022 indicate that groundwater in the Unit D aquifer flows generally southwesterly in the area south of the divide and northerly in the area north of the divide with components of flow to the northeast and northwest (Figure A-2). The groundwater gradient south of the divide is less steep than that north of the divide.

Groundwater Parameters

Table A-2 presents a summary of the groundwater parameters. Hydraulic conductivity and effective porosity values are based on the ranges referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Aspect 2020)*.

The average horizontal hydraulic conductivity for the Cc2 perched zone beneath the Landfill is reported to be 8.21 feet per day (ft/d) property wide and 5.81 ft/d in the south slope area (Aspect 2020). The average horizontal hydraulic conductivity in the Unit D aquifer beneath the landfill is reported to be 10.2 ft/d (Aspect 2020). The effective porosity is reported as 20 percent for both the Cc2 perched zone and the Unit D aquifer (Aspect 2020).

Average hydraulic gradients for the Cc2 perched zone are approximately 0.023 ft/ft property wide and 0.04 ft/ft for the south slope area based on measurements made during the second quarter of 2022. The average hydraulic gradients for the Unit D aquifer, based on measurements made during the second quarter of 2022, are approximately 0.034 and 0.018 ft/ft in the northerly and southerly flow directions, respectively.

Average horizontal groundwater velocities calculated for the Cc2 perched zone and Unit D aquifer beneath the Landfill, are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

$$\text{where: } v = \frac{1}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]

n_{eff} = Effective porosity [dimensionless]

K = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

The average horizontal groundwater velocities in the Cc2 perched zone are approximately 0.92 ft/d west-northwest across the property, and are 1.16 ft/d south-southeast for the south slope area. The average horizontal groundwater velocities in the Unit D aquifer are approximately 1.71 and 0.89 ft/d in the northerly and southerly direction, respectively.


References

Aspect Consulting, LLC. (Aspect). 2020. Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Contract Number E00102E08; Task No. 310.3 – D310.3.1.3). AGENCY DRAFT. November 6. FINAL.

King County Water and Land Resources Division (WLRD). 2021. Proposal for 2021 Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations; King County Closed Landfills (Cedar Falls, Enumclaw, Hobart and Vashon Island) and Cedar Hills Regional Landfill. April.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please feel free to contact me at 206-477-4690 (eric.ferguson@kingcounty.gov).

Sincerely,



Eric W Ferguson, WA LHG
Water Quality Planner - Hydrogeologist
King County Water and Land Resources Division

Enclosures:

- Table A-1: Well Details and Groundwater Elevations – Second Quarter 2022
- Table A-2: Groundwater Parameters – Second Quarter 2022
- Figure A-1: Groundwater Potentiometric Surface Map – Second Quarter 2022 – Cc2 Perched Zone
- Figure A-2: Groundwater Potentiometric Surface Map – Second Quarter 2022 – Unit D Aquifer

Table A-1: Well Details and Groundwater Elevations – Second Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| | | | | | | | May 6, 2022 | |
|------------------|---------------------|---------------------------|----------------------------|---|---|--|---|--|
| | Well Identification | Easting ² (ft) | Northing ² (ft) | Top of Casing Elevation ⁶ (ft MSL) | Top of Screen Elevation ⁶ (ft MSL) | Bottom of Screen Elevation ⁶ (ft MSL) | Measured Depth to Water ¹ (ft) | Groundwater Elevations ⁶ (ft MSL) |
| Cc2 Perched Zone | MW-2 | 1227788.53 | 162365.91 | 317.97 | 237.06 | 232.06 | 73.49 | 244.48 |
| | MW-9 | 1227723.68 | 163527.21 | 405.17 | 236.22 | 224.22 | 164.71 | 240.46 |
| | MW-20 | 1228173.43 | 162566.52 | 370.32 | 241.41 | 236.41 | 121.37 | 248.95 |
| | MW-21 | 1227647.90 | 162340.10 | 349.05 | 246.45 | 237.05 | 106.30 | 242.75 |
| | MW-30 | 1227273.26 | 162671.10 | 235.67 | 230.40 | 225.40 | 5.51 | 230.16 |
| | MW-33 | 1227883.53 | 162682.24 | 359.17 | 229.63 | 219.63 | 111.96 | 247.21 |
| | MW-35 | 1227651.53 | 162559.82 | 361.34 | 244.20 | 234.20 | 118.10 | 243.24 |
| | MW-37 ³ | 1227855.76 | 162186.41 | 294.70 | 222.10 | 212.10 | 61.90 | 232.80 |
| Unit D Aquifer | MW-7 | 1228427.68 | 162811.30 | 376.75 | 154.40 | 144.40 | 191.19 | 185.56 |
| | MW-12 | 1227800.99 | 162375.28 | 315.53 | 142.72 | 132.72 | 142.18 | 173.35 |
| | MW-19 | 1227725.02 | 163535.12 | 405.43 | 143.14 | 131.64 | 245.85 | 159.58 |
| | MW-25 | 1228628.13 | 163749.00 | 402.33 | 141.76 | 137.76 | 243.33 | 159.00 |
| | MW-26 | 1227910.18 | 163770.66 | 406.54 | 153.55 | 144.15 | 247.50 | 159.04 |
| | MW-28 ⁴ | 1228116.11 | 163843.88 | 398.73 | 172.15 | 162.65 | DRY | DRY |
| | MW-29 ⁵ | 1228375.59 | 163681.26 | 413.85 | 172.83 | 158.63 | 244.22 | 169.63 |
| | MW-34 | 1227774.04 | 163135.04 | 385.96 | 147.94 | 137.94 | 204.01 | 181.95 |

Notes:


1. Water level measurements made by SWD personnel.
 2. Reference datum for eastings and northings is the North American Datum of 1983 (NAD83/11).
 3. MW-37 installation was completed on May 18, 2022. The well was developed and the water level measurement was measured on June 30, 2022.
 4. MW-28 was dry on May 6, 2022, and was decommissioned on May 16, 2022 since the well has been reported dry since installation.
 5. MW-29 top and bottom of screen elevations were reported differently in Table A-1 of previous reports. This did not impact outcomes for generated groundwater maps and data reported in Table A-2 of related reports.
5. Elevations are reported in feet (ft) above mean sea level (MSL) based on the North American Vertical Datum of 1988 (NAVD88).
DRY Well indicated as dry, less than 2 ft of moisture detected within screen interval.

Table A-2: Groundwater Parameters – Second Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| Water Bearing Zone | Horizontal Hydraulic Conductivity (K) ^{1,2} | | | Effective Porosity (n_{eff}) ¹ | May 6, 2022 | | General Groundwater Flow Direction | |
|---|--|---------|--------|---|---|---|--|------------------------------|
| | Range | (cm/s) | (ft/d) | | Horizontal Hydraulic Gradient (DH/DL) ³ (ft/ft) | Horizontal Groundwater Velocity (v) (ft/d) | | |
| Unit Cc2 - Property Wide ^{4,6} | Low | 5.7E-04 | 1.61 | 20% | 0.010 | 0.08 | West-northwest | |
| | High | 1.6E-02 | 46.1 | | 0.035 | 8.06 | | |
| | Average ⁶ | 2.9E-03 | 8.21 | | 0.023 | 0.92 | | |
| Unit Cc2 - South Slope Area ^{5,6} | Low | 5.7E-04 | 1.61 | | 0.010 | 0.08 | South-southeast | |
| | High | 6.8E-03 | 19.4 | | 0.070 | 6.77 | | |
| | Average ⁶ | 2.1E-03 | 5.81 | | 0.040 | 1.16 | | |
| Unit D - Northerly flow direction | Low | 1.5E-03 | 4.4 | | 0.034 | 0.73 | North - with flow to the northeast and northwest | |
| | High | 1.6E-02 | 46.1 | | | 7.72 | | |
| | Average | 3.6E-03 | 10.2 | | | 1.71 | | |
| Unit D - Southerly flow direction | Low | 1.5E-03 | 4.4 | | | 0.018 | 0.38 | Southwest - away from divide |
| | High | 1.6E-02 | 46.1 | | | | 4.03 | |
| | Average | 3.6E-03 | 10.2 | | | | 0.89 | |

Notes:

1. Horizontal hydraulic conductivity values and effective porosity values from Aspect 2020.
2. Average horizontal hydraulic conductivity values are the geometric mean of values reported per well and unit (Aspect 2020).
3. Horizontal hydraulic gradients based on average of gradients measured at several points from the maps shown on Figures A-1 and A-2.
4. Calculations for property wide Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-9, MW-20, MW-21, MW-33, and MW-35. (Aspect 2020).
5. Calculations for South Slope Area Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-20, MW-21, MW-33, MW-35, and MW-35, and newly installed well MW-37.
6. Calculations of average hydraulic conductivities for Unit Cc2 did not include data obtained in 1986 from MW-2 as the value was significantly lower than a remeasurement completed in 2015 (Aspect 2020).



Legend

MW-X
xxx.xx



Monitoring Well Completed in Unit Cc2 Perched Zone
Elevation (feet mean sea level (MSL))

240



Perched Zone Groundwater Elevation Contour (feet MSL)



Inferred Horizontal Groundwater Flow Path

Note:

1. Groundwater measurements made on May 6, 2022.



Pond



Road




Ditch



Fence



King County Landfill Property



Building



Contour Interval 2 Feet

Locations surveyed on Washington State Plane Coordinate System, North Zone (NAD 83/11)

Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).

Basemap Layer Data: King County Solid Waste Division



King County

**Groundwater Potentiometric Surface Map
Second Quarter 2022 - Cc2 Perched Zone**

Vashon Island Closed Landfill
King County, Washington

DATE: August 2022

DESIGNED BY: AMS

DRAWN BY: KK


REVISED BY: EWF

PROJECT NO.

1033601

FIGURE NO.

A-1



Groundwater Potentiometric Surface Map Second Quarter 2022 - Unit D Aquifer

Vashon Island Closed Landfill
King County, Washington

| | |
|----------------------|------------------------|
| DATE: August 2022 | PROJECT NO. 1033601 |
| DESIGNED BY: AMS | FIGURE NO. A-2 |
| DRAWN BY: KK | |
| REVISED BY: EWF | |



King County

Water and Land Resources Division

Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5600
Seattle, WA 98104-3855

206-477-4800 Fax 206-296-0192
TTY Relay: 711

TECHNICAL MEMORANDUM

December 6, 2022

TO: Marisa Baptiste, Engineer III, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks (DNRP)

VIA: Eric Ferguson, Water Quality Planner – Hydrogeologist, Science and Technical Support Section, Water and Land Resources Division, DNRP

FM: Adrienne Scott, Engineer II, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations
Third Quarter 2022 Results
Vashon Island Closed Landfill, King County, Washington
Project No. 1033601 – Task 29.14.137.45

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the third quarter of 2022 for the middle channel deposit in the Cc2 perched zone and the Unit D aquifer beneath the Vashon Island Closed Landfill (Landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (WLRD, 2021). King County Solid Waste Division (SWD) personnel measured groundwater levels at the Landfill on August 18, 2022; the measurements were used to:

1. Evaluate the potentiometric groundwater surface elevation for the Cc2 perched zone and the Unit D aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the Cc2 perched zone and the Unit D aquifer; and
3. Calculate the groundwater velocity of the Cc2 perched zone and the Unit D aquifer.

There have been no significant changes in the interpreted groundwater conditions for the Cc2 perched zone and the Unit D aquifer since the report submitted for the second quarter of 2022.

Groundwater Elevation Data

On August 18, 2022, the third quarter of 2022, SWD recorded groundwater level measurements for 15 monitoring wells. These wells are completed in the Cc2 perched zone and the Unit D aquifer, as referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2020).

Table A-1 lists the groundwater monitoring well identifications, locations, construction details, measured depth to groundwater levels and calculated groundwater elevations for monitoring wells screened in the Cc2 perched zone and Unit D aquifer.

Cc2 Perched Zone

Three separate coarse-grained perched zones are identified within variable fine-grained sediment in the Cc2 perched zone (Aspect 2020). The Cc2 channel deposit perched zone is not laterally extensive across the Landfill as it was not identified in borings southeast and northwest of the landfill closure area (Aspect 2020). Groundwater in this perched zone is monitored by wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 (Aspect 2020). Subsequent to the 2020 Aspect report, monitoring well MW-37 was successfully completed within the Cc2 perched zone.

According to Aspect (2020), water levels in the Unit Cc2 perched zone generally indicate unconfined groundwater conditions, with the exception of monitoring wells MW-20 and MW-33. Groundwater elevations in these two wells are above coarse-grained layers indicating confined conditions (Aspect 2020). During this quarter, the water level in monitoring well MW-33 measured approximately 17.63 feet above the top of the screen and may be influenced by confining conditions.

Figure A-1 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Cc2 perched zone based on measurements taken on August 18, 2022.

Unit D Aquifer

Groundwater in the Unit D aquifer is monitored by wells MW-7, MW-12, MW-19, MW-25, MW-26, MW-29, and MW-34 (Aspect 2020). Measured water levels in monitoring wells MW-7, MW-12, MW-19, MW-25, and MW-34 were at least 16.26 feet above the top of the screen and may be influenced by vertical gradients, permeability differences (Aspect 2020), or confining conditions in the Unit D aquifer.

Figure A-2 shows the third quarter 2022 calculated groundwater elevations at monitoring well locations and interpreted groundwater flow directions based on the potentiometric surface contours for the Unit D aquifer..

Direction of Groundwater Flow

Interpreted groundwater flow directions in the Cc2 perched zone and Unit D aquifer, based on measurements taken on August 18, 2022, are shown in Figures A-1 and A-2. Table A-2 lists the flow direction for the Cc2 perched zone and Unit D aquifer beneath the Landfill based on measurements and mapping of groundwater elevation contours taken during the third quarter of 2022.

Cc2 Perched Zone

Calculated groundwater elevations and interpreted groundwater potentiometric surface contours indicate that groundwater in the Cc2 perched zone generally flows towards the south-southeast in the south slope area with a component of west-northwest flow for the remainder of the property (Figure A-1).

Unit D Aquifer

As per Aspect (2020), groundwater flow direction in Unit D is strongly influenced by the typically higher water levels in MW-7 and MW-34 and this is seen in quarterly mapping of the potentiometric surface forming a groundwater divide running generally west-east beneath the southern area of the landfill footprint. Calculated groundwater elevations and groundwater potentiometric surface contours during the third quarter of 2022 indicate that groundwater in the Unit D aquifer flows southwesterly in the area south of the divide and northerly in the area north of the divide with components of flow to the northeast and northwest (Figure A-2). The groundwater gradient south of the divide is less steep than that north of the divide.

Groundwater Parameters

Table A-2 presents a summary of the groundwater parameters. Hydraulic conductivity and effective porosity values are based on the ranges referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2020).

The average horizontal hydraulic conductivity for the Cc2 perched zone beneath the Landfill is reported to be 8.21 feet per day (ft/d) property wide and 5.81 ft/d in the south slope area (Aspect 2020). The average horizontal hydraulic conductivity in the Unit D aquifer beneath the landfill is reported to be 10.2 ft/d (Aspect 2020). The effective porosity is reported as 20 percent for both the Cc2 perched zone and the Unit D aquifer (Aspect 2020).

Average hydraulic gradients for the Cc2 perched zone are approximately 0.022 ft/ft property wide and 0.048 ft/ft for the south slope area based on measurements made

during the third quarter of 2022. The average hydraulic gradients for the Unit D aquifer, based on measurements made during the third quarter of 2022, are approximately 0.031 and 0.017 ft/ft in the northerly and southerly flow directions, respectively.

Average horizontal groundwater velocities calculated for the Cc2 perched zone and Unit D aquifer beneath the Landfill, are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

$$\text{where: } v = \frac{I}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]

n_{eff} = Effective porosity [dimensionless]

K = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

The average horizontal groundwater velocities in the Cc2 perched zone are approximately 0.91 ft/d west-northwest across the property, and are 1.39 ft/d south-southeast for the south slope area. The average horizontal groundwater velocities in the Unit D aquifer are approximately 1.57 and 0.87 ft/d in the northerly and southerly direction, respectively.


References

Aspect Consulting, LLC. (Aspect). 2020. Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Contract Number E00102E08; Task No. 310.3 – D310.3.1.3). AGENCY DRAFT. November 6. FINAL.

King County Water and Land Resources Division (WLRD). 2022. Proposal for 2022 Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations; King County Closed Landfills (Cedar Falls, Enumclaw, Hobart and Vashon Island) and Cedar Hills Regional Landfill. March.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please feel free to contact me at 206-477-4690 (eric.ferguson@kingcounty.gov).

Sincerely,



Eric W Ferguson, WA LHG
Water Quality Planner - Hydrogeologist
King County Water and Land Resources Division

Enclosures:

- Table A-1: Well Details and Groundwater Elevations – Third Quarter 2022
- Table A-2: Groundwater Parameters – Third Quarter 2022
- Figure A-1: Groundwater Potentiometric Surface Map – Third Quarter 2022 – Cc2 Perched Zone
- Figure A-2: Groundwater Potentiometric Surface Map – Third Quarter 2022 – Unit D Aquifer

Table A-1: Well Details and Groundwater Elevations – Third Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| | | | | | | | August 18, 2022 | |
|------------------|---------------------|------------------------------|-------------------------------|--|--|---|---|---|
| | Well Identification | Easting ² (ft) | Northing ² (ft) | Top of Casing Elevation ⁴ (ft MSL) | Top of Screen Elevation ⁴ (ft MSL) | Bottom of Screen Elevation ⁴ (ft MSL) | Measured Depth to Water ¹ (ft) | Groundwater Elevations ⁴ (ft MSL) |
| Cc2 Perched Zone | MW-2 | 1227788.53 | 162365.91 | 317.97 | 237.06 | 232.06 | 73.39 | 244.58 |
| | MW-9 | 1227723.68 | 163527.21 | 405.17 | 236.22 | 224.22 | 165.37 | 239.80 |
| | MW-20 | 1228173.43 | 162566.52 | 370.32 | 241.41 | 236.41 | 121.31 | 249.01 |
| | MW-21 | 1227647.90 | 162340.10 | 349.05 | 246.45 | 237.05 | 106.21 | 242.84 |
| | MW-30 | 1227273.26 | 162671.10 | 235.67 | 230.40 | 225.40 | 5.95 | 229.72 |
| | MW-33 | 1227883.53 | 162682.24 | 359.17 | 229.63 | 219.63 | 111.91 | 247.26 |
| | MW-35 | 1227651.53 | 162559.82 | 361.34 | 244.20 | 234.20 | 118.08 | 243.26 |
| | MW-37 | 1227855.76 | 162186.41 | 294.70 | 222.10 | 212.10 | 61.80 | 232.90 |
| Unit D Aquifer | MW-7 | 1228427.68 | 162811.30 | 376.75 | 154.40 | 144.40 | 191.28 | 185.47 |
| | MW-12 | 1227800.99 | 162375.28 | 315.53 | 142.72 | 132.72 | 142.14 | 173.39 |
| | MW-19 | 1227725.02 | 163535.12 | 405.43 | 143.14 | 131.64 | 246.02 | 159.41 |
| | MW-25 | 1228628.13 | 163749.00 | 402.33 | 141.76 | 137.76 | 243.45 | 158.88 |
| | MW-26 | 1227910.18 | 163770.66 | 406.54 | 153.55 | 144.15 | 247.71 | 158.83 |
| | MW-29 ³ | 1228375.59 | 163681.26 | 413.85 | 172.83 | 158.63 | 244.26 | 169.59 |
| | MW-34 | 1227774.04 | 163135.04 | 385.96 | 147.94 | 137.94 | 204.14 | 181.82 |

Notes:


1. Water level measurements made by SWD personnel.
2. Reference datum for eastings and northings is the North American Datum of 1983 (NAD83/11).
3. MW-29 top and bottom of screen elevations were reported differently in Table A-1 of previous reports. This did not impact outcomes for generated groundwater maps and data reported in Table A-2 of related reports.
4. Elevations are reported in feet (ft) above mean sea level (MSL) based on the North American Vertical Datum of 1988 (NAVD88).

Table A-2: Groundwater Parameters – Third Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| Water Bearing Zone | Horizontal Hydraulic Conductivity (K) ^{1,2} | | | Effective Porosity (n_{eff}) ¹ | August 18, 2022 | | General Groundwater Flow Direction | |
|---|--|---------|--------|---|---|---|--|------------------------------|
| | Range | (cm/s) | (ft/d) | | Horizontal Hydraulic Gradient (DH/DL) ³ (ft/ft) | Horizontal Groundwater Velocity (v) (ft/d) | | |
| Unit Cc2 - Property Wide ^{4,6} | Low | 5.7E-04 | 1.61 | 20% | 0.012 | 0.10 | West-northwest | |
| | High | 1.6E-02 | 46.1 | | 0.033 | 7.49 | | |
| | Average ⁶ | 2.9E-03 | 8.21 | | 0.022 | 0.92 | | |
| Unit Cc2 - South Slope Area ^{5,6} | Low | 5.7E-04 | 1.61 | | 0.035 | 0.08 | South-southeast | |
| | High | 6.8E-03 | 19.4 | | 0.061 | 5.90 | | |
| | Average ⁶ | 2.1E-03 | 5.81 | | 0.048 | 1.39 | | |
| Unit D - Northerly flow direction | Low | 1.5E-03 | 4.4 | | 0.031 | 0.67 | North - with flow to the northeast and northwest | |
| | High | 1.6E-02 | 46.1 | | | 7.09 | | |
| | Average | 3.6E-03 | 10.2 | | | 1.57 | | |
| Unit D - Southerly flow direction | Low | 1.5E-03 | 4.4 | | | 0.017 | 0.37 | Southwest - away from divide |
| | High | 1.6E-02 | 46.1 | | | | 3.92 | |
| | Average | 3.6E-03 | 10.2 | | | | 0.87 | |

Notes:

1. Horizontal hydraulic conductivity values and effective porosity values from Aspect 2020.
2. Average horizontal hydraulic conductivity values are the geometric mean of values reported per well and unit (Aspect 2020).
3. Horizontal hydraulic gradients based on average of gradients measured at several points from the maps shown on Figures A-1 and A-2.
4. Calculations for property wide Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-9, MW-20, MW-21, MW-33, and MW-35. (Aspect 2020).
5. Calculations for South Slope Area Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-20, MW-21, MW-33, MW-35, and MW-37.
6. Calculations of average hydraulic conductivities for Unit Cc2 did not include data obtained in 1986 from MW-2 as the value was significantly lower than a remeasurement completed in 2015 (Aspect 2020).




Legend

- MW-X**
XXX.XX Monitoring Well Completed in Unit Cc2 Perched Zone
Elevation (feet mean sea level (MSL))
- 240** - - - Perched Zone Groundwater Elevation Contour (feet MSL)
- Inferred Horizontal Groundwater Flow Path

Note:
1. Groundwater measurements made on August 18, 2022.

- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building



Locations surveyed on Washington State Plane Coordinate System, North Zone (NAD 83/11)

Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).

Basemap Layer Data: King County Solid Waste Division




**Groundwater Potentiometric Surface Map
Third Quarter 2022 - Cc2 Perched Zone**

Vashon Island Closed Landfill
King County, Washington

| |
|------------------------|
| DATE: November 2022 |
| DESIGNED BY: AMS |
| DRAWN BY: KK |
| REVISED BY: EWF |

| |
|-------------------------------|
| PROJECT NO. 1033601 |
| FIGURE NO. A-1 |



Legend

- MW-X** Monitoring Well Completed In Regional Aquifer Elevation (feet mean sea level (MSL))
- 180** Inferred Regional Aquifer Groundwater Elevation Contour (feet MSL)
- Inferred Horizontal Groundwater Flow Path
- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building

Note:
 1. Groundwater measurements made on August 18, 2022.

0 200 400 Feet
 Contour Interval 5 Feet

Locations surveyed on Washington State Plane Coordinate System. North Zone (NAD 83/11)
 Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).
 Basemap Layer Data: King County Solid Waste Division



Groundwater Potentiometric Surface Map
Third Quarter 2022 - Unit D Aquifer
 Vashon Island Closed Landfill
 King County, Washington

| | |
|------------------------|-------------------------------|
| DATE: November 2022 | PROJECT NO. 1033601 |
| DESIGNED BY: AMS | FIGURE NO. A-2 |
| DRAWN BY: KK | |
| REVISED BY: EWF | |



King County

Water and Land Resources Division

Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5600
Seattle, WA 98104-3855

206-477-4800 Fax 206-296-0192
TTY Relay: 711

TECHNICAL MEMORANDUM

January 12, 2023

TO: Marisa Baptiste, Engineer III, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks (DNRP)

VIA: Eric Ferguson, Water Quality Planner – Hydrogeologist, Science and Technical Support Section, Water and Land Resources Division, DNRP

FM: Adrienne Scott, Engineer III – Geologist, Facility Engineering and Science Section, Solid Waste Division, Department of Natural Resources and Parks, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations Fourth Quarter 2022 Results
Vashon Island Closed Landfill, King County, Washington
Project No. 1033601 – Task 29.14.137.45

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the fourth quarter of 2022 for the middle channel deposit in the Cc2 perched zone and the Unit D aquifer beneath the Vashon Island Closed Landfill (Landfill), in accordance with the *Proposal for Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations* (WLRD, 2022). King County Solid Waste Division (SWD) personnel measured groundwater levels at the Landfill on November 7, 2022; the measurements were used to:

1. Evaluate the potentiometric groundwater surface elevation for the Cc2 perched zone and the Unit D aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the Cc2 perched zone and the Unit D aquifer; and

3. Calculate the groundwater velocity of the Cc2 perched zone and the Unit D aquifer.

There have been no significant changes in the interpreted groundwater conditions for the Cc2 perched zone and the Unit D aquifer since the report submitted for the third quarter of 2022.

Groundwater Elevation Data

On November 7, 2022, the fourth quarter of 2022, SWD recorded groundwater level measurements for 15 monitoring wells at the Landfill. These wells are completed in the Cc2 perched zone and the Unit D aquifer, as referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Aspect 2020)*.

Table A-1 lists the groundwater monitoring well identifications, locations, construction details, measured depth to groundwater levels and calculated groundwater elevations for monitoring wells screened in the Cc2 perched zone and Unit D aquifer.

Cc2 Perched Zone

Three separate coarse-grained perched zones are identified within variable fine-grained sediment in the Cc2 perched zone (Aspect 2020). The Cc2 channel deposit perched zone is not laterally extensive across the Landfill as it was not identified in borings southeast and northwest of the landfill closure area (Aspect 2020). Groundwater in this perched zone is monitored by wells MW-2, MW-9, MW-20, MW-21, MW-30, MW-33, and MW-35 (Aspect 2020). Subsequent to the 2020 Aspect report, monitoring well MW-37 was successfully completed within the Cc2 perched zone.

According to Aspect (2020), water levels in the Unit Cc2 perched zone generally indicate unconfined groundwater conditions, with the exception of monitoring wells MW-20 and MW-33. Groundwater elevations in these two wells are above coarse-grained layers indicating confined conditions (Aspect 2020). During this quarter, the water level in monitoring well MW-33 measured approximately 17.38 feet above the top of the screen and may be influenced by confining conditions.

Figure A-1 shows calculated groundwater elevations at monitoring well locations and interpreted groundwater potentiometric surface contours for the Cc2 perched zone based on measurements taken on November 7, 2022.

Unit D Aquifer

Groundwater in the Unit D aquifer is monitored by wells MW-7, MW-12, MW-19, MW-25, MW-26, MW-29, and MW-34 (Aspect 2020). Measured water levels in monitoring wells MW-7, MW-12, MW-19, MW-25, and MW-34 were at least 16.38 feet

above the top of the screen and may be influenced by vertical gradients, permeability differences (Aspect 2020), or confining conditions in the Unit D aquifer.

Figure A-2 shows the fourth quarter 2022 calculated groundwater elevations at monitoring well locations and interpreted groundwater flow directions based on the potentiometric surface contours for the Unit D aquifer.

Direction of Groundwater Flow

Interpreted groundwater flow directions in the Cc2 perched zone and Unit D aquifer, based on measurements taken on November 7, 2022, are shown in Figures A-1 and A-2. Table A-2 lists the flow direction for the Cc2 perched zone and Unit D aquifer beneath the Landfill based on measurements and mapping of groundwater elevation contours taken during the fourth quarter of 2022.

Cc2 Perched Zone

Calculated groundwater elevations and interpreted groundwater potentiometric surface contours indicate that groundwater in the Cc2 perched zone generally flows towards the south-southeast in the south slope area with a component of west-northwest flow for the remainder of the property (Figure A-1).

Unit D Aquifer

As per Aspect (2020), groundwater flow direction in Unit D is strongly influenced by the typically higher water levels in MW-7 and MW-34 and this is seen in quarterly mapping of the potentiometric surface forming a groundwater divide running generally west-east beneath the southern area of the landfill footprint. Calculated groundwater elevations and groundwater potentiometric surface contours during the fourth quarter of 2022 indicate that groundwater in the Unit D aquifer flows southwesterly in the area south of the divide and northerly in the area north of the divide with components of flow to the northeast and northwest (Figure A-2). The groundwater gradient south of the divide is less steep than that north of the divide.

Groundwater Parameters

Table A-2 presents a summary of the groundwater parameters. Hydraulic conductivity and effective porosity values are based on the ranges referred to in *Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1* (Aspect 2020).

The average horizontal hydraulic conductivity for the Cc2 perched zone beneath the Landfill is reported to be 8.21 feet per day (ft/d) property wide and 5.81 ft/d in the south slope area (Aspect 2020). The average horizontal hydraulic conductivity in the Unit D aquifer beneath the landfill is reported to be 10.2 ft/d (Aspect 2020). The effective porosity is reported as 20 percent for both the Cc2 perched zone and the Unit D aquifer (Aspect 2020).

Average hydraulic gradients for the Cc2 perched zone are approximately 0.023 ft/ft property wide and 0.050 ft/ft for the south slope area based on measurements made during the fourth quarter of 2022. The average hydraulic gradients for the Unit D aquifer, based on measurements made during the fourth quarter of 2022, are approximately 0.032 and 0.017 ft/ft in the northerly and southerly flow directions, respectively.

Average horizontal groundwater velocities calculated for the Cc2 perched zone and Unit D aquifer beneath the Landfill, are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

$$\text{where: } v = \frac{1}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]

n_{eff} = Effective porosity [dimensionless]

K = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

The average horizontal groundwater velocities in the Cc2 perched zone are approximately 0.92 ft/d west-northwest across the property, and are 1.45 ft/d south-southeast for the south slope area. The average horizontal groundwater velocities in the Unit D aquifer are approximately 1.62 and 0.84 ft/d in the northerly and southerly direction, respectively.


References

Aspect Consulting, LLC. (Aspect). 2020. Remedial Investigation Report, Phase 1 – Vashon Island Closed Landfill, Volume 1 (Contract Number E00102E08; Task No. 310.3 – D310.3.1.3). AGENCY DRAFT. November 6. FINAL.

King County Water and Land Resources Division (WLRD). 2022. Proposal for 2022 Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations; King County Closed Landfills (Cedar Falls, Enumclaw, Hobart and Vashon Island) and Cedar Hills Regional Landfill. March.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please feel free to contact me at 206-477-4690 (eric.ferguson@kingcounty.gov).

Sincerely,



Eric W Ferguson, WA LHG
Water Quality Planner - Hydrogeologist
King County Water and Land Resources Division

Enclosures:

- Table A-1: Well Details and Groundwater Elevations – Fourth Quarter 2022
- Table A-2: Groundwater Parameters – Fourth Quarter 2022
- Figure A-1: Groundwater Potentiometric Surface Map – Fourth Quarter 2022 – Cc2 Perched Zone
- Figure A-2: Groundwater Potentiometric Surface Map – Fourth Quarter 2022 – Unit D Aquifer

Table A-1: Well Details and Groundwater Elevations – Fourth Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| | | | | | | | November 7, 2022 | |
|------------------|---------------------|------------------------------|-------------------------------|--|--|---|---|---|
| | Well Identification | Easting ² (ft) | Northing ² (ft) | Top of Casing Elevation ⁴ (ft MSL) | Top of Screen Elevation ⁴ (ft MSL) | Bottom of Screen Elevation ⁴ (ft MSL) | Measured Depth to Water ¹ (ft) | Groundwater Elevations ⁴ (ft MSL) |
| Cc2 Perched Zone | MW-2 | 1227788.53 | 162365.91 | 317.97 | 237.06 | 232.06 | 73.64 | 244.33 |
| | MW-9 | 1227723.68 | 163527.21 | 405.17 | 236.22 | 224.22 | 165.68 | 239.49 |
| | MW-20 | 1228173.43 | 162566.52 | 370.32 | 241.41 | 236.41 | 121.60 | 248.72 |
| | MW-21 | 1227647.90 | 162340.10 | 349.05 | 246.45 | 237.05 | 106.44 | 242.61 |
| | MW-30 | 1227273.26 | 162671.10 | 235.67 | 230.40 | 225.40 | 5.54 | 230.13 |
| | MW-33 | 1227883.53 | 162682.24 | 359.17 | 229.63 | 219.63 | 112.16 | 247.01 |
| | MW-35 | 1227651.53 | 162559.82 | 361.34 | 244.20 | 234.20 | 118.34 | 243.00 |
| | MW-37 | 1227855.76 | 162186.41 | 294.70 | 222.10 | 212.10 | 62.36 | 232.34 |
| Unit D Aquifer | MW-7 | 1228427.68 | 162811.30 | 376.75 | 154.40 | 144.40 | 191.55 | 185.20 |
| | MW-12 | 1227800.99 | 162375.28 | 315.53 | 142.72 | 132.72 | 142.45 | 173.08 |
| | MW-19 | 1227725.02 | 163535.12 | 405.43 | 143.14 | 131.64 | 245.90 | 159.53 |
| | MW-25 | 1228628.13 | 163749.00 | 402.33 | 141.76 | 137.76 | 243.44 | 158.89 |
| | MW-26 | 1227910.18 | 163770.66 | 406.54 | 153.55 | 144.15 | 247.54 | 159.00 |
| | MW-29 ³ | 1228375.59 | 163681.26 | 413.85 | 172.83 | 158.63 | 244.15 | 169.70 |
| | MW-34 | 1227774.04 | 163135.04 | 385.96 | 147.94 | 137.94 | 204.49 | 181.47 |

Notes:


1. Water level measurements made by SWD personnel.
2. Reference datum for eastings and northings is the North American Datum of 1983 (NAD83/11).
3. MW-29 top and bottom of screen elevations were reported differently in Table A-1 of previous reports. This did not impact outcomes for generated groundwater maps and data reported in Table A-2 of related reports.
4. Elevations are reported in feet (ft) above mean sea level (MSL) based on the North American Vertical Datum of 1988 (NAVD88).

Table A-2: Groundwater Parameters – Fourth Quarter 2022
Vashon Island Closed Landfill
King County, Washington

| Water Bearing Zone | Horizontal Hydraulic Conductivity (K) ^{1,2} | | | Effective Porosity (n_{eff}) ¹ | November 7, 2022 | | General Groundwater Flow Direction |
|---|--|---------|--------|---|---|---|--|
| | Range | (cm/s) | (ft/d) | | Horizontal Hydraulic Gradient (DH/DL) ³ (ft/ft) | Horizontal Groundwater Velocity (v) (ft/d) | |
| Unit Cc2 - Property Wide ^{4,6} | Low | 5.7E-04 | 1.61 | 20% | 0.013 | 0.10 | West-northwest |
| | High | 1.6E-02 | 46.1 | | 0.032 | 7.37 | |
| | Average ⁶ | 2.9E-03 | 8.21 | | 0.023 | 0.92 | |
| Unit Cc2 - South Slope Area ^{5,6} | Low | 5.7E-04 | 1.61 | | 0.036 | 0.29 | South-southeast |
| | High | 6.8E-03 | 19.4 | | 0.064 | 6.19 | |
| | Average ⁶ | 2.1E-03 | 5.81 | | 0.050 | 1.45 | |
| Unit D - Northerly flow direction | Low | 1.5E-03 | 4.4 | | 0.032 | 0.70 | North - with flow to the northeast and northwest |
| | High | 1.6E-02 | 46.1 | | | 7.35 | |
| | Average | 3.6E-03 | 10.2 | | | 1.62 | |
| Unit D - Southerly flow direction | Low | 1.5E-03 | 4.4 | 0.017 | | 0.36 | Southwest - away from divide |
| | High | 1.6E-02 | 46.1 | | | 3.80 | |
| | Average | 3.6E-03 | 10.2 | | | 0.84 | |

Notes:

1. Horizontal hydraulic conductivity values and effective porosity values from Aspect 2020.
2. Average horizontal hydraulic conductivity values are the geometric mean of values reported per well and unit (Aspect 2020).
3. Horizontal hydraulic gradients based on average of gradients measured at several points from the maps shown on Figures A-1 and A-2.
4. Calculations for property wide Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-9, MW-20, MW-21, MW-33, and MW-35. (Aspect 2020).
5. Calculations for South Slope Area Unit Cc2 horizontal hydraulic conductivities include data from wells MW-2, MW-20, MW-21, MW-33, MW-35, and MW-37.
6. Calculations of average hydraulic conductivities for Unit Cc2 did not include data obtained in 1986 from MW-2 as the value was significantly lower than a remeasurement completed in 2015 (Aspect 2020).




Legend

- MW-X**
XXX.XX Monitoring Well Completed in Unit Cc2 Perched Zone
Elevation (feet mean sea level (MSL))
- 240** Perched Zone Groundwater Elevation Contour (feet MSL)
- Inferred Horizontal Groundwater Flow Path

Note:
1. Groundwater measurements made on November 7, 2022.

- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building



Locations surveyed on Washington State Plane Coordinate System, North Zone (NAD 83/11)
Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).
Basemap Layer Data: King County Solid Waste Division




King County

**Groundwater Potentiometric Surface Map
Fourth Quarter 2022 - Cc2 Perched Zone**

Vashon Island Closed Landfill
King County, Washington

| |
|-----------------------|
| DATE: January 2023 |
| DESIGNED BY: AMS |
| DRAWN BY: KK |
| REVISED BY: EWF |

| |
|-------------------------------|
| PROJECT NO. 1033601 |
| FIGURE NO. A-1 |



Legend

- MW-X** Monitoring Well Completed In Regional Aquifer
Elevation (feet mean sea level (MSL))
- 180** Inferred Regional Aquifer Groundwater Elevation Contour (feet MSL)
- Inferred Horizontal Groundwater Flow Path
- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building

Note:
1. Groundwater measurements made on November 7, 2022.

0 200 400
 Feet
 Contour Interval 5 Feet

Locations surveyed on Washington State Plane Coordinate System. North Zone (NAD 83/11)

Elevations reported in feet above mean sea level based on the North American Vertical Datum of 1988 (NAVD 88).

Basemap Layer Data: King County Solid Waste Division



Groundwater Potentiometric Surface Map
Fourth Quarter 2022 - Unit D Aquifer
 Vashon Island Closed Landfill
 King County, Washington

| | |
|-----------------------|-------------------------------|
| DATE: January 2023 | PROJECT NO. 1033601 |
| DESIGNED BY: AMS | FIGURE NO. A-2 |
| DRAWN BY: KK | |
| REVISED BY: EWF | |

Appendix H

Groundwater Monitoring Data

**Table H-1
Groundwater - Static Water Levels**

| Groundwater - Static Water Levels | | Top of PVC Casing Elevation (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet above MSL) |
|-----------------------------------|------------------|---------------------------------------|--------------------------------|---|
| Well # | Measurement Date | | | |
| Unit B | | | | |
| MW-24 | 1/31/2022 | 377.48 | 89.12 | 288.36 |
| MW-24 | 5/6/2022 | 377.48 | 87.86 | 289.62 |
| MW-24 | 8/18/2022 | 377.48 | 87.57 | 289.91 |
| MW-24 | 11/7/2022 | 377.48 | 88.28 | 289.2 |
| Channel Cc1 | | | | |
| MW-3 | 1/31/2022 | 318.02 | 38.26 | 279.76 |
| MW-3 | 5/6/2022 | 318.02 | 38.78 | 279.24 |
| MW-3 | 8/18/2022 | 318.02 | 40.37 | 277.65 |
| MW-3 | 11/7/2022 | 318.02 | 41.74 | 276.28 |
| MW-4 | 1/31/2022 | 377.18 | 106.50 | 270.68 |
| MW-4 | 5/6/2022 | 377.18 | 103.70 | 273.48 |
| MW-4 | 8/18/2022 | 377.18 | 101.72 | 275.46 |
| MW-4 | 11/7/2022 | 377.18 | 102.62 | 274.56 |
| MW-10 | 1/31/2022 | 409.94 | 145.66 | 264.28 |
| MW-10 | 5/6/2022 | 409.94 | 145.02 | 264.92 |
| MW-10 | 8/18/2022 | 409.94 | 145.08 | 264.86 |
| MW-10 | 11/7/2022 | 409.94 | 145.05 | 264.89 |
| MW-13 | 1/31/2022 | 377.28 | 100.9 | 276.38 |
| MW-13 | 5/6/2022 | 377.28 | 99.76 | 277.52 |
| MW-13 | 8/18/2022 | 377.28 | 99.61 | 277.67 |
| MW-13 | 11/7/2022 | 377.28 | 99.99 | 277.29 |
| Channel Cc2 | | | | |
| MW-2 | 1/31/2022 | 317.97 | 74.14 | 243.83 |
| MW-2 | 5/6/2022 | 317.97 | 73.49 | 244.48 |
| MW-2 | 8/18/2022 | 317.97 | 73.39 | 244.58 |
| MW-2 | 11/7/2022 | 317.97 | 73.64 | 244.33 |
| MW-9 | 1/31/2022 | 405.17 | 165.18 | 239.99 |
| MW-9 | 5/6/2022 | 405.17 | 164.71 | 240.46 |
| MW-9 | 8/18/2022 | 405.17 | 165.37 | 239.8 |
| MW-9 | 11/7/2022 | 405.17 | 165.68 | 239.49 |
| MW-20 | 1/31/2022 | 370.32 | 122.2 | 248.12 |
| MW-20 | 5/6/2022 | 370.32 | 121.37 | 248.95 |
| MW-20 | 8/18/2022 | 370.32 | 121.31 | 249.01 |
| MW-20 | 11/7/2022 | 370.32 | 121.6 | 248.72 |
| MW-21 | 1/31/2022 | 349.05 | 106.89 | 242.16 |
| MW-21 | 5/6/2022 | 349.05 | 106.3 | 242.75 |
| MW-21 | 8/18/2022 | 349.05 | 106.21 | 242.84 |
| MW-21 | 11/7/2022 | 349.05 | 106.44 | 242.61 |
| MW-30 | 1/31/2022 | 235.67 | 4.62 | 231.05 |
| MW-30 | 5/6/2022 | 235.67 | 5.51 | 230.16 |
| MW-30 | 8/18/2022 | 235.67 | 5.95 | 229.72 |
| MW-30 | 11/7/2022 | 235.67 | 5.54 | 230.13 |
| MW-33 | 1/31/2022 | 359.17 | 112.66 | 246.51 |
| MW-33 | 5/6/2022 | 359.17 | 111.96 | 247.21 |
| MW-33 | 8/18/2022 | 359.17 | 111.91 | 247.26 |
| MW-33 | 11/7/2022 | 359.17 | 112.16 | 247.01 |
| MW-35 | 1/31/2022 | 361.34 | 118.73 | 242.61 |
| MW-35 | 5/6/2022 | 361.34 | 118.1 | 243.24 |
| MW-35 | 8/18/2022 | 361.34 | 118.08 | 243.26 |
| MW-35 | 11/7/2022 | 361.34 | 118.34 | 243 |
| MW-37 ¹ | 8/18/2022 | 294.7 | 61.8 | 232.9 |
| MW-37 ¹ | 11/7/2022 | 294.7 | 62.36 | 232.34 |

**Table H-1
Groundwater - Static Water Levels**

| Groundwater - Static Water Levels | | Top of PVC Casing Elevation (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet above MSL) |
|-----------------------------------|------------------|---------------------------------------|--------------------------------|---|
| Well # | Measurement Date | | | |
| Channel Cc3 | | | | |
| MW-8 | 1/31/2022 | 386.00 | 176.4 | 209.6 |
| MW-8 | 5/6/2022 | 386.00 | 175.42 | 210.58 |
| MW-8 | 8/18/2022 | 386.00 | 175.95 | 210.05 |
| MW-8 | 11/7/2022 | 386.00 | 176.2 | 209.8 |
| MW-36 | 1/31/2022 | 378.19 | 151.8 | 226.39 |
| MW-36 | 5/6/2022 | 378.19 | 150.8 | 227.39 |
| MW-36 | 8/18/2022 | 378.19 | 150.75 | 227.44 |
| MW-36 | 11/7/2022 | 378.19 | 150.93 | 227.26 |
| Unit D Aquifer | | | | |
| MW-7 | 1/31/2022 | 376.748 | 192.23 | 184.52 |
| MW-7 | 5/6/2022 | 376.748 | 191.19 | 185.56 |
| MW-7 | 8/18/2022 | 376.748 | 191.28 | 185.47 |
| MW-7 | 11/7/2022 | 376.748 | 191.55 | 185.2 |
| MW-12 | 1/31/2022 | 315.53 | 143.09 | 172.44 |
| MW-12 | 5/6/2022 | 315.53 | 142.18 | 173.35 |
| MW-12 | 8/18/2022 | 315.53 | 142.14 | 173.39 |
| MW-12 | 11/7/2022 | 315.53 | 142.45 | 173.08 |
| MW-19 | 1/31/2022 | 405.43 | 246.38 | 159.05 |
| MW-19 | 5/6/2022 | 405.43 | 245.85 | 159.58 |
| MW-19 | 8/18/2022 | 405.43 | 246.02 | 159.41 |
| MW-19 | 11/7/2022 | 405.43 | 245.9 | 159.53 |
| MW-25 | 1/31/2022 | 402.331 | 243.47 | 158.86 |
| MW-25 | 5/6/2022 | 402.331 | 243.33 | 159 |
| MW-25 | 8/18/2022 | 402.331 | 243.45 | 158.88 |
| MW-25 | 11/7/2022 | 402.331 | 243.44 | 158.89 |
| MW-26 | 1/31/2022 | 406.538 | 248 | 158.54 |
| MW-26 | 5/6/2022 | 406.538 | 247.5 | 159.04 |
| MW-26 | 8/18/2022 | 406.538 | 247.71 | 158.83 |
| MW-26 | 11/7/2022 | 406.538 | 247.54 | 159 |
| MW-28 | 1/31/2022 | 398.73 | DRY | DRY |
| MW-28 | 5/6/2022 | 398.73 | DRY | DRY |
| MW-29 | 1/31/2022 | 413.847 | 244.56 | 169.29 |
| MW-29 | 5/6/2022 | 413.847 | 244.22 | 169.63 |
| MW-29 | 8/18/2022 | 413.847 | 244.26 | 169.59 |
| MW-29 | 11/7/2022 | 413.847 | 244.15 | 169.7 |
| MW-34 | 1/31/2022 | 385.957 | 205.14 | 180.82 |
| MW-34 | 5/6/2022 | 385.957 | 204.01 | 181.95 |
| MW-34 | 8/18/2022 | 385.957 | 204.14 | 181.82 |
| MW-34 | 11/7/2022 | 385.957 | 204.49 | 181.47 |

Notes:

¹ MW-37 was installed on 5/18/2022, following second-quarter static water level readings.

**Table H-2
Groundwater - Sampling Water Levels**

| Groundwater - Sampling Water Levels | | Top of PVC Casing Elevation | Depth to Groundwater | Groundwater Elevation |
|-------------------------------------|------------------|--------------------------------|-------------------------|--------------------------|
| Well # | Measurement Date | (feet) | (feet) | (feet above MSL) |
| Channel Cc1 | | | | |
| MW-3 | 2/1/2022 | 318.02 | 38.3 | 279.72 |
| MW-3 | 5/11/2022 | 318.02 | 38.81 | 279.21 |
| MW-3 | 9/13/2022 | 318.02 | 40.95 | 277.07 |
| MW-3 | 11/8/2022 | 318.02 | 41.68 | 276.34 |
| MW-4 | 2/2/2022 | 377.18 | 106.93 | 270.25 |
| MW-4 | 5/11/2022 | 377.18 | 103.9 | 273.28 |
| MW-4 | 9/14/2022 | 377.18 | 101.78 | 275.4 |
| MW-4 | 11/8/2022 | 377.18 | 102.98 | 274.2 |
| MW-10 | 1/31/2022 | 409.94 | 145.66 | 264.28 |
| MW-10 | 5/9/2022 | 409.94 | 145.36 | 264.58 |
| MW-10 | 9/12/2022 | 409.94 | 145.15 | 264.79 |
| MW-10 | 11/7/2022 | 409.94 | 145.05 | 264.89 |
| MW-13 | 1/31/2022 | 377.28 | 100.9 | 276.38 |
| MW-13 | 5/9/2022 | 377.28 | 100.02 | 277.26 |
| MW-13 | 9/13/2022 | 377.28 | 99.7 | 277.58 |
| MW-13 | 11/8/2022 | 377.28 | 99.99 | 277.29 |
| Channel Cc2 | | | | |
| MW-2 | 2/3/2022 | 317.97 | 74.03 | 243.94 |
| MW-2 | 5/12/2022 | 317.97 | 73.53 | 244.44 |
| MW-2 | 9/15/2022 | 317.97 | 73.54 | 244.43 |
| MW-2 | 11/9/2022 | 317.97 | 73.78 | 244.19 |
| MW-9 | 2/2/2022 | 405.17 | 165.24 | 239.93 |
| MW-9 | 5/10/2022 | 405.17 | 165.1 | 240.07 |
| MW-9 | 9/13/2022 | 405.17 | 165.48 | 239.69 |
| MW-9 | 11/8/2022 | 405.17 | 165.86 | 239.31 |
| MW-20 | 2/3/2022 | 370.32 | 122.1 | 248.22 |
| MW-20 | 5/12/2022 | 370.32 | 121.48 | 248.84 |
| MW-20 | 9/15/2022 | 370.32 | 121.5 | 248.82 |
| MW-20 | 11/9/2022 | 370.32 | 221.9 | 148.42 |
| MW-21 | 2/3/2022 | 349.05 | 106.83 | 242.22 |
| MW-21 | 5/12/2022 | 349.05 | 106.27 | 242.78 |
| MW-21 | 9/15/2022 | 349.05 | 106.32 | 242.73 |
| MW-21 | 11/9/2022 | 349.05 | 106.55 | 242.5 |
| MW-33 | 2/3/2022 | 359.17 | 112.64 | 246.53 |
| MW-33 | 5/12/2022 | 359.17 | 111.92 | 247.25 |
| MW-33 | 9/15/2022 | 359.17 | 112.1 | 247.07 |
| MW-33 | 11/9/2022 | 359.17 | 112.39 | 246.78 |
| MW-35 | 2/3/2022 | 361.34 | 118.62 | 242.72 |
| MW-35 | 5/12/2022 | 361.34 | 118.13 | 243.21 |
| MW-35 | 9/15/2022 | 361.34 | 118.23 | 243.11 |
| MW-35 | 11/9/2022 | 361.34 | 118.39 | 242.95 |
| MW-37 ¹ | 6/30/2022 | 294.7 | 61.9 | 232.8 |
| MW-37 ¹ | 9/15/2022 | 294.7 | 62.16 | 232.54 |
| MW-37 ¹ | 11/9/2022 | 294.7 | 62.49 | 232.21 |

**Table H-2
Groundwater - Sampling Water Levels**

| Groundwater - Sampling Water Levels | | Top of PVC Casing Elevation | Depth to Groundwater | Groundwater Elevation |
|-------------------------------------|------------------|--------------------------------|-------------------------|--------------------------|
| Well # | Measurement Date | (feet) | (feet) | (feet above MSL) |
| Channel Cc3 | | | | |
| MW-8 | 1/31/2022 | 386.00 | 176.40 | 209.60 |
| MW-8 | 5/9/2022 | 386.00 | 175.73 | 210.27 |
| MW-8 | 9/12/2022 | 386.00 | 176.05 | 209.95 |
| MW-8 | 11/7/2022 | 386.00 | 176.20 | 209.80 |
| MW-36 | 1/31/2022 | 378.19 | 151.50 | 226.69 |
| MW-36 | 5/10/2022 | 378.19 | 151.13 | 227.06 |
| MW-36 | 9/13/2022 | 378.19 | 150.80 | 227.39 |
| MW-36 | 11/8/2022 | 378.19 | 151.11 | 227.08 |
| Unit D Aquifer | | | | |
| MW-7 | 2/1/2022 | 376.75 | 192.24 | 184.51 |
| MW-7 | 5/10/2022 | 376.75 | 191.8 | 184.95 |
| MW-7 | 9/13/2022 | 376.75 | 191.44 | 185.31 |
| MW-7 | 11/8/2022 | 376.75 | 191.98 | 184.77 |
| MW-12 | 1/31/2022 | 315.53 | 143.09 | 172.44 |
| MW-12 | 5/9/2022 | 315.53 | 142.4 | 173.13 |
| MW-12 | 9/13/2022 | 315.53 | 142.2 | 173.33 |
| MW-12 | 11/8/2022 | 315.53 | 142.66 | 172.87 |
| MW-19 | 2/2/2022 | 405.43 | 246.56 | 158.87 |
| MW-19 | 5/10/2022 | 405.43 | 246.33 | 159.1 |
| MW-19 | 9/13/2022 | 405.43 | 246.05 | 159.38 |
| MW-19 | 11/8/2022 | 405.43 | 246.23 | 159.2 |
| MW-26 | 2/2/2022 | 406.54 | 248.14 | 158.4 |
| MW-26 | 5/10/2022 | 406.54 | 248.07 | 158.47 |
| MW-26 | 9/13/2022 | 406.54 | 247.72 | 158.82 |
| MW-26 | 11/8/2022 | 406.54 | 247.88 | 158.66 |
| MW-29 | 2/2/2022 | 413.85 | 244.8 | 169.05 |
| MW-29 | 5/10/2022 | 413.85 | 244.5 | 169.35 |
| MW-29 | 9/15/2022 | 413.85 | 244.3 | 169.55 |
| MW-29 | 11/8/2022 | 413.85 | 244.38 | 169.47 |
| MW-34 | 2/1/2022 | 385.96 | 205.19 | 180.77 |
| MW-34 | 5/9/2022 | 385.96 | 204.28 | 181.68 |
| MW-34 | 9/12/2022 | 385.96 | 204.43 | 181.53 |
| MW-34 | 11/7/2022 | 385.96 | 204.49 | 181.47 |

Notes:

¹ MW-37 was installed on 5/18/2022.

**Table H-3
Groundwater - Field Parameters**

| Groundwater - Field Parameters | | | Dissolved Oxygen (DO) (Field) (mg/L) | Oxidation- Reduction Potential (mV) | pH (Field) (std. units) | Specific Conductance (Field) (µmhos/cm) | Temperature (Field) (°C) | Turbidity (Field) (NTU) | Volume Purged (gal) |
|--------------------------------|-------------|-------------|---|--|--------------------------------|---|------------------------------------|-----------------------------------|-------------------------------|
| Well # | Sample Date | Sample ID | | | | | | | |
| Channel Cc1 | | | | | | | | | |
| MW-3 | 2/1/2022 | WV3-220201- | 9.28 | 377.2 | 5.65 | 50.6 | 8.97 | 0.29 | 1.25 |
| MW-3 | 5/11/2022 | WV3-220511- | 8.7 | 370.1 | 5.72 | 51.1 | 9.18 | 4.76 | 2.5 |
| MW-3 | 9/13/2022 | WV3-220913- | 9.13 | 186.7 | 5.6 | 46.3 | 10.31 | 0.54 | 0.75 |
| MW-3* | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 9/14/2022 | WV4-220914- | -- | -- | 7.12 | 191.1 | 12.68 | 0.24 | 10.29 |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-10 | 1/31/2022 | WV10220131- | 4.57 | 183.8 | 7.17 | 127.3 | 10.18 | 0.28 | 2.1 |
| MW-10 | 5/9/2022 | WV10220509- | 4.32 | 157.2 | 6.98 | 128.6 | 10.49 | 0.42 | 2.75 |
| MW-10 | 9/12/2022 | WV10220912- | 4.48 | 234.1 | 7.12 | 130.5 | 9.82 | 0.27 | 4 |
| MW-10 | 11/7/2022 | WV10221107- | 4.31 | 383 | 7.05 | 133.2 | 10.12 | 1.8 | 4 |
| MW-13 | 1/31/2022 | WV13220131- | 5.57 | 294.8 | 7.1 | 101 | 10.16 | 0.39 | 3.5 |
| MW-13 | 5/9/2022 | WV13220509- | 5.34 | 289.1 | 6.92 | 140.3 | 10.21 | 0.89 | 3.75 |
| MW-13 | 9/13/2022 | WV13220913- | 7.23 | 300 | 6.65 | 134.6 | 11.27 | 0.21 | 2.5 |
| MW-13 | 11/8/2022 | WV13221107- | 7.76 | 140.5 | 7.18 | 137.9 | 10.05 | 0.28 | 1.75 |
| Channel Cc2 | | | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 0.9 | 235.8 | 6.74 | 271.2 | 9.09 | 3.81 | 3 |
| MW-2 | 2/3/2022 | WV2-220203D | 0.9 | 235.8 | 6.74 | 271.2 | 9.09 | 3.81 | 3 |
| MW-2 | 5/12/2022 | WV2-220512- | 0.65 | 201.2 | 6.8 | 262.8 | 9.91 | 0.93 | 2.25 |
| MW-2 | 9/15/2022 | WV2-220915- | 0.49 | 285.8 | 6.67 | 260.5 | 9.89 | 0.25 | 2.2 |
| MW-2 | 11/9/2022 | WV2-221109- | 0.91 | 136.4 | 7.07 | 263.7 | 8.82 | 2.14 | 2 |
| MW-9 | 2/2/2022 | WV9-220202- | 5.29 | 342.2 | 7.02 | 161.9 | 9.85 | 0.14 | 2.5 |
| MW-9 | 5/10/2022 | WV9-220510- | 6.28 | 26.01 | 6.89 | 171.5 | 9.78 | 1.27 | 5 |
| MW-9 | 9/13/2022 | WV9-220913- | 7.45 | 411.3 | 6.68 | 185.5 | 10.51 | 0.33 | 2.25 |
| MW-9 | 11/8/2022 | WV9-221108- | 8.74 | 132 | 7.21 | 181.4 | 9.39 | 0.32 | 3 |
| MW-20 | 2/3/2022 | WV20220203- | 0.69 | -4.3 | 7.8 | 163 | 10.42 | 0.69 | 3 |
| MW-20 | 5/12/2022 | WV20220512- | 1.29 | 146.3 | 7.48 | 159.5 | 10.35 | 1.02 | 2.5 |
| MW-20 | 9/15/2022 | WV20220915- | 1.27 | -198.8 | 7.82 | 161.4 | 11.48 | 0.62 | 2.5 |
| MW-20 | 9/15/2022 | WV20220915D | 1.27 | -198.8 | 7.82 | 161.4 | 11.48 | 0.62 | 2.5 |
| MW-20 | 11/9/2022 | WV20221109- | 0.86 | -53.5 | 7.7 | 163.3 | 10.74 | 0.47 | 1.75 |
| MW-21 | 2/3/2022 | WV21220203- | 0.74 | 170.7 | 6.91 | 270.8 | 9.58 | 1.61 | 4 |
| MW-21 | 5/12/2022 | WV21220512- | 2.1 | 72.5 | 6.81 | 243.6 | 9.82 | 1.61 | 4 |
| MW-21 | 9/15/2022 | WV21220915- | 1.68 | 235.4 | 6.53 | 246 | 10.23 | 0.98 | 3.75 |
| MW-21 | 11/9/2022 | WV21221109- | 1.2 | 148.2 | 6.9 | 249 | 9.71 | 1.03 | 4.25 |
| MW-33 | 2/3/2022 | WV33220203- | 0.01 | -59.4 | 6.65 | 539.9 | 12.74 | 0.77 | 4.5 |
| MW-33 | 5/12/2022 | WV33220512- | 0.33 | -30.6 | 6.64 | 565 | 12.25 | 1.02 | 4.5 |
| MW-33 | 9/15/2022 | WV33220915- | 0.2 | -9 | 6.84 | 576 | 14.11 | 0.62 | 3.2 |
| MW-33 | 11/9/2022 | WV33221109- | 0.22 | -41 | 6.79 | 561.3 | 13.19 | 1.3 | 2.5 |
| MW-35 | 2/3/2022 | WV35220203- | 0.2 | -44.5 | 6.43 | 572.5 | 10.18 | 59.2 | 4 |
| MW-35 | 5/12/2022 | WV35220512- | 0.08 | -61.8 | 6.56 | 546 | 10.43 | 9.08 | 3 |
| MW-35 | 9/15/2022 | WV35220915- | 0.11 | 15.3 | 6.45 | 512 | 11.04 | 23.1 | 2.5 |
| MW-35 | 11/9/2022 | WV35221109- | 0.13 | -23.2 | 6.7 | 488.8 | 10.54 | 3.74 | 2.25 |
| MW-37 ¹ | 6/30/2022 | WV37220630- | 3.5 | 181 | 6.54 | 179.9 | 12.13 | 12.7 | 1.25 |
| MW-37 ¹ | 9/15/2022 | WV37220915- | 4.55 | 57.8 | 6.92 | 180.4 | 10.92 | 6.2 | 1 |
| MW-37 ¹ | 11/9/2022 | WV37221109- | 4.08 | 48.7 | 6.7 | 190.5 | 8.94 | 5.78 | 1 |

**Table H-3
Groundwater - Field Parameters**

| Groundwater - Field Parameters | | | Dissolved Oxygen (DO) (Field) (mg/L) | Oxidation-Reduction Potential (mV) | pH (Field) (std. units) | Specific Conductance (Field) (µmhos/cm) | Temperature (Field) (°C) | Turbidity (Field) (NTU) | Volume Purged (gal) |
|--|-------------|-------------|--------------------------------------|------------------------------------|-------------------------|---|--------------------------|-------------------------|---------------------|
| Well # | Sample Date | Sample ID | | | | | | | |
| Channel Cc3 | | | | | | | | | |
| MW-8 | 1/31/2022 | WV8-220131- | 10.44 | 222.1 | 6.37 | 147.1 | 10.5 | 0.24 | 2 |
| MW-8 | 5/9/2022 | WV8-220509- | 10.11 | 189.3 | 6.25 | 145.5 | 10.49 | 0.2 | 2.1 |
| MW-8 | 9/12/2022 | WV8-220912- | 10.31 | 270.4 | 6.37 | 144.1 | 10.33 | 0.17 | 4 |
| MW-8 | 11/7/2022 | WV8-221107- | 9.94 | 426.5 | 6.57 | 144.8 | 10.57 | 0.23 | 2.75 |
| MW-36 | 1/31/2022 | WV36220131- | 3.72 | 251.3 | 7.65 | 114.1 | 11.38 | 0.16 | 2.25 |
| MW-36 | 5/10/2022 | WV36220510- | 3.01 | 258.2 | 7.31 | 157.6 | 11.26 | 0.64 | 3.25 |
| MW-36 | 5/10/2022 | WV36220510D | 3.01 | 258.2 | 7.31 | 157.6 | 11.26 | 0.64 | 3.25 |
| MW-36 | 9/13/2022 | WV36220913- | 2.89 | 183.2 | 7.66 | 156.7 | 12.33 | 0.2 | 2.75 |
| MW-36 | 11/8/2022 | WV36221108- | 3.3 | 163 | 7.69 | 161 | 10.93 | 0.35 | 2.75 |
| Unit D Aquifer | | | | | | | | | |
| MW-7 | 2/1/2022 | WV7-220201- | 1.16 | -1.9 | 7.46 | 163.9 | 10.18 | 1.71 | 6.5 |
| MW-7 | 5/10/2022 | WV7-220510- | 1.37 | 167.7 | 7.36 | 164.6 | 10.65 | 5.58 | 2.9 |
| MW-7 | 9/13/2022 | WV7-220913- | 1.19 | 205.1 | 7.37 | 165.3 | 11.58 | 3.59 | 3.75 |
| MW-7 | 11/8/2022 | WV7-221108- | 1.35 | 249.7 | 7.55 | 165.3 | 10.16 | 19.3 | 3 |
| MW-12 | 1/31/2022 | WV12220131- | 5.36 | 299.5 | 7.4 | 102.5 | 9.27 | 0.29 | 3.5 |
| MW-12 | 5/9/2022 | WV12220509- | 5.19 | 233.4 | 7.12 | 142.8 | 9.04 | 1.11 | 3 |
| MW-12 | 9/13/2022 | WV12220913- | 5.17 | -59.1 | 7.3 | 141.1 | 9.19 | 0.42 | 2.5 |
| MW-12 | 11/8/2022 | WV12221108- | 4.98 | 216.3 | 7.46 | 138.3 | 9.39 | 0.51 | 2.1 |
| MW-19 | 2/2/2022 | WV19220202- | 0.5 | 294.2 | 7.48 | 194.3 | 9.56 | 0.59 | 5 |
| MW-19 | 5/10/2022 | WV19220510- | 0.85 | 192.8 | 7.3 | 191.7 | 9.71 | 1.16 | 4 |
| MW-19 | 9/13/2022 | WV19220913- | 0.83 | 264.3 | 7.19 | 192.5 | 10.47 | 1.37 | 3.5 |
| MW-19 | 11/8/2022 | WV19221108- | 0.92 | -18.7 | 7.6 | 194 | 9.27 | 0.85 | 5 |
| MW-19 | 11/8/2022 | WV19221108D | 0.92 | -18.7 | 7.6 | 194 | 9.27 | 0.85 | 5 |
| MW-26 | 2/2/2022 | WV26220202- | 0.56 | -63 | 7.8 | 167.7 | 9.98 | 1.85 | 6.25 |
| MW-26 | 5/10/2022 | WV26220510- | 0.73 | 50.4 | 7.95 | 169.1 | 11.09 | 7.64 | 5 |
| MW-26 | 9/13/2022 | WV26220913- | 0.58 | 106.4 | 7.97 | 172.2 | 10.97 | 2.61 | 4.75 |
| MW-26 | 11/8/2022 | WV26221108- | 0.8 | -70.3 | 8.17 | 171.1 | 10.4 | 2.3 | 3.75 |
| MW-29 | 2/2/2022 | WV29220202- | 0.43 | -84.7 | 7.06 | 207.6 | 9.95 | 9.44 | 6.75 |
| MW-29 | 5/10/2022 | WV29220510- | 0.2 | 21.9 | 7.28 | 207.3 | 11 | 8.37 | 8 |
| MW-29 | 9/15/2022 | WV29220915- | 0.71 | -188.3 | 7.34 | 206.9 | 10.32 | 4.93 | 5 |
| MW-29 | 11/8/2022 | WV29221108- | 0.69 | -80.4 | 7.54 | 207.2 | 10.07 | 7.02 | 3.75 |
| MW-34 | 2/1/2022 | WV34220201- | 6.64 | 122.4 | 6.75 | 172.1 | 12.17 | 0.27 | 2.25 |
| MW-34 | 5/9/2022 | WV34220509- | 6.17 | 169.9 | 6.56 | 173.9 | 12.16 | 0.27 | 2.1 |
| MW-34 | 9/12/2022 | WV34220912- | 6.24 | 209.4 | 6.92 | 172.3 | 11.67 | 1.31 | 3 |
| MW-34 | 11/7/2022 | WV34221107- | 6.24 | 138.2 | 6.84 | 178.4 | 11.13 | 0.47 | 3 |
| Field Blanks | | | | | | | | | |
| FIELD BLANK | 2/1/2022 | WV7-220201F | -- | -- | 7.3 | 0.3 | 7.46 | -- | -- |
| FIELD BLANK | 2/7/2022 | WV85220207F | 11.42 | 145.1 | 6.67 | 1.7 | 8.9 | 0.62 | -- |
| FIELD BLANK | 5/12/2022 | WV2-220512F | -- | -- | 6.31 | 0.7 | 10.33 | -- | -- |
| FIELD BLANK | 9/13/2022 | WV9-220913F | -- | -- | 5.86 | 1.2 | 18.74 | -- | -- |
| FIELD BLANK | 11/9/2022 | WV37221109F | -- | -- | 7.8 | 2.3 | 3.429 | -- | -- |
| Offsite Domestic Wells | | | | | | | | | |
| DW-85 | 2/7/2022 | WV85220207- | 0.23 | -3.8 | 7.62 | 135.2 | 9.59 | 0.71 | 75 |
| DW-85 | 9/14/2022 | WV85220914- | 2.1 | -205.5 | 8.11 | 133.3 | 11.15 | 0.56 | 60 |
| DW-LS | 2/7/2022 | WVLS220207- | 8.77 | 239.4 | 7 | 248.8 | 9.55 | 1.54 | 90 |
| DW-LS | 9/14/2022 | WVLS220914- | 8.41 | 42.3 | 7.26 | 243 | 12.1 | 1.06 | 60 |
| DW-PA | 2/7/2022 | WVPA220207- | 8.29 | 282.5 | 6.9 | 164.8 | 8.49 | 0.83 | 75 |
| DW-PA | 9/14/2022 | WVPA220914- | 8.67 | 51.8 | 7.11 | 161.7 | 11.37 | 6.24 | 60 |
| Water and Land Resources Division Monitoring Well | | | | | | | | | |
| W-73 | 11/9/2022 | WV73221109- | 0.09 | -130.4 | 7.84 | 181 | 11.4 | 81.9 | 0.9 |

Notes:

-- = parameter is not sampled for

*Insufficient water to collect a sample

¹ MW-37 was installed on 5/18/2022.

**Table H-4
Groundwater - Conventionals**

| Groundwater - Conventionals | | | Alkalinity, Total (as CaCO ₃) | Ammonia as N | Chloride | Nitrate | Specific Conductance (Lab) | Sulfate | Total Dissolved Solids | Total Organic Carbon | Total Solids | Total Suspended Solids |
|-----------------------------|-------------|-------------|--|--------------|----------|---------|----------------------------------|---------|---------------------------|-------------------------|--------------|---------------------------|
| Well # | Sample Date | Sample ID | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (µmhos/cm) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| Channel Cc1 | | | | | | | | | | | | |
| MW-3 | 2/1/2022 | WV3-220201- | 21.3 | 0.002 U | 3.33 | 1.29 | 79.6 | 3.96 | 44.7 | 0.76 T | 49.30 | 1.64 |
| MW-3 | 5/11/2022 | WV3-220511- | 17 | 0.002 U | 1.52 | 0.333 | 56.6 | 4.33 | 42.7 J | 0.59 T | 64.7 J | 3.2 J |
| MW-3 | 9/13/2022 | WV3-220913- | 15.6 | 0.002 U | 1.07 | 0.394 | 51 | 4.02 | 40 | 0.5 U | 41.3 | 0.5 U |
| MW-3* | 11/8/2022 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4* | 2/2/2022 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4* | 5/11/2022 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 9/14/2022 | WV4-220914- | 66.4 | 0.0031 T | 8.63 | 2.87 | 210 | 14.7 | 155 | 0.5 U | 157 | 0.5 U |
| MW-4* | 11/8/2022 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-10 | 1/31/2022 | WV10220131- | 56.5 | 0.002 U | 3.42 | 0.409 | 147 | 9.67 | 90 | 0.5 U | 92 | 0.5 U |
| MW-10 | 5/9/2022 | WV10220509- | 58.2 | 0.002 U | 3.46 | 0.424 | 152 | 10.2 | 104 | 0.5 U | 105 | 0.5 U |
| MW-10 | 9/12/2022 | WV10220912- | 58.8 | 0.002 U | 3.16 | 0.425 | 146 | 9.04 | 107 | 0.5 U | 103 | 0.5 U |
| MW-10 | 11/7/2022 | WV10221107- | 59.4 | 0.002 U | 3.3 | 0.434 | 146 | 9.38 | 104 | 0.52 T | 108 | 1.10 |
| MW-13 | 1/31/2022 | WV13220131- | 62.3 | 0.002 U | 2.7 | 0.298 | 157 | 11.1 | 101 | 0.5 U | 108 | 0.5 U |
| MW-13 | 5/9/2022 | WV13220509- | 62.7 | 0.002 U | 2.89 | 0.264 | 160 | 11.4 | 109 | 0.5 U | 109 | 0.5 U |
| MW-13 | 9/13/2022 | WV13220913- | 63.1 | 0.002 U | 2.62 | 0.315 | 152 | 9.66 | 109 | 0.5 U | 113 | 1 U |
| MW-13 | 11/8/2022 | WV13221107- | 63 | 0.002 U | 2.84 | 0.369 | 149 | 9.01 | 110 | 0.5 U | 111 | 0.51 U |
| Channel Cc2 | | | | | | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 135 | 0.002 U | 2.27 | 1.23 | 304 | 12.9 | 169 | 0.5 U | 175 | 0.5 U |
| MW-2 | 2/3/2022 | WV2-220203D | 136 | 0.002 U | 2.27 | 1.22 | 305 | 12.9 | 165 | 0.5 U | 171 | 0.5 U |
| MW-2 | 5/12/2022 | WV2-220512 | 136 | 0.002 U | 2.19 | 0.856 | 301 | 12.4 | 174 | 0.58 T | 181 | 0.5 U |
| MW-2 | 9/15/2022 | WV2-220915- | 136 | 0.002 U | 2.12 | 0.278 | 289 | 13.2 | 178 | 0.55 T | 176 | 0.5 T |
| MW-2 | 11/9/2022 | WV2-221109- | 141 | 0.002 U | 2.06 | 0.154 | 287 | 11.9 | 179 | 0.84 T | 179 | 0.5 U |
| MW-9 | 2/2/2022 | WV9-220202- | 67.5 | 0.002 U | 4.54 | 0.541 | 178 | 12 | 108 | 0.5 U | 111 | 0.5 U |
| MW-9 | 5/10/2022 | WV9-220510- | 71.4 | 0.002 U | 5.38 | 0.876 | 192 | 12.3 | 127 | 0.5 U | 130 | 0.51 U |
| MW-9 | 9/13/2022 | WV9-220913- | 79.8 | 0.002 U | 4.96 | 0.951 | 205 | 13.7 | 139 | 0.5 U | 145 | 0.5 U |
| MW-9 | 11/8/2022 | WV9-221108- | 78.1 | 0.002 U | 4.94 | 0.735 | 197 | 13.1 | 133 | 0.5 U | 134 | 0.53 U |
| MW-20 | 2/3/2022 | WV20220203- | 70.7 | 0.016 | 3.16 | 0.01 U | 184 | 15 | 113 | 0.5 U | 126 | 0.5 U |
| MW-20 | 5/12/2022 | WV20220512- | 68.5 | 0.0158 | 3.17 | 0.01 U | 182 | 16 | 121 | 0.5 U | 126 | 0.5 U |
| MW-20 | 9/15/2022 | WV20220915- | 71.7 | 0.0187 | 3.36 | 0.01 U | 182 | 15.5 | 129 | 0.5 U | 130 | 0.5 U |
| MW-20 | 9/15/2022 | WV20220915D | 71.9 | 0.0183 | 3.19 | 0.01 U | 182 | 16.2 | 129 | 0.5 U | 131 | 0.5 U |
| MW-20 | 11/9/2022 | WV20221109- | 71 | 0.0157 | 3.15 | 0.01 U | 177 | 15.5 | 128 | 0.5 U | 127 | 0.5 T |
| MW-21 | 2/3/2022 | WV21220203- | 140 | 0.01 T | 1.91 | 0.315 | 305 | 12.5 | 166 | 0.67 T | 172 | 0.82 T |
| MW-21 | 5/12/2022 | WV21220512- | 127 | 0.0077 T | 1.76 | 0.226 | 278 | 12 | 169 | 0.73 T | 192 | 1 |
| MW-21 | 9/15/2022 | WV21220915- | 131 | 0.0088 T | 1.98 | 0.102 | 276 | 12.6 | 174 | 0.68 T | 175 | 0.8 T |
| MW-21 | 11/9/2022 | WV21221109- | 131 | 0.009 T | 1.9 | 0.0987 | 272 | 13 | 174 | 0.83 T | 176 | 2.40 |
| MW-33 | 2/3/2022 | WV33220203- | 316 | 0.0305 | 3.47 | 0.01 U | 616 | 15.9 | 325 | 1.87 | 339 | 8.8 |
| MW-33 | 5/12/2022 | WV33220512- | 328 | 0.0306 | 3.52 | 0.01 U | 634 | 17.1 | 370 | 2.01 | 397 | 2 |
| MW-33 | 9/15/2022 | WV33220915- | 343 | 0.0323 | 4.07 | 0.01 U | 641 | 18.6 | 394 | 1.8 | 391 | 4.9 |
| MW-33 | 11/9/2022 | WV33221109- | 334 | 0.0306 | 3.75 | 0.01 U | 610 | 16.6 | 373 | 2.1 | 394 | 9.1 |
| MW-35 | 2/3/2022 | WV35220203- | 331 | 0.0643 | 3.85 | 0.01 U | 659 | 26 | 401 | 3.76 | 701 | 323 |
| MW-35 | 5/12/2022 | WV35220512- | 306 | 0.0649 | 3.64 | 0.01 U | 618 | 29.2 | 405 | 3.35 | 449 | 84 |
| MW-35 | 9/15/2022 | WV35220915- | 310 | 0.0657 | 3.86 | 0.01 U | 609 | 31.9 | 401 | 3.1 | 491 | 170 |
| MW-35 | 11/9/2022 | WV35221109- | 297 | 0.0635 | 3.32 | 0.01 U | 568 | 29.1 | 371.00 | 3.28 | 425.00 | 89.50 |
| MW-37 ¹ | 6/30/2022 | WV37220630- | 93.2 | 0.0147 | 3 | 0.90 | 209 | 8.18 | 154.00 | 0.53 T | 155.00 | 13.80 |
| MW-37 ¹ | 9/15/2022 | WV37220915- | 90.5 | 0.002 U | 2.99 | 0.90 | 205 | 8.42 | 140.00 | 0.52 T | 148.00 | 11.90 |
| MW-37 ¹ | 11/9/2022 | WV37221109- | 91.4 | 0.002 U | 2.86 | 0.78 | 199 | 7.28 | 137.00 | 0.62 T | 155.00 | 8.30 |

**Table H-4
Groundwater - Conventionals**

| Groundwater - Conventionals | | | Alkalinity, Total (as CaCO ₃) | Ammonia as N | Chloride | Nitrate | Specific Conductance (Lab) | Sulfate | Total Dissolved Solids | Total Organic Carbon | Total Solids | Total Suspended Solids |
|--|-------------|-------------|--|--------------|----------|---------|----------------------------------|---------|---------------------------|-------------------------|--------------|---------------------------|
| Well # | Sample Date | Sample ID | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (µmhos/cm) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| Channel Cc3 | | | | | | | | | | | | |
| MW-8 | 1/31/2022 | WV8-220131- | 55.9 | 0.002 U | 4.15 | 3.53 | 168 | 7.2 | 101 | 0.5 U | 108 | 0.5 U |
| MW-8 | 5/9/2022 | WV8-220509- | 50.6 | 0.002 U | 4.53 | 4.41 | 167 | 6.56 | 121 | 0.5 U | 122 | 0.53 U |
| MW-8 | 9/12/2022 | WV8-220912- | 51.9 | 0.002 U | 4.35 | 4.3 | 158 | 6.45 | 119 | 0.5 U | 122 | 0.5 U |
| MW-8 | 11/7/2022 | WV8-221107- | 52.9 | 0.002 U | 4.33 | 3.83 | 158 | 6.19 | 113 | 0.5 U | 120 | 0.5 U |
| MW-36 | 1/31/2022 | WV36220131- | 68.1 | 0.002 U | 3.08 | 0.021 T | 177 | 14.6 | 115 | 0.5 U | 122 | 1 U |
| MW-36 | 5/10/2022 | WV36220510- | 67.3 | 0.002 U | 3.09 | 0.02 T | 175 | 14.4 | 127 | 0.5 U | 127 | 0.5 U |
| MW-36 | 5/10/2022 | WV36220510D | 67.7 | 0.002 U | 3.02 | 0.019 T | 175 | 13.8 | 123 | 0.5 U | 131 | 0.5 U |
| MW-36 | 9/13/2022 | WV36220913- | 69.8 | 0.002 U | 2.86 | 0.024 T | 175 | 13.8 | 131 | 0.5 U | 131 | 0.53 U |
| MW-36 | 11/8/2022 | WV36221108- | 69.7 | 0.002 U | 2.96 | 0.028 T | 173 | 14 | 132 | 0.5 U | 132 | 0.5 U |
| Unit D Aquifer | | | | | | | | | | | | |
| MW-7 | 2/1/2022 | WV7-220201- | 78.1 | 0.235 | 3.35 | 0.013 T | 189 | 11.3 | 123 | 0.5 U | 123 | 0.9 T |
| MW-7 | 5/10/2022 | WV7-220510- | 76.7 | 0.233 | 3.44 | 0.021 T | 187 | 11 | 132 | 0.5 U | 140 | 3.2 |
| MW-7 | 9/13/2022 | WV7-220913- | 78.6 | 0.233 | 3.12 | 0.018 T | 185 | 10.6 | 134 | 0.5 U | 133 | 2 |
| MW-7 | 11/8/2022 | WV7-221108- | 78.1 | 0.231 | 3.23 | 0.024 T | 183 | 10.8 | 134 | 0.61 T | 148 | 16 |
| MW-12 | 1/31/2022 | WV12220131- | 62 | 0.002 U | 3.13 | 0.696 | 160 | 9.85 | 105 | 0.5 U | 104 | 0.5 U |
| MW-12 | 5/9/2022 | WV12220509- | 62.7 | 0.002 U | 3.25 | 0.674 | 163 | 9.75 | 110 | 0.5 U | 114 | 0.53 U |
| MW-12 | 9/13/2022 | WV12220913- | 63.8 | 0.0039 T | 3 | 0.65 | 159 | 9.94 | 113 | 0.5 U | 115 | 0.51 U |
| MW-12 | 11/8/2022 | WV12221108- | 63.5 | 0.002 U | 3.02 | 0.638 | 157 | 9.69 | 112 | 0.5 U | 115 | 0.53 T |
| MW-19 | 2/2/2022 | WV19220202- | 84.2 | 0.029 | 4.6 | 0.01 U | 216 | 16.6 | 124 | 0.5 U | 133 | 0.5 U |
| MW-19 | 5/10/2022 | WV19220510- | 82.8 | 0.0296 | 4.81 | 0.01 U | 214 | 18.4 | 140 | 0.5 U | 140 | 0.5 U |
| MW-19 | 9/13/2022 | WV19220913- | 85.9 | 0.0321 | 4.58 | 0.01 U | 214 | 16.1 | 143 | 0.5 U | 143 | 0.84 T |
| MW-19 | 11/8/2022 | WV19221108- | 85.5 | 0.0556 | 4.49 | 0.01 U | 212 | 16.8 | 138 | 0.5 U | 142 | 0.5 U |
| MW-19 | 11/8/2022 | WV19221108D | 85.5 | 0.0307 | 4.49 | 0.01 U | 211 | 16.7 | 139 | 0.5 U | 143 | 0.5 U |
| MW-26 | 2/2/2022 | WV26220202- | 76 | 0.245 | 3.72 | 0.025 T | 193 | 13.2 | 124 | 0.5 U | 125 | 3.9 |
| MW-26 | 5/10/2022 | WV26220510- | 74.8 | 0.252 | 3.76 | 0.021 T | 191 | 13.2 | 137 | 0.5 U | 144 | 12.3 |
| MW-26 | 9/13/2022 | WV26220913- | 77.9 | 0.312 | 3.49 | 0.01 U | 191 | 13.3 | 139 | 0.5 U | 143 | 7.5 |
| MW-26 | 11/8/2022 | WV26221108- | 77.7 | 0.255 | 3.62 | 0.02 T | 188 | 13.2 | 138 | 0.58 T | 145 | 4.9 |
| MW-29 | 2/2/2022 | WV29220202- | 98.7 | 0.0024 T | 3.51 | 0.01 U | 238 | 15.9 | 139 | 0.5 U | 166 | 8.1 |
| MW-29 | 5/10/2022 | WV29220510- | 97.2 | 0.0036 T | 3.61 | 0.01 U | 235 | 15.9 | 156 | 0.5 U | 164 | 7.38 |
| MW-29 | 9/15/2022 | WV29220915- | 99.8 | 0.0027 T | 3.47 | 0.01 U | 231 | 14.9 | 149 | 0.5 U | 153 | 4 |
| MW-29 | 11/8/2022 | WV29221108- | 99.6 | 0.0021 T | 3.35 | 0.01 U | 228 | 14.1 | 148 | 0.5 U | 151 | 5.8 |
| MW-34 | 2/1/2022 | WV34220201- | 69.6 | 0.002 U | 4.81 | 1.75 | 196 | 13.1 | 109 | 0.5 U | 121 | 0.5 U |
| MW-34 | 5/9/2022 | WV34220509- | 69.8 | 0.002 U | 5.01 | 1.85 | 199 | 13.7 | 133 | 0.5 U | 136 | 0.5 U |
| MW-34 | 9/12/2022 | WV34220912- | 70.7 | 0.002 U | 5.25 | 2.05 | 193 | 12 | 134 | 0.5 U | 142 | 2.10 |
| MW-34 | 11/7/2022 | WV34221107- | 72.2 | 0.002 U | 4.61 | 2.01 | 193 | 12.1 | 131 | 0.5 U | 134 | 0.5 U |
| Field Blanks | | | | | | | | | | | | |
| FIELD BLANK | 2/1/2022 | WV7-220201F | 1 U | 0.002 U | 0.214 | 0.01 U | 1.6 T | 0.1 U | 10 U | 0.5 U | 10 U | 0.5 U |
| FIELD BLANK | 2/7/2022 | WV85220207F | 1 U | 0.002 U | 0.05 U | 0.01 U | 1.9 T | 0.1 U | 10 U | 0.5 U | 10 U | 0.5 U |
| FIELD BLANK | 5/12/2022 | WV2-220512F | 5.49 | 0.002 U | 0.05 U | 0.01 U | 13.4 | 0.1 U | 10 U | 0.5 U | 10 U | 0.5 U |
| FIELD BLANK | 9/13/2022 | WV9-220913F | 1 U | 0.002 U | 0.05 U | 0.01 U | 1.1 T | 0.1 U | 10 U | 0.5 U | 10 U | 0.5 U |
| FIELD BLANK | 11/9/2022 | WV37221109F | 1 U | 0.002 U | 0.05 U | 0.01 U | 1.5 T | 0.1 U | 10 U | 0.5 U | 10 U | 0.5 U |
| Offsite Domestic Wells | | | | | | | | | | | | |
| DW-85 | 2/7/2022 | WV85220207- | 68.9 | 0.282 | 2.55 | 0.01 U | 151 | 1.86 | 88 | 0.5 U | 94.70 | 0.5 U |
| DW-85 | 9/14/2022 | WV85220914- | 70.5 | 0.269 | 2.8 | 0.01 U | 149 | 1.96 | 107 | 0.5 U | 106 | 0.5 U |
| DW-LS | 2/7/2022 | WVLS220207- | 113 | 0.002 U | 6.63 | 2.17 | 282 | 10.9 | 156 | 0.75 T | 163 | 5.20 |
| DW-LS | 9/14/2022 | WVLS220914- | 113 | 0.0033 T | 6.35 | 2.37 | 276 | 12.4 | 175 | 0.73 T | 181 | 0.7 T |
| DW-PA | 2/7/2022 | WVPA220207- | 67.6 | 0.002 U | 5.23 | 0.805 | 184 | 10.8 | 103 | 0.5 U | 102.00 | 0.5 U |
| DW-PA | 9/14/2022 | WVPA220914- | 68.8 | 0.0061 T | 5.55 | 1 | 181 | 11.2 | 121 | 0.5 U | 124 | 2.40 |
| Water and Land Resources Division Monitoring Well | | | | | | | | | | | | |
| W-73 | 11/9/2022 | WV73221109- | 92.3 | 0.04 | 3.58 | 0.01 U | 201 | 8.39 | 150 | 0.76 T | 252 | 158.00 |

Notes:

- = parameter is not sampled for
- *Insufficient water to collect a sample
- ¹ MW-37 was installed on 5/18/2022.

**Table H-5
Groundwater - Metals (Dissolved & Total)**

| Groundwater - Metals (Dissolved & Total) | | | Antimony, Dissolved (mg/L) | Antimony, Total (mg/L) | Arsenic, Dissolved (ug/L) | Arsenic, Total (ug/L) | Barium, Dissolved (mg/L) | Barium, Total (mg/L) | Beryllium, Dissolved (mg/L) | Beryllium, Total (mg/L) | Cadmium, Dissolved (mg/L) | Cadmium, Total (mg/L) | Calcium, Dissolved (mg/L) | Calcium, Total (mg/L) | Chromium, Dissolved (mg/L) | Chromium, Total (mg/L) | Cobalt, Dissolved (mg/L) | Cobalt, Total (mg/L) | Copper, Dissolved (mg/L) | Copper, Total (mg/L) | Iron, Dissolved (mg/L) | Iron, Total (mg/L) | Lead, Dissolved (mg/L) | Lead, Total (mg/L) | | |
|--|-------------|-------------|----------------------------------|------------------------------|---------------------------------|-----------------------------|--------------------------------|----------------------------|-----------------------------------|-------------------------------|---------------------------------|-----------------------------|---------------------------------|-----------------------------|----------------------------------|------------------------------|--------------------------------|----------------------------|--------------------------------|----------------------------|------------------------------|--------------------------|------------------------------|--------------------------|--|--|
| Well # | Sample Date | Sample ID | Channel Cc1 | | | | | | | | | | | | Channel Cc1 | | | | | | | | | | | |
| MW-3 | 2/1/2022 | WV3-220201- | 0.0003 U | 0.0003 U | 0.05 U | 0.0691 | 0.0183 | 0.018 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 7.3 | 7.4 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.000402 | 0.01 U | 0.0431 | 0.0001 U | 0.00014 | | |
| MW-3 | 5/11/2022 | WV3-220511- | 0.0003 U | 0.0003 U | 0.05 U | 0.171 | 0.0149 | 0.0183 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 5.06 | 5.08 | 0.0002 U | 0.000419 | 5E-05 U | 0.000126 | 0.0002 U | 0.00055 | 0.01 U | 0.237 | 0.0001 U | 0.000334 | | |
| MW-3 | 9/13/2022 | WV3-220913- | 0.0003 U | 0.0003 U | 0.05 U | 0.05 U | 0.0106 | 0.0109 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 4.55 | 4.47 | 0.0002 U | 0.0003 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0003 | 0.01 U | 0.0236 | 0.0001 U | 0.0001 U | | |
| MW-3* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4 | 9/14/2022 | WV4-220914- | 0.0003 U | 0.0003 U | 0.311 | 0.33 | 0.00552 | 0.00586 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 16.6 | 16.5 | 0.0045 | 0.00486 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.0111 | 0.0001 U | 0.0001 U | | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-10 | 1/31/2022 | WV10220131- | 0.0003 U | 0.0003 U | 1.77 | 1.72 | 0.00316 | 0.00322 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 9.8 | 10.4 | 0.0025 | 0.00254 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-10 | 5/9/2022 | WV10220509- | 0.0003 U | 0.0003 U | 1.72 | 1.72 | 0.00331 | 0.00354 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 9.88 | 9.72 | 0.00265 | 0.00259 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-10 | 9/12/2022 | WV10220912- | 0.0003 U | 0.0003 U | 1.7 | 1.72 | 0.00326 | 0.00333 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 10.1 | 10.2 | 0.00273 | 0.00266 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-10 | 11/7/2022 | WV10221107- | 0.0003 U | 0.0003 U | 1.67 | 1.7 | 0.00331 | 0.00407 | 0.0001 U | 0.0001 U | 0.000148 | 0.000288 | 10.2 | 10.1 | 0.00259 | 0.00262 | 5E-05 U | 5E-05 U | 0.000268 | 0.000859 | 0.01 U | 0.062 | 0.0001 U | 0.000135 | | |
| MW-13 | 1/31/2022 | WV13220131- | 0.0003 U | 0.0003 U | 1.94 | 1.96 | 0.00451 | 0.00455 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 9.32 | 9.6 | 0.0015 | 0.00172 | 5E-05 U | 5E-05 U | 0.000265 | 0.000296 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-13 | 5/9/2022 | WV13220509- | 0.0003 U | 0.0003 U | 1.89 | 1.94 | 0.00448 | 0.00474 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 9.15 | 9.49 | 0.00195 | 0.00191 | 5E-05 U | 5E-05 U | 0.000267 | 0.000385 | 0.01 U | 0.0137 | 0.0001 U | 0.0001 U | | |
| MW-13 | 9/13/2022 | WV13220913- | 0.0003 U | 0.0003 U | 2.18 | 2.2 | 0.00604 | 0.00457 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 9.27 | 9.05 | 0.00241 | 0.00264 | 5E-05 U | 5E-05 U | 0.00506 | 0.000254 | 0.0302 | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-13 | 11/8/2022 | WV13221107- | 0.0003 U | 0.0003 U | 2.27 | 2.33 | 0.00431 | 0.00423 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 8.98 | 9.11 | 0.00289 | 0.003 | 5E-05 U | 5E-05 U | 0.000442 | 0.000238 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| | | | Channel Cc2 | | | | | | | | | | | | Channel Cc2 | | | | | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 0.0003 U | 0.0003 U | 0.97 | 1.02 | 0.00642 | 0.00642 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.9 | 20.3 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-2 | 2/3/2022 | WV2-220203D | 0.0003 U | 0.0003 U | 0.989 | 0.991 | 0.00654 | 0.00651 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.6 | 20.4 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-2 | 5/12/2022 | WV2-220512- | 0.0003 U | 0.0003 U | 0.897 | 0.911 | 0.00661 | 0.00617 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 20.3 | 20.7 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.000224 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-2 | 9/15/2022 | WV2-220915- | 0.0003 U | 0.0003 U | 0.913 | 0.886 | 0.00603 | 0.00642 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 20.4 | 20.4 | 0.000432 | 0.000729 | 5E-05 U | 5.08E-05 | 0.0002 U | 0.000236 | 0.012 | 0.0218 | 0.0001 U | 0.0001 U | | |
| MW-2 | 11/9/2022 | WV2-221109- | 0.0003 U | 0.0003 U | 0.876 | 0.889 | 0.00588 | 0.0059 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 20.1 | 20.4 | 0.000285 | 0.0002 U | 5E-05 U | 5E-05 U | 0.00021 | 0.000225 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-9 | 2/2/2022 | WV9-220202- | 0.0003 U | 0.0003 U | 2.44 | 2.4 | 0.00366 | 0.00348 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.4 | 13.6 | 0.00216 | 0.00225 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-9 | 5/10/2022 | WV9-220510- | 0.0003 U | 0.0003 U | 2.34 | 2.31 | 0.00411 | 0.0039 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14.1 | 14.8 | 0.00261 | 0.00263 | 5E-05 U | 5E-05 U | 0.0002 U | 0.000229 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-9 | 9/13/2022 | WV9-220913- | 0.0003 U | 0.0003 U | 2.27 | 2.33 | 0.00418 | 0.00421 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.6 | 16 | 0.0034 | 0.00321 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-9 | 11/8/2022 | WV9-221108- | 0.0003 U | 0.0003 U | 2.27 | 2.28 | 0.00384 | 0.00384 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.1 | 15.2 | 0.00349 | 0.00331 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U | | |
| MW-20 | 2/3/2022 | WV20220203- | 0.0003 U | 0.0003 U | 1.97 | 2.16 | 0.00511 | 0.00531 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.1 | 13.1 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.103 | 0.206 | 0.0001 U | 0.0001 U | | |
| MW-20 | 5/12/2022 | WV20220512- | 0.0003 U | 0.0003 U | 1.98 | 2.2 | 0.00513 | 0.00508 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 12.9 | 13.1 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.101 | 0.209 | 0.0001 U | 0.0001 U | | |
| MW-20 | 9/15/2022 | WV20220915- | 0.0003 U | 0.0003 U | 2.08 | 2.09 | 0.00526 | 0.0056 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13 | 13.1 | 0.000224 | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.152 | 0.18 | 0.0001 U | 0.0001 U | | |
| MW-20 | 9/15/2022 | WV20220915D | 0.0003 U | 0.0003 U | 2.03 | 2.1 | 0.00537 | 0.00571 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 12.9 | 12.8 | 0.0002 U | 0.000296 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.141 | 0.183 | 0.0001 U | 0.0001 U | | |
| MW-20 | 11/9/2022 | WV20221109- | 0.0003 U | 0.0003 U | 2.06 | 2.12 | 0.00493 | 0.0051 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13 | 13.2 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0992 | 0.137 | 0.0001 U | 0.0001 U | | |
| MW-21 | 2/3/2022 | WV21220203- | 0.0003 U | 0.0003 U | 0.94 | 1.49 | 0.00846 | 0.00911 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 21 | 21.4 | 0.0002 U | 0.0002 U | 0.000236 | 0.000277 | 0.0002 U | 0.0002 U | 0.457 | 0.739 | 0.0001 U | 0.0001 U | | |
| MW-21 | 5/12/2022 | WV21220512- | 0.0003 U | 0.0003 U | 1.12 | 1.48 | 0.00637 | 0.00652 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.8 | 20.3 | 0.0002 U | 0.0002 U | 0.000123 | 0.000143 | 0.0002 U | 0.0002 U | 0.168 | 0.36 | 0.0001 U | 0.0001 U | | |
| MW-21 | 9/15/2022 | WV21220915- | 0.0003 U | 0.0003 U | 0.958 | 1.26 | 0.00613 | 0.00677 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 20.4 | 20 | 0.000202 | 0.000361 | 0.000103 | 0.000135 | 0.0002 U | 0.0002 U | 0.102 | 0.299 | 0.0001 U | 0.0001 U | | |
| MW-21 | 11/9/2022 | WV21221109- | 0.0003 U | 0.0003 U | 0.938 | 1.2 | 0.00587 | 0.00618 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.8 | 20.3 | 0.0002 U | 0.0002 U | 0.000104 | 0.000125 | 0.0002 U | 0.0002 U | 0.157 | 0.303 | 0.0001 U | 0.0001 U | | |
| MW-33 | 2/3/2022 | WV33220203- | 0.0003 U | 0.0003 U | 38 | 38.6 | 0.0207 | 0.0207 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 55.2 | 57.2 | 0.000266 | 0.0002 U | 0.000982 | 0.000978 | 0.0002 U | 0.0002 U | 5.47 | 5.42 | 0.0001 U | 0.0001 U | | |
| MW-33 | 5/12/2022 | WV33220512- | 0.0003 U | 0.0003 U | 36.7 | 37.7 | 0.0216 | 0.0213 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 58 | 57.7 | 0.0002 U | 0.000204 | 0.001 | 0.000992 | 0.0002 U | 0.0002 U | 5.61 | 5.72 | 0.0001 U | 0.0001 U | | |
| MW-33 | 9/15/2022 | WV33220915- | 0.0003 U | 0.0003 U | 36.1 | 36.1 | 0.0222 | 0.0235 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 57.8 | 58.4 | 0.000263 | 0.000213 | 0.00104 | 0.00108 | 0.0002 U | 0.0002 U | 5.41 | 5.68 | 0.0001 U | 0.0001 U | | |
| MW-33 | 11/9/2022 | WV33221109- | 0.0003 U | 0.0003 U | 37.9 | 38.6 | 0.0205 | 0.0211 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 56.7 | 56.4 | 0.0002 U | 0.000232 | 0.000992 | 0.000992 | 0.0002 U | 0.0002 U | 5.36 | 5.36 | 0.0001 U | 0.0001 U | | |
| MW-35 | 2/3/2022 | WV35220203- | 0.0003 U | 0.0003 U | 26.8 | 51.8 | 0.0213 | 0.0402 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 61.3 | 67.2 | 0.0002 U | 0.0045 | 0.00182 | 0.00284 | 0.0002 U | 0.00273 | 12.8 | 17.1 | 0.0001 U | 0.000698 | | |
| MW-35 | 5/12/2022 | WV35220512- | 0.0003 U | 0.0003 U | 26.9 | 32.7 | 0.019 | 0.0234 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 56.9 | 60.3 | 0.0002 U | 0.00193 | 0.00181 | 0.00215 | 0.0002 U | 0.000815 | 12.2 | 13.3 | | | | |

**Table H-5
Groundwater - Metals (Dissolved & Total)**

| Groundwater - Metals (Dissolved & Total) | | | Magnesium, Dissolved (mg/L) | Magnesium, Total (mg/L) | Manganese, Dissolved (ug/L) | Manganese, Total (ug/L) | Mercury, Dissolved (mg/L) | Mercury, Total (mg/L) | Nickel, Dissolved (mg/L) | Nickel, Total (mg/L) | Potassium, Dissolved (mg/L) | Potassium, Total (mg/L) | Selenium, Dissolved (mg/L) | Selenium, Total (mg/L) | Silver, Dissolved (mg/L) | Silver, Total (mg/L) | Sodium, Dissolved (mg/L) | Sodium, Total (mg/L) | Thallium, Dissolved (mg/L) | Thallium, Total (mg/L) | Vanadium, Dissolved (mg/L) | Vanadium, Total (mg/L) | Zinc, Dissolved (mg/L) | Zinc, Total (mg/L) | | |
|--|-------------|-------------|-----------------------------|-------------------------|-----------------------------|-------------------------|---------------------------|-----------------------|--------------------------|----------------------|-----------------------------|-------------------------|----------------------------|------------------------|--------------------------|----------------------|--------------------------|----------------------|----------------------------|------------------------|----------------------------|------------------------|------------------------|--------------------|--|--|
| Well # | Sample Date | Sample ID | Channel Cc1 | | | | | | | | | | | | | | | | | | | | | | | |
| MW-3 | 2/1/2022 | WV3-220201- | 2.23 | 2.4 | 1.08 | 3.27 | 5E-05 U | 5E-05 U | 0.000284 D | 0.000545 | 1.5 | 1.59 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 3.23 | 3.42 | 7.5E-05 U | 7.5E-05 U | 0.000243 | 0.000313 | 0.000626 | 0.00101 | | |
| MW-3 | 5/11/2022 | WV3-220511- | 1.87 | 1.92 | 0.54 | 20.9 | 5E-05 DU | 5E-05 DU | 0.000217 | 0.000614 | 1.29 | 1.3 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 2.54 | 2.45 | 7.5E-05 U | 7.5E-05 U | 0.000234 | 0.000771 | 0.00155 | 0.000671 | | |
| MW-3 | 9/13/2022 | WV3-220913- | 1.94 | 1.89 | 0.479 | 1.13 | 5E-05 U | 5E-05 U | 0.000408 | 0.000634 | 1.06 | 1.04 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 1.81 | 1.82 | 7.5E-05 U | 7.5E-05 U | 0.000135 | 0.00011 | 0.000871 | 0.00148 | | |
| MW-3* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4 | 9/14/2022 | WV4-220914- | 11.5 | 11.5 | 0.494 | 4.14 | 5E-05 U | 5E-05 U | 0.000749 | 0.00105 | 1.07 | 1.13 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 7.74 | 8.05 | 7.5E-05 U | 7.5E-05 U | 0.00229 | 0.00266 | 0.00115 | 0.00138 | | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-10 | 1/31/2022 | WV10220131- | 9.4 | 9.29 | 0.1 U | 0.194 | 5E-05 U | 5E-05 U | 0.000317 | 0.000353 | 1.41 | 1.47 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 4.73 | 4.91 | 7.5E-05 U | 7.5E-05 U | 0.00424 | 0.00412 | 0.0005 U | 0.0005 U | | |
| MW-10 | 5/9/2022 | WV10220509- | 9.6 | 8.95 | 0.1 U | 0.247 | 5E-05 U | 5E-05 DU | 0.00031 | 0.00031 | 1.55 | 1.45 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 4.45 | 4.62 | 7.5E-05 U | 7.5E-05 U | 0.00414 | 0.00412 | 0.0005 U | 0.0005 U | | |
| MW-10 | 9/12/2022 | WV10220912- | 9.58 | 9.56 | 0.307 | 0.116 | 5E-05 U | 5E-05 U | 0.000424 | 0.000403 | 1.41 | 1.42 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 4.81 | 4.95 | 7.5E-05 U | 7.5E-05 U | 0.0043 | 0.00422 | 0.00107 | 0.000552 | | |
| MW-10 | 11/7/2022 | WV10221107- | 10.1 | 9.59 | 0.553 | 4.26 | 5E-05 U | 5E-05 U | 0.00029 | 0.000527 | 1.42 | 1.41 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 4.96 | 4.89 | 7.5E-05 U | 7.5E-05 U | 0.00414 | 0.00421 | 0.00244 | 0.0068 | | |
| MW-13 | 1/31/2022 | WV13220131- | 11.1 | 11 | 0.659 | 0.987 | 5E-05 U | 5E-05 U | 0.000941 | 0.000975 | 1.7 | 1.74 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.88 | 5.74 | 7.5E-05 U | 7.5E-05 U | 0.00591 | 0.00591 | 0.0005 U | 0.0005 U | | |
| MW-13 | 5/9/2022 | WV13220509- | 11.5 | 11 | 3.57 | 3.93 | 5E-05 U | 5E-05 DU | 0.00111 | 0.00107 | 1.89 | 1.84 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.31 | 5.83 | 7.5E-05 U | 7.5E-05 U | 0.0057 | 0.00552 | 0.0005 U | 0.0005 U | | |
| MW-13 | 9/13/2022 | WV13220913- | 10.7 | 10.6 | 7.7 | 0.337 | 5E-05 U | 5E-05 U | 0.00108 | 0.00104 | 1.59 | 1.59 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.83 | 5.74 | 7.5E-05 U | 7.5E-05 U | 0.00667 | 0.0065 | 0.00993 | 0.000746 | | |
| MW-13 | 11/8/2022 | WV13221107- | 10.9 | 10.9 | 0.282 | 0.195 | 5E-05 U | 5E-05 U | 0.000863 | 0.00087 | 1.63 | 1.65 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.76 | 5.86 | 7.5E-05 U | 7.5E-05 U | 0.00681 | 0.00696 | 0.0005 U | 0.0005 U | | |
| | | | Channel Cc2 | | | | | | | | | | | | | | | | | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 20.6 | 22.2 | 43.3 | 46.7 | 5E-05 U | 5E-05 U | 0.0027 D | 0.00284 | 2.01 | 2.08 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.1 | 8.37 | 7.5E-05 U | 7.5E-05 U | 0.00393 | 0.00401 | 0.0005 U | 0.0005 U | | |
| MW-2 | 2/3/2022 | WV2-220203D | 21.1 | 22.3 | 44.8 | 46.1 | 5E-05 U | 5E-05 U | 0.00282 D | 0.00286 | 2.01 | 2.05 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.1 | 8.61 | 7.5E-05 U | 7.5E-05 U | 0.00406 | 0.00402 | 0.00113 | 0.0005 U | | |
| MW-2 | 5/12/2022 | WV2-220512- | 22.5 | 19.7 | 33.6 | 47.6 | 5E-05 DU | 5E-05 U | 0.00231 | 0.00223 | 2.16 | 2.12 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.01 | 7.73 | 7.5E-05 U | 7.5E-05 U | 0.00346 | 0.00338 | 0.0005 U | 0.00051 | | |
| MW-2 | 9/15/2022 | WV2-220915- | 21 | 21.5 | 56.1 | 62 | 5E-05 U | 5E-05 U | 0.00321 | 0.00338 | 2.06 | 2.19 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.64 | 8.94 | 7.5E-05 U | 7.5E-05 U | 0.0034 | 0.00375 | 0.00176 | 0.00166 | | |
| MW-2 | 11/9/2022 | WV2-221109- | 21.5 | 21.1 | 55.7 | 67.8 | 5E-05 U | 5E-05 U | 0.0028 | 0.00286 | 2.06 | 2.06 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.75 | 8.59 | 7.5E-05 U | 7.5E-05 U | 0.00314 | 0.00316 | 0.00134 | 0.000931 | | |
| MW-9 | 2/2/2022 | WV9-220202- | 10.2 | 11.1 | 0.1 U | 0.1 U | 5E-05 U | 5E-05 U | 0.000126 D | 0.000164 | 2.01 | 2.09 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.34 | 5.69 | 7.5E-05 U | 7.5E-05 U | 0.0049 | 0.00477 | 0.0005 U | 0.0005 U | | |
| MW-9 | 5/10/2022 | WV9-220510- | 12.1 | 12 | 0.1 U | 0.165 | 5E-05 U | 5E-05 DU | 0.000204 | 0.000223 | 2.26 | 2.28 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.37 | 6.08 | 7.5E-05 U | 7.5E-05 U | 0.00477 D | 0.00471 | 0.0005 U | 0.0005 U | | |
| MW-9 | 9/13/2022 | WV9-220913- | 12.6 | 13.2 | 0.1 U | 0.12 | 5E-05 U | 5E-05 U | 0.000316 | 0.000275 | 2.12 | 2.19 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.22 | 6.37 | 7.5E-05 U | 7.5E-05 U | 0.00488 | 0.00484 | 0.00104 | 0.000593 | | |
| MW-9 | 11/8/2022 | WV9-221108- | 12.3 | 11.9 | 0.1 U | 0.385 | 5E-05 U | 5E-05 U | 0.000169 | 0.000142 | 2.12 | 2.12 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.97 | 5.91 | 7.5E-05 U | 7.5E-05 U | 0.00463 | 0.00462 | 0.0005 U | 0.0005 U | | |
| MW-20 | 2/3/2022 | WV20220203- | 10.9 | 11.5 | 126 | 135 | 5E-05 U | 5E-05 U | 0.000138 D | 0.000194 | 1.99 | 2.03 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.41 | 5.61 | 7.5E-05 U | 7.5E-05 U | 0.000161 | 0.000163 | 0.0005 U | 0.0005 U | | |
| MW-20 | 5/12/2022 | WV20220512- | 11.8 | 10.1 | 133 | 130 | 5E-05 DU | 5E-05 U | 0.00015 | 0.000203 | 2.11 | 2.06 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.1 | 4.99 | 7.5E-05 U | 7.5E-05 U | 0.000172 | 0.000165 | 0.0005 U | 0.0005 U | | |
| MW-20 | 9/15/2022 | WV20220915- | 11.7 | 11.8 | 146 | 152 | 5E-05 U | 5E-05 U | 0.000375 | 0.000377 | 2.04 | 2.21 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.98 | 5.99 | 7.5E-05 U | 7.5E-05 U | 0.000135 | 0.000604 | 0.00128 | 0.00103 | | |
| MW-20 | 9/15/2022 | WV20220915D | 11.5 | 11.3 | 143 | 148 | 5E-05 U | 5E-05 U | 0.000345 | 0.000422 | 2.03 | 2.13 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.92 | 5.74 | 7.5E-05 U | 7.5E-05 U | 0.000126 | 0.000608 | 0.00102 | 0.00107 | | |
| MW-20 | 11/9/2022 | WV20221109- | 11.5 | 11.7 | 130 | 134 | 5E-05 U | 5E-05 U | 0.000165 | 0.000193 | 2 | 2.05 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.79 | 5.71 | 7.5E-05 U | 7.5E-05 U | 0.000125 | 0.000141 | 0.0026 | 0.000558 | | |
| MW-21 | 2/3/2022 | WV21220203- | 20.3 | 21.8 | 361 | 409 | 5E-05 U | 5E-05 U | 0.00172 D | 0.00183 | 2.21 | 2.27 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.48 | 9.84 | 7.5E-05 U | 7.5E-05 U | 0.000704 | 0.00085 | 0.0005 U | 0.0005 U | | |
| MW-21 | 5/12/2022 | WV21220512- | 19.2 | 17.8 | 168 | 175 | 5E-05 DU | 5E-05 U | 0.00114 | 0.00119 | 2.17 | 2.16 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 10.9 | 9.87 | 7.5E-05 U | 7.5E-05 U | 0.000711 | 0.000747 | 0.0005 U | 0.0005 U | | |
| MW-21 | 9/15/2022 | WV21220915- | 19.4 | 18.9 | 158 | 186 | 5E-05 U | 5E-05 U | 0.00104 | 0.00132 | 2.15 | 2.3 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 10.9 | 10.8 | 7.5E-05 U | 7.5E-05 U | 0.000626 | 0.00109 | 0.000684 | 0.00104 | | |
| MW-21 | 11/9/2022 | WV21221109- | 19.6 | 19.3 | 186 | 200 | 5E-05 U | 5E-05 U | 0.000972 | 0.00102 | 2.1 | 2.15 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.83 | 9.86 | 7.5E-05 U | 7.5E-05 U | 0.000655 | 0.000669 | 0.000963 | 0.000509 | | |
| MW-33 | 2/3/2022 | WV33220203- | 41.4 | 43 | 883 | 863 | 5E-05 U | 5E-05 U | 0.00456 D | 0.00462 | 3.02 | 3.14 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 15.5 | 15.8 | 7.5E-05 U | 7.5E-05 U | 0.000664 | 0.00067 | 0.0005 U | 0.0005 U | | |
| MW-33 | 5/12/2022 | WV33220512- | 45.5 | 40.1 | 877 | 867 | 5E-05 DU | 5E-05 U | 0.00517 | 0.00499 | 3.21 | 3.13 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16.6 | 14.6 | 7.5E-05 U | 7.5E-05 U | 0.000663 | 0.000656 | 0.0005 U | 0.0005 U | | |
| MW-33 | 9/15/2022 | WV33220915- | 45.4 | 45.9 | 881 | 893 | 5E-05 U | 5E-05 U | 0.00515 | 0.00536 | 3.09 | 3.33 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16.4 | 16.7 | 7.5E-05 U | 7.5E-05 U | 0.000681 | 0.000813 | 0.00111 | 0.000676 | | |
| MW-33 | 11/9/2022 | WV33221109- | 44.5 | 44.7 | 877 | 877 | 5E-05 U | 5E-05 U | 0.0049 | 0.00494 | 3.08 | 3.06 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16 | 16 | 7.5E-05 U | 7.5E-05 U | 0.000663 | 0.000653 | 0.00106 | 0.000999 | | |
| MW-35 | 2/3/2022 | WV35220203- | 45.3 | 47.2 | 2350 | 2400 | 5E-05 U | 5E-05 U | 0.00302 D | 0.00853 | 3.27 | 3.56 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16.2 | 16.7 | 7.5E-05 U | 7.5E-05 U | 0.000267 | 0.00362 | 0.00167 | 0.0263 | | |
| MW-35 | 5/12/2022 | WV35220512- | 43 | 41.2 | 2290 | 2280 | 5E-05 DU | 5E-05 U | 0.00379 | 0.00552 | 3.28 | 3.3 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16.5 | 15.1 | 7.5E-05 U | 7.5E-05 U | 0.000254 | 0.00121 | 0.00192 | 0.00731 | | |
| MW-35 | 9/15/2022 | WV35220915- | 41.2 | 41.6 | 2190 | 2230 | 5E-05 U | 5E-05 U | 0.00379 | 0.00772 | 3.14 | 3.32 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16.3 | 16.2 | 7.5E-05 U | 7.5E-05 U | 0.000248 | 0.002 | 0.00265 | 0.00965 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

**Table H-5
Groundwater - Metals (Dissolved & Total)**

| Groundwater - Metals (Dissolved & Total) | Antimony, Dissolved (mg/L) | Antimony, Total (mg/L) | Arsenic, Dissolved (ug/L) | Arsenic, Total (ug/L) | Barium, Dissolved (mg/L) | Barium, Total (mg/L) | Beryllium, Dissolved (mg/L) | Beryllium, Total (mg/L) | Cadmium, Dissolved (mg/L) | Cadmium, Total (mg/L) | Calcium, Dissolved (mg/L) | Calcium, Total (mg/L) | Chromium, Dissolved (mg/L) | Chromium, Total (mg/L) | Cobalt, Dissolved (mg/L) | Cobalt, Total (mg/L) | Copper, Dissolved (mg/L) | Copper, Total (mg/L) | Iron, Dissolved (mg/L) | Iron, Total (mg/L) | Lead, Dissolved (mg/L) | Lead, Total (mg/L) | | |
|--|----------------------------|------------------------|---------------------------|-----------------------|--------------------------|----------------------|-----------------------------|-------------------------|---------------------------|-----------------------|---------------------------|-----------------------|----------------------------|------------------------|--------------------------|----------------------|--------------------------|----------------------|------------------------|--------------------|------------------------|--------------------|----------|----------|
| Well # | Sample Date | Sample ID | | | | | | | | | | | | | | | | | | | | | | |
| Channel Cc3 | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-8 | 1/31/2022 | WV8-220131- | 0.0003 U | 0.0003 U | 0.552 | 0.526 | 0.00352 | 0.00365 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 12.4 | 12.5 | 0.00186 | 0.00186 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-8 | 5/9/2022 | WV8-220509- | 0.0003 U | 0.0003 U | 0.528 | 0.532 | 0.00365 | 0.00368 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11 | 11.8 | 0.00164 | 0.00163 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-8 | 9/12/2022 | WV8-220912- | 0.0003 U | 0.0003 U | 0.534 | 0.52 | 0.00354 | 0.00352 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11.4 | 11.5 | 0.00159 | 0.00159 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-8 | 11/7/2022 | WV8-221107- | 0.0003 U | 0.0003 U | 0.535 | 0.535 | 0.00346 | 0.00328 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11.7 | 11.4 | 0.00156 | 0.00171 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-36 | 1/31/2022 | WV36220131- | 0.0003 U | 0.0003 U | 1.83 | 1.79 | 0.00718 | 0.00737 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14 | 14.7 | 0.000558 | 0.000572 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-36 | 5/10/2022 | WV36220510- | 0.0003 U | 0.0003 U | 2.08 | 2.09 | 0.00749 | 0.0073 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.6 | 13.9 | 0.0005 | 0.000484 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-36 | 5/10/2022 | WV36220510D | 0.0003 U | 0.0003 U | 2.05 | 2.11 | 0.00739 | 0.00734 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.4 | 14.3 | 0.000495 | 0.000638 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-36 | 9/13/2022 | WV36220913- | 0.0003 U | 0.0003 U | 1.92 | 1.88 | 0.00724 | 0.00761 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.8 | 14.1 | 0.000606 | 0.000669 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-36 | 11/8/2022 | WV36221108- | 0.0003 U | 0.0003 U | 1.89 | 1.93 | 0.00689 | 0.00704 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14 | 14.1 | 0.000523 | 0.000498 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| Unit D Aquifer | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-7 | 2/1/2022 | WV7-220201- | 0.0003 U | 0.0003 U | 5.06 | 5.52 | 0.0129 | 0.0144 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 16 | 16.3 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0271 | 0.169 | 0.0001 U | 0.0001 U |
| MW-7 | 5/10/2022 | WV7-220510- | 0.0003 U | 0.0003 U | 4.97 | 5.93 | 0.0142 | 0.0173 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.6 | 16 | 0.0002 U | 0.0002 U | 5E-05 U | 9.77E-05 | 0.000637 | 0.0002 U | 0.0344 | 0.38 | 0.00013 | 0.0001 U |
| MW-7 | 9/13/2022 | WV7-220913- | 0.0003 U | 0.0003 U | 4.95 | 5.88 | 0.0127 | 0.0172 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.7 | 16 | 0.000236 | 0.00031 | 5E-05 U | 7.66E-05 | 0.0002 U | 0.0002 U | 0.0201 | 0.373 | 0.0001 U | 0.0001 U |
| MW-7 | 11/8/2022 | WV7-221108- | 0.0003 U | 0.0003 U | 5.01 | 7.31 | 0.0118 | 0.0265 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.8 | 15.9 | 0.0002 U | 0.000267 | 5E-05 U | 0.000324 | 0.0002 U | 0.0002 U | 0.0124 | 0.854 | 0.0001 U | 0.0001 U |
| MW-12 | 1/31/2022 | WV12220131- | 0.0003 U | 0.0003 U | 2.17 | 2.12 | 0.00463 | 0.00459 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 12 | 11.8 | 0.00369 | 0.00363 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-12 | 5/9/2022 | WV12220509- | 0.0003 U | 0.0003 U | 2.13 | 2.18 | 0.00474 | 0.00466 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11.1 | 11.5 | 0.00381 | 0.00371 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-12 | 9/13/2022 | WV12220913- | 0.0003 U | 0.0003 U | 2.09 | 2.18 | 0.00457 | 0.00478 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11.7 | 11.8 | 0.00386 | 0.00364 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0107 | 0.0204 | 0.0001 U | 0.0001 U |
| MW-12 | 11/8/2022 | WV12221108- | 0.0003 U | 0.0003 U | 2.13 | 2.11 | 0.0043 | 0.00432 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 11.8 | 11.5 | 0.00355 | 0.0035 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.0162 | 0.0001 U | 0.0001 U |
| MW-19 | 2/2/2022 | WV19220202- | 0.0003 U | 0.0003 U | 0.983 | 1.06 | 0.0159 | 0.0164 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.1 | 15.7 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.000265 | 0.035 | 0.107 | 0.0001 U | 0.0001 U |
| MW-19 | 5/10/2022 | WV19220510- | 0.0003 U | 0.0003 U | 0.956 | 1.06 | 0.016 | 0.0169 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14.7 | 15.4 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0315 | 0.121 | 0.0001 U | 0.0001 U |
| MW-19 | 9/13/2022 | WV19220913- | 0.0003 U | 0.0003 U | 0.94 | 1.13 | 0.0157 | 0.0173 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.1 | 15.3 | 0.0002 U | 0.000213 | 5E-05 U | 5E-05 U | 0.0002 U | 0.000202 | 0.0459 | 0.228 | 0.0001 U | 0.0001 U |
| MW-19 | 11/8/2022 | WV19221108- | 0.0003 U | 0.0003 U | 0.967 | 1.08 | 0.015 | 0.0158 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15.2 | 15.2 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0527 | 0.168 | 0.0001 U | 0.0001 U |
| MW-19 | 11/8/2022 | WV19221108D | 0.0003 U | 0.0003 U | 0.977 | 1.11 | 0.0148 | 0.0159 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 15 | 15.1 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.0529 | 0.182 | 0.0001 U | 0.0001 U |
| MW-26 | 2/2/2022 | WV26220202- | 0.0003 U | 0.0003 U | 3.12 | 3.34 | 0.00889 | 0.0101 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 17.1 | 17.9 | 0.0002 U | 0.000209 | 5E-05 U | 7.13E-05 | 0.0002 U | 0.0002 U | 0.0928 | 0.461 | 0.0001 U | 0.0001 U |
| MW-26 | 5/10/2022 | WV26220510- | 0.0003 U | 0.0003 U | 3.06 | 3.76 | 0.00924 | 0.0118 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 17.9 | 18.1 | 0.0002 U | 0.000357 | 5E-05 U | 7.71E-05 | 0.0002 U | 0.000246 | 0.103 | 0.915 | 0.0001 U | 0.0001 U |
| MW-26 | 9/13/2022 | WV26220913- | 0.0003 U | 0.0003 U | 3.06 | 3.34 | 0.00902 | 0.00986 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 18 | 17.7 | 0.0002 U | 0.000534 | 5E-05 U | 7.47E-05 | 0.0002 U | 0.000257 | 0.115 | 0.45 | 0.0001 U | 0.0001 U |
| MW-26 | 11/8/2022 | WV26221108- | 0.0003 U | 0.0003 U | 3.06 | 3.48 | 0.00821 | 0.00969 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 17.9 | 17.8 | 0.000234 | 0.000637 | 5E-05 U | 7.18E-05 | 0.0002 U | 0.000679 | 0.111 | 0.625 | 0.0001 U | 0.0001 U |
| MW-29 | 2/2/2022 | WV29220202- | 0.0003 U | 0.0003 U | 3.95 | 8.14 | 0.00983 | 0.0121 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.7 | 21.2 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.666 | 2.42 | 0.0001 U | 0.0001 U |
| MW-29 | 5/10/2022 | WV29220510- | 0.0003 U | 0.0003 U | 4.25 | 13.6 | 0.0101 | 0.0155 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.3 | 20 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.741 | 4.23 | 0.0001 U | 0.0001 U |
| MW-29 | 9/15/2022 | WV29220915- | 0.0003 U | 0.0003 U | 4.24 | 7.07 | 0.0103 | 0.0124 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.8 | 20 | 0.0002 U | 0.000239 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.804 | 1.9 | 0.0001 U | 0.0001 U |
| MW-29 | 11/8/2022 | WV29221108- | 0.0003 U | 0.0003 U | 4.16 | 6.45 | 0.00922 | 0.0105 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 19.8 | 19.6 | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.756 | 1.63 | 0.0001 U | 0.0001 U |
| MW-34 | 2/1/2022 | WV34220201- | 0.0003 U | 0.0003 U | 1.33 | 1.33 | 0.00449 | 0.00458 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.5 | 13.9 | 0.000956 | 0.00105 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-34 | 5/9/2022 | WV34220509- | 0.0003 U | 0.0003 U | 1.33 | 1.37 | 0.00468 | 0.00474 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.6 | 14.2 | 0.000986 | 0.00105 | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| MW-34 | 9/12/2022 | WV34220912- | 0.0003 U | 0.0003 U | 1.33 | 1.4 | 0.00438 | 0.00493 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14 | 13.9 | 0.000979 | 0.00138 | 5E-05 U | 6.91E-05 | 0.0002 U | 0.0002 U | 0.01 U | 0.0909 | 0.0001 U | 0.0001 U |
| MW-34 | 11/7/2022 | WV34221107- | 0.0003 U | 0.0003 U | 1.33 | 1.34 | 0.00425 | 0.00423 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.7 | 13.6 | 0.000867 | 0.000886 | 5E-05 U | 5E-05 U | 0.000227 | 0.000515 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| Field Blanks | | | | | | | | | | | | | | | | | | | | | | | | |
| FIELD BLANK | 2/1/2022 | WV7-220201F | 0.0003 U | 0.0003 U | 0.05 U | 0.05 U | 0.0005 U | 0.0005 U | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 0.05 U | 0.05 U | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.00576 | 0.00582 | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| FIELD BLANK | 2/7/2022 | WV85220207F | 0.0003 U | 0.0003 U | 0.05 U | 0.05 U | 0.0005 U | 0.0005 U | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 0.05 U | 0.05 U | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| FIELD BLANK | 5/12/2022 | WV2-220512F | 0.0003 U | 0.0003 U | 0.05 U | 0.05 U | 0.0005 U | 0.0005 U | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 0.05 U | 0.05 U | 0.0002 U | 0.0002 U | 5E-05 U | 5E-05 U | 0.0002 U | 0.0002 U | 0.01 U | 0.01 U | 0.0001 U | 0.0001 U |
| FIELD BLANK | 9/13/2022 | WV9-220913F | 0.0003 U | 0.0003 U | 0.05 U | 0.05 U | 0.0005 U | 0.0005 U | 0 | | | | | | | | | | | | | | | |

**Table H-5
Groundwater - Metals (Dissolved & Total)**

| Groundwater - Metals (Dissolved & Total) Well # | Sample Date | Sample ID | Magnesium, Dissolved (mg/L) | Magnesium, Total (mg/L) | Manganese, Dissolved (ug/L) | Manganese, Total (ug/L) | Mercury, Dissolved (mg/L) | Mercury, Total (mg/L) | Nickel, Dissolved (mg/L) | Nickel, Total (mg/L) | Potassium, Dissolved (mg/L) | Potassium, Total (mg/L) | Selenium, Dissolved (mg/L) | Selenium, Total (mg/L) | Silver, Dissolved (mg/L) | Silver, Total (mg/L) | Sodium, Dissolved (mg/L) | Sodium, Total (mg/L) | Thallium, Dissolved (mg/L) | Thallium, Total (mg/L) | Vanadium, Dissolved (mg/L) | Vanadium, Total (mg/L) | Zinc, Dissolved (mg/L) | Zinc, Total (mg/L) |
|--|-------------|-------------|-----------------------------------|-------------------------------|-----------------------------------|-------------------------------|---------------------------------|-----------------------------|--------------------------------|----------------------------|-----------------------------------|-------------------------------|----------------------------------|------------------------------|--------------------------------|----------------------------|--------------------------------|----------------------------|----------------------------------|------------------------------|----------------------------------|------------------------------|------------------------------|--------------------------|
| | | | Channel Cc3 | | | | | | | | | | | | | | | | | | | | | |
| MW-8 | 1/31/2022 | WV8-220131- | 9.97 | 9.64 | 0.1 U | 0.1 U | 5E-05 U | 5E-05 U | 0.000621 | 0.00057 | 1.17 | 1.17 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.42 | 6.2 | 7.5E-05 U | 7.5E-05 U | 0.00266 | 0.00255 | 0.0005 U | 0.0005 U |
| MW-8 | 5/9/2022 | WV8-220509- | 9.76 | 9.37 | 0.1 U | 0.1 U | 5E-05 U | 5E-05 DU | 0.000607 | 0.000594 | 1.17 | 1.18 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.64 | 6.06 | 7.5E-05 U | 7.5E-05 U | 0.00254 | 0.00247 | 0.0005 U | 0.0005 U |
| MW-8 | 9/12/2022 | WV8-220912- | 9.14 | 9.17 | 0.418 | 0.1 U | 5E-05 U | 5E-05 U | 0.000646 | 0.000611 | 1.09 | 1.08 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.02 | 6.08 | 7.5E-05 U | 7.5E-05 U | 0.00261 | 0.0025 | 0.000554 | 0.000644 |
| MW-8 | 11/7/2022 | WV8-221107- | 9.23 | 9.32 | 1.38 | 0.1 U | 5E-05 U | 5E-05 U | 0.000468 | 0.000571 | 1.09 | 1.11 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.99 | 6.04 | 7.5E-05 U | 7.5E-05 U | 0.00256 | 0.00252 | 0.00269 | 0.00059 |
| MW-36 | 1/31/2022 | WV36220131- | 9.48 | 9.56 | 0.481 | 1.33 | 5E-05 U | 5E-05 U | 0.0001 U | 0.0001 U | 2.67 | 2.76 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.05 | 6.1 | 7.5E-05 U | 7.5E-05 U | 0.00193 | 0.00199 | 0.0005 U | 0.0005 U |
| MW-36 | 5/10/2022 | WV36220510- | 9.84 | 9.49 | 0.46 | 0.725 | 5E-05 U | 5E-05 DU | 0.000102 | 0.0001 U | 2.81 | 2.75 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.57 | 5.99 | 7.5E-05 U | 7.5E-05 U | 0.00188 D | 0.00184 | 0.0005 U | 0.0005 U |
| MW-36 | 5/10/2022 | WV36220510D | 10.1 | 9.81 | 0.465 | 0.736 | 5E-05 U | 5E-05 DU | 0.0001 U | 0.000101 | 2.8 | 2.89 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.63 | 6.3 | 7.5E-05 U | 7.5E-05 U | 0.00185 D | 0.0019 | 0.0005 U | 0.0005 U |
| MW-36 | 9/13/2022 | WV36220913- | 9.75 | 9.57 | 0.354 | 1.03 | 5E-05 U | 5E-05 U | 0.000165 | 0.000227 | 2.62 | 2.63 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.34 | 6.19 | 7.5E-05 U | 7.5E-05 U | 0.00192 | 0.00194 | 0.000856 | 0.000751 |
| MW-36 | 11/8/2022 | WV36221108- | 9.65 | 9.5 | 0.254 | 0.631 | 5E-05 U | 5E-05 U | 0.0001 U | 0.0001 U | 2.65 | 2.68 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.11 | 6.07 | 7.5E-05 U | 7.5E-05 U | 0.00188 | 0.00181 | 0.0005 U | 0.0005 U |
| Unit D Aquifer | | | | | | | | | | | | | | | | | | | | | | | Unit D Aquifer | |
| MW-7 | 2/1/2022 | WV7-220201- | 9.69 | 10.2 | 140 | 205 | 5E-05 U | 5E-05 U | 0.0001 DU | 0.0001 U | 2.69 | 2.78 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.87 | 6.08 | 7.5E-05 U | 7.5E-05 U | 0.000169 | 0.000168 | 0.0005 U | 0.000667 |
| MW-7 | 5/10/2022 | WV7-220510- | 10.2 | 10 | 126 | 306 | 5E-05 DU | 5E-05 DU | 0.000162 | 0.000275 | 2.76 | 2.83 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.12 | 6.15 | 7.5E-05 U | 7.5E-05 U | 0.000209 | 0.000286 | 0.00314 | 0.00398 |
| MW-7 | 9/13/2022 | WV7-220913- | 9.89 | 10 | 145 | 305 | 5E-05 U | 5E-05 U | 0.000353 | 0.00057 | 2.63 | 2.67 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.19 | 6.08 | 7.5E-05 U | 7.5E-05 U | 0.000175 | 0.000165 | 0.00116 | 0.00263 |
| MW-7 | 11/8/2022 | WV7-221108- | 9.95 | 9.86 | 110 | 849 | 5E-05 U | 5E-05 U | 0.000164 | 0.00034 | 2.69 | 2.69 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.04 | 5.89 | 7.5E-05 U | 7.5E-05 U | 0.000146 | 0.000244 | 0.000845 | 0.00353 |
| MW-12 | 1/31/2022 | WV12220131- | 9.99 | 9.47 | 0.1 U | 0.141 | 5E-05 U | 5E-05 U | 0.000254 | 0.00024 | 1.85 | 1.81 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.91 | 5.58 | 7.5E-05 U | 7.5E-05 U | 0.00556 | 0.00507 | 0.0005 U | 0.0005 U |
| MW-12 | 5/9/2022 | WV12220509- | 9.68 | 9.21 | 0.1 U | 0.125 | 5E-05 U | 5E-05 DU | 0.000201 | 0.000227 | 1.91 | 1.87 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.35 | 5.42 | 7.5E-05 U | 7.5E-05 U | 0.00508 | 0.00492 | 0.0005 U | 0.0005 U |
| MW-12 | 9/13/2022 | WV12220913- | 9.9 | 9.65 | 2.4 | 2.75 | 5E-05 U | 5E-05 U | 0.000333 | 0.000354 | 1.81 | 1.78 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.85 | 5.82 | 7.5E-05 U | 7.5E-05 U | 0.00531 | 0.00534 | 0.000704 | 0.00145 |
| MW-12 | 11/8/2022 | WV12221108- | 9.6 | 9.41 | 0.586 | 0.872 | 5E-05 U | 5E-05 U | 0.000169 | 0.000226 | 1.79 | 1.76 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.62 | 5.41 | 7.5E-05 U | 7.5E-05 U | 0.00511 | 0.00498 | 0.0005 U | 0.0005 U |
| MW-19 | 2/2/2022 | WV19220202- | 13.6 | 14.6 | 491 | 517 | 5E-05 U | 5E-05 U | 0.0001 DU | 0.000135 | 2.34 | 2.43 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.4 | 6.63 | 7.5E-05 U | 7.5E-05 U | 0.000103 | 0.00012 | 0.0005 U | 0.0005 U |
| MW-19 | 5/10/2022 | WV19220510- | 14.7 | 14.4 | 465 | 487 | 5E-05 U | 5E-05 DU | 0.0001 U | 0.000101 | 2.54 | 2.59 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.07 | 6.85 | 7.5E-05 U | 7.5E-05 U | 7.5E-05 DU | 0.000172 | 0.0005 U | 0.0005 U |
| MW-19 | 9/13/2022 | WV19220913- | 14.2 | 13.8 | 487 | 526 | 5E-05 U | 5E-05 U | 0.000239 | 0.000388 | 2.32 | 2.31 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.91 | 6.67 | 7.5E-05 U | 7.5E-05 U | 0.000143 | 9.69E-05 | 0.000725 | 0.00178 |
| MW-19 | 11/8/2022 | WV19221108- | 14.1 | 13.9 | 492 | 507 | 5E-05 U | 5E-05 U | 0.00012 | 0.000147 | 2.37 | 2.39 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.69 | 6.49 | 7.5E-05 U | 7.5E-05 U | 8.24E-05 | 8.45E-05 | 0.000705 | 0.000887 |
| MW-19 | 11/8/2022 | WV19221108D | 13.8 | 13.7 | 487 | 497 | 5E-05 U | 5E-05 U | 0.0001 U | 0.000165 | 2.32 | 2.37 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.62 | 6.5 | 7.5E-05 U | 7.5E-05 U | 8.89E-05 | 8.64E-05 | 0.000568 | 0.00108 |
| MW-26 | 2/2/2022 | WV26220202- | 6.89 | 7.53 | 58.9 | 69.3 | 5E-05 U | 5E-05 U | 0.000154 D | 0.000375 | 2.92 | 3.14 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.59 | 9.02 | 7.5E-05 U | 7.5E-05 U | 0.000111 | 0.000245 | 0.0005 U | 0.00355 |
| MW-26 | 5/10/2022 | WV26220510- | 7.32 | 7.48 | 62.1 | 68.4 | 5E-05 DU | 5E-05 DU | 0.000139 | 0.000357 | 3.24 | 3.18 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.27 | 9.29 | 7.5E-05 U | 7.5E-05 U | 0.00014 | 0.00037 | 0.000501 | 0.0126 |
| MW-26 | 9/13/2022 | WV26220913- | 7.21 | 7.27 | 63.7 | 67.4 | 5E-05 U | 5E-05 U | 0.00038 | 0.000615 | 2.98 | 2.97 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.4 | 9.59 | 7.5E-05 U | 7.5E-05 U | 0.000166 | 0.000271 | 0.00147 | 0.0127 |
| MW-26 | 11/8/2022 | WV26221108- | 7.31 | 7.21 | 58.4 | 73.3 | 5E-05 U | 5E-05 U | 0.000262 | 0.000626 | 3.02 | 3.03 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 9.69 | 9.38 | 7.5E-05 U | 7.5E-05 U | 0.000108 | 0.000221 | 0.00104 | 0.011 |
| MW-29 | 2/2/2022 | WV29220202- | 13.7 | 15.1 | 81.9 | 104 | 5E-05 U | 5E-05 U | 0.00011 D | 0.000236 | 2.07 | 2.21 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.04 | 6.59 | 7.5E-05 U | 7.5E-05 U | 7.5E-05 U | 0.000171 | 0.0005 U | 0.000668 |
| MW-29 | 5/10/2022 | WV29220510- | 14.5 | 13.9 | 99.3 | 186 | 5E-05 DU | 5E-05 DU | 0.000134 | 0.000233 | 2.16 | 2.18 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.45 | 6.16 | 7.5E-05 U | 7.5E-05 U | 9.46E-05 | 0.000257 | 0.0005 U | 0.000951 |
| MW-29 | 9/15/2022 | WV29220915- | 14.2 | 14.3 | 88.9 | 99.4 | 5E-05 U | 5E-05 U | 0.000119 | 0.000303 | 2.13 | 2.27 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.34 | 6.45 | 7.5E-05 U | 7.5E-05 U | 8.01E-05 | 0.000574 | 0.0005 U | 0.000928 |
| MW-29 | 11/8/2022 | WV29221108- | 14.3 | 14 | 86.4 | 88.8 | 5E-05 U | 5E-05 U | 0.000188 | 0.0001 U | 2.1 | 2.12 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.43 | 6.35 | 7.5E-05 U | 7.5E-05 U | 7.77E-05 | 7.77E-05 | 0.000897 | 0.0005 U |
| MW-34 | 2/1/2022 | WV34220201- | 11.9 | 12.4 | 0.1 U | 0.169 | 5E-05 U | 5E-05 U | 0.00124 D | 0.00123 | 1.46 | 1.51 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.18 | 6.57 | 7.5E-05 U | 7.5E-05 U | 0.00277 | 0.00272 | 0.0005 U | 0.0005 U |
| MW-34 | 5/9/2022 | WV34220509- | 12.7 | 12.3 | 0.1 U | 0.167 | 5E-05 U | 5E-05 DU | 0.00133 | 0.00132 | 1.63 | 1.64 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.81 | 6.53 | 7.5E-05 U | 7.5E-05 U | 0.00279 | 0.00271 | 0.0005 U | 0.0005 U |
| MW-34 | 9/12/2022 | WV34220912- | 12.1 | 12.3 | 0.193 | 2.92 | 5E-05 U | 5E-05 U | 0.00143 | 0.00192 | 1.48 | 1.49 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.55 | 6.52 | 7.5E-05 U | 7.5E-05 U | 0.0028 | 0.00291 | 0.000845 | 0.00274 |
| MW-34 | 11/7/2022 | WV34221107- | 12.2 | 12.2 | 0.1 U | 0.283 | 5E-05 U | 5E-05 U | 0.00115 | 0.00122 | 1.49 | 1.47 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.54 | 6.38 | 7.5E-05 U | 7.5E-05 U | 0.00269 | 0.00266 | 0.0005 U | 0.0005 U |
| Field Blanks | | | | | | | | | | | | | | | | | | | | | | | Field Blanks | |
| FIELD BLANK | 2/1/2022 | WV7-220201F | 0.05 U | 0.05 U | 0.1 U | 0.1 U | 5E-05 U | 5E-05 U | 0.0001 DU | 0.0001 U | 0.1 U | 0.1 U | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 0.1 U | 0.1 U | 7.5E-05 U | 7.5E-05 U | 7.5E-05 U | 7.5E-05 U | 0.000822 | 0.00111 |
| FIELD BLANK | 2/7/2022 | WV85220207F | 0.05 U | 0.05 U | 0.1 U | 0.1 U | 5E-05 U | 5E-05 U | 0.0001 U | 0.0001 U | 0.1 U | 0.1 U | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 0.1 U | 0.1 U | 7.5E-05 U | 7.5E-05 U | 0.00021 | 0.000188 | 0.0005 U | 0.0005 U |
| FIELD BLANK | 5/12/2022 | WV2-220512F | 0.05 U | 0.05 U | 0.1 U | 0.1 U | 5E-05 DU | 5E-05 U | 0.0001 U | 0.0001 U | 0.1 U | 0.1 U | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 0.1 U | 0.1 U | 7.5E-05 U | 7.5E-05 U | 0.000101 | 7.61E-05 | 0.0005 U | 0.0005 U |
| FIELD BLANK | 9/13/2022 | WV9-220913F | 0.05 U | 0.05 U | 0.1 U | 0.1 U | 5E-05 U | 5E-05 U | 0.000142 | 0.000145 | 0.1 U | 0.1 U | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 0.1 U | 0.1 U | 7.5E-05 U | 7.5E-05 U | 9.11E-05 | 7.5E-05 U | 0.000783 | 0.000856 |
| FIELD BLANK | 11/9/2022 | WV37221109F | 0.05 U | 0.05 U | 0.172 | 0.1 U | 5E-05 U | 5E-05 U | 0.000129 | 0.0001 U | 0.1 U | 0.1 U | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 0.1 U | 0.1 U | 7.5E-05 U | 7.5E-05 U | 7.5E-05 U | 7.5E-05 U | 0.00102 | 0.000794 |
| Offsite Domestic Wells | | | | | | | | | | | | | | | | | | | | | | | Offsite Domestic Wells | |
| DW-85 | 2/7/2022 | WV85220207- | 6.6 | 6.54 | 52.9 | 54.3 | 5E-05 U | 5E-05 U | 0.0001 U | 0.0001 U | 2.68 | 2.65 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.92 | 5.73 | 7.5E-05 U | 7.5E-05 U | 0.000252 | 0.000274 | 0.0005 U | 0.0005 U |
| DW-85 | 9/14/2022 | WV85220914- | 6.43 | 6.6 | 52 | 54.6 | 5E-05 U | 5E-05 U | 0.000224 | 0.000227 | 2.48 | 2.69 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 5.73 | 5.92 | 7.5E-05 U | 7.5E-05 U | 0.000132 | 0.00049 | 0.00126 | 0.00504 |
| DW-LS | 2/7/2022 | WVLS220207- | 17.4 | 17.5 | 2.59 | 7.82 | 5E-05 U | 5E-05 U | 0.00041 | 0.000499 | 1.79 | | | | | | | | | | | | | |

**Table H-6
Groundwater - Volatile Organic Compounds**

| Groundwater - Volatile Organic Compounds | | | Chloro- benzene | Chloro- dibromo- methane | Chloro- ethane | Chloroform | Chloro- methane | Cis-1-2- Dichloro- ethene | Cis-1,3- Dichloro- propene | Dibromo- methane | Dichloro- difluoro- methane | Ethyl- benzene | M & P Xylene | Methyl Iodide | Methylene Chloride | O-Xylene | Styrene | Tetra- chloroethene | Toluene | Trans-1-2- Dichloro-ethene | Trans-1-3- Dichloro- propene | Trans-1-4- Dichloro-2- Butene | Trichloro- ethene | Trichloro- fluoro-methane | Vinyl Acetate | Vinyl Chloride | | |
|--|-------------|-------------|--------------------|--------------------------------|-------------------|------------|--------------------|---------------------------------|----------------------------------|---------------------|-----------------------------------|-------------------|-----------------|------------------|-----------------------|----------|----------|------------------------|----------|-------------------------------|------------------------------------|-------------------------------------|----------------------|------------------------------|------------------|-------------------|-----------|--|
| CAS # | | | 108-90-7 | 124-48-1 | 75-00-3 | 67-66-3 | 74-87-3 | 156-59-2 | 10061-01-5 | 74-95-3 | 75-71-8 | 100-41-4 | MPX | 74-88-4 | 75-09-2 | 95-47-6 | 100-42-5 | 127-18-4 | 108-88-3 | 156-60-5 | 10061-02-6 | 110-57-6 | 79-01-6 | 75-69-4 | 108-05-4 | 75-01-4 | | |
| Well # | Sample Date | Sample ID | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | |
| Channel Cc1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-3 | 2/1/2022 | WV3-220201- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.166 JT | 0.1 U | 0.01 U | |
| MW-3 | 5/11/2022 | WV3-220511- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-3 | 9/13/2022 | WV3-220913- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-3* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-4 | 9/14/2022 | WV4-220914- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 1.14 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-4* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-10 | 1/31/2022 | WV10220131- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-10 | 5/9/2022 | WV10220509- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-10 | 9/12/2022 | WV10220912- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-10 | 11/7/2022 | WV10221107- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-13 | 1/31/2022 | WV13220131- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-13 | 5/9/2022 | WV13220509- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-13 | 9/13/2022 | WV13220913- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-13 | 11/8/2022 | WV13221107- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| Channel Cc2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.139 JT | 0.25 U | 0.1 U | 2.86 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 2.45 | 0.1 U | 0.0135 JT | |
| MW-2 | 2/3/2022 | WV2-220203D | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.131 JT | 0.25 U | 0.1 U | 2.78 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 2.36 | 0.1 U | 0.0136 JT | |
| MW-2 | 5/12/2022 | WV2-220512- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.221 | 0.25 U | 0.1 U | 3.24 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 1.97 | 0.1 U | 0.01 U | | |
| MW-2 | 9/15/2022 | WV2-220915- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.246 | 0.25 U | 0.1 U | 2.16 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.783 | 0.1 U | 0.0474 D | | |
| MW-2 | 11/9/2022 | WV2-221109- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.331 | 0.25 U | 0.1 U | 1.59 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.733 | 0.1 U | 0.0235 D | | |
| MW-9 | 2/2/2022 | WV9-220202- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-9 | 5/10/2022 | WV9-220510- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-9 | 9/13/2022 | WV9-220913- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-9 | 11/8/2022 | WV9-221108- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-20 | 2/3/2022 | WV20220203- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.217 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-20 | 5/12/2022 | WV20220512- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| MW-20 | 9/15/2022 | WV20220915- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-20 | 9/15/2022 | WV20220915D | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-20 | 11/9/2022 | WV20221109- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| MW-21 | 2/3/2022 | WV21220203- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.56 | 0.25 U | 0.1 U | 2.2 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 1.6 | 0.1 U | 0.0687 | |
| MW-21 | 5/12/2022 | WV21220512- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.538 | 0.25 U | 0.1 U | 1.66 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 1.16 | 0.1 U | 0.0375 | |
| MW-21 | 9/15/2022 | WV21220915- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.478 | 0.25 U | 0.1 U | 1.27 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.519 | 0.1 U | 0.0368 D | |
| MW-21 | 11/9/2022 | WV21221109- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.463 | 0.25 U | 0.1 U | 1.28 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.619 | 0.1 U | 0.0388 D | |
| MW-33 | 2/3/2022 | WV33220203- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 32.5 | 0.25 U | 0.1 U | 4.4 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1.05 | 0.5 U | 5 U | 0.192 JT | 0.1 U | 0.1 U | 21.9 | |
| MW-33 | 5/12/2022 | WV33220512- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 23.3 | 0.25 U | 0.1 U | 2.91 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.469 | 0.5 U | 5 U | 0.147 JT | 0.1 U | 0.1 U | 11.4 | |
| MW-33 | 9/15/2022 | WV33220915- | 0.1 U | 0.5 U | 0.196 JT | 0.1 U | 0.25 U | 22.8 | 0.25 U | 0.1 U | 4.19 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.764 | 0.5 U | 5 U | 0.146 JT | 0.1 U | 0.1 U | 21.8 D | |
| MW-33 | 11/9/2022 | WV33221109- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 25.1 | 0.25 U | 0.1 U | 3.52 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.764 | 0.5 U | 5 U | 0.167 JT | 0.1 U | 0.1 U | 21.1 D | |
| MW-35 | 2/3/2022 | WV35220203- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 3.22 | 0.25 U | 0.1 U | 0.909 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.257 | 0.5 U | 5 U | 1.29 | 0.1 U | 0.1 U | 6.66 | |
| MW-35 | 5/12/2022 | WV35220512- | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 3.22 | 0.25 U | 0.1 U | 0.752 | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.239 | 0. | | | | | | |

Table H-6
Groundwater - Volatile Organic Compounds

| Groundwater - Volatile Organic Compounds | | | 1,1,1,2-Tetrachloro-ethane | 1,1,1-Trichloro-ethane | 1,1,2,2-Tetrachloro-ethane | 1,1,2-Trichloro-ethane | 1,1-Dichloro-ethane | 1,1-Dichloro-ethene | 1,2,3-Trichloro-propane | 1,2-Dibromo-3-Chloropropane | 1,2-Dibromo-ethane | 1,2-Dichloro-benzene | 1,2-Dichloro-ethane | 1,2-Dichloro-propane | 1,4-Dichloro-benzene | 2-Butanone | 2-Hexanone | 4-Methyl-2-Pentanone | Acetone | Acrylonitrile | Benzene | Bromochloro-methane | Bromo-dichloro-methane | Bromoform | Bromo-methane | Carbon Disulfide | Carbon Tetra-chloride | | |
|--|-------------|-------------|----------------------------|------------------------|----------------------------|------------------------|---------------------|---------------------|-------------------------|-----------------------------|--------------------|----------------------|---------------------|----------------------|----------------------|------------|------------|----------------------|---------|---------------|---------|---------------------|------------------------|-----------|---------------|------------------|-----------------------|--------|--|
| CAS # | Sample Date | Sample ID | 630-20-6 | 71-55-6 | 79-34-5 | 79-00-5 | 75-34-3 | 75-35-4 | 96-18-4 | 96-12-8 | 106-93-4 | 95-50-1 | 107-06-2 | 78-87-5 | 106-46-7 | 78-93-3 | 591-78-6 | 108-10-1 | 67-64-1 | 107-13-1 | 71-43-2 | 74-97-5 | 75-27-4 | 75-25-2 | 74-83-9 | 75-15-0 | 56-23-5 | | |
| Well # | Sample Date | Sample ID | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | |
| Channel Cc3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-8 | 1/31/2022 | WV8-220131- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-8 | 5/9/2022 | WV8-220509- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-8 | 9/12/2022 | WV8-220912- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-8 | 11/7/2022 | WV8-221107- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-36 | 1/31/2022 | WV36220131- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-36 | 5/10/2022 | WV36220510- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-36 | 5/10/2022 | WV36220510D | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-36 | 9/13/2022 | WV36220913- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-36 | 11/8/2022 | WV36221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| Unit D Aquifer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-7 | 2/1/2022 | WV7-220201- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-7 | 5/10/2022 | WV7-220510- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-7 | 9/13/2022 | WV7-220913- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-7 | 11/8/2022 | WV7-221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-12 | 1/31/2022 | WV12220131- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-12 | 5/9/2022 | WV12220509- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-12 | 9/13/2022 | WV12220913- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-12 | 11/8/2022 | WV12221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-19 | 2/2/2022 | WV19220202- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-19 | 5/10/2022 | WV19220510- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-19 | 9/13/2022 | WV19220913- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-19 | 11/8/2022 | WV19221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-19 | 11/8/2022 | WV19221108D | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-26 | 2/2/2022 | WV26220202- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-26 | 5/10/2022 | WV26220510- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-26 | 9/13/2022 | WV26220913- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-26 | 11/8/2022 | WV26221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-29 | 2/2/2022 | WV29220202- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-29 | 5/10/2022 | WV29220510- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-29 | 9/15/2022 | WV29220915- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-29 | 11/8/2022 | WV29221108- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-34 | 2/1/2022 | WV34220201- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-34 | 5/9/2022 | WV34220509- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-34 | 9/12/2022 | WV34220912- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| MW-34 | 11/7/2022 | WV34221107- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| Field Blank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FIELD BLANK | 2/1/2022 | WV7-220201F | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| FIELD BLANK | 2/7/2022 | WV85220207F | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.41 JT | 0.5 U | 2.5 U | 7.66 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| FIELD BLANK | 5/12/2022 | WV2-220512F | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| FIELD BLANK | 9/13/2022 | WV9-220913F | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 8.01 | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.114 JT | 0.25 U | | |
| FIELD BLANK | 11/9/2022 | WV37221109F | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| Offsite Domestic Wells | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DW-85 | 2/7/2022 | WV85220207- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | | |
| DW-85 | 9/14/2022 | WV85220914- | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | | | | | | | | | |

**Table H-7
Groundwater - Volatile Organic Compounds Trip Blanks**

| Groundwater - Volatile Organic Compounds Trip Blanks | | | 1,1,1,2-Tetrachloroethane | 1,1,1-Trichloroethane | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2,3-Trichloropropane | 1,2-Dibromo-3-Chloropropane | 1,2-Dibromoethane | 1,2-Dichlorobenzene | 1,2-Dichloroethane | 1,2-Dichloropropane | 1,4-Dichlorobenzene | 2-Butanone | 2-Hexanone | 2-Methyl-1-Propanol | 4-Methyl-2-Pentanone | Acetone | Acrylonitrile | Benzene | Bromochloromethane | Bromodichloromethane | Bromoform | Bromoethane | Carbon Disulfide | |
|--|-----------|--------------|---------------------------|-----------------------|---------------------------|-----------------------|--------------------|--------------------|------------------------|-----------------------------|-------------------|---------------------|--------------------|---------------------|---------------------|------------|------------|---------------------|----------------------|---------|---------------|---------|--------------------|----------------------|-----------|-------------|------------------|--------|
| CAS # | Site ID | Sample Date | Sample ID | 630-20-6 | 71-55-6 | 79-34-5 | 79-00-5 | 75-34-3 | 75-35-4 | 96-18-4 | 96-12-8 | 107-93-4 | 107-06-2 | 78-87-5 | 106-46-7 | 78-93-3 | 591-78-6 | 78-83-1 | 108-10-1 | 67-64-1 | 107-13-1 | 71-43-2 | 74-97-5 | 75-27-4 | 75-25-2 | 74-83-9 | 75-15-0 | |
| | | | | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) |
| VOA TRIP BLANK | 1/27/2022 | VTRP220131Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 1/31/2022 | VTRP220131X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 1/31/2022 | VTRP220201X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 1/31/2022 | VTRP220201Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/1/2022 | VTRP220202X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/1/2022 | VTRP220202Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/2/2022 | VTRP220207Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220203X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 12.5 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220203Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 12 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220203Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 11.9 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/6/2022 | VTRP220509Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/6/2022 | VTRP220509Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/9/2022 | VTRP220510Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/9/2022 | VTRP220510Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/11/2022 | VTRP220512Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 5/11/2022 | VTRP220512Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 6/29/2022 | VTRP220630Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/9/2022 | VTRP220912Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/12/2022 | VTRP220913X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/12/2022 | VTRP220913Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/12/2022 | VTRP220913Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220914Y3 | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220914Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220915Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/14/2022 | VTRP220915X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/14/2022 | VTRP220915Y2 | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 9/14/2022 | VTRP220915Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/1/2022 | VTRP221109Z2 | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/3/2022 | VTRP221107X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/3/2022 | VTRP221107Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/3/2022 | VTRP221108Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/7/2022 | VTRP221108X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/7/2022 | VTRP221108Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/8/2022 | VTRP221109X | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | -- | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/8/2022 | VTRP221109Y | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |
| VOA TRIP BLANK | 11/8/2022 | VTRP221109Z | | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | |

Notes:

-- = parameter is not sampled for

**Table H-8
Groundwater - Quarterly Appendix III Analytes for Channel Cc2 Wells**

| Groundwater - Quarterly Appendix III Analytes for Channel Cc2 Wells | | | 2,4,5-TP Silvex | 2-Methyl-1-Propanol | Bis(2-chloroethyl) Ether | Bis(2-ethylhexyl) Phthalate | Diethyl Phthalate |
|--|-------------|--------------------|-------------------|---------------------|-----------------------------|--------------------------------|-------------------|
| Well # | Sample Date | CAS # Sample ID | 93-72-1 (µg/L) | 78-83-1 (µg/L) | 111-44-4 (µg/L) | 117-81-7 (µg/L) | 84-66-2 (µg/L) |
| Channel Cc2 | | | | | | | |
| MW-2 | 2/3/2022 | WV2-220203- | 0.0101 U | 2 U | 0.236 U | 0.472 U | 0.472 U |
| MW-2 | 2/3/2022 | WV2-220203D | 0.0101 U | 2 U | 0.236 U | 0.472 U | 0.472 U |
| MW-2 | 5/12/2022 | WV2-220512- | 0.0102 U | 2 U | 0.266 U | 0.532 U | 0.532 U |
| MW-2 | 9/15/2022 | WV2-220915- | 0.00952 U | 2 U | 0.238 U | 0.476 U | 0.476 U |
| MW-2 | 11/9/2022 | WV2-221109- | 0.0112 U | 2 U | 0.25 U | 19.1 L | 0.5 U |
| MW-20 | 2/3/2022 | WV20220203- | 0.0116 U | 2 U | 0.278 U | 0.556 U | 0.556 U |
| MW-20 | 5/12/2022 | WV20220512- | 0.0104 U | 2 U | 0.253 U | 4.27 J | 0.505 U |
| MW-20 | 9/15/2022 | WV20220915- | 0.01 U | 2 U | 0.248 U | 1.04 | 0.495 U |
| MW-20 | 9/15/2022 | WV20220915D | 0.0098 U | 2 U | 0.245 U | 0.49 U | 0.49 U |
| MW-20 | 11/9/2022 | WV20221109- | 0.0113 U | 2 U | 0.26 U | 7.4 L | 0.521 U |
| MW-21 | 2/3/2022 | WV21220203- | 0.01 U | 2 U | 0.236 U | 0.472 U | 0.472 U |
| MW-21 | 5/12/2022 | WV21220512- | 0.0104 U | 2 U | 0.272 U | 0.543 U | 0.543 U |
| MW-21 | 9/15/2022 | WV21220915- | 0.00962 U | 2 U | 0.236 U | 0.472 U | 0.472 U |
| MW-21 | 11/9/2022 | WV21221109- | 0.0108 U | 2 U | 0.258 U | 4.72 L | 0.551 JT |
| MW-33 | 2/3/2022 | WV33220203- | 0.0501 | 2 U | 3.37 | 0.792 JT | 0.901 JT |
| MW-33 | 5/12/2022 | WV33220512- | 0.0387 | 2 U | 3.67 | 0.521 U | 1.07 |
| MW-33 | 9/15/2022 | WV33220915- | 0.0271 | 2 U | 3.51 | 1.59 | 0.943 JT |
| MW-33 | 11/9/2022 | WV33221109- | 0.0325 | 2 U | 2.46 | 15.2 L | 1.46 |
| MW-35 | 2/3/2022 | WV35220203- | 0.0472 | 2 U | 0.86 | 0.662 JT | 0.485 U |
| MW-35 | 5/12/2022 | WV35220512- | 0.0106 U | 2 U | 0.769 | 1.05 | 0.521 U |
| MW-35 | 9/15/2022 | WV35220915- | 0.0335 | 2 U | 0.24 U | 2.75 | 0.481 U |
| MW-35 | 11/9/2022 | WV35221109- | 0.0111 U | 2 U | 0.855 | 0.526 U | 0.526 U |
| MW-37 ¹ | 6/30/2022 | WV37220630- | 0.00952 U | 2 U | 0.238 U | 7.27 BJ | 0.633 BGJT |
| MW-37 ¹ | 9/15/2022 | WV37220915- | 0.0098 U | 2 U | 0.236 U | 0.472 U | 0.472 U |
| MW-37 ¹ | 11/9/2022 | WV37221109- | 0.0119 U | 2 U | 0.291 U | 6.56 L | 0.581 U |
| Field Blanks | | | | | | | |
| FIELD BLANK | 5/12/2022 | WV2-220512F | 0.0109 U | 2 U | 0.269 U | 0.538 U | 0.538 U |
| FIELD BLANK | 11/9/2022 | WV37221109F | 0.0113 U | 2 U | 0.266 U | 39.6 L | 0.532 U |


Notes:

¹ MW-37 was installed on 5/18/2022.

Appendix I

Ion Balance Summary and Trilinear Diagrams

Figure I-1. Channel Cc1 Trilinear Diagrams
 January 1, 2022 - December 31, 2022



NOTE:

First Quarter: The water level dropped below 105.27 ft from top of casing (depth to silt contact) during purging in monitoring well MW-4 – no sample was collected.
 Second Quarter: The water level dropped below 105.27 ft from top of casing (depth to silt contact) during purging in monitoring well MW-4 – no sample was collected.
 Fourth Quarter: The water level was below the pump intake for monitoring well MW-2 – no sample was collected. The water level dropped below 105.27 ft from top of casing (depth to silt contact) during purging in monitoring well MW-4 – no sample was collected.

Table I-1
Channel Cc1: Ion Balance Summary for Groundwater
January 1, 2022 - March 31, 2022

| Well # | | | MW-3 | | | MW-10 | | | MW-13 | | |
|------------------------------|--------------------------|---|----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 2/1/2022 | | | 1/31/2022 | | | 1/31/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 5.65 | | | 7.17 | | | 7.1 | | |
| Conductance | -- | | 50.6 | | | 127.3 | | | 101 | | |
| TDS | -- | | 44.7 | | | 90 | | | 101 | | |
| Calcium | 40.1 | 2 | 7.3 | 0.364 | 50.11 | 9.8 | 0.489 | 32.50 | 9.32 | 0.465 | 27.72 |
| Magnesium | 24.3 | 2 | 2.23 | 0.184 | 25.24 | 9.4 | 0.774 | 51.41 | 11.1 | 0.913 | 54.43 |
| Potassium | 39.1 | 1 | 1.5 | 0.038 | 5.28 | 1.41 | 0.036 | 2.40 | 1.7 | 0.043 | 2.59 |
| Sodium | 23.0 | 1 | 3.23 | 0.141 | 19.33 | 4.73 | 0.206 | 13.67 | 5.88 | 0.256 | 15.24 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.02 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.0011 | 0.000 | 0.01 | 0.00005 | 0.000 | 0.00 | 0.0007 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 0.73 | | | 1.50 | | | 1.68 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 21.3 | | | 56.5 | | | 62.3 | | |
| Carbonate | 60.0 | 2 | 0.0006 | 0.0000 | 0.0027 | 0.0502 | 0.0017 | 0.1148 | 0.0471 | 0.0016 | 0.0997 |
| Bicarbonate | 61.0 | 1 | 26.0 | 0.4259 | 61.33 | 68.8 | 1.1281 | 77.44 | 75.9 | 1.2442 | 79.03 |
| Chloride | 35.5 | 1 | 3.33 | 0.0939 | 13.53 | 3.42 | 0.0965 | 6.62 | 2.7 | 0.0762 | 4.84 |
| Nitrate-N | 14.0 | 1 | 1.29 | 0.0921 | 13.26 | 0.409 | 0.0292 | 2.00 | 0.298 | 0.0213 | 1.35 |
| Sulfate | 96.1 | 2 | 3.96 | 0.0824 | 11.87 | 9.67 | 0.2013 | 13.82 | 11.1 | 0.2311 | 14.68 |
| Total Anions (meq/L) | | | | 0.69 | | | 1.46 | | | 1.57 | |
| Total Ions (meq/L) | | | | 1.42 | | | 2.96 | | | 3.25 | |
| Cation/Anion Ratio | | | | 1.05 | | | 1.03 | | | 1.07 | |
| Percent Difference | | | | 2.29 | | | 1.62 | | | 3.19 | |

Table I-1 (continued)
Channel Cc1: Ion Balance Summary for Groundwater
April 1, 2022 - June 30, 2022

| Well # | | | MW-3 | | | MW-10 | | | MW-13 | | |
|------------------------------|--------------------------|---|-------------|--------|---------|-------------|--------|---------|-------------|--------|---------|
| Sample Date | | | 5/11/2022 | | | 5/9/2022 | | | 5/9/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 5.72 | | | 6.98 | | | 6.92 | | |
| Conductance | -- | | 51.1 | | | 128.6 | | | 140.3 | | |
| TDS | -- | | 42.7 | | | 104 | | | 109 | | |
| Calcium | 40.1 | 2 | 5.06 | 0.252 | 45.90 | 9.88 | 0.493 | 32.51 | 9.15 | 0.457 | 27.14 |
| Magnesium | 24.3 | 2 | 1.87 | 0.154 | 27.97 | 9.6 | 0.790 | 52.09 | 11.5 | 0.946 | 56.24 |
| Potassium | 39.1 | 1 | 1.29 | 0.033 | 6.00 | 1.55 | 0.040 | 2.61 | 1.89 | 0.048 | 2.87 |
| Sodium | 23.0 | 1 | 2.54 | 0.110 | 20.08 | 4.45 | 0.194 | 12.76 | 5.31 | 0.231 | 13.73 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.03 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.0005 | 0.000 | 0.00 | 0.00005 | 0.000 | 0.00 | 0.0036 | 0.000 | 0.01 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 0.55 | | | 1.52 | | | 1.68 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 17 | | | 58.2 | | | 62.7 | | |
| Carbonate | 60.0 | 2 | 0.0005 | 0.0000 | 0.0036 | 0.0334 | 0.0011 | 0.0740 | 0.0313 | 0.0010 | 0.0656 |
| Bicarbonate | 61.0 | 1 | 20.7 | 0.3399 | 68.43 | 70.9 | 1.1626 | 77.30 | 76.4 | 1.2527 | 78.71 |
| Chloride | 35.5 | 1 | 1.52 | 0.0429 | 8.63 | 3.46 | 0.0976 | 6.49 | 2.89 | 0.0815 | 5.12 |
| Nitrate-N | 14.0 | 1 | 0.333 | 0.0238 | 4.79 | 0.424 | 0.0303 | 2.01 | 0.264 | 0.0188 | 1.18 |
| Sulfate | 96.1 | 2 | 4.33 | 0.0902 | 18.15 | 10.2 | 0.2124 | 14.12 | 11.4 | 0.2373 | 14.91 |
| Total Anions (meq/L) | | | 0.50 | | | 1.50 | | | 1.59 | | |
| Total Ions (meq/L) | | | 1.05 | | | 3.02 | | | 3.27 | | |
| Cation/Anion Ratio | | | 1.11 | | | 1.01 | | | 1.06 | | |
| Percent Difference | | | 5.10 | | | 0.41 | | | 2.78 | | |

Table I-1 (continued)
Channel Cc1: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022

| Well # | | | MW-3 | | | MW-4 | | | MW-10 | | | MW-13 | | |
|------------------------------|--------------------------|---|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 9/13/2022 | | | 9/14/2022 | | | 9/12/2022 | | | 9/13/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 5.6 | | | 7.12 | | | 7.12 | | | 6.65 | | |
| Conductance | -- | | 46.3 | | | 191.1 | | | 130.5 | | | 134.6 | | |
| TDS | -- | | 40 | | | 155 | | | 107 | | | 109 | | |
| Calcium | 40.1 | 2 | 4.55 | 0.227 | 46.07 | 16.6 | 0.828 | 38.72 | 10.1 | 0.504 | 32.77 | 9.27 | 0.463 | 28.23 |
| Magnesium | 24.3 | 2 | 1.94 | 0.160 | 32.39 | 11.5 | 0.946 | 44.24 | 9.58 | 0.788 | 51.26 | 10.7 | 0.881 | 53.73 |
| Potassium | 39.1 | 1 | 1.06 | 0.027 | 5.50 | 1.07 | 0.027 | 1.28 | 1.41 | 0.036 | 2.35 | 1.59 | 0.041 | 2.48 |
| Sodium | 23.0 | 1 | 1.81 | 0.079 | 15.98 | 7.74 | 0.337 | 15.74 | 4.81 | 0.209 | 13.61 | 5.83 | 0.254 | 15.48 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.04 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 | 0.0302 | 0.001 | 0.07 |
| Manganese | 54.9 | 2 | 0.0005 | 0.000 | 0.00 | 0.0005 | 0.000 | 0.00 | 0.000307 | 0.000 | 0.00 | 0.0077 | 0.000 | 0.02 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.01 | 0.0031 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 0.49 | | | 2.14 | | | 1.54 | | | 1.64 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 15.6 | | | 66.4 | | | 58.8 | | | 63.1 | | |
| Carbonate | 60.0 | 2 | 0.0004 | 0.0000 | 0.0027 | 0.0526 | 0.0018 | 0.0842 | 0.0466 | 0.0016 | 0.1046 | 0.0169 | 0.0006 | 0.0362 |
| Bicarbonate | 61.0 | 1 | 19.0 | 0.3119 | 68.71 | 80.9 | 1.3260 | 63.68 | 71.6 | 1.1742 | 79.15 | 76.9 | 1.2612 | 80.88 |
| Chloride | 35.5 | 1 | 1.07 | 0.0302 | 6.65 | 8.63 | 0.2435 | 11.69 | 3.16 | 0.0891 | 6.01 | 2.62 | 0.0739 | 4.74 |
| Nitrate-N | 14.0 | 1 | 0.394 | 0.0281 | 6.20 | 2.87 | 0.2049 | 9.84 | 0.425 | 0.0303 | 2.05 | 0.315 | 0.0225 | 1.44 |
| Sulfate | 96.1 | 2 | 4.02 | 0.0837 | 18.44 | 14.7 | 0.3061 | 14.70 | 9.04 | 0.1882 | 12.69 | 9.66 | 0.2011 | 12.90 |
| Total Anions (meq/L) | | | | 0.45 | | | 2.08 | | | 1.48 | | | 1.56 | |
| Total Ions (meq/L) | | | | 0.95 | | | 4.22 | | | 3.02 | | | 3.20 | |
| Cation/Anion Ratio | | | | 1.09 | | | 1.03 | | | 1.04 | | | 1.05 | |
| Percent Difference | | | | 4.10 | | | 1.35 | | | 1.80 | | | 2.49 | |

Table I-1 (continued)
Channel Cc1: Ion Balance Summary for Groundwater
October 1, 2022 - December 31, 2022

| Well # | | | MW-10 | | | MW-13 | | |
|------------------------------|--------------------------|---|-------------|--------|---------|-------------|--------|---------|
| Sample Date | | | 11/7/2022 | | | 11/7/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.05 | | | 7.18 | | |
| Conductance | -- | | 133.2 | | | 137.9 | | |
| TDS | -- | | 104 | | | 110 | | |
| Calcium | 40.1 | 2 | 10.2 | 0.509 | 31.96 | 8.98 | 0.448 | 27.36 |
| Magnesium | 24.3 | 2 | 10.1 | 0.831 | 52.19 | 10.9 | 0.897 | 54.77 |
| Potassium | 39.1 | 1 | 1.42 | 0.036 | 2.28 | 1.63 | 0.042 | 2.55 |
| Sodium | 23.0 | 1 | 4.96 | 0.216 | 13.55 | 5.76 | 0.251 | 15.30 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.000553 | 0.000 | 0.00 | 0.0003 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 1.59 | | | 1.64 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | |
| Alkalinity, Total | -- | | 59.4 | | | 63 | | |
| Carbonate | 60.0 | 2 | 0.0400 | 0.0013 | 0.0885 | 0.0573 | 0.0019 | 0.1228 |
| Bicarbonate | 61.0 | 1 | 72.4 | 1.1864 | 78.72 | 76.7 | 1.2578 | 80.95 |
| Chloride | 35.5 | 1 | 3.3 | 0.0931 | 6.18 | 2.84 | 0.0801 | 5.16 |
| Nitrate-N | 14.0 | 1 | 0.434 | 0.0310 | 2.06 | 0.369 | 0.0263 | 1.70 |
| Sulfate | 96.1 | 2 | 9.38 | 0.1953 | 12.96 | 9.01 | 0.1876 | 12.07 |
| Total Anions (meq/L) | | | 1.51 | | | 1.55 | | |
| Total Ions (meq/L) | | | 3.10 | | | 3.19 | | |
| Cation/Anion Ratio | | | 1.06 | | | 1.05 | | |
| Percent Difference | | | 2.75 | | | 2.63 | | |

Figure I-2. Channel Cc2 Trilinear Diagrams
 January 1, 2022 - December 31, 2022




Table I-2
Channel Cc2: Ion Balance Summary for Groundwater
January 1, 2022 - March 31, 2022

| Well # | | | MW-2 | | | MW-9 | | | MW-20 | | | MW-21 | | | MW-33 | | | MW-35 | | |
|------------------------------|---------------------------------|----------|----------|--------------|---------|----------|-------------|---------|----------|-------------|---------|----------|-------------|---------|--------------|--------|---------|----------|--------------|---------|
| Sample Date | | | 2/3/2022 | | | 2/2/2022 | | | 2/3/2022 | | | 2/3/2022 | | | 2/3/2022 | | | 2/3/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.74 | | | 7.02 | | | 7.8 | | | 6.91 | | | 6.65 | | | 6.43 | | |
| Conductance | -- | | 271.2 | | | 161.9 | | | 163 | | | 270.8 | | | 539.9 | | | 572.5 | | |
| TDS | -- | | 169 | | | 108 | | | 113 | | | 166 | | | 325 | | | 401 | | |
| Calcium | 40.1 | 2 | 19.9 | 0.993 | 32.10 | 13.4 | 0.669 | 37.31 | 13.1 | 0.654 | 35.41 | 21 | 1.048 | 32.57 | 55.2 | 2.754 | 38.56 | 61.3 | 3.059 | 37.65 |
| Magnesium | 24.3 | 2 | 20.6 | 1.695 | 54.79 | 10.2 | 0.839 | 46.84 | 10.9 | 0.897 | 48.58 | 20.3 | 1.670 | 51.92 | 41.4 | 3.407 | 47.69 | 45.3 | 3.728 | 45.89 |
| Potassium | 39.1 | 1 | 2.01 | 0.051 | 1.66 | 2.01 | 0.051 | 2.87 | 1.99 | 0.051 | 2.76 | 2.21 | 0.057 | 1.76 | 3.02 | 0.077 | 1.08 | 3.27 | 0.084 | 1.03 |
| Sodium | 23.0 | 1 | 8.1 | 0.352 | 11.39 | 5.34 | 0.232 | 12.96 | 5.41 | 0.235 | 12.75 | 9.48 | 0.412 | 12.82 | 15.5 | 0.674 | 9.44 | 16.2 | 0.705 | 8.67 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 | 0.103 | 0.004 | 0.20 | 0.457 | 0.016 | 0.51 | 5.47 | 0.196 | 2.74 | 12.8 | 0.458 | 5.64 |
| Manganese | 54.9 | 2 | 0.0433 | 0.002 | 0.05 | 0.00005 | 0.000 | 0.00 | 0.126 | 0.005 | 0.25 | 0.361 | 0.013 | 0.41 | 0.883 | 0.032 | 0.45 | 2.35 | 0.086 | 1.05 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 | 0.016 | 0.001 | 0.06 | 0.01 | 0.001 | 0.02 | 0.0305 | 0.002 | 0.03 | 0.0643 | 0.005 | 0.06 |
| Total Cations (meq/L) | | | | 3.09 | | | 1.79 | | | 1.85 | | | 3.22 | | 7.14 | | | | 8.12 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 135 | | | 67.5 | | | 70.7 | | | 140 | | | 316 | | | 331 | | |
| Carbonate | 60.0 | 2 | 0.0446 | 0.0015 | 0.0476 | 0.0425 | 0.0014 | 0.0801 | 0.2666 | 0.0089 | 0.4894 | 0.0684 | 0.0023 | 0.0727 | 0.0849 | 0.0028 | 0.0419 | 0.0536 | 0.0018 | 0.0246 |
| Bicarbonate | 61.0 | 1 | 164.6 | 2.6979 | 86.48 | 82.3 | 1.3483 | 76.34 | 85.7 | 1.4048 | 77.38 | 170.7 | 2.7971 | 89.19 | 385.3 | 6.3158 | 93.60 | 403.7 | 6.6168 | 91.03 |
| Chloride | 35.5 | 1 | 2.27 | 0.0640 | 2.05 | 4.54 | 0.1281 | 7.25 | 3.16 | 0.0891 | 4.91 | 1.91 | 0.0539 | 1.72 | 3.47 | 0.0979 | 1.45 | 3.85 | 0.1086 | 1.49 |
| Nitrate-N | 14.0 | 1 | 1.23 | 0.0878 | 2.81 | 0.541 | 0.0386 | 2.19 | 0.005 | 0.0004 | 0.02 | 0.315 | 0.0225 | 0.72 | 0.005 | 0.0004 | 0.01 | 0.005 | 0.0004 | 0.00 |
| Sulfate | 96.1 | 2 | 12.9 | 0.2686 | 8.61 | 12 | 0.2498 | 14.15 | 15 | 0.3123 | 17.20 | 12.5 | 0.2603 | 8.30 | 15.9 | 0.3310 | 4.91 | 26 | 0.5413 | 7.45 |
| Total Anions (meq/L) | | | | 3.12 | | | 1.77 | | | 1.82 | | | 3.14 | | 6.75 | | | | 7.27 | |
| Total Ions (meq/L) | | | | 6.21 | | | 3.56 | | | 3.66 | | | 6.35 | | 13.89 | | | | 15.39 | |
| Cation/Anion Ratio | | | | 0.99 | | | 1.01 | | | 1.02 | | | 1.03 | | 1.06 | | | | 1.12 | |
| Percent Difference | | | | -0.42 | | | 0.72 | | | 0.84 | | | 1.28 | | 2.84 | | | | 5.55 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
April 1, 2022 - June 30, 2022

| Well # | | | MW-2 | | | MW-9 | | | MW-20 | | | MW-21 | | |
|------------------------------|---------------------------------|----------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 5/12/2022 | | | 5/10/2022 | | | 5/12/2022 | | | 5/12/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.8 | | | 6.89 | | | 7.48 | | | 6.81 | | |
| Conductance | -- | | 262.8 | | | 171.5 | | | 159.5 | | | 243.6 | | |
| TDS | -- | | 174 | | | 127 | | | 121 | | | 169 | | |
| Calcium | 40.1 | 2 | 20.3 | 1.013 | 30.57 | 14.1 | 0.704 | 35.34 | 12.9 | 0.644 | 33.12 | 19.8 | 0.988 | 31.77 |
| Magnesium | 24.3 | 2 | 22.5 | 1.852 | 55.88 | 12.1 | 0.996 | 50.01 | 11.8 | 0.971 | 49.96 | 19.2 | 1.580 | 50.80 |
| Potassium | 39.1 | 1 | 2.16 | 0.055 | 1.67 | 2.26 | 0.058 | 2.90 | 2.11 | 0.054 | 2.78 | 2.17 | 0.056 | 1.78 |
| Sodium | 23.0 | 1 | 9.01 | 0.392 | 11.83 | 5.37 | 0.234 | 11.73 | 6.1 | 0.265 | 13.65 | 10.9 | 0.474 | 15.24 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 | 0.101 | 0.004 | 0.19 | 0.168 | 0.006 | 0.19 |
| Manganese | 54.9 | 2 | 0.0336 | 0.001 | 0.04 | 0.00005 | 0.000 | 0.00 | 0.133 | 0.005 | 0.25 | 0.168 | 0.006 | 0.20 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 | 0.0158 | 0.001 | 0.06 | 0.0077 | 0.001 | 0.02 |
| Total Cations (meq/L) | | | | 3.31 | | | 1.99 | | | 1.94 | | | 3.11 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 136 | | | 71.4 | | | 68.5 | | | 127 | | |
| Carbonate | 60.0 | 2 | 0.0516 | 0.0017 | 0.0554 | 0.0333 | 0.0011 | 0.0585 | 0.1240 | 0.0041 | 0.2306 | 0.0493 | 0.0016 | 0.0575 |
| Bicarbonate | 61.0 | 1 | 165.8 | 2.7177 | 87.65 | 87.0 | 1.4266 | 75.16 | 83.3 | 1.3656 | 76.18 | 154.8 | 2.5378 | 88.89 |
| Chloride | 35.5 | 1 | 2.19 | 0.0618 | 1.99 | 5.38 | 0.1518 | 8.00 | 3.17 | 0.0894 | 4.99 | 1.76 | 0.0496 | 1.74 |
| Nitrate-N | 14.0 | 1 | 0.856 | 0.0611 | 1.97 | 0.876 | 0.0625 | 3.29 | 0.005 | 0.0004 | 0.02 | 0.226 | 0.0161 | 0.57 |
| Sulfate | 96.1 | 2 | 12.4 | 0.2582 | 8.33 | 12.3 | 0.2561 | 13.49 | 16 | 0.3331 | 18.58 | 12 | 0.2498 | 8.75 |
| Total Anions (meq/L) | | | | 3.10 | | | 1.90 | | | 1.79 | | | 2.86 | |
| Total Ions (meq/L) | | | | 6.41 | | | 3.89 | | | 3.74 | | | 5.97 | |
| Cation/Anion Ratio | | | | 1.07 | | | 1.05 | | | 1.08 | | | 1.09 | |
| Percent Difference | | | | 3.32 | | | 2.39 | | | 4.04 | | | 4.28 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
April 1, 2022 - June 30, 2022

| Well # | | | MW-33 | | | MW-35 | | | MW-37 | | |
|------------------------------|--------------------------|---|-----------|--------------|---------|-----------|--------------|---------|-----------|-------------|---------|
| Sample Date | | | 5/12/2022 | | | 5/12/2022 | | | 6/30/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.64 | | | 6.56 | | | 6.54 | | |
| Conductance | -- | | 565 | | | 546 | | | 179.9 | | |
| TDS | -- | | 370 | | | 405 | | | 154 | | |
| Calcium | 40.1 | 2 | 58 | 2.894 | 37.70 | 56.9 | 2.839 | 36.85 | 16.2 | 0.808 | 35.51 |
| Magnesium | 24.3 | 2 | 45.5 | 3.744 | 48.77 | 43 | 3.538 | 45.93 | 13.3 | 1.094 | 48.08 |
| Potassium | 39.1 | 1 | 3.21 | 0.082 | 1.07 | 3.28 | 0.084 | 1.09 | 1.67 | 0.043 | 1.88 |
| Sodium | 23.0 | 1 | 16.6 | 0.722 | 9.41 | 16.5 | 0.718 | 9.32 | 7.52 | 0.327 | 14.37 |
| Iron | 55.8 | 2 | 5.61 | 0.201 | 2.62 | 12.2 | 0.437 | 5.67 | 0.0122 | 0.000 | 0.02 |
| Manganese | 54.9 | 2 | 0.877 | 0.032 | 0.42 | 2.29 | 0.083 | 1.08 | 0.0585 | 0.002 | 0.09 |
| Ammonia-N | 14.0 | 1 | 0.0306 | 0.002 | 0.03 | 0.0649 | 0.005 | 0.06 | 0.0147 | 0.001 | 0.05 |
| Total Cations (meq/L) | | | | 7.68 | | | 7.70 | | | 2.28 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 328 | | | 306 | | | 93.2 | | |
| Carbonate | 60.0 | 2 | 0.0861 | 0.0029 | 0.0409 | 0.0668 | 0.0022 | 0.0326 | 0.0194 | 0.0006 | 0.0297 |
| Bicarbonate | 61.0 | 1 | 400.0 | 6.5558 | 93.46 | 373.2 | 6.1165 | 89.56 | 113.7 | 1.8630 | 85.35 |
| Chloride | 35.5 | 1 | 3.52 | 0.0993 | 1.42 | 3.64 | 0.1027 | 1.50 | 3 | 0.0846 | 3.88 |
| Nitrate-N | 14.0 | 1 | 0.005 | 0.0004 | 0.01 | 0.005 | 0.0004 | 0.01 | 0.899 | 0.0642 | 2.94 |
| Sulfate | 96.1 | 2 | 17.1 | 0.3560 | 5.08 | 29.2 | 0.6079 | 8.90 | 8.18 | 0.1703 | 7.80 |
| Total Anions (meq/L) | | | | 7.01 | | | 6.83 | | | 2.18 | |
| Total Ions (meq/L) | | | | 14.69 | | | 14.53 | | | 4.46 | |
| Cation/Anion Ratio | | | | 1.09 | | | 1.13 | | | 1.04 | |
| Percent Difference | | | | 4.51 | | | 6.02 | | | 2.10 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022

| Well # | | | MW-2 | | | MW-9 | | | MW-20 | | | MW-21 | | |
|------------------------------|---------------------------------|----------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 9/15/2022 | | | 9/13/2022 | | | 9/15/2022 | | | 9/15/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.67 | | | 6.68 | | | 7.82 | | | 6.53 | | |
| Conductance | -- | | 260.5 | | | 185.5 | | | 161.4 | | | 246 | | |
| TDS | -- | | 178 | | | 139 | | | 129 | | | 174 | | |
| Calcium | 40.1 | 2 | 20.4 | 1.018 | 32.04 | 15.6 | 0.778 | 36.37 | 13 | 0.649 | 33.51 | 20.4 | 1.018 | 32.28 |
| Magnesium | 24.3 | 2 | 21 | 1.728 | 54.39 | 12.6 | 1.037 | 48.44 | 11.7 | 0.963 | 49.73 | 19.4 | 1.596 | 50.62 |
| Potassium | 39.1 | 1 | 2.06 | 0.053 | 1.66 | 2.12 | 0.054 | 2.53 | 2.04 | 0.052 | 2.70 | 2.15 | 0.055 | 1.74 |
| Sodium | 23.0 | 1 | 8.64 | 0.376 | 11.83 | 6.22 | 0.271 | 12.64 | 5.98 | 0.260 | 13.44 | 10.9 | 0.474 | 15.04 |
| Iron | 55.8 | 2 | 0.012 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 | 0.152 | 0.005 | 0.28 | 0.102 | 0.004 | 0.12 |
| Manganese | 54.9 | 2 | 0.0561 | 0.002 | 0.06 | 0.00005 | 0.000 | 0.00 | 0.146 | 0.005 | 0.27 | 0.158 | 0.006 | 0.18 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 | 0.0187 | 0.001 | 0.07 | 0.0088 | 0.001 | 0.02 |
| Total Cations (meq/L) | | | | 3.18 | | | 2.14 | | | 1.94 | | | 3.15 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 136 | | | 79.8 | | | 71.7 | | | 131 | | |
| Carbonate | 60.0 | 2 | 0.0382 | 0.0013 | 0.0415 | 0.0230 | 0.0008 | 0.0366 | 0.2830 | 0.0094 | 0.5095 | 0.0267 | 0.0009 | 0.0302 |
| Bicarbonate | 61.0 | 1 | 165.8 | 2.7182 | 88.43 | 97.3 | 1.5949 | 76.36 | 86.9 | 1.4243 | 76.92 | 159.8 | 2.6186 | 88.92 |
| Chloride | 35.5 | 1 | 2.12 | 0.0598 | 1.95 | 4.96 | 0.1399 | 6.70 | 3.36 | 0.0948 | 5.12 | 1.98 | 0.0559 | 1.90 |
| Nitrate-N | 14.0 | 1 | 0.278 | 0.0198 | 0.65 | 0.951 | 0.0679 | 3.25 | 0.005 | 0.0004 | 0.02 | 0.102 | 0.0073 | 0.25 |
| Sulfate | 96.1 | 2 | 13.2 | 0.2748 | 8.94 | 13.7 | 0.2852 | 13.66 | 15.5 | 0.3227 | 17.43 | 12.6 | 0.2623 | 8.91 |
| Total Anions (meq/L) | | | | 3.07 | | | 2.09 | | | 1.85 | | | 2.94 | |
| Total Ions (meq/L) | | | | 6.25 | | | 4.23 | | | 3.79 | | | 6.10 | |
| Cation/Anion Ratio | | | | 1.03 | | | 1.02 | | | 1.05 | | | 1.07 | |
| Percent Difference | | | | 1.65 | | | 1.22 | | | 2.23 | | | 3.42 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022

| Cation Parameters | Molecular Weight (g/mol) | n | MW-33 9/15/2022 | | | MW-35 9/15/2022 | | | MW-37 9/15/2022 | | |
|------------------------------|---------------------------------|----------|--------------------|--------------|---------|--------------------|--------------|---------|--------------------|-------------|---------|
| | | | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.84 | | | 6.45 | | | 6.92 | | |
| Conductance | -- | | 576 | | | 512 | | | 180.4 | | |
| TDS | -- | | 394 | | | 401 | | | 140 | | |
| Calcium | 40.1 | 2 | 57.8 | 2.884 | 37.75 | 55.7 | 2.779 | 37.44 | 15.2 | 0.758 | 34.76 |
| Magnesium | 24.3 | 2 | 45.4 | 3.736 | 48.90 | 41.2 | 3.390 | 45.67 | 13 | 1.070 | 49.02 |
| Potassium | 39.1 | 1 | 3.09 | 0.079 | 1.03 | 3.14 | 0.080 | 1.08 | 1.47 | 0.038 | 1.72 |
| Sodium | 23.0 | 1 | 16.4 | 0.713 | 9.34 | 16.3 | 0.709 | 9.55 | 7.25 | 0.315 | 14.45 |
| Iron | 55.8 | 2 | 5.41 | 0.194 | 2.54 | 10.6 | 0.380 | 5.11 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.881 | 0.032 | 0.42 | 2.19 | 0.080 | 1.07 | 0.0217 | 0.001 | 0.04 |
| Ammonia-N | 14.0 | 1 | 0.0323 | 0.002 | 0.03 | 0.0657 | 0.005 | 0.06 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 7.64 | | | 7.42 | | | 2.18 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 343 | | | 310 | | | 90.5 | | |
| Carbonate | 60.0 | 2 | 0.1426 | 0.0048 | 0.0646 | 0.0525 | 0.0018 | 0.0251 | 0.0452 | 0.0015 | 0.0707 |
| Bicarbonate | 61.0 | 1 | 418.2 | 6.8538 | 93.11 | 378.1 | 6.1969 | 88.88 | 110.3 | 1.8081 | 84.75 |
| Chloride | 35.5 | 1 | 4.07 | 0.1148 | 1.56 | 3.86 | 0.1089 | 1.56 | 2.99 | 0.0843 | 3.95 |
| Nitrate-N | 14.0 | 1 | 0.005 | 0.0004 | 0.00 | 0.005 | 0.0004 | 0.01 | 0.9 | 0.0643 | 3.01 |
| Sulfate | 96.1 | 2 | 18.6 | 0.3873 | 5.26 | 31.9 | 0.6642 | 9.53 | 8.42 | 0.1753 | 8.22 |
| Total Anions (meq/L) | | | | 7.36 | | | 6.97 | | | 2.13 | |
| Total Ions (meq/L) | | | | 15.00 | | | 14.40 | | | 4.32 | |
| Cation/Anion Ratio | | | | 1.04 | | | 1.06 | | | 1.02 | |
| Percent Difference | | | | 1.86 | | | 3.13 | | | 1.13 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
October 1, 2022 - December 31, 2022

| Well # | | | MW-2 | | | MW-9 | | | MW-20 | | | MW-21 | | |
|------------------------------|---------------------------------|----------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 11/9/2022 | | | 11/8/2022 | | | 11/9/2022 | | | 11/9/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.07 | | | 7.21 | | | 7.7 | | | 6.9 | | |
| Conductance | -- | | 263.7 | | | 181.4 | | | 163.3 | | | 249 | | |
| TDS | -- | | 179 | | | 133 | | | 128 | | | 174 | | |
| Calcium | 40.1 | 2 | 20.1 | 1.003 | 31.27 | 15.1 | 0.753 | 36.23 | 13 | 0.649 | 34.01 | 19.8 | 0.988 | 31.92 |
| Magnesium | 24.3 | 2 | 21.5 | 1.769 | 55.15 | 12.3 | 1.012 | 48.67 | 11.5 | 0.946 | 49.61 | 19.6 | 1.613 | 52.11 |
| Potassium | 39.1 | 1 | 2.06 | 0.053 | 1.64 | 2.12 | 0.054 | 2.61 | 2 | 0.051 | 2.68 | 2.1 | 0.054 | 1.74 |
| Sodium | 23.0 | 1 | 8.75 | 0.381 | 11.87 | 5.97 | 0.260 | 12.49 | 5.79 | 0.252 | 13.20 | 9.83 | 0.428 | 13.81 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 | 0.0992 | 0.004 | 0.19 | 0.157 | 0.006 | 0.18 |
| Manganese | 54.9 | 2 | 0.0557 | 0.002 | 0.06 | 0.00005 | 0.000 | 0.00 | 0.13 | 0.005 | 0.25 | 0.186 | 0.007 | 0.22 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 | 0.0157 | 0.001 | 0.06 | 0.009 | 0.001 | 0.02 |
| Total Cations (meq/L) | | | | 3.21 | | | 2.08 | | | 1.91 | | | 3.10 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 141 | | | 78.1 | | | 71 | | | 131 | | |
| Carbonate | 60.0 | 2 | 0.0995 | 0.0033 | 0.1058 | 0.0761 | 0.0025 | 0.1251 | 0.2129 | 0.0071 | 0.3875 | 0.0625 | 0.0021 | 0.0706 |
| Bicarbonate | 61.0 | 1 | 171.8 | 2.8161 | 89.79 | 95.1 | 1.5591 | 76.95 | 86.2 | 1.4126 | 77.12 | 159.7 | 2.6174 | 88.70 |
| Chloride | 35.5 | 1 | 2.06 | 0.0581 | 1.85 | 4.94 | 0.1394 | 6.88 | 3.15 | 0.0889 | 4.85 | 1.9 | 0.0536 | 1.82 |
| Nitrate-N | 14.0 | 1 | 0.154 | 0.0110 | 0.35 | 0.735 | 0.0525 | 2.59 | 0.005 | 0.0004 | 0.02 | 0.0987 | 0.0070 | 0.24 |
| Sulfate | 96.1 | 2 | 11.9 | 0.2478 | 7.90 | 13.1 | 0.2727 | 13.46 | 15.5 | 0.3227 | 17.62 | 13 | 0.2707 | 9.17 |
| Total Anions (meq/L) | | | | 3.14 | | | 2.03 | | | 1.83 | | | 2.95 | |
| Total Ions (meq/L) | | | | 6.34 | | | 4.11 | | | 3.74 | | | 6.05 | |
| Cation/Anion Ratio | | | | 1.02 | | | 1.03 | | | 1.04 | | | 1.05 | |
| Percent Difference | | | | 1.13 | | | 1.31 | | | 2.03 | | | 2.39 | |

Table I-2 (continued)
Channel Cc2: Ion Balance Summary for Groundwater
October 1, 2022 - December 31, 2022

| Well # | | | MW-33 | | | MW-35 | | | MW-37 | | |
|------------------------------|--------------------------|---|--------------|--------|---------|--------------|--------|---------|-------------|--------|---------|
| Sample Date | | | 11/9/2022 | | | 11/9/2022 | | | 11/9/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.79 | | | 6.7 | | | 6.7 | | |
| Conductance | -- | | 561.3 | | | 488.8 | | | 190.5 | | |
| TDS | -- | | 373 | | | 371 | | | 137 | | |
| Calcium | 40.1 | 2 | 56.7 | 2.829 | 37.76 | 54.2 | 2.705 | 36.67 | 14.9 | 0.744 | 34.36 |
| Magnesium | 24.3 | 2 | 44.5 | 3.662 | 48.88 | 41.7 | 3.431 | 46.52 | 12.9 | 1.062 | 49.05 |
| Potassium | 39.1 | 1 | 3.08 | 0.079 | 1.05 | 3.13 | 0.080 | 1.09 | 1.43 | 0.037 | 1.69 |
| Sodium | 23.0 | 1 | 16 | 0.696 | 9.29 | 16.2 | 0.705 | 9.55 | 7.37 | 0.321 | 14.81 |
| Iron | 55.8 | 2 | 5.36 | 0.192 | 2.56 | 10.4 | 0.372 | 5.05 | 0.0313 | 0.001 | 0.05 |
| Manganese | 54.9 | 2 | 0.877 | 0.032 | 0.43 | 2.14 | 0.078 | 1.06 | 0.0204 | 0.001 | 0.03 |
| Ammonia-N | 14.0 | 1 | 0.0306 | 0.002 | 0.03 | 0.0635 | 0.005 | 0.06 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 7.49 | | | 7.38 | | | 2.16 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 334 | | | 297 | | | 91.4 | | |
| Carbonate | 60.0 | 2 | 0.1238 | 0.0041 | 0.0579 | 0.0895 | 0.0030 | 0.0449 | 0.0275 | 0.0009 | 0.0434 |
| Bicarbonate | 61.0 | 1 | 407.2 | 6.6745 | 93.61 | 362.2 | 5.9358 | 89.41 | 111.5 | 1.8267 | 86.34 |
| Chloride | 35.5 | 1 | 3.75 | 0.1058 | 1.48 | 3.32 | 0.0937 | 1.41 | 2.86 | 0.0807 | 3.81 |
| Nitrate-N | 14.0 | 1 | 0.005 | 0.0004 | 0.01 | 0.005 | 0.0004 | 0.01 | 0.781 | 0.0558 | 2.64 |
| Sulfate | 96.1 | 2 | 16.6 | 0.3456 | 4.85 | 29.1 | 0.6059 | 9.13 | 7.28 | 0.1516 | 7.16 |
| Total Anions (meq/L) | | | 7.13 | | | 6.64 | | | 2.12 | | |
| Total Ions (meq/L) | | | 14.62 | | | 14.01 | | | 4.28 | | |
| Cation/Anion Ratio | | | 1.05 | | | 1.11 | | | 1.02 | | |
| Percent Difference | | | 2.47 | | | 5.26 | | | 1.13 | | |

Figure I-3. Channel Cc3 Trilinear Diagrams
 January 1, 2022 - December 31, 2022




Table I-3
Channel Cc3: Ion Balance Summary for Groundwater
January 1, 2022 - March 31, 2022

| | | | MW-8 | | | MW-36 | | |
|------------------------------|--------------------------|---|-------------|--------|---------|-------------|--------|---------|
| Well # | | | 1/31/2022 | | | 1/31/2022 | | |
| Sample Date | | | | | | | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.37 | | | 7.65 | | |
| Conductance | -- | | 147.1 | | | 114.1 | | |
| TDS | -- | | 101 | | | 115 | | |
| Calcium | 40.1 | 2 | 12.4 | 0.619 | 35.39 | 14 | 0.699 | 38.59 |
| Magnesium | 24.3 | 2 | 9.97 | 0.820 | 46.92 | 9.48 | 0.780 | 43.09 |
| Potassium | 39.1 | 1 | 1.17 | 0.030 | 1.71 | 2.67 | 0.068 | 3.77 |
| Sodium | 23.0 | 1 | 6.42 | 0.279 | 15.97 | 6.05 | 0.263 | 14.54 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.00005 | 0.000 | 0.00 | 0.000481 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 1.75 | | | 1.81 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | |
| Alkalinity, Total | -- | | 55.9 | | | 68.1 | | |
| Carbonate | 60.0 | 2 | 0.0079 | 0.0003 | 0.0160 | 0.1821 | 0.0061 | 0.3461 |
| Bicarbonate | 61.0 | 1 | 68.2 | 1.1175 | 68.28 | 82.7 | 1.3556 | 77.29 |
| Chloride | 35.5 | 1 | 4.15 | 0.1171 | 7.15 | 3.08 | 0.0869 | 4.95 |
| Nitrate-N | 14.0 | 1 | 3.53 | 0.2520 | 15.40 | 0.021 | 0.0015 | 0.09 |
| Sulfate | 96.1 | 2 | 7.2 | 0.1499 | 9.16 | 14.6 | 0.3040 | 17.33 |
| Total Anions (meq/L) | | | 1.64 | | | 1.75 | | |
| Total Ions (meq/L) | | | 3.39 | | | 3.56 | | |
| Cation/Anion Ratio | | | 1.07 | | | 1.03 | | |
| Percent Difference | | | 3.31 | | | 1.58 | | |

Table I-3 (continued)
Channel Cc3: Ion Balance Summary for Groundwater
April 1, 2022 - June 30, 2022

| Well # | | | MW-8 | | | MW-36 | | |
|------------------------------|--------------------------|---|-------------|--------|---------|-------------|--------|---------|
| Sample Date | | | 5/9/2022 | | | 5/10/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.25 | | | 7.31 | | |
| Conductance | -- | | 145.5 | | | 157.6 | | |
| TDS | -- | | 121 | | | 127 | | |
| Calcium | 40.1 | 2 | 11 | 0.549 | 33.73 | 13.6 | 0.679 | 37.64 |
| Magnesium | 24.3 | 2 | 9.76 | 0.803 | 49.35 | 9.84 | 0.810 | 44.91 |
| Potassium | 39.1 | 1 | 1.17 | 0.030 | 1.84 | 2.81 | 0.072 | 3.99 |
| Sodium | 23.0 | 1 | 5.64 | 0.245 | 15.07 | 5.57 | 0.242 | 13.44 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.00005 | 0.000 | 0.00 | 0.00046 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 1.63 | | | 1.80 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | |
| Alkalinity, Total | -- | | 50.6 | | | 67.3 | | |
| Carbonate | 60.0 | 2 | 0.0054 | 0.0002 | 0.0113 | 0.0825 | 0.0027 | 0.1585 |
| Bicarbonate | 61.0 | 1 | 61.7 | 1.0116 | 63.58 | 81.9 | 1.3430 | 77.44 |
| Chloride | 35.5 | 1 | 4.53 | 0.1278 | 8.03 | 3.09 | 0.0872 | 5.03 |
| Nitrate-N | 14.0 | 1 | 4.41 | 0.3148 | 19.79 | 0.02 | 0.0014 | 0.08 |
| Sulfate | 96.1 | 2 | 6.56 | 0.1366 | 8.58 | 14.4 | 0.2998 | 17.29 |
| Total Anions (meq/L) | | | 1.59 | | | 1.73 | | |
| Total Ions (meq/L) | | | 3.22 | | | 3.54 | | |
| Cation/Anion Ratio | | | 1.02 | | | 1.04 | | |
| Percent Difference | | | 1.14 | | | 1.94 | | |

Table I-3 (continued)
Channel Cc3: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022

| Well # | | | MW-8 | | | MW-36 | | |
|------------------------------|--------------------------|---|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 9/12/2022 | | | 9/13/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.37 | | | 7.66 | | |
| Conductance | -- | | 144.1 | | | 156.7 | | |
| TDS | -- | | 119 | | | 131 | | |
| Calcium | 40.1 | 2 | 11.4 | 0.569 | 35.31 | 13.8 | 0.689 | 37.55 |
| Magnesium | 24.3 | 2 | 9.14 | 0.752 | 46.69 | 9.75 | 0.802 | 43.75 |
| Potassium | 39.1 | 1 | 1.09 | 0.028 | 1.73 | 2.62 | 0.067 | 3.65 |
| Sodium | 23.0 | 1 | 6.02 | 0.262 | 16.26 | 6.34 | 0.276 | 15.04 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.000418 | 0.000 | 0.00 | 0.000354 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 1.61 | | | 1.83 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | |
| Alkalinity, Total | -- | | 51.9 | | | 69.8 | | |
| Carbonate | 60.0 | 2 | 0.0073 | 0.0002 | 0.0152 | 0.1910 | 0.0064 | 0.3606 |
| Bicarbonate | 61.0 | 1 | 63.3 | 1.0375 | 64.77 | 84.8 | 1.3893 | 78.70 |
| Chloride | 35.5 | 1 | 4.35 | 0.1227 | 7.66 | 2.86 | 0.0807 | 4.57 |
| Nitrate-N | 14.0 | 1 | 4.3 | 0.3070 | 19.16 | 0.024 | 0.0017 | 0.10 |
| Sulfate | 96.1 | 2 | 6.45 | 0.1343 | 8.38 | 13.8 | 0.2873 | 16.27 |
| Total Anions (meq/L) | | | | 1.60 | | | 1.77 | |
| Total Ions (meq/L) | | | | 3.21 | | | 3.60 | |
| Cation/Anion Ratio | | | | 1.01 | | | 1.04 | |
| Percent Difference | | | | 0.29 | | | 1.91 | |

Table I-3 (continued)
Channel Cc3: Ion Balance Summary for Groundwater
October 1, 2022 - December 31, 2022

| Well # | | | MW-8 | | | MW-36 | | |
|------------------------------|--------------------------|---|-------------|--------|---------|-------------|--------|---------|
| Sample Date | | | 11/7/2022 | | | 11/8/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 6.57 | | | 7.69 | | |
| Conductance | -- | | 144.8 | | | 161 | | |
| TDS | -- | | 113 | | | 132 | | |
| Calcium | 40.1 | 2 | 11.7 | 0.584 | 35.77 | 14 | 0.699 | 38.25 |
| Magnesium | 24.3 | 2 | 9.23 | 0.760 | 46.54 | 9.65 | 0.794 | 43.48 |
| Potassium | 39.1 | 1 | 1.09 | 0.028 | 1.71 | 2.65 | 0.068 | 3.71 |
| Sodium | 23.0 | 1 | 5.99 | 0.261 | 15.96 | 6.11 | 0.266 | 14.55 |
| Iron | 55.8 | 2 | 0.005 | 0.000 | 0.01 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.00138 | 0.000 | 0.00 | 0.000254 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.001 | 0.000 | 0.00 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | 1.63 | | | 1.83 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | |
| Alkalinity, Total | -- | | 52.9 | | | 69.7 | | |
| Carbonate | 60.0 | 2 | 0.0118 | 0.0004 | 0.0249 | 0.2043 | 0.0068 | 0.3846 |
| Bicarbonate | 61.0 | 1 | 64.5 | 1.0574 | 66.83 | 84.6 | 1.3869 | 78.33 |
| Chloride | 35.5 | 1 | 4.33 | 0.1221 | 7.72 | 2.96 | 0.0835 | 4.72 |
| Nitrate-N | 14.0 | 1 | 3.83 | 0.2734 | 17.28 | 0.028 | 0.0020 | 0.11 |
| Sulfate | 96.1 | 2 | 6.19 | 0.1289 | 8.15 | 14 | 0.2915 | 16.46 |
| Total Anions (meq/L) | | | 1.58 | | | 1.77 | | |
| Total Ions (meq/L) | | | 3.21 | | | 3.60 | | |
| Cation/Anion Ratio | | | 1.03 | | | 1.03 | | |
| Percent Difference | | | 1.55 | | | 1.55 | | |

Figure I-4. Unit D Aquifer Trilinear Diagrams
 January 1, 2022 - December 31, 2022




Table I-4
Unit D Aquifer: Ion Balance Summary for Groundwater
January 1, 2022 - March 31, 2022

| Well # | | | MW-7 | | | MW-12 | | | MW-19 | | | MW-26 | | | MW-29 | | | MW-34 | | |
|------------------------------|---------------------------------|----------|----------|-------------|---------|------------|-------------|---------|----------|-------------|---------|----------|--------------|---------|-------------|--------|---------|----------|-------------|---------|
| Sample Date | | | 2/1/2022 | | | 1/31/2022 | | | 2/2/2022 | | | 2/2/2022 | | | 2/2/2022 | | | 2/1/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.46 | | | 7.4 | | | 7.48 | | | 7.8 | | | 7.06 | | | 6.75 | | |
| Conductance | -- | | 163.9 | | | 102.5 | | | 194.3 | | | 167.7 | | | 207.6 | | | 172.1 | | |
| TDS | -- | | 123 | | | 105 | | | 124 | | | 124 | | | 139 | | | 109 | | |
| Calcium | 40.1 | 2 | 16 | 0.798 | 41.10 | 12 | 0.599 | 34.70 | 15.1 | 0.753 | 33.76 | 17.1 | 0.853 | 45.11 | 19.7 | 0.983 | 40.07 | 13.5 | 0.674 | 34.38 |
| Magnesium | 24.3 | 2 | 9.69 | 0.797 | 41.04 | 9.99 | 0.822 | 47.64 | 13.6 | 1.119 | 50.14 | 6.89 | 0.567 | 29.97 | 13.7 | 1.127 | 45.96 | 11.9 | 0.979 | 49.98 |
| Potassium | 39.1 | 1 | 2.69 | 0.069 | 3.54 | 1.85 | 0.047 | 2.74 | 2.34 | 0.060 | 2.68 | 2.92 | 0.075 | 3.95 | 2.07 | 0.053 | 2.16 | 1.46 | 0.037 | 1.91 |
| Sodium | 23.0 | 1 | 5.87 | 0.255 | 13.14 | 5.91 | 0.257 | 14.90 | 6.4 | 0.278 | 12.47 | 8.59 | 0.374 | 19.75 | 6.04 | 0.263 | 10.71 | 6.18 | 0.269 | 13.72 |
| Iron | 55.8 | 2 | 0.0271 | 0.001 | 0.05 | 0.005 | 0.000 | 0.01 | 0.035 | 0.001 | 0.06 | 0.0928 | 0.003 | 0.18 | 0.666 | 0.024 | 0.97 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.14 | 0.005 | 0.26 | 0.00005 | 0.000 | 0.00 | 0.491 | 0.018 | 0.80 | 0.0589 | 0.002 | 0.11 | 0.0819 | 0.003 | 0.12 | 0.00005 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.235 | 0.017 | 0.86 | 0.001 | 0.000 | 0.00 | 0.029 | 0.002 | 0.09 | 0.245 | 0.017 | 0.92 | 0.0024 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 1.94 | | | 1.73 | | | 2.23 | | | 1.89 | | 2.45 | | | | 1.96 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 78.1 | | | 62 | | | 84.2 | | | 76 | | | 98.7 | | | 69.6 | | |
| Carbonate | 60.0 | 2 | 0.1351 | 0.0045 | 0.2379 | 0.0934 | 0.0031 | 0.1967 | 0.1525 | 0.0051 | 0.2353 | 0.2866 | 0.0096 | 0.5024 | 0.0681 | 0.0023 | 0.0944 | 0.0235 | 0.0008 | 0.0407 |
| Bicarbonate | 61.0 | 1 | 95.0 | 1.5572 | 82.29 | 75.4500281 | 1.2366 | 78.13 | 102.4 | 1.6786 | 77.73 | 92.1 | 1.5101 | 79.43 | 120.3 | 1.9713 | 82.00 | 84.9 | 1.3909 | 72.25 |
| Chloride | 35.5 | 1 | 3.35 | 0.0945 | 4.99 | 3.13 | 0.0883 | 5.58 | 4.6 | 0.1298 | 6.01 | 3.72 | 0.1049 | 5.52 | 3.51 | 0.0990 | 4.12 | 4.81 | 0.1357 | 7.05 |
| Nitrate-N | 14.0 | 1 | 0.013 | 0.0009 | 0.05 | 0.696 | 0.0497 | 3.14 | 0.005 | 0.0004 | 0.02 | 0.025 | 0.0018 | 0.09 | 0.005 | 0.0004 | 0.01 | 1.75 | 0.1249 | 6.49 |
| Sulfate | 96.1 | 2 | 11.3 | 0.2353 | 12.43 | 9.85 | 0.2051 | 12.96 | 16.6 | 0.3456 | 16.01 | 13.2 | 0.2748 | 14.46 | 15.9 | 0.3310 | 13.77 | 13.1 | 0.2727 | 14.17 |
| Total Anions (meq/L) | | | | 1.89 | | | 1.58 | | | 2.16 | | | 1.90 | | 2.40 | | | | 1.93 | |
| Total Ions (meq/L) | | | | 3.84 | | | 3.31 | | | 4.39 | | | 3.79 | | 4.86 | | | | 3.88 | |
| Cation/Anion Ratio | | | | 1.03 | | | 1.09 | | | 1.03 | | | 0.99 | | 1.02 | | | | 1.02 | |
| Percent Difference | | | | 1.31 | | | 4.31 | | | 1.66 | | | -0.25 | | 1.01 | | | | 0.88 | |

Table I-4 (continued)
Unit D Aquifer: Ion Balance Summary for Groundwater
April 1, 2022 - June 30, 2022

| Well # Sample Date | | | MW-7 5/10/2022 | | | MW-12 5/9/2022 | | | MW-19 5/10/2022 | | | MW-26 5/10/2022 | | | MW-29 5/10/2022 | | | MW-34 5/9/2022 | | |
|------------------------------|---------------------------------|----------|-------------------|-------------|---------|-------------------|-------------|---------|--------------------|-------------|---------|--------------------|-------------|---------|--------------------|--------|---------|-------------------|-------------|---------|
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.36 | | | 7.12 | | | 7.3 | | | 7.95 | | | 7.28 | | | 6.56 | | |
| Conductance | -- | | 164.6 | | | 142.8 | | | 191.7 | | | 169.1 | | | 207.3 | | | 173.9 | | |
| TDS | -- | | 132 | | | 110 | | | 140 | | | 137 | | | 156 | | | 133 | | |
| Calcium | 40.1 | 2 | 15.6 | 0.778 | 39.37 | 11.1 | 0.554 | 33.93 | 14.7 | 0.734 | 32.00 | 17.9 | 0.893 | 44.53 | 19.3 | 0.963 | 38.18 | 13.6 | 0.679 | 33.62 |
| Magnesium | 24.3 | 2 | 10.2 | 0.839 | 42.45 | 9.68 | 0.797 | 48.80 | 14.7 | 1.210 | 52.77 | 7.32 | 0.602 | 30.03 | 14.5 | 1.193 | 47.30 | 12.7 | 1.045 | 51.78 |
| Potassium | 39.1 | 1 | 2.76 | 0.071 | 3.57 | 1.91 | 0.049 | 2.99 | 2.54 | 0.065 | 2.83 | 3.24 | 0.083 | 4.13 | 2.16 | 0.055 | 2.19 | 1.63 | 0.042 | 2.07 |
| Sodium | 23.0 | 1 | 6.12 | 0.266 | 13.47 | 5.35 | 0.233 | 14.26 | 6.07 | 0.264 | 11.52 | 9.27 | 0.403 | 20.11 | 6.45 | 0.281 | 11.12 | 5.81 | 0.253 | 12.52 |
| Iron | 55.8 | 2 | 0.0344 | 0.001 | 0.06 | 0.005 | 0.000 | 0.01 | 0.0315 | 0.001 | 0.05 | 0.103 | 0.004 | 0.18 | 0.741 | 0.027 | 1.05 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.126 | 0.005 | 0.23 | 0.00005 | 0.000 | 0.00 | 0.465 | 0.017 | 0.74 | 0.0621 | 0.002 | 0.11 | 0.0993 | 0.004 | 0.14 | 0.00005 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.233 | 0.017 | 0.84 | 0.001 | 0.000 | 0.00 | 0.0296 | 0.002 | 0.09 | 0.252 | 0.018 | 0.90 | 0.0036 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 1.98 | | | 1.63 | | | 2.29 | | | 2.01 | | 2.52 | | | | 2.02 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 76.7 | | | 62.7 | | | 82.8 | | | 74.8 | | | 97.2 | | | 69.8 | | |
| Carbonate | 60.0 | 2 | 0.1054 | 0.0035 | 0.1888 | 0.0496 | 0.0017 | 0.1036 | 0.0992 | 0.0033 | 0.1520 | 0.3974 | 0.0132 | 0.7052 | 0.1112 | 0.0037 | 0.1559 | 0.0152 | 0.0005 | 0.0260 |
| Bicarbonate | 61.0 | 1 | 93.4 | 1.5302 | 82.21 | 76.3930552 | 1.2521 | 78.43 | 100.8 | 1.6523 | 75.98 | 90.4 | 1.4824 | 78.93 | 118.4 | 1.9399 | 81.62 | 85.1 | 1.3952 | 71.39 |
| Chloride | 35.5 | 1 | 3.44 | 0.0970 | 5.21 | 3.25 | 0.0917 | 5.74 | 4.81 | 0.1357 | 6.24 | 3.76 | 0.1061 | 5.65 | 3.61 | 0.1018 | 4.28 | 5.01 | 0.1413 | 7.23 |
| Nitrate-N | 14.0 | 1 | 0.021 | 0.0015 | 0.08 | 0.674 | 0.0481 | 3.01 | 0.005 | 0.0004 | 0.02 | 0.021 | 0.0015 | 0.08 | 0.005 | 0.0004 | 0.02 | 1.85 | 0.1321 | 6.76 |
| Sulfate | 96.1 | 2 | 11 | 0.2290 | 12.30 | 9.75 | 0.2030 | 12.71 | 18.4 | 0.3831 | 17.61 | 13.2 | 0.2748 | 14.63 | 15.9 | 0.3310 | 13.93 | 13.7 | 0.2852 | 14.59 |
| Total Anions (meq/L) | | | | 1.86 | | | 1.60 | | | 2.17 | | | 1.88 | | 2.38 | | | | 1.95 | |
| Total Ions (meq/L) | | | | 3.84 | | | 3.23 | | | 4.47 | | | 3.88 | | 4.90 | | | | 3.97 | |
| Cation/Anion Ratio | | | | 1.06 | | | 1.02 | | | 1.05 | | | 1.07 | | 1.06 | | | | 1.03 | |
| Percent Difference | | | | 3.02 | | | 1.11 | | | 2.63 | | | 3.28 | | 2.97 | | | | 1.61 | |

Table I-4 (continued)
Unit D Aquifer: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022


| Well # | | | MW-7 | | | MW-12 | | | MW-19 | | | MW-26 | | | MW-29 | | | MW-34 | | |
|------------------------------|---------------------------------|----------|-----------|-------------|---------|------------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|-----------|-------------|---------|
| Sample Date | | | 9/13/2022 | | | 9/13/2022 | | | 9/13/2022 | | | 9/13/2022 | | | 9/15/2022 | | | 9/12/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.37 | | | 7.3 | | | 7.19 | | | 7.97 | | | 7.34 | | | 6.92 | | |
| Conductance | -- | | 165.3 | | | 141.1 | | | 192.5 | | | 172.2 | | | 206.9 | | | 172.3 | | |
| TDS | -- | | 134 | | | 113 | | | 143 | | | 139 | | | 149 | | | 134 | | |
| Calcium | 40.1 | 2 | 15.7 | 0.783 | 40.04 | 11.7 | 0.584 | 34.34 | 15.1 | 0.753 | 32.71 | 18 | 0.898 | 44.79 | 19.8 | 0.988 | 39.22 | 14 | 0.699 | 34.63 |
| Magnesium | 24.3 | 2 | 9.89 | 0.814 | 41.60 | 9.9 | 0.815 | 47.92 | 14.2 | 1.169 | 50.73 | 7.21 | 0.593 | 29.59 | 14.2 | 1.169 | 46.39 | 12.1 | 0.996 | 49.36 |
| Potassium | 39.1 | 1 | 2.63 | 0.067 | 3.44 | 1.81 | 0.046 | 2.72 | 2.32 | 0.059 | 2.58 | 2.98 | 0.076 | 3.80 | 2.13 | 0.054 | 2.16 | 1.48 | 0.038 | 1.88 |
| Sodium | 23.0 | 1 | 6.19 | 0.269 | 13.76 | 5.85 | 0.254 | 14.97 | 6.91 | 0.301 | 13.05 | 9.4 | 0.409 | 20.39 | 6.34 | 0.276 | 10.95 | 6.55 | 0.285 | 14.12 |
| Iron | 55.8 | 2 | 0.0201 | 0.001 | 0.04 | 0.0107 | 0.000 | 0.02 | 0.0459 | 0.002 | 0.07 | 0.115 | 0.004 | 0.21 | 0.804 | 0.029 | 1.14 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.145 | 0.005 | 0.27 | 0.0024 | 0.000 | 0.01 | 0.487 | 0.018 | 0.77 | 0.0637 | 0.002 | 0.12 | 0.0889 | 0.003 | 0.13 | 0.000193 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.233 | 0.017 | 0.85 | 0.0039 | 0.000 | 0.02 | 0.0321 | 0.002 | 0.10 | 0.312 | 0.022 | 1.11 | 0.0027 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 1.96 | | | 1.70 | | | 2.30 | | | 2.01 | | | 2.52 | | | 2.02 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 78.6 | | | 63.8 | | | 85.9 | | | 77.9 | | | 99.8 | | | 70.7 | | |
| Carbonate | 60.0 | 2 | 0.1106 | 0.0037 | 0.1958 | 0.0764 | 0.0025 | 0.1578 | 0.0799 | 0.0027 | 0.1220 | 0.4332 | 0.0144 | 0.7468 | 0.1310 | 0.0044 | 0.1817 | 0.0353 | 0.0012 | 0.0602 |
| Bicarbonate | 61.0 | 1 | 95.7 | 1.5680 | 83.33 | 77.6806387 | 1.2732 | 78.90 | 104.6 | 1.7150 | 78.58 | 94.2 | 1.5432 | 79.82 | 121.5 | 1.9912 | 82.83 | 86.2 | 1.4125 | 72.14 |
| Chloride | 35.5 | 1 | 3.12 | 0.0880 | 4.68 | 3 | 0.0846 | 5.24 | 4.58 | 0.1292 | 5.92 | 3.49 | 0.0985 | 5.09 | 3.47 | 0.0979 | 4.07 | 5.25 | 0.1481 | 7.56 |
| Nitrate-N | 14.0 | 1 | 0.018 | 0.0013 | 0.07 | 0.65 | 0.0464 | 2.88 | 0.005 | 0.0004 | 0.02 | 0.005 | 0.0004 | 0.02 | 0.005 | 0.0004 | 0.01 | 2.05 | 0.1463 | 7.47 |
| Sulfate | 96.1 | 2 | 10.6 | 0.2207 | 11.73 | 9.94 | 0.2070 | 12.82 | 16.1 | 0.3352 | 15.36 | 13.3 | 0.2769 | 14.32 | 14.9 | 0.3102 | 12.90 | 12 | 0.2498 | 12.76 |
| Total Anions (meq/L) | | | | 1.88 | | | 1.61 | | | 2.18 | | | 1.93 | | | 2.40 | | | 1.96 | |
| Total Ions (meq/L) | | | | 3.84 | | | 3.31 | | | 4.49 | | | 3.94 | | | 4.92 | | | 3.98 | |
| Cation/Anion Ratio | | | | 1.04 | | | 1.05 | | | 1.06 | | | 1.04 | | | 1.05 | | | 1.03 | |
| Percent Difference | | | | 1.95 | | | 2.60 | | | 2.70 | | | 1.83 | | | 2.34 | | | 1.49 | |

Table I-4 (continued)
Unit D Aquifer: Ion Balance Summary for Groundwater
October 1, 2022 - December 31, 2022

| Well # Sample Date | | | MW-7 11/8/2022 | | | MW-12 11/8/2022 | | | MW-19 11/8/2022 | | | MW-26 11/8/2022 | | | MW-29 11/8/2022 | | | MW-34 11/7/2022 | | |
|------------------------------|---------------------------------|----------|-------------------|-------------|---------|--------------------|-------------|---------|--------------------|-------------|---------|--------------------|-------------|---------|--------------------|-------------|---------|--------------------|-------------|---------|
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.55 | | | 7.46 | | | 7.6 | | | 8.17 | | | 7.54 | | | 6.84 | | |
| Conductance | -- | | 165.3 | | | 138.3 | | | 194 | | | 171.1 | | | 207.2 | | | 178.4 | | |
| TDS | -- | | 134 | | | 112 | | | 138 | | | 138 | | | 148 | | | 131 | | |
| Calcium | 40.1 | 2 | 15.8 | 0.788 | 40.23 | 11.8 | 0.589 | 35.27 | 15.2 | 0.758 | 33.06 | 17.9 | 0.893 | 44.27 | 19.8 | 0.988 | 39.07 | 13.7 | 0.684 | 34.00 |
| Magnesium | 24.3 | 2 | 9.95 | 0.819 | 41.78 | 9.6 | 0.790 | 47.32 | 14.1 | 1.160 | 50.58 | 7.31 | 0.602 | 29.81 | 14.3 | 1.177 | 46.54 | 12.2 | 1.004 | 49.94 |
| Potassium | 39.1 | 1 | 2.69 | 0.069 | 3.51 | 1.79 | 0.046 | 2.74 | 2.37 | 0.061 | 2.64 | 3.02 | 0.077 | 3.83 | 2.1 | 0.054 | 2.12 | 1.49 | 0.038 | 1.90 |
| Sodium | 23.0 | 1 | 6.04 | 0.263 | 13.41 | 5.62 | 0.244 | 14.64 | 6.69 | 0.291 | 12.68 | 9.69 | 0.422 | 20.89 | 6.43 | 0.280 | 11.06 | 6.54 | 0.284 | 14.15 |
| Iron | 55.8 | 2 | 0.0124 | 0.000 | 0.02 | 0.005 | 0.000 | 0.01 | 0.0527 | 0.002 | 0.08 | 0.111 | 0.004 | 0.20 | 0.756 | 0.027 | 1.07 | 0.005 | 0.000 | 0.01 |
| Manganese | 54.9 | 2 | 0.11 | 0.004 | 0.20 | 0.000586 | 0.000 | 0.00 | 0.492 | 0.018 | 0.78 | 0.0584 | 0.002 | 0.11 | 0.0864 | 0.003 | 0.12 | 0.00005 | 0.000 | 0.00 |
| Ammonia-N | 14.0 | 1 | 0.231 | 0.016 | 0.84 | 0.001 | 0.000 | 0.00 | 0.0556 | 0.004 | 0.17 | 0.255 | 0.018 | 0.90 | 0.0021 | 0.000 | 0.01 | 0.001 | 0.000 | 0.00 |
| Total Cations (meq/L) | | | | 1.96 | | | 1.67 | | | 2.29 | | | 2.02 | | | 2.53 | | | 2.01 | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | | | | | | | | | | |
| Alkalinity, Total | -- | | 78.1 | | | 63.5 | | | 85.5 | | | 77.7 | | | 99.6 | | | 72.2 | | |
| Carbonate | 60.0 | 2 | 0.1661 | 0.0055 | 0.2945 | 0.1098 | 0.0037 | 0.2285 | 0.2039 | 0.0068 | 0.3108 | 0.6811 | 0.0227 | 1.1750 | 0.2070 | 0.0069 | 0.2899 | 0.0300 | 0.0010 | 0.0508 |
| Bicarbonate | 61.0 | 1 | 94.9 | 1.5561 | 82.80 | 77.2466891 | 1.2661 | 79.02 | 103.9 | 1.7028 | 77.88 | 93.4 | 1.5310 | 79.24 | 121.1 | 1.9847 | 83.39 | 88.0 | 1.4427 | 73.26 |
| Chloride | 35.5 | 1 | 3.23 | 0.0911 | 4.85 | 3.02 | 0.0852 | 5.32 | 4.49 | 0.1267 | 5.79 | 3.62 | 0.1021 | 5.29 | 3.35 | 0.0945 | 3.97 | 4.61 | 0.1300 | 6.60 |
| Nitrate-N | 14.0 | 1 | 0.024 | 0.0017 | 0.09 | 0.638 | 0.0455 | 2.84 | 0.005 | 0.0004 | 0.02 | 0.02 | 0.0014 | 0.07 | 0.005 | 0.0004 | 0.01 | 2.01 | 0.1435 | 7.29 |
| Sulfate | 96.1 | 2 | 10.8 | 0.2249 | 11.96 | 9.69 | 0.2017 | 12.59 | 16.8 | 0.3498 | 16.00 | 13.2 | 0.2748 | 14.22 | 14.1 | 0.2936 | 12.33 | 12.1 | 0.2519 | 12.79 |
| Total Anions (meq/L) | | | | 1.88 | | | 1.60 | | | 2.19 | | | 1.93 | | | 2.38 | | | 1.97 | |
| Total Ions (meq/L) | | | | 3.84 | | | 3.27 | | | 4.48 | | | 3.95 | | | 4.91 | | | 3.98 | |
| Cation/Anion Ratio | | | | 1.04 | | | 1.04 | | | 1.05 | | | 1.04 | | | 1.06 | | | 1.02 | |
| Percent Difference | | | | 2.09 | | | 2.05 | | | 2.40 | | | 2.17 | | | 3.03 | | | 1.04 | |

Figure I-5. Private Wells Trilinear Diagrams

January 1, 2022- December 31, 2022



**Table I-5
Private Wells: Ion Balance Summary for Groundwater
January 1, 2022 - March 31, 2022**

| Well # | | | DW-85 | | | DW-LS | | | DW-PA | | |
|------------------------------|--------------------------|---|-------------|------------|------------|-------------|------------|------------|-------------|------------|------------|
| Sample Date | | | 2/7/2022 | | | 2/7/2022 | | | 2/7/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 7.62 | | | 7 | | | 6.9 | | |
| Conductance | -- | | 135.2 | | | 248.8 | | | 164.8 | | |
| TDS | -- | | 88 | | | 156 | | | 103 | | |
| Calcium | 40.1 | 2 | 14.5 | 0.72355 | 44.7426279 | 23.3 | 1.16267 | 38.9766132 | 13.4 | 0.66866 | 35.0944636 |
| Magnesium | 24.3 | 2 | 6.6 | 0.543114 | 33.5848906 | 17.4 | 1.431846 | 48.000299 | 11.1 | 0.913419 | 47.9405825 |
| Potassium | 39.1 | 1 | 2.68 | 0.0685544 | 4.23924264 | 1.79 | 0.0457882 | 1.53497464 | 1.64 | 0.0419512 | 2.20179891 |
| Sodium | 23.0 | 1 | 5.92 | 0.25752 | 15.9244303 | 7.87 | 0.342345 | 11.4765571 | 6.46 | 0.28101 | 14.7487441 |
| Iron | 55.8 | 2 | 0.0654 | 0.00234197 | 0.14482216 | 0.005 | 0.00017905 | 0.00600236 | 0.005 | 0.00017905 | 0.0093974 |
| Manganese | 54.9 | 2 | 0.0529 | 0.00192556 | 0.1190721 | 0.00259 | 9.4276E-05 | 0.00316045 | 0.000663 | 2.4133E-05 | 0.00126663 |
| Ammonia-N | 14.0 | 1 | 0.282 | 0.02013198 | 1.24491423 | 0.001 | 0.00007139 | 0.00239323 | 0.001 | 0.00007139 | 0.00374689 |
| Total Cations (meq/L) | | | 1.62 | | | 2.98 | | | 1.91 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 68.9 | | | 113 | | | 67.6 | | |
| Carbonate | 60.0 | 2 | 0.1720 | 0.0057 | 0.3851 | 0.0679 | 0.0023 | 0.0800 | 0.0323 | 0.0011 | 0.0604 |
| Bicarbonate | 61.0 | 1 | 83.7 | 1.37197768 | 92.16 | 137.7 | 2.25726278 | 79.81 | 82.4 | 1.35064068 | 75.81 |
| Chloride | 35.5 | 1 | 2.55 | 0.0719355 | 4.83 | 6.63 | 0.1870323 | 6.61 | 5.23 | 0.1475383 | 8.28 |
| Nitrate-N | 14.0 | 1 | 0.005 | 0.00035695 | 0.02 | 2.17 | 0.1549163 | 5.48 | 0.805 | 0.05746895 | 3.23 |
| Sulfate | 96.1 | 2 | 1.86 | 0.0387252 | 2.60 | 10.9 | 0.226938 | 8.02 | 10.8 | 0.224856 | 12.62 |
| Total Anions (meq/L) | | | 1.49 | | | 2.83 | | | 1.78 | | |
| Total Ions (meq/L) | | | 3.11 | | | 5.81 | | | 3.69 | | |
| Cation/Anion Ratio | | | 1.09 | | | 1.05 | | | 1.07 | | |
| Percent Difference | | | 4.13 | | | 2.66 | | | 3.36 | | |

Table I-5 (continued)
Private Wells: Ion Balance Summary for Groundwater
July 1, 2022 - September 30, 2022

| Well # | | | DW-85 | | | DW-LS | | | DW-PA | | |
|------------------------------|--------------------------|---|-------------|------------|------------|-------------|------------|------------|--------------|------------|------------|
| Sample Date | | | 9/14/2022 | | | 9/14/2022 | | | 9/14/2022 | | |
| Cation Parameters | Molecular Weight (g/mol) | n | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) | mg/L | meq/L | % (meq) |
| pH | -- | | 8.11 | | | 7.26 | | | 7.11 | | |
| Conductance | -- | | 133.3 | | | 243 | | | 161.7 | | |
| TDS | -- | | 107 | | | 175 | | | 121 | | |
| Calcium | 40.1 | 2 | 14.2 | 0.70858 | 45.0150831 | 22.9 | 1.14271 | 38.8078246 | 13.1 | 0.65369 | 35.6372497 |
| Magnesium | 24.3 | 2 | 6.43 | 0.5291247 | 33.6145423 | 17.2 | 1.415388 | 48.0683019 | 10.6 | 0.872274 | 47.5538043 |
| Potassium | 39.1 | 1 | 2.48 | 0.0634384 | 4.03015164 | 1.68 | 0.0429744 | 1.45946301 | 1.51 | 0.0386258 | 2.10576463 |
| Sodium | 23.0 | 1 | 5.73 | 0.249255 | 15.8348169 | 7.88 | 0.34278 | 11.6412267 | 6.18 | 0.26883 | 14.6558183 |
| Iron | 55.8 | 2 | 0.0726 | 0.00259981 | 0.16516199 | 0.0119 | 0.00042614 | 0.0144722 | 0.0118 | 0.00042256 | 0.02303662 |
| Manganese | 54.9 | 2 | 0.052 | 0.0018928 | 0.1202469 | 0.000575 | 0.0002093 | 0.00071081 | 0.000295 | 1.0738E-05 | 0.0005854 |
| Ammonia-N | 14.0 | 1 | 0.269 | 0.01920391 | 1.21999718 | 0.0033 | 0.00023559 | 0.00800082 | 0.0061 | 0.00043548 | 0.02374103 |
| Total Cations (meq/L) | | | 1.57 | | | 2.94 | | | 1.83 | | |
| Anion Parameters | Molecular Weight (g/mol) | n | | | | | | | | | |
| Alkalinity, Total | -- | | 70.5 | | | 113 | | | 68.8 | | |
| Carbonate | 60.0 | 2 | 0.5393 | 0.0180 | 1.1748 | 0.1234 | 0.0041 | 0.1436 | 0.0532 | 0.0018 | 0.0966 |
| Bicarbonate | 61.0 | 1 | 84.9 | 1.39173234 | 90.97 | 137.6 | 2.25541148 | 78.69 | 83.8 | 1.37393686 | 74.80 |
| Chloride | 35.5 | 1 | 2.8 | 0.078988 | 5.16 | 6.35 | 0.1791335 | 6.25 | 5.55 | 0.1565655 | 8.52 |
| Nitrate-N | 14.0 | 1 | 0.005 | 0.00035695 | 0.02 | 2.37 | 0.1691943 | 5.90 | 1 | 0.07139 | 3.89 |
| Sulfate | 96.1 | 2 | 1.96 | 0.0408072 | 2.67 | 12.4 | 0.258168 | 9.01 | 11.2 | 0.233184 | 12.69 |
| Total Anions (meq/L) | | | 1.53 | | | 2.87 | | | 1.84 | | |
| Total Ions (meq/L) | | | 3.10 | | | 5.81 | | | 3.67 | | |
| Cation/Anion Ratio | | | 1.03 | | | 1.03 | | | 1.00 | | |
| Percent Difference | | | 1.43 | | | 1.35 | | | -0.07 | | |

Appendix J

Surface Water Monitoring Data

**Table J-1
Surface Water - Field Parameters**

| Surface Water - Field Parameters | | | Dissolved Oxygen (DO) (Field) | Oxidation-Reduction Potential (ORP) (Field) | pH (Field) | Specific Conductance (Field) | Temperature (Field) | Turbidity (Field) |
|----------------------------------|-------------|-------------|----------------------------------|---|------------|------------------------------------|------------------------|----------------------|
| Site ID | Sample Date | Sample ID | (mg/L) | (mV) | (µmhos/cm) | (std. Units) | (°C) | (NTU) |
| SW-W1 | 2/7/2022 | SVW1220207Q | 11.4 | 174.4 | 7.5 | 168.3 | 7.851 | 19.4 |
| SW-W1 | 5/11/2022 | SVW1220511Q | 10.67 | 156.6 | 7.49 | 158.1 | 8.986 | 15.5 |
| SW-W1 | 9/14/2022 | SVW1220914Q | 9.49 | -104.8 | 7.71 | 180.7 | 13.549 | 4.32 |
| SW-W1 | 11/16/2022 | SVW1221116Q | 11.08 | 18.4 | 7.56 | 176.6 | 7.366 | 4.86 |
| SW-W2 | 2/7/2022 | SVW2220207Q | 11.85 | 28.4 | 7.98 | 381 | 7.563 | 15.2 |
| SW-W2 | 5/11/2022 | SVW2220511Q | 11.22 | 194.7 | 7.94 | 460.7 | 8.776 | 14.5 |
| SW-W2 | 9/14/2022 | SVW2220914Q | 10.31 | 126.4 | 8.19 | 503.8 | 12.575 | 9.74 |
| SW-W2 | 11/16/2022 | SVW2221116Q | 11.79 | 186.6 | 7.9 | 504 | 7.309 | 6.43 |
| SW-W3 | 2/7/2022 | SVW3220207Q | 11.16 | 93.4 | 7.49 | 241.1 | 8.57 | 29.2 |
| SW-W3 | 5/11/2022 | SVW3220511Q | 10.75 | 187.9 | 7.62 | 240.4 | 9.468 | 13.9 |
| SW-W3 | 9/14/2022 | SVW3220914Q | 10.22 | -41.4 | 7.81 | 261 | 12.118 | 4.04 |
| SW-W3 | 11/16/2022 | SVW3221116Q | 11.3 | 99 | 7.74 | 235.4 | 8.615 | 6.6 |
| SW-E | 2/7/2022 | SVE-220207Q | 11.86 | 204.2 | 7.79 | 173.8 | 8.049 | 6.21 |
| SW-E | 5/11/2022 | SVE-220511Q | 11.8 | 324.7 | 7.62 | 173.3 | 7.763 | 7.48 |
| SW-E | 9/14/2022 | SVE-220914Q | 10.71 | 111.4 | 7.97 | 190.9 | 12.092 | 9.07 |
| SW-E | 11/16/2022 | SVE-221116Q | 11.93 | 273.6 | 7.65 | 191.3 | 7.857 | 3.24 |

**Table J-2
Surface Water - Conventionals**

| Surface Water - Conventionals | | | Alkalinity, Total (as CaCO ₃) | Ammonia as N | Biological Oxygen Demand - 5 Day | Chemical Oxygen Demand | Chloride (mg/l) | Coliforms, Fecal (CFU/100 mL) | Coliforms, Total (CFU/100 mL) | Cyanide (mg/l) | Fluoride (mg/l) | Hardness (mg/l) | Nitrate (mg/l) | Nitrite as N (mg/l) | Phosphorous , Soluble Reactive (mg/l) | Phosphorus, Total as P (mg/l) | Specific Conductance (µmhos/cm) | Sulfate (mg/l) | Total Dissolved Solids (mg/l) | Total Kjeldahl Nitrogen (mg/l) | Total Organic Carbon (mg/l) | Total Solids (mg/l) | Total Suspended Solids (mg/l) | Turbidity (NTU) | |
|-------------------------------|-------------|-------------|---|-----------------|---|------------------------------|--------------------|--|--|-------------------|--------------------|--------------------|-------------------|---------------------------|--|--|---------------------------------------|-------------------|--|---|--------------------------------------|---------------------------|--|--------------------|-------|
| Site ID | Sample Date | Sample ID | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (CFU/100 mL) | (CFU/100 mL) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | µmhos/cm | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (mg/l) | (NTU) |
| SW-W1 | 2/7/2022 | SVW1220207Q | 65.1 | 0.0114 | 2.38 | 15 T | 6.38 | 1 | 510 | 0.002 U | 0.1 U | 84.8 | 2.43 | 2.43 | 0.0297 | 0.109 | 188 | 7.69 | 130 | 0.365 | 4.59 | 146 | 18 | 9.5 | |
| SW-W1 | 5/11/2022 | SVW1220511Q | 66.9 | 0.0121 | 2 U | 16 T | 5.73 | 4 | 500 | 0.002 U | 0.1 U | 80.7 | 1.86 | 1.86 | 0.0288 | 0.131 | 181 | 6.32 | 134 J | 0.472 | 7.61 | 209 J | 26.3 J | 15 | |
| SW-W1 | 9/14/2022 | SVW1220914Q | 81.3 | 0.0152 | 2 U | 18 T | 6.27 | 4 | 320 | 0.002 U | 0.04 U | 91.7 | 0.906 | 0.906 | 0.0395 | 0.139 | 200 | 7.86 | 146 | 0.31 | 4.62 | 164 | 15.1 | 6.85 | |
| SW-W1 | 11/16/2022 | SVW1221116Q | 74.7 | 0.0121 | 2 U | 5 U | 6.41 | 4 | 670 | 0.002 U | 0.04 U | 85.4 | 0.788 | 0.788 | 0.0334 | 0.0783 | 189 | 8.16 | 137 | 0.235 | 3.82 | 149 | 5.58 | 6.27 | |
| SW-W2 | 2/7/2022 | SVW2220207Q | 255 | 0.006 T | 2 U | 21.4 | 16.3 | 1 U | 110 | 0.002 U | 0.1 U | 275 | 0.129 | 0.129 | 0.0131 | 0.0839 | 547 | 15.6 | 317 | 0.316 | 6.08 | 343 | 22.4 | 16.2 | |
| SW-W2 | 5/11/2022 | SVW2220511Q | 252 | 0.0066 T | 2 U | 16 T | 16.7 | 5 | 250 | 0.002 U | 0.1 U | 271 | 0.169 | 0.169 | 0.0144 | 0.0785 | 531 | 14.7 | 324 | 0.325 | 5.38 | 364 | 20.8 | 14.4 | |
| SW-W2 | 9/14/2022 | SVW2220914Q | 280 | 0.0037 T | 2 U | 13 T | 18.5 | 2 | 340 | 0.002 U | 0.1 U | 304 | 0.0931 | 0.0931 | 0.0151 | 0.0763 | 572 | 16.2 | 365 | 0.239 | 5.13 | 407 | 95.3 | 17.9 | |
| SW-W2 | 11/16/2022 | SVW2221116Q | 254 | 0.0022 T | 2 U | 13 T | 16.3 | 1 U | 21 | 0.002 U | 0.1 U | 270 | 0.0875 | 0.0875 | 0.0104 | 0.0304 | 528 | 16.2 | 330 | 0.2 T | 5.13 | 341 | 6.9 | 4.09 | |
| SW-W3 | 2/7/2022 | SVW3220207Q | 114 | 0.0091 T | 2 U | 18 T | 8.25 | 2 | 140 | 0.002 U | 0.1 U | 131 | 0.525 | 0.525 | 0.0625 | 0.221 | 277 | 11.8 | 167 | 0.244 | 4.66 | 277 | 114 | 26.6 | |
| SW-W3 | 5/11/2022 | SVW3220511Q | 114 | 0.0098 T | 2 U | 11 T | 7.96 | 1 | 170 | 0.002 U | 0.1 U | 127 | 0.457 | 0.457 | 0.0625 | 0.162 | 276 | 12.2 | 181 | 0.328 | 5.58 | 215 | 32.5 | 11.2 | |
| SW-W3 | 9/14/2022 | SVW3220914Q | 130 | 0.0067 T | 2 U | 9.4 T | 8.27 | 10 | 210 | 0.002 U | 0.1 U | 141 | 0.225 | 0.225 | 0.0656 | 0.176 | 295 | 12.4 | 200 | 0.278 | 4.69 | 222 | 20 | 9.27 | |
| SW-W3 | 11/16/2022 | SVW3221116Q | 120 | 0.0054 T | 2 U | 9 T | 8.3 | 1 | 230 | 0.002 U | 0.1 U | 133 | 0.224 | 0.224 | 0.0609 | 0.108 | 280 | 11.7 | 190 | 0.17 T | 3.97 | 200 | 10 | 5.55 | |
| SW-E | 2/7/2022 | SVE-220207Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | 89.5 | -- | -- | -- | -- | 197 | -- | -- | -- | -- | -- | -- | 5.56 | |
| SW-E | 5/11/2022 | SVE-220511Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | 89.9 | -- | -- | -- | -- | 198 | -- | -- | -- | -- | -- | -- | 6.92 | |
| SW-E | 9/14/2022 | SVE-220914Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | 100 | -- | -- | -- | -- | 213 | -- | -- | -- | -- | -- | -- | 6.09 | |
| SW-E | 11/16/2022 | SVE-221116Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | 97.2 | -- | -- | -- | -- | 206 | -- | -- | -- | -- | -- | -- | 3.77 | |

Note:
-- = parameter is not sampled for

**Table J-3
Surface Water - Metals (Dissolved & Total)**

| Surface Water - Metals (Dissolved & Total) | | | Aluminum, Dissolved | Aluminum, Total | Antimony, Dissolved | Antimony, Total | Arsenic, Dissolved | Arsenic, Total | Barium, Dissolved | Barium, Total | Beryllium, Dissolved | Beryllium, Total | Cadmium, Dissolved | Cadmium, Total | Calcium, Dissolved | Calcium, Total | Chromium, Dissolved | Chromium, Total | Cobalt, Dissolved | Cobalt, Total | Copper, Dissolved | Copper, Total | Iron, Dissolved | Iron, Total | Lead, Dissolved | Lead, Total | Magnesium, Dissolved | Magnesium, Total | Manganese, Dissolved | Manganese, Total |
|--|-------------|--------------|------------------------|--------------------|------------------------|--------------------|-----------------------|-------------------|----------------------|------------------|-------------------------|---------------------|-----------------------|-------------------|-----------------------|-------------------|------------------------|--------------------|----------------------|------------------|----------------------|------------------|--------------------|----------------|--------------------|----------------|-------------------------|---------------------|-------------------------|---------------------|
| CAS # | 7429-90-5 | 7429-90-5 | 7440-36-0 | 7440-36-0 | 7440-38-2 | 7440-38-2 | 7440-39-3 | 7440-39-3 | 7440-41-7 | 7440-41-7 | 7440-43-9 | 7440-43-9 | 7440-70-2 | 7440-70-2 | 7440-47-3 | 7440-47-3 | 7440-48-4 | 7440-48-4 | 7440-50-8 | 7440-50-8 | 7439-89-6 | 7439-89-6 | 7439-92-1 | 7439-92-1 | 7439-95-4 | 7439-95-4 | 7439-96-5 | 7439-96-5 | | |
| Site ID | Sample Date | Sample ID | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (ug/L) | (ug/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (ug/L) | (ug/L) | |
| SW-W1 | 2/7/2022 | SVW1220207Q | 0.005 U | 0.306 | 0.0003 U | 0.0003 U | 1.89 | 6.35 | 0.000522 | 0.00788 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.8 | 14.8 | 0.000503 | 0.00193 | 5.66E-05 | 0.00102 | 0.00038 | 0.00156 | 0.0911 | 3.43 | 0.0001 U | 0.000975 | 11.4 | 11.6 | 148 | 1170 |
| SW-W1 | 5/11/2022 | SVW1220511Q | 0.005 U | 0.171 | 0.0003 U | 0.0003 U | 1.72 | 3.79 | 0.000914 | 0.00562 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 13.6 | 14.2 | 0.000452 | 0.00149 | 5.43E-05 | 0.000795 | 0.000597 | 0.00131 | 0.0758 | 1.91 | 0.0001 U | 0.000894 | 11.3 | 11 | 137 | 691 |
| SW-W1 | 9/14/2022 | SVW1220914Q | 0.005 U | 0.0715 | 0.0003 U | 0.0003 U | 2.95 | 4.1 | 0.000886 | 0.00245 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 16.5 | 16.2 | 0.000435 | 0.000967 | 8.02E-05 | 0.000319 | 0.000303 | 0.000625 | 0.183 | 0.944 | 0.0001 U | 0.000273 | 12.6 | 12.4 | 373 | 528 D |
| SW-W1 | 11/16/2022 | SVW1221116Q | 0.005 U | 0.0628 | 0.0003 U | 0.0003 U | 2.75 | 3.66 | 0.000783 | 0.00205 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14.8 | 15.3 | 0.000481 | 0.000707 | 6.06E-05 | 0.000201 | 0.00032 | 0.000523 | 0.26 | 0.941 | 0.0001 U | 0.000242 | 12.1 | 11.5 | 262 | 424 |
| SW-W2 | 2/7/2022 | SVW2220207Q | 0.005 U | 0.136 | 0.0003 U | 0.0003 U | 1.32 | 3.93 | 0.00287 | 0.0101 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 46.6 | 47.6 | 0.000207 | 0.000635 | 5E-05 U | 0.000247 | 0.000221 | 0.000713 | 0.0127 | 2.98 | 0.0001 U | 0.000386 | 38.3 | 38 | 23 | 600 |
| SW-W2 | 5/11/2022 | SVW2220511Q | 0.005 U | 0.0846 | 0.0003 U | 0.0003 U | 1.43 | 3.38 | 0.00289 | 0.0085 | 0.0001 U | 0.0001 U | 5E-05 U | 5.33E-05 | 44.6 | 47.9 | 0.000241 | 0.00055 | 5E-05 U | 0.000194 | 0.000262 | 0.000551 | 0.016 | 2.04 | 0.0001 U | 0.000285 | 38 | 36.8 | 23.7 | 412 |
| SW-W2 | 9/14/2022 | SVW2220914Q | 0.005 U | 0.094 | 0.0003 U | 0.0003 U | 1.62 | 3.5 | 0.00376 | 0.00878 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 52.3 | 52.9 | 0.000352 | 0.000517 | 5.14E-05 | 0.000191 | 0.000241 | 0.000438 | 0.0307 | 2.21 | 0.0001 U | 0.000246 | 41.2 | 41.7 | 79.6 | 529 D |
| SW-W2 | 11/16/2022 | SVW2221116Q | 0.005 U | 0.0622 | 0.0003 U | 0.0003 U | 1.27 | 2.19 | 0.00341 | 0.00642 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 46.2 | 47.6 | 0.000365 | 0.000481 | 5E-05 U | 0.000115 | 0.000229 | 0.000402 | 0.0266 | 1.03 | 0.0001 U | 0.000213 | 37.6 | 36.8 | 42.3 | 265 |
| SW-W3 | 2/7/2022 | SVW3220207Q | 0.005 U | 1.04 | 0.0003 U | 0.0003 U | 3.05 | 4.44 | 0.00579 | 0.0152 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 21.4 | 22.2 | 0.000271 | 0.00311 | 0.000126 | 0.000902 | 0.000313 | 0.00249 | 0.0492 | 2.14 | 0.0001 U | 0.000746 | 18.4 | 18.3 | 461 | 692 |
| SW-W3 | 5/11/2022 | SVW3220511Q | 0.005 U | 0.256 | 0.0003 U | 0.0003 U | 2.92 | 4.45 | 0.004 | 0.00918 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 20.9 | 21.8 | 0.00029 | 0.00125 | 0.000101 | 0.000431 | 0.000338 | 0.00118 | 0.045 | 1.23 | 0.0001 U | 0.000653 | 18.1 | 17.7 | 375 | 650 |
| SW-W3 | 9/14/2022 | SVW3220914Q | 0.005 U | 0.112 | 0.0003 U | 0.0003 U | 3.66 | 4.95 | 0.00451 | 0.00713 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 24.3 | 24.2 | 0.000496 | 0.000838 | 0.000112 | 0.000278 | 0.000247 | 0.000647 | 0.0569 | 0.878 | 0.0001 U | 0.000406 | 19 | 19.6 | 420 | 643 D |
| SW-W3 | 11/16/2022 | SVW3221116Q | 0.005 U | 0.0987 | 0.0003 U | 0.0003 U | 3.16 | 3.98 | 0.00484 | 0.00699 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 22.8 | 22.8 | 0.000372 | 0.000699 | 0.000103 | 0.00021 | 0.000241 | 0.000556 | 0.0613 | 0.689 | 0.0001 U | 0.00032 | 19.2 | 18.4 | 390 | 550 |
| SW-E | 2/7/2022 | SVE-2220207Q | 0.0127 | 0.16 | 0.0003 U | 0.0003 U | 1.76 | 1.97 | 0.00569 | 0.00696 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14.3 | 14.8 | 0.0012 | 0.0018 | 5E-05 U | 0.00014 | 0.000444 | 0.000834 | 0.0484 | 0.366 | 0.0001 U | 0.000256 | 12.8 | 12.7 | 8.74 | 44.2 |
| SW-E | 5/11/2022 | SVE-2220511Q | 0.0128 | 0.204 | 0.0003 U | 0.0003 U | 1.82 | 2.1 | 0.00499 | 0.0074 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 14.1 | 15 | 0.00122 | 0.00215 | 5E-05 U | 0.000197 | 0.000444 | 0.00118 | 0.0593 | 0.482 | 0.0001 U | 0.000396 | 13.3 | 12.7 | 10.8 | 59.5 |
| SW-E | 9/14/2022 | SVE-2220914Q | 0.00736 | 0.164 | 0.0003 U | 0.0003 U | 2.19 | 2.44 | 0.00515 | 0.00669 | 0.0001 U | 0.0001 U | 5E-05 U | 5E-05 U | 16.2 | 16.5 | 0.00144 | 0.00216 | 5E-05 U | 0.000164 | 0.000313 | 0.00078 | 0.0516 | 0.421 | 0.0001 U | 0.000296 | 13.6 | 14.3 | 11 | 61.1 |
| SW-E | 11/16/2022 | SVE-2221116Q | 0.023 | 1.6 | 0.0003 U | 0.0003 U | 1.8 | 2.6 | 0.00471 | 0.0194 | 0.0001 U | 0.0001 U | 5E-05 U | 5.15E-05 | 15.4 | 16.2 | 0.00138 | 0.0055 | 5E-05 U | 0.0015 | 0.000346 | 0.00321 | 0.0883 | 2.97 | 0.0001 U | 0.00161 | 14.1 | 13.8 | 10.7 | 99.2 |

| Surface Water - Metals (Dissolved & Total) | | | Mercury, Total | Nickel, Dissolved | Nickel, Total | Potassium, Dissolved | Potassium, Total | Selenium, Dissolved | Selenium, Total | Silver, Dissolved | Silver, Total | Sodium, Dissolved | Sodium, Total | Thallium, Dissolved | Thallium, Total | Tin, Dissolved | Tin, Total | Vanadium, Dissolved | Vanadium, Total | Zinc, Dissolved | Zinc, Total |
|--|-------------|--------------|-------------------|----------------------|------------------|-------------------------|---------------------|------------------------|--------------------|----------------------|------------------|----------------------|------------------|------------------------|--------------------|-------------------|---------------|------------------------|--------------------|--------------------|----------------|
| CAS # | 7439-97-6 | 7440-02-0 | 7440-02-0 | 7440-09-7 | 7440-09-7 | 7782-49-2 | 7782-49-2 | 7440-22-4 | 7440-22-4 | 7440-23-5 | 7440-23-5 | 7440-28-0 | 7440-28-0 | 7440-31-5 | 7440-31-5 | 7440-62-2 | 7440-62-2 | 7440-66-6 | 7440-66-6 | | |
| Site ID | Sample Date | Sample ID | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | |
| SW-W1 | 2/7/2022 | SVW1220207Q | 5E-05 U | 0.00058 | 0.00426 | 0.926 | 0.953 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.83 | 6.59 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000516 | 0.00256 | 0.0005 U | 0.00356 |
| SW-W1 | 5/11/2022 | SVW1220511Q | 5E-05 U | 0.000592 | 0.00341 | 0.799 | 0.805 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.52 | 6.28 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000494 | 0.00194 D | 0.00167 | 0.00293 |
| SW-W1 | 9/14/2022 | SVW1220914Q | 5E-05 U | 0.000866 | 0.00188 | 1.06 | 1.07 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 7.24 | 7.13 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000784 | 0.00118 | 0.00151 | 0.00264 |
| SW-W1 | 11/16/2022 | SVW1221116Q | 5E-05 U | 0.000828 | 0.00136 | 0.933 | 0.918 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.22 | 6.34 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000419 | 0.000807 | 0.00154 | 0.00237 |
| SW-W2 | 2/7/2022 | SVW2220207Q | 5E-05 U | 0.00197 | 0.00269 | 3.02 | 3.01 | 0.0005 U | 0.0005 U | 4E-05 U | 6.52E-05 | 15 | 14.4 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000454 | 0.00103 | 0.0005 U | 0.00174 |
| SW-W2 | 5/11/2022 | SVW2220511Q | 5E-05 U | 0.00195 | 0.00244 | 2.75 | 2.84 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 14.9 | 14 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000346 | 0.000692 D | 0.0005 U | 0.000877 |
| SW-W2 | 9/14/2022 | SVW2220914Q | 5E-05 U | 0.00237 | 0.00296 | 3.08 | 3.22 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 16 | 16.4 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000362 | 0.000715 | 0.0018 | 0.00139 |
| SW-W2 | 11/16/2022 | SVW2221116Q | 5E-05 U | 0.00204 | 0.00228 | 3.03 | 3.02 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 15.7 | 14.3 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000244 | 0.000503 | 0.00161 | 0.00238 |
| SW-W3 | 2/7/2022 | SVW3220207Q | 5E-05 U | 0.00107 | 0.00493 | 2.08 | 2.14 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.81 | 8.42 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000884 D | 0.0046 | 0.000935 | 0.00577 |
| SW-W3 | 5/11/2022 | SVW3220511Q | 5E-05 U | 0.000987 | 0.00241 | 2.01 | 2.09 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.49 | 8.25 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000684 | 0.00192 D | 0.0005 U | 0.00182 |
| SW-W3 | 9/14/2022 | SVW3220914Q | 5E-05 U | 0.00119 | 0.00195 | 2.27 | 2.33 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.94 | 9.47 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.000806 | 0.00141 | 0.000995 | 0.00192 |
| SW-W3 | 11/16/2022 | SVW3221116Q | 5E-05 U | 0.00105 | 0.00152 | 2.19 | 2.12 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 8.36 | 8.55 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.000872 | 0.000578 | 0.00104 | 0.00149 | 0.0032 |
| SW-E | 2/7/2022 | SVE-2220207Q | -- | 0.000703 | 0.00127 | 1.9 | 1.93 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.64 | 6.33 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.00284 D | 0.00374 | 0.00157 | 0.00258 |
| SW-E | 5/11/2022 | SVE-2220511Q | 5E-05 U | 0.000724 | 0.00149 | 1.79 | 1.95 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.83 | 6.57 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.00285 | 0.00364 D | 0.0005 U | 0.00209 |
| SW-E | 9/14/2022 | SVE-2220914Q | 5E-05 U | 0.000684 | 0.00137 | 1.95 | 2.05 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.92 | 7.34 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.0032 | 0.00384 | 0.00132 | 0.00234 |
| SW-E | 11/16/2022 | SVE-2221116Q | 5E-05 U | 0.000746 | 0.00809 | 1.93 | 2.02 | 0.0005 U | 0.0005 U | 4E-05 U | 4E-05 U | 6.77 | 6.58 | 7.5E-05 U | 7.5E-05 U | 0.0005 U | 0.0005 U | 0.00262 | 0.00782 | 0.00156 | 0.00866 |

Note:
-- = parameter is not sampled for

**Table J-4
Surface Water - Volatile Organic Compounds**

| Surface Water - Volatile Organic Compounds | | | 1,1,1,2-Tetrachloroethane | 1,1,1-Trichloroethane | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2,3-Trichloropropane | 1,2-Dibromo-3-Chloropropane | 1,2-Dibromoethane | 1,2-Dichlorobenzene | 1,2-Dichloroethane | 1,2-Dichloropropane | 1,4-Dichlorobenzene | 2-Butanone | 2-Hexanone | 4-Methyl-2-Pentanone | Acetone | Acrylonitrile | Benzene | Bromo-chloromethane | Bromo-dichloromethane | Bromoform | Bromo-methane | Carbon Disulfide | Carbon Tetrachloride | |
|--|-------------|--------------|---------------------------|-----------------------|---------------------------|-----------------------|--------------------|--------------------|------------------------|-----------------------------|-------------------|---------------------|--------------------|---------------------|---------------------|------------|------------|----------------------|---------|---------------|---------|---------------------|-----------------------|-----------|---------------|------------------|----------------------|--------|
| CAS # | | | 630-20-6 | 71-55-6 | 79-34-5 | 79-00-5 | 75-34-3 | 75-35-4 | 96-18-4 | 96-12-8 | 106-93-4 | 95-50-1 | 107-06-2 | 78-87-5 | 106-46-7 | 78-93-3 | 591-78-6 | 108-10-1 | 67-64-1 | 107-13-1 | 71-43-2 | 74-97-5 | 75-27-4 | 75-25-2 | 74-83-9 | 75-15-0 | 56-23-5 | |
| Site ID | Sample Date | Sample ID | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) |
| SW-W1 | 2/7/2022 | SVW1220207Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W1 | 5/11/2022 | SVW1220511Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 3.32 JT | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W1 | 9/14/2022 | SVW1220914Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W1 | 11/16/2022 | SVW1221116Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W2 | 2/7/2022 | SVW2220207Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W2 | 5/11/2022 | SVW2220511Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 21.6 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W2 | 9/14/2022 | SVW2220914Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W2 | 11/16/2022 | SVW2221116Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W3 | 2/7/2022 | SVW3220207Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W3 | 5/11/2022 | SVW3220511Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 4.92 JT | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W3 | 9/14/2022 | SVW3220914Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-W3 | 11/16/2022 | SVW3221116Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| SW-E | 2/7/2022 | SVE-220207Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| SW-E | 5/11/2022 | SVE-220511Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| SW-E | 9/14/2022 | SVE-220914Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| SW-E | 11/16/2022 | SVE-221116Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207X | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207X2 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Z | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220914Y2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220914Z2 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |
| VOA TRIP BLANK | 11/9/2022 | VTRP221116X | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| VOA TRIP BLANK | 11/9/2022 | VTRP221116Y | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 1 U | 0.5 U | 2.5 U | 2.5 U | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | |

| Surface Water - Volatile Organic Compounds | | | Chlorobenzene | Chloro-dibromomethane | Chloro-ethane | Chloroform | Chloro-methane | Cis-1,2-Dichloroethene | Cis-1,3-Dichloropropene | Dibromo-methane | Dichloro-difluoro-methane | Ethyl-benzene | M & P Xylene | Methyl Iodide | Methylene Chloride | O-Xylene | Styrene | Tetrachloro-ethene | Toluene | Trans-1,2-Dichloro-ethene | Trans-1,3-Dichloropropene | Trans-1,4-Dichloro-2-Butene | Trichloro-ethene | Trichloro-fluoro-methane | Vinyl Acetate | Vinyl Chloride | |
|--|-------------|--------------|---------------|-----------------------|---------------|------------|----------------|------------------------|-------------------------|-----------------|---------------------------|---------------|--------------|---------------|--------------------|----------|----------|--------------------|----------|---------------------------|---------------------------|-----------------------------|------------------|--------------------------|---------------|----------------|--------|
| CAS # | | | 108-90-7 | 124-48-1 | 75-00-3 | 67-66-3 | 74-87-3 | 156-59-2 | 10061-01-5 | 74-95-3 | 75-71-8 | 100-41-4 | MPX | 74-88-4 | 75-09-2 | 95-47-6 | 100-42-5 | 127-18-4 | 108-88-3 | 156-60-5 | 10061-02-6 | 110-57-6 | 79-01-6 | 75-69-4 | 108-05-4 | 75-01-4 | |
| Site ID | Sample Date | Sample ID | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) |
| SW-W1 | 2/7/2022 | SVW1220207Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 JT | |
| SW-W1 | 5/11/2022 | SVW1220511Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.012 JT | |
| SW-W1 | 9/14/2022 | SVW1220914Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.0114 DJT | |
| SW-W1 | 11/16/2022 | SVW1221116Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.015 DJT | |
| SW-W2 | 2/7/2022 | SVW2220207Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| SW-W2 | 5/11/2022 | SVW2220511Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| SW-W2 | 9/14/2022 | SVW2220914Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| SW-W2 | 11/16/2022 | SVW2221116Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU | |
| SW-W3 | 2/7/2022 | SVW3220207Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.0642 | |
| SW-W3 | 5/11/2022 | SVW3220511Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.035 | |
| SW-W3 | 9/14/2022 | SVW3220914Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.0391 D | |
| SW-W3 | 11/16/2022 | SVW3221116Q | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.0331 D | |
| SW-E | 2/7/2022 | SVE-220207Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.01 U | |
| SW-E | 5/11/2022 | SVE-220511Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.01 U | |
| SW-E | 9/14/2022 | SVE-220914Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.01 DU | |
| SW-E | 11/16/2022 | SVE-221116Q | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.01 DU | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207X | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207X2 | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 2.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.01 U | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Z | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0 | | | | | | | | | | | | | | | | | | | | |

Table J-5
Surface Water - Pesticides & Herbicides

| Surface Water - Pesticides & Herbicides | | | 2,4,5-T | 2,4,5-TP Silvex | 2,4-D | Dinoseb | Endrin | Lindane (Gamma) | Methoxychlor | Toxaphene |
|---|------------|-------------|----------|--------------------|----------|----------|----------|--------------------|--------------|-----------|
| | | CAS # | 93-76-5 | 93-72-1 | 94-75-7 | 88-85-7 | 72-20-8 | 58-89-9 | 72-43-5 | 8001-35-2 |
| Site ID | Sample | Sample ID | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) |
| SW-W1 | 2/7/2022 | SVW1220207Q | 0.025 U | 0.025 U | 0.05 U | 0.025 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W1 | 5/11/2022 | SVW1220511Q | 0.0255 U | 0.0255 U | 0.051 U | 0.0255 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W1 | 9/14/2022 | SVW1220914Q | 0.0266 U | 0.0266 U | 0.0532 U | 0.0266 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W1 | 11/16/2022 | SVW1221116Q | 0.0267 U | 0.0267 U | 0.0534 U | 0.0267 U | 0.013 U | 0.013 U | 0.0651 U | 1.3 U |
| SW-W2 | 2/7/2022 | SVW2220207Q | 0.0253 U | 0.0253 U | 0.0505 U | 0.0298 J | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W2 | 5/11/2022 | SVW2220511Q | 0.0278 U | 0.0278 U | 0.0556 U | 0.0278 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W2 | 9/14/2022 | SVW2220914Q | 0.0266 U | 0.0266 U | 0.0532 U | 0.0266 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W2 | 11/16/2022 | SVW2221116Q | 0.0262 U | 0.0262 U | 0.0524 U | 0.0262 U | 0.0128 U | 0.0128 U | 0.0638 U | 1.28 U |
| SW-W3 | 2/7/2022 | SVW3220207Q | 0.0255 U | 0.0255 U | 0.051 U | 0.0255 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W3 | 5/11/2022 | SVW3220511Q | 0.0266 U | 0.0266 U | 0.0532 U | 0.0266 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W3 | 9/14/2022 | SVW3220914Q | 0.026 U | 0.026 U | 0.0521 U | 0.026 U | 0.0125 U | 0.0125 U | 0.0625 U | 1.25 U |
| SW-W3 | 11/16/2022 | SVW3221116Q | 0.0267 U | 0.0267 U | 0.0534 U | 0.0267 U | 0.0126 U | 0.0126 U | 0.0631 U | 1.26 U |

Appendix K

Leachate Monitoring Data

**Table K-1
Leachate - Field Parameters**

| Leachate - Field Parameters | | | Dissolved Sulfide | pH (Field) | Specific Conductance (Field) | Temperature (Field) |
|-----------------------------|-------------|-------------|-------------------|-----------------|------------------------------|---------------------|
| Site ID | Sample Date | Sample ID | ppm | (Std. pH Units) | (µmhos/cm) | (°C) |
| LS-LVT | 3/9/2022 | LVT-220309P | 0.1 U | 7.15 | 299.7 | 6.6 |
| LS-LVT | 6/23/2022 | LVT-220623P | 0.1 U | 7.36 | 336.3 | 16 |
| LS-LVT | 9/16/2022 | LVT-220916P | 0.1 U | 7.83 | 412.7 | 16.7 |
| LS-LVT | 12/15/2022 | LVT-221215P | 0.1 U | 7.29 | 371.9 | 6.1 |
| LS-PS1 | 2/7/2022 | LVP-220207D | -- | 8.16 | 315.8 | 6.1 |
| LS-PS1 | 2/7/2022 | LVP-220207Q | -- | 8.16 | 315.8 | 6.1 |
| LS-PS1 | 5/11/2022 | LVP-220511Q | -- | 6.6 | 100.1 | 12.4 |
| LS-PS1 | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | -- | 7.36 | 269.9 | 9.8 |
| LS-B | 2/7/2022 | LVB-220207Q | -- | 7 | 2922 | 11.2 |
| LS-B | 5/12/2022 | LVB-220512Q | -- | 6.32 | 2670 | 12.6 |
| LS-B | 9/15/2022 | LVB-220915Q | -- | 7.61 | 4074 | 17.6 |
| LS-B | 11/16/2022 | LVB-221116Q | -- | 6.75 | 3196 | 13.9 |

Note:

-- = parameter is not sampled for

* = No sample taken in 3rd quarter 2022 due to safety concerns (no fall protection).

**Table K-2
Leachate - Conventionals**

| Leachate - Conventionals | | | Alkalinity, Total (as CaCO ₃) | Ammonia as N | Biological Oxygen Demand - 5 Day | Chemical Oxygen Demand | Chloride | Coliforms, Fecal | Coliforms, Total | Cyanide | Fluoride | Nitrate + Nitrite as N | Phosphorous, Soluble Reactive |
|--------------------------|-------------|-------------|---|-----------------|--|------------------------------|----------|---------------------|---------------------|----------|----------|------------------------------|-------------------------------------|
| Site ID | Sample Date | Sample ID | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (CFU/100 mL) | (CFU/100 mL) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| LS-LVT | 3/9/2022 | LVT-220309P | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-LVT | 6/23/2022 | LVT-220623P | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-LVT | 9/16/2022 | LVT-220916P | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-LVT | 12/15/2022 | LVT-221215P | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 2/7/2022 | LVP-220207D | 89.2 | 0.002 U | 3.31 | 30.8 | 23 | 1 | 1100 | 0.002 U | 0.0545 | 0.01 U | 0.0005 U |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 89.2 | 0.0023 T | 3.21 | 31.4 | 23.4 | 1 | 800 | 0.002 U | 0.0565 | 0.01 U | 0.0005 U |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 44.1 | 0.021 | 2 U | 5 U | 2.88 | 1 U | 330 | 0.002 U | 0.2 U | 0.0954 | 0.0093 |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 71.8 | 0.186 | 2 U | 23.7 | 20.9 | 1 U | 41 | 0.002 U | 0.046 | 0.596 | 0.0135 |
| LS-B | 2/7/2022 | LVB-220207Q | 514 | 0.0248 | 3.24 | 74.6 | 413 | 1 U | 9 C | 0.0032 T | 0.15 T | 1.07 | 0.0005 U |
| LS-B | 5/12/2022 | LVB-220512Q | 441 | 0.0183 | 6.89 EL | 70.7 | 392 | 1 U | 400 | 0.0023 T | 0.17 T | 1.58 | 0.00306 |
| LS-B | 9/15/2022 | LVB-220915Q | 728 | 0.0108 | 3.79 EL | 111 | 595 | 1 U | 1 | 0.0035 T | 0.3 T | 0.04 T | 0.004 |
| LS-B | 11/16/2022 | LVB-221116Q | 504 | 0.0107 | 2 U | 77.6 | 469 | 1 U | 5 | 0.002 U | 0.13 T | 2.64 | 0.00321 |

| Leachate - Conventionals | | | Phosphorus, Total as P | Specific Conductanc e (µohms/cm) | Sulfate (mg/L) | Sulfide, Total (mg/L) | Total Fats, Oil, & Grease (mg/L) | Total Kjeldahl Nitrogen (mg/L) | Total Organic Carbon (mg/L) | Total Suspende d Solids (mg/L) | Total Volatile Solids (mg/L) | Volatile Suspended Solids (mg/L) |
|--------------------------|-------------|-------------|------------------------------|---|-------------------|-----------------------------|---|---|--------------------------------------|---|---------------------------------------|---|
| Site ID | Sample Date | Sample ID | (mg/l) | (µohms/cm) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| LS-LVT | 03/09/22 | LVT-220309P | -- | -- | -- | -- | 1.8 U | -- | -- | -- | -- | -- |
| LS-LVT | 06/23/22 | LVT-220623P | -- | -- | -- | -- | 1.8 T | -- | -- | -- | -- | -- |
| LS-LVT | 09/16/22 | LVT-220916P | -- | -- | -- | -- | 1.9 U | -- | -- | -- | -- | -- |
| LS-LVT | 12/15/22 | LVT-221215P | -- | -- | -- | -- | 1.9 T | -- | -- | -- | -- | -- |
| LS-PS1 | 02/07/22 | LVP-220207D | 0.992 U | 343 | 39.3 | 0.01 T | 1.5 U | 1.2 | 9.63 | 41.2 | 38.7 | 17.6 |
| LS-PS1 | 02/07/22 | LVP-220207Q | 0.993 U | 343 | 40 | 0.01 U | 1.5 U | 1.2 | 9.66 | 38.4 | 52 | 16.8 |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 05/11/22 | LVP-220511Q | 0.997 U | 121 | 7.09 | 0.01 U | 3 BT | 0.352 | 4.11 | 1.6 T | 15 T | 1 T |
| LS-PS1 | 11/16/22 | LVP-221116Q | 0.1 U | 290 | 33.1 | 0.01 U | 10.4 | 0.862 | 9.29 | 1.8 T | 68 | 1.4 T |
| LS-B | 02/07/22 | LVB-220207Q | 0.995 U | 3180 | 624 | 0.05 U | 1.5 U | 1.79 | 32.4 | 0.6 T | 504 | 0.7 T |
| LS-B | 05/12/22 | LVB-220512Q | 0.994 U | 2860 | 619 | 0.05 U | 2.9 BT | 1.79 | 26.9 | 1.4 | 376 | 0.9 T |
| LS-B | 09/15/22 | LVB-220915Q | 0.1 U | 4270 | 855 | 0.02 U | 2 U | 2.06 | 44.1 | 1.6 | 697 E | 0.8 T |
| LS-B | 11/16/22 | LVB-221116Q | 0.1 U | 3430 | 715 | 0.05 U | 5.8 T | 1.99 | 33.5 | 0.6 T | 572 | 0.5 T |

Note:

-- = parameter is not sampled for

* = No sample taken in 3rd quarter 2022 due to safety concerns (no fall protection).

**Table K-3
Leachate - Metals (Total)**

| Leachate - Metals | | | Aluminum, Total | Antimony, Total | Arsenic, Total | Barium, Total | Beryllium, Total | Cadmium, Total | Calcium, Total | Chromium, Total | Cobalt, Total | Copper, Total | Iron, Total | Lead, Total |
|-------------------|-------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Site ID | Sample Date | CAS # Sample ID | 7429-90-5 (mg/L) | 7440-36-0 (mg/L) | 7440-38-2 (ug/L) | 7440-39-3 (mg/L) | 7440-41-7 (mg/L) | 7440-43-9 (mg/L) | 7440-70-2 (mg/L) | 7440-47-3 (mg/L) | 7440-48-4 (mg/L) | 7440-50-8 (mg/L) | 7439-89-6 (mg/L) | 7439-92-1 (mg/L) |
| LS-LVT | 3/9/2022 | LVT-220309P | -- | -- | 1.9 | -- | -- | 0.000496 U | -- | 0.00199 U | -- | 0.00951 | -- | 0.00304 |
| LS-LVT | 6/23/2022 | LVT-220623P | -- | -- | 4.96 | -- | -- | 0.000497 U | -- | 0.00585 | -- | 0.0287 | -- | 0.00993 |
| LS-LVT | 9/16/2022 | LVT-220916P | -- | -- | 2.02 | -- | -- | 0.0005 U | -- | 0.002 U | -- | 0.0116 | -- | 0.00218 |
| LS-LVT | 12/15/2022 | LVT-221215P | -- | -- | 1.39 | -- | -- | 0.000499 U | -- | 0.00199 U | -- | 0.00597 | -- | 0.00133 |
| LS-PS1 | 2/7/2022 | LVP-220207D | 0.346 | 0.00298 U | 1.38 | 0.0366 | 0.000992 U | 0.000496 U | 36.6 | 0.00198 U | 0.000708 | 0.0058 | 1.02 | 0.00177 |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 0.341 | 0.00298 U | 1.36 | 0.0371 | 0.000993 U | 0.000496 U | 36.7 | 0.00199 U | 0.000701 | 0.00584 | 1.04 | 0.00178 |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 0.263 | 0.00299 U | 0.498 U | 0.0206 | 0.000997 U | 0.000498 U | 13.3 | 0.00201 U | 0.000498 U | 0.00576 | 0.325 | 0.000997 U |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 0.0621 | 0.000316 | 1.01 | 0.0216 | 0.0001 U | 5E-05 U | 27 | 0.000431 | 0.000256 | 0.00357 | 0.221 | 0.000166 |
| LS-B | 2/7/2022 | LVB-220207Q | 0.0498 U | 0.00299 U | 2.02 | 0.109 | 0.000995 U | 0.000804 | 239 | 0.00199 U | 0.0237 | 0.00868 | 0.124 | 0.000995 U |
| LS-B | 5/12/2022 | LVB-220512Q | 0.0497 U | 0.00298 U | 1.51 | 0.0918 | 0.000994 U | 0.000541 | 210 | 0.00205 U | 0.0179 | 0.00578 | 0.0994 U | 0.000994 U |
| LS-B | 9/15/2022 | LVB-220915Q | 0.005 U | 0.0003 U | 2.42 | 0.0912 | 0.0001 U | 0.000317 | 325 D | 0.000905 | 0.021 | 0.00438 | 0.114 | 0.0001 U |
| LS-B | 11/16/2022 | LVB-221116Q | 0.005 U | 0.0003 U | 1.74 | 0.0892 | 0.0001 U | 0.000279 | 265 D | 0.000593 | 0.00976 | 0.00516 | 0.0529 | 0.0001 U |

| Leachate - Metals | | | Magnesium, Total | Manganese, Total | Mercury, Total | Nickel, Total | Potassium, Total | Selenium, Total | Silver, Total | Sodium, Total | Thallium, Total | Tin, Total | Vanadium, Total | Zinc, Total |
|-------------------|-------------|-------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Site ID | Sample Date | Sample ID | 7439-95-4 (mg/L) | 7439-96-5 (ug/L) | 7439-97-6 (mg/L) | 7440-02-0 (mg/L) | 7440-09-7 (mg/L) | 7782-49-2 (mg/L) | 7440-22-4 (mg/L) | 7440-23-5 (mg/L) | 7440-28-0 (mg/L) | 7440-31-5 (mg/L) | 7440-62-2 (mg/L) | 7440-66-6 (mg/L) |
| LS-LVT | 3/9/2022 | LVT-220309P | -- | -- | -- | 0.00774 | -- | -- | 0.000397 U | -- | -- | -- | -- | 0.0337 |
| LS-LVT | 6/23/2022 | LVT-220623P | -- | -- | -- | 0.0155 | -- | -- | 0.000398 U | -- | -- | -- | -- | 0.128 |
| LS-LVT | 9/16/2022 | LVT-220916P | -- | -- | -- | 0.0099 | -- | -- | 0.0004 U | -- | -- | -- | -- | 0.0434 |
| LS-LVT | 12/15/2022 | LVT-221215P | -- | -- | -- | 0.00744 | -- | -- | 0.000399 U | -- | -- | -- | -- | 0.0215 |
| LS-PS1 | 2/7/2022 | LVP-220207D | 10.7 | 294 | 0.0001 U | 0.00746 | 3.98 | 0.00496 U | 0.000397 U | 16.2 | 0.000744 U | 0.00496 U | 0.00155 | 0.0194 |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 10.6 | 295 | 0.0001 U | 0.00746 | 4.02 | 0.00496 U | 0.000397 U | 16.1 | 0.000744 U | 0.00496 U | 0.00136 | 0.0205 |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 2.54 | 34.3 | 0.0001 U | 0.00306 | 1.32 | 0.00498 U | 0.000399 U | 3.49 | 0.000747 U | 0.00498 U | 0.00122 | 0.0229 |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 9.61 | 49.3 | 0.0001 U | 0.00538 | 3.45 | 0.0005 U | 4E-05 U | 14.4 | 7.5E-05 U | 0.0005 U | 0.000545 | 0.00881 |
| LS-B | 2/7/2022 | LVB-220207Q | 144 | 9850 | 0.0001 U | 0.201 | 33.7 | 0.00498 U | 0.000398 U | 263 | 0.000746 U | 0.00498 U | 0.00108 | 0.148 |
| LS-B | 5/12/2022 | LVB-220512Q | 122 | 5670 | 0.0001 U | 0.149 | 29.4 | 0.00497 U | 0.000398 U | 234 | 0.000745 U | 0.00497 U | 0.000778 | 0.123 |
| LS-B | 9/15/2022 | LVB-220915Q | 205 D | 6360 D | 0.0001 U | 0.209 | 44.7 | 0.000633 | 4E-05 U | 395 D | 7.5E-05 U | 0.0005 U | 0.000446 | 0.0692 |
| LS-B | 11/16/2022 | LVB-221116Q | 158 D | 3450 D | 0.0001 U | 0.146 | 36.7 | 0.000547 | 4E-05 U | 303 D | 7.5E-05 U | 0.0005 U | 0.000291 | 0.0799 |

Note:

-- = parameter is not sampled for

* = No sample taken in 3rd quarter 2022 due to safety concerns (no fall protection).

**Table K-4
Leachate - Volatile Organic Compounds**

| Leachate - Volatile Organic Compounds | | | 1,1,1,2-Tetrachloroethane 630-20-6 (µg/L) | 1,1,1-Trichloroethane 71-55-6 (µg/L) | 1,1,2,2-Tetrachloroethane 79-34-5 (µg/L) | 1,1,2-Trichloroethane 79-00-5 (µg/L) | 1,1-Dichloroethane 75-34-3 (µg/L) | 1,1-Dichloroethene 75-35-4 (µg/L) | 1,1-Dichloropropene 563-58-6 (µg/L) | 1,2,3-Trichloropropane 96-18-4 (µg/L) | 1,2-Dibromoethane 106-93-4 (µg/L) | 1,2-Dichlorobenzene 95-50-1 (µg/L) | 1,2-Dichloroethane 107-06-2 (µg/L) | 1,2-Dichloropropane 78-87-5 (µg/L) | 1,3-Dichlorobenzene 541-73-1 (µg/L) | 1,3-Dichloropropane 142-28-9 (µg/L) | 1,4-Dichlorobenzene 106-46-7 (µg/L) | 2,2-Dichloropropane 594-20-7 (µg/L) | 2-Butanone 78-93-3 (µg/L) | 2-Hexanone 591-78-6 (µg/L) | 2-Methyl-1-Propanol 78-83-1 (µg/L) | 3-Chloropropene 107-05-1 (µg/L) | 4-Methyl-2-Pentanone 108-10-1 (µg/L) | Acetone 67-64-1 (µg/L) | Acetonitrile 75-05-8 (µg/L) | Acrolein 107-02-8 (µg/L) |
|---------------------------------------|-------------|--------------------|---|--|--|--|---|---|---|---|---|--|--|--|---|---|---|---|---------------------------------|----------------------------------|--|---------------------------------------|--|------------------------------|-----------------------------------|--------------------------------|
| Site ID | Sample Date | CAS # Sample ID | | | | | | | | | | | | | | | | | | | | | | | | |
| LS-PS1 | 2/7/2022 | LVP-220207D | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 5.27 | 5 U | 2.5 U |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 DU | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| LS-B | 2/7/2022 | LVB-220207Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.162 JT | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| LS-B | 5/12/2022 | LVB-220512Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 8.41 | 5 U | 2.5 U |
| LS-B | 9/15/2022 | LVB-220915Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| LS-B | 11/16/2022 | LVB-221116Q | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 DU | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207Z | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 13 | 5 U | 2.5 U |
| VOA TRIP BLANK | 5/10/2022 | VTRP220512Z | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 5.68 | 5 U | 2.5 U |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y3 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 5.81 | 5 U | 2.5 U |
| VOA TRIP BLANK | 9/13/2022 | VTRP220915Z2 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 U | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |
| VOA TRIP BLANK | 11/9/2022 | VTRP221116Y2 | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 5 DU | 0.1 U | 2.5 U | 2.5 U | 5 U | 2.5 U |

| Leachate - Volatile Organic Compounds | | | Acrylonitrile 107-13-1 (µg/L) | Benzene 71-43-2 (µg/L) | Bromo-chloromethane 74-97-5 (µg/L) | Bromo-dichloromethane 75-27-4 (µg/L) | Bromoform 75-25-2 (µg/L) | Bromomethane 74-83-9 (µg/L) | Carbon Disulfide 75-15-0 (µg/L) | Carbon Tetrachloride 56-23-5 (µg/L) | Chlorobenzene 108-90-7 (µg/L) | Chloro-dibromomethane 124-48-1 (µg/L) | Chloro-ethane 75-00-3 (µg/L) | Chloroform 67-66-3 (µg/L) | Chloromethane 74-87-3 (µg/L) | Chloroprene 126-99-8 (µg/L) | Cis-1,2-Dichloroethene 156-59-2 (µg/L) | Cis-1,3-Dichloropropene 10061-01-5 (µg/L) | Dibromomethane 74-95-3 (µg/L) | Dichlorodifluoromethane 75-71-8 (µg/L) | Ethyl-benzene M & P Xylene 100-41-4 (µg/L) | Methyl Iodide MPX (µg/L) | Methyl Methacrylate 74-88-4 (µg/L) | Methylacrylonitrile 80-62-6 (µg/L) | Methylacrylonitrile 126-98-7 (µg/L) | Methylene Chloride 75-09-2 (µg/L) | O-Xylene 95-47-6 (µg/L) | | |
|---------------------------------------|-------------|--------------------|-------------------------------------|------------------------------|--|--|--------------------------------|-----------------------------------|---------------------------------------|---|-------------------------------------|---|------------------------------------|---------------------------------|------------------------------------|-----------------------------------|--|---|-------------------------------------|--|--|--------------------------------|--|--|---|---|-------------------------------|-------|--|
| Site ID | Sample Date | CAS # Sample ID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LS-PS1 | 2/7/2022 | LVP-220207D | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-B | 2/7/2022 | LVB-220207Q | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-B | 5/12/2022 | LVB-220512Q | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-B | 9/15/2022 | LVB-220915Q | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| LS-B | 11/16/2022 | LVB-221116Q | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207Z | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220512Z | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y3 | 0.035 U | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| VOA TRIP BLANK | 9/13/2022 | VTRP220915Z2 | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |
| VOA TRIP BLANK | 11/9/2022 | VTRP221116Y2 | 0.035 DU | 0.1 U | 0.1 U | 0.25 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.5 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.25 U | 0.1 U | 2.5 U | 0.1 U | | |

| Leachate - Volatile Organic Compounds | | | Propionitrile 107-12-0 (µg/L) | Styrene 100-42-5 (µg/L) | Tetrachloroethene 127-18-4 (µg/L) | Toluene 108-88-3 (µg/L) | Trans-1,2-Dichloroethene 156-60-5 (µg/L) | Trans-1,3-Dichloropropene 10061-02-6 (µg/L) | Trans-1,4-Dichloro-2-Butene 110-57-6 (µg/L) | Trichloroethene 79-01-6 (µg/L) | Trichloro-fluoro-methane 75-69-4 (µg/L) | Vinyl Acetate 108-05-4 (µg/L) | Vinyl Chloride 75-01-4 (µg/L) |
|---------------------------------------|-------------|--------------------|-------------------------------------|-------------------------------|---|-------------------------------|--|---|---|--------------------------------------|---|-------------------------------------|-------------------------------------|
| Site ID | Sample Date | CAS # Sample ID | | | | | | | | | | | |
| LS-PS1 | 2/7/2022 | LVP-220207D | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU |
| LS-B | 2/7/2022 | LVB-220207Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| LS-B | 5/12/2022 | LVB-220512Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| LS-B | 9/15/2022 | LVB-220915Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU |
| LS-B | 11/16/2022 | LVB-221116Q | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU |
| VOA TRIP BLANK | 2/3/2022 | VTRP220207Z | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| VOA TRIP BLANK | 5/10/2022 | VTRP220512Z | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| VOA TRIP BLANK | 5/10/2022 | VTRP220511Y3 | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 U |
| VOA TRIP BLANK | 9/13/2022 | VTRP220915Z2 | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU |
| VOA TRIP BLANK | 11/9/2022 | VTRP221116Y2 | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.5 U | 0.5 U | 0.1 U | 0.1 U | 0.1 U | 0.01 DU |

Note:
-- = parameter is not sampled for
* = No sample taken in 3rd quarter 2022 due to safety concerns (no fall protection).

**Table K-5
Leachate - Pesticides, Herbicides, & Polychlorinated Biphenyls (PCBs)**

| Leachate - Pesticides, Herbicides, & Polychlorinated Biphenyls (PCBs) | | | 2,4,5-T | 2,4,5-TP Silvex | 2,4-D | 4,4'DDD | 4,4'DDE | 4,4'DDT | Aldrin | Alpha BHC | Alpha Chlordane | Aroclor 1016 | Aroclor 1221 | Aroclor 1232 | Aroclor 1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Beta BHC |
|---|-------------|-------------|---------|--------------------|---------|----------|----------|----------|----------|-----------|--------------------|-----------------|-----------------|-----------------|--------------|-----------------|-----------------|-----------------|----------|
| CAS # | | | 93-76-5 | 93-72-1 | 94-75-7 | 72-54-8 | 72-55-9 | 50-29-3 | 309-00-2 | 319-84-6 | 5103-71-9 | 12674-11-2 | 11104-28-2 | 11141-16-5 | 53469-21-9 | 12672-29-6 | 11097-69-1 | 11096-82-5 | 319-85-7 |
| Site ID | Sample Date | Sample ID | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) |
| LS-PS1 | 2/7/2022 | LVP-220207D | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |
| LS-PS1 | 2/7/2022 | LVP-220207Q | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |
| LS-PS1 | 5/11/2022 | LVP-220511Q | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/2022 | LVP-221116Q | 0.25 U | 0.25 U | 0.5 U | 0.0109 U | 0.0109 U | 0.0109 U | 0.0109 | 0.0109 U | 0.0109 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.0109 U |
| LS-B | 2/7/2022 | LVB-220207Q | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |
| LS-B | 5/12/2022 | LVB-220512Q | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.02 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.02 U |
| LS-B | 9/15/2022 | LVB-220915Q | 0.25 U | 0.25 U | 0.5 U | 0.03 U | 0.01 U | 0.04 U | 0.01 U | 0.01 U | 0.03 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |
| LS-B | 11/16/2022 | LVB-221116Q | 0.25 U | 0.25 U | 0.5 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.025 U | 0.01 U |

| Leachate - Pesticides, Herbicides, & Polychlorinated Biphenyls (PCBs) | | | Delta BHC | Dieldrin | Dinoseb | Endosulfan I | Endosulfan II | Endosulfan Sulfate | Endrin | Endrin Aldehyde | Heptachlor | Heptachlor Epoxide | Isodrin | Lindane (Gamma BHC) | Methoxychlor | Total Aroclors LOR | Toxaphene | trans- Chlordane |
|---|-------------|-------------|--------------|----------|---------|--------------|------------------|-----------------------|---------|--------------------|------------|-----------------------|----------|---------------------------|--------------|--------------------------|-----------|---------------------|
| CAS # | | | 319-86-8 | 60-57-1 | 88-85-7 | 959-98-8 | 33213-65-9 | 1031-07-8 | 72-20-8 | 7421-93-4 | 76-44-8 | 1024-57-3 | 465-73-6 | 58-89-9 | 72-43-5 | T_AROC LOR | 8001-35-2 | 5103-74-2 |
| Site ID | Sample Date | Sample ID | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) |
| LS-PS1 | 02/07/22 | LVP-220207D | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.01 U |
| LS-PS1 | 02/07/22 | LVP-220207Q | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.01 U |
| LS-PS1 | 05/11/22 | LVP-220511Q | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.01 U |
| LS-PS1* | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LS-PS1 | 11/16/22 | LVP-221116Q | 0.0109 U | 0.0109 U | 0.25 U | 0.0109 U | 0.0109 U | 0.0109 U | 0.0109 | 0.0109 U | 0.0109 U | 0.0109 U | 0.0109 U | 0.0109 U | 0.0543 U | 0.026 U | 1.09 U | 0.0109 U |
| LS-B | 02/07/22 | LVB-220207Q | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.01 U |
| LS-B | 05/12/22 | LVB-220512Q | 0.02 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.01 U |
| LS-B | 09/15/22 | LVB-220915Q | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.02 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.04 U | 0.01 U | 0.05 U | 1 U | 0.05 U |
| LS-B | 11/16/22 | LVB-221116Q | 0.01 U | 0.01 U | 0.25 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.01 U | 0.05 U | 0.025 U | 1 U | 0.04 U |

Note:

-- = parameter is not sampled for

* = No sample taken in 3rd quarter 2022 due to safety concerns (no fall protection).

Appendix L

Landfill Gas Monitoring Data

Table L-1
Landfill Gas Monitoring Data
January 1, 2022 - March 31, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) | |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | | |
| GP-001 | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | -2.01 | GP-1 | |
| GP-001 | 2/7/2022 | 0 | 0.5 | 20.9 | 0 | -0.9 | | |
| GP-001 | 3/8/2022 | 0 | 0.4 | 20.4 | 0 | 0.93 | | |
| GP-002 | 1/21/2022 | 0 | 1.8 | 18.7 | 0 | 0.04 | GP-2 | |
| GP-002 | 2/7/2022 | 0 | 2.1 | 18.4 | 0 | -0.02 | | |
| GP-002 | 3/8/2022 | 0 | 2.4 | 17.9 | 0 | 0.05 | | |
| GP-01D | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | -4.71 | NP-1 | |
| GP-01D | 2/7/2022 | 0 | 0.4 | 18.2 | 0 | -0.59 | | |
| GP-01D | 3/8/2022 | 0 | 0.2 | 22 | 0 | 1.33 | | |
| GP-01I | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | -3.13 | | |
| GP-01I | 2/7/2022 | 0 | 0.4 | 18.9 | 0 | -0.06 | | |
| GP-01I | 3/8/2022 | 0 | 0.3 | 22 | 0 | 0.74 | | |
| GP-01S | 1/21/2022 | 0 | 0.3 | 20.7 | 0 | -0.04 | | |
| GP-01S | 2/7/2022 | 0 | 0.3 | 21 | 0 | 0 | | |
| GP-01S | 3/8/2022 | 0 | 0.8 | 20.9 | 0 | -0.03 | | |
| GP-02D | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | -4.34 | | NP-2 |
| GP-02D | 2/7/2022 | 0 | 0.5 | 19.3 | 0 | -0.67 | | |
| GP-02D | 3/8/2022 | 0 | 0.2 | 21 | 0 | 1.44 | | |
| GP-02I | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | -4.17 | | |
| GP-02I | 2/7/2022 | 0 | 0.4 | 18.4 | 0 | -0.78 | | |
| GP-02I | 3/8/2022 | 0 | 0.2 | 21 | 0 | 1.35 | | |
| GP-02S | 1/21/2022 | 0 | 0.1 | 20.8 | 0 | 0.09 | | |
| GP-02S | 2/7/2022 | 0 | 0.2 | 21 | 0 | 0.05 | | |
| GP-02S | 3/8/2022 | 0 | 0.3 | 21 | 0 | 0 | | |
| GP-03D | 1/21/2022 | 0 | 1.9 | 17.9 | 0 | -3.69 | NP-3 | |
| GP-03D | 2/7/2022 | 0 | 1.7 | 18.4 | 0 | -0.97 | | |
| GP-03D | 3/8/2022 | 0 | 1.9 | 17.7 | 0 | 1.8 | | |
| GP-03I | 1/21/2022 | 0 | 1.2 | 19.8 | 0 | -3.63 | | |
| GP-03I | 2/7/2022 | 0 | 1.6 | 18.9 | 0 | -0.97 | | |
| GP-03I | 3/8/2022 | 0 | 1.9 | 18.3 | 0 | 1.47 | | |
| GP-03S | 1/21/2022 | 0 | 0.2 | 20.7 | 0 | 0.04 | | |
| GP-03S | 2/7/2022 | 0 | 1.2 | 19.3 | 0 | -0.23 | | |
| GP-03S | 3/8/2022 | 0 | 1.5 | 18.7 | 0 | 0.06 | | |
| GP-04D | 1/21/2022 | 0 | 0.2 | 20.7 | 0 | 0.04 | NP-4 | |
| GP-04D | 2/7/2022 | 0 | 1.2 | 19.3 | 0 | -0.23 | | |
| GP-04D | 3/8/2022 | 0 | 1.5 | 18.7 | 0 | 0.06 | | |
| GP-04I | 1/21/2022 | 0 | 0.3 | 20 | 0 | -2.27 | | |
| GP-04I | 2/7/2022 | 0 | 1 | 20.2 | 0 | -0.99 | | |
| GP-04I | 3/8/2022 | 0 | 0.9 | 19.9 | 0 | 1.19 | | |
| GP-04S | 1/21/2022 | 0 | 2.9 | 18.5 | 0 | 0.84 | | |
| GP-04S | 2/7/2022 | 0 | 2.3 | 18.4 | 0 | -1.03 | | |
| GP-04S | 3/8/2022 | 0 | 3.4 | 15.6 | 0 | 7.8 | | |

Table L-1
Landfill Gas Monitoring Data
 January 1, 2022 - March 31, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | |
| GP-05D | 1/21/2022 | 0 | 0.2 | 20.2 | 0 | -0.66 | NP-5 |
| GP-05D | 2/7/2022 | 0 | 0.5 | 20.9 | 0 | -1.3 | |
| GP-05D | 3/8/2022 | 0 | 1.6 | 18.9 | 0 | 0.47 | |
| GP-05I | 1/21/2022 | 0 | 1.7 | 19.2 | 0 | -0.38 | |
| GP-05I | 2/7/2022 | 0 | 2.5 | 18.7 | 0 | -0.77 | |
| GP-05I | 3/8/2022 | 0 | 2.8 | 18.3 | 0 | 0.25 | |
| GP-05S | 1/21/2022 | 0 | 0.2 | 19.2 | 0 | -0.12 | |
| GP-05S | 2/7/2022 | 0 | 0.2 | 21 | 0 | -0.38 | |
| GP-05S | 3/8/2022 | 0 | 4.5 | 15.2 | 0 | 0.13 | |
| GP-06D | 1/21/2022 | 0 | 0.2 | 20.5 | 0 | -1.43 | NP-6 |
| GP-06D | 2/7/2022 | 0 | 0.5 | 20.5 | 0 | -0.91 | |
| GP-06D | 3/8/2022 | 0 | 0.7 | 20.1 | 0 | 0.94 | |
| GP-06I | 1/21/2022 | 0 | 0.1 | 20.1 | 0 | -0.49 | |
| GP-06I | 2/7/2022 | 0 | 0.4 | 20.7 | 0 | -0.23 | |
| GP-06I | 3/8/2022 | 0 | 0.5 | 20.4 | 0 | 0.38 | |
| GP-06S | 1/21/2022 | 0 | 2.1 | 18.8 | 0 | 0.05 | |
| GP-06S | 2/7/2022 | 0 | 3.5 | 16 | 0 | -0.08 | |
| GP-06S | 3/8/2022 | 0 | 3.7 | 15.6 | 0 | 0.11 | |
| GP-07D | 1/21/2022 | 0 | 1.5 | 19 | 0 | 0.17 | NP-7 |
| GP-07D | 2/7/2022 | 0 | 0.7 | 19.3 | 0 | -0.23 | |
| GP-07D | 3/8/2022 | 0 | 3 | 12.3 | 0 | 0.81 | |
| GP-07I | 1/21/2022 | 0 | 0.1 | 20.7 | 0 | -2.25 | |
| GP-07I | 2/7/2022 | 0 | 0.2 | 20.9 | 0 | -0.63 | |
| GP-07I | 3/8/2022 | 0 | 0.3 | 20.7 | 0 | 0.88 | |
| GP-07S | 1/21/2022 | 0 | 0.2 | 20.5 | 0 | -2.81 | |
| GP-07S | 2/7/2022 | 0 | 0.1 | 21 | 0 | -0.79 | |
| GP-07S | 3/8/2022 | 0 | 1 | 18.3 | 0 | 1.3 | |
| GP-08D | 1/21/2022 | 0 | 0.7 | 15.5 | 0 | -4.49 | NP-8 |
| GP-08D | 2/7/2022 | 0 | 0.8 | 15.8 | 0 | -0.56 | |
| GP-08D | 3/8/2022 | 0 | 0.3 | 20.6 | 0 | 1.42 | |
| GP-08I | 1/21/2022 | 0 | 0.2 | 15.5 | 0 | -4.3 | |
| GP-08I | 2/7/2022 | 0 | 0.3 | 20.9 | 0 | -0.66 | |
| GP-08I | 3/8/2022 | 0 | 0.4 | 20.4 | 0 | 1.36 | |
| GP-08S | 1/21/2022 | 0 | 4 | 1.5 | 0 | -5.38 | |
| GP-08S | 2/7/2022 | 0 | 4.4 | 6.2 | 0 | -0.01 | |
| GP-08S | 3/8/2022 | 0 | 5.1 | 1.4 | 0 | 0 | |

Table L-2
Landfill Gas Monitoring Data
 April 1, 2022 - June 30, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) | |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | | |
| GP-001 | 4/8/2022 | 0 | 0.5 | 20.3 | 0 | -0.17 | GP-1 | |
| GP-001 | 5/17/2022 | 0 | 0.2 | 20.8 | 0 | -0.82 | | |
| GP-001 | 6/7/2022 | 0 | 0.1 | 20.1 | 0 | 1.09 | | |
| GP-002 | 4/8/2022 | 0 | 0.3 | 20.6 | 0 | 0 | GP-2 | |
| GP-002 | 5/17/2022 | 0 | 2.1 | 17.3 | 0 | 0.42 | | |
| GP-002 | 6/7/2022 | 0 | 1.7 | 17.5 | 0 | 0.6 | | |
| GP-01D | 4/8/2022 | 0 | 0.1 | 20.9 | 0 | -0.44 | NP-1 | |
| GP-01D | 5/17/2022 | 0 | 0.2 | 21 | 0 | -2.09 | | |
| GP-01D | 6/7/2022 | 0 | 0.4 | 17 | 0 | 0.46 | | |
| GP-01I | 4/8/2022 | 0 | 0.1 | 20.7 | 0 | -0.02 | | |
| GP-01I | 5/17/2022 | 0 | 0.2 | 21 | 0 | -1.16 | | |
| GP-01I | 6/7/2022 | 0 | 0.1 | 20.6 | 0 | 0.06 | | |
| GP-01S | 4/8/2022 | 0 | 0.2 | 20.7 | 0 | 0.16 | | |
| GP-01S | 5/17/2022 | 0 | 0.2 | 21 | 0 | -0.12 | | |
| GP-01S | 6/7/2022 | 0 | 0.5 | 19.5 | 0 | 0.37 | | |
| GP-02D | 4/8/2022 | 0 | 0.1 | 21 | 0 | -0.47 | | NP-2 |
| GP-02D | 5/17/2022 | 0 | 0.2 | 21 | 0 | -1.68 | | |
| GP-02D | 6/7/2022 | 0 | 0.1 | 20.2 | 0 | 1 | | |
| GP-02I | 4/8/2022 | 0 | 0.1 | 20.9 | 0 | -0.46 | | |
| GP-02I | 5/17/2022 | 0 | 0.2 | 21 | 0 | -1.88 | | |
| GP-02I | 6/7/2022 | 0 | 0.1 | 20.5 | 0 | 0.51 | | |
| GP-02S | 4/8/2022 | 0 | 0.1 | 20.9 | 0 | 0.1 | | |
| GP-02S | 5/17/2022 | 0 | 0.2 | 21 | 0 | -0.02 | | |
| GP-02S | 6/7/2022 | 0 | 0.2 | 20.1 | 0 | 0.01 | | |
| GP-03D | 4/8/2022 | 0 | 1.5 | 18.7 | 0 | -0.44 | NP-3 | |
| GP-03D | 5/17/2022 | 0 | 1.6 | 18 | 0 | -1.36 | | |
| GP-03D | 6/7/2022 | 0 | 1.2 | 17.7 | 0 | 1.09 | | |
| GP-03I | 4/8/2022 | 0 | 1.6 | 18.8 | 0 | -0.47 | | |
| GP-03I | 5/17/2022 | 0 | 2 | 18.2 | 0 | -1.59 | | |
| GP-03I | 6/7/2022 | 0 | 1.6 | 18 | 0 | 1.12 | | |
| GP-03S | 4/8/2022 | 0 | 1 | 19.6 | 0 | -0.03 | | |
| GP-03S | 5/17/2022 | 0 | 1.2 | 18.8 | 0 | -0.05 | | |
| GP-03S | 6/7/2022 | 0 | 0.6 | 19.2 | 0 | 0.09 | | |
| GP-04D | 4/8/2022 | 0 | 0.3 | 20.5 | 0 | -0.33 | NP-4 | |
| GP-04D | 5/17/2022 | 0 | 0.6 | 20 | 0 | -1.62 | | |
| GP-04D | 6/7/2022 | 0 | 0.7 | 18.6 | 0 | 1.33 | | |
| GP-04I | 4/8/2022 | 0 | 0.4 | 20.5 | 0 | -0.25 | | |
| GP-04I | 5/17/2022 | 0 | 0.8 | 20 | 0 | -0.93 | | |
| GP-04I | 6/7/2022 | 0 | 0.5 | 19.4 | 0 | 0.92 | | |
| GP-04S | 4/8/2022 | 0 | 2.1 | 17.9 | 0 | -0.03 | | |
| GP-04S | 5/17/2022 | 0 | 2.9 | 17.5 | 0 | -1 | | |
| GP-04S | 6/7/2022 | 0 | 1.9 | 17.6 | 0 | 0.83 | | |

Table L-2
Landfill Gas Monitoring Data
 April 1, 2022 - June 30, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | |
| GP-05D | 4/8/2022 | 0 | 1.9 | 18.2 | 0 | -0.25 | NP-5 |
| GP-05D | 5/17/2022 | 0 | 0.9 | 19.5 | 0 | -0.35 | |
| GP-05D | 6/7/2022 | 0 | 1.5 | 18.4 | 0 | 0.93 | |
| GP-05I | 4/8/2022 | 0 | 2.3 | 18.6 | 0 | 0.48 | |
| GP-05I | 5/17/2022 | 0 | 2.7 | 18 | 0 | -0.07 | |
| GP-05I | 6/7/2022 | 0 | 2.3 | 18 | 0 | 0.75 | |
| GP-05S | 4/8/2022 | 0 | 0.1 | 20.6 | 0 | 0.01 | |
| GP-05S | 5/17/2022 | 0 | 0.3 | 20.2 | 0 | -0.09 | |
| GP-05S | 6/7/2022 | 0 | 3.6 | 14.7 | 0 | 0.29 | |
| GP-06D | 4/8/2022 | 0 | 0.4 | 20.3 | 0 | -0.22 | NP-6 |
| GP-06D | 5/17/2022 | 0 | 0.6 | 19.7 | 0 | -0.86 | |
| GP-06D | 6/7/2022 | 0 | 0.4 | 19.6 | 0 | 1.3 | |
| GP-06I | 4/8/2022 | 0 | 0.2 | 20.5 | 0 | -0.02 | |
| GP-06I | 5/17/2022 | 0 | 0.3 | 20 | 0 | -0.16 | |
| GP-06I | 6/7/2022 | 0 | 0.3 | 19.9 | 0 | 0.73 | |
| GP-06S | 4/8/2022 | 0 | 3.3 | 15.3 | 0 | -0.04 | |
| GP-06S | 5/17/2022 | 0 | 3.9 | 13.8 | 0 | 0 | |
| GP-06S | 6/7/2022 | 0 | 3.3 | 14.4 | 0 | 0.2 | |
| GP-07D | 4/8/2022 | 0 | 1.2 | 16.3 | 0 | 0.03 | NP-7 |
| GP-07D | 5/17/2022 | 0 | 1.8 | 13.5 | 0 | -0.02 | |
| GP-07D | 6/7/2022 | 0 | 1.5 | 13.7 | 0 | 0.35 | |
| GP-07I | 4/8/2022 | 0 | 0.1 | 20.7 | 0 | -0.25 | |
| GP-07I | 5/17/2022 | 0 | 0.2 | 20.5 | 0 | -1.16 | |
| GP-07I | 6/7/2022 | 0 | 0.1 | 20.3 | 0 | 0.88 | |
| GP-07S | 4/8/2022 | 0 | 0.1 | 20.7 | 0 | -0.28 | |
| GP-07S | 5/17/2022 | 0 | 0.2 | 20.4 | 0 | -1.5 | |
| GP-07S | 6/7/2022 | 0 | 0.1 | 20.2 | 0 | 1 | |
| GP-08D | 4/8/2022 | 0 | 0.1 | 20.1 | 0 | -0.54 | NP-8 |
| GP-08D | 5/17/2022 | 0 | 0.2 | 21 | 0 | -2.02 | |
| GP-08D | 6/7/2022 | 0 | 0.1 | 20.6 | 0 | 0.47 | |
| GP-08I | 4/8/2022 | 0 | 0.1 | 19.9 | 0 | -0.27 | |
| GP-08I | 5/17/2022 | 0 | 0.4 | 20.9 | 0 | -1.72 | |
| GP-08I | 6/7/2022 | 0 | 0.9 | 18.2 | 0 | 0.2 | |
| GP-08S | 4/8/2022 | 0 | 5.9 | 3.5 | 0 | -0.54 | |
| GP-08S | 5/17/2022 | 0 | 6.5 | 0.4 | 0 | -0.8 | |
| GP-08S | 6/7/2022 | 0 | 6 | 0.6 | 0 | 0.06 | |

Table L-3
Landfill Gas Monitoring Data
July 1, 2022 - September 30, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) | |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | | |
| GP-001 | 7/12/2022 | 0 | 1.8 | 18.8 | 0.0 | 0.76 | GP-1 | |
| GP-001 | 8/2/2022 | 0 | 0.0 | 20.7 | 0.0 | -0.62 | | |
| GP-001 | 9/2/2022 | 0 | 0.4 | 20.3 | 0.0 | 0.07 | | |
| GP-002 | 7/12/2022 | 0 | 1.6 | 17.9 | 0.0 | 0.03 | GP-2 | |
| GP-002 | 8/2/2022 | 0 | 1.6 | 18.3 | 0.0 | 0.12 | | |
| GP-002 | 9/2/2022 | 0 | 1.4 | 18.0 | 0.0 | 0.02 | | |
| GP-01D | 7/12/2022 | 0 | 0.0 | 20.4 | 0.0 | 2.11 | NP-1 | |
| GP-01D | 8/2/2022 | 0 | 0.0 | 20.7 | 0.0 | -1.61 | | |
| GP-01D | 9/2/2022 | 0 | 0.1 | 20.3 | 0.0 | 0.96 | | |
| GP-01I | 7/12/2022 | 0 | 0.3 | 17.7 | 0.0 | 1.15 | | |
| GP-01I | 8/2/2022 | 0 | 0.0 | 20.6 | 0.0 | -0.93 | | |
| GP-01I | 9/2/2022 | 0 | 0.1 | 20.2 | 0.0 | 0.56 | | |
| GP-01S | 7/12/2022 | 0 | 0.8 | 18.1 | 0.0 | 0.19 | | |
| GP-01S | 8/2/2022 | 0 | 0.2 | 20.0 | 0.0 | -0.32 | | |
| GP-01S | 9/2/2022 | 0 | 0.7 | 18.6 | 0.0 | 0.00 | | |
| GP-02D | 7/12/2022 | 0 | 0.4 | 17.9 | 0.0 | 1.68 | | NP-2 |
| GP-02D | 8/2/2022 | 0 | 0.0 | 20.7 | 0.0 | -1.51 | | |
| GP-02D | 9/2/2022 | 0 | 0.1 | 20.5 | 0.0 | 0.84 | | |
| GP-02I | 7/12/2022 | 0 | 0.3 | 17.0 | 0.0 | 1.48 | | |
| GP-02I | 8/2/2022 | 0 | 0.0 | 20.7 | 0.0 | -1.45 | | |
| GP-02I | 9/2/2022 | 0 | 0.2 | 19.7 | 0.0 | 0.82 | | |
| GP-02S | 7/12/2022 | 0 | 0.1 | 20.2 | 0.0 | 0.03 | | |
| GP-02S | 8/2/2022 | 0 | 0.1 | 20.5 | 0.0 | 0.06 | | |
| GP-02S | 9/2/2022 | 0 | 0.4 | 20.0 | 0.0 | -0.01 | | |
| GP-03D | 7/12/2022 | 0 | 1.5 | 17.5 | 0.0 | 1.40 | NP-3 | |
| GP-03D | 8/2/2022 | 0 | 1.5 | 17.8 | 0.0 | -1.24 | | |
| GP-03D | 9/2/2022 | 0 | 1.5 | 18.1 | 0.0 | 0.71 | | |
| GP-03I | 7/12/2022 | 0 | 1.7 | 17.8 | 0.0 | 1.40 | | |
| GP-03I | 8/2/2022 | 0 | 2.0 | 17.8 | 0.0 | -1.27 | | |
| GP-03I | 9/2/2022 | 0 | 1.7 | 18.2 | 0.0 | 0.69 | | |
| GP-03S | 7/12/2022 | 0 | 1.1 | 18.1 | 0.0 | 0.06 | | |
| GP-03S | 8/2/2022 | 0 | 1.3 | 18.2 | 0.0 | 0.03 | | |
| GP-03S | 9/2/2022 | 0 | 1.0 | 19.1 | 0.0 | 0.01 | | |
| GP-04D | 7/12/2022 | 0 | 0.5 | 20.0 | 0.0 | 1.62 | NP-4 | |
| GP-04D | 8/2/2022 | 0 | 0.7 | 18.9 | 0.0 | -1.23 | | |
| GP-04D | 9/2/2022 | 0 | 0.6 | 19.7 | 0.0 | 0.72 | | |
| GP-04I | 7/12/2022 | 0 | 0.8 | 19.8 | 0.0 | 1.03 | | |
| GP-04I | 8/2/2022 | 0 | 1.0 | 19.2 | 0.0 | -0.73 | | |
| GP-04I | 9/2/2022 | 0 | 0.8 | 19.7 | 0.0 | 0.40 | | |
| GP-04S | 7/12/2022 | 0 | 2.2 | 17.3 | 0.0 | 0.32 | | |
| GP-04S | 8/2/2022 | 0 | 2.3 | 17.5 | 0.0 | 0.02 | | |
| GP-04S | 9/2/2022 | 0 | 2.0 | 18.6 | 0.0 | 0.02 | | |

Table L-3
Landfill Gas Monitoring Data
 July 1, 2022 - September 30, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) |
|-----------|-----------|---------|---------|---------|---------|-----------------|---------------------------|
| | | (% Vol) | (% Vol) | (% Vol) | (% LEL) | (in H2O) | |
| GP-05D | 7/12/2022 | 0 | 1.8 | 18.9 | 0.0 | 0.37 | NP-5 |
| GP-05D | 8/2/2022 | 0 | 2.0 | 18.3 | 0.0 | -0.14 | |
| GP-05D | 9/2/2022 | 0 | 2.0 | 17.7 | 0.0 | 0.02 | |
| GP-05I | 7/12/2022 | 0 | 2.3 | 19.0 | 0.0 | 0.24 | |
| GP-05I | 8/2/2022 | 0 | 2.4 | 18.6 | 0.0 | -0.06 | |
| GP-05I | 9/2/2022 | 0 | 2.1 | 18.2 | 0.0 | 0.01 | |
| GP-05S | 7/12/2022 | 0 | 3.4 | 15.9 | 0.0 | 0.07 | |
| GP-05S | 8/2/2022 | 0 | 0.2 | 20.8 | 0.0 | 0.04 | |
| GP-05S | 9/2/2022 | 0 | 2.2 | 17.5 | 0.0 | 0.03 | |
| GP-06D | 7/12/2022 | 0 | 0.5 | 19.9 | 0.0 | 0.75 | NP-6 |
| GP-06D | 8/2/2022 | 0 | 0.5 | 20.0 | 0.0 | -0.31 | |
| GP-06D | 9/2/2022 | 0 | 0.5 | 19.9 | 0.0 | 0.50 | |
| GP-06I | 7/12/2022 | 0 | 0.6 | 18.6 | 0.0 | 0.26 | |
| GP-06I | 8/2/2022 | 0 | 0.2 | 20.5 | 0.0 | -0.04 | |
| GP-06I | 9/2/2022 | 0 | 0.5 | 19.4 | 0.0 | -0.05 | |
| GP-06S | 7/12/2022 | 0 | 3.6 | 14.3 | 0.0 | 0.01 | |
| GP-06S | 8/2/2022 | 0 | 3.8 | 15.0 | 0.0 | -0.05 | |
| GP-06S | 9/2/2022 | 0 | 3.2 | 16.7 | 0.0 | 0.02 | |
| GP-07D | 7/12/2022 | 0 | 1.6 | 13.8 | 0.0 | 0.00 | NP-7 |
| GP-07D | 8/2/2022 | 0 | 1.7 | 12.0 | 0.0 | 0.04 | |
| GP-07D | 9/2/2022 | 0 | 1.5 | 13.8 | 0.0 | -0.06 | |
| GP-07I | 7/12/2022 | 0 | 0.1 | 20.8 | 0.0 | 1.01 | |
| GP-07I | 8/2/2022 | 0 | 0.1 | 20.6 | 0.0 | -0.47 | |
| GP-07I | 9/2/2022 | 0 | 0.3 | 19.9 | 0.0 | 0.49 | |
| GP-07S | 7/12/2022 | 0 | 0.6 | 18.4 | 0.0 | 1.46 | |
| GP-07S | 8/2/2022 | 0 | 0.0 | 21.0 | 0.0 | -0.67 | |
| GP-07S | 9/2/2022 | 0 | 0.6 | 17.8 | 0.0 | 0.71 | |
| GP-08D | 7/12/2022 | 0 | 0.5 | 15.0 | 0.0 | 1.99 | NP-8 |
| GP-08D | 8/2/2022 | 0 | 0.0 | 20.6 | 0.0 | -1.49 | |
| GP-08D | 9/2/2022 | 0 | 0.5 | 14.2 | 0.0 | 1.00 | |
| GP-08I | 7/12/2022 | 0 | 2.8 | 15.4 | 0.0 | 1.88 | |
| GP-08I | 8/2/2022 | 0 | 0.1 | 20.6 | 0.0 | -1.43 | |
| GP-08I | 9/2/2022 | 0 | 2.6 | 15.4 | 0.0 | 0.80 | |
| GP-08S | 7/12/2022 | 0 | 6.3 | 0.9 | 0.0 | 0.10 | |
| GP-08S | 8/2/2022 | 0 | 0.1 | 20.5 | 0.0 | -0.04 | |
| GP-08S | 9/2/2022 | 0 | 7.0 | 2.2 | 0.0 | 0.02 | |

Table L-4
Landfill Gas Monitoring Data
October 1, 2022 - December 31, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) |
|-----------|------------|---------|---------|---------|--------|-----------------|---------------------------|
| | | (% Vol) | (% Vol) | (% Vol) | (%LEL) | (in H2O) | |
| GP-001 | 10/3/2022 | 0 | 0.2 | 19.6 | 0.0 | -0.39 | GP-1 |
| GP-001 | 11/1/2022 | 0 | 2.6 | 18.3 | 0.0 | 0.76 | |
| GP-001 | 12/15/2022 | 0 | 0.1 | 20.6 | 0.0 | -0.01 | |
| GP-002 | 10/3/2022 | 0 | 1.6 | 17.3 | 0.0 | 0.02 | GP-2 |
| GP-002 | 11/1/2022 | 0 | 1.8 | 18.4 | 0.0 | 0.33 | |
| GP-002 | 12/15/2022 | 0 | 2.0 | 17.8 | 0.0 | 0.04 | |
| GP-01D | 10/3/2022 | 0 | 0.1 | 19.7 | 0.0 | -1.05 | NP-1 |
| GP-01D | 11/1/2022 | 0 | 0.5 | 17.0 | 0.0 | 2.19 | |
| GP-01D | 12/15/2022 | 0 | 0.1 | 20.4 | 0.0 | -2.72 | |
| GP-01I | 10/3/2022 | 0 | 0.1 | 19.6 | 0.0 | -0.82 | |
| GP-01I | 11/1/2022 | 0 | 0.4 | 17.9 | 0.0 | 2.03 | |
| GP-01I | 12/15/2022 | 0 | 0.1 | 20.2 | 0.0 | -2.68 | |
| GP-01S | 10/3/2022 | 0 | 0.9 | 17.3 | 0.0 | -0.01 | |
| GP-01S | 11/1/2022 | 0 | 1.4 | 17.4 | 0.0 | 0.11 | |
| GP-01S | 12/15/2022 | 0 | 1.7 | 17.0 | 0.0 | 0.92 | |
| GP-02D | 10/3/2022 | 0 | 0.1 | 19.9 | 0.0 | -1.04 | NP-2 |
| GP-02D | 11/1/2022 | 0 | 0.5 | 18.4 | 0.0 | 2.04 | |
| GP-02D | 12/15/2022 | 0 | 0.1 | 20.3 | 0.0 | -2.05 | |
| GP-02I | 10/3/2022 | 0 | 0.1 | 19.8 | 0.0 | -0.92 | |
| GP-02I | 11/1/2022 | 0 | 0.4 | 17.6 | 0.0 | 1.80 | |
| GP-02I | 12/15/2022 | 0 | 0.1 | 20.1 | 0.0 | -1.95 | |
| GP-02S | 10/3/2022 | 0 | 0.8 | 18.9 | 0.0 | -0.01 | |
| GP-02S | 11/1/2022 | 0 | 0.9 | 19.9 | 0.0 | -0.01 | |
| GP-02S | 12/15/2022 | 0 | 1.7 | 18.4 | 0.0 | 0.43 | |
| GP-03D | 10/3/2022 | 0 | 1.6 | 17.4 | 0.0 | -0.57 | NP-3 |
| GP-03D | 11/1/2022 | 0 | 1.5 | 18.6 | 0.0 | 1.43 | |
| GP-03D | 12/15/2022 | 0 | 1.1 | 18.6 | 0.0 | -1.27 | |
| GP-03I | 10/3/2022 | 0 | 1.9 | 17.4 | 0.0 | -0.91 | |
| GP-03I | 11/1/2022 | 0 | 2.1 | 18.3 | 0.0 | 1.41 | |
| GP-03I | 12/15/2022 | 0 | 1.5 | 18.5 | 0.0 | -1.18 | |
| GP-03S | 10/3/2022 | 0 | 1.1 | 18.4 | 0.0 | -0.01 | |
| GP-03S | 11/1/2022 | 0 | 1.3 | 19.1 | 0.0 | 0.03 | |
| GP-03S | 12/15/2022 | 0 | 1.2 | 18.5 | 0.0 | 0.23 | |
| GP-04D | 10/3/2022 | 0 | 0.8 | 18.0 | 0.0 | -0.99 | NP-4 |
| GP-04D | 11/1/2022 | 0 | 1.0 | 19.3 | 0.0 | 1.21 | |
| GP-04D | 12/15/2022 | 0 | 1.0 | 18.7 | 0.0 | -0.94 | |
| GP-04I | 10/3/2022 | 0 | 0.8 | 18.8 | 0.0 | -0.48 | |
| GP-04I | 11/1/2022 | 0 | 1.1 | 20.1 | 0.0 | 0.71 | |
| GP-04I | 12/15/2022 | 0 | 0.1 | 20.4 | 0.0 | -0.45 | |
| GP-04S | 10/3/2022 | 0 | 2.2 | 18.1 | 0.0 | -0.27 | |
| GP-04S | 11/1/2022 | 0 | 2.4 | 19.4 | 0.0 | 0.29 | |
| GP-04S | 12/15/2022 | 0 | 0.8 | 19.8 | 0.0 | -0.11 | |

Table L-4
Landfill Gas Monitoring Data
October 1, 2022 - December 31, 2022

| Sample ID | Date/Time | CH4 | CO2 | O2 | CH4 | Static Pressure | Map Location (see Fig. 7) |
|-----------|------------|---------|---------|---------|--------|-----------------|---------------------------|
| | | (% Vol) | (% Vol) | (% Vol) | (%LEL) | (in H2O) | |
| GP-05D | 10/3/2022 | 0 | 2.1 | 17.5 | 0.0 | -0.06 | NP-5 |
| GP-05D | 11/1/2022 | 0 | 2.3 | 18.6 | 0.0 | 0.22 | |
| GP-05D | 12/15/2022 | 0 | 2.8 | 17.3 | 0.0 | 0.11 | |
| GP-05I | 10/3/2022 | 0 | 2.4 | 17.7 | 0.0 | -0.01 | |
| GP-05I | 11/1/2022 | 0 | 2.9 | 18.3 | 0.0 | 0.17 | |
| GP-05I | 12/15/2022 | 0 | 2.2 | 18.5 | 0.0 | 0.11 | |
| GP-05S | 10/3/2022 | 0 | 0.4 | 19.7 | 0.0 | 0.00 | |
| GP-05S | 11/1/2022 | 0 | 4.2 | 16.5 | 0.0 | 0.05 | |
| GP-05S | 12/15/2022 | 0 | 0.3 | 20.3 | 0.0 | 0.07 | |
| GP-06D | 10/3/2022 | 0 | 0.5 | 19.0 | 0.0 | -0.20 | NP-6 |
| GP-06D | 11/1/2022 | 0 | 0.6 | 20.2 | 0.0 | 0.78 | |
| GP-06D | 12/15/2022 | 0 | 0.3 | 20.2 | 0.0 | -0.08 | |
| GP-06I | 10/3/2022 | 0 | 0.3 | 19.0 | 0.0 | 0.15 | |
| GP-06I | 11/1/2022 | 0 | 5.1 | 12.7 | 0.0 | 0.27 | |
| GP-06I | 12/15/2022 | 0 | 0.2 | 20.3 | 0.0 | 0.13 | |
| GP-06S | 10/3/2022 | 0 | 4.3 | 15.8 | 0.0 | -0.01 | |
| GP-06S | 11/1/2022 | 0 | 4.2 | 17.6 | 0.0 | -0.02 | |
| GP-06S | 12/15/2022 | 0 | 3.0 | 17.3 | 0.0 | 0.13 | |
| GP-07D | 10/3/2022 | 0 | 2.0 | 13.2 | 0.0 | -0.05 | NP-7 |
| GP-07D | 11/1/2022 | 0 | 2.9 | 13.3 | 0.0 | 0.04 | |
| GP-07D | 12/15/2022 | 0 | 2.0 | 15.7 | 0.0 | 0.30 | |
| GP-07I | 10/3/2022 | 0 | 0.1 | 19.5 | 0.0 | -0.30 | |
| GP-07I | 11/1/2022 | 0 | 0.8 | 19.2 | 0.0 | 1.18 | |
| GP-07I | 12/15/2022 | 0 | 0.1 | 20.6 | 0.0 | -0.81 | |
| GP-07S | 10/3/2022 | 0 | 0.0 | 19.7 | 0.0 | -0.37 | |
| GP-07S | 11/1/2022 | 0 | 0.1 | 21.0 | 0.0 | 1.56 | |
| GP-07S | 12/15/2022 | 0 | 0.1 | 20.6 | 0.0 | -1.01 | |
| GP-08D | 10/3/2022 | 0 | 0.1 | 19.8 | 0.0 | -0.96 | NP-8 |
| GP-08D | 11/1/2022 | 0 | 0.6 | 15.0 | 0.0 | 2.16 | |
| GP-08D | 12/15/2022 | 0 | 0.1 | 20.7 | 0.0 | -2.45 | |
| GP-08I | 10/3/2022 | 0 | 0.1 | 19.8 | 0.0 | -0.96 | |
| GP-08I | 11/1/2022 | 0 | 3.2 | 15.3 | 0.0 | 2.03 | |
| GP-08I | 12/15/2022 | 0 | 3.4 | 14.6 | 0.0 | -2.28 | |
| GP-08S | 10/3/2022 | 0 | 0.1 | 19.8 | 0.0 | -0.12 | |
| GP-08S | 11/1/2022 | 0 | 8.7 | 1.4 | 0.0 | 0.35 | |
| GP-08S | 12/15/2022 | 0 | 8.2 | 1.8 | 0.0 | 1.15 | |

Appendix M

Financial Summary

King County Solid Waste Division

Vashon Island Closed Landfill

2022 Financial Summary

King County Vashon Closed Landfill – Closed 2001 WAC 173-351

The minimum 30-year post closure required funding period is currently planned through 2031. Financial Assurance is derived from three sources: the established post-closure fund [WAC 173-351-600 (5) (a) (i), the recurring two-year operational and capital improvement program funds WAC 173-351-600 (5) (a) (ii) and the high security bonding options [WAC 173-351-600 (5) (a) (iii)] described in the April 18, 2014 letter from V. Okereke KCSWD to B. Lasby SKCDPH.

Landfill Systems being maintained during post-closure:

- Geomembrane cover
- Landfill gas collection with carbon treatment
- Leachate/Wastewater control and management
- Groundwater, surface water, leachate, and landfill gas monitoring

Completion of the following projects will provide necessary information to reevaluate the current post-closure assumptions and financial assurance plans:

- Enhancements to landfill gas control and treatment
- Modifications to leachate and wastewater management
- Groundwater monitoring of natural attenuation and landfill gas control improvements
- Determination of remaining post-closure period

Vashon Island Closed Landfill Financial Assurance

| Post Closure Maintenance Fund | Annual Budget |
|--|------------------------|
| SALARIES & WAGES | \$212,209 |
| SUPPLIES | \$2,000 |
| SERVICES | \$114,964 |
| LABORATORY SERVICES | \$135,000 |
| EQUIPMENT | \$18,830 |
| INTRAGOVERNMENTAL SERVICES | \$29,580 |
| | |
| Post Closure Maintenance Fund Total | \$512,583 |
| | |
| Capital Improvement Project | Approved Budget |
| Solid Waste Vashon Feasibility Study (now to 2028) | \$8,240,503 |
| | |