

Tiki Car Wash Bellevue, Washington

Remedial Investigation Report Final

Prepared for



Washington State Department of Ecology
Toxics Cleanup Program
Northwest Regional Office
Shoreline, Washington

Prepared by



Leidos

11824 North Creek Parkway N, Suite 101

Bothell, Washington 98011

April 2023

Remedial Investigation Report

Tiki Car Wash Bellevue, Washington

Prepared for:

Washington State Department of Ecology
Toxics Cleanup Program
Northwest Regional Office
Shoreline, Washington

Prepared by

Leidos Inc.
11824 North Creek Parkway N, Suite 101
Bothell, Washington 98011



Thomas E. Dubé

Thomas Dubé
4/28/2023

Don Wyll
Project Manager

Thomas Dubé
Licensed Geologist/Hydrogeologist No. 986

Table of Contents

	<u>Page</u>
1.0 Introduction.....	1
1.1 Objectives	1
1.2 Site Background.....	1
2.0 Remedial Investigation Activities	2
2.1 Soil Borings	2
2.1.1 Soil Sample Chemical Analyses	3
2.2 Groundwater Monitoring Wells.....	3
2.2.1 Monitoring Well Installation and Development	3
2.2.2 Monitoring Well Sampling	4
2.2.3 Groundwater Chemical Analyses	4
2.3 Vapor Probe Installation and Sampling	4
2.3.1 Sub-Slab Soil Vapor Probe Installation	5
2.3.2 Vapor Sampling	5
3.0 Geology and Hydrogeology	6
3.1 Geology.....	6
3.2 Hydrogeology	6
4.0 Data Analysis and Interpretation	6
4.1 Nature and Extent of Soil Impacts	6
4.2 Nature and Extent of Groundwater Impacts	7
4.3 Nature and Extent of Soil Vapor Impacts	7
5.0 Conceptual Site Model.....	7
5.1 Contaminants of Concern	8
5.2 Current and Potential land Use	8
5.3 Exposure Pathways and Potential Receptors	8
5.3.1 Potential Soil Exposure Pathways	9
5.3.2 Potential Groundwater Exposure Pathways.....	9
5.3.3 Potential Soil Vapor Exposure Pathways	10
5.3.4 Terrestrial Ecology Evaluation	10
5.4 Cleanup Standards	11
5.4.1 Preliminary Cleanup Levels.....	11

5.4.2	Point of Compliance	12
6.0	Remedial Investigation Summary	13
7.0	References.....	13

Tables

Table 1	Soil Analytical Data
Table 2	Groundwater Monitoring Data and Analytical Results
Table 3	Monitoring Well Construction Data
Table 4	Vapor Sampling Data and Analytical Results

Figures

Figure 1	Site Map
Figure 2	Well and Boring Locations
Figure 3	Soil Concentrations
Figure 4	Groundwater Concentrations
Figure 5	Cross-Section Locations
Figure 6	Geologic Cross-Section A-A'
Figure 7	Geologic Cross-Section B-B'
Figure 8	Groundwater Potentiometric Map
Figure 9	Extent of Soil Contamination
Figure 10	Extent of Groundwater Contamination

Appendices

Appendix A	Boring Logs
Appendix B	Analytical Data

1.0 Introduction

1.1 Objectives

This report documents the activities and findings of a remedial investigation (RI) into the nature and extent of petroleum impacts at the Tiki Car Wash Site in Bellevue, Washington (Figure 1). The RI was performed by Leidos, Inc. (Leidos), on behalf of the Washington State Department of Ecology (Ecology). This report is intended to fulfill the requirements of the Washington State Department of Ecology (Ecology) Model Toxics Control Act (MTCOA) (WAC 173-340-350[7] and WAC 173-340-430[7]). Detailed scope and data quality objectives for this RI are presented in the March 2022 Work Plan/Sampling and Analysis/Quality Assurance Project Plan (Leidos 2022).

1.2 Site Background

The Tiki Property is occupied by an operating retail gasoline station and drive-through car wash at 11909 NE 8th Street, Bellevue, Washington. The gas station and car wash at the Tiki Property were constructed in 1971. Three underground storage tanks (USTs) were installed at that time and a fourth UST was installed in 1979. The Tiki Property has been owned by Tiki Enterprises, Inc. since 1973.

The property is bordered to the north by NE 8th Street, to the east by a Bartell Drug Store to the west by a car dealership (Infinity of Bellevue) and to the south by a paved entrance road and a parking lot owned by TRF.

In 1993, Ecology and Tiki Enterprises, Inc. entered Consent Decree No. 93-2077106 in Superior Court of the State of Washington for King County. The consent decree identified the work that was required to be performed in a phased approach. Phase I was a Remedial Investigation and Feasibility Study (RI/FS), Phase II was development of a Cleanup Action Plan (CAP) and Phase III consisted of the implementation of the Cleanup Action Plan.

In 1994, Hart Crowser oversaw a soil removal of approximately 34 tons of petroleum contaminated soil from a strip along the western boundary of the Bartell Drugs parking lot just east of the station (Figure 1). This effort was done on behalf of the owner of the Bartell property.

An air sparging and soil vapor extraction (AS/SVE) soil and groundwater remediation system was installed in 1995 by Ecology as part of an interim action along the west and south edges of the Tiki Property. The system reportedly was prone to shutdowns due to water accumulation in the system's knockout drum. Operation of the AS/SVE system was eventually discontinued in 1996 due to a lack of funding. Confirmation soil or groundwater samples were not collected to assess the effectiveness of this phase of the cleanup action after operation of the remediation system was discontinued. Subsequent groundwater sampling indicated that the remediation had minimal effect on the contamination levels.

In February 2007, EA Engineering installed seven monitoring wells (MW-30, MW-31, MW-32, MW-33, MW-34, MW-35 and MW-36) at the Site and on adjacent properties to better delineate distribution of contaminants in this area, to provide compliance monitoring at

property boundaries, and to enable the application of enhanced fluid recovery (EFR) technology at the site (EA 2007).

In 2008 an EFR test was completed on the Site by placing a vacuum on selected wells. This study indicated that in this limited test 100 pounds of petroleum vapors were removed.

No additional remedial actions to date have been conducted at the Tiki Car Wash Site by Ecology or other parties.

2.0 Remedial Investigation Activities

The current portion of the RI described in this report included installation of soil borings and groundwater wells, and collection of soil and groundwater and vapor samples. Remedial investigation activities are detailed in the following sections.

2.1 Soil Borings

As summarized in the Site background, remedial investigation activities have been ongoing since 1993. These investigations included soil borings on and off the property. The following soil borings along with the current soil borings are depicted on Figure 2, and include the following:

- Soil borings GP-1 through GP-12 were installed in 2006 by EA Engineering.
- Soil borings HC-1 through HC-8 were installed on the Bartell Drugs parking lot by Hart Crowser on behalf of the Bartell property owner.

The current investigation was designed to fully delineate the contamination plume and close any data gaps from previous investigations. Four soil borings (along with five additional borings completed as monitoring wells) were completed during this portion of the RI. Soil borings SB-1, SB-2, SB-3, and SB-5 were completed using a direct-push drill rig. Proposed boring SB-4 was not installed due to issues accessing that boring location. Soil borings MW-37 through MW-41 were completed using a combination direct-push and hollow-stem auger drill rig. This activity is summarized as follows:

- Borings SB-1 and SB-2 are located near the northwest corner of the station property. These borings were used to delineate the northwest limits of the contaminated soil plume.
- Soil boring SB-3 is located along the northern property line between Tiki Car Wash and Bartell Drugs. This boring is placed to delineate the northeastern edge of the soil plume.
- Soil boring SB-4, located on the Infiniti of Bellevue property near the western property line with Tiki, was not installed due to concerns of safely accessing that location. The location of the parking structure made that location unworkable.
- Soil boring SB-5 is located on the station property. This boring was specifically placed to be out of the traffic pattern for the pump islands and the car wash and was used to assess conditions on the station property.

Soils samples were also collected from the groundwater monitoring well borings MW-37 through MW-41.

- MW-37 and MW-39 were sited to delineate the eastern edge of the impacted soil plume.
- MW-38, MW-40 and MW-41 were sited to delineate the southern boundary of the soil plume.

Boring logs are presented as Appendix A.

2.1.1 Soil Sample Chemical Analyses

Soil samples collected were analyzed for the following parameters:

- Gasoline-range organics by Ecology Method NWTPH-Gx.
- Diesel- range organics by Ecology Method NWTPH-Dx: and
- Benzene, toluene, ethylbenzene, and xylenes (BTEX), ethylene dibromide (EDB), and ethylene dichloride (EDC); by United States Environmental Protection Agency (USEPA) Method 8260D.

Soil sample analytical results are summarized in Table 1 and Figure 3.

All soil samples were analyzed by Eurofins Lancaster Laboratories, Inc. in Lancaster, Pennsylvania. Complete laboratory reports are presented as Appendix B.

2.2 Groundwater Monitoring Wells

Groundwater monitoring wells were installed in borings MW-37 through MW-41 (Figure 2). As discussed in Section 3.2, the Site groundwater flow direction is to the south and southwest.

Monitoring wells MW-37 and MW-39 are located in the Bartell Drugs parking lot. These wells were placed to evaluate the groundwater impacts to the east of the Tiki property. MW-39 was installed after groundwater sample results from MW-37 exceeded MTCA Method A cleanup levels.

Monitoring wells MW-38, MW-40 and MW-41 are located downgradient of impacted well MW-30, in the adjacent parking lot. These wells are used to delineate the downgradient extent of the groundwater plume.

No monitoring wells were proposed inside the Infiniti of Bellevue parking garage due to low ceiling clearance. In addition, no wells were proposed to the north (upgradient) of MW-34 due to utilities and safety issues with drilling in the NE 8th Street right of way.

All monitoring wells were constructed in accordance with the Minimum Standards for Construction and Maintenance of Wells (Chapter 173-160 WAC). Monitoring well construction diagrams are provided on the boring logs in Appendix A.

2.2.1 Monitoring Well Installation and Development

A hybrid direct-push/hollow-stem auger drill rig was used to install the monitoring wells. All monitoring wells were completed at a depth of approximately 12 to 15 feet below ground surface (bgs). The wells are constructed with two-inch diameter blank PVC well casing that is attached

to 9 to 10 feet of 0.010-inch slotted well screen. The annular space around the slotted well screen is filled with #2/12 Monterey sand that extends above the top of the well screen. One to two feet of hydrated bentonite chips were placed above the sand as an annular sealant. The monitoring wells were finished with a concrete surface seal and a flush-grade steel well monument. Well construction details are presented in Table 2.

Following construction, the monitoring wells were developed by removing a minimum of ten well volumes of water from the well. Water was pumped to the surface using an electrically driven centrifugal pump that was decontaminated after use at each well. In most cases, the groundwater removed from the wells showed a marked decrease in turbidity as the development process was nearing completion.

2.2.2 Monitoring Well Sampling

Low-flow purge and sample methods were used to collect groundwater samples from the monitoring wells. Prior to sampling, water level measurements were obtained with a decontaminated electronic water-level meter and recorded to the nearest 0.01 foot to determine groundwater surface elevations. In addition to gathering data for potentiometric surface mapping, the water level measurements were used to monitor the amount of well drawdown during purging. In most cases, the amount of well drawdown was minimized to less than approximately five percent of the water column height, as measured in the well prior to purging.

A peristaltic pump was used to purge and sample the monitoring wells. During purging, groundwater was routed through a low-flow cell, which allowed temperature, dissolved oxygen, pH, specific conductance, and turbidity to be monitored and recorded at 3- to 5-minute intervals. Purging was considered complete when the parameters stabilized within the following limits for three successive readings: temperature $\pm 1^{\circ}\text{C}$, pH ± 1 unit, specific conductance $\pm 10\%$, and dissolved oxygen or turbidity $\pm 10\%$.

Groundwater samples were collected by slowly pumping water from the well directly into labeled and pre-preserved sample bottles. The groundwater samples were then placed in a cooler chest and iced to maintain a temperature of 4°C until custody was transferred to the analytical laboratory.

2.2.3 Groundwater Chemical Analyses

Groundwater samples were analyzed for the following:

- Gasoline-range hydrocarbons by Ecology Method NWTPH-Gx.
- BTEX, EDB, EDC, and methyl tertiary-butyl ether (MTBE) by USEPA Method 8260D. Groundwater sample analytical results are summarized in Table 3 and Figure 4.

2.3 Vapor Probe Installation and Sampling

Following the completion of the soil borings, groundwater well installation and sampling, and in discussions with Ecology, the data was evaluated to determine if a vapor investigation was necessary. Based on the distance of contamination from buildings, a decision was made to complete a vapor intrusion investigation in the service station store building.

2.3.1 Sub-Slab Soil Vapor Probe Installation

One sub-slab vapor point was installed in the service station convenience store building (Figure 2).

To install the sub-slab vapor probe, a rotary hammer drill was used to create a “shallow” (approximately 1 inch deep) “outer” hole that partially penetrated the slab. Next, a smaller diameter “inner” hole was drilled through the remainder of the slab and into the sub-slab material approximately 3 inches. Drilling into the sub-slab material created an open cavity that would prevent obstruction of the probe by small pieces of gravel. The probe tubing was cut a length to ensure that the tubing did not reach the bottom of the hole, in order to avoid obstruction with sub-slab material.

2.3.2 Vapor Sampling

Vapor samples were collected from three locations: the sub-slab vapor point, indoor air and outdoor ambient air.

The sub slab sample was collected over a 10-minute period at a flow rate of approximately 167 ml/min. The sample was collected in 100-percent certified and pre-evacuated 1-liter Summa® canisters supplied by Eurofins Air Toxics Laboratories (Air Toxics). Each Summa® canister was supplied with an analytical test report certifying the canister is “clean” to concentrations below the respective method reporting limits (MRLs). Each canister was equipped with a pre-calibrated flow controller sampling train to allow collection of the desired sample. The sampling train was checked for leaks by capping the timers, then turning the canister valve on and off momentarily. The sampling train maintained a stable vacuum for 5 minutes; therefore, the equipment was assumed to be functional. Prior to collecting the samples, the Summa® canister ID numbers were recorded in the field notebook along with the initial canister vacuum levels.

For indoor air sampling, a 6-liter 100-percent certified Summa® canister was placed in the store building at a location near the soil vapor point. The sample inlet was positioned at approximately 4 feet above floor level to provide a sample representative of the breathing zone. In order to mimic the anticipated daily exposure by inhalation, the sampling duration was 8 hours at a flow rate of less than 11.5 ml/min.

An outdoor ambient air sample was collected concurrently with the indoor air sampling. A 6-liter 100-percent certified Summa® canister was placed 4 feet above grade, at an upwind location, near the indoor air sample location. The outdoor ambient air sampling was collected at a flow rate of 11.5 ml/min.

Indoor and outdoor air samples were submitted to Air Toxics and analyzed for the following:

- Gasoline-range hydrocarbons, BTEX, and naphthalene by USEPA Method TO-15.

Sub-slab soil vapor samples were submitted to Air Toxics and analyzed for the following:

- Gasoline, BTEX and naphthalene by USEPA Modified Method TO-15 low level; and
- Oxygen, helium, methane, nitrogen, and carbon dioxide by ASTM D 1946.

Outdoor and indoor air and sub-slab soil vapor sample analytical results are summarized in Table 4 and data are presented in Appendix B.

3.0 Geology and Hydrogeology

3.1 Geology

Boring logs are presented in Appendix A and Site cross sections are depicted in Figures 5 through 7.

Field investigations indicate that, in the upper 15 feet bgs, the Site is underlain by silty sand, silt, and sandy silt, with varying amounts of fine to coarse gravel. These lithologies grade laterally and vertically into each other and are not distinguished on the cross sections. A zone of silty clay was also found at boring SB-5 in the upper 11 feet bgs. During drilling, dense material was first encountered at depths ranging from approximately 7 to 12 feet bgs in many borings. Most borings reached refusal at depths of approximately 9 to 15 feet bgs. The soil material from near-surface to the depth of drilling is glacial till, which is weathered to varying degrees in the upper depths and increases in density downward. At the lower depths, the compaction is significant enough to cause refusal, and this very dense till horizon is depicted in the cross sections.

In addition, a thin zone of fill material is present in the upper few feet but is often not easily distinguished from weathered till and so is not depicted in the cross sections. However, the fill in the UST basin is shown.

3.2 Hydrogeology

The regional water table is not present within at least the upper 15.5 feet bgs at the Site. Groundwater beneath the Site is perched on top of the very dense till layer and is situated within the more weathered till material. The perched groundwater surface is located at approximately 5 feet bgs. A portion of the UST basin is below this perched groundwater surface. Based on groundwater level measurements and groundwater contamination patterns, the local flow direction is toward the south to southwest. A groundwater potentiometric map is presented as Figure 8.

4.0 Data Analysis and Interpretation

4.1 Nature and Extent of Soil Impacts

The soil sample results from this investigation are presented in Table 1 and Figure 3. The overall extent of soil contamination (exceeding MTCA Method A cleanup levels) is depicted in Figure 9.

Gasoline-range hydrocarbons and benzene are the most widespread hydrocarbons present in soil at the Site, occurring across most of the service station property and extending downgradient across the alleyway to the parking lot of the neighboring TRF property. In addition, soil impacts extend westward to the parking area of the neighboring Infiniti property. Soil contamination was detected from approximately 5 feet bgs to the top of the very dense glacial till layer at approximately 15 feet bgs (Figures 6 and 7).

Soil sample results from boring MW-38 exceeded the MTCA Method A cleanup level for GRO (1,520 mg/kg at 6.5 feet bgs) and benzene (101 µg/kg at 14 feet bgs). Soil sample results from MW-40 and MW-41 were all below MTCA Method A cleanup levels, indicating that the southerly soil impacts are limited to the area around MW-38.

4.2 Nature and Extent of Groundwater Impacts

Groundwater analytical data are presented in Table 3 and depicted in Figure 4. The overall extent of groundwater contamination (exceeding MTCA Method A cleanup levels) is presented in Figure 10.

Groundwater contamination exceeding MTCA Method A cleanup levels has been consistently detected across the Tiki Car Wash property. The exceedances extend westward to the Infiniti of Bellevue property (MW-6) and eastward to the Bartell Drug parking lot (MW-37). Southward the contamination extends under the paved alleyway and on to the northernmost section of the TRF parking lot. Samples from monitoring well MW-38 contained BTEX constituents and gasoline-range organics exceeding cleanup levels. In this well, benzene was detected at concentrations as high as 5,750 µg/l and GRO up to 98,800 µg/l. Groundwater monitoring well MW-40 was installed cross-gradient from MW-38, and MW-41 was installed downgradient of MW-38, to delineate the southerly extent of the groundwater plume. Sample results from wells MW-40 and MW-41 were below MTCA Method A cleanup levels.

4.3 Nature and Extent of Soil Vapor Impacts

Sub-slab, indoor, and outdoor ambient air samples were collected in and around the convenience store building. Vapor sampling results are summarized in Table 4. Laboratory reports are presented as Appendix A.

Concentrations of petroleum constituents in sub-slab sample were all below their respective MTCA Method B soil gas screening levels in the building. In addition, concentrations of petroleum constituents in ambient air and indoor air samples were similar in constituents and concentrations. The indoor air detections appear to be the result of the convenience store being located adjacent to the active gasoline pumps and heavy automobile traffic in the area.

5.0 Conceptual Site Model

In order to more fully understand the relationships between hydrocarbon-impacted soil and groundwater, affected environmental media, indoor media, and human receptors, a conceptual site model was developed. MTCA defines a conceptual site model as “a conceptual understanding of a site that identifies potential or suspected sources of hazardous substances, types and concentrations of hazardous substances, potentially impacted media, and actual and potential exposure pathways and receptors.” These components will be discussed in the sections below, as an introduction to presenting the conceptual site model.

5.1 Contaminants of Concern

MTCA defines a contaminant as “any hazardous substance that does not occur naturally or occurs at greater than natural background levels.” Contaminants of concern (COCs) include those hazardous substances that are known to be present at a site, or which are suspected to be present based on information regarding the nature of a known release or past operations at a site.

Sampling data from past environmental investigations and cleanup actions have confirmed the presence of the following COCs for each of the impacted media at the site:

COCs	Groundwater	Soil	Soil Gas
Benzene	•	•	•
Toluene	•	•	•
Ethylbenzene	•	•	•
Total Xylenes	•	•	•
Gasoline-range Hydrocarbons	•	•	•

5.2 Current and Potential land Use

Current land use at the Site is an active gas station, car wash and convenience store. The neighboring properties include parking lots, a Bartell Drug store, a car rental facility and the parking garage for Infiniti of Bellevue (car dealer). Site use is not expected to change in the foreseeable future.

5.3 Exposure Pathways and Potential Receptors

Impacted media at the Site includes soil, groundwater, and soil vapor. MTCA (WAC 173-340-200) defines an exposure pathway as “the path a hazardous substance takes or could take from a source to an exposed organism. An exposure pathway describes the mechanism by which an individual or population is exposed or has the potential to be exposed to hazardous substances at or originating from a site.” Primary exposure pathways are those routes that are known to be currently transporting petroleum contaminants to or within a certain medium (such as soil impacts to groundwater). Secondary exposure pathways are those routes that: (a) have transported contaminants in the past but may not be currently (such as releases from USTs); or (b) may transport contaminants in the future, but do not currently. Precluded exposure pathways are those that are not possible at any time based on physical evidence and are therefore considered closed pathways.

Petroleum constituents have been detected in soil, groundwater, and soil vapor samples collected at the Site. Therefore, soil, groundwater, and soil vapor are impacted media but may also be

considered secondary contaminant sources. The potential exposure pathways associated with each medium/source are discussed below, along with the rationale for excluding or including that pathway.

The Site history indicates that the primary sources of potential impacts would have been from discharges of petroleum products to subsurface soils via leaks or spills. Based on this history and on the current and potential future land uses at the Site and in the surrounding area, potential exposure pathways and receptors were evaluated.

5.3.1 Potential Soil Exposure Pathways

Soil impacts range from as shallow as 5 feet bgs to as deep as 15.5 feet bgs. Soil and soil vapor could become an exposure pathway to future workers or residents if construction and/or development activities expose impacted soil. The impacted soil is considered to be a potential direct-contact exposure pathway. Currently, access to the Site soils is restricted by pavement; however, the potential exists for construction workers to contact impacted soil.

A summary of the potential soil exposure pathways at the Site is presented in the table below.

Potential Soil Exposure Pathways	Applicability
Ingestion/Dermal Contact	Secondary: The area of soil impacted by COCs at the Site is currently from approximately 5 to 15 ft bgs. The current potential for ingestion or dermal contact is limited. However, potential ingestion or dermal contact exposure are possible for future workers performing excavation, site assessment, or subsurface utility work at the Site.
Hazardous Substances Leaching from Soil to Groundwater	Primary: Soil contamination in contact with groundwater has resulted in concentrations of dissolved-phase petroleum contamination in groundwater.

5.3.2 Potential Groundwater Exposure Pathways

The local perched aquifer is not used for domestic supply and is not expected to be used for domestic supply in the future. Ecology’s Water Well Log database contains no records of any domestic-use wells within at least one mile radius of the Site.

A summary of the potential groundwater exposure pathways at the Site is presented in the table below.

Potential Groundwater Exposure Pathways	Applicability
Ingestion/Household Contact	Precluded: The aquifer is potable; however, the shallow aquifer is not a source of drinking water in the vicinity of the Site.
Incidental Exposure Resulting from Site Development or Utility Construction	Secondary: Because groundwater is encountered at a depth of 5-10 ft bgs, groundwater could be encountered during routine Site development or utility construction activities.
Groundwater to Surface Water	Precluded: The nearest surface water source is Lake Bellevue locate over 750 feet upgradient to the north of the Site.

The primary pathways of concern are the groundwater to drinking water pathways.

5.3.3 Potential Soil Vapor Exposure Pathways

Currently the Site is paved and contains one occupied commercial building on the property. Adjacent properties are outside of the plume area. Based on the concentrations observed in the sub-slab and ambient air samples, soil vapor to indoor air does not represent a potential exposure pathway at this time.

Potential Vapor Exposure Pathways	Applicability
Soil to Soil Vapor to Indoor Air	Precluded: Concentrations of COCs in sub-slab vapor samples were below screening levels. Detected indoor air concentrations are likely from outdoor ambient air sources, and sub-slab soil gas is not contributing an incremental risk to indoor air.
Groundwater to Indoor Air	Precluded: Concentrations of COCs in sub-slab samples were below screening levels. Detected indoor air concentrations are likely from outdoor ambient air sources, and sub-slab soil gas is not contributing an incremental risk to indoor air.

The soil vapor to indoor air and groundwater to vapor indoor air pathways have been precluded. At this time there is no incremental risk of vapor intrusion from the subsurface to indoor air for the onsite building based on the vapor intrusion assessment results.

5.3.4 Terrestrial Ecology Evaluation

In addition to evaluation of human health risk, MTCA (WAC 173-340-7490) requires that one of the following actions be taken following the release of hazardous substances to the soil at a site to determine the potential impacts to terrestrial organisms at the site:

- Documentation of an exclusion from any further terrestrial ecological evaluation (TEE) using the criteria in WAC 173-340-7491.
- Completion of a simplified TEE as specified in WAC 173-340-7492.
- Completion of a site-specific TEE as specified in WAC 173-340-7493.

A site may be excluded from the requirement for a TEE if any of the following criteria are met at the site:

- All soil impacted with hazardous substances is, or will be, located below the point of compliance established under WAC 173-340-7490(4).
- All soil impacted with hazardous substances is, or will be, covered by buildings, paved roads, pavement, or other physical barriers that will prevent plants or wildlife from being exposed to the soil impacts. There is less than 0.25 acre of contiguous undeveloped land on or within 500 ft of any area of the site impacted with chlorinated dioxins or furans, PCB mixtures, DDT, DDE, DDD, aldrin, chlordane, dieldrin, endosulfan, endrin, heptachlor, heptachlor epoxide, benzene hexachloride, toxaphene, hexachlorobenzene, pentachlorophenol, pentachlorobenzene.
- There is less than 1.5 acres of contiguous undeveloped land on the site or within 500 ft of any area of the site, and the impacts at the site do not include any of the contaminants listed in the preceding bullet.

MTCA defines “contiguous undeveloped land” as an area of land that is not divided into smaller areas by highways, extensive paving or structures that are likely to reduce the potential use of the overall area by wildlife. This Site meets the TEE criteria because there is less than 1.5 contiguous acres of undeveloped land on the site or within 500 feet of the site and the contamination is limited to petroleum and petroleum byproducts.

5.4 Cleanup Standards

Cleanup standards consist of: (1) cleanup levels that are protective of human health and the environment, and (2) the point of compliance at which the cleanup levels must be met. Under MTCA (WAC 173-340-200), a cleanup level means “the concentration of a hazardous substance in soil, water, air, or sediment that is determined to be protective of human health and the environment under specified exposure conditions.” Cleanup levels, in combination with points of compliance, typically define the area or volume of soil, water, air, or sediment at a site that must be cleaned up. The current potential receptors and development of the site-specific cleanup levels are presented below. Final cleanup standards will be established during preparation of the Feasibility Study and the Cleanup Action Plan (CAP).

5.4.1 Preliminary Cleanup Levels

Soil

MTCA provides three approaches for establishing soil cleanup levels: Method A, Method B, and Method C.

Method A may be used on sites involving relatively few hazardous substances or where cleanup actions may be routine. Under Method A, cleanup levels are determined by the most stringent criteria specified under state and federal laws and Table 720-1, 740-1, and 745-1 of MTCA.

Method B is the universal method for determining cleanup levels at all sites. For sites impacted by petroleum mixtures, Method B cleanup levels are determined by using the fractionated analytical approach for petroleum. This approach involves testing of the samples to determine the petroleum composition. Cleanup levels must consider the measured or predicted ability of the fractions to migrate from one medium to other media. When multiple exposure pathways are identified for a single media, the most stringent cleanup level is selected.

Method C is predominantly applied at industrial sites. Method C uses cleanup levels that are protective of human health and the environment for specific industrial site uses and conditions.

Because the potential contaminants of concern at the Site are limited to petroleum products and petroleum additives, and the Site is located in an area that is zoned for commercial and residential, it is appropriate to use Method A or Method B soil cleanup levels. Because Site conditions do not meet any of the criteria of WAC 173-340-741(2), a terrestrial evaluation is not required, nor do soil cleanup levels need to be protective of terrestrial ecological receptors.

Cleanup levels will be further discussed in the Feasibility Study and the CAP. Preliminary soil cleanup levels for the Site are based on MTCA Method A values for unrestricted land use.

Groundwater

Groundwater cleanup levels are to be based on estimates of the highest beneficial use and the reasonable maximum exposure expected to occur under both current and potential future site use. Under MTCA 173-340-720, drinking water is the beneficial use requiring the highest groundwater quality. Therefore, exposure to contaminants through ingestion and other domestic uses represents the reasonable maximum exposure for all sites unless the groundwater at the site can be demonstrated to be not potable.

Preliminary groundwater cleanup levels for this Site are as follows:

Parameter	Cleanup Level (µg/L)	Applicable State and Federal Law
Benzene	5	MTCA Method A Cleanup Levels for Groundwater
Ethylbenzene	700	MTCA Method A Cleanup Levels for Groundwater
Toluene	1,000	MTCA Method A Cleanup Levels for Groundwater
Xylenes (total)	1,000	MTCA Method A Cleanup Levels for Groundwater
Gasoline-Range Hydrocarbons	800	MTCA Method A Cleanup Levels for Groundwater

5.4.2 Point of Compliance

An evaluation of the appropriate point of compliance for cleanup levels for the Site is presented in the table below.

Determination of Point of Compliance for Cleanup Levels

Potential Exposure Pathway	MTCA defined point of compliance	Applicability to Site	Site-specific Point of Compliance
Human direct contact	Throughout the Site from ground surface to 15 ft bgs.	Applicable. Although the Site is predominantly paved, subsurface soil could be potentially disturbed during utility or future building activities.	Surface to 15 ft bgs.
Ecological	Point of compliance to 6 ft bgs with institutional controls to prevent disturbance of subsurface soils.		Surface to 6 ft bgs.

Soil

Based on the results presented above, the point of compliance for the Site will be based on the potential for direct contact by both humans and ecological receptors and will be discussed further in the Feasibility Study.

Groundwater

The point of compliance for groundwater cleanup levels will be based on the protection of groundwater as drinking water and will be discussed further in the Feasibility Study.

6.0 Remedial Investigation Summary

As detailed in this report, soils and groundwater beneath the Site have been impacted by the historical service station operations. Previous cleanup efforts appear to have had a minimal effect on reducing contamination. As part of this RI, the horizontal and vertical extent of soil and groundwater impacts have been further delineated and the potential for vapor intrusion into the on-property building has been evaluated and determined not to be a risk.

Soil impacts are present across the majority of the station property and extend southward across the paved alley/entrance road on to the neighboring parking lot. Soil impacts also extend a short distance westward to the neighboring car dealership parking lot. Groundwater contamination extends south and southwest from the property also to the neighboring TRF parking lot and a short distance to the east to the Bartell Drug property. In order to address this Site contamination, remedial alternatives will be screened and evaluated in the Feasibility Study Report.

7.0 References

- EA Engineering, Science and Technology, Inc. (EA) 2008. Enhanced Fluid Recovery Pilot Test Report, Tiki Car Wash, Bellevue, Washington. Dated November 2008.
- EA 2007. Tiki Car Wash, Summary of Monitoring Well Installation. Letter report dated April 19, 2007.
- EA 2006. Tiki Car Wash, Summary of Results for Geoprobe Investigation. Letter report dated August 4, 2006.
- EA 2006b. Interim Action Report, Tiki Car Wash, Report dated September 2006.
- Hart Crowser 2013. Focused Phase II Environmental Soil and Groundwater Sampling Results, Bartell Drugs Property, Bellevue Washington. Letter report dated January 4, 2013.
- Hart Crowser 1994. Limited Excavation Observation Soil Sampling, Tiki Car Wash Plume Area. Letter report dated October 12, 1994.
- Leidos 2022. Work Plan/Sampling and Analysis/Quality Assurance Project Plan, Tiki Car Wash, Bellevue, Washington. Work Plan dated March 2022.

Tables

TABLE 1
Soil Analytical Data
TIKI CAR WASH
11909 NE 8th Street
Bellevue, Washington

Concentrations reported in µg/kg and mg/kg

Sample Name	Sample Depth	Date	TPH-DRO mg/kg	TPH-HRO mg/kg	TPH-GRO mg/kg	Benzene µg/kg	Toluene µg/kg	Ethylbenzene µg/kg	Total Xylenes µg/kg	EDB µg/kg	EDC µg/kg
SB-1-6.0	6 ft	05/03/22	<4.47	<11.2	0.674	<0.413	<0.495	7.93	4.39	<0.330	<0.495
SB-1-7.0	7 ft	05/03/22	<4.26	<10.7	14.9	0.827	5.09	76.6	315	<0.306	<0.459
SB-1-9.0	9 ft	05/03/22	<4.33	<10.8	23.7	8.86	60.6	71.8	434	<0.363	<0.544
SB-2-5.0	5 ft	05/03/22	<4.72	<11.8	1.51	<0.436	<0.523	<0.349	1.37	<0.349	<0.523
SB-2-8.5	8.5 ft	05/03/22	15.3	<11.4	536	<45.9	<55.1	101	<129	<36.7	<55.1
SB-3-5.5	5.5 ft	05/03/22	<6.08	<15.2	13.8	3.04	3.08	45.2	335	<0.602	<0.902
SB-3-6.5	6.5 ft	05/03/22	<4.56	<11.4	7.35	<24.7	<29.6	<19.8	<69.2	<19.8	<29.6
SB-3-9.5	9.5 ft	05/03/22	<4.74	<11.9	0.587	<0.617	<0.740	<0.494	<1.73	<0.494	<0.740
SB-5-7	7 ft	05/04/22	42.0	<11.6	757	1,360	4,960	10,100	59,000	<60.6	<90.9
SB-5-13	13 ft	05/04/22	17.4	<11.6	1,310	2,810	32,700	35,100	210,000	<51.4	<77.2
SB-5-15	15 ft	05/04/22	<4.42	<11.1	1.49	2.22	11.9	16.4	93.6	<0.299	<0.448
MW-30-15	15 ft	02/22/07	ND	--	67.2	366	540	644	3,230	--	--
MW-31-15	15 ft	02/23/07	ND	--	13.3	757	460	172	890	--	--
MW-32-15	15 ft	02/23/07	ND	--	246.0	1,200	3,400	2,500	14,000	--	--
MW-33-15	15 ft	02/23/07	ND	--	10.7	1,530	250	390	1,340	--	--
MW-34-15	15 ft	02/22/07	ND	--	ND	ND	ND	ND	140	--	--
MW-35-15	15 ft	02/22/07	ND	--	16.7	1,460	410	263	1000	--	--
MW-36-15	15 ft	02/22/07	ND	--	ND	ND	ND	ND	ND	--	--
MW-37-8	8 ft	05/03/22	<4.44	<11.1	0.461	0.524	<0.436	<0.290	<1.02	<0.290	<0.436
MW-37-11	11 ft	05/03/22	<4.39	<11.0	1.14	<0.373	<0.448	<0.299	<1.05	<0.299	<0.448
MW-38-6.5	6.5 ft	05/04/22	63.0	153	1,520	<61.5	143	608	5,910	<49.2	<73.9
MW-38-14	14 ft	05/04/22	<4.31	<10.8	18.3	101	17.6	116	86.3	<0.382	<0.573
MW-39-5	5 ft	11/01/22	<4.48	<11.2	7.23	<0.442	<0.530	<0.530	<1.24	<0.353	<0.530
MW-39-10	10 ft	11/01/22	<4.32	<10.78	<0.203	<0.474	<0.569	<0.379	<1.33	<0.379	<0.569
MW-39-13	15 ft	11/01/22	<4.36	<10.9	9.66	<0.437	<0.524	<0.349	<1.22	<0.349	<0.524
MW-40-5	5 ft	11/02/22	<4.16	<10.4	<0.228	<0.382	<0.458	<0.306	<1.07	<0.306	<0.458
MW-40-10	10 ft	11/02/22	<4.54	<11.3	0.450	<0.399	<0.478	<0.319	<1.12	<0.319	<0.478
MW-40-13	13 ft	11/02/22	<4.41	<11.0	12.0	<0.392	<0.470	<0.313	<1.10	<0.313	<0.470
MW-41-5	5 ft	11/01/22	<4.46	<11.1	0.520	<0.464	<0.557	<0.371	<1.30	<0.371	<0.557
MW-41-10	10 ft	11/01/22	<4.39	<11.0	<0.276	<0.446	<0.535	<0.357	<1.25	<0.357	<0.535
MW-41-14.5	14.5 ft	11/01/22	<4.36	<10.9	3.32	<0.471	<0.565	<0.377	<1.32	<0.377	<0.565
MTCA Method A Cleanup Levels:			2000 mg/kg	2000 mg/kg	30 mg/kg	30 µg/kg	7000 µg/kg	6000 µg/kg	9000 µg/kg	5 mg/kg	5 mg/kg

EXPLANATIONS:

Analytical results in bold font indicate concentrations exceed MTCA Method A cleanup levels.

EDB = Ethylene Dibromide

EDC = Ethylene Dichloride

ft = feet

mg/kg = milligrams per kilogram

MTCA = Model Toxics Control Act

NA= no cleanup level established

TPH-GRO = TPH as gasoline-range organics

USEPA = United States Environmental Protection Agency

< = Analyte not detected at or above Laboratory Detection Limit; value represents limit.

Analytical Methods:

TPH-GRO analyzed by NWTPH-Gx

TPH-DRO analyzed by NWTPH-Dx

BTEX analyzed by USEPA 8260D

TABLE 2
MONITORING WELL CONSTRUCTION DATA
TIKI CAR WASH
11909 NE 8th Street
Bellevue, Washington

Well ID	Well Diameter (inches)	Total Depth (feet btoc)	Screen Length (feet)	Screened Interval (feet btoc)
MW-2	2.00	7.85	3.00	6.50-9.50
MW-6	2.00	7.01	3.00	4.01-7.01
MW-20	2.00	12.32	4.00	7.50-11.50
MW-23	2.00	10.23	10.00	3.00-13.00
MW-29	2.00	13.62	10.00	3.50-13.50
MW-30	2.00	13.30	10.00	2.97-12.97
MW-31	4.00	13.56	10.00	3.17-13.17
MW-32	4.00	13.28	10.00	2.95-12.95
MW-33	4.00	13.19	10.00	2.86-12.86
MW-34	2.00	13.73	10.00	3.40-13.40
MW-35	4.00	13.00	10.00	2.67-12.67
MW-36	2.00	13.78	10.00	3.45-13.45
MW-37	2.00	15.00	10.00	5.00-15.00
MW-38	2.00	14.00	10.00	4.00-14.00
MW-39	2.00	12.00	9.00	3.00-12.00
MW-40	2.00	12.00	9.00	3.00-12.00
MW-41	2.00	14.00	10.00	4.00-14.00

**TABLE 3
GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
TIKI CAR WASH
11909 NE 8th Street
Bellevue, Washington
Concentrations reported in µg/L**

Well ID	Date	TOC (ft.)	DTW (ft.)	GWE (ft.)	TPH-DRO	TPH-HRO	TPH-GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Total Lead
MW-2	06/06/06	144.61	-	-	268	<485	1,410	2.16	<0.5	13.4	6.32	-	<0.001
	09/06/06		-	-	508	<495	6,550	21.4	18.3	188	394	-	<0.001
	05/05/22		4.09	140.50	-	-	<19.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-6	06/06/06	143.52	-	-	2,060	<500	116,000	3,120	16,600	2,980	17,800	-	11.9
	09/06/06		-	-	2,650	<495	102,000	3,600	15,000	2,960	18,500	-	14.4
	02/16/22		2.68	140.84	-	-	1,000	<1.0	<1.0	13	83	<1.0	-
	05/05/22		2.43	141.09	-	-	167	<0.300	<0.200	<0.400	0.677	-	-
MW-20	05/31/05	144.55	-	-	<250	<500	<0.50	<0.500	<0.500	<0.500	<1.00	<1.00	<0.001
	02/13/06		-	-	<240	<481	<0.50	<0.500	<0.500	<0.500	<1.00	-	<0.001
	06/06/06		-	-	<236	<472	<0.50	<0.500	<0.500	<0.500	<1.00	-	1.06
	09/06/06		-	-	-	<472	<100.0	<0.500	<2.000	<1.000	<1.50	-	<0.001
	02/17/22		8.10	136.45	-	-	<250	<1.0	<1.0	<1.0	<1.0	<1.0	-
	05/05/22		7.75	136.80	-	-	<19.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-23	05/31/05	142.60	-	-	-	<500	<0.50	<0.500	0.806	<0.500	1.44	<1.00	<0.001
	02/13/06		-	-	-	<476	<0.50	<0.500	<0.500	<0.500	<1.50	-	<0.001
	06/06/06		-	-	<240	<481	<0.50	<0.500	<0.500	<0.500	<1.00	-	2.3
	09/06/06		-	-	<243	<485	<100.0	<0.500	<2.000	<1.000	<1.00	-	<0.001
	02/17/22		3.93	140.67	-	-	<250	<1.0	<1.0	<1.0	<1.0	<1.0	-
	05/05/22		2.61	139.99	-	-	<19.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-29	05/31/05	148.47	-	-	2,380	<250	131,000	14,800	22,800	3,430	20,600	<1.00	32.4
	02/13/06		-	-	2,630	1,660	145,000	8,750	17,900	3,450	20,400	-	22.7
	06/06/06		-	-	7,370	10,900	143,000	11,300	20,600	3,690	22,300	-	39.6
	09/06/06		-	-	2,680	<4,850	121,000	9,030	15,200	2,650	17,100	-	49.4
	03/18/08		-	-	4,930	3,620	130,000	9,780	16,400	3,520	22,100	-	-
	04/09/08		-	-	5,190	759	99,700	4,450	9,090	3,000	19,500	-	-
	04/29/08		-	-	5,220	ND	111,000	5,810	10,600	3,230	20,100	-	-
	10/08/08		-	-	3,740	ND	117,000	12,800	14,600	3,530	21,000	-	-
	02/16/22		4.38	144.09	-	-	100,000	6,800	9,900	3,000	15,000	<20	-
05/05/22	4.15	144.32	-	-	93,500	6,210	9,050	3,240	17,100	-	-		
MW-30	03/15/07	146.52	-	-	3,160	716	90,600	14,000	11,700	2,500	12,100	-	-
	03/18/08		-	-	2,160	603	73,700	11,000	4,820	2,460	8,060	-	-
	04/29/08		-	-	2,600	ND	65,100	8,240	4,210	2,370	7,930	-	-
	10/08/08		-	-	2,980	1,850	89,400	18,700	9,300	2,770	12,400	-	-
	02/16/22		4.39	142.13	-	-	6,800	1,200	280	580	770	<2.0	-
	05/05/22		4.11	142.41	-	-	4,080	519	22.9	521	132	-	-
MW-31	03/18/08	148.96	-	-	2,210	<472	134,000	5,030	21,800	2,810	16,100	-	-
	04/29/08		-	-	3,780	ND	150,000	5,080	25,000	3,580	22,600	-	-
	02/16/22		5.70	143.26	-	-	81,000	2,600	2,200	1,800	14,000	<5.0	-
	05/05/22		5.24	143.72	-	-	58,100	2,580	1,260	1,700	10,700	-	-
MW-32	03/18/08	149.30	-	-	5,490	895	198,000	22,100	34,600	3,140	17,200	-	-
	04/09/08		-	-	6,570	900	174,000	21,300	32,200	2,950	17,300	-	-
	04/29/08		-	-	6,500	ND	172,000	19,600	29,700	2,620	16,500	-	-
	02/16/22		5.34	143.96	-	-	38,000	3,200	3,100	340	8,800	<10	-
	05/05/22		4.79	144.51	-	-	52,500	3,870	4,050	512	10,300	-	-
MW-33	03/18/08	149.34	-	-	4,190	542	116,000	11,300	19,000	2,760	15,100	-	-
	04/29/08		-	-	4,320	480	86,400	2,490	9,860	2,780	15,500	-	-
	10/08/08		-	-	3,030	ND	56,100	6,670	4,320	2,070	11,100	-	-
	02/16/22		5.09	144.25	-	-	12,000	520	97	780	580	<2.0	-
	05/05/22		4.79	144.55	-	-	9,950	199	19.0	635	333	-	-
MW-34	03/18/08	148.99	-	-	1,620	654	10,500	271	17.3	616	921	-	-
	04/29/08		-	-	1,420	601	11,900	272	38.9	594	951	-	-
	02/16/22		6.78	142.21	-	-	5,000	14	9.1	120	180	<1.0	-
	05/05/22		6.41	142.58	-	-	3,710	11.4	1.33	36.2	23.1	-	-
MW-35	03/15/07	146.13	-	-	1,910	<485	65,400	2,760	7,030	1,450	12,900	-	-
	03/18/08		-	-	2,730	489	82,300	3,620	10,400	2,910	13,600	-	-
	04/29/08		-	-	2,560	ND	81,800	1,740	7,430	2,890	13,300	-	-
	10/08/08		-	-	1,350	ND	49,500	10,500	1,630	2,500	5,600	-	-
	02/16/22		2.96	143.17	-	-	33,000	120	450	1,900	3,700	<2.0	-
	05/05/22		2.64	143.49	-	-	31,500	86.2	139	1,750	3,510	-	-
MW-36	03/15/07	143.28	-	-	<238	<476	<50	<1	<1	<1	<1	-	-
	02/17/22		8.88	134.40	-	-	<250	<1.0	<1.0	<1.0	<1.0	<1.0	-
	05/05/22		6.75	136.53	-	-	<19.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-37	05/05/22	148.77	5.85	142.92	-	-	2,310	203	172	59.7	303	-	-
	07/07/22		-	-	-	-	636	363	4.01	2.84	8.14	-	-
	11/02/22		6.28	142.49	-	-	636	277	2.41	<4.00	<4.00	-	-
MW-38	05/05/22	146.87	3.67	140.22	-	-	47,600	5,750	4,540	1,340	7,020	-	-
	07/07/22		-	-	-	-	93,800	3,290	16,300	2,600	14,900	-	-
	11/02/22		4.49	142.38	-	-	98,800	5,200	16,800	2,760	15,500	-	-
MW-39	11/03/22	148.6	5.59	143.01	-	-	<43.0	<0.300	<0.200	<0.400	<0.400	-	-
	11/3/22(D)		5.59	-	-	-	<43.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-40	11/03/22	145.50	5.38	140.12	-	-	<43.0	<0.300	<0.200	<0.400	<0.400	-	-
MW-41	11/03/22	144.39	5.22	139.17	-	-	<43.0	0.316	<0.200	<0.400	<0.400	-	-
QA	02/16/22	-	-	-	-	-	-	<1.0	<1.0	<1.0	<1.0	<1.0	-
	05/05/22	-	-	-	-	-	-	<19.0	<0.300	<0.200	<0.400	<0.400	-
	11/02/22	-	-	-	-	-	-	<0.300	<0.200	<0.400	<0.400	-	-
Standard Laboratory Reporting Limit:					--	--	50	0.5	0.5	0.5	1.5	--	--
MTCA Method A Cleanup Levels:					500	500	800/1,000	5	1,000	700	1,000	20	250
Current Method:					NWTPH-Dx + Extended			NWTPH-Gx		EPA 8260D			EPA 7421

EXPLANATIONS:

Analytical results in bold font indicate concentrations exceed MTCA Method A cleanup levels.

(D) = Duplicate
DTP = Depth to Product
DTW = Depth to Water
EPA = United States Environmental Protection Agency
ft. = Feet
GWE = Groundwater Elevation
HVOCs = Halogenated Volatile Organic Compounds
LFP = Low Flow Purge

TOC = Top of Casing
TPH = Total Petroleum Hydrocarbons
TPH-DRO = TPH as Diesel-Range Organics
TPH-GRO = TPH as Gasoline-Range Organics
TPH-HRO = TPH as Heavy Oil-Range Organics
µg/L = Micrograms per liter
-- = Not Measured/Not Analyzed

TABLE 4
VAPOR SAMPLING DATA AND ANALYTICAL RESULTS
TIKI CAR WASH
11909 NE 8th Street
Bellevue, Washington

Concentrations reported in ppbv and µg/m3

Sample ID	Sample Date	TPH-GRO (ppbv)	TPH-GRO µg/m3	Benzene (ppbv)	Benzene µg/m3	Toluene (ppbv)	Toluene µg/m3	Ethyl-Benzene (ppbv)	Ethyl-Benzene µg/m3	m,p-Xylene (ppbv)	m,p-Xylene µg/m3	o-Xylene (ppbv)	o-Xylene µg/m3
Indoor Ambient	2/24/2023	40	160	0.29	0.93	1.3	5.1	0.19	0.82	0.64	2.8	0.22	0.96
Outdoor Ambient	2/24/2023	16	65	0.28	0.91	0.87	3.3	0.12	0.54	0.48	2.1	0.16	0.71
Subslab 2	2/24/2023	ND	ND	ND	ND	ND	ND	0.13	0.57	ND	ND	ND	ND
Standard Laboratory Reporting Limit:		13	55	0.067	0.21	0.067	0.25	0.027	0.12	0.054	0.23	0.027	0.12
Current Method: EPA TO-15 GC/MS													


EXPLANATIONS:

ND = No Detections Found

µg/m3 = micrograms per cubic meter

ppbv = parts per billion by volume

Figures




LEGEND

- Concrete Surface
- Current Buildings and Structures



Tiki Car Wash
11909 NE 8th Street
Bellevue, WA 98005

Figure 1
Site Map



LEGEND



-  Concrete Surface
-  Current Buildings and Structures

-  SB-5 Soil Boring
-  MW-37 Monitoring Well
-  Subslab Vapor Sampling Point
-  Parcel Boundary

Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 2
 Well and Boring Locations





LEGEND

MW-25 Monitoring Well

ANALYTES

DATE	DEPTH	
TPH-GRO	GASOLINE-RANGE HYDROCARBONS	
B	BENZENE	
E	ETHYLBENZENE	
T	TOLUENE	
X	TOTAL XYLENES	

Only Detections are shown. Concentrations Exceeding MTCA Method A Cleanup Level Shown in **BOLD**.


ND Less than Indicated Laboratory Reporting Limits

Units in Milligrams per Kilogram (mg/kg) and Micrograms per Kilogram (µg/kg)

Tiki Car Wash
11909 NE 8th Street
Bellevue, WA 98005

Figure 3
Soil Concentrations





LEGEND

MW-25 Monitoring Well


WELL ID	DATE
TPH-GRO	GASOLINE-RANGE HYDROCARBONS
B	BENZENE
E	ETHYLBENZENE
T	TOLUENE
X	TOTAL XYLENES

<50 Less than Indicated Laboratory Reporting Limits
BOLD Concentration Exceeding MTCA Method A Cleanup Level
 Units in Micrograms per Liter (µg/L)

Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 4
 Groundwater Concentrations






LEGEND

- USTs
- Concrete Surface
- Current Buildings and Structures
- SB-5 Soil Boring
- MW-37 Monitoring Well
- Parcel Boundary
- Cross-Section Transect Location





Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 5
 Cross-Section Locations



LEGEND:

- 10.7 Gasoline-range hydrocarbon concentration in mg/kg
- 1,530 Benzene concentration in milligrams per kilogram (ug/kg)
- Concentrations in Excess of MTCA Method A Cleanup Levels shown in **BOLD**.



(5X Vertical Exaggeration)

NOTE: Many Borings are projected into cross section to show data.




Tiki Car Wash
11909 NE 8th Street
Bellevue, WA 98005

FIGURE 6
Geologic Cross-Section A-A'


NORTH

SOUTH



LEGEND:

- 10.7 Gasoline-range hydrocarbon concentration in mg/kg
- 1,530 Benzene concentration in milligrams per kilogram (ug/kg)
- Concentrations in Excess of MTCA Method A Cleanup Levels shown in **BOLD**.
- Silty CLAY
- TANK BASIN FILL
- Silty SAND (SM) and SILT (ML) with Gravel



(5X Vertical Exaggeration)

NOTE: Many Borings are projected into cross section to show data.



Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

FIGURE 7
 Geologic Cross-Section B-B'




LEGEND

- USTs
- Concrete Surface
- Current Buildings and Structures
- SB-5 ⊕ Soil Boring
- MW-37 ⊕ Monitoring Well
- Parcel Boundary
- 137 ft ~ 137 ft Groundwater Elevation Contours at 1-Foot Intervals
- ➔ Approximate Groundwater Flow Direction



Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 8
 Groundwater
 Potentiometric Map



LEGEND


- USTs
- Concrete Surface
- Current Buildings and Structures
- Parcel Boundary
- SB-5 Soil Boring
- MW-37 Monitoring Well

Extent of Contamination in Soil (dashed where inferred)



Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 9
 Extent of Soil
 Contamination



LEGEND

- USTs
- Concrete Surface
- Current Buildings and Structures
- SB-5 ⊕ Soil Boring
- MW-37 ⊕ Monitoring Well
- Parcel Boundary

- - - Extent of Contamination in Groundwater (dashed where inferred)



Tiki Car Wash
 11909 NE 8th Street
 Bellevue, WA 98005

Figure 10
 Extent of Groundwater Contamination

Appendix A

Boring Logs

BORING LOG

Well No: SB-1

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Hand Auger/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 9.5 feet

WELL DIAMETER: --
 WELL DEPTH: --
 WELL CASING: --
 WELL SCREEN: --
 FILTER PACK: --

CASING ELEVATION:--

Analytical Sample Number	PID (ppm)	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
			Recovery	Interval				
							ASPHALT	
	0.0				1			
					2			
	0.0				3	ML	brown mottled sandy SILT; no odor, no sheen.	
					4			
	2.2				5			
SB-1-6					6	ML	gray sandy SILT; damp, no odor, no sheen.	
SB-1-7	13.3	▽			7	SM	brown silty SAND; no odor, no sheen.	
					8			
					9	SM	brown, very compact silty SAND; damp. Moderate odor, no sheen.	
SB-1-9	4.4				9.5		Refusal at 9.5 ft	
					10			
					11			

NOTES:

BORING LOG

Well No: SB-2

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Hand Auger/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 8.5 feet

WELL DIAMETER: --
 WELL DEPTH: --
 WELL CASING: --
 WELL SCREEN: --
 FILTER PACK: --

CASING ELEVATION:--

Analytical Sample Number	PID (ppm)	Water Level	Sample Recovery Interval	DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
SB-2-5	0.4			1		ASPHALT	
				2		brown mottled sandy SILT; damp, no odor, no sheen.	
SB-2-5	1.6			3	ML	4	gray sandy SILT; wet, no odor, no sheen.
				5			
SB-2-8.5	136.0	▽		6		7	brown, very compact sandy SILT; damp. Moderate odor, no sheen.
				8			
				9		10	Refusal at 8.5 ft
				11			

NOTES: poor recovery at 8-8.5

BORING LOG

Well No: SB-3

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Hand Auger/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 11.0 feet

WELL DIAMETER: --
 WELL DEPTH: --
 WELL CASING: --
 WELL SCREEN: --
 FILTER PACK: --

CASING ELEVATION:--

Analytical Sample Number	PID (ppm)	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
			Recovery	Interval				
					1		ASPHALT	
	1.0				2	ML	brown fine SILT with 5% gravel; damp, no odor, no sheen.	
	1.0				5	CL	gray silty CLAY; moist, no odor, no sheen	
	15.9	▽			7	SM	gray, silty SAND; wet, slight odor, no sheen	
	0.7				10	ML	dark gray, sandy SILT; wet, no odor, no sheen	
					11			

NOTES: poor recovery at 8-8.5

MONITORING WELL LOG

Well No: **MW-37**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/3/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 15 feet

WELL DIAMETER: 2'
 WELL DEPTH: 15 ft
 WELL CASING: PVC
 WELL SCREEN: 5-15 ft
 FILTER PACK:--Sand

CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
		Recovery	Interval				
				1		Asphalt	
				2			Bentonite
				3			Bentonite
				4	SM	brown silty SAND, occasional gravel and roots; No odor, no sheen.	
				5			
				6			
				7			
MW-37-8		█	█	8			
				9			
				10			
MW-37-11	▽	█	█	11	SM	gray fine silty SAND with 10% gravel and roots, damp; No odor, no sheen.	
				12			
				13			
				14			
				15			
				16			
				17			
				18			
				19			
				22			
				21			
				22			

NOTES:

BORING LOG

Well No: SB-5

PAGE 1 of 2

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Hand Auger/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 15.0 feet

WELL DIAMETER: --
 WELL DEPTH: --
 WELL CASING: --
 WELL SCREEN: --
 FILTER PACK: --

CASING ELEVATION:--

Analytical Sample Number	PID (ppm)	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
			Recovery	Interval				
SB-5-7	1.7	453.0	369.0	42.5	48.6	GW	ASPHALT	
						(FILL)	Gravel fill with cobbles and sand	
						CL	gray silty CLAY; tree roots, gravel, moist, no odor, no sheen	
						CL	gray silty CLAY; moderate odor, moderate sheen	
						CL	mottled silty CLAY; moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	
						SM	gray silty SAND, wet, moderate odor, no sheen	

NOTES:

BORING LOG

Well No: SB-5

PAGE 2 of 2

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Hand Auger/Geoprobe
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 15.0 feet

WELL DIAMETER: --
 WELL DEPTH: --
 WELL CASING: --
 WELL SCREEN: --
 FILTER PACK: --

CASING ELEVATION: --

Analytical Sample Number	PID (ppm)	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Backfill Material
			Recovery	Interval				
	48.6				12	SM	gray silty SAND, wet, moderate odor, no sheen	
SB-5-13	569.4		█		13	ML	gray sandy SILT, compact; strong odor, slight sheen	
					14		gray sandy SILT, moist; slight odor, no sheen	
SB-5-15	7.8		█		15		Refusal @ 15 ft	
					16			
					17			
					18			
					19			
					20			
					21			
					22			

NOTES:



EA Engineering,
Science, and
Technology, Inc.

Client

Ecology

Project Number

619904.01

Location In planter

Tiki - S. of Food Mart

Drilling/Sampling
Methods

Hollow Stem Auger

Limited Access Rig

4.25" ID Auger

Water Level

4.9'

4.56'

DRILLING

Time

0956

1313

Start

Finish

Time

0956

Time

1100

Date

2-22-07

2-27-07

Date

2-22-07

Date

2-22-07

Reference

bgs

btop
bgs JKM

LOG OF SOIL BORING: MW-30

Elevation From

Top of Casing (TOC):

INCHES Driven	INCHES Recov.	Blows/6"	SPT Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions	Well Completion
							Description by: JKM	
					0		Bark Planter	2" PVC
				2" PVC 2 1/2" Bentonite chips	1			
					2			
					3			
					4			
					5		Water level prior to drilling	
					6		grey silty sand w/ slight hydrocarbon odor	
					7		Vacuum cleared to 7' on 2/21/07.	
				Monterey 2/12 sand	8			
					9			
5"	7"	55	28		10	SM	grey silty sand/sandy silt w/ fine gravel w/ pebbles, slight hydrocarbon odor, wet, dense, SM	
					11			
					12			
					13			
					14			
4"	4"	60	8		15	SM	grey sand silty-sand with fine gravel moist, dense	
					16			
					17			
					18			
					19			
					20			

Water level prior to drilling
grey silty sand w/ slight hydrocarbon odor

Vacuum cleared to 7' on 2/21/07.

SM grey silty sand/sandy silt w/ fine gravel w/ pebbles, slight hydrocarbon odor, wet, dense, SM

SM grey sand silty-sand with fine gravel moist, dense

End of boring @ 15'
Sample collected @ 15'



EA Engineering,
Science, And
Technology, Inc.

Client

ECOLOGY

Project Number

U19904.01

Location IN FRONT of
TIKI Convient Store

Drilling/Sampling
Methods

Hollow Stem Auger: Limited Access Rig
6.5" ID Auger

LOG OF SOIL BORING: MW-31

Elevation From
Top of Casing (TOC):

Water Level

6' bc

Time

0905

Date

2-23-07

Reference

bgs

DRILLING

Start

Finish

Time

0905

Time

1035

Date

2-23-07

Date

2-23-07

INCHES

Driven

Recov.

Blows/6"

PID (ppm)

Reading

WELL
DETAIL

DEPTH
(Ft)

USCS
SYMBOL

Surface Conditions

Pavement / Asphalt

Description by: JKM

Well Completion

4" PVC

INCHES	Blows/6"	PID (ppm)	WELL DETAIL	DEPTH (Ft)
			4" PVC	0
			3/8" bentonite chips	1
				2
				3
		65		4
				5
				6
				7
				8
6"	6"	60		9
				10
				11
				12
				13
			2/2 Montev Sand	14
12"	8"	70		15
		70		16
				17
				18
				19
				20

Slight HC odor

▽ water level prior to drilling

vacuum cleared to 8' bgs

SM - dense moist medium grey
Silty sand with fine to coarse
gravel SM

SM - dense wet/moist medium grey
Silty sand w/ fine gravel SM
collected sample
End of boring



EA Engineering,
Science, And
Technology, Inc.

Client

Ecology

Project Number

619904.01

Location

North of
TIKJ - Pump Islands.

Drilling/Sampling
Methods

Limited Access Rig
Hollow Stem Auger - 4.5 ID Auger

DRILLING

Water Level

Start

Finish

Time

Time

Time

Date

Date

Date

Reference

Well Completion

LOG OF SOIL BORING: MW-32

Elevation From

Top of Casing (TOC):

INCHES Driven	INCHES Recov.	Blows/6"	PID (ppm) Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions	Well Completion
							Asphalt	
							Description by: JKM	
				4" PVC	0			
				2 1/2" diameter chips	1			
					2			
					3			
					4			
					5			
					6			
					7			
					8			
					9			
3"	2"	100	739		10	SM	vacuum cleared to 7.5 bgs	
					11		brown and grey silty sand with coarse gravel, dense, dry SM HC odor	
				2 1/2" Monterey Sand	12			
					13			
					14			
2"	2"	55	16		15		medium grey dense silty sand with coarse and fine gravels, dry SM NO odors Sample collected	
					16			
					17			
					18			
					19			
					20			End of boring @ 14.5' bgs



EA Engineering,
Science, And
Technology, Inc.

Client
Ecology

Project Number
619904.01

Location
TIKI - W. of pump Island

Drilling/Sampling Methods
Hollow Stem Auger

Limited Access Rig
6.5" ID Auger

LOG OF SOIL BORING: **MW-33**

Elevation From
Top of Casing (TOC):

Water Level	6'			DRILLING	
Time	1045			Start	Finish
Date	2-23-07			Time 1035	Time 1230
Reference	bgs			Date 2-23-07	Date 2/23/07

INCHES		Blows/s	PID (ppm) Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions Asphalt Description by: JKM	Well Completion 4" PVC
Driven	Recov.							
					0			
				3/8" bentonite chips	1			
				4" PVC	2			
					3			
					4			
					5			
					6		Water @ 6' bgs prior to drilling	
					7		vacuum cleared to 7.5' bgs	
					8			
2"	0		50		9			
					10	SM	dense, wet medium brown silty sand SM	
					11			
					12			
					13			
				2 1/2 Monterey Sand	14			
6"	5"		70		15	SM	- dense dry medium grey silty sand with fine to coarse gravel SM	
					16			
					17		Collected sample @ 15' bgs	
					18		end of boring @ 15' bgs	
					19			
					20			



EA Engineering,
Science, And
Technology, Inc.

Client
Ecology

Project Number
619904.01

Location *NOT*
TIKI Car Wash

Drilling/Sampling Methods *Hollow Stem Auger* *Limited Access Rig*
4.25" ID Auger

LOG OF SOIL BORING: *MW-34*

Elevation From
Top of Casing (TOC):

Water Level	<i>6.95'</i>	DRELLING	
Time	<i>1520</i>	Start	Finish
Date	<i>2-22-07</i>	Time <i>1338</i>	Time <i>1435</i>
Reference	<i>6502</i> <i>645 JKM</i>	Date <i>2-22-07</i>	Date <i>2-22-07</i>

INCHES Driven	Recov.	Blows/6"	PID (ppm) Reading	WELL DETAIL	DEPTH (Ft)	USCS	Surface Conditions	Well Completion
						SYMBOL	Description by: <i>JKM</i>	

INCHES Driven	Recov.	Blows/6"	PID (ppm) Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions	Well Completion
					0		<i>Asphalt</i>	<i>2" PVC</i>
				<i>2" PVC</i>	1			
				<i>3/8" bentonite chips</i>	2			
					3		<i>grey silty sand with fine gravel</i>	
					4			
					5			
					6			
					7			
					8		<i>Vacuum cleared to 7.5' ft log S</i>	
					9			
<i>5"</i>	<i>5"</i>	<i>60</i>	<i>29</i>	<i>JKM</i>	10	<i>SW</i>	<i>dense silty sand grey moist w/ fine gravel. No odors</i>	
					11		<i>SW</i>	
					12			
					13			
					14			
<i>6"</i>	<i>2"</i>	<i>100</i>	<i>0</i>	<i>2 1/2 Monterey Sand</i>	15	<i>SW</i>	<i>limited recovery - rock stuck in shoe re-sampling for adequate sample volume</i>	
<i>6"</i>	<i>3"</i>	<i>100</i>	<i>0</i>		16		<i>dense silty sand w/ coarse gravel</i>	
					17		<i>Wet, no odors</i>	
					18		<i>SW</i>	
					19		<i>End of boring @ 15.5'</i>	
					20		<i>Sample @ 15.5'</i>	



EA Engineering,
Science, And
Technology, Inc.

Client <i>Ecology</i>	Project Number <i>619904.01</i>	Location In Planter <i>Tiki - S. of dumpst</i>	
Drilling/Sampling Methods <i>Hollow Stem Auger - 6.5" ID Auger</i>		Limited Access Rig	
Water Level	<i>9.29'</i>	DRILLING	
Time	<i>145p</i>	Start	Finish
Date	<i>2-22-07</i>	Time <i>1115</i>	Time <i>1325</i>
Reference	<i>btoC</i>	Date <i>2-22-07</i>	Date <i>2-22-07</i>

LOG OF SOIL BORING:

Elevation From
Top of Casing (TOC): *MW-35*

INCHES		Blows/6"	SVA Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions	Well Completion
Driven	Recov.						Description by: <i>JKM</i>	
					0			
				<i>4" PVC</i>	1			
				<i>3/8" Bentonite chip</i>	2		<i>2.5 lbs water level prior to drilling</i>	
					3			
					4		<i>grey silty sand w/ gravel</i>	
					5			
					6		<i>vacuum cleared to 6'</i>	
					7			
					8			
					9			
<i>5"</i>	<i>4"</i>	<i>50</i>	<i>33</i> <i>2.5</i>	<i>JKM</i>	10	<i>SM</i>	<i>dense grey silty sand with ^{fine} gravel, SM dry</i>	
					11			
					12			
					13			
				<i>2/12</i> <i>Moisture Sand</i>	14			
<i>2"</i>	<i>2"</i>	<i>50</i>			15	<i>SM</i>	<i>dense wet grey silty sand with gravel and (fine to coarse), SM</i>	
					16			
					17		<i>End of boring @ 15'</i> <i>sample collected @ 15'</i>	
					18			
					19			
					20			



EA Engineering,
Science, And
Technology, Inc.

Client

Ecology

Project Number

61904.01

Location

Tiki - G.F. JOE Parkway lot

Drilling/Sampling
Methods

Hollow Stem Auger - Limited Access Rig (Old Holes)
4.25" ID Auger

LOG OF SOIL BORING: MW-36

Elevation From
Top of Casing (TOC):

Water Level	m			DRILLING	
Time				Start	Finish
Date				Time 0830	Time 0930
Reference				Date 2/22/07	Date 2/22/07

INCHES Driven	Recov.	Blows/6"	P.D. Reading	WELL DETAIL	DEPTH (Ft)	USCS SYMBOL	Surface Conditions	Well Completion
							Asphalt	
							Description by: MW36	

				2" PVC	0			
				3/8" Bit stone chips	1			
					2			Sand w/ gravel + cobbles, medium brown, dry.
					3			
				Monterey 2/12 Sand	4			
					5			
					6			Vacuum cleared to 6' on 2/21/07. Dense.
					7			
					8			
2"	4"	50	0		9			
					10	SM		silty sand with gravel, med gray, dry. No odors.
					11			
					12			
					13			Moist cuttings noted by driller 103
					14			
3"	4"	50	0		15			silty sand, coarse sand, med gray, dry. End of Boring, collect soil sample. (2' of water observed in well after substitution)
					16			
					17			
					18			
					19			
					20			

MONITORING WELL LOG

Well No: **MW-37**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/3/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe/HSA
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 15 feet

WELL DIAMETER: 2'
 WELL DEPTH: 15 ft
 WELL CASING: PVC
 WELL SCREEN: 5-15 ft
 FILTER PACK:--Sand

CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample Recovery	Sample Interval	DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
MW-37-8				1	SM	Asphalt	Bentonite
				2		brown silty SAND, occasional gravel and roots; No odor, no sheen.	
MW-37-11	▽			3	SM		gray fine silty SAND with 10% gravel and roots, damp; No odor, no sheen.
				4			
				5			
				6			
				7			
				8			
				9			
				10			
				11			
				12			
				13			
14							
15							
16							
17							
18							
19							
22							
21							
22							

NOTES:

MONITORING WELL LOG

Well No: **MW-38**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 5/4/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe/HSA
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 14 feet

WELL DIAMETER: 2'
 WELL DEPTH: 14 ft
 WELL CASING: PVC
 WELL SCREEN: 4-14 ft
 FILTER PACK:--Sand

CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material	
		Recovery	Interval					
MW-38-6.5				1	ML	Asphalt		
				2		brown sandy SILT, 20%; moderate odor, moderate sheen.		
				3				
				4				
				5				
				6				
MW-38-14				7	SM	gray compact silty SAND with 10% gravel and roots, damp; moderate odor, no sheen.		
				8		gray, loose, sandy SILT, wet; 10% gravel, no odor, no sheen		
				9				
				10				
				11				
				12				
				13				
				14				
				15				
				16				
				17				
				18				
				19				
				20				
				21				
				22				

NOTES:

MONITORING WELL LOG

Well No: **MW-39**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 11/1/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe/HSA
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 13.5 feet

WELL DIAMETER: 2'
 WELL DEPTH: 12 ft
 WELL CASING: PVC
 WELL SCREEN: 3-12 ft
 FILTER PACK:--Sand
 CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample		DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
		Recovery	Interval				
				1		ASPHALT	
				2			Bentonite
				3			
				4			
MW-39-5	▽	█	█	5	SM	brown silty SAND; 10% gravel; No odor, no sheen.	
				6			
				7			
				8			
				9			
MW-39-10		█	█	10			
				11			
				12	ML	gray gravelly SILT, dense; No odor, no sheen.	
				13			
MW-39-13		█	█	13			
				14			
				15			
				16			
				17			
				18			
				19			
				22			
				21			
				22			

NOTES:

MONITORING WELL LOG

Well No: **MW-40**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 11/2/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe/HSA
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 13.5 feet

WELL DIAMETER: 2'
 WELL DEPTH: 12 ft
 WELL CASING: PVC
 WELL SCREEN: 3-12 ft
 FILTER PACK:--Sand
 CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample Recovery Interval	DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
MW-40-5				ML	brown sandy SILT; 30% gravel; No odor, no sheen. grayish brown sandy SILT, damp; No odor, no sheen. gray sandy SILT, wet; No odor, no sheen.	
MW-40-10			MW-40-13			

NOTES:

MONITORING WELL LOG

Well No: **MW-41**

PAGE 1 of 1

PROJECT: Tiki Carwash
 LOCATION: Bellevue, WA
 CLIENT: Ecology
 DATE: 11/1/22
 LOGGED BY: Chris Wildt

DRILLER: Cascade Drilling, Inc.
 DRILL METHOD: Air Knife/Geoprobe/HSA
 SAMPLE METHOD: Hand Auger/Geoprobe
 HOLE DIAMETER: 6-inch max.
 HOLE DEPTH: 14.75 feet

WELL DIAMETER: 2'
 WELL DEPTH: 14 ft
 WELL CASING: PVC
 WELL SCREEN: 4-14 ft
 FILTER PACK:--Sand

CASING ELEVATION:--

Analytical Sample Number	Water Level	Sample Recovery	Sample Interval	DEPTH (ft.)	SOIL TYPE	LITHOLOGY / DESCRIPTION	Well Completion/ Backfill Material
MW-41-5	▽			1	ML	brown SILT; No odor, no sheen.	Bentonite
				2			
				3			
				4			
				5			
MW-41-10				6	ML	mottled brown and gray sandy SILT, wet; No odor, no sheen.	Bentonite
				7			
				8			
				9			
				10			
MW-41-14.5				11	ML	gray SILT with 20% gravel, wet; No odor, no sheen.	Bentonite
				12			
				13			
				14			
				15			
		16					
		17					
		18					
		19					
		22					
		21					
		22					

NOTES:

Appendix B
Analytical
Data


ANALYTICAL REPORT

Eurofins Lancaster Laboratories Environment Testing, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-90244-1
Client Project/Site: Tiki Car Wash

For:
Leidos Engineering, LLC
11824 North Creek Parkway N
Suite 101
Bothell, Washington 98011

Attn: Don Wyll



Authorized for release by:
7/15/2022 4:38:58 PM

Marrison Williams, Project Manager
(717)556-7246
Marrison.Williams@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Marrison Williams
Project Manager
7/15/2022 4:38:58 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	13
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

Definitions/Glossary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Job ID: 410-90244-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

Job Narrative 410-90244-1

Receipt

The samples were received on 7/7/2022 10:11 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 7.5°C

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

The following samples were received at the laboratory outside the required temperature criteria: MW-37 (410-90244-1), MW-38 (410-90244-2) and TB-LB (410-90244-3). This does not meet regulatory requirements. The client was contacted regarding this issue, and the laboratory was instructed to proceed with analysis.

GC/MS VOA

Method 8260D: The method requirement for no headspace was not met. The following volatile sample was analyzed with headspace in the sample container(s): TB-LB (410-90244-3). The sample container was received with headspace.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Client Sample ID: MW-37

Lab Sample ID: 410-90244-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Ethylbenzene	2.84		1.00	0.400	ug/L		1		8260D	Total/NA
Toluene	4.01		1.00	0.200	ug/L		1		8260D	Total/NA
Xylene (total)	8.14		1.00	0.400	ug/L		1		8260D	Total/NA
Benzene - DL	363		10.0	3.00	ug/L		10		8260D	Total/NA
C7-C12 (1C)	531		250	43.0	ug/L		1		NWTPH-Gx	Total/NA

Client Sample ID: MW-38

Lab Sample ID: 410-90244-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Benzene - DL	3290		50.0	15.0	ug/L		50		8260D	Total/NA
Ethylbenzene - DL	2600		50.0	20.0	ug/L		50		8260D	Total/NA
Xylene (total) - DL	14900		50.0	20.0	ug/L		50		8260D	Total/NA
Toluene - DL2	16300		500	100	ug/L		500		8260D	Total/NA
C7-C12 (1C)	93800		5000	860	ug/L		20		NWTPH-Gx	Total/NA

Client Sample ID: TB-LB

Lab Sample ID: 410-90244-3

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Client Sample ID: MW-37

Lab Sample ID: 410-90244-1

Date Collected: 07/01/22 09:00

Matrix: Water

Date Received: 07/07/22 10:11

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			07/14/22 01:15	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			07/14/22 01:15	1
Ethylbenzene	2.84		1.00	0.400	ug/L			07/14/22 01:15	1
Toluene	4.01		1.00	0.200	ug/L			07/14/22 01:15	1
Xylene (total)	8.14		1.00	0.400	ug/L			07/14/22 01:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		80 - 120		07/14/22 01:15	1
4-Bromofluorobenzene (Surr)	99		80 - 120		07/14/22 01:15	1
Dibromofluoromethane (Surr)	104		80 - 120		07/14/22 01:15	1
Toluene-d8 (Surr)	101		80 - 120		07/14/22 01:15	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	363		10.0	3.00	ug/L			07/15/22 04:45	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		80 - 120		07/15/22 04:45	10
4-Bromofluorobenzene (Surr)	90		80 - 120		07/15/22 04:45	10
Dibromofluoromethane (Surr)	108		80 - 120		07/15/22 04:45	10
Toluene-d8 (Surr)	97		80 - 120		07/15/22 04:45	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	531		250	43.0	ug/L			07/11/22 17:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	98		50 - 150		07/11/22 17:54	1

Client Sample ID: MW-38

Lab Sample ID: 410-90244-2

Date Collected: 07/01/22 09:30

Matrix: Water

Date Received: 07/07/22 10:11

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<1.00		5.00	1.00	ug/L			07/14/22 02:21	5
Ethylene dichloride	<1.50		5.00	1.50	ug/L			07/14/22 02:21	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		80 - 120		07/14/22 02:21	5
4-Bromofluorobenzene (Surr)	97		80 - 120		07/14/22 02:21	5
Dibromofluoromethane (Surr)	98		80 - 120		07/14/22 02:21	5
Toluene-d8 (Surr)	104		80 - 120		07/14/22 02:21	5

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3290		50.0	15.0	ug/L			07/14/22 02:43	50
Ethylbenzene	2600		50.0	20.0	ug/L			07/14/22 02:43	50
Xylene (total)	14900		50.0	20.0	ug/L			07/14/22 02:43	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		80 - 120		07/14/22 02:43	50

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Client Sample ID: MW-38

Lab Sample ID: 410-90244-2

Date Collected: 07/01/22 09:30

Matrix: Water

Date Received: 07/07/22 10:11

Method: 8260D - Volatile Organic Compounds by GC/MS - DL (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		80 - 120		07/14/22 02:43	50
Dibromofluoromethane (Surr)	102		80 - 120		07/14/22 02:43	50
Toluene-d8 (Surr)	102		80 - 120		07/14/22 02:43	50

Method: 8260D - Volatile Organic Compounds by GC/MS - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	16300		500	100	ug/L			07/15/22 05:07	500

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		80 - 120		07/15/22 05:07	500
4-Bromofluorobenzene (Surr)	93		80 - 120		07/15/22 05:07	500
Dibromofluoromethane (Surr)	110		80 - 120		07/15/22 05:07	500
Toluene-d8 (Surr)	95		80 - 120		07/15/22 05:07	500

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	93800		5000	860	ug/L			07/12/22 00:19	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	98		50 - 150		07/12/22 00:19	20

Client Sample ID: TB-LB

Lab Sample ID: 410-90244-3

Date Collected: 07/01/22 00:00

Matrix: Water

Date Received: 07/07/22 10:11

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200	cn	1.00	0.200	ug/L			07/13/22 19:22	1
Ethylene dichloride	<0.300	cn	1.00	0.300	ug/L			07/13/22 19:22	1
Benzene	<0.300	cn	1.00	0.300	ug/L			07/13/22 19:22	1
Ethylbenzene	<0.400	cn	1.00	0.400	ug/L			07/13/22 19:22	1
Toluene	<0.200	cn	1.00	0.200	ug/L			07/13/22 19:22	1
Xylene (total)	<0.400	cn	1.00	0.400	ug/L			07/13/22 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112	cn	80 - 120		07/13/22 19:22	1
4-Bromofluorobenzene (Surr)	87	cn	80 - 120		07/13/22 19:22	1
Dibromofluoromethane (Surr)	116	cn	80 - 120		07/13/22 19:22	1
Toluene-d8 (Surr)	97	cn	80 - 120		07/13/22 19:22	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			07/11/22 14:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	102		50 - 150		07/11/22 14:02	1

Surrogate Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (80-120)	BFB (80-120)	DBFM (80-120)	TOL (80-120)
410-90244-1	MW-37	104	99	104	101
410-90244-1 - DL	MW-37	105	90	108	97
410-90244-2	MW-38	99	97	98	104
410-90244-2 - DL	MW-38	102	101	102	102
410-90244-2 - DL2	MW-38	107	93	110	95
410-90244-3	TB-LB	112 cn	87 cn	116 cn	97 cn
LCS 410-274793/5	Lab Control Sample	106	99	105	102
LCS 410-275729/5	Lab Control Sample	101	99	103	102
MB 410-274793/8	Method Blank	111	87	115	97
MB 410-275729/8	Method Blank	108	90	111	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 DBFM = Dibromofluoromethane (Surr)
 TOL = Toluene-d8 (Surr)

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		TFT-F1 (50-150)
410-90244-1	MW-37	98
410-90244-2	MW-38	98
410-90244-3	TB-LB	102
LCS 410-274131/5	Lab Control Sample	94
LCSD 410-274131/6	Lab Control Sample Dup	93
MB 410-274131/4	Method Blank	101

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-274793/8

Matrix: Water

Analysis Batch: 274793

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			07/13/22 19:00	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			07/13/22 19:00	1
Benzene	<0.300		1.00	0.300	ug/L			07/13/22 19:00	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			07/13/22 19:00	1
Toluene	<0.200		1.00	0.200	ug/L			07/13/22 19:00	1
Xylene (total)	<0.400		1.00	0.400	ug/L			07/13/22 19:00	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	111		80 - 120		07/13/22 19:00	1
4-Bromofluorobenzene (Surr)	87		80 - 120		07/13/22 19:00	1
Dibromofluoromethane (Surr)	115		80 - 120		07/13/22 19:00	1
Toluene-d8 (Surr)	97		80 - 120		07/13/22 19:00	1

Lab Sample ID: LCS 410-274793/5

Matrix: Water

Analysis Batch: 274793

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Ethylene Dibromide	20.0	19.65		ug/L		98	77 - 120
Ethylene dichloride	20.0	19.40		ug/L		97	73 - 124
Benzene	20.0	19.31		ug/L		97	80 - 120
Ethylbenzene	20.0	18.63		ug/L		93	80 - 120
Toluene	20.0	18.92		ug/L		95	80 - 120
Xylene (total)	60.0	56.55		ug/L		94	80 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	105		80 - 120
Toluene-d8 (Surr)	102		80 - 120

Lab Sample ID: MB 410-275729/8

Matrix: Water

Analysis Batch: 275729

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			07/14/22 23:10	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			07/14/22 23:10	1
Benzene	<0.300		1.00	0.300	ug/L			07/14/22 23:10	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			07/14/22 23:10	1
Toluene	<0.200		1.00	0.200	ug/L			07/14/22 23:10	1
Xylene (total)	<0.400		1.00	0.400	ug/L			07/14/22 23:10	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		80 - 120		07/14/22 23:10	1
4-Bromofluorobenzene (Surr)	90		80 - 120		07/14/22 23:10	1
Dibromofluoromethane (Surr)	111		80 - 120		07/14/22 23:10	1

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 410-275729/8
Matrix: Water
Analysis Batch: 275729

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	97		80 - 120		07/14/22 23:10	1

Lab Sample ID: LCS 410-275729/5
Matrix: Water
Analysis Batch: 275729

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylene dichloride	20.0	18.43		ug/L		92	73 - 124
Benzene	20.0	18.01		ug/L		90	80 - 120
Ethylbenzene	20.0	17.74		ug/L		89	80 - 120
Toluene	20.0	18.16		ug/L		91	80 - 120
Xylene (total)	60.0	53.45		ug/L		89	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	103		80 - 120
Toluene-d8 (Surr)	102		80 - 120

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-274131/4
Matrix: Water
Analysis Batch: 274131

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
C7-C12 (1C)	<43.0		250	43.0	ug/L			07/11/22 12:45	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
a,a,a-Trifluorotoluene (fid) (1C)	101		50 - 150		07/11/22 12:45	1

Lab Sample ID: LCS 410-274131/5
Matrix: Water
Analysis Batch: 274131

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150

Lab Sample ID: LCSD 410-274131/6
Matrix: Water
Analysis Batch: 274131

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

<i>Surrogate</i>	<i>LCSD</i>	<i>LCSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
<i>a,a,a-Trifluorotoluene (fid) (1C)</i>	93		50 - 150

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-90244-1

GC/MS VOA

Analysis Batch: 274793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-90244-1	MW-37	Total/NA	Water	8260D	
410-90244-2	MW-38	Total/NA	Water	8260D	
410-90244-2 - DL	MW-38	Total/NA	Water	8260D	
410-90244-3	TB-LB	Total/NA	Water	8260D	
MB 410-274793/8	Method Blank	Total/NA	Water	8260D	
LCS 410-274793/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 275729

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-90244-1 - DL	MW-37	Total/NA	Water	8260D	
410-90244-2 - DL2	MW-38	Total/NA	Water	8260D	
MB 410-275729/8	Method Blank	Total/NA	Water	8260D	
LCS 410-275729/5	Lab Control Sample	Total/NA	Water	8260D	

GC VOA

Analysis Batch: 274131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-90244-1	MW-37	Total/NA	Water	NWTPH-Gx	
410-90244-2	MW-38	Total/NA	Water	NWTPH-Gx	
410-90244-3	TB-LB	Total/NA	Water	NWTPH-Gx	
MB 410-274131/4	Method Blank	Total/NA	Water	NWTPH-Gx	
LCS 410-274131/5	Lab Control Sample	Total/NA	Water	NWTPH-Gx	
LCSD 410-274131/6	Lab Control Sample Dup	Total/NA	Water	NWTPH-Gx	



Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Client Sample ID: MW-37

Lab Sample ID: 410-90244-1

Date Collected: 07/01/22 09:00

Matrix: Water

Date Received: 07/07/22 10:11

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	274793	07/14/22 01:15	Y6ZN	ELLE
Total/NA	Analysis	8260D	DL	10	275729	07/15/22 04:45	Y6ZN	ELLE
Total/NA	Analysis	NWTPH-Gx		1	274131	07/11/22 17:54	NND8	ELLE

Client Sample ID: MW-38

Lab Sample ID: 410-90244-2

Date Collected: 07/01/22 09:30

Matrix: Water

Date Received: 07/07/22 10:11

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		5	274793	07/14/22 02:21	Y6ZN	ELLE
Total/NA	Analysis	8260D	DL	50	274793	07/14/22 02:43	Y6ZN	ELLE
Total/NA	Analysis	8260D	DL2	500	275729	07/15/22 05:07	Y6ZN	ELLE
Total/NA	Analysis	NWTPH-Gx		20	274131	07/12/22 00:19	NND8	ELLE

Client Sample ID: TB-LB

Lab Sample ID: 410-90244-3

Date Collected: 07/01/22 00:00

Matrix: Water

Date Received: 07/07/22 10:11

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	274793	07/13/22 19:22	Y6ZN	ELLE
Total/NA	Analysis	NWTPH-Gx		1	274131	07/11/22 14:02	NND8	ELLE

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Washington	State	C457	04-11-23

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Method Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
NWTPH-Gx	Northwest - Volatile Petroleum Products (GC)	NWTPH	ELLE
5030C	Purge and Trap	SW846	ELLE

Protocol References:

NWTPH = Northwest Total Petroleum Hydrocarbon

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-90244-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-90244-1	MW-37	Water	07/01/22 09:00	07/07/22 10:11
410-90244-2	MW-38	Water	07/01/22 09:30	07/07/22 10:11
410-90244-3	TB-LB	Water	07/01/22 00:00	07/07/22 10:11

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Login Sample Receipt Checklist

Client: Leidos Engineering, LLC

Job Number: 410-90244-1

Login Number: 90244

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: McBeth, Jessica

Question	Answer	Comment
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	False	Refer to Job Narrative for details.
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	False	Refer to Job Narrative for details.
Sample custody seals are intact.	True	
VOA sample vials do not have headspace $>6\text{mm}$ in diameter (none, if from WV)?	True	



ANALYTICAL REPORT


Eurofins Lancaster Laboratories Environment Testing, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-82886-1
Client Project/Site: Tiki Car Wash

For:

Leidos Engineering, LLC
11824 North Creek Parkway N
Suite 101
Bothell, Washington 98011

Attn: Don Wyll



Authorized for release by:
5/20/2022 9:39:43 AM

Marrison Williams, Project Manager
(717)556-7246
Marrison.Williams@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Marrison Williams
Project Manager
5/20/2022 9:39:43 AM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	9
Surrogate Summary	21
QC Sample Results	24
QC Association Summary	32
Lab Chronicle	36
Certification Summary	43
Method Summary	44
Sample Summary	45
Chain of Custody	46
Receipt Checklists	48

Definitions/Glossary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Job ID: 410-82886-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

Job Narrative 410-82886-1

Receipt

The samples were received on 5/5/2022 10:39 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.6°C and 5.7°C

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

GC/MS VOA

Method 8260D: The following samples were diluted due to the abundance of non-target analytes: SB-3-6.5 (410-82886-4) and SB-2-8.5 (410-82886-10). Elevated reporting limits (RLs) are provided.

Method 8260D: The continuing calibration verification (CCV) associated with batch 410-253404 recovered above the upper control limit for Ethylene dichloride. Non-detections of the affected analytes are reported. Any detections are considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

Method NWTPH_Gx: Surrogate recovery for the following sample was outside the upper control limit: SB-2-5.0 (410-82886-9). No sample volume was available for re-analysis.

Method NWTPH_Gx: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: SB-1-9.0 (410-82886-8). Elevated reporting limits (RLs) are provided.

Method NWTPH_Gx: The method blank for 410-253950 contained C7-C12 above the method detection limit (MDL). Associated sample(s) were not re-extracted and/or re-analyzed because results were greater than 10X the value found in the method blank.

Method NWTPH_Gx: The method blank for preparation batch 410-252851 and analytical batch 410-253950 contained C7-C12 above the method detection limit. This target analyte concentration was less than half the reporting limit (1/2RL). The client was contacted and the data reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-37-11

Lab Sample ID: 410-82886-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	1.14	J	4.68	0.215	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-37-8

Lab Sample ID: 410-82886-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.524	J	3.63	0.363	ug/Kg	1	✳	8260D	Total/NA
C7-C12 (1C)	0.461	J	4.16	0.192	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-3-5.5

Lab Sample ID: 410-82886-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3.04	J	7.52	0.752	ug/Kg	1	✳	8260D	Total/NA
Ethylbenzene	45.2		7.52	0.602	ug/Kg	1	✳	8260D	Total/NA
Toluene	3.08	J	7.52	0.902	ug/Kg	1	✳	8260D	Total/NA
Xylene (total)	335		15.0	2.11	ug/Kg	1	✳	8260D	Total/NA
C7-C12 (1C)	13.8		9.72	0.447	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-3-6.5

Lab Sample ID: 410-82886-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	7.35		5.14	0.237	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-3-9.5

Lab Sample ID: 410-82886-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	0.587	J	6.88	0.316	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-1-6.0

Lab Sample ID: 410-82886-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	7.93		4.13	0.330	ug/Kg	1	✳	8260D	Total/NA
Xylene (total)	4.39	J	8.25	1.16	ug/Kg	1	✳	8260D	Total/NA
C7-C12 (1C)	0.674	J	4.63	0.213	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-1-7.0

Lab Sample ID: 410-82886-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.827	J	3.83	0.383	ug/Kg	1	✳	8260D	Total/NA
Ethylbenzene	76.6		3.83	0.306	ug/Kg	1	✳	8260D	Total/NA
Toluene	5.09		3.83	0.459	ug/Kg	1	✳	8260D	Total/NA
Xylene (total)	315		7.65	1.07	ug/Kg	1	✳	8260D	Total/NA
C7-C12 (1C)	14.9		3.51	0.162	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-1-9.0

Lab Sample ID: 410-82886-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	8.86		4.54	0.454	ug/Kg	1	✳	8260D	Total/NA
Ethylbenzene - DL	71.8	J	294	23.5	ug/Kg	50	✳	8260D	Total/NA
Toluene - DL	60.6	J	294	35.3	ug/Kg	50	✳	8260D	Total/NA
Xylene (total) - DL	434	J	588	82.4	ug/Kg	50	✳	8260D	Total/NA
C7-C12 (1C)	23.7	J cn	55.6	2.56	mg/Kg	250	✳	NWTPH-Gx	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-2-5.0

Lab Sample ID: 410-82886-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Xylene (total)	1.37	J	8.72	1.22	ug/Kg	1	✳	8260D	Total/NA
C7-C12 (1C)	1.51	J cn	3.42	0.157	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-2-8.5

Lab Sample ID: 410-82886-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	101	J cn	459	36.7	ug/Kg	100	✳	8260D	Total/NA
C7-C12 (1C)	536	cn	192	8.85	mg/Kg	1000	✳	NWTPH-Gx	Total/NA
C12-C24	15.3		11.4	4.54	mg/Kg	1	✳	NWTPH-Dx	Total/NA

Client Sample ID: MW-38-6.5

Lab Sample ID: 410-82886-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	608	J	615	49.2	ug/Kg	100	✳	8260D	Total/NA
Toluene	143	J	615	73.9	ug/Kg	100	✳	8260D	Total/NA
Xylene (total)	5910		1230	172	ug/Kg	100	✳	8260D	Total/NA
C7-C12 (1C)	1520	cn	925	42.5	mg/Kg	5000	✳	NWTPH-Gx	Total/NA
C12-C24	63.0		11.1	4.42	mg/Kg	1	✳	NWTPH-Dx	Total/NA
C24-C40	153		33.2	11.1	mg/Kg	1	✳	NWTPH-Dx	Total/NA

Client Sample ID: MW-38-14

Lab Sample ID: 410-82886-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	116		4.77	0.382	ug/Kg	1	✳	8260D	Total/NA
Toluene	17.6		4.77	0.573	ug/Kg	1	✳	8260D	Total/NA
Xylene (total)	86.3		9.55	1.34	ug/Kg	1	✳	8260D	Total/NA
Benzene - DL	101	J	293	29.3	ug/Kg	50	✳	8260D	Total/NA
C7-C12 (1C)	18.3		4.53	0.208	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: SB-5-7

Lab Sample ID: 410-82886-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	1360		758	75.8	ug/Kg	100	✳	8260D	Total/NA
Ethylbenzene	10100		758	60.6	ug/Kg	100	✳	8260D	Total/NA
Toluene	4960		758	90.9	ug/Kg	100	✳	8260D	Total/NA
Xylene (total)	59000		1520	212	ug/Kg	100	✳	8260D	Total/NA
C7-C12 (1C)	757	cn	450	20.7	mg/Kg	2000	✳	NWTPH-Gx	Total/NA
C12-C24	42.0		11.6	4.65	mg/Kg	1	✳	NWTPH-Dx	Total/NA

Client Sample ID: SB-5-13

Lab Sample ID: 410-82886-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	2810		643	64.3	ug/Kg	100	✳	8260D	Total/NA
Ethylbenzene	35100		643	51.4	ug/Kg	100	✳	8260D	Total/NA
Toluene	32700		643	77.2	ug/Kg	100	✳	8260D	Total/NA
Xylene (total) - DL	210000		12900	1800	ug/Kg	1000	✳	8260D	Total/NA
C7-C12 (1C)	1310	cn	962	44.3	mg/Kg	5000	✳	NWTPH-Gx	Total/NA
C12-C24	17.4		11.6	4.63	mg/Kg	1	✳	NWTPH-Dx	Total/NA

Client Sample ID: SB-5-15

Lab Sample ID: 410-82886-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	2.22	J	3.73	0.373	ug/Kg	1	✳	8260D	Total/NA
Ethylbenzene	16.4		3.73	0.299	ug/Kg	1	✳	8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-5-15 (Continued)

Lab Sample ID: 410-82886-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	11.9		3.73	0.448	ug/Kg	1		*	8260D	Total/NA
Xylene (total)	93.6		7.47	1.05	ug/Kg	1		*	8260D	Total/NA
C7-C12 (1C)	1.49	J	4.43	0.204	mg/Kg	25		*	NWTPH-Gx	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC



Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-37-11

Lab Sample ID: 410-82886-1

Date Collected: 05/03/22 10:45

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.9

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.299		3.73	0.299	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1
Ethylene dichloride	<0.448	cn	3.73	0.448	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1
Benzene	<0.373		3.73	0.373	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1
Ethylbenzene	<0.299		3.73	0.299	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1
Toluene	<0.448		3.73	0.448	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1
Xylene (total)	<1.05		7.47	1.05	ug/Kg	☼	05/08/22 16:15	05/10/22 19:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		54 - 135	05/08/22 16:15	05/10/22 19:32	1
4-Bromofluorobenzene (Surr)	101		50 - 131	05/08/22 16:15	05/10/22 19:32	1
Dibromofluoromethane (Surr)	109		50 - 141	05/08/22 16:15	05/10/22 19:32	1
Toluene-d8 (Surr)	97		52 - 141	05/08/22 16:15	05/10/22 19:32	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	1.14	J	4.68	0.215	mg/Kg	☼	05/08/22 18:10	05/10/22 14:48	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	124		50 - 150	05/08/22 18:10	05/10/22 14:48	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.39		11.0	4.39	mg/Kg	☼	05/14/22 09:54	05/16/22 19:24	1
C24-C40	<11.0		32.9	11.0	mg/Kg	☼	05/14/22 09:54	05/16/22 19:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	98		50 - 150	05/14/22 09:54	05/16/22 19:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.1		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: MW-37-8

Lab Sample ID: 410-82886-2

Date Collected: 05/03/22 10:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.2

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.290		3.63	0.290	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1
Ethylene dichloride	<0.436	cn	3.63	0.436	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1
Benzene	0.524	J	3.63	0.363	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1
Ethylbenzene	<0.290		3.63	0.290	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1
Toluene	<0.436		3.63	0.436	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1
Xylene (total)	<1.02		7.26	1.02	ug/Kg	☼	05/08/22 16:15	05/10/22 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		54 - 135	05/08/22 16:15	05/10/22 16:08	1
4-Bromofluorobenzene (Surr)	101		50 - 131	05/08/22 16:15	05/10/22 16:08	1
Dibromofluoromethane (Surr)	111		50 - 141	05/08/22 16:15	05/10/22 16:08	1
Toluene-d8 (Surr)	97		52 - 141	05/08/22 16:15	05/10/22 16:08	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-37-8

Lab Sample ID: 410-82886-2

Date Collected: 05/03/22 10:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.2

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.461	J	4.16	0.192	mg/Kg	☼	05/08/22 18:10	05/10/22 15:27	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	143		50 - 150				05/08/22 18:10	05/10/22 15:27	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.44		11.1	4.44	mg/Kg	☼	05/14/22 09:54	05/16/22 19:44	1
C24-C40	<11.1		33.3	11.1	mg/Kg	☼	05/14/22 09:54	05/16/22 19:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	97		50 - 150				05/14/22 09:54	05/16/22 19:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.8		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-3-5.5

Lab Sample ID: 410-82886-3

Date Collected: 05/03/22 14:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 65.5

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.602		7.52	0.602	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Ethylene dichloride	<0.902		7.52	0.902	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Benzene	3.04	J	7.52	0.752	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Ethylbenzene	45.2		7.52	0.602	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Toluene	3.08	J	7.52	0.902	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Xylene (total)	335		15.0	2.11	ug/Kg	☼	05/08/22 16:15	05/11/22 18:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		54 - 135				05/08/22 16:15	05/11/22 18:28	1
4-Bromofluorobenzene (Surr)	86		50 - 131				05/08/22 16:15	05/11/22 18:28	1
Dibromofluoromethane (Surr)	87		50 - 141				05/08/22 16:15	05/11/22 18:28	1
Toluene-d8 (Surr)	111		52 - 141				05/08/22 16:15	05/11/22 18:28	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	13.8		9.72	0.447	mg/Kg	☼	05/08/22 18:10	05/10/22 16:05	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	136		50 - 150				05/08/22 18:10	05/10/22 16:05	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<6.08		15.2	6.08	mg/Kg	☼	05/14/22 09:54	05/16/22 20:04	1
C24-C40	<15.2		45.6	15.2	mg/Kg	☼	05/14/22 09:54	05/16/22 20:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	81		50 - 150				05/14/22 09:54	05/16/22 20:04	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-3-5.5

Lab Sample ID: 410-82886-3

Date Collected: 05/03/22 14:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 65.5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	34.5		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-3-6.5

Lab Sample ID: 410-82886-4

Date Collected: 05/03/22 15:00

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 86.5

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<19.8	cn	247	19.8	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50
Ethylene dichloride	<29.6	cn	247	29.6	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50
Benzene	<24.7	cn	247	24.7	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50
Ethylbenzene	<19.8	cn	247	19.8	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50
Toluene	<29.6	cn	247	29.6	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50
Xylene (total)	<69.2	cn	494	69.2	ug/Kg	✱	05/08/22 18:03	05/11/22 03:44	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98	cn	54 - 135	05/08/22 18:03	05/11/22 03:44	50
4-Bromofluorobenzene (Surr)	84	cn	50 - 131	05/08/22 18:03	05/11/22 03:44	50
Dibromofluoromethane (Surr)	95	cn	50 - 141	05/08/22 18:03	05/11/22 03:44	50
Toluene-d8 (Surr)	85	cn	52 - 141	05/08/22 18:03	05/11/22 03:44	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	7.35		5.14	0.237	mg/Kg	✱	05/08/22 18:10	05/10/22 16:43	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	117		50 - 150	05/08/22 18:10	05/10/22 16:43	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.56		11.4	4.56	mg/Kg	✱	05/14/22 09:54	05/17/22 00:22	1
C24-C40	<11.4		34.2	11.4	mg/Kg	✱	05/14/22 09:54	05/17/22 00:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	95		50 - 150	05/14/22 09:54	05/17/22 00:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13.5		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-3-9.5

Lab Sample ID: 410-82886-5

Date Collected: 05/03/22 15:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 84.2

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.494		6.17	0.494	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1
Ethylene dichloride	<0.740		6.17	0.740	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1
Benzene	<0.617		6.17	0.617	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1
Ethylbenzene	<0.494		6.17	0.494	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1
Toluene	<0.740		6.17	0.740	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1
Xylene (total)	<1.73		12.3	1.73	ug/Kg	✱	05/08/22 16:15	05/11/22 12:05	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-3-9.5

Lab Sample ID: 410-82886-5

Date Collected: 05/03/22 15:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 84.2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		54 - 135	05/08/22 16:15	05/11/22 12:05	1
4-Bromofluorobenzene (Surr)	97		50 - 131	05/08/22 16:15	05/11/22 12:05	1
Dibromofluoromethane (Surr)	88		50 - 141	05/08/22 16:15	05/11/22 12:05	1
Toluene-d8 (Surr)	104		52 - 141	05/08/22 16:15	05/11/22 12:05	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.587	J	6.88	0.316	mg/Kg	☼	05/09/22 16:32	05/13/22 20:46	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	109		50 - 150	05/09/22 16:32	05/13/22 20:46	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.74		11.9	4.74	mg/Kg	☼	05/14/22 09:54	05/16/22 20:24	1
C24-C40	<11.9		35.6	11.9	mg/Kg	☼	05/14/22 09:54	05/16/22 20:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	86		50 - 150	05/14/22 09:54	05/16/22 20:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	15.8		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-1-6.0

Lab Sample ID: 410-82886-6

Date Collected: 05/03/22 15:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.330		4.13	0.330	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1
Ethylene dichloride	<0.495	cn	4.13	0.495	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1
Benzene	<0.413		4.13	0.413	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1
Ethylbenzene	7.93		4.13	0.330	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1
Toluene	<0.495		4.13	0.495	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1
Xylene (total)	4.39	J	8.25	1.16	ug/Kg	☼	05/08/22 16:15	05/10/22 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		54 - 135	05/08/22 16:15	05/10/22 16:30	1
4-Bromofluorobenzene (Surr)	101		50 - 131	05/08/22 16:15	05/10/22 16:30	1
Dibromofluoromethane (Surr)	108		50 - 141	05/08/22 16:15	05/10/22 16:30	1
Toluene-d8 (Surr)	97		52 - 141	05/08/22 16:15	05/10/22 16:30	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.674	J	4.63	0.213	mg/Kg	☼	05/08/22 18:10	05/10/22 17:22	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	119		50 - 150	05/08/22 18:10	05/10/22 17:22	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.47		11.2	4.47	mg/Kg	☼	05/14/22 09:54	05/16/22 20:44	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-1-6.0

Lab Sample ID: 410-82886-6

Date Collected: 05/03/22 15:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C24-C40	<11.2		33.5	11.2	mg/Kg	☼	05/14/22 09:54	05/16/22 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -terphenyl (Surr)	99		50 - 150				05/14/22 09:54	05/16/22 20:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.9		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-1-7.0

Lab Sample ID: 410-82886-7

Date Collected: 05/03/22 16:05

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 93.1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.306		3.83	0.306	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Ethylene dichloride	<0.459	cn	3.83	0.459	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Benzene	0.827	J	3.83	0.383	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Ethylbenzene	76.6		3.83	0.306	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Toluene	5.09		3.83	0.459	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Xylene (total)	315		7.65	1.07	ug/Kg	☼	05/08/22 16:15	05/10/22 16:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		54 - 135				05/08/22 16:15	05/10/22 16:53	1
4-Bromofluorobenzene (Surr)	100		50 - 131				05/08/22 16:15	05/10/22 16:53	1
Dibromofluoromethane (Surr)	106		50 - 141				05/08/22 16:15	05/10/22 16:53	1
Toluene-d8 (Surr)	98		52 - 141				05/08/22 16:15	05/10/22 16:53	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	14.9		3.51	0.162	mg/Kg	☼	05/08/22 18:10	05/10/22 18:00	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>a,a,a</i> -Trifluorotoluene (fid) (1C)	111		50 - 150				05/08/22 18:10	05/10/22 18:00	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.26		10.7	4.26	mg/Kg	☼	05/14/22 09:54	05/16/22 21:03	1
C24-C40	<10.7		32.0	10.7	mg/Kg	☼	05/14/22 09:54	05/16/22 21:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -terphenyl (Surr)	99		50 - 150				05/14/22 09:54	05/16/22 21:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.9		1.0	1.0	%			05/06/22 16:28	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-1-9.0

Lab Sample ID: 410-82886-8

Date Collected: 05/03/22 16:10

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 91.9

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.363		4.54	0.363	ug/Kg	☼	05/08/22 16:15	05/11/22 18:50	1
Ethylene dichloride	<0.544		4.54	0.544	ug/Kg	☼	05/08/22 16:15	05/11/22 18:50	1
Benzene	8.86		4.54	0.454	ug/Kg	☼	05/08/22 16:15	05/11/22 18:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		54 - 135				05/08/22 16:15	05/11/22 18:50	1
4-Bromofluorobenzene (Surr)	101		50 - 131				05/08/22 16:15	05/11/22 18:50	1
Dibromofluoromethane (Surr)	88		50 - 141				05/08/22 16:15	05/11/22 18:50	1
Toluene-d8 (Surr)	102		52 - 141				05/08/22 16:15	05/11/22 18:50	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	71.8	J	294	23.5	ug/Kg	☼	05/09/22 16:32	05/11/22 04:06	50
Toluene	60.6	J	294	35.3	ug/Kg	☼	05/09/22 16:32	05/11/22 04:06	50
Xylene (total)	434	J	588	82.4	ug/Kg	☼	05/09/22 16:32	05/11/22 04:06	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		54 - 135				05/09/22 16:32	05/11/22 04:06	50
4-Bromofluorobenzene (Surr)	96		50 - 131				05/09/22 16:32	05/11/22 04:06	50
Dibromofluoromethane (Surr)	105		50 - 141				05/09/22 16:32	05/11/22 04:06	50
Toluene-d8 (Surr)	94		52 - 141				05/09/22 16:32	05/11/22 04:06	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	23.7	J cn	55.6	2.56	mg/Kg	☼	05/08/22 18:10	05/12/22 19:56	250
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	144	cn	50 - 150				05/08/22 18:10	05/12/22 19:56	250

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.33		10.8	4.33	mg/Kg	☼	05/14/22 09:54	05/16/22 21:43	1
C24-C40	<10.8		32.5	10.8	mg/Kg	☼	05/14/22 09:54	05/16/22 21:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	93		50 - 150				05/14/22 09:54	05/16/22 21:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.1		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-2-5.0

Lab Sample ID: 410-82886-9

Date Collected: 05/03/22 16:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 83.4

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.349		4.36	0.349	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1
Ethylene dichloride	<0.523		4.36	0.523	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1
Benzene	<0.436		4.36	0.436	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1
Ethylbenzene	<0.349		4.36	0.349	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1
Toluene	<0.523		4.36	0.523	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-2-5.0

Lab Sample ID: 410-82886-9

Date Collected: 05/03/22 16:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 83.4

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylene (total)	1.37	J	8.72	1.22	ug/Kg	☼	05/08/22 16:15	05/11/22 18:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		54 - 135				05/08/22 16:15	05/11/22 18:05	1
4-Bromofluorobenzene (Surr)	100		50 - 131				05/08/22 16:15	05/11/22 18:05	1
Dibromofluoromethane (Surr)	88		50 - 141				05/08/22 16:15	05/11/22 18:05	1
Toluene-d8 (Surr)	100		52 - 141				05/08/22 16:15	05/11/22 18:05	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	1.51	J cn	3.42	0.157	mg/Kg	☼	05/08/22 18:10	05/10/22 19:54	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	165	S1+ cn	50 - 150				05/08/22 18:10	05/10/22 19:54	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.72		11.8	4.72	mg/Kg	☼	05/14/22 09:54	05/16/22 22:03	1
C24-C40	<11.8		35.4	11.8	mg/Kg	☼	05/14/22 09:54	05/16/22 22:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	99		50 - 150				05/14/22 09:54	05/16/22 22:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	16.6		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-2-8.5

Lab Sample ID: 410-82886-10

Date Collected: 05/03/22 16:40

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 87.8

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<36.7	cn	459	36.7	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Ethylene dichloride	<55.1	cn	459	55.1	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Benzene	<45.9	cn	459	45.9	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Ethylbenzene	101	J cn	459	36.7	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Toluene	<55.1	cn	459	55.1	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Xylene (total)	<129	cn	918	129	ug/Kg	☼	05/08/22 18:03	05/11/22 04:49	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92	cn	54 - 135				05/08/22 18:03	05/11/22 04:49	100
4-Bromofluorobenzene (Surr)	85	cn	50 - 131				05/08/22 18:03	05/11/22 04:49	100
Dibromofluoromethane (Surr)	87	cn	50 - 141				05/08/22 18:03	05/11/22 04:49	100
Toluene-d8 (Surr)	85	cn	52 - 141				05/08/22 18:03	05/11/22 04:49	100

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	536	cn	192	8.85	mg/Kg	☼	05/08/22 18:10	05/12/22 20:34	1000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	240	S1+ cn	50 - 150				05/08/22 18:10	05/12/22 20:34	1000

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-2-8.5

Lab Sample ID: 410-82886-10

Date Collected: 05/03/22 16:40

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 87.8

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	15.3		11.4	4.54	mg/Kg	☼	05/14/22 09:54	05/16/22 22:23	1
C24-C40	<11.4		34.1	11.4	mg/Kg	☼	05/14/22 09:54	05/16/22 22:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o-terphenyl (Surr)</i>	98		50 - 150				05/14/22 09:54	05/16/22 22:23	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	12.2		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: MW-38-6.5

Lab Sample ID: 410-82886-11

Date Collected: 05/04/22 08:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.6

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<49.2		615	49.2	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Ethylene dichloride	<73.9		615	73.9	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Benzene	<61.5		615	61.5	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Ethylbenzene	608	J	615	49.2	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Toluene	143	J	615	73.9	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Xylene (total)	5910		1230	172	ug/Kg	☼	05/09/22 16:32	05/11/22 05:11	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>1,2-Dichloroethane-d4 (Surr)</i>	111		54 - 135				05/09/22 16:32	05/11/22 05:11	100
<i>4-Bromofluorobenzene (Surr)</i>	98		50 - 131				05/09/22 16:32	05/11/22 05:11	100
<i>Dibromofluoromethane (Surr)</i>	106		50 - 141				05/09/22 16:32	05/11/22 05:11	100
<i>Toluene-d8 (Surr)</i>	97		52 - 141				05/09/22 16:32	05/11/22 05:11	100

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	1520	cn	925	42.5	mg/Kg	☼	05/08/22 18:10	05/12/22 21:13	5000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>a,a,a-Trifluorotoluene (fid) (1C)</i>	376	S1+ cn	50 - 150				05/08/22 18:10	05/12/22 21:13	5000

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	63.0		11.1	4.42	mg/Kg	☼	05/14/22 09:54	05/17/22 01:21	1
C24-C40	153		33.2	11.1	mg/Kg	☼	05/14/22 09:54	05/17/22 01:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o-terphenyl (Surr)</i>	107		50 - 150				05/14/22 09:54	05/17/22 01:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.4		1.0	1.0	%			05/06/22 16:28	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-38-14

Lab Sample ID: 410-82886-12

Date Collected: 05/04/22 08:45

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 91.7

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.382		4.77	0.382	ug/Kg	☼	05/08/22 16:15	05/11/22 19:13	1
Ethylene dichloride	<0.573		4.77	0.573	ug/Kg	☼	05/08/22 16:15	05/11/22 19:13	1
Ethylbenzene	116		4.77	0.382	ug/Kg	☼	05/08/22 16:15	05/11/22 19:13	1
Toluene	17.6		4.77	0.573	ug/Kg	☼	05/08/22 16:15	05/11/22 19:13	1
Xylene (total)	86.3		9.55	1.34	ug/Kg	☼	05/08/22 16:15	05/11/22 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		54 - 135	05/08/22 16:15	05/11/22 19:13	1
4-Bromofluorobenzene (Surr)	91		50 - 131	05/08/22 16:15	05/11/22 19:13	1
Dibromofluoromethane (Surr)	87		50 - 141	05/08/22 16:15	05/11/22 19:13	1
Toluene-d8 (Surr)	104		52 - 141	05/08/22 16:15	05/11/22 19:13	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	101	J	293	29.3	ug/Kg	☼	05/09/22 16:32	05/11/22 04:28	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		54 - 135	05/09/22 16:32	05/11/22 04:28	50
4-Bromofluorobenzene (Surr)	96		50 - 131	05/09/22 16:32	05/11/22 04:28	50
Dibromofluoromethane (Surr)	107		50 - 141	05/09/22 16:32	05/11/22 04:28	50
Toluene-d8 (Surr)	96		52 - 141	05/09/22 16:32	05/11/22 04:28	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	18.3		4.53	0.208	mg/Kg	☼	05/08/22 18:10	05/10/22 20:32	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	92		50 - 150	05/08/22 18:10	05/10/22 20:32	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.31		10.8	4.31	mg/Kg	☼	05/14/22 09:54	05/16/22 22:43	1
C24-C40	<10.8		32.3	10.8	mg/Kg	☼	05/14/22 09:54	05/16/22 22:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	92		50 - 150	05/14/22 09:54	05/16/22 22:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.3		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-5-7

Lab Sample ID: 410-82886-13

Date Collected: 05/04/22 11:20

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 85.8

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<60.6		758	60.6	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100
Ethylene dichloride	<90.9		758	90.9	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100
Benzene	1360		758	75.8	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100
Ethylbenzene	10100		758	60.6	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100
Toluene	4960		758	90.9	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-5-7

Lab Sample ID: 410-82886-13

Date Collected: 05/04/22 11:20

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 85.8

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylene (total)	59000		1520	212	ug/Kg	☼	05/08/22 18:03	05/11/22 05:33	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		54 - 135				05/08/22 18:03	05/11/22 05:33	100
4-Bromofluorobenzene (Surr)	76		50 - 131				05/08/22 18:03	05/11/22 05:33	100
Dibromofluoromethane (Surr)	77		50 - 141				05/08/22 18:03	05/11/22 05:33	100
Toluene-d8 (Surr)	77		52 - 141				05/08/22 18:03	05/11/22 05:33	100

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	757	cn	450	20.7	mg/Kg	☼	05/08/22 18:10	05/12/22 21:50	2000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	175	S1+ cn	50 - 150				05/08/22 18:10	05/12/22 21:50	2000

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	42.0		11.6	4.65	mg/Kg	☼	05/14/22 09:54	05/16/22 23:22	1
C24-C40	<11.6		34.9	11.6	mg/Kg	☼	05/14/22 09:54	05/16/22 23:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	98		50 - 150				05/14/22 09:54	05/16/22 23:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	14.2		1.0	1.0	%			05/10/22 12:39	1

Client Sample ID: SB-5-13

Lab Sample ID: 410-82886-14

Date Collected: 05/04/22 11:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 86.3

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<51.4		643	51.4	ug/Kg	☼	05/08/22 18:03	05/11/22 05:55	100
Ethylene dichloride	<77.2		643	77.2	ug/Kg	☼	05/08/22 18:03	05/11/22 05:55	100
Benzene	2810		643	64.3	ug/Kg	☼	05/08/22 18:03	05/11/22 05:55	100
Ethylbenzene	35100		643	51.4	ug/Kg	☼	05/08/22 18:03	05/11/22 05:55	100
Toluene	32700		643	77.2	ug/Kg	☼	05/08/22 18:03	05/11/22 05:55	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		54 - 135				05/08/22 18:03	05/11/22 05:55	100
4-Bromofluorobenzene (Surr)	87		50 - 131				05/08/22 18:03	05/11/22 05:55	100
Dibromofluoromethane (Surr)	88		50 - 141				05/08/22 18:03	05/11/22 05:55	100
Toluene-d8 (Surr)	84		52 - 141				05/08/22 18:03	05/11/22 05:55	100

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylene (total)	21000		12900	1800	ug/Kg	☼	05/08/22 18:03	05/11/22 20:18	1000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	71		54 - 135				05/08/22 18:03	05/11/22 20:18	1000
4-Bromofluorobenzene (Surr)	85		50 - 131				05/08/22 18:03	05/11/22 20:18	1000

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-5-13

Lab Sample ID: 410-82886-14

Date Collected: 05/04/22 11:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 86.3

Method: 8260D - Volatile Organic Compounds by GC/MS - DL (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	67		50 - 141	05/08/22 18:03	05/11/22 20:18	1000
Toluene-d8 (Surr)	74		52 - 141	05/08/22 18:03	05/11/22 20:18	1000

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	1310	cn	962	44.3	mg/Kg	☼	05/08/22 18:10	05/12/22 22:29	5000
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
a,a,a-Trifluorotoluene (fid) (1C)	337	S1+ cn	50 - 150	05/08/22 18:10	05/12/22 22:29	5000			

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	17.4		11.6	4.63	mg/Kg	☼	05/14/22 09:54	05/16/22 23:42	1
C24-C40	<11.6		34.7	11.6	mg/Kg	☼	05/14/22 09:54	05/16/22 23:42	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
o-terphenyl (Surr)	101		50 - 150	05/14/22 09:54	05/16/22 23:42	1			

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13.7		1.0	1.0	%			05/06/22 16:28	1

Client Sample ID: SB-5-15

Lab Sample ID: 410-82886-15

Date Collected: 05/04/22 11:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.9

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.299		3.73	0.299	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Ethylene dichloride	<0.448		3.73	0.448	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Benzene	2.22	J	3.73	0.373	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Ethylbenzene	16.4		3.73	0.299	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Toluene	11.9		3.73	0.448	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Xylene (total)	93.6		7.47	1.05	ug/Kg	☼	05/08/22 16:15	05/11/22 12:27	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	91		54 - 135	05/08/22 16:15	05/11/22 12:27	1			
4-Bromofluorobenzene (Surr)	100		50 - 131	05/08/22 16:15	05/11/22 12:27	1			
Dibromofluoromethane (Surr)	87		50 - 141	05/08/22 16:15	05/11/22 12:27	1			
Toluene-d8 (Surr)	105		52 - 141	05/08/22 16:15	05/11/22 12:27	1			

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	1.49	J	4.43	0.204	mg/Kg	☼	05/08/22 18:10	05/10/22 21:10	25
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
a,a,a-Trifluorotoluene (fid) (1C)	125		50 - 150	05/08/22 18:10	05/10/22 21:10	25			

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.42		11.1	4.42	mg/Kg	☼	05/14/22 09:54	05/17/22 00:02	1
C24-C40	<11.1		33.2	11.1	mg/Kg	☼	05/14/22 09:54	05/17/22 00:02	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-5-15

Lab Sample ID: 410-82886-15

Date Collected: 05/04/22 11:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.9

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o-terphenyl (Surr)</i>	96		50 - 150	05/14/22 09:54	05/17/22 00:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.1		1.0	1.0	%			05/06/22 16:28	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Surrogate Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (54-135)	BFB (50-131)	DBFM (50-141)	TOL (52-141)
410-82886-1	MW-37-11	109	101	109	97
410-82886-2	MW-37-8	110	101	111	97
410-82886-3	SB-3-5.5	89	86	87	111
410-82886-4	SB-3-6.5	98 cn	84 cn	95 cn	85 cn
410-82886-5	SB-3-9.5	95	97	88	104
410-82886-6	SB-1-6.0	105	101	108	97
410-82886-7	SB-1-7.0	110	100	106	98
410-82886-8 - DL	SB-1-9.0	110	96	105	94
410-82886-8	SB-1-9.0	92	101	88	102
410-82886-9	SB-2-5.0	93	100	88	100
410-82886-10	SB-2-8.5	92 cn	85 cn	87 cn	85 cn
410-82886-11	MW-38-6.5	111	98	106	97
410-82886-12 - DL	MW-38-14	109	96	107	96
410-82886-12	MW-38-14	94	91	87	104
410-82886-13	SB-5-7	82	76	77	77
410-82886-14	SB-5-13	90	87	88	84
410-82886-14 - DL	SB-5-13	71	85	67	74
410-82886-15	SB-5-15	91	100	87	105
LCS 410-253404/4	Lab Control Sample	101	105	112	98
LCS 410-253675/5	Lab Control Sample	102	91	104	92
LCS 410-253893/5	Lab Control Sample	89	92	91	90
LCS 410-253897/4	Lab Control Sample	89	102	88	103
LCSD 410-253404/5	Lab Control Sample Dup	102	102	109	98
LCSD 410-253675/6	Lab Control Sample Dup	105	89	103	89
LCSD 410-253893/6	Lab Control Sample Dup	86	88	86	84
LCSD 410-253897/5	Lab Control Sample Dup	86	102	86	103
MB 410-253404/7	Method Blank	99	101	107	98
MB 410-253675/10	Method Blank	104	86	100	89
MB 410-253893/8	Method Blank	90	91	89	90
MB 410-253897/7	Method Blank	89	99	89	101

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- DBFM = Dibromofluoromethane (Surr)
- TOL = Toluene-d8 (Surr)

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		TFT-F1 (50-150)
410-82886-1	MW-37-11	124
410-82886-2	MW-37-8	143
410-82886-3	SB-3-5.5	136
410-82886-4	SB-3-6.5	117
410-82886-5	SB-3-9.5	109
410-82886-6	SB-1-6.0	119
410-82886-7	SB-1-7.0	111

Surrogate Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	TFT-F1 (50-150)
410-82886-8	SB-1-9.0	144 cn
410-82886-9	SB-2-5.0	165 S1+ cn
410-82886-10	SB-2-8.5	240 S1+ cn
410-82886-11	MW-38-6.5	376 S1+ cn
410-82886-12	MW-38-14	92
410-82886-13	SB-5-7	175 S1+ cn
410-82886-14	SB-5-13	337 S1+ cn
410-82886-15	SB-5-15	125
LCS 410-253473/6	Lab Control Sample	113
LCS 410-253950/6	Lab Control Sample	112
LCS 410-254939/7	Lab Control Sample	112
LCS 410-253473/7	Lab Control Sample Dup	113
LCS 410-253950/7	Lab Control Sample Dup	112
LCS 410-254939/8	Lab Control Sample Dup	111
MB 410-253473/5	Method Blank	113
MB 410-253950/5	Method Blank	119
MB 410-254939/6	Method Blank	119

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	OTP (50-150)
410-82886-1	MW-37-11	98
410-82886-2	MW-37-8	97
410-82886-3	SB-3-5.5	81
410-82886-4	SB-3-6.5	95
410-82886-4 DU	SB-3-6.5	97
410-82886-4 MS	SB-3-6.5	103
410-82886-5	SB-3-9.5	86
410-82886-6	SB-1-6.0	99
410-82886-7	SB-1-7.0	99
410-82886-7 DU	SB-1-7.0	101
410-82886-8	SB-1-9.0	93
410-82886-9	SB-2-5.0	99
410-82886-10	SB-2-8.5	98
410-82886-11	MW-38-6.5	107
410-82886-12	MW-38-14	92
410-82886-13	SB-5-7	98
410-82886-14	SB-5-13	101
410-82886-15	SB-5-15	96
LCS 410-255247/2-A	Lab Control Sample	101
MB 410-255247/1-A	Method Blank	100

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-253404/7

Matrix: Solid

Analysis Batch: 253404

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<0.400		5.00	0.400	ug/Kg			05/10/22 11:38	1
Ethylene dichloride	<0.600		5.00	0.600	ug/Kg			05/10/22 11:38	1
Benzene	<0.500		5.00	0.500	ug/Kg			05/10/22 11:38	1
Ethylbenzene	<0.400		5.00	0.400	ug/Kg			05/10/22 11:38	1
Toluene	<0.600		5.00	0.600	ug/Kg			05/10/22 11:38	1
Xylene (total)	<1.40		10.0	1.40	ug/Kg			05/10/22 11:38	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	99		54 - 135		05/10/22 11:38	1
4-Bromofluorobenzene (Surr)	101		50 - 131		05/10/22 11:38	1
Dibromofluoromethane (Surr)	107		50 - 141		05/10/22 11:38	1
Toluene-d8 (Surr)	98		52 - 141		05/10/22 11:38	1

Lab Sample ID: LCS 410-253404/4

Matrix: Solid

Analysis Batch: 253404

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Ethylene Dibromide	20.0	17.80		ug/Kg		89	76 - 120
Ethylene dichloride	20.0	21.20		ug/Kg		106	71 - 128
Benzene	20.0	16.85		ug/Kg		84	80 - 120
Ethylbenzene	20.0	17.88		ug/Kg		89	78 - 120
Toluene	20.0	17.11		ug/Kg		86	80 - 120
Xylene (total)	60.0	52.96		ug/Kg		88	75 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		54 - 135
4-Bromofluorobenzene (Surr)	105		50 - 131
Dibromofluoromethane (Surr)	112		50 - 141
Toluene-d8 (Surr)	98		52 - 141

Lab Sample ID: LCSD 410-253404/5

Matrix: Solid

Analysis Batch: 253404

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Ethylene Dibromide	20.0	17.97		ug/Kg		90	76 - 120	1	30
Ethylene dichloride	20.0	21.18		ug/Kg		106	71 - 128	0	30
Benzene	20.0	17.46		ug/Kg		87	80 - 120	4	30
Ethylbenzene	20.0	18.63		ug/Kg		93	78 - 120	4	30
Toluene	20.0	17.71		ug/Kg		89	80 - 120	3	30
Xylene (total)	60.0	54.74		ug/Kg		91	75 - 120	3	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	102		54 - 135
4-Bromofluorobenzene (Surr)	102		50 - 131
Dibromofluoromethane (Surr)	109		50 - 141

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-253404/5

Matrix: Solid

Analysis Batch: 253404

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	98		52 - 141

Lab Sample ID: MB 410-253675/10

Matrix: Solid

Analysis Batch: 253675

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<20.0		250	20.0	ug/Kg			05/10/22 23:21	50
Ethylene dichloride	<30.0		250	30.0	ug/Kg			05/10/22 23:21	50
Benzene	<25.0		250	25.0	ug/Kg			05/10/22 23:21	50
Ethylbenzene	<20.0		250	20.0	ug/Kg			05/10/22 23:21	50
Toluene	<30.0		250	30.0	ug/Kg			05/10/22 23:21	50
Xylene (total)	<70.0		500	70.0	ug/Kg			05/10/22 23:21	50

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		54 - 135		05/10/22 23:21	50
4-Bromofluorobenzene (Surr)	86		50 - 131		05/10/22 23:21	50
Dibromofluoromethane (Surr)	100		50 - 141		05/10/22 23:21	50
Toluene-d8 (Surr)	89		52 - 141		05/10/22 23:21	50

Lab Sample ID: LCS 410-253675/5

Matrix: Solid

Analysis Batch: 253675

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Ethylene Dibromide	1000	963.5		ug/Kg		96	76 - 120
Ethylene dichloride	1000	1020		ug/Kg		102	71 - 128
Benzene	1000	996.2		ug/Kg		100	80 - 120
Ethylbenzene	1000	916.5		ug/Kg		92	78 - 120
Toluene	1000	944.7		ug/Kg		94	80 - 120
Xylene (total)	3000	2796		ug/Kg		93	75 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	102		54 - 135
4-Bromofluorobenzene (Surr)	91		50 - 131
Dibromofluoromethane (Surr)	104		50 - 141
Toluene-d8 (Surr)	92		52 - 141

Lab Sample ID: LCSD 410-253675/6

Matrix: Solid

Analysis Batch: 253675

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Ethylene Dibromide	1000	948.6		ug/Kg		95	76 - 120	2	30
Ethylene dichloride	1000	1014		ug/Kg		101	71 - 128	1	30
Benzene	1000	986.9		ug/Kg		99	80 - 120	1	30
Ethylbenzene	1000	897.3		ug/Kg		90	78 - 120	2	30
Toluene	1000	921.3		ug/Kg		92	80 - 120	3	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-253675/6

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 253675

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Xylene (total)	3000	2713		ug/Kg		90	75 - 120	3	30

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	105		54 - 135
4-Bromofluorobenzene (Surr)	89		50 - 131
Dibromofluoromethane (Surr)	103		50 - 141
Toluene-d8 (Surr)	89		52 - 141

Lab Sample ID: MB 410-253893/8

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 253893

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<20.0		250	20.0	ug/Kg			05/11/22 14:25	50
Ethylene dichloride	<30.0		250	30.0	ug/Kg			05/11/22 14:25	50
Benzene	<25.0		250	25.0	ug/Kg			05/11/22 14:25	50
Ethylbenzene	<20.0		250	20.0	ug/Kg			05/11/22 14:25	50
Toluene	<30.0		250	30.0	ug/Kg			05/11/22 14:25	50
Xylene (total)	<70.0		500	70.0	ug/Kg			05/11/22 14:25	50

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		54 - 135		05/11/22 14:25	50
4-Bromofluorobenzene (Surr)	91		50 - 131		05/11/22 14:25	50
Dibromofluoromethane (Surr)	89		50 - 141		05/11/22 14:25	50
Toluene-d8 (Surr)	90		52 - 141		05/11/22 14:25	50

Lab Sample ID: LCS 410-253893/5

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 253893

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylene Dibromide	1000	959.8		ug/Kg		96	76 - 120
Ethylene dichloride	1000	911.9		ug/Kg		91	71 - 128
Benzene	1000	911.2		ug/Kg		91	80 - 120
Ethylbenzene	1000	979.0		ug/Kg		98	78 - 120
Toluene	1000	952.7		ug/Kg		95	80 - 120
Xylene (total)	3000	2972		ug/Kg		99	75 - 120

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
1,2-Dichloroethane-d4 (Surr)	89		54 - 135
4-Bromofluorobenzene (Surr)	92		50 - 131
Dibromofluoromethane (Surr)	91		50 - 141
Toluene-d8 (Surr)	90		52 - 141

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-253893/6

Matrix: Solid

Analysis Batch: 253893

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Ethylene Dibromide	1000	913.8		ug/Kg		91	76 - 120	5	30
Ethylene dichloride	1000	864.7		ug/Kg		86	71 - 128	5	30
Benzene	1000	852.3		ug/Kg		85	80 - 120	7	30
Ethylbenzene	1000	918.6		ug/Kg		92	78 - 120	6	30
Toluene	1000	894.3		ug/Kg		89	80 - 120	6	30
Xylene (total)	3000	2784		ug/Kg		93	75 - 120	7	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		54 - 135
4-Bromofluorobenzene (Surr)	88		50 - 131
Dibromofluoromethane (Surr)	86		50 - 141
Toluene-d8 (Surr)	84		52 - 141

Lab Sample ID: MB 410-253897/7

Matrix: Solid

Analysis Batch: 253897

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.400		5.00	0.400	ug/Kg			05/11/22 11:20	1
Ethylene dichloride	<0.600		5.00	0.600	ug/Kg			05/11/22 11:20	1
Benzene	<0.500		5.00	0.500	ug/Kg			05/11/22 11:20	1
Ethylbenzene	<0.400		5.00	0.400	ug/Kg			05/11/22 11:20	1
Toluene	<0.600		5.00	0.600	ug/Kg			05/11/22 11:20	1
Xylene (total)	<1.40		10.0	1.40	ug/Kg			05/11/22 11:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		54 - 135		05/11/22 11:20	1
4-Bromofluorobenzene (Surr)	99		50 - 131		05/11/22 11:20	1
Dibromofluoromethane (Surr)	89		50 - 141		05/11/22 11:20	1
Toluene-d8 (Surr)	101		52 - 141		05/11/22 11:20	1

Lab Sample ID: LCS 410-253897/4

Matrix: Solid

Analysis Batch: 253897

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylene Dibromide	20.0	20.32		ug/Kg		102	76 - 120
Ethylene dichloride	20.0	20.19		ug/Kg		101	71 - 128
Benzene	20.0	22.81		ug/Kg		114	80 - 120
Ethylbenzene	20.0	23.23		ug/Kg		116	78 - 120
Toluene	20.0	22.43		ug/Kg		112	80 - 120
Xylene (total)	60.0	67.14		ug/Kg		112	75 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		54 - 135
4-Bromofluorobenzene (Surr)	102		50 - 131
Dibromofluoromethane (Surr)	88		50 - 141

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 410-253897/4

Matrix: Solid

Analysis Batch: 253897

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	103		52 - 141

Lab Sample ID: LCSD 410-253897/5

Matrix: Solid

Analysis Batch: 253897

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Ethylene Dibromide	20.0	19.89		ug/Kg		99	76 - 120	2	30	
Ethylene dichloride	20.0	18.65		ug/Kg		93	71 - 128	8	30	
Benzene	20.0	22.65		ug/Kg		113	80 - 120	1	30	
Ethylbenzene	20.0	22.89		ug/Kg		114	78 - 120	1	30	
Toluene	20.0	22.42		ug/Kg		112	80 - 120	0	30	
Xylene (total)	60.0	66.80		ug/Kg		111	75 - 120	1	30	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		54 - 135
4-Bromofluorobenzene (Surr)	102		50 - 131
Dibromofluoromethane (Surr)	86		50 - 141
Toluene-d8 (Surr)	103		52 - 141

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-253473/5

Matrix: Solid

Analysis Batch: 253473

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
C7-C12 (1C)	<0.230		5.00	0.230	mg/Kg			05/10/22 12:15	25

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
a,a,a-Trifluorotoluene (fid) (1C)	113		50 - 150		05/10/22 12:15	25

Lab Sample ID: LCS 410-253473/6

Matrix: Solid

Analysis Batch: 253473

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
C7-C12 (1C)	11.0	11.29		mg/Kg		103	55 - 145			

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
a,a,a-Trifluorotoluene (fid) (1C)	113		50 - 150

Lab Sample ID: LCSD 410-253473/7

Matrix: Solid

Analysis Batch: 253473

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
C7-C12 (1C)	11.0	11.36		mg/Kg		103	55 - 145	1	30	

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Surrogate	LCS D %Recovery	LCS D Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	113		50 - 150

Lab Sample ID: MB 410-253950/5
Matrix: Solid
Analysis Batch: 253950

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.3424	J	5.00	0.230	mg/Kg			05/12/22 14:11	25

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	119		50 - 150		05/12/22 14:11	25

Lab Sample ID: LCS 410-253950/6
Matrix: Solid
Analysis Batch: 253950

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	11.0	9.788		mg/Kg		89	55 - 145

Surrogate	LCS %Recovery	LCS Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	112		50 - 150

Lab Sample ID: LCSD 410-253950/7
Matrix: Solid
Analysis Batch: 253950

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	11.0	9.839		mg/Kg		89	55 - 145	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	112		50 - 150

Lab Sample ID: MB 410-254939/6
Matrix: Solid
Analysis Batch: 254939

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.230		5.00	0.230	mg/Kg			05/13/22 15:39	25

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	119		50 - 150		05/13/22 15:39	25

Lab Sample ID: LCS 410-254939/7
Matrix: Solid
Analysis Batch: 254939

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	11.0	11.57		mg/Kg		105	55 - 145

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: LCS 410-254939/7

Matrix: Solid

Analysis Batch: 254939

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	112		50 - 150

Lab Sample ID: LCSD 410-254939/8

Matrix: Solid

Analysis Batch: 254939

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	11.0	11.63		mg/Kg		106	55 - 145	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	111		50 - 150

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-255247/1-A

Matrix: Solid

Analysis Batch: 255784

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 255247

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.00		10.0	4.00	mg/Kg		05/14/22 09:54	05/16/22 18:45	1
C24-C40	<10.0		30.0	10.0	mg/Kg		05/14/22 09:54	05/16/22 18:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	100		50 - 150	05/14/22 09:54	05/16/22 18:45	1

Lab Sample ID: LCS 410-255247/2-A

Matrix: Solid

Analysis Batch: 255784

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 255247

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C12-C24	133	105.7		mg/Kg		79	74 - 115

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-terphenyl (Surr)	101		50 - 150

Lab Sample ID: 410-82886-4 MS

Matrix: Solid

Analysis Batch: 255784

Client Sample ID: SB-3-6.5

Prep Type: Total/NA

Prep Batch: 255247

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C12-C24	<4.56		152	112.9		mg/Kg	⊛	74	74 - 115

Surrogate	MS %Recovery	MS Qualifier	Limits
o-terphenyl (Surr)	103		50 - 150

QC Sample Results

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: 410-82886-4 DU
Matrix: Solid
Analysis Batch: 255784

Client Sample ID: SB-3-6.5
Prep Type: Total/NA
Prep Batch: 255247

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
C12-C24	<4.56		<4.58		mg/Kg	✖	NC	20
C24-C40	<11.4		<11.4		mg/Kg	✖	NC	20
		<i>DU</i>	<i>DU</i>					
Surrogate	%Recovery	Qualifier	Limits					
<i>o-terphenyl (Surr)</i>	97		50 - 150					

Lab Sample ID: 410-82886-7 DU
Matrix: Solid
Analysis Batch: 255784

Client Sample ID: SB-1-7.0
Prep Type: Total/NA
Prep Batch: 255247

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
C12-C24	<4.26		<4.24		mg/Kg	✖	NC	20
C24-C40	<10.7		<10.6		mg/Kg	✖	NC	20
		<i>DU</i>	<i>DU</i>					
Surrogate	%Recovery	Qualifier	Limits					
<i>o-terphenyl (Surr)</i>	101		50 - 150					

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

GC/MS VOA

Prep Batch: 252843

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	5035	
410-82886-2	MW-37-8	Total/NA	Solid	5035	
410-82886-3	SB-3-5.5	Total/NA	Solid	5035	
410-82886-5	SB-3-9.5	Total/NA	Solid	5035	
410-82886-6	SB-1-6.0	Total/NA	Solid	5035	
410-82886-7	SB-1-7.0	Total/NA	Solid	5035	
410-82886-8	SB-1-9.0	Total/NA	Solid	5035	
410-82886-9	SB-2-5.0	Total/NA	Solid	5035	
410-82886-12	MW-38-14	Total/NA	Solid	5035	
410-82886-15	SB-5-15	Total/NA	Solid	5035	

Prep Batch: 252850

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-4	SB-3-6.5	Total/NA	Solid	5035	
410-82886-10	SB-2-8.5	Total/NA	Solid	5035	
410-82886-13	SB-5-7	Total/NA	Solid	5035	
410-82886-14	SB-5-13	Total/NA	Solid	5035	
410-82886-14 - DL	SB-5-13	Total/NA	Solid	5035	

Prep Batch: 253202

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-8 - DL	SB-1-9.0	Total/NA	Solid	5035	
410-82886-11	MW-38-6.5	Total/NA	Solid	5035	
410-82886-12 - DL	MW-38-14	Total/NA	Solid	5035	

Analysis Batch: 253404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	8260D	252843
410-82886-2	MW-37-8	Total/NA	Solid	8260D	252843
410-82886-6	SB-1-6.0	Total/NA	Solid	8260D	252843
410-82886-7	SB-1-7.0	Total/NA	Solid	8260D	252843
MB 410-253404/7	Method Blank	Total/NA	Solid	8260D	
LCS 410-253404/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-253404/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 253675

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-4	SB-3-6.5	Total/NA	Solid	8260D	252850
410-82886-8 - DL	SB-1-9.0	Total/NA	Solid	8260D	253202
410-82886-10	SB-2-8.5	Total/NA	Solid	8260D	252850
410-82886-11	MW-38-6.5	Total/NA	Solid	8260D	253202
410-82886-12 - DL	MW-38-14	Total/NA	Solid	8260D	253202
410-82886-13	SB-5-7	Total/NA	Solid	8260D	252850
410-82886-14	SB-5-13	Total/NA	Solid	8260D	252850
MB 410-253675/10	Method Blank	Total/NA	Solid	8260D	
LCS 410-253675/5	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-253675/6	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 253893

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-14 - DL	SB-5-13	Total/NA	Solid	8260D	252850

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

GC/MS VOA (Continued)

Analysis Batch: 253893 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-253893/8	Method Blank	Total/NA	Solid	8260D	
LCS 410-253893/5	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-253893/6	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 253897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-3	SB-3-5.5	Total/NA	Solid	8260D	252843
410-82886-5	SB-3-9.5	Total/NA	Solid	8260D	252843
410-82886-8	SB-1-9.0	Total/NA	Solid	8260D	252843
410-82886-9	SB-2-5.0	Total/NA	Solid	8260D	252843
410-82886-12	MW-38-14	Total/NA	Solid	8260D	252843
410-82886-15	SB-5-15	Total/NA	Solid	8260D	252843
MB 410-253897/7	Method Blank	Total/NA	Solid	8260D	
LCS 410-253897/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-253897/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC VOA

Prep Batch: 252851

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	5035	
410-82886-2	MW-37-8	Total/NA	Solid	5035	
410-82886-3	SB-3-5.5	Total/NA	Solid	5035	
410-82886-4	SB-3-6.5	Total/NA	Solid	5035	
410-82886-6	SB-1-6.0	Total/NA	Solid	5035	
410-82886-7	SB-1-7.0	Total/NA	Solid	5035	
410-82886-8	SB-1-9.0	Total/NA	Solid	5035	
410-82886-9	SB-2-5.0	Total/NA	Solid	5035	
410-82886-10	SB-2-8.5	Total/NA	Solid	5035	
410-82886-11	MW-38-6.5	Total/NA	Solid	5035	
410-82886-12	MW-38-14	Total/NA	Solid	5035	
410-82886-13	SB-5-7	Total/NA	Solid	5035	
410-82886-14	SB-5-13	Total/NA	Solid	5035	
410-82886-15	SB-5-15	Total/NA	Solid	5035	

Prep Batch: 253202

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-5	SB-3-9.5	Total/NA	Solid	5030C	

Analysis Batch: 253473

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	NWTPH-Gx	252851
410-82886-2	MW-37-8	Total/NA	Solid	NWTPH-Gx	252851
410-82886-3	SB-3-5.5	Total/NA	Solid	NWTPH-Gx	252851
410-82886-4	SB-3-6.5	Total/NA	Solid	NWTPH-Gx	252851
410-82886-6	SB-1-6.0	Total/NA	Solid	NWTPH-Gx	252851
410-82886-7	SB-1-7.0	Total/NA	Solid	NWTPH-Gx	252851
410-82886-9	SB-2-5.0	Total/NA	Solid	NWTPH-Gx	252851
410-82886-12	MW-38-14	Total/NA	Solid	NWTPH-Gx	252851
410-82886-15	SB-5-15	Total/NA	Solid	NWTPH-Gx	252851
MB 410-253473/5	Method Blank	Total/NA	Solid	NWTPH-Gx	

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

GC VOA (Continued)

Analysis Batch: 253473 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 410-253473/6	Lab Control Sample	Total/NA	Solid	NWTPH-Gx	
LCSD 410-253473/7	Lab Control Sample Dup	Total/NA	Solid	NWTPH-Gx	

Analysis Batch: 253950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-8	SB-1-9.0	Total/NA	Solid	NWTPH-Gx	252851
410-82886-10	SB-2-8.5	Total/NA	Solid	NWTPH-Gx	252851
410-82886-11	MW-38-6.5	Total/NA	Solid	NWTPH-Gx	252851
410-82886-13	SB-5-7	Total/NA	Solid	NWTPH-Gx	252851
410-82886-14	SB-5-13	Total/NA	Solid	NWTPH-Gx	252851
MB 410-253950/5	Method Blank	Total/NA	Solid	NWTPH-Gx	
LCS 410-253950/6	Lab Control Sample	Total/NA	Solid	NWTPH-Gx	
LCSD 410-253950/7	Lab Control Sample Dup	Total/NA	Solid	NWTPH-Gx	

Analysis Batch: 254939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-5	SB-3-9.5	Total/NA	Solid	NWTPH-Gx	253202
MB 410-254939/6	Method Blank	Total/NA	Solid	NWTPH-Gx	
LCS 410-254939/7	Lab Control Sample	Total/NA	Solid	NWTPH-Gx	
LCSD 410-254939/8	Lab Control Sample Dup	Total/NA	Solid	NWTPH-Gx	

GC Semi VOA

Prep Batch: 255247

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	3550C	
410-82886-2	MW-37-8	Total/NA	Solid	3550C	
410-82886-3	SB-3-5.5	Total/NA	Solid	3550C	
410-82886-4	SB-3-6.5	Total/NA	Solid	3550C	
410-82886-5	SB-3-9.5	Total/NA	Solid	3550C	
410-82886-6	SB-1-6.0	Total/NA	Solid	3550C	
410-82886-7	SB-1-7.0	Total/NA	Solid	3550C	
410-82886-8	SB-1-9.0	Total/NA	Solid	3550C	
410-82886-9	SB-2-5.0	Total/NA	Solid	3550C	
410-82886-10	SB-2-8.5	Total/NA	Solid	3550C	
410-82886-11	MW-38-6.5	Total/NA	Solid	3550C	
410-82886-12	MW-38-14	Total/NA	Solid	3550C	
410-82886-13	SB-5-7	Total/NA	Solid	3550C	
410-82886-14	SB-5-13	Total/NA	Solid	3550C	
410-82886-15	SB-5-15	Total/NA	Solid	3550C	
MB 410-255247/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 410-255247/2-A	Lab Control Sample	Total/NA	Solid	3550C	
410-82886-4 MS	SB-3-6.5	Total/NA	Solid	3550C	
410-82886-4 DU	SB-3-6.5	Total/NA	Solid	3550C	
410-82886-7 DU	SB-1-7.0	Total/NA	Solid	3550C	

Analysis Batch: 255784

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	NWTPH-Dx	255247
410-82886-2	MW-37-8	Total/NA	Solid	NWTPH-Dx	255247
410-82886-3	SB-3-5.5	Total/NA	Solid	NWTPH-Dx	255247

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

GC Semi VOA (Continued)

Analysis Batch: 255784 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-4	SB-3-6.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-5	SB-3-9.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-6	SB-1-6.0	Total/NA	Solid	NWTPH-Dx	255247
410-82886-7	SB-1-7.0	Total/NA	Solid	NWTPH-Dx	255247
410-82886-8	SB-1-9.0	Total/NA	Solid	NWTPH-Dx	255247
410-82886-9	SB-2-5.0	Total/NA	Solid	NWTPH-Dx	255247
410-82886-10	SB-2-8.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-11	MW-38-6.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-12	MW-38-14	Total/NA	Solid	NWTPH-Dx	255247
410-82886-13	SB-5-7	Total/NA	Solid	NWTPH-Dx	255247
410-82886-14	SB-5-13	Total/NA	Solid	NWTPH-Dx	255247
410-82886-15	SB-5-15	Total/NA	Solid	NWTPH-Dx	255247
MB 410-255247/1-A	Method Blank	Total/NA	Solid	NWTPH-Dx	255247
LCS 410-255247/2-A	Lab Control Sample	Total/NA	Solid	NWTPH-Dx	255247
410-82886-4 MS	SB-3-6.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-4 DU	SB-3-6.5	Total/NA	Solid	NWTPH-Dx	255247
410-82886-7 DU	SB-1-7.0	Total/NA	Solid	NWTPH-Dx	255247

General Chemistry

Analysis Batch: 252619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-1	MW-37-11	Total/NA	Solid	Moisture	
410-82886-2	MW-37-8	Total/NA	Solid	Moisture	
410-82886-3	SB-3-5.5	Total/NA	Solid	Moisture	
410-82886-4	SB-3-6.5	Total/NA	Solid	Moisture	
410-82886-5	SB-3-9.5	Total/NA	Solid	Moisture	
410-82886-6	SB-1-6.0	Total/NA	Solid	Moisture	
410-82886-7	SB-1-7.0	Total/NA	Solid	Moisture	
410-82886-8	SB-1-9.0	Total/NA	Solid	Moisture	
410-82886-9	SB-2-5.0	Total/NA	Solid	Moisture	
410-82886-10	SB-2-8.5	Total/NA	Solid	Moisture	
410-82886-11	MW-38-6.5	Total/NA	Solid	Moisture	
410-82886-12	MW-38-14	Total/NA	Solid	Moisture	
410-82886-14	SB-5-13	Total/NA	Solid	Moisture	
410-82886-15	SB-5-15	Total/NA	Solid	Moisture	

Analysis Batch: 253549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-82886-13	SB-5-7	Total/NA	Solid	Moisture	

Lab Chronicle

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-37-11

Lab Sample ID: 410-82886-1

Date Collected: 05/03/22 10:45

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: MW-37-11

Lab Sample ID: 410-82886-1

Date Collected: 05/03/22 10:45

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253404	05/10/22 19:32	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 14:48	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 19:24	IUSB	ELLE

Client Sample ID: MW-37-8

Lab Sample ID: 410-82886-2

Date Collected: 05/03/22 10:50

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: MW-37-8

Lab Sample ID: 410-82886-2

Date Collected: 05/03/22 10:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253404	05/10/22 16:08	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 15:27	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 19:44	IUSB	ELLE

Client Sample ID: SB-3-5.5

Lab Sample ID: 410-82886-3

Date Collected: 05/03/22 14:50

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-3-5.5

Lab Sample ID: 410-82886-3

Date Collected: 05/03/22 14:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 65.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 18:28	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 16:05	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 20:04	IUSB	ELLE

Client Sample ID: SB-3-6.5

Lab Sample ID: 410-82886-4

Date Collected: 05/03/22 15:00

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-3-6.5

Lab Sample ID: 410-82886-4

Date Collected: 05/03/22 15:00

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 86.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252850	05/08/22 18:03	D8NM	ELLE
Total/NA	Analysis	8260D		50	253675	05/11/22 03:44	SWV2	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 16:43	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/17/22 00:22	IUSB	ELLE

Client Sample ID: SB-3-9.5

Lab Sample ID: 410-82886-5

Date Collected: 05/03/22 15:30

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-3-9.5

Lab Sample ID: 410-82886-5

Date Collected: 05/03/22 15:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 84.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 12:05	UCB5	ELLE
Total/NA	Prep	5030C			253202	05/09/22 16:32	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	254939	05/13/22 20:46	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 20:24	IUSB	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-1-6.0

Lab Sample ID: 410-82886-6

Date Collected: 05/03/22 15:50

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-1-6.0

Lab Sample ID: 410-82886-6

Date Collected: 05/03/22 15:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253404	05/10/22 16:30	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 17:22	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 20:44	IUSB	ELLE

Client Sample ID: SB-1-7.0

Lab Sample ID: 410-82886-7

Date Collected: 05/03/22 16:05

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-1-7.0

Lab Sample ID: 410-82886-7

Date Collected: 05/03/22 16:05

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 93.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253404	05/10/22 16:53	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 18:00	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 21:03	IUSB	ELLE

Client Sample ID: SB-1-9.0

Lab Sample ID: 410-82886-8

Date Collected: 05/03/22 16:10

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-1-9.0

Lab Sample ID: 410-82886-8

Date Collected: 05/03/22 16:10

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 91.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035	DL		253202	05/09/22 16:32	D8NM	ELLE
Total/NA	Analysis	8260D	DL	50	253675	05/11/22 04:06	SWV2	ELLE
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 18:50	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		250	253950	05/12/22 19:56	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 21:43	IUSB	ELLE

Client Sample ID: SB-2-5.0

Lab Sample ID: 410-82886-9

Date Collected: 05/03/22 16:30

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-2-5.0

Lab Sample ID: 410-82886-9

Date Collected: 05/03/22 16:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 83.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 18:05	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 19:54	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 22:03	IUSB	ELLE

Client Sample ID: SB-2-8.5

Lab Sample ID: 410-82886-10

Date Collected: 05/03/22 16:40

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-2-8.5

Lab Sample ID: 410-82886-10

Date Collected: 05/03/22 16:40

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 87.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252850	05/08/22 18:03	D8NM	ELLE
Total/NA	Analysis	8260D		100	253675	05/11/22 04:49	SWV2	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		1000	253950	05/12/22 20:34	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 22:23	IUSB	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: MW-38-6.5

Lab Sample ID: 410-82886-11

Date Collected: 05/04/22 08:30

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: MW-38-6.5

Lab Sample ID: 410-82886-11

Date Collected: 05/04/22 08:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			253202	05/09/22 16:32	D8NM	ELLE
Total/NA	Analysis	8260D		100	253675	05/11/22 05:11	SWV2	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		5000	253950	05/12/22 21:13	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/17/22 01:21	IUSB	ELLE

Client Sample ID: MW-38-14

Lab Sample ID: 410-82886-12

Date Collected: 05/04/22 08:45

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: MW-38-14

Lab Sample ID: 410-82886-12

Date Collected: 05/04/22 08:45

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 91.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035	DL		253202	05/09/22 16:32	D8NM	ELLE
Total/NA	Analysis	8260D	DL	50	253675	05/11/22 04:28	SWV2	ELLE
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 19:13	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 20:32	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 22:43	IUSB	ELLE

Client Sample ID: SB-5-7

Lab Sample ID: 410-82886-13

Date Collected: 05/04/22 11:20

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	253549	05/10/22 12:39	UVJN	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Client Sample ID: SB-5-7

Lab Sample ID: 410-82886-13

Date Collected: 05/04/22 11:20

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 85.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252850	05/08/22 18:03	D8NM	ELLE
Total/NA	Analysis	8260D		100	253675	05/11/22 05:33	SWV2	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		2000	253950	05/12/22 21:50	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 23:22	IUSB	ELLE

Client Sample ID: SB-5-13

Lab Sample ID: 410-82886-14

Date Collected: 05/04/22 11:30

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-5-13

Lab Sample ID: 410-82886-14

Date Collected: 05/04/22 11:30

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 86.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252850	05/08/22 18:03	D8NM	ELLE
Total/NA	Analysis	8260D		100	253675	05/11/22 05:55	SWV2	ELLE
Total/NA	Prep	5035	DL		252850	05/08/22 18:03	D8NM	ELLE
Total/NA	Analysis	8260D	DL	1000	253893	05/11/22 20:18	Y6ZN	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		5000	253950	05/12/22 22:29	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/16/22 23:42	IUSB	ELLE

Client Sample ID: SB-5-15

Lab Sample ID: 410-82886-15

Date Collected: 05/04/22 11:50

Matrix: Solid

Date Received: 05/05/22 10:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	252619	05/06/22 16:28	OEL4	ELLE

Client Sample ID: SB-5-15

Lab Sample ID: 410-82886-15

Date Collected: 05/04/22 11:50

Matrix: Solid

Date Received: 05/05/22 10:39

Percent Solids: 89.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			252843	05/08/22 16:15	D8NM	ELLE
Total/NA	Analysis	8260D		1	253897	05/11/22 12:27	UCB5	ELLE
Total/NA	Prep	5035			252851	05/08/22 18:10	D8NM	ELLE
Total/NA	Analysis	NWTPH-Gx		25	253473	05/10/22 21:10	JJT8	ELLE
Total/NA	Prep	3550C			255247	05/14/22 09:54	A2VL	ELLE
Total/NA	Analysis	NWTPH-Dx		1	255784	05/17/22 00:02	IUSB	ELLE

Eurofins Lancaster Laboratories Environment Testing, LLC

Accreditation/Certification Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Washington	State	C457	04-11-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
Moisture		Solid	Percent Moisture

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
NWTPH-Gx	Northwest - Volatile Petroleum Products (GC)	NWTPH	ELLE
NWTPH-Dx	Northwest - Semi-Volatile Petroleum Products (GC)	NWTPH	ELLE
Moisture	Percent Moisture	EPA	ELLE
3550C	Ultrasonic Extraction	SW846	ELLE
5030C	Purge and Trap	SW846	ELLE
5035	Closed System Purge and Trap	SW846	ELLE

Protocol References:

EPA = US Environmental Protection Agency

NWTPH = Northwest Total Petroleum Hydrocarbon

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-82886-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-82886-1	MW-37-11	Solid	05/03/22 10:45	05/05/22 10:39
410-82886-2	MW-37-8	Solid	05/03/22 10:50	05/05/22 10:39
410-82886-3	SB-3-5.5	Solid	05/03/22 14:50	05/05/22 10:39
410-82886-4	SB-3-6.5	Solid	05/03/22 15:00	05/05/22 10:39
410-82886-5	SB-3-9.5	Solid	05/03/22 15:30	05/05/22 10:39
410-82886-6	SB-1-6.0	Solid	05/03/22 15:50	05/05/22 10:39
410-82886-7	SB-1-7.0	Solid	05/03/22 16:05	05/05/22 10:39
410-82886-8	SB-1-9.0	Solid	05/03/22 16:10	05/05/22 10:39
410-82886-9	SB-2-5.0	Solid	05/03/22 16:30	05/05/22 10:39
410-82886-10	SB-2-8.5	Solid	05/03/22 16:40	05/05/22 10:39
410-82886-11	MW-38-6.5	Solid	05/04/22 08:30	05/05/22 10:39
410-82886-12	MW-38-14	Solid	05/04/22 08:45	05/05/22 10:39
410-82886-13	SB-5-7	Solid	05/04/22 11:20	05/05/22 10:39
410-82886-14	SB-5-13	Solid	05/04/22 11:30	05/05/22 10:39
410-82886-15	SB-5-15	Solid	05/04/22 11:50	05/05/22 10:39



Login Sample Receipt Checklist

Client: Leidos Engineering, LLC

Job Number: 410-82886-1

Login Number: 82886

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Renner, Melissa

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	False	Refer to Job Narrative for details.
Sample custody seals are intact.	N/A	Not present.


ANALYTICAL REPORT

Eurofins Lancaster Laboratories Environment Testing, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-83593-1
Client Project/Site: Tiki Car Wash

For:
Leidos Engineering, LLC
11824 North Creek Parkway N
Suite 101
Bothell, Washington 98011

Attn: Don Wyll



Authorized for release by:
5/20/2022 9:35:36 AM

Marrison Williams, Project Manager
(717)556-7246
Marrison.Williams@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Marrison Williams
Project Manager
5/20/2022 9:35:36 AM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	9
Surrogate Summary	19
QC Sample Results	21
QC Association Summary	24
Lab Chronicle	26
Certification Summary	30
Method Summary	31
Sample Summary	32
Chain of Custody	33
Receipt Checklists	35

Definitions/Glossary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Job ID: 410-83593-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

**Job Narrative
410-83593-1**

Receipt

The samples were received on 5/11/2022 10:32 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.2°C

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-23

Lab Sample ID: 410-83593-1

No Detections.

Client Sample ID: MW-36

Lab Sample ID: 410-83593-2

No Detections.

Client Sample ID: MW-20

Lab Sample ID: 410-83593-3

No Detections.

Client Sample ID: MW-6

Lab Sample ID: 410-83593-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Xylene (total)	0.677	J	1.00	0.400	ug/L	1		8260D	Total/NA
C7-C12 (1C)	167	J	250	19.0	ug/L	1		NWTPH-Gx	Total/NA

Client Sample ID: MW-2

Lab Sample ID: 410-83593-5

No Detections.

Client Sample ID: MW-35

Lab Sample ID: 410-83593-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	86.2		1.00	0.300	ug/L	1		8260D	Total/NA
Toluene	139		1.00	0.200	ug/L	1		8260D	Total/NA
Ethylbenzene - DL	1750		10.0	4.00	ug/L	10		8260D	Total/NA
Xylene (total) - DL	3510		10.0	4.00	ug/L	10		8260D	Total/NA
C7-C12 (1C)	31500		2500	190	ug/L	10		NWTPH-Gx	Total/NA

Client Sample ID: MW-30

Lab Sample ID: 410-83593-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	22.9		1.00	0.200	ug/L	1		8260D	Total/NA
Xylene (total)	132		1.00	0.400	ug/L	1		8260D	Total/NA
Benzene - DL	519		10.0	3.00	ug/L	10		8260D	Total/NA
Ethylbenzene - DL	521		10.0	4.00	ug/L	10		8260D	Total/NA
C7-C12 (1C)	4080		1250	95.0	ug/L	5		NWTPH-Gx	Total/NA

Client Sample ID: MW-33

Lab Sample ID: 410-83593-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	199		1.00	0.300	ug/L	1		8260D	Total/NA
Toluene	19.0		1.00	0.200	ug/L	1		8260D	Total/NA
Xylene (total)	333		1.00	0.400	ug/L	1		8260D	Total/NA
Ethylbenzene - DL	635		10.0	4.00	ug/L	10		8260D	Total/NA
C7-C12 (1C)	9950		1250	95.0	ug/L	5		NWTPH-Gx	Total/NA

Client Sample ID: MW-32

Lab Sample ID: 410-83593-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	512		5.00	2.00	ug/L	5		8260D	Total/NA
Benzene - DL	3870		50.0	15.0	ug/L	50		8260D	Total/NA
Toluene - DL	4050		50.0	10.0	ug/L	50		8260D	Total/NA
Xylene (total) - DL	10300		50.0	20.0	ug/L	50		8260D	Total/NA
C7-C12 (1C)	52500		5000	380	ug/L	20		NWTPH-Gx	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-34

Lab Sample ID: 410-83593-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	11.4		1.00	0.300	ug/L	1		8260D	Total/NA
Ethylbenzene	36.2		1.00	0.400	ug/L	1		8260D	Total/NA
Toluene	1.33		1.00	0.200	ug/L	1		8260D	Total/NA
Xylene (total)	23.1		1.00	0.400	ug/L	1		8260D	Total/NA
C7-C12 (1C)	3710		250	19.0	ug/L	1		NWTPH-Gx	Total/NA

Client Sample ID: MW-31

Lab Sample ID: 410-83593-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene - DL	2580		20.0	6.00	ug/L	20		8260D	Total/NA
Ethylbenzene - DL	1700		20.0	8.00	ug/L	20		8260D	Total/NA
Toluene - DL	1260		20.0	4.00	ug/L	20		8260D	Total/NA
Xylene (total) - DL	10700		20.0	8.00	ug/L	20		8260D	Total/NA
C7-C12 (1C)	58100		6250	475	ug/L	25		NWTPH-Gx	Total/NA

Client Sample ID: Ecology Drum

Lab Sample ID: 410-83593-12

No Detections.

Client Sample ID: Purge Water

Lab Sample ID: 410-83593-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	596		2.00	0.800	ug/L	2		8260D	Total/NA
Benzene - DL	1210		20.0	6.00	ug/L	20		8260D	Total/NA
Toluene - DL	2230		20.0	4.00	ug/L	20		8260D	Total/NA
Xylene (total) - DL	3460		20.0	8.00	ug/L	20		8260D	Total/NA
C7-C12 (1C)	27700		5000	380	ug/L	20		NWTPH-Gx	Total/NA

Client Sample ID: MW-37

Lab Sample ID: 410-83593-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	203		1.00	0.300	ug/L	1		8260D	Total/NA
Ethylbenzene	59.7		1.00	0.400	ug/L	1		8260D	Total/NA
Toluene	172		1.00	0.200	ug/L	1		8260D	Total/NA
Xylene (total)	303		1.00	0.400	ug/L	1		8260D	Total/NA
C7-C12 (1C)	2310		250	19.0	ug/L	1		NWTPH-Gx	Total/NA

Client Sample ID: MW-38

Lab Sample ID: 410-83593-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	1340		5.00	2.00	ug/L	5		8260D	Total/NA
Benzene - DL	5750		50.0	15.0	ug/L	50		8260D	Total/NA
Toluene - DL	4540		50.0	10.0	ug/L	50		8260D	Total/NA
Xylene (total) - DL	7020		50.0	20.0	ug/L	50		8260D	Total/NA
C7-C12 (1C)	47600		5000	380	ug/L	20		NWTPH-Gx	Total/NA

Client Sample ID: MW-29

Lab Sample ID: 410-83593-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene - DL	6210		50.0	15.0	ug/L	50		8260D	Total/NA
Ethylbenzene - DL	3240		50.0	20.0	ug/L	50		8260D	Total/NA
Toluene - DL	9050		50.0	10.0	ug/L	50		8260D	Total/NA
Xylene (total) - DL	17100		50.0	20.0	ug/L	50		8260D	Total/NA
C7-C12 (1C)	93500		5000	380	ug/L	20		NWTPH-Gx	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-23

Lab Sample ID: 410-83593-1

Date Collected: 05/05/22 07:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 11:14	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 11:14	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 11:14	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 11:14	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 11:14	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 11:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		05/18/22 11:14	1
4-Bromofluorobenzene (Surr)	92		80 - 120		05/18/22 11:14	1
Dibromofluoromethane (Surr)	97		80 - 120		05/18/22 11:14	1
Toluene-d8 (Surr)	97		80 - 120		05/18/22 11:14	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 13:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	104		50 - 150		05/16/22 13:46	1

Client Sample ID: MW-36

Lab Sample ID: 410-83593-2

Date Collected: 05/05/22 07:40

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 11:34	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 11:34	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 11:34	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 11:34	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 11:34	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 11:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 11:34	1
4-Bromofluorobenzene (Surr)	96		80 - 120		05/18/22 11:34	1
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 11:34	1
Toluene-d8 (Surr)	95		80 - 120		05/18/22 11:34	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 14:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	104		50 - 150		05/16/22 14:12	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-20

Lab Sample ID: 410-83593-3

Date Collected: 05/05/22 08:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 11:54	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 11:54	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 11:54	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 11:54	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 11:54	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 11:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 11:54	1
4-Bromofluorobenzene (Surr)	93		80 - 120		05/18/22 11:54	1
Dibromofluoromethane (Surr)	93		80 - 120		05/18/22 11:54	1
Toluene-d8 (Surr)	101		80 - 120		05/18/22 11:54	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 14:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	103		50 - 150		05/16/22 14:37	1

Client Sample ID: MW-6

Lab Sample ID: 410-83593-4

Date Collected: 05/05/22 08:30

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 10:55	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 10:55	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 10:55	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 10:55	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 10:55	1
Xylene (total)	0.677	J	1.00	0.400	ug/L			05/18/22 10:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 10:55	1
4-Bromofluorobenzene (Surr)	95		80 - 120		05/18/22 10:55	1
Dibromofluoromethane (Surr)	91		80 - 120		05/18/22 10:55	1
Toluene-d8 (Surr)	100		80 - 120		05/18/22 10:55	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	167	J	250	19.0	ug/L			05/16/22 15:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	96		50 - 150		05/16/22 15:03	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-2

Lab Sample ID: 410-83593-5

Date Collected: 05/05/22 08:50

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 12:13	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 12:13	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 12:13	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 12:13	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 12:13	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 12:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 12:13	1
4-Bromofluorobenzene (Surr)	96		80 - 120		05/18/22 12:13	1
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 12:13	1
Toluene-d8 (Surr)	102		80 - 120		05/18/22 12:13	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 15:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	103		50 - 150		05/16/22 15:28	1

Client Sample ID: MW-35

Lab Sample ID: 410-83593-6

Date Collected: 05/05/22 09:40

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 13:13	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 13:13	1
Benzene	86.2		1.00	0.300	ug/L			05/18/22 13:13	1
Toluene	139		1.00	0.200	ug/L			05/18/22 13:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		05/18/22 13:13	1
4-Bromofluorobenzene (Surr)	96		80 - 120		05/18/22 13:13	1
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 13:13	1
Toluene-d8 (Surr)	101		80 - 120		05/18/22 13:13	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	1750		10.0	4.00	ug/L			05/18/22 13:33	10
Xylene (total)	3510		10.0	4.00	ug/L			05/18/22 13:33	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		05/18/22 13:33	10
4-Bromofluorobenzene (Surr)	96		80 - 120		05/18/22 13:33	10
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 13:33	10
Toluene-d8 (Surr)	98		80 - 120		05/18/22 13:33	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	31500		2500	190	ug/L			05/16/22 18:52	10

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-35

Lab Sample ID: 410-83593-6

Date Collected: 05/05/22 09:40

Matrix: Water

Date Received: 05/11/22 10:32

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	100		50 - 150		05/16/22 18:52	10

Client Sample ID: MW-30

Lab Sample ID: 410-83593-7

Date Collected: 05/05/22 10:10

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 13:53	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 13:53	1
Toluene	22.9		1.00	0.200	ug/L			05/18/22 13:53	1
Xylene (total)	132		1.00	0.400	ug/L			05/18/22 13:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		05/18/22 13:53	1
4-Bromofluorobenzene (Surr)	94		80 - 120		05/18/22 13:53	1
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 13:53	1
Toluene-d8 (Surr)	99		80 - 120		05/18/22 13:53	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	519		10.0	3.00	ug/L			05/18/22 14:13	10
Ethylbenzene	521		10.0	4.00	ug/L			05/18/22 14:13	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		05/18/22 14:13	10
4-Bromofluorobenzene (Surr)	95		80 - 120		05/18/22 14:13	10
Dibromofluoromethane (Surr)	92		80 - 120		05/18/22 14:13	10
Toluene-d8 (Surr)	99		80 - 120		05/18/22 14:13	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	4080		1250	95.0	ug/L			05/16/22 19:17	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		05/16/22 19:17	5

Client Sample ID: MW-33

Lab Sample ID: 410-83593-8

Date Collected: 05/05/22 10:50

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 14:33	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 14:33	1
Benzene	199		1.00	0.300	ug/L			05/18/22 14:33	1
Toluene	19.0		1.00	0.200	ug/L			05/18/22 14:33	1
Xylene (total)	333		1.00	0.400	ug/L			05/18/22 14:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 14:33	1
4-Bromofluorobenzene (Surr)	92		80 - 120		05/18/22 14:33	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-33

Lab Sample ID: 410-83593-8

Date Collected: 05/05/22 10:50

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 14:33	1
Toluene-d8 (Surr)	98		80 - 120		05/18/22 14:33	1

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	635		10.0	4.00	ug/L			05/18/22 14:53	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		05/18/22 14:53	10
4-Bromofluorobenzene (Surr)	95		80 - 120		05/18/22 14:53	10
Dibromofluoromethane (Surr)	96		80 - 120		05/18/22 14:53	10
Toluene-d8 (Surr)	103		80 - 120		05/18/22 14:53	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	9950		1250	95.0	ug/L			05/16/22 19:43	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	98		50 - 150		05/16/22 19:43	5

Client Sample ID: MW-32

Lab Sample ID: 410-83593-9

Date Collected: 05/05/22 11:10

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<1.00		5.00	1.00	ug/L			05/18/22 15:13	5
Ethylene dichloride	<1.50		5.00	1.50	ug/L			05/18/22 15:13	5
Ethylbenzene	512		5.00	2.00	ug/L			05/18/22 15:13	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		05/18/22 15:13	5
4-Bromofluorobenzene (Surr)	97		80 - 120		05/18/22 15:13	5
Dibromofluoromethane (Surr)	93		80 - 120		05/18/22 15:13	5
Toluene-d8 (Surr)	99		80 - 120		05/18/22 15:13	5

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3870		50.0	15.0	ug/L			05/18/22 15:32	50
Toluene	4050		50.0	10.0	ug/L			05/18/22 15:32	50
Xylene (total)	10300		50.0	20.0	ug/L			05/18/22 15:32	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		05/18/22 15:32	50
4-Bromofluorobenzene (Surr)	95		80 - 120		05/18/22 15:32	50
Dibromofluoromethane (Surr)	97		80 - 120		05/18/22 15:32	50
Toluene-d8 (Surr)	96		80 - 120		05/18/22 15:32	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	52500		5000	380	ug/L			05/16/22 20:08	20

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-32

Lab Sample ID: 410-83593-9

Date Collected: 05/05/22 11:10

Matrix: Water

Date Received: 05/11/22 10:32

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	100		50 - 150		05/16/22 20:08	20

Client Sample ID: MW-34

Lab Sample ID: 410-83593-10

Date Collected: 05/05/22 12:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 18:30	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 18:30	1
Benzene	11.4		1.00	0.300	ug/L			05/18/22 18:30	1
Ethylbenzene	36.2		1.00	0.400	ug/L			05/18/22 18:30	1
Toluene	1.33		1.00	0.200	ug/L			05/18/22 18:30	1
Xylene (total)	23.1		1.00	0.400	ug/L			05/18/22 18:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		05/18/22 18:30	1
4-Bromofluorobenzene (Surr)	97		80 - 120		05/18/22 18:30	1
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 18:30	1
Toluene-d8 (Surr)	98		80 - 120		05/18/22 18:30	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	3710		250	19.0	ug/L			05/16/22 18:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	112		50 - 150		05/16/22 18:26	1

Client Sample ID: MW-31

Lab Sample ID: 410-83593-11

Date Collected: 05/05/22 12:30

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.400		2.00	0.400	ug/L			05/18/22 15:52	2
Ethylene dichloride	<0.600		2.00	0.600	ug/L			05/18/22 15:52	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 15:52	2
4-Bromofluorobenzene (Surr)	97		80 - 120		05/18/22 15:52	2
Dibromofluoromethane (Surr)	93		80 - 120		05/18/22 15:52	2
Toluene-d8 (Surr)	99		80 - 120		05/18/22 15:52	2

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	2580		20.0	6.00	ug/L			05/18/22 16:12	20
Ethylbenzene	1700		20.0	8.00	ug/L			05/18/22 16:12	20
Toluene	1260		20.0	4.00	ug/L			05/18/22 16:12	20
Xylene (total)	10700		20.0	8.00	ug/L			05/18/22 16:12	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		05/18/22 16:12	20

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-31

Lab Sample ID: 410-83593-11

Date Collected: 05/05/22 12:30

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS - DL (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		80 - 120		05/18/22 16:12	20
Dibromofluoromethane (Surr)	93		80 - 120		05/18/22 16:12	20
Toluene-d8 (Surr)	101		80 - 120		05/18/22 16:12	20

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	58100		6250	475	ug/L			05/17/22 18:25	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	100		50 - 150		05/17/22 18:25	25

Client Sample ID: Ecology Drum

Lab Sample ID: 410-83593-12

Date Collected: 05/05/22 13:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 12:53	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 12:53	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 12:53	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 12:53	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 12:53	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 12:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 12:53	1
4-Bromofluorobenzene (Surr)	94		80 - 120		05/18/22 12:53	1
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 12:53	1
Toluene-d8 (Surr)	98		80 - 120		05/18/22 12:53	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 15:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	102		50 - 150		05/16/22 15:53	1

Client Sample ID: Purge Water

Lab Sample ID: 410-83593-13

Date Collected: 05/05/22 13:10

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.400		2.00	0.400	ug/L			05/18/22 16:32	2
Ethylene dichloride	<0.600		2.00	0.600	ug/L			05/18/22 16:32	2
Ethylbenzene	596		2.00	0.800	ug/L			05/18/22 16:32	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		05/18/22 16:32	2
4-Bromofluorobenzene (Surr)	98		80 - 120		05/18/22 16:32	2
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 16:32	2

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: Purge Water

Lab Sample ID: 410-83593-13

Date Collected: 05/05/22 13:10

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	101		80 - 120		05/18/22 16:32	2

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1210		20.0	6.00	ug/L			05/18/22 16:52	20
Toluene	2230		20.0	4.00	ug/L			05/18/22 16:52	20
Xylene (total)	3460		20.0	8.00	ug/L			05/18/22 16:52	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 16:52	20
4-Bromofluorobenzene (Surr)	97		80 - 120		05/18/22 16:52	20
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 16:52	20
Toluene-d8 (Surr)	93		80 - 120		05/18/22 16:52	20

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	27700		5000	380	ug/L			05/17/22 18:51	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	100		50 - 150		05/17/22 18:51	20

Client Sample ID: MW-37

Lab Sample ID: 410-83593-15

Date Collected: 05/05/22 14:15

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 18:50	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 18:50	1
Benzene	203		1.00	0.300	ug/L			05/18/22 18:50	1
Ethylbenzene	59.7		1.00	0.400	ug/L			05/18/22 18:50	1
Toluene	172		1.00	0.200	ug/L			05/18/22 18:50	1
Xylene (total)	303		1.00	0.400	ug/L			05/18/22 18:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		05/18/22 18:50	1
4-Bromofluorobenzene (Surr)	98		80 - 120		05/18/22 18:50	1
Dibromofluoromethane (Surr)	92		80 - 120		05/18/22 18:50	1
Toluene-d8 (Surr)	102		80 - 120		05/18/22 18:50	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	2310		250	19.0	ug/L			05/16/22 16:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	100		50 - 150		05/16/22 16:18	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-38

Lab Sample ID: 410-83593-16

Date Collected: 05/05/22 15:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<1.00		5.00	1.00	ug/L			05/18/22 17:11	5
Ethylene dichloride	<1.50		5.00	1.50	ug/L			05/18/22 17:11	5
Ethylbenzene	1340		5.00	2.00	ug/L			05/18/22 17:11	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		80 - 120					05/18/22 17:11	5
4-Bromofluorobenzene (Surr)	97		80 - 120					05/18/22 17:11	5
Dibromofluoromethane (Surr)	94		80 - 120					05/18/22 17:11	5
Toluene-d8 (Surr)	99		80 - 120					05/18/22 17:11	5

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	5750		50.0	15.0	ug/L			05/18/22 17:31	50
Toluene	4540		50.0	10.0	ug/L			05/18/22 17:31	50
Xylene (total)	7020		50.0	20.0	ug/L			05/18/22 17:31	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120					05/18/22 17:31	50
4-Bromofluorobenzene (Surr)	96		80 - 120					05/18/22 17:31	50
Dibromofluoromethane (Surr)	95		80 - 120					05/18/22 17:31	50
Toluene-d8 (Surr)	101		80 - 120					05/18/22 17:31	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	47600		5000	380	ug/L			05/17/22 19:43	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	98		50 - 150					05/17/22 19:43	20

Client Sample ID: MW-29

Lab Sample ID: 410-83593-17

Date Collected: 05/05/22 15:15

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<1.00		5.00	1.00	ug/L			05/18/22 17:51	5
Ethylene dichloride	<1.50		5.00	1.50	ug/L			05/18/22 17:51	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		80 - 120					05/18/22 17:51	5
4-Bromofluorobenzene (Surr)	96		80 - 120					05/18/22 17:51	5
Dibromofluoromethane (Surr)	92		80 - 120					05/18/22 17:51	5
Toluene-d8 (Surr)	102		80 - 120					05/18/22 17:51	5

Method: 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6210		50.0	15.0	ug/L			05/18/22 18:11	50
Ethylbenzene	3240		50.0	20.0	ug/L			05/18/22 18:11	50
Toluene	9050		50.0	10.0	ug/L			05/18/22 18:11	50
Xylene (total)	17100		50.0	20.0	ug/L			05/18/22 18:11	50

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-29

Lab Sample ID: 410-83593-17

Date Collected: 05/05/22 15:15

Matrix: Water

Date Received: 05/11/22 10:32

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		05/18/22 18:11	50
4-Bromofluorobenzene (Surr)	95		80 - 120		05/18/22 18:11	50
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 18:11	50
Toluene-d8 (Surr)	100		80 - 120		05/18/22 18:11	50

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	93500		5000	380	ug/L			05/16/22 21:52	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		05/16/22 21:52	20

Client Sample ID: TB-LB

Lab Sample ID: 410-83593-18

Date Collected: 05/05/22 00:00

Matrix: Water

Date Received: 05/11/22 10:32

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 10:35	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 10:35	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 10:35	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 10:35	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 10:35	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 10:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		05/18/22 10:35	1
4-Bromofluorobenzene (Surr)	92		80 - 120		05/18/22 10:35	1
Dibromofluoromethane (Surr)	94		80 - 120		05/18/22 10:35	1
Toluene-d8 (Surr)	99		80 - 120		05/18/22 10:35	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 13:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	103		50 - 150		05/16/22 13:21	1

Surrogate Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (80-120)	BFB (80-120)	DBFM (80-120)	TOL (80-120)
410-83593-1	MW-23	94	92	97	97
410-83593-2	MW-36	95	96	95	95
410-83593-3	MW-20	95	93	93	101
410-83593-4	MW-6	95	95	91	100
410-83593-5	MW-2	95	96	94	102
410-83593-6	MW-35	94	96	94	101
410-83593-6 - DL	MW-35	94	96	94	98
410-83593-7	MW-30	96	94	95	99
410-83593-7 - DL	MW-30	96	95	92	99
410-83593-8	MW-33	95	92	95	98
410-83593-8 - DL	MW-33	96	95	96	103
410-83593-9	MW-32	92	97	93	99
410-83593-9 - DL	MW-32	96	95	97	96
410-83593-10	MW-34	96	97	94	98
410-83593-11	MW-31	95	97	93	99
410-83593-11 - DL	MW-31	93	96	93	101
410-83593-12	Ecology Drum	95	94	95	98
410-83593-13	Purge Water	93	98	94	101
410-83593-13 - DL	Purge Water	95	97	95	93
410-83593-15	MW-37	94	98	92	102
410-83593-16	MW-38	97	97	94	99
410-83593-16 - DL	MW-38	95	96	95	101
410-83593-17	MW-29	90	96	92	102
410-83593-17 - DL	MW-29	95	95	94	100
410-83593-18	TB-LB	98	92	94	99
LCS 410-256436/4	Lab Control Sample	92	97	94	96
LCS 410-256436/5	Lab Control Sample Dup	98	97	97	102
MB 410-256436/7	Method Blank	90	94	95	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 DBFM = Dibromofluoromethane (Surr)
 TOL = Toluene-d8 (Surr)

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		TFT-F1 (50-150)
410-83593-1	MW-23	104
410-83593-2	MW-36	104
410-83593-3	MW-20	103
410-83593-4	MW-6	96
410-83593-5	MW-2	103
410-83593-6	MW-35	100
410-83593-7	MW-30	99
410-83593-8	MW-33	98
410-83593-9	MW-32	100

Surrogate Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TFT-F1 (50-150)
410-83593-10	MW-34	112
410-83593-11	MW-31	100
410-83593-12	Ecology Drum	102
410-83593-13	Purge Water	100
410-83593-15	MW-37	100
410-83593-16	MW-38	98
410-83593-17	MW-29	99
410-83593-18	TB-LB	103
LCS 410-255566/5	Lab Control Sample	94
LCS 410-256085/5	Lab Control Sample	93
LCSD 410-255566/6	Lab Control Sample Dup	94
LCSD 410-256085/6	Lab Control Sample Dup	95
MB 410-255566/4	Method Blank	103
MB 410-256085/4	Method Blank	102

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-256436/7

Matrix: Water

Analysis Batch: 256436

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			05/18/22 10:16	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			05/18/22 10:16	1
Benzene	<0.300		1.00	0.300	ug/L			05/18/22 10:16	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			05/18/22 10:16	1
Toluene	<0.200		1.00	0.200	ug/L			05/18/22 10:16	1
Xylene (total)	<0.400		1.00	0.400	ug/L			05/18/22 10:16	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	90		80 - 120		05/18/22 10:16	1
4-Bromofluorobenzene (Surr)	94		80 - 120		05/18/22 10:16	1
Dibromofluoromethane (Surr)	95		80 - 120		05/18/22 10:16	1
Toluene-d8 (Surr)	99		80 - 120		05/18/22 10:16	1

Lab Sample ID: LCS 410-256436/4

Matrix: Water

Analysis Batch: 256436

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Ethylene Dibromide	20.0	18.61		ug/L		93	77 - 120
Ethylene dichloride	20.0	18.75		ug/L		94	73 - 124
Benzene	20.0	18.40		ug/L		92	80 - 120
Ethylbenzene	20.0	18.98		ug/L		95	80 - 120
Toluene	20.0	17.62		ug/L		88	80 - 120
Xylene (total)	60.0	56.17		ug/L		94	80 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		80 - 120
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	94		80 - 120
Toluene-d8 (Surr)	96		80 - 120

Lab Sample ID: LCSD 410-256436/5

Matrix: Water

Analysis Batch: 256436

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Ethylene Dibromide	20.0	18.33		ug/L		92	77 - 120	2	30
Ethylene dichloride	20.0	18.10		ug/L		90	73 - 124	4	30
Benzene	20.0	18.72		ug/L		94	80 - 120	2	30
Ethylbenzene	20.0	19.26		ug/L		96	80 - 120	1	30
Toluene	20.0	18.36		ug/L		92	80 - 120	4	30
Xylene (total)	60.0	56.82		ug/L		95	80 - 120	1	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		80 - 120
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	97		80 - 120

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-256436/5
Matrix: Water
Analysis Batch: 256436

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCS D %Recovery	LCS D Qualifier	Limits
Toluene-d8 (Surr)	102		80 - 120

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-255566/4
Matrix: Water
Analysis Batch: 255566

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/16/22 12:04	1
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac			
a,a,a-Trifluorotoluene (fid) (1C)	103		50 - 150		05/16/22 12:04	1			

Lab Sample ID: LCS 410-255566/5
Matrix: Water
Analysis Batch: 255566

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	1100	1063		ug/L		97	64 - 131
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150				

Lab Sample ID: LCSD 410-255566/6
Matrix: Water
Analysis Batch: 255566

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	1100	1090		ug/L		99	64 - 131	3	30
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150						

Lab Sample ID: MB 410-256085/4
Matrix: Water
Analysis Batch: 256085

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<19.0		250	19.0	ug/L			05/17/22 13:18	1
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac			
a,a,a-Trifluorotoluene (fid) (1C)	102		50 - 150		05/17/22 13:18	1			

QC Sample Results

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: LCS 410-256085/5

Matrix: Water

Analysis Batch: 256085

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	1100	1017		ug/L		92	64 - 131
Surrogate	%Recovery	LCS Qualifier	Limits				
a,a,a-Trifluorotoluene (fid) (1C)	93		50 - 150				

Lab Sample ID: LCSD 410-256085/6

Matrix: Water

Analysis Batch: 256085

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	1100	1011		ug/L		92	64 - 131	1	30
Surrogate	%Recovery	LCSD Qualifier	Limits						
a,a,a-Trifluorotoluene (fid) (1C)	95		50 - 150						

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-83593-1

GC/MS VOA

Analysis Batch: 256436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-83593-1	MW-23	Total/NA	Water	8260D	
410-83593-2	MW-36	Total/NA	Water	8260D	
410-83593-3	MW-20	Total/NA	Water	8260D	
410-83593-4	MW-6	Total/NA	Water	8260D	
410-83593-5	MW-2	Total/NA	Water	8260D	
410-83593-6	MW-35	Total/NA	Water	8260D	
410-83593-6 - DL	MW-35	Total/NA	Water	8260D	
410-83593-7	MW-30	Total/NA	Water	8260D	
410-83593-7 - DL	MW-30	Total/NA	Water	8260D	
410-83593-8	MW-33	Total/NA	Water	8260D	
410-83593-8 - DL	MW-33	Total/NA	Water	8260D	
410-83593-9	MW-32	Total/NA	Water	8260D	
410-83593-9 - DL	MW-32	Total/NA	Water	8260D	
410-83593-10	MW-34	Total/NA	Water	8260D	
410-83593-11	MW-31	Total/NA	Water	8260D	
410-83593-11 - DL	MW-31	Total/NA	Water	8260D	
410-83593-12	Ecology Drum	Total/NA	Water	8260D	
410-83593-13	Purge Water	Total/NA	Water	8260D	
410-83593-13 - DL	Purge Water	Total/NA	Water	8260D	
410-83593-15	MW-37	Total/NA	Water	8260D	
410-83593-16	MW-38	Total/NA	Water	8260D	
410-83593-16 - DL	MW-38	Total/NA	Water	8260D	
410-83593-17	MW-29	Total/NA	Water	8260D	
410-83593-17 - DL	MW-29	Total/NA	Water	8260D	
410-83593-18	TB-LB	Total/NA	Water	8260D	
MB 410-256436/7	Method Blank	Total/NA	Water	8260D	
LCS 410-256436/4	Lab Control Sample	Total/NA	Water	8260D	
LCSD 410-256436/5	Lab Control Sample Dup	Total/NA	Water	8260D	

GC VOA

Analysis Batch: 255566

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-83593-1	MW-23	Total/NA	Water	NWTPH-Gx	
410-83593-2	MW-36	Total/NA	Water	NWTPH-Gx	
410-83593-3	MW-20	Total/NA	Water	NWTPH-Gx	
410-83593-4	MW-6	Total/NA	Water	NWTPH-Gx	
410-83593-5	MW-2	Total/NA	Water	NWTPH-Gx	
410-83593-6	MW-35	Total/NA	Water	NWTPH-Gx	
410-83593-7	MW-30	Total/NA	Water	NWTPH-Gx	
410-83593-8	MW-33	Total/NA	Water	NWTPH-Gx	
410-83593-9	MW-32	Total/NA	Water	NWTPH-Gx	
410-83593-10	MW-34	Total/NA	Water	NWTPH-Gx	
410-83593-12	Ecology Drum	Total/NA	Water	NWTPH-Gx	
410-83593-15	MW-37	Total/NA	Water	NWTPH-Gx	
410-83593-17	MW-29	Total/NA	Water	NWTPH-Gx	
410-83593-18	TB-LB	Total/NA	Water	NWTPH-Gx	
MB 410-255566/4	Method Blank	Total/NA	Water	NWTPH-Gx	
LCS 410-255566/5	Lab Control Sample	Total/NA	Water	NWTPH-Gx	
LCSD 410-255566/6	Lab Control Sample Dup	Total/NA	Water	NWTPH-Gx	

QC Association Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

GC VOA

Analysis Batch: 256085

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-83593-11	MW-31	Total/NA	Water	NWTPH-Gx	
410-83593-13	Purge Water	Total/NA	Water	NWTPH-Gx	
410-83593-16	MW-38	Total/NA	Water	NWTPH-Gx	
MB 410-256085/4	Method Blank	Total/NA	Water	NWTPH-Gx	
LCS 410-256085/5	Lab Control Sample	Total/NA	Water	NWTPH-Gx	
LCSD 410-256085/6	Lab Control Sample Dup	Total/NA	Water	NWTPH-Gx	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-23

Lab Sample ID: 410-83593-1

Date Collected: 05/05/22 07:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 11:14	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 13:46	JJT8	ELLE

Client Sample ID: MW-36

Lab Sample ID: 410-83593-2

Date Collected: 05/05/22 07:40

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 11:34	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 14:12	JJT8	ELLE

Client Sample ID: MW-20

Lab Sample ID: 410-83593-3

Date Collected: 05/05/22 08:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 11:54	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 14:37	JJT8	ELLE

Client Sample ID: MW-6

Lab Sample ID: 410-83593-4

Date Collected: 05/05/22 08:30

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 10:55	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 15:03	JJT8	ELLE

Client Sample ID: MW-2

Lab Sample ID: 410-83593-5

Date Collected: 05/05/22 08:50

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 12:13	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 15:28	JJT8	ELLE

Client Sample ID: MW-35

Lab Sample ID: 410-83593-6

Date Collected: 05/05/22 09:40

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 13:13	ULCP	ELLE
Total/NA	Analysis	8260D	DL	10	256436	05/18/22 13:33	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		10	255566	05/16/22 18:52	JJT8	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: MW-30

Lab Sample ID: 410-83593-7

Date Collected: 05/05/22 10:10

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 13:53	ULCP	ELLE
Total/NA	Analysis	8260D	DL	10	256436	05/18/22 14:13	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		5	255566	05/16/22 19:17	JJT8	ELLE

Client Sample ID: MW-33

Lab Sample ID: 410-83593-8

Date Collected: 05/05/22 10:50

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 14:33	ULCP	ELLE
Total/NA	Analysis	8260D	DL	10	256436	05/18/22 14:53	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		5	255566	05/16/22 19:43	JJT8	ELLE

Client Sample ID: MW-32

Lab Sample ID: 410-83593-9

Date Collected: 05/05/22 11:10

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		5	256436	05/18/22 15:13	ULCP	ELLE
Total/NA	Analysis	8260D	DL	50	256436	05/18/22 15:32	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		20	255566	05/16/22 20:08	JJT8	ELLE

Client Sample ID: MW-34

Lab Sample ID: 410-83593-10

Date Collected: 05/05/22 12:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 18:30	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 18:26	JJT8	ELLE

Client Sample ID: MW-31

Lab Sample ID: 410-83593-11

Date Collected: 05/05/22 12:30

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		2	256436	05/18/22 15:52	ULCP	ELLE
Total/NA	Analysis	8260D	DL	20	256436	05/18/22 16:12	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		25	256085	05/17/22 18:25	JJT8	ELLE

Client Sample ID: Ecology Drum

Lab Sample ID: 410-83593-12

Date Collected: 05/05/22 13:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 12:53	ULCP	ELLE

Eurofins Lancaster Laboratories Environment Testing, LLC

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Client Sample ID: Ecology Drum

Lab Sample ID: 410-83593-12

Date Collected: 05/05/22 13:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 15:53	JJT8	ELLE

Client Sample ID: Purge Water

Lab Sample ID: 410-83593-13

Date Collected: 05/05/22 13:10

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		2	256436	05/18/22 16:32	ULCP	ELLE
Total/NA	Analysis	8260D	DL	20	256436	05/18/22 16:52	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		20	256085	05/17/22 18:51	JJT8	ELLE

Client Sample ID: MW-37

Lab Sample ID: 410-83593-15

Date Collected: 05/05/22 14:15

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 18:50	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 16:18	JJT8	ELLE

Client Sample ID: MW-38

Lab Sample ID: 410-83593-16

Date Collected: 05/05/22 15:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		5	256436	05/18/22 17:11	ULCP	ELLE
Total/NA	Analysis	8260D	DL	50	256436	05/18/22 17:31	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		20	256085	05/17/22 19:43	JJT8	ELLE

Client Sample ID: MW-29

Lab Sample ID: 410-83593-17

Date Collected: 05/05/22 15:15

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		5	256436	05/18/22 17:51	ULCP	ELLE
Total/NA	Analysis	8260D	DL	50	256436	05/18/22 18:11	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		20	255566	05/16/22 21:52	JJT8	ELLE

Client Sample ID: TB-LB

Lab Sample ID: 410-83593-18

Date Collected: 05/05/22 00:00

Matrix: Water

Date Received: 05/11/22 10:32

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	256436	05/18/22 10:35	ULCP	ELLE
Total/NA	Analysis	NWTPH-Gx		1	255566	05/16/22 13:21	JJT8	ELLE

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Accreditation/Certification Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Washington	State	C457	04-11-23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
NWTPH-Gx	Northwest - Volatile Petroleum Products (GC)	NWTPH	ELLE
5030C	Purge and Trap	SW846	ELLE

Protocol References:

NWTPH = Northwest Total Petroleum Hydrocarbon

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-83593-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-83593-1	MW-23	Water	05/05/22 07:00	05/11/22 10:32
410-83593-2	MW-36	Water	05/05/22 07:40	05/11/22 10:32
410-83593-3	MW-20	Water	05/05/22 08:00	05/11/22 10:32
410-83593-4	MW-6	Water	05/05/22 08:30	05/11/22 10:32
410-83593-5	MW-2	Water	05/05/22 08:50	05/11/22 10:32
410-83593-6	MW-35	Water	05/05/22 09:40	05/11/22 10:32
410-83593-7	MW-30	Water	05/05/22 10:10	05/11/22 10:32
410-83593-8	MW-33	Water	05/05/22 10:50	05/11/22 10:32
410-83593-9	MW-32	Water	05/05/22 11:10	05/11/22 10:32
410-83593-10	MW-34	Water	05/05/22 12:00	05/11/22 10:32
410-83593-11	MW-31	Water	05/05/22 12:30	05/11/22 10:32
410-83593-12	Ecology Drum	Water	05/05/22 13:00	05/11/22 10:32
410-83593-13	Purge Water	Water	05/05/22 13:10	05/11/22 10:32
410-83593-15	MW-37	Water	05/05/22 14:15	05/11/22 10:32
410-83593-16	MW-38	Water	05/05/22 15:00	05/11/22 10:32
410-83593-17	MW-29	Water	05/05/22 15:15	05/11/22 10:32
410-83593-18	TB-LB	Water	05/05/22 00:00	05/11/22 10:32

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Lancaster Laboratories Environme

2425 New Holland Pike
Lancaster, PA 17601
Phone: 717-656-2300 Fax: 717-656-2681

Chain of Custody Record



410-83593 Chain of Custody

eurofins Environment Testing America

Client Information		Sampler:	Lab PM:		QC No:		
Client Contact: Don Wyll		Phone:	Williams, Marrisca C		10-55575-15720 2		
Company: Leidos Engineering, LLC		PWSID:	E-Mail: Marrisca.Williams@et.eurofinsus.com		Page: Page 2 of 2		
Address: 11824 North Creek Parkway N Suite 101		Analysis Requested			Job #:		
City: Bothell		Due Date Requested:	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) NWTPH_Dx - NWTPH-Dx 8260D - BTEX, EDB, EDC NWTPH_Gx - NWTPH - Gasoline Range Organics			Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)	
State, Zip: WA, 98011		TAT Requested (days):					
Phone: 425-482-3315(Tel)		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No					
Email: don.e.wyll@leidos.com		PO #: Purchase Order not required					
Project Name: Tiki Car Wash		WO #:					
Site:		Project #: 41010568	Total Number of containers			Other:	
SSOW#:							
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Special Instructions/Note:	
				Preservation Code:			
MW-23		5.5.22	0700	G	Water	X	
MW-36		5.5.22	0740	G	Water	X	
MW-20		5.5.22	0800	G	Water	X	
MW-6		5.5.22	0830	G	Water	X	
MW-2		5.5.22	0850	G	Water	X	
MW-35		5.5.22	0940	G	Water	X	
MW-30		5.5.22	1010	G	Water	X	
MW-33		5.5.22	1050	G	Water	X	
MW-32		5.5.22	1110	G	Water	X	
MW-34		5.5.22	1200	G	Water	X	
MW-31		5.5.22	1230	G	Water	X	
Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological				<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:			
Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:			
Relinquished by: <i>[Signature]</i>		Date/Time: 5.6.22/0800	Company:	Received by: <i>[Signature]</i>		Date/Time: 5/11/22 10:32	Company: ECE
Relinquished by:		Date/Time:	Company:	Received by:		Date/Time:	Company:
Relinquished by:		Date/Time:	Company:	Received by:		Date/Time:	Company:
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: <i>not present</i>		Cooler Temperature(s) °C and Other Remarks: 2.2°C			

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Login Sample Receipt Checklist

Client: Leidos Engineering, LLC

Job Number: 410-83593-1

Login Number: 83593

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Renner, Melissa

Question	Answer	Comment
The cooler's custody seal is intact.	N/A	Not present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	False	Refer to Job Narrative for details.
Sample custody seals are intact.	True	





ANALYTICAL REPORT

PREPARED FOR

Attn: Don Wyll
Leidos Engineering, LLC
11824 North Creek Parkway N
Suite 101
Bothell Washington 98011

Generated 11/22/2022 9:40:37 AM

JOB DESCRIPTION

Tiki Car Wash

JOB NUMBER

410-104315-1




Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	13
QC Sample Results	15
QC Association Summary	20
Lab Chronicle	23
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31
Appendix	32

Definitions/Glossary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
H	Sample was prepped or analyzed beyond the specified holding time

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Job ID: 410-104315-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

Job Narrative 410-104315-1

Receipt

The samples were received on 11/3/2022 10:15 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.3°C

GC/MS VOA

Method 8260D: Client Label Added MW-39-5 (410-104315-1), MW-39-10 (410-104315-2), MW-39-15 (410-104315-3) and MW-41-10 (410-104315-5)

Method 8260D: Internal standard (ISTD) response for t-Butyl alcohol-d10 for the following sample in analytical batch 410-318817 was outside acceptance criteria: MW-41-10 (410-104315-5). This ISTD does not correspond to any of the requested target compounds reported from this analytical batch; therefore, the data have been reported.

Method 8260D: The following sample(s) was analyzed outside of analytical holding time. The sample was released for analysis after the holding time had already expired due to lab error: MW-41-10 (410-104315-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

Method NWTPH_Gx: Client Label Added MW-39-5 (410-104315-1), MW-39-10 (410-104315-2) and MW-39-15 (410-104315-3)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-5

Lab Sample ID: 410-104315-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	7.23		4.96	0.228	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-39-10

Lab Sample ID: 410-104315-2

No Detections.

Client Sample ID: MW-39-15

Lab Sample ID: 410-104315-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	9.66		4.48	0.206	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-41-5

Lab Sample ID: 410-104315-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	0.520	J	5.28	0.243	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-41-10

Lab Sample ID: 410-104315-5

No Detections.

Client Sample ID: MW-41-14.5

Lab Sample ID: 410-104315-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	3.32	J	5.08	0.234	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-40-5

Lab Sample ID: 410-104315-7

No Detections.

Client Sample ID: MW-40-10

Lab Sample ID: 410-104315-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	0.450	J	5.35	0.246	mg/Kg	25	✳	NWTPH-Gx	Total/NA

Client Sample ID: MW-40-13

Lab Sample ID: 410-104315-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C7-C12 (1C)	12.0		6.08	0.280	mg/Kg	25	✳	NWTPH-Gx	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-5

Lab Sample ID: 410-104315-1

Date Collected: 11/01/22 08:15

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 88.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.442		4.42	0.442	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1
Ethylbenzene	<0.353		4.42	0.353	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1
Ethylene Dibromide	<0.353		4.42	0.353	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1
Ethylene dichloride	<0.530		4.42	0.530	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1
Toluene	<0.530		4.42	0.530	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1
Xylene (total)	<1.24		8.83	1.24	ug/Kg	☼	11/06/22 21:31	11/08/22 06:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		54 - 135	11/06/22 21:31	11/08/22 06:10	1
4-Bromofluorobenzene (Surr)	99		50 - 131	11/06/22 21:31	11/08/22 06:10	1
Dibromofluoromethane (Surr)	100		50 - 141	11/06/22 21:31	11/08/22 06:10	1
Toluene-d8 (Surr)	102		52 - 141	11/06/22 21:31	11/08/22 06:10	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	7.23		4.96	0.228	mg/Kg	☼	11/06/22 22:15	11/08/22 15:53	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	127		50 - 150	11/06/22 22:15	11/08/22 15:53	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.48		11.2	4.48	mg/Kg	☼	11/09/22 08:17	11/09/22 20:25	1
C24-C40	<11.2		33.6	11.2	mg/Kg	☼	11/09/22 08:17	11/09/22 20:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	99		50 - 150	11/09/22 08:17	11/09/22 20:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	11.6		1.0	1.0	%			11/05/22 19:11	1

Client Sample ID: MW-39-10

Lab Sample ID: 410-104315-2

Date Collected: 11/01/22 08:30

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 91.1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.474		4.74	0.474	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1
Ethylbenzene	<0.379		4.74	0.379	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1
Ethylene Dibromide	<0.379		4.74	0.379	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1
Ethylene dichloride	<0.569		4.74	0.569	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1
Toluene	<0.569		4.74	0.569	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1
Xylene (total)	<1.33		9.48	1.33	ug/Kg	☼	11/06/22 21:31	11/08/22 04:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		54 - 135	11/06/22 21:31	11/08/22 04:16	1
4-Bromofluorobenzene (Surr)	101		50 - 131	11/06/22 21:31	11/08/22 04:16	1
Dibromofluoromethane (Surr)	102		50 - 141	11/06/22 21:31	11/08/22 04:16	1
Toluene-d8 (Surr)	102		52 - 141	11/06/22 21:31	11/08/22 04:16	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-10

Lab Sample ID: 410-104315-2

Date Collected: 11/01/22 08:30

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 91.1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.203		4.42	0.203	mg/Kg	☼	11/06/22 22:15	11/08/22 16:29	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	115		50 - 150				11/06/22 22:15	11/08/22 16:29	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.32		10.8	4.32	mg/Kg	☼	11/09/22 08:17	11/09/22 17:27	1
C24-C40	<10.8		32.4	10.8	mg/Kg	☼	11/09/22 08:17	11/09/22 17:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	96		50 - 150				11/09/22 08:17	11/09/22 17:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	8.9		1.0	1.0	%			11/04/22 11:35	1

Client Sample ID: MW-39-15

Lab Sample ID: 410-104315-3

Date Collected: 11/01/22 08:40

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.9

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.437		4.37	0.437	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Ethylbenzene	<0.349		4.37	0.349	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Ethylene Dibromide	<0.349		4.37	0.349	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Ethylene dichloride	<0.524		4.37	0.524	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Toluene	<0.524		4.37	0.524	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Xylene (total)	<1.22		8.73	1.22	ug/Kg	☼	11/06/22 21:31	11/08/22 06:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		54 - 135				11/06/22 21:31	11/08/22 06:33	1
4-Bromofluorobenzene (Surr)	99		50 - 131				11/06/22 21:31	11/08/22 06:33	1
Dibromofluoromethane (Surr)	99		50 - 141				11/06/22 21:31	11/08/22 06:33	1
Toluene-d8 (Surr)	103		52 - 141				11/06/22 21:31	11/08/22 06:33	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	9.66		4.48	0.206	mg/Kg	☼	11/06/22 22:15	11/08/22 17:06	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	124		50 - 150				11/06/22 22:15	11/08/22 17:06	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.36		10.9	4.36	mg/Kg	☼	11/09/22 08:17	11/09/22 17:47	1
C24-C40	<10.9		32.7	10.9	mg/Kg	☼	11/09/22 08:17	11/09/22 17:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	102		50 - 150				11/09/22 08:17	11/09/22 17:47	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-15

Date Collected: 11/01/22 08:40

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-3

Matrix: Solid

Percent Solids: 90.9

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.1		1.0	1.0	%			11/05/22 19:11	1

Client Sample ID: MW-41-5

Date Collected: 11/01/22 11:30

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-4

Matrix: Solid

Percent Solids: 89.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.464		4.64	0.464	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1
Ethylbenzene	<0.371		4.64	0.371	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1
Ethylene Dibromide	<0.371		4.64	0.371	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1
Ethylene dichloride	<0.557		4.64	0.557	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1
Toluene	<0.557		4.64	0.557	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1
Xylene (total)	<1.30		9.29	1.30	ug/Kg	✱	11/06/22 21:31	11/08/22 04:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		54 - 135	11/06/22 21:31	11/08/22 04:39	1
4-Bromofluorobenzene (Surr)	101		50 - 131	11/06/22 21:31	11/08/22 04:39	1
Dibromofluoromethane (Surr)	100		50 - 141	11/06/22 21:31	11/08/22 04:39	1
Toluene-d8 (Surr)	103		52 - 141	11/06/22 21:31	11/08/22 04:39	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.520	J	5.28	0.243	mg/Kg	✱	11/06/22 22:15	11/08/22 17:42	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	122		50 - 150	11/06/22 22:15	11/08/22 17:42	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.46		11.1	4.46	mg/Kg	✱	11/09/22 08:17	11/09/22 18:06	1
C24-C40	<11.1		33.4	11.1	mg/Kg	✱	11/09/22 08:17	11/09/22 18:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	100		50 - 150	11/09/22 08:17	11/09/22 18:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10.8		1.0	1.0	%			11/05/22 19:11	1

Client Sample ID: MW-41-10

Date Collected: 11/01/22 11:40

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-5

Matrix: Solid

Percent Solids: 90.6

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.446	H cn	4.46	0.446	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1
Ethylbenzene	<0.357	H cn	4.46	0.357	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1
Ethylene Dibromide	<0.357	H cn	4.46	0.357	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1
Ethylene dichloride	<0.535	H cn	4.46	0.535	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1
Toluene	<0.535	H cn	4.46	0.535	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1
Xylene (total)	<1.25	H cn	8.92	1.25	ug/Kg	✱	11/06/22 21:31	11/18/22 00:11	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-41-10

Lab Sample ID: 410-104315-5

Date Collected: 11/01/22 11:40

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.6

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109	cn	54 - 135	11/06/22 21:31	11/18/22 00:11	1
4-Bromofluorobenzene (Surr)	96	cn	50 - 131	11/06/22 21:31	11/18/22 00:11	1
Dibromofluoromethane (Surr)	104	cn	50 - 141	11/06/22 21:31	11/18/22 00:11	1
Toluene-d8 (Surr)	97	cn	52 - 141	11/06/22 21:31	11/18/22 00:11	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.276		6.00	0.276	mg/Kg	☼	11/07/22 18:39	11/09/22 21:00	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150	11/07/22 18:39	11/09/22 21:00	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.39		11.0	4.39	mg/Kg	☼	11/09/22 08:17	11/09/22 18:26	1
C24-C40	<11.0		32.9	11.0	mg/Kg	☼	11/09/22 08:17	11/09/22 18:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	97		50 - 150	11/09/22 08:17	11/09/22 18:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.4		1.0	1.0	%			11/05/22 19:11	1

Client Sample ID: MW-41-14.5

Lab Sample ID: 410-104315-6

Date Collected: 11/01/22 11:50

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 91.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.471		4.71	0.471	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1
Ethylbenzene	<0.377		4.71	0.377	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1
Ethylene Dibromide	<0.377		4.71	0.377	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1
Ethylene dichloride	<0.565		4.71	0.565	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1
Toluene	<0.565		4.71	0.565	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1
Xylene (total)	<1.32		9.42	1.32	ug/Kg	☼	11/06/22 21:31	11/09/22 13:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		54 - 135	11/06/22 21:31	11/09/22 13:27	1
4-Bromofluorobenzene (Surr)	100		50 - 131	11/06/22 21:31	11/09/22 13:27	1
Dibromofluoromethane (Surr)	102		50 - 141	11/06/22 21:31	11/09/22 13:27	1
Toluene-d8 (Surr)	102		52 - 141	11/06/22 21:31	11/09/22 13:27	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	3.32	J	5.08	0.234	mg/Kg	☼	11/06/22 22:15	11/08/22 18:25	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	122		50 - 150	11/06/22 22:15	11/08/22 18:25	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.36		10.9	4.36	mg/Kg	☼	11/09/22 08:17	11/09/22 18:46	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-41-14.5

Lab Sample ID: 410-104315-6

Date Collected: 11/01/22 11:50

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 91.0

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C24-C40	<10.9		32.7	10.9	mg/Kg	☼	11/09/22 08:17	11/09/22 18:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o-terphenyl (Surr)</i>	96		50 - 150				11/09/22 08:17	11/09/22 18:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.0		1.0	1.0	%			11/05/22 19:11	1

Client Sample ID: MW-40-5

Lab Sample ID: 410-104315-7

Date Collected: 11/02/22 08:40

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 95.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.382		3.82	0.382	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Ethylbenzene	<0.306		3.82	0.306	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Ethylene Dibromide	<0.306		3.82	0.306	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Ethylene dichloride	<0.458		3.82	0.458	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Toluene	<0.458		3.82	0.458	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Xylene (total)	<1.07		7.64	1.07	ug/Kg	☼	11/06/22 21:31	11/08/22 05:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>1,2-Dichloroethane-d4 (Surr)</i>	107		54 - 135				11/06/22 21:31	11/08/22 05:25	1
<i>4-Bromofluorobenzene (Surr)</i>	99		50 - 131				11/06/22 21:31	11/08/22 05:25	1
<i>Dibromofluoromethane (Surr)</i>	100		50 - 141				11/06/22 21:31	11/08/22 05:25	1
<i>Toluene-d8 (Surr)</i>	103		52 - 141				11/06/22 21:31	11/08/22 05:25	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.228		4.95	0.228	mg/Kg	☼	11/06/22 22:15	11/08/22 19:01	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>a,a,a-Trifluorotoluene (fid) (1C)</i>	106		50 - 150				11/06/22 22:15	11/08/22 19:01	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.16		10.4	4.16	mg/Kg	☼	11/09/22 08:17	11/09/22 19:06	1
C24-C40	<10.4		31.2	10.4	mg/Kg	☼	11/09/22 08:17	11/09/22 19:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o-terphenyl (Surr)</i>	96		50 - 150				11/09/22 08:17	11/09/22 19:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	4.6		1.0	1.0	%			11/04/22 11:35	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-40-10

Lab Sample ID: 410-104315-8

Date Collected: 11/02/22 09:00

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 87.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.399		3.99	0.399	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1
Ethylbenzene	<0.319		3.99	0.319	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1
Ethylene Dibromide	<0.319		3.99	0.319	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1
Ethylene dichloride	<0.478		3.99	0.478	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1
Toluene	<0.478		3.99	0.478	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1
Xylene (total)	<1.12		7.97	1.12	ug/Kg	☼	11/06/22 21:31	11/08/22 05:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		54 - 135	11/06/22 21:31	11/08/22 05:47	1
4-Bromofluorobenzene (Surr)	98		50 - 131	11/06/22 21:31	11/08/22 05:47	1
Dibromofluoromethane (Surr)	100		50 - 141	11/06/22 21:31	11/08/22 05:47	1
Toluene-d8 (Surr)	102		52 - 141	11/06/22 21:31	11/08/22 05:47	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	0.450	J	5.35	0.246	mg/Kg	☼	11/06/22 22:15	11/08/22 19:38	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	103		50 - 150	11/06/22 22:15	11/08/22 19:38	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.54		11.3	4.54	mg/Kg	☼	11/09/22 08:17	11/09/22 19:45	1
C24-C40	<11.3		34.0	11.3	mg/Kg	☼	11/09/22 08:17	11/09/22 19:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	96		50 - 150	11/09/22 08:17	11/09/22 19:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	12.3		1.0	1.0	%			11/04/22 11:35	1

Client Sample ID: MW-40-13

Lab Sample ID: 410-104315-9

Date Collected: 11/02/22 09:20

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.392		3.92	0.392	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1
Ethylbenzene	<0.313		3.92	0.313	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1
Ethylene Dibromide	<0.313		3.92	0.313	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1
Ethylene dichloride	<0.470		3.92	0.470	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1
Toluene	<0.470		3.92	0.470	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1
Xylene (total)	<1.10		7.84	1.10	ug/Kg	☼	11/06/22 21:32	11/09/22 13:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		54 - 135	11/06/22 21:32	11/09/22 13:49	1
4-Bromofluorobenzene (Surr)	100		50 - 131	11/06/22 21:32	11/09/22 13:49	1
Dibromofluoromethane (Surr)	100		50 - 141	11/06/22 21:32	11/09/22 13:49	1
Toluene-d8 (Surr)	103		52 - 141	11/06/22 21:32	11/09/22 13:49	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-40-13

Lab Sample ID: 410-104315-9

Date Collected: 11/02/22 09:20

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	12.0		6.08	0.280	mg/Kg	☼	11/06/22 22:15	11/08/22 20:14	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150	11/06/22 22:15	11/08/22 20:14	25

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.41		11.0	4.41	mg/Kg	☼	11/09/22 08:17	11/09/22 20:05	1
C24-C40	<11.0		33.0	11.0	mg/Kg	☼	11/09/22 08:17	11/09/22 20:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	88		50 - 150	11/09/22 08:17	11/09/22 20:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.9		1.0	1.0	%			11/04/22 11:35	1

Surrogate Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (54-135)	BFB (50-131)	DBFM (50-141)	TOL (52-141)
410-104315-1	MW-39-5	107	99	100	102
410-104315-2	MW-39-10	108	101	102	102
410-104315-3	MW-39-15	107	99	99	103
410-104315-4	MW-41-5	103	101	100	103
410-104315-5	MW-41-10	109 cn	96 cn	104 cn	97 cn
410-104315-6	MW-41-14.5	108	100	102	102
410-104315-7	MW-40-5	107	99	100	103
410-104315-8	MW-40-10	104	98	100	102
410-104315-9	MW-40-13	106	100	100	103
LCS 410-314959/4	Lab Control Sample	103	104	99	104
LCS 410-315593/4	Lab Control Sample	99	103	100	105
LCS 410-318817/4	Lab Control Sample	101	98	104	101
LCSD 410-314959/5	Lab Control Sample Dup	104 cn	103 cn	100 cn	102 cn
LCSD 410-315593/5	Lab Control Sample Dup	101	103	99	105
LCSD 410-318817/5	Lab Control Sample Dup	104	98	104	101
MB 410-314959/7	Method Blank	98	100	97	103
MB 410-315593/7	Method Blank	103	102	101	104
MB 410-318817/7	Method Blank	104	94	104	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 DBFM = Dibromofluoromethane (Surr)
 TOL = Toluene-d8 (Surr)

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		TFT-F1 (50-150)
410-104315-1	MW-39-5	127
410-104315-2	MW-39-10	115
410-104315-3	MW-39-15	124
410-104315-4	MW-41-5	122
410-104315-5	MW-41-10	99
410-104315-6	MW-41-14.5	122
410-104315-7	MW-40-5	106
410-104315-8	MW-40-10	103
410-104315-9	MW-40-13	99
LCS 410-315227/6	Lab Control Sample	94
LCS 410-315620/8	Lab Control Sample	84
LCSD 410-315227/7	Lab Control Sample Dup	94
LCSD 410-315620/9	Lab Control Sample Dup	84
MB 410-315227/5	Method Blank	94
MB 410-315620/5	Method Blank	93

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

Surrogate Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTP (50-150)
410-104315-1	MW-39-5	99
410-104315-2	MW-39-10	96
410-104315-3	MW-39-15	102
410-104315-4	MW-41-5	100
410-104315-5	MW-41-10	97
410-104315-6	MW-41-14.5	96
410-104315-7	MW-40-5	96
410-104315-8	MW-40-10	96
410-104315-9	MW-40-13	88
LCS 410-315509/2-A	Lab Control Sample	106
MB 410-315509/1-A	Method Blank	103

Surrogate Legend

OTP = o- terphenyl (Surr)

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-314959/7
Matrix: Solid
Analysis Batch: 314959

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.500		5.00	0.500	ug/Kg			11/08/22 00:06	1
Ethylbenzene	<0.400		5.00	0.400	ug/Kg			11/08/22 00:06	1
Ethylene Dibromide	<0.400		5.00	0.400	ug/Kg			11/08/22 00:06	1
Ethylene dichloride	<0.600		5.00	0.600	ug/Kg			11/08/22 00:06	1
Toluene	<0.600		5.00	0.600	ug/Kg			11/08/22 00:06	1
Xylene (total)	<1.40		10.0	1.40	ug/Kg			11/08/22 00:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		54 - 135		11/08/22 00:06	1
4-Bromofluorobenzene (Surr)	100		50 - 131		11/08/22 00:06	1
Dibromofluoromethane (Surr)	97		50 - 141		11/08/22 00:06	1
Toluene-d8 (Surr)	103		52 - 141		11/08/22 00:06	1

Lab Sample ID: LCS 410-314959/4
Matrix: Solid
Analysis Batch: 314959

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	18.57		ug/Kg		93	80 - 120
Ethylbenzene	20.0	19.47		ug/Kg		97	78 - 120
Ethylene Dibromide	20.0	20.52		ug/Kg		103	76 - 120
Ethylene dichloride	20.0	20.30		ug/Kg		102	71 - 128
Toluene	20.0	17.94		ug/Kg		90	80 - 120
Xylene (total)	60.0	55.06		ug/Kg		92	75 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		54 - 135
4-Bromofluorobenzene (Surr)	104		50 - 131
Dibromofluoromethane (Surr)	99		50 - 141
Toluene-d8 (Surr)	104		52 - 141

Lab Sample ID: LCSD 410-314959/5
Matrix: Solid
Analysis Batch: 314959

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	20.0	18.13	cn	ug/Kg		91	80 - 120	2	30
Ethylbenzene	20.0	18.71	cn	ug/Kg		94	78 - 120	4	30
Ethylene Dibromide	20.0	20.61	cn	ug/Kg		103	76 - 120	0	30
Ethylene dichloride	20.0	20.40	cn	ug/Kg		102	71 - 128	0	30
Toluene	20.0	17.83	cn	ug/Kg		89	80 - 120	1	30
Xylene (total)	60.0	53.83	cn	ug/Kg		90	75 - 120	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104	cn	54 - 135
4-Bromofluorobenzene (Surr)	103	cn	50 - 131
Dibromofluoromethane (Surr)	100	cn	50 - 141

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-314959/5
Matrix: Solid
Analysis Batch: 314959

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	102	cn	52 - 141

Lab Sample ID: MB 410-315593/7
Matrix: Solid
Analysis Batch: 315593

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.500		5.00	0.500	ug/Kg			11/09/22 11:58	1
Ethylbenzene	<0.400		5.00	0.400	ug/Kg			11/09/22 11:58	1
Ethylene Dibromide	<0.400		5.00	0.400	ug/Kg			11/09/22 11:58	1
Ethylene dichloride	<0.600		5.00	0.600	ug/Kg			11/09/22 11:58	1
Toluene	<0.600		5.00	0.600	ug/Kg			11/09/22 11:58	1
Xylene (total)	<1.40		10.0	1.40	ug/Kg			11/09/22 11:58	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		54 - 135		11/09/22 11:58	1
4-Bromofluorobenzene (Surr)	102		50 - 131		11/09/22 11:58	1
Dibromofluoromethane (Surr)	101		50 - 141		11/09/22 11:58	1
Toluene-d8 (Surr)	104		52 - 141		11/09/22 11:58	1

Lab Sample ID: LCS 410-315593/4
Matrix: Solid
Analysis Batch: 315593

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Benzene	20.0	19.42		ug/Kg		97	80 - 120
Ethylbenzene	20.0	19.26		ug/Kg		96	78 - 120
Ethylene Dibromide	20.0	20.00		ug/Kg		100	76 - 120
Ethylene dichloride	20.0	20.30		ug/Kg		101	71 - 128
Toluene	20.0	18.40		ug/Kg		92	80 - 120
Xylene (total)	60.0	56.08		ug/Kg		93	75 - 120

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		54 - 135
4-Bromofluorobenzene (Surr)	103		50 - 131
Dibromofluoromethane (Surr)	100		50 - 141
Toluene-d8 (Surr)	105		52 - 141

Lab Sample ID: LCSD 410-315593/5
Matrix: Solid
Analysis Batch: 315593

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Benzene	20.0	18.00		ug/Kg		90	80 - 120	8	30
Ethylbenzene	20.0	18.37		ug/Kg		92	78 - 120	5	30
Ethylene Dibromide	20.0	19.01		ug/Kg		95	76 - 120	5	30
Ethylene dichloride	20.0	19.18		ug/Kg		96	71 - 128	6	30
Toluene	20.0	17.39		ug/Kg		87	80 - 120	6	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-315593/5
Matrix: Solid
Analysis Batch: 315593

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Xylene (total)	60.0	53.34		ug/Kg		89	75 - 120	5	30
Surrogate									
	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	101		54 - 135						
4-Bromofluorobenzene (Surr)	103		50 - 131						
Dibromofluoromethane (Surr)	99		50 - 141						
Toluene-d8 (Surr)	105		52 - 141						

Lab Sample ID: MB 410-318817/7
Matrix: Solid
Analysis Batch: 318817

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.500		5.00	0.500	ug/Kg			11/17/22 23:23	1
Ethylbenzene	<0.400		5.00	0.400	ug/Kg			11/17/22 23:23	1
Ethylene Dibromide	<0.400		5.00	0.400	ug/Kg			11/17/22 23:23	1
Ethylene dichloride	<0.600		5.00	0.600	ug/Kg			11/17/22 23:23	1
Toluene	<0.600		5.00	0.600	ug/Kg			11/17/22 23:23	1
Xylene (total)	<1.40		10.0	1.40	ug/Kg			11/17/22 23:23	1
Surrogate									
	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	104		54 - 135		11/17/22 23:23	1			
4-Bromofluorobenzene (Surr)	94		50 - 131		11/17/22 23:23	1			
Dibromofluoromethane (Surr)	104		50 - 141		11/17/22 23:23	1			
Toluene-d8 (Surr)	99		52 - 141		11/17/22 23:23	1			

Lab Sample ID: LCS 410-318817/4
Matrix: Solid
Analysis Batch: 318817

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Benzene	20.0	17.80		ug/Kg		89	80 - 120		
Ethylbenzene	20.0	18.08		ug/Kg		90	78 - 120		
Ethylene Dibromide	20.0	19.28		ug/Kg		96	76 - 120		
Ethylene dichloride	20.0	19.39		ug/Kg		97	71 - 128		
Toluene	20.0	17.36		ug/Kg		87	80 - 120		
Xylene (total)	60.0	54.12		ug/Kg		90	75 - 120		
Surrogate									
	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	101		54 - 135						
4-Bromofluorobenzene (Surr)	98		50 - 131						
Dibromofluoromethane (Surr)	104		50 - 141						
Toluene-d8 (Surr)	101		52 - 141						

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-318817/5
Matrix: Solid
Analysis Batch: 318817

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	20.0	17.27		ug/Kg		86	80 - 120	3	30
Ethylbenzene	20.0	17.60		ug/Kg		88	78 - 120	3	30
Ethylene Dibromide	20.0	19.46		ug/Kg		97	76 - 120	1	30
Ethylene dichloride	20.0	19.37		ug/Kg		97	71 - 128	0	30
Toluene	20.0	16.88		ug/Kg		84	80 - 120	3	30
Xylene (total)	60.0	52.91		ug/Kg		88	75 - 120	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		54 - 135
4-Bromofluorobenzene (Surr)	98		50 - 131
Dibromofluoromethane (Surr)	104		50 - 141
Toluene-d8 (Surr)	101		52 - 141

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-315227/5
Matrix: Solid
Analysis Batch: 315227

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.230		5.00	0.230	mg/Kg			11/08/22 13:58	25

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150		11/08/22 13:58	25

Lab Sample ID: LCS 410-315227/6
Matrix: Solid
Analysis Batch: 315227

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	11.0	10.36		mg/Kg		94	55 - 145

Surrogate	LCS %Recovery	LCS Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150

Lab Sample ID: LCSD 410-315227/7
Matrix: Solid
Analysis Batch: 315227

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	11.0	10.66		mg/Kg		97	55 - 145	3	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	94		50 - 150

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: MB 410-315620/5
Matrix: Solid
Analysis Batch: 315620

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<0.230		5.00	0.230	mg/Kg			11/09/22 13:29	25
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	93		50 - 150					11/09/22 13:29	25

Lab Sample ID: LCS 410-315620/8
Matrix: Solid
Analysis Batch: 315620

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	0.440	0.4000		mg/Kg		91	55 - 145
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
a,a,a-Trifluorotoluene (fid) (1C)	84		50 - 150				

Lab Sample ID: LCSD 410-315620/9
Matrix: Solid
Analysis Batch: 315620

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	0.440	0.4027		mg/Kg		92	55 - 145	1	30
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
a,a,a-Trifluorotoluene (fid) (1C)	84		50 - 150						

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-315509/1-A
Matrix: Solid
Analysis Batch: 315764

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 315509

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<4.00		10.0	4.00	mg/Kg		11/09/22 08:17	11/09/22 16:27	1
C24-C40	<10.0		30.0	10.0	mg/Kg		11/09/22 08:17	11/09/22 16:27	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o- terphenyl (Surr)	103		50 - 150				11/09/22 08:17	11/09/22 16:27	1

Lab Sample ID: LCS 410-315509/2-A
Matrix: Solid
Analysis Batch: 315764

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 315509

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C12-C24	133	103.4		mg/Kg		78	74 - 115
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
o- terphenyl (Surr)	106		50 - 150				

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Association Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

GC/MS VOA

Prep Batch: 314436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	5035	
410-104315-2	MW-39-10	Total/NA	Solid	5035	
410-104315-3	MW-39-15	Total/NA	Solid	5035	
410-104315-4	MW-41-5	Total/NA	Solid	5035	
410-104315-5	MW-41-10	Total/NA	Solid	5035	
410-104315-6	MW-41-14.5	Total/NA	Solid	5035	
410-104315-7	MW-40-5	Total/NA	Solid	5035	
410-104315-8	MW-40-10	Total/NA	Solid	5035	
410-104315-9	MW-40-13	Total/NA	Solid	5035	

Analysis Batch: 314959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	8260D	314436
410-104315-2	MW-39-10	Total/NA	Solid	8260D	314436
410-104315-3	MW-39-15	Total/NA	Solid	8260D	314436
410-104315-4	MW-41-5	Total/NA	Solid	8260D	314436
410-104315-7	MW-40-5	Total/NA	Solid	8260D	314436
410-104315-8	MW-40-10	Total/NA	Solid	8260D	314436
MB 410-314959/7	Method Blank	Total/NA	Solid	8260D	
LCS 410-314959/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-314959/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 315593

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-6	MW-41-14.5	Total/NA	Solid	8260D	314436
410-104315-9	MW-40-13	Total/NA	Solid	8260D	314436
MB 410-315593/7	Method Blank	Total/NA	Solid	8260D	
LCS 410-315593/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-315593/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 318817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-5	MW-41-10	Total/NA	Solid	8260D	314436
MB 410-318817/7	Method Blank	Total/NA	Solid	8260D	
LCS 410-318817/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 410-318817/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC VOA

Prep Batch: 314444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	5035	
410-104315-2	MW-39-10	Total/NA	Solid	5035	
410-104315-3	MW-39-15	Total/NA	Solid	5035	
410-104315-4	MW-41-5	Total/NA	Solid	5035	
410-104315-6	MW-41-14.5	Total/NA	Solid	5035	
410-104315-7	MW-40-5	Total/NA	Solid	5035	
410-104315-8	MW-40-10	Total/NA	Solid	5035	
410-104315-9	MW-40-13	Total/NA	Solid	5035	

QC Association Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

GC VOA

Prep Batch: 314920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-5	MW-41-10	Total/NA	Solid	5030C	

Analysis Batch: 315227

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	NWTPH-Gx	314444
410-104315-2	MW-39-10	Total/NA	Solid	NWTPH-Gx	314444
410-104315-3	MW-39-15	Total/NA	Solid	NWTPH-Gx	314444
410-104315-4	MW-41-5	Total/NA	Solid	NWTPH-Gx	314444
410-104315-6	MW-41-14.5	Total/NA	Solid	NWTPH-Gx	314444
410-104315-7	MW-40-5	Total/NA	Solid	NWTPH-Gx	314444
410-104315-8	MW-40-10	Total/NA	Solid	NWTPH-Gx	314444
410-104315-9	MW-40-13	Total/NA	Solid	NWTPH-Gx	314444
MB 410-315227/5	Method Blank	Total/NA	Solid	NWTPH-Gx	
LCS 410-315227/6	Lab Control Sample	Total/NA	Solid	NWTPH-Gx	
LCSD 410-315227/7	Lab Control Sample Dup	Total/NA	Solid	NWTPH-Gx	

Analysis Batch: 315620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-5	MW-41-10	Total/NA	Solid	NWTPH-Gx	314920
MB 410-315620/5	Method Blank	Total/NA	Solid	NWTPH-Gx	
LCS 410-315620/8	Lab Control Sample	Total/NA	Solid	NWTPH-Gx	
LCSD 410-315620/9	Lab Control Sample Dup	Total/NA	Solid	NWTPH-Gx	

GC Semi VOA

Prep Batch: 315509

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	3550C	
410-104315-2	MW-39-10	Total/NA	Solid	3550C	
410-104315-3	MW-39-15	Total/NA	Solid	3550C	
410-104315-4	MW-41-5	Total/NA	Solid	3550C	
410-104315-5	MW-41-10	Total/NA	Solid	3550C	
410-104315-6	MW-41-14.5	Total/NA	Solid	3550C	
410-104315-7	MW-40-5	Total/NA	Solid	3550C	
410-104315-8	MW-40-10	Total/NA	Solid	3550C	
410-104315-9	MW-40-13	Total/NA	Solid	3550C	
MB 410-315509/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 410-315509/2-A	Lab Control Sample	Total/NA	Solid	3550C	

Analysis Batch: 315764

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	NWTPH-Dx	315509
410-104315-2	MW-39-10	Total/NA	Solid	NWTPH-Dx	315509
410-104315-3	MW-39-15	Total/NA	Solid	NWTPH-Dx	315509
410-104315-4	MW-41-5	Total/NA	Solid	NWTPH-Dx	315509
410-104315-5	MW-41-10	Total/NA	Solid	NWTPH-Dx	315509
410-104315-6	MW-41-14.5	Total/NA	Solid	NWTPH-Dx	315509
410-104315-7	MW-40-5	Total/NA	Solid	NWTPH-Dx	315509
410-104315-8	MW-40-10	Total/NA	Solid	NWTPH-Dx	315509
410-104315-9	MW-40-13	Total/NA	Solid	NWTPH-Dx	315509
MB 410-315509/1-A	Method Blank	Total/NA	Solid	NWTPH-Dx	315509

Euofins Lancaster Laboratories Environment Testing, LLC

QC Association Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

GC Semi VOA (Continued)

Analysis Batch: 315764 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 410-315509/2-A	Lab Control Sample	Total/NA	Solid	NWTPH-Dx	315509

General Chemistry

Analysis Batch: 314015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-2	MW-39-10	Total/NA	Solid	Moisture	
410-104315-7	MW-40-5	Total/NA	Solid	Moisture	
410-104315-8	MW-40-10	Total/NA	Solid	Moisture	
410-104315-9	MW-40-13	Total/NA	Solid	Moisture	

Analysis Batch: 314316

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104315-1	MW-39-5	Total/NA	Solid	Moisture	
410-104315-3	MW-39-15	Total/NA	Solid	Moisture	
410-104315-4	MW-41-5	Total/NA	Solid	Moisture	
410-104315-5	MW-41-10	Total/NA	Solid	Moisture	
410-104315-6	MW-41-14.5	Total/NA	Solid	Moisture	

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-5

Date Collected: 11/01/22 08:15

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314316	USWF	ELLE	11/05/22 19:11

Client Sample ID: MW-39-5

Date Collected: 11/01/22 08:15

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-1

Matrix: Solid

Percent Solids: 88.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 06:10
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 15:53
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 20:25

Client Sample ID: MW-39-10

Date Collected: 11/01/22 08:30

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314015	UWC1	ELLE	11/04/22 11:35

Client Sample ID: MW-39-10

Date Collected: 11/01/22 08:30

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-2

Matrix: Solid

Percent Solids: 91.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 04:16
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 16:29
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 17:27

Client Sample ID: MW-39-15

Date Collected: 11/01/22 08:40

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314316	USWF	ELLE	11/05/22 19:11

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-39-15

Lab Sample ID: 410-104315-3

Date Collected: 11/01/22 08:40

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 06:33
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 17:06
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 17:47

Client Sample ID: MW-41-5

Lab Sample ID: 410-104315-4

Date Collected: 11/01/22 11:30

Matrix: Solid

Date Received: 11/03/22 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314316	USWF	ELLE	11/05/22 19:11

Client Sample ID: MW-41-5

Lab Sample ID: 410-104315-4

Date Collected: 11/01/22 11:30

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 89.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 04:39
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 17:42
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 18:06

Client Sample ID: MW-41-10

Lab Sample ID: 410-104315-5

Date Collected: 11/01/22 11:40

Matrix: Solid

Date Received: 11/03/22 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314316	USWF	ELLE	11/05/22 19:11

Client Sample ID: MW-41-10

Lab Sample ID: 410-104315-5

Date Collected: 11/01/22 11:40

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	318817	L8QZ	ELLE	11/18/22 00:11
Total/NA	Prep	5030C			314920	D8NM	ELLE	11/07/22 18:39
Total/NA	Analysis	NWTPH-Gx		25	315620	MXX6	ELLE	11/09/22 21:00
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 18:26

Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-41-14.5

Date Collected: 11/01/22 11:50

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314316	USWF	ELLE	11/05/22 19:11

Client Sample ID: MW-41-14.5

Date Collected: 11/01/22 11:50

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-6

Matrix: Solid

Percent Solids: 91.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	315593	L8QZ	ELLE	11/09/22 13:27
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 18:25
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 18:46

Client Sample ID: MW-40-5

Date Collected: 11/02/22 08:40

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314015	UWC1	ELLE	11/04/22 11:35

Client Sample ID: MW-40-5

Date Collected: 11/02/22 08:40

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-7

Matrix: Solid

Percent Solids: 95.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 05:25
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 19:01
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 19:06

Client Sample ID: MW-40-10

Date Collected: 11/02/22 09:00

Date Received: 11/03/22 10:15

Lab Sample ID: 410-104315-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314015	UWC1	ELLE	11/04/22 11:35

Lab Chronicle

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Client Sample ID: MW-40-10

Lab Sample ID: 410-104315-8

Date Collected: 11/02/22 09:00

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 87.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:31
Total/NA	Analysis	8260D		1	314959	ULCP	ELLE	11/08/22 05:47
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 19:38
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 19:45

Client Sample ID: MW-40-13

Lab Sample ID: 410-104315-9

Date Collected: 11/02/22 09:20

Matrix: Solid

Date Received: 11/03/22 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	314015	UWC1	ELLE	11/04/22 11:35

Client Sample ID: MW-40-13

Lab Sample ID: 410-104315-9

Date Collected: 11/02/22 09:20

Matrix: Solid

Date Received: 11/03/22 10:15

Percent Solids: 90.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			314436	D8NM	ELLE	11/06/22 21:32
Total/NA	Analysis	8260D		1	315593	L8QZ	ELLE	11/09/22 13:49
Total/NA	Prep	5035			314444	D8NM	ELLE	11/06/22 22:15
Total/NA	Analysis	NWTPH-Gx		25	315227	NND8	ELLE	11/08/22 20:14
Total/NA	Prep	3550C			315509	A2VL	ELLE	11/09/22 08:17
Total/NA	Analysis	NWTPH-Dx		1	315764	IUSB	ELLE	11/09/22 20:05

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1


Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Washington	State	C457	04-11-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
Moisture		Solid	Percent Moisture



Method Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
NWTPH-Gx	Northwest - Volatile Petroleum Products (GC)	NWTPH	ELLE
NWTPH-Dx	Northwest - Semi-Volatile Petroleum Products (GC)	NWTPH	ELLE
Moisture	Percent Moisture	EPA	ELLE
3550C	Ultrasonic Extraction	SW846	ELLE
5030C	Purge and Trap	SW846	ELLE
5035	Closed System Purge and Trap	SW846	ELLE

Protocol References:

EPA = US Environmental Protection Agency

NWTPH = Northwest Total Petroleum Hydrocarbon

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104315-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-104315-1	MW-39-5	Solid	11/01/22 08:15	11/03/22 10:15
410-104315-2	MW-39-10	Solid	11/01/22 08:30	11/03/22 10:15
410-104315-3	MW-39-15	Solid	11/01/22 08:40	11/03/22 10:15
410-104315-4	MW-41-5	Solid	11/01/22 11:30	11/03/22 10:15
410-104315-5	MW-41-10	Solid	11/01/22 11:40	11/03/22 10:15
410-104315-6	MW-41-14.5	Solid	11/01/22 11:50	11/03/22 10:15
410-104315-7	MW-40-5	Solid	11/02/22 08:40	11/03/22 10:15
410-104315-8	MW-40-10	Solid	11/02/22 09:00	11/03/22 10:15
410-104315-9	MW-40-13	Solid	11/02/22 09:20	11/03/22 10:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



410-104315 Chain of Custody

Chain of Custody Record

Sampler: <u>Chris Will</u>	Lab PM: Williams, Marrassa C	Carrier Tracking No(s)	COC No: 410-68538-15721.1
Phone: <u>425-482-1172</u>	E-Mail: Marrassa.Williams@et.eurofinsus.com	State of Origin:	Page: Page 1 of 2

Don Wyll	PWSID:	Analysis Requested	Job #:
Company: Leidos Engineering, LLC			

Address: 11824 North Creek Parkway N Suite 101	Due Date Requested:	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) NWTPH_Dx - NWTPH-Dx 8260D, NWTPH_Ox	Total Number of containers	Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHCO4 R - Na2S2O3 F - MeOH S - H2SO4 G - Amchlor T - TSP Dodecahydrate H - Ascorbic Acid U - Acetone I - Ice V - MCAA J - DI Water W - pH 4-5 K - EDTA Y - Trizma L - EDA Z - other (specify)
City: Bothell	TAT Requested (days):			
State, Zip: WA, 98011	Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No			
Phone: 425-482-3315(Tel)	PO # Purchase Order not required			
Email: don.e.wyll@leidos.com	WO #:			
Project Name: Tiki Car Wash	Project #: 41010568			
Site	SSOW#:			

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	NWTPH_Dx - NWTPH-Dx	8260D, NWTPH_Ox	Special Instructions/Note:
							N	F	
MW-39-5	11-1-22	0815	G	Solid			X	X	
MW-39-10	11-1-22	0830	G	Solid			X	X	
MW-39-15	11-1-22	0840	G	Solid			X	X	
MW-41-5	11-1-22	1130	G	Solid			X	X	
MW-41-10	11-1-22	1140	G	Solid			X	X	
MW-41-14.5	11-1-22	1150	G	Solid			X	X	
MW-40-5	11-2-22	0840	G	Solid			X	X	
MW-40-10	11-2-22	0900	G	Solid			X	X	
MW-40-13	11-2-22	0920	G	Solid			X	X	
				Solid					
				Solid					

Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
--	---

Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:
--	---------------------------------------

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <u>[Signature]</u>	Date/Time: 10/27/22 15:10	Company: Leidos	Received by: <u>[Signature]</u>
Relinquished by: <u>[Signature]</u>	Date/Time: 11/2/22 12:00	Company: Leidos	Received by: <u>[Signature]</u>
Relinquished by: <u>[Signature]</u>	Date/Time: 11/3/22 10:15	Company: <u>[Signature]</u>	Received by: <u>[Signature]</u>

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 3.3
--	-------------------	---



Login Sample Receipt Checklist

Client: Leidos Engineering, LLC

Job Number: 410-104315-1

Login Number: 104315

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Kanagy, Nicholas


Question	Answer	Comment
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	
VOA sample vials do not have headspace $> 6\text{mm}$ in diameter (none, if from WV)?	N/A	

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
11/22/2022 9:40:37 AM

Authorized for release by
Marrissa Williams, Project Manager
Marrissa.Williams@et.eurofinsus.com
(717)556-7246

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Marissa Williams



ANALYTICAL REPORT

PREPARED FOR

Attn: Don Wyll
Leidos Engineering, LLC
11824 North Creek Parkway N
Suite 101
Bothell Washington 98011

Generated 11/17/2022 3:00:13 PM

JOB DESCRIPTION

Tiki Car Wash

JOB NUMBER

410-104482-1




Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	19
Certification Summary	21
Method Summary	22
Sample Summary	23
Chain of Custody	24
Receipt Checklists	25
Appendix	26

Definitions/Glossary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
F3	Duplicate RPD exceeds the control limit
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Job ID: 410-104482-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

**Job Narrative
410-104482-1**

Receipt

The samples were received on 11/4/2022 1:20 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C

GC/MS VOA

Method 8260D: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-37 (410-104482-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

Method NWTPH_Gx: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-37 (410-104482-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Detection Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-38

Lab Sample ID: 410-104482-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	5200		50.0	15.0	ug/L	50		8260D	Total/NA
Ethylbenzene	2760		50.0	20.0	ug/L	50		8260D	Total/NA
Xylene (total)	15500		50.0	20.0	ug/L	50		8260D	Total/NA
Toluene - DL	16800		500	100	ug/L	500		8260D	Total/NA
C7-C12 (1C)	98800		12500	2150	ug/L	50		NWTPH-Gx	Total/NA
C12-C24	1000		106	47.6	ug/L	1		NWTPH-Dx	Total/NA
C24-C40	127	J	265	106	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: MW-37

Lab Sample ID: 410-104482-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	277	cn	10.0	3.00	ug/L	10		8260D	Total/NA
Toluene	2.41	J cn	10.0	2.00	ug/L	10		8260D	Total/NA
C7-C12 (1C)	636	J cn	2500	430	ug/L	10		NWTPH-Gx	Total/NA
C12-C24	233		101	45.5	ug/L	1		NWTPH-Dx	Total/NA
C24-C40	200	J	253	101	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: MW-41

Lab Sample ID: 410-104482-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.316	J	1.00	0.300	ug/L	1		8260D	Total/NA
C12-C24	214		101	45.5	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: MW-40

Lab Sample ID: 410-104482-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C12-C24	55.6	J	103	46.5	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: MW-39

Lab Sample ID: 410-104482-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C12-C24	52.8	J	109	49.2	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 410-104482-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C12-C24	57.7	J	108	48.6	ug/L	1		NWTPH-Dx	Total/NA

Client Sample ID: TB-LB

Lab Sample ID: 410-104482-7

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-38

Lab Sample ID: 410-104482-1

Date Collected: 11/02/22 08:00

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<10.0		50.0	10.0	ug/L			11/15/22 17:33	50
Ethylene dichloride	<15.0		50.0	15.0	ug/L			11/15/22 17:33	50
Benzene	5200		50.0	15.0	ug/L			11/15/22 17:33	50
Ethylbenzene	2760		50.0	20.0	ug/L			11/15/22 17:33	50
Xylene (total)	15500		50.0	20.0	ug/L			11/15/22 17:33	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		80 - 120					11/15/22 17:33	50
4-Bromofluorobenzene (Surr)	95		80 - 120					11/15/22 17:33	50
Dibromofluoromethane (Surr)	110		80 - 120					11/15/22 17:33	50
Toluene-d8 (Surr)	94		80 - 120					11/15/22 17:33	50

Method: SW846 8260D - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	16800		500	100	ug/L			11/15/22 17:55	500
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		80 - 120					11/15/22 17:55	500
4-Bromofluorobenzene (Surr)	97		80 - 120					11/15/22 17:55	500
Dibromofluoromethane (Surr)	114		80 - 120					11/15/22 17:55	500
Toluene-d8 (Surr)	94		80 - 120					11/15/22 17:55	500

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	98800		12500	2150	ug/L			11/11/22 23:30	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150					11/11/22 23:30	50

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	1000		106	47.6	ug/L		11/16/22 08:06	11/16/22 19:05	1
C24-C40	127	J	265	106	ug/L		11/16/22 08:06	11/16/22 19:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	112		50 - 150				11/16/22 08:06	11/16/22 19:05	1

Client Sample ID: MW-37

Lab Sample ID: 410-104482-2

Date Collected: 11/02/22 08:20

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<2.00	cn	10.0	2.00	ug/L			11/15/22 18:17	10
Ethylene dichloride	<3.00	cn	10.0	3.00	ug/L			11/15/22 18:17	10
Benzene	277	cn	10.0	3.00	ug/L			11/15/22 18:17	10
Ethylbenzene	<4.00	cn	10.0	4.00	ug/L			11/15/22 18:17	10
Toluene	2.41	J cn	10.0	2.00	ug/L			11/15/22 18:17	10
Xylene (total)	<4.00	cn	10.0	4.00	ug/L			11/15/22 18:17	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110	cn	80 - 120					11/15/22 18:17	10

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-37

Lab Sample ID: 410-104482-2

Date Collected: 11/02/22 08:20

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96	cn	80 - 120		11/15/22 18:17	10
Dibromofluoromethane (Surr)	113	cn	80 - 120		11/15/22 18:17	10
Toluene-d8 (Surr)	94	cn	80 - 120		11/15/22 18:17	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	636	J cn	2500	430	ug/L			11/11/22 23:05	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	102	cn	50 - 150		11/11/22 23:05	10

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	233		101	45.5	ug/L		11/16/22 08:06	11/16/22 20:13	1
C24-C40	200	J	253	101	ug/L		11/16/22 08:06	11/16/22 20:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	74		50 - 150	11/16/22 08:06	11/16/22 20:13	1

Client Sample ID: MW-41

Lab Sample ID: 410-104482-3

Date Collected: 11/03/22 07:30

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 14:34	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 14:34	1
Benzene	0.316	J	1.00	0.300	ug/L			11/15/22 14:34	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 14:34	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 14:34	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 14:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		80 - 120		11/15/22 14:34	1
4-Bromofluorobenzene (Surr)	95		80 - 120		11/15/22 14:34	1
Dibromofluoromethane (Surr)	118		80 - 120		11/15/22 14:34	1
Toluene-d8 (Surr)	94		80 - 120		11/15/22 14:34	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/09/22 17:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	98		50 - 150		11/09/22 17:51	1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	214		101	45.5	ug/L		11/16/22 08:06	11/16/22 20:58	1
C24-C40	<101		253	101	ug/L		11/16/22 08:06	11/16/22 20:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	79		50 - 150	11/16/22 08:06	11/16/22 20:58	1

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-40

Lab Sample ID: 410-104482-4

Date Collected: 11/03/22 08:00

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 14:57	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 14:57	1
Benzene	<0.300		1.00	0.300	ug/L			11/15/22 14:57	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 14:57	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 14:57	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 14:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		80 - 120		11/15/22 14:57	1
4-Bromofluorobenzene (Surr)	96		80 - 120		11/15/22 14:57	1
Dibromofluoromethane (Surr)	116		80 - 120		11/15/22 14:57	1
Toluene-d8 (Surr)	95		80 - 120		11/15/22 14:57	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/09/22 18:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		11/09/22 18:17	1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	55.6	J	103	46.5	ug/L		11/16/22 08:06	11/16/22 19:28	1
C24-C40	<103		259	103	ug/L		11/16/22 08:06	11/16/22 19:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	84		50 - 150	11/16/22 08:06	11/16/22 19:28	1

Client Sample ID: MW-39

Lab Sample ID: 410-104482-5

Date Collected: 11/03/22 08:30

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 15:19	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 15:19	1
Benzene	<0.300		1.00	0.300	ug/L			11/15/22 15:19	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 15:19	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 15:19	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 15:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		80 - 120		11/15/22 15:19	1
4-Bromofluorobenzene (Surr)	96		80 - 120		11/15/22 15:19	1
Dibromofluoromethane (Surr)	114		80 - 120		11/15/22 15:19	1
Toluene-d8 (Surr)	94		80 - 120		11/15/22 15:19	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/09/22 18:42	1

Client Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-39

Lab Sample ID: 410-104482-5

Date Collected: 11/03/22 08:30

Matrix: Water

Date Received: 11/04/22 13:20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		11/09/22 18:42	1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	52.8	J	109	49.2	ug/L		11/16/22 08:06	11/16/22 21:44	1
C24-C40	<109		273	109	ug/L		11/16/22 08:06	11/16/22 21:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o- terphenyl (Surr)	86		50 - 150	11/16/22 08:06	11/16/22 21:44	1

Client Sample ID: DUP-1

Lab Sample ID: 410-104482-6

Date Collected: 11/03/22 08:40

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 15:41	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 15:41	1
Benzene	<0.300		1.00	0.300	ug/L			11/15/22 15:41	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 15:41	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 15:41	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 15:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		80 - 120		11/15/22 15:41	1
4-Bromofluorobenzene (Surr)	95		80 - 120		11/15/22 15:41	1
Dibromofluoromethane (Surr)	115		80 - 120		11/15/22 15:41	1
Toluene-d8 (Surr)	95		80 - 120		11/15/22 15:41	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/09/22 19:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		11/09/22 19:07	1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	57.7	J	108	48.6	ug/L		11/16/22 08:06	11/16/22 22:06	1
C24-C40	<108		270	108	ug/L		11/16/22 08:06	11/16/22 22:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o- terphenyl (Surr)	90		50 - 150	11/16/22 08:06	11/16/22 22:06	1

Client Sample ID: TB-LB

Lab Sample ID: 410-104482-7

Date Collected: 11/02/22 00:00

Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 13:26	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 13:26	1
Benzene	<0.300		1.00	0.300	ug/L			11/15/22 13:26	1

Client Sample Results

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: TB-LB

Lab Sample ID: 410-104482-7

Date Collected: 11/02/22 00:00


Matrix: Water

Date Received: 11/04/22 13:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 13:26	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 13:26	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 13:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		80 - 120		11/15/22 13:26	1
4-Bromofluorobenzene (Surr)	96		80 - 120		11/15/22 13:26	1
Dibromofluoromethane (Surr)	113		80 - 120		11/15/22 13:26	1
Toluene-d8 (Surr)	95		80 - 120		11/15/22 13:26	1



Surrogate Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (80-120)	BFB (80-120)	DBFM (80-120)	TOL (80-120)
410-104482-1	MW-38	109	95	110	94
410-104482-1 - DL	MW-38	108	97	114	94
410-104482-2	MW-37	110 cn	96 cn	113 cn	94 cn
410-104482-3	MW-41	114	95	118	94
410-104482-4	MW-40	112	96	116	95
410-104482-5	MW-39	112	96	114	94
410-104482-6	DUP-1	109	95	115	95
410-104482-7	TB-LB	109	96	113	95
LCS 410-317535/5	Lab Control Sample	109	101	109	97
LCS 410-317535/6	Lab Control Sample Dup	107	99	109	98
MB 410-317535/11	Method Blank	110	99	114	96

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		TFT-F1 (50-150)
410-104482-1	MW-38	99
410-104482-2	MW-37	102 cn
410-104482-3	MW-41	98
410-104482-4	MW-40	99
410-104482-5	MW-39	99
410-104482-6	DUP-1	99
LCS 410-315712/5	Lab Control Sample	91
LCS 410-316643/5	Lab Control Sample	92
LCS 410-315712/6	Lab Control Sample Dup	89
LCS 410-316643/6	Lab Control Sample Dup	91
MB 410-315712/4	Method Blank	99
MB 410-316643/4	Method Blank	101

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		OTP (50-150)
410-104482-1	MW-38	112
410-104482-2	MW-37	74
410-104482-2 DU	MW-37	78
410-104482-3	MW-41	79
410-104482-3 DU	MW-41	85

Surrogate Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTP (50-150)
410-104482-4	MW-40	84
410-104482-5	MW-39	86
410-104482-6	DUP-1	90
LCS 410-318051/2-A	Lab Control Sample	77
LCSD 410-318051/3-A	Lab Control Sample Dup	81
MB 410-318051/1-A	Method Blank	83

Surrogate Legend

OTP = o- terphenyl (Surr)

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-317535/11

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 317535

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethylene Dibromide	<0.200		1.00	0.200	ug/L			11/15/22 12:41	1
Ethylene dichloride	<0.300		1.00	0.300	ug/L			11/15/22 12:41	1
Benzene	<0.300		1.00	0.300	ug/L			11/15/22 12:41	1
Ethylbenzene	<0.400		1.00	0.400	ug/L			11/15/22 12:41	1
Toluene	<0.200		1.00	0.200	ug/L			11/15/22 12:41	1
Xylene (total)	<0.400		1.00	0.400	ug/L			11/15/22 12:41	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	110		80 - 120		11/15/22 12:41	1
4-Bromofluorobenzene (Surr)	99		80 - 120		11/15/22 12:41	1
Dibromofluoromethane (Surr)	114		80 - 120		11/15/22 12:41	1
Toluene-d8 (Surr)	96		80 - 120		11/15/22 12:41	1

Lab Sample ID: LCS 410-317535/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 317535

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Ethylene Dibromide	20.0	20.22		ug/L		101	77 - 120
Ethylene dichloride	20.0	20.45		ug/L		102	73 - 124
Benzene	20.0	21.22		ug/L		106	80 - 120
Ethylbenzene	20.0	20.07		ug/L		100	80 - 120
Toluene	20.0	19.84		ug/L		99	80 - 120
Xylene (total)	60.0	60.38		ug/L		101	80 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		80 - 120
4-Bromofluorobenzene (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	109		80 - 120
Toluene-d8 (Surr)	97		80 - 120

Lab Sample ID: LCSD 410-317535/6

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 317535

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Ethylene Dibromide	20.0	20.19		ug/L		101	77 - 120	0	30
Ethylene dichloride	20.0	20.89		ug/L		104	73 - 124	2	30
Benzene	20.0	21.32		ug/L		107	80 - 120	0	30
Ethylbenzene	20.0	20.40		ug/L		102	80 - 120	2	30
Toluene	20.0	20.31		ug/L		102	80 - 120	2	30
Xylene (total)	60.0	61.59		ug/L		103	80 - 120	2	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	109		80 - 120

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-317535/6

Matrix: Water

Analysis Batch: 317535

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Surrogate	LCS D %Recovery	LCS D Qualifier	Limits
Toluene-d8 (Surr)	98		80 - 120

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-315712/4

Matrix: Water

Analysis Batch: 315712

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/09/22 14:10	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	99		50 - 150		11/09/22 14:10	1

Lab Sample ID: LCS 410-315712/5

Matrix: Water

Analysis Batch: 315712

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	1100	981.9		ug/L		89	64 - 131

Surrogate	LCS %Recovery	LCS Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	91		50 - 150

Lab Sample ID: LCSD 410-315712/6

Matrix: Water

Analysis Batch: 315712

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	1100	976.6		ug/L		89	64 - 131	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
a,a,a-Trifluorotoluene (fid) (1C)	89		50 - 150

Lab Sample ID: MB 410-316643/4

Matrix: Water

Analysis Batch: 316643

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C7-C12 (1C)	<43.0		250	43.0	ug/L			11/11/22 12:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	101		50 - 150		11/11/22 12:27	1

QC Sample Results

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: LCS 410-316643/5

Matrix: Water

Analysis Batch: 316643

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C7-C12 (1C)	1100	1003		ug/L		91	64 - 131
Surrogate	%Recovery	LCS Qualifier	Limits				
a,a,a-Trifluorotoluene (fid) (1C)	92		50 - 150				

Lab Sample ID: LCSD 410-316643/6

Matrix: Water

Analysis Batch: 316643

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C7-C12 (1C)	1100	1009		ug/L		92	64 - 131	1	30
Surrogate	%Recovery	LCSD Qualifier	Limits						
a,a,a-Trifluorotoluene (fid) (1C)	91		50 - 150						

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Lab Sample ID: MB 410-318051/1-A

Matrix: Water

Analysis Batch: 318274

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 318051

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C12-C24	<45.0		100	45.0	ug/L		11/16/22 08:06	11/16/22 16:50	1
C24-C40	<100		250	100	ug/L		11/16/22 08:06	11/16/22 16:50	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-terphenyl (Surr)	83		50 - 150				11/16/22 08:06	11/16/22 16:50	1

Lab Sample ID: LCS 410-318051/2-A

Matrix: Water

Analysis Batch: 318274

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 318051

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C12-C24	600	219.6		ug/L		37	14 - 115
Surrogate	%Recovery	LCS Qualifier	Limits				
o-terphenyl (Surr)	77		50 - 150				

Lab Sample ID: LCSD 410-318051/3-A

Matrix: Water

Analysis Batch: 318274

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 318051

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C12-C24	600	248.0		ug/L		41	14 - 115	12	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
o-terphenyl (Surr)	81		50 - 150						

QC Sample Results

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC) (Continued)

Lab Sample ID: 410-104482-2 DU

Matrix: Water

Analysis Batch: 318274

Client Sample ID: MW-37

Prep Type: Total/NA

Prep Batch: 318051

Analyte	Sample	Sample	DU		Unit	D	RPD	RPD	
	Result	Qualifier	Result	Qualifier				Limit	Limit
C12-C24	233		350.3	F3	ug/L		40	20	
C24-C40	200	J	258.5	J F5	ug/L		26	20	
DU DU									
Surrogate	%Recovery	Qualifier	Limits						
<i>o-terphenyl (Surr)</i>	78		50 - 150						

Lab Sample ID: 410-104482-3 DU

Matrix: Water

Analysis Batch: 318274

Client Sample ID: MW-41

Prep Type: Total/NA

Prep Batch: 318051

Analyte	Sample	Sample	DU		Unit	D	RPD	RPD	
	Result	Qualifier	Result	Qualifier				Limit	Limit
C12-C24	214		235.6		ug/L		10	20	
C24-C40	<101		<101		ug/L		NC	20	
DU DU									
Surrogate	%Recovery	Qualifier	Limits						
<i>o-terphenyl (Surr)</i>	85		50 - 150						

QC Association Summary

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104482-1

GC/MS VOA

Analysis Batch: 317535

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-1	MW-38	Total/NA	Water	8260D	
410-104482-1 - DL	MW-38	Total/NA	Water	8260D	
410-104482-2	MW-37	Total/NA	Water	8260D	
410-104482-3	MW-41	Total/NA	Water	8260D	
410-104482-4	MW-40	Total/NA	Water	8260D	
410-104482-5	MW-39	Total/NA	Water	8260D	
410-104482-6	DUP-1	Total/NA	Water	8260D	
410-104482-7	TB-LB	Total/NA	Water	8260D	
MB 410-317535/11	Method Blank	Total/NA	Water	8260D	
LCS 410-317535/5	Lab Control Sample	Total/NA	Water	8260D	
LCSD 410-317535/6	Lab Control Sample Dup	Total/NA	Water	8260D	

GC VOA

Analysis Batch: 315712

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-3	MW-41	Total/NA	Water	NWTPH-Gx	
410-104482-4	MW-40	Total/NA	Water	NWTPH-Gx	
410-104482-5	MW-39	Total/NA	Water	NWTPH-Gx	
410-104482-6	DUP-1	Total/NA	Water	NWTPH-Gx	
MB 410-315712/4	Method Blank	Total/NA	Water	NWTPH-Gx	
LCS 410-315712/5	Lab Control Sample	Total/NA	Water	NWTPH-Gx	
LCSD 410-315712/6	Lab Control Sample Dup	Total/NA	Water	NWTPH-Gx	

Analysis Batch: 316643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-1	MW-38	Total/NA	Water	NWTPH-Gx	
410-104482-2	MW-37	Total/NA	Water	NWTPH-Gx	
MB 410-316643/4	Method Blank	Total/NA	Water	NWTPH-Gx	
LCS 410-316643/5	Lab Control Sample	Total/NA	Water	NWTPH-Gx	
LCSD 410-316643/6	Lab Control Sample Dup	Total/NA	Water	NWTPH-Gx	

GC Semi VOA

Prep Batch: 318051

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-1	MW-38	Total/NA	Water	3510C	
410-104482-2	MW-37	Total/NA	Water	3510C	
410-104482-3	MW-41	Total/NA	Water	3510C	
410-104482-4	MW-40	Total/NA	Water	3510C	
410-104482-5	MW-39	Total/NA	Water	3510C	
410-104482-6	DUP-1	Total/NA	Water	3510C	
MB 410-318051/1-A	Method Blank	Total/NA	Water	3510C	
LCS 410-318051/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 410-318051/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
410-104482-2 DU	MW-37	Total/NA	Water	3510C	
410-104482-3 DU	MW-41	Total/NA	Water	3510C	

Analysis Batch: 318274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-1	MW-38	Total/NA	Water	NWTPH-Dx	318051
410-104482-2	MW-37	Total/NA	Water	NWTPH-Dx	318051

Eurofins Lancaster Laboratories Environment Testing, LLC



QC Association Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

GC Semi VOA (Continued)

Analysis Batch: 318274 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-104482-3	MW-41	Total/NA	Water	NWTPH-Dx	318051
410-104482-4	MW-40	Total/NA	Water	NWTPH-Dx	318051
410-104482-5	MW-39	Total/NA	Water	NWTPH-Dx	318051
410-104482-6	DUP-1	Total/NA	Water	NWTPH-Dx	318051
MB 410-318051/1-A	Method Blank	Total/NA	Water	NWTPH-Dx	318051
LCS 410-318051/2-A	Lab Control Sample	Total/NA	Water	NWTPH-Dx	318051
LCSD 410-318051/3-A	Lab Control Sample Dup	Total/NA	Water	NWTPH-Dx	318051
410-104482-2 DU	MW-37	Total/NA	Water	NWTPH-Dx	318051
410-104482-3 DU	MW-41	Total/NA	Water	NWTPH-Dx	318051



Lab Chronicle

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: MW-38

Lab Sample ID: 410-104482-1

Date Collected: 11/02/22 08:00

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		50	317535	USEJ	ELLE	11/15/22 17:33
Total/NA	Analysis	8260D	DL	500	317535	USEJ	ELLE	11/15/22 17:55
Total/NA	Analysis	NWTPH-Gx		50	316643	NND8	ELLE	11/11/22 23:30
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 19:05

Client Sample ID: MW-37

Lab Sample ID: 410-104482-2

Date Collected: 11/02/22 08:20

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	317535	USEJ	ELLE	11/15/22 18:17
Total/NA	Analysis	NWTPH-Gx		10	316643	NND8	ELLE	11/11/22 23:05
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 20:13

Client Sample ID: MW-41

Lab Sample ID: 410-104482-3

Date Collected: 11/03/22 07:30

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	317535	USEJ	ELLE	11/15/22 14:34
Total/NA	Analysis	NWTPH-Gx		1	315712	NND8	ELLE	11/09/22 17:51
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 20:58

Client Sample ID: MW-40

Lab Sample ID: 410-104482-4

Date Collected: 11/03/22 08:00

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	317535	USEJ	ELLE	11/15/22 14:57
Total/NA	Analysis	NWTPH-Gx		1	315712	NND8	ELLE	11/09/22 18:17
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 19:28

Client Sample ID: MW-39

Lab Sample ID: 410-104482-5

Date Collected: 11/03/22 08:30

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	317535	USEJ	ELLE	11/15/22 15:19
Total/NA	Analysis	NWTPH-Gx		1	315712	NND8	ELLE	11/09/22 18:42
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 21:44

Eurofins Lancaster Laboratories Environment Testing, LLC

Lab Chronicle

Client: Leidos Engineering, LLC
 Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Client Sample ID: DUP-1

Lab Sample ID: 410-104482-6

Date Collected: 11/03/22 08:40

Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	317535	USEJ	ELLE	11/15/22 15:41
Total/NA	Analysis	NWTPH-Gx		1	315712	NND8	ELLE	11/09/22 19:07
Total/NA	Prep	3510C			318051	YDF5	ELLE	11/16/22 08:06
Total/NA	Analysis	NWTPH-Dx		1	318274	IUSB	ELLE	11/16/22 22:06

Client Sample ID: TB-LB

Lab Sample ID: 410-104482-7

Date Collected: 11/02/22 00:00


Matrix: Water

Date Received: 11/04/22 13:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	317535	USEJ	ELLE	11/15/22 13:26

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Accreditation/Certification Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Washington	State	C457	04-11-23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Method Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
NWTPH-Gx	Northwest - Volatile Petroleum Products (GC)	NWTPH	ELLE
NWTPH-Dx	Northwest - Semi-Volatile Petroleum Products (GC)	NWTPH	ELLE
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ELLE
5030C	Purge and Trap	SW846	ELLE


Protocol References:

NWTPH = Northwest Total Petroleum Hydrocarbon

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: Leidos Engineering, LLC
Project/Site: Tiki Car Wash

Job ID: 410-104482-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-104482-1	MW-38	Water	11/02/22 08:00	11/04/22 13:20
410-104482-2	MW-37	Water	11/02/22 08:20	11/04/22 13:20
410-104482-3	MW-41	Water	11/03/22 07:30	11/04/22 13:20
410-104482-4	MW-40	Water	11/03/22 08:00	11/04/22 13:20
410-104482-5	MW-39	Water	11/03/22 08:30	11/04/22 13:20
410-104482-6	DUP-1	Water	11/03/22 08:40	11/04/22 13:20
410-104482-7	TB-LB	Water	11/02/22 00:00	11/04/22 13:20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



410-104482 Chain of Custody

vironme

Chain of Custody Record



Environment Testing America

Sampler: <i>Chris Willy</i>	Lab PM: Williams, Marrison C	Carrier Tracking No(s):	COC No: 410-68540-15720.1
Phone: <i>425-482-1172</i>	E-Mail: Marrison.Williams@et.eurofins.com	State of Origin:	Page: Page 1 of 1

Don Wyl	PWSID:	Analysis Requested	Job #:
Company: Leidos Engineering, LLC			

Address: 11824 North Creek Parkway N Suite 101	Due Date Requested:	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) NWTTPH_Dx - NWTTPH-Dx 8260D - BTEX, EDB, EDC NWTTPH_Gx - NWTTPH - Gasoline Range Organics	Total Number of containers	Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Z - other (specify)
City: Bothell	TAT Requested (days):			
State, Zip: WA, 98011	Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No			
Phone: 425-482-3315(Tel)	PO #: Purchase Order not required			
Email: don.e.wyl@leidos.com	WO #:			
Project Name: Tiki Car Wash	Project #: 41010568			
Site:	SSOW#:	Other:		

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Onwaste/oil, BT-Tissue, AA)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	NWTTPH_Dx - NWTTPH-Dx	8260D - BTEX, EDB, EDC	NWTTPH_Gx - NWTTPH - Gasoline Range Organics	Total Number of containers	Special Instructions/Note:
<i>MW-38</i>	<i>11-2-22</i>	<i>0800</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>MW-37</i>	<i>11-2-22</i>	<i>0800</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>MW-41</i>	<i>11-3-22</i>	<i>0730</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>MW-40</i>	<i>11-3-22</i>	<i>0800</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>MW-39</i>	<i>11-3-22</i>	<i>0830</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>DUP-1</i>	<i>11-3-22</i>	<i>0840</i>	<i>G</i>	<i>Water</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			
<i>FB-LB</i>				<i>Water</i>			<i>X</i>				
				<i>Water</i>							
				<i>Water</i>							

Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Chris Willy</i>	Date/Time: <i>11-3-22 1200</i>	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by: <i>[Signature]</i> Date/Time: <i>11/4/22 12:20</i> Company: <i>ELLET</i>
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: <i>0.3</i>	



Login Sample Receipt Checklist

Client: Leidos Engineering, LLC

Job Number: 410-104482-1

Login Number: 104482

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: McBeth, Jessica


Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	True	
VOA sample vials do not have headspace $>6\text{mm}$ in diameter (none, if from WV)?	True	

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
11/17/2022 3:00:13 PM

Authorized for release by
Marrison Williams, Project Manager
Marrison.Williams@et.eurofinsus.com
(717)556-7246

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Marissa Williams

Analytical Report

3/15/2023

Mr. Don Wyll

Leidos

11824 N Creek Parkway North

Ste 101

Bothell WA 98011

Project Name: Tiki Carwash

Project #: 339701

Workorder #: 2303160A

Dear Mr. Don Wyll

The following report includes the data for the above referenced project for sample(s) received on 3/2/2023 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Monica Tran at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Monica Tran

Project Manager

WORK ORDER #: 2303160A

Work Order Summary

CLIENT:	Mr. Don Wyll Leidos 11824 N Creek Parkway North Ste 101 Bothell, WA 98011	BILL TO:	Mr. Don Wyll Leidos 11824 N Creek Parkway North Ste 101 Bothell, WA 98011
PHONE:	425-485-5800	P.O. #	PR-36008
FAX:		PROJECT #	339701 Tiki Carwash
DATE RECEIVED:	03/02/2023	CONTACT:	Monica Tran
DATE COMPLETED:	03/15/2023		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	Indoor Ambient	Modified TO-15	4.5 "Hg	2 psi
01B	Indoor Ambient	Modified TO-15	4.5 "Hg	2 psi
02A	Outdoor Ambient	Modified TO-15	3.5 "Hg	2 psi
02B	Outdoor Ambient	Modified TO-15	3.5 "Hg	2 psi
03A	Subslab 2	Modified TO-15	3.0 "Hg	2 psi
03B	Subslab 2	Modified TO-15	3.0 "Hg	2 psi
04A	Lab Blank	Modified TO-15	NA	NA
04B	Lab Blank	Modified TO-15	NA	NA
05A	CCV	Modified TO-15	NA	NA
05B	CCV	Modified TO-15	NA	NA
06A	LCS	Modified TO-15	NA	NA
06AA	LCSD	Modified TO-15	NA	NA
06B	LCS	Modified TO-15	NA	NA
06BB	LCSD	Modified TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 03/15/23

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP – 209222, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP – T104704434-22-18, UT NELAP – CA009332022-14, VA NELAP - 12240, WA ELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005-017

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2
This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279

LABORATORY NARRATIVE
Modified TO-15 Full Scan/SIM
Leidos
Workorder# 2303160A

Two 6 Liter Summa Canister (100% SIM Ambient) and one 6 Liter Summa Canister (SIM Certified) samples were received on March 02, 2023. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the Full Scan and SIM acquisition modes. The method involves concentrating up to 1.0 liters of air. The concentrated aliquot is then flash vaporized and swept through a water management system to remove water vapor. Following dehumidification, the sample passes directly into the GC/MS for analysis.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the EATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
ICAL %RSD acceptance criteria	$\leq 30\%$ RSD with 2 compounds allowed out to <math>< 40\%</math> RSD	For Full Scan: 30% RSD with 4 compounds allowed out to <math>< 40\%</math> RSD For SIM: Project specific; default criteria is $\leq 30\%$ RSD with 10% of compounds allowed out to <math>< 40\%</math> RSD
Daily Calibration	+/- 30% Difference	For Full Scan: $\leq 30\%$ Difference with four allowed out up to $\leq 40\%$; flag and narrate outliers For SIM: Project specific; default criteria is $\leq 30\%$ Difference with 10% of compounds allowed out up to $\leq 40\%$; flag and narrate outliers
Blank and standards	Zero air	Nitrogen
Method Detection Limit	Follow 40CFR Pt.136 App. B	The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases

Receiving Notes

The samples arrived at the laboratory without a Chain of Custody (COC). The client subsequently provided the COC by e-mail on 3/1/23.

The Chain of Custody was missing method assignment in the 'Requested Analyses' checkboxes for the associated samples. EATL proceeded with the analysis as per the original contract or verbal agreement.

Analytical Notes

The results for each sample in this report were acquired from two separate data files originating from the same analytical run. The two data files have the same base file name and are differentiated with a "sim" extension on the SIM data file.

A single point calibration for TPH referenced to Gasoline was performed for each daily analytical batch. Recovery is reported as 100% in the associated results for each CCV.

The hydrocarbon profile present in sample Indoor Ambient did not resemble that of commercial gasoline. Results were calculated using the response factor derived from the gasoline calibration.

Definition of Data Qualifying Flags

Nine qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

CN - See case narrative explanation

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

Client Sample ID: Indoor Ambient

Lab ID#: 2303160A-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	13	40	55	160

Client Sample ID: Indoor Ambient

Lab ID#: 2303160A-01B

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.067	0.29	0.21	0.93
Toluene	0.067	1.3	0.25	5.1
Ethyl Benzene	0.027	0.19	0.12	0.82
m,p-Xylene	0.054	0.64	0.23	2.8
o-Xylene	0.027	0.22	0.12	0.96

Client Sample ID: Outdoor Ambient

Lab ID#: 2303160A-02A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	13	16	53	65

Client Sample ID: Outdoor Ambient

Lab ID#: 2303160A-02B

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.064	0.28	0.21	0.91
Toluene	0.064	0.87	0.24	3.3
Ethyl Benzene	0.026	0.12	0.11	0.54
m,p-Xylene	0.052	0.48	0.22	2.1
o-Xylene	0.026	0.16	0.11	0.71

Client Sample ID: Subslab 2

Lab ID#: 2303160A-03A

No Detections Were Found.

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

Client Sample ID: Subslab 2

Lab ID#: 2303160A-03B

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Ethyl Benzene	0.025	0.13	0.11	0.57



Client Sample ID: Indoor Ambient

Lab ID#: 2303160A-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031309	Date of Collection:	2/24/23 2:32:00 PM	
Dil. Factor:	1.34	Date of Analysis:	3/13/23 01:53 PM	

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	13	40	55	160

Container Type: 6 Liter Summa Canister (100% SIM Ambient)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	94	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	89	70-130



Client Sample ID: Indoor Ambient

Lab ID#: 2303160A-01B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031309sim	Date of Collection:	2/24/23 2:32:00 PM
Dil. Factor:	1.34	Date of Analysis:	3/13/23 01:53 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.067	0.29	0.21	0.93
Toluene	0.067	1.3	0.25	5.1
Ethyl Benzene	0.027	0.19	0.12	0.82
m,p-Xylene	0.054	0.64	0.23	2.8
o-Xylene	0.027	0.22	0.12	0.96
Naphthalene	0.067	Not Detected	0.35	Not Detected

Container Type: 6 Liter Summa Canister (100% SIM Ambient)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	91	70-130

Client Sample ID: Outdoor Ambient

Lab ID#: 2303160A-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031310	Date of Collection:	2/24/23 2:19:00 PM
Dil. Factor:	1.29	Date of Analysis:	3/13/23 02:52 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	13	16	53	65

Container Type: 6 Liter Summa Canister (100% SIM Ambient)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	94	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	86	70-130

Client Sample ID: Outdoor Ambient

Lab ID#: 2303160A-02B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031310sim	Date of Collection: 2/24/23 2:19:00 PM
Dil. Factor:	1.29	Date of Analysis: 3/13/23 02:52 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.064	0.28	0.21	0.91
Toluene	0.064	0.87	0.24	3.3
Ethyl Benzene	0.026	0.12	0.11	0.54
m,p-Xylene	0.052	0.48	0.22	2.1
o-Xylene	0.026	0.16	0.11	0.71
Naphthalene	0.064	Not Detected	0.34	Not Detected

Container Type: 6 Liter Summa Canister (100% SIM Ambient)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	107	70-130
Toluene-d8	97	70-130
4-Bromofluorobenzene	90	70-130



Client Sample ID: Subslab 2

Lab ID#: 2303160A-03A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031311	Date of Collection:	2/24/23 8:45:00 AM	
Dil. Factor:	1.26	Date of Analysis:	3/13/23 03:30 PM	

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	13	Not Detected	52	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	89	70-130



Client Sample ID: Subslab 2

Lab ID#: 2303160A-03B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031311sim	Date of Collection:	2/24/23 8:45:00 AM
Dil. Factor:	1.26	Date of Analysis:	3/13/23 03:30 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.063	Not Detected	0.20	Not Detected
Toluene	0.063	Not Detected	0.24	Not Detected
Ethyl Benzene	0.025	0.13	0.11	0.57
m,p-Xylene	0.050	Not Detected	0.22	Not Detected
o-Xylene	0.025	Not Detected	0.11	Not Detected
Naphthalene	0.063	Not Detected	0.33	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	110	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	94	70-130



Client Sample ID: Lab Blank

Lab ID#: 2303160A-04A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031307	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	3/13/23 12:17 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
TPH ref. to Gasoline (MW=100)	10	Not Detected	41	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	99	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	84	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2303160A-04B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031307sim	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	3/13/23 12:17 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.050	Not Detected	0.16	Not Detected
Toluene	0.050	Not Detected	0.19	Not Detected
Ethyl Benzene	0.020	Not Detected	0.087	Not Detected
m,p-Xylene	0.040	Not Detected	0.17	Not Detected
o-Xylene	0.020	Not Detected	0.087	Not Detected
Naphthalene	0.050	Not Detected	0.26	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	111	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	87	70-130

Client Sample ID: CCV

Lab ID#: 2303160A-05A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031302	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 08:41 AM

Compound	%Recovery
TPH ref. to Gasoline (MW=100)	100

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	92	70-130
Toluene-d8	104	70-130
4-Bromofluorobenzene	89	70-130

Client Sample ID: CCV

Lab ID#: 2303160A-05B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031302sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 08:41 AM

Compound	%Recovery
Benzene	108
Toluene	106
Ethyl Benzene	112
m,p-Xylene	109
o-Xylene	105
Naphthalene	108

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	89	70-130

Client Sample ID: LCS

Lab ID#: 2303160A-06A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031303	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 09:21 AM

Compound	%Recovery	Method Limits
TPH ref. to Gasoline (MW=100)	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	89	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	93	70-130

Client Sample ID: LCSD

Lab ID#: 2303160A-06AA

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031304	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 09:59 AM

Compound	%Recovery	Method Limits
TPH ref. to Gasoline (MW=100)	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	89	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	96	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2303160A-06B

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031303sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 09:21 AM

Compound	%Recovery	Method Limits
Benzene	101	70-130
Toluene	98	70-130
Ethyl Benzene	107	70-130
m,p-Xylene	104	70-130
o-Xylene	100	70-130
Naphthalene	111	60-140

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	97	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	94	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2303160A-06BB

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	20031304sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/13/23 09:59 AM

Compound	%Recovery	Method Limits
Benzene	97	70-130
Toluene	94	70-130
Ethyl Benzene	102	70-130
m,p-Xylene	99	70-130
o-Xylene	95	70-130
Naphthalene	104	60-140

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	96	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	96	70-130