

January 25, 2023

1413.001.10

Washington Department of Ecology
Northwest Regional Office Toxics Control Program
15700 Dayton Avenue North
Shoreline, Washington 98133

Attn: Ms. Tena Seeds

BY EMAIL ONLY

**2021-2022 GROUNDWATER AND SOIL VAPOR DATA REPORT
AMERICAN LINEN SUPPLY CO DEXTER AVE SITE
AGREED ORDER NO. DE 14302**

Dear Ms. Seeds:

PES Environmental, Inc. (“PES”) has prepared this data submittal on behalf of BMR-Dexter LLC (“BMRD”) for the American Linen Supply Co Dexter Ave Site (the “Site”) located at 700 Dexter Avenue North, Seattle, Washington. This submittal provides the data collected from the third quarter of 2021 through the third quarter of 2022, including data from interim action performance monitoring wells at the 700 Dexter Avenue North property (the “Property”) and at the Seattle Department of Transportation Mercer Parcels Site (also known as 800 Mercer), remedial investigation (“RI”) monitoring wells, and soil vapor probes. PES conducted the monitoring consistent with the Final Interim Action Work Plan (“IAWP”)¹, the Final Contingent Action Addendum (“CAA”) to the Final IAWP², the Final Remedial Investigation/Feasibility Study (“RI/FS”) Work Plan,³ the Final RI/FS Work Plan Addendum,⁴ the Proposed Groundwater and Soil Vapor Monitoring Plan,⁵ and the Interim Action Work Plan Addendum No. 2.⁶ PES measured groundwater levels, collected groundwater samples, and collected soil vapor samples during this period to document the chlorinated volatile organic compound (“CVOC”) concentrations in groundwater and soil vapor. This data submittal summarizes the field and

¹ PES Environmental, Inc. 2018. *Final Interim Action Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. August.

² PES Environmental, Inc. 2019. Letter from D. Balbiani and B. O’Neal to T. Cardona (Ecology) re: *Final Contingent Action Addendum to the Final Interim Action Work Plan, Former American Linen Supply Co-Dexter Ave Site, Agreed Order No. DE 14302*. February 14.

³ PES Environmental, Inc. 2019. *Final Remedial Investigation/Feasibility Study Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. December 4.

⁴ PES Environmental, Inc. 2020. *Final Remedial Investigation/Feasibility Study Work Plan Addendum, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. June 11.

⁵ PES Environmental, Inc. 2020. *Proposed Groundwater and Soil Vapor Monitoring Plan, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302*. Submitted to the Washington Department of Ecology, Northwest Regional Office Toxics Cleanup Program. October 7.

⁶ PES Environmental, Inc. 2022. *Interim Action Work Plan Addendum No. 2, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302*. Submitted to the Washington Department of Ecology, Northwest Regional Office Toxics Cleanup Program. February 22.

analytical laboratory procedures, provides the tabulated data, presents groundwater elevation contour maps, provides CVOC time-trend plots, and includes the analytical laboratory reports and data validation review memoranda.

Construction activities were being performed on and near the Property during this monitoring period, including 700 Dexter interior build-out; 8th Avenue North street and sidewalk improvements; well monument completions or replacements on Valley Street, 8th Avenue North, and Roy Street; redevelopment activities at 701 Dexter Avenue North; and emulsified vegetable oil (“EVO”) injection in monitoring wells on the Seattle DOT Mercer Parcels.

GROUNDWATER MONITORING PROCEDURES

During quarterly groundwater monitoring, PES measured groundwater levels and performed groundwater sampling from wells within the RI/IA monitoring well network at the Site. Figure 1 shows the well and soil vapor probe locations. PES used an electronic water level probe to measure depth to groundwater in the wells, and a pressure gauge to monitor the flowing CAA wells in the Property basement. PES sampled the monitoring wells with a peristaltic or bladder pump depending on the depth to water in the wells. Wells were purged at pumping rates of 200 mL/min or less. Three casing volumes of water were purged from flowing Property CAA monitoring wells when the water level was above the well top of casing prior to sampling. One primary groundwater sample was collected from each monitoring well. Field quality assurance samples consisted of trip blanks, duplicate samples (one duplicate sample collected for every 20 primary groundwater samples), and equipment rinsate blanks for wells sampled with a bladder pump. All samples were shipped for analysis of VOCs by Environmental Protection Agency (“EPA”) Method 8260C. Groundwater samples from selected wells near the Property were also analyzed for gasoline-range organics (“GRO”) by Washington State Department of Ecology (“Ecology”) Method NWTPH-Gx, and groundwater samples from a subset of wells across the Site were also analyzed for geochemical parameters. All samples were shipped to Pace Analytical in Mount Juliet, Tennessee, with the exception of samples collected during the fourth quarter of 2021 for chloride, nitrate, and sulfate analysis by EPA Method 300.0. Fourth quarter 2021 chloride, nitrate, and sulfate samples were delivered daily to Fremont Analytical in Seattle, Washington.

Third Quarter 2021: On August 16, 2021, PES measured one round of groundwater levels in 89 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 41 monitoring wells on the Seattle Department of Transportation (“DOT”) Mercer Parcels and at the 615 Dexter site. Monitoring wells MW121, R-MW6, MW-302, W-MW-01, MW104, MW124, MW-138, and MW-160 were inaccessible and W-MW-02 contained emulsified vegetable oil (“EVO”). Water levels, therefore, were not measured in these eight wells. Between August 2 and August 23, 2021 ~~2022~~, PES collected groundwater samples from 71 monitoring wells outside of the Property, including 9 Shallow Zone wells, 21 Intermediate A Zone wells, 24 Intermediate B Zone wells, and 17 Deep Zone wells. The 24 CAA monitoring wells on the Property were also sampled during the third quarter 2021 event. Two Intermediate B Zone wells (MW-157 and W-MW-02) could not be sampled due to the presence of EVO in the wells.

One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from R-MW5, MW103, MW-145R, MW-301, and MW-348. Two equipment rinsate blanks and five trip blanks were also collected. PES also submitted groundwater samples from a subset of Property CAA monitoring wells to SiREM in Knoxville, Tennessee, for Gene-Trac testing to quantify

Dehalococcoides mccartyi (Dhc), and Dhc functional genes (vcrA, bvcA, and tceA) for biological reductive dichlorination evaluation.

Fourth Quarter 2021: Between November 3 and December 17, 2021, PES collected groundwater samples from 85 monitoring wells outside of the Property, including 17 Shallow Zone wells, 25 Intermediate A Zone wells, 21 Intermediate B Zone wells, and 22 Deep Zone wells. The 24 CAA monitoring wells on the Property were also sampled during the fourth quarter 2021 event. PES did not sample the following wells as noted:

- Shallow Zone monitoring well MW121 and Deep Zone monitoring well MW124 were inaccessible due to construction-related activities and were unable to be sampled;
- Intermediate A Zone monitoring wells FMW-142 and GEI-MW-1; Intermediate B Zone well FMW-141; and Deep Zone wells FMW-129, FMW-131, FMW-137, FMW-140, and GEI-2 were not sampled due to access restrictions;
- Intermediate B Zone monitoring wells MW-157 and W-MW-02 were not sampled due to the presence of EVO; and
- Deep Zone monitoring wells MW128 and MW-329 were not sampled due to time constraints during the sampling event.

One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from MW113, MW-158A MW-135, MW-314, and MW-339. Two equipment rinsate blanks and five trip blanks were also collected. PES did not monitor groundwater levels during the fourth quarter of 2021 due to access and time restrictions.

First Quarter 2022: On February 14, 2022, PES measured one round of groundwater levels in 117 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 48 monitoring wells on the Seattle DOT Mercer Parcels and at the 615 Dexter site. PES did not monitor the water level in W-MW-02 due to the presence of EVO in the well.

Between February 15 and March 8, 2022, PES collected groundwater samples from 60 monitoring wells outside of the Property, including 8 Shallow Zone wells, 17 Intermediate A Zone wells, 13 Intermediate B Zone wells, and 22 Deep Zone wells. The 24 CAA monitoring wells on the Property were also sampled during the first quarter 2022 event. Intermediate B Zone wells MW-157 and W-MW-02 could not be sampled due to the presence of EVO in the wells. One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from MW102, MW-156, MW-161, MW-172, and R-MW5. Two equipment rinsate blanks and five trip blanks were also collected.

Second Quarter 2022: On May 16, 2022, PES measured one round of groundwater levels in 119 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 32 monitoring wells on the Seattle DOT Mercer Parcels. PES did not monitor water levels in MW-157 and W-MW-02 due to the presence of EVO, and FMW-143 was inaccessible.

Between May 2 and June 9, 2022, PES collected groundwater samples from 103 monitoring wells outside of the Property, including 18 Shallow Zone wells, 27 Intermediate A Zone wells, 27 Intermediate B Zone wells, and 31 Deep Zone wells. The 24 CAA monitoring wells on the Property were also sampled during the second quarter 2022 event. PES did not sample MW-157 and W-MW-02

due to the presence of EVO in the wells. One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from HMW-9IB, MW-9, MW121, MW-178. Two equipment rinsate blanks and five trip blanks were also collected.

Third Quarter 2022: On August 8, 2022, PES measured one round of groundwater levels in 113 monitoring wells within the RI/IA monitoring well network around the Site, and in 30 monitoring wells on the Seattle DOT Mercer Parcels. PES did not monitor water levels in four wells during the event, W-MW-02 due to the presence of EVO, MW-305 which was dry, and MW-330 and MW-332 due to access restrictions.

Between August 1 and August 23, 2022, PES collected groundwater samples from 56 monitoring wells outside of the Property, including 9 Shallow Zone wells, 15 Intermediate A Zone wells, 15 Intermediate B Zone wells, and 17 Deep Zone wells. The 24 CAA monitoring wells on the Property were also sampled during the third quarter 2022 event. PES did not sample MW-157 and W-MW-02 due to the presence of EVO in the wells. One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from BB-8, MW121, MW125, MW-301, and W-MW-01. Two equipment rinsate blanks and five trip blanks were also collected.

VAPOR PROBE SAMPLING PROCEDURES

PES collected soil vapor samples during quarterly sampling events from shallower and deeper vadose zone soil vapor probes at the Site. Soil vapor samples were analyzed for VOCs, including tetrachloroethene (“PCE”), trichloroethene (“TCE”), cis-1,2-dichloroethene (“cDCE”), trans-1,2-dichloroethene (“tDCE”), and vinyl chloride (“VC”).

Third Quarter 2021: Between August 12 and August 14, 2021, PES collected six vapor samples, two from soil vapor probes SV-04 and SV-16 screened in the shallower portion of vadose zone soil at 6 feet below ground surface (“bgs”) and four from soil vapor probes SV01, SV-05, SV-13, and SV-15 screened in the deeper vadose zone just above the groundwater capillary fringe, at depths of 12 to 13 feet bgs. A duplicate sample was collected from SV01.

Fourth Quarter 2021: On December 16, 2021, PES collected soil vapor samples from paired shallower and deeper soil vapor probes SV01 and SV-18 located in the 8th Avenue North right-of-way.

First Quarter 2022: Between March 3 and March 8, 2022, PES collected 10 soil vapor samples from soil vapor probes along Valley Street, 8th Avenue North, and the alley east of 800 Roy/Aloha Street. Samples were collected from shallower and deeper soil vapor probe pairs SV01 and SV-18, SV-08 and SV-09, SV-12 and SV-13, and SV-21 and SV-22. Soil vapor samples were also collected from shallower vapor probes SV-17 and SV-23. A duplicate sample was collected from SV-18. PES attempted to collect a vapor sample from SV-24 however the probe screen was submerged, and water in the probe could not be cleared.

Second Quarter 2022: On May 4, 2022, PES collected soil vapor samples from paired shallower and deeper soil vapor probes SV01 and SV-18 located along the in the 8th Avenue North right-of-way.

Third Quarter 2022: On August 22, 2022, PES collected soil vapor samples from paired shallower and deeper soil vapor probes SV01 and SV-18 located in the 8th Avenue North right-of-way.

MONITORING RESULTS

Table 1 provides the depths to water measured during the monitoring periods in monitoring wells across the Site, and Table 2 provides the depths to water measured during the monitoring periods in the Property CAA monitoring wells. Tables 2 through 9 provide field parameters and the laboratory results for the groundwater samples collected during the third quarter 2021 through the third quarter 2022 monitoring period, and Table 10 provides the laboratory results for the soil vapor samples collected during the monitoring period. Figures 2 through 5 present quarterly groundwater elevation contours for the third quarter of 2021 and the first three quarters of 2022. Attachment A provides a well completion table that includes updated survey data and survey data for wells not monitored until after the RI. Attachment B presents CVOC time trend plots updated to include the third quarter 2021 through the third quarter 2022 data, and Attachment C provides the laboratory reports and data validation memoranda for the third quarter 2021 through third quarter 2022 data.

Please call if you have any questions or comments regarding this report.

Sincerely,

PES ENVIRONMENTAL, INC.



Brian O'Neal, P.E.
Principal Engineer



William R. Haldeman

William R. Haldeman, L.H.G., R.G.
Associate Hydrogeologist

Attachments: Table 1 – Summary of Site-Wide Groundwater Elevations
Table 2 – Groundwater Field Parameters
Table 3 – Groundwater Analytical Data for Shallow Zone Wells
Table 4 – Groundwater Analytical Data for Intermediate A Zone Wells
Table 5 – Groundwater Analytical Data for Intermediate B Zone Wells
Table 6 – Groundwater Analytical Data for Deep Zone Wells
Table 7 – Groundwater Analytical Data, Treatment Zone Monitoring Wells
Table 8 – Groundwater Geochemical Parameters
Table 9 – Dehalococcoides Data, Treatment Zone Monitoring Wells
Table 10 – Soil Vapor Analytical Results

Figure 1 – Groundwater Monitoring Network
Figure 2 – Groundwater Elevation Contours, August 2021
Figure 3 – Groundwater Elevation Contours, February 2022
Figure 4 – Groundwater Elevation Contours, May 2022
Figure 5 – Groundwater Elevation Contours, August 2022

Attachment A – Well Completion Table
Attachment B – CVOC Time-Trend Plots
Attachment C – Laboratory Reports and Data Validation Memoranda

cc: John Moshy, BMRD
 Elizabeth Dickey, BMRD
 Drew Graham, OAC

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
Shallow Zone							
DMW-1S	615 Dexter, SE quadrant	17.0 to 27.0	38.9 to 28.9	55.76	08/16/21 02/14/22	23.35 19.35	32.41 36.41
DMW-2S	615 Dexter, SE quadrant	25.0 to 35.0	31.0 to 21.0	55.74	02/14/22	Inaccessible	
DMW-4S	Alley S of SE quadrant of 615 Dexter	23.0 to 33.0	38.8 to 28.8	61.54	08/16/21 02/14/22	25.83 21.30	35.71 40.24
DMW-5IA	Alley S of SE quadrant of 615 Dexter	39.8 to 49.8	29.7 to 19.7	69.15	08/16/21 02/14/22	40.08 36.64	29.07 32.51
DMW-6	615 Dexter, NE quadrant	34.0 to 44.0	32.3 to 22.3	66.08	08/16/21 02/14/22	28.85 24.81	37.23 41.27
DMW-7S	Dexter Ave N ROW, W side	28.0 to 38.0	30.3 to 20.3	58.01	08/16/21 Abandoned 2022?	25.80	32.21
DMW-8S	Dexter Ave N ROW, W side	27.0 to 37.0	31.6 to 21.6	58.35	08/16/21 Abandoned 2022?	26.53	31.82
DMW-9S	Dexter Ave N ROW, W side	23.0 to 33.0	35.9 to 25.9	58.55	08/16/21 Abandoned 2022?	25.43	33.12
DMW-10S	601 Dexter, NE quadrant	35.0 to 55.0	24.5 to 4.5	59.24	02/14/22	27.31	31.93
DMW-11S	601 Dexter, NE quadrant	30.0 to 50.0	31.2 to 11.2	60.86	02/14/22	27.62	33.24
DMW-12S	615 Dexter, S central edge of property	30.0 to 50.0	36.1 to 16.1	65.67	02/14/22	29.43	36.24
DMW-13S	Alley S of SW quadrant of 615 Dexter	30.0 to 50.0	36.3 to 16.3	65.02	02/14/22	33.73	31.29
DMW-14S	Alley S of SW quadrant of 615 Dexter	41.0 to 51.0	29.3 to 19.3	70.15	08/16/21 02/14/22	41.90 38.45	28.25 31.70
FMW-143	9th Ave N ROW, E side	23.0 to 28.0	10.0 to 5.0	32.69	08/16/21 02/15/22 08/08/22	15.55 13.25 12.09	17.14 19.44 20.60
HMW-1S	SDOT Mercer Parcels, NE quadrant	20.0 to 30.0	16.0 to 6.0	35.73	08/16/21 02/14/22 05/16/22 08/08/22	19.27 16.62 15.82 16.14	16.46 19.11 19.91 19.59
HMW-2S	SDOT Mercer Parcels, NE quadrant	19.8 to 29.8	27.6 to 17.6	47.28	08/16/21 02/14/22 05/16/22 08/08/22	24.13 22.03 22.37 23.20	23.15 25.25 24.91 24.08
HMW-9S	SDOT Mercer Parcels, SW quadrant	25.0 to 35.0	30.4 to 20.4	58.54	08/16/21 02/14/22 05/16/22 08/08/22	33.00 31.52 31.92 32.78	25.54 27.02 26.62 25.76

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
HMW-10S	SDOT Mercer Parcels, SE quadrant	24.7 to 34.7	23.5 to 13.5	51.09	08/16/21 02/14/22 05/16/22 08/08/22	26.41 24.03 24.40 25.74	24.68 27.06 26.69 25.35
HMW-11S	SDOT Mercer Parcels, SE quadrant	25.0 to 35.0	16.5 to 6.5	44.77	08/16/21 02/14/22 05/16/22 08/08/22	21.11 25.48 25.77 25.83	23.66 19.29 19.00 18.94
HMW-17S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.2 to 12.2	57.35	08/16/21 02/14/22 05/16/22 08/08/22	27.04 23.77 29.49 31.37	30.31 33.58 27.86 25.98
HMW-18S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.6 to 12.6	57.44	08/16/21 02/14/22	27.65 24.87	29.79 32.57
HMW-19S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	23.2 to 13.2	61.08	08/16/21 02/14/22 05/16/22 08/08/22	32.35 25.91 33.03 34.86	28.73 35.17 28.05 26.22
HMW-20S	SDOT Mercer Parcels, NW quadrant	25.0 to 35.0	28.8 to 18.8	56.49	02/14/22 05/16/22	29.54 —	26.95
HMW-21S	SDOT Mercer Parcels, SE quadrant	30.0 to 40.0	8.2 to -1.8	37.92	02/14/22	19.40	18.52
HMW-22S	SDOT Mercer Parcels, SE quadrant	27.0 to 37.0	11.8 to 1.8	38.58	08/16/21 02/14/22 05/16/22 08/08/22	22.90 20.10 19.68 19.67	15.68 18.48 18.90 18.91
MW-8	Seattle Roy Aloha Shops, N end	4.5 to 19.0	28.7 to 14.2	33.19	08/17/21 02/15/22 05/16/22 08/08/22	14.01 11.47 10.34 11.79	19.18 21.72 22.85 21.40
MW-9	8th Ave N ROW, E side	7.0 to 22.0	34.1 to 19.1	40.74	08/16/21 02/14/22 05/16/22 08/08/22	16.79 14.42 15.49 15.84	23.95 26.32 25.25 24.90
MW121	8th Ave N ROW, E side	15.0 to 25.0	26.7 to 16.7	41.72	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 15.53 16.92 16.89	26.19 24.80 24.83
MW125	Valley St ROW, N side	15.0 to 30.0	28.6 to 13.6	43.55	08/16/21 02/14/22 05/16/22 08/08/22	18.49 16.69 17.70 18.15	25.06 26.86 25.85 25.40

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-154	Roy St ROW, S side	25.3 to 35.2	27.8 to 17.9	52.57	08/16/21 02/14/22 05/16/22 08/08/22	24.98 22.03 23.60 25.35	27.59 30.54 28.97 27.22
MW-155	Roy St ROW, S side	20.0 to 30.0	24.4 to 14.4	44.05	08/16/21 02/14/22 05/16/22 08/08/22	21.03 17.53 18.52 19.82	23.02 26.52 25.53 24.23
MW-159	8th Ave N ROW, E side	20.4 to 30.4	22.9 to 12.9	42.79	08/16/21 02/14/22 05/16/22 08/08/22	19.86 17.37 18.22 18.99	22.93 25.42 24.57 23.80
MW-210	Valley St ROW, S side	5.0 to 20.0	22.1 to 7.1	26.57	08/16/21 02/14/22 05/16/22 08/08/22	9.13 9.62 7.83 8.08	17.44 16.95 18.74 18.49
MW-214	Valley St ROW, S side	7.0 to 17.0	20.8 to 10.8	27.32	08/16/21 02/14/22 05/16/22 08/08/22	10.37 9.35 7.58 8.75	16.95 17.97 19.74 18.57
MW-301	Valley St ROW, S side	18.3 to 28.3	35.6 to 25.6	53.54	08/16/21 02/14/22 05/16/22 08/08/22	21.77 19.85 21.49 22.54	31.77 33.69 32.05 31.00
MW-305	Roy St ROW, S side	22.8 to 32.8	37.4 to 27.4	59.86	08/16/21 02/14/22 05/16/22	24.78 19.16 25.81	35.08 40.70 34.05
MW-310	Alley E of Seattle Roy Aloha Shops	13.8 to 23.8	19.2 to 9.2	32.48	08/16/21 02/14/22 05/16/22 08/08/22	13.25 9.01 9.21 10.11	19.23 23.47 23.27 22.37
MW-312	Alley E of Seattle Roy Aloha Shops	15.8 to 25.8	19.9 to 9.9	34.99	08/16/21 02/14/22 05/16/22 08/08/22	16.13 11.25 11.32 13.01	18.86 23.74 23.67 21.98
MW-313	Alley E of Seattle Roy Aloha Shops	19.5 to 29.5	20.4 to 10.4	39.53	08/16/21 02/14/22 05/16/22 08/08/22	22.85 19.99 19.81 20.02	16.68 19.54 19.72 19.51

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-320	9th Ave N ROW, W side	15.5 to 25.5	18.6 to 8.6	33.57	08/16/21 02/14/22 05/16/22 08/08/22	16.14 13.26 12.86 13.21	17.43 20.31 20.71 20.36
MW-332	Roy St ROW, N side	20.3 to 30.3	15.42 to 5.42	35.72	08/16/21 02/14/22 05/16/22	18.93 15.67 15.44	16.79 20.05 20.28
MW-337	Lake Union Park, N end	9.7 to 19.7	18.1 to 8.1	27.51	08/16/21 02/14/22 05/16/22 08/08/22	10.03 10.37 8.29 9.34	17.48 17.14 19.22 18.17
MW-339	Lake Union Park, S end	10.1 to 20.1	18.2 to 8.2	28.06	08/16/21 02/14/22 05/16/22 08/08/22	10.56 10.91 8.56 9.80	17.50 17.15 19.50 18.26
R-MW5	Dexter Ave N ROW, E side	15.0 to 30.0	42.4 to 27.4	57.01	08/16/21 02/14/22 05/16/22 08/08/22	21.05 19.41 21.67 22.97	35.96 37.60 35.34 34.04
R-MW6	8th Ave N ROW, W side	12.0 to 22.0	33.3 to 23.3	45.28	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 13.78 15.50 17.05	30.74 29.02 27.47
SCL-MW101	Alley E of Seattle Roy Aloha Shops	5.0 to 15.0	25.5 to 15.5	30.02	08/16/21 02/14/22 05/16/22 08/08/22	9.89 7.09 7.22 7.71	20.13 22.93 22.80 22.31
SCL-MW105	Alley E of Seattle Roy Aloha Shops	20.0 to 30.0	11.1 to 1.1	30.77	08/16/21 02/14/22 05/16/22 08/08/22	12.28 10.28 9.97 10.25	18.49 20.49 20.80 20.52
SCS-2	Seattle Roy Aloha Shops, N end	11.0 to 21.0	28.2 to 18.2	39.16	08/17/21 02/15/22 05/16/22 08/08/22	18.90 15.81 15.79 16.76	20.26 23.35 23.37 22.40
Intermediate A Zone							
BB-8	Roy St ROW, S side	30.0 to 40.0	14.0 to 4.0	43.64	08/16/21 02/14/22 05/16/22 08/08/22	19.70 14.90 16.70 18.68	23.94 28.74 26.94 24.96
DMW-3IA	615 Dexter, NE quadrant	39.0 to 49.0	16.8 to 6.8	55.84	08/16/21 02/14/22	24.43 20.85	31.41 34.99

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
FMW-142	9th Ave N ROW, E side	37.5 to 42.5	-4.6 to -9.6	32.52	08/16/21 02/14/22 05/16/22 08/08/22	16.15 14.10 13.34 13.40	16.37 18.42 19.18 19.12
GEI-1	Block 37, NW quadrant	26.8 to 36.8	1.6 to -8.5	27.95	08/16/21 02/14/22 05/16/22 08/08/22	11.29 9.85 8.89 9.25	16.66 18.10 19.06 18.70
GEI-MW-1	Block 79 East, N end	39.8 to 59.8	-9.3 to -29.3	30.30	08/16/21 02/14/22 05/16/22 08/08/22	13.53 12.03 11.17 11.29	16.77 18.27 19.13 19.01
HC-4	601 Dexter, NE quadrant	40.0 to 50.0	20.2 to 10.2	60.23	08/16/21 02/15/22	31.70 29.05	28.53 31.18
HMW-2IA	SDOT Mercer Parcels, NE quadrant	34.8 to 44.8	10.8 to 0.8	47.51	08/16/21 02/14/22 05/16/22 08/08/22	23.76 20.11 20.60 22.80	23.75 27.40 26.91 24.71
HMW-3IA	SDOT Mercer Parcels, NW quadrant	34.8 to 44.8	20.2 to 10.2	54.75	08/16/21 02/14/22 08/08/22	26.99 24.24 28.40	27.76 30.51 26.35
HMW-6IA	SDOT Mercer Parcels, SW quadrant	37.5 to 47.5	21.2 to 11.2	61.27	08/16/21 02/14/22 05/16/22 08/08/22	34.59 32.70 33.21 33.74	26.68 28.57 28.06 27.53
HMW-9IA	SDOT Mercer Parcels, SW quadrant	36.7 to 46.7	18.6 to 8.6	58.21	08/16/21 02/14/22 05/16/22	32.56 30.71 31.39	25.65 27.50 26.82
HMW-20IA	SDOT Mercer Parcels, NW quadrant	41.0 to 51.0	12.8 to 2.8	56.47	02/14/22 05/16/22	28.02 —	28.45
MW107	8th Ave N ROW, W side	35.0 to 45.0	8.8 to -1.2	43.82 43.01	08/16/21 02/14/22 05/16/22 08/08/22	19.36 15.51 16.82 17.95	24.46 27.50 26.19 25.06
MW108	Alley E of Seattle Roy Aloha Shops	40.0 to 50.0	-7.2 to -17.2	32.78	08/16/21 02/14/22 05/16/22 08/08/22	15.67 13.61 13.06 13.21	17.11 19.17 19.72 19.57
MW109	Alley E of Seattle Roy Aloha Shops	35.0 to 45.0	0.0 to -10.0	34.87	08/16/21 02/14/22 05/16/22 08/08/22	18.20 16.03 15.51 15.61	16.67 18.84 19.36 19.26

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW110	Alley E of Seattle Roy Aloha Shops	35.0 to 45.0	4.7 to -5.3	39.67	08/16/21 02/14/22 05/16/22 08/08/22	23.01 20.28 20.05 20.18	16.66 19.39 19.62 19.49
MW115	9th Ave N ROW, W side	35.0 to 45.0	-0.6 to -10.6	34.10	08/16/21 02/14/22 05/16/22 08/08/22	17.96 15.82 15.21 15.24	16.14 18.28 18.89 18.86
MW116	9th Ave N ROW, W side	35.0 to 45.0	-3.1 to -13.1	31.34	08/16/21 02/14/22 05/16/22 08/08/22	14.71 12.65 12.11 12.18	16.63 18.69 19.23 19.16
MW119	9th Ave N ROW, W side	35.0 to 45.0	2.7 to -7.3	37.42	08/16/21 02/14/22 05/16/22 08/08/22	21.55 18.83 18.40 18.43	15.87 18.59 19.02 18.99
MW120	8th Ave N ROW, E side	40.0 to 50.0	0.0 to -10.0	39.94	08/16/21 02/14/22 05/16/22 08/08/22	18.58 16.58 16.84 17.19	21.36 23.36 23.10 22.75
MW127	8th Ave N ROW, E side	40.0 to 50.0	-1.0 to -11.0	39.04	08/16/21 02/14/22 05/16/22 08/08/22	18.29 16.46 16.48 16.81	20.75 22.58 22.56 22.23
MW-142	8th Ave N ROW, E side	40.0 to 50.0	2.4 to -7.6	42.12	08/16/21 02/14/22 05/16/22 08/08/22	19.88 17.41 17.94 18.66	22.24 24.71 24.18 23.46
MW-144R	8th Ave N ROW, E side	39.0 to 49.3	3.9 to -6.5	42.46	08/16/21 02/14/22 05/16/22 08/08/22	19.45 16.28 17.31 18.40	23.01 26.18 25.15 24.06
MW-146	Roy St ROW, S side	39.9 to 49.9	12.8 to 2.8	52.34	08/16/21 02/14/22 05/16/22 08/08/22	26.18 22.88 24.04 26.02	26.16 29.46 28.30 26.32
MW-156	8th Ave N ROW, E side	39.6 to 49.6	2.0 to -8.0	41.24	08/16/21 02/14/22 05/16/22 08/08/22	19.45 17.21 17.77 18.21	21.79 24.03 23.47 23.03

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-189	Valley St ROW, S side	48.8 to 58.8	-1.2 to -11.2	47.33	08/16/21	22.83	24.50
				47.99	02/14/22	20.59	27.40
					05/16/22	21.65	26.34
					08/08/22	22.26	25.73
MW-302	Dexter Ave N ROW, E side	54.3 to 64.3	3.0 to -7.0	57.03	08/16/21	Inaccessible	
				56.90	02/14/22	24.10	32.80
					05/16/22	25.84	31.06
					08/08/22	27.55	29.35
MW-306	Roy St ROW, S side	42.8 to 52.8	17.2 to 7.2	59.48	08/16/21	27.79	31.69
					02/14/22	24.00	35.48
					05/16/22	32.90	26.58
					08/08/22	37.55	21.93
MW-308	Alley E of Seattle Roy Aloha Shops	35.1 to 45.1	-4.7 to -14.7	30.15	08/16/21	12.80	17.35
					02/14/22	10.89	19.26
					05/16/22	10.37	19.78
					08/08/22	10.50	19.65
MW-315	Mercer St ROW, N side	37.5 to 47.4	12.2 to 2.3	49.18	08/16/21	25.10	24.08
					02/14/22	22.22	26.96
					05/16/22	22.58	26.60
					08/08/22	24.06	25.12
MW-317	9th Ave N ROW, W side	28.2 to 38.2	3.4 to -6.6	31.35	08/16/21	14.30	17.05
					02/14/22	12.31	19.04
					05/16/22	11.58	19.77
					08/08/22	11.90	19.45
MW-325	Mercer St ROW, N side	34.5 to 44.5	7.0 to -3.0	40.90	08/16/21	25.25	15.65
					02/14/22	22.14	18.76
					05/16/22	21.84	19.06
					08/08/22	21.91	18.99
MW-327	Lake Union Park, S end	24.8 to 34.8	3.6 to -6.3	28.15	08/16/21	11.02	17.13
					02/14/22	10.29	17.86
					05/16/22	8.72	19.43
					08/08/22	9.58	18.57
MW-330	Valley St ROW, N side	52.1 to 62.1	-0.1 to -10.1	51.67	08/16/21	23.20	28.47
					02/14/22	21.08	30.59
					05/16/22	22.15	29.52
MW-331	Alley E of Seattle Roy Aloha Shops	35.6 to 45.6	-4.3 to -14.3	30.43	08/16/21	12.45	17.98
					02/14/22	10.79	19.64
					05/16/22	10.24	20.19
					08/08/22	10.54	19.89

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-333	900 Roy St, S end	33.2 to 43.2	-1.5 to -11.5	31.10	08/16/21 02/14/22 05/16/22 08/08/22	14.69 12.82 12.03 12.09	16.41 18.28 19.07 19.01
MW-344	SDOT Mercer Parcels, NW quadrant	39.4 to 49.4	13.6 to 3.6	52.7	08/16/21 02/14/22 05/16/22 08/08/22	26.52 23.32 24.61 26.50	26.18 29.38 28.09 26.20
Intermediate B Zone							
FMW-141	Alley E of Seattle Roy Aloha Shops	47.5 to 57.5	-12.1 to -22.1	35.15	08/16/21 02/14/22 05/16/22 08/08/22	18.60 16.45 15.89 16.02	16.55 18.70 19.26 19.13
HMW-1IB	SDOT Mercer Parcels, NE quadrant	54.3 to 64.3	-16.0 to -26.0	38.38	08/16/21 02/14/22 05/16/22 08/08/22	22.52 19.59 19.26 19.38	15.86 18.79 19.12 19.00
HMW-2IB	SDOT Mercer Parcels, NE quadrant	52.8 to 62.8	-5.4 to -15.4	47.19	08/16/21 02/14/22 05/16/22 08/08/22	30.94 27.87 27.64 27.71	16.25 19.32 19.55 19.48
HMW-4IA	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	58.53	02/14/22 05/16/22 08/08/22	30.06 31.49 32.46	28.47 27.04 26.07
HMW-5IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	8.7 to -1.3	60.99	08/16/21 02/14/22 05/16/22 08/08/22	33.35 30.72 33.44 35.12	27.64 30.27 27.55 25.87
HMW-6IB	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	61.61	02/14/22 05/16/22 08/08/22	33.21 34.06 34.78	28.40 27.55 26.83
HMW-7IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	9.0 to -1.0	61.38	08/16/21 02/14/22 05/16/22 08/08/22	35.72 33.70 34.49 35.22	25.66 27.68 26.89 26.16
HMW-8IB	SDOT Mercer Parcels, SW quadrant	50.5 to 60.5	7.5 to -2.5	60.78	08/16/21 02/14/22 05/16/22 08/08/22	35.07 32.92 33.98 38.05	25.71 27.86 26.80 22.73

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
HMW-9IB	SDOT Mercer Parcels, SW quadrant	57.0 to 67.0	-1.6 to -11.6	57.89	08/16/21 02/14/22 05/16/22 08/08/22	32.66 29.98 32.65 34.11	25.23 27.91 25.24 23.78
HMW-11IB	SDOT Mercer Parcels, SE quadrant	44.9 to 54.9	-5.2 to -15.2	42.91	08/16/21 02/14/22 05/16/22 08/08/22	27.31 20.52 23.87 23.95	15.60 22.39 19.04 18.96
HMW-15IB	SDOT Mercer Parcels, SW quadrant	64.0 to 73.0	-5.1 to -14.1	58.33	08/16/21 02/14/22 05/16/22 08/08/22	38.41 35.88 36.10 35.46	19.92 22.45 22.23 22.87
HMW-16IB	SDOT Mercer Parcels, NW quadrant	55.0 to 65.0	2.0 to -8.0	56.80	08/16/21 02/14/22 05/16/22 08/08/22	34.38 32.28 29.87 31.25	22.42 24.52 26.93 25.55
MW111	Alley E of Seattle Roy Aloha Shops	70.0 to 80.0	-33.5 to -43.5	36.38	08/16/21 02/14/22 05/16/22 08/08/22	20.00 17.72 17.26 17.27	16.38 18.66 19.12 19.11
MW112	Dexter Ave N ROW, W side	75.0 to 85.0	-17.2 to -27.2	57.47	08/16/21 02/14/22 05/16/22 08/08/22	37.49 35.64 36.43 37.11	19.98 21.83 21.04 20.36
MW126	Alley E of Seattle Roy Aloha Shops	85.0 to 95.0	-54.1 to -64.1	30.94	08/16/21 02/14/22 05/16/22 08/08/22	12.70 12.94 12.45 12.26	18.24 18.00 18.49 18.68
MW-143	8th Ave N ROW, E side	70.1 to 80.0	-27.7 to -37.6	42.04	08/16/21 02/14/22 05/16/22 08/08/22	21.96 19.54 20.36 19.94	20.08 22.50 21.68 22.10
MW-145R	8th Ave N ROW, E side	69.9 to 79.9	-27.2 to -37.2	42.00	08/16/21 02/14/22 05/16/22 08/08/22	22.53 19.77 20.18 20.78	19.47 22.23 21.82 21.22
MW-147	Roy St ROW, S side	70.0 to 80.0	-17.6 to -27.6	51.85	08/16/21 02/14/22 05/16/22 08/08/22	29.37 25.91 28.23 28.16	22.48 25.94 23.62 23.69

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-148	Roy St ROW, S side	70.0 to 80.0	-25.7 to -35.7	43.91	08/16/21 02/14/22 05/16/22 08/08/22	27.31 24.53 24.20 24.40	16.60 19.38 19.71 19.51
MW-157	8th Ave N ROW, E side	69.9 to 79.8	-28.3 to -38.2	41.22	08/16/21 02/14/22 05/16/22 08/08/22	21.57 19.23 — 19.49	19.65 21.99 21.73
MW-190	Valley St ROW, S side	78.8 to 88.8	-30.2 to -40.2	48.39 48.95	08/16/21 02/14/22 05/16/22 08/08/22	27.23 26.90 25.95 27.66	21.16 22.05 23.00 21.29
MW-303	Dexter Ave N ROW, E side	71.4 to 81.4	-13.8 to -23.8	57.28 57.27	08/16/21 02/14/22 05/16/22 08/08/22	36.15 34.45 34.89 35.69	21.13 22.82 22.38 21.58
MW-307	Roy St ROW, S side	72.8 to 82.8	-12.4 to -22.4	60.21	08/16/21 02/14/22 05/16/22 08/08/22	41.66 39.11 40.85 41.78	18.55 21.10 19.36 18.43
MW-309	Alley E of Seattle Roy Aloha Shops	62.4 to 72.4	-32.0 to -42.0	29.97	08/16/21 02/14/22 05/16/22 08/08/22	12.64 10.79 10.26 10.40	17.33 19.18 19.71 19.57
MW-311	Alley E of Seattle Roy Aloha Shops	62.2 to 72.2	-29.1 to -39.1	32.98	08/16/21 02/14/22 05/16/22 08/08/22	15.53 13.50 13.06 13.25	17.45 19.48 19.92 19.73
MW-314	Alley E of Seattle Roy Aloha Shops	67.8 to 77.8	-28.0 to -38.0	39.19	08/16/21 02/14/22 05/16/22 08/08/22	22.82 20.40 19.96 20.80	16.37 18.79 19.23 18.39
MW-316	Mercer St ROW, N side	59.8 to 69.8	-10.0 to -20.0	49.44	08/16/21 02/14/22 05/16/22 08/08/22	32.91 29.83 29.65 29.56	16.53 19.61 19.79 19.88
MW-318	9th Ave N ROW, W side	54.8 to 64.8	-23.1 to -33.1	31.36	08/16/21 02/14/22 05/16/22 08/08/22	14.91 13.08 12.41 12.44	16.45 18.28 18.95 18.92

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-322	9th Ave N ROW, W side	54.7 to 64.7	-21.3 to -31.3	33.13	08/16/21 02/14/22 05/16/22 08/08/22	16.84 14.92 14.48 14.28	16.29 18.21 18.65 18.85
MW-334	900 Roy St, S end	53.1 to 63.1	-21.7 to -31.7	31.22	08/16/21 02/14/22 05/16/22 08/08/22	15.26 13.37 12.60 12.60	15.96 17.85 18.62 18.62
MW-335	Mercer St ROW, N side	60.8 to 70.8	-25.6 to -35.6	34.26	08/16/21 02/14/22 05/16/22 08/08/22	19.05 15.68 15.93 15.77	15.21 18.58 18.33 18.49
MW-338	Lake Union Park, N end	44.4 to 54.4	-16.6 to -26.6	27.38	08/16/21 02/14/22 05/16/22 08/08/22	10.97 9.64 8.66 8.85	16.41 17.74 18.72 18.53
MW-340	Lake Union Park, S end	44.4 to 54.4	-16.1 to -26.1	28.02	08/16/21 02/14/22 05/16/22 08/08/22	11.94 10.43 9.39 9.52	16.08 17.59 18.63 18.50
MW-345	SDOT Mercer Parcels, NW quadrant	54.4 to 64.4	-1.6 to -11.6	52.61	08/16/21 02/14/22 05/16/22 08/08/22	28.42 24.92 26.34 28.01	24.19 27.69 26.27 24.60
MW-346	SDOT Mercer Parcels, NW quadrant	53.9 to 63.9	-2.2 to -12.2	51.63	08/16/21 02/14/22 05/16/22 08/08/22	29.30 25.95 26.34 28.58	22.33 25.68 25.29 23.05
MW-347	SDOT Mercer Parcels, NW quadrant	54.0 to 64.0	-1.3 to -11.3	52.7	08/16/21 02/14/22 05/16/22 08/08/22	30.19 26.80 27.61 29.56	22.51 25.90 25.09 23.14
MW-348	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-4.6 to -14.6	53.84	08/16/21 02/14/22 05/16/22 08/08/22	31.44 28.36 28.87 30.73	22.40 25.48 24.97 23.11
MW-349	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-2.8 to -12.8	55.58	08/16/21 02/14/22 05/16/22 08/08/22	31.25 28.79 29.92 32.02	24.33 26.79 25.66 23.56

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-350	SDOT Mercer Parcels, NW quadrant	59.4 to 69.4	-1.7 to -11.7	57.55	08/16/21 02/14/22 05/16/22 08/08/22	35.50 33.19 34.09 35.11	22.05 24.36 23.46 22.44
W-MW-01	8th Ave N ROW, W side	70.0 to 80.0	-25.5 to -35.5	44.88 44.50	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 22.65 23.03 23.85	21.85 21.47 20.65
W-MW-02	8th Ave N ROW, W side	70.0 to 80.0	-26.3 to -36.3	43.46 42.89	08/16/21 02/14/22 05/16/22 08/08/22	— — — —	
Deep Zone							
FMW-129	SDOT Mercer Parcels, NE quadrant	84.2 to 89.2	-45.6 to -50.6	38.31	08/16/21 02/14/22 05/16/22 08/08/22	22.76 20.30 19.84 19.76	15.55 18.01 18.47 18.55
FMW-131	Block 37, SE quadrant	62.5 to 72.5	-34.7 to -44.7	27.85	08/16/21 02/14/22 05/16/22 08/08/22	12.82 10.37 9.76 9.79	15.03 17.48 18.09 18.06
FMW-137	Alley E of Block 38 West	72.0 to 85.0	-44.9 to -57.9	30.09	08/16/21 02/14/22 05/16/22 08/08/22	15.28 12.85 12.06 11.93	14.81 17.24 18.03 18.16
FMW-140	900 Roy St, S end	70.0 to 80.0	-38.0 to -48.0	31.71	08/16/21 02/14/22 05/16/22 08/08/22	15.63 13.83 12.96 10.53	16.08 17.88 18.75 21.18
GEI-2	Block 37, SW quadrant	50.5 to 60.5	-21.1 to -31.1	29.38	08/16/21 02/14/22 05/16/22 08/08/22	13.92 12.02 11.24 11.29	15.46 17.36 18.14 18.09
HMW-1D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-41.9 to -51.9	37.99	08/16/21 02/14/22 05/16/22 08/08/22	23.39 24.10 20.15 19.85	14.60 13.89 17.84 18.14
HMW-2D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-32.7 to -42.7	47.19	08/16/21 02/14/22 05/16/22 08/08/22	31.18 28.41 28.20 28.00	16.01 18.78 18.99 19.19

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
HMW-3D	SDOT Mercer Parcels, NW quadrant	80.0 to 90.0	-23.4 to -33.4	56.37	08/16/21 02/14/22 05/16/22 08/08/22	40.85 39.36 39.00 38.61	15.52 17.01 17.37 17.76
HMW-6D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-21.1 to -31.1	61.49	08/16/21 02/14/22 05/16/22 08/08/22	46.07 44.03 44.10 43.86	15.42 17.46 17.39 17.63
HMW-9D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-24.4 to -34.4	58.14	08/16/21 02/14/22 05/16/22 08/08/22	41.88 39.91 39.56 43.86	16.26 18.23 18.58 14.28
HMW-10D	SDOT Mercer Parcels, SE quadrant	79.0 to 89.0	-30.8 to -40.8	51.03	08/16/21 02/14/22 05/16/22 08/08/22	34.94 31.94 31.77 31.83	16.09 19.09 19.26 19.20
HMW-12D	SDOT Mercer Parcels, NE quadrant	82.0 to 92.0	-48.5 to -58.5	35.86	08/16/21 02/14/22 05/16/22 08/08/22	20.21 17.79 17.33 17.23	15.65 18.07 18.53 18.63
HMW-13D	SDOT Mercer Parcels, SE quadrant	89.5 to 99.5	-44.2 to -54.2	45.08	08/16/21 02/14/22 05/16/22 08/08/22	30.20 27.26 26.90 26.61	14.88 17.82 18.18 18.47
HMW-14D	SDOT Mercer Parcels, SE quadrant	70.0 to 80.0	-23.7 to -33.7	46.11	08/16/21 02/14/22 05/16/22 08/08/22	30.29 27.06 26.82 26.94	15.82 19.05 19.29 19.17
MW102	Valley St ROW, S side	115.0 to 125.0	-65.8 to -75.8	49.11 49.66	08/16/21 02/14/22 05/16/22 08/08/22	34.10 32.12 32.20 31.85	15.01 17.54 17.46 17.81
MW103	Alley E of Seattle Roy Aloha Shops	103.5 to 113.5	-67.6 to -77.6	35.86	08/16/21 02/14/22 05/16/22 08/08/22	20.03 17.95 17.53 17.34	15.83 17.91 18.33 18.52
MW104	8th Ave N ROW, W side	119.0 to 129.0	-76.3 to -86.3	42.68	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 24.84 24.82 24.66	17.84 17.86 18.02

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW105	Roy St ROW, S side	130.0 to 140.0	-85.3 to -95.3	44.12	08/16/21 02/14/22 05/16/22 08/08/22	28.41 26.32 25.80 25.84	15.71 17.80 18.32 18.28
MW106	SDOT Mercer Parcels, NW quadrant	130.0 to 140.0	-78.0 to -88.0	51.99	08/16/21 02/14/22 05/16/22 08/08/22	36.34 34.41 34.45 34.11	15.65 17.58 17.54 17.88
MW113	9th Ave N ROW, W side	70.0 to 80.0	-36.8 to -46.8	32.91	08/16/21 02/14/22 05/16/22 08/08/22	16.69 14.58 14.07 14.08	16.22 18.33 18.84 18.83
MW122	Alley E of Seattle Roy Aloha Shops	105.0 to 115.0	-75.0 to -85.0	30.03	08/16/21 02/14/22 05/16/22 08/08/22	13.70 12.06 11.39 11.32	16.33 17.97 18.64 18.71
MW123	Westlake Ave N ROW, W side	70.0 to 80.0	-42.5 to -52.5	27.50	08/16/21 02/14/22 05/16/22 08/08/22	11.11 9.55 8.88 8.72	16.39 17.95 18.62 18.78
MW124	Valley St ROW, S side	110.0 to 120.0	-53.8 to -63.8	56.17 56.74	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 39.20 39.25 38.98	17.54 17.49 17.76
MW128	Westlake Ave N ROW, E side	60.0 to 70.0	-30.8 to -40.8	28.59	08/16/21 02/14/22 05/16/22 08/08/22	12.80 11.00 10.20 10.13	15.79 17.59 18.39 18.46
MW-138	Dexter Ave N ROW, E side	105.0 to 115.0	-47.6 to -57.6	57.03	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 39.56 39.48 39.30	17.47 17.55 17.73
MW-153	Roy St ROW, S side	120.0 to 130.0	-65.3 to -75.3	54.35	08/16/21 02/14/22 05/16/22 08/08/22	38.87 36.90 36.96 36.51	15.48 17.45 17.39 17.84
MW-158A	8th Ave N ROW, E side	89.7 to 100.0	-48.2 to -58.5	41.09	08/16/21 02/14/22 05/16/22 08/08/22	25.18 23.22 23.16 22.84	15.91 17.87 17.93 18.25

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-160	8th Ave N ROW, W side	118.0 to 128.0	-75.4 to -85.4	42.24 42.03	08/16/21 02/14/22 05/16/22 08/08/22	Inaccessible 24.45 24.30 24.14	17.58 17.73 17.89
MW-161	8th Ave N ROW, W side	130.0 to 140.0	-85.6 to -95.6	43.99 43.84	08/16/21 02/14/22 05/16/22 08/08/22	28.32 26.28 26.12 25.96	15.67 17.56 17.72 17.88
MW-304	Dexter Ave N ROW, E side	105.2 to 115.2	-47.6 to -57.6	57.23 57.08	08/16/21 02/14/22 05/16/22 08/08/22	41.50 39.52 39.59 39.41	15.73 17.56 17.49 17.67
MW-319	9th Ave N ROW, W side	74.5 to 84.5	-42.8 to -52.8	31.31	08/16/21 02/14/22 05/16/22 08/08/22	14.88 13.09 12.37 12.40	16.43 18.22 18.94 18.91
MW-323	9th Ave N ROW, W side	100.0 to 110.0	-65.4 to -75.4	34.38	08/16/21 02/14/22 05/16/22 08/08/22	18.43 16.31 15.76 15.70	15.95 18.07 18.62 18.68
MW-324	Roy St ROW, N side	66.3 to 76.3	-32.1 to -42.1	33.71	08/16/21 02/14/22 05/16/22 08/08/22	17.70 15.66 14.91 14.94	16.01 18.05 18.80 18.77
MW-326	Mercer St ROW, N side	90.0 to 100.0	-48.7 to -58.7	40.97	08/16/21 02/14/22 05/16/22 08/08/22	26.50 23.52 23.18 22.81	14.47 17.45 17.79 18.16
MW-328	Lake Union Park, S end	64.5 to 74.5	-36.1 to -46.1	28.09	08/16/21 02/14/22 05/16/22 08/08/22	12.03 10.44 9.52 9.55	16.06 17.65 18.57 18.54
MW-329	Westlake Ave N ROW, E side	98.3 to 108.3	-69.0 to -79.0	28.93	08/16/21 02/14/22 05/16/22 08/08/22	13.13 11.36 10.52 10.48	15.80 17.57 18.41 18.45
MW-336	Mercer St ROW, N side	85.3 to 95.3	-51.6 to -61.6	33.31	08/16/21 02/14/22 05/16/22 08/08/22	18.48 16.50 15.17 14.94	14.83 16.81 18.14 18.37

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-341	Lake Union Park, S end	95.2 to 105.2	-66.8 to -76.8	28.11	08/16/21 02/14/22 05/16/22 08/08/22	12.07 10.47 9.58 9.59	16.04 17.64 18.53 18.52
MW-342	Valley St ROW, S side	60.1 to 70.1	-32.4 to -42.4	27.37	08/16/21 02/14/22 05/16/22 08/08/22	11.54 10.03 9.09 9.01	15.83 17.34 18.28 18.36
MW-343	Valley St ROW, S side	99.1 to 109.1	-71.5 to -81.5	27.16	08/16/21 02/14/22 05/16/22 08/08/22	11.53 10.03 9.13 9.02	15.63 17.13 18.03 18.14

NOTES:

TOCs were surveyed relative to an established datum of 521.41 feet prior to 2012. TOCs were resurveyed by Axis Survey and Mapping of Kirkland, WA on March 16th, 2012, relative to an arbitrary benchmark of 499.89 feet above mean sea level, and by Bush, Roed & Hitchings, Inc. of Seattle, WA in multiple surveys since February 2012 using the North American Vertical Datum 1988.

^a As measured in feet below a fixed spot on the well casing rim.

^b Calculated by subtracting the depth to groundwater from the casing elevation. Groundwater elevation in angled monitoring well calculated subtracting the product of the measured depth to groundwater in the angled well by the sine of its angle.

- = unknown or not applicable

ROW = right-of-way

TOC = top of casing

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Shallow Zone									
MW121	8th Ave N ROW, E side	08/02/21 05/19/22 08/04/22	6.63 6.76 6.78	1,853 1,875 1,628	21.6 13.9 18.0	10 — —	0.25 0.32 0.60	124 29 79	— — —
MW125	Valley St ROW, N side	08/02/21 11/11/21 02/22/22 05/19/22 08/09/22	6.43 6.69 6.76 6.77 6.73	759 711 1,895 736 650	19.6 14.1 9.1 13.4 18.3	7.2 — — — —	0.31 0.49 0.68 0.41 0.58	125 48 -119 -24 -93	— 5.8 — — —
MW-154	Roy St ROW, S side	08/17/21 11/10/21 02/18/22 05/02/22 08/02/22	6.80 7.08 7.27 7.09 7.16	494 487 872 671 584	18.1 15.8 14.8 14.9 18.5	11 — — — —	6.90 0.59 4.91 5.98 4.97	4 150 -298 211 -15	— 0.0 — — —
MW-155	Roy St ROW, S side	08/13/21 12/02/21 03/01/22 05/05/22 08/03/22	6.29 6.28 6.69 6.50 6.60	592 563 870 782 774	16.9 12.5 14.6 11.2 18.7	25 — — — —	4.17 4.67 1.98 2.90 2.37	67 207 -208 185 -21	— 0.0 — — —
MW-159	8th Ave N ROW, E side	08/05/21 12/02/21 03/03/22 05/11/22 08/03/22	6.81 6.49 6.66 6.77 6.98	477 542 605.5 565 551	19.5 13.1 13.5 15.7 18.3	32 — 25 — —	0.22 0.17 0.15 0.20 1.50	101 -105 -700 -104 -75	— 4.5 — — —
MW-301	Valley St ROW, S side	08/20/21 12/02/21 05/10/22 08/12/22	6.18 6.17 5.69 6.51	460 426 496 434	15.9 11.3 13.6 16.0	14 — — —	1.23 0.77 0.00 0.56	169 148 94 43	0.0 0.0 0.2 0.2
MW-305	Roy St ROW, S side	12/03/21 05/26/22	6.46 6.75	500 443	16.7 16.6	— —	6.88 3.29	69 7	0.0 —
MW-310	Alley E of Seattle Roy Aloha Shops	11/04/21 05/18/22	6.80 6.84	1,460 1,079	14.3 14.9	— —	0.51 0.19	176 -105	3.5 —
MW-312	Alley E of Seattle Roy Aloha Shops	11/03/21 05/09/22	6.45 6.69	215 1,453	15.7 16.2	— —	0.38 0.12	101 -86	2.5 —
MW-313	Alley E of Seattle Roy Aloha Shops	11/09/21 05/18/22	6.55 6.69	785 1,130	15.0 15.5	— —	1.14 0.64	34 53	0.6 —
MW-320	9th Ave N ROW, W side	11/16/21 06/08/22	6.62 6.77	418 499	15.5 15.6	— —	1.08 4.14	72 66	0.0 —
MW-332	Roy St ROW, N side	11/08/21 05/31/22	6.91 6.80	723 893	16.3 16.2	— —	1.31 0.68	118 18	0.0 —
MW-337	Lake Union Park, N end	11/17/21 05/03/22	6.41 6.78	636 542	14.8 11.9	— —	0.00 1.08	73 51	0.3 —

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-339	Lake Union Park, S end	11/10/21 05/04/22	6.62 7.06	376 543	12.2 11.9	— —	0.72 4.21	93 -1	0.2 —
MW-9	8th Ave N ROW, E side	08/02/21 11/11/21 02/15/22 06/08/22 08/09/22	6.54 6.61 6.61 6.64 6.75	1,150 1,006 1,046 1,071 1,008	20.4 14.8 12.4 17.6 19.1	3.8 — — — —	0.29 0.43 0.47 0.26 0.55	128 175 -247 -13 -44	— 5.8 — — —
R-MW5	Dexter Ave N ROW E side	08/03/21 11/08/21 02/24/22 05/17/22 08/09/22	6.08 6.45 6.04 6.20 6.34	275 188 252 415 481	18.9 14.8 10.3 14.2 16.1	7.1 — — — —	0.85 0.00 0.91 0.18 1.80	9 22 -48 63 -6	— 1 — — —
R-MW6	8th Ave N ROW, W side	08/03/21 11/29/21 02/23/22 05/11/22 08/03/22	6.08 7.13 6.11 6.32 6.35	1,406 1,074 1,225 2,045 1,341	19.9 15.1 9.7 14.0 18.7	4.2 — — — —	1.14 0.08 0.69 0.20 — ^a	78 -112 -100 -61 -93	— 3.2 — — —
SCL-MW101	Alley E of Seattle Roy Aloha Shops	11/11/21 05/19/22	6.57 6.60	1,129 1,458	16.1 15.6	— —	0.45 0.29	40 92	2.8 —
Intermediate A Zone									
BB-8	Roy St ROW, S side	08/17/21 11/08/21 02/24/22 05/17/22 08/09/22	6.61 6.92 6.86 6.83 6.83	502 493 645 657 550	17.7 15.9 12.5 16.3 18.8	4.3 — — — —	1.54 2.51 2.56 2.50 1.10	139 93 -209 -27 -6	— 0.0 — — —
FMW-142	9th Ave N ROW, E side	03/02/22 06/05/22	6.86 6.84	830 778	14.8 15.3	— —	0.26 0.39	-436 -84	— —
GEI-MW-1	Block 79 East, N end	03/07/22 05/27/22	6.88 6.86	647 688	15.0 15.5	8.0 —	0.13 0.37	-664 -116	— —
HMW-9IA	SDOT Mercer Parcels SW quadrant	08/18/21	7.45	599	18.2	41.2	0.29	-111	0.25
HMW-20IA	SDOT Mercer Parcels NW quadrant	08/18/21	7.54	735	16.3	1.6	0.23	-94	0.0
MW107	8th Ave N ROW, W side	08/16/21 11/29/21 02/23/22 05/11/22 08/03/22	6.56 6.31 6.60 6.70 6.76	1,832 1,318 1,205 1,316 1,319	18.4 15.0 11.4 16.0 21.8	— — — — —	0.35 0.17 0.82 0.15 5.40	-88 -61 -80 -53 -87	— 1.4 — — —
MW108	Alley E of Seattle Roy Aloha Shops	08/04/21 11/04/21 02/15/22 05/18/22 08/10/22	6.58 6.81 6.73 6.72 6.69	1,157 796 1,144 1,087 860	20.2 15.8 12.8 15.3 17.1	4.7 — — — —	0.32 0.85 0.41 0.44 0.98	111 176 -195 -78 -83	— 4.5 — — —

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW109	Alley E of Seattle Roy Aloha Shops	08/04/21	6.35	150	19.4	8	0.25	81	—
		11/03/21	6.73	777	15.7	—	0.85	124	5.5
		02/15/22	6.74	861	14.9	—	2.02	133	—
		05/09/22	6.20	901	16.7	—	0.00	-84	—
		08/10/22	6.66	65	17.5	—	1.50	160	—
MW110	Alley E of Seattle Roy Aloha Shops	08/12/21	6.60	789	25.7	132	0.39	127	—
		11/09/21	6.91	947	13.4	—	0.62	32	0.2
		02/25/22	6.75	788	14.2	—	0.52	-157	—
		05/18/22	6.74	757	16.1	—	0.41	48	—
		08/11/22	6.85	600	16.5	—	2.46	72	—
MW115	9th Ave N ROW, W side	08/11/21	6.74	1,107	22.8	—	0.15	128	—
		11/18/21	6.94	608	14.5	—	0.00	62	3.5
		02/15/22	7.00	859	14.6	—	0.15	-105	—
		06/03/22	6.78	759	17.6	—	0.31	-76	—
		08/10/22	7.06	520	17.5	—	0.72	-99	—
MW116	9th Ave N ROW, W side	08/11/21	7.01	670	0.3	—	0.25	107	—
		11/18/21	7.01	631	15.1	—	0.00	61	2.8
		03/07/22	7.02	645	13.7	—	0.16	-649	—
		06/08/22	7.00	665	19.5	—	0.30	-116	—
		08/10/22	7.18	494	19.0	—	0.63	-106	—
MW119	9th Ave N ROW, W side	08/13/21	6.20	541	17.7	45	0.24	-71	—
		12/03/21	6.32	366	12.5	—	0.40	-97	1.8
		03/02/22	6.42	515	12.4	—	0.73	-68	—
		05/05/22	6.43	651	12.0	—	0.64	-75	—
		08/11/22	6.53	424	16.4	—	1.14	-64	—
MW120	8th Ave N ROW, E side	08/03/21	6.47	671	18.6	27	0.42	111	—
		11/11/21	6.45	625	15.5	—	0.49	171	0.2
		02/15/22	6.62	614	13.5	—	0.44	-221	—
		05/11/22	6.62	598	17.9	—	0.41	48	—
		08/04/22	6.70	521	19.0	—	0.68	27	—
MW127	8th Ave N ROW, E side	11/17/21	6.87	431	14.4	—	0.00	65	0.0
		05/20/22	6.87	450	13.6	—	0.61	51	—
MW-142	8th Ave N ROW, E side	08/05/21	6.79	1,569	19.7	8.7	0.49	101	—
		11/30/21	6.67	1,685	15.7	—	0.22	-156	4.0
		02/18/22	6.70	1,712	13.2	—	0.68	-108	—
		05/26/22	6.82	1,771	15.2	—	0.42	-107	—
		08/03/22	6.81	421	19.4	—	0.59	-21	—
MW-144R	8th Ave N ROW, E side	08/03/21	7.35	1,482	20.6	4.5	0.31	118	—
		11/29/21	7.62	1,064	18.1	—	0.00	-178	3.4
		02/23/22	7.47	1,514	9.3	—	0.78	-119	—
		05/11/22	7.46	1,558	16.6	—	0.18	-91	—
		08/23/22	7.52	1,519	19.5	—	0.05	-53	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-146	Roy St ROW, S side	08/17/21	6.85	696	17.1	11	0.23	-73	—
		11/10/21	7.07	844	16.0	—	0.43	150	3.5
		02/18/22	7.11	973	14.3	—	0.27	-476	—
		05/03/22	6.96	937	14.5	—	0.90	-123	—
		08/03/22	7.10	775	16.6	—	5.70	-53	—
MW-156	8th Ave N ROW, E side	08/20/21	6.33	867	17.7	—	0.31	139	—
		11/18/21	6.66	724	12.1	—	0.16	63	1.5
		03/03/22	6.56	886	14.4	51	0.21	-511	—
		05/26/22	6.69	862	13.8	—	0.25	-13	—
		08/04/22	6.72	730	16.6	—	0.57	-40	—
MW-189	Valley St ROW, S side	08/11/21	7.52	615	19.6	47	0.15	-216	—
		08/20/21	7.51	590	16.7	51	0.26	-55	—
		11/30/21	7.23	709	14.8	—	0.26	133	0.8
		03/04/22	7.49	769	12.1	66.0	0.26	-578	—
		05/12/22	7.54	605	14.6	—	0.60	-118	—
		08/11/22	7.62	491	18.5	—	1.34	-72	—
MW-302	Dexter Ave N ROW E side	11/09/21	7.78	623	12.5	—	1.69	139	0
		05/17/22	7.93	640	13.8	—	0.38	-88	—
MW-306	Roy St ROW, S side	12/03/21	6.46	492	15.0	—	0.31	-77	3.0
		05/26/22	7.10	473	17.0	—	0.38	-74	—
MW-308	Alley E of Seattle Roy Aloha Shops	11/11/21	6.93	1,121	14.6	—	0.39	41	4.3
		05/19/22	7.22	1,126	14.6	—	0.29	19	—
MW-315	Mercer St ROW, N side	11/05/21	7.63	511	14.1	19.0	0.45	-216	0.8
		05/09/22	7.53	478	16.5	—	0.38	35	—
MW-317	9th Ave N ROW, W side	11/12/21	6.62	680	14.5	—	0.55	56	5.5
		05/27/22	6.71	853	16.0	—	0.24	-123	—
MW-325	Mercer St ROW, N side	08/12/21	6.35	598	15.9	8.7	0.15	2	—
		11/04/21	6.39	685	14.2	—	0.14	-103	0
		03/03/22	6.48	547	13.6	14	0.17	-443	—
		05/09/22	6.47	477	14.0	—	1.38	57	—
		08/11/22	6.55	500	15.4	—	1.31	160	—
MW-327	Lake Union Park, S end	11/10/21	6.70	475	11.5	—	0.46	-92	5.5
		05/04/22	6.83	603	13.7	—	1.81	-122	—
MW-330	Valley St ROW, N side	11/11/21	7.31	399	12.7	—	0.71	165	0.5
		05/25/22	7.40	403	16.3	—	0.65	39	—
MW-331	Alley E of Seattle Roy Aloha Shops	11/11/21	6.64	1,066	13.4	—	0.43	175	6.2
		05/20/22	6.80	926	14.2	—	0.34	-52	—
MW-333	900 Roy St, S end	11/05/21	6.58	1,446	15.0	—	0.35	173	1.8
		05/31/22	6.52	1,609	18.0	—	0.44	-127	—
MW-344	SDOT Mercer Parcels NW quadrant	08/18/21	7.28	547	19.0	—	0.21	149	1.4

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Intermediate B Zone									
FMW-141	Alley E of Seattle Roy Aloha Shops	02/23/22 05/09/22	7.10 6.42	175 130	11.5 16.9	— —	0.65 1.43	-328 -5	— —
HMW-9IB	SDOT Mercer Parcels SW quadrant	08/18/21	7.59	648	20.3	6.6	0.45	-112	—
		03/31/22	7.78	575	14.2	—	0.69	-282	—
		05/24/22	6.18	2,054	15.5	—	1.16	-55	—
		08/01/22	6.22	1,309	19.0	—	— ^a	-62	—
MW111	Alley E of Seattle Roy Aloha Shops	08/04/21	7.49	517	26.3	59	0.42	93	—
		11/03/21	7.64	475	15.7	—	0.30	82	0.5
		02/15/22	7.73	465	11.6	—	0.48	-256	—
		05/18/22	7.48	379	13.8	—	0.25	4	—
		08/09/22	7.78	378	19.5	—	1.53	-139	—
MW112	Dexter Ave N ROW W side	08/17/21	7.72	437	19.0	—	0.61	137	—
		11/08/21	7.76	495	16.3	275	0.55	-219	0.6
		02/24/22	7.94	434	12.2	—	1.11	-293	—
		05/13/22	7.96	460	18.5	—	0.79	-63	—
		08/09/22	7.80	359	18.3	—	1.96	-152	—
MW126	Alley E of Seattle Roy Aloha Shops	08/04/21	7.19	403	22.1	3.9	0.20	96	—
		11/11/21	7.23	377	13.9	—	0.29	165	0.6
		02/15/22	7.39	399	12.5	—	0.39	-268	—
		05/20/22	7.36	385	14.0	—	0.52	23	—
		08/10/22	7.40	306	16.9	—	1.00	33	—
MW-143	8th Ave N ROW, E side	08/20/21	6.40	1,871	18.4	—	0.19	156	—
		12/08/21	6.60	1,865	15.0	—	0.00	-125	6.0
		03/08/22	6.52	1,868	14.9	32	0.10	-470	—
		05/26/22	6.68	1,781	18.0	—	0.25	-120	—
		08/12/22	6.74	1,550	18.4	—	0.64	-134	—
MW-145R	8th Ave N ROW, E side	08/23/21	7.38	638	16.7	—	0.46	159	—
		11/30/21	7.76	652	13.4	—	2.28	-145	0.5
		03/08/22	7.62	606	13.5	57	0.49	-510	—
		05/11/22	7.53	618	14.5	—	0.51	-94	—
		08/10/22	7.75	657	17.6	—	4.90	-40	—
MW-147	Roy St ROW, S side	08/20/21	6.81	985	19.6	—	0.33	155	—
		11/09/21	7.38	741	15.2	—	0.75	155	1.5
		02/18/22	7.02	1,175	13.5	23	0.57	-124	—
		05/03/22	6.88	1,206	14.7	—	0.92	-129	—
		08/10/22	7.12	1,263	18.0	—	8.40	-66	—
MW-148	Roy St ROW, S side	08/13/21	7.57	655	19.6	161	0.29	-127	—
		12/07/21	7.64	626	13.1	—	0.99	-144	—
		02/25/22	7.71	682	12.4	—	0.9	-168	—
		05/05/22	2.61	671	12.4	—	2.51	-134	—
		08/10/22	7.76	777	17.8	—	1.25	-36	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-190	Valley St ROW, S side	08/11/21	7.38	476	22.2	48	0.44	11	—
		11/30/21	7.30	478	12.8	—	0.84	-79	0.0
		03/04/22	7.71	517	10.3	14	0.44	-485	—
		05/10/22	7.27	449	12.7	—	3.14	9	—
		08/11/22	7.74	374	17.0	—	1.38	-49	—
MW-303	Dexter Ave N ROW E side	11/09/21	7.51	455	14.5	—	0.51	-40	0.4
		05/25/22	7.83	432	15.4	—	0.61	-96	—
MW-307	Roy St ROW, S side	12/03/21	7.78	409	13.7	—	0.92	-164	0.0
		05/26/22	8.11	634	18.6	—	0.48	-190	—
MW-309	Alley E of Seattle Roy Aloha Shops	11/11/21	7.39	597	15.0	—	0.42	50	0.5
		05/19/22	7.41	647	14.7	—	0.33	-46	—
MW-311	Alley E of Seattle Roy Aloha Shops	11/04/21	7.47	784	15.5	—	0.36	176	0.8
		05/09/22	7.40	813	18.1	—	0.20	-31	—
MW-314	Alley E of Seattle Roy Aloha Shops	12/03/21	7.08	902	14.3	—	0.96	-113	1.2
		05/18/22	7.19	902	14.6	—	0.25	-47	—
MW-316	Mercer St ROW, N side	11/05/21	7.61	722	12.3	91	0.88	-222	0.4
		05/09/22	7.71	691	16.2	—	0.38	-48	—
MW-318	9th Ave N ROW, W side	11/12/21	6.64	1,095	16.0	—	0.30	57	4.8
		05/27/22	6.71	941	15.6	—	0.31	-99	—
MW-322	9th Ave N ROW, W side	11/09/21	6.90	1,370	12.9	—	0.00	-111	4.0
		06/08/22	6.60	1,338	17.1	—	0.43	-94	—
MW-334	900 Roy St, S end	11/05/21	7.09	1,909	15.1	—	0.26	175	5.3
		05/31/22	6.92	1,983	18.2	—	0.27	-113	—
MW-335	Mercer St ROW, N side	08/11/21	6.53	1,259	27.3	—	0.35	128	—
		11/17/21	6.58	1,165	14.9	—	0.00	65	0.3
		03/02/22	6.54	1,015	15.1	—	0.67	19	—
		05/31/22	6.56	798	18.5	—	0.30	28	—
		08/10/22	6.78	660	19.4	—	0.63	60	—
MW-338	Lake Union Park, N end	11/17/21	6.42	997	12.6	—	0.00	61	5.0
		05/04/22	6.59	1,046	13.5	—	7.22	-112	—
MW-340	Lake Union Park, S end	05/04/22	6.71	846	14.1	—	1.75	-91	—
MW-345	SDOT Mercer Parcels NW Quadrant	08/18/21	8.16	650	19.8	36	0.35	138	0.0
MW-346	SDOT Mercer Parcels NW Quadrant	08/18/21	8.07	632	22.8	106	0.15	146	0.0
		03/31/22	8.04	614	14.3	—	0.38	-249	—
		05/24/22	7.93	603	16.0	—	0.55	-94	—
		08/02/22	7.99	538	18.4	—	1.23	-32	—
MW-347	SDOT Mercer Parcels NW Quadrant	08/19/21	8.79	829	17.0	32	0.24	140	0.0
		03/31/22	8.46	606	11.7	—	0.39	-381	—
		05/26/22	7.10	591	15.2	—	3.39	-279	—
		08/02/22	7.49	569	17.9	—	0.78	-91	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-348	SDOT Mercer Parcels SW Quadrant	08/19/21	7.89	625	17.9	23	0.30	147	0.0
		03/31/22	8.08	605	11.5	—	0.54	-401	—
		05/26/22	8.19	628	14.9	—	0.52	18	—
		08/01/22	8.07	642	23.7	—	0.42	-60	—
MW-349	SDOT Mercer Parcels SW Quadrant	08/19/21	8.01	618	18.0	11	0.42	62	0.0
		03/30/22	7.88	642	13.6	—	0.62	-269	—
		05/26/22	6.29	1,854	15.7	—	0.39	-89	—
		08/01/22	6.49	1,178	21.7	—	9.20	-107	—
MW-350	SDOT Mercer Parcels NW Quadrant	08/18/21	7.93	572	21.7	67	0.28	-100	0.0
W-MW-01	8th Ave N ROW, W side	08/23/21	8.16	1,738	16.8	10	0.00	13	—
		11/29/21	6.64	1,555	16.9	—	0.16	-99	4.2
		03/08/22	6.83	1,293	13.3	167	0.27	-539	—
		05/11/22	6.79	1,383	17.4	—	0.33	-87	—
		08/12/22	6.95	910	18.1	—	0.94	-130	—
Deep Zone									
FMW-129	SDOT Mercer Parcels NE quadrant	08/19/21	6.58	803	17.5	97	0.19	-37	—
		03/03/22	6.69	788	13.6	94	0.2	-437	—
		05/05/22	6.74	954	11.7	—	0.73	40	—
		08/12/22	7.46	94	16.0	—	5.62	167	—
FMW-131	Block 37, SE quadrant	08/19/21	6.57	384	15.0	3.1	0.19	-6	—
		02/25/22	6.32	1,004	8.9	—	0.95	-85	—
		06/09/22	6.61	431	13.8	—	0.44	35	—
		08/05/22	6.70	484	19.9	—	0.88	-28	—
FMW-137	Alley E of Block 38 West	08/12/21	6.47	666	18.8	3.7	0.26	-1	—
		03/04/22	6.67	754	12.5	6	0.33	-567	—
		06/05/22	6.77	671	14.8	—	0.73	16	—
		08/05/22	6.78	612	16.8	—	0.67	-7	—
FMW-140	900 Roy St, S end	03/02/22	6.73	988	15.1	9	0.25	-389	—
		05/31/22	6.65	938	17.3	—	0.49	-96	—
GEI-2	Block 37, NW quadrant	08/19/21	6.57	886	16.1	1.7	0.20	-61	—
		02/25/22	6.68	837	10.7	—	0.85	-85	—
		06/09/22	6.74	925	14.1	—	0.48	-58	—
		08/05/22	6.83	967	22.9	—	0.54	-95	—
MW102	Valley St ROW, S side	08/11/21	7.76	335	18.3	55	0.49	-230	—
		11/30/21	7.46	307	13.8	—	0.80	-97	0.5
		03/07/22	7.77	306	13.4	51	0.36	-542	—
		05/10/22	7.52	314	14.1	—	0.00	-18	—
		08/12/22	7.83	280	18.0	—	0.65	-37	—
MW103	Alley E of Seattle Roy Aloha Shops	08/12/21	7.03	642	22.9	—	0.43	137	—
		11/08/21	7.29	621	15.2	—	0.45	124	1.0
		02/15/22	7.41	690	14.9	—	0.14	105	—
		05/09/22	7.38	698	16.4	—	0.06	-119	—
		08/09/22	7.45	712	20.1	—	3.80	-60	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW104	8th Ave N ROW, W side	08/23/21	7.59	363	18.3	90	0.36	-93	—
		11/29/21	7.74	376	16.6	—	1.76	154	0.5
		02/23/22	7.75	370	16.4	75	0.27	-294	—
		05/12/22	7.68	358	17.2	—	0.89	-125	—
		08/23/22	7.76	365	18.2	—	0.55	-75	—
MW105	Roy St ROW, S side	08/17/21	7.17	541	17.5	68	0.39	-77	—
		11/08/21	7.37	597	14.9	123	0.60	-12	1
		02/24/22	7.46	540	12.8	—	1.1	-108	—
		05/17/22	7.52	584	18.6	—	0.61	-94	—
		08/09/22	8.09	471	16.5	—	2.02	-209	—
MW106	SDOT Mercer Parcels NW quadrant	08/19/21	7.79	286	23.1	140	0.61	150	—
		02/18/22	8.04	314	13.2	—	0.54	-444	—
		05/06/22	7.15	458	15.2	—	0.37	31	—
		08/02/22	7.86	340	24.3	—	0.70	-85	—
MW113	9th Ave N ROW, W side	08/11/21	6.46	1,056	21.9	—	0.44	126	—
		11/18/21	6.50	960	15.2	—	0.00	67	4.5
		02/15/22	6.72	1,161	14.5	—	0.19	100	—
		06/08/22	6.57	1,206	17.6	—	0.48	-41	—
		08/10/22	6.76	980	18.4	—	0.77	-84	—
MW122	Alley E of Seattle Roy Aloha Shops	11/11/21	7.73	328	14.7	—	0.39	36	0.3
MW123	Westlake Ave N ROW W side	03/02/22	6.93	675	14.6	—	0.17	-437	—
MW124	Valley St ROW, S side	03/07/22	7.12	358.1	12.3	59	0.45	-451	—
MW128	Westlake Ave N ROW E side	05/12/22	7.48	319	16.9	162	1.20	100	—
MW-138	Dexter Ave N ROW E side	08/03/21	7.35	372	20.1	130	0.69	-131	—
		11/10/21	7.44	318	16.4	—	0.35	123	0.8
		02/24/22	7.56	384	12.1	177	0.88	-224	—
		05/25/22	7.54	367	16.8	—	0.22	-61	—
		08/09/22	7.09	187	17.3	—	2.50	177	—
MW-153	Roy St ROW, S side	08/20/21	7.97	345	19.0	60	0.35	-5	—
		12/07/21	7.99	343	14.3	—	0.95	-160	0.4
		02/25/22	7.98	368	14.8	—	0.97	-166	—
		05/02/22	7.94	349	15.9	—	4.37	112	—
		08/02/22	8.04	355	19.4	—	0.88	-30	—
MW-158A	8th Ave N ROW, E side	08/17/21	7.69	698	18.5	—	0.51	141	—
		12/08/21	7.70	700	14.0	—	1.29	-162	0.4
		03/04/22	7.71	727	13.8	102	0.32	-607	—
		05/17/22	7.79	686	16.3	—	0.55	-43	—
		08/12/22	7.69	520	18.8	—	3.85	77	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-160	8th Ave N ROW, W side	08/23/21	7.57	330	19.8	512	0.33	-93	—
		11/29/21	7.17	327	17.1	—	0.05	-114	0.8
		02/23/22	7.69	334	12.9	—	0.44	-219	—
		05/25/22	7.58	330	19.0	—	0.56	-43	—
		08/12/22	7.43	339	17.7	—	4.70	-32	—
MW-161	8th Ave N ROW, W side	08/23/21	7.39	449	18.2	—	0.26	157	—
		11/29/21	7.57	476	15.6	—	0.22	160	0.0
		02/23/22	7.55	498.5	13.1	—	0.18	-268	—
		05/11/22	7.42	474	15.8	—	0.29	-38	—
		08/12/22	7.55	480	19.0	—	2.40	-46	—
MW-304	Dexter Ave N ROW E side	11/08/21	7.34	868	16.2	216	0.34	-240	0.5
MW-319	9th Ave N ROW, W side	05/25/22	7.58	336	16.0	—	0.28	4	—
MW-323	9th Ave N ROW, W side	11/08/21	7.00	734	16.2	—	0.26	144	3.0
MW-323	9th Ave N ROW, W side	05/27/22	6.90	718	15.6	—	0.29	-84	—
MW-324	Roy St ROW, N side	11/16/21	7.06	665	16.4	—	0.03	71	2.3
MW-324	Roy St ROW, N side	06/03/22	7.15	702	15.4	—	0.40	-112	—
MW-326	Mercer St ROW, N side	11/04/21	6.71	897	14.9	—	0.00	63	4.0
MW-326	Mercer St ROW, N side	05/31/22	6.55	1,076	16.8	—	0.30	-47	—
MW-326	Mercer St ROW, N side	08/12/21	6.81	683	17.0	—	0.28	-94	—
MW-326	Mercer St ROW, N side	03/03/22	6.88	735	14.9	—	0.46	-133	0
MW-326	Mercer St ROW, N side	05/09/22	6.89	522	12.5	16	0.36	-436	—
MW-326	Mercer St ROW, N side	08/11/22	6.81	547	13.3	—	2.21	9	—
MW-328	Lake Union Park, S end	11/10/21	7.13	942	13.2	—	0.00	-84	4.5
MW-328	Lake Union Park, S end	05/04/22	6.75	1,086	13.3	—	1.60	-95	—
MW-329	Westlake Ave N ROW E side	02/25/22	6.90	1,003	14.2	—	0.78	-80	—
MW-329	Westlake Ave N ROW E side	06/09/22	7.05	908	14.2	—	0.38	-70	—
MW-336	Mercer St ROW, N side	08/11/21	6.69	972	24.2	—	0.19	131	—
MW-336	Mercer St ROW, N side	11/17/21	6.85	913	14.9	—	0.00	55	6.5
MW-336	Mercer St ROW, N side	03/02/22	6.82	942	14.2	—	0.64	-89	—
MW-336	Mercer St ROW, N side	05/31/22	6.78	949	18.2	—	0.34	-72	—
MW-336	Mercer St ROW, N side	08/10/22	7.54	610	19.8	—	5.02	97	—
MW-341	Lake Union Park, S end	11/10/21	7.34	806	13.9	—	0.00	-126	4.3
MW-341	Lake Union Park, S end	05/04/22	7.06	753	13.5	—	1.82	-123	—
MW-342	Valley St ROW, S side	11/09/21	6.73	1,007	14.5	—	0.00	-98	1.5
MW-342	Valley St ROW, S side	05/17/22	6.77	438	15.0	—	0.23	-24	—
MW-343	Valley St ROW, S side	11/09/21	7.17	776	12.5	—	0.20	-112	3.8
MW-343	Valley St ROW, S side	05/17/22	6.85	754	14.8	—	0.27	-40	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Treatment Zone A Injection Wells									
MW-165	Property, NE quadrant	08/10/21	6.53	1,643	17.2	—	0.19	129	—
		12/02/21	6.38	1,290	15.7	—	1.18	-661	3.4
		02/22/22	6.67	1,298	14.9	—	0.75	-150	—
		05/13/22	6.84	1,232	15.1	—	0.42	-89	—
		08/05/22	6.03	1,059	16.1	—	1.93	79	—
MW-169	Property, SW quadrant	08/10/21	7.53	1,317	17.3	—	0.08	-240	—
		11/19/21	7.78	1,172	15.5	—	1.00	180	3.0
		02/16/22	7.64	1,188	13.4	—	0.64	-245	—
		05/12/22	7.71	1,113	14.3	—	0.04	-124	—
		08/05/22	6.06	951	17.2	—	0.66	107	—
MW-173	Property, SE quadrant	08/05/21	7.23	893	17.3	93	2.38	-87	—
		12/02/21	7.48	1,048	15.9	—	0.83	179	2.0
		02/17/22	7.47	1,002	13.8	—	0.90	-234	—
		05/13/22	7.42	985	15.0	—	0.00	-129	—
		08/11/22	7.57	—	17.0	—	— ^a	-27	—
MW-177	Property, SW quadrant	08/09/21	6.94	928	16.6	—	0.45	117	—
		12/03/21	7.13	814	14.9	—	0.61	167	3.0
		02/17/22	6.89	822	14.1	—	0.15	181	—
		05/10/22	6.85	844	14.6	—	0.34	-125	—
		08/04/22	6.90	778	16.7	—	0.05	-53	—
MW-181	Property, SW quadrant	08/09/21	7.16	1,309	16.5	25	0.10	115	—
		11/18/21	7.20	1,216	16.4	—	1.69	163	3.8
		02/16/22	7.16	1,270	16.1	—	0.13	-348	—
		05/10/22	7.13	1,242	15.6	—	0.09	-128	—
		08/04/22	6.82	1,074	17.0	—	0.44	-7	—
MW-185	Property, SE quadrant	08/03/21	7.28	973	16.5	—	0.25	76	—
		11/18/21	7.01	886	12.9	—	1.25	-91	3.8
		02/16/22	7.28	1,274	13.3	—	0.19	216	—
		05/12/22	6.97	1,297	14.4	—	0.16	-102	—
		08/05/22	7.22	1,169	16.9	—	0.11	-70	—
Treatment Zone B Injection Wells									
MW-166	Property, NE quadrant	08/10/21	7.12	1,489	17.3	—	0.21	122	—
		12/02/21	6.39	1,437	15.4	—	0.54	-94	6.6
		02/22/22	6.80	1,552	16.5	—	0.22	-278	—
		05/13/22	6.79	1,529	15.2	—	0.37	-110	—
		08/05/22	6.11	1,347	17.0	—	1.41	36	—
MW-170	Property, SW quadrant	08/09/21	7.50	1,483	17.5	—	0.12	114	—
		11/19/21	7.53	1,419	17.0	—	0.34	170	1.5
		02/17/22	7.43	1,527	17.4	—	0.14	-327	—
		05/12/22	7.51	1,464	15.5	—	0.79	-44	—
		08/05/22	6.48	1,251	17.3	—	0.95	51	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-174	Property, SE quadrant	08/05/21	7.03	1,237	17.7	—	1.54	-121	—
		12/02/21	7.07	1,712	15.2	—	0.57	187	4.0
		02/17/22	7.10	1,868	15.3	—	0.62	-158	—
		05/13/22	6.97	1,931	16.3	—	0.03	-54	—
		08/11/22	7.11	1,961	17.3	—	5.60	-77	—
MW-178	Property, SW quadrant	08/06/21	6.71	1,679	16.6	9.2	0.31	113	—
		12/06/21	6.49	1,577	15.8	—	1.72	151	6.5
		02/17/22	6.50	1,481	14.9	—	0.25	178	—
		05/10/22	6.46	1,532	16.6	—	0.27	-124	—
		08/04/22	6.70	1,693	16.7	—	— ^a	-56	—
MW-182	Property, SW quadrant	08/09/21	6.66	2,107	17.9	17	0.21	110	—
		11/18/21	6.78	1,905	15.0	—	0.35	135	5.2
		02/16/22	6.67	2,086	17.3	—	0.12	-291	—
		05/10/22	7.66	1,001	16.6	—	0.02	-96	—
		08/04/22	7.53	1,808	17.4	—	0.45	120	—
MW-186	Property, SE quadrant	08/03/21	7.11	1,332	17.0	—	0.18	69	—
		11/18/21	7.10	1,038	12.5	—	1.78	-86	6.4
		02/16/22	6.99	1,392	14.0	—	0.56	205	—
		05/12/22	7.06	1,428	15.2	—	0.16	-119	—
		08/05/22	7.20	1,469	17.4	—	0.55	-66	—
Treatment Zone C Injection Wells									
MW-167	Property, NE quadrant	08/10/21	7.82	871	17.0	—	0.27	111	—
		12/02/21	7.63	813	16.4	—	0.32	-190	0.8
		02/22/22	7.91	857	14.7	—	0.38	-300	—
		05/13/22	7.90	818	16.3	—	0.22	-206	—
		08/05/22	6.10	717	17.4	—	0.65	100	—
MW-171	Property, SW quadrant	08/10/21	7.66	891	17.3	9.2	0.25	-139	—
		11/19/21	7.97	828	15.5	—	0.41	174	1.5
		02/17/22	7.77	922	15.0	—	0.58	-343	—
		05/12/22	7.80	877	14.6	—	0.37	-119	—
		08/04/22	6.69	773	16.9	—	0.88	144	—
MW-175	Property, SE quadrant	08/05/21	7.02	1,605	17.4	45	0.65	-151	—
		12/02/21	7.00	1,748	16.7	—	0.38	184	4.5
		02/22/22	7.01	1,727	14.0	—	0.60	-123	—
		05/13/22	7.05	1,800	15.3	—	0.12	-77	—
		08/11/22	7.10	1,870	17.8	—	— ^a	-84	—
MW-179	Property, SW quadrant	08/09/21	6.53	1,844	17.1	—	0.89	111	—
		12/03/21	6.48	1,965	15.6	—	0.43	183	6.5
		02/17/22	6.28	1,943	15.6	—	0.50	188	—
		05/10/22	6.48	1,987	17.0	—	0.19	-157	—
		08/04/22	6.54	2,005	17.4	—	— ^a	-66	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-183	Property, SW quadrant	08/06/21	7.51	926	17.8	12	0.14	102	—
		11/18/21	7.60	925	17.0	—	0.28	139	0.6
		02/16/22	7.59	1,008	17.5	—	0.14	-329	—
		05/10/22	7.65	906	16.8	—	0.03	-111	—
		08/04/22	7.22	964	17.2	—	0.21	-2	—
MW-187	Property, SE quadrant	08/03/21	7.68	1,012	17.3	—	0.48	44	—
		11/18/21	7.44	908	13.6	—	1.45	-125	2
		02/16/22	7.44	1,226	13.3	—	0.38	195	—
		05/12/22	7.49	1,239	16.7	—	0.42	-134	—
		08/05/22	7.53	1,383	17.4	—	3.50	-77	—
Treatment Zone D Injection Wells									
MW-168	Property, NE quadrant	08/10/21	7.67	767	17.9	—	0.12	113	—
		12/02/21	7.32	771	18.3	—	0.47	-153	0.4
		02/22/22	7.62	852	14.7	—	0.29	-291	—
		05/13/22	7.53	834	16.4	—	0.25	98	—
		08/05/22	7.01	650	17.5	—	0.78	87	—
MW-172	Property, SW quadrant	08/10/21	7.52	656	17.8	—	0.28	-86	—
		11/19/21	7.81	572	16.7	—	0.95	172	0.1
		02/17/22	7.59	669	16.2	—	0.51	-195	—
		05/12/22	7.39	652	17.9	—	0.32	114	—
		08/05/22	7.62	609	18.6	—	0.73	147	—
MW-176	Property, SE quadrant	08/05/21	7.11	1,256	18.9	—	0.51	-154	—
		12/02/21	7.20	1,462	16.6	—	0.72	177	3.5
		02/22/22	7.11	1,461	17.0	—	0.50	-144	—
		05/13/22	7.10	1,523	17.5	—	0.00	-155	—
		08/11/22	7.26	1,693	17.3	—	4.50	-111	—
MW-180	Property, SW quadrant	08/06/21	6.61	1,524	18.3	4.9	1.01	110	—
		12/03/21	6.57	1,539	16.0	—	0.22	167	7.0
		02/17/22	6.63	1,603	15.8	—	0.23	189	—
		05/10/22	6.58	1,741	16.4	—	0.39	-190	—
		08/04/22	6.74	1,323	16.7	—	2.99	-48	—
MW-184	Property, SW quadrant	08/06/21	7.32	587	18.2	5	0.12	104	—
		11/18/21	7.38	638	16.6	—	0.78	132	0.5
		02/16/22	7.33	692	16.9	—	0.73	-239	—
		05/10/22	7.20	641	17.2	—	0.03	49	—
		08/04/22	6.79	550	17.9	—	0.79	99	—

Table 2

Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-188	Property, SE quadrant	08/10/21	7.36	692	15.4	3.4	0.13	-174	—
		11/18/21	7.23	523	14.1	—	5.75	19	—
		02/16/22	7.52	666	16.9	—	0.15	201	—
		05/12/22	7.44	676	17.1	—	0.34	-93	—
		08/05/22	7.30	679	18.5	—	0.42	-50	—

Notes:
— = not measured
 $\mu\text{S}/\text{cm}$ = microSiemens per centimeter
 $^{\circ}\text{C}$ = degrees Celsius
mg/L = milligrams per liter
mv = millivolts
^(a) = DO meter malfunction

Table 3

Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
				Groundwater Screening Level for Soil Vapor	—	2.4	15,000	1,200	320	24	1.4	—	77	0.35	
MW-9 (34.1 to 19.1)	8th Ave N ROW, E side	08/02/21 11/11/21 02/15/22 06/08/22 06/08/22 08/09/22	PES PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	31.6 U 31.6 U 31.6 U 31.6 U 31.6 U 31.6 U	0.0440 0.0290 0.0490 0.0570 0.0400 J	0.325 0.0500 U 0.0500 U 0.0500 U 0.0500 U 0.0500 U	0.0620 0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U	J 0.191 U 0.191 U 0.191 U 0.191 U 0.191 U	0.471 0.0280 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U	0.0280 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.0640 J 0.0730 J 0.100 J	0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U	0.0273 U 0.142 0.0273 U 0.487 0.520 0.626
MW121 (26.7 to 16.7)	8th Ave N ROW, E side	08/02/21 02/22/22 05/19/22 05/19/22 08/04/22 08/04/22	PES PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	31.6 U 52.9 U 31.6 U 31.6 U 37.7 J	0.0160 U 0.0230 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.314 J 0.0500 U 0.0500 U 0.0500 U 0.0500 U	0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U	0.381 0.191 U 0.191 U 0.191 U 0.191 U 0.191 U	0.0280 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U	0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.0276 U 0.168 0.0276 U 0.0276 U 0.0450 J	0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U	1.84 J+ 2.96 0.954 0.809 2.05 J+ 2.66 J+	
(duplicate)															
(duplicate)															
MW125 (28.6 to 13.6)	Valley St ROW, N side	08/02/21 11/11/21 03/08/22 05/19/22 08/09/22 08/09/22	PES PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	31.6 U 65.6 U 48.0 U 31.6 U 31.6 U 31.6 U	0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.0500 U 0.0500 U 0.0500 U 0.0500 U 0.0500 U 0.0500 U	0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U	0.191 U 0.191 U 0.191 U 0.191 U 0.191 U 0.191 U	0.0280 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U	0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.0276 U 0.0276 U 0.0276 U 0.0276 U 0.0276 U 0.0276 U	0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U	0.0273 U 0.0273 U 0.0273 U 0.0273 U 0.0273 U 0.0273 U	
(duplicate)															
MW-154 (27.8 to 17.9)	Roy St ROW, S side	08/17/21 11/10/21 02/18/22 05/02/22 08/02/22	PES PES PES PES PES	Bladder Bladder Bladder Bladder Bladder	— — — — —	0.0240 U 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.129 U 0.0500 U 0.0500 U 0.161 J	0.0212 U 0.0212 U 0.0212 U 0.182 J	0.191 U 0.366 0.191 U 0.280 0.255 J	32.9 6.38 3.86 3.13 29.7	2.84 0.537 0.530 0.489 2.08	0.537 0.211 0.104 0.0640 0.318	0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U	0.119 0.0273 U 0.0273 U 0.0273 U 0.0273 U	
MW-155 (24.4 to 14.4)	Roy St ROW, S side	08/13/21 12/02/21 03/01/22 05/05/22 08/03/22	PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	— — — — —	0.0260 J	0.0970 J	0.0212 U	0.191 U	57.4 8.11 19.7 27.6 J+	12.8 2.08 6.56 5.14 8.28 J+	4.73 1.51 51.6 J+ 18.3 3.85	0.0840 J 0.114 J 0.0630 J	0.0273 U 0.0273 U 0.240 0.0572 U 0.0273 U	
MW-159 (22.9 to 12.9)	8th Ave N ROW, E side	08/05/21 12/02/21 03/03/22 05/11/22 08/03/22	PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	— — — — —	0.0280 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.331	0.0572 U	0.0980 J	
MW-301 (35.6 to 25.6)	Valley St ROW, S side (duplicate)	08/12/22 08/12/22	PES PES	Bladder Bladder	31.6 U 31.6 U	0.0160 U 0.0160 U	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	1.52 1.55	0.139 U 0.114 U	0.175 0.150 U	0.0572 U 0.0572 U	0.0273 U 0.0273 U	

Table 3

Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
				Groundwater Screening Level for Soil Vapor	—	2.4	15,000	1,200	320	24	1.4	—	77	0.35	
MW-305 (37.4 to 27.4)	Roy St ROW, S side	12/03/21 05/26/22	PES PES	Bladder Bladder	— —	0.0160 U 0.0160 U	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	0.0400 J 0.0400 J	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-310 (19.2 to 9.2)	Alley E of Seattle Roy Aloha Shops	11/03/21 05/18/22	PES PES	Peristaltic Peristaltic	— —	0.0440 0.0160 U	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	0.200 0.200	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-312 (19.9 to 9.9)	Alley E of Seattle Roy Aloha Shops	11/03/21 05/09/22	PES PES	Peristaltic Peristaltic	— —	0.0220 J 0.0160 U	0.407 0.0500 U	0.0710 J 0.0212 U	0.512 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	0.0276 U 0.0276 U	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-313 (20.4 to 10.4)	Alley E of Seattle Roy Aloha Shops	11/09/21 05/18/22	PES PES	Bladder Bladder	— —	0.0200 J 0.0160 U	0.0500 U 0.436	0.0860 J 0.0870 J	0.394 0.567	0.0280 U 0.0280 U	0.0160 U 0.0160 U	5.28 0.0250 J	0.0572 U 7.25	0.932 0.0800 J	0.488
MW-320 (18.6 to 8.6)	9th Ave N ROW, W side	11/16/21 06/08/22	PES PES	Peristaltic Peristaltic	— —	0.0160 U 0.0160 U	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.391 J+ 0.386	0.0160 U 0.0160 U	0.0276 U 0.0276 U	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-332 (16.0 to 6.0)	Roy St ROW, N side	11/08/21 05/31/22	PES PES	Peristaltic Peristaltic	— —	0.0160 U 0.0160 U	0.276 0.0500 U	0.0500 J 0.0212 U	0.357 0.191 U	0.0710 J 0.0280 U	0.0160 U 0.0160 U	0.0276 U 0.0276 U	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-337 (18.1 to 8.1)	Lake Union Park, N end	11/17/21 05/03/22	PES PES	Peristaltic Peristaltic	— —	0.0160 U 0.0160 U	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.118 0.0280 U	0.0940 0.0530	0.0276 U 0.0290 J	0.0572 U 0.0572 U	0.0273 U 0.0273 U	
MW-339 (duplicate) (18.2 to 8.2)	Lake Union Park, S end	11/10/21 11/10/21 05/04/22	PES PES PES	Peristaltic Peristaltic Peristaltic	— — —	0.0160 U 0.0160 U 0.0160 U	0.0500 U 0.0500 U 0.0500 U	0.0212 U 0.0212 U 0.0212 U	0.191 U 0.191 U 0.191 U	0.0280 U 0.0280 U 0.0280 U	0.0160 U 0.0160 U 0.0160 U	0.0400 J 0.0430 J 0.0276 U	0.0572 U 0.0572 U 0.0572 U	0.0273 U 0.0273 U 0.0273 U	
R-MW5 (42.4 to 27.4) (duplicate)	Dexter Ave N ROW, E side (duplicate)	08/03/21 08/03/21 11/08/21 02/24/22 02/24/22 05/17/22 08/09/22	PES PES PES PES PES PES PES	Bladder Bladder Peristaltic Bladder Bladder Bladder Bladder	31.6 U 31.6 U 31.6 U 36.2 U 34.8 U 31.6 U 31.6 U	0.0290 J 0.0350 J 0.0190 J 0.0160 U 0.0160 U 0.0160 U 0.0160 U	0.565 0.561 0.178 J 0.0500 U 0.0500 U 0.0500 U 0.0500 U	0.0830 J 0.0630 J 0.0320 J 0.0212 U 0.0212 U 0.0212 U 0.0212 U	0.547 0.545 0.271 0.191 U 0.191 U 0.191 U 0.191 U	0.512 0.571 0.661 0.569 0.650 0.321 0.173	0.308 0.312 0.661 0.265 0.266 0.198 J 0.109	0.226 0.306 0.389 0.265 0.198 J 0.324 J 0.174	0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U 0.0572 U	0.0273 U 0.0273 U 0.0273 U 0.0273 U 0.0273 U 0.0273 U 0.0273 U	
		08/03/21 11/29/21 02/23/22 05/11/22 08/03/22	PES PES PES PES PES	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	— — — — —	0.0640 0.0160 U 0.0430 0.0420 0.0680	0.318 0.300 0.0500 U 0.0500 U 0.0500 U	0.0650 J 0.0212 U 0.0212 U 0.0212 U 0.0212 U	0.398 0.297 0.191 U 0.191 U 0.191 U	0.0910 J 0.0280 U 0.0470 J 0.0280 U 0.0280 U	0.290 0.313 0.268 0.354 0.297	15.4 1.12 5.15 4.15 7.61	0.120 J 1.12 5.15 4.15 0.101 J	4.46 0.0273 UJ 1.27 1.71 1.21	

Table 3

Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
					Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
					Groundwater Screening Level for Soil Vapor	—	2.4	15,000	1,200	320	24	1.4	—	77	0.35
SCL-MW101 (25.5 to 15.5)	Alley E of Seattle Roy Aloha Shops	11/11/21 05/19/22	PES PES	Peristaltic Peristaltic	—	6.77	0.542	0.454	1.90	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
					Number of Analytes Measured	22	60	60	60	60	60	60	60	60	
					Number of Analytes Detected	1	23	16	13	17	25	26	39	8	
					Frequency of Detection	5%	38%	27%	22%	28%	42%	43%	65%	13%	
					Maximum Detection	37.7 J	10.1	0.853	46.7	1.90	57.4	12.8	51.6 J+	0.120 J	
					Minimum Detection	31.6 U	0.0160 U	0.0500 U	0.0212 U	0.1910 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	
					Number of Analytes Detected Above PCUL	0	2	0	0	0	8	4	2	0	
					Frequency of Detection Above PCUL	0%	3%	0%	0%	0%	13%	7%	3%	0%	
Notes: PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.					Laboratory and Results Notes: GRO analyzed by NWTPH-Gx. VOCs analyzed by EPA Method 8260. — = Not analyzed or results not available. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. U = Not detected at or above the laboratory method detection limit (MDL). z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.										
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .															
Detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange .															
Detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange .															
cDCE = cis-1,2-Dichloroethene (duplicate) = field duplicate GRO = Gasoline-range organics PCE = Perchloroethylene (tetrachloroethylene) ROW = Right of way TCE = Trichloroethylene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride Well screen elevations indicated below Sample Location in parentheses. (--) = Well screen elevation unknown.															

Table 4

Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
BB-8 (14.0 to 4.0) (duplicate)	Roy St ROW, S side	08/17/21	PES	Peristaltic	—	0.283	2.79	—	1.45	46.4	11.5	6.92	0.101 J	0.0273 U
		11/08/21	PES	Peristaltic	—	0.0340 J	0.325	0.0550 J	0.378	38.5	7.20	3.22	0.0620 J	0.0273 U
		02/24/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	43.5	7.20	3.49	0.0572 U	0.0273 U
		05/17/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	37.5	6.35	3.01	0.0572 U	0.0273 U
		08/09/22	PES	Peristaltic	—	0.0280 J	0.0520 J	0.0212 U	0.191 U	59.3	10.2	5.62	0.0690 J	0.0273 U
		08/09/22	PES	Peristaltic	—	0.0260 J	0.0500 U	0.0212 U	0.191 U	62.4	10.9	5.94	0.0930 J	0.0273 U
FMW-142 (2.4 to -7.6)	9th Ave N ROW, E side	03/02/22	PES	Peristaltic	—	0.0160 U	0.173 J	0.0212 U	0.199 J	0.117	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/05/22	PES	Peristaltic	—	0.0200 J	0.160 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
GEI-MW-1 (-9.7 to -29.7)	Block 79 East, N end	03/07/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/27/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0910 J
		08/18/21	PES	Bladder	—	0.0510	0.0500 U	0.0212 U	0.191 U	0.100 J	0.709	50.5	0.0840 J	84.6
HMW-20IA (duplicate) (12.8 to 2.8)	Seattle DOT Mercer Parcels NW quadrant	08/18/21	PES	Bladder	—	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980
		08/18/21	PES	Bladder	—	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980
MW107 (8.8 to -1.2)	8th Ave N ROW, W side	08/16/21	PES	Peristaltic	—	0.0910	0.532	0.0610 J	0.409	0.0280 U	0.179	2.53	3.10	1.03
		11/29/21	PES	Peristaltic	—	0.0960	3.10	0.0212 U	0.374	0.0280 U	0.224	9.43	4.38	1.41 J-
		02/23/22	PES	Peristaltic	—	0.0870	0.641	0.0212 U	0.192 J	0.274	0.668	6.97	3.97	1.85
		05/11/22	PES	Peristaltic	—	0.0880	0.449	0.0212 U	0.191 U	0.592 J+	0.709	6.12	3.80	1.75
		08/03/22	PES	Peristaltic	—	0.0900	0.279	0.0212 U	0.191 U	0.833	0.799	7.05	3.78	2.34
MW108 (-7.2 to -17.2)	Alley E of Seattle Roy Aloha Shops	08/04/21	PES	Peristaltic	—	2.23	0.250 U	0.106 U	0.955 U	209	124	641	3.33	159
		11/04/21	PES	Peristaltic	—	2.25	0.187 J	0.0212 U	0.191 U	271	153	569	3.48	221
		02/15/22	PES	Peristaltic	—	2.91	0.182 J	0.0212 U	0.191 U	102	69.4	852	3.34	170
		05/18/22	PES	Peristaltic	—	2.75	0.188 J	0.0212 U	0.191 U	77.8	49.2	660	3.55	90.9
		08/10/22	PES	Peristaltic	—	2.30	2.50 U	1.06 U	9.55 U	115 J+	42.6	531	2.86 U	118
MW109 (0.0 to -10.0)	Alley E of Seattle Roy Aloha Shops	08/04/21	PES	Peristaltic	—	0.0330 J	0.239	0.0380 J	0.308	0.0580 J	0.0610 J	0.909	0.0572 U	0.602
		11/03/21	PES	Peristaltic	—	0.0310 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0330 J	23.7	0.0610 J	3.24
		02/15/22	PES	Peristaltic	—	0.0430	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0930	24.6	0.100 J	6.98
		05/09/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	13.4	0.0572 U	5.05
		08/10/22	PES	Peristaltic	—	0.0160 U	0.0750 J	0.0212 U	0.191 U	0.0280 U	0.613	10.8	0.0572 U	0.887
MW110 (4.7 to -5.3)	Alley E of Seattle Roy Aloha Shops	08/12/21	PES	Bladder	—	0.400 U	1.25 U	0.530 U	4.78 U	410	226	345	2.38 J	0.682 U
		11/09/21	PES	Bladder	—	0.102	0.0500 U	0.0830 J	0.432	473	228	521	2.32	22.3
		02/25/22	PES	Bladder	—	0.400 U	1.25 U	0.530 U	4.78 U	671	241	374	1.43 U	0.682 U
		05/18/22	PES	Bladder	—	0.400 U	1.25 U	0.530 U	4.78 U	432	249	311	2.13 J	0.682 U
		08/11/22	PES	Bladder	—	0.400 U	1.25 U	0.530 U	4.78 U	509	218	263	2.93 J	0.682 U
MW115 (-0.6 to -10.6)	9th Ave N ROW, W side	08/11/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0630 J	0.0650	0.352	0.0572 U	1.46
		11/18/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0950 J	0.0590	0.124	0.0572 U	0.174
		02/15/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0530 J	0.0280 J	0.455	0.0572 U	7.28
		06/03/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0650 J	0.0160 U	0.540	0.0572 U	6.75
		08/10/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0520 J	0.0160 U	0.121	0.0572 U	0.330
MW116 (-3.1 to -13.1)	9th Ave N ROW, W side	08/11/21	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/18/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		03/07/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/08/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/10/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U

Table 4

Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW119 (2.7 to -7.3)	9th Ave N ROW, W side	08/13/21	PES	Peristaltic	—	0.0570	0.172 J	0.0212 U	0.191 U	0.293	1.11	8.25	0.119 J	0.440
		12/03/21	PES	Peristaltic	—	0.0410	0.151 J	0.0350 J	0.258 J	0.404	1.88	9.25	0.0572 U	0.234
		03/02/22	PES	Peristaltic	—	0.0380 J	0.0500 U	0.0212 U	0.191 U	0.443	1.64	8.33 J+	0.0940 J	0.316
		05/05/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.200 J+	0.866	5.16	0.0572 U	0.0273 U
		08/11/22	PES	Peristaltic	—	0.0430	0.0500 U	0.0212 U	0.191 U	0.550	1.78	8.42	0.109 J	0.212
MW120 (0.0 to -10.0)	8th Ave N ROW, E side	08/03/21	PES	Peristaltic	—	0.0320 J	0.0500 U	0.0212 U	0.191 U	54.2	17.9	33.3	0.115 J	0.893 J+
		11/11/21	PES	Peristaltic	—	0.0210 J	0.0500 U	0.0212 U	0.191 U	57.9	14.9	27.2	0.143 J	0.611
		02/15/22	PES	Peristaltic	—	0.0210 J	0.0500 U	0.0212 U	0.191 U	54.1	16.8	28.4	0.104 J	0.424
		05/11/22	PES	Peristaltic	—	0.0300 J	0.0500 U	0.0212 U	0.191 U	39.3	12.9	23.2	0.0690 J	0.469
		08/04/22	PES	Peristaltic	—	0.0250 J	0.0500 U	0.0212 U	0.191 U	58.5	17.6 J+	27.1	0.165 J	0.742 J+
MW127 (-1.0 to -11.0)	8th Ave N ROW, E side	11/17/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.841	0.0572 U	0.175
		05/20/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0780 J	0.0160 U	0.704	0.0572 U	0.135
MW-142 (2.4 to -7.6)	8th Ave N ROW, E side	08/05/21	PES	Peristaltic	—	0.265	0.291	0.0650 J	0.411	0.0280 U	0.115	22.1	0.274	12.2
		11/30/21	PES	Peristaltic	—	0.256	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0960	7.94	0.211	7.07 J+
		02/18/22	PES	Peristaltic	—	0.224	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0870	6.30	0.186 J	8.06
		05/26/22	PES	Bladder	—	0.207	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0870	3.24	0.121 J	5.76 J+
		08/03/22	PES	Peristaltic	—	0.254	0.0500 U	0.0212 U	0.191 U	0.222	0.117	2.18	0.105 J	6.77
MW-144R (3.9 to -6.5)	8th Ave N ROW, E side	08/03/21	PES	Peristaltic	—	0.0340 J	0.481	0.0830 J	0.531	0.0280 U	0.0660	0.244	0.0572 U	0.0273 U
		11/29/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.265	0.0572 U	0.0273 UJ
		02/23/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0690	0.159	0.0572 U	0.0273 U
		05/11/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0810	0.137	0.0572 U	0.0273 U
		08/23/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0970	0.150	0.0572 U	0.151
MW-146 (12.8 to 2.8)	Roy St ROW, S side	08/17/21	PES	Bladder	—	0.0410 U	0.118 U	0.0212 U	0.191 U	0.0280 U	0.0450	55.3	2.51	1,330
		11/10/21	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	47.5	2.03	251
		02/18/22	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	42.5	1.45 J	315
		05/03/22	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	25.6	1.21 J	280
		08/03/22	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	11.3	1.17 J	374 J+
(duplicate)	8th Ave N ROW, E side	08/20/21	PES	Bladder	—	0.235	0.170 J	0.0212 U	0.191 U	731	252	532	4.03	0.652
		11/18/21	PES	Peristaltic	—	0.161	0.185 J	0.0410 J	0.470	416	195	499	2.92	0.273 U
		03/03/22	PES	Peristaltic	—	0.450 J	0.500 U	0.212 U	1.91 U	516 J	220	568	4.95	0.273 U
		03/03/22	PES	Peristaltic	—	0.231 J	0.127 U	0.0212 U	0.191 U	769 J	277	583	4.04	0.637
		05/26/22	PES	Peristaltic	—	0.156	0.0500 U	0.0212 U	0.191 U	718	267	514	2.95	0.716 J+
		08/04/22	PES	Peristaltic	—	0.480 J	1.00 U	0.424 U	3.82 U	774	327 J+	573	4.72	0.546 U
MW-189 (-1.2 to -11.2)	Valley St ROW, S side	08/20/21	PES	Bladder	—	0.0160 U	0.0990 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.46 J-	0.0572 U	36.6 J-
		11/30/21	PES	Bladder	—	0.0160 U	0.0500 U	0.0810 J	0.318	0.0280 U	0.0160 U	4.88	0.0572 U	29.1 J+
		03/04/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.97	0.0572 U	37.0
		05/12/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.55	0.0572 U	31.5
		08/11/22	PES	Bladder	—	0.0160 U	0.0780 U	0.0212 U	0.191 U	1.66	0.544	4.10	0.0572 U	31.8
MW-302 (3.0 to -7.0)	Dexter Ave N ROW, E side	11/09/21	PES	Bladder	—	0.0160 U	0.0500 U	0.153	0.892	0.0390 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-306 (17.2 to 7.2)	Roy St ROW, S side	12/03/21	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-308 (-4.7 to -14.7)	Alley E of Seattle Roy Aloha Shops	11/11/21	PES	Peristaltic	—	8.39	0.0840 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	38.6	0.827	20.7
		05/19/22	PES	Peristaltic	—	1.45	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	12.5	0.280	3.83

Table 4

Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)															
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC						
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29						
MW-315 (duplicate) (12.2 to 2.3)	Mercer St ROW, N side	11/05/21	PES	Bladder	–	0.0160	U	0.0500	J	0.393	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/05/21	PES	Bladder	–	0.0160	U	0.0500	J	0.404	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/09/22	PES	Bladder	–	0.0160	U	0.0560	J	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-317 (3.4 to -6.6)	9th Ave N ROW, W side	11/12/21	PES	Peristaltic	–	0.0160	U	0.244	J	0.564	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-325 (7.0 to -3.0)	Mercer St ROW, N side	08/12/21	PES	Peristaltic	–	0.0160	U	0.189	J	0.191	0.0280	U	0.0160	U	1.61	0.0572	U	0.0273	U	
		11/04/21	PES	Bladder	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	2.41	0.0572	U	0.0273	U	
		03/03/22	PES	Bladder	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	1.31	0.0572	U	0.0273	U	
		05/09/22	PES	Bladder	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	1.10	0.0572	U	0.0273	U	
		08/11/22	PES	Bladder	–	0.0160	U	0.0500	U	0.191	0.284	U	0.0160	U	0.869	0.0572	U	0.0273	U	
MW-327 (3.6 to -6.3)	Lake Union Park, S end	11/10/21	PES	Peristaltic	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-330 (-0.01 to -10.1)	Valley St ROW, N side	05/04/22	PES	Peristaltic	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/11/21	PES	Bladder	–	0.0160	U	0.0500	J	0.273	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-331 (-4.3 to -14.3)	Alley E of Seattle Roy Aloha Shops	05/25/22	PES	Bladder	–	0.0160	U	0.0900	U	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-333 (-1.5 to -11.5)	900 Roy St, S end	11/05/21	PES	Peristaltic	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-333 (-1.5 to -11.5)	900 Roy St, S end	05/31/22	PES	Peristaltic	–	0.0160	U	0.0500	U	0.191	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-344	Seattle DOT Mercer Parcels, NW quadrant	08/18/21	PES	Bladder	–	0.0160	U	0.0740	J	0.191	0.0280	U	0.0160	U	0.654	0.0572	U	1.02		
Number of Analytes Measured					0	102	102	101	102	102	102	102	102	102	102					
Number of Analytes Detected					–	42	28	14	18	46	56	77	44	57						
Frequency of Detection					–	41%	27%	14%	18%	45%	55%	75%	43%	56%						
Maximum Detection					–	8.4	3.10	0.153	1.45	774	327	J+	4,660	4.95	3,980					
Minimum Detection					–	0.0160	U	0.0500	U	0.1910	U	0.0280	U	0.0572	U	0.0273	U			
Number of Analytes Detected Above PCUL					–	1	0	0	0	25	26	30	0	49						
Frequency of Detection Above PCUL					–	1%	0%	0%	0%	25%	25%	29%	0%	48%						
Notes:																				
PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.																				
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .																				
cDCE = cis-1,2-Dichloroethene																				
(duplicate) = field duplicate																				
GRO = Gasoline-range organics																				
PCE = Perchloroethylene (Tetrachloroethene)																				
ROW = right-of-way																				
TCE = Trichloroethene																				
tDCE = trans-1,2-Dichloroethene																				
VC = Vinyl chloride																				
Well screen elevations indicated below Sample Location in parentheses.																				
Laboratory and Results Notes:																				
VOCs analyzed by EPA Method 8260.																				
– = Not analyzed or results not available.																				
J = The identification of the analyte is acceptable; the reported value is an estimate.																				
J+ = The result is an estimated quantity, but the result may be biased high.																				
J- = The result is an estimated quantity, but the result may be biased low.																				

Table 5

Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
FMW-141 (-12.1 to -22.1)	Alley E of Seattle Roy Aloha Shops	02/23/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.504	89.6 J+	0.191 J	81.7
		05/09/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.195 J	0.0280 U	0.404	97.3	0.0572 U	50.3
HMW-9IB (-1.6 to -11.6) (duplicate)	Seattle DOT Mercer Parcels, SW quadrant	08/18/21	PES	Bladder	—	1.60 U	5.00 U	2.12 U	19.1 U	16.4	87.8	2,990	6.20 J	1,030
		03/31/22	PES	Bladder	—	0.0560	0.178 U	0.0310 J	0.191 U	13.5 J+	79.8	3,260	5.10	1,550
		05/24/22	PES	Bladder	—	0.0420	0.210	0.0212 U	0.191 U	1.95	11.4	2,160	11.2	850
		05/24/22	PES	Bladder	—	0.0520	0.278	0.0212 U	0.216 J	1.61	10.7	2,100	10.8	832
		08/01/22	PES	Bladder	—	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	2.08	2,190	8.25	1,330
MW111 (-33.5 to -43.5)	Alley E of Seattle Roy Aloha Shops	08/04/21	PES	Peristaltic	—	0.0360 J	0.548	0.0790 J	0.480	0.0280 U	0.0460	6.18	0.0572 U	44.2
		11/03/21	PES	Peristaltic	—	0.0260 J	0.0950 J	0.0212 U	0.207 J	0.0280 U	0.0850	8.17	0.0572 U	45.6
		02/15/22	PES	Peristaltic	—	0.0160 U	0.0530 J	0.0212 U	0.191 U	0.0280 U	0.0480	1.87	0.0572 U	12.8
		05/18/22	PES	Peristaltic	—	0.0160 U	0.0520 J	0.0212 U	0.191 U	0.0480 J	0.0570	0.917	0.0572 U	6.52
		08/09/22	PES	Peristaltic	—	0.0260 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0600	1.74	0.0572 U	15.1
		08/17/21	PES	Bladder	—	0.259	2.24	0.159	0.735	0.0280 U	0.0160 U	0.0580 U	0.0572 U	0.0273 U
MW112 (-17.2 to -27.2)	Dexter Ave N ROW, W side	11/08/21	PES	Bladder	—	0.0270 J	0.0500 U	0.129	0.797	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		02/24/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/13/22	PES	Bladder	—	0.0160 U	0.0570 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/09/22	PES	Bladder	—	0.0320 J	0.122 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/17/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW126 (-54.1 to -64.1)	Alley E of Seattle Roy Aloha Shops	11/11/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		02/15/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/20/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/10/22	PES	Peristaltic	—	0.0160 U	0.0790 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0530 J	0.0572 U	0.0273 U
		08/20/21	PES	Bladder	—	0.106	0.302	0.0212 U	0.191 U	0.0790 J	0.138	635 J-	5.51	1,140 J-
MW-143 (-27.7 to -37.76)	8th Ave N ROW, E side	12/08/21	PES	Bladder	—	0.104	0.209	0.171	0.866	0.0280 U	0.0990	339	4.41	723
		03/08/22	PES	Bladder	—	0.142	0.268	0.0212 U	0.191 U	0.0280 U	0.146 J+	815	8.54	1,240
		05/26/22	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	188	3.46	602
		08/12/22	PES	Bladder	—	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	491	6.02	1,010
		08/23/21	PES	Bladder	—	0.0400 J	0.570	0.0460 U	0.210 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
MW-145R (duplicate) (-27.2 to -37.2)	8th Ave N ROW, E side	08/23/21	PES	Bladder	—	0.0410	0.576	0.0470 U	0.224 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
		11/30/21	PES	Peristaltic	—	0.0160 U	0.145 J	0.0212 U	0.263	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
		03/08/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/11/22	PES	Bladder	—	0.0160 U	0.254	0.0380 J	0.241 J	0.0280 U	0.0160 U	0.0340 J	0.0572 U	0.0273 U
		08/10/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/20/21	PES	Bladder	—	0.0390 J	0.108 J	0.0212 U	0.191 U	0.0280 U	0.0320 J	24.0	1.73	348 J-
MW-147 (-17.6 to -27.6)	Roy St ROW, S side	11/09/21	PES	Bladder	—	0.0700	0.0590 J	0.124	0.737	0.0280 U	3.48	1,800	5.73	2,880
		02/18/22	PES	Bladder	—	0.0520	0.110 U	0.0212 U	0.191 U	0.0280 U	0.426	275	2.36	383
		05/03/22	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.250 J	121	2.31	273
		08/10/22	PES	Bladder	—	0.0390 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.340	93.7	1.89	231
		08/13/21	PES	Peristaltic	—	0.0570	0.569	0.0640 J	0.246 J	0.0280 U	0.0160 U	0.0630 U	0.0572 U	0.516
MW-148 (-25.7 to -35.7)	Roy St ROW, S side	12/07/21	PES	Bladder	—	0.0160 U	0.0600 U	0.0810 J	0.450	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.520
		02/25/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.657
		05/05/22	PES	Bladder	—									

Table 5

Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
		Preliminary	Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
MW-190 (-30.2 to -40.2)	Valley St ROW, S side	08/11/21	PES	Peristaltic	—	0.0310 J	0.834	0.122	0.669	0.0280 U	0.0160 U	6.60	0.0572 U	34.5
		11/30/21	PES	Bladder	—	0.0160 U	0.131 J	0.156	0.859	0.0280 U	0.0160 U	19.3	0.0572 U	56.1 J+
		03/04/22	PES	Bladder	—	0.0160 U	0.116 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	43.3	0.0670 J	74.3
		05/10/22	PES	Bladder	—	0.0160 U	0.527	0.0212 U	0.338	0.0280 U	0.0160 U	6.40	0.0572 U	23.3
		08/11/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.202	37.8	0.0572 U	54.7
MW-303 (-13.8 to -23.8)	Dexter Ave N ROW, E side	11/09/21	PES	Bladder	—	0.0160 U	0.0500 U	0.144	0.749	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-307 (-12.4 to -22.4)	Roy St ROW, S side	12/03/21	PES	Bladder	—	0.0300 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-309 (-32.0 to -42.0)	Alley E of Seattle Roy Aloha Shops	11/11/21	PES	Peristaltic	—	0.241	0.0500 U	0.0212 U	0.191 U	0.0500 J	0.0160 U	0.115	0.0572 U	14.6
MW-311 (-29.1 to -39.1)	Alley E of Seattle Roy Aloha Shops	11/04/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0690 J	0.287	0.418	0.0572 U	2.71
MW-311 (-29.1 to -39.1)	Alley E of Seattle Roy Aloha Shops	05/09/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.247	0.336	0.0572 U	0.346
MW-314 (duplicate) (-28.0 to -38.0)	Alley E of Seattle Roy Aloha Shops	12/03/21	PES	Bladder	—	0.0390 J	0.0500 U	0.0540 J	0.335	8.27	59.5	639	2.43	38.1
MW-314 (duplicate) (-28.0 to -38.0)	Alley E of Seattle Roy Aloha Shops	12/03/21	PES	Bladder	—	0.160 U	0.500 U	0.212 U	1.91 U	6.79	52.5	582	2.62	31.5
MW-314 (duplicate) (-28.0 to -38.0)	Alley E of Seattle Roy Aloha Shops	05/18/22	PES	Bladder	—	0.0290 J	0.0500 U	0.0212 U	0.191 U	7.78	63.1	800	3.08	49.1
MW-316 (-10.0 to -20.0)	Mercer St ROW, N side	11/05/21	PES	Bladder	—	0.0160 U	0.0500 U	0.119	0.690	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-316 (-10.0 to -20.0)	Mercer St ROW, N side	05/09/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0340 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-318 (-23.1 to -33.1)	9th Ave N ROW, W side	11/12/21	PES	Peristaltic	—	6.15	0.0760 J	0.0212 U	0.201 J	0.0280 U	0.0160 U	0.489	0.0572 U	1.75
MW-318 (-23.1 to -33.1)	9th Ave N ROW, W side	05/27/22	PES	Peristaltic	—	20.3	0.0670 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.10	0.0572 U	32.7 J+
MW-322 (-21.3 to -31.3)	9th Ave N ROW, W side	11/09/21	PES	Peristaltic	—	29.3	0.308	0.0212 U	0.191 U	1.55	137	471	2.28	136
MW-322 (-21.3 to -31.3)	9th Ave N ROW, W side	06/08/22	PES	Peristaltic	—	9.54	0.690 U	0.212 U	1.91 U	0.280 U	1.45	502	1.61 J	112
MW-334 (-21.7 to -31.7)	900 Roy St, S end	11/05/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-334 (-21.7 to -31.7)	900 Roy St, S end	05/31/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	08/11/21	PES	Peristaltic	—	1.56	0.0500 U	0.0212 U	0.191 U	67.5	134	1,960	4.05	0.551
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	11/17/21	PES	Peristaltic	—	1.63	0.0500 U	0.0212 U	0.191 U	104	198	2,770	3.59	2.73 U
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	03/02/22	PES	Peristaltic	—	1.60 U	5.00 U	2.12 U	19.1 U	166	262	818 J+	5.72 U	2.73 U
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	05/31/22	PES	Peristaltic	—	1.60 U	5.00 U	2.12 U	19.1 U	154	204	540	5.72 U	2.73 U
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	08/10/22	PES	Peristaltic	—	0.410	0.500 U	0.212 U	1.91 U	133	173	369	1.67 J	0.273 U
MW-338 (-16.6 to -26.6)	Lake Union Park, N end	11/17/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-338 (-16.6 to -26.6)	Lake Union Park, N end	05/04/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-340 (-16.1 to -26.1)	Lake Union Park, S end	11/10/21	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-340 (-16.1 to -26.1)	Lake Union Park, S end	05/04/22	PES	Peristaltic	—	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-345 (-1.6 to -11.6)	Seattle DOT Mercer Parcels NW quadrant	08/18/21	PES	Bladder	—	0.191	1.99	0.192	1.15	0.0940 J	0.213	4.00	0.0572 U	2.90
MW-346 (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	08/18/21	PES	Bladder	—	0.0280 J	0.0860 J	0.0212 U	0.191 U	1.58	0.646	24.7	0.0880 J	1.11
MW-346 (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	03/31/22	PES	Bladder	—	0.0160 U	0.124 U	0.0212 U	0.191 U	0.228 J+	1.04	3.49	0.0572 U	1.04
MW-346 (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	05/24/22	PES	Bladder	—	0.0160 U	0.0690 J	0.0212 U	0.191 U	0.0640 J	0.921	4.18	0.0572 U	2.08
MW-346 (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	08/02/22	PES	Bladder	—	0.0940	2.17	0.168	0.825	0.0280 U	0.498	3.42	0.0572 U	2.47
MW-347 (-1.3 to -11.3) (duplicate)	Seattle DOT Mercer Parcels NW quadrant	08/19/21	PES	Bladder	—	0.0510	0.164 J	0.0310 J	0.191 U	7.46	4.72	100	0.807	25.7
MW-347<br/														

Table 5

Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
		Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
MW-348 (duplicate) (-4.6 to -14.6)	Seattle DOT Mercer Parcels SW quadrant	08/19/21	PES	Bladder	—	0.0190 J	0.0680 J	0.0212 U	0.191 U	5.38	7.77	68.2	0.0572 U	45.5	
		08/19/21	PES	Bladder	—	0.0270 J	0.0680 J	0.0212 U	0.191 U	5.41	8.30	66.6	0.0660 J	45.7	
		03/31/22	PES	Bladder	—	0.0340 J	0.165 U	0.0320 J	0.191 U	14.4 J+	19.6	318	0.0790 J	252	
		05/26/22	PES	Bladder	—	0.0460	0.0950 U	0.0212 U	0.191 U	6.62	14.0	160	0.150 J	126	
		08/01/22	PES	Bladder	—	0.160 U	1.51 J	0.212 U	1.91 U	0.280 U	2.38	167	1.15 J	123	
MW-349 (-2.8 to -12.8)	Seattle DOT Mercer Parcels SW quadrant	08/19/21	PES	Bladder	—	0.0160 U	0.168 J	0.0212 U	0.191 U	0.326	0.288	5.13	0.0572 U	17.6	
		03/30/22	PES	Bladder	—	0.0290 J	0.836	0.243	1.33	0.0280 U	0.319	47.1	0.0572 U	68.0	
		05/26/22	PES	Bladder	—	0.0160 U	0.312	0.0212 U	0.191 U	0.105	0.146	23.0	0.0572 U	30.9	
		08/01/22	PES	Bladder	—	0.0380 J	1.27	0.151	0.817	0.126	0.203	12.8	0.0572 U	23.2	
MW-350 (-1.7 to -11.7)	Seattle DOT Mercer Parcels NW quadrant	08/18/21	PES	Bladder	—	0.123	0.840	0.690	3.42	0.0280 U	0.0160 U	0.149	0.0572 U	0.573	
W-MW-01 (-25.1 to -35.1) (duplicate)	8th Ave N ROW, W side	08/23/21	PES	Bladder	—	0.0160 U	1.32	0.0212 U	0.191 U	0.0280 U	0.134	0.378	0.0572 U	2.33 J-	
		11/29/21	PES	Bladder	—	0.0160 U	0.912	0.0212 U	0.406	0.0280 U	0.132	0.340	0.0572 U	1.46 J+	
		03/08/22	PES	Bladder	—	0.0160 U	0.0880 J	0.0212 U	0.191 U	0.0280 U	0.103 J+	0.377	0.0572 U	3.22 J+	
		05/11/22	PES	Bladder	—	0.0160 U	0.0890 J	0.0212 U	0.191 U	0.0280 U	0.0910	0.294	0.0572 U	2.36	
		08/12/22	PES	Bladder	—	0.0310 U	0.186 U	0.0212 U	0.191 U	0.240	0.168	0.292	0.0572 U	2.70	
		08/12/22	PES	Bladder	—	0.0160 U	0.0910 U	0.0212 U	0.191 U	0.283	0.166 U	0.361	0.0572 U	2.57	
Number of Analytes Measured					0	96	96	96	96	96	96	96	96	96	
Number of Analytes Detected					—	43	43	23	26	32	52	66	31	65	
Frequency of Detection					—	45%	45%	24%	27%	33%	54%	69%	32%	68%	
Maximum Detection					—	29.3	2.2	0.7	3.4	166	262	3,260	11.2	2,880	
Minimum Detection					—	0.0160 U	0.0500 U	0.0212 U	0.1910 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
Number of Analytes Detected Above PCUL					—	4	0	0	0	14	16	39	0	65	
Frequency of Detection Above PCUL					—	4%	0%	0%	0%	15%	17%	41%	0%	68%	
<u>Notes:</u>															
PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific TCP File for American Linen preliminary cleanup levels, December 14, 2021.															
Detections above the groundwater PCUL level are shown in bold and highlighted in gray.															
cDCE = cis-1,2-Dichloroethene															
GRO = Gasoline-range organics															
PCE = Perchloroethylene (Tetrachloroethene)															
ROW = right-of-way															
TCE = Trichloroethene															
tDCE = trans-1,2-Dichloroethene															
VC = Vinyl chloride															
Well screen elevations indicated below Sample Location in parentheses.															
<u>Laboratory and Results Notes:</u>															
VOCs analyzed by EPA Method 8260.															
— = Not analyzed or results not available.															
J = The identification of the analyte is acceptable; the reported value is an estimate.															
J+ = The result is an estimated quantity, but the result may be biased high.															
J- = The result is an estimated quantity, but the result may be biased low.															
U = Not detected at or above the laboratory method detection limit (MDL).															

Table 6

Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
FMW-129 (-45.6 to -50.6)	Seattle DOT Mercer Parcels, NE quadrant	08/19/21	PES	Bladder	—	0.107	0.0500 U	0.0212 U	0.191 U	97.9	188	445	1.90	0.576
		03/03/22	PES	Bladder	—	0.183	0.0530 U	0.0212 U	0.191 U	134	290	846	2.12	2.22
		05/05/22	PES	Peristaltic	—	0.400 U	1.25 U	0.530 U	4.78 U	197 J+	286	940	1.63 J	0.682 U
		08/12/22	PES	Peristaltic	—	0.0250 J	0.0680 U	0.0350 J	0.191 U	1.40	3.45	14.4	0.0960 J	0.0273 U
FMW-131 (-34.7 to -44.7)	Block 37, SE quadrant	08/19/21	PES	Peristaltic	—	0.0630	0.0860 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.63	0.0572 U	0.187
		02/25/22	PES	Peristaltic	—	0.0590	0.0840 J	0.0850 J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/09/22	PES	Peristaltic	—	0.0300 J	0.0670 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	19.6	0.0572 U	0.0273 U
		08/05/22	PES	Peristaltic	—	0.0500	0.770	0.125	0.785	0.0280 U	0.0160 U	20.2	0.0572 U	0.120 J+
FMW-137 (-39.9 to -54.9)	Alley E of Block 38W	08/12/21	PES	Peristaltic	—	0.0380 J	0.199 J	0.0340 J	0.216 J	0.0280 U	0.0160 U	3.05	0.0572 U	0.107
		03/04/22	PES	Peristaltic	—	0.0350 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.58	0.0572 U	0.0910 J
		06/05/22	PES	Peristaltic	—	0.0210 J	0.227	0.0212 U	0.214 J	0.0280 U	0.0160 U	8.54	0.0572 U	0.182
		08/05/22	PES	Peristaltic	—	0.0400 J	0.906	0.135	0.935	0.0280 U	0.0160 U	10.0	0.0572 U	0.339 J+
FMW-140 (-38.0 to -48.0)	900 Roy St, S end	03/02/22	PES	Peristaltic	—	36.9	0.0950 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.50 J+	0.105 J	75.1
		05/31/22	PES	Peristaltic	—	36.4	0.135 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.51	0.0880 J	66.4
GEI-2 (-21.1 to -31.1)	Block 37, NW quadrant	08/19/21	PES	Peristaltic	—	2.15	0.0910 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.281	0.0572 U	7.17
		02/25/22	PES	Peristaltic	—	3.18	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.307	0.0572 U	13.8
		06/09/22	PES	Peristaltic	—	2.67	0.0910 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.224	0.0572 U	12.6
		08/05/22	PES	Peristaltic	—	3.03	0.861	0.142	0.927	0.0280 U	0.0160 U	0.211	0.0572 U	12.5 J+
MW102 (-65.8 to -75.8) (duplicate)	Valley St ROW, S side	08/11/21	PES	Peristaltic	—	0.0350 J	0.919	0.115	0.508	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/30/21	PES	Bladder	—	0.0160 U	0.181 J	0.183	0.959	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
		03/07/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		03/07/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/10/22	PES	Bladder	—	0.0160 U	0.528	0.0212 U	0.439	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/12/22	PES	Bladder	—	0.0160 U	0.176 U	0.0340 J	0.285	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW103 (duplicate) (-67.6 to -77.6)	Alley E of Seattle Roy Aloha Shops	08/12/21	PES	Bladder	—	0.138	1.19	0.0840 J	0.479	0.0850 J	6.84	59.8	0.119 J	33.0
		08/12/21	PES	Bladder	—	0.134	1.20	0.0950 J	0.514	0.0710 J	7.11	60.3	0.151 J	34.0
		11/08/21	PES	Peristaltic	—	0.0330 J	0.423	0.0900 J	0.624	0.0500 J	7.03	80.5	0.166 J	52.5
		02/15/22	PES	Peristaltic	—	0.135 J	0.250 U	0.106 U	0.955 U	0.140 U	3.05	187	0.480 J	68.7
		05/09/22	PES	Peristaltic	—	0.0370 J	0.0500 U	0.165 J	0.955 U	0.0280 U	2.68	213	0.273	66.9
		08/09/22	PES	Peristaltic	—	0.0360 J	0.0880 J	0.0212 U	0.247 J	0.228	2.24	232	0.273	67.8
MW104 (-76.3 to -86.3)	8th Ave N ROW, W side	08/23/21	PES	Bladder	—	0.0160 U	0.532	0.0900 U	0.588	0.144	3.86	41.5	0.871	14.2 J-
		11/29/21	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.404	0.0280 U	0.191	12.3	0.495	24.4 J-
		02/23/22	PES	Bladder	—	0.0160 U	0.0550 U	0.0440 J	0.267	0.0280 U	0.168	11.3	0.338	12.5
		05/12/22	PES	Bladder	—	0.0160 U	0.0790 J	0.0212 U	0.191 U	0.0280 U	0.0960	6.01	0.332	18.7
		08/23/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.66	0.234	14.4
MW105 (-85.8 to -95.8)	Roy St ROW, S side	08/17/21	PES	Bladder	—	0.0500 U	0.351	0.0300 J	0.191 U	0.0860 U	2.15	8.26	0.279	0.377
		11/08/21	PES	Bladder	—	0.0160 U	0.0500 U	0.0630 J	0.435	0.0280 U	0.893	8.73	0.240	0.361
		02/24/22	PES	Bladder	—	0.0160 U	0.0760 J	0.0212 U	0.191 U	0.0280 U	0.511	7.70	0.0572 U	0.422
		05/17/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0950	6.78	0.151 J	0.0273 U
		08/09/22	PES	Bladder	—	0.0700	0.0950 J	0.0212 U	0.191 U	0.131 J+	0.258	0.196	0.0572 U	0.0273 U
MW106 (-78.0 to -88.0)	Seattle DOT Mercer Parcels, NW quadrant	08/19/21	PES	Bladder	—	0.0160 U	0.0730 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0550 J	0.0572 U	0.0273 U
		12/06/21	PES	Bladder	—	0.0160 U								

Table 6

Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																	
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC								
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29								
MW113 (-37.1 to -47.1) (duplicate)	9th Ave N ROW, W side	08/11/21	PES	Peristaltic	—	3.38	1.25	U	0.530	U	4.78	U	87.0	617	2,180	8.75	8.65					
		11/18/21	PES	Peristaltic	—	3.73	1.25	U	0.530	U	4.78	U	70.6	J+	795	4,250	15.0	9.15				
		11/18/21	PES	Peristaltic	—	4.34	0.0950	J	0.0212	U	0.191	U	57.2	751	5,080	16.1	10.2					
		02/15/22	PES	Peristaltic	—	5.75	J	12.5	U	5.30	U	47.8	U	21.3	J	30.8	5,960	18.0	J			
		06/08/22	PES	Peristaltic	—	3.00	1.25	U	0.530	U	4.78	U	28.7	49.1	6,220	11.9	9.18					
		08/10/22	PES	Peristaltic	—	3.80	J	5.00	U	2.80	J	19.1	U	14.4	10.9	3,790	14.0	J	73.6			
MW122 (-75 to -89)	Alley E of Seattle Roy Aloha Shops	11/11/21	PES	Peristaltic	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0360	J	0.0160	U	0.0276	U	0.0572	U	0.0273
MW123 (-42.5 to -52.5)	Westlake Ave N ROW, W side	03/02/22	PES	Peristaltic	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0370	J	0.0160	U	0.0276	U	0.0572	U	0.0273
MW124 (-53.8 to -63.8)	Valley St ROW, S side	03/07/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0750	J	0.0160	U	0.0276	U	0.0572	U	0.0273
MW128 (-30.8 to -40.8)	Westlake Ave N ROW, E side	02/25/22	PES	Peristaltic	—	9.75	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	10.6	
MW-138 (-47.5 to -57.5)	Dexter Ave N ROW, E side	08/03/21	PES	Bladder	—	0.0160	U	0.105	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273
		11/10/21	PES	Bladder	—	0.0160	U	0.0500	U	0.159	0.781	0.280	U	0.0160	U	0.0276	U	0.0572	U	0.0273		
		02/24/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273
		05/25/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273
		08/09/22	PES	Bladder	—	0.0160	U	0.117	J	0.0212	U	0.191	U	0.0370	J	0.0160	U	0.0276	U	0.0572	U	0.0273
MW-153 (-65.3 to -75.3)	Roy St ROW, S side	08/20/21	PES	Bladder	—	0.0160	U	0.0640	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.135	J-	0.0572	U	1.02
		12/07/21	PES	Bladder	—	0.0160	U	0.0910	U	0.0670	J	0.462	0.280	U	0.0160	U	0.115	0.0572	U	1.15		
		02/25/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.296	0.0160	U	0.125	0.0572	U	1.14		
		05/02/22	PES	Bladder	—	0.0160	U	0.503	0.127	0.520	0.280	U	0.0160	U	0.240	0.0572	U	1.10				
		08/02/22	PES	Bladder	—	0.0300	J	1.13	0.120	0.532	0.280	U	0.0160	U	0.122	0.0572	U	0.501				
MW-158A (-47.2 to -58.5) (duplicate)	8th Ave N ROW, E side	08/17/21	PES	Bladder	—	0.233	1.53	0.0850	J	0.356	0.0280	U	0.0780	0.107	0.0572	U	0.370					
		12/08/21	PES	Bladder	—	0.0190	J	0.0830	U	0.189	1.07	0.0280	U	0.0640	0.0670	J	0.0572	U	0.298			
		12/08/21	PES	Bladder	—	0.0160	U	0.0790	U	0.139	0.947	0.0280	U	0.0700	0.0510	J	0.0572	U	0.243			
		03/04/22	PES	Bladder	—	0.0260	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0940	0.0520	J	0.0572	U	0.273	
		05/17/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0890	0.0640	J	0.0572	U	0.276	
		08/12/22	PES	Bladder	—	0.0160	U	0.0810	U	0.0212	U	0.191	U	0.418	0.282	0.550	0.0572	U	0.421			
MW-160 (-76.5 to -86.5)	8th Ave N ROW, W side	08/23/21	PES	Bladder	—	0.0260	J	0.478	0.0470	U	0.214	J	0.0280	U	0.117	2.65	0.0572	U	1.30			
		11/29/21	PES	Bladder	—	0.0160	U	0.264	0.0212	U	0.323	0.0280	U	0.197	3.41	0.0572	U	0.601				
		02/23/22	PES	Bladder	—	0.0160	U	0.0670	U	0.0960	J	0.400	0.0280	U	0.127	3.08	0.0572	U	0.929			
		05/25/22	PES	Bladder	—	0.0160	U	0.111	U	0.0212	U	0.191	U	0.0280	U	0.0660	1.71	0.0572	U	0.749		
		08/12/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.140	1.45	0.0572	U	0.679		
MW-161 (-78.9 to -88.9) (duplicate)	8th Ave N ROW, W side	08/23/21	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.72	10.3	53.8	0.736	3.51				
		11/29/21	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.59	19.4	46.5	0.785	2.46				
		02/23/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.886	15.9	45.4	0.602	1.95				
		02/23/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.13	15.4	45.1	0.625	1.91				
		05/11/22	PES	Bladder	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.629	15.4	30.5						

Table 6

**Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-323 (-65.4 to -75.4)	9th Ave N ROW, W side	11/16/21 06/03/22	PES PES	Peristaltic Peristaltic	— —	0.0390 J 0.400 U	0.320 U 1.25 U	0.0690 J 0.530 U	0.597 U 4.78 U	0.0280 U 0.700 U	0.100 U 0.400 U	384 354	0.304 U 1.43 U	52.2 45.5
MW-324 (-32.1 to -42.1)	Roy St ROW, N side	11/16/21 05/31/22	PES PES	Peristaltic Peristaltic	— —	1.60 J 2.55	2.50 U 2.50 U	1.06 U 1.06 U	9.55 U 9.55 U	1.40 U 1.40 U	0.800 U 0.800 U	2,240 3,200	9.00 J 13.7	29.2 101
MW-326 (-48.7 to -58.7)	Mercer St ROW, N side	08/12/21	PES	Peristaltic	—	0.0420	0.468	0.0600 J	0.291	0.138	0.599	3.52	0.0572 U	0.206
		11/04/21	PES	Bladder	—	0.0160 U	0.0540 J	0.0630 J	0.449 U	0.0850 J	0.638	4.15	0.0572 U	0.186
		03/03/22	PES	Bladder	—	0.0160 U	0.0660 U	0.0212 U	0.191 U	0.316	1.21	8.16	0.0572 U	0.0273 U
		05/09/22	PES	Bladder	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.200	0.860	6.59	0.0572 U	0.164
		08/11/22	PES	Bladder	—	0.0160 U	0.0560 U	0.0212 U	0.191 U	2.26	1.74	7.63	0.0572 U	0.0273 U
MW-328 (-36.1 to -46.1)	Lake Union Park, S end	11/10/21 05/04/22	PES PES	Peristaltic Peristaltic	— —	6.21 7.53	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	0.255 0.336	0.0572 U 0.0572 U	2.03 2.12
MW-329 (-69.0 to -79.0)	Westlake Ave N ROW, E side	02/25/22 06/09/22	PES PES	Peristaltic Peristaltic	— —	0.222 0.260	0.0500 U 0.0580 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	10.1 10.4	0.0572 U 0.0572 U	21.8 22.5
MW-336 (-51.6 to -61.6)	Mercer St ROW, N side	08/11/21	PES	Peristaltic	—	0.249	0.0500 U	0.0212 U	0.191 U	0.0570 J	2.68	168	0.229	20.7
		11/17/21	PES	Peristaltic	—	0.257	0.0500 U	0.0212 U	0.191 U	0.630 J	2.05	177	0.274	8.68
		03/02/22	PES	Peristaltic	—	0.277	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.359	223	0.330	9.98
		05/31/22	PES	Peristaltic	—	0.230 J	0.500 U	0.212 U	1.91 U	0.280 U	0.620	263	1.03 J	7.39
		08/10/22	PES	Peristaltic	—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0320 J	0.891	23.2	0.129 J	0.0273 U
MW-341 (-66.8 to -76.8)	Lake Union Park, S end	11/10/21 05/04/22	PES PES	Peristaltic Peristaltic	— —	14.3 21.3	0.0500 U 0.0500 U	0.0212 U 0.0212 U	0.191 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	12.2 17.0	0.0572 U 0.0572 U	11.9 16.6
MW-342 (-32.4 to -42.4)	Valley St ROW, S side	11/09/21 05/17/22	PES PES	Peristaltic Peristaltic	— —	0.198 0.779	0.250 0.0500 U	0.0590 J 0.0212 U	0.412 U 0.191 U	0.0280 U 0.0280 U	0.0160 U 0.0160 U	2.45 5.13	0.0572 U 0.0572 U	1.81 10.2
MW-343 (-71.5 to -81.5)	Valley St ROW, S side	11/09/21 05/17/22	PES PES	Peristaltic Peristaltic	— —	0.123 0.0940	0.272 0.0500 U	0.0560 J 0.0212 U	0.421 U 0.191 U	0.0370 J 0.0280 U	0.0160 U 0.0160 U	3.00 2.93	0.0572 U 0.0572 U	4.18 3.50
Number of Samples					0	109	109	109	109	109	109	109	109	109
Number of Detections					—	57	36	31	33	36	51	85	39	76
Frequency of Detection					—	52%	33%	28%	30%	33%	47%	78%	36%	70%
Maximum					—	36.9	1.53	2.80 J	1.07 U	197 J+	795	6,220	18.0 J	101
Minimum					—	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
Number of Samples Above PCUL					—	9	0	0	0	8	17	33	0	66
Frequency of Detection Above PCUL					—	8%	0%	0%	0%	7%	16%	30%	0%	61%

Notes:

PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson

to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.

Detections above the groundwater PCUL level are shown in **bold** and highlighted in gray.

cDCE = cis-1,2-Dichloroethene

GRO = Gasoline-range organics

PCE = Perchloroethylene (Tetrachloroethene)

ROW = right-of-way

TCE = Trichloroethene

tDCE = trans-1,2-Dichloroethene

VC = Vinyl chloride

Well screen elevations indicated below Sample Location in parentheses.

Laboratory and Results Notes:

VOCs analyzed by EPA Method 8260.

— = Not analyzed or results not available.

J = The identification of the analyte is acceptable; the reported value is an estimate.

J+ = The result is an estimated quantity, but the result may be biased high.

J- = The result is an estimated quantity, but the result may be biased low.

U = Not detected at or above the laboratory method detection limit (MDL).

Table 7

Groundwater Analytical Data for Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4	16	100	0.29			
Treatment Zone A Wells																	
MW-165 (1.3 to -8.8)	Cluster 1	08/10/21	PES	Flowing	—	0.170	0.809	0.0460 J	0.191 U	0.0490 J	1.60 U	858	22.7	737			
		12/02/21	PES	Flowing	—	0.136	0.597	0.0212 U	0.191 U	0.0280 U	0.107	617	21.0	480			
		02/22/22	PES	Flowing	—	0.183	0.501	0.0340 J	0.191 U	0.0280 U	0.153	1,040	26.8	719			
		05/13/22	PES	Flowing	—	0.141	0.446	0.0340 J	0.191 U	0.0280 U	0.153	938	23.1	808			
		08/05/22	PES	Flowing	—	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.560 J	760	16.5	642			
MW-169 (1.2 to -8.8)	Cluster 2	08/10/21	PES	Flowing	—	0.100	0.0920 J	0.0212 U	0.191 U	0.0490 J	0.0160 U	0.0770 J	0.440	1.32			
		11/19/21	PES	Flowing	—	0.0750	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0610	0.127	0.657	1.89			
		02/16/22	PES	Flowing	—	0.0910	0.0500 U	0.0212 U	0.191 U	0.267	0.0340 J	0.0680 J	0.417	1.39			
		05/12/22	PES	Flowing	—	0.0780	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0370 J	0.255	0.370	5.29			
		08/05/22	PES	Flowing	—	0.103	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0380 J	0.0660 J	0.338	20.6			
MW-173 (2.2 to -7.8)	Cluster 3	08/05/21	PES	Flowing	—	0.176	0.171 J	0.0212 U	0.191 U	0.0280 U	0.0450	0.0860 J	1.30	0.636			
		12/02/21	PES	Flowing	—	0.199	0.164 U	0.0212 U	0.191 U	0.0280 U	0.0350 J	0.0510 J	1.06	0.292			
		02/17/22	PES	Flowing	—	0.182	0.146 U	0.0212 U	0.191 U	0.0280 U	0.0470	0.0700 J	0.588	0.236			
		05/13/22	PES	Flowing	—	0.151	0.117 J	0.0212 U	0.191 U	0.0280 U	0.0430	0.0760 J	0.474	0.253			
		08/11/22	PES	Flowing	—	0.187	0.119 U	0.0212 U	0.191 U	0.0280 U	0.0490	0.0720 J	0.370	0.143			
MW-177 (2.3 to -7.7)	Cluster 4	08/09/21	PES	Flowing	—	0.440	0.590 J	0.212 U	1.91 U	6,190	1,250	6,810	31.8	3,500			
		12/03/21	PES	Flowing	—	3.20 U	10.0 U	4.24 U	38.2 U	7,650	861	5,330	11.4 U	3,200			
		02/17/22	PES	Flowing	—	3.20 U	10.0 U	4.24 U	38.2 U	10,500	1,800	7,920	30.4 J	2,920			
		05/10/22	PES	Flowing	—	0.250	0.468	0.0780 J	0.458	7,870	1,460	6,410	29.5	2,960			
		08/04/22	PES	Flowing	—	3.20 U	10.0 U	4.24 U	38.2 U	6,400	914 J+	4,980	27.4 J	4,660 J+			
MW-181 (1.5 to -8.5)	Cluster 5	08/09/21	PES	Peristaltic	—	0.272	0.402	0.0360 J	0.191 U	0.197	0.142	775	42.1	2,170			
		11/18/21	PES	Peristaltic	—	0.214	0.260	0.0510 J	0.249 J	0.0280 U	0.0940	1,530	40.8	6,870			
		02/16/22	PES	Peristaltic	—	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	1,880	43.0 J	9,100			
		05/10/22	PES	Peristaltic	—	0.160 U	0.500 U	0.212 U	1.91 U	5.29	2.26	723	34.1	10,200			
		08/04/22	PES	Peristaltic	—	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	3,700	41.4	11,700			
MW-185 (1.4 to -8.7)	Cluster 6	08/03/21	PES	Flowing	—	0.141	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0660	0.137	0.0572 U	2.07 J+			
		11/18/21	PES	Flowing	—	0.119	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0710	0.360	0.0572 U	1.33			
		02/16/22	PES	Flowing	—	0.122	0.0500 U	0.0212 U	0.191 U	0.0560 J	0.0780	0.618	0.0700 J	4.89			
		05/12/22	PES	Flowing	—	0.0890	0.0500 U	0.0212 U	0.191 U	0.0410 J	0.0550	0.206	0.0572 U	2.53			
		08/05/22	PES	Peristaltic	—	0.136	0.102 J	0.0300 J	0.191 U	0.0280 U	0.125 J+	0.281	0.0930 J	0.680 J+			
Treatment Zone B Wells																	
MW-166 (-12.6 to -22.6)	Cluster 1	08/10/21	PES	Flowing	—	0.116	0.0870 J	0.212 U	0.191 U	0.0880 J	4.00 U	5,280	49.1	1,600			
		12/02/21	PES	Flowing	—	0.200 J	1.13 J	0.212 U	1.91 U	0.280 U	1.24	7,610	70.3	3,100			
		02/22/22	PES	Peristaltic	—	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	11,300	64.3	3,050			
		05/13/22	PES	Flowing	—	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	9,310	66.3	3,200			
		08/05/22	PES	Flowing	—	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	8,810	60.0	3,870			
MW-170 (-12.8 to -22.8)	Cluster 2	08/09/21	PES	Peristaltic	—	0.230 J	0.500 U	0.212 U	1.91 U	28.0 U	16.0 U	2,630	170	8,220			
		11/19/21	PES	Peristaltic	—	16.0 U	50.0 U	21.2 U	191 U	28.0 U	16.0 U	5,440	236	13,400			
		02/17/22	PES	Peristaltic	—	4.00 U	12.5 U	5.30 U	47.8 U	42.0	16.0	5,120	179	10,300			
		05/12/22	PES	Flowing	—	4.00 U	12.5 U	5.30 U	47.8 U	464	78.8	5,960	229	11,800			

Table 7

Groundwater Analytical Data for Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4	16	100	0.29
MW-174 (-12.3 to -22.3)	Cluster 3	08/05/21	PES	Flowing	–	0.0220 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.110	0.328	0.557	29.7
		12/02/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.117	0.550	0.630	105
		02/17/22	PES	Flowing	–	0.0240 J	0.0500 U	0.0212 U	0.191 U	0.140 U	0.180 J	0.686	0.701	117
		05/13/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0470 J	0.149	2.75	0.741	119
		08/11/22	PES	Flowing	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	8.41	0.920 J	120
MW-178 (-11.7 to -21.7) (duplicate)	Cluster 4	08/06/21	PES	Peristaltic	–	0.445	1.24	0.152	0.756	24.1	52.6	11,500	85.5	7,110
		12/06/21	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	17.3	27.6	2,240	29.2	2,620
		02/17/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	36.3	16.9	4,230	41.5	3,360
		05/10/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	46.9 J+	31.7	5,930	43.7	3,230
		05/10/22	PES	Peristaltic	–	0.296	1.27	0.0212 U	0.246 J	50.8 J+	38.9	6,310	44.6	3,180
		08/04/22	PES	Peristaltic	–	3.20 U	10.0 U	4.24 U	38.2 U	19.6 J	14.8 J+	15,600	94.4	12,700 J+
MW-182 (-12.5 to -22.5)	Cluster 5	08/09/21	PES	Peristaltic	–	0.575 J	1.85 J	0.530 U	4.78 U	70.0 U	40.0 U	26,100	118	9,620
		11/18/21	PES	Flowing	–	40.0 U	125 U	53.0 U	478 U	1,170 J+	865	43,900	143 U	22,900
		02/16/22	PES	Peristaltic	–	32.0 U	100 U	42.4 U	382 U	198 J	118	40,700	114 U	19,500
		05/10/22	PES	Flowing	–	0.332	1.07	0.479	2.80	789	840	38,200	91.0	26,100
		08/04/22	PES	Peristaltic	–	16.0 U	50.0 U	21.2 U	191 U	149	250 J+	41,700	89.0 J	46,000 J+
MW-186 (-12.7 to -22.7)	Cluster 6	08/03/21	PES	Flowing	–	0.0510	0.0990 J	0.0212 U	0.191 U	0.0280 U	0.0820	0.286	0.804	5.48
		11/18/21	PES	Peristaltic	–	0.0460	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0850	0.259	0.731	4.57
		02/16/22	PES	Flowing	–	0.0610	0.0650 U	0.0212 U	0.191 U	0.0280 U	0.0770	0.262	0.731	4.76
		05/12/22	PES	Flowing	–	0.0370 J	0.0600 J	0.0212 U	0.191 U	0.0380 J	0.0980	0.664	0.717	4.69
		08/05/22	PES	Flowing	–	0.0560	0.0600 J	0.0212 U	0.191 U	0.498	0.143 J+	0.281	0.757	7.63 J+
Treatment Zone C Wells														
MW-167 (-27.9 to -37.9)	Cluster 1	08/10/21	PES	Peristaltic	–	0.0920	0.777	0.0950 J	0.579	0.0280 U	0.0160 U	0.346	0.0572 U	0.223
		12/02/21	PES	Peristaltic	–	0.0160 U	0.241	0.0212 U	0.414	0.0280 U	0.0160 U	0.369	0.0572 U	0.159
		02/22/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.220	0.0572 U	0.144
		05/13/22	PES	Peristaltic	–	0.0160 U	0.155 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.312	0.0572 U	0.167
		08/05/22	PES	Flowing	–	0.0160 U	0.0930 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.211	0.0572 U	0.191
MW-171 (-27.6 to -37.6)	Cluster 2	08/10/21	PES	Peristaltic	–	0.107	0.356	0.0470 J	0.276	0.0280 U	0.333	1,030	5.51	775
		11/19/21	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	2,290	5.72 U	1,230
		02/17/22	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	26.5	8.40	3,160	7.20 J	1,300
		05/12/22	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	2,770	9.40 J	1,380
		08/04/22	PES	Flowing	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	3,670	13.9 J	1,970
MW-175 (-27.8 to -37.8)	Cluster 3	08/05/21	PES	Peristaltic	–	0.0820	0.597	0.0580 J	0.367	0.0280 U	0.0160 U	0.171	2.16	0.377
		12/02/21	PES	Peristaltic	–	0.0160 U	0.123 U	0.0212 U	0.198 J	0.0280 U	0.0160 U	0.136	2.25	1.14
		02/22/22	PES	Peristaltic	–	0.0300 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.146	2.14	1.00
		05/13/22	PES	Peristaltic	–	0.0160 U	0.111 J	0.0212 U	0.191 U	0.0940 J	0.0430	0.194	1.55	0.572
		08/11/22	PES	Flowing	–	0.0280 J	0.0670 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.147	1.22	0.200
MW-179 (-27.2 to -37.2)	Cluster 4	08/09/21	PES	Peristaltic	–	0.224	0.992	0.0900 J	0.543	9.16	4.00 U	790	30.6	2,860
		12/03/21	PES	Peristaltic	–	4.00 U	12.5 U	5.30 U	47.8 U	13.3 J	11.3	1,810	14.3 U	6,580
		02/17/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	15.9	12.6	1,400	10.2	1,600
		05/10/22	PES	Peristaltic	–	0.160 U	0.650 J	0.212 U	1.91 U	11.4	8.87	654	5.71	1,940
		08/04/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	7.55	4.50 J+	912	6.25 J	2,990 J+

Table 7

Groundwater Analytical Data for Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4	16	100	0.29
MW-183 (-27.4 to -37.4)	Cluster 5	08/06/21	PES	Peristaltic	–	0.0680	0.347	0.0530 J	0.273	0.0280 U	2.55	3,570	9.87	3,740
		11/18/21	PES	Peristaltic	–	0.0510	0.128 J	0.0212 U	0.242 J	123	8.00 U	5,430	14.1	5,110
		02/16/22	PES	Peristaltic	–	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	4,940	14.3 U	4,410
		05/10/22	PES	Peristaltic	–	0.0360 J	0.112 J	0.0212 U	0.191 U	2.80 U	18.0	3,940	7.82	4,350
		08/04/22	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	3,700	11.0 J	8,160
MW-187 (27.0 to -37.0)	Cluster 6	08/03/21	PES	Peristaltic	–	0.0330 J	0.896	0.147	0.877	0.0280 U	0.0160 U	0.204	0.0572 U	1.57 J+
		11/18/21	PES	Flowing	–	0.0160 U	0.136 J	0.0430 J	0.325	0.0280 U	0.0160 U	0.130	0.0572 U	0.823
		02/16/22	PES	Peristaltic	–	0.0160 U	0.0650 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0770 J	0.0572 U	0.651
		05/12/22	PES	Flowing	–	0.0160 U	0.123 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.101	0.0572 U	0.583
		08/05/22	PES	Peristaltic	–	0.0330 J	0.317	0.0660 J	0.458	0.0280 U	0.0160 U	0.103	0.0572 U	0.617 J+
Treatment Zone D Wells														
MW-168 (-43.0 to -53.0)	Cluster 1	08/10/21	PES	Peristaltic	–	0.0430	0.268	0.0500 J	0.274	0.0280 U	0.0390 J	0.732	0.0650 J	0.531
		12/02/21	PES	Peristaltic	–	0.0160 U	0.0740 J	0.0212 U	0.191 U	0.0280 U	0.0420	2.59	0.122 J	0.387
		02/22/22	PES	Peristaltic	–	0.0160 U	0.0740 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.43	0.0700 J	0.932
		05/13/22	PES	Peristaltic	–	0.0160 U	0.200 J	0.0212 U	0.194 J	0.0280 U	0.0490	9.42	0.117 J	1.68
		08/05/22	PES	Peristaltic	–	0.0330 J	0.177 J	0.0320 J	0.191 U	0.0280 U	0.500	285	3.36	43.8
MW-172 (-42.5 to -52.5) (duplicate)	Cluster 2	08/10/21	PES	Peristaltic	–	0.0360 J	0.378	0.0990 J	0.504	203	576	440	14.3	33.9
		11/19/21	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	1,310	1,290	798	28.2	15.2
		02/17/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	2,890	2,260	656	24.3	14.1
		02/17/22	PES	Flowing	–	0.0340 J	0.273	0.0970 J	0.212 J	2,750	2,240	671	25.3	12.9
		05/12/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	4,880	2,860	588	28.9	13.8
		08/05/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	6,140	3,240	468	26.9	13.0
MW-176 (-42.7 to -52.7)	Cluster 3	08/05/21	PES	Peristaltic	–	0.0450	0.279	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.574	1.80	0.824
		12/02/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.448	1.43	4.37
		02/22/22	PES	Peristaltic	–	0.0220 J	0.0520 U	0.0212 U	0.191 U	0.0280 U	0.0320 J	0.452	1.52	3.88
		05/13/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.138	0.0510	0.488	1.46	4.18
		08/11/22	PES	Peristaltic	–	0.0280 J	0.0590 U	0.0212 U	0.191 U	0.0280 U	0.0480	0.316	1.15	1.35
MW-180 (-42.7 to -52.7)	Cluster 4	08/06/21	PES	Peristaltic	–	0.0200 J	0.141 J	0.0212 U	0.191 U	0.700 U	0.625 J	228	1.65	120
		12/03/21	PES	Flowing	–	0.0800 U	0.250 U	0.106 U	0.955 U	1.33	4.27	304	2.93	237
		02/17/22	PES	Flowing	–	0.265	0.250 U	0.300 J	0.955 U	2.18	3.78	662	5.59	368
		05/10/22	PES	Flowing	–	0.0800 U	0.250 U	0.106 U	0.955 U	0.140 U	2.86	556	3.53	576
		08/04/22	PES	Flowing	–	0.400 U	1.25 U	0.530 U	4.78 U	4.43	17.6 J+	1,750	12.0	994
MW-184 (-42.5 to -52.5)	Cluster 5	08/06/21	PES	Peristaltic	–	0.0270 J	0.207	0.0212 U	0.191 U	179	171	196	3.39	25.7
		11/18/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	366	280	348	6.69	21.4
		02/16/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	370	309	361	6.54	27.4
		05/10/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	296	216	253	5.55	36.0
		08/04/22	PES	Flowing	–	0.160 U	0.500 U	0.212 U	1.91 U	276	189	210	4.20	55.5

Table 7

Groundwater Analytical Data for Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
				Preliminary Cleanup Level (PCUL)	800	5.0	640	700	1,600	5.0	4	16	100	0.29	
MW-188 (-42.2 to -52.2)	Cluster 6	08/10/21	PES	Peristaltic	–	0.0330 J	0.337	0.0610 J	0.375	0.0280 U	0.0160 U	0.322	0.0572 U	1.17	
		11/18/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.162	0.0572 U	0.340	
		02/16/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.160	0.0572 U	0.357	
		05/12/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.237	0.0572 U	0.330	
		08/05/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.104	0.0310 J	0.343	0.0572 U	0.333 J+	
Number of Analytes Measured					0	120	120	120	120	120	120	120	120	120	
Number of Analytes Detected					–	57	45	22	19	51	80	120	96	120	
Frequency of Detection					–	48%	38%	18%	16%	43%	67%	100%	80%	100%	
Maximum Detection					–	0.58 J	2 J	0.479	2.80	10,500	3,240	43,900	236	46,000 J+	
Minimum Detection					–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0510 J	0.0572 U	0.1430	
Number of Samples Above PCUL					–	0	0	0	0	35	35	66	6	111	
Frequency of Detection Above PCUL					–	0%	0%	0%	0%	29%	29%	55%	5%	93%	
Notes:					Laboratory and Results Notes:										
PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson					VOCs analyzed by EPA Method 8260.										
to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.					– = Not analyzed or results not available.										
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .					J = The identification of the analyte is acceptable; the reported value is an estimate.										
cDCE = cis-1,2-Dichloroethene					J+ = The result is an estimated quantity, but the result may be biased high.										
GRO = Gasoline-range organics					J- = The result is an estimated quantity, but the result may be biased low.										
PCE = Perchloroethylene (Tetrachloroethene)					U = Not detected at or above the laboratory method detection limit (MDL).										
ROW = right-of-way															
TCE = Trichloroethene															
tDCE = trans-1,2-Dichloroethene															
VC = Vinyl chloride															
Well screen elevations indicated below Sample Location in parentheses.															

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)								
								Total	Ferrous	Ferric		Methane	Ethane	Ethene						
Shallow Zone																				
MW121 (dup)	8th Ave N ROW, E side	08/02/21	—	—	—	280	14.7	21.4	—	—	9.20	1,320	0.296	U	0.422	U				
		05/19/22	—	—	—	298	7.16	3.79	—	—	6.19	34.6	0.420	J	0.422	U				
		05/19/22	—	—	—	309	7.25	4.33	—	—	6.59	36.5	0.297	J	0.422	U				
		08/04/22	—	—	—	207	7.15	2.17	—	—	7.36	380	1.83	0.422	U	0.422	U			
		08/04/22	—	—	—	195	7.64	2.90	—	—	7.82	469	2.53	0.422	U	0.422	U			
MW125 (dup)	Valley St ROW, N side	08/02/21	—	—	—	0.841	J	8.86	9.02	—	—	2.92	4,450	0.296	U	0.422	U			
		11/11/21	358	14.8	1.00	U	6.00	U	8.71	9.30	5.8	3.6	3.32	4,920	0.296	U	0.422	U		
		03/08/22	—	—	—	—	1.22	J	7.70	7.81	—	—	3.31	1,180	1.25	J	0.422	U		
		05/19/22	—	—	—	—	1.20	J	7.31	9.44	—	—	3.18	814	0.516	J	0.422	U		
		08/09/22	—	—	—	—	1.24	J	7.75	10.2	—	—	3.23	4,050	J	1.56	0.422	U		
		08/09/22	—	—	—	—	1.49	J	7.84	10.2	—	—	3.31	5,580	J	1.93	0.422	U		
MW-154	Roy St ROW, S side	08/17/21	—	—	—	62.6	2.60	0.613	—	—	0.0411	2.91	U	4.07	U	4.26	U			
		11/10/21	164	27.4	1.76	—	51.9	1.43	0.584	0.0	0.6	0.0285	0.287	U	0.296	U	0.422	U		
		02/18/22	191	—	—	—	44.7	1.67	0.278	—	—	0.0111	0.287	U	0.296	U	0.422	U		
		05/02/22	—	—	—	—	44.7	1.85	0.139	—	—	0.0118	0.287	U	0.296	U	0.422	U		
		08/02/22	—	—	—	—	56.6	1.43	0.336	—	—	0.0319	0.287	U	0.296	U	0.422	U		
MW-155	Roy St ROW, S side	08/13/21	—	—	—	69.2	1.88	0.883	—	—	0.0412	36.0	U	0.296	U	0.422	U			
		12/02/21	216	9.58	8.40	J-	53.6	2.08	0.193	0.0	0.2	0.0156	0.287	U	0.296	U	0.422	U		
		03/01/22	—	—	—	—	128	2.10	0.249	—	—	0.167	46.2	0.296	U	0.422	U			
		05/05/22	—	—	—	—	84.8	1.79	0.0312	J	—	—	0.0842	J	26.8	0.296	U	0.422	U	
		08/03/22	—	—	—	—	58.0	2.12	0.133	—	—	0.0156	2.22	0.296	U	0.422	U			
MW-159	8th Ave N ROW, E side	08/05/21	—	—	—	1.83	J	4.45	7.87	—	—	2.43	15,200	41.5	4.26	U	0.422	U		
		12/02/21	289	5.96	0.100	UJ	2.15	3.84	11.8	4.5	7.3	2.86	16,100	35.3	0.422	U	0.422	U		
		03/03/22	—	—	—	—	1.91	U	4.26	10.2	—	—	3.50	4,030	6.63	0.422	U	0.422	U	
		05/11/22	—	—	—	—	0.594	U	3.84	7.83	—	—	3.07	15,000	21.4	0.422	U	0.422	U	
		08/03/22	—	—	—	—	1.22	J	4.21	9.74	—	—	3.05	6,910	12.1	0.422	U	0.422	U	
MW-301 (dup) (dup) (dup)	Valley St ROW, S side	08/20/21	143	43.6	2.42	—	23.0	2.30	0.609	0.0	0.6	0.0339	0.287	U	0.296	U	0.422	U		
		08/20/21	145	45.8	2.57	—	24.2	2.41	0.574	0.0	0.6	0.0344	0.287	U	0.296	U	0.422	U		
		12/02/21	145	39.6	1.56	J-	17.0	2.24	0.0566	J	0.0	0.1	0.0325	0.287	U	0.296	U	0.422	U	
		05/10/22	158	60.0	1.18	J-	21.3	2.67	3.52	0.2	3.3	0.236	0.287	U	0.296	U	0.422	U		
		05/10/22	152	62.4	1.23	J-	21.3	2.76	2.78	0.2	2.6	0.197	0.287	U	0.296	U	0.422	U		
		08/12/22	168	68.6	1.55	—	23.5	2.64	0.795	0.2	0.6	0.295	41.7	0.296	U	0.422	U	0.422	U	
MW-305	Roy St ROW, S side	12/03/21	61.9	31.5	7.06	J-	91.1	3.66	0.217	0.0	0.2	0.00392	0.287	U	0.296	U	0.422	U		
		11/03/21	837	7.71	0.176	—	95.5	8.77	17.1	3.5	13.6	2.62	311	0.296	U	0.422	U	0.422	U	
MW-312	Alley E of Seattle Roy Aloha Shops	11/03/21	143	0.763	0.100	U	1.89	3.76	3.33	2.5	0.8	0.220	208	0.296	U	0.422	U	0.422	U	
MW-313	Alley E of Seattle Roy Aloha Shops	11/09/21	329	20.6	0.228	J-	67.1	2.20	8.40	0.6	7.8	1.43	113	0.296	U	0.422	U	0.422	U	
MW-320	9th Ave N ROW, W side	11/16/21	200	3.81	0.850	—	19.9	1.17	0.304	0.0	0.3	0.0563	0.287	U	0.296	U	0.422	U	0.422	U
MW-332	Roy St ROW, N side	11/08/21	203	129	0.450	—	60.6	1.68	27.6	0.0	27.6	2.85	0.287	U	0.296	U	0.422	U	0.422	U

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)						
								Total	Ferrous	Ferric		Methane	Ethane	Ethene				
MW-337	Lake Union Park, N end	11/17/21	255	16.2	7.14	31.8	4.28	0.378	0.3	0.1	0.466	1,270	0.296	U	0.422	U		
MW-339 (dup)	Lake Union Park, S end	11/10/21	171	11.6	1.00	U	23.0	4.96	0.567	0.2	0.4	0.206	37.4	J	0.296	U	0.422	U
MW-9 (dup)	8th Ave N ROW, E side	08/02/21	—	—	—	0.594	U	5.06	19.9	—	—	1.82	799	0.296	U	0.422	U	
		11/11/21	507	25.7	1.12	6.00	U	4.06	19.0	5.8	13.2	1.77	652	0.296	U	0.422	U	
		02/15/22	475	—	—	19.9		4.13	5.09	—	—	4.97	37.1	0.296	U	0.422	U	
		06/08/22	—	—	—	25.3		4.06	8.45	—	—	2.37	329	2.15	0.422	U	U	
		06/08/22	—	—	—	25.6		4.07	7.02	—	—	2.29	332	1.80	0.422	U	U	
		08/09/22	—	—	—	26.6		4.72	15.6	—	—	3.02	255	1.74	0.422	U	U	
		08/03/21	—	—	—	8.33		2.79	1.66	—	—	0.948	3,200	0.296	U	0.422	U	
R-MW5 (dup)	Dexter Ave N ROW, E side	08/03/21	—	—	—	8.21		3.00	1.59	—	—	0.991	3,660	0.296	U	0.422	U	
		11/08/21	93.3	13.5	0.100	UJ	8.09	1.76	1.34	1.0	0.3	0.305	2,910	0.296	U	0.422	U	
		02/24/22	—	—	—	8.42		1.60	2.91	J	—	0.437	1,210	0.296	U	0.422	U	
		02/24/22	—	—	—	8.37		1.72	2.14	J	—	0.406	1,240	0.296	U	0.422	U	
		05/17/22	—	—	—	9.57		6.80	6.28	J	—	3.16	J	682	1.23	J	0.422	U
		08/09/22	—	—	—	13.8		6.80	8.25	—	—	6.02	381	1.26	J	0.422	U	
		08/03/21	—	—	—	318		15.2	15.5	—	—	11.2	12,400	0.296	U	0.422	U	
R-MW6	8th Ave N ROW, W side	11/29/21	358	19.0	0.100	UJ	185	2.77	3.79	3.2	0.6	4.75	6,180	0.296	U	0.422	U	
		02/23/22	—	—	—	69.6		7.85	11.7	—	—	6.35	12,700	3.37	0.422	U	U	
		05/11/22	—	—	—	219		8.84	25.8	—	—	10.1	J	3,190	2.65	0.422	U	U
		08/03/22	—	—	—	60.6		10.2	27.9	—	—	9.07	10,200	5.54	0.422	U	U	
SCL-MW101	Alley E of Seattle Roy Aloha Shops	11/11/21	551	4.63	1.00	U	162	J	6.53	19.9	2.8	17.2	1.37	138	0.296	U	0.422	U
Intermediate A Zone																		
BB-8 (dup)	Roy St ROW, S side	08/17/21	—	—	—	44.00		2.22	0.130	—	—	0.0332	2.91	U	4.07	U	4.26	U
		11/08/21	224	19.1	3.95	52.7		2.27	0.277	0.0	0.3	0.116	0.287	U	0.296	U	0.422	U
		02/24/22	—	—	—	35.5		1.61	0.0933	J	—	0.0518	0.287	U	0.296	U	0.422	U
		05/17/22	—	—	—	42.3		1.85	0.0281	U	—	0.0118	0.287	U	0.296	U	0.422	U
		08/09/22	—	—	—	40.2		2.28	0.0456	J	—	0.0274	0.287	U	0.296	U	0.422	U
		08/09/22	—	—	—	40.9		2.23	0.0427	J	—	0.0253	0.287	U	0.296	U	0.422	U
HMW-9IA	SDOT Mercer Parcels, SW quadrant	08/18/21	260	21.9	0.0480	U	41.0	1.06	2.06	—	—	0.765	153	0.296	U	7.66		
HMW-20IA	SDOT Mercer Parcels, NW quadrant	08/18/21	335	37.9	0.0480	U	27.9	2.11	0.409	—	—	0.775	2,530	0.296	U	189		
MW107	8th Ave N ROW, W side	08/16/21	—	—	—	0.594	U	11.4	9.25	—	—	1.65	14,400	95.3	4.26	U		
		11/29/21	585	91.4	0.100	UJ	0.326	9.93	8.19	1.4	6.8	1.50	15,700	141	0.422	U		
		02/23/22	—	—	—	1.76	J	8.64	8.82	—	—	1.34	20,100	138	0.434	J		
		05/11/22	—	—	—	0.594	U	8.71	9.36	—	—	1.40	13,200	99.8	0.422	U		
		08/03/22	—	—	—	0.594	U	9.53	9.83	—	—	1.49	12,900	111	0.422	U		

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW108	Alley E of Seattle Roy Aloha Shops	08/04/21	—	—	—	34.5	6.38	13.2	—	—	1.81	3,970	65.1	17.6	
		11/04/21	444	17.0	0.230	29.1	4.33	10.7	4.5	6.2	1.35	2,150	35.2	10.0	
		02/15/22	582	—	—	33.5	4.90	12.9	—	—	1.51	1,990	24.2	6.71	
		05/18/22	—	—	—	26.1	4.57	14.6	—	—	1.47	1,970	19.7	4.98	
		08/10/22	—	—	—	31.1	4.54	13.1	—	—	1.56	3,590	35.0	6.27	
MW109	Alley E of Seattle Roy Aloha Shops	08/04/21	—	—	—	2.30	J	6.28	2.06	—	—	0.523	884	4.07	U
		11/03/21	476	5.53	0.100	U	3.06	5.24	9.87	5.5	4.4	3.36	1,770	10.3	0.422
		02/15/22	—	—	—	2.04	J	5.72	9.57	—	—	2.84	2,260	7.43	0.422
		05/09/22	—	—	—	1.89	J	5.87	10.5	—	—	2.92	4,020	15.3	1.22
		08/10/22	—	—	—	1.32	J	1.19	0.181	—	—	0.0131	0.287	U	0.422
MW110	Alley E of Seattle Roy Aloha Shops	08/12/21	—	—	—	72.6	3.00	2.01	—	—	2.54	2,430	7.53	0.422	
		11/09/21	373	15.1	0.200	U	89.1	2.98	5.59	0.2	5.4	2.23	3,080	16.1	0.422
		02/25/22	—	—	—	80.3	2.79	1.26	J	—	—	3.09	4,620	5.97	0.422
		05/18/22	—	—	—	74.3	2.53	2.34	—	—	—	2.85	6,540	5.88	0.422
		08/11/22	—	—	—	70.9	2.42	0.210	—	—	—	2.77	8,590	5.85	0.422
MW115	9th Ave N ROW, W side	08/11/21	—	—	—	162	J	8.75	7.60	—	—	1.77	743	0.296	U
		11/18/21	409	27.2	J	0.500	U	79.8	J	8.28	5.29	3.5	1.8	1.06	1,060
		02/15/22	—	—	—	139	5.81	5.68	—	—	—	1.34	308	1.47	0.422
		06/03/22	—	—	—	67.2	5.78	4.15	—	—	—	1.14	477	4.07	U
		08/10/22	—	—	—	36.2	6.03	4.67	—	—	—	0.938	668	3.31	0.422
MW116	9th Ave N ROW, W side	08/11/21	—	—	—	10.3	5.85	4.84	—	—	0.736	4,540	0.296	U	
		11/18/21	303	29.1	J	0.500	U	8.40	5.87	4.03	2.8	1.3	0.757	4,140	
		03/07/22	—	—	—	8.98	5.68	3.75	—	—	0.745	994	0.296	U	
		06/08/22	—	—	—	9.61	5.48	4.59	—	—	0.815	4,280	0.746	J	
		08/10/22	—	—	—	9.72	5.75	3.44	—	—	0.686	3,190	0.460	J	
MW119	9th Ave N ROW, W side	08/13/21	—	—	—	4.78	J	6.01	14.5	—	—	3.14	4,360	0.296	U
		12/03/21	231	12.5	0.100	UJ	7.26	6.65	12.7	1.8	11.0	2.73	8,830	0.296	U
		03/02/22	—	—	—	13.6	6.04	12.3	—	—	—	2.90	1,910	0.296	U
		05/05/22	—	—	—	7.73	6.19	14.7	—	—	—	3.62	7,820	0.296	U
		08/11/22	—	—	—	10.7	5.75	13.0	—	—	—	2.98	6,400	0.296	U
MW120	8th Ave N ROW, E side	08/03/21	—	—	—	127	1.97	2.73	—	—	0.469	107	0.296	U	
		11/11/21	195	21.8	1.19	—	112	1.22	3.76	0.2	3.6	0.454	177	0.296	U
		02/15/22	200	—	—	112	2.06	1.87	—	—	0.426	122	1.09	J	
		05/11/22	—	—	—	98.4	1.26	1.75	—	—	0.385	112	1.31	0.422	
		08/04/22	—	—	—	90.7	1.66	2.01	—	—	0.397	111	1.06	J	
MW127	8th Ave N ROW, E side	11/17/21	140	24.9	0.820	50.5	1.25	0.0599	J	0.0	0.1	0.147	0.287	U	0.296
MW-142	8th Ave N ROW, E side	08/05/21	—	—	—	37.3	18.9	8.29	—	—	3.86	5,070	28.5	4.26	
		11/30/21	833	12.0	0.100	U	62.5	16.7	8.29	4.0	4.3	4.39	9,530	30.1	0.422
		02/18/22	920	—	—	62.2	15.7	9.32	—	—	4.39	3,790	11.5	1.59	
		05/26/22	—	—	—	24.6	15.8	9.62	—	—	4.77	8,710	19.7	1.53	
		08/03/22	—	—	—	11.1	11.0	7.72	—	—	3.79	10,600	17.6	1.81	

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-144R	8th Ave N ROW, E side	08/03/21	—	—	—	0.594 U	4.55	2.76	—	—	1.13	10,800	349	0.422 U
		11/29/21	762	88.2	0.191	0.100 U	4.88	5.39	3.4	2.0	1.47	12,700	422	0.422 U
		02/23/22	—	—	—	2.04 J	4.63	1.17	—	—	1.21	7,800	131	0.422 U
		05/11/22	—	—	—	1.13 J	4.08	1.75	—	—	1.14	3,590	45.5	0.422 U
		08/23/22	—	—	—	1.23 J	4.18	2.30	—	—	1.25	20,100	121	8.01
MW-146	Roy St ROW, S side	08/17/21	—	—	—	3.18 J	11.4	7.62	—	—	1.23	8,260	334	1,810
		11/10/21	419	29.1	1.00 U	3.06	6.60	6.80	3.5	3.3	1.36	16,900	998	930
		02/18/22	508	—	—	13.4	3.57	6.15	—	—	1.33	4,870	149	180
		05/03/22	—	—	—	15.0	3.92	5.15	—	—	1.41	11,700	302	250
		08/03/22	—	—	—	12.2	3.62 J+	5.35	—	—	1.43	10,500	374	252
(dup)	8th Ave N ROW, E side	08/20/21	—	—	—	60.8	11.0	7.58	—	—	3.75	25,400	62.0	0.422 U
		11/18/21	317	39.8 J	0.500 U	42.7	10.4	2.56	1.5	1.1	3.36	13,100	43.1	0.422 U
		03/03/22	—	—	—	47.7	9.88	6.19	—	—	4.07	3,060 J	16.7 J	0.422 U
		03/03/22	—	—	—	46.4	9.93	5.60	—	—	3.90	2,020 J	0.296 UJ	0.422 U
		05/26/22	—	—	—	50.7	10.5	3.80 J	—	—	3.97	14,100	44.0	1.90
		08/04/22	—	—	—	51.8	8.77	3.45	—	—	3.79	14,700	56.4	1.83
MW-189	Valley St ROW, S side	08/11/21	—	—	—	51.2	7.60	5.10	—	—	1.52	13,400	57.9	122
		11/30/21	317	17.2	0.100 U	44.4	10.8	5.84	0.8	5.0	2.02	14,300	42.2	174
		03/04/22	—	—	—	49.6	10.4	6.77	—	—	2.00	3,090	8.78	33.7
		05/12/22	—	—	—	49.3	8.62	5.68	—	—	1.59	8,600	18.0	61.7
		08/11/22	—	—	—	49.4	6.77	2.47	—	—	1.22	3,510	7.03	47.5
MW-302	Dexter Ave N ROW, E side	11/09/21	317	21.6 J	0.100 UJ	20.8	1.85	1.94	0.0	1.9	0.324	129	0.296 U	0.422 U
MW-306	Roy St ROW, S side	12/03/21	172	10.0	0.100 UJ	64.9	1.01	2.85	3.0	—	0.425	52.7	0.296 U	0.422 U
MW-308	Alley E of Seattle Roy Aloha Shops	11/11/21	600	13.0	1.00 U	41.4	8.17	9.06	4.3	4.8	3.10	2,830	20.7	0.422 U
MW-315	Mercer St ROW, N side	11/05/21	214	10.8	0.200 U	47.8	1.12	0.978 J	0.8	0.2	0.248	43.8 J	0.296 U	0.422 U
		11/05/21	197	10.8	0.200 U	47.9	1.28	1.40 J	0.8	0.6	0.286	71.8 J	0.296 U	0.422 U
MW-317	9th Ave N ROW, W side	11/12/21	351	32.5	1.00 U	7.90	13.5	16.0	5.5	10.5	3.96	8,570	0.296 U	0.422 U
MW-325	Mercer St ROW, N side	11/04/21	256	10.4	0.700	61.5	2.22	0.201	0.0	0.2	0.178	0.287 U	0.296 U	0.422 U
MW-327	Lake Union Park, S end	11/10/21	311	13.4	1.00 U	0.600 U	3.88	10.5	5.5	5.0	0.892	9,540	0.296 U	0.422 U
MW-330	Valley St ROW, N side	11/11/21	144	13.4	1.00 U	43.7	1.59	2.44	0.5	1.9	0.759	31.1	0.296 U	0.422 U
MW-331	Alley E of Seattle Roy Aloha Shops	11/11/21	280	32.8 J	1.00 U	262 J	3.15	12.0	6.2	5.8	0.737	105	0.296 U	0.422 U
MW-333	900 Roy St, S end	11/05/21	834	35.4	0.132	0.504	13.9	21.7	1.8	20.0	1.61	16,600	0.296 U	0.422 U
MW-344	SDOT Mercer Parcels, NW quadrant	08/18/21	216	20.8	0.0480 U	60.4	1.20	33.3	1.4	31.9	1.16	43.0	0.296 U	0.422 U

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)						
								Total	Ferrous	Ferric		Methane	Ethane	Ethene				
Intermediate B Zone																		
HMW-9IB (dup)	SDOT Mercer Parcels, SW quadrant	08/18/21	280	27.6	0.0480	U	32.3	1.87	0.682	-	-	0.578	2,550	0.296	U	122		
		05/24/22	-	83.8	0.0480	U	0.724	J	612	-	-	-	376	5.51	27.1			
		05/24/22	-	81.5	0.0480	U	0.594	U	586	-	-	-	308	4.77	22.4			
		08/01/22	-	50.2	0.0866	J	0.594	U	129	-	-	-	5,270	18.1	136			
MW111	Alley E of Seattle Roy Aloha Shops	08/04/21	-	-	-	U	18.4	1.50	4.17	-	-	0.315	255	21.5	4.26	U		
		11/03/21	213	29.3	0.200	U	18.9	1.52	2.08	0.5	1.6	0.296	174	13.8	0.422	U		
		02/15/22	198	-	-	U	18.0	1.32	5.31	-	-	0.304	134	9.39	2.71			
		05/18/22	-	-	-	U	9.90	1.11	0.646	-	-	0.172	129	10.2	2.35			
		08/09/22	-	-	-	U	15.4	1.47	1.11	-	-	0.244	205	15.9	3.55			
MW112	Dexter Ave N ROW, W side	08/17/21	-	-	-	UJ	34.2	1.52	1.60	-	-	0.170	50.1	4.07	U	4.26	U	
		11/08/21	164	11.7	0.100	UJ	29.1	1.97	4.84	0.6	4.2	0.248	135	0.296	U	0.422	U	
		02/24/22	-	-	-	UJ	21.3	2.40	1.45	-	-	0.184	79.5	3.28	0.422	U		
		05/13/22	-	-	-	UJ	28.5	1.59	1.33	-	-	0.177	82.4	2.06	0.576	J		
		08/09/22	-	-	-	UJ	19.9	3.64	1.08	-	-	0.184	123	2.69	1.95			
MW126	Alley E of Seattle Roy Aloha Shops	08/04/21	-	-	-	U	4.71	J	2.38	0.478	-	-	0.269	300	4.07	U	4.26	U
		11/11/21	190	6.52	1.00	U	6.00	U	2.48	0.434	0.6	-	0.254	420	0.296	U	0.422	U
		02/15/22	204	-	-	U	2.80	J	2.35	0.381	-	-	0.225	265	1.46	0.842	J	
		05/20/22	-	-	-	U	2.75	J	1.92	0.0932	J	-	0.101	44.4	0.301	J	0.422	U
		08/10/22	-	-	-	U	2.62	J	2.57	0.0412	J	-	0.0370	0.287	U	0.296	U	0.422
MW-143	8th Ave N ROW, E side	08/20/21	-	-	-	U	1.75	J	37.8	30.6	-	-	6.99	24,300	390	1,080		
		12/08/21	964	70.3	1.48	U	3.08	35.6	30.1	6.0	24.1	6.26	25,300	517	867			
		03/08/22	-	-	-	U	1.79	J	39.2	30.9	-	-	5.10	23,000	197	284		
		05/26/22	-	-	-	U	2.93	J	33.2	40.1	-	-	6.50	21,000	478	483		
		08/12/22	-	-	-	U	1.91	J	41.9	29.7	-	-	5.68	28,600	817	680		
MW-145R (dup)	8th Ave N ROW, E side	08/23/21	-	-	-	U	24.2	1.99	0.884	-	-	0.198	1,810	0.296	U	0.422	U	
		08/23/21	-	-	-	U	24.9	1.94	0.723	-	-	0.160	1,380	0.296	U	0.422	U	
		11/30/21	265	24.4	0.100	U	25.3	1.65	4.97	0.5	4.5	0.404	1,740	0.296	U	0.422	U	
		03/08/22	-	-	-	U	27.2	1.86	1.07	-	-	0.314	3,080	1.45	0.602	J		
		05/11/22	-	-	-	U	28.4	1.90	0.576	-	-	0.286	2,360	2.15	0.704	J		
		08/10/22	-	-	-	U	27.1	2.25	1.68	-	-	0.320	2,510	5.28	2.13			
MW-147	Roy St ROW, S side	08/20/21	-	-	-	UJ	0.826	J	57.3	7.13	-	-	1.17	17,500	446	1,420		
		11/09/21	339	52.4	0.200	UJ	4.69	4.77	7.71	1.5	6.2	0.865	4,170	72.0	764			
		02/18/22	583	-	-	UJ	18.6	3.60	10.9	-	-	1.43	3,320	36.6	121			
		05/03/22	-	-	-	UJ	5.59	4.84	14.2	-	-	1.74	14,600	208	296			
		08/10/22	-	-	-	UJ	4.00	J	5.80	9.78	-	-	1.64	14,900	196	280		
MW-148	Roy St ROW, S side	08/13/21	-	-	-	U	152	1.69	4.87	-	-	0.488	1,380	0.296	U	0.422	U	
		12/07/21	157	15.5	0.500	U	137	1.66	3.84	-	-	0.433	1,210	0.296	U	0.422	U	
		02/25/22	-	-	-	U	139	1.87	10.2	-	-	0.576	679	1.16	J	2.82		
		05/05/22	-	-	-	U	177	2.05	3.07	-	-	0.581	1,250	1.66	3.69			
		08/10/22	-	-	-	U	173	2.66	18.5	-	-	0.702	1,400	2.12	4.51			

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)					
								Total	Ferrous	Ferric		Methane	Ethane	Ethene			
MW-190	Valley St ROW, S side	08/11/21	—	—	—	43.7	3.64	2.26	—	—	0.993	701	0.296	U	31.4		
		11/30/21	190	11.9	0.100	U	39.6	4.02	1.96	0.0	2.0	0.860	2,710	0.296	U	44.6	
		03/04/22	—	—	—	40.9	4.82	1.69	—	—	0.871	1,530	1.34	U	18.6		
		05/10/22	—	—	—	41.9	3.05	0.958	—	—	0.859	799	1.32	U	9.09		
		08/11/22	—	—	—	43.6	4.60	1.66	—	—	0.767	3,010	3.75	U	10.4		
MW-303	Dexter Ave N ROW, E side	11/09/21	163	14.8	0.132	J-	55.0	1.42	1.59	0.4	1.2	0.333	93.9	0.296	U	0.422	
MW-307	Roy St ROW, S side	12/03/21	257	9.87	0.100	UJ	62.7	1.73	1.61	0.0	1.6	0.161	20.4	0.296	U	0.422	
MW-309	Alley E of Seattle Roy Aloha Shops	11/11/21	250	18.2	1.00	U	58.8	1.91	0.649	0.5	0.1	0.709	253	0.296	U	0.422	
MW-311	Alley E of Seattle Roy Aloha Shops	11/04/21	382	44.1	0.136		19.2	3.02	0.766	0.8	0.0	0.496	97.0	0.296	U	0.422	
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	12/03/21	199	14.1	0.100	UJ	244	2.25	12.3	J	1.2	11.1	0.857	439	0.296	UJ	0.422
		12/03/21	198	14.1	0.100	UJ	245	2.29	8.77	J	1.2	7.6	0.831	492	6.43	J	5.86
MW-316	Mercer St ROW, N side	11/05/21	332	15.6	0.200	U	45.6	1.77	2.40	0.4	2.0	0.264	35.6	0.296	U	0.422	
MW-318	9th Ave N ROW, W side	11/12/21	616	15.0	1.00	U	22.0	8.14	14.0	4.8	9.3	3.73	4,550	18.1	U	0.422	
MW-322	9th Ave N ROW, W side	11/09/21	719	19.2	0.100	UJ	3.45	10.8	17.8	4.0	13.8	3.47	6,440	26.7	U	21.3	
MW-334	900 Roy St, S end	11/05/21	1,260	22.7	0.126		0.433	10.6	9.51	5.3	4.3	0.464	18,400	0.296	U	0.422	
MW-335	Mercer St ROW, N side	11/17/21	556	31.6	0.500	U	72.7	9.35	0.0711	J	0.3	—	2.06	1,440	21.6	U	0.422
MW-338	Lake Union Park, N end	11/17/21	566	12.3	0.500	U	0.417	9.65	19.4	5.0	14.4	1.48	25,200	0.296	U	0.422	
MW-340	Lake Union Park, S end	11/10/21	425	14.5	1.00	U	0.600	U	5.13	12.6	5.0	7.6	1.72	21,600	0.296	U	0.422
MW-345	SDOT Mercer Parcels, NW quadrant	08/18/21	239	46.0	0.0480	U	47.9	1.73	1.15	0.0	1.2	0.174	251	2.54	U	3.81	
MW-346	SDOT Mercer Parcels, NW quadrant	08/18/21	221	45.0	0.0480	U	48.7	1.83	3.16	0.0	3.2	0.184	189	7.36	U	5.08	
		05/24/22	—	35.5	0.0480	U	81.2	2.07	—	—	—	—	72.0	0.296	U	0.988	
		08/02/22	—	34.1	0.0480	U	83.6	1.61	—	—	—	—	116	0.563	J	2.34	
MW-347	SDOT Mercer Parcels, NW quadrant	08/19/21	309	34.7	0.0480	U	93.6	2.53	1.22	0.0	1.2	0.0704	75.9	29.3	U	43.4	
		05/26/22	—	33.7	0.0480	R	12.8	53.5	—	—	—	—	176	3.17	U	12.3	
		08/02/22	—	33.7	0.108		5.45	21.2	—	—	—	—	2,320	2.38	U	12.1	
MW-348 (dup)	SDOT Mercer Parcels, SW quadrant	08/19/21	237	39.8	0.0480	U	52.5	1.87	0.507	J	0.0	0.5	0.103	117	0.296	U	9.34
		08/19/21	238	40.2	0.0480	U	53.1	1.88	0.878	J	0.0	0.9	0.107	126	0.296	U	10.2
		05/26/22	—	40.6	0.0546	J-	60.0	1.84	—	—	—	—	310	0.296	U	20.0	
		08/01/22	—	39.7	0.116		56.5	1.23	—	—	—	—	306	1.06	J	23.2	
MW-349	SDOT Mercer Parcels, SW quadrant	08/19/21	253	33.3	0.0480	U	45.8	1.95	0.196	0.0	0.2	0.136	245	0.296	U	8.43	
		05/26/22	—	78.2	0.0597	J-	0.594	U	621	—	—	—	926	4.29	U	15.8	
		08/01/22	—	56.3	0.0480	U	0.594	U	25.4	J-	—	—	13,500	4.02	U	12.9	
MW-349	SDOT Mercer Parcels, SW quadrant	08/18/21	274	13.7	0.0480	U	21.0	2.19	1.54	0.0	1.5	0.318	166	0.296	U	0.422	

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
W-MW-01 (dup)	8th Ave N ROW, W side	08/23/21	—	—	—	4.32 J	5.07	6.16	—	—	2.19	46,100	0.296 U	0.422 U
		11/29/21	1,190	24.4	0.100 U	3.99	6.38	18.2	4.2	14.0	3.54	31,300	0.296 U	0.422 U
		03/08/22	—	—	—	18.3	3.58	20.7	—	—	1.81	24,500	0.296 U	0.422 U
		05/11/22	—	—	—	12.0	4.15	12.6	—	—	2.39	28,100	0.296 U	0.422 U
		08/12/22	—	—	—	24.8	3.43 J+	3.05	—	—	1.11	28,300	1.42	1.63
		08/12/22	—	—	—	25.2	3.42 J+	3.00	—	—	1.11	26,100	1.39	1.44
		Deep Zone												
FMW-129	SDOT Mercer Parcels, NE quadrant	08/19/21	—	—	—	133	1.96	9.55	—	—	0.465	222	27.0	0.422 U
		05/05/22	—	—	—	140	2.23	0.924	—	—	0.455	481	20.0	0.422 U
		08/12/22	—	—	—	4.84 J	1.19	0.0763 J	—	—	0.0140	6.68	0.517 J	0.422 U
(dup)	MW102 Valley St ROW, S side	08/11/21	—	—	—	2.48 J	1.61	4.53	—	—	0.264	91.5	0.296 U	0.422 U
		11/30/21	154	4.77	0.100 U	2.09	1.16	1.66	0.5	1.2	0.243	301	0.296 U	0.422 U
		03/07/22	—	—	—	2.24 J	1.57	4.29	—	—	0.240	51.2	0.296 U	0.422 U
		03/07/22	—	—	—	2.31 J	1.53	4.41	—	—	0.249	49.0	0.296 U	0.422 U
		05/10/22	—	—	—	2.63 J	1.62	3.79	—	—	0.195	264	0.296 U	0.422 U
		08/12/22	—	—	—	1.95 J	1.13	2.56	—	—	0.314	321	0.296 U	0.422 U
(dup)	MW103 Alley E of Seattle Roy Aloha Shops	08/12/21	—	—	—	25.4	1.75	0.936	—	—	0.833	205	23.4	7.61 J
		08/12/21	—	—	—	25.4	1.88	1.12	—	—	0.829	221	25.0	0.422 U
		11/08/21	305	30.2	0.200 UJ	25.9	1.50	0.884	1.0	—	0.802	171	26.4	9.95
		02/15/22	—	—	—	28.0	1.97	1.32	—	—	0.853	103	9.86	7.64
		05/09/22	—	—	—	30.4	1.63	2.65	—	—	0.951	272	28.3	24.3
		08/09/22	—	—	—	29.1	1.86	0.756	—	—	0.941	229	23.1	24.5
MW104	8th Ave N ROW, W side	08/23/21	—	—	—	5.44	2.26	2.96	—	—	0.510	198	0.296 U	0.422 U
		11/29/21	174	9.84	0.100 UJ	5.22	2.29	4.47	0.5	4.0	0.582	123	0.296 U	0.422 U
		02/23/22	—	—	—	4.14 J	1.89	3.34	—	—	0.534	95.6	0.296 U	3.55
		05/12/22	—	—	—	4.84 J	1.88	9.53	—	—	0.589	152	1.02 J	3.89
		08/23/22	—	—	—	3.22 J	1.82	5.20	—	—	0.536	133	0.296 U	8.20
MW105	Roy St ROW, S side	08/17/21	—	—	—	12.1	1.66	5.86	—	—	0.809	50.5	4.07 U	4.26 U
		11/08/21	277	19.3	0.100 UJ	12.6	1.60	7.60	1.0	6.6	0.961	59.3	0.296 U	0.422 U
		02/24/22	—	—	—	10.9	2.38	6.01	—	—	0.778	114	0.296 U	1.08 J
		05/17/22	—	—	—	4.99 J	2.23	5.89	—	—	0.807	524	0.523 J	0.865 J
		08/09/22	—	—	—	3.98 J	9.42	0.135	—	—	0.0751	83.7	0.764 J	12.0
MW106	SDOT Mercer Parcels, NW quadrant	08/19/21	—	—	—	13.1	1.19	9.70	—	—	0.641	77.9	0.296 U	0.422 U
		12/06/21	116	4.61	0.100 U	7.14	0.970 U	15.1	0.0	15.1	0.481	89.9	0.296 U	0.422 U
		02/18/22	172	—	—	11.2	1.06	10.8	—	—	0.546	37.3	0.296 U	0.422 U
		05/06/22	—	—	—	14.6	1.27	1.51	—	—	0.678	59.6	0.296 U	0.422 U
		08/02/22	—	—	—	9.67	5.73	4.45	—	—	0.707	87.0	0.296 U	0.652 J
(dup)	MW113 9th Ave N ROW, W side	08/11/21	—	—	—	67.5	6.49	6.87	—	—	0.567	4,220	61.1	0.422 U
		11/18/21	452	30.4 J	0.500 U	58.5	6.48	5.44	4.5	0.9	0.542	2,740	63.2	0.422 U
		11/18/21	440	30.4 J	0.500 U	58.5	6.43	5.63	4.5	1.1	0.546	2,120	50.7	0.422 U
		02/15/22	—	—	—	80.2	21.8	12.1	—	—	0.808	817	25.3	0.422 U
		06/08/22	—	—	—	79.1	15.3	15.3	—	—	1.10	1,690	56.5	4.44
		08/10/22	—	—	—	52.7	16.9	8.35	—	—	0.683	2,620	60.3	34.5

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW122	Alley E of Seattle Roy Aloha Shops	11/11/21	178	6.45	1.00 U	6.00 U	1.69	0.337	0.3	0.1	0.457	44.3	0.296 U	0.422 U
MW-138	Dexter Ave N ROW, E side	08/03/21	—	—	—	57.6	1.11	18.0	—	—	0.605	40.3	0.296 U	0.422 U
		11/10/21	115	11.8	1.00 U	44.0	1.03	29.3	0.8	28.5	0.857	53.2	0.296 U	0.422 U
		02/24/22	—	—	—	55.1	0.598 J	26.6	—	—	0.857	27.3	0.296 U	0.422 U
		05/25/22	—	—	—	65.1	0.848 U	22.5	—	—	0.792	47.3	0.741 J	0.728 J
		08/09/22	—	—	—	7.12	1.70	0.0708 J	—	—	0.0379	0.287 U	0.296 U	0.422 U
MW-153	Roy St ROW, S side	08/20/21	—	—	—	8.81	1.14	3.65	—	—	0.351	106	0.296 U	0.422 U
		12/07/21	161	8.82	0.0690 J	8.69	1.28	6.82	0.4	6.4	0.414	174	0.296 U	8.20
		02/25/22	—	—	—	8.48	0.904 J	2.89	—	—	0.380	146	1.88	9.65
		05/02/22	—	—	—	8.50	1.39	8.80	—	—	0.436	173	1.20 J	9.40
		08/02/22	—	—	—	7.62	1.09	11.4	—	—	0.836	65.6	0.639 J	2.46
(dup)	8th Ave N ROW, E side	08/17/21	—	—	—	15.6	3.26	10.2	—	—	0.647	1,020	4.07 U	4.26 U
		12/08/21	317	25.2	0.100 U	15.7	3.30	12.2	0.4	11.8	0.540	1,010	0.296 U	0.422 U
		12/08/21	320	25.0	0.500 U	16.0	2.89	12.2	0.4	11.8	0.537	866	0.296 U	0.422 U
		03/04/22	—	—	—	15.9	2.80	10.1	—	—	0.474	243	0.580 J	0.466 J
		05/17/22	—	—	—	16.7	2.77	15.4	—	—	0.609	642	1.28 J	1.32
		08/12/22	—	—	—	16.8	1.79	0.125	—	—	0.0232	11.9	0.296 U	0.422 U
MW-160	8th Ave N ROW, W side	08/23/21	—	—	—	2.68 J	1.29	21.8	—	—	0.661	288	0.296 U	0.422 U
		11/29/21	167	6.37	0.100 UJ	2.34	1.07	15.9	0.8	15.1	0.528	304	0.296 U	0.422 U
		02/23/22	—	—	—	2.44 J	1.24	8.18	—	—	0.425	119	0.296 U	0.422 U
		05/25/22	—	—	—	2.41 J	1.07	29.4	—	—	0.796	165	0.296 U	0.422 U
		08/12/22	—	—	—	2.25 J	1.13	1.35	—	—	0.316	424	0.296 U	1.65
(dup)	8th Ave N ROW, W side	08/23/21	—	—	—	8.20	2.03	0.316	—	—	0.651	200	0.296 U	0.422 U
		11/29/21	218	12.6	0.100 UJ	9.33	1.62	0.872	0.0	0.9	0.738	195	0.296 U	0.422 U
		02/23/22	—	—	—	8.48	2.03	0.328	—	—	0.711	84.9	0.435 J	0.422 U
		02/23/22	—	—	—	8.68	2.01	0.348	—	—	0.692	105	0.519 J	0.580 J
		05/11/22	—	—	—	9.41	1.77	0.380	—	—	0.686	41.2	0.916 J	0.422 U
		08/12/22	—	—	—	8.82	1.65	1.20	—	—	0.634	197	0.706 J	0.880 J
MW-304	Dexter Ave N ROW, E side	11/08/21	157	11.5	0.100 UJ	14.4	1.67	3.82	0.5	3.3	0.344	45.0	0.296 U	0.422 U
MW-319	9th Ave N ROW, W side	11/08/21	255	29.0 J	0.128 J	139 J	1.87	3.09	3.0	0.1	0.944	52.4	0.296 U	0.422 U
MW-323	9th Ave N ROW, W side	11/16/21	296	27.2	0.500 U	24.0	2.03	2.87	2.3	0.6	0.899	92.5	13.8	4.71
MW-324	Roy St ROW, N side	11/16/21	384	21.4	0.500 U	91.2	4.58	5.91	4.0	1.9	1.39	377	0.296 U	0.422 U
MW-326	Mercer St ROW, N side	11/04/21	268	24.4	0.200 U	53.1	1.72	4.73	0.0	4.7	0.494	0.287 U	0.296 U	0.422 U
MW-328	Lake Union Park, S end	11/10/21	458	12.0	1.00 U	3.71	4.64	6.98	4.5	2.5	0.201	16,600	0.296 U	0.422 U
MW-336	Mercer St ROW, N side	11/17/21	419	35.9	0.500 U	58.6	4.11	6.74	6.5	0.2	0.555	480	17.8	0.422 U
MW-341	Lake Union Park, S end	11/10/21	386	19.8	1.00 U	8.98	3.07	6.74	4.3	2.5	0.723	3,370	0.296 U	0.422 U
MW-342	Valley St ROW, S side	11/09/21	559	24.0	0.0750 J-	0.275 J	8.03	27.3	1.5	25.8	2.52	18,400	0.296 U	0.422 U
MW-343	Valley St ROW, S side	11/09/21	363	29.7	0.200 UJ	0.594	3.12	6.73	3.8	3.0	2.21	2,630	0.296 U	0.422 U

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
Treatment Zone A														
MW-165	Property, NE quadrant	12/02/21 05/13/22	651	55.4	0.100 UJ	0.198 0.594	29.5 U	20.1	3.4	16.7	3.61	34,900 27,300	859 488	590 406
MW-169	Property, SW quadrant	11/19/21	553	99.2	0.405 J	8.38	19.7	4.25	3.0	1.3	1.12	20,900	46.8	27.8
MW-173	Property, SE quadrant	12/02/21	444	42.2	0.100 UJ	0.275	13.2	2.92	2.0	0.9	1.82	6,270	174	41.6
MW-177	Property, SW quadrant	12/03/21	306	69.2	0.100 UJ	16.4	9.66	4.48	3.0	1.5	0.736	19,400	345	1,130
MW-181	Property, SW quadrant	11/18/21	499	123 J	0.500 U	3.32	36.6	10.1	3.8	6.3	1.44	25,500	250	3,890
MW-185	Property, SE quadrant	11/18/21	450	98.0 J	0.500 U	1.58 J	11.1	4.00	3.8	0.2	0.716	19,800	115	20.8
Treatment Zone B														
MW-166	Property, NE quadrant	12/02/21 05/13/22	688	76.0	1.72 J-	12.2 10.7	46.4 42.9	33.8 32.9	6.6	27.2	1.29	24,100 18,900	748 399	2,330 1,450
MW-170	Property, SW quadrant	11/19/21 05/12/22	546	163	1.00 R	14.8 9.53	15.4 14.5	3.80 2.74	1.5	2.3	1.21	29,900 13,100	17.4 29.9	661 814
MW-174	Property, SE quadrant	12/02/21	837	68.7	0.178 J-	5.42	16.9	9.04	4.0	5.0	2.77	4,840	34.0	7.99
MW-178	Property, SW quadrant	12/06/21 05/10/22	721	96.9	0.100 U	0.145 0.864 J	24.1 24.7	12.6 13.5	6.5	6.1	2.44	25,200 11,700 J	194 150	594 370
MW-182	Property, SW quadrant	11/18/21 05/10/22	620	395 J	0.500 U	3.36 0.594	69.3 61.2	20.3 19.2	5.2	15.1	3.43	21,800 19,900	256 294	3,390 3,400
MW-186	Property, SE quadrant	11/18/21	645	101 J	0.500 U	1.49 J	12.6	8.30	6.4	1.9	1.50	32,800	260	109
Treatment Zone C														
MW-167	Property, NE quadrant	12/02/21	353	28.5	0.100 UJ	36.9	12.5	4.65	0.8	3.9	0.414	5,720	90.8	0.422 U
MW-171	Property, SW quadrant	11/19/21 05/12/22	308	87.1	0.500 R	17.0 14.3	6.92 5.73	3.98 4.11	1.5	2.5	0.515	863 1,080	10.8 8.35	126 104
MW-175	Property, SE quadrant	12/02/21	819	72.2	0.100 UJ	0.144	11.8	5.57	4.5	1.1	1.86	5,050	110	0.422 U
MW-179	Property, SW quadrant	12/03/21 05/10/22	777	202	0.100 UJ	0.100 U 0.701 J	28.1 22.5	15.1 14.1	6.5	8.6	2.78	21,000 4,030	19.8 4.59	360 63.9
MW-183	Property, SW quadrant	11/18/21 05/10/22	341	95.3 J	0.500 U	22.4 21.6	16.0 12.1	5.01 3.04	0.6	4.4	1.88	20,400 23,600	13.4 7.83	1,100 386
MW-187	Property, SE quadrant	11/18/21	524	75.3 J	0.500 U	9.70	7.16	2.69	2.0	0.7	0.602	10,400	239	19.4
Treatment Zone D														
MW-168	Property, NE quadrant	12/02/21	370	27.9	0.130 J-	5.92	7.10	1.91	0.4	1.5	0.940	16,100	270	0.422 U
MW-172	Property, SW quadrant	11/19/21 05/12/22	249	20.2	0.137 J-	25.2 32.8	6.70 6.84	0.534 J 0.707	0.1	0.4	1.58	2,570 4,630	0.296 U 3.09	0.422 U 1.50
MW-176	Property, SE quadrant	12/02/21	625	57.5	0.100 UJ	0.988	9.53	5.04	3.5	1.5	1.59	6,220	123	11.8
MW-180	Property, SW quadrant	12/03/21 05/10/22	755	44.6	0.100 UJ	23.3 24.5	28.1 27.7	20.9 18.7	7.0	13.9	5.52	23,000 12,500	36.5 28.1	98.3 83.4
MW-184	Property, SW quadrant	11/18/21 05/10/22	298	19.9 J	0.500 U	34.3 29.9	12.7 11.1	1.35 1.14	0.5	0.9	3.83	1,480 1,610	0.296 U 4.63	0.422 U 6.02

Table 8

Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-188	Property, SE quadrant	11/18/21	277	39.6 J	0.500 U	23.6	2.52	1.22	—	—	0.521	4,050	78.4	0.422 U

Notes:

Alkalinity analyzed by EPA Method 2320.

Anions analyzed by EPA Method 9056A.

Total Organic Carbon (TOC) analyzed by EPA Method 9060A.

Metals Analyzed by EPA Method 6020B.

Ferrous Iron measured during field sampling using a Hach field kit.

Dissolved gases analyzed by EPA Method RSK175.

Ferric iron = total iron minus ferrous iron; if total iron < ferrous iron, ferric iron is reported as zero ("0").

mgCaCO₃/L= milligrams of calcium carbonate per liter

mg/L = milligrams per liter

ug/L = micrograms per liter

Samples prior to 2017 were collected by SoundEarth Strategies (SES).

U = Not detected at or above the laboratory method detection limit (MDL).

Detected results shown in bold.

J = The identification of the analyte is acceptable; the reported value is an estimate.

J+ = The identification of the analyte is acceptable; the reported value is an estimate, but the result may be biased high.

R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.

— = Not sampled or results not available.

Beginning October 2020, select locations were sampled for an abbreviated analyte list (Sulfate, TOC, Total Iron, Total Manganese, Methane, Ethane, and Ethene).

Table 9

Dehalococcoides Data, Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington


Sample Location	Treatment Zone	Sample Date	Dehalococcoides (Dhc)		VC Reductase (vcrA)		BAV1 VC Reductase (bvcA)		TCE Reductase (tceA)	
			Percent Population ^a	Enumeration Per Liter ^b	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter
Well Cluster 1 (Plume Wells)										
MW-166 (-12.6 to -22.6)	B	08/10/21	0.2 - 0.6 %	2E+06	0.3 - 0.9 %	2E+06	0.03 - 0.1 %	3E+05	0.006 - 0.02 %	5E+04
Well Cluster 2 (Source Area Wells)										
MW-170 (-12.8 to -22.8)	B	08/09/21	0.8 - 2 %	8E+06	0.6 - 2 %	6E+06	0.4 - 1 %	4E+06	0.4 - 1 %	4E+06
Well Cluster 4 (Source Area Wells)										
MW-177 (2.3 to -7.7)	A	08/09/21	14 - 35 %	3E+08	4 - 11 %	8E+07	16 - 40 %	4E+08	1 - 3 %	2E+07
MW-179 (-27.2 to -37.2)	C	08/09/21	8 - 23 %	9E+08	1 - 4 %	2E+08	0.3 - 0.8 %	3E+07	12 - 32 %	1E+09
Well Cluster 5 (Plume Wells)										
MW-181 (1.5 to -8.5)	A	08/09/21	7 - 20 %	2E+08	5 - 15 %	1E+08	5 - 15 %	1E+08	5 - 14 %	1E+08
MW-182 (-12.5 to -22.5)	B	08/09/21	10 - 26 %	4E+08	7 - 19 %	3E+08	8 - 21 %	3E+08	5 - 14 %	2E+08
<u>Notes:</u>										
a = Percent <i>Dehalococcoides</i> (Dhc) in microbial population. This value is calculated by dividing the number of Dhc 16S ribosomal ribonucleic acid (rRNA) gene copies by the total number of bacteria as estimated by the mass of DNA extracted from the sample. Range represent normal variation in Dhc enumeration.										
b = Based on quantification of Dhc 16s rRNA gene copies. Dhc are generally reported to contain one 16s rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.										
10 ⁵ -10 ⁶ Dhc gene copies per liter: indicates the sample contains moderate concentrations of Dhc which may, or may not, be associated with observable dechlorination activity.										
1 x 10 ⁷ Dhc gene copies per liter (or above): indicates that the sample contains high concentrations of Dhc often associated with significant dechlorination rates.										
c = Percent of functional gene in microbial population. This value is calculated by dividing the functional gene copies quantified by the total number of estimated prokaryotes in the sample (based on the total quantity of DNA extracted from the sample). A value of 100% would suggest that all microbes in the sample contain the gene.										
Well screen elevations (feet relative to the North American Vertical Datum of 1988 (NAVD88)) shown in parentheses.										


Table 10

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)					
				PCE	TCE	cDCE	tDCE	VC	
Screening Level				320	11	—	610	9.5	
SV01 (duplicate) (30.4 to 29.9)	8th Ave N	SV01-081421	08/14/21	12.8 J	1.07 U	33.0 J	2.54 J	478 J	
		SV-908-081221	08/14/21	15.8 J	1.07 U	33.1 J	2.60 J	445 J	
		SV01-121721	12/17/21	8.15	1.07 U	23.2	1.65	160	
		SV01-030822	03/08/22	4.28	1.07 U	13.3	0.959	55.5	
		SV01-050422	05/04/22	4.79	1.07	11.8	1.03	28.9	
		SV-01-082222	08/22/22	6.42	1.07 U	25.2	2.01	50.6	
SV-04 (38.6 to 38.1)	Roy St	SV-04-081221	08/12/21	44.9	1.07	0.793 U	0.793 U	0.511 U	
SV-05 (31.6 to 31.1)	Roy St	SV-05-081221	08/12/21	97.1	1.07	0.793 U	0.793 U	0.511 U	
SV-08 (31.4 to 30.9)	8th Ave N	SV-08-030722	03/07/22	6.05	1.07 U	0.793 U	0.793 U	0.511 U	
SV-09 (35.3 to 34.8)	8th Ave N	SV-09-030722	03/07/22	6.52	1.07 U	0.793 U	0.793 U	0.511 U	
SV-12 (39.1 to 38.6)	Valley St	SV-12-030322	03/03/22	1.88	1.07 U	0.793 U	0.793 U	0.511 U	
SV-13 (32.9 to 32.4)	Valley St	SV-13-081221	08/12/21	3.86	1.07 U	0.793 U	0.793 U	0.511 U	
SV-13 (32.9 to 32.4)	Valley St	SV-13-030722	03/07/22	2.71	1.07 U	0.793 U	0.793 U	0.511 U	
SV-15 (28.5 to 28.0)	Roy St	SV-15-081221	08/12/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U	
SV-16 (37.5 to 37.0)	8th Ave N	SV-16-081321	08/13/21	5.86	1.07 U	0.793 U	0.793 U	0.511 U	
SV-17 (36.6 to 36.1)	8th Ave N	SV-17-050621	05/06/21	1.79	1.07 U	0.793 U	0.793 U	0.511 U	
SV-17 (36.6 to 36.1)	8th Ave N	SV-17-030722	03/07/22	1.74	1.07 U	0.793 U	0.793 U	0.511 U	
SV-18 (36.6 to 36.1) (duplicate)	8th Ave N	SV-18-121621	12/16/21	1.36 U	1.07 U	0.793 U	0.793 U	28.6	
		SV-18-030722	03/07/22	1.36 U	1.07 U	0.793 U	0.793 U	33.5	
		SV-909-030722	03/07/22	1.36 U	1.07 U	0.793 U	0.793 U	34.0	
		SV-18-050422	05/04/22	1.36 U	1.07 U	0.793 U	0.793 U	60.3	
		SV-18-082222	08/22/22	1.36 U	1.07 U	0.793 U	0.793 U	172	
SV-21 (29.8 to 29.3)	Alley Between 8th & 9th	SV-21-030322	03/03/22	7.81	1.07 U	0.793 U	0.793 U	0.511 U	
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-030322	03/03/22	8.83	1.07 U	0.793 U	0.793 U	0.511 U	
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-030322	03/03/22	3.28	1.07 U	0.793 U	0.793 U	0.511 U	

Notes:
Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and ESC/Pace Analytical of Mount Juliet, TN (2018-2021 samples). VOCs analyzed by U.S. Environmental Protection Agency Method TO-15 or Modified TO-15 Selective Ion. Screen Elevation is shown beneath Probe Location in parentheses. Screen Elevation is relative to NAVD88 Vertical Datum. Survey data is from 06/16/2020-07/31/2020. Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels (if available), or Method B Indoor Air Cleanup Levels with a 10x vapor attenuation factor if a sub-slab cleanup level is not available.
- = Screening level not established.
U = Not detected at a concentration exceeding the laboratory reporting limit.
Detected results shown in **bold**, detections exceeding MTCA Method B sub-slab screening levels shown in **bold** and highlighted in gray.
PCE = Perchloroethylene (Tetrachloroethene)
TCE = Trichloroethene
cDCE = cis-1,2-Dichloroethene
tDCE = trans-1,2-Dichloroethene
VC = Vinyl chloride
(duplicate) = Field duplicate. Samples collected concurrently.






Groundwater Elevation Contours

August 16, 2021


American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North
Seattle, Washington

FIGURE


2



N|V5



N|V|5



N|V|5

ATTACHMENT A

Well Completion Table

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom			
Shallow Zone Monitoring Wells																				
B-37-3	Block 37, NW quadrant	N	NA	NA	NA	1,269,456.65	231,826.61	Unknown	NA	NA	-	-	26.78	15	25	11.8	1.8	NA	-	-
B-37-4	Block 37, NE quadrant	N	NA	NA	NA	1,269,554.93	231,824.72	Unknown	NA	NA	-	-	27.2	15	25	12.2	2.2	NA	-	-
B-37-5	Block 37, center of Property	N	NA	NA	NA	1,269,446.85	231,715.72	Unknown	NA	NA	-	-	27.55	15	25	12.6	2.6	NA	-	-
B-37-6	Block 37, NE quadrant	N	NA	NA	NA	1,269,561.88	231,753.54	Unknown	NA	NA	-	-	27.54	15	25	12.5	2.5	NA	-	-
B43-FMW-1	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,137.93	231,878.69	Unknown	NA	NA	-	-	30.19	7.5	20	22.7	10.2	NA	-	-
B43-FMW-2	Mercer St ROW, N side (Block 43)	N	NA	NA	NA	1,269,102.03	231,531.77	Unknown	NA	NA	-	-	34.64	5	15	29.6	21.6	NA	-	-
B43-FMW-3	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,138.79	231,803.73	Unknown	NA	NA	-	-	29.96	10	20	20	10	NA	-	-
B43-FMW-4	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,119.72	231,794.95	Unknown	NA	NA	-	-	30.33	10	20	20.3	10.3	NA	-	-
B43-FMW-5	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,064.16	231,770.12	Unknown	NA	NA	-	-	32.67	8	18	24.7	14.7	NA	-	-
B43-FMW-6	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,078.31	231,840.38	Unknown	NA	NA	-	-	32.42	8	18	24.4	14.4	NA	-	-
DMW-1S	615 Dexter, SE quadrant	Y	Yes	BLR921	03/05/19	1,268,247.25	231,651.70	Apr 2019	30.2	27.0	55.94	56.06	55.76	17.0	27.0	38.9	28.9	2	HSA	-
DMW-2S	615 Dexter, SE quadrant	Y	Yes	BME933	03/02/20	1,268,261.67	231,660.98	Mar 2020	40.4	35.0	56.03	56.07	55.74	25.0	35.0	31.0	21.0	2	HSA	-
DMW-4S	Alley S of SE quadrant of 615 Dexter	Y	Yes	BME929	02/26/20	1,268,253.79	231,624.29	Mar 2020	70.3	33.0	61.76	61.78	61.54	23.0	33.0	38.8	28.8	2	HSA	-
DMW-5IA	Alley S of 615 Dexter	Y	Yes	BME930	02/28/20	1,268,079.48	231,627.71	Mar 2020	70.3	50	69.48	69.48	69.15	39.8	49.8	29.7	19.7	2	HSA	-
DMW-6	615 Dexter, NE quadrant	Y	Yes	BME934	03/04/20	1,268,185.85	231,731.42	Mar 2020	50.3	44	66.30	66.30	66.08	34.0	44.0	32.3	22.3	2	HSA	-
DMW-7S	Dexter Ave N ROW, W side	Y	Yes	BLY432	10/26/20	1,268,275.54	231,679.41	Nov 2020	38.0	38.0	58.34	58.38	58.01	28.0	38.0	30.3	20.3	2	Sonic	-
DMW-8S	Dexter Ave N ROW, W side	Y	Yes	BLY431	10/27/20	1,268,275.52	231,659.22	Nov 2020	37.0	37.0	58.57	58.59	58.35	27.0	37.0	31.6	21.6	2	Sonic	-
DMW-9S	Dexter Ave N ROW, W side	Y	Yes	BLY430	10/27/20	1,268,275.18	231,623.75	Nov 2020	33.0	33.0	58.85	58.88	58.55	23.0	33.0	35.9	25.9	2	Sonic	-
DMW-10S	601 Dexter, NE quadrant	Y	Yes	BNF363	10/19/20	1,268,260.63	231,588.90	Nov 2020	55.3	55.0	59.46	59.55	59.24	35.0	55.0	24.5	4.5	2	HSA	-
DMW-11S	601 Dexter, NE quadrant	Y	Yes	BNF365	10/20/20	1,268,238.63	231,596.22	Nov 2020	55.2	50.0	61.15	61.19	60.86	30.0	50.0	31.2	11.2	2	HSA	-
DMW-12S	615 Dexter, S central edge of property	Y	Yes	BNF364	10/20/20	1,268,169.70	231,632.93	Nov 2020	55.5	55.0	66.05	66.02	65.67	30.0	50.0	36.1	16.1	2	HSA	-
DMW-13S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BMP376	10/23/20	1,268,126.09	231,631.33	Nov 2020	50.4	50.0	66.28	66.30	65.02	30.0	50.0	36.3	16.3	2	HSA	-
DMW-14S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BLY433	10/26/20	1,268,064.11	231,627.59	Nov 2020	51.0	51.0	70.29	70.32	70.15	41.0	51.0	29.3	19.3	2	Sonic	-
FMW-132	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	10	10.0	-	-	25.48	5.0	10.0	20.5	15.5	2	HSA	-
FMW-133	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	26.5	11.5	-	-	24.87	6.5	11.5	18.8	13.8	2	HSA	-
FMW-134	Block 38 West, S end	Y	TOC Elev	-	08/24/18	-	-	-	20	17.0	-	-	24.98	12.0	17.0	13.4	8.4	2	HSA	-
FMW-135	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	51.5	12.0	-	-	25.29	7.0	12.0	18.6	13.6	2	HSA	-
FMW-139	Block 37, SE quadrant	N	NA	NA	NA	1,269,551.76	231,637.84	Unknown	NA	NA	-	-	27.81	7	17	20.8	10.8	NA	-	-
FMW-143	9th Ave N ROW, E side	Y	Yes	BLW-340	07/24/19	1,268,991.70	231,901.40	Nov 2019	30	28.0	32.99	33.03	32.69	23.0	28.0	10.0	5.0	2	Sonic	-
FMW-154	Block 38 West	N	NA	NA	NA	1,269,430.17	231,126.54	Unknown	NA	NA	-	-	22.8	10	15	12.8	7.8	NA	-	-
FMW-155	Block 38 West	N	NA	NA	NA	1,269,433.30	231,262.97	Unknown	NA	NA	-	-	23.9	10	15	15.7	10.7	NA	-	-
FMW-156	Block 38 West	N	NA	NA	NA	1,269,436.89	231,342.09	Unknown	NA	NA	-	-	25.7	15	20	10.7	5.7	NA	-	-
HC-B1	701 Dexter	Y	No	BLI191	03/01/19	1,268,256.55	231,852.99	Unknown	60.3	-	58.00	-	-	30.0	40.0	28.0	18.0	2	-	-
HMW-1S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI532	03/06/19	1,268,917.04	231,663.10	Aug 2020	31.5	30.2	36.01	36.12	35.73	20.0	30.0	16.0	6.0	2	HSA	-
HMW-2S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR924	03/13/19	1,268,683.07	231,667.68	Aug 2020	30.0	30.0	47.39	47.56	47.28	19.8	29.8	27.6				

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)		
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation						
									Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom				
MW-4	Block 55, N end	N	NA	NA	NA	1,268,586.16	231,391.71	Unknown	NA	NA	-	-	52.16	30	40	21.16	11.16	NA	-	-		
MW-5	Block 55, N end	N	NA	NA	NA	1,268,469.64	231,378.29	Unknown	NA	NA	-	-	57.41	20	30	37.4	27.4	NA	-	-		
MW-45	Block 37, SE quadrant	N	NA	NA	NA	1,269,503.46	231,645.62	Unknown	NA	NA	-	-	27.52	3	19	24.5	8.5	NA	-	-		
MW-50	Block 37, SE quadrant	N	NA	NA	NA	1,269,499.14	231,564.49	Unknown	NA	NA	-	-	29.32	5	17.5	24.3	11.8	NA	-	-		
MW-54	Block 37, SE quadrant	N	NA	NA	NA	1,269,563.38	231,642.45	Unknown	NA	NA	-	-	28	5	20	23	8	NA	-	-		
MW121 (B121)	8th Ave N ROW, E side	Y	Yes	BID-016	12/16/13	1,268,598.04	232,091.86	Dec 2013	26.5	25.0	-	-	41.72	15.0	25.0	26.7	16.7	2	HSA	-		
MW125 (B125)	Valley St ROW, N side	Y	Yes	BID-020	12/20/13	1,268,598.04	232,091.86	Dec 2013	31.5	30.0	-	-	43.55	15.0	30.0	28.6	13.6	2	HSA	-		
MW-154	Roy St ROW, S side	Y	Yes	BKF-350	03/30/18	1,268,485.83	231,733.87	Apr 2018	35	35.6	53.05	53.07	52.57	25.3	35.2	27.8	17.9	2	HSA	-		
MW-155	Roy St ROW, S side	Y	Yes	BKF-354	04/10/18	1,268,721.17	231,733.31	Apr 2018	30	30.0	44.39	44.44	44.05	20.0	30.0	24.4	14.4	2	HSA	-		
MW-159	8th Ave N ROW, E side	Y	Yes	BKF-358	04/16/18	1,268,680.42	231,910.30	Apr 2018	31	30.9	43.25	43.28	42.79	20.4	30.4	22.9	12.9	2	HSA	-		
MW-209	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269397.75	231974.2084	Unknown	NA	NA	-	-	26.88		-	-	-	NA	-	-		
MW-210	Valley St ROW, S side	Y	Yes	NA	10/10/08	1,269,463.18	231,959.15	May 2017	20	20.0	27.09	27.17	26.57	5.0	20.0	22.1	7.1	2	HSA	-		
MW-211	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269557.47	231971.4309	Unknown	NA	NA	-	-	26.48		-	-	-	NA	-	-		
MW-212	Mercer St ROW, N side (Block 37)	N	NA	NA	NA	1269499.76	231528.331	Unknown	NA	NA	-	-	29.09		-	-	-	NA	-	-		
MW-213	Valley St ROW, S side (Block 37)	N	NA	NA	NA	1269386.98	231865.8753	Unknown	NA	NA	-	-	27.35		-	-	-	NA	-	-		
MW-214	Valley St ROW, S side	Y	Yes	NA	10/01/14	1,269,388.42	231,861.09	May 2017	17	17.0	27.81	27.87	27.32	7.0	17.0	20.8	10.8	2	HSA	-		
MW-301	Valley St ROW, S side	Y	Yes	BLR-795	09/20/10	1,268,438.37	232,058.67	Nov 2019	30	28.4	53.84	53.84	53.54	18.3	28.3	35.6	25.6	2	Sonic	-		
MW-305	Roy St ROW, S side	Y	Yes	BMF-579	10/03/19	1,268,248.04	231,758.02	Nov 2019	35	33.0	60.23	60.27	59.86	22.8	32.8	37.4	27.4	2	Sonic	-		
MW-310	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-590	09/17/19	1,268,804.70	232,047.86	Nov 2019	25	23.9	32.90	32.93	32.48	13.8	23.8	19.2	9.2	2	Sonic	-		
MW-312	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-589	09/17/19	1,268,807.34	231,926.26	Nov 2019	26	25.9	35.63	35.66	34.99	15.8	25.8	19.9	9.9	2	Sonic	-		
MW-313	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-586	09/12/10	1,268,808.11	231,817.18	Nov 2019	30	29.6	39.81	39.84	39.53	19.5	29.5	20.4	10.4	2	Sonic	-		
MW-320	9th Ave N ROW, W side	Y	Yes	BLR-800	09/29/19	1,268,936.05	231,911.09	Nov 2019	30	25.7	34.10	34.13	33.57	15.5	25.5	18.6	8.6	2	Sonic	-		
MW-332	Roy St ROW, N side	Y	Yes	BMP 105	04/17/20	1,268,901.68	231,795.43	Jun 2020	30	30.6	36.32	36.3	35.72	20.3	30.3	16.0	6.0	2	Sonic	-		
MW-337	Lake Union Park, N end	Y	Yes	BMP-111	05/01/20	1,269,172.36	232,192.21	Jun 2020	20	19.9	27.76	27.88	27.51	9.7	19.7	18.1	8.1	2	Sonic	-		
MW-339	Lake Union Park, S end	Y	Yes	BMP-114	05/05/20	1,269,264.79	232,014.53	Jun 2020	20.3	20.3	28.25	28.37	28.06	10.1	20.1	18.2	8.2	2	Sonic	-		
MW-8	Seattle Roy Aloha Shops, N end	N	TOC Elev	NA	-	-	-	-	19	19.0	-	-	33.19	4.5	19.0	28.7	14.2	2	-	-		
MW-9	8th Ave N ROW, E side	N	TOC Elev	NA	-	1,268,673.31	232,099.67	Nov 2019	22	22.0	41.05	41.05	40.74	7.0	22.0	34.1	19.1	2	-	-		
MWR-3	Block 37, SW quadrant	N	NA	NA	NA	1,269,362.52	231,643.12	Unknown	NA	NA	-	-	29.67	7	17	22.7	12.7	NA	-	-		
MWR-6	Block 37, SE quadrant	N	NA	NA	NA	1,269,561.31	231,566.97	Unknown	NA	NA	-	-	29.12	8	18	21.1	11.1	NA	-	-		
R-MW5	Dexter Ave N ROW, E side	Y	Yes	NA	10/27/92	1,268,352.05	231,915.02	Nov 2019	30	30.0	57.35	57.28	57.01	15.0	30.0	42.4	27.4	2	HSA	-		
R-MW6	8th Ave N ROW, W side	Y	Yes	NA	10/27/92	1,268,622.15	231,825.30	Nov 2022	22	22.0	-	45.09	44.52	12.0	22.0	33.3	23.3	2	HSA	-		
SCL-MW101	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	AGI-540	06/01/02	1,268,818.93	232,188.81	Nov 2019	-	15.0	30.48	30.48	30.02	5.0	15.0	25.5	15.5	2	-	-		
SCL-MW105	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	-	06/01/02	1,268,821.22	232,236.18	Nov 2019	-	30.0	31.07	31.08	30.77	20.0	30.0	11.1	1.1	2	-	-		
SCS-2	Seattle Roy Aloha Shops, N end	N	TOC Elev	ABV-825	-	-	-	-	21.0	-	-	39.16	11.0	21.0	28.2	18.2	4	-	-			
SMW-3	Valley St ROW, N side	N	No	NA	01/29/91	-	-	-	17	16.5	-	-	27.40	6.5	16.5	20.9	10.9	2	HSA			

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)		
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation						
									Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom				
FMW-150	Block 38 West, S end	N	NA	NA	NA	1,269,414.24	231,121.31	Unknown	NA	NA	-	-	23.3	6	11	-8.5	-13.54	NA	-	-		
FMW-151	Block 38 West, center of Property	N	NA	NA	NA	1,269,388.10	231,210.11	Unknown	NA	NA	-	-	23.74	6.8	11.8	-9.3	-14.34	NA	-	-		
FMW-152	Block 38 West, N end	N	NA	NA	NA	1,269,353.91	231,326.74	Unknown	NA	NA	-	-	22.83	6	11	-8.5	-13.54	NA	-	-		
FMW-153	Block 38 West, S end	N	NA	NA	NA	1,269,352.62	231,043.00	Unknown	NA	NA	-	-	24.72	6	11	-8.5	-13.54	NA	-	-		
FMW-157	Block 38 West	N	NA	NA	NA	1,269,437.13	231,346.24	Unknown	NA	NA	-	-	25.95	30	40	-4.1	-14.1	NA	-	-		
GEI-1	Block 37, NW quadrant	Y	Yes	BIJ 462	04/16/14	1,269,362.77	231,828.18	2014	81.5	26.8	28.35	-	27.95	26.8	36.8	1.6	-8.5	2	HSA	-		
GEI-MW-1	Block 79 East, N end	Y	TOC Elev	BIJ-490	08/22/14	1,268,931.69	232,238.25	Jul 2020	61.5	59.9	30.50	30.63	30.30	39.8	59.8	-9.3	-29.3	2	HSA	-		
GEI-MW-2	Block 79 East, S end	Y	TOC Elev	BIJ-492	08/23/14	-	-	-	60	37.1	31.6	-	31.00	27.0	37.0	4.6	-5.4	2	HSA	-		
GEI-MW-3	Block 79 East, S end	Y	TOC Elev	BIJ-491	08/23/14	-	-	-	65.5	59.5	31.5	-	30.75	49.4	59.4	-17.9	-27.9	2	HSA	-		
HC-4	601 Dexter, NE quadrant	N	TOC Elev	BLR695	04/12/19	1,268,251.49	231,573.25	Unknown	50	50	60.23	-	-	40.0	50.0	20.2	10.2	2	HSA	-		
HMW-2IA	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR922	03/08/19	1,268,696.96	231,646.61	Aug 2020	46.0	44.8	45.55	47.69	47.51	34.8	44.8	10.8	0.8	2	HSA	-		
HMW-3IA	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLR925	03/15/19	1,268,425.85	231,681.84	Aug 2020	45.5	44.8	55.02	55.01	54.75	34.8	44.8	20.2	10.2	2	HSA	-		
HMW-6IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ185	03/02/20	1,268,379.66	231,552.50	Aug 2020	50.0	47.5	58.65	61.47	61.27	37.5	47.5	21.2	11.2	2	Sonic	-		
HMW-9IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ190	02/28/20	1,268,480.44	231,610.72	Aug 2020	50.0	46.7	55.26	58.35	58.21	36.7	46.7	18.6	8.6	2	Sonic	-		
HMW-20IA	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP-356	09/09/20	1,268,516.08	231,634.12	Nov 2020	51.3	51.0	53.83	56.80	56.47	41.0	51.0	12.8	2.8	2	HSA	-		
MW107 (B107)	8th Ave N ROW, W side	Y	Yes	BHS-773	12/03/12	1,268,626.16	231,885.72	Nov 2022	45.5	45.0	-	43.66	43.01	35.0	45.0	8.8	-1.2	2	HSA	-		
MW108 (B108)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-765	12/14/12	1,268,805.44	232,044.39	Dec 2013	50.5	50.0	-	33.15	32.78	40.0	50.0	-7.2	-17.2	2	HSA	-		
MW109 (B109)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-771	12/04/12	1,268,808.01	231,942.36	Dec 2019	45.5	45.0	35.53	35.54	34.87	35.0	45.0	0.0	-10.0	2	HSA	-		
MW110 (B110)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-772	12/04/12	1,268,806.34	231,814.34	Dec 2013	45.5	45.0	-	40.04	39.67	35.0	45.0	4.7	-5.3	2	HSA	-		
MW114 (B114)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BHS-768	12/10/12	1,268,537.67	231,656.12	Dec 2013	45.5	45.0	-	46.38	45.84	35.0	45.0	10.8	0.8	2	HSA	-		
MW115 (B115)	9th Ave N ROW, W side	Y	Yes	BHS-766	12/13/12	1,268,948.67	231,824.86	May 2017	46	45.0	34.44	34.48	34.10	35.0	45.0	-0.6	-10.6	2	HSA	-		
MW116 (B116)	9th Ave N ROW, W side	Y	Yes	BHS-769	12/07/12	1,268,952.65	232,006.18	May 2017	46.5	45.0	31.92	31.96	31.34	35.0	45.0	-3.1	-13.1	2	HSA	-		
MW117 (B117)	Dexter Ave N ROW, E side	Y	Yes	BHS-885	02/04/13	1,268,343.66	231,643.72	Dec 2013	55.5	55.0	-	-	56.90	40.0	55.0	16.9	1.9	2	HSA	-		
MW118 (B118)	Mercer St ROW, N side	Y	Yes	BIC-079	03/21/13	1,268,503.40	231,491.37	Dec 2013	55.5	50.0	-	-	52.91	40.0	50.0	12.9	2.9	2	HSA	-		
MW119 (B119)	9th Ave N ROW, W side	Y	Yes	BIC-080	03/21/13	1,268,924.29	231,652.18	May 2017	46	45.0	37.74	37.75	37.42	35.0	45.0	2.7	-7.3	2	HSA	-		
MW120 (B120)	8th Ave N ROW, E side	Y	Yes	BID-015	12/16/13	1,268,675.20	232,145.41	Dec 2019	50.5	50.0	40.67	40.64	39.94	40.0	50.0	0.0	-10.0	2	HSA	-		
MW127 (B127)	8th Ave N ROW, E side	Y	Yes	BID-022	12/31/13	1,268,689.96	232,261.39	Dec 2013	50.5	50.0	-	39.42	39.04	40.0	50.0	-1.0	-11.0	2	HSA	-		
MW-142	8th Ave N ROW, E side	Y	Yes	BKF-356	04/12/18	1,268,681.79	231,977.91	Apr 2018	51.0	50.2	42.44	42.43	42.12	39.8	49.9	2.6	-7.5	2	HSA	-		
MW-144	8th Ave N ROW, E side	N	Yes	BKF-361	04/18/18	1,268,680.09	231,857.59	Apr 2018	50.0	50.0	43.87	43.88	43.50	40.0	50.0	3.9	-6.1	2	HSA	-		
MW-144R	8th Ave N ROW, E side	Y	Yes	BME-511	11/26/19	1,268,670.40	231,865.37	Dec 2019	50.0	49.6	42.85	42.87	42.46	39.0	49.3	3.9	-6.5	2	Sonic	-		
MW-146	Roy St ROW, S side	Y	Yes	BKF-349	03/30/18	1,268,493.78	231,733.61	Apr 2018	50.0	50.3	52.74	52.77	52.34	39.9	49.9	12.8	2.8	2	HSA	-		
MW-156	8th Ave N ROW, E side	Y	Yes	BKF-359	04/16/18	1,268,683.09	232,036.58	Apr 2018	51.0	51.0	41.64	41.7	41.24	40.6	50.6	1.0	-9.0	2	HSA	-		
MW-189	Valley St ROW, S side	Y	Yes	BLR-796	09/23/19	1,268,529.33	232,057.82	Nov 2022	59.0	59.0	-	48.38	47.99	48.8</								

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)		
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation						
									Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom				
HMW-1IB	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR917	03/13/19	1,268,903.53	231,653.15	Aug 2020	65.5	64.3	38.29	38.55	38.38	54.3	64.3	-16.0	-26.0	2	HSA	-		
HMW-2IB	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR923	03/12/19	1,268,686.97	231,653.01	Aug 2020	66.5	62.8	47.41	47.50	47.19	52.8	62.8	-5.4	-15.4	2	HSA	-		
HMW-4IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLI162	03/07/19	1,268,409.57	231,558.72	Apr 2019	81.5	60	58.70	-	58.53	50.0	60.0	8.7	-1.3	2	HSA	-		
HMW-5IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ188	02/28/20	1,268,382.82	231,613.00	Aug 2020	70.0	59.7	58.44	61.22	60.99	49.7	59.7	8.7	-1.3	2	Sonic	-		
HMW-6IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ186	03/03/20	1,268,380.80	231,548.10	Aug 2020	70.0	60.0	58.67	61.92	61.61	50.0	60.0	8.7	-1.3	2	Sonic	-		
HMW-7IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ159	03/02/20	1,268,383.26	231,522.51	Aug 2020	70.0	59.7	58.69	61.71	61.38	49.7	59.7	9.0	-1.0	2	Sonic	-		
HMW-8IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ158	03/02/20	1,268,433.80	231,559.10	Aug 2020	70.0	60.5	57.97	61.04	60.78	50.5	60.5	7.5	-2.5	2	Sonic	-		
HMW-9IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ191	02/28/20	1,268,480.08	231,604.89	Aug 2020	70.0	67.0	55.36	58.64	57.89	57.0	67.0	-1.6	-11.6	2	Sonic	-		
HMW-11IB	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ196	02/24/20	1,268,891.69	231,565.09	Aug 2020	70.0	54.9	39.70	43.09	42.91	44.9	54.9	-5.2	-15.2	2	Sonic	-		
HMW-15IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP316	07/16/20	1,268,389.50	231,512.30	Aug 2020	76.5	73.0	58.86	58.73	58.33	64.0	73.0	-5.1	-14.1	2	HSA	-		
HMW-16IB	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP315	07/14/20	1,268,386.50	231,724.00	Aug 2020	76.5	65.0	57.02	57.18	56.80	55.0	65.0	2.0	-8.0	2	HSA	-		
MW111 (B111)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-770	12/05/12 - 12/06/12	1,268,807.08	231,896.12	Dec 2019	80.5	80.0	36.66	36.67	36.38	70.0	80.0	-33.5	-43.5	2	HSA	50		
MW112 (B112)	Dexter Ave N ROW, W side	Y	Yes	BHS-767	12/11/12 - 12/12/12	1,268,310.62	231,915.10	Dec 2019	85.5	85.0	57.77	57.79	57.47	75.0	85.0	-17.2	-27.2	2	HSA	-		
MW126 (B126)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-021	12/30/13	1,268,813.91	232,263.78	Dec 2013	95	95.0	-	-	30.94	85.0	95.0	-54.1	-64.1	2	HSA	-		
MW-143	8th Ave N ROW, E side	Y	Yes	BKF-355	04/12/18	1,268,681.54	231,974.66	Apr 2018	82.0	80.4	42.43	42.48	42.04	70.1	80.0	-27.7	-37.6	2	HSA	-		
MW-145	8th Ave N ROW, E side	Y	Yes	BKF-360	04/18/18	1,268,678.28	231,851.15	Apr 2018	81.0	80.4	43.86	43.87	43.46	70.0	80.0	-26.1	-36.1	2	HSA	-		
MW-145R	8th Ave N ROW, E side	Y	Yes	BME-510	11/25/19-11/26/19	1,268,670.64	231,872.79	Dec 2019	80.1	80.1	42.66	42.67	42.00	69.9	79.9	-27.2	-37.2	2	Sonic	-		
MW-147	Roy St ROW, S side	Y	Yes	BKF-351	04/02/18	1,268,501.67	231,733.85	Apr 2018	81.5	80.4	52.36	52.39	51.85	70.0	80.0	-17.6	-27.6	2	HSA	-		
MW-148	Roy St ROW, S side	Y	Yes	BKF-353	04/09/18	1,268,725.60	231,731.90	Apr 2018	80.5	80.4	44.27	44.29	43.91	70.0	80.0	-25.7	-35.7	2	HSA	-		
MW-157	8th Ave N ROW, E side	Y	Yes	BKF-357	04/13/18	1,268,683.21	232,040.85	Apr 2018	81.0	80.2	41.61	41.66	41.22	69.9	79.8	-28.3	-38.2	2	HSA	-		
MW-190	Valley St ROW, S side	Y	Yes	BLR-794	9/18/19-9/19/19	1,268,513.97	232,058.25	Nov 2022	89.0	89.0	-	49.54	48.95	78.8	88.8	-30.2	-40.2	2	Sonic	-		
MW-303	Dexter Ave N ROW, E side	Y	Yes	BMF-581	10/3/19-10/4/19	1,268,353.08	231,967.63	Nov 2022	82.0	81.7	-	57.64	57.27	71.4	81.4	-13.8	-23.8	2	Sonic	-		
MW-307	Roy St ROW, S side	Y	Yes	BMF-580	10/03/19	1,268,244.49	231,757.96	Nov 2019	85.0	83.0	60.45	60.45	60.21	72.8	82.8	-12.4	-22.4	2	Sonic	-		
MW-309	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-575	09/19/19	1,268,811.71	232,143.16	Nov 2019	75.0	72.7	30.37	30.35	29.97	62.4	72.4	-32.0	-42.0	2	Sonic	-		
MW-311	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-574	09/18/19	1,268,804.88	232,040.35	Nov 2019	74.0	72.5	33.14	33.17	32.98	62.2	72.2	-29.1	-39.1	2	Sonic	-		
MW-314	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-288	9/9/19-9/13/19	1,268,804.06	231,817.34	Nov 2019	80.0	78.0	39.81	39.85	39.19	67.8	77.8	-28.0	-38.0	2	Sonic	-		
MW-316	Mercer St ROW, N side	Y	Yes	BMF-569	09/09/19	1,268,641.35	231,537.58	Nov 2019	70.1	70.1	49.81	49.79	49.44	59.8	69.8	-10.0	-20.0	2	Sonic	-		
MW-318	9th Ave N ROW, W side	Y	Yes	BLR-797	09/24/19	1,268,941.46	232,081.31	Nov 2019	65.0	64.9	31.66	31.67	31.36	54.8	64.8	-23.1	-33.1	2	Sonic	-		
MW-322	9th Ave N ROW, W side	Y	Yes	BLR-792	09/17/19	1,268,937.97	231,957.89	Nov 2019	65.0	64.8	33.45	33.46	33.13	54.7	64.7	-21.3	-31.3	2	Sonic	-		
MW-334	900 Roy St, S end	Y	Yes	BMP-103	04/16/20	1,269,119.58	231,890.01	Jun 2020	63.3	63.3	31.40	31.46	31.22	53.1	63.1	-21.7	-31.7	2	Sonic	-		
MW-335	Mercer St ROW, N side	Y	Yes	BMP-108	04/21/20	1,269,109.62	231,541.10	Jun 2020	71.1	71.1	35.18	35.17	34.26	60.8	70.8	-25.6	-35.6	2	Sonic	-		
MW-338	Lake Union Park, N end</																					

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)		
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation						
									Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom				
FMW-137	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/17/18	1,269,446.94	231,392.41	-	90	85.0	-	-	30.09	72.0	85.0	-44.9	-57.9	2	Sonic	-		
FMW-138	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/14/18	1,269,426.19	230,983.38	-	100	100.0	-	-	40.44	90.0	100.0	-46.0	-56.0	2	Sonic	-		
FMW-140	900 Roy St, S end	Y	Yes	BLT-940	07/12/19	1,269,111.06	231,885.87	Nov 2019	85	80.0	32.00	32.00	31.71	70.0	80.0	-38.0	-48.0	2	Sonic	-		
FMW-3D	Terry Ave N ROW, E side	Y	Yes	NA	3/7/16 - 3/8/16	1,269,941.28	231,737.65	-	71.5	69.0	-	-	27.88	59.0	69.0	-31.1	-41.1	2	HSA	-		
GEI-2	Block 37, SW quadrant	Y	Yes	BIJ 462	4/16/14 - 4/17/14	1,269,358.70	231,666.08	2014	81.5	60.5	29.60	-	29.38	50.5	60.5	-21.1	-31.1	2	HSA	-		
HMW-1D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI197	03/04/19	1,268,907.50	231,641.76	Aug 2020	90.0	90.0	38.07	38.27	37.99	80.0	90.0	-41.9	-51.9	2	Sonic	-		
HMW-2D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI198	03/06/19	1,268,696.23	231,659.76	Aug 2020	90.0	90.0	47.34	47.43	47.19	80.0	90.0	-32.7	-42.7	2	Sonic	-		
HMW-3D	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLI199	03/06/19	1,268,408.96	231,675.97	Aug 2020	90.0	90.0	56.56	56.58	56.37	80.0	90.0	-23.4	-33.4	2	Sonic	-		
HMW-6D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ187	03/02/20	1,268,382.84	231,551.34	Aug 2020	90.0	89.7	58.58	61.77	61.49	79.7	89.7	-21.1	-31.1	2	Sonic	-		
HMW-9D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ192	02/28/20	1,268,484.37	231,609.92	Aug 2020	90.0	89.7	55.32	58.33	58.14	79.7	89.7	-24.4	-34.4	2	Sonic	-		
HMW-10D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ194	03/05/20	1,268,686.24	231,565.46	Aug 2020	90.0	89.0	48.16	51.15	51.03	79.0	89.0	-30.8	-40.8	2	Sonic	-		
HMW-12D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BMP290	07/16/20	1,268,915.30	231,704.60	Aug 2020	100.3	92.0	33.52	36.83	35.86	82.0	92.0	-48.5	-58.5	2	MR/HSA	-		
HMW-13D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP318	07/23/20	1,268,802.40	231,638.70	Aug 2020	100.9	99.5	45.30	45.38	45.08	89.5	99.5	-44.2	-54.2	2	MR/HSA	-		
HMW-14D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP317	07/20/20	1,268,800.70	231,576.90	Aug 2020	81.5	80.0	46.35	46.41	46.11	70.0	80.0	-23.7	-33.7	2	MR/HSA	-		
HVP-1	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP319	07/28/20	1,268,586.83	231,622.55	Aug 2020	150.3	150.0	52.65	54.95	53.65	-	-	-	-	6	MR/HSA	-		
MW102 (B102)	Valley St ROW, S side	Y	Yes	BCK-015	7/17/12 - 7/23/12	1,268,505.06	232,058.75	Nov 2022	125	125.0	-	49.97	49.66	115.0	125.0	-65.8	-75.8	2	Sonic	-		
MW103 (B103)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BCK-016	7/25/12 - 7/27/12	1,268,807.23	231,911.84	Dec 2019	115	114.0	36.12	36.13	35.86	103.5	113.5	-67.6	-77.6	2	Sonic	-		
MW104 (B104)	8th Ave N ROW, W side	Y	Yes	BCK-017	7/30/12 - 8/01/12	1,268,635.95	231,912.28	Dec 2013	130	129.0	-	43.05	42.68	119.0	129.0	-76.3	-86.3	2	Sonic	-		
MW105 (B105)	Roy St ROW, S side	Y	Yes	BCK-018	8/06/12 - 8/10/12	1,268,694.42	231,762.84	Nov 2019	140	140.0	44.39	44.41	44.12	130.0	140.0	-85.3	-95.3	2	Sonic	-		
MW106 (B106)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BCK-019	8/14/12 - 8/15/12	1,268,501.66	231,720.28	Dec 2013	140	140.0	-	52.25	51.99	130.0	140.0	-78.0	-88.0	2	Sonic	-		
MW113 (B113)	9th Ave N ROW, W side	Y	Yes	BHS-764	12/18/12	1,268,950.77	231,911.93	Nov 2019	80	80.0	33.20	33.21	32.91	70.0	80.0	-36.8	-46.8	2	HSA	-		
MW122 (B122)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-017	12/17/13	1,268,810.95	232,139.15	Dec 2013	115	115.0	-	30.54	30.03	105.0	115.0	-75.0	-85.0	2	HSA	-		
MW123 (B123)	Westlake Ave N ROW, W side	Y	Yes	BID-018	12/18/13	1,269,084.44	232,170.77	Nov 2019	80	80.0	27.95	27.95	27.50	70.0	80.0	-42.5	-52.5	2	HSA	-		
MW124 (B124)	Valley St ROW, S side	Y	Yes	BID-019	12/19/13	1,268,387.40	232,058.30	Nov 2022	120	120.0	-	57.25	56.74	110.0	120.0	-53.8	-63.8	2	HSA	-		
MW128 (B128)	Westlake Ave N ROW, E side	Y	Yes	BID-023	01/09/14	1,269,319.15	231,810.63	May 2017	70.5	70.0	29.20	29.21	28.59	60.0	70.0	-30.8	-40.8	2	HSA	-		
MW-138	Dexter Ave N ROW, E side	Y	Yes	BKA-296	9/12/17 - 9/15/17	1,268,345.19	231,841.61	Nov 2019	117	115.0	57.44	57.41	57.03	105.0	115.0	-47.6	-57.6	2	Sonic	-		
MW-140	Roy St ROW, N side	Y	Yes	BKA-301	8/30/17 - 8/31/17	1,268,511.94	231,782.78	Sep 2017	140	140.0	50.57	50.57	50.20	129.5	139.5	-78.9	-88.9	2	Sonic	-		
MW-153	Roy St ROW, S side	Y	Yes	BKF-348	03/29/18	1,268,443.98	231,734.96	Apr 2018	130	130.0	54.75	54.79	54.35	120.0	130.0	-65.3	-75.3	2	HSA	-		
MW-158A	8th Ave N ROW, E side	Y	Yes	BKF-352	04/06/18	1,268,683.06	232,045.84	Apr 2018	100	100.0	41.51	41.52	41.09	89.7	100.0	-48.2	-58.5	2	HSA	-		
MW-160	8th Ave N ROW, W side	Y	Yes	BKF-460	05/10/18	1,268,626.37	231,969.39	Nov 2022	128	128.0	-	42.71	42.03	118.0	128.0	-75.4	-85.4	2	HSA	-		
MW-161	8th Ave N ROW, W side	Y	Yes	BKF-461	05/06/18	1,268,623.37	231,868.01	Nov 2022	140	140.0	-	43.98	43.84	130.0	140.0	-85.6	-95.6	2	HSA	-		
MW-304</																						

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom			
IWS-05	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-054	3/16/2022	1,268,486.71	231,621.53	Nov 2022	69	68.7	-	54.69	54.24	53.3	68.4	1.4	-13.7	2	Sonic	-
IWS-06	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-052	3/15/2022	1,268,506.07	231,627.84	Nov 2022	67	67.0	-	54.22	53.87	51.7	66.7	2.5	-12.5	2	Sonic	-
IWS-07	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-051	3/14/2022	1,268,530.60	231,642.38	Nov 2022	66	66.2	-	53.18	52.77	50.0	65.9	3.2	-12.7	2	Sonic	-
IWS-08	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-057	3/18/2022	1,268,483.37	231,587.80	Nov 2022	71	70.9	-	55.79	55.48	55.5	70.5	0.3	-14.7	2	Sonic	-
IWS-09	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-061	3/24/2022	1,268,506.72	231,602.50	Nov 2022	69	68.5	-	54.97	54.55	53.1	68.2	1.9	-13.2	2	Sonic	-
IWS-10	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-060	3/23/2022	1,268,528.72	231,619.07	Nov 2022	68	67.5	-	54.28	53.93	50.4	67.2	3.9	-12.9	2	Sonic	-
Shallow Soil Vapor Probes																				
SV01	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,682.67	231,993.39	July 2020	12.25	-	42.20	42.215	41.95	11.8	12.3	30.4	29.9	-	DP	-
SV02	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,681.25	231,906.35	July 2020	11.75	-	43.36	43.355	43.11	11.3	11.8	32.1	31.6	-	DP	-
SV03	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,677.87	231,828.33	July 2020	12.75	-	44.10	44.11	43.81	12.3	12.8	31.8	31.3	-	DP	-
SV-04	Roy St ROW, S side	Y	Yes	BLK 889	06/29/20	1,268,731.27	231,731.45	July 2020	6	6	44.06	44.09	-	5.5	6	38.6	38.1	0.25	DP	-
SV-05	Roy St ROW, S side	Y	Yes	BLK 890	06/29/20	1,268,730.14	231,729.81	July 2020	13	13	44.13	44.15	-	12.5	13	31.6	31.1	0.25	DP	-
SV-06	Roy St ROW, S side	Y	Yes	BLK 891	06/29/20	1,268,477.86	231,733.96	July 2020	6	6	53.36	53.39	-	5.5	6	47.9	47.4	0.25	DP	-
SV-07	Roy St ROW, S side	Y	Yes	BLK 892	06/29/20	1,268,477.45	231,732.37	July 2020	15	15	53.41	53.44	-	14.5	15	38.9	38.4	0.25	DP	-
SV-08	8th Ave N ROW, E side	Y	Yes	BLK 893	06/30/20	1,268,675.48	232,123.75	July 2020	10	10	40.91	40.94	-	9.5	10	31.4	30.9	0.25	DP	-
SV-09	8th Ave N ROW, E side	Y	Yes	BLK 894	07/01/20	1,268,676.85	232,123.94	July 2020	6	6	40.83	40.86	-	5.5	6	35.3	34.8	0.25	DP	-
SV-10	Valley St ROW, N side	Y	Yes	BLK 895	06/30/20	1,268,468.28	232,097.54	July 2020	6	6	51.81	51.85	-	5.5	6	46.3	45.8	0.25	DP	-
SV-11	Valley St ROW, N side	Y	Yes	BLK 896	06/30/20	1,268,469.07	232,098.99	July 2020	15	14.75	51.69	51.73	-	14.25	14.75	37.4	36.9	0.25	DP	-
SV-12	Valley St ROW, N side	Y	Yes	BLK 897	07/01/20	1,268,584.70	232,097.56	July 2020	6	6	44.57	44.62	-	5.5	6	39.1	38.6	0.25	DP	-
SV-13	Valley St ROW, N side	Y	Yes	BLK 898	07/01/20	1,268,585.90	232,099.47	July 2020	12	12	44.42	44.46	-	11.5	12	32.9	32.4	0.25	DP	-
SV-14	Roy St ROW, N side	Y	Yes	BLK 899	07/01/20	1,268,785.24	231,796.41	July 2020	6	6	40.93	40.92	-	5.5	6	35.4	34.9	0.25	DP	-
SV-15	Roy St ROW, N side	Y	Yes	BLK 900	07/01/20	1,268,785.09	231,798.41	July 2020	13	13	40.98	40.99	-	12.5	13	28.5	28.0	0.25	DP	-
SV-16	8th Ave N ROW, E side	Y	Yes	BLK 901	07/02/20	1,268,669.51	231,859.20	July 2020	6	6	42.97	42.99	-	5.5	6	37.5	37.0	0.25	DP	-
SV-17	8th Ave N ROW, E side	Y	Yes	BLK 902	07/02/20	1,268,668.95	231,906.41	July 2020	6	6	42.10	42.10	-	5.5	6	36.6	36.1	0.25	DP	-
SV-18	8th Ave N ROW, E side	Y	Yes	BLK 903	07/02/20	1,268,669.89	231,982.22	July 2020	6	6	42.05	42.06	-	5.5	6	36.6	36.1	0.25	DP	-
SV-19	9th Ave N ROW, W side	Y	Yes	BLK 904	07/09/20	1,268,933.23	231,840.64	July 2020	6	6	35.19	35.20	-	5.5	6	29.7	29.2	0.25	DP	-
SV-20	9th Ave N ROW, W side	Y	Yes	BLK 905	07/09/20	1,268,933.28	231,842.83	July 2020	10	10	35.15	35.16	-	9.5	10	25.6	25.1	0.25	DP	-
SV-21	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 906	07/09/20	1,268,808.91	231,953.22	July 2020	6	6	35.30	35.35	-	5.5	6	29.8	29.3	0.25	DP	-
SV-22	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 907	07/09/20	1,268,808.90	231,955.46	July 2020	10	10	35.24	35.28	-	9.5	10	25.7	25.2	0.25	DP	-
SV-23	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 908	07/09/20	1,268,805.42	232,034.81	July 2020	6	6	33.36	33.39	-	5.5	6	27.9	27.4	0.25	DP	-
SV-24	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 909	07/09/20	1,268,805.37	232,036.82	July 2020	10	10	33.29	33.32	-	9.5	10	23.8	23.3	0.25	DP	-
SV-25	Dexter Ave N ROW, W side	Y	Yes	BLK 910	07/10/20	1,268,293.10	231,918.58	July 2020	6	6	58.17	58.18	-	5.5	6	52.7	52.2	0.25	DP	-
SV-26	Dexter Ave N ROW, W side	Y	Yes	BLK 911	07/10/20	1,268,293.08	231,916.60	July 2020	12	12	58.21	58.23	-	11.5	12	46.7	46.2	0.25	DP	-
SV-27	Dexter Ave N ROW, W side	Y	Yes	BLK 913	07/10/20	1,268,295.72	232,025.83	July 2020	15	15	58.59	58.59	-	14.5	15	44.1	43.6	0.2		

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom			
				BLZ-181	09/10/19	1,268,490.99	231,931.08	Nov 2019	25.4	25.0	13.9	-	13.60	9.66	24.66	4.24	-10.76	2	Sonic	-
CA-A13	Property, NW quadrant	Y	Yes	BLZ-128	09/11/19	1,268,490.39	231,911.11	Nov 2019	25.4	25.4	13.9	-	13.59	10.08	25.08	3.82	-11.18	2	Sonic	-
CA-A14	Property, SW quadrant	Y	Yes	BLZ-131	09/24/19	1,268,489.94	231,891.18	Nov 2019	25.3	25.3	13.9	-	13.58	9.97	24.97	3.93	-11.07	2	Sonic	-
CA-A15	Property, SW quadrant	Y	Yes	BLZ-166	10/23/19	1,268,559.64	231,998.66	Nov 2019	50.0	25.2	13.9	-	13.62	9.86	24.86	4.04	-10.96	2	Sonic	-
CA-A16	Property, NE quadrant	Y	Yes	BLZ-164	10/24/19	1,268,560.17	231,978.89	Nov 2019	25.6	25.6	13.9	-	13.50	10.24	25.24	3.66	-11.34	2	Sonic	-
CA-A17	Property, NE quadrant	Y	Yes	BLZ-162	10/26/19	1,268,559.91	231,959.22	Nov 2019	25.2	25.0	13.9	-	13.58	9.64	24.64	4.26	-10.74	2	Sonic	-
CA-A18	Property, NE quadrant	Y	Yes	BLZ-137	09/27/19	1,268,530.34	231,830.75	Nov 2019	25.3	24.9	13.9	-	13.60	9.55	24.55	4.35	-10.65	2	Sonic	-
CA-A19	Property, SE quadrant	Y	Yes	BLZ-139	09/30/19	1,268,550.15	231,830.04	Nov 2019	26.4	26.1	13.9	-	13.64	10.78	22.75	3.12	-8.85	2	Sonic	-
CA-A20	Property, SE quadrant	Y	Yes	BLZ-141	10/03/19	1,268,565.44	231,829.77	Nov 2019	25.6	25.6	13.9	-	13.59	10.27	25.27	3.63	-11.37	2	Sonic	-
Treatment Zone B Injection Wells																				
CA-B1	Property, NW quadrant	Y	Yes	BLZ-114	08/28/19	1,268,407.63	231,968.46	Nov 2019	38.7	38.7	13.9	-	13.56	23.22	38.22	-9.32	-24.32	2	Sonic	-
CA-B2	Property, NW quadrant	Y	Yes	BLZ-117	08/29/19	1,268,407.42	231,948.60	Nov 2019	39.6	39.5	13.9	-	13.56	24.16	39.16	-10.26	-25.26	2	Sonic	-
CA-B3	Property, NW quadrant	Y	Yes	BLZ-120	09/12/19	1,268,407.07	231,933.58	Nov 2019	38.2	38.9	13.9	-	13.63	23.55	38.55	-9.65	-24.65	2	Sonic	-
CA-B4	Property, SW quadrant	Y	Yes	BLZ-336	09/18/19	1,268,406.27	231,913.65	Nov 2019	39.5	39.1	13.9	-	13.57	23.66	38.78	-9.76	-24.88	2	Sonic	-
CA-B5	Property, SW quadrant	Y	Yes	BLZ-335	9/23/19 - 9/24/19	1,268,405.80	231,893.25	Nov 2019	39.2	-	13.9	-	13.58	-	-	-	-	2	Sonic	-
CA-B6	Property, SW quadrant	Y	Yes	BLZ-296	09/19/19	1,268,405.16	231,873.44	Nov 2019	39.6	39.6	13.9	-	13.62	24.25	39.25	-10.35	-25.35	2	Sonic	-
CA-B7	Property, SW quadrant	Y	Yes	BLZ-299	09/23/19	1,268,404.49	231,849.12	Nov 2019	40.2	40.4	13.9	-	13.62	25.05	40.06	-11.15	-26.16	2	Sonic	-
CA-B8	Property, SW quadrant	Y	Yes	BLZ-298	09/16/19	1,268,404.03	231,828.64	Nov 2019	40.1	40.5	13.9	-	13.55	25.11	40.11	-11.21	-26.21	2	Sonic	-
CA-B9	Property, NW quadrant	Y	Yes	BLZ-167	9/3/19 - 9/4/19	1,268,492.60	232,005.88	Nov 2019	39.9	40	13.9	-	13.61	24.65	39.65	-10.75	-25.75	2	Sonic	-
CA-B10	Property, NW quadrant	Y	Yes	BLZ-170	08/30/19	1,268,492.43	231,986.10	Nov 2019	39.7	39.9	13.9	-	13.58	24.52	39.51	-10.62	-25.61	2	Sonic	-
CA-B11	Property, NW quadrant	Y	Yes	BLZ-174	09/05/19	1,268,492.04	231,965.95	Nov 2019	39.3	39.1	13.9	-	13.57	23.73	38.73	-9.83	-24.83	2	Sonic	-
CA-B12	Property, NW quadrant	Y	Yes	BLZ-178	9/6/19 - 9/9/19	1,268,491.62	231,946.15	Nov 2019	39.7	39.7	13.9	-	13.61	24.3	39.3	-10.4	-25.4	2	Sonic	-
CA-B13	Property, NW quadrant	Y	Yes	BLZ-338	09/10/19	1,268,490.90	231,925.71	Nov 2019	40.9	39.9	13.9	-	13.62	24.55	39.45	-10.65	-25.55	2	Sonic	-
CA-B14	Property, SW quadrant	Y	Yes	BLZ-129	09/11/19	1,268,490.14	231,905.94	Nov 2019	40.2	39.2	13.9	-	13.59	23.82	38.82	-9.92	-24.92	2	Sonic	-
CA-B15	Property, SW quadrant	Y	Yes	BLZ-132	09/24/19	1,268,489.47	231,886.21	Nov 2019	39.5	39.5	13.9	-	13.58	24.18	39.18	-10.28	-25.28	2	Sonic	-
CA-B16	Property, NE quadrant	Y	Yes	BLZ-165	10/23/19	1,268,559.57	231,993.66	Nov 2019	39.0	39.8	13.9	-	13.57	24.49	39.49	-10.59	-25.59	2	Sonic	-
CA-B17	Property, NE quadrant	Y	Yes	BLZ-163	10/28/19	1,268,560.04	231,974.31	Nov 2019	39.4	39.3	13.9	-	13.57	23.98	38.98	-10.08	-25.08	2	Sonic	-
CA-B18	Property, NE quadrant	Y	Yes	BLZ-161	10/26/19	1,268,559.56	231,953.53	Nov 2019	38.8	38.8	13.9	-	13.61	23.44	38.44	-9.54	-24.54	2	Sonic	-
CA-B19	Property, SE quadrant	Y	Yes	BLZ-138	09/27/19	1,268,535.49	231,830.36	Nov 2019	39.6	39.6	13.9	-	13.58	24.2	39.2	-10.3	-25.3	2	Sonic	-
CA-B20	Property, SE quadrant	Y	Yes	BLZ-140	09/27/19	1,268,555.48	231,830.01	Nov 2019	39.5	39.5	13.9	-	13.60	24.18	39.18	-10.28	-25.28	2	Sonic	-
CA-B21	Property, SE quadrant	Y	Yes	BLZ-142	10/02/19	1,268,575.30	231,829.04	Nov 2019	40.4	40.2	13.9	-	13.60	24.83	39.83	-10.93	-25.93	2	Sonic	-
Treatment Zone C Injection Wells																				
CA-C1	Property, NW quadrant	Y	Yes	BLZ-115	08/27/19	1,268,407.57	231,963.35	Nov 2019	56.0	54.7	13.9	-	13.59	39.35	54.35	-25.45	-40.45	2	Sonic	-
CA-C2A	Property, NW quadrant	Y	Yes	BLZ-118	09/16/19	1,268,404.06	231,943.62	Nov 2												

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom			
CA-D3	Property, SW quadrant	Y	Yes	BLZ-353	9/19/19 - 9/23/19	1,268,405.78	231,883.37	Nov 2019	69.1	69.7	13.9	-	13.57	54.3	69.3	-40.4	-55.4	2	Sonic	-
CA-D4	Property, SW quadrant	Y	Yes	BLZ-354	09/18/19	1,268,404.67	231,863.59	Nov 2019	70.1	70.1	13.9	-	13.65	54.75	69.75	-40.85	-55.85	2	Sonic	-
CA-D5	Property, NW quadrant	Y	Yes	BLZ-172	9/3/19 - 9/4/19	1,268,492.06	231,976.01	Nov 2019	71.8	69.2	13.9	-	13.55	53.85	68.85	-39.95	-54.95	2	Sonic	-
CA-D6	Property, NW quadrant	Y	Yes	BLZ-176	09/04/19	1,268,491.58	231,955.40	Nov 2019	71.8	68.4	13.9	-	13.62	53.05	68.05	-39.15	-54.15	2	Sonic	-
CA-D7	Property, NW quadrant	Y	Yes	BLZ-337	9/5/19 - 9/6/19	1,268,491.19	231,935.87	Nov 2019	72.0	69.3	13.9	-	13.57	53.95	68.95	-40.05	-55.05	2	Sonic	-
CA-D8	Property, SW quadrant	Y	Yes	BLZ-184	9/6/19 - 9/9/19	1,268,490.41	231,915.69	Nov 2019	72.2	69.6	13.9	-	13.63	52.2	69.2	-38.3	-55.3	2	Sonic	-
Perimeter Dual Completion Injection Wells																				
PRB-A1	8th Ave N ROW, W side	Y	No	BLZ-201	1/8/19 - 1/9/19				85	52	-	-	-	31.7	51.7	-	-	2	Sonic	-
PRB-C1	8th Ave N ROW, W side	Y	No							82	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-B1	8th Ave N ROW, W side	Y	No	BLZ-202	1/15/19 - 1/17/19				98	67.5	-	-	-	52.2	67.2	-	-	2	Sonic	-
PRB-D1	8th Ave N ROW, W side	Y	No							97	-	-	-	82.2	96.7	-	-	2	Sonic	-
PRB-A2	8th Ave N ROW, W side	Y	No	BLZ-203	1/17/19 - 1/18/19				83	52	-	-	-	31.8	51.8	-	-	2	Sonic	-
PRB-C2	8th Ave N ROW, W side	Y	No							82	-	-	-	66.8	86.8	-	-	2	Sonic	-
PRB-B2	8th Ave N ROW, W side	Y	No	BLZ-204	1/16/19 - 1/21/19				99	67.1	-	-	-	51.8	67.8	-	-	2	Sonic	-
PRB-D2	8th Ave N ROW, W side	Y	No							97.3	-	-	-	82.0	96.9	-	-	2	Sonic	-
PRB-A3	8th Ave N ROW, W side	Y	No	BLZ-205	2/13/19 - 2/14/19				84.5	53.5	-	-	-	33.2	53.2	-	-	2	Sonic	-
PRB-C3	8th Ave N ROW, W side	Y	No							84.3	-	-	-	69.0	84.0	-	-	2	Sonic	-
PRB-B3	8th Ave N ROW, W side	Y	No	BLZ-206	1/10/19 - 1/11/19				99	69	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D3	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A4	8th Ave N ROW, W side	Y	No	BLZ-207	1/8/19 - 1/10/19				85	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C4	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-
PRB-B4	8th Ave N ROW, W side	Y	No	BLZ-208	1/22/19 - 1/23/19				100	68	-	-	-	52.7	67.7	-	-	2	Sonic	-
PRB-D4	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A5	8th Ave N ROW, W side	Y	No	BLZ-209	1/23/19 - 1/23/19				84	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C5	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-
PRB-B5	8th Ave N ROW, W side	Y	No	BLZ-210	2/14/19 - 2/14/19				99.5	68.4	-	-	-	53.1	68.1	-	-	2	Sonic	-
PRB-D5	8th Ave N ROW, W side	Y	No							98.4	-	-	-	83.1	98.1	-	-	2	Sonic	-
PRB-A6	8th Ave N ROW, W side	Y	No	BLZ-211	2/19/19 - 2/19/19				84.5	53.6	-	-	-	33.2	53.3	-	-	2	Sonic	-
PRB-C6	8th Ave N ROW, W side	Y	No							83.7	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B6	8th Ave N ROW, W side	Y	No	BLZ-212	2/20/19 - 2/21/19				99.5	69.1	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D6	8th Ave N ROW, W side	Y	No							99.2	-	-	-	83.9	98.9	-	-	2	Sonic	-
PRB-A7	8th Ave N ROW, W side	Y	No	BLZ-213	2/15/19 - 2/15/19				84.5	53.4	-	-	-	33.1	53.1	-	-	2	Sonic	-
PRB-C7	8th Ave N ROW, W side	Y	No							83.6	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B7	8th Ave N ROW, W side	Y	No	BLZ-214	2/12/19 - 2/13/19				100	67.8	-	-	-	52.5	67.5	-	-	2	Sonic	-
PRB-D7	8th Ave N ROW, W side	Y	No							98.7	-	-	-	83.4	98.4	-	-	2	Sonic	-
PRB-A8	8th Ave N ROW, W side	Y	No	BLZ-215	2/8/19 - 2/12/19				84	54.0	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C8	8th Ave N ROW, W side	Y	No							84.0	-	-	-	68.7	83.7	-	-	2	Sonic	-
PRB-B8	8th Ave N ROW, W side	Y	No	BLZ-216	2/20/19 - 2/20/19				99.5	69.0	-	-	-	53.6	68.6	-	-	2	Sonic	-
PRB-D8	8th Ave N ROW, W side	Y	No							99.5	-	-	-	84.2	99.2	-	-	2	Sonic	-
PRB-A9	8th Ave N ROW, W side	Y	No	BLZ-217	2/7/19 - 2/7/19				87.5	54.1	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C9	8th Ave N ROW, W side	Y	No							83.8	-	-	-	68.5	83.5	-	-	2	Sonic	-
PRB-B9	8th Ave N ROW, W side	Y	No	BLZ-218	1/30/19 - 2/6/19				100	69.2	-	-	-	53.8	68.8	-	-	2	Sonic	-
PRB-D9	8th Ave N ROW, W side	Y	No							99.3	-	-	-	84.0	99.0	-	-	2	Sonic	-
PRB-A10	8th Ave N ROW, W side	Y	No	BLZ-219	1/14/19 - 1/17/19				86	56	-									

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed? No	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)	
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom				
PRB-C11	8th Ave N ROW, W side	Y							84.9	-	-	-	-	69.5	84.5	-	-	2	Sonic	-	
PRB-B11	8th Ave N ROW, W side	Y	No	BLZ-222	1/15/19 - 1/16/19				101	70.0	-	-	-	55.4	70.4	-	-	2	Sonic	-	
PRB-D11	8th Ave N ROW, W side	Y	No						100.7	-	-	-	-	85.4	100.4	-	-	2	Sonic	-	
PRB-A12	8th Ave N ROW, W side	Y	No	BLZ-223	2/26/19 - 2/26/19	1,268,633.53	231,812.29		86.5	55.4	-	-	-	35.1	55.1	-	-	2	Sonic	-	
PRB-C12	8th Ave N ROW, W side	Y	No			1,268,633.53	231,812.29			85.5	-	-	-	-	70.1	84.1	-	-	2	Sonic	-
PRB-B12	8th Ave N ROW, W side	Y	No	BLZ-224	1/21/19 - 2/27/19	1,268,631.47	231,798.35		101	68.2	-	-	-	53.0	67.8	-	-	2	Sonic	-	
PRB-D12	8th Ave N ROW, W side	Y	No			1,268,631.47	231,798.35			98.4	-	-	-	-	83.4	98.1	-	-	2	Sonic	-
PRB-A13	Roy St ROW, N side	Y	No	BLZ-225	3/4/19 - 3/5/19	1,268,616.72	231,786.50		87	57.7	-	-	-	37.3	57.3	-	-	2	Sonic	-	
PRB-C13	Roy St ROW, N side	Y	No			1,268,616.72	231,786.50			87.2	-	-	-	-	71.9	86.9	-	-	2	Sonic	-
PRB-B13	Roy St ROW, N side	Y	No	BLZ-226	03/21/19	1,268,605.69	231,787.72		103	72.0	-	-	-	56.6	71.6	-	-	2	Sonic	-	
PRB-D13	Roy St ROW, N side	Y	No			1,268,605.69	231,787.72			102.4	-	-	-	-	87.0	102.0	-	-	2	Sonic	-
PRB-A14	Roy Street ROW, N side	Y	No		08/20/20-08/24/20	1,268,589.98	231,778.87		90	58.1	-	-	-	37.8	57.8	-	-	2	Sonic	-	
PRB-C14	Roy Street ROW, N side	Y	No			1,268,589.98	231,778.87			88.1	-	-	-	-	72.7	87.7	-	-	2	Sonic	-
PRB-B14	Roy St ROW, N side	Y	No	BLZ-227	3/5/19 - 3/5/19	1,268,590.75	231,794.34		103.5	73.6	-	-	-	58.3	73.3	-	-	2	Sonic	-	
PRB-D14	Roy St ROW, N side	Y	No			1,268,590.75	231,794.34			103.5	-	-	-	-	88.2	103.2	-	-	2	Sonic	-
PRB-D14R	Roy St ROW, N side	Y	No		12/1/20 - 12/10/20	1,268,586.06	231,794.34		106	105.9	-	-	-	90.6	105.6	-	-	2	Sonic	-	
PRB-A15	Roy St ROW, N side	Y	No		08/14/20-08/17/20	1,268,565.61	231,779.66		89	58.6	-	-	-	38.1	58.2	-	-	2	Sonic	-	
PRB-C15	Roy St ROW, N side	Y	No			1,268,565.61	231,779.66			89.4	-	-	-	-	73.97	89.1	-	-	2	Sonic	-
PRB-B15	Roy St ROW, N side	Y	No	BLZ-228	03/07/19	1,268,557.35	231,788.83		104	73.7	-	-	-	58.4	73.4	-	-	2	Sonic	-	
PRB-D15	Roy St ROW, N side	Y	No			1,268,557.35	231,788.83			103.7	-	-	-	-	88.4	103.4	-	-	2	Sonic	-
PRB-A16	Roy St ROW, N side	Y	No	BLZ-229	3/7/19 - 3/11/19	1,268,542.99	231,789.16		90.5	58.7	-	-	-	43.4	58.4	-	-	2	Sonic	-	
PRB-C16	Roy St ROW, N side	Y	No			1,268,542.99	231,789.16			88.5	-	-	-	-	73.2	88.2	-	-	2	Sonic	-
PRB-B16	Roy St ROW, N side	Y	No	BLZ-230	3/13/19 - 3/13/19	1,268,530.35	231,789.44		106	76.0	-	-	-	60.6	75.6	-	-	2	Sonic	-	
PRB-D16	Roy St ROW, N side	Y	No			1,268,530.35	231,789.44			106.0	-	-	-	-	90.7	105.7	-	-	2	Sonic	-
PRB-A17	Roy St ROW, N side	Y	No	BLZ-231	3/8/19 - 3/12/19	1,268,520.22	231,789.67		91.5	58.5	-	-	-	38.2	58.2	-	-	2	Sonic	-	
PRB-C17	Roy St ROW, N side	Y	No			1,268,520.22	231,789.67			89.6	-	-	-	-	74.3	89.3	-	-	2	Sonic	-
PRB-B17	Roy St ROW, N side	Y	No	BLZ-232	03/12/19	1,268,511.32	231,789.87		105	75.8	-	-	-	60.5	75.5	-	-	2	Sonic	-	
PRB-D17	Roy St ROW, N side	Y	No			1,268,511.32	231,789.87			106.2	-	-	-	-	90.9	105.9	-	-	2	Sonic	-
PRB-A18	Roy St ROW, N side	Y	No	BLZ-233	03/14/19	1,268,499.98	231,790.13		93	60	-	-	-	39.7	59.7	-	-	2	Sonic	-	
PRB-C18	Roy St ROW, N side	Y	No			1,268,499.98	231,790.13			90.6	-	-	-	-	75.3	90.3	-	-	2	Sonic	-
PRB-B18	Roy St ROW, N side	Y	No	BLZ-234	3/22/19 - 3/23/19	1,268,475.79	231,801.33		108	75.4	-	-	-	60.0	75.0	-	-	2	Sonic	-	
PRB-D18	Roy St ROW, N side	Y	No			1,268,475.79	231,801.33			105.4	-	-	-	-	90.0	105.0	-	-	2	Sonic	-
PRB-D18R	Roy St ROW, N side	Y	No		12/4/20-12/8/20	1,268,471.25	231,801.41		107	107.0	-	-	-	91.6	106.6	-	-	2	Sonic	-	
PRB-A19	Roy St ROW, N side	Y	No	BLZ-235	03/19/19	1,268,463.46	231,800.53		95	61.6	-	-	-	41.2	61.3	-	-	2	Sonic	-	
PRB-C19	Roy St ROW, N side	Y	No			1,268,463.46	231,800.53			91.9	-	-	-	-	76.6	91.6	-	-	2	Sonic	-
PRB-B19	Roy St ROW, N side	Y	No	BLZ-236	03/18/19	1,268,452.90	231,797.23		110	79.6	-	-	-	64.7	79.3	-	-	2	Sonic	-	
PRB-D19	Roy St ROW, N side	Y	No			1,268,452.90	231,797.23			109.4	-	-	-	-	94.0	109.0	-	-	2	Sonic	-
PRB-D19R	Roy St ROW, N side	Y	No		12/3/20-12/4/20	1,268,448.06	231,797.38		110	109.8	-	-	-	94.4	109.4	-	-	2	Sonic	-	
PRB-A20	Roy St ROW, N side	Y	No	BLZ-237	03/15/19	1,268,443.47	231,801.05		94.5	64.1	-	-	-	43.7	63.8	-	-	2	Sonic	-	
PRB-C20	Roy St ROW, N side	Y	No			1,268,443.47	231,801.05			93.6	-	-	-	-	78.2	93.					


Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth Top	Depth Bottom	Elevation Top	Elevation Bottom			
PRB-B22	Roy St ROW, N side	Y	No		08/18/20-08/19/20	1,268,387.49	231,802.48		110	82.1	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-D22	Roy St ROW, N side	Y	No			1,268,387.49	231,802.48			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No		08/12/20-08/14/20	1,268,381.49	231,802.63		100	64.5	-	-	-	44.1	64.2	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No			1,268,381.49	231,802.63			95.9	-	-	-	80.5	95.6	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No		08/20/20-08/21/20	1,268,373.59	231,785.66		112	81.2	-	-	-	65.8	80.8	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No			1,268,373.59	231,785.66			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No		08/24/20-08/25/20	1,268,577.67	231,779.42		105	75.5	-	-	-	60.1	75.2	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No			1,268,577.67	231,779.42			105.1	-	-	-	89.7	104.7	-	-	2	Sonic	-
Treatment Zone A Monitoring Wells																				
MW-165	Property, NE quadrant	Y	Yes	BLZ-150	10/22/19	1,268,581.94	231,970.40	Nov 2019	22.7	23.0	13.9	-	13.58	12.7	22.7	1.3	-8.8	2	Sonic	-
MW-169	Property, SW quadrant	Y	Yes	BLZ-127	09/24/19	1,268,461.82	231,922.84	Nov 2019	23.1	23.1	13.9	-	13.55	12.7	22.7	1.2	-8.8	2	Sonic	-
MW-173	Property, SE quadrant	Y	Yes	BLZ-146	10/26/19	1,268,584.42	231,917.86	Nov 2019	22.0	22.0	13.9	-	13.56	11.7	21.7	2.2	-7.8	2	Sonic	-
MW-177	Property, SW quadrant	Y	Yes	BLZ-350	09/26/19	1,268,393.18	231,887.12	Nov 2019	22.1	21.9	13.9	-	13.61	11.6	21.6	2.3	-7.7	2	Sonic	-
MW-181	Property, SW quadrant	Y	Yes	BLZ-349	09/27/19	1,268,431.00	231,834.46	Nov 2019	22.8	22.8	13.9	-	13.59	12.4	22.4	1.5	-8.5	2	Sonic	-
MW-185	Property, SE quadrant	Y	Yes	BLZ-133	10/02/19	1,268,522.10	231,840.33	Nov 2019	23.2	22.9	13.9	-	13.60	12.6	22.6	1.4	-8.7	2	Sonic	-
Treatment Zone B Monitoring Wells																				
MW-166	Property, NE quadrant	Y	Yes	BLZ-149	10/22/19	1,268,587.14	231,970.32	Nov 2019	36.8	36.8	13.9	-	13.58	26.5	36.5	-12.6	-22.6	2	Sonic	-
MW-170	Property, SW quadrant	Y	Yes	BLZ-126	09/26/19	1,268,466.70	231,922.95	Nov 2019	36.7	37.0	13.9	-	13.56	26.7	36.7	-12.8	-22.8	2	Sonic	-
MW-174	Property, SE quadrant	Y	Yes	BLZ-145	10/26/19	1,268,584.50	231,913.45	Nov 2019	37.0	36.5	13.9	-	13.57	26.2	36.2	-12.3	-22.3	2	Sonic	-
MW-178	Property, SW quadrant	Y	Yes	BLZ-348	09/25/19	1,268,397.56	231,887.29	Nov 2019	36.1	36.0	13.9	-	13.61	25.6	35.6	-11.7	-21.7	2	Sonic	-
MW-182	Property, SW quadrant	Y	Yes	BLZ-347	09/27/19	1,268,435.65	231,834.63	Nov 2019	37.4	36.8	13.9	-	13.59	26.4	36.4	-12.5	-22.5	2	Sonic	-
MW-186	Property, SE quadrant	Y	Yes	BLZ-136	10/01/19	1,268,527.26	231,840.76	Nov 2019	36.1	37.0	13.9	-	13.57	26.6	36.6	-12.7	-22.7	2	Sonic	-
Treatment Zone C Monitoring Wells																				
MW-167	Property, NE quadrant	Y	Yes	BLZ-160	10/22/19	1,268,581.97	231,965.15	Nov 2019	52.2	52.2	13.9	-	13.58	41.8	51.8	-27.9	-37.9	2	Sonic	-
MW-171	Property, SW quadrant	Y	Yes	BLZ-125	9/24/19 - 9/25/19	1,268,461.59	231,917.65	Nov 2019	52.7	51.8	13.9	-	13.49	41.5	51.5	-27.6	-37.6	2	Sonic	-
MW-175	Property, SE quadrant	Y	Yes	BLZ-144	10/26/19	1,268,584.42	231,908.01	Nov 2019	52.2	51.6	13.9	-	13.56	41.7	51.7	-27.8	-37.8	2	Sonic	-
MW-179	Property, SW quadrant	Y	Yes	BLZ-346	9/25/19 - 9/26/19	1,268,393.17	231,882.00	Nov 2019	51.4	51.4	13.9	-	13.62	41.1	51.1	-27.2	-37.2	2	Sonic	-
MW-183	Property, SW quadrant	Y	Yes	BLZ-345	09/26/19	1,268,430.71	231,829.32	Nov 2019	52.4	51.7	13.9	-	13.55	41.3	51.3	-27.4	-37.4	2	Sonic	-
MW-187	Property, SE quadrant	Y	Yes	BLZ-134	10/1/19 - 10/2/19	1,268,521.74	231,835.57	Nov 2019	52.2	51.3	13.9	-	13.56	40.9	50.9	-27.0	-37.0	2	Sonic	-
Treatment Zone D Monitoring Wells																				
MW-168	Property, NE quadrant	Y	Yes	BLZ-148	10/21/19	1,268,586.89	231,964.73	Nov 2019	67.2	67.2	13.9	-	13.55	56.9	66.9	-43.0	-53.0	2	Sonic	-
MW-172	Property, SW quadrant	Y	Yes	BLZ-124	9/25/19 - 9/26/19	1,268,467.31	231,917.87	Nov 2019	66.7	66.7	13.9	-	13.54	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-176	Property, SE quadrant	Y	Yes	BLZ-143	10/25/19 - 10/26/19	1,268,583.98	231,902.76	Nov 2019	67.5	67.0	13.9	-	13.55	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-180	Property, SW quadrant	Y	Yes	BLZ-344	9/24/19 - 9/25/19	1,268,397.49	231,882.40	Nov 2019	66.9	66.9	13.9	-	13.61	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-184	Property, SW quadrant	Y	Yes	BLZ-343	9/26/19 - 9/27/19	1,268,435.35	231,829.39	Nov 2019	67.3	66.7	13.9	-	13.58	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-188	Property, SE quadrant																			

ATTACHMENT B

CVOC Time-Trend Plots


Concentration vs Time
MW-9 (34.1 to 19.1 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW121 (26.7 to 16.7 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW125 (28.6 to 13.6 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-154 (27.8 to 17.9 feet NAVD), Roy St ROW, S side
American Linen Supply Co—Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-155 (24.4 to 14.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-159 (22.9 to 12.9 feet NAVD), 8th Ave N, E side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g}/\text{L}$, TCE = 4 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.


Concentration vs Time
MW-301 (35.6 to 25.6 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-305 (37.4 to 27.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-310 (19.2 to 9.2 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g/L}$, TCE = 4 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-312 (19.9 to 9.9 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-313 (20.4 to 10.4 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g/L}$, TCE = 4 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-320 (18.6 to 8.6 feet NAVD), 9th Ave N, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g/L}$, TCE = 4 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-332 (16.0 to 6.0 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-337 (18.1 to 8.1 feet NAVD), Lake Union Park, N end
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-339 (18.2 to 8.2 feet NAVD), Lake Union Park, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g/L}$, TCE = 4 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
R-MW5 (42.4 to 27.4 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
R-MW6 (33.3 to 23.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
SCL-MW101 (25.5 to 15.5 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 $\mu\text{g}/\text{L}$, TCE = 4 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.


Concentration vs Time
BB-8 (14.0 to 4.0 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
FMW-142 (-4.2 to -9.6 feet NAVD), 9th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
GEI-MW-1 (-9.7 to -29.7 feet NAVD), Block 79 East, N end
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.

Concentration vs Time
MW107 (8.8 to -1.2 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW108 (-7.2 to -17.2 feet NAVD), Alley E of Seattle Roy Aloho Shops
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.

Concentration vs Time
MW109 (0.0 to -10.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW110 (4.7 to -5.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW115 (-0.6 to -10.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW116 (-3.1 to -13.1 feet NAVD) 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW119 (2.7 to -7.3 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW120 (0.0 to -10.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.


Concentration vs Time
MW127 (-1 to -11.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-142 (2.4 to -7.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co—Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-144R (3.9 to -6.5 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-146 (12.8 to 2.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-156 (2.0 to -8.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-189 (-1.2 to -11.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-302 (3.0 to -7.0 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-306 (17.2 to 7.2 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-308 (-4.7 to -14.7 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-315 (12.2 to 2.3 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-317 (3.4 to -6.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-325 (7.0 to -3.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co—Dexter Ave Site




Concentration vs Time
MW-327 (3.6 to -6.3 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-330 (0.0 to -10.0 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-331 (-4.3 to -14.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-333 (-1.5 to -11.5 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site




Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
FMW-141 (-12.1 to -22.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Concentration vs Time
HMW-9IB (-1.6 to -11.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co—Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW111 (-33.5 to -43.5 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW112 (-17.2 to -27.2 feet NAVD), Dexter Ave N ROW, W side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW126 (-54.1 to -64.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-143 (-27.7 to -37.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-145R (-27.2 to -37.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-147 (-17.6 to -27.6 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-148 (-25.7 to -35.7 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-157 (-28.3 to -38.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-190 (-30.2 to -40.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-303 (-13.8 to -23.8 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-307 (-12.4 to -22.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-309 (-32.0 to -42.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-311 (-29.1 to -39.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-314 (-28.0 to -38.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-316 (-10.0 to -20.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-318 (-23.1 to -33.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site

**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.




Concentration vs Time
MW-334 (-21.7 to -31.7 feet NAVD), 900 Roy Street, S end
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-335 (-25.6 to -35.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-338 (-16.6 to -26.6 feet NAVD), Lake Union Park, N end
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-340 (-16.1 to -26.1 feet NAVD), Lake Union Park, S end
American Linen Supply Co—Dexter Ave Site




Concentration vs Time
MW-346 (-2.2 to -12.2 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-347 (-1.3 to -11.3 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-348 (-4.6 to -14.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-349 (-2.8 to -12.8 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
W-MW-01 (-25.1 to -35.1 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
W-MW-02 (-26.3 to -36.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
FMW-131 (-34.7 to -44.7 feet NAVD), Block 37, SE Quadrant
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
FMW-137 (-39.9 to -54.9 feet NAVD), Alley E of Block 38W
American Linen Supply Co Dexter Ave Site




Concentration vs Time
FMW-140 (-38.0 to -48.0 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
GEI-2 (-21.1 to -31.1 feet NAVD), Block 37, SW quadrant
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW102 (-65.8 to -75.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW103 (-67.6 to -77.6 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW104 (-76.3 to -86.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW105 (-85.8 to -95.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW106 (-78.0 to -88.0 feet NAVD), SDOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW113 (-37.1 to -47.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW122 (-75.0 to -89.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW124 (-53.8 to -63.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW128 (-30.8 to -40.8 feet NAVD), Westlake Ave N ROW, E side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-138 (-47.5 to -57.5 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-153 (-65.3 to -75.3 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-158A (-47.2 to -58.5 feet NAVD), 8th Ave N, ROW E side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-160 (-76.5 to -86.5 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-161 (-78.9 to -89.9 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-319 (-42.8 to -52.8 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-323 (-65.4 to -75.4 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.


Concentration vs Time
MW-324 (-32.1 to -42.1 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-326 (-48.7 to -58.7 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Concentration vs Time
MW-328 (-36.1 to -46.1 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g/L}$, TCE = 4.0 $\mu\text{g/L}$, cDCE = 16 $\mu\text{g/L}$, and VC = 0.29 $\mu\text{g/L}$.

Concentration vs Time
MW-336 (-51.6 to -61.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-341 (-66.8 to -76.8 feet NAVD), Lake Union Park, S end
American Linen Supply Co Dexter Ave Site


**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 $\mu\text{g}/\text{L}$, TCE = 4.0 $\mu\text{g}/\text{L}$, cDCE = 16 $\mu\text{g}/\text{L}$, and VC = 0.29 $\mu\text{g}/\text{L}$.

Concentration vs Time
MW-342 (-32.4 to -42.4 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site




Concentration vs Time
MW-343 (-71.5 to -81.5 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site






Concentration vs Time
MW-166 (-12.6 to -22.6 feet NAVD), Cluster 1, Treatment Zone B
American Linen Supply Co—Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 μ g/L, TCE = 4 μ g/L, cDCE = 16 μ g/L, and VC = 0.29 μ g/L.

Concentration vs Time
MW-167 (-27.9 to -37.9 feet NAVD), Cluster 1, Treatment Zone C
American Linen Supply Co—Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-169 (1.2 to -8.8 feet NAVD), Cluster 2, Treatment Zone A
American Linen Supply Co—Dexter Ave Site

**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.




Concentration vs Time
MW-171 (-27.6 to -37.6 feet NAVD), Cluster 2, Treatment Zone C
American Linen Supply Co—Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-172 (-42.5 to -52.5 feet NAVD), Cluster 2, Treatment Zone D
American Linen Supply Co—Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-173 (2.2 to -7.8 feet NAVD), Cluster 3, Treatment Zone A
American Linen Supply Co—Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Clean-up Levels: PCE = 5 μ g/L, TCE = 4 μ g/L, cDCE = 16 μ g/L, and VC = 0.29 μ g/L.

Concentration vs Time
MW-175 (-27.8 to -37.8 feet NAVD), Cluster 3, Treatment Zone C
American Linen Supply Co—Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-176 (-42.7 to -52.7 feet NAVD), Cluster 3, Treatment Zone D
American Linen Supply Co—Dexter Ave Site


**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-177 (2.3 to -7.7 feet NAVD), Cluster 4, Treatment Zone A
American Linen Supply Co—Dexter Ave Site

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.




Concentration vs Time
MW-181 (1.5 to -8.5 feet NAVD), Cluster 5, Treatment Zone A
American Linen Supply Co—Dexter Ave Site


**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.







**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

ATTACHMENT C

Laboratory Reports and Data Validation Memoranda