

QUARTERLY GAS ROUND	
DATE:	02/18/22

Site	Location: Probe	Time (Military)	Methane (% VOL)	Oxygen (% VOL, % LEL, PPM)	Carbon Diox. (% VOL)	Velocity	Barometric Pressure	Comments
LK STEVENS	GP-1	0840	0%	21%	0%		30.05	
	GP-2	0852	0%	19%	1%		"	
	GP-3	0849	0%	21%	0%		"	
	GP-4	0846	0%	10%	7%		"	
	GP-5	0843	0%	20%	2%		"	
	Flare	0856	61%	1%	22%	108	"	
BRYANT	GP-1(S)	0940	0%	21%	0%		30.06	
	GP-1(M)	0941	0%	21%	0%		"	
	GP-1(D)	0942	0%	21%	0%		"	
	GP-5	0938	0%	20%	1%		"	
	GP-6	0949	0%	21%	0%		"	
	Flare	0955	33%	5%	4%	100	"	
McCOLLUM PARK	GP-14	1049	0%	19%	2%		29.90	
	GP-15	1053	0%	21%	0%		"	
	GP-16	1056	0%	20%	1%		"	
	GP-18	1040	0%	18%	3%		"	
	GP-19	1043	0%	20%	0%		"	
	Flare	1103	19%	4%	15%	200	"	

Methane/Oxygen Meter Used =

Technician Name =

Page =

GEM 5000
ML
1 of 2

QUARTERLY GAS ROUND	
DATE:	04/15/22

Site	Location: Probe	Time (Military)	Methane (% VOL)	Oxygen (% VOL, % LEL, PPM)	Carbon Diox. (% VOL)	Velocity	Barometric Pressure	Comments
LK STEVENS	GP-1	0835	0%	21%	0%		29.65	
	GP-2	0850	0%	20%	1%		"	
	GP-3	0847	0%	21%	0%		"	
	GP-4	0845	0%	9%	9%		"	
	GP-5	0840	0%	19%	2%		"	
	Flare	0855	0%	21%	0%	65	"	
BRYANT	GP-1(S)	0940	0%	21%	0%		29.69	
	GP-1(M)	0942	0%	21%	0%		"	
	GP-1(D)	0944	0%	21%	0%		"	
	GP-5	0948	0%	21%	0%		"	
	GP-6	0954	0%	21%	0%		"	
	Flare	1000	16%	9%	2%	70	"	
McCOLLUM PARK	GP-14	1203	0%	19%	2%		29.55	
	GP-15	1206	0%	19%	1%		"	
	GP-16	1209	0%	20%	1%		"	
	GP-18	1155	0%	16%	4%		"	
	GP-19	1200	0%	21%	0%		"	
	Flare	1215	0%	21%	0%	45	"	

Methane/Oxygen Meter Used =

Technician Name =

Page =

GEM 5000
ML
1 of 2

Site	Location: Probe	Time (Military)	Methane (% VOL)	Oxygen (% VOL, % LEL, PPM)	Carbon Diox. (% VOL)	Velocity	Barometric Pressure	Comments
LK STEVENS	GP-1	0835	0%	21%	0%		29.59	
	GP-2	0847	0%	20%	2%		"	
	GP-3	0845	0%	19%	2%		"	
	GP-4	0843	0%	18%	4%		"	
	GP-5	0840	0%	19%	3%		"	
	Flare	0850	33%	8%	15%	79	"	
BRYANT	GP-1(S)	0937	0%	21%	0%		29.62	
	GP-1(M)	0939	0%	21%	0%		"	
	GP-1(D)	0941	0%	21%	0%		"	
	GP-5	0935	0%	21%	0%		"	
	GP-6	0947	0%	21%	0%		"	
	Flare	0953	34%	0%	8%	90	"	
McCOLLUM PARK	GP-14	1051	0%	16%	6%		29.43	
	GP-15	1054	0%	20%	2%		"	
	GP-16	1057	0%	20%	1%		"	
	GP-18	1045	0%	16%	5%		"	
	GP-19	1049	0%	21%	0%		"	
	Flare	1100	10%	4%	15%	205	"	

Methane/Oxygen Meter Used =

Technician Name =

Page =

GEM 5000
ML
1 of 2

QUARTERLY GAS ROUND	
DATE:	11/16/22

Site	Location: Probe	Time (Military)	Methane (% VOL)	Oxygen (% VOL, % LEL, PPM)	Carbon Diox. (% VOL)	Velocity	Barometric Pressure	Comments
LK STEVENS	GP-1	0905	0%	21%	0%		30.09	
	GP-2	0914	0%	21%	1%		"	
	GP-3	0912	0%	21%	0%		"	
	GP-4	0910	0%	21%	7%		"	
	GP-5	0908	0%	21%	2%		"	
	Flare	0917	69%	0%	26%	135	"	
BRYANT	GP-1(S)	1003	0%	21%	0%		30.12	
	GP-1(M)	1004	0%	21%	0%		"	
	GP-1(D)	1005	0%	21%	0%		"	
	GP-5	1000	0%	21%	0%		"	
	GP-6	1010	0%	21%	0%		"	
	Flare	1014	9%	0%	5%	45	"	
McCOLLUM PARK	GP-14	1104	0%	20%	0%		29.94	
	GP-15	1106	0%	21%	0%		"	
	GP-16	1110	0%	21%	0%		"	
	GP-18	1100	0%	20%	4%		"	
	GP-19	1102	0%	20%	5%		"	
	Flare	1115	5%	20%	3%	108	"	

Methane/Oxygen Meter Used =

Technician Name =

Page =

GEM 5000
ML, TA, JC
1 of 2

QUARTERLY GAS ROUND	
DATE:	03/03/23

Site	Location: Probe	Time (Military)	Methane (% VOL)	Oxygen (% VOL, % LEL, PPM)	Carbon Diox. (% VOL)	Velocity	Barometric Pressure	Comments
LK STEVENS	GP-1	0855	0%	20%	0%		29.60	
	GP-5	0900	0%	20%	1%		"	
	GP-4	0905	0%	12%	4%		"	
	GP-3	0910	0%	20%	0%		"	
	GP-2	0915					"	water infiltration in GP
	Flare	0920	49%	0%	22%	135	"	
BRYANT	GP-1(S)	1000	0%	21%	0%		29.63	
	GP-1(M)	1001	0%	20%	0%		"	
	GP-1(D)	1002	0%	20%	0%		"	
	GP-5	1005	0%	20%	1%		"	
	GP-6	1007	0%	21%	0%		"	
	Flare	1010	12%	0%	1%	111	"	
McCOLLUM PARK	GP-18	1050	0%	10%	7%		29.44	
	GP-19	1055	0%	12%	8%		"	
	GP-14	1100	0%	8%	8%		"	
	GP-15	1105	0%	12%	8%		"	
	GP-16	1110	0%	20%	1%		"	
	Flare	1115	0%	21%	0%	126	"	

Methane/Oxygen Meter Used =

Technician Name =

Page =

GEM 5000
ML, JC
1 of 2