

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-01 Collect Date: 04/03/23 12:00 DOH Source #: 02
Multiple Source Nos: Sample Type: After County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S02
Matrix: Drinking Water

Lab/Sample Number: 125-14101

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0436	PFDA Perfluorodecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0437	PFUnA Perfluoroundecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0438	PFDoA Perfluorododecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0445	ADONA 4,8-Dioxa-3H-perfluorononanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0446	9Cl-PF3ONS	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0447	HFPO-DA Hexafluoropropylene oxide dimer acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0448	11Cl-PF3OUdS	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0450	4:2FTS 1H,1H,2H,2H-Perfluorohexane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0451	6:2FTS 1H,1H,2H,2H-Perfluorooctane sulfonic acid	57.1	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0452	8:2FTS 1H,1H,2H,2H-Perfluorodecane sulfonic acid	2.08	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0453	NFDHA Nonafluoro-3,6-dioxaheptanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0454	PFBA Perfluorobutanoic acid	59.9	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0456	PFMBA Perfluoro-4-methoxybutanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0457	PFMPA Perfluoro-3-methoxypropanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	
0460	PFEESA Perfluoro(2-ethoxyethane) sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:10	TGT	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-01 Collect Date: 04/03/23 12:00 DOH Source #: 02
Multiple Source Nos: Sample Type: After County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S02
Matrix: Drinking Water

Lab/Sample Number: 125-14101

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0434	PFOA Perfluorooctanoic acid	146	ng/L	20.0	2	10		4/15/23 15:18	MER	EPA 533	
0432	PFNA Perfluorononanoic acid	221	ng/L	20.0	2	9		4/15/23 15:18	MER	EPA 533	
0429	PFBS Perfluorobutanesulfonic acid	572	ng/L	20.0	2	345		4/15/23 15:18	MER	EPA 533	
0430	PFHpA Perfluoroheptanoic acid	78.4	ng/L	20.0	2	--		4/15/23 15:18	MER	EPA 533	
0435	PFHxA Perfluorohexanoic acid	296	ng/L	20.0	2	--		4/15/23 15:18	MER	EPA 533	
0455	PFHpS Perfluoroheptanesulfonic acid	126	ng/L	20.0	2	--		4/15/23 15:18	MER	EPA 533	
0458	PFPeA Perfluoropentanoic acid	143	ng/L	20.0	2	--		4/15/23 15:18	MER	EPA 533	
0459	PFPeS Perfluoropentanesulfonic acid	576	ng/L	20.0	2	--		4/15/23 15:18	MER	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-01 Collect Date: 04/03/23 12:00 DOH Source #: 02
Multiple Source Nos: Sample Type: After County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S02
Matrix: Drinking Water

Lab/Sample Number: 125-14101

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0433	PFOS Perfluorooctanesulfonic acid	2460	ng/L	200	2	15		4/15/23 15:43	MER	EPA 533	
0431	PFHxS Perfluorohexanesulfonic acid	2900	ng/L	200	2	65		4/15/23 15:43	MER	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-02 Collect Date: 04/03/23 12:20 DOH Source #: 03
Multiple Source Nos: Sample Type: After County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S03
Matrix: Drinking Water

Lab/Sample Number: 125-14102

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0434	PFOA Perfluorooctanoic acid	ND	ng/L	2.00	2	10		4/12/23 23:01	TGT	EPA 533	
0433	PFOS Perfluorooctanesulfonic acid	ND	ng/L	2.00	2	15		4/12/23 23:01	TGT	EPA 533	
0431	PFHxS Perfluorohexanesulfonic acid	ND	ng/L	2.00	2	65		4/12/23 23:01	TGT	EPA 533	
0432	PFNA Perfluorononanoic acid	ND	ng/L	2.00	2	9		4/12/23 23:01	TGT	EPA 533	
0429	PFBS Perfluorobutanesulfonic acid	ND	ng/L	2.00	2	345		4/12/23 23:01	TGT	EPA 533	
0430	PFHpA Perfluoroheptanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0435	PFHxA Perfluorohexanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0436	PFDA Perfluorodecanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0437	PFUnA Perfluoroundecanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0438	PFDoA Perfluorododecanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0445	ADONA 4,8-Dioxa-3H-perfluorononanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0446	9Cl-PF3ONS	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0447	HFPO-DA Hexafluoropropylene oxide dimer acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0448	11Cl-PF3OUdS	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0450	4:2FTS 1H,1H,2H,2H-Perfluorohexane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0451	6:2FTS 1H,1H,2H,2H-Perfluorooctane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0452	8:2FTS 1H,1H,2H,2H-Perfluorodecane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0453	NFDHA Nonafluoro-3,6-dioxaheptanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0454	PFBA Perfluorobutanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-02 Collect Date: 04/03/23 12:20 DOH Source #: 03
Multiple Source Nos: Sample Type: After County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S03
Matrix: Drinking Water

Lab/Sample Number: 125-14102

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0455	PFHpS Perfluoroheptanesulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0456	PFMBA Perfluoro-4-methoxybutanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0457	PFMPA Perfluoro-3-methoxypropionic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0458	PFPeA Perfluoropentanoic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0459	PFPeS Perfluoropentanesulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	
0460	PFEESA Perfluoro(2-ethoxyethane)sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 23:01	TGT	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report

System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-03 Collect Date: 04/03/23 12:00 DOH Source #: 02
Multiple Source Nos: Sample Type: FRB County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S02 Field Blank
Matrix: Drinking Water

Lab/Sample Number: 125-14103

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0434	PFOA Perfluorooctanoic acid	ND	ng/L	2.00	2	10		4/12/23 22:36	TGT	EPA 533	
0433	PFOS Perfluorooctanesulfonic acid	ND	ng/L	2.00	2	15		4/12/23 22:36	TGT	EPA 533	
0431	PFHxS Perfluorohexanesulfonic acid	ND	ng/L	2.00	2	65		4/12/23 22:36	TGT	EPA 533	
0432	PFNA Perfluorononanoic acid	ND	ng/L	2.00	2	9		4/12/23 22:36	TGT	EPA 533	
0429	PFBS Perfluorobutanesulfonic acid	ND	ng/L	2.00	2	345		4/12/23 22:36	TGT	EPA 533	
0430	PFHpA Perfluoroheptanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0435	PFHxA Perfluorohexanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0436	PFDA Perfluorodecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0437	PFUnA Perfluoroundecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0438	PFDoA Perfluorododecanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0445	ADONA 4,8-Dioxa-3H-perfluorononanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0446	9Cl-PF3ONS	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0447	HFPO-DA Hexafluoropropylene oxide dimer acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0448	11Cl-PF3OUdS	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0450	4:2FTS 1H,1H,2H,2H-Perfluorohexane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0451	6:2FTS 1H,1H,2H,2H-Perfluorooctane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0452	8:2FTS 1H,1H,2H,2H-Perfluorodecane sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0453	NFDHA Nonafluoro-3,6-dioxaheptanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0454	PFBA Perfluorobutanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Analytical Results Report


System ID# 30850 System Name: Hannah Heights
Reference Number: MDD0141-03 Collect Date: 04/03/23 12:00 DOH Source #: 02
Multiple Source Nos: Sample Type: FRB County: San Juan
Date Received: 04/05/23 08:59 Sample Purpose: RC - Routine/Compliance Sample
Sample Location: S02 Field Blank
Matrix: Drinking Water

Lab/Sample Number: 125-14103

Per- and Polyfluoroalkyl Substances (PFAS)

DOH #	Analyte	Result	Units	LRL	SDRL	SAL	MCL	Analyzed	Analyst	Method	Qualifier
0455	PFHpS Perfluoroheptanesulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0456	PFMBA Perfluoro-4-methoxybutanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0457	PFMPA Perfluoro-3-methoxypropionic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0458	PFPeA Perfluoropentanoic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0459	PFPeS Perfluoropentanesulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	
0460	PFEESA Perfluoro(2-ethoxyethane)sulfonic acid	ND	ng/L	2.00	2	--		4/12/23 22:36	TGT	EPA 533	

Authorized Signature,



Todd Taruscio, Laboratory Manager

LRL Lab Reporting Limit
SDRL State Detection Reporting Limit
ND Not Detected
MCL EPA's Maximum Contaminant Level
Dry Sample results reported on a dry weight basis
SAL State Action Level
* Not a certified analyte

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data

Semivolatiles

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0380 - PFC 533

Blank (BDD0380-BLK1)

Prepared: 4/11/2023 Analyzed: 4/12/2023

11CI-PF3OUdS	ND		2.00	ng/L						
9CI-PF3ONS	ND		2.00	ng/L						
ADONA	ND		2.00	ng/L						
HFPO-DA	ND		2.00	ng/L						
NFDHA	ND		2.00	ng/L						
PFBA	ND		2.00	ng/L						
PFBS	ND		2.00	ng/L						
8:2FTS	ND		2.00	ng/L						
PFDA	ND		2.00	ng/L						
PFDoA	ND		2.00	ng/L						
PFEESA	ND		2.00	ng/L						
PFHpS	ND		2.00	ng/L						
PFHpA	ND		2.00	ng/L						
4:2FTS	ND		2.00	ng/L						
PFHxS	ND		2.00	ng/L						
PFHxA	ND		2.00	ng/L						
PFMPA	ND		2.00	ng/L						
PFMBA	ND		2.00	ng/L						
PFNA	ND		2.00	ng/L						
6:2FTS	ND		2.00	ng/L						
PFOS	ND		2.00	ng/L						
PFOA	ND		2.00	ng/L						
PFPeA	ND		2.00	ng/L						
PFPeS	ND		2.00	ng/L						
PFUnA	ND		2.00	ng/L						

Surrogate: 13C4-PFBA IDA			18.9	ng/L	20.0		94.6	50-200		
Surrogate: 13C5-PFPeA IDA			18.6	ng/L	20.0		92.8	50-200		
Surrogate: 13C3-PFBS IDA			19.1	ng/L	20.0		95.6	50-200		
Surrogate: 13C2-4:2FTS IDA			68.8	ng/L	80.0		86.0	50-200		
Surrogate: 13C5-PFHxA IDA			18.0	ng/L	20.0		90.2	50-200		
Surrogate: 13C3-HFPO-DA IDA			17.1	ng/L	20.0		85.6	50-200		
Surrogate: 13C4-PFHpA IDA			18.4	ng/L	20.0		92.2	50-200		
Surrogate: 13C3-PFHxS IDA			19.5	ng/L	20.0		97.6	50-200		
Surrogate: 13C2-6:2FTS IDA			75.2	ng/L	80.0		94.0	50-200		
Surrogate: 13C8-PFOA IDA			19.4	ng/L	20.0		97.2	50-200		
Surrogate: 13C9-PFNA IDA			18.7	ng/L	20.0		93.6	50-200		
Surrogate: 13C8-PFOS IDA			18.8	ng/L	20.0		93.8	50-200		
Surrogate: 13C2-8:2FTS IDA			77.2	ng/L	80.0		96.5	50-200		
Surrogate: 13C6-PFDA IDA			16.8	ng/L	20.0		84.2	50-200		
Surrogate: 13C7-PFUnA IDA			17.9	ng/L	20.0		89.4	50-200		
Surrogate: 13C2-PFDoA IDA			17.8	ng/L	20.0		89.2	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0380 - PFC 533 (Continued)

LCS (BDD0380-BS2)

Prepared: 4/11/2023 Analyzed: 4/12/2023

11CI-PF3OUdS	8.64		2.00	ng/L	9.44		91.5	70-130		
9CI-PF3ONS	8.72		2.00	ng/L	9.34		93.4	70-130		
ADONA	6.92		2.00	ng/L	9.44		73.3	70-130		
HFPO-DA	9.00		2.00	ng/L	10.0		90.0	70-130		
NFDHA	10.2		2.00	ng/L	10.0		102	70-130		
PFBA	8.56		2.00	ng/L	10.0		85.6	70-130		
PFBS	8.52		2.00	ng/L	8.88		95.9	70-130		
8:2FTS	8.64		2.00	ng/L	9.60		90.0	70-130		
PFDA	9.24		2.00	ng/L	10.0		92.4	70-130		
PFDoA	10.5		2.00	ng/L	10.0		105	70-130		
PFEESA	8.92		2.00	ng/L	8.92		100	70-130		
PFHpS	9.68		2.00	ng/L	9.54		101	70-130		
PFHpA	7.44		2.00	ng/L	10.0		74.4	70-130		
4:2FTS	8.88		2.00	ng/L	9.38		94.7	70-130		
PFHxS	8.32		2.00	ng/L	9.12		91.2	70-130		
PFHxA	9.48		2.00	ng/L	10.0		94.8	70-130		
PFMPA	8.52		2.00	ng/L	10.0		85.2	70-130		
PFMBA	10.2		2.00	ng/L	10.0		102	70-130		
PFNA	8.84		2.00	ng/L	10.0		88.4	70-130		
6:2FTS	9.00		2.00	ng/L	9.52		94.5	70-130		
PFOS	9.24		2.00	ng/L	9.28		99.6	70-130		
PFOA	8.72		2.00	ng/L	10.0		87.2	70-130		
PFPeA	9.08		2.00	ng/L	10.0		90.8	70-130		
PFPeS	8.56		2.00	ng/L	9.40		91.1	70-130		
PFUnA	9.80		2.00	ng/L	10.0		98.0	70-130		

Surrogate: 13C4-PFBA IDA			20.2	ng/L	20.0		101	50-200		
Surrogate: 13C5-PFPeA IDA			19.9	ng/L	20.0		99.6	50-200		
Surrogate: 13C3-PFBS IDA			20.0	ng/L	20.0		99.8	50-200		
Surrogate: 13C2-4:2FTS IDA			77.2	ng/L	80.0		96.5	50-200		
Surrogate: 13C5-PFHxA IDA			19.6	ng/L	20.0		97.8	50-200		
Surrogate: 13C3-HFPO-DA IDA			19.4	ng/L	20.0		96.8	50-200		
Surrogate: 13C4-PFHpA IDA			20.1	ng/L	20.0		100	50-200		
Surrogate: 13C3-PFHxS IDA			20.4	ng/L	20.0		102	50-200		
Surrogate: 13C2-6:2FTS IDA			82.4	ng/L	80.0		103	50-200		
Surrogate: 13C8-PFOA IDA			20.0	ng/L	20.0		100	50-200		
Surrogate: 13C9-PFNA IDA			20.4	ng/L	20.0		102	50-200		
Surrogate: 13C8-PFOS IDA			19.8	ng/L	20.0		98.8	50-200		
Surrogate: 13C2-8:2FTS IDA			78.0	ng/L	80.0		97.5	50-200		
Surrogate: 13C6-PFDA IDA			19.3	ng/L	20.0		96.6	50-200		
Surrogate: 13C7-PFUnA IDA			17.6	ng/L	20.0		87.8	50-200		
Surrogate: 13C2-PFDoA IDA			17.1	ng/L	20.0		85.4	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0380 - PFC 533 (Continued)

Matrix Spike (BDD0380-MS1)

Source: MDD0279-01

Prepared: 4/11/2023 Analyzed: 4/12/2023

11CI-PF3OUdS	8.76		2.00	ng/L	9.44	ND	92.8	70-130		
9CI-PF3ONS	8.68		2.00	ng/L	9.34	ND	92.9	70-130		
ADONA	7.72		2.00	ng/L	9.44	ND	81.8	70-130		
HFPO-DA	9.68		2.00	ng/L	10.0	ND	96.8	70-130		
NFDHA	10.3		2.00	ng/L	10.0	ND	103	70-130		
PFBA	8.72		2.00	ng/L	10.0	ND	87.2	70-130		
PFBS	8.40		2.00	ng/L	8.88	ND	94.6	70-130		
8:2FTS	8.44		2.00	ng/L	9.60	ND	87.9	70-130		
PFDA	7.72		2.00	ng/L	10.0	ND	77.2	70-130		
PFDoA	10.0		2.00	ng/L	10.0	ND	100	70-130		
PFEESA	8.80		2.00	ng/L	8.92	ND	98.7	70-130		
PFHpS	9.80		2.00	ng/L	9.54	ND	103	70-130		
PFHpA	8.96		2.00	ng/L	10.0	ND	89.6	70-130		
4:2FTS	8.60		2.00	ng/L	9.38	ND	91.7	70-130		
PFHxS	8.44		2.00	ng/L	9.12	ND	92.5	70-130		
PFHxA	10.4		2.00	ng/L	10.0	ND	104	70-130		
PFMPA	8.76		2.00	ng/L	10.0	ND	87.6	70-130		
PFMBA	10.4		2.00	ng/L	10.0	ND	104	70-130		
PFNA	8.76		2.00	ng/L	10.0	ND	87.6	70-130		
6:2FTS	9.12		2.00	ng/L	9.52	ND	95.8	70-130		
PFOS	9.36		2.00	ng/L	9.28	ND	101	70-130		
PFOA	10.7		2.00	ng/L	10.0	ND	107	70-130		
PFPeA	9.28		2.00	ng/L	10.0	ND	92.8	70-130		
PFPeS	8.52		2.00	ng/L	9.40	ND	90.6	70-130		
PFUnA	9.60		2.00	ng/L	10.0	ND	96.0	70-130		

Surrogate: 13C4-PFBA IDA			20.0	ng/L	20.0		99.8	50-200		
Surrogate: 13C5-PFPeA IDA			19.3	ng/L	20.0		96.6	50-200		
Surrogate: 13C3-PFBS IDA			19.8	ng/L	20.0		98.8	50-200		
Surrogate: 13C2-4:2FTS IDA			75.2	ng/L	80.0		94.0	50-200		
Surrogate: 13C5-PFHxA IDA			20.0	ng/L	20.0		100	50-200		
Surrogate: 13C3-HFPO-DA IDA			19.4	ng/L	20.0		97.2	50-200		
Surrogate: 13C4-PFHpA IDA			20.3	ng/L	20.0		101	50-200		
Surrogate: 13C3-PFHxS IDA			20.0	ng/L	20.0		99.8	50-200		
Surrogate: 13C2-6:2FTS IDA			82.8	ng/L	80.0		104	50-200		
Surrogate: 13C8-PFOA IDA			18.8	ng/L	20.0		94.0	50-200		
Surrogate: 13C9-PFNA IDA			21.6	ng/L	20.0		108	50-200		
Surrogate: 13C8-PFOS IDA			19.4	ng/L	20.0		97.0	50-200		
Surrogate: 13C2-8:2FTS IDA			81.2	ng/L	80.0		102	50-200		
Surrogate: 13C6-PFDA IDA			22.5	ng/L	20.0		112	50-200		
Surrogate: 13C7-PFUnA IDA			18.6	ng/L	20.0		93.2	50-200		
Surrogate: 13C2-PFDoA IDA			18.6	ng/L	20.0		93.0	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0380 - PFC 533 (Continued)

Matrix Spike Dup (BDD0380-MSD1)

Source: MDD0279-01

Prepared: 4/11/2023 Analyzed: 4/12/2023

11CI-PF3OUdS	9.08		2.00	ng/L	9.44	ND	96.2	70-130	3.59	30
9CI-PF3ONS	9.00		2.00	ng/L	9.34	ND	96.4	70-130	3.62	30
ADONA	7.32		2.00	ng/L	9.44	ND	77.5	70-130	5.32	30
HFPO-DA	8.88		2.00	ng/L	10.0	ND	88.8	70-130	8.62	30
NFDHA	9.44		2.00	ng/L	10.0	ND	94.4	70-130	8.91	30
PFBA	8.92		2.00	ng/L	10.0	ND	89.2	70-130	2.27	30
PFBS	8.76		2.00	ng/L	8.88	ND	98.6	70-130	4.20	30
8:2FTS	9.12		2.00	ng/L	9.60	ND	95.0	70-130	7.74	30
PFDA	8.96		2.00	ng/L	10.0	ND	89.6	70-130	14.9	30
PFDoA	11.1		2.00	ng/L	10.0	ND	111	70-130	9.85	30
PFEESA	9.28		2.00	ng/L	8.92	ND	104	70-130	5.31	30
PFHpS	9.88		2.00	ng/L	9.54	ND	104	70-130	0.813	30
PFHpA	7.76		2.00	ng/L	10.0	ND	77.6	70-130	14.4	30
4:2FTS	8.96		2.00	ng/L	9.38	ND	95.5	70-130	4.10	30
PFHxS	8.48		2.00	ng/L	9.12	ND	93.0	70-130	0.473	30
PFHxA	9.12		2.00	ng/L	10.0	ND	91.2	70-130	13.5	30
PFMPA	8.88		2.00	ng/L	10.0	ND	88.8	70-130	1.36	30
PFMBA	10.3		2.00	ng/L	10.0	ND	103	70-130	1.16	30
PFNA	9.32		2.00	ng/L	10.0	ND	93.2	70-130	6.19	30
6:2FTS	9.48		2.00	ng/L	9.52	ND	99.6	70-130	3.87	30
PFOS	9.36		2.00	ng/L	9.28	ND	101	70-130	0.00	30
PFOA	9.64		2.00	ng/L	10.0	ND	96.4	70-130	10.6	30
PFPeA	9.44		2.00	ng/L	10.0	ND	94.4	70-130	1.71	30
PFPeS	8.88		2.00	ng/L	9.40	ND	94.5	70-130	4.14	30
PFUnA	9.20		2.00	ng/L	10.0	ND	92.0	70-130	4.26	30

Surrogate: 13C4-PFBA IDA			20.8	ng/L	20.0		104	50-200		
Surrogate: 13C5-PFPeA IDA			20.7	ng/L	20.0		104	50-200		
Surrogate: 13C3-PFBS IDA			20.6	ng/L	20.0		103	50-200		
Surrogate: 13C2-4:2FTS IDA			81.6	ng/L	80.0		102	50-200		
Surrogate: 13C5-PFHxA IDA			22.1	ng/L	20.0		111	50-200		
Surrogate: 13C3-HFPO-DA IDA			21.1	ng/L	20.0		105	50-200		
Surrogate: 13C4-PFHpA IDA			21.4	ng/L	20.0		107	50-200		
Surrogate: 13C3-PFHxS IDA			21.3	ng/L	20.0		107	50-200		
Surrogate: 13C2-6:2FTS IDA			86.4	ng/L	80.0		108	50-200		
Surrogate: 13C8-PFOA IDA			20.4	ng/L	20.0		102	50-200		
Surrogate: 13C9-PFNA IDA			20.9	ng/L	20.0		104	50-200		
Surrogate: 13C8-PFOS IDA			20.7	ng/L	20.0		104	50-200		
Surrogate: 13C2-8:2FTS IDA			82.4	ng/L	80.0		103	50-200		
Surrogate: 13C6-PFDA IDA			20.2	ng/L	20.0		101	50-200		
Surrogate: 13C7-PFUnA IDA			19.9	ng/L	20.0		99.4	50-200		
Surrogate: 13C2-PFDoA IDA			19.4	ng/L	20.0		96.8	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0419 - PFC 533

Blank (BDD0419-BLK1)

Prepared: 4/12/2023 Analyzed: 4/15/2023

11CI-PF3OUdS	ND		2.00	ng/L						
9CI-PF3ONS	ND		2.00	ng/L						
ADONA	ND		2.00	ng/L						
HFPO-DA	ND		2.00	ng/L						
NFDHA	ND		2.00	ng/L						
PFBA	ND		2.00	ng/L						
PFBS	ND		2.00	ng/L						
8:2FTS	ND		2.00	ng/L						
PFDA	ND		2.00	ng/L						
PFDoA	ND		2.00	ng/L						
PFEESA	ND		2.00	ng/L						
PFHpS	ND		2.00	ng/L						
PFHpA	ND		2.00	ng/L						
4:2FTS	ND		2.00	ng/L						
PFHxS	ND		2.00	ng/L						
PFHxA	ND		2.00	ng/L						
PFMPA	ND		2.00	ng/L						
PFMBA	ND		2.00	ng/L						
PFNA	ND		2.00	ng/L						
6:2FTS	ND		2.00	ng/L						
PFOS	ND		2.00	ng/L						
PFOA	ND		2.00	ng/L						
PFPeA	ND		2.00	ng/L						
PFPeS	ND		2.00	ng/L						
PFUnA	ND		2.00	ng/L						

Surrogate: 13C4-PFBA IDA			20.4	ng/L	20.0		102	50-200		
Surrogate: 13C5-PFPeA IDA			19.6	ng/L	20.0		97.8	50-200		
Surrogate: 13C3-PFBS IDA			19.7	ng/L	20.0		98.4	50-200		
Surrogate: 13C2-4:2FTS IDA			83.6	ng/L	80.0		105	50-200		
Surrogate: 13C5-PFHxA IDA			18.8	ng/L	20.0		94.2	50-200		
Surrogate: 13C3-HFPO-DA IDA			18.9	ng/L	20.0		94.6	50-200		
Surrogate: 13C4-PFHpA IDA			19.3	ng/L	20.0		96.6	50-200		
Surrogate: 13C3-PFHxS IDA			19.9	ng/L	20.0		99.6	50-200		
Surrogate: 13C2-6:2FTS IDA			90.4	ng/L	80.0		113	50-200		
Surrogate: 13C8-PFOA IDA			20.3	ng/L	20.0		102	50-200		
Surrogate: 13C9-PFNA IDA			19.8	ng/L	20.0		98.8	50-200		
Surrogate: 13C8-PFOS IDA			19.8	ng/L	20.0		99.2	50-200		
Surrogate: 13C2-8:2FTS IDA			84.4	ng/L	80.0		106	50-200		
Surrogate: 13C6-PFDA IDA			17.7	ng/L	20.0		88.6	50-200		
Surrogate: 13C7-PFUnA IDA			19.2	ng/L	20.0		95.8	50-200		
Surrogate: 13C2-PFDoA IDA			17.8	ng/L	20.0		89.2	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0419 - PFC 533 (Continued)

LCS (BDD0419-BS1)

Prepared: 4/12/2023 Analyzed: 4/15/2023

11CI-PF3OUdS	2.48		2.00	ng/L	2.83		87.7	50-150		
9CI-PF3ONS	2.45		2.00	ng/L	2.80		87.5	50-150		
ADONA	2.13		2.00	ng/L	2.83		75.3	50-150		
HFPO-DA	2.48		2.00	ng/L	3.00		82.8	50-150		
NFDHA	2.44		2.00	ng/L	3.00		81.2	50-150		
PFBA	2.39		2.00	ng/L	3.00		79.6	50-150		
PFBS	2.30		2.00	ng/L	2.66		86.2	50-150		
8:2FTS	2.48		2.00	ng/L	2.88		86.3	50-150		
PFDA	2.42		2.00	ng/L	3.00		80.7	50-150		
PFDoA	2.85		2.00	ng/L	3.00		95.1	50-150		
PFEESA	2.44		2.00	ng/L	2.68		91.3	50-150		
PFHpS	2.64		2.00	ng/L	2.86		92.4	50-150		
PFHpA	2.52		2.00	ng/L	3.00		83.9	50-150		
4:2FTS	2.47		2.00	ng/L	2.81		87.7	50-150		
PFHxS	2.25		2.00	ng/L	2.74		82.2	50-150		
PFHxA	2.42		2.00	ng/L	3.00		80.8	50-150		
PFMPA	2.34		2.00	ng/L	3.00		77.9	50-150		
PFMBA	3.01		2.00	ng/L	3.00		100	50-150		
PFNA	2.25		2.00	ng/L	3.00		75.1	50-150		
6:2FTS	2.53		2.00	ng/L	2.86		88.7	50-150		
PFOS	2.60		2.00	ng/L	2.78		93.2	50-150		
PFOA	2.12		2.00	ng/L	3.00		70.7	50-150		
PFPeA	2.57		2.00	ng/L	3.00		85.6	50-150		
PFPeS	2.32		2.00	ng/L	2.82		82.4	50-150		
PFUnA	2.70		2.00	ng/L	3.00		89.9	50-150		
<hr/>										
Surrogate: 13C4-PFBA IDA			19.8	ng/L	20.0		99.0	50-200		
Surrogate: 13C5-PFPeA IDA			18.8	ng/L	20.0		93.8	50-200		
Surrogate: 13C3-PFBS IDA			19.8	ng/L	20.0		99.0	50-200		
Surrogate: 13C2-4:2FTS IDA			83.6	ng/L	80.0		105	50-200		
Surrogate: 13C5-PFHxA IDA			19.2	ng/L	20.0		96.0	50-200		
Surrogate: 13C3-HFPO-DA IDA			18.6	ng/L	20.0		92.8	50-200		
Surrogate: 13C4-PFHpA IDA			21.1	ng/L	20.0		106	50-200		
Surrogate: 13C3-PFHxS IDA			20.2	ng/L	20.0		101	50-200		
Surrogate: 13C2-6:2FTS IDA			90.8	ng/L	80.0		114	50-200		
Surrogate: 13C8-PFOA IDA			20.8	ng/L	20.0		104	50-200		
Surrogate: 13C9-PFNA IDA			20.3	ng/L	20.0		102	50-200		
Surrogate: 13C8-PFOS IDA			19.8	ng/L	20.0		99.2	50-200		
Surrogate: 13C2-8:2FTS IDA			84.0	ng/L	80.0		105	50-200		
Surrogate: 13C6-PFDA IDA			19.4	ng/L	20.0		97.0	50-200		
Surrogate: 13C7-PFUnA IDA			15.0	ng/L	20.0		74.8	50-200		
Surrogate: 13C2-PFDoA IDA			15.4	ng/L	20.0		76.8	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0419 - PFC 533 (Continued)

Matrix Spike (BDD0419-MS1)

Source: MDC0921-05

Prepared: 4/12/2023 Analyzed: 4/15/2023

11CI-PF3OUdS	8.39		2.00	ng/L	8.22	ND	102	70-130		
9CI-PF3ONS	8.15		2.00	ng/L	8.13	ND	100	70-130		
ADONA	8.01		2.00	ng/L	8.22	ND	97.5	70-130		
HFPO-DA	8.88		2.00	ng/L	8.71	ND	102	70-130		
NFDHA	8.85		2.00	ng/L	8.71	ND	102	70-130		
PFBA	8.36		2.00	ng/L	8.71	ND	96.0	70-130		
PFBS	8.15		2.00	ng/L	7.73	ND	105	70-130		
8:2FTS	8.36		2.00	ng/L	8.36	ND	100	70-130		
PFDA	9.68		2.00	ng/L	8.71	ND	111	70-130		
PFDoA	9.27		2.00	ng/L	8.71	ND	106	70-130		
PFEESA	8.60		2.00	ng/L	7.77	ND	111	70-130		
PFHpS	8.99		2.00	ng/L	8.31	ND	108	70-130		
PFHpA	8.67		2.00	ng/L	8.71	ND	99.6	70-130		
4:2FTS	8.39		2.00	ng/L	8.17	ND	103	70-130		
PFHxS	8.01		2.00	ng/L	7.94	ND	101	70-130		
PFHxA	8.88		2.00	ng/L	8.71	ND	102	70-130		
PFMPA	8.12		2.00	ng/L	8.71	ND	93.2	70-130		
PFMBA	10.3		2.00	ng/L	8.71	ND	118	70-130		
PFNA	8.92		2.00	ng/L	8.71	ND	102	70-130		
6:2FTS	8.88		2.00	ng/L	8.29	ND	107	70-130		
PFOS	8.92		2.00	ng/L	8.08	ND	110	70-130		
PFOA	9.13		2.00	ng/L	8.71	ND	105	70-130		
PFPeA	9.40		2.00	ng/L	8.71	ND	108	70-130		
PFPeS	8.22		2.00	ng/L	8.19	ND	100	70-130		
PFUnA	9.40		2.00	ng/L	8.71	ND	108	70-130		

Surrogate: 13C4-PFBA IDA			17.9	ng/L	17.4		103	50-200		
Surrogate: 13C5-PFPeA IDA			17.0	ng/L	17.4		97.4	50-200		
Surrogate: 13C3-PFBS IDA			17.3	ng/L	17.4		99.2	50-200		
Surrogate: 13C2-4:2FTS IDA			71.4	ng/L	69.7		103	50-200		
Surrogate: 13C5-PFHxA IDA			17.6	ng/L	17.4		101	50-200		
Surrogate: 13C3-HFPO-DA IDA			17.2	ng/L	17.4		99.0	50-200		
Surrogate: 13C4-PFHpA IDA			18.2	ng/L	17.4		105	50-200		
Surrogate: 13C3-PFHxS IDA			17.4	ng/L	17.4		100	50-200		
Surrogate: 13C2-6:2FTS IDA			75.9	ng/L	69.7		109	50-200		
Surrogate: 13C8-PFOA IDA			17.9	ng/L	17.4		103	50-200		
Surrogate: 13C9-PFNA IDA			18.6	ng/L	17.4		107	50-200		
Surrogate: 13C8-PFOS IDA			17.5	ng/L	17.4		100	50-200		
Surrogate: 13C2-8:2FTS IDA			72.1	ng/L	69.7		104	50-200		
Surrogate: 13C6-PFDA IDA			15.7	ng/L	17.4		90.2	50-200		
Surrogate: 13C7-PFUnA IDA			16.6	ng/L	17.4		95.4	50-200		
Surrogate: 13C2-PFDoA IDA			15.2	ng/L	17.4		87.4	50-200		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
 504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Hannah Heights
Address: P.O. Box 1536
 Friday Harbor, WA 98250
Attn: Hannah Heights

Work Order: MDD0141
Project: ODW PFAS
Reported: 4/18/2023 09:32

Quality Control Data (Continued)

Semivolatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0419 - PFC 533 (Continued)

Matrix Spike Dup (BDD0419-MSD1)

Source: MDC0921-05

Prepared: 4/12/2023 Analyzed: 4/15/2023

11CI-PF3OUdS	8.33		2.00	ng/L	8.37	ND	99.6	70-130	0.729	30
9CI-PF3ONS	8.23		2.00	ng/L	8.28	ND	99.4	70-130	0.934	30
ADONA	8.48		2.00	ng/L	8.37	ND	101	70-130	5.63	30
HFPO-DA	8.97		2.00	ng/L	8.87	ND	101	70-130	1.00	30
NFDHA	8.94		2.00	ng/L	8.87	ND	101	70-130	1.00	30
PFBA	8.51		2.00	ng/L	8.87	ND	96.0	70-130	1.79	30
PFBS	8.19		2.00	ng/L	7.87	ND	104	70-130	0.502	30
8:2FTS	8.26		2.00	ng/L	8.51	ND	97.1	70-130	1.17	30
PFDA	9.72		2.00	ng/L	8.87	ND	110	70-130	0.343	30
PFDoA	10.2		2.00	ng/L	8.87	ND	116	70-130	10.1	30
PFEESA	8.69		2.00	ng/L	7.91	ND	110	70-130	0.979	30
PFHpS	9.11		2.00	ng/L	8.46	ND	108	70-130	1.40	30
PFHpA	9.08		2.00	ng/L	8.87	ND	102	70-130	4.56	30
4:2FTS	8.33		2.00	ng/L	8.32	ND	100	70-130	0.729	30
PFHxS	8.12		2.00	ng/L	8.09	ND	100	70-130	1.36	30
PFHxA	9.01		2.00	ng/L	8.87	ND	102	70-130	1.40	30
PFMPA	8.44		2.00	ng/L	8.87	ND	95.2	70-130	3.92	30
PFMBA	10.1		2.00	ng/L	8.87	ND	114	70-130	2.01	30
PFNA	8.48		2.00	ng/L	8.87	ND	95.6	70-130	5.08	30
6:2FTS	8.87		2.00	ng/L	8.44	ND	105	70-130	0.188	30
PFOS	9.04		2.00	ng/L	8.23	ND	110	70-130	1.40	30
PFOA	9.61		2.00	ng/L	8.87	ND	108	70-130	5.17	30
PFPeA	9.18		2.00	ng/L	8.87	ND	104	70-130	2.37	30
PFPeS	8.26		2.00	ng/L	8.33	ND	99.1	70-130	0.513	30
PFUnA	9.22		2.00	ng/L	8.87	ND	104	70-130	1.98	30

Surrogate: 13C4-PFBA IDA	17.4	ng/L	17.7		98.2	50-200
Surrogate: 13C5-PFPeA IDA	17.5	ng/L	17.7		98.6	50-200
Surrogate: 13C3-PFBS IDA	17.2	ng/L	17.7		96.8	50-200
Surrogate: 13C2-4:2FTS IDA	74.5	ng/L	70.9		105	50-200
Surrogate: 13C5-PFHxA IDA	17.0	ng/L	17.7		96.0	50-200
Surrogate: 13C3-HFPO-DA IDA	15.2	ng/L	17.7		86.0	50-200
Surrogate: 13C4-PFHpA IDA	16.6	ng/L	17.7		93.4	50-200
Surrogate: 13C3-PFHxS IDA	17.4	ng/L	17.7		98.2	50-200
Surrogate: 13C2-6:2FTS IDA	77.7	ng/L	70.9		110	50-200
Surrogate: 13C8-PFOA IDA	17.1	ng/L	17.7		96.2	50-200
Surrogate: 13C9-PFNA IDA	17.9	ng/L	17.7		101	50-200
Surrogate: 13C8-PFOS IDA	17.4	ng/L	17.7		98.4	50-200
Surrogate: 13C2-8:2FTS IDA	74.1	ng/L	70.9		105	50-200
Surrogate: 13C6-PFDA IDA	14.7	ng/L	17.7		82.8	50-200
Surrogate: 13C7-PFUnA IDA	15.5	ng/L	17.7		87.4	50-200
Surrogate: 13C2-PFDoA IDA	13.9	ng/L	17.7		78.6	50-200



ANATEK LABS, INC

1282 Alturas Drive, Moscow ID 83843 208-883-2839 moscow@anateklabs.com EI

MDD0141



Due: 04/19/23

Washington Chain of Custody - ODW PFAS Water An

WATER SYSTEM	Hannah Heights
SEND REPORT TO	Sherris Phelps
ADDRESS	PO Box 1536
CITY STATE ZIP	ELL, WA 98250

Water System #	30850A
Phone Number	360-317-8335
E-Mail	sjwawater@gmail.com
County	San Juan

Sample Type
 After Treatment

Sample Purpose
 Compliance

Date & Time Collected
4/3 @ 12-

Sampler Name:
Phelps

Sampler Signature:
Sherris Phelps

Sample Location (required)

DOH Source #
 Single Well Source Number: 502

Receiving Check List

Received Intact No Headspace
 Labels & Chains Agree Temp: _____
 Ice/Ice-Packs Present: _____
 Custody Seals Present: _____
 Preservatives: _____

Check Desired Analysis

ODW PFAS PROJECT
 PFAS by EPA 533

Notes:

Customer Signature
Sherris Phelps

Shipping/Delivery Date
4-3

Received By

Date/Time Rec'd



ANATEK LABS, INC

1282 Alturas Drive, Moscow ID 83843 208-883-2839 moscow@anateklabs.com EPA# ID00013

Washington Chain of Custody - ODW PFAS Water Analysis

WATER SYSTEM	Hance Highb	Water System #	30850A
SEND REPORT TO	Phelps	Phone Number	360-317-8335
ADDRESS	PO Box 1536	E-Mail	sjwawater@gmail.com
CITY STATE ZIP	Ell WA 98250	County	San Juan

Sample Type <input type="checkbox"/> After Treatment	Date & Time Collected 4/3 12:20
Sample Purpose <input checked="" type="checkbox"/> Compliance	Sampler Name: Phelps
	Sampler Signature:

Sample Location (required)	
DOH Source #	
<input checked="" type="checkbox"/> Single Well Source Number: <u>503</u>	

Receiving Check List	
<input type="checkbox"/> Received Intact	<input type="checkbox"/> No Headspace
<input type="checkbox"/> Labels & Chains Agree	<input type="checkbox"/> Temp: _____
<input type="checkbox"/> Ice/Ice-Packs Present: _____	
<input type="checkbox"/> Custody Seals Present: _____	
<input type="checkbox"/> Preservatives: _____	

Check Desired Analysis
ODW PFAS PROJECT
<input checked="" type="checkbox"/> PFAS by EPA 533

Notes:

Customer Signature	
Shipping/Delivery Date	4/3

Received By	
Date/Time Rec'd	



Anatek Labs, Inc.

Sample Receipt and Preservation Form

Client Name: Hannah Heights

TAT: Normal RUSH: _____ days

Samples Received From: FedEx UPS USPS Client Courier Other: _____

Custody Seal on Cooler/Box: Yes No Custody Seals Intact: Yes No N/A

Number of Coolers/Boxes: 1 Type of Ice: Wet Ice Ice Packs Dry Ice None

Packing Material: Bubble Wrap Bags Foam/Peanuts Paper None Other: _____

Cooler Temp As Read (°C): 4.3°c Cooler Temp Corrected (°C): - Thermometer Used: IR-5

Comments:

Samples Received Intact?	<u>Yes</u>	No	N/A
Chain of Custody Present/Complete?	<u>Yes</u>	No	N/A
Labels and Chains Agree?	<u>Yes</u>	No	N/A
Samples Received Within Hold Time?	<u>Yes</u>	No	N/A
Correct Containers Received?	<u>Yes</u>	No	N/A
Anatek Bottles Used?	<u>Yes</u>	No	Unknown

Total Number of Sample Bottles Received: 6

Samples Properly Preserved?	<u>Yes</u>	No	N/A
<i>If No, record preservation and pH-after details</i>			
VOC Vials Free of Headspace (<6mm)?	Yes	No	<u>N/A</u>
VOC Trip Blanks Present?	Yes	No	<u>N/A</u>

Initial pH:	pH Paper ID:
<2 or	

Record preservatives (and lot numbers, if known) for containers below:

P250 Ammonia Acetate EPA 533x6

Notes, comments, etc. (also use this space if contacting the client - record names and date/time)

Received/Inspected By: SA Date/Time: 4-5-23 8:59