

Our ref: 11218519

November 07, 2023

Mr. Vance Atkins
Washington Department of Ecology
Northwest Regional Office
3190 160th Avenue SE
Bellevue WA 98008-5452

**Quarterly Progress Report
Shell Harbor Island Terminal, Seattle, Washington**

Dear Mr. Atkins,

GHD Services, Inc. (GHD) has prepared this letter on behalf of Equilon Enterprises dba Shell Oil Products US (Shell) as a progress report update for the Seattle Terminal (Site) MTCA remedial action in accordance with Consent Decree No. 99-2-07176-0SEA Section XI. This progress report covers the period from July 1, 2023, to September 30, 2023.

Table 1 summarizes Groundwater Cleanup Levels established for the Site, and Table 2 summarizes the established groundwater monitoring program. Depth to groundwater and groundwater elevation data are summarized in Table 3, and product gauging data in Table 4. Natural attenuation parameters are summarized in Table 5, and chemical constituent data are summarized in Tables 6 and 7.

1. Current Reporting Period Activities

- Monthly gauging events with product monitoring were conducted at monitoring wells MW-208, MW-210, MW-211, and MW-212 on July 20, August 17, and September 11, 2023, within the Shoreline Manifold Area. Monitoring wells MW-210 and MW-212 have absorbent socks that are checked during each monitoring event. The sock in MW-210 was changed during the July, August, and September events, and the sock in MW-212 was changed in July and September. In MW-210, 0.05 feet of free product was detected during the July monitoring event and 0.01 feet of free product was detected during the August monitoring event. No free product was detected in September. Measurable free product was not detected in wells MW-208, MW-211, or MW-212 during the monthly gauging events.
- The third quarter groundwater monitoring and sampling event was conducted on September 11 and 12, 2023 in accordance with the groundwater monitoring program as shown on Table 2.
 - Monitoring wells gauged during this event included:
 - TX-03A Area Excluding the North Tank Farm: MW-101, MW-102, MW-301 through MW-304, MW-307 through MW-313, MW-315, TES-MW-1, and TX-03A. MW-314 was inaccessible and unable to be gauged during this event.

- TX-03A Area North Tank Farm: MW-201 through MW-204, and MW-206A
- Shoreline Manifold Area: MW-208, and MW-210 through MW-212.
- Monitoring wells sampled during this event included:
 - TX-03A Area Excluding the North Tank Farm: MW-301 through MW-304, MW-307, MW-308, MW-310 through MW-313, MW-315, and TX-03A. MW-314 was inaccessible and unable to be sampled during this event.

2. Deviations from Required Tasks Not Otherwise Documented

2.1 TX-03A Area Bio-Sparge System

Construction of a bio-sparging system was completed in May 2017, and the system started on May 25, 2017. The bio-sparging system was shut off December 6, 2019, and rebound testing was initiated. Wells evaluated for rebound testing during the third quarter include, MW-301 through MW-304, MW-307, MW-308, MW-310 through MW-313, MW-315, and TX-03A. Benzene concentrations in the wells within the bio-sparging area during the September 2023 event remained below cleanup levels, except for wells MW-303, MW-304, and TX-03A. Total petroleum hydrocarbons (TPH) as gasoline (TPHg) exceeded cleanup levels in wells MW-302, MW-303, MW-307, MW-311, MW-312, MW-315, and TX-03A.

TPHg concentrations in all wells sampled generally remain below or within the range of concentrations reported between 2012 and 2016, prior to system operation, except for wells MW-311, MW-312, and MW-315. The reported concentration of TPHg in MW-311 (2.49 milligrams per liter [mg/L]) is greater than all previous sampling events. The reported concentration of TPHg in MW-312 (2.58 mg/L) is greater than concentrations reported in the previous five sampling events. The reported concentration of TPHg in MW-315 (3.02 mg/L) is greater than all previous sampling events.

Concentrations in wells MW-311, MW-312, and MW-315 may continue to fluctuate as treated groundwater from the remediation system travels downgradient from the treatment area. Based on these results, GHD does not recommend restarting the bio sparge system and will continue to conduct rebound monitoring to further assess concentration trends.

3. Deviations from Schedule and Any Planned Deviations in Upcoming Reporting Period

No deviations are currently planned for the fourth quarter 2023.

4. Plan for any Deviations in Schedule for Recovery of List Time and Maintaining Compliance with Schedule

None.

5. All Raw Data (including laboratory analysis) Received by Shell during the Post Quarter and a List of Deliverables for the Upcoming Reporting Period

- The groundwater cleanup levels are provided on Table 1, and the groundwater monitoring program is provided in Table 2. The groundwater elevation data, product monitoring data, compliance monitoring natural attenuation parameters, and groundwater sample results for the third quarter 2023 are included with the historical data on Tables 3 through 7. New groundwater data from the third quarter 2023 monitoring events are highlighted on these tables in yellow.
- The laboratory report for the third quarter 2023 monitoring event is included in Attachment 1.
- Groundwater samples were analyzed for one or more of the following during the third quarter 2023 groundwater monitoring event, in accordance with Table 2:
 - Volatile organic compounds: benzene, toluene, ethylbenzene, and xylenes (BTEX).
 - TPHg, TPH as diesel (TPHd), and TPH as oil (TPHo).
- A data quality review report is included in Attachment 2.

6. List of Deliverables for the Upcoming Reporting Period if Different from the Schedule

No deviations from the reporting schedule.

7. List of Deliverables in Review with Washington State Ecology or Other Agency


- AECOM, 2020a. Shell Harbor Island Terminal Major Remedial Efforts Summary (2016-2020). April 2.
- AECOM, 2020b. Shell Harbor Island Terminal Bio-Sparging System. April 9.
- AECOM, 2020c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 15, 2020. May 15.
- AECOM, 2020d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 14, 2020. August 14.
- GHD, 2020. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 13, 2020. November 13.
- GHD, 2021a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2020 Annual Compliance Monitoring Report, February 15, 2021. February 15.
- GHD, 2021b. Shell Harbor Island Terminal Interim Action Report. March 11.
- GHD, 2021c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 13, 2021. May 13.
- GHD, 2021d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 11, 2021. August 11.
- GHD, 2021e. Shell Harbor Island Terminal Well Installation Work Plan. August 21, 2021. August 21.

- GHD, 2021f. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 15, 2021. November 15.
- GHD, 2022a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2021 Annual Compliance Monitoring Report, February 15, 2022. February 15.
- GHD, 2022b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2022. May 12
- GHD, 2022c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2022. August 15.
- GHD, 2022d. Shell Harbor Island Terminal Site Investigation Report. October 14, 2022. October 14.
- GHD, 2022e. Shell Harbor Island Terminal Revised Site Investigation Report. December 15, 2022. December 15.
- GHD, 2023a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2022 Annual Compliance Monitoring Report, February 15, 2023. February 15.
- GHD, 2023b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2023. May 12.
- GHD, 2023c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2023. August 15.

Please do not hesitate to contact me at (425) 563-6502 if you have any questions or comments.

Sincerely,

GHD



Emily Blakeway
Project Manager

+1 425 563 6502
emily.blakeway@ghd.com



Jacquelyn England, LG
Technical Director

+1 707 540-9686
jacquelyn.england@ghd.com



Jacquelyn England

Encl.

Tables:

- Table 1 Groundwater Cleanup Levels
- Table 2 Groundwater Monitoring Program
- Table 3 Groundwater Elevation Data
- Table 4 Performance Product Monitoring Data
- Table 5 Compliance Monitoring Natural Attenuation Parameters
- Table 6 BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
- Table 7 Carcinogenic PAHs in Groundwater

Attachments:

- Attachment 1 - Laboratory Reports
- Attachment 2 - Data Quality Review Reports

cc: Andrea Wing – Shell Oil Products US
Joshua Lokomiak – Seattle Terminal Manager – Shell Oil Products US
David Mulkey – Shell Terminal Environmental Manager

Tables

Table 1
Groundwater Cleanup Levels
Shell Harbor Island Terminal
Seattle, Washington

| Constituent | Cleanup Level ^a (mg/L) |
|------------------------|-----------------------------------|
| Arsenic | 0.036 ^b |
| Benzene | 0.071 |
| Benzo(a)anthracene | 0.000031 |
| Benzo(a)pyrene | 0.000031 |
| Benzo(b)fluoranthene | 0.000031 |
| Benzo(k)fluoranthene | 0.000031 |
| Chrysene | 0.000031 |
| Dibenzo(a,h)anthracene | 0.000031 |
| Ethylbenzene | 29.0 |
| Indeno(1,2,3-cd)pyrene | 0.000031 |
| Lead | 0.0058 |
| TPH-G | 1.0 |
| TPH-D | 10 |
| TPH-O | 10 |
| Toluene | 200.0 |

Notes:

^a Cleanup levels per the Consent Decree (Ecology, 1998), except where noted.

^b Cleanup level based on ambient water quality criteria (chronic criteria for the protection of aquatic organisms) per WAC 173-201A-040.

mg/L = milligrams per liter

TPH-D = total petroleum hydrocarbons as diesel

TPH-G = total petroleum hydrocarbons as gasoline

TPH-O = total petroleum hydrocarbons as oil

**Table 2
Groundwater Monitoring Program
Shell Harbor Island Terminal
Seattle, Washington**

| Well | Schedule | | | | | | | | Analysis | | | | | Compliance Monitoring Well | | | | Well Construction | | Comments and Deviations from Monitoring Program |
|--|----------|--------|-------|--------|-------|--------|----------------------------------|--------|------------|----------------|--------|----------------|------|----------------------------|---------------------|----------------|----------------------------------|----------------------|----------------------------|---|
| | 1Q | | 2Q | | 3Q | | 4Q (2nd Semi-Annual & Annual) | | | | | | | Network | Well Class | | | Total Depth (ft bgs) | Screened Interval (ft bgs) | |
| | Gauge | Sample | Gauge | Sample | Gauge | Sample | Gauge | Sample | Total Lead | BTEX | TPH-Gx | TPH-Dx | PAHs | NA Parameters | Performance Product | NA Performance | Groundwater Quality Confirmation | | | |
| TX-03A Area - North Tank Farm | | | | | | | | | | | | | | | | | | | | |
| MW-201 | G | | G | | G | | G | S | | | X | X | X | | | | | X | 15 | 5.0 - 14.5 |
| MW-202 | G | | G | S | G | | G | S | | X ^A | X | X | | X ^A | | X | | | 15 | 5.0 - 14.5 |
| MW-203 | G | | G | S | G | | G | S | | | X | X | | X ^A | | X | | | 15 | 5.0 - 14.5 |
| MW-204 | G | | G | | G | | G | S | | X | X | X | | | X | | | X | 15 | 5.0 - 14.5 |
| MW-206A | G | | G | | G | | G | S | | X | X | X | | | | | X-BGD | | 15 | 5.0 - 14.5 |
| TX-03A Area - Excluding the North Tank Farm | | | | | | | | | | | | | | | | | | | | |
| MW-101 | G | | G | | G | | G | S | | X | X | X | | | | | | | 15 | 5.0 - 14.5 |
| MW-102 | G | | G | | G | | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 14.5 |
| MW-301 | G | S | G | S | G | S | G | S | | X | X | X | | | | | | | 15 | 5.0 - 15.0 |
| MW-302 | G | S | G | S | G | S | G | S | | X | X | X ^A | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-303 | G | S | G | S | G | S | G | S | | X | X | X ^A | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-304 | G | S | G | S | G | S | G | S | | X | X | X ^A | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-307 | G | S | G | S | G | S | G | S | | X | X | X ^S | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-308 | G | S | G | S | G | S | G | S | | X | X | X | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-309 | G | | G | S | G | | G | S | | X | X | X ^A | | | | | | | 15 | 5.0 - 15.0 |
| MW-310 | G | S | G | S | G | S | G | S | | X | X | X ^A | | X ^A | | X | | | 15 | 5.0 - 15.0 |
| MW-311 | G | S | G | S | G | S | G | S | | X | X | X | | X ^A | | X | | X | 15 | 5.0 - 15.0 |
| MW-312 | G | S | G | S | G | S | G | S | | X | X | X | | X ^A | | X | | X | 15 | 5.0 - 15.0 |
| MW-313 | G | S | G | S | G | S | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 15.0 |
| MW-314 | G | S | G | S | G | S | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 15.0 |
| MW-315 | G | S | G | S | G | S | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 15.0 |
| TES-MW-1 | G | | G | | G | | G | S | | X | X | X | | | | | | | 18 | 3.0 - 18.0 |
| TX-03A | G | S | G | S | G | S | G | S | | X | X | X ^A | | X ^A | | X | | | 16 | 6.0 - 16.0 |
| SH-04 Area | | | | | | | | | | | | | | | | | | | | |
| MW-05 | | | G | S | | | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 15.0 |
| MW-111 | | | G | S | | | G | S | | X | X | X | | | | | | X | 15 | 5.0 - 14.5 |
| MW-112A | | | G | S | | | G | S | | X | X | X | | | | | | X | 15 | 5.5 - 15.0 |
| SH-04 | | | G | S | | | G | S | | X | X | X | | | | | | X | 16 | 6.0 - 16.0 |
| MW-104 | | | G | S | | | G | S | X | | X | X | | | | | | X | 15 | 5.0 - 14.5 |
| Pump House Area Wells | | | | | | | | | | | | | | | | | | | | |
| MW-113 | | | G | S | | | G | S | | X | X | X | | | | | | | 15 | 5.0-15.0 |
| MW-114 | | | G | S | | | G | S | | X | X | X | | | | | | | 15 | 5.0-15.0 |
| MW-115 | | | G | S | | | G | S | | X | X | X | | | | | | | 15 | 5.0-15.0 |
| Additional Compliance Monitoring Wells | | | | | | | | | | | | | | | | | | | | |
| MW-105 | | | | | | | G | S | X | X | X | X | | | | | | X | 15 | 5.0 - 14.5 |
| TX-04 | | | | | | | G | S | | X | X | X | | | | | | X | 16 | 6.0 - 16.0 |
| TX-06A | | | | | | | G | S | | X | X | X | | | | | | X | 15.8 | 5.5 - 15.5 |
| Shoreline Manifold Area | | | | | | | | | | | | | | | | | | | | |
| MW-208 | MG | | MG | | MG | | MG | | | | | | | X | | | | | 16.5 | 5.0 - 14.5 |
| MW-210 | MG | | MG | | MG | | MG | | | | | | | X | | | | | 15 | unknown |
| MW-211 | MG | | MG | | MG | | MG | | | | | | | X | | | | | 13 | 5.0 -13.0 |
| MW-212 | MG | | MG | | MG | | MG | | | | | | | X | | | | | 12 | unknown |
| MW-213 | | | G | S | | | G | S | | X | X | X | X | | | | | X-POC | 30 | 30 - 40 |
| MW-214 | | | G | S | | | G | S | | X | X | X | X | | | | | X-POC | 30 | 30 - 40 |

**Table 2
Groundwater Monitoring Program
Shell Harbor Island Terminal
Seattle, Washington**

| Well | Schedule | | | | | | | | Analysis | | | | | | | | | | Compliance Monitoring Well | | | | Well Construction | | Comments and Deviations from Monitoring Program |
|--|----------|--------|-------|--------|-------|--------|-------------------------------|--------|------------|------|--------|--------|------|---------------|---------------------|----------------|----------------------------------|--------|----------------------------|----------------------------|----------------------------|--|-------------------|--|---|
| | 1Q | | 2Q | | 3Q | | 4Q (2nd Semi-Annual & Annual) | | Total Lead | BTEX | TPH-Gx | TPH-Dx | PAHs | NA Parameters | Performance Product | NA Performance | Groundwater Quality Confirmation | Sentry | Total Depth (ft bgs) | Screened Interval (ft bgs) | | | | | |
| | Gauge | Sample | Gauge | Sample | Gauge | Sample | Gauge | Sample | | | | | | | | | | | | | | | | | |
| Additional Wells (Included in Annual Inspection only) | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASW-1 | | | | | | | | | | | | | | | | | | | 14 | 13 - 14 | Air sparge well | | | | |
| PSV-1 | | | | | | | | | | | | | | | | | | | 4 | 3 - 4 | Soil gas well | | | | |
| PSV-2 | | | | | | | | | | | | | | | | | | | 4 | 3 - 4 | Soil gas well | | | | |
| SVE-1 | | | | | | | | | | | | | | | | | | | 4 | 3 - 4 | Soil vapor extraction well | | | | |
| TW-01 | | | | | | | | | | | | | | | | | | | 14 | 4 - 14 | Pumping test well | | | | |
| DP-06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-103 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-106 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-107 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-108 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-109 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-205 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-209 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-305 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-306 | | | | | | | | | | | | | | | | | | | | | | | | | |
| AMW-8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| AMW-X | | | | | | | | | | | | | | | | | | | | | | | | | |

Notes:

Red = Modifications to the program since the November 2008 proposed changes which were established in correspondence between URS and Ecology. Additional modifications to incorporate Pump House Area Wells per GHD's October 14, 2022 Site Investigation Report.

1Q = March

2Q = June

3Q = August

4Q = December

Addtl = Additional

BGD = Background well with respect to confirmational sampling

BTEX = benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8260B

Dec = December

DTP = Depth to product

ft bgs = below ground surface

G = indicates a well to be gauged during that event

MG = monthly gauge

NA = natural attenuation

Natural Attenuation Parameters: Nitrate and Nitrite by EPA Method 353.2, Sulfate by EPA Method 300.0, Dissolved Iron and Manganese by EPA Method 6010B/6020A (Lab Filtered), and Ferrous Iron collected in the field.

PAHs = polycyclic aromatic hydrocarbons by EPA Method 8270C-SIM

POC = Conditional Point of Compliance Well

Q = quarter

S = indicates a well to be sampled during that event

Sept = September

Total Lead by EPA Method 6020

TPH-Dx = total petroleum hydrocarbons as diesel by NWTPH-Dx

TPH-Gx = total petroleum hydrocarbons as gasoline by NWTPH-Gx WLM = Water level measurement

X = indicates a well to be analyzed for that analyte

X^A = indicates a well to be analyzed for that analyte during the annual sampling event only

X^S = indicates a well to be analyzed for that analyte during both semi-annual sampling events only

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-05 | 04/06/93 | 10.39 | 6.12 | 4.27 |
| MW-05 | 05/13/93 | 10.39 | 5.92 | 4.47 |
| MW-05 | 06/10/93 | 10.39 | 5.98 | 4.41 |
| MW-05 | 07/08/93 | 10.39 | 6.23 | 4.16 |
| MW-05 | 08/03/93 | 10.39 | 6.50 | 3.89 |
| MW-05 | 10/08/93 | 10.39 | 7.22 | 3.17 |
| MW-05 | 11/05/93 | 10.39 | 7.42 | 2.97 |
| MW-05 | 12/03/93 | 10.39 | 7.38 | 3.01 |
| MW-05 | 01/05/94 | 10.39 | 6.64 | 3.75 |
| MW-05 | 02/04/94 | 10.39 | 6.54 | 3.85 |
| MW-05 | 08/28/95 | 10.39 | Not Measured | Not Measured |
| MW-05 | 09/27/95 | 10.39 | 8.35 | 2.04 |
| MW-05 | 04/27/99 | 10.39 | 8.07 | 2.32 |
| MW-05 | 07/14/99 | 10.39 | 5.88 | 4.51 |
| MW-05 | 10/18/99 | 10.39 | 7.00 | 3.39 |
| MW-05 | 04/05/00 | 10.39 | 5.05 | 5.34 |
| MW-05 | 07/18/00 | 10.39 | 6.30 | 4.09 |
| MW-05 | 10/02/00 | 10.39 | 7.15 | 3.24 |
| MW-05 | 01/22/01 | 10.39 | 6.50 | 3.89 |
| MW-05 | 07/23/01 | 10.39 | 7.43 | 2.96 |
| MW-05 | 07/18/02 | 10.39 | 7.10 | 3.29 |
| MW-05 | 01/30/03 | 10.39 | 5.84 | 4.55 |
| MW-05 | 04/15/03 | 10.39 | 5.80 | 4.59 |
| MW-05 | 07/17/03 | 10.39 | 7.12 | 3.27 |
| MW-05 | 10/15/03 | 10.39 | 7.78 | 2.61 |
| MW-05 | 10/23/03 | 10.39 | 7.80 | 2.59 |
| MW-05 | 01/13/04 | 10.39 | 5.65 | 4.74 |
| MW-05 | 04/19/04 | 13.57 | 6.35 | 7.22 |
| MW-05 | 07/27/04 | 13.57 | 7.32 | 6.25 |
| MW-05 | 10/18/04 | 13.57 | 7.36 | 6.21 |
| MW-05 | 01/24/05 | 13.57 | 6.26 | 7.31 |
| MW-05 | 04/18/05 | 13.57 | 6.27 | 7.30 |
| MW-05 | 07/12/05 | 13.57 | 6.85 | 6.72 |
| MW-05 | 10/18/05 | 13.57 | 7.60 | 5.97 |
| MW-05 | 01/25/06 | 13.57 | 4.78 | 8.79 |
| MW-05 | 04/25/06 | 13.57 | 5.90 | 7.67 |
| MW-05 | 10/11/06 | 13.57 | 7.62 | 5.95 |
| MW-05 | 11/19/08 | 13.57 | 8.23 | 5.34 |
| MW-05 | 11/16/09 | 13.57 | 6.44 | 7.13 |
| MW-05 | 10/29/10 | 13.57 | 6.57 | 7.00 |
| MW-05 | 10/25/11 | 13.57 | 7.25 | 6.32 |
| MW-05 | 05/30/12 | 13.57 | 5.86 | 7.71 |
| MW-05 | 08/23/12 | 13.57 | 6.63 | 6.94 |
| MW-05 | 11/27/12 | 13.57 | 5.30 | 8.27 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-05 | 05/16/13 | 13.57 | 5.72 | 7.85 |
| MW-05 | 11/07/13 | 13.57 | 6.49 | 7.08 |
| MW-05 | 04/22/14 | 13.57 | 5.25 | 8.32 |
| MW-05 | 12/08/15 | 13.57 | 5.42 | 8.15 |
| MW-05 | 05/04/16 | 13.57 | 5.22 | 8.35 |
| MW-05 | 12/14/16 | 13.57 | 4.78 | 8.79 |
| MW-05 | 06/13/17 | 13.57 | 5.45 | 8.12 |
| MW-05 | 12/04/17 | 13.57 | 5.64 | 7.93 |
| MW-05 | 06/12/18 | 13.57 | 6.43 | 7.14 |
| MW-05 | 12/17/18 | 13.57 | 6.27 | 7.30 |
| MW-05 | 05/15/19 | 13.57 | 6.69 | 6.88 |
| MW-05 | 12/09/19 | 13.57 | 7.09 | 6.48 |
| MW-05 | 06/29/20 | 13.57 | 6.30 | 7.27 |
| MW-05 | 12/14/20 | 13.57 | 6.31 | 7.26 |
| MW-05 | 04/12/21 | 13.57 | 5.40 | 8.17 |
| MW-05 | 06/14/21 | 13.57 | 6.27 | 7.30 |
| MW-05 | 12/15/21 | 13.57 | 5.00 | 8.57 |
| MW-05 | 04/18/22 | 13.57 | 5.35 | 8.22 |
| MW-05 | 06/27/22 | 13.57 | 5.73 | 7.84 |
| MW-05 | 12/12/22 | 13.57 | 5.95 | 7.62 |
| MW-05 | 06/12/23 | 13.57 | 5.98 | 7.59 |
| MW-101 | 04/06/93 | 15.14 | 10.48 | 4.66 |
| MW-101 | 05/13/93 | 15.14 | 10.32 | 4.82 |
| MW-101 | 06/10/93 | 15.14 | 10.45 | 4.69 |
| MW-101 | 07/08/93 | 15.14 | 10.75 | 4.39 |
| MW-101 | 08/03/93 | 15.14 | 11.09 | 4.05 |
| MW-101 | 09/08/93 | 15.14 | 11.52 | 3.62 |
| MW-101 | 10/08/93 | 15.14 | 11.89 | 3.25 |
| MW-101 | 11/05/93 | 15.14 | 12.13 | 3.01 |
| MW-101 | 12/03/93 | 15.14 | 12.14 | 3.00 |
| MW-101 | 01/05/94 | 15.14 | 11.16 | 3.98 |
| MW-101 | 02/04/94 | 15.14 | 11.02 | 4.12 |
| MW-101 | 08/28/95 | 15.14 | 11.25 | 3.89 |
| MW-101 | 09/27/95 | 15.14 | 11.49 | 3.65 |
| MW-101 | 04/27/99 | 15.14 | 9.22 | 5.92 |
| MW-101 | 07/14/99 | 15.14 | 10.73 | 4.41 |
| MW-101 | 10/18/99 | 15.14 | 11.78 | 3.36 |
| MW-101 | 01/11/00 | 15.14 | 9.73 | 5.41 |
| MW-101 | 04/05/00 | 15.14 | 9.85 | 5.29 |
| MW-101 | 07/18/00 | 15.14 | 11.01 | 4.13 |
| MW-101 | 10/02/00 | 15.14 | 11.85 | 3.29 |
| MW-101 | 01/22/01 | 15.14 | 11.67 | 3.47 |
| MW-101 | 07/23/01 | 15.14 | 12.33 | 2.81 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-101 | 10/16/01 | 15.14 | 13.15 | 1.99 |
| MW-101 | 04/23/02 | 15.14 | 10.81 | 4.33 |
| MW-101 | 07/18/02 | 15.14 | 11.88 | 3.26 |
| MW-101 | 10/23/02 | 15.14 | 12.73 | 2.41 |
| MW-101 | 01/30/03 | 15.14 | 10.09 | 5.05 |
| MW-101 | 04/15/03 | 15.14 | 10.36 | 4.78 |
| MW-101 | 07/17/03 | 15.14 | 11.94 | 3.20 |
| MW-101 | 10/15/03 | 15.14 | 12.68 | 2.46 |
| MW-101 | 01/13/04 | 15.14 | 10.06 | 5.08 |
| MW-101 | 04/19/04 | 18.21 | 11.13 | 7.08 |
| MW-101 | 07/27/04 | 18.21 | 12.07 | 6.14 |
| MW-101 | 10/18/04 | 18.21 | 12.19 | 6.02 |
| MW-101 | 01/24/05 | 18.21 | 10.61 | 7.60 |
| MW-101 | 04/18/05 | 18.21 | 10.86 | 7.35 |
| MW-101 | 07/12/05 | 18.21 | 11.61 | 6.60 |
| MW-101 | 10/18/05 | 18.21 | 12.45 | 5.76 |
| MW-101 | 01/25/06 | 18.21 | 9.21 | 9.00 |
| MW-101 | 04/25/06 | 18.21 | 10.75 | 7.46 |
| MW-101 | 10/11/06 | 18.21 | 12.39 | 5.82 |
| MW-101 | 11/18/08 | 18.21 | 11.45 | 6.76 |
| MW-101 | 11/16/09 | 18.21 | 10.95 | 7.26 |
| MW-101 | 10/26/10 | 18.21 | 11.36 | 6.85 |
| MW-101 | 10/25/11 | 18.21 | 12.15 | 6.06 |
| MW-101 | 05/30/12 | 18.21 | 10.79 | 7.42 |
| MW-101 | 06/13/12 | 18.21 | 10.90 | 7.31 |
| MW-101 | 09/26/12 | 18.21 | 12.04 | 6.17 |
| MW-101 | 11/27/12 | 18.21 | 9.90 | 8.31 |
| MW-101 | 02/22/13 | 18.21 | 10.24 | 7.97 |
| MW-101 | 05/16/13 | 18.21 | 10.89 | 7.32 |
| MW-101 | 09/06/13 | 18.21 | 11.99 | 6.22 |
| MW-101 | 11/07/13 | 18.21 | 11.78 | 6.43 |
| MW-101 | 04/22/14 | 18.21 | 10.16 | 8.05 |
| MW-101 | 11/04/14 | 18.21 | 10.70 | 7.51 |
| MW-101 | 03/10/15 | 18.21 | 10.31 | 7.90 |
| MW-101 | 05/15/15 | 18.21 | 10.03 | 8.18 |
| MW-101 | 07/29/15 | 18.21 | 11.86 | 6.35 |
| MW-101 | 12/10/15 | 18.21 | 9.12 | 9.09 |
| MW-101 | 02/23/16 | 18.21 | 8.81 | 9.40 |
| MW-101 | 05/03/16 | 18.21 | 10.29 | 7.92 |
| MW-101 | 08/30/16 | 18.21 | 11.29 | 6.92 |
| MW-101 | 12/14/16 | 18.21 | 9.62 | 8.59 |
| MW-101 | 03/13/17 | 18.21 | 8.87 | 9.34 |
| MW-101 | 06/13/17 | 18.21 | 10.53 | 7.68 |
| MW-101 | 08/22/17 | 18.21 | 11.63 | 6.58 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-101 | 12/04/17 | 18.21 | 10.18 | 8.03 |
| MW-101 | 03/06/18 | 18.21 | 10.05 | 8.16 |
| MW-101 | 06/12/18 | 18.21 | 11.03 | 7.18 |
| MW-101 | 09/05/18 | 18.21 | 11.97 | 6.24 |
| MW-101 | 12/17/18 | 18.21 | 10.98 | 7.23 |
| MW-101 | 03/18/19 | 18.21 | 10.17 | 8.04 |
| MW-101 | 05/15/19 | 18.21 | 10.58 | 7.63 |
| MW-101 | 09/17/19 | 18.21 | 12.03 | 6.18 |
| MW-101 | 12/09/19 | 18.21 | 11.82 | 6.39 |
| MW-101 | 04/27/20 | 18.21 | 10.53 | 7.68 |
| MW-101 | 06/29/20 | 18.21 | 11.15 | 7.06 |
| MW-101 | 09/21/20 | 18.21 | 12.00 | 6.21 |
| MW-101 | 12/14/20 | 18.21 | 11.10 | 7.11 |
| MW-101 | 04/12/21 | 18.21 | 10.20 | 8.01 |
| MW-101 | 06/14/21 | 18.21 | 11.05 | 7.16 |
| MW-101 | 09/22/21 | 18.21 | 12.00 | 6.21 |
| MW-101 | 12/14/21 | 18.21 | 9.41 | 8.80 |
| MW-101 | 03/28/22 | 18.21 | 9.67 | 8.54 |
| MW-101 | 06/27/22 | 18.21 | 11.22 | 6.99 |
| MW-101 | 09/19/22 | 18.21 | 11.79 | 6.42 |
| MW-101 | 12/12/22 | 18.21 | 10.70 | 7.51 |
| MW-101 | 03/27/23 | 18.21 | 11.26 | 6.95 |
| MW-101 | 06/12/23 | 18.21 | 10.30 | 7.91 |
| MW-101 | 09/11/23 | 18.21 | 10.96 | 7.25 |
| MW-102 | 04/06/93 | 12.51 | 7.99 | 4.52 |
| MW-102 | 05/13/93 | 12.51 | 7.82 | 4.69 |
| MW-102 | 06/10/93 | 12.51 | 7.80 | 4.71 |
| MW-102 | 07/08/93 | 12.51 | 8.32 | 4.19 |
| MW-102 | 08/03/93 | 12.51 | 8.68 | 3.83 |
| MW-102 | 09/08/93 | 12.51 | 9.03 | 3.48 |
| MW-102 | 10/08/93 | 12.51 | 9.44 | 3.07 |
| MW-102 | 11/05/93 | 12.51 | 9.62 | 2.89 |
| MW-102 | 12/03/93 | 12.51 | 9.42 | 3.09 |
| MW-102 | 01/05/94 | 12.51 | 8.50 | 4.01 |
| MW-102 | 02/04/94 | 12.51 | 8.52 | 3.99 |
| MW-102 | 08/28/95 | 12.51 | 8.86 | 3.65 |
| MW-102 | 09/27/95 | 12.51 | 9.17 | 3.34 |
| MW-102 | 04/27/99 | 12.51 | 6.68 | 5.83 |
| MW-102 | 07/14/99 | 12.51 | 8.40 | 4.11 |
| MW-102 | 10/18/99 | 12.51 | 9.38 | 3.13 |
| MW-102 | 01/11/00 | 12.51 | 7.43 | 5.08 |
| MW-102 | 04/05/00 | 12.51 | 7.55 | 4.96 |
| MW-102 | 07/18/00 | 12.51 | 8.37 | 4.14 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-102 | 10/02/00 | 12.51 | 9.45 | 3.06 |
| MW-102 | 01/22/01 | 12.51 | 9.12 | 3.39 |
| MW-102 | 07/23/01 | 12.51 | 9.91 | 2.60 |
| MW-102 | 04/23/02 | 12.51 | 8.17 | 4.34 |
| MW-102 | 07/18/02 | 12.51 | 9.44 | 3.07 |
| MW-102 | 07/18/02 | 12.51 | 9.44 | 3.07 |
| MW-102 | 10/23/02 | 12.51 | 10.05 | 2.46 |
| MW-102 | 01/28/03 | 12.51 | 7.20 | 5.31 |
| MW-102 | 04/15/03 | 12.51 | 7.75 | 4.76 |
| MW-102 | 07/17/03 | 12.51 | 9.51 | 3.00 |
| MW-102 | 10/15/03 | 12.51 | 10.11 | 2.40 |
| MW-102 | 01/13/04 | 12.51 | 7.49 | 5.02 |
| MW-102 | 04/19/04 | 15.60 | 8.72 | 6.88 |
| MW-102 | 07/27/04 | 15.60 | 9.62 | 5.98 |
| MW-102 | 10/18/04 | 15.60 | 9.54 | 6.06 |
| MW-102 | 01/24/05 | 15.60 | 7.92 | 7.68 |
| MW-102 | 04/18/05 | 15.60 | 8.20 | 7.40 |
| MW-102 | 07/12/05 | 15.60 | 9.10 | 6.50 |
| MW-102 | 10/18/05 | 15.60 | 9.87 | 5.73 |
| MW-102 | 01/25/06 | 15.60 | 3.94 | 11.66 |
| MW-102 | 04/25/06 | 15.60 | 8.24 | 7.36 |
| MW-102 | 10/11/06 | 15.60 | 9.84 | 5.76 |
| MW-102 | 11/19/08 | 15.60 | 8.79 | 6.81 |
| MW-102 | 11/16/09 | 15.60 | 8.10 | 7.50 |
| MW-102 | 10/28/10 | 15.60 | 8.64 | 6.96 |
| MW-102 | 10/25/11 | 15.60 | 9.59 | 6.01 |
| MW-102 | 05/30/12 | 15.60 | 8.27 | 7.33 |
| MW-102 | 06/13/12 | 15.60 | 8.32 | 7.28 |
| MW-102 | 09/26/12 | 15.60 | 9.53 | 6.07 |
| MW-102 | 11/27/12 | 15.60 | 7.03 | 8.57 |
| MW-102 | 02/22/13 | 15.60 | 7.88 | 7.72 |
| MW-102 | 05/16/13 | 15.60 | 8.40 | 7.20 |
| MW-102 | 09/06/13 | 15.60 | 9.36 | 6.24 |
| MW-102 | 11/07/13 | 15.60 | 9.18 | 6.42 |
| MW-102 | 04/22/14 | 15.60 | 7.69 | 7.91 |
| MW-102 | 11/04/14 | 15.60 | 7.91 | 7.69 |
| MW-102 | 03/10/15 | 15.60 | 7.90 | 7.70 |
| MW-102 | 05/15/15 | 15.60 | 8.47 | 7.13 |
| MW-102 | 07/29/15 | 15.60 | 9.39 | 6.21 |
| MW-102 | 12/10/15 | 15.60 | 6.53 | 9.07 |
| MW-102 | 02/23/16 | 15.60 | 6.78 | 8.82 |
| MW-102 | 05/03/16 | 15.60 | 7.92 | 7.68 |
| MW-102 | 08/30/16 | 15.60 | 8.98 | 6.62 |
| MW-102 | 12/14/16 | 15.60 | 7.27 | 8.33 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-102 | 03/13/17 | 15.60 | 6.75 | 8.85 |
| MW-102 | 06/13/17 | 15.60 | 8.10 | 7.50 |
| MW-102 | 08/22/17 | 15.60 | 9.20 | 6.40 |
| MW-102 | 12/04/17 | 15.60 | 7.32 | 8.28 |
| MW-102 | 03/06/18 | 15.60 | 8.61 | 6.99 |
| MW-102 | 06/12/18 | 15.60 | 9.02 | 6.58 |
| MW-102 | 09/05/18 | 15.60 | 9.47 | 6.13 |
| MW-102 | 12/17/18 | 15.60 | 8.20 | 7.40 |
| MW-102 | 03/18/19 | 15.60 | 7.69 | 7.91 |
| MW-102 | 05/15/19 | 15.60 | 7.83 | 7.77 |
| MW-102 | 09/17/19 | 15.60 | 9.36 | 6.24 |
| MW-102 | 12/09/19 | 15.60 | 9.23 | 6.37 |
| MW-102 | 04/27/20 | 15.60 | 7.97 | 7.63 |
| MW-102 | 06/29/20 | 15.60 | 8.53 | 7.07 |
| MW-102 | 09/21/20 | 15.60 | 9.48 | 6.12 |
| MW-102 | 12/14/20 | 15.60 | 8.31 | 7.29 |
| MW-102 | 04/12/21 | 15.60 | 7.77 | 7.83 |
| MW-102 | 06/14/21 | 15.60 | 8.47 | 7.13 |
| MW-102 | 09/22/21 | 15.60 | 9.39 | 6.21 |
| MW-102 | 12/16/21 | 15.60 | 6.81 | 8.79 |
| MW-102 | 03/28/22 | 15.60 | 7.28 | 8.32 |
| MW-102 | 06/27/22 | 15.60 | 8.46 | 7.14 |
| MW-102 | 09/19/22 | 15.60 | 9.44 | 6.16 |
| MW-102 | 12/12/22 | 15.60 | 7.25 | 8.35 |
| MW-102 | 03/27/23 | 15.60 | 8.02 | 7.58 |
| MW-102 | 06/12/23 | 15.60 | 7.97 | 7.63 |
| MW-102 | 09/11/23 | 15.60 | 9.00 | 6.60 |
| MW-104 | 04/06/93 | 10.22 | 5.98 | 4.24 |
| MW-104 | 05/13/93 | 10.22 | 6.79 | 3.43 |
| MW-104 | 06/10/93 | 10.22 | 5.85 | 4.37 |
| MW-104 | 07/08/93 | 10.22 | 6.13 | 4.09 |
| MW-104 | 08/03/93 | 10.22 | 6.38 | 3.84 |
| MW-104 | 09/08/93 | 10.22 | 6.72 | 3.50 |
| MW-104 | 10/08/93 | 10.22 | 7.05 | 3.17 |
| MW-104 | 11/05/93 | 10.22 | 7.26 | 2.96 |
| MW-104 | 12/03/93 | 10.22 | 7.26 | 2.96 |
| MW-104 | 01/05/94 | 10.22 | 6.64 | 3.58 |
| MW-104 | 02/04/94 | 10.22 | 6.46 | 3.76 |
| MW-104 | 08/28/95 | 10.22 | 6.43 | 3.79 |
| MW-104 | 09/27/95 | 10.22 | 6.70 | 3.52 |
| MW-104 | 04/27/99 | 10.22 | 2.41 | 7.81 |
| MW-104 | 07/14/99 | 10.22 | 5.62 | 4.60 |
| MW-104 | 10/18/99 | 10.22 | 6.80 | 3.42 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-104 | 01/11/00 | 10.22 | 5.04 | 5.18 |
| MW-104 | 04/05/00 | 10.22 | 4.80 | 5.42 |
| MW-104 | 07/18/00 | 10.22 | 6.15 | 4.07 |
| MW-104 | 10/02/00 | 10.22 | 7.02 | 3.20 |
| MW-104 | 01/22/01 | 10.22 | 6.45 | 3.77 |
| MW-104 | 07/23/01 | 10.22 | 7.39 | 2.83 |
| MW-104 | 10/16/01 | 10.22 | 8.59 | 1.63 |
| MW-104 | 04/23/02 | 10.22 | 5.91 | 4.31 |
| MW-104 | 07/18/02 | 10.22 | 7.07 | 3.15 |
| MW-104 | 10/23/02 | 10.22 | 7.74 | 2.48 |
| MW-104 | 01/28/03 | 10.22 | 6.03 | 4.19 |
| MW-104 | 04/15/03 | 10.22 | 5.75 | 4.47 |
| MW-104 | 07/17/03 | 10.22 | 7.08 | 3.14 |
| MW-104 | 10/15/03 | 10.22 | 7.76 | 2.46 |
| MW-104 | 01/13/04 | 10.22 | 5.58 | 4.64 |
| MW-104 | 04/19/04 | 13.46 | 6.30 | 7.16 |
| MW-104 | 07/27/04 | 13.46 | 7.25 | 6.21 |
| MW-104 | 10/18/04 | 13.46 | 7.34 | 6.12 |
| MW-104 | 01/24/05 | 13.46 | 6.27 | 7.19 |
| MW-104 | 04/18/05 | 13.46 | 6.22 | 7.24 |
| MW-104 | 07/12/05 | 13.46 | 6.81 | 6.65 |
| MW-104 | 10/18/05 | 13.46 | 7.55 | 5.91 |
| MW-104 | 01/25/06 | 13.46 | 4.78 | 8.68 |
| MW-104 | 04/25/06 | 13.46 | 5.82 | 7.64 |
| MW-104 | 10/11/06 | 13.46 | 7.54 | 5.92 |
| MW-104 | 11/18/08 | 13.46 | 6.74 | 6.72 |
| MW-104 | 04/08/09 | 13.46 | 6.27 | 7.19 |
| MW-104 | 11/16/09 | 13.46 | 6.39 | 7.07 |
| MW-104 | 04/27/10 | 13.46 | 5.45 | 8.01 |
| MW-104 | 10/26/10 | 13.46 | 6.53 | 6.93 |
| MW-104 | 10/25/11 | 13.46 | 7.15 | 6.31 |
| MW-104 | 03/01/12 | 13.46 | 5.82 | 7.64 |
| MW-104 | 05/30/12 | 13.46 | 5.74 | 7.72 |
| MW-104 | 06/13/12 | 13.46 | 5.86 | 7.60 |
| MW-104 | 08/23/12 | 13.46 | 6.50 | 6.96 |
| MW-104 | 09/26/12 | 13.46 | 6.90 | 6.56 |
| MW-104 | 11/27/12 | 13.46 | 5.24 | 8.22 |
| MW-104 | 05/16/13 | 13.46 | 5.65 | 7.81 |
| MW-104 | 11/07/13 | 13.46 | 6.44 | 7.02 |
| MW-104 | 04/22/14 | 13.46 | 5.20 | 8.26 |
| MW-104 | 11/05/14 | 13.46 | 6.02 | 7.44 |
| MW-104 | 05/20/15 | 13.46 | 5.86 | 7.60 |
| MW-104 | 12/09/15 | 13.46 | 5.32 | 8.14 |
| MW-104 | 12/14/16 | 13.46 | 4.78 | 8.68 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-104 | 06/13/17 | 13.46 | 5.41 | 8.05 |
| MW-104 | 12/04/17 | 13.46 | 5.75 | 7.71 |
| MW-104 | 06/12/18 | 13.46 | 5.96 | 7.50 |
| MW-104 | 12/17/18 | 13.46 | 6.23 | 7.23 |
| MW-104 | 05/15/19 | 13.46 | 5.97 | 7.49 |
| MW-104 | 12/09/19 | 13.46 | 6.99 | 6.47 |
| MW-104 | 06/29/20 | 13.46 | 6.22 | 7.24 |
| MW-104 | 12/14/20 | 13.46 | 6.18 | 7.28 |
| MW-104 | 04/12/21 | 13.46 | 5.30 | 8.16 |
| MW-104 | 06/14/21 | 13.46 | 6.17 | 7.29 |
| MW-104 | 12/15/21 | 13.46 | 4.99 | 8.47 |
| MW-104 | 04/18/22 | 13.46 | 5.21 | 8.25 |
| MW-104 | 06/27/22 | 13.46 | 5.62 | 7.84 |
| MW-104 | 12/12/22 | 13.46 | 5.81 | 7.65 |
| MW-104 | 06/12/23 | 13.46 | 5.96 | 7.50 |
| MW-105 | 04/06/93 | 9.05 | 4.97 | 4.08 |
| MW-105 | 05/13/93 | 9.05 | 4.88 | 4.17 |
| MW-105 | 06/10/93 | 9.05 | 4.83 | 4.22 |
| MW-105 | 07/08/93 | 9.05 | 5.20 | 3.85 |
| MW-105 | 08/03/93 | 9.05 | 5.43 | 3.62 |
| MW-105 | 09/08/93 | 9.05 | 6.76 | 2.29 |
| MW-105 | 10/08/93 | 9.05 | 6.06 | 2.99 |
| MW-105 | 11/05/93 | 9.05 | 6.28 | 2.77 |
| MW-105 | 12/03/93 | 9.05 | 6.18 | 2.87 |
| MW-105 | 01/05/94 | 9.05 | 5.65 | 3.40 |
| MW-105 | 02/04/94 | 9.05 | 5.63 | 3.42 |
| MW-105 | 08/28/95 | 9.05 | 5.39 | 3.66 |
| MW-105 | 09/27/95 | 9.05 | 5.70 | 3.35 |
| MW-105 | 04/27/99 | 9.05 | 3.39 | 5.66 |
| MW-105 | 07/14/99 | 9.05 | 4.58 | 4.47 |
| MW-105 | 10/18/99 | 9.05 | 5.79 | 3.26 |
| MW-105 | 01/11/00 | 9.05 | 3.97 | 5.08 |
| MW-105 | 04/05/00 | 9.05 | 3.84 | 5.21 |
| MW-105 | 07/18/00 | 9.05 | 4.90 | 4.15 |
| MW-105 | 10/02/00 | 9.05 | 6.22 | 2.83 |
| MW-105 | 01/22/01 | 9.05 | 5.56 | 3.49 |
| MW-105 | 07/23/01 | 9.05 | 6.48 | 2.57 |
| MW-105 | 04/23/02 | 9.05 | 5.25 | 3.80 |
| MW-105 | 07/18/02 | 9.05 | 6.17 | 2.88 |
| MW-105 | 10/23/02 | 9.05 | 6.78 | 2.27 |
| MW-105 | 01/28/03 | 9.05 | 5.02 | 4.03 |
| MW-105 | 04/15/03 | 9.05 | 4.97 | 4.08 |
| MW-105 | 07/17/03 | 9.05 | 6.2 | 2.85 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-105 | 10/15/03 | 9.05 | 6.66 | 2.39 |
| MW-105 | 01/13/04 | 9.05 | 5.01 | 4.04 |
| MW-105 | 04/19/04 | 12.18 | 5.51 | 6.67 |
| MW-105 | 07/27/04 | 12.18 | 6.28 | 5.90 |
| MW-105 | 10/18/04 | 12.18 | 6.15 | 6.03 |
| MW-105 | 01/24/05 | 12.18 | 5.02 | 7.16 |
| MW-105 | 04/18/05 | 12.18 | 5.19 | 6.99 |
| MW-105 | 07/12/05 | 12.18 | 5.82 | 6.36 |
| MW-105 | 10/18/05 | 12.18 | 6.44 | 5.74 |
| MW-105 | 01/25/06 | 12.18 | 4.05 | 8.13 |
| MW-105 | 04/25/06 | 12.18 | 5.00 | 7.18 |
| MW-105 | 10/11/06 | 12.18 | 6.51 | 5.67 |
| MW-105 | 11/19/08 | 12.18 | 5.52 | 6.66 |
| MW-105 | 11/16/09 | 12.18 | 5.03 | 7.15 |
| MW-105 | 10/26/10 | 12.18 | 5.33 | 6.85 |
| MW-105 | 10/25/11 | 12.18 | 6.06 | 6.12 |
| MW-105 | 11/26/12 | 12.18 | 3.82 | 8.36 |
| MW-105 | 11/07/13 | 12.18 | 5.42 | 6.76 |
| MW-105 | 11/05/14 | 12.18 | 4.62 | 7.56 |
| MW-105 | 12/08/15 | 12.18 | 4.00 | 8.18 |
| MW-105 | 12/14/16 | 12.18 | 4.15 | 8.03 |
| MW-105 | 12/04/17 | 12.18 | 4.55 | 7.63 |
| MW-105 | 12/17/18 | 12.18 | 5.04 | 7.14 |
| MW-105 | 12/09/19 | 12.18 | 5.83 | 6.35 |
| MW-105 | 12/14/20 | 12.18 | 5.18 | 7.00 |
| MW-105 | 04/12/21 | 12.18 | 4.55 | 7.63 |
| MW-105 | 12/15/21 | 12.18 | 3.99 | 8.19 |
| MW-105 | 12/12/22 | 12.18 | 4.35 | 7.83 |
| MW-111 | 04/06/93 | 8.61 | 4.95 | 3.66 |
| MW-111 | 05/13/93 | 8.61 | 4.87 | 3.74 |
| MW-111 | 06/10/93 | 8.61 | 4.84 | 3.77 |
| MW-111 | 07/08/93 | 8.61 | 5.11 | 3.50 |
| MW-111 | 08/03/93 | 8.61 | 5.29 | 3.32 |
| MW-111 | 09/08/93 | 8.61 | 5.56 | 3.05 |
| MW-111 | 10/08/93 | 8.61 | 5.81 | 2.80 |
| MW-111 | 11/05/93 | 8.61 | 5.97 | 2.64 |
| MW-111 | 12/03/93 | 8.61 | 5.93 | 2.68 |
| MW-111 | 01/05/94 | 8.61 | 5.45 | 3.16 |
| MW-111 | 02/04/94 | 8.61 | 5.28 | 3.33 |
| MW-111 | 08/28/95 | 8.61 | 5.28 | 3.33 |
| MW-111 | 09/27/95 | 8.61 | 5.45 | 3.16 |
| MW-111 | 04/27/99 | 8.61 | 3.55 | 5.06 |
| MW-111 | 07/14/99 | 8.61 | 4.65 | 3.96 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-111 | 10/18/99 | 8.61 | 5.59 | 3.02 |
| MW-111 | 01/11/00 | 8.61 | 4.18 | 4.43 |
| MW-111 | 04/05/00 | 8.61 | 3.94 | 4.67 |
| MW-111 | 07/13/00 | 8.61 | 5.30 | 3.31 |
| MW-111 | 10/02/00 | 8.61 | 5.68 | 2.93 |
| MW-111 | 01/22/01 | 8.61 | 5.37 | 3.24 |
| MW-111 | 07/23/01 | 8.61 | 6.22 | 2.39 |
| MW-111 | 10/16/01 | 8.61 | 7.37 | 1.24 |
| MW-111 | 04/23/02 | 8.61 | 5.28 | 3.33 |
| MW-111 | 07/18/02 | 8.61 | 5.94 | 2.67 |
| MW-111 | 10/23/02 | 8.61 | 6.50 | 2.11 |
| MW-111 | 01/28/03 | 8.61 | 5.05 | 3.56 |
| MW-111 | 04/15/03 | 8.61 | 5.03 | 3.58 |
| MW-111 | 07/17/03 | 8.61 | 6.05 | 2.56 |
| MW-111 | 10/15/03 | 8.61 | 6.45 | 2.16 |
| MW-111 | 01/13/04 | 8.61 | 4.84 | 3.77 |
| MW-111 | 04/19/04 | 11.88 | 5.46 | 6.42 |
| MW-111 | 07/27/04 | 11.88 | 6.16 | 5.72 |
| MW-111 | 10/18/04 | 11.88 | 6.11 | 5.77 |
| MW-111 | 01/24/05 | 11.88 | 5.33 | 6.55 |
| MW-111 | 04/18/05 | 11.88 | 5.27 | 6.61 |
| MW-111 | 07/12/05 | 11.88 | 5.75 | 6.13 |
| MW-111 | 10/18/05 | 11.88 | 6.26 | 5.62 |
| MW-111 | 01/25/06 | 11.88 | 4.42 | 7.46 |
| MW-111 | 04/25/06 | 11.88 | 4.88 | 7.00 |
| MW-111 | 10/11/06 | 11.88 | 6.30 | 5.58 |
| MW-111 | 11/19/08 | 11.88 | 8.62 | 3.26 |
| MW-111 | 11/16/09 | 11.88 | 5.30 | 6.58 |
| MW-111 | 10/26/10 | 11.88 | 5.35 | 6.53 |
| MW-111 | 10/25/11 | 11.88 | 5.89 | 5.99 |
| MW-111 | 05/30/12 | 11.88 | 4.81 | 7.07 |
| MW-111 | 08/23/12 | 11.88 | Not Measured | Not Measured |
| MW-111 | 11/29/12 | 11.88 | 4.14 | 7.74 |
| MW-111 | 05/16/13 | 11.88 | 4.63 | 7.25 |
| MW-111 | 11/07/13 | 11.88 | 5.10 | 6.78 |
| MW-111 | 04/22/14 | 11.88 | 4.32 | 7.56 |
| MW-111 | 11/05/14 | 11.88 | 4.58 | 7.30 |
| MW-111 | 12/08/15 | 11.88 | 4.36 | 7.52 |
| MW-111 | 12/14/16 | 11.88 | 4.04 | 7.84 |
| MW-111 | 06/13/17 | 11.88 | 4.51 | 7.37 |
| MW-111 | 12/04/17 | 11.88 | 4.59 | 7.29 |
| MW-111 | 06/12/18 | 11.88 | 5.25 | 6.63 |
| MW-111 | 12/17/18 | 11.88 | 4.98 | 6.90 |
| MW-111 | 05/15/19 | 11.88 | 4.97 | 6.91 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-111 | 12/09/19 | 11.88 | 5.66 | 6.22 |
| MW-111 | 06/29/20 | 11.88 | 5.12 | 6.76 |
| MW-111 | 12/14/20 | 11.88 | 5.10 | 6.78 |
| MW-111 | 04/12/21 | 11.88 | 4.46 | 7.42 |
| MW-111 | 06/14/21 | 11.88 | 5.10 | 6.78 |
| MW-111 | 12/15/21 | 11.88 | 4.14 | 7.74 |
| MW-111 | 04/18/22 | 11.88 | 4.38 | 7.50 |
| MW-111 | 06/27/22 | 11.88 | 4.67 | 7.21 |
| MW-111 | 12/12/22 | 11.88 | 4.75 | 7.13 |
| MW-111 | 06/12/23 | 11.88 | 4.59 | 7.29 |
| MW-112 | 04/06/93 | 9.98 | 6.69 | 3.29 |
| MW-112 | 05/13/93 | 9.98 | 6.61 | 3.37 |
| MW-112 | 06/10/93 | 9.98 | 6.51 | 3.47 |
| MW-112 | 07/08/93 | 9.98 | 6.83 | 3.15 |
| MW-112 | 08/03/93 | 9.98 | 7.00 | 2.98 |
| MW-112 | 09/08/93 | 9.98 | 7.24 | 2.74 |
| MW-112 | 10/08/93 | 9.98 | 7.50 | 2.48 |
| MW-112 | 11/05/93 | 9.98 | 7.56 | 2.42 |
| MW-112 | 12/03/93 | 9.98 | 7.41 | 2.57 |
| MW-112 | 01/05/94 | 9.98 | 6.93 | 3.05 |
| MW-112 | 02/04/94 | 9.98 | 6.83 | 3.15 |
| MW-112 | 08/28/95 | 9.98 | 6.98 | 3.00 |
| MW-112 | 09/27/95 | 9.98 | 7.13 | 2.85 |
| MW-112 | 04/27/99 | 9.98 | 5.66 | 4.32 |
| MW-112 | 07/14/99 | 9.98 | 6.57 | 3.41 |
| MW-112 | 10/18/99 | 9.98 | 7.36 | 2.62 |
| MW-112 | 01/11/00 | 9.98 | 5.89 | 4.09 |
| MW-112 | 04/05/00 | 9.98 | 5.81 | 4.17 |
| MW-112 | 07/18/00 | 9.98 | 7.11 | 2.87 |
| MW-112 | 10/02/00 | 9.98 | 7.57 | 2.41 |
| MW-112 | 04/25/06 | 9.98 | 6.44 | 3.54 |
| MW-112A | 04/24/02 | 9.98 | 6.85 | 3.13 |
| MW-112A | 07/18/02 | 9.98 | 7.22 | 2.76 |
| MW-112A | 10/23/02 | 9.98 | 7.52 | 2.46 |
| MW-112A | 01/28/03 | 9.98 | 6.25 | 3.73 |
| MW-112A | 04/15/03 | 9.98 | 6.47 | 3.51 |
| MW-112A | 07/17/03 | 9.98 | 7.3 | 2.68 |
| MW-112A | 10/15/03 | 9.98 | 7.49 | 2.49 |
| MW-112A | 01/13/04 | 9.98 | 6.2 | 3.78 |
| MW-112A | 04/19/04 | 12.52 | 6.93 | 5.59 |
| MW-112A | 07/27/04 | 12.52 | 7.41 | 5.11 |
| MW-112A | 10/18/04 | 12.52 | 7.15 | 5.37 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-112A | 01/24/05 | 12.52 | 6.52 | 6.00 |
| MW-112A | 04/18/05 | 12.52 | 6.6 | 5.92 |
| MW-112A | 07/12/05 | 12.52 | 7.1 | 5.42 |
| MW-112A | 10/18/05 | 12.52 | 7.34 | 5.18 |
| MW-112A | 01/25/06 | 12.52 | 5.95 | 6.57 |
| MW-112A | 10/11/06 | 12.52 | 7.43 | 5.09 |
| MW-112A | 11/19/08 | 12.52 | 6.73 | 5.79 |
| MW-112A | 11/16/09 | 12.52 | 6.35 | 6.17 |
| MW-112A | 10/29/10 | 12.52 | 6.51 | 6.01 |
| MW-112A | 10/25/11 | 12.52 | 7.03 | 5.49 |
| MW-112A | 05/30/12 | 12.52 | 6.28 | 6.24 |
| MW-112A | 08/23/12 | 12.52 | 6.56 | 5.96 |
| MW-112A | 11/25/12 | 12.52 | 5.23 | 7.29 |
| MW-112A | 05/16/13 | 12.52 | 6.24 | 6.28 |
| MW-112A | 11/04/13 | 12.52 | - | - |
| MW-112A | 04/22/14 | 12.52 | 5.90 | 6.62 |
| MW-112A | 11/06/14 | 12.52 | 5.68 | 6.84 |
| MW-112A | 12/08/15 | 12.52 | 5.42 | 7.10 |
| MW-112A | 12/14/16 | 12.52 | 5.69 | 6.83 |
| MW-112A | 06/13/17 | 12.52 | 6.25 | 6.27 |
| MW-112A | 12/04/17 | 12.52 | 5.93 | 6.59 |
| MW-112A | 06/12/18 | 12.52 | 6.51 | 6.01 |
| MW-112A | 12/17/18 | 12.52 | 5.97 | 6.55 |
| MW-112A | 05/16/19 | 12.52 | 6.39 | 6.13 |
| MW-112A | 12/09/19 | 12.52 | 6.73 | 5.79 |
| MW-112A | 06/29/20 | 12.52 | 6.31 | 6.21 |
| MW-112A | 12/14/20 | 12.52 | 6.45 | 6.07 |
| MW-112A | 04/12/21 | 12.52 | 6.11 | 6.41 |
| MW-112A | 06/14/21 | 12.52 | 6.40 | 6.12 |
| MW-112A | 12/15/21 | 12.52 | 5.52 | 7.00 |
| MW-112A | 04/18/22 | 12.52 | 6.04 | 6.48 |
| MW-112A | 06/27/22 | 12.52 | 6.17 | 6.35 |
| MW-112A | 12/12/22 | 12.52 | 5.88 | 6.64 |
| MW-112A | 06/12/23 | 12.52 | 5.46 | 7.06 |
| MW-113 | 06/27/22 | -- | 4.76 | -- |
| MW-113 | 12/12/22 | -- | 4.82 | -- |
| MW-113 | 06/12/23 | -- | 5.05 | -- |
| MW-114 | 06/27/22 | -- | 5.03 | -- |
| MW-114 | 12/12/22 | -- | 5.10 | -- |
| MW-114 | 06/12/23 | -- | 5.18 | -- |
| MW-115 | 06/27/22 | -- | 4.74 | -- |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-115 | 12/12/22 | -- | 4.60 | -- |
| MW-115 | 06/12/23 | -- | 5.10 | -- |
| MW-201 | 04/06/93 | 17.07 | 14.03 | 3.04 |
| MW-201 | 05/13/93 | 17.07 | 14.02 | 3.05 |
| MW-201 | 06/10/93 | 17.07 | 13.97 | 3.10 |
| MW-201 | 07/08/93 | 17.07 | 14.25 | 2.82 |
| MW-201 | 08/03/93 | 17.07 | 14.48 | 2.59 |
| MW-201 | 09/08/93 | 17.07 | 14.68 | 2.39 |
| MW-201 | 10/08/93 | 17.07 | 14.90 | 2.17 |
| MW-201 | 11/05/93 | 17.07 | 15.03 | 2.04 |
| MW-201 | 12/03/93 | 17.07 | 14.96 | 2.11 |
| MW-201 | 01/05/94 | 17.07 | 14.10 | 2.97 |
| MW-201 | 02/04/94 | 17.07 | 14.32 | 2.75 |
| MW-201 | 08/28/95 | 17.07 | 14.49 | 2.58 |
| MW-201 | 09/27/95 | 17.07 | 14.56 | 2.51 |
| MW-201 | 04/27/99 | 17.07 | 13.04 | 4.03 |
| MW-201 | 07/14/99 | 17.07 | 14.26 | 2.81 |
| MW-201 | 10/18/99 | 17.07 | 14.93 | 2.14 |
| MW-201 | 01/11/00 | 17.07 | 13.03 | 4.04 |
| MW-201 | 04/05/00 | 17.07 | 13.90 | 3.17 |
| MW-201 | 07/18/00 | 17.07 | 14.09 | 2.98 |
| MW-201 | 10/02/00 | 17.07 | 14.82 | 2.25 |
| MW-201 | 01/22/01 | 17.07 | 14.43 | 2.64 |
| MW-201 | 07/23/01 | 17.07 | 14.95 | 2.12 |
| MW-201 | 10/16/01 | 17.07 | 16.11 | 0.96 |
| MW-201 | 04/24/02 | 17.07 | 14.23 | 2.84 |
| MW-201 | 07/18/02 | 17.07 | 14.73 | 2.34 |
| MW-201 | 10/23/02 | 17.07 | 15.13 | 1.94 |
| MW-201 | 01/28/03 | 17.07 | 13.13 | 3.94 |
| MW-201 | 04/15/03 | 17.07 | 13.58 | 3.49 |
| MW-201 | 07/17/03 | 17.07 | 14.70 | 2.37 |
| MW-201 | 10/15/03 | 17.07 | 14.99 | 2.08 |
| MW-201 | 01/13/04 | 17.07 | 12.71 | 4.36 |
| MW-201 | 04/19/04 | 20.18 | 14.07 | 6.11 |
| MW-201 | 07/27/04 | 20.18 | 14.70 | 5.48 |
| MW-201 | 10/18/04 | 20.18 | 14.70 | 5.48 |
| MW-201 | 01/24/05 | 20.18 | 13.44 | 6.74 |
| MW-201 | 04/18/05 | 20.18 | 13.73 | 6.45 |
| MW-201 | 07/12/05 | 20.18 | 14.47 | 5.71 |
| MW-201 | 10/18/05 | 20.18 | 14.99 | 5.19 |
| MW-201 | 01/25/06 | 20.18 | 12.61 | 7.57 |
| MW-201 | 04/25/06 | 20.18 | 13.94 | 6.24 |
| MW-201 | 10/11/06 | 20.18 | 15.00 | 5.18 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-201 | 11/20/08 | 20.18 | 13.77 | 6.41 |
| MW-201 | 11/16/09 | 20.18 | 13.74 | 6.44 |
| MW-201 | 10/27/10 | 20.18 | 14.42 | 5.76 |
| MW-201 | 10/26/11 | 20.18 | 14.94 | 5.24 |
| MW-201 | 11/27/12 | 20.18 | 13.10 | 7.08 |
| MW-201 | 02/22/13 | 20.18 | 13.74 | 6.44 |
| MW-201 | 05/16/13 | 20.18 | 14.45 | 5.73 |
| MW-201 | 09/06/13 | 20.18 | 14.78 | 5.40 |
| MW-201 | 11/07/13 | 20.18 | 14.70 | 5.48 |
| MW-201 | 04/22/14 | 20.18 | 13.42 | 6.76 |
| MW-201 | 11/04/14 | 20.18 | 13.65 | 6.53 |
| MW-201 | 03/10/15 | 20.18 | 13.64 | 6.54 |
| MW-201 | 05/15/15 | 20.18 | 14.34 | 5.84 |
| MW-201 | 07/29/15 | 20.18 | 14.65 | 5.53 |
| MW-201 | 12/10/15 | 20.18 | 12.23 | 7.95 |
| MW-201 | 02/23/16 | 20.18 | 12.33 | 7.85 |
| MW-201 | 05/03/16 | 20.18 | 13.74 | 6.44 |
| MW-201 | 08/30/16 | 20.18 | 14.04 | 6.14 |
| MW-201 | 12/14/16 | 20.18 | 12.86 | 7.32 |
| MW-201 | 03/13/17 | 20.18 | 12.18 | 8.00 |
| MW-201 | 06/13/17 | 20.18 | 13.85 | 6.33 |
| MW-201 | 08/22/17 | 20.18 | 14.43 | 5.75 |
| MW-201 | 12/04/17 | 20.18 | 12.87 | 7.31 |
| MW-201 | 03/06/18 | 20.18 | 13.28 | 6.90 |
| MW-201 | 06/12/18 | 20.18 | 13.58 | 6.60 |
| MW-201 | 09/05/18 | 20.18 | 8.22 | 11.96 |
| MW-201 | 12/17/18 | 20.18 | 13.66 | 6.52 |
| MW-201 | 03/18/19 | 20.18 | 13.14 | 7.04 |
| MW-201 | 05/15/19 | 20.18 | 14.06 | 6.12 |
| MW-201 | 09/17/19 | 20.18 | 14.64 | 5.54 |
| MW-201 | 12/09/19 | 20.18 | 14.52 | 5.66 |
| MW-201 | 04/27/20 | 20.18 | 14.05 | 6.13 |
| MW-201 | 06/29/20 | 20.18 | 14.32 | 5.86 |
| MW-201 | 09/21/20 | 20.18 | 14.59 | 5.59 |
| MW-201 | 12/14/20 | 20.18 | 14.28 | 5.90 |
| MW-201 | 04/12/21 | 20.18 | 13.74 | 6.44 |
| MW-201 | 06/14/21 | 20.18 | 14.32 | 5.86 |
| MW-201 | 09/22/21 | 20.18 | 14.68 | 5.50 |
| MW-201 | 12/16/21 | 20.18 | -- | -- |
| MW-201 | 03/28/22 | 20.18 | 13.16 | 7.02 |
| MW-201 | 06/27/22 | 20.18 | 14.06 | 6.12 |
| MW-201 | 09/19/22 | 20.18 | 14.31 | 5.87 |
| MW-201 | 12/12/22 | 20.18 | 13.90 | 6.28 |
| MW-201 | 03/27/23 | 20.18 | 13.41 | 6.77 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-201 | 06/12/23 | 20.18 | 12.96 | 7.22 |
| MW-201 | 09/11/23 | 20.18 | 14.07 | 6.11 |
| MW-202 | 04/06/93 | 16.77 | 13.23 | 3.54 |
| MW-202 | 05/13/93 | 16.77 | 13.17 | 3.60 |
| MW-202 | 06/10/93 | 16.77 | 13.26 | 3.51 |
| MW-202 | 07/08/93 | 16.77 | 13.54 | 3.23 |
| MW-202 | 08/03/93 | 16.77 | 13.76 | 3.01 |
| MW-202 | 09/08/93 | 16.77 | 14.04 | 2.73 |
| MW-202 | 10/08/93 | 16.77 | 14.30 | 2.47 |
| MW-202 | 11/05/93 | 16.77 | 14.48 | 2.29 |
| MW-202 | 12/03/93 | 16.77 | 14.34 | 2.43 |
| MW-202 | 01/05/94 | 16.77 | 13.73 | 3.04 |
| MW-202 | 02/04/94 | 16.77 | 13.63 | 3.14 |
| MW-202 | 08/28/95 | 16.77 | 13.78 | 2.99 |
| MW-202 | 09/27/95 | 16.77 | 13.95 | 2.82 |
| MW-202 | 04/27/99 | 16.77 | 12.38 | 4.39 |
| MW-202 | 07/14/99 | 16.77 | 13.57 | 3.20 |
| MW-202 | 10/18/99 | 16.77 | 14.31 | 2.46 |
| MW-202 | 01/11/00 | 16.77 | 12.95 | 3.82 |
| MW-202 | 04/05/00 | 16.77 | 12.96 | 3.81 |
| MW-202 | 07/18/00 | 16.77 | 13.21 | 3.56 |
| MW-202 | 10/02/00 | 16.77 | 14.25 | 2.52 |
| MW-202 | 01/22/01 | 16.77 | 14.46 | 2.31 |
| MW-202 | 07/23/01 | 16.77 | 14.64 | 2.13 |
| MW-202 | 10/16/01 | 16.77 | 15.81 | 0.96 |
| MW-202 | 04/24/02 | 16.77 | 13.80 | 2.97 |
| MW-202 | 07/18/02 | 16.77 | 14.28 | 2.49 |
| MW-202 | 10/23/02 | 16.77 | 14.73 | 2.04 |
| MW-202 | 01/28/03 | 16.77 | 12.95 | 3.82 |
| MW-202 | 04/15/03 | 16.77 | 13.13 | 3.64 |
| MW-202 | 07/17/03 | 16.77 | 14.30 | 2.47 |
| MW-202 | 10/15/03 | 16.77 | 14.62 | 2.15 |
| MW-202 | 01/13/04 | 16.77 | 12.81 | 3.96 |
| MW-202 | 04/19/04 | 19.86 | 13.61 | 6.25 |
| MW-202 | 07/27/04 | 19.86 | 14.29 | 5.57 |
| MW-202 | 10/18/04 | 19.86 | 14.30 | 5.56 |
| MW-202 | 01/24/05 | 19.86 | 13.29 | 6.57 |
| MW-202 | 04/18/05 | 19.86 | 13.51 | 6.35 |
| MW-202 | 07/12/05 | 19.86 | 14.02 | 5.84 |
| MW-202 | 10/18/05 | 19.86 | 14.59 | 5.27 |
| MW-202 | 01/25/06 | 19.86 | 12.38 | 7.48 |
| MW-202 | 04/25/06 | 19.86 | 13.43 | 6.43 |
| MW-202 | 10/11/06 | 19.86 | 14.58 | 5.28 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-202 | 11/20/08 | 19.86 | 13.92 | 5.94 |
| MW-202 | 04/07/09 | 19.86 | 13.71 | 6.15 |
| MW-202 | 11/16/09 | 19.86 | 13.70 | 6.16 |
| MW-202 | 04/27/10 | 19.86 | 13.24 | 6.62 |
| MW-202 | 10/27/10 | 19.86 | 14.04 | 5.82 |
| MW-202 | 10/26/11 | 19.86 | 14.45 | 5.41 |
| MW-202 | 03/02/12 | 19.86 | 13.70 | 6.16 |
| MW-202 | 05/30/12 | 19.86 | 13.65 | 6.21 |
| MW-202 | 06/13/12 | 19.86 | 13.76 | 6.10 |
| MW-202 | 09/26/12 | 19.86 | 14.42 | 5.44 |
| MW-202 | 11/27/12 | 19.86 | 13.09 | 6.77 |
| MW-202 | 02/22/13 | 19.86 | 13.27 | 6.59 |
| MW-202 | 05/16/13 | 19.86 | 13.80 | 6.06 |
| MW-202 | 09/06/13 | 19.86 | 14.38 | 5.48 |
| MW-202 | 11/07/13 | 19.86 | 14.25 | 5.61 |
| MW-202 | 04/22/14 | 19.86 | 13.23 | 6.63 |
| MW-202 | 11/04/14 | 19.86 | 13.44 | 6.42 |
| MW-202 | 03/10/15 | 19.86 | 13.23 | 6.63 |
| MW-202 | 05/15/15 | 19.86 | 13.76 | 6.10 |
| MW-202 | 07/29/15 | 19.86 | 14.18 | 5.68 |
| MW-202 | 12/10/15 | 19.86 | 12.76 | 7.10 |
| MW-202 | 02/23/16 | 19.86 | 12.15 | 7.71 |
| MW-202 | 05/03/16 | 19.86 | 13.11 | 6.75 |
| MW-202 | 08/30/16 | 19.86 | 14.00 | 5.86 |
| MW-202 | 12/14/16 | 19.86 | 12.81 | 7.05 |
| MW-202 | 03/13/17 | 19.86 | 12.25 | 7.61 |
| MW-202 | 06/13/17 | 19.86 | 13.23 | 6.63 |
| MW-202 | 08/22/17 | 19.86 | 13.98 | 5.88 |
| MW-202 | 12/04/17 | 19.86 | 13.15 | 6.71 |
| MW-202 | 03/06/18 | 19.86 | 13.03 | 6.83 |
| MW-202 | 06/12/18 | 19.86 | 13.53 | 6.33 |
| MW-202 | 09/05/18 | 19.86 | 8.20 | 11.66 |
| MW-202 | 12/17/18 | 19.86 | 13.45 | 6.41 |
| MW-202 | 03/18/19 | 19.86 | 12.95 | 6.91 |
| MW-202 | 05/15/19 | 19.86 | 13.42 | 6.44 |
| MW-202 | 09/17/19 | 19.86 | 14.16 | 5.70 |
| MW-202 | 12/09/19 | 19.86 | 14.10 | 5.76 |
| MW-202 | 04/27/20 | 19.86 | 13.49 | 6.37 |
| MW-202 | 06/29/20 | 19.86 | 13.75 | 6.11 |
| MW-202 | 09/21/20 | 19.86 | 14.20 | 5.66 |
| MW-202 | 12/14/20 | 19.86 | 13.65 | 6.21 |
| MW-202 | 04/12/21 | 19.86 | 13.15 | 6.71 |
| MW-202 | 06/14/21 | 19.86 | 13.75 | 6.11 |
| MW-202 | 09/22/21 | 19.86 | 14.20 | 5.66 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-202 | 12/16/21 | 19.86 | 12.70 | 7.16 |
| MW-202 | 03/28/22 | 19.86 | 12.77 | 7.09 |
| MW-202 | 06/27/22 | 19.86 | 13.23 | 6.63 |
| MW-202 | 09/19/22 | 19.86 | 13.84 | 6.02 |
| MW-202 | 12/12/22 | 19.86 | 13.56 | 6.30 |
| MW-202 | 03/27/23 | 19.86 | 12.98 | 6.88 |
| MW-202 | 06/12/23 | 19.86 | 12.35 | 7.51 |
| MW-202 | 09/11/23 | 19.86 | 13.69 | 6.17 |
| MW-203 | 04/06/93 | 11.04 | 7.39 | 3.65 |
| MW-203 | 05/13/93 | 11.04 | 7.31 | 3.73 |
| MW-203 | 06/10/93 | 11.04 | 7.40 | 3.64 |
| MW-203 | 07/08/93 | 11.04 | 7.66 | 3.38 |
| MW-203 | 08/03/93 | 11.04 | 7.93 | 3.11 |
| MW-203 | 09/08/93 | 11.04 | 8.20 | 2.84 |
| MW-203 | 10/08/93 | 11.04 | 8.46 | 2.58 |
| MW-203 | 11/05/93 | 11.04 | 8.65 | 2.39 |
| MW-203 | 12/03/93 | 11.04 | 8.64 | 2.40 |
| MW-203 | 01/05/94 | 11.04 | 7.99 | 3.05 |
| MW-203 | 02/04/94 | 11.04 | 7.88 | 3.16 |
| MW-203 | 08/28/95 | 11.04 | 7.86 | 3.18 |
| MW-203 | 09/27/95 | 11.04 | 8.02 | 3.02 |
| MW-203 | 04/27/99 | 11.04 | 6.32 | 4.72 |
| MW-203 | 07/14/99 | 11.04 | 7.58 | 3.46 |
| MW-203 | 10/18/99 | 11.04 | 8.42 | 2.62 |
| MW-203 | 01/11/00 | 11.04 | 6.98 | 4.06 |
| MW-203 | 04/05/00 | 11.04 | 6.92 | 4.12 |
| MW-203 | 07/18/00 | 11.04 | 8.00 | 3.04 |
| MW-203 | 10/02/00 | 11.04 | 8.40 | 2.64 |
| MW-203 | 01/22/01 | 11.04 | 8.47 | 2.57 |
| MW-203 | 07/23/01 | 11.04 | 8.69 | 2.35 |
| MW-203 | 10/16/01 | 11.04 | 9.73 | 1.31 |
| MW-203 | 04/24/02 | 11.04 | 7.45 | 3.59 |
| MW-203 | 10/23/02 | 11.04 | 8.80 | 2.24 |
| MW-203 | 01/28/03 | 11.04 | 6.76 | 4.28 |
| MW-203 | 04/15/03 | 11.04 | 7.05 | 3.99 |
| MW-203 | 07/17/03 | 11.04 | 8.25 | 2.79 |
| MW-203 | 01/13/04 | 11.04 | 6.71 | 4.33 |
| MW-203 | 04/19/04 | 13.99 | 7.58 | 6.41 |
| MW-203 | 07/27/04 | 13.99 | 8.25 | 5.74 |
| MW-203 | 10/18/04 | 13.99 | 8.34 | 5.65 |
| MW-203 | 01/24/05 | 13.99 | 7.31 | 6.68 |
| MW-203 | 04/18/05 | 13.99 | 7.43 | 6.56 |
| MW-203 | 07/12/05 | 13.99 | 7.96 | 6.03 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-203 | 10/18/05 | 13.99 | 8.64 | 5.35 |
| MW-203 | 01/25/06 | 13.99 | 6.41 | 7.58 |
| MW-203 | 04/25/06 | 13.99 | 7.18 | 6.81 |
| MW-203 | 10/11/06 | 13.99 | 8.58 | 5.41 |
| MW-203 | 11/18/08 | 13.99 | 8.01 | 5.98 |
| MW-203 | 04/08/09 | 13.99 | 7.63 | 6.36 |
| MW-203 | 11/16/09 | 13.99 | 4.97 | 9.02 |
| MW-203 | 04/26/10 | 13.99 | 7.17 | 6.82 |
| MW-203 | 10/25/10 | 13.99 | 8.10 | 5.89 |
| MW-203 | 10/26/11 | 13.99 | 5.45 | 8.54 |
| MW-203 | 05/30/12 | 13.99 | 7.61 | 6.38 |
| MW-203 | 06/13/12 | 13.99 | 7.65 | 6.34 |
| MW-203 | 09/26/12 | 13.99 | 8.40 | 5.59 |
| MW-203 | 11/27/12 | 13.99 | 7.25 | 6.74 |
| MW-203 | 02/22/13 | 13.99 | 7.26 | 6.73 |
| MW-203 | 05/16/13 | 13.99 | 7.80 | 6.19 |
| MW-203 | 09/06/13 | 13.99 | 8.37 | 5.62 |
| MW-203 | 11/07/13 | 13.99 | 8.27 | 5.72 |
| MW-203 | 04/22/14 | 13.99 | 7.33 | 6.66 |
| MW-203 | 11/04/14 | 13.99 | 7.59 | 6.40 |
| MW-203 | 03/10/15 | 13.99 | 6.70 | 7.29 |
| MW-203 | 05/15/15 | 13.99 | 7.74 | 6.25 |
| MW-203 | 07/29/15 | 13.99 | 8.18 | 5.81 |
| MW-203 | 12/10/15 | 13.99 | 6.83 | 7.16 |
| MW-203 | 02/23/16 | 13.99 | 5.92 | 8.07 |
| MW-203 | 05/03/16 | 13.99 | 7.02 | 6.97 |
| MW-203 | 08/30/16 | 13.99 | 8.17 | 5.82 |
| MW-203 | 12/14/16 | 13.99 | 6.62 | 7.37 |
| MW-203 | 03/13/17 | 13.99 | 5.83 | 8.16 |
| MW-203 | 06/13/17 | 13.99 | 7.17 | 6.82 |
| MW-203 | 08/22/17 | 13.99 | 7.98 | 6.01 |
| MW-203 | 12/04/17 | 13.99 | 7.24 | 6.75 |
| MW-203 | 03/06/18 | 13.99 | 6.57 | 7.42 |
| MW-203 | 06/12/18 | 13.99 | 7.55 | 6.44 |
| MW-203 | 09/05/18 | 13.99 | 8.14 | 5.85 |
| MW-203 | 12/17/18 | 13.99 | 7.68 | 6.31 |
| MW-203 | 03/18/19 | 13.99 | 6.96 | 7.03 |
| MW-203 | 05/16/19 | 13.99 | 7.38 | 6.61 |
| MW-203 | 09/17/19 | 13.99 | 8.19 | 5.80 |
| MW-203 | 12/09/19 | 13.99 | 8.13 | 5.86 |
| MW-203 | 04/27/20 | 13.99 | 7.39 | 6.60 |
| MW-203 | 06/29/20 | 13.99 | 7.55 | 6.44 |
| MW-203 | 09/21/20 | 13.99 | 8.14 | 5.85 |
| MW-203 | 12/14/20 | 13.99 | 7.62 | 6.37 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-203 | 04/12/21 | 13.99 | 7.13 | 6.86 |
| MW-203 | 06/14/21 | 13.99 | 7.75 | 6.24 |
| MW-203 | 09/22/21 | 13.99 | 8.26 | 5.73 |
| MW-203 | 12/16/21 | 13.99 | 6.80 | 7.19 |
| MW-203 | 03/28/22 | 13.99 | 6.90 | 7.09 |
| MW-203 | 06/27/22 | 13.99 | 7.02 | 6.97 |
| MW-203 | 09/19/22 | 13.99 | 7.39 | 6.60 |
| MW-203 | 12/12/22 | 13.99 | 7.04 | 6.95 |
| MW-203 | 03/27/23 | 13.99 | 6.29 | 7.70 |
| MW-203 | 06/12/23 | 13.99 | 5.63 | 8.36 |
| MW-203 | 09/11/23 | 13.99 | 7.24 | 6.75 |
| MW-204 | 04/06/93 | 14.21 | 10.97 | 3.24 |
| MW-204 | 05/13/93 | 14.21 | 10.92 | 3.29 |
| MW-204 | 06/10/93 | 14.21 | 10.98 | 3.23 |
| MW-204 | 07/08/93 | 14.21 | 11.20 | 3.01 |
| MW-204 | 08/03/93 | 14.21 | 11.44 | 2.77 |
| MW-204 | 09/08/93 | 14.21 | 11.64 | 2.57 |
| MW-204 | 10/08/93 | 14.21 | 11.85 | 2.36 |
| MW-204 | 11/05/93 | 14.21 | 12.03 | 2.18 |
| MW-204 | 12/03/93 | 14.21 | 12.01 | 2.20 |
| MW-204 | 01/05/94 | 14.21 | 11.42 | 2.79 |
| MW-204 | 02/04/94 | 14.21 | 11.35 | 2.86 |
| MW-204 | 08/28/95 | 14.21 | 11.58 | 2.63 |
| MW-204 | 09/27/95 | 14.21 | 11.57 | 2.64 |
| MW-204 | 04/05/00 | 14.21 | Not Measured | Not Measured |
| MW-204 | 10/02/00 | 14.21 | Not Measured | Not Measured |
| MW-204 | 01/22/01 | 14.21 | 11.69 | 2.52 |
| MW-204 | 07/23/01 | 14.21 | 12.05 | 2.16 |
| MW-204 | 10/16/01 | 14.21 | 13.17 | 1.04 |
| MW-204 | 07/27/04 | 14.21 | 11.67 | 2.54 |
| MW-204 | 10/18/04 | 17.27 | 11.71 | 5.56 |
| MW-204 | 01/24/05 | 17.27 | 10.72 | 6.55 |
| MW-204 | 04/18/05 | 17.27 | 10.98 | 6.29 |
| MW-204 | 07/12/05 | 17.27 | 11.4 | 5.87 |
| MW-204 | 10/18/05 | 17.27 | 11.98 | 5.29 |
| MW-204 | 01/25/06 | 17.27 | 9.96 | 7.31 |
| MW-204 | 10/11/06 | 17.27 | 11.96 | 5.31 |
| MW-204 | 11/20/08 | 17.27 | 11.45 | 5.82 |
| MW-204 | 11/16/09 | 17.27 | 11.20 | 6.07 |
| MW-204 | 10/27/10 | 17.27 | 11.54 | 5.73 |
| MW-204 | 10/27/11 | 17.27 | 10.71 | 6.56 |
| MW-204 | 03/26/12 | 17.27 | Not Measured | Not Measured |
| MW-204 | 06/12/12 | 17.27 | 11.20 | 6.07 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-204 | 09/27/12 | 17.27 | Not Measured | Not Measured |
| MW-204 | 11/27/12 | 17.27 | 10.81 | 6.46 |
| MW-204 | 12/20/12 | 17.27 | Not Measured | Not Measured |
| MW-204 | 02/22/13 | 17.27 | 10.81 | 6.46 |
| MW-204 | 05/16/13 | 17.27 | 11.30 | 5.97 |
| MW-204 | 09/06/13 | 17.27 | 11.77 | 5.50 |
| MW-204 | 11/07/13 | 17.27 | 11.71 | 5.56 |
| MW-204 | 04/22/14 | 17.27 | 10.78 | 6.49 |
| MW-204 | 11/04/14 | 17.27 | 11.04 | 6.23 |
| MW-204 | 03/10/15 | 17.27 | 10.75 | 6.52 |
| MW-204 | 05/15/15 | 17.27 | 11.21 | 6.06 |
| MW-204 | 07/29/15 | 17.27 | 11.59 | 5.68 |
| MW-204 | 12/10/15 | 17.27 | 9.91 | 7.36 |
| MW-204 | 02/23/16 | 17.27 | 9.67 | 7.60 |
| MW-204 | 05/03/16 | 17.27 | 10.53 | 6.74 |
| MW-204 | 08/30/16 | 17.27 | 11.78 | 5.49 |
| MW-204 | 12/14/16 | 17.27 | 10.34 | 6.93 |
| MW-204 | 03/13/17 | 17.27 | 9.83 | 7.44 |
| MW-204 | 08/22/17 | 17.27 | 11.34 | 5.93 |
| MW-204 | 12/04/17 | 17.27 | 10.84 | 6.43 |
| MW-204 | 03/06/18 | 17.27 | 10.55 | 6.72 |
| MW-204 | 06/12/18 | 17.27 | 11.04 | 6.23 |
| MW-204 | 09/05/18 | 17.27 | 8.20 | 9.07 |
| MW-204 | 12/17/18 | 17.27 | 11.10 | 6.17 |
| MW-204 | 03/18/19 | 17.27 | 10.51 | 6.76 |
| MW-204 | 05/15/19 | 17.27 | 10.98 | 6.29 |
| MW-204 | 09/17/19 | 17.27 | 11.65 | 5.62 |
| MW-204 | 12/09/19 | 17.27 | 11.54 | 5.73 |
| MW-204 | 04/27/20 | 17.27 | 10.94 | 6.33 |
| MW-204 | 06/29/20 | 17.27 | 11.26 | 6.01 |
| MW-204 | 09/21/20 | 17.27 | 11.59 | 5.68 |
| MW-204 | 12/14/20 | 17.27 | 11.22 | 6.05 |
| MW-204 | 04/12/21 | 17.27 | 10.71 | 6.56 |
| MW-204 | 06/14/21 | 17.27 | 11.27 | 6.00 |
| MW-204 | 09/22/21 | 17.27 | 11.65 | 5.62 |
| MW-204 | 12/16/21 | 17.27 | 10.42 | 6.85 |
| MW-204 | 03/28/22 | 17.27 | 10.48 | 6.79 |
| MW-204 | 06/27/22 | 17.27 | 11.18 | 6.09 |
| MW-204 | 09/19/22 | 17.27 | 11.58 | 5.69 |
| MW-204 | 12/12/22 | 17.27 | 10.88 | 6.39 |
| MW-204 | 03/27/23 | 17.27 | 9.70 | 7.57 |
| MW-204 | 06/12/23 | 17.27 | 10.23 | 7.04 |
| MW-204 | 09/11/23 | 17.27 | 11.33 | 5.94 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-206 | 04/06/93 | 10.75 | 9.83 | 0.92 |
| MW-206 | 05/13/93 | 10.75 | 6.72 | 4.03 |
| MW-206 | 06/10/93 | 10.75 | 6.78 | 3.97 |
| MW-206 | 07/08/93 | 10.75 | 7.08 | 3.67 |
| MW-206 | 08/03/93 | 10.75 | 7.35 | 3.40 |
| MW-206 | 09/08/93 | 10.75 | 7.66 | 3.09 |
| MW-206 | 10/08/93 | 10.75 | 7.95 | 2.80 |
| MW-206 | 11/05/93 | 10.75 | 8.15 | 2.60 |
| MW-206 | 12/03/93 | 10.75 | 8.17 | 2.58 |
| MW-206 | 01/05/94 | 10.75 | 7.42 | 3.33 |
| MW-206 | 02/04/94 | 10.75 | 7.24 | 3.51 |
| MW-206 | 08/28/95 | 10.75 | 7.01 | 3.74 |
| MW-206 | 09/27/95 | 10.75 | 7.19 | 3.56 |
| MW-206 | 04/27/99 | 10.75 | 5.59 | 5.16 |
| MW-206 | 07/14/99 | 10.75 | 6.97 | 3.78 |
| MW-206 | 10/18/99 | 10.75 | 7.88 | 2.87 |
| MW-206 | 01/11/00 | 10.75 | 6.34 | 4.41 |
| MW-206 | 04/05/00 | 10.75 | 6.32 | 4.43 |
| MW-206 | 07/18/00 | 10.75 | 7.11 | 3.64 |
| MW-206 | 10/02/00 | 10.75 | 7.92 | 2.83 |
| MW-206 | 01/22/01 | 10.75 | 8.93 | 1.82 |
| MW-206 | 04/25/06 | 10.75 | 9.30 | 1.45 |
| MW-206 | 10/11/06 | 10.75 | 10.44 | 0.31 |
| MW-206A | 04/24/02 | 10.75 | 7.43 | 3.32 |
| MW-206A | 07/18/02 | 10.75 | 8.07 | 2.68 |
| MW-206A | 10/23/02 | 10.75 | 8.55 | 2.20 |
| MW-206A | 01/28/03 | 10.75 | 6.40 | 4.35 |
| MW-206A | 04/15/03 | 10.75 | 5.26 | 5.49 |
| MW-206A | 07/17/03 | 10.75 | 8.06 | 2.69 |
| MW-206A | 04/19/04 | 15.90 | 9.51 | 6.39 |
| MW-206A | 07/27/04 | 15.90 | 10.23 | 5.67 |
| MW-206A | 10/18/04 | 15.90 | 10.17 | 5.73 |
| MW-206A | 01/24/05 | 15.90 | 9.18 | 6.72 |
| MW-206A | 04/18/05 | 15.90 | 9.38 | 6.52 |
| MW-206A | 07/12/05 | 15.90 | 9.87 | 6.03 |
| MW-206A | 10/18/05 | 15.90 | 10.50 | 5.40 |
| MW-206A | 01/25/06 | 15.90 | 8.23 | 7.67 |
| MW-206A | 11/20/08 | 15.90 | 9.81 | 6.09 |
| MW-206A | 11/16/09 | 15.90 | 9.48 | 6.42 |
| MW-206A | 10/25/10 | 15.90 | 9.74 | 6.16 |
| MW-206A | 10/26/11 | 15.90 | 10.25 | 5.65 |
| MW-206A | 05/30/12 | 15.90 | 9.44 | 6.46 |
| MW-206A | 06/13/12 | 15.90 | 9.49 | 6.41 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-206A | 09/26/12 | 15.90 | 10.21 | 5.69 |
| MW-206A | 11/27/12 | 15.90 | 9.05 | 6.85 |
| MW-206A | 02/22/13 | 15.90 | 9.04 | 6.86 |
| MW-206A | 05/16/13 | 15.90 | 8.44 | 7.46 |
| MW-206A | 09/06/13 | 15.90 | 10.06 | 5.84 |
| MW-206A | 11/07/13 | 15.90 | 10.04 | 5.86 |
| MW-206A | 04/22/14 | 15.90 | 9.01 | 6.89 |
| MW-206A | 11/04/14 | 15.90 | 9.25 | 6.65 |
| MW-206A | 03/10/15 | 15.90 | 9.03 | 6.87 |
| MW-206A | 05/15/15 | 15.90 | 9.49 | 6.41 |
| MW-206A | 07/29/15 | 15.90 | 9.99 | 5.91 |
| MW-206A | 12/10/15 | 15.90 | 8.36 | 7.54 |
| MW-206A | 02/23/16 | 15.90 | 8.09 | 7.81 |
| MW-206A | 05/03/16 | 15.90 | 9.03 | 6.87 |
| MW-206A | 08/30/16 | 15.90 | 10.25 | 5.65 |
| MW-206A | 12/14/16 | 15.90 | 8.51 | 7.39 |
| MW-206A | 03/13/17 | 15.90 | 7.98 | 7.92 |
| MW-206A | 06/13/17 | 15.90 | 9.02 | 6.88 |
| MW-206A | 08/22/17 | 15.90 | 9.74 | 6.16 |
| MW-206A | 12/04/17 | 15.90 | 9.07 | 6.83 |
| MW-206A | 03/06/18 | 15.90 | 8.78 | 7.12 |
| MW-206A | 06/12/18 | 15.90 | 6.90 | 9.00 |
| MW-206A | 09/05/18 | 15.90 | 9.94 | 5.96 |
| MW-206A | 12/17/18 | 15.90 | 9.23 | 6.67 |
| MW-206A | 03/18/19 | 15.90 | 8.86 | 7.04 |
| MW-206A | 05/15/19 | 15.90 | 9.30 | 6.60 |
| MW-206A | 09/17/19 | 15.90 | 10.13 | 5.77 |
| MW-206A | 12/09/19 | 15.90 | 9.98 | 5.92 |
| MW-206A | 04/27/20 | 15.90 | 9.22 | 6.68 |
| MW-206A | 06/29/20 | 15.90 | 9.40 | 6.50 |
| MW-206A | 09/21/20 | 15.90 | 10.08 | 5.82 |
| MW-206A | 12/14/20 | 15.90 | 7.15 | 8.75 |
| MW-206A | 04/12/21 | 15.90 | 7.20 | 8.70 |
| MW-206A | 06/14/21 | 15.90 | 9.45 | 6.45 |
| MW-206A | 09/22/21 | 15.90 | 10.05 | 5.85 |
| MW-206A | 12/16/21 | 15.90 | 8.57 | 7.33 |
| MW-206A | 03/28/22 | 15.90 | 8.79 | 7.11 |
| MW-206A | 06/27/22 | 15.90 | 7.23 | 8.67 |
| MW-206A | 09/19/22 | 15.90 | 9.23 | 6.67 |
| MW-206A | 12/12/22 | 15.90 | 9.31 | 6.59 |
| MW-206A | 03/27/23 | 15.90 | 6.80 | 9.10 |
| MW-206A | 06/12/23 | 15.90 | 7.88 | 8.02 |
| MW-206A | 09/11/23 | 15.90 | 9.84 | 6.06 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-208 | 06/28/13 | -- | 4.98 | -- |
| MW-208 | 09/11/13 | -- | 5.67 | -- |
| MW-208 | 10/30/13 | -- | 5.97 | -- |
| MW-208 | 11/05/13 | -- | 5.51 | -- |
| MW-208 | 01/16/14 | -- | 5.46 | -- |
| MW-208 | 02/27/14 | -- | 4.72 | -- |
| MW-208 | 03/25/14 | -- | 4.91 | -- |
| MW-208 | 04/22/14 | -- | 4.98 | -- |
| MW-208 | 06/10/14 | -- | 5.62 | -- |
| MW-208 | 07/24/14 | -- | 5.50 | -- |
| MW-208 | 08/28/14 | -- | 5.73 | -- |
| MW-208 | 09/23/14 | -- | 5.76 | -- |
| MW-208 | 10/22/14 | -- | 4.82 | -- |
| MW-208 | 11/05/14 | -- | 4.50 | -- |
| MW-208 | 12/18/14 | 12.16 | 4.28 | 7.88 |
| MW-208 | 01/27/15 | 12.16 | 4.52 | 7.64 |
| MW-208 | 02/26/15 | 12.16 | 4.92 | 7.24 |
| MW-208 | 03/11/15 | 12.16 | 5.29 | 6.87 |
| MW-208 | 04/21/15 | 12.16 | 5.08 | 7.08 |
| MW-208 | 05/19/15 | 12.16 | 5.31 | 6.85 |
| MW-208 | 06/11/15 | 12.16 | 5.34 | 6.82 |
| MW-208 | 07/29/15 | 12.16 | 5.81 | 6.35 |
| MW-208 | 08/25/15 | 12.16 | 5.95 | 6.21 |
| MW-208 | 09/24/15 | 12.16 | 5.72 | 6.44 |
| MW-208 | 10/15/15 | 12.16 | 5.35 | 6.81 |
| MW-208 | 11/20/15 | 12.16 | 4.37 | 7.79 |
| MW-208 | 12/09/15 | 12.16 | 2.55 | 9.61 |
| MW-208 | 02/23/16 | 12.16 | 4.18 | 7.98 |
| MW-208 | 04/22/16 | 12.16 | 4.90 | 7.26 |
| MW-208 | 05/03/16 | 12.16 | 5.27 | 6.89 |
| MW-208 | 06/02/16 | 12.16 | 5.34 | 6.82 |
| MW-208 | 07/14/16 | 12.16 | 5.58 | 6.58 |
| MW-208 | 08/18/16 | 12.16 | 5.80 | 6.36 |
| MW-208 | 09/08/16 | 12.16 | 5.88 | 6.28 |
| MW-208 | 10/21/16 | 12.16 | 5.40 | 6.76 |
| MW-208 | 11/17/16 | 12.16 | 3.67 | 8.49 |
| MW-208 | 12/01/16 | 12.16 | 3.93 | 8.23 |
| MW-208 | 01/11/17 | 12.16 | 2.83 | 9.33 |
| MW-208 | 02/14/17 | 12.16 | 3.81 | 8.35 |
| MW-208 | 03/13/17 | 12.16 | 4.04 | 8.12 |
| MW-208 | 04/13/17 | 12.16 | 3.78 | 8.38 |
| MW-208 | 05/08/17 | 12.16 | 4.78 | 7.38 |
| MW-208 | 06/13/17 | 12.16 | 5.00 | 7.16 |
| MW-208 | 07/18/17 | 12.16 | 5.32 | 6.84 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-208 | 08/22/17 | 12.16 | 5.32 | 6.84 |
| MW-208 | 09/13/17 | 12.16 | 5.68 | 6.48 |
| MW-208 | 10/31/17 | 12.16 | 5.58 | 6.58 |
| MW-208 | 11/13/17 | 12.16 | 4.67 | 7.49 |
| MW-208 | 12/04/17 | 12.16 | 4.15 | 8.01 |
| MW-208 | 03/06/18 | 12.16 | 4.57 | 7.59 |
| MW-208 | 06/12/18 | 12.16 | 5.25 | 6.91 |
| MW-208 | 09/05/18 | 12.16 | 5.75 | 6.41 |
| MW-208 | 12/17/18 | 12.16 | 4.13 | 8.03 |
| MW-208 | 01/16/19 | 12.16 | 4.48 | 7.68 |
| MW-208 | 02/20/19 | 12.16 | 3.98 | 8.18 |
| MW-208 | 03/18/19 | 12.16 | 4.95 | 7.21 |
| MW-208 | 04/10/19 | 12.16 | 4.66 | 7.50 |
| MW-208 | 05/15/19 | 12.16 | 4.91 | 7.25 |
| MW-208 | 06/26/19 | 12.16 | 5.47 | 6.69 |
| MW-208 | 07/24/19 | 12.16 | 5.43 | 6.73 |
| MW-208 | 08/13/19 | 12.16 | 5.45 | 6.71 |
| MW-208 | 09/17/19 | 12.16 | 5.23 | 6.93 |
| MW-208 | 10/16/19 | 12.16 | 5.61 | 6.55 |
| MW-208 | 11/05/19 | 12.16 | 5.62 | 6.54 |
| MW-208 | 12/09/19 | 12.16 | 5.08 | 7.08 |
| MW-208 | 01/28/20 | 12.16 | 3.05 | 9.11 |
| MW-208 | 02/26/20 | 12.16 | 4.81 | 7.35 |
| MW-208 | 04/27/20 | 12.16 | 5.18 | 6.98 |
| MW-208 | 06/16/20 | 12.16 | 5.25 | 6.91 |
| MW-208 | 06/29/20 | 12.16 | 5.08 | 7.08 |
| MW-208 | 07/29/20 | 12.16 | 5.20 | 6.96 |
| MW-208 | 08/27/20 | 12.16 | 5.41 | 6.75 |
| MW-208 | 09/21/20 | 12.16 | 5.09 | 7.07 |
| MW-208 | 10/29/20 | 12.16 | 5.58 | 6.58 |
| MW-208 | 11/30/20 | 12.16 | 4.82 | 7.34 |
| MW-208 | 12/14/20 | 12.16 | 4.75 | 7.41 |
| MW-208 | 01/21/21 | 12.16 | 4.27 | 7.89 |
| MW-208 | 02/16/21 | 12.16 | 3.69 | 8.47 |
| MW-208 | 03/23/21 | 12.16 | 4.53 | 7.63 |
| MW-208 | 04/12/21 | 12.16 | 5.28 | 6.88 |
| MW-208 | 05/12/21 | 12.16 | 5.54 | 6.62 |
| MW-208 | 06/14/21 | 12.16 | 4.97 | 7.19 |
| MW-208 | 07/15/21 | 12.16 | 5.31 | 6.85 |
| MW-208 | 08/18/21 | 12.16 | 5.52 | 6.64 |
| MW-208 | 09/22/21 | 12.16 | 5.46 | 6.70 |
| MW-208 | 10/21/21 | 12.16 | 5.32 | 6.84 |
| MW-208 | 11/23/21 | 12.16 | 4.28 | 7.88 |
| MW-208 | 12/14/21 | 12.16 | 3.99 | 8.17 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-208 | 01/25/22 | 12.16 | 4.34 | 7.82 |
| MW-208 | 02/28/22 | 12.16 | 4.59 | 7.57 |
| MW-208 | 03/28/22 | 12.16 | 4.63 | 7.53 |
| MW-208 | 04/18/22 | 12.16 | 5.08 | 7.08 |
| MW-208 | 05/23/22 | 12.16 | 4.81 | 7.35 |
| MW-208 | 06/27/22 | 12.16 | 5.02 | 7.14 |
| MW-208 | 07/20/22 | 12.16 | 5.03 | 7.13 |
| MW-208 | 08/23/22 | 12.16 | 5.55 | 6.61 |
| MW-208 | 09/19/22 | 12.16 | 5.58 | 6.58 |
| MW-208 | 12/12/22 | 12.16 | 4.21 | 7.95 |
| MW-208 | 01/26/23 | 12.16 | 4.41 | 7.75 |
| MW-208 | 02/23/23 | 12.16 | 4.11 | 8.05 |
| MW-208 | 03/27/23 | 12.16 | 4.34 | 7.82 |
| MW-208 | 04/13/23 | 12.16 | 4.44 | 7.72 |
| MW-208 | 05/16/23 | 12.16 | 4.63 | 7.53 |
| MW-208 | 06/12/23 | 12.16 | 4.88 | 7.28 |
| MW-208 | 07/20/23 | 12.16 | 5.32 | 6.84 |
| MW-208 | 08/17/23 | 12.16 | 5.37 | 6.79 |
| MW-208 | 09/11/23 | 12.16 | 5.62 | 6.54 |
| MW-209 | 09/11/13 | -- | 6.61 | -- |
| MW-209 | 10/30/13 | -- | 5.65 | -- |
| MW-209 | 01/16/14 | -- | 5.56 | -- |
| MW-209 | 02/27/14 | -- | 6.04 | -- |
| MW-209 | 03/25/14 | -- | 5.90 | -- |
| MW-209 | 04/22/14 | -- | 5.89 | -- |
| MW-209 | 06/10/14 | -- | 8.31 | -- |
| MW-209 | 07/24/14 | -- | 6.91 | -- |
| MW-209 | 08/28/14 | -- | 6.79 | -- |
| MW-209 | 09/23/14 | -- | 5.73 | -- |
| MW-209 | 10/22/14 | -- | 4.91 | -- |
| MW-209 | 11/05/14 | -- | 6.60 | -- |
| MW-209 | 12/18/14 | 12.10 | 5.27 | 6.83 |
| MW-209 | 01/27/15 | 12.10 | 4.88 | 7.22 |
| MW-209 | 02/26/15 | 12.10 | 5.54 | 6.56 |
| MW-209 | 03/11/15 | 12.10 | 5.55 | 6.55 |
| MW-209 | 05/19/15 | 12.10 | 8.60 | 3.50 |
| MW-210 | 03/29/13 | -- | 6.53 | -- |
| MW-210 | 06/28/13 | -- | 6.35 | -- |
| MW-210 | 09/11/13 | -- | 6.63 | -- |
| MW-210 | 10/30/13 | -- | 7.08 | -- |
| MW-210 | 11/05/13 | -- | 6.41 | -- |
| MW-210 | 01/16/14 | -- | 6.48 | -- |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-210 | 02/27/14 | -- | 6.79 | -- |
| MW-210 | 03/25/14 | -- | 6.96 | -- |
| MW-210 | 04/22/14 | -- | 6.32 | -- |
| MW-210 | 06/10/14 | -- | 7.08 | -- |
| MW-210 | 07/24/14 | -- | 6.64 | -- |
| MW-210 | 08/28/14 | -- | 6.72 | -- |
| MW-210 | 09/23/14 | -- | 6.56 | -- |
| MW-210 | 10/22/14 | -- | 5.87 | -- |
| MW-210 | 11/05/14 | -- | 6.45 | -- |
| MW-210 | 12/18/14 | 12.85 | 5.49 | 7.36 |
| MW-210 | 01/27/15 | 12.85 | 6.15 | 6.70 |
| MW-210 | 02/26/15 | 12.85 | 6.69 | 6.16 |
| MW-210 | 03/11/15 | 12.85 | 6.56 | 6.29 |
| MW-210 | 04/21/15 | 12.85 | 6.44 | 6.41 |
| MW-210 | 05/19/15 | 12.85 | 6.50 | 6.35 |
| MW-210 | 06/11/15 | 12.85 | 6.48 | 6.37 |
| MW-210 | 07/29/15 | 12.85 | 6.73 | 6.12 |
| MW-210 | 08/25/15 | 12.85 | 6.23 | 6.62 |
| MW-210 | 09/24/15 | 12.85 | 6.60 | 6.25 |
| MW-210 | 10/15/15 | 12.85 | 6.30 | 6.55 |
| MW-210 | 11/20/15 | 12.85 | 6.47 | 6.38 |
| MW-210 | 12/09/15 | 12.85 | 4.45 | 8.40 |
| MW-210 | 02/23/16 | 12.85 | 5.82 | 7.03 |
| MW-210 | 04/22/16 | 12.85 | 5.96 | 6.89 |
| MW-210 | 05/03/16 | 12.85 | 6.42 | 6.43 |
| MW-210 | 06/02/16 | 12.85 | 6.44 | 6.41 |
| MW-210 | 07/14/16 | 12.85 | 6.67 | 6.18 |
| MW-210 | 08/18/16 | 12.85 | 6.78 | 6.07 |
| MW-210 | 09/08/16 | 12.85 | 6.78 | 6.07 |
| MW-210 | 10/21/16 | 12.85 | 6.32 | 6.53 |
| MW-210 | 11/17/16 | 12.85 | 5.43 | 7.42 |
| MW-210 | 12/01/16 | 12.85 | 6.00 | 6.85 |
| MW-210 | 01/11/17 | 12.85 | 5.38 | 7.47 |
| MW-210 | 02/14/17 | 12.85 | 5.69 | 7.16 |
| MW-210 | 03/13/17 | 12.85 | 5.98 | 6.87 |
| MW-210 | 04/13/17 | 12.85 | 6.42 | 6.43 |
| MW-210 | 05/08/17 | 12.85 | 6.74 | 6.11 |
| MW-210 | 06/13/17 | 12.85 | 6.18 | 6.67 |
| MW-210 | 07/18/17 | 12.85 | 6.47 | 6.38 |
| MW-210 | 08/22/17 | 12.85 | 6.42 | 6.43 |
| MW-210 | 09/13/17 | 12.85 | 6.60 | 6.25 |
| MW-210 | 10/31/17 | 12.85 | 6.64 | 6.21 |
| MW-210 | 11/13/17 | 12.85 | 6.08 | 6.77 |
| MW-210 | 12/04/17 | 12.85 | 6.05 | 6.80 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-210 | 03/06/18 | 12.85 | 6.19 | 6.66 |
| MW-210 | 06/12/18 | 12.85 | 6.50 | 6.35 |
| MW-210 | 09/05/18 | 12.85 | 6.74 | 6.11 |
| MW-210 | 12/17/18 | 12.85 | 5.31 | 7.54 |
| MW-210 | 01/16/19 | 12.85 | 6.07 | 6.78 |
| MW-210 | 02/20/19 | 12.85 | 6.45 | 6.40 |
| MW-210 | 03/18/19 | 12.85 | 6.67 | 6.18 |
| MW-210 | 04/10/19 | 12.85 | 5.24 | 7.61 |
| MW-210 | 05/15/19 | 12.85 | 7.05 | 5.80 |
| MW-210 | 06/26/19 | 12.85 | 6.58 | 6.27 |
| MW-210 | 07/24/19 | 12.85 | 5.59 | 7.26 |
| MW-210 | 08/13/19 | 12.85 | 6.58 | 6.27 |
| MW-210 | 09/17/19 | 12.85 | 6.18 | 6.67 |
| MW-210 | 10/16/19 | 12.85 | 6.47 | 6.38 |
| MW-210 | 11/05/19 | 12.85 | 6.78 | 6.07 |
| MW-210 | 12/09/19 | 12.85 | 6.27 | 6.58 |
| MW-210 | 01/28/20 | 12.85 | 4.06 | 8.79 |
| MW-210 | 02/26/20 | 12.85 | 5.78 | 7.07 |
| MW-210 | 04/27/20 | 12.85 | 6.43 | 6.42 |
| MW-210 | 06/16/20 | 12.85 | 5.56 | 7.29 |
| MW-210 | 06/29/20 | 12.85 | 6.58 | 6.27 |
| MW-210 | 07/29/20 | 12.85 | 6.43 | 6.42 |
| MW-210 | 08/27/20 | 12.85 | 6.71 | 6.14 |
| MW-210 | 09/21/20 | 12.85 | 6.35 | 6.50 |
| MW-210 | 10/29/20 | 12.85 | 6.87 | 5.98 |
| MW-210 | 11/30/20 | 12.85 | 6.23 | 6.62 |
| MW-210 | 12/14/20 | 12.85 | 6.05 | 6.80 |
| MW-210 | 01/21/21 | 12.85 | 6.96 | 5.89 |
| MW-210 | 02/16/21 | 12.85 | 5.83 | 7.02 |
| MW-210 | 03/23/21 | 12.85 | 6.57 | 6.28 |
| MW-210 | 04/12/21 | 12.85 | 6.42 | 6.43 |
| MW-210 | 05/12/21 | 12.85 | 6.61 | 6.24 |
| MW-210 | 06/14/21 | 12.85 | 6.15 | 6.70 |
| MW-210 | 07/15/21 | 12.85 | 6.36 | 6.49 |
| MW-210 | 08/18/21 | 12.85 | 6.60 | 6.25 |
| MW-210 | 09/22/21 | 12.85 | 6.50 | 6.35 |
| MW-210 | 10/21/21 | 12.85 | 6.36 | 6.49 |
| MW-210 | 11/23/21 | 12.85 | 6.20 | 6.65 |
| MW-210 | 12/14/21 | 12.85 | 5.12 | 7.73 |
| MW-210 | 01/25/22 | 12.85 | 6.34 | 6.51 |
| MW-210 | 02/28/22 | 12.85 | 6.31 | 6.54 |
| MW-210 | 03/28/22 | 12.85 | 5.92 | 6.93 |
| MW-210 | 04/18/22 | 12.85 | 6.18 | 6.69 |
| MW-210 | 05/23/22 | 12.85 | 6.50 | 6.35 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-210 | 06/27/22 | 12.85 | 6.21 | 6.64 |
| MW-210 | 07/20/22 | 12.85 | 6.24 | 6.61 |
| MW-210 | 08/23/22 | 12.85 | 6.62 | 6.23 |
| MW-210 | 09/19/22 | 12.85 | 6.99 | 5.86 |
| MW-210 | 12/12/22 | 12.85 | 5.15 | 7.70 |
| MW-210 | 01/26/23 | 12.85 | 6.12 | 7.11 |
| MW-210 | 02/23/23 | 12.85 | 5.79 | 7.06 |
| MW-210 | 03/27/23 | 12.85 | 6.53 | 6.18 |
| MW-210 | 04/13/23 | 12.85 | 5.68 | 7.17 |
| MW-210 | 05/16/23 | 12.85 | 6.27 | 6.58 |
| MW-210 | 06/12/23 | 12.85 | 6.90 | 5.95 |
| MW-210 | 07/20/23 | 12.85 | 6.32 | 6.53 |
| MW-210 | 08/17/23 | 12.85 | 6.42 | 6.43 |
| MW-210 | 09/11/23 | 12.85 | 6.81 | 6.04 |
| MW-211 | 03/29/13 | -- | 5.97 | -- |
| MW-211 | 06/28/13 | -- | 5.68 | -- |
| MW-211 | 10/30/13 | -- | 6.43 | -- |
| MW-211 | 11/05/13 | -- | 5.68 | -- |
| MW-211 | 01/16/14 | -- | 5.51 | -- |
| MW-211 | 02/27/14 | -- | 5.01 | -- |
| MW-211 | 03/25/14 | -- | 5.38 | -- |
| MW-211 | 04/22/14 | -- | 5.33 | -- |
| MW-211 | 06/10/14 | -- | 6.02 | -- |
| MW-211 | 07/24/14 | -- | 6.85 | -- |
| MW-211 | 08/28/14 | -- | 6.06 | -- |
| MW-211 | 09/23/14 | -- | 5.96 | -- |
| MW-211 | 10/22/14 | -- | 4.96 | -- |
| MW-211 | 11/05/14 | -- | 4.70 | -- |
| MW-211 | 12/18/14 | 12.21 | 4.50 | 7.71 |
| MW-211 | 01/27/15 | 12.21 | 4.82 | 7.39 |
| MW-211 | 02/26/15 | 12.21 | 5.38 | 6.83 |
| MW-211 | 03/11/15 | 12.21 | 5.52 | 6.69 |
| MW-211 | 04/21/15 | 12.21 | 5.50 | 6.71 |
| MW-211 | 05/19/15 | 12.21 | 5.71 | 6.50 |
| MW-211 | 06/11/15 | 12.21 | 5.70 | 6.51 |
| MW-211 | 07/29/15 | 12.21 | 6.10 | 6.11 |
| MW-211 | 08/25/15 | 12.21 | 6.17 | 6.04 |
| MW-211 | 09/24/15 | 12.21 | 5.72 | 6.49 |
| MW-211 | 10/15/15 | 12.21 | 5.30 | 6.91 |
| MW-211 | 11/20/15 | 12.21 | 4.78 | 7.43 |
| MW-211 | 12/09/15 | 12.21 | 2.80 | 9.41 |
| MW-211 | 02/23/16 | 12.21 | 4.45 | 7.76 |
| MW-211 | 04/22/16 | 12.21 | 4.67 | 7.54 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-211 | 05/03/16 | 12.21 | 5.63 | 6.58 |
| MW-211 | 06/02/16 | 12.21 | 5.77 | 6.44 |
| MW-211 | 07/14/16 | 12.21 | 6.02 | 6.19 |
| MW-211 | 08/18/16 | 12.21 | 6.16 | 6.05 |
| MW-211 | 09/08/16 | 12.21 | 6.22 | 5.99 |
| MW-211 | 10/21/16 | 12.21 | 6.01 | 6.20 |
| MW-211 | 11/17/16 | 12.21 | 3.86 | 8.35 |
| MW-211 | 12/01/16 | 12.21 | 4.14 | 8.07 |
| MW-211 | 01/11/17 | 12.21 | 3.18 | 9.03 |
| MW-211 | 02/14/17 | 12.21 | 4.02 | 8.19 |
| MW-211 | 03/13/17 | 12.21 | 4.27 | 7.94 |
| MW-211 | 04/13/17 | 12.21 | 4.02 | 8.19 |
| MW-211 | 05/08/17 | 12.21 | 5.32 | 6.89 |
| MW-211 | 06/13/17 | 12.21 | 5.36 | 6.85 |
| MW-211 | 07/18/17 | 12.21 | 5.78 | 6.43 |
| MW-211 | 08/22/17 | 12.21 | 5.76 | 6.45 |
| MW-211 | 09/13/17 | 12.21 | Not Measured | Not Measured |
| MW-211 | 10/31/17 | 12.21 | Not Measured | Not Measured |
| MW-211 | 11/13/17 | 12.21 | Not Measured | Not Measured |
| MW-211 | 12/04/17 | 12.21 | Not Measured | Not Measured |
| MW-211 | 03/06/18 | 12.21 | 5.03 | 7.18 |
| MW-211 | 06/12/18 | 12.21 | 5.73 | 6.48 |
| MW-211 | 09/05/18 | 12.21 | 6.16 | 6.05 |
| MW-211 | 12/17/18 | 12.21 | 4.14 | 8.07 |
| MW-211 | 01/16/19 | 12.21 | 4.30 | 7.91 |
| MW-211 | 02/20/19 | 12.21 | 4.22 | 7.99 |
| MW-211 | 03/18/19 | 12.21 | 5.34 | 6.87 |
| MW-211 | 04/10/19 | 12.21 | 4.66 | 7.55 |
| MW-211 | 05/15/19 | 12.21 | 5.38 | 6.83 |
| MW-211 | 06/26/19 | 12.21 | 6.88 | 5.33 |
| MW-211 | 07/24/19 | 12.21 | 5.88 | 6.33 |
| MW-211 | 08/13/19 | 12.21 | 5.72 | 6.49 |
| MW-211 | 09/17/19 | 12.21 | 5.54 | 6.67 |
| MW-211 | 10/16/19 | 12.21 | 5.77 | 6.44 |
| MW-211 | 11/05/19 | 12.21 | 6.01 | 6.20 |
| MW-211 | 12/09/19 | 12.21 | 5.54 | 6.67 |
| MW-211 | 01/28/20 | 12.21 | 3.12 | 9.09 |
| MW-211 | 02/26/20 | 12.21 | 5.19 | 7.02 |
| MW-211 | 04/27/20 | 12.21 | 5.47 | 6.74 |
| MW-211 | 06/16/20 | 12.21 | 5.72 | 6.49 |
| MW-211 | 06/29/20 | 12.21 | 5.78 | 6.43 |
| MW-211 | 07/29/20 | 12.21 | 5.67 | 6.54 |
| MW-211 | 08/27/20 | 12.21 | 5.85 | 6.36 |
| MW-211 | 09/21/20 | 12.21 | 5.45 | 6.76 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-211 | 10/29/20 | 12.21 | 5.99 | 6.22 |
| MW-211 | 11/30/20 | 12.21 | 5.11 | 7.10 |
| MW-211 | 12/14/20 | 12.21 | 5.28 | 6.93 |
| MW-211 | 01/21/21 | 12.21 | 4.82 | 7.39 |
| MW-211 | 02/16/21 | 12.21 | 4.18 | 8.03 |
| MW-211 | 03/23/21 | 12.21 | 5.37 | 6.84 |
| MW-211 | 04/12/21 | 12.21 | 5.65 | 6.56 |
| MW-211 | 05/12/21 | 12.21 | 5.86 | 6.35 |
| MW-211 | 06/14/21 | 12.21 | 5.24 | 6.97 |
| MW-211 | 07/15/21 | 12.21 | 5.60 | 6.61 |
| MW-211 | 08/18/21 | 12.21 | 5.90 | 6.31 |
| MW-211 | 09/22/21 | 12.21 | 5.70 | 6.51 |
| MW-211 | 10/21/21 | 12.21 | 5.50 | 6.71 |
| MW-211 | 11/23/21 | 12.21 | 4.42 | 7.79 |
| MW-211 | 12/14/21 | 12.21 | 4.39 | 7.82 |
| MW-211 | 01/25/22 | 12.21 | 4.85 | 7.36 |
| MW-211 | 02/28/22 | 12.21 | 4.51 | 7.70 |
| MW-211 | 03/28/22 | 12.21 | 5.00 | 7.21 |
| MW-211 | 04/18/22 | 12.21 | 5.28 | 6.93 |
| MW-211 | 05/23/22 | 12.21 | 5.28 | 6.93 |
| MW-211 | 06/27/22 | 12.21 | 5.28 | 6.93 |
| MW-211 | 07/20/22 | 12.21 | 5.42 | 6.79 |
| MW-211 | 08/23/22 | 12.21 | 5.94 | 6.27 |
| MW-211 | 09/19/22 | 12.21 | 5.93 | 6.28 |
| MW-211 | 12/12/22 | 12.21 | 4.39 | 7.82 |
| MW-211 | 01/26/23 | 12.21 | 4.58 | 7.63 |
| MW-211 | 02/23/23 | 12.21 | 4.45 | 7.76 |
| MW-211 | 03/27/23 | 12.21 | 5.35 | 6.86 |
| MW-211 | 04/13/23 | 12.21 | 4.66 | 7.55 |
| MW-211 | 05/16/23 | 12.21 | 5.21 | 7.00 |
| MW-211 | 06/12/23 | 12.21 | 5.35 | 6.86 |
| MW-211 | 07/20/23 | 12.21 | 5.60 | 6.61 |
| MW-211 | 08/17/23 | 12.21 | 5.50 | 6.71 |
| MW-211 | 09/11/23 | 12.21 | 5.94 | 6.27 |
| MW-212 | 03/29/13 | -- | 4.90 | -- |
| MW-212 | 06/28/13 | -- | 4.42 | -- |
| MW-212 | 09/11/13 | -- | 5.32 | -- |
| MW-212 | 09/12/13 | -- | 5.52 | -- |
| MW-212 | 10/30/13 | -- | 5.28 | -- |
| MW-212 | 11/05/13 | -- | 5.51 | -- |
| MW-212 | 01/16/14 | -- | 5.47 | -- |
| MW-212 | 02/27/14 | -- | 6.12 | -- |
| MW-212 | 03/25/14 | -- | 6.30 | -- |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-212 | 04/22/14 | -- | 5.85 | -- |
| MW-212 | 06/10/14 | -- | Not Measured | Not Measured |
| MW-212 | 07/24/14 | -- | 6.06 | -- |
| MW-212 | 08/28/14 | -- | 6.23 | -- |
| MW-212 | 09/23/14 | -- | 6.08 | -- |
| MW-212 | 10/22/14 | -- | 4.13 | -- |
| MW-212 | 11/05/14 | -- | 5.12 | -- |
| MW-212 | 12/18/14 | 11.95 | 4.89 | 7.06 |
| MW-212 | 01/27/15 | 11.95 | 5.38 | 6.57 |
| MW-212 | 02/26/15 | 11.95 | 5.59 | 6.36 |
| MW-212 | 03/11/15 | 11.95 | 5.45 | 6.50 |
| MW-212 | 04/21/15 | 11.95 | 5.85 | 6.10 |
| MW-212 | 05/19/15 | 11.95 | 5.67 | 6.28 |
| MW-212 | 06/11/15 | 11.95 | 5.46 | 6.49 |
| MW-212 | 07/29/15 | 11.95 | 5.85 | 6.10 |
| MW-212 | 08/25/15 | 11.95 | 6.82 | 5.13 |
| MW-212 | 09/24/15 | 11.95 | 6.33 | 5.62 |
| MW-212 | 10/15/15 | 11.95 | 5.82 | 6.13 |
| MW-212 | 11/20/15 | 11.95 | 5.51 | 6.44 |
| MW-212 | 12/09/15 | 11.95 | 3.61 | 8.34 |
| MW-212 | 02/23/16 | 11.95 | 4.38 | 7.57 |
| MW-212 | 04/22/16 | 11.95 | 5.37 | 6.58 |
| MW-212 | 05/03/16 | 11.95 | 6.00 | 5.95 |
| MW-212 | 06/02/16 | 11.95 | 6.18 | 5.77 |
| MW-212 | 07/14/16 | 11.95 | 6.27 | 5.68 |
| MW-212 | 08/18/16 | 11.95 | 6.44 | 5.51 |
| MW-212 | 09/08/16 | 11.95 | 6.55 | 5.40 |
| MW-212 | 10/21/16 | 11.95 | 6.10 | 5.85 |
| MW-212 | 11/17/16 | 11.95 | 4.68 | 7.27 |
| MW-212 | 12/01/16 | 11.95 | 4.88 | 7.07 |
| MW-212 | 01/11/17 | 11.95 | 3.88 | 8.07 |
| MW-212 | 02/14/17 | 11.95 | 4.79 | 7.16 |
| MW-212 | 03/13/17 | 11.95 | 4.98 | 6.97 |
| MW-212 | 04/13/17 | 11.95 | 5.02 | 6.93 |
| MW-212 | 05/08/17 | 11.95 | 5.31 | 6.64 |
| MW-212 | 06/13/17 | 11.95 | 5.60 | 6.35 |
| MW-212 | 07/18/17 | 11.95 | 5.83 | 6.12 |
| MW-212 | 08/22/17 | 11.95 | 5.92 | 6.03 |
| MW-212 | 09/13/17 | 11.95 | 6.21 | 5.74 |
| MW-212 | 10/31/17 | 11.95 | 6.17 | 5.78 |
| MW-212 | 11/13/17 | 11.95 | 4.98 | 6.97 |
| MW-212 | 12/04/17 | 11.95 | 5.38 | 6.57 |
| MW-212 | 03/06/18 | 11.95 | 5.46 | 6.49 |
| MW-212 | 06/12/18 | 11.95 | 6.06 | 5.89 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-212 | 09/05/18 | 11.95 | 6.35 | 5.60 |
| MW-212 | 12/17/18 | 11.95 | 4.43 | 7.52 |
| MW-212 | 01/16/19 | 11.95 | 5.56 | 6.39 |
| MW-212 | 02/20/19 | 11.95 | 4.32 | 7.63 |
| MW-212 | 03/18/19 | 11.95 | 6.12 | 5.83 |
| MW-212 | 04/10/19 | 11.95 | 5.78 | 6.17 |
| MW-212 | 05/15/19 | 11.95 | 6.13 | 5.82 |
| MW-212 | 06/26/19 | 11.95 | 6.11 | 5.84 |
| MW-212 | 07/24/19 | 11.95 | 5.96 | 5.99 |
| MW-212 | 08/13/19 | 11.95 | 6.02 | 5.93 |
| MW-212 | 09/17/19 | 11.95 | 6.28 | 5.67 |
| MW-212 | 10/16/19 | 11.95 | 6.36 | 5.59 |
| MW-212 | 11/05/19 | 11.95 | 6.51 | 5.44 |
| MW-212 | 12/09/19 | 11.95 | 6.14 | 5.81 |
| MW-212 | 01/28/20 | 11.95 | 2.03 | 9.92 |
| MW-212 | 02/26/20 | 11.95 | 4.97 | 6.98 |
| MW-212 | 04/27/20 | 11.95 | 5.29 | 6.66 |
| MW-212 | 06/16/20 | 11.95 | 6.25 | 5.70 |
| MW-212 | 06/29/20 | 11.95 | 5.85 | 6.10 |
| MW-212 | 07/29/20 | 11.95 | 6.31 | 5.64 |
| MW-212 | 08/27/20 | 11.95 | 6.15 | 5.80 |
| MW-212 | 09/21/20 | 11.95 | 6.23 | 5.72 |
| MW-212 | 10/29/20 | 11.95 | 6.23 | 5.72 |
| MW-212 | 11/30/20 | 11.95 | 5.10 | 6.85 |
| MW-212 | 12/14/20 | 11.95 | 5.83 | 6.12 |
| MW-212 | 01/21/21 | 11.95 | 5.63 | 6.32 |
| MW-212 | 02/16/21 | 11.95 | 4.25 | 7.70 |
| MW-212 | 03/23/21 | 11.95 | 5.74 | 6.21 |
| MW-212 | 04/12/21 | 11.95 | 6.31 | 5.64 |
| MW-212 | 05/12/21 | 11.95 | 6.21 | 5.74 |
| MW-212 | 06/14/21 | 11.95 | 5.62 | 6.33 |
| MW-212 | 07/15/21 | 11.95 | 6.01 | 5.94 |
| MW-212 | 08/18/21 | 11.95 | 6.16 | 5.79 |
| MW-212 | 09/22/21 | 11.95 | 6.10 | 5.85 |
| MW-212 | 10/21/21 | 11.95 | 6.05 | 5.90 |
| MW-212 | 11/23/21 | 11.95 | 5.19 | 6.76 |
| MW-212 | 12/14/21 | 11.95 | 4.79 | 7.16 |
| MW-212 | 01/25/22 | 11.95 | 5.67 | 6.28 |
| MW-212 | 02/28/22 | 11.95 | 2.86 | 9.09 |
| MW-212 | 03/28/22 | 11.95 | 5.98 | 5.97 |
| MW-212 | 04/18/22 | 11.95 | 5.98 | 5.97 |
| MW-212 | 05/23/22 | 11.95 | 5.70 | 6.25 |
| MW-212 | 06/27/22 | 11.95 | 5.90 | 6.05 |
| MW-212 | 07/20/22 | 11.95 | 5.85 | 6.10 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-212 | 08/23/22 | 11.95 | 6.19 | 5.76 |
| MW-212 | 09/19/22 | 11.95 | 6.19 | 5.76 |
| MW-212 | 12/12/22 | 11.95 | 4.70 | 7.25 |
| MW-212 | 01/26/23 | 11.95 | 4.59 | 7.36 |
| MW-212 | 02/23/23 | 11.95 | 5.07 | 6.88 |
| MW-212 | 03/27/23 | 11.95 | 5.61 | 6.34 |
| MW-212 | 04/13/23 | 11.95 | 5.17 | 6.78 |
| MW-212 | 05/16/23 | 11.95 | 5.70 | 6.25 |
| MW-212 | 06/12/23 | 11.95 | 5.65 | 6.30 |
| MW-212 | 07/20/23 | 11.95 | 6.01 | 5.94 |
| MW-212 | 08/17/23 | 11.95 | 5.99 | 5.96 |
| MW-212 | 09/11/23 | 11.95 | 6.39 | 5.56 |
| MW-213 | 07/23/01 | 8.57 | 10.17 | -1.60 |
| MW-213 | 10/16/01 | 8.57 | 5.81 | 2.76 |
| MW-213 | 04/24/02 | 8.57 | 7.34 | 1.23 |
| MW-213 | 07/18/02 | 8.57 | 7.39 | 1.18 |
| MW-213 | 10/23/02 | 8.57 | 5.04 | 3.53 |
| MW-213 | 01/28/03 | 8.57 | 4.60 | 3.97 |
| MW-213 | 04/15/03 | 8.57 | 4.43 | 4.14 |
| MW-213 | 07/17/03 | 8.57 | 10.24 | -1.67 |
| MW-213 | 10/15/03 | 8.57 | 5.85 | 2.72 |
| MW-213 | 01/13/04 | 8.57 | 5.02 | 3.55 |
| MW-213 | 04/19/04 | 8.57 | 7.91 | 0.66 |
| MW-213 | 07/27/04 | 8.57 | 6.94 | 1.63 |
| MW-213 | 10/18/04 | 8.57 | 5.70 | 2.87 |
| MW-213 | 01/24/05 | 8.57 | 4.70 | 3.87 |
| MW-213 | 04/18/05 | 8.57 | 7.43 | 1.14 |
| MW-213 | 07/12/05 | 8.57 | 8.72 | -0.15 |
| MW-213 | 10/18/05 | 8.57 | 7.24 | 1.33 |
| MW-213 | 01/25/06 | 8.57 | 5.79 | 2.78 |
| MW-213 | 04/25/06 | 8.57 | 7.82 | 0.75 |
| MW-213 | 10/11/06 | 8.57 | 6.09 | 2.48 |
| MW-213 | 11/19/08 | 8.57 | 5.98 | 2.59 |
| MW-213 | 04/07/09 | 8.57 | 7.69 | 0.88 |
| MW-213 | 11/16/09 | 8.57 | 4.97 | 3.60 |
| MW-213 | 04/26/10 | 8.57 | 8.22 | 0.35 |
| MW-213 | 10/28/10 | 8.57 | 5.33 | 3.24 |
| MW-213 | 10/25/11 | 8.57 | 7.43 | 1.14 |
| MW-213 | 06/12/12 | 8.57 | 7.84 | 0.73 |
| MW-213 | 11/29/12 | 8.57 | 4.65 | 3.92 |
| MW-213 | 05/15/13 | 8.57 | 8.86 | -0.29 |
| MW-213 | 10/30/13 | 8.57 | 5.45 | 3.12 |
| MW-213 | 11/05/13 | 8.57 | 5.29 | 3.28 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-213 | 04/22/14 | 8.57 | 6.39 | 2.18 |
| MW-213 | 11/05/14 | 12.17 | 6.55 | 5.62 |
| MW-213 | 05/19/15 | 12.17 | 7.85 | 4.32 |
| MW-213 | 12/09/15 | 12.17 | 4.18 | 7.99 |
| MW-213 | 12/14/16 | 12.17 | 5.22 | 6.95 |
| MW-213 | 06/13/17 | 12.17 | 5.75 | 6.42 |
| MW-213 | 12/04/17 | 12.17 | 6.33 | 5.84 |
| MW-213 | 06/12/18 | 12.17 | 9.38 | 2.79 |
| MW-213 | 12/17/18 | 12.17 | 3.87 | 8.30 |
| MW-213 | 05/15/19 | 12.17 | 8.76 | 3.41 |
| MW-213 | 12/09/19 | 12.17 | 6.26 | 5.91 |
| MW-213 | 06/29/20 | 12.17 | 7.30 | 4.87 |
| MW-213 | 12/14/20 | 12.17 | 5.21 | 6.96 |
| MW-213 | 04/12/21 | 12.17 | 6.01 | 6.16 |
| MW-213 | 06/14/21 | 12.17 | 5.45 | 6.72 |
| MW-213 | 12/16/21 | 12.17 | 5.76 | 6.41 |
| MW-213 | 06/27/22 | 12.17 | 6.88 | 5.29 |
| MW-213 | 12/12/22 | 12.17 | 4.35 | 7.82 |
| MW-213 | 06/12/23 | 12.17 | 5.97 | 6.20 |
| MW-214 | 07/23/01 | 8.63 | 10.37 | -1.74 |
| MW-214 | 10/19/01 | 8.63 | 5.74 | 2.89 |
| MW-214 | 04/24/02 | 8.63 | 7.94 | 0.69 |
| MW-214 | 07/18/02 | 8.63 | 7.25 | 1.38 |
| MW-214 | 10/23/02 | 8.63 | 5.85 | 2.78 |
| MW-214 | 01/28/03 | 8.63 | 4.25 | 4.38 |
| MW-214 | 04/15/03 | 8.63 | 4.66 | 3.97 |
| MW-214 | 07/17/03 | 8.63 | 10.40 | -1.77 |
| MW-214 | 10/15/03 | 8.63 | 4.89 | 3.74 |
| MW-214 | 01/13/04 | 8.63 | 4.86 | 3.77 |
| MW-214 | 04/19/04 | 8.63 | 7.92 | 0.71 |
| MW-214 | 07/27/04 | 8.63 | 6.42 | 2.21 |
| MW-214 | 10/18/04 | 8.63 | 5.37 | 3.26 |
| MW-214 | 01/24/05 | 8.63 | 5.00 | 3.63 |
| MW-214 | 04/18/05 | 8.63 | 7.65 | 0.98 |
| MW-214 | 07/12/05 | 8.63 | 8.82 | -0.19 |
| MW-214 | 10/18/05 | 8.63 | 7.18 | 1.45 |
| MW-214 | 01/25/06 | 8.63 | 5.96 | 2.67 |
| MW-214 | 04/25/06 | 8.63 | 7.80 | 0.83 |
| MW-214 | 10/11/06 | 8.63 | 5.95 | 2.68 |
| MW-214 | 11/19/08 | 8.63 | 5.50 | 3.13 |
| MW-214 | 04/07/09 | 12.92 | 7.05 | 5.87 |
| MW-214 | 11/16/09 | 12.92 | 5.28 | 7.64 |
| MW-214 | 04/26/10 | 12.92 | 7.80 | 5.12 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-214 | 10/28/10 | 12.92 | 5.25 | 7.67 |
| MW-214 | 10/25/11 | 12.92 | 7.78 | 5.14 |
| MW-214 | 06/12/12 | 12.92 | 7.80 | 5.12 |
| MW-214 | 11/29/12 | 12.92 | 5.00 | 7.92 |
| MW-214 | 05/15/13 | 12.92 | 9.23 | 3.69 |
| MW-214 | 10/30/13 | 12.92 | 7.88 | 5.04 |
| MW-214 | 11/05/13 | 12.92 | 5.38 | 7.54 |
| MW-214 | 02/27/14 | 12.92 | 6.08 | 6.84 |
| MW-214 | 04/22/14 | 12.92 | 6.78 | 6.14 |
| MW-214 | 11/05/14 | 12.39 | 6.80 | 5.59 |
| MW-214 | 05/19/15 | 12.39 | 8.10 | 4.29 |
| MW-214 | 12/09/15 | 12.39 | 4.74 | 7.65 |
| MW-214 | 12/14/16 | 12.39 | 5.58 | 6.81 |
| MW-214 | 06/13/17 | 12.39 | 6.04 | 6.35 |
| MW-214 | 12/04/17 | 12.39 | 6.41 | 5.98 |
| MW-214 | 06/12/18 | 12.39 | 9.70 | 2.69 |
| MW-214 | 12/17/18 | 12.39 | 4.13 | 8.26 |
| MW-214 | 05/15/19 | 12.39 | 7.81 | 4.58 |
| MW-214 | 12/09/19 | 12.39 | 6.39 | 6.00 |
| MW-214 | 06/29/20 | 12.39 | 7.59 | 4.80 |
| MW-214 | 12/14/20 | 12.39 | 5.32 | 7.07 |
| MW-214 | 04/12/21 | 12.39 | 5.87 | 6.52 |
| MW-214 | 06/14/21 | 12.39 | 5.63 | 6.76 |
| MW-214 | 12/16/21 | 12.39 | 5.71 | 6.68 |
| MW-214 | 06/27/22 | 12.39 | 7.74 | 4.65 |
| MW-214 | 12/12/22 | 12.39 | 4.38 | 8.01 |
| MW-214 | 06/12/23 | 12.39 | 6.70 | 5.69 |
| MW-301 | 03/02/12 | 12.56 | 6.03 | 6.53 |
| MW-301 | 05/30/12 | 12.56 | 6.03 | 6.53 |
| MW-301 | 06/13/12 | 12.56 | 6.11 | 6.45 |
| MW-301 | 09/26/12 | 12.56 | 6.82 | 5.74 |
| MW-301 | 11/27/12 | 12.56 | 5.34 | 7.22 |
| MW-301 | 02/21/13 | 12.56 | 5.66 | 6.90 |
| MW-301 | 05/16/13 | 12.56 | 6.14 | 6.42 |
| MW-301 | 09/06/13 | 12.56 | 6.71 | 5.85 |
| MW-301 | 11/07/13 | 12.56 | 6.60 | 5.96 |
| MW-301 | 04/22/14 | 12.56 | 5.56 | 7.00 |
| MW-301 | 07/24/14 | 12.56 | 6.38 | 6.18 |
| MW-301 | 09/23/14 | 12.56 | 6.71 | 5.85 |
| MW-301 | 11/04/14 | 12.56 | 5.73 | 6.83 |
| MW-301 | 03/10/15 | 12.56 | 5.64 | 6.92 |
| MW-301 | 05/15/15 | 12.56 | 6.10 | 6.46 |
| MW-301 | 07/29/15 | 12.56 | 6.63 | 5.93 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-301 | 12/10/15 | 12.56 | 4.57 | 7.99 |
| MW-301 | 02/23/16 | 12.56 | 4.50 | 8.06 |
| MW-301 | 05/03/16 | 12.56 | 5.53 | 7.03 |
| MW-301 | 08/30/16 | 12.56 | 6.68 | 5.88 |
| MW-301 | 12/14/16 | 12.56 | 5.08 | 7.48 |
| MW-301 | 03/13/17 | 12.56 | 7.60 | 4.96 |
| MW-301 | 05/16/17 | 12.56 | 5.21 | 7.35 |
| MW-301 | 06/13/17 | 12.56 | 5.70 | 6.86 |
| MW-301 | 08/22/17 | 12.56 | 6.43 | 6.13 |
| MW-301 | 12/04/17 | 12.56 | 5.40 | 7.16 |
| MW-301 | 03/06/18 | 12.56 | 5.37 | 7.19 |
| MW-301 | 06/12/18 | 12.56 | 5.90 | 6.66 |
| MW-301 | 09/05/18 | 12.56 | 6.58 | 5.98 |
| MW-301 | 12/17/18 | 12.56 | 5.75 | 6.81 |
| MW-301 | 03/18/19 | 12.56 | 5.23 | 7.33 |
| MW-301 | 05/16/19 | 12.56 | 5.74 | 6.82 |
| MW-301 | 09/17/19 | 12.56 | 6.49 | 6.07 |
| MW-301 | 12/09/19 | 12.56 | 6.41 | 6.15 |
| MW-301 | 04/27/20 | 12.56 | 5.50 | 7.06 |
| MW-301 | 06/29/20 | 12.56 | 5.85 | 6.71 |
| MW-301 | 09/21/20 | 12.56 | 6.57 | 5.99 |
| MW-301 | 12/14/20 | 12.56 | 5.90 | 6.66 |
| MW-301 | 04/12/21 | 12.56 | 5.26 | 7.30 |
| MW-301 | 06/14/21 | 12.56 | 5.95 | 6.61 |
| MW-301 | 09/22/21 | 12.56 | 6.57 | 5.99 |
| MW-301 | 12/16/21 | 12.56 | 4.67 | 7.89 |
| MW-301 | 03/28/22 | 12.56 | 4.91 | 7.65 |
| MW-301 | 06/27/22 | 12.56 | 5.34 | 7.22 |
| MW-301 | 09/21/22 | 12.56 | 6.95 | 5.61 |
| MW-301 | 12/12/22 | 12.56 | 5.22 | 7.34 |
| MW-301 | 03/27/23 | 12.56 | 5.56 | 7.00 |
| MW-301 | 06/12/23 | 12.56 | 5.90 | 6.66 |
| MW-301 | 09/11/23 | 12.56 | 6.17 | 6.39 |
| MW-302 | 03/01/12 | 12.85 | 6.47 | 6.38 |
| MW-302 | 05/30/12 | 12.85 | Not Measured | Not Measured |
| MW-302 | 06/13/12 | 12.85 | Not Measured | Not Measured |
| MW-302 | 09/26/12 | 12.85 | 7.23 | 5.62 |
| MW-302 | 11/27/12 | 12.85 | 5.83 | 7.02 |
| MW-302 | 02/22/13 | 12.85 | 6.10 | 6.75 |
| MW-302 | 05/16/13 | 12.85 | 6.61 | 6.24 |
| MW-302 | 09/06/13 | 12.85 | 7.11 | 5.74 |
| MW-302 | 11/07/13 | 12.85 | 6.99 | 5.86 |
| MW-302 | 01/16/14 | 12.85 | 6.80 | 6.05 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-302 | 04/22/14 | 12.85 | 6.09 | 6.76 |
| MW-302 | 06/10/14 | 12.85 | 6.40 | 6.45 |
| MW-302 | 07/24/14 | 12.85 | 6.85 | 6.00 |
| MW-302 | 09/23/14 | 12.85 | 7.13 | 5.72 |
| MW-302 | 11/04/14 | 12.85 | 6.28 | 6.57 |
| MW-302 | 03/10/15 | 12.85 | 6.22 | 6.63 |
| MW-302 | 05/15/15 | 12.85 | 6.60 | 6.25 |
| MW-302 | 07/29/15 | 12.85 | 7.07 | 5.78 |
| MW-302 | 12/10/15 | 12.85 | 5.12 | 7.73 |
| MW-302 | 02/23/16 | 12.85 | 5.23 | 7.62 |
| MW-302 | 05/03/16 | 12.85 | 6.15 | 6.70 |
| MW-302 | 08/30/16 | 12.85 | 7.26 | 5.59 |
| MW-302 | 12/14/16 | 12.85 | 5.74 | 7.11 |
| MW-302 | 03/13/17 | 12.85 | 5.33 | 7.52 |
| MW-302 | 05/16/17 | 12.85 | 5.79 | 7.06 |
| MW-302 | 06/13/17 | 12.85 | 6.30 | 6.55 |
| MW-302 | 08/22/17 | 12.85 | 6.92 | 5.93 |
| MW-302 | 12/04/17 | 12.85 | 5.80 | 7.05 |
| MW-302 | 03/06/18 | 12.85 | 5.91 | 6.94 |
| MW-302 | 06/12/18 | 12.85 | 6.48 | 6.37 |
| MW-302 | 09/05/18 | 12.85 | 6.96 | 5.89 |
| MW-302 | 12/17/18 | 12.85 | 6.10 | 6.75 |
| MW-302 | 03/18/19 | 12.85 | 5.65 | 7.20 |
| MW-302 | 05/16/19 | 12.85 | 6.20 | 6.65 |
| MW-302 | 09/17/19 | 12.85 | 7.33 | 5.52 |
| MW-302 | 12/09/19 | 12.85 | 6.75 | 6.10 |
| MW-302 | 04/27/20 | 12.85 | 5.95 | 6.90 |
| MW-302 | 06/29/20 | 12.85 | 6.22 | 6.63 |
| MW-302 | 09/21/20 | 12.85 | 6.92 | 5.93 |
| MW-302 | 12/15/20 | 12.85 | 6.15 | 6.70 |
| MW-302 | 04/13/21 | 12.85 | 5.67 | 7.18 |
| MW-302 | 06/15/21 | 12.85 | 6.28 | 6.57 |
| MW-302 | 09/23/21 | 12.85 | 6.84 | 6.01 |
| MW-302 | 12/16/21 | 12.85 | 4.98 | 7.87 |
| MW-302 | 03/28/22 | 12.85 | 5.25 | 7.60 |
| MW-302 | 06/27/22 | 12.85 | 5.68 | 7.17 |
| MW-302 | 09/21/22 | 12.85 | 7.38 | 5.47 |
| MW-302 | 12/12/22 | 12.85 | 5.88 | 6.97 |
| MW-302 | 03/27/23 | 12.85 | 5.44 | 7.41 |
| MW-302 | 06/12/23 | 12.85 | 6.32 | 6.53 |
| MW-302 | 09/12/23 | 12.85 | 6.80 | 6.05 |
| MW-303 | 03/02/12 | 12.64 | 5.96 | 6.68 |
| MW-303 | 05/30/12 | 12.64 | 5.97 | 6.67 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| MW-303 | 06/13/12 | 12.64 | 6.06 | 6.58 |
| MW-303 | 09/26/12 | 12.64 | 6.86 | 5.78 |
| MW-303 | 11/27/12 | 12.64 | 5.22 | 7.42 |
| MW-303 | 02/21/13 | 12.64 | 5.58 | 7.06 |
| MW-303 | 05/16/13 | 12.64 | 6.10 | 6.54 |
| MW-303 | 09/06/13 | 12.64 | 6.80 | 5.84 |
| MW-303 | 11/07/13 | 12.64 | 6.61 | 6.03 |
| MW-303 | 04/22/14 | 12.64 | 5.49 | 7.15 |
| MW-303 | 07/24/14 | 12.64 | 6.44 | 6.20 |
| MW-303 | 09/23/14 | 12.64 | 6.80 | 5.84 |
| MW-303 | 11/04/14 | 12.64 | 5.73 | 6.91 |
| MW-303 | 03/10/15 | 12.64 | 5.62 | 7.02 |
| MW-303 | 05/15/15 | 12.64 | 6.11 | 6.53 |
| MW-303 | 07/29/15 | 12.64 | 6.71 | 5.93 |
| MW-303 | 12/10/15 | 12.64 | 4.38 | 8.26 |
| MW-303 | 02/23/16 | 12.64 | 4.44 | 8.20 |
| MW-303 | 05/03/16 | 12.64 | 5.56 | 7.08 |
| MW-303 | 08/30/16 | 12.64 | 6.82 | 5.82 |
| MW-303 | 12/14/16 | 12.64 | 5.06 | 7.58 |
| MW-303 | 03/13/17 | 12.64 | 4.51 | 8.13 |
| MW-303 | 05/16/17 | 12.64 | 5.18 | 7.46 |
| MW-303 | 06/13/17 | 12.64 | 5.75 | 6.89 |
| MW-303 | 08/22/17 | 12.64 | 6.55 | 6.09 |
| MW-303 | 12/04/17 | 12.64 | 5.35 | 7.29 |
| MW-303 | 03/06/18 | 12.64 | 5.35 | 7.29 |
| MW-303 | 06/12/18 | 12.64 | 6.07 | 6.57 |
| MW-303 | 09/05/18 | 12.64 | 6.73 | 5.91 |
| MW-303 | 12/17/18 | 12.64 | 5.83 | 6.81 |
| MW-303 | 03/18/19 | 12.64 | 5.33 | 7.31 |
| MW-303 | 05/16/19 | 12.64 | 5.89 | 6.75 |
| MW-303 | 09/17/19 | 12.64 | 6.68 | 5.96 |
| MW-303 | 12/09/19 | 12.64 | 6.54 | 6.10 |
| MW-303 | 04/27/20 | 12.64 | 5.63 | 7.01 |
| MW-303 | 06/29/20 | 12.64 | 6.10 | 6.54 |
| MW-303 | 09/21/20 | 12.64 | 6.72 | 5.92 |
| MW-303 | 12/14/20 | 12.64 | 5.95 | 6.69 |
| MW-303 | 04/12/21 | 12.64 | 5.33 | 7.31 |
| MW-303 | 06/14/21 | 12.64 | 6.00 | 6.64 |
| MW-303 | 09/22/21 | 12.64 | 6.69 | 5.95 |
| MW-303 | 12/15/21 | 12.64 | 4.61 | 8.03 |
| MW-303 | 03/28/22 | 12.64 | 4.84 | 7.80 |
| MW-303 | 06/27/22 | 12.64 | 5.38 | 7.26 |
| MW-303 | 09/21/22 | 12.64 | 7.02 | 5.62 |
| MW-303 | 12/12/22 | 12.64 | 5.24 | 7.40 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-303 | 03/27/23 | 12.64 | 5.33 | 7.31 |
| MW-303 | 06/12/23 | 12.64 | 6.02 | 6.62 |
| MW-303 | 09/11/23 | 12.64 | 6.36 | 6.28 |
| MW-304 | 03/01/12 | 12.70 | 6.07 | 6.63 |
| MW-304 | 05/30/12 | 12.70 | 6.12 | 6.58 |
| MW-304 | 06/13/12 | 12.70 | 6.22 | 6.48 |
| MW-304 | 09/26/12 | 12.70 | 6.98 | 5.72 |
| MW-304 | 11/27/12 | 12.70 | 5.43 | 7.27 |
| MW-304 | 02/22/13 | 12.70 | 5.78 | 6.92 |
| MW-304 | 05/16/13 | 12.70 | Not Measured | Not Measured |
| MW-304 | 09/06/13 | 12.70 | 6.89 | 5.81 |
| MW-304 | 11/07/13 | 12.70 | 6.75 | 5.95 |
| MW-304 | 01/16/14 | 12.70 | 6.50 | 6.20 |
| MW-304 | 04/22/14 | 12.70 | 5.67 | 7.03 |
| MW-304 | 07/24/14 | 12.70 | 6.57 | 6.13 |
| MW-304 | 09/23/14 | 12.70 | 6.89 | 5.81 |
| MW-304 | 11/04/14 | 12.70 | 5.91 | 6.79 |
| MW-304 | 03/10/15 | 12.70 | 5.80 | 6.90 |
| MW-304 | 05/15/15 | 12.70 | 6.28 | 6.42 |
| MW-304 | 07/29/15 | 12.70 | 6.84 | 5.86 |
| MW-304 | 12/10/15 | 12.70 | 4.80 | 7.90 |
| MW-304 | 02/23/16 | 12.70 | Not Measured | Not Measured |
| MW-304 | 05/03/16 | 12.70 | 5.79 | 6.91 |
| MW-304 | 08/30/16 | 12.70 | Not Measured | Not Measured |
| MW-304 | 12/14/16 | 12.70 | 5.27 | 7.43 |
| MW-304 | 03/13/17 | 12.70 | 4.82 | 7.88 |
| MW-304 | 06/13/17 | 12.70 | 5.95 | 6.75 |
| MW-304 | 08/22/17 | 12.70 | 6.67 | 6.03 |
| MW-304 | 12/04/17 | 12.70 | 5.53 | 7.17 |
| MW-304 | 03/06/18 | 12.70 | 5.46 | 7.24 |
| MW-304 | 06/12/18 | 12.70 | 6.18 | 6.52 |
| MW-304 | 09/05/18 | 12.70 | 6.78 | 5.92 |
| MW-304 | 12/17/18 | 12.70 | 5.90 | 6.80 |
| MW-304 | 03/18/19 | 12.70 | 5.39 | 7.31 |
| MW-304 | 05/16/19 | 12.70 | 5.98 | 6.72 |
| MW-304 | 09/17/19 | 12.70 | 6.67 | 6.03 |
| MW-304 | 12/09/19 | 12.70 | 6.58 | 6.12 |
| MW-304 | 04/27/20 | 12.70 | 5.71 | 6.99 |
| MW-304 | 06/29/20 | 12.70 | 6.10 | 6.60 |
| MW-304 | 09/21/20 | 12.70 | 6.78 | 5.92 |
| MW-304 | 12/14/20 | 12.70 | 6.00 | 6.70 |
| MW-304 | 04/12/21 | 12.70 | 5.42 | 7.28 |
| MW-304 | 06/14/21 | 12.70 | 6.05 | 6.65 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-304 | 09/22/21 | 12.70 | 6.72 | 5.98 |
| MW-304 | 12/16/21 | 12.70 | 4.69 | 8.01 |
| MW-304 | 03/28/22 | 12.70 | 5.08 | 7.62 |
| MW-304 | 06/27/22 | 12.70 | 5.45 | 7.25 |
| MW-304 | 09/20/22 | 12.70 | 7.03 | 5.67 |
| MW-304 | 12/12/22 | 12.70 | 5.28 | 7.42 |
| MW-304 | 03/27/23 | 12.70 | 5.71 | 6.99 |
| MW-304 | 06/12/23 | 12.70 | 6.05 | 6.65 |
| MW-304 | 09/11/23 | 12.70 | 6.39 | 6.31 |
| MW-305 | 03/01/12 | 13.48 | 6.47 | 7.01 |
| MW-305 | 05/30/12 | 13.48 | 6.43 | 7.05 |
| MW-305 | 06/11/12 | 13.48 | 6.43 | 7.05 |
| MW-305 | 09/26/12 | 13.48 | 7.22 | 6.26 |
| MW-305 | 11/28/12 | 13.48 | 5.86 | 7.62 |
| MW-305 | 05/16/13 | 13.48 | 6.01 | 7.47 |
| MW-305 | 11/07/13 | 13.48 | 6.40 | 7.08 |
| MW-305 | 04/22/14 | 13.48 | 5.92 | 7.56 |
| MW-305 | 11/06/14 | 13.48 | 6.22 | 7.26 |
| MW-305 | 05/21/15 | 13.48 | 6.32 | 7.16 |
| MW-306 | 03/01/12 | 13.36 | 6.24 | 7.12 |
| MW-306 | 05/30/12 | 13.36 | 6.14 | 7.22 |
| MW-306 | 06/11/12 | 13.36 | 6.12 | 7.24 |
| MW-306 | 09/26/12 | 13.36 | 6.99 | 6.37 |
| MW-306 | 11/28/12 | 13.36 | 5.64 | 7.72 |
| MW-306 | 05/16/13 | 13.36 | 5.57 | 7.79 |
| MW-306 | 11/07/13 | 13.36 | 6.04 | 7.32 |
| MW-306 | 04/22/14 | 13.36 | 5.63 | 7.73 |
| MW-306 | 05/21/15 | 13.36 | 5.99 | 7.37 |
| MW-306 | 12/10/15 | 13.36 | 4.80 | 8.56 |
| MW-307 | 11/27/12 | 15.62 | 7.94 | 7.68 |
| MW-307 | 02/22/13 | 15.62 | 8.42 | 7.20 |
| MW-307 | 05/16/13 | 15.62 | 8.91 | 6.71 |
| MW-307 | 09/06/13 | 15.62 | 9.67 | 5.95 |
| MW-307 | 11/07/13 | 15.62 | 9.49 | 6.13 |
| MW-307 | 04/22/14 | 15.62 | 8.52 | 7.10 |
| MW-307 | 03/10/15 | 15.62 | 8.42 | 7.20 |
| MW-307 | 05/15/15 | 15.62 | 8.92 | 6.70 |
| MW-307 | 07/29/15 | 15.62 | 9.58 | 6.04 |
| MW-307 | 12/10/15 | 15.62 | 7.33 | 8.29 |
| MW-307 | 02/23/16 | 15.62 | 7.24 | 8.38 |
| MW-307 | 05/03/16 | 15.62 | 8.39 | 7.23 |
| MW-307 | 08/30/16 | 15.62 | 9.51 | 6.11 |
| MW-307 | 12/14/16 | 15.62 | 7.84 | 7.78 |
| MW-307 | 03/13/17 | 15.62 | 7.32 | 8.30 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-307 | 05/16/17 | 15.62 | 8.02 | 7.60 |
| MW-307 | 06/13/17 | 15.62 | 8.51 | 7.11 |
| MW-307 | 08/22/17 | 15.62 | 9.42 | 6.20 |
| MW-307 | 09/25/17 | 15.62 | 9.76 | 5.86 |
| MW-307 | 12/04/17 | 15.62 | 8.18 | 7.44 |
| MW-307 | 03/06/18 | 15.62 | 8.16 | 7.46 |
| MW-307 | 06/12/18 | 15.62 | 8.70 | 6.92 |
| MW-307 | 09/05/18 | 15.62 | 9.61 | 6.01 |
| MW-307 | 12/17/18 | 15.62 | 8.62 | 7.00 |
| MW-307 | 03/18/19 | 15.62 | 8.07 | 7.55 |
| MW-307 | 05/15/19 | 15.62 | 8.69 | 6.93 |
| MW-307 | 09/17/19 | 15.62 | 9.52 | 6.10 |
| MW-307 | 12/09/19 | 15.62 | 9.39 | 6.23 |
| MW-307 | 04/27/20 | 15.62 | 8.42 | 7.20 |
| MW-307 | 06/29/20 | 15.62 | 8.83 | 6.79 |
| MW-307 | 09/21/20 | 15.62 | 9.57 | 6.05 |
| MW-307 | 12/14/20 | 15.62 | 8.72 | 6.90 |
| MW-307 | 04/12/21 | 15.62 | 8.10 | 7.52 |
| MW-307 | 06/14/21 | 15.62 | 8.80 | 6.82 |
| MW-307 | 09/22/21 | 15.62 | 9.54 | 6.08 |
| MW-307 | 12/14/21 | 15.62 | 7.32 | 8.30 |
| MW-307 | 03/28/22 | 15.62 | 7.73 | 7.89 |
| MW-307 | 06/27/22 | 15.62 | 8.61 | 7.01 |
| MW-307 | 09/20/22 | 15.62 | 9.17 | 6.45 |
| MW-307 | 12/12/22 | 15.62 | 7.98 | 7.64 |
| MW-307 | 03/27/23 | 15.62 | 8.25 | 7.37 |
| MW-307 | 06/12/23 | 15.62 | 8.46 | 7.16 |
| MW-307 | 09/11/23 | 15.62 | 8.50 | 7.12 |
| MW-308 | 11/27/12 | 15.59 | 7.90 | 7.69 |
| MW-308 | 02/22/13 | 15.59 | 8.22 | 7.37 |
| MW-308 | 05/16/13 | 15.59 | 8.80 | 6.79 |
| MW-308 | 09/06/13 | 15.59 | 9.56 | 6.03 |
| MW-308 | 11/07/13 | 15.59 | 9.45 | 6.14 |
| MW-308 | 04/22/14 | 15.59 | 8.10 | 7.49 |
| MW-308 | 11/04/14 | 15.59 | 8.40 | 7.19 |
| MW-308 | 03/10/15 | 15.59 | 8.31 | 7.28 |
| MW-308 | 05/15/15 | 15.59 | 9.01 | 6.58 |
| MW-308 | 07/29/15 | 15.59 | 9.62 | 5.97 |
| MW-308 | 12/10/15 | 15.59 | 6.15 | 9.44 |
| MW-308 | 02/23/16 | 15.59 | 6.88 | 8.71 |
| MW-308 | 05/03/16 | 15.59 | 8.20 | 7.39 |
| MW-308 | 08/30/16 | 15.59 | 9.59 | 6.00 |
| MW-308 | 12/14/16 | 15.59 | 7.56 | 8.03 |
| MW-308 | 03/13/17 | 15.59 | 6.72 | 8.87 |
| MW-308 | 05/16/17 | 15.59 | 7.69 | 7.90 |
| MW-308 | 06/13/17 | 15.59 | 8.38 | 7.21 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-308 | 08/22/17 | 15.59 | 9.29 | 6.30 |
| MW-308 | 09/25/17 | 15.59 | 9.74 | 5.85 |
| MW-308 | 12/04/17 | 15.59 | 7.90 | 7.69 |
| MW-308 | 03/06/18 | 15.59 | 7.98 | 7.61 |
| MW-308 | 06/12/18 | 15.59 | 8.78 | 6.81 |
| MW-308 | 09/05/18 | 15.59 | 9.55 | 6.04 |
| MW-308 | 12/17/18 | 15.59 | 8.38 | 7.21 |
| MW-308 | 03/18/19 | 15.59 | 8.02 | 7.57 |
| MW-308 | 05/15/19 | 15.59 | 8.65 | 6.94 |
| MW-308 | 09/17/19 | 15.59 | 9.49 | 6.10 |
| MW-308 | 12/09/19 | 15.59 | 9.34 | 6.25 |
| MW-308 | 04/27/20 | 15.59 | 8.32 | 7.27 |
| MW-308 | 06/29/20 | 15.59 | 8.78 | 6.81 |
| MW-308 | 09/21/20 | 15.59 | 9.53 | 6.06 |
| MW-308 | 12/14/20 | 15.59 | 8.70 | 6.89 |
| MW-308 | 04/12/21 | 15.59 | 8.00 | 7.59 |
| MW-308 | 06/14/21 | 15.59 | 8.65 | 6.94 |
| MW-308 | 09/22/21 | 15.59 | 9.50 | 6.09 |
| MW-308 | 12/14/21 | 15.59 | 7.07 | 8.52 |
| MW-308 | 03/28/22 | 15.59 | 7.43 | 8.16 |
| MW-308 | 06/27/22 | 15.59 | 8.34 | 7.25 |
| MW-308 | 09/20/22 | 15.59 | 8.85 | 6.74 |
| MW-308 | 12/12/22 | 15.59 | 7.94 | 7.65 |
| MW-308 | 03/27/23 | 15.59 | 8.18 | 7.41 |
| MW-308 | 06/12/23 | 15.59 | 7.73 | 7.86 |
| MW-308 | 09/11/23 | 15.59 | 8.22 | 7.37 |
| MW-309 | 11/27/12 | 12.67 | 5.41 | 7.26 |
| MW-309 | 02/21/13 | 12.67 | 5.73 | 6.94 |
| MW-309 | 05/16/13 | 12.67 | 6.21 | 6.46 |
| MW-309 | 09/06/13 | 12.67 | 6.84 | 5.83 |
| MW-309 | 11/07/13 | 12.67 | 6.76 | 5.91 |
| MW-309 | 04/22/14 | 12.67 | 5.60 | 7.07 |
| MW-309 | 07/24/14 | 12.67 | 6.47 | 6.20 |
| MW-309 | 09/23/14 | 12.67 | 6.81 | 5.86 |
| MW-309 | 11/04/14 | 12.67 | 5.81 | 6.86 |
| MW-309 | 03/10/15 | 12.67 | 5.72 | 6.95 |
| MW-309 | 05/15/15 | 12.67 | 6.18 | 6.49 |
| MW-309 | 07/29/15 | 12.67 | 6.74 | 5.93 |
| MW-309 | 12/10/15 | 12.67 | 4.59 | 8.08 |
| MW-309 | 02/23/16 | 12.67 | 4.70 | 7.97 |
| MW-309 | 05/03/16 | 12.67 | 5.60 | 7.07 |
| MW-309 | 08/30/16 | 12.67 | 6.75 | 5.92 |
| MW-309 | 12/12/16 | 12.67 | 5.12 | 7.55 |
| MW-309 | 03/13/17 | 12.67 | 4.62 | 8.05 |
| MW-309 | 06/13/17 | 12.67 | 5.76 | 6.91 |
| MW-309 | 08/22/17 | 12.67 | 6.56 | 6.11 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-309 | 12/04/17 | 12.67 | 5.52 | 7.15 |
| MW-309 | 03/06/18 | 12.67 | 5.40 | 7.27 |
| MW-309 | 06/12/18 | 12.67 | 6.18 | 6.49 |
| MW-309 | 09/05/18 | 12.67 | 6.72 | 5.95 |
| MW-309 | 12/17/18 | 12.67 | 5.93 | 6.74 |
| MW-309 | 03/18/19 | 12.67 | 5.41 | 7.26 |
| MW-309 | 05/16/19 | 12.67 | 5.95 | 6.72 |
| MW-309 | 09/17/19 | 12.67 | 6.74 | 5.93 |
| MW-309 | 12/09/19 | 12.67 | 6.59 | 6.08 |
| MW-309 | 04/27/20 | 12.67 | 5.74 | 6.93 |
| MW-309 | 06/29/20 | 12.67 | 6.00 | 6.67 |
| MW-309 | 09/21/20 | 12.67 | 6.75 | 5.92 |
| MW-309 | 12/14/20 | 12.67 | 6.08 | 6.59 |
| MW-309 | 04/12/21 | 12.67 | 5.42 | 7.25 |
| MW-309 | 06/14/21 | 12.67 | 6.10 | 6.57 |
| MW-309 | 09/22/21 | 12.67 | 6.72 | 5.95 |
| MW-309 | 12/15/21 | 12.67 | 4.84 | 7.83 |
| MW-309 | 03/28/22 | 12.67 | 5.03 | 7.64 |
| MW-309 | 06/27/22 | 12.67 | 5.51 | 7.16 |
| MW-309 | 09/19/22 | 12.67 | 7.20 | 5.47 |
| MW-309 | 12/12/22 | 12.67 | 5.41 | 7.26 |
| MW-309 | 03/27/23 | 12.67 | 5.62 | 7.05 |
| MW-309 | 06/12/23 | 12.67 | 5.95 | 6.72 |
| MW-309 | 09/11/23 | 12.67 | 6.86 | 5.81 |
| MW-310 | 11/27/12 | 13.51 | 6.42 | 7.09 |
| MW-310 | 02/21/13 | 13.51 | 6.78 | 6.73 |
| MW-310 | 05/16/13 | 13.51 | 7.20 | 6.31 |
| MW-310 | 09/06/13 | 13.51 | 7.72 | 5.79 |
| MW-310 | 11/07/13 | 13.51 | 7.61 | 5.90 |
| MW-310 | 01/16/14 | 13.51 | 7.39 | 6.12 |
| MW-310 | 04/23/14 | 13.51 | 6.64 | 6.87 |
| MW-310 | 07/24/14 | 13.51 | 7.43 | 6.08 |
| MW-310 | 09/23/14 | 13.51 | 7.73 | 5.78 |
| MW-310 | 11/04/14 | 13.51 | 6.84 | 6.67 |
| MW-310 | 03/10/15 | 13.51 | 6.78 | 6.73 |
| MW-310 | 05/15/15 | 13.51 | 7.19 | 6.32 |
| MW-310 | 07/29/15 | 13.51 | 7.67 | 5.84 |
| MW-310 | 12/10/15 | 13.51 | 5.80 | 7.71 |
| MW-310 | 02/23/16 | 13.51 | 5.77 | 7.74 |
| MW-310 | 05/03/16 | 13.51 | 6.70 | 6.81 |
| MW-310 | 08/30/16 | 13.51 | 7.76 | 5.75 |
| MW-310 | 12/14/16 | 13.51 | 6.32 | 7.19 |
| MW-310 | 03/13/17 | 13.51 | 5.90 | 7.61 |
| MW-310 | 05/16/17 | 13.51 | 6.39 | 7.12 |
| MW-310 | 06/13/17 | 13.51 | 6.88 | 6.63 |
| MW-310 | 08/22/17 | 13.51 | 7.56 | 5.95 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-310 | 12/04/17 | 13.51 | 6.48 | 7.03 |
| MW-310 | 03/06/18 | 13.51 | 6.52 | 6.99 |
| MW-310 | 06/12/18 | 13.51 | 7.08 | 6.43 |
| MW-310 | 09/05/18 | 13.51 | 7.57 | 5.94 |
| MW-310 | 12/17/18 | 13.51 | 6.73 | 6.78 |
| MW-310 | 03/18/19 | 13.51 | 5.28 | 8.23 |
| MW-310 | 05/16/19 | 13.51 | 6.92 | 6.59 |
| MW-310 | 09/17/19 | 13.51 | 7.59 | 5.92 |
| MW-310 | 12/09/19 | 13.51 | 7.41 | 6.10 |
| MW-310 | 04/27/20 | 13.51 | 6.60 | 6.91 |
| MW-310 | 06/29/20 | 13.51 | 6.78 | 6.73 |
| MW-310 | 09/21/20 | 13.51 | 7.57 | 5.94 |
| MW-310 | 12/14/20 | 13.51 | 8.95 | 4.56 |
| MW-310 | 04/12/21 | 13.51 | 6.41 | 7.10 |
| MW-310 | 06/14/21 | 13.51 | 6.98 | 6.53 |
| MW-310 | 09/22/21 | 13.51 | 7.62 | 5.89 |
| MW-310 | 12/16/21 | 13.51 | 5.58 | 7.93 |
| MW-310 | 03/28/22 | 13.51 | 5.85 | 7.66 |
| MW-310 | 06/27/22 | 13.51 | 7.08 | 6.43 |
| MW-310 | 09/20/22 | 13.51 | 8.08 | 5.43 |
| MW-310 | 12/12/22 | 13.51 | 6.20 | 7.31 |
| MW-310 | 03/27/23 | 13.51 | 5.91 | 7.60 |
| MW-310 | 06/12/23 | 13.51 | 6.17 | 7.34 |
| MW-310 | 09/11/23 | 13.51 | 7.15 | 6.36 |
| MW-311 | 11/05/14 | 14.91 | 8.03 | 6.88 |
| MW-311 | 03/10/15 | 14.91 | 8.02 | 6.89 |
| MW-311 | 05/15/15 | 14.91 | 8.42 | 6.49 |
| MW-311 | 07/29/15 | 14.91 | 8.83 | 6.08 |
| MW-311 | 12/10/15 | 14.91 | 7.08 | 7.83 |
| MW-311 | 02/23/16 | 14.91 | 6.97 | 7.94 |
| MW-311 | 05/03/16 | 14.91 | 7.92 | 6.99 |
| MW-311 | 08/30/16 | 14.91 | 8.92 | 5.99 |
| MW-311 | 12/14/16 | 14.91 | 7.53 | 7.38 |
| MW-311 | 03/13/17 | 14.91 | 7.10 | 7.81 |
| MW-311 | 06/13/17 | 14.91 | 8.05 | 6.86 |
| MW-311 | 08/22/17 | 14.91 | 8.70 | 6.21 |
| MW-311 | 12/04/17 | 14.91 | 7.70 | 7.21 |
| MW-311 | 03/06/18 | 14.91 | 7.74 | 7.17 |
| MW-311 | 06/12/18 | 14.91 | 8.32 | 6.59 |
| MW-311 | 09/05/18 | 14.91 | 8.78 | 6.13 |
| MW-311 | 12/17/18 | 14.91 | 8.02 | 6.89 |
| MW-311 | 03/18/19 | 14.91 | 7.63 | 7.28 |
| MW-311 | 05/15/19 | 14.91 | 8.06 | 6.85 |
| MW-311 | 09/17/19 | 14.91 | 8.78 | 6.13 |
| MW-311 | 12/09/19 | 14.91 | 8.64 | 6.27 |
| MW-311 | 04/27/20 | 14.91 | 7.94 | 6.97 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-311 | 06/29/20 | 14.91 | 8.24 | 6.67 |
| MW-311 | 09/21/20 | 14.91 | 8.80 | 6.11 |
| MW-311 | 12/14/20 | 14.91 | 8.20 | 6.71 |
| MW-311 | 04/12/21 | 14.91 | 7.68 | 7.23 |
| MW-311 | 06/14/21 | 14.91 | -- | -- |
| MW-311 | 09/22/21 | 14.91 | 8.79 | 6.12 |
| MW-311 | 12/16/21 | 14.91 | 7.05 | 7.86 |
| MW-311 | 03/28/22 | 14.91 | 7.25 | 7.66 |
| MW-311 | 06/27/22 | 14.91 | 7.69 | 7.22 |
| MW-311 | 09/20/22 | 14.91 | 9.23 | 5.68 |
| MW-311 | 12/12/22 | 14.91 | 7.62 | 7.29 |
| MW-311 | 03/27/23 | 14.91 | 7.77 | 7.14 |
| MW-311 | 06/12/23 | 14.91 | 7.62 | 7.29 |
| MW-311 | 09/12/23 | 14.91 | 8.58 | 6.33 |
| MW-312 | 11/05/14 | 14.31 | 7.58 | 6.73 |
| MW-312 | 03/10/15 | 14.31 | 7.56 | 6.75 |
| MW-312 | 05/15/15 | 14.31 | 7.95 | 6.36 |
| MW-312 | 07/29/15 | 14.31 | 8.34 | 5.97 |
| MW-312 | 12/10/15 | 14.31 | 6.97 | 7.34 |
| MW-312 | 02/23/16 | 14.31 | 6.68 | 7.63 |
| MW-312 | 05/03/16 | 14.31 | 7.49 | 6.82 |
| MW-312 | 08/30/16 | 14.31 | 8.44 | 5.87 |
| MW-312 | 12/14/16 | 14.31 | 7.10 | 7.21 |
| MW-312 | 03/13/17 | 14.31 | 6.75 | 7.56 |
| MW-312 | 06/13/17 | 14.31 | 7.61 | 6.70 |
| MW-312 | 08/22/17 | 14.31 | 8.22 | 6.09 |
| MW-312 | 12/04/17 | 14.31 | 7.36 | 6.95 |
| MW-312 | 03/06/18 | 14.31 | 7.32 | 6.99 |
| MW-312 | 06/12/18 | 14.31 | 7.83 | 6.48 |
| MW-312 | 09/05/18 | 14.31 | 8.31 | 6.00 |
| MW-312 | 12/17/18 | 14.31 | 7.57 | 6.74 |
| MW-312 | 03/18/19 | 14.31 | 7.23 | 7.08 |
| MW-312 | 05/15/19 | 14.31 | 7.59 | 6.72 |
| MW-312 | 09/17/19 | 14.31 | 8.26 | 6.05 |
| MW-312 | 12/09/19 | 14.31 | 8.12 | 6.19 |
| MW-312 | 04/27/20 | 14.31 | 7.52 | 6.79 |
| MW-312 | 06/29/20 | 14.31 | 7.70 | 6.61 |
| MW-312 | 09/21/20 | 14.31 | 8.30 | 6.01 |
| MW-312 | 12/14/20 | 14.31 | 7.77 | 6.54 |
| MW-312 | 04/12/21 | 14.31 | 7.31 | 7.00 |
| MW-312 | 06/14/21 | 14.31 | 7.80 | 6.51 |
| MW-312 | 09/22/21 | 14.31 | 8.25 | 6.06 |
| MW-312 | 12/16/21 | 14.31 | 6.63 | 7.68 |
| MW-312 | 03/28/22 | 14.31 | 5.90 | 8.41 |
| MW-312 | 06/27/22 | 14.31 | 7.56 | 6.75 |
| MW-312 | 09/20/22 | 14.31 | 7.11 | 7.20 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-312 | 12/12/22 | 14.31 | 7.08 | 7.23 |
| MW-312 | 03/27/23 | 14.31 | 7.46 | 6.85 |
| MW-312 | 06/12/23 | 14.31 | 5.78 | 8.53 |
| MW-312 | 09/12/23 | 14.31 | 7.96 | 6.35 |
| MW-313 | 08/30/16 | 13.25 | 7.05 | 6.20 |
| MW-313 | 12/14/16 | 13.25 | 5.63 | 7.62 |
| MW-313 | 03/13/17 | 13.25 | 5.31 | 7.94 |
| MW-313 | 06/13/17 | 13.25 | 6.10 | 7.15 |
| MW-313 | 08/22/17 | 13.25 | 6.80 | 6.45 |
| MW-313 | 12/04/17 | 13.25 | 5.77 | 7.48 |
| MW-313 | 03/06/18 | 13.25 | 5.87 | 7.38 |
| MW-313 | 06/12/18 | 13.25 | 6.38 | 6.87 |
| MW-313 | 09/05/18 | 13.25 | 6.98 | 6.27 |
| MW-313 | 12/17/18 | 13.25 | 6.04 | 7.21 |
| MW-313 | 03/18/19 | 13.25 | 5.87 | 7.38 |
| MW-313 | 05/15/19 | 13.25 | 6.21 | 7.04 |
| MW-313 | 09/17/19 | 13.25 | 6.82 | 6.43 |
| MW-313 | 12/09/19 | 13.25 | 6.74 | 6.51 |
| MW-313 | 04/27/20 | 13.25 | 6.03 | 7.22 |
| MW-313 | 06/29/20 | 13.25 | 6.36 | 6.89 |
| MW-313 | 09/21/20 | 13.25 | 6.95 | 6.30 |
| MW-313 | 12/14/20 | 13.25 | 6.27 | 6.98 |
| MW-313 | 04/12/21 | 13.25 | 5.96 | 7.29 |
| MW-313 | 06/14/21 | 13.25 | 6.27 | 6.98 |
| MW-313 | 09/22/21 | 13.25 | 6.83 | 6.42 |
| MW-313 | 12/16/21 | 13.25 | 5.11 | 8.14 |
| MW-313 | 03/28/22 | 13.25 | 5.48 | 7.77 |
| MW-313 | 06/27/22 | 13.25 | 5.87 | 7.38 |
| MW-313 | 09/20/22 | 13.25 | 7.30 | 5.95 |
| MW-313 | 12/12/22 | 13.25 | 5.48 | 7.77 |
| MW-313 | 03/27/23 | 13.25 | 5.90 | 7.35 |
| MW-313 | 06/12/23 | 13.25 | 6.15 | 7.10 |
| MW-313 | 09/12/23 | 13.25 | 6.73 | 6.52 |
| MW-314 | 08/30/16 | 13.49 | 7.72 | 5.77 |
| MW-314 | 12/14/16 | 13.49 | 6.77 | 6.72 |
| MW-314 | 03/13/17 | 13.49 | 6.55 | 6.94 |
| MW-314 | 06/13/17 | 13.49 | 7.08 | 6.41 |
| MW-314 | 08/22/17 | 13.49 | 7.55 | 5.94 |
| MW-314 | 12/04/17 | 13.49 | 7.00 | 6.49 |
| MW-314 | 03/06/18 | 13.49 | 6.99 | 6.50 |
| MW-314 | 06/12/18 | 13.49 | 7.38 | 6.11 |
| MW-314 | 09/05/18 | 13.49 | 7.66 | 5.83 |
| MW-314 | 12/17/18 | 13.49 | 6.98 | 6.51 |
| MW-314 | 03/18/19 | 13.49 | 6.92 | 6.57 |
| MW-314 | 05/16/19 | 13.49 | 7.13 | 6.36 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| MW-314 | 09/17/19 | 13.49 | Not Measured | Not Measured |
| MW-314 | 12/09/19 | 13.49 | 7.46 | 6.03 |
| MW-314 | 04/27/20 | 13.49 | 7.19 | 6.30 |
| MW-314 | 06/29/20 | 13.49 | 7.40 | 6.09 |
| MW-314 | 09/22/20 | 13.49 | 7.53 | 5.96 |
| MW-314 | 12/15/20 | 13.49 | 7.31 | 6.18 |
| MW-314 | 04/13/21 | 13.49 | 7.13 | 6.36 |
| MW-314 | 06/14/21 | 13.49 | -- | -- |
| MW-314 | 09/22/21 | 13.49 | -- | -- |
| MW-314 | 12/16/21 | 13.49 | -- | -- |
| MW-314 | 03/28/22 | 13.49 | 6.68 | 6.81 |
| MW-314 | 06/27/22 | 13.49 | 6.93 | 6.56 |
| MW-314 | 09/20/22 | 13.49 | 8.41 | 5.08 |
| MW-314 | 12/12/22 | 13.49 | -- | -- |
| MW-314 | 03/27/23 | 13.49 | 6.75 | 6.74 |
| MW-314 | 06/12/23 | 13.49 | 7.00 | 6.49 |
| MW-314 | 09/11/23 | 13.49 | -- | -- |
| MW-315 | 08/30/16 | 14.61 | 8.56 | 6.05 |
| MW-315 | 12/14/16 | 14.61 | 7.26 | 7.35 |
| MW-315 | 03/13/17 | 14.61 | 6.93 | 7.68 |
| MW-315 | 06/13/17 | 14.61 | 7.72 | 6.89 |
| MW-315 | 08/22/17 | 14.61 | 8.32 | 6.29 |
| MW-315 | 12/04/17 | 14.61 | 7.45 | 7.16 |
| MW-315 | 03/06/18 | 14.61 | 7.47 | 7.14 |
| MW-315 | 06/12/18 | 14.61 | 7.98 | 6.63 |
| MW-315 | 09/05/18 | 14.61 | 8.46 | 6.15 |
| MW-315 | 12/17/18 | 14.61 | 7.64 | 6.97 |
| MW-315 | 03/18/19 | 14.61 | 7.43 | 7.18 |
| MW-315 | 05/15/19 | 14.61 | 7.73 | 6.88 |
| MW-315 | 09/17/19 | 14.61 | 9.43 | 5.18 |
| MW-315 | 12/09/19 | 14.61 | 8.21 | 6.40 |
| MW-315 | 04/27/20 | 14.61 | 7.64 | 6.97 |
| MW-315 | 06/29/20 | 14.61 | 7.95 | 6.66 |
| MW-315 | 09/21/20 | 14.61 | 8.41 | 6.20 |
| MW-315 | 12/14/20 | 14.61 | 7.77 | 6.84 |
| MW-315 | 04/12/21 | 14.61 | 7.52 | 7.09 |
| MW-315 | 06/14/21 | 14.61 | 7.90 | 6.71 |
| MW-315 | 09/22/21 | 14.61 | 8.34 | 6.27 |
| MW-315 | 12/16/21 | 14.61 | 6.76 | 7.85 |
| MW-315 | 03/28/22 | 14.61 | 7.03 | 7.58 |
| MW-315 | 06/27/22 | 14.61 | 7.42 | 7.19 |
| MW-315 | 09/20/22 | 14.61 | 9.08 | 5.53 |
| MW-315 | 12/12/22 | 14.61 | 7.08 | 7.53 |
| MW-315 | 03/27/23 | 14.61 | 7.43 | 7.18 |
| MW-315 | 06/12/23 | 14.61 | 7.61 | 7.00 |
| MW-315 | 09/12/23 | 14.61 | 8.10 | 6.51 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| SH-04 | 07/08/93 | 12.92 | 9.94 | 2.98 |
| SH-04 | 08/03/93 | 12.92 | 10.15 | 2.77 |
| SH-04 | 09/08/93 | 12.92 | 10.50 | 2.42 |
| SH-04 | 10/08/93 | 12.92 | 10.72 | 2.20 |
| SH-04 | 11/05/93 | 12.92 | 10.88 | 2.04 |
| SH-04 | 12/03/93 | 12.92 | 10.78 | 2.14 |
| SH-04 | 01/05/94 | 12.92 | 10.20 | 2.72 |
| SH-04 | 02/04/94 | 12.92 | 10.12 | 2.80 |
| SH-04 | 08/28/95 | 12.92 | 10.15 | 2.77 |
| SH-04 | 09/27/95 | 12.92 | 10.37 | 2.55 |
| SH-04 | 04/27/99 | 12.92 | 8.55 | 4.37 |
| SH-04 | 07/14/99 | 12.92 | 7.63 | 5.29 |
| SH-04 | 10/18/99 | 12.92 | 10.58 | 2.34 |
| SH-04 | 01/11/00 | 12.92 | 9.06 | 3.86 |
| SH-04 | 04/05/00 | 12.92 | 8.94 | 3.98 |
| SH-04 | 07/18/00 | 12.92 | 9.96 | 2.96 |
| SH-04 | 10/02/00 | 12.92 | 10.62 | 2.30 |
| SH-04 | 01/22/01 | 12.92 | 10.13 | 2.79 |
| SH-04 | 07/23/01 | 12.92 | 6.98 | 5.94 |
| SH-04 | 10/16/01 | 12.92 | 12.20 | 0.72 |
| SH-04 | 04/23/02 | 12.92 | 9.91 | 3.01 |
| SH-04 | 07/18/02 | 12.92 | 10.74 | 2.18 |
| SH-04 | 10/23/02 | 12.92 | 11.27 | 1.65 |
| SH-04 | 01/28/03 | 12.92 | 9.73 | 3.19 |
| SH-04 | 04/15/03 | 12.92 | 9.69 | 3.23 |
| SH-04 | 07/17/03 | 12.92 | 10.78 | 2.14 |
| SH-04 | 10/15/03 | 12.92 | 11.19 | 1.73 |
| SH-04 | 01/13/04 | 12.92 | 9.61 | 3.31 |
| SH-04 | 04/19/04 | 16.62 | 10.05 | 6.57 |
| SH-04 | 07/27/04 | 16.62 | 10.90 | 5.72 |
| SH-04 | 10/18/04 | 16.62 | 10.89 | 5.73 |
| SH-04 | 01/24/05 | 16.62 | 10.03 | 6.59 |
| SH-04 | 04/18/05 | 16.62 | 10.03 | 6.59 |
| SH-04 | 07/12/05 | 16.62 | 10.51 | 6.11 |
| SH-04 | 10/18/05 | 16.62 | 11.01 | 5.61 |
| SH-04 | 01/25/06 | 16.62 | 8.98 | 7.64 |
| SH-04 | 10/11/06 | 16.62 | 11.06 | 5.56 |
| SH-04 | 11/20/08 | 16.62 | 10.40 | 6.22 |
| SH-04 | 04/08/09 | 16.62 | 10.01 | 6.61 |
| SH-04 | 11/16/09 | 16.62 | 10.09 | 6.53 |
| SH-04 | 04/27/10 | 16.62 | 9.33 | 7.29 |
| SH-04 | 10/25/10 | 16.62 | 10.23 | 6.39 |
| SH-04 | 10/27/11 | 16.62 | 10.68 | 5.94 |
| SH-04 | 03/01/12 | 16.62 | 9.63 | 6.99 |
| SH-04 | 05/30/12 | 16.62 | 9.56 | 7.06 |
| SH-04 | 06/11/12 | 16.62 | 9.55 | 7.07 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| SH-04 | 08/23/12 | 16.62 | 9.95 | 6.67 |
| SH-04 | 09/25/12 | 16.62 | 10.21 | 6.41 |
| SH-04 | 11/25/12 | 16.62 | 8.77 | 7.85 |
| SH-04 | 05/16/13 | 16.62 | 8.64 | 7.98 |
| SH-04 | 11/04/13 | 16.62 | 8.75 | 7.87 |
| SH-04 | 04/22/14 | 16.62 | 9.00 | 7.62 |
| SH-04 | 11/06/14 | 16.62 | 9.23 | 7.39 |
| SH-04 | 05/21/15 | 16.62 | 9.15 | 7.47 |
| SH-04 | 12/08/15 | 16.62 | 8.80 | 7.82 |
| SH-04 | 12/14/16 | 16.62 | 8.34 | 8.28 |
| SH-04 | 06/13/17 | 16.62 | 8.75 | 7.87 |
| SH-04 | 12/04/17 | 16.62 | 9.33 | 7.29 |
| SH-04 | 06/12/18 | 16.62 | 9.39 | 7.23 |
| SH-04 | 12/17/18 | 16.62 | 9.65 | 6.97 |
| SH-04 | 05/16/19 | 16.62 | 9.72 | 6.90 |
| SH-04 | 12/09/19 | 16.62 | 10.50 | 6.12 |
| SH-04 | 06/29/20 | 16.62 | 9.89 | 6.73 |
| SH-04 | 12/14/20 | 16.62 | 9.90 | 6.72 |
| SH-04 | 04/12/21 | 16.62 | 9.18 | 7.44 |
| SH-04 | 06/14/21 | 16.62 | 9.60 | 7.02 |
| SH-04 | 12/15/21 | 16.62 | 8.79 | 7.83 |
| SH-04 | 04/18/22 | 16.62 | 9.15 | 7.47 |
| SH-04 | 06/27/22 | 16.62 | 9.33 | 7.29 |
| SH-04 | 12/12/22 | 16.62 | 9.20 | 7.42 |
| SH-04 | 06/12/23 | 16.62 | 8.95 | 7.67 |
| TES-MW-1 | 04/06/93 | 13.10 | 8.79 | 4.31 |
| TES-MW-1 | 05/13/93 | 13.10 | 8.61 | 4.49 |
| TES-MW-1 | 06/10/93 | 13.10 | 8.63 | 4.47 |
| TES-MW-1 | 07/08/93 | 13.10 | 8.98 | 4.12 |
| TES-MW-1 | 08/03/93 | 13.10 | 9.28 | 3.82 |
| TES-MW-1 | 09/08/93 | 13.10 | 8.66 | 4.44 |
| TES-MW-1 | 10/08/93 | 13.10 | 9.98 | 3.12 |
| TES-MW-1 | 11/05/93 | 13.10 | 10.20 | 2.90 |
| TES-MW-1 | 12/03/93 | 13.10 | 10.17 | 2.93 |
| TES-MW-1 | 01/05/94 | 13.10 | 9.30 | 3.80 |
| TES-MW-1 | 02/04/94 | 13.10 | 9.19 | 3.91 |
| TES-MW-1 | 08/28/95 | 13.10 | 9.26 | 3.84 |
| TES-MW-1 | 09/27/95 | 13.10 | 9.53 | 3.57 |
| TES-MW-1 | 04/27/99 | 13.10 | 7.49 | 5.61 |
| TES-MW-1 | 07/14/99 | 13.10 | 8.90 | 4.20 |
| TES-MW-1 | 10/18/99 | 13.10 | 9.88 | 3.22 |
| TES-MW-1 | 01/11/00 | 13.10 | 7.59 | 5.51 |
| TES-MW-1 | 04/05/00 | 13.10 | 8.20 | 4.90 |
| TES-MW-1 | 10/02/00 | 13.10 | 9.99 | 3.11 |
| TES-MW-1 | 01/22/01 | 13.10 | 9.65 | 3.45 |
| TES-MW-1 | 07/23/01 | 13.10 | 10.77 | 2.33 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| TES-MW-1 | 10/16/01 | 13.10 | 11.93 | 1.17 |
| TES-MW-1 | 04/23/02 | 13.10 | 9.32 | 3.78 |
| TES-MW-1 | 07/18/02 | 13.10 | 10.34 | 2.76 |
| TES-MW-1 | 10/23/02 | 13.10 | 10.92 | 2.18 |
| TES-MW-1 | 01/30/03 | 13.10 | 8.43 | 4.67 |
| TES-MW-1 | 04/15/03 | 13.10 | 8.89 | 4.21 |
| TES-MW-1 | 07/17/03 | 13.10 | 10.41 | 2.69 |
| TES-MW-1 | 10/15/03 | 13.10 | 10.82 | 2.28 |
| TES-MW-1 | 01/13/04 | 13.10 | 8.82 | 4.28 |
| TES-MW-1 | 04/19/04 | 16.15 | 9.76 | 6.39 |
| TES-MW-1 | 07/27/04 | 16.15 | 10.48 | 5.67 |
| TES-MW-1 | 10/18/04 | 16.15 | 10.27 | 5.88 |
| TES-MW-1 | 01/24/05 | 16.15 | 9.26 | 6.89 |
| TES-MW-1 | 04/18/05 | 16.15 | 9.46 | 6.69 |
| TES-MW-1 | 07/12/05 | 16.15 | 10.10 | 6.05 |
| TES-MW-1 | 10/18/05 | 16.15 | 10.70 | 5.45 |
| TES-MW-1 | 01/25/06 | 16.15 | 8.17 | 7.98 |
| TES-MW-1 | 04/25/06 | 16.15 | 9.33 | 6.82 |
| TES-MW-1 | 10/11/06 | 16.15 | 10.66 | 5.49 |
| TES-MW-1 | 11/18/08 | 16.15 | 9.85 | 6.30 |
| TES-MW-1 | 11/16/09 | 16.15 | 9.35 | 6.80 |
| TES-MW-1 | 10/26/10 | 16.15 | 9.66 | 6.49 |
| TES-MW-1 | 10/27/11 | 16.15 | 10.42 | 5.73 |
| TES-MW-1 | 05/30/12 | 16.15 | 9.37 | 6.78 |
| TES-MW-1 | 06/13/12 | 16.15 | 9.43 | 6.72 |
| TES-MW-1 | 06/26/12 | 16.15 | 10.31 | 5.84 |
| TES-MW-1 | 11/27/12 | 16.15 | 8.62 | 7.53 |
| TES-MW-1 | 05/16/13 | 16.15 | 9.46 | 6.69 |
| TES-MW-1 | 11/07/13 | 16.15 | 10.06 | 6.09 |
| TES-MW-1 | 04/22/14 | 16.15 | 8.70 | 7.45 |
| TES-MW-1 | 11/04/14 | 16.15 | 9.07 | 7.08 |
| TES-MW-1 | 03/10/15 | 16.15 | 8.92 | 7.23 |
| TES-MW-1 | 05/15/15 | 16.15 | 9.40 | 6.75 |
| TES-MW-1 | 07/29/15 | 16.15 | 10.08 | 6.07 |
| TES-MW-1 | 12/10/15 | 16.15 | 7.14 | 9.01 |
| TES-MW-1 | 02/23/16 | 16.15 | 7.58 | 8.57 |
| TES-MW-1 | 05/03/16 | 16.15 | 8.80 | 7.35 |
| TES-MW-1 | 08/30/16 | 16.15 | 9.86 | 6.29 |
| TES-MW-1 | 12/14/16 | 16.15 | 8.30 | 7.85 |
| TES-MW-1 | 03/13/17 | 16.15 | 7.57 | 8.58 |
| TES-MW-1 | 06/13/17 | 16.15 | 9.01 | 7.14 |
| TES-MW-1 | 08/22/17 | 16.15 | 9.90 | 6.25 |
| TES-MW-1 | 12/04/17 | 16.15 | 8.75 | 7.40 |
| TES-MW-1 | 03/06/18 | 16.15 | 8.61 | 7.54 |
| TES-MW-1 | 06/12/18 | 16.15 | 9.56 | 6.59 |
| TES-MW-1 | 09/05/18 | 16.15 | 10.17 | 5.98 |
| TES-MW-1 | 12/17/18 | 16.15 | 9.08 | 7.07 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| TES-MW-1 | 03/18/19 | 16.15 | 8.73 | 7.42 |
| TES-MW-1 | 05/15/19 | 16.15 | 9.34 | 6.81 |
| TES-MW-1 | 09/17/19 | 16.15 | 10.19 | 5.96 |
| TES-MW-1 | 12/09/19 | 16.15 | 9.99 | 6.16 |
| TES-MW-1 | 04/27/20 | 16.15 | 9.04 | 7.11 |
| TES-MW-1 | 06/29/20 | 16.15 | 9.50 | 6.65 |
| TES-MW-1 | 09/21/20 | 16.15 | 10.23 | 5.92 |
| TES-MW-1 | 12/14/20 | 16.15 | 9.43 | 6.72 |
| TES-MW-1 | 04/12/21 | 16.15 | 8.79 | 7.36 |
| TES-MW-1 | 06/14/21 | 16.15 | 9.35 | 6.80 |
| TES-MW-1 | 09/22/21 | 16.15 | 10.15 | 6.00 |
| TES-MW-1 | 12/14/21 | 16.15 | 7.87 | 8.28 |
| TES-MW-1 | 03/28/22 | 16.15 | 8.19 | 7.96 |
| TES-MW-1 | 06/27/22 | 16.15 | 9.18 | 6.97 |
| TES-MW-1 | 09/19/22 | 16.15 | 10.50 | 5.65 |
| TES-MW-1 | 12/12/22 | 16.15 | 10.35 | 5.80 |
| TES-MW-1 | 03/27/23 | 16.15 | 8.10 | 8.05 |
| TES-MW-1 | 06/12/23 | 16.15 | 8.86 | 7.29 |
| TES-MW-1 | 09/11/23 | 16.15 | 9.36 | 6.79 |
| TX-03 | 04/06/93 | 9.58 | 5.57 | 4.01 |
| TX-03 | 06/10/93 | 9.58 | 5.50 | 4.08 |
| TX-03 | 07/08/93 | 9.58 | 5.81 | 3.77 |
| TX-03 | 08/03/93 | 9.58 | 6.08 | 3.50 |
| TX-03 | 09/08/93 | 9.58 | 6.42 | 3.16 |
| TX-03 | 10/08/93 | 9.58 | 6.74 | 2.84 |
| TX-03 | 11/05/93 | 9.58 | 6.91 | 2.67 |
| TX-03 | 12/03/93 | 9.58 | 6.90 | 2.68 |
| TX-03 | 01/05/94 | 9.58 | 6.16 | 3.42 |
| TX-03 | 02/04/94 | 9.58 | Not Measured | Not Measured |
| TX-03 | 08/28/95 | 9.58 | 6.16 | 3.42 |
| TX-03 | 09/27/95 | 9.58 | Not Measured | Not Measured |
| TX-03 | 04/27/99 | 9.58 | 4.68 | 4.90 |
| TX-03 | 07/14/99 | 9.58 | 5.87 | 3.71 |
| TX-03 | 10/18/99 | 9.58 | 6.71 | 2.87 |
| TX-03 | 01/11/00 | 9.58 | 5.30 | 4.28 |
| TX-03 | 04/05/00 | 9.58 | 5.31 | 4.27 |
| TX-03 | 07/18/00 | 9.58 | 5.98 | 3.60 |
| TX-03 | 10/02/00 | 9.58 | 6.65 | 2.93 |
| TX-03A | 04/23/02 | 9.58 | 6.25 | 3.33 |
| TX-03A | 07/18/02 | 9.58 | 6.75 | 2.83 |
| TX-03A | 10/23/02 | 9.58 | 7.15 | 2.43 |
| TX-03A | 01/28/03 | 9.58 | 5.40 | 4.18 |
| TX-03A | 04/15/03 | 9.58 | 5.76 | 3.82 |
| TX-03A | 07/17/03 | 9.58 | 6.76 | 2.82 |
| TX-03A | 10/15/03 | 9.58 | 7.05 | 2.53 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| TX-03A | 01/13/04 | 9.58 | 5.46 | 4.12 |
| TX-03A | 04/19/04 | 12.26 | 6.22 | 6.04 |
| TX-03A | 07/27/04 | 12.26 | 6.78 | 5.48 |
| TX-03A | 10/18/04 | 12.26 | 6.69 | 5.57 |
| TX-03A | 01/24/05 | 12.26 | 5.76 | 6.50 |
| TX-03A | 04/18/05 | 12.26 | 5.91 | 6.35 |
| TX-03A | 07/12/05 | 12.26 | 6.41 | 5.85 |
| TX-03A | 10/18/05 | 12.26 | 6.92 | 5.34 |
| TX-03A | 01/25/06 | 12.26 | 4.82 | 7.44 |
| TX-03A | 04/25/06 | 12.26 | 5.82 | 6.44 |
| TX-03A | 10/11/06 | 12.26 | 6.91 | 5.35 |
| TX-03A | 11/20/08 | 12.26 | 6.14 | 6.12 |
| TX-03A | 04/08/09 | 12.26 | 5.90 | 6.36 |
| TX-03A | 11/16/09 | 12.26 | 5.80 | 6.46 |
| TX-03A | 04/27/10 | 12.26 | 5.53 | 6.73 |
| TX-03A | 10/25/10 | 12.26 | 6.20 | 6.06 |
| TX-03A | 10/27/11 | 12.26 | 6.74 | 5.52 |
| TX-03A | 03/01/12 | 12.26 | 5.86 | 6.40 |
| TX-03A | 06/13/12 | 12.26 | 5.97 | 6.29 |
| TX-03A | 09/26/12 | 12.26 | 6.67 | 5.59 |
| TX-03A | 11/27/12 | 12.26 | 5.21 | 7.05 |
| TX-03A | 02/21/13 | 12.26 | 5.55 | 6.71 |
| TX-03A | 05/16/13 | 12.26 | 6.01 | 6.25 |
| TX-03A | 09/06/13 | 12.26 | 6.56 | 5.70 |
| TX-03A | 11/07/13 | 12.26 | 6.45 | 5.81 |
| TX-03A | 04/22/14 | 12.26 | 5.45 | 6.81 |
| TX-03A | 07/24/14 | 12.26 | 6.28 | 5.98 |
| TX-03A | 09/23/14 | 12.26 | 6.57 | 5.69 |
| TX-03A | 11/04/14 | 12.26 | 5.64 | 6.62 |
| TX-03A | 03/10/15 | 12.26 | 5.57 | 6.69 |
| TX-03A | 05/15/15 | 12.26 | 5.98 | 6.28 |
| TX-03A | 07/29/15 | 12.26 | 6.51 | 5.75 |
| TX-03A | 12/10/15 | 12.26 | 4.48 | 7.78 |
| TX-03A | 02/23/16 | 12.26 | 4.44 | 7.82 |
| TX-03A | 05/03/16 | 12.26 | 5.46 | 6.80 |
| TX-03A | 08/30/16 | 12.26 | 6.59 | 5.67 |
| TX-03A | 12/14/16 | 12.26 | 5.04 | 7.22 |
| TX-03A | 03/13/17 | 12.26 | 4.56 | 7.70 |
| TX-03A | 05/16/17 | 12.26 | 5.12 | 7.14 |
| TX-03A | 06/13/17 | 12.26 | 5.63 | 6.63 |
| TX-03A | 08/22/17 | 12.26 | 6.37 | 5.89 |
| TX-03A | 12/04/17 | 12.26 | 5.20 | 7.06 |
| TX-03A | 03/27/18 | 12.26 | 5.42 | 6.84 |
| TX-03A | 06/12/18 | 12.26 | 6.33 | 5.93 |
| TX-03A | 09/05/18 | 12.26 | 6.43 | 5.83 |
| TX-03A | 12/17/18 | 12.26 | 5.61 | 6.65 |
| TX-03A | 03/18/19 | 12.26 | 5.12 | 7.14 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| TX-03A | 05/16/19 | 12.26 | 5.56 | 6.70 |
| TX-03A | 09/17/19 | 12.26 | 6.42 | 5.84 |
| TX-03A | 12/09/19 | 12.26 | 6.27 | 5.99 |
| TX-03A | 04/27/20 | 12.26 | 5.45 | 6.81 |
| TX-03A | 06/29/20 | 12.26 | 5.65 | 6.61 |
| TX-03A | 09/21/20 | 12.26 | 6.43 | 5.83 |
| TX-03A | 12/15/20 | 12.26 | 5.70 | 6.56 |
| TX-03A | 04/12/21 | 12.26 | 5.12 | 7.14 |
| TX-03A | 06/14/21 | 12.26 | 5.72 | 6.54 |
| TX-03A | 09/23/21 | 12.26 | 6.35 | 5.91 |
| TX-03A | 12/16/21 | 12.26 | -- | -- |
| TX-03A | 03/28/22 | 12.26 | 4.90 | 7.36 |
| TX-03A | 06/27/22 | 12.26 | 5.17 | 7.09 |
| TX-03A | 09/21/22 | 12.26 | 6.75 | 5.51 |
| TX-03A | 12/12/22 | 12.26 | 5.05 | 7.21 |
| TX-03A | 03/27/23 | 12.26 | 4.97 | 7.29 |
| TX-03A | 06/12/23 | 12.26 | 5.42 | 6.84 |
| TX-03A | 09/12/23 | 12.26 | 6.84 | 5.42 |
| TX-04 | 04/06/93 | 14.36 | 9.97 | 4.39 |
| TX-04 | 05/13/93 | 14.36 | 9.83 | 4.53 |
| TX-04 | 06/10/93 | 14.36 | 9.87 | 4.49 |
| TX-04 | 07/08/93 | 14.36 | 10.24 | 4.12 |
| TX-04 | 08/03/93 | 14.36 | 10.54 | 3.82 |
| TX-04 | 09/08/93 | 14.36 | 10.96 | 3.40 |
| TX-04 | 10/08/93 | 14.36 | 11.28 | 3.08 |
| TX-04 | 11/05/93 | 14.36 | 11.51 | 2.85 |
| TX-04 | 12/03/93 | 14.36 | 11.43 | 2.93 |
| TX-04 | 01/05/94 | 14.36 | 10.60 | 3.76 |
| TX-04 | 02/04/94 | 14.36 | 10.45 | 3.91 |
| TX-04 | 08/28/95 | 14.36 | 10.64 | 3.72 |
| TX-04 | 09/27/95 | 14.36 | 10.88 | 3.48 |
| TX-04 | 04/27/99 | 14.36 | 8.57 | 5.79 |
| TX-04 | 07/14/99 | 14.36 | 10.01 | 4.35 |
| TX-04 | 10/18/99 | 14.36 | 11.12 | 3.24 |
| TX-04 | 01/11/00 | 14.36 | 9.06 | 5.30 |
| TX-04 | 04/05/00 | 14.36 | 9.04 | 5.32 |
| TX-04 | 07/18/00 | 14.36 | 10.41 | 3.95 |
| TX-04 | 10/02/00 | 14.36 | 11.23 | 3.13 |
| TX-04 | 01/22/01 | 14.36 | 10.70 | 3.66 |
| TX-04 | 07/23/01 | 14.36 | 11.50 | 2.86 |
| TX-04 | 10/16/01 | 14.36 | 9.57 | 4.79 |
| TX-04 | 04/23/02 | 14.36 | 6.81 | 7.55 |
| TX-04 | 07/18/02 | 14.36 | 11.33 | 3.03 |
| TX-04 | 10/23/02 | 14.36 | 11.79 | 2.57 |
| TX-04 | 01/28/03 | 14.36 | 9.51 | 4.85 |
| TX-04 | 04/15/03 | 14.36 | 9.55 | 4.81 |


Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|------------------|--------------------|----------------------------------|--|---------------------------------|
| TX-04 | 07/17/03 | 14.36 | 11.28 | 3.08 |
| TX-04 | 10/15/03 | 14.36 | 11.93 | 2.43 |
| TX-04 | 01/13/04 | 14.36 | 9.54 | 4.82 |
| TX-04 | 04/19/04 | 17.65 | 10.50 | 7.15 |
| TX-04 | 07/27/04 | 17.65 | 11.46 | 6.19 |
| TX-04 | 10/18/04 | 17.65 | 11.46 | 6.19 |
| TX-04 | 01/24/05 | 17.65 | 10.16 | 7.49 |
| TX-04 | 04/18/05 | 17.65 | 10.35 | 7.30 |
| TX-04 | 07/12/05 | 17.65 | 11.04 | 6.61 |
| TX-04 | 10/18/05 | 17.65 | 11.79 | 5.86 |
| TX-04 | 01/25/06 | 17.65 | 8.43 | 9.22 |
| TX-04 | 04/25/06 | 17.65 | 10.22 | 7.43 |
| TX-04 | 10/11/06 | 17.65 | 11.77 | 5.88 |
| TX-04 | 11/18/08 | 17.65 | 10.84 | 6.81 |
| TX-04 | 11/16/09 | 17.65 | 10.39 | 7.26 |
| TX-04 | 10/25/10 | 17.65 | 10.77 | 6.88 |
| TX-04 | 10/26/11 | 17.65 | 11.47 | 6.18 |
| TX-04 | 11/26/12 | 17.65 | 9.26 | 8.39 |
| TX-04 | 11/04/13 | 17.65 | 10.98 | 6.67 |
| TX-04 | 11/06/14 | 17.65 | 10.05 | 7.60 |
| TX-04 | 02/27/15 | 17.65 | 9.37 | 8.28 |
| TX-04 | 12/08/15 | 17.65 | 9.27 | 8.38 |
| TX-04 | 12/14/16 | 17.65 | 8.97 | 8.68 |
| TX-04 | 12/04/17 | 17.65 | 9.64 | 8.01 |
| TX-04 | 12/17/18 | 17.65 | 10.39 | 7.26 |
| TX-04 | 12/09/19 | 17.65 | 11.22 | 6.43 |
| TX-04 | 12/14/20 | 17.65 | 10.45 | 7.20 |
| TX-04 | 04/12/21 | 17.65 | 9.63 | 8.02 |
| TX-04 | 12/15/21 | 17.65 | 8.90 | 8.75 |
| TX-04 | 12/12/22 | 17.65 | 9.81 | 7.84 |
| TX-06 | 04/06/93 | 8.58 | 3.85 | 4.73 |
| TX-06 | 06/10/93 | 8.58 | 3.71 | 4.87 |
| TX-06 | 09/08/93 | 8.58 | 4.96 | 3.62 |
| TX-06 | 10/08/93 | 8.58 | 5.35 | 3.23 |
| TX-06 | 11/05/93 | 8.58 | 5.54 | 3.04 |
| TX-06 | 12/03/93 | 8.58 | 5.37 | 3.21 |
| TX-06 | 01/05/94 | 8.58 | 4.48 | 4.10 |
| TX-06 | 02/04/94 | 8.58 | 4.43 | 4.15 |
| TX-06 | 08/28/95 | 8.58 | 4.75 | 3.83 |
| TX-06 | 09/27/95 | 8.58 | 5.78 | 2.80 |
| TX-06 | 04/27/99 | 8.58 | 2.62 | 5.96 |
| TX-06 | 07/14/99 | 8.58 | 4.05 | 4.53 |
| TX-06 | 10/18/99 | 8.58 | 5.19 | 3.39 |
| TX-06 | 01/11/00 | 8.58 | 2.98 | 5.60 |
| TX-06 | 04/05/00 | 8.58 | 3.16 | 5.42 |

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | TOC Elevation ft AMSL | Depth to Water ft below TOC | GW Elevation ft AMSL |
|-----------|-------------|--------------------------|--------------------------------|-------------------------|
| TX-06 | 07/18/00 | 8.58 | 4.25 | 4.33 |
| TX-06 | 10/02/00 | 8.58 | 5.23 | 3.35 |
| TX-06 | 04/25/06 | 8.58 | 3.88 | 4.70 |
| TX-06A | 04/23/02 | 8.58 | 3.98 | 4.60 |
| TX-06A | 07/18/02 | 8.58 | 4.14 | 4.44 |
| TX-06A | 10/23/02 | 8.58 | 5.98 | 2.60 |
| TX-06A | 01/28/03 | 8.58 | 3.40 | 5.18 |
| TX-06A | 04/15/03 | 8.58 | 3.57 | 5.01 |
| TX-06A | 07/17/03 | 8.58 | 5.24 | 3.34 |
| TX-06A | 10/15/03 | 8.58 | 6.01 | 2.57 |
| TX-06A | 01/13/04 | 8.58 | 3.36 | 5.22 |
| TX-06A | 04/19/04 | 11.67 | 4.41 | 7.26 |
| TX-06A | 07/27/04 | 11.67 | 5.39 | 6.28 |
| TX-06A | 10/18/04 | 11.67 | 5.23 | 6.44 |
| TX-06A | 01/24/05 | 11.67 | 3.66 | 8.01 |
| TX-06A | 04/18/05 | 11.67 | 3.89 | 7.78 |
| TX-06A | 07/12/05 | 11.67 | 4.78 | 6.89 |
| TX-06A | 10/18/05 | 11.67 | 5.63 | 6.04 |
| TX-06A | 01/25/06 | 11.67 | 3.00 | 8.67 |
| TX-06A | 04/25/06 | 11.67 | 5.54 | 6.13 |
| TX-06A | 11/18/08 | 11.67 | 4.56 | 7.11 |
| TX-06A | 11/16/09 | 11.67 | 3.99 | 7.68 |
| TX-06A | 10/28/10 | 11.67 | 4.47 | 7.20 |
| TX-06A | 10/25/11 | 11.67 | 5.40 | 6.27 |
| TX-06A | 11/25/12 | 11.67 | 3.03 | 8.64 |
| TX-06A | 11/07/13 | 11.67 | 4.87 | 6.80 |
| TX-06A | 11/06/14 | 11.67 | 4.03 | 7.64 |
| TX-06A | 12/08/15 | 11.67 | 2.80 | 8.87 |
| TX-06A | 12/14/16 | 11.67 | 3.26 | 8.41 |
| TX-06A | 12/04/17 | 11.67 | 3.36 | 8.31 |
| TX-06A | 12/17/18 | 11.67 | 4.18 | 7.49 |
| TX-06A | 12/09/19 | 11.67 | 5.20 | 6.47 |
| TX-06A | 12/14/20 | 11.67 | 4.32 | 7.35 |
| TX-06A | 04/12/21 | 11.67 | 3.91 | 7.76 |
| TX-06A | 12/15/21 | 11.67 | 2.90 | 8.77 |
| TX-06A | 12/12/22 | 11.67 | 7.46 | 4.21 |

Notes:

 = Indicates data collected during this progress report period

-- = Survey data not available

AMSL = above mean sea level

ft = feet

TOC = Top of monitoring well casing

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

| Date | MW-204 | | | MW-208 | | | MW-209 | | | MW-210 | | | MW-211 | | | MW-212 | | |
|----------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|
| | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness |
| 06/01/04 | 10.68 | NP | NP | 5.01 | NP | NP | — | — | — | 6.20 | 6.15 | 0.05 | 5.33 | NP | NP | 5.60 | NP | NP |
| 10/02/04 | 10.12 | NP | NP | 4.77 | NP | NP | — | — | — | 7.09 | 6.31 | 0.78 | 5.04 | NP | NP | 4.89 | NP | NP |
| 10/03/04 | 10.50 | NP | NP | 5.98 | NP | NP | — | — | — | 7.26 | 6.71 | 0.55 | 5.86 | NP | NP | 6.06 | NP | NP |
| 04/19/04 | 10.95 | NP | NP | 6.29 | NP | NP | — | — | — | 6.99 | NP | NP | 4.90 | NP | NP | 5.13 | NP | NP |
| 05/13/04 | 11.24 | NP | NP | 6.07 | NP | NP | — | — | — | 6.95 | NP | NP | 4.78 | NP | NP | 4.80 | NP | NP |
| 08/06/04 | 11.35 | NP | NP | 4.76 | NP | NP | — | — | — | 5.52 | NP | NP | 4.64 | NP | NP | 4.41 | NP | NP |
| 06/07/04 | 11.55 | NP | NP | 5.06 | NP | NP | — | — | — | 6.98 | NP | NP | 4.55 | NP | NP | 4.61 | NP | NP |
| 11/08/04 | 11.79 | NP | NP | 6.51 | NP | NP | — | — | — | 7.22 | NP | NP | 7.18 | NP | NP | 7.27 | NP | NP |
| 09/09/04 | 11.79 | NP | NP | 6.66 | NP | NP | — | — | — | 7.19 | 7.18 | 0.01 | 7.16 | NP | NP | 7.14 | 7.14 | Trace |
| 06/10/04 | 11.76 | NP | NP | 6.58 | NP | NP | — | — | — | 7.18 | NP | NP | 7.11 | NP | NP | 7.08 | NP | NP |
| 09/11/04 | 11.61 | NP | NP | 6.17 | NP | NP | — | — | — | 7.04 | 7.01 | 0.03 | 6.93 | NP | NP | 6.95 | 6.95 | Trace |
| 10/12/04 | — | — | — | 3.91 | NP | NP | — | — | — | 6.96 | NP | NP | 5.31 | NP | NP | 5.00 | NP | NP |
| 11/01/05 | 11.04 | NP | NP | 3.80 | NP | NP | — | — | — | 5.78 | NP | NP | 4.85 | 4.85 | Trace | 4.71 | NP | NP |
| 11/02/05 | 10.81 | 10.81 | Trace | 4.47 | NP | NP | — | — | — | 6.19 | 6.18 | 0.01 | 5.71 | NP | NP | 5.68 | NP | NP |
| 11/03/05 | 11.18 | NP | NP | 5.48 | NP | NP | — | — | — | 6.73 | NP | NP | 6.56 | 6.56 | Trace | 6.50 | NP | NP |
| 04/18/05 | 10.98 | NP | NP | 5.97 | NP | NP | — | — | — | 6.95 | 6.81 | 0.14 | 6.18 | NP | NP | 6.42 | NP | NP |
| 05/25/05 | 10.98 | NP | NP | 4.78 | NP | NP | — | — | — | 6.12 | NP | NP | 5.73 | NP | NP | 5.78 | NP | NP |
| 09/06/05 | 11.15 | NP | NP | 5.74 | NP | NP | — | — | — | 6.68 | 6.67 | 0.01 | 6.11 | NP | NP | 6.33 | NP | NP |
| 11/07/05 | 11.40 | NP | NP | 6.12 | NP | NP | — | — | — | 7.13 | NP | NP | 6.32 | NP | NP | 6.65 | NP | NP |
| 08/19/05 | 11.64 | NP | NP | 6.25 | NP | NP | — | — | — | 6.91 | NP | NP | 6.50 | NP | NP | 7.85 | NP | NP |
| 09/16/05 | 11.83 | NP | NP | 6.51 | NP | NP | — | — | — | 7.32 | NP | NP | 6.85 | NP | NP | 7.02 | NP | NP |
| 10/18/05 | 11.98 | NP | NP | 6.06 | NP | NP | — | — | — | 6.93 | NP | NP | 6.51 | NP | NP | 6.54 | NP | NP |
| 09/11/05 | 11.67 | NP | NP | 4.43 | NP | NP | — | — | — | 6.34 | NP | NP | 4.86 | NP | NP | 4.10 | NP | NP |
| 05/12/05 | 11.48 | NP | NP | 4.65 | NP | NP | — | — | — | 6.57 | NP | NP | — | — | — | — | — | — |
| 01/26/06 | 9.96 | NP | NP | 4.72 | NP | NP | — | — | — | 5.83 | NP | NP | 6.65 | NP | NP | 3.95 | NP | NP |
| 02/28/06 | 10.24 | NP | NP | 5.34 | NP | NP | — | — | — | 6.28 | NP | NP | 4.53 | NP | NP | 4.88 | NP | NP |
| 03/24/06 | 10.57 | NP | NP | 5.34 | NP | NP | — | — | — | 4.20 | NP | NP | 5.74 | NP | NP | 4.94 | NP | NP |
| 04/18/06 | 10.78 | NP | NP | 5.41 | NP | NP | — | — | — | 6.46 | 6.45 | 0.01 | 5.81 | NP | NP | 5.28 | NP | NP |
| 05/18/06 | 11.06 | NP | NP | 6.02 | NP | NP | — | — | — | 7.01 | NP | NP | 6.32 | NP | NP | 5.56 | NP | NP |
| 06/19/06 | 11.26 | NP | NP | 5.98 | NP | NP | — | — | — | 6.91 | NP | NP | 6.23 | NP | NP | 5.48 | NP | NP |
| 08/28/06 | 11.74 | NP | NP | 6.45 | NP | NP | — | — | — | 7.25 | NP | NP | 6.63 | NP | NP | 5.68 | NP | NP |
| 09/15/06 | 11.83 | NP | NP | 6.21 | NP | NP | — | — | — | 7.02 | NP | NP | 6.54 | NP | NP | 5.53 | NP | NP |
| 10/11/06 | 11.96 | NP | NP | 6.10 | NP | NP | — | — | — | 6.95 | NP | NP | 5.93 | NP | NP | 5.48 | NP | NP |
| 11/29/06 | — | — | — | 4.19 | NP | NP | — | — | — | 5.83 | NP | NP | 5.39 | NP | NP | 4.27 | NP | NP |
| 12/13/06 | 10.53 | NP | NP | 3.60 | NP | NP | — | — | — | 5.58 | 5.58 | 0.01 | 4.39 | NP | NP | 2.81 | NP | NP |
| 01/31/07 | 10.17 | NP | NP | 3.98 | NP | NP | — | — | — | 6.32 | 6.09 | 0.23 | 5.58 | NP | NP | 4.26 | NP | NP |
| 02/26/07 | 10.56 | NP | NP | 4.55 | NP | NP | — | — | — | 6.04 | NP | NP | 5.24 | NP | NP | 4.12 | NP | NP |
| 03/20/07 | 10.68 | NP | NP | 4.68 | NP | NP | — | — | — | 6.42 | 6.41 | 0.01 | 5.68 | NP | NP | 4.82 | NP | NP |
| 04/26/07 | 10.99 | NP | NP | — | NP | NP | — | — | — | — | NP | NP | 6.15 | NP | NP | 4.97 | 4.96 | 0.01 |
| 05/25/07 | 11.29 | NP | NP | 5.68 | NP | NP | — | — | — | 7.05 | NP | NP | 6.60 | NP | NP | 5.11 | NP | NP |
| 06/15/07 | 11.50 | NP | NP | 5.93 | NP | NP | — | — | — | 7.04 | NP | NP | 6.35 | NP | NP | 5.03 | NP | NP |
| 07/19/07 | 11.70 | NP | NP | 5.82 | 5.81 | 0.01 | — | — | — | 6.81 | 6.80 | 0.01 | 6.34 | NP | NP | 5.29 | 5.28 | 0.01 |
| 08/17/07 | 11.81 | NP | NP | 5.90 | NP | NP | — | — | — | 6.75 | NP | NP | 6.22 | NP | NP | 5.35 | NP | NP |
| 09/11/07 | — | NP | NP | 6.24 | NP | NP | — | — | — | 7.28 | 7.28 | <.01 | 6.68 | 6.68 | <.01 | 5.73 | NP | NP |

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

| Date | MW-204 | | | MW-208 | | | MW-209 | | | MW-210 | | | MW-211 | | | MW-212 | | |
|----------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|
| | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness |
| 10/29/07 | 11.80 | NP | NP | 5.60 | NP | NP | — | — | — | 6.68 | NP | NP | 5.25 | NP | NP | 6.03 | NP | NP |
| 11/12/07 | 11.84 | NP | NP | 5.56 | NP | NP | — | — | — | 6.58 | 6.57-6.58 | <.01 | 5.82 | NP | NP | 4.83 | — | — |
| 12/26/07 | 10.84 | NP | NP | 4.09 | NP | NP | — | — | — | 5.85 | 5.84 | <.01 | 4.84 | 4.85 | <.01 | 4.44 | 4.43 | <.01 |
| 01/11/08 | 10.64 | NP | NP | 3.84 | NP | NP | — | — | — | 5.26 | 5.25 | 0.01 | 4.13 | 4.12 | <.01 | 3.64 | 3.63 | <.01 |
| 02/13/08 | 10.65 | NP | NP | 4.58 | NP | NP | — | — | — | 6.60 | 6.25 | 0.35 | 5.75 | NP | NP | 4.84 | NP | NP |
| 03/14/08 | 11.05 | NP | NP | 5.37 | NP | NP | — | — | — | 6.31 | NP | NP | 5.65 | NP | NP | 5.01 | NP | NP |
| 04/18/08 | 10.78 | NP | NP | 5.41 | NP | NP | — | — | — | 6.46 | 6.45 | 0.01 | 5.81 | NP | NP | 5.28 | NP | NP |
| 05/05/08 | 11.39 | NP | NP | 5.84 | NP | NP | — | — | — | 7.06 | 7.05 | 0.01 | 6.39 | NP | NP | 5.49 | NP | NP |
| 05/20/08 | 11.53 | NP | NP | 5.84 | NP | NP | — | — | — | 7.03 | 7.02 | 0.01 | 6.69 | NP | NP | 5.52 | NP | NP |
| 06/30/08 | 11.67 | NP | NP | 5.85 | NP | NP | — | — | — | dry | NP | NP | 6.35 | 6.34 | 0.01 | 5.45 | 5.44 | 0.01 |
| 07/10/08 | 11.70 | NP | NP | 5.70 | NP | NP | — | — | — | 6.83 | 6.80 | 0.03 | 6.23 | NP | NP | 5.24 | NP | NP |
| 08/13/08 | 11.75 | NP | NP | 5.61 | NP | NP | — | — | — | 6.75 | NP | NP | 6.25 | NP | NP | 6.17 | NP | NP |
| 09/02/08 | 11.82 | NP | NP | 5.86 | NP | NP | — | — | — | 6.98 | NP | NP | 6.40 | NP | NP | 5.71 | NP | NP |
| 10/10/08 | 11.82 | NP | NP | 7.11 | NP | NP | — | — | — | 5.83 | NP | NP | 6.59 | NP | NP | 5.83 | NP | NP |
| 11/10/08 | 10.02 | NP | NP | 4.68 | NP | NP | — | — | — | 6.40 | NP | NP | 5.61 | NP | NP | 5.21 | NP | NP |
| 12/08/08 | 11.48 | NP | NP | 5.53 | NP | NP | — | — | — | 6.70 | 6.52 | 0.18 | 5.82 | NP | Sheen | 5.17 | NP | Sheen |
| 01/07/09 | 11.00 | NP | NP | 3.93 | NP | NP | — | — | — | 5.32 | NP | Sheen | 4.51 | NP | Sheen | 4.41 | NP | Sheen |
| 02/17/09 | 11.60 | NP | NP | 5.20 | NP | NP | — | — | — | 6.40 | NP | Sheen | 5.72 | NP | Sheen | 5.21 | NP | Sheen |
| 03/06/09 | 11.21 | NP | NP | 4.67 | NP | NP | — | — | — | 6.02 | 5.59 | 0.43 | 4.45 | NP | Sheen | 4.83 | NP | Sheen |
| 04/07/09 | — | — | — | — | — | — | — | — | — | 6.98 | 6.96 | 0.02 | — | — | — | — | — | — |
| 07/09/09 | 11.55 | NP | NP | — | — | — | — | — | — | 6.90 | NP | Sheen | 6.34 | NP | Sheen | 5.56 | NP | Sheen |
| 10/20/09 | 11.75 | NP | NP | 4.90 | NP | NP | — | — | — | 6.28 | NP | Sheen | 5.63 | NP | Sheen | 4.91 | NP | Sheen |
| 01/05/10 | 10.98 | NP | NP | 3.60 | NP | NP | — | — | — | 5.78 | NP | Sheen | 3.55 | NP | NP | 3.30 | NP | NP |
| 04/26/10 | 10.7 | NP | NP | 5.04 | NP | NP | — | — | — | 6.29 | 6.28 | 0.01 | 5.76 | NP | NP | 5.05 | NP | NP |
| 07/22/10 | 11.44 | NP | NP | 5.83 | NP | NP | — | — | — | 10.02 | NP | Sheen | 6.74 | NP | NP | 5.37 | NP | Sheen |
| 10/20/10 | 11.68 | NP | NP | 5.90 | NP | NP | — | — | — | 6.78 | NP | Sheen | 6.20 | NP | Sheen | 5.45 | NP | Sheen |
| 12/12/10 | 10.79 | NP | NP | 4.45 | NP | NP | — | — | — | 5.97 | NP | <0.01 | 5.27 | NP | NP | 4.62 | NP | Sheen |
| 04/08/11 | 9.97 | NP | NP | 4.62 | NP | NP | — | — | — | 5.72 | 5.71 | 0.01 | 5.22 | NP | NP | 4.82 | NP | NP |
| 07/28/11 | 11.08 | NP | NP | 5.71 | NP | NP | — | — | — | 6.90 | 6.89 | 0.01 | 6.22 | NP | NP | 5.38 | NP | NP |
| 09/21/11 | 11.75 | NP | NP | 6.19 | NP | NP | — | — | — | 7.06 | 7.05 | 0.01 | 6.55 | NP | NP | 5.78 | NP | Sheen |
| 03/26/12 | — | — | — | 4.68 | NP | NP | — | — | — | 6.09 | 5.76 | 0.33 | 5.08 | NP | NP | 4.19 | NP | Sheen |
| 06/12/12 | 11.20 | NP | NP | 5.24 | NP | NP | — | — | — | 7.25 | 6.38 | 0.87 | 5.86 | NP | NP | 4.69 | NP | Sheen |
| 09/27/12 | — | — | — | 8.39 | NP | NP | — | — | — | 7.29 | 6.98 | 0.31 | 6.73 | NP | NP | 5.47 | NP | Sheen |
| 11/27/12 | 10.81 | NP | NP | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12/20/12 | — | — | — | 2.15 | NP | NP | — | — | — | 5.40 | 4.72 | 0.68 | 1.97 | NP | NP | 0.00 | NP | NP |
| 02/22/13 | 10.81 | NP | NP | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 03/29/13 | — | — | — | — | — | — | — | — | — | 6.53 | 6.44 | 0.09 | 5.97 | NP | Sheen | 4.90 | NP | Sheen |
| 05/16/13 | 11.30 | NP | NP | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 06/28/13 | — | — | — | 4.98 | NP | NP | — | — | — | 6.35 | 6.33 | 0.02 | 5.68 | NP | NP | 4.42 | NP | Sheen |
| 09/06/13 | 11.77 | NP | NP | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 09/11/13 | — | — | — | 5.67 | NP | Sheen | — | — | — | 6.63 | NP | NP | — | — | — | 5.32 | 4.82 | 0.50 |
| 09/12/13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 5.52 | 5.03 | 0.49 |
| 10/30/13 | — | — | — | 5.97 | NP | NP | — | — | — | 7.08 | 6.96 | 0.12 | 6.43 | NP | NP | 5.29 | 5.28 | 0.01 |
| 11/07/13 | 11.73 | NP | NP | 5.51 | NP | NP | — | — | — | 6.44 | 6.41 | 0.03 | 5.68 | NP | NP | 5.54 | 5.51 | 0.03 |

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

| Date | MW-204 | | | MW-208 | | | MW-209 | | | MW-210 | | | MW-211 | | | MW-212 | | |
|----------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|
| | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness |
| 01/16/14 | — | — | — | 5.46 | NP | NP | 5.46 | 5.51 | 0.05 | 6.48 | 6.36 | 0.12 | 5.51 | NP | NP | 5.47 | 5.43 | 0.04 |
| 02/27/14 | — | — | — | 4.72 | NP | NP | 6.04 | NP | Sheen | 6.79 | 6.12 | 0.67 | 5.01 | NP | NP | 6.12 | NP | Sheen |
| 03/25/14 | — | — | — | 4.91 | NP | NP | 5.90 | NP | NP | 6.96 | 5.84 | 1.12 | 5.38 | NP | NP | 6.30 | NP | NP |
| 04/22/14 | 10.78 | NP | NP | 4.98 | NP | NP | 5.89 | NP | NP | 6.32 | 5.98 | 0.34 | 5.33 | NP | NP | 5.85 | NP | Sheen |
| 06/10/14 | — | — | — | 5.62 | NP | Sheen | 8.31 | NP | NP | 7.08 | 6.85 | 0.23 | 6.02 | NP | NP | — | NP | NP |
| 07/24/14 | — | — | — | 5.50 | NP | NP | 6.91 | NP | NP | 6.64 | 6.56 | 0.08 | 6.85 | NP | NP | 6.06 | NP | Sheen |
| 08/28/14 | — | — | — | 5.73 | NP | NP | 6.79 | NP | NP | 6.72 | 6.65 | 0.07 | 6.06 | NP | NP | 6.23 | NP | NP |
| 09/23/14 | — | — | — | 5.76 | NP | NP | 5.73 | NP | NP | 6.65 | 6.55 | 0.10 | 5.96 | NP | NP | 6.08 | NP | NP |
| 10/22/14 | — | — | — | 4.82 | NP | NP | 4.91 | NP | NP | 5.87 | NP | NP | 4.96 | NP | NP | 4.13 | NP | Sheen |
| 11/05/14 | 11.04 | NP | NP | 4.50 | NP | NP | 6.60 | NP | NP | 6.45 | 5.90 | 0.55 | 4.70 | NP | NP | 5.12 | NP | NP |
| 12/18/14 | — | — | — | 4.28 | NP | NP | 5.77 | NP | NP | 5.49 | 5.26 | 0.23 | 4.50 | NP | NP | 4.89 | NP | NP |
| 01/27/15 | — | — | — | 4.52 | NP | NP | 4.88 | NP | NP | 6.15 | 5.60 | 0.55 | 4.82 | NP | NP | 5.38 | NP | NP |
| 02/26/15 | — | — | — | 4.92 | NP | NP | 5.54 | NP | NP | 6.69 | 5.88 | 0.81 | 5.38 | NP | NP | 5.59 | NP | NP |
| 03/11/15 | 10.75 | NP | NP | 5.29 | NP | NP | 5.55 | NP | NP | 6.56 | 6.15 | 0.41 | 5.52 | NP | NP | 5.45 | NP | Sheen |
| 04/21/15 | — | — | — | 5.08 | NP | NP | — | — | — | 6.44 | 6.36 | 0.08 | 5.50 | NP | NP | 5.85 | NP | NP |
| 05/19/15 | 11.21 | NP | NP | 5.31 | NP | NP | 8.60 | NP | NP | 6.50 | 6.49 | 0.01 | 5.71 | NP | NP | 5.67 | NP | NP |
| 06/11/15 | — | — | — | 5.34 | NP | NP | — | — | — | 6.48 | NP | NP | 5.70 | NP | NP | 5.46 | NP | NP |
| 07/29/15 | 11.59 | NP | NP | 5.81 | NP | NP | — | — | — | 6.73 | NP | NP | 6.10 | NP | NP | 5.85 | NP | NP |
| 08/25/15 | — | — | — | 5.95 | NP | NP | — | — | — | 6.23 | NP | NP | 6.17 | NP | NP | 6.82 | NP | NP |
| 09/24/15 | — | — | — | 5.72 | NP | NP | — | — | — | 6.60 | NP | NP | 5.72 | NP | NP | 6.33 | NP | NP |
| 10/15/15 | — | — | — | 5.35 | NP | NP | — | — | — | 6.30 | NP | NP | 5.30 | NP | NP | 5.82 | NP | NP |
| 11/20/15 | — | — | — | 4.37 | NP | NP | — | — | — | 6.47 | 5.67 | 0.80 | 4.78 | NP | NP | 5.51 | NP | NP |
| 12/09/15 | 9.91 | NP | NP | 2.55 | NP | NP | — | — | — | 4.45 | 4.45 | Trace | 2.80 | NP | NP | 3.61 | NP | NP |
| 02/23/16 | — | — | — | 4.18 | NP | NP | — | — | — | 5.82 | 5.23 | 0.59 | 4.45 | NP | NP | 4.38 | NP | Odor |
| 04/22/16 | — | — | — | 4.90 | NP | NP | — | — | — | 5.96 | 5.83 | 0.13 | 4.67 | NP | NP | 5.37 | NP | NP |
| 05/03/16 | — | — | — | 5.27 | NP | NP | — | — | — | 6.42 | 6.19 | 0.23 | 5.63 | NP | NP | 6.00 | NP | NP |
| 06/02/16 | — | — | — | 5.34 | NP | NP | — | — | — | 6.44 | 6.44 | Odor | 5.77 | NP | NP | 6.18 | NP | NP |
| 07/14/16 | — | — | — | 5.58 | NP | NP | — | — | — | 6.67 | NP | NP | 6.02 | NP | NP | 6.27 | NP | NP |
| 08/18/16 | — | — | — | 5.80 | NP | NP | — | — | — | 6.78 | 6.78 | Odor | 6.16 | NP | NP | 6.44 | NP | NP |
| 09/08/16 | — | — | — | 5.88 | NP | NP | — | — | — | 6.78 | 6.78 | Odor | 6.22 | NP | NP | 6.55 | NP | NP |
| 10/21/16 | — | — | — | 5.40 | NP | NP | — | — | — | 6.32 | Trace | Trace | 6.01 | NP | NP | 6.10 | NP | NP |
| 11/17/16 | — | — | — | 3.67 | NP | NP | — | — | — | 5.43 | 4.49 | 0.94 | 3.86 | NP | NP | 4.68 | NP | NP |
| 12/01/16 | — | — | — | 3.93 | NP | NP | — | — | — | 6.00 | 4.94 | 1.06 | 4.14 | NP | NP | 4.88 | NP | NP |
| 12/14/16 | 10.34 | NP | NP | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 01/11/17 | — | — | — | 2.83 | NP | NP | — | — | — | 5.38 | 5.34 | 0.04 | 3.18 | NP | NP | 3.88 | NP | Sheen |
| 02/14/17 | — | — | — | 3.81 | NP | NP | — | — | — | 5.69 | 4.75 | 0.94 | 4.02 | NP | NP | 4.79 | NP | NP |
| 03/13/17 | 9.83 | NP | NP | 4.04 | NP | NP | — | — | — | 5.98 | 5.17 | 0.81 | 4.27 | NP | NP | 4.98 | NP | NP |
| 04/13/17 | — | — | — | 3.78 | NP | NP | — | — | — | 6.42 | 5.03 | 1.39 | 4.02 | NP | NP | 5.02 | NP | NP |
| 05/08/17 | — | — | — | 4.78 | NP | NP | — | — | — | 6.74 | 5.83 | 0.91 | 5.32 | NP | NP | 5.31 | NP | NP |
| 06/13/17 | — | — | — | 5.00 | NP | NP | — | — | — | 6.18 | 5.98 | 0.20 | 5.36 | NP | NP | 5.60 | NP | NP |
| 07/18/17 | — | — | — | 5.32 | NP | NP | — | — | — | 6.47 | 6.43 | 0.04 | 5.78 | NP | NP | 5.83 | NP | NP |
| 08/22/17 | 11.34 | NP | NP | 5.32 | NP | NP | — | — | — | 6.42 | NP | NP | 5.76 | NP | NP | 5.92 | NP | NP |
| 09/13/17 | — | — | — | 5.68 | NP | NP | — | — | — | 6.60 | NP | NP | — | — | — | 6.21 | NP | NP |
| 10/31/17 | — | — | — | 5.58 | NP | NP | — | — | — | 6.64 | NP | NP | — | — | — | 6.17 | NP | NP |

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

| Date | MW-204 | | | MW-208 | | | MW-209 | | | MW-210 | | | MW-211 | | | MW-212 | | |
|----------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|
| | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness |
| 11/13/17 | — | — | — | 4.67 | NP | NP | — | — | — | 6.08 | NP | NP | — | — | — | 4.98 | NP | NP |
| 12/04/17 | 10.84 | NP | NP | 4.15 | NP | NP | — | — | — | 6.05 | 5.53 | 0.52 | — | — | — | 5.38 | NP | NP |
| 01/24/18 | — | — | — | 3.55 | NP | NP | — | — | — | 5.34 | 4.95 | 0.39 | 3.78 | NP | NP | 4.16 | NP | NP |
| 02/15/18 | — | — | — | 4.68 | NP | NP | — | — | — | 6.65 | 5.64 | 1.01 | 4.40 | NP | NP | 5.42 | NP | NP |
| 03/06/18 | 10.55 | NP | NP | 4.57 | NP | NP | — | — | — | 6.19 | 5.80 | 0.39 | 5.03 | NP | NP | 5.46 | NP | NP |
| 04/12/18 | — | — | — | 4.72 | NP | NP | — | — | — | 4.96 | 4.87 | 0.09 | 5.68 | NP | NP | 5.37 | NP | NP |
| 05/02/18 | — | — | — | 4.85 | NP | NP | — | — | — | 6.22 | 5.80 | 0.42 | 5.17 | NP | NP | 5.54 | NP | NP |
| 06/12/18 | 11.04 | NP | NP | 5.25 | NP | NP | — | — | — | 6.50 | 6.47 | 0.03 | 5.73 | NP | NP | 6.06 | NP | NP |
| 07/12/18 | — | — | — | 5.24 | NP | NP | — | — | — | 6.40 | 6.39 | 0.01 | 6.70 | NP | NP | 5.94 | NP | NP |
| 08/23/18 | — | — | — | 5.57 | NP | NP | — | — | — | 6.56 | 6.55 | 0.01 | 5.97 | NP | NP | 6.08 | NP | NP |
| 09/05/18 | 8.20 | NP | NP | 5.75 | NP | NP | — | — | — | 6.74 | NP | NP | 6.16 | NP | NP | 6.35 | NP | NP |
| 10/11/18 | — | — | — | 5.18 | NP | NP | — | — | — | 6.32 | NP | NP | 5.50 | NP | NP | 5.83 | NP | NP |
| 11/07/18 | — | — | — | 5.01 | NP | NP | — | — | — | 6.33 | NP | NP | 5.56 | NP | NP | 5.66 | NP | NP |
| 12/17/18 | 11.10 | NP | NP | 4.13 | NP | NP | — | — | — | 5.31 | NP | NP | 4.14 | NP | NP | 4.43 | NP | NP |
| 01/16/19 | — | — | — | 4.48 | NP | NP | — | — | — | 6.07 | 5.35 | 0.72 | 4.30 | NP | NP | 5.56 | NP | NP |
| 02/20/19 | — | — | — | 3.98 | NP | NP | — | — | — | 6.45 | 5.02 | 1.43 | 4.22 | NP | NP | 4.32 | NP | NP |
| 03/18/19 | 10.51 | NP | NP | 4.95 | 4.94 | 0.01 | — | — | — | 6.67 | 5.96 | 0.71 | 5.34 | NP | NP | 6.12 | NP | NP |
| 04/10/19 | — | — | — | 4.66 | NP | NP | — | — | — | 5.24 | NP | NP | 4.98 | NP | NP | 5.78 | 5.75 | 0.03 |
| 05/15/19 | — | — | — | 4.19 | NP | NP | — | — | — | 7.05 | 6.22 | 0.83 | 5.38 | NP | NP | 6.13 | 6.10 | 0.03 |
| 06/26/19 | — | — | — | 5.47 | NP | NP | — | — | — | 6.58 | 6.56 | 0.02 | 6.88 | NP | NP | 6.11 | NP | NP |
| 07/24/19 | — | — | — | 5.43 | NP | NP | — | — | — | 6.59 | 6.58 | 0.01 | 5.88 | NP | NP | 5.96 | NP | NP |
| 08/13/19 | — | — | — | 5.45 | NP | NP | — | — | — | 6.58 | 6.57 | 0.01 | 5.72 | NP | NP | 6.02 | NP | NP |
| 09/17/19 | 11.65 | NP | NP | 5.23 | NP | NP | — | — | — | 6.18 | 6.13 | 0.05 | 5.54 | NP | NP | 6.28 | 6.25 | 0.03 |
| 10/16/19 | — | — | — | 5.61 | NP | NP | — | — | — | 6.47 | 6.45 | 0.02 | 5.77 | NP | NP | 6.36 | NP | NP |
| 11/05/19 | — | — | — | 5.62 | NP | NP | — | — | — | 6.78 | 6.68 | 0.10 | 6.01 | NP | NP | 6.51 | NP | NP |
| 12/09/19 | 11.54 | NP | NP | 5.08 | NP | NP | — | — | — | 6.27 | NP | NP | 5.54 | NP | NP | 6.14 | NP | NP |
| 01/28/20 | — | — | — | 3.05 | NP | NP | — | — | — | 4.13 | 4.06 | 0.07 | 3.12 | NP | NP | 2.03 | NP | NP |
| 02/26/20 | — | — | — | 4.81 | NP | NP | — | — | — | 6.71 | 5.78 | 0.93 | 5.19 | NP | NP | 4.97 | NP | Sheen |
| 04/27/20 | 10.94 | NP | NP | 5.18 | NP | NP | — | — | — | 6.43 | 6.23 | 0.20 | 5.47 | NP | NP | 5.29 | NP | NP |
| 06/16/20 | — | — | — | 5.25 | NP | NP | — | — | — | 5.69 | 5.56 | 0.13 | 5.72 | NP | NP | 6.25 | NP | NP |
| 06/29/20 | 11.26 | NP | NP | 5.08 | NP | NP | — | — | — | 6.58 | 6.50 | 0.08 | 5.78 | NP | NP | 5.85 | NP | NP |
| 07/29/20 | — | — | — | 5.20 | NP | NP | — | — | — | 6.43 | 6.42 | 0.01 | 5.67 | NP | NP | 6.31 | NP | NP |
| 08/27/20 | — | — | — | 5.41 | NP | NP | — | — | — | 6.71 | 6.70 | 0.01 | 5.85 | NP | NP | 6.15 | NP | NP |
| 09/21/20 | 11.59 | NP | NP | 5.09 | NP | NP | — | — | — | 6.35 | NP | NP | 5.45 | NP | NP | 6.23 | NP | NP |
| 10/29/20 | — | — | — | 5.58 | NP | NP | — | — | — | 6.87 | 6.50 | 0.37 | 5.99 | NP | NP | 6.23 | NP | NP |
| 11/30/20 | — | — | — | 4.82 | NP | NP | — | — | — | 6.23 | 5.78 | 0.45 | 5.11 | NP | NP | 5.10 | NP | NP |
| 12/14/20 | 11.22 | NP | NP | 4.75 | NP | NP | — | — | — | 6.05 | 5.91 | 0.14 | 5.28 | NP | NP | 5.83 | NP | NP |
| 01/21/21 | — | — | — | 4.27 | NP | NP | — | — | — | 6.96 | 4.9 | 2.06 | 4.82 | NP | NP | 5.63 | NP | NP |
| 02/16/21 | — | — | — | 3.69 | NP | NP | — | — | — | 5.83 | 4.92 | 0.91 | 4.18 | NP | NP | 4.25 | NP | NP |
| 03/23/21 | — | — | — | 4.53 | NP | NP | — | — | — | 6.57 | 6.11 | 0.46 | 5.37 | NP | NP | 5.74 | NP | NP |
| 04/12/21 | — | — | — | 5.28 | NP | NP | — | — | — | 6.42 | 6.32 | 0.10 | 5.65 | NP | NP | 6.31 | NP | NP |
| 05/12/21 | — | — | — | 5.54 | NP | NP | — | — | — | 6.61 | 6.57 | 0.04 | 5.86 | NP | NP | 6.21 | NP | NP |
| 06/14/21 | — | — | — | 4.97 | NP | NP | — | — | — | 6.15 | NP | NP | 5.24 | NP | NP | 5.62 | NP | NP |
| 07/15/21 | — | — | — | 5.31 | NP | NP | — | — | — | 6.36 | 6.32 | 0.04 | 5.60 | NP | NP | 6.01 | NP | NP |

**Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington**

| Date | MW-204 | | | MW-208 | | | MW-209 | | | MW-210 | | | MW-211 | | | MW-212 | | |
|----------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|-------------------|---------------|-------------------|
| | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness | Groundwater Depth | Product Depth | Product Thickness |
| 08/18/21 | — | — | — | 5.52 | NP | NP | — | — | — | 6.60 | NP | Sheen | 5.90 | NP | NP | 6.16 | NP | NP |
| 09/22/21 | 11.65 | NP | NP | 5.46 | NP | NP | — | — | — | 6.50 | NP | NP | 5.70 | NP | NP | 6.10 | NP | NP |
| 10/21/21 | — | — | — | 5.32 | NP | NP | — | — | — | 6.36 | NP | NP | 5.50 | NP | NP | 6.05 | NP | NP |
| 11/23/21 | — | — | — | 4.28 | NP | NP | — | — | — | 6.20 | 5.38 | 0.82 | 4.42 | NP | NP | 5.19 | NP | NP |
| 12/14/21 | 10.42 | NP | NP | 3.99 | NP | NP | — | — | — | 5.12 | NP | NP | 4.39 | NP | NP | 4.79 | NP | NP |
| 01/25/22 | — | — | — | 4.34 | NP | NP | — | — | — | 6.34 | 5.45 | 0.89 | 4.85 | NP | NP | 5.67 | NP | NP |
| 02/28/22 | — | — | — | 4.59 | NP | NP | — | — | — | 6.31 | NP | NP | 4.51 | NP | NP | 2.86 | NP | NP |
| 03/28/22 | — | — | — | 4.63 | NP | NP | — | — | — | 5.92 | NP | NP | 5.00 | NP | NP | 5.98 | NP | NP |
| 04/18/22 | — | — | — | 5.08 | NP | NP | — | — | — | 6.18 | 6.15 | 0.03 | 5.28 | NP | NP | 5.98 | NP | NP |
| 05/23/22 | — | — | — | 4.81 | NP | NP | — | — | — | 6.50 | 6.29 | 0.21 | 5.28 | NP | NP | 5.70 | NP | NP |
| 06/27/22 | 11.18 | NP | NP | 5.02 | NP | NP | — | — | — | 6.21 | 6.06 | 0.15 | 5.28 | NP | NP | 5.90 | NP | NP |
| 07/20/22 | — | — | — | 5.03 | NP | NP | — | — | — | 6.24 | NP | NP | 5.42 | NP | NP | 5.85 | NP | NP |
| 08/23/22 | — | — | — | 5.55 | NP | NP | — | — | — | 6.62 | 6.60 | 0.02 | 5.94 | NP | NP | 6.19 | NP | NP |
| 09/19/22 | — | — | — | 5.58 | NP | NP | — | — | — | 6.99 | NP | NP | 5.93 | NP | NP | 6.19 | NP | NP |
| 12/12/22 | — | — | — | 4.21 | NP | NP | — | — | — | 5.15 | NP | NP | 4.39 | NP | NP | 4.70 | NP | NP |
| 01/26/23 | — | — | — | 4.41 | NP | NP | — | — | — | 6.12 | 5.65 | 0.47 | 4.58 | NP | NP | 5.59 | NP | NP |
| 02/23/23 | — | — | — | 4.11 | NP | NP | — | — | — | 5.79 | NP | NP | 4.45 | NP | NP | 5.07 | NP | NP |
| 03/27/23 | — | — | — | 4.34 | NP | NP | — | — | — | 6.53 | 6.70 | 0.17 | 5.35 | NP | NP | 5.61 | NP | NP |
| 04/13/23 | — | — | — | 4.44 | NP | NP | — | — | — | 5.68 | 5.62 | 0.06 | 4.66 | NP | NP | 5.17 | NP | NP |
| 05/16/23 | — | — | — | 4.63 | NP | NP | — | — | — | 6.27 | 6.07 | 0.20 | 5.21 | NP | NP | 5.70 | NP | NP |
| 06/12/23 | — | — | — | 4.88 | NP | NP | — | — | — | 6.90 | NP | NP | 5.35 | NP | NP | 5.65 | NP | NP |
| 07/20/23 | — | — | — | 5.32 | NP | NP | — | — | — | 6.32 | 6.27 | 0.05 | 5.60 | NP | NP | 6.01 | NP | NP |
| 08/17/23 | — | — | — | 5.37 | NP | NP | — | — | — | 6.42 | 6.41 | 0.01 | 5.50 | NP | NP | 5.99 | NP | NP |
| 09/11/23 | — | — | — | 5.62 | NP | NP | — | — | — | 6.81 | NP | NP | 5.94 | NP | NP | 6.39 | NP | NP |

Notes:
 = Indicates data collected during this progress report period
 Depth relative to the measuring point at the top of the monitoring well PVC pipe
 Product depth/thick = product depth/thickness in well measured in feet
 — = not measured
 NP = no product detected

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|-------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-05 | 05/04/16 | 14.3 | 357 | 3.38 | 6.26 | 31.6 | 9.99 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/14/16 | 12.22 | 308 | 5.94 | 6.45 | 47 | 0 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/14/17 | 14.8 | 249 | 1.7 | 6.37 | 25.4 | 5.13 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/07/17 | 15.16 | 263 | 791.21 | 6.73 | -165.1 | 8.37 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/12/18 | 15.66 | 211 | 1.47 | 6.35 | -44.7 | 6.88 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/18/18 | 15 | 299 | 1.73 | 7.28 | -23.6 | 80 | -- | -- | -- | -- | -- | -- |
| MW-05 | 05/15/19 | 15.3 | 294 | 0.85 | 6.92 | 18.3 | 45 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/10/19 | 14.31 | 300 | 4.76 | 5.91 | 32.8 | 16 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/29/20 | 14.7 | 289 | 0.31 | 6.74 | 198.90 | 11 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/14/20 | 13.95 | 292 | 0.71 | 8.25 | 148.90 | 16 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/15/21 | 9.16 | 276 | 0.99 | 6.77 | 29.8 | 22 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/15/21 | 13.5 | 241 | 0.57 | 10.40 | -83.3 | 21 | -- | -- | -- | -- | -- | -- |
| MW-05 | 04/18/22 | 12.06 | 356 | 0.14 | 7.87 | 77.8 | 13 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/29/22 | 15 | 351 | 0.71 | 6.21 | 36.9 | 34 | -- | -- | -- | -- | -- | -- |
| MW-05 | 12/14/22 | 13.77 | 375 | 0.21 | 7.81 | 220.9 | 3 | -- | -- | -- | -- | -- | -- |
| MW-05 | 06/13/23 | 15.41 | 302 | 3.11 | 7.25 | -48.5 | 21 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/13/16 | 8.35 | 244 | 1.67 | 6.81 | -75 | 0 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/06/17 | 10.99 | 103 | 0.32 | 6.75 | -12.3 | 9 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/19/18 | 12.5 | 239 | 1.38 | 7.39 | -74.6 | 11 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/09/19 | 13.13 | 207 | 3.59 | 6.49 | -69.6 | 44 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/16/20 | 12.73 | 243 | 0.25 | 7.67 | 118.40 | 48 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/14/21 | 11.5 | 314 | 0.59 | 6.79 | 124.0 | 25 | -- | -- | -- | -- | -- | -- |
| MW-101 | 12/12/22 | 11.79 | 278 | 0.4 | 6.75 | 130.7 | 5 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/14/16 | 9.44 | 438 | 1.96 | 6.77 | 32 | 0 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/05/17 | 11.76 | 310 | 1.14 | 6.43 | 106.3 | 9.6 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/18/18 | 14.2 | 415 | 1.51 | 7.49 | -35.9 | 12 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/10/19 | 13.55 | 410 | 3.43 | 6.16 | 59.4 | 27 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/16/20 | 13.66 | 477 | 0.41 | 7.72 | 117.60 | 30 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|-------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-102 | 12/16/21 | 12.2 | 295 | 0.77 | 8.10 | 73.9 | 11 | -- | -- | -- | -- | -- | -- |
| MW-102 | 12/12/22 | 12.27 | 346 | 0.55 | 6.54 | -46.3 | 83 | -- | -- | -- | -- | -- | -- |
| MW-104 | 05/05/16 | 17.11 | 420 | 0.65 | 6.19 | -105.1 | 4.31 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/14/16 | 10.9 | 340 | 1.76 | 6.49 | -70 | 0 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/14/17 | 17.09 | 323 | 0.82 | 7.09 | -39.3 | 2.61 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/07/17 | 15.6 | 349 | 0.61 | 6.65 | -4 | 0 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/12/18 | 19.32 | 180 | 0.54 | 6.24 | -44 | 2.52 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/18/18 | 15.8 | 331 | 1.34 | 7.35 | -41.6 | 10 | -- | -- | -- | -- | -- | -- |
| MW-104 | 05/15/19 | 17.8 | 258 | 0.78 | 6.6 | -74.9 | 6 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/10/19 | 15.35 | 345 | 2.66 | 5.4 | 74.8 | 36 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/29/20 | 17.6 | 395 | 0.24 | 6.73 | 198.90 | 9 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/14/20 | 16.19 | 412 | 0.34 | 7.75 | 172.10 | 13 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/15/21 | 11.03 | 309 | 1.74 | 7.20 | 58.9 | 6 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/15/21 | 14.4 | 275 | 0.15 | 10.06 | -115.0 | 9 | -- | -- | -- | -- | -- | -- |
| MW-104 | 04/18/22 | 13.97 | 297 | 0.11 | 8.15 | 62 | 27 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/29/22 | 17 | 314 | 0.52 | 6.35 | -38.2 | 13 | -- | -- | -- | -- | -- | -- |
| MW-104 | 12/14/22 | 15.42 | 368 | 0.13 | 7.74 | 216.3 | 2 | -- | -- | -- | -- | -- | -- |
| MW-104 | 06/13/23 | 16.72 | 389 | 5.77 | 7.12 | -17.6 | 24 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/14/16 | 14.63 | 160 | 0.32 | 6.14 | -58.1 | 8.67 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/06/17 | 13.11 | 136 | 1.37 | 6.12 | -26.4 | 0 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/18/18 | 15.5 | 93 | 1.01 | 7.21 | -33.7 | 49 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/11/19 | 15.53 | 166 | 0.48 | 7.31 | -17.2 | 25 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/14/20 | 14.90 | 289 | 0.50 | 7.83 | 155.60 | 27 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/15/21 | 13.0 | 170 | 0.13 | 9.91 | -101.9 | 15 | -- | -- | -- | -- | -- | -- |
| MW-105 | 12/14/22 | 13.2 | 234 | 0.18 | 7.8 | 221.3 | 15 | -- | -- | -- | -- | -- | -- |
| MW-111 | 05/04/16 | 15.2 | 148 | 3.67 | 6.29 | 4.6 | 23.2 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/14/16 | 13.4 | 295 | 0.35 | 6.45 | -87.3 | 6.48 | -- | -- | -- | -- | -- | -- |
| MW-111 | 06/14/17 | 16.6 | 112 | 1.12 | 7.08 | 1 | 8.2 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/06/17 | 15.03 | 386 | 10.65 | 6.42 | -51.3 | 5.13 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-111 | 06/12/18 | 17.56 | 118 | 0.73 | 6.22 | -46.2 | 4.01 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/18/18 | 15 | 417 | 1.25 | 7.76 | -46.6 | 20 | -- | -- | -- | -- | -- | -- |
| MW-111 | 05/15/19 | 16.1 | 147 | 0.75 | 7.57 | -55.6 | 14 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/11/19 | 15.42 | 280 | 0.4 | 7.54 | -13.1 | 6 | -- | -- | -- | -- | -- | -- |
| MW-111 | 06/29/20 | 19 | 116 | 0.55 | 6.75 | 206.50 | 9 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/14/20 | 15.93 | 242 | 0.28 | 7.61 | 169.80 | 16 | -- | -- | -- | -- | -- | -- |
| MW-111 | 06/15/21 | 10.31 | 110 | 1.05 | 6.87 | 73.4 | 22 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/15/21 | 14.9 | 238 | 0.18 | 9.85 | -72.1 | 6 | -- | -- | -- | -- | -- | -- |
| MW-111 | 04/18/22 | 12.31 | 139 | 0.09 | 8.15 | 62.3 | 44 | -- | -- | -- | -- | -- | -- |
| MW-111 | 06/27/22 | 18.4 | 119 | 0.62 | 6.21 | 11.8 | 34 | -- | -- | -- | -- | -- | -- |
| MW-111 | 12/14/22 | 12.94 | 220 | 0.15 | 7.43 | 190.3 | 3 | -- | -- | -- | -- | -- | -- |
| MW-111 | 06/13/23 | 16.30 | 130 | 1.49 | 7.24 | -61.7 | 20 | -- | -- | -- | -- | -- | -- |
| MW-112A | 05/05/16 | 14.28 | 448 | 0.87 | 6.41 | -87 | 4.41 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/12/16 | 13.7 | 401 | 0.67 | 6.51 | -87.1 | 9.78 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/15/17 | 15.75 | 498 | 0.6 | 7.26 | -62.6 | -- | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/07/17 | 13.97 | 359 | 0.82 | 6.5 | -27.9 | 0 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/13/18 | 16.28 | 517 | 0.26 | 6.51 | -56.1 | 0 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/20/18 | 14 | 495 | 0.12 | 6.75 | -101 | 128 | -- | -- | -- | -- | -- | -- |
| MW-112A | 05/16/19 | 10.91 | 529 | 0.52 | 6.27 | -104 | 77 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/12/19 | 13.87 | 620 | 0.5 | 8.9 | -80.8 | 12 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/29/20 | 15.7 | 430 | 0.32 | 6.76 | 189.10 | 16 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/14/20 | 14.67 | 399 | 0.18 | 7.77 | 123.70 | 5 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/15/21 | 9.58 | 338 | 0.89 | 6.56 | 31.4 | 4 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/15/21 | 14.4 | 243 | 0.19 | 9.95 | -85.8 | 12 | -- | -- | -- | -- | -- | -- |
| MW-112A | 04/18/22 | 11.44 | 305 | 0.09 | 8.24 | 56.9 | 18 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/28/22 | 16.2 | 272 | 0.52 | 6.27 | -37.2 | 14 | -- | -- | -- | -- | -- | -- |
| MW-112A | 12/13/22 | 12.79 | 254 | 0.1 | 6.38 | -36.0 | 25 | -- | -- | -- | -- | -- | -- |
| MW-112A | 06/13/23 | 14.94 | 374 | 1.95 | 7.37 | -62.5 | 16 | -- | -- | -- | -- | -- | -- |
| MW-113 | 06/27/22 | 15.4 | 284 | 0.54 | 6.28 | -38.4 | 37 | -- | -- | -- | -- | -- | -- |
| MW-113 | 12/14/22 | 12.47 | 265 | 0.21 | 7.6 | 209.5 | 8 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-113 | 06/13/23 | 13.60 | 265 | 1.99 | 7.28 | -26.7 | 17 | -- | -- | -- | -- | -- | -- |
| MW-114 | 06/27/22 | 15.4 | 139 | 1.32 | 6.16 | 53.6 | 33 | -- | -- | -- | -- | -- | -- |
| MW-114 | 12/14/22 | 12.68 | 216 | 0.3 | 7.77 | 222.2 | 30 | -- | -- | -- | -- | -- | -- |
| MW-114 | 06/13/23 | 13.76 | 148 | 4.47 | 7.40 | -49.0 | 50 | -- | -- | -- | -- | -- | -- |
| MW-115 | 06/27/22 | 16.9 | 248 | 0.51 | 6.11 | -33.7 | 46 | -- | -- | -- | -- | -- | -- |
| MW-115 | 12/14/22 | 13.69 | 208 | 0.18 | 7.8 | 224.1 | 5 | -- | -- | -- | -- | -- | -- |
| MW-115 | 06/13/23 | 14.66 | 276 | 1.82 | 7.33 | -60.0 | 17 | -- | -- | -- | -- | -- | -- |
| MW-201 | 01/14/04 | 12 | 282 | 1.98 | 5.59 | -95.5 | 1.5 | -- | -- | -- | -- | -- | -- |
| MW-201 | 04/20/04 | 11.4 | 101 | 5.52 | 5 | 61.3 | 7 | ND | -- | -- | 5.71 | -- | -- |
| MW-201 | 01/26/05 | 9 | 720 | 9.12 | 5.48 | 129 | 9 | -- | -- | -- | -- | -- | -- |
| MW-201 | 04/20/05 | 11.9 | 700 | 6.24 | 6.66 | 83 | 8 | 0 | -- | -- | 7.67 | -- | -- |
| MW-201 | 07/13/05 | 15.4 | 99 | 0.16 | 5.64 | 178.1 | 1.9 | -- | -- | -- | -- | -- | -- |
| MW-201 | 10/20/05 | 14.1 | 535 | 0.42 | 7.21 | 49.2 | 3.9 | -- | -- | -- | -- | -- | -- |
| MW-201 | 01/26/06 | 8.3 | 24 | 7.47 | 7.02 | -72.5 | 4 | -- | -- | -- | -- | -- | -- |
| MW-201 | 11/20/08 | 9.3 | 172 | 14.08 | 6.12 | 268 | 38.2 | -- | -- | -- | -- | -- | -- |
| MW-201 | 04/07/09 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-201 | 11/19/09 | 10.6 | 13.2 | 7.79 | 5.21 | 61 | 6.5 | -- | -- | -- | -- | -- | -- |
| MW-201 | 10/27/10 | 12.7 | 15.2 | 6.92 | 4.79 | 157 | 0.5 | -- | -- | -- | -- | -- | -- |
| MW-201 | 10/26/11 | 11.53 | 655 | 2.77 | 7.59 | -76 | 5.9 | -- | -- | -- | -- | -- | -- |
| MW-201 | 11/27/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-201 | 11/06/13 | 11.78 | 800 | 0 | 6.68 | -74 | 0 | -- | -- | -- | -- | -- | -- |
| MW-201 | 11/06/14 | 14.1 | 121 | 0 | 6.08 | 297 | 3.3 | -- | -- | -- | -- | -- | -- |
| MW-201 | 12/13/16 | 8.12 | 47 | 3.58 | 6.13 | 142.3 | 9.27 | -- | -- | -- | -- | -- | -- |
| MW-201 | 12/06/17 | 11.3 | 57 | 14.37 | 6.08 | 37.7 | 12.2 | -- | -- | -- | -- | -- | -- |
| MW-201 | 12/19/18 | 12.6 | 387 | 0.65 | 6.81 | -87.4 | 30 | -- | -- | -- | -- | -- | -- |
| MW-201 | 12/16/20 | 11.99 | 116 | 0.79 | 6.75 | 145.80 | 120 | -- | -- | -- | -- | -- | -- |
| MW-201 | 12/12/22 | 10.64 | 634 | 0.27 | 7.08 | 148.3 | 15 | -- | -- | -- | -- | -- | -- |
| MW-202 | 01/14/04 | 8 | 52 | 12.4 | 5.32 | -40.2 | 9.1 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-202 | 04/20/04 | 12.1 | 317 | 1.31 | 5.27 | 112 | 9.8 | 3 | -- | -- | < 1 | -- | -- |
| MW-202 | 01/26/05 | 11.6 | 218 | 1.69 | 4.8 | 3 | 126 | -- | -- | -- | -- | -- | -- |
| MW-202 | 04/20/05 | 12.6 | 44 | 0 | 7.78 | -60 | 26 | 8 | -- | -- | <1 | -- | -- |
| MW-202 | 07/13/05 | 15.7 | 281 | 0.11 | 6.09 | -22 | 6.3 | -- | -- | -- | -- | -- | -- |
| MW-202 | 10/20/05 | 15.5 | 576 | 0.44 | 6.42 | -47.9 | 5.5 | -- | -- | -- | -- | -- | -- |
| MW-202 | 01/26/06 | 10.78 | 213 | 0.18 | 7.73 | -104.7 | 70 | -- | -- | -- | -- | -- | -- |
| MW-202 | 11/20/08 | 14.5 | 532 | 3.65 | 6.4 | 232 | 10.2 | 36.6 | -- | -- | < 1 | -- | -- |
| MW-202 | 04/07/09 | 11.86 | 0.175 | 0 | 6.12 | -82 | 56.1 | -- | -- | -- | -- | -- | -- |
| MW-202 | 11/19/09 | 12.4 | 51.6 | 1.65 | 5.81 | -53 | 29.5 | 19 | -- | -- | 82 | -- | -- |
| MW-202 | 04/27/10 | 12.3 | 34 | 0.22 | 5.46 | -96 | 55.4 | -- | -- | -- | -- | -- | -- |
| MW-202 | 10/27/10 | 15 | 29.5 | 2.35 | 6.15 | -48 | 24 | 7.4 | -- | -- | < 1.0 | -- | -- |
| MW-202 | 10/26/11 | 12.9 | 214 | 2.45 | 8.22 | -104.2 | 2.72 | 8.5 | -- | -- | < 0.50 | -- | -- |
| MW-202 | 03/02/12 | 10.03 | 334 | 0 | 6.3 | -39 | 27.2 | -- | -- | -- | -- | -- | -- |
| MW-202 | 06/13/12 | 12.5 | 284 | 4.36 | 7.22 | -59 | 25.7 | -- | -- | -- | -- | -- | -- |
| MW-202 | 09/26/12 | 14.2 | 332 | 0 | 6.74 | -112 | 25 | -- | -- | -- | -- | -- | -- |
| MW-202 | 11/27/12 | 12.99 | 383 | 0 | 7.33 | -70 | 77.7 | -- | -- | -- | 15 | -- | -- |
| MW-202 | 11/06/13 | 13.67 | 263 | 2.28 | 5.79 | -43.6 | 4.9 | 3 | -- | -- | 0.76 | < 0.200 | 0.439 |
| MW-202 | 11/06/14 | 15.87 | 373 | 0 | 6.47 | -49 | 107 | 5 | < 0.25 | < 0.25 | 7 | 0.288 | 0.631 |
| MW-202 | 12/10/15 | 12.85 | 241 | 0.42 | 6.42 | -21.3 | 98.6 | 1.5 | < 0.10 | < 0.10 | 11.6 | 24.2 | 0.628 |
| MW-202 | 05/03/16 | 15.95 | 232 | 0.36 | 6.2 | -45.6 | 16.9 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/13/16 | 10.66 | 223 | 0.39 | 6.33 | -102.4 | 9.52 | 0.5 | < 0.0400 | < 0.0400 | 1.24 J | 45.3 | 0.401 |
| MW-202 | 06/14/17 | 14.76 | 222 | 0.33 | 7.08 | -145.6 | 9 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/06/17 | 11.62 | 153 | 0.71 | 6 | -49 | 4.5 | 2.75 | < 0.0400 | < 0.0400 | 28.6 | 11.2 | 0.45 |
| MW-202 | 06/14/18 | 14.22 | 159 | 0.69 | 6.04 | -2.9 | 9.87 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/19/18 | 12.6 | 287 | 0.28 | 6.84 | -87.4 | 22 | 14 | < 0.0400 | < 0.0400 | 58.4 | 17.9 | 0.649 |
| MW-202 | 05/16/19 | 12.6 | 266 | 0.48 | 6.53 | -91.9 | 71 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/10/19 | 12.88 | 278 | 4.97 | 6.12 | -10.2 | 50 | 3.5 | <0.0600 | <0.0600 | 8.61 | 28.3 | 0.543 |
| MW-202 | 06/29/20 | 15.4 | 406 | 0.77 | 7.24 | 173.70 | 42 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/16/20 | 12.44 | 272 | 0.20 | 7.36 | 111.10 | 88 | 1.20 | <0.200 | <0.400 | 9.44 J+ | 12.90 | 0.436 |
| MW-202 | 06/14/21 | 8.10 | 254 | 1.50 | 6.63 | 170.6 | 34 | -- | -- | -- | -- | -- | -- |
| MW-202 | 12/16/21 | 11.4 | 174 | 0.81 | 7.76 | 3.8 | 125 | -- | -- | -- | 4.00 J | 0.32 J | 0.532 |
| MW-202 | 06/29/22 | 14.1 | 637 | 0.76 | 6.96 | 6.3 | 58 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-202 | 12/12/22 | 10.49 | 430 | 0.2 | 7.21 | 154.0 | 52 | -- | -- | -- | 100 | 0.122 J | 0.868 |
| MW-202 | 06/12/23 | 15.92 | 911 | 0.46 | 7.11 | 39.6 | 46 | -- | -- | -- | -- | -- | -- |
| MW-203 | 01/13/04 | 12.4 | 243 | 2.91 | 6.38 | -6.9 | 13.7 | -- | -- | -- | -- | -- | -- |
| MW-203 | 04/19/04 | 13 | 369 | 1.02 | 6.58 | 110 | 39.2 | 1 | -- | -- | 2.4 | -- | -- |
| MW-203 | 07/27/04 | 16.4 | 514 | 1.12 | 6.11 | 90.9 | 32.2 | -- | -- | -- | -- | -- | -- |
| MW-203 | 10/18/04 | 14.8 | 643 | 0.35 | 9.42 | 136.8 | 110 | -- | -- | -- | -- | -- | -- |
| MW-203 | 01/25/05 | 12.9 | 476 | 2.79 | 6.37 | 21 | 210 | -- | -- | -- | -- | -- | -- |
| MW-203 | 04/19/05 | 12.8 | 44 | 0 | 6.22 | 0 | 5 | 5.5 | -- | -- | 6.48 | -- | -- |
| MW-203 | 07/13/05 | 15 | 351 | 0.67 | 6.34 | -46 | 15 | -- | -- | -- | -- | -- | -- |
| MW-203 | 10/20/05 | 15.9 | 902 | 1.12 | 6.69 | -48.7 | 34 | -- | -- | -- | -- | -- | -- |
| MW-203 | 01/23/06 | 11.4 | 131 | 2.2 | 6.45 | 7.6 | 60 | -- | -- | -- | -- | -- | -- |
| MW-203 | 11/18/08 | 13.9 | 448 | 10.3 | 7.11 | 87 | 190 | 1.35 | -- | -- | 17.1 | -- | -- |
| MW-203 | 04/08/09 | 12.23 | 136 | 1.87 | 6.83 | -31 | 338 | -- | -- | -- | -- | -- | -- |
| MW-203 | 11/17/09 | 12.2 | 25.8 | 5.49 | 6.28 | 197 | 45.6 | < 0.1 | -- | -- | 8.3 | -- | -- |
| MW-203 | 04/26/10 | 12.7 | 40.9 | 0.3 | 6.81 | -109 | 80.1 | -- | -- | -- | -- | -- | -- |
| MW-203 | 10/25/10 | 14.1 | 43.8 | 1.58 | 6.1 | -4 | 51.8 | 4.3 | -- | -- | 14 | -- | -- |
| MW-203 | 05/23/11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-203 | 10/26/11 | 13.98 | 384 | 2.94 | 8.4 | -80.9 | 10.9 | 8.8 | -- | -- | < 0.50 | -- | -- |
| MW-203 | 06/13/12 | 12.8 | 375 | 4.27 | 7.2 | -38 | 22.3 | -- | -- | -- | -- | -- | -- |
| MW-203 | 11/27/12 | 14.83 | 250 | 0 | 6.61 | 22 | 41.7 | -- | -- | -- | 24.4 | -- | -- |
| MW-203 | 11/06/13 | 12.59 | 486 | 0.18 | 6.35 | -51 | 0 | 3 | -- | -- | < 0.50 | 3.68 | 0.178 |
| MW-203 | 11/06/14 | 16.13 | 236 | 4.55 | 6.71 | 135.1 | 28.4 | 1.5 | 0.42 J | < 0.25 | 14.5 | < 0.200 | 0.127 |
| MW-203 | 12/09/15 | 12.51 | 0.407 | 0 | 6.05 | -60 | 67.2 | 5 | < 0.10 | < 0.10 | 4.13 | 24 | 0.197 |
| MW-203 | 05/04/16 | 12.93 | 266 | 4.91 | 6.42 | -108 | 14.5 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/13/16 | 10.46 | 221 | 0.73 | 6.25 | -88 | 9.6 | 0.5 | < 0.0400 | < 0.0400 | 2.27 | 14.1 | 0.134 |
| MW-203 | 06/14/17 | 15.02 | 203 | 0.23 | 6.09 | -205.4 | 12.7 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/08/17 | 11.65 | 274 | 1.6 | 6.3 | 43.8 | 0 | 1.25 | < 0.0400 | < 0.0400 | 21.6 | 3.32 | 0.166 |
| MW-203 | 06/14/18 | 13.9 | 265 | 1.93 | 6.25 | 3.9 | 35.1 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/20/18 | 12.8 | 357 | 0.78 | 7.41 | -44.6 | >1000 | 1.4 | 0.307 | 0.307 | 7.81 | 2.32 | 0.195 |
| MW-203 | 05/16/19 | 10.89 | 353 | 1.89 | 5.52 | -1 | 99 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/10/19 | 12.77 | 441 | 4.84 | 5.3 | 0.5 | 41 | 3 | <0.0600 | <0.0600 | 1.34 J | 20 | 0.207 |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-203 | 06/29/20 | 15.1 | 339 | 1.06 | 7.18 | -9.10 | 10 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/15/20 | 12.26 | 319 | 0.77 | 8.07 | 130.10 | 87 | 2.00 | 1.49 | <0.400 | 35.80 | <1.00 | 0.0182 |
| MW-203 | 06/14/21 | 7.69 | 259 | 1.28 | 6.33 | 21.6 | 406 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/16/21 | 11.6 | 193 | 0.21 | 8.30 | 16.1 | 16 | -- | -- | -- | 16.9 | <0.5 | 0.0505 |
| MW-203 | 06/28/22 | 14.1 | 571 | 0.57 | 6.52 | 13.2 | 513 | -- | -- | -- | -- | -- | -- |
| MW-203 | 12/14/22 | 11.74 | 469 | 0.23 | 6.93 | 174.7 | 5 | -- | -- | -- | 7.94 | 8.34 | 0.693 |
| MW-203 | 06/12/23 | 16.23 | 436 | 1.62 | 6.41 | 113.4 | 61 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/13/16 | 10.72 | 173 | 0.99 | 5.84 | 21 | 4 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/06/17 | 13.48 | 129 | 12.04 | 5.6 | 49.8 | 6.22 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/19/18 | 12.9 | 218 | 0.33 | 6.98 | -66.1 | 27 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/10/19 | 13.47 | 340 | 1.83 | 6.01 | -6 | 22 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/16/20 | 13.41 | 347 | 1.00 | 6.27 | 190.10 | 70 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/16/21 | 10.5 | 144 | 0.22 | 7.70 | -17.2 | 25 | -- | -- | -- | -- | -- | -- |
| MW-204 | 12/12/22 | 11.69 | 247 | 0.58 | 6.51 | -76.1 | 26 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/12/16 | 11.31 | 482 | 0.68 | 6.6 | -104.9 | 9.44 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/08/17 | 11.87 | 491 | 1.39 | 6.63 | 34 | 0 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/20/18 | 13.1 | 605 | 0.81 | 7.41 | -52.3 | 70 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/10/19 | 13.08 | 617 | 2.28 | 6.07 | -41.9 | 11 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/16/20 | 12.02 | 718 | 0.22 | 9.45 | 42.10 | 440 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/16/21 | 8.6 | 394 | 0.61 | 8.20 | 15.9 | 21 | -- | -- | -- | -- | -- | -- |
| MW-206A | 12/12/22 | 9.59 | 404 | 0.17 | 7.02 | -68.2 | 96 | -- | -- | -- | -- | -- | -- |
| MW-213 | 05/03/16 | 14.65 | 12440 | 0.13 | 8.26 | -330 | 0 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/13/16 | 9.57 | 18.7 | 5.52 | 8.28 | -321 | 5.6 | -- | -- | -- | -- | -- | -- |
| MW-213 | 06/14/17 | 15.37 | 10550 | 0.23 | 7.03 | -330.2 | 7.36 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/07/17 | 12.43 | 13640 | 0.55 | 8.14 | -72.3 | 0 | -- | -- | -- | -- | -- | -- |
| MW-213 | 06/12/18 | 14.43 | 8410 | 0.91 | 7.65 | -91.3 | 3.02 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/19/18 | 12.8 | 11390 | 0.82 | 7.57 | -45.6 | 5 | -- | -- | -- | -- | -- | -- |
| MW-213 | 05/16/19 | 14.8 | 11641 | 1.84 | 7.5 | 79.5 | 2 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/11/19 | 10.91 | 1322 | 1.28 | 8.51 | -112.7 | 16 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|-------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-213 | 06/29/20 | 13 | 16341 | 0.34 | 7.83 | 191.70 | 9 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/16/20 | 12.38 | 17,924 | 0.08 | 7.99 | 53.20 | 0 | -- | -- | -- | -- | -- | -- |
| MW-213 | 06/14/21 | 7.18 | 17,427 | 0.47 | 7.89 | 113.6 | 3 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/16/21 | 9.9 | 13,386 | 0.85 | 9.67 | -101.5 | 5 | -- | -- | -- | -- | -- | -- |
| MW-213 | 06/29/22 | 13.8 | 20,936 | 0.43 | 8.09 | -313.6 | 25 | -- | -- | -- | -- | -- | -- |
| MW-213 | 12/12/22 | 11.24 | 3,297 | 0.26 | 6.83 | 140.2 | 5 | -- | -- | -- | -- | -- | -- |
| MW-213 | 06/12/23 | 15.16 | 9,167 | 0.11 | 7.32 | -65.8 | 17 | -- | -- | -- | -- | -- | -- |
| MW-214 | 05/03/16 | 14.91 | 10960 | 0.44 | 8.16 | -363 | 0 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/14/16 | 10.5 | 312 | 7.24 | 6.98 | 39 | 0 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/14/17 | 15.55 | 10395 | 0.05 | 8.14 | -358.6 | 0.85 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/07/17 | 14.01 | 7725 | 838.05 | 8.01 | -355.1 | 3.11 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/12/18 | 14.77 | 3900 | 0.74 | 7.82 | -90.5 | 0 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/19/18 | 13.4 | 11888 | 0.12 | 7.45 | -101.6 | 29 | -- | -- | -- | -- | -- | -- |
| MW-214 | 05/16/19 | 15.7 | 10667 | 0.59 | 7.43 | -62.3 | 3 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/11/19 | 11.41 | 1576 | 1.16 | 10.33 | -211.5 | 9 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/29/20 | 15.93 | 1516 | 1.66 | 7.91 | -152.70 | 12 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/16/20 | 13.00 | 17,750 | 0.15 | 6.90 | 95.20 | 6 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/14/21 | 8.21 | 2,117 | 1.49 | 7.47 | 78.3 | 2 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/16/21 | 12.5 | 8,441 | 0.30 | 9.34 | -172.8 | 5 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/29/22 | 14.3 | 1,680 | 3.25 | 7.97 | -189.6 | 13 | -- | -- | -- | -- | -- | -- |
| MW-214 | 12/12/22 | 12.4 | 7,989 | 0.17 | 6.52 | -50 | 10 | -- | -- | -- | -- | -- | -- |
| MW-214 | 06/12/23 | 16.44 | 6,045 | 0.28 | 6.74 | -115.2 | 1 | -- | -- | -- | -- | -- | -- |
| MW-301 | 02/22/16 | 12.32 | 449 | 0.34 | 6.5 | -127.1 | 15.1 | -- | -- | -- | -- | -- | -- |
| MW-301 | 05/02/16 | 17.58 | 257 | 0.29 | 6.6 | -119.6 | 6.74 | -- | -- | -- | -- | -- | -- |
| MW-301 | 08/29/16 | 18.76 | 183 | 1.96 | 6.86 | 5 | 0 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/12/16 | 10.16 | 357 | 2.37 | 6.73 | -140 | 0 | -- | -- | -- | -- | -- | -- |
| MW-301 | 03/13/17 | 11.62 | 355 | 0 | 6.72 | -125 | 0 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/13/17 | 15.6 | 192 | 0.37 | 6.59 | -107.4 | -- | -- | -- | -- | -- | -- | -- |
| MW-301 | 08/22/17 | 20.23 | 187 | 0 | 7.32 | -105 | 0 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/08/17 | 14.93 | 151 | 1.2 | 6.89 | -118.3 | -11 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-301 | 03/06/18 | 12.6 | 435 | 0.82 | 6.78 | 19.7 | 3.19 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/13/18 | 16.7 | 521 | 0.21 | 6.61 | -76.4 | 1.8 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/06/18 | 18.95 | 651 | 0.16 | 6.57 | -94.8 | 1.34 | 7 | -- | -- | -- | -- | -- |
| MW-301 | 12/20/18 | 15.1 | 836 | 0.12 | 6.53 | -50 | 14 | -- | -- | -- | -- | -- | -- |
| MW-301 | 03/19/19 | 13.4 | 930 | 1.02 | 7.52 | -48.5 | 119 | -- | -- | -- | -- | -- | -- |
| MW-301 | 05/16/19 | 12.3 | 693 | 0.71 | 6.11 | -52 | 97 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/17/19 | 15.31 | 373 | 0.87 | 6.7 | -23.8 | 11 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/11/19 | 14.25 | 755 | 10.14 | 7.15 | 55.9 | 64 | -- | -- | -- | -- | -- | -- |
| MW-301 | 04/28/20 | 13.4 | 628 | 0.51 | 7.56 | 14.60 | 14 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/29/20 | 20.47 | 572 | 0.66 | 6.50 | -28.40 | 60 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/21/20 | 19.2 | 699 | 0.37 | 6.29 | 20.80 | 12 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/15/20 | 11.20 | 611 | 0.40 | 7.53 | 116.90 | 33 | -- | -- | -- | -- | -- | -- |
| MW-301 | 04/13/21 | 10.6 | 347 | 2.26 | 6.01 | 35.3 | 76 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/14/21 | 11.44 | 726 | 1.78 | 7.00 | 37.3 | 27 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/22/21 | 18.21 | 615 | 1.43 | 6.54 | -35.6 | 55 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/16/21 | 10.17 | 502 | 0.14 | 6.60 | 82.3 | 112 | -- | -- | -- | -- | -- | -- |
| MW-301 | 03/29/22 | 12.17 | 592 | 0.14 | 6.82 | 160.7 | 30 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/27/22 | 15.9 | 601 | 0.44 | 6.45 | -105.6 | 65 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/21/22 | 16.48 | 402 | 0.90 | 6.40 | 335.6 | 42 | -- | -- | -- | -- | -- | -- |
| MW-301 | 12/13/22 | 12.78 | 587 | 0.09 | 6.39 | -31.4 | 80 | -- | -- | -- | -- | -- | -- |
| MW-301 | 03/28/23 | -- | 0.676 | 0.33 | 7.6 | -63.1 | 18 | -- | -- | -- | -- | -- | -- |
| MW-301 | 06/14/23 | 17.08 | 723 | 1.24 | 7.31 | -79 | 16 | -- | -- | -- | -- | -- | -- |
| MW-301 | 09/11/23 | 19.59 | 534 | 0.09 | 6.55 | -176.6 | 10 | -- | -- | -- | -- | -- | -- |
| MW-302 | 03/01/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/12/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/28/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/25/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 11/25/12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 11/05/13 | 14.81 | 346 | 0.1 | 6.42 | -67 | 0 | 6.0-6.5 | -- | -- | 13.2 | < 0.200 | 0.349 |
| MW-302 | 11/03/14 | 15.91 | 342 | 0.53 | 6.5 | -27.8 | 5.06 | 2.5 | < 0.10 | < 0.10 | < 0.50 | 0.765 | 0.493 |
| MW-302 | 12/10/15 | 14.58 | 337 | 0.35 | 6.63 | -104.8 | 0 | 1.5 | < 0.10 | < 0.10 | < 0.50 | 27.4 | 0.402 |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-302 | 05/04/16 | 13.6 | 371 | 4.92 | 6.51 | -116.5 | 2.49 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/15/16 | 10.93 | 388 | 0.95 | 6.58 | -89 | 0 | 1 | < 0.0400 | < 0.0400 | < 0.128 | 35.1 | 0.572 |
| MW-302 | 06/13/17 | 16.99 | 143 | 0.3 | 5.79 | 39.2 | -- | -- | -- | -- | -- | -- | -- |
| MW-302 | 08/23/17 | 20.32 | 358 | 9.36 | 7.08 | -54 | 2.7 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/05/17 | 13.54 | 755 | 0.89 | 5.82 | 30.4 | 8.95 | 4.25 | < 0.0400 | < 0.0400 | 97.2 | 42.9 | 2.15 |
| MW-302 | 03/07/18 | 11.57 | 984 | 0.27 | 6.15 | 12 | 9.95 | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/13/18 | 16.08 | 446 | 0.81 | 6.04 | -61.4 | 5.51 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/06/18 | 19.67 | 424 | 0.74 | 6.49 | -27 | 3.37 | 1.75 | -- | -- | -- | -- | -- |
| MW-302 | 12/20/18 | 15.9 | 726 | 0.1 | 6.4 | 73 | 55 | 7 | 0.105 | 0.105 | 364 | 1.4 | 2.52 |
| MW-302 | 03/19/19 | 14.5 | 1321 | 0.4 | 7.44 | -54.1 | 58 | -- | -- | -- | -- | -- | -- |
| MW-302 | 05/16/19 | 12.83 | 589 | 0.7 | 5.81 | -53 | 43 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/17/19 | 14.71 | 424 | 0.79 | 6.75 | -35.3 | 14 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/11/19 | 16.95 | 1359 | 2.13 | 8.06 | -57.4 | 19 | 3 | <0.0600 | <0.0600 | 629 | 67.4 | 3.52 |
| MW-302 | 04/28/20 | 14 | 655 | 0.33 | 7.32 | -25.30 | 16 | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/29/20 | 15.22 | 509 | 0.88 | 6.29 | -30.80 | 34 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/21/20 | 18 | 499 | 0.84 | 6.30 | 46.20 | 39 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/15/20 | 10.90 | 692 | 0.38 | 7.46 | 116.20 | 131 | 1.80 | <0.200 | <0.400 | 11.80 | 12.40 | 1.74 |
| MW-302 | 04/13/21 | 13.4 | 409 | 1.39 | 6.53 | -53.4 | 26 | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/15/21 | 10.57 | 538 | 0.45 | 7.21 | 6.0 | 26 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/23/21 | 16.29 | 630 | 1.77 | 5.97 | 70.0 | 17 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/16/21 | 10.70 | 597 | 0.10 | 7.67 | 20.3 | 35 | -- | -- | -- | 104 | 0.282 J | 2.74 |
| MW-302 | 03/28/22 | 11.51 | 769 | 0.04 | 7.41 | 115.1 | 12 | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/28/22 | 16 | 936 | 0.79 | 6.4 | -115.3 | 11 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/21/22 | 16.92 | 550 | 0.09 | 7.22 | 343.0 | 18 | -- | -- | -- | -- | -- | -- |
| MW-302 | 12/13/22 | 12.55 | 220 | 0.18 | 6.39 | -43.9 | 19 | -- | -- | -- | 39.1 | 31.8 | 0.607 |
| MW-302 | 03/27/23 | -- | 0.79 | 0.3 | 7.52 | -58.7 | 25 | -- | -- | -- | -- | -- | -- |
| MW-302 | 06/13/23 | 15.47 | 360 | 1.17 | 7.3 | -41.6 | 28 | -- | -- | -- | -- | -- | -- |
| MW-302 | 09/12/23 | 19.37 | 342 | 0.21 | 6.19 | -96.2 | 2 | -- | -- | -- | -- | -- | -- |
| MW-303 | 05/04/16 | 11.9 | 91 | 2.92 | 6.42 | -73.9 | 9.31 | -- | -- | -- | -- | -- | -- |
| MW-303 | 12/12/16 | 11.2 | 185 | 1.29 | 6.49 | -50 | 0 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/13/17 | 15.03 | 69 | 0.3 | 6.2 | 15.9 | -- | -- | -- | -- | -- | -- | MN |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-303 | 12/08/17 | 12.72 | 257 | 1.74 | 5.18 | 77.1 | 4.48 | -- | -- | -- | -- | -- | -- |
| MW-303 | 03/06/18 | 11.47 | 382 | 0.76 | 5.59 | 91.7 | 3.47 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/13/18 | 14.32 | 148 | 0.64 | 5.84 | -19.6 | 4.22 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/06/18 | 18.26 | 388 | 0.32 | 6.38 | -56.1 | 4.4 | 6 | -- | -- | -- | -- | -- |
| MW-303 | 12/20/18 | 12.9 | 561 | 0.39 | 5.51 | 145 | 18 | -- | -- | -- | -- | -- | -- |
| MW-303 | 03/19/19 | 11.1 | 470 | 0.59 | 7.19 | -34.9 | 20 | -- | -- | -- | -- | -- | -- |
| MW-303 | 05/16/19 | 10.49 | 590 | 1.8 | 5.56 | -19 | 29 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/17/19 | 14.68 | 474 | 1.3 | 6.31 | -24.7 | 7 | -- | -- | -- | -- | -- | -- |
| MW-303 | 12/11/19 | 13.89 | 570 | 0.71 | 7.8 | -53.9 | 41 | -- | -- | -- | -- | -- | -- |
| MW-303 | 04/28/20 | 12.7 | 238 | 0.43 | 6.65 | 40.80 | 20 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/29/20 | 14.79 | 566 | 0.72 | 7.22 | 2.10 | 24 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/21/20 | 18.8 | 1105 | 0.25 | 6.50 | 1.40 | 20 | -- | -- | -- | -- | -- | -- |
| MW-303 | 12/15/20 | 10.93 | 382 | 0.42 | 7.20 | 115.80 | 15 | -- | -- | -- | -- | -- | -- |
| MW-303 | 04/13/21 | 9.1 | 87 | 2.46 | 5.91 | 36.1 | 26 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/14/21 | 9.33 | 368 | 1.32 | 6.65 | 6.7 | 12 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/22/21 | 18.13 | 1,158 | 1.25 | 6.53 | -47.5 | 11 | -- | -- | -- | -- | -- | -- |
| MW-303 | 12/15/21 | 9.0 | 251 | 0.43 | 7.58 | 14.9 | 8 | -- | -- | -- | -- | -- | -- |
| MW-303 | 03/28/22 | 10.79 | 212 | 0.06 | 6.93 | 144.3 | 12 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/28/22 | 15.2 | 300 | 0.48 | 6.03 | -51.3 | 13 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/21/22 | 15.76 | 641 | 0.09 | 6.45 | 343.4 | 23 | -- | -- | -- | -- | -- | -- |
| MW-303 | 12/13/22 | 10.75 | 345 | 0.16 | 6.44 | -16.9 | 16 | -- | -- | -- | -- | -- | -- |
| MW-303 | 03/28/23 | -- | 0.211 | 1.02 | 7.44 | -3.3 | 21 | -- | -- | -- | -- | -- | -- |
| MW-303 | 06/14/23 | 15.83 | 348 | 1.17 | 7.59 | -42.4 | 29 | -- | -- | -- | -- | -- | -- |
| MW-303 | 09/11/23 | 17.83 | 611 | 0.13 | 6.27 | -103.9 | 17 | -- | -- | -- | -- | -- | -- |
| MW-304 | 11/05/13 | 12.2 | 396 | 0.1 | 6.6 | -119 | 0 | 7 | -- | -- | < 0.50 | 0.345 | 0.273 |
| MW-304 | 11/03/14 | 14.86 | 310 | 0.62 | 6.46 | -36.9 | 11.2 | 5 | < 0.10 | < 0.10 | 0.51 | 3.60 J | 0.297 J |
| MW-304 | 12/10/15 | 12.81 | 345 | 0.35 | 6.55 | 100.1 | 3.99 | 3 | < 0.10 | < 0.10 | 0.873 | 33.7 | 0.39 |
| MW-304 | 05/04/16 | 12.9 | 337 | 1.95 | 6.35 | -103.1 | 6.29 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/15/16 | 9.2 | 342 | 2.4 | 6.65 | -92 | 0 | 0.5 | < 0.0400 | < 0.0400 | 3.35 | 28.2 | 0.276 |
| MW-304 | 06/13/17 | 16.82 | 162 | 1.47 | 6.27 | -24.2 | -- | -- | -- | -- | -- | -- | -- |
| MW-304 | 08/23/17 | 20.76 | 529 | 0 | 7.09 | -55 | 0.1 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-304 | 12/05/17 | 13.01 | 1421 | 1 | 3.42 | 134.2 | 3.96 | 2.25 | < 0.0400 | < 0.0400 | 253 | 18.6 | 8.94 |
| MW-304 | 03/06/18 | 12.36 | 794 | 1.52 | 4.82 | 105.9 | 3.92 | -- | -- | -- | -- | -- | -- |
| MW-304 | 06/13/18 | 16.04 | 305 | 0.19 | 6.12 | -63.2 | 5.78 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/06/18 | 20.2 | 439 | 0.48 | 4.72 | 127.5 | 3.83 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/20/18 | 14.3 | 830 | 0.19 | 4.19 | 272 | 96 | 6.5 | 0.0730 J | 0.0730 J | 520 | 2.51 | 2.74 |
| MW-304 | 03/19/19 | 11.8 | 155 | 0.71 | 7.53 | -30.3 | 24 | -- | -- | -- | -- | -- | -- |
| MW-304 | 05/16/19 | 10.89 | 367 | 1.27 | 4.82 | 36 | 9 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/17/19 | 13.56 | 323 | 1.29 | 6.73 | 5.4 | 15 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/11/19 | 15.3 | 1518 | 5.46 | 8.24 | 91.6 | 62 | 6 | <0.0600 | <0.0600 | 908 | 11.3 | 4.79 |
| MW-304 | 04/28/20 | 12.4 | 324 | 0.59 | 6.92 | 25.80 | 10 | -- | -- | -- | -- | -- | -- |
| MW-304 | 06/29/20 | 14.78 | 301 | 0.78 | 6.83 | -13.60 | 26 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/21/20 | 16.7 | 393 | 0.22 | 5.78 | 59.30 | 41 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/15/20 | 11.07 | 457 | 0.33 | 7.32 | 120.80 | 32 | 1.00 | <0.200 | <0.400 | 75.10 | 50.60 | 0.483 |
| MW-304 | 04/13/21 | 9.0 | 92 | 2.60 | 6.00 | 79.8 | 33 | -- | -- | -- | -- | -- | -- |
| MW-304 | 06/15/21 | 9.80 | 224 | 1.12 | 6.49 | 55.5 | 8 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/22/21 | 17.36 | 370 | 1.33 | 5.72 | 19.8 | 15 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/16/21 | 9.17 | 244 | 0.06 | 6.60 | 108.2 | 23 | -- | -- | -- | 72.8 | 19 | 1.18 |
| MW-304 | 03/28/22 | 11.80 | 135 | 0.10 | 6.79 | 152.3 | 10 | -- | -- | -- | -- | -- | -- |
| MW-304 | 06/28/22 | 15.9 | 230 | 0.45 | 6.64 | 11.3 | 10 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/20/22 | 18.11 | 345 | 0.11 | 6.28 | 349.1 | 12 | -- | -- | -- | -- | -- | -- |
| MW-304 | 12/13/22 | 11.01 | 317 | 0.22 | 6.37 | -24.1 | 17 | -- | -- | -- | 51.6 | 8.8 | 0.462 |
| MW-304 | 03/27/23 | -- | 0.205 | 0.22 | 8.09 | -31.5 | 20 | -- | -- | -- | -- | -- | -- |
| MW-304 | 06/14/23 | 18.16 | 281 | 0.67 | 7.11 | -59.3 | 17 | -- | -- | -- | -- | -- | -- |
| MW-304 | 09/11/23 | 19.23 | 356 | 5.84 | 6.35 | -69.5 | 3 | -- | -- | -- | -- | -- | -- |
| MW-307 | 11/26/12 | 12.7 | 332 | 0 | 7.18 | -62 | 36.6 | -- | -- | -- | 1.5 | -- | -- |
| MW-307 | 11/06/13 | 12.31 | 231 | 0.07 | 6.42 | -106 | 0.8 | 3.5 | -- | -- | < 0.50 | < 0.200 | 0.217 |
| MW-307 | 11/04/14 | 14.49 | 383 | 0.26 | 6.86 | -107 | 6.9 | 4.5 | < 0.10 | < 0.10 | < 0.50 | 18.2 | 0.513 |
| MW-307 | 12/09/15 | 12.78 | 225 | 0.51 | 6.4 | -77.6 | 7.89 | 2.25 | < 0.10 | < 0.10 | < 0.50 | 29.6 | 0.338 |
| MW-307 | 02/23/16 | 10.43 | 225 | 0.27 | 6.21 | -68.9 | 9.98 | -- | -- | -- | -- | -- | -- |
| MW-307 | 05/03/16 | 12.71 | 211 | 0.39 | 6.05 | -54 | 9.27 | -- | -- | -- | -- | -- | -- |
| MW-307 | 08/30/16 | 16.9 | 198 | 1.18 | 6.91 | 67 | 0 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-307 | 12/13/16 | 10.28 | 138 | 0.57 | 6.46 | -87.4 | 8.09 | 1.5 | < 0.0400 | < 0.0400 | < 0.256 | 21.2 | 0.235 |
| MW-307 | 03/14/17 | 11.62 | 224 | 0 | 6.46 | -79 | 0 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/15/17 | 12.72 | 126 | 0.33 | 5.4 | 15.1 | 1.91 | -- | -- | -- | -- | -- | -- |
| MW-307 | 08/23/17 | 17.87 | 149 | 0 | 7.03 | -13 | 2.1 | -- | -- | -- | -- | -- | -- |
| MW-307 | 12/06/17 | 14.55 | 405 | 1.49 | 6.18 | -47.1 | 0 | 0.6 | < 0.0400 | < 0.0400 | 465 | 37.1 | 1.07 |
| MW-307 | 03/08/18 | 13.9 | 270 | 0.38 | 6.42 | 2.6 | 5.1 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/14/18 | 13.8 | 205 | 0.45 | 6.55 | -23 | 2.92 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/04/18 | 18.44 | 235 | 0.99 | 6.11 | -25.6 | 0 | 2 | -- | -- | -- | -- | -- |
| MW-307 | 12/19/18 | 16.6 | 343 | 2.15 | 7.69 | 28.7 | 17 | 1.4 | < 0.0400 | < 0.0400 | 82.6 | 7.61 | 0.669 |
| MW-307 | 03/18/19 | 14.3 | 530 | 0.85 | 6.79 | -62.3 | 20 | -- | -- | -- | -- | -- | -- |
| MW-307 | 05/16/19 | 14.1 | 315 | 0.72 | 6.82 | -90.6 | 4 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/17/19 | 13.21 | 231 | 1.15 | 6.95 | 1.6 | 10 | -- | -- | -- | -- | -- | -- |
| MW-307 | 12/10/19 | 15.65 | 541 | 1.37 | 6.88 | -44.6 | 18 | 5.5 | <0.0600 | <0.0600 | 210 | 60.4 | 1.21 |
| MW-307 | 04/27/20 | 13.6 | 677 | 0.6 | 6.72 | -96.40 | 43 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/29/20 | 14.8 | 505 | 0.34 | 6.82 | 115.90 | 40 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/21/20 | 15.8 | 476 | 0.41 | 5.96 | 37.20 | 29 | -- | -- | -- | -- | -- | -- |
| MW-307 | 12/16/20 | 13.16 | 694 | 0.32 | 7.50 | 130.10 | 0 | 2.40 | <0.200 | <0.400 | 8.26 J+ | 51.80 | 1.17 |
| MW-307 | 04/12/21 | 11.2 | 276 | 1.91 | 6.47 | -56.9 | 65 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/14/21 | 6.85 | 352 | 0.51 | 7.35 | 156.3 | 11 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/22/21 | 16.03 | 661 | 1.12 | 6.10 | 0.8 | 17 | -- | -- | -- | -- | -- | -- |
| MW-307 | 12/14/21 | 11.0 | 423 | 0.30 | 9.10 | -24.0 | 18 | -- | -- | -- | 22.1 | 0.172 J | 0.764 |
| MW-307 | 03/28/22 | 11.21 | 403 | 0.01 | 7.43 | 114.4 | 40 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/29/22 | 15.2 | 430 | 0.66 | 6.88 | 34.8 | 19 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/20/22 | 18.41 | 685 | 0.18 | 7.13 | 341.8 | 13 | -- | -- | -- | -- | -- | -- |
| MW-307 | 12/12/22 | 11.27 | 322 | 0.43 | 6.45 | -16.4 | 12 | -- | -- | -- | 1.43 J | 0.366 J | 0.678 |
| MW-307 | 03/27/23 | -- | 0.634 | 0.26 | 7.03 | -19.2 | 10 | -- | -- | -- | -- | -- | -- |
| MW-307 | 06/13/23 | 12.14 | 403 | 1.16 | 6.64 | 83.9 | 18 | -- | -- | -- | -- | -- | -- |
| MW-307 | 09/11/23 | 16.93 | 693 | 0.71 | 6.88 | 186.7 | 18 | -- | -- | -- | -- | -- | -- |
| MW-308 | 02/23/16 | 10.09 | 657 | 0.32 | 6.78 | -36.3 | 9.17 | -- | -- | -- | -- | -- | -- |
| MW-308 | 05/03/16 | 13.49 | 431 | 0.31 | 6.52 | -42.7 | 7.44 | -- | -- | -- | -- | -- | -- |
| MW-308 | 08/30/16 | 16.93 | 224 | 1.43 | 7 | 50 | 0 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-308 | 12/13/16 | 10.31 | 577 | 0.51 | 6.75 | -22.5 | 8.43 | 1.5 | < 0.0400 | < 0.0400 | 141 | 1.53 | 1.05 |
| MW-308 | 03/14/17 | 10.27 | 587 | 0 | 6.99 | 86 | 0 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/15/17 | 13.16 | 355 | 0.9 | 7.07 | -53 | 7.5 | -- | -- | -- | -- | -- | -- |
| MW-308 | 08/23/17 | 18.34 | 235 | 0 | 7.15 | -32 | 0 | -- | -- | -- | -- | -- | -- |
| MW-308 | 12/06/17 | 13.3 | 591 | 801.24 | 6.76 | -73.2 | 3.97 | 1.7 | < 0.0400 | < 0.0400 | 21.4 | 1.24 | 1.49 |
| MW-308 | 03/08/18 | 10.08 | 758 | 0.29 | 6.74 | -26.7 | 6.79 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/14/18 | 14.41 | 208 | 0.43 | 6.34 | -13.5 | 4.1 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/05/18 | 17.87 | 270 | 0.64 | 6.57 | -45.2 | 0 | 2 | -- | -- | -- | -- | -- |
| MW-308 | 12/19/18 | 10.7 | 579 | 1.68 | 6.94 | 52.4 | 30 | 0 | < 0.0400 | < 0.0400 | 48.1 | 0.167 J | 0.0912 |
| MW-308 | 03/18/19 | 12.5 | 912 | 0.63 | 7.03 | -61.3 | 15 | -- | -- | -- | -- | -- | -- |
| MW-308 | 05/16/19 | 13.2 | 311 | 0.29 | 6.78 | -107.3 | 10 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/17/19 | 12.9 | 213 | 1.61 | 6.64 | 2.6 | 12 | -- | -- | -- | -- | -- | -- |
| MW-308 | 12/09/19 | 14.07 | 386 | 1.89 | 6.32 | -53.5 | 10 | 5.5 | <0.0600 J | <0.0600 J | 93.9 | 16.1 | 1.01 |
| MW-308 | 04/27/20 | 13.3 | 825 | 0.77 | 6.43 | -73.10 | 31 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/29/20 | 15.3 | 726 | 0.44 | 7.05 | 108.80 | 24 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/21/20 | 15.7 | 489 | 0.7 | 5.69 | 239.30 | 38 | -- | -- | -- | -- | -- | -- |
| MW-308 | 12/16/20 | 11.78 | 556 | 0.39 | 7.62 | 123.70 | 11 | 2.60 | <0.200 | <0.400 | 3.79 J+ | 4.57 | 0.293 |
| MW-308 | 04/12/21 | 10.4 | 323 | 2.15 | 6.72 | 142.2 | 38 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/14/21 | 7.31 | 600 | 1.15 | 6.97 | 137.7 | 11 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/22/21 | 15.90 | 589 | 1.44 | 6.39 | -17.2 | 6 | -- | -- | -- | -- | -- | -- |
| MW-308 | 12/14/21 | 7.7 | 548 | 0.87 | 6.95 | 150.0 | 10 | -- | -- | -- | 20.9 | <0.5 | 0.219 |
| MW-308 | 03/28/22 | 10.54 | 647 | 0.01 | 7.32 | 121.8 | 11 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/29/22 | 15.3 | 439 | 0.66 | 6.68 | 7.6 | 17 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/20/22 | 17.72 | 723 | 0.29 | 7.08 | 337.8 | 28 | -- | -- | -- | -- | -- | -- |
| MW-308 | 12/12/22 | 9.79 | 369 | 0.38 | 6.46 | 34.4 | 83 | -- | -- | -- | 48.0 | 0.162 J | 0.00254 J |
| MW-308 | 03/27/23 | -- | 0.684 | 0.38 | 7.05 | -41.2 | 22 | -- | -- | -- | -- | -- | -- |
| MW-308 | 06/13/23 | 12.31 | 316 | 0.64 | 6.59 | -41.6 | 24 | -- | -- | -- | -- | -- | -- |
| MW-308 | 09/11/23 | 16.49 | 746 | 0.43 | 7.01 | 147.9 | 36 | -- | -- | -- | -- | -- | -- |
| MW-309 | 05/04/16 | 14.84 | 208 | 2.8 | 6.5 | -102.7 | 8.08 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/12/16 | 11.39 | 250 | 0.67 | 6.46 | -110.3 | 9.47 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/13/17 | 15.23 | 147 | 0.21 | 6.49 | -89.1 | -- | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-309 | 12/05/17 | 14.56 | 215 | 1.1 | 6.72 | -87.3 | -20.7 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/12/18 | 16.23 | 161 | 0.53 | 6.41 | -42 | 7.48 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/20/18 | 13.9 | 410 | 0.16 | 6.8 | -112 | 21 | -- | -- | -- | -- | -- | -- |
| MW-309 | 05/16/19 | 11.48 | 588 | 0.57 | 6.16 | -109 | 62 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/11/19 | 14.91 | 554 | 0.37 | 7.49 | -70.1 | 37 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/29/20 | 17.23 | 582 | 0.72 | 6.71 | -12.60 | 77 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/15/20 | 12.09 | 6.76 | 0.36 | 7.53 | 119.30 | 91 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/15/21 | 11.34 | 322 | 0.59 | 6.52 | 23.4 | 68 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/15/21 | 12.8 | 384 | 0.07 | 8.17 | -22.8 | 6 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/28/22 | 16 | 287 | 0.51 | 6.35 | -76.8 | 151 | -- | -- | -- | -- | -- | -- |
| MW-309 | 12/13/22 | 12.43 | 298 | 0.11 | 6.4 | -29.9 | 120 | -- | -- | -- | -- | -- | -- |
| MW-309 | 06/14/23 | 17.21 | 379 | 0.86 | 7.23 | -66.5 | 51 | -- | -- | -- | -- | -- | -- |
| MW-310 | 11/28/12 | 13.97 | 385 | 0 | 7.22 | -88 | 80.6 | -- | -- | -- | < 0.50 | -- | -- |
| MW-310 | 11/05/13 | 14.07 | 396 | 0.05 | 6.44 | -95 | 0 | 2.0-2.5 | -- | -- | < 0.50 | 0.982 | 0.528 |
| MW-310 | 11/04/14 | 15.97 | 393 | 0.03 | 6.88 | -101 | 0 | 1.5 | < 0.10 | < 0.10 | < 0.50 | 11.5 | 0.615 |
| MW-310 | 12/10/15 | 13.23 | 313 | 0.45 | 6.39 | -78.5 | 0 | 2 | < 0.10 | < 0.10 | < 0.50 | 34.8 | 0.554 |
| MW-310 | 02/22/16 | 11.72 | 358 | 0.29 | 6.4 | -98.5 | 3.83 | -- | -- | -- | -- | -- | -- |
| MW-310 | 05/02/16 | 15.68 | 270 | 0.34 | 6.18 | -67.1 | 8.56 | -- | -- | -- | -- | -- | -- |
| MW-310 | 08/29/16 | 19.29 | 283 | 1.64 | 6.82 | 29 | 0 | -- | -- | -- | -- | -- | -- |
| MW-310 | 12/15/16 | 11.6 | 258 | 1.26 | 6.49 | -70 | 0 | 2 | < 0.0400 | < 0.0400 | 1.13 | 26.4 | 0.485 |
| MW-310 | 03/13/17 | 11.24 | 317 | 0 | 6.53 | -102 | 0 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/15/17 | 15.8 | 229 | 0.33 | 6.21 | -69.1 | -- | -- | -- | -- | -- | -- | -- |
| MW-310 | 08/22/17 | 23.88 | 365 | 0 | 6.96 | -80 | 21.4 | -- | -- | -- | -- | -- | -- |
| MW-310 | 12/05/17 | 13.45 | 603 | 1.39 | 4.01 | 101 | 3.3 | 1.5 | < 0.0400 | < 0.0400 | 44.2 | 1.55 | 2.66 |
| MW-310 | 03/06/18 | 12.75 | 946 | 0.3 | 5.25 | 72.8 | 5.8 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/13/18 | 17.54 | 464 | 0.2 | 5.84 | -34.4 | 2.01 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/06/18 | 20 | 293 | 0.67 | 5.45 | 74 | 2.13 | 3 | -- | -- | -- | -- | -- |
| MW-310 | 12/20/18 | 15.9 | 605 | 1.43 | 7.1 | 49.6 | 18 | 3.2 | 0.346 | 0.346 | 318 | 7.48 | 1.63 |
| MW-310 | 03/19/19 | 14.4 | 804 | 1.25 | 7.21 | -21.1 | 28 | -- | -- | -- | -- | -- | -- |
| MW-310 | 05/16/19 | 12.36 | 695 | 1.09 | 4.51 | 87 | 72 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/17/19 | 13.46 | 281 | 0.83 | 6.93 | -23.9 | 16 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-310 | 12/11/19 | 16.4 | 1551 | 12.52 | 6.92 | 155.8 | 28 | 5 | <0.0600 | <0.0600 | 999 | 53.1 | 7.24 |
| MW-310 | 04/28/20 | 14 | 1460 | 0.54 | 6.71 | 64.40 | 18 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/29/20 | 15.03 | 908 | 0.99 | 6.96 | -21.80 | 47 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/21/20 | 17.8 | 745 | 2.68 | 6.01 | 249.70 | 12 | -- | -- | -- | -- | -- | -- |
| MW-310 | 12/15/20 | 11.86 | 1,020 | 0.33 | 7.57 | 116.90 | 64 | 1.60 | <0.200 | <0.400 | 167 | 64.90 | 1.48 |
| MW-310 | 04/12/21 | 13.8 | 386 | 1.67 | 6.39 | -28.8 | 92 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/15/21 | 12.16 | 571 | 0.64 | 7.05 | 45.9 | 53 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/22/21 | 18.17 | 789 | 1.05 | 6.02 | -15.7 | 51 | -- | -- | -- | -- | -- | -- |
| MW-310 | 12/16/21 | 12.25 | 648 | 0.06 | 6.66 | -28.1 | 85 | -- | -- | -- | 90.8 | 0.339 J | 2.5 |
| MW-310 | 03/29/22 | 11.83 | 677 | 0.21 | 6.95 | 154.3 | 22 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/28/22 | 15.4 | 752 | 0.41 | 6.41 | -98.6 | 37 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/20/22 | 19.95 | 572 | 0.48 | 6.32 | 316.7 | 23 | -- | -- | -- | -- | -- | -- |
| MW-310 | 12/13/22 | 10.61 | 399 | 0.31 | 6.39 | -54.3 | 44 | -- | -- | -- | 22.2 | 7.74 | 0.857 |
| MW-310 | 03/27/23 | -- | 0.824 | 0.23 | 7.58 | -92.5 | 29 | -- | -- | -- | -- | -- | -- |
| MW-310 | 06/13/23 | 16.15 | 767 | 1.53 | 7.29 | -83 | 35 | -- | -- | -- | -- | -- | -- |
| MW-310 | 09/11/23 | 20.58 | 473 | 0.1 | 6.34 | -148 | 21 | -- | -- | -- | -- | -- | -- |
| MW-311 | 11/05/14 | 16.57 | 606 | 0 | 7.42 | -146 | 7 | 1.5 | < 0.25 | < 0.25 | 42.3 | < 0.200 | 1.57 |
| MW-311 | 12/10/15 | 14.15 | 482 | 0 | 6.35 | -103 | 1.4 | 0.75 | < 0.10 | < 0.10 | 46.4 | 27.4 | 1.45 |
| MW-311 | 02/22/16 | 13.84 | 583 | 0.26 | 6.45 | -103.1 | 4.19 | -- | -- | -- | -- | -- | -- |
| MW-311 | 05/04/16 | 14.42 | 564 | 1.02 | 6.49 | -109.3 | 6.22 | -- | -- | -- | -- | -- | -- |
| MW-311 | 08/29/16 | 22.58 | 384 | 1.01 | 6.89 | 22 | 7.66 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/15/16 | 12.91 | 270 | 0.4 | 6.64 | -107.3 | 7.38 | 3 | < 0.0400 | < 0.0400 | 23.7 | 22.7 | 0.801 |
| MW-311 | 03/13/17 | 12.31 | 424 | 0.31 | 6.73 | -98.5 | 0 | -- | -- | -- | -- | -- | -- |
| MW-311 | 06/15/17 | 15.25 | 453 | 0.95 | 7.16 | -87.5 | -- | -- | -- | -- | -- | -- | -- |
| MW-311 | 08/22/17 | 19.69 | 390 | 8.27 | 7.1 | -72 | 0 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/07/17 | 15.15 | 276 | 0.38 | 6.61 | -33.2 | 0 | 3.75 | < 0.0400 J | < 0.0400 J | 28.4 | 8.42 | 0.703 |
| MW-311 | 03/08/18 | 10.87 | 585 | 1.04 | 6.62 | -17.2 | 0 | -- | -- | -- | -- | -- | -- |
| MW-311 | 06/13/18 | 17.24 | 366 | 0.25 | 6.44 | -45.7 | 0 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/05/18 | 19.44 | 455 | 0.19 | 6.27 | 38.8 | 3.11 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/20/18 | 14.6 | 522 | 1.15 | 7.33 | -72.6 | 14 | 1.7 | < 0.0400 | < 0.0400 | 8.59 | 4.44 | 1.02 |
| MW-311 | 03/18/19 | 14.8 | 530 | 0.32 | 6.71 | -73.9 | 3 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-311 | 05/16/19 | 14.3 | 519 | 0.1 | 6.82 | -71.4 | 5 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/17/19 | 13.98 | 338 | 0.62 | 6.61 | -22.9 | 3 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/12/19 | 15.24 | 674 | 0.8 | 7.22 | -84.4 | 3 | 4.5 | <0.0600 | <0.0600 | 8.28 | 41.5 | 1.81 |
| MW-311 | 04/27/20 | 14.2 | 792 | 0.72 | 7.60 | -83.20 | 9 | -- | -- | -- | -- | -- | -- |
| MW-311 | 06/29/20 | 15.2 | 957 | 0.44 | 6.97 | 121.90 | 15 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/21/20 | 17.5 | 763 | 0.26 | 6.53 | -51.20 | 16 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/15/20 | 14.11 | 877 | 0.20 | 7.80 | 118.00 | 30 | 2.80 | <0.200 | <0.400 | 74.20 | 18.30 | 2.04 |
| MW-311 | 04/13/21 | 13.0 | 338 | 2.30 | 6.75 | -71.2 | 18 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/22/21 | 17.34 | 812 | 1.57 | 6.70 | -50.1 | 9 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/16/21 | 10.67 | 473 | 0.08 | 7.34 | 37.4 | 8 | -- | -- | -- | 4.42 | 0.144 J | 1.77 |
| MW-311 | 03/29/22 | 13.47 | 728 | 0.01 | 7.18 | 137.7 | 2 | -- | -- | -- | -- | -- | -- |
| MW-311 | 06/28/22 | 15.7 | 636 | 0.46 | 6.48 | -98.6 | 17 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/20/22 | 19.90 | 764 | 0.03 | 6.42 | 380.4 | 6 | -- | -- | -- | -- | -- | -- |
| MW-311 | 12/13/22 | 14.18 | 616 | 0.13 | 6.42 | -48.6 | 6 | -- | -- | -- | 0.429 J | 6.14 | 1.89 |
| MW-311 | 03/28/23 | -- | 0.718 | 0.36 | 7.22 | -11.2 | 13 | -- | -- | -- | -- | -- | -- |
| MW-311 | 06/14/23 | 15.28 | 751 | 5.49 | 7.78 | 5.3 | 16 | -- | -- | -- | -- | -- | -- |
| MW-311 | 09/12/23 | 18.95 | 601 | 0.11 | 6.47 | -127.5 | 14 | -- | -- | -- | -- | -- | -- |
| MW-312 | 11/05/14 | 17.07 | 459 | 0.58 | 6.78 | -92 | 0 | 5.7 | < 0.25 | < 0.25 | < 1.3 | < 0.200 | 0.787 |
| MW-312 | 12/10/15 | 13.74 | 434 | 0 | 6.3 | -89 | 0 | 1.5 | < 0.10 | < 0.10 | < 0.50 | 16.8 | 0.717 |
| MW-312 | 02/23/16 | 13.69 | 578 | 0.22 | 6.63 | -113.5 | 8.84 | -- | -- | -- | -- | -- | -- |
| MW-312 | 05/04/16 | 14.77 | 539 | 1.19 | 6.63 | -122.1 | 4.05 | -- | -- | -- | -- | -- | -- |
| MW-312 | 08/29/16 | 24.31 | 480 | 1.01 | 6.89 | 28 | 0 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/15/16 | 13.74 | 452 | 0.4 | 6.74 | -121.8 | 9.47 | 4 | < 0.0400 | < 0.0400 | < 0.500 | 20.4 | 0.924 |
| MW-312 | 03/13/17 | 12.95 | 598 | 0 | 6.81 | -126 | 0 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/15/17 | 15.14 | 465 | 0.27 | 6.68 | -106.8 | -- | -- | -- | -- | -- | -- | -- |
| MW-312 | 08/23/17 | 19.07 | 460 | 0 | 7.3 | -81 | 0 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/07/17 | 16.15 | 351 | 0.88 | 6.66 | -107.7 | 1.17 | 2.6 | < 0.0400 | < 0.0400 | 488 | 3.95 | 0.664 |
| MW-312 | 03/08/18 | 11.91 | 501 | 1.12 | 6.88 | -6.3 | 0 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/13/18 | 15.38 | 349 | 1.59 | 6.58 | -106.1 | 0.92 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/05/18 | 20.03 | 417 | 0.16 | 6.55 | -72.6 | 3.75 | 6 | -- | -- | -- | -- | -- |
| MW-312 | 12/20/18 | 14.1 | 429 | 0.75 | 7.29 | -45.3 | 7 | 2.5 | < 0.0400 | < 0.0400 | 0.164 J | 4.35 | 0.715 |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-312 | 03/19/19 | 12.6 | 553 | 0.58 | 7.74 | -41 | 3 | -- | -- | -- | -- | -- | -- |
| MW-312 | 05/16/19 | 13.8 | 524 | 0.67 | 6.7 | -101.9 | 2 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/17/19 | 13.84 | 289 | 0.55 | 6.54 | -31.9 | 2 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/12/19 | 14.76 | 514 | 0.36 | 8.17 | -86.4 | 5 | 2 | <0.0600 | <0.0600 | 0.63 | 22 | 0.957 |
| MW-312 | 04/28/20 | 14.9 | 596 | 0.36 | 7.64 | -85.90 | 4 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/29/20 | 15.03 | 491 | 0.94 | 6.39 | -25.70 | 12 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/21/20 | 17.5 | 607 | 0.33 | 6.56 | -35.30 | 20 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/15/20 | 13.39 | 571 | 0.28 | 7.75 | 118.20 | 35 | 3.00 | <0.200 | <0.400 | <1.20 | 6.93 | 1.08 |
| MW-312 | 04/13/21 | 12.3 | 286 | 2.10 | 6.78 | -84.4 | 17 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/16/21 | 8.65 | 476 | 2.05 | 6.93 | 17.3 | 3 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/22/21 | 16.72 | 805 | 2.04 | 6.62 | -30.2 | 10 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/16/21 | 10.85 | 338 | 0.04 | 7.04 | 35.2 | 6 | -- | -- | -- | <0.500 | 0.115 J | 0.83 |
| MW-312 | 03/29/22 | 12.62 | 452 | 0.03 | 6.89 | 158.7 | 1 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/29/22 | 14.5 | 635 | 0.78 | 6.48 | 10.1 | 30 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/20/22 | 19.81 | 714 | 0.32 | 6.80 | 361.9 | 9 | -- | -- | -- | -- | -- | -- |
| MW-312 | 12/13/22 | 13.2 | 440 | 0.24 | 6.48 | -12.9 | 19 | -- | -- | -- | 4.73 | 0.399 J | 0.903 |
| MW-312 | 03/28/23 | -- | 0.573 | 0.18 | 8.38 | -68.7 | 10 | -- | -- | -- | -- | -- | -- |
| MW-312 | 06/14/23 | 16.40 | 552 | 2.13 | 7.90 | -49.8 | 17 | -- | -- | -- | -- | -- | -- |
| MW-312 | 09/12/23 | 18.9 | 543 | 0.19 | 6.52 | -128.2 | 1 | -- | -- | -- | -- | -- | -- |
| MW-313 | 08/29/16 | 21.96 | 489 | 1.07 | 6.88 | 23 | 0 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/12/16 | 14.13 | 474 | 1.04 | 6.82 | -34.9 | 9.06 | -- | -- | -- | -- | -- | -- |
| MW-313 | 03/13/17 | 11.3 | 850 | 0.03 | 6.78 | -23 | 3.5 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/15/17 | 15.94 | 374 | 1.32 | 6.85 | -24.6 | -- | -- | -- | -- | -- | -- | -- |
| MW-313 | 08/22/17 | 23.47 | 400 | 8.21 | 7.39 | -62 | 0 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/07/17 | 15.72 | 395 | 0.99 | 6.95 | 24.8 | 3.22 | -- | -- | -- | -- | -- | -- |
| MW-313 | 03/07/18 | 11.05 | 615 | 0.89 | 6.96 | 36.8 | 8.42 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/13/18 | 16.73 | 400 | 0.46 | 6.76 | -44.1 | 3.02 | -- | -- | -- | -- | -- | -- |
| MW-313 | 09/05/18 | 20.55 | 447 | 0.18 | 6.76 | -29.7 | 1.34 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/20/18 | 14.7 | 555 | 1.03 | 7.07 | -52.9 | 43 | -- | -- | -- | -- | -- | -- |
| MW-313 | 03/19/19 | 11.1 | 686 | 0.73 | 7.81 | -30.4 | 6 | -- | -- | -- | -- | -- | -- |
| MW-313 | 05/16/19 | 14.5 | 781 | 0.42 | 7.05 | -39.1 | 10 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-313 | 09/17/19 | 15.71 | 343 | 0.71 | 6.65 | -25.3 | 7 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/12/19 | 14.86 | 574 | 0.64 | 7.99 | -55.7 | 5 | -- | -- | -- | -- | -- | -- |
| MW-313 | 04/27/20 | 15.6 | 683 | 1.21 | 7.87 | 3.40 | 11 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/29/20 | 16.33 | 486 | 1.81 | 6.73 | -74.50 | 32 | -- | -- | -- | -- | -- | -- |
| MW-313 | 09/21/20 | 18.7 | 605 | 0.55 | 6.84 | 21.90 | 13 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/15/20 | 13.54 | 718 | 0.22 | 7.93 | 109.70 | 69 | -- | -- | -- | -- | -- | -- |
| MW-313 | 04/13/21 | 12.9 | 250 | 2.02 | 6.85 | -69.0 | 48 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/16/21 | 9.60 | 441 | 0.99 | 7.38 | 30.4 | 38 | -- | -- | -- | -- | -- | -- |
| MW-313 | 09/22/21 | 17.25 | 668 | 1.34 | 6.95 | -41.6 | 28 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/16/21 | 11.89 | 401 | 0.19 | 7.16 | 30.7 | 80 | -- | -- | -- | -- | -- | -- |
| MW-313 | 03/29/22 | 11.77 | 390 | 0.10 | 7.10 | 141.2 | 10 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/28/22 | 17.4 | 631 | 1.12 | 6.65 | 10.8 | 154 | -- | -- | -- | -- | -- | -- |
| MW-313 | 09/20/22 | 21 | 573 | 0.05 | 6.99 | 378.8 | 24 | -- | -- | -- | -- | -- | -- |
| MW-313 | 12/13/22 | 11.68 | 548 | 0.15 | 6.38 | -28.6 | 81 | -- | -- | -- | -- | -- | -- |
| MW-313 | 03/28/23 | -- | 0.553 | 1.48 | 8.42 | -38.5 | 50 | -- | -- | -- | -- | -- | -- |
| MW-313 | 06/14/23 | 16.96 | 632 | 0.32 | 8.03 | -50.7 | 56 | -- | -- | -- | -- | -- | -- |
| MW-313 | 09/12/23 | 20.47 | 440 | 0.22 | 6.7 | 28.4 | 41 | -- | -- | -- | -- | -- | -- |
| MW-314 | 08/30/16 | 20.6 | 565 | 1.23 | 6.87 | 82 | 8.52 | -- | -- | -- | -- | -- | -- |
| MW-314 | 12/14/16 | 13.42 | 471 | 0.52 | 6.73 | -90.3 | 9.44 | -- | -- | -- | -- | -- | -- |
| MW-314 | 03/13/17 | 12.34 | 626 | 0 | 6.73 | -53 | 3.9 | -- | -- | -- | -- | -- | -- |
| MW-314 | 06/14/17 | 18.28 | 447 | 0.46 | 7.07 | -87.9 | 8.2 | -- | -- | -- | -- | -- | -- |
| MW-314 | 08/23/17 | 18.35 | 453 | 0 | 7.33 | -35 | 3.6 | -- | -- | -- | -- | -- | -- |
| MW-314 | 12/06/17 | 14 | 413 | 0.68 | 6.56 | -62.5 | 4.2 | -- | -- | -- | -- | -- | -- |
| MW-314 | 03/07/18 | 11.95 | 583 | 0.9 | 6.84 | 23.5 | 8.42 | -- | -- | -- | -- | -- | -- |
| MW-314 | 06/12/18 | 15.92 | 455 | 0.74 | 6.7 | -110 | 2.91 | -- | -- | -- | -- | -- | -- |
| MW-314 | 09/05/18 | 18.9 | 427 | 0.4 | 6.49 | -40.8 | 4.24 | -- | -- | -- | -- | -- | -- |
| MW-314 | 12/20/18 | 14.7 | 567 | 0.16 | 6.79 | -87 | 29 | -- | -- | -- | -- | -- | -- |
| MW-314 | 03/19/19 | 11.4 | 564 | 0.97 | 7.12 | -32.4 | 48 | -- | -- | -- | -- | -- | -- |
| MW-314 | 05/16/19 | 11.01 | 714 | 0.77 | 6.27 | -61 | 79 | -- | -- | -- | -- | -- | -- |
| MW-314 | 09/17/19 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-314 | 12/10/19 | 13.97 | 725 | 1.55 | 5.67 | -36 | 7 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-314 | 04/28/20 | 13.2 | 749 | 0.44 | 7.55 | -53.60 | 7 | -- | -- | -- | -- | -- | -- |
| MW-314 | 06/29/20 | 18.27 | 639 | 1.02 | 6.53 | -29.80 | 16 | -- | -- | -- | -- | -- | -- |
| MW-314 | 09/22/20 | 16.5 | 758 | 0.49 | 6.28 | 22.60 | 16 | -- | -- | -- | -- | -- | -- |
| MW-314 | 12/15/20 | 13.53 | 800 | 0.15 | 7.78 | 114.80 | 35 | -- | -- | -- | -- | -- | -- |
| MW-314 | 04/13/21 | 10.7 | 272 | 2.02 | 6.54 | -7.9 | 58 | -- | -- | -- | -- | -- | -- |
| MW-314 | 03/28/22 | 12.03 | 731 | 0.06 | 7.77 | 76.2 | 83 | -- | -- | -- | -- | -- | -- |
| MW-314 | 06/28/22 | 15.7 | 819 | 0.46 | 6.36 | -58.1 | 14 | -- | -- | -- | -- | -- | -- |
| MW-314 | 09/20/22 | 19.23 | 638 | 0.10 | 6.48 | 351.7 | 13 | -- | -- | -- | -- | -- | -- |
| MW-314 | 03/27/23 | -- | 0.699 | 0.60 | 8.17 | 21.0 | 54 | -- | -- | -- | -- | -- | -- |
| MW-314 | 06/14/23 | 16.38 | 720 | 2.6 | 7.63 | -56.9 | 25 | -- | -- | -- | -- | -- | -- |
| MW-315 | 08/29/16 | 20.56 | 558 | 1.04 | 6.86 | 2 | 8.44 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/12/16 | 12.07 | 488 | 1.45 | 6.74 | -102 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 03/13/17 | 12.81 | 522 | 0 | 6.77 | -117 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/15/17 | 14.2 | 450 | 1.27 | 7.21 | -99 | -- | -- | -- | -- | -- | -- | -- |
| MW-315 | 08/23/17 | 18.2 | 465 | 0 | 7.3 | -68 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/07/17 | 14.59 | 372 | 0.84 | 6.68 | -28.7 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 03/08/18 | 11.74 | 448 | 1.34 | 6.84 | 20.7 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/13/18 | 15.32 | 325 | 1 | 6.58 | -41.5 | 0 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/05/18 | 18.81 | 378 | 0.12 | 6.39 | -28.8 | 0.54 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/20/18 | 14.5 | 460 | 0.32 | 7.15 | -92 | 5 | -- | -- | -- | -- | -- | -- |
| MW-315 | 03/18/19 | 14.7 | 497 | 0.81 | 6.74 | -65.4 | 3 | -- | -- | -- | -- | -- | -- |
| MW-315 | 05/16/19 | 13.6 | 508 | 0.2 | 6.83 | -64.3 | 3 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/17/19 | 13.01 | 311 | 0.58 | 6.37 | -41.8 | 4 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/12/19 | 14.4 | 587 | 0.79 | 7.98 | -67.8 | 3 | -- | -- | -- | -- | -- | -- |
| MW-315 | 04/27/20 | 14.8 | 591 | 0.53 | 7.67 | -70 | 8 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/29/20 | 14.3 | 584 | 0.64 | 6.92 | 189.80 | 9 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/21/20 | 16.7 | 589 | 0.25 | 6.43 | -26.20 | 14 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/15/20 | 13.69 | 588 | 0.09 | 7.80 | 119.30 | 43 | -- | -- | -- | -- | -- | -- |
| MW-315 | 04/13/21 | 13.1 | 289 | 2.23 | 6.65 | -68.2 | 22 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/16/21 | 8.01 | 501 | 1.37 | 6.79 | 0.9 | 3 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/22/21 | 17.62 | 785 | 1.14 | 6.45 | -19.0 | 10 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| MW-315 | 12/16/21 | 10.40 | 304 | 1.36 | 7.31 | -8.2 | 10 | -- | -- | -- | -- | -- | -- |
| MW-315 | 03/29/22 | 12.06 | 519 | 0.08 | 7.21 | 134.1 | 3 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/28/22 | 14.4 | 583 | 0.48 | 6.44 | -86.4 | 15 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/20/22 | 17.79 | 634 | 0.10 | 7.32 | 356.7 | 5 | -- | -- | -- | -- | -- | -- |
| MW-315 | 12/13/22 | 11.9 | 570 | 0.25 | 6.29 | -23.1 | 87 | -- | -- | -- | -- | -- | -- |
| MW-315 | 03/28/23 | -- | 0.645 | 0.18 | 7.70 | -76.2 | 14 | -- | -- | -- | -- | -- | -- |
| MW-315 | 06/14/23 | 14.23 | 663 | 1.36 | 7.34 | -43 | 20 | -- | -- | -- | -- | -- | -- |
| MW-315 | 09/12/23 | 17.38 | 553 | 0.09 | 6.37 | -112 | 8 | -- | -- | -- | -- | -- | -- |
| SH-04 | 05/05/16 | 14.18 | 129 | 1.43 | 6.47 | -107.3 | 8.73 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/14/16 | 8.88 | 133 | 0.39 | 6.41 | -48.2 | 7.21 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/14/17 | 17.02 | 116 | 0.27 | 6.33 | 52.7 | 1.67 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/05/17 | 15.32 | 134 | 0.71 | 6.72 | -65.4 | 3.51 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/13/18 | 16.5 | 140 | 0.47 | 6.12 | -54.2 | 1.05 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/18/18 | 12.3 | 180 | 1.05 | 7.31 | -30.6 | 19 | -- | -- | -- | -- | -- | -- |
| SH-04 | 05/16/19 | 9.31 | 226 | 0.91 | 5.71 | -126 | 13 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/11/19 | 14.43 | 391 | 0.63 | 7.51 | -12.1 | 19 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/29/20 | 14.4 | 219 | 0.49 | 6.46 | 215.30 | 8 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/14/20 | 14.00 | 371 | 0.29 | 7.56 | 151.80 | 21 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/15/21 | 8.75 | 190 | 0.94 | 7.00 | 57.0 | 6 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/15/21 | 11.6 | 140 | 0.15 | 9.84 | -77.1 | 6 | -- | -- | -- | -- | -- | -- |
| SH-04 | 04/18/22 | 9.00 | 220 | 0.09 | 8.12 | 64.6 | 39 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/28/22 | 16.9 | 198 | 0.49 | 6.02 | -11.9 | 16 | -- | -- | -- | -- | -- | -- |
| SH-04 | 12/13/22 | 9.50 | 90 | 0.08 | 6.41 | -25.2 | 20 | -- | -- | -- | -- | -- | -- |
| SH-04 | 06/13/23 | 15.31 | 149 | 4.44 | 7.32 | -48.1 | 18 | -- | -- | -- | -- | -- | -- |
| TX-03A | 01/13/04 | 14 | 480 | 1.4 | 6.39 | -59 | 1.8 | -- | -- | -- | -- | -- | -- |
| TX-03A | 04/19/04 | 13.7 | 560 | 1.44 | 6.18 | 21 | 2.4 | 6 | -- | -- | < 1 | -- | -- |
| TX-03A | 07/27/04 | 17.9 | 589 | 1.31 | 6.26 | 68 | 3 | -- | -- | -- | -- | -- | -- |
| TX-03A | 10/18/04 | 16.7 | 595 | 2.77 | 6.63 | -100 | 42 | -- | -- | -- | -- | -- | -- |
| TX-03A | 01/24/05 | 14.6 | 563 | 1.79 | 5.11 | 5 | 43.1 | -- | -- | -- | -- | -- | -- |
| TX-03A | 04/19/05 | 13.8 | 552 | 0 | 6.47 | -86 | 20 | 4 | -- | -- | < 1 | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| TX-03A | 07/12/05 | 17.3 | 477 | 0.16 | 6.55 | -121 | 55.6 | -- | -- | -- | -- | -- | -- |
| TX-03A | 10/31/07 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| TX-03A | 11/20/08 | 15.8 | 821 | 0.49 | 6.87 | -59 | 31.8 | 30.4 | -- | -- | < 1 | -- | -- |
| TX-03A | 04/08/09 | 12.84 | 236 | 0 | 6.58 | -145 | 43.1 | -- | -- | -- | -- | -- | -- |
| TX-03A | 11/17/09 | 16.3 | 50.6 | 1.29 | 6.39 | -102 | 9.7 | 36 | -- | -- | 1.2 | -- | -- |
| TX-03A | 04/27/10 | 13.2 | 52.8 | 0.21 | 5.76 | -153 | 9.5 | -- | -- | -- | -- | -- | -- |
| TX-03A | 10/25/10 | 15.5 | 42.5 | 1.39 | 6.68 | -115 | 48 | 30 | -- | -- | 6.8 | -- | -- |
| TX-03A | 05/23/11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| TX-03A | 10/27/11 | 15.44 | 478 | 1.72 | 8.5 | -100.9 | -- | 20.3 | -- | -- | < 0.50 | -- | -- |
| TX-03A | 03/01/12 | 12.29 | 564 | 0 | 6.71 | -118 | 12.6 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/12/12 | 14 | 507 | 4 | 7.19 | -103 | 4.5 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/25/12 | 17.83 | 514 | 0 | 6.48 | -139 | 15.2 | -- | -- | -- | -- | -- | -- |
| TX-03A | 11/28/12 | 13.79 | 439 | 0 | 6.7 | -104 | -- | -- | -- | -- | < 0.50 | -- | -- |
| TX-03A | 11/05/13 | 10.98 | 528 | 0.06 | 6.57 | -114 | 0 | 4 | -- | -- | < 0.50 | < 0.200 | 0.47 |
| TX-03A | 11/04/14 | 16.8 | 424 | 0.38 | 6.49 | -39 | 5.83 | 6 | < 0.10 | < 0.10 | < 0.50 | 6.18 | 0.523 |
| TX-03A | 12/10/15 | 15.11 | 456 | 0.25 | 6.51 | -103.5 | 6.7 | 0.5 | < 0.10 | < 0.10 | < 0.50 | 31.7 | 0.5 |
| TX-03A | 02/22/16 | 12.73 | 484 | 0.3 | 6.34 | -109.1 | 7.22 | -- | -- | -- | -- | -- | -- |
| TX-03A | 05/02/16 | 15.06 | 418 | 0.22 | 6.36 | -103.1 | 3.96 | -- | -- | -- | -- | -- | -- |
| TX-03A | 08/29/16 | 18.69 | 395 | 2.27 | 6.84 | 18 | 0 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/15/16 | 12.31 | 295 | 0.29 | 6.54 | -109.9 | 8.97 | 2 | < 0.0400 | < 0.0400 | < 0.500 | 37.8 | 0.517 |
| TX-03A | 03/13/17 | 11.74 | 287 | 0.23 | 6.74 | -109.5 | 0 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/13/17 | 14.63 | 322 | 0.24 | 6.32 | -98 | -- | -- | -- | -- | -- | -- | -- |
| TX-03A | 08/22/17 | 18.97 | 317 | 0 | 7.07 | -87 | 0 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/05/17 | 13.23 | 477 | 1.83 | 6.57 | -104.1 | 2.77 | 1.5 | < 0.0400 | < 0.0400 | 219 | 25.1 | 0.784 |
| TX-03A | 03/27/18 | 12.27 | 465 | 0.65 | 6.19 | 71.9 | 3.37 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/13/18 | 15.4 | 407 | 4.12 | 6.07 | -82.4 | 0.69 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/06/18 | 19.9 | 551 | 0.14 | 6.24 | -76.8 | 1.26 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/20/18 | 16.5 | 369 | 0.1 | 6.67 | -116 | 16 | 4.5 | < 0.0400 | < 0.0400 | 19 | 6.46 | 0.465 |
| TX-03A | 03/19/19 | 13.9 | 550 | 0.45 | 7.55 | -67.1 | 8 | -- | -- | -- | -- | -- | -- |
| TX-03A | 05/16/19 | 12.64 | 538 | 0.51 | 6.11 | -84 | 12 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/17/19 | 16.79 | 348 | 0.97 | 6.41 | 3.1 | 8 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/11/19 | 16.75 | 1514 | 1.86 | 8.64 | -94 | 5 | 3 | <0.0600 J | <0.0600 J | 704 | 104 | 2.99 |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| TX-03A | 04/28/20 | 14.1 | 881 | 0.46 | 7.5 | -65.10 | 12 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/29/20 | 16.13 | 577 | 1.24 | 6.36 | -20.20 | 13 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/21/20 | 18.1 | 505 | 0.32 | 6.22 | 74 | 15 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/15/20 | 13.20 | 501 | 0.31 | 7.59 | 114.00 | 15 | 2.40 | <0.200 | <0.400 | 42.30 | 26.20 | 1.16 |
| TX-03A | 04/12/21 | 11.6 | 259 | 1.91 | 6.26 | -6.2 | 40 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/16/21 | 9.02 | 416 | 1.35 | 7.60 | 39.3 | 3 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/23/21 | 17.45 | 633 | 1.17 | 6.09 | -5.6 | 7 | -- | -- | -- | -- | -- | -- |
| TX-03A | 03/28/22 | 12.57 | 540 | 0.12 | 7.24 | 126.9 | 12 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/28/22 | 15.4 | 521 | 0.5 | 6.49 | -91.2 | 14 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/21/22 | 16.84 | 473 | 0.41 | 7.29 | 348.7 | 29 | -- | -- | -- | -- | -- | -- |
| TX-03A | 12/13/22 | 14.22 | 368 | 0.25 | 6.43 | -49.9 | 8 | -- | -- | -- | 8.86 | 0.109 J | 0.927 |
| TX-03A | 03/27/23 | -- | 0.494 | 0.28 | 7.52 | -64.4 | 19 | -- | -- | -- | -- | -- | -- |
| TX-03A | 06/14/23 | 16.15 | 441 | 0.89 | 7.21 | -49.4 | 18 | -- | -- | -- | -- | -- | -- |
| TX-03A | 09/12/23 | 18.21 | 372 | 0.16 | 6.5 | -109.7 | 1 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/13/16 | 8.37 | 99 | 7.01 | 5.86 | 89 | 0 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/06/17 | 10 | 69 | 6.02 | 5.67 | 39.9 | 5.7 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/19/18 | 11.2 | 172 | 1.3 | 6.68 | -96 | 24 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/09/19 | 13.42 | 172 | 6.2 | 6.51 | 63.9 | 11 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/16/20 | 12.07 | 98 | 0.92 | 7.72 | 135.70 | 36 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/14/21 | 11.2 | 93 | 0.70 | 7.71 | 132.1 | 34 | -- | -- | -- | -- | -- | -- |
| TES-MW-1 | 12/12/22 | 11.24 | 430 | 0.61 | 6.89 | 130.7 | 1 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/12/16 | 10.65 | 353 | 0.82 | 7.02 | -108 | 0 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/05/17 | 12.06 | 167 | 0.68 | 7.01 | -10.8 | 23.2 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/18/18 | 14.5 | 233 | 1.26 | 7.69 | -48.3 | 44 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/12/19 | 14.81 | 295 | 0.44 | 8.46 | -83.3 | 14 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/14/20 | 14.54 | 334 | 0.17 | 7.81 | 136.90 | 7 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/15/21 | 10.4 | 207 | 0.21 | 8.32 | -3.0 | 17 | -- | -- | -- | -- | -- | -- |
| TX-04 | 12/13/22 | 12.4 | 199 | 0.07 | 6.4 | -47.2 | 77 | -- | -- | -- | -- | -- | -- |
| TX-06A | 12/12/16 | 11.95 | 212 | 0.55 | 6.55 | -97.3 | 6.56 | -- | -- | -- | -- | -- | -- |

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Field Parameters | | | | | | Laboratory Parameters | | | | | |
|-----------|-------------|-------------------|-----------------------|-----------------------------|------|-----------|------------------|-------------------------|------------------------------|------------------------------|-----------------|---------------------------|--------------------------------|
| | | Temperature oC | Conductivity µS/cm | Dissolved Oxygen mg/L | pH | ORP mv | Turbidity NTU | Ferrous Iron mg/L | Nitrogen, Nitrate mg/L | Nitrogen, Nitrite mg/L | Sulfate mg/L | Iron Dissolved mg/L | Manganese Dissolved mg/L |
| TX-06A | 12/05/17 | 14.43 | 248 | 1.15 | 6.69 | -63.6 | 5.63 | -- | -- | -- | -- | -- | -- |
| TX-06A | 12/20/18 | 14.5 | 257 | 0.17 | 6.76 | -99 | 11 | -- | -- | -- | -- | -- | -- |
| TX-06A | 12/10/19 | 13.58 | 230 | 4.49 | 5.62 | 8.6 | 12 | -- | -- | -- | -- | -- | -- |
| TX-06A | 12/14/20 | 13.92 | 341 | 0.20 | 7.74 | 123.80 | 17 | -- | -- | -- | -- | -- | -- |
| TX-06A | 12/15/21 | 12.1 | 174 | 0.25 | 7.85 | 9.5 | 10 | -- | -- | -- | -- | -- | -- |

Note:

= Indicates data collected during this progress report period

°C = degrees Celsius

J = indicates a estimated value

J+ = The result is an estimated quantity, but the result may be biased high.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

mg/L = milligrams per liter

mV = millivolts

NM = not measured

NTU = nephelometric turbidity unit

ORP = oxidation-reduction potential

µS/cm = microsiemens per centimeter

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-05 | 01/15/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.37 | < 0.5 | -- |
| MW-05 | 04/21/04 | 0.0015 | < 0.001 | 0.0053 | < 0.001 | < 0.25 | 0.41 | < 0.5 | -- |
| MW-05 | 07/28/04 | 0.0015 | 0.001 | < 0.001 | 0.0017 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-05 | 10/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-05 | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-05 | 04/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.072 | < 0.25 | < 0.5 | -- |
| MW-05 | 07/12/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.25 | < 0.25 | < 0.5 | -- |
| MW-05 | 10/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.11 | < 0.25 | < 0.5 | -- |
| MW-05 | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | < 0.238 | < 0.476 | -- |
| MW-05 | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-05 | 11/17/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-05 | 10/29/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.14 | < 0.1 | -- |
| MW-05 | 05/23/11 | < 0.0003 | < 0.0005 | < 0.0003 | < 0.0007 | 0.0744 | -- | -- | -- |
| MW-05 | 10/25/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | 0.115 | < 0.095 | < 0.19 | -- |
| MW-05 | 11/29/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0954 | < 0.095 | -- |
| MW-05 | 11/07/13 | < 0.00020 | 0.00083 J | < 0.00020 | 0.00087 J | 0.345 | < 0.049 | < 0.097 | -- |
| MW-05 | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | 0.0507 J | 0.137 | < 0.094 | -- |
| MW-05 | 12/08/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.233 | < 0.388 | -- |
| MW-05 | 05/04/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | 70.9 J | < 0.0398 | < 0.0598 | -- |
| MW-05 | 12/14/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | < 0.0436 | < 0.0654 | -- |
| MW-05 | 06/14/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.0860 | < 0.129 | -- |
| MW-05 | 12/07/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.0968 J | 0.105 J | < 0.121 | -- |
| MW-05 | 06/12/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.114 | < 0.124 | -- |
| MW-05 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.230 J | 0.119 J | -- |
| MW-05 | 05/15/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | 0.0589 | < 0.108 | < 0.118 | -- |
| MW-05 | 12/10/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.111 J | < 0.121 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-05 | 06/30/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.113 | < 0.124 | -- |
| MW-05 | 12/14/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | 0.163 | <0.340 | -- |
| MW-05 | 06/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | <0.240 | <0.401 | -- |
| MW-05 | 12/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | <0.254 | <0.424 | -- |
| MW-05 | 04/18/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.235 | <0.392 | -- |
| MW-05 | 06/29/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.243 | <0.405 | -- |
| MW-05 | 12/14/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.387 | 0.191 J | -- |
| MW-05 | 06/13/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.241 | <0.401 | -- |
| MW-101 | 01/16/04 | < 0.001 | < 0.001 | < 0.001 | 0.0028 | 0.55 | < 0.25 | < 0.5 | -- |
| MW-101 | 04/20/04 | 0.0016 | < 0.001 | < 0.001 | 0.0014 | 0.67 | < 0.25 | < 0.5 | -- |
| MW-101 | 07/28/04 | 0.0012 | < 0.001 | < 0.001 | 0.0011 | 1 | < 0.25 | < 0.5 | -- |
| MW-101 | 10/18/04 | 0.0011 | < 0.001 | < 0.001 | < 0.001 | 0.42 | < 0.25 | < 0.5 | -- |
| MW-101 | 01/26/05 | < 0.001 | < 0.001 | < 0.001 | 0.0011 | 0.51 | < 0.25 | < 0.5 | -- |
| MW-101 | 04/19/05 | 0.0016 | < 0.001 | < 0.001 | < 0.001 | 0.58 | < 0.25 | < 0.5 | -- |
| MW-101 | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.31 | < 0.25 | < 0.5 | -- |
| MW-101 | 10/10/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.16 | < 0.25 | < 0.5 | -- |
| MW-101 | 01/27/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | 0.223 | < 0.236 | < 0.476 | -- |
| MW-101 | 11/18/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | 0.1 | < 0.25 | < 0.5 | -- |
| MW-101 | 11/18/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-101 | 10/26/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | 0.15 | 0.13 | < 0.1 | -- |
| MW-101 | 10/27/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | 0.0936 | < 0.10 | < 0.20 | -- |
| MW-101 | 11/26/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | 0.188 J | 0.0937 J | < 0.10 | -- |
| MW-101 | 11/06/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | 0.118 J | < 0.0048 | < 0.0095 | -- |
| MW-101 | 11/04/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.0048 | < 0.0095 | -- |
| MW-101 | 12/09/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | 0.129 | < 0.201 | -- |
| MW-101 | 12/13/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.101 | 0.0983 J | < 0.0632 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-101 | 12/06/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.237 | 0.246 J | < 0.127 | -- |
| MW-101 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.127 J | 0.157 J | < 0.115 | -- |
| MW-101 | 12/09/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.155 J | < 0.125 | -- |
| MW-101 | 12/16/20 | < 0.00020 J | < 0.0002 J | < 0.00020 J | < 0.0005 J | < 0.250 | < 0.238 | < 0.397 | -- |
| MW-101 | 12/14/21 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | 0.433 | 0.305 | 0.128 J | -- |
| MW-101 | 12/12/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | < 0.247 | < 0.411 | -- |
| MW-102 | 01/14/04 | 0.0021 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-102 | 04/21/04 | 0.0036 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-102 | 07/28/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-102 | 10/18/04 | 0.0011 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-102 | 01/25/05 | 0.0024 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-102 | 04/18/05 | 0.0027 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-102 | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.077 | < 0.25 | < 0.5 | -- |
| MW-102 | 10/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-102 | 01/26/06 | 0.00498 | < 0.0005 | 0.00174 | 0.00201 | < 0.05 | < 0.238 | < 0.472 | -- |
| MW-102 | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-102 | 11/18/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-102 | 10/28/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-102 | 10/26/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.113 | < 0.20 | -- |
| MW-102 | 11/28/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.050 | < 0.10 | -- |
| MW-102 | 11/07/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.047 | 0.144 J | -- |
| MW-102 | 11/04/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0568 J | < 0.094 | -- |
| MW-102 | 12/08/15 | < 0.0020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.233 | < 0.388 | -- |
| MW-102 | 12/14/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | < 0.0413 | < 0.0620 | -- |
| MW-102 | 12/05/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.0834 | < 0.125 | -- |
| MW-102 | 12/05/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.0834 | < 0.125 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|---------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-102 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.774 | 0.197 J | -- |
| MW-102 | 12/10/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.151 J | <0.123 | -- |
| MW-102 | 12/16/20 | <0.00020 J | <0.0002 J | <0.00020 J | <0.0005 J | <0.250 | <0.248 | <0.413 | -- |
| MW-102 | 12/16/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | <0.240 | <0.401 | -- |
| MW-102 | 12/12/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.226 | 0.143 J | -- |
| MW-104 | 01/15/04 | 0.0019 | < 0.001 | 0.15 | 0.1028 | 2.7 | 1.2 | < 0.5 | 0.00555 |
| MW-104 | 01/15/04 | 0.0012 | < 0.001 | 0.1 | 0.0706 | 2 | 1.3 | < 0.5 | < 0.005 |
| MW-104 | 04/21/04 | 0.0066 | 0.0025 | 0.35 | 0.0931 | 4.3 | 1.7 | < 0.5 | 0.00575 |
| MW-104 | 07/28/04 | 0.0018 | < 0.001 | 0.048 | 0.017 | 2.2 | 0.87 | < 0.5 | < 0.005 |
| MW-104 | 07/28/04 | 0.0017 | < 0.001 | 0.049 | 0.019 | 2.1 | 1.3 | < 0.5 | < 0.005 |
| MW-104 | 10/19/04 | < 0.001 | < 0.001 | 0.0021 | 0.0016 | < 0.25 | 0.61 | < 0.5 | < 0.005 |
| MW-104 | 01/24/05 | < 0.001 | < 0.001 | 0.0012 | < 0.001 | < 0.25 | 0.74 | < 0.5 | < 0.005 |
| MW-104 | 04/18/05 | < 0.001 | < 0.001 | 0.057 | 0.0067 | 1.4 | 1.2 | < 0.5 | < 0.005 |
| MW-104 | 07/12/05 | 0.0014 | < 0.001 | 0.11 | 0.012 | 1.8 | 0.7 | < 0.5 | < 0.005 |
| MW-104 | 10/19/05 | < 0.001 | < 0.001 | 0.024 | 0.0049 | 0.29 | 0.62 | < 0.5 | < 0.005 |
| MW-104 | 01/25/06 | 0.00245 | 0.00129 | 0.33 | 0.0273 | 2.07 | 3.73 | < 0.962 | 0.0077 |
| MW-104 | 10/30/07 | -- | -- | -- | -- | 1.25 | -- | -- | < 0.002 |
| MW-104 | 05/20/08 | -- | -- | -- | -- | 4 | 2.1 | < 0.5 | -- |
| MW-104 | 11/18/08 | -- | -- | -- | -- | 0.13 | 0.69 | < 0.5 | < 0.005 |
| MW-104 | 04/08/09 | -- | -- | -- | -- | 1.8 | 1.6 | < 0.1 | 0.00326 |
| MW-104 | 11/17/09 | < 0.0005 | < 0.001 | 0.0016 | < 0.001 | 0.21 | 0.17 | < 0.1 | 0.00778 |
| MW-104 | 04/27/10 | -- | -- | -- | -- | 3.9 | 2.5 | 0.27 | 0.00232 |
| MW-104 | 10/26/10 | -- | -- | -- | -- | 0.23 | 0.23 | < 0.1 | -- |
| MW-104 | 05/23/11 | <0.0006 | 0.003 | 0.104 | 0.0018 | 4.44 | 0.448 | <0.097 | < 0.01 |
| MW-104 | 10/25/11 | -- | -- | -- | -- | 3.38 | 0.413 | < 0.20 | < 0.01 |
| MW-104 | 03/01/12 | 0.00079 J | 0.0015 | 0.0467 | 0.0016 J | 3.69 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|------------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-104 | 06/13/12 | -- | -- | -- | -- | 4.78 | 0.423 | < 0.10 | < 0.01 |
| MW-104 | 09/26/12 | 0.00066 J | 0.0024 | 0.0509 | 0.0019 J | 4.54 | -- | -- | -- |
| MW-104 | 11/29/12 | 0.00038 J | 0.00037 J | 0.0113 | < 0.00046 | 0.592 | 0.315 | < 0.098 | -- |
| MW-104 | 05/14/13 | -- | -- | -- | -- | 5.07 | 0.601 | < 0.096 | < 0.01 |
| MW-104 | 11/07/13 | -- | -- | -- | -- | 3.62 | 0.666 J | < 0.095 | < 0.01 |
| MW-104 | 04/24/14 | -- | -- | -- | -- | 5.68 | 1.13 | 0.100 J | < 0.01 |
| MW-104 | 11/05/14 | -- | -- | -- | -- | 0.441 | 0.527 | 0.221 | < 0.01 |
| MW-104 | 05/20/15 | -- | -- | -- | -- | 2.82 | 0.686 | < 0.097 | < 0.01 |
| MW-104 | 12/09/15 | -- | -- | -- | -- | < 0.100 | 0.408 | < 0.398 | < 0.00200 |
| MW-104 | 05/05/16 | -- | -- | -- | -- | 7.45 | 2.85 | 0.144 J | 0.00285 |
| MW-104 | 12/14/16 | -- | -- | -- | -- | 3.61 | 2.22 | 0.155 J | 0.000902 J |
| MW-104 | 06/14/17 | -- | -- | -- | -- | 4.85 | 2.9 | 0.159 J | 0.00444 |
| MW-104 | 12/07/17 | < 0.0000993 | < 0.000312 | 0.00411 | < 0.000442 | 0.53 | 1.34 | 0.126 J | -- |
| MW-104 | 06/12/18 | -- | -- | -- | -- | 3.04 | 1.86 | < 0.122 | 0.00207 J |
| MW-104 | 12/19/18 | -- | -- | -- | -- | 0.552 | 2.25 | 0.967 | 0.00185 J |
| MW-104 | 05/15/19 | -- | -- | -- | -- | 2.59 | 1.64 | 0.316 J | 0.00163 J |
| MW-104 | 12/10/19 | -- | -- | -- | -- | 0.956 | 0.713 | < 0.122 | < 0.000995 |
| MW-104 | 06/30/20 | -- | -- | -- | -- | 1.02 | 0.914 | 0.117 J | 0.00408 |
| MW-104 | 12/14/20 | <0.00020 | <0.0002 | 0.00171 | <0.0005 | 0.487 | 1.56 | 1.31 | <0.004 |
| MW-104 | 06/15/21 | -- | -- | -- | -- | 0.948 | 0.753 | <0.395 | <0.0600 |
| MW-104 | 12/15/21 | -- | -- | -- | -- | 0.300 | 0.456 | 0.175 J | <0.0600 |
| MW-104 | 04/18/22 | -- | -- | -- | -- | 0.896 | 0.503 | <0.393 | <0.0600 |
| MW-104 | 06/29/22 | <0.000400 | <0.00100 | 0.00106 | <0.00300 | 0.648 | 0.381 | <0.413 | <0.0600 |
| MW-104 | 12/14/22 | -- | -- | -- | -- | 0.153 | 2.57 | 1.01 | <0.0600 |
| MW-104 | 06/13/23 | -- | -- | -- | -- | 0.16 | 0.261 | <0.393 | 0.00195 J |
| MW-105 | 01/15/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 1.4 | < 0.5 | 0.00647 |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------|---------|-----------------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-105 | 04/21/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.65 | < 0.5 | 0.00793 |
| MW-105 | 07/27/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 2.2 | < 0.5 | 0.0128 |
| MW-105 | 10/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 1.8 | < 0.5 | 0.0311 |
| MW-105 | 01/24/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 3 | < 0.5 | 0.00824 |
| MW-105 | 04/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 1.3 | 0.78 | 0.00615 |
| MW-105 | 07/12/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 1.7 | < 0.5 | < 0.005 |
| MW-105 | 10/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 1.7 | 0.66 | < 0.005 |
| MW-105 | 01/25/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | 3.95 | < 0.962 | 0.00321 |
| MW-105 | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | -- | -- | < 0.005 |
| MW-105 | 11/17/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.17 | < 0.1 | 0.021 |
| MW-105 | 10/26/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | -- | -- | -- |
| MW-105 | 10/25/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.253 | < 0.20 | < 0.01 |
| MW-105 | 11/26/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.291 | < 0.098 | < 0.01 |
| MW-105 | 11/07/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.189 | < 0.095 | 0.0179 |
| MW-105 | 11/05/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.377 | 0.192 | < 0.01 |
| MW-105 | 12/08/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | 0.406 | 0.408 | 0.0152 |
| MW-105 | 12/14/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.85 | 0.377 | 0.0116 |
| MW-105 | 12/06/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.146 J | 0.624 | 0.176 J | < 0.00200 |
| MW-105 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.672 | 0.737 | 0.0107 |
| MW-105 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.388 | 0.382 J | 0.00754 |
| MW-105 | 12/14/20 | < 0.00020 | < 0.0002 | < 0.00020 | < 0.0005 | < 0.250 | 1.81 | 0.972 | 0.00421 |
| MW-105 | 12/15/21 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.150 | 0.523 | 0.670 | 0.0324 J |
| MW-105 | 12/14/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 1.25 | 0.679 | 0.0143 J |
| MW-111 | 01/15/04 | 0.047 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.98 | < 0.5 | -- |
| MW-111 | 04/21/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.48 | < 0.5 | -- |
| MW-111 | 07/27/04 | 0.015 | < 0.001 | < 0.001 | 0.0012 | < 0.25 | 0.45 | < 0.5 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-111 | 10/19/04 | 0.036 | 0.0012 | < 0.001 | 0.0035 | 0.35 | 0.45 | < 0.5 | -- |
| MW-111 | 01/25/05 | 0.079 | < 0.005 | < 0.005 | < 0.005 | 0.58 J | 0.63 | < 0.5 | -- |
| MW-111 | 04/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.096 | < 0.25 | < 0.5 | -- |
| MW-111 | 07/12/05 | 0.0094 | < 0.001 | < 0.001 | < 0.001 | 0.23 | 0.26 | < 0.5 | -- |
| MW-111 | 10/18/05 | 0.017 | < 0.001 | < 0.001 | 0.0013 | 0.26 | 0.27 | < 0.5 | -- |
| MW-111 | 01/25/06 | 0.0956 | 0.00189 | 0.000796 | 0.0037 | 0.683 | 0.998 | < 0.481 | -- |
| MW-111 | 11/19/08 | 0.014 | < 0.005 | < 0.005 | < 0.005 | 0.23 | 0.37 | < 0.5 | -- |
| MW-111 | 11/17/09 | 0.041 | < 0.001 | < 0.001 | < 0.001 | 0.24 | 0.11 | < 0.1 | -- |
| MW-111 | 10/26/10 | 0.0043 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.12 | < 0.1 | -- |
| MW-111 | 05/23/11 | 0.00064 | <.0005 | <.0003 | <.0007 | <0.050 | -- | -- | -- |
| MW-111 | 10/25/11 | 0.00094 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.122 | < 0.20 | -- |
| MW-111 | 11/29/12 | 0.0248 | 0.001 | < 0.00020 | 0.0012 J | 0.371 | 0.269 | < 0.10 | -- |
| MW-111 | 11/07/13 | 0.0845 | 0.001 | 0.00023 J | 0.00069 J | 0.208 | 0.174 | < 0.095 | -- |
| MW-111 | 11/05/14 | 0.0574 | 0.0012 | 0.00083 J | 0.00047 J | 0.232 | 0.167 | 0.118 J | -- |
| MW-111 | 12/08/15 | 0.386 | 0.00649 | 0.00291 | 0.00333 | 0.944 | 0.335 | <0.388 | -- |
| MW-111 | 05/04/16 | 0.0719 | 0.00157 | 0.00158 | 0.00125 J | 0.294 | 0.141 | < 0.0598 | -- |
| MW-111 | 12/14/16 | 0.248 | 0.00375 J | 0.00243 J | <0.00442 | 0.739 J | 0.343 | 0.0883 J | -- |
| MW-111 | 06/14/17 | 0.00575 | 0.000480 J | < 0.000198 | 0.000466 J | 0.0836 J | 0.142 J | < 0.123 | -- |
| MW-111 | 12/06/17 | 0.202 | 0.00632 | 0.00214 | 0.00507 | 0.792 | 0.597 | < 0.132 | -- |
| MW-111 | 06/12/18 | 0.0273 | 0.00181 | 0.000334 J | 0.00238 J | 0.227 | 0.210 J | < 0.123 | -- |
| MW-111 | 12/19/18 | 0.0592 | 0.00574 | 0.0012 | 0.00475 | 0.766 | 1.27 | 0.462 | -- |
| MW-111 | 05/15/19 | 0.00484 | < 0.000170 | < 0.000190 | < 0.000580 | 0.149 | 0.195 J | < 0.117 | -- |
| MW-111 | 12/11/19 | 0.000270 J | < 0.000312 | < 0.000198 | < 0.000422 | < 0.0704 | 0.255 J | < 0.125 | -- |
| MW-111 | 06/29/20 | 0.00124 | 0.000637 J | < 0.000198 | 0.000648 J | 0.0898 J | < 0.110 | < 0.120 | -- |
| MW-111 | 12/14/20 | 0.00163 | 0.000945 | <0.00020 | 0.00118 | <0.250 | 0.346 | 0.348 | -- |
| MW-111 | 06/15/21 | 0.000251 J | 0.000593 J | <0.00100 | 0.00100 J | 0.120 J | <0.233 | <0.389 | -- |
| MW-111 | 12/15/21 | 0.00337 | 0.00161 | 0.000247 J | 0.00166 J | 0.421 | 0.340 | 0.149 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-----------|--------------|---------------|--------------|---------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-111 | 04/18/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.229 | <0.381 | -- |
| MW-111 | 06/27/22 | 0.00274 | <0.00100 | <0.00100 | <0.00300 | 0.11 J | 0.118 J | <0.402 | -- |
| MW-111 | 12/14/22 | 0.0538 | 0.00333 | 0.000527 J | 0.00259 J | 0.49 | 1.31 | 0.326 J | -- |
| MW-111 | 06/13/23 | 0.00132 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.232 | <0.387 | -- |
| MW-112A | 01/15/04 | 0.02 | < 0.001 | < 0.001 | < 0.001 | 0.25 | 0.63 | < 0.5 | -- |
| MW-112A | 04/21/04 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 1.2 | 0.56 | < 0.75 | -- |
| MW-112A | 07/27/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.51 | < 0.5 | -- |
| MW-112A | 10/19/04 | 0.0013 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.68 | < 0.5 | -- |
| MW-112A | 01/24/05 | 0.003 | 0.0012 | < 0.001 | 0.001 | 0.44 | 0.65 | < 0.5 | -- |
| MW-112A | 04/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.42 | 1.4 | < 0.5 | -- |
| MW-112A | 07/12/05 | 0.0029 | < 0.001 | < 0.001 | < 0.001 | 0.28 | 0.48 | < 0.5 | -- |
| MW-112A | 10/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-112A | 01/26/06 | 0.00211 | < 0.0005 | < 0.0005 | < 0.001 | 0.236 | 0.602 | < 0.485 | -- |
| MW-112A | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | 0.3 | 1.3 | < 0.5 | -- |
| MW-112A | 11/18/09 | 0.00075 | < 0.001 | < 0.001 | < 0.001 | 0.2 | 0.23 | < 0.1 | -- |
| MW-112A | 10/29/10 | 0.036 | < 0.001 | < 0.001 | 0.0015 | 0.77 | 0.6 | < 0.1 | -- |
| MW-112A | 05/24/11 | 0.00041 | <0.0005 | <0.0003 | <0.0007 | 0.129 | -- | -- | -- |
| MW-112A | 10/25/11 | 0.0055 | < 0.0010 | < 0.0010 | < 0.0020 | 0.292 | 0.2 | < 0.20 | -- |
| MW-112A | 11/25/12 | 0.0058 | 0.00022 J | 0.00037 J | < 0.00046 | 0.197 J | 0.282 | < 0.10 | -- |
| MW-112A | 11/04/13 | 0.0238 | 0.00068 J | 0.0376 | 0.0012 J | 0.909 | 1.72 | < 0.19 | -- |
| MW-112A | 11/06/14 | 0.0156 | 0.0014 | 0.028 | 0.0016 J | 0.76 | 1.43 | 0.295 | -- |
| MW-112A | 12/08/15 | 0.0297 | 0.00368 | 0.00219 | 0.00406 | 1.31 | 5.89 | < 0.389 | -- |
| MW-112A | 05/05/16 | 0.0248 | 0.00131 | 0.0992 | 0.00688 | 1.75 | 7.96 | 0.132 J | -- |
| MW-112A | 12/12/16 | 0.0426 | 0.00666 | 0.0109 | 0.0103 | 2.27 | 2.77 | 0.180 J | -- |
| MW-112A | 06/15/17 | 0.0348 | 0.0037 | 0.02 | 0.00464 J | 1.46 | 7.34 | 0.210 J | -- |
| MW-112A | 12/07/17 | 0.00111 | 0.00169 | < 0.000198 | 0.00196 J | 0.811 | 1.71 | 0.151 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|----------------|-------------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-112A | 06/13/18 | 0.0289 | 0.00297 | 0.134 | 0.00748 | 2.39 | 12.6 | 0.150 J | -- |
| MW-112A | 12/20/18 | 0.00166 | 0.00171 | 0.000248 J | 0.00196 J | 0.728 | 2.93 | 0.789 | -- |
| MW-112A | 05/16/19 | 0.0111 | 0.00173 | 0.0231 | 0.00208 J | 2 | 2.37 | 0.222 J | -- |
| MW-112A | 12/12/19 | 0.0149 | 0.00296 | 0.00154 | 0.00385 | 1.91 | 12.2 | 0.419 J | -- |
| MW-112A | 06/30/20 | 0.00354 J | 0.000903 J | 0.0215 J | 0.00155 J | 1.05 | 3.62 | 0.204 J | -- |
| MW-112A | 12/14/20 | 0.00442 | 0.00253 | 0.00186 | 0.00375 | 1.77 J+ | 2.30 | 1.02 | -- |
| MW-112A | 06/15/21 | 0.00207 | 0.000659 J | 0.00702 | 0.00189 J | 0.976 | 2.58 | 0.161 J | -- |
| MW-112A | 12/15/21 | 0.00235 | 0.00147 | 0.000665 J | 0.00213 J | 2.34 | 1.10 | 0.215 J | -- |
| MW-112A | 04/18/22 | 0.00102 | 0.000759 J | 0.0279 | 0.00269 J | 1.87 | 1.39 | <0.389 | -- |
| MW-112A | 06/28/22 | 0.00139 | 0.000935 J | 0.0106 | 0.00263 J | 1.26 | 0.675 | <0.407 | -- |
| MW-112A | 12/13/22 | 0.00263 | 0.00159 | 0.000729 J | 0.00225 J | 1.06 | 2.67 | 0.686 | -- |
| MW-112A | 06/13/23 | 0.00246 | 0.00125 | 0.0289 | 0.00317 | 1.29 | 2.56 | <0.389 | -- |
| MW-113 | 06/27/22 | 0.156 | 0.00522 | 0.00405 | 0.00540 | <15 | 0.933 | 0.156 J | -- |
| MW-113 | 12/14/22 | 0.0650 | 0.00466 | <0.00100 | <0.00300 | 0.177 | 1.24 | 0.44 | -- |
| MW-113 | 06/13/23 | 0.396 | 0.0322 | 0.00572 | 0.00476 | 0.488 | 1.3 | <0.389 | -- |
| MW-114 | 06/27/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.413 | 0.16 J | -- |
| MW-114 | 12/14/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.339 | 0.523 | -- |
| MW-114 | 06/13/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.246 | <0.411 | -- |
| MW-115 | 06/27/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.372 | 4.93 | 0.24 J | -- |
| MW-115 | 12/14/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 1.24 | 0.42 J | -- |
| MW-115 | 06/13/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.328 | 2.77 | <0.39 | -- |
| MW-201 | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-201 | 04/20/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-201 | 01/26/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.33 | < 0.5 | -- |
| MW-201 | 04/20/05 | < 0.001 | < 0.001 | < 0.001 | 0.0021 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-201 | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.12 | 0.7 | < 0.5 | -- |
| MW-201 | 10/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.22 | 4.6 | 2.3 | -- |
| MW-201 | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.050 | 0.342 | < 0.476 | -- |
| MW-201 | 11/20/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | 0.41 | < 0.5 | -- |
| MW-201 | 11/19/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-201 | 10/27/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.18 | < 0.1 | -- |
| MW-201 | 10/26/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | 0.0899 | 1.46 | 0.181 | -- |
| MW-201 | 11/27/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.122 | < 0.10 | -- |
| MW-201 | 11/06/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | 0.0964 J | 0.52 | < 0.094 | -- |
| MW-201 | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.173 | 0.195 | -- |
| MW-201 | 12/10/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | 0.121 | 0.323 | < 0.389 | -- |
| MW-201 | 12/13/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.203 | 0.174 J | -- |
| MW-201 | 12/06/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.159 J | < 0.132 | -- |
| MW-201 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.281 | 0.383 J | -- |
| MW-201 | 12/16/20 | < 0.00020 J | < 0.0002 J | < 0.00020 J | < 0.0005 J | < 0.250 | 0.315 | < 0.368 | -- |
| MW-201 | 12/12/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 0.556 | 0.163 J | -- |
| MW-202 | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 2.5 | 15 | < 10 | -- |
| MW-202 | 04/20/04 | 0.014 | 0.0062 | 0.074 | 0.021 | 4.4 | 28 | < 10 | -- |
| MW-202 | 01/26/05 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | 7.7 | 5.2 | < 5 | -- |
| MW-202 | 04/20/05 | 0.016 | 0.0022 | 0.036 | 0.0237 | 3.7 | 6.2 | < 5 | -- |
| MW-202 | 07/13/05 | 0.016 | 0.0033 | 0.067 | 0.0191 | 3.5 | 6.2 | < 1 | -- |
| MW-202 | 10/20/05 | 0.019 | 0.0021 | 0.058 | 0.0056 | 3.3 | 5.9 | < 2.5 | -- |
| MW-202 | 01/26/06 | 0.0224 | 0.00598 | 0.041 | 0.0191 | 5.79 | 11.2 | < 4.76 | -- |
| MW-202 | 04/25/06 | 0.00749 | 0.00378 | 0.062 | 0.0124 | 6.78 | 8.7 | < 4.85 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-202 | 10/12/06 | 0.00936 | 0.00339 | 0.0828 | 0.00616 | 5.65 | 11.5 | 0.834 | -- |
| MW-202 | 04/26/07 | 0.00825 | 0.0048 | 0.063 | <0.015 | 4.78 | 8.24 | 1.05 | -- |
| MW-202 | 10/30/07 | -- | -- | -- | -- | 4.55 | 10.9 | < 1 | -- |
| MW-202 | 05/20/08 | -- | -- | -- | -- | 2.3 | 1.8 | < 2.5 | -- |
| MW-202 | 11/20/08 | -- | -- | -- | -- | 5 | 2.2 | < 0.5 | -- |
| MW-202 | 04/07/09 | -- | -- | -- | -- | 4.8 | 14 | < 0.1 | -- |
| MW-202 | 11/19/09 | -- | -- | -- | -- | 6.6 | 20 | < 0.5 | -- |
| MW-202 | 04/27/10 | -- | -- | -- | -- | 3.3 | 6.4 | 0.12 | -- |
| MW-202 | 10/27/10 | 0.0081 | 0.0031 | 0.066 | 0.0022 | 6 | 5.4 | < 0.1 | -- |
| MW-202 | 05/23/11 | -- | -- | -- | -- | 3.5 | 1.84 | < 0.097 | -- |
| MW-202 | 10/26/11 | -- | -- | -- | -- | 4.3 | 1.02 | < 0.21 | -- |
| MW-202 | 03/02/12 | 0.0053 | 0.0019 | 0.0107 | 0.0013 J | 3.87 | -- | -- | -- |
| MW-202 | 06/13/12 | -- | -- | -- | -- | 3.31 | 1.54 | < 0.10 | -- |
| MW-202 | 09/26/12 | 0.0058 | 0.0029 J | 0.0378 | < 0.0018 | 4.07 | -- | -- | -- |
| MW-202 | 11/27/12 | 0.0113 | 0.0034 | 0.0274 | 0.0022 | 6.07 | 2.67 | < 0.30 | -- |
| MW-202 | 05/15/13 | -- | -- | -- | -- | 3.83 | 1.62 | < 0.096 | -- |
| MW-202 | 11/06/13 | < 0.00020 | 0.0027 | 0.0335 | 0.0012 J | 4.68 | 1.29 | < 0.095 | -- |
| MW-202 | 04/22/14 | -- | -- | -- | -- | 3.22 | 2.18 | < 0.28 | -- |
| MW-202 | 11/06/14 | 0.0083 | 0.0026 | 0.0154 | 0.0011 | 5.1 | 2.45 | 0.282 J | -- |
| MW-202 | 05/19/15 | -- | -- | -- | -- | 2.96 | 0.842 | < 0.096 | -- |
| MW-202 | 12/10/15 | 0.00419 | 0.00124 | 0.00277 | < 0.0030 | 5.67 | 27.2 | 0.565 | -- |
| MW-202 | 05/03/16 | -- | -- | -- | -- | 2.89 | 2.29 | 0.111 J | -- |
| MW-202 | 12/13/16 | 0.00606 | 0.0028 | 0.00901 | 0.00110 J | 2.92 | 4.04 | 0.201 | -- |
| MW-202 | 06/14/17 | -- | -- | -- | -- | 2.58 | 3.68 | 0.134 J | -- |
| MW-202 | 12/06/17 | 0.00102 | < 0.000312 | 0.00144 | 0.00129 J | 3.02 | 25.8 | 0.402 J | -- |
| MW-202 | 06/14/18 | -- | -- | -- | -- | 1.49 | 4.1 | 0.166 J | -- |
| MW-202 | 12/19/18 | 0.00178 | 0.000839 J | 0.00444 | 0.00187 J | 4.74 | 48.3 | 1.69 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-------------|--------------|---------------|--------------|--------------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-202 | 05/16/19 | -- | -- | -- | -- | 3.04 | 11.8 | 0.718 | -- |
| MW-202 | 12/10/19 | 0.00179 | 0.00159 | 0.0128 | 0.00202 J | 4.29 | 24 | 0.534 | -- |
| MW-202 | 06/29/20 | -- | -- | -- | -- | 1.78 | 13.1 | 0.412 | -- |
| MW-202 | 12/16/20 | 0.00132 J | 0.000409 J- | 0.00236 J | <0.0005 J | 3.47 | 36.60 | 0.641 | -- |
| MW-202 | 06/14/21 | -- | -- | -- | -- | 1.32 | 4.52 | 0.327 J | -- |
| MW-202 | 12/16/21 | 0.00275 | 0.000751 J | 0.00121 | 0.00169 J | 3.71 | 17.0 | 0.706 | -- |
| MW-202 | 06/29/22 | -- | -- | -- | -- | 3.33 | 2.84 | 1.09 | -- |
| MW-202 | 12/12/22 | 0.00314 | 0.00111 | 0.00193 | 0.00155 J | 2.98 | 22.1 | 0.505 | -- |
| MW-202 | 06/12/23 | -- | -- | -- | -- | 0.947 | 2.18 | 0.365 J | -- |
| MW-203 | 01/13/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-203 | 04/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.26 | < 0.5 | -- |
| MW-203 | 07/27/04 | 0.013 | < 0.001 | 0.0069 | < 0.001 | 2.6 | 0.45 | < 0.5 | -- |
| MW-203 | 10/19/04 | 0.013 | < 0.001 | 0.015 | 0.0025 | 1.6 | < 0.25 | < 0.5 | -- |
| MW-203 | 10/19/04 | 0.017 | < 0.001 | 0.012 | 0.0018 | 1.4 | < 0.25 | < 0.5 | -- |
| MW-203 | 01/25/05 | 0.0063 | < 0.001 | 0.011 | 0.0013 | 1.6 | 0.52 | 0.68 | -- |
| MW-203 | 04/19/05 | 0.0068 | < 0.001 | 0.0018 | < 0.001 | 0.63 | < 0.25 | 0.55 | -- |
| MW-203 | 07/13/05 | 0.01 | < 0.001 | 0.0077 | < 0.001 | 0.89 | < 0.25 | < 0.5 | -- |
| MW-203 | 10/20/05 | 0.023 | 0.002 | 0.021 | 0.0026 | 4.2 | 2.1 | 1.1 | -- |
| MW-203 | 01/23/06 | 0.00186 | < 0.0005 | 0.00182 | 0.00125 | 0.76 | 0.565 | < 0.943 | -- |
| MW-203 | 04/26/16 | 0.00694 | 0.00076 | 0.00079 | <0.003 | 1.38 | 0.66 | 0.625 | -- |
| MW-203 | 10/13/16 | 0.023 | 0.00553 | 0.00448 | 0.00652 | 6.22 | 7.39 | 1.34 | -- |
| MW-203 | 04/27/17 | 0.00502 | <0.0005 | 0.00053 | <0.003 | 1.24 | 0.507 | 0.515 | -- |
| MW-203 | 05/20/08 | -- | -- | -- | -- | 0.6 | 0.32 | < 0.5 | -- |
| MW-203 | 11/18/08 | -- | -- | -- | -- | 0.17 | < 0.25 | < 0.5 | -- |
| MW-203 | 04/08/09 | -- | -- | -- | -- | < 0.1 | 0.12 | 0.11 | -- |
| MW-203 | 11/17/09 | -- | -- | -- | -- | < 0.1 | < 0.1 | < 0.1 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|--------------|----------------------------|---------|--------------|---------------|--------------|----------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-203 | 04/26/10 | -- | -- | -- | -- | 0.16 | 0.18 | < 0.1 | -- |
| MW-203 | 10/25/10 | -- | -- | -- | -- | 0.92 | 0.36 | < 0.1 | -- |
| MW-203 | 05/23/11 | -- | -- | -- | -- | 0.333 | 0.0854 | 0.314 | -- |
| MW-203 | 10/26/11 | -- | -- | -- | -- | 1.38 | 0.262 | 0.118 | -- |
| MW-203 | 06/13/12 | -- | -- | -- | -- | 0.459 | 0.134 | 0.332 | -- |
| MW-203 | 11/27/12 | -- | -- | -- | -- | 1.05 | 0.0943 J | < 0.10 | -- |
| MW-203 | 05/15/13 | -- | -- | -- | -- | 0.144 J | < 0.048 | < 0.096 | -- |
| MW-203 | 11/06/13 | -- | -- | -- | -- | 0.68 | < 0.047 | < 0.094 | -- |
| MW-203 | 04/22/14 | -- | -- | -- | -- | 0.164 | 0.210 J | 0.732 J | -- |
| MW-203 | 11/06/14 | -- | -- | -- | -- | 0.102 | 0.0933 J | 0.168 J | -- |
| MW-203 | 05/19/15 | -- | -- | -- | -- | 0.285 | 0.166 | 0.170 J | -- |
| MW-203 | 12/09/15 | -- | -- | -- | -- | < 0.100 | 0.319 | < 0.394 | -- |
| MW-203 | 05/04/16 | -- | -- | -- | -- | 0.575 | 0.161 | 0.133 J | -- |
| MW-203 | 5/5/2016 DUP | -- | -- | -- | -- | 0.534 | 0.151 | 0.134 J | -- |
| MW-203 | 12/13/16 | -- | -- | -- | -- | 0.203 | 0.234 | 0.125 J | -- |
| MW-203 | 06/14/17 | -- | -- | -- | -- | 0.0898 J | 0.212 J | 0.172 J | -- |
| MW-203 | 12/08/17 | -- | -- | -- | -- | 1.56 | 0.323 | < 0.122 | -- |
| MW-203 | 06/14/18 | -- | -- | -- | -- | 0.156 | 0.152 J | 0.167 J | -- |
| MW-203 | 12/20/18 | -- | -- | -- | -- | 0.107 J | 0.806 | 0.944 | -- |
| MW-203 | 05/16/19 | -- | -- | -- | -- | 0.471 | 0.185 J | 0.159 J | -- |
| MW-203 | 12/10/19 | -- | -- | -- | -- | 1.74 | 0.495 | 0.189 J | -- |
| MW-203 | 06/29/20 | -- | -- | -- | -- | 0.256 | 0.209 J | 0.181 J | -- |
| MW-203 | 12/15/20 | -- | -- | -- | -- | 0.282 | <0.229 | 0.930 | -- |
| MW-203 | 06/15/21 | -- | -- | -- | -- | <0.150 | <0.246 | 0.267 J | -- |
| MW-203 | 12/16/21 | -- | -- | -- | -- | 0.129 J | 0.138 J | 0.273 J | -- |
| MW-203 | 06/28/22 | -- | -- | -- | -- | 0.0343 J | 0.645 | 1.56 | -- |
| MW-203 | 12/14/22 | -- | -- | -- | -- | 0.227 | 0.993 | 0.35 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-------------|--------------|---------------|--------------|---------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-203 | 06/12/23 | -- | -- | -- | -- | 0.944 | 2.91 | 0.383 | -- |
| MW-204 | 07/27/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 1.6 | < 0.5 | -- |
| MW-204 | 01/26/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 6.2 | < 1 | -- |
| MW-204 | 04/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 1.5 | 0.79 | -- |
| MW-204 | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.076 | 1.1 | 0.59 | -- |
| MW-204 | 10/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.082 | 0.45 | < 0.5 | -- |
| MW-204 | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | 5.53 | < 0.952 | -- |
| MW-204 | 04/25/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.003 | 0.0755 | 2.51 | 1.11 | -- |
| MW-204 | 10/12/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.003 | 0.0634 | 0.896 | 0.519 | -- |
| MW-204 | 04/26/07 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.003 | 0.0855 | 1.81 | 0.749 | -- |
| MW-204 | 10/30/07 | -- | -- | -- | -- | < 0.05 | -- | -- | -- |
| MW-204 | 11/20/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | 0.13 | 1 | < 0.5 | -- |
| MW-204 | 11/19/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 3.5 | 0.16 | -- |
| MW-204 | 10/27/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.29 | < 0.1 | -- |
| MW-204 | 10/27/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | 0.066 | 0.599 | < 0.20 | -- |
| MW-204 | 11/27/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.975 | < 0.10 | -- |
| MW-204 | 11/06/13 | 0.00057 J | < 0.00020 | < 0.00020 | < 0.00046 | 0.0762 J | 0.28 | 0.0976 J | -- |
| MW-204 | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.505 | 0.321 | -- |
| MW-204 | 12/10/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | 0.579 | < 0.388 | -- |
| MW-204 | 12/13/16 | 0.000187 J | < 0.000312 | 0.000555 J | < 0.000442 | < 0.0178 | 0.507 | 0.215 | -- |
| MW-204 | 12/06/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.786 | 0.232 J | -- |
| MW-204 | 12/19/18 | 0.000204 J | < 0.000312 | < 0.000198 | < 0.000442 | 0.138 J | 0.599 | 0.729 | -- |
| MW-204 | 12/10/19 | 0.00105 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.238 J | 0.128 J | -- |
| MW-204 | 12/16/20 | 0.0003 J | 0.000245 J- | < 0.00020 J | < 0.0005 J | < 0.250 | 0.303 | 0.405 | -- |
| MW-204 | 12/16/21 | 0.000342 J | < 0.00100 | < 0.00100 | < 0.00300 | < 0.150 | 0.379 | 0.413 | -- |
| MW-204 | 12/12/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 0.351 | 0.458 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-206A | 01/22/04 | < 0.001 | < 0.001 | < 0.001 | 0.004 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-206A | 04/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-206A | 07/27/04 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 1.2 | 1.8 | 0.78 | -- |
| MW-206A | 10/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 2 | 1.1 | -- |
| MW-206A | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 2.1 | 2.2 | -- |
| MW-206A | 04/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 1.3 | 1.5 | -- |
| MW-206A | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 1.2 | 1.9 | -- |
| MW-206A | 10/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 2.1 | 7.9 | -- |
| MW-206A | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | 4.41 | 2.54 | -- |
| MW-206A | 11/20/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | 2.1 | 1.7 | -- |
| MW-206A | 11/19/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.1 | < 0.1 | -- |
| MW-206A | 10/25/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | 0.18 | -- |
| MW-206A | 10/26/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.141 | < 0.20 | -- |
| MW-206A | 11/27/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.116 | 0.111 J | -- |
| MW-206A | 11/06/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.047 | < 0.094 | -- |
| MW-206A | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.236 | 0.392 | -- |
| MW-206A | 12/08/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.242 | < 0.403 | -- |
| MW-206A | 12/12/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.18 | 0.135 J | -- |
| MW-206A | 12/08/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.258 | 0.239 J | -- |
| MW-206A | 12/20/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 2.25 | 3.96 | -- |
| MW-206A | 12/10/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.591 | 0.396 | -- |
| MW-206A | 12/16/20 | < 0.00020 | < 0.0002 | < 0.00020 | < 0.0005 | < 0.250 | < 0.236 | < 0.394 | -- |
| MW-206A | 12/16/21 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.150 | 0.150 J | 0.215 J | -- |
| MW-206A | 12/12/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 0.264 | 0.575 | -- |
| MW-213 | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-213 | 04/20/04 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-213 | 07/28/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-213 | 10/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-213 | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-213 | 04/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-213 | 07/12/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| MW-213 | 10/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 0.34 | < 0.5 | -- |
| MW-213 | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | 0.653 | < 0.495 | -- |
| MW-213 | 10/30/07 | < 0.001 | < 0.001 | < 0.001 | < 0.003 | -- | -- | -- | -- |
| MW-213 | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-213 | 04/07/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-213 | 11/18/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-213 | 04/26/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-213 | 10/28/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-213 | 05/24/11 | < 0.0003 | < 0.0005 | < 0.0003 | < 0.0007 | < 0.050 | < 0.049 | < 0.098 | -- |
| MW-213 | 10/25/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | < 0.11 | < 0.21 | -- |
| MW-213 | 06/12/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.050 | < 0.10 | -- |
| MW-213 | 11/29/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.050 | < 0.10 | -- |
| MW-213 | 05/15/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.096 | -- |
| MW-213 | 11/05/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0625 J | < 0.095 | -- |
| MW-213 | 04/23/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0586 | < 0.094 | -- |
| MW-213 | 11/05/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0782 J | < 0.094 | -- |
| MW-213 | 05/19/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.102 | < 0.10 | -- |
| MW-213 | 12/09/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.235 | < 0.392 | -- |
| MW-213 | 05/03/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | < 0.100 | 0.0415 J | < 0.0593 | -- |
| MW-213 | 12/13/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.100 | 0.115 J | < 0.0622 | -- |
| MW-213 | 06/14/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.128 J | < 0.123 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-213 | 12/07/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.158 J | < 0.121 | -- |
| MW-213 | 06/12/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.111 | < 0.121 | -- |
| MW-213 | 12/19/18 | < 0.0000930 | 0.000320 J | < 0.000198 | < 0.000442 | 0.0717 J | 0.434 | 0.411 | -- |
| MW-213 | 05/16/19 | < 0.000200 | 0.000349 J | < 0.000190 | < 0.000580 | 0.0912 | 0.153 J | < 0.123 | -- |
| MW-213 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.147 J | < 0.117 | -- |
| MW-213 | 06/29/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-213 | 12/16/20 | < 0.00020 J | < 0.0002 J | < 0.00020 J | < 0.0005 J | < 0.250 | < 0.233 | < 0.388 | -- |
| MW-213 | 06/14/21 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.150 | < 0.235 | < 0.392 | -- |
| MW-213 | 12/16/21 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.150 | 0.158 J | 0.199 J | -- |
| MW-213 | 06/29/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 0.163 J | < 0.475 | -- |
| MW-213 | 12/12/22 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | < 0.15 | 0.27 | 0.268 J | -- |
| MW-213 | 06/12/23 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | 0.0426 J | < 0.224 | < 0.373 | -- |
| MW-214 | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-214 | 04/20/04 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-214 | 07/28/04 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 1.2 | < 0.25 | < 0.5 | -- |
| MW-214 | 10/19/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| MW-214 | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 0.36 | < 0.5 | -- |
| MW-214 | 04/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 0.3 | < 0.5 | -- |
| MW-214 | 07/12/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 0.29 | < 0.5 | -- |
| MW-214 | 10/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | 0.33 | < 0.5 | -- |
| MW-214 | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | 0.91 | < 0.476 | -- |
| MW-214 | 10/30/07 | < 0.001 | < 0.001 | < 0.001 | < 0.003 | -- | -- | -- | -- |
| MW-214 | 05/05/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | 0.91 | < 0.5 | -- |
| MW-214 | 07/10/08 | -- | -- | -- | -- | -- | < 0.5 | < 1 | -- |
| MW-214 | 11/19/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.25 | 0.8 | < 0.5 | -- |
| MW-214 | 04/07/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.17 | < 0.1 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|--------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-214 | 11/18/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.11 | < 0.1 | -- |
| MW-214 | 04/26/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.19 | < 0.1 | -- |
| MW-214 | 10/28/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| MW-214 | 05/24/11 | <0.0003 | <0.0005 | <0.0003 | <0.0007 | <0.050 | 0.127 | <0.097 | -- |
| MW-214 | 10/25/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.126 | < 0.21 | -- |
| MW-214 | 06/12/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.050 | 0.135 J | -- |
| MW-214 | 11/29/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.095 | -- |
| MW-214 | 05/15/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0857 J | < 0.096 | -- |
| MW-214 | 11/05/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0552 J | < 0.094 | -- |
| MW-214 | 04/23/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.118 | < 0.094 | -- |
| MW-214 | 11/05/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.168 | 0.103 | -- |
| MW-214 | 05/19/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.106 | < 0.094 | -- |
| MW-214 | 12/09/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | 0.248 | < 0.392 | -- |
| MW-214 | 05/03/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | < 0.100 | 0.123 | < 0.0594 | -- |
| MW-214 | 12/14/16 | < 0.0000930 | < 0.000312 | 0.000275 J | < 0.000442 | 0.0226 J | 0.13 | < 0.0600 | -- |
| MW-214 | 06/14/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.214 J | < 0.121 | -- |
| MW-214 | 12/07/17 | < 0.0000930 J | < 0.000312 J | < 0.000198 J | < 0.000442 J | < 0.0704 J | 0.305 | < 0.128 | -- |
| MW-214 | 06/12/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.170 J | < 0.120 | -- |
| MW-214 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.547 | 0.415 | -- |
| MW-214 | 05/16/19 | < 0.000200 | 0.000303 J | < 0.000190 | < 0.000580 | < 0.0550 | 0.213 J | < 0.122 | -- |
| MW-214 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.239 J | < 0.121 | -- |
| MW-214 | 06/29/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-214 | 12/16/20 | <0.00020 J | <0.0002 J | <0.00020 J | <0.0005 J | <0.250 | <0.218 | <0.363 | -- |
| MW-214 | 06/14/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.122 J | <0.395 | -- |
| MW-214 | 12/16/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.172 J | 0.129 J | -- |
| MW-214 | 06/29/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.181 J | 0.135 J | -- |
| MW-214 | 12/12/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.367 | 0.275 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|--------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-214 | 06/12/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.233 | <0.389 | -- |
| MW-301 | 03/02/12 | 0.24 | 0.0138 | 0.0099 | 0.0212 | 3.37 | -- | -- | -- |
| MW-301 | 09/25/12 | 0.333 | 0.0131 | 0.0186 | 0.0192 | 4.02 | -- | -- | -- |
| MW-301 | 11/28/12 | 0.241 | 0.0099 | 0.0125 | 0.0106 | 2.76 | -- | -- | -- |
| MW-301 | 02/21/13 | 0.659 | 0.0175 | 0.0264 | 0.0173 J | 3.98 | 0.315 | < 0.10 | -- |
| MW-301 | 05/15/13 | 0.357 | 0.0122 | 0.0231 | 0.0145 | 3.63 | -- | -- | -- |
| MW-301 | 11/04/13 | 0.16 | 0.0097 | 0.0164 | 0.0109 | 2.29 | -- | -- | -- |
| MW-301 | 04/23/14 | 0.252 | 0.0072 | 0.0135 | 0.0075 | 3.57 | -- | -- | -- |
| MW-301 | 07/24/14 | 0.314 | 0.008 | 0.0143 | 0.0096 | 3.7 | 0.361 | < 0.094 | -- |
| MW-301 | 11/03/14 | 0.108 | 0.0043 J | 0.0046 J | 0.0051 J | 1.76 | -- | -- | -- |
| MW-301 | 03/09/15 | 0.222 | 0.0067 | 0.0065 | 0.0062 J | 2.27 | -- | -- | -- |
| MW-301 | 05/21/15 | 0.194 | 0.0069 | 0.01 | 0.0060 J | 2.24 | -- | -- | -- |
| MW-301 | 07/28/15 | 0.116 | 0.0036 | 0.0037 | 0.0019 J | 2.09 | -- | -- | -- |
| MW-301 | 12/10/15 | 0.0437 | 0.00351 | 0.00104 | 0.00551 | 1.34 | -- | -- | -- |
| MW-301 | 02/22/16 | 0.28 | 0.00881 | 0.0104 | 0.00746 | 3.65 | -- | -- | -- |
| MW-301 | 05/02/16 | 0.17 | 0.00834 | 0.0138 | 0.00663 | 3.32 | -- | -- | -- |
| MW-301 | 08/29/16 | 0.0647 | 0.00551 | 0.0103 | 0.0064 | 2.9 | -- | -- | -- |
| MW-301 | 12/12/16 | 0.251 | 0.00745 | 0.0173 | 0.00633 | 3 | -- | -- | -- |
| MW-301 | 03/13/17 | 0.206 | 0.00771 | 0.0117 | 0.00585 | 3.02 | -- | -- | -- |
| MW-301 | 06/13/17 | 0.111 | 0.00659 J | 0.0128 | 0.00713 J | 2.5 | -- | -- | -- |
| MW-301 | 08/22/17 | 0.0652 | 0.00472 | 0.0108 | 0.00366 | 1.93 | -- | -- | -- |
| MW-301 | 12/05/17 | 0.0222 | 0.00228 | 0.00217 | 0.00272 J | 1.67 | -- | -- | -- |
| MW-301 | 03/06/18 | 0.207 | 0.00303 | 0.00542 | 0.00248 J | 1.32 | -- | -- | -- |
| MW-301 | 06/13/18 | 0.0132 | 0.00108 | 0.00239 | 0.000821 J | 1.27 | -- | -- | -- |
| MW-301 | 09/06/18 | 0.00368 | 0.000585 J | 0.000352 J | 0.000489 J | 1.45 | -- | -- | -- |
| MW-301 | 12/20/18 | 0.0175 | 0.000688 J | 0.00259 | 0.000536 J | 0.445 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------|--------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-301 | 03/19/19 | 0.0999 | 0.00182 | 0.00923 | 0.00182 J | 1.34 | -- | -- | -- |
| MW-301 | 05/16/19 | 0.00684 | < 0.000170 | 0.000357 J | < 0.000580 | 0.483 | -- | -- | -- |
| MW-301 | 09/19/19 | 0.0000937 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-301 | 12/11/19 | 0.000093 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-301 | 04/28/20 | 0.0399 | 0.00115 | 0.00676 | 0.000676 J | 0.368 | -- | -- | -- |
| MW-301 | 06/29/20 | 0.0163 | < 0.000312 | 0.00205 | < 0.000442 | 0.114 J | -- | -- | -- |
| MW-301 | 09/21/20 | 0.00732 | < 0.001 | 0.00127 | 0.000442 J | 0.167 | -- | -- | -- |
| MW-301 | 12/15/20 | 0.0416 | 0.00146 | 0.0109 | 0.00117 | 0.441 | -- | -- | -- |
| MW-301 | 04/13/21 | 0.0238 | 0.00105 | 0.00767 | 0.000879 | 1.69 | -- | -- | -- |
| MW-301 | 06/15/21 | 0.0168 | 0.00103 | 0.00822 | 0.00101 J | 0.439 | -- | -- | -- |
| MW-301 | 09/22/21 | 0.00333 | < 0.00100 | 0.00200 | 0.000535 J | 0.226 | -- | -- | -- |
| MW-301 | 12/16/21 | 0.0185 | 0.000723 J | 0.00439 | 0.000768 J | 0.471 | -- | -- | -- |
| MW-301 | 03/29/22 | 0.0308 | 0.000663 J | 0.00248 | 0.00113 J | 0.572 | -- | -- | -- |
| MW-301 | 06/28/22 | 0.0215 | 0.000854 J | 0.00316 | 0.000735 J | 0.478 | -- | -- | -- |
| MW-301 | 09/21/22 | 0.00932 | 0.000952 J | 0.00172 | 0.000953 J | 0.245 | -- | -- | -- |
| MW-301 | 12/13/22 | 0.0242 | 0.00151 | 0.000703 J | 0.00148 J | -- | -- | -- | -- |
| MW-301 | 03/28/23 | 0.0782 | 0.00502 | 0.0129 | 0.00396 | 0.952 | -- | -- | -- |
| MW-301 | 06/14/23 | 0.11 | 0.00408 | 0.00609 | 0.00315 | 0.794 | -- | -- | -- |
| MW-301 | 09/11/23 | 0.0704 | 0.00526 | 0.000846 J | 0.00300 | 0.59 | -- | -- | -- |
| MW-302 | 03/01/12 | 0.831 | 0.0275 | 0.213 | 0.248 | 5.33 | -- | -- | -- |
| MW-302 | 06/12/12 | 0.574 | 0.0156 | 0.0183 | 0.0244 | 4.18 | -- | -- | -- |
| MW-302 | 06/28/12 | 1.23 | 0.0437 | 0.403 | 0.289 | 5.65 | -- | -- | -- |
| MW-302 | 09/25/12 | 0.657 | 0.0247 | 0.18 | 0.106 | 4.07 | -- | -- | -- |
| MW-302 | 11/25/12 | 0.449 | 0.0152 | 0.191 | 0.177 | 4.58 | -- | -- | -- |
| MW-302 | 02/22/13 | 0.393 | 0.0149 | 0.124 | 0.116 | 4.15 | 0.435 | < 0.10 | -- |
| MW-302 | 05/14/13 | 0.873 | 0.0231 | 0.236 | 0.145 | 4.19 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|---------------|--------------|----------|---------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-302 | 09/05/13 | 0.783 | 0.0189 | 0.162 | 0.0746 | 3.7 | -- | -- | -- |
| MW-302 | 11/05/13 | 0.607 | 0.0112 | 0.0977 | 0.0529 | 2.69 | -- | -- | -- |
| MW-302 | 01/16/14 | 0.404 | 0.0161 | 0.0843 | 0.0504 | 3.54 | -- | -- | -- |
| MW-302 | 04/23/14 | 0.98 | 0.0269 | 0.276 | 0.232 | 5.86 | -- | -- | -- |
| MW-302 | 07/24/14 | 0.656 | 0.0206 | 0.178 | 0.131 | 4.66 | 0.363 | < 0.094 | -- |
| MW-302 | 11/03/14 | 0.506 | 0.0159 | 0.221 | 0.176 | 4.06 | 0.361 | < 0.094 | -- |
| MW-302 | 05/21/15 | 0.454 | 0.0161 | 0.174 | 0.15 | 3.44 | -- | -- | < 0.010 |
| MW-302 | 12/10/15 | 0.372 | 0.00853 | 0.0139 | 0.0176 | 2.16 | 1 | < 0.391 | -- |
| MW-302 | 05/04/16 | 0.595 | 0.0145 | 0.27 | 0.153 | 3.75 | -- | -- | -- |
| MW-302 | 12/15/16 | 0.759 | 0.0263 | 0.453 | 0.117 | 5.08 | 1.73 | < 0.0630 | -- |
| MW-302 | 06/13/17 | 0.487 | 0.0146 J | 0.215 | 0.0524 J | 1.98 | -- | -- | -- |
| MW-302 | 08/23/17 | 0.047 | 0.00305 | 0.00823 | 0.00647 | 0.709 | -- | -- | -- |
| MW-302 | 12/05/17 | 0.0414 | 0.00196 | 0.00271 | 0.003 | 1.79 | 9.96 | 0.209 J | -- |
| MW-302 | 03/07/18 | 0.0707 | 0.00314 | 0.043 | 0.00763 | 1.61 | -- | -- | -- |
| MW-302 | 06/13/18 | 0.0591 | 0.00363 | 0.0481 | 0.0227 | 1 | -- | -- | -- |
| MW-302 | 09/06/18 | 0.0312 | 0.00138 | 0.0242 | 0.00479 | 0.526 | -- | -- | -- |
| MW-302 | 12/20/18 | 0.00121 | < 0.000312 | 0.00431 | 0.000625 J | 0.232 | 2.5 | 0.386 | -- |
| MW-302 | 03/19/19 | 0.0133 | 0.000823 J | 0.0122 | 0.00433 | 1.84 J | -- | -- | -- |
| MW-302 | 05/16/19 | 0.0035 | 0.000363 J | 0.00678 | 0.00177 J | 0.578 | -- | -- | -- |
| MW-302 | 09/19/19 | 0.0174 | 0.00115 | 0.0217 | 0.00428 | 0.662 | -- | -- | -- |
| MW-302 | 12/11/19 | 0.0132 | 0.000741 J | 0.00976 | 0.00222 J | 0.297 | 3.69 | 0.179 J | -- |
| MW-302 | 04/28/20 | 0.027 | 0.00181 | 0.0397 | 0.00698 | 1.23 | -- | -- | -- |
| MW-302 | 06/30/20 | 0.0219 | 0.00152 | 0.0368 | 0.00590 J | 1.23 | -- | -- | -- |
| MW-302 | 09/21/20 | 0.00148 | <0.001 | 0.00888 | 0.00108 J | 0.205 | -- | -- | -- |
| MW-302 | 12/15/20 | 0.0404 J | 0.00282 J- | 0.0684 J | 0.0117 J- | 1.84 | 10.80 | 0.529 | -- |
| MW-302 | 04/13/21 | 0.00616 J- | 0.000526 J | 0.0178 J- | 0.00419 J- | 1.85 | -- | -- | -- |
| MW-302 | 06/15/21 | 0.0203 | 0.00193 | 0.0614 | 0.0101 | 0.886 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-302 | 09/23/21 | 0.0184 | 0.00373 | 0.0585 | 0.00883 | 0.637 | -- | -- | -- |
| MW-302 | 12/16/21 | 0.00644 | 0.000755 J | 0.0211 | 0.00374 | 1.19 | 6.39 | 0.622 | -- |
| MW-302 | 03/28/22 | 0.00516 | 0.000712 J | 0.0122 | 0.00292 J | 1.18 | -- | -- | -- |
| MW-302 | 06/28/22 | 0.00282 | 0.000505 J | 0.0214 | 0.00456 | 0.414 | -- | -- | -- |
| MW-302 | 09/21/22 | 0.00527 | 0.00190 | 0.0296 | 0.00693 | 0.54 | -- | -- | -- |
| MW-302 | 12/13/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.198 | 0.387 | 0.145 J | -- |
| MW-302 | 03/27/23 | 0.00557 | <0.00100 | <0.00100 | 0.00369 | 0.508 | -- | -- | -- |
| MW-302 | 06/13/23 | 0.0298 | 0.00162 | 0.00816 | 0.00170 J | 0.554 | -- | -- | -- |
| MW-302 | 09/12/23 | 0.0373 | 0.00480 | <0.00100 | 0.00694 | 1.26 | -- | -- | -- |
| MW-303 | 03/02/12 | 3.13 | 0.0759 | 0.76 | 0.232 | 12.3 | -- | -- | -- |
| MW-303 | 06/13/12 | 2.9 | 0.0957 | 0.884 | 0.268 | 12.5 | -- | -- | -- |
| MW-303 | 09/25/12 | 1.83 | 0.0635 | 0.474 | 0.146 | 9.14 | -- | -- | -- |
| MW-303 | 11/28/12 | 1.94 | 0.0873 | 1.18 | 0.319 | 12.6 | -- | -- | -- |
| MW-303 | 02/21/13 | 2.34 | 0.0955 | 1.29 | 0.338 | 12.8 | 0.674 | < 0.10 | -- |
| MW-303 | 05/15/13 | 1.9 | 0.0864 | 0.983 | 0.272 | 10.6 | -- | -- | -- |
| MW-303 | 11/04/13 | 0.884 | 0.0278 | 0.219 | 0.0544 | 6.11 | -- | -- | -- |
| MW-303 | 04/23/14 | 1.58 | 0.071 | 1.114 | 0.224 | 11.8 | -- | -- | -- |
| MW-303 | 07/24/14 | 0.808 | 0.0471 | 0.653 | 0.161 | 9.76 | 0.622 | < 0.094 | -- |
| MW-303 | 11/04/14 | 1.42 | 0.0618 | 0.924 | 0.18 | 11.5 | 1 | 1.15 | -- |
| MW-303 | 05/20/15 | 0.669 | 0.0432 | 0.713 | 0.157 | 7.9 | -- | -- | -- |
| MW-303 | 12/08/15 | 1.19 | 0.071 | 1.33 | < 0.300 | 7.6 | 2.45 | < 0.398 | -- |
| MW-303 | 05/04/16 | 0.704 | 0.0625 | 1.82 | 0.287 | 8.6 | -- | -- | -- |
| MW-303 | 12/12/16 | 0.831 | 0.0482 | 1.45 | 0.176 | 8.31 | 2.52 | < 0.0602 | -- |
| MW-303 | 06/13/17 | 0.353 | 0.0408 | 1.54 | 0.19 | 5.69 | -- | -- | -- |
| MW-303 | 12/05/17 | 0.104 | 0.0116 J | 0.3 | 0.0400 J | 4.29 | 7.49 | < 0.125 | -- |
| MW-303 | 03/06/18 | 0.039 | 0.0154 | 0.147 J | 0.0352 | 2.5 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|---------------|------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-303 | 06/13/18 | 0.157 | 0.0151 J | 0.39 | 0.0317 J | 2.94 J | -- | -- | -- |
| MW-303 | 09/06/18 | 0.000729 | < 0.000312 | 0.00117 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-303 | 12/20/18 | 0.000581 | 0.000342 J | 0.00136 | 0.00088 J | 0.382 | 8.25 | 0.505 | -- |
| MW-303 | 03/19/19 | 0.0346 | 0.00611 | 0.194 | 0.0111 | 2.48 | -- | -- | -- |
| MW-303 | 05/16/19 | 0.0173 | 0.0017 | 0.0869 | 0.00541 | 1.33 | -- | -- | -- |
| MW-303 | 09/19/19 | 0.00776 | 0.00207 | 0.0717 | 0.00326 | 0.785 | -- | -- | -- |
| MW-303 | 12/11/19 | 0.00114 | 0.000373 J | 0.0404 | 0.00134 J | 0.371 | 2.73 | 0.281 J | -- |
| MW-303 | 04/28/20 | 0.00258 | < 0.000312 | 0.00511 | 0.00705 | 2.46 | -- | -- | -- |
| MW-303 | 06/30/20 | 0.0152 | 0.000897 J | 0.0386 | 0.00696 | 2.64 | -- | -- | -- |
| MW-303 | 09/22/20 | 0.02 | 0.00254 | 0.153 | 0.00623 | 1.86 | -- | -- | -- |
| MW-303 | 12/15/20 | 0.0150 J- | 0.00412 J- | 0.119 J- | 0.0146 J- | 3.34 | 5.28 | <0.389 | -- |
| MW-303 | 04/13/21 | 0.0135 J- | 0.00170 J- | 0.0371 J- | 0.0104 J- | 4.07 | -- | -- | -- |
| MW-303 | 06/15/21 | 0.0258 | 0.00343 | 0.133 | 0.00867 | 1.94 | -- | -- | -- |
| MW-303 | 09/22/21 | 0.252 | 0.00724 | 0.344 | 0.0194 | 2.29 | -- | -- | -- |
| MW-303 | 12/15/21 | 0.0248 | 0.000620 J | 0.0142 | 0.00435 | 2.39 | 6.51 | 0.385 J | -- |
| MW-303 | 03/28/22 | 0.0270 | 0.00196 | 0.0638 | 0.00892 | 2.63 | -- | -- | -- |
| MW-303 | 06/28/22 | 0.107 | 0.00303 | 0.0272 | 0.00922 | 2.25 | -- | -- | -- |
| MW-303 | 09/21/22 | 0.216 | 0.00710 | 0.0558 | 0.0121 | 1.99 | -- | -- | -- |
| MW-303 | 12/13/22 | 0.139 | 0.00483 | 0.0580 | 0.00982 | 1.18 | 3.73 | 0.321 J | -- |
| MW-303 | 03/28/23 | 0.0282 | 0.00281 | 0.14 | 0.0122 | 1.14 | -- | -- | -- |
| MW-303 | 06/14/23 | 0.0999 | 0.00403 | 0.0399 | 0.00813 | 1.26 | -- | -- | -- |
| MW-303 | 09/11/23 | 0.366 | 0.0119 | 0.0674 | 0.0179 | 2.22 | -- | -- | -- |
| MW-304 | 03/01/12 | 0.686 | 0.0351 | 0.214 | 0.264 | 5.64 | -- | -- | -- |
| MW-304 | 06/12/12 | 1.04 | 0.0408 | 0.27 | 0.218 | 5.98 | -- | -- | -- |
| MW-304 | 09/25/12 | 0.63 | 0.024 | 0.198 | 0.105 | 3.93 | -- | -- | -- |
| MW-304 | 11/28/12 | 0.411 | 0.0244 | 0.306 | 0.252 | 5.89 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|----------|---------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-304 | 02/22/13 | 0.507 | 0.0225 | 0.208 | 0.149 | 5.56 | 0.762 | 0.186 J | -- |
| MW-304 | 05/14/13 | 0.645 | 0.0283 | 0.209 | 0.144 | 4.73 | -- | -- | -- |
| MW-304 | 09/05/13 | 0.862 | 0.0188 | 0.0849 | 0.0616 | 3.09 | -- | -- | -- |
| MW-304 | 11/05/13 | 0.695 | 0.0163 | 0.0629 | 0.054 | 2.67 | -- | -- | -- |
| MW-304 | 01/16/14 | 0.79 | 0.0194 | 0.0472 | 0.0571 | 4.89 | -- | -- | -- |
| MW-304 | 04/23/14 | 0.778 | 0.0248 | 0.185 | 0.147 | 5.93 | -- | -- | -- |
| MW-304 | 07/24/14 | 0.437 | 0.0173 | 0.109 | 0.0666 | 3.59 | 0.557 | < 0.094 | -- |
| MW-304 | 11/03/14 | 1.11 | 0.0421 | 0.48 | 0.214 | 3.32 | 0.366 | < 0.094 | -- |
| MW-304 | 05/20/15 | 0.486 | 0.0136 | 0.115 | 0.0373 | 3.3 | -- | -- | < 0.010 |
| MW-304 | 12/10/15 | 0.775 | 0.0312 | 0.336 | 0.114 | 4.37 | 1.55 | < 0.387 | -- |
| MW-304 | 05/04/16 | 0.527 | 0.0187 | 0.355 | 0.0559 | 4.05 | -- | -- | -- |
| MW-304 | 12/15/16 | 0.749 | 0.0271 | 0.586 | 0.0664 | 5.75 | 1.78 | 0.0686 J | -- |
| MW-304 | 06/13/17 | 0.209 | 0.0113 | 0.413 | 0.0246 J | 2.2 | -- | -- | -- |
| MW-304 | 08/23/17 | 0.021 | 0.00437 | 0.0124 | 0.00494 | 0.566 | -- | -- | -- |
| MW-304 | 12/05/17 | 0.000217 J | < 0.000312 | < 0.000494 J | 0.00118 J | 0.291 | 3.2 | < 0.122 | -- |
| MW-304 | 03/06/18 | 0.000493 | < 0.000312 | 0.000337 J | < 0.000442 | 0.562 | -- | -- | -- |
| MW-304 | 06/13/18 | 0.00107 | < 0.000312 | 0.00561 | 0.00104 J | 0.425 | -- | -- | -- |
| MW-304 | 09/06/18 | 0.000535 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-304 | 12/20/18 | < 0.000093 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 1.5 | 0.219 J | -- |
| MW-304 | 03/19/19 | 0.000448 | < 0.000312 | 0.000514 J | < 0.000442 | 0.105 J | -- | -- | -- |
| MW-304 | 05/16/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | < 0.055 | -- | -- | -- |
| MW-304 | 09/19/19 | 0.000242 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-304 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.188 J | 0.120 U | -- |
| MW-304 | 04/28/20 | 0.00171 | < 0.000312 | 0.000281 J | < 0.000442 | 0.113 J | -- | -- | -- |
| MW-304 | 06/30/20 | 0.0399 | 0.000627 J | 0.000544 J | < 0.000442 | 0.131 J | -- | -- | -- |
| MW-304 | 09/21/20 | 0.0623 | 0.000391 J | 0.00109 | 0.000491 J | 0.191 | -- | -- | -- |
| MW-304 | 12/15/20 | 0.0363 | 0.000932 | 0.00188 | 0.000883 | 0.26 | 4.22 | <0.393 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-304 | 04/13/21 | 0.00194 | <0.000200 | 0.00107 J+ | <0.000500 | 0.307 | -- | -- | -- |
| MW-304 | 06/15/21 | 0.0263 | <0.00100 | 0.000697 J | <0.00300 | 0.230 | -- | -- | -- |
| MW-304 | 09/22/21 | 0.0389 | <0.00100 | 0.000696 J | <0.00300 | 0.225 | -- | -- | -- |
| MW-304 | 12/16/21 | 0.00339 | <0.00100 | 0.00132 | 0.000646 J | 0.406 | 1.86 | 0.292 J | -- |
| MW-304 | 03/28/22 | 0.0276 | 0.000750 J | 0.00125 | 0.000843 J | 0.624 | -- | -- | -- |
| MW-304 | 06/28/22 | 0.0169 | 0.000903 J | 0.00318 | 0.00112 J | 0.549 | -- | -- | -- |
| MW-304 | 09/20/22 | 0.133 | 0.000434 J | 0.00181 | 0.00134 J | 0.594 | -- | -- | -- |
| MW-304 | 12/13/22 | 0.00466 | <0.00100 | 0.000588 J | 0.000748 J | 0.364 | 2.15 | 0.674 | -- |
| MW-304 | 03/27/23 | 0.0692 | 0.00300 | 0.000721 J | 0.00585 | 0.609 | -- | -- | -- |
| MW-304 | 06/14/23 | 0.116 | 0.00502 | 0.000506 J | 0.00815 | 0.734 | -- | -- | -- |
| MW-304 | 09/11/23 | 0.0911 | 0.00648 | 0.00167 | 0.0147 | 0.938 | -- | -- | -- |
| MW-305 | 03/01/12 | 1.14 | 0.0227 | 0.0389 | 0.0375 J | 5.84 | -- | -- | -- |
| MW-305 | 06/11/12 | 1.34 | 0.0221 | 0.0517 | 0.0331 J | 5.97 | -- | -- | -- |
| MW-305 | 09/26/12 | 1.27 | 0.0229 | 0.0388 | 0.0355 J | 5.89 | -- | -- | -- |
| MW-305 | 11/28/12 | 0.286 | 0.0061 | 0.0032 J | 0.014 | 1.53 | -- | -- | -- |
| MW-305 | 05/15/13 | 0.397 | 0.0263 | 0.29 | 0.0867 | 6.28 | -- | -- | -- |
| MW-305 | 11/07/13 | 0.0844 | 0.025 | 0.216 | 0.0919 | 3.59 | -- | -- | -- |
| MW-305 | 04/23/14 | 0.0884 | 0.0139 | 0.0941 | 0.0454 | 2.82 | -- | -- | -- |
| MW-305 | 11/06/14 | 0.0419 | 0.0052 | 0.002 | 0.0306 | 1.16 | -- | -- | -- |
| MW-305 | 05/21/15 | 0.12 | 0.0101 | 0.191 | 0.108 | 2.81 | -- | -- | -- |
| MW-306 | 03/01/12 | 0.606 | 0.015 | 0.0353 | 0.718 | 4.74 | -- | -- | -- |
| MW-306 | 06/11/12 | 0.393 | 0.0115 | 0.0509 | 0.763 | 5.09 | -- | -- | -- |
| MW-306 | 09/26/12 | 1.05 | 0.0261 | 0.135 | 0.147 | 6.56 | -- | -- | -- |
| MW-306 | 11/28/12 | 0.393 | 0.0125 | 0.0183 | 0.0895 | 3.06 | -- | -- | -- |
| MW-306 | 05/15/13 | 0.746 | 0.0472 | 0.837 | 3.7 | 18.5 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|----------|--------------|---------------|--------------|-------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-306 | 11/07/13 | 0.101 | 0.0502 | 0.482 | 2.65 | 12.8 | -- | -- | -- |
| MW-306 | 04/23/14 | 0.0762 | 0.0345 | 0.325 | 1.97 | 11 | -- | -- | -- |
| MW-306 | 11/06/14 | 0.119 | 0.0226 | 0.302 J | 0.939 J | 5.59 | -- | -- | -- |
| MW-306 | 05/21/15 | 0.106 | 0.0354 J | 0.874 | 5.15 | 20.6 | -- | -- | -- |
| MW-307 | 11/26/12 | 2.15 | 0.0858 | 0.833 | 0.513 | 10.9 | -- | -- | -- |
| MW-307 | 02/22/13 | 0.497 | 0.0358 | 0.226 | 0.145 | 6.02 | 0.604 | < 0.094 | -- |
| MW-307 | 05/15/13 | 0.437 | 0.0461 | 0.167 | 0.12 | 4.56 | -- | -- | -- |
| MW-307 | 09/05/13 | 0.643 | 0.0645 | 0.154 | 0.131 | 5.3 | -- | -- | -- |
| MW-307 | 11/06/13 | 0.568 | 0.0448 J | 0.104 | 0.0912 | 4.39 | -- | -- | -- |
| MW-307 | 04/22/14 | 0.52 | 0.0408 | 0.241 | 0.152 | 5.68 | -- | -- | -- |
| MW-307 | 11/04/14 | 0.596 | 0.039 | 0.176 | 0.095 | 5.16 | 0.632 | < 0.095 | -- |
| MW-307 | 03/09/15 | 0.444 | 0.0358 | 0.271 | 0.104 | 5.41 | -- | -- | -- |
| MW-307 | 05/19/15 | 0.306 | 0.0273 | 0.14 | 0.0673 | 3.44 | 0.479 | < 0.096 | -- |
| MW-307 | 07/29/15 | 0.298 | 0.0245 | 0.109 | 0.0434 | 4.09 | -- | -- | -- |
| MW-307 | 12/09/15 | 0.699 | 0.0585 | 0.334 | 0.131 | 5.03 | 1.63 | < 0.392 | -- |
| MW-307 | 02/23/16 | 0.498 | 0.0417 | 0.578 | 0.110 J | 4.98 | -- | -- | -- |
| MW-307 | 05/03/16 | 0.469 | 0.0338 | 0.456 | 0.0981 | 5.04 | 1.55 | < 0.0597 | -- |
| MW-307 | 08/30/16 | 0.261 | 0.0299 | 0.222 | 0.195 | 5.13 | -- | -- | -- |
| MW-307 | 12/13/16 | 0.275 | 0.0255 | 0.302 | 0.102 | 4.02 | 1.34 | 0.0812 J | -- |
| MW-307 | 03/14/17 | 0.418 | 0.0311 | 0.54 | 0.136 | 6.33 | -- | -- | -- |
| MW-307 | 06/15/17 | 0.166 | 0.0242 | 0.283 | 0.194 J | 4.18 | 1.32 | < 0.121 | -- |
| MW-307 | 08/23/17 | 0.102 J | 0.0162 | 0.095 | 0.0912 | 3.22 | 1.33 | < 0.126 | -- |
| MW-307 | 12/06/17 | 0.0501 | 0.00663 | 0.0479 | 0.0134 | 0.977 | 1.04 | < 0.128 | -- |
| MW-307 | 03/08/18 | 0.15 | 0.0158 | 0.134 | 0.0255 | 2.09 | -- | -- | -- |
| MW-307 | 06/14/18 | 0.243 | 0.0256 | 0.315 | 0.0329 | 2.71 | 1.45 | < 0.120 | -- |
| MW-307 | 09/05/18 | 0.0507 | 0.00339 | 0.016 | 0.00343 | 1.45 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|----------------|---------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-307 | 12/19/18 | 0.027 | 0.000413 J | 0.0119 | 0.00153 J | 1.17 | 1.79 | 0.396 J | -- |
| MW-307 | 03/18/19 | 0.0587 | 0.00269 | 0.05 | 0.00393 | 0.965 | -- | -- | -- |
| MW-307 | 05/16/19 | 0.0324 | 0.00693 | 0.026 | 0.0113 | 2.47 | 2.74 | 0.265 J | -- |
| MW-307 | 09/19/19 | 0.0126 | < 0.000312 | 0.00135 | < 0.000442 | 0.444 | -- | -- | -- |
| MW-307 | 12/10/19 | 0.00497 | < 0.000312 | 0.000291 J | < 0.000442 | 0.28 | 0.66 | < 0.118 | -- |
| MW-307 | 04/27/20 | 0.0974 | 0.00608 | 0.159 | 0.0267 | 1.45 | -- | -- | -- |
| MW-307 | 06/29/20 | 0.0946 | 0.00479 | 0.0909 | 0.0164 | 1.18 | 7.11 | 0.273 J | -- |
| MW-307 | 09/21/20 | 0.21 | 0.0102 | 0.156 | 0.0516 | 2.01 | -- | -- | -- |
| MW-307 | 12/16/20 | 0.106 J- | 0.0072 J- | 0.0622 J | 0.0336 J- | 1.52 | 7.75 | <0.379 | -- |
| MW-307 | 04/12/21 | 0.133 J | 0.0228 J- | 0.0930 J | 0.0950 J | 4.06 J+ | -- | -- | -- |
| MW-307 | 06/14/21 | 0.230 | 0.0180 | 0.282 | 0.0885 | 2.02 | 6.68 | 0.422 | -- |
| MW-307 | 09/22/21 | 0.135 | 0.0145 | 0.109 | 0.0717 | 1.83 | -- | -- | -- |
| MW-307 | 12/14/21 | 0.0426 | 0.00493 | 0.0921 | 0.0402 | 2.39 | 4.92 | 0.492 | -- |
| MW-307 | 03/28/22 | 0.0982 | 0.0223 | 0.147 | 0.0988 | 3.69 | -- | -- | -- |
| MW-307 | 06/29/22 | 0.149 | 0.0318 | 0.176 | 0.158 J | 2.87 | 4.02 | 0.33 J | -- |
| MW-307 | 09/20/22 | 0.16 | 0.0199 | 0.117 | 0.108 | 2.49 | -- | -- | -- |
| MW-307 | 12/12/22 | 0.0820 | 0.0190 | 0.0740 | 0.0793 | 2 | 5.93 | 0.699 | -- |
| MW-307 | 03/27/23 | 0.0698 | 0.00305 | 0.000735 J | 0.00571 | 0.569 | -- | -- | -- |
| MW-307 | 06/13/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.247 | <0.412 | -- |
| MW-307 | 09/11/23 | 0.0545 | 0.0216 | 0.0856 | 0.0928 | 2.87 | -- | -- | -- |
| MW-308 | 11/26/12 | 0.144 | 0.0010 J | 0.0072 | 0.0013 J | 0.778 | -- | -- | -- |
| MW-308 | 02/22/13 | 0.668 | 0.0078 J | 0.0443 | 0.0059 J | 3.48 | 0.354 | < 0.10 | -- |
| MW-308 | 05/15/13 | 0.392 | 0.0052 J | 0.0427 | < 0.0046 | 2.54 | -- | -- | -- |
| MW-308 | 11/06/13 | 0.237 | 0.0033 J | 0.0056 | 0.0026 J | 1.65 | -- | -- | -- |
| MW-308 | 04/22/14 | 0.0165 | < 0.00020 | 0.00036 J | < 0.00046 | 0.146 | -- | -- | -- |
| MW-308 | 11/04/14 | 0.132 | 0.0012 | 0.0044 | 0.00058 | 0.782 | < 0.048 | < 0.095 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-------------|--------------|---------------|--------------|------|------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-308 | 03/09/15 | 0.121 J | 0.002 | 0.00064 J | 0.0013 J | 1.1 | -- | -- | -- |
| MW-308 | 05/19/15 | 0.213 | 0.0013 J | < 0.00050 | < 0.0012 | 0.973 | -- | -- | -- |
| MW-308 | 07/29/15 | 0.242 | 0.0017 J | 0.0014 J | < 0.0012 | 1.77 | -- | -- | -- |
| MW-308 | 12/09/15 | 0.146 | 0.00361 | 0.0284 | 0.00527 | 1.19 | -- | -- | -- |
| MW-308 | 02/23/16 | 0.00711 | < 0.000038 | 0.000101 J | < 0.0000160 | 0.0619 | -- | -- | -- |
| MW-308 | 05/03/16 | 0.281 | 0.000903 J | 0.00376 | 0.000680 J | 1.41 | -- | -- | -- |
| MW-308 | 08/30/16 | 0.196 | < 0.00312 | < 0.00198 | < 0.00162 | 1.48 | -- | -- | -- |
| MW-308 | 12/13/16 | 0.0309 | < 0.000312 | 0.000529 J | < 0.000442 | 0.207 | -- | -- | -- |
| MW-308 | 03/14/17 | 0.000861 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-308 | 06/15/17 | 0.383 | 0.00147 | 0.00107 | 0.000477 J | 1.28 | -- | -- | -- |
| MW-308 | 08/23/17 | 0.234 | < 0.00312 | < 0.00198 | < 0.00442 | 0.812 J | -- | -- | -- |
| MW-308 | 12/06/17 | 0.085 | < 0.000312 | 0.000717 J | < 0.000442 | 0.245 | -- | -- | -- |
| MW-308 | 03/08/18 | 0.252 | 0.000314 J | < 0.000198 | < 0.000442 | 0.55 | -- | -- | -- |
| MW-308 | 06/14/18 | 0.238 | 0.000765 J | 0.00226 | < 0.000442 | 0.487 | -- | -- | -- |
| MW-308 | 09/05/18 | 0.00741 | < 0.000312 | < 0.000198 | < 0.000442 | 0.118 J | -- | -- | -- |
| MW-308 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-308 | 03/18/19 | 0.000815 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-308 | 05/16/19 | 0.00703 | < 0.000170 | < 0.000190 | < 0.000580 | 0.397 | -- | -- | -- |
| MW-308 | 09/19/19 | 0.0096 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-308 | 12/09/19 | 0.000322 J | < 0.000312 | < 0.000198 | < 0.000442 | 0.118 J | -- | -- | -- |
| MW-308 | 04/27/20 | 0.00314 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-308 | 06/29/20 | 0.00406 | < 0.000312 | 0.000292 J | < 0.000442 | 0.140 J | -- | -- | -- |
| MW-308 | 09/21/20 | 0.0175 | 0.00145 | < 0.001 | < 0.003 | 0.185 | -- | -- | -- |
| MW-308 | 12/16/20 | 0.0730 J | 0.0954 J | 0.026 J | 0.0417 J | 0.30 | -- | -- | -- |
| MW-308 | 04/12/21 | 0.0365 J+ | 0.000521 J+ | 0.000515 J+ | < 0.000500 | 0.267 | -- | -- | -- |
| MW-308 | 06/14/21 | 0.0572 | 0.00139 | 0.000975 J | 0.00155 J | 0.793 | -- | -- | -- |
| MW-308 | 09/22/21 | 0.129 | 0.00408 | 0.000975 J | 0.00257 J | 1.25 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-308 | 12/14/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | -- | -- | -- |
| MW-308 | 03/28/22 | 0.00476 | <0.00100 | 0.000244 J | <0.00300 | 0.106 J | -- | -- | -- |
| MW-308 | 06/29/22 | <0.000400 | <0.00100 | 0.000281 J | 0.000485 J | 0.0545 J | -- | -- | -- |
| MW-308 | 09/20/22 | 0.0461 | 0.00355 | 0.000888 J | 0.00171 J | 0.696 | -- | -- | -- |
| MW-308 | 12/12/22 | 0.00143 | <0.00100 | <0.00100 | <0.00300 | <0.15 | -- | -- | -- |
| MW-308 | 03/27/23 | 0.0418 | 0.00257 | 0.0254 | 0.0100 | 0.854 | -- | -- | -- |
| MW-308 | 06/13/23 | <0.000400 | <0.00100 | 0.000368 J | <0.00300 | 0.175 | -- | -- | -- |
| MW-308 | 09/11/23 | 0.000979 J | 0.000845 J | <0.00100 | <0.00200 | 0.154 | -- | -- | -- |
| MW-309 | 11/28/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-309 | 02/21/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0790 J | < 0.10 | -- |
| MW-309 | 05/16/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-309 | 11/06/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-309 | 04/23/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-309 | 07/24/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.102 | < 0.094 | -- |
| MW-309 | 11/03/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.095 | -- |
| MW-309 | 05/20/15 | < 0.00020 | < 0.00020 | 0.00027 J | < 0.00046 | 0.0542 J | -- | -- | -- |
| MW-309 | 12/08/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.241 | < 0.402 | -- |
| MW-309 | 05/04/16 | < 0.0000930 | < 0.000312 | 0.000337 J | < 0.000162 | < 0.100 | -- | -- | -- |
| MW-309 | 12/12/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.0834 J | < 0.0595 | -- |
| MW-309 | 06/13/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-309 | 12/05/17 | 0.000184 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.0877 J | < 0.128 | -- |
| MW-309 | 06/12/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-309 | 12/20/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.220 J | < 0.118 | -- |
| MW-309 | 05/16/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | 0.3 | -- | -- | -- |
| MW-309 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.0804 J | 0.614 | <0.120 | -- |
| MW-309 | 06/29/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.123 J | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|----------|--------------|---------------|--------------|-------|----------|----------------------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-309 | 12/15/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | 0.292 | <0.390 | -- |
| MW-309 | 06/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.150 | -- | -- | -- |
| MW-309 | 12/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.113 J | 0.273 | 0.140 J | -- |
| MW-309 | 06/28/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.108 J | -- | -- | -- |
| MW-309 | 12/13/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.249 | <0.391 | -- |
| MW-309 | 06/14/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.0514 J | -- | -- | -- |
| MW-310 | 11/28/12 | 0.86 | 0.0265 | 0.211 | 0.147 | 5.74 | -- | -- | -- |
| MW-310 | 02/21/13 | 1.8 | 0.0768 | 0.506 | 0.18 | 8.37 | 0.603 | < 0.10 | -- |
| MW-310 | 05/14/13 | 0.993 | 0.0703 | 0.654 | 0.175 | 6.49 | -- | -- | -- |
| MW-310 | 09/05/13 | 0.96 | 0.0598 | 0.31 | 0.11 | 5.51 | -- | -- | -- |
| MW-310 | 11/05/13 | 0.772 | 0.0409 | 0.226 | 0.0846 | 4.92 | -- | -- | -- |
| MW-310 | 01/16/14 | 0.821 | 0.0414 | 0.189 | 0.0775 | 5.94 | -- | -- | < 0.001 ¹ |
| MW-310 | 04/23/14 | 0.796 | 0.0432 | 0.187 | 0.0607 | 5.88 | -- | -- | -- |
| MW-310 | 07/24/14 | 0.92 | 0.0489 | 0.368 | 0.0647 | 6.36 | 0.605 | < 0.094 | -- |
| MW-310 | 11/04/14 | 0.739 | 0.0387 | 0.132 | 0.0538 | 5.15 | 0.613 | < 0.094 | -- |
| MW-310 | 03/09/15 | 0.736 | 0.0475 | 0.189 | 0.0606 | 4.71 | -- | -- | -- |
| MW-310 | 05/21/15 | 0.641 | 0.0464 | 0.169 | 0.0572 | 4.39 | -- | -- | < 0.010 |
| MW-310 | 07/28/15 | 0.714 | 0.0428 | 0.181 | 0.0488 | 3.72 | -- | -- | -- |
| MW-310 | 12/10/15 | 0.405 | 0.0396 | 0.0771 | 0.0564 | 3.89 | 2.75 | < 0.390 | -- |
| MW-310 | 02/23/16 | 0.755 | 0.0436 | 0.303 | 0.0615 | 4.86 | -- | -- | -- |
| MW-310 | 05/02/16 | 0.655 | 0.0349 | 0.324 | 0.0721 | 4.82 | -- | -- | -- |
| MW-310 | 08/29/16 | 0.734 | 0.0608 | 0.209 | 0.0885 | 5.38 | -- | -- | -- |
| MW-310 | 12/15/16 | 0.673 | 0.0504 | 0.289 | 0.0747 | 5.92 | 1.72 | < 0.0624 | -- |
| MW-310 | 03/13/17 | 0.809 | 0.0541 | 0.387 | 0.0848 | 5.58 | -- | -- | -- |
| MW-310 | 06/15/17 | 0.984 | 0.0504 | 0.318 | 0.0635 | 4.29 | -- | -- | -- |
| MW-310 | 08/22/17 | 0.0562 | 0.0135 | 0.0416 | 0.0297 | 2.17 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|---------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-310 | 12/05/17 | 0.00444 | 0.000430 J | 0.0122 | 0.0172 | 0.459 | 1.66 | < 0.122 | -- |
| MW-310 | 03/06/18 | 0.0293 | < 0.000312 | 0.00108 | 0.00167 J | 0.724 | -- | -- | -- |
| MW-310 | 06/13/18 | 0.0448 | 0.00103 | 0.0098 | 0.00308 | 0.748 | -- | -- | -- |
| MW-310 | 09/06/18 | 0.0182 | 0.000905 J | < 0.000198 | 0.000637 J | 0.284 | -- | -- | -- |
| MW-310 | 12/20/18 | 0.00126 | < 0.000312 | < 0.000198 | < 0.000442 | 0.0782 J | 0.652 | 0.126 J | -- |
| MW-310 | 03/19/19 | 0.00127 | < 0.000312 | 0.000226 J | < 0.000442 | 0.297 | -- | -- | -- |
| MW-310 | 05/16/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | 0.24 | -- | -- | -- |
| MW-310 | 09/19/19 | 0.000104 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-310 | 12/11/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.0739 J | 0.453 | < 0.120 | -- |
| MW-310 | 04/28/20 | 0.00595 | < 0.000312 | 0.000357 J | < 0.000442 | 0.579 | -- | -- | -- |
| MW-310 | 06/30/20 | 0.00523 | < 0.000312 | 0.000481 J | < 0.000442 | 0.669 J | -- | -- | -- |
| MW-310 | 09/21/20 | 0.00903 | < 0.001 | 0.000681 J | < 0.003 | 0.427 | -- | -- | -- |
| MW-310 | 12/15/20 | 0.00622 | < 0.0002 | 0.00156 | < 0.0005 | 0.726 | 8.62 | 0.508 | -- |
| MW-310 | 04/12/21 | 0.0221 J- | 0.000414 J | 0.00269 J- | 0.000570 J- | 1.61 | -- | -- | -- |
| MW-310 | 06/15/21 | 0.0289 | 0.000421 J | 0.00359 | 0.00117 J | 0.554 | -- | -- | -- |
| MW-310 | 09/22/21 | 0.0159 | < 0.00100 | 0.00137 | < 0.00300 | 0.343 | -- | -- | -- |
| MW-310 | 12/16/21 | 0.0166 | < 0.00100 | 0.00170 | 0.000730 J | 1.40 | 6.76 | 0.667 | -- |
| MW-310 | 03/29/22 | 0.0313 | 0.000978 J | 0.00948 | 0.00296 J | 1.55 | -- | -- | -- |
| MW-310 | 06/28/22 | 0.0392 | 0.000966 J | 0.0179 | 0.00550 | 0.924 | -- | -- | -- |
| MW-310 | 09/20/22 | 0.0244 | 0.00129 | 0.00162 | 0.00206 J | 0.77 | -- | -- | -- |
| MW-310 | 12/13/22 | 0.0163 | 0.00103 | 0.000555 J | 0.00144 J | 0.463 | 4.64 | 0.743 | -- |
| MW-310 | 03/27/23 | 0.0369 | 0.00237 | 0.0216 | 0.00890 | 0.879 | -- | -- | -- |
| MW-310 | 06/13/23 | 0.0275 | 0.00153 | 0.00761 | 0.00148 J | 0.474 | -- | -- | -- |
| MW-310 | 09/11/23 | 0.0163 | 0.00112 | < 0.00100 | 0.00163 J | 0.872 | -- | -- | -- |
| MW-311 | 11/05/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.095 | < 0.010 |
| MW-311 | 03/09/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-------------|--------------|---------------|----------------|------|------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-311 | 06/11/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-311 | 07/28/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |
| MW-311 | 12/10/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | -- | -- | -- |
| MW-311 | 02/23/16 | < 0.0000320 | < 0.0000380 | < 0.0000860 | < 0.0000160 | < 0.0178 | -- | -- | -- |
| MW-311 | 05/04/16 | 0.000716 | < 0.000312 | < 0.000198 | < 0.000162 | 0.0260 J | -- | -- | -- |
| MW-311 | 08/29/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | < 0.0178 | -- | -- | -- |
| MW-311 | 12/15/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | -- | -- | -- |
| MW-311 | 03/13/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 06/15/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 08/22/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 12/07/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 03/08/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 06/13/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 09/05/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 12/20/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | -- | -- | -- |
| MW-311 | 03/18/19 | 0.000107 J | 0.000409 J | < 0.000198 | < 0.000442 | 0.3 | -- | -- | -- |
| MW-311 | 05/16/19 | 0.000237 J | 0.000976 J | < 0.000190 | < 0.000580 | 0.618 | -- | -- | -- |
| MW-311 | 09/19/19 | 0.000211 J | < 0.000312 | < 0.000198 | < 0.000442 | 0.461 | -- | -- | -- |
| MW-311 | 12/12/19 | < 0.0000930 | < 0.000312 | 0.000290 J | 0.000839 J | 0.751 | -- | -- | -- |
| MW-311 | 04/27/20 | 0.000221 J | 0.00104 | 0.000292 J | 0.000654 J | 0.919 | -- | -- | -- |
| MW-311 | 06/30/20 | 0.000252 J | 0.000799 J | 0.000361 J | 0.000883 J | 1.41 J | -- | -- | -- |
| MW-311 | 09/22/20 | 0.000313 J | 0.00122 | 0.000351 J | 0.000558 J | 0.894 | -- | -- | -- |
| MW-311 | 12/15/20 | 0.000211 | 0.000865 | 0.000386 | 0.000641 | 1.66 J+ | -- | -- | -- |
| MW-311 | 04/13/21 | <0.000200 | 0.00102 | 0.000247 | <0.000500 | 1.32 | -- | -- | -- |
| MW-311 | 09/23/21 | 0.00207 | 0.00309 | 0.000899 J | 0.000789 J | 1.20 | -- | -- | -- |
| MW-311 | 12/16/21 | 0.000347 J | 0.000923 J | 0.000343 J | 0.00105 J | 1.63 | -- | -- | -- |
| MW-311 | 03/29/22 | 0.000243 J | 0.000909 J | 0.000302 J | 0.000828 J | 1.66 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-----------|--------------|---------------|--------------|------|---------|---------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-311 | 06/28/22 | 0.00253 | 0.00349 | 0.000596 J | 0.000644 J | 2.05 | -- | -- | -- |
| MW-311 | 09/20/22 | 0.00223 | 0.00339 | 0.000472 J | 0.00113 J | 1.57 | -- | -- | -- |
| MW-311 | 12/13/22 | 0.00374 | 0.00260 | 0.000542 J | 0.00100 J | 1.32 | -- | -- | -- |
| MW-311 | 03/28/23 | 0.00191 | 0.00233 | 0.000746 J | <0.00300 | 1.64 | -- | -- | -- |
| MW-311 | 06/14/23 | 0.00239 | 0.00281 | 0.000568 J | 0.00115 J | 1.53 | -- | -- | -- |
| MW-311 | 09/12/23 | 0.00217 | 0.00312 | 0.000520 J | 0.000984 J | 2.49 | -- | -- | -- |
| MW-312 | 11/05/14 | 0.239 | 0.0058 | 0.0065 | 0.0102 | 1.64 | 1.13 | 0.132 J | < 0.010 |
| MW-312 | 03/09/15 | 0.357 | 0.0044 J | 0.0086 | 0.0050 J | 1.91 | -- | -- | -- |
| MW-312 | 06/11/15 | 0.204 | 0.0034 J | 0.0023 J | 0.0027 J | 1.35 | -- | -- | -- |
| MW-312 | 07/28/15 | 0.313 | 0.0041 J | 0.0030 J | 0.0032 J | 1.65 | -- | -- | -- |
| MW-312 | 12/10/15 | 0.0718 | 0.00333 | 0.00222 | 0.00461 | 1.26 | -- | -- | -- |
| MW-312 | 02/23/16 | 0.327 | 0.00354 | 0.00759 | 0.00416 | 1.96 | -- | -- | -- |
| MW-312 | 05/04/16 | 0.414 | 0.00399 | 0.00662 | 0.00376 | 2.22 | -- | -- | -- |
| MW-312 | 08/29/16 | 0.37 | 0.00457 J | 0.00354 J | 0.00394 J | 2.3 | -- | -- | -- |
| MW-312 | 12/15/16 | 0.356 | 0.00336 J | 0.00556 J | < 0.000442 | 2.27 | -- | -- | -- |
| MW-312 | 03/13/17 | 0.35 | 0.00362 | 0.00527 | 0.00375 | 2.07 | -- | -- | -- |
| MW-312 | 06/15/17 | 0.383 | 0.00372 | 0.00425 | 0.00368 J | 1.89 | -- | -- | -- |
| MW-312 | 08/23/17 | 0.33 | 0.00395 | 0.00279 | 0.00422 | 2.02 | -- | -- | -- |
| MW-312 | 12/07/17 | 0.241 | 0.00441 | 0.00223 | 0.00708 | 1.72 | -- | -- | -- |
| MW-312 | 03/08/18 | 0.261 | 0.00273 J | 0.00260 J | 0.00311 J | 1.77 | -- | -- | -- |
| MW-312 | 06/13/18 | 0.284 | 0.0044 | 0.00243 | 0.0048 | 1.69 | -- | -- | -- |
| MW-312 | 09/05/18 | 0.283 | 0.00405 | 0.00306 | 0.0041 | 2.06 | -- | -- | -- |
| MW-312 | 12/20/18 | 0.126 | 0.00284 | 0.00231 | 0.00361 | 1.44 | -- | -- | -- |
| MW-312 | 03/19/19 | 0.183 | 0.00372 | 0.00472 | 0.00447 | 2.07 | -- | -- | -- |
| MW-312 | 05/16/19 | 0.189 | 0.00286 | 0.00353 | 0.00290 J | 2.5 | -- | -- | -- |
| MW-312 | 09/19/19 | 0.0928 | 0.00233 | 0.00307 | 0.00220 J | 1.64 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|----------------|---------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-312 | 12/12/19 | 0.094 | 0.00251 | 0.00341 | 0.00275 J | 1.7 | -- | -- | -- |
| MW-312 | 04/28/20 | 0.0721 | 0.00213 | 0.00315 | 0.00274 J | 1.66 | -- | -- | -- |
| MW-312 | 06/30/20 | 0.0792 | 0.00238 | 0.00406 | 0.00208 J | 1.47 | -- | -- | -- |
| MW-312 | 09/22/20 | 0.176 | 0.00286 | 0.0068 | 0.00295 J | 2.69 | -- | -- | -- |
| MW-312 | 12/15/20 | 0.0498 | 0.00251 | 0.00437 | 0.00284 | 2.56 J+ | -- | -- | -- |
| MW-312 | 04/13/21 | 0.121 | 0.00244 | 0.00453 | 0.00219 | -- | -- | -- | -- |
| MW-312 | 06/16/21 | 0.0472 | 0.00214 | 0.00250 | 0.00199 J | 1.57 | -- | -- | -- |
| MW-312 | 09/23/21 | 0.0398 | 0.00264 | 0.00329 | 0.00226 J | 1.83 | -- | -- | -- |
| MW-312 | 12/16/21 | 0.0300 | 0.00225 | 0.00290 | 0.00237 J | 2.99 | -- | -- | -- |
| MW-312 | 03/29/22 | 0.0136 | 0.00172 | 0.00240 | 0.00180 J | 2.77 | -- | -- | -- |
| MW-312 | 06/29/22 | 0.0358 | 0.00269 | 0.00230 | 0.00205 J | 2.28 | -- | -- | -- |
| MW-312 | 09/20/22 | 0.0203 | 0.00240 | 0.00207 | 0.00231 J | 1.9 | -- | -- | -- |
| MW-312 | 12/13/22 | 0.00392 | 0.00214 | 0.00126 | 0.00198 J | 1.72 | -- | -- | -- |
| MW-312 | 03/28/23 | 0.00491 | 0.00205 | 0.00101 | <0.00300 | 1.32 | -- | -- | -- |
| MW-312 | 06/14/23 | 0.00488 | 0.00196 | 0.00104 | 0.00179 J | 1.23 | -- | -- | -- |
| MW-312 | 09/12/23 | 0.0110 | 0.00227 | 0.00118 | 0.00208 | 2.58 | -- | -- | -- |
| MW-313 | 08/29/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | <0.0178 | 0.218 | < 0.0603 | -- |
| MW-313 | 12/12/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.100 | 0.207 | < 0.0598 | -- |
| MW-313 | 03/13/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.146 J | < 0.121 | -- |
| MW-313 | 06/15/17 | < 0.0000930 | < 0.000312 | < 0.000198 | 0.000463 J | < 0.0704 | 0.165 J | < 0.122 | -- |
| MW-313 | 08/22/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.222 J | < 0.121 | -- |
| MW-313 | 12/07/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.153 J | < 0.120 | -- |
| MW-313 | 03/07/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.120 | < 0.131 | -- |
| MW-313 | 06/13/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.139 J | < 0.123 | -- |
| MW-313 | 09/05/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.362 | 0.255 J | -- |
| MW-313 | 12/20/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.468 | 0.327 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-313 | 03/19/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.174 J | < 0.117 | -- |
| MW-313 | 05/16/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | 0.0807 | 0.207 J | 0.164 J | -- |
| MW-313 | 09/19/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.237 | < 0.114 | -- |
| MW-313 | 12/12/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.473 | 0.153 J | -- |
| MW-313 | 04/27/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.149 J | < 0.122 | -- |
| MW-313 | 06/30/20 | 0.000136 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.260 | < 0.116 | -- |
| MW-313 | 09/22/20 | <0.0004 | <0.001 | <0.001 | <0.003 | <0.150 | 0.309 | <0.408 | -- |
| MW-313 | 12/15/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | 0.288 | <0.388 | -- |
| MW-313 | 04/13/21 | <0.000200 | <0.000200 | <0.000200 | <0.000500 | <0.250 | 0.272 | <0.350 | -- |
| MW-313 | 06/16/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.156 J | <0.401 | -- |
| MW-313 | 09/23/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.161 J | <0.392 | -- |
| MW-313 | 12/16/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.359 | 0.185 J | -- |
| MW-313 | 03/29/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.237 | <0.395 | -- |
| MW-313 | 06/28/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.177 J | 0.14 J | -- |
| MW-313 | 09/20/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.0407 J | <0.23 | <0.383 | -- |
| MW-313 | 12/13/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.523 | 0.333 J | -- |
| MW-313 | 03/28/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.224 | <0.373 | -- |
| MW-313 | 06/14/23 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | 0.0325 J | <0.244 | <0.407 | -- |
| MW-313 | 09/12/23 | <0.00100 | <0.00100 | <0.00100 | <0.00200 | <0.0500 | 0.157 | 0.14 J | -- |
| MW-314 | 08/30/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000162 | 0.182 | 0.293 | < 0.0599 | -- |
| MW-314 | 12/14/16 | 0.00432 | 0.000374 J | < 0.000198 | < 0.000442 | 0.298 | 0.401 | 0.0679 J | -- |
| MW-314 | 03/13/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.0891 J | 0.245 | <0.120 | -- |
| MW-314 | 06/14/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.227 J | < 0.122 | -- |
| MW-314 | 08/23/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.136 J | 0.283 | < 0.124 | -- |
| MW-314 | 12/06/17 | 0.000153 J | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.285 | < 0.122 | -- |
| MW-314 | 03/07/18 | 0.00726 | < 0.000312 | < 0.000198 | < 0.000442 | 0.131 J | 0.336 | < 0.127 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|-------------|--------------|---------------|--------------|-------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-314 | 06/12/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.121 J | 0.46 | < 0.121 | -- |
| MW-314 | 09/05/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.203 | 0.825 | 0.501 | -- |
| MW-314 | 12/20/18 | 0.000564 | 0.000600 J | < 0.000198 | < 0.000442 | 0.138 J | 0.788 | 0.471 | -- |
| MW-314 | 03/19/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.157 | 0.608 | 0.139 J | -- |
| MW-314 | 05/16/19 | < 0.000200 | < 0.000170 | < 0.000190 | < 0.000580 | 0.201 | 2.09 | 0.248 J | -- |
| MW-314 | 12/10/19 | < 0.000105 J | 0.000400 J | < 0.000198 | < 0.000442 | 0.26 | 1.44 | 0.178 J | -- |
| MW-314 | 04/28/20 | 0.000578 | < 0.000312 | < 0.000198 | < 0.000442 | 0.283 | 2.36 | 0.186 J | -- |
| MW-314 | 06/29/20 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | 0.147 J | 2.57 | 0.214 J | -- |
| MW-314 | 09/22/20 | 0.00584 | 0.000903 J | < 0.001 | 0.000807 J | 0.345 | 1.60 | 0.155 J | -- |
| MW-314 | 12/15/20 | 0.0146 | 0.00182 | 0.00036 | 0.00186 | 0.578 | 1.84 | < 0.379 | -- |
| MW-314 | 04/13/21 | < 0.000200 | 0.000391 J+ | < 0.000200 | < 0.000500 | 0.363 | 2.75 | 0.745 | -- |
| MW-314 | 03/28/22 | 0.000477 | 0.000624 J | < 0.00100 | 0.000682 J | 0.253 | 0.682 | < 0.391 | -- |
| MW-314 | 06/28/22 | < 0.000400 | 0.000346 J | < 0.00100 | < 0.00300 | 0.253 | 0.936 | 0.166 J | -- |
| MW-314 | 09/20/22 | 0.00523 | 0.00187 | 0.0294 | 0.00795 | 0.634 | 2.63 | 0.237 J | -- |
| MW-314 | 03/27/23 | 0.000964 | < 0.00100 | < 0.00100 | < 0.00300 | 0.15 | 0.664 | < 0.393 | -- |
| MW-314 | 06/14/23 | < 0.000400 | < 0.00100 | < 0.00100 | < 0.00300 | 0.123 J | 0.666 | < 0.405 | -- |
| MW-315 | 08/29/16 | 0.0965 | 0.00265 | 0.000548 J | 0.00135 J | 0.453 | 1.55 | < 0.0600 | -- |
| MW-315 | 12/12/16 | 0.0174 | 0.00361 | 0.0023 | 0.00408 | 1.17 | 1.29 | 0.0871 J | -- |
| MW-315 | 03/13/17 | 0.0295 | 0.00478 | 0.00153 | 0.00793 | 1.24 | 1.64 | < 0.121 | -- |
| MW-315 | 06/15/17 | 0.0804 | 0.00426 | 0.000634 J | 0.00965 | 1.2 | 2.95 | < 0.122 | -- |
| MW-315 | 08/23/17 | 0.0727 | 0.00403 | 0.000909 J | 0.00871 | 1.71 | 2.74 | < 0.123 | -- |
| MW-315 | 12/07/17 | 0.00479 | 0.00377 | 0.000382 J | 0.00756 | 1.19 | 2.21 | < 0.121 | -- |
| MW-315 | 03/08/18 | 0.0435 | 0.00411 | 0.000736 J | 0.00712 | 1.39 | 1.15 | < 0.125 | -- |
| MW-315 | 06/13/18 | 0.0619 | 0.00529 | 0.000648 J | 0.00762 | 1.19 | 1.78 | < 0.120 | -- |
| MW-315 | 09/05/18 | 0.0178 | 0.00461 | 0.000476 J | 0.00904 | 1.33 | 2.89 | 0.267 J | -- |
| MW-315 | 12/20/18 | 0.00283 | 0.00464 | 0.000599 J | 0.0106 | 1.16 | 3.06 | 0.310 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|----------|--------------|---------------|----------------|------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-315 | 03/18/19 | 0.0233 | 0.00363 | 0.000959 J | 0.0039 | 1.4 | 1.89 | 0.149 J | -- |
| MW-315 | 05/16/19 | 0.0565 | 0.00393 | 0.000584 J | 0.00399 | 2.16 | 2.38 | 0.179 J | -- |
| MW-315 | 09/19/19 | 0.0361 | 0.0036 | 0.000542 J | 0.00353 | 1.29 | 2.61 | 0.133 J | -- |
| MW-315 | 12/12/19 | 0.00334 | 0.00389 | 0.000667 J | 0.005 | 1.68 | 3.96 | 0.266 J | -- |
| MW-315 | 04/27/20 | 0.051 | 0.00406 | 0.000695 J | 0.00368 | 1.66 | 2.81 | 0.126 J | -- |
| MW-315 | 06/30/20 | 0.0699 | 0.00574 | 0.000878 J | 0.00413 | 1.82 | 2.74 | 0.155 J | -- |
| MW-315 | 09/22/20 | 0.0297 | 0.00383 | 0.000625 J | 0.00266 J | 1.78 | 2.89 | 0.171 J | -- |
| MW-315 | 12/15/20 | 0.0028 | 0.0044 | 0.000673 | 0.00368 | 2.26 J+ | 3.34 | <0.385 | -- |
| MW-315 | 04/13/21 | 0.0666 J | 0.00493 | 0.00141 | 0.00256 | 2.90 J+ | 5.04 | 0.691 | -- |
| MW-315 | 06/16/21 | 0.0578 | 0.00411 | 0.00182 | 0.00289 J | 1.66 | 3.32 | 0.218 J | -- |
| MW-315 | 09/23/21 | 0.00915 | 0.00392 | 0.000428 J | 0.00276 J | 1.48 | 3.27 | 0.180 J | -- |
| MW-315 | 12/16/21 | 0.00421 | 0.00375 | 0.000543 J | 0.00251 J | 2.81 | 3.23 | 0.296 J | -- |
| MW-315 | 03/29/22 | 0.0452 | 0.00420 | 0.000890 J | 0.00252 J | 2.41 | 2.44 | 0.136 J | -- |
| MW-315 | 06/28/22 | 0.0177 | 0.00382 | 0.000548 J | 0.00284 J | 2.37 | 2.31 | 0.207 J | -- |
| MW-315 | 09/20/22 | 0.00610 | 0.00379 | 0.000566 J | 0.00230 J | 2.21 | 2.98 | 0.194 J | -- |
| MW-315 | 12/13/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.47 | 0.323 J | -- |
| MW-315 | 03/28/23 | 0.0273 | 0.00410 | 0.00102 | 0.00384 | 1.72 | 2.01 | <0.368 | -- |
| MW-315 | 06/14/23 | 0.0169 | 0.00427 | 0.00118 | 0.00292 J | 1.65 | 2.5 | <0.394 | -- |
| MW-315 | 09/12/23 | 0.00101 | 0.00354 | <0.00100 | 0.00296 | 3.02 | 4.17 | 0.29 J | -- |
| SH-04 | 01/13/04 | 1.2 | 0.21 | 0.14 | 2.11 | 15 | 4.7 | < 2.5 | -- |
| SH-04 | 04/20/04 | 1.5 | 0.49 | 0.64 | 5.79 | 26 | 6.2 | < 10 | -- |
| SH-04 | 07/27/04 | 1.3 | 0.13 | 0.55 | 1.78 | 15 | 5.4 | 0.53 | -- |
| SH-04 | 04/20/05 | 0.98 | 0.061 | 0.36 | 1.07 | 11 | 4.2 | < 1.5 | -- |
| SH-04 | 04/25/06 | 1.25 | 0.089 | 0.65 | 2.31 | 20 | 8.23 | 2.52 | -- |
| SH-04 | 10/30/07 | 0.884 | 0.0315 | 0.315 | 0.0814 | <5.0 | -- | -- | -- |
| SH-04 | 05/20/08 | 1.1 | 0.048 | 0.52 | 0.657 | 8.9 | 4.8 | 0.92 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| SH-04 | 11/20/08 | 0.79 | 0.032 | 0.23 | 0.0384 | 6.6 | 2.7 | < 0.5 | -- |
| SH-04 | 04/08/09 | 0.87 | 0.04 | 0.25 | 0.19 | 9.2 | 4.7 | < 0.1 | -- |
| SH-04 | 11/16/09 | 0.48 | 0.023 | 0.068 | 0.016 | 4.9 | 3.7 | < 0.1 | -- |
| SH-04 | 04/27/10 | 0.71 | 0.027 | 0.27 | 0.13 | 7.3 | 4.7 | 0.39 | -- |
| SH-04 | 10/25/10 | 0.58 | 0.019 | 0.18 | 0.013 | 4 | 2.8 | < 0.1 | -- |
| SH-04 | 05/23/11 | 0.655 | 0.0145 | 0.151 | 0.034 | 5.4 | 1.84 | 0.13 | -- |
| SH-04 | 10/27/11 | 0.393 | 0.02 | 0.0926 | 0.0279 | 5.35 | 1.22 | < 0.19 | -- |
| SH-04 | 03/01/12 | 0.614 | 0.0227 | 0.0932 | 0.0124 J | 5.53 | -- | -- | -- |
| SH-04 | 06/11/12 | 0.426 | 0.0142 | 0.112 | 0.0198 J | 6 | 1.49 | 0.393 | -- |
| SH-04 | 09/25/12 | 0.124 | 0.0184 | 0.461 | 0.139 | 6.52 | -- | -- | -- |
| SH-04 | 11/25/12 | 0.073 | 0.0079 J | 0.609 | 0.326 | 8.15 | 0.762 | < 0.098 | -- |
| SH-04 | 05/15/13 | 0.0016 J | 0.0005 | 0.0042 | 0.0032 J | 2.16 | 0.376 | < 0.096 | -- |
| SH-04 | 11/04/13 | 0.0032 | 0.00043 J | 0.0071 | 0.005 | 1.05 | 0.134 | < 0.094 | -- |
| SH-04 | 04/24/14 | 0.0091 | 0.00053 J | 0.00090 J | 0.0014 J | 0.938 | 0.469 | 0.0944 J | -- |
| SH-04 | 11/06/14 | 0.0249 | 0.0023 | 0.0173 | 0.0072 | 0.984 | 0.608 | < 0.094 | -- |
| SH-04 | 05/21/15 | 0.0094 | 0.00048 J | 0.0035 | 0.0021 | 0.78 | 0.171 | < 0.094 | -- |
| SH-04 | 12/08/15 | 0.0155 | 0.00118 | 0.00359 | 0.00409 | 0.927 | 1.74 | 0.422 | -- |
| SH-04 | 05/05/16 | 0.000454 | < 0.000312 | 0.000939 J | 0.000887 J | 0.941 | 0.23 | < 0.0601 | -- |
| SH-04 | 12/14/16 | 0.00534 | 0.000990 J | 0.0199 | 0.0123 | 0.843 | 1 | 0.102 J | -- |
| SH-04 | 06/14/17 | 0.00158 | 0.000468 J | 0.00192 | 0.00208 J | 0.702 | 0.242 J | 0.138 J | -- |
| SH-04 | 12/07/17 | 0.00934 | 0.0015 | 0.00205 | 0.00351 | 0.796 | 1.78 | < 0.136 | -- |
| SH-04 | 06/13/18 | 0.0052 | 0.000593 J | 0.0042 | 0.00212 J | 0.724 | 0.187 J | < 0.123 | -- |
| SH-04 | 12/19/18 | 0.0118 | 0.00195 | 0.0125 | 0.00477 | 0.804 | 0.954 | 0.210 J | -- |
| SH-04 | 05/16/19 | 0.00169 | 0.000346 J | 0.00225 | 0.00227 J | 1.35 | 0.582 | 0.174 J | -- |
| SH-04 | 12/11/19 | 0.012 | 0.00186 | 0.00139 | 0.00342 | 0.0805 | 1.26 | < 0.121 | -- |
| SH-04 | 06/30/20 | 0.00239 | 0.000477 J | 0.00124 | 0.00123 J | 0.379 | 0.256 | < 0.119 | -- |
| SH-04 | 12/14/20 | 0.0118 | 0.00164 | 0.00587 | 0.00262 | 0.359 | 2.78 | 0.472 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|---------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| SH-04 | 06/15/21 | 0.00525 | 0.000511 J | 0.00294 | 0.00162 J | 0.472 | 0.209 J | <0.404 | -- |
| SH-04 | 12/15/21 | 0.0167 | 0.00172 | 0.00150 | 0.00380 | 1.29 | 2.67 | 0.400 J | -- |
| SH-04 | 04/18/22 | 0.00626 | 0.00105 | 0.00384 | 0.00457 | 1.17 | 0.549 | <0.392 | -- |
| SH-04 | 06/28/22 | 0.0117 | 0.00110 | 0.00263 | 0.00226 J | 0.813 | 0.38 | 0.14 J | -- |
| SH-04 | 12/13/22 | 0.00697 | 0.00107 | 0.00327 | 0.00283 J | 0.369 | 1.82 | 0.417 | -- |
| SH-04 | 06/13/23 | 0.00265 | 0.000486 J | 0.00175 | 0.00192 J | 0.367 | 0.231 J | <0.398 | -- |
| TES-MW-1 | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 04/20/04 | 0.0067 | < 0.001 | 0.011 | 0.043 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 04/20/04 | 0.0075 | < 0.001 | 0.013 | 0.049 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 07/28/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 10/18/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 01/25/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 04/19/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.05 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 07/13/05 | 0.001 | < 0.001 | 0.006 | 0.0189 | 0.1 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 10/20/05 | 0.0039 | < 0.001 | 0.013 | 0.0437 | 0.23 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 01/27/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | < 0.05 | < 0.240 | < 0.481 | -- |
| TES-MW-1 | 11/18/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | < 0.25 | < 0.5 | -- |
| TES-MW-1 | 11/18/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| TES-MW-1 | 10/26/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | < 0.1 | < 0.1 | -- |
| TES-MW-1 | 05/24/11 | <0.0003 | <0.0005 | <0.0003 | <0.0007 | <0.050 | -- | -- | -- |
| TES-MW-1 | 10/27/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | < 0.10 | < 0.20 | -- |
| TES-MW-1 | 11/26/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.050 | < 0.10 | -- |
| TES-MW-1 | 11/06/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.095 | -- |
| TES-MW-1 | 11/04/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.095 | -- |
| TES-MW-1 | 12/09/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.234 | < 0.390 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| TES-MW-1 | 12/13/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | < 0.0466 | < 0.0699 | -- |
| TES-MW-1 | 12/06/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.0816 | < 0.122 | -- |
| TES-MW-1 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.106 | < 0.116 | -- |
| TES-MW-1 | 12/09/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.111 | < 0.121 | -- |
| TES-MW-1 | 12/16/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | <0.238 | <0.397 | -- |
| TES-MW-1 | 12/14/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | <0.237 | 0.162 J | -- |
| TES-MW-1 | 12/12/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.256 | <0.427 | -- |
| TX-03A | 01/13/04 | 2.9 | 0.018 | 0.038 | 0.091 | 2.7 | 0.86 | < 0.5 | -- |
| TX-03A | 04/19/04 | 4.4 | 0.047 | 0.12 | 0.11 | 12 | 1.3 | < 0.5 | -- |
| TX-03A | 07/27/04 | 1.7 | 0.011 | 0.016 | 0.037 | 5.2 | 0.81 | < 0.5 | -- |
| TX-03A | 10/18/04 | 3.2 | 0.024 | 0.062 | 0.093 | 7.5 | 1.2 | < 0.5 | -- |
| TX-03A | 01/24/05 | 2.5 | 0.02 | < 0.01 | 0.065 | 8.2 | 0.54 | < 0.5 | -- |
| TX-03A | 04/19/05 | 2.5 | 0.021 | 0.026 | 0.049 | 6.1 | 0.47 | < 0.5 | -- |
| TX-03A | 07/12/05 | 3.1 | 0.024 | 0.044 | 0.054 | 10 | 0.32 | < 0.5 | -- |
| TX-03A | 10/31/07 | 2.2 | 0.0233 | 0.0601 | 0.0503 | <5.0 | -- | -- | -- |
| TX-03A | 05/20/08 | 0.88 | 0.007 | 0.016 | 0.01 | 3 | -- | -- | -- |
| TX-03A | 11/20/08 | 2.1 | 0.019 | 0.038 | 0.018 | 4.5 | -- | -- | -- |
| TX-03A | 04/08/09 | 1.2 | < 0.025 | 0.028 | < 0.025 | 3.5 | -- | -- | -- |
| TX-03A | 11/17/09 | 0.97 | 0.0078 | 0.016 | 0.011 | 2.4 | -- | -- | -- |
| TX-03A | 04/27/10 | 1.7 | 0.0096 | 0.0087 | 0.0099 | 4.6 | -- | -- | -- |
| TX-03A | 10/25/10 | 1.7 | 0.011 | 0.067 | 0.013 | 3.3 | -- | -- | -- |
| TX-03A | 05/23/11 | 1.78 | <0.025 | 0.044 | <0.035 | 7.53 | -- | -- | -- |
| TX-03A | 10/27/11 | 3.44 | 0.0712 | 0.147 | 0.111 | 8.51 | -- | -- | -- |
| TX-03A | 03/01/12 | 1.74 | 0.0261 | 0.0272 | 0.0345 J | 5.58 | -- | -- | -- |
| TX-03A | 06/12/12 | 1.57 | 0.0200 J | 0.0139 J | 0.0300 J | 6.78 | -- | -- | -- |
| TX-03A | 09/25/12 | 1.7 | 0.0298 | 0.041 | 0.0501 | 5.53 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| TX-03A | 11/28/12 | 1.18 | 0.0188 J | 0.0232 | 0.0357 J | 4.91 | -- | -- | -- |
| TX-03A | 02/21/13 | 2.81 | 0.0403 | 0.0421 | 0.0489 J | 8.2 | 0.32 | < 0.10 | -- |
| TX-03A | 05/15/13 | 2.15 | 0.0459 J | 0.189 | 0.0643 J | 3.11 | -- | -- | -- |
| TX-03A | 11/05/13 | 2.72 | 0.0343 J | 0.0364 J | 0.0411 J | 6.01 | -- | -- | -- |
| TX-03A | 04/23/14 | 1.22 | 0.0171 | 0.0251 | 0.027 | 5.76 | -- | -- | -- |
| TX-03A | 07/24/14 | 1.64 | 0.0317 | 0.0698 | 0.052 | 7.55 | 0.382 | < 0.094 | -- |
| TX-03A | 11/04/14 | 0.941 | 0.0137 | 0.0366 | 0.0269 | 5.76 | 0.448 | < 0.094 | -- |
| TX-03A | 03/09/15 | 1.86 | 0.0246 J | 0.0581 | 0.0390 J | 7.16 | -- | -- | -- |
| TX-03A | 05/21/15 | 1.15 | 0.0144 J | 0.0462 | 0.0260 J | 3.4 | -- | -- | -- |
| TX-03A | 07/28/15 | 1.72 | 0.0213 J | 0.118 | 0.0355 J | 5.42 | -- | -- | -- |
| TX-03A | 12/10/15 | 0.635 | 0.0126 | 0.026 | 0.0253 | 3.32 | 1.34 | < 0.391 | -- |
| TX-03A | 02/23/16 | 1.78 | 0.0274 | 0.0882 | 0.0385 | 5.17 | -- | -- | -- |
| TX-03A | 05/02/16 | 1.54 | 0.037 | 0.208 | 0.0503 | 6.3 | -- | -- | -- |
| TX-03A | 08/29/16 | 0.844 | 0.0257 | 0.246 | 0.053 | 5.89 | -- | -- | -- |
| TX-03A | 12/15/16 | 0.995 | 0.0197 J | 0.0697 | 0.0357 J | 4.81 | 1.73 | 0.125 J | -- |
| TX-03A | 03/13/17 | 0.76 | 0.0208 | 0.0901 | 0.0352 J | 3.66 | -- | -- | -- |
| TX-03A | 06/13/17 | 1.37 | 0.0361 | 0.246 | 0.0618 J | 5.36 | -- | -- | -- |
| TX-03A | 08/22/17 | 1.08 | 0.0233 | 0.137 | 0.0363 | 4.55 | -- | -- | -- |
| TX-03A | 12/05/17 | 0.258 | 0.00697 J | 0.0172 J | 0.0126 J | 3.07 | 2.03 | 0.172 J | -- |
| TX-03A | 03/27/18 | 0.135 | 0.00114 | 0.00395 | 0.000969 J | 1.21 | -- | -- | -- |
| TX-03A | 06/13/18 | 0.204 | 0.0024 | 0.015 | 0.000713 J | 0.97 | -- | -- | -- |
| TX-03A | 09/06/18 | 0.263 | 0.00308 | 0.0252 | 0.00115 J | 1.31 | -- | -- | -- |
| TX-03A | 12/20/18 | 0.0278 | 0.000612 J | 0.00282 | 0.000499 J | 0.768 | 2.88 | 1.05 | -- |
| TX-03A | 03/19/19 | 0.0131 J | < 0.000312 | 0.00143 | < 0.000442 | 0.938 | -- | -- | -- |
| TX-03A | 05/16/19 | 0.102 J | < 0.000170 | 0.00115 J | < 0.000580 J | 0.991 | -- | -- | -- |
| TX-03A | 09/19/19 | 0.00642 | < 0.000312 | 0.00722 | < 0.000442 | 0.446 | -- | -- | -- |
| TX-03A | 12/11/19 | 0.00173 | < 0.000312 | 0.0017 | < 0.000442 | 0.521 | 1.72 | 0.154 J | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|--------|---------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| TX-03A | 04/28/20 | 0.023 | < 0.000312 | 0.000578 J | < 0.000442 | 0.181 | -- | -- | -- |
| TX-03A | 06/30/20 | 0.00796 | < 0.000312 | 0.00135 | < 0.000442 | 0.129 J | -- | -- | -- |
| TX-03A | 09/21/20 | 0.00527 | <0.001 | 0.00293 | <0.003 | 0.139 J | -- | -- | -- |
| TX-03A | 12/15/20 | 0.00499 | 0.00022 | 0.0029 | <0.0005 | <0.250 | 0.520 | <0.371 | -- |
| TX-03A | 04/12/21 | 0.0665 J | 0.00151 | 0.00955 | <0.000500 | 0.465 | -- | -- | -- |
| TX-03A | 06/16/21 | 0.0416 | 0.00151 | 0.0192 | 0.000832 J | 0.285 | -- | -- | -- |
| TX-03A | 09/23/21 | 0.0183 | 0.000973 J | 0.00677 | 0.000651 J | 0.221 | -- | -- | -- |
| TX-03A | 03/28/22 | 0.121 | 0.00255 | 0.0120 | 0.00163 J | 0.998 | -- | -- | -- |
| TX-03A | 06/28/22 | 0.114 | 0.00632 | 0.0132 | 0.00356 | 1.39 | -- | -- | -- |
| TX-03A | 09/21/22 | 0.00895 | 0.000999 J | 0.00181 | 0.00111 J | 0.294 | -- | -- | -- |
| TX-03A | 12/13/22 | 0.122 | 0.00701 | 0.00140 | 0.00682 | 1.05 | 1.51 | 0.598 | -- |
| TX-03A | 03/27/23 | 0.165 | 0.00807 | 0.00532 | 0.00904 | 1.5 | -- | -- | -- |
| TX-03A | 06/14/23 | 0.241 | 0.00880 | 0.00497 | 0.00791 | 1.37 | -- | -- | -- |
| TX-03A | 09/12/23 | 0.0890 | 0.00760 | 0.000770 J | 0.00860 | 1.98 | -- | -- | -- |
| TX-04 | 01/13/04 | 0.025 | 0.0055 | < 0.001 | 0.0194 | 0.65 | 0.59 | < 0.5 | -- |
| TX-04 | 04/21/04 | 0.0025 | 0.0017 | < 0.001 | 0.0031 | 0.47 | 2.2 | < 0.75 | -- |
| TX-04 | 07/27/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 1.5 | < 0.5 | -- |
| TX-04 | 10/18/04 | < 0.001 | < 0.001 | < 0.001 | 0.0022 | 0.28 | 1.2 | < 0.5 | -- |
| TX-04 | 01/24/05 | 0.031 | 0.0071 | < 0.001 | 0.0204 | 0.87 | 0.64 | < 0.5 | -- |
| TX-04 | 04/20/05 | 0.014 | 0.0036 | < 0.001 | 0.0085 | 0.54 | 0.73 | < 0.5 | -- |
| TX-04 | 07/12/05 | < 0.001 | < 0.001 | < 0.001 | 0.0014 | 0.34 | 0.82 | < 0.5 | -- |
| TX-04 | 10/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.2 | 1.1 | < 0.5 | -- |
| TX-04 | 01/25/06 | 0.00127 | 0.001 | < 0.0005 | 0.00151 | 0.206 | 0.835 | < 0.476 | -- |
| TX-04 | 11/18/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | 0.076 | < 0.25 | < 0.5 | -- |
| TX-04 | 11/16/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | 0.17 | 0.13 | < 0.1 | -- |
| TX-04 | 10/25/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.17 | < 0.1 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|----------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| TX-04 | 05/23/11 | <0.0003 | <0.0005 | <0.0003 | <0.0007 | 0.0554 | -- | -- | -- |
| TX-04 | 10/26/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | < 0.20 | 0.0966 | < 0.20 | -- |
| TX-04 | 11/26/12 | 0.0013 | 0.00038 J | < 0.00020 | 0.00052 J | 0.0980 J | 0.0807 J | < 0.10 | -- |
| TX-04 | 11/04/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.0492 J | < 0.095 | -- |
| TX-04 | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | < 0.048 | < 0.096 | -- |
| TX-04 | 12/08/15 | 0.000268 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | < 0.245 | < 0.408 | -- |
| TX-04 | 12/12/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.0762 J | < 0.0608 | -- |
| TX-04 | 12/05/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.0834 | < 0.125 | -- |
| TX-04 | 12/19/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | < 0.104 | < 0.114 | -- |
| TX-04 | 12/12/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.122 J | < 0.119 | -- |
| TX-04 | 12/14/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | <0.110 | <0.351 | -- |
| TX-04 | 12/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | <0.247 | <0.411 | -- |
| TX-04 | 12/13/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | <0.232 | <0.386 | -- |
| TX-06A | 01/14/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 5.8 | < 1 | -- |
| TX-06A | 04/21/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 3.4 | < 0.75 | -- |
| TX-06A | 07/27/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 3.6 | < 0.5 | -- |
| TX-06A | 10/18/04 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 4.1 | < 0.5 | -- |
| TX-06A | 01/24/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.25 | 2.7 | < 0.5 | -- |
| TX-06A | 04/20/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.18 | 6.3 | < 1.5 | -- |
| TX-06A | 07/13/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.26 | 2.5 | < 0.5 | -- |
| TX-06A | 10/18/05 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.072 | 0.93 | < 0.5 | -- |
| TX-06A | 01/26/06 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.001 | 0.126 | 1.57 | < 0.476 | -- |
| TX-06A | 11/18/08 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.05 | 0.49 | < 0.5 | -- |
| TX-06A | 11/17/09 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.24 | < 0.1 | -- |
| TX-06A | 10/28/10 | < 0.0005 | < 0.001 | < 0.001 | < 0.001 | < 0.1 | 0.72 | < 0.1 | -- |
| TX-06A | 10/25/11 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0020 | 0.0519 | 0.499 | < 0.21 | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|------------|--------------|---------------|--------------|-------|----------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| TX-06A | 11/25/12 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.50 | 0.716 | < 0.098 | -- |
| TX-06A | 11/07/13 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.358 | < 0.095 | -- |
| TX-06A | 11/06/14 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | 0.758 | 0.184 | -- |
| TX-06A | 12/08/15 | < 0.00020 | < 0.0010 | < 0.0010 | < 0.0030 | < 0.100 | 1.03 | <0.388 | -- |
| TX-06A | 12/12/16 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0178 | 0.433 | 0.0707 J | -- |
| TX-06A | 12/05/17 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.36 | < 0.122 | -- |
| TX-06A | 12/20/18 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.592 | 0.244 J | -- |
| TX-06A | 12/10/19 | < 0.0000930 | < 0.000312 | < 0.000198 | < 0.000442 | < 0.0704 | 0.244 | < 0.119 | -- |
| TX-06A | 12/14/20 | <0.00020 | <0.0002 | <0.00020 | <0.0005 | <0.250 | 1.32 | 0.589 | -- |
| TX-06A | 12/15/21 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.150 | 0.589 | 0.146 J | -- |
| TX-06A | 12/12/22 | <0.000400 | <0.00100 | <0.00100 | <0.00300 | <0.15 | 0.659 | 0.21 J | -- |
| MW-01 | 07/28/15 | < 0.00020 | < 0.00020 | < 0.00020 | < 0.00046 | < 0.050 | -- | -- | -- |

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | Volatile Organic Compounds | | | | Hydrocarbons | | | Lead |
|-----------------------------|-------------|----------------------------|---------|--------------|---------------|--------------|------|------|--------|
| | | Benzene | Toluene | Ethylbenzene | Total Xylenes | TPHg | TPHd | TPHo | Total |
| Site-Specific Cleanup Level | | 0.071 | 200 | 29 | NE | 1 | 10 | 10 | 0.0058 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |

Note:

= Indicates data collected during this progress report period

* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

¹ = Dissolved lead result

Bold = indicate detected concentration greater than cleanup level

BTEX = benzene, toluene, ethylbenzene, and total xylenes

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

J+ = The result is an estimated quantity, but the result may be biased high.

J- = The result is an estimated quantity, but the result may be biased low.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

mg/L = milligrams per liter

NA = not analyzed

NE = not established

TPHg = Total petroleum hydrocarbons as gasoline analyzed by Northwest Method NWTPH-Gx.

TPHd = Total petroleum hydrocarbons as diesel analyzed by Northwest Method NWTPH-Dx.

TPHo = Total petroleum hydrocarbons as oil analyzed by Northwest Method NWTPH-Dx.

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | PAHs | | | | | | |
|-----------------------------|-------------|---------------------|-----------------|-----------------------|-----------------------|-------------|------------------------|------------------------|
| | | Benzo(a)-anthracene | Benzo(a)-pyrene | Benzo(b)-fluoranthene | Benzo(k)-fluoranthene | Chrysene | Dibenz(a,h)-anthracene | Indeno(1,2,3-cd)pyrene |
| Site-Specific Cleanup Level | | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-213 | 01/14/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 04/20/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 07/28/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 10/19/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 01/25/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 04/19/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 07/12/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 10/20/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 01/26/06 | < 0.0000943 | < 0.0000943 | < 0.0000943 | < 0.0000943 | < 0.0000943 | < 0.0000943 | < 0.0000943 |
| MW-213 | 10/30/07 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| MW-213 | 11/19/08 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| MW-213 | 04/07/09 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 11/18/09 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 04/26/10 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 10/28/10 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-213 | 05/24/11 | <0.00003 | <0.00003 | <0.00003 | <0.00003 | <0.00003 | <0.00003 | <0.00003 |
| MW-213 | 10/25/11 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 |
| MW-213 | 06/12/12 | < 0.000050 | < 0.000041 | < 0.000035 | < 0.000039 | < 0.000045 | < 0.000035 | < 0.000035 |
| MW-213 | 11/29/12 | < 0.000053 | < 0.000041 | < 0.000035 | < 0.000039 | < 0.000045 | < 0.000035 | < 0.000035 |
| MW-213 | 05/15/13 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-213 | 11/05/13 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000043 | < 0.000033 | < 0.000033 |
| MW-213 | 04/23/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000043 | < 0.000033 | < 0.000033 |
| MW-213 | 11/05/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-213 | 05/19/15 | < 0.0014 | < 0.0011 | < 0.0013 | < 0.0013 | < 0.0016 | < 0.0012 | < 0.0013 |

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | PAHs | | | | | | |
|-----------------------------|-------------|---------------------|-----------------|-----------------------|-----------------------|--------------|------------------------|------------------------|
| | | Benzo(a)-anthracene | Benzo(a)-pyrene | Benzo(b)-fluoranthene | Benzo(k)-fluoranthene | Chrysene | Dibenz(a,h)-anthracene | Indeno(1,2,3-cd)pyrene |
| Site-Specific Cleanup Level | | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-213 | 12/09/15 | < 0.0000948 | < 0.0000948 | < 0.0000948 | < 0.0000948 | < 0.0000948 | < 0.0000948 | < 0.0000948 |
| MW-213 | 05/03/16 | < 0.0000920 | < 0.0000101 | < 0.0000101 | < 0.0000138 | < 0.00000644 | < 0.0000120 | < 0.0000202 |
| MW-213 | 12/13/16 | 0.0000122 | < 0.0000887 | < 0.0000108 | < 0.0000148 | < 0.00000690 | < 0.0000128 | < 0.0000217 |
| MW-213 | 06/14/17 | < 0.0000888 | < 0.0000109 | < 0.0000109 | < 0.0000148 | < 0.00000691 | < 0.0000128 | < 0.0000217 |
| MW-213 | 12/07/17 | < 0.0000965 | < 0.0000106 | < 0.0000106 | < 0.0000145 | < 0.00000676 | < 0.0000125 | < 0.0000212 |
| MW-213 | 06/12/18 | < 0.0000103 | < 0.0000113 | < 0.0000113 | < 0.0000154 | < 0.00000720 | < 0.0000134 | < 0.0000226 |
| MW-213 | 12/19/18 | < 0.0000119 | < 0.0000119 | < 0.0000109 | < 0.0000149 | < 0.00000893 | < 0.0000129 | < 0.0000218 |
| MW-213 | 05/16/19 | < 0.0000119 | < 0.0000119 | < 0.0000109 | < 0.0000149 | < 0.00000893 | < 0.0000129 | < 0.0000218 |
| MW-213 | 12/11/19 | < 0.0000119 | < 0.0000896 | < 0.0000109 | < 0.0000149 | < 0.00000995 | < 0.0000129 | < 0.0000219 |
| MW-213 | 06/29/20 | < 0.0000124 | < 0.0000124 | < 0.0000113 | < 0.0000154 | < 0.0000103 | < 0.0000134 | < 0.0000226 |
| MW-213 | 12/16/20 | < 0.0000503 | < 0.0000101 | < 0.0000503 | < 0.0000503 | < 0.0000101 | < 0.0000101 | < 0.0000503 |
| MW-213 | 06/14/21 | < 0.0000506 | < 0.0000101 | < 0.0000506 | < 0.0000506 | < 0.0000101 | < 0.0000101 | < 0.0000506 |
| MW-213 | 12/16/21 | < 0.0000895 | < 0.0000895 | < 0.0000895 | < 0.0000895 | < 0.0000895 | < 0.0000895 | < 0.0000895 |
| MW-213 | 06/29/22 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 |
| MW-213 | 12/12/22 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 | < 0.0000905 |
| MW-213 | 06/12/23 | < 0.0000907 | < 0.0000907 | < 0.0000907 | < 0.0000907 | < 0.0000907 | < 0.0000907 | < 0.0000907 |
| MW-214 | 01/30/03 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 04/17/03 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 07/17/03 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 10/16/03 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 01/14/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 04/20/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 07/28/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 10/19/04 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | PAHs | | | | | | |
|-----------------------------|-------------|---------------------|-----------------|-----------------------|-----------------------|--------------|------------------------|------------------------|
| | | Benzo(a)-anthracene | Benzo(a)-pyrene | Benzo(b)-fluoranthene | Benzo(k)-fluoranthene | Chrysene | Dibenz(a,h)-anthracene | Indeno(1,2,3-cd)pyrene |
| Site-Specific Cleanup Level | | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-214 | 01/25/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 04/19/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 07/12/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 10/20/05 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 01/26/06 | < 0.000099 | < 0.000099 | < 0.000099 | < 0.000099 | < 0.000099 | < 0.000099 | < 0.000099 |
| MW-214 | 10/30/07 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| MW-214 | 05/05/08 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| MW-214 | 11/19/08 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| MW-214 | 04/07/09 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 11/18/09 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 04/26/10 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 10/28/10 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 | < 0.0001 |
| MW-214 | 05/24/11 | < 0.000029 | < 0.000029 | < 0.000029 | < 0.000029 | < 0.000029 | < 0.000029 | < 0.000029 |
| MW-214 | 10/25/11 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 | < 0.00010 |
| MW-214 | 06/12/12 | < 0.000051 | < 0.000040 | < 0.000034 | < 0.000038 | < 0.000044 | < 0.000034 | < 0.000034 |
| MW-214 | 11/29/12 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-214 | 05/15/13 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-214 | 11/05/13 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-214 | 04/23/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000043 | < 0.000033 | < 0.000033 |
| MW-214 | 11/05/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-214 | 05/19/15 | < 0.0013 | < 0.0010 | < 0.0012 | < 0.0013 | < 0.0015 | < 0.0012 | < 0.0013 |
| MW-214 | 12/09/15 | < 0.0000908 | < 0.0000908 | < 0.0000908 | < 0.0000908 | < 0.0000908 | < 0.0000908 | < 0.0000908 |
| MW-214 | 05/04/16 | < 0.00000926 | < 0.0000102 | < 0.0000102 | < 0.0000139 | < 0.00000648 | < 0.0000120 | < 0.0000204 |
| MW-214 | 12/14/16 | 0.00000994 | < 0.0000883 | < 0.0000108 | < 0.0000147 | < 0.00000687 | < 0.0000128 | < 0.0000216 |
| MW-214 | 06/14/17 | < 0.0000850 | < 0.0000104 | < 0.0000104 | < 0.0000142 | < 0.00000661 | < 0.0000123 | < 0.0000208 |

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | PAHs | | | | | | |
|-----------------------------|-------------|---------------------|-----------------|-----------------------|-----------------------|--------------|------------------------|------------------------|
| | | Benzo(a)-anthracene | Benzo(a)-pyrene | Benzo(b)-fluoranthene | Benzo(k)-fluoranthene | Chrysene | Dibenz(a,h)-anthracene | Indeno(1,2,3-cd)pyrene |
| Site-Specific Cleanup Level | | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-214 | 12/07/17 | < 0.0000102 | < 0.0000112 | < 0.0000112 | < 0.0000153 | < 0.00000713 | < 0.0000132 | < 0.0000224 |
| MW-214 | 06/12/18 | < 0.00000976 | < 0.0000107 | < 0.0000107 | < 0.0000146 | < 0.00000683 | < 0.0000127 | < 0.0000215 |
| MW-214 | 12/19/18 | < 0.0000119 | < 0.0000119 | < 0.0000109 | < 0.0000149 | < 0.00000894 | < 0.0000129 | < 0.0000219 |
| MW-214 | 05/16/19 | < 0.0000119 | < 0.0000119 | < 0.0000109 | < 0.0000149 | < 0.00000894 | < 0.0000129 | < 0.0000219 |
| MW-214 | 12/11/19 | 0.0000141 J | < 0.0000921 | < 0.0000113 | < 0.0000154 | < 0.0000102 | < 0.0000133 | < 0.0000225 |
| MW-214 | 06/29/20 | <0.0000117 | <0.0000117 | <0.0000108 | <0.0000147 | <0.00000977 | <0.0000127 | <0.0000215 |
| MW-214 | 12/16/20 | <0.0000517 | <0.000103 | <0.0000517 | <0.0000517 | <0.000103 | <0.000103 | <0.0000517 |
| MW-214 | 06/14/21 | <0.0000499 | <0.0000999 | <0.0000499 | <0.0000499 | <0.0000999 | <0.0000999 | <0.0000499 |
| MW-214 | 12/16/21 | <0.0000905 | <0.0000905 | <0.0000905 | <0.0000905 | <0.0000905 | <0.0000905 | <0.0000905 |
| MW-214 | 06/29/22 | <0.0000910 | 0.0000123 J | <0.0000910 | <0.0000910 | 0.0000148 J | <0.0000910 | <0.0000910 |
| MW-214 | 12/12/22 | <0.0000904 | <0.0000904 | <0.0000904 | <0.0000904 | <0.0000904 | <0.0000904 | <0.0000904 |
| MW-214 | 06/12/23 | 0.0000224 J | <0.0000903 | <0.0000903 | <0.0000903 | <0.0000903 | <0.0000903 | <0.0000903 |
| MW-301 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-301 | 05/21/15 | < 0.0014 | < 0.0011 | < 0.0013 | < 0.0013 | < 0.0016 | < 0.0012 | < 0.0013 |
| MW-302 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-302 | 05/21/15 | < 0.0013 | < 0.0010 | < 0.0012 | < 0.0013 | < 0.0015 | < 0.0012 | < 0.0013 |
| MW-303 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000043 | < 0.000033 | < 0.000033 |
| MW-303 | 05/20/15 | < 0.0014 | < 0.0011 | < 0.0013 | < 0.0013 | < 0.0016 | < 0.0012 | < 0.0013 |
| MW-304 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-304 | 05/20/15 | < 0.0013 | < 0.0010 | < 0.0012 | < 0.0013 | < 0.0015 | < 0.0012 | < 0.0013 |

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

| Sample ID | Sample Date | PAHs | | | | | | |
|-----------------------------|-------------|---------------------|-----------------|-----------------------|-----------------------|------------|------------------------|------------------------|
| | | Benzo(a)-anthracene | Benzo(a)-pyrene | Benzo(b)-fluoranthene | Benzo(k)-fluoranthene | Chrysene | Dibenz(a,h)-anthracene | Indeno(1,2,3-cd)pyrene |
| Site-Specific Cleanup Level | | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 | 0.000031 |
| | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L |
| MW-309 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-309 | 05/20/15 | < 0.0014 | < 0.0011 | < 0.0013 | < 0.0014 | < 0.0016 | < 0.0012 | < 0.0013 |
| MW-310 | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-310 | 05/21/15 | < 0.0013 | < 0.0010 | < 0.0012 | < 0.0013 | < 0.0015 | < 0.0012 | < 0.0013 |
| MW-311 | 11/05/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| MW-312 | 11/05/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| TX-03A | 07/24/14 | < 0.000050 | < 0.000039 | < 0.000033 | < 0.000037 | < 0.000042 | < 0.000033 | < 0.000033 |
| TX-03A | 05/21/15 | < 0.0014 | < 0.0010 | < 0.0013 | < 0.0013 | < 0.0016 | < 0.0012 | < 0.0013 |

Note:

= Indicates data collected during this progress report period

* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are

ID = identification

mg/L = milligrams per liter

PAHs = polycyclic aromatic hydrocarbons

Attachment 1

Laboratory Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Emily Blakeway
GHD Services Inc.
20818 44th Ave W
Suite 190
Lynnwood, Washington 98036

Generated 9/26/2023 9:41:28 AM

JOB DESCRIPTION

Shell - Washington
SDG NUMBER 13th ave

JOB NUMBER

580-131444-1

Eurofins Seattle

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

Authorization



Generated
9/26/2023 9:41:28 AM

Authorized for release by
Katie Grant, Project Manager I
Katie.Grant@et.eurofinsus.com
(253)922-2310



Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Case Narrative | 4 |
| Definitions | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 19 |
| Chronicle | 26 |
| Certification Summary | 29 |
| Sample Summary | 30 |
| Chain of Custody | 31 |
| Receipt Checklists | 33 |

Case Narrative

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Job ID: 580-131444-1

Laboratory: Eurofins Seattle

Narrative

**Job Narrative
580-131444-1**

Comments

No additional comments.

Receipt

The samples were received on 9/12/2023 4:28 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.2° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

**Job Narrative
580-131444-1**

Receipt

The samples were received on 9/12/2023 4:28 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.2° C.

GC/MS VOA

Method 8260D: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-303 (580-131444-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ▫ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: TB-1

Lab Sample ID: 580-131444-1

Date Collected: 09/11/23 09:00

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | ND | | 1.00 | 0.240 | ug/L | | | 09/14/23 04:49 | 1 |
| Toluene | ND | | 1.00 | 0.390 | ug/L | | | 09/14/23 04:49 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 04:49 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/14/23 04:49 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 09/14/23 04:49 | 1 |
| 4-Bromofluorobenzene (Surr) | 92 | | 80 - 120 | | 09/14/23 04:49 | 1 |
| Dibromofluoromethane (Surr) | 107 | | 80 - 120 | | 09/14/23 04:49 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 112 | | 80 - 120 | | 09/14/23 04:49 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | ND | | 50.0 | 14.0 | ug/L | | | 09/14/23 04:49 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 92 | | 77 - 123 | | 09/14/23 04:49 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-301
Date Collected: 09/11/23 12:27
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-2
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 70.4 | | 1.00 | 0.240 | ug/L | | | 09/14/23 09:38 | 1 |
| Toluene | 5.26 | | 1.00 | 0.390 | ug/L | | | 09/14/23 09:38 | 1 |
| Ethylbenzene | 0.846 | J | 1.00 | 0.500 | ug/L | | | 09/14/23 09:38 | 1 |
| Xylenes, Total | 3.00 | | 2.00 | 0.530 | ug/L | | | 09/14/23 09:38 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 09/14/23 09:38 | 1 |
| 4-Bromofluorobenzene (Surr) | 97 | | 80 - 120 | | 09/14/23 09:38 | 1 |
| Dibromofluoromethane (Surr) | 100 | | 80 - 120 | | 09/14/23 09:38 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 110 | | 80 - 120 | | 09/14/23 09:38 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 590 | | 50.0 | 14.0 | ug/L | | | 09/14/23 09:38 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 97 | | 77 - 123 | | 09/14/23 09:38 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-303

Lab Sample ID: 580-131444-3

Date Collected: 09/11/23 12:02

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Toluene | 11.9 | | 1.00 | 0.390 | ug/L | | | 09/14/23 10:02 | 1 |
| Ethylbenzene | 67.4 | | 1.00 | 0.500 | ug/L | | | 09/14/23 10:02 | 1 |
| Xylenes, Total | 17.9 | | 2.00 | 0.530 | ug/L | | | 09/14/23 10:02 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 98 | | 80 - 120 | | 09/14/23 10:02 | 1 |
| 4-Bromofluorobenzene (Surr) | 100 | | 80 - 120 | | 09/14/23 10:02 | 1 |
| Dibromofluoromethane (Surr) | 100 | | 80 - 120 | | 09/14/23 10:02 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 80 - 120 | | 09/14/23 10:02 | 1 |

Method: SW846 8260D - Volatile Organic Compounds by GC/MS - DL

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | 366 | | 10.0 | 2.40 | ug/L | | | 09/17/23 23:11 | 10 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 101 | | 80 - 120 | | 09/17/23 23:11 | 10 |
| 4-Bromofluorobenzene (Surr) | 99 | | 80 - 120 | | 09/17/23 23:11 | 10 |
| Dibromofluoromethane (Surr) | 101 | | 80 - 120 | | 09/17/23 23:11 | 10 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 80 - 120 | | 09/17/23 23:11 | 10 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 2220 | | 50.0 | 14.0 | ug/L | | | 09/14/23 10:02 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 100 | | 77 - 123 | | 09/14/23 10:02 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-304
Date Collected: 09/11/23 12:56
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-4
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 91.1 | | 1.00 | 0.240 | ug/L | | | 09/14/23 10:26 | 1 |
| Toluene | 6.48 | | 1.00 | 0.390 | ug/L | | | 09/14/23 10:26 | 1 |
| Ethylbenzene | 1.67 | | 1.00 | 0.500 | ug/L | | | 09/14/23 10:26 | 1 |
| Xylenes, Total | 14.7 | | 2.00 | 0.530 | ug/L | | | 09/14/23 10:26 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 97 | | 80 - 120 | | 09/14/23 10:26 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 80 - 120 | | 09/14/23 10:26 | 1 |
| Dibromofluoromethane (Surr) | 104 | | 80 - 120 | | 09/14/23 10:26 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 80 - 120 | | 09/14/23 10:26 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 938 | | 50.0 | 14.0 | ug/L | | | 09/14/23 10:26 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 101 | | 77 - 123 | | 09/14/23 10:26 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-307

Lab Sample ID: 580-131444-5

Date Collected: 09/11/23 10:45

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 54.5 | | 1.00 | 0.240 | ug/L | | | 09/14/23 10:50 | 1 |
| Toluene | 21.6 | | 1.00 | 0.390 | ug/L | | | 09/14/23 10:50 | 1 |
| Ethylbenzene | 85.6 | | 1.00 | 0.500 | ug/L | | | 09/14/23 10:50 | 1 |
| Xylenes, Total | 92.8 | | 2.00 | 0.530 | ug/L | | | 09/14/23 10:50 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 99 | | 80 - 120 | | 09/14/23 10:50 | 1 |
| 4-Bromofluorobenzene (Surr) | 99 | | 80 - 120 | | 09/14/23 10:50 | 1 |
| Dibromofluoromethane (Surr) | 102 | | 80 - 120 | | 09/14/23 10:50 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 80 - 120 | | 09/14/23 10:50 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 2870 | | 50.0 | 14.0 | ug/L | | | 09/14/23 10:50 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 77 - 123 | | 09/14/23 10:50 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-308
Date Collected: 09/11/23 11:16
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-6
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 0.979 | J | 1.00 | 0.240 | ug/L | | | 09/17/23 16:46 | 1 |
| Toluene | 0.845 | J | 1.00 | 0.390 | ug/L | | | 09/17/23 16:46 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/17/23 16:46 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/17/23 16:46 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------------|-----------|-----------|----------|----------|----------------|---------|
| <i>Toluene-d8 (Surr)</i> | 102 | | 80 - 120 | | 09/17/23 16:46 | 1 |
| <i>4-Bromofluorobenzene (Surr)</i> | 98 | | 80 - 120 | | 09/17/23 16:46 | 1 |
| <i>Dibromofluoromethane (Surr)</i> | 100 | | 80 - 120 | | 09/17/23 16:46 | 1 |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 97 | | 80 - 120 | | 09/17/23 16:46 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|------------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 154 | | 50.0 | 14.0 | ug/L | | | 09/17/23 16:46 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|----------|----------------|---------|
| <i>4-Bromofluorobenzene (Surr)</i> | 98 | | 77 - 123 | | 09/17/23 16:46 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-310
Date Collected: 09/11/23 13:23
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-7
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 16.3 | | 1.00 | 0.240 | ug/L | | | 09/14/23 22:24 | 1 |
| Toluene | 1.12 | | 1.00 | 0.390 | ug/L | | | 09/14/23 22:24 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 22:24 | 1 |
| Xylenes, Total | 1.63 | J | 2.00 | 0.530 | ug/L | | | 09/14/23 22:24 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 09/14/23 22:24 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 80 - 120 | | 09/14/23 22:24 | 1 |
| Dibromofluoromethane (Surr) | 104 | | 80 - 120 | | 09/14/23 22:24 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 80 - 120 | | 09/14/23 22:24 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 872 | | 50.0 | 14.0 | ug/L | | | 09/20/23 20:15 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 97 | | 77 - 123 | | 09/20/23 20:15 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-302
Date Collected: 09/12/23 12:41
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-8
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 37.3 | | 1.00 | 0.240 | ug/L | | | 09/14/23 22:48 | 1 |
| Toluene | 4.80 | | 1.00 | 0.390 | ug/L | | | 09/14/23 22:48 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 22:48 | 1 |
| Xylenes, Total | 6.94 | | 2.00 | 0.530 | ug/L | | | 09/14/23 22:48 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------------|-----------|-----------|----------|----------|----------------|---------|
| <i>Toluene-d8 (Surr)</i> | 98 | | 80 - 120 | | 09/14/23 22:48 | 1 |
| <i>4-Bromofluorobenzene (Surr)</i> | 100 | | 80 - 120 | | 09/14/23 22:48 | 1 |
| <i>Dibromofluoromethane (Surr)</i> | 103 | | 80 - 120 | | 09/14/23 22:48 | 1 |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104 | | 80 - 120 | | 09/14/23 22:48 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|-------------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 1260 | | 50.0 | 14.0 | ug/L | | | 09/20/23 20:37 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|----------|----------------|---------|
| <i>4-Bromofluorobenzene (Surr)</i> | 101 | | 77 - 123 | | 09/20/23 20:37 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-311
Date Collected: 09/12/23 12:11
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-9
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 2.17 | | 1.00 | 0.240 | ug/L | | | 09/17/23 19:10 | 1 |
| Toluene | 3.12 | | 1.00 | 0.390 | ug/L | | | 09/17/23 19:10 | 1 |
| Ethylbenzene | 0.520 | J | 1.00 | 0.500 | ug/L | | | 09/17/23 19:10 | 1 |
| Xylenes, Total | 0.984 | J | 2.00 | 0.530 | ug/L | | | 09/17/23 19:10 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 100 | | 80 - 120 | | 09/17/23 19:10 | 1 |
| 4-Bromofluorobenzene (Surr) | 105 | | 80 - 120 | | 09/17/23 19:10 | 1 |
| Dibromofluoromethane (Surr) | 105 | | 80 - 120 | | 09/17/23 19:10 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 80 - 120 | | 09/17/23 19:10 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 2490 | | 50.0 | 14.0 | ug/L | | | 09/20/23 20:58 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 101 | | 77 - 123 | | 09/20/23 20:58 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-312

Lab Sample ID: 580-131444-10

Date Collected: 09/12/23 11:43

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 11.0 | | 1.00 | 0.240 | ug/L | | | 09/14/23 20:48 | 1 |
| Toluene | 2.27 | | 1.00 | 0.390 | ug/L | | | 09/14/23 20:48 | 1 |
| Ethylbenzene | 1.18 | | 1.00 | 0.500 | ug/L | | | 09/14/23 20:48 | 1 |
| Xylenes, Total | 2.08 | | 2.00 | 0.530 | ug/L | | | 09/14/23 20:48 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 97 | | 80 - 120 | | 09/14/23 20:48 | 1 |
| 4-Bromofluorobenzene (Surr) | 95 | | 80 - 120 | | 09/14/23 20:48 | 1 |
| Dibromofluoromethane (Surr) | 102 | | 80 - 120 | | 09/14/23 20:48 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 80 - 120 | | 09/14/23 20:48 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 2580 | | 50.0 | 14.0 | ug/L | | | 09/20/23 21:19 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 77 - 123 | | 09/20/23 21:19 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-313

Lab Sample ID: 580-131444-11

Date Collected: 09/12/23 10:41

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | ND | | 1.00 | 0.240 | ug/L | | | 09/14/23 21:59 | 1 |
| Toluene | ND | | 1.00 | 0.390 | ug/L | | | 09/14/23 21:59 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 21:59 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/14/23 21:59 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 95 | | 80 - 120 | | 09/14/23 21:59 | 1 |
| 4-Bromofluorobenzene (Surr) | 96 | | 80 - 120 | | 09/14/23 21:59 | 1 |
| Dibromofluoromethane (Surr) | 101 | | 80 - 120 | | 09/14/23 21:59 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 80 - 120 | | 09/14/23 21:59 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | ND | | 50.0 | 14.0 | ug/L | | | 09/17/23 17:34 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 94 | | 77 - 123 | | 09/17/23 17:34 | 1 |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|--------|-----------|-----|------|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24) | ND | | 113 | 66.7 | ug/L | | 09/14/23 08:40 | 09/15/23 17:44 | 1 |
| Motor Oil (>C24-C36) | ND | | 359 | 98.4 | ug/L | | 09/14/23 08:40 | 09/15/23 17:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 91 | | 50 - 150 | 09/14/23 08:40 | 09/15/23 17:44 | 1 |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|--------|-----------|-----|------|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24) | 157 | | 113 | 66.7 | ug/L | | 09/14/23 08:40 | 09/15/23 01:44 | 1 |
| Motor Oil (>C24-C36) | 140 | J | 359 | 98.4 | ug/L | | 09/14/23 08:40 | 09/15/23 01:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 94 | | 50 - 150 | 09/14/23 08:40 | 09/15/23 01:44 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-315

Lab Sample ID: 580-131444-12

Date Collected: 09/12/23 11:15

Matrix: Water

Date Received: 09/12/23 16:28

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 1.01 | | 1.00 | 0.240 | ug/L | | | 09/14/23 21:11 | 1 |
| Toluene | 3.54 | | 1.00 | 0.390 | ug/L | | | 09/14/23 21:11 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 21:11 | 1 |
| Xylenes, Total | 2.96 | | 2.00 | 0.530 | ug/L | | | 09/14/23 21:11 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 99 | | 80 - 120 | | 09/14/23 21:11 | 1 |
| 4-Bromofluorobenzene (Surr) | 102 | | 80 - 120 | | 09/14/23 21:11 | 1 |
| Dibromofluoromethane (Surr) | 102 | | 80 - 120 | | 09/14/23 21:11 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 80 - 120 | | 09/14/23 21:11 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 3020 | | 50.0 | 14.0 | ug/L | | | 09/20/23 21:41 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 100 | | 77 - 123 | | 09/20/23 21:41 | 1 |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|--------|-----------|-----|------|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24) | 1600 | | 113 | 67.0 | ug/L | | 09/14/23 08:40 | 09/15/23 18:04 | 1 |
| Motor Oil (>C24-C36) | ND | | 361 | 99.0 | ug/L | | 09/14/23 08:40 | 09/15/23 18:04 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 88 | | 50 - 150 | 09/14/23 08:40 | 09/15/23 18:04 | 1 |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|--------|-----------|-----|------|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24) | 4170 | | 113 | 67.0 | ug/L | | 09/14/23 08:40 | 09/15/23 02:05 | 1 |
| Motor Oil (>C24-C36) | 290 | J | 361 | 99.0 | ug/L | | 09/14/23 08:40 | 09/15/23 02:05 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 83 | | 50 - 150 | 09/14/23 08:40 | 09/15/23 02:05 | 1 |

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: TX-03A
Date Collected: 09/12/23 14:57
Date Received: 09/12/23 16:28

Lab Sample ID: 580-131444-13
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 89.0 | | 1.00 | 0.240 | ug/L | | | 09/14/23 21:35 | 1 |
| Toluene | 7.60 | | 1.00 | 0.390 | ug/L | | | 09/14/23 21:35 | 1 |
| Ethylbenzene | 0.770 | J | 1.00 | 0.500 | ug/L | | | 09/14/23 21:35 | 1 |
| Xylenes, Total | 8.60 | | 2.00 | 0.530 | ug/L | | | 09/14/23 21:35 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 100 | | 80 - 120 | | 09/14/23 21:35 | 1 |
| 4-Bromofluorobenzene (Surr) | 100 | | 80 - 120 | | 09/14/23 21:35 | 1 |
| Dibromofluoromethane (Surr) | 99 | | 80 - 120 | | 09/14/23 21:35 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 80 - 120 | | 09/14/23 21:35 | 1 |

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | 1980 | | 50.0 | 14.0 | ug/L | | | 09/20/23 22:02 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 100 | | 77 - 123 | | 09/20/23 22:02 | 1 |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 580-437419/11
Matrix: Water
Analysis Batch: 437419

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | ND | | 1.00 | 0.240 | ug/L | | | 09/14/23 04:01 | 1 |
| Toluene | ND | | 1.00 | 0.390 | ug/L | | | 09/14/23 04:01 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 04:01 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/14/23 04:01 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 09/14/23 04:01 | 1 |
| 4-Bromofluorobenzene (Surr) | 93 | | 80 - 120 | | 09/14/23 04:01 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 80 - 120 | | 09/14/23 04:01 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 80 - 120 | | 09/14/23 04:01 | 1 |

Lab Sample ID: LCS 580-437419/6
Matrix: Water
Analysis Batch: 437419

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------|-------------|------------|---------------|------|---|------|-------------|
| | | | | | | | |
| Toluene | 10.0 | 9.967 | | ug/L | | 100 | 80 - 120 |
| Ethylbenzene | 10.0 | 9.677 | | ug/L | | 97 | 80 - 120 |
| Xylenes, Total | 20.0 | 20.19 | | ug/L | | 101 | 80 - 120 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 100 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 98 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 107 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 80 - 120 |

Lab Sample ID: LCSD 580-437419/7
Matrix: Water
Analysis Batch: 437419

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| | | | | | | | | | |
| Toluene | 10.0 | 9.866 | | ug/L | | 99 | 80 - 120 | 1 | 13 |
| Ethylbenzene | 10.0 | 9.786 | | ug/L | | 98 | 80 - 120 | 1 | 14 |
| Xylenes, Total | 20.0 | 19.69 | | ug/L | | 98 | 80 - 120 | 2 | 16 |

| Surrogate | LCSD LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 103 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 97 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 100 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 80 - 120 |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 580-437552/11
Matrix: Water
Analysis Batch: 437552

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | ND | | 1.00 | 0.240 | ug/L | | | 09/14/23 17:11 | 1 |
| Toluene | ND | | 1.00 | 0.390 | ug/L | | | 09/14/23 17:11 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/14/23 17:11 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/14/23 17:11 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| Toluene-d8 (Surr) | 98 | | 80 - 120 | | 09/14/23 17:11 | 1 |
| 4-Bromofluorobenzene (Surr) | 97 | | 80 - 120 | | 09/14/23 17:11 | 1 |
| Dibromofluoromethane (Surr) | 106 | | 80 - 120 | | 09/14/23 17:11 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 80 - 120 | | 09/14/23 17:11 | 1 |

Lab Sample ID: LCS 580-437552/6
Matrix: Water
Analysis Batch: 437552

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------|-------------|------------|---------------|------|---|------|-------------|
| | | | | | | | |
| Toluene | 10.0 | 9.940 | | ug/L | | 99 | 80 - 120 |
| Ethylbenzene | 10.0 | 9.698 | | ug/L | | 97 | 80 - 120 |
| Xylenes, Total | 20.0 | 21.27 | | ug/L | | 106 | 80 - 120 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 97 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 100 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 104 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 80 - 120 |

Lab Sample ID: LCSD 580-437552/7
Matrix: Water
Analysis Batch: 437552

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| | | | | | | | | | |
| Toluene | 10.0 | 9.283 | | ug/L | | 93 | 80 - 120 | 7 | 13 |
| Ethylbenzene | 10.0 | 9.642 | | ug/L | | 96 | 80 - 120 | 1 | 14 |
| Xylenes, Total | 20.0 | 20.11 | | ug/L | | 101 | 80 - 120 | 6 | 16 |

| Surrogate | LCSD LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 99 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 99 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 104 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 80 - 120 |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 580-437726/11
Matrix: Water
Analysis Batch: 437726

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | ND | | 1.00 | 0.240 | ug/L | | | 09/17/23 14:58 | 1 |
| Toluene | ND | | 1.00 | 0.390 | ug/L | | | 09/17/23 14:58 | 1 |
| Ethylbenzene | ND | | 1.00 | 0.500 | ug/L | | | 09/17/23 14:58 | 1 |
| Xylenes, Total | ND | | 2.00 | 0.530 | ug/L | | | 09/17/23 14:58 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| Toluene-d8 (Surr) | 97 | | 80 - 120 | | 09/17/23 14:58 | 1 |
| 4-Bromofluorobenzene (Surr) | 95 | | 80 - 120 | | 09/17/23 14:58 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 80 - 120 | | 09/17/23 14:58 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 110 | | 80 - 120 | | 09/17/23 14:58 | 1 |

Lab Sample ID: LCS 580-437726/6
Matrix: Water
Analysis Batch: 437726

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------|-------------|------------|---------------|------|---|------|-------------|
| | | | | | | | |
| Toluene | 10.0 | 10.23 | | ug/L | | 102 | 80 - 120 |
| Ethylbenzene | 10.0 | 9.926 | | ug/L | | 99 | 80 - 120 |
| Xylenes, Total | 20.0 | 20.37 | | ug/L | | 102 | 80 - 120 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 101 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 99 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 100 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 80 - 120 |

Lab Sample ID: LCSD 580-437726/7
Matrix: Water
Analysis Batch: 437726

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| | | | | | | | | | |
| Toluene | 10.0 | 9.640 | | ug/L | | 96 | 80 - 120 | 6 | 13 |
| Ethylbenzene | 10.0 | 10.10 | | ug/L | | 101 | 80 - 120 | 2 | 14 |
| Xylenes, Total | 20.0 | 20.43 | | ug/L | | 102 | 80 - 120 | 0 | 16 |

| Surrogate | LCSD LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 99 | | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 101 | | 80 - 120 |
| Dibromofluoromethane (Surr) | 104 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 80 - 120 |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Lab Sample ID: MB 580-437420/11
Matrix: Water
Analysis Batch: 437420

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------------|-----------------|----------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | ND | | 50.0 | 14.0 | ug/L | | | 09/14/23 04:01 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 77 - 123 | | | | | 09/14/23 04:01 | 1 |

Lab Sample ID: LCS 580-437420/8
Matrix: Water
Analysis Batch: 437420

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|-----------------------------|------------------|------------------|------------------|------|---|------|----------------|--|--|
| TPH as Gasoline | 1000 | 954.9 | | ug/L | | 95 | 55 - 148 | | |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | | | |
| 4-Bromofluorobenzene (Surr) | 100 | | 77 - 123 | | | | | | |

Lab Sample ID: LCSD 580-437420/9
Matrix: Water
Analysis Batch: 437420

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | Limit |
|-----------------------------|-------------------|-------------------|-------------------|------|---|------|----------------|-----|-------|
| TPH as Gasoline | 1000 | 964.8 | | ug/L | | 96 | 55 - 148 | 1 | 10 |
| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits | | | | | | |
| 4-Bromofluorobenzene (Surr) | 98 | | 77 - 123 | | | | | | |

Lab Sample ID: MB 580-437727/11
Matrix: Water
Analysis Batch: 437727

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------------|-----------------|----------|------|------|---|----------|----------------|---------|
| TPH as Gasoline | ND | | 50.0 | 14.0 | ug/L | | | 09/17/23 14:58 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 77 - 123 | | | | | 09/17/23 14:58 | 1 |

Lab Sample ID: LCS 580-437727/8
Matrix: Water
Analysis Batch: 437727

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|-----------------------------|------------------|------------------|------------------|------|---|------|----------------|--|--|
| TPH as Gasoline | 1000 | 956.5 | | ug/L | | 96 | 55 - 148 | | |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | | | |
| 4-Bromofluorobenzene (Surr) | 105 | | 77 - 123 | | | | | | |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

Lab Sample ID: LCSD 580-437727/9
Matrix: Water
Analysis Batch: 437727

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|-----------------------------|------------------|------------------|----------------|------|---|------|-------------|-----|-----------|
| TPH as Gasoline | 1000 | 965.4 | | ug/L | | 97 | 55 - 148 | 1 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | |
| 4-Bromofluorobenzene (Surr) | 104 | | 77 - 123 | | | | | | |

Lab Sample ID: MB 580-438136/8
Matrix: Water
Analysis Batch: 438136

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| TPH as Gasoline | ND | | 50.0 | 14.0 | ug/L | | | 09/20/23 18:50 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 101 | | 77 - 123 | | | | | 09/20/23 18:50 | 1 |

Lab Sample ID: LCS 580-438136/4
Matrix: Water
Analysis Batch: 438136

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|-----------------------------|------------------|------------------|---------------|------|---|------|-------------|
| TPH as Gasoline | 1000 | 994.0 | | ug/L | | 99 | 55 - 148 |
| Surrogate | %Recovery | Qualifier | Limits | | | | |
| 4-Bromofluorobenzene (Surr) | 101 | | 77 - 123 | | | | |

Lab Sample ID: LCSD 580-438136/5
Matrix: Water
Analysis Batch: 438136

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|-----------------------------|------------------|------------------|----------------|------|---|------|-------------|-----|-----------|
| TPH as Gasoline | 1000 | 1026 | | ug/L | | 103 | 55 - 148 | 3 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | |
| 4-Bromofluorobenzene (Surr) | 101 | | 77 - 123 | | | | | | |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Lab Sample ID: MB 580-437469/1-B
Matrix: Water
Analysis Batch: 437654

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| Diesel Range Organics (C10-C24) | ND | | 110 | 65.0 | ug/L | | 09/14/23 08:40 | 09/15/23 16:44 | 1 |
| Motor Oil (>C24-C36) | ND | | 350 | 96.0 | ug/L | | 09/14/23 08:40 | 09/15/23 16:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| o-Terphenyl | 87 | | 50 - 150 | | | | 09/14/23 08:40 | 09/15/23 16:44 | 1 |

Eurofins Seattle

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup (Continued)

Lab Sample ID: LCS 580-437469/2-B
Matrix: Water
Analysis Batch: 437654

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------------|------------------|------------------|---------------|------|---|------|-------------|
| Diesel Range Organics (C10-C24) | 4000 | 3550 | | ug/L | | 89 | 50 - 120 |
| Motor Oil (>C24-C36) | 4000 | 3530 | | ug/L | | 88 | 64 - 120 |
| | | LCS LCS | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | |
| <i>o-Terphenyl</i> | 78 | | 50 - 150 | | | | |

Lab Sample ID: LCSD 580-437469/3-B
Matrix: Water
Analysis Batch: 437654

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------------------------------|------------------|------------------|----------------|------|---|------|-------------|-----|-----------|
| Diesel Range Organics (C10-C24) | 4000 | 3399 | | ug/L | | 85 | 50 - 120 | 4 | 26 |
| Motor Oil (>C24-C36) | 4000 | 3370 | | ug/L | | 84 | 64 - 120 | 5 | 24 |
| | | LCSD LCSD | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | |
| <i>o-Terphenyl</i> | 78 | | 50 - 150 | | | | | | |

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

Lab Sample ID: MB 580-437469/1-A
Matrix: Water
Analysis Batch: 437491

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| Diesel Range Organics (C10-C24) | ND | | 110 | 65.0 | ug/L | | 09/14/23 08:40 | 09/15/23 00:44 | 1 |
| Motor Oil (>C24-C36) | ND | | 350 | 96.0 | ug/L | | 09/14/23 08:40 | 09/15/23 00:44 | 1 |
| | | MB MB | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| <i>o-Terphenyl</i> | 86 | | 50 - 150 | | | | 09/14/23 08:40 | 09/15/23 00:44 | 1 |

Lab Sample ID: LCS 580-437469/2-A
Matrix: Water
Analysis Batch: 437491

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------------|------------------|------------------|---------------|------|---|------|-------------|
| Diesel Range Organics (C10-C24) | 4000 | 3512 | | ug/L | | 88 | 50 - 120 |
| Motor Oil (>C24-C36) | 4000 | 3514 | | ug/L | | 88 | 64 - 120 |
| | | LCS LCS | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | |
| <i>o-Terphenyl</i> | 77 | | 50 - 150 | | | | |

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx (Continued)

Lab Sample ID: LCSD 580-437469/3-A
Matrix: Water
Analysis Batch: 437491

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 437469

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec | | RPD |
|---------------------------------|-------------|-------------|----------------|------|---|------|-----------------------|-----------------------|---------------|
| | | | | | | | Limits | RPD | |
| Diesel Range Organics (C10-C24) | 4000 | 3375 | | ug/L | | 84 | 50 - 120 | 4 | 26 |
| Motor Oil (>C24-C36) | 4000 | 3394 | | ug/L | | 85 | 64 - 120 | 3 | 24 |
| Surrogate | | | | | | | LCSD %Recovery | LCSD Qualifier | Limits |
| <i>o</i> -Terphenyl | | | | | | | 78 | | 50 - 150 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: TB-1

Lab Sample ID: 580-131444-1

Date Collected: 09/11/23 09:00

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437419 | JBT | EET SEA | 09/14/23 04:49 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437420 | JBT | EET SEA | 09/14/23 04:49 |

Client Sample ID: MW-301

Lab Sample ID: 580-131444-2

Date Collected: 09/11/23 12:27

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437419 | JBT | EET SEA | 09/14/23 09:38 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437420 | JBT | EET SEA | 09/14/23 09:38 |

Client Sample ID: MW-303

Lab Sample ID: 580-131444-3

Date Collected: 09/11/23 12:02

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437419 | JBT | EET SEA | 09/14/23 10:02 |
| Total/NA | Analysis | 8260D | DL | 10 | 437726 | JBT | EET SEA | 09/17/23 23:11 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437420 | JBT | EET SEA | 09/14/23 10:02 |

Client Sample ID: MW-304

Lab Sample ID: 580-131444-4

Date Collected: 09/11/23 12:56

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437419 | JBT | EET SEA | 09/14/23 10:26 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437420 | JBT | EET SEA | 09/14/23 10:26 |

Client Sample ID: MW-307

Lab Sample ID: 580-131444-5

Date Collected: 09/11/23 10:45

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437419 | JBT | EET SEA | 09/14/23 10:50 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437420 | JBT | EET SEA | 09/14/23 10:50 |

Client Sample ID: MW-308

Lab Sample ID: 580-131444-6

Date Collected: 09/11/23 11:16

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437726 | JBT | EET SEA | 09/17/23 16:46 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437727 | JBT | EET SEA | 09/17/23 16:46 |

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-310

Lab Sample ID: 580-131444-7

Date Collected: 09/11/23 13:23

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 22:24 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 20:15 |

Client Sample ID: MW-302

Lab Sample ID: 580-131444-8

Date Collected: 09/12/23 12:41

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 22:48 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 20:37 |

Client Sample ID: MW-311

Lab Sample ID: 580-131444-9

Date Collected: 09/12/23 12:11

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437726 | JBT | EET SEA | 09/17/23 19:10 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 20:58 |

Client Sample ID: MW-312

Lab Sample ID: 580-131444-10

Date Collected: 09/12/23 11:43

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 20:48 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 21:19 |

Client Sample ID: MW-313

Lab Sample ID: 580-131444-11

Date Collected: 09/12/23 10:41

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 21:59 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 437727 | JBT | EET SEA | 09/17/23 17:34 |
| Total/NA | Prep | 3510C | | | 437469 | SL | EET SEA | 09/14/23 08:40 |
| Total/NA | Analysis | NWTPH-Dx | | 1 | 437491 | KLW | EET SEA | 09/15/23 01:44 |
| Total/NA | Prep | 3510C | | | 437469 | SL | EET SEA | 09/14/23 08:40 |
| Total/NA | Cleanup | 3630C | | | 437637 | KLW | EET SEA | 09/15/23 11:09 |
| Total/NA | Analysis | NWTPH-Dx | | 1 | 437654 | KLW | EET SEA | 09/15/23 17:44 |

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Client Sample ID: MW-315

Lab Sample ID: 580-131444-12

Date Collected: 09/12/23 11:15

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 21:11 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 21:41 |
| Total/NA | Prep | 3510C | | | 437469 | SL | EET SEA | 09/14/23 08:40 |
| Total/NA | Analysis | NWTPH-Dx | | 1 | 437491 | KLW | EET SEA | 09/15/23 02:05 |
| Total/NA | Prep | 3510C | | | 437469 | SL | EET SEA | 09/14/23 08:40 |
| Total/NA | Cleanup | 3630C | | | 437637 | KLW | EET SEA | 09/15/23 11:09 |
| Total/NA | Analysis | NWTPH-Dx | | 1 | 437654 | KLW | EET SEA | 09/15/23 18:04 |

Client Sample ID: TX-03A

Lab Sample ID: 580-131444-13

Date Collected: 09/12/23 14:57

Matrix: Water

Date Received: 09/12/23 16:28

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Analysis | 8260D | | 1 | 437552 | JBT | EET SEA | 09/14/23 21:35 |
| Total/NA | Analysis | NWTPH-Gx | | 1 | 438136 | JBT | EET SEA | 09/20/23 22:02 |

Laboratory References:

EET SEA = Eurofins Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310

Accreditation/Certification Summary

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

Laboratory: Eurofins Seattle

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|------------|---------|-----------------------|-----------------|
| Oregon | NELAP | 4167 | 07-07-24 |
| Washington | State | C788 | 07-13-24 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|---------------------------------|
| 8260D | | Water | Benzene |
| 8260D | | Water | Ethylbenzene |
| 8260D | | Water | Toluene |
| 8260D | | Water | Xylenes, Total |
| NWTPH-Dx | 3510C | Water | Diesel Range Organics (C10-C24) |
| NWTPH-Gx | | Water | TPH as Gasoline |

Sample Summary

Client: GHD Services Inc.
Project/Site: Shell - Washington

Job ID: 580-131444-1
SDG: 13th ave

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 580-131444-1 | TB-1 | Water | 09/11/23 09:00 | 09/12/23 16:28 |
| 580-131444-2 | MW-301 | Water | 09/11/23 12:27 | 09/12/23 16:28 |
| 580-131444-3 | MW-303 | Water | 09/11/23 12:02 | 09/12/23 16:28 |
| 580-131444-4 | MW-304 | Water | 09/11/23 12:56 | 09/12/23 16:28 |
| 580-131444-5 | MW-307 | Water | 09/11/23 10:45 | 09/12/23 16:28 |
| 580-131444-6 | MW-308 | Water | 09/11/23 11:16 | 09/12/23 16:28 |
| 580-131444-7 | MW-310 | Water | 09/11/23 13:23 | 09/12/23 16:28 |
| 580-131444-8 | MW-302 | Water | 09/12/23 12:41 | 09/12/23 16:28 |
| 580-131444-9 | MW-311 | Water | 09/12/23 12:11 | 09/12/23 16:28 |
| 580-131444-10 | MW-312 | Water | 09/12/23 11:43 | 09/12/23 16:28 |
| 580-131444-11 | MW-313 | Water | 09/12/23 10:41 | 09/12/23 16:28 |
| 580-131444-12 | MW-315 | Water | 09/12/23 11:15 | 09/12/23 16:28 |
| 580-131444-13 | TX-03A | Water | 09/12/23 14:57 | 09/12/23 16:28 |





Shell Oil Products US Chain Of Custody Record

LAB (LOCATION)

ACCUTEST (_____)

CALSCIENCE (_____)

TESTAMERICA (_____)

Other (_____)

Lab Vendor # _____ Dropdown

Please Check Appropriate Box:

| | | |
|---|--------------------------------------|---------------------------------|
| <input type="checkbox"/> SGW FDG | <input type="checkbox"/> PIPELINE | <input type="checkbox"/> RETAIL |
| <input type="checkbox"/> CHEMICALS | <input type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES |
| <input type="checkbox"/> TRANSPORTATION | <input type="checkbox"/> OTHER _____ | |

Print Bill To Contact Name:

PO # _____

PiaNet Site or Project ID

GSAP Project ID _____

CHECK IF NO INCIDENT # APPLIES

DATE: **09/12/23**

PAGE: **1** of **2**

SAMPLING COMPANY:
Blaine Tech Services, Inc

LOG CODE: BTSS

ADDRESS: **1680 Rogers Ave, San Jose, CA, 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Emily Blakeway**

TELEPHONE: **(425) 327-4585** FAX: _____

TURNAROUND TIME (CALENDAR DAYS):
 STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

DELIVERABLES: LEVEL 1 LEVEL 2 LEVEL 3 LEVEL 4 OTHER (SPECIFY) _____

TEMPERATURE ON RECEIPT C° Cooler #1 _____ Cooler #2 _____ Cooler #3 _____

SITE ADDRESS: Street and City
2555 13th Avenue

State: **WA**

GHD Project / Task Number:
11218519

EDF DELIVERABLE TO (Name, Company, Office Location): **Emily Blakeway, GHD, WA**

PHONE NO: **(425) 327-4585**

E-MAIL: **emily.blakeway@ghd.com**

GHD Other ID: _____

SAMPLER NAME(S) (Print): **Jona h Davis**

| UNIT COST | | REQUESTED ANALYSIS | | NON-UNIT COST | | FIELD NOTES: TEMPERATURE ON RECEIPT C° |
|----------------|--|--------------------|--|---|--|---|
| 8280C BTEX | | INVTPH-Gx | | 353.2 Nitrate & Nitrite | | |
| INVTPH-Dx | | 6020A Total Lead | | 6020A Diss. Iron & Manganese (lab filter) | | |
| 8270D SIM PAHS | | | | 300.0 Chloride | | |
| 300.0 Sulfate | | | | 2320B Alkalinity | | |

SPECIAL INSTRUCTIONS OR NOTES :

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

PROVIDE LEDD DISK

| LAB USE ONLY | Field Sample Identification | | SAMPLING | | MATRIX | PRESERVATIVE | | | | | NO. OF CONT. | ANALYSIS | ANALYSIS | ANALYSIS | ANALYSIS | ANALYSIS | ANALYSIS | ANALYSIS | ANALYSIS | | | | |
|--------------|-----------------------------|------|----------|------|--------|--------------|------|-------|--|--|--------------|----------|----------|----------|----------|----------|----------|----------|----------|--|--|--|--|
| | DATE | TIME | HCL | HNO3 | | H2SO4 | NONE | OTHER | | | | | | | | | | | | | | | |
| | TB-1 | | 09/11/23 | 0900 | GW | X | | | | | 2 | X | | | | | | | | | | | |
| | MW-301 | | | 1227 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-303 | | | 1202 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-304 | | | 1256 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-307 | | | 1045 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-308 | | | 1116 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-310 | | | 1323 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-302 | | 09/10/23 | 1241 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-311 | | | 1211 | | X | | | | | 6 | X | | | | | | | | | | | |
| | MW-312 | | | 1143 | | X | | | | | 6 | X | | | | | | | | | | | |



| | | | |
|------------------------------------|--------------------------------|-----------------------|-------------------|
| Relinquished by (Signature): | Received by (Signature): _____ | Date: 09/12/23 | Time: 1628 |
| Relinquished by (Signature): | Received by (Signature): _____ | Date: 9/12/23 | Time: 1628 |
| Relinquished by (Signature): _____ | Received by (Signature): _____ | Date: _____ | Time: _____ |

lg blue/wet/none client dropoff
IB11 2.2/2.4 9/26/2023

1
2
3
5
6
7
8
9
10
11

LAB (LOCATION)

- ACCUTEST (_____)
- CALSCIENCE (_____)
- TESTAMERICA (_____)
- Other (_____)

Lab Vendor # _____ Dropdown



Shell Oil Products US Chain Of Custody Record

Please Check Appropriate Box:

| | | |
|---|--------------------------------------|---------------------------------|
| <input type="checkbox"/> SGW FDG | <input type="checkbox"/> PIPELINE | <input type="checkbox"/> RETAIL |
| <input type="checkbox"/> CHEMICALS | <input type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES |
| <input type="checkbox"/> TRANSPORTATION | <input type="checkbox"/> OTHER _____ | |

| | |
|------------------------------------|----------------------------------|
| Print Bill To Contact Name: | PlaNet Site or Project ID |
| PO # | GSAP Project ID |

CHECK IF NO INCIDENT # APPLIES
DATE: 09/12/23
PAGE: 2 of 2

| | | | | | | | | |
|--|------|---|--|------------|------------------------------------|---|--------------|---------------------------|
| SAMPLING COMPANY: Blaine Tech Services, Inc | | LOG CODE: BTSS | SITE ADDRESS: Street and City 2555 13th Avenue | | State WA | GHD Project / Task Number: 11218519 | | |
| ADDRESS: 1680 Rogers Ave, San Jose, CA, 95112 | | | EDF DELIVERABLE TO (Name, Company, Office Location): Emily Blakeway, GHD, WA | | PHONE NO: (425) 327-4565 | E-MAIL: emily.blakeway@ghd.com | GHD Other ID | |
| PROJECT CONTACT (Hardcopy or PDF Report to): Emily Blakeway | | | SAMPLER NAME(S) (Print): Jonah Davis | | LAB USE ONLY | | | |
| TELEPHONE: (425) 327-4585 | FAX: | Bill To Contact E-MAIL: emily.blakeway@ghd.com | TURNAROUND TIME (CALENDAR DAYS): <input checked="" type="checkbox"/> STANDARD (14 DAY) <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 3 DAYS <input type="checkbox"/> 2 DAYS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> RESULTS NEEDED ON WEEKEND | | REQUESTED ANALYSIS | | | FIELD NOTES: |
| <input type="checkbox"/> LA - RWQCB REPORT FORMAT <input type="checkbox"/> UST AGENCY: | | DELIVERABLES: <input type="checkbox"/> LEVEL 1 <input type="checkbox"/> LEVEL 2 <input type="checkbox"/> LEVEL 3 <input type="checkbox"/> LEVEL 4 <input type="checkbox"/> OTHER (SPECIFY) _____ | | UNIT COST | | NON-UNIT COST | | TEMPERATURE ON RECEIPT C° |
| TEMPERATURE ON RECEIPT C° Cooler #1 _____ Cooler #2 _____ Cooler #3 _____ | | SPECIAL INSTRUCTIONS OR NOTES: <input type="checkbox"/> SHELL CONTRACT RATE APPLIES <input type="checkbox"/> STATE REIMBURSEMENT RATE APPLIES <input type="checkbox"/> EDD NOT NEEDED <input type="checkbox"/> RECEIPT VERIFICATION REQUESTED <input type="checkbox"/> PROVIDE LEDD DISK | | B280C BTEX | | NWTPH-GX | | |

| LAB USE ONLY | Field Sample Identification | | SAMPLING | | MATRIX | PRESERVATIVE | | | | | NO. OF CONT. | REQUESTED ANALYSIS | | | | | | | FIELD NOTES: | | | | | |
|--------------|-----------------------------|--|----------|------|--------|--------------|------|-------|------|-------|--------------|--------------------|----------|------------------|-------------------------|---|----------------|------------------|--------------|--|--|--|--|--|
| | | | DATE | TIME | | HCL | HNO3 | H2SO4 | NONE | OTHER | | B280C BTEX | NWTPH-GX | 6020A Total Lead | 353.2 Nitrate & Nitrite | 6020A Diss. Iron & Manganese (lab filter) | 306.0 Chloride | 2320B Alkalinity | | | | | | |
| | MW-313 | | 09/12/23 | 1041 | GLW | X | | | | | 8 | X | X | | | | | | | | | | | |
| | MW-315 | | ↓ | 1115 | ↓ | X | | | | | 8 | X | X | | | | | | | | | | | |
| | TX-03A | | ↓ | 1457 | ↓ | X | | | | | 6 | X | | | | | | | | | | | | |

| | | | |
|----------------------------------|--------------------------|--------------------------|----------------------|
| Relinquished by (Signature): | Received by (Signature): | Date: 09/12/23 | Time: 1628 |
| Relinquished by (Signature): | Received by (Signature): | Date: 9/12/23 | Time: 1625 |
| Relinquished by (Signature): | Received by (Signature): | Date: | Time: |

Login Sample Receipt Checklist

Client: GHD Services Inc.

Job Number: 580-131444-1

SDG Number: 13th ave

Login Number: 131444

List Number: 1

Creator: Prigge, Madison

List Source: Eurofins Seattle

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |



Attachment 2

Data Quality Review Reports

Data Verification Report

September 27, 2023

| | | | |
|---------------------|--|--------------------|-----------------------|
| To | Emily Blakeway | Project No. | 11218519 |
| Copy to | Amber Meslar | DVR No. | 15 |
| From | Jeffrey Cloud/cs/15-NF | Contact No. | 1 971 925 3756 |
| Project Name | Shell International Petroleum | Email | Jeffrey.Cloud@ghd.com |
| Subject | Analytical Results and Data Verification of Report 580-131444-1 Quarterly Groundwater Sampling Triton West Consent Decree Seattle, Washington September 2023 | | |

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

1. Introduction

This document details a data verification of analytical results for groundwater samples collected in support of the Quarterly Groundwater Sampling at the Triton West Consent Decree site in Seattle, Washington during September 2023. Samples were submitted to Eurofins Seattle, located in Tacoma, Washington. A sample collection and analysis summary is presented in Table 1. A summary of the analytical methodology is presented in Table 2. The validated analytical results are summarized in Table 3.

Standard GHD report deliverables were submitted by the laboratory. The analytical results and supporting quality assurance/quality control (QA/QC) data were assessed. Evaluation of the data was based on information obtained from the chain of custody forms, finished report forms, method blank data, recovery data from surrogate spikes, laboratory control data and field QC data.

The QA/QC criteria by which these data have been assessed are outlined in the analytical methods referenced in Table 2 and applicable guidance from the document entitled "National Functional Guidelines for Organic Superfund Methods Data Review", United States Environmental Protection Agency (USEPA) 540-R-20-005, November 2020.

2. Sample Holding Time and Preservation

The sample holding time criteria and sample preservation requirements for the analyses are summarized in the methods. The sample chain of custody documents and analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

All sample containers were properly preserved, delivered on ice and stored by the laboratory at the required temperature (0-6°C).

3. Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation.

4. Surrogate Spike Recoveries

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample extraction and/or analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for volatile organic compound (VOC), gasoline range organics (GRO) and diesel range organics (DRO)/motor oil range organics (ORO) analysis were spiked with the appropriate number of surrogate compounds prior to sample extraction and/or analysis.

Surrogate recoveries were assessed against the control limits. All surrogate recoveries met the associated criteria.

5. Laboratory Control Sample Analyses

Laboratory control samples (LCS)/laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

For this study, LCS/LCSD were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

The LCS/LCSD contained all analytes of interest. All LCS/LCSD recoveries and RPDs were within associated control limits, demonstrating acceptable analytical accuracy and precision.

6. Field QA/QC Samples

The field QA/QC consisted of one trip blank sample.

To evaluate contamination from sample collection, transportation, storage, and analytical activities, one trip blank was submitted to the laboratory for analysis. All results were non-detect for the analytes of interest.

7. Analyte Reporting

Data were reported down to the laboratory's quantitation limit (QL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the reporting limit (RL) but greater than the QL were reported as estimated (J) in Table 3. Non-detect results were presented as non-detect at the RL in Table 3.

8. Conclusion

Based on the assessment detailed in the foregoing, the summarized data are acceptable without qualification.

Regards,



Jeffrey Cloud
Data Management Team – Data Validator

Table 1

Sample Collection and Analysis Summary
Quarterly Groundwater Sampling
Shell International Petroleum - Triton West Consent Decree
Seattle, Washington
September 2023

| Sample Identification | Location | Matrix | Collection Date (mm/dd/yyyy) | Collection Time (hr:min) | <u>Analysis/Parameters</u> | | | | Comments |
|-----------------------|----------|--------|---------------------------------|-----------------------------|----------------------------|---------------|-----|------|------------|
| | | | | | DRO/RRO | DRO/RRO w/sgc | GRO | VOCs | |
| MW-301 | MW-301 | Water | 09/11/2023 | 12:27 | | | X | X | |
| MW-302 | MW-302 | Water | 09/12/2023 | 12:41 | | | X | X | |
| MW-303 | MW-303 | Water | 09/11/2023 | 12:02 | | | X | X | |
| MW-304 | MW-304 | Water | 09/11/2023 | 12:56 | | | X | X | |
| MW-307 | MW-307 | Water | 09/11/2023 | 10:45 | | | X | X | |
| MW-308 | MW-308 | Water | 09/11/2023 | 11:16 | | | X | X | |
| MW-310 | MW-310 | Water | 09/11/2023 | 13:23 | | | X | X | |
| MW-311 | MW-311 | Water | 09/12/2023 | 12:11 | | | X | X | |
| MW-312 | MW-312 | Water | 09/12/2023 | 11:43 | | | X | X | |
| MW-313 | MW-313 | Water | 09/12/2023 | 10:41 | X | X | X | X | |
| MW-315 | MW-315 | Water | 09/12/2023 | 11:15 | X | X | X | X | |
| TX-03A | TX-03A | Water | 09/12/2023 | 14:57 | | | X | X | |
| TB-1 | -- | Water | 09/11/2023 | -- | | | X | X | Trip Blank |

Notes:

- VOCs - Volatile Organic Compounds
GRO - Gasoline Range Organics
DRO/RRO - Diesel Range Organics/Residual Range Organics
w/sgc - With Silica Gel Cleanup
"--" - Not Applicable

Table 2

Analytical Methods
Quarterly Groundwater Sampling
Shell International Petroleum - Triton West Consent Decree
Seattle, Washington
September 2023

| Parameter | Method | Matrix |
|--|-----------------------------|---------------|
| Volatile Organic Compounds (VOCs) | SW-846 8260D ⁽¹⁾ | Water |
| Gasoline Range Organics (GRO) | NWTPH-Gx ⁽²⁾ | Water |
| Diesel Range Organics (DRO)Residual Range Organics (RRO) | NWTPH-Dx ⁽²⁾ | Water |

Notes:

- (1) - SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions
- (2) - NWTPH - Referenced from "Washington State Department of Ecology Analytical Methods for Petroleum Hydrocarbons", Publication No. ECY 97-602, June 1997.

**Analytical Results Summary
 Quarterly Groundwater Sampling
 Shell International Petroleum - Triton West Consent Decree
 Seattle, Washington
 September 2023**

| Location ID: | MW-301 | MW-302 | MW-303 | MW-304 | MW-307 | MW-308 |
|--------------|------------|------------|------------|------------|------------|------------|
| Sample Name: | MW-301 | MW-302 | MW-303 | MW-304 | MW-307 | MW-308 |
| Sample Date: | 09/11/2023 | 09/12/2023 | 09/11/2023 | 09/11/2023 | 09/11/2023 | 09/11/2023 |

Parameters

Unit

Volatile Organic Compounds

| | | | | | | | |
|-----------------|------|---------|--------|------|------|------|---------|
| Benzene | µg/L | 70.4 | 37.3 | 366 | 91.1 | 54.5 | 0.979 J |
| Ethylbenzene | µg/L | 0.846 J | 1.00 U | 67.4 | 1.67 | 85.6 | 1.00 U |
| Toluene | µg/L | 5.26 | 4.80 | 11.9 | 6.48 | 21.6 | 0.845 J |
| Xylenes (total) | µg/L | 3.00 | 6.94 | 17.9 | 14.7 | 92.8 | 2.00 U |

Total Petroleum Hydrocarbons

| | | | | | | | |
|---|------|-----|------|------|-----|------|-----|
| Gasoline | µg/L | 590 | 1260 | 2220 | 938 | 2870 | 154 |
| Motor oil | µg/L | -- | -- | -- | -- | -- | -- |
| Total Petroleum Hydrocarbons - Extractable (DRO) | µg/L | -- | -- | -- | -- | -- | -- |
| Total Petroleum Hydrocarbons - Extractable (DRO) (Silica Gel) | µg/L | -- | -- | -- | -- | -- | -- |
| Total Petroleum Hydrocarbons - Motor Oil (Silica Gel) | µg/L | -- | -- | -- | -- | -- | -- |

Analytical Results Summary
Quarterly Groundwater Sampling
Shell International Petroleum - Triton West Consent Decree
Seattle, Washington
September 2023

| Location ID: | MW-310 | MW-311 | MW-312 | MW-313 | MW-315 | TX-03A |
|--------------|------------|------------|------------|------------|------------|------------|
| Sample Name: | MW-310 | MW-311 | MW-312 | MW-313 | MW-315 | TX-03A |
| Sample Date: | 09/11/2023 | 09/12/2023 | 09/12/2023 | 09/12/2023 | 09/12/2023 | 09/12/2023 |

| Parameters | Unit | | | | | | |
|---|------|--------|---------|------|--------|--------|---------|
| Volatile Organic Compounds | | | | | | | |
| Benzene | µg/L | 16.3 | 2.17 | 11.0 | 1.00 U | 1.01 | 89.0 |
| Ethylbenzene | µg/L | 1.00 U | 0.520 J | 1.18 | 1.00 U | 1.00 U | 0.770 J |
| Toluene | µg/L | 1.12 | 3.12 | 2.27 | 1.00 U | 3.54 | 7.60 |
| Xylenes (total) | µg/L | 1.63 J | 0.984 J | 2.08 | 2.00 U | 2.96 | 8.60 |
| Total Petroleum Hydrocarbons | | | | | | | |
| Gasoline | µg/L | 872 | 2490 | 2580 | 50.0 U | 3020 | 1980 |
| Motor oil | µg/L | -- | -- | -- | 140 J | 290 J | -- |
| Total Petroleum Hydrocarbons - Extractable (DRO) | µg/L | -- | -- | -- | 157 | 4170 | -- |
| Total Petroleum Hydrocarbons - Extractable (DRO) (Silica Gel) | µg/L | -- | -- | -- | 113 U | 1600 | -- |
| Total Petroleum Hydrocarbons - Motor Oil (Silica Gel) | µg/L | -- | -- | -- | 359 U | 361 U | -- |

Notes:

U - Not detected at the associated reporting limit

J - Estimated concentration

-- - Not Applicable

DRO - Diesel Range Organics