

Chevron Environmental Management Company and King County Metro Transit

First Semi-Annual 2023 Groundwater Monitoring Report

**Former Chevron Bulk Terminal No. 100-1327
1602 North Northlake Way
Facilities North/King County (Metro)
Seattle, Washington**

November 22, 2023

First Semi-Annual 2023 Groundwater Monitoring Report


Former Chevron Bulk Terminal No. 100-1327
1602 North Northlake Way
Facilities North/King County (Metro)
Seattle, Washington

November 22, 2023


Prepared By:
Arcadis U.S., Inc.
1420 5th Avenue, Suite 2400
Seattle
Washington 98101
Phone: 206 325 5254
Fax: 206 325 8218

Prepared For:
Chevron Environmental Management Company

Our Ref:
30064328



Sydney Kunze, E.I.T
Environmental Engineer



Samuel Miles
Project Manager



Rebeca Andresen, L.G.
Senior Vice President, Licensed Geologist #2588



This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Contents

1	Introduction.....	1
1.1	Site Description	1
1.2	North Yard	1
1.2.1	Touchstone PPCD	1
1.3	South Yard.....	1
1.3.1	Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree	1
2	Groundwater monitoring methodology.....	2
2.1	Groundwater Gauging Methods.....	2
2.2	LNAPL Recovery Methods.....	2
2.3	Groundwater Sampling Method	2
3	Groundwater monitoring Results	3
3.1	Groundwater Gauging Results.....	3
3.2	Groundwater Analytical Results	4
4	Conclusions	5
5	Recommendations.....	5
6	References	5

Tables

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Table 2. Second Quarter 2023 Groundwater Analytical Results

Table 3. Point of Compliance Consecutive Sampling Events as of First Semi-Annual 2023

Figures

Figure 1. Site Plan

Figure 2. Potentiometric Map with Analytical Results - June 1, 2023

Figure 3. cPAH Analytical Results - June 1 and 2, 2023

Appendices

Appendix A. Field Notes

Appendix B. Hydraulic Gradient Three Point Solution Worksheet

Appendix C. Laboratory Analytical Results

Appendix D. Historical Groundwater Analytical Results

1 Introduction

On behalf of Chevron Environmental Management Company (Chevron) and King County Metro Transit Department (Metro), Arcadis US, Inc. (Arcadis) has prepared this report to document the First Semi-Annual 2023 groundwater gauging and sampling event for the former Chevron Bulk Terminal No. 100-1327 (site) conducted during the first half of 2023. Site Regulatory identifiers include Facility/Site identification 2217, and Cleanup Site identification 1275.

1.1 Site Description

The site is located at 1602 North Northlake Way along the north shore of Lake Union in a mixed-use residential and commercial neighborhood with industrial marine facilities located along the shoreline. This site is divided into two operable areas: the North Yard, located on the north side of North Northlake Way; and the South Yard, located adjacent to the north shore of Lake Union and south of North Northlake Way (**Figure 1**).

1.2 North Yard

The portion of the site that is located between North 34th Street to the north and North Northlake Place to the south, and between Woodlawn Avenue North to the west and Densmore Avenue North to the East is the North Yard. Touchstone NLU LLC Corporation (Touchstone) purchased this property in 2009 and has redeveloped the property.

1.2.1 Touchstone PPCD

In 2007, Touchstone entered into a Prospective Purchaser Consent Decree (PPCD) with the State of Washington, Department of Ecology (Ecology) that required Touchstone to remediate the North Yard to Model Toxics Control Act (MTCA) Method A soil cleanup levels for unrestricted use. Touchstone has completed remediation of the North Yard portion of the site as part of its redevelopment, called North Edge. According to the terms of the PPCD, Touchstone excavated and removed petroleum-contaminated soil within the Touchstone property line for treatment and/or offsite disposal. Soil outside the Touchstone property line and groundwater are part of the Metro Lake Union/former Chevron Bulk Terminal Site Consent Decree.

1.3 South Yard

The South Yard is bounded by Lake Union to the southeast, a private property (Northlake Shipyard) to the northwest, North Northlake Place to the northeast, and a property occupied by the Seattle Harbor Patrol to the southeast.

1.3.1 Metro Lake Union/Former Chevron Bulk Terminal Site Consent Decree

In 1999 Chevron and KC DOT entered into a Consent Decree (CD) with Ecology that required remediation of upland soil of the South Yard to MTCA Method A industrial soil cleanup levels for restricted use and MTCA

Method B groundwater cleanup levels for protection of Lake Union surface waters. Active cleanup work was divided into two phases. Phase 1 work was completed in 2000. Active Phase 2 work began in 1999 and was completed with Touchstone's PPCD site closure in 2016. All active remediation work required under the CD for the South Yard has been completed. Compliance groundwater monitoring continues.

2 Groundwater monitoring methodology

Groundwater monitoring has been conducted intermittently (one or more times per year) since 1999 and quarterly in 2012 and 2013. In 2014, Ecology approved a sampling schedule consisting of semi-annual compliance monitoring. This report documents groundwater gauging and sampling events conducted by Arcadis during the first half of 2023.

During this reporting period, depth to water readings and groundwater samples were collected at accessible monitoring wells by subcontractor Blaine Tech Services, Inc. (Blaine Tech), with direction from Arcadis, on June 1 and 2, 2023.

2.1 Groundwater Gauging Methods

Depth to water was measured using a static oil/water level indicator from the top of the monitoring well casing and recorded on field data sheets. The oil/water level indicators were decontaminated with an Alconox® and water scrub and rinsed between each measurement to prevent cross contamination. Non-disposable groundwater gauging equipment was decontaminated prior to and after each use with a detergent solution and rinsed in potable water. Field notes taken during gauging activities are included in **Appendix A**.

2.2 LNAPL Recovery Methods

Manual removal of Light Non-Aqueous Phase Liquid (LNAPL) was completed at the site quarterly from 1997 to 2007, periodically from 2007 to 2013 and quarterly in 2014. LNAPL removal was conducted periodically if measurable LNAPL (more than approximately 0.01 ft) was detected in a monitoring well during gauging events. LNAPL removal from monitoring wells was performed using manual bailing methods. Removed LNAPL was stored onsite in properly labeled sealed drums for disposal. All of the monitoring wells which historically contained LNAPL at levels greater than 0.01 ft were destroyed as part of development activities conducted in the North Yard by Touchstone in 2015. No LNAPL was found in the remaining monitoring wells during gauging events and therefore, no manual removal of LNAPL was conducted during the first half of 2023. Groundwater elevation and LNAPL monitoring data are presented in **Table 1**.

2.3 Groundwater Sampling Methods

In total, 12 monitoring wells were sampled from the site monitoring well network during this reporting period. The wells sampled during this reporting period include MW-4, MW-7, MW-8A, MW-19, MW-20, MW-21, MW-25, MW-26, MW-29, AGI-2, MLU-1, and MLU-3. Field notes taken during the groundwater sampling activities are included in **Appendix A**.

Sampling was conducted in accordance with low flow purge methodology, using a peristaltic pump and disposable tubing. The flow rate used during sampling was approximately 200 milliliters per minute (mL/min)

thereby minimizing water level drawdown in the well. During low flow purging, water quality parameters including pH, specific conductivity and temperature were monitored using a Yellow Springs Instruments (YSI) 556 multi-parameter meter with a flow-through measurement cell. Groundwater was considered stabilized when pH readings remained within 0.1 unit, and specific conductivity and temperature readings remained within 3%. The flow-through measurement cell was then disconnected from the disposable tubing and sample containers were filled directly from the tubing.

After the samples were collected in appropriate laboratory bottles, they were labeled, stored in a cooler packed with ice, and submitted under proper chain-of-custody procedures to Pace Analytical Laboratory (Pace) of Mount Juliet, Tennessee. Groundwater samples were submitted to the analytical laboratory for the following analyses for site specific compounds of concern (COCs):

- Benzene, toluene, and ethylbenzene by Environmental Protection Agency (EPA) method 8260D.
- Carcinogenic polycyclic aromatic hydrocarbons (cPAH) including benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene), naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene by EPA 8270E SIM.
- Dissolved lead and arsenic by EPA method 6020B.

A duplicate groundwater sample (DUP) was collected from MW-8A during the sampling event and submitted blind to the laboratory for the above analyses.

3 Groundwater monitoring Results

3.1 Groundwater Gauging Results

Groundwater monitoring wells were gauged at the site on June 1, 2023. Historically, groundwater elevations were adjusted for LNAPL solubility if present within a monitoring well. A solubility of 0.8 was used to adjust groundwater elevation for LNAPL if observed within onsite monitoring wells during the respective gauging events. No measurable LNAPL was detected during the June 2023 gauging event.

On June 1, 2023, groundwater monitoring wells MW-4, MW-7, MW-8A, MW-9R, MW-11, MW-14, MW-15, MW-19, MW-20, MW-21, MW-22, MW-24, MW-25, MW-26, MW-29, MW-30, AGI-2, EW-1, MLU-1, and MLU-3 were gauged by Blaine Tech to determine groundwater elevations. Depth to groundwater ranged between 10.04 feet below top of casing (btoc) in monitoring well MW-29 to 21.25 feet btoc in monitoring well MW-24. Groundwater elevations ranged from 17.66 feet above the North American Vertical Datum of 1988 (NAVD 88) in monitoring well AGI-2 to 48.52 feet above NAVD 88 in monitoring well MW-24.

The horizontal hydraulic gradient for the North Yard was calculated to be 0.083 feet per foot (ft/ft) based on the groundwater elevations calculated at monitoring wells MW-24, MW-29, and MW-19 with a west-southwest flow direction. The groundwater flow direction has historically been to the southwest. A potentiometric groundwater elevation figure for June 1, 2023, monitoring well gauging data is included on **Figure 2**. Hydraulic Gradient Three Point Solution Worksheets are included as **Appendix B**.

3.2 Groundwater Analytical Results

Groundwater cleanup levels at the site were based on MTCA Method B surface water cleanup levels (CULs) established in the Ecology approved cleanup action plan (CAP) (Foster Wheeler, 1998). The MTCA Method B surface water CULs for specific COCs at the site include:

Constituent of Concern	Groundwater CUL ($\mu\text{g/L}$)
Benzene	43
Toluene	48,500
Ethylbenzene	6,910
Naphthalene	9,880
Benzo(a)anthracene	0.0296
Benzo(a)pyrene	0.0296
Benzo(b)fluoranthene	0.0296
Benzo(k)fluoranthene	0.0296
Chrysene	0.0296
Dibenz(a,h)anthracene	0.0296
Indeno(1,2,3-cd)pyrene	0.0296
Arsenic	0.0982
Lead	5

Note:

$\mu\text{g/L}$ = microgram per liter

During the First Semi-Annual 2023 sampling event conducted on June 1 and 2, 2023, groundwater was sampled and analyzed for benzene, toluene, ethylbenzene, cPAH, naphthalene, dissolved arsenic, and dissolved lead from monitoring wells MW-4, MW-7, MW-8A, MW-19, MW-20, MW-21, MW-25, MW-26, MW-29, AGI-2, MLU-1, and MLU-3.

Dissolved arsenic was detected above the MTCA Method B surface water CUL of 0.0982 $\mu\text{g/L}$ in the filtered groundwater samples from monitoring wells MW-7, MW-8A, MW-19, MW-20, MW-21, MW-25, MW-26, MW-29, MLU-3 and AGI-2 at concentrations ranging from 0.286 J $\mu\text{g/L}$ (where J indicates the concentration is an approximate value) in MW-26 to 4.92 $\mu\text{g/L}$ in MW-7.

Laboratory data from point of compliance wells will be reported in the Ecology Environmental Information Management (EIM) system under EIM identification number FS2217. The laboratory analytical report is included in **Appendix C** and the laboratory analytical results are presented on **Figure 2** and **Figure 3**, and in **Table 2**. Historical groundwater analytical results are presented in **Appendix D**. Consecutive sampling events under the MTCA Method B surface water CULs in POC wells are presented in **Table 3**.

4 Conclusions

Groundwater currently complies with all CULs except for arsenic, for which the CUL is less than the laboratory practicable quantification limit (PQL) of 2 µg/L and the laboratory method detection limit (MDL) of 0.18 µg/L. Dissolved arsenic was detected greater than the PQL in wells MW-7, MW-20, and MW-21 and was detected above the laboratory MDL but below the PQL in wells MW-8A, MLU-3, MW-19, MW-25, and MW-26. For all arsenic detections, the concentrations were less than the Ecology identified background value of 8 µg/L for the Puget Sound Basin (Ecology 2022). There were no exceedances of benzene, toluene, ethylbenzene, naphthalene, lead, and cPAHs during the first half of 2023 sampling activities. The groundwater elevation data collected during the June 2023 monitoring event indicates groundwater flow direction and horizontal hydraulic gradient to be generally consistent with historical data.

As of the most recent sampling event in June 2023, all 11 compliance wells have been in compliance with the site CULs for at least six consecutive semiannual groundwater monitoring events for benzene, toluene, ethylbenzene, naphthalene, cPAHs. Ten compliance wells have been in compliance with the site CULs for at least six consecutive semiannual groundwater monitoring events for lead.

5 Recommendations

Semi-annual groundwater sampling will continue in the second half of 2023, with the next event scheduled for the fourth quarter 2023.

6 References

- Arcadis. 2022. Five-Year Review Report. Former Chevron Bulk Plant No. 100-1327 1602 North Northlake Way Facilities North/King County (Metro) Seattle, Washington. May 9.
- Ecology. 2010. *Draft Revisions — MTCA Method A Groundwater Cleanup Levels*. November, 16
- Ecology. 2022. Natural Background Groundwater Arsenic Concentrations in Washington State Study Results. January. Available online: [Natural Background Groundwater Arsenic Concentrations in Washington State: Study Results](#)
- Foster Wheeler Environmental Corporation. 1998. *Draft Cleanup Action Plan Former Chevron Bulk Plant 100-1327 Facilities North/King County Metro Transit Lake Union Site*. November, 24.
- King County Department of Assessments. 2022. Website accessed on January 25.
<https://blue.kingcounty.com/Assessor/eRealProperty/Detail.aspx?ParcelNbr=4083306985>
<https://blue.kingcounty.com/Assessor/eRealProperty/Detail.aspx?ParcelNbr=4088804670>

Tables

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-3	North Yard	08/11/99	104.07	--	--	--	--	No	--
MW-3	North Yard	10/22/99	104.07	--	--	--	--	No	--
MW-3	North Yard	05/24/01	104.07	10.25	9.99	0.26	--	No	94.03
MW-3	North Yard	06/27/01	104.07	--	--	--	--	No	--
MW-3	North Yard	03/18/02	104.07	9.28	8.59	0.69	--	No	95.34
MW-3	North Yard	12/31/02	104.07	--	--	--	--	No	--
MW-3	North Yard	03/26/03	104.07	7.02	--	0.00	--	No	97.05
MW-3	North Yard	06/26/03	104.07	11.49	10.49	1.00	2.75	No	93.38
MW-3	North Yard	07/21/03	104.07	--	--	--	2.50	No	--
MW-3	North Yard	08/28/03	104.07	--	--	--	3.00	No	--
MW-3	North Yard	10/16/03	104.07	13.89	11.55	2.34	1.75	No	92.05
MW-3	North Yard	11/21/03	104.07	--	--	--	3.50	No	--
MW-3	North Yard	12/17/03	104.07	11.02	10.27	0.75	2.00	No	93.65
MW-3	North Yard	01/29/04	104.07	10.59	9.82	0.77	1.75	No	94.10
MW-3	North Yard	02/18/04	104.07	10.32	9.77	0.55	0.75	No	94.19
MW-3	North Yard	03/30/04	104.07	9.93	9.28	0.65	0.75	No	94.66
MW-3	North Yard	09/22/04	104.07	11.35	10.61	0.74	1.50	No	93.31
MW-3	North Yard	03/15/05	104.07	12.98	10.82	2.16	3.00	No	92.82
MW-3	North Yard	9/28/05*	104.07	11.25	--	<3.0	3.50	No	--
MW-3	North Yard	03/29/06	104.07	12.40	8.76	3.64	6.50	No	94.58
MW-3	North Yard	03/21/07	104.07	10.67	9.13	1.54	2.00	No	94.63
MW-3	North Yard	03/25/08	104.07	10.38	9.73	0.65	1.00	No	94.21
MW-3	North Yard	09/08-09/08	104.07	11.02	10.55	0.47	1.50	Yes	93.43
MW-3	North Yard	12/11/08	104.07	12.10	10.79	1.31	2.50	Yes	93.02
MW-3	North Yard	03/30-31/09	104.07	9.70	--	0.00	0.00	Yes	94.37
MW-3	North Yard	06/15/09	104.07	10.97	9.79	1.18	2.50 ⁴	Yes	94.04
MW-3	North Yard	09/10-11/09	104.07	12.21	10.94	1.27	1.66 ⁴	Yes	92.88
MW-3	North Yard	02/23/10	104.07	11.25	8.75	2.50	1.75 ⁴	Yes	94.82
MW-3	North Yard	03/15/10	104.07	11.25	8.60	2.65	2.50 ⁵	Yes	94.94
MW-3	North Yard	03/23/12	104.07	12.00	11.90	0.10	0.50	Yes	92.15
MW-3	North Yard	06/01/12	104.07	--	--	--	--	Yes	--
MW-3	North Yard	04/22/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	06/26/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	09/18/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	10/14/13	104.07	--	--	--	--	Yes	--
MW-3	North Yard	03/27/14	104.07	22.78	--	0.00	--	Yes	81.29
MW-3	North Yard	06/10/14	104.07	11.88	6.97	4.91	5.00	Yes	96.12
MW-3	North Yard	07/22/14	104.07	10.52	9.83	0.69	--	Yes	94.10
MW-4	South Yard	08/10/99	--	--	--	--	--	--	--
MW-4	South Yard	10/20/99	--	--	--	--	--	--	--
MW-4	South Yard	07/26/01	--	15.46	--	0.00	--	--	--
MW-4	South Yard	10/11/02	--	--	--	--	--	--	--
MW-4	South Yard	12/31/02	--	16.88	--	0.00	--	--	--
MW-4	South Yard	02/27/03	--	16.22	--	0.00	--	--	--
MW-4	South Yard	03/26/03	--	15.38	--	0.00	--	--	--
MW-4	South Yard	04/28/03	--	15.12	--	0.00	--	--	--
MW-4	South Yard	05/30/03	--	15.02	--	0.00	--	--	--

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-4	South Yard	06/25/03	--	15.39	--	0.00	--	--	--
MW-4	South Yard	09/16/03	--	16.76	--	0.00	--	--	--
MW-4	South Yard	12/15/03	--	16.80	--	0.00	--	--	--
MW-4	South Yard	03/25/04	--	15.85	--	0.00	--	--	--
MW-4	South Yard	09/22/04	--	15.94	--	0.00	--	--	--
MW-4	South Yard	03/14/05	--	16.26	--	0.00	--	--	--
MW-4	South Yard	03/29/06	--	15.71	--	0.00	--	--	--
MW-4	South Yard	03/21/07	--	15.77	--	0.00	--	--	--
MW-4	South Yard	03/25/08	--	15.78	--	0.00	--	--	--
MW-4	South Yard	09/08-09/08	--	15.91	--	0.00	--	--	--
MW-4	South Yard	12/11/08	--	--	--	--	--	--	--
MW-4	South Yard	03/30-31/09	--	15.54	--	0.00	--	--	--
MW-4	South Yard	09/10-11/09	--	16.39	--	0.00	--	--	--
MW-4	South Yard	03/15/10	--	12.67	--	0.00	--	--	--
MW-4	South Yard	09/15/10	--	16.25	--	0.00	--	--	--
MW-4	South Yard	03/14/11	--	15.55	--	0.00	--	--	--
MW-4	South Yard	09/25/11	33.92	16.55	--	0.00	--	--	17.37
MW-4	South Yard	10/10/11	33.92	16.20	--	0.00	--	--	17.72
MW-4	South Yard	06/21/12	33.92	14.49	--	0.00	--	--	19.43
MW-4	South Yard	09/20/12	33.92	16.60	--	0.00	--	--	17.32
MW-4	South Yard	09/21/12	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	12/26/12	33.92	16.62	--	0.00	--	--	17.30
MW-4	South Yard	04/22/13	33.92	15.18	--	0.00	--	--	18.74
MW-4	South Yard	06/26/13	33.92	15.15	--	0.00	--	--	18.77
MW-4	South Yard	09/18/13	33.92	15.98	--	0.00	--	--	17.94
MW-4	South Yard	10/14/13	33.92	16.26	--	0.00	--	--	17.66
MW-4	South Yard	03/27/14	33.92	15.69	--	0.00	--	--	18.23
MW-4	South Yard	06/10/14	33.92	15.05	--	0.00	--	--	18.87
MW-4	South Yard	11/11/15	33.92	16.52	--	0.00	--	--	17.40
MW-4	South Yard	04/18/16	33.92	13.31	--	0.00	--	--	20.61
MW-4	South Yard	12/07/16	33.92	16.78	--	0.00	--	--	17.14
MW-4	South Yard	06/21/17	33.92	14.99	--	0.00	--	--	18.93
MW-4	South Yard	12/05/17	33.92	16.72	--	0.00	--	--	17.20
MW-4	South Yard	06/26/18	33.92	15.38	--	0.00	--	--	18.54
MW-4	South Yard	11/27/18	33.92	16.59	--	0.00	--	--	17.33
MW-4	South Yard	06/20/19	33.92	15.33	--	0.00	--	--	18.59
MW-4	South Yard	12/17/19	33.92	16.96	--	0.00	--	--	16.96
MW-4	South Yard	06/10/20	33.92	15.19	--	0.00	--	--	18.73
MW-4	South Yard	11/10/20	33.92	16.64	--	0.00	--	--	17.28
MW-4	South Yard	06/28/21	33.92	15.11	--	0.00	--	--	18.81
MW-4	South Yard	01/06/22	33.92	16.30	--	0.00	--	--	17.62
MW-4	South Yard	06/24/22	33.92	14.97	--	0.00	--	--	18.95
MW-4	South Yard	12/16/22	33.92	15.30	--	0.00	--	--	18.62
MW-4	South Yard	06/01/23	33.92	15.08	--	0.00	--	--	18.84
MW-7	South Yard	08/10/99	98.39	--	--	--	--	--	--
MW-7	South Yard	10/20/99	98.39	--	--	--	--	--	--
MW-7	South Yard	07/26/01	98.39	12.61	--	0.00	--	--	85.78

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-7	South Yard	04/03/02	98.39	13.03	--	0.00	--	--	85.36
MW-7	South Yard	07/02/02	98.39	12.13	--	0.00	--	--	86.26
MW-7	South Yard	09/03/02	98.39	13.76	--	0.00	--	--	84.63
MW-7	South Yard	10/11/02	98.39	14.87	--	0.00	--	--	83.52
MW-7	South Yard	03/26/03	98.39	13.12	--	0.00	--	--	85.27
MW-7	South Yard	04/28/03	98.39	12.33	--	0.00	--	--	86.06
MW-7	South Yard	05/30/03	98.39	11.76	--	0.00	--	--	86.63
MW-7	South Yard	06/25/03	98.39	13.14	--	0.00	--	--	85.25
MW-7	South Yard	09/16/03	98.39	13.93	--	0.00	--	--	84.46
MW-7	South Yard	12/15/03	98.39	13.96	--	0.00	--	--	84.43
MW-7	South Yard	03/21/07	98.39	--	--	--	--	--	--
MW-7	South Yard	03/25/08	98.39	--	--	--	--	--	--
MW-7	South Yard	09/08-09/08	98.39	--	--	--	--	--	--
MW-7	South Yard	12/11/08	98.39	--	--	--	--	--	--
MW-7	South Yard	03/30-31/09	98.39	--	--	--	--	--	--
MW-7	South Yard	09/10-11/09	98.39	--	--	--	--	--	--
MW-7	South Yard	03/15/1011	98.39	13.07	--	0.00	--	--	85.32
MW-7	South Yard	09/15/10	98.39	13.40	--	0.00	--	--	84.99
MW-7	South Yard	03/14/11	98.39	12.85	--	0.00	--	--	85.54
MW-7	South Yard	06/21/12	31.13	12.19	--	0.00	--	--	18.94
MW-7	South Yard	09/20/12	31.13	13.74	--	0.00	--	--	17.39
MW-7	South Yard	12/26/12	31.13	15.67	--	0.00	--	--	15.46
MW-7	South Yard	04/22/13	31.13	12.40	--	0.00	--	--	18.73
MW-7	South Yard	06/26/13	31.13	12.30	--	0.00	--	--	18.83
MW-7	South Yard	09/18/13	31.13	13.15	--	0.00	--	--	17.98
MW-7	South Yard	10/14/13	31.13	13.37	--	0.00	--	--	17.76
MW-7	South Yard	03/27/14	31.13	12.82	--	0.00	--	--	18.31
MW-7	South Yard	06/10/14	31.13	12.21	--	0.00	--	--	18.92
MW-7	South Yard	11/11/15	31.13	13.81	--	0.00	--	--	17.32
MW-7	South Yard	04/18/16	31.13	12.43	--	0.00	--	--	18.70
MW-7	South Yard	12/07/16	31.13	13.88	--	0.00	--	--	17.25
MW-7	South Yard	06/12/17	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	12/05/17	31.13	13.90	--	0.00	--	--	17.23
MW-7	South Yard	06/26/18	31.13	12.47	--	0.00	--	--	18.66
MW-7	South Yard	11/27/18	31.13	13.78	--	0.00	--	--	17.35
MW-7	South Yard	06/20/19	31.13	12.50	--	0.00	--	--	18.63
MW-7	South Yard	12/17/19	31.13	14.10	--	0.00	--	--	17.03
MW-7	South Yard	06/10/20	31.13	12.20	--	0.00	--	--	18.93
MW-7	South Yard	11/10/20	31.13	13.77	--	0.00	--	--	17.36
MW-7	South Yard	06/28/21	31.13	12.27	--	0.00	--	--	18.86
MW-7	South Yard	01/06/22	31.13	13.55	--	0.00	--	--	17.58
MW-7	South Yard	06/24/22	31.13	12.19	--	0.00	--	--	18.94
MW-7	South Yard	12/16/22	31.13	13.74	--	0.00	--	--	17.39
MW-7	South Yard	06/01/23	31.13	12.37	--	0.00	--	--	18.76
MW-8	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-8	South Yard	10/20/99	97.87	13.06	--	0.00	--	--	84.81
MW-8	South Yard	01/06/00	97.87	--	--	--	--	--	--

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8	South Yard	04/12/00	97.87	12.57	--	0.00	--	--	85.30
MW-8	South Yard	06/27/00	97.87	12.61	--	0.00	--	--	85.26
MW-8	South Yard	09/28/00	97.87	12.88	--	0.00	--	--	84.99
MW-8	South Yard	01/15/01	97.87	13.70	--	0.00	--	--	84.17
MW-8	South Yard	06/21/01	97.87	11.77	--	0.00	--	--	86.10
MW-8	South Yard	07/26/01	97.87	12.18	--	0.00	--	--	85.69
MW-8	South Yard	03/19/02	97.87	12.84	--	0.00	--	--	85.03
MW-8	South Yard	04/03/02	97.87	12.48	--	0.00	--	--	85.39
MW-8	South Yard	05/07/02	97.87	11.86	--	0.00	--	--	86.01
MW-8	South Yard	06/06/02	97.87	12.39	--	0.00	--	--	85.48
MW-8	South Yard	07/02/02	97.87	11.79	--	0.00	--	--	86.08
MW-8	South Yard	09/03/02	97.87	13.24	--	0.00	--	--	84.63
MW-8	South Yard	10/11/02	97.87	14.04	--	0.00	--	--	83.83
MW-8	South Yard	12/31/02	97.87	13.69	--	0.00	--	--	84.18
MW-8	South Yard	03/26/03	97.87	12.23	--	0.00	--	--	85.64
MW-8	South Yard	04/28/03	97.87	12.87	--	0.00	--	--	85.00
MW-8	South Yard	05/30/03	97.87	11.80	--	0.00	--	--	86.07
MW-8	South Yard	06/25/03	97.87	12.20	--	0.00	--	--	85.67
MW-8	South Yard	09/15/03	97.87	13.45	--	0.00	--	--	84.42
MW-8A	South Yard	12/15/03	97.60	13.32	--	0.00	--	--	84.28
MW-8A	South Yard	03/25/04	97.60	12.24	--	0.00	--	--	85.36
MW-8A	South Yard	09/23/04	97.60	12.30	--	0.00	--	--	85.30
MW-8A	South Yard	03/14/05	97.60	12.68	--	0.00	--	--	84.92
MW-8A	South Yard	03/29/06	97.60	12.14	--	0.00	--	--	85.46
MW-8A	South Yard	03/21/07	97.60	12.21	--	0.00	--	--	85.39
MW-8A	South Yard	03/25/08	97.60	12.13	--	0.00	--	--	85.47
MW-8A	South Yard	09/08-09/08	97.60	12.32	--	0.00	--	--	85.28
MW-8A	South Yard	12/11/08	97.60	--	--	--	--	--	--
MW-8A	South Yard	03/30-31/09	97.60	12.04	--	0.00	--	--	85.56
MW-8A	South Yard	09/10-11/09	97.60	12.80	--	0.00	--	--	84.80
MW-8A	South Yard	03/15/10	97.60	12.23	--	0.00	--	--	85.37
MW-8A	South Yard	09/15/10	97.60	12.66	--	0.00	--	--	84.94
MW-8A	South Yard	03/14/11	97.60	12.19	--	0.00	--	--	85.41
MW-8A	South Yard	11/16/11	30.31	13.14	--	0.00	--	--	17.17
MW-8A	South Yard	06/21/12	30.31	11.45	--	0.00	--	--	18.86
MW-8A	South Yard	09/20/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	09/21/12	30.31	12.97	--	0.00	--	--	17.34
MW-8A	South Yard	12/26/12	30.31	13.07	--	0.00	--	--	17.24
MW-8A	South Yard	04/23/13	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	06/26/13	30.31	11.50	--	0.00	--	--	18.81
MW-8A	South Yard	09/18/13	30.31	12.37	--	0.00	--	--	17.94
MW-8A	South Yard	10/14/13	30.31	12.65	--	0.00	--	--	17.66
MW-8A	South Yard	03/27/14	30.31	12.21	--	0.00	--	--	18.10
MW-8A	South Yard	06/10/14	30.31	11.49	--	0.00	--	--	18.82
MW-8A	South Yard	11/11/15	30.31	12.41	--	0.00	--	--	17.90
MW-8A	South Yard	04/18/16	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	12/07/16	30.31	13.26	--	0.00	--	--	17.05

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-8A	South Yard	06/21/17	30.31	11.59	--	0.00	--	--	18.72
MW-8A	South Yard	12/05/17	30.31	12.60	--	0.00	--	--	17.71
MW-8A	South Yard	06/26/18	30.31	11.89	--	0.00	--	--	18.42
MW-8A	South Yard	11/27/18	30.31	12.14	--	0.00	--	--	18.17
MW-8A	South Yard	06/20/19	30.31	11.69	--	0.00	--	--	18.62
MW-8A	South Yard	12/17/19	30.31	13.41	--	0.00	--	--	16.90
MW-8A	South Yard	06/10/20	30.31	11.48	--	0.00	--	--	18.83
MW-8A	South Yard	11/10/20	30.31	13.08	--	0.00	--	--	17.23
MW-8A	South Yard	06/28/21	30.31	11.70	--	0.00	--	--	18.61
MW-8A	South Yard	01/06/22	30.31	12.40	--	0.00	--	--	17.91
MW-8A	South Yard	06/24/22	30.31	11.75	--	0.00	--	--	18.56
MW-8A	South Yard	12/16/22	30.31	13.35	--	0.00	--	--	16.96
MW-8A	South Yard	06/01/23	30.31	11.83	--	0.00	--	--	18.48
MW-9	ROW	08/11/99	103.67	--	--	--	--	No	--
MW-9	ROW	10/21/99	103.67	--	--	--	--	No	--
MW-9	ROW	05/24/01	103.67	14.07	14.02	0.05	--	No	89.64
MW-9	ROW	06/21/01	103.67	13.78	13.74	0.04	--	No	89.92
MW-9	ROW	06/27/01	103.67	13.79	--	0.00	--	No	89.88
MW-9	ROW	03/18/02	103.67	13.51	12.82	0.69	--	No	90.71
MW-9	ROW	10/16/02	103.67	--	--	0.54	--	No	--
MW-9	ROW	11/11/02	103.67	--	--	0.90	--	No	--
MW-9	ROW	12/31/02	103.67	--	--	0.91	--	No	--
MW-9	ROW	02/27/03	103.67	--	--	0.02	--	No	--
MW-9	ROW	03/26/03	103.67	--	--	0.09	--	No	--
MW-9	ROW	04/28/03	103.67	13.25	13.18	0.07	--	No	90.48
MW-9	ROW	05/30/03	103.67	13.52	13.43	0.09	--	No	90.22
MW-9	ROW	06/26/03	103.67	13.90	13.86	0.04	0.10	No	89.80
MW-9	ROW	07/21/03	103.67	--	--	0.21	2.00	No	--
MW-9	ROW	08/28/03	103.67	--	--	0.23	0.75	No	--
MW-9	ROW	10/16/03	103.67	15.98	15.41	0.57	2.00	No	88.15
MW-9	ROW	11/21/03	103.67	--	--	0.01	0.25	No	--
MW-9	ROW	12/17/03	103.67	--	--	0.00	0.00	No	--
MW-9	ROW	01/29/04	103.67	14.16	14.13	0.03	0.10	No	89.53
MW-9	ROW	02/18/04	103.67	11.11	10.94	0.17	0.25	No	92.70
MW-9	ROW	03/25/04	103.67	13.66	--	0.00	--	No	90.01
MW-9	ROW	03/30/04	103.67	13.80	13.69	0.11	0.25	No	89.96
MW-9	ROW	09/22/04	103.67	9.52	9.49	0.03	0.25	No	94.17
MW-9	ROW	03/15/05	103.67	14.81	14.52	0.29	0.25	No	89.09
MW-9	ROW	09/28/05	103.67	15.31	15.06	0.25	<0.01	No	88.56
MW-9	ROW	03/29/06	103.67	13.26	13.00	0.26	<0.5	No	90.62
MW-9	ROW	03/21/07	103.67	13.73	13.41	0.32	0.19	No	90.20
MW-9	ROW	03/25/08	103.67	13.93	--	0.00	<0.25	No	89.74
MW-9	ROW	09/08-09/08	103.67	14.23	14.22	0.01	0.00	Yes	89.45
MW-9	ROW	12/11/08	103.67	15.16	15.11	0.05	0.02	Yes	88.55
MW-9	ROW	03/30-31/09	103.67	14.06	--	0.00	--	Yes	89.61
MW-9	ROW	06/15/09	103.67	13.32	--	0.00	--	Yes	90.35
MW-9	ROW	09/10-11/09	103.67	14.80	--	0.00	--	Yes	88.87

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL ² (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-9	ROW	02/23/10	103.67	13.10	12.80	0.30	0.21 ⁴	Yes	90.81
MW-9	ROW	03/15/10	103.67	13.33	13.10	0.23	0.18 ⁴	Yes	90.52
MW-9	ROW	09/15/10 ¹	103.67	15.05	14.50	0.55	0.20 ⁴	Yes	89.06
MW-9	ROW	12/04/10 ¹	103.67	14.50	14.37	0.13	0.20 ⁴	Yes	89.27
MW-9	ROW	3/14/2011 ¹	103.67	12.71	--	0.00	--	Yes	90.96
MW-9	ROW	9/24/2011 ¹	36.46	14.62	--	0.00	--	Yes	21.84
MW-9	ROW	12/08/2011 ¹	36.46	12.87	--	0.00	--	Yes	23.59
MW-9	ROW	03/23/12	36.46	10.55	10.35	0.20	0.50	Yes	26.07
MW-9	ROW	06/01/12	36.46	11.75	11.55	0.20	1.00	Yes	24.87
MW-9	ROW	09/20/12	36.46	14.47	13.95	0.52	--	Yes	22.41
MW-9	ROW	12/26/12	36.46	11.60	10.60	1.00	--	Yes	25.66
MW-9	ROW	04/22/13	36.46	11.07	10.40	0.67	--	Yes	25.93
MW-9	ROW	06/26/13	36.46	12.45	12.30	0.15	--	Yes	24.13
MW-9	ROW	09/18/13	36.46	14.51	14.20	0.31	--	Yes	22.20
MW-9	ROW	10/14/13	36.46	14.10	13.99	0.11	--	Yes	22.45
MW-9	ROW	03/27/14	36.46	11.93	11.76	0.17	--	Yes	24.67
MW-9	ROW	06/10/14	36.46	12.22	12.19	0.03	0.05	Yes	24.26
MW-9R	ROW	07/22/14	36.33	13.31	--	0.00	--	Yes	23.02
MW-9R	ROW	09/26/14	36.33	13.20	--	0.00	--	Yes	23.13
MW-9R	ROW	10/30/14	36.33	13.35	--	0.00	--	Yes	22.98
MW-9R	ROW	12/01/14	36.33	21.40	--	0.00	--	Yes	14.93
MW-9R	ROW	02/20/15	36.33	21.63	--	0.00	--	No	14.70
MW-9R	ROW	11/11/15	36.33	--	--	--	--	--	--
MW-9R	ROW	04/18/16	36.33	--	--	--	--	--	--
MW-9R	ROW	12/07/16	36.34	14.71	--	0.00	--	--	21.63
MW-9R	ROW	06/21/17	36.34	13.42	--	0.00	--	--	22.92
MW-9R	ROW	12/05/17	36.34	14.92	--	0.00	--	--	21.42
MW-9R	ROW	06/26/18	36.34	14.37	--	0.00	--	--	21.97
MW-9R	ROW	11/27/18	36.34	15.27	--	0.00	--	--	21.07
MW-9R	ROW	06/20/19	36.34	13.97	--	0.00	--	--	22.37
MW-9R	ROW	12/17/19	36.34	15.72	--	0.00	--	--	20.62
MW-9R	ROW	06/10/20	36.34	13.88	--	0.00	--	--	22.46
MW-9R	ROW	11/10/20	36.34	14.68	--	0.00	--	--	21.66
MW-9R	ROW	06/28/21	36.34	15.12	--	0.00	--	--	21.22
MW-9R	ROW	01/06/22	36.34	14.00	--	0.00	--	--	22.34
MW-9R	ROW	06/24/22	36.34	13.12	--	0.00	--	--	23.22
MW-9R	ROW	12/16/22	36.34	14.90	--	0.00	--	--	21.44
MW-9R	ROW	06/01/23	36.34	13.26	--	0.00	--	--	23.08
MW-10	North Yard	08/11/99	100.30	--	--	--	--	No	--
MW-10	North Yard	10/21/99	100.30	--	--	--	--	No	--
MW-10	North Yard	04/12/00	100.30	7.34	--	0.00	--	No	92.96
MW-10	North Yard	06/27/00	100.30	8.95	--	0.00	--	No	91.35
MW-10	North Yard	09/28/00	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	01/15/01	100.30	10.16	--	0.00	--	No	90.14
MW-10	North Yard	05/24/01	100.30	9.14	--	0.00	--	No	91.16
MW-10	North Yard	06/21/01	100.30	7.97	--	0.00	--	No	92.33
MW-10	North Yard	06/27/01	100.30	9.07	--	0.00	--	No	91.23

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-10	North Yard	03/18/02	100.30	7.09	--	0.00	--	No	93.21
MW-10	North Yard	07/02/02	100.30	8.37	--	0.00	--	No	91.93
MW-10	North Yard	09/28/02	100.30	10.08	--	0.00	--	No	90.22
MW-10	North Yard	12/31/02	100.30	--	--	0.96	--	No	--
MW-10	North Yard	02/27/03	100.30	--	--	0.17	--	No	--
MW-10	North Yard	03/26/03	100.30	--	--	0.04	--	No	--
MW-10	North Yard	04/28/03	100.30	8.80	--	0.00	--	No	91.50
MW-10	North Yard	05/30/03	100.30	8.76	--	0.00	--	No	91.54
MW-10	North Yard	06/26/03	100.30	8.99	8.69	0.30	6.00	No	91.55
MW-10	North Yard	07/21/03	100.30	--	--	0.06	1.00	No	--
MW-10	North Yard	08/28/03	100.30	--	--	0.14	6.00	No	--
MW-10	North Yard	10/16/03	100.30	11.56	10.54	1.02	18.50	No	89.56
MW-10	North Yard	11/21/03	100.30	--	--	1.33	7.00	No	--
MW-10	North Yard	12/17/03	100.30	--	--	0.15	0.75	No	--
MW-10	North Yard	01/29/04	100.30	8.61	8.61	0.00	--	No	91.69
MW-10	North Yard	02/18/04	100.30	8.72	8.58	0.14	0.25	No	91.69
MW-10	North Yard	03/30/04	100.30	8.47	8.41	0.06	0.25	No	91.88
MW-10	North Yard	09/22/04	100.30	9.64	9.56	0.08	0.50	No	90.72
MW-10	North Yard	03/15/05	100.30	10.20	9.83	0.37	0.25	No	90.40
MW-10	North Yard	10/04/05	100.30	11.20	10.39	0.81	1.75	No	89.75
MW-10	North Yard	03/29/06	100.30	8.35	7.63	0.72	2.00	No	92.53
MW-10	North Yard	03/21/07	100.30	7.95	7.49	0.46	0.44	No	92.72
MW-10	North Yard	03/25/08	100.30	8.68	8.68	0.00	0.00	No	91.62
MW-10	North Yard	09/08-09/08	100.30	9.39	9.34	0.05	0.20	Yes	90.95
MW-10	North Yard	12/11/08	100.30	9.90	9.59	0.31	1.00	Yes	90.65
MW-10	North Yard	03/30-31/09	100.30	8.44	8.20	0.24	1.11 ⁴	Yes	92.05
MW-10	North Yard	06/15/09	100.30	8.31	8.10	0.21	0.34 ⁴	Yes	92.16
MW-10	North Yard	09/10-11/09	100.30	10.14	10.12	0.02	0.00	Yes	90.18
MW-10	North Yard	02/23/10	100.30	7.14	7.13	0.01	0.00	Yes	93.17
MW-10	North Yard	03/15/10	100.30	7.24	--	0.00	--	Yes	93.06
MW-10	North Yard	09/15/10	100.30	9.48	Sheen	Sheen	--	Yes	90.82
MW-10	North Yard	12/04/10	100.30	--	--	--	--	Yes	--
MW-10	North Yard	03/27/14	33.09	8.28	--	0.00	--	Yes	24.81
MW-10	North Yard	06/10/14	33.09	7.42	--	0.00	--	Yes	25.67
MW-10	North Yard	07/22/14	33.09	8.81	--	0.00	--	Yes	24.28
MW-11	ROW	08/11/99	100.59	--	--	--	--	--	--
MW-11	ROW	10/22/99	100.59	--	--	--	--	--	--
MW-11	ROW	06/21/01	100.59	11.30	--	0.00	--	--	89.29
MW-11	ROW	03/18/02	100.59	10.96	--	0.00	--	--	89.63
MW-11	ROW	09/16/03	100.59	13.03	--	0.00	--	--	87.56
MW-11	ROW	12/15/03	100.59	13.92	--	0.00	--	--	86.67
MW-11	ROW	03/25/04	100.59	11.17	--	0.00	--	--	89.42
MW-11	ROW	09/22/04	100.59	12.05	--	0.00	--	--	88.54
MW-11	ROW	03/14/05	100.59	11.90	--	0.00	--	--	88.69
MW-11	ROW	03/29/06	100.59	10.32	--	0.00	--	--	90.27
MW-11	ROW	03/21/07	100.59	8.36	--	0.00	--	--	92.23
MW-11	ROW	03/25/08	100.59	9.38	--	0.00	--	--	91.21

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-11	ROW	09/08/09/08	100.59	10.35	--	0.00	--	--	90.24
MW-11	ROW	12/11/08	100.59	10.63	--	0.00	--	--	89.96
MW-11	ROW	03/30-31/09	100.59	9.60	--	0.00	--	--	90.99
MW-11	ROW	06/15/09	100.59	--	--	--	--	--	--
MW-11	ROW	09/10-11/09	100.61	8.07	--	0.00	--	--	92.54
MW-11	ROW	02/23/10	100.61	8.60	--	0.00	--	--	92.01
MW-11	ROW	03/15/10	100.61	8.75	--	0.00	--	--	91.86
MW-11	ROW	09/15/10	100.61	10.27	--	0.00	--	--	90.34
MW-11	ROW	12/04/10	100.61	10.37	--	0.00	--	--	90.24
MW-11	ROW	03/14/11	33.29	9.33	--	0.00	--	--	23.96
MW-11	ROW	10/14/13	33.29	11.04	--	0.00	--	--	22.25
MW-11	ROW	03/27/14	33.29	9.38	--	0.00	--	--	23.91
MW-11	ROW	06/10/14	33.29	9.53	--	0.00	--	--	23.76
MW-11	ROW	07/22/14	33.29	10.60	--	0.00	--	--	22.69
MW-11	ROW	02/20/15	33.29	15.79	--	0.00	--	--	17.50
MW-11	ROW	11/11/15	33.29	--	--	--	--	--	--
MW-11	ROW	04/18/16	33.29	11.82	--	0.00	--	--	21.47
MW-11	ROW	12/07/16	33.03	12.62	--	0.00	--	--	20.41
MW-11	ROW	06/21/17	33.03	11.32	--	0.00	--	--	21.71
MW-11	ROW	12/05/17	33.03	12.81	--	0.00	--	--	20.22
MW-11	ROW	06/26/18	33.03	12.24	--	0.00	--	--	20.79
MW-11	ROW	11/27/18	33.03	13.27	--	0.00	--	--	19.76
MW-11	ROW	06/20/19	33.03	11.98	--	0.00	--	--	21.05
MW-11	ROW	12/17/19	33.03	13.65	--	0.00	--	--	19.38
MW-11	ROW	06/10/20	33.03	11.60	--	0.00	--	--	21.43
MW-11	ROW	11/10/20	33.03	12.89	--	0.00	--	--	20.14
MW-11	ROW	06/28/21	33.03	10.69	--	0.00	--	--	22.34
MW-11	ROW	01/06/22	33.03	12.12	--	0.00	--	--	20.91
MW-11	ROW	06/24/22	33.03	11.89	--	0.00	--	--	21.14
MW-11	ROW	12/16/22	33.03	13.14	--	0.00	--	--	19.89
MW-11	ROW	06/01/23	33.03	11.96	--	0.00	--	--	21.07
MW-12	North Yard	08/11/99	100.11	--	--	--	--	No	--
MW-12	North Yard	10/21/99	100.11	--	--	--	--	No	--
MW-12	North Yard	05/24/01	100.11	8.30	--	0.00	--	No	91.81
MW-12	North Yard	06/21/01	100.11	--	--	--	--	No	
MW-12	North Yard	06/27/01	100.11	9.01	9.00	0.01	--	No	91.11
MW-12	North Yard	03/18/02	100.11	7.91	7.87	0.04	--	No	92.23
MW-12	North Yard	12/31/02	100.11	--	--	0.02	--	No	--
MW-12	North Yard	04/28/03	100.11	7.36	7.27	0.09	--	No	92.82
MW-12	North Yard	05/30/03	100.11	7.42	7.37	0.05	--	No	92.73
MW-12	North Yard	06/26/03	100.11	8.32	Sheen	Sheen	0.10	No	91.79
MW-12	North Yard	07/21/03	100.11	--	--	0.01	0.50	No	--
MW-12	North Yard	08/28/03	100.11	--	--	0.03	0.75	No	--
MW-12	North Yard	10/16/03	100.11	9.48	9.36	0.12	0.75	No	90.73
MW-12	North Yard	11/21/03	100.11	--	--	--	--	No	--
MW-12	North Yard	12/17/03	100.11	--	--	--	--	No	--
MW-12	North Yard	01/29/04	100.11	8.44	8.44	0.00	0.00	No	91.67

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-12	North Yard	02/18/04	100.11	7.54	7.54	0.00	0.00	No	92.57
MW-12	North Yard	03/25/04	100.11	7.54	--	0.00	--	No	92.57
MW-12	North Yard	03/30/04	100.11	7.84	7.84	0.00	0.00	No	92.27
MW-12	North Yard	09/22/04	100.11	8.69	8.65	0.04	0.25	No	91.45
MW-12	North Yard	03/15/05	100.11	8.79	8.78	0.01	0.00	No	91.33
MW-12	North Yard	10/04/05	100.11	13.67	13.65	0.02	<0.01	No	86.46
MW-12	North Yard	03/29/06	100.11	7.51	7.51	0.00	0.00	No	92.60
MW-12	North Yard	03/21/07	100.11	7.32	7.32	0.00	0.00	No	92.79
MW-12	North Yard	03/25/08	100.11	8.09	--	0.00	--	No	92.02
MW-12	North Yard	09/08-09/08	100.11	8.65	--	0.00	--	No	91.46
MW-12	North Yard	12/11/08	100.11	8.62	8.61	0.01	0.00	Yes	91.50
MW-12	North Yard	03/30-31/09	100.11	7.54	7.53	0.01	0.00	Yes	92.58
MW-12	North Yard	06/15/09	100.11	7.92	--	0.00	--	Yes	92.19
MW-12	North Yard	09/10-11/09	100.11	9.23	9.22	0.01	0.00	Yes	90.89
MW-12	North Yard	02/23/10	100.11	6.90	--	0.00	--	Yes	93.21
MW-12	North Yard	03/15/10	100.11	7.23	--	0.00	--	Yes	92.88
MW-12	North Yard	09/15/10	100.11	8.62	Sheen	Sheen	--	Yes	91.49
MW-12	North Yard	12/04/10	100.11	--	--	--	--	Yes	--
MW-12	North Yard	06/10/14	32.89	7.68	7.62	0.06	0.05	Yes	25.26
MW-12	North Yard	07/22/14	32.89	8.48	8.44	0.04	--	Yes	24.44
MW-14	ROW	07/26/01	98.87	13.05	--	0.00	--	--	85.82
MW-14	ROW	03/29/06	98.87	13.32	--	0.00	--	--	85.55
MW-14	ROW	03/21/07	98.87	13.33	--	0.00	--	--	85.54
MW-14	ROW	03/25/08	98.87	13.38	--	0.00	--	--	85.49
MW-14	ROW	09/08-09/08	98.87	13.50	--	0.00	--	--	85.37
MW-14	ROW	12/11/08	98.87	--	--	--	--	--	--
MW-14	ROW	03/30-31/09	98.87	13.10	--	0.00	--	--	85.77
MW-14	ROW	09/10-11/09	98.87	14.00	--	0.00	--	--	84.87
MW-14	ROW	03/15/10	98.87	13.49	--	0.00	--	--	85.38
MW-14	ROW	09/15/10	98.87	--	--	--	--	--	--
MW-14	ROW	03/27/14	31.61	--	--	--	--	--	--
MW-14	ROW	06/10/14	31.61	12.61	--	0.00	--	--	19.00
MW-14	ROW	11/11/15	31.61	14.24	--	0.00	--	--	17.37
MW-14	ROW	04/18/16	31.61	12.95	--	0.00	--	--	18.66
MW-14	ROW	12/07/16	31.60	14.72	--	0.00	--	--	16.88
MW-14	ROW	06/21/17	31.60	13.51	--	0.00	--	--	18.09
MW-14	ROW	12/05/17	31.60	14.01	--	0.00	--	--	17.59
MW-14	ROW	06/26/18	31.60	12.81	--	0.00	--	--	18.79
MW-14	ROW	11/27/18	31.60	15.23	--	0.00	--	--	16.37
MW-14	ROW	06/19/19	31.60	13.00	--	0.00	--	--	18.60
MW-14	ROW	12/17/19	31.60	14.60	--	0.00	--	--	17.00
MW-14	ROW	06/10/20	31.60	12.30	--	0.00	--	--	19.30
MW-14	ROW	11/10/20	31.60	14.24	--	0.00	--	--	17.36
MW-14	ROW	06/28/21	31.60	12.27	--	0.00	--	--	19.33
MW-14	ROW	01/06/22	31.60	13.73	--	0.00	--	--	17.87
MW-14	ROW	06/24/22	31.60	12.85	--	0.00	--	--	18.75
MW-14	ROW	12/16/22	31.60	14.17	--	0.00	--	--	17.43

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-14	ROW	06/01/23	31.60	13.01	--	0.00	--	--	18.59
MW-15	ROW	08/10/99	98.83	--	--	--	--	--	--
MW-15	ROW	10/20/99	98.83	13.96	--	0.00	--	--	84.87
MW-15	ROW	07/26/01	98.83	13.04	--	0.00	--	--	85.79
MW-15	ROW	03/18/02	98.83	13.62	--	0.00	--	--	85.21
MW-15	ROW	06/26/03	98.83	13.05	--	0.00	--	--	85.78
MW-15	ROW	09/16/03	98.83	14.35	--	0.00	--	--	84.48
MW-15	ROW	03/29/06	98.83	13.00	--	0.00	--	--	85.83
MW-15	ROW	03/21/07	98.83	13.33	--	0.00	--	--	85.50
MW-15	ROW	03/25/08	98.83	13.36	--	0.00	--	--	85.47
MW-15	ROW	09/08-09/08	98.83	13.46	--	0.00	--	--	85.37
MW-15	ROW	12/11/08	98.83	--	--	--	--	--	--
MW-15	ROW	03/30-31/09	98.83	13.12	--	0.00	--	--	85.71
MW-15	ROW	09/10-11/09	98.83	13.97	--	0.00	--	--	84.86
MW-15	ROW	03/15/10	98.83	15.50	--	0.00	--	--	83.33
MW-15	ROW	09/15/10	98.83	15.87	--	0.00	--	--	82.96
MW-15	ROW	03/14/11	98.83	14.99	--	0.00	--	--	83.84
MW-15	ROW	03/27/14	31.60	--	--	--	--	--	--
MW-15	ROW	06/10/14	31.60	12.66	--	0.00	--	--	18.94
MW-15	ROW	11/11/15	31.60	14.29	--	0.00	--	--	17.31
MW-15	ROW	04/18/16	31.60	12.81	--	0.00	--	--	18.79
MW-15	ROW	12/07/16	31.60	14.58	--	0.00	--	--	17.02
MW-15	ROW	06/21/17	31.60	13.63	--	0.00	--	--	17.97
MW-15	ROW	12/05/17	31.60	13.92	--	0.00	--	--	17.68
MW-15	ROW	06/26/18	31.60	12.95	--	0.00	--	--	18.65
MW-15	ROW	11/27/18	31.60	14.11	--	0.00	--	--	17.49
MW-15	ROW	06/20/19	31.60	12.94	--	0.00	--	--	18.66
MW-15	ROW	12/17/19	31.60	14.55	--	0.00	--	--	17.05
MW-15	ROW	06/10/20	31.60	12.21	--	0.00	--	--	19.39
MW-15	ROW	11/10/20	31.60	14.23	--	0.00	--	--	17.37
MW-15	ROW	06/28/21	31.60	12.65	--	0.00	--	--	18.95
MW-15	ROW	01/06/22	31.60	13.91	--	0.00	--	--	17.69
MW-15	ROW	06/24/22	31.60	12.52	--	0.00	--	--	19.08
MW-15	ROW	12/16/22	31.60	14.02	--	0.00	--	--	17.58
MW-15	ROW	06/01/23	31.60	12.67	--	0.00	--	--	18.93
MW-16	Offsite	03/21/07	--	14.49	--	0.00	--	--	--
MW-16	Offsite	03/25/08	--	15.25	--	0.00	--	--	--
MW-16	Offsite	09/08-09/08	--	18.51	--	0.00	--	--	--
MW-16	Offsite	12/11/08	--	--	--	--	--	--	--
MW-16	Offsite	03/30-31/09	--	16.11	--	0.00	--	--	--
MW-19	ROW	08/11/99	98.10	--	--	--	--	--	--
MW-19	ROW	10/20/99	98.10	--	--	--	--	--	--
MW-19	ROW	06/21/01	98.10	11.99	--	0.00	--	--	86.11
MW-19	ROW	06/26/03	98.10	12.02	--	0.00	--	--	86.08
MW-19	ROW	09/16/03	98.10	13.67	--	0.00	--	--	84.43
MW-19	ROW	12/15/03	98.10	13.60	--	0.00	--	--	84.50
MW-19	ROW	03/26/04	98.10	12.74	--	0.00	--	--	85.36

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-19	ROW	09/23/04	98.10	12.82	--	0.00	--	--	85.28
MW-19	ROW	03/14/05	98.10	13.16	--	0.00	--	--	84.94
MW-19	ROW	03/29/06	98.10	12.63	--	0.00	--	--	85.47
MW-19	ROW	03/21/07	98.10	12.71	--	0.00	--	--	85.39
MW-19	ROW	03/25/08	98.10	12.70	--	0.00	--	--	85.40
MW-19	ROW	09/08-09/08	98.10	12.81	--	0.00	--	--	85.29
MW-19	ROW	12/11/08	98.10	--	--	--	--	--	--
MW-19	ROW	03/30-31/09	98.10	12.57	--	0.00	--	--	85.53
MW-19	ROW	09/10-11/09	98.10	13.30	--	0.00	--	--	84.80
MW-19	ROW	03/15/10	98.10	12.85	--	0.00	--	--	85.25
MW-19	ROW	09/15/10	98.10	13.18	--	0.00	--	--	84.92
MW-19	ROW	11/16/11	30.87	13.62	--	0.00	--	--	17.25
MW-19	ROW	06/21/12	30.87	11.93	--	0.00	--	--	18.94
MW-19	ROW	09/20/12	30.87	13.50	--	0.00	--	--	17.37
MW-19	ROW	12/26/12	30.87	13.55	--	0.00	--	--	17.32
MW-19	ROW	04/24/13	30.87	12.18	--	0.00	--	--	18.69
MW-19	ROW	06/26/13	30.87	12.08	--	0.00	--	--	18.79
MW-19	ROW	09/18/13	30.87	12.91	--	0.00	--	--	17.96
MW-19	ROW	10/14/13	30.87	13.10	--	0.00	--	--	17.77
MW-19	ROW	03/27/14	30.87	12.63	--	0.00	--	--	18.24
MW-19	ROW	06/10/14	30.87	11.95	--	0.00	--	--	18.92
MW-19	ROW	07/22/14	30.87	12.73	--	0.00	--	--	18.14
MW-19	ROW	02/20/15	30.87	13.84	--	0.00	--	--	17.03
MW-19	ROW	11/11/15	30.87	13.68	--	0.00	--	--	17.19
MW-19	ROW	04/18/16	30.87	12.25	--	0.00	--	--	18.62
MW-19	ROW	12/07/16	30.91	13.85	--	0.00	--	--	17.06
MW-19	ROW	06/21/17	30.91	11.75	--	0.00	--	--	19.16
MW-19	ROW	12/05/17	30.91	13.31	--	0.00	--	--	17.60
MW-19	ROW	06/26/18	30.91	12.26	--	0.00	--	--	18.65
MW-19	ROW	11/27/18	30.91	13.68	--	0.00	--	--	17.23
MW-19	ROW	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-19	ROW	12/17/19	30.91	13.88	--	0.00	--	--	17.03
MW-19	ROW	06/10/20	30.91	12.09	--	0.00	--	--	18.82
MW-19	ROW	11/10/20	30.91	13.57	--	0.00	--	--	17.34
MW-19	ROW	06/28/21	30.91	11.70	--	0.00	--	--	19.21
MW-19	ROW	01/06/22	30.91	14.48	--	0.00	--	--	16.43
MW-19	ROW	06/24/22	30.91	13.23	--	0.00	--	--	17.68
MW-19	ROW	12/16/22	30.91	14.35	--	0.00	--	--	16.56
MW-19	ROW	06/01/23	30.91	13.19	--	0.00	--	--	17.72
MW-20	ROW	08/11/99	98.74	--	--	--	--	--	--
MW-20	ROW	10/20/99	98.74	13.99	--	0.00	--	--	84.75
MW-20	ROW	09/28/00	98.74	13.41	--	0.00	--	--	85.33
MW-20	ROW	06/21/01	98.74	12.61	--	0.00	--	--	86.13
MW-20	ROW	03/19/02	98.74	13.69	--	0.00	--	--	85.05
MW-20	ROW	06/26/03	98.74	12.92	--	0.00	--	--	85.82
MW-20	ROW	09/16/03	98.74	14.29	--	0.00	--	--	84.45
MW-20	ROW	12/15/03	98.74	14.34	--	0.00	--	--	84.40

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-20	ROW	03/26/04	98.74	13.36	--	0.00	--	--	85.38
MW-20	ROW	03/14/05	98.74	13.80	--	0.00	--	--	84.94
MW-20	ROW	03/29/06	98.74	13.26	--	0.00	--	--	85.48
MW-20	ROW	03/21/07	98.74	13.33	--	0.00	--	--	85.41
MW-20	ROW	03/25/08	98.74	13.33	--	0.00	--	--	85.41
MW-20	ROW	09/08-09/08	98.74	13.42	--	0.00	--	--	85.32
MW-20	ROW	12/11/08	98.74	--	--	--	--	--	--
MW-20	ROW	03/30-31/09	98.74	--	--	--	--	--	--
MW-20	ROW	09/10-11/09	98.74	13.92	--	0.00	--	--	84.82
MW-20	ROW	03/15/10	98.74	13.46	--	0.00	--	--	85.28
MW-20	ROW	09/15/10	98.74	13.79	--	0.00	--	--	84.95
MW-20	ROW	11/16/11	31.49	14.22	--	0.00	--	--	17.27
MW-20	ROW	06/21/12	31.49	12.53	--	0.00	--	--	18.96
MW-20	ROW	09/20/12	31.49	14.11	--	0.00	--	--	17.38
MW-20	ROW	12/26/12	31.49	14.20	--	0.00	--	--	17.29
MW-20	ROW	04/23/13	31.49	12.80	--	0.00	--	--	18.69
MW-20	ROW	06/26/13	31.49	12.70	--	0.00	--	--	18.79
MW-20	ROW	09/18/13	31.49	13.52	--	0.00	--	--	17.97
MW-20	ROW	10/14/13	31.49	13.72	--	0.00	--	--	17.77
MW-20	ROW	03/27/14	31.49	13.24	--	0.00	--	--	18.25
MW-20	ROW	06/10/14	31.49	12.51	--	0.00	--	--	18.98
MW-20	ROW	07/22/14	31.49	13.35	--	0.00	--	--	18.14
MW-20	ROW	02/20/15	31.49	14.46	--	0.00	--	--	17.03
MW-20	ROW	11/11/15	31.49	14.33	--	0.00	--	--	17.16
MW-20	ROW	04/18/16	31.49	12.75	--	0.00	--	--	18.74
MW-20	ROW	12/07/16	31.53	14.40	--	0.00	--	--	17.13
MW-20	ROW	06/21/17	31.53	12.55	--	0.00	--	--	18.98
MW-20	ROW	12/05/17	31.53	14.43	--	0.00	--	--	17.10
MW-20	ROW	06/26/18	31.53	12.89	--	0.00	--	--	18.64
MW-20	ROW	11/27/18	31.53	14.23	--	0.00	--	--	17.30
MW-20	ROW	06/20/19	31.53	12.88	--	0.00	--	--	18.65
MW-20	ROW	12/17/19	31.53	14.45	--	0.00	--	--	17.08
MW-20	ROW	06/10/20	31.53	12.51	--	0.00	--	--	19.02
MW-20	ROW	11/10/20	31.53	14.19	--	0.00	--	--	17.34
MW-20	ROW	06/28/21	31.53	12.70	--	0.00	--	--	18.83
MW-20	ROW	01/06/22	31.53	14.03	--	0.00	--	--	17.50
MW-20	ROW	06/24/22	31.53	13.07	--	0.00	--	--	18.46
MW-20	ROW	12/16/22	31.53	14.48	--	0.00	--	--	17.05
MW-20	ROW	06/01/23	31.53	13.11	--	0.00	--	--	18.42
MW-21	ROW	08/10/99	98.52	--	--	--	--	--	--
MW-21	ROW	10/19/99	98.52	--	--	--	--	--	--
MW-21	ROW	06/21/01	98.52	12.31	--	0.00	--	--	86.21
MW-21	ROW	03/18/02	98.52	13.36	--	0.00	--	--	85.16
MW-21	ROW	06/26/03	98.52	12.66	--	0.00	--	--	85.86
MW-21	ROW	09/16/03	98.52	13.98	--	0.00	--	--	84.54
MW-21	ROW	12/15/03	98.52	14.05	--	0.00	--	--	84.47
MW-21	ROW	03/26/04	98.52	13.08	--	0.00	--	--	85.44

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-21	ROW	09/23/04	98.52	13.19	--	0.00	--	--	85.33
MW-21	ROW	03/14/05	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/29/06	98.52	12.98	--	0.00	--	--	85.54
MW-21	ROW	03/21/07	98.52	13.00	--	0.00	--	--	85.52
MW-21	ROW	03/25/08	98.52	13.02	--	0.00	--	--	85.50
MW-21	ROW	09/08-09/08	98.52	13.14	--	0.00	--	--	85.38
MW-21	ROW	12/11/08	98.52	--	--	--	--	--	--
MW-21	ROW	03/30-31/09	98.52	12.86	--	0.00	--	--	85.66
MW-21	ROW	09/10-11/09	98.52	13.63	--	0.00	--	--	84.89
MW-21	ROW	03/15/10	98.52	13.15	--	0.00	--	--	85.37
MW-21	ROW	09/15/10	98.52	13.51	--	0.00	--	--	85.01
MW-21	ROW	03/14/11	98.52	13.05	--	0.00	--	--	85.47
MW-21	ROW	09/24/11	31.26	13.51	--	0.00	--	--	17.75
MW-21	ROW	10/10/11	31.26	13.83	--	0.00	--	--	17.43
MW-21	ROW	06/21/12	31.26	12.24	--	0.00	--	--	19.02
MW-21	ROW	09/20/12	31.26	13.82	--	0.00	--	--	17.44
MW-21	ROW	12/26/12	31.26	13.86	--	0.00	--	--	17.40
MW-21	ROW	04/23/13	31.26	12.47	--	0.00	--	--	18.79
MW-21	ROW	06/26/13	31.26	12.39	--	0.00	--	--	18.87
MW-21	ROW	09/18/13	31.26	13.25	--	0.00	--	--	18.01
MW-21	ROW	10/14/13	31.26	--	--	--	--	--	--
MW-21	ROW	03/27/14	31.26	12.98	--	0.00	--	--	18.28
MW-21	ROW	06/10/14	31.26	12.33	--	0.00	--	--	18.93
MW-21	ROW	07/22/14	31.26	13.05	--	0.00	--	--	18.21
MW-21	ROW	02/20/15	31.26	14.21	--	0.00	--	--	17.05
MW-21	ROW	11/11/15	31.26	14.19	--	0.00	--	--	17.07
MW-21	ROW	04/18/16	31.26	12.65	--	0.00	--	--	18.61
MW-21	ROW	12/07/16	31.30	14.20	--	0.00	--	--	17.10
MW-21	ROW	06/21/17	31.30	12.32	--	0.00	--	--	18.98
MW-21	ROW	12/05/17	31.30	14.11	--	0.00	--	--	17.19
MW-21	ROW	06/26/18	31.30	12.67	--	0.00	--	--	18.63
MW-21	ROW	11/27/18	31.30	13.97	--	0.00	--	--	17.33
MW-21	ROW	06/20/19	31.30	12.64	--	0.00	--	--	18.66
MW-21	ROW	12/17/19	31.30	14.22	--	0.00	--	--	17.08
MW-21	ROW	06/10/20	31.30	12.40	--	0.00	--	--	18.90
MW-21	ROW	11/10/20	31.30	13.93	--	0.00	--	--	17.37
MW-21	ROW	06/28/21	31.30	12.47	--	0.00	--	--	18.83
MW-21	ROW	01/06/22	31.30	13.81	--	0.00	--	--	17.49
MW-21	ROW	06/24/22	31.30	12.77	--	0.00	--	--	18.53
MW-21	ROW	12/16/22	31.30	14.55	--	0.00	--	--	16.75
MW-21	ROW	06/01/23	31.30	12.84	--	0.00	--	--	18.46
MW-22	ROW	08/10/99	99.76	--	--	--	--	--	--
MW-22	ROW	10/22/99	99.76	--	--	--	--	--	--
MW-22	ROW	01/06/00	99.76	--	--	--	--	--	--
MW-22	ROW	01/15/01	99.76	--	--	--	--	--	--
MW-22	ROW	06/21/01	99.76	13.53	--	0.00	--	--	86.23
MW-22	ROW	03/18/02	99.76	14.41	--	0.00	--	--	85.35

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-22	ROW	07/02/02	99.76	13.56	--	0.00	--	--	86.20
MW-22	ROW	09/03/02	99.76	14.95	--	0.00	--	--	84.81
MW-22	ROW	12/31/02	99.76	15.22	--	0.00	--	--	84.54
MW-22	ROW	06/25/03	99.76	13.91	--	0.00	--	--	85.85
MW-22	ROW	09/16/03	99.76	15.15	--	0.00	--	--	84.61
MW-22	ROW	12/17/03	99.76	15.03	--	0.00	--	--	84.73
MW-22	ROW	03/25/04	99.76	14.20	--	0.00	--	--	85.56
MW-22	ROW	09/22/04	99.76	14.28	--	0.00	--	--	85.48
MW-22	ROW	03/14/05	99.76	14.70	--	0.00	--	--	85.06
MW-22	ROW	03/29/06	99.76	14.21	--	0.00	--	--	85.55
MW-22	ROW	03/21/07	99.76	14.31	--	0.00	--	--	85.45
MW-22	ROW	03/25/08	99.76	14.35	--	0.00	--	--	85.41
MW-22	ROW	09/08-09/08	99.76	14.47	--	0.00	--	--	85.29
MW-22	ROW	12/11/08	99.76	--	--	--	--	--	--
MW-22	ROW	03/30-31/09	99.76	14.09	--	0.00	--	--	85.67
MW-22	ROW	09/10-11/09	99.76	15.02	--	0.00	--	--	84.74
MW-22	ROW	03/15/10	99.76	14.46	--	0.00	--	--	85.30
MW-22	ROW	09/15/10	99.76	14.82	--	0.00	--	--	84.94
MW-22	ROW	03/14/11	99.76	14.25	--	0.00	--	--	85.51
MW-22	ROW	03/27/14	32.68	--	--	--	--	--	--
MW-22	ROW	06/10/14	32.68	13.65	--	0.00	--	--	19.03
MW-22	ROW	07/22/14	32.68	14.34	--	0.00	--	--	18.34
MW-22	ROW	11/11/15	32.68	15.31	--	0.00	--	--	17.37
MW-22	ROW	04/18/16	32.68	13.88	--	0.00	--	--	18.80
MW-22	ROW	12/07/16	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	06/21/17	32.68	13.10	--	0.00	--	--	19.58
MW-22	ROW	12/05/17	32.68	15.19	--	0.00	--	--	17.49
MW-22	ROW	06/26/18	32.68	13.98	--	0.00	--	--	18.70
MW-22	ROW	11/27/18	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/20/19	32.68	13.96	--	0.00	--	--	18.72
MW-22	ROW	12/17/19	32.68	15.52	--	0.00	--	--	17.16
MW-22	ROW	06/10/20	32.68	13.60	--	0.00	--	--	19.08
MW-22	ROW	11/10/20	32.68	15.23	--	0.00	--	--	17.45
MW-22	ROW	06/28/21	32.68	13.74	--	0.00	--	--	18.94
MW-22	ROW	01/06/22	32.68	14.42	--	0.00	--	--	18.26
MW-22	ROW	06/24/22	32.68	13.25	--	0.00	--	--	19.43
MW-22	ROW	12/16/22	32.68	14.70	--	0.00	--	--	17.98
MW-22	ROW	06/01/23	32.68	13.55	--	0.00	--	--	19.13
MW-24	North Yard	03/21/07	--	23.01	--	0.00	--	--	--
MW-24	North Yard	03/25/08	--	23.35	--	0.00	--	--	--
MW-24	North Yard	09/08-09/08	--	23.84	--	0.00	--	--	--
MW-24	North Yard	12/11/08	--	--	--	--	--	--	--
MW-24	North Yard	03/30-31/09	--	23.60	--	0.00	--	--	--
MW-24	North Yard	09/10-11/09	--	24.13	--	0.00	--	--	--
MW-24	North Yard	03/15/10	--	22.76	--	0.00	--	--	--
MW-24	North Yard	09/15/10	--	23.71	--	0.00	--	--	--
MW-24	North Yard	03/14/11	--	22.39	--	0.00	--	--	--

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-24	North Yard	12/26/12	69.77	22.42	--	0.00	--	--	47.35
MW-24	North Yard	03/27/14	69.77	23.06	--	0.00	--	--	46.71
MW-24	North Yard	06/10/14	69.77	22.85	--	0.00	--	--	46.92
MW-24	North Yard	11/11/15	69.77	--	--	--	--	--	--
MW-24	North Yard	04/18/16	69.77	--	--	--	--	--	--
MW-24	North Yard	12/07/16	69.77	21.73	--	0.00	--	--	48.04
MW-24	North Yard	06/21/17	69.77	20.50	--	0.00	--	--	49.27
MW-24	North Yard	12/05/17	69.77	22.32	--	0.00	--	--	47.45
MW-24	North Yard	06/26/18	69.77	22.49	--	0.00	--	--	47.28
MW-24	North Yard	11/27/18	69.77	22.95	--	0.00	--	--	46.82
MW-24	North Yard	06/20/19	69.77	22.80	--	0.00	--	--	46.97
MW-24	North Yard	12/17/19	69.77	23.20	--	0.00	--	--	46.57
MW-24	North Yard	06/10/20	69.77	22.74	--	0.00	--	--	47.03
MW-24	North Yard	11/10/20	69.77	22.77	--	0.00	--	--	47.00
MW-24	North Yard	06/28/21	69.77	22.99	--	0.00	--	--	46.78
MW-24	North Yard	01/06/22	69.77	22.30	--	0.00	--	--	47.47
MW-24	North Yard	06/24/22	69.77	20.99	--	0.00	--	--	48.78
MW-24	North Yard	12/16/22	69.77	21.30	--	0.00	--	--	48.47
MW-24	North Yard	06/01/23	69.77	21.25	--	0.00	--	--	48.52
MW-25	South Yard	08/09/99	98.17	--	--	--	--	--	--
MW-25	South Yard	10/19/99	98.17	14.37	--	0.00	--	--	83.80
MW-25	South Yard	01/06/00	98.17	--	--	--	--	--	--
MW-25	South Yard	07/27/00	98.17	12.41	--	0.00	--	--	85.76
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	09/29/00	98.17	13.16	--	0.00	--	--	85.01
MW-25	South Yard	07/26/01	98.17	12.65	--	0.00	--	--	85.52
MW-25	South Yard	03/19/02	98.17	13.12	--	0.00	--	--	85.05
MW-25	South Yard	07/02/02	98.17	12.04	--	0.00	--	--	86.13
MW-25	South Yard	09/03/02	98.17	13.61	--	0.00	--	--	84.56
MW-25	South Yard	10/11/02	98.17	--	--	--	--	--	--
MW-25	South Yard	12/31/02	98.17	13.97	--	0.00	--	--	84.20
MW-25	South Yard	03/26/03	98.17	13.34	--	0.00	--	--	84.83
MW-25	South Yard	04/28/03	98.17	12.13	--	0.00	--	--	86.04
MW-25	South Yard	05/30/03	98.17	12.10	--	0.00	--	--	86.07
MW-25	South Yard	06/25/03	98.17	12.49	--	0.00	--	--	85.68
MW-25	South Yard	09/15/03	98.17	13.78	--	0.00	--	--	84.39
MW-25	South Yard	12/15/03	98.17	13.88	--	0.00	--	--	84.29
MW-25	South Yard	03/25/04	98.17	12.80	--	0.00	--	--	85.37
MW-25	South Yard	09/22/04	98.17	12.94	--	0.00	--	--	85.23
MW-25	South Yard	03/14/05	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/29/06	98.17	12.72	--	0.00	--	--	85.45
MW-25	South Yard	03/21/07	98.17	12.51	--	0.00	--	--	85.66
MW-25	South Yard	03/25/08	98.17	12.78	--	0.00	--	--	85.39
MW-25	South Yard	09/08-09/08	98.17	12.89	--	0.00	--	--	85.28
MW-25	South Yard	12/11/08	98.17	--	--	--	--	--	--
MW-25	South Yard	03/30-31/09	98.17	12.60	--	0.00	--	--	85.57
MW-25	South Yard	09/10-11/09	98.17	13.41	--	0.00	--	--	84.76

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-25	South Yard	03/15/10	98.17	12.95	--	0.00	--	--	85.22
MW-25	South Yard	09/15/10	98.17	13.25	--	0.00	--	--	84.92
MW-25	South Yard	03/14/11	98.17	12.88	--	0.00	--	--	85.29
MW-25	South Yard	09/25/11	30.91	13.50	--	0.00	--	--	17.41
MW-25	South Yard	10/10/11	30.91	13.30	--	0.00	--	--	17.61
MW-25	South Yard	06/21/12	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	09/20/12	30.91	13.56	--	0.00	--	--	17.35
MW-25	South Yard	12/26/12	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	04/22/13	30.91	12.30	--	0.00	--	--	18.61
MW-25	South Yard	06/26/13	30.91	12.26	--	0.00	--	--	18.65
MW-25	South Yard	09/18/13	30.91	12.97	--	0.00	--	--	17.94
MW-25	South Yard	10/14/13	30.91	13.22	--	0.00	--	--	17.69
MW-25	South Yard	03/27/14	30.91	12.72	--	0.00	--	--	18.19
MW-25	South Yard	06/10/14	30.91	12.05	--	0.00	--	--	18.86
MW-25	South Yard	11/11/15	30.91	13.61	--	0.00	--	--	17.30
MW-25	South Yard	04/18/16	30.91	12.28	--	0.00	--	--	18.63
MW-25	South Yard	12/07/16	30.91	13.81	--	0.00	--	--	17.10
MW-25	South Yard	06/21/17	30.91	12.01	--	0.00	--	--	18.90
MW-25	South Yard	12/05/17	30.91	13.84	--	0.00	--	--	17.07
MW-25	South Yard	06/26/18	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	11/27/18	30.91	13.76	--	0.00	--	--	17.15
MW-25	South Yard	06/20/19	30.91	12.31	--	0.00	--	--	18.60
MW-25	South Yard	12/17/19	30.91	13.95	--	0.00	--	--	16.96
MW-25	South Yard	06/10/20	30.91	12.00	--	0.00	--	--	18.91
MW-25	South Yard	11/10/20	30.91	13.65	--	0.00	--	--	17.26
MW-25	South Yard	06/28/21	30.91	12.10	--	0.00	--	--	18.81
MW-25	South Yard	01/06/22	30.91	14.42	--	0.00	--	--	16.49
MW-25	South Yard	06/24/22	30.91	12.17	--	0.00	--	--	18.74
MW-25	South Yard	12/16/22	30.91	13.52	--	0.00	--	--	17.39
MW-25	South Yard	06/01/23	30.91	12.36	--	0.00	--	--	18.55
MW-26	South Yard	08/09/99	97.87	--	--	--	--	--	--
MW-26	South Yard	10/19/99	97.87	--	--	--	--	--	--
MW-26	South Yard	01/06/00	97.87	13.78	--	0.00	--	--	84.09
MW-26	South Yard	04/12/00	97.87	12.12	--	0.00	--	--	85.75
MW-26	South Yard	06/27/00	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	07/26/01	97.87	12.15	--	0.00	--	--	85.72
MW-26	South Yard	03/19/02	97.87	12.79	--	0.00	--	--	85.08
MW-26	South Yard	12/31/02	97.87	13.97	--	0.00	--	--	83.90
MW-26	South Yard	02/27/03	97.87	12.88	--	0.00	--	--	84.99
MW-26	South Yard	03/26/03	97.87	13.12	--	0.00	--	--	84.75
MW-26	South Yard	04/28/03	97.87	11.78	--	0.00	--	--	86.09
MW-26	South Yard	05/30/03	97.87	11.73	--	0.00	--	--	86.14
MW-26	South Yard	06/25/03	97.87	12.09	--	0.00	--	--	85.78
MW-26	South Yard	09/15/03	97.87	13.49	--	0.00	--	--	84.38
MW-26	South Yard	12/15/03	97.87	13.48	--	0.00	--	--	84.39
MW-26	South Yard	09/22/04	97.87	12.55	--	0.00	--	--	85.32
MW-26	South Yard	03/14/05	97.87	12.94	--	0.00	--	--	84.93

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-26	South Yard	03/29/06	97.87	12.37	--	0.00	--	--	85.50
MW-26	South Yard	03/21/07	97.87	--	--	--	--	--	--
MW-26	South Yard	03/25/08	97.87	12.46	--	0.00	--	--	85.41
MW-26	South Yard	09/08-09/08	97.87	12.59	--	0.00	--	--	85.28
MW-26	South Yard	12/11/08	97.87	--	--	--	--	--	--
MW-26	South Yard	03/30-31/09	97.87	12.25	--	0.00	--	--	85.62
MW-26	South Yard	09/10-11/09	97.87	13.01	--	0.00	--	--	84.86
MW-26	South Yard	03/15/10	97.87	12.60	--	0.00	--	--	85.27
MW-26	South Yard	09/15/10	97.87	12.94	--	0.00	--	--	84.93
MW-26	South Yard	03/14/11	97.87	12.25	--	0.00	--	--	85.62
MW-26	South Yard	09/24/11	30.62	13.20	--	0.00	--	--	17.42
MW-26	South Yard	10/10/11	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/21/12	30.62	11.68	--	0.00	--	--	18.94
MW-26	South Yard	09/20/12	30.62	13.25	--	0.00	--	--	17.37
MW-26	South Yard	09/21/12	30.62	13.28	--	0.00	--	--	17.34
MW-26	South Yard	12/26/12	30.62	13.24	--	0.00	--	--	17.38
MW-26	South Yard	04/22/13	30.62	11.90	--	0.00	--	--	18.72
MW-26	South Yard	06/26/13	30.62	11.85	--	0.00	--	--	18.77
MW-26	South Yard	09/18/13	30.62	12.68	--	0.00	--	--	17.94
MW-26	South Yard	10/14/13	30.62	12.89	--	0.00	--	--	17.73
MW-26	South Yard	03/27/14	30.62	12.45	--	0.00	--	--	18.17
MW-26	South Yard	06/10/14	30.62	11.71	--	0.00	--	--	18.91
MW-26	South Yard	11/11/15	30.62	13.11	--	0.00	--	--	17.51
MW-26	South Yard	04/18/16	30.62	11.93	--	0.00	--	--	18.69
MW-26	South Yard	12/07/16	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/21/17	30.62	11.69	--	0.00	--	--	18.93
MW-26	South Yard	12/05/17	30.62	13.38	--	0.00	--	--	17.24
MW-26	South Yard	06/26/18	30.62	12.01	--	0.00	--	--	18.61
MW-26	South Yard	11/27/18	30.62	13.00	--	0.00	--	--	17.62
MW-26	South Yard	06/20/19	30.62	--	--	--	--	--	--
MW-26	South Yard	12/17/19	30.62	13.58	--	0.00	--	--	17.04
MW-26	South Yard	06/10/20	30.62	11.70	--	0.00	--	--	18.92
MW-26	South Yard	11/10/20	30.62	13.29	--	0.00	--	--	17.33
MW-26	South Yard	06/28/21	30.62	11.80	--	0.00	--	--	18.82
MW-26	South Yard	01/06/22	30.62	13.05	--	0.00	--	--	17.57
MW-26	South Yard	06/24/22	30.62	12.03	--	0.00	--	--	18.59
MW-26	South Yard	12/16/22	30.62	13.40	--	0.00	--	--	17.22
MW-26	South Yard	06/01/23	30.62	12.19	--	0.00	--	--	18.43
MW-27	North Yard	09/13/99	101.17	--	--	--	--	No	--
MW-27	North Yard	10/22/99	101.17	--	--	--	--	No	--
MW-27	North Yard	01/06/00	101.17	--	--	--	--	No	--
MW-27	North Yard	05/24/01	101.17	11.11	10.38	0.73	--	No	90.64
MW-27	North Yard	06/27/01	101.17	10.07	9.29	0.78	--	No	91.72
MW-27	North Yard	03/18/02	101.17	9.07	9.00	0.07	--	No	92.16
MW-27	North Yard	10/16/02	101.17	--	--	0.05	--	No	--
MW-27	North Yard	12/31/02	101.17	--	--	0.02	--	No	--
MW-27	North Yard	06/26/03	101.17	11.08	10.83	0.25	0.25	No	90.29

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-27	North Yard	07/21/03	101.17	--	--	0.46	4.00	No	--
MW-27	North Yard	08/28/03	101.17	--	--	0.21	8.00	No	--
MW-27	North Yard	10/16/03	101.17	5.97	--	0.00	0.00	No	95.20
MW-27	North Yard	11/21/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	12/17/03	101.17	--	--	--	0.00	No	--
MW-27	North Yard	01/29/04	101.17	10.23	9.71	0.52	2.00	No	91.36
MW-27	North Yard	02/18/04	101.17	10.59	9.97	0.62	1.75	No	91.08
MW-27	North Yard	03/30/04	101.17	10.54	9.77	0.77	3.00	No	91.25
MW-27	North Yard	09/22/04	101.17	9.98	9.91	0.07	0.70	No	91.25
MW-27	North Yard	03/15/05	101.17	11.76	11.21	0.55	0.50	No	89.85
MW-27	North Yard	03/29/06	101.17	9.14	--	0.00	0.00	No	92.03
MW-27	North Yard	03/21/07	101.17	7.91	7.90	0.01	<0.01	No	93.27
MW-27	North Yard	03/25/08	101.17	10.57	--	0.00	0.00	No	90.60
MW-27	North Yard	09/08-09/08	101.17	10.83	10.66	0.17	0.28	Yes	90.48
MW-27	North Yard	12/11/08	101.17	11.19	11.18	0.01	0.00	Yes	89.99
MW-27	North Yard	03/30-31/09	101.17	9.92	9.91	0.01	0.00	Yes	91.26
MW-27	North Yard	06/15/09	101.17	9.67	9.66	0.01	0.00	Yes	91.51
MW-27	North Yard	09/10-11/09	101.17	11.27	11.10	0.17	0.33 ⁴	Yes	90.04
MW-27	North Yard	02/23/10	101.17	9.37	--	0.00	--	Yes	91.80
MW-27	North Yard	03/15/10	101.17	9.48	9.47	0.01	0.00	Yes	91.70
MW-27	North Yard	3/14/2011 ¹	101.17	27.77	27.70	0.07	0.05 ⁴	Yes	73.46
MW-27	North Yard	11/16/11	34.01	11.27	--	0.00	--	Yes	22.74
MW-27	North Yard	12/08/11	34.01	9.78	9.69	0.09	0.05 ⁴	Yes	24.30
MW-27	North Yard	03/23/12	34.01	8.18	8.15	0.03	1.00	Yes	25.85
MW-27	North Yard	06/01/12	34.01	8.45	8.25	0.20	1.00	Yes	25.72
MW-27	North Yard	04/22/13	34.01	7.34	7.33	0.01	0.00	Yes	26.68
MW-27	North Yard	06/26/13	34.01	6.67	--	0.00	--	Yes	27.34
MW-27	North Yard	09/18/13	34.01	10.76	--	0.00	--	Yes	23.25
MW-27	North Yard	10/14/13	34.01	10.16	--	0.00	--	Yes	23.85
MW-27	North Yard	03/27/14	34.01	7.10	7.08	0.02	--	Yes	26.93
MW-27	North Yard	06/10/14	34.01	9.25	Sheen	Sheen	--	Yes	24.76
MW-27	North Yard	07/22/14	34.01	10.02	10.015	0.005	--	Yes	23.99
MW-28	North Yard	08/11/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	10/21/99	100.35	--	--	0.00	--	No	--
MW-28	North Yard	01/06/00	100.35	6.93	--	0.00	--	No	93.42
MW-28	North Yard	07/27/00	100.35	7.45	--	0.00	--	No	92.90
MW-28	North Yard	09/29/00	100.35	8.50	--	0.00	--	No	91.85
MW-28	North Yard	01/15/01	100.35	8.59	--	0.00	--	No	91.76
MW-28	North Yard	06/21/01	100.35	7.66	--	0.00	--	No	92.69
MW-28	North Yard	03/18/02	100.35	6.02	--	0.00	--	No	94.33
MW-28	North Yard	06/26/03	100.35	7.57	--	0.00	--	No	92.78
MW-28	North Yard	09/15/03	100.35	8.96	--	0.00	--	No	91.39
MW-28	North Yard	12/15/03	100.35	7.56	--	0.00	--	No	92.79
MW-28	North Yard	03/25/04	100.35	7.07	--	0.00	--	No	93.28
MW-28	North Yard	09/22/04	100.35	8.16	--	0.00	--	No	92.19
MW-28	North Yard	03/14/05	100.35	8.45	--	0.00	--	No	91.90

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-28	North Yard	03/29/06	100.35	6.64	--	0.00	--	No	93.71
MW-28	North Yard	03/21/07	100.35	6.86	6.48	0.38	0.25	No	93.79
MW-28	North Yard	03/25/08	100.35	7.25	7.08	0.17	0.25	No	93.24
MW-28	North Yard	09/08-09/08	100.35	8.04	8.00	0.04	0.16	Yes	92.34
MW-28	North Yard	12/11/08	100.35	8.15	8.14	0.01	0.00	Yes	92.21
MW-28	North Yard	03/30-31/09	100.35	6.84	6.83	0.01	0.00	Yes	93.52
MW-28	North Yard	06/15/09	100.35	7.21	7.20	0.01	0.00	Yes	93.15
MW-28	North Yard	09/10-11/09	100.35	8.16	8.13	0.03	0.00	Yes	92.21
MW-28	North Yard	02/23/10	100.35	6.39	6.38	0.01	0.00	Yes	93.97
MW-28	North Yard	03/15/10	100.35	6.05	--	0.00	--	Yes	94.30
MW-28	North Yard	9/15/101	100.35	7.76	7.75	0.01	--	Yes	92.60
MW-28	North Yard	12/04/10	100.35	--	--	--	--	Yes	--
MW-28	North Yard	03/14/11	100.35	5.30	--	0.00	--	Yes	95.05
MW-28	North Yard	07/22/14	33.13	7.24	--	0.00	--	No	25.89
MW-29	ROW	07/22/14	34.06	13.80	--	0.00	--	--	20.26
MW-29	ROW	09/26/14	34.06	14.27	--	0.00	--	--	19.79
MW-29	ROW	10/30/14	34.06	13.03	--	0.00	--	--	21.03
MW-29	ROW	12/01/14	34.06	17.80	--	0.00	--	--	16.26
MW-29	ROW	02/20/15	34.06	19.26	--	0.00	--	--	14.80
MW-29	ROW	11/11/15	34.06	16.61	--	0.00	--	--	17.45
MW-29	ROW	04/18/16	34.06	13.65	--	0.00	--	--	20.41
MW-29	ROW	12/07/16	34.08	14.82	--	0.00	--	--	19.26
MW-29	ROW	06/21/17	34.08	11.29	--	0.00	--	--	22.79
MW-29	ROW	12/05/17	34.08	12.99	--	0.00	--	--	21.09
MW-29	ROW	06/26/18	34.08	13.50	--	0.00	--	--	20.58
MW-29	ROW	11/27/18	34.08	11.37	--	0.00	--	--	22.71
MW-29	ROW	06/20/19	34.08	13.59	--	0.00	--	--	20.49
MW-29	ROW	12/17/19	34.08	14.65	--	0.00	--	--	19.43
MW-29	ROW	06/10/20	34.08	13.40	--	0.00	--	--	20.68
MW-29	ROW	11/10/20	34.08	14.59	--	0.00	--	--	19.49
MW-29	ROW	06/28/21	34.08	14.07	--	0.00	--	--	20.01
MW-29	ROW	01/06/22	34.08	10.29	--	0.00	--	--	23.79
MW-29	ROW	06/24/22	34.08	9.75	--	0.00	--	--	24.33
MW-29	ROW	12/16/22	34.08	10.88	--	0.00	--	--	23.20
MW-29	ROW	06/01/23	34.08	10.04	--	0.00	--	--	24.04
MW-30	ROW	07/22/14	33.45	12.37	--	0.00	--	--	21.08
MW-30	ROW	09/26/14	33.45	12.87	--	0.00	--	--	20.58
MW-30	ROW	10/30/14	33.45	10.73	--	0.00	--	--	22.72
MW-30	ROW	12/01/14	33.45	17.04	--	0.00	--	--	16.41
MW-30	ROW	02/20/15	33.45	19.18	--	0.00	--	--	14.27
MW-30	ROW	11/11/15	33.45	15.61	--	0.00	--	--	17.84
MW-30	ROW	04/18/16	33.45	12.41	--	0.00	--	--	21.05
MW-30	ROW	12/07/16	33.46	14.01	--	0.00	--	--	19.45
MW-30	ROW	06/21/17	33.46	11.75	--	0.00	--	--	21.71
MW-30	ROW	12/05/17	33.46	12.79	--	0.00	--	--	20.67
MW-30	ROW	06/26/18	33.46	13.09	--	0.00	--	--	20.37
MW-30	ROW	11/27/18	33.46	13.95	--	0.00	--	--	19.51

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MW-30	ROW	06/20/19	33.46	12.95	--	0.00	--	--	20.51
MW-30	ROW	12/17/19	33.46	14.40	--	0.00	--	--	19.06
MW-30	ROW	06/10/20	33.46	12.50	--	0.00	--	--	20.96
MW-30	ROW	11/10/20	33.46	13.70	--	0.00	--	--	19.76
MW-30	ROW	06/28/21	33.46	13.13	--	0.00	--	--	20.33
MW-30	ROW	06/24/22	33.46	10.62	--	0.00	--	--	22.84
MW-30	ROW	12/16/22	33.46	12.05	--	0.00	--	--	21.41
MW-30	ROW	06/01/23	33.46	11.04	--	0.00	--	--	22.42
AGI-2	South Yard	08/10/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	10/20/99	97.95	--	--	--	--	--	--
AGI-2	South Yard	01/15/01	97.95	13.61	--	0.00	--	--	84.34
AGI-2	South Yard	06/21/01	97.95	11.83	--	0.00	--	--	86.12
AGI-2	South Yard	07/26/01	97.95	12.19	--	0.00	--	--	85.76
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	03/18/02	97.95	12.91	--	0.00	--	--	85.04
AGI-2	South Yard	05/07/02	97.95	11.95	--	0.00	--	--	86.00
AGI-2	South Yard	06/06/02	97.95	12.51	--	0.00	--	--	85.44
AGI-2	South Yard	07/02/02	97.95	11.90	--	0.00	--	--	86.05
AGI-2	South Yard	09/03/02	97.95	13.65	--	0.00	--	--	84.30
AGI-2	South Yard	12/31/02	97.95	13.75	--	0.00	--	--	84.20
AGI-2	South Yard	03/26/03	97.95	12.62	--	0.00	--	--	85.33
AGI-2	South Yard	04/28/03	97.95	12.98	--	0.00	--	--	84.97
AGI-2	South Yard	05/30/03	97.95	12.19	--	0.00	--	--	85.76
AGI-2	South Yard	06/25/03	97.95	12.66	--	0.00	--	--	85.29
AGI-2	South Yard	09/15/03	97.95	13.51	--	0.00	--	--	84.44
AGI-2	South Yard	12/15/03	97.95	13.59	--	0.00	--	--	84.36
AGI-2	South Yard	03/26/04	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/22/04	97.95	12.67	--	0.00	--	--	85.28
AGI-2	South Yard	03/14/05	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/29/06	97.95	12.45	--	0.00	--	--	85.50
AGI-2	South Yard	03/21/07	97.95	12.30	--	0.00	--	--	85.65
AGI-2	South Yard	03/25/08	97.95	12.53	--	0.00	--	--	85.42
AGI-2	South Yard	09/08-09/08	97.95	12.63	--	0.00	--	--	85.32
AGI-2	South Yard	12/11/08	97.95	--	--	--	--	--	--
AGI-2	South Yard	03/30-31/09	97.95	12.33	--	0.00	--	--	85.62
AGI-2	South Yard	09/10-11/09	97.95	13.11	--	0.00	--	--	84.84
AGI-2	South Yard	03/15/10	97.95	15.92	--	0.00	--	--	82.03
AGI-2	South Yard	09/15/10	97.95	12.99	--	0.00	--	--	84.96
AGI-2	South Yard	03/14/11	97.95	12.58	--	0.00	--	--	85.37
AGI-2	South Yard	06/21/12	30.68	11.69	--	0.00	--	--	18.99
AGI-2	South Yard	09/20/12	30.68	13.31	--	0.00	--	--	17.37
AGI-2	South Yard	12/26/12	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/23/13	30.68	11.96	--	0.00	--	--	18.72
AGI-2	South Yard	06/26/13	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	09/18/13	30.68	12.72	--	0.00	--	--	17.96
AGI-2	South Yard	10/14/13	30.68	12.94	--	0.00	--	--	17.74
AGI-2	South Yard	03/27/14	30.68	12.41	--	0.00	--	--	18.27

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
AGI-2	South Yard	06/10/14	30.68	11.85	--	0.00	--	--	18.83
AGI-2	South Yard	11/11/15	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	04/18/16	30.68	11.98	--	0.00	--	--	18.70
AGI-2	South Yard	12/07/16	30.68	13.50	--	0.00	--	--	17.18
AGI-2	South Yard	06/21/17	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	12/05/17	30.68	13.64	--	0.00	--	--	17.04
AGI-2	South Yard	06/26/18	30.68	12.06	--	0.00	--	--	18.62
AGI-2	South Yard	11/27/18	30.68	13.41	--	0.00	--	--	17.27
AGI-2	South Yard	06/20/19	30.68	12.10	--	0.00	--	--	18.58
AGI-2	South Yard	12/17/19	30.68	13.68	--	0.00	--	--	17.00
AGI-2	South Yard	06/10/20	30.68	11.80	--	0.00	--	--	18.88
AGI-2	South Yard	11/10/20	30.68	13.35	--	0.00	--	--	17.33
AGI-2	South Yard	06/28/21	30.68	11.90	--	0.00	--	--	18.78
AGI-2	South Yard	01/06/22	30.68	13.22	--	0.00	--	--	17.46
AGI-2	South Yard	06/24/22	30.68	12.64	--	0.00	--	--	18.04
AGI-2	South Yard	12/16/22	30.68	14.11	--	0.00	--	--	16.57
AGI-2	South Yard	06/01/23	30.68	13.02	--	0.00	--	--	17.66
MLU-1	South Yard	10/20/99	100.18	15.33	--	0.00	--	--	84.85
MLU-1	South Yard	01/06/00	100.18	15.75	--	0.00	--	--	84.43
MLU-1	South Yard	04/12/00	100.18	14.35	--	0.00	--	--	85.83
MLU-1	South Yard	06/27/00	100.18	14.24	--	0.00	--	--	85.94
MLU-1	South Yard	09/29/00	100.18	15.12	--	0.00	--	--	85.06
MLU-1	South Yard	06/25/03	100.18	14.41	--	0.00	--	--	85.77
MLU-1	South Yard	09/15/03	100.18	15.72	--	0.00	--	--	84.46
MLU-1	South Yard	12/15/03	100.18	15.70	--	0.00	--	--	84.48
MLU-1	South Yard	03/25/04	100.18	14.75	--	0.00	--	--	85.43
MLU-1	South Yard	09/22/04	100.18	14.88	--	0.00	--	--	85.30
MLU-1	South Yard	03/14/05	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/29/06	100.18	14.65	--	0.00	--	--	85.53
MLU-1	South Yard	03/21/07	100.18	14.64	--	0.00	--	--	85.54
MLU-1	South Yard	03/25/08	100.18	14.70	--	0.00	--	--	85.48
MLU-1	South Yard	09/08-09/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	12/11/08	100.18	--	--	--	--	--	--
MLU-1	South Yard	03/30-31/09	100.18	--	--	--	--	--	--
MLU-1	South Yard	09/10-11/09	100.18	15.32	--	0.00	--	--	84.86
MLU-1	South Yard	03/15/10	100.18	14.82	--	0.00	--	--	85.36
MLU-1	South Yard	09/15/10	100.18	15.21	--	0.00	--	--	84.97
MLU-1	South Yard	03/14/11	100.18	14.19	--	0.00	--	--	85.99
MLU-1	South Yard	06/21/12	32.90	13.96	--	0.00	--	--	18.94
MLU-1	South Yard	09/20/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	09/21/12	32.90	15.51	--	0.00	--	--	17.39
MLU-1	South Yard	12/26/12	32.90	15.31	--	0.00	--	--	17.59
MLU-1	South Yard	04/22/13	32.90	14.14	--	0.00	--	--	18.76
MLU-1	South Yard	06/26/13	32.90	14.05	--	0.00	--	--	18.85
MLU-1	South Yard	09/18/13	32.90	14.92	--	0.00	--	--	17.98
MLU-1	South Yard	10/14/13	32.90	15.50	--	0.00	--	--	17.40
MLU-1	South Yard	03/27/14	32.90	14.61	--	0.00	--	--	18.29

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
MLU-1	South Yard	06/10/14	32.90	13.97	--	0.00	--	--	18.93
MLU-1	South Yard	11/11/15	32.90	15.56	--	0.00	--	--	17.34
MLU-1	South Yard	04/18/16	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/07/16	32.90	15.65	--	0.00	--	--	17.25
MLU-1	South Yard	06/21/17	32.90	15.01	--	0.00	--	--	17.89
MLU-1	South Yard	12/05/17	32.90	15.62	--	0.00	--	--	17.28
MLU-1	South Yard	06/26/18	32.90	14.33	--	0.00	--	--	18.57
MLU-1	South Yard	11/27/18	32.90	15.17	--	0.00	--	--	17.73
MLU-1	South Yard	06/20/19	32.90	14.26	--	0.00	--	--	18.64
MLU-1	South Yard	12/17/19	32.90	15.88	--	0.00	--	--	17.02
MLU-1	South Yard	06/10/20	32.90	13.94	--	0.00	--	--	18.96
MLU-1	South Yard	11/10/20	32.90	15.58	--	0.00	--	--	17.32
MLU-1	South Yard	06/28/21	32.90	14.08	--	0.00	--	--	18.82
MLU-1	South Yard	01/06/22	32.90	14.99	--	0.00	--	--	17.91
MLU-1	South Yard	06/24/22	32.90	13.78	--	0.00	--	--	19.12
MLU-1	South Yard	12/16/22	32.90	15.08	--	0.00	--	--	17.82
MLU-1	South Yard	06/01/23	32.90	13.84	--	0.00	--	--	19.06
MLU-3	South Yard	08/20/99	97.62	--	--	--	--	--	--
MLU-3	South Yard	10/20/99	97.62	13.58	--	0.00	--	--	84.04
MLU-3	South Yard	07/26/01	97.62	12.05	--	0.00	--	--	85.57
MLU-3	South Yard	03/27/14	30.64	12.44	--	0.00	--	--	18.20
MLU-3	South Yard	06/10/14	30.64	11.68	--	0.00	--	--	18.96
MLU-3	South Yard	11/11/15	30.64	13.38	--	0.00	--	--	17.26
MLU-3	South Yard	04/18/16	30.64	12.09	--	0.00	--	--	18.55
MLU-3	South Yard	12/07/16	30.64	13.47	--	0.00	--	--	17.17
MLU-3	South Yard	06/21/17	30.64	11.70	--	0.00	--	--	18.94
MLU-3	South Yard	12/05/17	30.64	13.49	--	0.00	--	--	17.15
MLU-3	South Yard	06/26/18	30.64	12.11	--	0.00	--	--	18.53
MLU-3	South Yard	11/27/18	30.64	13.08	--	0.00	--	--	17.56
MLU-3	South Yard	06/20/19	30.64	12.01	--	0.00	--	--	18.63
MLU-3	South Yard	12/17/19	30.64	13.66	--	0.00	--	--	16.98
MLU-3	South Yard	06/10/20	30.64	11.71	--	0.00	--	--	18.93
MLU-3	South Yard	11/10/20	30.64	13.35	--	0.00	--	--	17.29
MLU-3	South Yard	06/28/21	30.64	11.80	--	0.00	--	--	18.84
MLU-3	South Yard	01/06/22	30.64	13.03	--	0.00	--	--	17.61
MLU-3	South Yard	06/24/22	30.64	12.10	--	0.00	--	--	18.54
MLU-3	South Yard	12/16/22	30.64	13.57	--	0.00	--	--	17.07
MLU-3	South Yard	06/01/23	30.64	12.29	--	0.00	--	--	18.35
EW-1	ROW	07/22/14	35.05	12.25	--	0.00	--	--	22.80
EW-1	ROW	09/26/14	35.05	14.03	--	0.00	--	--	21.02
EW-1	ROW	10/30/14	35.05	11.86	--	0.00	--	--	23.19
EW-1	ROW	12/01/14	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	02/20/15	35.05	21.71	--	0.00	--	--	13.34
EW-1	ROW	11/11/15	35.05	17.20	--	0.00	--	--	17.85
EW-1	ROW	04/18/16	35.05	--	--	--	--	--	--
EW-1	ROW	12/07/16	35.05	13.72	--	0.00	--	--	21.33
EW-1	ROW	06/21/17	35.05	12.20	--	0.00	--	--	22.85

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
EW-1	ROW	12/05/17	35.05	13.25	--	0.00	--	--	21.80
EW-1	ROW	06/26/18	35.05	13.33	--	0.00	--	--	21.72
EW-1	ROW	11/27/18	35.05	14.07	--	0.00	--	--	20.98
EW-1	ROW	06/20/19	35.05	12.20	--	0.00	--	--	22.85
EW-1	ROW	12/17/19	35.05	14.68	--	0.00	--	--	20.37
EW-1	ROW	06/10/20	35.05	12.68	--	0.00	--	--	22.37
EW-1	ROW	11/10/20	35.05	13.48	--	0.00	--	--	21.57
EW-1	ROW	06/28/21	35.05	13.96	--	0.00	--	--	21.09
EW-1	ROW	06/24/22	35.05	10.38	--	0.00	--	--	24.67
EW-1	ROW	12/16/22	35.05	11.38	--	0.00	--	--	23.67
EW-1	ROW	06/01/23	35.05	10.47	--	0.00	--	--	24.58
SMPN-1	North Yard	03/15/05	--	11.23	Sheen	Sheen	0.00	No	--
SMPN-1	North Yard	10/04/05	--	11.96	11.72	0.24	<1/16	No	--
SMPN-1	North Yard	03/29/06	--	9.84	--	0.00	0.00	No	--
SMPN-1	North Yard	03/21/07	--	9.89	--	0.00	0.00	No	--
SMPN-1	North Yard	03/25/08	--	10.36	--	0.00	0.00	No	--
SMPN-1	North Yard	09/08-09/08	100.99	10.68	10.67	0.01	0.00	Yes	90.32
SMPN-1	North Yard	12/11/08	100.99	11.30	--	0.00	0.00	Yes	89.69
SMPN-1	North Yard	03/30-31/09	100.99	10.31	10.30	0.01	0.00	Yes	90.69
SMPN-1	North Yard	06/15/09	100.99	9.73	9.72	0.01	0.00	Yes	91.27
SMPN-1	North Yard	09/10-11/09	100.99	11.13	--	0.00	0.00	Yes	89.86
SMPN-1	North Yard	02/23/10	100.99	9.86	--	0.00	0.00	Yes	91.13
SMPN-1	North Yard	03/15/10	100.99	9.83	--	0.01	0.00	Yes	91.17
SMPN-1	North Yard	09/15/10	100.99	11.13	11.12	0.01	--	Yes	89.87
SMPN-1	North Yard	12/4/101	100.99	10.53	10.53	0.00	--	Yes	90.46
SMPN-1	North Yard	11/16/11	33.78	11.27	--	0.00	--	Yes	22.51
SMPN-1	North Yard	12/08/11	33.78	9.79	9.78	0.01	0.05 ⁴	Yes	24.00
SMPN-1	North Yard	03/23/12	33.78	8.27	8.25	0.02	0.50	Yes	25.53
SMPN-1	North Yard	06/01/12	33.78	8.85	--	0.00	--	Yes	24.93
SMPN-1	North Yard	09/20/12	33.78	11.14	10.96	0.18	--	Yes	22.78
SMPN-1	North Yard	12/26/12	33.78	8.50	--	0.00	--	Yes	25.28
SMPN-1	North Yard	04/22/13	33.78	8.75	--	0.00	--	Yes	25.03
SMPN-1	North Yard	06/26/13	33.78	9.54	--	0.00	--	Yes	24.24
SMPN-1	North Yard	09/18/13	33.78	11.29	--	0.00	--	Yes	22.49
SMPN-1	North Yard	10/14/13	33.78	10.49	--	0.00	--	Yes	23.29
SMPN-1	North Yard	03/27/14	33.78	9.46	--	0.00	--	Yes	24.32
SMPN-1	North Yard	06/10/14	33.78	9.23	--	0.00	--	Yes	24.55
SMPN-2	North Yard	03/15/05	101.24	11.21	11.20	0.01	0.00	No	--
SMPN-2	North Yard	03/29/06	101.24	9.48	--	0.00	0.00	No	--
SMPN-2	North Yard	03/21/07	101.24	9.20	9.15	0.05	<0.05	No	--
SMPN-2	North Yard	03/25/08	101.24	10.11	--	0.00	0.00	No	--
SMPN-2	North Yard	09/08-09/08	101.24	10.51	10.50	0.01	0.00	Yes	90.74
SMPN-2	North Yard	12/11/08	101.24	11.06	11.05	0.01	0.00	No	90.19
SMPN-2	North Yard	03/30-31/09	101.24	10.12	10.11	0.01	0.00	No	91.13
SMPN-2	North Yard	06/15/09	101.24	9.51	9.50	0.01	0.00	No	91.74
SMPN-2	North Yard	09/10-11/09	101.24	10.99	10.98	0.01	0.00	No	90.26
SMPN-2	North Yard	02/23/10	101.24	9.23	10.98	0.00	0.00	No	92.01

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL ² (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
SMPN-2	North Yard	03/15/10	101.24	9.37	9.36	0.01	0.00	No	91.88
SMPN-2	North Yard	09/15/10	101.24	11.07	10.89	0.18	--	No	90.31
SMPN-2	North Yard	12/04/10	101.24	10.35	10.28	0.07	--	No	90.95
SMPN-2	North Yard	03/14/11	101.24	8.93	--	0.00	--	No	92.31
SMPN-2	North Yard	11/16/11	33.85	9.97	9.96	0.01	0.05 ⁴	No	23.89
SMPN-2	North Yard	12/08/11	33.85	9.61	--	0.00	--	No	24.24
SMPN-2	North Yard	03/23/12	33.85	8.12	8.10	0.02	0.50	No	25.75
SMPN-2	North Yard	06/01/12	33.85	8.40	8.30	0.10	1.00	No	25.53
SMPN-2	North Yard	09/20/12	33.85	11.11	10.95	0.16	--	No	22.87
SMPN-2	North Yard	12/26/12	33.85	8.51	--	0.00	--	No	25.34
SMPN-2	North Yard	04/22/13	33.85	7.88	--	0.00	--	No	25.97
SMPN-2	North Yard	06/26/13	33.85	8.70	--	0.00	--	No	25.15
SMPN-2	North Yard	09/18/13	33.85	10.82	10.81	0.01	--	Yes	23.04
SMPN-2	North Yard	10/14/13	33.85	10.50	--	0.00	--	Yes	23.35
SMPN-2	North Yard	03/27/14	33.85	9.39	--	0.00	--	Yes	24.46
SMPN-2	North Yard	06/10/14	33.85	3.74	--	0.00	--	Yes	30.11
SMPN-3	North Yard	03/15/05	--	11.46	--	0.00	--	No	--
SMPN-3	North Yard	03/29/06	--	9.56	--	0.00	--	No	--
SMPN-3	North Yard	03/21/07	--	9.03	--	0.00	--	No	--
SMPN-3	North Yard	03/25/08	--	10.30	--	0.00	--	No	--
SMPN-3	North Yard	09/08-09/08	101.02	10.67	10.66	0.01	0.00	Yes	90.36
SMPN-3	North Yard	12/11/08	101.02	11.26	--	0.00	--	No	89.76
SMPN-3	North Yard	03/30-31/09	101.02	10.28	10.27	0.01	0.00	No	90.75
SMPN-3	North Yard	06/15/09	101.02	9.59	--	0.00	--	No	91.43
SMPN-3	North Yard	09/10-11/09	101.02	11.08	--	0.01	--	No	89.95
SMPN-3	North Yard	02/23/10	101.02	9.44	--	0.00	--	No	91.58
SMPN-3	North Yard	03/15/10	101.02	9.51	--	0.01	--	No	91.52
SMPN-3	North Yard	09/15/10	101.02	11.14	--	0.00	--	No	89.88
SMPN-3	North Yard	12/04/10	101.02	10.49	--	0.00	--	No	90.53
SMPN-3	North Yard	03/14/11	101.02	9.12	--	0.00	--	No	91.90
SMPN-3	North Yard	11/16/11	33.81	11.06	10.94	0.12	0.05 ⁴	No	22.85
SMPN-3	North Yard	12/08/11	33.81	9.73	--	0.00	--	No	24.08
SMPN-3	North Yard	03/23/12	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/01/12	33.81	8.05	--	0.00	--	No	25.76
SMPN-3	North Yard	09/20/12	33.81	11.22	--	0.00	--	No	22.59
SMPN-3	North Yard	12/26/12	33.81	8.89	--	0.00	--	No	24.92
SMPN-3	North Yard	04/22/13	33.81	8.30	--	0.00	--	No	25.51
SMPN-3	North Yard	06/26/13	33.81	9.02	--	0.00	--	No	24.79
SMPN-3	North Yard	09/18/13	33.81	11.06	--	0.00	--	No	22.75
SMPN-3	North Yard	10/14/13	33.81	10.52	--	0.00	--	No	23.29
SMPN-3	North Yard	03/27/14	33.81	8.68	--	0.00	--	No	25.13
SMPN-3	North Yard	06/10/14	33.81	9.39	--	0.00	--	Yes	24.42

Table 1. Groundwater Elevation and Light Non Aqueous Phase Liquid Monitoring and Removal Data

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Well Number	Well Location	Date Measured	Well Casing Elevation ¹	Depth to Groundwater ² (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	LNAPL Removed (gallons)	Absorbant Sock in Well (Yes / No)	Groundwater Elevation ³ (feet)
-------------	---------------	---------------	------------------------------------	--	-----------------------	------------------------	-------------------------	-----------------------------------	---

Notes:**BOLD** = Indicates data from current reporting period

Grey = Indicates the monitoring well is no longer present

Groundwater elevation corrected for the presence of LNAPL using a specific gravity of 0.80; Correction factor: [(TOC-DTW)+(LNAPL x 0.80)]

¹Well casing elevations listed in feet above NAVD 88. Approximate monitoring well locations are shown in Figure 2.²Below top of casing.³Elevation referenced to Horizontal Datum NAD 83/98, State Plane Coordinates Washington North Zone and Vertical Datum NAVD 88⁴LNAPL + water removed⁵LNAPL only removed**Acronyms and Abbreviations:**

LNAPL = Light Non Aqueous Phase Liquid

-- = not measured or not obtainable

* = Interface probe not recognizing LNAPL, bailer dropped in well, LNAPL thickness > 3 feet

Table 2. Second Quarter 2023 Groundwater Analytical Results

Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Location	Sample Date	Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) Pyrene	Dissolved Arsenic	Dissolved Lead	1- Methyl-Naphthalene	2-Methyl-Naphthalene
	Site Cleanup Level	43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹	5	11	36
MW-4	6/1/2023	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<2.00	<2.00	<0.250 J4
MW-7	6/1/2023	8.76	1.26	8.02	8.88 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	4.92	2.98	1.32 J4	1.58 J4
MW-8A	6/1/2023	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	0.816 J	<2.00	<2.00	<0.250 J4
MW-8A-DUP	6/1/2023	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	0.833 J	<2.00	<2.00	<0.250 J4
AGI-2	6/2/2023	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	2.36	3.30	<0.250	<0.250
MLU-1	6/1/2023	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<2.00	<2.00	<0.250 J4
MLU-3	6/2/2023	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<2.00	<2.00	<0.250 J4
MW-19	6/1/2023	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<2.00	<2.00	<0.250 J4
MW-20	6/1/2023	<1.00		0.749 J	0.300 J	0.646 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	0.436 J	<2.00	<2.00	<0.250 J4
MW-21	6/2/2023	<1.00		0.751 J	0.295 J	0.602 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	4.39	<2.00	4.52 J4	1.58 J4
MW-25	6/1/2023	0.651 J	<1.00	<1.00	0.129 J J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	0.977 J	<2.00	<2.00	<0.250 J4
MW-26	6/1/2023	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	0.286 J	<2.00	<2.00	<0.250
MW-29	6/1/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

1 The arsenic Site CUL is two orders of magnitude below the USEPA Method 6020B PQL (or RDL) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020B MDL for arsenic (0.18 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

BOLD = Detect value greater than the reporting limit MDL

BOLD and shaded = Concentrations are greater than their respective site cleanup levels

All samples were field filtered excluding benzene, ethylbenzene and toluene

All results are reported in µg/L

Acronyms and Abbreviations:

DUP = Duplicate sample collected from MW-8A

µg/L = Micrograms per liter

CUL = Cleanup Level

MDL = Method Detection Limit

PQL = Practicable Quantification Limit

QA = Quality Assurance/Trip Blank

RDL = Reported Detection Limit

USEPA = United States Environmental Protection Agency

Laboratory Qualifiers:

< = Indicates concentration is less than the Method Detection Limit (MDL).

J = The concentration is an approximate value

J4= The Associated batch QC was outside the established quality control range for accuracy

Laboratory Analytical Methods:

Benzene, toluene, and ethylbenzene by (EPA) method 8260D

Polyaromatic hydrocarbons - benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene and naphthalene - by EPA method 8270E SIM

Dissolved lead and arsenic by EPA method 6020B

Table 3**Point of Compliance Consecutive Clean Sampling Events as of First Semi-Annual 2023**

Former Chevron Bulk Plant -1001327

1602 North Northlake Way

Seattle, Washington

Monitoring Well	Petroleum Constituents: Benzene, Toluene, Ethylbenzene, Naphthalene		Carcinogenic Polycyclic Aromatic Hydrocarbons		Lead	
	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}	Current Sampling Interval	Consecutive Sampling Events in Compliance ^{1,2}
North Yard						
MW-19	semi-annual	23 ³	semi-annual	14	semi-annual	22 ³
MW-20	semi-annual	23 ³	semi-annual	23 ³	semi-annual	22 ³
MW-21	semi-annual	23 ³	semi-annual	23 ³	semi-annual	22 ³
South Yard						
MW-4	semi-annual	23 ³	semi-annual	19 ³	semi-annual	22 ³
MW-7	semi-annual	15	semi-annual	15	semi-annual	21 ³
MW-8A	semi-annual	23 ³	semi-annual	22 ³	semi-annual	22 ³
AGI-2	semi-annual	7	semi-annual	20 ³	semi-annual	9 ³
MLU-1	semi-annual	23 ³	semi-annual	21 ³	semi-annual	21 ³
MLU-3 ⁴	semi-annual	17	semi-annual	17	semi-annual	3
MW-25	semi-annual	23 ³	semi-annual	23 ³	semi-annual	22 ³
MW-26	semi-annual	23 ³	semi-annual	23 ³	semi-annual	21 ³

Notes:

¹ "Consecutive events" are number of consecutive sampling events prior to and including the current reporting period that are in compliance with the groundwater Site Cleanup Levels (CULs). Events prior to 2010 are not counted. Refer to progress reports for results.

² Consecutive clean sampling events excludes arsenic values because laboratory limits are above the arsenic Site CUL. The arsenic Site CUL is two orders of magnitude below the USEPA Method 6020/6020A/6020B practical quantitation limit (PQL) (or reported detection limit [RDL]) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020/6020A/6020B Method Detection Limit (MDL) for arsenic (varying from 0.18 to 0.95 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

³ No exceedences, but constituent not analyzed consecutively every sampling event.


⁴ MLU-3 only sampled 17 times since 2010. MLU-3 was sampled annually in 2014 and 2015 and semi-annually since.


Acronyms and Abbreviations:

cPAHs = carcinogenic polycyclic aromatic hydrocarbons

USEPA = United States Environmental Protection Agency


Figures








NOTES:

1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.
6. ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)



MTCA Method A Cleanup Levels	
Benzene	43
Toluene	48,500
Ethylbenzene	6,910
Naphthalene	9,880





LEGEND:

- PROPERTY BOUNDARY
- FORMER CHEVRON/METRO SITE CONSENT DECREE BOUNDARY
- GROUNDWATER MONITORING WELL
- ABANDONED MONITORING WELL
- COMPLIANCE MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY
- < NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
- J4 THE ASSOCIATED BATCH QC WAS OUTSIDE THE ESTABLISHED QUALITY CONTROL RANGE FOR ACCURACY
- [] DUPLICATE SAMPLE (µg/L)
- (NS) NOT SAMPLED


NOTES:


1. BASE MAP FROM A DRAWING BY SAIC TITLED "SITE MAP", DATED 09-14-07, @ A SCALE OF 1" = 60'. REVISED IN ACCORDANCE WITH A SURVEY DRAWING BY OTAK CONDUCTED IN APRIL & MAY, 2011, OCTOBER 2014, AND DECEMBER 2016.
2. METRO LAKE UNION UPLAND SITE BOUNDARY APPROXIMATED BASED ON DIGITIZING 1998 CONSENT DECREE BOUNDARY.
3. THE ORDINARY HIGH WATER MARK IS THE BOUNDARY BETWEEN THE SOUTH YARD UPLANDS AND SEDIMENTS. IT IS APPROXIMATED ON THIS FIGURE BASED ON THE BASE MAP/AERIAL.
4. THE FORMER NORTH YARD WAS ENTIRELY EXCAVATED IN 2014/2015. FORMER BUILDINGS ARE GREYED OUT.
5. ALL LOCATIONS OTHER THAN CURRENT GROUNDWATER MONITORING WELLS AND COMPLIANCE MONITORING WELLS ARE APPROXIMATE.
6. ARSENIC AND LEAD SAMPLES WERE FIELD FILTERED WITH A DISPOSABLE 0.45 MICRON FILTER.
7. ALL GROUNDWATER ANALYTICAL RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L)

MTCA Method A Cleanup Levels	
Benzo (a) anthracene	0.0296
Benzo (a) pyrene	0.0296
Benzo (b) fluoranthene	0.0296
Benzo (k) fluoranthene	0.0296
Chrysene	0.0296
Dibenz (a,h) anthracene	0.0296
Indeno (1,2,3-cd) Pyrene	0.0296

0 100' 200'

GRAPHIC SCALE





LEGEND:

- PROPERTY BOUNDARY
- FORMER CHERON/METRO SITE CONSENT DECREE BOUNDARY
- COMPLIANCE MONITORING WELL
- GROUNDWATER MONITORING WELL
- SUPPLEMENTARY MONITORING POINT
- BIOSPARGE INJECTION WELL
- ABANDONED MONITORING WELL
- CATCH BASIN
- NATURAL GAS LINE (APPROX.)
- UNDERGROUND ELECTRIC LINE (APPROX.)
- WATER LINE (APPROX.)
- SEWER LINE (APPROX.)
- TOUCHSTONE REDEVELOPMENT EXCAVATION BOUNDARY

BOLD BOLD AND SHADED VALUES ARE GREATER THAN THEIR RESPECTIVE MTCA METHOD A CULS

BOLD BOLD VALUES INDICATE THAT THE ANALYTE WAS DETECTED ABOVE THE LABORATORY METHOD DETECTION LIMIT (MDL)

< NOT DETECTED AT OR ABOVE THE MDL

J RESULT IS LESS THAN THE REPORTED DETECTION LIMIT (RDL) BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE

D-As DISSOLVED ARSENIC

D-Pb DISSOLVED LEAD

[] DUPLICATE SAMPLE RESULTS

(NS) NOT SAMPLED



FORMER CHERON BULK PLANT No. 100-1327 FACILITIES NORTH / KING COUNTY (METRO)
SEATTLE, WASHINGTON
FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT 2023

GROUNDWATER ANALYTICAL RESULTS MAP - DISSOLVED METALS JUNE 1 AND 2, 2023

Appendix A

Field Notes



Groundwater Gauging Log

Project Number	30078450							
Client:	Chevron							
Site ID:	1001327							
Site Location:	Seattle, Washington							
Measuring Point:	Top of Casing							
Date(s):	06/01/2023							
Sampler(s):	Lee Bures							
Gauging Equipment:	Water Level Meter							
Well ID	Date	Gauging Time	Static Water Level (ft bmp)	Depth to Product (ft)	Total Depth (ft bmp)	PID Reading (ppm)	LNAPL Removed (gal)	Comments
EW-1	06/01/2023	10:55	10.47	ND	21.80	--	--	--
MLU-1	06/01/2023	10:51	13.84	ND	22.50	--	--	--
AGI-2	06/01/2023	10:49	13.02	ND	22.50	--	--	--
MLU-3	06/01/2023	10:47	12.29	ND	20.75	--	--	--
MW-4	06/01/2023	10:42	15.08	ND	19.78	--	--	--
MW-7	06/01/2023	10:44	12.37	ND	16.40	--	--	--
MW-8A	06/01/2023	10:35	11.83	ND	24.45	--	--	--
MW-9R	06/01/2023	10:59	13.26	ND	21.70	--	--	--
MW-11	06/01/2023	09:28	11.96	ND	15.50	--	--	--
MW-14	06/01/2023	09:36	13.01	ND	19.00	--	--	--
MW-15	06/01/2023	09:38	12.67	ND	19.10	--	--	--
MW-19	06/01/2023	09:24	13.19	ND	16.50	--	--	--
MW-20	06/01/2023	09:21	13.11	ND	21.85	--	--	--
MW-21	06/01/2023	09:18	12.84	ND	19.80	--	--	--
MW-22	06/01/2023	09:42	13.55	ND	20.36	--	--	--
MW-24	06/01/2023	10:33	21.25	ND	27.80	--	--	--
MW-25	06/01/2023	10:39	12.36	ND	19.38	--	--	--
MW-26	06/01/2023	10:38	12.19	ND	20.00	--	--	--
MW-29	06/01/2023	09:31	10.04	ND	21.40	--	--	--
MW-30	06/01/2023	10:58	11.04	ND	20.50	--	--	--

ft-bmp = feet below measuring point

ND = Not Detected

PID = Photoionization Detector Reading

ppm = parts per million

-- = Not Recorded

Project Number	30064328	Well ID	MW-4	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	9.7 to 19.4	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	15.08	Total Depth (ft-bmp)	19.78	Water Column (ft)	4.7	Gallons in Well	0.76			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	14:57	Well Volumes Purged	1.04	Sample ID	MW-4-W-20230601	Purge Equipment	Peristaltic			
Purge Start	14:41	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	14:56	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:50	200	15.15	5.87	0.123	10.0	1.92	8.00	26.3	Clear	--
14:44	200	15.11	6.06	0.124	17.0	2.17	8.19	29.1	Clear	--
14:47	200	15.13	6.01	0.123	12.0	1.96	8.06	26.9	Clear	--
14:53	200	15.16	5.84	0.123	9.0	1.88	7.99	25.6	Clear	--
14:56	200	15.16	5.84	0.123	9.0	1.84	7.97	25.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MW-4-W-20230601	Sample Time:	14:57	Sample Depth (ft-bmp) (e.g. pump intake):	17
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-7	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	6.5 to 16.5	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	12.37	Total Depth (ft-bmp)	16.4	Water Column (ft)	4.03	Gallons in Well	0.65			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	14:06	Well Volumes Purged	1.22	Sample ID	MW-7-W-20230601	Purge Equipment	Peristaltic			
Purge Start	13:50	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	14:05	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:53	200	12.39	6.33	0.683	17.0	1.57	11.01	-70.1	Clear	--
13:56	200	12.4	6.32	0.681	12.0	1.38	10.64	-72.8	Clear	--
13:59	200	12.4	6.34	0.677	11.0	1.31	10.59	-73.7	Clear	--
14:02	200	12.4	6.34	0.676	10.0	1.26	10.57	-77.4	Clear	--
14:05	200	12.4	6.34	0.675	10.0	1.23	10.57	-79.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MW-7-W-20230601	Sample Time:	14:06	Sample Depth (ft-bmp) (e.g. pump intake):	14
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-8A	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	11.83	Total Depth (ft-bmp)	24.45	Water Column (ft)	12.62	Gallons in Well	2.05			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	12:00	Well Volumes Purged	0.39	Sample ID	MW-8A-W-20230601	Purge Equipment	Peristaltic			
Purge Start	11:44	Gallons Purged	0.79	Duplicate ID	DUP-1-20230601	Sample Equipment	Peristaltic			
Purge End	11:59	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:47	200	11.86	6.07	0.108	13.0	1.09	14.36	47.5	Clear	--
11:50	200	11.88	6.00	0.108	10.0	1.01	14.22	51.1	Clear	--
11:53	200	11.89	5.77	0.106	9.0	0.92	14.20	58.6	Clear	--
11:56	200	11.89	5.74	0.105	9.0	0.90	14.26	59.7	Clear	--
11:59	200	11.89	5.73	0.106	9.0	0.89	14.31	61.2	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID:	MW-8A-W-20230601	Sample Time:	12:00	Sample Depth (ft-bmp) (e.g. pump intake):	14.5
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30078450	Well ID	MW-19	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	13.19	Total Depth (ft-bmp)	16.5	Water Column (ft)	3.31	Gallons in Well	0.54			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	10:05	Well Volumes Purged	1.47	Sample ID	MW-19-W-20230601	Purge Equipment	Peristaltic			
Purge Start	09:49	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	10:04	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:52	200	13.21	6.17	0.321	14.0	1.71	10.81	-11.4	Clear	--
09:55	200	13.23	6.15	0.321	5.0	1.60	10.83	-10	Clear	--
09:58	200	13.25	6.02	0.321	5.0	1.52	10.87	-5.7	Clear	--
10:01	200	13.25	6.06	0.320	5.0	1.41	10.83	-5.3	Clear	--
10:04	200	13.25	6.03	0.320	5.0	1.39	10.83	-5	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID:	MW-19-W-20230601	Sample Time:	10:05	Sample Depth (ft-bmp) (e.g. pump intake):	14.5
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-20	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	13.11	Total Depth (ft-bmp)	21.85	Water Column (ft)	8.74	Gallons in Well	1.42			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	10:30	Well Volumes Purged	0.56	Sample ID	MW-19-W-20230601	Purge Equipment	Peristaltic			
Purge Start	10:14	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	10:29	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:17	200	13.14	6.27	0.745	10.0	1.64	11.31	-109.7	Clear	--
10:20	200	13.15	6.21	0.748	11.0	1.59	10.99	-99.1	Clear	--
10:23	200	13.15	6.03	0.748	10.0	1.40	10.89	-91.5	Clear	--
10:26	200	13.15	6.05	0.748	10.0	1.37	10.82	-92.4	Clear	--
10:29	200	13.15	6.06	0.748	10.0	1.33	10.79	-93.8	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MW-19-W-20230601	Sample Time:	10:30	Sample Depth (ft-bmp) (e.g. pump intake):	17
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-21	Date		6/2/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	12.84	Total Depth (ft-bmp)	19.8	Water Column (ft)	6.96	Gallons in Well	1.13			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	08:51	Well Volumes Purged	0.70	Sample ID	MW-21-W-20230602	Purge Equipment	Peristaltic			
Purge Start	08:35	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	08:50	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
08:38	200	12.86	6.29	0.803	14.0	1.66	11.39	-111.9	Clear	--
08:41	200	12.86	6.20	0.795	12.0	1.48	10.96	-109.8	Clear	--
08:44	200	12.86	6.06	0.787	9.0	1.31	10.81	-100.6	Clear	--
08:47	200	12.86	6.06	0.788	9.0	1.30	10.84	-98.4	Clear	--
08:50	200	12.86	6.08	0.790	9.0	1.30	10.80	-96.3	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID:	MW-21-W-20230602	Sample Time:	08:51	Sample Depth (ft-bmp) (e.g. pump intake):	16
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-25	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	12.36	Total Depth (ft-bmp)	19.38	Water Column (ft)	7.02	Gallons in Well	1.14			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	12:25	Well Volumes Purged	0.70	Sample ID	MW-25-W-20230601	Purge Equipment	Peristaltic			
Purge Start	12:09	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	12:24	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:12	200	12.38	6.08	0.126	13.0	1.06	15.08	49.1	Clear	--
12:15	200	12.39	6.00	0.128	10.0	1.00	14.87	56.3	Clear	--
12:18	200	12.39	5.91	0.128	10.0	0.93	14.81	69.6	Clear	--
12:21	200	12.4	5.93	0.128	10.0	0.91	14.77	71.3	Clear	--
12:24	200	12.4	5.94	0.129	10.0	0.90	14.73	71.6	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MW-25-W-20230601	Sample Time:	12:25	Sample Depth (ft-bmp) (e.g. pump intake):	15.5
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MW-26	Date		6/1/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	5 to 20	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	12.19	Total Depth (ft-bmp)	20	Water Column (ft)	7.81	Gallons in Well	1.27			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	12:56	Well Volumes Purged	0.62	Sample ID	MW-26-W-20230601	Purge Equipment	Peristaltic			
Purge Start	12:40	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	12:55	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:43	200	12.21	6.76	0.334	21.0	1.82	9.74	8.8	Clear	--
12:46	200	12.24	6.72	0.333	19.0	1.53	9.50	42.1	Clear	--
12:49	200	12.24	5.79	0.330	15.0	1.28	10.01	40.7	Clear	--
12:52	200	12.24	5.81	0.329	14.0	1.25	10.03	38.1	Clear	--
12:55	200	12.25	5.84	0.329	14.0	1.26	10.05	36.6	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04 \quad 1.5 = 0.09 \quad 2.5 = 0.26 \quad 3.5 = 0.50 \quad 6 = 1.47$
gallons per foot $1.25 = 0.06 \quad 2 = 0.16 \quad 3 = 0.37 \quad 4 = 0.65$

Sample Information

Sample ID:	MW-26-W-20230601	Sample Time:	12:56	Sample Depth (ft-bmp) (e.g. pump intake):	16
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Project Number	30078450	Well ID	AGI-2	Date		6/2/2023				
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	13.02	Total Depth (ft-bmp)	22.5	Water Column (ft)	9.48	Gallons in Well	1.54			
Water Quality Meter Make/Model	YSI 556 MP5,Hach 2100Q	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	09:54	Well Volumes Purged	0.51	Sample ID	AGI-2-W-20230602	Purge Equipment	Peristaltic			
Purge Start	09:38	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	09:53	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
09:41	200	13.07	6.09	0.331	24.0	1.71	10.96	-68.3	Clear	--
09:44	200	13.08	6.05	0.346	26.0	1.72	10.91	-62.1	Clear	--
09:47	200	13.08	6.05	0.340	22.0	1.69	10.93	-60.9	Clear	--
09:50	200	13.08	6.03	0.339	21.0	1.67	10.95	-58.7	Clear	--
09:53	200	13.08	6.04	0.339	21.0	1.67	10.95	-57.1	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	AGI-2-W-20230602	Sample Time:	09:54	Sample Depth (ft-bmp) (e.g. pump intake):	17.5
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MLU-1	Date	6/1/2023					
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	10 to 20	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	13.84	Total Depth (ft-bmp)	22.5	Water Column (ft)	8.66	Gallons in Well	1.41			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	13:32	Well Volumes Purged	0.56	Sample ID	MLU-1-W-20230601	Purge Equipment	Peristaltic			
Purge Start	13:16	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	13:31	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
13:19	200	13.86	6.33	0.134	26.0	1.39	13.40	49.9	Clear	--
13:22	200	13.86	6.21	0.134	16.0	1.18	13.33	52.1	Clear	--
13:25	200	13.88	6.00	0.132	15.0	1.12	15.07	45.2	Clear	--
13:28	200	13.88	6.01	0.132	15.0	1.10	15.11	44.9	Clear	--
13:31	200	13.88	6.01	0.133	15.0	1.08	15.14	44.6	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
 gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MLU-1-W-20230601	Sample Time:	13:32	Sample Depth (ft-bmp) (e.g. pump intake):	17
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Project Number	30064328	Well ID	MLU-3	Date	6/2/2023					
Site Location	Seattle, Washington	Site ID	1001327	Weather (°F)	Clear	Sampled by	Lee Bures			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	11 to 21	Casing Diameter (in.)	2	Well Casing Material				
Static Water Level (ft-bmp)	12.29	Total Depth (ft-bmp)	20.75	Water Column (ft)	8.46	Gallons in Well	1.37			
Water Quality Meter Make/Model	Hach 2100Q, YSI 556 MP5	Purge Method	Low-Flow	Collection Type		Grab				
Sample Time	10:45	Well Volumes Purged	0.58	Sample ID	MLU-3-W-20230602	Purge Equipment	Peristaltic			
Purge Start	10:29	Gallons Purged	0.79	Duplicate ID	--	Sample Equipment	Peristaltic			
Purge End	10:44	Total Purge Time (h:m)	0:15							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:32	200	12.34	6.00	0.214	18.0	1.63	11.46	-42	Clear	--
10:35	200	12.34	6.04	0.214	16.0	1.59	11.42	-45.7	Clear	--
10:38	200	12.34	6.05	0.214	12.0	1.52	11.45	-46.2	Clear	--
10:41	200	12.34	6.07	0.214	11.0	1.47	11.43	-49.1	Clear	--
10:44	200	12.34	6.07	0.213	11.0	1.49	11.44	-49.5	Clear	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04 \quad 1.5 = 0.09 \quad 2.5 = 0.26 \quad 3.5 = 0.50 \quad 6 = 1.47$
gallons per foot $1.25 = 0.06 \quad 2 = 0.16 \quad 3 = 0.37 \quad 4 = 0.65$

Sample Information

Sample ID:	MLU-3-W-20230602	Sample Time:	10:45	Sample Depth (ft-bmp) (e.g. pump intake):	16
Analytes and Methods:	See Chain-of-Custody.			Depth to Water at Time of Sampling	

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

		Billing Information:		Analysis/Container / Preservative			
		Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129	Pres Chk				
Report to:	Lauren Krueger	Email To: Lauren.Krueger@arcadis.com;molly.whitcomb@ "	"	Please Circle: PT MT CT ET			
Project Description:	1001327	City/State Collected:		Lab Project # CHEVARCWA-1001327	P.O. #		
Phone:		Client Project # 300064328.19.43					



Reported by : (Signature)

CPAH/Naphs 8270SIM 40mLamb-NoPres-Wt

Project Relinquished by : (Signature)

FF Diss As,Pb 250mLHDE HNO3

MT JULIET, TN
 12055 Lebanon Rd. Mount Juliet, TN 37122
 Submitting a sample via this chain of custody
 constitutes acknowledgement and acceptance of the
 Pace Terms and Conditions found at:
<http://Info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG #

Table #

Acctnum: CHEVARCWA

Template: T231188

Prelogin: P1003145

PM: 110 - Brian Ford

PB:

Shipped Via:

Remarks

Sample # (lab only)

Site/Facility ID #

1602 N NORTHLAKE PL

P.O. #

Rush? (Lab MUST Be Notified)

Quote #

Same Day

Five Day

Next Day

5 Day (Rad Only)

Two Day

10 Day (Rad Only)

Three Day

Date Results Needed

No. of Cntrs

Comp/Grab

Matrix *

Depth

Date

Time

Cntrs

BTE 8260 40mLamb-HC

FF Diss As,Pb 250mLHDE HNO3

CPAH/Naphs 8270SIM 40mLamb-NoPres-Wt

SDG #

Table #

Acctnum: CHEVARCWA

Template: T231188

Prelogin: P1003145

PM: 110 - Brian Ford

PB:

Shipped Via:

Remarks

Sample # (lab only)

MWL-14-W-20230601 G GW — C/1/23 1457 6 X X

MWL-7-W-20230601 G GW — C/1/23 1400 6 X X

MWL-8A-W-20230601 G GW — C/1/23 1200 6 X X

MWL-19-W-20230601 G GW — C/1/23 1005 6 X X

MWL-20-W-20230601 G GW — C/1/23 1030 6 X X

MWL-21-W-20230602 G GW — C/2/23 0851 6 X X

MWL-25-W-20230601 G GW — C/1/23 1225 6 X X

MWL-26-W-20230601 G GW — C/1/23 1250 6 X X

AGI-2-W-20230602 G GW — C/2/23 0954 6 X X

MLU-1-W-20230601 G GW — C/1/23 1332 6 X X

* Matrix:

SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other _____

pH _____ Temp _____

Flow _____ Other _____

VOA Zero Headspace:

If Applicable:

Preservation Correct/Checked:

RAD Screen < 0.5 mb/hr:

HCl / MeOH

TBR

Bottles Received:

If preservation required by Login: Date/Time

Condition:

NCF / OK

Samples returned via:

UPS — FedEx — Courier _____

Tracking #

Received by: (Signature)

Time:



 PACE
DEPARTMENT OF ADVANCING SCIENCE

PEOPLE ADVANCING SCIENCE

WITIET TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgement and acceptance of
Pace Terms and Conditions found at:
<https://info.paceabs.com/hubs/pas-standard>

WELLHEAD INSPECTION FORM

Client: ARCADIS

Site: 1602 N NORTHLAKE PL

Date: 06/01/23

Job #: 230601-FD1

Technician: FD

Page 1 of 2

Well ID	Well Inspected - No Corrective Action Required	Check indicates deficiency												Notes (list if cap or lid replaced, if there are access issues associated with repairs, if traffic control is required, if stand pipe damaged, or any specific details not covered by checklist)
		Cap non-functional	Lock non-functional	Lock missing	Bolts missing (list qty)	Tabs stripped (list qty)	Tabs broken (list qty)	Annular seal incomplete	Apron damaged	Rim / Lid broken	Trip Hazard	Below Grade	Other (explain in notes)	
MW-4	X													
MW-7	X													
MW-8A	✓													
MW-9R	X													
MW-11	✓													
MW-14	X													
MW-15	✓													
MW-19	✓													
MW-20	X													
MW-21	X													
MW-22	X													
MW-24	X													
MW-25	X													
MW-26	X													
MW-29	X													
MW-30	X													
EW-1	X													

NOTES:

WELLHEAD INSPECTION FORM

Client: ARCADIS

Site: 1602 N NORTHLAKE PL

Date: 06/01/23

Job #: 230601-FD1

Technician: Fp

Page 2 of 2

NOTES:

TEST EQUIPMENT CALIBRATION LOG

CHEVRON-WASHINGTON/OREGON TYPE A BILL OF LADING

BILL OF LADING
SOURCE RECORD FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF WASHINGTON AND OREGON. THE PURGE-WATER WHICH HAS BEEN RECOVERED FROM GROUND-WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN KENT, WASHINGTON FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 22727 72ND Ave South, Suite D - 102, Kent, WA 98032. BLAINE TECH is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

CHEVRON # 100-1327
Street number

Sam Miles
Chevron Project Manager
1602 N Northlake Place, Seattle, WA
city state

SOURCE RECORD	WELL I.D.	GALS.	WELL I.D.	GALS.
FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF WASHINGTON AND OREGON. THE PURGE-WATER WHICH HAS BEEN RECOVERED FROM GROUND-WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN KENT, WASHINGTON FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.	MW-4	/ 1	MW-3	/ 1
	MW-7	/ 1		/
	MW-8A	/ 1		/
	MW-19	/ 1		/
	MW-10	/ 1		/
	MW-21	/ 1		/
	MW-25	/ 1		/
	MW-26	/ 1		/
	A61-2	/ 1		/
	MU-1	/ 1		/
			any other	adjustments /
			added equip.	rinse water / +0.5 gal
			TOTAL GALS.	11.59~1
			RECOVERED	
			BTS event #	730601-F01
			time	date
				06/02/23
			signature	<i>[Signature]</i>

Blaine Tech Services, Inc.

Permit To Work

for Chevron EMC Sites

Client: ARCADIS

Date 06/01/23

Site Address: 1602 NORTHLAKE PLACE

Job Number: 230601-FD1

Technician(s): FV

Pre-Job Safety Review

1. JMP reviewed, site restrictions and parking/access issues addressed.	Reviewed: <input checked="" type="checkbox"/>
2. Special Permit Required Task Review	
Are there any conditions or tasks that would require:	
Confined space entry	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Working at height	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Lock-out/Tag-out	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Excavations greater than 4 feet deep	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Excavations within 3 feet of a buried active electrical line or product piping or within 10 feet of a high pressure gas line.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Use of overhead equipment within 15 feet of an overhead electrical power line or pole supporting one	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hot work	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
If "Yes" was the answer to any of the Special Permit Required Tasks above, the Project Manager will contact the client and arrange to modify the Scope of Work so that the Special Permit Required Tasks are not required to be performed by Blaine Tech Services employees.	
3. Is a Traffic Control Permit required for today's work?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
If so is it in the folder? <input type="checkbox"/> <input checked="" type="checkbox"/>	
Is it current? <input type="checkbox"/> <input checked="" type="checkbox"/>	
Do you understand the Traffic Control Plan and what equipment you will need? <input type="checkbox"/> <input checked="" type="checkbox"/>	

On site Pre-Job Safety Review

1. Reviewed and signed the site specific HASP.	<input checked="" type="checkbox"/>
2. Route to hospital understood.	<input checked="" type="checkbox"/>
3. Reviewed "Groundwater Monitoring Well Sampling General Job Safety Analysis included in the HASP."	<input checked="" type="checkbox"/>
4. Exceptional circumstances today that are not covered by the HASP, JSA or JMP have been addressed and mitigated.	<input checked="" type="checkbox"/>
5. Understands procedure to follow, if site circumstances change, to address new site hazards.	<input checked="" type="checkbox"/>
6. There are no unexpected conditions which would make your task a Special Permit Required Task. If there is, contact your Project Manager.	<input checked="" type="checkbox"/>
7. All site hazards have been communicated to all necessary onsite personnel during tailgate safety meeting.	<input checked="" type="checkbox"/>
8. After lunch tailgate safety meeting refresher conducted.	<input checked="" type="checkbox"/>
If Checklist Task cannot be completed, explain:	

Permit To Work Authority:

Name	Title	Date	Time
------	-------	------	------

Appendix B

Hydraulic Gradient Three Point Solution Worksheet

Hydraulic Gradient Three Point Solution Worksheet

Instructions to determine groundwater (GW) gradient and flow direction based on static water elevations (SWE) of 3 wells. Only enter values in the highlighted cells.

A. Record elevation difference between the wells:

Well	Well ID	SWE (ft)	Wells		HD (ft)
#1 (high)	MW-24	48.52	#1 to #2	=	23.94
#2 (int)	EW-1	24.58	#2 to #3	=	6.92
#3 (low)	AGI-2	17.66	#3 to #1	=	30.86

choose this well

*make sure all wells used are not anomalous

B. Perform the following calculations:

1	Calculate the position between the High Static Water Elevation (HSWE) well and the Low Static Water Elevation (LSWE) well where the SWE is the same as the Intermediate Static Water Elevation (ISWE).				
(a)	HSWE	48.52	-LSWE	17.66	= (a) 30.86 (ft)
(b)	Horizontal distance between HSWE well and LSWE well			517.6883	divided by (a) =
(b)	16.7754 (ft/ft)				
(c)	HSWE	48.52	- ISWE	24.58	= (c) 23.94 (ft)
(d)	(b)	16.7754	x (c)	23.94	= (d) 401.602654 (ft)
(= the horizontal distance between the HSWE well and LSWE well that is equal to the ISWE).					
2	Measure the distance (d) from the HSWE well along the line between it and the LSWE well, and plot that position on the diagram.				
3	Draw a straight line from the ISWE well to position (d) on the well location diagram. This represents the water level contour line along which the SWE is the same as the ISWE well.				
4	Draw a line perpendicular to the ISWE contour line through the HSWE well location on the well location diagram.				
<i>This is the ground water flow direction (high to low). The distance along this groundwater flow line from the HSWE well to the ISWE contour line is (e).</i>					
(e)	286.284				

C. Calculate the Hydraulic Gradient (HG) of the groundwater by dividing (c) by (e).

$$(c) \quad 23.94 \quad \text{divided by (e) } 286.284 = HG \quad 0.08362334 \text{ (f/ft)}$$

Appendix C

Laboratory Analytical Results



ANALYTICAL REPORT

June 27, 2023

Revised Report

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Arcadis - Chevron - WA

Sample Delivery Group: L1623136
Samples Received: 06/06/2023
Project Number: 30064328.19.43
Description: 1001327
Site: 1602 N NORTHLAKE PL SEATTLE
Report To: Lauren Krueger

Entire Report Reviewed By:

Brigit Gillespie
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National


12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	 1 Cp
Tc: Table of Contents	2	 2 Tc
Ss: Sample Summary	3	 3 Ss
Cn: Case Narrative	6	 4 Cn
Sr: Sample Results	7	 5 Sr
MW-4-W-20230601 L1623136-01	7	 6 Qc
MW-7-W-20230601 L1623136-02	8	 7 GI
MW-8A-W-20230601 L1623136-03	9	 8 Al
MW-19-W-20230601 L1623136-04	10	 9 Sc
MW-20-W-20230601 L1623136-05	11	
MW-21-W-20230602 L1623136-06	12	
MW-25-W-20230601 L1623136-07	13	
MW-26-W-20230601 L1623136-08	14	
AGI-2-W-20230602 L1623136-09	15	
MLU-1-W-20230601 L1623136-10	16	
MLU-3-W-20230602 L1623136-11	17	
BD-W-20230601 L1623136-12	18	
EQB-W-20230602 L1623136-13	19	
TB-W-20230602 L1623136-14	20	
Qc: Quality Control Summary	21	
Metals (ICPMS) by Method 6020B	21	
Volatile Organic Compounds (GC/MS) by Method 8260D	22	
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	25	
Gl: Glossary of Terms	31	
Al: Accreditations & Locations	32	
Sc: Sample Chain of Custody	33	

SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/01/23 14:57	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:24	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2074982	1	06/10/23 10:07	06/10/23 10:07	KSD	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 10:35	DSH	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/01/23 14:06	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:28	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 15:42	06/10/23 15:42	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 10:55	MBE	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2076291	1	06/13/23 08:36	06/13/23 18:34	MBE	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/01/23 12:00	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:41	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 16:02	06/10/23 16:02	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 11:15	DSH	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/01/23 10:05	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:45	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 16:23	06/10/23 16:23	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 11:35	DSH	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/01/23 10:30	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:49	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 16:43	06/10/23 16:43	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 11:55	MBE	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2076291	1	06/13/23 08:36	06/13/23 18:54	MBE	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
			Fonda DeSantos	06/02/23 08:51	06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:52	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 17:03	06/10/23 17:03	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 12:15	MBE	Mt. Juliet, TN



SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time
MW-25-W-20230601 L1623136-07 GW			Fonda DeSantos	06/01/23 12:25	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:04	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 17:23	06/10/23 17:23	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 12:34	DSH	Mt. Juliet, TN

		Collected by	Collected date/time	Received date/time
MW-26-W-20230601 L1623136-08 GW		Fonda DeSantos	06/01/23 12:56	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:55	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 17:43	06/10/23 17:43	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072843	1	06/08/23 07:28	06/08/23 14:55	DSH	Mt. Juliet, TN

		Collected by	Collected date/time	Received date/time
AGI-2-W-20230602 L1623136-09 GW		Fonda DeSantos	06/02/23 09:54	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 14:59	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 18:03	06/10/23 18:03	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072843	1	06/08/23 07:28	06/08/23 17:00	DSH	Mt. Juliet, TN

		Collected by	Collected date/time	Received date/time
MLU-1-W-20230601 L1623136-10 GW		Fonda DeSantos	06/01/23 13:32	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 15:02	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 18:24	06/10/23 18:24	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 12:54	DSH	Mt. Juliet, TN

		Collected by	Collected date/time	Received date/time
MLU-3-W-20230602 L1623136-11 GW		Fonda DeSantos	06/02/23 10:45	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 15:06	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 18:44	06/10/23 18:44	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072843	1	06/08/23 07:28	06/08/23 15:13	CCW	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2077915	1	06/15/23 13:01	06/15/23 18:06	CCW	Mt. Juliet, TN

		Collected by	Collected date/time	Received date/time
BD-W-20230601 L1623136-12 GW		Fonda DeSantos	06/01/23 12:00	06/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020B	WG2072689	1	06/08/23 08:21	06/08/23 15:09	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 19:04	06/10/23 19:04	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072842	1	06/08/23 04:22	06/08/23 13:14	DSH	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

SAMPLE SUMMARY

EQB-W-20230602 L1623136-13 GW			Collected by Fonda DeSantos	Collected date/time 06/02/23 12:00	Received date/time 06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 19:24	06/10/23 19:24	ACG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2072843	1	06/08/23 07:28	06/08/23 15:31	DSH	Mt. Juliet, TN
TB-W-20230602 L1623136-14 GW			Collected by Fonda DeSantos	Collected date/time 06/02/23 12:00	Received date/time 06/06/23 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2075123	1	06/10/23 14:41	06/10/23 14:41	ACG	Mt. Juliet, TN

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brigit Gillespie
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Report Revision History

Level II Report - Version 1: 06/16/23 09:40

Project Narrative

Sample ID corrected to MLU-3

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	U		0.180	2.00	1	06/08/2023 14:24	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:24	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 10:07	WG2074982
Toluene	U		0.278	1.00	1	06/10/2023 10:07	WG2074982
Ethylbenzene	U		0.137	1.00	1	06/10/2023 10:07	WG2074982
Total Xylenes	U		0.174	3.00	1	06/10/2023 10:07	WG2074982
(S) Toluene-d8	106			80.0-120		06/10/2023 10:07	WG2074982
(S) 4-Bromofluorobenzene	98.7			77.0-126		06/10/2023 10:07	WG2074982
(S) 1,2-Dichloroethane-d4	107			70.0-130		06/10/2023 10:07	WG2074982

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 10:35	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 10:35	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 10:35	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 10:35	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 10:35	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 10:35	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 10:35	WG2072842
Naphthalene	U	J4	0.0917	0.250	1	06/08/2023 10:35	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 10:35	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 10:35	WG2072842
(S) Nitrobenzene-d5	149			31.0-160		06/08/2023 10:35	WG2072842
(S) 2-Fluorobiphenyl	132			48.0-148		06/08/2023 10:35	WG2072842
(S) p-Terphenyl-d14	166	J1		37.0-146		06/08/2023 10:35	WG2072842

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	4.92		0.180	2.00	1	06/08/2023 14:28	WG2072689
Lead,Dissolved	2.98		0.849	2.00	1	06/08/2023 14:28	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	8.76		0.0941	1.00	1	06/10/2023 15:42	WG2075123
Toluene	1.26		0.278	1.00	1	06/10/2023 15:42	WG2075123
Ethylbenzene	8.02		0.137	1.00	1	06/10/2023 15:42	WG2075123
Total Xylenes	2.59	<u>J</u>	0.174	3.00	1	06/10/2023 15:42	WG2075123
(S) Toluene-d8	84.9			80.0-120		06/10/2023 15:42	WG2075123
(S) 4-Bromofluorobenzene	96.3			77.0-126		06/10/2023 15:42	WG2075123
(S) 1,2-Dichloroethane-d4	103			70.0-130		06/10/2023 15:42	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 10:55	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 10:55	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 10:55	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 10:55	WG2072842
Chrysene	U	<u>J4</u>	0.0179	0.0500	1	06/08/2023 10:55	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 10:55	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 10:55	WG2072842
Naphthalene	8.88	<u>J4</u>	0.0917	0.250	1	06/08/2023 10:55	WG2072842
Naphthalene	0.427	<u>Q</u>	0.0917	0.250	1	06/13/2023 18:34	WG2076291
1-Methylnaphthalene	1.32	<u>J4</u>	0.0687	0.250	1	06/08/2023 10:55	WG2072842
1-Methylnaphthalene	0.245	<u>J Q</u>	0.0687	0.250	1	06/13/2023 18:34	WG2076291
2-Methylnaphthalene	1.58	<u>J4</u>	0.0674	0.250	1	06/08/2023 10:55	WG2072842
2-Methylnaphthalene	0.135	<u>J Q</u>	0.0674	0.250	1	06/13/2023 18:34	WG2076291
(S) Nitrobenzene-d5	166	<u>J1</u>		31.0-160		06/08/2023 10:55	WG2072842
(S) Nitrobenzene-d5	119			31.0-160		06/13/2023 18:34	WG2076291
(S) 2-Fluorobiphenyl	117			48.0-148		06/08/2023 10:55	WG2072842
(S) 2-Fluorobiphenyl	89.5			48.0-148		06/13/2023 18:34	WG2076291
(S) p-Terphenyl-d14	151	<u>J1</u>		37.0-146		06/08/2023 10:55	WG2072842
(S) p-Terphenyl-d14	99.5			37.0-146		06/13/2023 18:34	WG2076291

Sample Narrative:

L1623136-02 WG2072842, WG2076291: Duplicate Analysis performed due to QC failure. Results don't confirm; both analyses reported

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	0.816	J	0.180	2.00	1	06/08/2023 14:41	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:41	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 16:02	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 16:02	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 16:02	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 16:02	WG2075123
(S) Toluene-d8	107			80.0-120		06/10/2023 16:02	WG2075123
(S) 4-Bromofluorobenzene	97.9			77.0-126		06/10/2023 16:02	WG2075123
(S) 1,2-Dichloroethane-d4	97.8			70.0-130		06/10/2023 16:02	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 11:15	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 11:15	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 11:15	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 11:15	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 11:15	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 11:15	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 11:15	WG2072842
Naphthalene	U	J4	0.0917	0.250	1	06/08/2023 11:15	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 11:15	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 11:15	WG2072842
(S) Nitrobenzene-d5	124			31.0-160		06/08/2023 11:15	WG2072842
(S) 2-Fluorobiphenyl	110			48.0-148		06/08/2023 11:15	WG2072842
(S) p-Terphenyl-d14	132			37.0-146		06/08/2023 11:15	WG2072842

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	0.436	J	0.180	2.00	1	06/08/2023 14:45	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:45	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 16:23	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 16:23	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 16:23	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 16:23	WG2075123
(S) Toluene-d8	109			80.0-120		06/10/2023 16:23	WG2075123
(S) 4-Bromofluorobenzene	100			77.0-126		06/10/2023 16:23	WG2075123
(S) 1,2-Dichloroethane-d4	98.6			70.0-130		06/10/2023 16:23	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 11:35	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 11:35	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 11:35	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 11:35	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 11:35	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 11:35	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 11:35	WG2072842
Naphthalene	U	J4	0.0917	0.250	1	06/08/2023 11:35	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 11:35	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 11:35	WG2072842
(S) Nitrobenzene-d5	144			31.0-160		06/08/2023 11:35	WG2072842
(S) 2-Fluorobiphenyl	126			48.0-148		06/08/2023 11:35	WG2072842
(S) p-Terphenyl-d14	148	J1		37.0-146		06/08/2023 11:35	WG2072842

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	4.15		0.180	2.00	1	06/08/2023 14:49	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:49	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 16:43	WG2075123
Toluene	0.749	J	0.278	1.00	1	06/10/2023 16:43	WG2075123
Ethylbenzene	0.300	J	0.137	1.00	1	06/10/2023 16:43	WG2075123
Total Xylenes	0.845	J	0.174	3.00	1	06/10/2023 16:43	WG2075123
(S) Toluene-d8	106			80.0-120		06/10/2023 16:43	WG2075123
(S) 4-Bromofluorobenzene	99.6			77.0-126		06/10/2023 16:43	WG2075123
(S) 1,2-Dichloroethane-d4	97.1			70.0-130		06/10/2023 16:43	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 11:55	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 11:55	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 11:55	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 11:55	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 11:55	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 11:55	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 11:55	WG2072842
Naphthalene	0.646	J4	0.0917	0.250	1	06/08/2023 11:55	WG2072842
1-Methylnaphthalene	4.72	J4	0.0687	0.250	1	06/08/2023 11:55	WG2072842
2-Methylnaphthalene	1.67	J4	0.0674	0.250	1	06/08/2023 11:55	WG2072842
2-Methylnaphthalene	1.03	Q	0.0674	0.250	1	06/13/2023 18:54	WG2076291
(S) Nitrobenzene-d5	126			31.0-160		06/08/2023 11:55	WG2072842
(S) Nitrobenzene-d5	133			31.0-160		06/13/2023 18:54	WG2076291
(S) 2-Fluorobiphenyl	102			48.0-148		06/08/2023 11:55	WG2072842
(S) 2-Fluorobiphenyl	86.3			48.0-148		06/13/2023 18:54	WG2076291
(S) p-Terphenyl-d14	126			37.0-146		06/08/2023 11:55	WG2072842
(S) p-Terphenyl-d14	96.3			37.0-146		06/13/2023 18:54	WG2076291

Sample Narrative:

L1623136-05 WG2072842, WG2076291: Duplicate Analysis performed due to QC failure. Results don't confirm; both analyses reported

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	4.39		0.180	2.00	1	06/08/2023 14:52	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:52	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 17:03	WG2075123
Toluene	0.751	J	0.278	1.00	1	06/10/2023 17:03	WG2075123
Ethylbenzene	0.295	J	0.137	1.00	1	06/10/2023 17:03	WG2075123
Total Xylenes	0.864	J	0.174	3.00	1	06/10/2023 17:03	WG2075123
(S) Toluene-d8	106			80.0-120		06/10/2023 17:03	WG2075123
(S) 4-Bromofluorobenzene	97.9			77.0-126		06/10/2023 17:03	WG2075123
(S) 1,2-Dichloroethane-d4	97.5			70.0-130		06/10/2023 17:03	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 12:15	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 12:15	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 12:15	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 12:15	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 12:15	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 12:15	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 12:15	WG2072842
Naphthalene	0.602	J4	0.0917	0.250	1	06/08/2023 12:15	WG2072842
1-Methylnaphthalene	4.52	J4	0.0687	0.250	1	06/08/2023 12:15	WG2072842
2-Methylnaphthalene	1.58	J4	0.0674	0.250	1	06/08/2023 12:15	WG2072842
(S) Nitrobenzene-d5	168	J1		31.0-160		06/08/2023 12:15	WG2072842
(S) 2-Fluorobiphenyl	107			48.0-148		06/08/2023 12:15	WG2072842
(S) p-Terphenyl-d14	136			37.0-146		06/08/2023 12:15	WG2072842

Sample Narrative:

L1623136-06 WG2072842: Duplicate Analysis performed due to QC failure. Results confirm; reporting in hold data

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	0.977	J	0.180	2.00	1	06/08/2023 14:04	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:04	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.651	J	0.0941	1.00	1	06/10/2023 17:23	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 17:23	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 17:23	WG2075123
Total Xylenes	0.396	J	0.174	3.00	1	06/10/2023 17:23	WG2075123
(S) Toluene-d8	108			80.0-120		06/10/2023 17:23	WG2075123
(S) 4-Bromofluorobenzene	98.3			77.0-126		06/10/2023 17:23	WG2075123
(S) 1,2-Dichloroethane-d4	97.7			70.0-130		06/10/2023 17:23	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 12:34	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 12:34	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 12:34	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 12:34	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 12:34	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 12:34	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 12:34	WG2072842
Naphthalene	0.129	JJ4	0.0917	0.250	1	06/08/2023 12:34	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 12:34	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 12:34	WG2072842
(S) Nitrobenzene-d5	139			31.0-160		06/08/2023 12:34	WG2072842
(S) 2-Fluorobiphenyl	118			48.0-148		06/08/2023 12:34	WG2072842
(S) p-Terphenyl-d14	130			37.0-146		06/08/2023 12:34	WG2072842

Metals (ICPMS) by Method 6020B

Analyte	Result	<u>Qualifier</u>	MDL	RDL	Dilution	Analysis date / time	<u>Batch</u>
	ug/l		ug/l	ug/l			
Arsenic,Dissolved	0.286	J	0.180	2.00	1	06/08/2023 14:55	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 14:55	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	<u>Qualifier</u>	MDL	RDL	Dilution	Analysis date / time	<u>Batch</u>
	ug/l		ug/l	ug/l			
Benzene	U		0.0941	1.00	1	06/10/2023 17:43	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 17:43	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 17:43	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 17:43	WG2075123
(S) Toluene-d8	111			80.0-120		06/10/2023 17:43	WG2075123
(S) 4-Bromofluorobenzene	94.5			77.0-126		06/10/2023 17:43	WG2075123
(S) 1,2-Dichloroethane-d4	94.7			70.0-130		06/10/2023 17:43	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result	<u>Qualifier</u>	MDL	RDL	Dilution	Analysis date / time	<u>Batch</u>
	ug/l		ug/l	ug/l			
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 14:55	WG2072843
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 14:55	WG2072843
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 14:55	WG2072843
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 14:55	WG2072843
Chrysene	U		0.0179	0.0500	1	06/08/2023 14:55	WG2072843
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 14:55	WG2072843
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 14:55	WG2072843
Naphthalene	U		0.0917	0.250	1	06/08/2023 14:55	WG2072843
1-Methylnaphthalene	U		0.0687	0.250	1	06/08/2023 14:55	WG2072843
2-Methylnaphthalene	U		0.0674	0.250	1	06/08/2023 14:55	WG2072843
(S) Nitrobenzene-d5	134			31.0-160		06/08/2023 14:55	WG2072843
(S) 2-Fluorobiphenyl	114			48.0-148		06/08/2023 14:55	WG2072843
(S) p-Terphenyl-d14	120			37.0-146		06/08/2023 14:55	WG2072843

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	2.36		0.180	2.00	1	06/08/2023 14:59	WG2072689
Lead,Dissolved	3.30		0.849	2.00	1	06/08/2023 14:59	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 18:03	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 18:03	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 18:03	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 18:03	WG2075123
(S) Toluene-d8	106			80.0-120		06/10/2023 18:03	WG2075123
(S) 4-Bromofluorobenzene	99.8			77.0-126		06/10/2023 18:03	WG2075123
(S) 1,2-Dichloroethane-d4	99.1			70.0-130		06/10/2023 18:03	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 17:00	WG2072843
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 17:00	WG2072843
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 17:00	WG2072843
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 17:00	WG2072843
Chrysene	U		0.0179	0.0500	1	06/08/2023 17:00	WG2072843
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 17:00	WG2072843
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 17:00	WG2072843
Naphthalene	U		0.0917	0.250	1	06/08/2023 17:00	WG2072843
1-Methylnaphthalene	U		0.0687	0.250	1	06/08/2023 17:00	WG2072843
2-Methylnaphthalene	U		0.0674	0.250	1	06/08/2023 17:00	WG2072843
(S) Nitrobenzene-d5	134			31.0-160		06/08/2023 17:00	WG2072843
(S) 2-Fluorobiphenyl	106			48.0-148		06/08/2023 17:00	WG2072843
(S) p-Terphenyl-d14	114			37.0-146		06/08/2023 17:00	WG2072843

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	U		0.180	2.00	1	06/08/2023 15:02	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 15:02	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 18:24	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 18:24	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 18:24	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 18:24	WG2075123
(S) Toluene-d8	107			80.0-120		06/10/2023 18:24	WG2075123
(S) 4-Bromofluorobenzene	98.3			77.0-126		06/10/2023 18:24	WG2075123
(S) 1,2-Dichloroethane-d4	99.5			70.0-130		06/10/2023 18:24	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 12:54	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 12:54	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 12:54	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 12:54	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 12:54	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 12:54	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 12:54	WG2072842
Naphthalene	U	J4	0.0917	0.250	1	06/08/2023 12:54	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 12:54	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 12:54	WG2072842
(S) Nitrobenzene-d5	139			31.0-160		06/08/2023 12:54	WG2072842
(S) 2-Fluorobiphenyl	118			48.0-148		06/08/2023 12:54	WG2072842
(S) p-Terphenyl-d14	148	J1		37.0-146		06/08/2023 12:54	WG2072842

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	0.458	J	0.180	2.00	1	06/08/2023 15:06	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 15:06	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 18:44	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 18:44	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 18:44	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 18:44	WG2075123
(S) Toluene-d8	107			80.0-120		06/10/2023 18:44	WG2075123
(S) 4-Bromofluorobenzene	99.3			77.0-126		06/10/2023 18:44	WG2075123
(S) 1,2-Dichloroethane-d4	99.2			70.0-130		06/10/2023 18:44	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 15:13	WG2072843
Benzo(a)anthracene	U	Q	0.0203	0.0500	1	06/15/2023 18:06	WG2077915
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 15:13	WG2072843
Benzo(a)pyrene	U	Q	0.0184	0.0500	1	06/15/2023 18:06	WG2077915
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 15:13	WG2072843
Benzo(b)fluoranthene	U	Q	0.0168	0.0500	1	06/15/2023 18:06	WG2077915
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 15:13	WG2072843
Benzo(k)fluoranthene	U	Q	0.0202	0.0500	1	06/15/2023 18:06	WG2077915
Chrysene	U		0.0179	0.0500	1	06/08/2023 15:13	WG2072843
Chrysene	U	Q	0.0179	0.0500	1	06/15/2023 18:06	WG2077915
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 15:13	WG2072843
Dibenz(a,h)anthracene	U	Q	0.0160	0.0500	1	06/15/2023 18:06	WG2077915
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 15:13	WG2072843
Indeno(1,2,3-cd)pyrene	U	Q	0.0158	0.0500	1	06/15/2023 18:06	WG2077915
Naphthalene	U		0.0917	0.250	1	06/08/2023 15:13	WG2072843
Naphthalene	U	Q	0.0917	0.250	1	06/15/2023 18:06	WG2077915
1-Methylnaphthalene	U		0.0687	0.250	1	06/08/2023 15:13	WG2072843
1-Methylnaphthalene	U	Q	0.0687	0.250	1	06/15/2023 18:06	WG2077915
2-Methylnaphthalene	U		0.0674	0.250	1	06/08/2023 15:13	WG2072843
2-Methylnaphthalene	U	Q	0.0674	0.250	1	06/15/2023 18:06	WG2077915
(S) Nitrobenzene-d5	127			31.0-160		06/08/2023 15:13	WG2072843
(S) Nitrobenzene-d5	108			31.0-160		06/15/2023 18:06	WG2077915
(S) 2-Fluorobiphenyl	108			48.0-148		06/08/2023 15:13	WG2072843
(S) 2-Fluorobiphenyl	99.5			48.0-148		06/15/2023 18:06	WG2077915
(S) p-Terphenyl-d14	107			37.0-146		06/08/2023 15:13	WG2072843
(S) p-Terphenyl-d14	86.3			37.0-146		06/15/2023 18:06	WG2077915

Sample Narrative:

L1623136-11 WG2072843, WG2077915: Duplicate Analysis performed due to missed client requested MS/MSD. Both analyses reported.

Metals (ICPMS) by Method 6020B

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Arsenic,Dissolved	0.833	J	0.180	2.00	1	06/08/2023 15:09	WG2072689
Lead,Dissolved	U		0.849	2.00	1	06/08/2023 15:09	WG2072689

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0941	1.00	1	06/10/2023 19:04	WG2075123
Toluene	U		0.278	1.00	1	06/10/2023 19:04	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 19:04	WG2075123
Total Xylenes	U		0.174	3.00	1	06/10/2023 19:04	WG2075123
(S) Toluene-d8	108			80.0-120		06/10/2023 19:04	WG2075123
(S) 4-Bromofluorobenzene	97.6			77.0-126		06/10/2023 19:04	WG2075123
(S) 1,2-Dichloroethane-d4	98.1			70.0-130		06/10/2023 19:04	WG2075123

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 13:14	WG2072842
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 13:14	WG2072842
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 13:14	WG2072842
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 13:14	WG2072842
Chrysene	U	J4	0.0179	0.0500	1	06/08/2023 13:14	WG2072842
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 13:14	WG2072842
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 13:14	WG2072842
Naphthalene	U	J4	0.0917	0.250	1	06/08/2023 13:14	WG2072842
1-Methylnaphthalene	U	J4	0.0687	0.250	1	06/08/2023 13:14	WG2072842
2-Methylnaphthalene	U	J4	0.0674	0.250	1	06/08/2023 13:14	WG2072842
(S) Nitrobenzene-d5	131			31.0-160		06/08/2023 13:14	WG2072842
(S) 2-Fluorobiphenyl	110			48.0-148		06/08/2023 13:14	WG2072842
(S) p-Terphenyl-d14	132			37.0-146		06/08/2023 13:14	WG2072842

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	0.136	J	0.0941	1.00	1	06/10/2023 19:24	WG2075123
Toluene	0.799	J	0.278	1.00	1	06/10/2023 19:24	WG2075123
Ethylbenzene	U		0.137	1.00	1	06/10/2023 19:24	WG2075123
Total Xylenes	0.615	J	0.174	3.00	1	06/10/2023 19:24	WG2075123
(S) Toluene-d8	106			80.0-120		06/10/2023 19:24	WG2075123
(S) 4-Bromofluorobenzene	98.3			77.0-126		06/10/2023 19:24	WG2075123
(S) 1,2-Dichloroethane-d4	99.7			70.0-130		06/10/2023 19:24	WG2075123

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzo(a)anthracene	U		0.0203	0.0500	1	06/08/2023 15:31	WG2072843
Benzo(a)pyrene	U		0.0184	0.0500	1	06/08/2023 15:31	WG2072843
Benzo(b)fluoranthene	U		0.0168	0.0500	1	06/08/2023 15:31	WG2072843
Benzo(k)fluoranthene	U		0.0202	0.0500	1	06/08/2023 15:31	WG2072843
Chrysene	U		0.0179	0.0500	1	06/08/2023 15:31	WG2072843
Dibenz(a,h)anthracene	U		0.0160	0.0500	1	06/08/2023 15:31	WG2072843
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	1	06/08/2023 15:31	WG2072843
Naphthalene	0.146	J	0.0917	0.250	1	06/08/2023 15:31	WG2072843
1-Methylnaphthalene	0.0725	J	0.0687	0.250	1	06/08/2023 15:31	WG2072843
2-Methylnaphthalene	0.120	J	0.0674	0.250	1	06/08/2023 15:31	WG2072843
(S) Nitrobenzene-d5	136			31.0-160		06/08/2023 15:31	WG2072843
(S) 2-Fluorobiphenyl	110			48.0-148		06/08/2023 15:31	WG2072843
(S) p-Terphenyl-d14	126			37.0-146		06/08/2023 15:31	WG2072843

TB-W-20230602

Collected date/time: 06/02/23 12:00

SAMPLE RESULTS - 14

L1623136

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0941	1.00	1	06/10/2023 14:41	WG2075123	¹ Cp
Toluene	0.316	J	0.278	1.00	1	06/10/2023 14:41	WG2075123	² Tc
Ethylbenzene	U		0.137	1.00	1	06/10/2023 14:41	WG2075123	³ Ss
Total Xylenes	0.363	J	0.174	3.00	1	06/10/2023 14:41	WG2075123	⁴ Cn
(S) Toluene-d8	109			80.0-120		06/10/2023 14:41	WG2075123	⁵ Sr
(S) 4-Bromofluorobenzene	99.9			77.0-126		06/10/2023 14:41	WG2075123	⁶ Qc
(S) 1,2-Dichloroethane-d4	97.8			70.0-130		06/10/2023 14:41	WG2075123	⁷ Gl
								⁸ Al
								⁹ Sc

QUALITY CONTROL SUMMARY

[L1623136-01,02,03,04,05,06,07,08,09,10,11,12](#)

Method Blank (MB)

(MB) R3934409-1 06/08/23 13:57

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Arsenic,Dissolved	U		0.180	2.00
Lead,Dissolved	U		0.849	2.00

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3934409-2 06/08/23 14:01

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Arsenic,Dissolved	50.0	51.4	103	80.0-120	
Lead,Dissolved	50.0	51.6	103	80.0-120	

L1623136-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1623136-07 06/08/23 14:04 • (MS) R3934409-4 06/08/23 14:11 • (MSD) R3934409-5 06/08/23 14:14

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits
Arsenic,Dissolved	50.0	0.977	53.0	52.8	104	104	1	75.0-125			0.428	20
Lead,Dissolved	50.0	U	52.8	50.7	106	101	1	75.0-125			4.06	20

WG2074982

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1623136-01](#)

Method Blank (MB)

(MB) R3936232-2 06/10/23 08:59

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0941	1.00
Toluene	U		0.278	1.00
Ethylbenzene	U		0.137	1.00
Total Xylenes	U		0.174	3.00
(S) Toluene-d8	106		80.0-120	
(S) 4-Bromofluorobenzene	97.6		77.0-126	
(S) 1,2-Dichloroethane-d4	109		70.0-130	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc

Laboratory Control Sample (LCS)

(LCS) R3936232-1 06/10/23 08:16

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	5.00	4.39	87.8	70.0-123	
Toluene	5.00	4.66	93.2	79.0-120	
Ethylbenzene	5.00	4.80	96.0	79.0-123	
Total Xylenes	15.0	14.1	94.0	79.0-123	
(S) Toluene-d8		107	80.0-120		
(S) 4-Bromofluorobenzene		100	77.0-126		
(S) 1,2-Dichloroethane-d4		107	70.0-130		

⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1623136-02,03,04,05,06,07,08,09,10,11,12,13,14](#)

Method Blank (MB)

(MB) R3935902-3 06/10/23 14:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0941	1.00
Toluene	U		0.278	1.00
Ethylbenzene	U		0.137	1.00
Total Xylenes	U		0.174	3.00
(S) Toluene-d8	107		80.0-120	
(S) 4-Bromofluorobenzene	96.6		77.0-126	
(S) 1,2-Dichloroethane-d4	98.5		70.0-130	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3935902-1 06/10/23 13:21 • (LCSD) R3935902-2 06/10/23 13:41

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	4.88	5.20	97.6	104	70.0-123			6.35	20
Toluene	5.00	5.45	5.71	109	114	79.0-120			4.66	20
Ethylbenzene	5.00	5.13	5.30	103	106	79.0-123			3.26	20
Total Xylenes	15.0	15.4	16.5	103	110	79.0-123			6.90	20
(S) Toluene-d8			107	107	107	80.0-120				
(S) 4-Bromofluorobenzene			98.9	99.1	99.1	77.0-126				
(S) 1,2-Dichloroethane-d4			99.2	99.6	99.6	70.0-130				

L1623136-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1623136-11 06/10/23 18:44 • (MS) R3935902-4 06/10/23 21:25 • (MSD) R3935902-5 06/10/23 21:45

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	U	6.14	6.03	123	121	1	17.0-158		1.81	27
Toluene	5.00	U	6.66	6.47	133	129	1	26.0-154		2.89	28
Ethylbenzene	5.00	U	6.41	6.25	128	125	1	30.0-155		2.53	27
Total Xylenes	15.0	U	19.3	18.9	129	126	1	29.0-154		2.09	28
(S) Toluene-d8			105	104	104	104	1	80.0-120			
(S) 4-Bromofluorobenzene			98.9	98.8	98.8	98.8	1	77.0-126			
(S) 1,2-Dichloroethane-d4			99.2	99.2	99.2	99.2	1	70.0-130			

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1623136-02,03,04,05,06,07,08,09,10,11,12,13,14](#)

L1624160-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1624160-02 06/10/23 20:04 • (MS) R3935902-6 06/10/23 22:05 • (MSD) R3935902-7 06/10/23 22:26

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Benzene	5.00	1.48	7.53	6.59	121	102	1	17.0-158			13.3	27
Toluene	5.00	1.40	7.75	6.66	127	105	1	26.0-154			15.1	28
Ethylbenzene	5.00	0.178	6.49	5.21	126	101	1	30.0-155			21.9	27
Total Xylenes	15.0	1.42	20.5	16.5	127	101	1	29.0-154			21.6	28
(S) Toluene-d8				104	106			80.0-120				
(S) 4-Bromofluorobenzene				99.9	99.1			77.0-126				
(S) 1,2-Dichloroethane-d4				99.9	99.6			70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1623136-01,02,03,04,05,06,07,10,12](#)

Method Blank (MB)

(MB) R3935656-3 06/08/23 09:36

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l	¹ Cp	² Tc	³ Ss	⁴ Cn	⁵ Sr	⁶ Qc	⁷ Gl	⁸ Al	⁹ Sc
Benzo(a)anthracene	U		0.0203	0.0500									
Benzo(a)pyrene	U		0.0184	0.0500									
Benzo(b)fluoranthene	U		0.0168	0.0500									
Benzo(k)fluoranthene	U		0.0202	0.0500									
Chrysene	U		0.0179	0.0500									
Dibenz(a,h)anthracene	U		0.0160	0.0500									
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500									
Naphthalene	U		0.0917	0.250									
1-Methylnaphthalene	U		0.0687	0.250									
2-Methylnaphthalene	U		0.0674	0.250									
(S) Nitrobenzene-d5	149			31.0-160									
(S) 2-Fluorobiphenyl	118			48.0-148									
(S) p-Terphenyl-d14	148	J1		37.0-146									

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3935656-1 06/08/23 08:56 • (LCSD) R3935656-2 06/08/23 09:16

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %			
Benzo(a)anthracene	2.00	2.57	2.70	129	135	61.0-140			4.93	20			
Benzo(a)pyrene	2.00	2.56	2.64	128	132	60.0-143			3.08	20			
Benzo(b)fluoranthene	2.00	2.67	2.73	134	137	58.0-141			2.22	20			
Benzo(k)fluoranthene	2.00	2.54	2.62	127	131	58.0-148			3.10	20			
Chrysene	2.00	2.88	3.05	144	152	64.0-144	J4		5.73	20			
Dibenz(a,h)anthracene	2.00	2.47	2.49	123	124	52.0-155			0.806	20			
Indeno(1,2,3-cd)pyrene	2.00	2.63	2.63	132	132	54.0-153			0.000	20			
Naphthalene	2.00	2.56	2.88	128	144	61.0-137	J4		11.8	20			
1-Methylnaphthalene	2.00	2.69	3.03	135	152	66.0-142	J4		11.9	20			
2-Methylnaphthalene	2.00	2.52	2.86	126	143	62.0-136	J4		12.6	20			
(S) Nitrobenzene-d5				152	157	31.0-160							
(S) 2-Fluorobiphenyl				106	110	48.0-148							
(S) p-Terphenyl-d14				149	154	37.0-146	J1	J1					

Method Blank (MB)

(MB) R3934889-2 06/08/23 10:45

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l	1 Cp
Benzo(a)anthracene	U		0.0203	0.0500	
Benzo(a)pyrene	U		0.0184	0.0500	
Benzo(b)fluoranthene	U		0.0168	0.0500	
Benzo(k)fluoranthene	U		0.0202	0.0500	
Chrysene	U		0.0179	0.0500	
Dibenz(a,h)anthracene	U		0.0160	0.0500	
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	
Naphthalene	U		0.0917	0.250	
1-Methylnaphthalene	U		0.0687	0.250	
2-Methylnaphthalene	U		0.0674	0.250	
(S) Nitrobenzene-d5	132			31.0-160	6 Qc
(S) 2-Fluorobiphenyl	112			48.0-148	7 GI
(S) p-Terphenyl-d14	116			37.0-146	8 AI

Laboratory Control Sample (LCS)

(LCS) R3934889-1 06/08/23 10:28

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	9 Sc
Benzo(a)anthracene	2.00	2.32	116	61.0-140	2 Tc
Benzo(a)pyrene	2.00	2.42	121	60.0-143	3 Ss
Benzo(b)fluoranthene	2.00	2.07	104	58.0-141	4 Cn
Benzo(k)fluoranthene	2.00	2.81	141	58.0-148	5 Sr
Chrysene	2.00	2.75	137	64.0-144	
Dibenz(a,h)anthracene	2.00	2.34	117	52.0-155	
Indeno(1,2,3-cd)pyrene	2.00	2.33	117	54.0-153	
Naphthalene	2.00	2.34	117	61.0-137	
1-Methylnaphthalene	2.00	2.48	124	66.0-142	
2-Methylnaphthalene	2.00	2.40	120	62.0-136	
(S) Nitrobenzene-d5		135		31.0-160	
(S) 2-Fluorobiphenyl		113		48.0-148	
(S) p-Terphenyl-d14		109		37.0-146	

L1623026-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1623026-01 06/08/23 13:08 • (MS) R3934889-3 06/08/23 13:26 • (MSD) R3934889-4 06/08/23 13:44

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Benzo(a)anthracene	2.00	U	2.29	2.34	115	117	1	47.0-151			2.16	20
Benzo(a)pyrene	2.00	U	2.44	2.21	122	111	1	45.0-146			9.89	20
Benzo(b)fluoranthene	2.00	U	2.20	1.98	110	99.0	1	43.0-142			10.5	20
Benzo(k)fluoranthene	2.00	U	2.45	2.39	122	119	1	43.0-148			2.48	21
Chrysene	2.00	U	2.82	2.74	141	137	1	50.0-148			2.88	20
Dibenz(a,h)anthracene	2.00	U	2.43	2.12	122	106	1	37.0-151			13.6	20
Indeno(1,2,3-cd)pyrene	2.00	U	2.26	1.97	113	98.5	1	41.0-148			13.7	20
Naphthalene	2.00	U	2.36	2.38	118	119	1	10.0-160			0.844	20
1-Methylnaphthalene	2.00	U	2.49	2.52	124	126	1	21.0-160			1.20	20
2-Methylnaphthalene	2.00	U	2.41	2.44	120	122	1	31.0-160			1.24	20
(S) Nitrobenzene-d5				134	133			31.0-160				
(S) 2-Fluorobiphenyl				115	114			48.0-148				
(S) p-Terphenyl-d14				111	110			37.0-146				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Method Blank (MB)

(MB) R3936574-2 06/13/23 17:35

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Naphthalene	U		0.0917	0.250
1-Methylnaphthalene	U		0.0687	0.250
2-Methylnaphthalene	U		0.0674	0.250
(S) Nitrobenzene-d5	116		31.0-160	
(S) 2-Fluorobiphenyl	94.5		48.0-148	
(S) p-Terphenyl-d14	103		37.0-146	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3936574-1 06/13/23 17:15

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Naphthalene	2.00	1.98	99.0	61.0-137	
1-Methylnaphthalene	2.00	2.06	103	66.0-142	
2-Methylnaphthalene	2.00	1.96	98.0	62.0-136	
(S) Nitrobenzene-d5		112	31.0-160		
(S) 2-Fluorobiphenyl		89.5	48.0-148		
(S) p-Terphenyl-d14		93.5	37.0-146		

¹⁰Sc

L1624687-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1624687-04 06/13/23 22:13 • (MS) R3936574-3 06/13/23 22:32 • (MSD) R3936574-4 06/13/23 22:52

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Naphthalene	1.90	U	1.78	1.88	93.7	98.9	1	10.0-160			5.46	20
1-Methylnaphthalene	1.90	U	1.88	1.97	98.9	104	1	21.0-160			4.68	20
2-Methylnaphthalene	1.90	U	1.75	1.85	92.1	97.4	1	31.0-160			5.56	20
(S) Nitrobenzene-d5				94.7	101			31.0-160				
(S) 2-Fluorobiphenyl				88.9	92.6			48.0-148				
(S) p-Terphenyl-d14				91.1	96.3			37.0-146				

WG2077915

QUALITY CONTROL SUMMARY

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

[L1623136-11](#)

Method Blank (MB)

(MB) R3937428-2 06/15/23 17:31

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l	1 Cp
Benzo(a)anthracene	U		0.0203	0.0500	
Benzo(a)pyrene	U		0.0184	0.0500	
Benzo(b)fluoranthene	U		0.0168	0.0500	
Benzo(k)fluoranthene	U		0.0202	0.0500	
Chrysene	U		0.0179	0.0500	
Dibenz(a,h)anthracene	U		0.0160	0.0500	
Indeno(1,2,3-cd)pyrene	U		0.0158	0.0500	
Naphthalene	U		0.0917	0.250	
1-Methylnaphthalene	U		0.0687	0.250	
2-Methylnaphthalene	U		0.0674	0.250	
(S) Nitrobenzene-d5	118			31.0-160	
(S) 2-Fluorobiphenyl	120			48.0-148	
(S) p-Terphenyl-d14	95.5			37.0-146	

Laboratory Control Sample (LCS)

(LCS) R3937428-1 06/15/23 17:14

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	1 Cp
Benzo(a)anthracene	2.00	2.12	106	61.0-140	
Benzo(a)pyrene	2.00	2.01	100	60.0-143	
Benzo(b)fluoranthene	2.00	2.04	102	58.0-141	
Benzo(k)fluoranthene	2.00	1.85	92.5	58.0-148	
Chrysene	2.00	2.11	105	64.0-144	
Dibenz(a,h)anthracene	2.00	1.78	89.0	52.0-155	
Indeno(1,2,3-cd)pyrene	2.00	1.94	97.0	54.0-153	
Naphthalene	2.00	2.29	115	61.0-137	
1-Methylnaphthalene	2.00	2.41	120	66.0-142	
2-Methylnaphthalene	2.00	2.36	118	62.0-136	
(S) Nitrobenzene-d5		111		31.0-160	
(S) 2-Fluorobiphenyl		112		48.0-148	
(S) p-Terphenyl-d14		88.0		37.0-146	

ACCOUNT:

Arcadis - Chevron - WA

PROJECT:

30064328.19.43

SDG:

L1623136

DATE/TIME:

06/27/23 14:02

PAGE:

29 of 36

QUALITY CONTROL SUMMARY

L1623136-11

L1623136-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1623136-11 06/15/23 18:06 • (MS) R3937428-3 06/15/23 18:23 • (MSD) R3937428-4 06/15/23 18:41

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Benzo(a)anthracene	1.90	U	2.02	1.97	106	104	1	47.0-151			2.51	20
Benzo(a)pyrene	1.90	U	1.70	1.72	89.5	90.5	1	45.0-146			1.17	20
Benzo(b)fluoranthene	1.90	U	1.76	1.82	92.6	95.8	1	43.0-142			3.35	20
Benzo(k)fluoranthene	1.90	U	1.48	1.49	77.9	78.4	1	43.0-148			0.673	21
Chrysene	1.90	U	2.01	1.95	106	103	1	50.0-148			3.03	20
Dibenz(a,h)anthracene	1.90	U	1.13	1.06	59.5	55.8	1	37.0-151			6.39	20
Indeno(1,2,3-cd)pyrene	1.90	U	1.36	1.33	71.6	70.0	1	41.0-148			2.23	20
Naphthalene	1.90	U	2.17	2.04	114	107	1	10.0-160			6.18	20
1-Methylnaphthalene	1.90	U	2.31	2.15	122	113	1	21.0-160			7.17	20
2-Methylnaphthalene	1.90	U	2.25	2.10	118	111	1	31.0-160			6.90	20
(S) Nitrobenzene-d5				111	107			31.0-160				
(S) 2-Fluorobiphenyl				104	98.4			48.0-148				
(S) p-Terphenyl-d14				82.6	84.2			37.0-146				

Sample Narrative:

OS: Duplicate Analysis performed due to missed client requested MS/MSD. Both analyses reported.

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

L1625976-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1625976-02 06/15/23 22:44 • (MS) R3937428-5 06/15/23 23:01 • (MSD) R3937428-6 06/15/23 23:19

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Benzo(a)anthracene	1.90	0.0340	2.17	2.24	114	118	1	47.0-151			3.17	20
Benzo(a)pyrene	1.90	0.0556	2.09	2.21	107	113	1	45.0-146			5.58	20
Benzo(b)fluoranthene	1.90	0.0980	2.00	2.06	100	103	1	43.0-142			2.96	20
Benzo(k)fluoranthene	1.90	0.0315	1.95	2.11	103	111	1	43.0-148			7.88	21
Chrysene	1.90	0.0423	2.19	2.29	115	121	1	50.0-148			4.46	20
Dibenz(a,h)anthracene	1.90	U	1.77	1.96	93.2	103	1	37.0-151			10.2	20
Indeno(1,2,3-cd)pyrene	1.90	0.0728	1.96	2.13	99.3	108	1	41.0-148			8.31	20
Naphthalene	1.90	U	2.22	2.24	117	118	1	10.0-160			0.897	20
1-Methylnaphthalene	1.90	U	2.32	2.36	122	124	1	21.0-160			1.71	20
2-Methylnaphthalene	1.90	U	2.27	2.32	119	122	1	31.0-160			2.18	20
(S) Nitrobenzene-d5				107	110			31.0-160				
(S) 2-Fluorobiphenyl				105	111			48.0-148				
(S) p-Terphenyl-d14				96.3	100			37.0-146				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.	¹ Cp
RDL	Reported Detection Limit.	² Tc
Rec.	Recovery.	³ Ss
RPD	Relative Percent Difference.	⁴ Cn
SDG	Sample Delivery Group.	⁵ Sr
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	⁶ Qc
U	Not detected at the Reporting Limit (or MDL where applicable).	⁷ Gl
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	⁸ Al
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	⁹ Sc
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J4	The associated batch QC was outside the established quality control range for accuracy.
Q	Sample was prepared and/or analyzed past holding time as defined in the method. Concentrations should be considered minimum values.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address: Arcadis - Chevron - WA			Billing Information: Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129			Pres Chk	Analysis / Container / Preservative				Chain of Custody	Page <u>1</u> of <u>2</u>
							<i>L2</i>					
Report to: Lauren Krueger			Email To: Lauren.Krueger@arcadis.com;molly.whitcomb@				PH-10BDH4321 TRC-2144141 CR6-220221V				Pace PEOPLE ADVANCING SCIENCE	
Project Description: 1001327		City/State Collected:		Please Circle: PT MT CT ET								
Phone:	Client Project # 30064328.19.43		Lab Project # CHEVARCWA-1001327									
Collected by (print): <i>Fonda DeSantos</i>	Site/Facility ID # 1602 N NORTHLAKE PL		P.O. #									
Collected by (signature): <i>Fonda DeSantos</i>	Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #		Date Results Needed	No. of Cntrs						
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>	Sample ID	Comp/Grab	Matrix *	Depth	Date	Time						
MW-4-W-20230601	G	GW		06/01/23	1457	6	X X ✓				-01	
MW-7-W-20230601		GW		06/01/23	1406	6	✗ ✓ X				-02	
MW-8A-W-20230601		GW		06/01/23	1206	6	✗ X ✓				-03	
MW-19-W-20230601		GW		06/01/23	1605	6	✗ X X				-04	
MW-20-W-20230601		GW		06/02/23	1030	6	✗ X X				-05	
MW-21-W-20230602		GW		06/01/23	2851	6	✗ X ✓				-06	
MW-25-W-20230607		GW		06/01/23	1225	6	✗ X ✓				-07	
MW-26-W-20230601		GW		06/02/23	1256	6	✗ X X				-08	
AGI-2-W-20230602		GW		06/02/23	0954	6	✗ X ✓				-09	
MLU-1-W-20230601		GW		06/01/23	1332	6	✗ X X				-10	
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____	Remarks:						pH _____	Temp _____				
							Flow _____	Other _____				
Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier _____	Tracking # 5489 4031 5372						Sample Receipt Checklist COC Seal Present/Intact: <input type="checkbox"/> NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <i>If Applicable</i> VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
Relinquished by : (Signature) <i>Jon D. R.</i>	Date: 06/05/23	Time: 1530	Received by: (Signature)	Trip Blank Received: <input type="checkbox"/> Yes / No <input type="checkbox"/> HCl / MeOH TBR								
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: 16.47°C Bottles Received: 3.6 to 23.6 78		If preservation required by Login: Date/Time						
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 6/6/23	Time: 0900	Hold:	Condition: NCF OK					

Company Name/Address: Arcadis - Chevron - WA			Billing Information: Attn: Accounts Payable 630 Plaza Dr., Ste. 600 Highlands Ranch, CO 80129			Pres Chk	Analysis / Container / Preservative					Chain of Custody	Page 2 of 2
							L2						
Report to: Lauren Krueger			Email To: Lauren.Krueger@arcadis.com;molly.whitcomb@										
Project Description: 1001327		City/State Collected:			Please Circle: PT MT CT ET								
Phone:	Client Project # 30064328.19.43		Lab Project # CHEVARCWA-1001327										
Collected by (print): <i>Fonda DeSantos</i>	Site/Facility ID # 1602 N NORTHLAKE PL		P.O. #										
Collected by (signature): <i>Fonda DeSantos</i>	Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #										
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>			Date Results Needed		No. of Cntrs								
Sample ID	Comp/Grab	Matrix *	Depth	Date	Time		BTE 8260 40ml/Amb-HCl	FF Diss As,Pb 250ml/HDPE HNO3	cPAH/Naphs 8270SIM 40ml/Amb-NoPres-WT				
MLU-3-W-20230602	G	GW		06/02/23	1045	16	X	X	X			-11	
BD-W-20230601	J	GW		06/01/23	1200	16	3X	X	X			-12	
EQB-W-20230602		GW		06/02/23	1200	5	X	X	X			-13	
TB-W-20230602	↓	GW		06/02/23	1200	2	X					-14	
		GW											
		GW											
		GW											
		GW											
		GW											
		GW											
		GW											
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____	Remarks:						pH _____	Temp _____	Sample Receipt Checklist				
							Flow _____	Other _____	COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input checked="" type="checkbox"/> N	COC Signed/Accurate: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	Bottles arrive intact: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	Correct bottles used: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	Sufficient volume sent: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N
									If Applicable	VOA Zero Headspace: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	Preservation Correct/Checked: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	RAD Screen < 0.5 mR/hr: <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> N	
Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier			Tracking #										
Relinquished by : (Signature)		Date: 06/05/23	Time: 1530	Received by: (Signature)		Trip Blank Received: <input checked="" type="checkbox"/> Yes / No <input checked="" type="checkbox"/> HO / MeOH TBR		If preservation required by Login: Date/Time					
Relinquished by : (Signature)		Date: _____	Time: _____	Received by: (Signature)		Temp: NC47 °C 3.6±0.3.6		Bottles Received: 78					
Relinquished by : (Signature)		Date: _____	Time: _____	Received for lab by: (Signature)		Date: 06/06/23		Time: 0900	Hold: _____	Condition: NCP / OK			

6/6 NCF-CHEVARCWA L1623136**Time estimate:** oh**Time spent:** oh**Members**

Nicolle Faulk (responsible)



Brian Ford

Due on 13 June 2023 5:00 PM for target Done Login Clarification needed Chain of custody is incomplete Please specify Metals requested Please specify TCLP requested Received additional samples not listed on COC Sample IDs on containers do not match IDs on COC Client did not "X" analysis Chain of Custody is missing If no COC: Received by: _____ If no COC: Date/Time: _____ If no COC: Temp./Cont.Rec./pH: _____ If no COC: Carrier: _____ If no COC: Tracking #: _____ Client informed by call Client informed by Email Client informed by Voicemail Date/Time: _____ PM initials: bjf Client Contact: _____**Comments***Nicolle Faulk**6 June 2023 4:41 PM*

-received ID: DUP-1-20230601 not listed on coc

-For ID; BD-W-20230601 (-12), we only received 1 metals container & 2 HCL vials-logged accordingly

*Brian Ford**6 June 2023 4:43 PM*

log DUP-1 containers to BD-W-20230601 (-12)

*Nicolle Faulk**6 June 2023 4:46 PM*

done

*Nicolle Faulk**6 June 2023 5:03 PM*

update. did not receive the 250ml diss metals container for -13

Brian Ford

-05/-06/-08: please double check client labeling for the sample IDs and dates and let me know if anything differs from the COC. Currently the dates listed at the end of these sample IDs do not match the date collected column.

Nicolle Faulk

7 June 2023 2:19 PM
I will have sample storage double check IDs. I have CC you in on the email.

Brian Ford

8 June 2023 2:24 PM
7 June 2023 2:24 PM
proceed without metals for EQB -13.
update -05 collection date to 06/01
update -06 collection date to 06/02
update -08 collection date to 06/01
-11 needs MS/MSD

Nicolle Faulk

8 June 2023 12:20 PM
8 June 2023 12:55 PM
done

Appendix D

Historical Groundwater Analytical Results

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-3	North Yard		08/11/99	ND	168	4	21	3	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	5.34	4.39	
MW-3	North Yard		10/21/99	ND	149	<3.25	<5.9	0.54 ³	0.0044 ⁴	0.0008 ⁴	0.0062 ⁴	0.0034 ⁴	0.0028 ⁴	0.0063 ⁴	0.0057 ⁴	--	--	
MW-3	North Yard		10/22/99	ND	149	<2.30	<4.00	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		08/10/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MW-4	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		10/11/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		12/31/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		02/27/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		03/26/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		04/28/03	ND	<0.500	0.536	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		05/30/03	ND	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--	
MW-4	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	
MW-4	South Yard		09/16/03	ND	<0.500	<0.500	<0.500	<1.00	0.0241	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-4	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.0	<1.0
MW-4	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	<0.119	0.0137	<0.0119	<0.0119	<0.0119	0.0131	<0.0119	<0.0119	<0.0119	<1.0	<1.0
MW-4	South Yard		03/21/07	ND	0.59	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0
MW-4	South Yard		03/25/08	ND	<0.5	1.2	<0.5	0.022	0.030	0.0250	0.031	0.014	0.028	<0.0099	0.019	<0.70	1.4	
MW-4	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	0.15	0.1500	0.14	0.079	0.13	<0.011	<0.011	<0.95	<0.050	
MW-4	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-4	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.012	0.013	0.014	0.0120	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-4	South Yard		03/15/10	ND	0.6	<0.5	<0.5	<1.0	0.041	0.052	0.069	0.0270	0.0480	<0.0099	0.016	<0.95	<0.050	
MW-4	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.48	0.68	0.43	0.4300	0.5300	0.0650	0.43	<0.95	<0.052	
MW-4	South Yard		09/25/11	ND	0.5	<0.2	<0.2	<1.0	<0.012	<0.012	0.012	<0.012	<0.012	<0.012	<0.012	<0.95	0.09	
MW-4	South Yard		10/10/11	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard		06/21/12	ND	--	--	--	<0.032	0.032	0.037	0.039	0.018	0.0350	<0.010	0.013	--	--	
MW-4	South Yard	Field Filtered	06/21/12	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard	Field Filtered	09/21/12	ND	<0.5	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	
MW-4	South Yard	Field Filtered	09/26/12	ND	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-4	South Yard	Field Filtered	09/26/12	ND	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.40	<0.034	
MW-4	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-4	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	
MW-4	South Yard	Field Filtered	04/22/13	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	<0.050	
MW-4	South Yard		06/11/14	ND	<0.5	<0.5	<0.5	<0.5	0.07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	
MW-4	South Yard		11/11/15	ND	<0.5	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MW-4	South Yard		04/18/16	ND	<0.5	<0.5	<0.5	<0.5	0.067	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MW-4	South Yard		12/07/16	ND	<0.5	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	0.75	
MW-4	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.5	0.058	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-4	South Yard	Field Filtered	06/21/17	ND	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11		
MW-4	South Yard		12/06/17	ND	<0.5	<0.5	<0.5	<0.5	0.052	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	0.21	
MW-4	South Yard		06/27/18	ND	<0.5	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.68	<1.1	
MW-4	South Yard		11/28/18	ND	<0.5	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.68	<1.1	
MW-4	South Yard		06/21/19	ND	<0.5	<0.5	<0.5	<0.5	0.03 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.68	<1.1	
MW-4	South Yard		12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	14.5	<0.073	
MW-4	South Yard		06/11/20	ND	<0.20	<0.20	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	<0.073	
MW-4	South Yard		11/11/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	<0.073	
MW-4	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.298 J	<0.849	
MW-4	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-4	South Yard		06/24/22	ND	<0.0400	0.617	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.205 J	<2.00	
MW-4	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.339 J	<0.849	
MW-4	South Yard	06/01/23	ND	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<2.00	<2.00	
MW-7	South Yard		08/10/99	ND	683	491	2,550	673	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.71	4.64	
MW-7	South Yard		10/20/99	ND	172	80	177	--	0.0028 ⁴	0.0038 ⁴	0.0043 ⁴	0.0025 ⁴	0.0061 ⁴	0.0079 ⁴	--	--	--	
MW-7	South Yard		07/26/01	ND	162	59	314	149	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/03/02	ND	58	22	346	96	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		07/02/02	ND	46.9	10	158	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		09/03/02	ND	42	22	153	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		09/03/02	ND	88.8	37	498	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		10/11/02	ND	41.4	16	145	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		03/26/03	ND	10.1	16	108	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-7	South Yard		04/28/03	ND	31.5	36	664	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		05/30/03	ND	7.34	12	106	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/25/03	ND	16.4	27	446	35	<0.0100	<0.0100	<0.0100	0.900 (Q-20)	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-7	South Yard		09/16/03	ND	< 50.0	79	1,190	583	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		12/15/03	ND	25.9	45	1,470	550	--	--	--	--	--	--	--	--	--	
MW-7	South Yard	5	03/15/10	ND	27	4.9	230	490	0.14 ⁶	0.12 ⁶	0.21 ⁶	0.16 ⁶	0.18 ⁶	0.013 ⁶	0.041 ²	1.5	1.1	
MW-7	South Yard		09/15/10	ND	38	6.0	270	570	0.3000	0.5000	0.4200	0.3600	0.3800	0.0730	0.3900	2.5	1.7	
MW-7	South Yard		03/14/11	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		06/21/12	ND	--	--	--	--	0.011	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--
MW-7	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-7	South Yard		09/20/12	ND	46	6.9	120	530	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--
MW-7	South Yard	Field Filtered	09/20/12	ND	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	6.1	1.6
MW-7	South Yard	Field Filtered	12/26/12	ND	34	6.0	240	--	--	--	--	--	--	--	--	--	--	
MW-7	South Yard		04/22/13	ND	31	4.5	82	340	0.019	<0.010	0.0110	<0.010	<0.010	0.012	0.016	--	--	
MW-7	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.3	0.85
MW-7	South Yard	Field Filtered ¹¹	06/11/14	ND	33	4	65	160	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.2	1.7
MW-7	South Yard	¹¹	11/11/15	ND	62	6.5	120	310	0.028	0.029	0.043	0.018	0.041	<0.010	0.026	10.3	1.4	
MW-7	South Yard	¹¹	04/18/16	ND	30	4.7	54	210	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.5	1.3
MW-7	South Yard	DUP ¹¹	04/18/16	ND	30	4.9	55	200	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.6	1.4
MW-7	South Yard	¹¹	12/07/16	ND	38	<0.5	90	370	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.2	1.2
MW-7	South Yard	DUP ¹¹	12/07/16	ND	37	4.4	81	230	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	5.8	1.3
MW-7	South Yard		06/21/17	ND	28	5.7	70	66	0.016	<0.011	0.013	0.011	0.019	<0.011	<0.011	--	--	
MW-7	South Yard	Field Filtered	06/21/17	ND	--	--	--	64	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	15.1	0.62	
MW-7	South Yard	¹¹	12/06/17	ND	33	5.9	72	190	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	13.0	1.2
MW-7	South Yard	¹¹	06/27/18	ND	30	4.5	51	200	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	11.6	<1.1	
MW-7	South Yard	¹¹	11/28/18	ND	34	4.6	47	170	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.2	<1.1	
MW-7	South Yard	¹¹	06/21/19	ND	33	3.6	36	120	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.6	<1.1	
MW-7	South Yard	¹¹	12/18/19	ND	39	4	74	42	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	6.3	0.51 J	
MW-7	South Yard	¹¹	06/11/20	ND	24	2.6	37	150	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	7	0.36 J	
MW-7	South Yard		11/11/20	ND	31	3.4	55	80	<0.011	<0.011	<0.011	<0.011	<0.011	<0.021	<0.011	8.5	0.92	
MW-7	South Yard		06/28/21	ND	23.3	2.36	35.9	193	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.95 J	1.03 J	
MW-7	South Yard		01/06/22	ND	18.2	2.89	33.5	137	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	27.3 J	1.47 J	
MW-7	South Yard		06/24/22	ND	<0.0400	0.144 J	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00	
MW-7	South Yard		12/16/22	ND	20.5	2.55	20.6	36.4	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.04	0.913 J	
MW-7	South Yard		06/01/23	ND	8.76	1.26	8.02	8.88 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	4.92	2.98	
MW-8	South Yard		08/09/99	ND	186	15	9	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	1.21		
MW-8	South Yard		10/20/99	ND	31.4	2.47	2.97	0.35 ³	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.00813	<0.0081	--	--	
MW-8	South Yard		01/06/00	ND	710	27	304	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/12/00	ND	28.2	1.72	4.16	2	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-8	South Yard		06/27/00	ND	29.5	1.47	3.09	<1.00	--	--	--	--	--	--	--	<1.0	<1.0	
MW-8	South Yard		09/28/00	ND	20.3	1.23	1.39	4	--	--	--	--	--	--	--	3.10	<1.0	
MW-8	South Yard		01/15/01	ND	17.7	2.14	12.3	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/21/01	ND	197	<10.0	26.7	<10.0	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	157	7.03	42.5	7	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/26/01	ND	147	7.07	42.2	6	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,450	22.0	166	32	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/19/02	ND	1,430	21.7	169	30	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,000	22.3	199	37	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/03/02	ND	1,030	21.9	213	37	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		05/07/02	ND	472	13.7	152	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		06/06/02	ND	476	14.1	80	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		07/02/02	ND	291	14.0	59	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		09/03/02	ND	284	11.3	82	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		10/11/02	ND	238	18.0	152	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	165	16.3	261	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		12/31/02	ND	192	16.1	141	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		03/26/03	ND	767	23.2	156	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		04/28/03	ND	683	20.8	125	--	--	--	--	--	--	--	--	--	--	
MW-8	South Yard		05/30/03	ND	467	15.4	75.4	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	0.0296	0.0296	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5	
MW-8	South Yard		06/25/03	ND	305	17.4	89.7	--	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-8	South Yard		09/15/03	ND	159	36.1	634	7.94	--	--	--	--	--	--	--	--	--	--
MW-8A	South Yard		12/15/03	ND	14.8	2.46	37.7	168	--	--	--	--	--	--	--	--	--	--
MW-8A	South Yard		03/25/04	ND	12.0	1.33	2.54	0.27	0.0650	0.0454	0.0299	0.0531	0.0568	0.0274	0.0419	2.49	<1.0	
MW-8A	South Yard		09/23/04	ND	14.8	0.76	2.00	0.32	<0.01	0.0220	<0.01	<0.01	0.0315	<0.01	<0.01	1.2	<1.0	
MW-8A	South Yard	DUP	09/23/04	ND	13.3	0.67	1.75	0.32	0.110	0.102	0.0980	0.120	0.104	0.0656	0.0937	1.11	<1.0	
MW-8A	South Yard		03/14/05	ND	8.3	1.72	4.54	3.61	0.0234	0.0135	0.0123	0.0209	0.0164	<0.01	0.0137	5.2	<1.0	
MW-8A	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	<1.0	<0.00952	<0.00952	0.0281	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<1.0	<1.0
MW-8A	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0
MW-8A	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	<1.0	<0.0096	<0.0096	0.010	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	0.92	2.0
MW-8A	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	0.017	0.018	0.031	<0.0099	0.028	<0.0099	0.021	1.1	<0.050	
MW-8A	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	<0.050
MW-8A	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.012	0.017	0.035	0.011	0.021	<0.0098	0.022	<0.95	0.059	
MW-8A	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1	0.036	0.062	0.14	0.099	0.079	0.011	0.040	<0.95	0.062	
MW-8A	South Yard		09/15/10	ND	<0.5	<0.5	3	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	2.8	<0.052	
MW-8A	South Yard		11/16/11	ND	<0.2	<0.2	<0.2	<1.0	0.016	0.02	0.029	0.011	0.028	<0.0095	0.02	0.99	<0.080	
MW-8A	South Yard		06/21/12	ND	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	
MW-8A	South Yard	DUP	06/21/12	ND	--	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	
MW-8A	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-8A	South Yard		09/20/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-8A	South Yard	Field Filtered	09/21/12	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	4.9	0.13	
MW-8A	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--		
MW-8A	South Yard		04/23/13	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-8A	South Yard	Field Filtered	04/23/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	<0.047	
MW-8A	South Yard		11/06/14	ND	<0.5	<0.5	<0.5	0.062	<0.011	<0.010	0.012	0.011	<0.010	<0.010	<0.010	<0.78	0.59	
MW-8A	South Yard		11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.64	
MW-8A	South Yard	DUP ¹¹	11/11/15	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	0.018	<0.010	<0.010	<0.010	<0.010	<0.54	0.73	
MW-8A	South Yard		04/18/16	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.88	
MW-8A	South Yard		12/07/16	ND	<0.5	<0.5	<0.5	0.046	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090	
MW-8A	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	0.035	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-8A	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	1.8	<0.11	
MW-8A	South Yard	DUP	06/21/17	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	2.2	<0.11	
MW-8A	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	0.41	
MW-8A	South Yard		12/05/17	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	0.42	
MW-8A	South Yard	DUP ¹¹	12/05/17	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.70	0.66	
MW-8A	South Yard		06/27/18	ND	1.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.6	<1.1	
MW-8A	South Yard	DUP ¹¹	06/27/18	ND	1.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.8	<1.1	
MW-8A	South Yard		11/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-8A	South Yard	DUP ¹¹	11/27/18	ND	<0.5	<0.5	<0.5	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-8A	South Yard		06/21/19	ND	<0.5	<0.5	<0.5	0.05 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.9	<1.1	
MW-8A	South Yard	DUP ¹¹	06/21/19	ND	<0.5	<0.5	<0.5	0.04 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.4	<1.1	
MW-8A	South Yard		12/17/19	ND	<0.2	<0.2	<0.4	<0.03	0.02 J	0.01 J	0.01 J	0.01 J	0.02	<0.01	<0.70	0.13 J		
MW-8A	South Yard	DUP ¹¹	12/17/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.70	0.076 J	
MW-8A	South Yard		06/10/20	ND	<0.20	<0.20	<0.40	0.12	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	0.83 J	0.23 J	
MW-8A	South Yard	DUP ¹¹	06/10/20	ND	<0.20	<0.20	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	0.92 J	0.29 J	
MW-8A	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	0.66	
MW-8A	South Yard	DUP	11/10/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	0.88	
MW-8A	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0994 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.548 J	1.87 J	
MW-8A	South Yard	DUP	06/28/21	ND	<0.0941	<0.278	<0.137	<0.0997	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.569 J	<0.849	
MW-8A	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-8A	South Yard	DUP	01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-8A	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.752 J	<2.00	
MW-8A	South Yard	DUP	06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.816 J	<2.00	
MW-8A	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.289 J	<0.849	
MW-8A	South Yard	DUP	12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.248 J	<0.849	
MW-8A																		

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5	
MW-9	ROW		06/27/01	LNAPL	<5.00	<5.00	52.6	109	--	--	--	--	--	--	--	--	--	
MW-9	ROW		03/25/04	LNAPL	6.71	2.56	39.5	168	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12.9	<1.0	
MW-9	ROW		09/08-09/08	LNAPL	20	<10 ⁷	16	37	<0.10 ⁸	<0.10 ⁸	<0.10 ⁸	<0.10 ⁸	<0.10 ⁸	<0.10 ⁸	<0.10 ¹	9.5	0.58	
MW-9	ROW		12/11/08	LNAPL	<20 ⁸	<50 ⁸	35	--	--	--	--	--	--	--	--	--	--	
MW-9	ROW		03/30-31/09	ND	--	--	--	50	<0.0098	<0.0098	0.025	<0.0098	<0.0098	<0.0098	<0.0098	7.7	0.33	
MW-9	ROW		09/10-11/09	ND	<10 ⁹	<10 ⁹	16	36	0.15	<0.098 ⁸	0.41	0.10	0.56	<0.098 ⁸	<0.098 ¹	8.0	1.1	
MW-10	North Yard		08/11/99	ND	226	292	625	121	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	4.21	
MW-10	North Yard		10/21/99	ND	431	455	838	--	<0.008	<0.008	<0.008	<0.008	0.0033	<0.008 ⁴	<0.008 ⁴	--	--	
MW-10	North Yard		04/12/00	ND	662	542	749	105	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-10	North Yard		06/27/00	ND	325	168	136	64.5	--	--	--	--	--	--	--	8.61	21.2	
MW-10	North Yard		09/28/00	ND	437	339	291	32.7	--	--	--	--	--	--	--	3.39	22	
MW-10	North Yard		01/15/01	ND	352	266	137	63.6	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		01/15/01	ND	315	234	117	33.9	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		06/27/01	ND	591	328	295	79.5	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		06/27/01	ND	1,090	765	936	262	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		03/18/02	ND	1,190	1,010	976	130	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		07/02/02	ND	844	742	871	--	--	--	--	--	--	--	--	--	--	
MW-10	North Yard		03/15/10	ND	1,200	250	980	110	0.10 ⁶	0.054 ⁶	0.046 ⁶	0.059 ⁶	0.18 ⁶	<0.0099 ⁶	<0.0099 ⁶	3.8	10.9	
MW-10	North Yard		09/15/10	Sheen	970	180	920	130	0.52	0.17	0.3	<0.096	1.2	<0.096	<0.096	4.9	9.3	
MW-11	ROW		08/11/99	ND	<1.00	<1.00	<1.00	<1.01	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.03	<1.0	
MW-11	ROW		10/22/99	ND	<0.500	<0.500	<0.500	<0.500	<0.0082	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081 ³	<0.0081 ³	--	--
MW-11	ROW		06/21/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-11	ROW		03/18/02	ND	1.18	2.77	2.57	<1.00	--	--	--	--	--	--	--	--	--	
MW-11	ROW		09/16/03	ND	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--	
MW-11	ROW		12/15/03	ND	<0.500	<0.500	2.21	0.0734	<0.0100	0.0632	0.0341	<0.0100	0.0878	0.0857	3.72	<1.0		
MW-11	ROW		03/25/04	ND	<0.500	<0.500	<0.500	<0.101	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.06	<1.0	
MW-11	ROW		03/21/07	ND	<0.500	<0.500	<0.500	<5.01	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	19.4	<1.0	
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	0.060	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	19.0	1.1	
MW-11	ROW		03/25/08	ND	<0.5	<0.5	<0.5	0.058	0.012	<0.0096	0.010	<0.0096	0.013	<0.0096	<0.0096	16.9	1.4	
MW-11	ROW		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.011	<0.011	0.011	<0.011	0.012	<0.011	<0.011	16.5	<0.050	
MW-11	ROW		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	19.2	<0.050	
MW-11	ROW		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.024	0.034	0.04	0.016	0.036	<0.0098	0.019	29.7	<0.050	
MW-11	ROW		03/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	0.011	0.016	0.010	0.013	<0.0099	<0.0099	13.4	<0.050	
MW-11	ROW		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.013	0.017	0.018	0.012	0.02	<0.010	0.018	16.6	<0.052	
MW-11	ROW	¹¹	06/11/14	ND	<0.5	<0.5	<0.5	0.07	0.028	0.02	0.025	0.024	0.033	0.019	0.02	8.4	<0.085	
MW-11	ROW		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	13.5 J	<2.00	
MW-11	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	11.4	<2.00	
MW-12	North Yard		08/11/99	ND	1,590	218	466	87.5	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	7.01	17.6	
MW-12	North Yard		10/21/99	ND	491	1200	230	6.8 ⁶	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083	<0.0083 ³	<0.0083	--	--	
MW-12	North Yard		03/25/04	ND	510	294	454	98.5	--	--	--	--	--	--	--	--	--	
MW-12	North Yard		09/08-09/08	ND	530	130	230	65	0.017 ⁶	0.010 ⁶	<0.0099 ⁶	<0.0099 ⁶	0.039 ⁶	<0.0099 ⁶	<0.0099 ⁶	6.4	1.8	
MW-12	North Yard		03/30-31/09	LNAPL	750	640	270	170	0.014	<0.0098	0.012	<0.0098	0.028	<0.0098	<0.0098	4.8	2.8	
MW-12	North Yard		09/10-11/09	LNAPL	510	140	180	44	0.11	<0.097 ⁵	<0.097 ⁵	<0.097 ⁵	0.22	<0.097 ⁵	<0.097 ⁵	5.5	1.6	
MW-12	North Yard		03/15/10	ND	630	260	250	110	0.025 ⁶	0.015 ⁶	0.012 ⁶	0.018 ⁶	0.045 ⁶	<0.010 ⁶	<0.010 ⁶	4.6	3.4	
MW-12	North Yard		09/15/10	Sheen	490	130	230	67	0.086 ⁵	0.028 ⁶	0.053 ⁶	0.011 ⁶	0.18 ⁶	<0.0096 ⁶	0.014 ⁶	6.4	2.2	
MW-14	ROW		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-14	ROW	¹¹	06/11/14	ND	<0.5	<0.5	0.049	0.011	<0.010	0.014	0.012	0.012	<0.010	0.011	<0.78	<0.085		
MW-15	ROW		08/10/99	ND	3.28	2.89	35.4	12.5	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	2.1	<1.0	
MW-15	ROW		10/20/99	ND	6.92	57.1	47.7	1.4 ⁵	<0.0081	<0.0081	0.00153	<0.0081	<0.0081	<0.0081	<0.0081	--	--	
MW-15	ROW		07/26/01	ND	13.8	9.00	18.1	10.30	--	--	--	--	--	--	--	--	--	
MW-15	ROW		03/18/02	ND	<1.00	1.49	2.46	<1.01	--	--	--	--	--	--	--	--	--	
MW-15	ROW		06/26/03	ND	0.719	<0.500	0.612	--	--	--	--	--	--	--	--	--	--	
MW-15	ROW		09/16/03	ND	2.85	30.6	39.6	42.2	--	--	--	--	--	--	--	--	--	
MW-15	ROW	¹¹	06/11/14	ND	<3.0	0.6	2	0.29	0.02	0.02	0.03	0.03	0.02	0.02	0.02	5.60	0.40	
MW-15	ROW		01/06/22	ND	0.294 J	0.791 J	1.73	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-15	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.739 J	<2.00	
MW-16	Offsite		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<1.00	<1.00	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-19	ROW	08/11/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MW-19	ROW	10/20/99	ND	<0.500	<0.500	<0.500	<0.021	0.016	0.013	0.016	0.00743	0.015	0.00233	0.011	--	--	--	
MW-19	ROW	06/21/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	--	
MW-19	ROW	06/26/03	ND	<0.500	<0.500	<0.500	<0.100	0.264	0.282	0.174	0.118	0.179	0.155	0.189	--	--	--	
MW-19	ROW	09/16/03	ND	<0.500	<0.500	<0.500	<1.00	0.171	0.185	0.197	0.0894	0.191	0.0977	0.147	--	--	--	
MW-19	ROW	12/15/03	ND	<0.500	<0.500	<0.500	<1.00	0.524	0.479	0.374	0.376	0.474	0.154	0.484	5.27	<1.0		
MW-19	ROW	03/26/04	ND	<0.500	<0.500	<0.500	0.197	0.209	0.168	0.128	0.127	0.182	0.0433	0.107	2.86	<1.0		
MW-19	ROW	03/26/04	ND	<0.500	<0.500	<0.500	0.112	0.170	0.137	0.0967	0.106	0.150	0.0363	0.0882	2.28	<1.0		
MW-19	ROW	09/23/04	ND	<0.500	<0.500	<0.500	<1.00	0.613	0.390	0.317	0.562	0.530	0.145	0.350	4.24	2.93		
MW-19	ROW	03/14/05	ND	<0.500	<0.500	<0.500	<0.100	0.151	0.111	0.080	0.125	0.126	0.0233	0.076	1.71	<1.0		
MW-19	ROW	03/14/05	ND	<0.500	<0.500	<0.500	<0.100	0.155	0.109	0.085	0.135	0.131	0.0265	0.085	2.19	<1.0		
MW-19	ROW	03/29/06	ND	<0.500	<0.500	<0.500	<1.00	0.093	0.076	0.066	0.0775	0.087	0.0348	0.063	3.76	<1.0		
MW-19	ROW	03/29/06	ND	<0.500	<0.500	<0.500	<1.00	0.042	0.030	0.041	0.0327	0.032	0.0195	0.033	3.47	<1.0		
MW-19	ROW	03/21/07	ND	<0.500	<0.500	<0.500	<5.00	0.151	0.121	0.0874	0.139	0.153	0.0417	0.0927	<1.0	<1.0		
MW-19	ROW	03/21/07	ND	<0.500	<0.500	<0.500	<5.00	0.154	0.131	0.0896	0.126	0.160	0.0374	0.0894	<1.0	<1.0		
MW-19	ROW	03/25/08	ND	<0.5	<0.5	<0.5	0.026	0.046	0.039	0.049	0.021	0.042	<0.0097	0.027	1.30	12.9		
MW-19	ROW	03/25/08	ND	<0.5	<0.5	<0.5	0.023	0.36	0.31	0.35	0.15	0.34	0.053	0.19	0.92	3.5		
MW-19	ROW	09/08-09/08	ND	<0.5	<0.5	<0.5	<5.03	0.40	0.54	0.46	0.26	0.41	0.077	0.28	<0.95	0.62		
MW-19	ROW	03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	0.42	
MW-19	ROW	09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.071	0.084	0.099	0.037	0.081	0.012	0.041	<0.95	1.1		
MW-19	ROW	03/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.24	0.30	0.32	0.15	0.29	0.046	0.18	0.98	0.41		
MW-19	ROW	09/15/10	ND	<0.5	<0.5	<0.5	<1.0	0.61	0.91	0.55	0.57	0.66	0.1	0.59	1.8	0.12		
MW-19	ROW	11/16/11	ND	<0.2	<0.2	<0.2	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.95	<0.080	
MW-19	ROW	06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--		
MW-19	ROW	Field Filtered	06/21/12	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-19	ROW	09/20/12	ND	<0.5	<0.5	<0.5	0.083	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	--	--	
MW-19	ROW	09/20/12	ND	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.41	<0.034	
MW-19	ROW	12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--		
MW-19	ROW	04/24/13	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	
MW-19	ROW	04/24/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.42	0.13	
MW-19	ROW	06/10/14	ND	<0.5	<0.5	<0.5	<0.051	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	0.16	
MW-19	ROW	11/11/15	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.81	<0.13	
MW-19	ROW	04/18/16	ND	<0.5	<0.5	<0.5	0.044	0.015	0.036	0.045	0.041	0.020	0.049	0.049	0.69	0.22		
MW-19	ROW	12/07/16	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090		
MW-19	ROW	06/21/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-19	ROW	06/21/17	ND	--	--	--	<0.034	<0.011	<0.011	<0.011	<0.010	<0.010	<0.010	<0.010	<0.010	0.72	<0.11	
MW-19	ROW	12/05/17	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.50	0.15	
MW-19	ROW	06/26/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-19	ROW	11/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-19	ROW	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-19	ROW	12/17/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.73		
MW-19	ROW	06/10/20	ND	<0.20	<0.20	<0.40	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	0.13 J	
MW-19	ROW	11/10/20	ND	<0.20	<0.20	<0.40	<0.034	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	<0.70	<0.073	
MW-19	ROW	06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	<0.849		
MW-19	ROW	01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00		
MW-19	ROW	06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.500 J	<2.00		
MW-19	ROW	12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.588 J	<0.849		
MW-19	ROW	06/01/23	ND	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.436 J	<2.00		
MW-20	ROW	08/11/99	ND	57.7	2.19	148	82.1	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.08	<1.0		
MW-20	ROW	10/20/99	ND	71.8	5.69	184	25 ³	.0012 ⁴	.00082 ⁴	.0016 ⁴	.0011 ⁴	.00088 ⁴	<0.008 ⁴	<0.008	--	--		
MW-20	ROW	09/28/00	ND	--	--	--	--	--	--	--	--	--	--	3.1	<1.0			
MW-20	ROW	06/21/01	ND	1.66	<1.00	2.68	<1.00	--	--	--	--	--	--	--	--	--		
MW-20	ROW	03/19/02	ND	<1.00	<1.00	3.48	1.77	--	--	--	--	--	--	--	--	--		
MW-20	ROW	03/19/02	ND	<1.00	<1.00	3.3	2.21	--	--	--	--	--	--	--	--	--		
MW-20	ROW	06/26/03	ND	26.5	2.28	61.0	20.9 ⁶	0.375(I-02)	<0.0100	<0.0100	0.154(I-02)	<0.0100	<0.0100	<0.0100	<0.0100	--	--	
MW-20	ROW	09/16/03	ND	28.9	3.04	35.7	12.5	<100	<100	<100	<100	<100	<100	<100	<100	--	--	
MW-20	ROW	12/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	4.36	<1.0	
MW-20	ROW	03/26/04	ND	0.877	<0.500													

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	0.0296	0.0296	Arsenic
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-21	ROW		04/23/13	ND	11.0	0.8	0.9	1.3	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--
MW-21	ROW	Field Filtered	04/23/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	11.6	<0.047
MW-21	ROW	¹¹	06/11/14	ND	<6.0	0.70	0.50	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	13.6	<0.085
MW-21	ROW	¹¹	11/11/15	ND	0.5	<0.5	<0.5	3.1	0.012	0.012	0.016	0.015	0.013	0.016	0.017	13.0	<0.13	
MW-21	ROW	¹¹	04/18/16	ND	19	0.8	<0.5	0.088	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	18.5	<0.13	
MW-21	ROW	¹¹	12/07/16	ND	8.8	0.9	0.6	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	18.0	<0.090	
MW-21	ROW		06/21/17	ND	6.6	0.6	<0.5	<0.035	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	--	--	
MW-21	ROW	Field Filtered	06/21/17	ND	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	16.1	<0.11	
MW-21	ROW	¹¹	12/05/17	ND	<0.5	0.6	0.6	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	16.1	<0.11	
MW-21	ROW	¹¹	06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	16.2	<1.1
MW-21	ROW	¹¹	11/28/18	ND	<0.5	0.5	0.6	0.5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	16.0	<1.1	
MW-21	ROW	¹¹	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	15.7	<1.1	
MW-21	ROW	¹¹	12/17/19	ND	<0.2	0.3 J	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	15.8	0.074 J	
MW-21	ROW	¹¹	06/10/20	ND	<0.20	0.24 J	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	15.0	<0.073	
MW-21	ROW		11/10/20	ND	<0.20	<0.20	<0.40	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	18	<0.073	
MW-21	ROW		06/28/21	ND	0.108 J	0.303 J	<0.137	1.33	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	8.4	<0.849	
MW-21	ROW		01/06/22	ND	0.433 J	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	11.9 J	<2.00	
MW-21	ROW		06/24/22	ND	0.0770	0.283	<0.100	1.49	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	13.4	<2.00	
MW-21	ROW		12/16/22	ND	0.113 J	<0.278	<0.137	0.293	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	12.7	<0.849	
MW-21	ROW		06/02/23	ND	<1.00	0.751 J	0.295 J	0.602 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	4.39	<2.00	
MW-22	ROW		08/10/99	ND	1,140	44.9	93.5	7.56	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.66	<1.0	
MW-22	ROW		10/22/99	ND	1,680	109	191	--	0.0017 ⁴	0.0013 ⁴	0.0024 ⁴	0.0012 ⁴	0.002 ⁴	<0.0079 ⁴	0.0015 ⁴	--	--	
MW-22	ROW		01/06/00	ND	1,410	46.8	105	--	--	--	--	--	--	--	--	--	--	
MW-22	ROW		01/15/01	ND	2,040	161	254	19.2	--	--	--	--	--	--	--	--	--	
MW-22	ROW		06/21/01	ND	1,710	64.8	144	<50.0	--	--	--	--	--	--	--	--	--	
MW-22	ROW		03/18/02	ND	1,920	85.5	242	21.3	--	--	--	--	--	--	--	--	--	
MW-22	ROW		07/02/02	ND	2,000	84.9	288	--	--	--	--	--	--	--	--	--	--	
MW-22	ROW		09/03/02	ND	2,020	66.8	312	--	--	--	--	--	--	--	--	--	--	
MW-22	ROW		12/31/02	ND	2,360	159	385	--	--	--	--	--	--	--	--	--	--	
MW-22	ROW		06/25/03	ND	1,950	84.4	273	--	--	--	--	--	--	--	--	--	--	
MW-22	ROW		09/16/03	ND	2,590	189	425	<50.0	--	--	--	--	--	--	--	--	--	
MW-22	ROW		12/17/03	ND	1,250	52.9	188	15.8	--	--	--	--	--	--	--	--	--	
MW-22	ROW		12/17/03	ND	1,920	59	207	18.5	--	--	--	--	--	--	--	--	--	
MW-22	ROW		03/25/04	ND	1,630	35.4	208	14.9	--	--	--	--	--	--	--	--	--	
MW-22	ROW		03/21/07	ND	840	54.5	117	20.8	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	4.15	<1.0	
MW-22	ROW		03/25/08	ND	730	31	90	5.5	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	3.5	0.12	
MW-22	ROW		09/08-09/08	ND	880	46	130	14	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	6.4	<0.050	
MW-22	ROW		03/30-31/09	ND	830	37	98	7.3	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.6	<0.050	
MW-22	ROW		09/10-11/09	ND	1,100	42	130	10	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	3.9	0.45	
MW-22	ROW		03/15/10	ND	720	25	70	5.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	4.8	<0.050	
MW-22	ROW		09/15/10	ND	820	50	100	6.9	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	5.7	<0.052	
MW-22	ROW	¹¹	06/11/14	ND	780	45	67	1.3	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	2.5	<0.085	
MW-22	ROW		01/06/22	ND	<1.00	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.60 B	<2.00
MW-22	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	3.54	<2.00	
MW-24	North Yard		03/21/07	ND	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.00	<1.00	
MW-24	North Yard	¹¹	06/10/14	ND	<0.5	<0.5	0.06	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	
MW-24	North Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MW-24	North Yard		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.671 J	<2.00	
MW-25	South Yard		08/09/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	1.42	3.71	
MW-25	South Yard		10/19/99	ND	<0.500	<0.500	<0.500	<0.023	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079 ⁴	<0.0079	--	--
MW-25	South Yard		01/06/00	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		07/27/00	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		03/19/02	ND	2.06	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		07/02/02	ND	28.4	11.5	2.85	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		09/03/02	ND	68.0	0.810	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		10/11/02	ND	61	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard		12/31/02	ND	0.557	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-25	South Yard	03/26/03	ND	3.20	0.617	<0.500	--	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard	04/28/03	ND	15.5	1.64	1.56	--	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard	05/30/03	ND	21.8	0.872	2.69	--	--	--	--	--	--	--	--	--	--	--	
MW-25	South Yard	06/25/03	ND	9.06	0.545	1.33	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	
MW-25	South Yard	09/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	
MW-25	South Yard	12/15/03	ND	<0.500	<0.500	<0.500	1.76	0.064	0.0628	<0.0100	<0.0100	0.0448	<0.0100	0.0608	17.6	<1.0		
MW-25	South Yard	03/25/04	ND	<0.500	<0.500	<0.500	<0.100	0.0142	<0.0100	0.0117	0.0151	<0.0100	0.0100	<0.0100	10.1	<1.0		
MW-25	South Yard	09/22/04	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	3.97	<1.0		
MW-25	South Yard	03/14/05	ND	<0.500	<0.500	<0.500	<0.100	0.014	0.012	0.013	0.0192	0.015	<0.0100	0.010	12.3	<1.0		
MW-25	South Yard	03/29/06	ND	<0.500	<0.500	<0.500	<1.00	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	9.81	<1.0	
MW-25	South Yard	03/21/07	ND	<0.500	<0.500	<0.500	<5.00	0.0133	0.0111	<0.0100	0.0100	0.0113	<0.0100	<0.0100	7.23	<1.0		
MW-25	South Yard	03/25/08	ND	<0.5	<0.5	<0.5	0.013	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	6.0	0.15	
MW-25	South Yard	09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.010	<0.010	<0.010	<0.010	0.019	<0.010	<0.010	<0.010	<0.95	<0.050	
MW-25	South Yard	03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.95	<0.050	
MW-25	South Yard	09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-25	South Yard	03/15/10	ND	<0.5	<0.5	<0.5	1.6	0.021	0.022	0.025	0.011	0.025	<0.0096	0.013	<0.95	0.21		
MW-25	South Yard	09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.052	
MW-25	South Yard	09/25/11	ND	<0.2	<0.2	<0.2	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	1.60	<0.08	
MW-25	South Yard	10/10/11	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--		
MW-25	South Yard	06/21/12	ND	--	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	--	--	
MW-25	South Yard	Field Filtered	06/21/12	ND	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	
MW-25	South Yard	09/20/12	ND	<0.5	<0.5	<0.5	0.054	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-25	South Yard	Field Filtered	09/20/12	ND	--	--	--	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	2.3	<0.034	
MW-25	South Yard	12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--		
MW-25	South Yard	04/22/13	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-25	South Yard	Field Filtered	04/22/13	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.90	<0.073	
MW-25	South Yard	11	06/10/14	ND	<0.5	<0.5	<0.5	0.047	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.96	<0.085	
MW-25	South Yard	11	11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	3.7	<0.13	
MW-25	South Yard	11	04/18/16	ND	<0.5	<0.5	<0.5	0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	1.0	<0.13	
MW-25	South Yard	11	12/07/16	ND	<0.5	<0.5	<0.5	<0.030	<0.010	<0.010	<0.010	0.016	0.013	<0.010	<0.010	4.1	<0.090	
MW-25	South Yard	06/21/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-25	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MW-25	South Yard	11	12/05/17	ND	<0.5	<0.5	<0.5	<0.030	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	3.4	<0.11	
MW-25	South Yard	11	06/26/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.5	<1.1	
MW-25	South Yard	11	11/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	5.6	<1.1	
MW-25	South Yard	11	06/21/19	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MW-25	South Yard	11	12/17/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	4.0	<0.073	
MW-25	South Yard	11	06/10/20	ND	<0.20	<0.20	<0.40	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	<0.70	<0.073	
MW-25	South Yard	11	11/10/20	ND	<0.20	<0.20	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.022	<0.011	1.8 J	<0.073	
MW-25	South Yard	06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.355 J	1.27 J		
MW-25	South Yard	01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<3.35 B	<2.00		
MW-25	South Yard	06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00		
MW-25	South Yard	12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.39 J	<0.849		
MW-25	South Yard	06/01/23	ND	<1.00	0.751 J	0.295 J	0.602 J4	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	4.39	<2.00		
MW-26	South Yard	08/09/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	<1.0	
MW-26	South Yard	10/19/99	ND	<0.500	<0.500	<0.500	<0.0099	0.0042 ⁴	0.0039 ⁴	0.0051 ⁴	0.0027 ⁴	0.0044 ⁴	<0.0081 ⁴	0.0033 ⁴	--	--		
MW-26	South Yard	01/06/00	ND	0.621	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	04/12/00	ND	<1.00	<1.00	<1.00	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	--	--	
MW-26	South Yard	06/27/00	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	03/19/02	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	12/31/02	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	02/27/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	03/26/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	04/28/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	05/30/03	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard	06/25/03	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
MW-26	South Yard	09/15/03	ND	<0.500	<0.500	&												

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals			
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead		
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5		
MW-26	South Yard		09/22/04	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	1.05	<1.0		
MW-26	South Yard		03/14/05	ND	<0.500	<0.500	<0.500	<0.100	0.024	0.014	0.015	0.0239	0.019	<0.0100	<0.0100	1.26	<1.0		
MW-26	South Yard		03/29/06	ND	<0.500	<0.500	<0.500	<1.00	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<1.0	<1.0		
MW-26	South Yard		03/21/07	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		03/25/08	ND	<0.5	<0.5	<0.5	0.011	<0.0099	0.011	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.70	0.38	
MW-26	South Yard		09/08-09/08	ND	<0.5	<0.5	<0.5	<1.0	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.95	<0.050	
MW-26	South Yard		12/11/08	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		03/30-31/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-26	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.95	<0.050	
MW-26	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1.2	<0.0096	<0.0096	0.043 ⁴	<0.0096 ⁴	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.95	<0.050
MW-26	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.95	<0.052	
MW-26	South Yard		09/25/11	ND	<0.2	<0.2	<0.2	<1.0	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.95	<0.08	
MW-26	South Yard		10/10/11	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MW-26	South Yard		06/21/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-26	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.030	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-26	South Yard	DUP	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-26	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	0.53	<0.034	
MW-26	South Yard	DUP, Field Filtered	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.49	0.10	
MW-26	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--		
MW-26	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MW-26	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.42	<0.073	
MW-26	South Yard	Field Filtered ¹¹	06/10/14	ND	<0.5	<0.5	<0.5	0.068	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.78	<0.085	
MW-26	South Yard		11/11/15	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.54	<0.13	
MW-26	South Yard		04/18/16	ND	<0.5	<0.5	<0.5	0.041	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.54	<0.13	
MW-26	South Yard		12/07/16	ND	<0.5	<0.5	<0.5	0.036	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.68	0.390	
MW-26	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MW-26	South Yard	Field Filtered	06/21/17	ND	--	--	--	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.72	<0.11	
MW-26	South Yard		12/06/17	ND	<0.5	<0.5	<0.5	<0.031	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.72	<0.11	
MW-26	South Yard		06/27/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.68	<1.1	
MW-26	South Yard		11/28/18	ND	<0.5	<0.5	<0.5	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.68	<1.1	
MW-26	South Yard		12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.70	<0.073	
MW-26	South Yard		06/11/20	ND	<0.20	<0.20	<0.40	1.000	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.80 J	<0.073	
MW-26	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.70	<0.073	
MW-26	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.382 J	<0.849		
MW-26	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00		
MW-26	South Yard		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.350 J	<2.00		
MW-26	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.366 J	<0.849		
MW-26	South Yard		06/01/23	ND	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	0.286 J	<2.00		
MW-27	North Yard		09/13/99	--	10.8	<0.500	<1.00	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	--	--		
MW-27	North Yard		10/22/99	--	4.44	<0.500	<0.500	5.8 ³	0.0041 ⁴	0.0013 ⁴	0.006 ⁴	0.0033 ⁴	0.0042 ⁴	<0.032	<0.032	--	--		
MW-27	North Yard		01/06/00	--	10.5	<2.50	<2.50	--	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		08/11/99	ND	1,810	1,450	884	238	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	9.21	6.82		
MW-28	North Yard		10/21/99	ND	2,890	2,700	1,350	180 ³	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082	<0.0082	--	--		
MW-28	North Yard		10/21/99	ND	2,700	2,480	1,280	--	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	<0.0081	--	--		
MW-28	North Yard		01/06/00	ND	1,770	2,090	1,180	--	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		07/27/00	ND	1,840	2,420	702	356	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		09/29/00	ND	927	902	450	--	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		01/15/01	ND	1,970	2,070	635	98.8	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		06/21/01	ND	1,950	3,130	1,190	272	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		06/26/03	ND	1,230	615	1,290	--	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		09/15/03	ND	848	175	916	272	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		12/15/03	ND	881	474	1,010	284	--	--	--	--	--	--	--	--	--		
MW-28	North Yard		03/25/04	ND	712	281	854	288	--	--	--	--	--	--	--	--	--		
MW-29	ROW		08/12/14	ND	<2.0	<0.2	0.7	3.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	7.1	<0.082		
MW-29	ROW		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0						

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MW-29	ROW		06/24/22	ND	<0.0400	<0.200	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00	
MW-30	ROW	¹¹	08/12/14	ND	<0.2	<0.2	<0.2	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.84	<0.082	
MW-30	ROW	DUP ¹¹	08/12/14	ND	<0.2	<0.2	<0.2	<1.0	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010			
AGI-2	South Yard		08/10/99	ND	38.8	11.7	1.57	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	10.6	1.84	
AGI-2	South Yard		10/20/99	ND	20.3	12.1	5.14	0.097	.0014 ³	<0.008	.00019 ⁴	.00014 ⁴	.00014 ⁴	<0.008 ⁴	.00011 ⁴	--	--	
AGI-2	South Yard		01/15/01	ND	41.2	17.8	7.44	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		06/21/01	ND	296	<10.0	<10.0	<10.0	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		07/26/01	ND	397.0	14.9	16.9	<1.00	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		03/18/02	ND	43.2	78.9	17.6	1.68	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		03/18/02	ND	40.5	72.8	16.4	<2.00	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		05/07/02	ND	6.16	2.24	2.76	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		06/06/02	ND	4.58	1.52	2.04	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		07/02/02	ND	3.60	2.52	2.00	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		09/03/02	ND	3.48	2.59	3.16	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		12/31/02	ND	1.10	1.36	1.34	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		03/26/03	ND	40.3	481	302	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		04/28/03	ND	27.7	351	190	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		05/30/03	ND	19.4	358	200	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		06/25/03	ND	3.34	1.23	7.70	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--
AGI-2	South Yard		09/15/03	ND	1.01	0.832	1.40	<1.00	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		12/15/03	ND	0.688	0.599	0.851	<1.00	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		03/26/04	ND	2.06	1.12	1.56	<1.00	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		03/21/07	ND	0.78	<0.500	0.58	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	0.00994	4.68	<1.0
AGI-2	South Yard		09/10-11/09	ND	11	3.5	5.8	2.1	0.29	<0.097 ⁸	0.18	<0.097 ⁸	0.32	<0.097 ⁸	<0.097 ⁸	6.0	0.18	
AGI-2	South Yard		03/15/10	ND	3.5	0.9	2.0	4.9	0.43	0.12	0.23	0.14	0.51	0.027	0.095	4.9	0.053	
AGI-2	South Yard		09/15/10	ND	19.0	6.5	15.0	2.4	0.55	0.15	0.2	0.17	0.61	0.03	0.17	7.7	<0.052	
AGI-2	South Yard		06/21/12	ND	--	--	--	0.011	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	<0.010	--	--	
AGI-2	South Yard	Field Filtered	06/21/12	ND	--	--	--	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	--	--	
AGI-2	South Yard		09/20/12	ND	61.0	12.0	6.2	0.86	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	
AGI-2	South Yard	Field Filtered	09/20/12	ND	--	--	--	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	12.8	0.073	
AGI-2	South Yard	Field Filtered	12/26/12	ND	11	3.6	1.4	--	--	--	--	--	--	--	--	--	--	
AGI-2	South Yard		04/23/13	ND	5.1	1.1	5.9	0.63	0.015	<0.010	<0.010	<0.010	0.015	<0.010	<0.010	<0.010	--	
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	4.2	1.4	3.9	0.60	0.015	<0.010	<0.010	<0.010	0.013	<0.010	<0.010	<0.010	10.9	<0.073
AGI-2	South Yard	Field Filtered	04/23/13	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	11.6	<0.047	
AGI-2	South Yard	DUP Field Filtered	04/23/13	ND	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.090	
AGI-2	South Yard	¹¹	06/11/14	ND	9.2	2.5	7.4	0.35	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.8	<0.085	
AGI-2	South Yard	¹¹	11/11/15	ND	42	10	140	20	0.023	<0.010	<0.010	<0.010	0.022	<0.010	<0.010	6.1	0.47	
AGI-2	South Yard	¹¹	04/18/16	ND	1.7	1.0	7.1	0.31	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	9.1	<0.13	
AGI-2	South Yard	¹¹	12/07/16	ND	2.1	1.2	6.3	0.24	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	10.4	<0.090	
AGI-2	South Yard		06/21/17	ND	1.9	1.1	11.0	0.37	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.085	
AGI-2	South Yard	Field Filtered	06/21/17	ND	--	--	--	0.22	0.011	0.012	0.019	<0.011	<0.011	<0.011	<0.011	11.7	<0.11	
AGI-2	South Yard	¹¹	12/06/17	ND	3.4	2.1	2.9	<0.031	<0.010	<0.010	0.011	<0.010	<0.010	<0.010	<0.010	11.2	0.16	
AGI-2	South Yard	¹¹	06/27/18	ND	1.1	0.5	1.9	0.20	<0.01	0.020	0.020	0.020	<0.01	0.020	0.020	8.9	<1.1	
AGI-2	South Yard	¹¹	11/28/18	ND	8.6	<0.5	10	<0.03	0.01	0.01	0.01	<0.01	0.02	<0.02	0.01	5.9	11.2	
AGI-2	South Yard	¹¹	06/21/19	ND	2	1.1 J	10	0.4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	9.2	<1.1	
AGI-2	South Yard	¹¹	12/18/19	ND	48	9	12	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	12.4	<0.073	
AGI-2	South Yard	¹¹	06/11/20	ND	1.6	0.49 J	12	0.066 J	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	<0.010	9.5	<0.073	
AGI-2	South Yard		11/10/20	ND	14	4.5	7.2	0.36	<0.011	<0.011	<0.011	<0.011	<0.011	<0.021	<0.011	12	0.11 J	
AGI-2	South Yard		06/28/21	ND	0.913 J	<0.278	1.97	0.56	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	2	<0.849	
AGI-2	South Yard		01/06/22	ND	1.06	0.615 J	4.99	0.245 J	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	10.2 J	2.03	
AGI-2	South Yard		06/24/22	ND	0.730	0.389	8.44	0.956	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	9.17	<2.00	
AGI-2	South Yard		12/16/22	ND	20.100	2.67	23.1	93.8	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	5.02	0.888 J	
AGI-2	South Yard		06/02/23	ND	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	2.36	3.3	
MLU-1	South Yard		08/10/99	ND	<1.00	<1.00	<1.00	<1.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<1.0	<1.0	
MLU-1	South Yard		10/20/99	ND	<0.500	<0.500	<0.500	<0.500	0.023	.0012 ⁴	0.00091 ⁴	.0022 ⁴	<0.0079	<0.0079	<0.0079	.0013 ⁴	--	--
MLU-1	South Yard		01/06/00	ND	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	
MLU-1	South Yard		04/12/00	ND	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	
MLU-1	South Yard		06/27/00	ND	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals		
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead	
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5	
MLU-1	South Yard		06/25/03	ND	<0.500	<0.500	<0.500	<0.100	0.0476	0.0264	<0.0100	0.0164	0.0285	<0.0100	0.0776	--	--	
MLU-1	South Yard		09/15/03	ND	0.6280	<0.500	<0.500	<1.00	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	
MLU-1	South Yard		12/15/03	ND	<0.500	<0.500	<0.500	<1.00	<0.0100	0.0653	<0.0100	<0.0100	0.051	<0.0100	<0.0100	<1.0	<1.0	
MLU-1	South Yard		03/25/04	ND	<0.500	<0.500	<0.500	<0.100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.0	<1.0	
MLU-1	South Yard		03/21/07	ND	<0.500	<0.500	<0.500	<5.00	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<1.0	<1.0
MLU-1	South Yard		09/10-11/09	ND	<0.5	<0.5	<0.5	<1.0	0.012	0.011	0.021	<0.0098	0.014	<0.0098	0.011	<0.95	<0.050	
MLU-1	South Yard		03/15/10	ND	<0.5	<0.5	<0.5	1.7	<0.010	<0.010	0.066 ¹⁰	<0.010 ¹⁰	<0.010	<0.010	<0.010	<0.95	<0.050	
MLU-1	South Yard		09/15/10	ND	<0.5	<0.5	<0.5	<1.0	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.95	<0.052	
MLU-1	South Yard		06/21/12	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MLU-1	South Yard	Field Filtered	06/21/12	ND	--	--	--	--	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	--	--	
MLU-1	South Yard		09/21/12	ND	<0.5	<0.5	<0.5	<0.31	--	--	--	--	--	--	--	--	--	
MLU-1	South Yard		09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MLU-1	South Yard	Field Filtered	09/26/12	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	0.041	
MLU-1	South Yard		12/26/12	ND	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
MLU-1	South Yard		04/22/13	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	
MLU-1	South Yard	Field Filtered	04/22/13	ND	--	--	--	--	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.40	0.097	
MLU-1	South Yard		11/01/14	ND	<0.5	<0.5	<0.5	0.051	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	<0.085	
MLU-1	South Yard		11/11/15	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	<0.13	
MLU-1	South Yard		04/18/16	ND	<0.5	<0.5	<0.5	0.035	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.23	
MLU-1	South Yard		12/07/16	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.68	<0.090	
MLU-1	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.33	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	
MLU-1	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-1	South Yard		12/06/17	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.72	<0.11	
MLU-1	South Yard		06/27/18	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard		11/28/18	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard		06/21/19	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-1	South Yard		12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.70	0.084 J	
MLU-1	South Yard		06/11/20	ND	<0.20 H	<0.20 H	<0.40 H	<0.40 H	<0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.70	<0.073	
MLU-1	South Yard		11/10/20	ND	<0.20	<0.20	<0.40	<0.40	<0.033	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.70	0.35 J	
MLU-1	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	<0.849	
MLU-1	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	<2.00	
MLU-1	South Yard		06/24/22	ND	<0.0400	0.147 J	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00	<2.00	
MLU-1	South Yard		12/16/22	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.16 J	<0.849	
MLU-1	South Yard		06/01/23	ND	<1.00	<1.00	<1.00	<0.250 J4	<0.0500	<0.0500	<0.0500	<0.0500 J4	<0.0500	<0.0500	<0.0500	<2.00	<2.00	
MLU-3	South Yard		08/20/99	ND	<1.00	<1.00	<1.00	<1.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<1.0	<1.0	
MLU-3	South Yard		10/20/99	ND	<0.500	<0.500	<0.500	0.057	0.0099	0.01	0.011	0.0075 ⁴	0.013	0.0019 ⁴	0.0075 ⁴	--	--	
MLU-3	South Yard		07/26/01	ND	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--	
MLU-3	South Yard		06/11/14	ND	<0.5	<0.5	<0.5	0.056	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.78	0.15	
MLU-3	South Yard		11/11/15	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	0.014	<0.010	0.013	<0.010	<0.010	0.79	0.22	
MLU-3	South Yard		04/18/16	ND	<0.5	<0.5	<0.5	0.036	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.54	0.18	
MLU-3	South Yard		12/07/16	ND	<0.5	<0.5	<0.5	<0.31	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.71	1.8	
MLU-3	South Yard		06/21/17	ND	<0.5	<0.5	<0.5	<0.30	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	
MLU-3	South Yard	Field Filtered	06/21/17	ND	--	--	--	--	<0.032	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-3	South Yard		12/06/17	ND	<0.5	<0.5	<0.5	<0.32	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.72	<0.11	
MLU-3	South Yard		06/27/18	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard		11/28/18	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard		06/21/19	ND	<0.5	<0.5	<0.5	<0.3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.68	<1.1	
MLU-3	South Yard		12/18/19	ND	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.0 J	0.67	
MLU-3	South Yard		06/11/20	ND	<0.20 H	<0.20 H	<0.40 H	0.034 J	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.70	<0.073	
MLU-3	South Yard		11/11/20	ND	<0.20	<0.20	<0.40	<0.32	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.70	1.3	
MLU-3	South Yard		06/28/21	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<0.180	0.950 J	
MLU-3	South Yard		01/06/22	ND	<1.00	<1.00	<1.00	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	<2.00 B	5.45 J	
MLU-3	South Yard		06/24/22	ND	<0.0400	0.147 J	<0.100	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	0.452 J	3.56	
MLU-3	South Yard		12/16/2022	ND	<0.0941	<0.278	<0.137	<0.0917	<0.0203	<0.0184	<0.0168	<0.0202	<0.0179	<0.0160	<0.0158	1.15 J	<0.849	
MLU-3	South Yard		06/02/23	ND	<1.00	<1.00	<1.00	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.458 J	<2.00	
Quality Control Samples</td																		

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals	
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982 ¹²	5
Trip Blank	NA	10/20/99	--	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	01/07/00	--	<0.500	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/13/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	06/28/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	09/29/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	01/15/01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	06/21/01	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/18/02	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/19/02	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	04/03/02	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	09/03/02	--	<0.500	<0.500	1.09	--	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	12/31/02	--	<0.500	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	06/26/03	--	<0.500	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--
Trip Blank	NA	09/15/03	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	12/15/03	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/25/04	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	09/23/04	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/14/05	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/29/06	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/21/07	--	<0.500	<0.500	<0.500	<0.500	<5.00	--	--	--	--	--	--	--	--	--
Trip Blank	NA	03/25/08	--	<0.5	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--
Field Blank	NA	08/20/99	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/20/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/22/99	--	--	--	--	--	1.1	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/22/99	--	<0.500	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/25/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	10/26/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	06/21/01	--	<1.00	<1.00	2.49	1.88	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	06/27/01	--	<1.00	<1.00	1.79	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	07/26/01	--	1.22	<1.00	4.26	<1.00	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/19/02	--	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	09/03/02	--	0.857	<0.500	3.84	--	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	12/31/02	--	<0.500	<0.500	<0.500	<0.500	--	--	--	--	--	--	--	--	--	--
Field Blank	NA	09/17/03	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	12/17/03	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/26/04	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	09/23/04	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/14/05	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/29/06	--	<0.500	<0.500	<0.500	<0.500	<1.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/21/07	--	<0.500	<0.500	<0.500	<0.500	<5.00	--	--	--	--	--	--	--	--	--
Field Blank	NA	03/25/08	--	<0.5	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--
Field Blank	NA	09/08-09/08	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	03/30-31/09	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	09/10-11/09	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	03/15/10	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	09/15/10	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	09/24/11	--	<0.2	<0.2	<0.2	<0.2	--	--	--	--	--	--	--	--	--	--
QA	NA	11/16/11	--	<0.2	<0.2	<0.2	<0.2	--	--	--	--	--	--	--	--	--	--
QA	NA	06/10/14	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	11/11/15	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA	04/18/16	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--

Appendix D
Historical Groundwater Analytical Results
Former Chevron Bulk Plant -1001327
1602 North Northlake Way
Seattle, Washington

Monitoring Well ¹	Well Location	Comments	Date Sampled	LNAPL ²	Petroleum Constituents				Carcinogenic Polycyclic Aromatic Hydrocarbons							Metals	
					Benzene	Toluene	Ethylbenzene	Naphthalene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Chrysene	Dibenz (a,h) anthracene	Indeno (1,2,3-cd) pyrene	Arsenic	Lead
Site Cleanup Level					43	48,500	6,910	9,880	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0296	0.0982¹²	5
QA	NA		12/07/16	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		06/21/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		12/05/17	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		06/26/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		11/27/18	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		06/21/19	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
QA	NA		12/18/19	--	<0.2	<0.2	<0.4	--	--	--	--	--	--	--	--	--	--
QA	NA		06/10/20	--	<0.2	<0.2	<0.4	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.70	<0.073
QA	NA		11/10/20	--	<0.20	<0.20	<0.40	--	--	--	--	--	--	--	--	--	--

Notes:

BOLD = indicates data from current reporting period

BOLD and shaded = Concentrations are greater than their respective site cleanup levels

Grey = Indicates the monitoring well is no longer present

All results are reported in micrograms per liter (µg/L)

¹Monitoring well locations are shown in Figure 3.

³Laboratory report indicates concentration exceeds the instrument calibration range.

⁴Laboratory report indicates estimated value.

⁵Laboratory report indicates the reporting limits were raised because sample dilution was necessary to bring internal standard within QC limits.

⁶Laboratory report indicates the surrogate data is outside the QC limits due to irresolvable matrix problems evident in the sample chromatogram.

⁷Laboratory report indicates due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

⁸Laboratory report indicates due to the sample matrix an initial dilution was necessary to perform the analysis. Therefore, the reporting limits for the GC/MS semivolatile compounds were raised.

⁹Laboratory report indicates due to the presence of interferents near their retention time, normal reporting limits were not attained for benzene and toluene. The presence or concentrations of these compounds cannot be determined below the reporting limits due to the presence of these interferents.

¹¹Carcinogenic polycyclic aromatic hydrocarbons, arsenic and lead samples were filtered in the field using a disposable 0.45 micron filter

¹²The arsenic Site Cleanup Level (CUL) is two orders of magnitude below the USEPA Method 6020/6020A/6020B practical quantitation limit (PQL) (or reported detection limit [RDL]) for arsenic (2 µg/L) and one order of magnitude below the USEPA Method 6020/6020A/6020B Method Detection Limit (MDL) for arsenic (varying from 0.18 to 0.95 µg/L). Therefore, any arsenic detection will exceed the arsenic Site CUL.

Acronyms and Abbreviations

LNAPL = Light nonaqueous phase liquid.

Sheen = sheen observed in water

-- = not measured or not obtainable

Laboratory Qualifiers:

< = Indicates concentration is less than the Method Detection Limit (MDL).

J = The concentration is an estimated value - the result is greater than the MDL and less than the PQL (or RDL)

B = The same analyte is found in the associated laboratory method blank.

Laboratory Analytical Methods:

Benzene, toluene, and ethylbenzene by (EPA) method 8260D

Since 2011. Polyaromatic hydrocarbons - benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene and naphthalene - by EPA method 8270C SIM, 8270D SIM or 8270E SIM. Naphthalene was also analysed by EPA method 8021B.

Since 2011. Dissolved lead and arsenic by EPA method 6020, 6020A or 6020B

Arcadis U.S., Inc.
1420 5th Avenue, Suite 2400
Seattle
Washington 98101
Phone: 206 325 5254
Fax: 206 325 8218
www.arcadis.com