



Annual Groundwater Monitoring Report

Year of 2023

United Pacific Station No. 2705486
5405 Pacific Highway East, Fife, Washington

Antea[®]Group

Understanding today.
Improving tomorrow.

PREPARED FOR

United Pacific
4130 Cover Street
Long Beach, CA 90808

January 18, 2023
Facility/Site No.: 62556434
Cleanup Site No.: 9933
VCP Project No.: SW1566

us.anteagroup.com

The logo and ANTEA are registration
trademarks of Antea USA, Inc.

Contents

Work Performed during Year of 2023.....	1
Work Scheduled for Year of 2024	1
Remarks	2
Contact Information.....	2

Table

Table 1 - Groundwater Analytical and Gauging Data

Figures

Figure 1 - Site Location Map

Figure 2 - Property Layout Map

Figure 3 - Groundwater Elevation Contour Map – 03/16/2023

Figure 4 - Groundwater Hydrocarbon Distribution Map – 03/16/2023

Figure 5 - Groundwater Flow Direction Rose Diagram

Appendix

Appendix A - Analytical Lab Reports and Chain-of-Custody Documentation

Annual Groundwater Monitoring Report

Year of 2023

United Pacific Station No. 2705486

Facility No.	2705486
Address	5405 Pacific Highway East, Fife, Washington
Consulting Co./Contact Person	Antea Group / Megan Richard
Consultant Project Number	ELT – 5486_Fife, WA
Primary Agency/Regulatory ID No.	Washington State Department of Ecology / 62556434

WORK PERFORMED DURING YEAR OF 2023

- Antea Group conducted annual groundwater monitoring and sampling on March 16, 2023.
- Antea Group prepared this Annual Groundwater Monitoring Report.
- Due to safety concerns, Antea Group decommissioned the former remediation compound on November 13, 2023.

WORK SCHEDULED FOR YEAR OF 2024

- Antea Group will conduct annual groundwater monitoring and sampling during the first quarter of 2024.
- Antea Group will prepare an Annual Groundwater Monitoring Report.

Current Phase of Project	Monitored Natural Attenuation and Compliance Sampling	
Frequency of Groundwater Sampling and Monitoring	Annual	
Are LPH Present On-Site	No	
LPH Recovered this Reporting Period	None	
Cumulative LPH Recovered to Date	Unknown	
Amount of Soil Removed to Date	Unknown	
Current Remediation Techniques	Monitored Natural Attenuation.	
Approximate Depth to Groundwater	March 16, 2023	3.90 – 7.70 ft. bgs
Groundwater Gradient	March 16, 2023	North; 0.038 ft/linear ft.

REMARKS


The recommendations contained in this report represent Antea USA, Inc.'s professional opinions based upon the currently available information and are arrived at in accordance with currently accepted professional standards. This report is based upon a specific scope of work requested by the client. The contract between Antea USA, Inc. and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea USA, Inc.'s client and anyone else specifically identified in writing by Antea USA, Inc. as a user of this report. Antea USA, Inc. will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea USA, Inc. makes no express or implied warranty as to the contents of this report.

Prepared by


Dennis Lindelof

Staff Professional

Date: January 18, 2023


Katelyn Younger
Project Professional

Date: January 18, 2023

Reviewed by:


Megan Richards, L.G.
Senior Project Manager

Date: January 18, 2023

cc: Dean Malte, Washington State Department of Ecology, Southwest Regional Office
File, Antea Group

CONTACT INFORMATION

18378-B Redmond Way
Redmond, WA 98052 USA

Toll Free +1 800 477 7411
International +1 651 639 9449



Table

Table 1 - Groundwater Analytical and Gauging Data

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-1	3/8/1991	98.28	4.25	NP	--	94.03	--	< 50	--	--	2.9	< 0.5	< 0.5	3.5	--	--	--
MW-1	3/22/1991	98.28	4.48	NP	--	93.80	--	--	--	--	--	--	--	--	--	--	--
MW-1	8/15/1991	98.28	4.49	NP	--	93.79	--	--	--	--	--	--	--	--	--	--	--
MW-1	9/19/1991	98.28	5.72	NP	--	92.56	--	--	--	--	--	--	--	--	--	--	--
MW-1	10/15/1991	98.28	5.88	NP	--	92.40	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/20/1992	103.13	4.82	NP	--	98.31	--	< 50	< 500	--	< 0.5	< 0.5	< 0.5	< 0.5	--	20	1.8
MW-1	4/6/1993	103.13	4.85	NP	--	98.28	--	< 50	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	< 3
MW-1	2/16/1994	103.13	4.82	NP	--	98.31	--	< 100	--	--	< 0.5	0.7	< 0.5	0.6	--	--	6.1
MW-1	4/14/1995	103.13	4.79	NP	--	98.34	--	< 100	--	--	0.62	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-1	7/12/1995	103.13	5.19	NP	--	97.94	--	< 100	--	--	0.59	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-1	9/26/1995	103.13	5.65	NP	--	97.48	--	< 100	--	--	0.77	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-1	12/29/1995	103.13	4.33	NP	--	98.80	--	< 100	--	--	0.79	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-1	3/20/1996	103.13	4.56	NP	--	98.57	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 2
MW-1	6/26/1996	103.13	5.10	NP	--	98.03	--	< 100	--	--	2.5	< 0.5	< 0.5	0.9	--	--	< 2
MW-1	9/19/1996	103.13	5.47	NP	--	97.66	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	< 1	--	< 2
MW-1	12/23/1996	103.13	4.58	NP	--	98.55	--	< 100	--	--	4.2	1.2	3.9	< 1.5	< 10	--	< 2
MW-1	4/16/1997	103.13	4.63	NP	--	98.50	--	< 100	--	--	1.5	< 0.5	< 0.5	< 0.5	< 5	--	< 5
MW-1	6/18/1997	103.13	4.61	NP	--	98.52	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	< 5	--	< 5
MW-1	9/15/1997	103.13	4.61	NP	--	98.52	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	< 5	--	< 5
MW-1	3/25/1998	103.13	4.35	NP	--	98.78	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.6	< 5	--	< 5
MW-1	6/23/1998	103.13	4.93	NP	--	98.20	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	--
MW-1	9/30/1998	103.13	5.91	NP	--	97.22	--	--	--	--	--	--	--	--	--	--	--
MW-1	12/28/1998	103.13	3.93	NP	--	99.20	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/24/1999	103.13	4.55	NP	--	98.58	--	--	--	--	--	--	--	--	--	--	--
MW-1	6/28/1999	103.13	5.00	NP	--	98.13	--	--	--	--	--	--	--	--	--	--	--
MW-1	10/5/1999	103.13	6.03	NP	--	97.10	--	--	--	--	--	--	--	--	--	--	--
MW-1	1/5/2000	103.13	4.73	NP	--	98.40	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/27/2000	103.13	4.62	NP	--	98.51	--	--	--	--	--	--	--	--	--	--	--
MW-1	7/1/2000	103.13	5.38	NP	--	97.75	--	--	--	--	--	--	--	--	--	--	--
MW-1	9/14/2000	103.13	5.56	NP	--	97.57	--	--	--	--	--	--	--	--	--	--	--
MW-1	12/18/2000	103.13	5.20	NP	--	97.93	--	--	--	--	--	--	--	--	--	--	--
MW-1	9/13/2001	103.13	5.70	NP	--	97.43	--	--	--	--	--	--	--	--	--	--	--
MW-1	12/6/2001	103.13	4.47	NP	--	98.66	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/16/2002	103.13	4.74	NP	--	98.39	--	--	--	--	--	--	--	--	--	--	--
MW-1	6/4/2002	103.13	4.95	NP	--	98.18	--	--	--	--	--	--	--	--	--	--	--
MW-1	12/16/2002	103.13	4.42	NP	--	98.71	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/20/2003	103.13	4.68	NP	--	98.45	--	--	--	--	--	--	--	--	--	--	--
MW-1	5/28/2003	103.13	--	--	--	--	NG	--	--	--	--	--	--	--	--	--	--
MW-1	9/5/2003	103.13	6.26	NP	--	96.87	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-1	11/6/2003	103.13	5.10	NP	--	98.03	--	--	--	--	--	--	--	--	--	--	--
MW-1	4/13/2004	103.13	5.23	NP	--	97.90	--	--	--	--	--	--	--	--	--	--	--
MW-1	11/10/2004	103.13	5.31	NP	--	97.82	--	--	--	--	--	--	--	--	--	--	--
MW-1	4/19/2005	103.13	4.87	NP	--	98.26	--	--	--	--	--	--	--	--	--	--	--
MW-1	10/26/2005	103.13	5.98	NP	--	97.15	--	--	--	--	--	--	--	--	--	--	--
MW-1	6/20/2006	103.13	5.22	NP	--	97.91	--	< 50.0	--	--	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--
MW-1	4/3/2007	103.13	--	--	--	--	NG	--	--	--	--	--	--	--	--	--	--
MW-1	4/23/2008	103.13	4.77	NP	--	98.36	--	< 50.0	--	--	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--
MW-1	11/6/2008	103.13	4.90	NP	--	98.23	--	< 50.0	--	--	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--
MW-1	6/8/2009	103.13	5.13	NP	--	98.00	--	< 50.0	< 82	< 410	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	9/10/2009	103.13	5.37	NP	--	97.76	--	< 50	79	< 380	< 1	< 1	< 1	< 3	--	--	--
MW-1	11/12/2009	103.13	4.26	NP	--	98.87	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	1/20/2010	103.13	4.03	NP	--	99.10	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	5/24/2010	103.13	4.76	NP	--	98.37	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	< 10.0
MW-1	10/25/2010	103.13	4.96	NP	--	98.17	--	< 50.0	< 75	< 380	1.5	< 1.0	1.3	< 3.0	--	< 10.0	--
MW-1	3/16/2011	103.13	3.94	NP	--	99.19	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-1	6/16/2011	103.13	4.88	NP	--	98.25	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	8/23/2011	103.13	5.31	NP	--	97.82	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	12/30/2011	103.13	4.16	NP	--	98.97	--	< 50.0	89	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	2/14/2012	103.13	7.27	NP	--	95.86	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	4/26/2012	103.13	4.10	NP	--	99.03	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	7/26/2012	103.13	4.80	NP	--	98.33	--	< 50.0	< 154	< 769	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	10/25/2012	103.13	5.08	NP	--	98.05	--	< 50.0	< 78.4	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	1/24/2013	103.13	4.64	NP	--	98.49	--	< 100	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	4/18/2013	103.13	4.09	NP	--	99.04	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	9/26/2013	103.13	4.59	NP	--	98.54	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	11/13/2013	103.13	4.52	NP	--	98.61	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	1/28/2014	103.13	4.31	NP	--	98.82	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	5/7/2014	103.13	3.97	NP	--	99.16	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	7/16/2014	103.13	5.12	NP	--	98.01	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	11/25/2014	103.13	4.32	NP	--	98.81	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	3/12/2015	103.13	4.66	NP	--	98.47	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	5/21/2015	103.13	4.84	NP	--	98.29	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	8/5/2015	103.13	5.32	NP	--	97.81	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	11/18/2015	103.13	3.59	NP	--	99.54	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	2/16/2016	103.13	3.68	NP	--	99.45	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	6/23/2016	103.13	4.80	NP	--	98.33	--	< 50	140	280	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	9/27/2016	103.13	5.19	NP	--	97.94	--	< 50	160	460	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	12/20/2016	103.13	4.02	NP	--	99.11	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-1	3/30/2017	103.13	3.72	NP	--	99.41	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	6/22/2017	103.13	4.61	NP	--	98.52	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-1	9/21/2017	103.13	5.35	NP	--	97.78	--	--	--	--	--	--	--	--	--	--	--
MW-1	12/12/2017	103.13	4.23	NP	--	98.90	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/12/2018	103.13	4.42	NP	--	98.71	--	--	--	--	--	--	--	--	--	--	--
MW-1	6/5/2018	103.13	4.90	NP	--	98.23	--	--	--	--	--	--	--	--	--	--	--
MW-1	8/28/2018	103.13	5.53	NP	--	97.60	--	--	--	--	--	--	--	--	--	--	--
MW-1	11/1/2018	103.13	4.51	NP	--	98.62	--	--	--	--	--	--	--	--	--	--	--
MW-1	1/15/2019	103.13	3.97	NP	--	99.16	--	--	--	--	--	--	--	--	--	--	--
MW-1	4/8/2019	103.13	3.96	NP	--	99.17	--	--	--	--	--	--	--	--	--	--	--
MW-1	7/30/2019	103.13	4.02	NP	--	99.11	--	--	--	--	--	--	--	--	--	--	--
MW-1	10/22/2019	103.13	3.89	NP	--	99.24	--	--	--	--	--	--	--	--	--	--	--
MW-1	1/22/2020	103.13	3.94	NP	--	99.19	--	--	--	--	--	--	--	--	--	--	--
MW-1	4/29/2020	103.13	4.41	NP	--	98.72	--	--	--	--	--	--	--	--	--	--	--
MW-1	2/2/2021	103.13	3.82	NP	--	99.31	--	--	--	--	--	--	--	--	--	--	--
MW-1	3/16/2023	103.13	4.08	NP	--	99.05	--	--	--	--	--	--	--	--	--	--	--
MW-2	3/8/1991	97.59	4.24	NP	--	93.35	--	70,000	--	--	16,000	6,800	3,600	14,000	--	--	--
MW-2	3/22/1991	97.59	4.51	NP	--	93.08	--	--	--	--	--	--	--	--	--	--	--
MW-2	8/15/1991	97.59	5.31	NP	--	92.28	--	--	--	--	--	--	--	--	--	--	--
MW-2	9/19/1991	97.59	5.55	NP	--	92.04	--	--	--	--	--	--	--	--	--	--	--
MW-2	10/15/1991	97.59	5.60	NP	--	91.99	--	--	--	--	--	--	--	--	--	--	--
MW-2	3/20/1992	102.29	4.74	NP	--	97.55	--	170,000	32,000	--	12,000	8,700	3,900	13,000	--	140	8.5
MW-2	4/6/1993	102.29	4.70	NP	--	97.59	--	62,000	--	--	15,000	2,400	3,800	7,500	--	5	< 3
MW-2	2/16/1994	102.29	4.50	NP	--	97.79	--	35,000	--	--	12,000	3,600	2,300	5,500	--	< 3	--
MW-2	4/14/1995	102.29	4.70	NP	--	97.59	--	57,000	--	--	14,000	3,200	3,600	7,900	--	--	< 3
MW-2	7/12/1995	102.29	5.35	NP	--	96.94	--	34,000	--	--	18,000	1,000	3,900	5,500	--	< 3	--
MW-2	9/26/1995	102.29	5.75	NP	--	96.54	--	39,000	--	--	18,000	700	3,300	4,500	--	--	< 3
MW-2	12/29/1995	102.29	4.26	NP	--	98.03	--	40,000	--	--	9,600	2,300	2,200	6,600	--	< 3	--
MW-2	3/20/1996	102.29	4.62	NP	--	97.67	--	37,000	--	--	14,000	1,400	2,200	4,000	--	--	< 2
MW-2	6/2/1996	102.29	5.24	NP	--	97.05	--	31,000	--	--	13,000	1,700	2,100	4,400	--	< 2	--
MW-2	9/19/1996	102.29	5.53	NP	--	96.76	--	31,000	--	--	18,000	560	2,900	3,400	< 10	--	< 2
MW-2	12/23/1996	102.29	4.48	NP	--	97.81	--	30,000	--	--	9,300	840	2,100	4,300	< 500	< 2	--
MW-2	4/16/1997	102.29	4.63	NP	--	97.66	--	28,000	--	--	4,400	830	1,100	4,000	< 50	--	< 5
MW-2	6/18/1997	102.29	4.96	NP	--	97.33	--	24,000	--	--	7,700	520	1,700	2,900	< 2000	< 5	--
MW-2	9/15/1997	102.29	5.30	NP	--	96.99	--	19,000	--	--	11,000	260	2,400	3,000	< 10	--	< 5
MW-2	3/25/1998	102.29	4.41	NP	--	97.88	--	19,100	--	--	10,500	280	3,000	4,000	< 250	< 5	--
MW-2	6/23/1998	102.29	5.20	NP	--	97.09	--	21,900	--	--	10,100	370	2,600	4,100	< 500	--	--
MW-2	9/30/1998	102.29	5.77	NP	--	96.52	--	18,000	--	--	9,200	160	1,800	2,300	120	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-2	12/28/1998	102.29	3.87	NP	--	98.42	--	28,000	--	--	6,500	270	1,700	3,400	< 25	--	--
MW-2	3/24/1999	102.29	4.51	NP	--	97.78	--	24,000	--	--	6,600	460	1,600	2,800	< 25	--	--
MW-2	6/28/1999	102.29	5.10	NP	--	97.19	--	12,000	--	--	7,600	120	1,200	1,200	< 25	--	--
MW-2	10/5/1999	102.29	5.82	NP	--	96.47	--	23,000	--	--	6,100	71	1,000	620	< 25	--	--
MW-2	1/5/2000	102.29	4.62	NP	--	97.67	--	19,000	--	--	6,100	450	990	2,700	< 5	--	--
MW-2	3/27/2000	102.29	4.57	NP	--	97.72	--	22,000	--	--	7,700	290	1,200	2,400	< 5	--	--
MW-2	7/1/2000	102.29	5.38	NP	--	96.91	--	22,000	--	--	7,700	290	1,200	2,400	< 5	--	--
MW-2	9/14/2000	102.29	5.59	NP	--	96.70	--	16,000	--	--	7,400	85	860	530	20	--	--
MW-2	12/18/2000	102.29	4.69	NP	--	97.60	--	19,000	--	--	6,200	64	770	890	< 40	--	--
MW-2	9/13/2001	102.29	5.63	NP	--	96.66	--	30,000	--	--	7,100	200	1,900	2,700	< 4	--	--
MW-2	12/6/2001	102.29	4.33	NP	--	97.96	--	21,000	--	--	6,300	280	650	1,100	45	--	--
MW-2	3/16/2002	102.29	4.61	NP	--	97.68	--	16,000	--	--	5,300	150	760	1,100	51	--	--
MW-2	6/4/2002	102.29	5.20	NP	--	97.09	--	15,000	--	--	6,500	120	820	1,000	< 20	--	--
MW-2	12/16/2002	102.29	4.40	NP	--	97.89	--	14,700	--	--	4,380	78.1	210	240	32.1	--	--
MW-2	3/20/2003	102.29	4.53	NP	--	97.76	--	13,700	--	--	3,680	119	383	545	< 100	--	--
MW-2	5/28/2003	102.29	5.31	NP	--	96.98	--	13,200	--	--	4,010	132	333	503	25.5	--	--
MW-2	9/5/2003	102.29	6.11	NP	--	96.18	--	9,830	--	--	3,690	59.2	117	248	< 20	--	--
MW-2	11/6/2003	102.29	4.96	NP	--	97.33	--	10,300	--	--	3,110	55.2	94.6	146	< 250	--	--
MW-2	4/13/2004	102.29	5.31	NP	--	96.98	--	19,500	--	--	4,550	173	696	28.6	61.8	--	--
MW-2	11/10/2004	102.29	5.20	NP	--	97.09	--	13,900	--	--	3,270	139	802	1,170	< 40	--	--
MW-2	4/19/2005	102.29	4.58	NP	--	97.71	--	10,800	--	--	4,290	81	225	490	< 100	--	--
MW-2	10/26/2005	102.29	5.60	NP	--	96.69	--	14,400	--	--	3,480	188	299	838	< 1	--	--
MW-2	6/20/2006	102.29	5.15	NP	--	97.14	--	16,700	--	--	3,960	138	302	942	2.49	--	--
MW-2	4/3/2007	102.29	4.48	NP	--	97.81	--	11,400	--	--	779	62.1	49.2	183	--	--	--
MW-2	4/23/2008	102.29	4.72	NP	--	97.57	--	15,600	--	--	1,910	723	187	918	< 20	--	--
MW-2	11/6/2008	102.29	4.73	NP	--	97.56	--	13,000	--	--	2,050	103	56.3	1,230	< 1	--	--
MW-2	6/8/2009	102.29	5.10	NP	--	97.19	--	954	390	780	184	133	31.8	165	--	--	--
MW-2	9/10/2009	102.39	5.22	NP	--	97.17	--	54.1	120	380	4	3.3	1.9	9.6	--	--	--
MW-2	11/12/2009	102.39	4.35	NP	--	98.04	--	< 50.0	110	< 380	2.8	2.2	< 1.0	3.5	--	--	--
MW-2	1/20/2010	102.39	4.10	NP	--	98.29	--	79.4	120	560	8.3	< 1.0	2	4.7	--	--	--
MW-2	5/24/2010	102.39	4.74	NP	--	97.65	--	126	< 76	< 380	36	3.6	5.4	15.8	--	< 10.0	< 10.0
MW-2	10/25/2010	102.39	4.94	NP	--	97.45	--	7,920	240	< 380	2,040	297	217	1,150	--	< 10.0	--
MW-2	3/16/2011	102.39	3.94	NP	--	98.45	--	3,200	< 75	< 380	517	75.9	43.1	347	--	< 10.0	--
MW-2	6/16/2011	102.39	4.96	NP	--	97.43	--	3,050	120	< 380	547	61.5	66.5	393	--	--	--
MW-2	8/23/2011	102.39	4.97	NP	--	97.42	--	5,170	420	< 380	1,930	133	141	917	--	--	--
MW-2	12/30/2011	102.39	4.19	NP	--	98.20	--	5,750	190	< 380	1,140	64.9	78.1	877	--	--	--
MW-2	2/14/2012	102.39	4.28	NP	--	98.11	--	275	< 76	< 380	4.6	< 1.0	1.1	9.9	--	--	--
MW-2	4/26/2012	102.39	4.23	NP	--	98.16	--	365	140	570	75.4	5.9	12.2	29.8	--	--	--
MW-2	7/26/2012	102.39	4.86	NP	--	97.53	--	1,890	< 154	< 769	318	35.7	55.9	265	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-2	10/25/2012	102.39	5.00	NP	--	97.39	--	4,670	131	< 392	705	43.5	49.2	466	--	--	--
MW-2	1/24/2013	102.39	4.55	NP	--	97.84	--	< 100	< 200	210	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	4/18/2013	102.39	4.29	NP	--	98.10	--	198	< 400	< 400	82.8	< 1.0	< 1.0	4.6	--	--	--
MW-2	9/26/2013	102.39	4.60	NP	--	97.79	--	250	< 130	< 250	1.5	1.2	2.3	30	--	--	--
MW-2	11/13/2013	102.39	4.58	NP	--	97.81	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	1/28/2014	102.39	4.48	NP	--	97.91	--	170	< 130	< 250	< 1.0	< 1.0	1.4	8.6	--	--	--
MW-2	5/7/2014	102.39	4.11	NP	--	98.28	--	230	240	< 250	4.5	3.9	8.3	34	--	--	--
MW-2	7/16/2014	102.39	5.05	NP	--	97.34	--	990	300	< 250	19	12	42	69	--	--	--
MW-2	11/25/2014	102.39	6.07	NP	--	96.32	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	3/12/2015	102.39	4.76	NP	--	97.63	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	5/21/2015	102.39	4.96	NP	--	97.43	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	8/5/2015	102.39	5.36	NP	--	97.03	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	11/18/2015	102.39	3.30	NP	--	99.09	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	2/16/2016	102.39	3.88	NP	--	98.51	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	6/23/2016	102.39	4.63	NP	--	97.76	--	< 50	170	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	9/27/2016	102.39	4.98	NP	--	97.41	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	12/20/2016	102.39	4.11	NP	--	98.28	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	1/25/2017	102.39	4.15	NP	--	98.24	--	--	< 130	< 250	--	--	--	--	--	--	--
MW-2	3/30/2017	102.39	3.69	NP	--	98.70	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-2	6/22/2017	102.39	4.51	NP	--	97.88	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	9/21/2017	102.39	5.03	NP	--	97.36	--	< 50	180	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	12/12/2017	102.39	4.15	NP	--	98.24	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	3/12/2018	102.39	4.27	NP	--	98.12	--	< 50	170	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	6/5/2018	102.39	4.74	NP	--	97.65	--	< 50	190	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	8/28/2018	102.39	5.20	NP	--	97.19	--	< 50	340	310	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	11/1/2018	102.39	4.25	NP	--	98.14	--	< 50	150	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	1/15/2019	102.39	3.94	NP	--	98.45	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	4/8/2019	102.39	4.16	NP	--	98.23	--	< 50	250	280	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	7/30/2019	102.39	4.74	NP	--	97.65	--	< 50	380	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-2	10/22/2019	102.39	4.00	NP	--	98.39	--	--	--	--	--	--	--	--	--	--	--
MW-2	1/22/2020	102.39	3.84	NP	--	98.55	--	--	--	--	--	--	--	--	--	--	--
MW-2	4/29/2020	102.39	4.20	NP	--	98.19	--	--	--	--	--	--	--	--	--	--	--
MW-2	2/2/2021	102.39	3.55	NP	--	98.84	--	--	--	--	--	--	--	--	--	--	--
MW-2	3/16/2023	102.39	4.23	NP	--	98.16	--	--	--	--	--	--	--	--	--	--	--
MW-3	3/8/1991	97.92	4.52	NP	--	93.40	--	150	--	--	6.5	< 0.5	< 0.5	< 0.5	--	--	--
MW-3	3/22/1991	97.92	4.78	NP	--	93.14	--	--	--	--	--	--	--	--	--	--	--
MW-3	8/15/1991	97.92	5.62	NP	--	92.30	--	--	--	--	--	--	--	--	--	--	--
MW-3	9/19/1991	97.92	5.84	NP	--	92.08	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-3	10/15/1991	97.92	5.88	NP	--	92.04	--	--	--	--	--	--	--	--	--	--	--
MW-3	3/20/1992	102.92	5.01	NP	--	97.91	--	370	640	--	16	< 0.5	3.5	2.1	--	19	2.1
MW-3	4/6/1993	102.92	5.00	NP	--	97.92	--	460	--	--	14	1.3	1.8	4.1	--	< 3	< 3
MW-3	2/16/1994	102.92	4.80	NP	--	98.12	--	760	--	--	11	1.3	1.8	6.3	--	--	< 3
MW-3	4/14/1995	102.92	4.95	NP	--	97.97	--	1,400	--	--	19	< 0.5	3.3	2.9	--	--	< 3
MW-3	7/12/1995	102.92	5.61	NP	--	97.31	--	1,100	--	--	14	< 0.5	3.6	3.7	--	--	< 3
MW-3	9/26/1995	102.92	6.01	NP	--	96.91	--	570	--	--	14	< 0.5	0.77	2	--	--	< 3
MW-3	12/29/1995	102.92	4.50	NP	--	98.42	--	1,400	--	--	14	< 0.5	2.4	4	--	--	< 3
MW-3	3/20/1996	102.92	4.89	NP	--	98.03	--	1,100	--	--	14	< 0.5	4.8	3.5	--	--	< 2
MW-3	6/26/1996	102.92	5.44	NP	--	97.48	--	--	--	--	--	--	--	--	--	--	--
MW-3	9/19/1996	102.92	5.76	NP	--	97.16	--	--	--	--	--	--	--	--	--	--	--
MW-3	3/25/1998	102.92	--	--	--	--	NG	1,600	--	--	13	0.56	5.3	19	< 5	--	< 5
MW-3	12/28/1998	102.92	--	--	--	--	NG	1,900	--	--	23	< 5.0	5.6	7.8	< 5	--	--
MW-3	6/28/1999	102.92	--	--	--	--	NG	540	--	--	24	< 1.0	1.3	< 1.0	< 1.0	--	--
MW-3	12/18/2000	102.92	5.20	NP	--	97.72	--	--	--	--	--	--	--	--	--	--	--
MW-3	9/13/2001	102.92	5.88	NP	--	97.04	--	--	--	--	--	--	--	--	--	--	--
MW-3	12/6/2001	102.92	4.59	NP	--	98.33	--	--	--	--	--	--	--	--	--	--	--
MW-3	3/16/2002	102.92	4.89	NP	--	98.03	--	--	--	--	--	--	--	--	--	--	--
MW-3	6/4/2002	102.92	5.51	NP	--	97.41	--	1,300	--	--	37	1.1	4.1	< 3.0	< 4.0	--	--
MW-3	12/16/2002	102.92	4.88	NP	--	98.04	--	1,100	--	--	24	< 0.500	1.19	3.52	1.06	--	--
MW-3	3/20/2003	102.92	4.80	NP	--	98.12	--	--	--	--	--	--	--	--	--	--	--
MW-3	5/28/2003	102.92	5.63	NP	--	97.29	--	878	--	--	28.4	< 0.500	0.981	3.02	1.03	--	--
MW-3	9/5/2003	102.92	6.37	NP	--	96.55	--	--	--	--	--	--	--	--	--	--	--
MW-3	11/6/2003	102.92	5.13	NP	--	97.79	--	--	--	--	--	--	--	--	--	--	--
MW-3	4/13/2004	102.92	5.58	NP	--	97.34	--	8,360	--	--	44.4	< 0.500	4.38	36.6	< 1	--	--
MW-3	11/10/2004	102.92	5.45	NP	--	97.47	--	1,420	--	--	45.4	< 0.500	2.68	< 1.00	< 2.00	--	--
MW-3	4/19/2005	102.92	4.85	NP	--	98.07	--	957	--	--	41.3	< 0.500	1.7	< 1.00	< 2.00	--	--
MW-3	10/26/2005	102.92	5.83	NP	--	97.09	--	4,190	--	--	8.87	< 0.500	0.54	< 1.00	< 1.00	--	--
MW-3	6/20/2006	102.92	5.13	NP	--	97.79	--	1,590	--	--	37.3	< 0.500	2.2	< 1.00	< 1.00	--	--
MW-3	4/3/2007	102.92	--	--	--	--	NG	--	--	--	--	--	--	--	--	--	--
MW-3	4/23/2008	102.92	4.97	NP	--	97.95	--	1,300	--	--	19.8	< 0.500	< 0.500	< 3.00	< 1.00	--	--
MW-3	11/6/2008	102.92	4.96	NP	--	97.96	--	1,410	--	--	17.9	< 0.500	0.55	< 3.00	< 1.00	--	--
MW-3	6/8/2009	102.92	5.41	NP	--	97.51	--	871	2,500	640	19.8	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	9/10/2009	102.86	5.47	NP	--	97.39	--	3,080	6,400	2,000	16.6	< 1	1.4	< 3	--	--	--
MW-3	11/12/2009	102.86	4.75	NP	--	98.11	--	683	660	< 380	9.5	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	1/20/2010	102.86	4.38	NP	--	98.48	--	930	--	--	14.5	< 1.0	1.3	< 3.0	--	--	--
MW-3	5/24/2010	102.86	5.02	NP	--	97.84	--	764	2,900	< 380	20.5	< 1.0	< 1.0	< 3.0	--	< 10.0	< 10.0
MW-3	10/25/2010	102.86	5.21	NP	--	97.65	--	830	150	< 380	23.8	< 1.0	1	< 3.0	--	< 10.0	--
MW-3	3/15/2011	102.86	5.08	NP	--	97.78	--	1,210	110	< 380	18.7	< 1.0	< 1.0	< 3.0	--	< 10.0	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-3	6/16/2011	102.86	5.26	NP	--	97.60	--	885	< 75	< 380	14.9	< 1.0	1.1	< 3.0	--	--	--
MW-3	8/23/2011	102.86	5.49	NP	--	97.37	--	1,000	140	< 380	22.8	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	12/30/2011	102.86	4.48	NP	--	98.38	--	1,050	91	< 380	16	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	2/14/2012	102.86	5.03	NP	--	97.83	--	1,410	< 76	< 380	12	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	4/26/2012	102.86	5.00	NP	--	97.86	--	1,120	98	< 380	10.4	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	7/26/2012	102.86	5.16	NP	--	97.70	--	1,400	247	< 769	9.4	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	10/25/2012	102.86	5.25	NP	--	97.61	--	1,190	605	< 377	4	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	1/24/2013	102.86	4.83	NP	--	98.03	--	659	790	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	4/18/2013	102.86	4.62	NP	--	98.24	--	469	< 400	< 400	1.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	9/26/2013	102.86	4.85	NP	--	98.01	--	510	790	270	1.7	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	11/13/2013	102.86	11.34	NP	--	91.52	--	370	610	< 250	2.1	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	1/28/2014	102.86	4.85	NP	--	98.01	--	170	220	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	5/7/2014	102.86	5.23	NP	--	97.63	--	< 50	340	610	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	7/16/2014	102.86	5.32	NP	--	97.54	--	67	340	490	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	11/25/2014	102.86	4.52	NP	--	98.34	--	< 50	< 130	780	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	3/12/2015	102.86	4.88	NP	--	97.98	--	< 50	160	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	5/21/2015	102.86	5.08	NP	--	97.78	--	< 50	280	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	8/5/2015	102.86	5.57	NP	--	97.29	--	< 50	310	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	11/18/2015	102.86	3.73	NP	--	99.13	--	< 50	130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	2/16/2016	102.86	3.55	NP	--	99.31	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	6/23/2016	102.86	4.94	NP	--	97.92	--	< 50	350	390	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	9/27/2016	102.86	5.21	NP	--	97.65	--	58	530	380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	12/20/2016	102.86	4.38	NP	--	98.48	--	< 50	290	450	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	3/30/2017	102.86	3.99	NP	--	98.87	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	6/22/2017	102.86	4.82	NP	--	98.04	--	< 50	190	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	9/21/2017	102.86	5.35	NP	--	97.51	--	< 50	640	410	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	12/12/2017	102.86	4.47	NP	--	98.39	--	< 50	240	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	3/12/2018	102.86	4.56	NP	--	98.30	--	< 50	400	340	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	6/5/2018	102.86	5.05	NP	--	97.81	--	< 50	630	300	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	8/28/2018	102.86	5.53	NP	--	97.33	--	130	1,600	650	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	11/1/2018	102.86	4.55	NP	--	98.31	--	55	350	2,000	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	1/15/2019	102.86	4.24	NP	--	98.62	--	90	2,500	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	2/27/2019	102.86	4.33	NP	--	98.53	--	--	--	--	--	--	--	--	--	--	--
MW-3	4/8/2019	102.86	4.46	NP	--	98.40	--	< 50	1,600	630	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	4/10/2019	102.86	4.41	NP	--	98.45	--	--	--	--	--	--	--	--	--	--	--
MW-3	4/23/2019	102.86	4.57	NP	--	98.29	--	--	--	--	--	--	--	--	--	--	--
MW-3	4/24/2019	--	--	--	--	--	--	< 50	1,100	660	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	5/9/2019	102.86	4.80	NP	--	98.06	--	< 50	1,200	360	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	5/30/2019	102.86	4.91	NP	--	97.95	--	< 50	1,300	530	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-3	6/12/2019	102.86	4.94	NP	--	97.92	--	< 50	1,700	550	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	6/26/2019	102.86	5.07	NP	--	97.79	--	< 50	1,400	440	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	7/11/2019	102.86	4.79	NP	--	98.07	--	68	1,600	570	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	7/24/2019	102.86	5.05	NP	--	97.81	--	< 50	1,600	590	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	7/30/2019	102.86	5.05	NP	--	97.81	--	< 50	1,600	630	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	8/6/2019	102.86	5.13	NP	--	97.73	--	59	1,500	550	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	8/23/2019	102.86	4.95	NP	--	97.91	--	< 50	1,400	510	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	9/18/2019	102.86	4.51	NP	--	98.35	--	< 50	1,700	560	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	10/22/2019	102.86	4.31	NP	--	98.55	--	< 50	1,800	660	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	11/6/2019	102.86	4.60	NP	--	98.26	--	--	--	--	--	--	--	--	--	--	--
MW-3	12/4/2019	--	--	--	--	--	--	< 50	1,000	470	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	1/22/2020	102.86	4.15	NP	--	98.71	--	74	980	440 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	2/21/2020	102.86	4.40	NP	--	98.46	--	57	720	280	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	3/31/2020	102.86	4.30	NP	--	98.56	--	< 50	550	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	4/29/2020	102.86	4.90	NP	--	97.96	--	83	770	390	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	2/2/2021	102.86	4.01	NP	--	98.85	--	110	530	270	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-3	3/16/2023	102.86	4.56	NP	--	98.30	--	< 50	790	340	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	3/8/1991	98.60	4.49	NP	--	94.11	--	100,000	--	--	10,000	33,000	2,800	21,000	--	--	--
MW-4	3/22/1991	98.60	4.65	NP	--	93.95	--	--	--	--	--	--	--	--	--	--	--
MW-4	8/15/1991	98.60	6.12	NP	--	92.48	--	--	--	--	--	--	--	--	--	--	--
MW-4	9/19/1991	98.60	5.04	NP	--	93.56	--	--	--	--	--	--	--	--	--	--	--
MW-4	10/15/1991	98.60	6.46	NP	--	92.14	--	--	--	--	--	--	--	--	--	--	--
MW-4	3/20/1992	103.45	4.85	NP	--	98.60	--	270,000	40,000	--	8,700	29,000	4,500	23,000	--	77	29
MW-4	4/6/1993	103.45	4.85	NP	--	98.60	--	120,000	--	--	5,000	22,000	5,000	25,000	--	13	6
MW-4	2/16/1994	103.45	5.31	NP	--	98.14	--	110,000	--	--	5,000	19,000	3,400	17,000	--	--	8
MW-4	4/14/1995	103.45	4.80	NP	--	98.65	--	78,000	--	--	2,600	6,100	2,600	14,000	--	--	< 3
MW-4	7/12/1995	103.45	5.50	NP	--	97.95	--	10,000	--	--	630	1,200	380	2,400	--	--	13
MW-4	9/26/1995	103.45	6.00	NP	--	97.45	--	3,400	--	--	120	380	75	560	--	--	7.5
MW-4	12/29/1995	103.45	4.45	NP	--	99.00	--	31,000	--	--	840	2,500	730	5,300	--	--	8.3
MW-4	3/20/1996	103.45	4.75	NP	--	98.70	--	30,000	--	--	760	2,000	590	3,900	--	--	8
MW-4	6/26/1996	103.45	5.50	NP	--	97.95	--	36,000	--	--	1,900	3,600	1,300	6,700	--	--	5
MW-4	9/19/1996	103.45	6.13	NP	--	97.32	--	48,000	--	--	3,100	9,500	1,700	8,700	< 1	--	4
MW-4	12/23/1996	103.45	4.82	NP	--	98.63	--	34,000	--	--	1,200	1,400	1,100	5,300	< 500	--	3
MW-4	4/16/1997	103.45	4.92	NP	--	98.53	--	27,000	--	--	640	640	660	3,400	< 50	--	< 5
MW-4	6/18/1997	103.45	5.20	NP	--	98.25	--	22,000	--	--	650	500	550	2,900	< 100	--	< 5
MW-4	9/15/1997	103.45	5.53	NP	--	97.92	--	27,000	--	--	1,200	910	1,000	4,100	< 50	--	< 5
MW-4	3/25/1998	103.45	4.74	NP	--	98.71	--	16,800	--	--	1,000	680	1,300	4,500	< 100	--	< 5
MW-4	6/23/1998	103.45	5.35	NP	--	98.10	--	27,800	--	--	1,200	650	1,800	5,200	< 100	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-4	9/30/1998	103.45	6.52	NP	--	96.93	--	31,000	--	--	1,900	930	2,500	4,500	54	--	--
MW-4	12/28/1998	103.45	4.58	NP	--	98.87	--	22,000	--	--	700	200	1,100	2,800	< 5	--	--
MW-4	3/24/1999	103.45	5.59	NP	--	97.86	--	2,500	--	--	730	130	1,400	2,700	< 25	--	--
MW-4	6/28/1999	103.45	5.59	NP	--	97.86	--	19,000	--	--	730	130	1,400	2,700	< 25	--	--
MW-4	10/5/1999	103.45	6.57	NP	--	96.88	--	22,000	--	--	1,300	660	1,800	3,000	< 5	--	--
MW-4	1/5/2000	103.45	4.95	NP	--	98.50	--	13,000	--	--	1,000	150	160	3,200	< 5	--	--
MW-4	3/27/2000	103.45	4.81	NP	--	98.64	--	14,000	--	--	830	130	1,200	2,200	< 5	--	--
MW-4	7/1/2000	103.45	5.67	NP	--	97.78	--	14,000	--	--	830	130	1,200	2,200	< 5	--	--
MW-4	9/14/2000	103.45	6.14	NP	--	97.31	--	12,000	--	--	1,000	130	1,300	1,800	18	--	--
MW-4	12/18/2000	103.45	5.27	NP	--	98.18	--	13,000	--	--	810	< 10	1,000	1,200	61	--	--
MW-4	9/13/2001	103.45	6.21	NP	--	97.24	--	15,000	--	--	680	84	1,600	810	< 4	--	--
MW-4	12/6/2001	103.45	4.50	NP	--	98.95	--	2,400	--	--	59	17	120	160	< 20	--	--
MW-4	3/16/2002	103.45	4.13	NP	--	99.32	--	4,400	--	--	140	33	220	290	62	--	--
MW-4	6/4/2002	103.45	5.51	NP	--	97.94	--	5,000	--	--	180	42	320	370	< 4	--	--
MW-4	12/16/2002	103.45	5.09	NP	--	98.36	--	625	--	--	10.7	2.63	39.8	22.5	4.38	--	--
MW-4	3/20/2003	103.45	4.50	NP	--	98.95	--	841	--	--	58.4	12.4	88.7	64.4	< 5	--	--
MW-4	5/28/2003	103.45	5.47	NP	--	97.98	--	2,220	--	--	196	44.4	286	190	17.7	--	--
MW-4	9/5/2003	103.45	6.77	NP	--	96.68	--	6,370	--	--	619	96.5	864	323	< 10	--	--
MW-4	11/6/2003	103.45	5.27	NP	--	98.18	--	10,100	--	--	583	91.9	1,260	291	< 250	--	--
MW-4	4/13/2004	103.45	5.55	NP	--	97.90	--	< 50.0	--	--	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--
MW-4	11/10/2004	103.45	5.22	NP	--	98.23	--	4,560	--	--	200	42.8	224	197	< 4	--	--
MW-4	4/19/2005	103.45	4.27	NP	--	99.18	--	2,370	--	--	78.9	15.1	50.2	52	< 2	--	--
MW-4	10/26/2005	103.45	6.02	NP	--	97.43	--	4,730	--	--	307	49.1	221	104	< 4	--	--
MW-4	6/20/2006	103.45	5.41	NP	--	98.04	--	4,620	--	--	176	24.2	50	59.4	< 1	--	--
MW-4	4/3/2007	103.45	4.50	NP	--	98.95	--	3,810	--	--	326	65.8	17.6	32.1	--	--	--
MW-4	4/23/2008	103.45	4.59	NP	--	98.86	--	1,810	--	--	24.9	2.3	< 0.500	4.55	< 1.00	--	--
MW-4	11/6/2008	103.45	4.55	NP	--	98.90	--	986	--	--	6.58	0.8	0.51	< 3.00	< 1.00	--	--
MW-4	6/8/2009	103.45	5.34	NP	--	98.11	--	1,790	1,100	940	110	12.1	3.8	18.5	--	--	--
MW-4	9/10/2009	103.31	5.36	NP	--	97.95	--	1,370	690	410	30.6	1.5	3.1	8.7	--	--	--
MW-4	11/12/2009	103.31	4.85	NP	--	98.46	--	1,320	360	< 380	56.6	4	1.1	10.2	--	--	--
MW-4	1/20/2010	103.31	4.02	NP	--	99.29	--	1,520	260	< 380	31.4	2.3	3.8	6.4	--	--	--
MW-4	5/24/2010	103.31	4.93	NP	--	98.38	--	1,080	280	< 380	41.1	4.9	2.7	12.3	--	< 10.0	< 10.0
MW-4	10/25/2010	103.31	5.66	NP	--	97.65	--	1,770	300	< 380	79.5	16.7	22.2	34	--	< 10.0	--
MW-4	3/16/2011	103.31	4.27	NP	--	99.04	--	2,460	220	< 380	70.3	7.4	8.5	22.3	--	< 10.0	--
MW-4	6/16/2011	103.31	5.30	NP	--	98.01	--	2,790	260	< 380	45.7	4.1	1.2	11.9	--	--	--
MW-4	8/23/2011	103.31	5.50	NP	--	97.81	--	2,090	340	< 380	65.1	7	3.8	15.1	--	--	--
MW-4	12/30/2011	103.31	4.43	NP	--	98.88	--	1,660	210	< 380	24.2	1.7	< 1.0	5	--	--	--
MW-4	2/14/2012	103.31	4.32	NP	--	98.99	--	1,300	190	< 380	6.5	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	4/26/2012	103.31	4.41	NP	--	98.90	--	1,230	220	< 380	10.6	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH-Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-4	7/26/2012	103.31	5.35	NP	--	97.96	--	1,190	174	< 769	25.3	2.5	< 1.0	6.2	--	--	--
MW-4	10/25/2012	103.31	5.65	NP	--	97.66	--	1,330	136	< 392	57	5.1	4.9	6.5	--	--	--
MW-4	1/24/2013	103.31	4.72	NP	--	98.59	--	923	210	< 200	7.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	4/18/2013	103.31	4.24	NP	--	99.07	--	645	< 400	< 400	3.1	< 1.0	2.1	< 3.0	--	--	--
MW-4	9/26/2013	103.31	4.91	NP	--	98.40	--	150	360	< 250	2.4	< 1.0	2.6	< 3.0	--	--	--
MW-4	11/13/2013	103.31	4.56	NP	--	98.75	--	210	530	< 250	2.5	< 1.0	1.8	< 3.0	--	--	--
MW-4	1/28/2014	103.31	4.60	NP	--	98.71	--	400	430	< 250	5.5	< 1.0	2.8	< 3.0	--	--	--
MW-4	5/7/2014	103.31	4.15	NP	--	99.16	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	7/16/2014	103.31	5.40	NP	--	97.91	--	270	440	< 250	2.2	< 1.0	3.3	3.1	--	--	--
MW-4	11/25/2014	103.31	5.20	NP	--	98.11	--	< 50	250	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	3/12/2015	103.31	4.92	NP	--	98.39	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	5/21/2015	103.31	4.99	NP	--	98.32	--	< 50	140	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	8/5/2015	103.31	5.74	NP	--	97.57	--	< 50	210	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	11/18/2015	103.31	3.85	NP	--	99.46	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	2/16/2016	103.31	3.80	NP	--	99.51	--	< 50	130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	5/23/2016	103.31	4.80	NP	--	98.51	--	--	240	< 250	--	--	--	--	--	--	--
MW-4	6/23/2016	103.31	5.12	NP	--	98.19	--	570	490	340	7.8	1	21	4.8	--	--	--
MW-4	9/27/2016	103.31	5.65	NP	--	97.66	--	< 50	260	370	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	12/20/2016	103.31	4.24	NP	--	99.07	--	< 50	210	480	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	3/30/2017	103.31	3.97	NP	--	99.34	--	< 50	190	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	6/22/2017	103.31	4.75	NP	--	98.56	--	< 50	360	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-4	9/21/2017	103.31	5.78	NP	--	97.53	--	--	--	--	--	--	--	--	--	--	--
MW-4	12/12/2017	103.31	4.35	NP	--	98.96	--	--	--	--	--	--	--	--	--	--	--
MW-4	3/12/2018	103.31	4.56	NP	--	98.75	--	--	--	--	--	--	--	--	--	--	--
MW-4	6/5/2018	103.31	5.15	NP	--	98.16	--	--	--	--	--	--	--	--	--	--	--
MW-4	8/28/2018	103.31	5.95	NP	--	97.36	--	--	--	--	--	--	--	--	--	--	--
MW-4	11/1/2018	103.31	4.84	NP	--	98.47	--	--	--	--	--	--	--	--	--	--	--
MW-4	1/15/2019	103.31	4.21	NP	--	99.10	--	--	--	--	--	--	--	--	--	--	--
MW-4	4/8/2019	103.31	4.57	NP	--	98.74	--	--	--	--	--	--	--	--	--	--	--
MW-4	7/30/2019	103.31	5.32	NP	--	97.99	--	--	--	--	--	--	--	--	--	--	--
MW-4	10/22/2019	103.31	4.06	NP	--	99.25	--	--	--	--	--	--	--	--	--	--	--
MW-4	1/22/2020	103.31	4.23	NP	--	99.08	--	--	--	--	--	--	--	--	--	--	--
MW-4	4/29/2020	103.31	4.62	NP	--	98.69	--	--	--	--	--	--	--	--	--	--	--
MW-4	2/2/2021	103.31	4.12	NP	--	99.19	--	--	--	--	--	--	--	--	--	--	--
MW-4	3/16/2023	103.31	4.74	NP	--	98.57	--	--	--	--	--	--	--	--	--	--	--
MW-5	3/8/1991	98.55	4.25	NP	--	94.30	--	9,800	--	--	2,000	2,900	270	1,700	--	--	--
MW-5	3/22/1991	98.55	4.55	NP	--	94.00	--	--	--	--	--	--	--	--	--	--	--
MW-5	8/15/1991	98.55	5.51	NP	--	93.04	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-5	9/19/1991	98.55	5.69	NP	--	92.86	--	--	--	--	--	--	--	--	--	--	--
MW-5	10/15/1991	98.55	5.92	NP	--	92.63	--	--	--	--	--	--	--	--	--	--	--
MW-5	3/20/1992	103.45	4.79	NP	--	98.66	--	120,000	5,900	--	8,700	7,100	2,000	9,400	--	110	2
MW-5	4/6/1993	103.45	4.90	NP	--	98.55	--	24,000	--	--	4,500	1,200	1,100	3,900	--	< 3	< 3
MW-5	2/16/1994	103.45	4.87	NP	--	98.58	--	6,600	--	--	1,500	640	320	810	--	--	< 3
MW-5	4/14/1995	103.45	4.92	NP	--	98.53	--	2,400	--	--	3,300	2,600	730	2,400	--	--	< 3
MW-5	7/12/1995	103.45	5.46	NP	--	97.99	--	24,000	--	--	4,100	2,600	1,200	3,300	--	--	< 3
MW-5	9/26/1995	103.45	5.89	NP	--	97.56	--	11,000	--	--	1,900	630	540	1,300	--	--	< 3
MW-5	12/29/1995	103.45	4.51	NP	--	98.94	--	13,000	--	--	1,900	1,900	460	1,600	--	--	< 3
MW-5	3/20/1996	103.45	4.74	NP	--	98.71	--	26,000	--	--	3,900	3,200	710	2,600	--	--	< 2
MW-5	6/26/1996	103.45	5.27	NP	--	98.18	--	11,000	--	--	2,900	1,200	750	1,800	--	--	< 2
MW-5	9/19/1996	103.45	5.71	NP	--	97.74	--	15,000	--	--	2,400	1,300	750	1,400	17	--	< 2
MW-5	12/23/1996	103.45	4.80	NP	--	98.65	--	21,000	--	--	2,700	1,900	750	1,900	< 250	--	2
MW-5	4/16/1997	103.45	4.78	NP	--	98.67	--	15,000	--	--	3,500	980	780	1,700	< 50	--	< 5
MW-5	6/18/1997	103.45	5.00	NP	--	98.45	--	7,600	--	--	2,000	370	470	880	< 50	--	< 5
MW-5	9/15/1997	103.45	5.32	NP	--	98.13	--	10,000	--	--	3,100	1,100	840	1,500	6.7	--	< 5
MW-5	3/25/1998	103.45	4.51	NP	--	98.94	--	6,200	--	--	1,500	360	220	460	< 5	--	< 5
MW-5	6/23/1998	103.45	5.14	NP	--	98.31	--	11,700	--	--	2,600	1,400	670	1,300	11	--	--
MW-5	9/30/1998	103.45	6.08	NP	--	97.37	--	2,500	--	--	620	82	170	200	< 5	--	--
MW-5	12/28/1998	103.45	4.38	NP	--	99.07	--	5,800	--	--	1,000	370	290	530	< 5	--	--
MW-5	3/24/1999	103.45	4.58	NP	--	98.87	--	17,000	--	--	3,700	1,500	880	2,000	< 5	--	--
MW-5	6/28/1999	103.45	5.17	NP	--	98.28	--	3,100	--	--	1,600	27	310	180	< 5	--	--
MW-5	10/5/1999	103.45	6.03	NP	--	97.42	--	2,300	--	--	220	40	70	58	< 5	--	--
MW-5	1/5/2000	103.45	4.84	NP	--	98.61	--	2,600	--	--	920	270	180	290	3.4	--	--
MW-5	3/27/2000	103.45	4.65	NP	--	98.80	--	7,400	--	--	2,300	210	370	430	47	--	--
MW-5	7/1/2000	103.45	5.45	NP	--	98.00	--	7,400	--	--	2,300	210	370	430	47	--	--
MW-5	9/14/2000	103.45	5.70	NP	--	97.75	--	530	--	--	130	1.5	34	28	1.6	--	--
MW-5	12/18/2000	103.45	5.32	NP	--	98.13	--	3,500	--	--	730	110	220	150	< 4	--	--
MW-5	9/13/2001	103.45	5.80	NP	--	97.65	--	3,400	--	--	390	7.3	210	40	< 4	--	--
MW-5	12/6/2001	103.45	4.67	NP	--	98.78	--	2,800	--	--	410	210	120	200	< 1	--	--
MW-5	3/16/2002	103.45	4.74	NP	--	98.71	--	4,500	--	--	980	110	230	220	14	--	--
MW-5	6/4/2002	103.45	5.40	NP	--	98.05	--	1,800	--	--	430	11	130	22	< 4	--	--
MW-5	12/16/2002	103.45	4.50	NP	--	98.95	--	1,400	--	--	161	91.3	46.2	75.1	< 5	--	--
MW-5	3/20/2003	103.45	4.80	NP	--	98.65	--	1,400	--	--	279	92.3	54.3	104	< 5	--	--
MW-5	5/28/2003	103.45	5.42	NP	--	98.03	--	682	--	--	139	25.6	28	49.1	< 1	--	--
MW-5	9/5/2003	103.45	6.41	NP	--	97.04	--	389	--	--	27.3	1.21	9.33	17	< 1	--	--
MW-5	11/6/2003	103.45	5.15	NP	--	98.30	--	1,430	--	--	198	57.6	54.2	94.3	< 25	--	--
MW-5	4/13/2004	103.45	5.31	NP	--	98.14	--	4,480	--	--	726	19.2	166	269	18.3	--	--
MW-5	11/10/2004	103.45	5.40	NP	--	98.05	--	1,660	--	--	279	6.24	8.82	104	< 4	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-5	4/19/2005	103.45	4.82	NP	--	98.63	--	1,780	--	--	239	4.28	12.2	85.6	< 4	--	--
MW-5	10/26/2005	103.45	5.79	NP	--	97.66	--	2,260	--	--	226	3.76	11.6	37	< 4	--	--
MW-5	6/20/2006	103.45	5.20	NP	--	98.25	--	2,610	--	--	297	3.44	14.4	34	< 4	--	--
MW-5	4/3/2007	103.45	4.60	NP	--	98.85	--	1,920	--	--	126	5.85	10.4	36.5	--	--	--
MW-5	4/23/2008	103.45	4.84	NP	--	98.61	--	2,280	--	--	87.1	3.18	7.52	12.4	< 1	--	--
MW-5	11/6/2008	103.45	5.07	NP	--	98.38	--	1,140	--	--	5.35	0.82	3.65	4.87	< 1	--	--
MW-5	6/8/2009	103.45	5.18	NP	--	98.27	--	1,280	1,100	460	90.2	9.1	10.1	21.3	--	--	--
MW-5	9/10/2009	102.68	5.45	NP	--	97.23	--	852	530	< 380	38.1	< 1	3.1	11.8	--	--	--
MW-5	11/12/2009	102.68	4.74	NP	--	97.94	--	222	82	< 380	26.8	< 1.0	< 1.0	5.6	--	--	--
MW-5	1/20/2010	102.68	4.24	NP	--	98.44	--	363	< 75	< 380	9.3	< 1.0	2	4.8	--	--	--
MW-5	5/24/2010	102.68	4.83	NP	--	97.85	--	699	170	< 380	14.1	1.6	1.3	6.7	--	< 10.0	< 10.0
MW-5	10/25/2010	102.68	5.30	NP	--	97.38	--	681	< 75	< 380	25.8	1.3	10.2	15.7	--	< 10.0	--
MW-5	3/16/2011	102.68	4.25	NP	--	98.43	--	1,780	120	< 380	53.1	6.2	38.6	46.5	--	< 10.0	--
MW-5	6/16/2011	102.68	4.93	NP	--	97.75	--	2,730	99	< 380	101	15.9	67.6	83.4	--	--	--
MW-5	8/23/2011	102.68	5.50	NP	--	97.18	--	2,110	150	< 380	28.7	2.5	27.7	39.6	--	--	--
MW-5	12/30/2011	102.68	4.52	NP	--	98.16	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	2/14/2012	102.68	4.45	NP	--	98.23	--	3,800	170	< 380	349	3.5	128	28.7	--	--	--
MW-5	4/26/2012	102.68	4.41	NP	--	98.27	--	4,130	380	< 380	672	14.6	136	112	--	--	--
MW-5	7/26/2012	102.68	4.88	NP	--	97.80	--	2,350	176	< 769	10.2	2.2	15.9	29.9	--	--	--
MW-5	10/25/2012	102.68	6.25	NP	--	96.43	--	2,230	127	< 392	39.7	2	5.6	20.4	--	--	--
MW-5	1/24/2013	102.68	5.71	NP	--	96.97	--	1,850	460	< 200	210	3	17.5	12.8	--	--	--
MW-5	4/18/2013	102.68	4.52	NP	--	98.16	--	2,330	410	< 400	202	2.6	28.6	14.3	--	--	--
MW-5	9/26/2013	102.68	4.78	NP	--	97.90	--	1,100	< 250	< 250	1.7	< 1.0	20	54	--	--	--
MW-5	11/13/2013	102.68	4.78	NP	--	97.90	--	140	300	< 250	1.6	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	1/28/2014	102.68	4.78	NP	--	97.90	--	310	260	< 250	1.5	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	5/7/2014	102.68	4.32	NP	--	98.36	--	120	670	< 250	12	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	7/16/2014	102.68	5.52	NP	--	97.16	--	210	670	< 250	8.8	1.2	1.3	< 3.0	--	--	--
MW-5	11/25/2014	102.68	4.63	NP	--	98.05	--	230	500	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	3/12/2015	102.68	5.17	NP	--	97.51	--	500	420	< 250	4.6	< 1.0	18	< 3.0	--	--	--
MW-5	5/21/2015	102.68	5.26	NP	--	97.42	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	8/5/2015	102.68	5.64	NP	--	97.04	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	11/18/2015	102.68	3.92	NP	--	98.76	--	< 50	150	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	2/16/2016	102.68	3.92	NP	--	98.76	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	6/23/2016	102.68	4.88	NP	--	97.80	--	< 50	< 130	1,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	9/27/2016	102.68	5.46	NP	--	97.22	--	< 50	190	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	12/20/2016	102.68	4.53	NP	--	98.15	--	< 50	< 130	730	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	3/30/2017	102.68	3.94	NP	--	98.74	--	< 50	< 130	1,700	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	6/22/2017	102.68	4.73	NP	--	97.95	--	< 50	750	570	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	9/21/2017	102.68	5.55	NP	--	97.13	--	< 50	640	570	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-5	12/12/2017	102.68	4.42	NP	--	98.26	--	< 50	720	820	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	3/12/2018	102.68	4.47	NP	--	98.21	--	52	< 130	1,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	6/5/2018	102.68	5.00	NP	--	97.68	--	79	< 130	2,100	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	8/28/2018	102.68	5.93	NP	--	96.75	--	110	3,700	1,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	11/1/2018	102.68	4.68	NP	--	98.00	--	65	< 260	3,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	1/15/2019	102.68	4.06	NP	--	98.62	--	99	4,700	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	2/27/2019	102.68	4.23	NP	--	98.45	--	--	--	--	--	--	--	--	--	--	--
MW-5	4/8/2019	102.68	4.30	NP	--	98.38	--	< 50	4,900	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	7/30/2019	102.68	4.91	NP	--	97.77	--	55	3,900	1,200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	10/22/2019	102.68	4.54	NP	--	98.14	--	< 50	3,500	1,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	1/22/2020	102.68	4.24	NP	--	98.44	--	< 50	3,000	1600 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	4/29/2020	102.68	5.86	NP	--	96.82	--	< 50	< 130	2,900	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	2/2/2021	102.68	4.25	NP	--	98.43	--	< 50	< 130	3,900	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-5	3/16/2023	102.68	4.52	NP	--	98.16	--	54	4,600	1,900	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-6	9/19/1991	97.13	5.07	NP	--	92.06	--	< 50	< 500	--	< 0.5	< 0.5	< 0.5	< 0.5	--	3,800	3.5
MW-6	10/15/1991	97.13	5.08	NP	--	92.05	--	--	--	--	--	--	--	--	--	--	--
MW-6	3/20/1992	101.21	4.23	NP	--	96.98	--	--	--	--	--	--	--	--	--	--	--
MW-6	4/6/1993	101.21	4.08	NP	--	97.13	--	< 50	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	< 3
MW-6	2/16/1994	101.21	4.98	NP	--	96.23	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-6	4/14/1995	101.21	4.26	NP	--	96.95	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-6	7/12/1995	101.21	4.81	NP	--	96.40	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-6	9/26/1995	101.21	5.24	NP	--	95.97	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-6	12/29/1995	101.21	3.69	NP	--	97.52	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-6	3/20/1996	101.21	4.00	NP	--	97.21	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 2	--
MW-6	6/26/1996	101.21	4.74	NP	--	96.47	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 2	--
MW-6	9/19/1996	101.21	4.98	NP	--	96.23	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	1.4	< 2	--
MW-6	12/23/1996	101.21	3.78	NP	--	97.43	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 10	< 2	--
MW-6	4/16/1997	101.21	4.07	NP	--	97.14	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-6	6/18/1997	101.21	4.52	NP	--	96.69	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-6	9/15/1997	101.21	4.77	NP	--	96.44	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-6	3/25/1998	101.21	3.96	NP	--	97.25	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-6	6/23/1998	101.21	4.84	NP	--	96.37	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	--
MW-6	9/30/1998	101.21	5.23	NP	--	95.98	--	--	--	--	--	--	--	--	--	--	--
MW-6	12/28/1998	101.21	3.29	NP	--	97.92	--	--	--	--	--	--	--	--	--	--	--
MW-6	3/24/1999	101.21	3.57	NP	--	97.64	--	--	--	--	--	--	--	--	--	--	--
MW-6	6/28/1999	101.21	4.63	NP	--	96.58	--	< 100	--	--	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	--	--
MW-6	10/5/1999	101.21	5.27	NP	--	95.94	--	--	--	--	--	--	--	--	--	--	--
MW-6	1/5/2000	101.21	4.90	NP	--	96.31	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-6	3/27/2000	101.21	3.95	NP	--	97.26	--	--	--	--	--	--	--	--	--	--	--
MW-6	9/13/2001	101.21	--	--	--	--	WD	--	--	--	--	--	--	--	--	--	--
MW-7	9/19/1991	97.63	5.61	NP	--	92.02	--	< 50	< 500	--	< 0.5	< 0.5	< 0.5	< 0.5	--	41,000	41
MW-7	10/15/1991	97.63	5.78	NP	--	91.85	--	--	--	--	--	--	--	--	--	--	--
MW-7	10/24/1991	97.63	5.58	NP	--	92.05	--	--	--	--	--	--	--	--	--	--	--
MW-7	3/20/1992	102.37	4.77	NP	--	97.60	--	--	--	--	--	--	--	--	--	--	--
MW-7	4/6/1993	102.37	4.74	NP	--	97.63	--	< 50	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	< 3
MW-7	2/16/1994	102.37	4.99	NP	--	97.38	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-7	4/14/1995	102.37	4.60	NP	--	97.77	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-7	7/12/1995	102.37	5.40	NP	--	96.97	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-7	9/26/1995	102.37	5.80	NP	--	96.57	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-7	12/29/1995	102.37	4.39	NP	--	97.98	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	--
MW-7	3/20/1996	102.37	4.63	NP	--	97.74	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 2	--
MW-7	6/26/1996	102.37	5.24	NP	--	97.13	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 2	--
MW-7	9/19/1996	102.37	5.57	NP	--	96.80	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 2	--
MW-7	12/23/1996	102.37	4.43	NP	--	97.94	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 10	< 2	--
MW-7	4/16/1997	102.37	4.71	NP	--	97.66	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-7	6/18/1997	102.37	4.94	NP	--	97.43	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	< 5	--
MW-7	9/15/1997	102.37	5.29	NP	--	97.08	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-7	3/25/1998	102.37	4.48	NP	--	97.89	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-7	6/23/1998	102.37	5.21	NP	--	97.16	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	--
MW-7	9/30/1998	102.37	5.59	NP	--	96.78	--	--	--	--	--	--	--	--	--	--	--
MW-7	12/28/1998	102.37	3.97	NP	--	98.40	--	--	--	--	--	--	--	--	--	--	--
MW-7	3/24/1999	102.37	4.38	NP	--	97.99	--	--	--	--	--	--	--	--	--	--	--
MW-7	6/28/1999	102.37	4.92	NP	--	97.45	--	< 100	--	--	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	--	--
MW-7	10/5/1999	102.37	5.71	NP	--	96.66	--	--	--	--	--	--	--	--	--	--	--
MW-7	1/5/2000	102.37	4.57	NP	--	97.80	--	--	--	--	--	--	--	--	--	--	--
MW-7	3/27/2000	102.37	4.68	NP	--	97.69	--	--	--	--	--	--	--	--	--	--	--
MW-7	9/13/2001	102.37	--	--	--	--	WD	--	--	--	--	--	--	--	--	--	--
MW-8	9/19/1991	97.22	5.24	NP	--	91.98	--	< 50	< 500	--	< 0.5	< 0.5	< 0.5	< 0.5	--	4,800	4.8
MW-8	10/15/1991	97.22	5.24	NP	--	91.98	--	--	--	--	--	--	--	--	--	--	--
MW-8	3/20/1992	101.53	4.46	NP	--	97.07	--	--	--	--	--	--	--	--	--	--	--
MW-8	4/6/1993	101.53	4.40	NP	--	97.13	--	3	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	< 3	< 3
MW-8	2/16/1994	101.53	4.20	NP	--	97.33	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-8	4/14/1995	101.53	4.36	NP	--	97.17	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	10
MW-8	7/12/1995	101.53	4.97	NP	--	96.56	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-8	9/26/1995	101.53	5.39	NP	--	96.14	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 3

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-8	12/29/1995	101.53	3.89	NP	--	97.64	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 3
MW-8	3/20/1996	101.53	4.30	NP	--	97.23	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 2
MW-8	6/26/1996	101.53	4.86	NP	--	96.67	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 2
MW-8	9/19/1996	101.53	5.14	NP	--	96.39	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 0.5	< 1	--	< 2
MW-8	12/23/1996	101.53	4.11	NP	--	97.42	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 10	--	< 2
MW-8	4/16/1997	101.53	4.27	NP	--	97.26	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-8	6/18/1997	101.53	4.58	NP	--	96.95	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-8	9/15/1997	101.53	4.94	NP	--	96.59	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-8	3/25/1998	101.53	4.03	NP	--	97.50	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	< 5
MW-8	6/23/1998	101.53	4.86	NP	--	96.67	--	< 100	--	--	< 0.5	< 0.5	< 0.5	< 1.5	< 5	--	--
MW-8	9/30/1998	101.53	5.36	NP	--	96.17	--	--	--	--	--	--	--	--	--	--	--
MW-8	12/28/1998	101.53	3.42	NP	--	98.11	--	--	--	--	--	--	--	--	--	--	--
MW-8	3/24/1999	101.53	4.18	NP	--	97.35	--	--	--	--	--	--	--	--	--	--	--
MW-8	6/28/1999	101.53	4.74	NP	--	96.79	--	--	--	--	--	--	--	--	--	--	--
MW-8	1/5/2000	101.53	4.29	NP	--	97.24	--	--	--	--	--	--	--	--	--	--	--
MW-8	3/27/2000	101.53	4.27	NP	--	97.26	--	--	--	--	--	--	--	--	--	--	--
MW-8	9/13/2001	101.53	--	--	--	--	WD	--	--	--	--	--	--	--	--	--	--
MW-9	9/10/2009	103.14	5.77	NP	--	97.37	--	983	3,200	< 380	< 1	< 1	< 1	< 3	--	--	--
MW-9	11/12/2009	103.14	4.94	NP	--	98.20	--	7,320	560	< 380	91.8	39.6	1,030	135	--	--	--
MW-9	1/20/2010	103.14	4.71	NP	--	98.43	--	1,210	78	< 380	1.6	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	5/24/2010	103.14	5.32	NP	--	97.82	--	1,160	510	< 380	1.4	< 1.0	< 1.0	< 3.0	--	< 10.0	< 10.0
MW-9	10/25/2010	103.14	5.50	NP	--	97.64	--	555	97	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-9	3/16/2011	103.14	4.50	NP	--	98.64	--	630	150	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-9	6/16/2011	103.14	5.27	NP	--	97.87	--	937	78	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	8/23/2011	103.14	5.80	NP	--	97.34	--	585	120	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	12/30/2011	103.14	4.69	NP	--	98.45	--	567	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	2/14/2012	103.14	4.88	NP	--	98.26	--	505	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	4/26/2012	103.14	4.76	NP	--	98.38	--	574	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	7/26/2012	103.14	5.43	NP	--	97.71	--	567	< 154	< 769	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	10/25/2012	103.14	5.54	NP	--	97.60	--	760	90.6	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	1/24/2013	103.14	5.12	5.43	-0.31	97.79	--	391	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	4/18/2013	103.14	4.93	NP	--	98.21	--	776	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	9/26/2013	103.14	5.14	NP	--	98.00	--	290	920	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	11/13/2013	103.14	8.60	NP	--	94.54	--	65	220	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	1/28/2014	103.14	5.10	NP	--	98.04	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	5/7/2014	103.14	5.34	NP	--	97.80	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	7/16/2014	103.14	5.63	NP	--	97.51	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	11/25/2014	103.14	4.73	NP	--	98.41	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-9	3/12/2015	103.14	5.21	NP	--	97.93	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	5/21/2015	103.14	5.35	NP	--	97.79	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	8/5/2015	103.14	5.88	NP	--	97.26	--	65	330	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	11/18/2015	103.14	4.15	NP	--	98.99	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	2/16/2016	103.14	4.28	NP	--	98.86	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	6/23/2016	103.14	5.14	NP	--	98.00	--	< 50	180	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	9/27/2016	103.14	5.50	NP	--	97.64	--	54	210	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	12/20/2016	103.14	4.67	NP	--	98.47	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	3/30/2017	103.14	4.42	NP	--	98.72	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-9	6/22/2017	103.14	5.11	NP	--	98.03	--	52	150	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	9/21/2017	103.14	5.63	NP	--	97.51	--	< 50	310	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	12/12/2017	103.14	4.70	NP	--	98.44	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	3/12/2018	103.14	4.80	NP	--	98.34	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	6/5/2018	103.14	5.31	NP	--	97.83	--	61	220	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	8/28/2018	103.14	5.82	NP	--	97.32	--	110	920	460	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	11/1/2018	103.14	4.82	NP	--	98.32	--	150	240	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	1/15/2019	103.14	4.41	NP	--	98.73	--	< 50	160	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	2/27/2019	103.14	4.66	NP	--	98.48	--	--	--	--	--	--	--	--	--	--	--
MW-9	4/8/2019	103.14	4.74	NP	--	98.40	--	< 50	430	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	4/10/2019	103.14	4.65	NP	--	98.49	--	--	--	--	--	--	--	--	--	--	--
MW-9	4/23/2019	103.14	4.84	NP	--	98.30	--	--	--	--	--	--	--	--	--	--	--
MW-9	4/24/2019	--	--	--	--	--	--	< 50	190	320	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	5/9/2019	103.14	5.08	NP	--	98.06	--	< 50	290	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	5/30/2019	103.14	5.20	NP	--	97.94	--	66	930	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	6/12/2019	103.14	5.23	NP	--	97.91	--	89	1,100	390	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	6/26/2019	103.14	5.36	NP	--	97.78	--	92	840	260	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	7/11/2019	103.14	5.09	NP	--	98.05	--	120	1,100	380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	7/24/2019	103.14	5.35	NP	--	97.79	--	75	1,100	400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	7/30/2019	103.14	5.37	NP	--	97.77	--	97	1,200	410	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	8/6/2019	103.14	5.45	NP	--	97.69	--	100	1,200	330	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	8/23/2019	103.14	5.23	NP	--	97.91	--	110	1,100	410	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	9/18/2019	103.14	4.79	NP	--	98.35	--	83	1,000	310	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	10/22/2019	103.14	4.57	NP	--	98.57	--	87	700	380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	12/4/2019	--	--	--	--	--	--	< 50	310	270	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	1/22/2020	103.14	4.39	NP	--	98.75	--	< 50	180	380 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	4/29/2020	103.14	4.85	NP	--	98.29	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	2/2/2021	103.14	4.16	NP	--	98.98	--	< 50	< 130	460	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-9	3/16/2023	103.14	4.89	NP	--	98.25	--	< 50	6,300	< 500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-10	9/10/2009	102.45	5.28	NP	--	97.17	--	9,500	1,300	< 380	141	24.2	1,270	86.7	--	--	--
MW-10	11/12/2009	102.45	4.85	NP	--	97.60	--	1,730	520	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	1/20/2010	102.45	4.59	NP	--	97.86	--	5,390	420	< 380	105	37.5	628	138	--	--	--
MW-10	5/24/2010	102.45	4.47	NP	--	97.98	--	3,950	310	< 380	91.7	33	590	149	--	< 10.0	< 10.0
MW-10	10/25/2010	102.45	5.33	NP	--	97.12	--	5,050	400	< 380	78	29.2	415	130	--	< 10.0	--
MW-10	3/16/2011	102.45	4.21	NP	--	98.24	--	6,000	130	< 380	73.9	26.8	234	129	--	< 10.0	--
MW-10	6/16/2011	102.45	4.79	NP	--	97.66	--	6,230	270	< 380	58.3	23.8	240	114	--	--	--
MW-10	8/23/2011	102.45	5.19	NP	--	97.26	--	6,100	410	< 380	39.7	23.1	336	99.9	--	--	--
MW-10	12/30/2011	102.45	5.41	NP	--	97.04	--	4,670	220	< 380	66.3	27.8	250	135	--	--	--
MW-10	2/14/2012	102.45	4.43	NP	--	98.02	--	5,150	160	< 380	69.3	25.9	269	132	--	--	--
MW-10	4/26/2012	102.45	4.90	NP	--	97.55	--	7,320	320	< 380	67.3	25.4	203	118	--	--	--
MW-10	7/26/2012	102.45	5.08	NP	--	97.37	--	6,000	171	< 769	41.2	21	226	112	--	--	--
MW-10	10/25/2012	102.45	5.40	NP	--	97.05	--	6,790	250	< 392	38	21.4	142	105	--	--	--
MW-10	1/24/2013	102.45	5.25	NP	--	97.20	--	4,990	< 200	< 200	59.9	27.1	152	126	--	--	--
MW-10	4/18/2013	102.45	3.69	NP	--	98.76	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	9/26/2013	102.45	4.02	NP	--	98.43	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	11/13/2013	102.45	3.76	NP	--	98.69	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	1/28/2014	102.45	3.92	NP	--	98.53	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	5/7/2014	102.45	3.60	NP	--	98.85	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	7/16/2014	102.45	4.80	NP	--	97.65	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	11/25/2014	102.45	3.80	NP	--	98.65	--	< 50	< 130	< 250	3.5	8.6	1.1	7	--	--	--
MW-10	3/12/2015	102.45	4.20	NP	--	98.25	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	5/21/2015	102.45	4.52	NP	--	97.93	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	8/5/2015	102.45	4.93	NP	--	97.52	--	1,300	< 200	< 250	< 1.0	1.8	56	4.3	--	--	--
MW-10	11/18/2015	102.45	3.22	NP	--	99.23	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	2/16/2016	102.45	3.38	NP	--	99.07	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	6/23/2016	102.45	4.39	NP	--	98.06	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	9/27/2016	102.45	4.77	NP	--	97.68	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	12/20/2016	102.45	3.77	NP	--	98.68	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	3/30/2017	102.45	3.48	NP	--	98.97	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	6/22/2017	102.45	4.20	NP	--	98.25	--	< 50	150	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-10	9/21/2017	102.45	4.64	NP	--	97.81	--	--	--	--	--	--	--	--	--	--	--
MW-10	12/12/2017	102.45	3.84	NP	--	98.61	--	--	--	--	--	--	--	--	--	--	--
MW-10	3/12/2018	102.45	3.97	NP	--	98.48	--	--	--	--	--	--	--	--	--	--	--
MW-10	6/5/2018	102.45	4.50	NP	--	97.95	--	--	--	--	--	--	--	--	--	--	--
MW-10	8/28/2018	102.45	5.02	NP	--	97.43	--	--	--	--	--	--	--	--	--	--	--
MW-10	11/1/2018	102.45	3.97	NP	--	98.48	--	--	--	--	--	--	--	--	--	--	--
MW-10	1/15/2019	102.45	3.65	NP	--	98.80	--	--	--	--	--	--	--	--	--	--	--
MW-10	4/8/2019	102.45	3.82	NP	--	98.63	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-10	7/30/2019	102.45	4.52	NP	--	97.93	--	--	--	--	--	--	--	--	--	--	--
MW-10	10/22/2019	102.45	3.82	NP	--	98.63	--	--	--	--	--	--	--	--	--	--	--
MW-10	1/22/2020	102.45	3.58	NP	--	98.87	--	--	--	--	--	--	--	--	--	--	--
MW-10	4/29/2020	102.45	3.87	NP	--	98.58	--	--	--	--	--	--	--	--	--	--	--
MW-10	2/2/2021	102.45	3.32	NP	--	99.13	--	--	--	--	--	--	--	--	--	--	--
MW-10	3/16/2023	102.45	3.99	NP	--	98.46	--	--	--	--	--	--	--	--	--	--	--
MW-11	10/25/2010	102.77	5.74	NP	--	97.03	--	1,780	120	< 380	4.2	< 1.0	4.5	5	--	< 10.0	--
MW-11	3/15/2011	102.77	3.97	NP	--	98.80	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-11	6/16/2011	102.77	5.49	NP	--	97.28	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	8/23/2011	102.77	6.15	NP	--	96.62	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	12/30/2011	102.77	4.64	NP	--	98.13	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	2/14/2012	102.77	4.50	NP	--	98.27	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	4/26/2012	102.77	4.22	NP	--	98.55	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	7/26/2012	102.77	5.38	NP	--	97.39	--	< 50.0	< 154	< 769	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	10/25/2012	102.77	5.77	NP	--	97.00	--	< 50.0	< 78.4	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	1/24/2013	102.77	4.86	NP	--	97.91	--	< 100	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	4/18/2013	102.77	4.41	NP	--	98.36	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	9/26/2013	102.77	5.13	NP	--	97.64	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	11/13/2013	102.77	7.31	NP	--	95.46	--	< 50	410	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	1/28/2014	102.77	5.36	NP	--	97.41	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	5/7/2014	102.77	8.91	NP	--	93.86	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	7/16/2014	102.77	--	--	--	--	Dry	--	--	--	--	--	--	--	--	--	--
MW-11	11/25/2014	102.77	4.93	NP	--	97.84	--	--	--	--	--	--	--	--	--	--	--
MW-11	3/12/2015	102.77	6.69	NP	--	96.08	--	250	160	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	5/21/2015	102.77	5.60	NP	--	97.17	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	8/5/2015	102.77	6.02	NP	--	96.75	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	11/18/2015	102.77	3.91	NP	--	98.86	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	2/16/2016	102.77	4.13	NP	--	98.64	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	6/23/2016	102.77	5.40	NP	--	97.37	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	9/27/2016	102.77	5.78	NP	--	96.99	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	12/20/2016	102.77	4.91	NP	--	97.86	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	3/30/2017	102.77	3.95	NP	--	98.82	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	2	< 1.0
MW-11	6/22/2017	102.77	5.22	NP	--	97.55	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-11	9/21/2017	102.77	5.94	NP	--	96.83	--	--	--	--	--	--	--	--	--	--	--
MW-11	12/12/2017	102.77	4.78	NP	--	97.99	--	--	--	--	--	--	--	--	--	--	--
MW-11	3/12/2018	102.77	4.96	NP	--	97.81	--	--	--	--	--	--	--	--	--	--	--
MW-11	6/5/2018	102.77	5.55	NP	--	97.22	--	--	--	--	--	--	--	--	--	--	--
MW-11	8/28/2018	102.77	6.13	NP	--	96.64	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-11	11/1/2018	102.77	4.69	NP	--	98.08	--	--	--	--	--	--	--	--	--	--	--
MW-11	1/15/2019	102.77	4.47	NP	--	98.30	--	--	--	--	--	--	--	--	--	--	--
MW-11	4/8/2019	102.77	4.88	NP	--	97.89	--	--	--	--	--	--	--	--	--	--	--
MW-11	7/30/2019	102.77	5.65	NP	--	97.12	--	--	--	--	--	--	--	--	--	--	--
MW-11	10/22/2019	102.77	4.65	NP	--	98.12	--	--	--	--	--	--	--	--	--	--	--
MW-11	1/22/2020	102.77	4.14	NP	--	98.63	--	--	--	--	--	--	--	--	--	--	--
MW-11	4/29/2020	102.77	4.82	NP	--	97.95	--	--	--	--	--	--	--	--	--	--	--
MW-11	2/2/2021	102.77	4.12	NP	--	98.65	--	--	--	--	--	--	--	--	--	--	--
MW-11	3/16/2023	102.77	5.10	NP	--	97.67	--	--	--	--	--	--	--	--	--	--	--
MW-12	10/25/2010	103.70	4.81	NP	--	98.89	--	99.7	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-12	3/16/2011	103.70	3.94	NP	--	99.76	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	< 10.0	--
MW-12	6/16/2011	103.70	4.43	NP	--	99.27	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	8/23/2011	103.70	5.08	NP	--	98.62	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	12/30/2011	103.70	4.26	NP	--	99.44	--	1,650	95	< 380	21.1	1.4	9.2	19.6	--	--	--
MW-12	2/14/2012	103.70	5.09	NP	--	98.61	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	4/26/2012	103.70	4.00	NP	--	99.70	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	7/26/2012	103.70	4.40	NP	--	99.30	--	< 50.0	< 154	< 769	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	10/25/2012	103.70	4.88	NP	--	98.82	--	< 50.0	< 78.4	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	1/24/2013	103.70	4.33	NP	--	99.37	--	< 100	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	4/18/2013	103.70	4.16	NP	--	99.54	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	9/26/2013	103.70	4.43	NP	--	99.27	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	11/13/2013	103.70	4.44	NP	--	99.26	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	1/28/2014	103.70	4.31	NP	--	99.39	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	5/7/2014	103.70	3.90	NP	--	99.80	--	< 50	170	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	7/16/2014	103.70	4.73	NP	--	98.97	--	< 50	240	260	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	11/25/2014	103.70	4.24	NP	--	99.46	--	< 50	< 130	620	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	3/12/2015	103.70	4.41	NP	--	99.29	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	5/21/2015	103.70	4.62	NP	--	99.08	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	8/5/2015	103.70	5.18	NP	--	98.52	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	11/18/2015	103.70	3.74	NP	--	99.96	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	2/16/2016	103.70	3.74	NP	--	99.96	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	6/23/2016	103.70	4.51	NP	--	99.19	--	< 50	< 130	1,300	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	9/27/2016	103.70	5.04	NP	--	98.66	--	< 50	230	400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	12/20/2016	103.70	3.94	NP	--	99.76	--	< 50	190	520	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	3/30/2017	103.70	3.77	NP	--	99.93	--	< 50	< 130	350	< 1.0	< 1.0	< 1.0	< 3.0	--	14	3.1
MW-12	6/22/2017	103.70	4.31	NP	--	99.39	--	< 50	190	390	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	9/21/2017	103.70	5.23	NP	--	98.47	--	< 50	210	360	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	12/12/2017	103.70	4.10	NP	--	99.60	--	< 50	160	260	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-12	3/12/2018	103.70	3.91	NP	--	99.79	--	< 50	< 130	390	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	6/5/2018	103.70	4.60	NP	--	99.10	--	< 50	< 130	550	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	8/28/2018	103.70	5.33	NP	--	98.37	--	< 50	< 130	1,500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	11/1/2018	103.70	4.40	NP	--	99.30	--	< 50	< 130	920	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	1/15/2019	103.70	3.75	NP	--	99.95	--	< 50	< 130	860	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	4/8/2019	103.70	3.86	NP	--	99.84	--	< 50	< 130	700	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	7/30/2019	103.70	4.26	NP	--	99.44	--	< 50	200	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	10/22/2019	103.70	4.11	NP	--	99.59	--	< 50	< 130	360	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	1/22/2020	103.70	3.79	NP	--	99.91	--	< 50	190	810 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	4/29/2020	103.70	4.35	NP	--	99.35	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	2/2/2021	103.70	3.73	NP	--	99.97	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-12	3/16/2023	103.70	4.28	NP	--	99.42	--	< 50	270	310	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	6/16/2011	105.95	8.41	NP	--	97.54	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	8/23/2011	105.95	8.87	NP	--	97.08	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	12/30/2011	105.95	7.62	NP	--	98.33	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	2/14/2012	105.95	7.71	NP	--	98.24	--	< 50.0	< 76	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	4/26/2012	105.95	7.63	NP	--	98.32	--	< 50.0	< 75	< 380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	7/26/2012	105.95	8.39	NP	--	97.56	--	< 50.0	< 154	< 769	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	10/25/2012	105.95	8.36	NP	--	97.59	--	< 50.0	< 78.4	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	1/24/2013	105.95	4.97	NP	--	100.98	--	< 100	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	4/18/2013	105.95	7.73	NP	--	98.22	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	9/26/2013	105.95	7.74	NP	--	98.21	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	11/13/2013	105.95	8.92	NP	--	97.03	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	1/28/2014	105.95	7.85	NP	--	98.10	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	5/7/2014	105.95	7.88	NP	--	98.07	--	< 50	< 130	970	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	7/16/2014	105.95	8.59	NP	--	97.36	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	11/25/2014	105.95	7.50	NP	--	98.45	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	3/12/2015	105.95	8.15	NP	--	97.80	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	5/21/2015	105.95	8.24	NP	--	97.71	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	8/5/2015	105.95	8.11	NP	--	97.84	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	11/18/2015	105.95	6.01	NP	--	99.94	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	2/16/2016	105.95	6.20	NP	--	99.75	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	6/23/2016	105.95	7.70	NP	--	98.25	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	9/27/2016	105.95	8.42	NP	--	97.53	--	< 50	< 130	420	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	12/20/2016	105.95	7.00	NP	--	98.95	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	3/30/2017	105.95	6.23	NP	--	99.72	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	6/22/2017	105.95	7.70	NP	--	98.25	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-13	9/21/2017	105.95	8.51	NP	--	97.44	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-13	12/12/2017	105.95	6.89	NP	--	99.06	--	--	--	--	--	--	--	--	--	--	--
MW-13	3/12/2018	105.95	7.22	NP	--	98.73	--	--	--	--	--	--	--	--	--	--	--
MW-13	6/5/2018	105.95	8.13	NP	--	97.82	--	--	--	--	--	--	--	--	--	--	--
MW-13	8/28/2018	105.95	8.83	NP	--	97.12	--	--	--	--	--	--	--	--	--	--	--
MW-13	11/1/2018	105.95	6.85	NP	--	99.10	--	--	--	--	--	--	--	--	--	--	--
MW-13	1/15/2019	105.95	6.74	NP	--	99.21	--	--	--	--	--	--	--	--	--	--	--
MW-13	4/8/2019	105.95	7.43	NP	--	98.52	--	--	--	--	--	--	--	--	--	--	--
MW-13	7/30/2019	105.95	8.24	NP	--	97.71	--	--	--	--	--	--	--	--	--	--	--
MW-13	10/22/2019	105.95	7.43	NP	--	98.52	--	--	--	--	--	--	--	--	--	--	--
MW-13	1/22/2020	105.95	6.60	NP	--	99.35	--	--	--	--	--	--	--	--	--	--	--
MW-13	4/29/2020	105.95	7.44	NP	--	98.51	--	--	--	--	--	--	--	--	--	--	--
MW-13	2/2/2021	105.95	6.57	NP	--	99.38	--	--	--	--	--	--	--	--	--	--	--
MW-13	3/16/2023	105.95	7.70	NP	--	98.25	--	--	--	--	--	--	--	--	--	--	--
MW-14	6/16/2011	103.44	5.90	NP	--	97.54	--	5,170	1,100	2,700	1,880	18.1	211	14.5	--	--	--
MW-14	8/23/2011	103.44	6.32	NP	--	97.12	--	3,290	240	< 380	1,790	13.8	169	< 15.0	--	--	--
MW-14	12/30/2011	103.44	5.00	NP	--	98.44	--	3,270	700	1,100	1,870	15.5	247	16.6	--	--	--
MW-14	2/14/2012	103.44	5.60	NP	--	97.84	--	--	--	--	--	--	--	--	--	--	--
MW-14	4/26/2012	103.44	5.45	NP	--	97.99	--	--	--	--	--	--	--	--	--	--	--
MW-14	7/26/2012	103.44	6.01	5.85	0.16	97.55	--	--	--	--	--	--	--	--	--	--	--
MW-14	10/25/2012	103.44	6.20	5.90	0.30	97.47	--	--	--	--	--	--	--	--	--	--	--
MW-14	1/24/2013	103.44	6.19	NP	--	97.25	--	--	--	--	--	--	--	--	--	--	--
MW-14	4/18/2013	103.44	6.29	5.16	1.13	98.00	--	--	--	--	--	--	--	--	--	--	--
MW-14	9/26/2013	103.44	5.66	5.64	0.02	97.80	--	--	--	--	--	--	--	--	--	--	--
MW-14	11/13/2013	103.44	10.33	NP	--	93.11	--	550	3,000	380	45	< 1.0	7	< 3.0	--	--	--
MW-14	1/28/2014	103.44	5.57	NP	--	97.87	--	140	1,200	2,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	5/7/2014	103.44	5.50	NP	--	97.94	--	< 200	2,000	14,000	1.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	7/16/2014	103.44	5.93	NP	--	97.51	--	1,200	3,700	9,600	8.4	1.4	3.1	3.6	--	--	--
MW-14	11/25/2014	103.44	5.13	NP	--	98.31	--	380	4,300	1,500	6.6	< 1.0	1.5	< 3.0	--	--	--
MW-14	3/12/2015	103.44	5.53	NP	--	97.91	--	240	2,800	720	6.2	< 1.0	1.9	< 3.0	--	--	--
MW-14	5/21/2015	103.44	5.75	NP	--	97.69	--	< 50	1,000	650	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	8/5/2015	103.44	6.18	NP	--	97.26	--	< 50	170	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	11/18/2015	103.44	4.28	NP	--	99.16	--	300	700	400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	2/16/2016	103.44	4.51	NP	--	98.93	--	< 50	340	370	1.1	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	5/23/2016	103.44	4.20	NP	--	99.24	--	--	900	1,200	--	--	--	--	--	--	--
MW-14	6/23/2016	103.44	5.66	NP	--	97.78	--	< 50	390	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	9/27/2016	103.44	5.84	NP	--	97.60	--	< 50	670	320	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	12/20/2016	103.44	4.94	NP	--	98.50	--	< 50	1,900	930	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	3/30/2017	103.44	4.45	NP	--	98.99	--	< 50	420	4,200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-14	6/22/2017	103.44	5.31	NP	--	98.13	--	92	2,200	970	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	9/21/2017	103.44	5.93	NP	--	97.51	--	< 50	1,300	700	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	12/12/2017	103.44	5.00	NP	--	98.44	--	78	1,700	820	4.4	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	3/12/2018	103.44	5.11	NP	--	98.33	--	300	790	2,700	3.3	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	6/5/2018	103.44	5.58	NP	--	97.86	--	89	900	2,900	2.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	8/28/2018	103.44	6.09	NP	--	97.35	--	94	3,800	1,500	2.2	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	11/1/2018	103.44	5.07	NP	--	98.37	--	84	940	4,200	1.7	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	1/15/2019	103.44	4.80	NP	--	98.64	--	240	6,500	2,900	5.8	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	2/27/2019	103.44	4.89	NP	--	98.55	--	--	--	--	--	--	--	--	--	--	--
MW-14	4/8/2019	103.44	4.97	NP	--	98.47	--	110	10,000	9,600	5.1	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	4/10/2019	103.44	4.91	NP	--	98.53	--	--	--	--	--	--	--	--	--	--	--
MW-14	4/23/2019	103.44	5.12	NP	--	98.32	--	--	--	--	--	--	--	--	--	--	--
MW-14	4/24/2019	--	--	--	--	--	--	100	4,600	2,400	5.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	5/9/2019	103.44	5.32	NP	--	98.12	--	86	3,400	1,700	5.6	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	5/30/2019	103.44	5.46	NP	--	97.98	--	140	2,800	1,400	5.8	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	6/12/2019	103.44	5.49	NP	--	97.95	--	130	2,900	2,000	7	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	6/26/2019	103.44	5.68	NP	--	97.76	--	160	2,600	1,800	7	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	7/11/2019	103.44	5.38	NP	--	98.06	--	170	2,800	2,400	7.2	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	7/24/2019	103.44	5.66	NP	--	97.78	--	170	2,800	3,300	6.7	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	7/30/2019	103.44	5.69	NP	--	97.75	--	200	1,800	2,200	6.3	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	8/6/2019	103.44	5.70	NP	--	97.74	--	270	3,100	2,300	7.1	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	8/23/2019	103.44	5.51	NP	--	97.93	--	170	2,900	2,000	7.2	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	9/18/2019	103.44	5.13	NP	--	98.31	--	100	2,900	1,600	6.3	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	10/22/2019	103.44	4.93	NP	--	98.51	--	120	2,100	1,500	5.1	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	11/6/2019	103.44	4.18	NP	--	99.26	--	--	--	--	--	--	--	--	--	--	--
MW-14	12/4/2019	--	--	--	--	--	--	77	3,200	1,800	4.9	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	1/22/2020	103.44	4.72	NP	--	98.72	--	< 50	3,200	1800 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	2/21/2020	103.44	5.56	NP	--	97.88	--	< 50	5,900	2,500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	3/31/2020	103.44	5.11	NP	--	98.33	--	< 50	11,000	< 500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	4/29/2020	103.44	5.82	NP	--	97.62	--	< 50	< 1300	11,000	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	2/2/2021	103.44	4.92	NP	--	98.52	--	< 50	< 650	9,000	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-14	3/16/2023	103.44	5.20	NP	--	98.24	--	< 50	2,700	1,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	6/16/2011	103.66	5.85	NP	--	97.81	--	2,810	140	< 380	8.5	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	8/23/2011	103.66	6.38	NP	--	97.28	--	2,140	440	< 380	14.6	< 1.0	1.4	< 3.0	--	--	--
MW-15	12/30/2011	103.66	5.29	NP	--	98.37	--	2,870	130	< 380	17.4	< 1.0	2.4	< 3.0	--	--	--
MW-15	2/14/2012	103.66	5.41	NP	--	98.25	--	4,230	< 76	< 380	31.4	< 1.0	2.9	< 3.0	--	--	--
MW-15	4/26/2012	103.66	5.35	NP	--	98.31	--	3,590	240	< 380	37.1	< 1.0	2.8	< 3.0	--	--	--
MW-15	7/26/2012	103.66	5.96	NP	--	97.70	--	2,740	< 154	< 769	26.5	< 1.0	2.7	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-15	10/25/2012	103.66	6.10	NP	--	97.56	--	2,910	329	< 392	17.7	< 1.0	2.8	< 3.0	--	--	--
MW-15	1/24/2013	103.66	5.65	NP	--	98.01	--	2,650	430	< 200	24.1	< 1.0	2.5	< 3.0	--	--	--
MW-15	4/18/2013	103.66	5.41	NP	--	98.25	--	2,930	730	< 400	29.7	< 1.0	1.8	< 3.0	--	--	--
MW-15	9/26/2013	103.66	5.51	NP	--	98.15	--	1,800	18,000	< 1200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	11/13/2013	103.66	10.36	NP	--	93.30	--	< 200	5,900	5,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	1/28/2014	103.66	6.02	NP	--	97.64	--	250	340	860	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	5/7/2014	103.66	6.00	NP	--	97.66	--	990	10,000	800	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	7/16/2014	103.66	6.12	NP	--	97.54	--	440	3,700	860	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	11/25/2014	103.66	5.62	NP	--	98.04	--	1,400	11,000	< 500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	3/12/2015	103.66	5.88	NP	--	97.78	--	620	2,800	< 250	< 1.0	< 1.0	< 1.0	6.1	--	--	--
MW-15	5/21/2015	103.66	6.02	NP	--	97.64	--	92	950	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	8/5/2015	103.66	6.41	NP	--	97.25	--	< 50	560	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	11/18/2015	103.66	3.87	NP	--	99.79	--	280	290	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	2/16/2016	103.66	4.30	NP	--	99.36	--	79	220	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	5/23/2016	103.66	5.78	NP	--	97.88	--	--	< 130	680	--	--	--	--	--	--	--
MW-15	6/23/2016	103.66	5.92	NP	--	97.74	--	100	1,600	320	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	9/27/2016	103.66	6.08	NP	--	97.58	--	450	2,500	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	12/20/2016	103.66	5.08	NP	--	98.58	--	< 50	< 130	1,700	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-15	1/25/2017	103.66	5.01	NP	--	98.65	--	--	2,000	1,700	--	--	--	--	--	--	--
MW-15	3/30/2017	103.66	4.37	NP	--	99.29	--	110	790	1,500	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-15	6/22/2017	103.66	5.51	NP	--	98.15	--	< 100	3,200	470	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	9/21/2017	103.66	6.18	NP	--	97.48	--	550	1,800	380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	12/12/2017	103.66	5.11	NP	--	98.55	--	340	2,800	1,100	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	3/12/2018	103.66	5.28	NP	--	98.38	--	910	2,200	1,200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	6/5/2018	103.66	5.80	NP	--	97.86	--	400	3,000	380	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	8/28/2018	103.66	6.35	NP	--	97.31	--	340	6,800	960	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	11/1/2018	103.66	5.35	NP	--	98.31	--	480	5,400	1,000	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	1/15/2019	103.66	4.82	NP	--	98.84	--	740	5,300	1,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	2/27/2019	103.66	4.92	NP	--	98.74	--	--	--	--	--	--	--	--	--	--	--
MW-15	4/8/2019	103.66	5.21	NP	--	98.45	--	420	9,900	2,300	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	4/10/2019	103.66	5.16	NP	--	98.50	--	--	--	--	--	--	--	--	--	--	--
MW-15	4/23/2019	103.66	5.31	NP	--	98.35	--	--	--	--	--	--	--	--	--	--	--
MW-15	4/24/2019	--	--	--	--	--	--	380	6,500	1,800	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	5/9/2019	103.66	5.54	NP	--	98.12	--	--	--	--	--	--	--	--	--	--	--
MW-15	5/30/2019	103.66	5.68	NP	--	97.98	--	510	9,900	1,800	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	6/12/2019	103.66	5.71	NP	--	97.95	--	500	8,200	1,700	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	6/26/2019	103.66	5.87	NP	--	97.79	--	--	--	--	--	--	--	--	--	--	--
MW-15	7/11/2019	103.66	5.62	NP	--	98.04	--	910	6,900	870	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	7/24/2019	103.66	5.90	NP	--	97.76	--	1,000	3,000	690	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-15	7/30/2019	103.66	5.90	NP	--	97.76	--	1,500	3,800	810	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	8/6/2019	103.66	5.96	NP	--	97.70	--	1,800	4,600	1,300	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	8/23/2019	103.66	4.81	NP	--	98.85	--	2,600	4,600	2,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	9/18/2019	103.66	5.38	NP	--	98.28	--	1,500	3,800	2,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	10/22/2019	103.66	5.18	NP	--	98.48	--	1,400	2,600	1,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	11/6/2019	103.66	5.45	NP	--	98.21	--	--	--	--	--	--	--	--	--	--	--
MW-15	12/4/2019	--	--	--	--	--	--	560	3,500	890	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	1/22/2020	103.66	4.94	NP	--	98.72	--	340	3,000	1100 B	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	2/21/2020	103.66	3.11	NP	--	100.55	--	260	2,700	2,500	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	3/31/2020	103.66	5.02	NP	--	98.64	--	250	4,200	910	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	4/29/2020	103.66	5.46	NP	--	98.20	--	140	3,200	1,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	2/2/2021	103.66	4.86	NP	--	98.80	--	130	2,500	1,400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-15	3/16/2023	103.66	5.42	NP	--	98.24	--	210	3,900	930	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	10/25/2012	104.49	4.57	NP	--	99.92	--	< 50.0	< 78.4	< 392	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	1/24/2013	104.49	3.96	NP	--	100.53	--	< 100	< 200	< 200	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	4/18/2013	104.49	3.87	NP	--	100.62	--	< 100	< 400	< 400	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	9/26/2013	104.49	3.94	NP	--	100.55	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	11/13/2013	104.49	3.94	NP	--	100.55	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	1/28/2014	104.49	3.96	NP	--	100.53	--	< 50	< 130	1,600	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	5/7/2014	104.49	3.70	NP	--	100.79	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	7/16/2014	104.49	4.48	NP	--	100.01	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	11/25/2014	104.49	3.91	NP	--	100.58	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	3/12/2015	104.49	4.00	NP	--	100.49	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	5/21/2015	104.49	4.29	NP	--	100.20	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	8/5/2015	104.49	4.82	NP	--	99.67	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	11/18/2015	104.49	3.35	NP	--	101.14	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	2/16/2016	104.49	3.37	NP	--	101.12	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	6/23/2016	104.49	4.31	NP	--	100.18	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	9/27/2016	104.49	4.79	NP	--	99.70	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	12/20/2016	104.49	3.76	NP	--	100.73	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-16	3/30/2017	104.49	3.31	NP	--	101.18	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	< 1.0	< 1.0
MW-16	6/22/2017	104.49	4.00	NP	--	100.49	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	9/21/2017	104.49	4.87	NP	--	99.62	--	--	--	--	--	--	--	--	--	--	--
MW-16	12/12/2017	104.49	3.72	NP	--	100.77	--	--	--	--	--	--	--	--	--	--	--
MW-16	3/12/2018	104.49	3.79	NP	--	100.70	--	--	--	--	--	--	--	--	--	--	--
MW-16	6/5/2018	104.49	4.28	NP	--	100.21	--	--	--	--	--	--	--	--	--	--	--
MW-16	8/28/2018	104.49	5.15	NP	--	99.34	--	--	--	--	--	--	--	--	--	--	--
MW-16	11/1/2018	104.49	4.18	NP	--	100.31	--	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ANALYTICAL AND GAUGING DATA
PACIFIC CONVENIENCE AND FUELS-2705486
5405 PACIFIC HWY E, FIFE, WA 98424

Well I.D.	Date	GROUNDWATER GAUGING DATA						GROUNDWATER ANALYTICAL DATA									
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers	TPH- Gasoline (ug/L)	TPH-Diesel (ug/L)	TPH-Oil (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylene (Total) (ug/L)	MTBE (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)
MTCA Method A Cleanup Levels								800 **	500	500	5	1000	700	1000	20	15	15
MW-16	1/15/2019	104.49	3.69	NP	--	100.80	--	--	--	--	--	--	--	--	--	--	--
MW-16	2/27/2019	104.49	3.54	NP	--	100.95	--	--	--	--	--	--	--	--	--	--	--
MW-16	4/8/2019	104.49	3.65	NP	--	100.84	--	--	--	--	--	--	--	--	--	--	--
MW-16	4/10/2019	104.49	3.62	NP	--	100.87	--	--	--	--	--	--	--	--	--	--	--
MW-16	4/23/2019	104.49	3.56	NP	--	100.93	--	--	--	--	--	--	--	--	--	--	--
MW-16	4/24/2019	--	--	--	--	--	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	5/9/2019	104.49	3.90	NP	--	100.59	--	--	--	--	--	--	--	--	--	--	--
MW-16	5/30/2019	104.49	4.07	NP	--	100.42	--	< 50	< 130	510	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	6/12/2019	104.49	4.10	NP	--	100.39	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	6/26/2019	104.49	4.27	NP	--	100.22	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	7/11/2019	104.49	4.24	NP	--	100.25	--	< 50	< 130	< 250	< 1.0	< 1.0	< 1.0	< 3.0	--	--	--
MW-16	7/24/2019	104.49	4.31	NP	--	100.18	--	--	--	--	--	--	--	--	--	--	--
MW-16	7/30/2019	104.49	4.32	NP	--	100.17	--	--	--	--	--	--	--	--	--	--	--
MW-16	8/6/2019	104.49	4.45	NP	--	100.04	--	--	--	--	--	--	--	--	--	--	--
MW-16	8/23/2019	104.49	4.38	NP	--	100.11	--	--	--	--	--	--	--	--	--	--	--
MW-16	9/18/2019	104.49	4.08	NP	--	100.41	--	--	--	--	--	--	--	--	--	--	--
MW-16	10/22/2019	104.49	4.02	NP	--	100.47	--	--	--	--	--	--	--	--	--	--	--
MW-16	1/22/2020	104.49	3.50	NP	--	100.99	--	--	--	--	--	--	--	--	--	--	--
MW-16	4/29/2020	104.49	3.95	NP	--	100.54	--	--	--	--	--	--	--	--	--	--	--
MW-16	3/16/2023	104.49	3.90	NP	--	100.59	--	--	--	--	--	--	--	--	--	--	--

Notes:

TOC - Top of Casing

ft - feet

NP - No Product

LNAPL - Light Non-Aqueous Phase Liquid

* - Corrected for LNAPL if present (assumes LNAPL specific gravity = 0.75)

LPH-Liquid Phase Hydrocarbons

-- No Information Available

Dry - Well Dry

NG - Not Gauged

WD - Well Destroyed

Notes:

Results in bold exceed the action level

< = Not detected at or above indicated laboratory reporting limit

ug/L = micrograms per liter

TPH-G = Total petroleum hydrocarbons as gasoline by Method NWTPH-Gx

TPH-D = Total petroleum hydrocarbons as diesel by NWTPH-Dx; after the 2/16/2016 event, all samples are analyzed without silica gel cleanup

TPH-O = Total petroleum hydrocarbons as oil by NWTPH-Dx

Benzene, Toluene, Ethylbenzene, Xylene (total) compounds analyzed by EPA Method 8260

MTBE = Methyl-tert-butyl Ether analyzed by EPA Method 8260

Total lead by EPA Method 6010

Dissolved lead by EPA Method 6020B

** MTCA Method A Cleanup Level for TPH-Gasoline is 1000 (ug/l) if Benzene is not detectable in groundwater.

Laboratory Reporting Limits vary, see laboratory analytical report for values

B - Analyte detected in sample and method blank. Reported result is sample concentration without blank correction or associated quantitation limit.

Figures

Figure 1 - Site Location Map

Figure 2 - Property Layout Map

Figure 3 - Groundwater Elevation Contour Map – 03/16/2023

Figure 4 - Groundwater Hydrocarbon Distribution Map – 03/16/2023

Figure 5 - Groundwater Flow Direction Rose Diagram

LATITUDE 47.243383
 LONGITUDE -122.356782
 UTM COORDINATES Zone 10T: 548678 E 5232411 N



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

FIFE, WASHINGTON






FIGURE 1

SITE LOCATION MAP
 United Pacific Station No. 2705486
 5405 PACIFIC HIGHWAY EAST
 FIFE, WASHINGTON

PROJECT NO. 2705486	PREPARED BY LG	REF SCALE 1:24,000
DATE 06/24/15	REVIEWED BY TR	MAP SCALE 1 inch = 2,000 feet





Legend

- Site Features
- Building
- × — Fence
- - - Former Feature
- Property Boundary
- - - UST
- ⊕ Monitoring Well
- ⊕ Abandoned Monitoring Well

0 10 20 40 60 Feet




FIGURE 2

PROPERTY LAYOUT MAP
UNITED PACIFIC STATION NO. 2705486
5405 PACIFIC HIGHWAY EAST
FIFE, WASHINGTON

PROJECT NO. ELT - 5486_Fife WA	PREPARED BY MB/JH	REF SCALE 1:540
DATE 1/18/2024	REVIEWED BY JS	MAP SCALE 1 inch = 45 feet





Legend

- Site Features
- Building
- × — Fence
- - - Former Feature
- Property Boundary
- - - UST
- Monitoring Well
- ✖ Abandoned Monitoring Well
- Groundwater Elevation Contour (ft)
- ➔ Inferred Groundwater Flow Direction
- (99.42) Groundwater Elevation (ft)
- * Well not used for contouring

Notes:

Site Wide Approximate Groundwater Gradient: 0.038 ft/ft


Contour Interval = 0.5 ft



FIGURE 3

GROUNDWATER ELEVATION CONTOUR MAP
3/16/2023
UNITED PACIFIC STATION NO. 2705486
5405 PACIFIC HIGHWAY EAST
FIFE, WASHINGTON

PROJECT NO. ELT - 5486_Fife WA	PREPARED BY MB/JH	REF SCALE 1:540	
DATE 1/18/2024	REVIEWED BY JS	MAP SCALE 1 inch = 45 feet	



Legend

- Site Features
- Building
- × — Fence
- - - Former Feature
- Property Boundary
- - - UST
- Monitoring Well
- ⦿ Abandoned Monitoring Well


B: Benzene
 T: Toluene
 E: Ethylbenzene
 X: Total Xylenes
 G: Total Petroleum Hydrocarbons as Gasoline
 D: Total Petroleum Hydrocarbons as Diesel
 O: Total Petroleum Hydrocarbons as Oil
 <: Not detected at or above laboratory reporting limit
BOLD : Exceeds MTCA Method A Cleanup Levels
 Concentrations in micrograms per liter (µg/L).

FIGURE 4

GROUNDWATER HYDROCARBON DISTRIBUTION MAP
 2023
 UNITED PACIFIC STATION NO. 2705486
 5405 PACIFIC HIGHWAY EAST
 FIFE, WASHINGTON

PROJECT NO. ELT - 5486_Fife WA	PREPARED BY MB/JH	REF SCALE 1:540	
DATE 1/18/2024	REVIEWED BY JS	MAP SCALE 1 inch = 45 feet	

Figure 5
Groundwater Flow Direction Rose Diagram
United Pacific Station No. 2705486
5405 Pacific Highway East
Fife, Washington



Legend
Concentric circles represent monitoring
events with determinable flow directions
June 2009 through March 2023.
46 monitoring events shown.

■ Groundwater Flow Direction

Appendix A - Analytical Lab Reports and Chain-of-Custody Documentation



March 27, 2023

Ms. Megan Richard
Antea Group
18378-B Redmond Way
Redmond, WA 98052-5012

Dear Ms. Richard,

On March 17th, 7 samples were received by our laboratory and assigned our laboratory project number EV23030127. The project was identified as your ELT - 5486, Fife. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rob Greer
Laboratory Director



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-01
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023 10:20:00 AM
CLIENT SAMPLE ID	MW-3_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	790	130	1	UG/L	03/26/2023	DHM
TPH-Oil Range	NWTPH-DX	340	250	1	UG/L	03/26/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	83.5	03/24/2023	MWW
TFT	EPA-8021	81.9	03/24/2023	MWW
C25	NWTPH-DX	100	03/26/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product, highly weathered diesel and an unidentified oil range product.

Oil range product results biased high due to diesel range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-02
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023 1:45:00 PM
CLIENT SAMPLE ID	MW-5_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	54	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	4600	260	2	UG/L	03/26/2023	DHM
TPH-Oil Range	NWTPH-DX	1900	500	2	UG/L	03/26/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	78.7	03/24/2023	MWW
TFT	EPA-8021	77.5	03/24/2023	MWW
C25 2X Dilution	NWTPH-DX	90.4	03/26/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product, highly weathered diesel and an unidentified oil range product.

Chromatogram indicates that it is likely that sample contains gasoline, highly weathered diesel and an unidentified oil range product.

Oil range product results biased high due to diesel range product overlap.

Gasoline range reporting limit raised due to semivolatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-03
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023 11:00:00 AM
CLIENT SAMPLE ID	MW-9_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	6300	260	2	UG/L	03/26/2023	DHM
TPH-Oil Range	NWTPH-DX	U	500	2	UG/L	03/26/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	79.3	03/24/2023	MWW
TFT	EPA-8021	78.2	03/24/2023	MWW
C25 2X Dilution	NWTPH-DX	101	03/26/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product and an unidentified diesel range product.

Chromatogram indicates that it is likely that sample contains gasoline and an unidentified diesel range product.

Gasoline range reporting limit raised due to semivolatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-04
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023 1:00:00 PM
CLIENT SAMPLE ID	MW-12_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	270	130	1	UG/L	03/26/2023	DHM
TPH-Oil Range	NWTPH-DX	310	250	1	UG/L	03/26/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	88.9	03/24/2023	MWW
TFT	EPA-8021	87.2	03/24/2023	MWW
C25	NWTPH-DX	103	03/26/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product, an unidentified diesel range product and lube oil.
Diesel range product results biased high due to oil range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-05
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023 11:40:00 AM
CLIENT SAMPLE ID	MW-14_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	2700	130	1	UG/L	03/27/2023	DHM
TPH-Oil Range	NWTPH-DX	1600	250	1	UG/L	03/27/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	94.2	03/24/2023	MWW
TFT	EPA-8021	92.3	03/24/2023	MWW
C25	NWTPH-DX	101	03/27/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product, highly weathered diesel and an unidentified oil range product.

Oil range product results biased high due to diesel range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Antea Group DATE: 3/27/2023
18378-B Redmond Way ALS JOB#: EV23030127
Redmond, WA 98052-5012 ALS SAMPLE#: EV23030127-06
CLIENT CONTACT: Megan Richard DATE RECEIVED: 03/17/2023
CLIENT PROJECT: ELT - 5486, Fife COLLECTION DATE: 3/16/2023 9:40:00 AM
CLIENT SAMPLE ID MW-15_20230316 WDOE ACCREDITATION: C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	210	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW
TPH-Diesel Range	NWTPH-DX	3900	130	1	UG/L	03/27/2023	DHM
TPH-Oil Range	NWTPH-DX	930	250	1	UG/L	03/27/2023	DHM

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	101	03/24/2023	MWW
TFT	EPA-8021	98.2	03/24/2023	MWW
C25	NWTPH-DX	102	03/27/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.

Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product, an unidentified diesel range product and an unidentified oil range product.

Oil range product results biased high due to diesel range product overlap.

Gasoline range product results biased high due to semivolatile range product overlap.

Gasoline range reporting limit raised due to semivolatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS JOB#:	EV23030127
	Redmond, WA 98052-5012	ALS SAMPLE#:	EV23030127-07
CLIENT CONTACT:	Megan Richard	DATE RECEIVED:	03/17/2023
CLIENT PROJECT:	ELT - 5486, Fife	COLLECTION DATE:	3/16/2023
CLIENT SAMPLE ID	TripBlank_20230316	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	03/24/2023	MWW
Benzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Toluene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	03/24/2023	MWW
Xylenes	EPA-8021	U	3.0	1	UG/L	03/24/2023	MWW

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	90.2	03/24/2023	MWW
TFT	EPA-8021	88.2	03/24/2023	MWW

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product.
 Gasoline range product results biased high due to semivolatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group	DATE:	3/27/2023
	18378-B Redmond Way	ALS SDG#:	EV23030127
	Redmond, WA 98052-5012	WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Megan Richard		
CLIENT PROJECT:	ELT - 5486, Fife		

LABORATORY BLANK RESULTS
MBG-032323W3 - Batch 191323 - Water by NWTPH-GX

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	UG/L	50	03/24/2023	MWW

SUR01 - One or more surrogate recoveries were above the upper control limits. The sample results may be biased high.

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032323W3 - Batch 191323 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Benzene	EPA-8021	U	UG/L	1.0	03/24/2023	MWW
Toluene	EPA-8021	U	UG/L	1.0	03/24/2023	MWW
Ethylbenzene	EPA-8021	U	UG/L	1.0	03/24/2023	MWW
Xylenes	EPA-8021	U	UG/L	3.0	03/24/2023	MWW

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032323W - Batch 191197 - Water by NWTPH-DX

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range	NWTPH-DX	U	UG/L	130	03/25/2023	DHM
TPH-Oil Range	NWTPH-DX	U	UG/L	250	03/25/2023	DHM

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Antea Group
18378-B Redmond Way
Redmond, WA 98052-5012
DATE: 3/27/2023
ALS SDG#: EV23030127
WDOE ACCREDITATION: C601

CLIENT CONTACT: Megan Richard
CLIENT PROJECT: ELT - 5486, Fife

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 191323 - Water by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
TPH-Volatile Range - BS	NWTPH-GX	89.3			66.5	122.7	03/24/2023	MWW
TPH-Volatile Range - BSD	NWTPH-GX	100	12		66.5	122.7	03/24/2023	MWW

ALS Test Batch ID: 191323 - Water by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
Benzene - BS	EPA-8021	86.3			83	120	03/24/2023	MWW
Benzene - BSD	EPA-8021	96.8	0		83	120	03/24/2023	MWW
Toluene - BS	EPA-8021	96.3			85	115	03/24/2023	MWW
Toluene - BSD	EPA-8021	104	0		85	115	03/24/2023	MWW
Ethylbenzene - BS	EPA-8021	98.9			85	113	03/24/2023	MWW
Ethylbenzene - BSD	EPA-8021	103	0		85	113	03/24/2023	MWW
Xylenes - BS	EPA-8021	101			85	116	03/24/2023	MWW
Xylenes - BSD	EPA-8021	103	0		85	116	03/24/2023	MWW

ALS Test Batch ID: 191197 - Water by NWTPH-DX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
TPH-Diesel Range - BS	NWTPH-DX	92.8			67	125.2	03/25/2023	DHM
TPH-Diesel Range - BSD	NWTPH-DX	96.8	4		67	125.2	03/25/2023	DHM

APPROVED BY

Rob Greer
Laboratory Director

18378-B Redmond Way
Redmond, WA 98052 USA
USA Toll Free: 800 477 7411
Tel: +1 425 882 3528
Fax: +1 425 869 1892



CHAIN-OF-CUSTODY RECORD

EV23030127

ANTEA GROUP PROJECT NO.		ELT - 5486, Fife	INVOICE CODE	PAGE 1	OF 2	TURNAROUND REQUESTED		ANALYSIS REQUESTED		LAB NAME	ALS-Everett
PROJECT MANAGER		Megan Richard		☒ NORMAL							
PROJECT NAME		ELT - 5486, Fife		☐ RUSH							
CONTACT NAME		Megan Richard									
CONTACT TELEPHONE		206-854-0399									
PROJECT LOCATION		Fife, WA		EMAIL RESULTS TO:		megan.richard@anteagroup.us					
SAMPLER'S SIGNATURE						digital.solutions@equis@anteagroup.us					
Lab No.	SAMPLE ID	TIME SAMPLED	DATE SAMPLED	Composite (C); Grab (G)							
1	MW-3_20230316	1020	3/16/2023	G	8021BTEX	X	NMTPH-DX	X	NMTPH-GX	RCRA 8 Metals	
2	MW-5_20230316	1245	3/16/2023	G		X	X	X	X		
3	MW-9_20230316	1100	3/16/2023	G		X	X	X	X		
4	MW-12_20230316	1300	3/16/2023	G		X	X	X	X		
5	MW-14_20230316	1140	3/16/2023	G		X	X	X	X		
6	MW-15_20230316	0940	3/16/2023	G		X	X	X	X		
7	Waste Comp			G		X	X	X	X		
	Trip Blank	0000	3/16/2023	Q		X	X	X	X		
GENERAL COMMENTS:											
TOTAL NUMBER OF CONTAINERS 20											
1 RELINQUISHED BY (SIGNATURE)		DATE 3/17/23	3 RELINQUISHED BY (SIGNATURE)		DATE	5 RELINQUISHED BY (SIGNATURE)		DATE			
COMPANY Antea Group		TIME 1330	COMPANY		TIME	COMPANY		TIME			
2 RECEIVED BY (SIGNATURE)		DATE 03/17/23	4 RECEIVED BY (SIGNATURE)		DATE	6 RECEIVED BY (SIGNATURE)		DATE			
COMPANY ALS		TIME 1330	COMPANY		TIME	COMPANY		TIME			