

Our ref: 11218519

May 13, 2024

Mr. Vance Atkins
Washington Department of Ecology
Northwest Regional Office
3190 160th Avenue SE
Bellevue WA 98008-5452

**Quarterly Progress Report
Shell Harbor Island Terminal, Seattle, Washington**

Dear Mr. Atkins,

GHD has prepared this letter on behalf of Equilon Enterprises dba Shell Oil Products US (Shell) as a progress report update for the Seattle Terminal (Site) MTCA remedial action in accordance with Consent Decree No. 99-2-07176-0SEA Section XI. This progress report covers the period from January 1, 2024, to March 31, 2024.

Table 1 summarizes Groundwater Cleanup Levels established for the Site, and Table 2 summarizes the established groundwater monitoring program. Depth to groundwater and groundwater elevation data are summarized in Table 3, and product gauging data in Table 4. Natural attenuation parameters are summarized in Table 5, and chemical constituent data are summarized in Tables 6 and 7.

1. Current Reporting Period Activities

- Monthly gauging events with product monitoring were conducted at monitoring wells MW-208, MW-210, MW-211, and MW-212 on January 16, February 22, and March 11, 2024, within the Shoreline Manifold Area. Monitoring wells MW-210 and MW-212 have absorbent socks that are checked during each monitoring event. The sock in MW-210 was changed during the January, February, and March events, and the sock in MW-212 was changed during the March event. In MW-210, 0.61 feet of free product was detected during the January monitoring event and 0.30 feet of free product was detected during the February monitoring event. No free product was detected in March in MW-210. Measurable free product was not detected in wells MW-208, MW-211, or MW-212 during the monthly gauging events.
- The first quarter groundwater monitoring and sampling event was conducted on March 11 and 12, 2024 in accordance with the groundwater monitoring program as shown on Table 2.
 - Monitoring wells gauged during this event included:
 - TX-03A Area Excluding the North Tank Farm: MW-101, MW-102, MW-301 through MW-304, MW-307 through MW-315, TES-MW-1, and TX-03A.
 - TX-03A Area North Tank Farm: MW-201 through MW-204, and MW-206A
 - Shoreline Manifold Area: MW-208, and MW-210 through MW-212

- Monitoring wells sampled during this event in the TX-03A Area included: MW-301 through MW-304, MW-307, MW-308, MW-310 through MW-313, MW-315, and TX-03A. MW-314 is included in the groundwater monitoring program for first quarter sampling but was unable to be accessed during the monitoring event.

2. Deviations from Required Tasks Not Otherwise Documented

2.1 TX-03A Area Bio-Sparge System

Construction of a bio-sparging system was completed in May 2017, and the system started on May 25, 2017. The bio-sparging system was shut off December 6, 2019, and rebound testing was initiated. Wells evaluated for rebound testing during the first quarter include MW-301 through MW-304, MW-307, MW-308, MW-310 through MW-313, MW-315, and TX-03A. Benzene concentrations in the wells within the bio-sparging area during the March 2024 event remained below cleanup levels, except for monitoring well TX-03A. Total petroleum hydrocarbons (TPH) as gasoline (TPHg) exceeded cleanup levels in wells MW-301, MW-303, MW-307, MW-311, MW-312, MW-315, and TX-03A.

Gasoline concentrations in all wells sampled generally remain below or within the range of concentrations reported between 2012 and 2016, prior to system operation, except for wells MW-311, MW-312, and MW-315. The reported concentrations of TPHg in MW-311 (2.82 milligrams per liter [mg/L]), MW-312 (3.18 mg/L), and MW-315 (3.82 mg/L) are higher than all previous sampling events.

Concentrations in wells MW-311, MW-312, and MW-315 may continue to fluctuate as treated groundwater from the remediation system travels downgradient from the treatment area. Based on these results, GHD does not recommend restarting the bio sparge system and will continue to conduct rebound monitoring to further assess concentration trends.

3. Deviations from Schedule and Any Planned Deviations in Upcoming Reporting Period

No deviations are currently planned for the second quarter 2024.

4. Plan for any Deviations in Schedule for Recovery of List Time and Maintaining Compliance with Schedule

None.

5. All Raw Data (including laboratory analysis) Received by Shell during the Post Quarter and a List of Deliverables for the Upcoming Reporting Period

- The groundwater cleanup levels are provided on Table 1, and the groundwater monitoring program is provided in Table 2. The groundwater elevation data, product monitoring data, compliance monitoring

natural attenuation parameters, and groundwater sample results for the first quarter 2024 are included with the historical data on Tables 3 through 7. New groundwater data from the first quarter 2024 monitoring events are highlighted on these tables in yellow.

- The laboratory reports for the first quarter 2024 monitoring event are included in Attachment A
- Groundwater samples were analyzed for one or more of the following during the first quarter 2024 groundwater monitoring event in accordance with Table 2:
 - Volatile organic compounds: Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX)
 - TPHg, TPH as diesel (TPHd), TPH as oil (TPHo)
- A data quality review report is included in Attachment B.

6. List of Deliverables for the Upcoming Reporting Period if Different from the Schedule

No deviations from the reporting schedule.

7. List of Deliverables in Review with Washington State Ecology or Other Agency


- AECOM, 2020a. Shell Harbor Island Terminal Major Remedial Efforts Summary (2016-2020). April 2.
- AECOM, 2020b. Shell Harbor Island Terminal Bio-Sparging System. April 9.
- AECOM, 2020c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 15, 2020. May 15.
- AECOM, 2020d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 14, 2020. August 14.
- GHD, 2020. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 13, 2020. November 13.
- GHD, 2021a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2020 Annual Compliance Monitoring Report, February 15, 2021. February 15.
- GHD, 2021b. Shell Harbor Island Terminal Interim Action Report. March 11.
- GHD, 2021c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 13, 2021. May 13.
- GHD, 2021d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 11, 2021. August 11.
- GHD, 2021e. Shell Harbor Island Terminal Well Installation Work Plan. August 21, 2021. August 21.
- GHD, 2021f. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 15, 2021. November 15.
- GHD, 2022a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2021 Annual Compliance Monitoring Report, February 15, 2022. February 15.
- GHD, 2022b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2022. May 12
- GHD, 2022c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2022. August 15.

- GHD, 2022d. Shell Harbor Island Terminal Site Investigation Report. October 14, 2022. October 14.
- GHD, 2022e. Shell Harbor Island Terminal Revised Site Investigation Report. December 15, 2022. December 15.
- GHD, 2023a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2022 Annual Compliance Monitoring Report, February 15, 2023. February 15.
- GHD, 2023b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2023. May 12
- GHD, 2023c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2023. August 15.
- GHD, 2023d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 7, 2023. November 7.
- GHD, 2024a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2023 Annual Compliance Monitoring Report, February 14, 2024. February 14.

Please do not hesitate to contact me at (425) 563-6502. If you have any questions or comments.

Sincerely,

GHD



Emily Blakeway
Project Manager

+1 425 563 6502
emily.blakeway@ghd.com



Jacquelyn England, LG
Technical Director

+1 707 540-9686
jacquelyn.england@ghd.com



Jacquelyn England

Encl.

Tables:

- Table 1 Groundwater Cleanup Levels
- Table 2 Groundwater Monitoring Program
- Table 3 Groundwater Elevation Data
- Table 4 Performance Product Monitoring Data
- Table 5 Compliance Monitoring Natural Attenuation Parameters
- Table 6 BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
- Table 7 Carcinogenic PAHs in Groundwater

Attachments:

- Attachment A - Laboratory Report
- Attachment B - Data Quality Review Report

cc: Andrea Wing – Shell Oil Products US
Joshua Lokomiak – Seattle Terminal Manager – Shell Oil Products US
Theresa Geijer – Shell Terminal Environmental Advisor

Tables

Table 1
Groundwater Cleanup Levels
Shell Harbor Island Terminal
Seattle, Washington

Constituent	Cleanup Level^a (mg/L)
Arsenic	0.036 ^b
Benzene	0.071
cPAH TEQ	0.000031
Ethylbenzene	29.0
Lead	0.0058
TPH-G	1.0
TPH-D	10
TPH-O	10
Toluene	200.0

Notes:

^a Cleanup levels per the Consent Decree (Ecology, 1998), except where noted.

^b Cleanup level based on ambient water quality criteria (chronic criteria for the protection of aquatic organisms) per WAC 173-201A-040.

mg/L = milligrams per liter

cPAH TEQ = There are not established individual cleanup levels for polycyclic aromatic hydrocarbons (PAHs). The carcinogenic PAHs total toxic equivalent concentration (TEQ) is calculated and compared to the established cleanup level.

TPH-D = total petroleum hydrocarbons as diesel

TPH-G = total petroleum hydrocarbons as gasoline

TPH-O = total petroleum hydrocarbons as oil

Table 2
Groundwater Monitoring Program
Shell Harbor Island Terminal
Seattle, Washington

Well	Schedule								Analysis					Compliance Monitoring Well				Well Construction		Comments and Deviations from Monitoring Program
	1Q		2Q		3Q		4Q (2nd Semi-Annual & Annual)							Network	Well Class	Well Construction				
	Gauge	Sample	Gauge	Sample	Gauge	Sample	Gauge	Sample	Total Lead	BTEX	TPH-Gx	TPH-Dx	PAHs	NA Parameters	Performance Product	NA Performance	Groundwater Quality Confirmation	Sentry	Total Depth (ft bgs)	
TX-03A Area - North Tank Farm																				
MW-201	G		G		G		G	S		X	X	X					X	15	5.0 - 14.5	
MW-202	G		G	S	G		G	S		xA	X	X		xA	X			15	5.0 - 14.5	
MW-203	G		G	S	G		G	S			X	X		xA	X			15	5.0 - 14.5	
MW-204	G		G		G		G	S		X	X	X			X		X	15	5.0 - 14.5	
MW-206A	G		G		G		G	S		X	X	X				X-BGD		15	5.0 - 14.5	
TX-03A Area - Excluding the North Tank Farm																				
MW-101	G		G		G		G	S		X	X	X						15	5.0 - 14.5	
MW-102	G		G		G		G	S		X	X	X					X	15	5.0 - 14.5	
MW-301	G	S	G	S	G	S	G	S		X	X							15	5.0 - 15.0	
MW-302	G	S	G	S	G	S	G	S		X	X	xA		xA	X			15	5.0 - 15.0	
MW-303	G	S	G	S	G	S	G	S		X	X	xA						15	5.0 - 15.0	
MW-304	G	S	G	S	G	S	G	S		X	X	xA		xA	X			15	5.0 - 15.0	
MW-307	G	S	G	S	G	S	G	S		X	X	xS		xA	X			15	5.0 - 15.0	
MW-308	G	S	G	S	G	S	G	S		X	X			xA	X			15	5.0 - 15.0	
MW-309	G		G	S	G		G	S		X	X	xA						15	5.0 - 15.0	
MW-310	G	S	G	S	G	S	G	S		X	X	xA		xA	X			15	5.0 - 15.0	
MW-311	G	S	G	S	G	S	G	S		X	X			xA	X		X	15	5.0 - 15.0	
MW-312	G	S	G	S	G	S	G	S		X	X			xA	X			15	5.0 - 15.0	
MW-313	G	S	G	S	G	S	G	S		X	X	X					X	15	5.0 - 15.0	
MW-314	G	S	G	S	G	S	G	S		X	X	X					X	15	5.0 - 15.0	
MW-315	G	S	G	S	G	S	G	S		X	X	X					X	15	5.0 - 15.0	
TES-MW-1	G		G		G		G	S		X	X	X						18	3.0 - 18.0	
TX-03A	G	S	G	S	G	S	G	S		X	X	xA		xA	X			16	6.0 - 16.0	
SH-04 Area																				
MW-05			G	S			G	S		X	X	X					X	15	5.0 - 15.0	
MW-111			G	S			G	S		X	X	X					X	15	5.0 - 14.5	
MW-112A			G	S			G	S		X	X	X					X	15	5.5 - 15.0	
SH-04			G	S			G	S		X	X	X					X	16	6.0 - 16.0	
MW-104			G	S			G	S	X		X	X					X	15	5.0 - 14.5	
Pump House Area Wells																				
MW-113			G	S			G	S		X	X	X						15	5.0-15.0	
MW-114			G	S			G	S		X	X	X						15	5.0-15.0	
MW-115			G	S			G	S		X	X	X						15	5.0-15.0	
Additional Compliance Monitoring Wells																				
MW-105							G	S	X	X	X	X					X	15	5.0 - 14.5	
TX-04							G	S		X	X	X					X	16	6.0 - 16.0	
TX-06A							G	S		X	X	X					X	15.8	5.5 - 15.5	
Shoreline Manifold Area																				
MW-208	MG		MG		MG		MG							X				16.5	5.0 - 14.5	
MW-210	MG		MG		MG		MG							X				15	unknown	
MW-211	MG		MG		MG		MG							X				13	5.0 - 13.0	
MW-212	MG		MG		MG		MG							X				12	unknown	
MW-213			G	S			G	S		X	X	X	X			X-POC		30	30 - 40	
MW-214			G	S			G	S		X	X	X	X			X-POC		30	30 - 40	

**Table 2
Groundwater Monitoring Program
Shell Harbor Island Terminal
Seattle, Washington**

Well	Schedule								Analysis										Compliance Monitoring Well Network Well Class			Well Construction		Comments and Deviations from Monitoring Program
	1Q		2Q		3Q		4Q (2nd Semi-Annual & Annual)		Total Lead	BTEX	TPH-Gx	TPH-Dx	PAHs	NA Parameters	Performance Product	NA Performance	Groundwater Quality Confirmation	Sentry	Total Depth (ft bgs)	Screened Interval (ft bgs)				
	Gauge	Sample	Gauge	Sample	Gauge	Sample	Gauge	Sample																
Additional Wells (Included in Annual Inspection only)																								
ASW-1																			14	13 - 14	Air sparge well			
PSV-1																			4	3 - 4	Soil gas well			
PSV-2																			4	3 - 4	Soil gas well			
SVE-1																			4	3 - 4	Soil vapor extraction well			
TW-01																			14	4 - 14	Pumping test well			
DP-06																								
MW-06																								
MW-103																								
MW-106																								
MW-107																								
MW-108																								
MW-109																								
MW-110																								
MW-205																								
MW-209																								
MW-305																								
MW-306																								
AMW-8																					Wells were discovered during TSO Terminal Audit and are no longer used by operations for leak detection. Groundwater monitoring of these wells is not required. Checking for well logs for future well abandonment.			
AMW-X																					Wells were discovered during consultant transition. Groundwater monitoring of these wells is required. Checking for well logs for future well abandonment.			

Notes:

Red = Modifications to the program since the November 2008 proposed changes which were established in correspondence between URS and Ecology.

Additional modifications to incorporate Pump House Area Wells per GHD's October 14, 2022 Site Investigation Report.

1Q = March

2Q = June

3Q = August

4Q = December

Addtl = Additional

BGD = Background well with respect to confirmational sampling

BTEX = benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8260B

Dec = December

DTP = Depth to product

ft bgs = below ground surface

G = indicates a well to be gauged during that event

MG = monthly gauge

NA = natural attenuation

Natural Attenuation Parameters: Nitrate and Nitrite by EPA Method 353.2, Sulfate by EPA Method 300.0, Dissolved Iron and Manganese by EPA Method 6010B/6020A (Lab Filtered), and Ferrous Iron collected in the field.

PAHs = polycyclic aromatic hydrocarbons by EPA Method 8270C-SIM

POC = Conditional Point of Compliance Well

Q = quarter

S = indicates a well to be sampled during that event

Sept = September

Total Lead by EPA Method 6020

TPH-Dx = total petroleum hydrocarbons as diesel by NWTPH-Dx

TPH-Gx = total petroleum hydrocarbons as gasoline by NWTPH-Gx

WLM = Water level measurement

X = indicates a well to be analyzed for that analyte

X^A = indicates a well to be analyzed for that analyte during the annual sampling event only

X^S = indicates a well to be analyzed for that analyte during both semi-annual sampling events only

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-05	04/06/93	10.39	6.12	4.27
MW-05	05/13/93	10.39	5.92	4.47
MW-05	06/10/93	10.39	5.98	4.41
MW-05	07/08/93	10.39	6.23	4.16
MW-05	08/03/93	10.39	6.50	3.89
MW-05	10/08/93	10.39	7.22	3.17
MW-05	11/05/93	10.39	7.42	2.97
MW-05	12/03/93	10.39	7.38	3.01
MW-05	01/05/94	10.39	6.64	3.75
MW-05	02/04/94	10.39	6.54	3.85
MW-05	08/28/95	10.39	Not Measured	Not Measured
MW-05	09/27/95	10.39	8.35	2.04
MW-05	04/27/99	10.39	8.07	2.32
MW-05	07/14/99	10.39	5.88	4.51
MW-05	10/18/99	10.39	7.00	3.39
MW-05	04/05/00	10.39	5.05	5.34
MW-05	07/18/00	10.39	6.30	4.09
MW-05	10/02/00	10.39	7.15	3.24
MW-05	01/22/01	10.39	6.50	3.89
MW-05	07/23/01	10.39	7.43	2.96
MW-05	07/18/02	10.39	7.10	3.29
MW-05	01/30/03	10.39	5.84	4.55
MW-05	04/15/03	10.39	5.80	4.59
MW-05	07/17/03	10.39	7.12	3.27
MW-05	10/15/03	10.39	7.78	2.61
MW-05	10/23/03	10.39	7.80	2.59
MW-05	01/13/04	10.39	5.65	4.74
MW-05	04/19/04	13.57	6.35	7.22
MW-05	07/27/04	13.57	7.32	6.25
MW-05	10/18/04	13.57	7.36	6.21
MW-05	01/24/05	13.57	6.26	7.31
MW-05	04/18/05	13.57	6.27	7.30
MW-05	07/12/05	13.57	6.85	6.72
MW-05	10/18/05	13.57	7.60	5.97
MW-05	01/25/06	13.57	4.78	8.79
MW-05	04/25/06	13.57	5.90	7.67
MW-05	10/11/06	13.57	7.62	5.95
MW-05	11/19/08	13.57	8.23	5.34
MW-05	11/16/09	13.57	6.44	7.13
MW-05	10/29/10	13.57	6.57	7.00

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-05	10/25/11	13.57	7.25	6.32
MW-05	05/30/12	13.57	5.86	7.71
MW-05	08/23/12	13.57	6.63	6.94
MW-05	11/27/12	13.57	5.30	8.27
MW-05	05/16/13	13.57	5.72	7.85
MW-05	11/07/13	13.57	6.49	7.08
MW-05	04/22/14	13.57	5.25	8.32
MW-05	12/08/15	13.57	5.42	8.15
MW-05	05/04/16	13.57	5.22	8.35
MW-05	12/14/16	13.57	4.78	8.79
MW-05	06/13/17	13.57	5.45	8.12
MW-05	12/04/17	13.57	5.64	7.93
MW-05	06/12/18	13.57	6.43	7.14
MW-05	12/17/18	13.57	6.27	7.30
MW-05	05/15/19	13.57	6.69	6.88
MW-05	12/09/19	13.57	7.09	6.48
MW-05	06/29/20	13.57	6.30	7.27
MW-05	12/14/20	13.57	6.31	7.26
MW-05	04/12/21	13.57	5.40	8.17
MW-05	06/14/21	13.57	6.27	7.30
MW-05	12/15/21	13.57	5.00	8.57
MW-05	04/18/22	13.57	5.35	8.22
MW-05	06/27/22	13.57	5.73	7.84
MW-05	12/12/22	13.57	5.95	7.62
MW-05	06/12/23	13.57	5.98	7.59
MW-05	12/18/23	13.57	4.85	8.72
MW-101	04/06/93	15.14	10.48	4.66
MW-101	05/13/93	15.14	10.32	4.82
MW-101	06/10/93	15.14	10.45	4.69
MW-101	07/08/93	15.14	10.75	4.39
MW-101	08/03/93	15.14	11.09	4.05
MW-101	09/08/93	15.14	11.52	3.62
MW-101	10/08/93	15.14	11.89	3.25
MW-101	11/05/93	15.14	12.13	3.01
MW-101	12/03/93	15.14	12.14	3.00
MW-101	01/05/94	15.14	11.16	3.98
MW-101	02/04/94	15.14	11.02	4.12
MW-101	08/28/95	15.14	11.25	3.89
MW-101	09/27/95	15.14	11.49	3.65

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-101	04/27/99	15.14	9.22	5.92
MW-101	07/14/99	15.14	10.73	4.41
MW-101	10/18/99	15.14	11.78	3.36
MW-101	01/11/00	15.14	9.73	5.41
MW-101	04/05/00	15.14	9.85	5.29
MW-101	07/18/00	15.14	11.01	4.13
MW-101	10/02/00	15.14	11.85	3.29
MW-101	01/22/01	15.14	11.67	3.47
MW-101	07/23/01	15.14	12.33	2.81
MW-101	10/16/01	15.14	13.15	1.99
MW-101	04/23/02	15.14	10.81	4.33
MW-101	07/18/02	15.14	11.88	3.26
MW-101	10/23/02	15.14	12.73	2.41
MW-101	01/30/03	15.14	10.09	5.05
MW-101	04/15/03	15.14	10.36	4.78
MW-101	07/17/03	15.14	11.94	3.20
MW-101	10/15/03	15.14	12.68	2.46
MW-101	01/13/04	15.14	10.06	5.08
MW-101	04/19/04	18.21	11.13	7.08
MW-101	07/27/04	18.21	12.07	6.14
MW-101	10/18/04	18.21	12.19	6.02
MW-101	01/24/05	18.21	10.61	7.60
MW-101	04/18/05	18.21	10.86	7.35
MW-101	07/12/05	18.21	11.61	6.60
MW-101	10/18/05	18.21	12.45	5.76
MW-101	01/25/06	18.21	9.21	9.00
MW-101	04/25/06	18.21	10.75	7.46
MW-101	10/11/06	18.21	12.39	5.82
MW-101	11/18/08	18.21	11.45	6.76
MW-101	11/16/09	18.21	10.95	7.26
MW-101	10/26/10	18.21	11.36	6.85
MW-101	10/25/11	18.21	12.15	6.06
MW-101	05/30/12	18.21	10.79	7.42
MW-101	06/13/12	18.21	10.90	7.31
MW-101	09/26/12	18.21	12.04	6.17
MW-101	11/27/12	18.21	9.90	8.31
MW-101	02/22/13	18.21	10.24	7.97
MW-101	05/16/13	18.21	10.89	7.32
MW-101	09/06/13	18.21	11.99	6.22
MW-101	11/07/13	18.21	11.78	6.43

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-101	04/22/14	18.21	10.16	8.05
MW-101	11/04/14	18.21	10.70	7.51
MW-101	03/10/15	18.21	10.31	7.90
MW-101	05/15/15	18.21	10.03	8.18
MW-101	07/29/15	18.21	11.86	6.35
MW-101	12/10/15	18.21	9.12	9.09
MW-101	02/23/16	18.21	8.81	9.40
MW-101	05/03/16	18.21	10.29	7.92
MW-101	08/30/16	18.21	11.29	6.92
MW-101	12/14/16	18.21	9.62	8.59
MW-101	03/13/17	18.21	8.87	9.34
MW-101	06/13/17	18.21	10.53	7.68
MW-101	08/22/17	18.21	11.63	6.58
MW-101	12/04/17	18.21	10.18	8.03
MW-101	03/06/18	18.21	10.05	8.16
MW-101	06/12/18	18.21	11.03	7.18
MW-101	09/05/18	18.21	11.97	6.24
MW-101	12/17/18	18.21	10.98	7.23
MW-101	03/18/19	18.21	10.17	8.04
MW-101	05/15/19	18.21	10.58	7.63
MW-101	09/17/19	18.21	12.03	6.18
MW-101	12/09/19	18.21	11.82	6.39
MW-101	04/27/20	18.21	10.53	7.68
MW-101	06/29/20	18.21	11.15	7.06
MW-101	09/21/20	18.21	12.00	6.21
MW-101	12/14/20	18.21	11.10	7.11
MW-101	04/12/21	18.21	10.20	8.01
MW-101	06/14/21	18.21	11.05	7.16
MW-101	09/22/21	18.21	12.00	6.21
MW-101	12/14/21	18.21	9.41	8.80
MW-101	03/28/22	18.21	9.67	8.54
MW-101	06/27/22	18.21	11.22	6.99
MW-101	09/19/22	18.21	11.79	6.42
MW-101	12/12/22	18.21	10.70	7.51
MW-101	03/27/23	18.21	11.26	6.95
MW-101	06/12/23	18.21	10.30	7.91
MW-101	09/11/23	18.21	10.96	7.25
MW-101	12/18/23	18.21	9.31	8.90
MW-101	03/11/24	18.21	9.31	8.90

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-102	04/06/93	12.51	7.99	4.52
MW-102	05/13/93	12.51	7.82	4.69
MW-102	06/10/93	12.51	7.80	4.71
MW-102	07/08/93	12.51	8.32	4.19
MW-102	08/03/93	12.51	8.68	3.83
MW-102	09/08/93	12.51	9.03	3.48
MW-102	10/08/93	12.51	9.44	3.07
MW-102	11/05/93	12.51	9.62	2.89
MW-102	12/03/93	12.51	9.42	3.09
MW-102	01/05/94	12.51	8.50	4.01
MW-102	02/04/94	12.51	8.52	3.99
MW-102	08/28/95	12.51	8.86	3.65
MW-102	09/27/95	12.51	9.17	3.34
MW-102	04/27/99	12.51	6.68	5.83
MW-102	07/14/99	12.51	8.40	4.11
MW-102	10/18/99	12.51	9.38	3.13
MW-102	01/11/00	12.51	7.43	5.08
MW-102	04/05/00	12.51	7.55	4.96
MW-102	07/18/00	12.51	8.37	4.14
MW-102	10/02/00	12.51	9.45	3.06
MW-102	01/22/01	12.51	9.12	3.39
MW-102	07/23/01	12.51	9.91	2.60
MW-102	04/23/02	12.51	8.17	4.34
MW-102	07/18/02	12.51	9.44	3.07
MW-102	07/18/02	12.51	9.44	3.07
MW-102	10/23/02	12.51	10.05	2.46
MW-102	01/28/03	12.51	7.20	5.31
MW-102	04/15/03	12.51	7.75	4.76
MW-102	07/17/03	12.51	9.51	3.00
MW-102	10/15/03	12.51	10.11	2.40
MW-102	01/13/04	12.51	7.49	5.02
MW-102	04/19/04	15.60	8.72	6.88
MW-102	07/27/04	15.60	9.62	5.98
MW-102	10/18/04	15.60	9.54	6.06
MW-102	01/24/05	15.60	7.92	7.68
MW-102	04/18/05	15.60	8.20	7.40
MW-102	07/12/05	15.60	9.10	6.50
MW-102	10/18/05	15.60	9.87	5.73
MW-102	01/25/06	15.60	3.94	11.66
MW-102	04/25/06	15.60	8.24	7.36

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC		
		Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-102	10/11/06	15.60	9.84	5.76
MW-102	11/19/08	15.60	8.79	6.81
MW-102	11/16/09	15.60	8.10	7.50
MW-102	10/28/10	15.60	8.64	6.96
MW-102	10/25/11	15.60	9.59	6.01
MW-102	05/30/12	15.60	8.27	7.33
MW-102	06/13/12	15.60	8.32	7.28
MW-102	09/26/12	15.60	9.53	6.07
MW-102	11/27/12	15.60	7.03	8.57
MW-102	02/22/13	15.60	7.88	7.72
MW-102	05/16/13	15.60	8.40	7.20
MW-102	09/06/13	15.60	9.36	6.24
MW-102	11/07/13	15.60	9.18	6.42
MW-102	04/22/14	15.60	7.69	7.91
MW-102	11/04/14	15.60	7.91	7.69
MW-102	03/10/15	15.60	7.90	7.70
MW-102	05/15/15	15.60	8.47	7.13
MW-102	07/29/15	15.60	9.39	6.21
MW-102	12/10/15	15.60	6.53	9.07
MW-102	02/23/16	15.60	6.78	8.82
MW-102	05/03/16	15.60	7.92	7.68
MW-102	08/30/16	15.60	8.98	6.62
MW-102	12/14/16	15.60	7.27	8.33
MW-102	03/13/17	15.60	6.75	8.85
MW-102	06/13/17	15.60	8.10	7.50
MW-102	08/22/17	15.60	9.20	6.40
MW-102	12/04/17	15.60	7.32	8.28
MW-102	03/06/18	15.60	8.61	6.99
MW-102	06/12/18	15.60	9.02	6.58
MW-102	09/05/18	15.60	9.47	6.13
MW-102	12/17/18	15.60	8.20	7.40
MW-102	03/18/19	15.60	7.69	7.91
MW-102	05/15/19	15.60	7.83	7.77
MW-102	09/17/19	15.60	9.36	6.24
MW-102	12/09/19	15.60	9.23	6.37
MW-102	04/27/20	15.60	7.97	7.63
MW-102	06/29/20	15.60	8.53	7.07
MW-102	09/21/20	15.60	9.48	6.12
MW-102	12/14/20	15.60	8.31	7.29
MW-102	04/12/21	15.60	7.77	7.83

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-102	06/14/21	15.60	8.47	7.13
MW-102	09/22/21	15.60	9.39	6.21
MW-102	12/16/21	15.60	6.81	8.79
MW-102	03/28/22	15.60	7.28	8.32
MW-102	06/27/22	15.60	8.46	7.14
MW-102	09/19/22	15.60	9.44	6.16
MW-102	12/12/22	15.60	7.25	8.35
MW-102	03/27/23	15.60	8.02	7.58
MW-102	06/12/23	15.60	7.97	7.63
MW-102	09/11/23	15.60	9.00	6.60
MW-102	12/18/23	15.60	6.84	8.76
MW-102	03/11/24	15.60	6.91	8.69
MW-104	04/06/93	10.22	5.98	4.24
MW-104	05/13/93	10.22	6.79	3.43
MW-104	06/10/93	10.22	5.85	4.37
MW-104	07/08/93	10.22	6.13	4.09
MW-104	08/03/93	10.22	6.38	3.84
MW-104	09/08/93	10.22	6.72	3.50
MW-104	10/08/93	10.22	7.05	3.17
MW-104	11/05/93	10.22	7.26	2.96
MW-104	12/03/93	10.22	7.26	2.96
MW-104	01/05/94	10.22	6.64	3.58
MW-104	02/04/94	10.22	6.46	3.76
MW-104	08/28/95	10.22	6.43	3.79
MW-104	09/27/95	10.22	6.70	3.52
MW-104	04/27/99	10.22	2.41	7.81
MW-104	07/14/99	10.22	5.62	4.60
MW-104	10/18/99	10.22	6.80	3.42
MW-104	01/11/00	10.22	5.04	5.18
MW-104	04/05/00	10.22	4.80	5.42
MW-104	07/18/00	10.22	6.15	4.07
MW-104	10/02/00	10.22	7.02	3.20
MW-104	01/22/01	10.22	6.45	3.77
MW-104	07/23/01	10.22	7.39	2.83
MW-104	10/16/01	10.22	8.59	1.63
MW-104	04/23/02	10.22	5.91	4.31
MW-104	07/18/02	10.22	7.07	3.15
MW-104	10/23/02	10.22	7.74	2.48
MW-104	01/28/03	10.22	6.03	4.19

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-104	04/15/03	10.22	5.75	4.47
MW-104	07/17/03	10.22	7.08	3.14
MW-104	10/15/03	10.22	7.76	2.46
MW-104	01/13/04	10.22	5.58	4.64
MW-104	04/19/04	13.46	6.30	7.16
MW-104	07/27/04	13.46	7.25	6.21
MW-104	10/18/04	13.46	7.34	6.12
MW-104	01/24/05	13.46	6.27	7.19
MW-104	04/18/05	13.46	6.22	7.24
MW-104	07/12/05	13.46	6.81	6.65
MW-104	10/18/05	13.46	7.55	5.91
MW-104	01/25/06	13.46	4.78	8.68
MW-104	04/25/06	13.46	5.82	7.64
MW-104	10/11/06	13.46	7.54	5.92
MW-104	11/18/08	13.46	6.74	6.72
MW-104	04/08/09	13.46	6.27	7.19
MW-104	11/16/09	13.46	6.39	7.07
MW-104	04/27/10	13.46	5.45	8.01
MW-104	10/26/10	13.46	6.53	6.93
MW-104	10/25/11	13.46	7.15	6.31
MW-104	03/01/12	13.46	5.82	7.64
MW-104	05/30/12	13.46	5.74	7.72
MW-104	06/13/12	13.46	5.86	7.60
MW-104	08/23/12	13.46	6.50	6.96
MW-104	09/26/12	13.46	6.90	6.56
MW-104	11/27/12	13.46	5.24	8.22
MW-104	05/16/13	13.46	5.65	7.81
MW-104	11/07/13	13.46	6.44	7.02
MW-104	04/22/14	13.46	5.20	8.26
MW-104	11/05/14	13.46	6.02	7.44
MW-104	05/20/15	13.46	5.86	7.60
MW-104	12/09/15	13.46	5.32	8.14
MW-104	12/14/16	13.46	4.78	8.68
MW-104	06/13/17	13.46	5.41	8.05
MW-104	12/04/17	13.46	5.75	7.71
MW-104	06/12/18	13.46	5.96	7.50
MW-104	12/17/18	13.46	6.23	7.23
MW-104	05/15/19	13.46	5.97	7.49
MW-104	12/09/19	13.46	6.99	6.47
MW-104	06/29/20	13.46	6.22	7.24

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-104	12/14/20	13.46	6.18	7.28
MW-104	04/12/21	13.46	5.30	8.16
MW-104	06/14/21	13.46	6.17	7.29
MW-104	12/15/21	13.46	4.99	8.47
MW-104	04/18/22	13.46	5.21	8.25
MW-104	06/27/22	13.46	5.62	7.84
MW-104	12/12/22	13.46	5.81	7.65
MW-104	06/12/23	13.46	5.96	7.50
MW-104	12/18/23	13.46	4.78	8.68
MW-105	04/06/93	9.05	4.97	4.08
MW-105	05/13/93	9.05	4.88	4.17
MW-105	06/10/93	9.05	4.83	4.22
MW-105	07/08/93	9.05	5.20	3.85
MW-105	08/03/93	9.05	5.43	3.62
MW-105	09/08/93	9.05	6.76	2.29
MW-105	10/08/93	9.05	6.06	2.99
MW-105	11/05/93	9.05	6.28	2.77
MW-105	12/03/93	9.05	6.18	2.87
MW-105	01/05/94	9.05	5.65	3.40
MW-105	02/04/94	9.05	5.63	3.42
MW-105	08/28/95	9.05	5.39	3.66
MW-105	09/27/95	9.05	5.70	3.35
MW-105	04/27/99	9.05	3.39	5.66
MW-105	07/14/99	9.05	4.58	4.47
MW-105	10/18/99	9.05	5.79	3.26
MW-105	01/11/00	9.05	3.97	5.08
MW-105	04/05/00	9.05	3.84	5.21
MW-105	07/18/00	9.05	4.90	4.15
MW-105	10/02/00	9.05	6.22	2.83
MW-105	01/22/01	9.05	5.56	3.49
MW-105	07/23/01	9.05	6.48	2.57
MW-105	04/23/02	9.05	5.25	3.80
MW-105	07/18/02	9.05	6.17	2.88
MW-105	10/23/02	9.05	6.78	2.27
MW-105	01/28/03	9.05	5.02	4.03
MW-105	04/15/03	9.05	4.97	4.08
MW-105	07/17/03	9.05	6.2	2.85
MW-105	10/15/03	9.05	6.66	2.39
MW-105	01/13/04	9.05	5.01	4.04

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-105	04/19/04	12.18	5.51	6.67
MW-105	07/27/04	12.18	6.28	5.90
MW-105	10/18/04	12.18	6.15	6.03
MW-105	01/24/05	12.18	5.02	7.16
MW-105	04/18/05	12.18	5.19	6.99
MW-105	07/12/05	12.18	5.82	6.36
MW-105	10/18/05	12.18	6.44	5.74
MW-105	01/25/06	12.18	4.05	8.13
MW-105	04/25/06	12.18	5.00	7.18
MW-105	10/11/06	12.18	6.51	5.67
MW-105	11/19/08	12.18	5.52	6.66
MW-105	11/16/09	12.18	5.03	7.15
MW-105	10/26/10	12.18	5.33	6.85
MW-105	10/25/11	12.18	6.06	6.12
MW-105	11/26/12	12.18	3.82	8.36
MW-105	11/07/13	12.18	5.42	6.76
MW-105	11/05/14	12.18	4.62	7.56
MW-105	12/08/15	12.18	4.00	8.18
MW-105	12/14/16	12.18	4.15	8.03
MW-105	12/04/17	12.18	4.55	7.63
MW-105	12/17/18	12.18	5.04	7.14
MW-105	12/09/19	12.18	5.83	6.35
MW-105	12/14/20	12.18	5.18	7.00
MW-105	04/12/21	12.18	4.55	7.63
MW-105	12/15/21	12.18	3.99	8.19
MW-105	12/12/22	12.18	4.35	7.83
MW-105	12/18/23	12.18	3.99	8.19
MW-111	04/06/93	8.61	4.95	3.66
MW-111	05/13/93	8.61	4.87	3.74
MW-111	06/10/93	8.61	4.84	3.77
MW-111	07/08/93	8.61	5.11	3.50
MW-111	08/03/93	8.61	5.29	3.32
MW-111	09/08/93	8.61	5.56	3.05
MW-111	10/08/93	8.61	5.81	2.80
MW-111	11/05/93	8.61	5.97	2.64
MW-111	12/03/93	8.61	5.93	2.68
MW-111	01/05/94	8.61	5.45	3.16
MW-111	02/04/94	8.61	5.28	3.33
MW-111	08/28/95	8.61	5.28	3.33

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-111	09/27/95	8.61	5.45	3.16
MW-111	04/27/99	8.61	3.55	5.06
MW-111	07/14/99	8.61	4.65	3.96
MW-111	10/18/99	8.61	5.59	3.02
MW-111	01/11/00	8.61	4.18	4.43
MW-111	04/05/00	8.61	3.94	4.67
MW-111	07/13/00	8.61	5.30	3.31
MW-111	10/02/00	8.61	5.68	2.93
MW-111	01/22/01	8.61	5.37	3.24
MW-111	07/23/01	8.61	6.22	2.39
MW-111	10/16/01	8.61	7.37	1.24
MW-111	04/23/02	8.61	5.28	3.33
MW-111	07/18/02	8.61	5.94	2.67
MW-111	10/23/02	8.61	6.50	2.11
MW-111	01/28/03	8.61	5.05	3.56
MW-111	04/15/03	8.61	5.03	3.58
MW-111	07/17/03	8.61	6.05	2.56
MW-111	10/15/03	8.61	6.45	2.16
MW-111	01/13/04	8.61	4.84	3.77
MW-111	04/19/04	11.88	5.46	6.42
MW-111	07/27/04	11.88	6.16	5.72
MW-111	10/18/04	11.88	6.11	5.77
MW-111	01/24/05	11.88	5.33	6.55
MW-111	04/18/05	11.88	5.27	6.61
MW-111	07/12/05	11.88	5.75	6.13
MW-111	10/18/05	11.88	6.26	5.62
MW-111	01/25/06	11.88	4.42	7.46
MW-111	04/25/06	11.88	4.88	7.00
MW-111	10/11/06	11.88	6.30	5.58
MW-111	11/19/08	11.88	8.62	3.26
MW-111	11/16/09	11.88	5.30	6.58
MW-111	10/26/10	11.88	5.35	6.53
MW-111	10/25/11	11.88	5.89	5.99
MW-111	05/30/12	11.88	4.81	7.07
MW-111	08/23/12	11.88	Not Measured	Not Measured
MW-111	11/29/12	11.88	4.14	7.74
MW-111	05/16/13	11.88	4.63	7.25
MW-111	11/07/13	11.88	5.10	6.78
MW-111	04/22/14	11.88	4.32	7.56
MW-111	11/05/14	11.88	4.58	7.30

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-111	12/08/15	11.88	4.36	7.52
MW-111	12/14/16	11.88	4.04	7.84
MW-111	06/13/17	11.88	4.51	7.37
MW-111	12/04/17	11.88	4.59	7.29
MW-111	06/12/18	11.88	5.25	6.63
MW-111	12/17/18	11.88	4.98	6.90
MW-111	05/15/19	11.88	4.97	6.91
MW-111	12/09/19	11.88	5.66	6.22
MW-111	06/29/20	11.88	5.12	6.76
MW-111	12/14/20	11.88	5.10	6.78
MW-111	04/12/21	11.88	4.46	7.42
MW-111	06/14/21	11.88	5.10	6.78
MW-111	12/15/21	11.88	4.14	7.74
MW-111	04/18/22	11.88	4.38	7.50
MW-111	06/27/22	11.88	4.67	7.21
MW-111	12/12/22	11.88	4.75	7.13
MW-111	06/12/23	11.88	4.59	7.29
MW-111	12/18/23	11.88	3.95	7.93
MW-112	04/06/93	9.98	6.69	3.29
MW-112	05/13/93	9.98	6.61	3.37
MW-112	06/10/93	9.98	6.51	3.47
MW-112	07/08/93	9.98	6.83	3.15
MW-112	08/03/93	9.98	7.00	2.98
MW-112	09/08/93	9.98	7.24	2.74
MW-112	10/08/93	9.98	7.50	2.48
MW-112	11/05/93	9.98	7.56	2.42
MW-112	12/03/93	9.98	7.41	2.57
MW-112	01/05/94	9.98	6.93	3.05
MW-112	02/04/94	9.98	6.83	3.15
MW-112	08/28/95	9.98	6.98	3.00
MW-112	09/27/95	9.98	7.13	2.85
MW-112	04/27/99	9.98	5.66	4.32
MW-112	07/14/99	9.98	6.57	3.41
MW-112	10/18/99	9.98	7.36	2.62
MW-112	01/11/00	9.98	5.89	4.09
MW-112	04/05/00	9.98	5.81	4.17
MW-112	07/18/00	9.98	7.11	2.87
MW-112	10/02/00	9.98	7.57	2.41

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-112	04/25/06	9.98	6.44	3.54
MW-112A	04/24/02	9.98	6.85	3.13
MW-112A	07/18/02	9.98	7.22	2.76
MW-112A	10/23/02	9.98	7.52	2.46
MW-112A	01/28/03	9.98	6.25	3.73
MW-112A	04/15/03	9.98	6.47	3.51
MW-112A	07/17/03	9.98	7.3	2.68
MW-112A	10/15/03	9.98	7.49	2.49
MW-112A	01/13/04	9.98	6.2	3.78
MW-112A	04/19/04	12.52	6.93	5.59
MW-112A	07/27/04	12.52	7.41	5.11
MW-112A	10/18/04	12.52	7.15	5.37
MW-112A	01/24/05	12.52	6.52	6.00
MW-112A	04/18/05	12.52	6.6	5.92
MW-112A	07/12/05	12.52	7.1	5.42
MW-112A	10/18/05	12.52	7.34	5.18
MW-112A	01/25/06	12.52	5.95	6.57
MW-112A	10/11/06	12.52	7.43	5.09
MW-112A	11/19/08	12.52	6.73	5.79
MW-112A	11/16/09	12.52	6.35	6.17
MW-112A	10/29/10	12.52	6.51	6.01
MW-112A	10/25/11	12.52	7.03	5.49
MW-112A	05/30/12	12.52	6.28	6.24
MW-112A	08/23/12	12.52	6.56	5.96
MW-112A	11/25/12	12.52	5.23	7.29
MW-112A	05/16/13	12.52	6.24	6.28
MW-112A	11/04/13	12.52	-	-
MW-112A	04/22/14	12.52	5.90	6.62
MW-112A	11/06/14	12.52	5.68	6.84
MW-112A	12/08/15	12.52	5.42	7.10
MW-112A	12/14/16	12.52	5.69	6.83
MW-112A	06/13/17	12.52	6.25	6.27
MW-112A	12/04/17	12.52	5.93	6.59
MW-112A	06/12/18	12.52	6.51	6.01
MW-112A	12/17/18	12.52	5.97	6.55
MW-112A	05/16/19	12.52	6.39	6.13
MW-112A	12/09/19	12.52	6.73	5.79
MW-112A	06/29/20	12.52	6.31	6.21
MW-112A	12/14/20	12.52	6.45	6.07

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-112A	04/12/21	12.52	6.11	6.41
MW-112A	06/14/21	12.52	6.40	6.12
MW-112A	12/15/21	12.52	5.52	7.00
MW-112A	04/18/22	12.52	6.04	6.48
MW-112A	06/27/22	12.52	6.17	6.35
MW-112A	12/12/22	12.52	5.88	6.64
MW-112A	06/12/23	12.52	5.46	7.06
MW-112A	12/18/23	12.52	5.52	7.00
MW-113	06/27/22	12.47	4.76	7.71
MW-113	12/12/22	12.47	4.82	7.65
MW-113	06/12/23	12.47	5.05	7.42
MW-113	12/18/23	12.47	3.95	8.52
MW-114	06/27/22	13.18	5.03	8.15
MW-114	12/12/22	13.18	5.10	8.08
MW-114	06/12/23	13.18	5.18	8.00
MW-114	12/18/23	13.18	4.22	8.96
MW-115	06/27/22	12.64	4.74	7.90
MW-115	12/12/22	12.64	4.60	8.04
MW-115	06/12/23	12.64	5.10	7.54
MW-115	12/18/23	12.64	3.98	8.66
MW-201	04/06/93	17.07	14.03	3.04
MW-201	05/13/93	17.07	14.02	3.05
MW-201	06/10/93	17.07	13.97	3.10
MW-201	07/08/93	17.07	14.25	2.82
MW-201	08/03/93	17.07	14.48	2.59
MW-201	09/08/93	17.07	14.68	2.39
MW-201	10/08/93	17.07	14.90	2.17
MW-201	11/05/93	17.07	15.03	2.04
MW-201	12/03/93	17.07	14.96	2.11
MW-201	01/05/94	17.07	14.10	2.97
MW-201	02/04/94	17.07	14.32	2.75
MW-201	08/28/95	17.07	14.49	2.58
MW-201	09/27/95	17.07	14.56	2.51
MW-201	04/27/99	17.07	13.04	4.03
MW-201	07/14/99	17.07	14.26	2.81
MW-201	10/18/99	17.07	14.93	2.14

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-201	01/11/00	17.07	13.03	4.04
MW-201	04/05/00	17.07	13.90	3.17
MW-201	07/18/00	17.07	14.09	2.98
MW-201	10/02/00	17.07	14.82	2.25
MW-201	01/22/01	17.07	14.43	2.64
MW-201	07/23/01	17.07	14.95	2.12
MW-201	10/16/01	17.07	16.11	0.96
MW-201	04/24/02	17.07	14.23	2.84
MW-201	07/18/02	17.07	14.73	2.34
MW-201	10/23/02	17.07	15.13	1.94
MW-201	01/28/03	17.07	13.13	3.94
MW-201	04/15/03	17.07	13.58	3.49
MW-201	07/17/03	17.07	14.70	2.37
MW-201	10/15/03	17.07	14.99	2.08
MW-201	01/13/04	17.07	12.71	4.36
MW-201	04/19/04	20.18	14.07	6.11
MW-201	07/27/04	20.18	14.70	5.48
MW-201	10/18/04	20.18	14.70	5.48
MW-201	01/24/05	20.18	13.44	6.74
MW-201	04/18/05	20.18	13.73	6.45
MW-201	07/12/05	20.18	14.47	5.71
MW-201	10/18/05	20.18	14.99	5.19
MW-201	01/25/06	20.18	12.61	7.57
MW-201	04/25/06	20.18	13.94	6.24
MW-201	10/11/06	20.18	15.00	5.18
MW-201	11/20/08	20.18	13.77	6.41
MW-201	11/16/09	20.18	13.74	6.44
MW-201	10/27/10	20.18	14.42	5.76
MW-201	10/26/11	20.18	14.94	5.24
MW-201	11/27/12	20.18	13.10	7.08
MW-201	02/22/13	20.18	13.74	6.44
MW-201	05/16/13	20.18	14.45	5.73
MW-201	09/06/13	20.18	14.78	5.40
MW-201	11/07/13	20.18	14.70	5.48
MW-201	04/22/14	20.18	13.42	6.76
MW-201	11/04/14	20.18	13.65	6.53
MW-201	03/10/15	20.18	13.64	6.54
MW-201	05/15/15	20.18	14.34	5.84
MW-201	07/29/15	20.18	14.65	5.53
MW-201	12/10/15	20.18	12.23	7.95

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-201	02/23/16	20.18	12.33	7.85
MW-201	05/03/16	20.18	13.74	6.44
MW-201	08/30/16	20.18	14.04	6.14
MW-201	12/14/16	20.18	12.86	7.32
MW-201	03/13/17	20.18	12.18	8.00
MW-201	06/13/17	20.18	13.85	6.33
MW-201	08/22/17	20.18	14.43	5.75
MW-201	12/04/17	20.18	12.87	7.31
MW-201	03/06/18	20.18	13.28	6.90
MW-201	06/12/18	20.18	13.58	6.60
MW-201	09/05/18	20.18	8.22	11.96
MW-201	12/17/18	20.18	13.66	6.52
MW-201	03/18/19	20.18	13.14	7.04
MW-201	05/15/19	20.18	14.06	6.12
MW-201	09/17/19	20.18	14.64	5.54
MW-201	12/09/19	20.18	14.52	5.66
MW-201	04/27/20	20.18	14.05	6.13
MW-201	06/29/20	20.18	14.32	5.86
MW-201	09/21/20	20.18	14.59	5.59
MW-201	12/14/20	20.18	14.28	5.90
MW-201	04/12/21	20.18	13.74	6.44
MW-201	06/14/21	20.18	14.32	5.86
MW-201	09/22/21	20.18	14.68	5.50
MW-201	12/16/21	20.18	--	--
MW-201	03/28/22	20.18	13.16	7.02
MW-201	06/27/22	20.18	14.06	6.12
MW-201	09/19/22	20.18	14.31	5.87
MW-201	12/12/22	20.18	13.90	6.28
MW-201	03/27/23	20.18	13.41	6.77
MW-201	06/12/23	20.18	12.96	7.22
MW-201	09/11/23	20.18	14.07	6.11
MW-201	12/18/23	20.18	12.91	7.27
MW-201	03/11/24	20.18	12.95	7.23
MW-202	04/06/93	16.77	13.23	3.54
MW-202	05/13/93	16.77	13.17	3.60
MW-202	06/10/93	16.77	13.26	3.51
MW-202	07/08/93	16.77	13.54	3.23
MW-202	08/03/93	16.77	13.76	3.01
MW-202	09/08/93	16.77	14.04	2.73

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-202	10/08/93	16.77	14.30	2.47
MW-202	11/05/93	16.77	14.48	2.29
MW-202	12/03/93	16.77	14.34	2.43
MW-202	01/05/94	16.77	13.73	3.04
MW-202	02/04/94	16.77	13.63	3.14
MW-202	08/28/95	16.77	13.78	2.99
MW-202	09/27/95	16.77	13.95	2.82
MW-202	04/27/99	16.77	12.38	4.39
MW-202	07/14/99	16.77	13.57	3.20
MW-202	10/18/99	16.77	14.31	2.46
MW-202	01/11/00	16.77	12.95	3.82
MW-202	04/05/00	16.77	12.96	3.81
MW-202	07/18/00	16.77	13.21	3.56
MW-202	10/02/00	16.77	14.25	2.52
MW-202	01/22/01	16.77	14.46	2.31
MW-202	07/23/01	16.77	14.64	2.13
MW-202	10/16/01	16.77	15.81	0.96
MW-202	04/24/02	16.77	13.80	2.97
MW-202	07/18/02	16.77	14.28	2.49
MW-202	10/23/02	16.77	14.73	2.04
MW-202	01/28/03	16.77	12.95	3.82
MW-202	04/15/03	16.77	13.13	3.64
MW-202	07/17/03	16.77	14.30	2.47
MW-202	10/15/03	16.77	14.62	2.15
MW-202	01/13/04	16.77	12.81	3.96
MW-202	04/19/04	19.86	13.61	6.25
MW-202	07/27/04	19.86	14.29	5.57
MW-202	10/18/04	19.86	14.30	5.56
MW-202	01/24/05	19.86	13.29	6.57
MW-202	04/18/05	19.86	13.51	6.35
MW-202	07/12/05	19.86	14.02	5.84
MW-202	10/18/05	19.86	14.59	5.27
MW-202	01/25/06	19.86	12.38	7.48
MW-202	04/25/06	19.86	13.43	6.43
MW-202	10/11/06	19.86	14.58	5.28
MW-202	11/20/08	19.86	13.92	5.94
MW-202	04/07/09	19.86	13.71	6.15
MW-202	11/16/09	19.86	13.70	6.16
MW-202	04/27/10	19.86	13.24	6.62
MW-202	10/27/10	19.86	14.04	5.82

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-202	10/26/11	19.86	14.45	5.41
MW-202	03/02/12	19.86	13.70	6.16
MW-202	05/30/12	19.86	13.65	6.21
MW-202	06/13/12	19.86	13.76	6.10
MW-202	09/26/12	19.86	14.42	5.44
MW-202	11/27/12	19.86	13.09	6.77
MW-202	02/22/13	19.86	13.27	6.59
MW-202	05/16/13	19.86	13.80	6.06
MW-202	09/06/13	19.86	14.38	5.48
MW-202	11/07/13	19.86	14.25	5.61
MW-202	04/22/14	19.86	13.23	6.63
MW-202	11/04/14	19.86	13.44	6.42
MW-202	03/10/15	19.86	13.23	6.63
MW-202	05/15/15	19.86	13.76	6.10
MW-202	07/29/15	19.86	14.18	5.68
MW-202	12/10/15	19.86	12.76	7.10
MW-202	02/23/16	19.86	12.15	7.71
MW-202	05/03/16	19.86	13.11	6.75
MW-202	08/30/16	19.86	14.00	5.86
MW-202	12/14/16	19.86	12.81	7.05
MW-202	03/13/17	19.86	12.25	7.61
MW-202	06/13/17	19.86	13.23	6.63
MW-202	08/22/17	19.86	13.98	5.88
MW-202	12/04/17	19.86	13.15	6.71
MW-202	03/06/18	19.86	13.03	6.83
MW-202	06/12/18	19.86	13.53	6.33
MW-202	09/05/18	19.86	8.20	11.66
MW-202	12/17/18	19.86	13.45	6.41
MW-202	03/18/19	19.86	12.95	6.91
MW-202	05/15/19	19.86	13.42	6.44
MW-202	09/17/19	19.86	14.16	5.70
MW-202	12/09/19	19.86	14.10	5.76
MW-202	04/27/20	19.86	13.49	6.37
MW-202	06/29/20	19.86	13.75	6.11
MW-202	09/21/20	19.86	14.20	5.66
MW-202	12/14/20	19.86	13.65	6.21
MW-202	04/12/21	19.86	13.15	6.71
MW-202	06/14/21	19.86	13.75	6.11
MW-202	09/22/21	19.86	14.20	5.66
MW-202	12/16/21	19.86	12.70	7.16

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-202	03/28/22	19.86	12.77	7.09
MW-202	06/27/22	19.86	13.23	6.63
MW-202	09/19/22	19.86	13.84	6.02
MW-202	12/12/22	19.86	13.56	6.30
MW-202	03/27/23	19.86	12.98	6.88
MW-202	06/12/23	19.86	12.35	7.51
MW-202	09/11/23	19.86	13.69	6.17
MW-202	12/18/23	19.86	12.62	7.24
MW-202	03/11/24	19.86	12.58	7.28
MW-203	04/06/93	11.04	7.39	3.65
MW-203	05/13/93	11.04	7.31	3.73
MW-203	06/10/93	11.04	7.40	3.64
MW-203	07/08/93	11.04	7.66	3.38
MW-203	08/03/93	11.04	7.93	3.11
MW-203	09/08/93	11.04	8.20	2.84
MW-203	10/08/93	11.04	8.46	2.58
MW-203	11/05/93	11.04	8.65	2.39
MW-203	12/03/93	11.04	8.64	2.40
MW-203	01/05/94	11.04	7.99	3.05
MW-203	02/04/94	11.04	7.88	3.16
MW-203	08/28/95	11.04	7.86	3.18
MW-203	09/27/95	11.04	8.02	3.02
MW-203	04/27/99	11.04	6.32	4.72
MW-203	07/14/99	11.04	7.58	3.46
MW-203	10/18/99	11.04	8.42	2.62
MW-203	01/11/00	11.04	6.98	4.06
MW-203	04/05/00	11.04	6.92	4.12
MW-203	07/18/00	11.04	8.00	3.04
MW-203	10/02/00	11.04	8.40	2.64
MW-203	01/22/01	11.04	8.47	2.57
MW-203	07/23/01	11.04	8.69	2.35
MW-203	10/16/01	11.04	9.73	1.31
MW-203	04/24/02	11.04	7.45	3.59
MW-203	10/23/02	11.04	8.80	2.24
MW-203	01/28/03	11.04	6.76	4.28
MW-203	04/15/03	11.04	7.05	3.99
MW-203	07/17/03	11.04	8.25	2.79
MW-203	01/13/04	11.04	6.71	4.33
MW-203	04/19/04	13.99	7.58	6.41

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-203	07/27/04	13.99	8.25	5.74
MW-203	10/18/04	13.99	8.34	5.65
MW-203	01/24/05	13.99	7.31	6.68
MW-203	04/18/05	13.99	7.43	6.56
MW-203	07/12/05	13.99	7.96	6.03
MW-203	10/18/05	13.99	8.64	5.35
MW-203	01/25/06	13.99	6.41	7.58
MW-203	04/25/06	13.99	7.18	6.81
MW-203	10/11/06	13.99	8.58	5.41
MW-203	11/18/08	13.99	8.01	5.98
MW-203	04/08/09	13.99	7.63	6.36
MW-203	11/16/09	13.99	4.97	9.02
MW-203	04/26/10	13.99	7.17	6.82
MW-203	10/25/10	13.99	8.10	5.89
MW-203	10/26/11	13.99	5.45	8.54
MW-203	05/30/12	13.99	7.61	6.38
MW-203	06/13/12	13.99	7.65	6.34
MW-203	09/26/12	13.99	8.40	5.59
MW-203	11/27/12	13.99	7.25	6.74
MW-203	02/22/13	13.99	7.26	6.73
MW-203	05/16/13	13.99	7.80	6.19
MW-203	09/06/13	13.99	8.37	5.62
MW-203	11/07/13	13.99	8.27	5.72
MW-203	04/22/14	13.99	7.33	6.66
MW-203	11/04/14	13.99	7.59	6.40
MW-203	03/10/15	13.99	6.70	7.29
MW-203	05/15/15	13.99	7.74	6.25
MW-203	07/29/15	13.99	8.18	5.81
MW-203	12/10/15	13.99	6.83	7.16
MW-203	02/23/16	13.99	5.92	8.07
MW-203	05/03/16	13.99	7.02	6.97
MW-203	08/30/16	13.99	8.17	5.82
MW-203	12/14/16	13.99	6.62	7.37
MW-203	03/13/17	13.99	5.83	8.16
MW-203	06/13/17	13.99	7.17	6.82
MW-203	08/22/17	13.99	7.98	6.01
MW-203	12/04/17	13.99	7.24	6.75
MW-203	03/06/18	13.99	6.57	7.42
MW-203	06/12/18	13.99	7.55	6.44
MW-203	09/05/18	13.99	8.14	5.85

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-203	12/17/18	13.99	7.68	6.31
MW-203	03/18/19	13.99	6.96	7.03
MW-203	05/16/19	13.99	7.38	6.61
MW-203	09/17/19	13.99	8.19	5.80
MW-203	12/09/19	13.99	8.13	5.86
MW-203	04/27/20	13.99	7.39	6.60
MW-203	06/29/20	13.99	7.55	6.44
MW-203	09/21/20	13.99	8.14	5.85
MW-203	12/14/20	13.99	7.62	6.37
MW-203	04/12/21	13.99	7.13	6.86
MW-203	06/14/21	13.99	7.75	6.24
MW-203	09/22/21	13.99	8.26	5.73
MW-203	12/16/21	13.99	6.80	7.19
MW-203	03/28/22	13.99	6.90	7.09
MW-203	06/27/22	13.99	7.02	6.97
MW-203	09/19/22	13.99	7.39	6.60
MW-203	12/12/22	13.99	7.04	6.95
MW-203	03/27/23	13.99	6.29	7.70
MW-203	06/12/23	13.99	5.63	8.36
MW-203	09/12/23	13.99	7.24	6.75
MW-203	12/20/23	13.99	5.16	8.83
MW-203	03/11/24	13.99	4.98	9.01
MW-204	04/06/93	14.21	10.97	3.24
MW-204	05/13/93	14.21	10.92	3.29
MW-204	06/10/93	14.21	10.98	3.23
MW-204	07/08/93	14.21	11.20	3.01
MW-204	08/03/93	14.21	11.44	2.77
MW-204	09/08/93	14.21	11.64	2.57
MW-204	10/08/93	14.21	11.85	2.36
MW-204	11/05/93	14.21	12.03	2.18
MW-204	12/03/93	14.21	12.01	2.20
MW-204	01/05/94	14.21	11.42	2.79
MW-204	02/04/94	14.21	11.35	2.86
MW-204	08/28/95	14.21	11.58	2.63
MW-204	09/27/95	14.21	11.57	2.64
MW-204	04/05/00	14.21	Not Measured	Not Measured
MW-204	10/02/00	14.21	Not Measured	Not Measured
MW-204	01/22/01	14.21	11.69	2.52
MW-204	07/23/01	14.21	12.05	2.16

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-204	10/16/01	14.21	13.17	1.04
MW-204	07/27/04	14.21	11.67	2.54
MW-204	10/18/04	17.27	11.71	5.56
MW-204	01/24/05	17.27	10.72	6.55
MW-204	04/18/05	17.27	10.98	6.29
MW-204	07/12/05	17.27	11.4	5.87
MW-204	10/18/05	17.27	11.98	5.29
MW-204	01/25/06	17.27	9.96	7.31
MW-204	10/11/06	17.27	11.96	5.31
MW-204	11/20/08	17.27	11.45	5.82
MW-204	11/16/09	17.27	11.20	6.07
MW-204	10/27/10	17.27	11.54	5.73
MW-204	10/27/11	17.27	10.71	6.56
MW-204	03/26/12	17.27	Not Measured	Not Measured
MW-204	06/12/12	17.27	11.20	6.07
MW-204	09/27/12	17.27	Not Measured	Not Measured
MW-204	11/27/12	17.27	10.81	6.46
MW-204	12/20/12	17.27	Not Measured	Not Measured
MW-204	02/22/13	17.27	10.81	6.46
MW-204	05/16/13	17.27	11.30	5.97
MW-204	09/06/13	17.27	11.77	5.50
MW-204	11/07/13	17.27	11.71	5.56
MW-204	04/22/14	17.27	10.78	6.49
MW-204	11/04/14	17.27	11.04	6.23
MW-204	03/10/15	17.27	10.75	6.52
MW-204	05/15/15	17.27	11.21	6.06
MW-204	07/29/15	17.27	11.59	5.68
MW-204	12/10/15	17.27	9.91	7.36
MW-204	02/23/16	17.27	9.67	7.60
MW-204	05/03/16	17.27	10.53	6.74
MW-204	08/30/16	17.27	11.78	5.49
MW-204	12/14/16	17.27	10.34	6.93
MW-204	03/13/17	17.27	9.83	7.44
MW-204	08/22/17	17.27	11.34	5.93
MW-204	12/04/17	17.27	10.84	6.43
MW-204	03/06/18	17.27	10.55	6.72
MW-204	06/12/18	17.27	11.04	6.23
MW-204	09/05/18	17.27	8.20	9.07
MW-204	12/17/18	17.27	11.10	6.17
MW-204	03/18/19	17.27	10.51	6.76

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-204	05/15/19	17.27	10.98	6.29
MW-204	09/17/19	17.27	11.65	5.62
MW-204	12/09/19	17.27	11.54	5.73
MW-204	04/27/20	17.27	10.94	6.33
MW-204	06/29/20	17.27	11.26	6.01
MW-204	09/21/20	17.27	11.59	5.68
MW-204	12/14/20	17.27	11.22	6.05
MW-204	04/12/21	17.27	10.71	6.56
MW-204	06/14/21	17.27	11.27	6.00
MW-204	09/22/21	17.27	11.65	5.62
MW-204	12/16/21	17.27	10.42	6.85
MW-204	03/28/22	17.27	10.48	6.79
MW-204	06/27/22	17.27	11.18	6.09
MW-204	09/19/22	17.27	11.58	5.69
MW-204	12/12/22	17.27	10.88	6.39
MW-204	03/27/23	17.27	9.70	7.57
MW-204	06/12/23	17.27	10.23	7.04
MW-204	09/11/23	17.27	11.33	5.94
MW-204	12/18/23	17.27	9.89	7.38
MW-204	03/11/24	17.27	9.92	7.35
MW-206	04/06/93	10.75	9.83	0.92
MW-206	05/13/93	10.75	6.72	4.03
MW-206	06/10/93	10.75	6.78	3.97
MW-206	07/08/93	10.75	7.08	3.67
MW-206	08/03/93	10.75	7.35	3.40
MW-206	09/08/93	10.75	7.66	3.09
MW-206	10/08/93	10.75	7.95	2.80
MW-206	11/05/93	10.75	8.15	2.60
MW-206	12/03/93	10.75	8.17	2.58
MW-206	01/05/94	10.75	7.42	3.33
MW-206	02/04/94	10.75	7.24	3.51
MW-206	08/28/95	10.75	7.01	3.74
MW-206	09/27/95	10.75	7.19	3.56
MW-206	04/27/99	10.75	5.59	5.16
MW-206	07/14/99	10.75	6.97	3.78
MW-206	10/18/99	10.75	7.88	2.87
MW-206	01/11/00	10.75	6.34	4.41
MW-206	04/05/00	10.75	6.32	4.43
MW-206	07/18/00	10.75	7.11	3.64

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-206	10/02/00	10.75	7.92	2.83
MW-206	01/22/01	10.75	8.93	1.82
MW-206	04/25/06	10.75	9.30	1.45
MW-206	10/11/06	10.75	10.44	0.31
MW-206A	04/24/02	10.75	7.43	3.32
MW-206A	07/18/02	10.75	8.07	2.68
MW-206A	10/23/02	10.75	8.55	2.20
MW-206A	01/28/03	10.75	6.40	4.35
MW-206A	04/15/03	10.75	5.26	5.49
MW-206A	07/17/03	10.75	8.06	2.69
MW-206A	04/19/04	15.90	9.51	6.39
MW-206A	07/27/04	15.90	10.23	5.67
MW-206A	10/18/04	15.90	10.17	5.73
MW-206A	01/24/05	15.90	9.18	6.72
MW-206A	04/18/05	15.90	9.38	6.52
MW-206A	07/12/05	15.90	9.87	6.03
MW-206A	10/18/05	15.90	10.50	5.40
MW-206A	01/25/06	15.90	8.23	7.67
MW-206A	11/20/08	15.90	9.81	6.09
MW-206A	11/16/09	15.90	9.48	6.42
MW-206A	10/25/10	15.90	9.74	6.16
MW-206A	10/26/11	15.90	10.25	5.65
MW-206A	05/30/12	15.90	9.44	6.46
MW-206A	06/13/12	15.90	9.49	6.41
MW-206A	09/26/12	15.90	10.21	5.69
MW-206A	11/27/12	15.90	9.05	6.85
MW-206A	02/22/13	15.90	9.04	6.86
MW-206A	05/16/13	15.90	8.44	7.46
MW-206A	09/06/13	15.90	10.06	5.84
MW-206A	11/07/13	15.90	10.04	5.86
MW-206A	04/22/14	15.90	9.01	6.89
MW-206A	11/04/14	15.90	9.25	6.65
MW-206A	03/10/15	15.90	9.03	6.87
MW-206A	05/15/15	15.90	9.49	6.41
MW-206A	07/29/15	15.90	9.99	5.91
MW-206A	12/10/15	15.90	8.36	7.54
MW-206A	02/23/16	15.90	8.09	7.81
MW-206A	05/03/16	15.90	9.03	6.87
MW-206A	08/30/16	15.90	10.25	5.65

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-206A	12/14/16	15.90	8.51	7.39
MW-206A	03/13/17	15.90	7.98	7.92
MW-206A	06/13/17	15.90	9.02	6.88
MW-206A	08/22/17	15.90	9.74	6.16
MW-206A	12/04/17	15.90	9.07	6.83
MW-206A	03/06/18	15.90	8.78	7.12
MW-206A	06/12/18	15.90	6.90	9.00
MW-206A	09/05/18	15.90	9.94	5.96
MW-206A	12/17/18	15.90	9.23	6.67
MW-206A	03/18/19	15.90	8.86	7.04
MW-206A	05/15/19	15.90	9.30	6.60
MW-206A	09/17/19	15.90	10.13	5.77
MW-206A	12/09/19	15.90	9.98	5.92
MW-206A	04/27/20	15.90	9.22	6.68
MW-206A	06/29/20	15.90	9.40	6.50
MW-206A	09/21/20	15.90	10.08	5.82
MW-206A	12/14/20	15.90	7.15	8.75
MW-206A	04/12/21	15.90	7.20	8.70
MW-206A	06/14/21	15.90	9.45	6.45
MW-206A	09/22/21	15.90	10.05	5.85
MW-206A	12/16/21	15.90	8.57	7.33
MW-206A	03/28/22	15.90	8.79	7.11
MW-206A	06/27/22	15.90	7.23	8.67
MW-206A	09/19/22	15.90	9.23	6.67
MW-206A	12/12/22	15.90	9.31	6.59
MW-206A	03/27/23	15.90	6.80	9.10
MW-206A	06/12/23	15.90	7.88	8.02
MW-206A	09/11/23	15.90	9.84	6.06
MW-206A	12/18/23	15.90	9.24	6.66
MW-206A	03/11/24	15.90	8.22	7.68
MW-208	06/28/13	--	4.98	--
MW-208	09/11/13	--	5.67	--
MW-208	10/30/13	--	5.97	--
MW-208	11/05/13	--	5.51	--
MW-208	01/16/14	--	5.46	--
MW-208	02/27/14	--	4.72	--
MW-208	03/25/14	--	4.91	--
MW-208	04/22/14	--	4.98	--
MW-208	06/10/14	--	5.62	--
MW-208	07/24/14	--	5.50	--

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-208	08/28/14	--	5.73	--
MW-208	09/23/14	--	5.76	--
MW-208	10/22/14	--	4.82	--
MW-208	11/05/14	--	4.50	--
MW-208	12/18/14	12.16	4.28	7.88
MW-208	01/27/15	12.16	4.52	7.64
MW-208	02/26/15	12.16	4.92	7.24
MW-208	03/11/15	12.16	5.29	6.87
MW-208	04/21/15	12.16	5.08	7.08
MW-208	05/19/15	12.16	5.31	6.85
MW-208	06/11/15	12.16	5.34	6.82
MW-208	07/29/15	12.16	5.81	6.35
MW-208	08/25/15	12.16	5.95	6.21
MW-208	09/24/15	12.16	5.72	6.44
MW-208	10/15/15	12.16	5.35	6.81
MW-208	11/20/15	12.16	4.37	7.79
MW-208	12/09/15	12.16	2.55	9.61
MW-208	02/23/16	12.16	4.18	7.98
MW-208	04/22/16	12.16	4.90	7.26
MW-208	05/03/16	12.16	5.27	6.89
MW-208	06/02/16	12.16	5.34	6.82
MW-208	07/14/16	12.16	5.58	6.58
MW-208	08/18/16	12.16	5.80	6.36
MW-208	09/08/16	12.16	5.88	6.28
MW-208	10/21/16	12.16	5.40	6.76
MW-208	11/17/16	12.16	3.67	8.49
MW-208	12/01/16	12.16	3.93	8.23
MW-208	01/11/17	12.16	2.83	9.33
MW-208	02/14/17	12.16	3.81	8.35
MW-208	03/13/17	12.16	4.04	8.12
MW-208	04/13/17	12.16	3.78	8.38
MW-208	05/08/17	12.16	4.78	7.38
MW-208	06/13/17	12.16	5.00	7.16
MW-208	07/18/17	12.16	5.32	6.84
MW-208	08/22/17	12.16	5.32	6.84
MW-208	09/13/17	12.16	5.68	6.48
MW-208	10/31/17	12.16	5.58	6.58
MW-208	11/13/17	12.16	4.67	7.49
MW-208	12/04/17	12.16	4.15	8.01
MW-208	03/06/18	12.16	4.57	7.59

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-208	06/12/18	12.16	5.25	6.91
MW-208	09/05/18	12.16	5.75	6.41
MW-208	12/17/18	12.16	4.13	8.03
MW-208	01/16/19	12.16	4.48	7.68
MW-208	02/20/19	12.16	3.98	8.18
MW-208	03/18/19	12.16	4.95	7.21
MW-208	04/10/19	12.16	4.66	7.50
MW-208	05/15/19	12.16	4.91	7.25
MW-208	06/26/19	12.16	5.47	6.69
MW-208	07/24/19	12.16	5.43	6.73
MW-208	08/13/19	12.16	5.45	6.71
MW-208	09/17/19	12.16	5.23	6.93
MW-208	10/16/19	12.16	5.61	6.55
MW-208	11/05/19	12.16	5.62	6.54
MW-208	12/09/19	12.16	5.08	7.08
MW-208	01/28/20	12.16	3.05	9.11
MW-208	02/26/20	12.16	4.81	7.35
MW-208	04/27/20	12.16	5.18	6.98
MW-208	06/16/20	12.16	5.25	6.91
MW-208	06/29/20	12.16	5.08	7.08
MW-208	07/29/20	12.16	5.20	6.96
MW-208	08/27/20	12.16	5.41	6.75
MW-208	09/21/20	12.16	5.09	7.07
MW-208	10/29/20	12.16	5.58	6.58
MW-208	11/30/20	12.16	4.82	7.34
MW-208	12/14/20	12.16	4.75	7.41
MW-208	01/21/21	12.16	4.27	7.89
MW-208	02/16/21	12.16	3.69	8.47
MW-208	03/23/21	12.16	4.53	7.63
MW-208	04/12/21	12.16	5.28	6.88
MW-208	05/12/21	12.16	5.54	6.62
MW-208	06/14/21	12.16	4.97	7.19
MW-208	07/15/21	12.16	5.31	6.85
MW-208	08/18/21	12.16	5.52	6.64
MW-208	09/22/21	12.16	5.46	6.70
MW-208	10/21/21	12.16	5.32	6.84
MW-208	11/23/21	12.16	4.28	7.88
MW-208	12/14/21	12.16	3.99	8.17
MW-208	01/25/22	12.16	4.34	7.82
MW-208	02/28/22	12.16	4.59	7.57

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-208	03/28/22	12.16	4.63	7.53
MW-208	04/18/22	12.16	5.08	7.08
MW-208	05/23/22	12.16	4.81	7.35
MW-208	06/27/22	12.16	5.02	7.14
MW-208	07/20/22	12.16	5.03	7.13
MW-208	08/23/22	12.16	5.55	6.61
MW-208	09/19/22	12.16	5.58	6.58
MW-208	12/12/22	12.16	4.21	7.95
MW-208	01/26/23	12.16	4.41	7.75
MW-208	02/23/23	12.16	4.11	8.05
MW-208	03/27/23	12.16	4.34	7.82
MW-208	04/13/23	12.16	4.44	7.72
MW-208	05/16/23	12.16	4.63	7.53
MW-208	06/12/23	12.16	4.88	7.28
MW-208	07/20/23	12.16	5.32	6.84
MW-208	08/17/23	12.16	5.37	6.79
MW-208	09/11/23	12.16	5.62	6.54
MW-208	11/16/23	12.16	4.52	7.64
MW-208	12/18/23	12.16	4.25	7.91
MW-208	01/16/24	12.16	4.02	8.14
MW-208	02/22/24	12.16	4.15	8.01
MW-208	03/11/24	12.16	3.72	8.44
MW-209	09/11/13	--	6.61	--
MW-209	10/30/13	--	5.65	--
MW-209	01/16/14	--	5.56	--
MW-209	02/27/14	--	6.04	--
MW-209	03/25/14	--	5.90	--
MW-209	04/22/14	--	5.89	--
MW-209	06/10/14	--	8.31	--
MW-209	07/24/14	--	6.91	--
MW-209	08/28/14	--	6.79	--
MW-209	09/23/14	--	5.73	--
MW-209	10/22/14	--	4.91	--
MW-209	11/05/14	--	6.60	--
MW-209	12/18/14	12.10	5.27	6.83
MW-209	01/27/15	12.10	4.88	7.22
MW-209	02/26/15	12.10	5.54	6.56
MW-209	03/11/15	12.10	5.55	6.55
MW-209	05/19/15	12.10	8.60	3.50

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-210	03/29/13	--	6.53	--
MW-210	06/28/13	--	6.35	--
MW-210	09/11/13	--	6.63	--
MW-210	10/30/13	--	7.08	--
MW-210	11/05/13	--	6.41	--
MW-210	01/16/14	--	6.48	--
MW-210	02/27/14	--	6.79	--
MW-210	03/25/14	--	6.96	--
MW-210	04/22/14	--	6.32	--
MW-210	06/10/14	--	7.08	--
MW-210	07/24/14	--	6.64	--
MW-210	08/28/14	--	6.72	--
MW-210	09/23/14	--	6.56	--
MW-210	10/22/14	--	5.87	--
MW-210	11/05/14	--	6.45	--
MW-210	12/18/14	12.85	5.49	7.36
MW-210	01/27/15	12.85	6.15	6.70
MW-210	02/26/15	12.85	6.69	6.16
MW-210	03/11/15	12.85	6.56	6.29
MW-210	04/21/15	12.85	6.44	6.41
MW-210	05/19/15	12.85	6.50	6.35
MW-210	06/11/15	12.85	6.48	6.37
MW-210	07/29/15	12.85	6.73	6.12
MW-210	08/25/15	12.85	6.23	6.62
MW-210	09/24/15	12.85	6.60	6.25
MW-210	10/15/15	12.85	6.30	6.55
MW-210	11/20/15	12.85	6.47	6.38
MW-210	12/09/15	12.85	4.45	8.40
MW-210	02/23/16	12.85	5.82	7.03
MW-210	04/22/16	12.85	5.96	6.89
MW-210	05/03/16	12.85	6.42	6.43
MW-210	06/02/16	12.85	6.44	6.41
MW-210	07/14/16	12.85	6.67	6.18
MW-210	08/18/16	12.85	6.78	6.07
MW-210	09/08/16	12.85	6.78	6.07
MW-210	10/21/16	12.85	6.32	6.53
MW-210	11/17/16	12.85	5.43	7.42
MW-210	12/01/16	12.85	6.00	6.85
MW-210	01/11/17	12.85	5.38	7.47

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-210	02/14/17	12.85	5.69	7.16
MW-210	03/13/17	12.85	5.98	6.87
MW-210	04/13/17	12.85	6.42	6.43
MW-210	05/08/17	12.85	6.74	6.11
MW-210	06/13/17	12.85	6.18	6.67
MW-210	07/18/17	12.85	6.47	6.38
MW-210	08/22/17	12.85	6.42	6.43
MW-210	09/13/17	12.85	6.60	6.25
MW-210	10/31/17	12.85	6.64	6.21
MW-210	11/13/17	12.85	6.08	6.77
MW-210	12/04/17	12.85	6.05	6.80
MW-210	03/06/18	12.85	6.19	6.66
MW-210	06/12/18	12.85	6.50	6.35
MW-210	09/05/18	12.85	6.74	6.11
MW-210	12/17/18	12.85	5.31	7.54
MW-210	01/16/19	12.85	6.07	6.78
MW-210	02/20/19	12.85	6.45	6.40
MW-210	03/18/19	12.85	6.67	6.18
MW-210	04/10/19	12.85	5.24	7.61
MW-210	05/15/19	12.85	7.05	5.80
MW-210	06/26/19	12.85	6.58	6.27
MW-210	07/24/19	12.85	5.59	7.26
MW-210	08/13/19	12.85	6.58	6.27
MW-210	09/17/19	12.85	6.18	6.67
MW-210	10/16/19	12.85	6.47	6.38
MW-210	11/05/19	12.85	6.78	6.07
MW-210	12/09/19	12.85	6.27	6.58
MW-210	01/28/20	12.85	4.06	8.79
MW-210	02/26/20	12.85	5.78	7.07
MW-210	04/27/20	12.85	6.43	6.42
MW-210	06/16/20	12.85	5.56	7.29
MW-210	06/29/20	12.85	6.58	6.27
MW-210	07/29/20	12.85	6.43	6.42
MW-210	08/27/20	12.85	6.71	6.14
MW-210	09/21/20	12.85	6.35	6.50
MW-210	10/29/20	12.85	6.87	5.98
MW-210	11/30/20	12.85	6.23	6.62
MW-210	12/14/20	12.85	6.05	6.80
MW-210	01/21/21	12.85	6.96	5.89
MW-210	02/16/21	12.85	5.83	7.02

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-210	03/23/21	12.85	6.57	6.28
MW-210	04/12/21	12.85	6.42	6.43
MW-210	05/12/21	12.85	6.61	6.24
MW-210	06/14/21	12.85	6.15	6.70
MW-210	07/15/21	12.85	6.36	6.49
MW-210	08/18/21	12.85	6.60	6.25
MW-210	09/22/21	12.85	6.50	6.35
MW-210	10/21/21	12.85	6.36	6.49
MW-210	11/23/21	12.85	6.20	6.65
MW-210	12/14/21	12.85	5.12	7.73
MW-210	01/25/22	12.85	6.34	6.51
MW-210	02/28/22	12.85	6.31	6.54
MW-210	03/28/22	12.85	5.92	6.93
MW-210	04/18/22	12.85	6.18	6.69
MW-210	05/23/22	12.85	6.50	6.35
MW-210	06/27/22	12.85	6.21	6.64
MW-210	07/20/22	12.85	6.24	6.61
MW-210	08/23/22	12.85	6.62	6.23
MW-210	09/19/22	12.85	6.99	5.86
MW-210	12/12/22	12.85	5.15	7.70
MW-210	01/26/23	12.85	6.12	7.11
MW-210	02/23/23	12.85	5.79	7.06
MW-210	03/27/23	12.85	6.53	6.18
MW-210	04/13/23	12.85	5.68	7.17
MW-210	05/16/23	12.85	6.27	6.58
MW-210	06/12/23	12.85	6.90	5.95
MW-210	07/20/23	12.85	6.32	6.53
MW-210	08/17/23	12.85	6.42	6.43
MW-210	09/11/23	12.85	6.81	6.04
MW-210	11/16/23	12.85	5.66	7.19
MW-210	12/18/23	12.85	5.11	7.74
MW-210	01/16/24	12.85	5.88	6.97
MW-210	02/22/24	12.85	5.52	7.33
MW-210	03/11/24	12.85	5.28	7.57
MW-211	03/29/13	--	5.97	--
MW-211	06/28/13	--	5.68	--
MW-211	10/30/13	--	6.43	--
MW-211	11/05/13	--	5.68	--
MW-211	01/16/14	--	5.51	--

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-211	02/27/14	--	5.01	--
MW-211	03/25/14	--	5.38	--
MW-211	04/22/14	--	5.33	--
MW-211	06/10/14	--	6.02	--
MW-211	07/24/14	--	6.85	--
MW-211	08/28/14	--	6.06	--
MW-211	09/23/14	--	5.96	--
MW-211	10/22/14	--	4.96	--
MW-211	11/05/14	--	4.70	--
MW-211	12/18/14	12.21	4.50	7.71
MW-211	01/27/15	12.21	4.82	7.39
MW-211	02/26/15	12.21	5.38	6.83
MW-211	03/11/15	12.21	5.52	6.69
MW-211	04/21/15	12.21	5.50	6.71
MW-211	05/19/15	12.21	5.71	6.50
MW-211	06/11/15	12.21	5.70	6.51
MW-211	07/29/15	12.21	6.10	6.11
MW-211	08/25/15	12.21	6.17	6.04
MW-211	09/24/15	12.21	5.72	6.49
MW-211	10/15/15	12.21	5.30	6.91
MW-211	11/20/15	12.21	4.78	7.43
MW-211	12/09/15	12.21	2.80	9.41
MW-211	02/23/16	12.21	4.45	7.76
MW-211	04/22/16	12.21	4.67	7.54
MW-211	05/03/16	12.21	5.63	6.58
MW-211	06/02/16	12.21	5.77	6.44
MW-211	07/14/16	12.21	6.02	6.19
MW-211	08/18/16	12.21	6.16	6.05
MW-211	09/08/16	12.21	6.22	5.99
MW-211	10/21/16	12.21	6.01	6.20
MW-211	11/17/16	12.21	3.86	8.35
MW-211	12/01/16	12.21	4.14	8.07
MW-211	01/11/17	12.21	3.18	9.03
MW-211	02/14/17	12.21	4.02	8.19
MW-211	03/13/17	12.21	4.27	7.94
MW-211	04/13/17	12.21	4.02	8.19
MW-211	05/08/17	12.21	5.32	6.89
MW-211	06/13/17	12.21	5.36	6.85
MW-211	07/18/17	12.21	5.78	6.43
MW-211	08/22/17	12.21	5.76	6.45

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-211	09/13/17	12.21	Not Measured	Not Measured
MW-211	10/31/17	12.21	Not Measured	Not Measured
MW-211	11/13/17	12.21	Not Measured	Not Measured
MW-211	12/04/17	12.21	Not Measured	Not Measured
MW-211	03/06/18	12.21	5.03	7.18
MW-211	06/12/18	12.21	5.73	6.48
MW-211	09/05/18	12.21	6.16	6.05
MW-211	12/17/18	12.21	4.14	8.07
MW-211	01/16/19	12.21	4.30	7.91
MW-211	02/20/19	12.21	4.22	7.99
MW-211	03/18/19	12.21	5.34	6.87
MW-211	04/10/19	12.21	4.66	7.55
MW-211	05/15/19	12.21	5.38	6.83
MW-211	06/26/19	12.21	6.88	5.33
MW-211	07/24/19	12.21	5.88	6.33
MW-211	08/13/19	12.21	5.72	6.49
MW-211	09/17/19	12.21	5.54	6.67
MW-211	10/16/19	12.21	5.77	6.44
MW-211	11/05/19	12.21	6.01	6.20
MW-211	12/09/19	12.21	5.54	6.67
MW-211	01/28/20	12.21	3.12	9.09
MW-211	02/26/20	12.21	5.19	7.02
MW-211	04/27/20	12.21	5.47	6.74
MW-211	06/16/20	12.21	5.72	6.49
MW-211	06/29/20	12.21	5.78	6.43
MW-211	07/29/20	12.21	5.67	6.54
MW-211	08/27/20	12.21	5.85	6.36
MW-211	09/21/20	12.21	5.45	6.76
MW-211	10/29/20	12.21	5.99	6.22
MW-211	11/30/20	12.21	5.11	7.10
MW-211	12/14/20	12.21	5.28	6.93
MW-211	01/21/21	12.21	4.82	7.39
MW-211	02/16/21	12.21	4.18	8.03
MW-211	03/23/21	12.21	5.37	6.84
MW-211	04/12/21	12.21	5.65	6.56
MW-211	05/12/21	12.21	5.86	6.35
MW-211	06/14/21	12.21	5.24	6.97
MW-211	07/15/21	12.21	5.60	6.61
MW-211	08/18/21	12.21	5.90	6.31
MW-211	09/22/21	12.21	5.70	6.51

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-211	10/21/21	12.21	5.50	6.71
MW-211	11/23/21	12.21	4.42	7.79
MW-211	12/14/21	12.21	4.39	7.82
MW-211	01/25/22	12.21	4.85	7.36
MW-211	02/28/22	12.21	4.51	7.70
MW-211	03/28/22	12.21	5.00	7.21
MW-211	04/18/22	12.21	5.28	6.93
MW-211	05/23/22	12.21	5.28	6.93
MW-211	06/27/22	12.21	5.28	6.93
MW-211	07/20/22	12.21	5.42	6.79
MW-211	08/23/22	12.21	5.94	6.27
MW-211	09/19/22	12.21	5.93	6.28
MW-211	12/12/22	12.21	4.39	7.82
MW-211	01/26/23	12.21	4.58	7.63
MW-211	02/23/23	12.21	4.45	7.76
MW-211	03/27/23	12.21	5.35	6.86
MW-211	04/13/23	12.21	4.66	7.55
MW-211	05/16/23	12.21	5.21	7.00
MW-211	06/12/23	12.21	5.35	6.86
MW-211	07/20/23	12.21	5.60	6.61
MW-211	08/17/23	12.21	5.50	6.71
MW-211	09/11/23	12.21	5.94	6.27
MW-211	11/16/23	12.21	4.68	7.53
MW-211	12/18/23	12.21	4.82	7.39
MW-211	01/16/24	12.21	4.61	7.60
MW-211	02/22/24	12.21	4.36	7.85
MW-211	03/11/24	12.21	3.70	8.51
MW-212	03/29/13	--	4.90	--
MW-212	06/28/13	--	4.42	--
MW-212	09/11/13	--	5.32	--
MW-212	09/12/13	--	5.52	--
MW-212	10/30/13	--	5.28	--
MW-212	11/05/13	--	5.51	--
MW-212	01/16/14	--	5.47	--
MW-212	02/27/14	--	6.12	--
MW-212	03/25/14	--	6.30	--
MW-212	04/22/14	--	5.85	--
MW-212	06/10/14	--	Not Measured	Not Measured
MW-212	07/24/14	--	6.06	--

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-212	08/28/14	--	6.23	--
MW-212	09/23/14	--	6.08	--
MW-212	10/22/14	--	4.13	--
MW-212	11/05/14	--	5.12	--
MW-212	12/18/14	11.95	4.89	7.06
MW-212	01/27/15	11.95	5.38	6.57
MW-212	02/26/15	11.95	5.59	6.36
MW-212	03/11/15	11.95	5.45	6.50
MW-212	04/21/15	11.95	5.85	6.10
MW-212	05/19/15	11.95	5.67	6.28
MW-212	06/11/15	11.95	5.46	6.49
MW-212	07/29/15	11.95	5.85	6.10
MW-212	08/25/15	11.95	6.82	5.13
MW-212	09/24/15	11.95	6.33	5.62
MW-212	10/15/15	11.95	5.82	6.13
MW-212	11/20/15	11.95	5.51	6.44
MW-212	12/09/15	11.95	3.61	8.34
MW-212	02/23/16	11.95	4.38	7.57
MW-212	04/22/16	11.95	5.37	6.58
MW-212	05/03/16	11.95	6.00	5.95
MW-212	06/02/16	11.95	6.18	5.77
MW-212	07/14/16	11.95	6.27	5.68
MW-212	08/18/16	11.95	6.44	5.51
MW-212	09/08/16	11.95	6.55	5.40
MW-212	10/21/16	11.95	6.10	5.85
MW-212	11/17/16	11.95	4.68	7.27
MW-212	12/01/16	11.95	4.88	7.07
MW-212	01/11/17	11.95	3.88	8.07
MW-212	02/14/17	11.95	4.79	7.16
MW-212	03/13/17	11.95	4.98	6.97
MW-212	04/13/17	11.95	5.02	6.93
MW-212	05/08/17	11.95	5.31	6.64
MW-212	06/13/17	11.95	5.60	6.35
MW-212	07/18/17	11.95	5.83	6.12
MW-212	08/22/17	11.95	5.92	6.03
MW-212	09/13/17	11.95	6.21	5.74
MW-212	10/31/17	11.95	6.17	5.78
MW-212	11/13/17	11.95	4.98	6.97
MW-212	12/04/17	11.95	5.38	6.57
MW-212	03/06/18	11.95	5.46	6.49

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-212	06/12/18	11.95	6.06	5.89
MW-212	09/05/18	11.95	6.35	5.60
MW-212	12/17/18	11.95	4.43	7.52
MW-212	01/16/19	11.95	5.56	6.39
MW-212	02/20/19	11.95	4.32	7.63
MW-212	03/18/19	11.95	6.12	5.83
MW-212	04/10/19	11.95	5.78	6.17
MW-212	05/15/19	11.95	6.13	5.82
MW-212	06/26/19	11.95	6.11	5.84
MW-212	07/24/19	11.95	5.96	5.99
MW-212	08/13/19	11.95	6.02	5.93
MW-212	09/17/19	11.95	6.28	5.67
MW-212	10/16/19	11.95	6.36	5.59
MW-212	11/05/19	11.95	6.51	5.44
MW-212	12/09/19	11.95	6.14	5.81
MW-212	01/28/20	11.95	2.03	9.92
MW-212	02/26/20	11.95	4.97	6.98
MW-212	04/27/20	11.95	5.29	6.66
MW-212	06/16/20	11.95	6.25	5.70
MW-212	06/29/20	11.95	5.85	6.10
MW-212	07/29/20	11.95	6.31	5.64
MW-212	08/27/20	11.95	6.15	5.80
MW-212	09/21/20	11.95	6.23	5.72
MW-212	10/29/20	11.95	6.23	5.72
MW-212	11/30/20	11.95	5.10	6.85
MW-212	12/14/20	11.95	5.83	6.12
MW-212	01/21/21	11.95	5.63	6.32
MW-212	02/16/21	11.95	4.25	7.70
MW-212	03/23/21	11.95	5.74	6.21
MW-212	04/12/21	11.95	6.31	5.64
MW-212	05/12/21	11.95	6.21	5.74
MW-212	06/14/21	11.95	5.62	6.33
MW-212	07/15/21	11.95	6.01	5.94
MW-212	08/18/21	11.95	6.16	5.79
MW-212	09/22/21	11.95	6.10	5.85
MW-212	10/21/21	11.95	6.05	5.90
MW-212	11/23/21	11.95	5.19	6.76
MW-212	12/14/21	11.95	4.79	7.16
MW-212	01/25/22	11.95	5.67	6.28
MW-212	02/28/22	11.95	2.86	9.09

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-212	03/28/22	11.95	5.98	5.97
MW-212	04/18/22	11.95	5.98	5.97
MW-212	05/23/22	11.95	5.70	6.25
MW-212	06/27/22	11.95	5.90	6.05
MW-212	07/20/22	11.95	5.85	6.10
MW-212	08/23/22	11.95	6.19	5.76
MW-212	09/19/22	11.95	6.19	5.76
MW-212	12/12/22	11.95	4.70	7.25
MW-212	01/26/23	11.95	4.59	7.36
MW-212	02/23/23	11.95	5.07	6.88
MW-212	03/27/23	11.95	5.61	6.34
MW-212	04/13/23	11.95	5.17	6.78
MW-212	05/16/23	11.95	5.70	6.25
MW-212	06/12/23	11.95	5.65	6.30
MW-212	07/20/23	11.95	6.01	5.94
MW-212	08/17/23	11.95	5.99	5.96
MW-212	09/11/23	11.95	6.39	5.56
MW-212	11/16/23	11.95	5.43	6.52
MW-212	12/18/23	11.95	5.13	6.82
MW-212	01/16/24	11.95	5.15	6.80
MW-212	02/22/24	11.95	4.31	7.64
MW-212	03/11/24	11.95	4.18	7.77
MW-213	07/23/01	8.57	10.17	-1.60
MW-213	10/16/01	8.57	5.81	2.76
MW-213	04/24/02	8.57	7.34	1.23
MW-213	07/18/02	8.57	7.39	1.18
MW-213	10/23/02	8.57	5.04	3.53
MW-213	01/28/03	8.57	4.60	3.97
MW-213	04/15/03	8.57	4.43	4.14
MW-213	07/17/03	8.57	10.24	-1.67
MW-213	10/15/03	8.57	5.85	2.72
MW-213	01/13/04	8.57	5.02	3.55
MW-213	04/19/04	8.57	7.91	0.66
MW-213	07/27/04	8.57	6.94	1.63
MW-213	10/18/04	8.57	5.70	2.87
MW-213	01/24/05	8.57	4.70	3.87
MW-213	04/18/05	8.57	7.43	1.14
MW-213	07/12/05	8.57	8.72	-0.15
MW-213	10/18/05	8.57	7.24	1.33

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water	GW Elevation
		Elevation ft AMSL		ft below TOC
MW-213	01/25/06	8.57	5.79	2.78
MW-213	04/25/06	8.57	7.82	0.75
MW-213	10/11/06	8.57	6.09	2.48
MW-213	11/19/08	8.57	5.98	2.59
MW-213	04/07/09	8.57	7.69	0.88
MW-213	11/16/09	8.57	4.97	3.60
MW-213	04/26/10	8.57	8.22	0.35
MW-213	10/28/10	8.57	5.33	3.24
MW-213	10/25/11	8.57	7.43	1.14
MW-213	06/12/12	8.57	7.84	0.73
MW-213	11/29/12	8.57	4.65	3.92
MW-213	05/15/13	8.57	8.86	-0.29
MW-213	10/30/13	8.57	5.45	3.12
MW-213	11/05/13	8.57	5.29	3.28
MW-213	04/22/14	8.57	6.39	2.18
MW-213	11/05/14	12.17	6.55	5.62
MW-213	05/19/15	12.17	7.85	4.32
MW-213	12/09/15	12.17	4.18	7.99
MW-213	12/14/16	12.17	5.22	6.95
MW-213	06/13/17	12.17	5.75	6.42
MW-213	12/04/17	12.17	6.33	5.84
MW-213	06/12/18	12.17	9.38	2.79
MW-213	12/17/18	12.17	3.87	8.30
MW-213	05/15/19	12.17	8.76	3.41
MW-213	12/09/19	12.17	6.26	5.91
MW-213	06/29/20	12.17	7.30	4.87
MW-213	12/14/20	12.17	5.21	6.96
MW-213	04/12/21	12.17	6.01	6.16
MW-213	06/14/21	12.17	5.45	6.72
MW-213	12/16/21	12.17	5.76	6.41
MW-213	06/27/22	12.17	6.88	5.29
MW-213	12/12/22	12.17	4.35	7.82
MW-213	06/12/23	12.17	5.97	6.20
MW-213	12/18/23	12.17	4.00	8.17
MW-214	07/23/01	8.63	10.37	-1.74
MW-214	10/19/01	8.63	5.74	2.89
MW-214	04/24/02	8.63	7.94	0.69
MW-214	07/18/02	8.63	7.25	1.38
MW-214	10/23/02	8.63	5.85	2.78

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-214	01/28/03	8.63	4.25	4.38
MW-214	04/15/03	8.63	4.66	3.97
MW-214	07/17/03	8.63	10.40	-1.77
MW-214	10/15/03	8.63	4.89	3.74
MW-214	01/13/04	8.63	4.86	3.77
MW-214	04/19/04	8.63	7.92	0.71
MW-214	07/27/04	8.63	6.42	2.21
MW-214	10/18/04	8.63	5.37	3.26
MW-214	01/24/05	8.63	5.00	3.63
MW-214	04/18/05	8.63	7.65	0.98
MW-214	07/12/05	8.63	8.82	-0.19
MW-214	10/18/05	8.63	7.18	1.45
MW-214	01/25/06	8.63	5.96	2.67
MW-214	04/25/06	8.63	7.80	0.83
MW-214	10/11/06	8.63	5.95	2.68
MW-214	11/19/08	8.63	5.50	3.13
MW-214	04/07/09	12.92	7.05	5.87
MW-214	11/16/09	12.92	5.28	7.64
MW-214	04/26/10	12.92	7.80	5.12
MW-214	10/28/10	12.92	5.25	7.67
MW-214	10/25/11	12.92	7.78	5.14
MW-214	06/12/12	12.92	7.80	5.12
MW-214	11/29/12	12.92	5.00	7.92
MW-214	05/15/13	12.92	9.23	3.69
MW-214	10/30/13	12.92	7.88	5.04
MW-214	11/05/13	12.92	5.38	7.54
MW-214	02/27/14	12.92	6.08	6.84
MW-214	04/22/14	12.92	6.78	6.14
MW-214	11/05/14	12.39	6.80	5.59
MW-214	05/19/15	12.39	8.10	4.29
MW-214	12/09/15	12.39	4.74	7.65
MW-214	12/14/16	12.39	5.58	6.81
MW-214	06/13/17	12.39	6.04	6.35
MW-214	12/04/17	12.39	6.41	5.98
MW-214	06/12/18	12.39	9.70	2.69
MW-214	12/17/18	12.39	4.13	8.26
MW-214	05/15/19	12.39	7.81	4.58
MW-214	12/09/19	12.39	6.39	6.00
MW-214	06/29/20	12.39	7.59	4.80
MW-214	12/14/20	12.39	5.32	7.07

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-214	04/12/21	12.39	5.87	6.52
MW-214	06/14/21	12.39	5.63	6.76
MW-214	12/16/21	12.39	5.71	6.68
MW-214	06/27/22	12.39	7.74	4.65
MW-214	12/12/22	12.39	4.38	8.01
MW-214	06/12/23	12.39	6.70	5.69
MW-214	12/18/23	12.39	3.86	8.53
MW-301	03/02/12	12.56	6.03	6.53
MW-301	05/30/12	12.56	6.03	6.53
MW-301	06/13/12	12.56	6.11	6.45
MW-301	09/26/12	12.56	6.82	5.74
MW-301	11/27/12	12.56	5.34	7.22
MW-301	02/21/13	12.56	5.66	6.90
MW-301	05/16/13	12.56	6.14	6.42
MW-301	09/06/13	12.56	6.71	5.85
MW-301	11/07/13	12.56	6.60	5.96
MW-301	04/22/14	12.56	5.56	7.00
MW-301	07/24/14	12.56	6.38	6.18
MW-301	09/23/14	12.56	6.71	5.85
MW-301	11/04/14	12.56	5.73	6.83
MW-301	03/10/15	12.56	5.64	6.92
MW-301	05/15/15	12.56	6.10	6.46
MW-301	07/29/15	12.56	6.63	5.93
MW-301	12/10/15	12.56	4.57	7.99
MW-301	02/23/16	12.56	4.50	8.06
MW-301	05/03/16	12.56	5.53	7.03
MW-301	08/30/16	12.56	6.68	5.88
MW-301	12/14/16	12.56	5.08	7.48
MW-301	03/13/17	12.56	7.60	4.96
MW-301	05/16/17	12.56	5.21	7.35
MW-301	06/13/17	12.56	5.70	6.86
MW-301	08/22/17	12.56	6.43	6.13
MW-301	12/04/17	12.56	5.40	7.16
MW-301	03/06/18	12.56	5.37	7.19
MW-301	06/12/18	12.56	5.90	6.66
MW-301	09/05/18	12.56	6.58	5.98
MW-301	12/17/18	12.56	5.75	6.81
MW-301	03/18/19	12.56	5.23	7.33
MW-301	05/16/19	12.56	5.74	6.82

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-301	09/17/19	12.56	6.49	6.07
MW-301	12/09/19	12.56	6.41	6.15
MW-301	04/27/20	12.56	5.50	7.06
MW-301	06/29/20	12.56	5.85	6.71
MW-301	09/21/20	12.56	6.57	5.99
MW-301	12/14/20	12.56	5.90	6.66
MW-301	04/12/21	12.56	5.26	7.30
MW-301	06/14/21	12.56	5.95	6.61
MW-301	09/22/21	12.56	6.57	5.99
MW-301	12/16/21	12.56	4.67	7.89
MW-301	03/28/22	12.56	4.91	7.65
MW-301	06/27/22	12.56	5.34	7.22
MW-301	09/21/22	12.56	6.95	5.61
MW-301	12/12/22	12.56	5.22	7.34
MW-301	03/27/23	12.56	5.56	7.00
MW-301	06/12/23	12.56	5.90	6.66
MW-301	09/11/23	12.56	6.17	6.39
MW-301	12/18/23	12.56	4.49	8.07
MW-301	03/12/24	12.56	4.39	8.17
MW-302	03/01/12	12.85	6.47	6.38
MW-302	05/30/12	12.85	Not Measured	Not Measured
MW-302	06/13/12	12.85	Not Measured	Not Measured
MW-302	09/26/12	12.85	7.23	5.62
MW-302	11/27/12	12.85	5.83	7.02
MW-302	02/22/13	12.85	6.10	6.75
MW-302	05/16/13	12.85	6.61	6.24
MW-302	09/06/13	12.85	7.11	5.74
MW-302	11/07/13	12.85	6.99	5.86
MW-302	01/16/14	12.85	6.80	6.05
MW-302	04/22/14	12.85	6.09	6.76
MW-302	06/10/14	12.85	6.40	6.45
MW-302	07/24/14	12.85	6.85	6.00
MW-302	09/23/14	12.85	7.13	5.72
MW-302	11/04/14	12.85	6.28	6.57
MW-302	03/10/15	12.85	6.22	6.63
MW-302	05/15/15	12.85	6.60	6.25
MW-302	07/29/15	12.85	7.07	5.78
MW-302	12/10/15	12.85	5.12	7.73
MW-302	02/23/16	12.85	5.23	7.62

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-302	05/03/16	12.85	6.15	6.70
MW-302	08/30/16	12.85	7.26	5.59
MW-302	12/14/16	12.85	5.74	7.11
MW-302	03/13/17	12.85	5.33	7.52
MW-302	05/16/17	12.85	5.79	7.06
MW-302	06/13/17	12.85	6.30	6.55
MW-302	08/22/17	12.85	6.92	5.93
MW-302	12/04/17	12.85	5.80	7.05
MW-302	03/06/18	12.85	5.91	6.94
MW-302	06/12/18	12.85	6.48	6.37
MW-302	09/05/18	12.85	6.96	5.89
MW-302	12/17/18	12.85	6.10	6.75
MW-302	03/18/19	12.85	5.65	7.20
MW-302	05/16/19	12.85	6.20	6.65
MW-302	09/17/19	12.85	7.33	5.52
MW-302	12/09/19	12.85	6.75	6.10
MW-302	04/27/20	12.85	5.95	6.90
MW-302	06/29/20	12.85	6.22	6.63
MW-302	09/21/20	12.85	6.92	5.93
MW-302	12/15/20	12.85	6.15	6.70
MW-302	04/13/21	12.85	5.67	7.18
MW-302	06/15/21	12.85	6.28	6.57
MW-302	09/23/21	12.85	6.84	6.01
MW-302	12/16/21	12.85	4.98	7.87
MW-302	03/28/22	12.85	5.25	7.60
MW-302	06/27/22	12.85	5.68	7.17
MW-302	09/21/22	12.85	7.38	5.47
MW-302	12/12/22	12.85	5.88	6.97
MW-302	03/27/23	12.85	5.44	7.41
MW-302	06/13/23	12.85	6.32	6.53
MW-302	09/12/23	12.85	6.80	6.05
MW-302	12/20/23	12.85	4.38	8.47
MW-302	03/11/24	12.85	4.75	8.10
MW-303	03/02/12	12.64	5.96	6.68
MW-303	05/30/12	12.64	5.97	6.67
MW-303	06/13/12	12.64	6.06	6.58
MW-303	09/26/12	12.64	6.86	5.78
MW-303	11/27/12	12.64	5.22	7.42
MW-303	02/21/13	12.64	5.58	7.06

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-303	05/16/13	12.64	6.10	6.54
MW-303	09/06/13	12.64	6.80	5.84
MW-303	11/07/13	12.64	6.61	6.03
MW-303	04/22/14	12.64	5.49	7.15
MW-303	07/24/14	12.64	6.44	6.20
MW-303	09/23/14	12.64	6.80	5.84
MW-303	11/04/14	12.64	5.73	6.91
MW-303	03/10/15	12.64	5.62	7.02
MW-303	05/15/15	12.64	6.11	6.53
MW-303	07/29/15	12.64	6.71	5.93
MW-303	12/10/15	12.64	4.38	8.26
MW-303	02/23/16	12.64	4.44	8.20
MW-303	05/03/16	12.64	5.56	7.08
MW-303	08/30/16	12.64	6.82	5.82
MW-303	12/14/16	12.64	5.06	7.58
MW-303	03/13/17	12.64	4.51	8.13
MW-303	05/16/17	12.64	5.18	7.46
MW-303	06/13/17	12.64	5.75	6.89
MW-303	08/22/17	12.64	6.55	6.09
MW-303	12/04/17	12.64	5.35	7.29
MW-303	03/06/18	12.64	5.35	7.29
MW-303	06/12/18	12.64	6.07	6.57
MW-303	09/05/18	12.64	6.73	5.91
MW-303	12/17/18	12.64	5.83	6.81
MW-303	03/18/19	12.64	5.33	7.31
MW-303	05/16/19	12.64	5.89	6.75
MW-303	09/17/19	12.64	6.68	5.96
MW-303	12/09/19	12.64	6.54	6.10
MW-303	04/27/20	12.64	5.63	7.01
MW-303	06/29/20	12.64	6.10	6.54
MW-303	09/21/20	12.64	6.72	5.92
MW-303	12/14/20	12.64	5.95	6.69
MW-303	04/12/21	12.64	5.33	7.31
MW-303	06/14/21	12.64	6.00	6.64
MW-303	09/22/21	12.64	6.69	5.95
MW-303	12/15/21	12.64	4.61	8.03
MW-303	03/28/22	12.64	4.84	7.80
MW-303	06/27/22	12.64	5.38	7.26
MW-303	09/21/22	12.64	7.02	5.62
MW-303	12/12/22	12.64	5.24	7.40

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-303	03/27/23	12.64	5.33	7.31
MW-303	06/12/23	12.64	6.02	6.62
MW-303	09/11/23	12.64	6.36	6.28
MW-303	12/18/23	12.64	4.58	8.06
MW-303	03/12/24	12.64	4.44	8.20
MW-304	03/01/12	12.70	6.07	6.63
MW-304	05/30/12	12.70	6.12	6.58
MW-304	06/13/12	12.70	6.22	6.48
MW-304	09/26/12	12.70	6.98	5.72
MW-304	11/27/12	12.70	5.43	7.27
MW-304	02/22/13	12.70	5.78	6.92
MW-304	05/16/13	12.70	Not Measured	Not Measured
MW-304	09/06/13	12.70	6.89	5.81
MW-304	11/07/13	12.70	6.75	5.95
MW-304	01/16/14	12.70	6.50	6.20
MW-304	04/22/14	12.70	5.67	7.03
MW-304	07/24/14	12.70	6.57	6.13
MW-304	09/23/14	12.70	6.89	5.81
MW-304	11/04/14	12.70	5.91	6.79
MW-304	03/10/15	12.70	5.80	6.90
MW-304	05/15/15	12.70	6.28	6.42
MW-304	07/29/15	12.70	6.84	5.86
MW-304	12/10/15	12.70	4.80	7.90
MW-304	02/23/16	12.70	Not Measured	Not Measured
MW-304	05/03/16	12.70	5.79	6.91
MW-304	08/30/16	12.70	Not Measured	Not Measured
MW-304	12/14/16	12.70	5.27	7.43
MW-304	03/13/17	12.70	4.82	7.88
MW-304	06/13/17	12.70	5.95	6.75
MW-304	08/22/17	12.70	6.67	6.03
MW-304	12/04/17	12.70	5.53	7.17
MW-304	03/06/18	12.70	5.46	7.24
MW-304	06/12/18	12.70	6.18	6.52
MW-304	09/05/18	12.70	6.78	5.92
MW-304	12/17/18	12.70	5.90	6.80
MW-304	03/18/19	12.70	5.39	7.31
MW-304	05/16/19	12.70	5.98	6.72
MW-304	09/17/19	12.70	6.67	6.03
MW-304	12/09/19	12.70	6.58	6.12

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water	GW Elevation
		Elevation ft AMSL		ft below TOC
MW-304	04/27/20	12.70	5.71	6.99
MW-304	06/29/20	12.70	6.10	6.60
MW-304	09/21/20	12.70	6.78	5.92
MW-304	12/14/20	12.70	6.00	6.70
MW-304	04/12/21	12.70	5.42	7.28
MW-304	06/14/21	12.70	6.05	6.65
MW-304	09/22/21	12.70	6.72	5.98
MW-304	12/16/21	12.70	4.69	8.01
MW-304	03/28/22	12.70	5.08	7.62
MW-304	06/27/22	12.70	5.45	7.25
MW-304	09/20/22	12.70	7.03	5.67
MW-304	12/12/22	12.70	5.28	7.42
MW-304	03/27/23	12.70	5.71	6.99
MW-304	06/12/23	12.70	6.05	6.65
MW-304	09/11/23	12.70	6.39	6.31
MW-304	12/18/23	12.70	4.57	8.13
MW-304	03/12/24	12.70	4.59	8.11
MW-305	03/01/12	13.48	6.47	7.01
MW-305	05/30/12	13.48	6.43	7.05
MW-305	06/11/12	13.48	6.43	7.05
MW-305	09/26/12	13.48	7.22	6.26
MW-305	11/28/12	13.48	5.86	7.62
MW-305	05/16/13	13.48	6.01	7.47
MW-305	11/07/13	13.48	6.40	7.08
MW-305	04/22/14	13.48	5.92	7.56
MW-305	11/06/14	13.48	6.22	7.26
MW-305	05/21/15	13.48	6.32	7.16
MW-306	03/01/12	13.36	6.24	7.12
MW-306	05/30/12	13.36	6.14	7.22
MW-306	06/11/12	13.36	6.12	7.24
MW-306	09/26/12	13.36	6.99	6.37
MW-306	11/28/12	13.36	5.64	7.72
MW-306	05/16/13	13.36	5.57	7.79
MW-306	11/07/13	13.36	6.04	7.32
MW-306	04/22/14	13.36	5.63	7.73
MW-306	05/21/15	13.36	5.99	7.37
MW-306	12/10/15	13.36	4.80	8.56

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-307	11/27/12	15.62	7.94	7.68
MW-307	02/22/13	15.62	8.42	7.20
MW-307	05/16/13	15.62	8.91	6.71
MW-307	09/06/13	15.62	9.67	5.95
MW-307	11/07/13	15.62	9.49	6.13
MW-307	04/22/14	15.62	8.52	7.10
MW-307	03/10/15	15.62	8.42	7.20
MW-307	05/15/15	15.62	8.92	6.70
MW-307	07/29/15	15.62	9.58	6.04
MW-307	12/10/15	15.62	7.33	8.29
MW-307	02/23/16	15.62	7.24	8.38
MW-307	05/03/16	15.62	8.39	7.23
MW-307	08/30/16	15.62	9.51	6.11
MW-307	12/14/16	15.62	7.84	7.78
MW-307	03/13/17	15.62	7.32	8.30
MW-307	05/16/17	15.62	8.02	7.60
MW-307	06/13/17	15.62	8.51	7.11
MW-307	08/22/17	15.62	9.42	6.20
MW-307	09/25/17	15.62	9.76	5.86
MW-307	12/04/17	15.62	8.18	7.44
MW-307	03/06/18	15.62	8.16	7.46
MW-307	06/12/18	15.62	8.70	6.92
MW-307	09/05/18	15.62	9.61	6.01
MW-307	12/17/18	15.62	8.62	7.00
MW-307	03/18/19	15.62	8.07	7.55
MW-307	05/15/19	15.62	8.69	6.93
MW-307	09/17/19	15.62	9.52	6.10
MW-307	12/09/19	15.62	9.39	6.23
MW-307	04/27/20	15.62	8.42	7.20
MW-307	06/29/20	15.62	8.83	6.79
MW-307	09/21/20	15.62	9.57	6.05
MW-307	12/14/20	15.62	8.72	6.90
MW-307	04/12/21	15.62	8.10	7.52
MW-307	06/14/21	15.62	8.80	6.82
MW-307	09/22/21	15.62	9.54	6.08
MW-307	12/14/21	15.62	7.32	8.30
MW-307	03/28/22	15.62	7.73	7.89
MW-307	06/27/22	15.62	8.61	7.01
MW-307	09/20/22	15.62	9.17	6.45
MW-307	12/12/22	15.62	7.98	7.64

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-307	03/27/23	15.62	8.25	7.37
MW-307	06/12/23	15.62	8.46	7.16
MW-307	09/11/23	15.62	8.50	7.12
MW-307	12/18/23	15.62	7.23	8.39
MW-307	03/11/24	15.62	7.25	8.37
MW-308	11/27/12	15.59	7.90	7.69
MW-308	02/22/13	15.59	8.22	7.37
MW-308	05/16/13	15.59	8.80	6.79
MW-308	09/06/13	15.59	9.56	6.03
MW-308	11/07/13	15.59	9.45	6.14
MW-308	04/22/14	15.59	8.10	7.49
MW-308	11/04/14	15.59	8.40	7.19
MW-308	03/10/15	15.59	8.31	7.28
MW-308	05/15/15	15.59	9.01	6.58
MW-308	07/29/15	15.59	9.62	5.97
MW-308	12/10/15	15.59	6.15	9.44
MW-308	02/23/16	15.59	6.88	8.71
MW-308	05/03/16	15.59	8.20	7.39
MW-308	08/30/16	15.59	9.59	6.00
MW-308	12/14/16	15.59	7.56	8.03
MW-308	03/13/17	15.59	6.72	8.87
MW-308	05/16/17	15.59	7.69	7.90
MW-308	06/13/17	15.59	8.38	7.21
MW-308	08/22/17	15.59	9.29	6.30
MW-308	09/25/17	15.59	9.74	5.85
MW-308	12/04/17	15.59	7.90	7.69
MW-308	03/06/18	15.59	7.98	7.61
MW-308	06/12/18	15.59	8.78	6.81
MW-308	09/05/18	15.59	9.55	6.04
MW-308	12/17/18	15.59	8.38	7.21
MW-308	03/18/19	15.59	8.02	7.57
MW-308	05/15/19	15.59	8.65	6.94
MW-308	09/17/19	15.59	9.49	6.10
MW-308	12/09/19	15.59	9.34	6.25
MW-308	04/27/20	15.59	8.32	7.27
MW-308	06/29/20	15.59	8.78	6.81
MW-308	09/21/20	15.59	9.53	6.06
MW-308	12/14/20	15.59	8.70	6.89
MW-308	04/12/21	15.59	8.00	7.59

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-308	06/14/21	15.59	8.65	6.94
MW-308	09/22/21	15.59	9.50	6.09
MW-308	12/14/21	15.59	7.07	8.52
MW-308	03/28/22	15.59	7.43	8.16
MW-308	06/27/22	15.59	8.34	7.25
MW-308	09/20/22	15.59	8.85	6.74
MW-308	12/12/22	15.59	7.94	7.65
MW-308	03/27/23	15.59	8.18	7.41
MW-308	06/12/23	15.59	7.73	7.86
MW-308	09/11/23	15.59	8.22	7.37
MW-308	12/18/23	15.59	7.09	8.50
MW-308	03/11/24	15.59	6.98	8.61
MW-309	11/27/12	12.67	5.41	7.26
MW-309	02/21/13	12.67	5.73	6.94
MW-309	05/16/13	12.67	6.21	6.46
MW-309	09/06/13	12.67	6.84	5.83
MW-309	11/07/13	12.67	6.76	5.91
MW-309	04/22/14	12.67	5.60	7.07
MW-309	07/24/14	12.67	6.47	6.20
MW-309	09/23/14	12.67	6.81	5.86
MW-309	11/04/14	12.67	5.81	6.86
MW-309	03/10/15	12.67	5.72	6.95
MW-309	05/15/15	12.67	6.18	6.49
MW-309	07/29/15	12.67	6.74	5.93
MW-309	12/10/15	12.67	4.59	8.08
MW-309	02/23/16	12.67	4.70	7.97
MW-309	05/03/16	12.67	5.60	7.07
MW-309	08/30/16	12.67	6.75	5.92
MW-309	12/12/16	12.67	5.12	7.55
MW-309	03/13/17	12.67	4.62	8.05
MW-309	06/13/17	12.67	5.76	6.91
MW-309	08/22/17	12.67	6.56	6.11
MW-309	12/04/17	12.67	5.52	7.15
MW-309	03/06/18	12.67	5.40	7.27
MW-309	06/12/18	12.67	6.18	6.49
MW-309	09/05/18	12.67	6.72	5.95
MW-309	12/17/18	12.67	5.93	6.74
MW-309	03/18/19	12.67	5.41	7.26
MW-309	05/16/19	12.67	5.95	6.72

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-309	09/17/19	12.67	6.74	5.93
MW-309	12/09/19	12.67	6.59	6.08
MW-309	04/27/20	12.67	5.74	6.93
MW-309	06/29/20	12.67	6.00	6.67
MW-309	09/21/20	12.67	6.75	5.92
MW-309	12/14/20	12.67	6.08	6.59
MW-309	04/12/21	12.67	5.42	7.25
MW-309	06/14/21	12.67	6.10	6.57
MW-309	09/22/21	12.67	6.72	5.95
MW-309	12/15/21	12.67	4.84	7.83
MW-309	03/28/22	12.67	5.03	7.64
MW-309	06/27/22	12.67	5.51	7.16
MW-309	09/19/22	12.67	7.20	5.47
MW-309	12/12/22	12.67	5.41	7.26
MW-309	03/27/23	12.67	5.62	7.05
MW-309	06/12/23	12.67	5.95	6.72
MW-309	09/11/23	12.67	6.86	5.81
MW-309	12/18/23	12.67	4.71	7.96
MW-309	03/11/24	12.67	4.67	8.00
MW-310	11/27/12	13.51	6.42	7.09
MW-310	02/21/13	13.51	6.78	6.73
MW-310	05/16/13	13.51	7.20	6.31
MW-310	09/06/13	13.51	7.72	5.79
MW-310	11/07/13	13.51	7.61	5.90
MW-310	01/16/14	13.51	7.39	6.12
MW-310	04/23/14	13.51	6.64	6.87
MW-310	07/24/14	13.51	7.43	6.08
MW-310	09/23/14	13.51	7.73	5.78
MW-310	11/04/14	13.51	6.84	6.67
MW-310	03/10/15	13.51	6.78	6.73
MW-310	05/15/15	13.51	7.19	6.32
MW-310	07/29/15	13.51	7.67	5.84
MW-310	12/10/15	13.51	5.80	7.71
MW-310	02/23/16	13.51	5.77	7.74
MW-310	05/03/16	13.51	6.70	6.81
MW-310	08/30/16	13.51	7.76	5.75
MW-310	12/14/16	13.51	6.32	7.19
MW-310	03/13/17	13.51	5.90	7.61
MW-310	05/16/17	13.51	6.39	7.12

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-310	06/13/17	13.51	6.88	6.63
MW-310	08/22/17	13.51	7.56	5.95
MW-310	12/04/17	13.51	6.48	7.03
MW-310	03/06/18	13.51	6.52	6.99
MW-310	06/12/18	13.51	7.08	6.43
MW-310	09/05/18	13.51	7.57	5.94
MW-310	12/17/18	13.51	6.73	6.78
MW-310	03/18/19	13.51	5.28	8.23
MW-310	05/16/19	13.51	6.92	6.59
MW-310	09/17/19	13.51	7.59	5.92
MW-310	12/09/19	13.51	7.41	6.10
MW-310	04/27/20	13.51	6.60	6.91
MW-310	06/29/20	13.51	6.78	6.73
MW-310	09/21/20	13.51	7.57	5.94
MW-310	12/14/20	13.51	8.95	4.56
MW-310	04/12/21	13.51	6.41	7.10
MW-310	06/14/21	13.51	6.98	6.53
MW-310	09/22/21	13.51	7.62	5.89
MW-310	12/16/21	13.51	5.58	7.93
MW-310	03/28/22	13.51	5.85	7.66
MW-310	06/27/22	13.51	7.08	6.43
MW-310	09/20/22	13.51	8.08	5.43
MW-310	12/12/22	13.51	6.20	7.31
MW-310	03/27/23	13.51	5.91	7.60
MW-310	06/12/23	13.51	6.17	7.34
MW-310	09/11/23	13.51	7.15	6.36
MW-310	12/18/23	13.51	5.43	8.08
MW-310	03/12/24	13.51	5.43	8.08
MW-311	11/05/14	14.91	8.03	6.88
MW-311	03/10/15	14.91	8.02	6.89
MW-311	05/15/15	14.91	8.42	6.49
MW-311	07/29/15	14.91	8.83	6.08
MW-311	12/10/15	14.91	7.08	7.83
MW-311	02/23/16	14.91	6.97	7.94
MW-311	05/03/16	14.91	7.92	6.99
MW-311	08/30/16	14.91	8.92	5.99
MW-311	12/14/16	14.91	7.53	7.38
MW-311	03/13/17	14.91	7.10	7.81
MW-311	06/13/17	14.91	8.05	6.86

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-311	08/22/17	14.91	8.70	6.21
MW-311	12/04/17	14.91	7.70	7.21
MW-311	03/06/18	14.91	7.74	7.17
MW-311	06/12/18	14.91	8.32	6.59
MW-311	09/05/18	14.91	8.78	6.13
MW-311	12/17/18	14.91	8.02	6.89
MW-311	03/18/19	14.91	7.63	7.28
MW-311	05/15/19	14.91	8.06	6.85
MW-311	09/17/19	14.91	8.78	6.13
MW-311	12/09/19	14.91	8.64	6.27
MW-311	04/27/20	14.91	7.94	6.97
MW-311	06/29/20	14.91	8.24	6.67
MW-311	09/21/20	14.91	8.80	6.11
MW-311	12/14/20	14.91	8.20	6.71
MW-311	04/12/21	14.91	7.68	7.23
MW-311	06/14/21	14.91	--	--
MW-311	09/22/21	14.91	8.79	6.12
MW-311	12/16/21	14.91	7.05	7.86
MW-311	03/28/22	14.91	7.25	7.66
MW-311	06/27/22	14.91	7.69	7.22
MW-311	09/20/22	14.91	9.23	5.68
MW-311	12/12/22	14.91	7.62	7.29
MW-311	03/27/23	14.91	7.77	7.14
MW-311	06/12/23	14.91	7.62	7.29
MW-311	09/11/23	14.91	8.58	6.33
MW-311	12/18/23	14.91	6.92	7.99
MW-311	03/12/24	14.91	6.81	8.10
MW-312	11/05/14	14.31	7.58	6.73
MW-312	03/10/15	14.31	7.56	6.75
MW-312	05/15/15	14.31	7.95	6.36
MW-312	07/29/15	14.31	8.34	5.97
MW-312	12/10/15	14.31	6.97	7.34
MW-312	02/23/16	14.31	6.68	7.63
MW-312	05/03/16	14.31	7.49	6.82
MW-312	08/30/16	14.31	8.44	5.87
MW-312	12/14/16	14.31	7.10	7.21
MW-312	03/13/17	14.31	6.75	7.56
MW-312	06/13/17	14.31	7.61	6.70
MW-312	08/22/17	14.31	8.22	6.09

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-312	12/04/17	14.31	7.36	6.95
MW-312	03/06/18	14.31	7.32	6.99
MW-312	06/12/18	14.31	7.83	6.48
MW-312	09/05/18	14.31	8.31	6.00
MW-312	12/17/18	14.31	7.57	6.74
MW-312	03/18/19	14.31	7.23	7.08
MW-312	05/15/19	14.31	7.59	6.72
MW-312	09/17/19	14.31	8.26	6.05
MW-312	12/09/19	14.31	8.12	6.19
MW-312	04/27/20	14.31	7.52	6.79
MW-312	06/29/20	14.31	7.70	6.61
MW-312	09/21/20	14.31	8.30	6.01
MW-312	12/14/20	14.31	7.77	6.54
MW-312	04/12/21	14.31	7.31	7.00
MW-312	06/14/21	14.31	7.80	6.51
MW-312	09/22/21	14.31	8.25	6.06
MW-312	12/16/21	14.31	6.63	7.68
MW-312	03/28/22	14.31	5.90	8.41
MW-312	06/27/22	14.31	7.56	6.75
MW-312	09/20/22	14.31	7.11	7.20
MW-312	12/12/22	14.31	7.08	7.23
MW-312	03/27/23	14.31	7.46	6.85
MW-312	06/12/23	14.31	5.78	8.53
MW-312	09/11/23	14.31	7.96	6.35
MW-312	12/18/23	14.31	6.58	7.73
MW-312	03/12/24	14.31	6.50	7.81
MW-313	08/30/16	13.25	7.05	6.20
MW-313	12/14/16	13.25	5.63	7.62
MW-313	03/13/17	13.25	5.31	7.94
MW-313	06/13/17	13.25	6.10	7.15
MW-313	08/22/17	13.25	6.80	6.45
MW-313	12/04/17	13.25	5.77	7.48
MW-313	03/06/18	13.25	5.87	7.38
MW-313	06/12/18	13.25	6.38	6.87
MW-313	09/05/18	13.25	6.98	6.27
MW-313	12/17/18	13.25	6.04	7.21
MW-313	03/18/19	13.25	5.87	7.38
MW-313	05/15/19	13.25	6.21	7.04
MW-313	09/17/19	13.25	6.82	6.43

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-313	12/09/19	13.25	6.74	6.51
MW-313	04/27/20	13.25	6.03	7.22
MW-313	06/29/20	13.25	6.36	6.89
MW-313	09/21/20	13.25	6.95	6.30
MW-313	12/14/20	13.25	6.27	6.98
MW-313	04/12/21	13.25	5.96	7.29
MW-313	06/14/21	13.25	6.27	6.98
MW-313	09/22/21	13.25	6.83	6.42
MW-313	12/16/21	13.25	5.11	8.14
MW-313	03/28/22	13.25	5.48	7.77
MW-313	06/27/22	13.25	5.87	7.38
MW-313	09/20/22	13.25	7.30	5.95
MW-313	12/12/22	13.25	5.48	7.77
MW-313	03/27/23	13.25	5.90	7.35
MW-313	06/12/23	13.25	6.15	7.10
MW-313	09/11/23	13.25	6.73	6.52
MW-313	12/18/23	13.25	5.58	7.67
MW-313	03/12/24	13.25	5.16	8.09
MW-314	08/30/16	13.49	7.72	5.77
MW-314	12/14/16	13.49	6.77	6.72
MW-314	03/13/17	13.49	6.55	6.94
MW-314	06/13/17	13.49	7.08	6.41
MW-314	08/22/17	13.49	7.55	5.94
MW-314	12/04/17	13.49	7.00	6.49
MW-314	03/06/18	13.49	6.99	6.50
MW-314	06/12/18	13.49	7.38	6.11
MW-314	09/05/18	13.49	7.66	5.83
MW-314	12/17/18	13.49	6.98	6.51
MW-314	03/18/19	13.49	6.92	6.57
MW-314	05/16/19	13.49	7.13	6.36
MW-314	09/17/19	13.49	Not Measured	Not Measured
MW-314	12/09/19	13.49	7.46	6.03
MW-314	04/27/20	13.49	7.19	6.30
MW-314	06/29/20	13.49	7.40	6.09
MW-314	09/22/20	13.49	7.53	5.96
MW-314	12/15/20	13.49	7.31	6.18
MW-314	04/13/21	13.49	7.13	6.36
MW-314	06/14/21	13.49	--	--
MW-314	09/22/21	13.49	--	--

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-314	12/16/21	13.49	--	--
MW-314	03/28/22	13.49	6.68	6.81
MW-314	06/27/22	13.49	6.93	6.56
MW-314	09/20/22	13.49	8.41	5.08
MW-314	12/12/22	13.49	--	--
MW-314	03/27/23	13.49	6.75	6.74
MW-314	06/14/23	13.49	7.00	6.49
MW-314	09/11/23	13.49	--	--
MW-314	12/20/23	13.49	5.60	7.89
MW-314	03/11/24	13.49	--	--
MW-315	08/30/16	14.61	8.56	6.05
MW-315	12/14/16	14.61	7.26	7.35
MW-315	03/13/17	14.61	6.93	7.68
MW-315	06/13/17	14.61	7.72	6.89
MW-315	08/22/17	14.61	8.32	6.29
MW-315	12/04/17	14.61	7.45	7.16
MW-315	03/06/18	14.61	7.47	7.14
MW-315	06/12/18	14.61	7.98	6.63
MW-315	09/05/18	14.61	8.46	6.15
MW-315	12/17/18	14.61	7.64	6.97
MW-315	03/18/19	14.61	7.43	7.18
MW-315	05/15/19	14.61	7.73	6.88
MW-315	09/17/19	14.61	9.43	5.18
MW-315	12/09/19	14.61	8.21	6.40
MW-315	04/27/20	14.61	7.64	6.97
MW-315	06/29/20	14.61	7.95	6.66
MW-315	09/21/20	14.61	8.41	6.20
MW-315	12/14/20	14.61	7.77	6.84
MW-315	04/12/21	14.61	7.52	7.09
MW-315	06/14/21	14.61	7.90	6.71
MW-315	09/22/21	14.61	8.34	6.27
MW-315	12/16/21	14.61	6.76	7.85
MW-315	03/28/22	14.61	7.03	7.58
MW-315	06/27/22	14.61	7.42	7.19
MW-315	09/20/22	14.61	9.08	5.53
MW-315	12/12/22	14.61	7.08	7.53
MW-315	03/27/23	14.61	7.43	7.18
MW-315	06/12/23	14.61	7.61	7.00
MW-315	09/11/23	14.61	8.10	6.51

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
MW-315	12/18/23	14.61	6.74	7.87
MW-315	03/12/24	14.61	6.69	7.92
SH-04	07/08/93	12.92	9.94	2.98
SH-04	08/03/93	12.92	10.15	2.77
SH-04	09/08/93	12.92	10.50	2.42
SH-04	10/08/93	12.92	10.72	2.20
SH-04	11/05/93	12.92	10.88	2.04
SH-04	12/03/93	12.92	10.78	2.14
SH-04	01/05/94	12.92	10.20	2.72
SH-04	02/04/94	12.92	10.12	2.80
SH-04	08/28/95	12.92	10.15	2.77
SH-04	09/27/95	12.92	10.37	2.55
SH-04	04/27/99	12.92	8.55	4.37
SH-04	07/14/99	12.92	7.63	5.29
SH-04	10/18/99	12.92	10.58	2.34
SH-04	01/11/00	12.92	9.06	3.86
SH-04	04/05/00	12.92	8.94	3.98
SH-04	07/18/00	12.92	9.96	2.96
SH-04	10/02/00	12.92	10.62	2.30
SH-04	01/22/01	12.92	10.13	2.79
SH-04	07/23/01	12.92	6.98	5.94
SH-04	10/16/01	12.92	12.20	0.72
SH-04	04/23/02	12.92	9.91	3.01
SH-04	07/18/02	12.92	10.74	2.18
SH-04	10/23/02	12.92	11.27	1.65
SH-04	01/28/03	12.92	9.73	3.19
SH-04	04/15/03	12.92	9.69	3.23
SH-04	07/17/03	12.92	10.78	2.14
SH-04	10/15/03	12.92	11.19	1.73
SH-04	01/13/04	12.92	9.61	3.31
SH-04	04/19/04	16.62	10.05	6.57
SH-04	07/27/04	16.62	10.90	5.72
SH-04	10/18/04	16.62	10.89	5.73
SH-04	01/24/05	16.62	10.03	6.59
SH-04	04/18/05	16.62	10.03	6.59
SH-04	07/12/05	16.62	10.51	6.11
SH-04	10/18/05	16.62	11.01	5.61
SH-04	01/25/06	16.62	8.98	7.64
SH-04	10/11/06	16.62	11.06	5.56

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
SH-04	11/20/08	16.62	10.40	6.22
SH-04	04/08/09	16.62	10.01	6.61
SH-04	11/16/09	16.62	10.09	6.53
SH-04	04/27/10	16.62	9.33	7.29
SH-04	10/25/10	16.62	10.23	6.39
SH-04	10/27/11	16.62	10.68	5.94
SH-04	03/01/12	16.62	9.63	6.99
SH-04	05/30/12	16.62	9.56	7.06
SH-04	06/11/12	16.62	9.55	7.07
SH-04	08/23/12	16.62	9.95	6.67
SH-04	09/25/12	16.62	10.21	6.41
SH-04	11/25/12	16.62	8.77	7.85
SH-04	05/16/13	16.62	8.64	7.98
SH-04	11/04/13	16.62	8.75	7.87
SH-04	04/22/14	16.62	9.00	7.62
SH-04	11/06/14	16.62	9.23	7.39
SH-04	05/21/15	16.62	9.15	7.47
SH-04	12/08/15	16.62	8.80	7.82
SH-04	12/14/16	16.62	8.34	8.28
SH-04	06/13/17	16.62	8.75	7.87
SH-04	12/04/17	16.62	9.33	7.29
SH-04	06/12/18	16.62	9.39	7.23
SH-04	12/17/18	16.62	9.65	6.97
SH-04	05/16/19	16.62	9.72	6.90
SH-04	12/09/19	16.62	10.50	6.12
SH-04	06/29/20	16.62	9.89	6.73
SH-04	12/14/20	16.62	9.90	6.72
SH-04	04/12/21	16.62	9.18	7.44
SH-04	06/14/21	16.62	9.60	7.02
SH-04	12/15/21	16.62	8.79	7.83
SH-04	04/18/22	16.62	9.15	7.47
SH-04	06/27/22	16.62	9.33	7.29
SH-04	12/12/22	16.62	9.20	7.42
SH-04	06/12/23	16.62	8.95	7.67
SH-04	12/19/23	16.62	8.05	8.57
TES-MW-1	04/06/93	13.10	8.79	4.31
TES-MW-1	05/13/93	13.10	8.61	4.49
TES-MW-1	06/10/93	13.10	8.63	4.47
TES-MW-1	07/08/93	13.10	8.98	4.12

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TES-MW-1	08/03/93	13.10	9.28	3.82
TES-MW-1	09/08/93	13.10	8.66	4.44
TES-MW-1	10/08/93	13.10	9.98	3.12
TES-MW-1	11/05/93	13.10	10.20	2.90
TES-MW-1	12/03/93	13.10	10.17	2.93
TES-MW-1	01/05/94	13.10	9.30	3.80
TES-MW-1	02/04/94	13.10	9.19	3.91
TES-MW-1	08/28/95	13.10	9.26	3.84
TES-MW-1	09/27/95	13.10	9.53	3.57
TES-MW-1	04/27/99	13.10	7.49	5.61
TES-MW-1	07/14/99	13.10	8.90	4.20
TES-MW-1	10/18/99	13.10	9.88	3.22
TES-MW-1	01/11/00	13.10	7.59	5.51
TES-MW-1	04/05/00	13.10	8.20	4.90
TES-MW-1	10/02/00	13.10	9.99	3.11
TES-MW-1	01/22/01	13.10	9.65	3.45
TES-MW-1	07/23/01	13.10	10.77	2.33
TES-MW-1	10/16/01	13.10	11.93	1.17
TES-MW-1	04/23/02	13.10	9.32	3.78
TES-MW-1	07/18/02	13.10	10.34	2.76
TES-MW-1	10/23/02	13.10	10.92	2.18
TES-MW-1	01/30/03	13.10	8.43	4.67
TES-MW-1	04/15/03	13.10	8.89	4.21
TES-MW-1	07/17/03	13.10	10.41	2.69
TES-MW-1	10/15/03	13.10	10.82	2.28
TES-MW-1	01/13/04	13.10	8.82	4.28
TES-MW-1	04/19/04	16.15	9.76	6.39
TES-MW-1	07/27/04	16.15	10.48	5.67
TES-MW-1	10/18/04	16.15	10.27	5.88
TES-MW-1	01/24/05	16.15	9.26	6.89
TES-MW-1	04/18/05	16.15	9.46	6.69
TES-MW-1	07/12/05	16.15	10.10	6.05
TES-MW-1	10/18/05	16.15	10.70	5.45
TES-MW-1	01/25/06	16.15	8.17	7.98
TES-MW-1	04/25/06	16.15	9.33	6.82
TES-MW-1	10/11/06	16.15	10.66	5.49
TES-MW-1	11/18/08	16.15	9.85	6.30
TES-MW-1	11/16/09	16.15	9.35	6.80
TES-MW-1	10/26/10	16.15	9.66	6.49
TES-MW-1	10/27/11	16.15	10.42	5.73

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TES-MW-1	05/30/12	16.15	9.37	6.78
TES-MW-1	06/13/12	16.15	9.43	6.72
TES-MW-1	06/26/12	16.15	10.31	5.84
TES-MW-1	11/27/12	16.15	8.62	7.53
TES-MW-1	05/16/13	16.15	9.46	6.69
TES-MW-1	11/07/13	16.15	10.06	6.09
TES-MW-1	04/22/14	16.15	8.70	7.45
TES-MW-1	11/04/14	16.15	9.07	7.08
TES-MW-1	03/10/15	16.15	8.92	7.23
TES-MW-1	05/15/15	16.15	9.40	6.75
TES-MW-1	07/29/15	16.15	10.08	6.07
TES-MW-1	12/10/15	16.15	7.14	9.01
TES-MW-1	02/23/16	16.15	7.58	8.57
TES-MW-1	05/03/16	16.15	8.80	7.35
TES-MW-1	08/30/16	16.15	9.86	6.29
TES-MW-1	12/14/16	16.15	8.30	7.85
TES-MW-1	03/13/17	16.15	7.57	8.58
TES-MW-1	06/13/17	16.15	9.01	7.14
TES-MW-1	08/22/17	16.15	9.90	6.25
TES-MW-1	12/04/17	16.15	8.75	7.40
TES-MW-1	03/06/18	16.15	8.61	7.54
TES-MW-1	06/12/18	16.15	9.56	6.59
TES-MW-1	09/05/18	16.15	10.17	5.98
TES-MW-1	12/17/18	16.15	9.08	7.07
TES-MW-1	03/18/19	16.15	8.73	7.42
TES-MW-1	05/15/19	16.15	9.34	6.81
TES-MW-1	09/17/19	16.15	10.19	5.96
TES-MW-1	12/09/19	16.15	9.99	6.16
TES-MW-1	04/27/20	16.15	9.04	7.11
TES-MW-1	06/29/20	16.15	9.50	6.65
TES-MW-1	09/21/20	16.15	10.23	5.92
TES-MW-1	12/14/20	16.15	9.43	6.72
TES-MW-1	04/12/21	16.15	8.79	7.36
TES-MW-1	06/14/21	16.15	9.35	6.80
TES-MW-1	09/22/21	16.15	10.15	6.00
TES-MW-1	12/14/21	16.15	7.87	8.28
TES-MW-1	03/28/22	16.15	8.19	7.96
TES-MW-1	06/27/22	16.15	9.18	6.97
TES-MW-1	09/19/22	16.15	10.50	5.65
TES-MW-1	12/12/22	16.15	10.35	5.80

**Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TES-MW-1	03/27/23	16.15	8.10	8.05
TES-MW-1	06/12/23	16.15	8.86	7.29
TES-MW-1	09/11/23	16.15	9.36	6.79
TES-MW-1	12/19/23	16.15	7.92	8.23
TES-MW-1	03/11/24	16.15	7.68	8.47
TX-03	04/06/93	9.58	5.57	4.01
TX-03	06/10/93	9.58	5.50	4.08
TX-03	07/08/93	9.58	5.81	3.77
TX-03	08/03/93	9.58	6.08	3.50
TX-03	09/08/93	9.58	6.42	3.16
TX-03	10/08/93	9.58	6.74	2.84
TX-03	11/05/93	9.58	6.91	2.67
TX-03	12/03/93	9.58	6.90	2.68
TX-03	01/05/94	9.58	6.16	3.42
TX-03	02/04/94	9.58	Not Measured	Not Measured
TX-03	08/28/95	9.58	6.16	3.42
TX-03	09/27/95	9.58	Not Measured	Not Measured
TX-03	04/27/99	9.58	4.68	4.90
TX-03	07/14/99	9.58	5.87	3.71
TX-03	10/18/99	9.58	6.71	2.87
TX-03	01/11/00	9.58	5.30	4.28
TX-03	04/05/00	9.58	5.31	4.27
TX-03	07/18/00	9.58	5.98	3.60
TX-03	10/02/00	9.58	6.65	2.93
TX-03A	04/23/02	9.58	6.25	3.33
TX-03A	07/18/02	9.58	6.75	2.83
TX-03A	10/23/02	9.58	7.15	2.43
TX-03A	01/28/03	9.58	5.40	4.18
TX-03A	04/15/03	9.58	5.76	3.82
TX-03A	07/17/03	9.58	6.76	2.82
TX-03A	10/15/03	9.58	7.05	2.53
TX-03A	01/13/04	9.58	5.46	4.12
TX-03A	04/19/04	12.26	6.22	6.04
TX-03A	07/27/04	12.26	6.78	5.48
TX-03A	10/18/04	12.26	6.69	5.57
TX-03A	01/24/05	12.26	5.76	6.50
TX-03A	04/18/05	12.26	5.91	6.35
TX-03A	07/12/05	12.26	6.41	5.85

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TX-03A	10/18/05	12.26	6.92	5.34
TX-03A	01/25/06	12.26	4.82	7.44
TX-03A	04/25/06	12.26	5.82	6.44
TX-03A	10/11/06	12.26	6.91	5.35
TX-03A	11/20/08	12.26	6.14	6.12
TX-03A	04/08/09	12.26	5.90	6.36
TX-03A	11/16/09	12.26	5.80	6.46
TX-03A	04/27/10	12.26	5.53	6.73
TX-03A	10/25/10	12.26	6.20	6.06
TX-03A	10/27/11	12.26	6.74	5.52
TX-03A	03/01/12	12.26	5.86	6.40
TX-03A	06/13/12	12.26	5.97	6.29
TX-03A	09/26/12	12.26	6.67	5.59
TX-03A	11/27/12	12.26	5.21	7.05
TX-03A	02/21/13	12.26	5.55	6.71
TX-03A	05/16/13	12.26	6.01	6.25
TX-03A	09/06/13	12.26	6.56	5.70
TX-03A	11/07/13	12.26	6.45	5.81
TX-03A	04/22/14	12.26	5.45	6.81
TX-03A	07/24/14	12.26	6.28	5.98
TX-03A	09/23/14	12.26	6.57	5.69
TX-03A	11/04/14	12.26	5.64	6.62
TX-03A	03/10/15	12.26	5.57	6.69
TX-03A	05/15/15	12.26	5.98	6.28
TX-03A	07/29/15	12.26	6.51	5.75
TX-03A	12/10/15	12.26	4.48	7.78
TX-03A	02/23/16	12.26	4.44	7.82
TX-03A	05/03/16	12.26	5.46	6.80
TX-03A	08/30/16	12.26	6.59	5.67
TX-03A	12/14/16	12.26	5.04	7.22
TX-03A	03/13/17	12.26	4.56	7.70
TX-03A	05/16/17	12.26	5.12	7.14
TX-03A	06/13/17	12.26	5.63	6.63
TX-03A	08/22/17	12.26	6.37	5.89
TX-03A	12/04/17	12.26	5.20	7.06
TX-03A	03/27/18	12.26	5.42	6.84
TX-03A	06/12/18	12.26	6.33	5.93
TX-03A	09/05/18	12.26	6.43	5.83
TX-03A	12/17/18	12.26	5.61	6.65
TX-03A	03/18/19	12.26	5.12	7.14

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TX-03A	05/16/19	12.26	5.56	6.70
TX-03A	09/17/19	12.26	6.42	5.84
TX-03A	12/09/19	12.26	6.27	5.99
TX-03A	04/27/20	12.26	5.45	6.81
TX-03A	06/29/20	12.26	5.65	6.61
TX-03A	09/21/20	12.26	6.43	5.83
TX-03A	12/15/20	12.26	5.70	6.56
TX-03A	04/12/21	12.26	5.12	7.14
TX-03A	06/14/21	12.26	5.72	6.54
TX-03A	09/23/21	12.26	6.35	5.91
TX-03A	12/16/21	12.26	--	--
TX-03A	03/28/22	12.26	4.90	7.36
TX-03A	06/27/22	12.26	5.17	7.09
TX-03A	09/21/22	12.26	6.75	5.51
TX-03A	12/12/22	12.26	5.05	7.21
TX-03A	03/27/23	12.26	4.97	7.29
TX-03A	06/14/23	12.26	5.42	6.84
TX-03A	09/12/23	12.26	6.84	5.42
TX-03A	12/20/23	12.26	4.45	7.81
TX-03A	03/11/24	12.26	4.28	7.98
TX-04	04/06/93	14.36	9.97	4.39
TX-04	05/13/93	14.36	9.83	4.53
TX-04	06/10/93	14.36	9.87	4.49
TX-04	07/08/93	14.36	10.24	4.12
TX-04	08/03/93	14.36	10.54	3.82
TX-04	09/08/93	14.36	10.96	3.40
TX-04	10/08/93	14.36	11.28	3.08
TX-04	11/05/93	14.36	11.51	2.85
TX-04	12/03/93	14.36	11.43	2.93
TX-04	01/05/94	14.36	10.60	3.76
TX-04	02/04/94	14.36	10.45	3.91
TX-04	08/28/95	14.36	10.64	3.72
TX-04	09/27/95	14.36	10.88	3.48
TX-04	04/27/99	14.36	8.57	5.79
TX-04	07/14/99	14.36	10.01	4.35
TX-04	10/18/99	14.36	11.12	3.24
TX-04	01/11/00	14.36	9.06	5.30
TX-04	04/05/00	14.36	9.04	5.32
TX-04	07/18/00	14.36	10.41	3.95

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TX-04	10/02/00	14.36	11.23	3.13
TX-04	01/22/01	14.36	10.70	3.66
TX-04	07/23/01	14.36	11.50	2.86
TX-04	10/16/01	14.36	9.57	4.79
TX-04	04/23/02	14.36	6.81	7.55
TX-04	07/18/02	14.36	11.33	3.03
TX-04	10/23/02	14.36	11.79	2.57
TX-04	01/28/03	14.36	9.51	4.85
TX-04	04/15/03	14.36	9.55	4.81
TX-04	07/17/03	14.36	11.28	3.08
TX-04	10/15/03	14.36	11.93	2.43
TX-04	01/13/04	14.36	9.54	4.82
TX-04	04/19/04	17.65	10.50	7.15
TX-04	07/27/04	17.65	11.46	6.19
TX-04	10/18/04	17.65	11.46	6.19
TX-04	01/24/05	17.65	10.16	7.49
TX-04	04/18/05	17.65	10.35	7.30
TX-04	07/12/05	17.65	11.04	6.61
TX-04	10/18/05	17.65	11.79	5.86
TX-04	01/25/06	17.65	8.43	9.22
TX-04	04/25/06	17.65	10.22	7.43
TX-04	10/11/06	17.65	11.77	5.88
TX-04	11/18/08	17.65	10.84	6.81
TX-04	11/16/09	17.65	10.39	7.26
TX-04	10/25/10	17.65	10.77	6.88
TX-04	10/26/11	17.65	11.47	6.18
TX-04	11/26/12	17.65	9.26	8.39
TX-04	11/04/13	17.65	10.98	6.67
TX-04	11/06/14	17.65	10.05	7.60
TX-04	02/27/15	17.65	9.37	8.28
TX-04	12/08/15	17.65	9.27	8.38
TX-04	12/14/16	17.65	8.97	8.68
TX-04	12/04/17	17.65	9.64	8.01
TX-04	12/17/18	17.65	10.39	7.26
TX-04	12/09/19	17.65	11.22	6.43
TX-04	12/14/20	17.65	10.45	7.20
TX-04	04/12/21	17.65	9.63	8.02
TX-04	12/15/21	17.65	8.90	8.75
TX-04	12/12/22	17.65	9.81	7.84
TX-04	12/18/23	17.65	8.07	9.58

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TX-06	04/06/93	8.58	3.85	4.73
TX-06	06/10/93	8.58	3.71	4.87
TX-06	09/08/93	8.58	4.96	3.62
TX-06	10/08/93	8.58	5.35	3.23
TX-06	11/05/93	8.58	5.54	3.04
TX-06	12/03/93	8.58	5.37	3.21
TX-06	01/05/94	8.58	4.48	4.10
TX-06	02/04/94	8.58	4.43	4.15
TX-06	08/28/95	8.58	4.75	3.83
TX-06	09/27/95	8.58	5.78	2.80
TX-06	04/27/99	8.58	2.62	5.96
TX-06	07/14/99	8.58	4.05	4.53
TX-06	10/18/99	8.58	5.19	3.39
TX-06	01/11/00	8.58	2.98	5.60
TX-06	04/05/00	8.58	3.16	5.42
TX-06	07/18/00	8.58	4.25	4.33
TX-06	10/02/00	8.58	5.23	3.35
TX-06	04/25/06	8.58	3.88	4.70
TX-06A	04/23/02	8.58	3.98	4.60
TX-06A	07/18/02	8.58	4.14	4.44
TX-06A	10/23/02	8.58	5.98	2.60
TX-06A	01/28/03	8.58	3.40	5.18
TX-06A	04/15/03	8.58	3.57	5.01
TX-06A	07/17/03	8.58	5.24	3.34
TX-06A	10/15/03	8.58	6.01	2.57
TX-06A	01/13/04	8.58	3.36	5.22
TX-06A	04/19/04	11.67	4.41	7.26
TX-06A	07/27/04	11.67	5.39	6.28
TX-06A	10/18/04	11.67	5.23	6.44
TX-06A	01/24/05	11.67	3.66	8.01
TX-06A	04/18/05	11.67	3.89	7.78
TX-06A	07/12/05	11.67	4.78	6.89
TX-06A	10/18/05	11.67	5.63	6.04
TX-06A	01/25/06	11.67	3.00	8.67
TX-06A	04/25/06	11.67	5.54	6.13
TX-06A	11/18/08	11.67	4.56	7.11
TX-06A	11/16/09	11.67	3.99	7.68
TX-06A	10/28/10	11.67	4.47	7.20

Table 3
Groundwater Elevation Data
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	TOC	Depth to Water ft below TOC	GW Elevation
		Elevation ft AMSL		ft AMSL
TX-06A	10/25/11	11.67	5.40	6.27
TX-06A	11/25/12	11.67	3.03	8.64
TX-06A	11/07/13	11.67	4.87	6.80
TX-06A	11/06/14	11.67	4.03	7.64
TX-06A	12/08/15	11.67	2.80	8.87
TX-06A	12/14/16	11.67	3.26	8.41
TX-06A	12/04/17	11.67	3.36	8.31
TX-06A	12/17/18	11.67	4.18	7.49
TX-06A	12/09/19	11.67	5.20	6.47
TX-06A	12/14/20	11.67	4.32	7.35
TX-06A	04/12/21	11.67	3.91	7.76
TX-06A	12/15/21	11.67	2.90	8.77
TX-06A	12/12/22	11.67	7.46	4.21
TX-06A	12/19/23	11.67	2.45	9.22

Notes:

= Indicates data collected during this progress report period

-- = Survey data not available

AMSL = above mean sea level

ft = feet

TOC = Top of monitoring well casing

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
06/01/04	10.68	NP	NP	5.01	NP	NP	—	—	—	6.20	6.15	0.05	5.33	NP	NP	5.60	NP	NP
10/02/04	10.12	NP	NP	4.77	NP	NP	—	—	—	7.09	6.31	0.78	5.04	NP	NP	4.89	NP	NP
10/03/04	10.50	NP	NP	5.98	NP	NP	—	—	—	7.26	6.71	0.55	5.86	NP	NP	6.06	NP	NP
04/19/04	10.95	NP	NP	6.29	NP	NP	—	—	—	6.99	NP	NP	4.90	NP	NP	5.13	NP	NP
05/13/04	11.24	NP	NP	6.07	NP	NP	—	—	—	6.95	NP	NP	4.78	NP	NP	4.80	NP	NP
08/06/04	11.35	NP	NP	4.76	NP	NP	—	—	—	5.52	NP	NP	4.64	NP	NP	4.41	NP	NP
06/07/04	11.55	NP	NP	5.06	NP	NP	—	—	—	6.98	NP	NP	4.55	NP	NP	4.61	NP	NP
11/08/04	11.79	NP	NP	6.51	NP	NP	—	—	—	7.22	NP	NP	7.18	NP	NP	7.27	NP	NP
09/09/04	11.79	NP	NP	6.66	NP	NP	—	—	—	7.19	7.18	0.01	7.16	NP	NP	7.14	7.14	Trace
06/10/04	11.76	NP	NP	6.58	NP	NP	—	—	—	7.18	NP	NP	7.11	NP	NP	7.08	NP	NP
09/11/04	11.61	NP	NP	6.17	NP	NP	—	—	—	7.04	7.01	0.03	6.93	NP	NP	6.95	6.95	Trace
10/12/04	—	—	—	3.91	NP	NP	—	—	—	6.96	NP	NP	5.31	NP	NP	5.00	NP	NP
11/01/05	11.04	NP	NP	3.80	NP	NP	—	—	—	5.78	NP	NP	4.85	4.85	Trace	4.71	NP	NP
11/02/05	10.81	10.81	Trace	4.47	NP	NP	—	—	—	6.19	6.18	0.01	5.71	NP	NP	5.68	NP	NP
11/03/05	11.18	NP	NP	5.48	NP	NP	—	—	—	6.73	NP	NP	6.56	6.56	Trace	6.50	NP	NP
04/18/05	10.98	NP	NP	5.97	NP	NP	—	—	—	6.95	6.81	0.14	6.18	NP	NP	6.42	NP	NP
05/25/05	10.98	NP	NP	4.78	NP	NP	—	—	—	6.12	NP	NP	5.73	NP	NP	5.78	NP	NP
09/06/05	11.15	NP	NP	5.74	NP	NP	—	—	—	6.68	6.67	0.01	6.11	NP	NP	6.33	NP	NP
11/07/05	11.40	NP	NP	6.12	NP	NP	—	—	—	7.13	NP	NP	6.32	NP	NP	6.65	NP	NP
08/19/05	11.64	NP	NP	6.25	NP	NP	—	—	—	6.91	NP	NP	6.50	NP	NP	7.85	NP	NP
09/16/05	11.83	NP	NP	6.51	NP	NP	—	—	—	7.32	NP	NP	6.85	NP	NP	7.02	NP	NP
10/18/05	11.98	NP	NP	6.06	NP	NP	—	—	—	6.93	NP	NP	6.51	NP	NP	6.54	NP	NP
09/11/05	11.67	NP	NP	4.43	NP	NP	—	—	—	6.34	NP	NP	4.86	NP	NP	4.10	NP	NP
05/12/05	11.48	NP	NP	4.65	NP	NP	—	—	—	6.57	NP	NP	—	—	—	—	—	—
01/26/06	9.96	NP	NP	4.72	NP	NP	—	—	—	5.83	NP	NP	6.65	NP	NP	3.95	NP	NP
02/28/06	10.24	NP	NP	5.34	NP	NP	—	—	—	6.28	NP	NP	4.53	NP	NP	4.88	NP	NP
03/24/06	10.57	NP	NP	5.34	NP	NP	—	—	—	4.20	NP	NP	5.74	NP	NP	4.94	NP	NP
04/18/06	10.78	NP	NP	5.41	NP	NP	—	—	—	6.46	6.45	0.01	5.81	NP	NP	5.28	NP	NP
05/18/06	11.06	NP	NP	6.02	NP	NP	—	—	—	7.01	NP	NP	6.32	NP	NP	5.56	NP	NP
06/19/06	11.26	NP	NP	5.98	NP	NP	—	—	—	6.91	NP	NP	6.23	NP	NP	5.48	NP	NP
08/28/06	11.74	NP	NP	6.45	NP	NP	—	—	—	7.25	NP	NP	6.63	NP	NP	5.68	NP	NP
09/15/06	11.83	NP	NP	6.21	NP	NP	—	—	—	7.02	NP	NP	6.54	NP	NP	5.53	NP	NP
10/11/06	11.96	NP	NP	6.10	NP	NP	—	—	—	6.95	NP	NP	5.93	NP	NP	5.48	NP	NP
11/29/06	—	—	—	4.19	NP	NP	—	—	—	5.83	NP	NP	5.39	NP	NP	4.27	NP	NP
12/13/06	10.53	NP	NP	3.60	NP	NP	—	—	—	5.58	5.58	0.01	4.39	NP	NP	2.81	NP	NP
01/31/07	10.17	NP	NP	3.98	NP	NP	—	—	—	6.32	6.09	0.23	5.58	NP	NP	4.26	NP	NP
02/26/07	10.56	NP	NP	4.55	NP	NP	—	—	—	6.04	NP	NP	5.24	NP	NP	4.12	NP	NP
03/20/07	10.68	NP	NP	4.68	NP	NP	—	—	—	6.42	6.41	0.01	5.68	NP	NP	4.82	NP	NP
04/26/07	10.99	NP	NP	—	NP	NP	—	—	—	—	NP	NP	6.15	NP	NP	4.97	4.96	0.01
05/25/07	11.29	NP	NP	5.68	NP	NP	—	—	—	7.05	NP	NP	6.60	NP	NP	5.11	NP	NP
06/15/07	11.50	NP	NP	5.93	NP	NP	—	—	—	7.04	NP	NP	6.35	NP	NP	5.03	NP	NP
07/19/07	11.70	NP	NP	5.82	5.81	0.01	—	—	—	6.81	6.80	0.01	6.34	NP	NP	5.29	5.28	0.01
08/17/07	11.81	NP	NP	5.90	NP	NP	—	—	—	6.75	NP	NP	6.22	NP	NP	5.35	NP	NP
09/11/07	—	NP	NP	6.24	NP	NP	—	—	—	7.28	7.28	<.01	6.68	6.68	<.01	5.73	NP	NP

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
10/29/07	11.80	NP	NP	5.60	NP	NP	—	—	—	6.68	NP	NP	5.25	NP	NP	6.03	NP	NP
11/12/07	11.84	NP	NP	5.56	NP	NP	—	—	—	6.58	6.57-6.58	<.01	5.82	NP	NP	4.83	—	—
12/26/07	10.84	NP	NP	4.09	NP	NP	—	—	—	5.85	5.84	<.01	4.84	4.85	<.01	4.44	4.43	<.01
01/11/08	10.64	NP	NP	3.84	NP	NP	—	—	—	5.26	5.25	0.01	4.13	4.12	<.01	3.64	3.63	<.01
02/13/08	10.65	NP	NP	4.58	NP	NP	—	—	—	6.60	6.25	0.35	5.75	NP	NP	4.84	NP	NP
03/14/08	11.05	NP	NP	5.37	NP	NP	—	—	—	6.31	NP	NP	5.65	NP	NP	5.01	NP	NP
04/18/08	10.78	NP	NP	5.41	NP	NP	—	—	—	6.46	6.45	0.01	5.81	NP	NP	5.28	NP	NP
05/05/08	11.39	NP	NP	5.84	NP	NP	—	—	—	7.06	7.05	0.01	6.39	NP	NP	5.49	NP	NP
05/20/08	11.53	NP	NP	5.84	NP	NP	—	—	—	7.03	7.02	0.01	6.69	NP	NP	5.52	NP	NP
06/30/08	11.67	NP	NP	5.85	NP	NP	—	—	—	dry	NP	NP	6.35	6.34	0.01	5.45	5.44	0.01
07/10/08	11.70	NP	NP	5.70	NP	NP	—	—	—	6.83	6.80	0.03	6.23	NP	NP	5.24	NP	NP
08/13/08	11.75	NP	NP	5.61	NP	NP	—	—	—	6.75	NP	NP	6.25	NP	NP	6.17	NP	NP
09/02/08	11.82	NP	NP	5.86	NP	NP	—	—	—	6.98	NP	NP	6.40	NP	NP	5.71	NP	NP
10/10/08	11.82	NP	NP	7.11	NP	NP	—	—	—	5.83	NP	NP	6.59	NP	NP	5.83	NP	NP
11/10/08	10.02	NP	NP	4.68	NP	NP	—	—	—	6.40	NP	NP	5.61	NP	NP	5.21	NP	NP
12/08/08	11.48	NP	NP	5.53	NP	NP	—	—	—	6.70	6.52	0.18	5.82	NP	Sheen	5.17	NP	Sheen
01/07/09	11.00	NP	NP	3.93	NP	NP	—	—	—	5.32	NP	Sheen	4.51	NP	Sheen	4.41	NP	Sheen
02/17/09	11.60	NP	NP	5.20	NP	NP	—	—	—	6.40	NP	Sheen	5.72	NP	Sheen	5.21	NP	Sheen
03/06/09	11.21	NP	NP	4.67	NP	NP	—	—	—	6.02	5.59	0.43	4.45	NP	Sheen	4.83	NP	Sheen
04/07/09	—	—	—	—	—	—	—	—	—	6.98	6.96	0.02	—	—	—	—	—	—
07/09/09	11.55	NP	NP	—	—	—	—	—	—	6.90	NP	Sheen	6.34	NP	Sheen	5.56	NP	Sheen
10/20/09	11.75	NP	NP	4.90	NP	NP	—	—	—	6.28	NP	Sheen	5.63	NP	Sheen	4.91	NP	Sheen
01/05/10	10.98	NP	NP	3.60	NP	NP	—	—	—	5.78	NP	Sheen	3.55	NP	NP	3.30	NP	NP
04/26/10	10.7	NP	NP	5.04	NP	NP	—	—	—	6.29	6.28	0.01	5.76	NP	NP	5.05	NP	NP
07/22/10	11.44	NP	NP	5.83	NP	NP	—	—	—	10.02	NP	Sheen	6.74	NP	NP	5.37	NP	Sheen
10/20/10	11.68	NP	NP	5.90	NP	NP	—	—	—	6.78	NP	Sheen	6.20	NP	Sheen	5.45	NP	Sheen
12/12/10	10.79	NP	NP	4.45	NP	NP	—	—	—	5.97	NP	<0.01	5.27	NP	NP	4.62	NP	Sheen
04/08/11	9.97	NP	NP	4.62	NP	NP	—	—	—	5.72	5.71	0.01	5.22	NP	NP	4.82	NP	NP
07/28/11	11.08	NP	NP	5.71	NP	NP	—	—	—	6.90	6.89	0.01	6.22	NP	NP	5.38	NP	NP
09/21/11	11.75	NP	NP	6.19	NP	NP	—	—	—	7.06	7.05	0.01	6.55	NP	NP	5.78	NP	Sheen
03/26/12	—	—	—	4.68	NP	NP	—	—	—	6.09	5.76	0.33	5.08	NP	NP	4.19	NP	Sheen
06/12/12	11.20	NP	NP	5.24	NP	NP	—	—	—	7.25	6.38	0.87	5.86	NP	NP	4.69	NP	Sheen
09/27/12	—	—	—	8.39	NP	NP	—	—	—	7.29	6.98	0.31	6.73	NP	NP	5.47	NP	Sheen
11/27/12	10.81	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/20/12	—	—	—	2.15	NP	NP	—	—	—	5.40	4.72	0.68	1.97	NP	NP	0.00	NP	NP
02/22/13	10.81	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/29/13	—	—	—	—	—	—	—	—	—	6.53	6.44	0.09	5.97	NP	Sheen	4.90	NP	Sheen
05/16/13	11.30	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06/28/13	—	—	—	4.98	NP	NP	—	—	—	6.35	6.33	0.02	5.68	NP	NP	4.42	NP	Sheen
09/06/13	11.77	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/11/13	—	—	—	5.67	NP	Sheen	—	—	—	6.63	NP	NP	—	—	—	5.32	4.82	0.50
09/12/13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5.52	5.03	0.49
10/30/13	—	—	—	5.97	NP	NP	—	—	—	7.08	6.96	0.12	6.43	NP	NP	5.29	5.28	0.01
11/07/13	11.73	NP	NP	5.51	NP	NP	—	—	—	6.44	6.41	0.03	5.68	NP	NP	5.54	5.51	0.03

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
01/16/14	—	—	—	5.46	NP	NP	5.46	5.51	0.05	6.48	6.36	0.12	5.51	NP	NP	5.47	5.43	0.04
02/27/14	—	—	—	4.72	NP	NP	6.04	NP	Sheen	6.79	6.12	0.67	5.01	NP	NP	6.12	NP	Sheen
03/25/14	—	—	—	4.91	NP	NP	5.90	NP	NP	6.96	5.84	1.12	5.38	NP	NP	6.30	NP	NP
04/22/14	10.78	NP	NP	4.98	NP	NP	5.89	NP	NP	6.32	5.98	0.34	5.33	NP	NP	5.85	NP	Sheen
06/10/14	—	—	—	5.62	NP	Sheen	8.31	NP	NP	7.08	6.85	0.23	6.02	NP	NP	—	NP	NP
07/24/14	—	—	—	5.50	NP	NP	6.91	NP	NP	6.64	6.56	0.08	6.85	NP	NP	6.06	NP	Sheen
08/28/14	—	—	—	5.73	NP	NP	6.79	NP	NP	6.72	6.65	0.07	6.06	NP	NP	6.23	NP	NP
09/23/14	—	—	—	5.76	NP	NP	5.73	NP	NP	6.65	6.55	0.10	5.96	NP	NP	6.08	NP	NP
10/22/14	—	—	—	4.82	NP	NP	4.91	NP	NP	5.87	NP	NP	4.96	NP	NP	4.13	NP	Sheen
11/05/14	11.04	NP	NP	4.50	NP	NP	6.60	NP	NP	6.45	5.90	0.55	4.70	NP	NP	5.12	NP	NP
12/18/14	—	—	—	4.28	NP	NP	5.77	NP	NP	5.49	5.26	0.23	4.50	NP	NP	4.89	NP	NP
01/27/15	—	—	—	4.52	NP	NP	4.88	NP	NP	6.15	5.60	0.55	4.82	NP	NP	5.38	NP	NP
02/26/15	—	—	—	4.92	NP	NP	5.54	NP	NP	6.69	5.88	0.81	5.38	NP	NP	5.59	NP	NP
03/11/15	10.75	NP	NP	5.29	NP	NP	5.55	NP	NP	6.56	6.15	0.41	5.52	NP	NP	5.45	NP	Sheen
04/21/15	—	—	—	5.08	NP	NP	—	—	—	6.44	6.36	0.08	5.50	NP	NP	5.85	NP	NP
05/19/15	11.21	NP	NP	5.31	NP	NP	8.60	NP	NP	6.50	6.49	0.01	5.71	NP	NP	5.67	NP	NP
06/11/15	—	—	—	5.34	NP	NP	—	—	—	6.48	NP	NP	5.70	NP	NP	5.46	NP	NP
07/29/15	11.59	NP	NP	5.81	NP	NP	—	—	—	6.73	NP	NP	6.10	NP	NP	5.85	NP	NP
08/25/15	—	—	—	5.95	NP	NP	—	—	—	6.23	NP	NP	6.17	NP	NP	6.82	NP	NP
09/24/15	—	—	—	5.72	NP	NP	—	—	—	6.60	NP	NP	5.72	NP	NP	6.33	NP	NP
10/15/15	—	—	—	5.35	NP	NP	—	—	—	6.30	NP	NP	5.30	NP	NP	5.82	NP	NP
11/20/15	—	—	—	4.37	NP	NP	—	—	—	6.47	5.67	0.80	4.78	NP	NP	5.51	NP	NP
12/09/15	9.91	NP	NP	2.55	NP	NP	—	—	—	4.45	4.45	Trace	2.80	NP	NP	3.61	NP	NP
02/23/16	—	—	—	4.18	NP	NP	—	—	—	5.82	5.23	0.59	4.45	NP	NP	4.38	NP	Odor
04/22/16	—	—	—	4.90	NP	NP	—	—	—	5.96	5.83	0.13	4.67	NP	NP	5.37	NP	NP
05/03/16	—	—	—	5.27	NP	NP	—	—	—	6.42	6.19	0.23	5.63	NP	NP	6.00	NP	NP
06/02/16	—	—	—	5.34	NP	NP	—	—	—	6.44	6.44	Odor	5.77	NP	NP	6.18	NP	NP
07/14/16	—	—	—	5.58	NP	NP	—	—	—	6.67	NP	NP	6.02	NP	NP	6.27	NP	NP
08/18/16	—	—	—	5.80	NP	NP	—	—	—	6.78	6.78	Odor	6.16	NP	NP	6.44	NP	NP
09/08/16	—	—	—	5.88	NP	NP	—	—	—	6.78	6.78	Odor	6.22	NP	NP	6.55	NP	NP
10/21/16	—	—	—	5.40	NP	NP	—	—	—	6.32	Trace	Trace	6.01	NP	NP	6.10	NP	NP
11/17/16	—	—	—	3.67	NP	NP	—	—	—	5.43	4.49	0.94	3.86	NP	NP	4.68	NP	NP
12/01/16	—	—	—	3.93	NP	NP	—	—	—	6.00	4.94	1.06	4.14	NP	NP	4.88	NP	NP
12/14/16	10.34	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
01/11/17	—	—	—	2.83	NP	NP	—	—	—	5.38	5.34	0.04	3.18	NP	NP	3.88	NP	Sheen
02/14/17	—	—	—	3.81	NP	NP	—	—	—	5.69	4.75	0.94	4.02	NP	NP	4.79	NP	NP
03/13/17	9.83	NP	NP	4.04	NP	NP	—	—	—	5.98	5.17	0.81	4.27	NP	NP	4.98	NP	NP
04/13/17	—	—	—	3.78	NP	NP	—	—	—	6.42	5.03	1.39	4.02	NP	NP	5.02	NP	NP
05/08/17	—	—	—	4.78	NP	NP	—	—	—	6.74	5.83	0.91	5.32	NP	NP	5.31	NP	NP
06/13/17	—	—	—	5.00	NP	NP	—	—	—	6.18	5.98	0.20	5.36	NP	NP	5.60	NP	NP
07/18/17	—	—	—	5.32	NP	NP	—	—	—	6.47	6.43	0.04	5.78	NP	NP	5.83	NP	NP
08/22/17	11.34	NP	NP	5.32	NP	NP	—	—	—	6.42	NP	NP	5.76	NP	NP	5.92	NP	NP
09/13/17	—	—	—	5.68	NP	NP	—	—	—	6.60	NP	NP	—	—	—	6.21	NP	NP
10/31/17	—	—	—	5.58	NP	NP	—	—	—	6.64	NP	NP	—	—	—	6.17	NP	NP

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
11/13/17	—	—	—	4.67	NP	NP	—	—	—	6.08	NP	NP	—	—	—	4.98	NP	NP
12/04/17	10.84	NP	NP	4.15	NP	NP	—	—	—	6.05	5.53	0.52	—	—	—	5.38	NP	NP
01/24/18	—	—	—	3.55	NP	NP	—	—	—	5.34	4.95	0.39	3.78	NP	NP	4.16	NP	NP
02/15/18	—	—	—	4.68	NP	NP	—	—	—	6.65	5.64	1.01	4.40	NP	NP	5.42	NP	NP
03/06/18	10.55	NP	NP	4.57	NP	NP	—	—	—	6.19	5.80	0.39	5.03	NP	NP	5.46	NP	NP
04/12/18	—	—	—	4.72	NP	NP	—	—	—	4.96	4.87	0.09	5.68	NP	NP	5.37	NP	NP
05/02/18	—	—	—	4.85	NP	NP	—	—	—	6.22	5.80	0.42	5.17	NP	NP	5.54	NP	NP
06/12/18	11.04	NP	NP	5.25	NP	NP	—	—	—	6.50	6.47	0.03	5.73	NP	NP	6.06	NP	NP
07/12/18	—	—	—	5.24	NP	NP	—	—	—	6.40	6.39	0.01	6.70	NP	NP	5.94	NP	NP
08/23/18	—	—	—	5.57	NP	NP	—	—	—	6.56	6.55	0.01	5.97	NP	NP	6.08	NP	NP
09/05/18	8.20	NP	NP	5.75	NP	NP	—	—	—	6.74	NP	NP	6.16	NP	NP	6.35	NP	NP
10/11/18	—	—	—	5.18	NP	NP	—	—	—	6.32	NP	NP	5.50	NP	NP	5.83	NP	NP
11/07/18	—	—	—	5.01	NP	NP	—	—	—	6.33	NP	NP	5.56	NP	NP	5.66	NP	NP
12/17/18	11.10	NP	NP	4.13	NP	NP	—	—	—	5.31	NP	NP	4.14	NP	NP	4.43	NP	NP
01/16/19	—	—	—	4.48	NP	NP	—	—	—	6.07	5.35	0.72	4.30	NP	NP	5.56	NP	NP
02/20/19	—	—	—	3.98	NP	NP	—	—	—	6.45	5.02	1.43	4.22	NP	NP	4.32	NP	NP
03/18/19	10.51	NP	NP	4.95	4.94	0.01	—	—	—	6.67	5.96	0.71	5.34	NP	NP	6.12	NP	NP
04/10/19	—	—	—	4.66	NP	NP	—	—	—	5.24	NP	NP	4.98	NP	NP	5.78	5.75	0.03
05/15/19	—	—	—	4.19	NP	NP	—	—	—	7.05	6.22	0.83	5.38	NP	NP	6.13	6.10	0.03
06/26/19	—	—	—	5.47	NP	NP	—	—	—	6.58	6.56	0.02	6.88	NP	NP	6.11	NP	NP
07/24/19	—	—	—	5.43	NP	NP	—	—	—	6.59	6.58	0.01	5.88	NP	NP	5.96	NP	NP
08/13/19	—	—	—	5.45	NP	NP	—	—	—	6.58	6.57	0.01	5.72	NP	NP	6.02	NP	NP
09/17/19	11.65	NP	NP	5.23	NP	NP	—	—	—	6.18	6.13	0.05	5.54	NP	NP	6.28	6.25	0.03
10/16/19	—	—	—	5.61	NP	NP	—	—	—	6.47	6.45	0.02	5.77	NP	NP	6.36	NP	NP
11/05/19	—	—	—	5.62	NP	NP	—	—	—	6.78	6.68	0.10	6.01	NP	NP	6.51	NP	NP
12/09/19	11.54	NP	NP	5.08	NP	NP	—	—	—	6.27	NP	NP	5.54	NP	NP	6.14	NP	NP
01/28/20	—	—	—	3.05	NP	NP	—	—	—	4.13	4.06	0.07	3.12	NP	NP	2.03	NP	NP
02/26/20	—	—	—	4.81	NP	NP	—	—	—	6.71	5.78	0.93	5.19	NP	NP	4.97	NP	Sheen
04/27/20	10.94	NP	NP	5.18	NP	NP	—	—	—	6.43	6.23	0.20	5.47	NP	NP	5.29	NP	NP
06/16/20	—	—	—	5.25	NP	NP	—	—	—	5.69	5.56	0.13	5.72	NP	NP	6.25	NP	NP
06/29/20	11.26	NP	NP	5.08	NP	NP	—	—	—	6.58	6.50	0.08	5.78	NP	NP	5.85	NP	NP
07/29/20	—	—	—	5.20	NP	NP	—	—	—	6.43	6.42	0.01	5.67	NP	NP	6.31	NP	NP
08/27/20	—	—	—	5.41	NP	NP	—	—	—	6.71	6.70	0.01	5.85	NP	NP	6.15	NP	NP
09/21/20	11.59	NP	NP	5.09	NP	NP	—	—	—	6.35	NP	NP	5.45	NP	NP	6.23	NP	NP
10/29/20	—	—	—	5.58	NP	NP	—	—	—	6.87	6.50	0.37	5.99	NP	NP	6.23	NP	NP
11/30/20	—	—	—	4.82	NP	NP	—	—	—	6.23	5.78	0.45	5.11	NP	NP	5.10	NP	NP
12/14/20	11.22	NP	NP	4.75	NP	NP	—	—	—	6.05	5.91	0.14	5.28	NP	NP	5.83	NP	NP
01/21/21	—	—	—	4.27	NP	NP	—	—	—	6.96	4.9	2.06	4.82	NP	NP	5.63	NP	NP
02/16/21	—	—	—	3.69	NP	NP	—	—	—	5.83	4.92	0.91	4.18	NP	NP	4.25	NP	NP
03/23/21	—	—	—	4.53	NP	NP	—	—	—	6.57	6.11	0.46	5.37	NP	NP	5.74	NP	NP
04/12/21	—	—	—	5.28	NP	NP	—	—	—	6.42	6.32	0.10	5.65	NP	NP	6.31	NP	NP
05/12/21	—	—	—	5.54	NP	NP	—	—	—	6.61	6.57	0.04	5.86	NP	NP	6.21	NP	NP
06/14/21	—	—	—	4.97	NP	NP	—	—	—	6.15	NP	NP	5.24	NP	NP	5.62	NP	NP
07/15/21	—	—	—	5.31	NP	NP	—	—	—	6.36	6.32	0.04	5.60	NP	NP	6.01	NP	NP

Table 4
Performance Product Monitoring Data
Shell Harbor Island Terminal
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
08/18/21	—	—	—	5.52	NP	NP	—	—	—	6.60	NP	Sheen	5.90	NP	NP	6.16	NP	NP
09/22/21	11.65	NP	NP	5.46	NP	NP	—	—	—	6.50	NP	NP	5.70	NP	NP	6.10	NP	NP
10/21/21	—	—	—	5.32	NP	NP	—	—	—	6.36	NP	NP	5.50	NP	NP	6.05	NP	NP
11/23/21	—	—	—	4.28	NP	NP	—	—	—	6.20	5.38	0.82	4.42	NP	NP	5.19	NP	NP
12/14/21	10.42	NP	NP	3.99	NP	NP	—	—	—	5.12	NP	NP	4.39	NP	NP	4.79	NP	NP
01/25/22	—	—	—	4.34	NP	NP	—	—	—	6.34	5.45	0.89	4.85	NP	NP	5.67	NP	NP
02/28/22	—	—	—	4.59	NP	NP	—	—	—	6.31	NP	NP	4.51	NP	NP	2.86	NP	NP
03/28/22	—	—	—	4.63	NP	NP	—	—	—	5.92	NP	NP	5.00	NP	NP	5.98	NP	NP
04/18/22	—	—	—	5.08	NP	NP	—	—	—	6.18	6.15	0.03	5.28	NP	NP	5.98	NP	NP
05/23/22	—	—	—	4.81	NP	NP	—	—	—	6.50	6.29	0.21	5.28	NP	NP	5.70	NP	NP
06/27/22	11.18	NP	NP	5.02	NP	NP	—	—	—	6.21	6.06	0.15	5.28	NP	NP	5.90	NP	NP
07/20/22	—	—	—	5.03	NP	NP	—	—	—	6.24	NP	NP	5.42	NP	NP	5.85	NP	NP
08/23/22	—	—	—	5.55	NP	NP	—	—	—	6.62	6.60	0.02	5.94	NP	NP	6.19	NP	NP
09/19/22	—	—	—	5.58	NP	NP	—	—	—	6.99	NP	NP	5.93	NP	NP	6.19	NP	NP
12/12/22	—	—	—	4.21	NP	NP	—	—	—	5.15	NP	NP	4.39	NP	NP	4.70	NP	NP
01/26/23	—	—	—	4.41	NP	NP	—	—	—	6.12	5.65	0.47	4.58	NP	NP	5.59	NP	NP
02/23/23	—	—	—	4.11	NP	NP	—	—	—	5.79	NP	NP	4.45	NP	NP	5.07	NP	NP
03/27/23	—	—	—	4.34	NP	NP	—	—	—	6.53	6.70	0.17	5.35	NP	NP	5.61	NP	NP
04/13/23	—	—	—	4.44	NP	NP	—	—	—	5.68	5.62	0.06	4.66	NP	NP	5.17	NP	NP
05/16/23	—	—	—	4.63	NP	NP	—	—	—	6.27	6.07	0.20	5.21	NP	NP	5.70	NP	NP
06/12/23	—	—	—	4.88	NP	NP	—	—	—	6.90	NP	NP	5.35	NP	NP	5.65	NP	NP
07/20/23	—	—	—	5.32	NP	NP	—	—	—	6.32	6.27	0.05	5.60	NP	NP	6.01	NP	NP
08/17/23	—	—	—	5.37	NP	NP	—	—	—	6.42	6.41	0.01	5.50	NP	NP	5.99	NP	NP
09/11/23	—	—	—	5.62	NP	NP	—	—	—	6.81	NP	NP	5.94	NP	NP	6.39	NP	NP
11/16/23	—	—	—	4.52	NP	NP	—	—	—	5.66	5.55	0.11	4.68	NP	NP	5.43	NP	NP
12/18/23	—	—	—	4.25	NP	NP	—	—	—	5.11	NP	NP	4.82	NP	NP	5.13	NP	NP
01/16/24	—	—	—	4.02	NP	NP	—	—	—	5.88	5.27	0.61	4.61	NP	NP	5.15	NP	NP
02/22/24	—	—	—	4.15	NP	NP	—	—	—	5.52	5.22	0.30	4.36	NP	NP	4.31	NP	NP
03/11/24	—	—	—	3.72	NP	NP	—	—	—	5.28	NP	NP	3.70	NP	NP	4.18	NP	NP

Notes:
 = Indicates data collected during this progress report period
 Depth relative to the measuring point at the top of the monitoring well PVC pipe
 Product depth/thick = product depth/thickness in well measured in feet
 — = not measured
 NP = no product detected

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-05	05/04/16	14.3	357	3.38	6.26	31.6	9.99	--	--	--	--	--	--
MW-05	12/14/16	12.22	308	5.94	6.45	47	0	--	--	--	--	--	--
MW-05	06/14/17	14.8	249	1.7	6.37	25.4	5.13	--	--	--	--	--	--
MW-05	12/07/17	15.16	263	791.21	6.73	-165.1	8.37	--	--	--	--	--	--
MW-05	06/12/18	15.66	211	1.47	6.35	-44.7	6.88	--	--	--	--	--	--
MW-05	12/18/18	15	299	1.73	7.28	-23.6	80	--	--	--	--	--	--
MW-05	05/15/19	15.3	294	0.85	6.92	18.3	45	--	--	--	--	--	--
MW-05	12/10/19	14.31	300	4.76	5.91	32.8	16	--	--	--	--	--	--
MW-05	06/29/20	14.7	289	0.31	6.74	198.90	11	--	--	--	--	--	--
MW-05	12/14/20	13.95	292	0.71	8.25	148.90	16	--	--	--	--	--	--
MW-05	06/15/21	9.16	276	0.99	6.77	29.8	22	--	--	--	--	--	--
MW-05	12/15/21	13.5	241	0.57	10.40	-83.3	21	--	--	--	--	--	--
MW-05	04/18/22	12.06	356	0.14	7.87	77.8	13	--	--	--	--	--	--
MW-05	06/29/22	15	351	0.71	6.21	36.9	34	--	--	--	--	--	--
MW-05	12/14/22	13.77	375	0.21	7.81	220.9	3	--	--	--	--	--	--
MW-05	06/13/23	15.41	302	3.11	7.25	-48.5	21	--	--	--	--	--	--
MW-05	12/18/23	14.82	245	0.32	6.41	-53.4	14	--	--	--	--	--	--
MW-101	12/13/16	8.35	244	1.67	6.81	-75	0	--	--	--	--	--	--
MW-101	12/06/17	10.99	103	0.32	6.75	-12.3	9	--	--	--	--	--	--
MW-101	12/19/18	12.5	239	1.38	7.39	-74.6	11	--	--	--	--	--	--
MW-101	12/09/19	13.13	207	3.59	6.49	-69.6	44	--	--	--	--	--	--
MW-101	12/16/20	12.73	243	0.25	7.67	118.40	48	--	--	--	--	--	--
MW-101	12/14/21	11.5	314	0.59	6.79	124.0	25	--	--	--	--	--	--
MW-101	12/12/22	11.79	278	0.4	6.75	130.7	5	--	--	--	--	--	--
MW-101	12/19/23	13.49	242	3.87	6.79	-116.6	18	--	--	--	--	--	--
MW-102	12/14/16	9.44	438	1.96	6.77	32	0	--	--	--	--	--	--
MW-102	12/05/17	11.76	310	1.14	6.43	106.3	9.6	--	--	--	--	--	--
MW-102	12/18/18	14.2	415	1.51	7.49	-35.9	12	--	--	--	--	--	--
MW-102	12/10/19	13.55	410	3.43	6.16	59.4	27	--	--	--	--	--	--
MW-102	12/16/20	13.66	477	0.41	7.72	117.60	30	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-102	12/16/21	12.2	295	0.77	8.10	73.9	11	--	--	--	--	--	--
MW-102	12/12/22	12.27	346	0.55	6.54	-46.3	83	--	--	--	--	--	--
MW-102	12/18/23	13.18	373	0.46	6.54	-11.7	19	--	--	--	--	--	--
MW-104	05/05/16	17.11	420	0.65	6.19	-105.1	4.31	--	--	--	--	--	--
MW-104	12/14/16	10.9	340	1.76	6.49	-70	0	--	--	--	--	--	--
MW-104	06/14/17	17.09	323	0.82	7.09	-39.3	2.61	--	--	--	--	--	--
MW-104	12/07/17	15.6	349	0.61	6.65	-4	0	--	--	--	--	--	--
MW-104	06/12/18	19.32	180	0.54	6.24	-44	2.52	--	--	--	--	--	--
MW-104	12/18/18	15.8	331	1.34	7.35	-41.6	10	--	--	--	--	--	--
MW-104	05/15/19	17.8	258	0.78	6.6	-74.9	6	--	--	--	--	--	--
MW-104	12/10/19	15.35	345	2.66	5.4	74.8	36	--	--	--	--	--	--
MW-104	06/29/20	17.6	395	0.24	6.73	198.90	9	--	--	--	--	--	--
MW-104	12/14/20	16.19	412	0.34	7.75	172.10	13	--	--	--	--	--	--
MW-104	06/15/21	11.03	309	1.74	7.20	58.9	6	--	--	--	--	--	--
MW-104	12/15/21	14.4	275	0.15	10.06	-115.0	9	--	--	--	--	--	--
MW-104	04/18/22	13.97	297	0.11	8.15	62	27	--	--	--	--	--	--
MW-104	06/29/22	17	314	0.52	6.35	-38.2	13	--	--	--	--	--	--
MW-104	12/14/22	15.42	368	0.13	7.74	216.3	2	--	--	--	--	--	--
MW-104	06/13/23	16.72	389	5.77	7.12	-17.6	24	--	--	--	--	--	--
MW-104	12/19/23	15.13	263	0.73	6.27	66.3	23	--	--	--	--	--	--
MW-105	12/14/16	14.63	160	0.32	6.14	-58.1	8.67	--	--	--	--	--	--
MW-105	12/06/17	13.11	136	1.37	6.12	-26.4	0	--	--	--	--	--	--
MW-105	12/18/18	15.5	93	1.01	7.21	-33.7	49	--	--	--	--	--	--
MW-105	12/11/19	15.53	166	0.48	7.31	-17.2	25	--	--	--	--	--	--
MW-105	12/14/20	14.90	289	0.50	7.83	155.60	27	--	--	--	--	--	--
MW-105	12/15/21	13.0	170	0.13	9.91	-101.9	15	--	--	--	--	--	--
MW-105	12/14/22	13.2	234	0.18	7.8	221.3	15	--	--	--	--	--	--
MW-105	12/18/23	15.3	177	0.58	6.47	-80.5	23	--	--	--	--	--	--
MW-111	05/04/16	15.2	148	3.67	6.29	4.6	23.2	--	--	--	--	--	--
MW-111	12/14/16	13.4	295	0.35	6.45	-87.3	6.48	--	--	--	--	--	--
MW-111	06/14/17	16.6	112	1.12	7.08	1	8.2	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-111	12/06/17	15.03	386	10.65	6.42	-51.3	5.13	--	--	--	--	--	--
MW-111	06/12/18	17.56	118	0.73	6.22	-46.2	4.01	--	--	--	--	--	--
MW-111	12/18/18	15	417	1.25	7.76	-46.6	20	--	--	--	--	--	--
MW-111	05/15/19	16.1	147	0.75	7.57	-55.6	14	--	--	--	--	--	--
MW-111	12/11/19	15.42	280	0.4	7.54	-13.1	6	--	--	--	--	--	--
MW-111	06/29/20	19	116	0.55	6.75	206.50	9	--	--	--	--	--	--
MW-111	12/14/20	15.93	242	0.28	7.61	169.80	16	--	--	--	--	--	--
MW-111	06/15/21	10.31	110	1.05	6.87	73.4	22	--	--	--	--	--	--
MW-111	12/15/21	14.9	238	0.18	9.85	-72.1	6	--	--	--	--	--	--
MW-111	04/18/22	12.31	139	0.09	8.15	62.3	44	--	--	--	--	--	--
MW-111	06/27/22	18.4	119	0.62	6.21	11.8	34	--	--	--	--	--	--
MW-111	12/14/22	12.94	220	0.15	7.43	190.3	3	--	--	--	--	--	--
MW-111	06/13/23	16.30	130	1.49	7.24	-61.7	20	--	--	--	--	--	--
MW-111	12/19/23	15.09	360	0.07	6.17	37.5	28	--	--	--	--	--	--
MW-112A	05/05/16	14.28	448	0.87	6.41	-87	4.41	--	--	--	--	--	--
MW-112A	12/12/16	13.7	401	0.67	6.51	-87.1	9.78	--	--	--	--	--	--
MW-112A	06/15/17	15.75	498	0.6	7.26	-62.6	--	--	--	--	--	--	--
MW-112A	12/07/17	13.97	359	0.82	6.5	-27.9	0	--	--	--	--	--	--
MW-112A	06/13/18	16.28	517	0.26	6.51	-56.1	0	--	--	--	--	--	--
MW-112A	12/20/18	14	495	0.12	6.75	-101	128	--	--	--	--	--	--
MW-112A	05/16/19	10.91	529	0.52	6.27	-104	77	--	--	--	--	--	--
MW-112A	12/12/19	13.87	620	0.5	8.9	-80.8	12	--	--	--	--	--	--
MW-112A	06/29/20	15.7	430	0.32	6.76	189.10	16	--	--	--	--	--	--
MW-112A	12/14/20	14.67	399	0.18	7.77	123.70	5	--	--	--	--	--	--
MW-112A	06/15/21	9.58	338	0.89	6.56	31.4	4	--	--	--	--	--	--
MW-112A	12/15/21	14.4	243	0.19	9.95	-85.8	12	--	--	--	--	--	--
MW-112A	04/18/22	11.44	305	0.09	8.24	56.9	18	--	--	--	--	--	--
MW-112A	06/28/22	16.2	272	0.52	6.27	-37.2	14	--	--	--	--	--	--
MW-112A	12/13/22	12.79	254	0.1	6.38	-36.0	25	--	--	--	--	--	--
MW-112A	06/13/23	14.94	374	1.95	7.37	-62.5	16	--	--	--	--	--	--
MW-112A	12/19/23	10.57	363	0.89	6.16	22.1	17	--	--	--	--	--	--
MW-113	06/27/22	15.4	284	0.54	6.28	-38.4	37	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-113	12/14/22	12.47	265	0.21	7.6	209.5	8	--	--	--	--	--	--
MW-113	06/13/23	13.60	265	1.99	7.28	-26.7	17	--	--	--	--	--	--
MW-113	12/19/23	13.70	228	0.26	6.45	-10.1	13	--	--	--	--	--	--
MW-114	06/27/22	15.4	139	1.32	6.16	53.6	33	--	--	--	--	--	--
MW-114	12/14/22	12.68	216	0.3	7.77	222.2	30	--	--	--	--	--	--
MW-114	06/13/23	13.76	148	4.47	7.40	-49.0	50	--	--	--	--	--	--
MW-114	12/19/23	13.83	126	0.92	6.29	60.2	36	--	--	--	--	--	--
MW-115	06/27/22	16.9	248	0.51	6.11	-33.7	46	--	--	--	--	--	--
MW-115	12/14/22	13.69	208	0.18	7.8	224.1	5	--	--	--	--	--	--
MW-115	06/13/23	14.66	276	1.82	7.33	-60.0	17	--	--	--	--	--	--
MW-115	12/19/23	13.88	290	0.62	6.19	6.3	15	--	--	--	--	--	--
MW-201	01/14/04	12	282	1.98	5.59	-95.5	1.5	--	--	--	--	--	--
MW-201	04/20/04	11.4	101	5.52	5	61.3	7	ND	--	--	5.71	--	--
MW-201	01/26/05	9	720	9.12	5.48	129	9	--	--	--	--	--	--
MW-201	04/20/05	11.9	700	6.24	6.66	83	8	0	--	--	7.67	--	--
MW-201	07/13/05	15.4	99	0.16	5.64	178.1	1.9	--	--	--	--	--	--
MW-201	10/20/05	14.1	535	0.42	7.21	49.2	3.9	--	--	--	--	--	--
MW-201	01/26/06	8.3	24	7.47	7.02	-72.5	4	--	--	--	--	--	--
MW-201	11/20/08	9.3	172	14.08	6.12	268	38.2	--	--	--	--	--	--
MW-201	04/07/09	--	--	--	--	--	--	--	--	--	--	--	--
MW-201	11/19/09	10.6	13.2	7.79	5.21	61	6.5	--	--	--	--	--	--
MW-201	10/27/10	12.7	15.2	6.92	4.79	157	0.5	--	--	--	--	--	--
MW-201	10/26/11	11.53	655	2.77	7.59	-76	5.9	--	--	--	--	--	--
MW-201	11/27/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-201	11/06/13	11.78	800	0	6.68	-74	0	--	--	--	--	--	--
MW-201	11/06/14	14.1	121	0	6.08	297	3.3	--	--	--	--	--	--
MW-201	12/13/16	8.12	47	3.58	6.13	142.3	9.27	--	--	--	--	--	--
MW-201	12/06/17	11.3	57	14.37	6.08	37.7	12.2	--	--	--	--	--	--
MW-201	12/19/18	12.6	387	0.65	6.81	-87.4	30	--	--	--	--	--	--
MW-201	12/16/20	11.99	116	0.79	6.75	145.80	120	--	--	--	--	--	--
MW-201	12/12/22	10.64	634	0.27	7.08	148.3	15	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-201	12/18/23	11.19	51	11.03	6.27	97.2	31	--	--	--	--	--	--
MW-202	01/14/04	8	52	12.4	5.32	-40.2	9.1	--	--	--	--	--	--
MW-202	04/20/04	12.1	317	1.31	5.27	112	9.8	3	--	--	< 1	--	--
MW-202	01/26/05	11.6	218	1.69	4.8	3	126	--	--	--	--	--	--
MW-202	04/20/05	12.6	44	0	7.78	-60	26	8	--	--	<1	--	--
MW-202	07/13/05	15.7	281	0.11	6.09	-22	6.3	--	--	--	--	--	--
MW-202	10/20/05	15.5	576	0.44	6.42	-47.9	5.5	--	--	--	--	--	--
MW-202	01/26/06	10.78	213	0.18	7.73	-104.7	70	--	--	--	--	--	--
MW-202	11/20/08	14.5	532	3.65	6.4	232	10.2	36.6	--	--	< 1	--	--
MW-202	04/07/09	11.86	0.175	0	6.12	-82	56.1	--	--	--	--	--	--
MW-202	11/19/09	12.4	51.6	1.65	5.81	-53	29.5	19	--	--	82	--	--
MW-202	04/27/10	12.3	34	0.22	5.46	-96	55.4	--	--	--	--	--	--
MW-202	10/27/10	15	29.5	2.35	6.15	-48	24	7.4	--	--	< 1.0	--	--
MW-202	10/26/11	12.9	214	2.45	8.22	-104.2	2.72	8.5	--	--	< 0.50	--	--
MW-202	03/02/12	10.03	334	0	6.3	-39	27.2	--	--	--	--	--	--
MW-202	06/13/12	12.5	284	4.36	7.22	-59	25.7	--	--	--	--	--	--
MW-202	09/26/12	14.2	332	0	6.74	-112	25	--	--	--	--	--	--
MW-202	11/27/12	12.99	383	0	7.33	-70	77.7	--	--	--	15	--	--
MW-202	11/06/13	13.67	263	2.28	5.79	-43.6	4.9	3	--	--	0.76	< 0.200	0.439
MW-202	11/06/14	15.87	373	0	6.47	-49	107	5	< 0.25	< 0.25	7	0.288	0.631
MW-202	12/10/15	12.85	241	0.42	6.42	-21.3	98.6	1.5	< 0.10	< 0.10	11.6	24.2	0.628
MW-202	05/03/16	15.95	232	0.36	6.2	-45.6	16.9	--	--	--	--	--	--
MW-202	12/13/16	10.66	223	0.39	6.33	-102.4	9.52	0.5	< 0.0400	< 0.0400	1.24 J	45.3	0.401
MW-202	06/14/17	14.76	222	0.33	7.08	-145.6	9	--	--	--	--	--	--
MW-202	12/06/17	11.62	153	0.71	6	-49	4.5	2.75	< 0.0400	< 0.0400	28.6	11.2	0.45
MW-202	06/14/18	14.22	159	0.69	6.04	-2.9	9.87	--	--	--	--	--	--
MW-202	12/19/18	12.6	287	0.28	6.84	-87.4	22	14	< 0.0400	< 0.0400	58.4	17.9	0.649
MW-202	05/16/19	12.6	266	0.48	6.53	-91.9	71	--	--	--	--	--	--
MW-202	12/10/19	12.88	278	4.97	6.12	-10.2	50	3.5	<0.0600	<0.0600	8.61	28.3	0.543
MW-202	06/29/20	15.4	406	0.77	7.24	173.70	42	--	--	--	--	--	--
MW-202	12/16/20	12.44	272	0.20	7.36	111.10	88	1.20	<0.200	<0.400	9.44 J+	12.90	0.436
MW-202	06/14/21	8.10	254	1.50	6.63	170.6	34	--	--	--	--	--	--
MW-202	12/16/21	11.4	174	0.81	7.76	3.8	125	--	--	--	4.00 J	0.32 J	0.532

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-202	06/29/22	14.1	637	0.76	6.96	6.3	58	--	--	--	--	--	--
MW-202	12/12/22	10.49	430	0.2	7.21	154.0	52	--	--	--	100	0.122 J	0.868
MW-202	06/12/23	15.92	911	0.46	7.11	39.6	46	--	--	--	--	--	--
MW-202	12/18/23	12.52	532	0.95	5.97	-77.7	17	--	--	--	--	14.5	1.21
MW-203	01/13/04	12.4	243	2.91	6.38	-6.9	13.7	--	--	--	--	--	--
MW-203	04/19/04	13	369	1.02	6.58	110	39.2	1	--	--	2.4	--	--
MW-203	07/27/04	16.4	514	1.12	6.11	90.9	32.2	--	--	--	--	--	--
MW-203	10/18/04	14.8	643	0.35	9.42	136.8	110	--	--	--	--	--	--
MW-203	01/25/05	12.9	476	2.79	6.37	21	210	--	--	--	--	--	--
MW-203	04/19/05	12.8	44	0	6.22	0	5	5.5	--	--	6.48	--	--
MW-203	07/13/05	15	351	0.67	6.34	-46	15	--	--	--	--	--	--
MW-203	10/20/05	15.9	902	1.12	6.69	-48.7	34	--	--	--	--	--	--
MW-203	01/23/06	11.4	131	2.2	6.45	7.6	60	--	--	--	--	--	--
MW-203	11/18/08	13.9	448	10.3	7.11	87	190	1.35	--	--	17.1	--	--
MW-203	04/08/09	12.23	136	1.87	6.83	-31	338	--	--	--	--	--	--
MW-203	11/17/09	12.2	25.8	5.49	6.28	197	45.6	< 0.1	--	--	8.3	--	--
MW-203	04/26/10	12.7	40.9	0.3	6.81	-109	80.1	--	--	--	--	--	--
MW-203	10/25/10	14.1	43.8	1.58	6.1	-4	51.8	4.3	--	--	14	--	--
MW-203	05/23/11	--	--	--	--	--	--	--	--	--	--	--	--
MW-203	10/26/11	13.98	384	2.94	8.4	-80.9	10.9	8.8	--	--	< 0.50	--	--
MW-203	06/13/12	12.8	375	4.27	7.2	-38	22.3	--	--	--	--	--	--
MW-203	11/27/12	14.83	250	0	6.61	22	41.7	--	--	--	24.4	--	--
MW-203	11/06/13	12.59	486	0.18	6.35	-51	0	3	--	--	< 0.50	3.68	0.178
MW-203	11/06/14	16.13	236	4.55	6.71	135.1	28.4	1.5	0.42 J	< 0.25	14.5	< 0.200	0.127
MW-203	12/09/15	12.51	0.407	0	6.05	-60	67.2	5	< 0.10	< 0.10	4.13	24	0.197
MW-203	05/04/16	12.93	266	4.91	6.42	-108	14.5	--	--	--	--	--	--
MW-203	12/13/16	10.46	221	0.73	6.25	-88	9.6	0.5	< 0.0400	< 0.0400	2.27	14.1	0.134
MW-203	06/14/17	15.02	203	0.23	6.09	-205.4	12.7	--	--	--	--	--	--
MW-203	12/08/17	11.65	274	1.6	6.3	43.8	0	1.25	< 0.0400	< 0.0400	21.6	3.32	0.166
MW-203	06/14/18	13.9	265	1.93	6.25	3.9	35.1	--	--	--	--	--	--
MW-203	12/20/18	12.8	357	0.78	7.41	-44.6	>1000	1.4	0.307	0.307	7.81	2.32	0.195
MW-203	05/16/19	10.89	353	1.89	5.52	-1	99	--	--	--	--	--	--
MW-203	12/10/19	12.77	441	4.84	5.3	0.5	41	3	<0.0600	<0.0600	1.34 J	20	0.207

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-203	06/29/20	15.1	339	1.06	7.18	-9.10	10	--	--	--	--	--	--
MW-203	12/15/20	12.26	319	0.77	8.07	130.10	87	2.00	1.49	<0.400	35.80	<1.00	0.0182
MW-203	06/14/21	7.69	259	1.28	6.33	21.6	406	--	--	--	--	--	--
MW-203	12/16/21	11.6	193	0.21	8.30	16.1	16	--	--	--	16.9	<0.5	0.0505
MW-203	06/28/22	14.1	571	0.57	6.52	13.2	513	--	--	--	--	--	--
MW-203	12/14/22	11.74	469	0.23	6.93	174.7	5	--	--	--	7.94	8.34	0.693
MW-203	06/12/23	16.23	436	1.62	6.41	113.4	61	--	--	--	--	--	--
MW-203	12/20/23	13.46	413	0.82	6.41	-40.2	37	--	--	--	1.01 J	<0.5	<0.0100
MW-204	12/13/16	10.72	173	0.99	5.84	21	4	--	--	--	--	--	--
MW-204	12/06/17	13.48	129	12.04	5.6	49.8	6.22	--	--	--	--	--	--
MW-204	12/19/18	12.9	218	0.33	6.98	-66.1	27	--	--	--	--	--	--
MW-204	12/10/19	13.47	340	1.83	6.01	-6	22	--	--	--	--	--	--
MW-204	12/16/20	13.41	347	1.00	6.27	190.10	70	--	--	--	--	--	--
MW-204	12/16/21	10.5	144	0.22	7.70	-17.2	25	--	--	--	--	--	--
MW-204	12/12/22	11.69	247	0.58	6.51	-76.1	26	--	--	--	--	--	--
MW-204	12/18/23	14.43	177	1.00	5.8	105.3	8	--	--	--	--	--	--
MW-206A	12/12/16	11.31	482	0.68	6.6	-104.9	9.44	--	--	--	--	--	--
MW-206A	12/08/17	11.87	491	1.39	6.63	34	0	--	--	--	--	--	--
MW-206A	12/20/18	13.1	605	0.81	7.41	-52.3	70	--	--	--	--	--	--
MW-206A	12/10/19	13.08	617	2.28	6.07	-41.9	11	--	--	--	--	--	--
MW-206A	12/16/20	12.02	718	0.22	9.45	42.10	440	--	--	--	--	--	--
MW-206A	12/16/21	8.6	394	0.61	8.20	15.9	21	--	--	--	--	--	--
MW-206A	12/12/22	9.59	404	0.17	7.02	-68.2	96	--	--	--	--	--	--
MW-206A	12/18/23	13.15	499	0.36	7.23	-166.2	93	--	--	--	--	--	--
MW-213	05/03/16	14.65	12440	0.13	8.26	-330	0	--	--	--	--	--	--
MW-213	12/13/16	9.57	18.7	5.52	8.28	-321	5.6	--	--	--	--	--	--
MW-213	06/14/17	15.37	10550	0.23	7.03	-330.2	7.36	--	--	--	--	--	--
MW-213	12/07/17	12.43	13640	0.55	8.14	-72.3	0	--	--	--	--	--	--
MW-213	06/12/18	14.43	8410	0.91	7.65	-91.3	3.02	--	--	--	--	--	--
MW-213	12/19/18	12.8	11390	0.82	7.57	-45.6	5	--	--	--	--	--	--
MW-213	05/16/19	14.8	11641	1.84	7.5	79.5	2	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-213	12/11/19	10.91	1322	1.28	8.51	-112.7	16	--	--	--	--	--	--
MW-213	06/29/20	13	16341	0.34	7.83	191.70	9	--	--	--	--	--	--
MW-213	12/16/20	12.38	17,924	0.08	7.99	53.20	0	--	--	--	--	--	--
MW-213	06/14/21	7.18	17,427	0.47	7.89	113.6	3	--	--	--	--	--	--
MW-213	12/16/21	9.9	13,386	0.85	9.67	-101.5	5	--	--	--	--	--	--
MW-213	06/29/22	13.8	20,936	0.43	8.09	-313.6	25	--	--	--	--	--	--
MW-213	12/12/22	11.24	3,297	0.26	6.83	140.2	5	--	--	--	--	--	--
MW-213	06/12/23	15.16	9,167	0.11	7.32	-65.8	17	--	--	--	--	--	--
MW-213	12/18/23	12.67	1,843	0.5	8.12	-197.5	18	--	--	--	--	--	--
MW-214	05/03/16	14.91	10960	0.44	8.16	-363	0	--	--	--	--	--	--
MW-214	12/14/16	10.5	312	7.24	6.98	39	0	--	--	--	--	--	--
MW-214	06/14/17	15.55	10395	0.05	8.14	-358.6	0.85	--	--	--	--	--	--
MW-214	12/07/17	14.01	7725	838.05	8.01	-355.1	3.11	--	--	--	--	--	--
MW-214	06/12/18	14.77	3900	0.74	7.82	-90.5	0	--	--	--	--	--	--
MW-214	12/19/18	13.4	11888	0.12	7.45	-101.6	29	--	--	--	--	--	--
MW-214	05/16/19	15.7	10667	0.59	7.43	-62.3	3	--	--	--	--	--	--
MW-214	12/11/19	11.41	1576	1.16	10.33	-211.5	9	--	--	--	--	--	--
MW-214	06/29/20	15.93	1516	1.66	7.91	-152.70	12	--	--	--	--	--	--
MW-214	12/16/20	13.00	17,750	0.15	6.90	95.20	6	--	--	--	--	--	--
MW-214	06/14/21	8.21	2,117	1.49	7.47	78.3	2	--	--	--	--	--	--
MW-214	12/16/21	12.5	8,441	0.30	9.34	-172.8	5	--	--	--	--	--	--
MW-214	06/29/22	14.3	1,680	3.25	7.97	-189.6	13	--	--	--	--	--	--
MW-214	12/12/22	12.4	7,989	0.17	6.52	-50	10	--	--	--	--	--	--
MW-214	06/12/23	16.44	6,045	0.28	6.74	-115.2	1	--	--	--	--	--	--
MW-214	12/18/23	13.2	1,519	0.12	8.47	-185.7	25	--	--	--	--	--	--
MW-301	02/22/16	12.32	449	0.34	6.5	-127.1	15.1	--	--	--	--	--	--
MW-301	05/02/16	17.58	257	0.29	6.6	-119.6	6.74	--	--	--	--	--	--
MW-301	08/29/16	18.76	183	1.96	6.86	5	0	--	--	--	--	--	--
MW-301	12/12/16	10.16	357	2.37	6.73	-140	0	--	--	--	--	--	--
MW-301	03/13/17	11.62	355	0	6.72	-125	0	--	--	--	--	--	--
MW-301	06/13/17	15.6	192	0.37	6.59	-107.4	--	--	--	--	--	--	--
MW-301	08/22/17	20.23	187	0	7.32	-105	0	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-301	12/08/17	14.93	151	1.2	6.89	-118.3	-11	--	--	--	--	--	--
MW-301	03/06/18	12.6	435	0.82	6.78	19.7	3.19	--	--	--	--	--	--
MW-301	06/13/18	16.7	521	0.21	6.61	-76.4	1.8	--	--	--	--	--	--
MW-301	09/06/18	18.95	651	0.16	6.57	-94.8	1.34	7	--	--	--	--	--
MW-301	12/20/18	15.1	836	0.12	6.53	-50	14	--	--	--	--	--	--
MW-301	03/19/19	13.4	930	1.02	7.52	-48.5	119	--	--	--	--	--	--
MW-301	05/16/19	12.3	693	0.71	6.11	-52	97	--	--	--	--	--	--
MW-301	09/17/19	15.31	373	0.87	6.7	-23.8	11	--	--	--	--	--	--
MW-301	12/11/19	14.25	755	10.14	7.15	55.9	64	--	--	--	--	--	--
MW-301	04/28/20	13.4	628	0.51	7.56	14.60	14	--	--	--	--	--	--
MW-301	06/29/20	20.47	572	0.66	6.50	-28.40	60	--	--	--	--	--	--
MW-301	09/21/20	19.2	699	0.37	6.29	20.80	12	--	--	--	--	--	--
MW-301	12/15/20	11.20	611	0.40	7.53	116.90	33	--	--	--	--	--	--
MW-301	04/13/21	10.6	347	2.26	6.01	35.3	76	--	--	--	--	--	--
MW-301	06/14/21	11.44	726	1.78	7.00	37.3	27	--	--	--	--	--	--
MW-301	09/22/21	18.21	615	1.43	6.54	-35.6	55	--	--	--	--	--	--
MW-301	12/16/21	10.17	502	0.14	6.60	82.3	112	--	--	--	--	--	--
MW-301	03/29/22	12.17	592	0.14	6.82	160.7	30	--	--	--	--	--	--
MW-301	06/27/22	15.9	601	0.44	6.45	-105.6	65	--	--	--	--	--	--
MW-301	09/21/22	16.48	402	0.90	6.40	335.6	42	--	--	--	--	--	--
MW-301	12/13/22	12.78	587	0.09	6.39	-31.4	80	--	--	--	--	--	--
MW-301	03/28/23	12.27	676	0.33	7.6	-63.1	18	--	--	--	--	--	--
MW-301	06/14/23	17.08	723	1.24	7.31	-79	16	--	--	--	--	--	--
MW-301	09/11/23	19.59	534	0.09	6.55	-176.6	10	--	--	--	--	--	--
MW-301	12/20/23	12.88	495	0.92	6.31	-38.6	39	--	--	--	--	--	--
MW-301	03/12/24	10.6	615	2.72	6.71	-40.9	25	--	--	--	--	--	--
MW-302	03/01/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	06/12/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	06/28/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	09/25/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	11/25/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	11/05/13	14.81	346	0.1	6.42	-67	0	6.0-6.5	--	--	13.2	< 0.200	0.349
MW-302	11/03/14	15.91	342	0.53	6.5	-27.8	5.06	2.5	< 0.10	< 0.10	< 0.50	0.765	0.493

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-302	12/10/15	14.58	337	0.35	6.63	-104.8	0	1.5	< 0.10	< 0.10	< 0.50	27.4	0.402
MW-302	05/04/16	13.6	371	4.92	6.51	-116.5	2.49	--	--	--	--	--	--
MW-302	12/15/16	10.93	388	0.95	6.58	-89	0	1	< 0.0400	< 0.0400	< 0.128	35.1	0.572
MW-302	06/13/17	16.99	143	0.3	5.79	39.2	--	--	--	--	--	--	--
MW-302	08/23/17	20.32	358	9.36	7.08	-54	2.7	--	--	--	--	--	--
MW-302	12/05/17	13.54	755	0.89	5.82	30.4	8.95	4.25	< 0.0400	< 0.0400	97.2	42.9	2.15
MW-302	03/07/18	11.57	984	0.27	6.15	12	9.95	--	--	--	--	--	--
MW-302	06/13/18	16.08	446	0.81	6.04	-61.4	5.51	--	--	--	--	--	--
MW-302	09/06/18	19.67	424	0.74	6.49	-27	3.37	1.75	--	--	--	--	--
MW-302	12/20/18	15.9	726	0.1	6.4	73	55	7	0.105	0.105	364	1.4	2.52
MW-302	03/19/19	14.5	1321	0.4	7.44	-54.1	58	--	--	--	--	--	--
MW-302	05/16/19	12.83	589	0.7	5.81	-53	43	--	--	--	--	--	--
MW-302	09/17/19	14.71	424	0.79	6.75	-35.3	14	--	--	--	--	--	--
MW-302	12/11/19	16.95	1359	2.13	8.06	-57.4	19	3	<0.0600	<0.0600	629	67.4	3.52
MW-302	04/28/20	14	655	0.33	7.32	-25.30	16	--	--	--	--	--	--
MW-302	06/29/20	15.22	509	0.88	6.29	-30.80	34	--	--	--	--	--	--
MW-302	09/21/20	18	499	0.84	6.30	46.20	39	--	--	--	--	--	--
MW-302	12/15/20	10.90	692	0.38	7.46	116.20	131	1.80	<0.200	<0.400	11.80	12.40	1.74
MW-302	04/13/21	13.4	409	1.39	6.53	-53.4	26	--	--	--	--	--	--
MW-302	06/15/21	10.57	538	0.45	7.21	6.0	26	--	--	--	--	--	--
MW-302	09/23/21	16.29	630	1.77	5.97	70.0	17	--	--	--	--	--	--
MW-302	12/16/21	10.70	597	0.10	7.67	20.3	35	--	--	--	104	0.282 J	2.74
MW-302	03/28/22	11.51	769	0.04	7.41	115.1	12	--	--	--	--	--	--
MW-302	06/28/22	16	936	0.79	6.4	-115.3	11	--	--	--	--	--	--
MW-302	09/21/22	16.92	550	0.09	7.22	343.0	18	--	--	--	--	--	--
MW-302	12/13/22	12.55	220	0.18	6.39	-43.9	19	--	--	--	39.1	31.8	0.607
MW-302	03/27/23	12.62	790	0.3	7.52	-58.7	25	--	--	--	--	--	--
MW-302	06/13/23	15.47	360	1.17	7.3	-41.6	28	--	--	--	--	--	--
MW-302	09/12/23	19.37	342	0.21	6.19	-96.2	2	--	--	--	--	--	--
MW-302	12/20/23	14.46	778	0.83	6.4	-59.6	70	--	--	--	49	0.326 J	1.82
MW-302	03/11/24	11.67	593	2.68	6.86	-31.3	16	--	--	--	--	--	--
MW-303	05/04/16	11.9	91	2.92	6.42	-73.9	9.31	--	--	--	--	--	--
MW-303	12/12/16	11.2	185	1.29	6.49	-50	0	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-303	06/13/17	15.03	69	0.3	6.2	15.9	--	--	--	--	--	--	MN
MW-303	12/08/17	12.72	257	1.74	5.18	77.1	4.48	--	--	--	--	--	--
MW-303	03/06/18	11.47	382	0.76	5.59	91.7	3.47	--	--	--	--	--	--
MW-303	06/13/18	14.32	148	0.64	5.84	-19.6	4.22	--	--	--	--	--	--
MW-303	09/06/18	18.26	388	0.32	6.38	-56.1	4.4	6	--	--	--	--	--
MW-303	12/20/18	12.9	561	0.39	5.51	145	18	--	--	--	--	--	--
MW-303	03/19/19	11.1	470	0.59	7.19	-34.9	20	--	--	--	--	--	--
MW-303	05/16/19	10.49	590	1.8	5.56	-19	29	--	--	--	--	--	--
MW-303	09/17/19	14.68	474	1.3	6.31	-24.7	7	--	--	--	--	--	--
MW-303	12/11/19	13.89	570	0.71	7.8	-53.9	41	--	--	--	--	--	--
MW-303	04/28/20	12.7	238	0.43	6.65	40.80	20	--	--	--	--	--	--
MW-303	06/29/20	14.79	566	0.72	7.22	2.10	24	--	--	--	--	--	--
MW-303	09/21/20	18.8	1105	0.25	6.50	1.40	20	--	--	--	--	--	--
MW-303	12/15/20	10.93	382	0.42	7.20	115.80	15	--	--	--	--	--	--
MW-303	04/13/21	9.1	87	2.46	5.91	36.1	26	--	--	--	--	--	--
MW-303	06/14/21	9.33	368	1.32	6.65	6.7	12	--	--	--	--	--	--
MW-303	09/22/21	18.13	1,158	1.25	6.53	-47.5	11	--	--	--	--	--	--
MW-303	12/15/21	9.0	251	0.43	7.58	14.9	8	--	--	--	--	--	--
MW-303	03/28/22	10.79	212	0.06	6.93	144.3	12	--	--	--	--	--	--
MW-303	06/28/22	15.2	300	0.48	6.03	-51.3	13	--	--	--	--	--	--
MW-303	09/21/22	15.76	641	0.09	6.45	343.4	23	--	--	--	--	--	--
MW-303	12/13/22	10.75	345	0.16	6.44	-16.9	16	--	--	--	--	--	--
MW-303	03/28/23	10.30	211	1.02	7.44	-3.3	21	--	--	--	--	--	--
MW-303	06/14/23	15.83	348	1.17	7.59	-42.4	29	--	--	--	--	--	--
MW-303	09/11/23	17.83	611	0.13	6.27	-103.9	17	--	--	--	--	--	--
MW-303	12/20/23	11.55	295	0.37	6.12	-28.5	22	--	--	--	--	--	--
MW-303	03/12/24	9.54	225	3.4	6.7	-9.2	23	--	--	--	--	--	--
MW-304	11/05/13	12.2	396	0.1	6.6	-119	0	7	--	--	< 0.50	0.345	0.273
MW-304	11/03/14	14.86	310	0.62	6.46	-36.9	11.2	5	< 0.10	< 0.10	0.51	3.60 J	0.297 J
MW-304	12/10/15	12.81	345	0.35	6.55	100.1	3.99	3	< 0.10	< 0.10	0.873	33.7	0.39
MW-304	05/04/16	12.9	337	1.95	6.35	-103.1	6.29	--	--	--	--	--	--
MW-304	12/15/16	9.2	342	2.4	6.65	-92	0	0.5	< 0.0400	< 0.0400	3.35	28.2	0.276
MW-304	06/13/17	16.82	162	1.47	6.27	-24.2	--	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-304	08/23/17	20.76	529	0	7.09	-55	0.1	--	--	--	--	--	--
MW-304	12/05/17	13.01	1421	1	3.42	134.2	3.96	2.25	< 0.0400	< 0.0400	253	18.6	8.94
MW-304	03/06/18	12.36	794	1.52	4.82	105.9	3.92	--	--	--	--	--	--
MW-304	06/13/18	16.04	305	0.19	6.12	-63.2	5.78	--	--	--	--	--	--
MW-304	09/06/18	20.2	439	0.48	4.72	127.5	3.83	--	--	--	--	--	--
MW-304	12/20/18	14.3	830	0.19	4.19	272	96	6.5	0.0730 J	0.0730 J	520	2.51	2.74
MW-304	03/19/19	11.8	155	0.71	7.53	-30.3	24	--	--	--	--	--	--
MW-304	05/16/19	10.89	367	1.27	4.82	36	9	--	--	--	--	--	--
MW-304	09/17/19	13.56	323	1.29	6.73	5.4	15	--	--	--	--	--	--
MW-304	12/11/19	15.3	1518	5.46	8.24	91.6	62	6	<0.0600	<0.0600	908	11.3	4.79
MW-304	04/28/20	12.4	324	0.59	6.92	25.80	10	--	--	--	--	--	--
MW-304	06/29/20	14.78	301	0.78	6.83	-13.60	26	--	--	--	--	--	--
MW-304	09/21/20	16.7	393	0.22	5.78	59.30	41	--	--	--	--	--	--
MW-304	12/15/20	11.07	457	0.33	7.32	120.80	32	1.00	<0.200	<0.400	75.10	50.60	0.483
MW-304	04/13/21	9.0	92	2.60	6.00	79.8	33	--	--	--	--	--	--
MW-304	06/15/21	9.80	224	1.12	6.49	55.5	8	--	--	--	--	--	--
MW-304	09/22/21	17.36	370	1.33	5.72	19.8	15	--	--	--	--	--	--
MW-304	12/16/21	9.17	244	0.06	6.60	108.2	23	--	--	--	72.8	19	1.18
MW-304	03/28/22	11.80	135	0.10	6.79	152.3	10	--	--	--	--	--	--
MW-304	06/28/22	15.9	230	0.45	6.64	11.3	10	--	--	--	--	--	--
MW-304	09/20/22	18.11	345	0.11	6.28	349.1	12	--	--	--	--	--	--
MW-304	12/13/22	11.01	317	0.22	6.37	-24.1	17	--	--	--	51.6	8.8	0.462
MW-304	03/27/23	10.31	205	0.22	8.09	-31.5	20	--	--	--	--	--	--
MW-304	06/14/23	18.16	281	0.67	7.11	-59.3	17	--	--	--	--	--	--
MW-304	09/11/23	19.23	356	5.84	6.35	-69.5	3	--	--	--	--	--	--
MW-304	12/20/23	12.56	371	0.48	6.36	-49.4	20	--	--	--	7.22	6.6	1.06
MW-304	03/12/24	10.27	748	2.65	6.84	-58.2	29	--	--	--	--	--	--
MW-307	11/26/12	12.7	332	0	7.18	-62	36.6	--	--	--	1.5	--	--
MW-307	11/06/13	12.31	231	0.07	6.42	-106	0.8	3.5	--	--	< 0.50	< 0.200	0.217
MW-307	11/04/14	14.49	383	0.26	6.86	-107	6.9	4.5	< 0.10	< 0.10	< 0.50	18.2	0.513
MW-307	12/09/15	12.78	225	0.51	6.4	-77.6	7.89	2.25	< 0.10	< 0.10	< 0.50	29.6	0.338
MW-307	02/23/16	10.43	225	0.27	6.21	-68.9	9.98	--	--	--	--	--	--
MW-307	05/03/16	12.71	211	0.39	6.05	-54	9.27	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-307	08/30/16	16.9	198	1.18	6.91	67	0	--	--	--	--	--	--
MW-307	12/13/16	10.28	138	0.57	6.46	-87.4	8.09	1.5	< 0.0400	< 0.0400	< 0.256	21.2	0.235
MW-307	03/14/17	11.62	224	0	6.46	-79	0	--	--	--	--	--	--
MW-307	06/15/17	12.72	126	0.33	5.4	15.1	1.91	--	--	--	--	--	--
MW-307	08/23/17	17.87	149	0	7.03	-13	2.1	--	--	--	--	--	--
MW-307	12/06/17	14.55	405	1.49	6.18	-47.1	0	0.6	< 0.0400	< 0.0400	465	37.1	1.07
MW-307	03/08/18	13.9	270	0.38	6.42	2.6	5.1	--	--	--	--	--	--
MW-307	06/14/18	13.8	205	0.45	6.55	-23	2.92	--	--	--	--	--	--
MW-307	09/04/18	18.44	235	0.99	6.11	-25.6	0	2	--	--	--	--	--
MW-307	12/19/18	16.6	343	2.15	7.69	28.7	17	1.4	< 0.0400	< 0.0400	82.6	7.61	0.669
MW-307	03/18/19	14.3	530	0.85	6.79	-62.3	20	--	--	--	--	--	--
MW-307	05/16/19	14.1	315	0.72	6.82	-90.6	4	--	--	--	--	--	--
MW-307	09/17/19	13.21	231	1.15	6.95	1.6	10	--	--	--	--	--	--
MW-307	12/10/19	15.65	541	1.37	6.88	-44.6	18	5.5	<0.0600	<0.0600	210	60.4	1.21
MW-307	04/27/20	13.6	677	0.6	6.72	-96.40	43	--	--	--	--	--	--
MW-307	06/29/20	14.8	505	0.34	6.82	115.90	40	--	--	--	--	--	--
MW-307	09/21/20	15.8	476	0.41	5.96	37.20	29	--	--	--	--	--	--
MW-307	12/16/20	13.16	694	0.32	7.50	130.10	0	2.40	<0.200	<0.400	8.26 J+	51.80	1.17
MW-307	04/12/21	11.2	276	1.91	6.47	-56.9	65	--	--	--	--	--	--
MW-307	06/14/21	6.85	352	0.51	7.35	156.3	11	--	--	--	--	--	--
MW-307	09/22/21	16.03	661	1.12	6.10	0.8	17	--	--	--	--	--	--
MW-307	12/14/21	11.0	423	0.30	9.10	-24.0	18	--	--	--	22.1	0.172 J	0.764
MW-307	03/28/22	11.21	403	0.01	7.43	114.4	40	--	--	--	--	--	--
MW-307	06/29/22	15.2	430	0.66	6.88	34.8	19	--	--	--	--	--	--
MW-307	09/20/22	18.41	685	0.18	7.13	341.8	13	--	--	--	--	--	--
MW-307	12/12/22	11.27	322	0.43	6.45	-16.4	12	--	--	--	1.43 J	0.366 J	0.678
MW-307	03/27/23	14.60	634	0.26	7.03	-19.2	10	--	--	--	--	--	--
MW-307	06/13/23	12.14	403	1.16	6.64	83.9	18	--	--	--	--	--	--
MW-307	09/11/23	16.93	693	0.71	6.88	186.7	18	--	--	--	--	--	--
MW-307	12/19/23	13.22	483	0.68	6.49	-104.2	29	--	--	--	23.6	21.7	0.695
MW-307	03/11/24	10.85	504	2.99	7.1	-18.8	23	--	--	--	--	--	--
MW-308	02/23/16	10.09	657	0.32	6.78	-36.3	9.17	--	--	--	--	--	--
MW-308	05/03/16	13.49	431	0.31	6.52	-42.7	7.44	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-308	08/30/16	16.93	224	1.43	7	50	0	--	--	--	--	--	--
MW-308	12/13/16	10.31	577	0.51	6.75	-22.5	8.43	1.5	< 0.0400	< 0.0400	141	1.53	1.05
MW-308	03/14/17	10.27	587	0	6.99	86	0	--	--	--	--	--	--
MW-308	06/15/17	13.16	355	0.9	7.07	-53	7.5	--	--	--	--	--	--
MW-308	08/23/17	18.34	235	0	7.15	-32	0	--	--	--	--	--	--
MW-308	12/06/17	13.3	591	801.24	6.76	-73.2	3.97	1.7	< 0.0400	< 0.0400	21.4	1.24	1.49
MW-308	03/08/18	10.08	758	0.29	6.74	-26.7	6.79	--	--	--	--	--	--
MW-308	06/14/18	14.41	208	0.43	6.34	-13.5	4.1	--	--	--	--	--	--
MW-308	09/05/18	17.87	270	0.64	6.57	-45.2	0	2	--	--	--	--	--
MW-308	12/19/18	10.7	579	1.68	6.94	52.4	30	0	< 0.0400	< 0.0400	48.1	0.167 J	0.0912
MW-308	03/18/19	12.5	912	0.63	7.03	-61.3	15	--	--	--	--	--	--
MW-308	05/16/19	13.2	311	0.29	6.78	-107.3	10	--	--	--	--	--	--
MW-308	09/17/19	12.9	213	1.61	6.64	2.6	12	--	--	--	--	--	--
MW-308	12/09/19	14.07	386	1.89	6.32	-53.5	10	5.5	<0.0600 J	<0.0600 J	93.9	16.1	1.01
MW-308	04/27/20	13.3	825	0.77	6.43	-73.10	31	--	--	--	--	--	--
MW-308	06/29/20	15.3	726	0.44	7.05	108.80	24	--	--	--	--	--	--
MW-308	09/21/20	15.7	489	0.7	5.69	239.30	38	--	--	--	--	--	--
MW-308	12/16/20	11.78	556	0.39	7.62	123.70	11	2.60	<0.200	<0.400	3.79 J+	4.57	0.293
MW-308	04/12/21	10.4	323	2.15	6.72	142.2	38	--	--	--	--	--	--
MW-308	06/14/21	7.31	600	1.15	6.97	137.7	11	--	--	--	--	--	--
MW-308	09/22/21	15.90	589	1.44	6.39	-17.2	6	--	--	--	--	--	--
MW-308	12/14/21	7.7	548	0.87	6.95	150.0	10	--	--	--	20.9	<0.5	0.219
MW-308	03/28/22	10.54	647	0.01	7.32	121.8	11	--	--	--	--	--	--
MW-308	06/29/22	15.3	439	0.66	6.68	7.6	17	--	--	--	--	--	--
MW-308	09/20/22	17.72	723	0.29	7.08	337.8	28	--	--	--	--	--	--
MW-308	12/12/22	9.79	369	0.38	6.46	34.4	83	--	--	--	48.0	0.162 J	0.00254 J
MW-308	03/27/23	13.97	684	0.38	7.05	-41.2	22	--	--	--	--	--	--
MW-308	06/13/23	12.31	316	0.64	6.59	-41.6	24	--	--	--	--	--	--
MW-308	09/11/23	16.49	746	0.43	7.01	147.9	36	--	--	--	--	--	--
MW-308	12/19/23	11.23	680	0.69	7.02	-24.4	8	--	--	--	128	0.11 J	0.118
MW-308	03/11/24	9.84	650	2.88	7.16	27	10	--	--	--	--	--	--
MW-309	05/04/16	14.84	208	2.8	6.5	-102.7	8.08	--	--	--	--	--	--
MW-309	12/12/16	11.39	250	0.67	6.46	-110.3	9.47	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-309	06/13/17	15.23	147	0.21	6.49	-89.1	--	--	--	--	--	--	--
MW-309	12/05/17	14.56	215	1.1	6.72	-87.3	-20.7	--	--	--	--	--	--
MW-309	06/12/18	16.23	161	0.53	6.41	-42	7.48	--	--	--	--	--	--
MW-309	12/20/18	13.9	410	0.16	6.8	-112	21	--	--	--	--	--	--
MW-309	05/16/19	11.48	588	0.57	6.16	-109	62	--	--	--	--	--	--
MW-309	12/11/19	14.91	554	0.37	7.49	-70.1	37	--	--	--	--	--	--
MW-309	06/29/20	17.23	582	0.72	6.71	-12.60	77	--	--	--	--	--	--
MW-309	12/15/20	12.09	6.76	0.36	7.53	119.30	91	--	--	--	--	--	--
MW-309	06/15/21	11.34	322	0.59	6.52	23.4	68	--	--	--	--	--	--
MW-309	12/15/21	12.8	384	0.07	8.17	-22.8	6	--	--	--	--	--	--
MW-309	06/28/22	16	287	0.51	6.35	-76.8	151	--	--	--	--	--	--
MW-309	12/13/22	12.43	298	0.11	6.4	-29.9	120	--	--	--	--	--	--
MW-309	06/14/23	17.21	379	0.86	7.23	-66.5	51	--	--	--	--	--	--
MW-309	12/20/23	13.5	240	0.25	6.24	-37.8	25	--	--	--	--	--	--
MW-310	11/28/12	13.97	385	0	7.22	-88	80.6	--	--	--	< 0.50	--	--
MW-310	11/05/13	14.07	396	0.05	6.44	-95	0	2.0-2.5	--	--	< 0.50	0.982	0.528
MW-310	11/04/14	15.97	393	0.03	6.88	-101	0	1.5	< 0.10	< 0.10	< 0.50	11.5	0.615
MW-310	12/10/15	13.23	313	0.45	6.39	-78.5	0	2	< 0.10	< 0.10	< 0.50	34.8	0.554
MW-310	02/22/16	11.72	358	0.29	6.4	-98.5	3.83	--	--	--	--	--	--
MW-310	05/02/16	15.68	270	0.34	6.18	-67.1	8.56	--	--	--	--	--	--
MW-310	08/29/16	19.29	283	1.64	6.82	29	0	--	--	--	--	--	--
MW-310	12/15/16	11.6	258	1.26	6.49	-70	0	2	< 0.0400	< 0.0400	1.13	26.4	0.485
MW-310	03/13/17	11.24	317	0	6.53	-102	0	--	--	--	--	--	--
MW-310	06/15/17	15.8	229	0.33	6.21	-69.1	--	--	--	--	--	--	--
MW-310	08/22/17	23.88	365	0	6.96	-80	21.4	--	--	--	--	--	--
MW-310	12/05/17	13.45	603	1.39	4.01	101	3.3	1.5	< 0.0400	< 0.0400	44.2	1.55	2.66
MW-310	03/06/18	12.75	946	0.3	5.25	72.8	5.8	--	--	--	--	--	--
MW-310	06/13/18	17.54	464	0.2	5.84	-34.4	2.01	--	--	--	--	--	--
MW-310	09/06/18	20	293	0.67	5.45	74	2.13	3	--	--	--	--	--
MW-310	12/20/18	15.9	605	1.43	7.1	49.6	18	3.2	0.346	0.346	318	7.48	1.63
MW-310	03/19/19	14.4	804	1.25	7.21	-21.1	28	--	--	--	--	--	--
MW-310	05/16/19	12.36	695	1.09	4.51	87	72	--	--	--	--	--	--
MW-310	09/17/19	13.46	281	0.83	6.93	-23.9	16	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-310	12/11/19	16.4	1551	12.52	6.92	155.8	28	5	<0.0600	<0.0600	999	53.1	7.24
MW-310	04/28/20	14	1460	0.54	6.71	64.40	18	--	--	--	--	--	--
MW-310	06/29/20	15.03	908	0.99	6.96	-21.80	47	--	--	--	--	--	--
MW-310	09/21/20	17.8	745	2.68	6.01	249.70	12	--	--	--	--	--	--
MW-310	12/15/20	11.86	1,020	0.33	7.57	116.90	64	1.60	<0.200	<0.400	167	64.90	1.48
MW-310	04/12/21	13.8	386	1.67	6.39	-28.8	92	--	--	--	--	--	--
MW-310	06/15/21	12.16	571	0.64	7.05	45.9	53	--	--	--	--	--	--
MW-310	09/22/21	18.17	789	1.05	6.02	-15.7	51	--	--	--	--	--	--
MW-310	12/16/21	12.25	648	0.06	6.66	-28.1	85	--	--	--	90.8	0.339 J	2.5
MW-310	03/29/22	11.83	677	0.21	6.95	154.3	22	--	--	--	--	--	--
MW-310	06/28/22	15.4	752	0.41	6.41	-98.6	37	--	--	--	--	--	--
MW-310	09/20/22	19.95	572	0.48	6.32	316.7	23	--	--	--	--	--	--
MW-310	12/13/22	10.61	399	0.31	6.39	-54.3	44	--	--	--	22.2	7.74	0.857
MW-310	03/27/23	13.26	824	0.23	7.58	-92.5	29	--	--	--	--	--	--
MW-310	06/13/23	16.15	767	1.53	7.29	-83	35	--	--	--	--	--	--
MW-310	09/11/23	20.58	473	0.1	6.34	-148	21	--	--	--	--	--	--
MW-310	12/19/23	13.41	973	0.17	6.57	-51.1	42	--	--	--	22.2	10.8	1.49
MW-310	03/12/24	10.91	998	2.7	6.95	-68.5	21	--	--	--	--	--	--
MW-311	11/05/14	16.57	606	0	7.42	-146	7	1.5	< 0.25	< 0.25	42.3	< 0.200	1.57
MW-311	12/10/15	14.15	482	0	6.35	-103	1.4	0.75	< 0.10	< 0.10	46.4	27.4	1.45
MW-311	02/22/16	13.84	583	0.26	6.45	-103.1	4.19	--	--	--	--	--	--
MW-311	05/04/16	14.42	564	1.02	6.49	-109.3	6.22	--	--	--	--	--	--
MW-311	08/29/16	22.58	384	1.01	6.89	22	7.66	--	--	--	--	--	--
MW-311	12/15/16	12.91	270	0.4	6.64	-107.3	7.38	3	< 0.0400	< 0.0400	23.7	22.7	0.801
MW-311	03/13/17	12.31	424	0.31	6.73	-98.5	0	--	--	--	--	--	--
MW-311	06/15/17	15.25	453	0.95	7.16	-87.5	--	--	--	--	--	--	--
MW-311	08/22/17	19.69	390	8.27	7.1	-72	0	--	--	--	--	--	--
MW-311	12/07/17	15.15	276	0.38	6.61	-33.2	0	3.75	< 0.0400 J	< 0.0400 J	28.4	8.42	0.703
MW-311	03/08/18	10.87	585	1.04	6.62	-17.2	0	--	--	--	--	--	--
MW-311	06/13/18	17.24	366	0.25	6.44	-45.7	0	--	--	--	--	--	--
MW-311	09/05/18	19.44	455	0.19	6.27	38.8	3.11	--	--	--	--	--	--
MW-311	12/20/18	14.6	522	1.15	7.33	-72.6	14	1.7	< 0.0400	< 0.0400	8.59	4.44	1.02
MW-311	03/18/19	14.8	530	0.32	6.71	-73.9	3	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-311	05/16/19	14.3	519	0.1	6.82	-71.4	5	--	--	--	--	--	--
MW-311	09/17/19	13.98	338	0.62	6.61	-22.9	3	--	--	--	--	--	--
MW-311	12/12/19	15.24	674	0.8	7.22	-84.4	3	4.5	<0.0600	<0.0600	8.28	41.5	1.81
MW-311	04/27/20	14.2	792	0.72	7.60	-83.20	9	--	--	--	--	--	--
MW-311	06/29/20	15.2	957	0.44	6.97	121.90	15	--	--	--	--	--	--
MW-311	09/21/20	17.5	763	0.26	6.53	-51.20	16	--	--	--	--	--	--
MW-311	12/15/20	14.11	877	0.20	7.80	118.00	30	2.80	<0.200	<0.400	74.20	18.30	2.04
MW-311	04/13/21	13.0	338	2.30	6.75	-71.2	18	--	--	--	--	--	--
MW-311	09/22/21	17.34	812	1.57	6.70	-50.1	9	--	--	--	--	--	--
MW-311	12/16/21	10.67	473	0.08	7.34	37.4	8	--	--	--	4.42	0.144 J	1.77
MW-311	03/29/22	13.47	728	0.01	7.18	137.7	2	--	--	--	--	--	--
MW-311	06/28/22	15.7	636	0.46	6.48	-98.6	17	--	--	--	--	--	--
MW-311	09/20/22	19.90	764	0.03	6.42	380.4	6	--	--	--	--	--	--
MW-311	12/13/22	14.18	616	0.13	6.42	-48.6	6	--	--	--	0.429 J	6.14	1.89
MW-311	03/28/23	12.43	718	0.36	7.22	-11.2	13	--	--	--	--	--	--
MW-311	06/14/23	15.28	751	5.49	7.78	5.3	16	--	--	--	--	--	--
MW-311	09/12/23	18.95	601	0.11	6.47	-127.5	14	--	--	--	--	--	--
MW-311	12/20/23	14.79	641	0.29	6.3	-38.3	9	--	--	--	<1.5	3.1	1.58
MW-311	03/12/24	11.2	707	2.68	6.51	-37.9	5	--	--	--	--	--	--
MW-312	11/05/14	17.07	459	0.58	6.78	-92	0	5.7	< 0.25	< 0.25	< 1.3	< 0.200	0.787
MW-312	12/10/15	13.74	434	0	6.3	-89	0	1.5	< 0.10	< 0.10	< 0.50	16.8	0.717
MW-312	02/23/16	13.69	578	0.22	6.63	-113.5	8.84	--	--	--	--	--	--
MW-312	05/04/16	14.77	539	1.19	6.63	-122.1	4.05	--	--	--	--	--	--
MW-312	08/29/16	24.31	480	1.01	6.89	28	0	--	--	--	--	--	--
MW-312	12/15/16	13.74	452	0.4	6.74	-121.8	9.47	4	< 0.0400	< 0.0400	< 0.500	20.4	0.924
MW-312	03/13/17	12.95	598	0	6.81	-126	0	--	--	--	--	--	--
MW-312	06/15/17	15.14	465	0.27	6.68	-106.8	--	--	--	--	--	--	--
MW-312	08/23/17	19.07	460	0	7.3	-81	0	--	--	--	--	--	--
MW-312	12/07/17	16.15	351	0.88	6.66	-107.7	1.17	2.6	< 0.0400	< 0.0400	488	3.95	0.664
MW-312	03/08/18	11.91	501	1.12	6.88	-6.3	0	--	--	--	--	--	--
MW-312	06/13/18	15.38	349	1.59	6.58	-106.1	0.92	--	--	--	--	--	--
MW-312	09/05/18	20.03	417	0.16	6.55	-72.6	3.75	6	--	--	--	--	--
MW-312	12/20/18	14.1	429	0.75	7.29	-45.3	7	2.5	< 0.0400	< 0.0400	0.164 J	4.35	0.715

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-312	03/19/19	12.6	553	0.58	7.74	-41	3	--	--	--	--	--	--
MW-312	05/16/19	13.8	524	0.67	6.7	-101.9	2	--	--	--	--	--	--
MW-312	09/17/19	13.84	289	0.55	6.54	-31.9	2	--	--	--	--	--	--
MW-312	12/12/19	14.76	514	0.36	8.17	-86.4	5	2	<0.0600	<0.0600	0.63	22	0.957
MW-312	04/28/20	14.9	596	0.36	7.64	-85.90	4	--	--	--	--	--	--
MW-312	06/29/20	15.03	491	0.94	6.39	-25.70	12	--	--	--	--	--	--
MW-312	09/21/20	17.5	607	0.33	6.56	-35.30	20	--	--	--	--	--	--
MW-312	12/15/20	13.39	571	0.28	7.75	118.20	35	3.00	<0.200	<0.400	<1.20	6.93	1.08
MW-312	04/13/21	12.3	286	2.10	6.78	-84.4	17	--	--	--	--	--	--
MW-312	06/16/21	8.65	476	2.05	6.93	17.3	3	--	--	--	--	--	--
MW-312	09/22/21	16.72	805	2.04	6.62	-30.2	10	--	--	--	--	--	--
MW-312	12/16/21	10.85	338	0.04	7.04	35.2	6	--	--	--	<0.500	0.115 J	0.83
MW-312	03/29/22	12.62	452	0.03	6.89	158.7	1	--	--	--	--	--	--
MW-312	06/29/22	14.5	635	0.78	6.48	10.1	30	--	--	--	--	--	--
MW-312	09/20/22	19.81	714	0.32	6.80	361.9	9	--	--	--	--	--	--
MW-312	12/13/22	13.2	440	0.24	6.48	-12.9	19	--	--	--	4.73	0.399 J	0.903
MW-312	03/28/23	12.05	573	0.18	8.38	-68.7	10	--	--	--	--	--	--
MW-312	06/14/23	16.40	552	2.13	7.90	-49.8	17	--	--	--	--	--	--
MW-312	09/12/23	18.9	543	0.19	6.52	-128.2	1	--	--	--	--	--	--
MW-312	12/20/23	15.16	614	0.08	6.37	-21.5	17	--	--	--	<1.5	1.7	1.04
MW-312	03/12/24	9.63	698	2.92	6.85	-13.7	16	--	--	--	--	--	--
MW-313	08/29/16	21.96	489	1.07	6.88	23	0	--	--	--	--	--	--
MW-313	12/12/16	14.13	474	1.04	6.82	-34.9	9.06	--	--	--	--	--	--
MW-313	03/13/17	11.3	850	0.03	6.78	-23	3.5	--	--	--	--	--	--
MW-313	06/15/17	15.94	374	1.32	6.85	-24.6	--	--	--	--	--	--	--
MW-313	08/22/17	23.47	400	8.21	7.39	-62	0	--	--	--	--	--	--
MW-313	12/07/17	15.72	395	0.99	6.95	24.8	3.22	--	--	--	--	--	--
MW-313	03/07/18	11.05	615	0.89	6.96	36.8	8.42	--	--	--	--	--	--
MW-313	06/13/18	16.73	400	0.46	6.76	-44.1	3.02	--	--	--	--	--	--
MW-313	09/05/18	20.55	447	0.18	6.76	-29.7	1.34	--	--	--	--	--	--
MW-313	12/20/18	14.7	555	1.03	7.07	-52.9	43	--	--	--	--	--	--
MW-313	03/19/19	11.1	686	0.73	7.81	-30.4	6	--	--	--	--	--	--
MW-313	05/16/19	14.5	781	0.42	7.05	-39.1	10	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-313	09/17/19	15.71	343	0.71	6.65	-25.3	7	--	--	--	--	--	--
MW-313	12/12/19	14.86	574	0.64	7.99	-55.7	5	--	--	--	--	--	--
MW-313	04/27/20	15.6	683	1.21	7.87	3.40	11	--	--	--	--	--	--
MW-313	06/29/20	16.33	486	1.81	6.73	-74.50	32	--	--	--	--	--	--
MW-313	09/21/20	18.7	605	0.55	6.84	21.90	13	--	--	--	--	--	--
MW-313	12/15/20	13.54	718	0.22	7.93	109.70	69	--	--	--	--	--	--
MW-313	04/13/21	12.9	250	2.02	6.85	-69.0	48	--	--	--	--	--	--
MW-313	06/16/21	9.60	441	0.99	7.38	30.4	38	--	--	--	--	--	--
MW-313	09/22/21	17.25	668	1.34	6.95	-41.6	28	--	--	--	--	--	--
MW-313	12/16/21	11.89	401	0.19	7.16	30.7	80	--	--	--	--	--	--
MW-313	03/29/22	11.77	390	0.10	7.10	141.2	10	--	--	--	--	--	--
MW-313	06/28/22	17.4	631	1.12	6.65	10.8	154	--	--	--	--	--	--
MW-313	09/20/22	21	573	0.05	6.99	378.8	24	--	--	--	--	--	--
MW-313	12/13/22	11.68	548	0.15	6.38	-28.6	81	--	--	--	--	--	--
MW-313	03/28/23	10.12	553	1.48	8.42	-38.5	50	--	--	--	--	--	--
MW-313	06/14/23	16.96	632	0.32	8.03	-50.7	56	--	--	--	--	--	--
MW-313	09/12/23	20.47	440	0.22	6.7	28.4	41	--	--	--	--	--	--
MW-313	12/20/23	13.07	769	0.13	6.53	9.0	32	--	--	--	--	--	--
MW-313	03/12/24	10.34	600	3.59	7.03	24.3	50	--	--	--	--	--	--
MW-314	08/30/16	20.6	565	1.23	6.87	82	8.52	--	--	--	--	--	--
MW-314	12/14/16	13.42	471	0.52	6.73	-90.3	9.44	--	--	--	--	--	--
MW-314	03/13/17	12.34	626	0	6.73	-53	3.9	--	--	--	--	--	--
MW-314	06/14/17	18.28	447	0.46	7.07	-87.9	8.2	--	--	--	--	--	--
MW-314	08/23/17	18.35	453	0	7.33	-35	3.6	--	--	--	--	--	--
MW-314	12/06/17	14	413	0.68	6.56	-62.5	4.2	--	--	--	--	--	--
MW-314	03/07/18	11.95	583	0.9	6.84	23.5	8.42	--	--	--	--	--	--
MW-314	06/12/18	15.92	455	0.74	6.7	-110	2.91	--	--	--	--	--	--
MW-314	09/05/18	18.9	427	0.4	6.49	-40.8	4.24	--	--	--	--	--	--
MW-314	12/20/18	14.7	567	0.16	6.79	-87	29	--	--	--	--	--	--
MW-314	03/19/19	11.4	564	0.97	7.12	-32.4	48	--	--	--	--	--	--
MW-314	05/16/19	11.01	714	0.77	6.27	-61	79	--	--	--	--	--	--
MW-314	09/17/19	--	--	--	--	--	--	--	--	--	--	--	--
MW-314	12/10/19	13.97	725	1.55	5.67	-36	7	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-314	04/28/20	13.2	749	0.44	7.55	-53.60	7	--	--	--	--	--	--
MW-314	06/29/20	18.27	639	1.02	6.53	-29.80	16	--	--	--	--	--	--
MW-314	09/22/20	16.5	758	0.49	6.28	22.60	16	--	--	--	--	--	--
MW-314	12/15/20	13.53	800	0.15	7.78	114.80	35	--	--	--	--	--	--
MW-314	04/13/21	10.7	272	2.02	6.54	-7.9	58	--	--	--	--	--	--
MW-314	03/28/22	12.03	731	0.06	7.77	76.2	83	--	--	--	--	--	--
MW-314	06/28/22	15.7	819	0.46	6.36	-58.1	14	--	--	--	--	--	--
MW-314	09/20/22	19.23	638	0.10	6.48	351.7	13	--	--	--	--	--	--
MW-314	03/27/23	11.49	699	0.60	8.17	21.0	54	--	--	--	--	--	--
MW-314	06/14/23	16.38	720	2.6	7.63	-56.9	25	--	--	--	--	--	--
MW-314	12/20/23	12.58	269	0.21	6.31	-17.6	30	--	--	--	--	--	--
MW-315	08/29/16	20.56	558	1.04	6.86	2	8.44	--	--	--	--	--	--
MW-315	12/12/16	12.07	488	1.45	6.74	-102	0	--	--	--	--	--	--
MW-315	03/13/17	12.81	522	0	6.77	-117	0	--	--	--	--	--	--
MW-315	06/15/17	14.2	450	1.27	7.21	-99	--	--	--	--	--	--	--
MW-315	08/23/17	18.2	465	0	7.3	-68	0	--	--	--	--	--	--
MW-315	12/07/17	14.59	372	0.84	6.68	-28.7	0	--	--	--	--	--	--
MW-315	03/08/18	11.74	448	1.34	6.84	20.7	0	--	--	--	--	--	--
MW-315	06/13/18	15.32	325	1	6.58	-41.5	0	--	--	--	--	--	--
MW-315	09/05/18	18.81	378	0.12	6.39	-28.8	0.54	--	--	--	--	--	--
MW-315	12/20/18	14.5	460	0.32	7.15	-92	5	--	--	--	--	--	--
MW-315	03/18/19	14.7	497	0.81	6.74	-65.4	3	--	--	--	--	--	--
MW-315	05/16/19	13.6	508	0.2	6.83	-64.3	3	--	--	--	--	--	--
MW-315	09/17/19	13.01	311	0.58	6.37	-41.8	4	--	--	--	--	--	--
MW-315	12/12/19	14.4	587	0.79	7.98	-67.8	3	--	--	--	--	--	--
MW-315	04/27/20	14.8	591	0.53	7.67	-70	8	--	--	--	--	--	--
MW-315	06/29/20	14.3	584	0.64	6.92	189.80	9	--	--	--	--	--	--
MW-315	09/21/20	16.7	589	0.25	6.43	-26.20	14	--	--	--	--	--	--
MW-315	12/15/20	13.69	588	0.09	7.80	119.30	43	--	--	--	--	--	--
MW-315	04/13/21	13.1	289	2.23	6.65	-68.2	22	--	--	--	--	--	--
MW-315	06/16/21	8.01	501	1.37	6.79	0.9	3	--	--	--	--	--	--
MW-315	09/22/21	17.62	785	1.14	6.45	-19.0	10	--	--	--	--	--	--
MW-315	12/16/21	10.40	304	1.36	7.31	-8.2	10	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-315	03/29/22	12.06	519	0.08	7.21	134.1	3	--	--	--	--	--	--
MW-315	06/28/22	14.4	583	0.48	6.44	-86.4	15	--	--	--	--	--	--
MW-315	09/20/22	17.79	634	0.10	7.32	356.7	5	--	--	--	--	--	--
MW-315	12/13/22	11.9	570	0.25	6.29	-23.1	87	--	--	--	--	--	--
MW-315	03/28/23	12.07	645	0.18	7.70	-76.2	14	--	--	--	--	--	--
MW-315	06/14/23	14.23	663	1.36	7.34	-43	20	--	--	--	--	--	--
MW-315	09/12/23	17.38	553	0.09	6.37	-112	8	--	--	--	--	--	--
MW-315	12/20/23	14.16	579	0.92	6.31	45.3	6	--	--	--	--	--	--
MW-315	03/12/24	10.85	630	2.82	6.96	-13.7	3	--	--	--	--	--	--
SH-04	05/05/16	14.18	129	1.43	6.47	-107.3	8.73	--	--	--	--	--	--
SH-04	12/14/16	8.88	133	0.39	6.41	-48.2	7.21	--	--	--	--	--	--
SH-04	06/14/17	17.02	116	0.27	6.33	52.7	1.67	--	--	--	--	--	--
SH-04	12/05/17	15.32	134	0.71	6.72	-65.4	3.51	--	--	--	--	--	--
SH-04	06/13/18	16.5	140	0.47	6.12	-54.2	1.05	--	--	--	--	--	--
SH-04	12/18/18	12.3	180	1.05	7.31	-30.6	19	--	--	--	--	--	--
SH-04	05/16/19	9.31	226	0.91	5.71	-126	13	--	--	--	--	--	--
SH-04	12/11/19	14.43	391	0.63	7.51	-12.1	19	--	--	--	--	--	--
SH-04	06/29/20	14.4	219	0.49	6.46	215.30	8	--	--	--	--	--	--
SH-04	12/14/20	14.00	371	0.29	7.56	151.80	21	--	--	--	--	--	--
SH-04	06/15/21	8.75	190	0.94	7.00	57.0	6	--	--	--	--	--	--
SH-04	12/15/21	11.6	140	0.15	9.84	-77.1	6	--	--	--	--	--	--
SH-04	04/18/22	9.00	220	0.09	8.12	64.6	39	--	--	--	--	--	--
SH-04	06/28/22	16.9	198	0.49	6.02	-11.9	16	--	--	--	--	--	--
SH-04	12/13/22	9.50	90	0.08	6.41	-25.2	20	--	--	--	--	--	--
SH-04	06/13/23	15.31	149	4.44	7.32	-48.1	18	--	--	--	--	--	--
SH-04	12/19/23	10.14	243	0.66	6.14	24.3	18	--	--	--	--	--	--
TX-03A	01/13/04	14	480	1.4	6.39	-59	1.8	--	--	--	--	--	--
TX-03A	04/19/04	13.7	560	1.44	6.18	21	2.4	6	--	--	< 1	--	--
TX-03A	07/27/04	17.9	589	1.31	6.26	68	3	--	--	--	--	--	--
TX-03A	10/18/04	16.7	595	2.77	6.63	-100	42	--	--	--	--	--	--
TX-03A	01/24/05	14.6	563	1.79	5.11	5	43.1	--	--	--	--	--	--
TX-03A	04/19/05	13.8	552	0	6.47	-86	20	4	--	--	< 1	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-03A	07/12/05	17.3	477	0.16	6.55	-121	55.6	--	--	--	--	--	--
TX-03A	10/31/07	--	--	--	--	--	--	--	--	--	--	--	--
TX-03A	11/20/08	15.8	821	0.49	6.87	-59	31.8	30.4	--	--	< 1	--	--
TX-03A	04/08/09	12.84	236	0	6.58	-145	43.1	--	--	--	--	--	--
TX-03A	11/17/09	16.3	50.6	1.29	6.39	-102	9.7	36	--	--	1.2	--	--
TX-03A	04/27/10	13.2	52.8	0.21	5.76	-153	9.5	--	--	--	--	--	--
TX-03A	10/25/10	15.5	42.5	1.39	6.68	-115	48	30	--	--	6.8	--	--
TX-03A	05/23/11	--	--	--	--	--	--	--	--	--	--	--	--
TX-03A	10/27/11	15.44	478	1.72	8.5	-100.9	--	20.3	--	--	< 0.50	--	--
TX-03A	03/01/12	12.29	564	0	6.71	-118	12.6	--	--	--	--	--	--
TX-03A	06/12/12	14	507	4	7.19	-103	4.5	--	--	--	--	--	--
TX-03A	09/25/12	17.83	514	0	6.48	-139	15.2	--	--	--	--	--	--
TX-03A	11/28/12	13.79	439	0	6.7	-104	--	--	--	--	< 0.50	--	--
TX-03A	11/05/13	10.98	528	0.06	6.57	-114	0	4	--	--	< 0.50	< 0.200	0.47
TX-03A	11/04/14	16.8	424	0.38	6.49	-39	5.83	6	< 0.10	< 0.10	< 0.50	6.18	0.523
TX-03A	12/10/15	15.11	456	0.25	6.51	-103.5	6.7	0.5	< 0.10	< 0.10	< 0.50	31.7	0.5
TX-03A	02/22/16	12.73	484	0.3	6.34	-109.1	7.22	--	--	--	--	--	--
TX-03A	05/02/16	15.06	418	0.22	6.36	-103.1	3.96	--	--	--	--	--	--
TX-03A	08/29/16	18.69	395	2.27	6.84	18	0	--	--	--	--	--	--
TX-03A	12/15/16	12.31	295	0.29	6.54	-109.9	8.97	2	< 0.0400	< 0.0400	< 0.500	37.8	0.517
TX-03A	03/13/17	11.74	287	0.23	6.74	-109.5	0	--	--	--	--	--	--
TX-03A	06/13/17	14.63	322	0.24	6.32	-98	--	--	--	--	--	--	--
TX-03A	08/22/17	18.97	317	0	7.07	-87	0	--	--	--	--	--	--
TX-03A	12/05/17	13.23	477	1.83	6.57	-104.1	2.77	1.5	< 0.0400	< 0.0400	219	25.1	0.784
TX-03A	03/27/18	12.27	465	0.65	6.19	71.9	3.37	--	--	--	--	--	--
TX-03A	06/13/18	15.4	407	4.12	6.07	-82.4	0.69	--	--	--	--	--	--
TX-03A	09/06/18	19.9	551	0.14	6.24	-76.8	1.26	--	--	--	--	--	--
TX-03A	12/20/18	16.5	369	0.1	6.67	-116	16	4.5	< 0.0400	< 0.0400	19	6.46	0.465
TX-03A	03/19/19	13.9	550	0.45	7.55	-67.1	8	--	--	--	--	--	--
TX-03A	05/16/19	12.64	538	0.51	6.11	-84	12	--	--	--	--	--	--
TX-03A	09/17/19	16.79	348	0.97	6.41	3.1	8	--	--	--	--	--	--
TX-03A	12/11/19	16.75	1514	1.86	8.64	-94	5	3	<0.0600 J	<0.0600 J	704	104	2.99
TX-03A	04/28/20	14.1	881	0.46	7.5	-65.10	12	--	--	--	--	--	--
TX-03A	06/29/20	16.13	577	1.24	6.36	-20.20	13	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature oC	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-03A	09/21/20	18.1	505	0.32	6.22	74	15	--	--	--	--	--	--
TX-03A	12/15/20	13.20	501	0.31	7.59	114.00	15	2.40	<0.200	<0.400	42.30	26.20	1.16
TX-03A	04/12/21	11.6	259	1.91	6.26	-6.2	40	--	--	--	--	--	--
TX-03A	06/16/21	9.02	416	1.35	7.60	39.3	3	--	--	--	--	--	--
TX-03A	09/23/21	17.45	633	1.17	6.09	-5.6	7	--	--	--	--	--	--
TX-03A	03/28/22	12.57	540	0.12	7.24	126.9	12	--	--	--	--	--	--
TX-03A	06/28/22	15.4	521	0.5	6.49	-91.2	14	--	--	--	--	--	--
TX-03A	09/21/22	16.84	473	0.41	7.29	348.7	29	--	--	--	--	--	--
TX-03A	12/13/22	14.22	368	0.25	6.43	-49.9	8	--	--	--	8.86	0.109 J	0.927
TX-03A	03/27/23	12.92	494	0.28	7.52	-64.4	19	--	--	--	--	--	--
TX-03A	06/14/23	16.15	441	0.89	7.21	-49.4	18	--	--	--	--	--	--
TX-03A	09/12/23	18.21	372	0.16	6.5	-109.7	1	--	--	--	--	--	--
TX-03A	12/20/23	14.33	339	0.79	6.42	-24.3	17	--	--	--	<1.5	0.36 J	0.803
TX-03A	03/11/24	11.84	378	2.82	6.76	-5.8	8	--	--	--	--	--	--
TES-MW-1	12/13/16	8.37	99	7.01	5.86	89	0	--	--	--	--	--	--
TES-MW-1	12/06/17	10	69	6.02	5.67	39.9	5.7	--	--	--	--	--	--
TES-MW-1	12/19/18	11.2	172	1.3	6.68	-96	24	--	--	--	--	--	--
TES-MW-1	12/09/19	13.42	172	6.2	6.51	63.9	11	--	--	--	--	--	--
TES-MW-1	12/16/20	12.07	98	0.92	7.72	135.70	36	--	--	--	--	--	--
TES-MW-1	12/14/21	11.2	93	0.70	7.71	132.1	34	--	--	--	--	--	--
TES-MW-1	12/12/22	11.24	430	0.61	6.89	130.7	1	--	--	--	--	--	--
TES-MW-1	12/19/23	12.39	90	5.91	5.63	147.3	2	--	--	--	--	--	--
TX-04	12/12/16	10.65	353	0.82	7.02	-108	0	--	--	--	--	--	--
TX-04	12/05/17	12.06	167	0.68	7.01	-10.8	23.2	--	--	--	--	--	--
TX-04	12/18/18	14.5	233	1.26	7.69	-48.3	44	--	--	--	--	--	--
TX-04	12/12/19	14.81	295	0.44	8.46	-83.3	14	--	--	--	--	--	--
TX-04	12/14/20	14.54	334	0.17	7.81	136.90	7	--	--	--	--	--	--
TX-04	12/15/21	10.4	207	0.21	8.32	-3.0	17	--	--	--	--	--	--
TX-04	12/13/22	12.4	199	0.07	6.4	-47.2	77	--	--	--	--	--	--
TX-04	12/19/23	13.95	185	0.11	6.53	-11.2	42	--	--	--	--	--	--
TX-06A	12/12/16	11.95	212	0.55	6.55	-97.3	6.56	--	--	--	--	--	--

Table 5
Compliance Monitoring Natural Attenuation Parameters
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-06A	12/05/17	14.43	248	1.15	6.69	-63.6	5.63	--	--	--	--	--	--
TX-06A	12/20/18	14.5	257	0.17	6.76	-99	11	--	--	--	--	--	--
TX-06A	12/10/19	13.58	230	4.49	5.62	8.6	12	--	--	--	--	--	--
TX-06A	12/14/20	13.92	341	0.20	7.74	123.80	17	--	--	--	--	--	--
TX-06A	12/15/21	12.1	174	0.25	7.85	9.5	10	--	--	--	--	--	--
TX-06A	12/19/23	12.61	1,147	0.07	6.22	3.6	64	--	--	--	--	--	--

Note:

= Indicates data collected during this progress report period

°C = degrees Celsius

J = indicates a estimated value

J+ = The result is an estimated quantity, but the result may be biased high.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

mg/L = milligrams per liter

mV = millivolts

NM = not measured

NTU = nephelometric turbidity unit

ORP = oxidation-reduction potential

µS/cm = microsiemens per centimeter

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-05	01/15/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.37	< 0.5	--
MW-05	04/21/04	0.0015	< 0.001	0.0053	< 0.001	< 0.25	0.41	< 0.5	--
MW-05	07/28/04	0.0015	0.001	< 0.001	0.0017	< 0.25	< 0.25	< 0.5	--
MW-05	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-05	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-05	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.072	< 0.25	< 0.5	--
MW-05	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	0.25	< 0.25	< 0.5	--
MW-05	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	0.11	< 0.25	< 0.5	--
MW-05	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	< 0.238	< 0.476	--
MW-05	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
MW-05	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-05	10/29/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.14	< 0.1	--
MW-05	05/23/11	<.0003	<.0005	<.0003	<.0007	0.0744	--	--	--
MW-05	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.115	< 0.095	< 0.19	--
MW-05	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0954	< 0.095	--
MW-05	11/07/13	< 0.00020	0.00083 J	< 0.00020	0.00087 J	0.345	< 0.049	< 0.097	--
MW-05	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.0507 J	0.137	< 0.094	--
MW-05	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.233	< 0.388	--
MW-05	05/04/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	70.9 J	< 0.0398	< 0.0598	--
MW-05	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0436	< 0.0654	--
MW-05	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0860	< 0.129	--
MW-05	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0968 J	0.105 J	< 0.121	--
MW-05	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.114	< 0.124	--
MW-05	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.230 J	0.119 J	--
MW-05	05/15/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.0589	< 0.108	< 0.118	--
MW-05	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.111 J	< 0.121	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-05	06/30/20	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.113	< 0.124	--
MW-05	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	0.163	<0.340	--
MW-05	06/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.240	<0.401	--
MW-05	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.254	<0.424	--
MW-05	04/18/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.235	<0.392	--
MW-05	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.243	<0.405	--
MW-05	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	0.387	0.191 J	--
MW-05	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.241	<0.401	--
MW-05	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.1	0.238	0.68	--
MW-101	01/16/04	< 0.001	< 0.001	< 0.001	0.0028	0.55	< 0.25	< 0.5	--
MW-101	04/20/04	0.0016	< 0.001	< 0.001	0.0014	0.67	< 0.25	< 0.5	--
MW-101	07/28/04	0.0012	< 0.001	< 0.001	0.0011	1	< 0.25	< 0.5	--
MW-101	10/18/04	0.0011	< 0.001	< 0.001	< 0.001	0.42	< 0.25	< 0.5	--
MW-101	01/26/05	< 0.001	< 0.001	< 0.001	0.0011	0.51	< 0.25	< 0.5	--
MW-101	04/19/05	0.0016	< 0.001	< 0.001	< 0.001	0.58	< 0.25	< 0.5	--
MW-101	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.31	< 0.25	< 0.5	--
MW-101	10/10/05	< 0.001	< 0.001	< 0.001	< 0.001	0.16	< 0.25	< 0.5	--
MW-101	01/27/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	0.223	< 0.236	< 0.476	--
MW-101	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	0.1	< 0.25	< 0.5	--
MW-101	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-101	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	0.15	0.13	< 0.1	--
MW-101	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0936	< 0.10	< 0.20	--
MW-101	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.188 J	0.0937 J	< 0.10	--
MW-101	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.118 J	< 0.0048	< 0.0095	--
MW-101	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.0048	< 0.0095	--
MW-101	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.129	< 0.201	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-101	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.101	0.0983 J	< 0.0632	--
MW-101	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.237	0.246 J	< 0.127	--
MW-101	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.127 J	0.157 J	< 0.115	--
MW-101	12/09/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.155 J	< 0.125	--
MW-101	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.238	<0.397	--
MW-101	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	0.433	0.305	0.128 J	--
MW-101	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.247	<0.411	--
MW-101	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	0.208	0.139	0.127 J	--
MW-102	01/14/04	0.0021	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	04/21/04	0.0036	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	10/18/04	0.0011	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	01/25/05	0.0024	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	04/18/05	0.0027	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-102	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.077	< 0.25	< 0.5	--
MW-102	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-102	01/26/06	0.00498	< 0.0005	0.00174	0.00201	< 0.05	< 0.238	< 0.472	--
MW-102	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
MW-102	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-102	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-102	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.113	< 0.20	--
MW-102	11/28/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-102	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.047	0.144 J	--
MW-102	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0568 J	< 0.094	--
MW-102	12/08/15	< 0.0020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.233	< 0.388	--
MW-102	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0413	< 0.0620	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-102	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
MW-102	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
MW-102	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.774	0.197 J	--
MW-102	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.151 J	<0.123	--
MW-102	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.248	<0.413	--
MW-102	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.240	<0.401	--
MW-102	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.226	0.143 J	--
MW-102	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.0869 J	0.133 J	--
MW-104	01/15/04	0.0019	< 0.001	0.15	0.1028	2.7	1.2	< 0.5	0.00555
MW-104	01/15/04	0.0012	< 0.001	0.1	0.0706	2	1.3	< 0.5	< 0.005
MW-104	04/21/04	0.0066	0.0025	0.35	0.0931	4.3	1.7	< 0.5	0.00575
MW-104	07/28/04	0.0018	< 0.001	0.048	0.017	2.2	0.87	< 0.5	< 0.005
MW-104	07/28/04	0.0017	< 0.001	0.049	0.019	2.1	1.3	< 0.5	< 0.005
MW-104	10/19/04	< 0.001	< 0.001	0.0021	0.0016	< 0.25	0.61	< 0.5	< 0.005
MW-104	01/24/05	< 0.001	< 0.001	0.0012	< 0.001	< 0.25	0.74	< 0.5	< 0.005
MW-104	04/18/05	< 0.001	< 0.001	0.057	0.0067	1.4	1.2	< 0.5	< 0.005
MW-104	07/12/05	0.0014	< 0.001	0.11	0.012	1.8	0.7	< 0.5	< 0.005
MW-104	10/19/05	< 0.001	< 0.001	0.024	0.0049	0.29	0.62	< 0.5	< 0.005
MW-104	01/25/06	0.00245	0.00129	0.33	0.0273	2.07	3.73	< 0.962	0.0077
MW-104	10/30/07	--	--	--	--	1.25	--	--	< 0.002
MW-104	05/20/08	--	--	--	--	4	2.1	< 0.5	--
MW-104	11/18/08	--	--	--	--	0.13	0.69	< 0.5	< 0.005
MW-104	04/08/09	--	--	--	--	1.8	1.6	< 0.1	0.00326
MW-104	11/17/09	< 0.0005	< 0.001	0.0016	< 0.001	0.21	0.17	< 0.1	0.00778
MW-104	04/27/10	--	--	--	--	3.9	2.5	0.27	0.00232
MW-104	10/26/10	--	--	--	--	0.23	0.23	< 0.1	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-104	05/23/11	<0.0006	0.003	0.104	0.0018	4.44	0.448	<0.097	< 0.01
MW-104	10/25/11	--	--	--	--	3.38	0.413	< 0.20	< 0.01
MW-104	03/01/12	0.00079 J	0.0015	0.0467	0.0016 J	3.69	--	--	--
MW-104	06/13/12	--	--	--	--	4.78	0.423	< 0.10	< 0.01
MW-104	09/26/12	0.00066 J	0.0024	0.0509	0.0019 J	4.54	--	--	--
MW-104	11/29/12	0.00038 J	0.00037 J	0.0113	< 0.00046	0.592	0.315	< 0.098	--
MW-104	05/14/13	--	--	--	--	5.07	0.601	< 0.096	< 0.01
MW-104	11/07/13	--	--	--	--	3.62	0.666 J	< 0.095	< 0.01
MW-104	04/24/14	--	--	--	--	5.68	1.13	0.100 J	< 0.01
MW-104	11/05/14	--	--	--	--	0.441	0.527	0.221	< 0.01
MW-104	05/20/15	--	--	--	--	2.82	0.686	< 0.097	< 0.01
MW-104	12/09/15	--	--	--	--	< 0.100	0.408	< 0.398	< 0.00200
MW-104	05/05/16	--	--	--	--	7.45	2.85	0.144 J	0.00285
MW-104	12/14/16	--	--	--	--	3.61	2.22	0.155 J	0.000902 J
MW-104	06/14/17	--	--	--	--	4.85	2.9	0.159 J	0.00444
MW-104	12/07/17	< 0.0000993	< 0.000312	0.00411	< 0.000442	0.53	1.34	0.126 J	--
MW-104	06/12/18	--	--	--	--	3.04	1.86	< 0.122	0.00207 J
MW-104	12/19/18	--	--	--	--	0.552	2.25	0.967	0.00185 J
MW-104	05/15/19	--	--	--	--	2.59	1.64	0.316 J	0.00163 J
MW-104	12/10/19	--	--	--	--	0.956	0.713	< 0.122	< 0.000995
MW-104	06/30/20	--	--	--	--	1.02	0.914	0.117 J	0.00408
MW-104	12/14/20	<0.00020	<0.0002	0.00171	<0.0005	0.487	1.56	1.31	<0.004
MW-104	06/15/21	--	--	--	--	0.948	0.753	<0.395	<0.0600
MW-104	12/15/21	--	--	--	--	0.300	0.456	0.175 J	<0.0600
MW-104	04/18/22	--	--	--	--	0.896	0.503	<0.393	<0.0600
MW-104	06/29/22	<0.000400	<0.00100	0.00106	<0.00300	0.648	0.381	<0.413	<0.0600
MW-104	12/14/22	--	--	--	--	0.153	2.57	1.01	<0.0600

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-104	06/13/23	--	--	--	--	0.160	0.261	<0.393	0.00195 J
MW-104	12/19/23	--	--	--	--	0.466	1.68	1.14	0.00118 J
MW-105	01/15/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.4	< 0.5	0.00647
MW-105	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.65	< 0.5	0.00793
MW-105	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.2	< 0.5	0.0128
MW-105	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.8	< 0.5	0.0311
MW-105	01/24/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3	< 0.5	0.00824
MW-105	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.3	0.78	0.00615
MW-105	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.7	< 0.5	< 0.005
MW-105	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.7	0.66	< 0.005
MW-105	01/25/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	3.95	< 0.962	0.00321
MW-105	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	--	--	< 0.005
MW-105	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	0.021
MW-105	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	--	--	--
MW-105	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.253	< 0.20	< 0.01
MW-105	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.291	< 0.098	< 0.01
MW-105	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.189	< 0.095	0.0179
MW-105	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.377	0.192	< 0.01
MW-105	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.406	0.408	0.0152
MW-105	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.85	0.377	0.0116
MW-105	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.146 J	0.624	0.176 J	< 0.00200
MW-105	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.672	0.737	0.0107
MW-105	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.388	0.382 J	0.00754
MW-105	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	1.81	0.972	0.00421
MW-105	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.523	0.670	0.0324 J
MW-105	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	1.25	0.679	0.0143 J

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-105	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.1	1.47	1.29	0.0336
MW-111	01/15/04	0.047	< 0.001	< 0.001	< 0.001	< 0.25	0.98	< 0.5	--
MW-111	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.48	< 0.5	--
MW-111	07/27/04	0.015	< 0.001	< 0.001	0.0012	< 0.25	0.45	< 0.5	--
MW-111	10/19/04	0.036	0.0012	< 0.001	0.0035	0.35	0.45	< 0.5	--
MW-111	01/25/05	0.079	< 0.005	< 0.005	< 0.005	0.58 J	0.63	< 0.5	--
MW-111	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.096	< 0.25	< 0.5	--
MW-111	07/12/05	0.0094	< 0.001	< 0.001	< 0.001	0.23	0.26	< 0.5	--
MW-111	10/18/05	0.017	< 0.001	< 0.001	0.0013	0.26	0.27	< 0.5	--
MW-111	01/25/06	0.0956	0.00189	0.000796	0.0037	0.683	0.998	< 0.481	--
MW-111	11/19/08	0.014	< 0.005	< 0.005	< 0.005	0.23	0.37	< 0.5	--
MW-111	11/17/09	0.041	< 0.001	< 0.001	< 0.001	0.24	0.11	< 0.1	--
MW-111	10/26/10	0.0043	< 0.001	< 0.001	< 0.001	< 0.1	0.12	< 0.1	--
MW-111	05/23/11	0.00064	<.0005	<.0003	<.0007	<0.050	--	--	--
MW-111	10/25/11	0.00094	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.122	< 0.20	--
MW-111	11/29/12	0.0248	0.001	< 0.00020	0.0012 J	0.371	0.269	< 0.10	--
MW-111	11/07/13	0.0845	0.001	0.00023 J	0.00069 J	0.208	0.174	< 0.095	--
MW-111	11/05/14	0.0574	0.0012	0.00083 J	0.00047 J	0.232	0.167	0.118 J	--
MW-111	12/08/15	0.386	0.00649	0.00291	0.00333	0.944	0.335	<0.388	--
MW-111	05/04/16	0.0719	0.00157	0.00158	0.00125 J	0.294	0.141	< 0.0598	--
MW-111	12/14/16	0.248	0.00375 J	0.00243 J	<0.00442	0.739 J	0.343	0.0883 J	--
MW-111	06/14/17	0.00575	0.000480 J	< 0.000198	0.000466 J	0.0836 J	0.142 J	< 0.123	--
MW-111	12/06/17	0.202	0.00632	0.00214	0.00507	0.792	0.597	< 0.132	--
MW-111	06/12/18	0.0273	0.00181	0.000334 J	0.00238 J	0.227	0.210 J	< 0.123	--
MW-111	12/19/18	0.0592	0.00574	0.0012	0.00475	0.766	1.27	0.462	--
MW-111	05/15/19	0.00484	< 0.000170	< 0.000190	< 0.000580	0.149	0.195 J	< 0.117	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-111	12/11/19	0.000270 J	< 0.000312	< 0.000198	< 0.000422	< 0.0704	0.255 J	< 0.125	--
MW-111	06/29/20	0.00124	0.000637 J	< 0.000198	0.000648 J	0.0898 J	< 0.110	< 0.120	--
MW-111	12/14/20	0.00163	0.000945	<0.00020	0.00118	<0.250	0.346	0.348	--
MW-111	06/15/21	0.000251 J	0.000593 J	<0.00100	0.00100 J	0.120 J	<0.233	<0.389	--
MW-111	12/15/21	0.00337	0.00161	0.000247 J	0.00166 J	0.421	0.340	0.149 J	--
MW-111	04/18/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.229	<0.381	--
MW-111	06/27/22	0.00274	<0.00100	<0.00100	<0.00300	0.11 J	0.118 J	<0.402	--
MW-111	12/14/22	0.0538	0.00333	0.000527 J	0.00259 J	0.49	1.31	0.326 J	--
MW-111	06/13/23	0.00132	<0.00100	<0.00100	<0.00300	<0.15	<0.232	<0.387	--
MW-111	12/19/23	0.0424	0.00191	<0.00100	0.00187 J	0.129	0.616	0.445	--
MW-112A	01/15/04	0.02	< 0.001	< 0.001	< 0.001	0.25	0.63	< 0.5	--
MW-112A	04/21/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	0.56	< 0.75	--
MW-112A	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.51	< 0.5	--
MW-112A	10/19/04	0.0013	< 0.001	< 0.001	< 0.001	< 0.25	0.68	< 0.5	--
MW-112A	01/24/05	0.003	0.0012	< 0.001	0.001	0.44	0.65	< 0.5	--
MW-112A	04/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.42	1.4	< 0.5	--
MW-112A	07/12/05	0.0029	< 0.001	< 0.001	< 0.001	0.28	0.48	< 0.5	--
MW-112A	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-112A	01/26/06	0.00211	< 0.0005	< 0.0005	< 0.001	0.236	0.602	< 0.485	--
MW-112A	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	0.3	1.3	< 0.5	--
MW-112A	11/18/09	0.00075	< 0.001	< 0.001	< 0.001	0.2	0.23	< 0.1	--
MW-112A	10/29/10	0.036	< 0.001	< 0.001	0.0015	0.77	0.6	< 0.1	--
MW-112A	05/24/11	0.00041	<0.0005	<0.0003	<0.0007	0.129	--	--	--
MW-112A	10/25/11	0.0055	< 0.0010	< 0.0010	< 0.0020	0.292	0.2	< 0.20	--
MW-112A	11/25/12	0.0058	0.00022 J	0.00037 J	< 0.00046	0.197 J	0.282	< 0.10	--
MW-112A	11/04/13	0.0238	0.00068 J	0.0376	0.0012 J	0.909	1.72	< 0.19	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-112A	11/06/14	0.0156	0.0014	0.028	0.0016 J	0.76	1.43	0.295	--
MW-112A	12/08/15	0.0297	0.00368	0.00219	0.00406	1.31	5.89	< 0.389	--
MW-112A	05/05/16	0.0248	0.00131	0.0992	0.00688	1.75	7.96	0.132 J	--
MW-112A	12/12/16	0.0426	0.00666	0.0109	0.0103	2.27	2.77	0.180 J	--
MW-112A	06/15/17	0.0348	0.0037	0.02	0.00464 J	1.46	7.34	0.210 J	--
MW-112A	12/07/17	0.00111	0.00169	< 0.000198	0.00196 J	0.811	1.71	0.151 J	--
MW-112A	06/13/18	0.0289	0.00297	0.134	0.00748	2.39	12.6	0.150 J	--
MW-112A	12/20/18	0.00166	0.00171	0.000248 J	0.00196 J	0.728	2.93	0.789	--
MW-112A	05/16/19	0.0111	0.00173	0.0231	0.00208 J	2	2.37	0.222 J	--
MW-112A	12/12/19	0.0149	0.00296	0.00154	0.00385	1.91	12.2	0.419 J	--
MW-112A	06/30/20	0.00354 J	0.000903 J	0.0215 J	0.00155 J	1.05	3.62	0.204 J	--
MW-112A	12/14/20	0.00442	0.00253	0.00186	0.00375	1.77 J+	2.30	1.02	--
MW-112A	06/15/21	0.00207	0.000659 J	0.00702	0.00189 J	0.976	2.58	0.161 J	--
MW-112A	12/15/21	0.00235	0.00147	0.000665 J	0.00213 J	2.34	1.10	0.215 J	--
MW-112A	04/18/22	0.00102	0.000759 J	0.0279	0.00269 J	1.87	1.39	<0.389	--
MW-112A	06/28/22	0.00139	0.000935 J	0.0106	0.00263 J	1.26	0.675	<0.407	--
MW-112A	12/13/22	0.00263	0.00159	0.000729 J	0.00225 J	1.06	2.67	0.686	--
MW-112A	06/13/23	0.00246	0.00125	0.0289	0.00317	1.29	2.56	<0.389	--
MW-112A	12/19/23	0.00244	0.00245	0.00129	0.00423	1.09	3.22	0.883	--
MW-113	06/27/22	0.156	0.00522	0.00405	0.00540	<15	0.933	0.156 J	--
MW-113	12/14/22	0.0650	0.00466	<0.00100	<0.00300	0.177	1.24	0.44	--
MW-113	06/13/23	0.396	0.0322	0.00572	0.00476	0.488	1.3	<0.389	--
MW-113	12/19/23	0.0513	0.0156	<0.00100	0.000649 J	0.153	0.868	0.481	--
MW-114	06/27/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.413	0.16 J	--
MW-114	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.339	0.523	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-114	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.246	<0.411	--
MW-114	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.144	0.447	--
MW-115	06/27/22	<0.000400	<0.00100	<0.00100	<0.00300	0.372	4.93	0.24 J	--
MW-115	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	1.24	0.42 J	--
MW-115	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	0.328	2.77	<0.39	--
MW-115	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	0.334	2.46	0.872	--
MW-201	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-201	04/20/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-201	01/26/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.33	< 0.5	--
MW-201	04/20/05	< 0.001	< 0.001	< 0.001	0.0021	< 0.25	< 0.25	< 0.5	--
MW-201	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.12	0.7	< 0.5	--
MW-201	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.22	4.6	2.3	--
MW-201	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.050	0.342	< 0.476	--
MW-201	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	0.41	< 0.5	--
MW-201	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-201	10/27/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.18	< 0.1	--
MW-201	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0899	1.46	0.181	--
MW-201	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.122	< 0.10	--
MW-201	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.0964 J	0.52	< 0.094	--
MW-201	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.173	0.195	--
MW-201	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	0.121	0.323	< 0.389	--
MW-201	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.203	0.174 J	--
MW-201	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.159 J	< 0.132	--
MW-201	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.281	0.383 J	--
MW-201	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	0.315	<0.368	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-201	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.556	0.163 J	--
MW-201	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.255	0.551	--
MW-202	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	2.5	15	< 10	--
MW-202	04/20/04	0.014	0.0062	0.074	0.021	4.4	28	< 10	--
MW-202	01/26/05	< 0.005	< 0.005	< 0.005	< 0.005	7.7	5.2	< 5	--
MW-202	04/20/05	0.016	0.0022	0.036	0.0237	3.7	6.2	< 5	--
MW-202	07/13/05	0.016	0.0033	0.067	0.0191	3.5	6.2	< 1	--
MW-202	10/20/05	0.019	0.0021	0.058	0.0056	3.3	5.9	< 2.5	--
MW-202	01/26/06	0.0224	0.00598	0.041	0.0191	5.79	11.2	< 4.76	--
MW-202	04/25/06	0.00749	0.00378	0.062	0.0124	6.78	8.7	<4.85	--
MW-202	10/12/06	0.00936	0.00339	0.0828	0.00616	5.65	11.5	0.834	--
MW-202	04/26/07	0.00825	0.0048	0.063	<0.015	4.78	8.24	1.05	--
MW-202	10/30/07	--	--	--	--	4.55	10.9	< 1	--
MW-202	05/20/08	--	--	--	--	2.3	1.8	< 2.5	--
MW-202	11/20/08	--	--	--	--	5	2.2	< 0.5	--
MW-202	04/07/09	--	--	--	--	4.8	14	< 0.1	--
MW-202	11/19/09	--	--	--	--	6.6	20	< 0.5	--
MW-202	04/27/10	--	--	--	--	3.3	6.4	0.12	--
MW-202	10/27/10	0.0081	0.0031	0.066	0.0022	6	5.4	< 0.1	--
MW-202	05/23/11	--	--	--	--	3.5	1.84	< 0.097	--
MW-202	10/26/11	--	--	--	--	4.3	1.02	< 0.21	--
MW-202	03/02/12	0.0053	0.0019	0.0107	0.0013 J	3.87	--	--	--
MW-202	06/13/12	--	--	--	--	3.31	1.54	< 0.10	--
MW-202	09/26/12	0.0058	0.0029 J	0.0378	< 0.0018	4.07	--	--	--
MW-202	11/27/12	0.0113	0.0034	0.0274	0.0022	6.07	2.67	< 0.30	--
MW-202	05/15/13	--	--	--	--	3.83	1.62	< 0.096	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-202	11/06/13	< 0.00020	0.0027	0.0335	0.0012 J	4.68	1.29	< 0.095	--
MW-202	04/22/14	--	--	--	--	3.22	2.18	< 0.28	--
MW-202	11/06/14	0.0083	0.0026	0.0154	0.0011	5.1	2.45	0.282 J	--
MW-202	05/19/15	--	--	--	--	2.96	0.842	< 0.096	--
MW-202	12/10/15	0.00419	0.00124	0.00277	< 0.0030	5.67	27.2	0.565	--
MW-202	05/03/16	--	--	--	--	2.89	2.29	0.111 J	--
MW-202	12/13/16	0.00606	0.0028	0.00901	0.00110 J	2.92	4.04	0.201	--
MW-202	06/14/17	--	--	--	--	2.58	3.68	0.134 J	--
MW-202	12/06/17	0.00102	< 0.000312	0.00144	0.00129 J	3.02	25.8	0.402 J	--
MW-202	06/14/18	--	--	--	--	1.49	4.1	0.166 J	--
MW-202	12/19/18	0.00178	0.000839 J	0.00444	0.00187 J	4.74	48.3	1.69	--
MW-202	05/16/19	--	--	--	--	3.04	11.8	0.718	--
MW-202	12/10/19	0.00179	0.00159	0.0128	0.00202 J	4.29	24	0.534	--
MW-202	06/29/20	--	--	--	--	1.78	13.1	0.412	--
MW-202	12/16/20	0.00132 J	0.000409 J-	0.00236 J	<0.0005 J	3.47	36.60	0.641	--
MW-202	06/14/21	--	--	--	--	1.32	4.52	0.327 J	--
MW-202	12/16/21	0.00275	0.000751 J	0.00121	0.00169 J	3.71	17.0	0.706	--
MW-202	06/29/22	--	--	--	--	3.33	2.84	1.09	--
MW-202	12/12/22	0.00314	0.00111	0.00193	0.00155 J	2.98	22.1	0.505	--
MW-202	06/12/23	--	--	--	--	0.947	2.18	0.365 J	--
MW-202	12/18/23	0.00276	0.000818 J	0.000989 J	0.00672 J	1.05	14.5	0.990	--
MW-203	01/13/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-203	04/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.26	< 0.5	--
MW-203	07/27/04	0.013	< 0.001	0.0069	< 0.001	2.6	0.45	< 0.5	--
MW-203	10/19/04	0.013	< 0.001	0.015	0.0025	1.6	< 0.25	< 0.5	--
MW-203	10/19/04	0.017	< 0.001	0.012	0.0018	1.4	< 0.25	< 0.5	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-203	01/25/05	0.0063	< 0.001	0.011	0.0013	1.6	0.52	0.68	--
MW-203	04/19/05	0.0068	< 0.001	0.0018	< 0.001	0.63	< 0.25	0.55	--
MW-203	07/13/05	0.01	< 0.001	0.0077	< 0.001	0.89	< 0.25	< 0.5	--
MW-203	10/20/05	0.023	0.002	0.021	0.0026	4.2	2.1	1.1	--
MW-203	01/23/06	0.00186	< 0.0005	0.00182	0.00125	0.76	0.565	< 0.943	--
MW-203	04/26/16	0.00694	0.00076	0.00079	<0.003	1.38	0.66	0.625	--
MW-203	10/13/16	0.023	0.00553	0.00448	0.00652	6.22	7.39	1.34	--
MW-203	04/27/17	0.00502	<0.0005	0.00053	<0.003	1.24	0.507	0.515	--
MW-203	05/20/08	--	--	--	--	0.6	0.32	< 0.5	--
MW-203	11/18/08	--	--	--	--	0.17	< 0.25	< 0.5	--
MW-203	04/08/09	--	--	--	--	< 0.1	0.12	0.11	--
MW-203	11/17/09	--	--	--	--	< 0.1	< 0.1	< 0.1	--
MW-203	04/26/10	--	--	--	--	0.16	0.18	< 0.1	--
MW-203	10/25/10	--	--	--	--	0.92	0.36	< 0.1	--
MW-203	05/23/11	--	--	--	--	0.333	0.0854	0.314	--
MW-203	10/26/11	--	--	--	--	1.38	0.262	0.118	--
MW-203	06/13/12	--	--	--	--	0.459	0.134	0.332	--
MW-203	11/27/12	--	--	--	--	1.05	0.0943 J	< 0.10	--
MW-203	05/15/13	--	--	--	--	0.144 J	< 0.048	< 0.096	--
MW-203	11/06/13	--	--	--	--	0.68	< 0.047	< 0.094	--
MW-203	04/22/14	--	--	--	--	0.164	0.210 J	0.732 J	--
MW-203	11/06/14	--	--	--	--	0.102	0.0933 J	0.168 J	--
MW-203	05/19/15	--	--	--	--	0.285	0.166	0.170 J	--
MW-203	12/09/15	--	--	--	--	< 0.100	0.319	< 0.394	--
MW-203	05/04/16	--	--	--	--	0.575	0.161	0.133 J	--
MW-203	5/5/2016 DUP	--	--	--	--	0.534	0.151	0.134 J	--
MW-203	12/13/16	--	--	--	--	0.203	0.234	0.125 J	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-203	06/14/17	--	--	--	--	0.0898 J	0.212 J	0.172 J	--
MW-203	12/08/17	--	--	--	--	1.56	0.323	< 0.122	--
MW-203	06/14/18	--	--	--	--	0.156	0.152 J	0.167 J	--
MW-203	12/20/18	--	--	--	--	0.107 J	0.806	0.944	--
MW-203	05/16/19	--	--	--	--	0.471	0.185 J	0.159 J	--
MW-203	12/10/19	--	--	--	--	1.74	0.495	0.189 J	--
MW-203	06/29/20	--	--	--	--	0.256	0.209 J	0.181 J	--
MW-203	12/15/20	--	--	--	--	0.282	<0.229	0.930	--
MW-203	06/15/21	--	--	--	--	<0.150	<0.246	0.267 J	--
MW-203	12/16/21	--	--	--	--	0.129 J	0.138 J	0.273 J	--
MW-203	06/28/22	--	--	--	--	0.0343 J	0.645	1.56	--
MW-203	12/14/22	--	--	--	--	0.227	0.993	0.35 J	--
MW-203	06/12/23	--	--	--	--	0.944	2.91	0.383	--
MW-203	12/20/23	--	--	--	--	<0.100	0.0750 J	0.226 J	--
MW-204	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.6	< 0.5	--
MW-204	01/26/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	6.2	< 1	--
MW-204	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.5	0.79	--
MW-204	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.076	1.1	0.59	--
MW-204	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	0.082	0.45	< 0.5	--
MW-204	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	5.53	< 0.952	--
MW-204	04/25/06	<0.0005	<0.0005	<0.0005	<0.003	0.0755	2.51	1.11	--
MW-204	10/12/06	<0.0005	<0.0005	<0.0005	<0.003	0.0634	0.896	0.519	--
MW-204	04/26/07	<0.0005	<0.0005	<0.0005	<0.003	0.0855	1.81	0.749	--
MW-204	10/30/07	--	--	--	--	< 0.05	--	--	--
MW-204	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	0.13	1	< 0.5	--
MW-204	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	3.5	0.16	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-204	10/27/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.29	< 0.1	--
MW-204	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.066	0.599	< 0.20	--
MW-204	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.975	< 0.10	--
MW-204	11/06/13	0.00057 J	< 0.00020	< 0.00020	< 0.00046	0.0762 J	0.28	0.0976 J	--
MW-204	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.505	0.321	--
MW-204	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.579	< 0.388	--
MW-204	12/13/16	0.000187 J	< 0.000312	0.000555 J	< 0.000442	< 0.0178	0.507	0.215	--
MW-204	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.786	0.232 J	--
MW-204	12/19/18	0.000204 J	< 0.000312	< 0.000198	< 0.000442	0.138 J	0.599	0.729	--
MW-204	12/10/19	0.00105	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.238 J	0.128 J	--
MW-204	12/16/20	0.0003 J	0.000245 J-	< 0.00020 J	< 0.0005 J	< 0.250	0.303	0.405	--
MW-204	12/16/21	0.000342 J	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.379	0.413	--
MW-204	12/12/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.351	0.458	--
MW-204	12/18/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.364	0.601	--
MW-206A	01/22/04	< 0.001	< 0.001	< 0.001	0.004	< 0.25	< 0.25	< 0.5	--
MW-206A	04/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-206A	07/27/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	1.8	0.78	--
MW-206A	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2	1.1	--
MW-206A	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.1	2.2	--
MW-206A	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.3	1.5	--
MW-206A	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.2	1.9	--
MW-206A	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	2.1	7.9	--
MW-206A	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	4.41	2.54	--
MW-206A	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	2.1	1.7	--
MW-206A	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.1	< 0.1	--
MW-206A	10/25/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	0.18	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-206A	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.141	< 0.20	--
MW-206A	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.116	0.111 J	--
MW-206A	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.047	< 0.094	--
MW-206A	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.236	0.392	--
MW-206A	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.242	< 0.403	--
MW-206A	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.18	0.135 J	--
MW-206A	12/08/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.258	0.239 J	--
MW-206A	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	2.25	3.96	--
MW-206A	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.591	0.396	--
MW-206A	12/16/20	< 0.00020	< 0.0002	< 0.00020	< 0.0005	< 0.250	< 0.236	< 0.394	--
MW-206A	12/16/21	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.150 J	0.215 J	--
MW-206A	12/12/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.264	0.575	--
MW-206A	12/18/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.246	0.783	--
MW-213	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	04/20/04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-213	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-213	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-213	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.34	< 0.5	--
MW-213	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	0.653	< 0.495	--
MW-213	10/30/07	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--	--
MW-213	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-213	04/07/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-213	04/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	05/24/11	<0.0003	<0.0005	<0.0003	<0.0007	< 0.050	< 0.049	< 0.098	--
MW-213	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	< 0.11	< 0.21	--
MW-213	06/12/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-213	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-213	05/15/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.096	--
MW-213	11/05/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0625 J	< 0.095	--
MW-213	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0586	< 0.094	--
MW-213	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0782 J	< 0.094	--
MW-213	05/19/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.102	< 0.10	--
MW-213	12/09/15	< 0.00020	<0.0010	<0.0010	<0.0030	<0.100	< 0.235	< 0.392	--
MW-213	05/03/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.100	0.0415 J	< 0.0593	--
MW-213	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.100	0.115 J	< 0.0622	--
MW-213	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.128 J	< 0.123	--
MW-213	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.158 J	< 0.121	--
MW-213	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.111	< 0.121	--
MW-213	12/19/18	< 0.0000930	0.000320 J	< 0.000198	< 0.000442	0.0717 J	0.434	0.411	--
MW-213	05/16/19	< 0.000200	0.000349 J	< 0.000190	< 0.000580	0.0912	0.153 J	< 0.123	--
MW-213	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.147 J	< 0.117	--
MW-213	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-213	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.233	<0.388	--
MW-213	06/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.235	<0.392	--
MW-213	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.158 J	0.199 J	--
MW-213	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.163 J	<0.475	--
MW-213	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.27	0.268 J	--
MW-213	06/12/23	<0.000400	<0.00100	<0.00100	<0.00300	0.0426 J	<0.224	<0.373	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-213	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.271	0.396	--
MW-214	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-214	04/20/04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-214	07/28/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	< 0.25	< 0.5	--
MW-214	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-214	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.36	< 0.5	--
MW-214	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.3	< 0.5	--
MW-214	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.29	< 0.5	--
MW-214	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.33	< 0.5	--
MW-214	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	0.91	< 0.476	--
MW-214	10/30/07	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--	--
MW-214	05/05/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	0.91	< 0.5	--
MW-214	07/10/08	--	--	--	--	--	< 0.5	< 1	--
MW-214	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	0.8	< 0.5	--
MW-214	04/07/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	--
MW-214	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.11	< 0.1	--
MW-214	04/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.19	< 0.1	--
MW-214	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-214	05/24/11	<0.0003	<0.0005	<0.0003	<0.0007	<0.050	0.127	<0.097	--
MW-214	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.126	< 0.21	--
MW-214	06/12/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	0.135 J	--
MW-214	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
MW-214	05/15/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0857 J	< 0.096	--
MW-214	11/05/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0552 J	< 0.094	--
MW-214	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.118	< 0.094	--
MW-214	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.168	0.103	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-214	05/19/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.106	< 0.094	--
MW-214	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.248	< 0.392	--
MW-214	05/03/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.100	0.123	< 0.0594	--
MW-214	12/14/16	< 0.0000930	< 0.000312	0.000275 J	< 0.000442	0.0226 J	0.13	< 0.0600	--
MW-214	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.214 J	< 0.121	--
MW-214	12/07/17	< 0.0000930 J	< 0.000312 J	< 0.000198 J	< 0.000442 J	< 0.0704 J	0.305	< 0.128	--
MW-214	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.170 J	< 0.120	--
MW-214	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.547	0.415	--
MW-214	05/16/19	< 0.000200	0.000303 J	< 0.000190	< 0.000580	< 0.0550	0.213 J	< 0.122	--
MW-214	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.239 J	< 0.121	--
MW-214	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-214	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.218	<0.363	--
MW-214	06/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.122 J	<0.395	--
MW-214	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.172 J	0.129 J	--
MW-214	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.181 J	0.135 J	--
MW-214	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.367	0.275 J	--
MW-214	06/12/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.233	<0.389	--
MW-214	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.293	0.398	--
MW-301	03/02/12	0.24	0.0138	0.0099	0.0212	3.37	--	--	--
MW-301	09/25/12	0.333	0.0131	0.0186	0.0192	4.02	--	--	--
MW-301	11/28/12	0.241	0.0099	0.0125	0.0106	2.76	--	--	--
MW-301	02/21/13	0.659	0.0175	0.0264	0.0173 J	3.98	0.315	< 0.10	--
MW-301	05/15/13	0.357	0.0122	0.0231	0.0145	3.63	--	--	--
MW-301	11/04/13	0.16	0.0097	0.0164	0.0109	2.29	--	--	--
MW-301	04/23/14	0.252	0.0072	0.0135	0.0075	3.57	--	--	--
MW-301	07/24/14	0.314	0.008	0.0143	0.0096	3.7	0.361	< 0.094	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-301	11/03/14	0.108	0.0043 J	0.0046 J	0.0051 J	1.76	--	--	--
MW-301	03/09/15	0.222	0.0067	0.0065	0.0062 J	2.27	--	--	--
MW-301	05/21/15	0.194	0.0069	0.01	0.0060 J	2.24	--	--	--
MW-301	07/28/15	0.116	0.0036	0.0037	0.0019 J	2.09	--	--	--
MW-301	12/10/15	0.0437	0.00351	0.00104	0.00551	1.34	--	--	--
MW-301	02/22/16	0.28	0.00881	0.0104	0.00746	3.65	--	--	--
MW-301	05/02/16	0.17	0.00834	0.0138	0.00663	3.32	--	--	--
MW-301	08/29/16	0.0647	0.00551	0.0103	0.0064	2.9	--	--	--
MW-301	12/12/16	0.251	0.00745	0.0173	0.00633	3	--	--	--
MW-301	03/13/17	0.206	0.00771	0.0117	0.00585	3.02	--	--	--
MW-301	06/13/17	0.111	0.00659 J	0.0128	0.00713 J	2.5	--	--	--
MW-301	08/22/17	0.0652	0.00472	0.0108	0.00366	1.93	--	--	--
MW-301	12/05/17	0.0222	0.00228	0.00217	0.00272 J	1.67	--	--	--
MW-301	03/06/18	0.207	0.00303	0.00542	0.00248 J	1.32	--	--	--
MW-301	06/13/18	0.0132	0.00108	0.00239	0.000821 J	1.27	--	--	--
MW-301	09/06/18	0.00368	0.000585 J	0.000352 J	0.000489 J	1.45	--	--	--
MW-301	12/20/18	0.0175	0.000688 J	0.00259	0.000536 J	0.445	--	--	--
MW-301	03/19/19	0.0999	0.00182	0.00923	0.00182 J	1.34	--	--	--
MW-301	05/16/19	0.00684	< 0.000170	0.000357 J	< 0.000580	0.483	--	--	--
MW-301	09/19/19	0.0000937 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-301	12/11/19	0.000093	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-301	04/28/20	0.0399	0.00115	0.00676	0.000676 J	0.368	--	--	--
MW-301	06/29/20	0.0163	< 0.000312	0.00205	< 0.000442	0.114 J	--	--	--
MW-301	09/21/20	0.00732	<0.001	0.00127	0.000442 J	0.167	--	--	--
MW-301	12/15/20	0.0416	0.00146	0.0109	0.00117	0.441	--	--	--
MW-301	04/13/21	0.0238	0.00105	0.00767	0.000879	1.69	--	--	--
MW-301	06/15/21	0.0168	0.00103	0.00822	0.00101 J	0.439	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-301	09/22/21	0.00333	<0.00100	0.00200	0.000535 J	0.226	--	--	--
MW-301	12/16/21	0.0185	0.000723 J	0.00439	0.000768 J	0.471	--	--	--
MW-301	03/29/22	0.0308	0.000663 J	0.00248	0.00113 J	0.572	--	--	--
MW-301	06/28/22	0.0215	0.000854 J	0.00316	0.000735 J	0.478	--	--	--
MW-301	09/21/22	0.00932	0.000952 J	0.00172	0.000953 J	0.245	--	--	--
MW-301	12/13/22	0.0242	0.00151	0.000703 J	0.00148 J	--	--	--	--
MW-301	03/28/23	0.0782	0.00502	0.0129	0.00396	0.952	--	--	--
MW-301	06/14/23	0.11	0.00408	0.00609	0.00315	0.794	--	--	--
MW-301	09/11/23	0.0704	0.00526	0.000846 J	0.00300	0.59	--	--	--
MW-301	12/20/23	0.0289	0.00480	0.00380	0.00384	0.804	--	--	--
MW-301	03/12/24	0.0193	0.00346	0.00339	0.00351	1.02	--	--	--
MW-302	03/01/12	0.831	0.0275	0.213	0.248	5.33	--	--	--
MW-302	06/12/12	0.574	0.0156	0.0183	0.0244	4.18	--	--	--
MW-302	06/28/12	1.23	0.0437	0.403	0.289	5.65	--	--	--
MW-302	09/25/12	0.657	0.0247	0.18	0.106	4.07	--	--	--
MW-302	11/25/12	0.449	0.0152	0.191	0.177	4.58	--	--	--
MW-302	02/22/13	0.393	0.0149	0.124	0.116	4.15	0.435	< 0.10	--
MW-302	05/14/13	0.873	0.0231	0.236	0.145	4.19	--	--	--
MW-302	09/05/13	0.783	0.0189	0.162	0.0746	3.7	--	--	--
MW-302	11/05/13	0.607	0.0112	0.0977	0.0529	2.69	--	--	--
MW-302	01/16/14	0.404	0.0161	0.0843	0.0504	3.54	--	--	--
MW-302	04/23/14	0.98	0.0269	0.276	0.232	5.86	--	--	--
MW-302	07/24/14	0.656	0.0206	0.178	0.131	4.66	0.363	< 0.094	--
MW-302	11/03/14	0.506	0.0159	0.221	0.176	4.06	0.361	< 0.094	--
MW-302	05/21/15	0.454	0.0161	0.174	0.15	3.44	--	--	< 0.010
MW-302	12/10/15	0.372	0.00853	0.0139	0.0176	2.16	1	< 0.391	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-302	05/04/16	0.595	0.0145	0.27	0.153	3.75	--	--	--
MW-302	12/15/16	0.759	0.0263	0.453	0.117	5.08	1.73	< 0.0630	--
MW-302	06/13/17	0.487	0.0146 J	0.215	0.0524 J	1.98	--	--	--
MW-302	08/23/17	0.047	0.00305	0.00823	0.00647	0.709	--	--	--
MW-302	12/05/17	0.0414	0.00196	0.00271	0.003	1.79	9.96	0.209 J	--
MW-302	03/07/18	0.0707	0.00314	0.043	0.00763	1.61	--	--	--
MW-302	06/13/18	0.0591	0.00363	0.0481	0.0227	1	--	--	--
MW-302	09/06/18	0.0312	0.00138	0.0242	0.00479	0.526	--	--	--
MW-302	12/20/18	0.00121	< 0.000312	0.00431	0.000625 J	0.232	2.5	0.386	--
MW-302	03/19/19	0.0133	0.000823 J	0.0122	0.00433	1.84 J	--	--	--
MW-302	05/16/19	0.0035	0.000363 J	0.00678	0.00177 J	0.578	--	--	--
MW-302	09/19/19	0.0174	0.00115	0.0217	0.00428	0.662	--	--	--
MW-302	12/11/19	0.0132	0.000741 J	0.00976	0.00222 J	0.297	3.69	0.179 J	--
MW-302	04/28/20	0.027	0.00181	0.0397	0.00698	1.23	--	--	--
MW-302	06/30/20	0.0219	0.00152	0.0368	0.00590 J	1.23	--	--	--
MW-302	09/21/20	0.00148	<0.001	0.00888	0.00108 J	0.205	--	--	--
MW-302	12/15/20	0.0404 J	0.00282 J-	0.0684 J	0.0117 J-	1.84	10.80	0.529	--
MW-302	04/13/21	0.00616 J-	0.000526 J	0.0178 J-	0.00419 J-	1.85	--	--	--
MW-302	06/15/21	0.0203	0.00193	0.0614	0.0101	0.886	--	--	--
MW-302	09/23/21	0.0184	0.00373	0.0585	0.00883	0.637	--	--	--
MW-302	12/16/21	0.00644	0.000755 J	0.0211	0.00374	1.19	6.39	0.622	--
MW-302	03/28/22	0.00516	0.000712 J	0.0122	0.00292 J	1.18	--	--	--
MW-302	06/28/22	0.00282	0.000505 J	0.0214	0.00456	0.414	--	--	--
MW-302	09/21/22	0.00527	0.00190	0.0296	0.00693	0.54	--	--	--
MW-302	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	0.198	0.387	0.145 J	--
MW-302	03/27/23	0.00557	<0.00100	<0.00100	0.00369	0.508	--	--	--
MW-302	06/13/23	0.0298	0.00162	0.00816	0.00170 J	0.554	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-302	09/12/23	0.0373	0.00480	<0.00100	0.00694	1.26	--	--	--
MW-302	12/20/23	0.00329	0.000795 J	<0.00100	0.00154 J	0.680	2.9	0.878	--
MW-302	03/11/24	0.00668	<0.00100	<0.00100	<0.00200	0.297	--	--	--
MW-303	03/02/12	3.13	0.0759	0.76	0.232	12.3	--	--	--
MW-303	06/13/12	2.9	0.0957	0.884	0.268	12.5	--	--	--
MW-303	09/25/12	1.83	0.0635	0.474	0.146	9.14	--	--	--
MW-303	11/28/12	1.94	0.0873	1.18	0.319	12.6	--	--	--
MW-303	02/21/13	2.34	0.0955	1.29	0.338	12.8	0.674	< 0.10	--
MW-303	05/15/13	1.9	0.0864	0.983	0.272	10.6	--	--	--
MW-303	11/04/13	0.884	0.0278	0.219	0.0544	6.11	--	--	--
MW-303	04/23/14	1.58	0.071	1.114	0.224	11.8	--	--	--
MW-303	07/24/14	0.808	0.0471	0.653	0.161	9.76	0.622	< 0.094	--
MW-303	11/04/14	1.42	0.0618	0.924	0.18	11.5	1	1.15	--
MW-303	05/20/15	0.669	0.0432	0.713	0.157	7.9	--	--	--
MW-303	12/08/15	1.19	0.071	1.33	< 0.300	7.6	2.45	< 0.398	--
MW-303	05/04/16	0.704	0.0625	1.82	0.287	8.6	--	--	--
MW-303	12/12/16	0.831	0.0482	1.45	0.176	8.31	2.52	< 0.0602	--
MW-303	06/13/17	0.353	0.0408	1.54	0.19	5.69	--	--	--
MW-303	12/05/17	0.104	0.0116 J	0.3	0.0400 J	4.29	7.49	< 0.125	--
MW-303	03/06/18	0.039	0.0154	0.147 J	0.0352	2.5	--	--	--
MW-303	06/13/18	0.157	0.0151 J	0.39	0.0317 J	2.94 J	--	--	--
MW-303	09/06/18	0.000729	< 0.000312	0.00117	< 0.000442	< 0.0704	--	--	--
MW-303	12/20/18	0.000581	0.000342 J	0.00136	0.00088 J	0.382	8.25	0.505	--
MW-303	03/19/19	0.0346	0.00611	0.194	0.0111	2.48	--	--	--
MW-303	05/16/19	0.0173	0.0017	0.0869	0.00541	1.33	--	--	--
MW-303	09/19/19	0.00776	0.00207	0.0717	0.00326	0.785	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-303	12/11/19	0.00114	0.000373 J	0.0404	0.00134 J	0.371	2.73	0.281 J	--
MW-303	04/28/20	0.00258	< 0.000312	0.00511	0.00705	2.46	--	--	--
MW-303	06/30/20	0.0152	0.000897 J	0.0386	0.00696	2.64	--	--	--
MW-303	09/22/20	0.02	0.00254	0.153	0.00623	1.86	--	--	--
MW-303	12/15/20	0.0150 J-	0.00412 J-	0.119 J-	0.0146 J-	3.34	5.28	<0.389	--
MW-303	04/13/21	0.0135 J-	0.00170 J-	0.0371 J-	0.0104 J-	4.07	--	--	--
MW-303	06/15/21	0.0258	0.00343	0.133	0.00867	1.94	--	--	--
MW-303	09/22/21	0.252	0.00724	0.344	0.0194	2.29	--	--	--
MW-303	12/15/21	0.0248	0.000620 J	0.0142	0.00435	2.39	6.51	0.385 J	--
MW-303	03/28/22	0.0270	0.00196	0.0638	0.00892	2.63	--	--	--
MW-303	06/28/22	0.107	0.00303	0.0272	0.00922	2.25	--	--	--
MW-303	09/21/22	0.216	0.00710	0.0558	0.0121	1.99	--	--	--
MW-303	12/13/22	0.139	0.00483	0.0580	0.00982	1.18	3.73	0.321 J	--
MW-303	03/28/23	0.0282	0.00281	0.14	0.0122	1.14	--	--	--
MW-303	06/14/23	0.0999	0.00403	0.0399	0.00813	1.26	--	--	--
MW-303	09/11/23	0.366	0.0119	0.0674	0.0179	2.22	--	--	--
MW-303	12/20/23	0.0271	0.00114	0.0133	0.00344	0.924	3.47	0.6	--
MW-303	03/12/24	0.0137	0.00125	0.0298	0.00490	1.33	--	--	--
MW-304	03/01/12	0.686	0.0351	0.214	0.264	5.64	--	--	--
MW-304	06/12/12	1.04	0.0408	0.27	0.218	5.98	--	--	--
MW-304	09/25/12	0.63	0.024	0.198	0.105	3.93	--	--	--
MW-304	11/28/12	0.411	0.0244	0.306	0.252	5.89	--	--	--
MW-304	02/22/13	0.507	0.0225	0.208	0.149	5.56	0.762	0.186 J	--
MW-304	05/14/13	0.645	0.0283	0.209	0.144	4.73	--	--	--
MW-304	09/05/13	0.862	0.0188	0.0849	0.0616	3.09	--	--	--
MW-304	11/05/13	0.695	0.0163	0.0629	0.054	2.67	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-304	01/16/14	0.79	0.0194	0.0472	0.0571	4.89	--	--	--
MW-304	04/23/14	0.778	0.0248	0.185	0.147	5.93	--	--	--
MW-304	07/24/14	0.437	0.0173	0.109	0.0666	3.59	0.557	< 0.094	--
MW-304	11/03/14	1.11	0.0421	0.48	0.214	3.32	0.366	< 0.094	--
MW-304	05/20/15	0.486	0.0136	0.115	0.0373	3.3	--	--	< 0.010
MW-304	12/10/15	0.775	0.0312	0.336	0.114	4.37	1.55	< 0.387	--
MW-304	05/04/16	0.527	0.0187	0.355	0.0559	4.05	--	--	--
MW-304	12/15/16	0.749	0.0271	0.586	0.0664	5.75	1.78	0.0686 J	--
MW-304	06/13/17	0.209	0.0113	0.413	0.0246 J	2.2	--	--	--
MW-304	08/23/17	0.021	0.00437	0.0124	0.00494	0.566	--	--	--
MW-304	12/05/17	0.000217 J	< 0.000312	< 0.000494 J	0.00118 J	0.291	3.2	< 0.122	--
MW-304	03/06/18	0.000493	< 0.000312	0.000337 J	< 0.000442	0.562	--	--	--
MW-304	06/13/18	0.00107	< 0.000312	0.00561	0.00104 J	0.425	--	--	--
MW-304	09/06/18	0.000535	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-304	12/20/18	< 0.000093	< 0.000312	< 0.000198	< 0.000442	< 0.0704	1.5	0.219 J	--
MW-304	03/19/19	0.000448	< 0.000312	0.000514 J	< 0.000442	0.105 J	--	--	--
MW-304	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	< 0.055	--	--	--
MW-304	09/19/19	0.000242 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-304	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.188 J	0.120 U	--
MW-304	04/28/20	0.00171	< 0.000312	0.000281 J	< 0.000442	0.113 J	--	--	--
MW-304	06/30/20	0.0399	0.000627 J	0.000544 J	< 0.000442	0.131 J	--	--	--
MW-304	09/21/20	0.0623	0.000391 J	0.00109	0.000491 J	0.191	--	--	--
MW-304	12/15/20	0.0363	0.000932	0.00188	0.000883	0.26	4.22	<0.393	--
MW-304	04/13/21	0.00194	<0.000200	0.00107 J+	<0.000500	0.307	--	--	--
MW-304	06/15/21	0.0263	<0.00100	0.000697 J	<0.00300	0.230	--	--	--
MW-304	09/22/21	0.0389	<0.00100	0.000696 J	<0.00300	0.225	--	--	--
MW-304	12/16/21	0.00339	<0.00100	0.00132	0.000646 J	0.406	1.86	0.292 J	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-304	03/28/22	0.0276	0.000750 J	0.00125	0.000843 J	0.624	--	--	--
MW-304	06/28/22	0.0169	0.000903 J	0.00318	0.00112 J	0.549	--	--	--
MW-304	09/20/22	0.133	0.000434 J	0.00181	0.00134 J	0.594	--	--	--
MW-304	12/13/22	0.00466	<0.00100	0.000588 J	0.000748 J	0.364	2.15	0.674	--
MW-304	03/27/23	0.0692	0.00300	0.000721 J	0.00585	0.609	--	--	--
MW-304	06/14/23	0.116	0.00502	0.000506 J	0.00815	0.734	--	--	--
MW-304	09/11/23	0.0911	0.00648	0.00167	0.0147	0.938	--	--	--
MW-304	12/20/23	0.0249	0.00186	<0.00100	0.00558	0.613	2.23	0.692	--
MW-304	03/12/24	0.0127	<0.00100	<0.00100	0.00255	0.574	--	--	--
MW-305	03/01/12	1.14	0.0227	0.0389	0.0375 J	5.84	--	--	--
MW-305	06/11/12	1.34	0.0221	0.0517	0.0331 J	5.97	--	--	--
MW-305	09/26/12	1.27	0.0229	0.0388	0.0355 J	5.89	--	--	--
MW-305	11/28/12	0.286	0.0061	0.0032 J	0.014	1.53	--	--	--
MW-305	05/15/13	0.397	0.0263	0.29	0.0867	6.28	--	--	--
MW-305	11/07/13	0.0844	0.025	0.216	0.0919	3.59	--	--	--
MW-305	04/23/14	0.0884	0.0139	0.0941	0.0454	2.82	--	--	--
MW-305	11/06/14	0.0419	0.0052	0.002	0.0306	1.16	--	--	--
MW-305	05/21/15	0.12	0.0101	0.191	0.108	2.81	--	--	--
MW-306	03/01/12	0.606	0.015	0.0353	0.718	4.74	--	--	--
MW-306	06/11/12	0.393	0.0115	0.0509	0.763	5.09	--	--	--
MW-306	09/26/12	1.05	0.0261	0.135	0.147	6.56	--	--	--
MW-306	11/28/12	0.393	0.0125	0.0183	0.0895	3.06	--	--	--
MW-306	05/15/13	0.746	0.0472	0.837	3.7	18.5	--	--	--
MW-306	11/07/13	0.101	0.0502	0.482	2.65	12.8	--	--	--
MW-306	04/23/14	0.0762	0.0345	0.325	1.97	11	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-306	11/06/14	0.119	0.0226	0.302 J	0.939 J	5.59	--	--	--
MW-306	05/21/15	0.106	0.0354 J	0.874	5.15	20.6	--	--	--
MW-307	11/26/12	2.15	0.0858	0.833	0.513	10.9	--	--	--
MW-307	02/22/13	0.497	0.0358	0.226	0.145	6.02	0.604	< 0.094	--
MW-307	05/15/13	0.437	0.0461	0.167	0.12	4.56	--	--	--
MW-307	09/05/13	0.643	0.0645	0.154	0.131	5.3	--	--	--
MW-307	11/06/13	0.568	0.0448 J	0.104	0.0912	4.39	--	--	--
MW-307	04/22/14	0.52	0.0408	0.241	0.152	5.68	--	--	--
MW-307	11/04/14	0.596	0.039	0.176	0.095	5.16	0.632	< 0.095	--
MW-307	03/09/15	0.444	0.0358	0.271	0.104	5.41	--	--	--
MW-307	05/19/15	0.306	0.0273	0.14	0.0673	3.44	0.479	< 0.096	--
MW-307	07/29/15	0.298	0.0245	0.109	0.0434	4.09	--	--	--
MW-307	12/09/15	0.699	0.0585	0.334	0.131	5.03	1.63	< 0.392	--
MW-307	02/23/16	0.498	0.0417	0.578	0.110 J	4.98	--	--	--
MW-307	05/03/16	0.469	0.0338	0.456	0.0981	5.04	1.55	< 0.0597	--
MW-307	08/30/16	0.261	0.0299	0.222	0.195	5.13	--	--	--
MW-307	12/13/16	0.275	0.0255	0.302	0.102	4.02	1.34	0.0812 J	--
MW-307	03/14/17	0.418	0.0311	0.54	0.136	6.33	--	--	--
MW-307	06/15/17	0.166	0.0242	0.283	0.194 J	4.18	1.32	< 0.121	--
MW-307	08/23/17	0.102 J	0.0162	0.095	0.0912	3.22	1.33	< 0.126	--
MW-307	12/06/17	0.0501	0.00663	0.0479	0.0134	0.977	1.04	< 0.128	--
MW-307	03/08/18	0.15	0.0158	0.134	0.0255	2.09	--	--	--
MW-307	06/14/18	0.243	0.0256	0.315	0.0329	2.71	1.45	< 0.120	--
MW-307	09/05/18	0.0507	0.00339	0.016	0.00343	1.45	--	--	--
MW-307	12/19/18	0.027	0.000413 J	0.0119	0.00153 J	1.17	1.79	0.396 J	--
MW-307	03/18/19	0.0587	0.00269	0.05	0.00393	0.965	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-307	05/16/19	0.0324	0.00693	0.026	0.0113	2.47	2.74	0.265 J	--
MW-307	09/19/19	0.0126	< 0.000312	0.00135	< 0.000442	0.444	--	--	--
MW-307	12/10/19	0.00497	< 0.000312	0.000291 J	< 0.000442	0.28	0.66	< 0.118	--
MW-307	04/27/20	0.0974	0.00608	0.159	0.0267	1.45	--	--	--
MW-307	06/29/20	0.0946	0.00479	0.0909	0.0164	1.18	7.11	0.273 J	--
MW-307	09/21/20	0.21	0.0102	0.156	0.0516	2.01	--	--	--
MW-307	12/16/20	0.106 J-	0.0072 J-	0.0622 J	0.0336 J-	1.52	7.75	<0.379	--
MW-307	04/12/21	0.133 J	0.0228 J-	0.0930 J	0.0950 J	4.06 J+	--	--	--
MW-307	06/14/21	0.230	0.0180	0.282	0.0885	2.02	6.68	0.422	--
MW-307	09/22/21	0.135	0.0145	0.109	0.0717	1.83	--	--	--
MW-307	12/14/21	0.0426	0.00493	0.0921	0.0402	2.39	4.92	0.492	--
MW-307	03/28/22	0.0982	0.0223	0.147	0.0988	3.69	--	--	--
MW-307	06/29/22	0.149	0.0318	0.176	0.158 J	2.87	4.02	0.33 J	--
MW-307	09/20/22	0.16	0.0199	0.117	0.108	2.49	--	--	--
MW-307	12/12/22	0.0820	0.0190	0.0740	0.0793	2.00	5.93	0.699	--
MW-307	03/27/23	0.0698	0.00305	0.000735 J	0.00571	0.569	--	--	--
MW-307	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.247	<0.412	--
MW-307	09/11/23	0.0545	0.0216	0.0856	0.0928	2.87	--	--	--
MW-307	12/19/23	0.0303	0.0101	0.0260	0.0431	2.00	6.73	0.923	--
MW-307	03/11/24	0.0183	0.00743	0.0267	0.0276	1.09	--	--	--
MW-308	11/26/12	0.144	0.0010 J	0.0072	0.0013 J	0.778	--	--	--
MW-308	02/22/13	0.668	0.0078 J	0.0443	0.0059 J	3.48	0.354	< 0.10	--
MW-308	05/15/13	0.392	0.0052 J	0.0427	< 0.0046	2.54	--	--	--
MW-308	11/06/13	0.237	0.0033 J	0.0056	0.0026 J	1.65	--	--	--
MW-308	04/22/14	0.0165	< 0.00020	0.00036 J	< 0.00046	0.146	--	--	--
MW-308	11/04/14	0.132	0.0012	0.0044	0.00058	0.782	< 0.048	< 0.095	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-308	03/09/15	0.121 J	0.002	0.00064 J	0.0013 J	1.1	--	--	--
MW-308	05/19/15	0.213	0.0013 J	< 0.00050	< 0.0012	0.973	--	--	--
MW-308	07/29/15	0.242	0.0017 J	0.0014 J	< 0.0012	1.77	--	--	--
MW-308	12/09/15	0.146	0.00361	0.0284	0.00527	1.19	--	--	--
MW-308	02/23/16	0.00711	< 0.000038	0.000101 J	< 0.0000160	0.0619	--	--	--
MW-308	05/03/16	0.281	0.000903 J	0.00376	0.000680 J	1.41	--	--	--
MW-308	08/30/16	0.196	< 0.00312	< 0.00198	< 0.00162	1.48	--	--	--
MW-308	12/13/16	0.0309	< 0.000312	0.000529 J	< 0.000442	0.207	--	--	--
MW-308	03/14/17	0.000861	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	06/15/17	0.383	0.00147	0.00107	0.000477 J	1.28	--	--	--
MW-308	08/23/17	0.234	< 0.00312	< 0.00198	< 0.00442	0.812 J	--	--	--
MW-308	12/06/17	0.085	< 0.000312	0.000717 J	< 0.000442	0.245	--	--	--
MW-308	03/08/18	0.252	0.000314 J	< 0.000198	< 0.000442	0.55	--	--	--
MW-308	06/14/18	0.238	0.000765 J	0.00226	< 0.000442	0.487	--	--	--
MW-308	09/05/18	0.00741	< 0.000312	< 0.000198	< 0.000442	0.118 J	--	--	--
MW-308	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	03/18/19	0.000815	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	05/16/19	0.00703	< 0.000170	< 0.000190	< 0.000580	0.397	--	--	--
MW-308	09/19/19	0.0096	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	12/09/19	0.000322 J	< 0.000312	< 0.000198	< 0.000442	0.118 J	--	--	--
MW-308	04/27/20	0.00314	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	06/29/20	0.00406	< 0.000312	0.000292 J	< 0.000442	0.140 J	--	--	--
MW-308	09/21/20	0.0175	0.00145	<0.001	<0.003	0.185	--	--	--
MW-308	12/16/20	0.0730 J	0.0954 J	0.026 J	0.0417 J	0.30	--	--	--
MW-308	04/12/21	0.0365 J+	0.000521 J+	0.000515 J+	<0.000500	0.267	--	--	--
MW-308	06/14/21	0.0572	0.00139	0.000975 J	0.00155 J	0.793	--	--	--
MW-308	09/22/21	0.129	0.00408	0.000975 J	0.00257 J	1.25	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-308	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	--	--	--
MW-308	03/28/22	0.00476	<0.00100	0.000244 J	<0.00300	0.106 J	--	--	--
MW-308	06/29/22	<0.000400	<0.00100	0.000281 J	0.000485 J	0.0545 J	--	--	--
MW-308	09/20/22	0.0461	0.00355	0.000888 J	0.00171 J	0.696	--	--	--
MW-308	12/12/22	0.00143	<0.00100	<0.00100	<0.00300	<0.15	--	--	--
MW-308	03/27/23	0.0418	0.00257	0.0254	0.0100	0.854	--	--	--
MW-308	06/13/23	<0.000400	<0.00100	0.000368 J	<0.00300	0.175	--	--	--
MW-308	09/11/23	0.000979 J	0.000845 J	<0.00100	<0.00200	0.154	--	--	--
MW-308	12/19/23	0.00426	<0.00100	<0.00100	<0.00200	<0.100	--	--	--
MW-308	03/11/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	--	--	--
MW-309	11/28/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	02/21/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0790 J	< 0.10	--
MW-309	05/16/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	07/24/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.102	< 0.094	--
MW-309	11/03/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
MW-309	05/20/15	< 0.00020	< 0.00020	0.00027 J	< 0.00046	0.0542 J	--	--	--
MW-309	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.241	< 0.402	--
MW-309	05/04/16	< 0.0000930	< 0.000312	0.000337 J	< 0.000162	< 0.100	--	--	--
MW-309	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.0834 J	< 0.0595	--
MW-309	06/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-309	12/05/17	0.000184 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.0877 J	< 0.128	--
MW-309	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-309	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.220 J	< 0.118	--
MW-309	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.3	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-309	12/11/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	0.0804 J	0.614	<0.120	--
MW-309	06/29/20	< 0.000930	< 0.000312	< 0.000198	< 0.000442	0.123 J	--	--	--
MW-309	12/15/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	0.292	<0.390	--
MW-309	06/15/21	<0.000400	<0.00100	<0.00100	<0.00300	0.150	--	--	--
MW-309	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	0.113 J	0.273	0.140 J	--
MW-309	06/28/22	<0.000400	<0.00100	<0.00100	<0.00300	0.108 J	--	--	--
MW-309	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.249	<0.391	--
MW-309	06/14/23	<0.000400	<0.00100	<0.00100	<0.00300	0.0514 J	--	--	--
MW-309	12/20/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.149	0.144 J	--
MW-310	11/28/12	0.86	0.0265	0.211	0.147	5.74	--	--	--
MW-310	02/21/13	1.8	0.0768	0.506	0.18	8.37	0.603	< 0.10	--
MW-310	05/14/13	0.993	0.0703	0.654	0.175	6.49	--	--	--
MW-310	09/05/13	0.96	0.0598	0.31	0.11	5.51	--	--	--
MW-310	11/05/13	0.772	0.0409	0.226	0.0846	4.92	--	--	--
MW-310	01/16/14	0.821	0.0414	0.189	0.0775	5.94	--	--	< 0.001 ¹
MW-310	04/23/14	0.796	0.0432	0.187	0.0607	5.88	--	--	--
MW-310	07/24/14	0.92	0.0489	0.368	0.0647	6.36	0.605	< 0.094	--
MW-310	11/04/14	0.739	0.0387	0.132	0.0538	5.15	0.613	< 0.094	--
MW-310	03/09/15	0.736	0.0475	0.189	0.0606	4.71	--	--	--
MW-310	05/21/15	0.641	0.0464	0.169	0.0572	4.39	--	--	< 0.010
MW-310	07/28/15	0.714	0.0428	0.181	0.0488	3.72	--	--	--
MW-310	12/10/15	0.405	0.0396	0.0771	0.0564	3.89	2.75	< 0.390	--
MW-310	02/23/16	0.755	0.0436	0.303	0.0615	4.86	--	--	--
MW-310	05/02/16	0.655	0.0349	0.324	0.0721	4.82	--	--	--
MW-310	08/29/16	0.734	0.0608	0.209	0.0885	5.38	--	--	--
MW-310	12/15/16	0.673	0.0504	0.289	0.0747	5.92	1.72	< 0.0624	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-310	03/13/17	0.809	0.0541	0.387	0.0848	5.58	--	--	--
MW-310	06/15/17	0.984	0.0504	0.318	0.0635	4.29	--	--	--
MW-310	08/22/17	0.0562	0.0135	0.0416	0.0297	2.17	--	--	--
MW-310	12/05/17	0.00444	0.000430 J	0.0122	0.0172	0.459	1.66	< 0.122	--
MW-310	03/06/18	0.0293	< 0.000312	0.00108	0.00167 J	0.724	--	--	--
MW-310	06/13/18	0.0448	0.00103	0.0098	0.00308	0.748	--	--	--
MW-310	09/06/18	0.0182	0.000905 J	< 0.000198	0.000637 J	0.284	--	--	--
MW-310	12/20/18	0.00126	< 0.000312	< 0.000198	< 0.000442	0.0782 J	0.652	0.126 J	--
MW-310	03/19/19	0.00127	< 0.000312	0.000226 J	< 0.000442	0.297	--	--	--
MW-310	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.24	--	--	--
MW-310	09/19/19	0.000104 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-310	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0739 J	0.453	< 0.120	--
MW-310	04/28/20	0.00595	< 0.000312	0.000357 J	< 0.000442	0.579	--	--	--
MW-310	06/30/20	0.00523	< 0.000312	0.000481 J	< 0.000442	0.669 J	--	--	--
MW-310	09/21/20	0.00903	<0.001	0.000681 J	<0.003	0.427	--	--	--
MW-310	12/15/20	0.00622	<0.0002	0.00156	<0.0005	0.726	8.62	0.508	--
MW-310	04/12/21	0.0221 J-	0.000414 J	0.00269 J-	0.000570 J-	1.61	--	--	--
MW-310	06/15/21	0.0289	0.000421 J	0.00359	0.00117 J	0.554	--	--	--
MW-310	09/22/21	0.0159	<0.00100	0.00137	<0.00300	0.343	--	--	--
MW-310	12/16/21	0.0166	<0.00100	0.00170	0.000730 J	1.40	6.76	0.667	--
MW-310	03/29/22	0.0313	0.000978 J	0.00948	0.00296 J	1.55	--	--	--
MW-310	06/28/22	0.0392	0.000966 J	0.0179	0.00550	0.924	--	--	--
MW-310	09/20/22	0.0244	0.00129	0.00162	0.00206 J	0.77	--	--	--
MW-310	12/13/22	0.0163	0.00103	0.000555 J	0.00144 J	0.463	4.64	0.743	--
MW-310	03/27/23	0.0369	0.00237	0.0216	0.00890	0.879	--	--	--
MW-310	06/13/23	0.0275	0.00153	0.00761	0.00148 J	0.474	--	--	--
MW-310	09/11/23	0.0163	0.00112	<0.00100	0.00163 J	0.872	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-310	12/19/23	0.0104	0.00150	0.00344	0.00339	0.987	5.56	2.42	--
MW-310	03/12/24	0.0124	0.00183	0.00604	0.00613	0.896	--	--	--
MW-311	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	< 0.010
MW-311	03/09/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	06/11/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	07/28/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	--	--	--
MW-311	02/23/16	< 0.0000320	< 0.0000380	< 0.0000860	< 0.0000160	< 0.0178	--	--	--
MW-311	05/04/16	0.000716	< 0.000312	< 0.000198	< 0.000162	0.0260 J	--	--	--
MW-311	08/29/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.0178	--	--	--
MW-311	12/15/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	--	--	--
MW-311	03/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	06/15/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	08/22/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	03/08/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	06/13/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	09/05/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	03/18/19	0.000107 J	0.000409 J	< 0.000198	< 0.000442	0.3	--	--	--
MW-311	05/16/19	0.000237 J	0.000976 J	< 0.000190	< 0.000580	0.618	--	--	--
MW-311	09/19/19	0.000211 J	< 0.000312	< 0.000198	< 0.000442	0.461	--	--	--
MW-311	12/12/19	< 0.0000930	< 0.000312	0.000290 J	0.000839 J	0.751	--	--	--
MW-311	04/27/20	0.000221 J	0.00104	0.000292 J	0.000654 J	0.919	--	--	--
MW-311	06/30/20	0.000252 J	0.000799 J	0.000361 J	0.000883 J	1.41 J	--	--	--
MW-311	09/22/20	0.000313 J	0.00122	0.000351 J	0.000558 J	0.894	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-311	12/15/20	0.000211	0.000865	0.000386	0.000641	1.66 J+	--	--	--
MW-311	04/13/21	<0.000200	0.00102	0.000247	<0.000500	1.32	--	--	--
MW-311	09/23/21	0.00207	0.00309	0.000899 J	0.000789 J	1.20	--	--	--
MW-311	12/16/21	0.000347 J	0.000923 J	0.000343 J	0.00105 J	1.63	--	--	--
MW-311	03/29/22	0.000243 J	0.000909 J	0.000302 J	0.000828 J	1.66	--	--	--
MW-311	06/28/22	0.00253	0.00349	0.000596 J	0.000644 J	2.05	--	--	--
MW-311	09/20/22	0.00223	0.00339	0.000472 J	0.00113 J	1.57	--	--	--
MW-311	12/13/22	0.00374	0.00260	0.000542 J	0.00100 J	1.32	--	--	--
MW-311	03/28/23	0.00191	0.00233	0.000746 J	<0.00300	1.64	--	--	--
MW-311	06/14/23	0.00239	0.00281	0.000568 J	0.00115 J	1.53	--	--	--
MW-311	09/12/23	0.00217	0.00312	0.000520 J	0.000984 J	2.49	--	--	--
MW-311	12/20/23	0.00189	0.00206	<0.00100	0.00105 J	1.84	--	--	--
MW-311	03/12/24	0.00144	0.00207	0.000510 J	<0.00200	2.82	--	--	--
MW-312	11/05/14	0.239	0.0058	0.0065	0.0102	1.64	1.13	0.132 J	< 0.010
MW-312	03/09/15	0.357	0.0044 J	0.0086	0.0050 J	1.91	--	--	--
MW-312	06/11/15	0.204	0.0034 J	0.0023 J	0.0027 J	1.35	--	--	--
MW-312	07/28/15	0.313	0.0041 J	0.0030 J	0.0032 J	1.65	--	--	--
MW-312	12/10/15	0.0718	0.00333	0.00222	0.00461	1.26	--	--	--
MW-312	02/23/16	0.327	0.00354	0.00759	0.00416	1.96	--	--	--
MW-312	05/04/16	0.414	0.00399	0.00662	0.00376	2.22	--	--	--
MW-312	08/29/16	0.37	0.00457 J	0.00354 J	0.00394 J	2.3	--	--	--
MW-312	12/15/16	0.356	0.00336 J	0.00556 J	< 0.000442	2.27	--	--	--
MW-312	03/13/17	0.35	0.00362	0.00527	0.00375	2.07	--	--	--
MW-312	06/15/17	0.383	0.00372	0.00425	0.00368 J	1.89	--	--	--
MW-312	08/23/17	0.33	0.00395	0.00279	0.00422	2.02	--	--	--
MW-312	12/07/17	0.241	0.00441	0.00223	0.00708	1.72	--	--	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-312	03/08/18	0.261	0.00273 J	0.00260 J	0.00311 J	1.77	--	--	--
MW-312	06/13/18	0.284	0.0044	0.00243	0.0048	1.69	--	--	--
MW-312	09/05/18	0.283	0.00405	0.00306	0.0041	2.06	--	--	--
MW-312	12/20/18	0.126	0.00284	0.00231	0.00361	1.44	--	--	--
MW-312	03/19/19	0.183	0.00372	0.00472	0.00447	2.07	--	--	--
MW-312	05/16/19	0.189	0.00286	0.00353	0.00290 J	2.5	--	--	--
MW-312	09/19/19	0.0928	0.00233	0.00307	0.00220 J	1.64	--	--	--
MW-312	12/12/19	0.094	0.00251	0.00341	0.00275 J	1.7	--	--	--
MW-312	04/28/20	0.0721	0.00213	0.00315	0.00274 J	1.66	--	--	--
MW-312	06/30/20	0.0792	0.00238	0.00406	0.00208 J	1.47	--	--	--
MW-312	09/22/20	0.176	0.00286	0.0068	0.00295 J	2.69	--	--	--
MW-312	12/15/20	0.0498	0.00251	0.00437	0.00284	2.56 J+	--	--	--
MW-312	04/13/21	0.121	0.00244	0.00453	0.00219	--	--	--	--
MW-312	06/16/21	0.0472	0.00214	0.00250	0.00199 J	1.57	--	--	--
MW-312	09/23/21	0.0398	0.00264	0.00329	0.00226 J	1.83	--	--	--
MW-312	12/16/21	0.0300	0.00225	0.00290	0.00237 J	2.99	--	--	--
MW-312	03/29/22	0.0136	0.00172	0.00240	0.00180 J	2.77	--	--	--
MW-312	06/29/22	0.0358	0.00269	0.00230	0.00205 J	2.28	--	--	--
MW-312	09/20/22	0.0203	0.00240	0.00207	0.00231 J	1.9	--	--	--
MW-312	12/13/22	0.00392	0.00214	0.00126	0.00198 J	1.72	--	--	--
MW-312	03/28/23	0.00491	0.00205	0.00101	<0.00300	1.32	--	--	--
MW-312	06/14/23	0.00488	0.00196	0.00104	0.00179 J	1.23	--	--	--
MW-312	09/12/23	0.0110	0.00227	0.00118	0.00208	2.58	--	--	--
MW-312	12/20/23	0.0110	0.00246	0.00127	0.00236	2.15	--	--	--
MW-312	03/12/24	0.0108	0.00269	0.00194	0.00244	3.18	--	--	--
MW-313	08/29/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	<0.0178	0.218	< 0.0603	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-313	12/12/16	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.100	0.207	< 0.0598	--
MW-313	03/13/17	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.146 J	< 0.121	--
MW-313	06/15/17	< 0.000930	< 0.000312	< 0.000198	0.000463 J	< 0.0704	0.165 J	< 0.122	--
MW-313	08/22/17	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.222 J	< 0.121	--
MW-313	12/07/17	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.153 J	< 0.120	--
MW-313	03/07/18	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.120	< 0.131	--
MW-313	06/13/18	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.139 J	< 0.123	--
MW-313	09/05/18	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.362	0.255 J	--
MW-313	12/20/18	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.468	0.327 J	--
MW-313	03/19/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.174 J	< 0.117	--
MW-313	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.0807	0.207 J	0.164 J	--
MW-313	09/19/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.237	< 0.114	--
MW-313	12/12/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.473	0.153 J	--
MW-313	04/27/20	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.149 J	< 0.122	--
MW-313	06/30/20	0.000136 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.260	< 0.116	--
MW-313	09/22/20	<0.0004	<0.001	<0.001	<0.003	<0.150	0.309	<0.408	--
MW-313	12/15/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	0.288	<0.388	--
MW-313	04/13/21	<0.000200	<0.000200	<0.000200	<0.000500	<0.250	0.272	<0.350	--
MW-313	06/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.156 J	<0.401	--
MW-313	09/23/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.161 J	<0.392	--
MW-313	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.359	0.185 J	--
MW-313	03/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.237	<0.395	--
MW-313	06/28/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	0.177 J	0.14 J	--
MW-313	09/20/22	<0.000400	<0.00100	<0.00100	<0.00300	0.0407 J	<0.23	<0.383	--
MW-313	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	0.523	0.333 J	--
MW-313	03/28/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	<0.224	<0.373	--
MW-313	06/14/23	<0.000400	<0.00100	<0.00100	<0.00300	0.0325 J	<0.244	<0.407	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-313	09/12/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.0500	0.157	0.14 J	--
MW-313	12/20/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.627	0.517	--
MW-313	03/12/24	<0.00100	<0.00100	<0.00100	<0.00200	0.0740 J	0.184	0.26 J	--
MW-314	08/30/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	0.182	0.293	< 0.0599	--
MW-314	12/14/16	0.00432	0.000374 J	< 0.000198	< 0.000442	0.298	0.401	0.0679 J	--
MW-314	03/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0891 J	0.245	<0.120	--
MW-314	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.227 J	< 0.122	--
MW-314	08/23/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.136 J	0.283	< 0.124	--
MW-314	12/06/17	0.000153 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.285	< 0.122	--
MW-314	03/07/18	0.00726	< 0.000312	< 0.000198	< 0.000442	0.131 J	0.336	< 0.127	--
MW-314	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.121 J	0.46	< 0.121	--
MW-314	09/05/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.203	0.825	0.501	--
MW-314	12/20/18	0.000564	0.000600 J	< 0.000198	< 0.000442	0.138 J	0.788	0.471	--
MW-314	03/19/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.157	0.608	0.139 J	--
MW-314	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.201	2.09	0.248 J	--
MW-314	12/10/19	< 0.000105 J	0.000400 J	< 0.000198	< 0.000442	0.26	1.44	0.178 J	--
MW-314	04/28/20	0.000578	< 0.000312	< 0.000198	< 0.000442	0.283	2.36	0.186 J	--
MW-314	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.147 J	2.57	0.214 J	--
MW-314	09/22/20	0.00584	0.000903 J	<0.001	0.000807 J	0.345	1.60	0.155 J	--
MW-314	12/15/20	0.0146	0.00182	0.00036	0.00186	0.578	1.84	<0.379	--
MW-314	04/13/21	<0.000200	0.000391 J+	<0.000200	<0.000500	0.363	2.75	0.745	--
MW-314	03/28/22	0.000477	0.000624 J	<0.00100	0.000682 J	0.253	0.682	<0.391	--
MW-314	06/28/22	<0.000400	0.000346 J	<0.00100	<0.00300	0.253	0.936	0.166 J	--
MW-314	09/20/22	0.00523	0.00187	0.0294	0.00795	0.634	2.63	0.237 J	--
MW-314	03/27/23	0.000964	<0.00100	<0.00100	<0.00300	0.15	0.664	<0.393	--
MW-314	06/14/23	<0.000400	<0.00100	<0.00100	<0.00300	0.123 J	0.666	<0.405	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-314	12/20/23	0.00147	0.000584 J	<0.00100	0.000741 J	0.331	1.28	0.466	--
MW-315	08/29/16	0.0965	0.00265	0.000548 J	0.00135 J	0.453	1.55	< 0.0600	--
MW-315	12/12/16	0.0174	0.00361	0.0023	0.00408	1.17	1.29	0.0871 J	--
MW-315	03/13/17	0.0295	0.00478	0.00153	0.00793	1.24	1.64	< 0.121	--
MW-315	06/15/17	0.0804	0.00426	0.000634 J	0.00965	1.2	2.95	< 0.122	--
MW-315	08/23/17	0.0727	0.00403	0.000909 J	0.00871	1.71	2.74	< 0.123	--
MW-315	12/07/17	0.00479	0.00377	0.000382 J	0.00756	1.19	2.21	< 0.121	--
MW-315	03/08/18	0.0435	0.00411	0.000736 J	0.00712	1.39	1.15	< 0.125	--
MW-315	06/13/18	0.0619	0.00529	0.000648 J	0.00762	1.19	1.78	< 0.120	--
MW-315	09/05/18	0.0178	0.00461	0.000476 J	0.00904	1.33	2.89	0.267 J	--
MW-315	12/20/18	0.00283	0.00464	0.000599 J	0.0106	1.16	3.06	0.310 J	--
MW-315	03/18/19	0.0233	0.00363	0.000959 J	0.0039	1.4	1.89	0.149 J	--
MW-315	05/16/19	0.0565	0.00393	0.000584 J	0.00399	2.16	2.38	0.179 J	--
MW-315	09/19/19	0.0361	0.0036	0.000542 J	0.00353	1.29	2.61	0.133 J	--
MW-315	12/12/19	0.00334	0.00389	0.000667 J	0.005	1.68	3.96	0.266 J	--
MW-315	04/27/20	0.051	0.00406	0.000695 J	0.00368	1.66	2.81	0.126 J	--
MW-315	06/30/20	0.0699	0.00574	0.000878 J	0.00413	1.82	2.74	0.155 J	--
MW-315	09/22/20	0.0297	0.00383	0.000625 J	0.00266 J	1.78	2.89	0.171 J	--
MW-315	12/15/20	0.0028	0.0044	0.000673	0.00368	2.26 J+	3.34	<0.385	--
MW-315	04/13/21	0.0666 J	0.00493	0.00141	0.00256	2.90 J+	5.04	0.691	--
MW-315	06/16/21	0.0578	0.00411	0.00182	0.00289 J	1.66	3.32	0.218 J	--
MW-315	09/23/21	0.00915	0.00392	0.000428 J	0.00276 J	1.48	3.27	0.180 J	--
MW-315	12/16/21	0.00421	0.00375	0.000543 J	0.00251 J	2.81	3.23	0.296 J	--
MW-315	03/29/22	0.0452	0.00420	0.000890 J	0.00252 J	2.41	2.44	0.136 J	--
MW-315	06/28/22	0.0177	0.00382	0.000548 J	0.00284 J	2.37	2.31	0.207 J	--
MW-315	09/20/22	0.00610	0.00379	0.000566 J	0.00230 J	2.21	2.98	0.194 J	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-315	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	0.47	0.323 J	--
MW-315	03/28/23	0.0273	0.00410	0.00102	0.00384	1.72	2.01	<0.368	--
MW-315	06/14/23	0.0169	0.00427	0.00118	0.00292 J	1.65	2.5	<0.394	--
MW-315	09/12/23	0.00101	0.00354	<0.00100	0.00296	3.02	4.17	0.29 J	--
MW-315	12/20/23	0.00658	0.00466	0.000664 J	0.00362	2.74	3.02	0.399	--
MW-315	03/12/24	0.00534	0.00315	0.000641 J	0.00251	3.82	4.73	0.531	--
SH-04	01/13/04	1.2	0.21	0.14	2.11	15	4.7	< 2.5	--
SH-04	04/20/04	1.5	0.49	0.64	5.79	26	6.2	< 10	--
SH-04	07/27/04	1.3	0.13	0.55	1.78	15	5.4	0.53	--
SH-04	04/20/05	0.98	0.061	0.36	1.07	11	4.2	< 1.5	--
SH-04	04/25/06	1.25	0.089	0.65	2.31	20	8.23	2.52	--
SH-04	10/30/07	0.884	0.0315	0.315	0.0814	<5.0	--	--	--
SH-04	05/20/08	1.1	0.048	0.52	0.657	8.9	4.8	0.92	--
SH-04	11/20/08	0.79	0.032	0.23	0.0384	6.6	2.7	< 0.5	--
SH-04	04/08/09	0.87	0.04	0.25	0.19	9.2	4.7	< 0.1	--
SH-04	11/16/09	0.48	0.023	0.068	0.016	4.9	3.7	< 0.1	--
SH-04	04/27/10	0.71	0.027	0.27	0.13	7.3	4.7	0.39	--
SH-04	10/25/10	0.58	0.019	0.18	0.013	4	2.8	< 0.1	--
SH-04	05/23/11	0.655	0.0145	0.151	0.034	5.4	1.84	0.13	--
SH-04	10/27/11	0.393	0.02	0.0926	0.0279	5.35	1.22	< 0.19	--
SH-04	03/01/12	0.614	0.0227	0.0932	0.0124 J	5.53	--	--	--
SH-04	06/11/12	0.426	0.0142	0.112	0.0198 J	6	1.49	0.393	--
SH-04	09/25/12	0.124	0.0184	0.461	0.139	6.52	--	--	--
SH-04	11/25/12	0.073	0.0079 J	0.609	0.326	8.15	0.762	< 0.098	--
SH-04	05/15/13	0.0016 J	0.0005	0.0042	0.0032 J	2.16	0.376	< 0.096	--
SH-04	11/04/13	0.0032	0.00043 J	0.0071	0.005	1.05	0.134	< 0.094	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SH-04	04/24/14	0.0091	0.00053 J	0.00090 J	0.0014 J	0.938	0.469	0.0944 J	--
SH-04	11/06/14	0.0249	0.0023	0.0173	0.0072	0.984	0.608	< 0.094	--
SH-04	05/21/15	0.0094	0.00048 J	0.0035	0.0021	0.78	0.171	< 0.094	--
SH-04	12/08/15	0.0155	0.00118	0.00359	0.00409	0.927	1.74	0.422	--
SH-04	05/05/16	0.000454	< 0.000312	0.000939 J	0.000887 J	0.941	0.23	< 0.0601	--
SH-04	12/14/16	0.00534	0.000990 J	0.0199	0.0123	0.843	1	0.102 J	--
SH-04	06/14/17	0.00158	0.000468 J	0.00192	0.00208 J	0.702	0.242 J	0.138 J	--
SH-04	12/07/17	0.00934	0.0015	0.00205	0.00351	0.796	1.78	< 0.136	--
SH-04	06/13/18	0.0052	0.000593 J	0.0042	0.00212 J	0.724	0.187 J	< 0.123	--
SH-04	12/19/18	0.0118	0.00195	0.0125	0.00477	0.804	0.954	0.210 J	--
SH-04	05/16/19	0.00169	0.000346 J	0.00225	0.00227 J	1.35	0.582	0.174 J	--
SH-04	12/11/19	0.012	0.00186	0.00139	0.00342	0.0805	1.26	< 0.121	--
SH-04	06/30/20	0.00239	0.000477 J	0.00124	0.00123 J	0.379	0.256	< 0.119	--
SH-04	12/14/20	0.0118	0.00164	0.00587	0.00262	0.359	2.78	0.472	--
SH-04	06/15/21	0.00525	0.000511 J	0.00294	0.00162 J	0.472	0.209 J	<0.404	--
SH-04	12/15/21	0.0167	0.00172	0.00150	0.00380	1.29	2.67	0.400 J	--
SH-04	04/18/22	0.00626	0.00105	0.00384	0.00457	1.17	0.549	<0.392	--
SH-04	06/28/22	0.0117	0.00110	0.00263	0.00226 J	0.813	0.38	0.14 J	--
SH-04	12/13/22	0.00697	0.00107	0.00327	0.00283 J	0.369	1.82	0.417	--
SH-04	06/13/23	0.00265	0.000486 J	0.00175	0.00192 J	0.367	0.231 J	<0.398	--
SH-04	12/19/23	0.00223	0.000787 J	0.00329	0.00458	0.363	0.573	0.279 J	--
TES-MW-1	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	04/20/04	0.0067	< 0.001	0.011	0.043	< 0.25	< 0.25	< 0.5	--
TES-MW-1	04/20/04	0.0075	< 0.001	0.013	0.049	< 0.25	< 0.25	< 0.5	--
TES-MW-1	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	10/18/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level	0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TES-MW-1	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
TES-MW-1	07/13/05	0.001	< 0.001	0.006	0.0189	0.1	< 0.25	< 0.5	--
TES-MW-1	10/20/05	0.0039	< 0.001	0.013	0.0437	0.23	< 0.25	< 0.5	--
TES-MW-1	01/27/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	< 0.240	< 0.481	--
TES-MW-1	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
TES-MW-1	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
TES-MW-1	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
TES-MW-1	05/24/11	<0.0003	<0.0005	<0.0003	<0.0007	<0.050	--	--	--
TES-MW-1	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	< 0.10	< 0.20	--
TES-MW-1	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
TES-MW-1	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
TES-MW-1	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
TES-MW-1	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.234	< 0.390	--
TES-MW-1	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0466	< 0.0699	--
TES-MW-1	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0816	< 0.122	--
TES-MW-1	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.106	< 0.116	--
TES-MW-1	12/09/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.111	< 0.121	--
TES-MW-1	12/16/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	<0.238	<0.397	--
TES-MW-1	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.237	0.162 J	--
TES-MW-1	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.256	<0.427	--
TES-MW-1	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	<0.110	0.115 J	--
TX-03A	01/13/04	2.9	0.018	0.038	0.091	2.7	0.86	< 0.5	--
TX-03A	04/19/04	4.4	0.047	0.12	0.11	12	1.3	< 0.5	--
TX-03A	07/27/04	1.7	0.011	0.016	0.037	5.2	0.81	< 0.5	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TX-03A	10/18/04	3.2	0.024	0.062	0.093	7.5	1.2	< 0.5	--
TX-03A	01/24/05	2.5	0.02	< 0.01	0.065	8.2	0.54	< 0.5	--
TX-03A	04/19/05	2.5	0.021	0.026	0.049	6.1	0.47	< 0.5	--
TX-03A	07/12/05	3.1	0.024	0.044	0.054	10	0.32	< 0.5	--
TX-03A	10/31/07	2.2	0.0233	0.0601	0.0503	<5.0	--	--	--
TX-03A	05/20/08	0.88	0.007	0.016	0.01	3	--	--	--
TX-03A	11/20/08	2.1	0.019	0.038	0.018	4.5	--	--	--
TX-03A	04/08/09	1.2	< 0.025	0.028	< 0.025	3.5	--	--	--
TX-03A	11/17/09	0.97	0.0078	0.016	0.011	2.4	--	--	--
TX-03A	04/27/10	1.7	0.0096	0.0087	0.0099	4.6	--	--	--
TX-03A	10/25/10	1.7	0.011	0.067	0.013	3.3	--	--	--
TX-03A	05/23/11	1.78	<0.025	0.044	<0.035	7.53	--	--	--
TX-03A	10/27/11	3.44	0.0712	0.147	0.111	8.51	--	--	--
TX-03A	03/01/12	1.74	0.0261	0.0272	0.0345 J	5.58	--	--	--
TX-03A	06/12/12	1.57	0.0200 J	0.0139 J	0.0300 J	6.78	--	--	--
TX-03A	09/25/12	1.7	0.0298	0.041	0.0501	5.53	--	--	--
TX-03A	11/28/12	1.18	0.0188 J	0.0232	0.0357 J	4.91	--	--	--
TX-03A	02/21/13	2.81	0.0403	0.0421	0.0489 J	8.2	0.32	< 0.10	--
TX-03A	05/15/13	2.15	0.0459 J	0.189	0.0643 J	3.11	--	--	--
TX-03A	11/05/13	2.72	0.0343 J	0.0364 J	0.0411 J	6.01	--	--	--
TX-03A	04/23/14	1.22	0.0171	0.0251	0.027	5.76	--	--	--
TX-03A	07/24/14	1.64	0.0317	0.0698	0.052	7.55	0.382	< 0.094	--
TX-03A	11/04/14	0.941	0.0137	0.0366	0.0269	5.76	0.448	< 0.094	--
TX-03A	03/09/15	1.86	0.0246 J	0.0581	0.0390 J	7.16	--	--	--
TX-03A	05/21/15	1.15	0.0144 J	0.0462	0.0260 J	3.4	--	--	--
TX-03A	07/28/15	1.72	0.0213 J	0.118	0.0355 J	5.42	--	--	--
TX-03A	12/10/15	0.635	0.0126	0.026	0.0253	3.32	1.34	< 0.391	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TX-03A	02/23/16	1.78	0.0274	0.0882	0.0385	5.17	--	--	--
TX-03A	05/02/16	1.54	0.037	0.208	0.0503	6.3	--	--	--
TX-03A	08/29/16	0.844	0.0257	0.246	0.053	5.89	--	--	--
TX-03A	12/15/16	0.995	0.0197 J	0.0697	0.0357 J	4.81	1.73	0.125 J	--
TX-03A	03/13/17	0.76	0.0208	0.0901	0.0352 J	3.66	--	--	--
TX-03A	06/13/17	1.37	0.0361	0.246	0.0618 J	5.36	--	--	--
TX-03A	08/22/17	1.08	0.0233	0.137	0.0363	4.55	--	--	--
TX-03A	12/05/17	0.258	0.00697 J	0.0172 J	0.0126 J	3.07	2.03	0.172 J	--
TX-03A	03/27/18	0.135	0.00114	0.00395	0.000969 J	1.21	--	--	--
TX-03A	06/13/18	0.204	0.0024	0.015	0.000713 J	0.97	--	--	--
TX-03A	09/06/18	0.263	0.00308	0.0252	0.00115 J	1.31	--	--	--
TX-03A	12/20/18	0.0278	0.000612 J	0.00282	0.000499 J	0.768	2.88	1.05	--
TX-03A	03/19/19	0.0131 J	< 0.000312	0.00143	< 0.000442	0.938	--	--	--
TX-03A	05/16/19	0.102 J	< 0.000170	0.00115 J	< 0.000580 J	0.991	--	--	--
TX-03A	09/19/19	0.00642	< 0.000312	0.00722	< 0.000442	0.446	--	--	--
TX-03A	12/11/19	0.00173	< 0.000312	0.0017	< 0.000442	0.521	1.72	0.154 J	--
TX-03A	04/28/20	0.023	< 0.000312	0.000578 J	< 0.000442	0.181	--	--	--
TX-03A	06/30/20	0.00796	< 0.000312	0.00135	< 0.000442	0.129 J	--	--	--
TX-03A	09/21/20	0.00527	<0.001	0.00293	<0.003	0.139 J	--	--	--
TX-03A	12/15/20	0.00499	0.00022	0.0029	<0.0005	<0.250	0.520	<0.371	--
TX-03A	04/12/21	0.0665 J	0.00151	0.00955	<0.000500	0.465	--	--	--
TX-03A	06/16/21	0.0416	0.00151	0.0192	0.000832 J	0.285	--	--	--
TX-03A	09/23/21	0.0183	0.000973 J	0.00677	0.000651 J	0.221	--	--	--
TX-03A	03/28/22	0.121	0.00255	0.0120	0.00163 J	0.998	--	--	--
TX-03A	06/28/22	0.114	0.00632	0.0132	0.00356	1.39	--	--	--
TX-03A	09/21/22	0.00895	0.000999 J	0.00181	0.00111 J	0.294	--	--	--
TX-03A	12/13/22	0.122	0.00701	0.00140	0.00682	1.05	1.51	0.598	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TX-03A	03/27/23	0.165	0.00807	0.00532	0.00904	1.50	--	--	--
TX-03A	06/14/23	0.241	0.00880	0.00497	0.00791	1.37	--	--	--
TX-03A	09/12/23	0.0890	0.00760	0.000770 J	0.00860	1.98	--	--	--
TX-03A	12/20/23	0.0886	0.00846	0.00165	0.0108	1.99	1.2	0.374	--
TX-03A	03/11/24	0.169	<0.0100	<0.0100	<0.0200	2.84	--	--	--
TX-04	01/13/04	0.025	0.0055	< 0.001	0.0194	0.65	0.59	< 0.5	--
TX-04	04/21/04	0.0025	0.0017	< 0.001	0.0031	0.47	2.2	< 0.75	--
TX-04	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.5	< 0.5	--
TX-04	10/18/04	< 0.001	< 0.001	< 0.001	0.0022	0.28	1.2	< 0.5	--
TX-04	01/24/05	0.031	0.0071	< 0.001	0.0204	0.87	0.64	< 0.5	--
TX-04	04/20/05	0.014	0.0036	< 0.001	0.0085	0.54	0.73	< 0.5	--
TX-04	07/12/05	< 0.001	< 0.001	< 0.001	0.0014	0.34	0.82	< 0.5	--
TX-04	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.2	1.1	< 0.5	--
TX-04	01/25/06	0.00127	0.001	< 0.0005	0.00151	0.206	0.835	< 0.476	--
TX-04	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	0.076	< 0.25	< 0.5	--
TX-04	11/16/09	< 0.0005	< 0.001	< 0.001	< 0.001	0.17	0.13	< 0.1	--
TX-04	10/25/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	--
TX-04	05/23/11	<0.0003	<0.0005	<0.0003	<0.0007	0.0554	--	--	--
TX-04	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.0966	< 0.20	--
TX-04	11/26/12	0.0013	0.00038 J	< 0.00020	0.00052 J	0.0980 J	0.0807 J	< 0.10	--
TX-04	11/04/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0492 J	< 0.095	--
TX-04	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.096	--
TX-04	12/08/15	0.000268	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.245	< 0.408	--
TX-04	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.0762 J	< 0.0608	--
TX-04	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
TX-04	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.104	< 0.114	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TX-04	12/12/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.122 J	< 0.119	--
TX-04	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	<0.110	<0.351	--
TX-04	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.247	<0.411	--
TX-04	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.232	<0.386	--
TX-04	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	<0.12	0.125 J	--
TX-06A	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	5.8	< 1	--
TX-06A	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3.4	< 0.75	--
TX-06A	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3.6	< 0.5	--
TX-06A	10/18/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	4.1	< 0.5	--
TX-06A	01/24/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.7	< 0.5	--
TX-06A	04/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.18	6.3	< 1.5	--
TX-06A	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.26	2.5	< 0.5	--
TX-06A	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.072	0.93	< 0.5	--
TX-06A	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	0.126	1.57	< 0.476	--
TX-06A	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	0.49	< 0.5	--
TX-06A	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.24	< 0.1	--
TX-06A	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.72	< 0.1	--
TX-06A	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0519	0.499	< 0.21	--
TX-06A	11/25/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.50	0.716	< 0.098	--
TX-06A	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.358	< 0.095	--
TX-06A	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.758	0.184	--
TX-06A	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	1.03	<0.388	--
TX-06A	12/12/16	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.433	0.0707 J	--
TX-06A	12/05/17	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.36	< 0.122	--
TX-06A	12/20/18	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.592	0.244 J	--
TX-06A	12/10/19	< 0.000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.244	< 0.119	--

Table 6
BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level		0.071	200	29	NE	1	10	10	0.0058
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TX-06A	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	1.32	0.589	--
TX-06A	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.589	0.146 J	--
TX-06A	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.659	0.21 J	--
TX-06A	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.816	0.483	--
MW-01	07/28/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--

Note:

= Indicates data collected during this progress report period

* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

¹ = Dissolved lead result

Bold = indicate detected concentration greater than cleanup level

BTEX = benzene, toluene, ethylbenzene, and total xylenes

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

J+ = The result is an estimated quantity, but the result may be biased high.

J- = The result is an estimated quantity, but the result may be biased low.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

mg/L = milligrams per liter

NA = not analyzed

NE = not established

TPHg = Total petroleum hydrocarbons as gasoline analyzed by Northwest Method NWTPH-Gx.

TPHd = Total petroleum hydrocarbons as diesel analyzed by Northwest Method NWTPH-Dx.

TPHo = Total petroleum hydrocarbons as oil analyzed by Northwest Method NWTPH-Dx.

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	PAHs							cPAH TEQ
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	
Site-Specific Cleanup Level		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-213	01/14/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/20/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	07/28/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/19/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	01/25/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/19/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	07/12/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/20/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	01/26/06	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943
MW-213	10/30/07	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-213	11/19/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-213	04/07/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	11/18/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/26/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/28/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	05/24/11	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003
MW-213	10/25/11	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010
MW-213	06/12/12	< 0.000050	< 0.000041	< 0.000035	< 0.000039	< 0.000045	< 0.000035	< 0.000035	< 0.000050
MW-213	11/29/12	< 0.000053	< 0.000041	< 0.000035	< 0.000039	< 0.000045	< 0.000035	< 0.000035	< 0.000053
MW-213	05/15/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-213	11/05/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-213	04/23/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-213	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-213	05/19/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-213	12/09/15	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	PAHs							cPAH TEQ
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	
Site-Specific Cleanup Level		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-213	05/03/16	< 0.00000920	< 0.0000101	< 0.0000101	< 0.0000138	< 0.00000644	< 0.0000120	< 0.0000202	< 0.0000202
MW-213	12/13/16	0.0000122	< 0.0000887	< 0.0000108	< 0.0000148	< 0.00000690	< 0.0000128	< 0.0000217	0.00000122
MW-213	06/14/17	< 0.0000888	< 0.0000109	< 0.0000109	< 0.0000148	< 0.00000691	< 0.0000128	< 0.0000217	< 0.0000128
MW-213	12/07/17	< 0.00000965	< 0.0000106	< 0.0000106	< 0.0000145	< 0.00000676	< 0.0000125	< 0.0000212	< 0.0000212
MW-213	06/12/18	< 0.0000103	< 0.0000113	< 0.0000113	< 0.0000154	< 0.00000720	< 0.0000134	< 0.0000226	< 0.0000226
MW-213	12/19/18	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000893	< 0.0000129	< 0.0000218	< 0.0000218
MW-213	05/16/19	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000893	< 0.0000129	< 0.0000218	< 0.0000218
MW-213	12/11/19	< 0.0000119	< 0.0000896	< 0.0000109	< 0.0000149	< 0.00000995	< 0.0000129	< 0.0000219	< 0.0000219
MW-213	06/29/20	<0.0000124	<0.0000124	<0.0000113	<0.0000154	<0.0000103	<0.0000134	<0.0000226	<0.0000226
MW-213	12/16/20	<0.0000503	<0.000101	<0.0000503	<0.0000503	<0.000101	<0.000101	<0.0000503	<0.000101
MW-213	06/14/21	<0.0000506	<0.000101	<0.0000506	<0.0000506	<0.000101	<0.000101	<0.0000506	<0.000101
MW-213	12/16/21	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895
MW-213	06/29/22	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-213	12/12/22	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-213	06/12/23	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907
MW-213	12/18/23	<0.0000530	<0.000106	<0.000106	<0.0000530	<0.000106	<0.000106	<0.0000530	<0.000106
MW-214	01/30/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/17/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/17/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/16/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/14/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/20/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/28/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/19/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/25/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	PAHs							cPAH TEQ
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	
Site-Specific Cleanup Level		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-214	04/19/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/12/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/20/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/26/06	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099
MW-214	10/30/07	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	05/05/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	11/19/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	04/07/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	11/18/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/26/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/28/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	05/24/11	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029
MW-214	10/25/11	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010
MW-214	06/12/12	< 0.000051	< 0.000040	< 0.000034	< 0.000038	< 0.000044	< 0.000034	< 0.000034	< 0.000051
MW-214	11/29/12	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	05/15/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	11/05/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	04/23/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-214	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	05/19/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-214	12/09/15	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0015
MW-214	05/04/16	< 0.00000926	< 0.0000102	< 0.0000102	< 0.0000139	< 0.00000648	< 0.0000120	< 0.0000204	< 0.0000204
MW-214	12/14/16	0.00000994	< 0.0000883	< 0.0000108	< 0.0000147	< 0.00000687	< 0.0000128	< 0.0000216	0.00000994
MW-214	06/14/17	< 0.0000850	< 0.0000104	< 0.0000104	< 0.0000142	< 0.00000661	< 0.0000123	< 0.0000208	< 0.0000208
MW-214	12/07/17	< 0.0000102	< 0.0000112	< 0.0000112	< 0.0000153	< 0.00000713	< 0.0000132	< 0.0000224	< 0.0000224
MW-214	06/12/18	< 0.00000976	< 0.0000107	< 0.0000107	< 0.0000146	< 0.00000683	< 0.0000127	< 0.0000215	< 0.0000215

Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington

Sample ID	Sample Date	PAHs							cPAH TEQ
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	
Site-Specific Cleanup Level		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-214	12/19/18	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000894	< 0.0000129	< 0.0000219	< 0.0000219
MW-214	05/16/19	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000894	< 0.0000129	< 0.0000219	< 0.0000219
MW-214	12/11/19	0.0000141 J	< 0.0000921	< 0.0000113	< 0.0000154	< 0.0000102	< 0.0000133	< 0.0000225	0.00000141
MW-214	06/29/20	<0.0000117	<0.0000117	<0.0000108	<0.0000147	<0.00000977	<0.0000127	<0.0000215	<0.0000215
MW-214	12/16/20	<0.0000517	<0.000103	<0.0000517	<0.0000517	<0.000103	<0.000103	<0.0000517	<0.0000517
MW-214	06/14/21	<0.0000499	<0.0000999	<0.0000499	<0.0000499	<0.0000999	<0.0000999	<0.0000499	<0.0000499
MW-214	12/16/21	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-214	06/29/22	<0.0000910	0.0000123 J	<0.0000910	<0.0000910	0.0000148 J	<0.0000910	<0.0000910	0.0000124
MW-214	12/12/22	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904
MW-214	06/12/23	0.0000224 J	<0.0000903	<0.0000903	<0.0000903	<0.0000903	<0.0000903	<0.0000903	0.00000224
MW-214	12/18/23	0.0000275 J	0.0000243 J	0.0000275 J	0.0000243 J	<0.0000984	<0.0000984	0.0000228 J	0.0000345 J
MW-301	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-301	05/21/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-302	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-302	05/21/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-303	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-303	05/20/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-304	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-304	05/20/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-309	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-309	05/20/15	< 0.0014	< 0.0011	< 0.0013	< 0.0014	< 0.0016	< 0.0012	< 0.0013	< 0.0016

**Table 7
Carcinogenic PAHs in Groundwater
Shell Harbor Island Terminal
Seattle, Washington**

Sample ID	Sample Date	PAHs							cPAH TEQ
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	
Site-Specific Cleanup Level		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-310	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-310	05/21/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-311	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-312	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
TX-03A	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
TX-03A	05/21/15	< 0.0014	< 0.0010	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016

Note:

= Indicates data collected during this progress report period

-- = There are not established individual cleanup levels for polycyclic aromatic hydrocarbons (PAHs). The carcinogenic PAHs total toxic equivalent concentration (TEQ) is calculated and compared to the established cleanup level.

* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are

ID = identification

mg/L = milligrams per liter

PAHs = polycyclic aromatic hydrocarbons

Attachment A

Laboratory Report

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Emily Blakeway
GHD Services Inc.
9725 3rd Avenue NE, Suite 204
Seattle, Washington 98115

Generated 3/27/2024 1:07:57 PM

JOB DESCRIPTION

Shell Triton West Consent Decree

JOB NUMBER

580-137665-1

Eurofins Seattle

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

Authorization



Authorized for release by
Katie Grant, Project Manager I
Katie.Grant@et.eurofinsus.com
(253)922-2310

Generated
3/27/2024 1:07:57 PM



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	19
Chronicle	22
Certification Summary	25
Sample Summary	26
Chain of Custody	27
Receipt Checklists	29

Case Narrative

Client: GHD Services Inc.
Project: Shell Triton West Consent Decree

Job ID: 580-137665-1

Job ID: 580-137665-1

Eurofins Seattle

Job Narrative 580-137665-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/12/2024 12:20 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.9°C.

GC/MS VOA

Method 8260D: The following sample was diluted to bring the concentration of target analytes within the calibration range: TX-03A (580-137665-5). Elevated reporting limits (RLs) are provided.

Method NWTPH_Gx_MS: The following sample was diluted due to the abundance of non-target analytes: TX-03A (580-137665-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Seattle

Definitions/Glossary

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: TB-1

Lab Sample ID: 580-137665-1

Date Collected: 03/11/24 09:00

Matrix: Water

Date Received: 03/12/24 12:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			03/16/24 13:36	1
Toluene	0.765	J	1.00	0.390	ug/L			03/16/24 13:36	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 13:36	1
Xylenes, Total	1.03	J	2.00	0.530	ug/L			03/16/24 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	101		80 - 120		03/16/24 13:36	1
<i>4-Bromofluorobenzene (Surr)</i>	95		80 - 120		03/16/24 13:36	1
<i>Dibromofluoromethane (Surr)</i>	90		80 - 120		03/16/24 13:36	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	101		80 - 120		03/16/24 13:36	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		100	14.0	ug/L			03/16/24 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	95		77 - 123		03/16/24 13:36	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-302
 Date Collected: 03/11/24 12:02
 Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-2
 Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6.68		1.00	0.240	ug/L			03/16/24 16:30	1
Toluene	0.531	J	1.00	0.390	ug/L			03/16/24 16:30	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 16:30	1
Xylenes, Total	1.33	J	2.00	0.530	ug/L			03/16/24 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	93		80 - 120		03/16/24 16:30	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/16/24 16:30	1
Dibromofluoromethane (Surr)	102		80 - 120		03/16/24 16:30	1
1,2-Dichloroethane-d4 (Surr)	97		80 - 120		03/16/24 16:30	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	297		100	14.0	ug/L			03/16/24 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		77 - 123		03/16/24 16:30	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-307
 Date Collected: 03/11/24 10:38
 Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-3
 Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	18.3		1.00	0.240	ug/L			03/16/24 19:02	1
Toluene	7.43		1.00	0.390	ug/L			03/16/24 19:02	1
Ethylbenzene	26.7		1.00	0.500	ug/L			03/16/24 19:02	1
Xylenes, Total	27.6		2.00	0.530	ug/L			03/16/24 19:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		80 - 120		03/16/24 19:02	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/16/24 19:02	1
Dibromofluoromethane (Surr)	96		80 - 120		03/16/24 19:02	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		03/16/24 19:02	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1090		100	14.0	ug/L			03/16/24 19:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		77 - 123		03/16/24 19:02	1

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-308

Lab Sample ID: 580-137665-4

Date Collected: 03/11/24 11:04

Matrix: Water

Date Received: 03/12/24 12:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			03/16/24 16:51	1
Toluene	ND		1.00	0.390	ug/L			03/16/24 16:51	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 16:51	1
Xylenes, Total	ND		2.00	0.530	ug/L			03/16/24 16:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	98		80 - 120		03/16/24 16:51	1
<i>4-Bromofluorobenzene (Surr)</i>	95		80 - 120		03/16/24 16:51	1
<i>Dibromofluoromethane (Surr)</i>	94		80 - 120		03/16/24 16:51	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	96		80 - 120		03/16/24 16:51	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		100	14.0	ug/L			03/16/24 16:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	95		77 - 123		03/16/24 16:51	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: TX-03A
Date Collected: 03/11/24 11:40
Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-5
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	169		10.0	2.40	ug/L			03/16/24 21:12	10
Toluene	7.63	J	10.0	3.90	ug/L			03/16/24 21:12	10
Ethylbenzene	ND		10.0	5.00	ug/L			03/16/24 21:12	10
Xylenes, Total	8.02	J	20.0	5.30	ug/L			03/16/24 21:12	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 120		03/16/24 21:12	10
4-Bromofluorobenzene (Surr)	96		80 - 120		03/16/24 21:12	10
Dibromofluoromethane (Surr)	92		80 - 120		03/16/24 21:12	10
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		03/16/24 21:12	10

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	2840		1000	140	ug/L			03/16/24 21:12	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		77 - 123		03/16/24 21:12	10

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-301
Date Collected: 03/12/24 10:02
Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-6
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	19.3		1.00	0.240	ug/L			03/16/24 19:23	1
Toluene	3.46		1.00	0.390	ug/L			03/16/24 19:23	1
Ethylbenzene	3.39		1.00	0.500	ug/L			03/16/24 19:23	1
Xylenes, Total	3.51		2.00	0.530	ug/L			03/16/24 19:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	91		80 - 120		03/16/24 19:23	1
4-Bromofluorobenzene (Surr)	103		80 - 120		03/16/24 19:23	1
Dibromofluoromethane (Surr)	107		80 - 120		03/16/24 19:23	1
1,2-Dichloroethane-d4 (Surr)	97		80 - 120		03/16/24 19:23	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1020		100	14.0	ug/L			03/16/24 19:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		77 - 123		03/16/24 19:23	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-303

Lab Sample ID: 580-137665-7

Date Collected: 03/12/24 09:37

Matrix: Water

Date Received: 03/12/24 12:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	13.7		1.00	0.240	ug/L			03/16/24 19:45	1
Toluene	1.25		1.00	0.390	ug/L			03/16/24 19:45	1
Ethylbenzene	29.8		1.00	0.500	ug/L			03/16/24 19:45	1
Xylenes, Total	4.90		2.00	0.530	ug/L			03/16/24 19:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 120		03/16/24 19:45	1
4-Bromofluorobenzene (Surr)	97		80 - 120		03/16/24 19:45	1
Dibromofluoromethane (Surr)	92		80 - 120		03/16/24 19:45	1
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		03/16/24 19:45	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1330		100	14.0	ug/L			03/16/24 19:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		77 - 123		03/16/24 19:45	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-304
 Date Collected: 03/12/24 10:52
 Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-8
 Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	12.7		1.00	0.240	ug/L			03/16/24 20:07	1
Toluene	0.887	J	1.00	0.390	ug/L			03/16/24 20:07	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 20:07	1
Xylenes, Total	2.55		2.00	0.530	ug/L			03/16/24 20:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		80 - 120		03/16/24 20:07	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/16/24 20:07	1
Dibromofluoromethane (Surr)	95		80 - 120		03/16/24 20:07	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		03/16/24 20:07	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	574		100	14.0	ug/L			03/16/24 20:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		77 - 123		03/16/24 20:07	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-310
Date Collected: 03/12/24 10:27
Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-9
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	12.4		1.00	0.240	ug/L			03/16/24 20:28	1
Toluene	1.83		1.00	0.390	ug/L			03/16/24 20:28	1
Ethylbenzene	6.04		1.00	0.500	ug/L			03/16/24 20:28	1
Xylenes, Total	6.13		2.00	0.530	ug/L			03/16/24 20:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120		03/16/24 20:28	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/16/24 20:28	1
Dibromofluoromethane (Surr)	96		80 - 120		03/16/24 20:28	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		03/16/24 20:28	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	896		100	14.0	ug/L			03/16/24 20:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		77 - 123		03/16/24 20:28	1

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-311

Lab Sample ID: 580-137665-10

Date Collected: 03/12/24 09:09

Matrix: Water

Date Received: 03/12/24 12:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.44		1.00	0.240	ug/L			03/16/24 17:35	1
Toluene	2.07		1.00	0.390	ug/L			03/16/24 17:35	1
Ethylbenzene	0.510	J	1.00	0.500	ug/L			03/16/24 17:35	1
Xylenes, Total	1.32	J	2.00	0.530	ug/L			03/16/24 17:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120		03/16/24 17:35	1
4-Bromofluorobenzene (Surr)	96		80 - 120		03/16/24 17:35	1
Dibromofluoromethane (Surr)	94		80 - 120		03/16/24 17:35	1
1,2-Dichloroethane-d4 (Surr)	96		80 - 120		03/16/24 17:35	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	2820		100	14.0	ug/L			03/16/24 17:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		77 - 123		03/16/24 17:35	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-312
Date Collected: 03/12/24 08:42
Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-11
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	10.8		1.00	0.240	ug/L			03/16/24 20:50	1
Toluene	2.69		1.00	0.390	ug/L			03/16/24 20:50	1
Ethylbenzene	1.94		1.00	0.500	ug/L			03/16/24 20:50	1
Xylenes, Total	2.44		2.00	0.530	ug/L			03/16/24 20:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120		03/16/24 20:50	1
4-Bromofluorobenzene (Surr)	102		80 - 120		03/16/24 20:50	1
Dibromofluoromethane (Surr)	96		80 - 120		03/16/24 20:50	1
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		03/16/24 20:50	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	3180		100	14.0	ug/L			03/16/24 20:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		77 - 123		03/16/24 20:50	1

Client Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-313
Date Collected: 03/12/24 08:16
Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-12
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			03/16/24 17:56	1
Toluene	ND		1.00	0.390	ug/L			03/16/24 17:56	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 17:56	1
Xylenes, Total	ND		2.00	0.530	ug/L			03/16/24 17:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		80 - 120		03/16/24 17:56	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/16/24 17:56	1
Dibromofluoromethane (Surr)	96		80 - 120		03/16/24 17:56	1
1,2-Dichloroethane-d4 (Surr)	97		80 - 120		03/16/24 17:56	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	74.0	J	100	14.0	ug/L			03/16/24 17:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		77 - 123		03/16/24 17:56	1

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	184		114	67.6	ug/L		03/15/24 08:27	03/15/24 17:39	1
Motor Oil (>C24-C36)	260	J	364	99.8	ug/L		03/15/24 08:27	03/15/24 17:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	119		50 - 150	03/15/24 08:27	03/15/24 17:39	1

Client Sample Results

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-315

Lab Sample ID: 580-137665-13

Date Collected: 03/12/24 07:48

Matrix: Water

Date Received: 03/12/24 12:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	5.34		1.00	0.240	ug/L			03/16/24 18:18	1
Toluene	3.15		1.00	0.390	ug/L			03/16/24 18:18	1
Ethylbenzene	0.641	J	1.00	0.500	ug/L			03/16/24 18:18	1
Xylenes, Total	2.51		2.00	0.530	ug/L			03/16/24 18:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	90		80 - 120		03/16/24 18:18	1
4-Bromofluorobenzene (Surr)	107		80 - 120		03/16/24 18:18	1
Dibromofluoromethane (Surr)	107		80 - 120		03/16/24 18:18	1
1,2-Dichloroethane-d4 (Surr)	100		80 - 120		03/16/24 18:18	1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	3820		100	14.0	ug/L			03/16/24 18:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		77 - 123		03/16/24 18:18	1

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	4730		115	68.1	ug/L		03/15/24 08:27	03/15/24 17:59	1
Motor Oil (>C24-C36)	531		367	101	ug/L		03/15/24 08:27	03/15/24 17:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	113		50 - 150	03/15/24 08:27	03/15/24 17:59	1

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 580-453988/11
Matrix: Water
Analysis Batch: 453988

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		1.00	0.240	ug/L			03/16/24 13:14	1
Toluene	ND		1.00	0.390	ug/L			03/16/24 13:14	1
Ethylbenzene	ND		1.00	0.500	ug/L			03/16/24 13:14	1
Xylenes, Total	ND		2.00	0.530	ug/L			03/16/24 13:14	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	99		80 - 120		03/16/24 13:14	1
4-Bromofluorobenzene (Surr)	93		80 - 120		03/16/24 13:14	1
Dibromofluoromethane (Surr)	88		80 - 120		03/16/24 13:14	1
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/16/24 13:14	1

Lab Sample ID: LCS 580-453988/6
Matrix: Water
Analysis Batch: 453988

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Toluene	10.0	10.02		ug/L		100	80 - 120
Ethylbenzene	10.0	10.11		ug/L		101	80 - 120
Xylenes, Total	20.0	19.95		ug/L		100	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	100		80 - 120
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	93		80 - 120
1,2-Dichloroethane-d4 (Surr)	98		80 - 120

Lab Sample ID: LCSD 580-453988/7
Matrix: Water
Analysis Batch: 453988

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	10.0	9.962		ug/L		100	80 - 120	1	13
Ethylbenzene	10.0	9.940		ug/L		99	80 - 120	2	14
Xylenes, Total	20.0	19.51		ug/L		98	80 - 120	2	16

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	94		80 - 120
Dibromofluoromethane (Surr)	92		80 - 120
1,2-Dichloroethane-d4 (Surr)	98		80 - 120

QC Sample Results

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Lab Sample ID: MB 580-453984/11
Matrix: Water
Analysis Batch: 453984

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		100	14.0	ug/L			03/16/24 13:14	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		77 - 123					03/16/24 13:14	1

Lab Sample ID: LCS 580-453984/8
Matrix: Water
Analysis Batch: 453984

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	1000	947.1		ug/L		95	55 - 148
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	92		77 - 123				

Lab Sample ID: LCSD 580-453984/9
Matrix: Water
Analysis Batch: 453984

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
TPH as Gasoline	1000	915.0		ug/L		91	55 - 148	3	10
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	98		77 - 123						

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

Lab Sample ID: MB 580-453906/1-A
Matrix: Water
Analysis Batch: 453939

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 453906

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		110	65.0	ug/L		03/15/24 08:27	03/15/24 15:15	1
Motor Oil (>C24-C36)	ND		350	96.0	ug/L		03/15/24 08:27	03/15/24 15:15	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	104		50 - 150				03/15/24 08:27	03/15/24 15:15	1

Lab Sample ID: LCS 580-453906/2-A
Matrix: Water
Analysis Batch: 453939

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 453906

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (C10-C24)	4000	3361		ug/L		84	50 - 120
Motor Oil (>C24-C36)	4000	3591		ug/L		90	64 - 120

Eurofins Seattle

QC Sample Results

Client: GHD Services Inc.
 Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx (Continued)

Lab Sample ID: LCS 580-453906/2-A
Matrix: Water
Analysis Batch: 453939

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 453906

<i>Surrogate</i>	<i>LCS</i> <i>%Recovery</i>	<i>LCS</i> <i>Qualifier</i>	<i>Limits</i>
<i>o-Terphenyl</i>	100		50 - 150

Lab Sample ID: LCSD 580-453906/3-A
Matrix: Water
Analysis Batch: 453939

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 453906

<i>Analyte</i>	<i>Spike</i> <i>Added</i>	<i>LCSD</i> <i>Result</i>	<i>LCSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
Diesel Range Organics (C10-C24)	4000	3282		ug/L		82	50 - 120	2	26
Motor Oil (>C24-C36)	4000	3632		ug/L		91	64 - 120	1	24

<i>Surrogate</i>	<i>LCSD</i> <i>%Recovery</i>	<i>LCSD</i> <i>Qualifier</i>	<i>Limits</i>
<i>o-Terphenyl</i>	101		50 - 150

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: TB-1

Date Collected: 03/11/24 09:00

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 13:36
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 13:36

Client Sample ID: MW-302

Date Collected: 03/11/24 12:02

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 16:30
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 16:30

Client Sample ID: MW-307

Date Collected: 03/11/24 10:38

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 19:02
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 19:02

Client Sample ID: MW-308

Date Collected: 03/11/24 11:04

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 16:51
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 16:51

Client Sample ID: TX-03A

Date Collected: 03/11/24 11:40

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	453988	JBT	EET SEA	03/16/24 21:12
Total/NA	Analysis	NWTPH-Gx		10	453984	JBT	EET SEA	03/16/24 21:12

Client Sample ID: MW-301

Date Collected: 03/12/24 10:02

Date Received: 03/12/24 12:20

Lab Sample ID: 580-137665-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 19:23
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 19:23

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-303

Lab Sample ID: 580-137665-7

Date Collected: 03/12/24 09:37

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 19:45
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 19:45

Client Sample ID: MW-304

Lab Sample ID: 580-137665-8

Date Collected: 03/12/24 10:52

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 20:07
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 20:07

Client Sample ID: MW-310

Lab Sample ID: 580-137665-9

Date Collected: 03/12/24 10:27

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 20:28
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 20:28

Client Sample ID: MW-311

Lab Sample ID: 580-137665-10

Date Collected: 03/12/24 09:09

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 17:35
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 17:35

Client Sample ID: MW-312

Lab Sample ID: 580-137665-11

Date Collected: 03/12/24 08:42

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 20:50
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 20:50

Client Sample ID: MW-313

Lab Sample ID: 580-137665-12

Date Collected: 03/12/24 08:16

Matrix: Water

Date Received: 03/12/24 12:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 17:56
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 17:56
Total/NA	Prep	3510C			453906	TOA	EET SEA	03/15/24 08:27
Total/NA	Analysis	NWTPH-Dx		1	453939	CB	EET SEA	03/15/24 17:39

Lab Chronicle

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Client Sample ID: MW-315

Lab Sample ID: 580-137665-13

Date Collected: 03/12/24 07:48

Matrix: Water

Date Received: 03/12/24 12:20

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total/NA	Analysis	8260D		1	453988	JBT	EET SEA	03/16/24 18:18
Total/NA	Analysis	NWTPH-Gx		1	453984	JBT	EET SEA	03/16/24 18:18
Total/NA	Prep	3510C			453906	TOA	EET SEA	03/15/24 08:27
Total/NA	Analysis	NWTPH-Dx		1	453939	CB	EET SEA	03/15/24 17:59

Laboratory References:

EET SEA = Eurofins Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310



Accreditation/Certification Summary

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Laboratory: Eurofins Seattle

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	4167	07-07-24
Washington	State	C788	07-13-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Sample Summary

Client: GHD Services Inc.
Project/Site: Shell Triton West Consent Decree

Job ID: 580-137665-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-137665-1	TB-1	Water	03/11/24 09:00	03/12/24 12:20
580-137665-2	MW-302	Water	03/11/24 12:02	03/12/24 12:20
580-137665-3	MW-307	Water	03/11/24 10:38	03/12/24 12:20
580-137665-4	MW-308	Water	03/11/24 11:04	03/12/24 12:20
580-137665-5	TX-03A	Water	03/11/24 11:40	03/12/24 12:20
580-137665-6	MW-301	Water	03/12/24 10:02	03/12/24 12:20
580-137665-7	MW-303	Water	03/12/24 09:37	03/12/24 12:20
580-137665-8	MW-304	Water	03/12/24 10:52	03/12/24 12:20
580-137665-9	MW-310	Water	03/12/24 10:27	03/12/24 12:20
580-137665-10	MW-311	Water	03/12/24 09:09	03/12/24 12:20
580-137665-11	MW-312	Water	03/12/24 08:42	03/12/24 12:20
580-137665-12	MW-313	Water	03/12/24 08:16	03/12/24 12:20
580-137665-13	MW-315	Water	03/12/24 07:48	03/12/24 12:20





Shell Oil Products US Chain Of Custody Record

LAB (LOCATION)

ACCUTEST (_____)

CALSCIENCE (_____)

TESTAMERICA (_____)

Other (_____)

Lab Vendor # _____ **Dropdown** _____

Please Check Appropriate Box:

SGW FDG PIPELINE RETAIL

CHEMICALS CONSULTANT LUBES

TRANSPORTATION OTHER _____

Print Bill To Contact Name: _____

PlaNet Site or Project ID _____

CHECK IF NO INCIDENT # APPLIES

DATE: 03/11/24

PO # _____

GSAP Project ID _____

PAGE: 1 of 2

SAMPLING COMPANY:
Blaine Tech Services, Inc

LOG CODE:
BTSS

ADDRESS:
1680 Rogers Ave, San Jose, CA, 95112

PROJECT CONTACT (Hardcopy or PDF Report to):
Emily Blakeway

TELEPHONE: (425) 327-4585 **FAX:** _____ **Bill To Contact E-MAIL:** emily.blakeway@ghd.com

TURNAROUND TIME (CALENDAR DAYS):
 STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

DELIVERABLES: LEVEL 1 LEVEL 2 LEVEL 3 LEVEL 4 OTHER (SPECIFY) _____

TEMPERATURE ON RECEIPT C° Cooler #1 _____ Cooler #2 _____ Cooler #3 _____

SPECIAL INSTRUCTIONS OR NOTES :

SHELL CONTRACT RATE APPLIES
 STATE REIMBURSEMENT RATE APPLIES
 EDD NOT NEEDED
 RECEIPT VERIFICATION REQUESTED
 PROVIDE LEDD DISK

SITE ADDRESS: Street and City
2555 13th Avenue

State
WA

GHD Project / Task Number:
12631170

EDF DELIVERABLE TO (Name, Company, Office Location): _____

PHONE NO.: (425) 327-4585

E-MAIL: emily.blakeway@ghd.com

GHD Other ID _____

SAMPLER NAME(S) (Print):
Jonah Davis

LAB USE ONLY

UNIT COST		REQUESTED ANALYSIS		NON-UNIT COST		FIELD NOTES:
8260C BTEX	NWTPH-Dx					
						Container PID Readings or Laboratory Notes

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	8260C BTEX	NWTPH-Dx	NWTPH-Ox
	DATE	TIME	HCL	HNO3		H2SO4	NONE	OTHER						
	TB-1	03/11/24	0900	WT	X						2	X		X
	MW-302		1202		X						4	X		X
	MW-307		1038		X						4	X		X
	MW-308		1104		X						4	X		X
	TX-03A		1140		X						4	X		X
	MW-301	03/12/24	1002		X						4	X		X
	MW-303		0937		X						4	X		X
	MW-304		1052		X						4	X		X
	MW-310		1027		X						4	X		X
	MW-311		0904		X						4	X		X



Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 03/12/24	Time: 1220
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

IB11 3.9/3.8 WB/BA/NO/CD 3/27/2024

Login Sample Receipt Checklist

Client: GHD Services Inc.

Job Number: 580-137665-1

Login Number: 137665

List Number: 1

Creator: Prigge, Madison

List Source: Eurofins Seattle

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Attachment B

Data Quality Review Report

Data Verification Report

April 12, 2024

To	Emily Blakeway	Project No.	12631170
Copy to	Amber Meslar	DVR No.	2
From	Jeffrey Cloud/eew	Contact No.	1 971 925 3756
Project Name	Equilon Enterprises LLC dba Shell Oil Products US	Email	Jeffrey.Cloud@ghd.com
Subject	Analytical Results and Data Verification of Report 580-137665-1 Quarterly Groundwater Sampling Triton West Consent Decree Seattle, Washington March 2024		

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

1. Introduction

This document details a data verification of analytical results for groundwater samples collected in support of the Quarterly Groundwater Sampling at the Triton West Consent Decree site in Seattle, Washington during March 2024. Samples were submitted to Eurofins Seattle, located in Tacoma, Washington. A sample collection and analysis summary is presented in Table 1. A summary of the analytical methodology is presented in Table 2. The validated analytical results are summarized in Table 3.

Standard GHD report deliverables were submitted by the laboratory. The analytical results and supporting quality assurance/quality control (QA/QC) data were assessed. Evaluation of the data was based on information obtained from the chain of custody forms, finished report forms, method blank data, recovery data from surrogate spikes, laboratory control data and field QC data.

The QA/QC criteria by which these data have been assessed are outlined in the analytical methods referenced in Table 2 and applicable guidance from the document entitled "National Functional Guidelines for Organic Superfund Methods Data Review", United States Environmental Protection Agency (USEPA) 540-R-20-005, November 2020.

2. Sample Holding Time and Preservation

The sample holding time criteria and sample preservation requirements for the requested parameters are summarized in the methods. The sample chain of custody documents and analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

All sample containers were properly preserved, delivered on ice and stored by the laboratory at the required temperature (0-6°C).

3. Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of one per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation.

4. Surrogate Spike Recoveries

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample extraction and/or analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for volatile organic compound (VOC), gasoline range organics (GRO) and diesel range organics (DRO)/motor oil range organics (ORO) analyses were spiked with the appropriate number of surrogate compounds prior to sample extraction and/or analysis.

Surrogate recoveries were assessed against the control limits. All surrogate recoveries met the associated criteria.

5. Laboratory Control Sample Analyses

Laboratory control samples (LCS)/laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

For this study, LCS/LCSD were analyzed at a minimum frequency of one per analytical batch.

The LCS/LCSD contained all analytes of interest. All LCS/LCSD recoveries and RPDs were within associated control limits, demonstrating acceptable analytical accuracy and precision.

6. Field QA/QC Samples

The field QA/QC consisted of one trip blank sample.

To evaluate contamination from sample collection, transportation, storage, and analytical activities, one trip blank was submitted to the laboratory for analysis. All results were non-detect for the analytes of interest with the exception of two analytes present at low concentrations. The associated sample results with concentrations similar to the blank were qualified as non-detect due to contamination as evidenced by the blank (see Table 4).


7. Analyte Reporting

Data were reported down to the laboratory's quantitation limit (QL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the reporting limit (RL) but greater than the QL were reported as estimated (J) in Table 3 unless qualified otherwise in this report. Non-detect results were presented as non-detect at the RL in Table 3.

8. Conclusion

Based on the assessment detailed in the foregoing, the summarized data are acceptable with the specific qualifications noted herein.

Regards



Jeffrey Cloud

Data Management Team – Data Validator

Table 1

Sample Collection and Analysis Summary
Quarterly Groundwater Sampling
Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree
Seattle, Washington
March 2024

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters			Comments
					DRO/ORO	GRO	VOCs	
MW-301	MW-301	Water	03/12/2024	10:02		X	X	
MW-302	MW-302	Water	03/11/2024	12:02		X	X	
MW-303	MW-303	Water	03/12/2024	09:37		X	X	
MW-304	MW-304	Water	03/12/2024	10:52		X	X	
MW-307	MW-307	Water	03/11/2024	10:38		X	X	
MW-308	MW-308	Water	03/11/2024	11:04		X	X	
MW-310	MW-310	Water	03/12/2024	10:27		X	X	
MW-311	MW-311	Water	03/12/2024	09:09		X	X	
MW-312	MW-312	Water	03/12/2024	08:42		X	X	
MW-313	MW-313	Water	03/12/2024	08:16	X	X	X	
MW-315	MW-315	Water	03/12/2024	07:48	X	X	X	
TX-03A	TX-03A	Water	03/11/2024	11:40		X	X	
TB-1	--	Water	03/11/2024			X	X	Trip Blank

Notes:

- VOCs - Volatile Organic Compounds
- GRO - Gasoline Range Organics
- DRO/ORO - Diesel Range Organics/Motor Oil Range Organics
- "--" - Not Applicable

Table 2

Analytical Methods
Quarterly Groundwater Sampling
Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree
Seattle, Washington
March 2024

Parameter	Method	Matrix
Volatile Organic Compounds (VOCs)	SW-846 8260D ⁽¹⁾	Water
Gasoline Range Organics (GRO)	NWTPH-Dx ⁽²⁾	Water
Diesel Range Organics (DRO)/Motor Oil Range Organics (ORO)	NWTPH-Gx ⁽²⁾	Water

Notes:

- (1) - SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions
- (2) - NWTPH - Referenced from "Washington State Department of Ecology Analytical Methods for Petroleum Hydrocarbons", Publication No. ECY 97-602, June 1997

Table 3

Analytical Results Summary
Quarterly Groundwater Sampling
Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree
Seattle, Washington
March 2024

	Location ID:	MW-301	MW-302	MW-303	MW-304	MW-307	MW-308
	Sample Name:	MW-301	MW-302	MW-303	MW-304	MW-307	MW-308
	Sample Date:	03/12/2024	03/11/2024	03/12/2024	03/12/2024	03/11/2024	03/11/2024
Parameters	Unit						
Volatile Organic Compounds							
Benzene	µg/L	19.3	6.68	13.7	12.7	18.3	1.00 U
Ethylbenzene	µg/L	3.39	1.00 U	29.8	1.00 U	26.7	1.00 U
Toluene	µg/L	3.46	1.00 U	1.25	1.00 U	7.43	1.00 U
Xylenes (total)	µg/L	3.51	2.00 U	4.90	2.55	27.6	2.00 U
Total Petroleum Hydrocarbons							
Gasoline	µg/L	1020	297	1330	574	1090	100 U
Motor oil	µg/L	--	--	--	--	--	--
Total Petroleum Hydrocarbons - Extractable (DRO)	µg/L	--	--	--	--	--	--

Table 3

Analytical Results Summary
Quarterly Groundwater Sampling
Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree
Seattle, Washington
March 2024

Location ID:	MW-310	MW-311	MW-312	MW-313	MW-315	TX-03A
Sample Name:	MW-310	MW-311	MW-312	MW-313	MW-315	TX-03A
Sample Date:	03/12/2024	03/12/2024	03/12/2024	03/12/2024	03/12/2024	03/11/2024

Parameters	Unit						
Volatile Organic Compounds							
Benzene	µg/L	12.4	1.44	10.8	1.00 U	5.34	169
Ethylbenzene	µg/L	6.04	0.510 J	1.94	1.00 U	0.641 J	10.0 U
Toluene	µg/L	1.83	2.07	2.69	1.00 U	3.15	10.0 U
Xylenes (total)	µg/L	6.13	2.00 U	2.44	2.00 U	2.51	20.0 U
Total Petroleum Hydrocarbons							
Gasoline	µg/L	896	2820	3180	74.0 J	3820	2840
Motor oil	µg/L	--	--	--	260 J	531	--
Total Petroleum Hydrocarbons - Extractable (DRO)	µg/L	--	--	--	184	4730	--

Notes:

- U - Not detected at the associated reporting limit
- J - Estimated concentration
- "--" - Not analyzed
- DRO - Diesel Range Organics

Table 4

Qualified Sample Data Due to Analyte Concentrations in the Trip Blanks
Quarterly Groundwater Sampling
Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree
Seattle, Washington
March 2024

Parameter	Blank Date (mm/dd/yyyy)	Analyte	Blank Result *	Associated Sample ID	Original Result	Qualified Result	Units
VOCs	03/11/2024	Toluene	7.65 J	TX-03A	7.63 J	10.0 U	µg/L
			0.765 J	MW-302	0.531 J	1.00 U	µg/L
				MW-304	0.887 J	1.00 U	µg/L
		Xylenes (total)	10.3 J	TX-03A	8.02 J	20.0 U	µg/L
			1.03 J	MW-311	1.32 J	2.00 U	µg/L
				MW-302	1.33 J	2.00 U	µg/L

Notes:

- * - Blank result adjusted for sample factors where applicable
- U - Not detected at the associated concentration
- J - Estimated concentration
- VOCs - Volatile Organic Compounds