



September 13, 2024

1413.001.10

Washington Department of Ecology
Northwest Regional Office Toxics Control Program
15700 Dayton Avenue North
Shoreline, Washington 98133

Attn: Ms. Tena Seeds

BY EMAIL ONLY

**2023 GROUNDWATER AND SOIL VAPOR DATA REPORT
AMERICAN LINEN SUPPLY CO DEXTER AVE SITE
AGREED ORDER NO. DE 14302**

Dear Ms. Seeds:

PES Environmental, Inc. (“PES”) has prepared this data submittal on behalf of BMR-Dexter LLC (“BMRD”) for the American Linen Supply Co Dexter Ave Site (the “Site”) located at 700 Dexter Avenue North, Seattle, Washington. This submittal provides the data collected from the second quarter of 2023 through the fourth quarter of 2023, including data from interim action performance monitoring wells at the 700 Dexter Avenue North property (the “Property”) and at the Seattle Department of Transportation Mercer Parcels Site (also known as 800 Mercer), and remedial investigation (“RI”) monitoring wells. The first quarter 2023 data was included with the Agency Review Draft Interim Action Completion Report¹ submitted. This report also includes the groundwater elevation contour maps for the fourth quarter 2022.

PES conducted the monitoring consistent with the Final Interim Action Work Plan (“IAWP”)², the Final Contingent Action Addendum (“CAA”) to the Final IAWP³, the Final Remedial Investigation/Feasibility Study (“RI/FS”) Work Plan,⁴ the Final RI/FS Work Plan Addendum,⁵ the Proposed Groundwater and Soil Vapor Monitoring Plan,⁶ and the Interim Action Work Plan Addendum

¹ PES Environmental, Inc. 2023. *Agency Review Draft Interim Action Completion Report, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington.* Prepared for BMR-Dexter LLC. May 19.

² PES Environmental, Inc. 2018. *Final Interim Action Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington.* Prepared for BMR-Dexter LLC. August.

³ PES Environmental, Inc. 2019. Letter from D. Balbiani and B. O’Neal to T. Cardona (Ecology) re: *Final Contingent Action Addendum to the Final Interim Action Work Plan, Former American Linen Supply Co-Dexter Ave Site, Agreed Order No. DE 14302.* February 14.

⁴ PES Environmental, Inc. 2019. *Final Remedial Investigation/Feasibility Study Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington.* Prepared for BMR-Dexter LLC. December 4.

⁵ PES Environmental, Inc. 2020. *Final Remedial Investigation/Feasibility Study Work Plan Addendum, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington.* Prepared for BMR-Dexter LLC. June 11.

⁶ PES Environmental, Inc. 2023. *2023 Groundwater and Soil Vapor Monitoring Plan, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302.* January 30.

No. 2.⁷ PES measured groundwater levels, and collected groundwater samples during this period to document the chlorinated volatile organic compound (“CVOC”) concentrations in groundwater. This data submittal summarizes the field and analytical laboratory procedures, provides the tabulated data, presents groundwater elevation contour maps, provides CVOC time-trend plots, and includes the analytical laboratory reports and data validation review memoranda.

Construction activities were being performed on and near the Property during this monitoring period, including 700 Dexter interior build-out; 8th Avenue North Street and sidewalk improvements; redevelopment activities at 701 Dexter Avenue North.

GROUNDWATER MONITORING PROCEDURES

During quarterly groundwater monitoring, PES measured groundwater levels and performed groundwater sampling from wells within the RI/IA monitoring well network at the Site. Figure 1 shows the well and soil vapor probe locations. PES used an electronic water level probe to measure depth to groundwater in the wells, and a pressure gauge to monitor the flowing CAA wells in the Property basement. PES sampled the monitoring wells with a peristaltic or bladder pump depending on the depth to water in the wells. Wells were purged at pumping rates of 200 mL/min or less. Three casing volumes of water were purged from flowing Property CAA monitoring wells when the water level was above the well top of casing prior to sampling. One primary groundwater sample was collected from each monitoring well. Field quality assurance samples consisted of trip blanks, duplicate samples (one duplicate sample collected for every 20 primary groundwater samples), and equipment rinsate blanks for wells sampled with a bladder pump. All samples were shipped for analysis of VOCs by Environmental Protection Agency (“EPA”) Method 8260D. Groundwater samples from a subset of wells across the Site were also analyzed for geochemical parameters. All samples were shipped to Pace Analytical in Mount Juliet, Tennessee for analysis.

Second Quarter 2023: On May 8, 2023, PES measured two rounds of groundwater levels in 95 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 49 monitoring wells on the Seattle DOT Mercer Parcels and at the 615 Dexter site. PES did not monitor water levels in MW-157 and W-MW-02 due to the presence of EVO, and FMW-141 was not monitored. Monitoring wells FMW-140, FMW-143, MW-333, MW-334, and MW-345 were inaccessible.

Between May 9 and May 19, 2023, PES collected groundwater samples from 80 monitoring wells outside of the Property, including 7 Shallow Zone wells, 20 Intermediate A Zone wells, 21 Intermediate B Zone wells, and 32 Deep Zone wells. Of the 24 CAA monitoring wells on the Property, PES sampled 23 wells during the second quarter 2023 event. PES did not sample MW-157, W-MW-02, or MW-178 due to the presence of EVO in the wells. One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from MW-313, MW107, MW-146, MW-346, MW-161, and MW-326. One equipment rinsate blank and four trip blanks were also collected.

Third Quarter 2023: On August 10, 2023, PES measured two rounds of groundwater levels in 141 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in

⁷ PES Environmental, Inc. 2022. *Interim Action Work Plan Addendum No. 2, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302*. Submitted to the Washington Department of Ecology, Northwest Regional Office Toxics Cleanup Program. February 22.

47 monitoring wells on the Seattle DOT Mercer Parcels and at the 615 Dexter site. PES did not monitor water levels in MW-157 and W-MW-02 due to the presence of EVO. Monitoring wells MW-146, MW-333, MW-343, and MW-121 were inaccessible. MW-112 was decommissioned. The ROW monitoring wells, including BB-8, MW105, MW-138, MW-302, R-MW5, MW-304, and MW-303, were inaccessible due to construction.

Between August 15 and August 16, 2023, PES collected groundwater samples from 9 monitoring wells outside of the Property, including 1 Intermediate A Zone well, 7 Intermediate B Zone wells, and 1 Deep Zone well. One primary groundwater sample was collected from each monitoring well, with a duplicate sample collected from MW-346. One equipment rinsate blank and two trip blanks were also collected.

Fourth Quarter 2023: On October 30, 2023, PES measured two rounds of groundwater levels in 125 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 47 monitoring wells on the Seattle DOT Mercer Parcels and at the 615 Dexter site. PES did not monitor water levels in MW-157 and W-MW-02 due to the presence of EVO. Monitoring wells MW121, MW-147, MW-158A, MW-351, MW-106 and MW-107 were inaccessible. MW-305 was dry.

Between May 9 and May 19, 2023, PES collected groundwater samples from 102 monitoring wells outside of the Property, including 14 Shallow Zone wells, 28 Intermediate A Zone wells, 29 Intermediate B Zone wells, and 31 Deep Zone wells. Of the 24 CAA monitoring wells on the Property, PES sampled 22 wells during the fourth quarter 2023 event. PES did not sample MW-157, W-MW-02, or MW-178 due to the presence of EVO in the wells. PES did not sample MW-305 because the well was dry. One primary groundwater sample was collected from each monitoring well, with duplicate samples collected from MW-168, MW-301, MW-161, MW-142, MW119, and MW-326R. One equipment rinsate blank and six trip blanks were also collected.

VAPOR PROBE SAMPLING PROCEDURES

PES collected soil vapor samples during quarterly sampling events from shallower and deeper vadose zone soil vapor probes at the Site. Soil vapor samples were analyzed for VOCs, including tetrachloroethene (“PCE”), trichloroethene (“TCE”), cis-1,2-dichloroethene (“cDCE”), trans-1,2-dichloroethene (“tDCE”), and vinyl chloride (“VC”).

Second Quarter 2023: No soil vapor samples were collected by PES for Second Quarter 2023 because the project laboratory was having capacity issues with their air laboratory. PES and Ecology agreed that maintaining laboratory consistency was preferred, so the second quarter vapor sampling was deferred to the third quarter. with

Third Quarter 2023: Between August 8 and August 11, 2023, PES collected soil vapor samples from 8 vapor probes outside the Property, including 4 Shallow Soil Zone probes and 4 Deep Soil Zone probes. Vapor probes SV-17 and SV-18 were not sampled because they were covered by ecology blocks and requests to the City of Seattle were not successful. Probe SV-24 was not sampled because the probe contained water covering the screen. One primary soil vapor sample was collected from each monitoring probe, with a duplicate sample collected from SV01.

Fourth Quarter 2023: On November 16, 2023, PES collected soil vapor samples from 4 vapor probes outside the Property, including 2 Shallow Soil Zone probes and 2 Deep Soil Zone probes. Probes SV-17 and SV-24 were could not be sampled in the third quarter were included in this sampling event. One primary soil vapor sample was collected from each monitoring probe, with a duplicate sample collected from SV-18.

MONITORING RESULTS

Table 1 provides the depths to water measured during the monitoring periods in monitoring wells across the Site. Tables 2 through 9 have been updated to include field parameters and the laboratory results for the groundwater samples collected during the second through the fourth quarters of 2023 monitoring period, and Table 10 provides the laboratory results for the soil vapor samples collected during the monitoring period. Figures 2 through 4 present quarterly groundwater elevation contours for the fourth quarter of 2022 and the first two quarters of 2023. Attachment A provides a well completion table that includes updated survey data and survey data for wells not monitored until after the RI. Attachment B presents CVOC time trend plots updated to include the fourth quarter 2022 through the second quarter 2023 data, and Attachment C provides the laboratory reports and data validation memoranda for the fourth quarter 2022 through the second quarter 2023 data.

Please call if you have any questions or comments regarding this report.

Sincerely,

PES ENVIRONMENTAL, INC.



Daniel Balbiani, P.E.
Principal Engineer

cc: John Moshy, BMRD
Elizabeth Dickey, BMRD

Attachments: Table 1 – Summary of Site-Wide Groundwater Elevations
Table 2 – Groundwater Field Parameters
Table 3 – Groundwater Analytical Data for Shallow Zone Wells
Table 4 – Groundwater Analytical Data for Intermediate A Zone Wells
Table 5 – Groundwater Analytical Data for Intermediate B Zone Wells
Table 6 – Groundwater Analytical Data for Deep Zone Wells
Table 7 – Groundwater Analytical Data, Treatment Zone Monitoring Wells
Table 8 – Groundwater Geochemical Parameters
Table 9 – Dehalococcoides Data, Treatment Monitoring Zone Wells
Table 10 – Soil Vapor Analytical Results

Figure 1 – Groundwater Monitoring Network
Figure 2 – Groundwater Elevation Contours, November 2022
Figure 3 – Groundwater Elevation Contours, February 2023
Figure 4 – Groundwater Elevation Contours, May 2023
Figure 5 – Groundwater Elevation Contours, August 2023
Figure 6 – Groundwater Elevation Contours, October 2023

Attachment A – Well Completion Table
Attachment B – CVOC Time-Trend Plots
Attachment C – Laboratory Reports and Data Validation Memoranda

Table 1

**Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
Shallow Zone							
FMW-143	9th Ave N ROW, E side	23 to 28	10 to 5	32.69	10/31/19	14.88	17.81
					01/13/20	15.02	17.67
					05/11/20	20.47	12.22
					07/13/20	21.01	11.68
					11/16/20	21.19	11.50
					02/01/21	17.48	15.21
					06/07/21	15.68	17.01
					08/16/21	15.55	17.14
					02/15/22	13.25	19.44
					08/08/22	12.09	20.60
					11/07/22	12.89	19.80
					02/21/23	12.96	19.73
					05/08/23	12.65	20.04
					08/10/23	13.79	18.90
					10/30/23	13.76	18.93
					03/01/24	12.14	20.55
HMW-1S	SDOT Mercer Parcels, NE quadrant	20.0 to 30.0	16.0 to 6.0	35.73	03/20/19	16.11	19.62
					03/26/19	16.21	19.52
					07/16/19	16.85	18.88
					12/05/19	18.89	16.84
					01/13/20	22.80	12.93
					03/19/20	24.53	11.20
					05/11/20	26.44	9.29
					07/13/20	Dry	
					11/16/20	Dry	
					02/01/21	20.78	14.95
					06/07/21	19.43	16.30
					08/16/21	19.27	16.46
					02/14/22	16.62	19.11
					05/16/22	15.82	19.91
					08/08/22	16.14	19.59
					11/07/22	17.04	18.69
					02/21/23	Inaccessible	
					05/08/23	15.64	20.09
					08/10/23	16.99	18.74
					10/30/23	16.80	18.93
					03/01/24	15.03	20.70
HMW-2S	SDOT Mercer Parcels, NE quadrant	19.8 to 29.8	27.6 to 17.6	47.28	03/19/19	21.68	25.60
					03/26/19	24.21	23.07
					07/16/19	23.98	23.30
					12/05/19	25.87	21.41
					01/13/20	23.45	23.83
					03/19/20	24.98	22.30
					05/11/20	25.82	21.46
					07/13/20	26.61	20.67

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					11/16/20	24.08	23.20
					02/01/21	21.95	25.33
					06/07/21	23.49	23.79
					08/16/21	24.13	23.15
					02/14/22	22.03	25.25
					05/16/22	22.37	24.91
					08/08/22	23.20	24.08
					11/07/22	23.67	23.61
					02/22/23	28.05	19.23
					05/08/23	27.83	19.45
					08/10/23	20.71	26.57
					10/30/23	28.67	18.61
					03/01/24	27.75	19.53
HMW-9S	SDOT Mercer Parcels, SW quadrant	25.0 to 35.0	30.4 to 20.4	58.54	03/19/20	33.25	25.29
					05/11/20	33.61	24.93
					07/13/20	33.94	24.60
					11/16/20	33.44	25.10
					02/01/21	31.78	26.76
					06/07/21	32.66	25.88
					08/16/21	33.00	25.54
					02/14/22	31.52	27.02
					05/16/22	31.92	26.62
					08/08/22	32.78	25.76
					11/07/22	33.22	25.32
					02/22/23	32.29	26.25
					05/08/23	32.45	26.09
					08/10/23	32.98	25.56
					10/30/23	32.76	25.78
					03/01/24	31.36	27.18
HMW-10S	SDOT Mercer Parcels, SE quadrant	24.7 to 34.7	23.5 to 13.5	51.09	03/19/20	26.37	24.72
					05/11/20	27.11	23.98
					07/13/20	27.83	23.26
					11/16/20	28.12	22.97
					02/01/21	23.91	27.18
					06/07/21	26.04	25.05
					08/16/21	26.41	24.68
					02/14/22	24.03	27.06
					05/16/22	24.40	26.69
					08/08/22	25.74	25.35
					11/07/22	26.13	24.96
					02/22/23	24.35	26.74
					05/08/23	24.70	26.39
					08/10/23	26.07	25.02
					10/30/23	26.40	24.69
					03/01/24	23.37	27.72
HMW-11S	SDOT Mercer	25.0 to 35.0	16.5 to 6.5	44.77	03/19/20	35.50	9.27

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
	Parcels, SE quadrant				05/11/20	37.15	7.62
					07/13/20	37.80	6.97
					11/16/20	37.54	7.23
					02/01/21	32.53	12.24
					06/07/21	23.40	21.37
					08/16/21	21.11	23.66
					02/14/22	25.48	19.29
					05/16/22	25.77	19.00
					08/08/22	25.83	18.94
					05/08/23	24.43	20.34
					08/10/23	26.42	18.35
					10/30/23	26.37	18.40
					03/01/24	24.97	19.80
HMW-17S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.2 to 12.2	57.35	11/16/20	28.64	28.71
					06/07/21	26.37	30.98
					08/16/21	27.04	30.31
					02/14/22	23.77	33.58
					05/16/22	29.49	27.86
					08/08/22	31.37	25.98
					11/07/22	31.46	25.89
					02/22/23	29.83	27.52
					05/08/23	30.13	27.22
					08/10/23	30.94	26.41
					10/30/23	31.61	25.74
					03/01/24	28.73	28.62
HMW-18S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.6 to 12.6	57.44	11/16/20	29.28	28.16
					06/07/21	27.05	30.39
					08/16/21	27.65	29.79
					02/14/22	24.87	32.57
					05/08/23	30.37	27.07
					08/10/23	31.17	26.27
					10/30/23	30.89	26.55
					03/01/24	34.60	22.84
HMW-19S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	23.2 to 13.2	61.08	11/16/20	33.61	27.47
					06/07/21	31.77	29.31
					08/16/21	32.35	28.73
					02/14/22	25.91	35.17
					05/16/22	33.03	28.05
					08/08/22	34.86	26.22
					11/07/22	35.21	25.87
					02/22/23	33.80	27.28
					05/08/23	30.04	31.04
					08/10/23	34.82	26.26
					10/30/23	34.62	26.46
					03/01/24	32.66	28.42

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
HMW-20S	SDOT Mercer Parcels, NW quadrant	25.0 to 35.0	28.8 to 18.8	56.49	11/16/20	31.71	24.78	
					06/07/21	30.63	25.86	
					02/14/22	29.54	26.95	
					05/16/22	–		
					05/08/23	30.03	26.46	
					08/10/23	NM	–	
					10/30/23	26.20	30.29	
MW-8	800 Aloha Street Parcel	4.5 to 19	28.7 to 14.2	53.72	10/26/93	12.35	41.37	
					01/25/94	13.51	40.21	
					04/25/94	11.80	41.92	
					09/15/94	12.49	41.23	
					33.19	02/07/12	11.64	21.55
						03/20/17	10.42	22.77
						03/24/17	10.54	22.65
						06/12/17	18.95	14.24
						03/14/19	11.23	21.96
						04/22/19	11.18	22.01
						07/16/19	11.97	21.22
				10/21/19		12.46	20.73	
				01/13/20		12.15	21.04	
				05/11/20		17.12	16.07	
				07/13/20	17.95	15.24		
				11/16/20	16.84	16.35		
				02/02/21	12.74	20.45		
				06/01/21	13.66	19.53		
				08/17/21	14.01	19.18		
				02/15/22	11.47	21.72		
				05/16/22	10.34	22.85		
				08/08/22	11.79	21.40		
				11/07/22	11.32	21.87		
02/21/23	11.00	22.19						
05/08/23	10.81	22.38						
08/10/23	12.57	20.62						
10/30/23	11.92	21.27						
02/28/24	10.90	22.29						
MW-9	8th Ave N ROW, E side	7 to 22	34.1 to 19.1	61.35	01/25/94	15.51	45.84	
					04/25/94	17.09	44.26	
					09/15/94	15.50	45.85	
					40.81	06/20/02	18.30	22.51
						06/02/11	14.89	25.92
				02/07/12		16.39	24.42	
				09/04/12		16.84	23.97	
				12/21/12		15.94	24.87	
				01/06/14		13.99	26.82	
				03/20/17	13.33	27.48		
				03/24/17	13.32	27.49		

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					04/14/17	13.59	27.22
					04/28/17	15.60	25.21
					05/05/17	15.68	25.13
					05/12/17	16.54	24.27
					05/19/17	16.78	24.03
					06/12/17	19.91	20.90
					10/11/17	21.80	19.01
					03/14/19	13.81	27.00
					04/22/19	13.93	26.88
					07/16/19	15.27	25.54
					08/19/19	18.32	22.49
				40.74	10/21/19	20.77	19.97
					01/13/20	21.58	19.16
					05/11/20	Dry	
					07/13/20	Dry	
					08/04/20	21.01	19.73
					08/17/20	20.54	20.20
					09/03/20	20.45	20.29
					09/21/20	20.55	20.19
					11/16/20	19.78	20.96
					02/01/21	17.54	23.20
					06/07/21	15.80	24.94
					08/16/21	16.79	23.95
					02/14/22	14.42	26.32
					05/16/22	15.49	25.25
					08/08/22	15.84	24.90
					11/07/22	16.69	24.05
					02/21/23	15.91	24.83
					05/08/23	16.15	24.59
					08/10/23	16.47	24.27
					10/30/23	16.51	24.23
					03/01/24	15.01	25.73
MW121	8th Ave N ROW, E side	15 to 25	26.7 to 16.7	41.72	01/06/14	18.69	23.03
					03/20/17	12.25	29.47
					03/24/17	11.09	30.63
					04/14/17	11.24	30.48
					04/28/17	11.65	30.07
					05/05/17	12.36	29.36
					05/12/17	11.75	29.97
					05/19/17	11.61	30.11
					06/12/17	14.35	27.37
					10/11/17	21.67	20.05
					03/14/19	10.86	30.86
					04/22/19	11.58	30.14
					07/16/19	17.95	23.77
					08/19/19	22.95	18.77
					10/21/19	24.23	17.49

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					01/13/20	24.22	17.50
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	24.30	17.42
					08/04/20	24.30	17.42
					08/17/20	24.33	17.39
					09/03/20	24.30	17.42
					09/21/20	24.40	17.32
					11/17/20	19.67	22.05
					02/01/21	16.86	24.86
					06/07/21	16.75	24.97
					08/16/21	Inaccessible	
					02/14/22	15.53	26.19
					05/16/22	16.92	24.80
					08/08/22	16.89	24.83
					11/07/22	18.38	23.34
					02/21/23	16.23	25.49
					05/08/23	16.94	24.78
					08/10/23	Inaccessible	
					10/30/23	Inaccessible	
					03/01/24	15.63	26.09
MW125	Valley St ROW, ROW, N side	15 to 30	28.6 to 13.6	43.55	01/06/14	24.18	19.37
					03/20/17	14.40	29.15
					03/24/17	14.55	29.00
					06/28/17	22.20	21.35
					10/11/17	26.39	17.16
					03/14/19	15.59	27.96
					04/22/19	14.95	28.60
					07/16/19	18.30	25.25
					08/19/19	25.96	17.59
					10/21/19	27.26	16.29
					01/13/20	27.85	15.70
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	Inaccessible	
					08/17/20	25.15	18.40
					09/03/20	24.68	18.87
					09/21/20	Inaccessible	
					11/16/20	20.90	22.65
					02/01/21	18.07	25.48
					06/07/21	18.00	25.55
					08/16/21	18.49	25.06
					02/14/22	16.69	26.86
					05/16/22	17.70	25.85
					08/08/22	18.15	25.40
					11/07/22	19.03	24.52
					02/21/23	18.13	25.42

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					05/08/23	18.42	25.13
					08/10/23	19.03	24.52
					10/30/23	18.56	24.99
					03/01/24	17.67	25.88
MW-154	Roy St ROW, S side	25 to 35	28.1 to 18.1	52.57	03/14/19	20.81	31.76
					03/26/19	21.94	30.63
					04/22/19	22.40	30.17
					07/16/19	27.03	25.54
					07/17/19	27.02	25.55
					08/19/19	28.80	23.77
					10/21/19	30.16	22.41
					01/13/20	29.30	23.27
					03/19/20	29.10	23.47
					05/11/20	29.44	23.13
					07/13/20	30.05	22.52
					07/21/20	29.76	22.81
					08/04/20	29.56	23.01
					08/17/20	29.41	23.16
					09/03/20	29.15	23.42
					09/21/20	28.98	23.59
					11/16/20	25.44	27.13
					02/01/21	22.04	30.53
					06/07/21	24.55	28.02
					08/16/21	24.98	27.59
02/14/22	22.03	30.54					
05/16/22	23.60	28.97					
08/08/22	25.35	27.22					
11/07/22	25.67	26.90					
02/22/23	24.21	28.36					
05/08/23	24.83	27.74					
08/10/23	25.78	26.79					
10/30/23	25.33	27.24					
03/01/24	22.97	29.60					
MW-155	Roy St ROW, S side	20 to 30	24.4 to 14.4	44.05	03/14/19	16.80	27.25
					03/26/19	17.20	26.85
					04/22/19	17.95	26.10
					07/16/19	20.94	23.11
					08/19/19	22.38	21.67
					10/21/19	24.54	19.51
					01/13/20	22.55	21.50
					02/19/20	20.38	23.67
					03/19/20	23.10	20.95
					05/11/20	24.31	19.74
					07/13/20	25.17	18.88
					07/21/20	25.05	19.00
					08/04/20	24.90	19.15

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/17/20	24.74	19.31
					09/03/20	24.55	19.50
					09/21/20	24.53	19.52
					11/16/20	22.55	21.50
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	21.03	23.02
					02/14/22	17.53	26.52
					05/16/22	18.52	25.53
					08/08/22	19.82	24.23
					11/07/22	20.78	23.27
					02/21/23	18.29	25.76
					05/08/23	19.20	24.85
					08/10/23	20.94	23.11
					10/30/23	20.62	23.43
					03/01/24	17.70	26.35
MW-159	8th Ave N ROW, E side	20 to 30	22.9 to 12.9	42.79	03/14/19	14.70	28.09
					04/22/19	15.67	27.12
					07/16/19	20.55	22.24
					08/19/19	25.60	17.19
					10/21/19	29.34	13.45
					01/13/20	29.35	13.44
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	Dry	
					08/04/20	28.65	14.14
					08/17/20	27.30	15.49
					09/03/20	26.65	16.14
					09/21/20	26.31	16.48
					11/16/20	22.27	20.52
					02/01/21	18.91	23.88
					06/07/21	19.73	23.06
					08/16/21	19.86	22.93
					02/14/22	17.37	25.42
					05/16/22	18.22	24.57
					08/08/22	18.99	23.80
					11/07/22	19.89	22.90
					02/21/23	18.63	24.16
					05/08/23	18.84	23.95
					08/10/23	20.02	22.77
					10/30/23	19.39	23.40
					03/01/24	18.21	24.58
MW-210	Valley St ROW, N side	10 to 20	17.1 to 7.1	26.57	03/20/17	–	–
					03/24/17	17.75	8.82
					06/12/17	10.95	15.62
					10/11/17	12.71	13.86

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/14/19	8.59	17.98
					04/22/19	8.71	17.86
					07/16/19	8.22	18.35
					10/21/19	8.62	17.95
					01/13/20	8.95	17.62
					05/11/20	9.30	17.27
					07/13/20	9.55	17.02
					11/16/20	9.91	16.66
					02/01/21	9.69	16.88
					06/07/21	8.23	18.34
					08/16/21	9.13	17.44
					02/14/22	9.62	16.95
MW-210	Valley St ROW, N side (Block 37)	5.0 to 20.0	6.6 to 21.6	26.56	02/14/22	9.08	17.48
					05/16/22	7.83	18.74
					05/16/22	7.36	19.20
					08/08/22	8.08	18.49
					08/08/22	8.11	18.45
					11/07/22	8.36	18.21
					11/07/22	8.38	18.18
					02/21/23	8.66	17.90
					05/08/23	7.51	19.05
					08/10/23	8.80	17.76
					10/30/23	8.78	17.78
MW-214	Valley St ROW, S side	7 to 17	20.8 to 10.8	27.32	03/20/17	6.84	20.48
					03/24/17	7.67	19.65
					06/12/17	16.45	10.87
					10/11/17	Dry	
					03/14/19	8.92	18.40
					04/22/19	9.03	18.29
					07/16/19	8.97	18.35
					10/21/19	9.54	17.78
					01/13/20	9.74	17.58
					05/11/20	13.40	13.92
					07/13/20	13.70	13.62
					11/16/20	13.75	13.57
					02/01/21	11.56	15.76
					06/07/21	9.35	17.97
					08/16/21	10.37	16.95
					02/14/22	9.35	17.97
					05/16/22	7.58	19.74
					08/08/22	8.75	18.57
					11/07/22	8.97	18.35
					02/21/23	8.91	18.41
					05/08/23	7.96	19.36
					08/10/23	9.50	17.82
					10/30/23	9.25	18.07
					03/01/24	10.62	16.70

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-301	Valley St ROW, S side	18.2 to 28.3	35.6 to 25.65	53.54	10/21/19	Dry	
					07/13/20	Inaccessible	
					07/21/20	Inaccessible	
					08/04/20	Dry	
					08/17/20	Dry	
					09/03/20	Dry	
					09/21/20	Dry	
					11/16/20	22.26	31.28
					02/01/21	19.90	33.64
					06/07/21	21.51	32.03
					08/16/21	21.77	31.77
					02/14/22	19.85	33.69
					05/16/22	21.49	32.05
					08/08/22	22.54	31.00
					11/07/22	22.63	30.91
					02/21/23	21.13	32.41
05/08/23	21.97	31.57					
08/10/23	23.32	30.22					
10/30/23	21.30	32.24					
03/01/24	20.40	33.14					
MW-305	Roy St ROW, S side	22.8 to 32.8	37.4 to 27.4	59.86	10/21/19	28.17	31.69
					01/13/20	27.85	32.01
					03/19/20	23.83	36.03
					05/11/20	25.26	34.60
					07/13/20	26.44	33.42
					07/21/20	26.50	33.36
					08/04/20	26.75	33.11
					08/17/20	26.92	32.94
					09/03/20	27.31	32.55
					09/21/20	28.05	31.81
					11/17/20	28.23	31.63
					02/01/21	21.23	38.63
					06/07/21	23.61	36.25
					08/16/21	24.78	35.08
					02/14/22	19.16	40.70
					05/16/22	25.81	34.05
					11/07/22	Dry	
					02/21/23	Dry	
					05/08/23	32.40	27.46
08/10/23	32.57	27.29					
10/30/23	Not Measured						
03/01/24	20.55	39.31					
MW-310	Alley E of Seattle Roy Aloha Shops	13.7 to 23.7	19.2 to 9.2	32.48	10/21/19	13.67	18.81
					01/13/20	14.71	17.77
					05/11/20	19.70	12.78

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	20.56	11.92
					11/16/20	19.32	13.16
					02/01/21	14.17	18.31
					06/07/21	12.61	19.87
					08/16/21	13.25	19.23
					02/14/22	9.01	23.47
					05/16/22	9.21	23.27
					08/08/22	10.11	22.37
					11/07/22	11.30	21.18
					02/21/23	9.32	23.16
					05/08/23	9.44	23.04
					08/10/23	11.46	21.02
					10/30/23	13.91	18.57
					02/28/24	9.04	23.44
MW-312	Alley E of Seattle Roy Aloha Shops	15.7 to 25.7	19.9 to 9.9	34.99	10/21/19	15.66	19.33
					01/13/20	15.97	19.02
					05/11/20	22.37	12.62
					07/13/20	23.34	11.65
					07/21/20	23.47	11.52
					08/04/20	23.71	11.28
					08/17/20	23.81	11.18
					09/03/20	23.94	11.05
					09/21/20	Inaccessible	
					11/16/20	22.85	12.14
					02/01/21	14.94	20.05
					06/07/21	15.74	19.25
					08/16/21	16.13	18.86
					02/14/22	11.25	23.74
					05/16/22	11.32	23.67
					08/08/22	13.01	21.98
					11/07/22	14.22	20.77
					02/21/23	11.71	23.28
					05/08/23	11.82	23.17
					08/10/23	14.24	20.75
					10/30/23	14.15	20.84
					02/28/24	11.39	23.60
MW-313	Alley E of Seattle Roy Aloha Shops	19.4 to 29.4	20.4 to 10.4	39.53	10/21/19	22.34	17.19
					01/13/20	23.57	15.96
					05/11/20	Dry	
					07/13/20	Dry	
					11/16/20	Dry	
					02/01/21	25.13	14.40
					06/07/21	22.82	16.71
					08/16/21	22.85	16.68
					02/14/22	19.99	19.54
					05/16/22	19.81	19.72

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/08/22	20.02	19.51
					11/07/22	20.92	18.61
					02/21/23	20.08	19.45
					05/08/23	19.80	19.73
					08/10/23	20.95	18.58
					10/30/23	20.92	18.61
					02/28/24	19.46	20.07
MW-320	9th Ave N ROW, W side	15.5 to 25.5	18.6 to 8.6	33.57	10/21/19	15.45	18.12
					01/13/20	15.62	17.95
					05/11/20	21.20	12.37
					07/13/20	21.96	11.61
					11/16/20	22.20	11.37
					02/01/21	17.62	15.95
					06/07/21	16.20	17.37
					08/16/21	16.14	17.43
					02/14/22	13.26	20.31
					05/16/22	12.86	20.71
					08/08/22	13.21	20.36
					11/07/22	14.19	19.38
					02/22/23	13.30	20.27
					05/08/23	13.06	20.51
08/10/23	14.38	19.19					
10/30/23	14.38	19.19					
03/01/24	12.64	20.93					
MW-332	Roy St ROW, N side	20.3 to 30.3	15.42 to 5.42	35.72	05/11/20	25.58	10.14
					07/13/20	26.07	9.65
					11/16/20	25.97	9.75
					02/01/21	21.05	14.67
					06/07/21	18.95	16.77
					08/16/21	18.93	16.79
					02/14/22	15.67	20.05
					05/16/22	15.44	20.28
					11/07/22	16.54	19.18
					02/21/23	15.49	20.23
					05/08/23	15.24	20.48
					08/10/23	16.59	19.13
					10/30/23	16.84	18.88
					03/01/24	15.14	20.58
MW-337	Lake Union Park, N end	9.7 to 19.7	17.81 to 7.81	27.51	05/11/20	9.12	18.39
					07/13/20	9.41	18.10
					11/16/20	10.30	17.21
					02/01/21	10.19	17.32
					06/07/21	8.70	18.81
					08/16/21	10.03	17.48
					02/14/22	10.37	17.14
					05/16/22	8.29	19.22

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
					08/08/22	9.34	18.17	
					11/07/22	9.41	18.10	
					02/21/23	9.80	17.71	
					05/08/23	8.99	18.52	
					08/10/23	9.98	17.53	
					10/30/23	9.96	17.55	
					03/01/24	9.45	18.06	
MW-339	Lake Union Park, S end	10.1 to 20.1	17.96 to 7.96	28.06	05/11/20	9.95	18.11	
					07/13/20	10.26	17.80	
					11/16/20	10.74	17.32	
					02/01/21	10.20	17.86	
					06/07/21	9.15	18.91	
					08/16/21	10.56	17.50	
					02/14/22	10.91	17.15	
					05/16/22	8.56	19.50	
					08/08/22	9.80	18.26	
					11/07/22	9.04	19.02	
					02/21/23	10.39	17.67	
					05/08/23	9.22	18.84	
					08/10/23	10.53	17.53	
10/30/23	10.38	17.68						
03/01/24	9.31	18.75						
R-MW5	Dexter Ave N ROW, E side	15 to 30	42.4 to 27.4	47.20	10/28/92	22.89	24.31	
					01/29/09	22.80	24.40	
					57.01	02/19/10	21.93	35.08
					06/02/11	20.48	36.53	
					02/07/12	21.61	35.40	
					57.03	09/05/12	23.72	33.31
					12/21/12	22.55	34.48	
					03/29/13	21.72	35.31	
					12/18/13	28.59	28.44	
					03/20/17	17.92	39.11	
					03/24/17	18.29	38.74	
					06/12/17	21.58	35.45	
					10/11/17	26.31	30.72	
					03/14/19	18.18	38.85	
					04/22/19	18.83	38.20	
					07/16/19	25.25	31.78	
					57.01	10/21/19	25.95	31.06
					01/13/20	25.17	31.84	
					05/11/20	26.49	30.52	
					07/13/20	27.46	29.55	
11/16/20	22.01	35.00						
02/01/21	19.54	37.47						
06/07/21	20.56	36.45						
08/16/21	21.05	35.96						

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/14/22	19.41	37.60
					05/16/22	21.67	35.34
					08/08/22	22.97	34.04
					11/07/22	22.30	34.71
					02/21/23	–	–
					05/08/23	21.44	35.57
					08/10/23	Inaccessible	–
					10/30/23	20.44	36.57
					03/01/24	20.69	36.32
R-MW6	8th Ave N ROW, W side	12 to 22	33.3 to 23.3	35.39	10/28/92	17.85	17.54
					01/29/09	19.15	16.24
				45.18	02/19/10	18.25	26.93
					05/03/10	18.25	26.93
					06/02/11	16.22	28.96
					02/07/12	14.11	31.07
				45.28	09/05/12	19.38	25.90
					12/21/12	15.27	30.01
					03/29/13	17.18	28.10
					01/06/14	22.58	22.70
					03/20/17	11.49	33.79
					03/24/17	11.82	33.46
					04/14/17	12.37	32.91
					04/28/17	13.41	31.87
					05/05/17	13.60	31.68
					05/12/17	13.99	31.29
					05/19/17	14.21	31.07
					06/12/17	17.08	28.20
					10/11/17	Dry	
					03/14/19	12.24	33.04
					04/22/19	Inaccessible	
					07/16/19	Inaccessible	
					05/11/20	Inaccessible	
					07/13/20	Inaccessible	
					09/21/20	21.31	23.97
					10/01/20	20.10	25.18
					11/16/20	Inaccessible	
					02/01/21	12.30	32.98
					06/07/21	16.41	28.87
					08/16/21	Inaccessible	
				44.52	02/14/22	13.78	30.74
					05/16/22	15.50	29.02
					08/08/22	17.05	27.47
					11/07/22	16.36	28.16
					02/21/23	15.99	28.53
					05/08/23	23.33	21.19
					08/10/23	17.86	26.66
					10/30/23	17.17	27.35

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/01/24	22.17	22.35
SCL-MW101	Alley E of Seattle Roy Aloha Shops	5 to 15	25.5 to 15.5	30.46	02/07/12	7.48	22.98
					01/06/14	13.09	17.37
					03/20/17	7.00	23.46
				30.02	03/24/17	7.08	23.38
					06/14/17	11.50	18.96
					10/11/17	Dry	
					03/14/19	7.64	22.82
					04/22/19	7.55	22.91
					07/16/19	7.90	22.56
					10/21/19	8.85	21.17
					01/13/20	7.87	22.15
					05/11/20	12.46	17.56
					07/13/20	13.95	16.07
					11/16/20	11.32	18.70
					02/01/21	9.57	20.45
					06/07/21	9.60	20.42
					08/16/21	9.89	20.13
					02/14/22	7.09	22.93
					05/16/22	7.22	22.80
					08/08/22	7.71	22.31
11/07/22	7.86	22.16					
02/21/23	7.35	22.67					
05/08/23	7.38	22.64					
08/10/23	8.23	21.79					
10/30/23	7.94	22.08					
02/28/24	7.22	22.80					
SCL-MW105	Alley E of Seattle Roy Aloha Shops	20 to 30	11.1 to 1.1	31.26	02/07/12	10.46	20.80
					01/06/14	13.88	17.38
					03/20/17	11.40	19.86
					03/24/17	10.04	21.22
					06/12/17	20.45	10.81
					10/11/17	23.47	7.79
					03/14/19	7.97	23.29
					04/22/19	7.98	23.28
					07/16/19	10.87	20.39
					10/21/19	10.42	20.35
					01/13/20	13.00	17.77
					05/11/20	16.90	13.87
					07/13/20	14.63	16.14
					11/16/20	16.74	14.03
02/01/21	13.48	17.29					
06/07/21	11.95	18.82					
08/16/21	12.28	18.49					
02/14/22	10.28	20.49					
05/16/22	9.97	20.80					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/08/22	10.25	20.52
					11/07/22	10.88	19.89
					02/21/23	10.33	20.44
					05/08/23	9.92	20.85
					08/10/23	11.05	19.72
					10/30/23	10.86	19.91
					02/28/24	9.80	20.97
SCS-2	Seattle Roy Aloha Shops, N end	11 to 21	28.2 to 18.2	39.16	02/07/12	16.56	22.60
					03/20/17	15.65	23.51
					03/24/17	–	
					06/12/17	20.18	18.98
					03/14/19	16.22	22.94
					04/22/19	16.29	22.87
					07/16/19	17.04	22.12
					10/21/19	18.95	20.21
					01/13/20	18.28	20.88
					05/11/20	Dry	
					05/11/20	Dry	
					07/13/20	Dry	
					11/16/20	Dry	
					02/02/21	18.44	20.72
					06/01/21	18.68	20.48
					08/17/21	18.90	20.26
					02/15/22	15.81	23.35
					05/16/22	15.79	23.37
					08/08/22	16.76	22.40
					11/07/22	17.73	21.43
					02/21/23	16.13	23.03
					05/08/23	16.20	22.96
					08/10/23	17.60	21.56
					10/30/23	17.77	21.39
					02/28/24	15.92	23.24
Intermediate A Zone							
BB-8	Roy St ROW, S side	30 to 40	14.0 to 4.0	–	06/20/97	17.49	
					06/24/97	19.00	
					10/06/97	20.40	
					01/25/98	20.68	
					02/28/98	20.20	
					03/30/98	20.14	
					04/22/98	19.99	
					06/04/98	20.51	
					07/27/98	24.02	
					01/29/09	20.08	
				44.25	02/19/10	18.66	25.59
					05/03/10	19.90	24.35
					06/02/11	17.64	26.61

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
				44.26	02/07/12	15.39	28.86
					09/05/12	20.01	24.25
					12/21/12	16.23	28.03
					03/29/13	18.70	25.56
				43.69	01/06/14	24.42	19.27
					06/16/15	18.90	24.79
					03/20/17	13.21	30.48
					03/24/17	13.26	30.43
					06/12/17	18.80	24.89
					10/11/17	23.87	19.82
					03/14/19	13.73	29.96
					04/22/19	15.36	28.33
				43.64	07/17/19	20.41	23.28
					10/21/19	26.19	17.45
					01/13/20	24.10	19.54
					05/11/20	26.62	17.02
					07/13/20	27.60	16.04
					11/16/20	20.95	22.69
					02/01/21	15.33	28.31
					06/07/21	18.35	25.29
					08/16/21	19.70	23.94
					02/14/22	14.90	28.74
					05/16/22	16.70	26.94
					08/08/22	18.68	24.96
					11/07/22	19.17	24.47
					02/21/23	–	–
					05/08/23	17.98	25.66
					08/10/23	Inaccessible	–
					10/30/23	19.18	24.46
					03/01/24	16.10	27.54
DMW-3IA	615 Dexter, NE quadrant	39.0 to 49.0	16.8 to 6.8	55.84	03/19/20	25.39	30.45
					05/11/20	25.99	29.85
					07/13/20	26.68	29.16
					11/16/20	26.24	29.60
					02/01/21	22.90	32.94
					06/07/21	23.79	32.05
					08/16/21	24.43	31.41
					02/14/22	20.85	34.99
					02/22/23	38.10	17.74
					05/08/23	NM	
					08/10/23	NM	
					10/30/23	NM	
					03/01/24	NM	
FMW-142	9th Ave N ROW, E side	37.5 to 42.5	-4.6 to -9.6	32.52	10/31/19	15.50	17.02
					01/13/20	17.13	15.39
					04/28/20	18.83	13.69

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	22.86	9.66
					11/16/20	22.57	9.95
					02/01/21	18.91	13.61
					06/07/21	16.13	16.39
					08/16/21	16.15	16.37
					02/14/22	14.10	18.42
					05/16/22	13.34	19.18
					08/08/22	13.40	19.12
					11/07/22	14.12	18.40
					02/21/23	13.79	18.73
					05/08/23	13.36	19.16
					08/10/23	14.29	18.23
					10/30/23	14.33	18.19
					03/01/24	13.35	19.17
GEI-1	Block 37, SW quadrant	26.8 to 36.8	1.2 to -8.9	27.95	03/24/17	8.63	19.32
					06/12/17	21.91	6.04
					03/14/19	9.64	18.31
					04/22/19	9.28	18.67
					07/16/19	9.59	18.36
					10/21/19	10.62	17.33
					01/13/20	11.37	16.58
					05/11/20	15.74	12.21
					07/13/20	16.09	11.86
					11/16/20	15.75	12.20
					02/01/21	13.03	14.92
					06/07/21	10.98	16.97
					08/16/21	11.29	16.66
					02/14/22	9.85	18.10
					05/16/22	8.89	19.06
					08/08/22	9.25	18.70
					11/07/22	9.61	18.34
					02/21/23	18.19	9.76
					05/08/23	8.85	19.10
					08/10/23	9.93	18.02
					10/30/23	9.79	18.16
					03/01/24	9.09	18.86
GEI-MW-1	Block 79 East, N end	39.8 to 59.8	-9.7 to -29.7	30.30	05/11/20	18.65	11.65
					07/13/20	18.97	11.33
					11/16/20	Inaccessible	
					02/01/21	15.82	14.48
					06/07/21	13.25	17.05
					08/16/21	13.53	16.77
					02/14/22	12.03	18.27
					05/16/22	11.17	19.13
					08/08/22	11.29	19.01
					11/07/22	11.97	18.33

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
HMW-2IA	SDOT Mercer	34.8 to 44.8	10.8 to 0.8	47.51	02/21/23	11.65	18.65
					05/08/23	11.05	19.25
					08/10/23	12.04	18.26
					10/30/23	12.09	18.21
					03/01/24	11.18	19.12
					03/20/19	18.61	28.90
	Parcels, NE quadrant				03/26/19	19.11	28.40
					07/16/19	24.28	23.23
					12/05/19	27.83	19.68
					01/13/20	25.48	22.03
					03/19/20	27.29	20.22
					04/10/20	27.59	19.92
					05/11/20	28.27	19.24
					07/13/20	28.86	18.65
					11/16/20	23.31	24.20
					02/01/21	19.55	27.96
					06/07/21	23.32	24.19
					08/16/21	23.76	23.75
					02/14/22	20.11	27.40
					05/16/22	20.60	26.91
					08/08/22	22.80	24.71
					11/07/22	22.36	25.15
02/22/23	21.09	26.42					
05/08/23	21.73	25.78					
08/10/23	23.53	23.98					
10/30/23	22.65	24.86					
03/01/24	19.67	27.84					
HMW-3IA	SDOT Mercer Parcels, NW quadrant	34.8 to 44.8	20.2 to 10.2	54.75	03/19/19	23.71	31.04
					03/26/19	23.99	30.76
					07/16/19	28.11	26.64
					12/05/19	30.82	23.93
					01/13/20	29.86	24.89
					03/19/20	29.54	25.21
					04/10/20	29.70	25.05
					05/11/20	30.05	24.70
					07/13/20	30.58	24.17
					11/16/20	27.90	26.85
					02/01/21	24.59	30.16
					06/07/21	26.52	28.23
					08/16/21	26.99	27.76
					02/14/22	24.24	30.51
					-	26.76	27.99
					08/08/22	28.40	26.35
05/08/23	34.43	20.32					
08/10/23	38.64	16.11					
10/30/23	38.76	15.99					

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/01/24	39.58	15.17
HMW-6IA	SDOT Mercer Parcels, SW quadrant	37.5 to 47.5	21.2 to 11.2	61.27	03/19/20	33.43	27.84
					05/11/20	34.25	27.02
					07/13/20	36.05	25.22
					11/16/20	35.39	25.88
					02/01/21	33.25	28.02
					06/07/21	33.91	27.36
					08/16/21	34.59	26.68
					02/14/22	32.70	28.57
					05/16/22	33.21	28.06
					08/08/22	33.74	27.53
					11/07/22	34.39	26.88
					02/22/23	33.14	28.13
					05/08/23	33.37	27.90
					08/10/23	34.23	27.04
10/30/23	34.11	27.16					
03/01/24	32.47	28.80					
HMW-9IA	SDOT Mercer Parcels, SW quadrant	36.7 to 46.7	18.6 to 8.6	58.21	03/19/20	34.18	24.03
					05/11/20	34.48	23.73
					07/13/20	34.95	23.26
					11/16/20	32.91	25.30
					02/01/21	30.89	27.32
					06/07/21	32.22	25.99
					08/16/21	32.56	25.65
					02/14/22	30.71	27.50
					05/16/22	31.39	26.82
					05/08/23	31.95	26.26
					08/10/23	32.67	25.54
					10/30/23	32.27	25.94
03/01/24	30.69	27.52					
HMW-20IA	SDOT Mercer Parcels, NW quadrant	41.0 to 51.0	12.8 to 2.8	56.47	11/16/20	30.74	25.73
					06/07/21	30.43	26.04
					02/14/22	28.02	28.45
					05/16/22	–	–
					05/08/23	32.34	24.13
					08/10/23	NM	–
10/30/23	15.19	41.28					
MW107	8th Ave N ROW, W side	35 to 45	8.8 to -1.2	43.82	12/21/12	17.28	26.54
					03/29/13	18.28	25.54
					01/06/14	26.74	17.08
					06/16/15	17.78	26.04
					10/19/15	19.88	23.94
					02/01/16	12.85	30.97
					03/20/17	11.80	32.02
					03/24/17	12.20	31.62
					04/14/17	12.31	31.51

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					04/28/17	14.12	29.70
					05/05/17	14.34	29.48
					05/12/17	14.85	28.97
					05/19/17	15.03	28.79
					06/12/17	18.62	25.20
					10/11/17	25.10	18.72
					03/14/19	12.84	30.98
					04/22/19	13.35	30.47
					07/16/19	21.75	22.07
					10/21/19	35.69	8.13
					01/13/20	31.55	12.27
					05/11/20	34.30	9.52
					07/13/20	34.99	8.83
					07/21/20	30.10	13.72
					08/04/20	27.84	15.98
					08/17/20	26.56	17.26
					09/03/20	25.84	17.98
					09/21/20	25.32	18.50
					11/16/20	Inaccessible	
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	19.36	24.46
				43.01	02/14/22	15.51	27.50
					05/16/22	16.82	26.19
					08/08/22	17.95	25.06
					11/07/22	17.98	25.03
					02/21/23	17.67	25.34
					05/08/23	18.13	24.88
					08/10/23	18.78	24.23
					10/30/23	Inaccessible	
					03/01/24	15.80	27.21
MW108	Alley E of Seattle Roy Aloha Shops	40 to 50	-7.2 to -17.2	32.78	12/21/12	13.43	19.35
					03/29/13	15.76	17.02
					01/06/14	21.44	11.34
					06/16/15	15.53	17.25
					10/19/15	17.16	15.62
					02/01/16	16.31	16.47
					03/20/17	12.53	20.25
					03/24/17	12.61	20.17
					06/12/17	28.13	4.65
					10/11/17	29.02	3.76
					03/14/19	13.46	19.32
					04/22/19	13.19	19.59
					07/16/19	13.84	18.94
					10/21/19	15.92	16.86
					01/13/20	17.32	15.46

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					05/11/20	22.13	10.65
					07/13/20	22.50	10.28
					11/16/20	21.55	11.23
					02/01/21	18.04	14.74
					06/07/21	15.50	17.28
					08/16/21	15.67	17.11
					02/14/22	13.61	19.17
					05/16/22	13.06	19.72
					08/08/22	13.21	19.57
					11/07/22	13.98	18.80
					02/21/23	13.49	19.29
					05/08/23	13.11	19.67
					08/10/23	14.08	18.70
					10/30/23	14.10	18.68
					02/28/24	13.06	19.72
MW109	Alley E of Seattle Roy Aloha Shops	35 to 45	-0.0 to -10.0	34.97	12/21/12	15.80	19.17
					03/29/13	18.39	16.58
					01/06/14	24.74	10.23
					06/16/15	18.06	16.91
					10/19/15	19.80	15.17
					02/01/16	19.04	15.93
					03/20/17	15.00	19.97
					03/24/17	15.00	19.97
					06/12/17	31.53	3.44
					10/11/17	32.17	2.80
					03/14/19	15.87	19.10
					04/22/19	15.62	19.35
					07/16/19	16.23	18.74
					10/21/19	18.14	16.83
				34.87	01/13/20	19.58	15.29
					02/24/20	23.01	11.86
					05/11/20	24.80	10.07
					07/13/20	25.28	9.59
					07/21/20	25.21	9.66
					08/04/20	25.25	9.62
					08/17/20	25.21	9.66
					09/03/20	25.22	9.65
					09/21/20	Inaccessible	
					11/16/20	24.59	10.28
					02/01/21	20.78	14.09
					06/07/21	18.14	16.73
					08/16/21	18.20	16.67
					02/14/22	16.03	18.84
					05/16/22	15.51	19.36
					08/08/22	15.61	19.26
					11/07/22	16.33	18.54

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/21/23	15.87	19.00
					05/08/23	15.42	19.45
					08/10/23	16.45	18.42
					10/30/23	16.45	18.42
					02/28/24	15.40	19.47
MW110	Alley E of Seattle Roy	35 to 45	4.7 to -5.3	39.67	12/21/12	20.01	19.66
	Aloha Shops				03/29/13	22.95	16.72
					01/06/14	30.48	9.19
					04/22/15	22.59	17.08
					06/16/15	22.72	16.95
					10/19/15	24.57	15.10
					02/01/16	23.30	16.37
					03/20/17	19.10	20.57
					03/24/17	18.95	20.72
					06/12/17	34.70	4.97
					10/11/17	36.46	3.21
					03/14/19	20.18	19.49
					04/22/19	20.08	19.59
					07/16/19	20.83	18.84
					10/21/19	22.65	17.02
					01/13/20	23.89	15.78
					05/11/20	29.95	9.72
					07/13/20	30.51	9.16
					07/21/20	30.55	9.12
					08/04/20	30.70	8.97
					08/17/20	30.64	9.03
					09/03/20	30.67	9.00
					09/21/20	Inaccessible	
					11/16/20	30.04	9.63
					02/01/21	25.28	14.39
					06/07/21	23.00	16.67
					08/16/21	23.01	16.66
					02/14/22	20.28	19.39
					05/16/22	20.05	19.62
					08/08/22	20.18	19.49
					11/07/22	21.08	18.59
					02/21/23	20.42	19.25
					05/08/23	19.96	19.71
					08/10/23	21.10	18.57
					10/30/23	21.09	18.58
MW115	9th Ave N ROW, W side	35 to 45	-0.6 to -10.6	34.14	12/21/12	15.26	18.88
					03/29/13	18.34	15.80
					01/06/14	26.08	8.06
					04/22/15	16.49	17.65
					06/16/15	17.72	16.42
					10/19/15	19.61	14.53

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
				34.10	02/01/16	19.14	15.00
					03/20/17	14.72	19.38
					03/24/17	14.70	19.40
					06/12/17	32.50	1.60
					10/11/17	32.58	1.52
					03/14/19	15.64	18.46
					04/22/19	15.42	18.68
					07/16/19	15.80	18.30
					10/21/19	17.34	16.76
					01/13/20	19.13	14.97
					05/11/20	24.84	9.26
					07/13/20	25.39	8.71
					11/16/20	24.97	9.13
					02/01/21	21.00	13.10
					06/07/21	18.00	16.10
					08/16/21	17.96	16.14
					02/14/22	15.82	18.28
					05/16/22	15.21	18.89
					08/08/22	15.24	18.86
					11/07/22	15.97	18.13
					02/21/23	15.56	18.54
					05/08/23	15.50	18.60
					08/10/23	15.93	18.17
					10/30/23	15.98	18.12
					03/01/24	14.98	19.12
MW116	9th Ave N ROW, W side	35 to 45	-3.1 to -13.1	31.36	12/21/12	12.24	19.12
					03/29/13	14.65	16.71
					01/06/14	20.30	11.06
					06/16/15	14.54	16.82
					10/19/15	16.07	15.29
					02/01/16	15.49	15.87
				31.34	03/20/17	11.95	19.39
					03/24/17	11.99	19.35
					04/14/17	11.99	19.35
					04/28/17	20.60	10.74
					05/05/17	21.35	9.99
					05/12/17	22.16	9.18
					05/19/17	22.46	8.88
					06/12/17	27.33	4.01
					10/11/17	28.26	3.08
					03/14/19	12.72	18.62
					04/22/19	12.41	18.93
					07/16/19	12.80	18.54
					10/21/19	13.30	18.04
					01/13/20	15.59	15.75
					05/11/20	20.55	10.79

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	20.99	10.35
					11/16/20	21.41	9.93
					02/01/21	18.88	12.46
					06/07/21	14.66	16.68
					08/16/21	14.71	16.63
					02/14/22	12.65	18.69
					05/16/22	12.11	19.23
					08/08/22	12.18	19.16
					11/07/22	13.11	18.23
					02/22/23	12.50	18.84
					05/08/23	12.04	19.30
					08/10/23	12.09	19.25
					10/30/23	13.03	18.31
					03/01/24	12.04	19.30
MW119	9th Ave N ROW, W side	35 to 45	2.7 to -7.3	37.35	03/25/13	22.21	15.14
					03/29/13	22.52	14.83
					01/06/14	32.12	5.23
					04/22/15	21.12	16.23
					06/16/15	21.12	16.23
					10/19/15	23.50	13.85
					02/01/16	22.99	14.36
				37.42	03/20/17	17.40	20.02
					03/24/17	17.45	19.97
					04/14/17	17.91	19.51
					04/28/17	27.14	10.28
					05/05/17	28.25	9.17
					05/12/17	29.25	8.17
					05/19/17	29.68	7.74
					06/12/17	35.73	1.69
					10/11/17	39.94	-2.52
					03/14/19	18.79	18.63
					03/26/19	18.62	18.80
					04/22/19	18.64	18.78
					07/16/19	19.07	18.35
					07/17/19	18.97	18.45
					07/30/19	19.18	18.24
					10/21/19	20.44	16.98
					11/11/19	20.74	16.68
					01/13/20	22.31	15.11
					01/14/20	22.51	14.91
					02/18/20	25.66	11.76
					03/19/20	28.14	9.28
					03/24/20	28.36	9.06
					05/11/20	29.32	8.10
					07/13/20	29.96	7.46
					11/16/20	29.50	7.92
					02/01/21	24.79	12.63

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					06/07/21	21.75	15.67
					08/16/21	21.55	15.87
					02/14/22	18.83	18.59
					05/16/22	18.40	19.02
					08/08/22	18.43	18.99
					11/07/22	19.20	18.22
					02/21/23	18.35	19.07
					05/08/23	18.19	19.23
					08/10/23	19.16	18.26
					10/30/23	19.10	18.32
					03/01/24	17.91	19.51
MW120	8th Ave N ROW, E side	40 to 50	0.0 to -10.0	40.00	01/06/14	22.80	17.20
					06/16/15	18.10	21.90
					10/19/15	19.91	20.09
					02/01/16	16.98	23.02
					03/20/17	16.50	23.50
					03/24/17	15.24	24.76
					06/12/17	23.65	16.35
					10/11/17	26.99	13.01
					03/14/19	16.06	23.94
					04/22/19	15.79	24.21
					07/16/19	17.55	22.45
					08/19/19	20.17	19.83
					10/21/19	22.88	17.12
				39.94	01/13/20	23.57	16.37
					05/11/20	26.57	13.37
					07/13/20	26.52	13.42
					07/21/20	25.45	14.49
					08/04/20	24.39	15.55
					08/17/20	23.88	16.06
					09/03/20	23.55	16.39
					09/21/20	23.55	16.39
					11/16/20	22.07	17.87
					02/01/21	19.30	20.64
					06/07/21	18.34	21.60
					08/16/21	18.58	21.36
					02/14/22	16.58	23.36
					05/16/22	16.84	23.10
					08/08/22	17.19	22.75
					11/07/22	Inaccessible	
					02/21/23	17.32	22.62
					05/08/23	17.09	22.85
					08/10/23	18.02	21.92
					10/30/23	17.81	22.13
					03/01/24	16.30	23.64
MW127	8th Ave N	40 to 50	-1 to -11	39.04	01/06/14	22.09	16.95

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
	ROW, E side		.		08/01/19	17.76	21.28
					10/21/19	20.33	18.71
					01/13/20	21.06	17.98
					05/11/20	24.08	14.96
					07/13/20	24.06	14.98
					11/16/20	21.42	17.62
					02/01/21	19.31	19.73
					06/07/21	18.10	20.94
					08/16/21	18.29	20.75
					02/14/22	16.46	22.58
					05/16/22	16.48	22.56
					08/08/22	16.81	22.23
					11/07/22	17.54	21.50
					02/21/23	16.94	22.10
					05/08/23	16.69	22.35
					08/10/23	17.55	21.49
					10/30/23	17.51	21.53
					03/01/24	NM	
MW-142	8th Ave N ROW, E side	40 to 50	2.4 to -7.6	42.12	03/14/19	15.42	26.70
					04/22/19	15.75	26.37
					07/16/19	20.13	21.99
					08/19/19	27.21	14.91
					10/21/19	29.14	12.98
					01/13/20	29.58	12.54
					05/11/20	32.15	9.97
					07/13/20	32.26	9.86
					07/21/20	29.21	12.91
					08/04/20	27.42	14.70
					08/17/20	26.62	15.50
					09/03/20	26.05	16.07
					09/21/20	25.85	16.27
					11/16/20	22.44	19.68
					02/01/21	19.42	22.70
					06/07/21	19.63	22.49
					08/16/21	19.88	22.24
					02/14/22	17.41	24.71
					05/16/22	17.94	24.18
					08/08/22	18.66	23.46
					11/07/22	19.40	22.72
					02/21/23	18.61	23.51
					05/08/23	18.72	23.40
					08/10/23	19.63	22.49
					10/30/23	19.15	22.97
					03/01/24	18.10	24.02
MW-144R	8th Ave N ROW, E side	40 to 50	2.8 to -7.3	42.46	01/13/20	29.43	13.03
					05/11/20	31.36	11.10

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	30.83	11.63
					07/21/20	29.77	12.69
					08/04/20	28.68	13.78
					08/17/20	26.61	15.85
					09/03/20	Inaccessible	
					09/21/20	Inaccessible	
					11/16/20	21.43	21.03
					02/01/21	18.53	23.93
					06/07/21	22.48	19.98
					08/16/21	19.45	23.01
					02/14/22	16.28	26.18
					05/16/22	17.31	25.15
					08/08/22	18.40	24.06
					11/07/22	18.85	23.61
					02/21/23	17.69	24.77
					05/08/23	18.34	24.12
					08/10/23	19.36	23.10
					10/30/23	18.80	23.66
					03/01/24	20.17	22.29
MW-146	Roy St ROW, S side	40 to 50	12.9 to 2.9	52.34	03/14/19	19.89	32.45
					03/26/19	21.12	31.22
					04/22/19	22.15	30.19
					07/16/19	30.04	22.30
					07/17/19	30.16	22.18
					08/19/19	32.45	19.89
					10/21/19	33.98	18.36
					01/13/20	32.90	19.44
					03/19/20	33.66	18.68
					05/11/20	33.90	18.44
					07/13/20	34.35	17.99
					07/21/20	33.58	18.76
					08/04/20	32.84	19.50
					08/17/20	32.44	19.90
					09/03/20	31.90	20.44
					09/21/20	31.35	20.99
					11/16/20	25.89	26.45
					02/01/21	22.24	30.10
					06/07/21	25.91	26.43
					08/16/21	26.18	26.16
					02/14/22	22.88	29.46
					05/16/22	24.04	28.30
					08/08/22	26.02	26.32
					11/07/22	25.80	26.54
					02/21/23	24.50	27.84
					05/08/23	25.20	27.14
					08/10/23	26.45	25.89

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					10/30/23	25.65	26.69
					03/01/24	23.16	29.18
MW-156	8th Ave N ROW, E side	40 to 50	2.0 to -8.0	41.24	01/24/19	15.06	26.18
					03/14/19	15.72	25.52
					04/22/19	16.06	25.18
					07/16/19	19.32	21.92
					08/19/19	26.07	15.17
					10/21/19	27.26	13.98
					01/13/20	27.61	13.63
					05/11/20	30.58	10.66
					07/13/20	30.44	10.80
					07/21/20	28.06	13.18
					08/04/20	26.56	14.68
					08/17/20	25.80	15.44
					09/03/20	25.46	15.78
					09/21/20	25.20	16.04
					11/16/20	22.24	19.00
					02/01/21	19.25	21.99
					06/07/21	19.20	22.04
					08/16/21	19.45	21.79
					02/14/22	17.21	24.03
					05/16/22	17.77	23.47
					08/08/22	18.21	23.03
					11/07/22	18.84	22.40
					02/21/23	18.15	23.09
					05/08/23	18.15	23.09
08/10/23	19.04	22.20					
10/30/23	19.87	21.37					
03/01/24	19.50	21.74					
MW-189	Valley St ROW, S side	48.8 to 58.8	-1.2 to -11.2	47.33	10/21/19	34.50	12.83
					01/13/20	34.96	12.37
					05/11/20	35.56	11.77
					07/13/20	35.10	12.23
					07/21/20	32.15	15.18
					08/04/20	30.91	16.42
					08/17/20	28.82	18.51
					09/03/20	28.16	19.17
					09/21/20	27.77	19.56
					10/01/20	26.35	20.98
					11/16/20	23.37	23.96
					02/01/21	20.61	26.72
					06/07/21	21.78	25.55
				08/16/21	22.83	24.50	
47.99	02/14/22	20.59	27.40				
05/16/22	21.65	26.34					
08/08/22	22.26	25.73					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					11/07/22	22.78	25.21
					02/21/23	22.05	25.94
					05/08/23	22.36	25.63
					08/10/23	23.16	24.83
					10/30/23	22.42	25.57
					03/01/24	21.03	26.96
MW-302	Dexter Ave N ROW, E side	54.3 to 64.3	3.0 to -7.0	57.03	10/21/19	46.52	10.51
					01/13/20	40.09	16.94
					05/11/20	45.70	11.33
					07/13/20	41.51	15.52
				56.90	11/16/20	28.90	28.13
					02/01/21	24.61	32.42
					06/07/21	25.23	31.80
					08/16/21	Inaccessible	
					02/14/22	24.10	32.80
					05/16/22	25.84	31.06
					08/08/22	27.55	29.35
					11/07/22	26.80	30.10
					02/21/23	–	
					05/08/23	25.95	30.95
					08/10/23	Inaccessible	–
					10/30/23	25.73	31.17
					03/01/24	25.47	31.43
MW-306	Roy St ROW, S side	42.8 to 52.8	17.2 to 7.2	59.48	10/21/19	30.04	29.44
					01/13/20	29.63	29.85
					03/19/20	28.75	30.73
					05/11/20	29.29	30.19
					07/13/20	29.98	29.50
					07/21/20	30.00	29.48
					08/04/20	30.08	29.40
					08/17/20	30.20	29.28
					09/03/20	30.39	29.09
					09/21/20	30.42	29.06
					11/16/20	29.75	29.73
					02/01/21	26.39	33.09
					06/07/21	27.22	32.26
					08/16/21	27.79	31.69
					02/14/22	24.00	35.48
					05/16/22	32.90	26.58
					08/08/22	37.55	21.93
					11/04/22	35.88	23.60
					02/21/23	35.37	24.11
					05/08/23	35.30	24.18
					08/10/23	35.47	24.01
					10/30/23	35.38	24.10
					03/01/24	34.85	24.63

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-308	Alley E of Seattle Roy Aloha Shops	35.1 to 45.1	-4.7 to -14.7	30.15	10/21/19	13.07	17.08
					01/13/20	14.32	15.83
					02/24/20	17.04	13.11
					05/11/20	18.70	11.45
					07/13/20	19.06	11.09
					11/16/20	18.25	11.90
					02/01/21	15.02	15.13
					06/07/21	12.65	17.50
					08/16/21	12.80	17.35
					02/14/22	10.89	19.26
					05/16/22	10.37	19.78
					08/08/22	10.50	19.65
					11/07/22	11.22	18.93
MW-315	Mercer St ROW, N side	37.5 to 47.5	12.2 to 2.2	49.18	02/21/23	10.90	19.25
					05/08/23	10.34	19.81
					08/10/23	11.37	18.78
					10/30/23	11.30	18.85
					02/28/24	10.42	19.73
					10/21/19	27.08	22.10
					01/13/20	25.80	23.38
					03/19/20	27.24	21.94
					05/11/20	28.12	21.06
					07/13/20	28.65	20.53
					11/16/20	25.28	23.90
					02/01/21	22.31	26.87
					06/07/21	24.80	24.38
08/16/21	25.10	24.08					
02/14/22	22.22	26.96					
05/16/22	22.58	26.60					
08/08/22	24.06	25.12					
11/07/22	24.01	25.17					
02/21/23	22.61	26.57					
05/08/23	23.05	26.13					
08/10/23	24.58	24.60					
10/30/23	23.93	25.25					
03/01/24	21.74	27.44					
MW-317	9th Ave N ROW, W side	28.2 to 38.2	3.4 to -6.6	31.35	10/21/19	13.86	17.49
					01/13/20	14.80	16.55
					05/11/20	19.14	12.21
					07/13/20	19.65	11.70
					11/16/20	19.37	11.98
					02/01/21	16.28	15.07
					06/07/21	14.18	17.17
					08/16/21	14.30	17.05
					02/14/22	12.31	19.04
					05/16/22	11.58	19.77

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/08/22	11.90	19.45
					11/07/22	12.59	18.76
					02/22/23	12.19	19.16
					05/08/23	11.75	19.60
					08/10/23	12.89	18.46
					10/30/23	12.76	18.59
					03/01/24	12.05	19.30
MW-325	Mercer St ROW, N side	34.5 to 44.5	7.0 to -3.0	40.90	10/21/19	23.69	17.21
					01/13/20	25.57	15.33
					03/19/20	31.64	9.26
					05/11/20	33.31	7.59
					07/13/20	34.03	6.87
					09/21/20	34.33	6.57
					11/16/20	33.78	7.12
					02/01/21	28.79	12.11
					06/07/21	25.55	15.35
					08/16/21	25.25	15.65
					02/14/22	22.14	18.76
					05/16/22	21.84	19.06
					08/08/22	21.91	18.99
					11/07/22	22.81	18.09
					02/21/23	21.60	19.30
					05/08/23	21.56	19.34
					08/10/23	22.51	18.39
					10/30/23	22.46	18.44
					03/01/24	21.18	19.72
MW-327	Lake Union Park, S end	24.8 to 34.8	3.6 to -6.3	28.15	10/21/19	10.06	18.09
					01/13/20	10.48	17.67
					05/11/20	12.52	15.63
					07/13/20	12.95	15.20
					09/21/20	13.83	14.32
					11/16/20	12.38	15.77
					02/01/21	11.04	17.11
					06/07/21	9.75	18.40
					08/16/21	11.02	17.13
					02/14/22	10.29	17.86
					05/16/22	8.72	19.43
					08/08/22	9.58	18.57
					11/07/22	9.45	18.70
					02/21/23	9.69	18.46
					05/08/23	9.10	19.05
					08/10/23	10.29	17.86
					10/30/23	10.06	18.09
					03/01/24	9.23	18.92
MW-330	Valley St	52.1 to 62.1	-0.43 to -10.43	51.67	05/11/20	34.24	17.43

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
	ROW, N side				07/13/20	34.98	16.69
					08/17/20	29.84	21.83
					09/03/20	29.06	22.61
					09/21/20	28.60	23.07
					11/16/20	24.60	27.07
					02/01/21	22.27	29.40
					06/07/21	23.01	28.66
					08/16/21	23.20	28.47
					02/14/22	21.08	30.59
					05/16/22	22.15	29.52
					11/07/22	Inaccessible	
					02/21/23	22.76	28.91
					05/08/23	22.80	28.87
					08/10/23	23.62	28.05
					10/30/23	22.84	28.83
					03/01/24	21.65	30.02
MW-331	Alley E of Seattle Roy Aloha Shops	35.6 to 45.6	-5.17 to -15.17	30.43	05/11/20	17.05	13.38
					07/13/20	17.32	13.11
					11/16/20	16.83	13.60
					02/03/21	14.07	16.36
					06/07/21	12.09	18.34
					08/16/21	12.45	17.98
					02/14/22	10.79	19.64
					05/16/22	10.24	20.19
					08/08/22	10.54	19.89
					11/07/22	11.24	19.19
					02/21/23	10.81	19.62
					05/08/23	10.27	20.16
					08/10/23	11.27	19.16
					10/30/23	11.26	19.17
					02/28/24	10.24	20.19
MW-333	900 Roy St, S end	33.2 to 43.2	-2.1 to -12.1	31.10	05/11/20	20.26	10.84
					07/13/20	20.65	10.45
					11/16/20	20.34	10.76
					02/01/21	17.12	13.98
					06/07/21	14.57	16.53
					08/16/21	14.69	16.41
					02/14/22	12.82	18.28
					05/16/22	12.03	19.07
					08/08/22	12.09	19.01
					11/07/22	12.66	18.44
					02/21/23	12.40	18.70
					05/08/23	Inaccessible	–
					08/10/23	Inaccessible	–
					10/30/23	12.95	18.15
					03/01/24	12.05	19.05

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-344	SDOT Mercer Parcels, NW quadrant	39.4 to 49.4	13.6 to 3.6	52.70	06/07/21	26.19	26.51
					08/16/21	26.52	26.18
					02/14/22	23.32	29.38
					05/16/22	24.61	28.09
					08/08/22	26.50	26.20
					11/07/22	26.28	26.42
					02/22/23	24.98	27.72
					05/08/23	25.64	27.06
					08/10/23	26.85	25.85
					10/30/23	26.10	26.60
					03/01/24	23.63	29.07
Intermediate B Zone							
FMW-141	Alley E of Seattle Roy Aloha Shops	47.5 to 57.5	-12.1 to -22.1	35.15	10/30/19	18.31	16.84
					01/13/20	19.86	15.29
					05/11/20	25.17	9.98
					07/13/20	26.65	8.50
					07/21/20	25.53	9.62
					08/04/20	25.55	9.60
					08/17/20	24.53	10.62
					09/03/20	25.54	9.61
					09/21/20	Inaccessible	
					11/16/20	24.25	10.90
					02/01/21	22.15	13.00
					06/07/21	18.52	16.63
					08/16/21	18.60	16.55
					02/14/22	16.45	18.70
					05/16/22	15.89	19.26
					08/08/22	16.02	19.13
					11/07/22	16.75	18.40
					02/21/23	16.28	18.87
					05/08/23	–	–
08/10/23	16.75	18.40					
10/30/23	16.81	18.34					
					03/01/24	NM	–
HMW-11B	SDOT Mercer Parcels, NE quadrant	54.3 to 64.3	-16.0 to -26.0	38.38	03/20/19	19.29	19.09
					03/26/19	19.47	18.91
					05/16/19	19.22	19.16
					07/17/19	19.89	18.49
					08/15/19	20.25	18.13
					12/05/19	21.91	16.47
					01/13/20	20.79	17.59
					03/19/20	28.58	9.80
					04/10/20	29.39	8.99
					05/11/20	29.90	8.48
					07/13/20	30.57	7.81
					11/16/20	30.10	8.28

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/01/21	25.55	12.83
					06/07/21	22.60	15.78
					08/16/21	22.52	15.86
					02/14/22	19.59	18.79
					05/16/22	19.26	19.12
					08/08/22	19.38	19.00
					11/07/22	20.04	18.34
					02/22/23	15.66	22.72
					05/08/23	19.02	19.36
					08/10/23	20.02	18.36
					10/30/23	20.00	18.38
					03/01/24	18.68	19.70
HMW-2IB	SDOT Mercer Parcels, NE quadrant	52.8 to 62.8	-5.4 to -15.4	47.19	03/20/19	27.50	19.69
					03/26/19	27.32	19.87
					07/16/19	28.29	18.90
					12/05/19	30.51	16.68
					01/13/20	31.02	16.17
					03/12/20	36.15	11.04
					03/19/20	36.33	10.86
					04/10/20	37.11	10.08
					05/11/20	37.68	9.51
					07/13/20	38.41	8.78
					11/16/20	37.62	9.57
					02/01/21	33.32	13.87
					06/07/21	31.03	16.16
					08/16/21	30.94	16.25
					02/14/22	27.87	19.32
					05/16/22	27.64	19.55
					08/08/22	27.71	19.48
					11/07/22	28.45	18.74
					02/22/23	27.63	19.56
					05/08/23	27.40	19.79
					08/10/23	28.47	18.72
					10/30/23	28.41	18.78
					03/01/24	26.85	20.34
HMW-4IA	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	58.53	03/19/19	29.50	29.03
					03/26/19	30.21	28.32
					07/17/19	33.10	25.43
					12/05/19	35.08	23.45
					01/13/20	34.20	24.33
					03/19/20	33.70	24.83
					04/10/20	33.79	24.74
					05/11/20	34.11	24.42
					07/13/20	34.71	23.82
					02/01/21	30.68	27.85
					06/07/21	31.96	26.57

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/14/22	30.06	28.47
					05/16/22	31.49	27.04
					08/08/22	32.46	26.07
					11/07/22	32.79	25.74
					02/21/23	24.12	34.41
					05/08/23	31.99	26.54
					08/10/23	NM	–
					10/30/23	NM	–
					03/01/24	NM	–
HMW-5IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	8.7 to -1.3	60.99	03/19/20	34.60	26.39
					05/11/20	35.09	25.90
					07/13/20	35.72	25.27
					11/16/20	34.38	26.61
					02/01/21	31.47	29.52
					06/07/21	32.82	28.17
					08/16/21	33.35	27.64
					02/14/22	30.72	30.27
					05/16/22	33.44	27.55
					08/08/22	35.12	25.87
					02/22/23	34.04	26.95
					05/08/23	34.33	26.66
					08/10/23	35.10	25.89
					10/30/23	34.83	26.16
					03/01/24	33.07	27.92
HMW-6IB	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	61.61	03/19/20	34.87	26.74
					05/11/20	35.22	26.39
					07/13/20	36.01	25.60
					11/16/20	36.06	25.55
					02/01/21	33.86	27.75
					06/07/21	34.70	26.91
					02/14/22	33.21	28.40
					05/16/22	34.06	27.55
					08/08/22	34.78	26.83
					11/07/22	35.29	26.32
					02/22/23	34.06	27.55
					05/08/23	34.36	27.25
					08/10/23	34.23	27.38
					10/30/23	NM	–
					03/01/24	NM	–
HMW-7IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	9.0 to -1	61.38	03/19/20	35.61	25.77
					05/11/20	36.10	25.28
					07/13/20	36.87	24.51
					11/16/20	36.67	24.71
					02/01/21	34.54	26.84
					06/07/21	35.42	25.96
					08/16/21	35.72	25.66

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/14/22	33.70	27.68
					05/16/22	34.49	26.89
					08/08/22	35.22	26.16
					11/07/22	35.62	25.76
					02/22/23	34.51	26.87
					05/08/23	34.86	26.52
					08/10/23	35.46	25.92
					10/30/23	35.35	26.03
					03/01/24	34.80	26.58
HMW-8IB	SDOT Mercer Parcels, SW quadrant	50.5 to 60.5	7.5 to -2.5	60.78	03/19/20	36.69	24.09
					05/11/20	37.08	23.70
					07/13/20	37.62	23.16
					11/16/20	35.59	25.19
					02/01/21	33.26	27.52
					06/07/21	34.73	26.05
					08/16/21	35.07	25.71
					02/14/22	32.92	27.86
					05/16/22	33.98	26.80
					08/08/22	38.05	22.73
					11/07/22	35.26	25.52
					02/22/23	34.21	26.57
					05/08/23	34.53	26.25
					08/10/23	35.27	25.51
					10/30/23	34.94	25.84
					03/01/24	NM	–
HMW-9IB	SDOT Mercer Parcels, SW quadrant	57.0 to 67.0	-1.6 to -11.6	57.89	03/19/20	36.54	21.35
					05/11/20	37.15	20.74
					07/13/20	37.60	20.29
					11/16/20	32.81	25.08
					02/01/21	29.99	27.90
					06/07/21	32.33	25.56
					08/16/21	32.66	25.23
					02/14/22	29.98	27.91
					05/16/22	32.65	25.24
					08/08/22	34.11	23.78
					11/07/22	34.32	23.57
					02/22/23	33.18	24.71
					05/08/23	33.66	24.23
					08/10/23	34.66	23.23
					10/30/23	34.27	23.62
					03/01/24	32.54	25.35
HMW-11IB	SDOT Mercer Parcels, SE quadrant	44.9 to 54.9	-5.2 to -15.2	42.91	03/19/20	33.50	9.41
					05/11/20	35.06	7.85
					07/13/20	35.81	7.10
					11/16/20	35.41	7.50
					02/01/21	30.61	12.30

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					06/07/21	27.56	15.35
					08/16/21	27.31	15.60
					02/14/22	20.52	22.39
					05/16/22	23.87	19.04
					08/08/22	23.95	18.96
					11/07/22	24.59	18.32
					02/22/23	23.77	19.14
					05/08/23	23.55	19.36
					08/10/23	24.50	18.41
					10/30/23	24.47	18.44
					03/01/24	22.96	19.95
HMW-15IB	SDOT Mercer Parcels, SW quadrant	64.0 to 73.0	-5.1 to -14.1	58.33	11/16/20	41.03	17.30
					02/01/21	39.61	18.72
					06/07/21	38.80	19.53
					08/16/21	38.41	19.92
					02/14/22	35.88	22.45
					05/16/22	36.10	22.23
					08/08/22	35.46	22.87
					11/07/22	36.30	22.03
					02/21/23	35.55	22.78
					05/08/23	35.63	22.70
					08/10/23	35.71	22.62
					10/30/23	35.44	22.89
					03/01/24	34.11	24.22
HMW-16IB	SDOT Mercer Parcels, NW quadrant	55.0 to 65.0	2.0 to -8.0	56.80	11/16/20	34.59	22.21
					02/01/21	33.08	23.72
					06/07/21	33.97	22.83
					08/16/21	34.38	22.42
					02/14/22	32.28	24.52
					05/16/22	29.87	26.93
					08/08/22	31.25	25.55
					11/07/22	30.85	25.95
					02/22/23	28.94	27.86
					05/08/23	28.96	27.84
					08/10/23	30.10	26.70
					10/30/23	29.62	27.18
					03/01/24	27.64	29.16
MW111	Alley E of Seattle Roy Aloha Shops	70 to 80	-33.5 to -43.5	36.48	12/21/12	17.45	19.03
					03/29/13	20.17	16.31
					01/06/14	26.54	9.94
					04/22/15	20.05	16.43
					06/16/15	19.90	16.58
					10/19/15	21.67	14.81
					02/01/16	21.25	15.23
					03/20/17	18.24	18.24

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/24/17	16.82	19.66
					06/12/17	25.23	11.25
					10/11/17	33.74	2.74
					03/14/19	18.36	18.12
					04/22/19	17.44	19.04
					07/16/19	17.96	18.52
					10/21/19	19.57	16.91
				36.38	01/13/20	21.12	15.26
					05/11/20	26.42	9.96
					07/13/20	26.88	9.50
					07/21/20	26.96	9.42
					08/04/20	26.96	9.42
					08/17/20	26.95	9.43
					09/03/20	26.97	9.41
					09/21/20	Inaccessible	
					11/16/20	26.40	9.98
					02/01/21	22.77	13.61
					06/07/21	19.96	16.42
					08/16/21	20.00	16.38
					02/14/22	17.72	18.66
					05/16/22	17.26	19.12
					08/08/22	17.27	19.11
					11/07/22	17.90	18.48
					02/21/23	17.51	18.87
					05/08/23	17.10	19.28
					08/10/23	18.07	18.31
					10/30/23	18.11	18.27
					02/28/24	17.12	19.26
MW112	Dexter Ave N ROW, E side	75 to 85	-17.2 to -27.2	57.49	12/21/12	42.45	15.04
					03/29/13	38.76	18.73
					01/06/14	40.79	16.70
					06/16/15	39.40	18.09
				57.45	03/20/17	36.65	20.80
					03/24/17	36.46	20.99
					06/12/17	38.72	18.73
					10/11/17	40.46	16.99
					03/14/19	36.62	20.83
					04/22/19	34.71	22.74
					07/16/19	37.13	20.32
					10/21/19	40.90	16.55
				57.47	01/13/20	39.66	17.81
					05/11/20	42.60	14.87
					07/13/20	42.51	14.96
					11/16/20	40.02	17.45
					02/01/21	38.03	19.44
					06/07/21	37.61	19.86

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/16/21	37.49	19.98
					02/14/22	35.64	21.83
					05/16/22	36.43	21.04
					08/08/22	37.11	20.36
					11/07/22	36.72	20.75
					02/21/23	–	
					05/08/23	36.00	21.47
					08/10/23	Inaccessible	–
					10/30/23	35.99	21.48
					03/01/24	35.20	22.27
MW126	Alley E of Seattle Roy	85 to 95	-54.1 to -64.1	30.94	01/06/14	18.08	12.86
					03/20/17	12.75	18.19
	Aloha Shops				03/24/17	13.35	17.59
					06/12/17	24.98	5.96
					10/11/17	24.24	6.70
					03/14/19	12.88	18.06
					04/22/19	12.62	18.32
					07/16/19	12.92	18.02
					10/25/19	14.09	16.85
					01/13/20	15.13	15.81
					02/19/20	17.50	13.44
					05/11/20	18.91	12.03
					07/13/20	19.32	11.62
					11/16/20	19.24	11.70
					02/01/21	16.95	13.99
					06/07/21	14.75	16.19
					08/16/21	12.70	18.24
					02/14/22	12.94	18.00
					05/16/22	12.45	18.49
					08/08/22	12.26	18.68
					11/07/22	12.78	18.16
					02/21/23	12.60	18.34
					05/08/23	12.18	18.76
					08/10/23	12.96	17.98
					10/30/23	13.10	17.84
					02/28/24	12.29	18.65
MW-143	8th Ave N ROW, E side	70 to 80	-27.7 to -36.6	42.04	03/14/19	18.29	23.75
					04/22/19	18.42	23.62
					07/16/19	21.67	20.37
					10/21/19	27.66	14.38
					01/13/20	28.15	13.89
					02/04/20	28.05	13.99
					05/11/20	30.98	11.06
					07/13/20	31.36	10.68
					07/21/20	29.51	12.53
					08/04/20	28.51	13.53

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/17/20	27.86	14.18
					09/03/20	27.62	14.42
					09/21/20	27.55	14.49
					11/16/20	–	
					02/01/21	22.75	19.29
					06/07/21	21.82	20.22
					08/16/21	21.96	20.08
					02/14/22	19.54	22.50
					05/16/22	20.36	21.68
					08/08/22	19.94	22.10
					11/07/22	20.20	21.84
					02/21/23	19.34	22.70
					05/08/23	19.44	22.60
					08/10/23	20.40	21.64
					10/30/23	20.11	21.93
					03/01/24	19.29	22.75
MW-145R	8th Ave N ROW, E side	70 to 80	-27.5 to -37.5	42.00	01/13/20	28.06	13.94
					05/11/20	30.27	11.73
					07/13/20	30.59	11.41
					07/21/20	29.53	12.47
					08/04/20	28.82	13.18
					08/17/20	28.31	13.69
					09/03/20	28.07	13.93
					09/21/20	Inaccessible	
					11/16/20	25.63	16.37
					02/01/21	23.83	18.17
					06/07/21	22.70	19.30
					08/16/21	22.53	19.47
					02/14/22	19.77	22.23
					05/16/22	20.18	21.82
					08/08/22	20.78	21.22
					11/07/22	21.10	20.90
					02/21/23	20.16	21.84
					05/08/23	20.52	21.48
					08/10/23	21.31	20.69
					10/30/23	21.28	20.72
					03/01/24	20.19	21.81
MW-147	Roy St ROW, S side	70 to 80	-17.6 to -27.6	51.85	03/14/19	25.65	26.20
					03/26/19	26.36	25.49
					04/22/19	27.14	24.71
					07/16/19	31.10	20.75
					07/17/19	31.53	20.32
					10/21/19	36.23	15.62
					01/13/20	34.45	17.40
					03/19/20	37.68	14.17
					05/11/20	38.56	13.29

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	38.50	13.35
					07/21/20	36.31	15.54
					08/04/20	35.50	16.35
					08/17/20	35.22	16.63
					09/03/20	34.71	17.14
					09/21/20	34.33	17.52
					11/16/20	30.25	21.60
					02/01/21	27.75	24.10
					06/07/21	29.32	22.53
					08/16/21	29.37	22.48
					02/14/22	25.91	25.94
					05/16/22	28.23	23.62
					08/08/22	28.16	23.69
					11/07/22	28.27	23.58
					02/22/23	26.80	25.05
					05/08/23	28.24	23.61
					08/10/23	Inaccessible	–
					10/30/23	30.38	21.47
					03/01/24	32.01	19.84
MW-148	Roy St ROW, S side	70 to 80	-25.7 to -35.7	43.91	03/14/19	24.31	19.60
					03/26/19	24.21	19.70
					04/22/19	24.26	19.65
					07/16/19	25.21	18.70
					10/21/19	26.92	16.99
					01/13/20	28.07	15.84
					03/19/20	32.80	11.11
					05/11/20	33.80	10.11
					07/13/20	34.47	9.44
					07/21/20	34.45	9.46
					08/04/20	34.50	9.41
					08/17/20	34.45	9.46
					09/03/20	34.43	9.48
					09/21/20	34.41	9.50
					11/16/20	33.50	10.41
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	27.31	16.60
					02/14/22	24.53	19.38
					05/16/22	24.20	19.71
					08/08/22	24.40	19.51
					11/07/22	25.18	18.73
					02/21/23	24.35	19.56
					05/08/23	24.29	19.62
					08/10/23	25.30	18.61
					10/30/23	25.20	18.71
					03/01/24	24.04	19.87

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b				
MW-157	8th Ave N ROW, E side	70 to 80	-28.3 to -38.2	41.22	01/24/19	14.00	27.22				
					03/14/19	14.94	26.28				
					04/22/19	15.32	25.90				
					07/16/19	18.86	22.36				
					10/21/19	28.18	13.04				
					01/13/20	28.77	12.45				
					05/11/20	31.11	10.11				
					07/13/20	30.92	10.30				
					07/21/20	27.90	13.32				
					08/04/20	26.35	14.87				
					08/17/20	25.50	15.72				
					09/03/20	25.09	16.13				
					09/21/20	24.83	16.39				
					11/16/20	23.56	17.66				
									02/01/21	22.43	18.79
									06/07/21	–	
									08/16/21	21.57	19.65
									02/14/22	19.23	21.99
									05/16/22	–	
				08/08/22	19.49	21.73					
				11/07/22	–						
				02/21/23	–						
				05/08/23	19.68	21.54					
				08/10/23	19.85	21.37					
				10/30/23	Not Measured	–					
				03/01/24	19.75	21.47					
MW-190	Valley St ROW, S side	78.8 to 88.8	-30.2 to -40.2	48.39	10/21/19	34.03	14.36				
					01/13/20	33.33	15.06				
					05/11/20	35.32	13.07				
					07/13/20	35.30	13.09				
					07/21/20	34.53	13.86				
					08/04/20	33.54	14.85				
					08/17/20	31.01	17.38				
					09/03/20	30.59	17.80				
					09/21/20	30.30	18.09				
					11/16/20	27.40	20.99				
					02/01/21	24.36	24.03				
					06/07/21	25.40	22.99				
					08/16/21	27.23	21.16				
					02/14/22	26.90	22.05				
					05/16/22	25.95	23.00				
					08/08/22	27.66	21.29				
					11/07/22	27.91	21.04				
					02/21/23	27.54	21.41				
					05/08/23	27.94	21.01				
08/10/23	28.31	20.64									

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					10/30/23	28.34	20.61
					03/01/24	27.09	21.86
MW-303	Dexter Ave N ROW, E side	71.4 to 81.4	-13.8 to -23.8	57.28	10/21/19	44.60	12.68
					01/13/20	40.00	17.28
					05/11/20	42.21	15.07
					07/13/20	42.42	14.86
					11/16/20	38.75	18.53
					02/01/21	36.39	20.89
					06/07/21	37.20	20.08
					08/16/21	36.15	21.13
					02/14/22	34.45	22.82
					05/16/22	34.89	22.38
					08/08/22	35.69	21.58
					11/07/22	35.17	22.10
					02/21/23	–	–
					05/08/23	34.73	22.54
					08/10/23	Inaccessible	–
					10/30/23	34.96	22.31
					03/01/24	34.40	22.87
MW-307	Roy St ROW, S side	72.8 to 82.8	-12.4 to -22.4	60.21	10/21/19	41.65	18.56
					01/13/20	41.55	18.66
					03/19/20	43.34	16.87
					05/11/20	43.90	16.31
					07/13/20	44.69	15.52
					07/21/20	44.14	16.07
					08/04/20	44.28	15.93
					08/17/20	44.24	15.97
					09/03/20	44.47	15.74
					09/21/20	44.33	15.88
					11/16/20	43.88	16.33
					02/01/21	42.38	17.83
					06/07/21	41.94	18.27
					08/16/21	41.66	18.55
					02/14/22	39.11	21.10
					05/16/22	40.85	19.36
					08/08/22	41.78	18.43
					11/07/22	41.07	19.14
					02/21/23	13.65	46.56
					05/08/23	40.91	19.30
					08/10/23	41.04	19.17
					10/30/23	41.21	19.00
					03/01/24	40.32	19.89
MW-309	Alley E of Seattle Roy Aloha Shops	62.4 to 72.4	-32.0 to -42.0	29.97	10/21/19	12.91	17.06
					01/13/20	14.15	15.82
					05/11/20	18.49	11.48
					07/13/20	18.81	11.16

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					11/16/20	17.92	12.05
					02/01/21	14.80	15.17
					06/07/21	12.43	17.54
					08/16/21	12.64	17.33
					02/14/22	10.79	19.18
					05/16/22	10.26	19.71
					08/08/22	10.40	19.57
					11/07/22	11.08	18.89
					02/21/23	10.89	19.08
					05/08/23	10.28	19.69
					08/10/23	11.22	18.75
					10/30/23	11.19	18.78
					02/28/24	10.24	19.73
MW-311	Alley E of	62.2 to 72.2	-29.0 to -39.0	32.98	10/21/19	16.45	16.53
	Seattle Roy				01/13/20	17.81	15.17
	Aloha Shops				05/11/20	22.42	10.56
					07/13/20	22.76	10.22
					11/16/20	21.29	11.69
					02/01/21	17.67	15.31
					06/07/21	15.30	17.68
					08/16/21	15.53	17.45
					02/14/22	13.50	19.48
					05/16/22	13.06	19.92
					08/08/22	13.25	19.73
					11/07/22	13.88	19.10
					02/21/23	13.52	19.46
					05/08/23	13.12	19.86
					08/10/23	14.08	18.90
					10/30/23	11.29	21.69
					02/28/24	13.03	19.95
MW-314	Alley E of	67.8 to 77.8	-28.0 to -38.0	39.19	10/21/19	22.34	16.85
	Seattle Roy				01/13/20	23.83	15.36
	Aloha Shops				05/11/20	29.54	9.65
					07/13/20	30.02	9.17
					11/16/20	30.49	8.70
					02/01/21	25.45	13.74
					06/07/21	22.80	16.39
					08/16/21	22.82	16.37
					02/14/22	20.40	18.79
					05/16/22	19.96	19.23
					08/08/22	20.80	18.39
					11/07/22	20.76	18.43
					02/21/23	20.31	18.88
					05/08/23	19.88	19.31
					08/10/23	20.90	18.29
					10/30/23	20.91	18.28

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/28/24	19.69	19.50
MW-316	Mercer St ROW, N side	59.8 to 69.8	-10.0 to -20.0	49.44	10/21/19	31.72	17.72
					01/13/20	32.70	16.74
					03/19/20	37.66	11.78
					05/11/20	38.95	10.49
					07/13/20	39.74	9.70
					09/21/20	39.78	9.66
					11/16/20	38.97	10.47
					02/01/21	35.07	14.37
					06/07/21	33.10	16.34
					08/16/21	32.91	16.53
					02/14/22	29.83	19.61
					05/16/22	29.65	19.79
					08/08/22	29.56	19.88
					02/21/23	29.35	20.09
					05/08/23	29.50	19.94
					08/10/23	30.26	19.18
					10/30/23	30.24	19.20
					03/01/24	28.70	20.74
MW-318	9th Ave N ROW, W side	54.8 to 64.8	-23.1 to -33.1	31.36	10/21/19	14.56	16.80
					01/13/20	16.06	15.30
					05/11/20	20.82	10.54
					07/13/20	21.27	10.09
					11/16/20	20.88	10.48
					02/01/21	17.60	13.76
					06/07/21	14.81	16.55
					08/16/21	14.91	16.45
					02/14/22	13.08	18.28
					05/16/22	12.41	18.95
					08/08/22	12.44	18.92
					11/07/22	13.16	18.20
					02/22/23	12.86	18.50
					05/08/23	12.30	19.06
08/10/23	13.21	18.15					
10/30/23	13.27	18.09					
03/01/24	12.37	18.99					
MW-322	9th Ave N ROW, W side	54.7 to 64.7	-21.2 to -31.2	33.13	10/21/19	16.41	16.72
					01/13/20	18.02	15.11
					05/11/20	23.22	9.91
					07/13/20	23.70	9.43
					11/16/20	23.41	9.72
					02/01/21	19.71	13.42
					06/07/21	16.76	16.37
					08/16/21	16.84	16.29
					02/14/22	14.92	18.21

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					05/16/22	14.48	18.65
					08/08/22	14.28	18.85
					11/07/22	15.00	18.13
					02/22/23	14.63	18.50
					05/08/23	14.08	19.05
					08/10/23	15.01	18.12
					10/30/23	15.08	18.05
					03/01/24	14.20	18.93
MW-334	900 Roy St, S end	53.1 to 63.1	-21.88 to -31.88	31.22	05/11/20	22.02	9.20
					07/13/20	22.41	8.81
					11/16/20	22.02	9.20
					02/01/21	18.38	12.84
					06/07/21	15.21	16.01
					08/16/21	15.26	15.96
					02/14/22	13.37	17.85
					05/16/22	12.60	18.62
					08/08/22	12.60	18.62
					11/07/22	13.32	17.90
					02/21/23	Inaccessible	–
					05/08/23	Inaccessible	–
					08/10/23	13.36	17.86
					10/30/23	13.94	17.28
					03/01/24	Inaccessible	–
MW-335	Mercer St ROW, N side	60.8 to 70.8	-26.54 to -36.54	34.26	05/11/20	29.24	5.02
					07/13/20	29.85	4.41
					11/16/20	29.05	5.21
					02/01/21	23.75	10.51
					06/07/21	19.40	14.86
					08/16/21	19.05	15.21
					02/14/22	15.68	18.58
					05/16/22	15.93	18.33
					08/08/22	15.77	18.49
					11/07/22	16.36	17.90
					02/21/23	15.88	18.38
					05/08/23	15.60	18.66
					08/10/23	16.34	17.92
					10/30/23	16.43	17.83
					03/01/24	15.67	18.59
MW-338	Lake Union Park, N end	44.4 to 54.4	-17.02 to -27.02	27.38	05/11/20	15.45	11.93
					07/13/20	15.77	11.61
					11/16/20	15.92	11.46
					02/01/21	13.24	14.14
					06/07/21	10.60	16.78
					08/16/21	10.97	16.41
					02/14/22	9.64	17.74
					05/16/22	8.66	18.72

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/08/22	8.85	18.53
					11/07/22	9.49	17.89
					02/21/23	9.33	18.05
					05/08/23	8.65	18.73
					08/10/23	9.58	17.80
					10/30/23	9.67	17.71
					03/01/24	9.00	18.38
MW-340	Lake Union Park, S end	44.4 to 54.4	-16.38 to 26.38	28.02	05/11/20	17.35	10.67
					07/13/20	17.65	10.37
					11/16/20	17.53	10.49
					02/01/21	14.54	13.48
					06/07/21	11.63	16.39
					08/16/21	11.94	16.08
					02/14/22	10.43	17.59
					05/16/22	9.39	18.63
					08/08/22	9.52	18.50
					11/07/22	10.25	17.77
					02/21/23	10.03	17.99
					05/08/23	9.55	18.47
					08/10/23	9.36	18.66
					10/30/23	10.34	17.68
					03/01/24	10.00	18.02
MW-345	SDOT Mercer Parcels, NW quadrant	54.4 to 64.4	-1.6 to -11.6	52.61	06/07/21	28.30	24.31
					08/16/21	28.42	24.19
					02/14/22	24.92	27.69
					05/16/22	26.34	26.27
					08/08/22	28.01	24.60
					11/07/22	28.00	24.61
					02/22/23	26.48	26.13
					05/08/23	Inaccessible	–
					08/10/23	28.02	24.59
					10/30/23	27.96	24.65
					03/01/24	26.07	26.54
MW-346	SDOT Mercer Parcels, NW quadrant	53.9 to 63.9	-2.2 to -12.2	51.63	06/07/21	28.91	22.72
					08/16/21	29.30	22.33
					02/14/22	25.95	25.68
					05/16/22	26.34	25.29
					08/08/22	28.58	23.05
					11/07/22	28.09	23.54
					02/22/23	19.00	32.63
					05/08/23	27.54	24.09
					08/10/23	29.05	22.58
					10/30/23	28.23	23.40
					03/01/24	25.70	25.93
MW-347	SDOT Mercer	54.0 to 64.0	-1.3 to -11.3	52.70	06/07/21	29.97	22.73

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
	Parcels, NW quadrant				08/16/21 02/14/22 05/16/22 08/08/22 11/07/22 02/22/23 05/08/23 08/10/23 10/30/23 03/01/24	30.19 26.80 27.61 29.56 26.62 26.00 28.65 30.08 29.23 27.09	22.51 25.90 25.09 23.14 26.08 26.70 24.05 22.62 23.47 25.61
MW-348	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-4.6 to -14.6	53.84	06/07/21 08/16/21 02/14/22 05/16/22 08/08/22	31.11 31.44 28.36 28.87 30.73	22.73 22.40 25.48 24.97 23.11
					11/07/22 02/22/23 05/08/23 08/10/23 10/30/23 03/01/24	30.55 26.68 29.82 31.24 Not Measured 28.24	23.29 27.16 24.02 22.60 25.60
MW-349	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-2.8 to -12.8	55.58	06/07/21 08/16/21 02/14/22 05/16/22 08/08/22 11/07/22 02/22/23 05/08/23 08/10/23 10/30/23 03/01/24	31.02 31.25 28.79 29.92 32.02 30.03 25.25 31.99 32.97 32.69 30.99	24.56 24.33 26.79 25.66 23.56 25.55 30.33 23.59 22.61 22.89 24.59
MW-350	SDOT Mercer Parcels, NW quadrant	59.4 to 69.4	-1.7 to -11.7	57.55	06/07/21 08/16/21 02/14/22 05/16/22 08/08/22 11/07/22 02/22/23 05/08/23 08/10/23 10/30/23 03/01/24	35.53 35.50 33.19 34.09 35.11 35.13 34.30 34.63 35.32 35.11 33.80	22.02 22.05 24.36 23.46 22.44 22.42 23.25 22.92 22.23 22.44 23.75
MW-351	Roy St ROW, S side	35.4 to 45.4	2.7 to -7.3	38.1	05/08/23 08/10/23	17.68 18.72	20.42 19.38

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					10/30/23	18.65	19.45
					03/01/24	17.55	20.55
W-MW-01	8th Ave N ROW, W side	70 to 80	-25.1 to -35.1	44.88	02/07/12	21.22	23.66
					09/06/12	23.26	21.62
					12/21/12	21.82	23.06
					03/29/13	23.63	21.25
					01/06/14	28.96	15.92
					06/16/15	24.60	20.28
					10/19/15	26.86	18.02
					02/01/16	25.26	19.62
					03/20/17	21.02	23.86
					03/24/17	21.85	23.03
					04/14/17	22.11	22.77
					04/28/17	25.09	19.79
					05/05/17	25.33	19.55
				44.50	05/12/17	25.88	19.00
					05/19/17	26.09	18.79
					06/12/17	29.15	15.73
					10/11/17	31.50	13.38
					03/14/19	21.77	23.11
					04/22/19	–	
					07/16/19	–	
					05/11/20	–	
					07/13/20	–	
					09/03/20	30.18	14.70
					11/16/20	27.43	17.45
					02/01/21	24.80	20.08
					06/07/21	25.65	19.23
					08/16/21	Inaccessible	
					02/14/22	22.65	22.23
					05/16/22	23.03	21.85
					08/08/22	23.85	21.03
11/07/22	23.83	21.05					
02/21/23	22.77	22.11					
05/08/23	17.05	27.83					
08/10/23	24.27	20.61					
10/30/23	24.10	20.78					
03/01/24	15.10	29.78					
W-MW-02	8th Ave N ROW, W side	70 to 80	-26.3 to -36.5	43.46	02/07/12	17.51	25.95
					09/05/12	19.95	23.51
					12/21/12	17.82	25.64
					03/29/13	19.14	24.32
					01/06/14	24.40	19.06
					06/16/15	18.79	24.67
					10/19/15	20.94	22.52
02/01/16	15.85	27.61					

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/20/17	15.24	28.22
					03/24/17	14.97	28.49
					04/14/17	15.34	28.12
					04/28/17	18.18	25.28
					05/05/17	18.53	24.93
					05/12/17	19.10	24.36
					05/19/17	19.28	24.18
					06/12/17	22.83	20.63
					10/11/17	27.86	15.60
					03/14/19	15.46	28.00
					04/22/19	16.13	27.33
					07/16/19	–	
					07/23/19	21.71	21.75
					10/21/19	31.93	11.53
					01/13/20	–	
					05/11/20	33.88	9.58
					07/13/20	34.15	9.31
					07/21/20	30.60	12.86
					08/04/20	28.25	15.21
					08/17/20	27.32	16.14
					09/03/20	26.85	16.61
					09/21/20	26.46	17.00
					11/16/20	22.94	20.52
					02/01/21	19.88	23.58
					06/07/21	–	
					08/16/21	–	
				42.89	02/14/22	–	
					05/16/22	–	
					08/08/22	–	
					11/07/22	–	
					02/21/23	–	
					05/08/23	–	
					08/10/23	17.50	25.96
					10/30/23	NM	–
					03/01/24	18.38	25.08
Deep Zone							
FMW-129	SDOT Mercer Parcels, NE quadrant	84 to 89	-45.6 to -50.6	–	10/19/15	25.20	
					02/01/16	25.25	
				38.31	04/14/17	19.78	18.53
					04/28/17	25.30	13.01
					05/05/17	29.55	8.76
					05/12/17	30.25	8.06
					05/19/17	30.74	7.57
					06/12/17	34.90	3.41
					03/14/19	20.11	18.20
					03/26/19	19.99	18.32

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					05/01/19	19.72	18.59
					05/16/19	19.56	18.75
					07/16/19	20.24	18.07
					07/17/19	20.13	18.18
					07/30/19	20.34	17.97
					10/21/19	21.54	16.77
					01/13/20	24.49	13.82
					05/11/20	29.20	9.11
					07/13/20	29.80	8.51
					11/16/20	29.57	8.74
					06/07/21	–	
					08/16/21	22.76	15.55
					02/14/22	20.30	18.01
					05/16/22	19.84	18.47
					08/08/22	19.76	18.55
					11/07/22	–	–
					02/21/23	19.85	18.46
					05/08/23	19.56	18.75
					08/10/23	20.39	17.92
					10/30/23	20.39	17.92
					03/01/24	19.30	19.01
FMW-131	Block 37, SE quadrant	63 to 73	-34.7 to -44.7	27.85	03/24/17	9.56	18.29
					06/12/17	32.94	-5.09
					03/14/19	10.26	17.59
					04/22/19	9.82	18.03
					07/16/19	–	
					10/21/19	12.21	15.64
					01/13/20	14.95	12.90
					05/11/20	22.57	5.28
					07/13/20	22.77	5.08
					11/16/20	21.69	6.16
					02/01/21	17.03	10.82
					06/07/21	13.98	13.87
					08/16/21	12.82	15.03
					02/14/22	10.37	17.48
					05/16/22	9.76	18.09
					08/08/22	9.79	18.06
					11/07/22	10.43	17.42
					02/21/23	19.02	8.83
					05/08/23	19.60	8.25
					08/10/23	9.71	18.14
					10/30/23	10.51	17.34
					03/01/24	9.95	17.90
FMW-137	Alley E of Block 38 West	72 to 85	-41.9 to -54.9	30.09	11/20/18	13.02	17.07
					12/28/18	12.74	17.35
					03/14/19	12.56	17.53

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					05/06/19	12.08	18.01
					07/08/19	12.25	17.84
					11/06/19	14.11	15.98
					01/13/20	19.50	10.59
					05/11/20	33.07	-2.98
					07/13/20	33.37	-3.28
					11/16/20	30.61	-0.52
					02/01/21	21.52	8.57
					06/07/21	15.74	14.35
					08/16/21	15.28	14.81
					02/14/22	12.85	17.24
					05/16/22	12.06	18.03
					08/08/22	11.93	18.16
					11/07/22	12.50	17.59
					02/21/23	20.95	9.14
					05/09/23	11.94	18.15
					08/10/23	12.39	17.70
					10/30/23	12.51	17.58
					03/01/24	11.77	18.32
FMW-140	900 Roy St, S end	70 to 80	-38.0 to -48.0	31.71	10/31/19	15.03	16.68
					01/13/20	17.07	14.64
					05/11/20	22.55	9.16
					07/13/20	22.91	8.80
					11/16/20	22.34	9.37
					02/01/21	18.00	13.71
					06/07/21	15.63	16.08
					08/16/21	15.63	16.08
					02/14/22	13.83	17.88
					05/16/22	12.96	18.75
					08/08/22	10.53	21.18
					11/07/22	10.85	20.86
					02/21/23	10.60	21.11
					05/08/23	15.77	15.94
					08/10/23	11.61	20.10
					10/30/23	11.49	20.22
					03/01/24	13.14	18.57
GEI-2	Block 37, NW quadrant	50.5 to 60.5	-21.1 to -31.1	29.38	03/24/17	10.96	18.42
					06/12/17	37.60	-8.22
					03/14/19	11.70	17.68
					04/22/19	11.26	18.12
					07/16/19	11.51	17.87
					10/21/19	13.54	15.84
					01/13/20	9.93	19.45
					05/11/20	23.05	6.33
					07/13/20	23.36	6.02
					11/16/20	22.60	6.78

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/01/21	18.06	11.32
					06/07/21	14.00	15.38
					08/16/21	13.92	15.46
					02/14/22	12.02	17.36
					05/16/22	11.24	18.14
					08/08/22	11.29	18.09
					11/07/22	10.77	18.61
					02/21/23	20.34	9.04
					05/08/23	11.06	18.32
					08/10/23	11.84	17.54
					10/30/23	11.91	17.47
					03/01/24	11.15	18.23
HMW-1D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-41.9 to -51.9	37.99	03/20/19	20.33	17.66
					03/26/19	20.34	17.65
					05/16/19	19.90	18.09
					07/16/19	20.28	17.71
					07/17/19	20.32	17.67
					07/30/19	20.50	17.49
					08/15/19	20.60	17.39
					12/05/19	25.56	12.43
					01/13/20	23.40	14.59
					03/09/20	28.29	9.70
					03/19/20	28.53	9.46
					04/10/20	29.29	8.70
					05/11/20	29.55	8.44
					07/13/20	30.39	7.60
					11/16/20	30.05	7.94
					02/01/21	26.78	11.21
					06/07/21	23.97	14.02
					08/16/21	23.39	14.60
					02/14/22	24.10	13.89
					05/16/22	20.15	17.84
					08/08/22	19.85	18.14
					11/07/22	20.15	17.84
					02/21/23	19.59	18.40
					05/08/23	19.61	18.38
					08/10/23	20.08	17.91
					10/30/23	20.18	17.81
					03/01/24	19.28	18.71
HMW-2D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-32.7 to -42.7	47.19	03/19/19	27.98	19.21
					03/26/19	27.26	19.93
					05/16/19	27.95	19.24
					07/16/19	28.66	18.53
					08/15/19	29.17	18.02
					12/05/19	30.52	16.67
					01/13/20	30.31	16.88

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/12/20	35.94	11.25
					03/19/20	36.06	11.13
					03/27/20	36.04	11.15
					04/10/20	36.75	10.44
					05/11/20	37.18	10.01
					07/13/20	37.84	9.35
					11/16/20	37.19	10.00
					02/01/21	33.53	13.66
					06/07/21	31.36	15.83
					08/16/21	31.18	16.01
					02/14/22	28.41	18.78
					05/16/22	28.20	18.99
					08/08/22	28.00	19.19
					11/07/22	28.77	18.42
					02/21/23	22.19	25.00
					05/08/23	22.57	24.62
					08/10/23	23.90	23.29
					10/30/23	23.22	23.97
					03/01/24	21.81	25.38
HMW-3D	SDOT Mercer Parcels, NW quadrant	80.0 to 90.0	-23.4 to -33.4	56.37	03/19/19	38.90	17.47
					03/26/19	38.77	17.60
					07/16/19	39.11	17.26
					12/05/19	39.60	16.77
					01/13/20	39.62	16.75
					03/12/20	41.82	14.55
					03/19/20	41.86	14.51
					03/27/20	42.29	14.08
					04/10/20	42.43	13.94
					05/11/20	42.57	13.80
					07/13/20	43.31	13.06
					11/16/20	43.07	13.30
					02/01/21	42.15	14.22
					06/07/21	41.30	15.07
					08/16/21	40.85	15.52
					02/14/22	39.36	17.01
					05/16/22	39.00	17.37
					08/08/22	38.61	17.76
					11/07/22	38.60	17.77
					02/21/23	27.05	29.32
					05/08/23	27.64	28.73
					08/10/23	28.63	27.74
					10/30/23	28.20	28.17
					03/01/24	34.80	21.57
HMW-6D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-21.1 to -31.1	61.49	03/19/20	46.89	14.60
					05/11/20	47.65	13.84
					07/13/20	48.39	13.10

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					11/16/20	48.38	13.11
					02/01/21	47.25	14.24
					06/07/21	46.45	15.04
					08/16/21	46.07	15.42
					02/14/22	44.03	17.46
					05/16/22	44.10	17.39
					08/08/22	43.86	17.63
					11/07/22	43.68	17.81
					02/22/23	43.28	18.21
					05/08/23	43.65	17.84
					08/10/23	43.76	17.73
					10/30/23	44.07	17.42
					03/01/24	43.10	18.39
HMW-9D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-24.4 to -34.4	58.14	03/19/20	43.55	14.59
					05/11/20	44.46	13.68
					07/13/20	45.17	12.97
					11/16/20	44.63	13.51
					02/01/21	42.95	15.19
					06/07/21	42.22	15.92
					08/16/21	41.88	16.26
					02/14/22	39.91	18.23
					05/16/22	39.56	18.58
					08/08/22	43.86	14.28
					11/07/22	39.39	18.75
					02/21/23	38.80	19.34
					05/08/23	39.20	18.94
					08/10/23	39.50	18.64
					10/30/23	39.59	18.55
					03/01/24	38.84	19.30
HMW-10D	SDOT Mercer Parcels, SE quadrant	79.0 to 89.0	-30.8 to -40.8	51.03	03/19/20	39.97	11.06
					03/25/20	40.32	10.71
					05/11/20	41.37	9.66
					07/13/20	42.14	8.89
					11/16/20	41.44	9.59
					02/01/21	37.53	13.50
					06/07/21	35.23	15.80
					08/16/21	34.94	16.09
					02/14/22	31.94	19.09
					05/16/22	31.77	19.26
					08/08/22	31.83	19.20
					11/07/22	32.41	18.62
					02/21/23	31.53	19.50
					05/08/23	31.47	19.56
					08/10/23	32.38	18.65
					10/30/23	32.37	18.66
					03/01/24	30.98	20.05

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
HMW-12D	SDOT Mercer Parcels, NE quadrant	82.0 to 92.0	-48.5 to -58.5	35.86	11/16/20	27.09	8.77
					02/01/21	23.35	12.51
					06/07/21	20.33	15.53
					08/16/21	20.21	15.65
					02/14/22	17.79	18.07
					05/16/22	17.33	18.53
					08/08/22	17.23	18.63
					11/07/22	17.82	18.04
					02/21/23	17.27	18.59
					05/08/23	17.00	18.86
					08/10/23	17.84	18.02
					10/30/23	17.84	18.02
03/01/24	16.88	18.98					
HMW-13D	SDOT Mercer Parcels, SE quadrant	89.5 to 99.5	-44.2 to -54.2	45.08	11/16/20	36.83	8.25
					02/01/21	33.40	11.68
					06/07/21	30.53	14.55
					08/16/21	30.20	14.88
					02/14/22	27.26	17.82
					05/16/22	26.90	18.18
					08/08/22	26.61	18.47
					11/07/22	27.05	18.03
					02/21/23	26.47	18.61
					05/08/23	26.34	18.74
					08/10/23	26.98	18.10
					10/30/23	27.06	18.02
03/01/24	26.17	18.91					
HMW-14D	SDOT Mercer Parcels, SE quadrant	70.0 to 80.0	-23.7 to -33.7	46.11	11/16/20	38.63	7.48
					02/01/21	33.12	12.99
					06/07/21	30.50	15.61
					08/16/21	30.29	15.82
					02/14/22	27.06	19.05
					05/16/22	26.82	19.29
					08/08/22	26.94	19.17
					11/07/22	27.62	18.49
					02/21/23	26.68	19.43
					05/08/23	26.60	19.51
					08/10/23	27.56	18.55
					10/30/23	27.50	18.61
03/01/24	25.90	20.21					
MW102	Valley St ROW, S side	115 to 125	-65.8 to -75.8	49.19	09/05/12	31.11	18.08
					12/21/12	30.78	18.41
					03/29/13	31.65	17.54
					01/06/14	33.80	15.39
					10/19/15	37.06	12.13
					02/01/16	38.22	10.97
					03/20/17	32.25	16.94

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					03/24/17	33.50	15.69
					04/14/17	34.38	14.81
					04/28/17	35.18	14.01
					05/05/17	34.77	14.42
					05/12/17	35.00	14.19
					05/19/17	35.21	13.98
					06/12/17	36.87	12.32
					10/11/17	37.59	11.60
					03/14/19	31.94	17.25
					04/22/19	31.78	17.41
				49.11	07/16/19	31.80	17.39
					10/21/19	32.20	16.91
					01/13/20	32.46	16.65
					05/11/20	35.36	13.75
					07/13/20	36.04	13.07
					07/21/20	35.81	13.30
					08/04/20	35.98	13.13
					08/17/20	35.93	13.18
					09/03/20	36.13	12.98
					09/21/20	36.00	13.11
					11/16/20	35.93	13.18
					02/01/21	34.74	14.37
					06/07/21	33.95	15.16
					08/16/21	34.10	15.01
				49.66	02/14/22	32.12	17.54
					05/16/22	32.20	17.46
					08/08/22	31.85	17.81
					11/07/22	31.73	17.93
					02/21/23	31.44	18.22
					05/08/23	31.58	18.08
					08/10/23	31.82	17.84
					10/30/23	32.29	17.37
					03/01/24	31.25	18.41
MW103	Alley E of Seattle Roy Aloha Shops	103.5 to 113.5	-67.6 to -77.6	35.92	09/05/12	18.03	17.89
					12/21/12	17.38	18.54
					03/29/13	19.70	16.22
					01/06/14	26.45	9.47
					06/16/15	20.03	15.89
					10/19/15	22.31	13.61
					02/01/16	22.40	13.52
					03/20/17	17.10	18.82
					03/24/17	17.36	18.56
					04/14/17	17.68	18.24
					04/28/17	25.82	10.10
					05/05/17	26.17	9.75
					05/12/17	26.71	9.21

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
				35.86	05/19/17	27.99	7.93
					06/12/17	30.85	5.07
					10/11/17	30.31	5.61
					03/14/19	17.75	18.17
					04/22/19	17.50	18.42
					07/16/19	16.85	19.07
					10/21/19	19.17	16.75
					01/13/20	20.53	15.33
					01/30/20	20.11	15.75
					05/11/20	24.87	10.99
					07/13/20	25.56	10.30
					07/21/20	25.55	10.31
					08/04/20	25.61	10.25
					08/17/20	25.68	10.18
					09/03/20	25.73	10.13
					09/21/20	Inaccessible	
					11/16/20	25.50	10.36
					02/01/21	22.69	13.17
					06/07/21	20.18	15.68
					08/16/21	20.03	15.83
				02/14/22	17.95	17.91	
				05/16/22	17.53	18.33	
				08/08/22	17.34	18.52	
				11/07/22	17.87	17.99	
				02/21/23	17.54	18.32	
				05/08/23	17.28	18.58	
				08/10/23	17.93	17.93	
				10/30/23	18.07	17.79	
				02/28/24	17.16	18.70	
MW104	8th Ave N ROW, W side	119 to 129	-76.3 to -86.3	42.68	09/06/12	24.72	17.96
					12/21/12	24.31	18.37
					03/29/13	25.78	16.90
					01/06/14	28.87	13.81
					10/19/15	30.04	12.64
					02/01/16	30.90	11.78
					03/20/17	25.00	17.68
					04/14/17	26.58	16.10
					04/28/17	30.11	12.57
					05/05/17	30.71	11.97
					05/12/17	30.43	12.25
					05/19/17	30.60	12.08
					06/30/17	33.10	9.58
					10/11/17	32.69	9.99
					03/14/19	25.00	17.68
					04/22/19	24.86	17.82
					07/16/19	25.01	17.67
					10/21/19	25.62	17.06

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					01/13/20	–	
					05/11/20	29.68	13.00
					07/13/20	30.21	12.47
					08/17/20	30.06	12.62
					09/03/20	Inaccessible	
					09/21/20	29.98	12.70
					11/16/20	Inaccessible	
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	Inaccessible	
					02/14/22	24.84	17.84
					05/16/22	24.82	17.86
					08/08/22	24.66	18.02
					11/07/22	24.55	18.13
					02/21/23	24.12	18.56
					05/08/23	24.33	18.35
					08/10/23	24.60	18.08
					10/30/23	24.90	17.78
					03/01/24	23.88	18.80
MW105	Roy St ROW, S side	130 to 140	-85.3 to -95.3	44.69	09/05/12	26.85	17.84
					12/21/12	26.26	18.43
					03/29/13	28.47	16.22
				44.17	01/06/14	32.48	11.69
					04/02/15	28.56	15.61
					06/16/15	28.59	15.58
					10/19/15	31.15	13.02
					02/01/16	31.58	12.59
					03/20/17	25.86	18.31
					03/24/17	26.22	17.95
					04/14/17	26.71	17.46
					04/28/17	34.10	10.07
					05/05/17	34.40	9.77
					05/12/17	34.91	9.26
					05/19/17	35.39	8.78
					06/12/17	38.85	5.32
					10/11/17	38.22	5.95
					03/14/19	26.33	17.84
					04/22/19	26.06	18.11
					07/17/19	26.25	17.92
				44.12	10/21/19	27.47	16.65
					01/13/20	28.75	15.37
					05/11/20	33.01	11.11
					07/13/20	33.82	10.30
					11/16/20	33.91	10.21
					02/01/21	31.11	13.01
					06/07/21	28.53	15.59

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/16/21	28.41	15.71
					02/14/22	26.32	17.80
					05/16/22	25.80	18.32
					08/08/22	25.84	18.28
					11/07/22	26.23	17.89
					02/21/23	–	–
					05/08/23	25.58	18.54
					08/10/23	Inaccessible	–
					10/30/23	26.35	17.77
					03/01/24	25.40	18.72
MW106	SDOT Mercer Parcels, NW quadrant	130 to 140	-78.0 to -88.0	51.99	09/05/12	34.09	17.90
					03/29/13	34.92	17.07
					01/06/14	37.15	14.84
					10/19/15	40.11	11.88
					02/01/16	41.02	10.97
					04/14/17	36.78	15.21
					06/30/17	40.60	11.39
					03/14/19	34.64	17.35
					03/26/19	34.43	17.56
					04/22/19	34.53	17.46
					07/16/19	34.62	17.37
					07/17/19	34.62	17.37
					10/21/19	35.25	16.74
					01/13/20	35.56	16.43
					03/19/20	38.23	13.76
					05/11/20	38.87	13.12
					07/13/20	39.58	12.41
					11/10/20	39.28	12.71
					02/01/21	37.82	14.17
					06/07/21	36.74	15.25
					08/16/21	36.34	15.65
					02/14/22	34.41	17.58
					05/16/22	34.45	17.54
					08/08/22	34.11	17.88
					11/07/22	34.05	17.94
					02/21/23	33.59	18.40
					05/08/23	33.88	18.11
					08/10/23	34.13	17.86
					10/30/23	Not Measured	–
					03/01/23	33.46	18.53
MW113	9th Ave N ROW, W side	70 to 80	-36.8 to -46.8	32.94	12/21/12	14.15	18.79
					03/29/13	16.95	15.99
					01/06/14	23.35	9.59
					06/16/15	16.46	16.48
					10/19/15	18.24	14.70
					02/01/16	17.87	15.07

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
				32.90	03/20/17	13.60	19.30
					03/24/17	13.65	19.25
					04/14/17	13.80	19.10
					04/28/17	24.10	8.80
					05/05/17	24.94	7.96
					05/12/17	25.68	7.22
					05/19/17	26.01	6.89
					06/12/17	31.15	1.75
					10/11/17	31.00	1.90
					03/14/19	14.52	18.38
					04/22/19	14.21	18.69
					07/16/19	14.57	18.33
				32.91	10/21/19	16.19	16.72
					11/11/19	16.41	16.50
					01/13/20	17.91	15.00
					01/14/20	18.04	14.87
					01/30/20	17.05	15.86
					02/17/20	20.79	12.12
					03/24/20	22.72	10.19
					05/11/20	25.17	7.74
					07/13/20	23.67	9.24
					11/16/20	23.25	9.66
					02/01/21	19.60	13.31
					06/07/21	16.66	16.25
					08/16/21	16.69	16.22
					02/14/22	14.58	18.33
					05/16/22	14.07	18.84
					08/08/22	14.08	18.83
					11/07/22	14.78	18.13
					02/22/23	14.40	18.51
					05/08/23	13.85	19.06
					08/10/23	14.79	18.12
					10/30/23	14.84	18.07
					03/01/24	14.00	18.91
MW122	Alley E of Seattle Roy Aloha Shops	105 to 119	-74.9 to -84.9	30.03	01/06/14	17.61	12.42
					10/19/15	15.59	14.44
					02/01/16	15.75	14.28
					03/20/17	11.62	18.41
					03/24/17	11.57	18.46
					04/14/17	11.76	18.27
					04/28/17	19.98	10.05
					05/05/17	20.43	9.60
					05/12/17	20.94	9.09
					05/19/17	21.30	8.73
					06/12/17	25.23	4.80
					10/11/17	24.93	5.10
					03/14/19	11.99	18.04

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					04/22/19	11.60	18.43
					07/16/19	11.93	18.10
					10/21/19	13.23	16.80
					01/13/20	14.53	15.50
					01/30/20	14.09	15.94
					05/11/20	18.57	11.46
					07/13/20	19.02	11.01
					11/16/20	18.86	11.17
					02/01/21	16.27	13.76
					06/07/21	13.60	16.43
					08/16/21	13.70	16.33
					02/14/22	12.06	17.97
					05/16/22	11.39	18.64
					08/08/22	11.32	18.71
					11/07/22	12.08	17.95
					02/21/23	11.72	18.31
					05/08/23	11.25	18.78
					08/10/23	12.05	17.98
					10/30/23	13.10	16.93
					02/28/24	11.39	18.64
MW123	Westlake Ave N N ROW, W side	70 to 80	-42.5 to -52.5	27.51	01/06/14	15.69	11.82
					03/20/17	8.50	19.01
					03/24/17	8.60	18.91
					06/12/17	24.68	2.83
					10/11/17	24.43	3.08
					03/14/19	9.32	18.19
					04/22/19	8.89	18.62
					07/16/19	9.22	18.29
				27.50	10/21/19	10.64	16.86
					01/13/20	12.15	15.35
					05/11/20	16.51	10.99
					07/13/20	16.80	10.70
					11/16/20	16.64	10.86
					02/01/21	14.00	13.50
					06/07/21	10.92	16.58
					08/16/21	11.11	16.39
					02/14/22	9.55	17.95
					05/16/22	8.88	18.62
					08/08/22	8.72	18.78
					11/07/22	9.47	18.03
					02/21/23	–	–
					05/08/23	8.55	18.95
					08/10/23	9.52	17.98
					10/30/23	9.60	17.90
					03/01/24	8.87	18.63
MW124	Valley St	110 to 120	-53.8 to -63.8	56.24	01/06/14	40.50	15.74

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
	ROW, S side			56.17	03/20/17	39.33	16.91
					03/24/17	40.59	15.65
					04/14/17	41.54	14.70
					04/28/17	41.81	14.43
					05/05/17	41.28	14.96
					05/12/17	41.52	14.72
					05/19/17	41.60	14.64
					06/12/17	42.95	13.29
					10/11/17	43.95	12.29
					03/14/19	38.98	17.26
					04/22/19	38.81	17.43
					07/16/19	38.87	17.37
					10/21/19	39.28	16.96
					01/13/20	-	
					01/30/20	42.92	13.25
					02/19/20	40.76	15.41
					05/11/20	41.98	14.19
					07/13/20	42.86	13.31
					08/04/20	42.75	13.42
					08/17/20	42.79	13.38
					09/03/20	42.91	13.26
				56.74	11/16/20	42.79	13.38
					02/01/21	Inaccessible	
					06/08/21	40.93	15.24
					08/16/21	Inaccessible	
					02/14/22	39.20	17.54
					05/16/22	39.25	17.49
					08/08/22	38.98	17.76
					11/07/22	38.80	17.94
					02/21/23	38.47	18.27
					05/08/23	38.73	18.01
					08/10/23	38.90	17.84
					10/30/23	39.32	17.42
					03/01/24	38.30	18.44
MW128	Westlake Ave N ROW, E side	60 to 70	-30.8 to -40.8	-	04/22/15	12.91	
					10/19/15	14.15	
					02/01/16	14.23	
				28.59	03/20/17	10.00	18.59
					03/24/17	10.04	18.55
					04/14/17	10.13	18.46
					04/28/17	25.30	3.29
					05/05/17	26.35	2.24
					05/12/17	27.06	1.53
					05/19/17	27.44	1.15
					06/12/17	33.41	-4.82
					10/11/17	30.51	-1.92
					03/14/19	10.79	17.80

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					04/22/19	10.43	18.16
					07/16/19	10.67	17.92
					09/09/19	11.12	17.47
					10/21/19	12.36	16.23
					11/11/19	12.49	16.10
					01/13/20	14.27	14.32
					01/30/20	13.68	14.91
					02/17/20	18.11	10.48
					05/11/20	20.10	8.49
					07/13/20	20.46	8.13
					11/16/20	20.01	8.58
					02/01/21	16.35	12.24
					06/07/21	12.81	15.78
					08/16/21	12.80	15.79
					02/14/22	11.00	17.59
					05/16/22	10.20	18.39
					08/08/22	10.13	18.46
					11/07/22	10.82	17.77
					02/21/23	10.60	17.99
					05/08/23	10.03	18.56
					08/10/23	10.84	17.75
					10/30/23	10.96	17.63
					03/01/24	10.54	18.05
MW-138	Dexter Ave N ROW, E side	105 to 115	-47.6 to -57.6	57.06	10/11/17	44.78	12.28
					03/14/19	39.75	17.31
				57.03	04/22/19	39.64	17.42
					07/19/19	39.82	17.21
					10/21/19	40.19	16.84
					01/13/20	40.32	16.71
					05/11/20	43.06	13.97
					07/13/20	43.92	13.11
					11/16/20	43.85	13.18
					02/01/21	42.62	14.41
					06/07/21	41.90	15.13
					08/16/21	Inaccessible	
					02/14/22	39.56	17.47
					05/16/22	39.48	17.55
					08/08/22	39.30	17.73
					11/07/22	39.14	17.89
					02/21/23	–	
					05/08/23	38.97	18.06
					08/10/23	Inaccessible	–
					10/30/23	39.53	17.50
					03/01/24	38.47	18.56
MW-153	Roy St ROW, S side	120 to 130	-65.3 to -75.3	54.35	03/14/19	37.27	17.08
					03/26/19	36.85	17.50

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					04/22/19	37.12	17.23
					07/16/19	37.27	17.08
					07/17/19	37.11	17.24
					10/21/19	37.60	16.75
					01/13/20	38.80	15.55
					01/30/20	38.41	15.94
					02/19/20	39.41	14.94
					02/24/20	39.81	14.54
					03/19/20	40.14	14.21
					05/11/20	40.67	13.68
					07/13/20	41.55	12.80
					07/21/20	41.11	13.24
					08/04/20	41.31	13.04
					08/17/20	41.29	13.06
					09/03/20	41.37	12.98
					09/21/20	41.33	13.02
					11/16/20	41.39	12.96
					02/01/21	40.15	14.20
					06/07/21	39.39	14.96
					08/16/21	38.87	15.48
					02/14/22	36.90	17.45
					05/16/22	36.96	17.39
					08/08/22	36.51	17.84
					11/07/22	36.57	17.78
					02/21/23	35.94	18.41
					05/08/23	36.51	17.84
					08/10/23	36.63	17.72
					10/30/23	36.90	17.45
					03/01/24	36.61	17.74
MW-158A	8th Ave N ROW, E side	90 to 100	-48.2 to -58.5	41.09	01/24/19	22.98	18.11
					03/14/19	23.15	17.94
					04/22/19	23.29	17.80
					07/16/19	23.54	17.55
					10/21/19	24.31	16.78
					01/13/20	24.91	16.18
					01/30/20	25.00	16.09
					05/11/20	28.27	12.82
					07/13/20	28.73	12.36
					07/21/20	28.56	12.53
					08/04/20	28.66	12.43
					08/17/20	28.58	12.51
					09/03/20	28.65	12.44
					09/21/20	28.60	12.49
					11/16/20	28.37	12.72
					02/01/21	26.80	14.29
					06/07/21	25.63	15.46
					08/16/21	25.18	15.91

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					02/14/22	23.22	17.87
					05/16/22	23.16	17.93
					08/08/22	22.84	18.25
					11/07/22	22.92	18.17
					02/21/23	22.59	18.50
					05/08/23	22.73	18.36
					08/10/23	23.02	18.07
					10/30/23	Not Measured	
					03/01/24	22.45	18.64
MW-160	8th Ave N ROW, W side	118 to 128	-75.4 to -85.4	42.24	03/14/19	24.70	17.54
					04/22/19	24.56	17.68
					07/16/19	24.72	17.52
					10/21/19	25.28	16.96
					01/13/20	25.83	16.41
					01/30/20	26.04	16.20
					02/19/20	27.70	14.54
					05/11/20	29.08	13.16
					07/13/20	29.79	12.45
					07/21/20	29.56	12.68
					08/04/20	29.70	12.54
				08/17/20	29.64	12.60	
				42.03	09/03/20	29.74	12.50
					09/21/20	29.61	12.63
					11/16/20	29.51	12.73
					02/01/21	27.93	14.31
					06/07/21	26.92	15.32
					08/16/21	Inaccessible	
					02/14/22	24.45	17.58
					05/16/22	24.30	17.73
					08/08/22	24.14	17.89
					11/07/22	24.16	17.87
					11/08/22	25.16	16.87
					02/21/23	23.69	18.34
					05/08/23	33.88	8.15
					08/10/23	24.22	17.81
					10/30/23	24.50	17.53
				03/01/24	23.45	18.58	
MW-161	8th Ave N ROW, W side	130 to 140	-85.6 to -95.6	43.99	03/14/19	26.50	17.49
					04/22/19	26.33	17.66
					07/16/19	26.51	17.48
					10/21/19	27.03	16.96
					01/13/20	27.63	16.36
					05/11/20	31.30	12.69
					07/13/20	31.90	12.09
					07/13/20	31.69	12.30
					08/04/20	31.80	12.19

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					08/17/20	31.76	12.23
					09/03/20	31.75	12.24
					09/21/20	Inaccessible	
					11/16/20	31.48	12.51
					02/01/21	29.89	14.10
					06/07/21	28.75	15.24
				43.84	08/16/21	28.32	15.67
					02/14/22	26.28	17.56
					05/16/22	26.12	17.72
					08/08/22	25.96	17.88
					11/07/22	25.95	17.89
					02/21/23	25.56	18.28
					05/08/23	25.80	18.04
					08/10/23	26.03	17.81
					10/30/23	26.30	17.54
					03/01/24	25.27	18.57
MW-304	Dexter Ave N ROW, E side	105.2 to 115.2	-47.6 to -57.6	57.23	10/21/19	40.38	16.85
					01/13/20	40.48	16.75
					05/11/20	43.11	14.12
					07/13/20	43.97	13.26
					11/16/20	Inaccessible	
					02/01/21	42.76	14.47
					06/07/21	42.04	15.19
					08/16/21	41.50	15.73
				57.08	02/14/22	39.52	17.56
					05/16/22	39.59	17.49
					08/08/22	39.41	17.67
					11/07/22	39.24	17.84
					02/21/23	–	
					05/08/23	39.06	18.02
					08/10/23	Inaccessible	–
					10/30/23	39.66	17.42
					03/01/24	38.58	18.50
MW-319	9th Ave N ROW, W side	74.5 to 84.5	-42.8 to -52.8	31.31	10/21/19	14.52	16.79
					01/13/20	16.01	15.30
					01/30/20	15.32	15.99
					02/19/20	18.87	12.44
					05/11/20	20.80	10.51
					07/13/20	21.21	10.10
					11/16/20	20.99	10.32
					02/01/21	17.57	13.74
					06/07/21	14.75	16.56
					08/16/21	14.88	16.43
					02/14/22	13.09	18.22
					05/16/22	12.37	18.94
					08/08/22	12.40	18.91

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-323	9th Ave N ROW, W side	100 to 110	-65.4 to -75.4	34.38	11/07/22	13.12	18.19
					02/22/23	12.81	18.50
					05/08/23	12.30	19.01
					08/10/23	13.15	18.16
					10/30/23	13.21	18.10
					03/01/24	12.35	18.96
					10/21/19	17.71	16.67
					01/13/20	19.20	15.18
					01/30/20	18.70	15.68
					05/11/20	24.04	10.34
					07/13/20	24.66	9.72
					11/16/20	24.48	9.90
					02/01/21	21.32	13.06
					06/07/21	18.53	15.85
					08/16/21	18.43	15.95
					02/14/22	16.31	18.07
					05/16/22	15.76	18.62
					08/08/22	15.70	18.68
					11/07/22	16.33	18.05
					02/22/23	15.95	18.43
05/08/23	15.55	18.83					
					08/10/23	16.30	18.08
					10/30/23	16.42	17.96
					03/01/24	15.64	18.74
MW-324	Roy St ROW, N side	66.3 to 76.3	-32.1 to -42.1	33.71	10/21/19	17.09	16.62
					01/13/20	18.93	14.78
					01/31/20	18.13	15.58
					05/11/20	24.60	9.11
					07/13/20	25.11	8.60
					09/21/20	25.24	8.47
					11/16/20	24.81	8.90
					02/01/21	20.85	12.86
					06/07/21	17.69	16.02
					08/16/21	17.70	16.01
					02/14/22	15.66	18.05
					05/16/22	14.91	18.80
					08/08/22	14.94	18.77
					11/07/22	15.44	18.27
					02/21/23	15.28	18.43
05/08/23	14.71	19.00					
08/10/23	15.71	18.00					
10/30/23	15.74	17.97					
03/01/24	14.87	18.84					
MW-326	Mercer St ROW, N side	90 to 100	-48.7 to -58.7	40.97	10/21/19	24.22	16.75
					01/13/20	26.40	14.57

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					01/30/20	26.22	14.75
					03/19/20	31.50	9.47
					05/11/20	32.44	8.53
					07/13/20	33.37	7.60
					09/21/20	33.27	7.70
					11/16/20	33.09	7.88
					02/01/21	29.85	11.12
					06/07/21	27.02	13.95
					08/16/21	26.50	14.47
					02/14/22	23.52	17.45
					05/16/22	23.18	17.79
					08/08/22	22.81	18.16
					11/07/22	23.14	17.83
					02/21/23	22.55	18.42
					05/08/23	22.71	18.26
					08/10/23	23.07	17.90
					10/30/23	23.20	17.77
					03/01/24	26.88	14.09
MW-326R	Mercer St ROW, N side	90.2 to 100.2	-48.7 to -58.7	41.5	05/08/23	23.11	18.39
					08/10/23	23.52	17.98
					10/30/23	23.64	17.86
MW-328	Lake Union Park, S end	64.5 to 74.5	-36.1 to -46.1	28.09	10/21/19	11.54	16.55
					01/13/20	13.21	14.88
					01/30/20	12.60	15.49
					02/19/20	16.50	11.59
					05/11/20	18.00	10.09
					07/13/20	18.35	9.74
					09/21/20	19.61	8.48
					11/16/20	18.20	9.89
					02/01/21	15.00	13.09
					06/07/21	11.88	16.21
					08/16/21	12.03	16.06
					02/14/22	10.44	17.65
					05/16/22	9.52	18.57
					08/08/22	9.55	18.54
					11/07/22	10.22	17.87
					02/21/23	10.04	18.05
					05/08/23	9.41	18.68
					08/10/23	10.30	17.79
					10/30/23	10.38	17.71
					03/01/24	9.72	18.37
MW-329	Westlake Ave N ROW, E side	98.3 to 108.3	-69.0 to -79.0	28.93	10/21/19	12.67	16.26
					01/13/20	14.55	14.38
					01/30/20	13.96	14.97
					02/19/20	18.55	10.38
					05/11/20	20.35	8.58

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
					07/13/20	20.74	8.19
					09/21/20	20.85	8.08
					11/16/20	20.34	8.59
					02/01/21	16.60	12.33
					06/07/21	13.06	15.87
					08/16/21	13.13	15.80
					02/14/22	11.36	17.57
					05/16/22	10.52	18.41
					08/08/22	10.48	18.45
					11/07/22	11.11	17.82
					02/21/23	10.91	18.02
					05/08/23	10.37	18.56
					08/10/23	11.20	17.73
					10/30/23	10.27	18.66
					03/01/24	10.62	18.31
MW-336	Mercer St ROW, N side	85.3 to 95.3	-52.0 to -62.0	33.31	05/11/20	29.31	4.00
					07/13/20	30.00	3.31
					11/16/20	29.11	4.20
					02/01/21	23.57	9.74
					06/07/21	18.97	14.34
					08/16/21	18.48	14.83
					02/14/22	16.50	16.81
					05/16/22	15.17	18.14
					08/08/22	14.94	18.37
					11/07/22	15.47	17.84
					02/21/23	14.94	18.37
					05/08/23	15.02	18.29
					08/10/23	15.38	17.93
					10/30/23	15.50	17.81
					03/01/24	14.84	18.47
MW-341	Lake Union Park, S end	95.2 to 105.2	-67.1 to -77.1	28.11	05/11/20	18.08	10.03
					07/13/20	18.43	9.68
					11/16/20	18.30	9.81
					02/01/21	15.05	13.06
					06/07/21	11.95	16.16
					08/16/21	12.07	16.04
					02/14/22	10.47	17.64
					05/16/22	9.58	18.53
					08/08/22	9.59	18.52
					11/07/22	10.28	17.83
					02/21/23	10.10	18.01
					05/08/23	9.60	18.51
					08/10/23	10.33	17.78
					10/30/23	10.44	17.67
					03/01/24	9.86	18.25

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-342	Valley St ROW, S side	60.1 to 70.1	-32.7 to -42.7	27.37	05/11/20	17.92	9.45
					07/13/20	18.22	9.15
					11/16/20	18.02	9.35
					02/01/21	14.81	12.56
					06/07/21	11.43	15.94
					08/16/21	11.54	15.83
					02/14/22	10.03	17.34
					05/16/22	9.09	18.28
					08/08/22	9.01	18.36
					11/07/22	9.79	17.59
					02/21/23	9.95	17.42
					05/08/23	8.89	18.48
					08/10/23	9.75	17.62
					10/30/23	9.87	17.50
03/01/24	9.30	18.07					
MW-343	Valley St ROW, S side	99.1 to 109.1	-71.9 to -81.9	27.16	05/11/20	17.63	9.53
					07/13/20	17.96	9.20
					11/16/20	17.76	9.40
					02/01/21	Inaccessible	
					06/07/21	11.55	15.61
					08/16/21	11.53	15.63
					02/14/22	10.03	17.13
					05/16/22	9.13	18.03
					08/08/22	9.02	18.14
					11/07/22	9.87	17.29
					02/21/23	9.54	17.62
					05/08/23	8.90	18.26
					08/10/23	Inaccessible	–
					10/30/23	9.85	17.31
03/01/24	9.30	17.86					

NOTES:

TOCs were surveyed relative to an established datum of 521.41 feet prior to 2012. TOCs were resurveyed by Axis Survey and Mapping of Kirkland, WA on March 16th, 2012, relative to an arbitrary benchmark of 499.89 feet above mean sea level, and by Bush, Roed & Hitchings, Inc. of Seattle, WA in multiple surveys since February 2012 using the North American Vertical Datum 1988.

^a As measured in feet below a fixed spot on the well casing rim.

^b Calculated by subtracting the depth to groundwater from the casing elevation. Groundwater elevation in angled monitoring well calculated subtracting the product of the measured depth to groundwater in the angled well by the sine of its angle.

**Monitoring well was installed at a 25 degree angle from the vertical point of penetration. Depth to groundwater measurements and sample interval account for angled length of well, not vertical depth. Groundwater elevations corrected to account for angle.

– = unknown or not applicable

ROW = right-of-way

TOC = top of casing

B&V = Black & Veach

DOF = Dalton, Olmsted & Fuglevand, Inc.

EPJ = E.P. Johnson Construction, Inc.

PES = PES Environmental, Inc.

GeoEngineers = GeoEngineers, Inc.

Retec = Remediation Technologies, Inc.

Roux = Roux Associates

SES = SoundEarth Strategies, Inc.

Urban = Urban Redevelopment

Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
TD = Total Depth		Windward = Windward Environmental LLC					
		HC = Hart Crowser					
⁵ In feet referenced to North American Vertical Datum of 1988 (NAVD88) based on well construction detail. (Farallon table note)							

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Shallow Zone									
MW121	8th Ave N ROW, E side	12/26/13	6.89	1,610	–	–	4.16	-30	1.90
		03/28/17	6.63	2,608	14.4	2.9	0.99	-122	2.0
		06/20/17	8.29	2,437	19.9	–	0.52	-88	3.0
		04/05/18	6.64	2,028	17.2	–	0.60	120	–
		01/31/19	6.87	2,396	15.3	–	0.42	-3	–
		04/29/19	6.75	2,521	18.1	–	0.30	9	–
		07/19/19	6.38	2,017	18.8	–	0.46	-17	–
		11/30/20	6.50	1,838	15.9	–	0.39	-442	–
		02/05/21	6.67	1,912	15.6	4.2	1.73	48	–
		05/12/21	6.64	1,808	17.5	6.7	0.39	125	–
		08/02/21	6.63	1,853	21.6	10	0.25	124	–
		05/19/22	6.76	1,875	13.9	–	0.32	29	–
		08/04/22	6.78	1,628	18.0	–	0.60	79	–
		10/31/22	6.57	1,454	15.7	–	0.46	5	0.0
		05/16/23	8.13	1,811	16.7	–	0.17	-29	–
11/07/23	6.71	1,051	15.6	–	1.30	-2	0.5		
MW125	Valley St ROW, N side	12/26/13	6.28	1,414	–	–	8.68	22	1.47
		03/22/17	6.62	1,296	14.6	3.7	1.00	-116	–
		06/28/17	6.71	984	17.1	–	1.91 ^d	-101	–
		04/06/18	6.89	831	17.5	–	0.30	-68	–
		01/21/19	6.67	912	15.8	–	0.48	122	–
		04/23/19	6.74	987	16.3	–	0.65	65	–
		07/18/19	6.90	920	18.9	–	0.40	59	–
		10/18/19	6.49	923	13.6	–	1.49	-86	2.0
		01/29/20	7.10	1,149	16.2	47.7	–	-115	2.0
		11/17/20	6.51	732	16.5	21.0	0.39	-168	–
		02/02/21	6.65	805	13.6	24.0	0.71	51	–
		05/11/21	6.66	772	16.4	5.9	0.23	-184	–
		08/02/21	6.43	759	19.6	7.2	0.31	125	–
		11/11/21	6.69	711	14.1	–	0.49	48	5.8
		02/22/22	6.76	1,895	9.1	–	0.68	-119	–
		05/19/22	6.77	736	13.4	–	0.41	-24	–
		08/09/22	6.73	650	18.3	–	0.58	-93	–
10/31/22	6.51	587	15.0	–	0.88	25	3.0		
10/31/23	6.71	621	15.0	–	0.22	6	4.3		
MW-154	Roy St ROW, S side	04/30/18	7.26	469	16.3	–	0.40	72	–
		01/21/19	7.25	523	14.4	–	0.61	99	–
		04/24/19	7.09	459	18.6	–	0.48	103	–
		07/15/19	6.96	517	20.0	–	1.21	157	–
		10/14/19	6.49	515	17.5	7.6	0.53	161	0.0
		01/21/20	6.81	965	11.1	15.1	1.61	-87	0.0
		04/30/20	6.85	652	18.5	4.0	1.06	234	0.0
		07/10/20	6.49	708	20.5	5.0	0.78	25	0.0
		11/09/20	6.94	567	14.9	24.1	5.29	27	–
		02/08/21	7.28	507	15.3	10.0	8.00	40	–
		05/10/21	7.23	469	19	7.2	4.97	-92	–
		08/17/21	6.80	494	18.1	11	6.90	4	–
		11/10/21	7.08	487	15.8	–	0.59	150	0.0
		02/18/22	7.27	872	14.8	–	4.91	-298	–
		05/02/22	7.09	671	14.9	–	5.98	211	–
		08/02/22	7.16	584	18.5	–	4.97	-15	–
11/03/22	7.61	620	15.7	–	1.77	211	0.0		
05/12/23	7.04	583	16.5	–	0.14	-36	–		
11/10/23	6.97	619	13.5	–	1.25	-18	0.0		
MW-155	Roy St ROW, S side	04/27/18	6.79	479	13.3	–	3.20	94	–
		01/21/19	6.52	500	12.3	–	2.43	119	–
		04/23/19	6.51	663	14.7	–	1.80	41	0.0
		07/23/19	6.26	765	14.4	–	2.06	66	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		10/16/19	6.30	657	15.2	4.5	1.12	272	0.0
		01/20/20	5.93	819	13.7	19.9	2.00	45	0.0
		05/05/20	7.31	678	17.9	9.0	2.24	131	-
		08/03/20	6.73	686	20.1	70.1	2.45	114	0.5
		11/11/20	6.56	669	14.7	89.7	2.67	-67	-
		08/13/21	6.29	592	16.9	25	4.17	67	-
		12/02/21	6.28	563	12.5	-	4.67	207	0.0
		03/01/22	6.69	870	14.6	-	1.98	-208	-
		05/05/22	6.50	782	11.2	-	2.90	185	-
		08/03/22	6.60	774	18.7	-	2.37	-21	-
		11/04/22	7.18	995	14.8	-	0.28	181	0.0
		05/09/23	7.01	600	16.9	-	8.20	15	-
		11/10/23	7.15	848	13.6	-	1.63	56	0.0
MW-159	8th Ave N ROW, E side	04/26/18	6.92	928	18.9	-	0.70	109	-
		01/21/19	6.92	1,125	14.1	-	0.59	126	-
		04/26/19	6.83	1,279	14.5	-	0.54	79	-
		07/19/19	6.75	1,109	19.0	-	1.34	62	-
		01/29/20	6.79	1,081	14.2	4.7	0.11	-76	2.5
		11/11/20	6.78	588	12.4	4.1	0.60	-126	-
		02/08/21	6.83	625	11.1	168	0.57	-437	-
		05/11/21	6.91	625	14.4	356	0.14	-179	-
		08/05/21	6.81	477	19.5	32	0.22	101	-
		12/02/21	6.49	542	13.1	-	0.17	-105	4.5
		03/03/22	6.66	605.5	13.5	25	0.15	-700	-
		05/11/22	6.77	565	15.7	-	0.20	-104	-
		08/03/22	6.98	551	18.3	-	1.50	-75	-
		10/31/22	6.58	511	15.1	-	0.42	-24	3.5
		05/16/23	9.41	627	15.5	-	0.70	-60	-
MW-301	Valley St ROW, S side	11/30/20	6.33	459	16.2	20.5	2.20	-20	-
		02/05/21	6.26	442	10.8	44.9	0.99	-430	-
		05/14/21	6.33	450	14.1	63.8	0.5	-7	0.0
		08/20/21	6.18	460	15.9	14	1.23	169	0.0
		12/02/21	6.17	426	11.3	-	0.77	148	0.0
		05/10/22	5.69	496	13.6	-	0.00	94	0.2
		08/12/22	6.51	434	16.0	-	0.56	43	0.2
		10/31/22	7.15	601	13.2	-	0.47	176	0.0
		11/03/23	6.66	572	15.0	-	1.92	80	-
MW-305	Roy St ROW, S side	10/11/19	6.34	298	16.8	99.9	1.97	-11	0.0
		01/15/20	6.83	560	6.8	-	3.64	60	0.0
		04/28/20	6.50	480	16.0	93	4.75	89	0.0
		07/27/20	6.76	306	18.0	184	3.59	214	0.0
		11/06/20	6.54	339	15.3	329	1.87	-18	-
		05/18/21	6.62	557	16.2	123	5.19	128	-
		12/03/21	6.46	500	16.7	-	6.88	69	0.0
		05/26/22	6.75	443	16.6	-	3.29	7	-
MW-310	Alley E of Seattle Roy Aloha Shops	10/10/19	6.97	1,508	15.5	177	1.00	24	4.0
		01/14/20	6.38	1,969	10.7	4.2	0.18	-63	3.0
		04/08/20	6.48	1,503	16.9	-	0.21	-116	3.4
		08/04/20	6.83	1,489	19.4	20.7	0.27	108	3.6
		11/06/20	6.54	1,507	15.1	6.2	0.39	-145	-
		05/03/21	6.80	1,546	15.7	-	0.64	123	-
		11/04/21	6.80	1,460	14.3	-	0.51	176	3.5
		05/18/22	6.84	1,079	14.9	-	0.19	-105	-
		11/01/22	6.34	1,024	15.0	-	0.77	5	4.0
		11/07/23	6.77	1,095	14.8	-	1.27	-89	-
		11/11/20	6.31	267	12.0	100	0.70	-92	-
		05/03/21	6.93	1,684	14.9	9.1	0.99	121	-
		11/03/21	6.45	215	15.7	-	0.38	101	2.5

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		05/09/22	6.69	1,453	16.2	–	0.12	-86	–
		11/01/22	6.58	1,192	15.4	–	0.89	71	4.0
		11/07/23	6.90	1,347	14.8	–	1.21	-82	–
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	7.06	718	17.3	66.4	0.77	131	0.5
		01/14/20	6.83	979	8.1	–	0.42	76	3.0
		05/04/21	6.66	798	14.7	114	1.08	-131	–
		11/09/21	6.55	785	15.0	–	1.14	34	0.6
		05/18/22	6.69	1,130	15.5	–	0.64	53	–
		11/01/22	7.01	1,507	15.3	–	0.21	261	0.0
		05/15/23	6.81	1,274.0	23.8	–	0.83	9	–
		11/07/23	7.09	90	15.7	–	2.10	-60	0.2
MW-320	9th Ave N ROW, W side	10/07/19	6.65	552	17.4	21.3	0.39	253	0.0
		01/20/20	6.66	1,187	14.7	0.7	0.90	-120	4.8
		04/29/20	6.69	828	15.8	3	0.42	83	5.0
		07/28/20	6.96	751	17.8	7.08	0.96	-56	3.5
		11/12/20	6.72	630	12.6	14.7	0.50	-107	–
		05/20/21	6.70	880	14.5	4.5	0.18	-116	–
		11/16/21	6.62	418	15.5	–	1.08	72	0.0
		11/10/21	6.56	796	13.9	–	0.00	40	5.0
		06/08/22	6.77	499	15.6	–	4.14	66	–
		11/04/22	6.10	989	16.3	–	0.53	179	0.0
MW-332	Roy St ROW, N side	05/04/20	6.99	880	18.2	3.0	0.50	-50	2.5
		07/30/20	6.90	831	26.8	27.0	0.56	14	0.5
		11/12/20	6.82	616	12.3	36.8	0.57	13	–
		05/20/21	6.84	706	14.6	5.3	3.77	-77	–
		11/08/21	6.91	723	16.3	–	1.31	118	0.0
		05/31/22	6.80	893	16.2	–	0.68	18	–
		11/04/22	6.65	1,364	15.1	–	0.83	-26	0.25
		11/08/23	7.05	680	15.7	–	1.20	-34	–
MW-337	Lake Union Park, N end	05/07/20	6.62	548	12.7	3.9	1.18	-76	2.0
		07/23/20	6.91	449	15.4	4.0	0.12	-64	3.2
		11/10/20	6.68	330	13.1	1.6	0.18	-125	–
		05/04/21	6.77	557	12.9	–	0.06	123	–
		11/17/21	6.41	636	14.8	–	0.00	73	0.3
		05/03/22	6.78	542	11.9	–	1.08	51	–
		11/02/22	6.60	432	14.6	–	0.76	47	3.0
		11/09/23	7.50	501	13.3	–	0.16	-3	–
MW-339	Lake Union Park, S end	05/14/20	7.27	670	12.1	2.0	0.10	-69	2.0
		07/23/20	6.76	1,237	14.9	1.85	0.27	-60	1.5
		11/09/20	6.76	503	13.8	4.2	0.12	-151	–
		05/25/21	6.80	791	13.7	–	0.16	135	–
		11/10/21	6.62	376	12.2	–	0.72	93	0.2
		05/04/22	7.06	543	11.9	–	4.21	-1	–
		11/02/22	6.63	498	12.3	–	0.78	69	0.0
MW-9	8th Ave N ROW, E side	12/16/13	6.72	132	–	–	0.20	263	3.41
		03/20/17	6.64	1,203	13.0	0.0	1.00	-109	–
		06/20/17	6.41	1,391	20.8	–	0.76	-93	–
		04/05/18	6.73	1,299	13.4	–	0.80	128	–
		01/21/19	6.63	1,179	12.5	–	0.71	143	–
		04/26/19	6.68	632	16.6	–	0.50	62	–
		07/16/19	6.70	1,060	17.4	–	0.22	-118	–
		10/17/19	6.27	1,190	14.4	–	0.52	-104	2..0
		11/24/20	6.50	1,120	13.9	95.4	0.38	-291	–
		02/05/21	6.39	617	14.2	8.0	0.40	42	–
		05/12/21	6.70	1,174	14.8	2.3	0.29	-159	–
		08/02/21	6.54	1,150	20.4	3.8	0.29	128	–
		11/11/21	6.61	1,006	14.8	–	0.43	175	5.8

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		02/15/22	6.61	1,046	12.4	–	0.47	-247	–
		06/08/22	6.64	1,071		–	0.26	-13	–
		08/09/22	6.75	1,008	19.1	–	0.55	-44	–
		10/31/22	6.63	923	16.3	–	0.10	74	0.5
		05/12/23	6.75	1,084	17.8	–	0.53	-101	–
		11/06/23	6.68	1,247	15.4	–	1.15	-31	4.0
R-MW5	Dexter Ave N ROW E side	03/23/17	6.12	537	17.1	–	0.80	-37	1.0
		06/16/17	5.85	516	17.6	–	1.12	-370	–
		04/11/18	9.57 ^(a)	504	15.5	–	0.50	213	–
		01/03/19	5.96	533	14.7	–	0.81	71	–
		04/22/19	6.14	410	15.9	–	0.54	100	–
		07/16/19	6.06	378	18.8	–	0.26	52	–
		10/21/19	6.33	346	16.6	66.7	0.70	156	1.0
		01/24/20	5.97	440	12.3	9.6	0.33	25	2.5
		11/18/20	7.25	339	16.8	90.0	0.32	-388	–
		02/11/21	6.21	247	12.5	17.8	0.59	-397	–
		05/17/21	5.88	250	14.2	–	0.19	110	–
		08/03/21	6.08	275	18.9	7.1	0.85	9	–
		11/08/21	6.45	188	14.8	–	0.00	22	1
		02/24/22	6.04	252	10.3	–	0.91	-48	–
		05/17/22	6.20	415	14.2	–	0.18	63	–
		08/09/22	6.34	481	16.1	–	1.80	-6	–
		11/08/22	6.47	303	15.9	–	1.23	83	2.5
		10/30/23	6.75	371	16.5	171	4.31	-48	1.5
R-MW6	8th Ave N ROW, W side	03/21/17	6.56	1,280	14.8	6.6	0.80	-39	–
		06/20/17	6.57	1,407	18.0	–	0.84	-56	1.5
		04/06/18	6.72	1,137	16.8	–	0.70	113	–
		01/25/19	6.75	1,055	14.9	–	0.33	-101	–
		04/25/19	6.77	1,295	17.5	–	0.40	18	–
		12/01/20	6.35	765	12.9	15.2	0.71	-42	–
		02/03/21	6.57	936	11.2	8.0	0.20	49	–
		05/17/21	5.72	1,187	15.1	–	1.30	118	–
		08/03/21	6.08	1,406	19.9	4.2	1.14	78	–
		11/29/21	7.13	1,074	15.1	–	0.08	-112	3.2
		02/23/22	6.11	1,225	9.7	–	0.69	-100	–
		05/11/22	6.32	2,045	14.0	–	0.20	-61	–
		08/03/22	6.35	1,341	18.7	–	11.8 ^d	-93	–
		11/04/22	6.09	1,429	16.0	–	0.91	110	2.0
		05/16/23	6.75	1,480	16.5	–	0.15	-54	–
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	7.34	834	11.8	–	0.35	118	–
		06/14/17	6.35	628	17.9	–	0.12	-49	–
		04/06/18	6.61	654	14.3	–	0.30	66	–
		10/09/19	6.10	1,468	16.4	–	0.48	-78	–
		01/17/20	6.46	1,378	12.3	1.4	0.46	-59	–
		04/07/20	6.20	866	15.6	–	0.30	-79	–
		11/24/20	6.43	813	14.8	126	0.64	-112	–
		05/04/21	6.49	1,126	18.1	–	1.09	124	–
		11/11/21	6.57	1,129	16.1	–	0.45	40	2.8
		05/19/22	6.60	1,458	15.6	–	0.29	92	–
		11/03/22	6.58	1,338	16.4	–	3.31	-17	1.8
Intermediate A Zone									
BB-8	Roy St ROW, S side	12/29/13	6.56	8,560	–	–	0.72	224	0.01
		03/22/17	6.74	621	14.6	–	1.80	-23	0.0
		06/14/17	6.29	649	14.5	–	1.12	188	0.0
		04/11/18	6.96	512	14.5	–	0.70	85	0.0
		01/23/19	6.80	700	12.9	–	0.76	154	0.0
		04/23/19	6.94	649	14.2	–	1.28	34	0.0
		07/17/19	6.50	640	15.9	–	0.50	-6	0.0

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		10/22/19	6.37	551	16.1	13.6	0.32	221	0.0
		01/20/20	6.70	796	14.8	0.9	1.10	45	0.0
		05/12/20	6.69	622	15.5	3.0	1.14	280	0.0
		07/27/20	6.51	638	17.4	57.3	0.40	103	0.5
		11/17/20	6.67	590	14.5	89.2	0.56	41	-
		02/11/21	6.94	456	9.4	14.0	3.78	47	-
		06/07/21	6.76	465	19.6	14.6	3.14	-77	-
		08/17/21	6.61	502	17.7	-	1.54	139	-
		11/08/21	6.92	493	15.9	4.3	2.51	93	0.0
		02/24/22	6.86	645	12.5	-	2.56	-209	-
		05/17/22	6.83	657	16.3	-	2.50	-27	-
		08/09/22	6.83	550	18.8	-	1.10	-6	-
		11/09/22	6.72	631	14.0	-	2.25	-15	0.0
		05/09/23	6.87	518	15.8	-	0.52	-24	-
		10/31/23	6.91	580	16.4	-	2.35	24	0.5
FMW-142	9th Ave N ROW, E side	10/31/19	6.22	556	12.8	10.3	0.38	-57	0.5
		01/22/20	7.22	1,113	8.7	0.9	0.44	-48	2.2
		04/28/20	6.83	725	16.5	11	0.41	69	5.0
		07/08/20	6.96	738	17.2	16.7	0.60	-25	4.4
		11/04/20	6.80	685	16.9	46.7	0.34	-109	-
		05/25/21	6.84	725	15.1	-	0.27	-182	-
		03/02/22	6.86	830	14.8	-	0.26	-436	-
		06/05/22	6.84	778	15.3	-	0.39	-84	-
		11/04/22	6.76	742	15.8	-	0.84	-161	-
GEI-MW-1	Block 79 East, N end	01/23/20	6.95	1,127	14.8	17.4	0.41	-24	3.2
		04/29/20	6.90	850	19.0	5.0	0.37	-87	4.0
		08/07/20	6.86	802	21.9	18	1.11	-89	3.5
		11/10/20	6.83	609	14.0	1.4	0.30	-130	-
		05/13/21	6.77	746	17.0	-	0.21	128	-
		03/07/22	6.88	647	15.0	8.0	0.13	-664	-
		05/27/22	6.86	688	15.5	-	0.37	-116	-
		11/04/22	6.90	748	16.4	-	0.21	-9	3.8
		05/16/23	6.82	741	18.6	-	0.21	-87	-
		11/08/23	8.27	751	16.7	-	0.20	-23	-
HMW-9IA	SDOT Mercer Parcels SW quadrant	06/02/21	7.53	596	22.2	22.0	0.26	-107	0.00
		08/18/21	7.45	599	18.2	41.2	0.29	-111	0.25
HMW-20IA	SDOT Mercer Parcels NW quadrant	06/02/21	7.32	757	19.4	16.5	0.45	-19	0.50
		08/18/21	7.54	735	16.3	1.6	0.23	-94	0.0
MW107	8th Ave N ROW, W side	12/16/13	6.62	900	-	-	1.14	22	0.43
		03/27/17	7.10	1,434	13.7	-	0.50	141	2.0
		06/19/17	6.24	1,434	22.5	-	0.77	-30	1.5
		04/09/18	6.73	1,193	18.4	-	0.30	49	4.0
		01/30/19	6.99	1,299	11.0	-	0.74	127	-
		05/01/19	6.85	1,216	16.9	-	0.33	24	2.0
		07/22/19	6.64	1,187	21.5	-	2.72	-9	1.4
		10/15/19	6.93	1,263	19.9	85.3	0.38	-66	3.4
		01/28/20	7.31	1,663	16.8	9.2	-	-97	4.5
		04/03/20	6.79	1,468	15.0	10.4	2.56	-77	3.0
		07/31/20	6.93	762	19.4	27.1	0.64	52	1.2
		12/01/20	6.79	1,183	13.5	-	0.89	-36	-
		02/02/21	6.73	903	12.7	9.0	0.72	46	-
		06/02/21	6.44	1,701	16.4	-	0.22	-6	-
		08/16/21	6.56	1,832	18.4	-	0.35	-88	-
		11/29/21	6.31	1,318	15.0	-	0.17	-61	1.4
		02/23/22	6.60	1,205	11.4	-	0.82	-80	-
		05/11/22	6.70	1,316	16.0	-	0.15	-53	-
		08/03/22	6.76	1,319	21.8	-	5.40	-87	-
		10/31/22	6.68	1,370	15.8	-	5.95	-13	6.75

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		02/23/23	6.52	1,144	10.3	–	0.88	-44.2	–
		05/15/23	6.75	1,624	23.1	–	0.53	-87	–
		11/03/23	6.69	1,249	17.1	–	0.73	-106	3
		02/26/24	6.86	933	10.8	–	0.48	-155	–
MW108	Alley E of Seattle Roy Aloha Shops	12/17/13	6.36	1,570	–	–	0.50	-72	21.7
		03/28/17	6.65	1,410	13.6	2.0	0.97	-99	2.5
		06/27/17	6.72	1,252	16.3	–	4.45 ^d	-108	2.0
		04/06/18	6.69	1,026	14.6	–	0.60	136	–
		01/22/19	6.77	1,053	11.9	–	0.80	132	–
		04/29/19	6.61	1,296	14.4	–	0.42	-18	–
		07/15/19	6.55	1,217	17.7	–	0.78	-49	–
		10/10/19	6.81	1,178	15.1	14.3	1.49	3	3.3
		01/14/20	6.87	1,568	12.2	2.0	0.09	-84	4.5
		04/22/20	6.69	1,347	14.9	31.2	2.21	-96	6.6
		07/16/20	6.91	1,296	16.5	16.6	2.32	-148	7.0
		11/04/20	6.57	1,222	16.8	27.6	0.45	-114	–
		02/09/21	6.53	1,225	12.9	11.0	0.89	-451	–
		05/03/21	6.74	1,192	15.9	–	0.38	129	–
		08/04/21	6.58	1,157	20.2	4.7	0.32	111	–
		11/04/21	6.81	796	15.8	–	0.85	176	4.5
		02/15/22	6.73	1,144	12.8	–	0.41	-195	–
		05/18/22	6.72	1,087	15.3	–	0.44	-78	–
		08/10/22	6.69	860	17.1	–	0.98	-83	–
		11/01/22	6.32	835	15.0	–	0.68	7	0.0
05/12/23	6.67	1,038	20.0	–	0.59	-64	–		
11/07/23	6.81	853	15.7	–	1.19	-79	4.0		
MW109	Alley E of Seattle Roy Aloha Shops	12/17/13	6.68	1,540	–	–	0.31	-78	16.2
		03/29/17	6.59	916	14.9	2.8	0.77	-115	1.5
		06/27/17	6.72	1,129	16.9	–	3.85 ^d	-107	1.5
		04/06/18	6.71	1,112	14.3	–	0.50	136	–
		01/23/19	6.97	1,203	15.7	–	0.59	143	–
		04/29/19	6.52	1,128	14.2	–	0.45	40	–
		07/15/19	6.57	1,214	17.5	–	0.44	-29	–
		10/15/19	6.40	1,167	15.2	16.2	0.46	-95	2.5
		01/21/20	6.48	206	14.2	4.1	4.50	60	0.0
		04/22/20	6.35	1,110	14.4	8.7	0.30	107	3.0
		07/06/20	6.11	1,037	19.1	35.5	0.31	25	6.0
		11/02/20	6.61	1,199	17.0	22.8	1.29	-48	–
		02/09/21	6.60	946	13.3	16.4	0.70	-444	–
		05/03/21	6.74	854	14.6	12.3	0.54	127	–
		08/04/21	6.35	150	19.4	8	0.25	81	–
		11/03/21	6.73	777	15.7	–	0.85	124	5.5
		02/15/22	6.74	861	14.9	–	2.02	133	–
		05/09/22	6.20	901	16.7	–	0.00	-84	–
		08/10/22	6.66	65	17.5	–	1.50	160	–
		11/01/22	6.41	759	15.6	–	0.78	30	4.5
05/15/23	6.65	879	22.4	–	0.34	-65	–		
11/07/23	6.77	787	14.9	–	1.41	-72	2.5		
MW110	Alley E of Seattle Roy Aloha Shops	12/19/13	8.82	888	–	–	0.52	291	0.04
		03/23/17	6.66	1,109	13.1	0.4	1.05	-47	0.1
		06/27/17	7.13	1,010	17.2	–	1.42 ^d	57	0.0
		04/09/18	6.22	895	16.1	–	0.70	431	–
		01/23/19	6.74	1,020	14.5	–	0.41	103	–
		04/26/19	6.67	998	16.7	–	0.49	135	–
		07/15/19	6.68	965	16.2	–	0.45	160	–
		10/15/19	6.34	976	15.8	–	0.45	-19	–
		01/16/20	6.59	988	14.7	15.5	0.04	17	–
		04/22/20	6.80	1,005	13.8	30.9	1.02	10	0.0
07/16/20	7.03	1,046	18.5	28.0	0.41	1	0.0		

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/04/20	7.08	1,028	16.6	63.8	0.36	-59	-
		02/09/21	6.66	863	13.4	107	0.83	-497	-
		05/04/21	6.71	824	18.4	116	0.48	-80	-
		08/12/21	6.60	789	25.7	132	0.39	127	-
		11/09/21	6.91	947	13.4	-	0.62	32	0.2
		02/25/22	6.75	788	14.2	-	0.52	-157	-
		05/18/22	6.74	757	16.1	-	0.41	48	-
		08/11/22	6.85	600	16.5	-	2.46	72	-
		11/01/22	7.52	873	14.7	-	0.24	199	0.0
		05/15/23	6.86	713	16.6	-	0.33	13	-
		11/07/23	7.13	71	15.4	-	0.68	-62	0.3
MW115	9th Ave N ROW, W side	12/19/13	6.80	1,220	-	-	0.71	-61	6.69
		03/22/17	7.28	880	14.8	-	0.51	160	1.5
		06/22/17	6.85	778	20.2	-	0.39	-102	1.5
		04/11/18	6.91	860	13.1	-	0.40	89	-
		01/30/19	7.03	912	12.7	-	0.57	116	-
		07/17/19	6.68	935	16.4	-	0.37	34	-
		10/22/19	6.64	699	15.3	0.1	0.51	-140	2.0
		01/20/20	6.88	737	15.5	9.7	0.20	-35	2.0
		05/05/20	6.57	1,266	17.6	93.5	1.21	-102	2.0
		07/28/20	6.85	983	20.2	152	0.72	-58	4.5
		11/12/20	6.84	579	14.5	87.4	0.36	-121	-
		02/12/21	6.89	727	9.6	-	0.39	-16	-
		05/25/21	6.88	679	18.1	-	0.22	-171	-
		08/11/21	6.74	1,107	22.8	-	0.15	128	-
		11/18/21	6.94	608	14.5	-	0.00	62	3.5
		02/15/22	7.00	859	14.6	-	0.15	-105	-
		06/03/22	6.78	759	17.6	-	0.31	-76	-
		08/10/22	7.06	520	17.5	-	0.72	-99	-
		11/03/22	6.01	518	13.8	-	0.54	69	2
		05/18/23	6.76	727	20.7	-	0.18	-59	-
MW116	9th Ave N ROW, W side	12/19/13	6.84	498	-	-	0.67	75	2.65
		03/21/17	7.05	814	13.3	6.2	0.80	-127	3.9
		06/16/17	6.86	749	18.7	-	0.41	-641	1.8
		04/11/18	7.11	830	13.3	-	0.40	75	-
		01/30/19	7.09	771	15.5	-	0.65	-122	2.0
		07/17/19	6.89	822	16.6	-	0.42	40	-
		10/22/19	6.86	640	15.9	2.0	0.22	158	1.3
		01/21/20	6.98	697	13.6	-	0.60	-28	1.0
		04/29/20	-	701	17.3	246	0.21	245	3.8
		07/28/20	7.05	607	25.6	416	0.75	-92	2.5
		11/12/20	6.92	680	15.1	346	0.20	-221	-
		02/11/21	7.03	652	9.7	49.0	0.34	49	-
		05/25/21	7.03	678	16.6	-	0.20	-197	-
		08/11/21	7.01	670	0.3	-	0.25	107	-
		11/18/21	7.01	631	15.1	-	0.00	61	2.8
		03/07/22	7.02	645	13.7	-	0.16	-649	-
		06/08/22	7.00	665	19.5	-	0.30	-116	-
		08/10/22	7.18	494	19.0	-	0.63	-106	-
		11/04/22	6.24	541	15.5	-	1.08	146	2.0
		05/18/23	6.93	679	22.4	-	0.25	-69	-
		11/08/23	7.11	660	16.3	-	1.28	-93	-
MW119	9th Ave N ROW, W side	12/19/13	9.56	579	-	-	0.34	295	18.6
		03/29/17	6.41	631	13.4	2.4	0.85	-91	2.0
		06/28/17	6.29	676	17.4	-	4.88 ^d	11	1.5
		04/05/18	6.30	517	13.1	-	0.60	119	-
		01/21/19	6.76	67	12.6	-	6.76	114	-
		04/29/19	6.33	652	15.1	-	0.42	-3	-
		07/19/19	6.34	26	16.7	-	0.61	1	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		10/10/19	6.66	582	14.8	–	0.44	-10	3.0
		01/14/20	6.33	533	12.7	–	0.38	-308	–
		02/18/20 ^c	6.43	545	12.9	–	1.10	-58	–
		03/24/20 ^c	6.02	573	11.4	–	0.21	-7	–
		04/27/20	6.34	606	14.1	1.4	0.13	-31	3.5
		05/19/20 ^c	6.34	512	14.8	–	1.80	-50	–
		07/08/20	6.41	535	15.5	41.0	0.27	-19	5.5
		11/11/20	6.44	542	14.0	81.7	0.24	-177	–
		02/10/21	6.43	468 ^(c)	13.0	30.4	0.65	-25	–
		05/20/21	6.33	529	15.1	45.6	0.32	-102	–
		08/13/21	6.20	541	17.7	45	0.24	-71	–
		12/03/21	6.32	366	12.5	–	0.40	-97	1.8
		03/02/22	6.42	515	12.4	–	0.73	-68	–
		05/05/22	6.43	651	12.0	–	0.64	-75	–
		08/11/22	6.53	424	16.4	–	1.14	-64	–
		11/02/22	7.11	316	14.2	–	0.46	189	1.5
		05/09/23	6.38	638	14.7	–	0.10	42	–
MW120	8th Ave N ROW, E side	12/19/13	6.63	743	–	–	1.30	-13	0.170
		03/28/17	7.93	622	9.5	–	0.75	123	–
		06/28/17	6.60	568	17.8	–	1.33 ^d	91	–
		04/09/18	6.96	423	15.1	–	0.40	37	0.0
		01/24/19	6.66	649	14.0	–	0.73	110	–
		05/03/19	6.46	533	14.6	–	0.36	253	–
		07/16/19	6.31	632	17.7	–	0.66	120	0.0
		10/17/19	6.08	742	15.0	–	0.51	-67	0.0
		01/17/20	6.47	1,028	13.3	12.6	0.15	-8	0.5
		04/23/20	6.40	742	15.4	15.7	4.21	103	1.2
		07/14/20	6.34	785	19.0	47.8	1.44	-36	0.0
		11/30/20	6.55	723	15.3	95.0	0.92	-24	–
		02/05/21	6.54	714	12.9	39.0	0.57	44	–
		05/12/21	6.56	682	17.6	52.9	0.29	-112	–
		08/03/21	6.47	671	18.6	27	0.42	111	–
		11/11/21	6.45	625	15.5	–	0.49	171	0.2
		02/15/22	6.62	614	13.5	–	0.44	-221	–
		05/11/22	6.62	598	17.9	–	0.41	48	–
		08/04/22	6.70	521	19.0	–	0.68	27	–
		10/31/22	6.86	473	15.9	–	0.83	15	0.0
		05/12/23	6.66	449	21.6	–	0.47	-27	–
		11/06/23	6.70	479	15.8	–	1.19	21	0.5
MW127	8th Ave N ROW, E side	08/01/19	6.95	440	17.2	–	0.34	164	–
		10/17/19	6.30	471	15.0	–	0.35	-83	0.0
		01/17/20	6.82	602	12.9	80.2	0.13	35	0.0
		04/23/20	6.74	476	15.0	99.9	3.95	88	0.0
		07/14/20	6.91	484	17.7	151	0.45	-76	0.0
		11/13/20	6.67	496	15.5	847	0.27	-118	–
		05/11/21	6.83	474	19.0	40.5	0.32	-148	–
		11/17/21	6.87	431	14.4	–	0.00	65	0.0
		05/20/22	6.87	450	13.6	–	0.61	51	–
		10/31/22	6.57	379	15.7	–	0.33	-7	0.0
		05/16/23	6.88	500	19.4	–	0.25	-83	–
		11/06/23	7.16	455	15.2	–	1.49	-10	–
MW-142	8th Ave N ROW, E side	04/27/18	6.96	1,349	18.9	–	0.50	133	1.5
		01/28/19	6.94	1,528	11.7	7.9	0.75	152	2.0
		04/24/19	7.00	1,541	15.6	–	0.70	121	1.2
		07/25/19	6.70	1,665	20.4	–	1.09	13	2.1
		10/16/19	6.36	1,456	15.7	–	0.85	-35	2.0
		01/22/20	6.72	2,032	16.9	37.3	0.11	-99	2.5
		04/24/20	6.74	1,789	18.8	106.0	1.20	-119	3.0
		07/30/20	6.83	1,505	20.5	18.0	1.06	-20	3.5

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/24/20	6.61	1,490	17.1	283	0.21	-301	-
		02/08/21	6.8	1,467	14.6	6.0	0.49	38	-
		05/19/21	6.78	1,527	14.2	20.1	0.3	-132	-
		08/05/21	6.79	1,569	19.7	8.7	0.49	101	-
		11/30/21	6.67	1,685	15.7	-	0.22	-156	4.0
		02/18/22	6.70	1,712	13.2	-	0.68	-108	-
		05/26/22	6.82	1,771	15.2	-	0.42	-107	-
		08/03/22	6.81	421	19.4	-	0.59	-21	-
		10/31/22	6.78	1,511	16.3	-	1.24	7	4.5
		05/16/23	7.06	1,891	17.0	-	0.05	-74	-
		11/06/23	6.91	1,723	14.5	-	1.44	-92	3.5
MW-144R	8th Ave N ROW, E side	12/16/19	7.81	1,250	16.0	16.6	0.34	-131	2.0
		01/21/20	7.22	1,723	11.0	13.3	0.46	-136	3.5
		04/02/20	7.37	1,334	13.2	81.6	0.40	-32	3.0
		08/03/20	7.41	1,340	18.8	75.6	0.39	-152	2.4
		11/23/20	7.41	1,159	14.2	153	0.65	-178	0.0
		02/02/21	7.45	1,383	9.6	5.0	0.34	46	-
		02/08/21	6.80	1,467	14.6	6.0	0.49	38	-
		05/12/21	7.36	1,406	17.8	5.0	0.55	-202	-
		08/03/21	7.35	1,482	20.6	4.5	0.31	118	-
		11/29/21	7.62	1,064	18.1	-	0.00	-178	3.4
		02/23/22	7.47	1,514	9.3	-	0.78	-119	-
		05/11/22	7.46	1,558	16.6	-	0.18	-91	-
		08/23/22	7.52	1,519	19.5	-	0.05	-53	-
		11/02/22	7.38	1,592	13.1	-	0.85	-136	0.8
		05/15/23	7.36	1,697	16.8	-	0.07	-59	-
		11/08/23	7.35	1,654	14.6	-	1.63	-131	4.0
MW-146	Roy St ROW, S side	04/30/18	7.27	694	17.0	-	0.40	95	1.3
		01/22/19	7.56	621	12.1	-	0.48	122	2.0
		04/24/19	7.20	564	16.5	-	0.76	11	2.5
		07/19/19	6.76	713	16.6	-	2.60	70	1.9
		10/14/19	6.68	648	16.9	22.6	0.49	98	2.0
		01/24/20	6.85	1,019	14.7	2.8	0.04	-94	4.0
		04/30/20	7.18	827	15.8	5.2	0.23	-90	2.5
		07/09/20	7.30	805	18.6	5.0	0.26	-11	3.0
		11/10/20	7.12	665	16.1	3.2	0.30	-143	-
		02/08/21	7.14	676	15.2	-	5.93	44	-
		05/04/21	7.12	710	17.5	53.9	0.19	-265	-
		08/17/21	6.85	696	17.1	11	0.23	-73	-
		11/10/21	7.07	844	16.0	-	0.43	150	3.5
		02/18/22	7.11	973	14.3	-	0.27	-476	-
		05/03/22	6.96	937	14.5	-	0.90	-123	-
		08/03/22	7.10	775	16.6	-	5.70	-53	-
		11/03/22	6.78	1,076	15.1	-	0.33	245	3.5
		05/12/23	6.94	1,178	17.3	-	0.48	-49	-
		11/10/23	6.98	1,090	14.7	-	1.29	-79	2.5
MW-156	8th Ave N ROW, E side	04/26/18	6.72	996	18.3	-	0.60	116	0.0
		01/24/19	6.70	1,263	16.1	78.1	0.54	131	0.0
		04/24/19	6.73	1,481	16.8	-	0.57	103	0.4
		07/22/19	7.55	1,452	20.6	-	0.13	-63	0.3
		10/17/19	6.62	1,756	17.4	9.5	0.29	-22	1.4
		01/20/20	6.60	1,739	16.7	75.4	1.02	-30	1.5
		04/24/20	6.74	1,350	15.8	50.0	1.00	105	0.0
		07/15/20	6.57	1,390	22.5	39.0	1.89	-73	2.0
		11/11/20	6.58	642	11.4	120	0.93	-17	-
		02/08/21	6.53	830	10.7	76.7	1.03	-391	-
		05/10/21	6.54	895	16.4	282	0.33	-119	-
		08/20/21	6.33	867	17.7	-	0.31	139	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/18/21	6.66	724	12.1	–	0.16	63	1.5
		03/03/22	6.56	886	14.4	51	0.21	-511	–
		05/26/22	6.69	862	13.8	–	0.25	-13	–
		08/04/22	6.72	730	16.6	–	0.57	-40	–
		10/31/22	6.76	697	15.5	–	1.10	14	2.25
		05/12/23	6.77	827	17.1	–	0.63	-14	–
		11/06/23	6.62	652	14.6	–	0.23	20	0.5
MW-189	Valley St ROW, S side	10/14/19	7.40	636	18.1	20.7	0.30	-115	0.1
		01/23/20	7.24	558	13.2	46.6	0.21	-124	0.5
		04/03/20	7.23	430	15.6	39.3	0.22	82	0.5
		08/04/20	7.44	430	18.2	113	0.18	-100	0.5
		11/17/20	7.45	436	14.5	8.3	0.47	-254	–
		02/03/21	7.61	512	11.1	20.5	0.78	-503	–
		05/14/21	7.59	564	15.4	–	0.36	-149	–
		08/11/21	7.52	615	19.6	47	0.15	-216	–
		08/20/21	7.51	590	16.7	51	0.26	-55	–
		11/30/21	7.23	709	14.8	–	0.26	133	0.8
		03/04/22	7.49	769	12.1	66.0	0.26	-578	–
		05/12/22	7.54	605	14.6	–	0.60	-118	–
		08/11/22	7.62	491	18.5	–	1.34	-72	–
		10/31/22	7.29	670	14.7	–	0.34	182	0.0
		05/12/23	7.58	486	14.5	–	0.45	-126	–
MW-302	Dexter Ave N ROW E side	10/21/19	7.87	653	17.7	112	0.56	-170	0.5
		01/24/20	7.92	1,142	13.6	–	1.18	-130	1.0
		05/07/20	7.90	748	20.3	26.0	0.78	126	0.0
		07/28/20	7.88	763	18.9	22.0	0.34	-77	0.0
		11/17/20	7.83	572	13.9	88.2	0.74	-156	–
		05/17/21	7.86	644	15.1	195	0.48	-164	–
		11/09/21	7.78	623	12.5	–	1.69	139	0
		05/17/22	7.93	640	13.8	–	0.38	-88	–
		11/08/22	6.92	494	13.5	–	0.54	56	0
		10/30/23	7.85	568	15.7	138	4.91	-70	–
MW-306	Roy St ROW, S side	10/15/19	6.64	471	16.9	26.7	0.31	119	2.5
		01/16/20	7.12	810	13.4	–	0.42	4	2.6
		04/28/20	6.67	585	15.9	0.3	0.44	-88	2.0
		07/29/20	7.02	491	17.9	7.82	1.02	-19	2.5
		11/06/20	6.81	513	15.9	9.6	0.40	-126	–
		05/18/21	6.83	516	17.0	231	0.30	125	–
		12/03/21	6.46	492	15.0	–	0.31	-77	3.0
		05/26/22	7.10	473	17.0	–	0.38	-74	–
		11/04/22	7.10	567	15.5	–	0.21	180	1.5
		11/10/23	7.49	374	15.0	–	2.25	-42	–
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	6.51	1,185	14.9	30.1	0.48	-37	3.5
		01/16/20	6.84	1,512	13.2	2.2	0.05	-100	4.0
		04/08/20	6.77	922	14.3	–	0.35	-86	4.8
		07/06/20	6.76	1,275	18.7	12.07	1.54	-147	5.5
		11/06/20	6.53	1,013	13.3	2.5	0.33	-138	–
		05/04/21	6.70	1,233	15.4	51.1	0.57	126	–
		11/11/21	6.93	1,121	14.6	–	0.39	41	4.3
		05/19/22	7.22	1,126	14.6	–	0.29	19	–
		11/01/22	6.73	1,322	14.6	–	0.21	243	–
		05/12/23	6.64	1,179	18.1	–	1.31	-38	–
MW-315	Mercer St ROW, N side	10/03/19	7.95	545	14.9	18.2	0.54	105	0.0
		01/16/20	8.18	846	8.8	–	0.62	-152	0.4
		04/28/20	7.86	511	14.4	21.4	0.52	-138	0.8
		07/24/20	8.22	1,195	16.3	47.8	6.45	-24	0.0
		11/02/20	7.91	546	12.7	8.6	0.62	-156	–
		05/17/21	7.75	456	16.5	90.9	0.76	-173	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/05/21	7.63	511	14.1	19.0	0.45	-216	0.8
		05/09/22	7.53	478	16.5	–	0.38	35	–
		11/02/22	7.15	235	13.9	–	1.00	180	0.0
		11/08/23	8.48	149	15.3	–	4.23	-20	–
MW-317	9th Ave N ROW, W side	10/09/19	6.07	1,011	16.8	171	0.30	-85	3.0
		01/16/20	6.49	772	14.7	3.3	0.20	-76	1.5
		04/27/20	–	743	15.5	35.0	0.27	201	2.0
		07/30/20	6.76	705	23.9	3.49	0.41	109	5.0
		11/10/20	6.58	625	13.3	0.8	0.48	-127	–
		05/19/21	6.60	821	16.9	2.3	0.05	-147	–
		11/12/21	6.62	680	14.5	–	0.55	56	5.5
		05/27/22	6.71	853	16.0	–	0.24	-123	–
		11/01/22	6.12	614	14.6	–	0.58	48	4.0
		05/16/23	6.67	832	24.0	–	0.12	-77	–
		11/08/23	6.98	871	15.6	–	1.43	-113	–
MW-325	Mercer St ROW, N side	10/03/19	6.68	578	15.2	23.7	0.37	242	0.0
		01/17/20	6.47	870	12.1	17.3	0.35	-12	0.0
		04/21/20	6.18	614	14.2	8.6	0.45	110	0.0
		07/23/20	6.32	1,091	16.4	82.5	1.05	109	0.0
		11/02/20	6.50	546	14.9	7.4	0.84	68	–
		02/08/21	6.52	491	11.8	38.8	1.29	-432	–
		05/17/21	6.53	530	15.8	21.7	0.3	-79	–
		08/12/21	6.35	598	15.9	8.7	0.15	2	–
		11/04/21	6.39	685	14.2	–	0.14	-103	0
		03/03/22	6.48	547	13.6	14	0.17	-443	–
		05/09/22	6.47	477	14.0	–	1.38	57	–
		08/11/22	6.55	500	15.4	–	1.31	160	–
		11/02/22	7.72	530	13.5	–	0.76	221	0.0
		05/09/23	6.95	449	15.8	–	0.37	46	–
11/09/23	6.73	475	14.1	–	1.78	-2	–		
MW-327	Lake Union Park, S end	10/02/19	6.85	479	14.2	46.0	0.57	16	3.5
		01/17/20	6.81	482	12.3	5.4	0.30	-62	2.0
		04/09/20	6.84	571	13.6	0.0	0.26	56	5.4
		07/07/20	6.34	515	15.9	12.3	–	-113	6.0
		11/09/20	6.77	560	13.5	11.2	0.17	0	–
		05/25/21	6.81	667	14.3	–	0.12	132	–
		11/10/21	6.70	475	11.5	–	0.46	-92	5.5
		05/04/22	6.83	603	13.7	–	1.81	-122	–
		11/02/22	6.89	644	12.0	–	0.12	-30	4.5
		11/09/23	7.50	501	13.3	–	0.16	-3	–
MW-330	Valley St ROW, N side	05/14/20	7.69	429	21.1	14	0.87	-60	0.0
		07/16/20	7.55	428	25.4	14.0	0.65	-5	1.0
		12/01/20	7.62	420	14.6	10.1	0.38	-40	–
		05/25/21	7.50	418	15.2	–	0.46	128	–
		11/11/21	7.31	399	12.7	–	0.71	165	0.5
		05/25/22	7.40	403	16.3	–	0.65	39	–
		10/31/22	7.11	472	14.9	–	0.52	172	0.0
		10/30/23	7.53	415	14.5	4	1.39	-80	–
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	6.88	1,043	14.5	43	0.75	-450	4.5
		07/06/20	6.73	1,111	18.5	4.65	0.59	-128	7.0
		11/06/20	6.58	922	14.3	5.1	0.38	-99	–
		05/04/21	6.65	1,118	16.2	–	0.25	127	–
		11/11/21	6.64	1,066	13.4	–	0.43	175	6.2
		05/20/22	6.80	926	14.2	–	0.34	-52	–
		11/01/22	6.34	788	14.8	–	0.67	-11	4.5
05/09/23	6.69	974	17.3	–	0.53	-102	–		
MW-333	900 Roy St, S end	04/29/20	6.59	1,646	17.8	5.6	1.37	-103	5.0

Table 2

PES Environmental, Inc.

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		07/24/20	6.37	1,569	18.7	23.0	0.30	110	6.5
		11/05/20	6.70	1,491		18.9	0.43	-309	–
		05/18/21	6.44	1,503	14.2	–	0.18	-160	–
		11/05/21	6.58	1,446	15.0	–	0.35	173	1.8
		05/31/22	6.52	1,609	18.0	–	0.44	-127	–
		11/02/22	6.45	1,222	15.3	–	1.07	244	5.0
MW-344	SDOT Mercer Parcels NW quadrant	06/01/21	7.19	567	19.5	94	0.29	-186	1.0
		08/18/21	7.28	547	19.0	–	0.21	149	1.4
		11/18/22	7.24	890	16.0	–	0.32	-9	–
		11/13/23	7.83	906	15.6	–	0.39	0	–
MW-351		05/09/23	6.97	481	14.4	–	0.11	97	–
		11/09/23	6.87	466	13.6	–	1.59	-75	–
Intermediate B Zone									
FMW-141	Alley E of Seattle Roy Aloha Shops	10/30/19	7.33	1,124	14.0	23.0	0.39	100	0.5
		01/14/20	6.83	246	14.4	7.5	5.70	-87	1.5
		04/28/20	7.12	349	15.8	27	0.46	49	1.2
		07/22/20	7.22	1,349	19.9	58.7	1.30	-101	0.5
		11/02/20	7.30	1,112	16.7	99.5	0.85	-63	–
		05/03/21	6.79	83	14.7	21.8	2.74	126	–
		02/23/22	7.10	175	11.5	–	0.65	-328	–
		05/09/22	6.42	130	16.9	–	1.43	-5	–
		11/03/22	7.14	206	13.0	–	0.34	-11	1.0
		05/15/23	7.12	302	24.4	–	0.39	-111	–
		11/07/23	7.13	30	15.8	–	0.41	-102	–
HMW-9IB	SDOT Mercer Parcels SW quadrant	01/26/21	7.86	655	10.1	11.0	0.83	-544	–
		06/02/21	7.58	653	29.3	19.4	0.63	-132	0.5
		08/18/21	7.59	648	20.3	6.6	0.45	-112	–
		03/31/22	7.78	575	14.2	–	0.69	-282	–
		05/24/22	6.18	2,054	15.5	–	1.16	-55	–
		08/01/22	6.22	1,309	19.0	–	22.8 ^d	-62	–
		11/09/22	6.32	1,199	13.3	–	2.48	-23	>7.5
		02/23/23	6.42	770	10.7	–	0.88	-33.3	–
		05/17/23	6.78	1,157	20.5	–	0.98	-120	–
		02/28/24	7.02	1,076	11.2	–	1.09	-11	–
MW111	Alley E of Seattle Roy Aloha Shops	12/17/13	7.58	498	–	–	1.19	-99	0.18
		03/23/17	7.62	447	14.0	–	1.19	-147	0.1
		06/14/17	7.29	431	19.7	–	1.15	-33	–
		04/06/18	7.75	605	15.3	–	0.60	83	–
		01/23/19	7.86	528	14.2	–	0.50	-124	–
		04/22/19	7.84	384	13.7	–	0.58	-46	–
		07/15/19	7.78	478	18.3	–	0.35	-138	–
		10/14/19	7.53	509	14.4	1.2	0.57	30	–
		01/16/20	7.56	674	14.0	143	0.10	-138	0.5
		04/23/20	7.73	632	17.0	283	0.37	-122	0.5
		07/06/20	7.52	674	21.9	204	0.56	-6	0.0
		11/02/20	7.57	666	16.3	169	0.59	-47	–
		02/09/21	7.64	611	12.4	220	0.78	-429	–
		05/03/21	7.67	444	16.9	280	0.68	-211	–
		08/04/21	7.49	517	26.3	59	0.42	93	–
		11/03/21	7.64	475	15.7	–	0.30	82	0.5
		02/15/22	7.73	465	11.6	–	0.48	-256	–
		05/18/22	7.48	379	13.8	–	0.25	4	–
		08/09/22	7.78	378	19.5	–	1.53	-139	–
		11/01/22	6.27	367	14.7	–	0.37	41	0.5
		05/15/23	7.59	428	22.8	–	0.24	-65	–
		11/07/23	8.08	115	15.5	–	0.34	-84	–
MW112	Dexter Ave N ROW W side	12/26/13	7.79	378	–	–	2.58	223	0.23
		03/22/17	7.96	419	14.9	–	0.93	132	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		06/16/17	7.11	49	22.0	–	5.22	-457	–
		04/12/18	7.07	41	14.8	–	1.10	35	0.0
		12/21/18	6.88	108	13.9	–	0.77	68	–
		04/22/19	7.52	196	17.0	–	0.38	-70	1.0
		07/16/19	7.65	266	20.2	–	0.20	-143	0.0
		10/21/19	6.55	152	16.7	–	0.57	-136	0.5
		01/24/20	6.44	177	11.8	22.6	0.71	-59	2.0
		05/07/20	7.38	218	18.9	32.0	0.53	-89	1.5
		07/27/20	7.57	289	24.9	75.0	0.40	-122	1.6
		11/17/20	7.59	306	14.1	32.9	0.98	-145	0.0
		02/11/21	7.74	410	9.8	19.8	1.01	-366	–
		05/14/21	7.79	446	16.4	–	0.44	119	–
		08/17/21	7.72	437	19.0	–	0.61	137	–
		11/08/21	7.76	495	16.3	275	0.55	-219	0.6
		02/24/22	7.94	434	12.2	–	1.11	-293	–
		05/13/22	7.96	460	18.5	–	0.79	-63	–
		08/09/22	7.80	359	18.3	–	1.96	-152	–
		11/08/22	6.34	147	16.6	–	0.18	104	0.5
		05/10/23	7.52	146	16.0	–	11.19	58	–
MW126	Alley E of Seattle Roy Aloha Shops	03/28/17	7.41	397	12.8	2.0	1.37	-112	–
		06/15/17	7.69	385	15.9	–	0.70	-64	–
		04/06/18	7.87	353	14.3	–	0.30	99	–
		01/22/19	7.88	432	10.7	–	1.25	115	–
		04/29/19	7.34	427	14.7	–	0.42	7	–
		07/18/19	7.41	357	15.9	–	0.25	14	–
		10/15/19	6.72	396	15.1	4.7	0.38	-102	0.5
		01/14/20	7.50	369	12.3	2.0	0.61	-171	0.5
		04/09/20	6.97	405	12.7	1.2	0.41	31	0.0
		07/24/20	7.17	414	19.3	1.00	0.24	-17	0.0
		11/09/20	6.80	323	12.2	1.3	0.34	-72	–
		02/10/21	7.09	444	12.4	28.5	1.55	-528	–
		05/04/21	7.26	403	15.6	–	0.23	402	–
		08/04/21	7.19	403	22.1	3.9	0.20	96	–
		11/11/21	7.23	377	13.9	–	0.29	165	0.6
		02/15/22	7.39	399	12.5	–	0.39	-268	–
		05/20/22	7.36	385	14.0	–	0.52	23	–
		08/10/22	7.40	306	16.9	–	1.00	33	–
		11/01/22	6.32	316	12.6	–	0.26	-21	0.0
MW-143	8th Ave N ROW, E side	04/30/18	7.83	905	15.4	–	0.60	97	0.5
		01/29/19	7.64	950	18.1	80.4	0.23	-148	0.8
		04/24/19	7.29	965	14.7	–	0.83	100	0.3
		07/19/19	7.42	835	21.3	–	0.21	-139	1.0
		10/16/19	7.12	891	16.9	–	0.88	-45	0.5
		01/22/20	7.52	1,148	13.5	22.6	0.44	-122	0.5
		04/24/20	7.52	1,020	15.0	1.0	0.62	-134	1.0
		07/29/20	7.59	850	24.9	79.7	1.12	9	0.5
		11/30/20	6.82	1,281	13.2	98.8	0.34	-285	–
		02/08/21	6.72	1,575	12.6	242	0.92	41	–
		05/19/21	6.61	1,763	15.6	101	0.07	-135	–
		08/20/21	6.40	1,871	18.4	–	0.19	156	–
		12/08/21	6.60	1,865	15.0	–	0.00	-125	6.0
		03/08/22	6.52	1,868	14.9	32	0.10	-470	–
		05/26/22	6.68	1,781	18.0	–	0.25	-120	–
		08/12/22	6.74	1,550	18.4	–	0.64	-134	–
		11/01/22	7.13	608	13.9	–	0.21	177	0.0
		05/16/23	8.33	2,194	16.9	–	0.28	-94	–
		11/07/23	7.45	1,125	15.1	–	1.69	-99	2.0
MW-145R	8th Ave N ROW, E side	12/16/19	8.25	480	15.1	32.9	0.45	-106	0.0
		01/21/20	7.40	666	9.0	18.2	0.30	-187	0.0

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		04/02/20	7.65	529	15.9	19.4	0.32	35	0.5
		08/03/20	7.86	547	19.3	26.1	0.69	104	1.0
		11/23/20	7.63	466	10.8	85.0	1.35	-156	-
		02/05/21	7.67	634	13.6	46.9	0.73	41	-
		05/12/21	7.70	629	18.1	28.0	0.53	-191	-
		08/23/21	7.38	638	16.7	-	0.46	159	-
		11/30/21	7.76	652	13.4	-	2.28	-145	0.5
		03/08/22	7.62	606	13.5	57	0.49	-510	-
MW-145R		05/11/22	7.53	618	14.5	-	0.51	-94	-
		08/10/22	7.75	657	17.6	-	4.90	-40	-
		11/02/22	7.55	632	11.0	-	0.72	-179	0.0
		05/15/23	7.63	646	20.5	-	0.42	11	-
		11/08/23	8.47	520	15.8	-	7.18	-13	-
MW-147	Roy St ROW, S side	05/01/18	7.85	911	16.8	-	0.40	79	-
		01/22/19	7.60	892	8.6	-	0.79	118	1.0
		04/23/19	7.07	685	17.3	-	0.42	-103	1.5
		07/18/19	6.85	721	17.4	-	0.46	94	2.0
		10/14/19	7.00	671	17.6	90.9	0.38	99	0.5
		01/24/20	7.66	1,031	15.7	307	9.57	-31	0.5
		04/29/20	7.16	805	20.6	73	0.62	-87	2.0
		07/09/20	7.37	833	22.1	188	0.58	-12	1.5
		11/10/20	7.16	790	13.8	41.3	0.52	-144	-
		02/09/21	7.22	719	12.2	266	1.19	46	-
		05/04/21	7.17	727	17.7	265	0.39	-213	-
		08/20/21	6.81	985	19.6	-	0.33	155	-
		11/09/21	7.38	741	15.2	-	0.75	155	1.5
		02/18/22	7.02	1,175	13.5	23	0.57	-124	-
		05/03/22	6.88	1,206	14.7	-	0.92	-129	-
		08/10/22	7.12	1,263	18.0	-	8.40	-66	-
		11/03/22	6.74	1,416	15.0	-	0.33	242	6.5
		05/12/23	7.22	843	15.9	-	0.16	18	-
MW-148	Roy St ROW, S side	05/01/18	8.06	499	13.7	-	0.40	107	0.3
		01/23/19	7.80	706	12.0	-	0.66	116	-
		04/26/19	6.94	717	13.8	-	0.43	82	0.4
		07/22/19	8.43	619	16.6	-	0.24	-143	0.5
		10/16/19	7.35	654	15.1	107	0.17	53	0.5
		01/20/20	7.44	717	13.9	35.9	0.08	-135	0.5
		04/30/20	7.74	623	18.1	207	0.53	-101	0.5
		07/15/20	7.70	593	24.7	618	0.39	-4	0.5
		11/11/20	7.72	461	13.5	360	0.38	-250	-
		08/13/21	7.57	655	19.6	161	0.29	-127	-
		12/07/21	7.64	626	13.1	-	0.99	-144	-
		02/25/22	7.71	682	12.4	-	0.9	-168	-
		05/05/22	2.61	671	12.4	-	2.51	-134	-
		08/10/22	7.76	777	17.8	-	1.25	-36	-
		11/04/22	7.22	538	14.3	-	0.40	187	0.0
		05/09/23	7.90	460	15.3	-	10.79	-110	-
		11/09/23	7.31	462	13.5	-	2.47	-60	-
MW-190	Valley St ROW, S side	10/14/19	7.59	492	16.6	14.4	0.53	-92	0.2
		01/23/20	7.33	473	12.6	12.2	0.51	-158	0.5
		04/02/20	8.11	441	15.6	32.9	0.34	265	0.5
		08/04/20	7.89	412	20.3	18.3	0.62	91	0.5
		11/18/20	7.45	466	13.7	42.7	0.70	-277	-
		02/03/21	7.59	471	10.4	9.0	0.88	-499	-
		05/14/21	7.63	-	16.5	40.7	-	117	-
		08/11/21	7.38	476	22.2	48	0.44	11	-
		11/30/21	7.30	478	12.8	-	0.84	-79	0.0
		03/04/22	7.71	517	10.3	14	0.44	-485	-
		05/10/22	7.27	449	12.7	-	3.14	9	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		08/11/22	7.74	374	17.0	–	1.38	-49	–
		10/31/22	7.20	565	14.9	–	0.42	177	0.0
		05/12/23	7.73	430	14.3	–	0.50	-135	–
		11/06/23	7.57	508	14.7	–	1.61	-51	0.5
MW-303	Dexter Ave N ROW E side	10/21/19	7.88	437	16.4	50.0	0.37	-246	0.0
		01/24/20	9.34	889	–	45.9	–	-314	0.0
		05/07/20	7.67	499	16.7	75.2	0.52	-158	0.0
		07/27/20	7.94	441	25.6	70.0	0.63	-88	0.6
		11/17/20	7.94	439	15.8	69.6	4.59	-51	–
		05/18/21	7.68	415	14.2	165	0.63	-149	–
		11/09/21	7.51	455	14.5	–	0.51	-40	0.4
		05/25/22	7.83	432	15.4	–	0.61	-96	–
		11/08/22	7.77	436	13.3	–	0.34	-7	0.0
MW-307	Roy St ROW, S side	10/11/19	8.19	586	16.5	101	0.28	-540	0.0
		01/15/20	8.34	985	10.8	–	0.43	-126	0.0
		04/28/20	7.85	749	15.8	29.0	0.80	-174	0.25
		07/29/20	8.09	627	21.6	64.1	1.04	-27	0.5
		11/06/20	8.00	642	14.9	31.9	0.55	-204	–
		05/18/21	8.01	672	17.0	360	0.48	127	–
		12/03/21	7.78	409	13.7	–	0.92	-164	0.0
		05/26/22	8.11	634	18.6	–	0.48	-190	–
		11/04/22	6.79	708	15.6	–	0.22	257	0.0
		11/10/23	8.07	458	15.3	–	1.12	-27	–
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	7.67	626	14.6	7.2	0.64	68	0.5
		01/16/20	7.08	656	12.7	1.2	0.30	-127	0.0
		04/08/20	7.05	580	12.8	–	0.44	-128	0.0
		07/06/20	7.40	688	18.5	8.36	0.13	-165	0.5
		11/06/20	7.36	523	13.8	1.2	0.43	-157	–
		05/04/21	7.42	655	16.0	57.8	0.15	126	–
		11/11/21	7.39	597	15.0	–	0.42	50	0.5
		05/19/22	7.41	647	14.7	–	0.33	-46	–
		11/01/22	6.87	771	14.0	–	0.32	254	0.0
		05/12/23	6.69	576	19.9	–	0.74	-52	–
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	7.31	1,044	15.0	17.8	0.46	-39	0.0
		01/14/20	7.56	1,098	6.2	3.3	0.22	-140	–
		04/23/20	7.50	846	13.2	26.3	0.68	-96	0.5
		07/16/20	7.39	852	21.2	7.85	0.46	-125	1.0
		11/04/20	7.07	798	16.3	74.7	0.65	-146	–
		05/03/21	7.35	830	16.2	6.0	0.24	129	–
		11/04/21	7.47	784	15.5	–	0.36	176	0.8
		05/09/22	7.40	813	18.1	–	0.20	-31	–
		11/01/22	6.35	664	14.9	–	0.67	19	2
		05/15/23	7.46	818	22.9	–	0.47	-46	–
		11/07/23	7.56	800	14.9	–	1.16	107	–
MW-314	Alley E of Seattle Roy Aloha Shops	10/10/19	7.22	860	14.9	50.3	0.35	138	3.5
		01/15/20	7.18	1,428	13.7	–	0.31	31	0.9
		04/22/20	7.04	1,058	13.5	151	0.46	-96	1.5
		07/16/20	6.85	1,146	17.4	556	0.25	11	2.5
		11/04/20	6.62	1,076	17.1	467	0.35	-91	–
		05/03/21	7.08	957	16.0	163	0.23	-223	–
		12/03/21	7.08	902	14.3	–	0.96	-113	1.2
		05/18/22	7.19	902	14.6	–	0.25	-47	–
		11/01/22	7.10	946	14.8	–	0.37	188	0.0
		05/15/23	7.17	766	16.6	–	1.99	-114	–
		11/07/23	7.57	100	15.3	–	4.99	-55	1
MW-316	Mercer St ROW, N side	10/03/19	7.77	662	15.0	88.0	0.45	203	1.0
		01/16/20	8.08	1,076	11.7	–	0.43	-89	0.4
		04/21/20	7.34	710	14.8	83.6	0.39	109	0.25

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		07/24/20	7.65	713	16.8	54.2	0.46	191	0.5
		11/02/20	7.89	706	14.7	9.9	0.84	-154	-
		05/17/21	7.79	698	18.6	193	0.51	-191	-
		11/05/21	7.61	722	12.3	91	0.88	-222	0.4
		05/09/22	7.71	691	16.2	-	0.38	-48	-
		11/02/22	7.32	137	13.9	-	0.86	196	0.0
		11/08/23	8.97	274	14.7	-	9.89	-27	-
MW-318	9th Ave N ROW, W side	10/08/19	7.09	846	15.3	-	0.48	-84	4.0
		01/16/20	6.55	979	14.5	1.3	0.50	-60	2.0
		04/27/20	7.62	1,276	16.8	35.0	0.25	38	3.6
		07/30/20	6.70	1,156	18.9	16.0	1.17	-68	7.0
		11/12/20	6.56	1,204	15.7	64.3	4.62	-122	-
		05/19/21	6.61	1,183	16.7	26.1	0.20	-126	-
		11/12/21	6.64	1,095	16.0	-	0.30	57	4.8
		05/27/22	6.71	941	15.6	-	0.31	-99	-
		11/01/22	6.76	1,067	14.3	-	0.21	245	0.0
		05/16/23	6.79	1,200	19.9	-	0.08	-71	-
		11/08/23	6.96	1,172	15.2	-	1.39	-88	-
MW-322	9th Ave N ROW, W side	10/07/19	6.68	1,400	16.9	28.7	0.45	-66	0.0
		01/21/20	6.69	1,353	14.3	5.5	0.40	-49	1.5
		04/29/20	-	1,190	16.3	4.0	0.90	198	5.6
		07/07/20	6.74	895	16.0	12.2	0.15	-113	5.8
		11/24/20	6.67	924	15.4	16.7	0.48	-131	-
		05/19/21	6.61	1,121	16.7	9.0	0.22	-116	-
		11/09/21	6.90	1,370	12.9	-	0.00	-111	4.0
		06/08/22	6.60	1,338	17.1	-	0.43	-94	-
		11/03/22	6.78	372	14.0	-	0.20	212	4.5
		05/17/23	6.60	1,292	20.5	-	0.31	-79	-
		11/08/23	6.72	1,339	16.7	-	1.27	-79	2.5
MW-334	900 Roy St, S end	04/24/20	7.06	1,443	16.4	134	0.50	-96	6.0
		07/07/20	6.63	1,998	17.9	38.0	0.37	-6	5.0
		11/05/20	7.10	2,108	15.8	53.4	0.52	-271	-
		05/13/21	6.85	2,019	21.5	6.1	0.18	-150	-
		11/05/21	7.09	1,909	15.1	-	0.26	175	5.3
		05/31/22	6.92	1,983	18.2	-	0.27	-113	-
		11/03/22	6.11	1,609	15.8	-	1.40	36	2.0
		11/09/23	7.41	1,618	15.8	-	2.48	13	-
MW-335	Mercer St ROW, N side	05/01/20	6.50	688	17.8	40	0.16	64	0.8
		07/08/20	6.66	526	21.1	1.0	0.29	-3	0.0
		11/02/20	6.58	788	17.5	1.3	0.39	17	-
		02/10/21	6.55	1,140	15.0	7.0	1.17	52	-
		05/26/21	6.51	1,185	16.5	-	0.34	-113	-
		08/11/21	6.53	1,259	27.3	-	0.35	128	-
		11/17/21	6.58	1,165	14.9	-	0.00	65	0.3
		03/02/22	6.54	1,015	15.1	-	0.67	19	-
		05/31/22	6.56	798	18.5	-	0.30	28	-
		08/10/22	6.78	660	19.4	-	0.63	60	-
		11/03/22	6.16	626	16.6	-	0.45	16	0.0
		05/19/23	6.72	632	17.0	-	0.62	-1	-
		11/09/23	6.74	665	16.2	-	1.34	-7	0.5
MW-338	Lake Union Park, N end	05/07/20	6.42	1,320	19.6	14.8	0.42	-103	3.0
		07/23/20	6.55	896	16.3	12.0	2.73	-91	9.0
		11/10/20	6.32	856	10.7	1.0	0.26	-123	-
		05/04/21	6.40	1,155	16.1	-	1.01	120	-
		11/17/21	6.42	997	12.6	-	0.00	61	5.0
		05/04/22	6.59	1,046	13.5	-	7.22	-112	-
		11/02/22	6.50	806	11.3	-	0.80	91	3.25
		11/08/23	7.49	749	13.3	-	0.29	-4	-

Table 2

PES Environmental, Inc.

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-340	Lake Union Park, S end	05/12/20	6.71	1,044	16.8	6	2.73	-181	6.0
		07/17/20	6.54	968	14.8	310	1.97	-86	7.0
		11/09/20	6.46	699	12.8	3.3	0.17	-146	0.0
		05/13/21	6.42	829	14.9	-	0.14	130	0.0
		05/04/22	6.71	846	14.1	-	1.75	-91	-
		11/02/22	6.70	886	12.3	-	4.15	-17	5.5
		11/09/23	7.44	709	13.4	-	0.22	-2	-
MW-345	SDOT Mercer Parcels NW Quadrant	06/01/21	7.93	675	22.8	82	0.51	-291	0.0
		08/18/21	8.16	650	19.8	36	0.35	138	0.0
		11/18/22	8.05	699	15.7	-	0.60	-12	-
		11/13/23	8.35	649	15.1	-	0.80	2	-
MW-346	SDOT Mercer Parcels NW Quadrant	06/02/21	7.93	695	17.0	189	0.54	-396	0.6
		08/18/21	8.07	632	22.8	106	0.15	146	0.0
		03/31/22	8.04	614	14.3	-	0.38	-249	-
		05/24/22	7.93	603	16.0	-	0.55	-94	-
		08/02/22	7.99	538	18.4	-	1.23	-32	-
		11/10/22	8.00	595	13.4	-	2.50	-15	0.25
		02/23/23	8.18	579	9.8	-	0.80	-50.3	-
		05/16/23	8	462.0	19.9	-	1.32	-85.4	-
		11/08/23	9.05	282	14.2	-	9.00	14	-
		02/27/24	8.08	543	8.9	-	0.82	-187	-
MW-347	SDOT Mercer Parcels NW Quadrant	06/01/21	8.42	736	21.7	84	0.39	-14	0.0
		08/19/21	8.79	829	17.0	32	0.24	140	0.0
		03/31/22	8.46	606	11.7	-	0.39	-381	-
		05/26/22	7.10	591	15.2	-	3.39	-279	-
		08/02/22	7.49	569	17.9	-	0.78	-91	-
		11/10/22	7.66	555	12.5	-	1.60	-22	0.5
		02/23/23	7.98	532	5.0	-	2.29	-65.1	-
		05/17/23	7.62	390	18.3	-	1.22	-124	-
		02/27/24	6.52	92.60	8.5	-	0.83	-30.3	-
MW-348	SDOT Mercer Parcels SW Quadrant	06/01/21	7.70	692	21.1	100	0.58	29	0.0
		08/19/21	7.89	625	17.9	23	0.30	147	0.0
		03/31/22	8.08	605	11.5	-	0.54	-401	-
		05/26/22	8.19	628	14.9	-	0.52	18	-
		08/01/22	8.07	642	23.7	-	0.42	-60	-
		11/10/22	6.78	4,271	11.8	-	1.85	-12	-
		03/13/23	8.20	641	9.8	-	0.99	65	-
		05/17/23	8.16	573	19.1	-	0.58	-231	-
		11/15/23	8.05	428	13.5	-	3.63	-190.1	0.1
		02/27/24	8.30	290.4	8.3	-	0.95	-46.9	-
MW-349	SDOT Mercer Parcels SW Quadrant	06/01/21	7.53	595	19.1	37	0.28	16	0.0
		08/19/21	8.01	618	18.0	11	0.42	62	0.0
		03/30/22	7.88	642	13.6	-	0.62	-269	-
		05/26/22	6.29	1,854	15.7	-	0.39	-89	-
		08/01/22	6.49	1,178	21.7	-	9.20	-107	-
		11/08/22	6.91	1,128	11.9	-	2.77	-32	5.25
		02/23/23	7.10	1,158	11.4	-	0.59	-37.5	-
		05/16/23	7.03	963	17.1	-	1.21	-121	-
		11/13/23	7.77	700	14.2	-	0.36	1	1.5
		02/27/24	7.35	888	9.2	-	0.57	-181	-
MW-350	SDOT Mercer Parcels NW Quadrant	06/01/21	7.91	652	23.2	161	0.28	-493	0.0
		08/18/21	7.93	572	21.7	67	0.28	-100	0.0
		11/11/22	7.83	542	13.4	-	0.75	-10	0.5
		02/24/23	7.86	564	11.7	-	0.91	-30.8	-
		05/17/23	7.87	460	26.4	-	1.70	-92	-
		11/13/23	8.51	490	14.3	-	0.99	-2	2.5
		02/28/24	7.76	676	12.6	-	0.55	-182	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)		
W-MW-01	8th Ave N ROW, W side	03/30/17	7.63	536	16.7	–	0.62	111	0.3		
		06/19/17	7.11	564	22.7	–	1.31	-23	–		
		04/13/18	7.91	539	14.5	–	0.40	67	0.8		
		10/29/18	7.50	565	16.6	–	0.67	-91	–		
		12/13/18	7.36	583	17.9	–	0.34	-123	–		
		01/25/19	7.46	703	12.4	MAX ^(b)	0.51	127	1.5		
		03/11/19	7.36	737	15.4		–	0.36	198	–	
		04/25/19	7.64	758	16.7	–	0.61	32	0.6		
		07/23/19	7.75	642	19.3	–	0.17	-153	0.0		
		10/15/19	7.61	900	18.8	30.6	0.21	-142	0.0		
		01/27/20	7.18	834	14.6	36.8	0.28	-113	0.5		
				04/03/20	7.55	648	13.2	5.9	0.36	-120	0.5
				07/31/20	7.53	658	18.5	4.50	1.11	-87	–
11/24/20	7.72			754	12.6	39.7	0.17	-67	–		
02/03/21	7.39			984	12.5	4.0	0.12	33	–		
05/17/21	6.71			2,105	15.1	–	0.63	126	–		
08/23/21	8.16			1,738	16.8	10	0.00	13	–		
11/29/21	6.64			1,555	16.9	–	0.16	-99	4.2		
03/08/22	6.83			1,293	13.3	167	0.27	-539	–		
05/11/22	6.79			1,383	17.4	–	0.33	-87	–		
08/12/22	6.95			910	18.1	–	0.94	-130	–		
10/31/22	6.76			2,082	14.8	–	5.14	-31	4.75		
02/24/23	6.74			945	9.0	–	0.63	-67.6	–		
05/16/23	9.05			1,336.00	15.7	–	0.94	67	–		
02/26/24	6.84			2,261.00	11.8	–	0.44	-149	–		
Deep Zone											
FMW-129	SDOT Mercer Parcels NE quadrant	04/10/17	8.88	891	12.4	–	0.82	-116	0.0		
		06/23/17	6.82	703	20.2	–	0.60	-31	1.0		
		05/01/19	6.83	666	15.9	–	0.44	7	–		
		07/16/19	6.63	669	14.6	–	0.47	97	–		
		10/21/19	7.02	548	14.4	84.7	0.15	198	0.5		
		01/14/20	6.44	584	12.3	52.8	0.30	70	0.0		
		05/06/20	6.66	942	14.3	>1000	0.38	3	0.5		
		07/10/20	6.88	826	17.7	MAX	0.24	-1	1.0		
		11/10/20	6.98	834	13.7	834	0.29	-107	–		
		02/10/21	7.31	97 ^(c)	13.0	18.3	1.87	152	–		
		05/26/21	6.71	794	17.0	–	0.31	-137	–		
		08/19/21	6.58	803	17.5	97	0.19	-37	–		
		03/03/22	6.69	788	13.6	94	0.2	-437	–		
		05/05/22	6.74	954	11.7	–	0.73	40	–		
		08/12/22	7.46	94	16.0	–	5.62	167	–		
11/11/22	7.66	121	13.5	–	3.49	-3	0.0				
05/18/23	7.45	102	14.7	–	2.18	52	–				
FMW-131	Block 37, SE quadrant	03/24/17	6.73	342	13.3	2.9	0.84	-42	0.5		
		06/23/17	6.71	552	15.4	–	0.78	25	0.3		
		04/22/19	6.44	224	12.6	–	0.41	-22	–		
		07/01/19	–	–	–	–	–	–	–		
		10/21/19	7.19	267	14.3	–	0.30	-27	0.5		
		01/22/20	6.38	273	12.3	5.0	1.83	82	0.5		
		04/29/20	6.41	797	16.2	95.0	0.40	-1	2.5		
		07/30/20	6.86	277	15.3	2.20	0.46	42	0.0		
		11/19/20	6.74	220	12.6	21.3	0.96	-298	0.0		
		02/12/21	6.68	378	12.1	104	0.26	-39	–		
		05/13/21	6.43	396	15.1	–	0.2	130	–		
		08/19/21	6.57	384	15.0	3.1	0.19	-6	–		
		02/25/22	6.32	1,004	8.9	–	0.95	-85	–		
		06/09/22	6.61	431	13.8	–	0.44	35	–		
		08/05/22	6.70	484	19.9	–	0.88	-28	–		
11/01/22	6.70	389	14.7	–	0.40	-13	1.25				

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		05/09/23	6.56	466	14.4	–	0.59	-94	–
FMW-137	Alley E of Block 38 West	11/06/19	6.99	704	14.0	–	0.40	267	0.0
		01/22/20	6.62	1,001	12.0	12.4	0.48	144	0.0
		05/06/20	6.36	1,552	14.3	296	0.47	-93	2.5
		07/31/20	6.61	1,422	16.4	122	4.84	-70	2.8
		11/24/20	6.08	1,462	13.8	55.9	1.97	-44	–
		02/12/21	6.85	266	12.5	94.0	0.27	-295	–
		06/02/21	6.76	402	15.1	–	0.26	-74	–
		08/12/21	6.47	666	18.8	3.7	0.26	-1	–
		03/04/22	6.67	754	12.5	6	0.33	-567	–
		06/05/22	6.77	671	14.8	–	0.73	16	–
		08/05/22	6.78	612	16.8	–	0.67	-7	–
		11/01/22	6.73	676	14.6	–	0.57	-21	1.25
		05/19/23	6.63	641	14.1	–	0.98	-25	–
FMW-140	900 Roy St, S end	10/31/19	6.34	699	15.5	83.0	0.38	-37	0.5
		01/22/20	6.77	1,666	12.4	1.6	0.32	-67	3.5
		04/28/20	6.58	1,183	15.7	115	0.51	92	4.2
		07/07/20	6.70	1,164	19.5	149	0.31	-3	6.0
		11/13/20	6.51	1,057	15.8	91.4	0.34	-179	–
		05/18/21	6.77	794	18.2	–	0.21	-174	–
		03/02/22	6.73	988	15.1	9	0.25	-389	–
		05/31/22	6.65	938	17.3	–	0.49	-96	–
		11/02/22	6.91	379	15.1	–	0.18	-43	–
		05/15/23	6.62	1,263	22.0	–	0.37	-115	–
GEI-2	Block 37, NW quadrant	03/24/17	6.43	890	12.6	0.5	0.84	-78	0.3
		06/23/17	6.68	804	16.0	–	0.45	-80	1.0
		04/22/19	6.61	933	13.0	–	0.37	-45	–
		07/16/19	6.71	708	16.9	–	0.26	-85	1.5
		10/21/19	6.92	1,297	14.8	–	0.30	-71	2.2
		01/22/20	6.70	2,304	11.8	3.9	0.24	5	2.6
		04/29/20	6.55	1,307	14.6	180	0.40	-102	2.0
		07/30/20	6.79	898	15.9	149	0.28	-80	5.4
		11/19/20	6.64	977	13.8	2.4	0.33	-397	–
		02/12/21	6.76	1,011	10.8	–	0.68	-35	–
		05/13/21	6.55	981	14.9	–	0.29	133	–
		08/19/21	6.57	886	16.1	1.7	0.20	-61	–
		02/25/22	6.68	837	10.7	–	0.85	-85	–
		06/09/22	6.74	925	14.1	–	0.48	-58	–
		08/05/22	6.83	967	22.9	–	0.54	-95	–
		11/01/22	6.79	926	15.4	–	3.57	-22	7.0
05/09/23	6.92	101	14.9	–	1.96	-102	–		
MW102	Valley St ROW, S side	03/29/17	7.87	417	11.6	–	1.55	148	–
		06/15/17	7.89	292	16.8	–	0.69	-88	–
		04/25/18	7.89	297	19.5	–	0.40	66	1.0
		01/24/19	8.01	314	11.5	–	0.63	-124	0.0
		05/01/19	8.32	303	16.9	–	0.64	97	0.5
		07/18/19	7.40	320	20.5	–	0.12	-73	0.8
		11/14/19	7.76	295	16.9	153	2.41	202	0.0
		01/23/20	7.36	422	14.4	40	0.38	-127	0.5
		04/02/20	6.85	313	15.9	63	0.49	108	0.0
		08/04/20	7.74	311	18.2	41.9	0.42	-28	0.0
		11/18/20	7.61	302	14.7	83.6	0.65	-333	–
		02/03/21	7.76	308	12.6	95.2	1.00	-502	–
		05/14/21	7.72	318	15.3	79.6	0.67	-174	–
		08/11/21	7.76	335	18.3	55	0.49	-230	–
		11/30/21	7.46	307	13.8	–	0.80	-97	0.5
		03/07/22	7.77	306	13.4	51	0.36	-542	–
05/10/22	7.52	314	14.1	–	0.00	-18	–		

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		08/12/22	7.83	280	18.0	–	0.65	-37	–
		10/31/22	7.21	371	14.6	–	0.53	180	0.0
		05/12/23	7.82	270	15.4	–	0.69	-147	–
		11/06/23	7.62	331	15.1	–	1.76	-12	–
MW103	Alley E of Seattle Roy Aloha Shops	12/18/13	10.45	735	–	–	0.26	267	1.39
		03/23/17	7.49	799	13.4	–	0.91	155	0.3
		06/12/17	7.35	648	17.0	–	0.31	-88	1.8
		04/06/18	7.52	521	15.1	–	0.60	91	–
		01/23/19	9.60	359	13.8	–	0.55	126	–
		04/22/19	7.21	693	13.4	–	0.60	6	–
		07/15/19	7.14	728	17.9	–	0.54	31	–
		10/14/19	7.20	655	15.9	5.9	0.05	-57	0.5
		01/16/20	7.30	859	14.3	77.7	0.10	-120	1.0
		04/23/20	7.59	514	15.6	241	0.31	-119	1.0
		07/06/20	7.23	438	18.0	364	0.52	46	0.5
		11/02/20	7.59	425	17.4	375	0.35	-58	–
		02/10/21	7.49	433	12.5	–	0.95	-336	–
		05/03/21	7.37	561	15.6	27.7	0.34	-214	–
		08/12/21	7.03	642	22.9	–	0.43	137	–
		11/08/21	7.29	621	15.2	–	0.45	124	1.0
		02/15/22	7.41	690	14.9	–	0.14	105	–
		05/09/22	7.38	698	16.4	–	0.06	-119	–
		08/09/22	7.45	712	20.1	–	3.80	-60	–
		11/01/22	6.24	387	14.7	–	0.72	43	0.0
05/09/23	7.34	638	18.7	–	5.80	-132	–		
11/07/23	7.72	725	15.3	–	1.44	-121	–		
MW104	8th Ave N ROW, W side	12/17/13	8.49	591	–	–	0.48	245	5.03
		03/30/17	6.28	667	8.7	–	1.84	131	–
		06/30/17	7.70	383	25.5	–	0.23	-131	0.0
		04/09/18	8.47	425	20.9	–	0.20	33	0.3
		10/25/18	11.48	750	19.2	–	0.63	131	–
		12/13/18	9.33	334	19.6	–	0.20	-259	–
		02/01/19	9.65	153	20.2	MAX ^(b)	0.11	-205	0.0
		03/13/19	9.03	407	18.6	–	0.24	122	–
		04/23/19	9.10	376	18.6	–	0.21	-100	0.0
		07/22/19	9.94	373	20.8	–	0.24	138	0.0
		10/18/19	8.73	542	18.6	35.5	0.21	-133	0.0
		01/29/20	9.30	541	18.0	29.3	–	-217	0.0
		04/01/20	8.00	409	18.9	67.9	0.19	33	0.5
		07/31/20	7.64	367	20.3	32.0	0.40	7	–
		11/17/20	7.49	378	18.0	89.5	0.35	-215	–
		02/10/21	7.58	371	15.9	136	0.55	40	–
		08/23/21	7.59	363	18.3	90	0.36	-93	–
		11/29/21	7.74	376	16.6	–	1.76	154	0.5
		02/23/22	7.75	370	16.4	75	0.27	-294	–
		05/12/22	7.68	358	17.2	–	0.89	-125	–
08/23/22	7.76	365	18.2	–	0.55	-75	–		
11/02/22	7.48	389	17.1	–	0.73	-195	0.4		
05/15/23	9.13	422	20.6	–	0.10	-10	–		
MW105	Roy St ROW, S side	12/29/13	7.49	1,165	–	–	1.26	216	2.01
		04/21/17	7.47	785	17.1	105	2.34	-37	–
		06/12/17	7.37	734	17.1	–	0.70	-64	–
		04/11/18	9.48 ^(a)	469	14.4	–	1.40	42	0.8
		01/23/19	7.66	570	13.4	–	0.67	107	–
		04/23/19	7.82	580	15.3	–	0.39	-58	0.5
		07/17/19	7.53	625	17.1	–	0.32	127	–
		10/22/19	7.29	722	15.2	49	0.60	-147	1.5
		01/20/20	7.42	1,148	14.0	65	0.74	-132	1.2
05/12/20	7.51	629	17.0	16	0.65	-77	0.5		

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		07/27/20	7.48	606	21.4	173	0.79	-92	1.0
		11/17/20	7.47	560	12.7	37.4	1.26	-51	-
		02/11/21	7.41	530	9.5	91.4	1.05	-391	-
		06/07/21	7.36	532	21.2	142	0.58	96	-
		08/17/21	7.17	541	17.5	68	0.39	-77	-
		11/08/21	7.37	597	14.9	123	0.60	-12	1
		02/24/22	7.46	540	12.8	-	1.1	-108	-
		05/17/22	7.52	584	18.6	-	0.61	-94	-
		08/09/22	8.09	471	16.5	-	2.02	-209	-
		11/09/22	7.24	439	12.2	-	1.34	70	0.0
		05/09/23	7.54	545	15.2	-	0.19	100	-
		10/30/23	7.40	533	16.1	2	1.85	-69	0.5
MW106	SDOT Mercer Parcels NW quadrant	04/14/17	9.47	726	15.1	457	2.00	2	0.0
		06/30/17	7.69	566	19.7	-	0.40	-128	0.0
		05/04/18	7.91	482	16.0	-	0.50	100	0.0
		04/26/19	7.79	507	15.6	-	0.53	-20	0.0
		07/19/19	7.51	615	17.6	-	0.50	51	0.0
		10/18/19	7.86	534	16.0	216	0.42	49	0.5
		01/14/20	7.85	961	11.4	-	0.60	13	0.0
		05/06/20	7.73	588	16.5	117	0.53	-99	0.0
		07/10/20	7.76	580	18.2	545	0.61	-14	0.5
		11/10/20	7.60	513	15.8	98.5	0.37	-167	-
		02/12/21	7.65	425	12.9	48.2	0.55	-24	-
		05/13/21	9.04 ^(a)	70	18.2	226	3.33	-117	-
		08/19/21	7.79	286	23.1	140	0.61	150	-
		02/18/22	8.04	314	13.2	-	0.54	-444	-
		05/06/22	7.15	458	15.2	-	0.37	31	-
		08/02/22	7.86	340	24.3	-	0.70	-85	-
		11/18/22	7.77	428	15.0	-	1.89	-1	-
		05/18/23	9.20	74	15.4	-	2.41	29	-
MW113	9th Ave N ROW, W side	12/19/13	10.0	267	-	-	0.26	264	0.03
		03/22/17	6.54	1,426	15.2	2.1	1.10	-79	4.0
		06/16/17	6.52	1,145	12.9	-	0.57	-6	1.5
		04/11/18	9.44 ^(a)	946	15.0	-	0.60	63	-
		02/07/19	6.64	1,219	9.9	2.4	0.80	76	2.5
		07/17/19	6.72	667	17.4	-	1.69	241	0.3
		10/22/19	6.33	681	16.6	11.8	0.19	151	3.6
		01/14/20	6.61	1,197	13.5	-	0.50	-293	-
		02/18/20 ^c	6.63	1,261	15.1	-	0.71	-32	-
		03/24/20 ^c	6.48	994	14.5	-	0.31	-16	-
		04/27/20	6.56	1,031	16.2	1.4	0.36	-26	4.5
		05/19/20 ^c	6.50	923	16.7	-	0.57	-52	-
		07/28/20	6.54	973	16.5	-	0.28	-86	-
		11/24/20	6.56	729	15.2	34.4	0.41	-67	-
		02/10/21	7.03	96 ^(c)	13.6	14.9	5.04	215	-
		05/25/21	6.50	870	16.8	-	0.21	-141	-
		08/11/21	6.46	1,056	21.9	-	0.44	126	-
		11/18/21	6.50	960	15.2	-	0.00	67	4.5
		02/15/22	6.72	1,161	14.5	-	0.19	100	-
		06/08/22	6.57	1,206	17.6	-	0.48	-41	-
		08/10/22	6.76	980	18.4	-	0.77	-84	-
		11/03/22	6.51	955	13.4	-	1.48	31	0.25
		05/18/23	6.84	717	20.6	-	0.17	-72	-
		11/08/23	7.82	104	16.5	-	2.51	-52	-
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	7.89	519	13.5	-	0.64	109	-
		06/14/17	7.72	374	16.7	-	0.46	-69	-
		04/06/18	7.93	336	14.9	-	0.60	77	-
		10/14/19	6.96	346	14.6	3.2	0.96	258	0.0
		01/17/20	7.19	362	13.7	1.2	0.20	23	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		04/07/20	7.13	320	15.3	–	0.25	-13	0.0
		07/24/20	7.81	352	21.0	2.00	0.46	23	0.0
		11/06/20	7.50	282	13.6	17.4	0.20	-129	–
		05/03/21	7.68	345	14.8	–	0.14	112	–
		11/11/21	7.73	328	14.7	–	0.39	36	0.3
		05/18/22	7.60	360	16.3	–	0.33	-113	–
		11/01/22	6.68	416	14.3	–	0.23	240	0.0
		05/12/23	7.62	366	17.8	–	1.03	-29	–
MW123	Westlake Ave N ROW W side	04/01/17	6.85	795	13.1	14.5	1.10	-117	–
		06/24/17	6.89	737	17.3	–	1.07	-89	–
		04/14/18	6.82	888	14.5	–	0.50	166	–
		10/18/19	6.71	947	14.3	6.0	0.36	-65	2.2
		01/22/20	6.79	687	13.8	4.7	1.89	25	4.0
		05/04/20	6.74	845	16.7	10.9	0.29	-102	3.0
		07/30/20	6.86	844	20.4	9.46	0.44	114	3.5
		11/12/20	6.73	736	14.5	–	0.34	-98	–
		05/26/21	6.77	853	17.7	–	0.26	-142	–
		03/02/22	6.93	675	14.6	–	0.17	-437	–
		06/09/22	7.01	571.2	15	–	0.23	-78	–
		11/03/22	6.06	497	14.9	–	0.80	52	2.0
		11/09/23	7.41	164	14.9	–	1.33	-38	–
MW124	Valley St ROW, S side	12/26/13	7.84	285	–	–	1.43	217	0.39
		03/29/17	7.96	306	13.9	–	1.06	117	–
		06/15/17	7.64	292	16.5	–	0.50	9	–
		04/13/18	7.57	281	14.3	–	1.30	327	0.5
		10/11/19	6.99	398	17.8	23.1	5.01	-64	0.0
		01/30/20	8.30	450	15.6	68.0	–	-186	0.0
		04/03/20	7.39	322	15.0	408.0	0.37	114	0.0
		08/03/20	7.45	324	17.2	103	0.32	10	0.0
		11/18/20	7.50	261	13.4	82.4	0.71	-160	–
		06/08/21	7.23	322	15.6	129	0.53	-126	–
		03/07/22	7.12	358.1	12.3	59	0.45	-451	–
		05/12/22	7.48	319	16.9	162	1.20	100	–
		10/31/22	7.63	356	15.2	–	0.34	208	0.0
		05/08/23	7.42	327	16.7	–	0.15	-37	–
		11/03/23	7.69	316	14.8	–	3.54	62	–
MW128	Westlake Ave N ROW E side	03/29/17	6.62	800	12.5	7.0	0.99	-88	1.8
		06/21/17	6.74	1,588	17.8	–	0.56	-79	–
		04/09/18	7.57	850	17.9	–	0.40	-45	–
		07/18/19	6.80	1,040	17.3	–	0.24	-102	–
		10/11/19	6.77	880	15.6	156	0.44	-22	4.5
		01/20/20	7.05	947	14.2	1.1	0.30	-49	2.0
		02/18/20 ^c	6.78	1175	14.2	–	0.64	-7	–
		04/27/20	6.82	941	15.1	3.5	0.12	-76	6.0
		06/29/20	7.38	810	15.6	–	0.33	-155	3.5
		11/09/20	6.85	775	14.1	93.0	0.37	-129	–
		05/25/21	6.84	758	17.7	–	0.23	-116	–
		02/25/22	6.74	838	13.3	–	0.61	-89	–
		06/08/22	6.71	850	16.6	–	0.32	-74	–
		11/01/22	6.70	878	15.5	–	0.42	-126	2.8
		05/18/23	6.93	803	17.7	–	0.68	-114	–
		11/09/23	7.39	791	15.5	–	0.81	2.3	–
MW-138	Dexter Ave N ROW E side	09/21/17	8.32 ^(a)	390	18.1	MAX ^(b)	0.52	-331	–
		04/11/18	7.89	350	17.4	–	0.20	34	0.0
		10/29/18	7.43	346	16.5	–	0.38	122	–
		12/17/18	7.82	424	15.7	–	0.49	-145	–
		01/03/19	7.33	358	16.2	–	2.41	50	0.0
		03/14/19	6.76	426	14.2	–	0.44	149	–
		04/22/19	7.47	359	17.1	–	0.34	-65	3.5

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		07/19/19	7.61	366	18.9	–	0.21	-156	0.5
		10/21/19	7.36	398	16.7	–	0.54	-146	0.5
		01/27/20	7.25	509	16.6	145	0.04	-145	0.5
		05/08/20	7.29	262	19.3	–	3.54	31	0.5
		07/27/20	7.37	380	19.7	305	0.30	106	1.0
		11/18/20	7.25	339	16.8	186	0.32	-38	–
		02/11/21	7.36	350	14.3	263	0.49	47	–
		06/07/21	7.22	329	14.2	425	1.67	-147	–
		08/03/21	7.35	372	20.1	130	0.69	-131	–
		11/10/21	7.44	318	16.4	–	0.35	123	0.8
		02/24/22	7.56	384	12.1	177	0.88	-224	–
		05/25/22	7.54	367	16.8	–	0.22	-61	–
		08/09/22	7.09	187	17.3	–	2.50	177	–
		11/08/22	6.65	283	14.7	–	0.49	82	1
		05/09/23	7.44	317	16.1	–	0.38	-155	–
MW-153	Roy St ROW, S side	05/01/18	8.91	369	16.5	–	0.40	87	–
		01/22/19	8.91	391	15.2	–	0.67	94	0.0
		04/24/19	8.62	327	18.0	–	0.45	93	0.0
		07/22/19	7.65	370	17.1	–	8.17	3	0.0
		11/18/19	7.45	330	17.6	90.0	0.27	228	–
		01/21/20	7.83	648	15.0	40.7	0.32	-113	0.0
		04/30/20	7.82	298	17.3	57.3	0.35	-77	0.0
		07/15/20	7.80	308	22.5	187	0.79	-10	0.0
		11/09/20	7.87	315	15.8	47.2	0.63	-134	–
		02/09/21	7.87	327	14.1	69.0	0.62	35	–
		05/10/21	7.89	336	18.9	34.6	0.7	-188	–
		08/20/21	7.97	345	19.0	60	0.35	-5	–
		12/07/21	7.99	343	14.3	–	0.95	-160	0.4
		02/25/22	7.98	368	14.8	–	0.97	-166	–
		05/02/22	7.94	349	15.9	–	4.37	112	–
		08/02/22	8.04	355	19.4	–	0.88	-30	–
		11/03/22	6.98	418	10.6	–	1.34	235	0.0
		05/12/23	7.67	372	21.5	–	0.20	-55	–
		11/10/23	7.70	351	13.8	–	1.73	-40	–
MW-158A	8th Ave N ROW, E side	04/30/18	8.20	1,306	14.8	–	0.40	102	0.5
		01/24/19	7.91	707	13.8	MAX ^(b)	0.53	-164	0.0
		04/25/19	7.58	775	17.7	–	0.48	38	NR
		07/19/19	7.72	653	8.3	–	0.15	-144	0.0
		10/16/19	7.46	856	15.9	47.0	0.75	-79	–
		01/21/20	7.60	916	15.6	308	0.18	-168	–
		04/24/20	7.56	692	13.0	200	0.99	63	0.0
		07/15/20	7.62	681	18.4	189	0.32	-149	0.0
		11/23/20	7.64	690	7.7	389	1.78	-364	–
		02/02/21	7.71	716	11.5	285	1.00	-502	–
		05/10/21	7.73	703	18.2	262	0.61	-207	–
		08/17/21	7.69	698	18.5	–	0.51	141	–
		12/08/21	7.70	700	14.0	–	1.29	-162	0.4
		03/04/22	7.71	727	13.8	102	0.32	-607	–
		05/17/22	7.79	686	16.3	–	0.55	-43	–
		08/12/22	7.69	520	18.8	–	3.85	77	–
		11/01/22	7.28	415	14.7	–	0.19	191	0.0
		05/12/23	7.57	592	19.5	–	0.85	-142	–
		11/06/23	7.17	484	15.3	–	0.39	9	0.3
MW-160	8th Ave N ROW, W side	05/21/18	7.96	323	23.2	–	0.42	-247	0.0
		01/25/19	7.57	404	18.4	MAX ^(b)	0.40	95	0.5
		05/01/19	7.71	359	24.0	–	0.32	-121	0.0
		07/23/19	7.73	341	21.8	–	0.75	115	0.5
		10/17/19	7.58	487	19.5	85.0	0.53	-111	0.8
		01/29/20	8.67	528	19.5	28.8	–	-198	0.0

Table 2

PES Environmental, Inc.

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		04/01/20	7.42	359	18.8	251	0.42	99	0.0
		08/03/20	7.76	344	19.6	193	0.54	122	0.5
		11/30/20	7.58	343	17.0	25	0.28	-28	-
		02/05/21	7.47	334	14.6	151	1.00	-476	-
		08/23/21	7.57	330	19.8	512	0.33	-93	-
		11/29/21	7.17	327	17.1	-	0.05	-114	0.8
		02/23/22	7.69	334	12.9	-	0.44	-219	-
		05/25/22	7.58	330	19.0	-	0.56	-43	-
		08/12/22	7.43	339	17.7	-	4.70	-32	-
		10/31/22	7.30	333	17.0	-	0.63	-163	0.8
		05/15/23	6.65	348	18.4	-	0.24	66	-
		11/03/23	7.26	352	16.6	-	0.50	-161	0.5
MW-161	8th Ave N ROW, W side	05/21/18	7.59	544	21.6	-	0.48	-153	0.0
		01/25/19	7.49	661	17.9	MAX ^(b)	0.61	99	0.0
		04/29/19	7.27	662	18.4	-	0.31	24	0.0
		07/18/19	7.10	586	20.9	-	0.36	-30	0.0
		10/14/19	7.44	837	19.7	11.5	0.16	-106	0.0
		01/28/20	8.29	792	15.3	-	-	-117	0.3
		04/03/20	7.54	510	15.3	17.1	0.22	-119	0.5
		07/31/20	7.56	466	18.9	6.60	0.14	-60	0.0
		12/01/20	7.58	438	17.5	8.7	0.25	-31	-
		02/05/21	7.48	424	14.5	32.8	0.61	-507	-
		05/25/21	7.36	444	15	-	0.17	126	-
		08/23/21	7.39	449	18.2	-	0.26	157	-
		11/29/21	7.57	476	15.6	-	0.22	160	0.0
		02/23/22	7.55	498.5	13.1	-	0.18	-268	-
		05/11/22	7.42	474	15.8	-	0.29	-38	-
		08/12/22	7.55	480	19.0	-	2.40	-46	-
		10/31/22	7.32	484	17.2	-	0.52	-157	0.4
		05/15/23	6.58	503	18.2	-	0.21	74	-
		11/06/23	7.63	423	16.7	-	1.24	16	-
MW-304	Dexter Ave N ROW E side	10/21/19	7.91	352	17.3	91.0	0.59	-214	0.0
		01/27/20	7.96	503	16.3	172	-	-196	0.5
		05/07/20	7.54	297	18.0	221	0.59	-120	0.7
		07/27/20	7.99	330	21.0	392	1.10	-14	0.1
		05/18/21	7.37	346	13.8	315	0.56	118	-
		11/08/21	7.34	868	16.2	216	0.34	-240	0.5
		05/25/22	7.58	336	16.0	-	0.28	4	-
		11/09/22	6.50	249	11.1	-	1.66	26	0.0
		05/09/23	6.94	349	13.6	-	0.27	101	-
		10/31/23	7.60	280	16.5	-	6.32	21	-
MW-319	9th Ave N ROW, W side	10/08/19	6.90	563	15.4	22.8	0.43	193	3.5
		01/16/20	6.90	577	14.5	1.3	0.20	-69	3.0
		04/27/20	6.81	655	17.8	35.0	0.47	88	-
		07/27/20	6.60	637	21.8	6.08	0.31	109	2.5
		11/12/20	6.81	600	15.7	7.8	0.41	-149	-
		05/19/21	6.90	729	16.5	10.0	0.28	-113	-
		11/08/21	7.00	734	16.2	-	0.26	144	3.0
		05/27/22	6.90	718	15.6	-	0.29	-84	-
		11/02/22	6.91	817	11.8	-	0.31	264	2
		05/17/23	7.38	577	22.8	-	0.32	-80	-
		11/08/23	7.59	674	14.8	-	1.26	-138	-
MW-323	9th Ave N ROW, W side	10/09/19	6.85	489	16.7	17.6	0.35	-335	0.0
		01/20/20	7.32	786	15.2	3.4	0.50	-57	2.5
		04/23/20	-	705	15.9	13.4	0.39	221	2.4
		07/07/20	7.33	689	16.8	44.3	0.40	-25	2.8
		11/24/20	7.26	498	12.5	26.0	0.59	-143	-
		05/20/21	7.25	681	15.4	1.0	0.27	-156	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/16/21	7.06	665	16.4	–	0.03	71	2.3
		06/03/22	7.15	702	15.4	–	0.40	-112	–
		11/04/22	6.04	592	15.8	–	0.50	184	2.0
		05/17/23	7.20	719	18.1	–	0.16	-78	–
		11/08/23	7.19	707	15.8	–	1.21	-85	–
MW-324	Roy St ROW, N side	10/02/19	8.43	1,060	16.2	89.6	0.36	162	2.0
		01/20/20	7.05	1,717	12.0	3.6	0.44	43	4.4
		04/24/20	6.79	1,492	15.9	14.0	0.22	-100	4.0
		07/07/20	6.72	1,283	17.3	15.9	0.30	4	4.0
		11/13/20	6.50	1,163	15.4	65.1	0.31	-153	–
		05/20/21	6.65	1,015	16.7	0.3	0.24	-96	–
		11/16/21	6.71	897	14.9	–	0.00	63	4.0
		05/31/22	6.55	1,076	16.8	–	0.30	-47	–
		11/03/22	6.07	999	15.1	–	1.00	45	1.0
		05/18/23	6.63	1,144	17.0	–	0.12	-59	–
MW-326	Mercer St ROW, N side	10/03/19	7.53	529	15.9	45.3	0.42	53	0.5
		01/17/20	7.23	875	12.5	–	0.49	47	0.8
		04/21/20	6.55	580	14.6	14.0	0.45	139	2.0
		07/23/20	6.84	1,369	16.0	9.3	0.10	-99	4.5
		11/02/20	6.99	704	15.2	6.9	0.40	-129	–
		02/09/21	6.97	752	13.0	17.0	0.31	46	–
		05/18/21	6.92	671	15.9	–	0.45	-156	–
		08/12/21	6.81	683	17.0	–	0.28	-94	–
		11/04/21	6.88	735	14.9	–	0.46	-133	0
		03/03/22	6.89	522	12.5	16	0.36	-436	–
		05/09/22	6.81	547	13.3	–	2.21	9	–
		08/11/22	7.12	383	15.8	–	1.60	129	–
		11/02/22	7.21	573	12.6	–	1.49	179	0.0
		05/15/23	7.24	630	17.3	–	0.42	-100	–
		05/09/23	6.83	503	17.1	–	0.36	23	–
MW-328	Lake Union Park, S end	10/02/19	6.82	4,785	14.6	26.6	0.41	-68	4.0
		01/17/20	6.72	1,190	12.1	5.9	0.40	-33	2.5
		04/08/20	6.53	1,154	14.1	–	0.20	-91	3.6
		07/07/20	6.83	1,014	14.2	11.5	0.26	-103	5.5
		11/09/20	6.70	1,107	12.5	9.3	0.47	-116	–
		05/25/21	6.77	1,015	14.2	–	0.19	133	–
		11/10/21	7.13	942	13.2	–	0.00	-84	4.5
		05/04/22	6.75	1,086	13.3	–	1.60	-95	–
		11/02/22	6.91	704	13.3	–	1.35	119	3.5
		05/19/23	6.86	794	13.1	–	0.54	-99	–
		11/09/23	7.41	710	13.6	–	0.30	3	–
MW-329	Westlake Ave N ROW E side	10/03/19	6.92	1,012	18.6	34.8	0.38	-114	4.0
		01/20/20	7.20	1,051	14.0	–	0.30	-19	1.5
		04/27/20	7.01	951	17.9	64.1	0.70	-77	2.5
		08/03/20	7.13	913	16.5	79.5	0.31	-78	3.0
		11/09/20	6.94	877	14.3	29.9	0.47	-112	–
		05/25/21	6.96	883	17.3	–	0.28	-134	–
		02/25/22	6.90	1,003	14.2	–	0.78	-80	–
		06/09/22	7.05	908	14.2	–	0.38	-70	–
		11/01/22	6.95	1,014	15.9	–	0.41	-142	3.2
		05/18/23	7.07	840	16.2	–	0.72	-115	–
		11/09/23	7.58	835	15.0	–	0.23	-1	–
MW-336	Mercer St ROW, N side	05/05/20	6.92	1,126	16.4	3.0	1.88	-84	6.5
		07/08/20	6.94	990	21.3	6.0	0.45	-9	4.0
		11/02/20	6.81	940	17.6	5.9	0.37	-105	–
		02/10/21	6.86	935	15.2	–	0.26	49	–
		05/26/21	6.81	955	16.8	–	0.32	-143	–
		08/11/21	6.69	972	24.2	–	0.19	131	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/17/21	6.85	913	14.9	–	0.00	55	6.5
		03/02/22	6.82	942	14.2	–	0.64	-89	–
		05/31/22	6.78	949	18.2	–	0.34	-72	–
		08/10/22	7.54	610	19.8	–	5.02	97	–
		11/03/22	6.17	623	17.8	–	3.41	19	0.0
		05/19/23	7.26	864	16.4	–	3.64	-59	–
		11/09/23	7.26	1,032	16.9	–	3.50	-9	–
MW-326R	Mercer St ROW, N side	05/15/23	7.24	630	17.3	–	0.14	-100	–
		11/09/23	7.23	571	13.3	–	2.39	-91	–
MW-341	Lake Union Park, S end	05/12/20	7.44	779	14.4	12.0	0.78	-166	3.0
		07/07/20	7.14	771	14.8	18.6	0.12	-136	5.5
		11/09/20	7.63	337	11.5	11.4	0.10	-293	–
		05/25/21	7.01	762	15.5	–	0.12	132	–
		11/10/21	7.34	806	13.9	–	0.00	-126	4.3
		05/04/22	7.06	753	13.5	–	1.82	-123	–
		11/02/22	6.91	617	12.8	–	0.49	83	2.5
		05/18/23	7.16	626	15.9	–	0.48	-125	–
		11/09/23	7.60	618	13.2	–	0.25	2	–
MW-342	Valley St ROW, S side	05/04/20	7.40	385	14.5	9.0	0.27	-20	0.0
		07/30/20	6.60	473	16.5	17.0	0.39	123	3.5
		11/17/20	6.80	186	15.1	–	0.30	-65	–
		06/04/21	6.52	434	15.4	8.0	0.22	-113	–
		11/09/21	6.73	1,007	14.5	–	0.00	-98	1.5
		05/17/22	6.77	438	15.0	–	0.23	-24	–
		11/01/22	6.49	596	14.9	–	0.37	-134	2.8
		05/09/23	7.10	203	14.5	–	4.14	-85	–
		11/09/23	6.76	784	14.9	–	1.20	-51	–
MW-343	Valley St ROW, S side	05/04/20	6.92	1,511	15.5	8.0	0.63	-123	6.5
		07/30/20	6.95	1,496	16.6	44.2	0.78	129	4.3
		11/24/20	6.86	1,250	13.9	430	0.62	-131	–
		06/04/21	6.86	724	15.1	8.3	0.28	-148	–
		11/09/21	7.17	776	12.5	–	0.20	-112	3.8
		05/17/22	6.85	754	14.8	–	0.27	-40	–
		11/01/22	6.74	757	15.2	–	0.40	-140	3.4
		05/09/23	7.26	420	13.8	–	1.19	-69	–
Treatment Zone A Injection Wells									
MW-165	Property, NE quadrant	11/04/19	6.64	2,285	16.9	4.8	0.21	-177	4.0
		01/30/20	7.32	2,923	15.6	6.9	0.96	-162	4.5
		05/01/20	6.72	2,758	15.5	23.8	3.91	-75	3.0
		07/09/20	6.63	2,501	18.1	1.79	0.10	-100	6.0
		11/05/20	6.61	2,377	18.0	2.2	0.19	-244	–
		02/04/21	6.60	1,539	16.2	–	0.14	48	–
		05/06/21	6.61	1,655	15	–	0.24	-140	–
		08/10/21	6.53	1,643	17.2	–	0.19	129	–
		12/02/21	6.38	1,290	15.7	–	1.18	-661	3.4
		02/22/22	6.67	1,298	14.9	–	0.75	-150	–
		05/13/22	6.84	1,232	15.1	–	0.42	-89	–
		08/05/22	6.03	1,059	16.1	–	1.93	79	–
		10/28/22	6.51	1,247	17.3	–	0.35	-195	2.4
		05/11/23	6.49	1,874	15.2	–	0.18	-39	–
		11/01/23	6.53	1,945	17.2	–	0.89	-122	3.5
MW-169	Property, SW quadrant	11/05/19	7.68	1,295	18.9	4.3	0.18	-73	2.5
		01/23/20	7.62	2,075	13.4	5.7	0.39	-189	3.0
		05/05/20	7.31	1,685	15.8	5.7	0.38	-189	2.0
		07/10/20	7.69	1,493	17.6	10.8	0.20	-155	4.2
		11/03/20	7.49	1,610	17.9	–	0.22	-215	–
		11/30/20	7.58	343	17.0	25.0	0.28	-28	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		02/17/21	7.77	1,457	12.0	1.0	4.37	-143	-
		05/07/21	7.80	1,333	14.1	1.5	4.85	-145	-
		08/10/21	7.53	1,317	17.3	-	0.08	-240	-
		11/19/21	7.78	1,172	15.5	-	1.00	180	3.0
		02/16/22	7.64	1,188	13.4	-	0.64	-245	-
		05/12/22	7.71	1,113	14.3	-	0.04	-124	-
		08/05/22	6.06	951	17.2	-	0.66	107	-
		10/27/22	7.64	1,025	18.1	-	0.30	-	1.4
		05/10/23	7.72	983	15.6	-	0.44	-34.7	-
MW-173	Property, SE quadrant	11/01/19	7.30	1,279	16.5	3.0	0.27	-160	1.5
		01/28/20	9.06	1,540	14.0	10.4	0.70	-122	2.0
		05/01/20	7.47	1,036	16.2	1.5	0.17	-112	1.0
		07/09/20	7.38	1,044	17.6	1.4	0.30	-34	1.4
		11/05/20	7.31	1,006	18.1	1.3	2.38	-183	-
		02/04/21	7.16	880	13.1	9.4	1.71	-452	-
		05/05/21	7.41	916	15.1	0.3	0.74	-173	-
		08/05/21	7.23	893	17.3	93	2.38	-87	-
		12/02/21	7.48	1,048	15.9	-	0.83	179	2.0
		02/17/22	7.47	1,002	13.8	-	0.90	-234	-
		05/13/22	7.42	985	15.0	-	0.00	-129	-
		08/11/22	7.57	-	17.0	-	20.1 ^d	-27	-
		10/27/22	7.21	1,006	17.6	-	0.38	-207	1.9
		05/11/23	6.97	1,088	15.0	-	0.14	-37	-
		11/02/23	7.42	974	17.6	-	0.69	16	2.0
MW-177	Property, SW quadrant	11/06/19	6.98	1,769	15.2	4.6	0.17	-80	3.1
		01/24/20	6.71	2,491	15.5	-	1.84	-92	-
		04/01/20	6.62	1,939	16.0	28	2.54	-154	5.0
		07/10/20	6.69	1,996	17.3	25.9	0.10	-63	3.0
		11/03/20	6.86	1,300	17.0	1.5	0.33	-70	-
		02/18/21	6.98	1,155	13.4	2.5	0.64	-74	-
		05/06/21	6.96	983	14.3	-	1.13	-143	-
		08/09/21	6.94	928	16.6	-	0.45	117	-
		12/03/21	7.13	814	14.9	-	0.61	167	3.0
		02/17/22	6.89	822	14.1	-	0.15	181	-
		05/10/22	6.85	844	14.6	-	0.34	-125	-
		08/04/22	6.90	778	16.7	-	0.05	-53	-
		10/26/22	6.91	785	17.3	-	2.10	-	1.75
		05/10/23	6.77	884	15.3	-	0.42	-141	-
		11/01/23	6.88	955	17.4	-	0.21	-166	3.0
MW-181	Property, SW quadrant	11/08/19	7.29	1,341	17.1	6.7	0.22	154	2.0
		01/27/20	6.86	2,322	14.4	9.7	0.32	-110	4.4
		04/01/20	6.41	1,422	16.3	5.4	0.13	-71	5.2
		07/08/20	6.73	1,474	17.5	41.9	0.71	-118	4.0
		11/04/20	6.91	1,629	17.4	2.5	0.23	-178	-
		02/19/21	7.30	1,454	12.5	9.2	0.73	-17	-
		05/06/21	7.18	1,330	15.6	7.5	0.11	121	-
		08/09/21	7.16	1,309	16.5	25	0.10	115	-
		11/18/21	7.20	1,216	16.4	-	1.69	163	3.8
		02/16/22	7.16	1,270	16.1	-	0.13	-348	-
		05/10/22	7.13	1,242	15.6	-	0.09	-128	-
		08/04/22	6.82	1,074	17.0	-	0.44	-7	-
		10/25/22	7.03	1,240	17.8	-	2.59	-	3.0
		05/10/23	6.86	1,280	15.6	-	0.16	-92.3	-
		11/01/23	6.99	1,281	17.2	-	1.03	-139.8	4.0
MW-185	Property, SE quadrant	10/31/19	7.05	1,944	12.8	7.4	0.48	-109	2.5
		01/29/20	6.79	3,212	15.9	2.2	0.03	-130	3.0
		04/02/20	6.82	2,168	15.1	13.1	0.25	-147	6.2
		07/08/20	6.91	1,694	17.1	11.8	1.30	-136	5.5

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/04/20	7.20	1,175	16.6	0.8	0.07	-59	-
		02/16/21	7.37	1,167	12.8	1.6	1.15	-8	-
		05/07/21	7.29	1,127	-	1.1	0.92	-147	-
		08/03/21	7.28	973	16.5	-	0.25	76	-
		11/18/21	7.01	886	12.9	-	1.25	-91	3.8
		02/16/22	7.28	1,274	13.3	-	0.19	216	-
		05/12/22	6.97	1,297	14.4	-	0.16	-102	-
		08/05/22	7.22	1,169	16.9	-	0.11	-70	-
		10/27/22	7.14	1,140	18.0	-	0.09	-	1.75
		05/11/23	6.78	1,799	15.2	-	0.46	-144	-
		11/02/23	6.90	2,364	17.3	-	1.13	-130	2.5
Treatment Zone B Injection Wells									
MW-166	Property, NE quadrant	11/04/19	6.64	2,204	15.5	4.7	0.20	-166	5.0
		01/30/20	7.30	2,119	17.3	9.3	-	-139	4.0
		05/01/20	6.78	2,017	17.3	9.6	0.15	-162	3.0
		07/09/20	6.95	1,340	18.6	5.81	0.21	-149	7.0
		11/05/20	6.74	1,625	17.9	4.7	0.17	-186	-
		02/04/21	6.89	1,615	15.5	2.0	0.11	50	-
		05/05/21	6.81	1,588	15.1	1.1	0.16	-138	-
		08/10/21	7.12	1,489	17.3	-	0.21	122	-
		12/02/21	6.39	1,437	15.4	-	0.54	-94	6.6
		02/22/22	6.80	1,552	16.5	-	0.22	-278	-
		05/13/22	6.79	1,529	15.2	-	0.37	-110	-
		08/05/22	6.11	1,347	17.0	-	1.41	36	-
		10/28/22	6.64	1,543	17.6	-	0.28	0	3.8
		05/11/23	6.69	1,652	15.6	-	0.32	-98	-
		11/02/23	6.71	1,455	17.2	-	0.23	7	5.5
MW-170	Property, SW quadrant	11/05/19	7.58	1,432	16.5	1.7	0.21	-29	1.1
		01/23/20	7.59	2,080	12.2	6.9	0.48	-157	3.0
		04/02/20	7.52	1,467	13.7	17.5	0.31	-184	4.5
		07/09/20	7.34	1,432	17.5	19.2	0.20	-182	5.5
		11/03/20	7.38	1,558	18.0	-	0.22	-203	-
		02/17/21	7.51	1,588	17.1	2.9	0.12	-117	-
		05/07/21	7.39	1,473	18	12.1	0.12	-206	-
		08/09/21	7.50	1,483	17.5	-	0.12	114	-
		11/19/21	7.53	1,419	17.0	-	0.34	170	1.5
		02/17/22	7.43	1,527	17.4	-	0.14	-327	-
		05/12/22	7.51	1,464	15.5	-	0.79	-44	-
		08/05/22	6.48	1,251	17.3	-	0.95	51	-
		10/27/22	7.47	1,482	18.3	-	0.23	-	2.6
		05/11/23	7.51	1,416	15.9	-	0.21	-39.6	-
MW-174	Property, SE quadrant	11/01/19	6.89	1,550	15.9	2.3	0.35	-146	3.0
		01/28/20	8.71	1,196	15.0	36.4	0.62	-170	3.0
		05/01/20	7.47	855	15.4	20.3	0.20	-177	5.0
		07/09/20	7.15	768	19.3	62.7	0.20	-34	3.8
		11/05/20	6.86	1,392	18.7	1.7	0.13	-183	-
		02/04/21	6.81	1,467	14.8	4.3	1.21	-424	-
		05/05/21	7.02	1,338	16	-	0.73	-150	-
		08/05/21	7.03	1,237	17.7	-	1.54	-121	-
		12/02/21	7.07	1,712	15.2	-	0.57	187	4.0
		02/17/22	7.10	1,868	15.3	-	0.62	-158	-
		05/13/22	6.97	1,931	16.3	-	0.03	-54	-
		08/11/22	7.11	1,961	17.3	-	5.60	-77	-
		10/27/22	6.88	1,952	17.8	-	0.34	-211	3.0
		05/11/23	7.38	1,985	16.1	-	0.20	-132	-
		11/03/23	6.94	2,125	17.3	-	0.79	-118	2.2
MW-178	Property, SW quadrant	11/06/19	6.62	3,395	13.3	2.6	0.15	-67	3.5
		01/24/20	6.90	5,013	12.0	-	1.83	-149	6.0

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		04/02/20	6.95	3,771	14.2	20.4	3.07	-167	6.5
		07/10/20	6.95	3,642	16.9	29.3	0.10	-101	3.5
		11/03/20	6.49	2,612	15.9	3.7	0.81	-74	-
		02/18/21	6.64	2,171	14.1	20.8	0.31	-47	-
		05/06/21	6.71	1,788	14.2	-	0.17	116	-
		08/06/21	6.71	1,679	16.6	9.2	0.31	113	-
		12/06/21	6.49	1,577	15.8	-	1.72	151	6.5
		02/17/22	6.50	1,481	14.9	-	0.25	178	-
		05/10/22	6.46	1,532	16.6	-	0.27	-124	-
		08/04/22	6.70	1,693	16.7	-	-	-56	-
		10/25/22	6.39	1,681	17.5	-	5.10	-	4.6
		05/10/23							
MW-182	Property, SW quadrant	11/08/19	7.03	2,831	16.7	7.2	0.15	-134	3.0
		01/27/20	6.82	3,979	15.8	-	0.23	-157	6.0
		04/01/20	6.58	2,613	18.5	14	0.08	-201	6.1
		07/08/20	6.89	2,520	17.2	8.33	0.10	-86	6.4
		11/04/20	6.55	2,719	18.5	2.7	0.24	-204	-
		02/19/21	6.55	2,282	17.9	8.9	0.38	-238	-
		05/06/21	6.59	2,165	17.8	-	0.15	-171	-
		08/09/21	6.66	2,107	17.9	17	0.21	110	-
		11/18/21	6.78	1,905	15.0	-	0.35	135	5.2
		02/16/22	6.67	2,086	17.3	-	0.12	-291	-
		05/10/22	7.66	1,001	16.6	-	0.02	-96	-
		08/04/22	7.53	1,808	17.4	-	0.45	120	-
		10/25/22	6.62	2,084	17.7	-	3.67	-	6.25
		05/10/23	6.56	2,059	16.0	-	2.54	-92.4	-
		11/02/23	6.78	2,117	17.4	-	1.08	-119.4	3.0
MW-186	Property, SE quadrant	10/31/19	7.54	992	15.1	4.6	0.63	-64	-
		01/29/20	7.42	1,088	11.7	10.7	0.77	-158	1.5
		04/02/20	7.61	731	15.8	14.6	0.16	-228	2.6
		07/08/20	7.95	719	17.0	14.0	0.40	-122	1.2
		11/04/20	7.06	1,547	19.0	2.5	0.38	-88	-
		02/16/21	7.08	1,570	13.1	6.1	0.99	-74	-
		05/07/21	7.14	1,500	15.8	-	1.48	-137	-
		08/03/21	7.11	1,332	17.0	-	0.18	69	-
		11/18/21	7.10	1,038	12.5	-	1.78	-86	6.4
		02/16/22	6.99	1,392	14.0	-	0.56	205	-
		05/12/22	7.06	1,428	15.2	-	0.16	-119	-
		08/05/22	7.20	1,469	17.4	-	0.55	-66	-
		10/26/22	6.85	1,586	18.0	-	0.44	-170	3.0
		05/11/23	6.96	1,892.0	16.3	-	0.49	-150	-
		11/02/23	7.01	1,963	17.5	-	1.18	-126	3.5
Treatment Zone C Injection Wells									
MW-167	Property, NE quadrant	11/04/19	7.76	1,051	17.9	1.3	0.43	-184	0.5
		01/28/20	7.61	1,030	15.8	2.0	0.07	-214	0.5
		05/01/20	7.92	893	17.3	4.0	0.31	-187	0.0
		07/09/20	8.25	724	17.6	10.6	0.30	-129	-
		11/05/20	7.92	1,052	17.1	4.4	0.34	-236	-
		02/04/21	7.89	920	13.7	7.0	0.21	44	-
		05/05/21	7.82	901	15.3	-	0.31	121	-
		08/10/21	7.82	871	17.0	-	0.27	111	-
		12/02/21	7.63	813	16.4	-	0.32	-190	0.8
		02/22/22	7.91	857	14.7	-	0.38	-300	-
		05/13/22	7.90	818	16.3	-	0.22	-206	-
		08/05/22	6.10	717	17.4	-	0.65	100	-
		10/28/22	7.80	818	18.1	-	0.10	-	0.3
		05/11/23	7.97	683	15.6	-	0.42	-167	-
		11/01/23	7.85	872	17.3	-	0.29	-189	1.0

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-171	Property, SW quadrant	11/08/19	8.06	583	16.3	36.8	0.17	117	1.0
		01/23/20	8.25	950	13.7	5.6	0.53	-218	0.5
		04/02/20	8.20	595	13.8	11.2	0.30	-210	1.0
		07/09/20	8.16	603	18.6	5.06	0.20	-155	1.0
		11/03/20	8.03	757	16.4	1.9	0.27	-238	-
		02/17/21	7.78	907	13.2	1.6	0.35	-243	-
		05/07/21	7.83	876	14.8	8.0	0.31	-223	-
		08/10/21	7.66	891	17.3	9.2	0.25	-139	-
		11/19/21	7.97	828	15.5	-	0.41	174	1.5
		02/17/22	7.77	922	15.0	-	0.58	-343	-
		05/12/22	7.80	877	14.6	-	0.37	-119	-
		08/04/22	6.69	773	16.9	-	0.88	144	-
		10/26/22	7.68	903	18.3	-	0.89	-	1.07
		05/11/23	6.92	930	16.2	-	0.10	79.2	-
MW-175	Property, SE quadrant	11/01/19	7.56	1,442	17.2	23.9	0.41	-151	0.0
		01/28/20	9.66	1,010	12.3	6.7	0.94	-165	0.0
		05/01/20	8.48	424	15.9	5.5	0.37	-74	0.0
		07/09/20	8.34	396	17.3	7.36	0.39	-160	0.5
		11/05/20	7.42	1,378	17.5	32.5	0.24	-85	-
		02/04/21	6.99	1,687	14.6	3.0	0.43	-456	-
		05/05/21	7.04	1,767	16.1	3.8	0.25	128	-
		08/05/21	7.02	1,605	17.4	45	0.65	-151	-
		12/02/21	7.00	1,748	16.7	-	0.38	184	4.5
		02/22/22	7.01	1,727	14.0	-	0.60	-123	-
		05/13/22	7.05	1,800	15.3	-	0.12	-77	-
		08/11/22	7.10	1,870	17.8	-	-	-84	-
		10/27/22	6.90	1,830	18.2	-	0.32	-186	3.8
		05/11/23	6.92	1,934	16.0	-	0.12	77	-
11/02/23	6.99	1,656	17.3	-	0.19	18	4.0		
MW-179	Property, SW quadrant	11/06/19	6.92	2,192	14.3	5.2	0.10	139	2.0
		01/27/20	6.75	3,085	16.0	13.5	-	-146	3.5
		04/02/20	6.55	2,665	17.7	9	4.43	-170	5.5
		07/10/20	6.59	2,650	18.7	5.07	0.10	-72	5.0
		11/03/20	6.36	1,691	17.7	1.0	0.76	-80	-
		02/18/21	6.44	1,601	17.8	11.0	0.95	-28	-
		05/06/21	6.50	1,764	15.1	10.0	0.14	116	-
		08/09/21	6.53	1,844	17.1	-	0.89	111	-
		12/03/21	6.48	1,965	15.6	-	0.43	183	6.5
		02/17/22	6.28	1,943	15.6	-	0.50	188	-
		05/10/22	6.48	1,987	17.0	-	0.19	-157	-
		08/04/22	6.54	2,005	17.4	-	-	-66	-
		10/25/22	6.34	2,078	17.9	-	0.26	-175	4.0
		05/10/23	6.53	1,843	16.5	-	0.45	-151	-
11/01/23	6.51	2,214	17.3	-	0.28	-149	1.5		
MW-183	Property, SW quadrant	11/08/19	8.09	303	12.8	12.6	0.38	184	0.0
		01/27/20	8.20	666	12.0	6.9	0.49	-206	0.4
		04/02/20	7.43	310	13.6	11	0.27	-190	0.0
		07/08/20	7.98	357	16.7	16.8	0.40	-163	0.5
		11/04/20	7.90	640	17.1	3.3	0.19	-69	-
		02/19/21	7.69	806	17.2	37.0	0.12	-38	-
		05/06/21	7.66	822	16.7	-	0.1	-212	-
		08/06/21	7.51	926	17.8	12	0.14	102	-
		11/18/21	7.60	925	17.0	-	0.28	139	0.6
		02/16/22	7.59	1,008	17.5	-	0.14	-329	-
		05/10/22	7.65	906	16.8	-	0.03	-111	-
		08/04/22	7.22	964	17.2	-	0.21	-2	-
		10/25/22	7.42	1,020	17.8	-	0.29	-231	0.05
		05/10/23	7.65	1,068	16.0	-	0.14	-99	-

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		11/01/23	7.65	1,171	17.4	–	1.01	-151	0.5
MW-187	Property, SE quadrant	11/01/19	7.22	671	9.0	8.6	0.35	-175	2.5
		01/29/20	7.82	740	13.5	1.1	0.75	-104	0.5
		04/02/20	7.34	389	12.7	23.2	0.44	-108	0.0
		07/08/20	7.55	449	16.9	5.97	0.47	-99	0.0
		11/04/20	7.82	694	16.6	2.9	0.43	-229	–
		02/16/21	7.65	922	12.4	3.0	0.55	-39	–
		05/07/21	7.64	1,035	14.3	3.2	0.39	-218	–
		08/03/21	7.68	1,012	17.3	–	0.48	44	–
		11/18/21	7.44	908	13.6	–	1.45	-125	2
		02/16/22	7.44	1,226	13.3	–	0.38	195	–
		05/12/22	7.49	1,239	16.7	–	0.42	-134	–
		08/05/22	7.53	1,383	17.4	–	3.50	-77	–
		10/26/22	7.34	1,384	18.1	–	0.48	-193	2.2
		05/11/23	7.39	1,221	15.5	–	0.41	-1,644	–
11/02/23	7.50	1,488	17.2	–	1.11	-137	2.0		
Treatment Zone D Injection Wells									
MW-168	Property, NE quadrant	11/04/19	7.54	649	19.4	1.4	1.68	-93	0.0
		01/31/20	8.27	639	19.7	0.3	–	-148	0.5
		05/01/20	7.46	557	16.1	17.4	0.44	-132	0.5
		07/09/20	8.86	451	17.3	11.3	0.24	-207	1.0
		11/05/20	8.60	454	16.5	5.7	0.25	-116	–
		02/04/21	7.69	454	14.5	–	0.21	42	–
		05/05/21	7.66	743	14.3	0.9	0.43	-199	–
		08/10/21	7.67	767	17.9	–	0.12	113	–
		12/02/21	7.32	771	18.3	–	0.47	-153	0.4
		02/22/22	7.62	852	14.7	–	0.29	-291	–
		05/13/22	7.53	834	16.4	–	0.25	98	–
		08/05/22	7.01	650	17.5	–	0.78	87	–
		10/28/22	7.55	867	18.2	–	0.14	–	0.6
		05/11/23	7.62	882	16.4	–	0.13	-58.7	–
11/02/23	7.64	805	17.4	–	7.64	6	2		
MW-172	Property, SW quadrant	11/05/19	7.65	494	21.2	0.3	1.79	269	–
		01/23/20	7.81	845	17.8	0.7	1.09	-99	0.0
		04/02/20	7.62	537	20.3	7.1	0.34	-155	0.0
		07/09/20	7.70	504	18.8	0.49	0.30	-1	0.2
		11/03/20	7.54	576	18.3	1.2	0.21	-52	–
		02/17/21	7.56	732	14.7	2.1	1.72	-106	–
		05/07/21	7.76	553	14.6	12.0	0.2	102	–
		08/10/21	7.52	656	17.8	–	0.28	-86	–
		11/19/21	7.81	572	16.7	–	0.95	172	0.1
		02/17/22	7.59	669	16.2	–	0.51	-195	–
		05/12/22	7.39	652	17.9	–	0.32	114	–
		08/05/22	7.62	609	18.6	–	0.73	147	–
		10/27/22	7.50	660	19.0	–	0.08	–	0.25
		05/11/23	7.60	740	17.3	–	0.15	-44.7	–
MW-176	Property, SE quadrant	11/01/19	7.25	609	20.6	1.4	1.56	-88	0.0
		01/28/20	9.12	789	16.8	0.4	1.42	-62	0.2
		05/01/20	7.57	428	15.5	3.3	0.33	-87	0.5
		07/09/20	7.62	436	17.1	9.14	0.20	-195	2.5
		11/05/20	7.33	1,150	17.2	4.7	0.32	-86	–
		02/04/21	6.98	1,249	17.0	4.0	0.29	-460	–
		05/05/21	7.03	1,400	16.1	6.4	0.25	-187	–
		08/05/21	7.11	1,256	18.9	–	0.51	-154	–
		12/02/21	7.20	1,462	16.6	–	0.72	177	3.5
		02/22/22	7.11	1,461	17.0	–	0.50	-144	–
		05/13/22	7.10	1,523	17.5	–	0.00	-155	–
		08/11/22	7.26	1,693	17.3	–	4.50	-111	–

Table 2

**Groundwater Field Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
		10/26/22	6.99	1,570	18.7	–	0.37	-197	4.1
		05/11/23	6.98	1,651	16.9	–	0.04	-102	–
		11/02/23	7.09	1,453	17.6	–	0.22	16	2.5
MW-180	Property, SW quadrant	11/06/19	7.15	1,752	18.1	19.3	0.19	-11	2.5
		01/24/20	6.81	2,104	16.4	–	2.97	-60	1.0
		04/01/20	6.78	1,105	17.2	9.0	1.79	-179	–
		07/10/20	6.85	875	19.0	3.79	0.10	-47	2.5
		11/03/20	6.50	1,001	17.7	1.5	0.20	-161	–
		02/18/21	6.64	1,128	14.4	1.8	0.47	-301	–
		05/06/21	6.53	1,314	15.9	4.8	0.37	119	–
		08/06/21	6.61	1,524	18.3	4.9	1.01	110	–
		12/03/21	6.57	1,539	16.0	–	0.22	167	7.0
		02/17/22	6.63	1,603	15.8	–	0.23	189	–
		05/10/22	6.58	1,741	16.4	–	0.39	-190	–
		08/04/22	6.74	1,323	16.7	–	2.99	-48	–
		10/26/22	6.48	2,096	18.1	–	6.77	–	5.75
		05/10/23	6.44	2,162	16.5	–	0.39	-157	–
		11/01/23	6.49	2,449	17.6	–	1.09	-110	3
MW-184	Property, SW quadrant	11/08/19	7.83	316	17.1	0.1	1.35	229	0.0
		01/27/20	7.75	656	13.7	0.5	0.81	-95	0.3
		04/01/20	7.44	324	18.0	9	0.07	-194	4.1
		07/08/20	7.56	366	18.6	1.7	0.30	14	0.2
		11/04/20	7.64	394	19.4	2.8	0.08	-81	–
		02/19/21	7.28	875	15.4	7.7	1.00	-59	–
		05/06/21	7.70	368	15.6	4.8	0.20	112	–
		08/06/21	7.32	587	18.2	5	0.12	104	–
		11/18/21	7.38	638	16.6	–	0.78	132	0.5
		02/16/22	7.33	692	16.9	–	0.73	-239	–
		05/10/22	7.20	641	17.2	–	0.03	49	–
		08/04/22	6.79	550	17.9	–	0.79	99	–
		10/25/22	7.22	676	18.3	–	0.36	-191	0.02
		05/10/23	7.35	654	17.1	–	0.14	-91	–
		11/02/23	7.54	801	17.8	–	1.41	-85	0.5
MW-188	Property, SE quadrant	10/31/19	7.34	657	18.5	0.3	1.92	-21	0.5
		01/29/20	7.02	839	15.4	0.5	1.74	16	0.5
		04/02/20	7.42	499	17.8	5.0	0.13	-223	4.2
		07/08/20	7.49	514	17.9	3.65	0.30	-44	0.8
		11/04/20	7.45	581	18.4	–	0.26	-214	–
		02/16/21	7.40	636	18.7	–	0.16	-417	–
		05/07/21	7.46	696	15.2	–	0.22	119	–
		08/10/21	7.36	692	15.4	3.4	0.13	-174	–
		11/18/21	7.23	523	14.1	–	5.75	19	–
		02/16/22	7.52	666	16.9	–	0.15	201	–
		05/12/22	7.44	676	17.1	–	0.34	-93	–
		08/05/22	7.30	679	18.5	–	0.42	-50	–
		10/26/22	7.18	651	18.7	–	0.60	-165	0.09
		05/11/23	7.42	666	17.1	–	0.10	-58	–
		11/03/23	7.31	676	17.6	–	2.57	84	2.0
Notes:									
1. – = not measured									
2. ^(a) = pH meter not giving stable/reliable reading									
3. ^(b) = Turbidity reading collected and read with a turbidimeter after water sample collection.									
4. ^(c) = Readings collected by Farrallon									
5. ^(d) = DO meter malfunction									
6. MAX = Turbidity greater than instrument upper detection limit.									

Table 3

**Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
Groundwater Screening Level for Soil Vapor					–	2.4	15,000	1,200	320	24	1.4	–	77	0.35	
DMW-1S (38.8 to 28.8)	615 Dexter, SE quadrant	03/25/19	HC	–	350	1.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U	
		03/25/19	HC	–	300	1.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U	
		03/18/20	HC	Peristaltic	1,800	2.9	1.6	12	1.8	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
DMW-2S (30.7 to 20.7)	615 Dexter, SE quadrant	03/18/20	HC	Peristaltic	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
DMW-4S (38.5 to 28.5)	Alley S of SE quadrant of 615 Dexter	03/19/20	HC	Peristaltic	670	0.20 U	0.26	5.5	3.0	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
DMW-5IA (29.4 to 19.4)	Alley S of 615 Dexter	03/19/20	HC	Submersible	100 U	0.20 U	0.64	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
DMW-6 (32.1 to 22.1)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
F5 (29.1 to -1.0)	Property, NW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	120,000	50	700	5.2	4.2	
		10/24/13	SES	Peristaltic	–	–	–	–	–	21,000	1,200	1,000	1,000	200 U	
		03/28/17	PES	Peristaltic	234 zJ+	0.515	0.727 U	0.158 U	0.316 U	0.199 U	0.241 J	516	4.31	90.6	
		06/22/17	PES	Peristaltic	31.6 U	0.374 J	0.708	0.158 U	0.316 U	0.199 U	0.485	10.4	0.485 J	63.9	
Decommissioned March 2019															
F9 (28.5 to -1.5)	Property, NE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	140,000	3,400	50	8.6	78	
		06/16/15	SES	Peristaltic	–	–	–	–	–	3.7	1.8	680	12	74	
		10/19/15	SES	Peristaltic	–	–	–	–	–	15.0	6.6	840	13	75	
		02/01/16	SES	Peristaltic	–	–	–	–	–	2.9	1 U	1.3	1 U	20	
		03/27/17	PES	Peristaltic	31.6 U	0.529	2.04	0.158 U	0.316 U	0.199 U	0.153 U	0.158 J	0.539	0.118 U	
		06/22/17	PES	Peristaltic	31.6 U	0.471 J	1.70	0.158 U	0.316 U	0.199 U	0.153 U	6.10	0.485	3.57	
Decommissioned March 2019															
F13 (28.4 to -1.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	2,900	280	370	100 U	49	
		10/24/13	SES	Peristaltic	–	–	–	–	–	7,300	3,100	490	50 U	10 U	
		11/18/13	SES	Peristaltic	–	–	–	–	–	67,000	6,600	3,200	85	48	
		12/12/13	SES	Peristaltic	–	–	–	–	–	50	340	670	10 U	20	
		03/07/14	SES	Peristaltic	–	–	–	–	–	84	11	10	1 U	0.36	
		06/16/15	SES	Peristaltic	–	–	–	–	–	8.4	1 U	1.8	1 U	0.31	
		10/19/15	SES	Peristaltic	–	–	–	–	–	1 U	2.0	210	2.3	4.1	
		02/02/16	SES	Peristaltic	–	–	–	–	–	3.4	1 U	1 U	1 U	0.97	
		03/27/17	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.218 J	0.152 U	0.936	
		06/22/17	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.194 J	0.152 U	1.32	
04/05/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	20.3	0.346 J	0.375 J	0.152 U	0.843			
Decommissioned March 2019															
FMW-1	900 Roy St, S end	11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
FMW-143 (10.0 to 5.0)	9th Ave N ROW, E side	07/30/19	Farallon	Unknown	–	–	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
		10/31/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/22/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		05/14/20	PES	Bladder	–	0.0941 U	0.319 J	0.137 U	0.201 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/22/20	PES	Bladder	–	0.0160 U	0.146 J	0.0490 J	0.331	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
G12 (29.4 to -0.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	64,000	3,100	9,200	88	130	
		10/24/13	SES	Peristaltic	–	–	–	–	–	1,700	150	100 U	100 U	20 U	
		11/18/13	SES	Peristaltic	–	–	–	–	–	760	84	42	10 U	2 U	
		03/27/17	PES	Peristaltic	–	0.243 J	0.412 U	0.158 U	0.316 U	0.199 U	0.233 J	95.9	1.97	28.4	

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
		06/30/17 Decommissioned March 2019	PES	Peristaltic	–	0.282 J	0.412 U	0.158 U	0.316 U	0.199 U	0.323 J	115	2.94	31.5		
G-MW2 (31 to 21)	Property	07/24/01	GeoE	Peristaltic	–	0.375	48.3 E	2.01	12.88	176,000	237 g	129 g	1.02	0.457		
		01/29/09	DOF	Peristaltic	39,600 qp	20.0 U	20.0 U	20.0 U	48.9	59,000 f	210	373	1.33	0.200 U		
		06/02/11	SES	Peristaltic	59,000 xy	350 U	1,000 U	1,000 U	3,000 U	150,000	1,000 U	1,000 U	1,000 U	200 U		
		09/06/12 Decommissioned	SES	Peristaltic	–	0.35 U	12	1.1	4.7	150,000	320	260	1.4	0.2 U		
HMW-1S (16.0 to 6.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U		
		03/11/20	HC	Peristaltic	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-2S (27.6 to 17.6)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U		
		03/12/20	HC	Peristaltic	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-9S (30.4 to 20.4)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-10S (23.5 to 13.5)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-11S (16.5 to 6.5)	Seattle DOT Mercer Parcels, SE quadrant	03/11/20	HC	Submersible	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-17S (22.2 to 12.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	–	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-18S (22.6 to 12.6)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	–	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-19S (23.2 to 13.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	–	170	0.20 U	0.20 U	0.20	0.60	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-20S (28.8 to 18.8)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	–	100 U	0.20 U	0.20 U	0.20 U	0.40 U	4.7	0.38	1.4	0.20 U	0.99		
HMW-21S (8.2 to -1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	–	–	–	–	–	–	–	–	–	–	–		
HMW-22S (11.8 to 1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	–	–	–	–	–	–	–	–	–	–	–		
J5 (29.8 to -0.2)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	46,000	660	100 U	100 U	20 U		
		10/24/13	SES	Peristaltic	–	–	–	–	–	48,000	13,000	1,400	100 U	20 U		
		06/16/15	SES	Peristaltic	–	–	–	–	–	50	340	250	51	1.0		
		10/19/15	SES	Peristaltic	–	–	–	–	–	1,400	470	890	51	1.3		
		02/02/16	SES	Peristaltic	–	–	–	–	–	1,500	5	280	14	0.31		
		03/21/17	PES	Peristaltic	–	0.580	0.412 U	0.158 U	0.316 U	285	78.5	253	1.73	29.6		
		06/26/17	PES	Peristaltic	–	0.252 J	0.506	0.158 U	0.316 U	36.1	37.1	366	1.94	77.7		
		04/05/18 Decommissioned March 2019	PES	Peristaltic	207	0.638	0.412 U	0.158 U	0.316 U	267	70.5	222	1.00	17.6		
J15 (28.7 to -1.3)	Property, SE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	4,100	220	580	6.8	20		
		10/24/13	SES	Peristaltic	–	–	–	–	–	10,000	50	680	100 U	20 U		
J15 (continued)		03/07/14	SES	Peristaltic	–	–	–	–	–	2,200	170	120	50 U	10 U		
		06/16/15	SES	Peristaltic	–	–	–	–	–	9.0	12	310	8.8	3.1		
		10/19/15	SES	Peristaltic	–	–	–	–	–	3.6	1 U	5	3.0	1.7		
		02/02/16	SES	Peristaltic	–	–	–	–	–	2.4	1 U	35	1 U	0.39		
		03/27/17	PES	Peristaltic	–	0.188 J	0.495 J	0.158 U	0.316 U	0.199 U	0.153 U	43.3	1.18	6.99		

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
(duplicate)		06/26/17	PES	Peristaltic	–	0.173 J	0.459 J	0.158 U	0.316 U	0.199 U	0.153 U	39.8	1.06	6.30
		06/26/17	PES	Peristaltic	–	0.173 J	0.551 J	0.158 U	0.316 U	0.199 U	0.153 U	39.3	1.03	6.73
		04/05/18	PES	Peristaltic	41.2 J	0.0896 U	0.412 U	0.158 U	0.316 U	12.8	0.358 J	26.3	0.709	6.07
		Decommissioned March 2019												
K8 (29.9 to -0.1)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	8,700	330	1,400	5.6	6.3
		06/17/15	SES	Peristaltic	–	–	–	–	–	63	16	500	67	2 U
		10/19/15	SES	Peristaltic	–	–	–	–	–	360	82	43	3.2	0.44
		02/01/16	SES	Peristaltic	–	–	–	–	–	250	44	82	1.8	0.31
		03/21/17	PES	Peristaltic	–	0.239 J	0.412 U	0.158 U	0.316 U	82.5	22.0	123	0.680	0.461 J
		06/26/17	PES	Peristaltic	–	0.246 J	0.412 U	0.158 U	0.316 U	67.9	28.7	140	0.750	0.456 J
		04/05/18	PES	Peristaltic	156 zJ+	0.251 J	0.412 U	0.158 U	0.316 U	229	26.3	104	0.750	1.45
Decommissioned March 2019														
M15 (29.5 to -0.5)	Property, SE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	3,200	5	180	1.7	0.22
		10/24/13	SES	Peristaltic	–	–	–	–	–	56,000	50	770	50 U	10 U
		03/07/14	SES	Peristaltic	–	–	–	–	–	2,100	190	290	2.9	2.60
		06/16/15	SES	Peristaltic	–	–	–	–	–	58	44	76	2.7	1.1
		10/19/15	SES	Peristaltic	–	–	–	–	–	48	29	5	2.3	0.74
		02/02/16	SES	Peristaltic	–	–	–	–	–	11	10	84	1.8	0.39
		03/27/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.733	32.7	0.561	13.2
		03/27/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.670	31.7	0.513	12.0
		06/26/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.233 J	1.80	25.8	0.523	15.0
		04/05/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.563	8.89	0.300 J	11.1
Decommissioned March 2019														
MW-1 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	5,100	10,000	270	480	427	–	–	–	–	–
		06/17/93	Retec	Unknown	–	20,000	14,000	840	6,700	–	–	–	–	–
Decommissioned October 1993														
MW-2 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	650	100	42	24	67	–	–	–	–	–
		06/17/93	Retec	Unknown	–	28	7.2	1 U	2 U	170	1,400	9,300	25	50
Decommissioned October 1993														
MW-3 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	27,000	1,500	3,300	690	3,500	–	–	–	–	–
		06/17/93	Retec	Unknown	–	4,800	21,000	1,900	12,300	–	–	–	–	–
Decommissioned October 1993														
MW-4 (--)	Seattle Roy Aloha Shops, N end	03/22/93	EPJ	Bailer	940	82	390	39	108	–	–	–	–	–
		06/17/93	Retec	Unknown	–	1 U	1 U	1 U	2 U	–	–	–	–	–
Decommissioned October 1993														
MW-5 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	670	49	140	9.8	80	–	–	–	–	–
		06/17/93	Retec	Unknown	–	1 U	1 U	1 U	2 U	–	–	–	–	–
Decommissioned October 1993														
MW-6 (31.2 to 16.2)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	150,000	9,100	6,800	2,600	7,300	–	–	–	–	–
		10/26/93	Retec	Unknown	100,000	17,000	14,000	1,400	500	–	–	–	–	–
		01/25/94	Retec	Unknown	66,000	8,800	4,600	1,500	8,100	–	–	–	–	–
MW-6 (continued)		04/25/94	Retec	Unknown	120,000	15,000	7,200	2,600	13,300	–	–	–	–	–
		09/15/94	Retec	Unknown	56,000	15,000	2,000	1,500	7,100	–	–	–	–	–
		06/20/02	Urban	Unknown	8,500	1,900	14	250	53	–	–	–	–	–
MW-7 (26.1 to 16.1)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	75,000	20,000	22,000	3,000	15,000	–	–	–	–	–
		10/26/93	Retec	Unknown	74,000	8,300	7,400	50	8,300	–	–	–	–	–
		01/25/94	Retec	Unknown	53,000	1,600	2,700	1,400	5,100	–	–	–	–	–

**Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
		Preliminary Cleanup Level (PCUL)			800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
(duplicate)		04/25/94	Retec	Unknown	140,000	3,900	7,400	3,100	14,100	-	-	-	-	-
		09/15/94	Retec	Unknown	66,000	3,400	2,700	1,900	7,700	-	-	-	-	-
		09/15/94	Retec	Unknown	77,000	3,600	3,000	2,100	8,700	-	-	-	-	-
		06/20/02	Urban	Unknown	8,400	650	37	470	150	-	-	-	-	-
MW-8 (28.7 to 14.2)	Seattle Roy Aloha Shops, N end	10/26/93	Retec	Unknown	280	19	1	1 U	48	-	-	-	-	-
(duplicate)		01/25/94	Retec	Unknown	230 J	13	0.7 J	1 U	4.5	-	-	-	-	-
		01/25/94	Retec	Unknown	210 J	12	0.6 J	1 U	3.7	-	-	-	-	-
		04/25/94	Retec	Unknown	250 U	2.2	1 U	1 U	1.7	-	-	-	-	-
(duplicate)		09/15/94	Retec	Unknown	210 J	1 U	0.5 J	1 U	1.6 J	-	-	-	-	-
		09/15/94	Retec	Unknown	250	1 U	0.5 J	1 U	1.7 J	-	-	-	-	-
		06/21/02	Urban	Unknown	50 U	1 U	1 U	1 U	1 U	-	-	-	-	-
		03/20/17	PES	Peristaltic	-	0.145 J	0.412 U	0.175 J	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/13/18	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.570	0.153 U	0.0933 U	0.152 U	0.118 U
		07/18/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		10/10/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.167 J	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Peristaltic	-	0.156 J	1.96	0.158 U	0.569 J	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		05/06/20	PES	Peristaltic	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/14/20	PES	Peristaltic	-	0.0160 U	0.161 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-9 (34.1 to 19.1)	8th Ave N ROW, E side	10/26/93	Retec	Unknown	210 J	9.5	1.3	1 U	2 U	-	-	-	-	-
(duplicate)		01/25/94	Retec	Unknown	250 U	5.7	1.1	1 U	2 U	-	-	-	-	-
		04/25/94	Retec	Unknown	250 U	0.001 U	1 U	1 U	2 U	-	-	-	-	-
		09/15/94	Retec	Unknown	250 U	3.5	0.6 J	1 U	2 U	-	-	-	-	-
		06/20/02	Urban	Unknown	50 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U
		06/02/11	SES	Peristaltic	100 U	1 U	1 U	1 U	3 U	-	-	-	-	-
		09/04/12	SES	Peristaltic	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.61
		12/16/13	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
		03/20/17	PES	Peristaltic	52.8 J	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.140 J	0.152 U	0.324 J
(duplicate)		06/20/17	PES	Peristaltic	31.6 U	0.0896 U	0.562	0.158 U	0.316 U	0.199 U	0.153 U	0.214 J	0.152 U	0.118 U
		06/20/17	PES	Peristaltic	31.6 U	0.0896 U	0.548	0.158 U	0.316 U	0.199 U	0.153 U	0.211 J	0.152 U	0.118 U
		04/05/18	PES	Peristaltic	32.9 J	0.0896 U	0.412 U	0.158 U	0.316 U	1.58	0.153 U	0.246 J	0.152 U	0.210 J
		01/21/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/26/19	PES	Peristaltic	121 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	157	45.2	75.1	0.261 J	0.861 UJ
		07/16/19	PES	Peristaltic	57.4 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.619
		10/17/19	PES	Peristaltic	62.0 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.786	0.152 U	0.416 J
		11/24/20	PES	Peristaltic	41.0 J	0.0250 J	0.0800 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.221	0.0572 U	0.288
		02/05/21	PES	Peristaltic	73.2 U	0.0420	0.241	0.0510 J	0.321	0.117	0.0160 U	0.121	0.0572 U	0.138 J
(duplicate)		05/12/21	PES	Peristaltic	31.6 U	0.0290 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.117	0.0572 U	0.223 J
		05/12/21	PES	Peristaltic	31.6 U	0.0280 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.119	0.0572 U	0.0273 UJ
		08/02/21	PES	Peristaltic	31.6 U	0.0440	0.325	0.0620 J	0.471	0.0280 U	0.0160 U	0.0640 J	0.0572 U	0.0273 U
		11/11/21	PES	Peristaltic	31.6 U	0.0290 J	0.0500 U	0.0212 U	0.191 U	0.0680 J	0.0160 U	0.0730 J	0.0572 U	0.142
		02/15/22	PES	Peristaltic	31.6 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
(duplicate)		06/08/22	PES	Peristaltic	31.6 U	0.0490	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.100 J	0.0572 U	0.487
		06/08/22	PES	Peristaltic	31.6 U	0.0570	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0970 J	0.0572 U	0.520
		08/09/22	PES	Peristaltic	31.6 U	0.0400 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0750 J	0.0572 U	0.626
		10/31/22	PES	Peristaltic	31.6 U	0.0280 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0970 J	0.0572 U	0.342
		05/12/23	PES	Peristaltic	-	0.0430	0.0500 U	0.0212 U	0.191 U	0.1210	0.0160 U	0.0430 J	0.0572 U	0.592
		11/06/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					Preliminary Cleanup Level (PCUL)														
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE
800	5.0	640	700	1,600	5.0	4.0	16	100	0.29										
MW-154 (27.8 to 17.9)	Roy St ROW, S side	04/30/18	PES	Bladder	32.1 J	0.0896 U	0.412 U	0.158 U	0.316 U	4.46	0.230 J	1.77	0.152 U	7.48					
		01/21/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	1.70	0.330 J	2.03	0.152 U	3.52					
		04/24/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	1.02	0.214 J	1.76	0.152 U	0.797					
		07/15/19	PES	Bladder	68.0 U	0.0896 U	0.412 U	0.158 U	0.316 U	69.5	5.75	2.55	0.152 U	0.211 J					
		10/14/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	4.99	0.445 J	1.40	0.152 U	0.118 U					
		01/21/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	11.6	0.999	2.26	0.152 U	0.118 U					
		04/30/20	PES	Bladder	47.5 J	0.0941 U	0.278 U	0.137 U	0.174 U	12.1	1.06	2.58	0.149 U	0.234 U					
		07/10/20	PES	Bladder	-	0.0160 U	0.771	0.0212 U	0.191 U	10.9	0.786	1.83	0.0572 U	0.0273 U					
		11/09/20	PES	Bladder	-	0.0230 J	0.317	0.0212 U	0.191 U	73.9	6.84	1.77	0.0572 U	0.0273 U					
		02/08/21	PES	Bladder	-	0.0220 J	0.794	0.106	0.593	4.72 J	0.501	0.203	0.0572 U	0.0273 U					
		05/10/21	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	3.41	0.453	0.134	0.0572 U	0.0273 UJ					
		08/17/21	PES	Bladder	-	0.0240 U	0.129 U	0.0212 U	0.191 U	32.9	2.84	0.537	0.0572 U	0.119					
		11/10/21	PES	Bladder	-	0.0160 U	0.0500 U	0.0850 J	0.366	6.38	0.530	0.211	0.0572 U	0.0273 U					
		02/18/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	3.86	0.489	0.104	0.0572 U	0.0273 U					
		05/02/22	PES	Bladder	-	0.0160 U	0.161 J	0.182	0.280	3.13	0.365	0.0640 J	0.0572 U	0.0273 U					
		08/02/22	PES	Bladder	-	0.0160 U	0.265	0.0212 U	0.255 J	29.7	2.08	0.318	0.0572 U	0.0273 U					
		11/03/22	PES	Bladder	-	0.0160 U	0.0600 U	0.0212 U	0.191 U	88.8	6.04	0.925	0.0572 U	0.0273 U					
		05/12/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	37.9	2.86	0.254	0.0572 U	0.0273 U					
11/10/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	58.1	4.32	0.616	0.0572 U	0.0273 U							
MW-155 (24.4 to 14.4)	Roy St ROW, S side	04/27/18	PES	Peristaltic	60.9 U	0.0896 U	0.412 U	0.158 U	0.316 U	3.48	0.334 J	0.466 J	0.152 U	0.447 J					
		01/21/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	3.72	0.581	0.274 J	0.152 U	0.118 U					
		04/23/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	14.6	4.75	71.9	0.152 U	6.54 J					
MW-155 (continued)	Roy St ROW, S side	07/23/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	92.7	19.9	12.1	0.152 U	0.350 J					
		10/16/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	121	27.6	36.2	0.152 U	0.118 U					
		01/20/20	PES	Bladder	44.9 J	0.0896 U	0.412 U	0.158 U	0.316 U	98.3	21.8	12.7	0.152 U	0.118 U					
		05/05/20	PES	Bladder	31.6 U	0.0941 U	0.278 U	0.137 U	0.174 U	140	27.3	16.4	0.152 U	0.234 U					
		08/03/20	PES	Bladder	-	0.0310 J	0.355	0.0212 U	0.191 U	63.4	28.0	9.74	0.152 U	0.216					
		11/11/20	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 UJ	0.191 U	119	26.0	11.7	0.152 U	0.108 J					
		08/13/21	PES	Peristaltic	-	0.0260 J	0.0970 J	0.0212 U	0.191 U	57.4	12.8	4.73	0.152 U	0.0840 J					
		12/02/21	PES	Peristaltic	-	0.0160 U	0.236	0.0212 U	0.291	8.11	2.08	1.51	0.152 U	0.114 J					
		03/01/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	19.7	6.56	51.6 J+	0.152 U	0.0830 J					
		05/05/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	27.6 J+	5.14	18.3	0.0572 U	0.0273 U					
		08/03/22	PES	Peristaltic	-	0.0200 J	0.0500 U	0.0212 U	0.191 U	33.8	8.28 J+	3.85	0.0572 U	0.0630 J					
		11/04/22	PES	Bladder	-	0.0160 U	0.0830 J	0.0212 U	0.191 U	47.5	11.7	61.4	0.0572 U	0.188 J					
05/09/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	21.1 J+	4.6	9.1	0.0572 U	0.057 U							
11/10/23	PES	Peristaltic	-	0.0220 J	0.0500 U	0.0212 U	0.191 U	36.6	11.8	84.3	0.0572 U	0.158 J							
MW-159 (22.9 to 12.9) (duplicate)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.964	0.358 J	1.09	0.152 U	0.118 U					
		01/21/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.651	0.152 U	0.666					
		04/26/19	PES	Bladder	31.6 U	0.179 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.23	0.152 U	1.03 J					
		04/26/19	PES	Bladder	31.6 U	0.193 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.12	0.152 U	1.04 J					
		07/22/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.918	0.152 U	0.691					
		01/29/20	PES	Bladder	33.9 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.811	0.152 U	0.118 U					
		11/11/20	PES	Bladder	-	0.0160 U	0.457 J-	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.561	0.0572 U	0.214 J+					
		02/08/21	PES	Peristaltic	-	0.0340 J	0.182 J	0.0860 J	0.486	0.126 J	0.0380 J	0.525	0.0572 U	0.504 J					
		05/11/21	PES	Peristaltic	-	0.0200 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0360 J	0.518	0.0572 U	0.350 J-					
08/05/21	PES	Peristaltic	-	0.0280 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.331	0.0572 U	0.0980 J							

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
(19.2 to 9.2) (duplicate)		01/14/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/08/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.193 J	0.152 U	0.118 U	
		08/04/20	PES	Bladder	–	0.0270 J	0.982	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		08/04/20	PES	Bladder	–	0.0360 J	0.959	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/06/20	PES	Bladder	–	0.0275 J	0.348	0.0212 U	0.191 U	0.0280 U	0.0554	0.134	0.0572 U	0.0273 U	
		05/03/21	PES	Peristaltic	–	0.0420	0.413	0.138	0.909	0.0280 U	0.0160 U	0.203	0.0572 U	0.0273 U	
		11/03/21	PES	Peristaltic	–	0.0440	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.200	0.0572 U	0.0273 U	
		05/18/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/01/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.109	0.0572 U	0.0273 U	
		11/07/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.147	0.0572 U	0.0273 U	
MW-312 (19.9 to 9.9)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/21/20	PES	Peristaltic	–	0.0896 U	1.22	0.158 U	0.713 J	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/22/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		08/04/20	PES	Bladder	–	0.0160 U	0.0690 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0440 J	0.0572 U	0.0273 U	
		11/11/20	PES	Bladder	–	0.0160 U	1.12 J-	0.0212 U	0.191 U	0.137	0.0407	0.0820 J	0.0572 U	0.0273 U	
		05/03/21	PES	Peristaltic	–	0.0260 J	0.748	0.182	1.07	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/03/21	PES	Peristaltic	–	0.0220 J	0.407	0.0710 J	0.512	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/09/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/01/22	PES	Peristaltic	–	0.0160 U	0.102 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/07/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
MW-313 (20.4 to 10.4) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.34	0.152 U	1.09	
		01/14/20	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.67	0.152 U	2.59	
		05/04/21	PES	Bladder	–	0.0300 J	0.824	0.160	0.946	0.0280 U	0.0160 U	2.31	0.0572 U	0.524	
		11/09/21	PES	Bladder	–	0.0200 J	0.0500 U	0.0860 J	0.394	0.0280 U	0.0160 U	5.28	0.0572 U	0.932	
		05/18/22	PES	Bladder	–	0.0160 U	0.436	0.0870 J	0.567	0.0280 U	0.0250 J	7.25	0.0800 J	0.488	
		11/01/22	PES	Bladder	–	0.0160 U	0.0900 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	9.77	0.144 J	0.580	
		05/15/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.68	0.057 U	0.168	
		05/15/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.76	0.0572 U	0.0273 U	
		11/07/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.49	0.105 J	0.0900 J	
		MW-320 (18.6 to 8.6)	9th Ave N ROW, W side	10/07/19	PES	Peristaltic	–	0.0896 U	0.459 J	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U
01/20/20	PES			Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
04/29/20	PES			Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
07/28/20	PES			Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
11/12/20	PES			Bladder	–	0.0160 U	0.338 J-	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0350 J	0.0572 U	0.0273 U	
05/20/21	PES			Peristaltic	–	0.0160 U	0.0520 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
11/16/21	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.391 J+	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
06/08/22	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.386	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
11/04/22	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.285	0.0160 U	0.0560 U	0.0572 U	0.0273 U	
MW-332 (16.0 to 6.0)	Roy St ROW, N side			05/04/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.419 J	0.149 U
		07/30/20	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.110 J	0.0572 U	0.145	
		11/12/20	PES	Bladder	–	0.0160 U	0.584 J-	0.0212 U	0.191 U	0.112	0.0160 U	0.202	0.0572 U	0.102 J+	
		05/20/21	PES	Peristaltic	–	0.0160 U	0.0710 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/08/21	PES	Peristaltic	–	0.0160 U	0.276	0.0500 J	0.357	0.0710 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/31/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/04/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.104	0.0572 U	0.0273 U	
		11/08/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-337 (18.1 to 8.1)	Lake Union Park, N end	05/07/20	PES	Peristaltic	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/23/20	PES	Peristaltic	–	0.0160 U	0.145 J	0.0212 U	0.191 U	0.0280 U	0.0260 J	0.0560 J	0.0572 U	0.0273 U
		11/10/20	PES	Peristaltic	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0870 J	0.0572 U	0.0273 U
		05/04/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0490 J	0.0572 U	0.0670 J
		11/17/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.118	0.0940	0.0276 U	0.0572 U	0.0273 U
		05/03/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0530	0.0290 J	0.0572 U	0.0273 U
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.112	0.0572 U	0.0273 U
MW-339 (duplicate) (18.2 to 8.2) (duplicate)	Lake Union Park, S end	05/14/20	PES	Peristaltic	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		05/14/20	PES	Peristaltic	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/23/20	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0280 J	0.164	0.0572 U	0.0273 U
		11/09/20	PES	Peristaltic	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.238	0.0572 U	0.0273 U
		05/25/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.120	0.0572 U	0.0273 U
		11/10/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0400 J	0.0572 U	0.0273 U
		11/10/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0430 J	0.0572 U	0.0273 U
05/04/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
N7 (41.8 to 11.8)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	640	50	18	1 U	0.2 U
		10/19/15	SES	Peristaltic	–	–	–	–	–	2,900	99	9.9	1 U	0.2 U
		02/02/16	SES	Peristaltic	–	–	–	–	–	230	79	1,700	2.9	0.92
		03/30/17	PES	Peristaltic	–	0.178 J	0.412 U	0.158 U	0.316 U	280	50.4	125	0.396 J	0.310 J
		06/27/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	205	85.1	153	0.955	0.386 J
Decommissioned March 2019														
R-MW1 (33.8 to 23.8)	Property	10/24/92	Roux	Unknown	57	1	1	0.5 U	0.5 U	5 U	5 U	–	5 U	100
		10/24/92	DOF	Unknown	53	0.61	0.83	0.50 U	1.0 U	4.2	0.82	12.0 c	–	170
		10/24/92	Roux	Unknown	54	0.58	1	0.5 U	0.5 U	2.3	2 U	14	–	140
		01/29/09	DOF	Peristaltic	50.0 U	0.500 U	0.500 U	0.500 U	1.00 U	17.1	4.26	1.60	0.200 U	0.630
		06/02/11	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	7.9	2.7	1.9	1 U	0.68
		09/05/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	16	3.6	2.1	1 U	2.20
Decommissioned														
R-MW2 (36.7 to 26.7)	Property, NE quadrant	10/24/92	Roux	Unknown	4,200	684	17	301	403	5 U	5 U	–	5 U	5 U
		10/24/92	DOF	Unknown	4,000	310	0.50 U	140	180	–	–	–	–	–
		01/29/09	DOF	Peristaltic	657	0.500 U	0.557	0.513	2.08	5.05	0.200 U	0.200 U	0.200 U	0.200 U
		06/02/11	SES	Peristaltic	1,700	19	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
R-MW2 (continued)		09/04/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
		03/21/17	PES	Peristaltic	–	0.272 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.341 J	0.152 U	0.522
		06/15/17	PES	Peristaltic	–	0.694	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.682	0.152 U	0.609
		04/02/18	PES	Peristaltic	38.0 U	0.568	0.412 U	0.158 U	0.316 U	0.866	0.620	2.48	0.152 U	1.33
Decommissioned March 2019														
R-MW3 (34.7 to 24.7)	Property, NE quadrant	10/24/92	Roux	Unknown	87	0.5 U	0.5 U	0.5 U	0.5 U	5 U	5 U	–	5 U	5 U
		10/24/92	DOF	Unknown	50 U	0.50 U	0.50 U	0.50 U	1.0 U	–	–	–	–	–
		01/29/09	DOF	Peristaltic	50.0 U	0.500 U	0.500 U	0.500 U	1.00 U	4.26	0.200 U	0.200 U	0.200 U	0.200 U
		06/02/11	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
		09/04/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	6.4	1 U	1 U	1 U	0.2 U
		03/21/17	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	1.38	0.714	0.575	0.152 U	0.118 U
		06/28/17	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.834	0.582	0.735	0.152 U	0.424 J
04/04/18	PES	Peristaltic	33.7 J	0.0896 U	0.412 U	0.158 U	0.316 U	16.4	0.972	1.35	0.152 U	0.214 J		
Decommissioned March 2019														

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
R-MW4 (25.9 to 10.9)	Roy St ROW	10/24/92	Roux	Unknown	410	0.5 U	2	1	4	814	64	–	5 U	5 U	
		10/24/92	DOF	Unknown	640	0.5 U	1.8	0.5 U	3.1	31	2.8	2.0 U	–	2.0 U	
		Decommissioned before 2009													
R-MW5 (42.4 to 27.4)	Dexter Ave N ROW, E side	10/28/92	Roux	Unknown	93	0.5 U	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	–	0.5 U	
		01/29/09	DOF	Peristaltic	50 U	0.500 U	0.500 U	0.500 U	1.00 U	0.800	0.200 U	0.200 U	0.200 U	0.200 U	
		06/02/11	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		09/05/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		12/18/13	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		03/23/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.338 J	0.186 J	0.0933 U	0.152 U	0.118 U	
		06/16/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.257 J	0.245 J	0.0933 U	0.152 U	0.118 U	
		04/11/18	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.621	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/03/19	PES	Peristaltic	81.5 J	0.0896 U	0.412 U	0.158 U	0.316 U	0.477 J	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/22/19	PES	Peristaltic	31.6 U	0.0896 U	0.428 J	0.158 U	0.316 U	0.499 J	0.155 J	0.0933 U	0.152 U	0.118 UJ	
		07/16/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.736	0.153 U	0.131 J	0.152 U	0.118 U	
		10/21/19	PES	Bladder	95.3 J	0.0896 U	0.412 U	0.158 U	0.316 U	0.523	0.153 U	0.302 J	0.152 U	0.118 U	
		01/24/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.931	0.374 J	0.265 J	0.152 U	0.118 U	
		11/18/20	PES	Bladder	43.8 U	0.0160 U	0.205	0.0212 U	0.191 U	0.607	0.318	0.505	0.0572 U	0.0273 U	
		(duplicate)	02/11/21	PES	Bladder	31.6 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.741	0.271	0.357	0.0572 U	0.0273 U
		(duplicate)	02/11/21	PES	Bladder	45.1 J	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.990	0.286	0.382	0.0572 U	0.0273 U
		(duplicate)	05/17/21	PES	Bladder	31.6 U	0.0160 U	0.147 J	0.0212 U	0.191 U	0.671	0.232	0.186	0.0572 U	0.0273 U
		(duplicate)	08/03/21	PES	Bladder	31.6 U	0.0290 J	0.565	0.0830 J	0.547	0.512	0.308	0.226	0.0572 U	0.0273 U
		(duplicate)	08/03/21	PES	Bladder	31.6 U	0.0350 J	0.561	0.0630 J	0.545	0.571	0.312	0.306	0.0572 U	0.0273 U
		(duplicate)	11/08/21	PES	Peristaltic	31.6 U	0.0190 J	0.178 J	0.0320 J	0.271	0.661	0.265	0.389	0.0572 U	0.0273 U
(duplicate)	02/24/22	PES	Bladder	36.2 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.569	0.266	0.198 J	0.0572 U	0.0273 U		
(duplicate)	02/24/22	PES	Bladder	34.8 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.650	0.301	0.324 J	0.0572 U	0.0273 U		
(duplicate)	05/17/22	PES	Bladder	31.6 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.321	0.188	0.253	0.0572 U	0.0273 U		
(duplicate)	08/09/22	PES	Bladder	31.6 U	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.173	0.109	0.174	0.0572 U	0.0273 U		
(duplicate)	11/08/22	PES	Bladder	32.6 U	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.515 J+	0.314 J+	0.297	0.0572 U	0.0273 U		
(duplicate)	10/31/23	PES	Bladder	–	0.0380 J	0.411	0.124	0.731	0.208	0.132	0.237	0.0572 U	0.0273 U		
R-MW6 (33.3 to 23.3)	8th Ave N ROW, W side	10/28/92	Roux	Unknown	50 U	0.5 U	2	0.5 U	2	4,500	920	2,600	–	240	
		11/03/92	DOF	Unknown	–	–	–	–	–	690	160	620	–	40 U	
		01/29/09	DOF	Peristaltic	50.0 U	0.500 U	0.500 U	0.500 U	1.00 U	1.78	0.200 U	2.64	0.200 U	2.75	
		05/03/10	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1.2	1 U	2.8	
		06/02/11	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	2.1	
		09/05/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		03/21/17	PES	Peristaltic	42.8 J	0.0896 U	0.412 U	0.158 U	0.316 U	1.08	3.17	20.0	0.242 J	8.65	
		06/20/17	PES	Peristaltic	38.5	0.167 J	0.619	0.158 U	0.316 U	1.19	0.878	37.3	0.445 J	43.9	
		04/06/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	1.85	2.24	19.4	0.277 J	26.9	
		01/25/19	PES	Peristaltic	–	0.142 J	0.412 U	0.158 U	0.316 U	0.328 J	1.07	12.5	0.152 U	9.14	
R-MW6 (continued)		04/25/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.370 J	11.8	0.168 J	7.16 J	
		12/01/20	PES	Peristaltic	–	0.0490	0.336	0.0670 J	0.513	0.670	1.07	2.15	0.0572 U	0.583	
		02/03/21	PES	Peristaltic	–	0.0160 U	0.198 J	0.0810 J	0.550	0.371	0.341	1.22	0.0572 U	0.248	
		05/17/21	PES	Peristaltic	–	0.0770	1.02	0.129	0.696	0.0670 J	0.349	12.2	0.0930 J	2.86	
		08/03/21	PES	Peristaltic	–	0.0640	0.318	0.0650 J	0.398	0.0910 J	0.290	15.4	0.120 J	4.46	
		11/29/21	PES	Peristaltic	–	0.0160 U	0.300	0.0212 U	0.297	0.0280 U	0.313	1.12	0.0572 U	0.0273 UJ	
		02/23/22	PES	Peristaltic	–	0.0430	0.0500 U	0.0212 U	0.191 U	0.0470 J	0.268	5.15	0.0572 U	1.27	
		05/11/22	PES	Peristaltic	–	0.0420	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.354	4.15	0.0620 J	1.71	

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
		08/03/22	PES	Peristaltic	–	0.0680	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.297	7.61	0.101 J	1.21
		11/04/22	PES	Peristaltic	–	0.0800 U	0.250 U	0.106 U	0.955 U	0.140 U	0.220	5.08	0.286 U	1.56
		05/16/23	PES	Peristaltic	–	0.0600 J	0.050 UJ	0.021 UJ	0.191 UJ	0.028 UJ	0.135 J	5.76 J	0.097 J	1.19 J+
		11/03/23	PES	Peristaltic	–	0.0840	0.0610 J	0.0212 U	0.191 U	0.0280 U	0.100	4.66	0.180 J	1.81
SCL-MW101 (25.5 to 15.5)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	–	6.74	0.624 U	0.598	2.08	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		06/14/17	PES	Peristaltic	–	18.6	1.68	17.1	3.50	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/06/18	PES	Peristaltic	–	10.6	1.24	11.7	3.32	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		10/09/19	PES	Peristaltic	–	11.2	2.39	16.6	3.77	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/17/20	PES	Peristaltic	–	15.4	0.611	1.61	3.66	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ
		04/07/20	PES	Peristaltic	–	7.26	0.868	5.54	1.74	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		11/24/20	PES	Peristaltic	–	14.6	1.24	3.53	3.95	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/04/21	PES	Peristaltic	–	6.04	0.395	1.22	1.48	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/11/21	PES	Peristaltic	–	6.77	0.542	0.454	1.90	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/19/22	PES	Peristaltic	–	10.1	0.853	46.7	0.568	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/03/22	PES	Peristaltic	–	5.03	0.364	0.582	1.17	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/07/23	PES	Peristaltic	–	4.61	0.220	0.340	0.936	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
SCL-MW105 (11.1 to 1.1)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	–	257	16.3	26.5	33.9	0.995 U	0.765 U	0.466 U	0.760 U	0.590 U
		06/15/17	PES	Peristaltic	–	208	14.3	109	40.8	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/06/18	PES	Peristaltic	–	181	12.1	26.6	28.4	1.99 U	1.53 U	0.933 U	1.52 U	1.18 U
		10/10/19	PES	Peristaltic	–	133	15.5	41.0	34.6	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/17/20	PES	Peristaltic	–	142	14.9	54.6	28.6	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ
		04/01/20	PES	Peristaltic	–	95.1	11.3	47.4	23.4	0.199 U	0.153 U	0.550	0.152 U	0.118 U
		07/24/20	PES	Peristaltic	–	86.6	12.0	35.1	22.5	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
SCS-2 (28.2 to 18.2) (duplicate)	Seattle Roy Aloha Shops, N end	03/20/17	PES	Peristaltic	1,660	51.8	9.54	155	181	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		06/12/17	PES	Peristaltic	901	58.9	4.49	141	70.4	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/13/18	PES	Peristaltic	–	44.3	5.18	37.3	47.7	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		07/18/19	PES	Peristaltic	2,190 J+	15.5	3.71	141	149	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		07/18/19	PES	Peristaltic	2,320 J+	15.0	3.37	187	131	0.199 U	0.153 U	0.0933 U	0.152 U	0.242 J
		10/10/19	PES	Peristaltic	–	20.3	6.00	307	123	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Peristaltic	–	16.9	5.00 J	135	32.2	1.99 U	1.53 U	0.933 U	1.52 U	1.18 U
Number of Analytes Measured					185	311	311	311	311	312	312	312	312	312
Number of Analytes Detected					56	103	98	59	64	108	111	178	44	104
Frequency of Detection					30%	33%	32%	19%	21%	35%	36%	57%	14%	33%
Maximum Detection					150,000	257	16.3	307	181	285	85.1	516	4.31	90.6
Minimum Detection					31.6 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
Number of Analytes Detected Above PCUL					4	24	0	0	0	38	27	27	0	82
Frequency of Detection Above PCUL					2%	8%	0%	0%	0%	12%	9%	9%	0%	26%
Notes:					Laboratory and Results Notes:									
PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for Am Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2017.					Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, NWTPH-Gx, NWTPH-Dx, or 8015-M.									
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .					VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.									
Detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange .					– = Not analyzed or results not available.									
Detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange .					B = The same analyte is found in the associated blank.									
cDCE = cis-1,2-Dichloroethene					c = Reported as total 1,2,-DCE (sum of cis,-1,2- and trans,1-2-DCE isomers).									
DOF = Dalton, Olmsted & Fuglevand, Inc.					E = Estimated value. The reported range exceeds the calibration range of the analysis.									
DRO = Diesel-range organics					f = Analyte was detected in the associated method blank. Analyte concentration in the sample is									
(duplicate) = field duplicate														

Table 3
Groundwater Analytical Data for Shallow Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
EPJ = EP Johnson Construction Inc. and Environmental GeoE = GeoEngineers, Inc. GRO = Gasoline-range organics HC = Hart Crowser ORO = Oil-range organics PCE = Perchloroethylene (tetrachloroethene) Retec = Remediation Technologies, Inc. Roux = Roux Associates ROW = Right of way SES = SoundEarth Strategies, Inc. TCE = Trichloroethene tDCE = trans-1,2-Dichloroethene Urban = Urban Redevelopment LLC VC = Vinyl chloride Well screen elevations indicated below Sample Location in parentheses. (--) = Well screen elevation unknown.					greater than 10x the concentration found in the method blank. g = Estimated value. The reported range exceeds the calibration range of the analysis. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. qp = Hydrocarbon result partly due to individual peak(s) in quantitation range. U = Not detected at or above the laboratory method detection limit (MDL). x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation. y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis. z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.									

Table 4

PES Environmental, Inc.

**Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
BB-5 (--)	Seattle DOT Mercer Parcels, SE quadrant	11/17/97	B&V Decommissioned	Bailer	250 U	ND	ND	ND	ND	ND	ND	ND	1.1	ND	ND
BB-7 (--)	Valley St ROW, N side	11/17/97	B&V Decommissioned	Bailer	250 U	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BB-8 (14.0 to 4.0)	Roy St ROW, S side	06/24/97	B&V	Bailer	200 U	1.8	1.3	1.0 U	1.0 U	11,000	1,500	4,200	14	280	
		01/29/09	DOF	Unknown	499	0.694	0.500 U	0.500 U	1.00 U	896 f	258	441	2.45	1.48	
		05/03/10	SES	Peristaltic	–	–	–	–	–	510	120	110	1 U	0.27	
		06/02/11	SES	Peristaltic	130 xy	0.35 U	1 U	1 U	3 U	170	59	44	1 U	0.2 U	
		09/05/12	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	200	41	28	1 U	0.2 U	
		12/29/13	SES	Bladder	–	0.35 U	1 U	1 U	3 U	200	38	24	1 U	0.2 U	
		06/17/15	SES	Peristaltic	–	–	–	–	–	170	40	37	10 U	2.0	
		03/22/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	30.4	4.95	3.10	0.152 U	0.118 U	
		06/14/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	26.0	8.57	12.6	0.155 J	0.118 U	
(duplicate)		04/11/18	PES	Peristaltic	40.9 U	0.0896 U	0.412 U	0.158 U	0.316 U	33.7 J	6.13 J	4.64 J	0.152 U	0.118 U	
		04/11/18	PES	Peristaltic	41.5 U	0.0896 U	0.412 U	0.158 U	0.316 U	46.8 J	8.41 J	6.28 J	0.152 U	0.118 U	
		01/23/19	PES	Peristaltic	99.6 J	0.0896 U	0.412 U	0.158 U	0.316 U	133	43.1	81.5	0.402 J	0.618	
		04/23/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	48.8	9.09	7.57	0.152 U	0.118 U	
		07/17/19	PES	Bladder	112 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	169	28.9	19.3	0.262 J	0.118 U	
(duplicate)		10/22/19	PES	Bladder	176 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	135	46.6	31.8	0.398 J	0.162 J	
(duplicate)		10/22/19	PES	Bladder	174 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	169	48.3	30.4	0.426 J	0.152 J	
(duplicate)		01/20/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	138	25.4	16.5	0.232 J	0.118 U	
(duplicate)		01/20/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	132	24.6	16.0	0.199 J	0.118 U	
		05/12/20	PES	Bladder	101 zJ+	0.0941 U	0.682	0.137 U	0.387 J	142	30.8	17.6	0.282 J	0.234 U	
(duplicate)		07/27/20	PES	Bladder	–	0.0570	0.268	0.0320 J	0.217 J	165	46.8	26.3	0.531	0.0273 U	
		07/27/20	PES	Bladder	–	0.0660	0.470	0.0710 J	0.306	162	45.5	26.0	0.496	0.194	
		11/17/20	PES	Bladder	–	0.0950	0.339	0.0212 U	0.191 U	215	107 J+	101	0.802	0.302	
		02/11/21	PES	Peristaltic	–	0.0490	1.58	0.242	1.28	20.1	3.83	2.19	0.0572 U	0.0273 U	
		06/07/21	PES	Bladder	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	54.4	12.3	6.94	0.0980 J	0.0790 J	
		08/17/21	PES	Peristaltic	–	0.283	2.79	–	1.45	46.4	11.5	6.92	0.101 J	0.0273 U	
		11/08/21	PES	Peristaltic	–	0.0340 J	0.325	0.0550 J	0.378	38.5	7.20	3.22	0.0620 J	0.0273 U	
		02/24/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	43.5	7.20	3.49	0.0572 U	0.0273 U	
		05/17/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	37.5	6.35	3.01	0.0572 U	0.0273 U	
		08/09/22	PES	Peristaltic	–	0.0280 J	0.0520 J	0.0212 U	0.191 U	59.3	10.2	5.62	0.0690 J	0.0273 U	
(duplicate)		08/09/22	PES	Peristaltic	–	0.0260 J	0.0500 U	0.0212 U	0.191 U	62.4	10.9	5.94	0.0930 J	0.0273 U	
		11/09/22	PES	Peristaltic	–	0.0340 J	0.0500 U	0.0212 U	0.191 U	109 J+	32.2	23.5	0.224	0.0273 U	
		05/09/23	PES	Peristaltic	–	0.0890	0.0500 U	0.0212 U	0.191 U	72	46.0	23.1	0.244	0.1840	
		10/31/23	PES	Peristaltic	–	0.160 U	0.500 U	0.212 U	1.91 U	139	45.8	26.6	0.572 U	0.273 U	
BB-8A (--)	Roy St ROW, S side	01/29/09	DOF	Peristaltic	669	0.500 U	0.500 U	0.500 U	1.00 U	1,290 f	285	549	2.96	3.86	
		05/03/10	SES	Peristaltic	–	–	–	–	–	810	180	140	1.6	0.78	
		06/02/11	SES	Peristaltic	380 xy	3.5 U	10 U	10 U	30 U	710	170	170	10 U	2 U	
		Decommissioned													
BB-12 (--)	9th Ave N ROW, center	05/19/98	B&V	Bailer	250 U	ND	ND	ND	ND	ND	ND	540	ND	380	
		05/02/10	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		Decommissioned													
BB-12A (--)	9th Ave N ROW, center	05/02/10	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		Decommissioned													
DMW-31A (16.8 to 6.8)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
FMW-142 (2.4 to -7.6)	9th Ave N ROW, E side	07/26/19	Farallon	Unknown	–	–	–	–	–	–	0.20 U	0.38	0.36	0.20 U	0.20 U
		10/31/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/22/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/28/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/08/20	PES	Bladder	–	0.0160 U	1.37	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0320 J	0.0572 U	0.0273 U	
		11/04/20	PES	Bladder	–	0.0160 U	0.179 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0977 J	0.0572 U	0.0273 U	
		05/25/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		03/02/22	PES	Peristaltic	–	0.0160 U	0.173 J	0.0212 U	0.199 J	0.117	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		06/05/22	PES	Peristaltic	–	0.0200 J	0.160 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/04/22	PES	Peristaltic	–	0.0220 J	0.0790 J	0.0212 U	0.191 U	0.0271	0.0160 U	0.0590 U	0.0572 U	0.0273 U	
		11/08/23	PES	Peristaltic	–	0.0160 U	0.106 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
GEI-1 (1.2 to -8.9)	Block 37, NW quadrant	03/24/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		06/13/17	PES	Bladder	–	0.0896 U	0.412 U	0.244 J	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/22/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		07/16/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		10/21/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/22/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/29/20	PES	Peristaltic	–	0.0941 U	0.278 U	0.137 U	0.254 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		04/29/20	PES	Peristaltic	–	0.0941 U	0.286 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/30/20	PES	Peristaltic	–	0.0160 U	0.142 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		GEI-MW-1 (-9.7 to -29.7)	Block 79 East, N end	09/06/14	GeoE	Peristaltic	50.0 U	1.00 U	1.00 U	–	1.00 U	0.250	0.240	1.00 U	0.500 U
01/23/20	PES			Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.230 J	0.0933 U	0.152 U	0.118 U	
04/29/20	PES			Peristaltic	–	0.0941 U	1.06	0.161 J	0.938 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
08/07/20	PES			Peristaltic	–	0.0320 J	0.162 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
11/10/20	PES			Peristaltic	–	0.0160 U	0.435 J-	0.0212 U	0.316	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
05/13/21	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
03/07/22	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
05/27/22	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0910 J	
11/04/22	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.147	0.0160 U	0.119	0.0572 U	0.0273 U	
05/16/23	PES			Peristaltic	–	0.0160 UJ	0.0500 UJ	0.0212 UJ	0.191 U	0.028 UJ	0.0160 UJ	0.028 UJ	0.0572 UJ	0.0273 UJ	
11/08/23	PES			Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0340 J	0.0572 U	0.0273 U	
GEI-MW-2	Block 79 East, S end	09/06/14	GeoE	Peristaltic	28.9	14.1	4.44	–	1.00 U	1.00 U	0.410	1.00 U	0.500 U	1.34	
GEI-MW-3	Block 79 East, S end	09/06/14	GeoE	Peristaltic	50.0 U	1.00 U	9.03	–	1.00 U	1.00 U	0.610	1.00 U	0.500 U	3.14	
G-MW1 (9.0 to 4.0)	Property	07/24/01	GeoE	Peristaltic	–	0.449	17.6 E	0.798	5.52	85,500	1,130	23.3 g	0.956	74.5 g	
		01/29/09	DOF	Peristaltic	41,300 qp	20.0 U	20.0 U	28.6	55.1	78,400 f	1,160	34.4	1.49	0.200 U	
		06/03/11	SES	Peristaltic	29,000 x	–	–	–	–	78,000	1,100	22	–	33	
		09/06/12	SES	Peristaltic	–	0.35 U	7.4	1 U	1.1	66,000	1,100	32	1.5	35	
		09/06/12	SES	Peristaltic	–	0.35 U	7.6	1 U	1.0	64,000	1,100	30	1.4	33	
G-MW3 (13.6 to 3.6)	Property	07/24/01	GeoE	Peristaltic	–	0.524	6.93 E	0.459	2.10	47,700	385 g	0.200 U	3.71	42.5 g	
		12/10/04	DOF	Bailer	–	2 U	7	2 U	2	220,000	1,200	570	6	19	
		01/29/09	DOF	Peristaltic	26,600 qp	12.5 U	12.5 U	12.5 U	25.0 U	64,000 f	1,580	4,050	13.9	0.200 U	
		06/02/11	SES	Peristaltic	19,000 xy	350 U	1,000 U	1,000 U	3,000 U	33,000	1,400	1,500	1000 U	290	
		09/06/12	SES	Peristaltic	–	0.35 U	1.5	1 U	3 U	31,000	1,200	1,600	5.9	290	
HMW-21A (10.8 to 0.8)	Seattle DOT Mercer Parcels NE quadrant	03/25/19	HC	Peristaltic	100 U	1.0 U	1.0 U	1.0 U	1.0 U	240	74	120	1.0 U	1.2	
		03/12/20	HC	Unknown	160	2.0 U	2.0 U	2.0 U	4.0 U	210	69	180	2.0 U	2.0 U	

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
HMW-3IA (20.2 to 10.2)	Seattle DOT Mercer Parcels NW quadrant	03/25/19 03/13/20	HC HC	Peristaltic Unknown	100 U 190	1.0 U 1.4	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.40 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	0.2 U 0.20 U
HMW-6IA (21.2 to 11.2)	Seattle DOT Mercer Parcels SW quadrant	03/13/20	HC	Unknown	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-9IA (18.6 to 8.6)	Seattle DOT Mercer Parcels SW quadrant	03/19/20	HC	Unknown	100 U	0.20 U	0.20 U	0.20 U	0.40 U	0.42	0.23	3.7	0.20 U	0.95
		06/02/21	PES	Bladder	-	0.0450	0.0850 J	0.0212 U	0.191 U	0.243	0.916	136	0.197 J	196
		08/18/21	PES	Bladder	-	0.0510	0.0500 U	0.0212 U	0.191 U	0.100 J	0.709	50.5	0.0840 J	84.6
HMW-20IA (12.8 to 2.8)	Seattle DOT Mercer Parcels NW quadrant	09/18/20	HC	Unknown	100 U	0.20 U	0.20 U	0.20 U	0.40 U	5.5	18	840	2.5	520
		06/02/21	PES	Bladder	-	0.0840	0.152 J	0.0212 U	0.191 U	1.37	31.9	6,400	17.1	5,940
		08/18/21	PES	Bladder	-	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980
		08/18/21	PES	Bladder	-	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980
MW107 (duplicate) (8.8 to -1.2)	8th Ave N ROW, W side	12/21/12	SES	Peristaltic	240,000 xy	3.5 U	10 U	10 U	30 U	47,000	2,800	5,100	41	200
		12/21/12	SES	Peristaltic	-	-	-	-	-	50,000	3,000	5,200	44	270
		12/16/13	SES	Peristaltic	-	0.37 U	1.8	1 U	3.3	32,000	2,400	4,000	34	76
		06/17/15	SES	Peristaltic	-	-	-	-	-	1,900	5,000	5,000	100 U	40
		10/20/15	SES	Peristaltic	-	-	-	-	-	2,300	5,100	3,600	60	27
		11/10/15	SES	Peristaltic	-	-	-	-	-	620	3,800	4,400	54	31
		12/11/15	SES	Peristaltic	-	-	-	-	-	1,200	4,200	4,200	57	22
		01/08/16	SES	Peristaltic	-	-	-	-	-	1,000	3,600	3,900	50	20
		02/01/16	SES	Peristaltic	-	-	-	-	-	61	220	10,000	33	73
		03/27/17	PES	Peristaltic	-	0.204 J	0.690 J	0.158 U	0.316 U	0.224 J	0.370 J	6.82	14.0	34.5
		06/19/17	PES	Peristaltic	-	0.238 J	0.700	0.158 U	0.316 U	0.199 U	0.290 J	7.29	12.6	15.0
		04/09/18	PES	Peristaltic	-	0.193 J	0.412 U	0.158 U	0.316 U	0.879 J-	0.581 J-	72.1 J-	10.5	123
		01/30/19	PES	Peristaltic	663 zJ+	0.215 J	0.715	0.158 U	0.316 U	0.199 U	41.1	1,130	14.4	474
		05/01/19	PES	Peristaltic	481 zJ+	0.188 J	0.412 U	0.158 U	0.316 U	0.199 U	99.9	1,250	14.1	374
		07/22/19	PES	Bladder	210 zJ+	0.188 J	0.758	0.158 U	0.609 J	1.99 U	2.62 J	290	7.08	307
		10/15/19	PES	Bladder	365 zJ+	0.167 J	0.572	0.158 U	0.316 U	41.7	138	333	7.04	216
		01/28/20	PES	Bladder	1,890 zJ+	1.79 U	8.24 U	3.16 U	6.32 U	3.98 U	168	3,590	22.2	674
		04/03/20	PES	Bladder	1,420 zJ+	0.298 J	0.412 U	0.158 U	0.316 U	63.8	700	2,720	15.4	216
		07/31/20	PES	Bladder	-	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	6.98 J	491 J	5.36	378
		12/01/20	PES	Peristaltic	-	1.65	4.45 J	0.530 U	4.81 J	0.700 U	0.400 U	13.3	5.85	0.682 U
		02/02/21	PES	Peristaltic	-	0.112	0.704	0.166	1.04	0.0510 J	0.266	5.36	6.09	1.80
		06/02/21	PES	Peristaltic	-	0.0960	0.580	0.0212 U	0.191 U	0.0590 J	0.336	3.20	3.98	1.16
		08/16/21	PES	Peristaltic	-	0.0910	0.532	0.0610 J	0.409	0.0280 U	0.179	2.53	3.10	1.03
		11/29/21	PES	Peristaltic	-	0.0960	3.10	0.0212 U	0.374	0.0280 U	0.224	9.43	4.38	1.41 J-
		02/23/22	PES	Peristaltic	-	0.0870	0.641	0.0212 U	0.192 J	0.274	0.668	6.97	3.97	1.85
		05/11/22	PES	Peristaltic	-	0.0880	0.449	0.0212 U	0.191 U	0.592 J+	0.709	6.12	3.80	1.75
		08/03/22	PES	Peristaltic	-	0.0900	0.279	0.0212 U	0.191 U	0.833	0.799	7.05	3.78	2.34
		10/31/22	PES	Bladder	-	0.0900	0.312	0.0212 U	0.191 U	0.101	0.125	4.05	3.69	2.74
02/23/23	PES	Peristaltic	-	0.0820	0.549	0.0212 U	1.13	0.0280 U	0.0160 U	4.84	2.70	2.13		
05/15/23	PES	Peristaltic	-	0.0600	0.123 J	0.0212 U	0.19 U	0.267	1.44	3.36	2.37	1.50		
05/15/23	PES	Peristaltic	-	0.0690	0.122 J	0.0212 U	0.19 U	0.249	1.13	3.08	2.16	1.28		
08/16/23	PES	Peristaltic	-	0.116	0.443	0.282	1.18	0.689	2.90	9.54	3.88	6.92		
11/03/23	PES	Peristaltic	-	0.0160 U	0.255	0.0212 U	0.191 U	0.125	0.606	13.0	3.47	14.7		
MW108 (-7.2 to -17.2)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	-	-	-	-	-	3.4	1.8	400	2.1	210 pr
		12/17/13	SES	Peristaltic	-	1.9	1 U	1 U	3 U	3.8	4.6	360	3.6	150
		06/17/15	SES	Peristaltic	-	-	-	-	-	4.0	11	370	3.5	260
		10/20/15	SES	Peristaltic	-	-	-	-	-	3.0	6.4	220	1.8	140

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
(duplicate)		02/02/16	SES	Peristaltic	–	–	–	–	–	15	7.9	290	1.8	180
		03/28/17	PES	Peristaltic	–	1.59	0.479 U	0.158 U	0.316 U	73.1	12.5	278	0.899	52.3
		06/27/17	PES	Bladder	–	1.26	0.479 U	0.158 UJ	0.316 U	194	22.1	165	0.748	52.8
		04/06/18	PES	Peristaltic	–	4.00	0.599	0.158 UJ	0.316 U	1,970	284	1,030	7.13	217
		04/06/18	PES	Peristaltic	–	3.83	0.597	0.158 UJ	0.316 U	1,980	287	1,020	7.91	231
		01/22/19	PES	Peristaltic	–	1.67	0.562	0.158 U	0.316 U	4,190	587	1,180	6.03	90.8
		04/29/19	PES	Peristaltic	–	3.20	0.412 U	0.158 U	0.316 U	419	171	970	3.22	125 J
		07/15/19	PES	Peristaltic	–	2.90	0.412 U	0.158 U	0.316 U	567	189	918	3.48	197
		10/10/19	PES	Peristaltic	–	3.16	0.412 U	0.327 J	0.316 U	524	483	1,080	5.55	194
		01/14/20	PES	Peristaltic	–	4.55 J	10.3 U	3.95 U	7.90 U	243	235	749	3.80 U	224
		04/22/20	PES	Bladder	–	25.6	6.95 U	3.43 U	4.35 U	53.1	96.3	178	3.73 U	19.3
		07/16/20	PES	Bladder	–	29.7	1.73 J	0.530 U	4.78 U	189 J	162	216	1.88 J	11.3
		07/16/20	PES	Bladder	–	34.3	2.20	0.0212 U	3.06	226 J	170	264	2.37	16.5
		11/04/20	PES	Bladder	–	46.6	2.12 J	0.530 U	6.15 J	10.2	32.6	413	1.43 U	107
		02/09/21	PES	Peristaltic	–	2.89	0.440 J	0.106 U	0.955 U	238 J	106	269	1.48	172 J
		05/03/21	PES	Peristaltic	–	2.28	0.290 J	0.106 U	0.955 U	182	91.9	491	1.92	140
		08/04/21	PES	Peristaltic	–	2.23	0.250 U	0.106 U	0.955 U	209	124	641	3.33	159
		11/04/21	PES	Peristaltic	–	2.25	0.187 J	0.0212 U	0.191 U	271	153	569	3.48	221
		02/15/22	PES	Peristaltic	–	2.91	0.182 J	0.0212 U	0.191 U	102	69.4	852	3.34	170
		05/18/22	PES	Peristaltic	–	2.75	0.188 J	0.0212 U	0.191 U	77.8	49.2	660	3.55	90.9
08/10/22	PES	Peristaltic	–	2.30	2.50 U	1.06 U	9.55 U	115 J+	42.6	531	2.86 U	118		
11/01/22	PES	Peristaltic	–	3.23	0.184 J	0.0212 U	0.191 U	97.7	42.7	455	2.80	115		
05/12/23	PES	Peristaltic	–	3.28	1.000 U	0.4240 U	3.820 U	14.4	8.72	493	1.14 U	132		
11/07/23	PES	Peristaltic	–	1.90	1.00 U	0.424 U	3.82 U	4.48	4.18	277	1.24 J	104		
MW109 (0.0 to -10.0)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	–	–	–	–	–	91	64	18	1 U	1.5
		12/17/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	4.0	18	310	1 U	27
		06/17/15	SES	Peristaltic	–	–	–	–	–	370	890	520	1.2	26
		10/20/15	SES	Peristaltic	–	–	–	–	–	230	790	400	20 U	22
		02/02/16	SES	Peristaltic	–	–	–	–	–	34	330	270	1 U	19
		03/29/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.198 J	12.6	0.152 U	3.49
		06/27/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 UJ	0.316 U	9.69 J	1.17	163	1.17	6.06
		04/06/18	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.99 UJ	210	629	3.34	42.2
		01/23/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.995 U	43.8	403	2.08	36.8
		04/29/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	4.78	0.152 U	3.06 J
		07/15/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.265 J	30.8	0.199 J	24.4
		10/15/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.03	397	0.891	109
		01/21/20	PES	Peristaltic	–	0.0896 U	0.782	0.158 U	0.316 U	0.199 U	0.372 J	10.4	0.152 U	1.02
		04/22/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	46.8	0.229 J	15.2
		07/06/20	PES	Bladder	–	0.0340 J	0.967	0.0212 U	0.191 U	0.0280 U	0.162	45.4	0.293	12.4
		11/02/20	PES	Bladder	–	0.0550	0.105 J	0.0212 U	0.191 U	0.0280 U	0.126	32.1	0.220	14.5
		02/09/21	PES	Bladder	–	0.0520	0.634	0.139	0.791	0.0280 U	0.0860	9.89	0.125 J	13.7 J
		05/03/21	PES	Peristaltic	–	0.0430	0.751	0.154	0.987	0.0280 U	0.0550	6.16	0.0572 U	3.49
		08/04/21	PES	Peristaltic	–	0.0330 J	0.239	0.0380 J	0.308	0.0580 J	0.0610	0.909	0.0572 U	0.602
		11/03/21	PES	Peristaltic	–	0.0310 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0330 J	23.7	0.0610 J	3.24
02/15/22	PES	Peristaltic	–	0.0430	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0930	24.6	0.100 J	6.98		
05/09/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	13.4	0.0572 U	5.05		
08/10/22	PES	Peristaltic	–	0.0160 U	0.0750 J	0.0212 U	0.191 U	0.0280 U	0.613	10.8	0.0572 U	0.887		
11/01/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	20.9	0.0572 U	4.26		

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
		05/15/23	PES	Peristaltic	–	0.0270 J	0.0500 UJ	0.0212 UJ	0.191 U	0.0370 J	0.0510 J	1.79 J	0.0572 UJ	3.35 J
		11/07/23	PES	Peristaltic	–	0.0220 J	0.0570 U	0.0212 U	0.191 U	0.0280 U	0.0420	0.672	0.0572 U	1.01
MW110 (4.7 to -5.3) (duplicate)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Bladder	–	–	–	–	–	1,100	220	470	3.0	33
		12/19/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	930	240	840	3.9	31
		04/22/15	SES	Peristaltic	–	–	–	–	–	1,000	210	340	2.4	1
		06/17/15	SES	Peristaltic	–	–	–	–	–	1,000	200	470	10 U	12
		10/20/15	SES	Peristaltic	–	–	–	–	–	890	180	380	2.2	13
		02/01/16	SES	Peristaltic	–	–	–	–	–	1,300	290	460	3.0	1.1
		03/23/17	PES	Peristaltic	–	0.330 J	0.412 U	0.158 U	0.316 U	1,070	389	644	4.72	1.45
		06/27/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 UJ	0.316 U	259	176	1,120	2.66	152
		04/09/18	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	375 J-	253 J-	675 J-	3.72	3.54
		01/23/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	1,260	490	673	5.83	1.39
		01/23/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	1,120	499	718	6.49	1.51
		04/26/19	PES	Bladder	–	0.291 J	0.412 U	0.158 U	0.316 U	1,500	613	710	5.59	0.900 J
		07/15/19	PES	Bladder	–	0.285 J	0.412 U	0.158 U	0.316 U	1,220	455	578	5.87	1.26
		10/15/19	PES	Bladder	–	0.233 J	0.412 U	0.158 U	0.316 U	1,180	498	574	3.86	0.853
		01/16/20	PES	Bladder	–	0.448 U	2.06 U	0.790 U	1.58 U	459	176	187	1.95 J	0.706 J
		04/22/20	PES	Bladder	–	0.487 J	1.39 U	0.685 U	0.870 U	946	384	683	4.25	5.06
		07/16/20	PES	Bladder	–	0.335	0.465 J	0.106 U	0.955 U	741	349	791	7.79	12.5
		11/04/20	PES	Bladder	–	0.800 U	2.50 U	1.06 U	9.55 U	640	343	894	2.96 J	29.6
		02/09/21	PES	Bladder	–	0.125	0.784	0.158	0.791	602	302 J+	401	2.99	0.833 J
		05/04/21	PES	Bladder	–	0.160 U	0.730 J	0.212 U	1.91 U	484	214	334	2.27	0.273 U
08/12/21	PES	Bladder	–	0.400 U	1.25 U	0.530 U	4.78 U	410	226	345	2.38 J	0.682 U		
11/09/21	PES	Bladder	–	0.102	0.0500 U	0.0830 J	0.432	473	228	521	2.32	22.3		
02/25/22	PES	Bladder	–	0.400 U	1.25 U	0.530 U	4.78 U	671	241	374	1.43 U	0.682 U		
05/18/22	PES	Bladder	–	0.400 U	1.25 U	0.530 U	4.78 U	432	249	311	2.13 J	0.682 U		
08/11/22	PES	Bladder	–	0.400 U	1.25 U	0.530 U	4.78 U	509	218	263	2.93 J	0.682 U		
11/01/22	PES	Bladder	–	0.0970	0.121 J	0.0212 U	0.191 U	513 J	248 J	359 J	2.28	0.344		
05/15/23	PES	Bladder	–	0.0760	0.050 U	0.0212 U	0.191 U	459	248	283	2.22	0.474		
11/07/23	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	231	180	682	6.14	1.40		
MW114 (10.8 to 0.8)	Seattle DOT Mercer Parcels NW quadrant	12/21/12	SES	Peristaltic	–	–	–	–	–	1,400	290	260	1 U	14
		12/18/13	SES	Peristaltic	–	17 U	50 U	50 U	150 U	8,400	1,300	640	50 U	22
MW115 (-0.6 to -10.6)	9th Ave N ROW, W side	Destroyed												
		12/13/12	SES	Peristaltic	–	–	–	–	–	15	1.1	3.0	1 U	2.6
		12/21/12	SES	Peristaltic	–	–	–	–	–	1 U	3.0	38	1 U	16
		12/19/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.75
		04/21/15	SES	Peristaltic	–	–	–	–	–	1 U	17	170	1 U	20
		06/25/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	6.2
		10/27/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.31
		02/03/16	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	2.3
		03/22/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.643	0.152 U	15.7
		06/22/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.523	0.152 U	8.45
		04/11/18	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.272 J	0.152 U	5.81
		01/30/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.316 J	0.152 U	12.4
		07/17/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.787	0.152 U	24.3
		10/22/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.819	0.152 U	23.2
		01/20/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.880	0.152 U	26.9
05/05/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.654	0.149 U	8.86		

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
		07/28/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.354 J	0.149 U	1.16
		11/12/20	PES	Bladder	–	0.0160 U	0.221 J-	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.308	0.0572 U	0.808 J+
		02/12/21	PES	Bladder	–	0.0330 J	0.515	0.0730 J	0.453	0.0280 U	0.0160 U	0.244	0.0572 U	1.02
		05/25/21	PES	Peristaltic	–	0.0160 U	0.0540 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.140	0.0572 U	0.989
		08/11/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0630 J	0.0650	0.352	0.0572 U	1.46
		11/18/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0950 J	0.0590	0.124	0.0572 U	0.174
		02/15/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0530 J	0.0280 J	0.455	0.0572 U	7.28
		06/03/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0650 J	0.0160 U	0.540	0.0572 U	6.75
		08/10/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0520 J	0.0160 U	0.121	0.0572 U	0.330
		11/03/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0760 J	0.0160 U	0.103	0.0572 U	0.253
		05/18/23	PES	Peristaltic	–	0.580 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.383	0.0572 U	3.09
		11/08/23	PES	Peristaltic	–	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.360	0.0572 U	1.10
MW116 (-3.1 to -13.1)	9th Ave N ROW, W side	12/07/12	SES	Peristaltic	–	–	–	–	–	6.8	1 U	1 U	1 U	0.2 U
		12/21/12	SES	Peristaltic	–	–	–	–	–	2.7	1 U	1 U	1 U	0.2 U
		12/19/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
		06/25/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		10/27/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		02/03/16	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		03/21/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		06/16/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.303 J	0.0933 U	0.152 U	0.118 U
		04/11/18	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/30/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.655	0.152 U	0.118 U
		07/17/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		10/31/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/21/20	PES	Peristaltic	–	0.0896 U	0.775	0.158 U	0.351 J	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/29/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/28/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		11/12/20	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		02/11/21	PES	Peristaltic	–	0.0370 J	1.23	0.161	0.968	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/25/21	PES	Peristaltic	–	0.0160 U	0.0560 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/11/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/18/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		03/07/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/08/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/10/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/04/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0330 U	0.0572 U	0.0273 U		
05/18/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/08/23	PES	Peristaltic	–	0.0160 U	0.153 J	0.0680 J	0.257 J	0.0280 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW117 (16.9 to 1.9)	Dexter Ave N ROW, E side	02/08/13	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		12/18/13	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
MW118 (12.9 to 2.9)	Mercer St ROW, N side	03/25/13	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		12/18/13	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
MW119 (2.7 to -7.3)	9th Ave N ROW, W side	03/25/13	SES	Peristaltic	–	–	–	–	–	1 U	1 U	3.3	1 U	0.2 U
		12/19/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	2.5	1 U	0.76
		04/21/15	SES	Peristaltic	–	–	–	–	–	34	42	50	1 U	3.1

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
(split)		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–
		03/29/17	PES	Peristaltic	–	0.139	0.412 U	0.158 U	0.316 U	5.47	10.7	42.9	0.334 J	0.272 J	
		06/28/17	PES	Bladder	–	0.0896 U	0.726 U	0.158 U	0.562 J	19.0	12.4	5.99	0.167 J	0.118 U	
		04/05/18	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	2.14	3.02	18.3	0.203 J	0.118 U	
		01/21/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.24	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/29/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.224 J	1.12	10.9	0.161 J	0.118 U	
		07/19/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.303 J	0.153 U	0.340 J	0.152 U	0.118 U	
		10/10/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.876	7.54	12.6	0.159 J	0.118 U	
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	5.90	5.81	9.63	0.200 U	0.200 U	
		01/14/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		02/18/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		03/24/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		04/27/20	PES	Peristaltic	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.595	1.62	6.88	0.149 U	0.234 U	
		05/19/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		07/08/20	PES	Bladder	–	0.0430	0.644	0.0212 U	0.191 U	0.306	1.96	6.67	0.163	0.0480 J	
		07/28/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
		09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–
11/11/20	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.420	2.63	12.9	0.0983 J	0.212 J+			
12/03/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	–		
(split)		02/10/21	PES	Peristaltic	–	0.0470	0.0500 U	0.0212 U	0.191 U	0.0410 J	0.511	6.05	0.0572 U	0.134	
		02/10/21	Farallon	Unknown	–	–	–	–	–	0.20 U	0.46	5.0	0.20 U	0.20 U	
(duplicate)		05/20/21	PES	Bladder	–	0.0410	0.0710 U	0.0212 U	0.191 U	0.210	1.70	10.6	0.165 J	0.252	
		08/13/21	PES	Peristaltic	–	0.0570	0.172 J	0.0212 U	0.191 U	0.293	1.11	8.25	0.119 J	0.440	
		12/03/21	PES	Peristaltic	–	0.0410	0.151 J	0.0350 J	0.258 J	0.404	1.88	9.25	0.0572 U	0.234	
		03/02/22	PES	Peristaltic	–	0.0380 J	0.0500 U	0.0212 U	0.191 U	0.443	1.64	8.33 J+	0.0940 J	0.316	
		05/05/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.200 J+	0.866	5.16	0.0572 U	0.0273 U	
		08/11/22	PES	Peristaltic	–	0.0430	0.0500 U	0.0212 U	0.191 U	0.550	1.78	8.42	0.109 J	0.212	
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0920 J	5.28	64.0	0.152 J	5.65	
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0880 J	4.81	58.9	0.139 J	4.96	
		05/09/23	PES	Peristaltic	–	0.0480	0.0900 J	0.0212 U	0.191 U	0.302 J	0.0200 U	9.12	0.0612 U	0.191 U	
		11/08/23	PES	Peristaltic	–	0.0330 J	0.0500 U	0.0212 U	0.191 U	2.06	4.17	9.92	0.0860 J	0.0810 J	
(duplicate)		11/08/23	PES	Peristaltic	–	0.0360 J	0.0500 U	0.0212 U	0.191 U	2.23	4.27	10.1	0.120 J	0.0273 U	
(duplicate)	8th Ave N ROW, E side	12/19/13	SES	Peristaltic	100 U	0.35 U	1 U	1 U	3 U	2.8	2.3	19	1 U	9.6	
		06/16/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	4.3	1 U	0.2 U	
		10/20/15	SES	Peristaltic	–	–	–	–	–	1 U	1.1	5.2	1 U	0.94	
		02/01/16	SES	Peristaltic	–	–	–	–	–	1.3	1.6	6.7	1 U	1.1	
		03/28/17	PES	Peristaltic	–	0.0896 U	0.458 U	0.158 U	0.316 U	13.9	5.81	18.4	0.152 U	0.871	
		06/28/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	18.0	6.97	16.0	0.152 U	0.988	
		04/09/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.811	0.152 U	0.118 U	
		01/24/19	PES	Peristaltic	105 J+	0.0896 U	0.412 U	0.158 U	0.316 U	125	34.3	60.5	0.194 J	1.64	
		05/03/19	PES	Peristaltic	111 J+	0.0896 U	0.412 U	0.158 U	0.316 U	155	46.9	87.2	0.258 J	1.28	
		05/03/19	PES	Peristaltic	138 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	182	51.1	89.0	0.227 J	1.30	
		07/16/19	PES	Peristaltic	152 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	134	40.1	74.9	0.217 J	1.01	
		10/17/19	PES	Bladder	106 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	61.5	22.3	48.8	0.220 J	2.31	
		(duplicate)		10/17/19	PES	Bladder	113 zJ+	0.0896 U	0.412 U	0.158 U	73.9	26.9	49.8	0.243 J	2.25

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
(duplicate)		01/17/20	PES	Bladder	124 zJ+	0.0983 J	0.412 U	0.158 U	0.316 U	61.2	21.6	45.0	0.241 J	2.38 J	
		04/23/20	PES	Bladder	481 zJ+	0.0941 U	0.278 U	0.137 U	0.174 U	39.7	15.4	41.0	0.154 J	2.92	
		07/14/20	PES	Bladder	-	0.0680	0.511	0.0212 U	0.191 U	44.0	16.2	28.8	0.249	2.78	
		11/30/20	PES	Bladder	-	0.0560	0.208	0.0660 J	0.435	39.3	15.6	36.6	0.188 J	1.47	
		11/30/20	PES	Bladder	-	0.0580	0.172 J	0.0212 U	0.376	44.4	16.2	37.0	0.196 J	1.52	
		02/05/21	PES	Peristaltic	-	0.0500	0.332	0.0790 J	0.516	41.6	17.4	43.5	0.212 J	1.17 J	
		05/12/21	PES	Peristaltic	-	0.0220 J	0.137 J	0.0212 U	0.191 U	31.7	13.8	29.7	0.151 J	0.633	
		08/03/21	PES	Peristaltic	-	0.0320 J	0.0500 U	0.0212 U	0.191 U	54.2	17.9	33.3	0.115 J	0.893 J+	
		11/11/21	PES	Peristaltic	-	0.0210 J	0.0500 U	0.0212 U	0.191 U	57.9	14.9	27.2	0.143 J	0.611	
		02/15/22	PES	Peristaltic	-	0.0210 J	0.0500 U	0.0212 U	0.191 U	54.1	16.8	28.4	0.104 J	0.424	
		05/11/22	PES	Peristaltic	-	0.0300 J	0.0500 U	0.0212 U	0.191 U	39.3	12.9	23.2	0.0690 J	0.469	
		08/04/22	PES	Peristaltic	-	0.0250 J	0.0500 U	0.0212 U	0.191 U	58.5	17.6 J+	27.1	0.165 J	0.742 J+	
		10/31/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	61.8	17.7	24.9	0.173 J	0.397	
05/12/23	PES	Peristaltic	-	0.0200 J	0.0500 U	0.0212 U	0.191 U	68.3	17.6	18.2	0.0572 U	0.0273 U			
11/06/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	58.3	17.5	21.2	0.161 J	0.0273 U			
MW127 (-1.0 to -11.0)	8th Ave N ROW, E side	01/03/14	SES	Peristaltic	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.29	
		01/13/14	SES	Peristaltic	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.30	
(duplicate)		08/01/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.489 J	0.152 U	0.118 U	
		10/17/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.656	0.152 U	0.118 U	
		01/17/20	PES	Bladder	61.3 U	0.0896 U	0.689	0.158 U	0.342 J	0.199 U	0.153 U	0.630	0.152 U	0.118 U	
		04/23/20	PES	Bladder	121 zJ+	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.861	0.149 U	0.234 U	
		07/14/20	PES	Bladder	-	0.0160 U	0.360	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.683	0.0572 U	0.0790 J	
		07/14/20	PES	Bladder	-	0.0160 U	0.375	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.662	0.0572 U	0.0730 J	
		11/13/20	PES	Bladder	-	0.0453	0.0726 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.898	0.0572 U	0.0273 U	
		05/11/21	PES	Peristaltic	-	0.0160 U	0.0740 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.737	0.0572 U	0.0273 U	
		11/17/21	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.841	0.0572 U	0.175	
		05/20/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0780 J	0.0160 U	0.704	0.0572 U	0.135	
		10/31/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.635	0.0572 U	0.169	
		05/16/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.666 J	0.0572 U	0.209 J	
		11/06/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.724	0.0572 U	0.0273 U	
MW131 (-4.6 to -14.6)	Property, SE quadrant	03/27/17	SES	Peristaltic	91.9 J	0.199 J	0.462 J	0.158 U	0.316 U	0.199 U	0.153 U	243	0.981	804	
		06/20/17	PES	Peristaltic	31.6 U	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	0.765 U	2.55	0.760 U	435	
		04/16/18	PES	Peristaltic	55.3 U	0.142 J	0.412 U	0.158 U	0.316 U	7.05	3.25	10.4	0.276 J	18.0	
		10/25/18	PES	Peristaltic	57.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.895	0.347 J	1.65 J+	0.152 U	1.83	
		12/12/18	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.172 J	1.2	0.152 U	1.39	
		01/29/19	PES	Peristaltic	43.7 J	0.182 J	0.516 J+	0.158 U	0.316 U	0.199 U	0.153 U	0.774	0.152 U	0.539	
		03/11/19	PES	Peristaltic	31.6 U	0.152 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.250 J	0.152 U	0.118 U	
		Decommissioned March 2019													
MW-142 (2.4 to -7.6) (duplicate)	8th Ave N ROW, E side	04/27/18	PES	Peristaltic	49.3 U	0.514	0.412 U	0.158 U	0.316 U	0.523	1.40	46.1	0.474 J	17.2	
		01/28/19	PES	Peristaltic	31.6 U	0.442 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	5.62	0.152 U	3.45	
		01/28/19	PES	Peristaltic	31.6 U	0.410 J	0.412 U	0.158 U	0.316 U	0.199 U	0.208 J	5.67	0.152 U	3.38	
		04/24/19	PES	Peristaltic	31.6 U	0.361 J	0.412 U	0.158 U	0.316 U	0.199 U	0.156 J	5.67	0.152 U	4.39 J	
		07/25/19	PES	Bladder	31.6 U	0.413 J	0.412 U	0.158 U	0.316 U	0.199 U	0.218 J	7.70	0.169 J	6.57	
		10/16/19	PES	Bladder	31.6 U	0.380 J	0.412 U	0.158 U	0.316 U	0.199 U	0.360 J	50.4	0.282 J	11.3	
		01/22/20	PES	Bladder	31.6 U	0.438 J	0.412 U	0.158 U	0.316 U	0.199 U	0.311 J	45.6	0.379 J	8.19	
		04/24/20	PES	Bladder	62.4 U	0.359 J	0.278 U	0.137 U	0.174 U	0.300 U	0.206 J	53.6	0.454 J	9.14	
		07/30/20	PES	Bladder	-	0.451	0.0790 J	0.0212 U	0.191 U	3.34	9.74	91.2 J	0.472 J	6.05	

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
(duplicate)	8th Ave N ROW, E side	11/24/20	PES	Bladder	-	0.408	0.0850 U	0.0390 U	0.258 J	0.164	24.5	136	0.734	34.6		
		11/24/20	PES	Bladder	-	0.509	0.0930 U	0.0340 U	0.265 U	0.163	22.2	142	0.827	46.1		
		02/08/21	PES	Peristaltic	-	0.327	1.42	0.220	1.18	0.0940 J	1.11	80.5	0.498	33.9 J		
		05/19/21	PES	Peristaltic	-	0.320	0.143 U	0.106	0.343	0.0280 U	0.243	31.6	0.361	10.1		
		08/05/21	PES	Peristaltic	-	0.265	0.291	0.0650 J	0.411	0.0280 U	0.115	22.1	0.274	12.2		
		11/30/21	PES	Peristaltic	-	0.256	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0960	7.94	0.211	7.07 J+		
		02/18/22	PES	Peristaltic	-	0.224	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0870	6.30	0.186 J	8.06		
		05/26/22	PES	Bladder	-	0.207	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0870	3.24	0.121 J	5.76 J+		
		08/03/22	PES	Peristaltic	-	0.254	0.0500 U	0.0212 U	0.191 U	0.222	0.117	2.18	0.105 J	6.77		
		10/31/22	PES	Peristaltic	-	0.263	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0850	19.1	0.233	40.0		
		10/31/22	PES	Peristaltic	-	0.0800 U	0.250 U	0.106 U	0.955 U	0.785	0.0800 U	22.3	0.286 U	43.2		
		(duplicate)		05/16/23	PES	Peristaltic	-	0.2110 J	0.050 UJ	0.0212 UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	22.5 J	0.0572 UJ	25.1 J
(duplicate)		11/06/23	PES		-	0.281	0.0890 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	88.4	0.680	53.8		
(duplicate)		11/06/23	PES		-	0.261	0.107 J	0.0300 J	0.191 U	0.0810 J	0.0670	92.4	0.646	53.1		
MW-144 (3.9 to -6.1)	8th Ave N ROW, E side	04/27/18	PES	Peristaltic	364 zJ+	0.0896 U	1.40	0.158 U	0.316 U	1.86	3.31	662	4.65	888		
		01/28/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.251 J	10.4	0.489 J	40.4		
		04/23/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.158 J	4.09	0.472 J	7.30 J		
Decommissioned December 2019																
MW-144R (3.9 to -6.5)	8th Ave N ROW, E side	12/16/19	PES	Bladder	325 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	11.0	11.5	251	0.818	71.6		
		01/21/20	PES	Bladder	60.7 J	0.896 U	4.12 U	1.58 U	3.16 U	1.99 U	1.53 U	200	1.52 U	90.2		
		04/02/20	PES	Bladder	31.6 U	0.0896 UJ	0.412 UJ	0.158 UJ	0.316 UJ	0.199 UJ	0.153 UJ	2.01	0.152 UJ	14.1 J-		
		08/03/20	PES	Bladder	-	0.0510	1.53	0.0670 J	0.341	0.0500 J	0.0960	0.459	0.0572 UJ	1.58 J		
		11/23/20	PES	Bladder	-	0.0440	0.101 U	0.0212 U	0.191 U	0.0420 J	0.0840	0.500	0.0572 U	0.411		
		02/02/21	PES	Peristaltic	-	0.0460	0.393	0.150	1.03	0.0280 U	0.0750	0.450	0.0572 U	0.632		
		05/12/21	PES	Peristaltic	-	0.0160 U	0.0990 J	0.0212 U	0.191 U	0.0280 U	0.0690	0.405	0.0572 U	0.365		
		08/03/21	PES	Peristaltic	-	0.0340 J	0.481	0.0830 J	0.531	0.0280 U	0.0660	0.244	0.0572 U	0.0273 U		
		11/29/21	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.265	0.0572 U	0.0273 UJ		
		02/23/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0690	0.159	0.0572 U	0.0273 U		
		05/11/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0810	0.137	0.0572 U	0.0273 U		
		08/23/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0970	0.150	0.0572 U	0.151		
		11/02/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0830	0.131	0.0572 U	0.124		
		05/15/23	PES	Peristaltic	-	0.0160 U	0.0860 J	0.0212 U	0.234 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/08/23	PES		-	0.0220 J	0.0500 U	0.0300 J	0.191 U	0.0280 U	0.0690	0.267	0.0572 U	0.211		
MW-146 (12.8 to 2.8)	Roy St ROW, S side	04/30/18	PES	Bladder	597 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	3.56	48.4	900	6.12	2,100		
		01/22/19	PES	Peristaltic	509 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	2.29	21.6	1,080	7.25	1,370		
		04/24/19	PES	Bladder	88.0 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	1.50	12.4	257	1.94	383		
		07/19/19	PES	Bladder	46.3 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	3.08	14.4	257 J	3.29	580 J		
		07/19/19	PES	Bladder	262 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	2.80	15.9	371	3.50	842 J		
		10/14/19	PES	Bladder	1,310 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	2.03	6.77	1,350	7.85	2,830		
		01/24/20	PES	Bladder	1,140 zJ+	8.96 U	41.2 U	15.8 U	31.6 U	21.1 J	15.3 U	1,460	15.2 U	3,900		
		01/24/20	PES	Bladder	423 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	1.39 J	4.80	1,510	8.45	5,800		
		04/30/20	PES	Bladder	1,080 zJ+	9.41 U	27.8 U	13.7 U	17.4 U	30.0 U	19.0 U	2,100	14.9 U	6,040		
		07/09/20	PES	Bladder	-	0.0740	1.13	0.0212 U	0.191 U	0.781	3.17	2,750	15.5	8,610		
		11/10/20	PES	Bladder	-	0.842 J	2.50 U	1.06 U	9.55 U	1.40 U	2.60	3,900	12.5	4,930		
		(split)		11/10/20	HC	Bladder	100 U	170 U	500 U	500 U	1,500 U	500 U	500 U	3,800	500 U	5,200
				02/08/21	PES	Peristaltic	-	0.105	1.26	0.183	0.958	0.704 J	3.52	2,690	8.01	3,910
				05/04/21	PES	Bladder	-	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	536	6.30 J	4,310

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
(duplicate)		08/17/21	PES	Bladder	–	0.0410 U	0.118 U	0.0212 U	0.191 U	0.0280 U	0.0450	55.3	2.51	1,330
		11/10/21	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	47.5	2.03	251
		02/18/22	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	42.5	1.45 J	315
		05/03/22	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	25.6	1.21 J	280
		08/03/22	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	11.3	1.17 J	374 J+
		11/03/22	PES	Bladder	–	0.0160 U	0.0920 U	0.0212 U	0.191 U	0.0280 U	0.101	13.8	1.22	173
		05/12/23	PES	Bladder	–	0.6300	0.5000 U	0.2120 U	1.910 U	0.4400 J	0.700	11.1	0.57 U	183 J
		05/12/23	PES	Bladder	–	0.0310 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.106	11.1	0.802	113 J
		11/10/23	PES	Bladder	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	19.3	0.770 J	120
MW-149 (0.7 to -9.3)	Property, NE quadrant	04/10/18	PES	Peristaltic	11,700 zJ+	44.8 U	2.06 U	0.813 J	1.64 J	19,200	8,050	10,500	29.8	863
		10/25/18	PES	Peristaltic	4,570 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	6,100	2,720	3,320	15.3	100
		12/13/18	PES	Peristaltic	11,400 zJ+	0.0896 U	0.717	0.158 U	0.414 J	23,300	5,470	5,150	18.2	253
		12/13/18	PES	Peristaltic	11,400 zJ+	0.0896 U	0.717	0.158 U	0.392 J	24,500	5,780	5,210	18.2	243 J
		01/29/19	PES	Peristaltic	14,400 zJ+	8.96 U	41.2 U	15.8 U	31.6 U	23,700	3,800	4,350	15.2 U	155
		03/13/19	PES	Peristaltic	15,300 zJ+	0.222 J	0.862	0.843	0.490 J	2,630	2,770	30,800	129	285
		Decommissioned March 2019												
MW-151 (4.9 to -5.1)	Property, SW quadrant	04/10/18	PES	Peristaltic	74.6 U	0.253 J	0.412 UJ	0.158 UJ	0.316 U	1.13	0.310 J	59.1 J-	0.388 J-	11.4
		10/25/18	PES	Peristaltic	99.4 U	0.167 J	0.412 U	0.158 U	0.316 U	2.28	1.38	5.80	0.346 J	7.7
		12/14/18	PES	Peristaltic	1,040 zJ+	0.342 J	0.440 J	0.158 U	0.316 U	1,460	155	1,690	4.56	530
		01/31/19	PES	Peristaltic	340 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	106	40.4	466	3.52	158
		03/12/19	PES	Peristaltic	143 zJ+	0.159 J	0.412 U	4.88	0.316 U	0.981	1.36	196	1.60	24.9
Decommissioned March 2019														
MW-156 (2.0 to -8.0)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	1,690 zJ+	0.283 J	0.479 J	0.158 U	0.316 U	9.95 U	581	2,850	9.97	407
		01/24/19	PES	Peristalti	1,480 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	1,720	723	2,050	11.5	11.8 U
		04/24/19	PES	Peristaltic	2,570 zJ+	0.339 J	0.412 U	0.158 U	0.316 U	1,430	727	1,770	9.41	3.21 J
		04/24/19	PES	Peristaltic	2,600 zJ+	0.330 J	0.412 U	0.158 U	0.316 U	1,440	717	1,760	9.31	3.34 J
		07/22/19	PES	Bladder	3,100 zJ+	0.492 J	0.412 U	0.158 U	0.316 U	232	1,270	2,310	14.5	82.0
		10/17/19	PES	Bladder	1,450 zJ+	0.896 U	4.12 U	1.58 U	3.16 U	682	430	1,420	6.04	51.1
		01/20/20	PES	Bladder	2,160 zJ+	1.64 J	4.12 U	1.58 U	3.16 U	792	534	1,590	7.04	99.6
		04/24/20	PES	Bladder	770 zJ+	4.71 U	13.9 U	6.85 U	8.70 U	347	355	1,240	7.45 U	104
		07/15/20	PES	Bladder	–	1.60 J	2.50 U	1.06 U	9.55 U	597	486	1,040	6.50 J	110
		11/11/20	PES	Bladder	–	0.149	0.453 J-	0.0212 U	0.191 U	719	363	850	4.29	2.14 J+
		02/08/21	PES	Peristaltic	–	0.240 J	0.540 J	0.212 U	1.91 U	492 J	228	703	4.04	0.273 U
		05/10/21	PES	Bladder	–	0.800 U	2.50 U	1.06 U	9.55 U	442	184	580	2.86 U	1.36 UJ
		08/20/21	PES	Bladder	–	0.235	0.170 J	0.0212 U	0.191 U	731	252	532	4.03	0.652
		11/18/21	PES	Peristaltic	–	0.161	0.185 J	0.0410 J	0.470	416	195	499	2.92	0.273 U
		03/03/22	PES	Peristaltic	–	0.450 J	0.500 U	0.212 U	1.91 U	516 J	220	568	4.95	0.273 U
		03/03/22	PES	Peristaltic	–	0.231 J	0.127 U	0.0212 U	0.191 U	769 J	277	583	4.04	0.637
		05/26/22	PES	Peristaltic	–	0.156	0.0500 U	0.0212 U	0.191 U	718	267	514	2.95	0.716 J+
		08/04/22	PES	Peristaltic	–	0.480 J	1.00 U	0.424 U	3.82 U	774	327 J+	573	4.72	0.546 U
		10/31/22	PES	Peristaltic	–	0.184	0.0580 J	0.0212 U	0.191 U	648	249	523	3.23	0.757
		05/12/23	PES	Peristaltic	–	0.130	0.0500 U	0.0212 U	0.191 U	567	198	360	1.70	2.23
11/06/23	PES	Peristaltic	–	0.320 U	1.00 U	0.424 U	3.82 U	303	147	304	1.60 J	0.546 U		
MW-189 (-1.2 to -11.2)	Valley St ROW, S side	10/14/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.23	0.152 U	18.2
		01/23/20	PES	Bladder	31.6 U	0.0896 U	0.501	0.158 U	0.316 U	0.199 U	0.153 U	0.514	0.152 U	3.01
		04/03/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.435 U	0.152 U	1.58
		04/03/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.449 U	0.152 U	1.55

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
		08/04/20	PES	Bladder	–	0.0160 U	0.300	0.0240 J	0.207 J	0.0280 U	0.0160 U	0.115	0.0572 U	0.879 J
		11/17/20	PES	Bladder	–	0.0160 U	0.0620 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0910 J	0.0572 U	1.13
		02/03/21	PES	Bladder	–	0.0160 U	0.121 J	0.0212 U	0.226 J	0.0280 U	0.0160 U	1.74	0.0572 U	28.1
		05/14/21	PES	Bladder	–	0.0160 U	0.0640 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.63	0.0572 U	45.0
		08/20/21	PES	Bladder	–	0.0160 U	0.0990 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.46	0.0572 U	36.6 J-
		11/30/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0810 J	0.318	0.0280 U	0.0160 U	4.88	0.0572 U	29.1 J+
		03/04/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.97	0.0572 U	37.0
		05/12/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.55	0.0572 U	31.5
		08/11/22	PES	Bladder	–	0.0160 U	0.0780 U	0.0212 U	0.191 U	1.66	0.544	4.10	0.0572 U	31.8
		10/31/22	PES	Bladder	–	0.0160 U	0.0870 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	3.00	0.0572 U	26.8
		05/12/23	PES	Bladder	–	0.0160 U	0.2130	0.0480 J	0.306	0.0760 J	0.0160 U	1.29	0.0572 U	15.8
		11/03/23	PES	Bladder	–	0.0160 U	0.144 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.43	0.0572 U	30.4
MW-302 (3.0 to -7.0)	Dexter Ave N ROW, E side	10/21/19	PES	Bladder	98.5 J	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/24/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.353 J	0.164 J	0.0933 U	0.152 U	0.118 U
		05/07/20	PES	Bladder	31.6 U	0.0941 U	0.308 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/28/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		11/17/20	PES	Bladder	–	0.0480	0.743	0.0600 J	0.243 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/21	PES	Bladder	–	0.0160 U	0.0860 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/09/21	PES	Bladder	–	0.0160 U	0.0500 U	0.153	0.892	0.0390 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/22	PES	Bladder	–	0.0160 U	0.553	0.121	0.714	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/08/22	PES	Bladder	–	0.0160 U	0.174 J	0.0480 J	0.237 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0540 J
		10/31/23	PES	Bladder	–	0.0460	0.745	0.181	1.12	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-306 (17.2 to 7.2)	Roy St ROW, S side	10/15/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Bladder	34.3 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/28/20	PES	Bladder	42.7 J	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/29/20	PES	Bladder	–	0.0160 U	0.362	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/06/20	PES	Bladder	–	0.0160 U	0.182 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0418 J	0.0572 U	0.0273 U
		05/18/21	PES	Bladder	–	0.0160 U	0.0550 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		12/03/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/26/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/04/22	PES	Bladder	–	0.0160 U	0.0640 J	0.0212 U	0.191 U	0.0770 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/10/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-308 (-4.7 to -14.7)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	–	12.5	4.38	0.158 U	0.316 U	0.199 U	0.153 U	38.9	0.492 J	20.3
		01/16/20	PES	Peristaltic	–	29.3	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.9	0.411 J	16.3
		04/08/20	PES	Peristaltic	–	21.2	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	12.5	0.360 J	12.9
		07/06/20	PES	Peristaltic	–	15.4	0.174 J	0.0620 J	0.191 U	0.0280 U	0.0160 U	16.0	0.608	6.98
		11/06/20	PES	Peristaltic	–	38.4	0.480	0.115	0.516	0.0324 J	0.0160 U	6.38	0.260	2.73
		05/04/21	PES	Peristaltic	–	20.8	0.186 J	0.104	0.332	0.0280 U	0.0160 U	3.98	0.219	11.7
		11/11/21	PES	Peristaltic	–	8.39	0.0840 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	38.6	0.827	20.7
		05/19/22	PES	Peristaltic	–	1.45	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	12.5	0.280	3.83
		11/01/22	PES	Peristaltic	–	9.53	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	72.7	1.28	31.1
		05/12/23	PES	Peristaltic	–	8.66	0.113 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	70.9	1.24	31.9
		11/07/23	PES	Peristaltic	–	1.81	0.0500 U	0.0212 U	0.191 U	0.0360 J	0.0160 U	13.9	0.316	5.25
MW-315 (12.2 to 2.3)	Mercer St ROW, N side	10/03/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/24/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
(duplicate)		07/24/20	PES	Bladder	–	0.0430	0.632	0.0760	J	0.437	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/20	PES	Bladder	–	0.0160 U	0.162 J	0.0460 J	0.198 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/17/21	PES	Bladder	–	0.0160 U	0.167 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/05/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0630 J	0.393	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/05/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0710 J	0.404	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/09/22	PES	Bladder	–	0.0160 U	0.0560 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/08/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
MW-317 (3.4 to -6.6)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/16/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/27/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/30/20	PES	Peristaltic	–	0.0457	1.98	0.205	1.36	0.0280 U	0.0160 U	0.0545 J	0.0572 UJ	0.0273 U		
		11/10/20	PES	Peristaltic	–	0.0160 U	0.836 J-	0.0212 U	U	0.419	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/19/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/12/21	PES	Peristaltic	–	0.0160 U	0.244	0.0900 J	0.564	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/27/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/01/22	PES	Peristaltic	–	0.0800 U	0.250 U	0.106 U	U	0.955 U	0.140 U	0.0800 U	0.138 U	0.286 U	0.137 U	
		05/16/23	PES	Peristaltic	–	0.1750 J	0.250 UJ	0.106 UJ	UJ	0.955 UJ	0.140 UJ	0.0800 UJ	0.138 UJ	0.286 UJ	0.137 UJ	
11/08/23	PES	Peristaltic	–	0.0350 J	0.0560 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0760 J	0.0572 U	0.0273 U			
MW-325 (7.0 to -3.0)	Mercer St ROW, N side	10/03/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.607	0.152 U	0.118 U	
		01/17/20	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ	
		04/21/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	U	0.174 U	0.300 U	0.190 U	0.696	0.149 U	0.234 U	
		07/23/20	PES	Bladder	–	0.0190 J	0.298	0.0450 J	0.256 J	0.0280 U	0.0160 U	0.262	0.0572 U	0.0273 U		
		11/02/20	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.802	0.0572 U	0.0273 U	
		02/08/21	PES	Bladder	–	0.0650	2.03	0.230	1.10	0.0280 U	0.0160 U	1.50	0.0572 U	0.0273 U		
		05/17/21	PES	Bladder	–	0.0160 U	0.0930 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.973	0.0572 U	0.0273 U	
		08/12/21	PES	Peristaltic	–	0.0160 U	0.189 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	1.61	0.0572 U	0.0273 U	
		11/04/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	2.41	0.0572 U	0.0273 U	
		03/03/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	1.31	0.0572 U	0.0273 U	
		05/09/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	1.10	0.0572 U	0.0273 U	
		08/11/22	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	U	1.22	0.284	0.869	0.0572 U	0.0273 U
		11/02/22	PES	Bladder	–	0.0160 U	0.0950 J	0.0212 U	U	0.191 U	U	0.0280 U	0.0160 U	1.12	0.0572 U	0.0273 U
		05/09/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	U	0.1110 J+	0.0160 U	1.13	0.0572 U	0.0273 U
11/09/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	U	0.0280 U	0.0160 U	1.56	0.0572 U	0.0273 UJ		
MW-327 (3.6 to -6.3)	Lake Union Park, S end	10/02/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/17/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ	
		04/09/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		07/07/20	PES	Peristaltic	–	0.0160 U	0.351	0.0212 U	U	0.191 U	0.260	0.267	0.0580 J	0.0572 U	0.0273 U	
		11/09/20	PES	Peristaltic	–	0.0200 J	0.173 J	0.0340 J	0.219 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/25/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/10/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/04/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/09/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ	
MW-330 (duplicate)	Valley St ROW, N side	05/14/20	PES	Bladder	31.6 U	0.0941 U	0.580	0.137 U	U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		05/14/20	PES	Bladder	31.6 U	0.0941 U	0.547	0.137 U	U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	

Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC				
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29				
(-0.01 to -10.1) (duplicate)		07/16/20	PES	Bladder	–	0.0500	2.49	0.0690	J	0.263	0.0625	J	0.0646	0.0583	J	0.0572 U	0.0273 U	
		12/01/20	PES	Bladder	–	0.0160 U	0.215	0.113		0.801	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		12/01/20	PES	Bladder	–	0.0200	J	0.212	0.127	0.789	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/25/21	PES	Bladder	–	0.0160 U	0.202 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/11/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0300	J	0.273	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/25/22	PES	Bladder	–	0.0160 U	0.0900 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		10/31/22	PES	Bladder	–	0.0160 U	0.107	J	0.0350	J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		10/31/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
MW-331 (-4.3 to -14.3)	Alley E of Seattle Roy Aloha Shops	04/24/20	PES	Peristaltic	–	0.226	J	0.278 U	0.257	J	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.249	J	
		07/06/20	PES	Peristaltic	–	0.0610		0.0500 U	0.0340	J	0.191 U	0.0280 U	0.0160 U	0.046	J	0.0572 U	0.306	
		11/06/20	PES	Peristaltic	–	0.0407		0.230	0.0354	J	0.219	J	0.0280 U	0.0160 U	0.0728	J	0.0572 U	0.264
		05/04/21	PES	Peristaltic	–	0.0240	J	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0370	J	0.0572 U	0.339	
		11/11/21	PES	Peristaltic	–	0.0190	J	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.218		
		05/20/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/01/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.258			
		05/09/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.027 U			
11/07/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.222					
MW-333 (-1.5 to -11.5)	900 Roy St, S end	04/29/20	PES	Bladder	–	0.0941 U	1.08	0.189	J	0.854	J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/24/20	PES	Bladder	–	0.0200	J	0.253	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/05/20	PES	Bladder	–	0.0160 U	0.253		0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/18/21	PES	Peristaltic	–	0.0160 U	0.0870	J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/05/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/31/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/02/22	PES	Peristaltic	–	0.160 U	0.500 U	0.212 U	U	1.91 U	0.280 U	0.160 U	0.276 U	0.572 U	0.273 U			
MW-344 (13.6 to 3.6)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	–	0.0160 U	0.0700	J	0.0212 U	U	0.191 U	0.0920	J	0.0940	8.50	0.0572 U	9.95	
		08/18/21	PES	Bladder	–	0.0160 U	0.0740	J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.654	0.0572 U	1.02		
		11/18/22	PES	Bladder	–	0.0370	J	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.700	620	7.92	942		
		11/13/23	PES	Bladder	–	0.400 U	1.25 U	0.530 U	U	4.78 U	0.700 U	0.900	J	383	5.32	241	J-	
MW-351	Roy St ROW	05/09/23	PES	Peristaltic	–	0.0540	0.229	0.116		0.618	0.415	0.538	10.3	0.0572 U	0.0273 U			
		11/09/23	PES	Peristaltic	–	0.153	0.0500 U	0.0212 U	U	0.191 U	0.0520	J	1.04	28.0	0.151	J	0.217	J-
Number of Analytes Measured					54	456	456	455		456	464	464	464	464	464			
Number of Analytes Detected					13	181	151	60		72	207	244	346	196	266			
Frequency of Detection					24%	40%	33%	13%		16%	45%	53%	75%	42%	57%			
Maximum Detection					669	46.6	4.5 J	4.9		6.2 J	24,500	8,050	30,800	129.0	8,610			
Minimum Detection					28.9	0.0160 U	0.0500 U	0.0212 U		0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
Number of Analytes Detected Above SL					0	12	0	0		0	119	137	168	1	237			
Frequency of Detection Above SL					0%	3%	0%	0%		0%	26%	30%	36%	0%	51%			
Notes:					Laboratory and Results Notes:													
PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2014. Detections above the groundwater PCUL level are shown in bold and highlighted in gray .					Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. – = Not analyzed or results not available. E = Estimated value. The reported range exceeds the calibration range of the analysis. f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank. g = Estimated value. The reported range exceeds the calibration range of the analysis. ht = The analysis was performed outside the method the method or client-specified holding time requirement.													
B&V = Black & Veatch cDCE = cis-1,2-Dichloroethene DOF = Dalton, Olmsted & Fuglevand, Inc. DRO = Diesel-range organics (duplicate) = field duplicate GeoE = GeoEngineers Inc. GRO = Gasoline-range organics																		

**Table 4
Groundwater Analytical Data for Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29
HC = Hart Crowser ORO = Oil-range organics PCE = Perchloroethylene (Tetrachloroethene) ROW = right-of-way SES = SES Strategies, Inc. TCE = Trichloroethene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride WW = Windward Well screen elevations indicated below Sample Location in parentheses. (--) = unknown screen elevation.					J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided. pr = The sample was received with incorrect preservation. The value reported should be considered an estimate. U = Not detected at or above the laboratory method detection limit (MDL). qp = Hydrocarbon result partly due to individual peak(s) in quantitation range. x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation. y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis. z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.									

Table 5

**Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
BB-10	Dexter Ave North ROW	11/13/97	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BB-13 (--)	Westlake Ave North ROW	06/20/05 05/02/10	B&V SES	Bailer Peristaltic	250 U -	630 U -	630 U -	ND -	ND -	ND -	ND -	ND 1 U	ND 1 U	2.6 1 U	ND 1 U	1.1 0.2 U	
BB-14 (--)	North Valley St ROW	06/20/05 Decommissioned	B&V	Bailer	300 U	630 U	630 U	-	-	-	-	-	-	-	-	-	
FMW-141 (-12.1 to -22.1) (duplicate) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 10/30/19 10/30/19 11/11/19 01/14/20 01/14/20 02/17/20 03/24/20 04/27/20 04/28/20 05/19/20 07/22/20 07/28/20 09/17/20 11/02/20 12/03/20 02/10/21 05/03/21 02/23/22 05/09/22 11/03/22 05/15/23 11/07/23	Farallon PES PES Farallon PES Farallon Farallon Farallon Farallon PES Farallon PES Farallon Farallon PES Farallon Farallon PES PES PES PES PES PES	Unknown Peristaltic Peristaltic Unknown Bladder Bladder Unknown Unknown Unknown Bladder Unknown Unknown Unknown Bladder Unknown Unknown Unknown Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	- -	- -	- -	- 0.230 J 0.212 J - 0.448 U - - - - - 0.471 U - - - - 0.0620 - - - 0.0160 U 0.0160 U 0.0160 U 0.0160 U 0.0390 J 0.0160 U	- 0.412 U 0.412 U - 2.06 U - - - - 1.39 U - - - - 0.430 - - - 0.0500 U 0.0500 U 0.0500 U 0.0500 U 0.1310 J 0.0520 J	- 0.158 U 0.158 U - 0.790 U - - - - 0.685 U - - - - 0.0212 U - - - 0.0800 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U 0.0212 U	- 0.316 U 0.316 U - 1.58 U - - - - 0.870 U - - - - 0.191 U - - - 0.508 0.191 U 0.195 J 0.191 U 0.191 UJ 0.191 U	30 U 0.199 U 0.199 U 20 U 0.995 U 4.0 U 2.0 U 10 U 2.0 U 1.50 U 20 U 0.560 U 10 U 4.0 U 0.0280 U 1.0 U 1.0 U 0.0280 U 0.0280 U 0.0280 U 0.316 0.0280 U 0.0280 U	2,800 2.18 J 12.7 J 20 U 2.91 4.0 U 2.0 U 10 U 2.0 U 3.08 20 U 2.30 10 U 4.0 U 0.766 1.0 U 1.0 U 5.41 89.6 J+ 0.404 0.848 0.354 J 0.376	6,200 1,200 J 2,250 J 3,500 414 250 280 1,200 440 1,300 2,400 790 8,100 600 276 68 120 5.41 89.6 J+ 97.3 180 166 J 95.1	30 U 7.13 J 10.5 J 20 U 1.98 J 4.0 U 2.0 U 10 U 4.0 U 4.62 20 U 3.19 J 10 U 4.0 U 1.31 1.0 U 1.0 U 0.0572 U 0.191 J 0.0572 U 0.375 0.311 J 0.203	820 1,760 1,710 2,900 532 380 240 820 490 468 910 561 780 620 489 190 180 0.218 81.7 50.3 130 88 J 35.3	
HMW-1IB (-16.0 to -26.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19 03/10/20	HC HC	Peristaltic Unknown	100 U 100 U	200 U 60 U	500 U 300 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.40 U	20 13	6.7 5.6	22 16	1.0 U 0.20 U	0.2 U 0.20 U	
HMW-2IB (-5.4 to -15.4)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19 03/12/20	HC HC	Peristaltic Submersible	100 U 100 U	200 U 51 U	500 U 260 U	1.0 U 0.20 U	3.4 0.20 U	1.0 U 0.20 U	1.0 U 0.40 U	1.0 U 0.38	1.0 U 0.20 U	1.0 U 0.59	1.0 U 0.20 U	0.2 U 0.20 U	
HMW-4IA (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/25/19 03/10/20	HC HC	Peristaltic Submersible	100 U 100 U	200 U 50 U	500 U 250 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.40 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	3.6 0.41	
HMW-5IB (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-6IB (8.7 to -1.3)	Seattle DOT Mercer Parcels,, SW quadrant	03/13/20	HC	Submersible	100 U	83 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-7IB (9.0 to -1.0)	Seattle DOT Mercer Parcels, SW quadrant	03/12/20	HC	Submersible	100 U	52 U	260 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-8IB (7.5 to -2.5)	Seattle DOT Mercer Parcels, SW quadrant	03/11/20	HC	Submersible	100 U	50 U	250 U	0.20 U	0.22	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-9IB	Seattle DOT Mercer Parcels,	03/19/20	HC	Unknown	580 J	60 J	250 U	0.20 U	0.23	0.20 U	0.40 U	660	420	9,100	8.3	1,900	

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																		
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29							
(-1.6 to -11.6) (duplicate)	SW quadrant	01/26/21	PES	Bladder	-	-	-	0.0760	0.590	0.218	1.21	32.1 J+	112	3,360	4.24 J+	1,400							
		06/02/21	PES	Bladder	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	16.2	81.6	3,060	6.30 J	1,230							
		08/18/21	PES	Bladder	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	16.4	87.8	2,990	6.20 J	1,030							
		03/31/22	PES	Bladder	-	-	-	0.0560	0.178 U	0.0310 J	0.191 U	13.5 J+	79.8	3,260	5.10	1,550							
		05/24/22	PES	Bladder	-	-	-	0.0420	0.210	0.0212 U	0.191 U	1.95	11.4	2,160	11.2	850							
		05/24/22	PES	Bladder	-	-	-	0.0520	0.278	0.0212 U	0.216 J	1.61	10.7	2,100	10.8	832							
		08/01/22	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	2.08	2,190	8.25	1,330							
		11/09/22	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	0.400 U	119	3.28 J	1,220							
		02/23/23	PES	Bladder	-	-	-	0.105 J	0.735 J	0.665	2.51	0.140 U	0.0800 U	36.7	3.49	116							
		05/17/23	PES	Bladder	-	-	-	0.160 U	0.500 UJ	0.212 U	1.91 U	0.280 UJ	0.1600 U	17.6 U	0.57 UJ	43.6 UJ							
		08/16/23	PES	Bladder	-	-	-	0.0260 J	0.405	0.0920 J	0.524	0.028 U	0.620	8.86	0.680	9.18							
		11/13/23	PES	Bladder	-	-	-	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.422	2.88	0.437	0.989 J-							
HMW-11IB (-5.2 to -15.2)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100 U	74 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	6.9	2.5	3.6	0.20 U	0.20 U							
HMW-15IB (-5.1 to -14.1)	Seattle DOT Mercer Parcels, SW quadrant	09/16/20	HC	Unknown	100 U	50 U	-	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U							
HMW-16IB (2.0 to -8.0)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	Unknown	100 U	210	-	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	3.3	0.20 U	15							
MW111 (-33.5 to -43.5)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Bladder	-	-	-	-	-	-	-	110	32	37	1 U	1.8							
		12/17/13	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	4.7	1 U	17							
		04/22/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1.7	1 U	18							
		06/17/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1.5	1 U	20							
		10/20/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	8.2							
		02/02/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	2.3	1 U	5.8							
		03/23/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.40	0.152 U	5.22							
		06/14/17	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.408 J	1.24	0.152 U	3.22							
		04/06/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.618	0.153 U	16.5	0.152 U	121							
		01/23/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.492 J	0.176 J	1.70	0.152 U	37.6							
		04/22/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.18	0.152 U	19.5 J							
		07/15/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.596	0.152 U	15.0							
		10/14/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.413 J	0.152 U	8.63							
		01/16/20	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	5.08	0.152 U	34.0							
		04/23/20	PES	Bladder	-	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	24.3	0.149 U	112							
		07/06/20	PES	Bladder	-	-	-	0.0210 J	2.63	0.0212 U	0.191 U	0.0280 U	0.140	27.1	0.0572 U	116							
		11/02/20	PES	Bladder	-	-	-	0.0230 J	0.225	0.0212 U	0.191 U	0.0280 U	0.161	56.2	0.0572 U	118							
		02/09/21	PES	Bladder	-	-	-	0.0420	0.955	0.103	0.606	0.320 J	0.0800 U	14.5	0.0720 J	112							
		05/03/21	PES	Bladder	-	-	-	0.0430	0.880	0.174 U	1.21	0.0280 U	0.0790	5.80	0.0572 U	44.3							
		08/04/21	PES	Peristaltic	-	-	-	0.0360 J	0.548	0.0790 J	0.480	0.0280 U	0.0460	6.18	0.0572 U	44.2							
		11/03/21	PES	Peristaltic	-	-	-	0.0260 J	0.0950 J	0.0212 U	0.207 J	0.0280 U	0.0850	8.17	0.0572 U	45.6							
		02/15/22	PES	Peristaltic	-	-	-	0.0160 U	0.0530 J	0.0212 U	0.191 U	0.0280 U	0.0480	1.87	0.0572 U	12.8							
		05/18/22	PES	Peristaltic	-	-	-	0.0160 U	0.0520 J	0.0212 U	0.191 U	0.0480 J	0.0570	0.917	0.0572 U	6.52							
		08/09/22	PES	Peristaltic	-	-	-	0.0260 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0600	1.74	0.0572 U	15.1							
		11/01/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.639	0.0572 U	8.22							
05/15/23	PES	Peristaltic	-	-	-	0.0160 UJ	0.0500 UJ	0.0212 UJ	0.191 UJ	0.0560 J	0.0160 UJ	0.580 J	0.0572 UJ	6.27 J									
		11/07/23	PES		-	-	-	0.0220 J	0.0500 U	0.0212 U	0.191 U	0.0430 J	0.0790	0.996	0.0572 U	6.28							

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
		11/01/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/07/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW130 (-30.9 to -40.9)	Property, NW quadrant	03/03/16	SES	Bladder	-	-	-	-	-	-	-	6,200	430	300	1 U	38
		03/29/17	PES	Bladder	8,890 zJ+	-	-	1.79 U	8.24 U	3.16 U	6.32 U	721	830	7,880	39.3	186
		06/30/17	PES	Bladder	10,300 zJ+	-	-	0.896 U	4.12 U	1.58 U	3.16 U	6,760 J	4,020	20,100	55.6	597
(duplicate)		06/30/17	PES	Bladder	15,000 zJ+	-	-	0.896 U	4.12 U	1.58 U	3.16 U	11,100 J	5,310	21,300	57.3	549
		05/21/18	PES	Bladder	19,700 zJ+	-	-	0.403 J	1.37	0.227 J	1.12 J	13,500	7,400	29,500	114	1,650
		12/17/18	PES	Bladder	16,400 zJ+	-	-	4.48 U	20.6 U	7.90 U	15.8 U	9,650	3,220	26,400	83.5	1,420
		01/31/19	PES	Bladder	22,400 zJ+	-	-	0.377 J	1.51 J+	0.279 J	1.22 J	23,700	4,640	27,700	107	1,740
Decommissioned March 2019																
MW-132 (-29.9 to -39.9)	Property, SE quadrant	09/25/17	PES	Bladder	95.9 U	-	-	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	1.95 J	196	0.760 U	1.76 J
		04/26/18	PES	Bladder	2,630 zJ+	-	-	0.422 J	0.412 U	0.158 U	0.32 U	2,830	840	3,300	16.3	10.2
		10/25/18	PES	Peristaltic	48.3 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	3.53	0.750	12.1	0.254 J	158
		12/13/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.995 U	0.765 U	39.8	0.497 J	199
		01/31/19	PES	Peristaltic	104 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	22.9	1.95	108	0.506	269
		03/11/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	7.03	1.22	22.8	0.302 J	57.3
Decommissioned March 2019																
MW-134 (-38.6 to -48.6)	Property, NE quadrant	09/22/17	PES	Bladder	-	-	-	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	0.765 U	86.2	0.760 U	229
		04/16/18	PES	Peristaltic	42.1 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.49	0.153 U	0.287 J	0.152 U	68.6
		10/25/18	PES	Bladder	38.2 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	20.9
		12/12/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.259 J	0.152 U	21.9
		01/28/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.609	0.152 U	32.4
		03/12/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.550	0.152 U	17.7
Decommissioned March 2019																
MW-135 (-30.9 to -40.9)	Property, NE quadrant	09/25/17	PES	Bladder	10,900 zJ+	-	-	8.96 U	41.2 U	15.8 U	31.6 U	10,400	2,480	16,100	15.2 U	82.0 J
		04/25/18	PES	Peristaltic	347,000 zJ+	-	-	0.434 J	3.09	0.484 J	2.61	75,800	7,890	27,700	30.7	989
		10/25/18	PES	Peristaltic	31,800 zJ+	-	-	2.24 U	10.3 U	3.95 U	7.90 U	45,900	8,330	40,400	54.4	1,170
		12/13/18	PES	Peristaltic	80,000 zJ+	-	-	4.48 U	20.6 U	7.90 U	15.8 U	97,200	11,000	42,100	66.6	1,380
		01/31/19	PES	Bladder	42,700 zJ+	-	-	0.695 J	5.12 J+	0.571 J	3.43 J	56,500	9,530	37,400	68.6	1,090
		03/13/19	PES	Bladder	32,700 zJ+	-	-	0.496 J	2.43	0.329 J	1.90	57,300	8,150	37,200	74.3	706
Decommissioned March 2019																
MW-136 (-32.7 to -42.7)	Property, SW quadrant	09/25/17	PES	Bladder	55.2 U	-	-	0.332 J	0.412 U	0.158 U	0.316 U	15.4	10.7	18.7	0.152 U	0.118 U
		04/16/18	PES	Submersible	256	-	-	0.260 J	1.83	4.83	25.9	2.59	0.365 J	4.73	0.152 U	8.57
		10/29/18	PES	Bladder	31.9 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.177 J	1.44	0.152 U	0.236 J
		12/13/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.237 J	0.962	0.152 U	0.118 U
		02/01/19	PES	Bladder	44.5 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.26	0.293 U	0.851	0.152 U	0.186 J
		03/12/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.206 J	0.153 U	0.330 J	0.152 U	0.118 U
		03/12/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.262 J	0.153 U	0.378 J	0.152 U	0.118 U
Decommissioned March 2019																
MW-139 (-30.2 to -40.2)	Property, SE quadrant	09/25/17	PES	Bladder	62.2 U	-	-	0.0896 U	0.516	0.158 U	0.316 U	0.199 U	0.153 U	1.42	0.152 U	0.246 J
		04/25/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.175 J	0.152 U	0.118 U
		10/25/18	PES	Peristaltic	47.4 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.29	0.282 J	0.454 U	0.152 U	0.118 U
		12/12/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.216 J	0.152 U	0.118 U
		01/28/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		03/11/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.187 J	0.152 U	5.77
Decommissioned March 2019																

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
MW-143 (-27.7 to -37.76)	8th Ave N ROW, E side	04/30/18	PES	Peristaltic	154	–	–	0.244 J	0.797	0.212 J	1.08 J	0.199 U	0.153 U	129	0.512	193			
		01/29/19	PES	Bladder	31.6 U	–	–	0.141 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.241 J	0.152 U	0.118 U			
		04/24/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ			
		07/19/19	PES	Bladder	31.6	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.309 J	0.152 U	0.118 U			
		10/16/19	PES	Bladder	2,000 zJ+	–	–	0.211 J	0.412 U	0.158 U	0.316 U	2.35	28.0	2,510	11.0	1,180			
		01/22/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.171 J	0.152 U	0.254 J			
		04/24/20	PES	Bladder	88.2 U	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.135 J	0.149 U	0.234 U			
		07/29/20	PES	Bladder	–	–	–	0.0401	1.63	0.0229 J	0.191 U	0.0307 J	0.0167 J	0.0754 J	0.0572 U	0.0273 U			
		11/24/20	PES	Bladder	–	–	–	0.584	0.203	0.0610 U	0.474	0.0280 U	9.64	113	0.633	26.0			
		02/08/21	PES	Peristaltic	–	–	–	0.800 U	3.00 J	1.06 U	9.55 U	1.40 U	0.800 U	3,260	14.1	514 J			
		05/19/21	PES	Bladder	–	–	–	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	4,240	21.6	1,200			
		08/20/21	PES	Bladder	–	–	–	0.106	0.302	0.0212 U	0.191 U	0.0790 J	0.138	635 J-	5.51	1,140 J-			
		12/08/21	PES	Bladder	–	–	–	0.104	0.209	0.171	0.866	0.0280 U	0.0990	339	4.41	723			
		03/08/22	PES	Bladder	–	–	–	0.142	0.268	0.0212 U	0.191 U	0.0280 U	0.146 J+	815	8.54	1,240			
		05/26/22	PES	Bladder	–	–	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	188	3.46	602			
		08/12/22	PES	Bladder	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	491	6.02	1,010			
11/01/22	PES	Bladder	–	–	–	0.0160 U	0.128 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.100 J	0.0572 U	0.274					
05/16/23	PES	Peristaltic	–	–	–	0.0750 J	0.183 J	0.0212 UJ	0.191 UJ	0.191 UJ	0.0160 UJ	330 J	5.04 J	524 J+					
11/07/23	PES	–	–	–	0.0160 U	0.281	0.0710 J	0.421	0.0280 U	0.111	4.12	0.126 J	3.50						
MW-145 (-26.1 to -36.1)	8th Ave N ROW, E side	04/27/18	PES	Bladder	52.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.212 J	2.29	0.152 U	3.88			
		01/29/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.316 J	0.152 U	0.335 J			
		04/26/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.392 J			
Decommissioned December 2019																			
MW-145R (-27.2 to -37.2)	8th Ave N ROW, E side	12/16/19	PES	Bladder	140 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.193 J	0.152 U	0.118 U			
		01/21/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.230 J	0.152 U	0.118 U			
		04/02/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.293 J	0.152 U	0.118 U			
		08/03/20	PES	Bladder	–	–	–	0.0190 J	1.45	0.0460 J	0.191 U	0.0570 J	0.0270 J	0.228	0.0572 UJ	0.0273 U			
		11/23/20	PES	Bladder	–	–	–	0.0160 U	0.0570 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.151	0.0572 U	0.0273 U			
		02/05/21	PES	Peristaltic	–	–	–	0.159	2.79	0.300	1.65	0.0280 U	0.0160 U	0.0680 J	0.0572 U	0.0273 U			
		05/12/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0760 J	0.0572 U	0.0273 U			
		08/23/21	PES	Bladder	–	–	–	0.0400 J	0.570	0.0460 U	0.210 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ			
		08/23/21	PES	Bladder	–	–	–	0.0410	0.576	0.0470 U	0.224 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ			
		11/30/21	PES	Peristaltic	–	–	–	0.0160 U	0.145 J	0.0212 U	0.263	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ			
		03/08/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/11/22	PES	Bladder	–	–	–	0.0160 U	0.254	0.0380 J	0.241 J	0.0280 U	0.0160 U	0.0340 J	0.0572 U	0.0273 U			
		08/10/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
05/15/23	PES	Bladder	–	–	–	0.0160 U	0.2610	0.0212 U	0.364	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
11/08/23	PES	–	–	–	0.0160 U	0.0500 U	0.0940 J	0.273	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
MW-147 (-17.6 to -27.6)	Roy St ROW, S side	05/01/18	PES	Bladder	484 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	19.8	83.4	399	2.09	1,150			
		01/22/19	PES	Bladder	663 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	98.2	179	1,230	2.88	738			
		04/23/19	PES	Bladder	139 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 UJ	0.199 U	5.13	322	1.47	499			
		07/18/19	PES	Bladder	175 zJ+	–	–	0.0896 U	0.412 U	3.16 U	6.32 U	0.199 U	4.79	219	2.49	446			
		07/18/19	PES	Bladder	170 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	4.72	286	2.12	425			
(duplicate)		10/14/19	PES	Bladder	513 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	3.38	597	2.91	1,410			

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-157 (-28.3 to -38.2)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	65.7 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.950	0.240 J	10.4	0.246 J	104
		01/24/19	PES	Peristaltic	1,870 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.65	4,250	14.2	674
		04/24/19	PES	Peristaltic	3,210 zJ+	–	–	0.254 J	0.412 U	0.158 U	0.316 U	9.95 U	8.52 J	3,550	15.9	622
		07/22/19	PES	Bladder	3,880 zJ+	–	–	0.327 J	0.412 U	0.158 U	0.316 U	19.9 U	27.6	4,530	18.4	666
		10/16/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.561	0.158 U	0.316 U	0.199 U	0.153 U	0.188 J	0.152 U	0.118 U
		01/20/20	PES	Bladder	1,650 zJ+	–	–	0.308 J	0.412 U	0.158 U	0.316 U	39.4	109	2,040	8.95	941
		04/24/20	PES	Bladder	756 zJ+	–	–	1.88 U	5.56 U	2.74 U	3.48 U	6.00 U	3.80 U	1,040	8.86 J	980
		07/15/20	PES	Bladder	–	–	–	0.480 J	1.00 U	0.424 U	3.82 U	0.560 U	3.06	888	7.20	668
		11/23/20	PES	Bladder	–	–	–	0.740 U	1.00 U	0.424 U	3.82 U	3.04	24.7	2,770	9.98	528
MW-190 (-30.2 to -40.2)	Valley St ROW, S side	10/14/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.78	0.152 U	0.994
		01/23/20	PES	Bladder	31.6 U	–	–	0.150 J	1.57	0.158 U	0.344 J	0.199 U	0.153 U	0.389 J	0.152 U	0.118 U
		04/02/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.13	0.152 U	1.81
		08/04/20	PES	Bladder	–	–	–	0.0270 J	2.09	0.0330 J	0.191 U	0.0280 U	0.0160 U	1.74	0.0572 UJ	3.77 J
		11/18/20	PES	Bladder	–	–	–	0.0160 U	0.0820 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	21.8	0.0572 U	64.9
		02/03/21	PES	Bladder	–	–	–	0.0160 U	0.164 J	0.0450 J	0.252 J	0.0280 U	0.0160 U	12.5	0.0572 U	68.4
		05/14/21	PES	Bladder	–	–	–	0.0160 U	0.149 U	0.0330 J	0.195 J	0.0280 U	0.0160 U	8.12	0.0572 U	32.2
		08/11/21	PES	Peristaltic	–	–	–	0.0310 J	0.834	0.122	0.669	0.0280 U	0.0160 U	6.60	0.0572 U	34.5
		11/30/21	PES	Bladder	–	–	–	0.0160 U	0.131 J	0.156	0.859	0.0280 U	0.0160 U	19.3	0.0572 U	56.1 J+
		03/04/22	PES	Bladder	–	–	–	0.0160 U	0.116 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	43.3	0.0670 J	74.3
		05/10/22	PES	Bladder	–	–	–	0.0160 U	0.527	0.0212 U	0.338	0.0280 U	0.0160 U	6.40	0.0572 U	23.3
		08/11/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.982	0.202	37.8	0.0572 U	54.7
		10/31/22	PES	Bladder	–	–	–	0.0160 U	0.122 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	78.7	0.0980 J	64.4
		05/12/23	PES	Bladder	–	–	–	0.0160 U	0.050 U	0.0212 U	0.191 U	0.0790 J	0.0160 U	148.0	0.1090 J	111.0
		11/06/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	78.8	0.0960 J	64.8
MW-303 (-13.8 to -23.8)	Dexter Ave N ROW, E side	10/21/19	PES	Submersible	99.6 J	–	–	0.0896 U	1.63	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/24/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.313 J	0.153 J	0.0933 U	0.152 U	0.118 U
		05/07/20	PES	Bladder	41.5 J	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/27/20	PES	Bladder	–	–	–	0.0160 U	1.56	0.0263 J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/17/20	PES	Bladder	–	–	–	0.0160 U	0.0750 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/18/21	PES	Bladder	–	–	–	0.0160 U	0.240	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/09/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.144	0.749	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/25/22	PES	Bladder	–	–	–	0.0160 U	0.0680 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/08/22	PES	Peristaltic	–	–	–	0.0160 UJ	0.0500 UJ	0.0212 UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	0.0276 UJ	0.0572 UJ	0.0273 UJ
		10/31/23	PES	Bladder	–	–	–	0.0160 U	0.290	0.0430 J	0.331	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-307 (-12.4 to -22.4)	Roy St ROW, S side	10/11/19	PES	Bladder	31.6 U	–	–	0.0896 U	1.05	0.158 U	0.316 U	0.199 U	0.153 U	0.935	0.152 U	0.289 J
		01/15/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.172 J	0.152 U	0.118 U
		04/28/20	PES	Bladder	146 zJ+	–	–	0.172 J	0.452 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/29/20	PES	Bladder	–	–	–	0.0211 J	0.780	0.0212 U	0.191 U	0.0492 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/06/20	PES	Bladder	–	–	–	0.0160 U	0.427	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/18/21	PES	Bladder	–	–	–	0.0160 U	0.272	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		12/03/21	PES	Bladder	–	–	–	0.0300 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/26/22	PES	Bladder	–	–	–	0.0160 U	0.132 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/04/22	PES	Bladder	–	–	–	1.03	0.0770 J	0.0212 U	0.191 U	0.274	0.0490	0.146	0.0572 U	0.0273 U
		11/10/23	PES	Bladder	–	–	–	0.0760	0.264	0.100 J	0.619	0.0640 J	0.0160 J	0.0380 J	0.0572 U	0.0273 U
MW-309	Alley E of Seattle Roy	10/14/19	PES	Peristaltic	–	–	–	0.295 J	2.01	0.158 U	0.316 U	1.11	0.497 J	1.47	0.152 U	6.37

**Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
		11/10/20	PES	Peristaltic	-	-	-	0.0160 U	0.0500 UJ	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/04/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/17/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/04/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/02/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/08/23	PES	Peristaltic	-	-	-	0.0210 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0840 J			
MW-340 (-16.1 to -26.1)	Lake Union Park, S end	05/12/20	PES	Peristaltic	-	-	-	0.0941 U	0.428 J	0.137 U	0.635 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U			
		07/17/20	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/09/20	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/13/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/10/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/04/22	PES	Peristaltic	-	-	-	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/02/22	PES	Peristaltic	-	-	-	0.0160 U	0.131 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/09/23	PES	Peristaltic	-	-	-	0.0160 U	0.143 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
MW-345 (-1.6 to -11.6)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	-	-	-	0.0160 U	0.176 J	0.0212 U	0.191 U	0.717	0.456	13.9	0.0600 J	8.76			
		08/18/21	PES	Bladder	-	-	-	0.191	1.99	0.192	1.15	0.0940 J	0.213	4.00	0.0572 U	2.90			
		11/18/22	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0770	2.12	0.0650 J	18.3			
		11/13/23	PES	Bladder	-	-	-	0.016 U	0.0580 J	0.0212 U	0.191 U	0.028 U	0.0480	5.93	0.132 J	54.7 J-			
MW-346 (duplicate) (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	06/02/21	PES	Bladder	-	-	-	0.0290 J	0.206	0.0212 U	0.191 U	25.3	6.09	18.1	0.0572 U	1.90			
		06/02/21	PES	Bladder	-	-	-	0.0290 J	0.194 J	0.0212 U	0.191 U	25.1	6.16	18.3	0.0572 U	1.93			
		08/18/21	PES	Bladder	-	-	-	0.0280 J	0.0860 J	0.0212 U	0.191 U	1.58	0.646	24.7	0.0880 J	1.11			
		03/31/22	PES	Bladder	-	-	-	0.0160 U	0.124 U	0.0212 U	0.191 U	0.228 J+	1.04	3.49	0.0572 U	1.04			
		05/24/22	PES	Bladder	-	-	-	0.0160 U	0.0690 J	0.0212 U	0.191 U	0.0640 J	0.921	4.18	0.0572 U	2.08			
		08/02/22	PES	Bladder	-	-	-	0.0940	2.17	0.168	0.825	0.0280 U	0.498	3.42	0.0572 U	2.47			
		11/10/22	PES	Bladder	-	-	-	0.0160 U	0.216	0.0212 U	0.191 U	0.0280 U	0.570	2.68	0.0572 U	1.54			
(duplicate)		02/23/23	PES	Bladder	-	-	-	0.0160 U	0.0820 J	0.0212 U	0.191 U	0.0280 U	0.624	3.10	0.0572 U	2.04			
(duplicate)		02/23/23	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.794	3.25	0.0572 U	2.12			
(duplicate)		05/16/23	PES	Bladder	-	-	-	0.0160 U	0.4480	0.0400 J	0.310	0.0370 J	0.464	2.05	0.0572 U	2.01			
(duplicate)		05/16/23	PES	Bladder	-	-	-	0.0160 U	0.3430	0.0500 J	0.284	0.0280 U	0.432	1.97	0.0572 U	1.77			
(duplicate)		08/15/23	PES	Bladder	-	-	-	0.016 U	0.336	0.0800 J	0.420	0.028 U	0.504	2.31	0.0572 U	2.11			
(duplicate)		08/15/23	PES	Bladder	-	-	-	0.016 U	0.276	0.052 J	0.372	0.0440 J	0.574	2.36	0.0572 U	1.61			
(duplicate)		11/08/23	PES	Bladder	-	-	-	0.0480	0.140 J	0.0212 U	0.191 U	0.0710 J	0.319	1.82	0.0572 U	0.423			
MW-347 (-1.3 to -11.3)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	-	-	-	0.0300 J	0.346	0.0212 U	0.191 U	5.19	3.83	123	0.291	66.9			
		08/19/21	PES	Bladder	-	-	-	0.0510	0.164 J	0.0310 J	0.191 U	7.46	4.72	100	0.807	25.7			
		03/31/22	PES	Bladder	-	-	-	0.0340 J	0.121 U	0.0330 J	0.191 U	25.8 J+	50.3	290	0.998	130			
(duplicate)		03/31/22	PES	Bladder	-	-	-	0.0220 J	0.109 U	0.0212 U	0.191 U	27.2 J+	40.4	280	0.915	150			
		05/26/22	PES	Bladder	-	-	-	0.0160 U	0.0770 U	0.0212 U	0.191 U	0.0770 J	0.225	148	0.556	68.0			
		08/02/22	PES	Bladder	-	-	-	0.0290 J	0.497	0.0770 J	0.636	0.0280 U	0.0160 U	30.6	0.219	58.3			
		11/10/22	PES	Bladder	-	-	-	0.0160 U	0.0760 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	15.8	0.134 J	28.7			
		02/23/23	PES	Bladder	-	-	-	0.0160 U	0.327	0.183	1.05	0.0280 U	0.0160 U	3.78	0.0572 U	9.64			
		05/16/23	PES	Bladder	-	-	-	0.0160 U	0.561	0.074 J	0.52	0.0280 U	0.1890	2.70	0.0572 U	12.6			
		08/15/23	PES	Bladder	-	-	-	0.016 U	0.055 U	0.0212 U	0.191 U	0.0970 J	0.231	1.61	0.0572 U	10.5			
		11/10/23	PES	Bladder	-	-	-	0.016 U	0.0530 J	0.0212 U	0.191 U	0.028 U	0.124	0.889	0.0572 U	8.19			

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-348 (-4.6 to -14.6) (duplicate)	Seattle DOT Mercer Parcels SW quadrant	06/01/21	PES	Bladder	-	-	-	0.0190 J	0.170 J	0.0212 U	0.191 U	12.6	8.62	104	0.107 J	55.4
		08/19/21	PES	Bladder	-	-	-	0.0190 J	0.0680 J	0.0212 U	0.191 U	5.38	7.77	68.2	0.0572 U	45.5
		08/19/21	PES	Bladder	-	-	-	0.0270 J	0.0680 J	0.0212 U	0.191 U	5.41	8.30	66.6	0.0660 J	45.7
		03/31/22	PES	Bladder	-	-	-	0.0340 J	0.165 U	0.0320 J	0.191 U	14.4 J+	19.6	318	0.0790 J	252
		05/26/22	PES	Bladder	-	-	-	0.0460	0.0950 U	0.0212 U	0.191 U	6.62	14.0	160	0.150 J	126
		08/01/22	PES	Bladder	-	-	-	0.160 U	1.51 J	0.212 U	1.91 U	0.280 U	2.38	167	1.15 J	123
		11/10/22	PES	Bladder	-	-	-	1.78	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	49.4	1.14 U	13.9
		03/13/23	PES	Bladder	-	-	-	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	166	1.14 U	145
		05/17/23	PES	Bladder	-	-	-	0.160 U	0.68 UJ	0.212 U	1.91 U	0.280 UJ	0.160 UJ	95.6	0.57 U	111
		08/16/23	PES	Bladder	-	-	-	0.0240 J	0.481	0.128	0.707	0.028 U	0.250	76.1	0.0720 J	136
11/14/23	PES	Bladder	-	-	-	0.0170 J	1.07	0.0260 J	0.191 U	0.028 U	0.164	12.9	0.0572 U	117		
MW-349 (-2.8 to -12.8)	Seattle DOT Mercer Parcels SW quadrant	06/01/21	PES	Bladder	-	-	-	0.0160 U	2.60	0.0400 J	0.191 J	0.611	0.474	7.23	0.0572 U	11.6
		08/19/21	PES	Bladder	-	-	-	0.0160 U	0.168 J	0.0212 U	0.191 U	0.326	0.288	5.13	0.0572 U	17.6
		03/30/22	PES	Bladder	-	-	-	0.0290 J	0.836	0.243	1.33	0.0280 U	0.319	47.1	0.0572 U	68.0
		05/26/22	PES	Bladder	-	-	-	0.0160 U	0.312	0.0212 U	0.191 U	0.105	0.146	23.0	0.0572 U	30.9
		08/01/22	PES	Bladder	-	-	-	0.0380 J	1.27	0.151	0.817	0.126	0.203	12.8	0.0572 U	23.2
		11/08/22	PES	Bladder	-	-	-	0.0160 UJ	0.702 J	0.0212 UJ	0.191 UJ	0.0430 J	0.240 J+	4.95 J	0.0572 UJ	9.84 J
		02/23/23	PES	Bladder	-	-	-	0.0160 U	0.623	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.57	0.0572 U	8.66
		05/16/23	PES	Bladder	-	-	-	0.0160 U	0.998	0.1600	0.915	0.0280 U	0.0630	1.36	0.0572 U	4.90
		08/15/23	PES	Bladder	-	-	-	0.016 U	0.117 U	0.0212 U	0.191 U	0.0410 J	0.0720	1.44	0.0572 U	4.30
11/13/23	PES	Bladder	-	-	-	0.016 U	0.412	0.0212 U	0.191 U	0.028 U	0.044 U	0.993	0.0572 U	2.50 J-		
MW-350 (-1.7 to -11.7)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	-	-	-	1.16	10.9	11.5	56.7	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		08/18/21	PES	Bladder	-	-	-	0.123	0.840	0.690	3.42	0.0280 U	0.0160 U	0.149	0.0572 U	0.573
		11/11/22	PES	Bladder	-	-	-	0.0160 U	0.0990 U	0.0810 J	0.331	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.672 J-
		02/24/23	PES	Bladder	-	-	-	0.0160 U	0.0930 J	0.0212 U	0.306	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.06
		05/17/23	PES	Bladder	-	-	-	0.022 U	0.248 UJ	0.052 U	0.315 U	0.028 UJ	0.016 U	0.0276 UJ	0.0572 UJ	1.61 U
		08/15/23	PES	Bladder	-	-	-	0.016 U	0.172 U	0.0340 J	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	2.89
11/13/23	PES	Bladder	-	-	-	0.0300 J	0.116 J	0.0550	0.200	0.028 U	0.016 U	0.0276 U	0.0572 U	3.50 J-		
PW-1 (--)	North Valley St ROW	1997 (8 hour	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	1.0	ND	ND	ND	ND
		1997 (Final) Decommissioned	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	ND	ND	ND
W-MW-01 (-25.1 to -35.1)	8th Ave N ROW, W side	02/02/12	WW	Bladder	-	-	-	20 U	0.1 J	0.2 U	0.6 U	46	3.9	11	0.2 U	0.5
		09/06/12	SES	Peristaltic	-	-	-	0.35 U	1.7	1 U	3 U	1 U	1 U	2.0	1 U	2.8
		06/17/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	0.46
		10/20/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	0.88
		01/08/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	2.5
		02/01/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	2.8
		03/30/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.330 J	0.203 J	0.491 J	0.152 U	1.83 J
		06/19/17	PES	Bladder	-	-	-	0.158 J	0.931	0.158 U	0.316 U	0.199 U	0.153 U	0.320 J	0.152 U	1.09
		04/13/18	PES	Bladder	37.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	5.33	1.68	1.31	0.152 U	8.79
		10/29/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.220 J	0.696	0.629	0.152 U	3.90
		12/13/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.77	0.538	0.152 U	3.86
		01/25/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.587	0.459 J	0.152 U	5.46
		03/11/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.520	0.301 J	0.396 J	0.152 U	7.24

**Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
(duplicate)		04/25/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.373 J	0.572 J	0.152 U	6.61 J	
		07/23/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.304 J	0.547 J	0.152 U	9.00 J	
		10/15/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.350 J	0.408 J	0.152 U	7.36 J	
		01/27/20	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.349 J	0.553 J	0.152 U	5.16 J	
		04/03/20	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.244 J	0.588 J	0.152 U	3.79 J	
		07/31/20	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0742 J	0.299 J	0.431 J	0.0572 UJ	2.98 J	
		11/24/20	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.214 J	0.451 J	0.0572 U	5.82 J	
		02/03/21	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.191 J	0.495 J	0.0572 U	3.62 J	
		05/17/21	PES	Bladder	-	-	-	0.0160 U	0.828 J	0.0212 U	0.191 U	0.0280 U	0.197 J	0.367 J	0.0572 U	9.41 J	
		08/23/21	PES	Bladder	-	-	-	0.0160 U	1.32 J	0.0212 U	0.191 U	0.0280 U	0.134 J	0.378 J	0.0572 U	2.33 J-	
		11/29/21	PES	Bladder	-	-	-	0.0160 U	0.912 J	0.0212 U	0.406 J	0.0280 U	0.132 J	0.340 J	0.0572 U	1.46 J+	
		03/08/22	PES	Bladder	-	-	-	0.0160 U	0.0880 J	0.0212 U	0.191 U	0.0280 U	0.103 J+	0.377 J	0.0572 U	3.22 J+	
		05/11/22	PES	Bladder	-	-	-	0.0160 U	0.0890 J	0.0212 U	0.191 U	0.0280 U	0.0910 J	0.294 J	0.0572 U	2.36 J	
		08/12/22	PES	Bladder	-	-	-	0.0310 U	0.186 U	0.0212 U	0.191 U	0.240 J	0.168 J	0.292 J	0.0572 U	2.70 J	
		08/12/22	PES	Bladder	-	-	-	0.0160 U	0.0910 U	0.0212 U	0.191 U	0.283 J	0.166 U	0.361 J	0.0572 U	2.57 J	
		10/31/22	PES	Bladder	-	-	-	0.0160 U	0.178 U	0.0212 U	0.191 U	0.0280 U	0.0870 J	0.405 J	0.0572 U	1.61 J	
		02/24/23	PES	Bladder	-	-	-	0.0160 U	0.711 J	0.315 J	1.51 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.59 J	
05/16/23	PES	Bladder	-	-	-	0.0160 UJ	0.330 J	0.021 UJ	0.41 J	0.0280 UJ	0.0670 J	0.253 J	0.0572 UJ	3.46 J			
08/16/23	PES	Bladder	-	-	-	0.0210 J	0.116 J	0.0870 J	0.564 J	0.028 U	0.0480 J	0.319 J	0.0572 U	2.51 J			
11/06/23	PES	Bladder	-	-	-	0.0160 U	0.181 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.264 J	0.0572 U	1.51 J			
(duplicate)	8th Ave N ROW, W side	02/03/12	WW	Bladder	-	-	-	20 U	20 U	20 U	60 U	6,900	1,700	2,000	20 U	120	
		08/13/12	SES	Peristaltic	-	-	-	-	-	-	-	-	3,000	1,300	2,200	4.1	66
		09/05/12	SES	Peristaltic	-	-	-	0.35 U	1.4	1 U	3 U	2,600	1,300	2,800	5.0	69	
		01/03/14	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	490	1,200	4,400	7.3	67	
		06/17/15	SES	Peristaltic	-	-	-	-	-	-	-	10 U	10 U	13,000	95	2,400	
		10/20/15	SES	Peristaltic	-	-	-	-	-	-	-	5 Uht	5 Uht	12,000 ht	97 ht	1,700 ht	
		11/10/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	3.4	480	3.6	110	
		12/11/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	4.9	900	6.2	2,900	
		01/08/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	3.1	750	26	7,500	
		02/01/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	4.6	2,900	35	2,800	
		03/27/17	PES	Peristaltic	-	-	-	0.270 J	0.961 J	0.158 U	0.316 U	0.199 U	0.259 J	33.0	2.16	36.4	
		06/19/17	PES	Bladder	-	-	-	0.307 J	0.970 J	0.158 U	0.316 U	0.199 U	0.153 U	18.2	0.746	25.6	
		06/12/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.829 J	0.158 U	0.316 U	0.199 U	0.153 U	4.72	0.279 J	4.95 J	
		10/26/18	PES	Peristaltic	90.2 UJ	-	-	0.0896 U	0.641 J	0.158 U	0.316 U	0.199 U	0.153 U	2.01	0.410 J	1.41 J	
		10/26/18	PES	Peristaltic	246 J+	-	-	0.0896 U	0.587 J	0.158 U	0.316 U	0.199 U	0.153 U	2.11 J+	0.435 J	1.80 J	
		12/12/18	PES	Peristaltic	158 UJ	-	-	0.0896 U	1.05 J	0.158 U	0.316 U	0.199 U	0.153 U	1.80	0.463 J	2.30 J	
		01/25/19	PES	Peristaltic	37.4 J	-	-	0.133 J	2.09 J	0.158 U	0.316 U	0.199 U	0.153 U	1.83	0.263 J	2.01 J	
03/11/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	1.12 J	0.158 U	0.316 U	0.199 U	0.153 U	2.41	0.316 J	2.43 J			
04/23/19	PES	Peristaltic	429 zJ+	-	-	0.0896 U	0.56 J	0.158 U	0.316 U	0.199 U	40.1	672	2.35	81.0 J			
07/23/19	PES	Bladder	31.6 U	-	-	0.0896 U	1.35 J	0.158 U	0.316 U	0.199 U	0.153 U	3.30	0.386 J	6.79 J			
10/18/19	PES	Bladder	31.6 U	-	-	0.0896 U	1.79 J	0.158 U	0.316 U	0.199 U	0.153 U	2.07	0.278 J	3.56 J			
01/28/20	PES	Bladder	31.6 U	-	-	0.0896 U	2.93 J	0.158 U	0.316 U	0.199 U	0.153 U	1.52	0.252 J	1.70 J			
04/01/20	PES	Bladder	31.6 U	-	-	0.0896 U	2.51 J	0.158 U	0.316 U	0.199 U	0.153 U	1.44	0.166 J	1.42 J			
07/31/20	PES	Bladder	-	-	-	0.0502	0.387 J	0.0212 U	0.191 U	0.0280 U	0.136 J	1.39 J	0.204 J	1.08 J			
W-MW-03	Property	02/03/12	WW	Bladder	-	-	-	20 U	20 U	20 U	60 U	5,300	220	160	20 U	20 U	

Table 5
Groundwater Analytical Data for Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
(-30.8 to -40.8)		09/06/12 Decommissioned	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	13	2.6	20	1 U	120
W-MW-04 ^a (-32.5 to -41.5)	Property	02/03/12 09/06/12 Decommissioned	WW SES	Bladder Peristaltic	–	–	–	20 U 0.35 U	20 U 1 U	20 U 1 U	60 U 3 U	5,400 460	160 440	54 1,900	20 U 4.0	20 U 630
Number of Analytes Measured					93	20	18	452	452	452	452	462	462	462	462	462
Number of Analytes Detected					10	4	0	143	181	74	75	138	218	328	151	311
Frequency of Detection					11%	20%	0%	32%	40%	16%	17%	30%	47%	71%	33%	67%
Maximum Detection					580 J	–	–	56.1 J	10.9	11.5	56.7	97,200	18,700	127,000	781	11,000
Minimum Detection					31.6 U	50 U	250 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
Number of Analytes Detected Above SL					0	0	0	19	0	0	0	66	89	164	7	299
Frequency of Detection Above SL					0%	0%	0%	4%	0%	0%	0%	14%	19%	35%	2%	65%
Notes:					Laboratory and Results Notes:											
PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.					Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.											
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .					VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.											
B&V = Black & Veatch					– = Not analyzed or results not available.											
cDCE = cis-1,2-Dichloroethene					E = Estimated value. The reported range exceeds the calibration range of the analysis.											
DOF = Dalton, Olmsted & Fuglevand, Inc.					f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.											
DRO = Diesel-range organics					g = Estimated value. The reported range exceeds the calibration range of the analysis.											
GeoE = GeoEngineers Inc.					ht = The analysis was performed outside the method the method or client-specified holding time requirement.											
GRO = Gasoline-range organics					J = The identification of the analyte is acceptable; the reported value is an estimate.											
HC = Hart Crowser					J+ = The result is an estimated quantity, but the result may be biased high.											
ORO = Oil-range organics					J- = The result is an estimated quantity, but the result may be biased low.											
PCE = Perchloroethylene (Tetrachloroethene)					ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided.											
ROW = right-of-way					pr = The sample was received with incorrect preservation. The value reported should be considered an estimate.											
SES = SES Strategies, Inc.					U = Not detected at or above the laboratory method detection limit (MDL).											
TCE = Trichloroethene					qp = Hydrocarbon result partly due to individual peak(s) in quantitation range.											
tDCE = trans-1,2-Dichloroethene					x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.											
VC = Vinyl chloride					y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis.											
WW = Windward					z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.											
Well screen elevations indicated below Sample Location in parentheses.					Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.											
(–) = unknown screen elevation.					Groundwater statistics for GRO exclude "z" qualified data.											
a = Monitoring well was installed at a 25 degree angle from the vertical point of penetration.																

Table 6

**Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
FMW-129 (-45.6 to -50.6)	Seattle DOT Mercer Parcels, NE quadrant	05/23/14	Farallon	Unknown	-	-	-	-	-	-	0.40	0.57	17	ND	7.6
		10/20/15	SES	Persitaltic	-	-	-	-	-	-	25	39	250	1 U	0.2 U
		02/02/16	SES	Peristaltic	-	-	-	-	-	-	13	61	240	1 U	0.330
		04/10/17	PES	Peristaltic	-	0.448 U	2.06 U	0.790 U	1.58 U	194	492	1,420	5.05	0.885 J	
		06/23/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	81.1	182	474	1.21	0.413	
		05/01/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	101	166	372	1.22	0.590 U	
		07/16/19	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	159	84.1	272	1.61	0.296 J	
		10/21/19	PES	Peristaltic	141 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	114	198	350	1.61	0.259 J	
		11/12/19	Farallon	Unknown	-	-	-	-	-	79	130	340	2.0 U	2.0 U	
		01/14/20	PES	Bladder	-	0.896 U	4.12 U	1.58 U	3.16 U	113	170	385	1.60 J	1.18 U	
		01/14/20	Farallon	Unknown	-	-	-	-	-	130	170	290	2.0 U	2.0 U	
		02/18/20	Farallon	Unknown	-	-	-	-	-	110	170	310	2.0 U	2.0 U	
		03/25/20	Farallon	Unknown	-	-	-	-	-	88	140	290	2.0 U	2.6	
		04/27/20	Farallon	Unknown	-	-	-	-	-	74	88	190	1.0 U	1.0 U	
		05/06/20	PES	Bladder	-	0.0941 U	0.278 U	0.137 U	0.174 U	34.6	61.9	157	0.433 J	14.2	
		05/19/20	Farallon	Unknown	-	-	-	-	-	18	42	120	1.0 U	6.5	
		07/10/20	PES	Bladder	-	0.0160 U	1.47	0.0212 U	0.191 U	10.8	27.1	92.5	0.224	0.430	
		07/28/20	Farallon	Unknown	-	-	-	-	-	5.4	11	100	0.80 U	0.80 U	
		09/17/20	Farallon	Unknown	-	-	-	-	-	6.1	13	70	0.40 U	0.40 U	
		11/10/20	PES	Bladder	-	0.0160 U	0.136 J-	0.0212 U	0.191 U	6.43	22.3	58.8	0.135 J	8.49 J+	
		12/03/20	Farallon	Unknown	-	-	-	-	-	9.0	14	57	0.40 U	0.40 U	
		02/10/21	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	2.42	4.97	42.5	0.276	0.0273 U	
		02/10/21	Farallon	Peristaltic	-	-	-	-	-	1.9	4.6	31	0.20 U	0.20 U	
		05/26/21	PES	Bladder	-	0.0910	0.0860 U	0.0212 U	0.191 U	91.1	197	517	1.53	0.0273 U	
		05/26/21	PES	Bladder	-	0.127	0.102 U	0.0212 U	0.191 U	97.2	201	526	1.56	0.0273 U	
		08/19/21	PES	Bladder	-	0.107	0.0500 U	0.0212 U	0.191 U	97.9	188	445	1.90	0.576	
		03/03/22	PES	Bladder	-	0.183	0.0530 U	0.0212 U	0.191 U	134	290	846	2.12	2.22	
05/05/22	PES	Peristaltic	-	0.400 U	1.25 U	0.530 U	4.78 U	197 J+	286	940	1.63 J	0.682 U			
08/12/22	PES	Peristaltic	-	0.0250 J	0.0680 U	0.0350 J	0.191 U	1.40	3.45	14.4	0.0960 J	0.0273 U			
11/11/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	1.17	4.01	16.7	0.0920 J	0.0273 UJ			
05/18/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.63	2.68	8.2	0.0730 J	0.0273 U			
11/14/23	PES	Peristaltic	-	0.0250 J	0.0500 U	0.0212 U	0.191 U	1.09	3.59	9.16	0.101 J	0.0273 UJ			
FMW-131 (-34.7 to -44.7)	Block 37, SE quadrant	09/02/16	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	41	0.20 U	1.7	
		03/24/17	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	45.6	0.152 U	0.249 J	
		06/23/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.61	0.152 U	0.264 J	
		12/18/17	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.61	0.20 U	0.20 U	
		04/22/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.8	0.152 U	0.195 J	
		10/21/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.5	0.152 U	0.140 J	
		01/22/20	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	15.1	0.152 U	0.162 J	
		04/29/20	PES	Peristaltic	-	0.0941 U	0.954	0.137 U	0.726 J	0.300 U	0.190 U	13.9	0.149 U	0.309 J	
		07/30/20	PES	Bladder	-	0.0459	0.0500 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.73 J	0.0572 UJ	0.147	
		08/26/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	6.5	0.20 U	0.20 U	
		11/19/20	PES	Bladder	-	0.0850	0.0520 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.91	0.0572 U	0.109	
		12/04/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	3.5	0.20 U	0.20 U	
		02/11/21	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.27	0.20 U	0.20 U	
02/12/21	PES	Peristaltic	-	0.0900	1.04	0.172	0.952	0.0450 J	0.0160 U	7.89	0.0572 U	0.287			

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																		
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
		05/13/21	PES	Peristaltic	-	0.0650	0.115	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	9.83	0.0572	U	0.428			
		08/19/21	PES	Peristaltic	-	0.0630	0.0860	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	8.63	0.0572	U	0.187			
		02/25/22	PES	Peristaltic	-	0.0590	0.0840	J	0.0850	J	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		06/09/22	PES	Peristaltic	-	0.0300	J	0.0670	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	19.6	0.0572	U	0.0273	U	
		08/05/22	PES	Peristaltic	-	0.0500	0.770	0.125	0.785	0.0280	U	0.0160	U	20.2	0.0572	U	0.120	J+					
		11/01/22	PES	Peristaltic	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0650	J	0.0160	UJ	18.3	J	0.0572	U	0.103	
		05/09/23	PES	Peristaltic	-	0.0160	U	0.1700	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	7.5	0.0572	U	0.323		
		11/09/23	PES	Peristaltic	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	17.7	0.0572	U	0.0273	UJ	
		FMW-137 (-39.9 to -54.9)	Alley E of Block 38W	11/20/18	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.2	0.20	U	0.20	U		
12/28/18	Farallon			Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.1	0.20	U	0.20	U				
05/06/19	Farallon			Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.3	0.20	U	0.20	U				
07/08/19	Farallon			Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.3	0.20	U	0.20	U				
10/14/19	Farallon			Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.1	0.20	U	0.20	U				
11/06/19	PES			Peristaltic	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.27	0.152	U	0.118	U	
11/11/19	Farallon			Unknown	-	-	-	-	-	-	0.20	U	0.20	U	1.3	0.20	U	0.20	U				
01/22/20	PES			Peristaltic	-	0.0896	U	0.506	0.158	U	0.316	U	0.199	U	0.153	U	1.99	0.152	U	0.118	U		
05/06/20	PES			Bladder	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
07/31/20	PES			Bladder	-	0.0160	U	0.884	0.137	0.637	0.0280	U	0.0160	U	0.0343	J	0.0572	UJ	0.0273	U			
11/24/20	PES			Bladder	-	0.0160	U	0.0900	U	0.0480	U	0.294	0.0280	U	0.0160	U	0.0540	J	0.0572	U	0.0273	U	
02/12/21	PES			Bladder	-	0.0330	J	0.448	0.0800	J	0.442	0.0280	U	0.0160	U	2.66	0.0572	U	0.0920	J			
06/02/21	PES			Peristaltic	-	0.0240	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	2.99	0.0572	U	0.0273	U	
08/12/21	PES			Peristaltic	-	0.0380	J	0.199	J	0.0340	J	0.216	J	0.0280	U	0.0160	U	3.05	0.0572	U	0.107		
03/04/22	PES			Peristaltic	-	0.0350	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	6.58	0.0572	U	0.0910	J	
06/05/22	PES			Peristaltic	-	0.0210	J	0.227	0.0212	U	0.214	J	0.0280	U	0.0160	U	8.54	0.0572	U	0.182			
08/05/22	PES			Peristaltic	-	0.0400	J	0.906	0.135	0.935	0.0280	U	0.0160	U	10.0	0.0572	U	0.339	J+				
11/01/22	PES	Peristaltic	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.146	0.0160	U	9.81	0.0572	U	0.0273	U				
05/19/23	PES	Peristaltic	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.028	U	0.0160	U	21.20	0.0572	U	0.0273	U			
11/09/23	PES	Peristaltic	-	0.0280	J	0.0680	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	40.3	0.0572	U	0.289	J-			
FMW-138 (-50.0 to -60.0)	Alley E of Block 38W	11/20/18	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.29	0.20	U	0.20	U				
		12/28/18	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.34	0.20	U	0.20	U				
		05/06/19	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.38	0.20	U	0.20	U				
		07/08/19	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.34	0.20	U	0.20	U				
		10/14/19	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.33	0.20	U	0.20	U				
		11/11/19	Farallon	Unknown	-	-	-	-	-	-	0.20	U	0.20	U	0.37	0.20	U	0.20	U				
FMW-140 (-38.0 to -48.0)	900 Roy St, S end	07/17/19	Farallon	Unknown	-	-	-	-	-	-	2.0	U	2.0	U	280	2.0	U	320					
		10/31/19	PES	Peristaltic	-	18.5	1.43	0.158	U	0.316	U	0.199	U	0.153	U	0.160	J	0.152	U	189			
		11/12/19	Farallon	Unknown	-	-	-	-	-	-	4.0	U	4.0	U	310	4.0	U	510					
		01/14/20	Farallon	Unknown	-	-	-	-	-	-	4.0	U	4.0	U	340	4.0	U	460					
		01/22/20	PES	Peristaltic	-	39.6	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	406	0.729	527				
		02/18/20	Farallon	Unknown	-	-	-	-	-	-	4.0	U	4.0	U	280	4.0	U	530					
		03/25/20	Farallon	Unknown	-	-	-	-	-	-	2.0	U	2.0	U	100	2.0	U	290					
		04/27/20	Farallon	Unknown	-	-	-	-	-	-	1.0	U	1.0	U	33	1.0	U	130					
		04/28/20	PES	Bladder	-	43.3	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	27.1	0.217	J	147			
		05/19/20	Farallon	Unknown	-	-	-	-	-	-	1.0	U	1.0	U	16	1.0	U	130					
07/07/20	PES	Bladder	-	37.6	2.79	0.0212	U	0.191	U	0.0280	U	0.0160	U	8.76	0.202	188							

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
		07/29/20	Farallon	Unknown	-	-	-	-	-	1.0 U	1.0 U	9.7	1.0 U	170	
		09/17/20	Farallon	Unknown	-	-	-	-	-	1.0 U	1.0 U	25	1.0 U	43	
		11/13/20	PES	Bladder	-	44.1	0.147 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.15	0.0665 J	30.8	
		12/04/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	3.3	0.20 U	18	
		02/10/21	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.72	0.20 U	3.2	
		05/18/21	PES	Peristaltic	-	41.0	0.152 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.12	0.0572 U	15.8	
		03/02/22	PES	Peristaltic	-	36.9	0.0950 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.50 J+	0.105 J	75.1	
		05/31/22	PES	Peristaltic	-	36.4	0.135 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.51	0.0880 J	66.4	
		11/02/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/15/23	PES	Peristaltic	-	34.40 J	0.1570 J	0.0212 UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	14.90 J	0.1320 J	137.0 J	
		11/14/23	PES	Peristaltic	-	12.3	0.0950 J	0.0212 U	0.191 U	0.0280 U	0.0900	0.198	0.0572 U	19.8	
FMW-3D (-31.1 to -41.1)	Terry Ave N ROW, E side	03/24/17	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		06/23/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
GEI-2 (-21.1 to -31.1)	Block 37, NW quadrant	03/24/17	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.25	0.152 U	6.94	
		06/23/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	16.3	0.152 U	127	
		12/29/18	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	6.7	0.40 U	60	
		04/22/19	PES	Peristaltic	-	1.05	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.5	0.152 U	57.7 J	
		07/16/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.37	0.152 U	46.4	
		10/21/19	PES	Peristaltic	-	3.80	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	20.1	0.152 U	88.2	
		11/11/19	Farallon	Unknown	-	-	-	-	-	1.0 U	1.0 U	18	1.0 U	92	
		01/14/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	2.0	0.20 U	36	
		01/22/20	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.192 J	0.308 J	0.152 U	0.118 U	
		02/17/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	5.6	0.20 U	34	
		03/25/20	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	4.3	0.40 U	52	
		04/27/20	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	3.2	0.40 U	50	
		04/29/20	PES	Peristaltic	-	2.22	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	4.49	0.149 U	67.8	
		05/19/20	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	2.7	0.40 U	55	
		06/29/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	1.6	0.20 U	33	
		07/29/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	1.3	0.20 U	46	
		07/30/20	PES	Bladder	-	1.76	0.0707 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.38 J	0.0572 UJ	44.9	
		08/26/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
		09/17/20	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	1.0	0.40 U	48	
		11/19/20	PES	Bladder	-	2.97	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.997	0.0572 U	42.7	
		12/04/20	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.52	0.20 U	21	
		02/11/21	Farallon	Unknown	-	-	-	-	-	0.20 U	0.20 U	0.43	0.20 U	16	
		02/12/21	PES	Peristaltic	-	2.79	1.22	0.216	1.09	0.0280 U	0.0160 U	0.711	0.0572 U	18.4	
		05/13/21	PES	Peristaltic	-	2.19	0.149 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.379	0.0572 U	9.14	
		08/19/21	PES	Peristaltic	-	2.15	0.0910 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.281	0.0572 U	7.17	
		02/25/22	PES	Peristaltic	-	3.18	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.307	0.0572 U	13.8	
		06/09/22	PES	Peristaltic	-	2.67	0.0910 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.224	0.0572 U	12.6	
		08/05/22	PES	Peristaltic	-	3.03	0.861	0.142	0.927	0.0280 U	0.0160 U	0.211	0.0572 U	12.5 J+	
		11/01/22	PES	Peristaltic	-	4.47	0.0500 U	0.0212 U	0.191 U	0.0980 J	0.0160 U	0.181 J	0.0572 U	8.19	
		05/09/23	PES	Peristaltic	-	0.02 U	0.2120	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.028 U	0.0572 U	0.0273 U	
		11/09/23	PES	Peristaltic	-	4.30	0.0790 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.154	0.0572 U	4.58 J-	
HMW-1D	Seattle DOT Mercer Parcels,	03/25/19	HC	Peristaltic	100 U	1.0 U	1.0 U	1.0 U	1.0 U	3.4	27	410	1.2	4.0	

**Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																		
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC
Preliminary Cleanup Level (PCUL)					800		5.0		640		700		1,600		5.0		4.0		16		100		0.29
(-41.9 to -51.9)	NE quadrant	03/09/20	HC	Submersible	140		20 U		20 U		20 U		40 U		21		110		910		20 U		6.0 U
HMW-2D	Seattle DOT Mercer Parcels,	03/25/19	HC	Peristaltic	100 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		0.2 U
(-32.7 to -42.7)	NE quadrant	03/12/20	HC	Submersible	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		1.1		0.20 U		0.20 U
HMW-3D	Seattle DOT Mercer Parcels,	03/25/19	HC	Peristaltic	100 U		1.0 U		1.1		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		0.2 U
(-23.4 to -33.4)	NW quadrant	03/13/20	HC	Submersible	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U
HMW-6D	Seattle DOT Mercer Parcels,	03/16/20	HC	Submersible	100 U		0.42		0.64		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U
(-21.1 to -31.1)	SW quadrant																						
HMW-9D	Seattle DOT Mercer Parcels,	03/17/20	HC	Submersible	100 U		0.21		0.42		0.20 U		0.40 U		0.89		0.20 U		5.1		0.20 U		0.97
(-24.4 to -34.4)	SW quadrant																						
HMW-10D	Seattle DOT Mercer Parcels,	03/16/20	HC	Submersible	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U
(-30.8 to -40.8)	SE quadrant																						
HMW-12D	Seattle DOT Mercer Parcels,	09/10/20	HC	–	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		200 J		0.22		3.9
(-48.5 to -58.5)	NE quadrant																						
HMW-13D	Seattle DOT Mercer Parcels,	09/10/20	HC	–	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U
(-44.2 to -54.2)	SE quadrant																						
HMW-14D	Seattle DOT Mercer Parcels,	09/16/20	HC	–	100 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U
(-23.7 to -33.7)	SE quadrant																						
MW101	Property, NE quadrant	07/20/12	SES	Bladder	–		–		–		–		–		1 U		1 U		1 U		1 U		0.2 U
(-65.5 to -75.5)		09/06/12	SES	Peristaltic	–		0.35 U		1.4		1 U		3 U		1 U		1 U		1 U		1 U		0.2 U
Decommissioned																							
MW102	Valley St ROW, S side	08/16/12	SES	Peristaltic	–		–		–		–		–		1 U		1 U		1 U		1 U		0.2 U
(-65.8 to -75.8)		09/05/12	SES	Bladder	–		0.35 U		1 U		1 U		3 U		1 U		1 U		1 U		1 U		0.2 U
		12/17/13	SES	Bladder	–		0.35 U		1 U		1 U		3 U		1 U		1 U		1 U		1 U		0.2 U
		10/27/15	SES	Bladder	–		–		–		–		–		1 U		1 U		1 U		1 U		0.2 U
		02/02/16	SES	Bladder	–		–		–		–		–		1 U		1 U		1 U		1 U		0.2 U
		03/29/17	PES	Bladder	–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.289 J		0.152 U		0.118 U
		06/15/17	PES	Bladder	–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		04/25/18	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.352 J		0.153 U		0.0933 U		0.152 U		0.118 U
		01/24/19	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.220 J		0.153 U		0.0933 U		0.152 U		0.118 U
		05/01/19	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		07/18/19	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		11/14/19	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		01/23/20	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
(duplicate)		01/23/20	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		04/02/20	PES	Bladder	31.6 U		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U
		08/04/20	PES	Bladder	–		0.0160 U		1.00		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U
(duplicate)		08/04/20	PES	Bladder	–		0.0160 U		0.880		0.0340 J		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U
		11/18/20	PES	Bladder	–		0.0160 U		0.0710 J		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U
		02/03/21	PES	Bladder	–		0.0160 U		0.0880 J		0.0390 J		0.282		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U
		05/14/21	PES	Bladder	–		0.0160 U		0.196 U		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U
		08/11/21	PES	Peristaltic	–		0.0350 J		0.919		0.115		0.508		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U

**Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)															
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29						
(duplicate)		11/30/21	PES	Bladder	-	0.0160 U	0.181 J	0.183	0.959	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ						
		03/07/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		03/07/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		05/10/22	PES	Bladder	-	0.0160 U	0.528	0.0212 U	0.439	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		08/12/22	PES	Bladder	-	0.0160 U	0.176 U	0.0340 J	0.285	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		10/31/22	PES	Bladder	-	0.0160 U	0.174 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		05/12/23	PES	Bladder	-	0.0160 U	0.050 U	0.0212 U	0.194 J	0.0400 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
		11/06/23	PES	Bladder	-	0.0160 U	0.377	0.0212 U	0.647	0.0690 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U						
MW103 (-67.6 to -77.6)	Alley E of Seattle Roy Aloha Shops	07/31/12	SES	Peristaltic	-	-	-	-	-	12	25	150	10 U	79						
(duplicate)		09/05/12	SES	Peristaltic	-	0.35 U	1.6	1 U	3 U	8.3	22	80	1 U	110						
(duplicate)		09/05/12	SES	Peristaltic	-	0.35 U	1.6	1 U	3 U	8.1	22	85	1 U	120						
		12/18/13	SES	Peristaltic	-	0.35 U	2.4	1 U	3 U	4.3	6.1	8.6	1 U	1.2						
		12/18/13	SES	Peristaltic	-	0.35 U	2.4	1 U	3 U	4.0	5.2	7.1	1 U	0.94						
		06/17/15	SES	Peristaltic	-	-	-	-	-	1.8	1.4	1 U	1 U	0.94						
		10/20/15	SES	Peristaltic	-	-	-	-	-	3.6	1.4	1 U	1 U	1.6						
		02/02/16	SES	Peristaltic	-	-	-	-	-	1.0	1 U	1.2	1 U	0.53						
		03/29/17	PES	Peristaltic	-	0.0896 U	0.464 J	0.158 U	0.316 U	1.99 U	23.1	240	0.405 J	157						
		06/14/17	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.626	23.0	120	0.369 J	69.2						
		04/06/18	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.81	32.4	0.152 U	22.4						
		01/23/19	PES	Peristaltic	-	0.0896 U	1.35	0.158 U	0.316 U	0.365 J	1.48	11.4	0.152 U	6.68						
		04/22/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	3.09	88.0	0.209 J	32.3 J						
		07/15/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	2.37	118	0.232 J	55.4						
		10/14/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	91.7	0.158 J	51.8						
		01/16/20	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	40.6	0.152 U	77.9						
(duplicate)		04/23/20	PES	Bladder	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.233 J	12.8	0.149 U	4.80						
		04/23/20	PES	Bladder	-	0.0941 U	0.278 U	0.137 U	0.433 U	0.300 U	0.244 J	12.9	0.149 U	4.71						
		07/06/20	PES	Bladder	-	0.0210 J	2.12	0.0212 U	0.191 U	0.0280 U	0.185	4.21	0.0572 UJ	2.18						
		11/02/20	PES	Bladder	-	0.0270 J	0.158 J	0.0212 U	0.191 U	0.0280 U	0.0800	2.75	0.0590 J	2.22						
		02/10/21	PES	Bladder	-	0.0200 J	0.542	0.0450 J	0.433	0.0280 U	0.602	9.05	0.0572 U	5.37						
		05/03/21	PES	Bladder	-	0.0160 U	0.0950 J	0.0212 U	0.191 U	0.569	8.73	34.0	0.108 J	15.8						
(duplicate)		08/12/21	PES	Bladder	-	0.138	1.19	0.0840 J	0.479	0.0850 J	6.84	59.8	0.119 J	33.0						
		08/12/21	PES	Bladder	-	0.134	1.20	0.0950 J	0.514	0.0710 J	7.11	60.3	0.151 J	34.0						
		11/08/21	PES	Peristaltic	-	0.0330 J	0.423	0.0900 J	0.624	0.0500 J	7.03	80.5	0.166 J	52.5						
		02/15/22	PES	Peristaltic	-	0.135 J	0.250 U	0.106 U	0.955 U	0.140 U	3.05	187	0.480 J	68.7						
		05/09/22	PES	Peristaltic	-	0.0370 J	0.0500 U	0.165 J	0.955 U	0.0280 U	2.68	213	0.273	66.9						
		08/09/22	PES	Peristaltic	-	0.0360 J	0.0880 J	0.0212 U	0.247 J	0.228	2.24	232	0.273	67.8						
		11/01/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	1.29	98.5	0.144 J	55.1						
		05/09/23	PES	Peristaltic	-	0.044	0.0500 U	0.0212 U	0.191 U	0.109	1.33	222	0.317	69.6						
		11/07/23	PES	Peristaltic	-	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	2.00	322	3.12 J	64.3						
MW104 (-76.3 to -86.3)		8th Ave N ROW, W side	08/16/12	SES	Peristaltic	-	-	-	-	-	1 U	1 U	1 U	1 U	0.2 U					
			09/06/12	SES	Bladder	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U					
	12/17/13		SES	Bladder	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U						
	10/27/15		SES	Peristaltic	-	-	-	-	-	2.6	4.4	4.3	1 U	0.2 U						
	02/02/16		SES	Bladder	-	-	-	-	-	1 U	1.2	19	1 U	0.2 U						
	03/30/17		PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.97	0.152 U	0.118 UJ						

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE
		Preliminary Cleanup Level (PCUL)			800	5.0	640	700	1,600	5.0	4.0	16	100	0.29							
		02/24/22	PES	Bladder	-	0.0160 U	0.0760 J	0.0212 U	0.191 U	0.0280 U	0.511	7.70	0.0572 U	0.422							
		05/17/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0950	6.78	0.151 J	0.0273 U							
		08/09/22	PES	Bladder	-	0.0700	0.0950 J	0.0212 U	0.191 U	0.131 J+	0.258	0.196	0.0572 U	0.0273 U							
		11/09/22	PES	Bladder	-	0.0410	0.310	0.0670 J	0.338	0.0420 J	0.173	0.102	0.0572 U	0.0273 U							
		05/09/23	PES	Peristaltic	-	0.0320 J	0.436	0.208	1.12	0.0280 U	0.016 U	0.053 J	0.0572 U	0.0273 U							
		10/31/23	PES	Peristaltic	-	0.0380 J	0.0870 J	0.240	0.893	0.0280 U	0.0380 J	0.0276 U	0.0572 U	0.0273 U							
MW106 (-78.0 to -88.0)	Seattle DOT Mercer Parcels, NW quadrant	08/22/12	SES	Bladder	-	-	-	-	-	1 U	1 U	1 U	1 U	1 U							
		09/05/12	SES	Bladder	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U					
		12/17/13	SES	Bladder	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U					
		10/27/15	SES	Bladder	-	-	-	-	-	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U					
		02/02/16	SES	Bladder	-	-	-	-	-	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U					
		04/14/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		06/30/17	PES	Bladder	-	0.0896 U	0.419 J	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		05/04/18	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		04/26/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		07/19/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		10/18/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		01/14/20	PES	Bladder	33.1 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U							
		(duplicate)		05/06/20	PES	Bladder	32.3 J	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U					
				05/06/20	PES	Bladder	48.8 J	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U					
				07/10/20	PES	Bladder	-	0.0160 U	1.74	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
		(duplicate)		11/10/20	PES	Bladder	-	0.0160 U	0.415 J-	0.0212 U	0.233 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				11/10/20	PES	Bladder	-	0.0160 U	0.339 J-	0.0212 U	0.216 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
		(duplicate)		02/12/21	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				02/12/21	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				05/13/21	PES	Bladder	-	0.0160 U	0.0570 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				08/19/21	PES	Bladder	-	0.0160 U	0.0730 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0550 J	0.0572 U	0.0273 U					
				12/06/21	PES	Bladder	-	0.0160 U	0.0500 U	0.158	0.784	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				02/18/22	PES	Bladder	-	0.0160 U	0.0680 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				05/06/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				08/02/22	PES	Bladder	-	0.0440	1.36	0.144	0.735	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
				11/18/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
		05/18/23	PES	Bladder	-	0.0270 J	0.793	0.138	0.870	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U							
		11/14/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U							
MW113 (-37.1 to -47.1)	9th Ave N ROW, W side	12/21/12	SES	Peristaltic	-	-	-	-	-	1.3 i	440	5,500	4.1	150							
		12/19/13	SES	Peristaltic	-	0.35 U	1 U	1 U	3 U	1 U	13	140	1 U	0.41							
		06/25/15	SES	Peristaltic	-	-	-	-	-	1 U	19	670	1 U	17							
		10/27/15	SES	Peristaltic	-	-	-	-	-	1 U	4.5	670	1.2	17							
		02/03/16	SES	Peristaltic	-	-	-	-	-	1 U	1.1	1,500	2.2	13							
		03/22/17	PES	Peristaltic	-	2.60	0.412 U	0.158 U	0.316 U	0.199 U	27.1	7,280	25.4	63.5							
		06/16/17	PES	Bladder	-	0.468 J	0.412 U	0.158 U	0.316 U	0.522	148	4,750	28.2	53.3							
		04/11/18	PES	Peristaltic	-	0.880	0.412 U	0.158 U	0.316 U	191	1,100	3,720	21.3	34.9							
		01/30/19	PES	Peristaltic	-	1.02 J	2.06 U	0.790 U	1.580 U	0.995 U	2.81	6,330	22.8	34.8							
		02/07/19	PES	Peristaltic	3,100 zJ+	0.811	0.412 U	0.158 U	0.316 U	0.199 U	1.77	6,990	25.7	46.0							
07/17/19	PES	Peristaltic	2,560 zJ+	0.172 J	0.412 U	0.158 U	0.316 U	3.14	20.4	4,940	13.1	103									

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
(split)		10/22/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.99 U	0.153 U	1,420	4.45	66.2			
		11/11/19	Farallon	Unknown	–	–	–	–	–	50 U	50 U	8,200	50 U	950			
		01/14/20	PES	Bladder	–	0.896 U	4.12 U	1.58 U	3.16 U	1.99 U	1.53 U	10,300	32.9	1,410			
		01/14/20	Farallon	Bladder	–	–	–	–	–	50 U	50 U	8,000	50 U	1,400			
		02/18/20	Farallon	Peristaltic	–	–	–	–	–	50 U	50 U	9,600	50 U	1,800			
		03/24/20	Farallon	Peristaltic	–	–	–	–	–	20 U	20 U	4,100	20 U	200			
		04/27/20	PES	Peristaltic	–	9.41 U	27.8 U	13.7 U	17.4 U	30.0 U	19.0 U	4,320	14.9 U	75.9			
		04/27/20	Farallon	Peristaltic	–	–	–	–	–	20 U	20 U	3,500	20 U	94			
		05/19/20	Farallon	Unknown	–	–	–	–	–	20 U	20 U	3,700	20 U	110			
		07/28/20	PES	Bladder	–	9.41 U	27.8 U	13.7 U	17.4 U	212	1,540	3,100	14.9 U	76.0			
		07/28/20	Farallon	Bladder	–	–	–	–	–	170	1,300	2,300	10 U	82			
		09/17/20	Farallon	Unknown	–	–	–	–	–	390	1,500	1,900	10 U	45			
		11/24/20	PES	Bladder	–	1.60 U	5.00 U	2.12 U	19.1 U	706	1,380	1,290	8.30	J	11.9		
		12/03/20	Farallon	Unknown	–	–	–	–	–	480	800	540	4.0 U	6.4			
		02/10/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	3.04	4.18	39.1	0.0780	J	0.0710	J	
		02/10/21	Farallon	Peristaltic	–	–	–	–	–	2.7	8.4	26	0.20 U	0.20	U		
		05/25/21	PES	Peristaltic	–	0.331	0.127 U	0.0212 U	0.191 U	249	944	1,380	8.60	6.91			
		08/11/21	PES	Peristaltic	–	3.38	1.25 U	0.530 U	4.78 U	87.0	617	2,180	8.75	8.65			
		11/18/21	PES	Peristaltic	–	3.73	1.25 U	0.530 U	4.78 U	70.6	J+	795	4,250	15.0	9.15		
		11/18/21	PES	Peristaltic	–	4.34	0.0950	J	0.0212 U	0.191 U	57.2	751	5,080	16.1	10.2		
02/15/22	PES	Peristaltic	–	5.75	J	12.5 U	5.30 U	47.8 U	21.3	J	30.8	5,960	18.0	J	6.82	U	
06/08/22	PES	Peristaltic	–	3.00	1.25 U	0.530 U	4.78 U	28.7	49.1	6,220	11.9	9.18					
08/10/22	PES	Peristaltic	–	3.80	J	5.00 U	2.80	J	19.1 U	14.4	10.9	3,790	14.0	J	73.6		
11/03/22	PES	Peristaltic	–	2.29	0.0500 U	0.0212 U	0.191 U	20.8	43.9	5,530	15.0	24.6					
05/18/23	PES	Peristaltic	–	0.135	J	0.280 U	0.106 UJ	0.955 UJ	2.78	J	0.900	J	8.65	J	0.286 UJ	116	J
11/08/23	PES	Peristaltic	–	0.080 U	0.250 U	0.106 U	0.955 U	0.980	2.05	14.1	0.286 U	4.53					
MW122 (-75 to -89)	Alley E of Seattle Roy Aloha Shops	12/23/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U			
		10/20/15	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U			
		02/02/16	SES	Peristaltic	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U			
		03/28/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		06/14/17	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.162	J	0.0933 U	0.152 U	0.118 U		
		04/06/18	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		10/14/19	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.289	J	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/17/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ			
		04/07/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		07/24/20	PES	Peristaltic	–	0.0160 U	0.0880	J	0.0212 U	0.191 U	0.0540	J	0.0160 U	0.0276 U	0.0572 UJ	0.0273 U	
		11/06/20	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/03/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0360	J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/11/21	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0360	J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/18/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0370	J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/01/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0810	J	0.0572 U	0.0273 U				
05/12/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.167	0.0780	0.269	0.0572 U	0.0273 U					
11/07/23	PES	Peristaltic	–	0.0190	J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
MW123 (-42.5 to -52.5)	Westlake Ave N ROW, W side	12/23/13	SES	Peristaltic	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U			
		04/01/17	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			

**Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
		06/24/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/14/18	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.284 J	0.153 U	0.0933 U	0.152 U	0.118 U			
		10/18/19	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		01/22/20	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		05/05/20	PES	Peristaltic	-	0.0941 U	0.293 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U			
		07/30/20	PES	Peristaltic	-	0.0388 J	1.62	0.141	0.948	0.0280 U	0.0160 U	0.0276 UJ	0.0572 U	0.0273 U			
		11/12/20	PES	Peristaltic	-	0.0160 U	0.296	0.0217 J	0.236 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/26/21	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		03/02/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		06/09/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/03/22	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/09/23	PES	Peristaltic	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ			
MW124 (-53.8 to -63.8) (duplicate)	Valley St ROW, S side	12/26/13	SES	Bladder	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U			
		03/29/17	PES	Bladder	-	0.0896 U	0.785 U	0.158 U	0.316 U	1.60	0.596	0.661	0.152 U	0.118 U			
		03/29/17	PES	Bladder	-	0.0896 U	0.675 U	0.158 U	0.316 U	1.22	0.433	0.600	0.152 U	0.118 U			
		06/15/17	PES	Bladder	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/13/18	PES	Bladder	39.4 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		10/11/19	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		01/30/20	PES	Bladder	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/03/20	PES	Bladder	38.9 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		08/03/20	PES	Bladder	-	0.0160 U	1.14	0.102	0.526	0.0280 U	0.0160 U	0.0276 UJ	0.0572 UJ	0.0273 U			
		11/18/20	PES	Bladder	-	0.0160 U	0.464	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		06/08/21	PES	Bladder	-	0.0160 U	0.111 J	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		03/07/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0750 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/12/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		10/31/22	PES	Bladder	-	0.0160 U	0.117 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/12/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/03/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.818	0.0572 U	0.685			
MW128 (-30.8 to -40.8)	Westlake Ave N ROW, E side	01/13/14	SES	Peristaltic	-	0.35 U	1.0 U	1.0 U	3.0 U	1.0 U	1.0 U	960 ve	1.0 U	290 ve			
		04/22/15	SES	Peristaltic	-	-	-	-	-	1.0 U	1.0 U	150	1.0 U	59			
		10/20/15	SES	Peristaltic	-	-	-	-	-	1.0 U	1.0 U	7.0	1.0 U	95			
		02/02/16	SES	Peristaltic	-	-	-	-	-	1.0 U	1.0 U	70	1.0 U	140			
		03/29/17	PES	Peristaltic	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.16	0.152 U	72.4			
		06/21/17	PES	Bladder	-	3.84	0.541	0.158 U	0.316 U	0.199 U	0.153 U	109	0.152 U	195			
		04/09/18	PES	Peristaltic	-	28.3	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.07	0.152 U	31.0			
		12/30/18	Farallon	Unknown	-	-	-	-	-	1.0 U	1.0 U	5.0	1.0 U	110			
		07/18/19	PES	Peristaltic	-	12.2	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.88	0.152 U	108			
		10/11/19	PES	Peristaltic	-	0.984	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.619	0.152 U	13.3			
		10/11/19	PES	Peristaltic	-	1.34	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.841	0.152 U	24.1			
		11/11/19	Farallon	Unknown	-	-	-	-	-	0.40 U	0.40 U	1.4	0.40 U	60			
		01/20/20	PES	Peristaltic	-	17.8	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.67	0.152 U	47.4			
		02/18/20	Farallon	Peristaltic	-	-	-	-	-	0.40 U	0.40 U	1.4	0.40 U	54			
		04/27/20	PES	Peristaltic	-	18.3	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	1.04	0.149 U	53.2			
		06/29/20	PES	Peristaltic	-	16.9	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.618	0.0572 U	31.3			
		06/29/20	Farallon	Peristaltic	-	-	-	-	-	0.20 U	0.20 U	0.51	0.20 U	34			

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
(duplicate)		05/15/23	PES	Bladder	–	0.0160 U	0.102 J	0.0212 U	0.191 U	0.604	3.18	19.5	0.271	1.68			
		05/15/23	PES	Bladder	–	0.0160 U	0.0590 J	0.0212 U	0.191 U	0.648	3.97	22.2	0.309	2.18			
(duplicate)		11/06/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.227	2.11	32.5	0.465	2.73			
		11/06/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.202	2.17	32.1	0.469	2.75			
MW-162 (-61.6 to -71.6)	Property, NE quadrant	02/05/19	PES	Bladder	–	1.00 U	1.00 U	1.00 U	1.00 U	2,800	613	1,070	9.58	128			
		03/12/19	PES	Peristaltic	690 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	613	538	758	2.63	46.5			
Decommissioned March 2019																	
MW-163 (-61.0 to -71.0)	Property, NW quadrant	02/05/19	PES	Bladder	–	1.00 U	1.00 U	1.00 U	1.00 U	218	150	42.2	1.00 U	2.95			
		02/05/19	PES	Bladder	–	1.00 U	1.00 U	1.00 U	1.00 U	220	153	40.3	1.00 U	3.45			
MW-164 (-59.9 to -69.9)	Property, SW quadrant	03/12/19	PES	Bladder	319 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	282	334	56.9	2.87	1.10			
		Decommissioned March 2019															
MW-304 (-47.6 to -57.6)	Dexter Ave N ROW, E side	02/05/19	PES	Bladder	–	1.00 U	1.80	1.00 U	1.00 U	871	372	385	3.41	4.41			
		03/12/19	PES	Bladder	565 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	444	327	529	4.24	7.80			
Decommissioned March 2019																	
MW-319 (-42.8 to -52.8)	9th Ave N ROW, W side	10/21/19	PES	Bladder	97.9 J	0.0896 U	0.728	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		01/27/20	PES	Bladder	42.2 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		05/07/20	PES	Bladder	31.6 U	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U			
		07/27/20	PES	Bladder	–	0.0160 U	2.63	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/18/21	PES	Bladder	–	0.0160 U	0.357	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/08/21	PES	Bladder	–	0.0160 U	0.0500 U	0.0800 J	0.527	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/25/22	PES	Bladder	–	0.0160 U	0.0810 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/09/22	PES	Bladder	–	0.0160 U	0.308	0.0520 J	0.276	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/09/23	PES	Bladder	–	0.0250 J	1.03	0.288	1.68	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		10/31/23	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
MW-319 (-42.8 to -52.8)	9th Ave N ROW, W side	10/08/19	PES	Bladder	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.609	8.12	53.4	0.152 U	5.76			
		01/16/20	PES	Peristaltic	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.414 J	11.4	63.7	0.152 U	6.78			
		04/27/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	10.7	54.1	0.149 U	4.52			
		07/27/20	PES	Bladder	–	0.0336 J	0.399	0.0450 J	0.207 J	0.0933 J	13.6	49.2	0.0806 J	4.77			
		11/12/20	PES	Bladder	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.110	13.9	47.6	0.0572 U	4.58 J+			
		05/19/21	PES	Peristaltic	–	0.0160 U	0.0700 U	0.0212 U	0.191 U	0.0900 J	8.52	37.4	0.104 J	4.16			
		11/08/21	PES	Peristaltic	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0780 J	6.72	37.0	0.100 J	4.25			
		05/27/22	PES	Peristaltic	–	0.0250 J	0.0500 U	0.0212 U	0.191 U	0.145	6.93	44.1	0.0590 J	5.19 J+			
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0900 J	4.72	60.8	0.138 J	5.83			
		11/02/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0890 J	5.11	59.8	0.136 J	5.60			
(duplicate)		05/17/23	PES	Peristaltic	–	0.159	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.490	4.17	0.0572 U	3.37			
(duplicate)		11/08/23	PES	Peristaltic	–	0.0360 J	0.0560 J	0.0212 U	0.191 U	0.0280 U	1.03	65.2	0.142 J	3.96			
		11/08/23	PES	Peristaltic	–	0.0410	0.0500 U	0.0212 U	0.191 U	0.0460 J	1.07	64.9	0.116 J	3.82			
MW-323 (-65.4 to -75.4)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	–	0.0896 U	4.97	0.158 U	0.316 U	0.199 U	0.891	66.5	0.152 U	13.4			
		01/20/20	PES	Peristaltic	–	0.0896 U	0.549	0.158 U	0.316 U	0.199 U	0.178 J	229	0.152 U	64.9			
		04/23/20	PES	Bladder	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	5.11	0.149 U	4.14			
		07/07/20	PES	Bladder	–	0.0160 U	1.76	0.0212 U	0.191 U	0.0280 U	0.0300 J	2.55	0.0572 U	4.58			
		11/24/20	PES	Bladder	–	0.0160 U	0.0960 U	0.0212 U	0.191 U	0.0280 U	0.0260 J	2.68	0.0572 U	4.89			
		05/20/21	PES	Peristaltic	–	0.0160 U	0.114 U	0.0212 U	0.191 U	0.0280 U	0.0900	115	0.111 J	31.4			
		11/16/21	PES	Peristaltic	–	0.0390 J	0.320	0.0690 J	0.597	0.0280 U	0.100	384	0.304	52.2			
		06/03/22	PES	Peristaltic	–	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	0.400 U	354	1.43 U	45.5			

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
		11/04/22	PES	Peristaltic	-	0.0490	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0990	374	0.539	77.2	
		05/17/23	PES	Peristaltic	-	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	535	1.14 U	77.2	
		11/08/23	PES	Peristaltic	-	0.0540	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0800	522	0.611	50.0	
MW-324 (-32.1 to -42.1)	Roy St ROW, N side	10/02/19	PES	Bladder	-	0.401 J	5.45	0.158 U	0.316 U	0.199 U	0.642	1,550	3.21	61.9	
		01/20/20	PES	Peristaltic	-	4.48 U	20.6 U	7.90 U	15.8 U	9.95 U	7.65 U	3,170	7.60 U	113	
		04/24/20	PES	Bladder	-	4.71 U	13.9 U	6.85 U	8.70 U	15.0 U	9.50 U	8,520	16.8 J	362	
		07/07/20	PES	Bladder	-	1.25 J	2.50 U	1.06 U	9.55 U	1.400 U	0.800 U	8,410	13.6	244	
1		11/13/20	PES	Bladder	-	2.51	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	7,210	13.7	184	
		05/20/21	PES	Peristaltic	-	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	1.95 J	3,470	10.5	45.6	
		11/16/21	PES	Peristaltic	-	1.60 J	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	2,240	9.00 J	29.2	
		05/31/22	PES	Peristaltic	-	2.55	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	3,200	13.7	101	
		11/03/22	PES	Peristaltic	-	1.03	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.147	1,650	6.55	74.0	
		05/18/23	PES	Peristaltic	-	1.20	1.25 U	0.530 U	4.78 U	0.700 U	0.400 U	2,090	6.93	95.3	
		11/08/23	PES	Peristaltic	-	0.654	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0930	895	4.44	40.6	
MW-326 (-48.7 to -58.7)	Mercer St ROW, N side	10/03/19	PES	Bladder	-	0.0896 U	1.31	0.158 U	0.316 U	0.769	0.297 J	6.87	0.152 U	0.118 U	
		01/17/20	PES	Bladder	-	0.113 J	0.412 U	0.158 U	0.316 U	0.834	0.470 J	9.38	0.152 U	0.118 UJ	
		04/21/20	PES	Bladder	-	0.108 J	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.971	0.149 U	0.515 J	
		07/23/20	PES	Bladder	-	0.0390 J	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0430	0.277	0.0572 U	0.201	
		11/02/20	PES	Bladder	-	0.0740	0.165 J	0.0212 U	0.191 U	0.0280 U	0.0260 J	0.224	0.0572 U	0.332	
		02/09/21	PES	Bladder	-	0.0680	0.540	0.0570 J	0.427	0.183	0.263 J+	3.40	0.0572 U	0.182 J	
		05/18/21	PES	Bladder	-	0.0160 U	0.206	0.0212 U	0.191 U	0.219	0.496	3.53	0.0572 U	0.109	
		08/12/21	PES	Peristaltic	-	0.0420	0.468	0.0600 J	0.291	0.138	0.599	3.52	0.0572 U	0.206	
		11/04/21	PES	Bladder	-	0.0160 U	0.0540 J	0.0630 J	0.449	0.0850 J	0.638	4.15	0.0572 U	0.186	
		03/03/22	PES	Bladder	-	0.0160 U	0.0660 U	0.0212 U	0.191 U	0.316	1.21	8.16	0.0572 U	0.0273 U	
		05/09/22	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.200	0.860	6.59	0.0572 U	0.164	
		08/11/22	PES	Bladder	-	0.0160 U	0.0560 U	0.0212 U	0.191 U	2.26	1.74	7.63	0.0572 U	0.0273 U	
(duplicate)		11/02/22	PES	Bladder	-	0.0160 U	0.236	0.0212 U	0.191 U	0.114	0.774	8.75	0.0572 U	0.0273 U	
(duplicate)		11/02/22	PES	Bladder	-	0.0160 U	0.185 J	0.0212 U	0.191 U	0.133	0.780	8.77	0.0572 U	0.0273 U	
		05/09/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.175 J+	1.39	6.21	0.0572 U	0.0273 U	
		05/09/23	PES	Bladder	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0890 J	1.35	6.47	0.0572 U	0.0273 U	
MW-326R	Mercer St	05/15/23	PES	Bladder	-	0.0160 U	0.756	0.0212 U	0.468	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
(duplicate)		11/09/23	PES	Bladder	-	0.0440	1.34	0.299	1.51	0.0280 U	0.0160 U	0.125	0.0572 U	0.0273 UJ	
		11/09/23	PES	Bladder	-	0.0550	1.38	0.295	1.50	0.0280 U	0.0160 U	0.131	0.0572 U	0.0273 UJ	
MW-328 (-36.1 to -46.1)	Lake Union Park, S end	10/02/19	PES	Bladder	-	17.0	0.535	0.158 U	0.316 U	0.199 U	0.153 U	1.26	0.152 U	23.3	
		01/17/20	PES	Peristaltic	-	17.6	0.448 J	0.158 U	0.316 U	1.66	0.153 U	1.03	0.152 U	13.1 J	
		04/08/20	PES	Peristaltic	-	9.53	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.631	0.152 U	11.1	
		07/07/20	PES	Peristaltic	-	10.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.03	0.0572 U	20.7	
		11/09/20	PES	Peristaltic	-	0.630	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.607	0.0572 U	7.99	
		05/25/21	PES	Peristaltic	-	6.19	0.0540 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	8.57	
		11/10/21	PES	Peristaltic	-	6.21	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.255	0.0572 U	2.03	
		05/04/22	PES	Peristaltic	-	7.53	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.336	0.0572 U	2.12	
		11/02/22	PES	Peristaltic	-	8.47	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.344	0.0572 U	2.18	
		05/19/23	PES	Peristaltic	-	6.13	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.74	
		11/09/23	PES	Peristaltic	-	6.74	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.195	0.0572 U	0.669 J-	
MW-329	Westlake Ave N ROW, E side	10/03/19	PES	Peristaltic	-	0.206 J	0.435 J	0.158 U	0.316 U	0.199 U	0.153 U	9.25	0.152 U	28.8	

Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
(duplicate) (-69.0 to -79.0)		10/03/19	PES	Peristaltic	–	0.215 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	9.26	0.152 U	29.2	
		01/20/20	PES	Peristaltic	–	0.279 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.0	0.152 U	26.2	
		04/27/20	PES	Bladder	–	0.704	0.434 J	0.137 U	0.174 U	0.300 U	0.190 U	17.5	0.149 U	23.6	
		08/03/20	PES	Bladder	–	0.628	1.06	0.0290 J	0.191 U	0.0280 U	0.0160 U	14.7	0.0572 UJ	32.2	
		11/09/20	PES	Bladder	–	0.862	0.106 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	21.0	0.0572 U	23.0	
		05/25/21	PES	Peristaltic	–	0.601	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	15.2	0.0572 U	23.0	
		02/25/22	PES	Peristaltic	–	0.222	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	10.1	0.0572 U	21.8	
		06/09/22	PES	Peristaltic	–	0.260	0.0580 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	10.4	0.0572 U	22.5	
		11/01/22	PES	Peristaltic	–	0.176	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.51	0.0572 U	23.6	
		05/18/23	PES	Peristaltic	–	0.185	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.79	0.0572 U	24.5	
		11/09/23	PES	Peristaltic	–	0.172	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.39	0.0572 U	20.7 J-	
MW-336 (-51.6 to -61.6)	Mercer St ROW, N side	05/05/20	PES	Bladder	–	0.0941 U	0.318 J	0.137 U	0.174 U	0.300 U	0.304 J	57.1	0.149 U	6.03	
		07/08/20	PES	Bladder	–	0.0490	1.21	0.0212 U	0.191 U	0.600	6.08	61.1	0.127	7.71	
		11/02/20	PES	Bladder	–	0.215	0.301	0.0212 U	0.191 U	0.172	3.52	137	0.0910 J	5.80	
		02/10/21	PES	Bladder	–	0.0660	0.328	0.0550 J	0.225 J	0.0280 U	1.86	107	0.189 J	8.18	
		05/26/21	PES	Peristaltic	–	0.128	0.0500 U	0.0212 U	0.191 U	0.120	3.12 J+	150	0.0572 U	10.7	
		08/11/21	PES	Peristaltic	–	0.249	0.0500 U	0.0212 U	0.191 U	0.0570 J	2.68	168	0.229	20.7	
		11/17/21	PES	Peristaltic	–	0.257	0.0500 U	0.0212 U	0.191 U	0.630 J	2.05	177	0.274	8.68	
		03/02/22	PES	Peristaltic	–	0.277	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.359	223	0.330	9.98	
		05/31/22	PES	Peristaltic	–	0.230 J	0.500 U	0.212 U	1.91 U	0.280 U	0.620	263	1.03 J	7.39	
		08/10/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0320 J	0.891	23.2	0.129 J	0.0273 U	
		11/03/22	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0840 J	0.657	14.5	0.127 J	0.0273 U	
05/19/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.496	3.65	0.0572 U	0.0273 U			
11/09/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.468	0.198	0.102 J	0.0273 UJ			
MW-341 (-66.8 to -76.8)	Lake Union Park, S end	05/12/20	PES	Peristaltic	–	16.2	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	41.4	0.149 U	10.4	
		07/07/20	PES	Peristaltic	–	15.6	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0500	32.9	0.0572 U	9.86	
		11/09/20	PES	Peristaltic	–	9.87	0.167 J	0.0212 U	0.191 U	0.0740 J	0.102	25.1	0.0572 U	5.99	
		05/25/21	PES	Peristaltic	–	17.6	0.105 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.43	0.0572 U	26.7	
		11/10/21	PES	Peristaltic	–	14.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	12.2	0.0572 U	11.9	
		05/04/22	PES	Peristaltic	–	21.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	17.0	0.0572 U	16.6	
		11/02/22	PES	Peristaltic	–	25.7	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.29	0.0572 U	26.5	
		05/18/23	PES	Peristaltic	–	19.7	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.42	0.0572 U	23.2	
		11/09/23	PES	Peristaltic	–	20.4	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.42	0.0572 U	27.8 J-	
MW-342 (-32.4 to -42.4)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	0.0941 U	0.366 J	0.137 U	0.174 U	0.300 U	0.190 U	1.34	0.149 U	1.51	
		07/30/20	PES	Peristaltic	–	0.316	1.24	0.116	0.723	0.0280 U	0.0160 U	5.56 J	0.0572 UJ	3.12	
		11/17/20	PES	Peristaltic	–	0.113	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.22	0.0572 U	1.87	
		06/04/21	PES	Peristaltic	–	0.526	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.45	0.0572 U	2.54	
		11/09/21	PES	Peristaltic	–	0.198	0.250	0.0590 J	0.412	0.0280 U	0.0160 U	2.45	0.0572 U	1.81	
		05/17/22	PES	Peristaltic	–	0.779	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.13	0.0572 U	10.2	
		11/01/22	PES	Peristaltic	–	0.980	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.60	0.0930 J	8.88	
		05/09/23	PES	Peristaltic	–	0.0290 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.03 U	
11/09/23	PES	Peristaltic	–	1.02	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.68	0.0700 J	5.16 J-			
MW-343 (-71.5 to -81.5)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	0.114 J	0.620	0.137 U	0.207 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/30/20	PES	Peristaltic	–	0.0471	1.57	0.163	0.931	0.0280 U	0.0160 U	0.0276 UJ	0.0572 UJ	0.0273 U	
		11/24/20	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	

**Table 6
Groundwater Analytical Data for Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
		06/04/21	PES	Peristaltic	–	0.139	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	3.17	0.0572 U	3.81	
		11/09/21	PES	Peristaltic	–	0.123	0.272	0.0560 J	0.421	0.0370 J	0.0160 U	3.00	0.0572 U	4.18	
		05/17/22	PES	Peristaltic	–	0.0940	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.93	0.0572 U	3.50	
		11/01/22	PES	Peristaltic	–	0.119	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.90	0.0572 U	4.58	
		05/09/23	PES	Peristaltic	–	0.051	0.328	0.0680 J	0.491	0.0280 U	0.0160 U	0.214	0.0572 U	0.0273 U	
		12/04/23	PES	Peristaltic	–	0.0910	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.88	0.0572 U	5.06	
Number of Samples					97	520	520	520	520	581	581	581	581	581	
Number of Detections					14	189	170	70	84	176	231	444	150	364	
Frequency of Detection					14%	36%	33%	13%	16%	30%	40%	76%	26%	63%	
Maximum					140	44.1	5.45	2.800 J	1.68	2,800	1,540	10,300	32.9	1,800	
Minimum					31.6 U	0.0160 U	0.0500 U	0.0212 U	0.174 U	0.0280 U	0.0160 U	0.0276 U	0.0572 UJ	0.0273 U	
Number of Samples Above SL					0	40	0	0	0	57	91	173	0	322	
Frequency of Detection Above SL					0%	8%	0%	0%	0%	10%	16%	30%	0%	55%	
<p>PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.</p> <p>Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.</p> <p>VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.</p> <p>cDCE = cis-1,2-Dichloroethene DRO = Diesel-range organics GRO = Gasoline-range organics HC = Hart Crowser ORO = Oil-range organics PCE = Perchloroethylene (Tetrachloroethene) ROW = right-of-way SES = SES Strategies, Inc. TCE = Trichloroethene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride</p> <p>Well screen elevations indicated below Sample Location in parentheses. (--)= unknown screen elevation.</p>					<p><u>Laboratory and Results Notes:</u></p> <p>Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.</p> <p>VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.</p> <p>– = Not analyzed or results not available.</p> <p>i = The presence of the analyte indicated may be due to carryover from previous sample injections.</p> <p>J = The identification of the analyte is acceptable; the reported value is an estimate.</p> <p>J+ = The result is an estimated quantity, but the result may be biased high.</p> <p>J- = The result is an estimated quantity, but the result may be biased low.</p> <p>ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided.</p> <p>U = Not detected at or above the laboratory method detection limit (MDL).</p> <p>z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.</p> <p>Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.</p> <p>Groundwater statistics for GRO exclude "z" qualified data.</p>										

Table 7

**Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)									
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				PCUL	800	5.0	640	700	1,600	5.0	4	16	100	0.29
MW-177 (2.3 to -7.7)	Cluster 4	11/06/19	PES	Peristaltic	127,000 zJ+	0.744	4.14	0.579	2.77	3,180	1,710	131,000	395 J	11,000
		01/24/20	PES	Peristaltic	89,400 ZJ+	4.48 U	20.6 U	7.90 U	15.8 U	26,400	7,440	99,800	265	8,440
		04/01/20	PES	Peristaltic	77,100 zJ+	448 U	2,060 U	790 U	1,580 U	27,900	6,980	123,000	760 U	9,860
		07/10/20	PES	Peristaltic	92,500 zJ+	80.0 U	250 U	106 U	955 U	29,400	6,520	76,100	345 J	9,450
		11/03/20	PES	Flowing	-	16.0 U	50.0 U	21.2 U	191 U	7,170	861	16,900	57.2 U	6,740
		02/18/21	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	10,900	2,010	12,800	50.0	6,310
		05/06/21	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	10,100	2,440	11,800	50.2	4,900
		08/09/21	PES	Flowing	-	0.440	0.590 J	0.212 U	1.91 U	6,190	1,250	6,810	31.8	3,500
		12/03/21	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	7,650	861	5,330	11.4 U	3,200
		02/17/22	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	10,500	1,800	7,920	30.4 J	2,920
		05/10/22	PES	Flowing	-	0.250	0.468	0.0780 J	0.458	7,870	1,460	6,410	29.5	2,960
		08/04/22	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	6,400	914 J+	4,980	27.4 J	4,660 J+
		10/26/22	PES	Peristaltic	-	3.20 U	33.2 J	4.24 U	38.2 U	5,450 J+	551	3,150	27.2 J	3,100
		05/10/23	PES	Flowing	-	0.155	0.282	0.0620 J	0.272	6,630	402	3,870	20.9	2,620
11/01/23	PES	Flowing	-	3.20 U	10.0 U	4.24 U	38.2 U	418	61.8	2,610	12.8 J	1,170		
MW-181 (1.5 to -8.5)	Cluster 5	11/08/19	PES	Peristaltic	23,900 zJ+	0.672 J	2.06 U	0.790 U	1.58 U	99.5 U	76.5 U	30,800	237	10,700
		01/27/20	PES	Peristaltic	9,090 ZJ+	44.8 U	206 U	79.0 U	158 U	99.5 U	76.5 U	18,400	151 J	9,660
		04/01/20	PES	Peristaltic	12,200 zJ+	44.8 U	206 U	79.0 U	158 U	99.5 U	76.5 U	24,300	120 J	10,000
		07/08/20	PES	Peristaltic	15,400 zJ+	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	8.00 U	11,100	121	6,150
		11/04/20	PES	Peristaltic	-	0.336	0.188 J	0.0212 U	0.191 U	0.0280 U	0.147	1,360	58.9	6,650
		02/19/21	PES	Flowing	-	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1,460	43.4	7,850	
		05/06/21	PES	Peristaltic	-	1.60 U	5.00 U	2.12 U	19.1 U	23.8	1.60 U	381	23.2	6,960
		08/09/21	PES	Peristaltic	-	0.272	0.402	0.0360 J	0.191 U	0.197	0.142	775	42.1	2,170
		11/18/21	PES	Peristaltic	-	0.214	0.260	0.0510 J	0.249 J	0.0280 U	0.0940	1,530	40.8	6,870
		02/16/22	PES	Peristaltic	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	1,880	43.0 J	9,100
		05/10/22	PES	Peristaltic	-	0.160 U	0.500 U	0.212 U	1.91 U	5.29	2.26	723	34.1	10,200
		08/04/22	PES	Peristaltic	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	3,700	41.4	11,700
		10/25/22	PES	Peristaltic	-	6.60 J	40.2	4.24 U	38.2 U	5.60 U	3.20 U	5,150	31.0 J	12,200
		05/10/23	PES	Peristaltic	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	2,830	16.8 J	6,770
11/01/23	PES	Peristaltic	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	7,530	28.4 J	6,830		
MW-185 (1.4 to -8.7)	Cluster 6	10/31/19	PES	Flowing	446 zJ+	0.140 J	0.412 U	0.158 U	0.316 U	2.57	3.51	547	5.47	179
		01/29/20	PES	Peristaltic	31.6 U	0.228 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.09	1.52	1.66
		04/02/20	PES	Peristaltic	31.6 U	0.192 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.18	0.729	0.512
		07/08/20	PES	Peristaltic	56.3 U	0.127	0.545	0.0630 J	0.432	0.0570 J	0.0760	0.752	0.375	0.883
		11/04/20	PES	Flowing	-	0.148	0.0656 J	0.0212 U	0.191 U	0.0313 J	0.0895	0.351	0.0586 J	0.900
		02/16/21	PES	Flowing	-	0.117	0.0550 J	0.0212 U	0.191 U	0.0280 U	0.0790	0.203	0.0572 U	1.19 J+
		05/07/21	PES	Flowing	-	0.112	0.0640 U	0.0212 U	0.191 U	0.168	0.0870	0.257 U	0.0820 J	4.73
		08/03/21	PES	Flowing	-	0.141	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0660	0.137	0.0572 U	2.07 J+
		11/18/21	PES	Flowing	-	0.119	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0710	0.360	0.0572 U	1.33
		02/16/22	PES	Flowing	-	0.122	0.0500 U	0.0212 U	0.191 U	0.0560 J	0.0780	0.618	0.0700 J	4.89
		05/12/22	PES	Flowing	-	0.0890	0.0500 U	0.0212 U	0.191 U	0.0410 J	0.0550	0.206	0.0572 U	2.53
		08/05/22	PES	Peristaltic	-	0.136	0.102 J	0.0300 J	0.191 U	0.0280 U	0.125 J+	0.281	0.0930 J	0.680 J+
		10/27/22	PES	Peristaltic	-	0.105 J	0.250 U	0.106 U	0.955 U	0.140 U	0.0800 U	0.225 J	0.286 U	1.48
		05/11/23	PES	Peristaltic	-	0.0160 U	0.238	0.0212 U	0.191 U	0.0490 J	0.128	1.78	0.198 J	8.59
11/02/23	PES	Peristaltic	-	0.111	0.102 J	0.0212 U	0.191 U	0.0280 U	0.106	1.38	0.171 J	1.27		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
				PCUL	800	5.0	640	700	1,600	5.0	4	16	100	0.29		
		11/02/23	PES	Peristaltic	–	0.0160 U	0.0560 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.95	0.876	2.58		
MW-179 (-27.2 to -37.2)	Cluster 4	11/06/19	PES	Peristaltic	2,310 zJ+	0.0896 U	0.443 J	0.273 J	0.316 U	50.5	46.2 J	3,780	15.2 U	533		
		01/27/20	PES	Peristaltic	501 ZJ+	0.0896 U	0.412 U	0.198 J	0.316 U	38.8	33.3	941	7.07	156		
		04/02/20	PES	Peristaltic	424 zJ+	1.79 U	8.24 U	3.16 U	6.32 U	62.3	45.0	817	5.99 J	152		
		07/10/20	PES	Peristaltic	924 zJ+	0.320 U	1.00 U	0.424 U	3.82 U	27.3	19.6	939	7.40	105		
		11/03/20	PES	Peristaltic	–	0.320 U	1.00 U	0.424 U	3.82 U	36.1 J	19.6	17,700	45.5	1,670		
		02/18/21	PES	Peristaltic	–	8.00 U	25.0 U	10.6 U	95.5 U	489	110	16,600	279	31,300		
		05/06/21	PES	Peristaltic	–	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	21.3	4,960	29.5 J	5,860		
		08/09/21	PES	Peristaltic	–	0.224	0.992	0.0900 J	0.543	9.16	4.00 U	790	30.6	2,860		
		12/03/21	PES	Peristaltic	–	4.00 U	12.5 U	5.30 U	47.8 U	13.3 J	11.3	1,810	14.3 U	6,580		
		02/17/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	15.9	12.6	1,400	10.2	1,600		
		05/10/22	PES	Peristaltic	–	0.160 U	0.650 J	0.212 U	1.91 U	11.4	8.87	654	5.71	1,940		
		08/04/22	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	7.55	4.50 J+	912	6.25 J	2,990 J+		
		10/25/22	PES	Peristaltic	–	0.800 U	8.20 J	1.06 U	9.55 U	10.4 J+	5.10	1,120	5.75 J	1,620		
05/10/23	PES	Peristaltic	–	0.0640 J	0.229 J	0.0212 UJ	0.202 J	6.50 J	3.28 J	672 J	2.65 J	976 J				
11/01/23	PES	Peristaltic	–	0.800 U	2.50 U	1.06 U	9.55 U	3.85 J	2.05	1570	6.10 J	1770				
MW-183 (-27.4 to -37.4)	Cluster 5	11/08/19	PES	Peristaltic	45.0 zJ+	0.0896 U	0.459 J	0.158 U	0.316 U	0.199 U	0.193 J	59.9	0.167 J	4.29		
		01/27/20	PES	Peristaltic	41.5 U	0.0896 U	0.412 U	0.158 U	0.369 J	0.237 J	0.153 U	21.8	0.152 U	15.5		
		04/02/20	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 UJ	3.03	0.152 U	10.0		
		07/08/20	PES	Peristaltic	76.2 J	0.0270 J	2.39	0.128	0.844	0.0750 J	0.0630	0.893	0.0572 UJ	4.24		
		11/04/20	PES	Peristaltic	–	0.0160 U	0.140 J	0.0212 U	0.191 U	22.5	34.7	752	1.83	208		
		02/19/21	PES	Peristaltic	–	0.0510	0.131 J	0.0212 U	0.191 U	2.28	17.3	4,950	12.3	2,260		
		05/06/21	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	4,470	12.5 J	2,340		
		08/06/21	PES	Peristaltic	–	0.0680	0.347	0.0530 J	0.273	0.0280 U	2.55	3,570	9.87	3,740		
		11/18/21	PES	Peristaltic	–	0.0510	0.128 J	0.0212 U	0.242 J	123	8.00 U	5,430	14.1	5,110		
		02/16/22	PES	Peristaltic	–	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	4,940	14.3 U	4,410		
		05/10/22	PES	Peristaltic	–	0.0360 J	0.112 J	0.0212 U	0.191 U	2.80 U	18.0	3,940	7.82	4,350		
		08/04/22	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	3,700	11.0 J	8,160		
		10/25/22	PES	Peristaltic	–	1.60 U	17.8 J	2.12 U	19.1 U	2.80 U	1.60 U	3,060	9.90 J	4,350		
05/10/23	PES	Flowing	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	321	5.72 U	1200				
11/01/23	PES	Flowing	–	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	193	5.72 U	1050				
MW-187 (27.0 to -37.0)	Cluster 6	11/01/19	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.34	0.152 U	2.80		
		01/29/20	PES	Peristaltic	39.3 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.319 J	0.152 U	0.254 J		
		04/02/20	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.234 J	0.152 U	0.118 U		
		07/08/20	PES	Peristaltic	55.6 U	0.0160 U	2.40	0.126	1.18	0.0280 U	0.0160 U	0.123	0.0572 U	0.0273 U		
		11/04/20	PES	Peristaltic	–	0.0160 U	0.298	0.0250 J	0.213 J	0.0280 U	0.0160 U	0.631	0.0572 U	0.519		
		02/16/21	PES	Peristaltic	–	0.0430	1.16	0.0870 J	0.310	0.0780 J	0.0160 U	0.241	0.0572 U	2.57 J+		
		05/07/21	PES	Peristaltic	–	0.0160 U	0.124 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.185 U	0.0572 U	1.77		
		08/03/21	PES	Peristaltic	–	0.0330 J	0.896	0.147	0.877	0.0280 U	0.0160 U	0.204	0.0572 U	1.57 J+		
		11/18/21	PES	Flowing	–	0.0160 U	0.136 J	0.0430 J	0.325	0.0280 U	0.0160 U	0.130	0.0572 U	0.823		
		02/16/22	PES	Peristaltic	–	0.0160 U	0.0650 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0770 J	0.0572 U	0.651		
		05/12/22	PES	Flowing	–	0.0160 U	0.123 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.101	0.0572 U	0.583		
		08/05/22	PES	Peristaltic	–	0.0330 J	0.317	0.0660 J	0.458	0.0280 U	0.0160 U	0.103	0.0572 U	0.617 J+		
		10/26/22	PES	Peristaltic	–	0.0160 U	0.506	0.101	0.780	0.0280 U	0.0160 U	0.125	0.0572 U	0.274		
05/11/23	PES	Peristaltic	–	0.0160 U	0.253	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0930 J	0.0572 U	0.156				
11/02/23	PES	Peristaltic	–	0.0180 J	0.308	0.0670 J	0.419	0.0280 U	0.0160 U	0.0800 J	0.0572 U	0.0273 U				

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
PCUL					800	5.0	640	700	1,600	5.0	4	16	100	0.29		
Treatment Zone D Wells																
MW-168 (-43.0 to -53.0) (duplicate)	Cluster 1	11/04/19	PES	Peristaltic	65.0 J	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/31/20	PES	Flowing	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		05/01/20	PES	Peristaltic	76.0 J	0.104 J	0.827	0.161 J	0.712 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/09/20	PES	Peristaltic	31.6 U	0.0160 U	2.61	0.0212 U	1.20	0.0160 U	0.175	0.0572 U	0.0273 U			
		11/05/20	PES	Peristaltic	–	0.0160 U	0.314	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.92	0.0572 U	0.407		
		02/04/21	PES	Peristaltic	–	0.0200 U	0.296	0.0480 J	0.276	0.0280 U	0.0160 U	0.490	0.0572 U	0.324		
		05/05/21	PES	Peristaltic	–	0.0210 J	0.667	0.0970 J	0.602	0.0280 U	0.0320 J	1.29	0.0572 U	0.185		
		08/10/21	PES	Peristaltic	–	0.0430	0.268	0.0500 J	0.274	0.0280 U	0.0390 J	0.732	0.0650 J	0.531		
		12/02/21	PES	Peristaltic	–	0.0160 U	0.0740 J	0.0212 U	0.191 U	0.0280 U	0.0420	2.59	0.122 J	0.387		
		02/22/22	PES	Peristaltic	–	0.0160 U	0.0740 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.43	0.0700 J	0.932		
		05/13/22	PES	Peristaltic	–	0.0160 U	0.200 J	0.0212 U	0.194 J	0.0280 U	0.0490	9.42	0.117 J	1.68		
		08/05/22	PES	Peristaltic	–	0.0330 J	0.177 J	0.0320 J	0.191 U	0.0280 U	0.500	285	3.36	43.8		
		10/28/22	PES	Peristaltic	–	0.0190 J	0.191 J	0.0212 U	0.191 U	0.147	0.0160 U	2.93	0.0850 J	6.68		
		10/28/22	PES	Peristaltic	–	0.0160 U	0.114 J	0.0212 U	0.191 U	0.0840 J	0.0160 U	2.68	0.0870 J	6.56		
		05/11/23	PES	Peristaltic	–	0.0160 U	0.258	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.536	0.0970 J	2.79		
11/02/23	PES	Peristaltic	–	0.0160 U	0.0890 J	0.0212 U	0.191 U	0.747	0.050	23.0 J	0.693 J	22.4 J				
MW-172 (-42.5 to -52.5) (duplicate)	Cluster 2	11/05/19	PES	Flowing	4,960 zJ+	0.0896 U	0.46 J	0.158 U	0.316 U	8,810	3,280	643	22.8	2.64		
		01/23/20	PES	Flowing	10,700 ZJ+	0.0896 U	1.02	0.158 U	0.550 J	31,100	10,100	623	38.1	59.0 U		
		04/02/20	PES	Peristaltic	5,310 zJ+	44.8 U	206 U	79.0 U	158 U	9,670	4,480	452	76.0 U	59.0 U		
		07/09/20	PES	Peristaltic	4,430 zJ+	0.0550	0.757	0.0212 U	0.402	6,570	4,660	668	56.9	5.57		
		11/03/20	PES	Peristaltic	–	0.0830	0.750	0.177	0.565	5,780	4,130	582	44.1	12.9		
		02/17/21	PES	Flowing	–	0.0490	0.481	0.0680 J	0.216 J	5,370	3,740	955	44.3	179		
		05/07/21	PES	Peristaltic	–	1.60 U	5.00 U	2.12 U	19.1 U	1,100	1,410	538	20.4	21.0		
		08/10/21	PES	Peristaltic	–	0.0360 J	0.378	0.0990 J	0.504	203	576	440	14.3	33.9		
		11/19/21	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	1,310	1,290	798	28.2	15.2		
		02/17/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	2,890	2,260	656	24.3	14.1		
		02/17/22	PES	Flowing	–	0.0340 J	0.273	0.0970 J	0.212 J	2,750	2,240	671	25.3	12.9		
		05/12/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	4,880	2,860	588	28.9	13.8		
		08/05/22	PES	Flowing	–	0.800 U	2.50 U	1.06 U	9.55 U	6,140	3,240	468	26.9	13.0		
		10/27/22	PES	Flowing	–	0.0400 J	0.412	0.0212 U	0.310	3,390	1,880	309	27.4	8.28		
		05/11/23	PES	Flowing	–	0.0160 U	0.203	0.0212 U	0.191 U	1730 J+	1810	590	29.1	9.00		
MW-176 (-42.7 to -52.7) (duplicate)	Cluster 3	11/01/19	PES	Flowing	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/28/20	PES	Flowing	48.0 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/28/20	PES	Flowing	74.7 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		05/01/20	PES	Peristaltic	83.5 J	0.0941 U	0.831	0.137 U	0.684 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/09/20	PES	Peristaltic	31.6 U	0.0160 U	0.709	0.0212 U	0.294	0.028 U	0.0160 U	0.0300 J	0.0572 U	0.0273 U		
		11/05/20	PES	Peristaltic	–	0.0160 U	0.204	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.22	1.64	2.92		
		02/04/21	PES	Peristaltic	–	0.0280 U	0.146 J	0.0212 U	0.191 U	0.0280 U	0.0360 J	1.28	3.64 J	1.51 J		
		05/05/21	PES	Peristaltic	–	0.0160 U	0.350	0.0570 J	0.385	0.0280 U	0.0320 J	0.816	2.73	0.858		
		08/05/21	PES	Peristaltic	–	0.0450	0.279	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.574	1.80	0.824		
		12/02/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.448	1.43	4.37		
		02/22/22	PES	Peristaltic	–	0.0220 J	0.0520 U	0.0212 U	0.191 U	0.0280 U	0.0320 J	0.452	1.52	3.88		
		05/13/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.138	0.0510	0.488	1.46	4.18		
		08/11/22	PES	Peristaltic	–	0.0280 J	0.0590 U	0.0212 U	0.191 U	0.0280 U	0.0480	0.316	1.15	1.35		
		10/27/22	PES	Flowing	–	0.0230 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0200 J	0.211	1.07	0.668		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
				PCUL	800	5.0	640	700	1,600	5.0	4	16	100	0.29	
		05/11/23	PES	Peristaltic	–	0.0220 J	0.111 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.131	0.698	1.03	
MW-180 (-42.7 to -52.7)	Cluster 4	11/06/19	PES	Flowing	220 zJ+	0.0896 U	0.412 U	0.247 J	0.316 U	2.10 J	1.87 J	155	0.760 U	76.6	
		01/24/20	PES	Peristaltic	186 ZJ+	0.0896 U	0.412 U	0.184 J	0.316 U	2.80	3.18	222	1.20	146	
		04/01/20	PES	Peristaltic	69.1 U	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	0.765 U	89.9	0.760 U	22.9	
		07/10/20	PES	Peristaltic	122 zJ+	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.614	1.58	50.7	0.628	17.8	
		11/03/20	PES	Peristaltic	–	0.0160 U	0.0840 J	0.0212 U	0.191 U	0.335	1.08	156	1.31	59.0	
		02/18/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	46.8	8.00	162	3.46	308	
		05/06/21	PES	Peristaltic	–	0.0160 U	0.204	0.0370 J	0.195 J	1.29	1.68	407	2.83	237	
		08/06/21	PES	Peristaltic	–	0.0200 J	0.141 J	0.0212 U	0.191 U	0.700 U	0.625 J	228	1.65	120	
		12/03/21	PES	Flowing	–	0.0800 U	0.250 U	0.106 U	0.955 U	1.33	4.27	304	2.93	237	
		02/17/22	PES	Flowing	–	0.265	0.250 U	0.300 J	0.955 U	2.18	3.78	662	5.59	368	
		05/10/22	PES	Flowing	–	0.0800 U	0.250 U	0.106 U	0.955 U	0.140 U	2.86	556	3.53	576	
		08/04/22	PES	Flowing	–	0.400 U	1.25 U	0.530 U	4.78 U	4.43	17.6 J+	1,750	12.0	994	
		10/26/22	PES	Flowing	–	0.400 U	5.07	0.530 U	4.78 U	4.80 J+	7.70	948	4.50 J	743	
05/10/23	PES	Peristaltic	–	0.400 U	1.25 U	0.530 U	4.78 U	4.75	4.25	2410	8.18	408			
11/01/23	PES	Peristaltic	–	0.400 U	1.25 U	0.530 U	4.78 U	46.3	116	4400	12.9	575			
MW-184 (-42.5 to -52.5)	Cluster 5	11/08/19	PES	Flowing	2,310 zJ+	0.0896 U	0.412 U	0.158 U	0.316 U	1,590	733	79.0	2.77	11.8 U	
		01/27/20	PES	Flowing	462 ZJ+	0.0896 U	0.412 U	0.158 U	0.316 U	886	325	22.3	1.65	0.287 J	
		04/01/20	PES	Peristaltic	212 zJ+	0.896 U	4.12 U	1.58 U	3.16 U	1.99 U	1.53 U	370	1.52 U	1.18 U	
		07/08/20	PES	Peristaltic	260 zJ+	0.0160 U	1.04	0.0212 U	0.411	154	88.4	75.7	0.646	0.971	
		11/04/20	PES	Peristaltic	–	0.160 U	0.500 U	0.212 U	1.91 U	162	102	134	1.52 J	3.97	
		02/19/21	PES	Flowing	–	0.160 U	0.500 U	0.212 U	1.91 U	305	271	432	5.52	8.80	
		05/06/21	PES	Peristaltic	–	0.0800 U	0.250 U	0.106 U	0.955 U	46.2	47.2	101	0.690 J	31.4	
		08/06/21	PES	Peristaltic	–	0.0270 J	0.207	0.0212 U	0.191 U	179	171	196	3.39	25.7	
		11/18/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	366	280	348	6.69	21.4	
		02/16/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	370	309	361	6.54	27.4	
		05/10/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	296	216	253	5.55	36.0	
		08/04/22	PES	Flowing	–	0.160 U	0.500 U	0.212 U	1.91 U	276	189	210	4.20	55.5	
		10/25/22	PES	Flowing	–	0.160 U	1.93 J	0.212 U	1.91 U	319 J+	217	251	5.01	23.9	
05/10/23	PES	Flowing	–	0.160 U	0.500 U	0.212 U	1.91 U	112	132	149	3.06	38.1			
11/02/23	PES	Peristaltic	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	228	224	247	6.31	39.6			
MW-188 (-42.2 to -52.2)	Cluster 6	10/31/19	PES	Flowing	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/29/20	PES	Flowing	31.9 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/02/20	PES	Peristaltic	31.6 U	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		07/08/20	PES	Peristaltic	61.9 U	0.0160 U	1.86	0.083 J	0.786	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/04/20	PES	Peristaltic	–	0.0161 J	0.149 J	0.0212 U	0.224 J	0.0280 U	0.0160 U	0.220	0.0572 U	0.197	
		02/16/21	PES	Peristaltic	–	0.0160 U	0.352	0.0212 U	0.191 U	0.0600 J	0.0160 U	0.589	0.0572 U	5.14 J+	
		05/07/21	PES	Peristaltic	–	0.0160 U	0.130 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.448	0.0572 U	2.14	
		08/10/21	PES	Peristaltic	–	0.0330 J	0.337	0.0610 J	0.375	0.0280 U	0.0160 U	0.322	0.0572 U	1.17	
		11/18/21	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.162	0.0572 U	0.340	
		02/16/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.160	0.0572 U	0.357	
		05/12/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.237	0.0572 U	0.330	
		08/05/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.104	0.0310 J	0.343	0.0572 U	0.333 J+	
		10/26/22	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.104	0.0572 U	0.192	
05/11/23	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0750 J	0.0572 U	0.113			
11/03/23	PES	Flowing	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.103	0.0572 U	0.135			

**Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)										
					GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
				PCUL	800	5.0	640	700	1,600	5.0	4	16	100	0.29	
				Number of Analytes Measured	96	396	396	396	396	396	396	396	396	396	
				Number of Analytes Detected	50	162	187	71	86	200	258	377	303	376	
				Frequency of Detection	52%	41%	47%	18%	22%	51%	65%	95%	77%	95%	
				Maximum Detection	127,000 zJ+	6.600 J	197.0 J	0.777 J+	4.55	64,100	20,100	131,000	395 J	46,000 J+	
				Minimum Detection	31.6 U	0.016 U	0.050 U	0.021 U	0.174 U	0.028 U	0.016 U	0.0276 U	0.057 U	0.027 U	
<p><u>Notes:</u> Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 8260C. cDCE = cis-1,2-dichloroethene DRO = diesel-range organics GRO = gasoline-range organics ORO = oil-range organics PCE = Perchloroethylene (tetrachloroethene) TCE = Trichloroethene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride Well screen elevations indicated below Sample Location in parentheses.</p>															

Table 8

**Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle,
Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)				
								Total	Ferrous	Ferric		Methane	Ethane	Ethene		
Shallow Zone																
MW121	8th Ave N ROW, E side	12/26/13	790	18.6	0.0250 U	200	–	2.39	1.9	0.5	6.47	346	5 U	5 U		
		03/28/17	848	12.2	0.0227 U	643	–	33.3	2.0	31.3	13.2	479	2.04 U	0.422 U		
		06/20/17	930	13.3	0.0227 U	61.2 J	–	16.5	27.1	3.0	24.1	11.0	2,140	8.88 U	0.422 U	
		11/30/20	829	14.1	0.0480 U	184	–	15.3	31.0	–	–	11.5	3,100	16.4 U	0.422 U	
		02/04/21	–	–	–	327	–	11.6	2.70	–	–	0.177	121	18.5 U	41.6 U	
		05/12/21	–	–	–	277	–	13.5	22.0	–	–	8.95	1,950	8.54 U	0.422 U	
		(dup)	05/12/21	–	–	–	278	–	13.1	20.3	–	–	8.98	2,580	9.74 U	0.422 U
		08/02/21	–	–	–	280	–	14.7	21.4	–	–	9.20	1,320	0.296 U	0.422 U	
		(dup)	05/19/22	–	–	–	298	–	7.16	3.79	–	–	6.19	34.6	0.420 J	0.422 U
		(dup)	05/19/22	–	–	–	309	–	7.25	4.33	–	–	6.59	36.5	0.297 J	0.422 U
		(dup)	08/04/22	–	–	–	207	–	7.15	2.17	–	–	7.36	380	1.83 U	0.422 U
		(dup)	08/04/22	–	–	–	195	–	7.64	2.90	–	–	7.82	469	2.53 U	0.422 U
		10/31/22	806	–	–	218	–	9.26	8.60	0.0	8.6	7.55	524	3.04 U	0.422 U	
		11/07/23	635	22.1	0.860	70.9 J-	5.92	0.257	–	–	3.64	205	1.33 U	0.422 U		
MW125	Valley St ROW, N side	12/26/13	650	112	0.076	12.8	–	2.39	1.5	0.9	1.85	455	6.34 U	5 U		
		10/18/19	481	10.9	0.0319 J	17.1	–	11.7	2.0	9.7	3.67	997	0.296 U	0.422 U		
		01/29/20	417	10.8	0.0227 U	32.3	–	8.28	17.3	2.0	15.3	3.55	2,530	1.25 J	0.422 U	
		11/17/20	–	–	–	0.913 J	7.62	9.91	–	–	3.37	5,490	0.296 U	0.422 U		
		02/02/21	–	–	–	0.594 U	9.09	9.27	–	–	3.36	4,330	0.296 U	0.422 U		
		05/11/21	–	–	–	1.06 J	8.76	12.7	–	–	3.85	6,440	0.296 U	0.422 U		
		(dup)	05/11/21	–	–	–	1.08 J	8.59	11.5	–	–	3.58	5,740	0.296 U	0.422 U	
		08/02/21	–	–	–	0.841 J	8.86	9.02	–	–	2.92	4,450	0.296 U	0.422 U		
		11/11/21	358	14.8	1.00 U	6.00 U	8.71	9.30	5.8	3.6	3.32	4,920	0.296 U	0.422 U		
		03/08/22	–	–	–	1.22 J	7.70	7.81	–	–	3.31	1,180	1.25 J	0.422 U		
		05/19/22	–	–	–	1.20 J	7.31	9.44	–	–	3.18	814	0.516 J	0.422 U		
		(dup)	08/09/22	–	–	–	1.24 J	7.75	10.2	–	–	3.23	4,050 J	1.56 U	0.422 U	
(dup)	08/09/22	–	–	–	1.49 J	7.84	10.2	–	–	3.31	5,580 J	1.93 U	0.422 U			
		10/31/22	366	18.6	0.0480 U	0.594 U	7.92	9.34	3.0	6.3	3.22	5,620	1.70 U	0.422 U		
MW-154	Roy St ROW, S side	10/14/19	186	18.4	1.58	87.8	1.92	0.173	0.0	0.2	0.129	0.287 U	0.296 U	0.422 U		
		01/21/20	197	19.1	3.43	88.8	3.70	0.0624 U	0.0	0.0	0.147	128	0.296 U	5.03 U		
		04/30/20	234	22.3	3.09	74.6	1.38	1.53	0.0	1.5	0.360	0.287 U	0.296 U	0.422 U		
		07/10/20	297	23.3	1.39	69.5	1.18	0.0897 J	0.0	0.1	0.0817	0.287 U	0.296 U	0.422 U		
		11/09/20	152	–	–	75.8	1.24	0.440	–	–	0.0494	0.287 U	0.296 U	0.422 U		
		02/08/21	–	–	–	56.3	1.83	0.407	–	–	0.0296	9.16	0.296 U	0.422 U		
		05/10/21	–	–	–	49.6	1.56	0.368	–	–	0.0255	0.287 U	0.296 U	0.422 U		
		08/17/21	–	–	–	62.6	2.60	0.613	–	–	0.0411	2.91 U	4.07 U	4.26 U		
		11/10/21	164	27.4	1.76	51.9	1.43	0.584	0.0	0.6	0.0285	0.287 U	0.296 U	0.422 U		
		02/18/22	191	–	–	44.7	1.67	0.278	–	–	0.0111	0.287 U	0.296 U	0.422 U		
		05/02/22	–	–	–	44.7	1.85	0.139	–	–	0.0118	0.287 U	0.296 U	0.422 U		
		08/02/22	–	–	–	56.6	1.43	0.336	–	–	0.0319	0.287 U	0.296 U	0.422 U		
		11/03/22	115	44.3	6.87	59.7	1.67	0.189	0.0	0.2	0.0301	0.287 U	0.296 U	0.422 U		
		11/10/23	188	47.0	4.02	65.2	2.57	0.388	–	–	0.114	6,950	14.3	0.422 U		
MW-155	Roy St ROW, S side	10/16/19	267	16.1	4.12	94.3	3.66	0.119	0.0	0.1	0.0716	36.1	17.5 U	0.422 U		
		01/20/20	244	13.9	4.73	77.2	3.43	0.443	0.0	0.4	0.0392	12.0	0.296 U	0.422 U		
		05/05/20	258	12.3	5.07	73.3	2.75	0.700	–	–	0.0375	0.287 U	0.296 U	0.422 U		
		08/03/20	251	14.8	5.06	86.5	2.43	2.99	0.5	2.5	0.821	12.3	0.296 U	0.422 U		

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)					
								Total	Ferrous	Ferric		Methane	Ethane	Ethene			
		11/11/20	–	–	–	84.4	1.78	0.441	–	–	0.0673	106	0.296	U	0.422	U	
		08/13/21	–	–	–	69.2	1.88	0.883	–	–	0.0412	36.0	0.296	U	0.422	U	
		12/02/21	216	9.58	8.40 J-	53.6	2.08	0.193	0.0	0.2	0.0156	0.287	U	0.296	U	0.422	U
		03/01/22	–	–	–	128	2.10	0.249	–	–	0.167	46.2	0.296	U	0.422	U	
		05/05/22	–	–	–	84.8	1.79	0.0312 J	–	–	0.0842 J	26.8	0.296	U	0.422	U	
		08/03/22	–	–	–	58.0	2.12	0.133	–	–	0.0156	2.22	0.296	U	0.422	U	
		11/04/22	256	14.9	2.73	138	2.11	1.54	0.0	1.5	0.491	414	1.66		0.422	U	
		11/10/23	287	15.4	2.55	146	2.21	0.970	–	–	0.413	170	1.60		0.422	U	
MW-159	8th Ave N ROW, E side	01/29/20	393	11.0	0.0227 U	32.9	4.17	3.64	2.5	1.1	3.47	6,410	44.9		0.422	U	
		11/11/20	–	–	–	12.6	2.90	7.94	–	–	3.27	2,900	27.2		0.422	U	
		02/08/21	–	–	–	4.88 J	4.09	6.77	–	–	2.97	20,100	70.9		0.422	U	
		05/11/21	–	–	–	2.90 J	5.22	17.9	–	–	3.60	10,500	54.5		0.422	U	
		08/05/21	–	–	–	1.83 J	4.45	7.87	–	–	2.43	15,200	41.5		4.26	U	
		12/02/21	289	5.96	0.100 UJ	2.15	3.84	11.8	4.5	7.3	2.86	16,100	35.3		0.422	U	
		03/03/22	–	–	–	1.91 U	4.26	10.2	–	–	3.50	4,030	6.63		0.422	U	
		05/11/22	–	–	–	0.594 U	3.84	7.83	–	–	3.07	15,000	21.4		0.422	U	
		08/03/22	–	–	–	1.22 J	4.21	9.74	–	–	3.05	6,910	12.1		0.422	U	
		10/31/22	325	11.6	0.0480 U	0.594 U	5.26	6.81	3.5	3.3	3.70	12,800	21.1		0.422	U	
MW-301 (dup)	Valley St ROW, S side	11/30/20	150	28.8	4.01	25.5	2.81	0.413	–	–	0.0150	10.4	0.296	U	0.422	U	
		11/30/20	152	28.7	4.00	25.5	2.72	0.149	–	–	0.00685	0.287	U	0.296	U	0.422	U
		02/04/21	149	23.0	2.73 J	25.2	2.54	0.796	–	–	0.0359	0.287	U	0.296	U	0.422	U
(dup)		05/14/21	152	32.7	2.25	21.8	2.60	4.54	–	–	0.135	0.287	U	0.296	U	0.422	U
(dup)		05/14/21	149	32.9	2.25	21.8	2.54	5.07	–	–	0.143	0.287	U	0.296	U	0.422	U
(dup)		08/20/21	143	43.6	2.42	23.0	2.30	0.609	0.0	0.6	0.0339	0.287	U	0.296	U	0.422	U
(dup)		08/20/21	145	45.8	2.57	24.2	2.41	0.574	0.0	0.6	0.0344	0.287	U	0.296	U	0.422	U
		12/02/21	145	39.6	1.56 J-	17.0	2.24	0.0566 J	0.0	0.1	0.0325	0.287	U	0.296	U	0.422	U
(dup)		05/10/22	158	60.0	1.18 J-	21.3	2.67	3.52	0.2	3.3	0.236	0.287	U	0.296	U	0.422	U
(dup)		05/10/22	152	62.4	1.23 J-	21.3	2.76	2.78	0.2	2.6	0.197	0.287	U	0.296	U	0.422	U
(dup)		08/12/22	168	68.6	1.55	23.5	2.64	0.795	0.2	0.6	0.295	41.7	0.296	U	0.422	U	
(dup)		08/12/22	178	63.4	1.25	23.3	2.70	0.521	0.2	0.3	0.233	35.6	0.296	U	0.422	U	
(dup)		10/31/22	143	75.6	1.45	24.2	3.62	0.777	0.0	0.8	0.216	62.9	J	0.296	U	0.422	U
(dup)		10/31/22	142	76.7	1.45	24.6	3.53	0.445	0.0	0.4	0.184	97.0	J	0.296	U	0.422	U
MW-305	Roy St ROW, S side	10/15/19	114	18.0	1.63	28.0	3.34	2.58	0.0	2.6	0.197	0.287	U	0.296	U	0.422	U
		01/15/20	107	11.7	1.02	28.6	10.8	6.46	0.0	6.5	0.0980	0.287	U	0.296	U	0.422	U
		04/28/20	105	48.1	2.10	23.0	0.921 J	16.0	0.0	16.0	0.221	0.287	U	0.296	U	0.422	U
		07/27/20	106	14.9	1.10	21.2	0.793 U	1.18	0.0	1.2	0.0623	0.287	U	0.296	U	0.422	U
		12/03/21	61.9	31.5	7.06 J-	91.1	3.66	0.217	0.0	0.2	0.00392	0.287	U	0.296	U	0.422	U
MW-310	Alley E of Seattle Roy Aloha Shops	10/10/19	786	10.7	0.0227 U	88.0	8.93	11.2	4.0	7.2	3.01	558	0.296	U	0.422	U	
		01/14/20	763	10.6	0.0227 U	67.8	8.07	15.4	3.0	12.4	3.34	586	0.296	U	0.422	U	
		04/08/20	814	10.2	0.0480 U	54.8	8.58	19.5	3.4	16.1	3.66	714	0.770 J		0.422	U	
(dup)		08/04/20	791	9.82	0.0480 U	43.5	8.73	23.3	3.6	19.7	5.90	757	0.296	U	0.422	U	
		08/04/20	787	9.95	0.0480 U	43.9	8.77	23.4	3.6	19.8	6.12	754	0.296	U	0.422	U	
		11/03/21	837	7.71	0.176	95.5	8.77	17.1	3.5	13.6	2.62	311	0.296	U	0.422	U	
		11/01/22	665	8.19	0.0480 U	45.9	5.88	14.2	4.0	10.2	1.37	538	0.296	U	0.422	U	
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	1,220	10.9	0.0227 U	5.71	14.7	5.18	2.8	2.4	0.845	768	0.296	U	0.422	U	
		01/21/20	941	6.78	0.0227 U	0.0774 U	10.8	5.93	1.5	4.4	0.860	832	0.296	U	0.422	U	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		04/22/20	1,010	7.27	0.0480 U	4.23 J	10.9	7.43	3.4	4.0	1.46	618	0.296 U	0.422 U
		08/04/20	1,030	7.30	0.0480 U	11.9	11.7	8.77	-	-	2.12	556	0.296 U	0.422 U
		11/03/21	143	0.763	0.100 U	1.89	3.76	3.33	2.5	0.8	0.220	208	0.296 U	0.422 U
		11/01/22	870	9.86	0.0480 U	0.612 J	6.42	4.74	4.0	0.7	0.516	2,430	0.296 U	0.422 U
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	378	11.6	0.199	66.3	4.39	2.15	0.5	1.7	1.59	76.2	0.296 U	0.422 U
		01/14/20	292	20.5	0.0227 U	13.3	3.17	4.00	3.0	1.0	2.37	750	0.296 U	0.422 U
		11/09/21	329	20.6	0.228 J-	67.1	2.20	8.40	0.6	7.8	1.43	113	0.296 U	0.422 U
		11/01/22	482	17.9	26.4	164	1.75	1.87	0.0	1.9	2.29	934	0.296 U	0.422 U
MW-320	9th Ave N ROW, W side	10/07/19	1,780	12.7	0.0227 U	5.08	8.51	1.60	0.0	1.6	2.37	264	0.296 U	0.422 U
		01/20/20	294	40.6	0.0227 U	30.3	7.14	7.27	4.8	2.5	3.00	1,610	0.296 U	0.422 U
		04/29/20	282	56.5	0.0480 U	67.0	4.70	5.33	5.0	0.3	3.66	158	0.296 U	0.422 U
		07/28/20	242	44.3	0.0480 U	112	3.75	3.70	3.5	0.2	3.22	52.0	0.296 U	0.422 U
		11/16/21	200	3.81	0.850	19.9	1.17	0.304	0.0	0.3	0.0563	0.287 U	0.296 U	0.422 U
		11/04/22	277	32.1	0.0480 U	369	4.58	0.177	0.0	0.2	0.568	29.4	0.296 U	0.422 U
MW-332	Roy St ROW, N side	05/04/20	252	66.4	0.0480 U	105	2.17	3.29	2.5	0.8	2.88	757	0.296 U	0.422 U
		07/30/20	255	38.8	0.175	140	2.88	3.27	0.5	2.8	2.18	843	0.296 U	0.422 U
		11/08/21	203	129	0.450	60.6	1.68	27.6	0.0	27.6	2.85	0.287 U	0.296 U	0.422 U
		11/04/22	197	301	0.129	38.9	1.22	1.08	0.3	0.8	0.866	40.1	0.296 U	0.422 U
MW-337	Lake Union Park, N end	05/07/20	229	11.0	0.0480 U	2.94 J	2.69	3.12	2.0	1.1	1.21	1,950	0.296 U	0.422 U
		07/23/20	220	9.40	0.0480 U	0.594 U	2.76	3.91	3.2	0.7	1.04	3,230	0.296 U	0.422 U
		11/17/21	255	16.2	7.14	31.8	4.28	0.378	0.3	0.1	0.466	1,270	0.296 U	0.422 U
		11/02/22	217	34.1	0.108 J	4.92 J	2.50	12.0	3.0	9.0	1.07	4,260	0.296 U	0.422 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	298	14.8	0.048 U	36.8	3.01	2.81	2.0	0.8	0.866	1,380 J	0.296 U	0.422 U
		05/14/20	299	14.8	0.048 U	37.8	3.70	2.61	2.0	0.6	0.829	979 J	0.296 U	0.422 U
		07/23/20	263	8.77	0.0480 U	13.7	3.06	1.85	1.5	0.4	0.681	1,080	0.296 U	0.422 U
		11/10/21	171	11.6	1.00 U	23.0	4.96	0.567	0.2	0.4	0.206	37.4 J	0.296 U	0.422 U
(dup)		11/10/21	174	11.6	1.00 U	22.9	4.93	0.589	0.2	0.4	0.206	26.1 J	0.296 U	0.422 U
		11/02/22	317	25.5	0.518 J	35.0	3.92	1.66	0.0	1.7	0.605	22.9	0.296 U	0.422 U
MW-9	8th Ave N ROW, E side	12/16/13	56	3.76	0.059	6.08	-	3.32	3.4	0.0	0.778	6.24	5 U	5 U
		10/17/19	612	20.0	0.0227 U	0.0774 U	4.42	21.6	2.0	19.6	3.76	1,770	8.51	0.422 U
		11/24/20	-	-	-	0.879 J	4.94	20.8	-	-	2.35	786	3.94	0.422 U
		02/04/21	-	-	-	1.79 J	3.67	23.6	-	-	1.51	644	4.07 U	4.26 U
		05/12/21	-	-	-	0.594 U	4.32	21.6	-	-	2.03	900	3.68	0.422 U
(dup)		05/12/21	-	-	-	0.594 U	4.53	22.3	-	-	2.03	915	3.64	0.422 U
		08/02/21	-	-	-	0.594 U	5.06	19.9	-	-	1.82	799	0.296 U	0.422 U
		11/11/21	507	25.7	1.12	6.00 U	4.06	19.0	5.8	13.2	1.77	652	0.296 U	0.422 U
		02/15/22	475	-	-	19.9	4.13	5.09	-	-	4.97	37.1	0.296 U	0.422 U
		06/08/22	-	-	-	25.3	4.06	8.45	-	-	2.37	329	2.15	0.422 U
(dup)		06/08/22	-	-	-	25.6	4.07	7.02	-	-	2.29	332	1.80	0.422 U
		08/09/22	-	-	-	26.6	4.72	15.6	-	-	3.02	255	1.74	0.422 U
		10/31/22	557	32.6	1.04	9.08	4.25	12.8	0.5	12.3	2.81	187	1.67	0.422 U
		11/06/23	587	63.8	1.04	56.0	4.50	17.6	-	-	3.74	128	1.53	0.422 U

**Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
R-MW5	Dexter Ave N ROW, E side	03/23/17	183	32.2	0.0549 J	33.0	3.94	2.94	1.0	1.9	4.24	118	0.296 U	0.422 U	
		06/16/17	152	58.3	0.253	21.8	2.59	2.74	-	-	1.29	275	0.296 U	0.422 U	
		10/21/19	112	41.4	0.0227 U	18.6	4.44	3.00	1.0	2.0	1.20	194	0.296 U	0.422 U	
		01/24/20	107	29.4	0.0227 U	18.5	2.74	10.2	2.5	7.7	0.999	197	0.296 U	0.422 U	
		11/18/20	-	-	-	8.27	2.37	6.64	-	-	1.26	182	0.296 U	0.422 U	
		02/11/21	-	-	-	9.48	4.92 J	2.35	-	-	0.371	138	0.296 U	0.422 U	
		(dup)	02/11/21	-	-	-	9.16	1.72 J	2.07	-	-	0.363	128	0.296 U	0.422 U
			05/17/21	-	-	-	7.99	1.45	2.79	-	-	0.346	595	0.296 U	0.422 U
		(dup)	08/03/21	-	-	-	8.33	2.79	1.66	-	-	0.948	3,200	0.296 U	0.422 U
			08/03/21	-	-	-	8.21	3.00	1.59	-	-	0.991	3,660	0.296 U	0.422 U
			11/08/21	93.3	13.5	0.100 UJ	8.09	1.76	1.34	1.0	0.3	0.305	2,910	0.296 U	0.422 U
		(dup)	02/24/22	-	-	-	8.42	1.60	2.91 J	-	-	0.437	1,210	0.296 U	0.422 U
			02/24/22	-	-	-	8.37	1.72	2.14 J	-	-	0.406	1,240	0.296 U	0.422 U
			05/17/22	-	-	-	9.57	6.80	6.28 J	-	-	3.16 J	682	1.23 J	0.422 U
			08/09/22	-	-	-	13.8	6.80	8.25	-	-	6.02	381	1.26 J	0.422 U
	11/08/22	156	41.5	0.0480 U	15.0	5.88	7.53	2.5	5.0	4.06	332	0.296 U	0.422 U		
	10/31/23	144	29.0	0.0548 U	8.94	4.81	10.7	-	-	1.86	183	0.296 U	0.422 U		
R-MW6	8th Ave N ROW, W side	03/21/17	586	5.72	0.191	119	6.28	5.02	-	-	6.24	9,410	0.296 U	0.422 U	
		06/20/17	718	11.1	0.0227 U	85.7	13.6	27.0	1.5	25.5	8.28	6,980	10.7	11.2	
		12/01/20	-	-	-	160	17.3	6.87	-	-	2.40	502	4.85	0.422 U	
		02/03/21	-	-	-	207	2.21	1.08	-	-	0.386	881	0.296 U	0.422 U	
		05/17/21	-	-	-	333	8.97	17.0	-	-	9.43	12,800	6.74	0.422 U	
		08/03/21	-	-	-	318	15.2	15.5	-	-	11.2	12,400	0.296 U	0.422 U	
		11/29/21	358	19.0	0.100 UJ	185	2.77	3.79	3.2	0.6	4.75	6,180	0.296 U	0.422 U	
		02/23/22	-	-	-	69.6	7.85	11.7	-	-	6.35	12,700	3.37	0.422 U	
		05/11/22	-	-	-	219	8.84	25.8	-	-	10.1 J	3,190	2.65	0.422 U	
		08/03/22	-	-	-	60.6	10.2	27.9	-	-	9.07	10,200	5.54	0.422 U	
		11/04/22	751	48.7	0.0480 U	194	10.9	22.6	2.0	20.6	8.09	7,870	8.85	0.422 U	
	11/03/23	840	10.1	0.0480 U	22.9	5.77 J	15.7	-	-	4.71	14,400	17.7	0.422 U		
SCL-MW101	Alley E of Seattle Roy Aloha Shops	11/11/21	551	4.63	1.00 U	162 J	6.53	19.9	2.8	17.2	1.37	138	0.296 U	0.422 U	
		11/03/22	598	5.74	0.0480 U	194	7.48	9.56	1.8	7.8	1.05	33.5	0.296 U	0.422 U	
Intermediate A Zone															
BB-8	Roy St ROW, S side	12/29/13	270	12.6	3.68	84.6	-	0.085	0.0	0.1	0.252	5 U	5 U	5 U	
		03/22/17	254	7.87	3.17	41.5	2.25	0.125	0.0	0.1	0.0705	0.412 J	0.296 U	0.422 U	
		06/14/17	290	10.2	2.74	56.9	3.34	0.0348 J	0.0	0.0	0.0475	0.287 U	0.296 U	0.422 U	
		04/11/18	258	7.43	3.41	3.98	3.24	0.145	0.0	0.1	0.0940	0.287 U	0.296 U	0.422 U	
		(dup)	04/11/18	262	7.42	3.17	3.98	3.14	0.0962	0.0	0.1	0.0544	0.287 U	0.296 U	0.422 U
			01/23/19	280	12.4	0.891	93.3	3.43	0.0954 J	-	-	0.0820 J	111	0.735 J	0.422 U
			04/23/19	227	28.1	2.77	44.4	2.71	0.315	0.0	0.3	0.0637	0.287 U	0.296 U	0.422 U
			07/17/19	240	10.4	1.94	59.0	4.36	0.691	0.0	0.7	0.0979	62.2	0.296 U	0.422 U
		(dup)	10/22/19	245	10.3	1.98	67.3	5.09	0.678	0.0	0.7	0.376	74.8	0.296 U	0.422 U
			10/22/19	246	10.5	2.17	70.0	4.27	0.339	0.0	0.3	0.313	0.287 U	0.296 U	0.422 U
		(dup)	01/20/20	220	12.8	3.36	76.4	4.70	0.0893 J	0.0	0.1	0.0156	46.7	0.296 U	0.422 U
		(dup)	01/20/20	220	12.9	3.30	76.6	5.07	0.0585 J	0.0	0.1	0.0134	0.287 U	0.296 U	0.422 U
			05/12/20	210	17.9	2.98	87.3	3.09	0.533	0.0	0.5	0.0865	0.287 U	0.296 U	0.422 U
			07/27/20	217	17.9	2.96	91.7	3.38	0.685	0.5	0.2	0.297	10.8 J	0.296 U	0.422 U
		(dup)	07/27/20	217	17.7	2.92	91.5	3.38	0.780	0.5	0.3	0.323	17.6 J	0.296 U	0.422 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)								
								Total	Ferrous	Ferric		Methane	Ethane	Ethene						
(dup)		11/17/20	–	–	–	123	2.47	4.91	–	–	0.971	55.5	0.296	U	0.422	U				
		02/11/21	–	–	–	40.9	1.80	0.769	–	–	0.171	0.287	U	0.296	U	0.422	U			
		06/07/21	–	–	–	41.2	1.99	1.21	–	–	0.164	0.287	U	0.296	U	0.422	U			
		08/17/21	–	–	–	44.00	2.22	0.130	–	–	0.0332	2.91	U	4.07	U	4.26	U			
		11/08/21	224	19.1	3.95	52.7	2.27	0.277	0.0	0.3	0.116	0.287	U	0.296	U	0.422	U			
		02/24/22	–	–	–	35.5	1.61	0.0933	J	–	–	0.0518	0.287	U	0.296	U	0.422	U		
		05/17/22	–	–	–	42.3	1.85	0.0281	U	–	–	0.0118	0.287	U	0.296	U	0.422	U		
		08/09/22	–	–	–	40.2	2.28	0.0456	J	–	–	0.0274	0.287	U	0.296	U	0.422	U		
		08/09/22	–	–	–	40.9	2.23	0.0427	J	–	–	0.0253	0.287	U	0.296	U	0.422	U		
		11/09/22	207	34.1	1.05	78.7	2.37	0.228	–	0.0	0.2	0.0763	297	0.296	U	0.422	U			
10/31/23	274	31.2	0.0729	U	67.8	2.94	1.20	–	–	6.71	22,800	1.93	–	–	0.422	U				
FMW-142	9th Ave N ROW, E side	10/31/19	276	25.5	0.0227	U	18.2	6.5	3.36	0.5	2.9	0.307	8,040	5.07	–	–	0.422	U		
		01/22/20	358	24.5	0.0251	U	3.63	J	6.01	5.86	2.2	3.7	0.299	6,980	3.67	–	–	0.422	U	
		04/28/20	363	23.9	0.0480	U	7.04	–	5.73	5.55	5.0	0.6	0.273	9,280	0.296	U	0.422	U		
		07/08/20	373	25.4	0.0789	J	5.36	–	5.80	5.63	4.4	1.2	0.305	8,540	0.296	U	0.422	U		
		11/04/22	261	83.5	0.0480	U	9.82	–	4.21	3.48	–	–	0.907	3,270	1.31	–	–	0.422	U	
		11/06/23	1020	39.4	0.159	J	13.5	–	15.5	10.4	–	–	5.63	8,150	24.5	–	–	4.53	–	
HMW-9IA	SDOT Mercer Parcels, SW quadrant	06/02/21	270	20.4	0.0480	U	38.5	1.25	1.95	–	–	0.772	316	4.07	U	17.7	–			
		08/18/21	260	21.9	0.0480	U	41.0	1.06	2.06	–	–	0.765	153	0.296	U	7.66	–			
HMW-20IA	SDOT Mercer Parcels, NW quadrant	06/02/21	363	41.4	0.115	–	21.7	2.44	0.867	–	–	0.905	3,540	4.07	U	269	–			
		08/18/21	335	37.9	0.0480	U	27.9	2.11	0.409	–	–	0.775	2,530	0.296	U	189	–			
MW107	8th Ave N ROW, W side	12/16/13	340	70.8	0.025	U	165	–	1.35	0.4	0.9	0.358	8.69	5	U	5	U			
		03/27/17	559	122	0.0262	–	0.0774	U	147	17.6	2.0	15.6	1.12	8.38	0.296	U	159	–		
		06/19/17	651	90	0.0227	U	0.0774	U	91.0	10.5	1.5	9.0	0.955	7350	0.296	U	205	–		
		04/09/18	692	675	0.0227	U	3.54	J	26.3	4.84	4.0	0.8	1.21	6,700	44.2	–	–	38.1	–	
		01/30/19	564	49.2	0.0227	U	37.1	–	14.5	2.35	–	–	0.947	14,500	89.2	–	–	70.3	–	
		05/01/19	538	41.6	0.0227	U	51.8	–	14.2	2.67	2.0	0.7	1.08	18,000	122	–	–	93.2	–	
		07/22/19	527	40.3	0.0227	U	30.3	–	18.9	3.08	3.0	0.1	1.04	16,400	133	–	–	81.5	–	
		10/15/19	667	26.1	0.0227	U	68.7	–	11.3	4.60	3.4	1.2	1.17	12,900	34.1	–	–	29.6	–	
		01/28/20	588	28.8	0.0227	U	102	–	10.3	9.66	4.5	5.2	0.998	1,220	68.4	–	–	117	–	
		04/03/20	706	20.1	0.0227	U	114	–	10.8	7.49	3.0	4.5	0.879	9,040	50.5	–	–	31.9	–	
		07/31/20	297	24.7	0.0480	U	67.9	–	5.12	3.45	J+	1.2	2.3	0.324	14,200	53.3	–	–	156	–
		12/01/20	–	–	–	–	0.594	U	56.2	7.05	–	–	0.976	19,400	106	–	–	12.7	–	
		02/02/21	–	–	–	–	0.916	J	8.71	5.01	–	–	0.666	2,480	0.296	U	0.422	U		
		06/02/21	–	–	–	–	0.594	U	10.7	9.62	–	–	1.57	12,500	62.9	–	–	0.422	U	
		08/16/21	–	–	–	–	0.594	U	11.4	9.25	–	–	1.65	14,400	95.3	–	–	4.26	U	
		11/29/21	585	91.4	0.100	UJ	0.326	–	9.93	8.19	1.4	6.8	1.50	15,700	141	–	–	0.422	U	
		02/23/22	–	–	–	–	1.76	J	8.64	8.82	–	–	1.34	20,100	138	–	–	0.434	J	
		05/11/22	–	–	–	–	0.594	U	8.71	9.36	–	–	1.40	13,200	99.8	–	–	0.422	U	
		08/03/22	–	–	–	–	0.594	U	9.53	9.83	–	–	1.49	12,900	111	–	–	0.422	U	
		10/31/22	674	79.1	0.0480	U	0.594	U	11.4	0.589	6.8	0.0	0.171	27,500	314	–	–	0.422	U	
(dup)		05/15/23	–	–	–	–	0.594	U	16.8	10.8	–	–	2.07	11,000	143	–	–	4.26	U	
		05/15/23	–	–	–	–	–	0.594	U	17.6	10.7	–	–	2.05	15,600	181	–	–	4.26	U
		11/03/23	656	43.8	0.0940	J	0.911	J	9.17	10.9	–	–	1.51	23,300	311	–	–	15.9	–	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)				
								Total	Ferrous	Ferric		Methane	Ethane	Ethene		
MW108 (dup)	Alley E of Seattle Roy Aloha Shops	12/17/13	600	25.8	0.075	12.5	—	17.5	21.7	0.0	1.96	2,110	22.8	5	U	
		03/28/17	577	22.1	0.0227 U	106	7.32	19.7	2.5	17.2	2.27	1,740	36.4	2.20		
		06/27/17	679	20.6	0.0227 U	101	8.62	21.8	2.0	19.8	2.20	3,940	47.8	0.42	U	
		10/10/19	570	26.1	0.0227 U	43.7	5.83	13.5	3.3	10.2	1.76	3,650	70.7	6.24		
		01/14/20	586	20.8	0.0227 U	33.1	5.41	15.9	4.5	11.4	1.86	4,460	74.1	21.6		
		04/22/20	744	16.0	0.048 U	2.06	10.8	16.7	6.6	10.1	1.94	10,500	27.3	0.422	U	
		07/16/20	649	20.8	0.0480 U	50.2	8.02	15.2	7.0	8.2	1.97	8,660	50.1	0.422	U	
		07/16/20	651	24.2	0.0480 U	51.5	8.11	15.6	7.0	8.6	2.05	9,770	53.7	0.422	U	
		11/04/20	—	—	—	16.6	5.71	18.3	—	—	2.62	8,660	119	50.1		
		02/09/21	—	—	—	25.8	5.75	15.0	—	—	2.09	3,510	64.7	21.3		
		05/03/21	—	—	—	39.6	6.08	13.9	—	—	1.75	3,640	77.7	17.8		
		08/04/21	—	—	—	34.5	6.38	13.2	—	—	1.81	3,970	65.1	17.6		
		11/04/21	444	17.0	0.230	29.1	4.33	10.7	4.5	6.2	1.35	2,150	35.2	10.0		
		02/15/22	582	—	—	33.5	4.90	12.9	—	—	1.51	1,990	24.2	6.71		
		05/18/22	—	—	—	26.1	4.57	14.6	—	—	1.47	1,970	19.7	4.98		
		08/10/22	—	—	—	31.1	4.54	13.1	—	—	1.56	3,590	35.0	6.27		
		11/01/22	518	22.4	0.0480 U	35.0	4.22	12.1	0.0	12.1	1.56	3,350	34.2	7.87		
MW109	Alley E of Seattle Roy Aloha Shops	12/17/13	670	16.1	0.0250 U	34.6	—	12.6	16.2	0.0	4.04	1,400	5.89	5	U	
		03/29/17	498	6.90	0.0255 J	31.4	10.8	12.0	1.5	10.5	3.01	2,000	7.21	0.422	U	
		06/17/17	693	13.3	0.0227 U	42.5	12.2	14.6	1.5	13.1	3.90	2,540	8.65	0.422	U	
		10/15/19	628	13.7	0.0227 U	9.12	10.4	14.4	2.5	11.9	4.10	4,950	25.6	6.99		
		01/21/20	143	3.77	0.127 U	1.51	2.73	0.544	0.0	0.5	0.767	886	0.296	U	0.422 U	
		04/22/20	616	5.03	0.0480 U	3.41	10.3	12.2	3.0	9.2	3.75	3,800	21.2	0.422	U	
		07/06/20	588	5.92	0.0613 J	3.74	8.41	12.6	6.0	6.6	3.81	3,790	22.1	0.422	U	
		11/02/20	—	—	—	8.89	8.69	14.6	—	—	3.94	2,620	31.5	4.26	U	
		02/09/21	—	—	—	0.696	6.65	9.95	—	—	3.14	4,220	16.4	0.422	U	
		05/03/21	—	—	—	1.70	5.44	9.48	—	—	2.90	3,100	13.8	0.422	U	
		08/04/21	—	—	—	2.30	6.28	2.06	—	—	0.523	884	4.07	U	4.26 U	
		11/03/21	476	5.53	0.100 U	3.06	5.24	9.87	5.5	4.4	3.36	1,770	10.3	0.422	U	
		02/15/22	—	—	—	2.04	5.72	9.57	—	—	2.84	2,260	7.43	0.422	U	
		05/09/22	—	—	—	1.89	5.87	10.5	—	—	2.92	4,020	15.3	1.22	J	
08/10/22	—	—	—	1.32	1.19	0.181	—	—	0.0131	0.287	U	0.296	U	0.422 U		
11/01/22	497	7.52	0.105	5.22	4.29	12.3	4.5	7.8	3.18	2,190	8.63	0.422	U			
MW110	Alley E of Seattle Roy Aloha Shops	12/19/13	390	20.4	0.603	158	—	0.079	0.04	0.04	3.28	7.66	5	U	5 U	
		03/23/17	425	36.2	0.652	108	7.98	0.948	J	0.1	0.8	3.90	125	1.21	J	0.422 U
		06/27/17	516	27.0	0.0227 U	160	4.91	0.115	0.0	0.1	2.13	95.5	17.4	0.422	U	
		10/15/19	465	19.3	0.0227 U	73.2	7.05	1.29	—	—	3.43	5,020	0.296	U	0.422 U	
		01/16/20	373	14.0	0.0227 U	36.2	3.01	0.32	0.0	0.3	2.89	2,590	2.58	0.422	U	
		04/22/20	472	19.8	0.0480 U	88.9	5.81	2.55	0.0	2.6	3.29	2,660	0.296	U	0.422 U	
		07/16/20	490	20.0	0.0480 U	98.7	4.64	2.68	0.0	2.7	3.16	3,000	7.68	0.422	U	
		11/04/20	—	—	—	106	3.59	1.53	—	—	1.93	2,040	0.296	U	0.422 U	
		02/09/21	—	—	—	79.6	3.08	1.17	—	—	2.79	1,660	0.296	U	0.422 U	
		05/04/21	—	—	—	76.4	3.03	5.54	—	—	2.81	2,630	5.45	0.422	U	
		08/12/21	—	—	—	72.6	3.00	2.01	—	—	2.54	2,430	7.53	0.422	U	
		11/09/21	373	15.1	0.200 U	89.1	2.98	5.59	0.2	5.4	2.23	3,080	16.1	0.422	U	
		02/25/22	—	—	—	80.3	2.79	1.26	J	—	—	3.09	4,620	5.97	0.422	U
		05/18/22	—	—	—	74.3	2.53	2.34	—	—	2.85	6,540	5.88	0.422	U	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		08/11/22	–	–	–	70.9	2.42	0.210	–	–	2.77	8,590	5.85	0.422 U
		11/01/22	356	14.1	0.142	75.0	2.48	0.161	0.0	0.2	2.83	6,950	8.24	0.422 U
MW115	9th Ave N ROW, W side	12/19/13	580	22.1	0.0250 U	3.35	–	6.24	6.69	0.00	1.44	2,550	5 U	5 U
		03/22/17	417	28.5	0.0227 U	35.9	7.69	5.69	1.5	4.2	1.32	215	0.296 U	0.422 U
		06/22/17	401	33.0	0.0227 U	46.1	7.39	6.19	1.5	4.7	1.19	3,570	4.98	0.422 U
		10/22/19	330	19.3	0.0227 U	23.6	5.51	4.53	2.0	2.5	0.930	1,500	4.04	4.17
		01/20/20	346	19.8	0.0227 U	15.6	5.72	4.66	2.0	2.7	0.957	1,080	2.74	0.422 U
		05/05/20	355	28.3	0.0480 U	209	6.84	11.5	2.0	9.5	1.46	1,760	0.296 U	0.422 U
		07/28/20	407	25.0	0.0480 U	141	8.58	12.1	4.5	7.6	1.53	665	0.296 U	0.422 U
		11/12/20	–	–	–	170	7.33	7.99	–	–	1.56	641	3.90	0.422 U
		02/12/21	–	–	–	68.2	6.73	13.5	–	–	1.23	1,570	0.296 U	0.422 U
		05/25/21	–	–	–	82.9	6.34	7.21	–	–	1.08	1,580	0.296 U	0.422 U
		08/11/21	–	–	–	162	8.75	7.60	–	–	1.77	743	0.296 U	0.422 U
		11/18/21	409	27.2 J	0.500 U	79.8 J	8.28	5.29	3.5	1.8	1.06	1,060	0.296 U	0.422 U
		02/15/22	–	–	–	139	5.81	5.68	–	–	1.34	308	1.47	0.422 U
		06/03/22	–	–	–	67.2	5.78	4.15	–	–	1.14	477	4.07 U	4.26 U
		08/10/22	–	–	–	36.2	6.03	4.67	–	–	0.938	668	3.31	0.422 U
		11/03/22	302	24.3	0.0480 U	21.6	4.51	4.05	2.0	2.1	1.03	523 J	6.06	0.422 U
MW116	9th Ave N ROW, W side	12/19/13	310	26.2	0.0250 U	14.5	–	2.48	2.65	0.00	1.14	1,750	5 U	5 U
		03/21/17	432	22.0	0.0227 U	25.7	7.34	6.01	3.9	2.1	0.869	8,590	0.296 U	0.422 U
		06/16/17	377	25.1	0.0227 U	9.31	6.80	6.69	1.8	4.9	0.793	8,610	0.296 U	0.422 U
		10/22/19	361	23.6	0.0227 U	0.0774 U	5.95	3.72	1.3	2.4	0.723	7,650	0.296 U	0.422 U
		01/21/20	350	24.6	0.0227 U	0.0774 U	6.34	3.9	1.0	2.9	0.744	5,540	0.296 U	0.422 U
		04/29/20	358	23.4	0.0480 U	0.594 U	6.53	6.83	3.8	3.0	0.811	6,140	0.296 U	0.422 U
		07/28/20	314	25.4	0.0480 U	0.594 U	5.95	17.7	2.5	15.2	0.911	8,900	0.296 U	0.422 U
		11/12/20	–	–	–	1.94 J	5.90	5.95	–	–	0.790	10,100	0.296 U	0.422 U
		02/11/21	–	–	–	9.16	5.64	5.72	–	–	0.767	8,410	0.296 U	0.422 U
		05/25/21	–	–	–	8.91	5.14	4.16	–	–	0.775	6,550	0.296 U	0.422 U
		08/11/21	–	–	–	10.3	5.85	4.84	–	–	0.736	4,540	0.296 U	0.422 U
		11/18/21	303	29.1 J	0.500 U	8.40	5.87	4.03	2.8	1.3	0.757	4,140	0.296 U	0.422 U
		03/07/22	–	–	–	8.98	5.68	3.75	–	–	0.745	994	0.296 U	0.422 U
		06/08/22	–	–	–	9.61	5.48	4.59	–	–	0.815	4,280	0.746 J	0.422 U
		08/10/22	–	–	–	9.72	5.75	3.44	–	–	0.686	3,190	0.460 J	0.422 U
		11/04/22	311	32.1	0.0480 U	8.71	5.21	3.11	2.0	1.1	0.777	3,210	0.296 U	0.422 U
MW119	9th Ave N ROW, W side	12/19/13	310	12.1	0.0250 U	3.34	–	19.4	18.6	0.8	2.55	3,450	5 U	5 U
		03/29/17	255	20.5	0.164	14.9	6.84	17.1	2.0	15.1	2.98	819	0.296 U	0.422 U
		06/28/17	360	13.7	0.0227 UJ	56.1	9.09	5.66	1.5	4.2	1.25	73.5	0.296 U	0.422 U
		10/10/19	226	18.6	0.0227 U	26.4	4.98	10.7	3.0	7.7	2.63	289	0.296 U	0.422 U
		01/14/20	237	19.0	0.0227 U	26.8	4.58	9.20	–	–	2.28	396	0.296 U	0.422 U
		04/27/20	281	14.9	0.0480 U	5.67	7.19	12.3	3.5	8.8	3.2	480	0.296 U	0.422 U
		07/08/20	213	19.9	0.0480 U	32.5	5.94	11.2	5.5	5.7	2.54	4,480	0.296 U	0.422 U
		11/11/20	–	–	–	26.7	6.43	11.1	–	–	2.51	6,170	0.296 U	0.422 U
		02/10/21	–	–	–	2.46 J	7.56	14.4	–	–	3.27	3,960	0.296 U	0.422 U
		05/20/21	–	–	–	3.83 J	5.67	13.9	–	–	3.14	7,960	0.296 U	0.422 U
		08/13/21	–	–	–	4.78 J	6.01	14.5	–	–	3.14	4,360	0.296 U	0.422 U
		12/03/21	231	12.5	0.100 UJ	7.26	6.65	12.7	1.8	11.0	2.73	8,830	0.296 U	0.422 U
		03/02/22	–	–	–	13.6	6.04	12.3	–	–	2.90	1,910	0.296 U	0.422 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		05/05/22	–	–	–	7.73	6.19	14.7	–	–	3.62	7,820	0.296 U	0.422 U
		08/11/22	–	–	–	10.7	5.75	13.0	–	–	2.98	6,400	0.296 U	0.422 U
		11/02/22	265	22.2	0.0480 U	108	1.22	3.21	1.5	1.7	1.07	166	2.09	0.422 U
		11/02/22	265	22.2	0.0480 U	108	1.34	2.98	1.5	1.5	1.02	169	1.61	0.422 U
MW120	8th Ave N ROW, E side	12/19/13	290	36.5	0.0690	99.4	–	0.288	0.2	0.1	0.319	10.1	5 U	5 U
		04/09/18	151	30.2	0.237	66.9	1.08	1.40	0.0	1.4	0.194	0.287 U	0.296 U	0.422 U
		01/24/19	206	22.4	1.98	73.6	1.78	3.68	0.0	3.7	0.387	235	2.71	0.422 U
		05/03/19	217	20.5	2.01	66.2	1.66	2.31 J	–	–	0.384	157 J	0.296 U	0.422 U
(dup)		05/03/19	217	20.3	1.96	65.9	1.58	1.12 J	–	–	0.346	115 J	0.296 U	0.422 U
		07/16/19	211	19.9	1.76	67.1	1.7	2.85	0.0	2.9	0.391	72.4	0.296 U	0.422 U
(dup)		10/17/19	264	22.0	0.472	119	3.64	0.937	0.0	0.9	0.637	86.4 J	0.296 U	0.422 U
		10/17/19	264	22.0	0.473	120	3.68	0.930	0.0	0.9	0.637	43.9 J	0.296 U	0.422 U
		01/17/20	296	20.9	0.0227 U	125	3.05	1.59	0.5	1.1	0.707	104	2.53	0.422 U
		04/23/20	287	21.3	0.0480 U	110	3.18	2.24	1.2	1.0	0.621	34.8	0.296 U	0.422 U
		07/14/20	291	20.5	0.0480 U	106	2.30	4.40	0.0	4.4	0.731	277	0.296 U	0.422 U
		11/30/20	–	–	–	121	1.70	5.45	–	–	0.611	87.5	0.296 U	0.422 U
(dup)		11/30/20	–	–	–	122	1.93	5.09	–	–	0.628	124	3.29	0.422 U
		02/04/21	–	–	–	127	2.00	5.57	–	–	0.537	107	4.07 U	4.26 U
		05/12/21	–	–	–	128	1.79	6.73	–	–	0.492	90.8	0.296 U	0.422 U
		08/03/21	–	–	–	127	1.97	2.73	–	–	0.469	107	0.296 U	0.422 U
		11/11/21	195	21.8	1.19	112	1.22	3.76	0.2	3.6	0.454	177	0.296 U	0.422 U
		02/15/22	200	–	–	112	2.06	1.87	–	–	0.426	122	1.09 J	0.422 U
		05/11/22	–	–	–	98.4	1.26	1.75	–	–	0.385	112	1.31	0.422 U
		08/04/22	–	–	–	90.7	1.66	2.01	–	–	0.397	111	1.06 J	0.422 U
		10/31/22	189	20.7	1.42	79.6	1.58	5.00	0.0	5.0	0.407	117	1.35	0.422 U
		11/06/23	182	22.2	1.66	53.8	1.35	0.952	–	–	0.344	17.4	0.758 J	0.422 U
MW127	8th Ave N ROW, E side	10/17/19	133	27.2	0.323	71.6	1.9	0.920	0.0	0.9	0.161	0.287 U	0.296 U	0.422 U
		01/17/20	133	24.7	0.728	74.5	2.03	4.06	0.0	4.1	0.184	69.0	0.296 U	0.422 U
		04/23/20	142	24.8	1.27	67.1	1.04	7.26	0.0	7.3	0.203	0.287 U	0.296 U	0.422 U
		07/14/20	138	23.7	1.47	62.6	0.972 J	7.52	0.0	7.5	0.217	0.287 U	0.296 U	0.422 U
(dup)		07/14/20	134	23.8	1.48	62.8	0.964 J	8.04	0.0	8.0	0.221	0.287 U	0.296 U	0.422 U
		11/17/21	140	24.9	0.820	50.5	1.25	0.0599 J	0.0	0.1	0.147	0.287 U	0.296 U	0.422 U
		10/31/22	144	26.9	0.870	53.0	1.18	0.0910 J	0.0	0.1	0.158	7.97	0.296 U	0.422 U
MW-142	8th Ave N ROW, E side	04/27/18	794	15.6	0.0227 U	0.426 J	33.7	3.16	1.5	1.7	2.58	7,980	44.6	0.422 U
		01/28/19	784	10.1	0.0227 U	0.0774 U	27.7	2.87	2.0	0.9	2.37	3,530	17.7	0.422 U
(dup)		01/28/19	779	10.2	0.0227 U	0.0774 U	28.3	2.66	2.0	0.7	2.46	3,490	18.5	0.422 U
		04/24/19	798	9.76	0.0227 U	27.3	31.7	3.50	1.2	2.3	1.99	3,560	19.2	0.422 U
		07/25/19	792	10.6	0.0227 U	48.8	27.9	5.89	2.1	3.8	3.63	3,070	27.8	0.422 U
		10/16/19	812	14.9	0.0227 U	15.9	4.76	5.40	2.0	3.4	3.44	766	47.8	0.422 U
		01/22/20	831	18.6	0.0230 U	19.0	18.5	5.30	2.5	2.8	3.42	493	31.3	0.422 U
		04/24/20	850	17.5	0.0695 J	22.6	16.1	5.80	3.0	2.8	3.52	471	27.1	0.422 U
		07/30/20	843	20.0	0.0480 U	28.4	18.5	4.83	3.5	1.3	3.04	278	29.8	0.422 U
		11/24/20	–	–	–	45.8	18.6	7.10	–	–	3.50	871	35.5	0.422 U
(dup)		11/24/20	–	–	–	45.9	18.5	6.62	–	–	3.46	1,000	40.3	5.13
		02/08/21	–	–	–	16.7	45.7	3.90	–	–	3.63	2,500	31.3	0.422 U
		05/19/21	–	–	–	11.1	20.0	7.45	–	–	3.90	9,010	27.5	4.60
		08/05/21	–	–	–	37.3	18.9	8.29	–	–	3.86	5,070	28.5	4.26 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
(dup)		11/30/21	833	12.0	0.100 U	62.5	16.7	8.29	4.0	4.3	4.39	9,530	30.1	0.422 U
		02/18/22	920	-	-	62.2	15.7	9.32	-	-	4.39	3,790	11.5	1.59
		05/26/22	-	-	-	24.6	15.8	9.62	-	-	4.77	8,710	19.7	1.53
		08/03/22	-	-	-	11.1	11.0	7.72	-	-	3.79	10,600	17.6	1.81
		10/31/22	1010	30.9	0.0480 U	15.5	16.0	9.36	4.5	4.9	5.10	9,630	37.3	13.1
		10/31/22	1020	31.2	0.0480 U	16.0	15.7	9.21	4.5	4.7	5.13	9,280	37.1	12.8
		05/16/23	-	-	-	59.4 U	14.1	9.49	-	-	5.42	5,570	10.8	2.25
		11/06/23	1030	41.0	0.0480 UJ	14.4	16.7	10.7	-	-	5.64	7,970	24.4	4.38
MW-144R	8th Ave N ROW, E side	12/16/19	673	93.1	0.0227 U	11.3	46.5	2.04	2.0	0.0	1.93	8,640	16.5	305
		01/21/20	573	93.4	0.0239 U	0.0774 U	47.7	5.06	3.5	1.6	1.99	5,560	9.61	276
		04/02/20	624	96.8	0.0252 J	0.37 U	24.0	6.49	3.0	3.5	1.51	13,900	28.1	466
		08/03/20	618	97.4	0.0480 U	0.594 U	4.62	4.54	2.4	2.1	1.15	18,500	367	102
		11/23/20	-	-	-	0.594 U	3.82	5.74	-	-	1.07	20,400	414	33.8
		02/02/21	-	-	-	1.18 J	3.47	2.51	-	-	1.03	1,220	408	0.422 U
		05/12/21	-	-	-	1.63 J	3.92	1.68	-	-	1.15	11,800	389	0.422 U
		08/03/21	-	-	-	0.594 U	4.55	2.76	-	-	1.13	10,800	349	0.422 U
		11/29/21	762	88.2	0.191	0.100 U	4.88	5.39	3.4	2.0	1.47	12,700	422	0.422 U
		02/23/22	-	-	-	2.04 J	4.63	1.17	-	-	1.21	7,800	131	0.422 U
		05/11/22	-	-	-	1.13 J	4.08	1.75	-	-	1.14	3,590	45.5	0.422 U
		08/23/22	-	-	-	1.23 J	4.18	2.30	-	-	1.25	20,100	121	8.01
		11/02/22	823	101	0.0480 U	1.01 J	4.09	2.81	0.8	2.0	1.42	27,900	50.4	2.45
		05/15/23	-	-	-	0.869 J	5.83	3.43	-	-	1.46	12,000	55.8	4.26 U
		11/08/23	921	1,020	0.483 J	13.2 J	5.30	6.60	5.80	-	1.58	10,900 J-	111	7.07
MW-146	Roy St ROW, S side	04/30/18	363	30.4	0.0227 U	22.3	4.47	2.65	1.3	1.4	1.26	9,240	11.9	489
		01/22/19	249	15.8	0.0227 U	32.1	3.43	1.76	2.0	0.0	0.56	2,460	1.84	107
		04/24/19	310	14.8	0.0227 U	23.3	4.95	2.87	2.5	0.4	0.770	5,090	4.00	347
		07/19/19	310	17.2	0.0227 U	23.9	3.78	2.87	1.9	1.0	0.800	6,490	0.296 U	463
		07/19/19	307	17.2	0.0227 U	24.2	3.67	2.95	1.9	1.1	0.817	5,480	0.296 U	387
		10/14/19	338	23.3	0.0227 U	20.6	3.63	2.91	2.0	0.9	0.898	6,190	0.296 U	394
		01/24/20	362	32.1	0.0227 U	15.5	3.31	3.72	4.0	0.0	1.17	888 J	3.09	728
		01/24/20	365	30.9	0.0227 U	15.3	3.30	3.22	4.0	0.0	1.12	6,280 J	3.27	672
		04/30/20	383	40.9	0.0480 U	13.7	3.55	2.91	2.5	0.4	1.1	5,020	0.296 U	511
		07/09/20	383	42.9	0.0480 U	16.6	2.92	3.08	3.0	0.1	1.14	5,990	0.296 U	463
		11/10/20	277	-	-	31.1	2.18	2.59	-	-	1.07	7,340	2.67	315
		02/08/21	-	-	-	31.5	2.17	2.97	-	-	0.952	3,330	0.296 U	239
		05/04/21	-	-	-	5.87	19.0	6.29	-	-	1.11	16,100	0.296 U	1,060
		08/17/21	-	-	-	3.18 J	11.4	7.62	-	-	1.23	8,260	334	1,810
		11/10/21	419	29.1	1.00 U	3.06	6.60	6.80	3.5	3.3	1.36	16,900	998	930
		02/18/22	508	-	-	13.4	3.57	6.15	-	-	1.33	4,870	149	180
		05/03/22	-	-	-	15.0	3.92	5.15	-	-	1.41	11,700	302	250
		08/03/22	-	-	-	12.2	3.62 J+	5.35	-	-	1.43	10,500	374	252
		11/03/22	470	38.9	0.0480 U	7.54	4.03	4.65	3.5	1.2	1.57	14,200	437	333
		05/12/23	-	-	-	12.7	6.15	6.39	-	-	1.71	21,300	366	241
11/10/23	610	49.9	0.0789 J	7.90	5.35	10.1	-	-	1.56	17,900	340	194		
MW-156	8th Ave N ROW, E side	04/26/18	436	46.3	0.0227 U	25.0	10.7	10.2	0.0	10.2	1.13	2,250	28.4	23.8
		01/24/19	554	25.1	0.0227 U	67.6	34.3	3.42	0.0	3.4	6.59	2,470	44.8	0.422 U
		04/24/19	618	18.6	0.0227 U	145	57.3	3.81	0.4	3.4	9.01	1,720	31.2	0.422 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)						
								Total	Ferrous	Ferric		Methane	Ethane	Ethene				
(dup)		04/24/19	612	19.3	0.259	145	56.0	4.76	0.4	4.4	9.75	1,590	28.4	0.422	U			
		07/22/19	606	45.5	0.0227	U	181	42.0	19.9	0.3	19.7	8.68	2,340	50.0	0.422	U		
		10/17/19	633	46.0	0.0227	U	83.3	19.3	3.44	1.4	2.0	3.83	2,490	179	0.422	U		
		01/20/20	600	48.9	0.0227	U	75.8	21.3	3.20	1.5	1.7	3.13	2,440	189	0.422	U		
		04/24/20	634	54.8	0.0480	U	78.0	12.5	6.41	0.0	6.4	2.33	1,580	153	0.422	U		
		07/15/20	642	55.6	0.0480	U	92.1	12.8	3.19	2.0	1.2	2.69	2,490	242	0.422	U		
		11/11/20	-	-	-	-	118	9.96	3.36	-	-	3.23	993	19.8	0.422	U		
		02/08/21	-	-	-	-	72.8	11.4	2.30	-	-	3.92	5,850	0.296	U	0.422	U	
		05/10/21	-	-	-	-	38.1	12.4	17.1	-	-	4.63	21,700	60.3	0.422	U		
		08/20/21	-	-	-	-	60.8	11.0	7.58	-	-	3.75	25,400	62.0	0.422	U		
		11/18/21	317	39.8	J	0.500	U	42.7	10.4	2.56	1.5	1.1	3.36	13,100	43.1	0.422	U	
		03/03/22	-	-	-	-	47.7	9.88	6.19	-	-	4.07	3,060	J	16.7	J	0.422	U
		03/03/22	-	-	-	-	46.4	9.93	5.60	-	-	3.90	2,020	J	0.296	UJ	0.422	U
		05/26/22	-	-	-	-	50.7	10.5	3.80	J	-	-	3.97	14,100	44.0	1.90		
08/04/22	-	-	-	-	51.8	8.77	3.45	-	-	3.79	14,700	56.4	1.83					
10/31/22	354	43.6	0.0480	U	49.5	8.45	4.32	2.3	2.1	3.63	19,900	65.1	3.63					
05/12/23	-	-	-	-	33.7	7.57	3.09	-	-	3.49	13,400	48	2.09					
11/06/23	329	59.2	0.0480	U	29.7	6.62	3.17	-	-	3.68	1,730	26.0	0.422	U				
MW-189	Valley St ROW, S side	10/14/19	197	17.1	0.0227	U	37.2	3.78	1.33	0.1	1.2	0.838	203	0.296	U	69.9		
(dup)		01/23/20	171	13.3	0.0227	U	37.5	1.80	2.06	0.5	1.6	0.700	119	0.296	U	25.3		
		04/03/20	170	12.6	0.0227	U	40.0	1.49	1.16	0.5	0.7	0.658	68.5	0.296	U	16.6		
		04/03/20	169	12.7	0.0354	J	39.6	1.48	1.22	0.5	0.7	0.652	77.1	0.296	U	15.2		
		08/04/20	165	12.8	0.0480	U	43.0	1.51	1.42	0.5	0.9	0.709	51.6	0.296	U	0.422	U	
		11/17/20	-	-	-	-	42.2	1.75	0.750	-	-	0.675	89.1	0.296	U	28.9		
		02/03/21	-	-	-	-	46.1	3.56	1.99	-	-	0.818	1,080	0.296	U	58.9		
		05/14/21	-	-	-	-	49.3	5.56	3.27	-	-	1.34	20,800	43.7	120			
		08/11/21	-	-	-	-	51.2	7.60	5.10	-	-	1.52	13,400	57.9	122			
		11/30/21	317	17.2	0.100	U	44.4	10.8	5.84	0.8	5.0	2.02	14,300	42.2	174			
		03/04/22	-	-	-	-	49.6	10.4	6.77	-	-	2.00	3,090	8.78	33.7			
		05/12/22	-	-	-	-	49.3	8.62	5.68	-	-	1.59	8,600	18.0	61.7			
		08/11/22	-	-	-	-	49.4	6.77	2.47	-	-	1.22	3,510	7.03	47.5			
		10/31/22	252	20.7	0.0480	U	46.8	6.06	1.66	0.0	1.7	1.17	3,830	7.34	59.3			
		11/03/23	271	19.7	0.108	J	45.4	6.28	4.27	-	-	1.34	4,310	7.79	32.5			
MW-302	Dexter Ave N ROW, E side	10/21/19	311	20.2	0.0227	U	26.8	8.10	2.26	0.5	1.8	0.295	129	3.74	0.422	U		
(dup)		01/24/20	331	20.6	0.0227	U	22.8	1.57	1.13	1.0	0.1	0.332	590	0.296	U	0.422	U	
		05/07/20	356	22.3	0.0480	U	20.8	1.71	11.1	0.0	11.1	0.518	297	0.296	U	0.422	U	
		07/28/20	370	25.8	0.0480	U	22.0	1.64	1.64	0.0	1.6	0.335	299	0.296	U	0.422	U	
		11/09/21	317	21.6	J	0.100	UJ	20.8	1.85	1.94	0.0	1.9	0.324	129	0.296	U	0.422	U
		11/08/22	307	26.6	0.0480	U	21.2	1.80	2.86	0.0	2.9	0.498	207	1.30	14.5			
		MW-306	Roy St ROW, S side	10/15/19	187	8.79	0.0227	U	80.9	2.32	3.81	2.5	1.3	0.608	0.287	U	0.296	U
(dup)		01/16/20	185	9.48	0.0227	U	77.5	2.97	4.09	2.6	1.5	0.550	0.287	U	0.296	U	0.422	U
		04/28/20	192	10.3	0.0480	U	75.8	3.03	2.94	0.3	2.6	0.483	0.287	U	0.296	U	0.422	U
		07/29/20	185	10.8	0.0480	U	73.9	1.11	2.93	2.5	0.4	0.509	0.287	U	0.296	U	0.422	U
		12/03/21	172	10.0	0.100	UJ	64.9	1.01	2.85	3.0	0.0	0.425	52.7	0.296	U	0.422	U	
		11/04/22	178	38.8	0.369		34.3	1.02	2.49	1.5	1.0	0.460	136	0.296	U	0.422	U	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	901	15.4	0.0227 U	95.4	6.97	16.9	3.5	13.4	2.95	2,070	19.7	0.422 U
		01/16/20	565	14.4	0.0227 U	86.0	7.85	16.0	4.0	12.0	2.65	2,780	31.5	8.93
		04/08/20	485	14.6	0.0480 U	83.2	9.49	9.39	4.8	4.6	2.53	1,870	23.9	8.43
		07/06/20	670	12.3	0.0480 U	68.6	7.40	16.9	5.5	11.4	3.08	2,630	18.9	0.422 U
		11/11/21	600	13.0	1.00 U	41.4	8.17	9.06	4.3	4.8	3.10	2,830	20.7	0.422 U
		11/01/22	651	15.3	0.0480 U	38.0	6.85	13.8	-	-	2.75	2,600	16.5	0.422 U
MW-315 (dup)	Mercer St ROW, N side	10/03/19	325	11.7	0.0227 UJ	35.0	3.02	0.850	0.0	0.9	0.306	124	0.296 U	0.422 U
		01/16/20	262	10.5	0.0227 U	37.6	4.68	1.03	0.4	0.6	0.354	77.2	0.296 U	0.422 U
		04/24/20	251	9.62	0.0480 U	37.9	1.25	2.34	0.75	1.6	0.329	57.8	0.296 U	0.422 U
		07/24/20	249	9.55	0.0480 U	38.5	1.44	3.90	0.0	3.9	0.307	32.7	0.296 U	0.422 U
		11/05/21	214	10.8	0.200 U	47.8	1.12	0.978 J	0.8	0.2	0.248	43.8 J	0.296 U	0.422 U
		11/05/21	197	10.8	0.200 U	47.9	1.28	1.40 J	0.8	0.6	0.286	71.8 J	0.296 U	0.422 U
		11/02/22	119	5.99	0.373	32.4	0.643 U	0.909	0.0	0.9	0.165	10.2	0.296 U	0.422 U
MW-317	9th Ave N ROW, W side	10/09/19	404	18.5	0.0227 U	0.0774 U	12.0	12.5	3.0	9.5	3.57	11,000	0.296 U	0.422 U
		01/16/20	394	0.0519 U	0.0227 U	0.0774 U	12.9	14.4	1.5	12.9	3.71	12,800	0.296 U	0.422 U
		04/27/20	321	26.6	0.0480 U	15.8	12.7	12.6	2.0	10.6	2.94	900	0.296 U	0.422 U
		07/30/20	332	22.3	0.0480 U	1.34 J	14.0	12.0	5.0	7.0	2.93	4,020	0.296 U	0.422 U
		11/12/21	351	32.5	1.00 U	7.90	13.5	16.0	5.5	10.5	3.96	8,570	0.296 U	0.422 U
		11/01/22	330	36.1	0.0868 J	40.3	12.0	12.9	4.0	8.9	3.48	3,200	0.296 U	0.422 U
MW-325	Mercer St ROW, N side	10/03/19	235	21.5	0.788 J	112	3.28	0.701	0.0	0.7	0.865	31.7	0.296 U	0.422 U
		01/17/20	175	20.7	1.59	93.5	4.19	0.802	0.0	0.8	0.525	4.04	0.296 U	0.422 U
		04/21/20	229	19.8	3.14	84.2	2.67	0.163	0.0	0.2	0.310	14.4	0.296 U	0.422 U
		07/23/20	207	6.99	1.97	45.7	1.55	2.04	0.0	2.0	0.220	18.5	0.296 U	0.422 U
		11/04/21	256	10.4	0.700	61.5	2.22	0.201	0.0	0.2	0.178	0.287 U	0.296 U	0.422 U
		11/02/22	181	14.5	1.38 J	61.0	1.12	1.01	0.0	1.0	0.613	1.77	0.296 U	0.422 U
MW-327	Lake Union Park, S end	10/02/19	272	18.4	0.0227 UJ	0.0774 U	4.41	12.4	3.5	8.9	0.822	18,500	0.296 U	0.422 U
		01/17/20	205	26.6	0.0227 U	0.0774 U	3.75	9.97	2.0	8.0	0.614	15,000	0.296 U	0.422 U
		04/09/20	256	21.4	0.0480 U	1.89 J	3.37	9.28	5.4	3.9	0.821	12,700	0.296 U	0.422 U
		07/07/20	316	16.6	0.0480 U	5.59	3.49	9.51	6.0	3.5	0.900	10,100	0.296 U	0.422 U
		11/10/21	311	13.4	1.00 U	0.600 U	3.88	10.5	5.5	5.0	0.892	9,540	0.296 U	0.422 U
		11/02/22	224	72.0	0.0480 U	0.594 U	3.11	11.9	4.5	7.4	0.786	12,900	0.296 U	0.422 U
MW-330 (dup)	Valley St ROW, N side	05/14/20	156	11.3	0.0480 U	48.0	1.42	2.9	0.0	2.9	0.841	31.7 J	0.296 U	0.422 U
		05/14/20	156	11.1	0.0480 U	48.3	1.46	2.2	0.0	2.2	0.836	46.5 J	0.296 U	0.422 U
		07/16/20	164	11.0	0.0480 U	45.9	2.22	2.56	1.0	1.6	0.971	31.3	0.296 U	0.422 U
		11/11/21	144	13.4	1.00 U	43.7	1.59	2.44	0.5	1.9	0.759	31.1	0.296 U	0.422 U
		10/31/22	148	24.7	0.0516 J	51.4	1.83	1.37	0.0	1.4	1.86	22.5	0.296 U	0.422 U
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	292	34.7	0.0480 U	243	3.36	9.66	4.5	5.2	0.809	94.1	8.18	0.422 U
		07/06/20	351	32.9	0.0480 UJ	228	3.06	17.7	7.0	10.7	0.752	83.6	0.296 U	0.422 U
		11/11/21	280	32.8 J	1.00 U	262 J	3.15	12.0	6.2	5.8	0.737	105	0.296 U	0.422 U
		11/01/22	275	34.3	0.0480 U	227	1.83	10.4	4.5	5.9	0.640	88.9	0.296 U	0.422 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-333	900 Roy St, S end	04/29/20	890	33.9	0.0480 U	1.37 J	13.5	26.2	5.0	21.2	2.16	24,300	0.296 U	0.422 U
		07/24/20	835	35.1	0.0480 U	0.594 U	14.4	21.2	6.5	14.7	1.55	29,700	0.296 U	0.422 U
		11/05/21	834	35.4	0.132	0.504	13.9	21.7	1.8	20.0	1.61	16,600	0.296 U	0.422 U
		11/02/22	828	33.7	0.0480 U	0.594 U	12.5	21.7	5.0	16.7	1.94	22,000	6.07	0.422 U
MW-344	SDOT Mercer Parcels, NW quadrant	06/01/21	227	19.9	0.0480 R	57.8	0.924 U	2.06	-	-	0.641	96.5	0.296 U	0.422 U
		08/18/21	216	20.8	0.0480 U	60.4	1.20	33.3	1.4	31.9	1.16	43.0	0.296 U	0.422 U
		11/18/22	436	37.7	0.0480 U	8.43	2.99	2.81	-	-	1.75	12,500	660	1,520
Intermediate B Zone														
HMW-9IB (dup)	SDOT Mercer Parcels, SW quadrant	01/26/21	290	29.8	0.0480 U	31.3	2.61	0.429	0.25	0.2	0.565	2,530	0.296 U	137
		06/02/21	294	26.0	0.0480 U	32.7	1.77	0.948	-	-	0.629	1,660	4.07 U	86.9
		08/18/21	280	27.6	0.0480 U	32.3	1.87	0.682	-	-	0.578	2,550	0.296 U	122
		05/24/22	-	83.8	0.0480 U	0.724 J	612	-	-	-	-	376	5.51	27.1
		05/24/22	-	81.5	0.0480 U	0.594 U	586	-	-	-	-	308	4.77	22.4
		08/01/22	-	50.2	0.0866 J	0.594 U	129	-	-	-	-	5,270	18.1	136
		11/09/22	442	33.8	0.0480 U	0.594 U	40.5	41.2	33	8.2	2.99	19,300	7.24	559
		02/23/23	-	37.8	0.0543 J	0.698 J	247	-	-	-	-	32,500	1.85	471
05/17/23	-	44.7	0.048 U	0.665 J	168	-	-	-	-	37,200	2.52	209		
MW111	Alley E of Seattle Roy Aloha Shops	12/17/13	170	47.3	0.025 U	4.73	-	0.168	0.2	0.0	0.135	14.7	5 U	5 U
		03/23/17	179	22.9	0.0680 J	8.25	0.918 J	0.391	0.1	0.3	0.151	136	5.75	4.17
		06/14/17	202	23.2	0.0227 U	8.97	1.20	0.298	-	-	0.142	231	7.73	6.71
		10/14/19	222	29.1	0.0227 U	7.70	1.97	0.159	-	-	0.229	324	20.9	20.1
		01/16/20	227	32.3	0.0227 U	15.7	1.56	9.04	0.5	8.5	0.415	386	30.2	20.4
		04/23/20	259	38.3	0.0480 U	26.5	1.88	22.5	0.5	22.0	0.694	447	38.7	23.3
		07/06/20	290	41.4	0.0480 U	32.8	1.65	22.1	0.0	22.1	0.668	625	51.6	25.9
		11/02/20	-	-	-	31.8	1.55	18.8	-	-	0.653	484	47.8	23.8
		02/09/21	-	-	-	25.4	1.44	4.38	-	-	0.429	452	43.5	26.1
		05/03/21	-	-	-	17.8	1.21	7.73	-	-	0.344	347	29.6	13.7
		08/04/21	-	-	-	18.4	1.50	4.17	-	-	0.315	255	21.5	4.26 U
		11/03/21	213	29.3	0.200 U	18.9	1.52	2.08	0.5	1.6	0.296	174	13.8	0.422 U
		02/15/22	198	-	-	18.0	1.32	5.31	-	-	0.304	134	9.39	2.71
		05/18/22	-	-	-	9.90	1.11	0.646	-	-	0.172	129	10.2	2.35
08/09/22	-	-	-	15.4	1.47	1.11	-	-	0.244	205	15.9	3.55		
11/01/22	190	26.9	0.0817 J	15.7	0.677 U	0.655	0.5	0.2	0.257	182	14.4	3.63		
MW112	Dexter Ave N ROW, W side	12/26/13	160	12.3	0.0640	44.9	-	0.560	0.2	0.3	0.106	5 U	5 U	5 U
		03/22/17	188	10.6	0.0227 U	45.2	1.35	0.238	-	-	0.0411	4.89	0.296 U	0.422 U
		06/16/17	240	1.15	0.162	1.26 J	5.48	2.56	-	-	0.0871	1.78	0.296 U	0.422 U
		04/12/18	16.7 J	2.09	0.398 J	1.31 J	2.80	19.5	0.0	19.5	0.421	326	0.296 U	0.422 U
		12/22/18	41.6	9.72	0.0683 J	0.342 J	5.51	22.6	-	-	0.573	373	0.296 U	0.422 U
		04/22/19	82.9	7.09	0.0227 U	7.65	6.04	4.90	1.0	3.9	0.177	281	1.12 J	1.13 J
		07/16/19	112	8.61	0.0227 U	17.1	6.12	1.28	0.0	1.3	0.154	149	3.81	0.422 U
		10/21/19	58.6	5.47	0.0227 U	1.82 J	11.1	1.70	0.5	1.2	0.169	388	5.75	0.422 U
		01/24/20	50.8	7.70	0.0227 U	0.322 J	3.41	3.56	2.0	1.6	0.220	1,670	0.296 U	35.0
		05/07/20	75.2	8.95	0.0480 U	2.62 J	2.91	3.22	1.5	1.7	0.239	752	0.296 U	0.422 U
		07/27/20	106	9.08	0.0480 U	11.0	2.86	1.68	1.6	0.1	0.213	592	0.296 U	0.422 U
		11/17/20	-	-	-	32.7	1.61	3.78	-	-	0.210	121	0.296 U	0.422 U
		02/11/21	-	-	-	32.4	1.70	1.57	-	-	0.176	93.8	0.296 U	0.422 U
		05/14/21	-	-	-	35.2	1.77	9.37	-	-	0.309	91.9	0.296 U	0.422 U

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)					
								Total	Ferrous	Ferric		Methane	Ethane	Ethene			
		08/17/21	–	–	–	34.2	1.52	1.60	–	–	0.170	50.1	4.07	U	4.26	U	
		11/08/21	164	11.7	0.100 UJ	29.1	1.97	4.84	0.6	4.2	0.248	135	0.296	U	0.422	U	
		02/24/22	–	–	–	21.3	2.40	1.45	–	–	0.184	79.5	3.28		0.422	U	
		05/13/22	–	–	–	28.5	1.59	1.33	–	–	0.177	82.4	2.06		0.576	J	
		08/09/22	–	–	–	19.9	3.64	1.08	–	–	0.184	123	2.69		1.95		
		11/08/22	32.6	17.5	0.488	0.898 J	4.55	0.672	0.5	0.2	0.0799	49.6	0.296	U	2.37		
MW126 (dup)	Alley E of Seattle Roy Aloha Shops	10/15/19	210	7.54	0.0227 U	3.62 J	5.12	0.407	0.5	0.0	0.335	277	0.296	U	0.422	U	
		10/15/19	200	7.78	0.0227 U	3.89 J	5.05	0.388	0.5	0.0	0.327	317	0.296	U	0.422	U	
		01/14/20	199	7.34	0.0227 U	2.83 J	4.45	0.372	0.5	0.0	0.326	292	0.296	U	0.422	U	
		04/09/20	197	7.4	0.0480 U	2.58 J	4.28	0.257	0.0	0.3	0.289	574	3.71		0.422	U	
		07/24/20	170	6.79	0.0480 U	3.19 J	3.94	0.105	0.0	0.1	0.262	361	0.296	U	0.422	U	
		11/09/20	197	–	–	4.85 J	3.42	0.117	–	–	0.254	213	0.296	U	0.422	U	
		02/10/21	–	–	–	6.65	2.60	0.245	–	–	0.262	267	0.296	U	0.422	U	
		05/04/21	–	–	–	7.56	2.19	0.0582 J	–	–	0.195	183	0.296	U	0.422	U	
(dup)		05/04/21	–	–	–	7.51	2.11	0.0729 J	–	–	0.200	163	0.296	U	0.422	U	
		08/04/21	–	–	–	4.71 J	2.38	0.478	–	–	0.269	300	4.07	U	4.26	U	
		11/11/21	190	6.52	1.00 U	6.00 U	2.48	0.434	0.6	–	0.254	420	0.296	U	0.422	U	
		02/15/22	204	–	–	2.80 J	2.35	0.381	–	–	0.225	265	1.46		0.842	J	
		05/20/22	–	–	–	2.75 J	1.92	0.0932 J	–	–	0.101	44.4	0.301	J	0.422	U	
		08/10/22	–	–	–	2.62 J	2.57	0.0412 J	–	–	0.0370	0.287	U	0.296	U	0.422	U
		11/01/22	203	6.77	0.0879 J	2.69 J	1.51	0.208	0.0	0.2	0.0559	115	0.296	U	0.422	U	
MW-143	8th Ave N ROW, E side	04/30/18	448	66.5	0.0227 U	4.69 J	2.55	2.08	0.5	1.6	0.390	6,720	92.5		360		
		01/29/19	400	58.5	0.0227 U	3.12 J	7.02	1.6	0.8	0.9	0.378	8,520	134		0.422	U	
		04/24/19	393	56.2	0.0227 U	8.53	7.19	0.687	0.3	0.4	0.317	6,940	125		0.422	U	
		07/19/19	403	58.2	0.140	6.91	12.7	2.07	1.0	1.1	0.398	4,790	96.5		14.4		
		10/16/19	518	35.8	0.0227 U	67.7	20.9	8.54	0.5	8.0	2.09	5,780	62.6		110		
		01/22/20	394	58.1	0.0229 U	2.34 J	7.53	2.02	0.5	1.5	0.410	5,090	83.6		0.422	U	
		04/24/20	409	56.7	0.0480 U	1.08 J	5.57	2.19	1.0	1.2	0.405	3,720	61.4		0.422	U	
		07/29/20	393	57.2	0.0480 U	0.665 J	4.48	1.39	0.5	0.9	0.428	4,040	61.3		0.422	U	
		11/24/20	–	–	–	5.06	6.45	7.11	–	–	0.654	10,600	190		10.9		
		02/08/21	–	–	–	44.3	32.5	20.6	–	–	3.95	19,500	417		0.422	U	
		05/19/21	–	–	–	5.27	38.2	32.4	–	–	7.46	19,100	363		283		
		08/20/21	–	–	–	1.75 J	37.8	30.6	–	–	6.99	24,300	390		1,080		
		12/08/21	964	70.3	1.48	3.08	35.6	30.1	6.0	24.1	6.26	25,300	517		867		
		03/08/22	–	–	–	1.79 J	39.2	30.9	–	–	5.10	23,000	197		284		
		05/26/22	–	–	–	2.93 J	33.2	40.1	–	–	6.50	21,000	478		483		
		08/12/22	–	–	–	1.91 J	41.9	29.7	–	–	5.68	28,600	817		680		
		11/01/22	339	25.4	2.80	15.7	2.63	2.48	0.0	2.5	0.398	1,280	3.10		3.06		
		05/16/23	–	–	–	0.966 J	47.4 J	36.6	–	–	11.1	11,300	237	J	255	J	
		11/07/23	613	57.3	0.0828 U	5.27	10.9	2.52	–	–	1.76	664	14.1		17.1		
MW-145R	8th Ave N ROW, E side	12/16/19	258	20.1	0.0227 U	16.6	4.12	1.22	0.0	1.2	0.256	272	0.296	U	0.422	U	
		01/21/20	233	20.1	0.0249 U	3.17 J	5.32	1.32	0.0	1.3	0.305	449	1.72		0.422	U	
		04/02/20	260	20.1	0.0227 U	1.07 J	6.87	1.39	0.5	0.9	0.342	2,050	5.34		0.422	U	
		08/03/20	266	29.3	0.0480 U	1.24 J	2.27	1.54	1.0	0.5	0.362	8,550	5.59		0.422	U	
		11/23/20	–	–	–	26.9	2.89	4.61	–	–	0.361	1,610	0.296	U	0.422	U	
		02/04/21	–	–	–	26.7	1.95	1.23	–	–	0.310	1,380	4.07	U	4.26	U	
		05/12/21	–	–	–	27.3	1.90	2.80	–	–	0.327	1,620	0.296	U	0.422	U	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)					
								Total	Ferrous	Ferric		Methane	Ethane	Ethene			
(dup)		08/23/21	–	–	–	24.2	1.99	0.884	–	–	0.198	1,810	0.296	U	0.422	U	
		08/23/21	–	–	–	24.9	1.94	0.723	–	–	0.160	1,380	0.296	U	0.422	U	
		11/30/21	265	24.4	0.100	U	25.3	1.65	4.97	0.5	4.5	0.404	1,740	0.296	U	0.422	U
		03/08/22	–	–	–	–	27.2	1.86	1.07	–	–	0.314	3,080	1.45	–	0.602	J
		05/11/22	–	–	–	–	28.4	1.90	0.576	–	–	0.286	2,360	2.15	–	0.704	J
		08/10/22	–	–	–	–	27.1	2.25	1.68	–	–	0.320	2,510	5.28	–	2.13	–
		11/02/22	279	27.7	0.0480	U	26.5	2.05	0.451	0.0	0.5	0.317	1,610	4.52	–	1.81	–
		05/15/23	–	–	–	–	26.3	2.33	0.268	–	–	0.277	345	4.07	U	4.26	U
		11/08/23	294	28.5	0.0867	J	25.1	2.42	0.510	0.594	–	0.315	1,350	4.03	–	0.422	U
MW-147	Roy St ROW, S side	05/01/18	302	40.8	0.0227	U	183	21.3	17.1	–	–	0.564	5,060	10.7	–	144	
(dup)		01/22/19	302	56.2	0.0227	U	43.2	5.2	6.01	1.0	5.0	0.646	4,210	2.10	–	100	
		04/23/19	346	26.9	0.0227	U	28.1	13.7	4.39	1.5	2.9	0.787	8,110	0.296	U	158	
		07/18/19	307	19.3	0.0227	U	30.0	9.56	3.80	J	2.0	1.8	0.750	5,450	0.296	U	191
		07/18/19	310	18.8	0.0890	J	29.4	11.7	2.40	J	2.0	0.4	0.724	5,830	0.296	U	202
		10/14/19	339	23.2	0.0227	U	28.0	6.70	9.37	0.5	8.9	0.919	7,830	2.94	–	457	
		01/24/20	351	28.3	0.0227	U	25.6	3.34	13.5	0.5	13.0	0.995	1,550	0.296	U	172	
		04/29/20	370	33.9	0.0480	U	22.4	3.47	8.66	2.0	6.7	1.01	3,780	0.296	U	468	
		07/09/20	401	43.3	0.0480	U	14.0	3.29	13.3	1.5	11.8	1.04	5,490	4.65	–	641	
		11/10/20	343	–	–	–	16.6	3.04	5.85	–	–	0.890	8,350	3.95	–	552	
		02/09/21	–	–	–	–	36.8	4.33	2.44	–	–	0.659	4,050	0.296	U	302	
		05/04/21	–	–	–	–	1.35	J	18.7	8.90	–	–	0.910	5,960	0.296	U	785
		08/20/21	–	–	–	–	0.826	J	57.3	7.13	–	–	1.17	17,500	446	–	1,420
		11/09/21	339	52.4	0.200	UJ	4.69	4.77	7.71	1.5	6.2	0.865	4,170	72.0	–	764	
		02/18/22	583	–	–	–	18.6	3.60	10.9	–	–	1.43	3,320	36.6	–	121	
		05/03/22	–	–	–	–	5.59	4.84	14.2	–	–	1.74	14,600	208	–	296	
		08/10/22	–	–	–	–	4.00	J	5.80	9.78	–	–	1.64	14,900	196	–	280
11/03/22	656	44.2	0.0480	U	1.48	J	6.17	6.37	6.5	0	1.70	18,000	427	–	275		
05/12/23	–	–	–	–	19.9	–	11.8	1.37	–	–	0.567	3,800	48.2	–	135		
11/10/23	264	71.3	0.0722	J	25.2	7.02	4.69	–	–	0.354	1,660	17.5	–	93.6			
MW-148	Roy St ROW, S side	05/01/18	170	22.2	0.0227	U	95.5	2.46	12.0	0.3	11.8	0.439	1,210	0.296	U	0.422	U
(dup)		05/01/18	162	22.5	0.0227	U	96.1	2.53	11.2	0.3	11.0	0.379	1,140	0.296	U	0.422	U
		01/23/19	151	17.7	0.0227	U	154	4.04	10.1	–	–	0.594	1,390	0.296	U	2.84	
		04/26/19	161	17.1	0.0227	U	175	5.19	2.91	0.4	2.5	0.420	1,600	0.296	U	3.65	
		07/22/19	160	17.0	0.0227	U	173	3.51	5.44	0.5	4.9	0.534	1,940	0.296	U	4.66	
		10/16/19	163	18.0	0.0326	J	198	4.48	2.24	0.5	1.7	0.498	2,050	6.03	–	0.422	U
		01/20/20	158	16.4	0.0227	U	117	5.22	1.75	0.5	1.3	0.380	1,090	3.20	–	5.65	
		04/30/20	160	16.5	0.0480	U	149	2.84	30.3	0.5	29.8	0.774	1,270	0.296	U	0.422	U
		07/15/20	162	16.3	0.0480	U	127	2.36	7.72	0.5	7.2	0.517	1,320	13.1	–	0.422	U
		11/11/20	–	–	–	–	60.0	1.02	4.27	–	–	0.341	544	0.296	U	0.422	U
		08/13/21	–	–	–	–	152	1.69	4.87	–	–	0.488	1,380	0.296	U	0.422	U
		12/07/21	157	15.5	0.500	U	137	1.66	3.84	–	–	0.433	1,210	0.296	U	0.422	U
		02/25/22	–	–	–	–	139	1.87	10.2	–	–	0.576	679	1.16	J	2.82	
		05/05/22	–	–	–	–	177	2.05	3.07	–	–	0.581	1,250	1.66	–	3.69	
		08/10/22	–	–	–	–	173	2.66	18.5	–	–	0.702	1,400	2.12	–	4.51	
		11/04/22	157	16.4	0.186	–	80.8	1.67	0.421	0.0	0.4	0.325	427	2.49	–	22.3	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-190	Valley St ROW, S side	10/14/19	172	12.8	0.0227 U	20.3	10.3	1.85	0.2	1.7	0.406	428	6.87	0.422 U
		01/23/20	173	10.5	0.0227 U	4.06 J	4.46	1.49	0.5	1.0	0.273	656	0.296 U	0.422 U
		04/02/20	180	23.9	0.0227 U	22.3	2.05	2.24	0.5	1.7	0.420	318	0.296 U	0.422 U
		08/04/20	174	14.7	0.0480 U	23.3	1.87	0.957	0.5	0.5	0.507	230	0.296 U	0.422 U
		11/18/20	-	-	-	51.9	3.08	1.60	-	-	1.01	96	0.296 U	37.6
		02/03/21	-	-	-	42.8	4.42	2.03	-	-	0.951	755	0.296 U	48.9
		05/14/21	-	-	-	37.9	3.42	4.55	-	-	1.08	1,450	0.296 U	28.2
		08/11/21	-	-	-	43.7	3.64	2.26	-	-	0.993	701	0.296 U	31.4
		11/30/21	190	11.9	0.100 U	39.6	4.02	1.96	0.0	2.0	0.860	2,710	0.296 U	44.6
		03/04/22	-	-	-	40.9	4.82	1.69	-	-	0.871	1,530	1.34	18.6
		05/10/22	-	-	-	41.9	3.05	0.958	-	-	0.859	799	1.32	9.09
		08/11/22	-	-	-	43.6	4.60	1.66	-	-	0.767	3,010	3.75	10.4
10/31/22	174	17.3	0.0480 U	40.2	5.82	1.75	0.0	1.8	0.861	6,190	8.53	26.9		
11/06/23	227	15.9	0.0887 J	36.4	6.44	2.34	-	-	0.872	4,110	28.4	30.4		
MW-303	Dexter Ave N ROW, E side	10/21/19	144	15.2	0.0227 U	62.2	4.76	3.06	0.0	3.1	0.289	95.7	6.17	0.422 U
		01/24/20	162	14.8	0.0227 U	29.8	3.54	1.32	0.0	1.3	0.285	137	0.296 U	0.422 U
		05/07/20	156	14.2	0.0480 U	43.5	1.66	4.49	0.0	4.5	0.371	177	0.296 U	0.422 U
		07/27/20	158	14.7	0.0480 U	49.0	1.69	1.48	0.6	0.9	0.298	157	0.296 U	0.422 U
		11/09/21	163	14.8	0.132 J-	55.0	1.42	1.59	0.4	1.2	0.333	93.9	0.296 U	0.422 U
		11/08/22	142	15.7	0.151	60.0	1.40	1.97	0.0	2.0	0.328	67.6	0.296 U	0.422 U
		10/11/19	276	14.6	0.0227 U	69.1	4.12	1.03	0.0	1.0	0.149	26.6 J+	13.0	7.90
01/15/20	266	15.1	0.0227 U	64.7	7.87	1.99	0.0	2.0	0.198	12.6	2.79	0.422 U		
04/28/20	274	14.8	0.0480 U	72.0	3.56	1.19	0.25	0.9	0.172	25.0	0.296 U	0.422 U		
07/29/20	265	14.7	2.20	73.0	1.90	1.22	0.5	0.7	0.169	69.5	0.296 U	0.422 U		
12/03/21	257	9.87	0.100 UJ	62.7	1.73	1.61	0.0	1.6	0.161	20.4	0.296 U	0.422 U		
11/04/22	272	13.1	0.158	25.5	8.03	0.163	0.0	0.2	0.137	14.3	1.71	8.25		
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	228	15.1	0.0227 U	86.5	2.95	0.511	0.5	0.0	0.435	105	0.296 U	0.422 U
		01/16/20	264	17.7	0.0227 U	69.9	1.66	0.451	0.0	0.5	0.621	158	2.06	0.422 U
		04/08/20	275	18.7	0.0480 U	72.2	1.61	0.721	0.0	0.7	0.680	144	0.296 U	0.422 U
		07/06/20	283	18.9	0.0480 U	70.9	1.67	0.938	0.5	0.4	0.683	233	0.296 U	0.422 U
		11/11/21	250	18.2	1.00 U	58.8	1.91	0.649	0.5	0.1	0.709	253	0.296 U	0.422 U
		11/01/22	294	16.0	0.547	49.2	2.04	0.699	0.0	0.7	0.659	435	1.65	0.422 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	394	45.9	0.0227 U	35.0	5.31	0.349	0.0	0.3	0.738	856	40.8	10.4
		01/14/20	385	43.4	0.0227 U	14.2	5.99	0.306	-	-	0.793	534	22.7	7.10
		04/23/20	385	44.1	0.0480 U	9.65	7.58	1.99	0.5	1.5	0.745	491	14.8	0.422 U
		07/16/20	409	43.7	0.0480 U	8.36	7.88	5.48	1.0	4.5	0.791	633	14.2	0.422 U
		11/04/21	382	44.1	0.136	19.2	3.02	0.766	0.8	0.0	0.496	97.0	0.296 U	0.422 U
		11/01/22	367	48.7	0.107	27.7	1.70	0.543	2.0	0.0	0.310	111	7.11	3.79
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	253	24.4	0.0227 U	264	2.84	2.42	3.5	0.0	1.11	377	18.6	0.422 U
		01/15/20	231	18.9	0.0227 U	309	2.44	11.7	0.9	10.8	1.27	290	7.67 J	0.422 U
		01/15/20	233	19.4	0.0227 U	304	2.44	12.0	0.9	11.1	1.30	303	0.296 UJ	0.422 U
		04/22/20	378	35.1	0.0480 U	190	7.12	12.1	1.5	10.6	1.02	2,750	35.2	154
		07/16/20	510	42.8	0.0480 U	94.8	14.0	6.53	2.5	4.0	1.16	4,290	70.8	178
		12/03/21	199	14.1	0.100 UJ	244	2.25	12.3 J	1.2	11.1	0.857	439	0.296 UJ	0.422 UJ
(dup)		12/03/21	198	14.1	0.100 UJ	245	2.29	8.77 J	1.2	7.6	0.831	492	6.43 J	5.86 J
		11/01/22	210	17.7	0.0480 U	270	2.02	1.26	0.0	1.3	0.660	848	7.60	3.90

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		11/07/23	226	13.9	0.0850 J	238	2.14	3.72	3.40	0.3	0.678	1,200	5.42	2.20
MW-316	Mercer St ROW, N side	10/02/19	384	16.9	0.0227 UJ	41.8	3.78	2.58	1.0	1.6	0.328	143	0.296 U	0.422 U
		01/16/20	331	16.9	0.0227 U	41.6	5.63	6.15	0.4	5.8	0.359	145	0.296 U	0.422 U
		04/21/20	325	16.4	0.0480 U	58.2	1.76	3.54	0.25	3.3	0.318	350	0.296 U	0.422 U
		07/24/20	335	15.0	0.0480 U	47.9	1.87	1.95	0.5	1.5	0.258	179	0.296 U	0.422 U
		11/05/21	332	15.6	0.200 U	45.6	1.77	2.40	0.4	2.0	0.264	35.6	0.296 U	0.422 U
		11/02/22	193	8.98	0.362	25.0	0.931 U	1.23	0.0	1.2	0.160	36.2	0.296 U	0.422 U
MW-318	9th Ave N ROW, W side	10/08/19	339	24.1	0.0227 U	119	6.73	11.7	4.0	7.7	2.33	355	12.8	0.422 U
		01/16/20	387	22.6	0.0227 U	118	4.09	16.0	2.0	14.0	2.94	2,230	18.2	0.422 U
		04/27/20	676	14.5	0.0480 U	5.12	7.87	14.9	3.6	11.3	3.55	6,720	13.9	0.422 U
		07/30/20	652	12.1	0.0480 U	7.79	9.46	13.5	7.0	6.5	3.03	5,380	0.296 U	0.422 U
		11/12/21	616	15.0	1.00 U	22.0	8.14	14.0	4.8	9.3	3.73	4,550	18.1	0.422 U
		11/01/22	394	20.4	0.185	105	3.35	10.6	0.0	10.6	2.83	850	8.88	2.62
MW-322	9th Ave N ROW, W side	10/07/19	841	30.4	0.0227 U	21.1	19.4	43.9	0.0	43.9	4.26	3,090	59.1	20.8
		01/21/20	676	31.1	0.0227 U	17.8	17.1	19.5	1.5	18.0	1.87	3,620	107	0.422 U
		04/29/20	547	30.4	0.0480 U	69.9	5.49	14.6	5.6	9.0	2.32	2,360	86.6	22.2
		07/07/20	355	22.5	0.0480 U	97.0	3.71	12.8	5.8	7.0	1.99	2,240	42.6	0.422 U
		11/09/21	719	19.2	0.100 UJ	3.45	10.8	17.8	4.0	13.8	3.47	6,440	26.7	21.3
		11/03/22	730	22.7	0.0480 U	18.0	13.5	19.2	4.5	14.7	3.28	3,540	71.5	53.9
MW-334	900 Roy St, S end	11/08/23	732	20.9	0.0503 J	28.7	13.4	16.9	17.4	-0.5	1.98	1,600	39.3	7.54
		04/24/20	864	17.8	0.0480 U	2.48 J	6.69	13.8	6.0	7.8	0.840	23,300	0.296 U	0.422 U
		07/07/20	1,280	23.5	0.0480 U	1.21 J	9.92	16.2	5.0	11.2	0.701	32,500	0.296 U	0.422 U
		11/05/21	1,260	22.7	0.126	0.433	10.6	9.51	5.3	4.3	0.464	18,400	0.296 U	0.422 U
MW-335	Mercer St ROW, N side	11/03/22	1,240	26.2	0.0480 U	0.594 U	8.91	10.3	2.0	8.3	0.612	22,300	4.35	0.422 U
		05/01/20	293	17.4	0.0480 U	54.1	2.90	1.31	0.8	0.5	0.721	73.7	0.296 U	0.422 U
		07/08/20	192	20.7	0.0480 U	59.4	2.02	0.171	0.0	0.2	0.594	46.3	0.296 U	0.422 U
		11/17/21	556	31.6	0.500 U	72.7	9.35	0.0711 J	0.3	-	2.06	1,440	21.6	0.422 U
		11/09/23	287	30.9	0.0480 U	57.0	2.79	0.147	-	-	1.03	317	2.79	0.422 U
MW-338	Lake Union Park, N end	11/03/22	280	24.3	0.0480 U	86.7	2.52	0.135	0.0	0.1	1.17	338	3.60	0.422 U
		05/07/20	604	12.4	0.0480 U	2.19 J	7.16	16.4	3.0	13.4	1.62	16,700	0.296 U	0.422 U
		07/23/20	464	11.6	0.0480 U	1.11 J	7.83	13.8	9.0	4.8	1.02	22,700	0.296 U	0.422 U
		11/17/21	566	12.3	0.500 U	0.417	9.65	19.4	5.0	14.4	1.48	25,200	0.296 U	0.422 U
MW-340	Lake Union Park, S end	11/02/22	607	13.1	0.0480 UJ	0.594 U	8.20	24.4	3.3	21.2	1.72	25,800	6.02	0.422 U
		05/12/20	545	12.8	0.0480 U	2.31 J	6.54	14.2	6.0	8.2	1.90	19,600	0.296 U	0.422 U
		07/17/20	533	12.9	0.0480 U	0.663 J	5.31	13.8	7.0	6.8	1.85	24,700	0.296 U	0.422 U
		11/10/21	425	14.5	1.00 U	0.600 U	5.13	12.6	5.0	7.6	1.72	21,600	0.296 U	0.422 U
MW-345	SDOT Mercer Parcels, NW quadrant	11/02/22	467	14.6	0.724 J	2.57 J	5.10	14.7	5.5	9.2	1.72	16,000	3.62	0.422 U
		06/01/21	233	50.5	0.0647 J	55.7	2.74	0.961	-	-	0.125	241	7.26	9.64
		08/18/21	239	46.0	0.0480 U	47.9	1.73	1.15	0.0	1.2	0.174	251	2.54	3.81
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	11/18/22	289	44.3	0.0480 U	41.0	1.81	1.40	-	-	0.215	1,710	20.3	289
		06/02/21	189	54.1	0.0480 U	96.4	5.57	6.57	-	-	0.227	166	14.7	10.9 J
		06/02/21	193	54.1	0.0480 U	96.2	5.73	6.52	-	-	0.228	141	11.2 J	8.86 J
		08/18/21	221	45.0	0.0480 U	48.7	1.83	3.16	0.0	3.2	0.184	189	7.36	5.08
		05/24/22	-	35.5	0.0480 U	81.2	2.07	-	-	-	-	72.0	0.296 U	0.988 J
		08/02/22	-	34.1	0.0480 U	83.6	1.61	-	-	-	116	0.563 J	2.34	

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
(dup)		11/10/22	193	35.0	0.0677 J	81.3	1.17	8.20	0.3	8.0	0.301	96.6	0.296 U	2.21
		02/23/23	-	35.1	0.133	73.3	1.76	-	-	-	-	86.3	0.296 U	3.83
		02/23/23	-	35.3	0.138	73.9	1.60	-	-	-	-	88.8	0.296 U	4.24
		05/16/23	-	32.2	0.0546 J	73.3	1.62	-	-	-	-	89.5	0.296 U	3.51
		05/16/23	-	32.5	0.0535 J	76.5	1.65	-	-	-	-	103	0.296 U	3.46
MW-347	SDOT Mercer Parcels, NW quadrant	06/01/21	226	60.4	0.0480 R	85.7	2.74	2.02	-	-	0.109	55.3	19.8	34.8
		08/19/21	309	34.7	0.0480 U	93.6	2.53	1.22	0.0	1.2	0.0704	75.9	29.3	43.4
		05/26/22	-	33.7	0.0480 R	12.8	53.5	-	-	-	-	176	3.17	12.3
		08/02/22	-	33.7	0.108	5.45	21.2	-	-	-	-	2,320	2.38	12.1
		11/10/22	248	32.8	0.0480 U	4.72 J	11.6	1.38	0.5	0.9	0.153	7,090	1.50	11.5
		02/23/23	-	32.1	0.114	13.9	2.25	-	-	-	-	4,590	1.64	7.09
		05/16/23	-	31.1	0.048 U	26.1	2.07	-	-	-	-	3,020	1.76	10.4
MW-348 (dup)	SDOT Mercer Parcels, SW quadrant	06/01/21	233	57.3	0.0865 J	66.9	2.09	2.05	-	-	0.114	166	0.296 U	13.1
		08/19/21	237	39.8	0.0480 U	52.5	1.87	0.507 J	0.0	0.5	0.103	117	0.296 U	9.34
		08/19/21	238	40.2	0.0480 U	53.1	1.88	0.878 J	0.0	0.9	0.107	126	0.296 U	10.2
		05/26/22	-	40.6	0.0546 J-	60.0	1.84	-	-	-	-	310	0.296 U	20.0
		08/01/22	-	39.7	0.116	56.5	1.23	-	-	-	-	306	1.06 J	23.2
		11/10/22	1,440	117	0.593	0.649 J	2,180	465	-	-	4.71	5,390	3.80	3.01
		03/13/23	-	41.9	0.0480 U	32.6	4.18	-	-	-	-	237	1.71	23.4
		05/17/23	-	38.0	0.048 U	26.0	3.01	-	-	-	-	22,000	3.59	32.1
MW-349	SDOT Mercer Parcels, SW quadrant	06/01/21	233	33.7	0.0480 R	57.1	2.75	0.722	-	-	0.116	184	0.296 U	0.422 U
		08/19/21	253	33.3	0.0480 U	45.8	1.95	0.196	0.0	0.2	0.136	245	0.296 U	8.43
		05/26/22	-	78.2	0.0597 J-	0.594 U	621	-	-	-	-	926	4.29	15.8
		08/01/22	-	56.3	0.0480 U	0.594 U	25.4 J-	-	-	-	-	13,500	4.02	12.9
		11/08/22	568	45.5	0.0480 U	2.28 J	63.8	9.41	5.3	4.2	1.08	27,100	0.296 U	3.25
		02/23/23	-	42.5	0.048 U	2.27 J	9.58	-	-	-	-	33,700	0.296 U	5.85
MW-350	SDOT Mercer Parcels, NW quadrant	06/01/21	264	23.2	0.0480 R	59.8	2.52	2.93	-	-	0.191	145	16.0	9.41
		08/18/21	274	13.7	0.0480 U	21.0	2.19	1.54	0.0	1.5	0.318	166	0.296 U	0.422 U
		11/11/22	250	14.8	0.0480 U	40.4	1.20	2.51	0.5	2.0	0.566	298	1.60	1.52
		02/24/23	-	15.2	0.048 U	41.2	1.95	-	-	-	-	1,370	0.296 U	5.23
		05/17/23	-	15.0	0.048 U	39.5	1.33	-	-	-	-	2,160	4.17	11.5
W-MW-01	8th Ave N ROW, W side	03/30/17	211	23.8	0.023 U	29.0	1.84	18.2	0.3	18.0	0.542	367	0.757 J	1.27 J
		06/19/17	250	27.6	0.0727 J	28.3	3.00	9.48	-	-	0.321	461	0.296 U	0.42 U
		04/13/18	214	26.8	0.0227 U	61.4	2.95	20.4	0.8	19.6	0.717	702	5.81	7.55
		01/25/19	235	31.7	0.0227 UJ	56.9	7.93	11.1	1.5	9.6	0.552	291	2.43	3.41
		07/23/19	242	33.2	0.0227 U	78.9	2.73	0.614	0.0	0.6	0.323	327	3.96	7.04
		10/15/19	239	31.6	0.0227 U	73.8	2.49	1.16	0.0	1.2	0.320	384	0.296 U	0.422 U
		01/27/20	216	27.6	0.0227 U	66.4	2.31	0.990	0.5	0.5	0.380	292	0.296 U	0.422 U
		04/03/20	231	28.2	0.0227 U	66.3	2.08	0.389	0.5	0.0	0.288	296	0.296 U	0.422 U
		07/31/20	232	29.5	0.168	71.4	2.44	0.498 J+	-	-	0.224	232	0.296 U	0.422 U
		11/24/20	-	-	-	33.3	19.9	3.68	-	-	0.501	1,120	0.296 U	0.422 U
		02/03/21	-	-	-	19.3	64.9	1.16	-	-	0.788	2,430	0.296 U	0.422 U
		05/17/21	-	-	-	0.600 J	27.8	10.4	-	-	3.36	67,000	0.296 U	0.422 U
		08/23/21	-	-	-	4.32 J	5.07	6.16	-	-	2.19	46,100	0.296 U	0.422 U
		11/29/21	1,190	24.4	0.100 U	3.99	6.38	18.2	4.2	14.0	3.54	31,300	0.296 U	0.422 U
03/08/22	-	-	-	18.3	3.58	20.7	-	-	1.81	24,500	0.296 U	0.422 U		

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)								
								Total	Ferrous	Ferric		Methane	Ethane	Ethene						
(dup)		05/11/22	–	–	–	12.0	4.15	12.6	–	–	2.39	28,100	0.296	U	0.422	U				
		08/12/22	–	–	–	24.8	3.43	J+	3.05	–	–	1.11	28,300	1.42		1.63				
		08/12/22	–	–	–	25.2	3.42	J+	3.00	–	–	1.11	26,100	1.39		1.44				
		10/31/22	1,440	28.1	0.0480	U	0.948	J	8.73	17.3	4.8	12.6	4.34	31,600	0.296	U	0.422	U		
		05/16/23	–	–	–	–	9.78	J	5.68	J	7.67	–	–	2.29	37,500	J	4.91	J	4.87	J
		11/06/23	1,280	27.5	0.0480	U	3.33	J	12.2	14.0	–	–	3.56	27,100	4.46		2.75			
Deep Zone																				
FMW-129	SDOT Mercer Parcels, NE quadrant	04/10/17	308	44.2	0.0227	U	124	2.74	0.365	0.0	0.4	0.402	279	26.8	0.422	U				
		06/23/17	296	36.1	0.0914	J	95.5	1.70	9.92	1.0	8.9	0.412	276	14.7	0.422	U				
		07/16/19	221	23.7	0.771		86.8	2.23	4.6	–	–	0.415	40.5	6.45	0.422	U				
		10/21/19	209	23.6	0.639		82.4	1.52	18.9	0.5	18.4	0.648	53.5	5.31	0.422	U				
		01/14/20	201	22.6	0.787		82.4	1.42	3.33	0.0	3.3	0.291	17.1	4.75	0.422	U				
		05/06/20	313	35.6	0.0480	U	92.7	2.22	77.9	0.5	77.4	1.04	160	13.6	0.422	U				
		07/10/20	346	37.5	0.0480	U	85.8	2.21	12.9	1.0	11.9	0.511	195	13.6	0.422	U				
		11/10/20	–	–	–		81.2	1.61	9.18	–	–	0.438	267	22.3	0.422	U				
		02/10/21	–	–	–		4.17	J	1.33	0.152	–	–	0.0145	0.287	U	0.296	U	0.422	U	
		05/26/21	–	–	–		114	1.69	12.4	–	–	0.493	316	36.1	0.422	U				
		05/26/21	–	–	–		126	1.68	10.2	–	–	0.469	351	39.4	0.422	U				
		08/19/21	–	–	–		133	1.96	9.55	–	–	0.465	222	27.0	0.422	U				
		05/05/22	–	–	–		140	2.23	0.924	–	–	0.455	481	20.0	0.422	U				
		08/12/22	–	–	–		4.84	J	1.19	0.0763	J	–	–	0.0140	6.68	0.517	J	0.422	U	
		11/11/22	48.3	2.72	0.806		5.12	1.26	0.115	0.0	0.1	0.0152	0.287	U	0.296	U	0.422	U		
MW102	Valley St ROW, S side	04/25/18	160	4.99	0.0315	J	0.880	J	1.94	9.60	1.0	8.6	0.414	0.561	0.296	U	0.422	U		
		01/24/19	162	5.19	0.0553	J	1.74	J	4.36	6.46	0.0	6.5	0.363	172	0.296	U	0.422	U		
		05/01/19	173	5.39	0.0227	U	0.318	J	3.75	11.9	0.5	11.4	0.405	255	1.07	J	0.422	U		
		07/18/19	167	5.58	0.0227	U	1.83	J	4.76	7.16	0.8	6.4	0.353	290	0.296	U	0.422	U		
		11/14/19	176	8.17	0.161		2.57	J	4.19	4.01	0.0	4.0	0.329	224	0.296	U	0.422	U		
		01/23/20	162	5.73	0.0227	U	3.07	J	2.31	1.76	0.5	1.3	0.268	117	0.296	U	0.422	U		
		01/23/20	161	5.62	0.0227	U	2.93	J	2.34	1.31	0.5	0.8	0.259	154	0.296	U	0.422	U		
		04/02/20	165	5.52	0.0300	J	4.02	J	1.15	3.02	0.0	3.0	0.246	10.1	0.296	U	0.422	U		
		08/04/20	152	5.57	0.0480	U	3.74	J	1.51	1.83	0.0	1.8	0.220	13.6	0.296	U	0.422	U		
		08/04/20	151	5.56	0.0480	U	3.73	J	1.18	1.41	0.0	1.4	0.215	22.2	0.296	U	0.422	U		
		11/18/20	–	–	–		3.72	J	1.07	3.64	–	–	0.255	15.5	0.296	U	0.422	U		
		02/03/21	–	–	–		3.75	J	1.32	2.96	–	–	0.200	17.4	0.296	U	0.422	U		
		05/14/21	–	–	–		2.23	J	1.36	4.77	–	–	0.285	69.0	0.296	U	0.422	U		
		08/11/21	–	–	–		2.48	J	1.61	4.53	–	–	0.264	91.5	0.296	U	0.422	U		
		11/30/21	154	4.77	0.100	U	2.09		1.16	1.66	0.5	1.2	0.243	301	0.296	U	0.422	U		
		03/07/22	–	–	–		2.24	J	1.57	4.29	–	–	0.240	51.2	0.296	U	0.422	U		
		03/07/22	–	–	–		2.31	J	1.53	4.41	–	–	0.249	49.0	0.296	U	0.422	U		
		05/10/22	–	–	–		2.63	J	1.62	3.79	–	–	0.195	264	0.296	U	0.422	U		
08/12/22	–	–	–		1.95	J	1.13	2.56	–	–	0.314	321	0.296	U	0.422	U				
10/31/22	142	5.07	0.0751	J	2.45	J	1.50	0.212	0.0	0.2	0.0402	2.66	0.296	U	0.422	U				
MW103	Alley E of Seattle Roy Aloha Shops	12/18/13	380	48.8	0.025	U	0.99	–	1.14	1.4	0	1.10	67.5	9.14	13.5					
		03/23/17	337	48.4	0.0227	U	36.3	1.97	1.68	0.3	1.4	1.09	433	82.5	34.1					
		06/14/17	339	34.7	0.0227	U	28.1	2.58	4.56	–	–	0.936	863	84.6	43.1					
		10/14/19	302	27.4	0.0227	U	25.0	1.55	0.948	0.5	0.4	0.870	166	17.7	13.8					
		01/16/20	296	28.6	0.0227	U	25	1.75	7.45	1.0	6.5	1.02	284	29.1	34.3					

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
(dup)		04/23/20	252	17.2	0.0480 U	13.3	2.77	13.5	1.0	12.5	0.814	267	10.1	0.422 U
		04/23/20	258	17.1	0.0480 U	13.5	2.44	11.3	1.0	10.3	0.786	314	12.3	0.422 U
		07/06/20	229	11.1	0.0480 U	8.30	2.10	24.4	0.5	23.9	0.864	246	0.296 U	0.422 U
		11/02/20	-	-	-	5.77	1.59	24.6	-	-	0.888	164	4.07 U	4.26 U
		02/10/21	-	-	-	9.20	1.18	9.69	-	-	0.592	65.2	0.296 U	0.422 U
		05/03/21	-	-	-	19.6	1.48	2.57	-	-	0.732	157	16.4	4.02
		08/12/21	-	-	-	25.4	1.75	0.936	-	-	0.833	205	23.4	7.61 J
		08/12/21	-	-	-	25.4	1.88	1.12	-	-	0.829	221	25.0	0.422 U
		11/08/21	305	30.2	0.200 UJ	25.9	1.50	0.884	1.0	-	0.802	171	26.4	9.95
		02/15/22	-	-	-	28.0	1.97	1.32	-	-	0.853	103	9.86	7.64
		05/09/22	-	-	-	30.4	1.63	2.65	-	-	0.951	272	28.3	24.3
08/09/22	-	-	-	29.1	1.86	0.756	-	-	0.941	229	23.1	24.5		
11/01/22	311	36.1	0.107	27.9	0.960 U	0.881	0.0	0.9	1.01	277	20.6	28.1		
MW104	8th Ave N ROW, W side	12/17/13	310	28.9	0.025 U	23.1	-	5.45	5.0	0.4	0.757	25.4	5 U	5 U
		03/30/17	253	36.0	0.0227 U	18.8	3.44	0.487	-	-	0.178	170	3.35	2.71
		06/30/17	218	11.7	0.0227 U	6.05	1.68	1.77	0.0	1.8	0.360	40.6	0.296 U	0.422 U
		04/09/18	224	17.2	0.0227 U	0.594 J	7.13 J	0.793	0.3	0.5	0.263	398	0.296 U	5.71
		02/01/19	79.8	6.74	0.0227 U	5.50	6.72	37.0	0.0	37.0	0.656	605	2.41	29.4
		04/23/19	196	18.6	0.0227 U	5.96	5.97	5.03	0.0	5.0	0.285	437	2.60	17.7
		07/22/19	201	17.0	0.0227 U	7.40	7.11	3.00	0.0	3.0	0.164	375	2.94	28.6
		10/18/19	203	13.5	0.0227 U	5.97	2.3	1.33	0.0	1.3	0.268	316	0.296 U	23.7
		01/29/20	140	24.2	0.0227 U	6.80	26.0	2.85	0.0	2.9	0.114	459	5.74	72.0
		04/01/20	196	11.6	0.0227 U	5.72	2.75	2.76	0.5	2.3	0.393	40.1	0.296 U	0.422 U
		07/31/20	185	9.27	0.0480 U	4.70 J	1.92 J+	4.11	-	-	0.434	58.7 J	0.296 U	0.422 U
		07/31/20	185	9.01	0.0480 U	4.60 J	1.79 J+	3.53	-	-	0.428	43.9 J	0.296 U	0.422 U
		11/17/20	-	-	-	5.71	1.94	2.20	-	-	0.622	135	0.296 U	0.422 U
		02/10/21	-	-	-	5.29	2.49	2.83	-	-	0.627	139	0.296 U	0.422 U
		08/23/21	-	-	-	5.44	2.26	2.96	-	-	0.510	198	0.296 U	0.422 U
		11/29/21	174	9.84	0.100 UJ	5.22	2.29	4.47	0.5	4.0	0.582	123	0.296 U	0.422 U
		02/23/22	-	-	-	4.14 J	1.89	3.34	-	-	0.534	95.6	0.296 U	3.55
		05/12/22	-	-	-	4.84 J	1.88	9.53	-	-	0.589	152	1.02 J	3.89
		08/23/22	-	-	-	3.22 J	1.82	5.20	-	-	0.536	133	0.296 U	8.20
11/02/22	195	10.2	0.0480 UJ	5.45	2.96	3.83	0.4	3.4	0.679	114	0.296 U	8.68		
MW105	Roy St ROW, S side	12/29/13	440	48.3	0.716	29.3	-	2.91	2.0	0.9	1.24	44.5	5 U	6.14
		04/11/18	257	35.7	0.0227 U	9.48	3.27	5.70	0.8	5.0	0.799	2,700	4.41	0.422 U
		01/23/19	210	28.1	0.0227 U	11.0	1.96	13.8	-	-	0.809	286	0.296 U	4.19
		04/23/19	275	37.9	0.0227 U	5.81	4.06	5.27	0.5	4.8	0.893	1,660	0.296 U	0.422 U
		07/17/19	314	34.9	0.0227 U	7.66	3.38	2.29	-	-	0.945	1,830	0.296 U	0.422 U
		10/22/19	330	35.0	0.0227 U	12.8	2.86	3.06	1.5	1.6	1.05	731	0.296 U	0.422 U
		10/22/19	330	35.1	0.0227 U	12.8	2.90	2.59	1.5	1.1	1.03	655	0.296 U	0.422 U
		01/20/20	300	27.8	0.0227 U	16.1	5.62	3.28	1.2	2.1	0.982	323	0.296 U	0.422 U
		05/12/20	260	33.5	0.0480 U	16.3	3.81	1.96	0.5	1.5	0.854	61.2	0.296 U	0.422 U
		07/27/20	279	25.1	0.0480 U	15.5	2.36	3.26	1.0	2.3	0.869	45.2	0.296 U	0.422 U
		11/17/20	-	-	-	14.5	2.55	10.8	-	-	1.05	38.5	0.296 U	0.422 U
		02/11/21	-	-	-	12.1	3.70	4.34	-	-	0.732	52.4	0.296 U	0.422 U
		06/07/21	-	-	-	11.8	2.27	5.45	-	-	0.787	38.2	0.296 U	0.422 U
08/17/21	-	-	-	12.1	1.66	5.86	-	-	0.809	50.5	4.07 U	4.26 U		

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		11/08/21	277	19.3	0.100 U	12.6	1.60	7.60	1.0	6.6	0.961	59.3	0.296 U	0.422 U
		02/24/22	–	–	–	10.9	2.38	6.01	–	–	0.778	114	0.296 U	1.08 J
		05/17/22	–	–	–	4.99 J	2.23	5.89	–	–	0.807	524	0.523 J	0.865 J
		08/09/22	–	–	–	3.98 J	9.42	0.135	–	–	0.0751	83.7	0.764 J	12.0
		11/09/22	84.1	132	0.0480 U	1.09 J	9.09	0.269	0.0	0.3	0.0761	91.6	0.296 U	14.1
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	309	28.7	0.0227 U	17.9	5.93	14.1	0.0	14.1	1.08	79.5	0.296 U	2.62
		06/30/17	305	27.3	0.0227 U	18.0	10.0	4.96	0.0	5.0	0.779	38.7	0.296 U	0.442 U
		05/04/18	283	25.0	0.0227 U	10.4	1.74	0.164	0.0	0.2	0.496	77.8	0.296 U	10.8
		04/26/19	267	23.6	0.0227 U	15.9	3.32	3.42	0.0	3.4	0.695	42.1	0.296 U	0.422 U
		07/19/19	266	24.4	0.0227 U	15.0	2.23	13.7	0.0	13.7	0.972	39.5	0.296 U	0.422 U
		10/18/19	276	25.8	0.0227 U	17.0	2.32	2.64	0.5	2.1	0.792	47.2	0.296 U	0.422 U
		01/14/20	278	25.9	0.0227 U	17.0	2.82	12.6	0.0	12.6	1.02	39.8	0.296 U	0.422 U
		05/06/20	272	23.9	0.0480 U	15.3	2.52	9.99	0.0	10.0	0.904	27.3	0.296 U	0.422 U
(dup)		05/06/20	276	23.7	0.0480 U	15.2	2.45	8.02	0.0	8.0	0.856	26.4	0.296 U	0.422 U
		07/10/20	286	23.6	0.0480 U	15.6	1.97	6.51	0.5	6.0	0.943	47.5	0.296 U	0.422 U
		11/10/20	238	–	–	17.4	1.29	5.07	–	–	0.696	22.4	0.296 U	0.422 U
(dup)		11/10/20	232	–	–	17.3	1.24	4.13	–	–	0.666	24.3	0.296 U	0.422 U
(dup)		02/12/21	–	–	–	16.1	1.17	2.94	–	–	0.583	93.5	0.296 U	0.422 U
		02/12/21	–	–	–	16.2	1.15	2.88	–	–	0.583	88.8	0.296 U	0.422 U
		05/13/21	–	–	–	3.80 J	0.536 J	11.1	–	–	0.408	150	0.296 U	0.422 U
		08/19/21	–	–	–	13.1	1.19	9.70	–	–	0.641	77.9	0.296 U	0.422 U
		12/06/21	116	4.61	0.100 U	7.14	0.970 U	15.1	0.0	15.1	0.481	89.9	0.296 U	0.422 U
		02/18/22	172	–	–	11.2	1.06	10.8	–	–	0.546	37.3	0.296 U	0.422 U
		05/06/22	–	–	–	14.6	1.27	1.51	–	–	0.678	59.6	0.296 U	0.422 U
		08/02/22	–	–	–	9.67	5.73	4.45	–	–	0.707	87.0	0.296 U	0.652 J
		11/18/22	225	16.0	0.0480 U	14.3	1.18	11.5	–	–	1.02	50.1	0.296 U	0.422 U
MW113	9th Ave N ROW, W side	12/19/13	96	23.5	0.280	17.4	–	0.119	0.0	0.1	0.0248	5 U	5 U	5 U
		03/22/17	594	65.5	0.0295 J	55.4	27.0	7.46	4.0	3.5	0.757	3.53	0.296 U	0.422 U
		06/16/17	587	57.5	0.0227 U	41.9	18.0	14.4	1.5	12.9	0.990	6,520	147	0.422 U
		02/07/19	551	43.9	0.0389 J	33.3	18.8	6.1	2.5	3.6	0.659	4,050	39.9	6.30
		07/17/19	139	152	0.992	15.1	2.38	0.786	0.3	0.5	0.0799	1,130	9.87	27.2
		10/22/19	561	70.4	0.146	22.1	15.8	3.38	3.6	0.0	0.426	2,330	16.3	115
		01/14/20	583	66.9	0.0227 U	24.5	16.3	6.14	–	–	0.716	17,700	73.5	673
		04/27/20	456	46.0	0.0921 J	51.2	9.77	6.64	4.5	2.1	0.743	3,760	60.0	0.422 U
		07/28/20	396	39.2	0.0480 U	64.2	7.85	5.91	–	–	0.599	3,060	59.4	16.6
		11/24/20	–	–	–	110	3.02	5.16	–	–	0.420	575	13.0	0.422 U
		02/10/21	–	–	–	4.61 J	1.09	0.049 J	–	–	0.0129	0.287 U	0.296 U	0.422 U
		05/25/21	–	–	–	99.0	3.27	11.9	–	–	0.442	1,870	34.9	0.422 U
		08/11/21	–	–	–	67.5	6.49	6.87	–	–	0.567	4,220	61.1	0.422 U
		11/18/21	452	30.4 J	0.500 U	58.5	6.48	5.44	4.5	0.9	0.542	2,740	63.2	0.422 U
(dup)		11/18/21	440	30.4 J	0.500 U	58.5	6.43	5.63	4.5	1.1	0.546	2,120	50.7	0.422 U
		02/15/22	–	–	–	80.2	21.8	12.1	–	–	0.808	817	25.3	0.422 U
		06/08/22	–	–	–	79.1	15.3	15.3	–	–	1.10	1,690	56.5	4.44
		08/10/22	–	–	–	52.7	16.9	8.35	–	–	0.683	2,620	60.3	34.5
		11/03/22	526	67.6	0.0480 U	68.6	14.0	8.94	0.3	8.7	0.898	1,360	46.5	10.8

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW122	Alley E of Seattle Roy Aloha Shops	10/14/19	182	7.8	0.0584 J	5.82	1.19	0.348	0.0	0.3	0.212	0.287 U	0.296 U	0.422 U
		01/17/20	177	7.56	0.0227 U	6.07	1.21	0.152	-	-	0.477	149	0.296 U	0.422 U
		04/07/20	172	6.73	0.0480 U	4.92 J	1.37	0.0655 J	0.0	0.1	0.205	0.287 U	0.296 U	0.422 U
		07/24/20	173	6.06	0.0480 U	4.37 J	1.34	0.247	0.0	0.2	0.376	7.78	0.296 U	0.422 U
		11/11/21	178	6.45	1.00 U	6.00 U	1.69	0.337	0.3	0.1	0.457	44.3	0.296 U	0.422 U
		11/01/22	187	7.61	0.0480 U	3.26 J	1.49	0.203	0.0	0.2	0.533	81.5	4.98	2.39
MW-138	Dexter Ave N ROW, E side	04/11/18	143	13.8	0.0227 U	45.9	4.89 J	21.5	0.0	21.5	0.725	83.1	0.296 U	0.422 U
		01/03/19	125	14.1	0.0227 U	47.5	3.90	2.19	0.0	2.2	0.375	61.3	0.621 J	0.573 J
		04/22/19	139	14.2	0.0227 U	42.7	5.70	13.2	-	-	0.509	164	0.296 U	1.43
		07/19/19	133	14.9	0.0227 U	53.4	1.40	11.7	0.5	11.2	0.560	74.2	0.296 U	0.422 U
		10/21/19	129	14.2	0.0227 U	51.9	1.10	3.83	0.5	3.3	0.504	101	0.296 U	0.422 U
		01/27/20	137	14.1	0.0227 U	48.6	2.2	21.9	0.5	21.4	0.711	564	0.296 U	0.422 U
		05/08/20	101	10.3	0.048 U	36	1.14	45	0.5	44.5	0.895	398	0.296 U	0.422 U
		07/27/20	122	13.8	0.0480 U	56.8	1.14	4.16	1.0	3.2	0.488	23.1	0.296 U	0.422 U
		11/18/20	-	-	-	45.9	0.948 J	4.63	-	-	0.452	17	0.296 U	0.422 U
		02/11/21	-	-	-	48.9	1.02	9.10	-	-	0.460	26.7	0.296 U	0.422 U
		06/07/21	-	-	-	41.8	0.921 U	14.2	-	-	0.424	42.0	0.296 U	0.422 U
		08/03/21	-	-	-	57.6	1.11	18.0	-	-	0.605	40.3	0.296 U	0.422 U
		11/10/21	115	11.8	1.00 U	44.0	1.03	29.3	0.8	28.5	0.857	53.2	0.296 U	0.422 U
		02/24/22	-	-	-	55.1	0.598 J	26.6	-	-	0.857	27.3	0.296 U	0.422 U
		05/25/22	-	-	-	65.1	0.848 U	22.5	-	-	0.792	47.3	0.741 J	0.728 J
08/09/22	-	-	-	7.12	1.70	0.0708 J	-	-	0.0379	0.287 U	0.296 U	0.422 U		
11/08/22	115	8.38	0.0480 U	6.81	1.81	0.971	1.0	0.0	0.331	321	1.73	0.422 U		
MW-153	Roy St ROW, S side	05/01/18	148	24	0.0227 U	23.7	1.26	1.01	-	-	0.187	74.3	0.296 U	0.422 U
		01/22/19	156	9.91	0.0227 U	13.2	1.92	3.01	0.0	3.0	0.299	387	0.296 U	4.89
		04/24/19	174	9.4	0.0227 U	9.23	3.86	3.60 J	0.0	3.6	0.385	412	0.296 U	1.79
		04/24/19	170	9.16	0.0227 U	8.91	4.62	1.59 J	0.0	1.6	0.305	434	0.296 U	0.422 U
		07/22/19	160	8.31	0.0227 U	6.78	1.84	1.67	0.0	1.7	0.325	27	0.296 U	0.422 U
		10/15/19	174	10.5	0.0227 U	8.29	2.32	6.77	-	-	0.420	20.2	0.296 U	0.422 U
		01/21/20	166	10.7	0.0248 U	8.49	2.72	0.799	0.0	0.8	0.317	8.66	0.296 U	0.422 U
		04/30/20	140	7.3	0.0480 U	6.23	0.843 J	7.79	0.0	7.8	0.420	0.287 U	0.296 U	0.422 U
		07/15/20	150	7.49	0.0509 J	6.67	0.957 J	2.42	0.0	2.4	0.597	39.7	0.296 U	0.422 U
		11/09/20	142	-	-	11.2	0.956 J	2.68	-	-	0.327	32.7	0.296 U	0.422 U
		02/09/21	-	-	-	11.0	0.955 J	0.382	-	-	0.313	103	0.296 U	0.422 U
		02/09/21	-	-	-	10.8	0.907 J	0.560	-	-	0.315	105	0.296 U	0.422 U
		05/10/21	-	-	-	9.43	1.15	8.36	-	-	0.474	113	0.296 U	4.17
		08/20/21	-	-	-	8.81	1.14	3.65	-	-	0.351	106	0.296 U	0.422 U
		12/07/21	161	8.82	0.0690 J	8.69	1.28	6.82	0.4	6.4	0.414	174	0.296 U	8.20
02/25/22	-	-	-	8.48	0.904 J	2.89	-	-	0.380	146	1.88	9.65		
05/02/22	-	-	-	8.50	1.39	8.80	-	-	0.436	173	1.20 J	9.40		
08/02/22	-	-	-	7.62	1.09	11.4	-	-	0.836	65.6	0.639 J	2.46		
11/03/22	159	10.4	0.0635 J	8.92	1.94	0.503	0.0	0.5	0.332	278	3.66	9.27		
MW-158A	8th Ave N ROW, E side	04/30/18	345	113	0.446	278	54.8	55.4	0.5	54.9	1.04	352	15.7	11.0
		01/24/19	329	29.7	0.0227 U	26.8	7.95	181	0.0	181	3.07	196	2.52	8.12
		04/25/19	345	26.7	0.0227 U	21.1	8.11	12.4 J	-	-	0.393 J	177	0.296 U	4.74
		07/19/19	330	26.9	0.0227 U	19.8	4.64	69.2	0.0	69.2	1.37	222	0.296 U	5.86
		10/16/19	327	24.5	0.0330 J	20.4	4.46	5.46	-	-	0.350	115	20.1	7.24

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
(dup)		01/21/20	319	25.3	0.0255 U	19.8	1.19	4.54	-	-	0.326	187	2.06	9.78
		04/24/20	333	23.9	0.0480 U	13.0	3.14	6.38	0.0	6.4	0.326	88.4	0.296 U	9.01
		07/15/20	323	24.0	0.0480 U	16.6	2.99	7.46	0.0	7.5	0.422	91.2	0.296 U	0.422 U
		11/23/20	-	-	-	12.7	5.49	9.60	-	-	0.412	1,110	0.296 U	0.422 U
		02/02/21	-	-	-	19.2	4.82	12.0	-	-	0.697	1,070	0.296 U	0.422 U
		05/10/21	-	-	-	16.7	3.82	17.3	-	-	0.551	1,180	0.296 U	0.422 U
		08/17/21	-	-	-	15.6	3.26	10.2	-	-	0.647	1,020	4.07 U	4.26 U
		12/08/21	317	25.2	0.100 U	15.7	3.30	12.2	0.4	11.8	0.540	1,010	0.296 U	0.422 U
		12/08/21	320	25.0	0.500 U	16.0	2.89	12.2	0.4	11.8	0.537	866	0.296 U	0.422 U
		03/04/22	-	-	-	15.9	2.80	10.1	-	-	0.474	243	0.580 J	0.466 J
		05/17/22	-	-	-	16.7	2.77	15.4	-	-	0.609	642	1.28 J	1.32
08/12/22	-	-	-	16.8	1.79	0.125	-	-	0.0232	11.9	0.296 U	0.422 U		
11/01/22	327	24.8	0.0555 J	15.4	2.67	2.33	0.0	2.3	0.404	1,660	2.72	2.87		
MW-160	8th Ave N ROW, W side	05/21/18	186	10.7	0.0703 J	2.68 J	1.47	12.3	0.0	12.3	0.400	129	14.5	4.75
		01/25/19	134	10.7	0.0227 U	1.87 J	3.98	59.1	0.5	58.6	1.22	766	11.7	0.422 U
		05/01/19	197	10.5	0.0227 U	1.26 J	3.79	4.60	0.0	4.6	0.387	1,070	4.41	0.422 U
		07/23/19	182	8.28	0.0227 U	2.64 J	1.95	2.68	0.5	2.2	0.408	535	0.296 U	0.422 U
		10/17/19	183	8.21	0.0227 U	2.06 J	2.31	10.5	0.8	9.7	0.522	537	0.296 U	0.422 U
		01/29/20	172	8.94	0.0227 U	2.30 J	6.59	0.769	0.0	0.8	0.324	294	6.02	0.422 U
		04/01/20	182	7.59	0.0249 J	3.29 J	3.41	20.7	0.0	20.7	0.569	621	2.24	0.422 U
		08/03/20	173	6.84	0.0480 U	3.08 J	1.71	2.26	0.5	1.8	0.474	817	0.296 U	0.422 U
		11/30/20	-	-	-	3.65 J	1.66	0.937	-	-	0.453	318	0.296 U	0.422 U
		02/04/21	-	-	-	3.12 J	1.68	2.37	-	-	0.404	305	4.07 U	4.26 U
		05/12/21	-	-	-	2.77 J	1.59	18.5	-	-	0.677	407	0.296 U	0.422 U
		08/23/21	-	-	-	2.68 J	1.29	21.8	-	-	0.661	288	0.296 U	0.422 U
		11/29/21	167	6.37	0.100 UJ	2.34	1.07	15.9	0.8	15.1	0.528	304	0.296 U	0.422 U
		02/23/22	-	-	-	2.44 J	1.24	8.18	-	-	0.425	119	0.296 U	0.422 U
		05/25/22	-	-	-	2.41 J	1.07	29.4	-	-	0.796	165	0.296 U	0.422 U
		08/12/22	-	-	-	2.25 J	1.13	1.35	-	-	0.316	424	0.296 U	1.65
10/31/22	174	6.66	0.0480 U	1.96 J	1.03	3.91	0.8	3.1	0.420	408	0.296 U	0.422 U		
MW-161	8th Ave N ROW, W side	05/21/18	294	25.0	0.0227 U	13.5	1.49	9.37	0.0	9.4	0.758	53.4	2.64	0.979 J
		01/25/19	282	25.5	0.0227 UJ	13.4	4.52	7.34	0.0	7.3	0.784	69.0	0.296 U	0.422 U
		05/01/19	293	25.5	0.0227 U	12.2	1.58	5.73	0.0	5.7	0.795	98.1	0.296 U	0.422 U
		07/18/19	284	26.5	0.0227 U	14.1	1.61	1.30	0.0	1.3	0.694	139	0.296 U	0.422 U
		10/14/19	289	26.0	0.0227 U	14.4	1.28	1.39	0.0	1.4	0.737	226	0.296 U	0.422 U
		01/28/20	257	22.7	0.0227 U	11.8	1.58	1.20	0.3	0.9	0.704	234	0.296 U	0.422 U
		04/03/20	233	16.6	0.0227 U	8.28	1.43	0.318	0.5	0.0	0.599	528	0.296 U	0.422 U
		07/31/20	224	15.1	0.101	7.86	2.70	0.300 J+	0.0	0.3	0.814	193	0.296 U	0.422 U
		12/01/20	-	-	-	7.40	2.69	0.253	-	-	0.810	167	0.296 U	0.422 U
		02/04/21	-	-	-	6.91	2.35	0.508	-	-	0.704	149	4.07 U	4.26 U
		05/25/21	-	-	-	7.26	1.90	0.594	-	-	0.741	260	0.296 U	0.422 U
		08/23/21	-	-	-	8.20	2.03	0.316	-	-	0.651	200	0.296 U	0.422 U
		11/29/21	218	12.6	0.100 UJ	9.33	1.62	0.872	0.0	0.9	0.738	195	0.296 U	0.422 U
		02/23/22	-	-	-	8.48	2.03	0.328	-	-	0.711	84.9	0.435 J	0.422 U
		02/23/22	-	-	-	8.68	2.01	0.348	-	-	0.692	105	0.519 J	0.580 J
		05/11/22	-	-	-	9.41	1.77	0.380	-	-	0.686	41.2	0.916 J	0.422 U
08/12/22	-	-	-	8.82	1.65	1.20	-	-	0.634	197	0.706 J	0.880 J		

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)				
								Total	Ferrous	Ferric		Methane	Ethane	Ethene		
		10/31/22	237	16.9	0.0480 U	8.05	1.86	1.37	0.4	1.0	0.779	369	1.50	2.01		
		10/31/22	241	17.1	0.0480 U	8.12	1.81	1.08	0.4	0.7	0.777	416	1.81	2.50		
MW-304	Dexter Ave N ROW, E side	10/21/19	153	12.1	0.0227 U	16.2	4.24	5.82	0.0	5.8	0.455	31.9	0.296 U	0.422 U		
		01/27/20	142	11.6	0.0227 U	13.2	3.03	9.62	0.5	9.1	0.562	34.6	J+	0.296 U	0.422 U	
		05/07/20	146	10.5	0.0480 U	11.0	1.63	14.2	0.7	13.5	0.609	324	0.296 U	0.422 U		
		07/27/20	148	11.3	0.0480 U	13.4	1.97	3.07	0.1	3.0	0.420	116	0.296 U	0.422 U		
		11/08/21	157	11.5	0.100 UJ	14.4	1.67	3.82	0.5	3.3	0.344	45.0	0.296 U	0.422 U		
		11/09/22	147	11.6	0.0839 J	14.9	2.13	5.95	0.0	6.0	0.364	26.0	0.296 U	0.422 U		
MW-319	9th Ave N ROW, W side	10/08/19	234	16.5	0.0227 U	85.0	1.68	4.30	3.5	0.8	0.854	152	0.296 U	0.422 U		
		01/16/20	241	18.2	0.0227 U	82.0	1.63	4.11	3.0	1.1	0.962	166	0.296 U	0.422 U		
		04/27/20	250	18.8	0.0480 U	82.0	1.99	4.29	-	-	0.859	197	0.296 U	0.422 U		
		07/27/20	241	17.4	0.0480 U	79.8	1.81	2.88	2.5	0.4	0.830	118	0.296 U	0.422 U		
		11/08/21	255	29.0	J	0.128 J	139	J	1.87	3.09	3.0	0.1	0.944	52.4	0.296 U	0.422 U
		11/02/22	263	22.2	0.0480 U	108	1.43	3.11	2.0	1.1	1.03	145	1.69	0.422 U		
(dup)		11/02/22	265	22.2	0.0480 UJ	109	1.30	3.03	2.0	1.0	1.01	161	1.99	0.422 U		
MW-323	9th Ave N ROW, W side	10/09/19	135	11.5	1.61	13.8	0.964 U	0.273	0.0	0.3	0.160	75.5	12.3	3.27		
		01/20/20	348	37.1	0.0227 U	32.8	4.16	5.10	2.5	2.6	1.11	309	47.9	0.422 U		
		04/23/20	320	25.3	0.0480 U	24.5	1.71	2.73	2.4	0.3	0.878	69.8	0.296 U	0.422 U		
		07/07/20	330	25.0	0.0636 J	22.1	1.59	7.84	2.8	5.0	0.668	192	7.56	0.422 U		
		11/16/21	296	27.2	0.500 U	24.0	2.03	2.87	2.3	0.6	0.899	92.5	13.8	4.71		
		11/04/22	326	31.4	0.0480 U	29.3	2.09	2.66	2.0	0.7	0.951	189	39.8	9.80		
MW-324	Roy St ROW, N side	10/02/19	587	20.1	0.0227 UJ	93.1	13.1	5.74	2.0	3.7	0.374	3,340	13.4	22.4		
		01/20/20	606	28.3	0.0227 U	47.6	10.9	3.92	4.4	0.0	1.20	4,830	6.70	28.7		
		04/24/20	608	49.9	0.0480 U	64.4	12	8.48	4.0	4.5	1.87	5890	50.5	114		
		07/07/20	618	54.1	0.0480 U	45.8	14.8	8.69	4.0	4.7	1.64	5,880	73.4	93.7		
		11/16/21	384	21.4	0.500 U	91.2	4.58	5.91	4.0	1.9	1.39	377	0.296 U	0.422 U		
		11/03/22	611	19.8	0.0480 U	90.2	8.11	7.53	1.0	6.5	2.08	1,710	21.2	5.80		
MW-326	Mercer St ROW, N side	10/03/19	209	17.1	0.0227 UJ	89.7	12.9	2.63	0.5	2.1	0.347	99.4	25.0	8.23		
		01/17/20	211	17.9	0.0227 U	63.6	2.79	1.3	0.8	0.5	0.488	13.3	2.01	0.422 U		
		04/21/20	242	20.4	0.0480 U	50.8	1.07	4.02	2.0	2.0	0.485	16.5	0.296 U	0.422 U		
		07/23/20	271	23.1	0.0480 U	49.9	1.29	6.53	4.5	2.0	0.470	20.9	0.296 U	0.422 U		
		11/04/21	268	24.4	0.200 U	53.1	1.72	4.73	0.0	4.7	0.494	0.287	U	0.296 U	0.422 U	
		11/02/22	188	16.0	0.219 J	62.7	0.470 U	0.440	0.0	0.4	0.427	1.84	0.296 U	0.422 U		
(dup)		11/02/22	194	15.9	0.0480 J	63.6	0.384 U	0.454	0.0	0.5	0.428	2.18	0.296 U	0.422 U		
MW-328	Lake Union Park, S end	10/02/19	683	17.7	0.0227 UJ	0.787 J	8.75	20.3	4.0	16.3	0.755	23,700	0.296 U	36.8		
		01/17/20	672	17.7	0.0227 U	0.0774 U	5.00	16.2	2.5	13.7	0.397	23,800	3.99	32.9		
		04/08/20	708	17	0.0480 U	0.594 U	3.90	13.7	3.6	10.1	0.348	22,900	7.44	28.4		
		07/07/20	574	15.1	0.0480 U	0.594 U	3.69	9.97	5.5	4.5	0.243	25,300	12.6	0.422 U		
		11/10/21	458	12.0	1.00 U	3.71	4.64	6.98	4.5	2.5	0.201	16,600	0.296 U	0.422 U		
		11/02/22	509	14.0	0.0480 UJ	0.594 U	4.42	9.31	3.5	5.8	0.253	22,600	17.0	15.1		
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	581	56.1	0.0227 UJ	11.4	4.82	7.71	4.0	3.7	2.21	591	19.9	0.422 U		
		10/03/19	589	56.1	0.0227 UJ	11.4	5.05	8.06	4.0	4.1	2.26	716	23.4	0.422 U		
		01/20/20	506	52.6	0.0227 U	14.8	4.61	4.83	1.5	3.3	2.30	1,020	25.9	0.422 U		
		04/27/20	457	39	0.0480 U	14.4	3.50	11.1	2.5	8.6	2.14	955	24.2	0.422 U		
		08/03/20	447	35.5	0.0480 U	14.0	3.59	7.75	3.0	4.8	2.13	630	15.7	0.422 U		
		11/01/22	499	48.3	0.0480 U	18.9	3.83	4.01	3.2	0.8	2.21	404	21.4	2.58		

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-336	Mercer St ROW, N side	05/05/20	511	37.5	0.0480 U	74.3	3.58	10.5	6.5	4.0	0.596	271	0.296 U	0.422 U
		07/08/20	465	36.4	0.0480 U	72.1	2.68	7.72	4.0	3.7	0.462	343	7.16	0.422 U
		11/17/21	419	35.9	0.500 U	58.6	4.11	6.74	6.5	0.2	0.555	480	17.8	0.422 U
		11/03/22	256	39.6	0.830	60.4	1.70	0.0281 U	0.0	0.0	0.00101 J	1.56 J	0.296 U	0.422 U
MW-341	Lake Union Park, S end	05/12/20	378	19.1	0.0480 U	16.5	4.91	9.23	3.0	6.2	0.819	1,450	11.1	0.422 U
		07/07/20	404	19.8	0.0480 U	7.30	3.91	6.95	5.5	1.5	0.889	2,790	6.33	0.422 U
		11/10/21	386	19.8	1.00 U	8.98	3.07	6.74	4.3	2.5	0.723	3,370	0.296 U	0.422 U
		11/02/22	387	21.1	0.162 J	31.5	2.70	7.61	2.5	5.1	0.552	872	6.26	10.5
MW-342	Valley St ROW, S side	05/04/20	174	14.2	0.351	9.65	2.68	1.13	0.0	1.1	0.438	1,040	0.296 U	0.422 U
		07/30/20	227	8.07	0.0480 U	0.594 U	4.82	10.2	3.5	6.7	0.934	11,400	0.296 U	0.422 U
		11/09/21	559	24.0	0.0750 J-	0.275 J	8.03	27.3	1.5	25.8	2.52	18,400	0.296 U	0.422 U
		11/01/22	302	18.4	0.0480 U	0.594 U	2.61	4.87	2.8	2.1	0.436	12,000	6.62	18.0
MW-343	Valley St ROW, S side	05/04/20	695	108	0.0480 U	2.93 J	4.30	14.8	6.5	8.3	6.30	70.4	0.296 U	0.422 U
		07/30/20	697	109	0.0480 U	2.43 J	3.95	11.7	4.3	7.5	6.23	68.5	0.296 U	0.422 U
		11/09/21	363	29.7	0.200 UJ	0.594	3.12	6.73	3.8	3.0	2.21	2,630	0.296 U	0.422 U
		11/01/22	388	32.1	0.0480 U	0.594 U	2.94	5.82	3.4	2.4	2.11	2,130	4.33	0.422 U
Treatment Zone A														
MW-165 (dup)	Property, NE quadrant	11/04/19	1,060	51.2	0.0227 U	57.2	121	60.6	4.0	56.6	5.26	12,000	370	151
		01/30/20	1,340	41.1	0.0227 U	12.9	88.7	48.1	4.5	43.6	7.47	21,000	221	69.4
		05/01/20	1,350	84.8	0.0480 U	1.72 J	100	50.7	3.0	47.7	7.36	2,590	84.5	0.422 U
		07/09/20	1,410	80.8	0.0480 U	7.66	89.2	41.3	6.0	35.3	7.57	20,000	476	139
		11/05/20	-	-	-	2.64 J	83.2	44.7	-	-	6.92	28,200	529	499
		11/05/20	-	-	-	2.65 J	83.3	44.6	-	-	7.03	29,500	549	532
		05/06/21	-	-	-	0.594 U	40.1	26.6	-	-	4.86	25,900	571	1,240
		12/02/21	651	55.4	0.100 UJ	0.198	29.5	20.1	3.4	16.7	3.61	34,900	859	590
		05/13/22	-	-	-	0.594 U	23.1	17.8	-	-	3.16	27,300	488	406
		10/28/22	610	56.7	0.0480 U	5.35	25.4	18.4	2.4	16.0	3.41	33,300	712	446
		05/11/23	-	-	-	0.594 U	26.2	25.3	-	-	5.52	27,700	527	38.9
		11/01/23	1,010	89.4	0.0714 J	0.594 U	26.2	25.7	-	-	5.93	25,700	378	6.89
		MW-169	Property, SW quadrant	11/05/19	577	149	0.0227 U	0.333 J	19.9	6.15	2.5	3.7	0.832	19,600
01/23/20	584			145	0.0227 U	1.85 J	17.2	9.29	3.0	6.3	0.978	25,600	396	1,110
05/05/20	601			147	0.225	0.594 U	19.2	5.10	2.0	3.1	0.821	18,700	336	1,180
07/10/20	627			149	0.0480 U	0.594 U	16.9	11.3	4.2	7.1	0.883	21,600	393	866
11/03/20	-			-	-	31.5	32.5	5.75	-	-	1.05	21,100	352	139
05/07/21	-			-	-	9.36	19.7	4.22	-	-	1.36	7,940	68.6	25.8
11/19/21	553			99.2	0.405 J	8.38	19.7	4.25	3.0	1.3	1.12	20,900	46.8	27.8
10/27/22	449			85.0	0.0480 U	0.596 J	15.2 J+	2.71	1.4	1.3	0.748	30,500	198	0.422 U
05/11/23	-			-	-	1.22 J	14.4	7.08	-	-	0.811	22,000	164	3.37
11/03/23	486			86.4	0.0756 J	0.824 J	13.3	7.41	-	-	0.889	33,100	171	5.19
MW-173	Property, SE quadrant	11/01/19	472	51.7	0.0227 U	60.6	14.8	2.86	1.5	1.4	0.38	7,530	38.2	124
		01/28/20	442	38.9	0.0227 U	36.0	16.4	3.08	2.0	1.1	0.685	22.2	65.1	126
		05/01/20	484	46.6	0.0480 U	7.09	20.5	1.32	1.0	0.3	0.835	17,700	71.6	117
		07/09/20	524	48.9	0.0480 U	4.94 J	17.2	1.55	1.4	0.2	1.04	20,300	173	135
		12/02/21	444	42.2	0.100 UJ	0.275	13.2	2.92	2.0	0.9	1.82	6,270	174	41.6
		10/27/22	515	46.0	0.0480 U	0.594 U	11.9	3.02	1.9	1.1	2.07	29,400	613	104
		05/11/23	-	-	-	1.61 J	12.7	3.22	-	-	2.3	28,800	833	303

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		11/02/23	613	49.7	0.0480 U	0.594 U	12.3	4.02	2.75	1.3	2.55	25,400	619	94.9
MW-177	Property, SW quadrant	11/06/19	589	285	0.0227 U	96.2	56.3	32.2	3.1	29.1	4.13	22,500	17.8	4,000
		01/24/20	511	241	0.0227 U	67.4	14.2	20.2	-	-	3.15	3,010	102	3,640
		04/01/20	588	282	0.0227 U	60.7	26.7	19.8	5.0	14.8	3.21	21,300	122	2,410
		07/10/20	670	254	0.0480 U	90.4	30.3	17.5	3.0	14.5	3.17	25,700	129	2,080
		11/03/20	-	-	-	55.4	17.4	6.26	-	-	1.32	28,400	472	2,990
		05/06/21	-	-	-	21.4	11.3	6.31	-	-	0.895	30,100	561	2,540
		12/03/21	306	69.2	0.100 UJ	16.4	9.66	4.48	3.0	1.5	0.736	19,400	345	1,130
		10/26/22	320	69.0	0.0480 U	10.3	8.33	3.62	1.8	1.9	0.666	29,100	731	1,880
		05/10/23	-	-	-	1.24 J	81.3	2.38	-	-	0.905	23,100	488	958
		11/01/23	441	78.6	0.119	0.594 U	10.1	6.79	-	-	0.764	27,400	661	1,430
MW-181 (dup)	Property, SW quadrant	11/08/19	605	161	0.0227 U	0.449 J	26.5	3.74	2.0	1.7	1.09	14,300	18.7	2,870
		01/27/20	586	169	0.0227 U	0.749 U	46.4	11.4	4.4	7.0	1.87	17,500	7.62	2,370
		04/01/20	553	185	0.0274 J	0.337 U	22.4	9.12	5.2	3.9	1.45	17,700	24.3	2,620
		07/08/20	581	161	0.0480 U	0.594 U	21.8	10.1	4.0	6.1	1.36	22,700	29.4	2,140
		11/04/20	-	-	-	13.0	36.3	12.9	-	-	1.51	29,900	29.1	3,720
		11/04/20	-	-	-	11.6	36.00	13.2	-	-	1.55	28,500	36.5	3,810
		05/06/21	-	-	-	1.42 J	32.7	7.46	-	-	1.35	34,400	178	7,110
		11/18/21	499	123 J	0.500 U	3.32	36.6	10.1	3.8	6.3	1.44	25,500	250	3,890
		10/25/22	553	95.7	0.234 J	1.36 J	28.8	12.1	3.0	9.1	1.66	25,300	282	3,550
		05/10/23	-	-	-	0.594 U	33.5	13.5	-	-	1.62	31,600	311	3,290
11/01/23	640	95.1	0.120 J	0.594 U	32.7	15.8	-	-	1.86	19,600	230	1,230		
MW-185	Property, SE quadrant	10/31/19	731	116	0.0227 U	38.1	51.4	9.91	2.5	7.4	1.63	10,300	9.69	232
		01/29/20	1,120	150	0.0227 U	0.112 J	38.7	18.5	3.0	15.5	3.42	37,000	213	0.422 U
		04/02/20	1,190	157	0.0227 U	0.273 U	20	25.2	6.2	19.0	3.41	23,300	227	0.422 U
		07/08/20	762	109	0.0480 U	0.594 U	18.7	13.1	5.5	7.6	1.64	28,500	288	0.422 U
		11/18/21	450	98.0 J	0.500 U	1.58 J	11.1	4.00	3.8	0.2	0.716	19,800	115	20.8
		10/27/22	526	79.9	0.0480 U	0.721 J	11.3	4.85	1.8	3.1	0.767	30,400	198	22.1
		05/11/23	-	-	-	0.594 U	57.9	35.7	-	-	2.88	23,700	92.1	24.7
		11/02/23	1,250	143	0.0480 U	0.594 U	14.5	26.5	-	-	2.64	17,100	58.9	6.17
Treatment Zone B														
MW-166 (dup)	Property, NE quadrant	11/04/19	948	93.8	0.0227 U	13.6	122	54.5	5.0	49.5	2.11	14,300	67.6	2,500
		01/30/20	871	77.3	0.0863 J	0.0774 U	95.7	41.5	4.0	37.5	2.06	22,800	772	987
		05/01/20	893	87.3	0.0480 U	0.594 U	45.5	34.3	3.0	31.3	1.92	19,200	608	162
		07/09/20	701	55.3	0.0480 U	0.594 U	18.8	18.7	7.0	11.7	1.35	39,200	431	132
		07/09/20	717	55.8	0.0480 U	0.594 U	19.3	18.9	7.0	11.9	1.34	30,000	505	158
		11/05/20	-	-	-	4.67 J	42.2	36.6	-	-	2.03	34,500	940	1,890

**Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		05/05/21	—	—	—	9.62	46.4	32.3	—	—	1.46	17,100	641	1,570
		12/02/21	688	76.0	1.72 J-	12.2	46.4	33.8	6.6	27.2	1.29	24,100	748	2,330
		05/13/22	—	—	—	10.7	42.9	32.9	—	—	1.14	18,900	399	1,450
		10/28/22	757	89.5	0.0480 U	18.1	46.7	33.9	3.8	30.1	1.58	30,100	480	1,930
		05/11/23	—	—	—	9.71	48.8	33.4	—	—	1.1	24,100	467	1,450
		11/02/23	909	101	0.0480 U	9.48	47.4	40.8	28.7	12.1	1.33	31,000	542	1,260
MW-170	Property, SW quadrant	11/05/19	506	178	0.0227 U	112	22.9	1.87	1.1	0.8	0.947	10,000	62	1,120
		01/23/20	484	162	0.0227 U	60.9	19.6	8.24	3.0	5.2	1.03	7,530	42.7	868
		04/02/20	488	174	0.0227 U	41.1	16.7	10.8	4.5	6.3	1.05	9,400	44.8	986
		07/09/20	481	186	0.0480 U	16.9	13.2	12.1	5.5	6.6	1.22	13,000	31.5	1,120
		11/03/20	—	—	—	49.7	19.3	4.32	—	—	1.04	14,800	44.0	2,390
		05/07/21	—	—	—	16.9	14.6	2.57	—	—	1.02	31,400	52.0	1,990
		11/19/21	546	163	1.00 R	14.8	15.4	3.80	1.5	2.3	1.21	29,900	17.4	661
		05/12/22	—	—	—	9.53	14.5	2.74	—	—	1.09	13,100	29.9	814
		10/27/22	601	162	0.0480 U	3.03 J	16.5	4.09	2.6	1.5	1.19	21,800	146	2,160
		05/11/23	—	—	—	3.89 J	15.5	4.89	—	—	1.37	23,500	148	2,060
		11/02/23	611	175	0.0480 U	4.54 J	15.5	3.17	—	—	1.39	27,500	39.0	870
MW-174	Property, SE quadrant	11/01/19	593	99.3	0.0227 U	17.8	15.3	9.63	3.0	6.6	1.73	21,600	214	165
		01/28/20	328	29.7	0.0227 U	11.1	5.28	9.95	3.0	7.0	0.710	1,720	111	0.422 U
		05/01/20	409	30.3	0.0480 U	1.79 J	4.7	18.1	5.0	13.1	0.800	16,800	86.5	0.422 U
		07/09/20	384	26.3	0.0480 U	8.34	3.94	6.28	3.8	2.5	0.761	16,700	82.3	0.422 U
		12/02/21	837	68.7	0.178 J-	5.42	16.9	9.04	4.0	5.0	2.77	4,840	34.0	7.99
		10/27/22	1,090	86.4	0.0480 U	3.69 J	29.1	14.7	3.0	11.7	3.68	28,200	196	57.6
		05/11/23	—	—	—	6.52	31.2	14.1	—	—	3.6	28,900	194	58.2
		11/03/23	1,150	98.2	0.0910 J	2.72 J	30.9	16.4	—	—	4.09	29,100	180	58.6
MW-178	Property, SW quadrant	11/06/19	1,740	170	0.0227 U	0.387 U	827	39.3	3.5	35.8	8.53	17,600	71.9	7,880
		01/24/20	1,810	178	0.0401 J	0.0774 U	43.8	65.8	6.0	59.8	7.47	2,240	784	114
		04/02/20	1,890	185	0.0376 J	0.0774 U	84.2	57.2	6.5	50.7	4.61	7,150	417	39.6
		07/10/20	2,040	201	0.0480 U	0.594 U	68.3	58.8	3.5	55.3	2.49	22,200	679	0.422 U
		11/03/20	—	—	—	0.737 J	59.5	26.2	—	—	3.78	26,500	382	495
		05/06/21	—	—	—	0.594 U	26.6	14.8	—	—	2.72	27,400	544	2,160
		12/06/21	721	96.9	0.100 U	0.145	24.1	12.6	6.5	6.1	2.44	25,200	194	594
		05/10/22	—	—	—	0.864 J	24.7	13.5	—	—	2.25	11,700	150 J	370
		10/25/22	754	134	0.0480 U	3.92 J	20.1	16.2	4.6	11.6	2.82	20,200	472	1,220
MW-182	Property, SW quadrant	11/08/19	1,610	146	0.0389 J	3.44 J	198	86.8	3.0	83.8	7.64	12,600	22.2	4,150
		01/27/20	1,310	128	0.0227 U	29.6	293	72.7	6.0	66.7	8.11	17,500	5.57	4,990
		04/01/20	1,290	137	0.0227 U	22.3	75.7	61.4	6.1	55.3	6.80	16,800	337	2,400
		07/08/20	1,250	158	0.0480 U	19.9	123	60.6	6.4	54.2	5.82	27,700	375	1,710
		11/04/20	—	—	—	0.594 U	144	39.0	—	—	5.90	38,900	89.6	8,010
		05/06/21	—	—	—	0.675 J	79.2	25.9	—	—	3.91	24,000	140	8,580
(dup)		05/06/21	—	—	—	0.654 J	84.8	23.6	—	—	3.94	27,000	140	8,250
		11/18/21	620	395 J	0.500 U	3.36	69.3	20.3	5.2	15.1	3.43	21,800	256	3,390
		05/10/22	—	—	—	0.594 U	61.2	19.2	—	—	3.12	19,900	294	3,400
		10/25/22	632	345	0.300	2.34 J	47.9	20.5	6.3	14.3	3.27	31,200	282	5,090
		05/10/23	—	—	—	0.594 U	41.3	19.8	—	—	3.03	30,500	383	4,290
		11/02/23	692	412	0.0480 U	1.01 J	33.0	22.7	—	—	3.13	30,900	293	3,530

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-186	Property, SE quadrant	10/31/19	320	62.9	0.0227 U	31.4	5.29	0.501	-	-	0.280	1,030	5.78	18.4
		01/29/20	249	58.8	0.0227 U	21.2	5.85	1.65	1.5	0.2	0.226	1,790	9.35	26.6
		04/02/20	322	60.1	0.0325 J	18.2	6.25	6.13	2.6	3.5	0.298	3,710	21.2	23.7
		07/08/20	298	54.4	0.0480 U	9.56	4.91	3.57	1.2	2.4	0.260	2,770	17.9	20.4
		11/18/21	645	101	0.500 U	1.49 J	12.6	8.30	6.4	1.9	1.50	32,800	260	109
		10/26/22	781	94.6	0.0480 U	0.594 U	10.2	10.8	3.0	7.8	1.73	32,900	300	37.4
		05/11/23	-	-	-	0.594 U	16.6	15.4	-	-	2.26	37,400	186	3.18
		11/02/23	1,110	113	0.0480 U	0.594 U	10.3	10.0	-	-	1.89	24,700	256	3.98
Treatment Zone C														
MW-167	Property, NE quadrant	11/04/19	347	38.1	0.0227 U	61.9	19.6	0.849	0.5	0.3	0.345	8,580	25.7	121
		01/28/20	347	38.7	0.0227 U	1.43 J	8.74	0.365	0.5	0.0	0.213	6,210	35.2	69.1
		05/01/20	366	38.7	0.0480 U	0.594 U	9.21	0.717	0.0	0.7	0.187	5,780	62.9	0.422 U
		07/09/20	356	33.5	0.0480 U	0.879 J	7.42	14.3	-	-	0.239	10,500	93.0	0.422 U
		12/02/21	353	28.5	0.100 UJ	36.9	12.5	4.65	0.8	3.9	0.414	5,720	90.8	0.422 U
		10/28/22	392	33.8	0.0480 U	16.9	10.2	2.35	0.3	2.1	0.569	5,840	90.9	1.42
		05/11/23	-	-	-	10.4	10.2	2.26	-	-	0.604	7,350	121	4.0
		11/01/23	441	37.1	0.0864 J	5.13	10.1	2.55	-	-	0.743	9,510	156	5.45
MW-171	Property, SW quadrant	11/05/19	258	42.1	0.0936 J	22.0	10.2	3.63	1.0	2.6	0.190	231	0.296 U	10.8
		01/23/20	262	29.0	0.0227 U	9.02	4.99	9.73	0.5	9.2	0.200	580	0.296 U	19.5
		04/02/20	271	31.2	0.0227 U	5.27	5.33	13.1	1.0	12.1	0.195	896	5.34	57.0
		07/09/20	276	30.3	0.0480 U	9.59	3.76	4.18	1.0	3.2	0.176	963	14.1	72.3
		11/03/20	-	-	-	12.9	8.64	2.40	-	-	0.203	1,560	60.8	177
		05/07/21	-	-	-	32.9	8.03	5.33	-	-	0.420	3,200	33.1	529
		11/19/21	308	87.1	0.500 R	17.0	6.92	3.98	1.5	2.5	0.515	863	10.8	126
		05/12/22	-	-	-	14.3	5.73	4.11	-	-	0.496	1,080	8.35	104
		10/26/22	326	102	0.0480 U	12.0	7.08	2.66	1.1	1.6	0.548	4,890	26.4	424
		05/11/23	-	-	-	13.7	7.15	1.69	-	-	0.566	5,360	21.7	443
		11/01/23	350	110	0.0767 J	11.6	6.97	3.68	-	-	0.682	6,720	20.8	551
MW-175	Property, SE quadrant	11/01/19	351	66.3	0.0227 U	224	32.1	0.800	0.0	0.8	0.178	1,670	16.4	323
		01/28/20	180	19.1	0.0227 U	1.88 J	13.4	0.916	0.0	0.9	0.0503	3,030	13.6	24.7
		05/01/20	199	16.2	0.0480 U	0.594 U	8.71	1.40	0.0	1.4	0.0531	4,030	0.296 U	0.422 U
		07/09/20	205	11.9	0.0480 U	0.594 U	4.26	1.48	0.5	1.0	0.0569	4,720	16.3	0.422 U
		12/02/21	819	72.2	0.100 UJ	0.144	11.8	5.57	4.5	1.1	1.86	5,050	110	0.422 U
		10/27/22	1,000	82.8	0.0480 U	0.594 U	18.8	15.9	3.8	12.1	2.84	32,200	567	0.422 U
		05/11/23	-	-	-	0.594 U	19.5	10.3	-	-	2.71	24,400	404	0.422 U
		11/02/23	1,100	88.0	0.0728 U	0.594 U	20.7	17.6	13.9	3.7	3.04	31,800	528	0.422 U
MW-179	Property, SW quadrant	11/06/19	1,180	121	0.0227 U	89.1	145	21.6	2.0	19.6	9.13	29,400	0.296 U	222
		01/27/20	1,270	121	0.0227 U	8.17	118	47.6	3.5	44.1	10.2	30,100	0.296 U	88.0
		04/02/20	1,400	122	0.0227 U	10.1	73.2	40.6	5.5	35.1	8.35	17,800	10.2	60.9
		07/10/20	1,420	149	0.0480 U	32.9	68.5	36.2	5.0	31.2	7.68	22,200	4.30	0.422 U
		11/03/20	-	-	-	13.2	31.2	10.6	-	-	2.64	25,600	4.77	121
		05/06/21	-	-	-	0.594 U	57.8	9.20	-	-	2.19	28,800	20.0	675
		12/03/21	777	202	0.100 UJ	0.100 U	28.1	15.1	6.5	8.6	2.78	21,000	19.8	360
		05/10/22	-	-	-	0.701 J	22.5	14.1	-	-	2.67	4,030	4.59	63.9
		10/25/22	886	228	0.0480 U	4.20 J	16.8	28.4	4.0	24.4	2.98	17,300	16.0	206
		05/10/23	-	-	-	0.594 U	20.5	6.7	-	-	3.02	14,300	19.5	137
		11/01/23	983	213	0.0846 J	0.594 U	15.6	20.0	-	-	2.93	16,500	21.1	233

Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW-183	Property, SW quadrant	11/08/19	162	13.0	0.0227 U	0.297 J	7.95	2.46	0.0	2.5	0.119	933	8.02	7.25	
		01/27/20	151	13.3	0.0693 J	0.612 U	10.4	2.14	0.4	1.7	0.114	2,470	0.296 U	15.2	
		04/02/20	174	11.3	0.0254 J	0.653 J	6.87	3.87	0.0	3.9	0.137	3,360	3.91	14.8	
		07/08/20	175	11.8	0.0480 U	5.13	2.96	5.11	0.5	4.6	0.141	3,890	0.296 U	15.6	
		11/04/20	-	-	-	41.2	9.81	2.72	-	-	0.739	11,000	4.75	40.4	
		05/06/21	-	-	-	35.6	12.3	2.60	-	-	1.48	11,700	0.296 U	466	
		11/18/21	341	95.3 J	0.500 U	22.4	16.0	5.01	0.6	4.4	1.88	20,400	13.4	1,100	
		05/10/22	-	-	-	21.6	12.1	3.04	-	-	1.48	23,600	7.83	386	
		10/25/22	345	95.3	0.0480 U	20.1	9.81	3.49	0.1	3.4	1.51	29,100	8.44	469	
		05/10/23	-	-	-	19.8	11	3.06	-	-	1.36	29,800	0.296 U	379	
11/01/23	585	75.5	0.0890 J	16.2	10.5	2.51	-	-	1.55	32,600	4.79	437			
MW-187	Property, SE quadrant	11/01/19	193	24.5	0.0227 U	21.6	27.5	5.52	2.5	3.0	0.140	33.6	0.296 U	0.422 U	
		01/29/20	179	18.6	0.0237 J	11.4	2.82	1.59	0.5	1.1	0.132	291	0.296 U	0.422 U	
		04/02/20	201	18.5	0.0308 J	14.9	3.00	2.72	0.0	2.7	0.117	167	0.296 U	0.422 U	
		07/08/20	201	17.1	0.0480 U	13.6	2.30	0.206	0.0	0.2	0.114	67.6	0.296 U	0.422 U	
		11/18/21	524	75.3 J	0.500 U	9.70	7.16	2.69	2.0	0.7	0.602	10,400	239	19.4	
		10/26/22	696	80.8	0.0480 U	0.594 U	7.33	4.32	2.2	2.1	0.868	13,100	375	0.422 U	
		05/11/23	-	-	-	0.644 J	8.7	4.3	-	-	1.08	20,100	385	2.22	
		11/02/23	805	87.1	0.0496 U	0.594 U	7.10	3.47	-	-	1.05	23,300	398	0.422 U	
Treatment Zone D															
MW-168	Property, NE quadrant	11/04/19	221	11.8	0.0227 U	12.1	2.44	0.378	0.0	0.4	0.254	0.287 U	0.296 U	0.422 U	
		01/31/20	204	10.9	0.0227 U	11.0	2.19	0.301	0.5	0.0	0.286	108	0.296 U	0.422 U	
		05/01/20	223	12.3	0.0480 U	11.3	3.46	2.55	0.5	2.1	0.276	598	0.296 U	0.422 U	
		07/09/20	256	12.0	0.0480 U	0.594 U	2.16	7.06	1.0	6.1	0.319	1,600	0.296 U	18.1	
		12/02/21	370	27.9	0.130 J-	5.92	7.10	1.91	0.4	1.5	0.940	16,100	270	0.422 U	
		10/28/22	434	35.9	0.206	4.28 J	10.3	2.82	0.6	2.2	1.18	12,800	276	32.7	
		(dup)	10/28/22	439	36.4	0.171	4.26 J	10.3	2.71	0.6	2.1	1.16	13,100	264	31.8
		(dup)	05/11/23	-	-	-	2.0 J	11.7	8.93	-	-	1.27	12,700	306	44.3
(dup)	11/02/23	503	43.0	0.593 J	1.57 J	11.7	5.78	2.63	3.2	1.12	16,900	332	17.5		
(dup)	11/02/23	499	42.1	0.0480 UJ	1.34 J	11.6	5.59	2.83	2.8	1.15	16,800	332	17.3		
MW-172	Property, SW quadrant	11/05/19	231	31.0	0.0227 U	22.1	3.31	0.131	-	-	0.392	18.1	0.296 U	0.422 U	
		01/23/20	198	26.2	0.0227 U	26.8	4.93	0.355	0.0	0.4	1.03	301	7.66	19.4	
		04/02/20	201	22.6	0.0315 J	41.8	8.49	4.78	0.0	4.8	2.58	34.7	0.296 U	0.422 U	
		07/09/20	204	21.3	0.0480 U	34.3	6.99	4.88	0.2	4.7	2.05	256	0.296 U	0.422 U	
		11/03/20	-	-	-	33.9	8.82	1.82	-	-	1.90	893	16.5	21.3	
		05/07/21	-	-	-	23.6	4.91	5.67	-	-	0.850	4,770	0.296 U	0.422 U	
		11/19/21	249	20.2	0.137 J-	25.2	6.70	0.534 J	0.1	0.4	1.58	2,570	0.296 U	0.422 U	
		05/12/22	-	-	-	32.8	6.84	0.707	-	-	2.02	4,630	3.09	1.50	
		10/27/22	294	25.9	0.0480 U	29.9	7.79 J+	0.514	0.3	0.3	2.22	5,210	0.296 U	0.422 U	
		05/11/23	-	-	-	30.3	10.2	1.14	-	-	2.93	8,530	6.35	1.98	
11/02/23	407	26.9	0.0594 U	28.2	12.8	1.14	0.296	0.8	4.62	8,800	17.9	0.860 J			
MW-176	Property, SE quadrant	11/01/19	358	12.3	0.0227 U	15.2	1.65	0.351	0.0	0.4	0.310	20.4	0.296 U	0.422 U	
		01/28/20	186	11.5	0.0227 U	14.4	1.55	0.256	0.2	0.1	0.310	21.7	0.296 U	0.422 U	
		(dup)	01/28/20	184	11.4	0.0227 U	14.7	1.62	0.258	0.2	0.1	0.301	18.8	0.296 U	0.422 U
		05/01/20	198	11.3	0.0480 U	13.8	1.79	0.802	0.5	0.3	0.310	28.8	0.296 U	0.422 U	
		07/09/20	207	11.0	0.0480 U	10.3	1.57	6.74	2.5	4.2	0.341	71.8	0.296 U	0.422 U	

**Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
		12/02/21	625	57.5	0.100 UJ	0.988	9.53	5.04	3.5	1.5	1.59	6,220	123	11.8
		10/27/22	840	68.6	0.0480 U	0.594 U	16.4	11.4	4.1	7.3	2.29	28,900	590	30.1
		05/11/23	-	-	-	2.79 J	16.8	12.0	-	-	2.36	26,300	407	2.5
		11/02/23	919	76.6	0.0514 U	0.657 J	17.6	14.2	11.4	2.8	2.62	32,900	489	6.67
MW-180	Property, SW quadrant	11/06/19	940	50.8	0.0227 U	86.8	193	17.7	2.5	15.2	15.7	6,310	0.296 U	49.2
		01/24/20	623	46.9	0.0227 U	97.8	37.5	17.2	1.0	16.2	9.14	2,300	6.29	103
		04/01/20	489	34.6	0.0287 J	68.3	40.9	19.6	-	-	5.00	12,700	2.65	0.422 U
		07/10/20	397	31.8	0.0480 U	63.1	23.1	20.1	2.5	17.6	3.17	13,600	0.296 U	0.422 U
		11/03/20	-	-	-	55.5	25.3	14.1	-	-	3.53	21,700	6.99	33.2
		05/06/21	-	-	-	40.4	29.1	15.8	-	-	4.09	20,600	8.59	41.2
		12/03/21	755	44.6	0.100 UJ	23.3	28.1	20.9	7.0	13.9	5.52	23,000	36.5	98.3
		05/10/22	-	-	-	24.5	27.7	18.7	-	-	6.08	12,500	28.1	83.4
		10/26/22	1,150	74.6	0.0480 U	24.1	34.7	23.7	5.8	18.0	8.18	14,700	39.1	99.8
		05/10/23	-	-	-	14.0	33.2	19.7	-	-	8.57	20,200	213	210
		11/01/23	1,340	167	0.0659 J	27.0	29.7	26.5	-	-	7.81	24,500	159	109
MW-184	Property, SW quadrant	11/08/19	156	10.8	0.0284 J	14.3	1.08	0.0836 J	0.0	0.1	0.268	8.35	0.296 U	0.422 U
		01/27/20	141	8.94	0.065 J	13.4	1.35	0.256	0.3	0.0	0.332	0.287 U	0.296 U	0.422 U
		04/01/20	152	8.68	0.0277 J	6.06	1.52	4.90	4.1	0.8	0.364	9.82	0.296 U	5.11
		07/08/20	160	10.9	0.0480 U	18.4	1.94	0.392	0.2	0.2	0.581	1,310	0.296 U	0.422 U
		11/04/20	-	-	-	28.5	3.92	2.89	-	-	2.28	4,380	0.296 U	0.422 U
		05/06/21	-	-	-	14.8	2.31	1.87	-	-	0.522	690	0.296 U	14.3
		11/18/21	298	19.9 J	0.500 U	34.3	12.7	1.35	0.5	0.9	3.83	1,480	0.296 U	0.422 U
		05/10/22	-	-	-	29.9	11.1	1.14	-	-	3.50	1,610	4.63	6.02
		10/25/22	303	23.7	0.132	29.7	9.49	1.16	0.0	1.1	3.72	1,720	7.45	6.31
		05/10/23	-	-	-	21.0	10.4	21.4	-	-	2.89	1,920	12.7	23.9
		11/02/23	395	29.6	0.0558 U	32.6	14.6	2.09	-	-	4.72	1,930	12.4	15.4
MW-188	Property, SE quadrant	10/31/19	196	22.0	0.0231 J	38.7	1.41	0.325	0.5	0.0	0.387	0.287 U	0.296 U	0.422 U
		01/29/20	187	23.9	0.0227 U	31.7	1.31	0.668	0.5	0.2	0.460	102	0.296 U	0.422 U
		04/02/20	198	25.4	0.0227 U	31.8	1.03	4.98	4.2	0.8	0.476	204	0.296 U	0.422 U
		07/08/20	204	22.5	0.0480 U	36.2	0.958 J	2.39	0.8	1.6	0.444	66.1	0.296 U	0.422 U
		11/18/21	277	39.6 J	0.500 U	23.6	2.52	1.22	-	-	0.521	4,050	78.4	0.422 U
		10/26/22	264	41.4	0.0480 U	24.4	1.97	1.19	0.1	1.1	0.579	927	24.1	0.422 U
		05/11/23	-	-	-	23.9	3.95	1.94	-	-	0.578	599	19.2	0.422 U
		11/03/23	298	42.5	0.0780 J	20.4	2.05	2.03	-	-	0.667	883	23.3	0.422 U

Notes:
 Alkalinity analyzed by EPA Method 2320.
 Anions analyzed by EPA Method 9056A.
 Total Organic Carbon (TOC) analyzed by EPA Method 9060A.
 Metals Analyzed by EPA Method 6020B.
 Ferrous Iron measured during field sampling using a Hach field kit.
 Dissolved gases analyzed by EPA Method RSK175.
 Ferric iron = total iron minus ferrous iron; if total iron < ferrous iron, ferric iron is reported as zero ("0").
 mgCaCO₃/L= milligrams of calcium carbonate per liter
 mg/L = milligrams per liter
 ug/L = micrograms per liter
 Samples prior to 2017 were collected by SoundEarth Strategies (SES).
 U = Not detected at or above the laboratory method detection limit (MDL).

**Table 8
Groundwater Geochemical Parameters
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
Detected results shown in bold. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The identification of the analyte is acceptable; the reported value is an estimate, but the result may be biased high. R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample. – = Not sampled or results not available. Beginning October 2020, select locations were sampled for an abbreviated analyte list (Sulfate, TOC, Total Iron, Total Manganese, Methane, Ethane, and Ethene).														

Table 9

**Dehalococcoides Data, Treatment Zone Monitoring Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Treatment Zone	Sample Date	Dehalococcoides (Dhc)		VC Reductase (vcrA)		BAV1 VC Reductase (bvcrA)		TCE Reductase (tceA)	
			Percent Population ^a	Enumeration Per Liter ^b	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter
Well Cluster 1 (Plume Wells)										
MW-166 (-12.6 to -22.6)	B	08/10/21	0.2 - 0.6 %	2E+06	0.3 - 0.9 %	2E+06	0.03 - 0.1 %	3E+05	0.006 - 0.02 %	5E+04
Well Cluster 2 (Source Area Wells)										
MW-170 (-12.8 to -22.8)	B	08/09/21	0.8 - 2 %	8E+06	0.6 - 2 %	6E+06	0.4 - 1 %	4E+06	0.4 - 1 %	4E+06
Well Cluster 4 (Source Area Wells)										
MW-177 (2.3 to -7.7)	A	08/09/21	14 - 35 %	3E+08	4 - 11 %	8E+07	16 - 40 %	4E+08	1 - 3 %	2E+07
MW-179 (-27.2 to -37.2)	C	08/09/21	8 - 23 %	9E+08	1 - 4 %	2E+08	0.3 - 0.8 %	3E+07	12 - 32 %	1E+09
Well Cluster 5 (Plume Wells)										
MW-181 (1.5 to -8.5)	A	08/09/21	7 - 20 %	2E+08	5 - 15 %	1E+08	5 - 15 %	1E+08	5 - 14 %	1E+08
MW-182 (-12.5 to -22.5)	B	08/09/21	10 - 26 %	4E+08	7 - 19 %	3E+08	8 - 21 %	3E+08	5 - 14 %	2E+08
<p>Notes:</p> <p>a = Percent <i>Dehalococcoides</i> (Dhc) in microbial population. This value is calculated by dividing the number of Dhc 16S ribosomal ribonucleic acid (rRNA) gene copies by the total number of bacteria as estimated by the mass of DNA extracted from the sample. Range represent normal variation in Dhc enumeration.</p> <p>b = Based on quantification of Dhc 16s rRNA gene copies. Dhc are generally reported to contain one 16s rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.</p> <p>10⁵-10⁶ Dhc gene copies per liter: indicates the sample contains moderate concentrations of Dhc which may, or may not, be associated with observable dechlorination activity.</p> <p>1 x 10⁷ Dhc gene copies per liter (or above): indicates that the sample contains high concentrations of Dhc often associated with significant dechlorination rates.</p> <p>c = Percent of functional gene in microbial population. This value is calculated by dividing the functional gene copies quantified by the total number of estimated prokaryotes in the sample (based on the total quantity of DNA extracted from the sample). A value of 100% would suggest that all microbes in the sample contain the gene.</p> <p>Well screen elevations (feet relative to the North American Vertical Datum of 1988 (NAVD88)) shown in parentheses.</p>										

Table 10

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)				
				PCE	TCE	cDCE	tDCE	VC
Screening Level				320	11	-	610	9.5
SV01 (30.4 to 29.9) (duplicate)	8th Ave N	SV01-20130311	03/11/13	1.5	0.16 U	0.31	0.58 U	0.71
(duplicate)		SV01-092518	09/25/18	2.72 UJ	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV01-092518-D	09/25/18	137 J	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV01-020619	02/06/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV01-042919	04/29/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV01-042919-D	04/29/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV-01-071919	07/19/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV-01-071919-D	07/19/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV01-110119	11/01/19	1.36 UJ	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-110119-D	11/01/19	2.75 J	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-012720	01/27/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-012720-D	01/27/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-040120	04/01/20	1.66	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-040120-D	04/01/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-071520	07/15/20	1.79	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-01-110820	11/08/20	1.55	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV01-020721	02/07/21	1.36 U	1.07 U	1.09	0.793 U	180
(duplicate)		SV01-051221	05/12/21	2.76	1.07 U	8.60	0.793 U	409
(duplicate)		SV-907-051121	05/12/21	2.97	1.19	9.99	0.816	473
(duplicate)		SV01-081421	08/14/21	12.8 J	1.07 U	33.0 J	2.54 J	478 J
(duplicate)	SV-908-081221	08/12/21	15.8 J	1.07 U	33.1 J	2.60 J	445 J	
(duplicate)	SV01-121721	12/17/21	8.15	1.07 U	23.2	1.65	160	
(duplicate)	SV01-030822	03/08/22	4.28	1.07 U	13.3	0.959	55.5	
(duplicate)	SV01-050422	05/04/22	4.79	1.07	11.8	1.03	28.9	
(duplicate)	SV-01-082222	08/22/22	6.42	1.07 U	25.2	2.01	50.6	
(duplicate)	SV01-111022	11/10/22	5.90	1.07 U	21.8	1.72	28.6	
(duplicate)	SV01-022323	02/23/23	3.22	1.07 U	0.793 U	0.793 U	0.511 U	
(duplicate)	SV01-080923	08/09/23	7.60 J	1.07 U	0.793 U	0.793 U	0.511 U	
(duplicate)	SV-910-080923	08/09/23	13.50 J	1.07 U	0.793 U	0.793 U	0.511 U	
(duplicate)	SV01-111623	11/16/23	4.15	1.07 U	0.793 U	0.793 U	0.511 U	
SV02 (32.1 to 31.6)	8th Ave N	SV02-20130311	03/11/13	2.3	0.17 U	0.12 U	0.61 U	0.04 U
(duplicate)		SV02-092518	09/25/18	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV02-020619	02/06/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV02-042919	04/29/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV-02-071919	07/19/19	31.3	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV02-110119	11/01/19	14.5	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV02-071720	07/17/20	9.51	1.07 U	0.793 U	0.793 U	0.511 U
SV03 (31.8 to 31.3)	8th Ave N	SV03-20130311	03/11/13	4.6	0.39	0.12 U	0.58 U	0.037 U
(duplicate)		SV03-092518	09/25/18	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV03-020619	02/06/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
(duplicate)		SV03-042919	04/29/19	2.72 U	2.14 U	1.59 U	1.59 U	1.02 U
SV-04 (38.6 to 38.1)	Roy St	SV-04-071620	07/16/20	31.8	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-04-111020	11/10/20	21.8	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-04-081221	08/12/21	44.9	1.07 U	0.793 U	0.793 U	0.511 U
SV-05 (31.6 to 31.1)	Roy St	SV-05-071620	07/16/20	34.5	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-05-111020	11/10/20	55.2	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-05-081221	08/12/21	97.1	1.07 U	0.793 U	0.793 U	0.511 U
SV-06 (47.9 to 47.4)	Roy St	SV-06-071620	07/16/20	105	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-06-111020	11/10/20	79.4	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-06-020321	02/03/21	58.3	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-06-050621	05/06/21	61.8	1.07 U	0.793 U	0.793 U	0.511 U
SV-07 (duplicate) (38.9 to 38.4)	Roy St	SV-07-071620	07/16/20	43.5	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-901-071620	07/16/20	42.5	1.18	0.793 U	0.793 U	0.511 U
(duplicate)		SV-07-111020	11/10/20	51.6	1.32	0.793 U	0.793 U	0.511 U

Table 10

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)				
				PCE	TCE	cDCE	tDCE	VC
Screening Level				320	11	–	610	9.5
		SV-07-020321	02/03/21	30.3	1.07 U	0.793 U	0.793 U	0.511 U
		SV-07-050621	05/06/21	26.4	1.07 U	0.793 U	0.793 U	0.511 U
SV-08 (31.4 to 30.9)	8th Ave N	SV-08-071420	07/14/20	2.91	1.07 U	0.793 U	0.793 U	0.511 U
		SV-08-110220	11/02/20	14.6	1.07 U	0.793 U	0.793 U	0.511 U
		SV-08-020321	02/03/21	6.26	1.07 U	0.793 U	0.793 U	0.511 U
		SV-08-050521	05/05/21	7.06	1.07 U	0.793 U	0.793 U	0.511 U
		SV-08-030722	03/07/22	6.05	1.07 U	0.793 U	0.793 U	0.511 U
		SV-08-080923	08/09/23	30.4	1.07 U	0.793 U	0.793 U	0.511 U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Ave N	SV-09-071420	07/14/20	20.2	1.07 U	0.793 U	0.793 U	0.511 U
		SV-900-071420	07/14/20	28.3	1.07 U	0.793 U	0.793 U	0.511 U
		SV-09-110220	11/02/20	9.30	17.4	0.793 U	0.793 U	0.511 U
		SV-09-020321	02/03/21	6.99	1.07 U	0.793 U	0.793 U	0.511 U
		SV-904-020321	02/03/21	6.93	1.07 U	0.793 U	0.793 U	0.511 U
		SV-09-050521	05/05/21	12.6	1.07 U	0.793 U	0.793 U	0.511 U
		SV-09-030722	03/07/22	6.52	1.07 U	0.793 U	0.793 U	0.511 U
		SV-09-080923	08/09/23	45.40	1.07 U	0.793 U	0.793 U	0.511 U
SV-10 (46.3 to 45.8)	Valley St	SV-10-071620	07/16/20	7.13	1.07 U	0.793 U	0.793 U	0.511 U
		SV-10-110820	11/08/20	5.17	1.07 U	0.793 U	0.793 U	0.511 U
		SV-10-020521	02/05/21	1.89	1.07 U	0.793 U	0.793 U	0.511 U
		SV-10-050521	05/05/21	3.27	1.07 U	0.793 U	0.793 U	0.511 U
SV-11 (37.4 to 36.9) (duplicate)	Valley St	SV-11-071620	07/16/20	55.8	1.43	0.793 U	0.793 U	0.511 U
		SV-11-110820	11/08/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-902-110820	11/08/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-11-020621	02/06/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-11-050521	05/05/21	3.03	1.07 U	0.793 U	0.793 U	0.511 U
SV-12 (39.1 to 38.6)	Valley St	SV-12-071620	07/16/20	7.40	1.07 U	0.793 U	0.793 U	0.511 U
		SV-12-110820	11/08/20	3.19	2.14	1.20	0.793 U	0.511 U
		SV-12-020521	02/05/21	1.72	1.07 U	0.793 U	0.793 U	0.511 U
		SV-12-050221	05/02/21	2.41	1.07 U	0.793 U	0.793 U	0.511 U
		SV-12-030322	03/03/22	1.88	1.07 U	0.793 U	0.793 U	0.511 U
		SV-12-080923	08/09/23	4.84	1.07 U	0.793 U	0.793 U	0.511 U
SV-13 (32.9 to 32.4)	Valley St	SV-13-071620	07/16/20	3.23	1.07 U	0.793 U	0.793 U	0.511 U
		SV-13-110820	11/08/20	3.46	1.07 U	0.793 U	0.793 U	0.511 U
		SV-13-020521	02/05/21	2.62	1.07 U	0.793 U	0.793 U	0.511 U
		SV-13-081221	08/12/21	3.86	1.07 U	0.793 U	0.793 U	0.511 U
		SV-13-030722	03/07/22	2.71	1.07 U	0.793 U	0.793 U	0.511 U
SV-14 (35.4 to 34.9)	Roy St	SV-14-071620	07/16/20	3.61	1.07 U	0.793 U	0.793 U	0.511 U
		SV-14-120220	12/02/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-14-020321	02/03/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-14-050421	05/04/21	1.42	1.07 U	0.793 U	0.793 U	0.511 U
SV-15 (28.5 to 28.0)	Roy St	SV-15-071620	07/16/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-15-120220	12/02/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-15-020321	02/03/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-15-050421	05/04/21	1.36 U	1.07 U	0.793 U	0.793 U	31.7
		SV-15-081221	08/12/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
SV-16 (37.5 to 37.0)	8th Ave N	SV-16-071520	07/15/20	6.86	1.07 U	0.793 U	0.793 U	0.511 U
		SV-16-111920	11/19/20	4.20	1.07 U	0.793 U	0.793 U	0.511 U
		SV-16-020721	02/07/21	2.83	1.07 U	0.793 U	0.793 U	0.511 U
		SV-16-051021	05/10/21	153	12.8	1.17	1.29	0.511 U
		SV-16-081321	08/13/21	5.86	1.07 U	0.793 U	0.793 U	0.511 U
SV-17 (36.6 to 36.1)	8th Ave N	SV-17-071620	07/16/20	4.80	1.07 U	0.793 U	0.793 U	0.511 U
		SV-17-110220	11/02/20	6.65	1.07 U	0.793 U	0.793 U	0.511 U
		SV-17-020721	02/07/21	1.51	1.07 U	0.793 U	0.793 U	0.511 U

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**


Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)				
				PCE	TCE	cDCE	tDCE	VC
Screening Level				320	11	-	610	9.5
		SV-17-050621	05/06/21	1.79	1.07 U	0.793 U	0.793 U	0.511 U
		SV-17-030722	03/07/22	1.74	1.07 U	0.793 U	0.793 U	0.511 U
		SV-17-111623	11/16/23	5.08	1.07 U	0.793 U	0.793 U	0.511 U
SV-18 (36.6 to 36.1)	8th Ave N	SV-18-071620	07/16/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-18-110220	11/02/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-18-020721	02/07/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-18-050621	05/06/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-18-121621	12/16/21	1.36 U	1.07 U	0.793 U	0.793 U	28.6
		SV-18-030722	03/07/22	1.36 U	1.07 U	0.793 U	0.793 U	33.5
(duplicate)		SV-909-030722	03/07/22	1.36 U	1.07 U	0.793 U	0.793 U	34.0
		SV-18-050422	05/04/22	1.36 U	1.07 U	0.793 U	0.793 U	60.3
		SV-18-082222	08/22/22	1.36 U	1.07 U	0.793 U	0.793 U	172
		SV-18-110922	11/09/22	1.36 U	1.07 U	0.793 U	0.793 U	85.9
		SV-18-022323	02/23/23	1.36 U	1.07 U	0.793 U	0.793 U	53.4
		SV-18-111623	11/16/23	1.36 U	1.07 U	0.793 U	0.793 U	77.7
(duplicate)		SV-910-111623	11/16/23	1.36 U	1.07 U	0.793 U	0.793 U	75.7
SV-19 (29.7 to 29.2)	9th Ave N	SV-19-071520	07/15/20	46.7	1.07 U	0.793 U	0.793 U	0.511 U
		SV-19-110820	11/08/20	15.1	1.07 U	0.793 U	0.793 U	0.511 U
		SV-19-020721	02/07/21	20.4	1.07 U	0.793 U	0.793 U	0.511 U
		SV-19-050421	05/04/21	29.8	1.07 U	0.793 U	0.793 U	0.511 U
SV-20 (25.7 to 25.2)	9th Ave N	SV-20-071520	07/15/20	74.7	1.07 U	0.793 U	0.793 U	0.511 U
		SV-20-110820	11/08/20	99.8	1.07 U	0.793 U	0.793 U	0.511 U
		SV-20-020721	02/07/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-20-050521	05/05/21	49.4	1.07 U	0.793 U	0.793 U	0.511 U
SV-21 (29.8 to 29.3)	Alley Between 8th & 9th	SV-21-071520	07/15/20	36.4	1.07 U	0.793 U	0.793 U	0.511 U
		SV-21-110920	11/09/20	19.8	1.07 U	0.793 U	0.793 U	0.511 U
		SV-21-020321	02/03/21	7.81	6.38	0.793 U	0.793 U	0.511 U
		SV-21-050421	05/04/21	13.6	1.07 U	0.793 U	0.793 U	0.511 U
(duplicate)		SV-906-050421	05/04/21	13.8	1.07 U	0.793 U	0.793 U	0.511 U
		SV-21-030322	03/03/22	7.81	1.07 U	0.793 U	0.793 U	0.511 U
		SV-21-081123	08/11/23	58.30	1.07 U	0.793 U	0.793 U	0.511 U
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07/15/20	14.9	1.07 U	0.793 U	0.793 U	0.511 U
		SV-22-110920	11/09/20	11.1	1.07 U	0.793 U	0.793 U	0.511 U
		SV-22-020321	02/03/21	8.08	1.07 U	0.793 U	0.793 U	0.511 U
		SV-22-050421	05/04/21	7.26	1.07 U	0.793 U	0.793 U	0.511 U
		SV-22-030322	03/03/22	8.83	1.07 U	0.793 U	0.793 U	0.511 U
		SV-22-081123	08/11/23	18.90	5.21	0.793 U	0.793 U	0.511 U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07/14/20	9.30	1.07 U	0.793 U	0.793 U	0.511 U
		SV-23-110920	11/09/20	5.97	1.07 U	0.793 U	0.793 U	0.511 U
		SV-23-020321	02/03/21	3.23	1.07 U	0.793 U	0.793 U	0.511 U
		SV-23-050421	05/04/21	3.98	1.07 U	0.793 U	0.793 U	0.511 U
		SV-23-030322	03/03/22	3.28	1.07 U	0.793 U	0.793 U	0.511 U
		SV-23-081023	08/10/23	1.46	1.07 U	0.793 U	0.793 U	0.511 U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07/14/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-24-110920	11/09/20	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-24-020321	02/03/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-24-050421	05/04/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-24-111623	11/16/23	8.96 J	1.07 U	0.793 U	0.793 U	0.511 U
SV-25 (52.7 to 52.2) (duplicate)	Dexter Ave N	SV-25-071520	07/15/20	215	1.07 U	0.793 U	0.793 U	0.511 U
		SV-25-110920	11/09/20	14.8 J	1.07 U	0.793 U	0.793 U	0.511 U
		SV-903-110920	11/09/20	54.0 J	1.07 U	0.793 U	0.793 U	0.511 U
		SV-25-020621	02/06/21	73.3	1.07 U	0.793 U	0.793 U	0.511 U
		SV-25-050521	05/05/21	121	1.07 U	0.793 U	0.793 U	0.511 U

Table 10


**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**





Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)				
				PCE	TCE	cDCE	tDCE	VC
Screening Level				320	11	–	610	9.5
SV-26 (46.7 to 46.2)	Dexter Ave N	SV-26-071520	07/15/20	66.9	2.61	0.793 U	0.793 U	0.511 U
		SV-26-111120	11/11/20	105	2.37	0.793 U	0.793 U	0.511 U
		SV-26-050621	05/06/21	51.6	1.07 U	0.793 U	0.793 U	0.511 U
SV-27 (44.1 to 43.6) (duplicate)	Dexter Ave N	SV-27-071520	07/15/20	95.7	1.07 U	0.793 U	0.793 U	0.511 U
		SV-27-110920	11/09/20	87.6	1.07 U	0.793 U	0.793 U	0.511 U
		SV-27-020621	02/06/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-905-020621	02/06/21	1.36 U	1.07 U	0.793 U	0.793 U	0.511 U
		SV-27-050521	05/05/21	65.9	1.07 U	0.793 U	0.793 U	0.511 U
SV-28 (53.1 to 52.6)	Dexter Ave N	SV-28-071720	07/17/20	31.6	1.07 U	0.793 U	0.793 U	0.511 U
		SV-28-110920	11/09/20	79.4	1.07 U	0.793 U	0.793 U	0.511 U
		SV-28-020621	02/06/21	36.0	1.07 U	0.793 U	0.793 U	0.511 U
		SV-28-050521	05/05/21	55.7	1.07 U	0.793 U	0.793 U	0.511 U





Notes:
Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and ESC/Pace Analytical of Mount Juliet, TN (2018-2021 samples).
VOCs analyzed by U.S. Environmental Protection Agency Method TO-15 or Modified TO-15 Selective Ion.
Screen Elevation is shown beneath Probe Location in parentheses. Screen Elevation is relative to NAVD88 Vertical Datum. Survey data is from 06/16/2020-07/31/2020.
Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels (if available), or Method B Indoor Air Cleanup Levels with a 10x vapor attenuation factor if a sub-slab cleanup level is not available.
– = Screening level not established.
U = Not detected at a concentration exceeding the laboratory reporting limit.
Detected results shown in **bold**, detections exceeding MTCA Method B sub-slab screening levels shown in **bold** and highlighted in gray.
PCE = Perchloroethylene (Tetrachloroethene)
TCE = Trichloroethene
cDCE = cis-1,2-Dichloroethene
tDCE = trans-1,2-Dichloroethene
VC = Vinyl chloride
(duplicate) = Field duplicate. Samples collected concurrently.



- Explanation**
- SW-A Approximate Property Boundary
 - Lake Monitoring Location
 - Type 1 Perimeter Injection Well
 - Type 2 Perimeter Injection Well
 - MW101 Shallow Zone Monitoring Well
 - GEI-4 Intermediate A Zone Monitoring Well
 - W-MW-02 Intermediate B Zone Monitoring Well
 - MW105 Deep Zone Monitoring Well
 - MW-344 2021 Intermediate A Monitoring Well
 - MW-345 2021 Intermediate B Monitoring Well
 - MW-165 Treatment Zone A Monitoring Well
 - MW-166 Treatment Zone B Monitoring Well
 - MW-167 Treatment Zone C Monitoring Well
 - MW-168 Treatment Zone D Monitoring Well
 - DW-1 Decommissioned Monitoring Well
 - Soil Boring Location
 - SV03 Soil Vapor Monitoring Point
 - Dewatering Well (Farallon)
 - N 231800
E 1268300 Coordinate Reference Point
(NAD83, Washington State Plane North, US Feet)















PES Environmental, Inc.
Engineering & Environmental Services
AN NV5 COMPANY

Groundwater Elevation Contours February 2023
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North
Seattle, Washington

FIGURE
3









PES Environmental, Inc.
Engineering & Environmental Services
AN NV5 COMPANY

Groundwater Elevation Contours August 2023
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North
Seattle, Washington

FIGURE
5



Explanation	
	Sanitary Sewer Main
	Storm Drain Main
	Combined Main
	King County Main
	Generalized Groundwater Elevation Contour
	Groundwater of Surface Water Elevation (feet NAVD88)
	Generalized Groundwater Flow Direction
	Coordinate Reference Point (NAD83, Washington State Plane North, US Feet)



ATTACHMENT A
Well Completion Table

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
Shallow Zone Monitoring Wells																				
B-37-3	Block 37, NW quadrant	N	NA	NA	NA	1,269,456.65	231,826.61	Unknown	NA	NA	-	-	26.78	15	25	11.8	1.8	NA	-	-
B-37-4	Block 37, NE quadrant	N	NA	NA	NA	1,269,554.93	231,824.72	Unknown	NA	NA	-	-	27.2	15	25	12.2	2.2	NA	-	-
B-37-5	Block 37, center of Property	N	NA	NA	NA	1,269,446.85	231,715.72	Unknown	NA	NA	-	-	27.55	15	25	12.6	2.6	NA	-	-
B-37-6	Block 37, NE quadrant	N	NA	NA	NA	1,269,561.88	231,753.54	Unknown	NA	NA	-	-	27.54	15	25	12.5	2.5	NA	-	-
B43-FMW-1	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,137.93	231,878.69	Unknown	NA	NA	-	-	30.19	7.5	20	22.7	10.2	NA	-	-
B43-FMW-2	Mercer St ROW, N side (Block 43)	N	NA	NA	NA	1,269,102.03	231,531.77	Unknown	NA	NA	-	-	34.64	5	15	29.6	21.6	NA	-	-
B43-FMW-3	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,138.79	231,803.73	Unknown	NA	NA	-	-	29.96	10	20	20	10	NA	-	-
B43-FMW-4	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,119.72	231,794.95	Unknown	NA	NA	-	-	30.33	10	20	20.3	10.3	NA	-	-
B43-FMW-5	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,064.16	231,770.12	Unknown	NA	NA	-	-	32.67	8	18	24.7	14.7	NA	-	-
B43-FMW-6	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,078.31	231,840.38	Unknown	NA	NA	-	-	32.42	8	18	24.4	14.4	NA	-	-
DMW-1S	615 Dexter, SE quadrant	Y	Yes	BLR921	03/05/19	1,268,247.25	231,651.70	Apr 2019	30.2	27.0	55.94	56.06	55.76	17.0	27.0	38.9	28.9	2	HSA	-
DMW-2S	615 Dexter, SE quadrant	Y	Yes	BME933	03/02/20	1,268,261.67	231,660.98	Mar 2020	40.4	35.0	56.03	56.07	55.74	25.0	35.0	31.0	21.0	2	HSA	-
DMW-4S	Alley S of SE quadrant of 615 Dexter	Y	Yes	BME929	02/26/20	1,268,253.79	231,624.29	Mar 2020	70.3	33.0	61.76	61.78	61.54	23.0	33.0	38.8	28.8	2	HSA	-
DMW-5IA	Alley S of 615 Dexter	Y	Yes	BME930	02/28/20	1,268,079.48	231,627.71	Mar 2020	70.3	50	69.48	69.48	69.15	39.8	49.8	29.7	19.7	2	HSA	-
DMW-6	615 Dexter, NE quadrant	Y	Yes	BME934	03/04/20	1,268,185.85	231,731.42	Mar 2020	50.3	44	66.30	66.30	66.08	34.0	44.0	32.3	22.3	2	HSA	-
DMW-7S	Dexter Ave N ROW, W side	Y	Yes	BLY432	10/26/20	1,268,275.54	231,679.41	Nov 2020	38.0	38.0	58.34	58.38	58.01	28.0	38.0	30.3	20.3	2	Sonic	-
DMW-8S	Dexter Ave N ROW, W side	Y	Yes	BLY431	10/27/20	1,268,275.52	231,659.22	Nov 2020	37.0	37.0	58.57	58.59	58.35	27.0	37.0	31.6	21.6	2	Sonic	-
DMW-9S	Dexter Ave N ROW, W side	Y	Yes	BLY430	10/27/20	1,268,275.18	231,623.75	Nov 2020	33.0	33.0	58.85	58.88	58.55	23.0	33.0	35.9	25.9	2	Sonic	-
DMW-10S	601 Dexter, NE quadrant	Y	Yes	BNF363	10/19/20	1,268,260.63	231,588.90	Nov 2020	55.3	55.0	59.46	59.55	59.24	35.0	55.0	24.5	4.5	2	HSA	-
DMW-11S	601 Dexter, NE quadrant	Y	Yes	BNF365	10/20/20	1,268,238.63	231,596.22	Nov 2020	55.2	50.0	61.15	61.19	60.86	30.0	50.0	31.2	11.2	2	HSA	-
DMW-12S	615 Dexter, S central edge of property	Y	Yes	BNF364	10/20/20	1,268,169.70	231,632.93	Nov 2020	55.5	55.0	66.05	66.02	65.67	30.0	50.0	36.1	16.1	2	HSA	-
DMW-13S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BMP376	10/23/20	1,268,126.09	231,631.33	Nov 2020	50.4	50.0	66.28	66.30	65.02	30.0	50.0	36.3	16.3	2	HSA	-
DMW-14S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BLY433	10/26/20	1,268,064.11	231,627.59	Nov 2020	51.0	51.0	70.29	70.32	70.15	41.0	51.0	29.3	19.3	2	Sonic	-
FMW-132	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	10	10.0	-	-	25.48	5.0	10.0	20.5	15.5	2	HSA	-
FMW-133	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	26.5	11.5	-	-	24.87	6.5	11.5	18.8	13.8	2	HSA	-
FMW-134	Block 38 West, S end	Y	TOC Elev	-	08/24/18	-	-	-	20	17.0	-	-	24.98	12.0	17.0	13.4	8.4	2	HSA	-
FMW-135	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	51.5	12.0	-	-	25.29	7.0	12.0	18.6	13.6	2	HSA	-
FMW-139	Block 37, SE quadrant	N	NA	NA	NA	1,269,551.76	231,637.84	Unknown	NA	NA	-	-	27.81	7	17	20.8	10.8	NA	-	-
FMW-143	9th Ave N ROW, E side	Y	Yes	BLW-340	07/24/19	1,268,991.70	231,901.40	Nov 2019	30	28.0	32.99	33.03	32.69	23.0	28.0	10.0	5.0	2	Sonic	-
FMW-154	Block 38 West	N	NA	NA	NA	1,269,430.17	231,126.54	Unknown	NA	NA	-	-	22.8	10	15	12.8	7.8	NA	-	-
FMW-155	Block 38 West	N	NA	NA	NA	1,269,433.30	231,262.97	Unknown	NA	NA	-	-	23.9	10	15	15.7	10.7	NA	-	-
FMW-156	Block 38 West	N	NA	NA	NA	1,269,436.89	231,342.09	Unknown	NA	NA	-	-	25.7	15	20	10.7	5.7	NA	-	-
HC-B1	701 Dexter	Y	No	BLI191	03/01/19	1,268,256.55	231,852.99	Unknown	60.3	-	58.00	-	-	30.0	40.0	28.0	18.0	2	-	-
HMW-1S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI532	03/06/19	1,268,917.04	231,663.10	Aug 2020	31.5	30.2	36.01	36.12	35.73	20.0	30.0	16.0	6.0	2	HSA	-
HMW-2S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR924	03/13/19	1,268,683.07	231,667.68	Aug 2020	30.0	30.0	47.39	47.56	47.28	19.8	29.8	27.6	17.6	2	HSA	-
HMW-9S	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ189	03/02/20	1,268,475.20	231,607.54	Aug 2020	40.0	35.0	55.39	58.79	58.54	25.0	35.0	30.4	20.4	2	Sonic	-
HMW-10S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ193	03/03/20	1,268,682.53	231,564.81	Aug 2020	40.0	35.0	48.21	51.30	51.09	24.7	34.7	23.5	13.5	2	Sonic	-
HMW-11S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ195	02/24/20	1,268,889.17	231,574.99	Aug 2020	40.0	35.0	41.47	45.06	44.77	25.0	35.0	16.5	6.5	2	Sonic	-
HMW-17S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP351	09/03/20	1,268,386.26	231,712.89	Nov 2020	45.5	45.0	57.21	57.41	57.35	35.0	45.0	22.2	12.2	2	HSA	-
HMW-18S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP352	09/03/20	1,268,386.87	231,676.51	Nov 2020	45.3	45.0	57.61	57.70	57.44	35.0	45.0	22.6	12.6	2	HSA	-
HMW-19S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP353	09/08/20	1,268,383.91	231,643.01	Nov 2020	46.4	45.0	58.20	61.35	61.08	35.0	45.0	23.2	13.2	2	HSA	-
HMW-20S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP354	09/08/20	1,268,512.50	231,636.97	Nov 2020	35.8	35.0	53.81	56.90	56.49	25.0	35.0	28.8	18.8	2	HSA	-
HMW-21S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP373	10/20/20	1,268,924.20	231,626.20	Nov 2020	41.5	40.0	38.17	38.17	37.92	30.0	40.0	8.2	-1.8	2	HSA	-
HMW-22S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP374	10/22/20	1,268,923.70	231,592.80	Nov 2020	38.5	37.0	38.75	38.77	38.58	27.0	37.0	11.8	1.8	2	HSA	-
MW-1	Block 55, N end	N	NA	NA	NA	1,268,584.21	231,261.50	Unknown	NA	NA	-	-	54.77	25	35	29.8	19.8	NA	-	-
MW-2	Block 55, N end	N	NA	NA	NA	1,268,868.77	232,061.41	Unknown	NA	NA	-	-	58.54	30	40	28.5	18.5	NA	-	-
MW-3	Block 55, N end	N	NA	NA	NA	1,268,390.52	231,361.93	Unknown	NA	NA	-	-	59.59	38	48	21.6	11.6	NA	-	-

**Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
MW-4	Block 55, N end	N	NA	NA	NA	1,268,586.16	231,391.71	Unknown	NA	NA	-	-	52.16	30	40	21.16	11.16	NA	-	-
MW-5	Block 55, N end	N	NA	NA	NA	1,268,469.64	231,378.29	Unknown	NA	NA	-	-	57.41	20	30	37.4	27.4	NA	-	-
MW-45	Block 37, SE quadrant	N	NA	NA	NA	1,269,503.46	231,645.62	Unknown	NA	NA	-	-	27.52	3	19	24.5	8.5	NA	-	-
MW-50	Block 37, SE quadrant	N	NA	NA	NA	1,269,499.14	231,564.49	Unknown	NA	NA	-	-	29.32	5	17.5	24.3	11.8	NA	-	-
MW-54	Block 37, SE quadrant	N	NA	NA	NA	1,269,563.38	231,642.45	Unknown	NA	NA	-	-	28	5	20	23	8	NA	-	-
MW121 (B121)	8th Ave N ROW, E side	Y	Yes	BID-016	12/16/13	1,268,598.04	232,091.86	Dec 2013	26.5	25.0	-	-	41.72	15.0	25.0	26.7	16.7	2	HSA	-
MW125 (B125)	Valley St ROW, N side	Y	Yes	BID-020	12/20/13	1,268,598.04	232,091.86	Dec 2013	31.5	30.0	-	-	43.55	15.0	30.0	28.6	13.6	2	HSA	-
MW-154	Roy St ROW, S side	Y	Yes	BKF-350	03/30/18	1,268,485.83	231,733.87	Apr 2018	35	35.6	53.05	53.07	52.57	25.3	35.2	27.8	17.9	2	HSA	-
MW-155	Roy St ROW, S side	Y	Yes	BKF-354	04/10/18	1,268,721.17	231,733.31	Apr 2018	30	30.0	44.39	44.44	44.05	20.0	30.0	24.4	14.4	2	HSA	-
MW-159	8th Ave N ROW, E side	Y	Yes	BKF-358	04/16/18	1,268,680.42	231,910.30	Apr 2018	31	30.9	43.25	43.28	42.79	20.4	30.4	22.9	12.9	2	HSA	-
MW-209	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269397.75	231974.2084	Unknown	NA	NA	-	-	26.88			-	-	NA	-	-
MW-210	Valley St ROW, S side	Y	Yes	NA	10/10/08	1,269,463.18	231,959.15	May 2017	20	20.0	27.09	27.17	26.57	5.0	20.0	22.1	7.1	2	HSA	-
MW-211	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269557.47	231971.4309	Unknown	NA	NA	-	-	26.48			-	-	NA	-	-
MW-212	Mercer St ROW, N side (Block 37)	N	NA	NA	NA	1269499.76	231528.331	Unknown	NA	NA	-	-	29.09			-	-	NA	-	-
MW-213	Valley St ROW, S side (Block 37)	N	NA	NA	NA	1269386.98	231865.8753	Unknown	NA	NA	-	-	27.35			-	-	NA	-	-
MW-214	Valley St ROW, S side	Y	Yes	NA	10/01/14	1,269,388.42	231,861.09	May 2017	17	17.0	27.81	27.87	27.32	7.0	17.0	20.8	10.8	2	HSA	-
MW-301	Valley St ROW, S side	Y	Yes	BLR-795	09/20/10	1,268,438.37	232,058.67	Nov 2019	30	28.4	53.84	53.84	53.54	18.3	28.3	35.6	25.6	2	Sonic	-
MW-305	Roy St ROW, S side	Y	Yes	BMF-579	10/03/19	1,268,248.04	231,758.02	Nov 2019	35	33.0	60.23	60.27	59.86	22.8	32.8	37.4	27.4	2	Sonic	-
MW-310	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-590	09/17/19	1,268,804.70	232,047.86	Nov 2019	25	23.9	32.90	32.93	32.48	13.8	23.8	19.2	9.2	2	Sonic	-
MW-312	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-589	09/17/19	1,268,807.34	231,926.26	Nov 2019	26	25.9	35.63	35.66	34.99	15.8	25.8	19.9	9.9	2	Sonic	-
MW-313	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-586	09/12/10	1,268,808.11	231,817.18	Nov 2019	30	29.6	39.81	39.84	39.53	19.5	29.5	20.4	10.4	2	Sonic	-
MW-320	9th Ave N ROW, W side	Y	Yes	BLR-800	09/29/19	1,268,936.05	231,911.09	Nov 2019	30	25.7	34.10	34.13	33.57	15.5	25.5	18.6	8.6	2	Sonic	-
MW-332	Roy St ROW, N side	Y	Yes	BMP 105	04/17/20	1,268,901.68	231,795.43	Jun 2020	30	30.6	36.32	36.3	35.72	20.3	30.3	16.0	6.0	2	Sonic	-
MW-337	Lake Union Park, N end	Y	Yes	BMP-111	05/01/20	1,269,172.36	232,192.21	Jun 2020	20	19.9	27.76	27.88	27.51	9.7	19.7	18.1	8.1	2	Sonic	-
MW-339	Lake Union Park, S end	Y	Yes	BMP-114	05/05/20	1,269,264.79	232,014.53	Jun 2020	20.3	20.3	28.25	28.37	28.06	10.1	20.1	18.2	8.2	2	Sonic	-
MW-8	Seattle Roy Aloha Shops, N end	N	TOC Elev	NA	-	-	-	-	19	19.0	-	-	33.19	4.5	19.0	28.7	14.2	2	-	-
MW-9	8th Ave N ROW, E side	N	TOC Elev	NA	-	1,268,673.31	232,099.67	Nov 2019	22	22.0	41.05	41.05	40.74	7.0	22.0	34.1	19.1	2	-	-
MWR-3	Block 37, SW quadrant	N	NA	NA	NA	1,269,362.52	231,643.12	Unknown	NA	NA	-	-	29.67	7	17	22.7	12.7	NA	-	-
MWR-6	Block 37, SE quadrant	N	NA	NA	NA	1,269,561.31	231,566.97	Unknown	NA	NA	-	-	29.12	8	18	21.1	11.1	NA	-	-
R-MW5	Dexter Ave N ROW, E side	Y	Yes	NA	10/27/92	1,268,352.05	231,915.02	Nov 2019	30	30.0	57.35	57.28	57.01	15.0	30.0	42.4	27.4	2	HSA	-
R-MW6	8th Ave N ROW, W side	Y	Yes	NA	10/27/92	1,268,622.15	231,825.30	Nov 2022	22	22.0	-	45.09	44.52	12.0	22.0	33.3	23.3	2	HSA	-
SCL-MW101	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	AGI-540	06/01/02	1,268,818.93	232,188.81	Nov 2019	-	15.0	30.48	30.48	30.02	5.0	15.0	25.5	15.5	2	-	-
SCL-MW105	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	-	06/01/02	1,268,821.22	232,236.18	Nov 2019	-	30.0	31.07	31.08	30.77	20.0	30.0	11.1	1.1	2	-	-
SCS-2	Seattle Roy Aloha Shops, N end	N	TOC Elev	ABV-825	-	-	-	-	-	21.0	-	-	39.16	11.0	21.0	28.2	18.2	4	-	-
SMW-3	Valley St ROW, N side	N	No	NA	01/29/91	-	-	-	17	16.5	-	-	27.40	6.5	16.5	20.9	10.9	2	HSA	-
SVE-1	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,224.39	231,813.92	Unknown	NA	NA	-	-	28.05	5	17	23.1	11.1	NA	-	-
SVE-2	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,237.63	231,787.92	Unknown	NA	NA	-	-	28.66	5	17	23.7	11.7	NA	-	-
SVE-3	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,143.72	231,805.30	Unknown	NA	NA	-	-	29.92	4	10	25.9	19.9	NA	-	-
SVE-4	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,199.12	231,831.54	Unknown	NA	NA	-	-	28.36	4	16	24.4	12.4	NA	-	-
SVE-5	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,167.89	231,816.65	Unknown	NA	NA	-	-	29.28	4	12	25.3	17.3	NA	-	-
Intermediate A Zone Monitoring Wells																				
B-37-7	Block 37, SW quadrant	N	Y			1,269,341.77	231,556.91	Unknown	NA	NA	-	-	29.71	30.5	40.5	-0.8	-10.8	NA	-	-
B-37-8	Block 37, SW quadrant	N	NA	NA	NA	1,269,448.08	231,558.97	Unknown	NA	NA	-	-	29.94	30.5	40.5	-0.6	-10.6	NA	-	-
B-37-9	Block 37, SE quadrant	N	NA	NA	NA	1,269,554.30	231,544.63	Unknown	NA	NA	-	-	29.93	29.5	30.5	0.4	-0.6	NA	-	-
BB-8	Roy St ROW, S side	Y	Yes	NA	06/06/97	1,268,704.64	231,761.74	Nov 2019	78.5	40.0	44.00	44.01	43.64	30.0	40.0	14.0	4.0	2	HSA	-
DMW-31A	615 Dexter, NE quadrant	Y	Yes	BME932	02/27/20	1,268,264.12	231,698.15	Mar 2020	50.3	49.2	56.09	56.09	55.84	39.0	49.0	16.8	6.8	2	HSA	-
FMW-136	Block 38 West, S end	Y	TOC Elev	-	08/22/18	-	-	-	40	40.0	-	-	24.79	30.0	40.0	-4.9	-14.9	2	HSA	-
FMW-142	9th Ave N ROW, E side	Y	Yes	BLW-342	07/24/18	1,268,991.88	231,918.28	Nov 2019	45	42.5	32.87	32.90	32.52	37.5	42.5	-4.6	-9.6	2	Sonic	-

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
CA-A13	Property, NW quadrant	Y	Yes	BLZ-181	09/10/19	1,268,490.99	231,931.08	Nov 2019	25.4	25.0	13.9	-	13.60	9.66	24.66	4.24	-10.76	2	Sonic	-
CA-A14	Property, SW quadrant	Y	Yes	BLZ-128	09/11/19	1,268,490.39	231,911.11	Nov 2019	25.4	25.4	13.9	-	13.59	10.08	25.08	3.82	-11.18	2	Sonic	-
CA-A15	Property, SW quadrant	Y	Yes	BLZ-131	09/24/19	1,268,489.94	231,891.18	Nov 2019	25.3	25.3	13.9	-	13.58	9.97	24.97	3.93	-11.07	2	Sonic	-
CA-A16	Property, NE quadrant	Y	Yes	BLZ-166	10/23/19	1,268,559.64	231,998.66	Nov 2019	50.0	25.2	13.9	-	13.62	9.86	24.86	4.04	-10.96	2	Sonic	-
CA-A17	Property, NE quadrant	Y	Yes	BLZ-164	10/24/19	1,268,560.17	231,978.89	Nov 2019	25.6	25.6	13.9	-	13.50	10.24	25.24	3.66	-11.34	2	Sonic	-
CA-A18	Property, NE quadrant	Y	Yes	BLZ-162	10/26/19	1,268,559.91	231,959.22	Nov 2019	25.2	25.0	13.9	-	13.58	9.64	24.64	4.26	-10.74	2	Sonic	-
CA-A19	Property, SE quadrant	Y	Yes	BLZ-137	09/27/19	1,268,530.34	231,830.75	Nov 2019	25.3	24.9	13.9	-	13.60	9.55	24.55	4.35	-10.65	2	Sonic	-
CA-A20	Property, SE quadrant	Y	Yes	BLZ-139	09/30/19	1,268,550.15	231,830.04	Nov 2019	26.4	26.1	13.9	-	13.64	10.78	22.75	3.12	-8.85	2	Sonic	-
CA-A21	Property, SE quadrant	Y	Yes	BLZ-141	10/03/19	1,268,565.44	231,829.77	Nov 2019	25.6	25.6	13.9	-	13.59	10.27	25.27	3.63	-11.37	2	Sonic	-
Treatment Zone B Injection Wells																				
CA-B1	Property, NW quadrant	Y	Yes	BLZ-114	08/28/19	1,268,407.63	231,968.46	Nov 2019	38.7	38.7	13.9	-	13.56	23.22	38.22	-9.32	-24.32	2	Sonic	-
CA-B2	Property, NW quadrant	Y	Yes	BLZ-117	08/29/19	1,268,407.42	231,948.60	Nov 2019	39.6	39.5	13.9	-	13.56	24.16	39.16	-10.26	-25.26	2	Sonic	-
CA-B3	Property, NW quadrant	Y	Yes	BLZ-120	09/12/19	1,268,407.07	231,933.58	Nov 2019	38.2	38.9	13.9	-	13.63	23.55	38.55	-9.65	-24.65	2	Sonic	-
CA-B4	Property, SW quadrant	Y	Yes	BLZ-336	09/18/19	1,268,406.27	231,913.65	Nov 2019	39.5	39.1	13.9	-	13.57	23.66	38.78	-9.76	-24.88	2	Sonic	-
CA-B5	Property, SW quadrant	Y	Yes	BLZ-335	9/23/19 - 9/24/19	1,268,405.80	231,893.25	Nov 2019	39.2	-	13.9	-	13.58	-	-	-	-	2	Sonic	-
CA-B6	Property, SW quadrant	Y	Yes	BLZ-296	09/19/19	1,268,405.16	231,873.44	Nov 2019	39.6	39.6	13.9	-	13.62	24.25	39.25	-10.35	-25.35	2	Sonic	-
CA-B7	Property, SW quadrant	Y	Yes	BLZ-299	09/23/19	1,268,404.49	231,849.12	Nov 2019	40.2	40.4	13.9	-	13.62	25.05	40.06	-11.15	-26.16	2	Sonic	-
CA-B8	Property, SW quadrant	Y	Yes	BLZ-298	09/16/19	1,268,404.03	231,828.64	Nov 2019	40.1	40.5	13.9	-	13.55	25.11	40.11	-11.21	-26.21	2	Sonic	-
CA-B9	Property, NW quadrant	Y	Yes	BLZ-167	9/3/19 - 9/4/19	1,268,492.60	232,005.88	Nov 2019	39.9	40	13.9	-	13.61	24.65	39.65	-10.75	-25.75	2	Sonic	-
CA-B10	Property, NW quadrant	Y	Yes	BLZ-170	08/30/19	1,268,492.43	231,986.10	Nov 2019	39.7	39.9	13.9	-	13.58	24.52	39.51	-10.62	-25.61	2	Sonic	-
CA-B11	Property, NW quadrant	Y	Yes	BLZ-174	09/05/19	1,268,492.04	231,965.95	Nov 2019	39.3	39.1	13.9	-	13.57	23.73	38.73	-9.83	-24.83	2	Sonic	-
CA-B12	Property, NW quadrant	Y	Yes	BLZ-178	9/6/19 - 9/9/19	1,268,491.62	231,946.15	Nov 2019	39.7	39.7	13.9	-	13.61	24.3	39.3	-10.4	-25.4	2	Sonic	-
CA-B13	Property, NW quadrant	Y	Yes	BLZ-338	09/10/19	1,268,490.90	231,925.71	Nov 2019	40.9	39.9	13.9	-	13.62	24.55	39.45	-10.65	-25.55	2	Sonic	-
CA-B14	Property, SW quadrant	Y	Yes	BLZ-129	09/11/19	1,268,490.14	231,905.94	Nov 2019	40.2	39.2	13.9	-	13.59	23.82	38.82	-9.92	-24.92	2	Sonic	-
CA-B15	Property, SW quadrant	Y	Yes	BLZ-132	09/24/19	1,268,489.47	231,886.21	Nov 2019	39.5	39.5	13.9	-	13.58	24.18	39.18	-10.28	-25.28	2	Sonic	-
CA-B16	Property, NE quadrant	Y	Yes	BLZ-165	10/23/19	1,268,559.57	231,993.66	Nov 2019	39.0	39.8	13.9	-	13.57	24.49	39.49	-10.59	-25.59	2	Sonic	-
CA-B17	Property, NE quadrant	Y	Yes	BLZ-163	10/28/19	1,268,560.04	231,974.31	Nov 2019	39.4	39.3	13.9	-	13.57	23.98	38.98	-10.08	-25.08	2	Sonic	-
CA-B18	Property, NE quadrant	Y	Yes	BLZ-161	10/26/19	1,268,559.56	231,953.53	Nov 2019	38.8	38.8	13.9	-	13.61	23.44	38.44	-9.54	-24.54	2	Sonic	-
CA-B19	Property, SE quadrant	Y	Yes	BLZ-138	09/27/19	1,268,535.49	231,830.36	Nov 2019	39.6	39.6	13.9	-	13.58	24.2	39.2	-10.3	-25.3	2	Sonic	-
CA-B20	Property, SE quadrant	Y	Yes	BLZ-140	09/27/19	1,268,555.48	231,830.01	Nov 2019	39.5	39.5	13.9	-	13.60	24.18	39.18	-10.28	-25.28	2	Sonic	-
CA-B21	Property, SE quadrant	Y	Yes	BLZ-142	10/02/19	1,268,575.30	231,829.04	Nov 2019	40.4	40.2	13.9	-	13.60	24.83	39.83	-10.93	-25.93	2	Sonic	-
Treatment Zone C Injection Wells																				
CA-C1	Property, NW quadrant	Y	Yes	BLZ-115	08/27/19	1,268,407.57	231,963.35	Nov 2019	56.0	54.7	13.9	-	13.59	39.35	54.35	-25.45	-40.45	2	Sonic	-
CA-C2A	Property, NW quadrant	Y	Yes	BLZ-118	09/16/19	1,268,404.06	231,943.62	Nov 2019	54.4	54.3	13.9	-	13.64	38.97	53.97	-25.07	-40.07	2	Sonic	-
CA-C3	Property, NW quadrant	Y	Yes	BLZ-121	09/11/19	1,268,406.72	231,928.62	Nov 2019	53.8	54.3	13.9	-	13.61	38.9	53.9	-25	-40	2	Sonic	-
CA-C4	Property, SW quadrant	Y	Yes	BLZ-297	09/19/19	1,268,405.96	231,908.54	Nov 2019	56.6	54.1	13.9	-	13.52	38.71	53.71	-24.81	-39.81	2	Sonic	-
CA-C5	Property, SW quadrant	Y	Yes	BLZ-300	09/24/19	1,268,405.59	231,888.31	Nov 2019	55	55	13.9	-	13.58	39.67	54.67	-25.77	-40.77	2	Sonic	-
CA-C6	Property, SW quadrant	Y	Yes	BLZ-407	09/19/19	1,268,404.93	231,868.27	Nov 2019	54.7	54.7	13.9	-	13.61	39.35	54.35	-25.45	-40.45	2	Sonic	-
CA-C7	Property, SW quadrant	Y	Yes	BLZ-351	09/20/19	1,268,404.03	231,843.44	Nov 2019	55.4	55.4	13.9	-	13.59	40	55	-26.1	-41.1	2	Sonic	-
CA-C8	Property, NW quadrant	Y	Yes	BLZ-168	8/30/19 - 9/3/19	1,268,492.72	232,000.77	Nov 2019	55	55.4	13.9	-	13.58	40	55	-26.1	-41.1	2	Sonic	-
CA-C9	Property, NW quadrant	Y	Yes	BLZ-171	09/04/19	1,268,492.20	231,980.76	Nov 2019	34.2	33.3	13.9	-	13.57	37.9	52.9	-24	-39	2	Sonic	-
CA-C10	Property, NW quadrant	Y	Yes	BLZ-175	9/5/19 - 9/6/19	1,268,491.69	231,961.04	Nov 2019	54.8	53.8	13.9	-	13.54	38.46	53.46	-24.56	-39.56	2	Sonic	-
CA-C11	Property, NW quadrant	Y	Yes	BLZ-179	09/09/19	1,268,490.93	231,940.94	Nov 2019	54.2	54.4	13.9	-	13.65	39	54	-25.1	-40.1	2	Sonic	-
CA-C12	Property, SW quadrant	Y	Yes	BLZ-183	09/09/19	1,268,490.52	231,921.25	Nov 2019	55.3	54.8	13.9	-	13.50	39.48	54.48	-25.58	-40.58	2	Sonic	-
CA-C13	Property, SW quadrant	Y	Yes	BLZ-130	09/10/19	1,268,490.11	231,900.89	Nov 2019	54.2	54.2	13.9	-	13.57	38.82	53.82	-24.92	-39.92	2	Sonic	-
Treatment Zone D Injection Wells																				
CA-D1	Property, SW quadrant	Y	Yes	BLZ-122	09/10/19	1,268,406.74	231,923.47	Nov 2019	68	68.4	13.9	-	13.60	53	68	-39.1	-54.1	2	Sonic	-
CA-D2	Property, SW quadrant	Y	Yes	BLZ-352	9/16/19 - 9/18/19	1,268,406.00	231,903.91	Nov 2019	69.7	69.4	13.9	-	13.61	54.01	69.01	-40.11	-55.11	2	Sonic	-

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
CA-D3	Property, SW quadrant	Y	Yes	BLZ-353	9/19/19 - 9/23/19	1,268,405.78	231,883.37	Nov 2019	69.1	69.7	13.9	-	13.57	54.3	69.3	-40.4	-55.4	2	Sonic	-
CA-D4	Property, SW quadrant	Y	Yes	BLZ-354	09/18/19	1,268,404.67	231,863.59	Nov 2019	70.1	70.1	13.9	-	13.65	54.75	69.75	-40.85	-55.85	2	Sonic	-
CA-D5	Property, NW quadrant	Y	Yes	BLZ-172	9/3/19 - 9/4/19	1,268,492.06	231,976.01	Nov 2019	71.8	69.2	13.9	-	13.55	53.85	68.85	-39.95	-54.95	2	Sonic	-
CA-D6	Property, NW quadrant	Y	Yes	BLZ-176	09/04/19	1,268,491.58	231,955.40	Nov 2019	71.8	68.4	13.9	-	13.62	53.05	68.05	-39.15	-54.15	2	Sonic	-
CA-D7	Property, NW quadrant	Y	Yes	BLZ-337	9/5/19 - 9/6/19	1,268,491.19	231,935.87	Nov 2019	72.0	69.3	13.9	-	13.57	53.95	68.95	-40.05	-55.05	2	Sonic	-
CA-D8	Property, SW quadrant	Y	Yes	BLZ-184	9/6/19 - 9/9/19	1,268,490.41	231,915.69	Nov 2019	72.2	69.6	13.9	-	13.63	52.2	69.2	-38.3	-55.3	2	Sonic	-
Perimeter Dual Completion Injection Wells																				
PRB-A1	8th Ave N ROW, W side	Y	No	BLZ-201	1/8/19 - 1/9/19				85	52	-	-	-	31.7	51.7	-	-	2	Sonic	-
PRB-C1	8th Ave N ROW, W side	Y	No							82	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-B1	8th Ave N ROW, W side	Y	No	BLZ-202	1/15/19 - 1/17/19				98	67.5	-	-	-	52.2	67.2	-	-	2	Sonic	-
PRB-D1	8th Ave N ROW, W side	Y	No							97	-	-	-	82.2	96.7	-	-	2	Sonic	-
PRB-A2	8th Ave N ROW, W side	Y	No	BLZ-203	1/17/19 - 1/18/19				83	52	-	-	-	31.8	51.8	-	-	2	Sonic	-
PRB-C2	8th Ave N ROW, W side	Y	No							82	-	-	-	66.8	86.8	-	-	2	Sonic	-
PRB-B2	8th Ave N ROW, W side	Y	No	BLZ-204	1/16/19 - 1/21/19				99	67.1	-	-	-	51.8	67.8	-	-	2	Sonic	-
PRB-D2	8th Ave N ROW, W side	Y	No							97.3	-	-	-	82.0	96.9	-	-	2	Sonic	-
PRB-A3	8th Ave N ROW, W side	Y	No	BLZ-205	2/13/19 - 2/14/19				84.5	53.5	-	-	-	33.2	53.2	-	-	2	Sonic	-
PRB-C3	8th Ave N ROW, W side	Y	No							84.3	-	-	-	69.0	84.0	-	-	2	Sonic	-
PRB-B3	8th Ave N ROW, W side	Y	No	BLZ-206	1/10/19 - 1/11/19				99	69	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D3	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A4	8th Ave N ROW, W side	Y	No	BLZ-207	1/8/19 - 1/10/19				85	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C4	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-
PRB-B4	8th Ave N ROW, W side	Y	No	BLZ-208	1/22/19 - 1/23/19				100	68	-	-	-	52.7	67.7	-	-	2	Sonic	-
PRB-D4	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A5	8th Ave N ROW, W side	Y	No	BLZ-209	1/23/19 - 1/23/19				84	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C5	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-
PRB-B5	8th Ave N ROW, W side	Y	No	BLZ-210	2/14/19 - 2/14/19				99.5	68.4	-	-	-	53.1	68.1	-	-	2	Sonic	-
PRB-D5	8th Ave N ROW, W side	Y	No							98.4	-	-	-	83.1	98.1	-	-	2	Sonic	-
PRB-A6	8th Ave N ROW, W side	Y	No	BLZ-211	2/19/19 - 2/19/19				84.5	53.6	-	-	-	33.2	53.3	-	-	2	Sonic	-
PRB-C6	8th Ave N ROW, W side	Y	No							83.7	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B6	8th Ave N ROW, W side	Y	No	BLZ-212	2/20/19 - 2/21/19				99.5	69.1	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D6	8th Ave N ROW, W side	Y	No							99.2	-	-	-	83.9	98.9	-	-	2	Sonic	-
PRB-A7	8th Ave N ROW, W side	Y	No	BLZ-213	2/15/19 - 2/15/19				84.5	53.4	-	-	-	33.1	53.1	-	-	2	Sonic	-
PRB-C7	8th Ave N ROW, W side	Y	No							83.6	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B7	8th Ave N ROW, W side	Y	No	BLZ-214	2/12/19 - 2/13/19				100	67.8	-	-	-	52.5	67.5	-	-	2	Sonic	-
PRB-D7	8th Ave N ROW, W side	Y	No							98.7	-	-	-	83.4	98.4	-	-	2	Sonic	-
PRB-A8	8th Ave N ROW, W side	Y	No	BLZ-215	2/8/19 - 2/12/19				84	54.0	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C8	8th Ave N ROW, W side	Y	No							84.0	-	-	-	68.7	83.7	-	-	2	Sonic	-
PRB-B8	8th Ave N ROW, W side	Y	No	BLZ-216	2/20/19 - 2/20/19				99.5	69.0	-	-	-	53.6	68.6	-	-	2	Sonic	-
PRB-D8	8th Ave N ROW, W side	Y	No							99.5	-	-	-	84.2	99.2	-	-	2	Sonic	-
PRB-A9	8th Ave N ROW, W side	Y	No	BLZ-217	2/7/19 - 2/7/19				87.5	54.1	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C9	8th Ave N ROW, W side	Y	No							83.8	-	-	-	68.5	83.5	-	-	2	Sonic	-
PRB-B9	8th Ave N ROW, W side	Y	No	BLZ-218	1/30/19 - 2/6/19				100	69.2	-	-	-	53.8	68.8	-	-	2	Sonic	-
PRB-D9	8th Ave N ROW, W side	Y	No							99.3	-	-	-	84.0	99.0	-	-	2	Sonic	-
PRB-A10	8th Ave N ROW, W side	Y	No	BLZ-219	1/14/19 - 1/17/19				86	56	-	-	-	35.7	55.7	-	-	2	Sonic	-
PRB-C10	8th Ave N ROW, W side	Y	No							86	-	-	-	70.7	85.7	-	-	2	Sonic	-
PRB-B10	8th Ave N ROW, W side	Y	No	BLZ-220	2/22/19 - 2/22/19				101	70.6	-	-	-	55.3	70.3	-	-	2	Sonic	-
PRB-D10	8th Ave N ROW, W side	Y	No							100.5	-	-	-	85.2	100.2	-	-	2	Sonic	-
PRB-A11	8th Ave N ROW, W side	Y	No	BLZ-221	2/25/19				86	53.6	-	-	-	35.0	55.0	-	-	2	Sonic	-

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
PRB-C11	8th Ave N ROW, W side	Y	No							84.9	-	-	-	69.5	84.5	-	-	2	Sonic	-
PRB-B11	8th Ave N ROW, W side	Y	No	BLZ-222	1/15/19 - 1/16/19				101	70.0	-	-	-	55.4	70.4	-	-	2	Sonic	-
PRB-D11	8th Ave N ROW, W side	Y	No							100.7	-	-	-	85.4	100.4	-	-	2	Sonic	-
PRB-A12	8th Ave N ROW, W side	Y	No	BLZ-223	2/26/19 - 2/26/19	1,268,633.53	231,812.29		86.5	55.4	-	-	-	35.1	55.1	-	-	2	Sonic	-
PRB-C12	8th Ave N ROW, W side	Y	No			1,268,633.53	231,812.29			85.5	-	-	-	70.1	84.1	-	-	2	Sonic	-
PRB-B12	8th Ave N ROW, W side	Y	No	BLZ-224	1/21/19 - 2/27/19	1,268,631.47	231,798.35		101	68.2	-	-	-	53.0	67.8	-	-	2	Sonic	-
PRB-D12	8th Ave N ROW, W side	Y	No			1,268,631.47	231,798.35			98.4	-	-	-	83.4	98.1	-	-	2	Sonic	-
PRB-A13	Roy St ROW, N side	Y	No	BLZ-225	3/4/19 - 3/5/19	1,268,616.72	231,786.50		87	57.7	-	-	-	37.3	57.3	-	-	2	Sonic	-
PRB-C13	Roy St ROW, N side	Y	No			1,268,616.72	231,786.50			87.2	-	-	-	71.9	86.9	-	-	2	Sonic	-
PRB-B13	Roy St ROW, N side	Y	No	BLZ-226	03/21/19	1,268,605.69	231,787.72		103	72.0	-	-	-	56.6	71.6	-	-	2	Sonic	-
PRB-D13	Roy St ROW, N side	Y	No			1,268,605.69	231,787.72			102.4	-	-	-	87.0	102.0	-	-	2	Sonic	-
PRB-A14	Roy Street ROW, N side	Y	No		08/20/20-08/24/20	1,268,589.98	231,778.87		90	58.1	-	-	-	37.8	57.8	-	-	2	Sonic	-
PRB-C14	Roy Street ROW, N side	Y	No			1,268,589.98	231,778.87			88.1	-	-	-	72.7	87.7	-	-	2	Sonic	-
PRB-B14	Roy St ROW, N side	Y	No	BLZ-227	3/5/19 - 3/5/19	1,268,590.75	231,794.34		103.5	73.6	-	-	-	58.3	73.3	-	-	2	Sonic	-
PRB-D14	Roy St ROW, N side	Y	No			1,268,590.75	231,794.34			103.5	-	-	-	88.2	103.2	-	-	2	Sonic	-
PRB-D14R	Roy St ROW, N side	Y	No		12/1/20 - 12/10/20	1,268,586.06	231,794.34		106	105.9	-	-	-	90.6	105.6	-	-	2	Sonic	-
PRB-A15	Roy St ROW, N side	Y	No		08/14/20-08/17/20	1,268,565.61	231,779.66		89	58.6	-	-	-	38.1	58.2	-	-	2	Sonic	-
PRB-C15	Roy St ROW, N side	Y	No			1,268,565.61	231,779.66			89.4	-	-	-	73.97	89.1	-	-	2	Sonic	-
PRB-B15	Roy St ROW, N side	Y	No	BLZ-228	03/07/19	1,268,557.35	231,788.83		104	73.7	-	-	-	58.4	73.4	-	-	2	Sonic	-
PRB-D15	Roy St ROW, N side	Y	No			1,268,557.35	231,788.83			103.7	-	-	-	88.4	103.4	-	-	2	Sonic	-
PRB-A16	Roy St ROW, N side	Y	No	BLZ-229	3/7/19 - 3/11/19	1,268,542.99	231,789.16		90.5	58.7	-	-	-	43.4	58.4	-	-	2	Sonic	-
PRB-C16	Roy St ROW, N side	Y	No			1,268,542.99	231,789.16			88.5	-	-	-	73.2	88.2	-	-	2	Sonic	-
PRB-B16	Roy St ROW, N side	Y	No	BLZ-230	3/13/19 - 3/13/19	1,268,530.35	231,789.44		106	76.0	-	-	-	60.6	75.6	-	-	2	Sonic	-
PRB-D16	Roy St ROW, N side	Y	No			1,268,530.35	231,789.44			106.0	-	-	-	90.7	105.7	-	-	2	Sonic	-
PRB-A17	Roy St ROW, N side	Y	No	BLZ-231	3/8/19 - 3/12/19	1,268,520.22	231,789.67		91.5	58.5	-	-	-	38.2	58.2	-	-	2	Sonic	-
PRB-C17	Roy St ROW, N side	Y	No			1,268,520.22	231,789.67			89.6	-	-	-	74.3	89.3	-	-	2	Sonic	-
PRB-B17	Roy St ROW, N side	Y	No	BLZ-232	03/12/19	1,268,511.32	231,789.87		105	75.8	-	-	-	60.5	75.5	-	-	2	Sonic	-
PRB-D17	Roy St ROW, N side	Y	No			1,268,511.32	231,789.87			106.2	-	-	-	90.9	105.9	-	-	2	Sonic	-
PRB-A18	Roy St ROW, N side	Y	No	BLZ-233	03/14/19	1,268,499.98	231,790.13		93	60	-	-	-	39.7	59.7	-	-	2	Sonic	-
PRB-C18	Roy St ROW, N side	Y	No			1,268,499.98	231,790.13			90.6	-	-	-	75.3	90.3	-	-	2	Sonic	-
PRB-B18	Roy St ROW, N side	Y	No	BLZ-234	3/22/19 - 3/23/19	1,268,475.79	231,801.33		108	75.4	-	-	-	60.0	75.0	-	-	2	Sonic	-
PRB-D18	Roy St ROW, N side	Y	No			1,268,475.79	231,801.33			105.4	-	-	-	90.0	105.0	-	-	2	Sonic	-
PRB-D18R	Roy St ROW, N side	Y	No		12/4/20-12/8/20	1,268,471.25	231,801.41		107	107.0	-	-	-	91.6	106.6	-	-	2	Sonic	-
PRB-A19	Roy St ROW, N side	Y	No	BLZ-235	03/19/19	1,268,463.46	231,800.53		95	61.6	-	-	-	41.2	61.3	-	-	2	Sonic	-
PRB-C19	Roy St ROW, N side	Y	No			1,268,463.46	231,800.53			91.9	-	-	-	76.6	91.6	-	-	2	Sonic	-
PRB-B19	Roy St ROW, N side	Y	No	BLZ-236	03/18/19	1,268,452.90	231,797.23		110	79.6	-	-	-	64.7	79.3	-	-	2	Sonic	-
PRB-D19	Roy St ROW, N side	Y	No			1,268,452.90	231,797.23			109.4	-	-	-	94.0	109.0	-	-	2	Sonic	-
PRB-D19R	Roy St ROW, N side	Y	No		12/3/20-12/4/20	1,268,448.06	231,797.38		110	109.8	-	-	-	94.4	109.4	-	-	2	Sonic	-
PRB-A20	Roy St ROW, N side	Y	No	BLZ-237	03/15/19	1,268,443.47	231,801.05		94.5	64.1	-	-	-	43.7	63.8	-	-	2	Sonic	-
PRB-C20	Roy St ROW, N side	Y	No			1,268,443.47	231,801.05			93.6	-	-	-	78.2	93.2	-	-	2	Sonic	-
PRB-B20	Roy St ROW, N side	Y	No	BLZ-238	03/21/19	1,268,433.49	231,801.30		110	78.8	-	-	-	63.5	78.5	-	-	2	Sonic	-
PRB-D20	Roy St ROW, N side	Y	No			1,268,433.49	231,801.30			109.0	-	-	-	93.7	108.7	-	-	2	Sonic	-
PRB-A21	Roy St ROW, N side	Y	No	BLZ-239	03/16/19	1,268,419.48	231,801.66		96	64.0	-	-	-	43.7	63.7	-	-	2	Sonic	-
PRB-C21	Roy St ROW, N side	Y	No			1,268,419.48	231,801.66			94.8	-	-	-	79.5	94.5	-	-	2	Sonic	-
PRB-B21	Roy St ROW, N side	Y	No	BLZ-240	03/26/19	1,268,407.48	231,801.97		110	80.0	-	-	-	64.6	79.6	-	-	2	Sonic	-
PRB-D21	Roy St ROW, N side	Y	No			1,268,407.48	231,801.97			109.8	-	-	-	94.5	109.5	-	-	2	Sonic	-
PRB-A22	Roy St ROW, N side	Y	No	BLZ-241	03/23/19	1,268,395.49	231,802.27		96	64.6	-	-	-	44.2	64.3	-	-	2	Sonic	-
PRB-C22	Roy St ROW, N side	Y	No			1,268,395.49	231,802.27			96.3	-	-	-	80.9	95.9	-	-	2	Sonic	-

Well Completion Table
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington


Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
PRB-B22	Roy St ROW, N side	Y	No		08/18/20-08/19/20	1,268,387.49	231,802.48		110	82.1	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-D22	Roy St ROW, N side	Y	No			1,268,387.49	231,802.48			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No		08/12/20-08/14/20	1,268,381.49	231,802.63		100	64.5	-	-	-	44.1	64.2	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No			1,268,381.49	231,802.63			95.9	-	-	-	80.5	95.6	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No		08/20/20-08/21/20	1,268,373.59	231,785.66		112	81.2	-	-	-	65.8	80.8	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No			1,268,373.59	231,785.66			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No		08/24/20-08/25/20	1,268,577.67	231,779.42		105	75.5	-	-	-	60.1	75.2	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No			1,268,577.67	231,779.42			105.1	-	-	-	89.7	104.7	-	-	2	Sonic	-
Treatment Zone A Monitoring Wells																				
MW-165	Property, NE quadrant	Y	Yes	BLZ-150	10/22/19	1,268,581.94	231,970.40	Nov 2019	22.7	23.0	13.9	-	13.58	12.7	22.7	1.3	-8.8	2	Sonic	-
MW-169	Property, SW quadrant	Y	Yes	BLZ-127	09/24/19	1,268,461.82	231,922.84	Nov 2019	23.1	23.1	13.9	-	13.55	12.7	22.7	1.2	-8.8	2	Sonic	-
MW-173	Property, SE quadrant	Y	Yes	BLZ-146	10/26/19	1,268,584.42	231,917.86	Nov 2019	22.0	22.0	13.9	-	13.56	11.7	21.7	2.2	-7.8	2	Sonic	-
MW-177	Property, SW quadrant	Y	Yes	BLZ-350	09/26/19	1,268,393.18	231,887.12	Nov 2019	22.1	21.9	13.9	-	13.61	11.6	21.6	2.3	-7.7	2	Sonic	-
MW-181	Property, SW quadrant	Y	Yes	BLZ-349	09/27/19	1,268,431.00	231,834.46	Nov 2019	22.8	22.8	13.9	-	13.59	12.4	22.4	1.5	-8.5	2	Sonic	-
MW-185	Property, SE quadrant	Y	Yes	BLZ-133	10/02/19	1,268,522.10	231,840.33	Nov 2019	23.2	22.9	13.9	-	13.60	12.6	22.6	1.4	-8.7	2	Sonic	-
Treatment Zone B Monitoring Wells																				
MW-166	Property, NE quadrant	Y	Yes	BLZ-149	10/22/19	1,268,587.14	231,970.32	Nov 2019	36.8	36.8	13.9	-	13.58	26.5	36.5	-12.6	-22.6	2	Sonic	-
MW-170	Property, SW quadrant	Y	Yes	BLZ-126	09/26/19	1,268,466.70	231,922.95	Nov 2019	36.7	37.0	13.9	-	13.56	26.7	36.7	-12.8	-22.8	2	Sonic	-
MW-174	Property, SE quadrant	Y	Yes	BLZ-145	10/26/19	1,268,584.50	231,913.45	Nov 2019	37.0	36.5	13.9	-	13.57	26.2	36.2	-12.3	-22.3	2	Sonic	-
MW-178	Property, SW quadrant	Y	Yes	BLZ-348	09/25/19	1,268,397.56	231,887.29	Nov 2019	36.1	36.0	13.9	-	13.61	25.6	35.6	-11.7	-21.7	2	Sonic	-
MW-182	Property, SW quadrant	Y	Yes	BLZ-347	09/27/19	1,268,435.65	231,834.63	Nov 2019	37.4	36.8	13.9	-	13.59	26.4	36.4	-12.5	-22.5	2	Sonic	-
MW-186	Property, SE quadrant	Y	Yes	BLZ-136	10/01/19	1,268,527.26	231,840.76	Nov 2019	36.1	37.0	13.9	-	13.57	26.6	36.6	-12.7	-22.7	2	Sonic	-
Treatment Zone C Monitoring Wells																				
MW-167	Property, NE quadrant	Y	Yes	BLZ-160	10/22/19	1,268,581.97	231,965.15	Nov 2019	52.2	52.2	13.9	-	13.58	41.8	51.8	-27.9	-37.9	2	Sonic	-
MW-171	Property, SW quadrant	Y	Yes	BLZ-125	9/24/19 - 9/25/19	1,268,461.59	231,917.65	Nov 2019	52.7	51.8	13.9	-	13.49	41.5	51.5	-27.6	-37.6	2	Sonic	-
MW-175	Property, SE quadrant	Y	Yes	BLZ-144	10/26/19	1,268,584.42	231,908.01	Nov 2019	52.2	51.6	13.9	-	13.56	41.7	51.7	-27.8	-37.8	2	Sonic	-
MW-179	Property, SW quadrant	Y	Yes	BLZ-346	9/25/19 - 9/26/19	1,268,393.17	231,882.00	Nov 2019	51.4	51.4	13.9	-	13.62	41.1	51.1	-27.2	-37.2	2	Sonic	-
MW-183	Property, SW quadrant	Y	Yes	BLZ-345	09/26/19	1,268,430.71	231,829.32	Nov 2019	52.4	51.7	13.9	-	13.55	41.3	51.3	-27.4	-37.4	2	Sonic	-
MW-187	Property, SE quadrant	Y	Yes	BLZ-134	10/1/19 - 10/2/19	1,268,521.74	231,835.57	Nov 2019	52.2	51.3	13.9	-	13.56	40.9	50.9	-27.0	-37.0	2	Sonic	-
Treatment Zone D Monitoring Wells																				
MW-168	Property, NE quadrant	Y	Yes	BLZ-148	10/21/19	1,268,586.89	231,964.73	Nov 2019	67.2	67.2	13.9	-	13.55	56.9	66.9	-43.0	-53.0	2	Sonic	-
MW-172	Property, SW quadrant	Y	Yes	BLZ-124	9/25/19 - 9/26/19	1,268,467.31	231,917.87	Nov 2019	66.7	66.7	13.9	-	13.54	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-176	Property, SE quadrant	Y	Yes	BLZ-143	10/25/19 - 10/26/19	1,268,583.98	231,902.76	Nov 2019	67.5	67.0	13.9	-	13.55	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-180	Property, SW quadrant	Y	Yes	BLZ-344	9/24/19 - 9/25/19	1,268,397.49	231,882.40	Nov 2019	66.9	66.9	13.9	-	13.61	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-184	Property, SW quadrant	Y	Yes	BLZ-343	9/26/19 - 9/27/19	1,268,435.35	231,829.39	Nov 2019	67.3	66.7	13.9	-	13.58	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-188	Property, SE quadrant	Y	Yes	BLZ-135	9/30/19 - 10/1/19	1,268,527.24	231,835.51	Nov 2019	66.3	66.4	13.9	-	13.59	56.1	66.1	-42.2	-52.2	2	Sonic	-

Notes:

1. TOC = top of PVC casing
2. Monitoring wells and vapor probes were surveyed by Bush, Roed & Hitchings, Inc. (BR&H) of Seattle, Washington, relative to the North American Vertical Datum of 1988 (NAVD 88) and NAD83/91, Washington State Plane Coordinate System North Zone. The perimeter injection wells were surveyed by Turner Construction to an on-Site datum and converted from the resulting CAD drawing to the Washington State Plane Coordinate System by PES Environmental
3. bgs = below ground surface; ft = feet; ROW = right-of-way; - = not available or not applicable
4. HSA = hollow-stem auger; DP = direct-push probe; Sonic = roto-sonic or rotary vibratory drilling
5. Casing depth = depth where casing or auger size was reduced, with the larger casing left in place during drilling
6. 10-foot-long well screens assumed for MW-214, SCL-MW101, SCL-MW105, SCS-2, and SMW-3
7. Treatment Zone D wells PRB-D14, PRB-D18, and PRB-D19 were damaged during construction; the wells were decommissioned and replaced by wells PRB-D14R, PRB-D18R, and PRB-D19R, respectively, each installed in separate borings

ATTACHMENT B
CVOC Time-Trend Plots


Concentration vs Time
MW-9 (34.1 to 19.1 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW121 (26.7 to 16.7 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW125 (28.6 to 13.6 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-154 (27.8 to 17.9 feet NAVD), Roy St ROW, S side
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-155 (24.4 to 14.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-159 (22.9 to 12.9 feet NAVD), 8th Ave N, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-301 (35.6 to 25.6 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-305 (37.4 to 27.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-310 (19.2 to 9.2 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-312 (19.9 to 9.9 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-313 (20.4 to 10.4 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-320 (18.6 to 8.6 feet NAVD), 9th Ave N, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-332 (16.0 to 6.0 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-337 (18.1 to 8.1 feet NAVD), Lake Union Park, N end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-339 (18.2 to 8.2 feet NAVD), Lake Union Park, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
R-MW5 (42.4 to 27.4 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
R-MW6 (33.3 to 23.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



- Notes:**
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
SCL-MW101 (25.5 to 15.5 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
BB-8 (14.0 to 4.0 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-142 (-4.2 to -9.6 feet NAVD), 9th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
GEI-MW-1 (-9.7 to -29.7 feet NAVD), Block 79 East, N end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW107 (8.8 to -1.2 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW108 (-7.2 to -17.2 feet NAVD), Alley E of Seattle Roy Aloho Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW109 (0.0 to -10.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW110 (4.7 to -5.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW115 (-0.6 to -10.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW116 (-3.1 to -13.1 feet NAVD) 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW119 (2.7 to -7.3 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW120 (0.0 to -10.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW127 (-1 to -11.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-142 (2.4 to -7.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co-Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-144R (3.9 to -6.5 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-146 (12.8 to 2.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-156 (2.0 to -8.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-189 (-1.2 to -11.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-302 (3.0 to -7.0 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-306 (17.2 to 7.2 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-308 (-4.7 to -14.7 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-315 (12.2 to 2.3 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-317 (3.4 to -6.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-325 (7.0 to -3.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-327 (3.6 to -6.3 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-330 (0.0 to -10.0 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-331 (-4.3 to -14.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-333 (-1.5 to -11.5 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time FMW-141 (-12.1 to -22.1 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time HMW-9IB (-1.6 to -11.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant American Linen Supply Co–Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW111 (-33.5 to -43.5 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW112 (-17.2 to -27.2 feet NAVD), Dexter Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW126 (-54.1 to -64.1 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-143 (-27.7 to -37.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-145R (-27.2 to -37.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-147 (-17.6 to -27.6 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-148 (-25.7 to -35.7 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-157 (-28.3 to -38.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-190 (-30.2 to -40.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-303 (-13.8 to -23.8 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-307 (-12.4 to -22.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-309 (-32.0 to -42.0 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-311 (-29.1 to -39.1 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-314 (-28.0 to -38.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-316 (-10.0 to -20.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-318 (-23.1 to -33.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-322 (-23.1 to -31.3 feet NAVD), 9th Avenue North American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-334 (-21.7 to -31.7 feet NAVD), 900 Roy Street, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-335 (-25.6 to -35.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-338 (-16.6 to -26.6 feet NAVD), Lake Union Park, N end American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-340 (-16.1 to -26.1 feet NAVD), Lake Union Park, S end American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-346 (-2.2 to -12.2 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-347 (-1.3 to -11.3 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-348 (-4.6 to -14.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-349 (-2.8 to -12.8 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-350 (-1.7 to -10.7 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
W-MW-01 (-25.1 to -35.1 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
W-MW-02 (-26.3 to -36.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-129 (-45.6 to -50.6 feet NAVD), SDOT Mercer Parcels, NE Quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-131 (-34.7 to -44.7 feet NAVD), Block 37, SE Quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-137 (-39.9 to -54.9 feet NAVD), Alley E of Block 38W
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-140 (-38.0 to -48.0 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
GEI-2 (-21.1 to -31.1 feet NAVD), Block 37, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW102 (-65.8 to -75.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW103 (-67.6 to -77.6 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW104 (-76.3 to -86.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW105 (-85.8 to -95.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW106 (-78.0 to -88.0 feet NAVD), SDOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW113 (-37.1 to -47.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW122 (-75.0 to -89.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW123 (-42.5 to -52.5 feet NAVD), Westlake Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW124 (-53.8 to -63.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW128 (-30.8 to -40.8 feet NAVD), Westlake Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-138 (-47.5 to -57.5 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-153 (-65.3 to -75.3 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-158A (-47.2 to -58.5 feet NAVD), 8th Ave N, ROW E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-160 (-76.5 to -86.5 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-161 (-78.9 to -89.9 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-304 (-47.6 to -57.6 feet NAVD), Dexter Avenue N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-319 (-42.8 to -52.8 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-323 (-65.4 to -75.4 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-324 (-32.1 to -42.1 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-326 (-48.7 to -58.7 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-328 (-36.1 to -46.1 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-329 (-69.0 to -79.0 feet NAVD), Westlake Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-336 (-51.6 to -61.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-341 (-66.8 to -76.8 feet NAVD), Lake Union Park, S end American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-342 (-32.4 to -42.4 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-343 (-71.5 to -81.5 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-165 (1.3 to -8.8 feet NAVD), Cluster 1, Treatment Zone A
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-166 (-12.6 to -22.6 feet NAVD), Cluster 1, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-167 (-27.9 to -37.9 feet NAVD), Cluster 1, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-168 (-43 to -53 feet NAVD), Cluster 1, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-169 (1.2 to -8.8 feet NAVD), Cluster 2, Treatment Zone A
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-170 (-12.8 to -22.8 feet NAVD), Cluster 2, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-171 (-27.6 to -37.6 feet NAVD), Cluster 2, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-172 (-42.5 to -52.5 feet NAVD), Cluster 2, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-173 (2.2 to -7.8 feet NAVD), Cluster 3, Treatment Zone A
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-174 (-12.3 to -22.3 feet NAVD), Cluster 3, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cealnup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-175 (-27.8 to -37.8 feet NAVD), Cluster 3, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-176 (-42.7 to -52.7 feet NAVD), Cluster 3, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time MW-177 (2.3 to -7.7 feet NAVD), Cluster 4, Treatment Zone A American Linen Supply Co-Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-178 (-11.7 to -21.7 feet NAVD), Cluster 4, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-179 (-27.2 to -37.2 feet NAVD), Cluster 4, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-180 (-42.5 to -52.5 feet NAVD), Cluster 4, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:
 1) All results detected below the laboratory MDLs are shown as hollow data points .
 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-181 (1.5 to -8.5 feet NAVD), Cluster 5, Treatment Zone A
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-182 (-12.5 to -22.5 feet NAVD), Cluster 5, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-183 (-27.4 to -37.4 feet NAVD), Cluster 5, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-184 (-42.5 to -52.5 feet NAVD), Cluster 5, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-185 (1.4 to -8.7 feet NAVD), Cluster 6, Treatment Zone A
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-186 (-12.7 to -22.7 feet NAVD), Cluster 6, Treatment Zone B
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-187 (-27.0 to -37.0 feet NAVD), Cluster 6, Treatment Zone C
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-188 (-42.2 to -52.2 feet NAVD), Cluster 6, Treatment Zone D
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.